
FIGURES



Client:	Larchmont Development LLC Sun Devil Development LLC BCA MK LLC		**Site Location Plan**
Site:	200 East Main Street, Mt. Kisco, NY		
BCP Site No.: C360183	**Drawn by:** DJT	**Scale:** Graphic	**Figure: 1**



Tax parcel data was provided by local municipality. This map is generated as a public service to Westchester County residents for general information and planning purposes only, and should not be relied upon as a sole informational source. The County of Westchester hereby disclaims any liability from the use of this GIS mapping system by any person or entity. Tax parcel boundaries represent approximate property line location and should NOT be interpreted as or used in lieu of a survey or property boundary description. Property descriptions must be obtained from surveys or deeds. For more information please contact local municipality assessor's office.

DT Consulting Services, Inc.

1291 Old Post Road
Ulster Park, New York 12487
(845) 658-3484

Client:	Larchmont Development LLC, Sun Devil Development LLC, BCA MK LLC		
Location:	200 East Main Street, Mt Kisco, Westchester County, New York		
Title:	Site (base) Map		
Scale: Graphic	Drawn By: DT	BCP Site No: C360183	Figure No: 2

DS-5
2 Green Street

SB-10/
MW-16/ 16D

SV-6 - NO SOIL VAPOR
GROUNDWATER AT ~2
FEET BGS

DS-5
2 Green Street

SG-5/
AI-5

MW-17D

SB-11/
MW-17

SV-7 set @ 5 feet
bgs
NO SAMPLE -
WATER INTRUSION INTO
SAMPLE TUBING

SV-5

SB-9/
MW-15/ 15D

SB-4/
MW-10/ 10D

SV-1

Dakin Ave.

Sump #4
Discharge
to Stormwater
System

Sump #4

Sump #3

Sump #3
Discharge
to Sanitary
Sewer along
Dakin Ave

190 E Main SG-2

IRM - Sump GAC
Treatment

188-190 E Main Street

Sump #2

190 E Main
SG-1

Sump #1

SB-3/
MW-9/9D

SV-2

SB-7/
MW-13/13D

Sump #1&2
Discharge
to Sanitary
Sewer along
Dakin Ave

10 Dakin SG-1

10 Dakin Avenue

192 E Main Street

IRM - SSDS/ Vapor
Barrier & Sump GAC
Treatment

192 E Main Sump

GPR Anomaly

SB-1/
MW-7/7D

MW-2

MW-3

MW-4

MW-1

MW-5

SB-2/
MW-8/8D

16 Dakin Avenue

SB-5/
MW-11

SV-3

IRM - SVE
Remediation
Radius

Former Prestige
Cleaners

IRM - Excavation
Areas
RA-1 & RA-2

BCP Site
Boundary

200-206 E Main Street

IRM(S) - Building Wide SSDS

200-206 E Main Street
Outside of BCP Site Boundary

AD-1

SV-4

SB-6/
MW-12

Mt. Kisco Elementary
47 W Hyatt Avenue

SG-6/
AI-6

DS-6
222 E Main Street

SG-4/
AI-4
Installed in
Utility Closet

DS-4 parking lot
(Building Not Depicted)

SB-8/
MW-14

AI-3
NO VAPOR SAMPLE - WATER
INTRUSION INTO SAMPLE TUBING

DS-3
179 E Main Street

192 E Main Sump
Discharge
to Stormwater
System

DS-2
183-191 E Main Street

AI-2
NO VAPOR SAMPLE - WATER
INTRUSION INTO SAMPLE TUBING

280 E Main Catch Basin
Discharge
to Stormwater
System

Lundy Ln.

Main St.

NO ACCESS/ PERMISSION

DS-1
193 E Main Street

Lenox Pl.

LEGEND

North

0 25 50

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Sump Pump Discharge Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)
- Exterior Soil Vapor Location (July 2023)
- Sub-slab Soil Gas/ Co-Located Indoor Ambient Air Location (July 2022, March/ April/ December 2023) *Air samples only at DS-2 & DS-3 based on water beneath slab
- Sump Pump Location
- Additional 'step out' soil vapor location - No Access
- Indoor Air Sample Location

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Remedial Investigation Field Work Map

Figure 3

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183



Explanation Block

- BCP Site Boundary
- RI Soil Boring (11/17/2021)
- RI Soil Boring (2/28/2022)

Interior layouts depicted are current as of the date of soil boring.

0 6.5 13


APPROXIMATE SCALE (FEET)

DT Consulting Services, Inc.
&
Bellucci Engineering PLLC

Remedial Investigation Field Work Map - Unit 1 Interior Soil Borings

Project
200 East Main Street
Mount Kisco, NY

BCP Site Number			Figure
C360183			3A
PE/PG: DB	Date: 3/7/2026	Drafter: DB	



Drawing Notes:
Interior layouts depicted are current as of the date of sample collection. Current interior layout of Unit #s 1 & 2 have since changed during 2024-2025 renovations to for new tenants.

RI Sub-slab Soil Gas Sample Location
Indoor Air Sample Location

Prepared by:
DT Consulting Services, Inc. &
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200 East Main Street, Mt Kisco, New York

BCP Site No: C360183

Title: Remedial Investigation Field Work Map - On-Site Sub-slab Vapor & Indoor Air

Scale: Graphic

Drawn By: O.T./ D.B

Figure 3B

Sample ID	SB-6A (1)		SB-6A (1D)		SB-6A (2)		SB-6A (3)	
Sampling Date	2/28/2022		2/28/2022		2/28/2022		2/28/2022	
Sample Depth (feet below slab)	1-2		1-2		5-6		7-8	
1,1,2-Trichloroethane	0.00820		0.00250	U	0.250	U	0.220	U
1,2,3-Trichloropropane	0.00240	U	0.00250	U	0.250	U	1.800	D
1,2,4,5-Tetramethylbenzene	0.00240	U	0.00250	U	4	D	7.100	D
1,2,4-Trimethylbenzene	0.00240	U	0.00250	U	19	D	27	DE
1,3,5-Trimethylbenzene	0.00240	U	0.00250	U	5.700	D	8.5	D
4-Methyl-2-pentanone	0.00240	U	0.00250	U	0.250	U	0.870	D
cis-1,2-Dichloroethylene	0.00240	U	0.00460	J	0.250	JD	0.290	JD
Cyclohexane	0.00240	U	0.00250	U	0.250	U	0.280	JD
Ethyl Benzene	0.00240	U	0.00250	U	1.2	D	0.220	U
Isopropylbenzene	0.00240	U	0.00250	U	1.100	D	1.700	D
Methylcyclohexane	0.00240	U	0.00250	U	1.200	D	2.300	D
Methylene chloride	0.0170		0.0170		1	BD	1.1	BD
Naphthalene	0.00510	J	0.00250	U	11	D	19	DE
n-Butylbenzene	0.00240	U	0.00250	U	1.600	D	0.220	U
n-Propylbenzene	0.00240	U	0.00250	U	2.400	D	2.800	D
o-Xylene	0.00240	U	0.00250	U	2.900	D	1.400	D
p- & m- Xylenes	0.00480	U	0.00500	U	1.900	D	2.700	D
p-Diethylbenzene	0.00240	U	0.00250	U	0.250	U	13	D
p-Ethyltoluene	0.00240	U	0.00250	U	5.700	D	8.500	D
p-Isopropyltoluene	0.00240	U	0.00250	U	1.700	D	2.600	D
sec-Butylbenzene	0.00240	U	0.00250	U	0.250	U	3.300	D
Tetrachloroethylene	1.200	D	3.1	D	0.250	U	0.220	U
Trichloroethylene	0.00290	J	0.00880		0.250	U	0.220	U
Xylenes, Total	0.00720	U	0.00760	U	4.8	D	4.1	D

Sample ID	SB-2A (1)		SB-2A (2)	
Sampling Date	2/28/2022		2/28/2022	
Sample Depth (feet below slab)	1-2		4.5-5.5	
Methylene chloride	0.00870	J	0.0150	
Tetrachloroethylene	0.00950		0.00260	U

Analyte	SB-2A 11/17/2021 1-3		SB-2B 11/17/2021 6-8	
Methylene chloride	0.00750	J	0.0420	
Tetrachloroethylene	0.00250	U	0.00370	J

Analyte	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial
1,2,4-Trimethylbenzene	3.6	190
1,3,5-Trimethylbenzene	8.4	190
cis-1,2-Dichloroethylene	0.25	500
Ethyl Benzene	1	390
Methylene chloride	0.05	500
Naphthalene	12	500
Tetrachloroethylene	1.3	150
Trichloroethylene	0.47	200
Xylenes, Total	1.6	500

NOTES:
ANALYTE DETECTED
ANALYTE DETECTED ABOVE POG SCO
ANALYTE DETECTED ABOVE CU SCO
All Units in millograms per kilogram (mg/Kg)

Sample ID	RA-1-B	
Sampling Date	2/24/2023	
Sample Depth (feet bgs)	5-6.5	
1,2,4-Trimethylbenzene	18	D
cis-1,2-Dichloroethylene	0.240	U
Methylene chloride	0.790	JD
Tetrachloroethylene	510	D
Trichloroethylene	1.800	D
Xylenes, Total	5.400	D

Sample ID	RA-1-C	
Sampling Date	2/24/2023	
Sample Depth (feet bgs)	5-6.5	
1,2,4-Trimethylbenzene	18	D
cis-1,2-Dichloroethylene	0.680	D
Methylene chloride	0.81	JD
Tetrachloroethylene	150	D
Trichloroethylene	2.4	D
Xylenes, Total	1.1	JD

Sample ID	RA-1-E	
Sampling Date	2/24/2023	
Sample Depth (feet bgs)	8	
1,2,4-Trimethylbenzene	0.750	D
cis-1,2-Dichloroethylene	0.300	U
Methylene chloride	0.880	JD
Tetrachloroethylene	25	D
Trichloroethylene	0.300	U
Xylenes, Total	0.890	U

Sample ID	RA-1-D	
Sampling Date	2/24/2023	
Sample Depth (feet bgs)	5-6.5	
1,2,4-Trimethylbenzene	0.280	U
cis-1,2-Dichloroethylene	0.280	U
Methylene chloride	0.800	JD
Tetrachloroethylene	170	D
Trichloroethylene	0.350	JD
Xylenes, Total	0.830	U

Sample ID	RA-2C	
Sampling Date	2/22/2023	
Sample Depth (feet below slab)	5-7	
Tetrachloroethylene	370	D

Sample ID	RA-2E	RA-2E Dup.
Sampling Date	2/22/2023	2/22/2023
Sample Depth (feet below slab)	8	8
Tetrachloroethylene	0.210	0.210

Sample ID	RA-2D	
Sampling Date	2/22/2023	
Sample Depth (feet below slab)	5-7	
Tetrachloroethylene	150	D

Analyte	SB-3A 11/17/2021 2-4	
Methylene chloride	0.0450	
Tetrachloroethylene	0.00910	

Analyte	SB-3B 11/17/2021 6.5-8.5		SB-3B Duplicate 11/17/2021 6.5-8.5	
1,2,4-Trimethylbenzene	6.3	D	9.8	D
1,3,5-Trimethylbenzene	1.900	D	3	D
Ethyl Benzene	0.270	U	0.430	JD
Methylene chloride	0.850	JD	1	D
Naphthalene	5.200	D	6.900	D
Tetrachloroethylene	9.6	D	16	D
Xylenes, Total	0.800	U	1.6	D

Sample ID	RA-1-A	
Sampling Date	2/24/2023	
Sample Depth (feet bgs)	5.5-6.5	
1,2,4-Trimethylbenzene	10	D
cis-1,2-Dichloroethylene	0.270	U
Methylene chloride	1	JD
Tetrachloroethylene	660	D
Trichloroethylene	2.600	D
Xylenes, Total	1.900	D

Sample ID	RA-1 S-1	
Sampling Date	12/16/2022	
Sample Depth (feet bgs)	3.5-4	
Tetrachloroethylene	0.00590	J

Sample ID	RA-2B	
Sampling Date	2/22/2023	
Sample Depth (feet below slab)	5-7	
Tetrachloroethylene	0.0200	

Sample ID	RA-2A	
Sampling Date	2/22/2023	
Sample Depth (feet bgs)	5-7	
Tetrachloroethylene	0.0150	

200-206 E Main Street

Former Prestige Cleaners
Unit #1

Vacant Unit
Unit #2

SB-1A
SB-2A
SB-2
SB-6A
SB-3
SB-4A
RA-1
SB-5A
SB-1
RA-2
SB-3A
Sanitary Line

Explanation Block

- Post-Excavation Sample
- Excavation Area 8' bsg
- RI Soil Boring (11/17/2021)
- RI Soil Boring (2/28/2022)
- ~~Sample Removed via IRM Excavation~~
- BCP Site Boundary

Interior layouts depicted are current as of the date of soil boring.

All units in milligrams per kilogram (mg/kg)

0 6.5 13

APPROXIMATE SCALE (FEET)

DT Consulting Services, Inc.
&
Bellucci Engineering PLLC


VOC Soil Exceedances of POG & Commercial Use SCOs -Unit #1/ On-Site

Project
200 East Main Street
Mount Kisco, NY

BCP Site Number C360183

Figure 4

PE/PG DB | Date 3/7/2026 | Drafter DB



Sample ID	SB-8B
Sampling Date	12/29/2023
Sample Depth (feet bgs)	14'-15'
Acetone	0.0680

Sample ID	SB-11B
Sampling Date	12/27/2023
Sample Depth (feet bgs)	14'-15'
Acetone	0.0560

Sample ID	SB-2A		SB-2B	
Sampling Date	7/26/2023		7/26/2023	
Sample Depth (feet bgs)	4.5'-5.5'		24'-25'	
1,2,4-Trimethylbenzene	12	D	0.00210	U
cis-1,2-Dichloroethylene	0.570	D	0.00210	U
Methylene chloride	0.400	JD	0.00420	U
Xylenes, Total	3.500	D	0.00630	U

Sample ID	MW-1 Soil
Sampling Date	5/28/2019
Sample Depth (feet bgs)	7-10
1,4-Dioxane	0.140 U

Sample ID	MW-6
Sampling Date	11/17/2021
Sample Depth (feet below slab)	6.5-8.5
Methylene chloride	0.0720

Sample ID	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial
VOA, 8260 MASTER		
1,2,4-Trimethylbenzene	3.6	190
1,4-Dioxane	0.1	130
Acetone	0.05	500
Methylene chloride	0.05	500
Xylenes, Total	1.6	500

NOTES:

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

All Units in milligrams per kilogram (mg/kg)

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: VOC Soil Exceedances of POG and Commercial Use SCOs - On and Off-Site

Figure 5

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

Analyte	NYSDEC TOGS Standards and Guidance Values - GA
All units in micrograms per liter (µg/L)	
VOA, 8260 LOW MASTER	
1,2,4-Trimethylbenzene	5
1,3,5-Trimethylbenzene	5
1,4-Dioxane	0.35
Acetone	50
Chloroform	7
cis-1,2-Dichloroethylene	5
Ethyl Benzene	5
Isopropylbenzene	5
Methylene chloride	5
Naphthalene	10
n-Butylbenzene	5
n-Propylbenzene	5
sec-Butylbenzene	5
Tetrachloroethylene	5
trans-1,2-Dichloroethylene	5
Trichloroethylene	5
Vinyl Chloride	2
Xylenes, Total	5

NOTES:

Concentration Detected

Concentration Above AWQS

ND = non-detected

Red indicates analyte detected in one or more soil samples (on-Site and/or off-Site) above POG SCOs.

Sample ID	MW-13			MW-13D		
Sampling Date	8/3/2023	1/25/2024	7/16/2024	8/3/2023	1/25/2024	7/16/2024
Matrix	Ground Water			Ground Water		
1,2,4-Trimethylbenzene	0.310 U	ND U	0.310 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	ND U	0.347 U	0.347 U	ND U	0.347 U
1,4-Dioxane	35.300 U	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	1.340 U	ND U	1.340 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	1.890	0.31 J	1.460	0.294 U	ND U	0.294 U
Ethyl Benzene	0.290 U	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	0.397 U	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	0.212 U	ND U	0.212 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	10.100	17.30	6.610	0.239 U	ND U	0.239 U
Trichloroethylene	1.060	0.46 J	0.460 J	0.249 U	ND U	0.249 U
Xylenes, Total	0.836 U	ND U	0.839 U	0.836 U	ND U	0.839 U

Sample ID	MW-15		MW-15D	
Sampling Date	1/25/2024	7/16/2024	1/25/2024	7/16/2024
Matrix	Ground Water		Ground Water	
1,2,4-Trimethylbenzene	ND U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	ND U	0.347 U	ND U	0.347 U
1,4-Dioxane	ND U	35.300 U	ND U	35.300 U
Acetone	ND U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	1.50	3.330	ND U	0.294 U
Ethyl Benzene	ND U	0.290 U	ND U	0.290 U
Methylene chloride	ND U	0.397 U	ND U	0.397 U
Naphthalene	ND J	0.212 U	ND U	0.212 U
Tetrachloroethylene	10.40	7.410	ND U	0.239 U
Trichloroethylene	3.290	3.100	ND U	0.249 U
Xylenes, Total	ND U	0.839 U	ND U	0.839 U

Sample ID	MW-14	
Sampling Date	1/25/2024	7/16/2024
Matrix	Ground Water	
1,2,4-Trimethylbenzene	9.32	0.760
1,3,5-Trimethylbenzene	3.47	0.347 U
1,4-Dioxane	ND U	35.300 U
Acetone	ND U	2.680
cis-1,2-Dichloroethylene	ND U	0.294 U
Ethyl Benzene	0.58	0.480 J
Methylene chloride	ND U	0.397 U
Naphthalene	7.42	0.320 J
Tetrachloroethylene	ND U	0.239 U
Trichloroethylene	ND U	0.249 U
Xylenes, Total	5.52	1.330 J

Sample ID	MW-16		MW-16Dup	MW-16D	
Sampling Date	1/26/2024	7/16/2024	7/16/2024	1/26/2024	7/16/2024
Matrix	Ground Water			Ground Water	
1,2,4-Trimethylbenzene	ND U	0.310 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	ND U	0.347 U	0.347 U	ND U	0.347 U
1,4-Dioxane	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	ND U	1.340 U	1.340 U	ND U	1.340 U
Chloroform	ND U	0.420 J	0.420 J	18.40	5.390
cis-1,2-Dichloroethylene	ND U	0.294 U	0.294 U	ND U	0.294 U
Ethyl Benzene	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	ND U	0.212 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	ND U	0.239 U	0.239 U	ND U	0.239 U
Trichloroethylene	ND U	0.249 U	0.249 U	ND U	0.249 U
Xylenes, Total	ND U	0.839 U	0.839 U	ND U	0.839 U

Sample ID	MW-10			MW-10D		
Sampling Date	8/3/2023	1/25/2024	7/16/2024	8/3/2023	1/25/2024	7/16/2024
Matrix	Ground Water			Ground Water		
1,2,4-Trimethylbenzene	0.310 U	ND U	0.310 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	ND U	0.347 U	0.347 U	ND U	0.347 U
1,4-Dioxane	35.300 U	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	1.340 U	ND U	1.340 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	21.700	4.68	11.400	0.294 U	ND U	0.294 U
Ethyl Benzene	0.290 U	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	0.397 U	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	0.212 U	ND U	0.212 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	17.600	3.28	1.720	0.239 U	ND U	0.239 U
Trichloroethylene	5.220	0.750	0.480 J	0.249 U	ND U	0.249 U
Xylenes, Total	0.836 U	ND U	0.839 U	0.836 U	ND U	0.839 U

Sample ID	MW-2			
Sampling Date	11/18/2021	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	0.200 U	3.100 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.200 U	3.470 U	ND U	0.347 U
1,4-Dioxane	40 U	353 U	ND U	35.300 U
Acetone	1 U	13.400 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.350 J	2.940 U	ND U	0.340 J
Ethyl Benzene	0.470 J	2.900 U	1.750 JD	0.290 U
Isopropylbenzene	5.470	6.100 D	7.05 D	3.590
Methylene chloride	1 U	4.100 JD	14.40 BD	0.397 U
Naphthalene	2.800	3 JD	6.150 JD	0.670 J
n-Butylbenzene	2.220	3.990 U	15 D	0.750
n-Propylbenzene	4.580	3.840 U	5.30 D	1.200
sec-Butylbenzene	4.680	5.100 D	5.20 D	4.740
Tetrachloroethylene	7.500	31.900 D	8.800 D	13.400
trans-1,2-Dichloroethylene	3.250	5.600 D	1.650 JD	3.750
Trichloroethylene	1.490	2.490 U	ND U	0.980
Xylenes, Total	2.990	8.360 U	4.700 JD	0.839 U

Sample ID	MW-4			
Sampling Date	11/18/2021	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	830 D	1,110 D	1,200 D	1,430 D
1,3,5-Trimethylbenzene	303 D	360 D	394 D	467 D
1,4-Dioxane	200 U	176 U	ND U	353 U
Acetone	27.200 D	6.700 U	ND U	13.400 U
cis-1,2-Dichloroethylene	6.750 D	12.300 D	76.90 D	88.900 D
Ethyl Benzene	1 U	1.450 U	ND U	2.900 U
Isopropylbenzene	37.800 D	46 D	43.90 D	49.500 D
Methylene chloride	5 U	1.980 U	22.10 BD	3.970 U
Naphthalene	5 U	3.950 JD	4.100 JD	2.120 U
n-Butylbenzene	9.450 D	279 D	271 D	21.400 D
n-Propylbenzene	106 D	125 D	124 D	139 D
sec-Butylbenzene	6.800 D	9.800 D	9 D	9.800 D
Tetrachloroethylene	1 U	15.200 D	7.900 D	12.500 D
Trichloroethylene	1 U	1.240 U	ND U	2.490 U
Vinyl Chloride	2.900 D	3.400 D	7.20 D	11 D
Xylenes, Total	3 U	6.050 JD	ND U	8.700 JD

Sample ID	MW-1			
Sampling Date	11/18/2021	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	0.200 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.200 U	0.347 U	ND U	0.347 U
1,4-Dioxane	40 U	35.300 U	ND U	35.300 U
Acetone	1.720 J	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.200 U	0.294 U	0.350 J	0.294 U
Ethyl Benzene	0.200 U	0.290 U	ND U	0.290 U
Methylene chloride	1 U	0.397 U	ND U	0.397 U
Naphthalene	1 U	0.570 J	1.120 J	0.212 U
Tetrachloroethylene	4.030	70.300	23.10	55.800
Trichloroethylene	0.620	1.930	1.670	1.790
Xylenes, Total	0.600 U	0.836 U	ND U	0.839 U

Sample ID	MW-17		MW-17D	
Sampling Date	1/25/2024	7/16/2024	1/25/2024	7/16/2024
Matrix	Ground Water		Ground Water	
1,2,4-Trimethylbenzene	ND U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	ND U	0.347 U	ND U	0.347 U
1,4-Dioxane	ND U	35.300 U	ND U	35.300 U
Acetone	ND U	1.340 U	ND U	1.340 U
Chloroform	ND U	0.243 U	13.70	21.400
cis-1,2-Dichloroethylene	ND U	0.294 U	ND U	0.294 U
Ethyl Benzene	ND U	0.290 U	ND U	0.290 U
Methylene chloride	ND U	0.397 U	ND U	0.397 U
Naphthalene	ND U	0.212 U	ND U	0.212 U
Tetrachloroethylene	ND U	0.239 U	ND U	0.239 U
Trichloroethylene	ND U	0.249 U	ND U	0.249 U
Xylenes, Total	ND U	0.839 U	ND U	0.839 U

Sample ID	MW-9		MW-9 Dup.	MW-9	MW-9D		
Sampling Date	8/3/2023	1/25/2024	1/25/2024	7/15/2024	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water				Ground Water		
1,2,4-Trimethylbenzene	0.310 U	ND U	ND U	0.310 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	ND U	ND U	0.347 U	0.347 U	ND U	0.347 U
1,4-Dioxane	35.300 U	ND U	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	1.510 J	ND U	ND U	1.340 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	4.960	2.120	2.070	3.600	13.900	19.10	22.100
Ethyl Benzene	0.290 U	ND U	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	0.397 U	ND U	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	0.212 U	ND U	ND U	0.212 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	79.700	6.73	7.42	0.690	102	61.90 D	42.100
trans-1,2-Dichloroethylene	0.279 U	ND U	ND U	0.400 J	0.400 J	5.41	3.290
Trichloroethylene	8.930	5.06	5.23	1.710	6.350	62.70 D	51
Xylenes, Total	0.836 U	ND U	ND U	0.839 U	0.836 U	ND U	0.839 U

Sample ID	MW-8			MW-8D		
Sampling Date	8/3/2023	1/25/2024	7/15/2024	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			Ground Water		
1,2,4-Trimethylbenzene	0.310 U	2.780	0.600	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	1.900	0.570	0.347 U	ND U	0.347 U
1,4-Dioxane	35.300 U	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	1.340 U	ND U	1.340 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	12.500	118 D	15.300	0.294 U	0.820	0.294 U
Ethyl Benzene	0.290 U	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	0.397 U	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	0.480 J	7.750	1.600 J	0.212 U	0.400 J	0.212 U
Tetrachloroethylene	6.190	43.30	82.900 D	0.400 J	0.930	1.870
Trichloroethylene	1.720	11.20	16	0.249 U	ND U	0.249 U
Xylenes, Total	0.836 U	1.010 J	0.839 U	0.836 U	ND U	0.839 U


Sample ID	MW-7			MW-7D		
Sampling Date	8/3/2023	1/25/2024	7/15/2024	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			Ground Water		
1,2,4-Trimethylbenzene	0.310 U	ND U	0.310 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	ND U	0.347 U	0.347 U	ND U	0.347 U
1,4-Dioxane	35.300 U	ND U	35.300 U	35.300 U	ND U	35.300 U
Acetone	1.340 U	ND U	1.340 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.294 U	ND U	0.294 U	0.294 U	ND U	0.294 U
Ethyl Benzene	0.290 U	ND U	0.290 U	0.290 U	ND U	0.290 U
Methylene chloride	0.397 U	ND U	0.397 U	0.397 U	ND U	0.397 U
Naphthalene	0.212 U	ND U	0.212 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	4.980	32.10	15.200	0.280 J	ND U	0.239 U
Trichloroethylene	0.249 U	0.270 J	0.249 U	0.249 U	ND U	0.249 U
Xylenes, Total	0.836 U	ND U	0.839 U	0.836 U	ND U	0.839 U

Sample ID	MW-12			MW-12 Dup
Sampling Date	8/3/2023	1/26/2024	7/16/2024	8/3/2023
Matrix	Ground Water			Ground Water
1,2,4-Trimethylbenzene	0.310 U	ND U	0.310 U	0.310 U
1,3,5-Trimethylbenzene	0.347 U	ND U	0.347 U	0.347 U
1,4-Dioxane	35.300 U	ND U	35.300 U	35.300 U
Acetone	1.340 U	ND U	1.340 U	1.340 U
cis-1,2-Dichloroethylene	0.294 U	ND U	0.294 U	0.294 U
Ethyl Benzene	0.290 U	ND U	0.290 U	0.290 U
Methylene chloride	0.397 U	ND U	0.397 U	0.397 U
Naphthalene	0.212 U	ND U	0.212 U	0.212 U
Tetrachloroethylene	0.239 U	0.420 J	0.270 J	0.239 U
Trichloroethylene	0.249 U	ND U	0.249 U	0.249 U
Xylenes, Total	0.836 U	ND U	0.839 U	0.836 U

Sample ID	MW-6			
Sampling Date	11/18/2021	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	0.200 U	0.310 U	ND U	0.310 U
1,3,5-Trimethylbenzene	0.200 U	0.347 U	ND U	0.347 U
1,4-Dioxane	40 U	35.300 U	ND U	35.300 U
Acetone	1 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.200 U	0.294 U	ND U	0.294 U
Ethyl Benzene	0.200 U	0.290 U	ND U	0.290 U
Methylene chloride	1 U	0.397 U	ND U	0.397 U
Naphthalene	1 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	0.420 J	2.910	1.430	1.180
Trichloroethylene	0.200 U	0.249 U	ND U	0.249 U
Xylenes, Total	0.600 U	0.836 U	ND U	0.839 U

Sample ID	MW-5			
Sampling Date	11/18/2021	8/3/2023	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	0.320 J	1.840	0.550	0.490 J
1,3,5-Trimethylbenzene	0.200 U	0.600	ND U	0.347 U
1,4-Dioxane	40 U	35.300 U	ND U	35.300 U
Acetone	1 U	1.340 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.200 U	0.294 U	ND U	0.294 U
Ethyl Benzene	0.200 U	0.290 U	ND U	0.290 U
Methylene chloride	1 U	0.397 U	ND U	0.397 U
Naphthalene	1 U	0.212 U	ND U	0.212 U
Tetrachloroethylene	0.220 J	1.670	1.220	1.090
Trichloroethylene	0.200 U	0.249 U	ND U	0.249 U
Xylenes, Total	0.600 U	0.836 U	ND U	0.839 U

Sample ID	MW-3			
Sampling Date	11/18/2021	11/18/2021	1/25/2024	7/15/2024
Matrix	Ground Water			
1,2,4-Trimethylbenzene	0.200 U	0.200 U	ND U	11.800
1,3,5-Trimethylbenzene	0.200 U	0.200 U	ND U	3.900
1,4-Dioxane	40 U	40 U	ND U	35.300 U
Acetone	1 U	1 U	ND U	1.340 U
cis-1,2-Dichloroethylene	0.200 U	0.200 U	ND U	0.900
Ethyl Benzene	0.200 U	0.200 U	ND U	0.290 U
Methylene chloride	1 U	1 U	ND U	0.397 U
Naphthalene	1 U	1 U	0.250 J	0.212 U
Tetrachloroethylene	22	41.400	96.200 D	19.700
Trichloroethylene	1.210	1.570	0.520	0.530
Xylenes, Total	0.600 U	0.600 U	ND U	0.839 U



LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: VOC Groundwater Exceedances of TOGS Ambient Water Quality Standards

Figure 6

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183



Sample ID	Sump 4
Sampling Date	8/1/2022
Matrix	Water
Acetone	3.910
Bromodichloromethane	0.500
Chloroform	1.860
cis-1,2-Dichloroethylene	**9.640**
Cyclohexane	1.960
Methyl Methacrylate	0.850
Methylcyclohexane	0.920
Tetrachloroethylene	**119** D
Trichloroethylene	**8.320**

Sample ID	INFLUENT*
Sampling Date	2/12/2025
Matrix	Water
Acrolein	2.390
Chloroform	0.300 J
cis-1,2-Dichloroethylene	4.320
Cyclohexane	1.390
Methylcyclohexane	0.930
Naphthalene	0.980 J
Tetrachloroethylene	**7.910**
Trichloroethylene	2.680
Vinyl Chloride	0.480 J

Sample ID	OS-3 Sump
Sampling Date	4/28/2023
Matrix	Water
Bromodichloromethane	0.550
Chloroform	3.470
cis-1,2-Dichloroethylene	0.740
Tetrachloroethylene	**26.600**
Trichloroethylene	2.890

Sample ID	Sump 1
Sampling Date	8/1/2022
Matrix	Water
1,1-Dichloroethylene	0.740
1,2,4,5-Tetramethylbenzene	0.250 J
Acetone	2.970
cis-1,2-Dichloroethylene	**48**
Cyclohexane	13.400
Ethyl Benzene	2.920
Isopropylbenzene	1.080
Methyl Methacrylate	6.750
Methylcyclohexane	5.670
n-Propylbenzene	0.570
p-Diethylbenzene	3.240
sec-Butylbenzene	1.290
tert-Butylbenzene	0.250 J
Tetrachloroethylene	**79** D
Toluene	0.270 J
trans-1,2-Dichloroethylene	1.490
Trichloroethylene	**21.500**
Vinyl Chloride	**13.100**

Sample ID	Sump 2
Sampling Date	8/1/2022
Matrix	Water
1,2,4-Trimethylbenzene	2 JD
2-Butanone	6.500 D
Acetone	32.400 D
Carbon disulfide	2.850 D
cis-1,2-Dichloroethylene	3.050 D
Cyclohexane	2 JD
Methylcyclohexane	1.300 JD
p-Diethylbenzene	1.100 JD
p-Isopropyltoluene	1.100 JD
Tetrahydrofuran	215 D

Sample ID	Sump
Sampling Date	4/11/2022
Matrix	Water
1,1,1,2-Tetrachloroethane	0.910
1,2,4,5-Tetramethylbenzene	3.900
1,2,4-Trimethylbenzene	**14**
1,3,5-Trimethylbenzene	2.600
Acetone	36
cis-1,2-Dichloroethylene	**7.200**
Ethyl Benzene	2.600
Isopropylbenzene	1.800
n-Butylbenzene	0.580
n-Propylbenzene	4.200
o-Xylene	1.100
p- & m- Xylenes	3.300
p-Diethylbenzene	3.900
p-Ethyltoluene	6
p-Isopropyltoluene	0.390 J
sec-Butylbenzene	0.910
Tetrachloroethylene	**2,900** D
Toluene	0.760
Trichloroethylene	**31**
Vinyl Chloride	1
Xylenes, Total	4.400

Sample ID	Influent
Sampling Date	12/20/2022
Client Matrix	Water
2-Butanone	28
Acetone	**90.800**
Chloroform	1.760
cis-1,2-Dichloroethylene	**25.400**
tert-Butyl alcohol (TBA)	3.440
Tetrachloroethylene	**108**
trans-1,2-Dichloroethylene	0.930
Trichloroethylene	**5.460**
Vinyl Chloride	1.590

Sample ID	OS-2 Sump
Sampling Date	4/28/2023
Matrix	Water
Chloroform	0.840

Analyte	NYSDEC TOGS Standards and Guidance Values - GA
All units in micrograms per liter (µg/L)	
VOA, 8260 LOW MASTER	
1,1,1,2-Tetrachloroethane	5
1,1-Dichloroethylene	5
1,2,4,5-Tetramethylbenzene	~
1,2,4-Trimethylbenzene	5
1,3,5-Trimethylbenzene	5
2-Butanone	50
Acetone	50
Bromodichloromethane	50
Carbon disulfide	~
Chloroform	7
cis-1,2-Dichloroethylene	5
Cyclohexane	~
Ethyl Benzene	5
Isopropylbenzene	5
Methyl Methacrylate	~
Methylcyclohexane	~
n-Butylbenzene	5
n-Propylbenzene	5
o-Xylene	5
p- & m- Xylenes	~
p-Diethylbenzene	~
p-Ethyltoluene	~
p-Isopropyltoluene	5
sec-Butylbenzene	5
tert-Butylbenzene	5
Tetrachloroethylene	5
Tetrahydrofuran	~
Toluene	5
trans-1,2-Dichloroethylene	5
Trichloroethylene	5
Vinyl Chloride	2
Xylenes, Total	5

NOTES:

Concentration Detected

Concentration Above AWQS

ND = non-detected

Red indicates analyte detected in one or more soil samples (on-Site and/or off-Site) above POG SCOs

North

0 25 50

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Sump Pump Discharge Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Sump Pump Location

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Sump Water VOC Exceedances of TOGS Ambient Water Quality Standards

Figure 6A

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

Sample ID	NYSDEC TOGS Standards and Guidance Values - GA
All units in micrograms per liter (ug/L)	
Manganese	300
Sodium	20,000
Antimony	3

NOTES:

Any Regulatory Exceedences are col

Concentration Detected

Concentration Above AWQS

Sample ID	MW-10	MW-10D
Sampling Date	8/3/2023	8/3/2023
Matrix	Groundwater	Groundwater
Manganese	1,030	31.500
Sodium	271,000	112,000

Sample ID	MW-14
Sampling Date	1/25/2024
Matrix	Groundwater
Manganese	1,430
Sodium	187,000

Sample ID	MW-2
Sampling Date	11/18/2021
Matrix	Groundwater
Manganese	543
Sodium	322,000

Sample ID	MW-4
Sampling Date	11/18/2021
Matrix	Groundwater
Sodium	214,000

Sample ID	MW-7	MW-7D
Sampling Date	8/3/2023	8/3/2023
Matrix	Groundwater	Groundwater
Sodium	202,000	134,000
Antimony	4.560	2.750

Sample ID	MW-6
Sampling Date	11/18/2021
Matrix	Groundwater
Sodium	229,000

Sample ID	MW-1
Sampling Date	11/18/2021
Matrix	Groundwater
Manganese	710
Sodium	342,000

Sample ID	MW-5
Sampling Date	11/18/2021
Matrix	Groundwater
Sodium	223,000

Sample ID	MW-3	MW-3 duplicate
Sampling Date	11/18/2021	11/18/2021
Matrix	Groundwater	Groundwater
Sodium	254,000	281,000

DS-5
2 Green Street

DS-4 parking lot
(Building Not Depicted)

DS-3
179 E Main Street

DS-2
183-191 E Main Street

DS-1
193 E Main Street

DS-6
222 E Main Street

188-190 E Main Street

192 E Main Street

10 Dakin Avenue

16 Dakin Avenue

200-206 E Main Street

200-206 E Main Street
Outside of BCP Site Boundary

Mt. Kisco Elementary
47 W Hyatt Avenue

Former Prestige Cleaners

GPR Anomaly

Dakin Ave.

Lundy Ln.

Main St.

Lenox Pl.

BCP Site Boundary

SB-9/ MW-15/ 15D
SB-10/ MW-16/ 16D
MW-17D
SB-11/ MW-17
SB-4/ MW-10/ 10D
SB-8/ MW-14
SB-3/ MW-9/9D
SB-7/ MW-13/13D
SB-1/ MW-7/7D
SB-2/ MW-8/8D
SB-5/ MW-11
SB-6/ MW-12
MW-1
MW-2
MW-3
MW-4
MW-5
MW-6

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: TAL Metals Groundwater Exceedances of TOGS Ambient Water Quality Standards

Figure 7

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

Sample ID	MW-10D
Sampling Date	8/3/2023
Matrix	Groundwater
Dieldrin	0.00411

Analyte All units in micrograms per liter (ug/L)	NYSDEC TOGS Standards and Guidance Values - GA
Dieldrin	0.004

NOTES:

Concentration Detected

Concentration Above AWQS

DS-5
2 Green Street

DS-4 parking lot
(Building Not Depicted)

DS-3
179 E Main Street

DS-2
183-191 E Main Street

DS-1
193 E Main Street

DS-6
222 E Main Street

188-190 E Main Street

192 E Main Street

200-206 E Main Street

200-206 E Main Street
Outside of BCP Site Boundary

10 Dakin Avenue

16 Dakin Avenue

Mt. Kisco Elementary
47 W Hyatt Avenue

Former Prestige Cleaners

GPR Anomaly

SB-10/ MW-16/ 16D

SB-9/ MW-15/ 15D

SB-8/ MW-14

SB-11/ MW-17

MW-17D

SB-4/ MW-10/ 10D

SB-3/ MW-9/9D

SB-7/ MW-13/13D

SB-1/ MW-7/7D

SB-2/ MW-8/8D

SB-5/ MW-11

SB-6/ MW-12

MW-1

MW-2

MW-3

MW-4

MW-5

MW-6

Dakin Ave.

Lundy Ln.

Main St.

Lenox Pl.

BCP Site Boundary

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Pesticides Groundwater Exceedances of TOGS Ambient Water Quality Standards

Figure 8

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

Analyte	NYDEC Part 375 PFAS Remedial Program Water Oct 2020	NYSDEC Part 375 Human Health Criteria PFAS – Apr2023
All units in nanograms per liter (ng/L)		
PFAS, NYSDEC Target List		
Perfluorooctanesulfonic acid (PFOS)	10	2.7
Perfluorooctanoic acid (PFOA)	10	6.7

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration above one or more regulatory standard

Sample ID	Field Blank	
Sampling Date	11/18/2021	
Matrix	Water	
Perfluorooctanesulfonic acid (PFOS)	1.920	U
Perfluorooctanoic acid (PFOA)	1.920	U

Sample ID	Field Blank	
Sampling Date	8/3/2023	
Matrix	Water	
Perfluorooctanesulfonic acid (PFOS)	0.835	U
Perfluorooctanoic acid (PFOA)	0.427	U

Sample ID	MW-10	MW-10D
Sampling Date	8/3/2023	8/3/2023
Matrix	Groundwater	Groundwater
Perfluorooctanesulfonic acid (PFOS)	7.460	7.450
Perfluorooctanoic acid (PFOA)	11.900	10

Sample ID	MW-14
Sampling Date	1/25/2024
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	6.290
Perfluorooctanoic acid (PFOA)	31.400

Sample ID	MW-2
Sampling Date	11/18/2021
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	41.900
Perfluorooctanoic acid (PFOA)	26.700

Sample ID	MW-7	MW-7D
Sampling Date	8/3/2023	8/3/2023
Matrix	Groundwater	Groundwater
Perfluorooctanesulfonic acid (PFOS)	17.600	9.720
Perfluorooctanoic acid (PFOA)	17.500	14.500

Sample ID	MW-4
Sampling Date	11/18/2021
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	16.300
Perfluorooctanoic acid (PFOA)	12.600

Sample ID	MW-6
Sampling Date	11/18/2021
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	15.300
Perfluorooctanoic acid (PFOA)	24.300

Sample ID	MW-1
Sampling Date	11/18/2021
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	11.400
Perfluorooctanoic acid (PFOA)	26.900

Sample ID	MW-5
Sampling Date	11/18/2021
Matrix	Groundwater
Perfluorooctanesulfonic acid (PFOS)	14.700
Perfluorooctanoic acid (PFOA)	12.600

Sample ID	MW-3	MW-3 duplicate
Sampling Date	11/18/2021	11/18/2021
Matrix	Groundwater	Groundwater
Perfluorooctanesulfonic acid (PFOS)	14.300	11.200
Perfluorooctanoic acid (PFOA)	15.800	17.400

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: PFAS Groundwater Exceedances of Human Health Criteria (Oct. 2020/ April 2023)

Figure 9

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

DS-5
2 Green Street

DS-5
2 Green Street

DS-4 parking lot
(Building Not Depicted)

DS-3
179 E Main Street

DS-2
183-191 E Main Street

DS-1
193 E Main Street

Dakin Ave.

Lundy Ln.

Main St.

Lenox Pl.

Sump #4 Discharge to Stormwater System

Sump #4

Sump #3

Sump #3 Discharge to Sanitary Sewer along Dakin Ave

188-190 E Main Street

Sump #2

Sump #1

192 E Main Sump Discharge to Stormwater System

Sump #s 1&2 Discharge to Sanitary Sewer along Dakin Ave

192 E Main Street

192 E Main Sump

280 E Main Catch Basin Discharge to Stormwater System

GPR Anomaly

10 Dakin Avenue

16 Dakin Avenue

200-206 E Main Street

200-206 E Main Street
Outside of BCP Site Boundary

BCP Site Boundary

DS-6
222 E Main Street

Sample ID	Influent
York ID	22L1142-01
Sampling Date	12/20/2022
Matrix	Water
Perfluorooctanesulfonic acid (PFOS)	15.500
Perfluorooctanoic acid (PFOA)	108

Analyte	NYDEC Part 375 PFAS Remedial Program Water Oct 2020	NYSDEC Part 375 Human Health Criteria PFAS – Apr2023
All units in nanograms per liter (ng/L)		
PFAS, NYSDEC Target List	Mt. Kisco Elementary	
Perfluorooctanesulfonic acid (PFOS)	47 W Hyatt Avenue	2.7
Perfluorooctanoic acid (PFOA)	10	6.7

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration above one or more regulatory standard

North

0 25 50

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Sump Pump Discharge Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Sump Pump Location

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Sump Water PFAS Exceedances of Human Health Criteria (Oct. 2020/ April 2023)

Figure 9A

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183



Sample ID	SG-2	
Sampling Date	11/18/2021	
1,2,4-Trimethylbenzene	1.100	D
1,3,5-Trimethylbenzene	0.940	J
1,3-Dichlorobenzene	7.800	D
2-Butanone	65	D
Acetone	46	D
Benzene	1.300	D
Carbon tetrachloride	0.360	D
Chloroform	1.400	D
Cyclohexane	1.300	D
Dichlorodifluoromethane	2.600	D
Ethyl acetate	79	D
Ethyl Benzene	4	D
Isopropanol	1,000	D
Methyl Methacrylate	2.400	D
Methylene chloride	13	D
n-Heptane	3.800	D
n-Hexane	2	D
o-Xylene	4.500	D
p- & m- Xylenes	10	D
p-Ethyltoluene	1.900	D
Propylene	0.460	D
Styrene	5.200	D
Tetrachloroethylene	1,400	D
Tetrahydrofuran	70	D
Toluene	22	D
Trichloroethylene	8.200	D
Trichlorofluoromethane (Freon 11)	2.100	D

Sample ID	SG-12	
Sampling Date	11/18/2021	
Acetone	91	D
cis-1,2-Dichloroethylene	340	D
Ethyl acetate	64	J
Isopropanol	260	D
Methylene chloride	62	J
Tetrachloroethylene	68,000	D
Trichloroethylene	1,200	D

Sample ID	SG-11	
Sampling Date	11/18/2021	
2-Butanone	28	J
Acetone	53	D
Chlorobenzene	43	D
cis-1,2-Dichloroethylene	7,900	D
Isopropanol	500	D
Tetrachloroethylene	1,800,000	D
Tetrahydrofuran	55	J
Trichloroethylene	11,000	D

Sample ID	SG-9	
Sampling Date	11/18/2021	
2-Butanone	13	D
Acetone	22	D
cis-1,2-Dichloroethylene	240	D
Ethyl acetate	58	D
Isopropanol	690	D
Methylene chloride	19	D
o-Xylene	9	J
Tetrachloroethylene	32,000	D
Tetrahydrofuran	18	D
Toluene	8.600	D
Trichloroethylene	400	D

Sample ID	SG-3	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	8.600	D
1,4-Dioxane	6.800	J
2-Butanone	67	D
Acetone	72	D
Cyclohexane	3.300	J
Ethyl acetate	68	D
Ethyl Benzene	4.100	D
Isopropanol	920	D
Methyl Methacrylate	3.900	J
Methylene chloride	17	D
n-Heptane	6.200	D
n-Hexane	4.700	D
o-Xylene	4.100	D
p- & m- Xylenes	9.500	D
Styrene	4	J
Tetrachloroethylene	2,100	D
Tetrahydrofuran	68	D
Toluene	24	D
Trichloroethylene	14	D

Sample ID	SG-4	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	4.500	J
2-Butanone	110	D
Acetone	91	D
Benzene	2.400	D
Cyclohexane	3.400	D
Ethyl acetate	55	D
Ethyl Benzene	5.500	D
Isopropanol	630	D
Methyl Methacrylate	4	D
Methylene chloride	49	D
n-Heptane	8.600	D
n-Hexane	7.700	D
o-Xylene	6.800	D
p- & m- Xylenes	18	D
Styrene	4.500	D
Tetrachloroethylene	1,900	D
Tetrahydrofuran	120	D
Toluene	33	D
Trichloroethylene	8.500	D
Trichlorofluoromethane (Freon 11)	7.200	D

Sample ID	SG-10	
Sampling Date	11/18/2021	
2-Butanone	26	J
Acetone	53	D
cis-1,2-Dichloroethylene	1,000	D
Ethyl acetate	65	D
Isopropanol	780	D
Tetrachloroethylene	250,000	D
Tetrahydrofuran	53	J
Trichloroethylene	3,900	D

Sample ID	SG-6	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	9.900	D
2-Butanone	37	D
Acetone	30	D
Ethyl acetate	40	D
Ethyl Benzene	4.100	D
Isopropanol	450	D
Methyl Methacrylate	3.200	J
Methylene chloride	6	D
n-Heptane	4.200	D
o-Xylene	5.500	D
p- & m- Xylenes	13	D
Styrene	4	D
Tetrachloroethylene	3,100	D
Tetrahydrofuran	50	D
Toluene	16	D
Trichloroethylene	19	D
Trichlorofluoromethane (Freon 11)	31	D

Sample ID	SG-1	
Sampling Date	11/18/2021	
1,2,4-Trimethylbenzene	1	D
1,3,5-Trimethylbenzene	0.550	J
1,3-Dichlorobenzene	7.800	D
2-Butanone	47	D
4-Methyl-2-pentanone	0.450	J
Acetone	24	D
Benzene	0.600	D
Carbon tetrachloride	0.210	D
Cyclohexane	0.610	D
Dichlorodifluoromethane	1.400	D
Ethyl acetate	27	D
Ethyl Benzene	3	D
Isopropanol	450	D
Methyl Methacrylate	1.200	D
Methylene chloride	1.500	D
n-Heptane	2	D
n-Hexane	0.660	D
o-Xylene	4	D
p- & m- Xylenes	8.900	D
p-Ethyltoluene	1.700	D
Styrene	3	D
Tetrachloroethylene	1,800	D
Tetrahydrofuran	51	D
Toluene	13	D
Trichloroethylene	6	D
Trichlorofluoromethane (Freon 11)	2.700	D

Sample ID	SG-8	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	15	D
2-Butanone	65	D
Acetone	260	D
Ethyl acetate	110	D
Isopropanol	1,200	D
Methylene chloride	330	D
n-Hexane	25	D
o-Xylene	8.800	J
Styrene	8.600	J
Tetrachloroethylene	6,300	D
Tetrahydrofuran	18	D
Toluene	11	D
Trichloroethylene	41	D
Trichlorofluoromethane (Freon 11)	30	D

Sample ID	SG-7	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	13	D
2-Butanone	80	D
Acetone	250	D
Ethyl acetate	110	D
Ethyl Benzene	3.700	J
Isopropanol	1,200	D
Methyl Methacrylate	3.500	J
Methylene chloride	6	J
o-Xylene	3.700	J
p- & m- Xylenes	7.800	D
Styrene	5.100	D
Tetrachloroethylene	3,200	D
Tetrahydrofuran	22	D
Toluene	12	D
Trichloroethylene	16	D
Trichlorofluoromethane (Freon 11)	21	D

Sample ID	SG-5	
Sampling Date	11/18/2021	
1,3-Dichlorobenzene	9.400	D
2-Butanone	48	D
Acetone	27	D
Cyclohexane	4.400	D
Ethyl acetate	50	D
Ethyl Benzene	14	D
Isopropanol	540	D
Methylene chloride	12	D
n-Heptane	9.100	D
n-Hexane	3.900	D
o-Xylene	18	D
p- & m- Xylenes	40	D
p-Ethyltoluene	5.900	D
Styrene	7.500	D
Tetrachloroethylene	2,700	D
Tetrahydrofuran	180	D
Toluene	44	D
Trichloroethylene	11	D
Trichlorofluoromethane (Freon 11)	47	D

Drawing Notes:
Interior layouts depicted are current as of the date of sample collection. Current interior layout of Unit #s 1 & 2 have since changed during 2024-2025 renovations to for new tenants.

RI Sub-slab Soil Gas Sample Location
Indoor Air Sample Location

Concentration Detected
Elevated Concentration
All units in micrograms per cubic meter $\mu g/m^3$

Client/ Owner: 200 E Main LLC

Location: 200 East Main Street, Mt Kisco, New York

BCP Site No: C360183


Title: On-Site Soil Vapor Spider Map

Prepared by:
DT Consulting Services, Inc. &
Bellucci Engineering, PLLC

Scale: Graphic

Drawn By: O.T./ D.B

Figure 10



Sample ID	SG-5 OS-5
Date	3/29/2023
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,3,5-Trimethylbenzene	1.300 D
2-Butanone	11 D
2-Hexanone	3.500 D
Acetone	12 D
Benzene	0.610 D
Carbon tetrachloride	0.380 D
Chloroform	1.900 D
Chloromethane	0.290 D
Dichlorodifluoromethane	1.900 D
Ethyl acetate	2.600 D
Ethyl Benzene	2.500 D
Isopropanol	46 BD
Methylene chloride	0.700 D
n-Heptane	2 D
n-Hexane	0.780 D
o-Xylene	4.200 D
p- & m- Xylenes	7.700 D
p-Ethyltoluene	3.100 D
Styrene	0.680 D
Tetrachloroethylene	59 D
Toluene	5.600 D
Trichloroethylene	4.100 D
Trichlorofluoromethane (Freon 11)	1.400 D

Sample ID	SV-2
Date	7/31/2023
Soil Vapor Implant Depth (feet bgs)	10'
1,2,4-Trimethylbenzene	25 D
1,3,5-Trimethylbenzene	6.500 D
2-Butanone	7.600 D
2-Hexanone	5.900 D
Acetone	170 D
Carbon disulfide	1.400 D
Chloroform	1.600 D
cis-1,2-Dichloroethylene	0.490 D
Dichlorodifluoromethane	2.300 D
Ethyl Benzene	83 D
Isopropanol	3.300 D
n-Hexane	3.100 D
o-Xylene	110 D
p- & m- Xylenes	610 D
p-Ethyltoluene	16 D
Tetrachloroethylene	300 D
Toluene	17 D
Trichloroethylene	2.800 D

Sample ID	SV-1
Date	7/31/2023
Soil Vapor Implant Depth (feet bgs)	6'
1,2,4-Trimethylbenzene	14 D
1,3,5-Trimethylbenzene	5.100 D
2-Butanone	4.800 D
Acetone	230 D
Carbon disulfide	3 D
Chloroform	5.900 D
cis-1,2-Dichloroethylene	2.700 D
Ethyl Benzene	3.700 D
Isopropanol	5.100 D
o-Xylene	6.700 D
p- & m- Xylenes	14 D
p-Ethyltoluene	8.500 D
Tetrachloroethylene	2,200 D
Toluene	13 D
Trichloroethylene	74 D

Sample ID	SV-3
Date	7/31/2023
Soil Vapor Implant Depth (feet bgs)	10'
1,2,4-Trimethylbenzene	3.700 D
1,3,5-Trimethylbenzene	1.600 D
1,3-Dichlorobenzene	4.200 D
2-Butanone	2.600 D
2-Hexanone	1.900 D
4-Methyl-2-pentanone	1 D
Acetone	54 D
Benzene	0.620 D
Carbon disulfide	0.980 D
Chloroform	5.700 D
Chloromethane	0.500 D
Dichlorodifluoromethane	2.300 D
Ethyl Benzene	4 D
Isopropanol	2 D
n-Hexane	0.690 D
o-Xylene	5.400 D
p- & m-Xylenes	15 D
p-Ethyltoluene	3.100 D
Tetrachloroethylene	80 D
Toluene	16 D
Trichlorofluoromethane (Freon 11)	1 D

Sample ID	10 Dakin-SG-1
Date	7/7/2022
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,2,4-Trimethylbenzene	2.600 D
1,2-Dichloroethane	0.700 D
1,3,5-Trimethylbenzene	0.900 D
1,4-Dioxane	0.690 J
2-Butanone	9.500 D
2-Hexanone	7.300 D
4-Methyl-2-pentanone	1.800 D
Acetone	240 D
Benzene	0.670 D
Bromodichloromethane	0.640 J
Carbon disulfide	1.500 D
Carbon tetrachloride	0.240 D
Chloroform	10 D
Chloromethane	0.240 D
cis-1,2-Dichloroethylene	3.200 D
Cyclohexane	0.430 D
Dichlorodifluoromethane	2.400 D
Ethyl acetate	1.200 D
Ethyl Benzene	1.800 D
Isopropanol	86 D
Methylene chloride	32 D
n-Heptane	1.100 D
n-Hexane	3.500 D
o-Xylene	2.600 D
p- & m- Xylenes	6.800 D
p-Ethyltoluene	2 D
Styrene	1.900 D
Tetrachloroethylene	640 D
Tetrahydrofuran	2.100 D
Toluene	5 D
Trichloroethylene	17 D
Trichlorofluoromethane (Fre	1.400 D
Vinyl Chloride	0.250 D

Sample ID	190 E Main-SG-2
Date	7/7/2022
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,1-Dichloroethylene	14 D
2-Butanone	11 D
Acetone	75 D
Benzene	24 D
Carbon disulfide	94 D
Chloroform	31 D
cis-1,2-Dichloroethylene	33 D
Cyclohexane	35 D
Methylene chloride	15 J
n-Heptane	56 D
n-Hexane	110 D
o-Xylene	9.500 J
Propylene	84 D
Tetrachloroethylene	13,000 D
Tetrahydrofuran	25 D
Toluene	11 D
Trichloroethylene	720 D
Vinyl Chloride	30 D

Sample ID	190 E Main-SG-1
Date	7/7/2022
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,1-Dichloroethylene	1.900 D
2-Butanone	7.300 D
Acetone	150 D
Benzene	9.400 D
Bromodichloromethane	23 D
Carbon disulfide	15 D
Chloroform	1,100 D
cis-1,2-Dichloroethylene	470 D
Cyclohexane	22 D
Isopropanol	25 D
Methylene chloride	13 D
n-Hexane	20 D
Tetrachloroethylene	3,500 D
Toluene	6,200 J
Trichloroethylene	650 D

Sample ID	SV-5
Date	12/29/2023
Soil Vapor Implant Depth (feet bgs)	5'
1,3-Butadiene	11 D
2-Butanone	400 D
2-Hexanone	49 D
4-Methyl-2-pentanone	0.750 D
Acetone	220 D
Benzene	5 D
Carbon disulfide	3.400 D
Carbon tetrachloride	0.190 D
Chloromethane	0.360 D
cis-1,2-Dichloroethylene	0.120 D
Cyclohexane	0.670 D
Dichlorodifluoromethane	2.200 D
Ethyl Benzene	5.500 D
Isopropanol	1.600 BD
n-Hexane	4.400 D
o-Xylene	4.300 D
p- & m- Xylenes	17 D
p-Ethyltoluene	4.400 D
Propylene	87 D
Tetrachloroethylene	130 D
Toluene	21 D
Trichloroethylene	0.440 D

Sample ID	SG-4
Date	12/29/2023
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,2,4-Trimethylbenzene	2.1 D
1,3,5-Trimethylbenzene	5.30 D
2-Butanone	3.60 D
4-Methyl-2-pentanone	2.70 D
Acetone	40 D
Acrylonitrile	0.66 J
Benzene	0.63 D
Carbon disulfide	1.10 D
Carbon tetrachloride	0.48 D
Chloromethane	0.31 D
Cyclohexane	0.68 D
Dichlorodifluoromethane	2.60 D
Ethyl Benzene	9 D
Isopropanol	72 D
Methyl Methacrylate	1.20 D
n-Heptane	8.60 D
n-Hexane	1.40 D
o-Xylene	15.00 D
p- & m- Xylenes	38.00 D
p-Ethyltoluene	15.00 D
Tetrachloroethylene	16.00 D
Tetrahydrofuran	14.00 D
Toluene	10.00 D
Trichloroethylene	0.33 D
Trichlorofluoromethane (Freon 11)	3.00 D

Sample ID	SG-6 OS-6
Date	3/29/2023
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor
1,2,4-Trimethylbenzene	2.400 D
1,2-Dichlorotetrafluoroethane	1 D
1,3,5-Trimethylbenzene	0.780 D
2-Butanone	6 D
2-Hexanone	2 D
Acetone	26 D
Benzene	0.460 D
Carbon tetrachloride	0.200 D
Chloroform	5.500 D
Chloromethane	0.210 D
Cyclohexane	0.300 D
Dichlorodifluoromethane	4 D
Ethyl acetate	2.200 D
Ethyl Benzene	1.900 D
Isopropanol	42 BD
Methylene chloride	0.770 D
n-Heptane	1.600 D
n-Hexane	0.730 D
o-Xylene	3 D
p- & m- Xylenes	6 D
p-Ethyltoluene	1.900 D
Tetrachloroethylene	38 D
Tetrahydrofuran	1.400 D
Toluene	5.400 D
Trichloroethylene	0.210 D
Trichlorofluoromethane (Freon 11)	1.200 D

Sample ID	SV-4
Date	7/31/2023
Soil Vapor Implant Depth (feet bgs)	15'
1,3-Butadiene	41 D
1,3-Dichlorobenzene	8.500 D
Acetone	530 D
Benzene	5.600 D
Chloroform	12 D
Chloromethane	3.100 D
Ethyl Benzene	3.600 D
n-Heptane	6.500 D
n-Hexane	13 D
o-Xylene	3.600 D
p- & m- Xylenes	12 D
Propylene	520 D
Tetrachloroethylene	41 D
Toluene	20 D
Trichloroethylene	2.700 D

	Mount Kisco Elementary School	
Sample ID	SG-1	
Sampling Date	10/10/2022	
Matrix	Soil Vapor	
Methylene chloride	7.400	J
Tetrachloroethylene	7.200	U
Trichloroethylene	1.400	U

NOTES:

Concentration Detected

Elevated Concentration

All units in micrograms per cubic meter (ug/m^3)

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Sub-slab Soil Gas/ Co-Located Indoor Ambient Air Location (July 2022, March/ April/ December 2023) *Air samples only at DS-2 & DS-3 based on water beneath slab
- Additional 'step out' soil vapor location – No Access
- Indoor Air Sample Location
- Exterior Soil Vapor Location (July 2023)

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Off-Site Soil Vapor Spider Map

Figure 11

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183



Analyte	NYS DOH Criteria	
ALL UNITS IN MICROGRAMS/ CUBIC METER ($\mu g/m^3$)	Guideline	Immediate Action
Methylene chloride	60	NA
Tetrachloroethylene	30	300
Trichloroethylene	2	20

NOTES:

Detection above laboratory detection

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Sample ID	AI-1 Prestige (Unit #1)		AI-2 Prestige (Unit #1)		AI-3 Prestige (Unit #1)		AI-1B Prestige (Unit #1)		AI-2B Prestige (Unit #1)		AI-3B Prestige (Unit #1)	
Sampling Date	11/18/2021		11/18/2021		11/18/2021		12/9/2021		12/9/2021		12/9/2021	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	6.500	J	28	J	26	J	120	D	13	D	7.800	D
Tetrachloroethylene	21,000	BD	25,000	D	18,000	D	2,300	D	770	D	330	D
Trichloroethylene	75	D	88	D	79	D	3	D	12	D	11	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	Former Prestige Cleaners (Unit #1)		Prestige (Unit #1)		Former Prestige (Unit #1)		Prestige (Unit #1)		Prestige (Unit #1)		Prestige Cleaners (Unit #1)		Prestige (Unit #1)	
Sampling Date	8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/14/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	22	D	1.800	D	1.600	D	0.610	U	1.300	D	0.590	U	0.640	U
Tetrachloroethylene	750	D	250	D	300	D	38	D	66	D	52	D	60	D
Trichloroethylene	0.840	D	0.480	D	0.800	D	0.610	D	0.380	D	0.110	U	0.300	D

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Former Prestige		Former Prestige		Former Prestige		Unit 1 (Vacant)	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1.200	D	0.660	D	1.700	D	1.500	J
Tetrachloroethylene	3.5	D	14	D	0.710	D	6.400	D
Trichloroethylene	0.110	U	0.120	U	0.120	U	0.0940	U

Sample ID	AI-4 Vacant (Unit #2)		AI-5 Vacant (Unit #2)		AI-6 Vacant (Unit #2)		AI-7 Vacant (Unit #2)		AI-5B Vacant (Unit #2)	
Sampling Date	11/18/2021		11/18/2021		11/18/2021		11/18/2021		12/9/2021	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	24	D	6.500	J	220	D	12	J	46	D
Tetrachloroethylene	4,900	D	6,000	D	4,700	D	5,300	D	57	D
Trichloroethylene	25	D	28	D	25	D	26	D	1,500	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	Vacant 2 (Unit #2)		Vacant No. 2 (Unit #2)		Vacant 2 (Unit #2)		Unit 2 Vacant (Unit #2)		Unit 2 (Unit #2)		Vacant No. 2 (Unit #2)		Vacant No.2 (Unit #2)	
Sampling Date	8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	9.200	D	1.300	D	1.700	D	0.830	D	0.650	U	0.920	D	0.620	U
Tetrachloroethylene	730	D	77	D	27	D	73	D	48	D	33	D	43	D
Trichloroethylene	0.930	D	0.360	D	0.099	U	0.670	D	0.450	D	0.150	U	0.240	D

Sample ID	Vacant 2		Unit #2		Unit 2		Unit 2 (Barber Zone)	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.560	D	0.760	D	1.200	D	1.800	J
Tetrachloroethylene	1.8	D	6.900	D	0.910	D	1.300	D
Trichloroethylene	0.100	U	0.130	U	0.140	U	0.120	U

Sample ID	AI-8 Leicht (Unit #3)		AI-9 Leicht (Unit #3)		AI-8B Leicht (Unit #3)		AI-9B Leicht (Unit #3)	
Sampling Date	11/18/2021		11/18/2021		12/9/2021		12/9/2021	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	520	D	40	D	39	D	61	D
Tetrachloroethylene	7,500	D	9,300	D	54	D	53	D
Trichloroethylene	36	D	38	D	1.100	D	1	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)	
Sampling Date	8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.660	D	1.400	D	2.500	D	0.520	D	0.630	D
Tetrachloroethylene	470	D	35	D	4	D	56	D	28	D
Trichloroethylene	0.820	D	0.560	D	0.220	D	1.500	D	0.420	D

Sample ID	Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen		Leicht Kitchen		Leicht		Unit 3 (Leicht Kitchen)	
Sampling Date	9/8/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1.100	D	0.510	D	0.620	U	0.750	D	0.870	D	1.900	U
Tetrachloroethylene	24	D	32	D	1.9	D	10	D	1.100	D	1.200	D
Trichloroethylene	0.160	U	0.240	D	0.120	U	0.130	U	0.140	U	0.120	U

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Le Collage		Le Collage		Le Collage		Unit 4 (Vacant)	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.770	U	0.680	D	0.930	D	1.700	J
Tetrachloroethylene	2.9	D	6.600	D	1.300	D	1.100	D
Trichloroethylene	0.150	U	0.110	U	0.140	U	0.110	U

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)	
Sampling Date	4/28/2023		6/8/2023		9/8/2023		9/14/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.730	U	0.710	U	0.850	D	0.640	U	0.840	U
Tetrachloroethylene	100	D	85	D	33	D	54	D	58	D
Trichloroethylene	1.600	D	0.770	D	0.160	D	0.250	D	0.390	D

Sample ID	AI-10 Le Collage (Unit #4)		AI-10B Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)	
Sampling Date	11/18/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	32	D	74	D	0.660	J	5	J	1	D
Tetrachloroethylene	11,000	D	92	D	550	D	34	D	26	D
Trichloroethylene	42	D	2.400	U	1.400	D	0.960	U	0.130	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Drawing Notes:
Interior layouts depicted are current as of the date of sample collection. Current interior layout of Unit #s 1 & 2 have since changed during 2024-2025 renovations to for new tenants.

Air Sample Location

Prepared by:
DT Consulting Services, Inc. &
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC

Location: 200 East Main Street, Mt Kisco, New York


BCP Site No: C360183

Title: On-Site Indoor Air Spider Map (PCE, TCE & MeCl) - Unit #'s 1 - 4

Scale: Graphic

Drawn By: O.T./ D.B

Figure 12



Sample ID	Pick Up Every Stitch		Pick Up Every Stitch-R		Pickup Every Stitch		Pickup Every Stitch	
Sampling Date	11/22/2021		12/9/2021		8/1/2022		10/12/2022	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	45	D	18	D	0.800	J	1.200	D
Tetrachloroethylene	800	D	58	D	58	D	25	D
Trichloroethylene	23	D	1.400	D	0.250	D	0.410	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	Pickup Every Stitch		Pickup Every Stitch		Pickup Every Stitch		Pick Up Every Stitch		Pick Up Every Stitch	
Sampling Date	1/24/2023		4/28/2023		6/8/2023		9/14/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1.000	D	0.780	U	1.900	D	0.500	U	1.100	D
Tetrachloroethylene	13	D	47	D	24	D	15	D	23	D
Trichloroethylene	0.160	U	0.730	D	0.210	D	0.190	D	0.190	D

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Pickup EveryStitch		Pickup Every Stitch		Pick up Every Stitch		Pickup Every Stitch	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.880	U	0.770	D	0.980	D	2.200	J
Tetrachloroethylene	2.300	D	4.800	D	1.100	D	1.200	D
Trichloroethylene	0.170	U	0.140	U	0.150	U	0.140	U

Sample ID	Silver Bread Basket		Silver Bread Basket-R		Silver Spoon		Silver Spoon	
Sampling Date	11/22/2021		12/9/2021		8/1/2022		10/12/2022	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	31	D	22	D	230	D	0.780	D
Tetrachloroethylene	570	D	27	D	23	D	14	D
Trichloroethylene	19	D	0.610	D	0.170	D	0.240	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon	
Sampling Date	1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.890	D	0.710	U	2.300	D	2.500	D	0.610	U
Tetrachloroethylene	9	D	64	D	17	D	9	D	27	D
Trichloroethylene	0.120	U	5.600	D	0.240	D	0.140	U	0.190	D

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.740	U	1.900	D	0.970	D	1.700	J
Tetrachloroethylene	1.200	D	4.100	D	0.730	U	0.870	D
Trichloroethylene	0.140	U	0.120	U	0.140	U	0.110	U

Sample ID	Reigning Cats and Dogs		Raining Cats & Dogs		Reining Cats and Dogs		Reigning Cats and Dogs	
Sampling Date	3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.630	U	0.760	D	1.100	D	1.800	J
Tetrachloroethylene	1.200	D	1.700	D	0.670	U	5	D
Tetrahydrofuran	13	D	0.510	U	0.590	U	18	D
Trichloroethylene	0.120	U	0.120	U	0.130	U	0.120	U

SSDS in Unit # 1 Active January 26, 2024

Sample ID	Reigning Cats and Dogs		Reigning Cats Dogs		Reigning Cats and Dogs		Reining Cats & Dogs		Reigning Cats and Dogs	
Sampling Date	1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.910	D	0.790	D	2.600	D	0.900	D	0.600	U
Tetrachloroethylene	9	D	26	D	8.300	D	8.600	D	20	D
Tetrahydrofuran	0.840	D	0.610	D	0.550	U	1.800	D	10	D
Trichloroethylene	0.160	U	0.630	D	0.120	U	0.160	U	0.140	D

Sample ID	Reining Cats+Dogs		Reining Cats+Dogs-R		Reining Cats Dogs		Reigning Cats and Dogs	
Sampling Date	11/22/2021		12/9/2021		8/1/2022		10/12/2022	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	27	D	7.400	D	1	D	0.770	D
Tetrachloroethylene	610	D	43	D	5.200	D	12	D
Tetrahydrofuran	0.470	J	0.560	U	0.650	J	0.570	J
Trichloroethylene	24	D	0.910	D	0.180	D	0.210	D

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Sample ID	2nd Floor Vacant		2nd Floor Vacant		Vacant 2nd Floor		Treasure Trunk	
Sampling Date	3/20/2024		7/16/202		10/15/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.730	U	0.750	D	0.900	D	2	U
Tetrachloroethylene	0.720	U	4.200	D	0.670	U	0.660	U
Trichloroethylene	0.140	U	0.120	U	0.130	U	0.130	U

Sample ID	2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant	
Sampling Date	4/28/2023		6/8/2023		9/8/2023		12/15/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	0.620	U	0.530	D	0.920	D	0.700	U
Tetrachloroethylene	33	D	29	D	11	D	14	D
Trichloroethylene	110	D	0.330	D	0.150	U	0.130	U

SSDS in Unit # 1 Active January 26,

Sample ID	Vacant Store (2nd Floor)		Vacant Store-R		Vacant 2nd Floor		Vacant 2nd Floor		2nd Floor Vacant	
Sampling Date	11/22/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	63	D	19	D	12	D	0.750	J	0.790	D
Tetrachloroethylene	200	D	18	D	79	D	8	D	4	D
Trichloroethylene	7.400	D	0.320	D	0.280	D	0.230	D	0.120	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

Analyte	NYS DOH Criteria	
ALL UNITS IN MICROGRAMS/ CUBIC METER ($\mu g/m^3$)	Guideline	Immediate Action
Methylene chloride	60	NA
Tetrachloroethylene	30	300
Trichloroethylene	2	20

NOTES:

Detection above laboratory detection

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Drawing Notes:

Air Sample Location

Client/ Owner: 200 E Main LLC

Location: 200 East Main Street, Mt Kisco, New York

BCP Site No: C360183

Prepared by: DT Consulting Services, Inc. & Bellucci Engineering, PLLC

Title: On-Site Indoor Air Spider Map (PCE, TCE & MeCl) - Unit #'s 5-8

Scale: Graphic

Drawn By: O.T./ D.B

Figure 13

DS-5
2 Green Street

Sample ID	AI-5 OS-5	
Sampling Date	3/29/2023	
Matrix	Indoor Air	
Methylene chloride	1.100	D
Tetrachloroethylene	2.300	D
Trichloroethylene	0.210	D

DS-5
2 Green Street

SG-5/
AI-5

SG-4/
AI-4
Installed in
Utility Closet

DS-4 parking lot
(Building Not Depicted)

Sample ID	AI-4	
Sampling Date	12/29/2023	
Matrix	Indoor Air	
Methylene chloride	5.900	D
Tetrachloroethylene	21	D
Trichloroethylene	0.300	D

AI-3
NO VAPOR SAMPLE - WATER
INTRUSION INTO SAMPLE TUBING

DS-3
179 E Main Street

Sample ID	AI-3 OS-3 (Basement)		OS-3 Basement		OS- 3 Basment		Basement OS-3		OS-3 First Floor		OS- 3 First Floor		First Floor OS-3	
Sampling Date	3/29/2023		4/28/2023		11/25/2024		12/16/2025		4/28/2023		11/25/2024		12/16/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1.100	D	0.640	U	2.100	J	2	U	1.100	D	1.800	D	2	U
Tetrachloroethylene	67	D	56	D	7.400	D	1.700	D	30	D	2.400	D	0.640	D
Trichloroethylene	2.400	D	3.800	D	2.100	D	0.160	U	1.400	D	0.510	D	0.150	U

Sample ID	Apartment 2		Apartment 2		Apartment No.2		Second Floor Hallway*		Apartment #2	
Sampling Date	12/14/2023		3/20/2024		7/16/2024		10/14/2024		2/27/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1	D	0.610	U	1.800	D	0.870	D	15	D
Tetrachloroethylene	2.200	D	3.700	D	1.300	D	0.530	U	0.570	D
Trichloroethylene	0.200	D	0.190	D	0.260	D	0.110	U	0.110	U

SSDS/Mitigation System modifications completed March 6, 2024

Sample ID	Apartment 2		Apartment 2		Apartment 2		192 East Main - Apt 2	
Sampling Date	5/17/2022		11/21/2022		3/28/2023		9/14/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	2.400	D	0.940	D	1.200	BD	1.800	D
Tetrachloroethylene	56	D	110	D	52	D	2	D
Trichloroethylene	0.960	D	0.350	D	0.490	D	0.120	U

SSDS/Mitigation System Active week of August 20, 2023

Sample ID	190 E Main-Basement-IA			Basement	190 Basement		Lefteris Gyro-Basement	Basement	Basement	Lefteris-Basement	Basement
Sampling Date	7/7/2022			11/21/2022	9/8/2023		12/14/2023	3/20/2024	7/16/2024	10/15/2024	2/27/2025
Matrix	Indoor Air			Indoor Air	Indoor Air		Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	1.900	D		1.100	0.950	D	0.690	0.650	0.800	1	1.900
Tetrachloroethylene	4.800	D		11	2.300	D	8.500	4.900	3.200	2.400	2
Trichloroethylene	0.310	D		1.200	0.150	U	1.100	0.600	0.130	0.140	0.340

Sump Pump Covers Sealed Between October/ November 2022

Sample ID	190 E Main-First Floor-IA			1st Floor	190 1st Floor		Lefteris Gyro-1st Floor	First Floor	First Floor	Lesteris-1st Floor	First Floor
Sampling Date	7/7/2022			11/21/2022	9/8/2023		12/14/2023	3/20/2024	7/16/2024	10/15/2024	2/27/2025
Matrix	Indoor Air			Indoor Air	Indoor Air		Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	1.700	D		0.870	0.910	D	0.750	0.590	0.770	2.300	2
Tetrachloroethylene	2.300	D		1.300	0.740	U	2.100	1.200	1.100	3.500	0.790
Trichloroethylene	0.220	D		0.280	0.150	U	0.290	0.110	0.120	2.300	0.160

Sump Pump Covers Sealed Between October/ November 2022

Sample ID	10 Dakin-First Floor-IA	Ambient Indoor	10 Dakin	10 Dakin-First Floor
Sampling Date	7/7/2022	11/21/2022	9/8/2023	11/25/2024
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	240* D	0.700 D	0.810 D	2.200 J
Tetrachloroethylene	2.800 D	1.400 D	0.850 D	0.720 U
Trichloroethylene	0.170 D	0.160 D	0.130 U	0.140 U

NOTES:
*Methylene chloride detected in soil vapor at 32 ug/m³ and outdoor ambient air at 120 ug/m³ on 7/7/2022

Sample ID	190 E Main-2nd Floor-IA			190 East Main 2nd Floor	190 East Main 2nd Floor		Apartment 2	Apartment No.2	Apartment 2	Apartment
Sampling Date	7/7/2022			9/14/2023	12/14/2023		3/20/2024	7/16/2024	10/15/2024	2/27/2025
Matrix	Indoor Air			Indoor Air	Indoor Air		Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	1	D		0.680	U		0.610 U	0.780 D	0.730 D	1.600 J
Tetrachloroethylene	1.400	D		2.500	D	No access	0.600 U	0.640 D	0.510 U	0.520 U
Trichloroethylene	0.170	D		0.530	D		0.120 U	0.120 U	0.100 U	0.170 D

Sump Pump Covers Sealed Between October/ November 2022

Sample ID	Basement IA	Basement	Basement	Basement
Sampling Date	4/11/2022	5/17/2022	11/21/2022	3/28/2023
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	94 D	3.500 D	1.100 D	0.930 BD
Tetrachloroethylene	840 D	910 D	310 D	95 D
Trichloroethylene	2.400 D	2.600 D	0.710 D	0.590 D

SSDS/Mitigation System modifications completed March 6, 2024

Sample ID	192	No 192	192 E Main
Sampling Date	9/8/2023	11/20/2023	12/14/2023
Matrix	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	3.400 D	3.300 D	0.710 D
Tetrachloroethylene	55 D	140 D	3.700 D
Trichloroethylene	0.600 D	0.470 D	0.160 D

Sample ID	Basement	192 Basement	192 E Basement	Basement	Basement
Sampling Date	3/20/2024	7/16/2024	9/3/2024	10/14/2024	2/27/2025
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	0.670 D	2.500 D	1.100 D	2.100 D	3.200 D
Tetrachloroethylene	8.600 D	90 D	3.400 D	2.500 D	1.900 D
Trichloroethylene	0.110 U	0.190 D	0.170 U	0.110 U	0.190 D

Sample ID	Apartment 3	Apartment 3	Apartment 3	Apartment 3
Sampling Date	5/17/2022	11/21/2022	3/28/2023	12/14/2023
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	0.670 J		0.970 BD	No access
Tetrachloroethylene	180 D	No access	93 D	
Trichloroethylene	0.780 D		0.660 D	

SSDS/Mitigation System Active week of August 20, 2023

Sample ID	Apartment 3	Apartment 3	Apartment 3	Apartment 3
Sampling Date	12/14/2023	3/20/2024	7/16/2024	2/27/2025
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	No access	No access	No access	6.800 D
Tetrachloroethylene				3.500 D
Trichloroethylene				0.140 D

SSDS/Mitigation System modifications completed March 6, 2024

200-206 E Main Street

Outside of BCP Site Boundary

Sample ID	AI-2 OS-2 (Basement)		OS-2 Basement		Basement (OS-2)		Basement OS-2		OS-2 First Floor		First Floor (OS-2)		First Floor OS-2	
Sampling Date	3/29/2023		4/28/2023		5/30/2024		12/16/2025		4/28/2023		5/30/2024		12/16/2025	
Matrix	Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
Methylene chloride	1.900	D	0.890	D	1.500	D	1.900	U	1.200	D	1.700	D	2	U
Tetrachloroethylene	39	D	30	D	15	D	1.900	D	12	D	2.300	D	0.700	D
Trichloroethylene	3.300	D	4.500	D	1	D	0.150	U	4	D	0.190	D	0.150	U

DS-2
183-191 E Main Street

AI-2
NO VAPOR SAMPLE - WATER
INTRUSION INTO SAMPLE TUBING

Sample ID	Barber Zone	Barber Zone	Barber Zone		Barber Shop
Sampling Date	5/17/2022	11/21/2022	3/28/2023	SSDS/Mitigation System Active week of August 20, 2023	11/20/2023
Matrix	Indoor Air	Indoor Air	Indoor Air		Indoor Air
Methylene chloride	6.700 D	2.100 D	1.200 BD		1.700 D
Tetrachloroethylene	150 D	4.900 D	36 D		16 D
Trichloroethylene	1.100 D	0.130 U	0.390 D		0.300 D

Sample ID	Barber Zone		Barber Zone	Barber Zone	Barber Zone	Barber Zone
Sampling Date	12/14/2023		3/20/2024	7/16/2024	10/14/2024	2/27/2025
Matrix	Indoor Air		Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	2.600	D	0.610 U	0.980 D	1.100 D	2 J
Tetrachloroethylene	1.200	D	1.900 D	0.840 D	0.560 U	0.650 U
Trichloroethylene	0.200	D	0.120 U	0.900 D	0.110 U	0.160 D

SSDS/Mitigation System modifications completed March 6, 2024

Lundy Ln.

Main St.

NO ACCESS/ PERMISSION

Sample ID	Mariana's Beauty Salon		Perla Nails Beauty		Perla Nails Beauty			Perla Nails	
Sampling Date	5/17/2022		11/21/2022		3/28/2023		SSDS/Mitigation System Active week of August 20, 2023	9/8/2023	
Matrix	Indoor Air		Indoor Air		Indoor Air			Indoor Air	
Methylene chloride	1.700	D	3	D	1.400	BD		2.900	D
Tetrachloroethylene	270	D	75	D	70	D		8.300	D
Trichloroethylene	1	D	0.330	D	0.610	D		0.220	D

Sample ID	Perla Nails Beauty	Perla Nails	Perla Nails	Perla Nails and Beauty	Perla Nails and Beauty
Sampling Date	12/14/2023	3/20/2024	7/16/2024	10/14/2024	2/27/2025
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	2.100 D	0.810 U	8.900 D	2.800 D	No access
Tetrachloroethylene	1.800 D	9.100 D	2.700 D	1 D	
Trichloroethylene	0.210 D	0.250 D	0.240 D	0.120 U	

SSDS/Mitigation System modifications completed March 6, 2024

DS-1
193 E Main Street

Sample ID	Kyrios Hair Salon		Kynos Hair Salon		Kyrios		
Sampling Date	5/17/2022		11/21/2022		3/28/2023		SSDS/Mitigation System Active week of August 20, 2023
Matrix	Indoor Air		Indoor Air		Indoor Air		
Methylene chloride	2.600	D	2.800	D	3.200	BD	
Tetrachloroethylene	120	D	32	D	92	D	
Trichloroethylene	0.460	D	0.170	D	0.440	D	

Sample ID	Kyrios		Kyrios			Kyrios	
Sampling Date	9/8/2023		12/14/2023		SSDS/Mitigation System modifications completed March 6, 2024	3/20/2024	
Matrix	Indoor Air		Indoor Air			Indoor Air	
Methylene chloride	23	D	1.800	D		4.600	D
Tetrachloroethylene	6.700	D	2.900	D		11	D
Trichloroethylene	0.140	U	0.170	D		0.140	D

Sample ID	Kyrios	Kyrios	Kyrios	Kyrios
Sampling Date	7/16/2024	9/3/2024	10/14/2024	2/27/2025
Matrix	Indoor Air	Indoor Air	Indoor Air	Indoor Air
Methylene chloride	20 D	8.600 D	100 D	370 D
Tetrachloroethylene	5 D	4 D	3.800 D	1.600 D
Trichloroethylene	0.120 U	0.600 D	0.310 D	0.310 D

Lenox Pl.

BCP Site
Boundary

SG-6/
AI-6

DS-6
222 E Main Street

Sample ID	AI-6 OS-6	
Sampling Date	3/29/2023	
Matrix	Indoor Air	
Methylene chloride	0.940	D
Tetrachloroethylene	1.200	D
Trichloroethylene	0.110	U

Mount Kisco Elementary
Not Depicted

Sample ID	Mount Kisco Elementary School	
Sampling Date	AI-1 10/10/2022	
Matrix	Indoor	
Methylene chloride	2.300	D
Tetrachloroethylene	0.730	J
Trichloroethylene	0.410	D

Mt. Kisco Elementary
47 N. Hyatt Avenue

Analyte	NYS DOH Criteria	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	Guideline	Immediate Action
Methylene chloride	60	NA
Tetrachloroethylene	30	300
Trichloroethylene	2	20
NOTES:		
	Detection above laboratory detection	
	Detection above NYSDOH Guidelines	
	Detection above NYSDOH Immediate Action Level	

North

0 25 50

LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Sub-slab Soil Gas/ Co-Located Indoor Ambient Air Location (July 2022, March/ April/ December 2023) *Air samples only at DS-2 & DS-3 based on water beneath slab
- Additional 'step out' soil vapor location - No Access
- Indoor Air Sample Location

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC

Client/ Owner: 200 E Main LLC


Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Off-Site Indoor Air Spider Map (PCE, TCE & MeCl)

Figure 14

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183

10/15/2024		
Well ID	Depth To water (feet bgs)	Groundwater Elevation
MW-1	9.01	292.51
MW-2	8.50	292.02
MW-3	8.07	292.24
MW-4	8.30	292.36
MW-5	8.29	291.83
MW-6	7.85	292.24
MW-7	6.91	291.26
MW-8	6.88	291.46
MW-9	10.68	286.59
MW-10	9.50	287.40
MW-11	~	~
MW-12	21.58	292.76
MW-13	10.00	287.51
MW-14	5.21	289.81
MW-15	8.61	286.22
MW-16	3.28	285.24
MW-17	11.32	286.44



LEGEND

- BCP Site Boundary
- Underground Electric Utilities
- Underground Gas Utilities
- Underground Sewer/Storm Drain Utilities
- Underground Water Utilities
- Underground Unknown Utilities
- Property Line
- Hydrant
- Utility Pole
- Storm Drain
- Lamp Post
- Boring/ Well Location (July/ December 2023)
- Onsite Soil Boring/ Monitoring Well (2019)
- XXX.X' Groundwater Contour Line & Relative Elevation

North

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: Groundwater Contour Map for October 15, 2024

Figure 15

Scale: Graphic | Drawn By: D.T./ D.B. | BCP Site #: C360183



North

APPROXIMATE SCALE IN FEET

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: PCE Groundwater Isopleths - Shallow Wells

Figure 16

Scale: Coordinates | Drawn By: D.T./ D.B. | BCP Site #: C360183



North

APPROXIMATE SCALE IN FEET

0 25 50

DT Consulting Services, Inc.

Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: cis-1,2-DCE Groundwater Isopleths - Shallow Wells

Figure 16A

Scale: Coordinates | Drawn By: D.T./ D.B. | BCP Site #: C360183



North

APPROXIMATE SCALE IN FEET

0 25 50

DT Consulting Services, Inc.

Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: TCE Groundwater Isopleths - Shallow Wells

Figure 16B

Scale: Coordinates | Drawn By: D.T./ D.B. | BCP Site #: C360183



DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: PCE Groundwater Isopleths - Deep Wells

Figure 17

Scale: Coordinates | Drawn By: D.T./ D.B. | BCP Site #: C360183



North

APPROXIMATE SCALE IN FEET

0 25 50

DT Consulting Services, Inc.
&
Bellucci Engineering, PLLC


Client/ Owner: 200 E Main LLC

Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York

Title: cis-1,2-DCE Groundwater Isopleths - Deep Wells

Figure 17A

Scale: Coordinates | Drawn By: J.T./ D.B. | BCP Site #: C36183



North

APPROXIMATE SCALE IN FEET

0 25 50

DT Consulting Services, Inc. & Bellucci Engineering, PLLC	Client/ Owner: 200 E Main LLC		
	Location: 200-206 E Main Street, Mount Kisco, Westchester County, New York		
	Title: TCE Groundwater Isopleths - Deep Wells		Figure 17B
	Scale: Coordinates	Drawn By: D.T./ D.B.	BCP Site #: C36D183

TABLES

Table 1A - On-Site VOC Soil Data_2019

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW	MW-1 Soil 19E1316-01 5/28/2019 7-10		MW-2 Soil 19E1316-03 5/28/2019 7-10		MW-3 Soil 19E1316-05 5/28/2019 7-10		MW-4 Soil 19E1316-07 5/28/2019 7-10	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, 8260 List										
1,1,1,2-Tetrachloroethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1,1-Trichloroethane	500	0.68	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1,2,2-Tetrachloroethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1,2-Trichloro-1,2,2-trifluoroethane (	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1,2-Trichloroethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1-Dichloroethane	240	0.27	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1-Dichloroethylene	500	0.33	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,1-Dichloropropylene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2,3-Trichlorobenzene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2,3-Trichloropropane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2,4-Trichlorobenzene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2,4-Trimethylbenzene	190	3.6	0.00690	U	0.950	D	0.00230	U	0.00230	U
1,2-Dibromo-3-chloropropane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2-Dibromoethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2-Dichlorobenzene	500	1.1	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2-Dichloroethane	30	0.02	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,2-Dichloropropane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,3,5-Trimethylbenzene	190	8.4	0.00690	U	0.230	E	0.00230	U	0.00230	U
1,3-Dichlorobenzene	280	2.4	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,3-Dichloropropane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,4-Dichlorobenzene	130	1.8	0.00690	U	0.00240	U	0.00230	U	0.00230	U
1,4-Dioxane	130	0.1	**0.140**	U	0.0470	U	0.0470	U	0.0460	U
2,2-Dichloropropane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
2-Butanone	500	0.12	0.00690	U	0.00520		0.00230	U	0.00230	U
2-Chlorotoluene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
4-Chlorotoluene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Acetone	500	0.05	0.0280		0.0240		0.0150		0.0260	
Benzene	44	0.06	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Bromobenzene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Bromochloromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Bromodichloromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Bromoform	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Bromomethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Carbon tetrachloride	22	0.76	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Chlorobenzene	500	1.1	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Chloroethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Chloroform	350	0.37	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Chloromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
cis-1,2-Dichloroethylene	500	0.25	0.00690	U	0.00660		0.00230	U	0.00230	U
cis-1,3-Dichloropropylene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Dibromochloromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Dibromomethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Dichlorodifluoromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Ethyl Benzene	390	1	0.00690	U	0.170		0.00230	U	0.00230	U
Hexachlorobutadiene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Isopropylbenzene	~	~	0.00690	U	0.0340		0.00230	U	0.00230	U
Methyl tert-butyl ether (MTBE)	500	0.93	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Methylene chloride	500	0.05	0.0140	U	0.00470	U	0.00580	J	0.00460	U
Naphthalene	500	12	0.00690	U	0.130		0.00230	U	0.00230	U
n-Butylbenzene	500	12	0.00690	U	0.0100		0.00230	U	0.00230	U
n-Propylbenzene	500	3.9	0.00690	U	0.0840		0.00230	U	0.00230	U
o-Xylene	~	~	0.00690	U	0.240	E	0.00230	U	0.00230	U
p- & m- Xylenes	~	~	0.0140	U	0.480	E	0.00470	U	0.00460	U
p-Isopropyltoluene	~	~	0.00690	U	0.0110		0.00230	U	0.00230	U
sec-Butylbenzene	500	11	0.00690	U	0.00910		0.00230	U	0.00230	U
Styrene	~	~	0.00690	U	0.00730		0.00230	U	0.00230	U
tert-Butylbenzene	500	5.9	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Tetrachloroethylene	150	1.3	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Toluene	500	0.7	0.00690	U	0.00240	U	0.00230	U	0.00230	U
trans-1,2-Dichloroethylene	500	0.19	0.00690	U	0.00240	U	0.00230	U	0.00230	U
trans-1,3-Dichloropropylene	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Trichloroethylene	200	0.47	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Trichlorofluoromethane	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Vinyl acetate	~	~	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Vinyl Chloride	13	0.02	0.00690	U	0.00240	U	0.00230	U	0.00230	U
Xylenes, Total	500	1.6	0.0210	U	0.720	E	0.00700	U	0.00690	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Italics indicates analyte not detected. Detection limits greater than one or more SCO.

Table 1B - On-Site VOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	~~SB-1A~~ ~~21K0904-01~~ ~~11/17/2021~~ ~~0-2~~		~~SB-1B~~ ~~21K0904-02~~ ~~11/17/2021~~ ~~6-8~~		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		SB-1A (1) 22C0009-01 2/28/2022 1-2		SB-1A (2) 22C0009-02 2/28/2022 4-5		SB-2A (1) 22C0009-03 2/28/2022 1-2		SB-2A (2) 22C0009-04 2/28/2022 4.5-5.5		~~SB-3A (1)~~ ~~22C0009-05~~ ~~2/28/2022~~ ~~1-2~~		~~SB-3A (2)~~ ~~22C0009-06~~ ~~2/28/2022~~ ~~4-6~~		~~SB-3A (3)~~ ~~22C0009-07~~ ~~2/28/2022~~ ~~7-8~~	
All Units in millograms per kilogram (mg/Kg)			~~Result~~	~~Q~~	~~Result~~	~~Q~~	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~
VOA, 8260 MASTER																																
1,1,1,2-Tetrachloroethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1,1-Trichloroethane	500	0.68	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1,2,2-Tetrachloroethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1,2-Trichloroethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1-Dichloroethane	240	0.27	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1-Dichloroethylene	500	0.33	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,1-Dichloropropylene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2,3-Trichlorobenzene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2,3-Trichloropropane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2,4,5-Tetramethylbenzene	~	~	~~0.00250~~	~~U~~	~~2.600~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	1.900	D	2.500	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2,4-Trichlorobenzene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2,4-Trimethylbenzene	190	3.6	~~0.00250~~	~~U~~	~~9.1~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	6.3	D	9.8	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2-Dibromo-3-chloropropane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2-Dibromoethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2-Dichlorobenzene	500	1.1	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2-Dichloroethane	30	0.02	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	*0.270*	*U*	*0.250*	*U*	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,2-Dichloropropane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,3,5-Trimethylbenzene	190	8.4	~~0.00250~~	~~U~~	~~2.700~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	1.900	D	3	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,3-Dichlorobenzene	280	2.4	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,3-Dichloropropane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,4-Dichlorobenzene	130	1.8	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
1,4-Dioxane	130	0.1	~~0.0500~~	~~U~~	~~*4.200*~~	~~U~~	0.0490	U	0.0500	U	0.0510	U	*5.300*	*U*	*5.000*	*U*	0.0580	U	0.0550	U	0.0480	U	0.0520	U	~~0.0460~~	~~U~~	~~*99*~~	~~U~~	~~*0.110*~~	~~U~~
2,2-Dichloropropane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
2-Butanone	500	0.12	~~0.00250~~	~~U~~	~~*0.210*~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	*0.270*	*U*	*0.250*	*U*	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
2-Chloroethylvinyl ether	~	~	~~0.0100~~	~~U~~	~~0.840~~	~~U~~	0.00980	U	0.0100	U	0.0100	U	1.100	U	1	U	0.0120	U	0.0110	U	0.00960	U	0.0100	U	~~0.00910~~	~~U~~	~~20~~	~~U~~	~~0.0230~~	~~U~~
2-Chlorotoluene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
2-Hexanone	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
4-Chlorotoluene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
4-Methyl-2-pentanone	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Acetone	500	0.05	~~0.00500~~	~~U~~	~~*0.420*~~	~~U~~	0.00490	U	0.00500	U	0.00510	U	*0.530*	*U*	*0.500*	*U*	0.0320		0.00550	U	0.00480	U	0.00520	U	~~0.00460~~	~~U~~	~~*9.900*~~	~~U~~	~~0.0190~~	~~J~~
Acrolein	~	~	~~0.00500~~	~~U~~	~~0.420~~	~~U~~	0.00490	U	0.00500	U	0.00510	U	0.530	U	0.500	U	0.00580	U	0.00550	U	0.00480	U	0.00520	U	~~0.00460~~	~~U~~	~~9.900~~	~~U~~	~~0.0110~~	~~U~~
Acrylonitrile	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Benzene	44	0.06	~~0.00250~~	~~U~~	~~*0.210*~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	*0.270*	*U*	*0.250*	*U*	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
Bromobenzene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Bromochloromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Bromodichloromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Bromoform	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Bromomethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Carbon disulfide	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Carbon tetrachloride	22	0.76	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
Chlorobenzene	500	1.1	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
Chloroethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Chloroform	350	0.37	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
Chloromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
cis-1,2-Dichloroethylene	500	0.25	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	*0.270*	*U*	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~*5*~~	~~U~~	~~0.00570~~	~~U~~
cis-1,3-Dichloropropylene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~

Table 1B - On-Site VOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	~~SB-1A~~ ~~21K0904-01~~ ~~11/17/2021~~ ~~0-2~~		~~SB-1B~~ ~~21K0904-02~~ ~~11/17/2021~~ ~~6-8~~		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		SB-1A (1) 22C0009-01 2/28/2022 1-2		SB-1A (2) 22C0009-02 2/28/2022 4-5		SB-2A (1) 22C0009-03 2/28/2022 1-2		SB-2A (2) 22C0009-04 2/28/2022 4.5-5.5		~~SB-3A (1)~~ ~~22C0009-05~~ ~~2/28/2022~~ ~~1-2~~		~~SB-3A (2)~~ ~~22C0009-06~~ ~~2/28/2022~~ ~~4-6~~		~~SB-3A (3)~~ ~~22C0009-07~~ ~~2/28/2022~~ ~~7-8~~	
All Units in millograms per kilogram (mg/Kg)			~~Result~~	~~Q~~	~~Result~~	~~Q~~	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~
Cyclohexane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Dibromochloromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Dibromomethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Dichlorodifluoromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Diisopropyl ether (DIPE)	~	~	~~0.00400~~	~~U~~	~~0.340~~	~~U~~	0.00390	U	0.00400	U	0.00410	U	0.420	U	0.400	U	0.00460	U	0.00440	U	0.00390	U	0.00410	U	~~0.00370~~	~~U~~	~~7.900~~	~~U~~	~~0.00920~~	~~U~~
Ethanol	~	~	~~0.0400~~	~~U~~	~~3.400~~	~~U~~	0.0390	U	0.0400	U	0.0410	U	4.200	U	4	U	0.0460	U	0.0440	U	0.0390	U	0.0410	U	~~0.0370~~	~~U~~	~~79~~	~~U~~	~~0.0920~~	~~U~~
Ethyl Benzene	390	1	~~0.00250~~	~~U~~	~~0.260~~	~~JD~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.430	JD	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Ethyl tert-butyl ether (ETBE)	~	~	~~0.00400~~	~~U~~	~~0.340~~	~~U~~	0.00390	U	0.00400	U	0.00410	U	0.420	U	0.400	U	0.00460	U	0.00440	U	0.00390	U	0.00410	U	~~0.00370~~	~~U~~	~~7.900~~	~~U~~	~~0.00920~~	~~U~~
Hexachlorobutadiene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Iodomethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Isopropylbenzene	~	~	~~0.00250~~	~~U~~	~~0.460~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.290	JD	0.580	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Methyl acetate	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Methyl Methacrylate	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Methyl tert-butyl ether (MTBE)	500	0.93	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Methylcyclohexane	~	~	~~0.00250~~	~~U~~	~~0.250~~	~~JD~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.350	JD	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Methylene chloride	500	0.05	~~0.0270~~		~~1.3~~	~~D~~	0.00750	J	0.0420		0.0450		**0.850**	JD	**1**	D	**0.460**		0.0370		0.00870	J	0.0150		~~0.0160~~		~~9.900~~	~~U~~	**~~0.120~~**	
Naphthalene	500	12	~~0.00250~~	~~U~~	~~6~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	5.200	D	6.900	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.0240~~	
n-Butylbenzene	500	12	~~0.00250~~	~~U~~	~~1~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.620	D	1	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
n-Propylbenzene	500	3.9	~~0.00250~~	~~U~~	~~1~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.630	D	1.200	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
o-Xylene	~	~	~~0.00250~~	~~U~~	~~0.840~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.370	JD	0.880	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
p- & m- Xylenes	~	~	~~0.00500~~	~~U~~	~~0.700~~	~~JD~~	0.00490	U	0.00500	U	0.00510	U	0.530	U	0.730	JD	0.00580	U	0.00550	U	0.00480	U	0.00520	U	~~0.00460~~	~~U~~	~~9.900~~	~~U~~	~~0.0110~~	~~U~~
p-Diethylbenzene	~	~	~~0.00250~~	~~U~~	~~5.300~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	3.300	D	5.200	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
p-Ethyltoluene	~	~	~~0.00250~~	~~U~~	~~1.100~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.880	D	1.600	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
p-Isopropyltoluene	~	~	~~0.00250~~	~~U~~	~~1~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.620	D	0.980	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
sec-Butylbenzene	500	11	~~0.00250~~	~~U~~	~~1.300~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.690	D	1.300	D	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Styrene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
tert-Amyl alcohol (TAA)	~	~	~~0.0400~~	~~U~~	~~3.400~~	~~U~~	0.0390	U	0.0400	U	0.0410	U	4.200	U	4	U	0.0460	U	0.0440	U	0.0390	U	0.0410	U	~~0.0370~~	~~U~~	~~79~~	~~U~~	~~0.0920~~	~~U~~
tert-Amyl methyl ether (TAME)	~	~	~~0.00400~~	~~U~~	~~0.340~~	~~U~~	0.00390	U	0.00400	U	0.00410	U	0.420	U	0.400	U	0.00460	U	0.00440	U	0.00390	U	0.00410	U	~~0.00370~~	~~U~~	~~7.900~~	~~U~~	~~0.00920~~	~~U~~
tert-Butyl alcohol (TBA)	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
tert-Butylbenzene	500	5.9	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Tetrachloroethylene	150	1.3	~~0.130~~		~~33~~	~~D~~	0.00250	U	0.00370	J	0.00910		**9.6**	D	**16**	D	0.00290	U	0.00290	J	0.00950		0.00260	U	~~0.320~~		**~~410~~**	~~DE~~	~~0.00570~~	~~U~~
Tetrahydrofuran	~	~	~~0.00650~~	~~J~~	~~0.420~~	~~U~~	0.00490	U	0.00590	J	0.00740	J	0.530	U	0.500	U	0.00580	U	0.00550	U	0.00480	U	0.00520	U	~~0.00460~~	~~U~~	~~9.900~~	~~U~~	~~0.0110~~	~~U~~
Toluene	500	0.7	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
trans-1,2-Dichloroethylene	500	0.19	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
trans-1,3-Dichloropropylene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
trans-1,4-dichloro-2-butene	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Trichloroethylene	200	0.47	~~0.00250~~	~~U~~	~~0.420~~	~~D~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00380~~	~~J~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Trichlorofluoromethane	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Vinyl acetate	~	~	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Vinyl Chloride	13	0.02	~~0.00250~~	~~U~~	~~0.210~~	~~U~~	0.00250	U	0.00250	U	0.00260	U	0.270	U	0.250	U	0.00290	U	0.00270	U	0.00240	U	0.00260	U	~~0.00230~~	~~U~~	~~5~~	~~U~~	~~0.00570~~	~~U~~
Xylenes, Total	500	1.6	~~0.00750~~	~~U~~	~~1.5~~	~~D~~	0.00740	U	0.00750	U	0.00770	U	0.800	U	**1.6**	D	0.00870	U	0.00820	U	0.00720	U	0.00770	U	~~0.00690~~	~~U~~	~~15~~	~~U~~	~~0.0170~~	~~U~~

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU and/or POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above

J= Analyte detected at or above the

D=result is from an analysis that required a dilution

~~Strikethrough~~ indicates samples removed via IRM excavation

Table 1B - On-Site VOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	~~SB-4A (1)~~ ~~22C0009-08~~ ~~2/28/2022~~ ~~1-2~~		~~SB-4A (2)~~ ~~22C0009-09~~ ~~2/28/2022~~ ~~5-6~~		~~SB-4A (3)~~ ~~22C0009-10~~ ~~2/28/2022~~ ~~7-8~~		~~SB-5A (1)~~ ~~22C0009-11~~ ~~2/28/2022~~ ~~1-2~~		~~SB-5A (2)~~ ~~22C0009-12~~ ~~2/28/2022~~ ~~5-6~~		~~SB-5A (3)~~ ~~22C0009-13~~ ~~2/28/2022~~ ~~7-8~~		SB-6A (1) 22C0009-14 2/28/2022 1-2		SB-6A (1D) 22C0009-15 2/28/2022 1-2		SB-6A (2) 22C0009-16 2/28/2022 5-6		SB-6A (3) 22C0009-17 2/28/2022 7-8		MW-5 21K0905-01 11/17/2021 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER																												
1,1,1,2-Tetrachloroethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1,1-Trichloroethane	500	0.68	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1,2,2-Tetrachloroethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1,2-Trichloroethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00820		0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1-Dichloroethane	240	0.27	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1-Dichloroethylene	500	0.33	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,1-Dichloropropylene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2,3-Trichlorobenzene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2,3-Trichloropropane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	1.800	D	0.00280	U	0.00260	U
1,2,4,5-Tetramethylbenzene	~	~	~~0.00230~~	~~U~~	~~4.900~~	~~D~~	~~4.200~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	4	D	7.100	D	0.00280	U	0.00260	U
1,2,4-Trichlorobenzene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2,4-Trimethylbenzene	190	3.6	~~0.00230~~	~~U~~	~~**21**~~	~~DE~~	~~**16**~~	~~D~~	~~0.00320~~	~~J~~	~~2.200~~	~~U~~	~~**17**~~	~~D~~	0.00240	U	0.00250	U	**19**	D	**27**	DE	0.00280	U	0.00260	U
1,2-Dibromo-3-chloropropane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2-Dibromoethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2-Dichlorobenzene	500	1.1	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,2-Dichloroethane	30	0.02	~~0.00230~~	~~U~~	~~*0.260*~~	~~*U*~~	~~*0.240*~~	~~*U*~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~*0.270*~~	~~*U*~~	0.00240	U	0.00250	U	*0.250*	*U*	*0.220*	*U*	0.00280	U	0.00260	U
1,2-Dichloropropane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,3,5-Trimethylbenzene	190	8.4	~~0.00230~~	~~U~~	~~6.400~~	~~D~~	~~5~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~4.700~~	~~D~~	0.00240	U	0.00250	U	5.700	D	**8.5**	D	0.00280	U	0.00260	U
1,3-Dichlorobenzene	280	2.4	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,3-Dichloropropane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,4-Dichlorobenzene	130	1.8	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
1,4-Dioxane	130	0.1	~~0.0460~~	~~U~~	~~*5.200*~~	~~*U*~~	~~*4.900*~~	~~*U*~~	~~0.0410~~	~~U~~	~~*45*~~	~~*U*~~	~~*5.400*~~	~~*U*~~	0.0480	U	0.0500	U	*5*	*U*	*4.500*	*U*	0.0560	U	0.0530	U
2,2-Dichloropropane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
2-Butanone	500	0.12	~~0.00230~~	~~U~~	~~**0.260**~~	~~U~~	~~*0.240*~~	~~*U*~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~*0.270*~~	~~*U*~~	0.00240	U	0.00250	U	*0.250*	*U*	*0.220*	*U*	0.00280	U	0.00260	U
2-Chloroethylvinyl ether	~	~	~~0.00930~~	~~U~~	~~1~~	~~U~~	~~0.980~~	~~U~~	~~0.00830~~	~~U~~	~~8.900~~	~~U~~	~~1.100~~	~~U~~	0.00960	U	0.0100	U	1	U	0.900	U	0.0110	U	0.0110	U
2-Chlorotoluene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
2-Hexanone	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
4-Chlorotoluene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
4-Methyl-2-pentanone	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.870	D	0.00280	U	0.00260	U
Acetone	500	0.05	~~0.00460~~	~~U~~	~~*0.520*~~	~~*U*~~	~~*0.490*~~	~~*U*~~	~~0.00410~~	~~U~~	~~*4.500*~~	~~*U*~~	~~*0.540*~~	~~*U*~~	0.00480	U	0.00500	U	*0.500*	*U*	*0.450*	*U*	0.0130	JB	0.00530	U
Acrolein	~	~	~~0.00460~~	~~U~~	~~0.520~~	~~U~~	~~0.490~~	~~U~~	~~0.00410~~	~~U~~	~~4.500~~	~~U~~	~~0.540~~	~~U~~	0.00480	U	0.00500	U	0.500	U	0.450	U	0.00560	U	0.00530	U
Acrylonitrile	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Benzene	44	0.06	~~0.00230~~	~~U~~	~~*0.260*~~	~~*U*~~	~~*0.240*~~	~~*U*~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~*0.270*~~	~~*U*~~	0.00240	U	0.00250	U	*0.250*	*U*	*0.220*	*U*	0.00280	U	0.00260	U
Bromobenzene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Bromochloromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Bromodichloromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Bromoform	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Bromomethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Carbon disulfide	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Carbon tetrachloride	22	0.76	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Chlorobenzene	500	1.1	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Chloroethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Chloroform	350	0.37	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Chloromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
cis-1,2-Dichloroethylene	500	0.25	~~0.00590~~		~~**1.8**~~	~~D~~	~~**0.530**~~	~~D~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~**1**~~	~~D~~	0.00240	U	0.00460	J	0.250	JD	**0.290**	JD	0.00280	U	0.00260	U
cis-1,3-Dichloropropylene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U

Table 1B - On-Site VOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	~~SB-4A (1)~~ ~~22C0009-08~~ ~~2/28/2022~~ ~~1-2~~		~~SB-4A (2)~~ ~~22C0009-09~~ ~~2/28/2022~~ ~~5-6~~		~~SB-4A (3)~~ ~~22C0009-10~~ ~~2/28/2022~~ ~~7-8~~		~~SB-5A (1)~~ ~~22C0009-11~~ ~~2/28/2022~~ ~~1-2~~		~~SB-5A (2)~~ ~~22C0009-12~~ ~~2/28/2022~~ ~~5-6~~		~~SB-5A (3)~~ ~~22C0009-13~~ ~~2/28/2022~~ ~~7-8~~		SB-6A (1) 22C0009-14 2/28/2022 1-2		SB-6A (1D) 22C0009-15 2/28/2022 1-2		SB-6A (2) 22C0009-16 2/28/2022 5-6		SB-6A (3) 22C0009-17 2/28/2022 7-8		MW-5 21K0905-01 11/17/2021 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	~~Result~~	~~Q~~	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Cyclohexane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.280	JD	0.00280	U	0.00260	U
Dibromochloromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Dibromomethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Dichlorodifluoromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Diisopropyl ether (DIPE)	~	~	~~0.00370~~	~~U~~	~~0.420~~	~~U~~	~~0.390~~	~~U~~	~~0.00330~~	~~U~~	~~3.600~~	~~U~~	~~0.430~~	~~U~~	0.00390	U	0.00400	U	0.400	U	0.360	U	0.00450	U	0.00420	U
Ethanol	~	~	~~0.0370~~	~~U~~	~~4.200~~	~~U~~	~~3.900~~	~~U~~	~~0.0330~~	~~U~~	~~36~~	~~U~~	~~4.300~~	~~U~~	0.0390	U	0.0400	U	4	U	3.600	U	0.0450	U	0.0420	U
Ethyl Benzene	390	1	~~0.00230~~	~~U~~	~~0.610~~	~~D~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~**1.3**~~	~~D~~	0.00240	U	0.00250	U	**1.2**	D	0.220	U	0.00280	U	0.00260	U
Ethyl tert-butyl ether (ETBE)	~	~	~~0.00370~~	~~U~~	~~0.420~~	~~U~~	~~0.390~~	~~U~~	~~0.00330~~	~~U~~	~~3.600~~	~~U~~	~~0.430~~	~~U~~	0.00390	U	0.00400	U	0.400	U	0.360	U	0.00450	U	0.00420	U
Hexachlorobutadiene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Iodomethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Isopropylbenzene	~	~	~~0.00230~~	~~U~~	~~1.100~~	~~D~~	~~0.900~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~1.100~~	~~D~~	0.00240	U	0.00250	U	1.100	D	1.700	D	0.00280	U	0.00260	U
Methyl acetate	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Methyl Methacrylate	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Methyl tert-butyl ether (MTBE)	500	0.93	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Methylcyclohexane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	1.200	D	2.300	D	0.00280	U	0.00260	U
Methylene chloride	500	0.05	~~0.0130~~		~~**1.3**~~	~~BD~~	~~**0.850**~~	~~JBD~~	~~0.00990~~		~~**30**~~	~~D~~	~~**3.4**~~	~~D~~	0.0170		0.0170		**1**	BD	**1.1**	BD	0.00930	J	**0.0720**	
Naphthalene	500	12	~~0.00230~~	~~U~~	~~**14**~~	~~D~~	~~**13**~~	~~D~~	~~0.00300~~	~~J~~	~~2.200~~	~~U~~	~~12~~	~~D~~	0.00510	J	0.00250	U	11	D	**19**	DE	0.00280	U	0.00260	U
n-Butylbenzene	500	12	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	1.600	D	0.220	U	0.00280	U	0.00260	U
n-Propylbenzene	500	3.9	~~0.00230~~	~~U~~	~~2.400~~	~~D~~	~~1.600~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~2.300~~	~~D~~	0.00240	U	0.00250	U	2.400	D	2.800	D	0.00280	U	0.00260	U
o-Xylene	~	~	~~0.00230~~	~~U~~	~~2~~	~~D~~	~~0.890~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~2.600~~	~~D~~	0.00240	U	0.00250	U	2.900	D	1.400	D	0.00280	U	0.00260	U
p- & m- Xylenes	~	~	~~0.00460~~	~~U~~	~~1.700~~	~~D~~	~~0.870~~	~~JD~~	~~0.00410~~	~~U~~	4.500	~~U~~	~~2.200~~	~~D~~	0.00480	U	0.00500	U	1.900	D	2.700	D	0.00560	U	0.00530	U
p-Diethylbenzene	~	~	~~0.00230~~	~~U~~	~~11~~	~~D~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	13	D	0.00280	U	0.00260	U
p-Ethyltoluene	~	~	~~0.00230~~	~~U~~	~~6.400~~	~~D~~	~~5~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	5.700	D	8.500	D	0.00280	U	0.00260	U
p-Isopropyltoluene	~	~	~~0.00230~~	~~U~~	~~2~~	~~D~~	~~2.600~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~1.400~~	~~D~~	0.00240	U	0.00250	U	1.700	D	2.600	D	0.00280	U	0.00260	U
sec-Butylbenzene	500	11	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~2.200~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~1.800~~	~~D~~	0.00240	U	0.00250	U	0.250	U	3.300	D	0.00280	U	0.00260	U
Styrene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
tert-Amyl alcohol (TAA)	~	~	~~0.0370~~	~~U~~	~~4.200~~	~~U~~	~~3.900~~	~~U~~	~~0.0330~~	~~U~~	~~36~~	~~U~~	~~4.300~~	~~U~~	0.0390	U	0.0400	U	4	U	3.600	U	0.0450	U	0.0420	U
tert-Amyl methyl ether (TAME)	~	~	~~0.00370~~	~~U~~	~~0.420~~	~~U~~	~~0.390~~	~~U~~	~~0.00330~~	~~U~~	~~3.600~~	~~U~~	~~0.430~~	~~U~~	0.00390	U	0.00400	U	0.400	U	0.360	U	0.00450	U	0.00420	U
tert-Butyl alcohol (TBA)	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
tert-Butylbenzene	500	5.9	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~2.200~~	~~D~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Tetrachloroethylene	150	1.3	~~0.360~~		~~**21**~~	~~DE~~	~~**8.3**~~	~~D~~	~~**2.2**~~	~~D~~	~~**280**~~	~~DE~~	~~**38**~~	~~DE~~	1.200	D	**3.1**	D	0.250	U	0.220	U	0.00570		0.0120	
Tetrahydrofuran	~	~	~~0.00460~~	~~U~~	~~0.520~~	~~U~~	~~0.490~~	~~U~~	~~0.00410~~	~~U~~	~~4.500~~	~~U~~	~~0.540~~	~~U~~	0.00480	U	0.00500	U	0.500	U	0.450	U	0.00560	U	0.00870	J
Toluene	500	0.7	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~**2.2**~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
trans-1,2-Dichloroethylene	500	0.19	~~0.00230~~	~~U~~	~~*0.260*~~	~~*U*~~	~~*0.240*~~	~~*U*~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~*0.270*~~	~~*U*~~	0.00240	U	0.00250	U	*0.250*	*U*	*0.220*	*U*	0.00280	U	0.00260	U
trans-1,3-Dichloropropylene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
trans-1,4-dichloro-2-butene	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Trichloroethylene	200	0.47	~~0.00500~~		~~**1.9**~~	~~D~~	~~**0.670**~~	~~D~~	~~0.00210~~	~~U~~	~~**3.1**~~	~~JD~~	~~**1.6**~~	~~D~~	0.00290	J	0.00880		0.250	U	0.220	U	0.00280	U	0.00260	U
Trichlorofluoromethane	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Vinyl acetate	~	~	~~0.00230~~	~~U~~	~~0.260~~	~~U~~	~~0.240~~	~~U~~	~~0.00210~~	~~U~~	~~2.200~~	~~U~~	~~0.270~~	~~U~~	0.00240	U	0.00250	U	0.250	U	0.220	U	0.00280	U	0.00260	U
Vinyl Chloride	13	0.02	~~0.00230~~	~~U~~	~~*0.260*~~	~~*U*~~	~~*0.240*~~	~~*U*~~	~~0.00210~~	~~U~~	~~*2.200*~~	~~*U*~~	~~*0.270*~~	~~*U*~~	0.00240	U	0.00250	U	*0.250*	*U*	*0.220*	*U*	0.00280	U	0.00260	U
Xylenes, Total	500	1.6	~~0.00700~~	~~U~~	~~**3.8**~~	~~D~~	~~**1.8**~~	~~D~~	~~0.00620~~	~~U~~	~~*6.700*~~	~~*U*~~	~~**4.8**~~	~~D~~	0.00720	U	0.00760	U	**4.8**	D	**4.1**	D	0.00850	U	0.00790	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU and/or POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above

J= Analyte detected at or above the

D=result is from an analysis that required a dilution

~~Strikethrough~~ indicates samples removed via IRM excavation

Table 1B - On-Site VOC Soil Data Remedial Area 1

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	RA-1-A 23B1374-01 2/24/2023 5.5-6.5		RA-1-B 23B1374-02 2/24/2023 5-6.5		RA-1-C 23B1374-03 2/24/2023 5-6.5		RA-1-D 23B1374-04 2/24/2023 5-6.5		RA-1-E 23B1374-05 2/24/2023 8	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER												
1,1,1,2-Tetrachloroethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1,1-Trichloroethane	500	0.68	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1,2,2-Tetrachloroethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1,2-Trichloroethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1-Dichloroethane	240	0.27	0.270	U	0.240	U	0.270	U	*0.280*	*U*	*0.300*	*U*
1,1-Dichloroethylene	500	0.33	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,1-Dichloropropylene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2,3-Trichlorobenzene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2,3-Trichloropropane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2,4,5-Tetramethylbenzene	~	~	3.500	D	5.800	D	5.100	D	0.280	U	0.370	JD
1,2,4-Trichlorobenzene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2,4-Trimethylbenzene	190	3.6	**10**	D	**18**	D	**18**	D	0.280	U	0.750	D
1,2-Dibromo-3-chloropropane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2-Dibromoethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2-Dichlorobenzene	500	1.1	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,2-Dichloroethane	30	0.02	*0.270*	*U*	*0.240*	*U*	*0.270*	*U*	*0.280*	*U*	*0.300*	*U*
1,2-Dichloropropane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,3,5-Trimethylbenzene	190	8.4	3.400	D	6.100	D	5.800	D	0.280	U	0.300	U
1,3-Dichlorobenzene	280	2.4	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,3-Dichloropropane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,4-Dichlorobenzene	130	1.8	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
1,4-Dioxane	130	0.1	*5.300*	*U*	*4.900*	*U*	*5.400*	*U*	*5.600*	*U*	*5.900*	*U*
2,2-Dichloropropane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
2-Butanone	500	0.12	*0.270*	*U*	*0.240*	*U*	*0.270*	*U*	*0.280*	*U*	*0.300*	*U*
2-Chloroethylvinyl ether	~	~	1.100	U	0.970	U	1.100	U	1.100	U	1.200	U
2-Chlorotoluene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
2-Hexanone	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
4-Chlorotoluene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
4-Methyl-2-pentanone	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Acetone	500	0.05	*0.530*	*U*	*0.490*	*U*	*0.540*	*U*	*0.560*	*U*	*0.590*	*U*
Acrolein	~	~	0.530	U	0.490	U	0.540	U	0.560	U	0.590	U
Acrylonitrile	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Benzene	44	0.06	*0.270*	*U*	*0.240*	*U*	*0.270*	*U*	*0.280*	*U*	*0.300*	*U*
Bromobenzene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Bromochloromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Bromodichloromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Bromoform	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Bromomethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Carbon disulfide	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Carbon tetrachloride	22	0.76	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Chlorobenzene	500	1.1	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Chloroethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Chloroform	350	0.37	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Chloromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
cis-1,2-Dichloroethylene	500	0.25	*0.270*	*U*	0.240	U	**0.680**	D	*0.280*	*U*	*0.300*	*U*
cis-1,3-Dichloropropylene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Cyclohexane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Dibromochloromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Dibromomethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Dichlorodifluoromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Diisopropyl ether (DIPE)	~	~	0.420	U	0.390	U	0.430	U	0.440	U	0.470	U
Ethanol	~	~	4.200	U	3.900	U	4.300	U	4.400	U	4.700	U
Ethyl Benzene	390	1	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Ethyl tert-butyl ether (ETBE)	~	~	0.420	U	0.390	U	0.430	U	0.440	U	0.470	U
Hexachlorobutadiene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Iodomethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Isopropylbenzene	~	~	0.270	U	1.200	D	0.770	D	0.280	U	0.300	U
Methyl acetate	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Methyl Methacrylate	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Methyl tert-butyl ether (MTBE)	500	0.93	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Methylcyclohexane	~	~	0.640	D	0.950	D	0.600	D	0.280	U	0.300	U
Methylene chloride	500	0.05	**1**	JD	**0.79**	JD	**0.81**	JD	**0.8**	JD	**0.88**	JD
Naphthalene	500	12	6.600	D	12	D	11	D	0.280	U	0.720	JD
n-Butylbenzene	500	12	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
n-Propylbenzene	500	3.9	1.100	D	2.500	D	1.700	D	0.280	U	0.300	U
o-Xylene	~	~	0.270	U	3.100	D	0.270	U	0.280	U	0.300	U
p- & m- Xylenes	~	~	1.900	D	2.300	D	1.100	D	0.560	U	0.590	U
p-Diethylbenzene	~	~	6.300	D	9.700	D	9.500	D	0.280	U	0.300	U
p-Ethyltoluene	~	~	0.270	U	4.200	D	0.270	U	0.280	U	0.300	U
p-Isopropyltoluene	~	~	1.400	D	2.100	D	2.100	D	0.280	U	0.300	U
sec-Butylbenzene	500	11	0.270	U	2.600	D	2	D	0.280	U	0.300	U
Styrene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
tert-Amyl alcohol (TAA)	~	~	4.200	U	3.900	U	4.300	U	4.400	U	4.700	U
tert-Amyl methyl ether (TAME)	~	~	0.420	U	0.390	U	0.430	U	0.440	U	0.470	U
tert-Butyl alcohol (TBA)	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U

Table 1B - On-Site VOC Soil Data Remedial Area 1

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab) All Units in millograms per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	RA-1-A 23B1374-01 2/24/2023 5.5-6.5		RA-1-B 23B1374-02 2/24/2023 5-6.5		RA-1-C 23B1374-03 2/24/2023 5-6.5		RA-1-D 23B1374-04 2/24/2023 5-6.5		RA-1-E 23B1374-05 2/24/2023 8	
			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
tert-Butylbenzene	500	5.9	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Tetrachloroethylene	150	1.3	**660**	D	**510**	D	**150**	D	**170**	D	**25**	D
Tetrahydrofuran	~	~	0.530	U	0.490	U	0.540	U	0.560	U	0.590	U
Toluene	500	0.7	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
trans-1,2-Dichloroethylene	500	0.19	*0.270*	*U*	*0.240*	*U*	*0.270*	*U*	*0.280*	*U*	*0.300*	*U*
trans-1,3-Dichloropropylene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
trans-1,4-dichloro-2-butene	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Trichloroethylene	200	0.47	**2.6**	D	**1.8**	D	**2.4**	D	0.350	JD	0.300	U
Trichlorofluoromethane	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Vinyl acetate	~	~	0.270	U	0.240	U	0.270	U	0.280	U	0.300	U
Vinyl Chloride	13	0.02	*0.270*	*U*	*0.240*	*U*	*0.270*	*U*	*0.280*	*U*	*0.300*	*U*
Xylenes, Total	500	1.6	**1.9**	D	**5.4**	D	**1.1**	JD	*0.830*	*U*	*0.890*	*U*

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU and/or POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the

J= Analyte detected at or above the

D=result is from an analysis that required a dilution

Table 1B - On-Site VOC Soil Data - Remedial Area 1

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab) All units in milligrams per kilogram (mg/kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	RA-1 S-1 22L1027-01 12/16/2022 3.5'	
			Result	Q
VOCS 8260				
1,1,1,2-Tetrachloroethane	~		0.00310	U
1,1,1-Trichloroethane	500	0.68	0.00310	U
1,1,2,2-Tetrachloroethane	~		0.00310	U
1,1,2-Trichloroethane	~		0.00310	U
1,1-Dichloroethane	240	0.27	0.00310	U
1,1-Dichloroethylene	500	0.33	0.00310	U
1,1-Dichloropropylene	~		0.00310	U
1,2,3-Trichlorobenzene	~		0.00310	U
1,2,3-Trichloropropane	~		0.00310	U
1,2,4-Trichlorobenzene	~		0.00310	U
1,2-Dibromo-3-chloropropane	~		0.00310	U
1,2-Dibromoethane	~		0.00310	U
1,2-Dichlorobenzene	500	1.1	0.00310	U
1,2-Dichloroethane	30	0.02	0.00310	U
1,2-Dichloropropane	~		0.00310	U
1,3-Dichlorobenzene	280	2.4	0.00310	U
1,3-Dichloropropane	~		0.00310	U
1,4-Dichlorobenzene	130	1.8	0.00310	U
2,2-Dichloropropane	~		0.00310	U
2-Chlorotoluene	~		0.00310	U
4-Chlorotoluene	~		0.00310	U
Bromobenzene	~		0.00310	U
Bromochloromethane	~		0.00310	U
Bromodichloromethane	~		0.00310	U
Bromoform	~		0.00310	U
Bromomethane	~		0.00310	U
Carbon tetrachloride	22	0.76	0.00310	U
Chlorobenzene	500	1.1	0.00310	U
Chloroethane	~		0.00310	U
Chloroform	350	0.37	0.00310	U
Chloromethane	~		0.00310	U
cis-1,2-Dichloroethylene	500	0.25	0.00310	U
cis-1,3-Dichloropropylene	~		0.00310	U
Dibromochloromethane	~		0.00310	U
Dibromomethane	~		0.00310	U
Dichlorodifluoromethane	~		0.00310	U
Hexachlorobutadiene	~		0.00310	U
Methylene chloride	500	0.05	0.00630	U
Naphthalene	500	12	0.00310	U
n-Propylbenzene	500	3.9	0.00310	U
Styrene	~		0.00310	U
Tetrachloroethylene	150	1.3	0.00590	J
Toluene	500	0.7	0.00310	U
trans-1,2-Dichloroethylene	500	0.19	0.00310	U
trans-1,3-Dichloropropylene	~		0.00310	U
Trichloroethylene	200	0.47	0.00310	U
Trichlorofluoromethane	~		0.00310	U
Vinyl Chloride	13	0.02	0.00310	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU and/or POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) -

Table 1B - On-Site VOC Soil Data - Remedial Area 2

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	RA-2A 23B1192-01 2/22/2023 5'-7'		RA-2B 23B1192-02 2/22/2023 5'-7 '		RA-2C 23B1192-03 2/22/2023 5'-'		RA-2D 23B1192-04 2/22/2023 5'-7'		RA-2E 23B1192-05 2/22/2023 8'		RA-2E Dup. 23B1192-06 2/22/2023 8'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOCs 8260														
1,1,1,2-Tetrachloroethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1,1-Trichloroethane	500	0.68	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1,2,2-Tetrachloroethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1,2-Trichloroethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1-Dichloroethane	240	0.27	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,1-Dichloroethylene	500	0.33	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2,3-Trichlorobenzene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2,3-Trichloropropane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2,4-Trichlorobenzene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2,4-Trimethylbenzene	190	3.6	0.00250	U	0.00280	U	0.00390	J	0.00210	U	0.00250	U	0.00230	U
1,2-Dibromo-3-chloropropane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2-Dibromoethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2-Dichlorobenzene	500	1.1	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2-Dichloroethane	30	0.02	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,2-Dichloropropane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,3,5-Trimethylbenzene	190	8.4	0.00250	U	0.00280	U	0.0600		0.00390	J	0.00250	U	0.00230	U
1,3-Dichlorobenzene	280	2.4	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,4-Dichlorobenzene	130	1.8	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
1,4-Dioxane	130	0.1	0.0510	U	0.0550	U	0.0440	U	0.0420	U	0.0490	U	0.0460	U
2-Butanone	500	0.12	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
2-Hexanone	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
4-Methyl-2-pentanone	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Acetone	500	0.05	0.00510	U	0.00550	U	0.00650	J	0.00420	U	0.00490	U	0.00460	U
Acrolein	~	~	0.00510	U	0.00550	U	0.00440	U	0.00420	U	0.00490	U	0.00460	U
Acrylonitrile	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Benzene	44	0.06	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Bromochloromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Bromodichloromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Bromoform	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Bromomethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Carbon disulfide	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Carbon tetrachloride	22	0.76	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Chlorobenzene	500	1.1	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Chloroethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Chloroform	350	0.37	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Chloromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
cis-1,2-Dichloroethylene	500	0.25	0.00250	U	0.00280	U	0.00290	J	0.00210	U	0.00330	J	0.00330	J
cis-1,3-Dichloropropylene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Cyclohexane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Dibromochloromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Dibromomethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Dichlorodifluoromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Ethyl Benzene	390	1	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Hexachlorobutadiene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Isopropylbenzene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Methyl acetate	~	~	0.00250	U	0.00520	J	0.00310	J	0.00210	U	0.00250	U	0.00230	U
Methyl tert-butyl ether (MTBE)	500	0.93	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Methylcyclohexane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Methylene chloride	500	0.05	0.00510	U	0.00550	U	0.00440	U	0.00420	U	0.00490	U	0.00460	U
n-Butylbenzene	500	12	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
n-Propylbenzene	500	3.9	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
o-Xylene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
p- & m- Xylenes	~	~	0.00510	U	0.00550	U	0.00440	U	0.00420	U	0.00490	U	0.00460	U
p-Isopropyltoluene	~	~	0.00250	U	0.00280	U	0.0250		0.00210	U	0.00250	U	0.00230	U
sec-Butylbenzene	500	11	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Styrene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
tert-Butyl alcohol (TBA)	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
tert-Butylbenzene	500	5.9	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Tetrachloroethylene	150	1.3	0.0150		0.0200		**370**	D	**150**	D	0.210		0.210	
Toluene	500	0.7	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
trans-1,2-Dichloroethylene	500	0.19	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
trans-1,3-Dichloropropylene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
trans-1,4-dichloro-2-butene	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U

Table 1B - On-Site VOC Soil Data - Remedial Area 2

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	RA-2A 23B1192-01 2/22/2023 5'-7'		RA-2B 23B1192-02 2/22/2023 5'-7 '		RA-2C 23B1192-03 2/22/2023 5'-'		RA-2D 23B1192-04 2/22/2023 5'-7'		RA-2E 23B1192-05 2/22/2023 8'		RA-2E Dup. 23B1192-06 2/22/2023 8'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Trichloroethylene	200	0.47	0.00250	U	0.00280	U	0.0690		0.0240		0.0170		0.0180	
Trichlorofluoromethane	~	~	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Vinyl Chloride	13	0.02	0.00250	U	0.00280	U	0.00220	U	0.00210	U	0.00250	U	0.00230	U
Xylenes, Total	500	1.600	0.00760	U	0.00830	U	0.00660	U	0.00630	U	0.00740	U	0.00700	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU and/or POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Table 1C - On-Site SVOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		MW-5 21K0905-01 11/17/2021 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
SVOA, 8270 MASTER																				
1,1-Biphenyl	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	1.500	D	ND	U	ND	U
1,2,4,5-Tetrachlorobenzene	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
1,2,4-Trichlorobenzene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
1,2-Dichlorobenzene	500	1.1	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
1,2-Diphenylhydrazine (as Azobenzene)	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
1,3-Dichlorobenzene	280	2.4	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
1,4-Dichlorobenzene	130	1.8	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,3,4,6-Tetrachlorophenol	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
2,4,5-Trichlorophenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,4,6-Trichlorophenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,4-Dichlorophenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,4-Dimethylphenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,4-Dinitrophenol	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
2,4-Dinitrotoluene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2,6-Dinitrotoluene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2-Chloronaphthalene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2-Chlorophenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2-Methylnaphthalene	~	~	0.0435	U	8.670	D	0.0434	U	0.0455	U	0.0491	JD	20.700	D	18.100	D	ND	U	ND	U
2-Methylphenol	500	0.33	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
2-Nitroaniline	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
2-Nitrophenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
3- & 4-Methylphenols	500	0.33	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
3,3-Dichlorobenzidine	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
3-Nitroaniline	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
4,6-Dinitro-2-methylphenol	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
4-Bromophenyl phenyl ether	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
4-Chloro-3-methylphenol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
4-Chloroaniline	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
4-Chlorophenyl phenyl ether	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
4-Nitroaniline	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
4-Nitrophenol	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
Acenaphthene	500	98	0.0435	U	0.507	D	0.0434	U	0.0455	U	0.0447	U	1.380	D	1.190	D	ND	U	ND	U
Acenaphthylene	500	107	0.0435	U	0.241	D	0.0434	U	0.0455	U	0.0447	U	0.338	D	0.0477	U	ND	U	ND	U
Acetophenone	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Aniline	~	~	0.174	U	0.192	U	0.173	U	0.182	U	0.178	U	0.478	U	0.191	U	ND	U	ND	U
Anthracene	500	1000	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.693	D	0.590	D	ND	U	ND	U
Atrazine	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzaldehyde	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzidine	~	~	0.174	U	0.192	U	0.173	U	0.182	U	0.178	U	0.478	U	0.191	U	ND	U	ND	U
Benzo(a)anthracene	5.6	1	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzo(a)pyrene	1	22	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzo(b)fluoranthene	5.6	1.7	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzo(g,h,i)perylene	500	1000	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzo(k)fluoranthene	56	1.7	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzoic acid	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Benzyl alcohol	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U

Table 1C - On-Site SVOC Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		MW-5 21K0905-01 11/17/2021 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Benzyl butyl phthalate	~	~	0.126	D	0.0480	U	0.0434	U	0.321	D	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Bis(2-chloroethoxy)methane	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Bis(2-chloroethyl)ether	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Bis(2-chloroisopropyl)ether	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Bis(2-ethylhexyl)phthalate	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Caprolactam	~	~	0.0868	U	0.0958	U	0.0866	U	0.0909	U	0.0891	U	0.239	U	0.0952	U	ND	U	ND	U
Carbazole	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Chrysene	56	1	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Dibenzo(a,h)anthracene	0.56	1000	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Dibenzofuran	350	210	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Diethyl phthalate	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Dimethyl phthalate	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Di-n-butyl phthalate	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Di-n-octyl phthalate	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Fluoranthene	500	1000	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.183	JD	0.0997	D	ND	U	ND	U
Fluorene	500	386	0.0435	U	1.090	D	0.0434	U	0.0455	U	0.0447	U	2.270	D	1.800	D	ND	U	ND	U
Hexachlorobenzene	6	3.2	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Hexachlorobutadiene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Hexachlorocyclopentadiene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Hexachloroethane	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Indeno(1,2,3-cd)pyrene	5.6	8.2	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Isophorone	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Naphthalene	500	12	0.0435	U	1.730	D	0.0434	U	0.0455	U	0.0447	U	3.920	D	4.110	D	ND	U	ND	U
Nitrobenzene	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
N-Nitrosodimethylamine	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
N-nitroso-di-n-propylamine	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
N-Nitrosodiphenylamine	~	~	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Pentachlorophenol	6.7	0.8	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Phenanthrene	500	1000	0.0435	U	1.950	D	0.0434	U	0.0455	U	0.0449	JD	4.310	D	4.090	D	ND	U	ND	U
Phenol	500	0.33	0.0435	U	0.0480	U	0.0434	U	0.0455	U	0.0447	U	0.120	U	0.0477	U	ND	U	ND	U
Pyrene	500	1000	0.0435	U	1.090	D	0.0434	U	0.0455	U	0.0447	U	0.817	D	0.685	D	ND	U	ND	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

D=result is from an analysis that required a dilution

Table 1D - On-Site Pesticide Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		MW-5 21K0905-01 11/17/2021 4 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER																				
4,4'-DDD	92	14	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
4,4'-DDE	62	17	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
4,4'-DDT	47	136	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Aldrin	0.68	0.19	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
alpha-BHC	3.4	0.02	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
alpha-Chlordane	24	2.9	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
beta-BHC	3	0.09	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Chlordane, total	~	~	0.00034	U	0.00756	U	0.00672	U	0.00710	U	0.00696	U	0.00753	U	0.00751	U	0.0374	U	0.0392	U
delta-BHC	500	0.25	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Dieldrin	1.4	0.1	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endosulfan I	200	102	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endosulfan II	200	102	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endosulfan sulfate	200	1000	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endrin	89	0.06	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endrin aldehyde	~	~	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Endrin ketone	~	~	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
gamma-BHC (Lindane)	9.2	0.1	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
gamma-Chlordane	~	~	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Heptachlor	15	0.38	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Heptachlor epoxide	~	~	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Methoxychlor	~	~	0.00034	U	0.00038	U	0.00034	U	0.00036	U	0.00035	U	0.00038	U	0.00038	U	0.00187	U	0.00196	U
Toxaphene	~	~	0.00034	U	0.0378	U	0.0336	U	0.0355	U	0.0348	U	0.0377	U	0.0375	U	0.187	U	0.196	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or

J= Analyte detected at or above

Table 1E - On-Site TAL Metals Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives Protection of GW	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		MW-5 21K0905-01 11/17/202 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Metals, Target Analyte																				
Aluminum	~	~	5,660		6,540		5,460		4,980		5,630		6,590		5,970		5,730		5,120	
Antimony	~	~	2.610	U	2.890	U	3.030		2.730	U	2.680	U	2.870	U	2.870	U	3.090		3.020	U
Arsenic	16	16	1.570	U	1.740	U	1.570	U	1.640	U	1.610	U	1.720	U	1.720	U	1.720	U	1.810	U
Barium	400	820	53.900		68.700		55.700		52.100		53.500		72.100		65		59.900		54.100	
Beryllium	590	47	0.0520	U	0.0580	U	0.0520	U	0.0550	U	0.0540	U	0.0570	U	0.0570	U	0.0570	U	0.0600	U
Cadmium	9.3	7.5	0.313	U	0.347	U	0.315	U	0.328	U	0.322	U	0.345	U	0.345	U	0.345	U	0.362	U
Calcium	~	~	5,110		5,480		3,610		4,080		5,900		8,300		7,400		2,950		3,210	
Chromium	~	~	15.500		17.700		15.500		15		19.300		22.400		16		17.100		16.500	
Cobalt	~	~	8.760		8.090		6.310		5.840		6.770		7.540		6.760		6.790		6.590	
Copper	270	1720	16.700		15.300		13.400		12		15.100		15.900		15.200		14.900		13.900	
Iron	~	~	12,400	B	14,400		11,500		10,800		11,800		13,800		12,800		12,300		11,200	
Lead	1000	450	12.400		0.578	U	1.980		0.704		3.280		1.350		0.890		0.575	U	0.604	U
Magnesium	~	~	3,660		4,850		3,330		3,290		3,740		5,600		5,070		3,380		3,250	
Manganese	10000	2000	178		219		172		166		180		172		155		197		124	
Nickel	310	130	9.580		5.660		5.270		4.890		6.030		7.210		5.950		6.350		6.030	
Potassium	~	~	1,490		2,230		1,860		1,710		1,560		2,200		2,050		1,770		1,650	
Selenium	1500	4	2.610	U	2.890	U	2.620	U	2.730	U	2.680	U	2.870	U	2.870	U	2.870	U	3.020	U
Silver	1500	8.3	0.522	U	0.578	U	0.524	U	0.547	U	0.536	U	0.574	U	0.575	U	0.575	U	0.604	U
Sodium	~	~	175		285		238		209		405		443		399		432		228	
Thallium	~	~	2.610	U	2.890	U	2.620	U	2.730	U	2.680	U	2.870	U	2.870	U	2.870	U	3.020	U
Vanadium	~	~	27.300		24.100		20.200		17.300		20.100		23.600		21		21.300		19.800	
Zinc	10000	2480	24.600		23.100		20.200		16.800		21.600		24.500		20.500		NT		NT	
Mercury	2.8	0.73	0.0313	U	0.0347	U	0.0315	U	0.0328	U	0.0322	U	0.0345	U	0.0345	U	0.0345	U	0.0362	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or

J= Analyte detected at or above

B=analyte found in the analysis batch blank

Table 1F - On-Site PCB Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5		MW-5 21K0905-01 11/17/202 6.5-8.5		MW-6 21K0905-02 11/17/2021 6.5-8.5	
All Units in millograms per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PCB, 8082 MASTER																				
Aroclor 1016	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1221	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1232	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1242	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1248	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1254	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1260	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1262	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Aroclor 1268	~	~	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U
Total PCBs	1	3.2	0.0173	U	0.0191	U	0.0170	U	0.0179	U	0.0176	U	0.0190	U	0.0190	U	0.0189	U	0.0198	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or

J= Analyte detected at or above

Table 1G - On-Site PFAS Soil Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below slab)	NYSDEC Part 375 Remedia Soil Guidance PFAS Protection Of GW-Apr2023	NYSDEC Part 375 Remedial Soil Guidance PFAS Commercial-Apr2023	SB-1A 21K0904-01 11/17/2021 0-2		SB-1B 21K0904-02 11/17/2021 6-8		SB-2A 21K0904-03 11/17/2021 1-3		SB-2B 21K0904-04 11/17/2021 6-8		SB-3A 21K0904-05 11/17/2021 2-4		SB-3B 21K0904-06 11/17/2021 6.5-8.5		SB-3B Duplicate 21K0904-07 11/17/2021 6.5-8.5	
All Units in micrograms per kilogram (ug/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PFAS, NYSDEC Target List																
1H,1H,2H,2H-Perfluorodecanesulfonic ac	~	~	0.252	J	0.277	J	0.243	J	0.265	U	0.256	J	0.242	J	0.252	U
1H,1H,2H,2H-Perfluorooctanesulfonic aci	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
N-EtFOSAA	~	~	0.252	U	0.277	J	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
N-MeFOSAA	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluoro-1-decanesulfonic acid (PFDS)	~	~	0.252	U	0.277	J	0.243	J	0.265	U	0.256	U	0.242	U	0.252	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluoro-1-octanesulfonamide (FOSA)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorobutanesulfonic acid (PFBS)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorodecanoic acid (PFDA)	~	~	0.252	U	0.277	J	0.243	U	0.265	U	0.256	J	0.242	U	0.252	U
Perfluorododecanoic acid (PFDoA)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluoroheptanoic acid (PFHpA)	~	~	0.252	J	0.277	J	0.243	U	0.265	U	0.256	J	0.242	J	0.252	J
Perfluorohexanesulfonic acid (PFHxS)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorohexanoic acid (PFHxA)	~	~	0.291		0.277	J	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluoro-n-butanoic acid (PFBA)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorononanoic acid (PFNA)	~	~	0.252	J	0.277	J	0.243	U	0.265	U	0.256	J	0.242	U	0.252	U
Perfluorooctanesulfonic acid (PFOS)	1.0	440	0.252	J	0.277	J	0.243	J	0.265	U	0.760		0.242	J	0.252	U
Perfluorooctanoic acid (PFOA)	0.8	500	0.430		0.523		0.243	U	0.265	U	0.438		0.242	U	0.252	J
Perfluoropentanoic acid (PFPeA)	~	~	0.252	J	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorotetradecanoic acid (PFTA)	~	~	0.252	U	0.277	U	0.243	U	0.265	U	0.256	U	0.242	U	0.252	U
Perfluorotridecanoic acid (PFTrDA)	~	~	0.252	J	0.277	J	0.243	U	0.265	U	0.267		0.242	U	0.252	J
Perfluoroundecanoic acid (PFUnA)	~	~	0.583		0.277	J	0.243	U	0.265	U	0.256	J	0.242	U	0.252	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE UU SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the

J= Analyte detected at or above the

Table 1H - On-Site Trip and Field Blank Data

200 E Main Street, Mount Kisco, Westchester County, New Yorl

BCP Site #: C360183

Sample ID	PFAS Field Blank		Trip Blank		Rinsate		Field Blank		Trip Blank	
York ID	21K0904-08		21K0904-09		21K0974-01		22C0009-18		22C0009-19	
Sampling Date	11/17/2021		11/17/2021		11/18/2021		2/28/2022		2/28/2022	
Matrix	Water		Water		Water		Water		Water	
All units in micrograms per liter (ug/L)	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER					ug/L					
1,1,1,2-Tetrachloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1,1-Trichloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1,2,2-Tetrachloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1,2-Trichloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1-Dichloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1-Dichloroethylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,1-Dichloropropylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2,3-Trichlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2,3-Trichloropropane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2,4,5-Tetramethylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2,4-Trichlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2,4-Trimethylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2-Dibromo-3-chloropropane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2-Dibromoethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2-Dichlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2-Dichloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,2-Dichloropropane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,3,5-Trimethylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,3-Dichlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,3-Dichloropropane	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,4-Dichlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
1,4-Dioxane	NT		40	U	40	U	40	U	40	U
2,2-Dichloropropane	NT		0.200	U	0.200	U	0.200	U	0.200	U
2-Butanone	NT		0.200	U	0.200	U	0.200	U	0.200	U
2-Chlorotoluene	NT		0.200	U	0.200	U	0.200	U	0.200	U
2-Hexanone	NT		0.200	U	0.200	U	0.200	U	0.200	U
4-Chlorotoluene	NT		0.200	U	0.200	U	0.200	U	0.200	U
4-Methyl-2-pentanone	NT		0.200	U	0.200	U	0.200	U	0.200	U
Acetone	NT		1	U	1	U	1	U	1	U
Acrolein	NT		0.200	U	0.200	U	0.200	U	0.200	U
Acrylonitrile	NT		0.200	U	0.200	U	0.200	U	0.200	U
Benzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Bromobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Bromochloromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Bromodichloromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Bromoform	NT		0.200	U	0.200	U	0.200	U	0.200	U
Bromomethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Carbon disulfide	NT		0.200	U	0.200	U	0.200	U	0.200	U
Carbon tetrachloride	NT		0.200	U	0.200	U	0.200	U	0.200	U
Chlorobenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Chloroethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Chloroform	NT		0.200	U	0.200	U	0.200	U	0.200	U
Chloromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
cis-1,2-Dichloroethylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
cis-1,3-Dichloropropylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Cyclohexane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Dibromochloromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Dibromomethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Dichlorodifluoromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Diisopropyl ether (DIPE)	NT		0.400	U	0.400	U	0.400	U	0.400	U
Ethyl Benzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Ethyl tert-butyl ether (ETBE)	NT		0.400	U	0.400	U	0.400	U	0.400	U
Hexachlorobutadiene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Iodomethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Isopropylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Methyl acetate	NT		0.200	U	0.200	U	0.200	U	0.200	U
Methyl Methacrylate	NT		0.200	U	0.200	U	0.200	U	0.200	U
Methyl tert-butyl ether (MTBE)	NT		0.200	U	0.200	U	0.200	U	0.200	U
Methylcyclohexane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Methylene chloride	NT		1	U	1	U	1.680	J	1.200	J
Naphthalene	NT		1	U	1	U	1	U	1	U
n-Butylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
n-Propylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
o-Xylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
p- & m- Xylenes	NT		0.500	U	0.500	U	0.500	U	0.500	U
p-Diethylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
p-Ethyltoluene	NT		0.200	U	0.200	U	0.200	U	0.200	U
p-Isopropyltoluene	NT		0.200	U	0.200	U	0.200	U	0.200	U

Table 1H - On-Site Trip and Field Blank Data

200 E Main Street, Mount Kisco, Westchester County, New Yorl

BCP Site #: C360183

Sample ID	PFAS Field Blank		Trip Blank		Rinsate		Field Blank		Trip Blank	
York ID	21K0904-08		21K0904-09		21K0974-01		22C0009-18		22C0009-19	
Sampling Date	11/17/2021		11/17/2021		11/18/2021		2/28/2022		2/28/2022	
Matrix	Water		Water		Water		Water		Water	
All units in micrograms per liter (ug/L)	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
sec-Butylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Styrene	NT		0.200	U	0.200	U	0.200	U	0.200	U
tert-Amyl alcohol (TAA)	NT		4	U	4	U	4	U	4	U
tert-Amyl methyl ether (TAME)	NT		0.400	U	0.400	U	0.400	U	0.400	U
tert-Butyl alcohol (TBA)	NT		0.500	U	0.500	U	0.500	U	0.500	U
tert-Butylbenzene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Tetrachloroethylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Tetrahydrofuran	NT		0.200	U	0.200	U	0.200	U	0.200	U
Toluene	NT		0.200	U	0.200	U	0.200	U	0.200	U
trans-1,2-Dichloroethylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
trans-1,3-Dichloropropylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
trans-1,4-dichloro-2-butene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Trichloroethylene	NT		0.200	U	0.200	U	0.200	U	0.200	U
Trichlorofluoromethane	NT		0.200	U	0.200	U	0.200	U	0.200	U
Vinyl acetate	NT		0.200	U	0.200	U	0.200	U	0.200	U
Vinyl Chloride	NT		0.200	U	0.200	U	0.200	U	0.200	U
Xylenes, Total	NT		0.600	U	0.600	U	0.600	U	0.600	U
PFAS, NYSDEC Target List										
All units in nanograms per liter (ng/L)										
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	0.00179	U	NT							
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	0.00446	U	NT							
N-EtFOSAA	0.00179	U	NT							
N-MeFOSAA	0.00179	U	NT							
Perfluoro-1-decanesulfonic acid (PFDS)	0.00179	U	NT							
Perfluoro-1-heptanesulfonic acid (PFHpS)	0.00179	U	NT							
Perfluoro-1-octanesulfonamide (FOSA)	0.00179	U	NT							
Perfluorobutanesulfonic acid (PFBS)	0.00179	U	NT							
Perfluorodecanoic acid (PFDA)	0.00179	U	NT							
Perfluorododecanoic acid (PFDoA)	0.00179	U	NT							
Perfluoroheptanoic acid (PFHpA)	0.00179	U	NT							
Perfluorohexanesulfonic acid (PFHxS)	0.00179	U	NT							
Perfluorohexanoic acid (PFHxA)	0.00179	U	NT							
Perfluoro-n-butanoic acid (PFBA)	0.00179	U	NT							
Perfluorononanoic acid (PFNA)	0.00179	U	NT							
Perfluorooctanesulfonic acid (PFOS)	0.00179	U	NT							
Perfluorooctanoic acid (PFOA)	0.00179	U	NT							
Perfluoropentanoic acid (PFPeA)	0.00179	U	NT							
Perfluorotetradecanoic acid (PFTA)	0.00179	U	NT							
Perfluorotridecanoic acid (PFTrDA)	0.00179	U	NT							
Perfluoroundecanoic acid (PFUnA)	0.00179	U	NT							

NOTES:

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Table 1H - On-Site Trip and Field Blank Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID	**Field Blank**	
York ID	**23B1192-07**	
Sampling Date	**2/22/2023**	
Matrix	**Water**	
Compound	Result	Q
Volatile Organics, 8260 - Comprehensive		
1,1,1,2-Tetrachloroethane	0.200	U
1,1,1-Trichloroethane	0.200	U
1,1,2,2-Tetrachloroethane	0.200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.200	U
1,1,2-Trichloroethane	0.200	U
1,1-Dichloroethane	0.200	U
1,1-Dichloroethylene	0.200	U
1,2,3-Trichlorobenzene	0.200	U
1,2,3-Trichloropropane	0.200	U
1,2,4-Trichlorobenzene	0.200	U
1,2,4-Trimethylbenzene	0.200	U
1,2-Dibromo-3-chloropropane	0.200	U
1,2-Dibromoethane	0.200	U
1,2-Dichlorobenzene	0.200	U
1,2-Dichloroethane	0.200	U
1,2-Dichloropropane	0.200	U
1,3,5-Trimethylbenzene	0.200	U
1,3-Dichlorobenzene	0.200	U
1,4-Dichlorobenzene	0.200	U
1,4-Dioxane	40	U
2-Butanone	0.200	U
2-Hexanone	0.200	U
4-Methyl-2-pentanone	0.200	U
Acetone	1	U
Acrolein	0.200	U
Acrylonitrile	0.200	U
Benzene	0.200	U
Bromochloromethane	0.200	U
Bromodichloromethane	0.200	U
Bromoform	0.200	U
Bromomethane	0.200	U
Carbon disulfide	0.200	U
Carbon tetrachloride	0.200	U
Chlorobenzene	0.200	U
Chloroethane	0.200	U
Chloroform	0.200	U
Chloromethane	0.200	U
cis-1,2-Dichloroethylene	0.200	U
cis-1,3-Dichloropropylene	0.200	U
Cyclohexane	0.200	U
Dibromochloromethane	0.200	U
Dibromomethane	0.200	U
Dichlorodifluoromethane	0.200	U
Ethyl Benzene	0.200	U
Hexachlorobutadiene	0.200	U
Isopropylbenzene	0.200	U
Methyl acetate	0.200	U
Methyl tert-butyl ether (MTBE)	0.200	U
Methylcyclohexane	0.200	U
Methylene chloride	1	U
n-Butylbenzene	0.200	U
n-Propylbenzene	0.200	U
o-Xylene	0.200	U
p- & m- Xylenes	0.500	U
p-Isopropyltoluene	0.200	U
sec-Butylbenzene	0.200	U
Styrene	0.200	U
tert-Butyl alcohol (TBA)	0.500	U
tert-Butylbenzene	0.200	U
Tetrachloroethylene	0.200	U
Toluene	0.200	U
trans-1,2-Dichloroethylene	0.200	U
trans-1,3-Dichloropropylene	0.200	U
trans-1,4-dichloro-2-butene	0.200	U
Trichloroethylene	0.200	U
Trichlorofluoromethane	0.200	U
Vinyl Chloride	0.200	U
Xylenes, Total	0.600	U

NOTES:

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'		SB-2A 23G1606-01 7/26/2023 4.5'-5.5'		SB-2B 23G1606-02 7/26/2023 24'-25'		SB-3A 23G1477-01 7/25/2023 12'-14'		SB-3B 23G1477-02 7/25/2023 22'-23'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER														
1,1,1,2-Tetrachloroethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1,1-Trichloroethane	0.68	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1,2,2-Tetrachloroethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1,2-Trichloroethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1-Dichloroethane	0.27	240	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1-Dichloroethylene	0.33	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,1-Dichloropropylene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2,3-Trichlorobenzene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2,3-Trichloropropane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2,4,5-Tetramethylbenzene	~	~	0.00250	U	0.00250	U	4	D	0.00210	U	0.00200	U	0.00220	U
1,2,4-Trichlorobenzene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2,4-Trimethylbenzene	3.6	190	0.00250	U	0.00250	U	**12**	D	0.00210	U	0.00200	U	0.00220	U
1,2-Dibromo-3-chloropropane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2-Dibromoethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2-Dichlorobenzene	1.1	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,2-Dichloroethane	0.02	30	0.00250	U	0.00250	U	*0.150*	*U*	0.00210	U	0.00200	U	0.00220	U
1,2-Dichloropropane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,3,5-Trimethylbenzene	8.4	190	0.00250	U	0.00250	U	4	D	0.00210	U	0.00200	U	0.00220	U
1,3-Dichlorobenzene	2.4	280	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,3-Dichloropropane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,4-Dichlorobenzene	1.8	130	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
1,4-Dioxane	0.1	130	0.0500	U	0.0500	U	*3*	*U*	0.0420	U	0.0400	U	0.0440	U
2,2-Dichloropropane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
2-Butanone	0.12	500	0.00250	U	0.00250	U	*0.150*	*U*	0.00210	U	0.00200	U	0.00220	U
2-Chloroethylvinyl ether	~	~	0.00990	U	0.0100	U	0.610	U	0.00830	U	0.00800	U	0.00890	U
2-Chlorotoluene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
2-Hexanone	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
4-Chlorotoluene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
4-Methyl-2-pentanone	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Acetone	0.05	500	0.00500	U	0.00500	U	*0.300*	*U*	0.00420	U	0.00400	U	0.00440	U
Acrolein	~	~	0.00500	U	0.00500	U	0.300	U	0.00420	U	0.00400	U	0.00440	U
Acrylonitrile	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Benzene	0.06	44	0.00250	U	0.00250	U	*0.150*	*U*	0.00210	U	0.00200	U	0.00220	U
Bromobenzene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Bromochloromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Bromodichloromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Bromoform	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Bromomethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Carbon disulfide	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Carbon tetrachloride	0.76	22	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Chlorobenzene	1.1	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Chloroethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Chloroform	0.37	350	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Chloromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
cis-1,2-Dichloroethylene	0.25	500	0.00250	U	0.00250	U	**0.570**	D	0.00210	U	0.00200	U	0.00220	U
cis-1,3-Dichloropropylene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Cyclohexane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Dibromochloromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Dibromomethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Dichlorodifluoromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Diisopropyl ether (DIPE)	~	~	0.00400	U	0.00400	U	0.240	U	0.00330	U	0.00320	U	0.00350	U
Ethanol	~	~	0.0400	U	0.0400	U	2.400	U	0.0330	U	0.0320	U	0.0350	U
Ethyl Benzene	1	390	0.00250	U	0.00250	U	0.540	D	0.00210	U	0.00200	U	0.00220	U
Ethyl tert-butyl ether (ETBE)	~	~	0.00400	U	0.00400	U	0.240	U	0.00330	U	0.00320	U	0.00350	U
Hexachlorobutadiene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Iodomethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Isopropylbenzene	~	~	0.00250	U	0.00250	U	0.550	D	0.00210	U	0.00200	U	0.00220	U
Methyl acetate	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Methyl Methacrylate	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Methyl tert-butyl ether (MTBE)	0.93	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Methylcyclohexane	~	~	0.00250	U	0.00250	U	1	D	0.00210	U	0.00200	U	0.00220	U
Methylene chloride	0.05	500	0.00630	J	0.00500	U	**0.400**	JD	0.00420	U	0.00400	U	0.00790	J
Naphthalene	12	500	0.00250	U	0.00250	U	9.400	D	0.00210	U	0.00200	U	0.00220	U
n-Butylbenzene	12	500	0.00250	U	0.00250	U	1.400	D	0.00210	U	0.00200	U	0.00220	U
n-Propylbenzene	3.9	500	0.00250	U	0.00250	U	1.100	D	0.00210	U	0.00200	U	0.00220	U
o-Xylene	~	~	0.00250	U	0.00250	U	1.600	D	0.00210	U	0.00200	U	0.00220	U
p- & m- Xylenes	~	~	0.00500	U	0.00500	U	1.900	D	0.00420	U	0.00400	U	0.00440	U
p-Diethylbenzene	~	~	0.00250	U	0.00250	U	7.800	D	0.00210	U	0.00200	U	0.00220	U
p-Ethyltoluene	~	~	0.00250	U	0.00250	U	1.700	D	0.00210	U	0.00200	U	0.00220	U
p-Isopropyltoluene	~	~	0.00250	U	0.00250	U	1.500	D	0.00210	U	0.00200	U	0.00220	U
sec-Butylbenzene	11	500	0.00250	U	0.00250	U	1.400	D	0.00210	U	0.00200	U	0.00220	U
Styrene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
tert-Amyl alcohol (TAA)	~	~	0.0400	U	0.0400	U	2.400	U	0.0330	U	0.0320	U	0.0350	U
tert-Amyl methyl ether (TAME)	~	~	0.00400	U	0.00400	U	0.240	U	0.00330	U	0.00320	U	0.00350	U
tert-Butyl alcohol (TBA)	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
tert-Butylbenzene	5.9	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Tetrachloroethylene	1.3	150	0.00610		0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Tetrahydrofuran	~	~	0.00500	U	0.00500	U	0.300	U	0.00420	U	0.00400	U	0.00440	U
Toluene	0.7	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
trans-1,2-Dichloroethylene	0.19	500	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade) All Units in milligrams per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'		SB-2A 23G1606-01 7/26/2023 4.5'-5.5'		SB-2B 23G1606-02 7/26/2023 24'-25'		SB-3A 23G1477-01 7/25/2023 12'-14'		SB-3B 23G1477-02 7/25/2023 22'-23'	
			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
trans-1,3-Dichloropropylene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
trans-1,4-dichloro-2-butene	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Trichloroethylene	0.47	200	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Trichlorofluoromethane	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Vinyl acetate	~	~	0.00250	U	0.00250	U	0.150	U	0.00210	U	0.00200	U	0.00220	U
Vinyl Chloride	0.02	13	0.00250	U	0.00250	U	*0.150*	*U*	0.00210	U	0.00200	U	0.00220	U
Xylenes, Total	1.6	500	0.00740	U	0.00750	U	**3.500**	D	0.00630	U	0.00600	U	0.00670	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Italics indicates analyte not detected. Detection limits greater than one or more SCO.

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-4A 23G1657-01 7/27/2023 10'-11'		SB-5A 23G1657-02 7/28/2023 14'-15'		SB-5A Dup 23G1657-03 7/28/2023 14'-15'		SB-6A 23G1800-01 7/31/2023 20'-22'		SB-6B 23G1800-02 7/31/2023 38'-40'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER												
1,1,1,2-Tetrachloroethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1,1-Trichloroethane	0.68	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1,2,2-Tetrachloroethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1,2-Trichloroethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1-Dichloroethane	0.27	240	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1-Dichloroethylene	0.33	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,1-Dichloropropylene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2,3-Trichlorobenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2,3-Trichloropropane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2,4,5-Tetramethylbenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2,4-Trichlorobenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2,4-Trimethylbenzene	3.6	190	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2-Dibromo-3-chloropropane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2-Dibromoethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2-Dichlorobenzene	1.1	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2-Dichloroethane	0.02	30	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,2-Dichloropropane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,3,5-Trimethylbenzene	8.4	190	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,3-Dichlorobenzene	2.4	280	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,3-Dichloropropane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,4-Dichlorobenzene	1.8	130	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
1,4-Dioxane	0.1	130	0.100	U	0.0410	U	0.0470	U	0.0540	U	0.0430	U
2,2-Dichloropropane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
2-Butanone	0.12	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
2-Chloroethylvinyl ether	~	~	0.0210	U	0.00820	U	0.00950	U	0.0110	U	0.00860	U
2-Chlorotoluene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
2-Hexanone	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
4-Chlorotoluene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
4-Methyl-2-pentanone	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Acetone	0.05	500	0.0100	U	0.0350		0.00750	J	0.00540	U	0.00430	U
Acrolein	~	~	0.0100	U	0.00410	U	0.00470	U	0.00540	U	0.00430	U
Acrylonitrile	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Benzene	0.06	44	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Bromobenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Bromochloromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Bromodichloromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Bromoform	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Bromomethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Carbon disulfide	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Carbon tetrachloride	0.76	22	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Chlorobenzene	1.1	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Chloroethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Chloroform	0.37	350	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Chloromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
cis-1,2-Dichloroethylene	0.25	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
cis-1,3-Dichloropropylene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Cyclohexane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Dibromochloromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Dibromomethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Dichlorodifluoromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Diisopropyl ether (DIPE)	~	~	0.00840	U	0.00330	U	0.00380	U	0.00430	U	0.00350	U
Ethanol	~	~	0.0840	U	0.0330	U	0.0380	U	0.0430	U	0.0350	U
Ethyl Benzene	1	390	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Ethyl tert-butyl ether (ETBE)	~	~	0.00840	U	0.00330	U	0.00380	U	0.00430	U	0.00350	U
Hexachlorobutadiene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Iodomethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Isopropylbenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Methyl acetate	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Methyl Methacrylate	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Methyl tert-butyl ether (MTBE)	0.93	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Methylcyclohexane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Methylene chloride	0.05	500	0.0110	J	0.0110		0.00720	J	0.00540	U	0.00430	U
Naphthalene	12	500	0.00520	U	0.00320	J	0.0150		0.00270	U	0.00220	U
n-Butylbenzene	12	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
n-Propylbenzene	3.9	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
o-Xylene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
p- & m- Xylenes	~	~	0.0100	U	0.00410	U	0.00470	U	0.00540	U	0.00430	U
p-Diethylbenzene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
p-Ethyltoluene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
p-Isopropyltoluene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
sec-Butylbenzene	11	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Styrene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
tert-Amyl alcohol (TAA)	~	~	0.0840	U	0.0330	U	0.0380	U	0.0430	U	0.0350	U
tert-Amyl methyl ether (TAME)	~	~	0.00840	U	0.00330	U	0.00380	U	0.00430	U	0.00350	U
tert-Butyl alcohol (TBA)	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
tert-Butylbenzene	5.9	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Tetrachloroethylene	1.3	150	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Tetrahydrofuran	~	~	0.0100	U	0.00410	U	0.00470	U	0.00540	U	0.00430	U
Toluene	0.7	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
trans-1,2-Dichloroethylene	0.19	500	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-4A 23G1657-01 7/27/2023 10'-11'		SB-5A 23G1657-02 7/28/2023 14'-15'		SB-5A Dup 23G1657-03 7/28/2023 14'-15'		SB-6A 23G1800-01 7/31/2023 20'-22'		SB-6B 23G1800-02 7/31/2023 38'-40'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
trans-1,3-Dichloropropylene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
trans-1,4-dichloro-2-butene	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Trichloroethylene	0.47	200	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Trichlorofluoromethane	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Vinyl acetate	~	~	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Vinyl Chloride	0.02	13	0.00520	U	0.00200	U	0.00240	U	0.00270	U	0.00220	U
Xylenes, Total	1.6	500	0.0160	U	0.00610	U	0.00710	U	0.00810	U	0.00650	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but bel

Italics indicates analyte not detected. Detection limits greater than one or

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-7A 23G1606-03 7/26/2023 11'-13'		SB-7B 23G1606-04 7/26/2023 28'-30'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q
VOA, 8260 MASTER						
1,1,1,2-Tetrachloroethane	~	~	0.00250	U	0.00200	U
1,1,1-Trichloroethane	0.68	500	0.00250	U	0.00200	U
1,1,2,2-Tetrachloroethane	~	~	0.00250	U	0.00200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.00250	U	0.00200	U
1,1,2-Trichloroethane	~	~	0.00250	U	0.00200	U
1,1-Dichloroethane	0.27	240	0.00250	U	0.00200	U
1,1-Dichloroethylene	0.33	500	0.00250	U	0.00200	U
1,1-Dichloropropylene	~	~	0.00250	U	0.00200	U
1,2,3-Trichlorobenzene	~	~	0.00250	U	0.00200	U
1,2,3-Trichloropropane	~	~	0.00250	U	0.00200	U
1,2,4,5-Tetramethylbenzene	~	~	0.00620		0.00200	U
1,2,4-Trichlorobenzene	~	~	0.00250	U	0.00200	U
1,2,4-Trimethylbenzene	3.6	190	0.00250	U	0.00200	U
1,2-Dibromo-3-chloropropane	~	~	0.00250	U	0.00200	U
1,2-Dibromoethane	~	~	0.00250	U	0.00200	U
1,2-Dichlorobenzene	1.1	500	0.00250	U	0.00200	U
1,2-Dichloroethane	0.02	30	0.00250	U	0.00200	U
1,2-Dichloropropane	~	~	0.00250	U	0.00200	U
1,3,5-Trimethylbenzene	8.4	190	0.00250	U	0.00200	U
1,3-Dichlorobenzene	2.4	280	0.00250	U	0.00200	U
1,3-Dichloropropane	~	~	0.00250	U	0.00200	U
1,4-Dichlorobenzene	1.8	130	0.00250	U	0.00200	U
1,4-Dioxane	0.1	130	0.0510	U	0.0390	U
2,2-Dichloropropane	~	~	0.00250	U	0.00200	U
2-Butanone	0.12	500	0.00250	U	0.00200	U
2-Chloroethylvinyl ether	~	~	0.0100	U	0.00790	U
2-Chlorotoluene	~	~	0.00250	U	0.00200	U
2-Hexanone	~	~	0.00250	U	0.00200	U
4-Chlorotoluene	~	~	0.00250	U	0.00200	U
4-Methyl-2-pentanone	~	~	0.00250	U	0.00200	U
Acetone	0.05	500	0.0140		0.00390	U
Acrolein	~	~	0.00510	U	0.00390	U
Acrylonitrile	~	~	0.00250	U	0.00200	U
Benzene	0.06	44	0.00250	U	0.00200	U
Bromobenzene	~	~	0.00250	U	0.00200	U
Bromochloromethane	~	~	0.00250	U	0.00200	U
Bromodichloromethane	~	~	0.00250	U	0.00200	U
Bromoform	~	~	0.00250	U	0.00200	U
Bromomethane	~	~	0.00250	U	0.00200	U
Carbon disulfide	~	~	0.00530		0.00200	U
Carbon tetrachloride	0.76	22	0.00250	U	0.00200	U
Chlorobenzene	1.1	500	0.00250	U	0.00200	U
Chloroethane	~	~	0.00250	U	0.00200	U
Chloroform	0.37	350	0.00250	U	0.00200	U
Chloromethane	~	~	0.00250	U	0.00200	U
cis-1,2-Dichloroethylene	0.25	500	0.00730		0.00200	U
cis-1,3-Dichloropropylene	~	~	0.00250	U	0.00200	U
Cyclohexane	~	~	0.00250	U	0.00200	U
Dibromochloromethane	~	~	0.00250	U	0.00200	U
Dibromomethane	~	~	0.00250	U	0.00200	U
Dichlorodifluoromethane	~	~	0.00250	U	0.00200	U
Diisopropyl ether (DIPE)	~	~	0.00410	U	0.00320	U
Ethanol	~	~	0.0410	U	0.0320	U
Ethyl Benzene	1	390	0.00250	U	0.00200	U
Ethyl tert-butyl ether (ETBE)	~	~	0.00410	U	0.00320	U
Hexachlorobutadiene	~	~	0.00250	U	0.00200	U
Iodomethane	~	~	0.00250	U	0.00200	U
Isopropylbenzene	~	~	0.00250	U	0.00200	U
Methyl acetate	~	~	0.00250	U	0.00200	U
Methyl Methacrylate	~	~	0.00250	U	0.00200	U
Methyl tert-butyl ether (MTBE)	0.93	500	0.00250	U	0.00200	U
Methylcyclohexane	~	~	0.00640		0.00200	U
Methylene chloride	0.05	500	0.00510	U	0.00590	J
Naphthalene	12	500	0.00250	U	0.00200	U
n-Butylbenzene	12	500	0.00250	U	0.00200	U
n-Propylbenzene	3.9	500	0.00250	U	0.00200	U
o-Xylene	~	~	0.00250	U	0.00200	U
p- & m- Xylenes	~	~	0.00510	U	0.00390	U
p-Diethylbenzene	~	~	0.00350	J	0.00200	U
p-Ethyltoluene	~	~	0.00250	U	0.00200	U
p-Isopropyltoluene	~	~	0.00250	U	0.00200	U
sec-Butylbenzene	11	500	0.00580		0.00200	U
Styrene	~	~	0.00250	U	0.00200	U
tert-Amyl alcohol (TAA)	~	~	0.0410	U	0.0320	U
tert-Amyl methyl ether (TAME)	~	~	0.00410	U	0.00320	U
tert-Butyl alcohol (TBA)	~	~	0.00250	U	0.00200	U
tert-Butylbenzene	5.9	500	0.00250	U	0.00200	U
Tetrachloroethylene	1.3	150	0.0180		0.00200	U
Tetrahydrofuran	~	~	0.00510	U	0.00390	U
Toluene	0.7	500	0.00250	U	0.00200	U
trans-1,2-Dichloroethylene	0.19	500	0.00250	U	0.00200	U

Table 1I - Off-Site VOC Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet below grade) All Units in milligrams per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-7A 23G1606-03 7/26/2023 11'-13'		SB-7B 23G1606-04 7/26/2023 28'-30'	
			Result	Q	Result	Q
trans-1,3-Dichloropropylene	~	~	0.00250	U	0.00200	U
trans-1,4-dichloro-2-butene	~	~	0.00250	U	0.00200	U
Trichloroethylene	0.47	200	0.0120		0.00200	U
Trichlorofluoromethane	~	~	0.00250	U	0.00200	U
Vinyl acetate	~	~	0.00250	U	0.00200	U
Vinyl Chloride	0.02	13	0.00250	U	0.00200	U
Xylenes, Total	1.6	500	0.00760	U	0.00590	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but bel

Italics indicates analyte not detected. Detection limits greater than one or

Table 1JJ - Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-8A 23L1865-05 12/29/2023 6'-7'		SB-8A Dup 23L1865-06 12/29/2023 6'-7'		SB-8B 23L1865-07 12/29/2023 14'-15'		SB-9A 23L1865-03 12/28/2023 10'-12'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER										
1,1,1,2-Tetrachloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1,1-Trichloroethane	0.68	500	ND	U	ND	U	ND	U	ND	U
1,1,2,2-Tetrachloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	ND	U	ND	U	ND	U	ND	U
1,1,2-Trichloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1-Dichloroethane	0.27	240	ND	U	ND	U	ND	U	ND	U
1,1-Dichloroethylene	0.33	500	ND	U	ND	U	ND	U	ND	U
1,1-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,3-Trichlorobenzene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,3-Trichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,2,4,5-Tetramethylbenzene	~	~	ND	D	1.40	D	0.160		ND	U
1,2,4-Trichlorobenzene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,4-Trimethylbenzene	3.6	190	ND	D	2.50	D	0.320		ND	U
1,2-Dibromo-3-chloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,2-Dibromoethane	~	~	ND	U	ND	U	ND	U	ND	U
1,2-Dichlorobenzene	1.1	500	ND	U	ND	U	ND	U	ND	U
1,2-Dichloroethane	0.02	30	ND	U	ND	U	ND	U	ND	U
1,2-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,3,5-Trimethylbenzene	8.4	190	ND	D	1.20	D	0.100		ND	U
1,3-Dichlorobenzene	2.4	280	ND	U	ND	U	ND	U	ND	U
1,3-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,4-Dichlorobenzene	1.8	130	ND	U	ND	U	ND	U	ND	U
1,4-Dioxane	0.1	130	ND	U	ND	U	ND	U	ND	U
2,2-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
2-Butanone	0.12	500	ND	U	ND	U	ND	U	ND	U
2-Chloroethylvinyl ether	~	~	ND	U	ND	U	ND	U	ND	U
2-Chlorotoluene	~	~	ND	U	ND	U	ND	U	ND	U
2-Hexanone	~	~	ND	U	ND	U	ND	U	ND	U
4-Chlorotoluene	~	~	ND	U	ND	U	ND	U	ND	U
4-Methyl-2-pentanone	~	~	ND	U	ND	U	ND	U	ND	U
Acetone	0.05	500	ND	U	ND	U	**0.0680**		0.0110	
Acrolein	~	~	ND	U	ND	U	ND	U	ND	U
Acrylonitrile	~	~	ND	U	0.11	U	ND	U	ND	U
Benzene	0.06	44	ND	U	ND	U	ND	U	ND	U
Bromobenzene	~	~	ND	U	ND	U	ND	U	ND	U
Bromochloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Bromodichloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Bromoform	~	~	ND	U	ND	U	ND	U	ND	U
Bromomethane	~	~	ND	U	ND	U	ND	U	ND	U
Carbon disulfide	~	~	ND	U	ND	U	ND	U	ND	U
Carbon tetrachloride	0.76	22	ND	U	ND	U	ND	U	ND	U
Chlorobenzene	1.1	500	ND	U	ND	U	ND	U	ND	U
Chloroethane	~	~	ND	U	ND	U	ND	U	ND	U
Chloroform	0.37	350	ND	U	ND	U	ND	U	ND	U
Chloromethane	~	~	ND	U	ND	U	ND	U	ND	U
cis-1,2-Dichloroethylene	0.25	500	ND	U	ND	U	ND	U	ND	U
cis-1,3-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
Cyclohexane	~	~	1.80	D	1.80	D	0.081		ND	U
Dibromochloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Dibromomethane	~	~	ND	U	ND	U	ND	U	ND	U
Dichlorodifluoromethane	~	~	ND	U	ND	U	ND	U	ND	U
Diisopropyl ether (DIPE)	~	~	ND	U	ND	U	ND	U	ND	U
Ethanol	~	~	ND	U	ND	U	0.410		ND	U
Ethyl Benzene	1	390	ND	U	ND	U	ND	U	ND	U
Ethyl tert-butyl ether (ETBE)	~	~	ND	U	ND	U	ND	U	ND	U
Hexachlorobutadiene	~	~	ND	U	ND	U	ND	U	ND	U
Iodomethane	~	~	ND	U	ND	U	ND	U	ND	U
Isopropylbenzene	~	~	0.62	D	0.69	D	0.047		ND	U
Methyl acetate	~	~	ND	U	ND	U	ND	U	ND	U
Methyl Methacrylate	~	~	ND	U	ND	U	ND	U	ND	U
Methyl tert-butyl ether (MTBE)	0.93	500	ND	U	ND	U	ND	U	ND	U
Methylcyclohexane	~	~	ND	D	5.50	D	0.250		ND	U
Methylene chloride	0.05	500	ND	U	ND	U	0.006	J	ND	U
Naphthalene	12	500	2.80	D	3.10	D	0.290		ND	U
n-Butylbenzene	12	500	0.51	D	0.49	D	ND	U	ND	U
n-Propylbenzene	3.9	500	0.63	D	0.72	D	0.045		ND	U

Table 1JJ- Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs) All Units in milligrams per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-8A 23L1865-05 12/29/2023 6'-7'		SB-8A Dup 23L1865-06 12/29/2023 6'-7'		SB-8B 23L1865-07 12/29/2023 14'-15'		SB-9A 23L1865-03 12/28/2023 10'-12'	
			Result	Q	Result	Q	Result	Q	Result	Q
o-Xylene	~	~	0.24	D	0.26	D	0.020		ND	U
p- & m- Xylenes	~	~	0.43	JD	0.48	D	ND	U	ND	U
p-Diethylbenzene	~	~	2.50	D	2.80	D	0.280		ND	U
p-Ethyltoluene	~	~	1	D	1.20	D	0.140		ND	U
p-Isopropyltoluene	~	~	0.66	D	0.78	D	0.077		ND	U
sec-Butylbenzene	11	500	0.36	D	0.42	D	0.040		ND	U
Styrene	~	~	ND	U	ND	U	ND	U	ND	U
tert-Amyl alcohol (TAA)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Amyl methyl ether (TAME)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Butyl alcohol (TBA)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Butylbenzene	5.9	500	ND	U	ND	U	ND	U	ND	U
Tetrachloroethylene	1.3	150	ND	U	ND	U	ND	U	ND	U
Tetrahydrofuran	~	~	ND	U	ND	U	ND	U	ND	U
Toluene	0.7	500	ND	U	ND	U	ND	U	ND	U
trans-1,2-Dichloroethylene	0.19	500	ND	U	ND	U	ND	U	ND	U
trans-1,3-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
trans-1,4-dichloro-2-butene	~	~	ND	U	ND	U	ND	U	ND	U
Trichloroethylene	0.47	200	ND	U	ND	U	ND	U	ND	U
Trichlorofluoromethane	~	~	ND	U	ND	U	ND	U	ND	U
Vinyl acetate	~	~	ND	U	ND	U	ND	U	ND	U
Vinyl Chloride	0.02	13	ND	U	ND	U	ND	U	ND	U
Xylenes, Total	1.6	500	0.670	JD	0.740	D	0.020		ND	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Italics indicates analyte not detected. Detection limits greater than one or more SCO.

Table 1JJ - Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-9B 23L1865-04 12/28/2023 14'-16'		SB-10A 23L1865-01 12/28/2023 7'-9'		SB-10B 23L1865-02 12/28/2023 28'-30'		SB-11A 23L1788-01 12/27/2023 8'-10'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 MASTER										
1,1,1,2-Tetrachloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1,1-Trichloroethane	0.68	500	ND	U	ND	U	ND	U	ND	U
1,1,2,2-Tetrachloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	ND	U	ND	U	ND	U	ND	U
1,1,2-Trichloroethane	~	~	ND	U	ND	U	ND	U	ND	U
1,1-Dichloroethane	0.27	240	ND	U	ND	U	ND	U	ND	U
1,1-Dichloroethylene	0.33	500	ND	U	ND	U	ND	U	ND	U
1,1-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,3-Trichlorobenzene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,3-Trichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,2,4,5-Tetramethylbenzene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,4-Trichlorobenzene	~	~	ND	U	ND	U	ND	U	ND	U
1,2,4-Trimethylbenzene	3.6	190	ND	U	ND	U	ND	U	ND	U
1,2-Dibromo-3-chloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,2-Dibromoethane	~	~	ND	U	ND	U	ND	U	ND	U
1,2-Dichlorobenzene	1.1	500	ND	U	ND	U	ND	U	ND	U
1,2-Dichloroethane	0.02	30	ND	U	ND	U	ND	U	ND	U
1,2-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,3,5-Trimethylbenzene	8.4	190	ND	U	ND	U	ND	U	ND	U
1,3-Dichlorobenzene	2.4	280	ND	U	ND	U	ND	U	ND	U
1,3-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
1,4-Dichlorobenzene	1.8	130	ND	U	ND	U	ND	U	ND	U
1,4-Dioxane	0.1	130	ND	U	ND	U	ND	U	ND	U
2,2-Dichloropropane	~	~	ND	U	ND	U	ND	U	ND	U
2-Butanone	0.12	500	ND	U	ND	U	ND	U	ND	U
2-Chloroethylvinyl ether	~	~	ND	U	ND	U	ND	U	ND	U
2-Chlorotoluene	~	~	ND	U	ND	U	ND	U	ND	U
2-Hexanone	~	~	ND	U	ND	U	ND	U	ND	U
4-Chlorotoluene	~	~	ND	U	ND	U	ND	U	ND	U
4-Methyl-2-pentanone	~	~	ND	U	ND	U	ND	U	ND	U
Acetone	0.05	500	0.00590	J	ND	J	0.00930		0.0210	
Acrolein	~	~	ND	U	ND	U	ND	U	ND	U
Acrylonitrile	~	~	ND	U	ND	U	ND	U	ND	U
Benzene	0.06	44	ND	U	ND	U	ND	U	ND	U
Bromobenzene	~	~	ND	U	ND	U	ND	U	ND	U
Bromochloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Bromodichloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Bromoform	~	~	ND	U	ND	U	ND	U	ND	U
Bromomethane	~	~	ND	U	ND	U	ND	U	ND	U
Carbon disulfide	~	~	ND	U	ND	U	ND	U	ND	U
Carbon tetrachloride	0.76	22	ND	U	ND	U	ND	U	ND	U
Chlorobenzene	1.1	500	ND	U	ND	U	ND	U	ND	U
Chloroethane	~	~	ND	U	ND	U	ND	U	ND	U
Chloroform	0.37	350	ND	U	ND	U	ND	U	ND	U
Chloromethane	~	~	ND	U	ND	U	ND	U	ND	U
cis-1,2-Dichloroethylene	0.25	500	ND	U	ND	U	ND	U	ND	U
cis-1,3-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
Cyclohexane	~	~	ND	U	ND	U	ND	U	ND	U
Dibromochloromethane	~	~	ND	U	ND	U	ND	U	ND	U
Dibromomethane	~	~	ND	U	ND	U	ND	U	ND	U
Dichlorodifluoromethane	~	~	ND	U	ND	U	ND	U	ND	U
Diisopropyl ether (DIPE)	~	~	ND	U	ND	U	ND	U	ND	U
Ethanol	~	~	ND	U	ND	U	ND	U	ND	U
Ethyl Benzene	1	390	ND	U	ND	U	ND	U	ND	U
Ethyl tert-butyl ether (ETBE)	~	~	ND	U	ND	U	ND	U	ND	U
Hexachlorobutadiene	~	~	ND	U	ND	U	ND	U	ND	U
Iodomethane	~	~	ND	U	ND	U	ND	U	ND	U
Isopropylbenzene	~	~	ND	U	ND	U	ND	U	ND	U
Methyl acetate	~	~	ND	U	ND	U	ND	U	ND	U
Methyl Methacrylate	~	~	ND	U	ND	U	ND	U	ND	U
Methyl tert-butyl ether (MTBE)	0.93	500	ND	U	ND	U	ND	U	ND	U
Methylcyclohexane	~	~	ND	U	ND	U	ND	U	ND	U
Methylene chloride	0.05	500	ND	U	ND	U	ND	U	ND	U
Naphthalene	12	500	ND	U	ND	U	ND	U	ND	U
n-Butylbenzene	12	500	ND	U	ND	U	ND	U	ND	U
n-Propylbenzene	3.9	500	ND	U	ND	U	ND	U	ND	U

Table 1JJ - Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-9B 23L1865-04 12/28/2023 14'-16'		SB-10A 23L1865-01 12/28/2023 7'-9'		SB-10B 23L1865-02 12/28/2023 28'-20'		SB-11A 23L1788-01 12/27/2023 8'-10'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q	Result	Q	Result	Q
o-Xylene	~	~	ND	U	ND	U	ND	U	ND	U
p- & m- Xylenes	~	~	ND	U	ND	U	ND	U	ND	U
p-Diethylbenzene	~	~	ND	U	ND	U	ND	U	ND	U
p-Ethyltoluene	~	~	ND	U	ND	U	ND	U	ND	U
p-Isopropyltoluene	~	~	ND	U	ND	U	ND	U	ND	U
sec-Butylbenzene	11	500	ND	U	ND	U	ND	U	ND	U
Styrene	~	~	ND	U	ND	U	ND	U	ND	U
tert-Amyl alcohol (TAA)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Amyl methyl ether (TAME)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Butyl alcohol (TBA)	~	~	ND	U	ND	U	ND	U	ND	U
tert-Butylbenzene	5.9	500	ND	U	ND	U	ND	U	ND	U
Tetrachloroethylene	1.3	150	ND	U	ND	U	ND	U	ND	U
Tetrahydrofuran	~	~	ND	U	ND	U	ND	U	ND	U
Toluene	0.7	500	ND	U	ND	U	ND	U	ND	U
trans-1,2-Dichloroethylene	0.19	500	ND	U	ND	U	ND	U	ND	U
trans-1,3-Dichloropropylene	~	~	ND	U	ND	U	ND	U	ND	U
trans-1,4-dichloro-2-butene	~	~	ND	U	ND	U	ND	U	ND	U
Trichloroethylene	0.47	200	ND	U	ND	U	ND	U	ND	U
Trichlorofluoromethane	~	~	ND	U	ND	U	ND	U	ND	U
Vinyl acetate	~	~	ND	U	ND	U	ND	U	ND	U
Vinyl Chloride	0.02	13	ND	U	ND	U	ND	U	ND	U
Xylenes, Total	1.6	500	ND	U	ND	U	ND	U	ND	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the F

Italics indicates analyte not detected. Detection limits greater than one or more S(

Table 1JJ - Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-11B 23L1788-02 12/27/2023 14'-15'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q
VOA, 8260 MASTER				
1,1,1,2-Tetrachloroethane	~	~	ND	U
1,1,1-Trichloroethane	0.68	500	ND	U
1,1,2,2-Tetrachloroethane	~	~	ND	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	ND	U
1,1,2-Trichloroethane	~	~	ND	U
1,1-Dichloroethane	0.27	240	ND	U
1,1-Dichloroethylene	0.33	500	ND	U
1,1-Dichloropropylene	~	~	ND	U
1,2,3-Trichlorobenzene	~	~	ND	U
1,2,3-Trichloropropane	~	~	ND	U
1,2,4,5-Tetramethylbenzene	~	~	ND	U
1,2,4-Trichlorobenzene	~	~	ND	U
1,2,4-Trimethylbenzene	3.6	190	ND	U
1,2-Dibromo-3-chloropropane	~	~	ND	U
1,2-Dibromoethane	~	~	ND	U
1,2-Dichlorobenzene	1.1	500	ND	U
1,2-Dichloroethane	0.02	30	ND	U
1,2-Dichloropropane	~	~	ND	U
1,3,5-Trimethylbenzene	8.4	190	ND	U
1,3-Dichlorobenzene	2.4	280	ND	U
1,3-Dichloropropane	~	~	ND	U
1,4-Dichlorobenzene	1.8	130	ND	U
1,4-Dioxane	0.1	130	ND	U
2,2-Dichloropropane	~	~	ND	U
2-Butanone	0.12	500	ND	
2-Chloroethylvinyl ether	~	~	ND	U
2-Chlorotoluene	~	~	ND	U
2-Hexanone	~	~	ND	U
4-Chlorotoluene	~	~	ND	U
4-Methyl-2-pentanone	~	~	ND	U
Acetone	0.05	500	**0.0560**	
Acrolein	~	~	ND	U
Acrylonitrile	~	~	ND	U
Benzene	0.06	44	ND	U
Bromobenzene	~	~	ND	U
Bromochloromethane	~	~	ND	U
Bromodichloromethane	~	~	ND	U
Bromoform	~	~	ND	U
Bromomethane	~	~	ND	U
Carbon disulfide	~	~	ND	U
Carbon tetrachloride	0.76	22	ND	U
Chlorobenzene	1.1	500	ND	U
Chloroethane	~	~	ND	U
Chloroform	0.37	350	ND	U
Chloromethane	~	~	ND	U
cis-1,2-Dichloroethylene	0.25	500	ND	U
cis-1,3-Dichloropropylene	~	~	ND	U
Cyclohexane	~	~	ND	U
Dibromochloromethane	~	~	ND	U
Dibromomethane	~	~	ND	U
Dichlorodifluoromethane	~	~	ND	U
Diisopropyl ether (DIPE)	~	~	ND	U
Ethanol	~	~	ND	U
Ethyl Benzene	1	390	ND	U
Ethyl tert-butyl ether (ETBE)	~	~	ND	U
Hexachlorobutadiene	~	~	ND	U
Iodomethane	~	~	ND	U
Isopropylbenzene	~	~	ND	U
Methyl acetate	~	~	ND	U
Methyl Methacrylate	~	~	ND	U
Methyl tert-butyl ether (MTBE)	0.93	500	ND	U
Methylcyclohexane	~	~	ND	U
Methylene chloride	0.05	500	ND	J
Naphthalene	12	500	ND	U
n-Butylbenzene	12	500	ND	U
n-Propylbenzene	3.9	500	ND	U

Table 1JJ - Off-Site VOC Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs) All Units in milligrams per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-11B 23L1788-02 12/27/2023 14'-15'	
			Result	Q
o-Xylene	~	~	ND	U
p- & m- Xylenes	~	~	ND	U
p-Diethylbenzene	~	~	ND	U
p-Ethyltoluene	~	~	ND	U
p-Isopropyltoluene	~	~	ND	U
sec-Butylbenzene	11	500	ND	U
Styrene	~	~	ND	U
tert-Amyl alcohol (TAA)	~	~	ND	U
tert-Amyl methyl ether (TAME)	~	~	ND	U
tert-Butyl alcohol (TBA)	~	~	ND	U
tert-Butylbenzene	5.9	500	ND	U
Tetrachloroethylene	1.3	150	ND	U
Tetrahydrofuran	~	~	ND	U
Toluene	0.7	500	ND	U
trans-1,2-Dichloroethylene	0.19	500	ND	U
trans-1,3-Dichloropropylene	~	~	ND	U
trans-1,4-dichloro-2-butene	~	~	ND	U
Trichloroethylene	0.47	200	ND	U
Trichlorofluoromethane	~	~	ND	U
Vinyl acetate	~	~	ND	U
Vinyl Chloride	0.02	13	ND	U
Xylenes, Total	1.6	500	ND	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the F

Italics indicates analyte not detected. Detection limits greater than one or more S(

Table 1K - Off-Site SVOC Soil Data (July and December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-01 7/24/2023 23'-25'		SB-9A 23L1865-03 12/29/2023 10'-12'	
All Units in milligrams per kilogram (mg/Kg) except 1,4-Dioxane (ug/kg)			Result	Q	Result	Q	Result	Q
1,4-Dioxane 8270								
1,4-Dioxane	0.1	130	ND	U	ND	U	ND	U
SVOA, 8270 MASTER								
1,1-Biphenyl	~	~	ND	U	ND	U	ND	U
1,2,4,5-Tetrachlorobenzene	~	~	ND	U	ND	U	ND	U
1,2,4-Trichlorobenzene	~	~	ND	U	ND	U	ND	U
1,2-Dichlorobenzene	1.1	500	ND	U	ND	U	ND	U
1,2-Diphenylhydrazine (as Azobenzene)	~	~	ND	U	ND	U	ND	U
1,3-Dichlorobenzene	2.4	280	ND	U	ND	U	ND	U
1,4-Dichlorobenzene	1.8	130	ND	U	ND	U	ND	U
2,3,4,6-Tetrachlorophenol	~	~	ND	U	ND	U	ND	U
2,4,5-Trichlorophenol	~	~	ND	U	ND	U	ND	U
2,4,6-Trichlorophenol	~	~	ND	U	ND	U	ND	U
2,4-Dichlorophenol	~	~	ND	U	ND	U	ND	U
2,4-Dimethylphenol	~	~	ND	U	ND	U	ND	U
2,4-Dinitrophenol	~	~	ND	U	ND	U	ND	U
2,4-Dinitrotoluene	~	~	ND	U	ND	U	ND	U
2,6-Dinitrotoluene	~	~	ND	U	ND	U	ND	U
2-Chloronaphthalene	~	~	ND	U	ND	U	ND	U
2-Chlorophenol	~	~	ND	U	ND	U	ND	U
2-Methylnaphthalene	~	~	ND	U	ND	U	ND	U
2-Methylphenol	0.33	500	ND	U	ND	U	ND	U
2-Nitroaniline	~	~	ND	U	ND	U	ND	U
2-Nitrophenol	~	~	ND	U	ND	U	ND	U
3- & 4-Methylphenols	0.33	500	ND	U	ND	U	ND	U
3,3-Dichlorobenzidine	~	~	ND	U	ND	U	ND	U
3-Nitroaniline	~	~	ND	U	ND	U	ND	U
4,6-Dinitro-2-methylphenol	~	~	ND	U	ND	U	ND	U
4-Bromophenyl phenyl ether	~	~	ND	U	ND	U	ND	U
4-Chloro-3-methylphenol	~	~	ND	U	ND	U	ND	U
4-Chloroaniline	~	~	ND	U	ND	U	ND	U
4-Chlorophenyl phenyl ether	~	~	ND	U	ND	U	ND	U
4-Nitroaniline	~	~	ND	U	ND	U	ND	U
4-Nitrophenol	~	~	ND	U	ND	U	ND	U
Acenaphthene	98	500	ND	U	ND	U	ND	U
Acenaphthylene	107	500	ND	U	ND	U	ND	U
Acetophenone	~	~	ND	U	ND	U	ND	U
Aniline	~	~	ND	U	ND	U	ND	U
Anthracene	1000	500	ND	U	ND	U	ND	U
Atrazine	~	~	ND	U	ND	U	ND	U
Benzaldehyde	~	~	ND	U	ND	U	ND	U
Benzidine	~	~	ND	U	ND	U	ND	U
Benzo(a)anthracene	1	5.6	ND	U	ND	U	ND	U
Benzo(a)pyrene	22	1	ND	U	ND	U	ND	U
Benzo(b)fluoranthene	1.7	5.6	ND	U	ND	U	ND	U
Benzo(g,h,i)perylene	1000	500	ND	U	ND	U	ND	U
Benzo(k)fluoranthene	1.7	56	ND	U	ND	U	ND	U
Benzoic acid	~	~	ND	U	ND	U	ND	U
Benzyl alcohol	~	~	ND	U	ND	U	ND	U
Benzyl butyl phthalate	~	~	ND	U	ND	U	ND	U
Bis(2-chloroethoxy)methane	~	~	ND	U	ND	U	ND	U
Bis(2-chloroethyl)ether	~	~	ND	U	ND	U	ND	U
Bis(2-chloroisopropyl)ether	~	~	ND	U	ND	U	ND	U
Bis(2-ethylhexyl)phthalate	~	~	ND	U	ND	U	ND	U
Caprolactam	~	~	ND	U	ND	U	ND	U
Carbazole	~	~	ND	U	ND	U	ND	U
Chrysene	1	56	ND	U	ND	U	ND	U
Dibenzo(a,h)anthracene	1000	0.56	ND	U	ND	U	ND	U
Dibenzofuran	210	350	ND	U	ND	U	ND	U
Diethyl phthalate	~	~	ND	U	ND	U	ND	U
Dimethyl phthalate	~	~	ND	U	ND	U	ND	U
Di-n-butyl phthalate	~	~	ND	U	ND	U	ND	U
Di-n-octyl phthalate	~	~	ND	U	ND	U	ND	U
Fluoranthene	1000	500	ND	U	ND	U	ND	U
Fluorene	386	500	ND	U	ND	U	ND	U
Hexachlorobenzene	3.2	6	ND	U	ND	U	ND	U

Table 1K - Off-Site SVOC Soil Data (July and December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-01 7/24/2023 23'-25'		SB-9A 23L1865-03 12/29/2023 10'-12'	
All Units in milligrams per kilogram (mg/Kg) except 1,4-Dioxane (ug/kg)			Result	Q	Result	Q	Result	Q
Hexachlorobutadiene	~	~	ND	U	ND	U	ND	U
Hexachlorocyclopentadiene	~	~	ND	U	ND	U	ND	U
Hexachloroethane	~	~	ND	U	ND	U	ND	U
Indeno(1,2,3-cd)pyrene	8.2	5.6	ND	U	ND	U	ND	U
Isophorone	~	~	ND	U	ND	U	ND	U
Naphthalene	12	500	ND	U	ND	U	ND	U
Nitrobenzene	~	~	ND	U	ND	U	ND	U
N-Nitrosodimethylamine	~	~	ND	U	ND	U	ND	U
N-nitroso-di-n-propylamine	~	~	ND	U	ND	U	ND	U
N-Nitrosodiphenylamine	~	~	ND	U	ND	U	ND	U
Pentachlorophenol	0.8	6.7	ND	U	ND	U	ND	U
Phenanthrene	1000	500	ND	U	ND	U	ND	U
Phenol	0.33	500	ND	U	ND	U	ND	U
Pyrene	1000	500	ND	U	ND	U	ND	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Table 1L - Off-Site TAL Metals Soil Data (July and December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Client Matrix	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'		SB-9A 23L1865-03 12/28/2023 10'-12'	
Compound			Result	Q	Result	Q	Result	Q
Metals, Target Analyte								
Aluminum	~	~	5,740		2,460		7,570	
Antimony	~	~	4.190		2.330	U	2.440	U
Arsenic	16	16	3.990		3.100		4.140	
Barium	820	400	58		14		63.700	
Beryllium	47	590	0.0500	U	0.0470	U	0.0490	U
Cadmium	7.5	9.3	0.300	U	0.280	U	0.293	U
Calcium	~	~	2,830		251		1,880	
Chromium	~	~	11.600		9.170		13.300	
Cobalt	~	~	6.710		2.500		9.130	
Copper	1,720	270	14.900		4		23	
Iron	~	~	11,600		5,000		17,100	
Lead	450	1,000	8.340		5.840		6.510	
Magnesium	~	~	2,700		517		4,550	
Manganese	2,000	10,000	388		144		255	
Nickel	130	310	13.800		3.550		16	
Potassium	~	~	1,310	B	484	B	2,070	
Selenium	4	1,500	2.500	U	2.330	U	2.440	U
Silver	8.3	1,500	0.503	U	0.470	U	0.492	U
Sodium	~	~	221		83.100		48.800	U
Thallium	~	~	5.550		2.330	U	2.440	U
Vanadium	~	~	16.800		7.300		19.400	
Zinc	2,480	10,000	22.500		8.250		40.400	
Mercury by 7473								
Mercury	0.73	2.8	0.0360	U	0.0335	U	0.0351	U
Cyanide, Total								
Cyanide, total	40	27	0.599	U	0.559	U	0.586	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

B=analyte found in the analysis batch blank

Table 1M - Off-Site Pesticide Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs) All Units in milligrams per kilogram (mg/Kg)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'	
			Result	Q	Result	Q
PEST, 8081 MASTER						
4,4'-DDD	14	92	0.00197	U	0.00180	U
4,4'-DDD [2C]	~	~	0.00197	U	0.00180	U
4,4'-DDE	17	62	0.00197	U	0.00180	U
4,4'-DDE [2C]	~	~	0.00197	U	0.00180	U
4,4'-DDT	136	47	0.00197	U	0.00180	U
4,4'-DDT [2C]	~	~	0.00197	U	0.00180	U
Aldrin	0.19	0.68	0.00197	U	0.00180	U
Aldrin [2C]	~	~	0.00197	U	0.00180	U
alpha-BHC	0.02	3.4	0.00197	U	0.00180	U
alpha-BHC [2C]	~	~	0.00197	U	0.00180	U
alpha-Chlordane	2.9	24	0.00197	U	0.00180	U
alpha-Chlordane [2C]	2.9	24	0.00197	U	0.00180	U
beta-BHC	0.09	3	0.00197	U	0.00180	U
beta-BHC [2C]	~	~	0.00197	U	0.00180	U
Chlordane, total	~	~	0.0394	U	0.0359	U
delta-BHC	0.25	500	0.00197	U	0.00180	UP
delta-BHC [2C]	~	~	0.00197	U	0.00180	U
Dieldrin	0.1	1.4	0.00197	U	0.00180	U
Dieldrin [2C]	0.1	1.4	0.00197	U	0.00180	U
Endosulfan I	102	200	0.00197	U	0.00180	U
Endosulfan I [2C]	~	~	0.00197	U	0.00180	U
Endosulfan II	102	200	0.00197	U	0.00180	U
Endosulfan II [2C]	~	~	0.00197	U	0.00180	U
Endosulfan sulfate	1,000	200	0.00197	U	0.00180	U
Endosulfan sulfate [2C]	~	~	0.00197	U	0.00180	U
Endrin	0.06	89	0.00197	U	0.00180	U
Endrin [2C]	~	~	0.00197	U	0.00180	U
Endrin aldehyde	~	~	0.00197	U	0.00180	U
Endrin aldehyde [2C]	~	~	0.00197	U	0.00180	U
Endrin ketone	~	~	0.00197	U	0.00180	U
Endrin ketone [2C]	~	~	0.00197	U	0.00180	U
gamma-BHC (Lindane)	0.1	9.2	0.00197	U	0.00180	U
gamma-BHC (Lindane) [2C]	~	~	0.00197	U	0.00180	U
gamma-Chlordane	~	~	0.00197	U	0.00180	U
gamma-Chlordane [2C]	~	~	0.00197	U	0.00180	U
Heptachlor	0.38	15	0.00197	U	0.00180	U
Heptachlor [2C]	0.38	15	0.00197	U	0.00180	U
Heptachlor epoxide	~	~	0.00197	U	0.00180	U
Heptachlor epoxide [2C]	~	~	0.00197	U	0.00180	U
Methoxychlor	~	~	0.00197	U	0.00180	U
Methoxychlor [2C]	~	~	0.00197	U	0.00180	U
Toxaphene	~	~	0.197	U	0.180	U
Toxaphene [2C]	~	~	0.197	U	0.180	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the two GC columns used for analysis

Table 1N - Off-Site Pesticide Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-9A 23L1865-03 12/28/2023 10'-12'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q
PEST, 8081 MASTER				
4,4'-DDD	14	92	0.00193	U
4,4'-DDE	17	62	0.00193	U
4,4'-DDT	136	47	0.00193	U
Aldrin	0.19	0.68	0.00193	U
alpha-BHC	0.02	3.4	0.00193	U
alpha-Chlordane	2.9	24	0.00193	U
beta-BHC	0.09	3	0.00193	U
Chlordane, total	~	~	0.0385	U
delta-BHC	0.25	500	0.00193	U
Dieldrin	0.1	1.4	0.00193	U
Endosulfan I	102	200	0.00193	U
Endosulfan II	102	200	0.00193	U
Endosulfan sulfate	1,000	200	0.00193	U
Endrin	0.06	89	0.00193	U
Endrin aldehyde	~	~	0.00193	U
Endrin ketone	~	~	0.00193	U
gamma-BHC (Lindane)	0.1	9.2	0.00193	U
gamma-Chlordane	~	~	0.00193	U
Heptachlor	0.38	15	0.00193	U
Heptachlor epoxide	~	~	0.00193	U
Methoxychlor	~	~	0.00193	U
Toxaphene	~	~	0.193	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

Table 1O - Off-Site PCB Soil Data (July 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q	Result	Q
PCB, 8082 MASTER						
Aroclor 1016	~	~	0.0199	U	0.0181	U
Aroclor 1016 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1221	~	~	0.0199	U	0.0181	U
Aroclor 1221 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1232	~	~	0.0199	U	0.0181	U
Aroclor 1232 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1242	~	~	0.0199	U	0.0181	U
Aroclor 1242 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1248	~	~	0.0199	U	0.0181	U
Aroclor 1248 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1254	~	~	0.0199	U	0.0181	U
Aroclor 1254 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1260	~	~	0.0199	U	0.0181	U
Aroclor 1260 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1262	~	~	0.0199	U	0.0181	U
Aroclor 1262 [2C]	~	~	0.0199	U	0.0181	U
Aroclor 1268	~	~	0.0199	U	0.0181	U
Aroclor 1268 [2C]	~	~	0.0199	U	0.0181	U
Total PCBs	3.2	1	0.0199	U	0.0181	U
Total PCBs [2C]	3.2	1	0.0199	U	0.0181	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

Table 1O - Off-Site PCB Soil Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Protection of GW	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Commercial	SB-9A 23L1865-03 12/28/2023 10'-12'	
All Units in milligrams per kilogram (mg/Kg)			Result	Q
PCB, 8082 MASTER				
Aroclor 1016	~	~	0.0194	U
Aroclor 1221	~	~	0.0194	U
Aroclor 1232	~	~	0.0194	U
Aroclor 1242	~	~	0.0194	U
Aroclor 1248	~	~	0.0194	U
Aroclor 1254	~	~	0.0194	U
Aroclor 1260	~	~	0.0194	U
Aroclor 1262	~	~	0.0194	U
Aroclor 1268	~	~	0.0194	U
Total PCBs	3.2	1	0.0194	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

Table 1P - Off-Site PFAS Soil Data (July and December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID York ID Sampling Date Sample Depth (feet bgs)	NYSDEC Part 375 Remedial Soil Guidance PFAS Protection Of GW-Apr2023	NYSDEC Part 375 Remedial Soil Guidance PFAS Commercial-Apr2023	SB-1A 23G1367-01 7/24/2023 7'-9'		SB-1B 23G1367-02 7/24/2023 23'-25'		SB-9A 23L1865-03 12/28/2023 10'-12'	
All Units in micrograms per kilogram (ug/Kg)			Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List								
11CL-PF3OUdS	~	~	0.00037	U	0.00034	U	0.361	U
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	~	~	0.00089	U	0.00083	U	0.877	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	~	~	0.00070	U	0.00066	U	0.691	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	~	~	0.00070	U	0.00066	U	0.691	U
3-Perfluoroheptyl propanoic acid (FHpPA)	~	~	0.00177	U	0.00166	U	1.740	U
3-Perfluoropentyl propanoic acid (FPePA)	~	~	0.00247	U	0.00232	U	2.440	U
3-Perfluoropropyl propanoic acid (FPrPA)	~	~	0.00075	U	0.00070	U	0.737	U
9CL-PF3ONS	~	~	0.00029	U	0.00027	U	0.286	U
ADONA	~	~	0.00021	U	0.00019	U	0.202	U
HFPO-DA (Gen-X)	~	~	0.00072	U	0.00067	U	0.706	U
N-EtFOSA	~	~	0.00023	U	0.00022	U	0.230	U
N-EtFOSAA	~	~	0.00023	U	0.00021	U	0.225	U
N-EtFOSE	~	~	0.00082	U	0.00077	U	0.810	U
N-MeFOSA	~	~	0.00021	U	0.00020	U	0.209	U
N-MeFOSAA	~	~	0.00018	U	0.00016	U	0.172	U
N-MeFOSE	~	~	0.00072	U	0.00068	U	0.710	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	~	~	0.00016	U	0.00015	U	0.161	U
Perfluoro-1-decanesulfonic acid (PFDS)	~	~	0.00023	U	0.00021	U	0.222	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	~	~	0.00018	U	0.00017	U	0.180	U
Perfluoro-1-nonanesulfonic acid (PFNS)	~	~	0.00015	U	0.00014	U	0.144	U
Perfluoro-1-octanesulfonamide (FOSA)	~	~	0.00017	U	0.00016	U	0.170	U
Perfluoro-1-pentanesulfonate (PFPeS)	~	~	0.00019	U	0.00017	U	0.182	U
Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	~	~	0.00023	U	0.00021	U	0.224	U
Perfluoro-4-oxapentanoic acid (PFMPA)	~	~	0.00007	U	0.00007	U	0.0720	U
Perfluoro-5-oxahexanoic acid (PFMBA)	~	~	0.00011	U	0.00011	U	0.112	U
Perfluorobutanesulfonic acid (PFBS)	~	~	0.00013	U	0.00012	U	0.129	U
Perfluorodecanoic acid (PFDA)	~	~	0.00023	U	0.00021	U	0.222	U
Perfluorododecanesulfonic acid (PFDoS)	~	~	0.00020	U	0.00019	U	0.196	U
Perfluorododecanoic acid (PFDoA)	~	~	0.00019	U	0.00018	U	0.189	U
Perfluoroheptanoic acid (PFHpA)	~	~	0.00012	U	0.00012	U	0.122	U
Perfluorohexanesulfonic acid (PFHxS)	~	~	0.00021	U	0.00020	U	0.208	U
Perfluorohexanoic acid (PFHxA)	~	~	0.00006	U	0.00006	U	0.0616	U
Perfluoro-n-butanoic acid (PFBA)	~	~	0.00013	U	0.00012	U	0.127	U
Perfluorononanoic acid (PFNA)	~	~	0.00022	U	0.00021	U	0.220	U
Perfluorooctanesulfonic acid (PFOS)	1	440	0.00030		0.00019	U	0.194	U
Perfluorooctanoic acid (PFOA)	0.8	500	0.00020	U	0.00019	U	0.200	U
Perfluoropentanoic acid (PFPeA)	~	~	0.00013	U	0.00012	U	0.127	U
Perfluorotetradecanoic acid (PFTA)	~	~	0.00012	U	0.00011	U	0.120	U
Perfluorotridecanoic acid (PFTrDA)	~	~	0.00015	U	0.00014	U	0.145	U
Perfluoroundecanoic acid (PFUnA)	~	~	0.00023	U	0.00022	U	0.230	U

NOTES:

ANALYTE DETECTED

ANALYTE DETECTED ABOVE POG SCO

ANALYTE DETECTED ABOVE CU SCO

U=analyte not detected at or above the level indicated

Table 1Q - Off-Site Rinsate Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID	Rinsate	
York ID	23L1865-08	
Sampling Date	12/29/2023	
Matrix	Water	
All units in micrograms per liter (ug/L)	Result	Q
VOA, 8260 LOW MASTER		
1,1,1,2-Tetrachloroethane	0.216	U
1,1,1-Trichloroethane	0.266	U
1,1,2,2-Tetrachloroethane	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.286	U
1,1,2-Trichloroethane	0.249	U
1,1-Dichloroethane	0.272	U
1,1-Dichloroethylene	0.327	U
1,1-Dichloropropylene	0.314	U
1,2,3-Trichlorobenzene	0.222	U
1,2,3-Trichloropropane	0.273	U
1,2,4,5-Tetramethylbenzene	0.255	U
1,2,4-Trichlorobenzene	0.138	U
1,2,4-Trimethylbenzene	0.310	U
1,2-Dibromo-3-chloropropane	0.432	U
1,2-Dibromoethane	0.215	U
1,2-Dichlorobenzene	0.270	U
1,2-Dichloroethane	0.377	U
1,2-Dichloropropane	0.327	U
1,3,5-Trimethylbenzene	0.347	U
1,3-Dichlorobenzene	0.283	U
1,3-Dichloropropane	0.260	U
1,4-Dichlorobenzene	0.311	U
1,4-Dioxane	35.300	U
2,2-Dichloropropane	0.466	U
2-Butanone	0.421	U
2-Chlorotoluene	0.376	U
2-Hexanone	0.320	U
4-Chlorotoluene	0.311	U
4-Methyl-2-pentanone	0.365	U
Acetone	2.070	
Acrolein	0.447	U
Acrylonitrile	0.422	U
Benzene	0.279	U
Bromobenzene	0.367	U
Bromochloromethane	0.354	U
Bromodichloromethane	5.230	
Bromoform	0.163	U
Bromomethane	0.119	U
Carbon disulfide	0.362	U
Carbon tetrachloride	0.204	U
Chlorobenzene	0.284	U
Chloroethane	0.448	U
Chloroform	19.100	
Chloromethane	0.372	U
cis-1,2-Dichloroethylene	0.294	U
cis-1,3-Dichloropropylene	0.262	U
Cyclohexane	0.491	U
Dibromochloromethane	0.920	
Dibromomethane	0.203	U
Dichlorodifluoromethane	0.451	U
Diisopropyl ether (DIPE)	0.466	U
Ethyl Benzene	0.290	U
Ethyl tert-butyl ether (ETBE)	0.479	U
Hexachlorobutadiene	0.241	U
Iodomethane	0.477	U
Isopropylbenzene	0.405	U
Methyl acetate	0.442	U
Methyl Methacrylate	0.415	U
Methyl tert-butyl ether (MTBE)	0.244	U
Methylcyclohexane	0.477	U
Methylene chloride	0.397	U
Naphthalene	0.212	U
n-Butylbenzene	0.399	U
n-Propylbenzene	0.384	U
o-Xylene	0.261	U
p- & m- Xylenes	0.578	U
p-Diethylbenzene	0.341	U
p-Ethyltoluene	0.200	U

Table 1QQ - Off-Site Rinate Data (December 2023)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Sample ID	**Rinsate**	
York ID	**23L1865-08**	
Sampling Date	**12/29/2023**	
Matrix	**Water**	
All units in micrograms per liter (ug/L)	Result	Q
p-Isopropyltoluene	0.377	U
sec-Butylbenzene	0.444	U
Styrene	0.255	U
tert-Amyl alcohol (TAA)	4.160	U
tert-Amyl methyl ether (TAME)	0.511	U
tert-Butyl alcohol (TBA)	0.608	U
tert-Butylbenzene	0.367	U
Tetrachloroethylene	0.239	U
Tetrahydrofuran	2.150	
Toluene	0.346	U
trans-1,2-Dichloroethylene	0.279	U
trans-1,3-Dichloropropylene	0.229	U
trans-1,4-dichloro-2-butene	0.283	U
Trichloroethylene	0.249	U
Trichlorofluoromethane	0.337	U
Vinyl acetate	0.477	U
Vinyl Chloride	0.469	U
Xylenes, Total	0.836	U

NOTES:

ANALYTE DETECTED

U=analyte not detected at or above the level indicated

D=result is from an analysis that required a dilution

J= Analyte detected at or above the MDL (Method Detection Limit) but below the RL (Reporting Limt) - Data is estimated

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID			MW-1								MW-2							
York ID			21K0972-01		23H0317-01		24A1437-01		24G0928-01		21K0972-02		23H0317-02		24A1437-02		24G0928-02	
Sampling Date			11/18/2021		8/3/2023		1/25/2024		7/15/2024		11/18/2021		8/3/2023		1/25/2024		7/15/2024	
Matrix			Ground Water								Ground Water							
All units in micrograms per liter (µg/L)	NYSDEC TOGS Standards and Guidance Values - GA		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER																		
1,1,1,2-Tetrachloroethane	5		0.200	U	0.216	U	ND	U	0.216	U	0.200	U	2.160	U	ND	U	0.216	U
1,1,1-Trichloroethane	5		0.200	U	0.266	U	ND	U	0.266	U	0.200	U	2.660	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5		0.200	U	0.256	U	ND	U	0.256	U	0.200	U	2.560	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5		0.200	U	0.286	U	ND	U	0.286	U	0.200	U	2.860	U	ND	U	0.286	U
1,1,2-Trichloroethane	1		0.200	U	0.249	U	ND	U	0.249	U	0.200	U	2.490	U	ND	U	0.249	U
1,1-Dichloroethane	5		0.200	U	0.272	U	ND	U	0.272	U	0.200	U	2.720	U	ND	U	0.272	U
1,1-Dichloroethylene	5		0.200	U	0.327	U	ND	U	0.327	U	0.200	U	3.270	U	ND	U	0.327	U
1,1-Dichloropropylene	5		0.200	U	0.314	U	ND	U	0.314	U	0.200	U	3.140	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5		0.200	U	0.222	U	ND	U	0.222	U	0.200	U	2.220	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04		0.200	U	0.273	U	ND	U	0.273	U	0.200	U	2.730	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~		0.200	U	0.255	U	ND	U	0.255	U	11.200		14.300	D	13.200	D	5.040	
1,2,4-Trichlorobenzene	5		0.200	U	0.138	U	ND	U	0.138	U	0.200	U	1.380	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5		0.200	U	0.310	U	ND	U	0.310	U	0.200	U	3.100	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04		0.200	U	0.432	U	ND	U	0.432	U	0.200	U	4.320	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006		0.200	U	0.215	U	ND	U	0.215	U	0.200	U	2.150	U	ND	U	0.215	U
1,2-Dichlorobenzene	3		0.200	U	0.270	U	ND	U	0.270	U	0.200	U	2.700	U	ND	U	0.270	U
1,2-Dichloroethane	0.6		0.200	U	0.377	U	ND	U	0.377	U	0.200	U	3.770	U	ND	U	0.377	U
1,2-Dichloropropane	1		0.200	U	0.327	U	ND	U	0.327	U	0.200	U	3.270	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5		0.200	U	0.347	U	ND	U	0.347	U	0.200	U	3.470	U	ND	U	0.347	U
1,3-Dichlorobenzene	3		0.200	U	0.283	U	ND	U	0.283	U	0.200	U	2.830	U	ND	U	0.283	U
1,3-Dichloropropane	5		0.200	U	0.260	U	ND	U	0.260	U	0.200	U	2.600	U	ND	U	0.260	U
1,4-Dichlorobenzene	3		0.200	U	0.311	U	ND	U	0.311	U	0.200	U	3.110	U	ND	U	0.311	U
1,4-Dioxane	0.35		40	U	35.300	U	ND	U	35.300	U	40	U	353	U	ND	U	35.300	U
2,2-Dichloropropane	5		0.200	U	0.466	U	ND	U	0.466	U	0.200	U	4.660	U	ND	U	0.466	U
2-Butanone	50		0.200	U	0.421	U	ND	U	0.421	U	0.200	U	4.210	U	ND	U	0.421	U
2-Chlorotoluene	5		0.200	U	0.376	U	ND	U	0.376	U	0.200	U	3.760	U	ND	U	0.376	U
2-Hexanone	50		0.200	U	0.320	U	ND	U	0.320	U	0.200	U	3.200	U	ND	U	0.320	U
4-Chlorotoluene	5		0.200	U	0.311	U	ND	U	0.311	U	0.200	U	3.110	U	ND	U	0.311	U
4-Methyl-2-pentanone	~		0.200	U	0.365	U	ND	U	0.365	U	0.200	U	3.650	U	ND	U	0.365	U
Acetone	50		1.720	J	1.340	U	ND	U	1.340	U	1	U	13.400	U	ND	U	1.340	U
Acrolein	~		0.200	U	0.447	U	ND	U	0.447	U	0.200	U	4.470	U	ND	U	0.447	U
Acrylonitrile	~		0.200	U	0.422	U	ND	U	0.422	U	0.200	U	4.220	U	ND	U	0.422	U
Benzene	1		0.200	U	0.279	U	ND	U	0.279	U	0.200	U	2.790	U	ND	U	0.279	U
Bromobenzene	5		0.200	U	0.367	U	ND	U	0.367	U	0.200	U	3.670	U	ND	U	0.367	U
Bromochloromethane	5		0.200	U	0.354	U	ND	U	0.354	U	0.200	U	3.540	U	ND	U	0.354	U
Bromodichloromethane	50		0.200	U	0.245	U	ND	U	0.245	U	0.200	U	2.450	U	ND	U	0.245	U
Bromoform	50		0.200	U	0.163	U	ND	U	0.163	U	0.200	U	1.630	U	ND	U	0.163	U
Bromomethane	5		0.200	U	0.119	U	ND	U	0.119	U	0.200	U	1.190	U	ND	U	0.119	U
Carbon disulfide	~		0.200	U	0.362	U	ND	U	0.362	U	0.200	U	3.620	U	ND	U	0.362	U
Carbon tetrachloride	5		0.200	U	0.204	U	ND	U	0.204	U	0.200	U	2.040	U	ND	U	0.204	U
Chlorobenzene	5		0.200	U	0.284	U	ND	U	0.284	U	0.200	U	2.840	U	ND	U	0.284	U
Chloroethane	5		0.200	U	0.448	U	ND	U	0.448	U	0.200	U	4.480	U	ND	U	0.448	U
Chloroform	7		0.200	U	0.243	U	ND	U	0.243	U	0.200	U	2.430	U	ND	U	0.243	U
Chloromethane	5		0.200	U	0.372	U	ND	U	0.372	U	0.200	U	3.720	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5		0.200	U	0.294	U	0.350	J	0.294	U	0.350	J	2.940	U	ND	U	0.340	J
cis-1,3-Dichloropropylene	0.4		0.200	U	0.262	U	ND	U	0.262	U	0.200	U	2.620	U	ND	U	0.262	U
Cyclohexane	~		0.320	J	3.630		1.790		0.680		22.700		23	D	24.600	D	15.900	
Dibromochloromethane	50		0.200	U	0.146	U	ND	U	0.146	U	0.200	U	1.460	U	ND	U	0.146	U
Dibromomethane	~		0.200	U	0.203	U	ND	U	0.203	U	0.200	U	2.030	U	ND	U	0.203	U
Dichlorodifluoromethane	5		0.200	U	0.451	U	ND	U	0.451	U	0.200	U	4.510	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~		0.400	U	0.466	U	ND	U	0.466	U	0.400	U	4.660	U	ND	U	0.466	U
Ethyl Benzene	5		0.200	U	0.290	U	ND	U	0.290	U	0.470	J	2.900	U	1.750	JD	0.290	U
Ethyl tert-butyl ether (ETBE)	~		0.400	U	0.479	U	ND	U	0.479	U	0.400	U	4.790	U	ND	U	0.479	U
Hexachlorobutadiene	0.5		0.200	U	0.241	U	ND	U	0.241	U	0.200	U	2.410	U	ND	U	0.241	U
Iodomethane	~		0.200	U	0.477	U	ND	U	0.477	U	0.200	U	4.770	U	ND	U	0.477	U
Isopropylbenzene	5		0.200	U	0.405	U	ND	U	0.405	U	5.470		**6.100**	D	**7.05**	D	3.590	
Methyl acetate	~		0.200	U	0.442	U	ND	U	0.442	U	0.200	U	4.420	U	ND	U	0.442	U
Methyl Methacrylate	~		0.200	U	0.415	U	ND	U	0.415	U	0.200	U	4.150	U	ND	U	5.040	
Methyl tert-butyl ether (MTBE)	10		0.200	U	0.244	U	ND	U	0.244	U	0.200	U	2.440	U	ND	U	0.244	U
Methylcyclohexane	~		0.200	U	0.477	U	ND	U	0.477	U	30.900		23.500	D	28.600	D	5.630	
Methylene chloride	5		1	U	0.397	U	ND	U	0.397	U	1	U	4.100	JD	**14.40**	BD	0.397	U
Naphthalene	10		1	U	0.570	J	1.120	J	0.212	U	2.800		3	JD	6.150	JD	0.670	J
n-Butylbenzene	5		0.200	U	4.360		ND	U	0.399	U	2.220		3.990	U	**15**	D	0.750	
n-Propylbenzene	5		0.200	U	0.384	U	ND	U	0.384	U	4.580		3.840	U	**5.30**	D	1.200	
o-Xylene	5		0.200	U	0.261	U	ND	U	0.261	U	0.200	U	2.610	U	ND	U	0.261	U
p- & m- Xylenes	~		0.500	U	0.578	U	ND	U	0.578	U	2.990		5.780	U	4.700	JD	0.578	U
p-Diethylbenzene	~		0.390	J	2.820		1.500		0.360	J	7.320		9.200	D	8.850	D	7.640	
p-Ethyltoluene	~		0.200	U	0.200	U	ND	U	0.200	U	0.730		2	U	ND	U	0.200	U
p-Isopropyltoluene	5		0.200	U	0.377	U	ND	U	0.377	U	0.200	U	3.770	U	ND	U	0.377	U
sec-Butylbenzene	5		0.200	U	0.920		ND	U	0.444	U	4.680		**5.100**	D	**5.20**	D	4.740	
Styrene	5		0.200	U	0.255	U	ND	U	0.255	U	0.200	U	2.550	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~		4	U	4.160	U	ND	U	4.160	U	4	U	41.600	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~		0.400	U	0.511	U	ND	U	0.511	U	0.400	U	5.110	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~		2.280		0.608	U	ND	U	0.608	U	0.500	U	6.080	U	ND	U	0.608	U
tert-Butylbenzene	5		0.200	U	0.367	U	ND	U	0.367	U	0.460	J	3.670	U	ND	U	0.710	
Tetrachloroethylene	5		4.030		**70.300**		**23.10**		**55.800**		**7.500**		**31.900**	D	**8.800**	D	**13.400**	
Tetrahydrofuran	~		0.200	U	0.485	U	ND	U	0.485	U	0.200	U	4.850	U	ND	U	0.485	U
Toluene	5		0.200	U	0.346	U	ND	U	0.346	U	0.200	U	3.460	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5		0.200	U	0.279	U	0.600		0.279	U	3.250		**5.600**	D	1.650	JD	3.750	
trans-1,3-Dichloropropylene	0.4		0.200	U	0.229	U	ND	U	0.229	U	0.200	U	2.290	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~		0.200	U	0.283	U	ND	U	0.283	U	0.200	U	2.830	U	ND	U	0.283	U
Trichloroethylene	5		0.620		1.930		1.670		1.790		1.490		2.490	U	ND	U	0.980	
Trichlorofluoromethane	5		0.200	U	0.337	U	ND	U	0.337	U	0.200	U	3.370	U	ND	U	0.337	U
Vinyl acetate	~		0.200	U	0.477	U	ND	U	0.477	U	0.200	U	4.770	U	ND	U	0.477	U
Vinyl Chloride	2		0.200	U	0.469	U	ND	U	0.469	U	0.580		4.690	U	ND	U	0.469	U
Xylenes, Total	5		0.600	U	0.836	U	ND	U	0.839	U	2.990		8.360	U	4.700	JD	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP
Site #C360183

Sample ID		MW-3								MW-4							
York ID	NYSDEC TOGS Standards and Guidance Values - GA	21K0972-03		21K0972-04		24A1437-03		24G0928-03		21K0972-05		23H0317-03		24A1437-04		24G0928-04	
Sampling Date		11/18/2021		11/18/2021		1/25/2024		7/15/2024		11/18/2021		8/3/2023		1/25/2024		7/15/2024	
Matrix		Ground Water								Ground Water							
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER																	
1,1,1,2-Tetrachloroethane	5	0.200	U	0.200	U	ND	U	0.216	U	1	U	1.080	U	ND	U	2.160	U
1,1,1-Trichloroethane	5	0.200	U	0.200	U	ND	U	0.266	U	1	U	1.330	U	ND	U	2.660	U
1,1,2,2-Tetrachloroethane	5	0.200	U	0.200	U	ND	U	0.256	U	1	U	1.280	U	ND	U	2.560	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.200	U	0.200	U	ND	U	0.286	U	1	U	1.430	U	ND	U	2.860	U
1,1,2-Trichloroethane	1	0.200	U	0.200	U	ND	U	0.249	U	1	U	1.240	U	ND	U	2.490	U
1,1-Dichloroethane	5	0.200	U	0.200	U	ND	U	0.272	U	1	U	1.360	U	ND	U	2.720	U
1,1-Dichloroethylene	5	0.200	U	0.200	U	ND	U	0.327	U	1	U	1.640	U	ND	U	3.270	U
1,1-Dichloropropylene	5	0.200	U	0.200	U	ND	U	0.314	U	1	U	1.570	U	ND	U	3.140	U
1,2,3-Trichlorobenzene	5	0.200	U	0.200	U	ND	U	0.222	U	1	U	1.110	U	ND	U	2.220	U
1,2,3-Trichloropropane	0.04	0.200	U	0.200	U	ND	U	0.273	U	1	U	1.360	U	ND	U	2.730	U
1,2,4,5-Tetramethylbenzene	~	0.200	U	0.200	U	ND	U	0.700		56.200	D	80.800	D	79	D	80.800	D
1,2,4-Trichlorobenzene	5	0.200	U	0.200	U	ND	U	0.138	U	1	U	0.690	U	ND	U	1.380	U
1,2,4-Trimethylbenzene	5	0.200	U	0.200	U	ND	U	**11.800**		**830**	D	**1,110**	D	**1,200**	D	**1,430**	D
1,2-Dibromo-3-chloropropane	0.04	0.200	U	0.200	U	ND	U	0.432	U	1	U	2.160	U	ND	U	4.320	U
1,2-Dibromoethane	0.0006	0.200	U	0.200	U	ND	U	0.215	U	1	U	1.080	U	ND	U	2.150	U
1,2-Dichlorobenzene	3	0.200	U	0.200	U	ND	U	0.270	U	1	U	1.350	U	ND	U	2.700	U
1,2-Dichloroethane	0.6	0.200	U	0.200	U	ND	U	0.377	U	1	U	1.880	U	ND	U	3.770	U
1,2-Dichloropropane	1	0.200	U	0.200	U	ND	U	0.327	U	1	U	1.640	U	ND	U	3.270	U
1,3,5-Trimethylbenzene	5	0.200	U	0.200	U	ND	U	3.900		**303**	D	**360**	D	**394**	D	**467**	D
1,3-Dichlorobenzene	3	0.200	U	0.200	U	ND	U	0.283	U	1	U	1.420	U	ND	U	2.830	U
1,3-Dichloropropane	5	0.200	U	0.200	U	ND	U	0.260	U	1	U	1.300	U	ND	U	2.600	U
1,4-Dichlorobenzene	3	0.200	U	0.200	U	ND	U	0.311	U	1	U	1.560	U	ND	U	3.110	U
1,4-Dioxane	0.35	40	U	40	U	ND	U	35.300	U	200	U	176	U	ND	U	353	U
2,2-Dichloropropane	5	0.200	U	0.200	U	ND	U	0.466	U	1	U	2.330	U	ND	U	4.660	U
2-Butanone	50	0.200	U	0.200	U	ND	U	0.421	U	1	U	2.100	U	ND	U	4.210	U
2-Chlorotoluene	5	0.200	U	0.200	U	ND	U	0.376	U	1	U	1.880	U	ND	U	3.760	U
2-Hexanone	50	0.200	U	0.200	U	ND	U	0.320	U	1	U	1.600	U	ND	U	3.200	U
4-Chlorotoluene	5	0.200	U	0.200	U	ND	U	0.311	U	1	U	1.560	U	ND	U	3.110	U
4-Methyl-2-pentanone	~	0.200	U	0.200	U	ND	U	0.365	U	1	U	1.820	U	ND	U	3.650	U
Acetone	50	1	U	1	U	ND	U	1.340	U	27.200	D	6.700	U	ND	U	13.400	U
Acrolein	~	0.200	U	0.200	U	ND	U	0.447	U	1	U	2.240	U	ND	U	17.400	D
Acrylonitrile	~	0.200	U	0.200	U	ND	U	0.422	U	1	U	2.110	U	ND	U	4.220	U
Benzene	1	0.200	U	0.200	U	ND	U	0.279	U	1	U	1.400	U	ND	U	2.790	U
Bromobenzene	5	0.200	U	0.200	U	ND	U	0.367	U	1	U	1.840	U	ND	U	3.670	U
Bromochloromethane	5	0.200	U	0.200	U	ND	U	0.354	U	1	U	1.770	U	ND	U	3.540	U
Bromodichloromethane	50	0.200	U	0.200	U	ND	U	0.245	U	1	U	1.220	U	ND	U	2.450	U
Bromoform	50	0.200	U	0.200	U	ND	U	0.163	U	1	U	0.815	U	ND	U	1.630	U
Bromomethane	5	0.200	U	0.200	U	ND	U	0.119	U	1	U	0.595	U	ND	U	1.190	U
Carbon disulfide	~	0.200	U	0.200	U	ND	U	0.362	U	1	U	1.810	U	ND	U	3.620	U
Carbon tetrachloride	5	0.200	U	0.200	U	ND	U	0.204	U	1	U	1.020	U	ND	U	2.040	U
Chlorobenzene	5	0.200	U	0.200	U	ND	U	0.284	U	1	U	1.420	U	ND	U	2.840	U
Chloroethane	5	0.200	U	0.200	U	ND	U	0.448	U	1	U	2.240	U	ND	U	4.480	U
Chloroform	7	0.200	U	0.200	U	0.610		0.243	U	1	U	1.220	U	ND	U	2.430	U
Chloromethane	5	0.200	U	0.200	U	ND	U	0.372	U	1	U	1.860	U	ND	U	3.720	U
cis-1,2-Dichloroethylene	5	0.200	U	0.200	U	ND	U	0.900		**6.750**	D	**12.300**	D	**76.90**	D	**88.900**	D
cis-1,3-Dichloropropylene	0.4	0.200	U	0.200	U	ND	U	0.262	U	1	U	1.310	U	ND	U	2.620	U
Cyclohexane	~	0.200	U	0.200	U	ND	U	0.760		74	D	80.400	D	87.500	D	96.200	D
Dibromochloromethane	50	0.200	U	0.200	U	ND	U	0.146	U	1	U	0.730	U	ND	U	1.460	U
Dibromomethane	~	0.200	U	0.200	U	ND	U	0.203	U	1	U	1.020	U	ND	U	2.030	U
Dichlorodifluoromethane	5	0.200	U	0.200	U	ND	U	0.451	U	1	U	2.260	U	ND	U	4.510	U
Diisopropyl ether (DIPE)	~	0.400	U	0.400	U	ND	U	0.466	U	2	U	2.330	U	ND	U	4.660	U
Ethyl Benzene	5	0.200	U	0.200	U	ND	U	0.290	U	1	U	1.450	U	ND	U	2.900	U
Ethyl tert-butyl ether (ETBE)	~	0.400	U	0.400	U	ND	U	0.479	U	2	U	2.400	U	ND	U	4.790	U
Hexachlorobutadiene	0.5	0.200	U	0.200	U	ND	U	0.241	U	1	U	1.200	U	ND	U	2.410	U
Iodomethane	~	0.200	U	0.200	U	ND	U	0.477	U	1	U	2.380	U	ND	U	4.770	U
Isopropylbenzene	5	0.200	U	0.200	U	ND	U	0.405	U	**37.800**	D	**46**	D	**43.90**	D	**49.500**	D
Methyl acetate	~	0.200	U	0.200	U	ND	U	0.442	U	1	U	2.210	U	ND	U	4.420	U
Methyl Methacrylate	~	0.200	U	0.200	U	ND	U	1.910		1	U	2.080	U	ND	U	241	D
Methyl tert-butyl ether (MTBE)	10	0.200	U	0.200	U	ND	U	0.244	U	1	U	1.220	U	ND	U	2.440	U
Methylcyclohexane	~	0.200	U	0.200	U	ND	U	2.220		252	D	362	D	358	D	335	D
Methylene chloride	5	1	U	1	U	ND	U	0.397	U	5	U	1.980	U	**22.10**	BD	3.970	U
Naphthalene	10	1	U	1	U	0.250	J	0.212	U	5	U	3.950	JD	4.100	JD	2.120	U
n-Butylbenzene	5	0.200	U	0.200	U	ND	U	0.399	U	**9.450**	D	**279**	D	**271**	D	**21.400**	D
n-Propylbenzene	5	0.200	U	0.200	U	ND	U	1.100		**106**	D	**125**	D	**124**	D	**139**	D
o-Xylene	5	0.200	U	0.200	U	ND	U	0.261	U	1	U	1.500	JD	ND	U	2.610	U
p- & m- Xylenes	~	0.500	U	0.500	U	ND	U	0.578	U	2.750	JD	4.550	JD	ND	U	6.200	JD
p-Diethylbenzene	~	0.200	U	0.200	U	ND	U	1.020		68.500	D	104	D	101	D	110	D
p-Ethyltoluene	~	0.200	U	0.200	U	ND	U	3.010		269	D	314	D	357	D	372	D
p-Isopropyltoluene	5	0.200	U	0.200	U	ND	U	0.377	U	**8.150**	D	**11.700**	D	**11.60**	D	**12.200**	D
sec-Butylbenzene	5	0.200	U	0.200	U	ND	U	0.444	U	**6.800**	D	**9.800**	D	**9**	D	**9.800**	D
Styrene	5	0.200	U	0.200	U	ND	U	0.255	U	1	U	1.280	U	ND	U	2.550	U
tert-Amyl alcohol (TAA)	~	4	U	4	U	ND	U	4.160	U	20	U	20.800	U	ND	U	41.600	U
tert-Amyl methyl ether (TAME)	~	0.400	U	0.400	U	ND	U	0.511	U	2	U	2.560	U	ND	U	5.110	U
tert-Butyl alcohol (TBA)	~	0.850	J	6.090		ND	U	0.608	U	2.500	U	3.040	U	ND	U	6.080	U
tert-Butylbenzene	5	0.200	U	0.200	U	ND	U	0.367	U	1	U	1.840	U	ND	U	3.670	U
Tetrachloroethylene	5	**22**		**41.400**		**96.200**	D	**19.700**		1	U	**15.200**	D	**7.900**	D	**12.500**	D
Tetrahydrofuran	~	0.200	U	0.200	U	ND	U	0.485	U	1	U	2.420	U	ND	U	4.850	U
Toluene	5	0.200	U	0.200	U	ND	U	0.346	U	1	U	1.730	U	ND	U	3.460	U
trans-1,2-Dichloroethylene	5	0.200	U	0.200	U	ND	U	0.279	U	1	U	1.400	U	ND	U	2.790	U
trans-1,3-Dichloropropylene	0.4	0.200	U	0.200	U	ND	U	0.229	U	1	U	1.140	U	ND	U	2.290	U
trans-1,4-dichloro-2-butene	~	0.200	U	0.200	U	ND	U	0.283	U	1	U	1.420	U	ND	U	9.600	D
Trichloroethylene	5	1.210		1.570		0.520		0.530		1	U	1.240	U	ND	U	2.490	U
Trichlorofluoromethane	5	0.200	U	0.200	U	ND	U	0.337	U	1	U	1.680	U	ND	U	3.370	U
Vinyl acetate	~	0.200	U	0.200	U	ND	U	0.477	U	1	U	2.380	U	ND	U	4.770	U
Vinyl Chloride	2	0.200	U	0.200	U	ND	U	0.469	U	**2.900**	D	**3.400**	D	**7.20**	D	**11**	D
Xylenes, Total	5	0.600	U	0.600	U	ND	U	0.839	U	3	U	**6.050**	JD	ND	U	**8.700**	JD

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID		MW-5								MW-6							
York ID	NYSDEC TOGS Standards and Guidance Values - GA	21K0972-06		23H0317-04		24A1437-05		24G0928-05		21K0972-07		23H0317-05		24A1437-06		24G0928-06	
Sampling Date		11/18/2021		8/3/2023		1/25/2024		7/15/2024		11/18/2021		8/3/2023		1/25/2024		7/15/2024	
Matrix		Ground Water								Ground Water							
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER																	
1,1,1,2-Tetrachloroethane	5	0.200	U	0.216	U	ND	U	0.216	U	0.200	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	0.200	U	0.266	U	ND	U	0.266	U	0.200	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.200	U	0.256	U	ND	U	0.256	U	0.200	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.200	U	0.286	U	ND	U	0.286	U	0.200	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	0.200	U	0.249	U	ND	U	0.249	U	0.200	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	0.200	U	0.272	U	ND	U	0.272	U	0.200	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	0.200	U	0.327	U	ND	U	0.327	U	0.200	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	0.200	U	0.314	U	ND	U	0.314	U	0.200	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	0.200	U	0.222	U	ND	U	0.222	U	0.200	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	0.200	U	0.273	U	ND	U	0.273	U	0.200	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	0.200	U	0.520		ND	U	0.255	U	0.200	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	0.200	U	0.138	U	ND	U	0.138	U	0.200	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	0.320	J	1.840		0.550		0.490	J	0.200	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	0.200	U	0.432	U	ND	U	0.432	U	0.200	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	0.200	U	0.215	U	ND	U	0.215	U	0.200	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	0.200	U	0.270	U	ND	U	0.270	U	0.200	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	0.200	U	0.377	U	ND	U	0.377	U	0.200	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	0.200	U	0.327	U	ND	U	0.327	U	0.200	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	0.200	U	0.600		ND	U	0.347	U	0.200	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	0.200	U	0.283	U	ND	U	0.283	U	0.200	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	0.200	U	0.260	U	ND	U	0.260	U	0.200	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	0.200	U	0.311	U	ND	U	0.311	U	0.200	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	40	U	35.300	U	ND	U	35.300	U	40	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	0.200	U	0.466	U	ND	U	0.466	U	0.200	U	0.466	U	ND	U	0.466	U
2-Butanone	50	0.200	U	0.421	U	ND	U	0.421	U	0.200	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	0.200	U	0.376	U	ND	U	0.376	U	0.200	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	0.200	U	0.320	U	ND	U	0.320	U	0.200	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	0.200	U	0.311	U	ND	U	0.311	U	0.200	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	0.200	U	0.365	U	ND	U	0.365	U	0.200	U	0.365	U	ND	U	0.365	U
Acetone	50	1	U	1.340	U	ND	U	1.340	U	1	U	1.340	U	ND	U	1.340	U
Acrolein	~	0.200	U	0.447	U	ND	U	0.447	U	0.200	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	0.200	U	0.422	U	ND	U	0.422	U	0.200	U	0.422	U	ND	U	0.422	U
Benzene	1	0.200	U	0.279	U	ND	U	0.279	U	0.200	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	0.200	U	0.367	U	ND	U	0.367	U	0.200	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	0.200	U	0.354	U	ND	U	0.354	U	0.200	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	0.200	U	0.245	U	ND	U	0.245	U	0.200	U	0.245	U	ND	U	0.245	U
Bromoform	50	0.200	U	0.163	U	ND	U	0.163	U	0.200	U	0.163	U	ND	U	0.163	U
Bromomethane	5	0.200	U	0.119	U	ND	U	0.119	U	0.200	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	0.200	U	0.362	U	ND	U	0.362	U	0.200	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	0.200	U	0.204	U	ND	U	0.204	U	0.200	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	0.200	U	0.284	U	ND	U	0.284	U	0.200	U	0.284	U	ND	U	0.284	U
Chloroethane	5	0.200	U	0.448	U	ND	U	0.448	U	0.200	U	0.448	U	ND	U	0.448	U
Chloroform	7	0.200	U	0.243	U	0.510		0.410	J	0.200	U	0.280	J	0.280	J	1.580	
Chloromethane	5	0.200	U	0.372	U	ND	U	0.372	U	0.200	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	0.200	U	0.294	U	ND	U	0.294	U	0.200	U	0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	0.200	U	0.262	U	ND	U	0.262	U	0.200	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	0.200	U	0.491	U	ND	U	0.491	U	0.200	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	0.200	U	0.146	U	ND	U	0.146	U	0.200	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	0.200	U	0.203	U	ND	U	0.203	U	0.200	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	0.200	U	0.451	U	ND	U	0.451	U	0.200	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	0.400	U	0.466	U	ND	U	0.466	U	0.400	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.200	U	0.290	U	ND	U	0.290	U	0.200	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.400	U	0.479	U	ND	U	0.479	U	0.400	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	0.200	U	0.241	U	ND	U	0.241	U	0.200	U	0.241	U	ND	U	0.241	U
Iodomethane	~	0.200	U	0.477	U	ND	U	0.477	U	0.200	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	0.200	U	0.405	U	ND	U	0.405	U	0.200	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	0.200	U	0.442	U	ND	U	0.442	U	0.200	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	0.200	U	0.415	U	ND	U	0.415	U	0.200	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.200	U	0.244	U	ND	U	0.244	U	0.200	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	0.200	U	0.477	U	ND	U	0.477	U	0.200	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	1	U	0.397	U	ND	U	0.397	U	1	U	0.397	U	ND	U	0.397	U
Naphthalene	10	1	U	0.212	U	ND	U	0.212	U	1	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	0.200	U	1.590		ND	U	0.399	U	0.200	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	0.200	U	0.384	U	ND	U	0.384	U	0.200	U	0.384	U	ND	U	0.384	U
o-Xylene	5	0.200	U	0.261	U	ND	U	0.261	U	0.200	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	0.500	U	0.578	U	ND	U	0.578	U	0.500	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~		##	0.341	U	ND	U	0.341	U	0.200	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	0.200	U	0.470	J	ND	U	0.200	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.200	U	0.377	U	ND	U	0.377	U	0.200	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.200	U	0.444	U	ND	U	0.444	U	0.200	U	0.444	U	ND	U	0.444	U
Styrene	5	0.200	U	0.255	U	ND	U	0.255	U	0.200	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	4	U	4.160	U	ND	U	4.160	U	4	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.400	U	0.511	U	ND	U	0.511	U	0.400	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.760	J	0.608	U	ND	U	0.608	U	1.060		0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	0.200	U	0.367	U	ND	U	0.367	U	0.200	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	0.220	J	1.670		1.220		1.090		0.420	J	2.910		1.430		1.180	
Tetrahydrofuran	~	0.200	U	0.485	U	ND	U	0.485	U	0.200	U	0.485	U	ND	U	0.485	U
Toluene	5	0.200	U	0.346	U	ND	U	0.346	U	0.200	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	0.200	U	0.279	U	ND	U	0.279	U	0.200	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.200	U	0.229	U	ND	U	0.229	U	0.200	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.200	U	0.283	U	ND	U	0.283	U	0.200	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	0.200	U	0.249	U	ND	U	0.249	U	0.200	U	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	0.200	U	0.337	U	ND	U	0.337	U	0.200	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	0.200	U	0.477	U	ND	U	0.477	U	0.200	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	0.200	U	0.469	U	ND	U	0.469	U	0.200	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	0.600	U	0.836	U	ND	U	0.839	U	0.600	U	0.836	U	ND	U	0.839	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-7 23H0317-06 8/3/2023 Ground Water		MW-7 24A1437-07 1/25/2024 Ground Water		MW-7 24G0928-07 7/15/2024 Ground Water		MW-7D 23H0317-07 8/3/2023 Ground Water		MW-7D 24A1437-08 1/25/2024 Ground Water		MW-7D 24G0928-08 7/15/2024 Ground Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER													
1,1,1,2-Tetrachloroethane	5	0.216	U	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	0.266	U	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.256	U	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.286	U	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	0.249	U	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	0.272	U	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	0.314	U	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	0.222	U	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	0.273	U	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	0.138	U	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	0.310	U	ND	U	0.310	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	0.432	U	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	0.215	U	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	0.270	U	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	0.347	U	ND	U	0.347	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	0.260	U	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	35.300	U	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50	0.421	U	ND	U	0.421	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	0.376	U	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	0.320	U	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	0.365	U	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50	1.340	U	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~	0.447	U	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	0.422	U	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1	0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	0.354	U	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	0.245	U	ND	U	0.245	U	0.245	U	ND	U	0.245	U
Bromoform	50	0.163	U	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5	0.119	U	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	0.362	U	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	0.204	U	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	0.284	U	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5	0.448	U	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7	0.243	U	ND	U	0.390	J	0.710		0.510		0.780	
Chloromethane	5	0.372	U	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	0.294	U	ND	U	0.294	U	0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	0.262	U	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	0.491	U	ND	U	0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	0.146	U	ND	U	0.146	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	0.203	U	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	0.451	U	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.290	U	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.479	U	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	0.241	U	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	0.405	U	ND	U	0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	0.442	U	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	0.415	U	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.244	U	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	0.397	U	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10	0.212	U	ND	U	0.212	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	0.399	U	ND	U	0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	0.384	U	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5	0.261	U	ND	U	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	0.578	U	ND	U	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	0.341	U	ND	U	0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	0.200	U	ND	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.444	U	ND	U	0.444	U	0.444	U	ND	U	0.444	U
Styrene	5	0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	4.160	U	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.511	U	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.608	U	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	4.980		**32.10**		**15.200**		0.280	J	ND	U	0.239	U
Tetrahydrofuran	~	0.485	U	ND	U	0.485	U	0.485	U	ND	U	0.485	U
Toluene	5	0.346	U	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.229	U	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	0.249	U	0.270	J	0.249	U	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	0.337	U	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	0.469	U	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	0.836	U	ND	U	0.839	U	0.836	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-8 23H0317-08 8/3/2023 Ground Water		MW-8 24A1437-09 1/25/2024 Ground Water		MW-8 24G0928-09 7/15/2024 Ground Water		MW-8D 23H0317-09 8/3/2023 Ground Water		MW-8D 24A1437-10 1/25/2024 Ground Water		MW-8D 24G0928-10 7/15/2024 Ground Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER													
1,1,1,2-Tetrachloroethane	5	0.216	U	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	0.266	U	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.256	U	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.286	U	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	0.249	U	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	0.272	U	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	0.314	U	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	0.222	U	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	0.273	U	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	0.255	U	1.500		0.780		0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	0.138	U	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	0.310	U	2.780		0.600		0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	0.432	U	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	0.215	U	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	0.270	U	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	0.347	U	1.900		0.570		0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	0.260	U	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	35.300	U	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50	0.421	U	ND	U	0.421	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	0.376	U	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	0.320	U	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	0.365	U	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50	1.340	U	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~	0.447	U	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	0.422	U	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1	0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	0.354	U	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	0.245	U	ND	U	0.245	U	0.245	U	ND	U	0.245	U
Bromoform	50	0.163	U	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5	0.119	U	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	0.362	U	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	0.204	U	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	0.284	U	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5	0.448	U	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7	0.290	J	0.250	J	0.310	J	0.570		0.440	J	1.360	
Chloromethane	5	0.372	U	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	**12.500**		**118**	D	**15.300**		0.294	U	0.820		0.294	U
cis-1,3-Dichloropropylene	0.4	0.262	U	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	0.491	U	0.520		0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	0.146	U	ND	U	0.146	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	0.203	U	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	0.451	U	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.290	U	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.479	U	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	0.241	U	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	0.405	U	0.840		0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	0.442	U	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	0.415	U	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.244	U	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	0.477	U	1.040		0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	0.397	U	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10	0.480	J	7.750		1.600	J	0.212	U	0.400	J	0.212	U
n-Butylbenzene	5	0.399	U	2.440		0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	0.384	U	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5	0.261	U	0.340	J	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	0.578	U	0.670	J	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	0.341	U	1.030		0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	0.200	U	1.080		0.260	J	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.470	J	1.120		2.420		0.444	U	ND	U	0.444	U
Styrene	5	0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	4.160	U	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.511	U	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.608	U	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	**6.190**		**43.30**		**82.900**	D	0.400	J	0.930		1.870	
Tetrahydrofuran	~	0.485	U	21.400		34.700		0.485	U	ND	U	0.485	U
Toluene	5	0.346	U	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	0.279	U	0.400	J	0.279	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.229	U	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	1.720		**11.20**		**16**		0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	0.337	U	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	0.469	U	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	0.836	U	1.010	J	0.839	U	0.836	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID		MW-9				MW-9 Dup.		MW-9		MW-9D					
York ID	NYSDEC TOGS Standards and Guidance Values - GA	23H0317-10		24A1437-11		24A1437-12		24G0928-11		23H0317-11		24A1437-13		24G0928-12	
Sampling Date		8/3/2023		1/25/2024		1/25/2024		7/15/2024		8/3/2023		1/25/2024		7/15/2024	
Matrix		Ground Water								Ground Water					
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER															
1,1,1,2-Tetrachloroethane	5	0.216	U	ND	U	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	0.266	U	ND	U	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.256	U	ND	U	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.286	U	ND	U	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	0.249	U	ND	U	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	0.272	U	ND	U	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	0.327	U	ND	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	0.314	U	ND	U	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	0.222	U	ND	U	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	0.273	U	ND	U	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	0.255	U	ND	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	0.138	U	ND	U	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	0.310	U	ND	U	ND	U	0.310	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	0.432	U	ND	U	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	0.215	U	ND	U	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	0.270	U	ND	U	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	0.377	U	ND	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	0.327	U	ND	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	0.347	U	ND	U	ND	U	0.347	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	0.283	U	ND	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	0.260	U	ND	U	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	0.311	U	ND	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	35.300	U	ND	U	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	0.466	U	ND	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50	0.421	U	ND	U	ND	U	0.421	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	0.376	U	ND	U	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	0.320	U	ND	U	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	0.311	U	ND	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	0.365	U	ND	U	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50	1.510	J	ND	U	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~	0.447	U	ND	U	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	0.422	U	ND	U	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1	0.279	U	ND	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	0.367	U	ND	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	0.354	U	ND	U	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	0.245	U	ND	U	ND	U	0.245	U	0.245	U	ND	U	0.245	U
Bromoform	50	0.163	U	ND	U	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5	0.119	U	ND	U	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	0.362	U	ND	U	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	0.204	U	ND	U	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	0.284	U	ND	U	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5	0.448	U	ND	U	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7	1.240		ND	U	ND	U	0.243	U	0.330	J	ND	U	0.243	U
Chloromethane	5	0.372	U	ND	U	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	4.960		2.120		2.070		3.600		**13.900**		**19.10**		**22.100**	
cis-1,3-Dichloropropylene	0.4	0.262	U	ND	U	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	0.491	U	ND	U	ND	U	0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	0.146	U	ND	U	ND	U	0.146	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	0.203	U	ND	U	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	0.451	U	ND	U	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	0.466	U	ND	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.290	U	ND	U	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.479	U	ND	U	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	0.241	U	ND	U	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~	0.477	U	ND	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	0.405	U	ND	U	ND	U	0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	0.442	U	ND	U	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	0.415	U	ND	U	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.244	U	ND	U	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	0.477	U	ND	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	0.397	U	ND	U	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10	0.212	U	ND	U	ND	U	0.212	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	0.399	U	0.410	J	0.500		0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	0.384	U	ND	U	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5	0.261	U	ND	U	ND	U	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	0.578	U	ND	U	ND	U	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	0.341	U	ND	U	ND	U	0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	0.200	U	ND	U	ND	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.377	U	ND	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.444	U	1.170		1.390		1.060		0.444	U	0.500		1.170	
Styrene	5	0.255	U	ND	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	4.160	U	ND	U	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.511	U	ND	U	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.608	U	ND	U	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	0.367	U	ND	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	**79.700**		**6.73**		**7.42**		0.690		**102**		**61.90**	D	**42.100**	
Tetrahydrofuran	~	0.485	U	ND	U	ND	U	0.485	U	0.485	U	ND	U	1.700	
Toluene	5	0.346	U	ND	U	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	0.279	U	ND	U	ND	U	0.400	J	0.400	J	**5.41**		3.290	
trans-1,3-Dichloropropylene	0.4	0.229	U	ND	U	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.283	U	ND	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	**8.930**		**5.06**		**5.23**		1.710		**6.350**		**62.70**	D	**51**	
Trichlorofluoromethane	5	0.337	U	ND	U	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	0.477	U	ND	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	0.469	U	ND	U	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	0.836	U	ND	U	ND	U	0.839	U	0.836	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID			MW-10						MW-10D					
York ID			23H0317-12		24A1437-14		24G1118-01		23H0317-13		24A1437-15		24G1118-02	
Sampling Date			8/3/2023		1/25/2024		7/16/2024		8/3/2023		1/25/2024		7/16/2024	
Matrix			Ground Water						Ground Water					
All units in micrograms per liter (µg/L)	NYSDEC TOGS Standards and Guidance Values - GA		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER														
1,1,1,2-Tetrachloroethane	5		0.216	U	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5		0.266	U	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5		0.256	U	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5		0.286	U	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1		0.249	U	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5		0.272	U	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5		0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5		0.314	U	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5		0.222	U	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04		0.273	U	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~		0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5		0.138	U	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5		0.310	U	ND	U	0.310	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04		0.432	U	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006		0.215	U	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3		0.270	U	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6		0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1		0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5		0.347	U	ND	U	0.347	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3		0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5		0.260	U	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3		0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35		35.300	U	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5		0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50		0.421	U	ND	U	0.421	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5		0.376	U	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50		0.320	U	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5		0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~		0.365	U	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50		1.340	U	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~		0.447	U	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~		0.422	U	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1		0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5		0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5		0.354	U	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50		0.245	U	ND	U	0.245	U	0.245	U	ND	U	0.245	U
Bromoform	50		0.163	U	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5		0.119	U	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~		0.362	U	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5		0.204	U	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5		0.284	U	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5		0.448	U	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7		0.270	J	0.43	J	0.480	J	1.770		0.57		0.960	
Chloromethane	5		0.372	U	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5		**21.700**		4.68		**11.400**		0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4		0.262	U	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~		1.550		ND	U	0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50		0.146	U	ND	U	0.146	U	0.146	U	ND	U	0.146	U
Dibromomethane	~		0.203	U	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5		0.451	U	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~		0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5		0.290	U	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~		0.479	U	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5		0.241	U	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~		0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5		0.405	U	ND	U	0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~		0.442	U	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~		0.415	U	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10		0.244	U	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~		0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5		0.397	U	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10		0.212	U	ND	U	0.212	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5		0.399	U	ND	U	0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5		0.384	U	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5		0.261	U	ND	U	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~		0.578	U	ND	U	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~		0.341	U	ND	U	0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~		0.200	U	ND	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5		0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5		0.444	U	ND	U	0.444	U	0.444	U	ND	U	0.444	U
Styrene	5		0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~		4.160	U	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~		0.511	U	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~		0.608	U	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5		0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5		**17.600**		3.28		1.720		0.239	U	ND	U	0.239	U
Tetrahydrofuran	~		0.485	U	ND	U	0.485	U	0.485	U	ND	U	0.485	U
Toluene	5		0.346	U	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5		0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4		0.229	U	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~		0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5		**5.220**		0.750		0.480	J	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5		0.337	U	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~		0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2		0.469	U	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5		0.836	U	ND	U	0.839	U	0.836	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID		MW-12						MW-12 Dup		MW-13						MW-13D					
York ID	NYSDEC TOGS Standards and Guidance Values - GA	23H0317-14		24A1519-01		24G1118-03		23H0317-19		23H0317-15		24A1437-16		24G1118-04		23H0317-16		24A1437-17		24G1118-05	
Sampling Date		8/3/2023		1/26/2024		7/16/2024		8/3/2023		8/3/2023		1/25/2024		7/16/2024		8/3/2023		1/25/2024		7/16/2024	
Matrix		Ground Water						Ground Water		Ground Water						Ground Water					
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	
VOA, 8260 LOW MASTER																					
1,1,1,2-Tetrachloroethane	5	0.216	U	ND	U	0.216	U	0.216	U	0.216	U	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	0.266	U	ND	U	0.266	U	0.266	U	0.266	U	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.256	U	ND	U	0.256	U	0.256	U	0.256	U	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.286	U	ND	U	0.286	U	0.286	U	0.286	U	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	0.249	U	ND	U	0.249	U	0.249	U	0.249	U	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	0.272	U	ND	U	0.272	U	0.272	U	0.272	U	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	0.327	U	ND	U	0.327	U	0.327	U	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	0.314	U	ND	U	0.314	U	0.314	U	0.314	U	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	0.222	U	ND	U	0.222	U	0.222	U	0.222	U	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	0.273	U	ND	U	0.273	U	0.273	U	0.273	U	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	0.255	U	ND	U	0.255	U	0.255	U	0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	0.138	U	ND	U	0.138	U	0.138	U	0.138	U	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	0.310	U	ND	U	0.310	U	0.310	U	0.310	U	ND	U	0.310	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	0.432	U	ND	U	0.432	U	0.432	U	0.432	U	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	0.215	U	ND	U	0.215	U	0.215	U	0.215	U	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	0.270	U	ND	U	0.270	U	0.270	U	0.270	U	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	0.377	U	ND	U	0.377	U	0.377	U	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	0.327	U	ND	U	0.327	U	0.327	U	0.327	U	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	0.347	U	ND	U	0.347	U	0.347	U	0.347	U	ND	U	0.347	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	0.283	U	ND	U	0.283	U	0.283	U	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	0.260	U	ND	U	0.260	U	0.260	U	0.260	U	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	0.311	U	ND	U	0.311	U	0.311	U	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	35.300	U	ND	U	35.300	U	35.300	U	35.300	U	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	0.466	U	ND	U	0.466	U	0.466	U	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50	0.421	U	ND	U	0.421	U	2.590		0.421	U	ND	U	0.421	U	0.421	U	ND	U	0.640	
2-Chlorotoluene	5	0.376	U	ND	U	0.376	U	0.376	U	0.376	U	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	0.320	U	ND	U	0.320	U	0.320	U	0.320	U	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	0.311	U	ND	U	0.311	U	0.311	U	0.311	U	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	0.365	U	ND	U	0.365	U	0.365	U	0.365	U	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50	1.340	U	ND	U	1.340	U	1.340	U	1.340	U	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~	0.447	U	ND	U	0.447	U	0.447	U	0.447	U	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	0.422	U	ND	U	0.422	U	0.422	U	0.422	U	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1	0.279	U	ND	U	0.279	U	0.279	U	0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	0.367	U	ND	U	0.367	U	0.367	U	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	0.354	U	ND	U	0.354	U	0.354	U	0.354	U	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	0.245	U	ND	U	0.245	U	0.245	U	0.245	U	ND	U	0.245	U	0.245	U	ND	U	0.245	U
Bromoform	50	0.163	U	ND	U	0.163	U	0.163	U	0.163	U	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5	0.119	U	ND	U	0.119	U	0.119	U	0.119	U	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	0.362	U	ND	U	0.362	U	0.362	U	0.362	U	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	0.204	U	ND	U	0.204	U	0.204	U	0.204	U	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	0.284	U	ND	U	0.284	U	0.284	U	0.284	U	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5	0.448	U	ND	U	0.448	U	0.448	U	0.448	U	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7	1.680		1.88		0.370	J	1.580		0.790		0.81		0.570		0.460	J	0.64		1.110	
Chloromethane	5	0.372	U	ND	U	0.372	U	0.372	U	0.372	U	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	0.294	U	ND	U	0.294	U	0.294	U	1.890		0.31	J	1.460		0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	0.262	U	ND	U	0.262	U	0.262	U	0.262	U	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	0.491	U	ND	U	0.491	U	0.491	U	0.491	U	ND	U	0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	0.146	U	ND	U	0.146	U	0.146	U	0.146	U	ND	U	0.146	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	0.203	U	ND	U	0.203	U	0.203	U	0.203	U	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	0.451	U	ND	U	0.451	U	0.451	U	0.451	U	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	0.466	U	ND	U	0.466	U	0.466	U	0.466	U	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.290	U	ND	U	0.290	U	0.290	U	0.290	U	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.479	U	ND	U	0.479	U	0.479	U	0.479	U	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	0.241	U	ND	U	0.241	U	0.241	U	0.241	U	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~	0.477	U	ND	U	0.477	U	0.477	U	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	0.405	U	ND	U	0.405	U	0.405	U	0.405	U	ND	U	0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	0.442	U	ND	U	0.442	U	0.442	U	0.442	U	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	0.415	U	ND	U	0.415	U	0.415	U	0.415	U	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.244	U	ND	U	0.244	U	0.244	U	0.244	U	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	0.477	U	ND	U	0.477	U	0.477	U	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	0.397	U	ND	U	0.397	U	0.397	U	0.397	U	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10	0.212	U	ND	U	0.212	U	0.212	U	0.212	U	ND	U	0.212	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	0.399	U	ND	U	0.399	U	0.399	U	0.399	U	ND	U	0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	0.384	U	ND	U	0.384	U	0.384	U	0.384	U	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5	0.261	U	ND	U	0.261	U	0.261	U	0.261	U	ND	U	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	0.578	U	ND	U	0.578	U	0.578	U	0.578	U	ND	U	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	0.341	U	ND	U	0.341	U	0.341	U	0.341	U	ND	U	0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	0.200	U	ND	U	0.200	U	0.200	U	0.200	U	ND	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.377	U	ND	U	0.377	U	0.377	U	0.377	U	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.444	U	ND	U	0.444	U	0.444	U	0.444	U	ND	U	0.444	U	0.444	U	ND	U	0.444	U
Styrene	5	0.255	U	ND	U	0.255	U	0.255	U	0.255	U	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	4.160	U	ND	U	4.160	U	4.160	U	4.160	U	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.511	U	ND	U	0.511	U	0.511	U	0.511	U	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.608	U	ND	U	0.608	U	0.608	U	0.608	U	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	0.367	U	ND	U	0.367	U	0.367	U	0.367	U	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	0.239	U	0.420	J	0.270	J	0.239	U	**10.100**		**17.30**		**6.610**		0.239	U	ND	U	0.239	U
Tetrahydrofuran	~	0.485	U	ND	U	0.485	U	0.485	U	0.485	U	ND	U	4.630		0.485	U	ND	U	2.210	
Toluene	5	0.346	U	ND	U	0.346	U	0.346	U	0.346	U	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	0.279	U	ND	U	0.279	U	0.279	U	0.279	U	ND	U	0.279	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.229	U	ND	U	0.229	U	0.229	U	0.229	U	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.283	U	ND	U	0.283	U	0.283	U	0.283	U	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	0.249	U	ND	U	0.249	U	0.249	U	1.060		0.46	J	0.460	J	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	0.337	U	ND	U	0.337	U	0.337	U	0.337	U	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	0.477	U	ND	U	0.477	U	0.477	U	0.477	U	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	0.469	U	ND	U	0.469	U	0.469	U	0.469	U	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	0.836	U	ND	U	0.839	U	0.836	U	0.836	U	ND	U	0.839	U	0.836	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-14 24A1437-18 1/25/2024 Ground Water		MW-14 24G1118-06 7/16/2024 Ground Water		MW-15 24A1437-19 1/25/2024 Ground Water		MW-15 24G1118-07 7/16/2024 Ground Water		MW-15D 24A1437-20 1/25/2024 Ground Water		MW-15D 24G1118-08 7/16/2024 Ground Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER													
1,1,1,2-Tetrachloroethane	5	ND	U	0.216	U	ND	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	ND	U	0.266	U	ND	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	ND	U	0.256	U	ND	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ND	U	0.286	U	ND	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	ND	U	0.249	U	ND	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	ND	U	0.272	U	ND	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	ND	U	0.327	U	ND	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	ND	U	0.314	U	ND	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	ND	U	0.222	U	ND	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	ND	U	0.273	U	ND	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	1.65		0.320	J	ND	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	ND	U	0.138	U	ND	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	**9.32**		0.760		ND	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	ND	U	0.432	U	ND	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	ND	U	0.215	U	ND	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	ND	U	0.270	U	ND	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	ND	U	0.377	U	ND	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	ND	U	0.327	U	ND	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	3.47		0.347	U	ND	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	ND	U	0.283	U	ND	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	ND	U	0.260	U	ND	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	ND	U	0.311	U	ND	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	ND	U	35.300	U	ND	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	ND	U	0.466	U	ND	U	0.466	U	ND	U	0.466	U
2-Butanone	50	ND	U	0.770		ND	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	ND	U	0.376	U	ND	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	ND	U	0.320	U	ND	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	ND	U	0.311	U	ND	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	ND	U	0.365	U	ND	U	0.365	U	ND	U	0.365	U
Acetone	50	ND	U	2.680		ND	U	1.340	U	ND	U	1.340	U
Acrolein	~	ND	U	2.020		ND	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	ND	U	0.422	U	ND	U	0.422	U	ND	U	0.422	U
Benzene	1	ND	U	0.279	U	ND	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	ND	U	0.367	U	ND	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	ND	U	0.354	U	ND	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	ND	U	0.245	U	ND	U	0.245	U	0.60		0.330	J
Bromoform	50	ND	U	0.163	U	ND	U	0.163	U	ND	U	0.163	U
Bromomethane	5	ND	U	0.119	U	ND	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	ND	U	0.362	U	ND	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	ND	U	0.204	U	ND	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	ND	U	0.284	U	ND	U	0.284	U	ND	U	0.284	U
Chloroethane	5	ND	U	0.448	U	ND	U	0.448	U	ND	U	0.448	U
Chloroform	7	0.61		0.243	U	1.58		1.070		4.12		2.810	
Chloromethane	5	ND	U	0.372	U	ND	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	ND	U	0.294	U	1.50		3.330		ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	ND	U	0.262	U	ND	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	6.28		1.230		ND	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	ND	U	0.146	U	ND	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	ND	U	0.203	U	ND	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	ND	U	0.451	U	ND	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	ND	U	0.466	U	ND	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	0.58		0.480	J	ND	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	ND	U	0.479	U	ND	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	ND	U	0.241	U	ND	U	0.241	U	ND	U	0.241	U
Iodomethane	~	ND	U	0.477	U	ND	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	2.22		1.850		ND	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	ND	U	0.442	U	ND	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	3.34		0.415	U	ND	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	ND	U	0.244	U	ND	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	6.38		0.980		ND	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	ND	U	0.397	U	ND	U	0.397	U	ND	U	0.397	U
Naphthalene	10	7.42		0.320	J	ND	J	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	ND	U	0.399	U	ND	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	1.40		0.400	J	ND	U	0.384	U	ND	U	0.384	U
o-Xylene	5	2.09		0.750		ND	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	3.43		0.580	J	ND	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	2.12		0.720		ND	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	4.26		0.320	J	ND	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	0.70		0.377	U	ND	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	0.51		0.750		ND	U	0.444	U	ND	U	0.444	U
Styrene	5	ND	U	0.255	U	ND	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	ND	U	4.160	U	ND	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	ND	U	0.511	U	ND	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	ND	U	0.608	U	ND	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	ND	U	0.367	U	ND	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	ND	U	0.239	U	**10.40**		**7.410**		ND	U	0.239	U
Tetrahydrofuran	~	ND	U	0.485	U	ND	U	0.485	U	ND	U	0.485	U
Toluene	5	0.48	J	0.346	U	ND	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	ND	U	0.279	U	ND	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	ND	U	0.229	U	ND	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	ND	U	0.283	U	ND	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	ND	U	0.249	U	3.290		3.100		ND	U	0.249	U
Trichlorofluoromethane	5	ND	U	0.337	U	ND	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	ND	U	0.477	U	ND	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	ND	U	0.469	U	ND	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	**5.52**		1.330	J	ND	U	0.839	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-16 24A1519-02 1/26/2024 Ground Water		MW-16 24G1118-09 7/16/2024 Ground Water		MW-16Dup 24G1118-10 7/16/2024 Ground Water		MW-16D 24A1519-03 1/26/2024 Ground Water		MW-16D 24G1118-11 7/16/2024 Ground Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER											
1,1,1,2-Tetrachloroethane	5	ND	U	0.216	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	ND	U	0.266	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	ND	U	0.256	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ND	U	0.286	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	ND	U	0.249	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	ND	U	0.272	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	ND	U	0.314	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	ND	U	0.222	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	ND	U	0.273	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	ND	U	0.255	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	ND	U	0.138	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	ND	U	0.310	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	ND	U	0.432	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	ND	U	0.215	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	ND	U	0.270	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	ND	U	0.377	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	ND	U	0.327	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	ND	U	0.347	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	ND	U	0.283	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	ND	U	0.260	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	ND	U	0.311	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	ND	U	35.300	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	ND	U	0.466	U	0.466	U	ND	U	0.466	U
2-Butanone	50	ND	U	0.421	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	ND	U	0.376	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	ND	U	0.320	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	ND	U	0.311	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	ND	U	0.365	U	0.365	U	ND	U	0.365	U
Acetone	50	ND	U	1.340	U	1.340	U	ND	U	1.340	U
Acrolein	~	ND	U	0.447	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	ND	U	0.422	U	0.422	U	ND	U	0.422	U
Benzene	1	ND	U	0.279	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	ND	U	0.354	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	ND	U	0.245	U	0.245	U	3		0.540	
Bromoform	50	ND	U	0.163	U	0.163	U	ND	U	0.163	U
Bromomethane	5	ND	U	0.119	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	ND	U	0.362	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	ND	U	0.204	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	ND	U	0.284	U	0.284	U	ND	U	0.284	U
Chloroethane	5	ND	U	0.448	U	0.448	U	ND	U	0.448	U
Chloroform	7	ND	U	0.420	J	0.420	J	**18.40**		5.390	
Chloromethane	5	ND	U	0.372	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	ND	U	0.294	U	0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	ND	U	0.262	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	ND	U	0.491	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	ND	U	0.146	U	0.146	U	0.41	J	0.146	U
Dibromomethane	~	ND	U	0.203	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	ND	U	0.451	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	ND	U	0.466	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	ND	U	0.290	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	ND	U	0.479	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	ND	U	0.241	U	0.241	U	ND	U	0.241	U
Iodomethane	~	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	ND	U	0.405	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	ND	U	0.442	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	ND	U	0.415	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	ND	U	0.244	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	ND	U	0.397	U	0.397	U	ND	U	0.397	U
Naphthalene	10	ND	U	0.212	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	ND	U	0.399	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	ND	U	0.384	U	0.384	U	ND	U	0.384	U
o-Xylene	5	ND	U	0.261	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	ND	U	0.578	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	ND	U	0.341	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	ND	U	0.200	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	ND	U	0.377	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	ND	U	0.444	U	0.444	U	ND	U	0.444	U
Styrene	5	ND	U	0.255	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	ND	U	4.160	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	ND	U	0.511	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	ND	U	0.608	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	ND	U	0.367	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	ND	U	0.239	U	0.239	U	ND	U	0.239	U
Tetrahydrofuran	~	ND	U	0.485	U	0.485	U	ND	U	0.485	U
Toluene	5	ND	U	0.346	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	ND	U	0.279	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	ND	U	0.229	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	ND	U	0.283	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	ND	U	0.249	U	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	ND	U	0.337	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	ND	U	0.477	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	ND	U	0.469	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	ND	U	0.839	U	0.839	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2A - Groundwater Data Table - VOCs
200 E Main Street, Mount Kisco, NY BCP Site
#C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-17 24A1437-21 1/25/2024 Ground Water		MW-17 24G1118-12 7/16/2024 Ground Water		MW-17D 24A1437-22 1/25/2024 Ground Water		MW-17D 24G1118-13 7/16/2024 Ground Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER									
1,1,1,2-Tetrachloroethane	5	ND	U	0.216	U	ND	U	0.216	U
1,1,1-Trichloroethane	5	ND	U	0.266	U	ND	U	0.266	U
1,1,2,2-Tetrachloroethane	5	ND	U	0.256	U	ND	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	ND	U	0.286	U	ND	U	0.286	U
1,1,2-Trichloroethane	1	ND	U	0.249	U	ND	U	0.249	U
1,1-Dichloroethane	5	ND	U	0.272	U	ND	U	0.272	U
1,1-Dichloroethylene	5	ND	U	0.327	U	ND	U	0.327	U
1,1-Dichloropropylene	5	ND	U	0.314	U	ND	U	0.314	U
1,2,3-Trichlorobenzene	5	ND	U	0.222	U	ND	U	0.222	U
1,2,3-Trichloropropane	0.04	ND	U	0.273	U	ND	U	0.273	U
1,2,4,5-Tetramethylbenzene	~	ND	U	0.255	U	ND	U	0.255	U
1,2,4-Trichlorobenzene	5	ND	U	0.138	U	ND	U	0.138	U
1,2,4-Trimethylbenzene	5	ND	U	0.310	U	ND	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	ND	U	0.432	U	ND	U	0.432	U
1,2-Dibromoethane	0.0006	ND	U	0.215	U	ND	U	0.215	U
1,2-Dichlorobenzene	3	ND	U	0.270	U	ND	U	0.270	U
1,2-Dichloroethane	0.6	ND	U	0.377	U	ND	U	0.377	U
1,2-Dichloropropane	1	ND	U	0.327	U	ND	U	0.327	U
1,3,5-Trimethylbenzene	5	ND	U	0.347	U	ND	U	0.347	U
1,3-Dichlorobenzene	3	ND	U	0.283	U	ND	U	0.283	U
1,3-Dichloropropane	5	ND	U	0.260	U	ND	U	0.260	U
1,4-Dichlorobenzene	3	ND	U	0.311	U	ND	U	0.311	U
1,4-Dioxane	0.35	ND	U	35.300	U	ND	U	35.300	U
2,2-Dichloropropane	5	ND	U	0.466	U	ND	U	0.466	U
2-Butanone	50	ND	U	0.421	U	ND	U	0.421	U
2-Chlorotoluene	5	ND	U	0.376	U	ND	U	0.376	U
2-Hexanone	50	ND	U	0.320	U	ND	U	0.320	U
4-Chlorotoluene	5	ND	U	0.311	U	ND	U	0.311	U
4-Methyl-2-pentanone	~	ND	U	0.365	U	ND	U	0.365	U
Acetone	50	ND	U	1.340	U	ND	U	1.340	U
Acrolein	~	ND	U	0.447	U	ND	U	0.447	U
Acrylonitrile	~	ND	U	0.422	U	ND	U	0.422	U
Benzene	1	ND	U	0.279	U	ND	U	0.279	U
Bromobenzene	5	ND	U	0.367	U	ND	U	0.367	U
Bromochloromethane	5	ND	U	0.354	U	ND	U	0.354	U
Bromodichloromethane	50	ND	U	0.245	U	0.980		0.910	
Bromoform	50	ND	U	0.163	U	ND	U	0.163	U
Bromomethane	5	ND	U	0.119	U	ND	U	0.119	U
Carbon disulfide	~	ND	U	0.362	U	ND	U	0.362	U
Carbon tetrachloride	5	ND	U	0.204	U	ND	U	0.204	U
Chlorobenzene	5	ND	U	0.284	U	ND	U	0.284	U
Chloroethane	5	ND	U	0.448	U	ND	U	0.448	U
Chloroform	7	ND	U	0.243	U	**13.70**		**21.400**	
Chloromethane	5	ND	U	0.372	U	ND	U	0.372	U
cis-1,2-Dichloroethylene	5	ND	U	0.294	U	ND	U	0.294	U
cis-1,3-Dichloropropylene	0.4	ND	U	0.262	U	ND	U	0.262	U
Cyclohexane	~	ND	U	0.491	U	ND	U	0.491	U
Dibromochloromethane	50	ND	U	0.146	U	ND	U	0.146	U
Dibromomethane	~	ND	U	0.203	U	ND	U	0.203	U
Dichlorodifluoromethane	5	ND	U	0.451	U	ND	U	0.451	U
Diisopropyl ether (DIPE)	~	ND	U	0.466	U	ND	U	0.466	U
Ethyl Benzene	5	ND	U	0.290	U	ND	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	ND	U	0.479	U	ND	U	0.479	U
Hexachlorobutadiene	0.5	ND	U	0.241	U	ND	U	0.241	U
Iodomethane	~	ND	U	0.477	U	ND	U	0.477	U
Isopropylbenzene	5	ND	U	0.405	U	ND	U	0.405	U
Methyl acetate	~	ND	U	0.442	U	ND	U	0.442	U
Methyl Methacrylate	~	ND	U	0.415	U	ND	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	ND	U	0.244	U	ND	U	0.244	U
Methylcyclohexane	~	ND	U	0.477	U	ND	U	0.477	U
Methylene chloride	5	ND	U	0.397	U	ND	U	0.397	U
Naphthalene	10	ND	U	0.212	U	ND	U	0.212	U
n-Butylbenzene	5	ND	U	0.399	U	ND	U	0.399	U
n-Propylbenzene	5	ND	U	0.384	U	ND	U	0.384	U
o-Xylene	5	ND	U	0.261	U	ND	U	0.261	U
p- & m- Xylenes	~	ND	U	0.578	U	ND	U	0.578	U
p-Diethylbenzene	~	ND	U	0.341	U	ND	U	0.341	U
p-Ethyltoluene	~	ND	U	0.200	U	ND	U	0.200	U
p-Isopropyltoluene	5	ND	U	0.377	U	ND	U	0.377	U
sec-Butylbenzene	5	ND	U	0.444	U	ND	U	0.444	U
Styrene	5	ND	U	0.255	U	ND	U	0.255	U
tert-Amyl alcohol (TAA)	~	ND	U	4.160	U	ND	U	4.160	U
tert-Amyl methyl ether (TAME)	~	ND	U	0.511	U	ND	U	0.511	U
tert-Butyl alcohol (TBA)	~	ND	U	0.608	U	ND	U	0.608	U
tert-Butylbenzene	5	ND	U	0.367	U	ND	U	0.367	U
Tetrachloroethylene	5	ND	U	0.239	U	ND	U	0.239	U
Tetrahydrofuran	~	ND	U	0.485	U	ND	U	0.630	
Toluene	5	ND	U	0.346	U	ND	U	0.346	U
trans-1,2-Dichloroethylene	5	ND	U	0.279	U	ND	U	0.279	U
trans-1,3-Dichloropropylene	0.4	ND	U	0.229	U	ND	U	0.229	U
trans-1,4-dichloro-2-butene	~	ND	U	0.283	U	ND	U	0.283	U
Trichloroethylene	5	ND	U	0.249	U	ND	U	0.249	U
Trichlorofluoromethane	5	ND	U	0.337	U	ND	U	0.337	U
Vinyl acetate	~	ND	U	0.477	U	ND	U	0.477	U
Vinyl Chloride	2	ND	U	0.469	U	ND	U	0.469	U
Xylenes, Total	5	ND	U	0.839	U	ND	U	0.839	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2B - Trip Blank Data

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID	Trip Blank		Trip Blank		Trip Blank		Trip Blank	
York ID	21K0972-09		24A1437-24		24G0928-13		24G1118-14	
Sampling Date	11/18/2021		1/25/2024		7/15/2024		7/16/2024	
Matrix	Water		Water		Water		Water	
All units in micrograms per liter (µg/L)	Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER								
1,1,1,2-Tetrachloroethane	0.200	U	0.216	U	0.216	U	0.216	U
1,1,1-Trichloroethane	0.200	U	0.266	U	0.266	U	0.266	U
1,1,2,2-Tetrachloroethane	0.200	U	0.256	U	0.256	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.200	U	0.286	U	0.286	U	0.286	U
1,1,2-Trichloroethane	0.200	U	0.249	U	0.249	U	0.249	U
1,1-Dichloroethane	0.200	U	0.272	U	0.272	U	0.272	U
1,1-Dichloroethylene	0.200	U	0.327	U	0.327	U	0.327	U
1,1-Dichloropropylene	0.200	U	0.314	U	0.314	U	0.314	U
1,2,3-Trichlorobenzene	0.200	U	0.222	U	0.222	U	0.222	U
1,2,3-Trichloropropane	0.200	U	0.273	U	0.273	U	0.273	U
1,2,4,5-Tetramethylbenzene	0.200	U	0.255	U	0.255	U	0.255	U
1,2,4-Trichlorobenzene	0.200	U	0.138	U	0.138	U	0.138	U
1,2,4-Trimethylbenzene	0.200	U	0.310	U	0.310	U	0.310	U
1,2-Dibromo-3-chloropropane	0.200	U	0.432	U	0.432	U	0.432	U
1,2-Dibromoethane	0.200	U	0.215	U	0.215	U	0.215	U
1,2-Dichlorobenzene	0.200	U	0.270	U	0.270	U	0.270	U
1,2-Dichloroethane	0.200	U	0.377	U	0.377	U	0.377	U
1,2-Dichloropropane	0.200	U	0.327	U	0.327	U	0.327	U
1,3,5-Trimethylbenzene	0.200	U	0.347	U	0.347	U	0.347	U
1,3-Dichlorobenzene	0.200	U	0.283	U	0.283	U	0.283	U
1,3-Dichloropropane	0.200	U	0.260	U	0.260	U	0.260	U
1,4-Dichlorobenzene	0.200	U	0.311	U	0.311	U	0.311	U
1,4-Dioxane	40	U	35.300	U	35.300	U	35.300	U
2,2-Dichloropropane	0.200	U	0.466	U	0.466	U	0.466	U
2-Butanone	0.200	U	0.421	U	0.421	U	0.421	U
2-Chlorotoluene	0.200	U	0.376	U	0.376	U	0.376	U
2-Hexanone	0.200	U	0.320	U	0.320	U	0.320	U
4-Chlorotoluene	0.200	U	0.311	U	0.311	U	0.311	U
4-Methyl-2-pentanone	0.200	U	0.365	U	0.365	U	0.365	U
Acetone	1	U	1.340	U	1.340	U	1.820	J
Acrolein	0.200	U	0.447	U	0.447	U	0.447	U
Acrylonitrile	0.200	U	0.422	U	0.422	U	0.422	U
Benzene	0.200	U	0.279	U	0.279	U	0.279	U
Bromobenzene	0.200	U	0.367	U	0.367	U	0.367	U
Bromochloromethane	0.200	U	0.354	U	0.354	U	0.354	U
Bromodichloromethane	0.200	U	0.245	U	0.245	U	0.245	U
Bromoform	0.200	U	0.163	U	0.163	U	0.163	U
Bromomethane	0.200	U	0.119	U	0.119	U	0.119	U
Carbon disulfide	0.200	U	0.362	U	0.362	U	0.362	U
Carbon tetrachloride	0.200	U	0.204	U	0.204	U	0.204	U
Chlorobenzene	0.200	U	0.284	U	0.284	U	0.284	U
Chloroethane	0.200	U	0.448	U	0.448	U	0.448	U
Chloroform	0.200	U	0.243	U	0.243	U	0.243	U
Chloromethane	0.200	U	0.372	U	0.372	U	0.372	U
cis-1,2-Dichloroethylene	0.200	U	0.294	U	0.294	U	0.294	U
cis-1,3-Dichloropropylene	0.200	U	0.262	U	0.262	U	0.262	U
Cyclohexane	0.200	U	0.491	U	0.491	U	0.491	U
Dibromochloromethane	0.200	U	0.146	U	0.146	U	0.146	U
Dibromomethane	0.200	U	0.203	U	0.203	U	0.203	U
Dichlorodifluoromethane	0.200	U	0.451	U	0.451	U	0.451	U
Diisopropyl ether (DIPE)	0.400	U	0.466	U	0.466	U	0.466	U
Ethyl Benzene	0.200	U	0.290	U	0.290	U	0.290	U
Ethyl tert-butyl ether (ETBE)	0.400	U	0.479	U	0.479	U	0.479	U
Hexachlorobutadiene	0.200	U	0.241	U	0.241	U	0.241	U
Iodomethane	0.200	U	0.477	U	0.477	U	0.477	U
Isopropylbenzene	0.200	U	0.405	U	0.405	U	0.405	U
Methyl acetate	0.200	U	0.442	U	0.442	U	0.442	U
Methyl Methacrylate	0.200	U	0.415	U	0.415	U	0.415	U
Methyl tert-butyl ether (MTBE)	0.200	U	0.244	U	0.244	U	0.244	U
Methylcyclohexane	0.200	U	0.477	U	0.477	U	0.477	U
Methylene chloride	1	U	0.397	U	0.397	U	0.397	U
Naphthalene	1	U	0.212	U	0.212	U	0.212	U
n-Butylbenzene	0.200	U	0.399	U	0.399	U	0.399	U
n-Propylbenzene	0.200	U	0.384	U	0.384	U	0.384	U
o-Xylene	0.200	U	0.261	U	0.261	U	0.261	U
p- & m- Xylenes	0.500	U	0.578	U	0.578	U	0.578	U
p-Diethylbenzene	0.200	U	0.341	U	0.341	U	0.341	U
p-Ethyltoluene	0.200	U	0.200	U	0.200	U	0.200	U
p-Isopropyltoluene	0.200	U	0.377	U	0.377	U	0.377	U
sec-Butylbenzene	0.200	U	0.444	U	0.444	U	0.444	U
Styrene	0.200	U	0.255	U	0.255	U	0.255	U
tert-Amyl alcohol (TAA)	4	U	4.160	U	4.160	U	4.160	U
tert-Amyl methyl ether (TAME)	0.400	U	0.511	U	0.511	U	0.511	U
tert-Butyl alcohol (TBA)	0.780	J	0.608	U	0.608	U	0.640	J
tert-Butylbenzene	0.200	U	0.367	U	0.367	U	0.367	U
Tetrachloroethylene	0.200	U	0.239	U	0.239	U	0.239	U
Tetrahydrofuran	0.200	U	0.485	U	0.485	U	0.485	U
Toluene	0.200	U	0.346	U	0.346	U	0.346	U
trans-1,2-Dichloroethylene	0.200	U	0.279	U	0.279	U	0.279	U
trans-1,3-Dichloropropylene	0.200	U	0.229	U	0.229	U	0.229	U
trans-1,4-dichloro-2-butene	0.200	U	0.283	U	0.283	U	0.283	U
Trichloroethylene	0.200	U	0.249	U	0.249	U	0.249	U
Trichlorofluoromethane	0.200	U	0.337	U	0.337	U	0.337	U
Vinyl acetate	0.200	U	0.477	U	0.477	U	0.477	U
Vinyl Chloride	0.200	U	0.469	U	0.469	U	0.469	U
Xylenes, Total	0.600	U	0.836	U	0.839	U	0.839	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2C - Field Blank Data - 11.18.2021

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID	Field Blank	
York ID	21K0972-08	
Sampling Date	11/18/2021	
Client Matrix	Water	
All units in nanograms per liter (ng/L)	Result	Q
PFAS, NYSDEC Target List		
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	0.00192	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	0.00481	U
d3-N-MeFOSAA	0.0297	
d5-N-EtFOSAA	0.0428	
M2-6:2 FTS	0.0662	
M2-8:2 FTS	0.0633	
M2PFTeDA	0.0376	
M3PFBS	0.0497	
M3PFHxS	0.0490	
M4PFHpA	0.0503	
M5PFHxA	0.0570	
M6PFDA	0.0536	
M7PFUdA	0.0480	
M9PFNA	0.0584	
N-EtFOSAA	0.00192	U
N-MeFOSAA	0.00192	J
Perfluoro-1-[13C8]octanesulfonamide (M8FOSA)	0.0227	
Perfluoro-1-[13C8]octanesulfonic acid (M8PFOS)	0.0546	
Perfluoro-1-decanesulfonic acid (PFDS)	0.00192	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	0.00192	U
Perfluoro-1-octanesulfonamide (FOSA)	0.00192	U
Perfluorobutanesulfonic acid (PFBS)	0.00192	U
Perfluorodecanoic acid (PFDA)	0.00192	U
Perfluorododecanoic acid (PFDoA)	0.00192	U
Perfluoroheptanoic acid (PFHpA)	0.00192	U
Perfluorohexanesulfonic acid (PFHxS)	0.00192	U
Perfluorohexanoic acid (PFHxA)	0.00192	U
Perfluoro-n-[1,2-13C2]dodecanoic acid (MPFDoA)	0.0583	
Perfluoro-n-[13C4]butanoic acid (MPFBA)	0.0555	
Perfluoro-n-[13C5]pentanoic acid (M5PFPeA)	0.0545	
Perfluoro-n-[13C8]octanoic acid (M8PFOA)	0.0612	
Perfluoro-n-butanoic acid (PFBA)	0.00192	U
Perfluorononanoic acid (PFNA)	0.00192	U
Perfluorooctanesulfonic acid (PFOS)	0.00192	U
Perfluorooctanoic acid (PFOA)	0.00192	U
Perfluoropentanoic acid (PFPeA)	0.00192	U
Perfluorotetradecanoic acid (PFTA)	0.00192	U
Perfluorotridecanoic acid (PFTrDA)	0.00192	U
Perfluoroundecanoic acid (PFUnA)	0.00192	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2D - Rinsate Data - 11.18.2021

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID	Rinsate	
York ID	24A1437-23	
Sampling Date	1/25/2024	
Matrix	Water	
All units in micrograms per liter (µg/L)	Result	Q
VOA, 8260 LOW MASTER		
1,1,1,2-Tetrachloroethane	0.216	U
1,1,1-Trichloroethane	0.266	U
1,1,2,2-Tetrachloroethane	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.286	U
1,1,2-Trichloroethane	0.249	U
1,1-Dichloroethane	0.272	U
1,1-Dichloroethylene	0.327	U
1,1-Dichloropropylene	0.314	U
1,2,3-Trichlorobenzene	0.222	U
1,2,3-Trichloropropane	0.273	U
1,2,4,5-Tetramethylbenzene	0.255	U
1,2,4-Trichlorobenzene	0.138	U
1,2,4-Trimethylbenzene	0.310	U
1,2-Dibromo-3-chloropropane	0.432	U
1,2-Dibromoethane	0.215	U
1,2-Dichlorobenzene	0.270	U
1,2-Dichloroethane	0.377	U
1,2-Dichloropropane	0.327	U
1,3,5-Trimethylbenzene	0.347	U
1,3-Dichlorobenzene	0.283	U
1,3-Dichloropropane	0.260	U
1,4-Dichlorobenzene	0.311	U
1,4-Dioxane	35.300	U
2,2-Dichloropropane	0.466	U
2-Butanone	0.421	U
2-Chlorotoluene	0.376	U
2-Hexanone	0.320	U
4-Chlorotoluene	0.311	U
4-Methyl-2-pentanone	0.365	U
Acetone	1.340	U
Acrolein	0.447	U
Acrylonitrile	0.422	U
Benzene	0.279	U
Bromobenzene	0.367	U
Bromochloromethane	0.354	U
Bromodichloromethane	0.245	U
Bromoform	0.163	U
Bromomethane	0.119	U
Carbon disulfide	0.362	U
Carbon tetrachloride	0.204	U
Chlorobenzene	0.284	U
Chloroethane	0.448	U
Chloroform	0.243	U
Chloromethane	0.372	U
cis-1,2-Dichloroethylene	0.294	U
cis-1,3-Dichloropropylene	0.262	U
Cyclohexane	0.491	U
Dibromochloromethane	0.146	U
Dibromomethane	0.203	U
Dichlorodifluoromethane	0.451	U
Diisopropyl ether (DIPE)	0.466	U
Ethyl Benzene	0.290	U
Ethyl tert-butyl ether (ETBE)	0.479	U
Hexachlorobutadiene	0.241	U
Iodomethane	0.477	U
Isopropylbenzene	0.405	U
Methyl acetate	0.442	U
Methyl Methacrylate	0.415	U
Methyl tert-butyl ether (MTBE)	0.244	U
Methylcyclohexane	0.477	U
Methylene chloride	0.397	U
Naphthalene	0.212	U
n-Butylbenzene	0.399	U
n-Propylbenzene	0.384	U
o-Xylene	0.261	U
p- & m- Xylenes	0.578	U
p-Diethylbenzene	0.341	U
p-Ethyltoluene	0.200	U

Table 2D - Rinsate Data - 11.18.2021

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID	**Rinsate**	
York ID	**24A1437-23**	
Sampling Date	**1/25/2024**	
Matrix	**Water**	
All units in micrograms per liter (µg/L)	Result	Q
p-Isopropyltoluene	0.377	U
sec-Butylbenzene	0.444	U
Styrene	0.255	U
tert-Amyl alcohol (TAA)	4.160	U
tert-Amyl methyl ether (TAME)	0.511	U
tert-Butyl alcohol (TBA)	0.608	U
tert-Butylbenzene	0.367	U
Tetrachloroethylene	0.239	U
Tetrahydrofuran	0.485	U
Toluene	0.346	U
trans-1,2-Dichloroethylene	0.279	U
trans-1,3-Dichloropropylene	0.229	U
trans-1,4-dichloro-2-butene	0.283	U
Trichloroethylene	0.249	U
Trichlorofluoromethane	0.337	U
Vinyl acetate	0.477	U
Vinyl Chloride	0.469	U
Xylenes, Total	0.836	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2E - Groundwater Data - SVOCs

200 E Main Street, Mount Kisco, NY BCP

Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-1 21K0972-01 11/18/2021 Groundwater		MW-2 21K0972-02 11/18/2021 Groundwater		MW-3 21K0972-03 11/18/2021 Groundwater		MW-3 duplicate 21K0972-04 11/18/2021 Groundwater		MW-4 21K0972-05 11/18/2021 Groundwater		MW-5 21K0972-06 11/18/2021 Groundwater		MW-6 21K0972-07 11/18/2021 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Aqueous															
1,4-Dioxane	0.35	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U	0.300	U
1,4-Dioxane-d8	~	3.200		3.040		3.040		3.040		3.520		3.040		3.200	
SVOA, 8270 LOW MASTER															
1,1-Biphenyl	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
1,2,4,5-Tetrachlorobenzene	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,3,4,6-Tetrachlorophenol	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,4,5-Trichlorophenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
2,4,6-Trichlorophenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
2,4-Dichlorophenol	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,4-Dimethylphenol	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,4-Dinitrophenol	10	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,4-Dinitrotoluene	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2,6-Dinitrotoluene	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2-Chloronaphthalene	10	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2-Chlorophenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
2-Methylnaphthalene	~	2.560	U	2.630	U	2.700	U	2.700	U	13.500		2.860	U	2.630	U
2-Methylphenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
2-Nitroaniline	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
2-Nitrophenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
3- & 4-Methylphenols	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
3,3-Dichlorobenzidine	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
3-Nitroaniline	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
4,6-Dinitro-2-methylphenol	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
4-Bromophenyl phenyl ether	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
4-Chloro-3-methylphenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
4-Chloroaniline	5	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
4-Chlorophenyl phenyl ether	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
4-Nitroaniline	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
4-Nitrophenol	1	*5.130*	*U*	*5.260*	*U*	*5.410*	*U*	*5.410*	*U*	*5.560*	*U*	*5.710*	*U*	*5.260*	*U*
Acetophenone	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Benzaldehyde	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Benzyl butyl phthalate	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Bis(2-chloroethoxy)methane	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Bis(2-chloroethyl)ether	1	*1.030*	*U*	*1.050*	*U*	*1.080*	*U*	*1.080*	*U*	*1.110*	*U*	*1.140*	*U*	*1.050*	*U*
Bis(2-chloroisopropyl)ether	5	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Caprolactam	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Carbazole	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Dibenzofuran	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Diethyl phthalate	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Dimethyl phthalate	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Di-n-butyl phthalate	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Di-n-octyl phthalate	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Hexachlorocyclopentadiene	5	*5.130*	*U*	*5.260*	*U*	*5.410*	*U*	*5.410*	*U*	*5.560*	*U*	*5.710*	*U*	*5.260*	*U*
Isophorone	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
N-nitroso-di-n-propylamine	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
N-Nitrosodiphenylamine	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Phenol	1	*2.560*	*U*	*2.630*	*U*	*2.700*	*U*	*2.700*	*U*	*2.780*	*U*	*2.860*	*U*	*2.630*	*U*
Propargite	~	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
Pyridine	50	2.560	U	2.630	U	2.700	U	2.700	U	2.780	U	2.860	U	2.630	U
SVOA, 8270 SIM MASTER															
Acenaphthene	20	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.100		0.0571	U	0.0526	U
Acenaphthylene	~	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.233		0.0571	U	0.0526	U
Anthracene	50	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0556	U	0.0571	U	0.0526	U
Atrazine	~	0.513	U	0.526	U	0.541	U	0.541	U	0.556	U	0.571	U	0.526	U
Benzo(a)anthracene	0.002	*0.051*	*U*	*0.053*	*U*	*0.054*	*U*	*0.054*	*U*	*0.056*	*U*	*0.057*	*U*	*0.053*	*U*
Benzo(a)pyrene	0.002	*0.051*	*U*	*0.053*	*U*	*0.054*	*U*	*0.054*	*U*	*0.056*	*U*	*0.057*	*U*	*0.053*	*U*
Benzo(b)fluoranthene	0.002	*0.051*	*U*	*0.053*	*U*	*0.054*	*U*	*0.054*	*U*	*0.056*	*U*	*0.057*	*U*	*0.053*	*U*
Benzo(g,h,i)perylene	~	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0556	U	0.0571	U	0.0526	U
Benzo(k)fluoranthene	0.002	*0.0513*	*U*	*0.0526*	*U*	*0.0541*	*U*	*0.0541*	*U*	*0.0556*	*U*	*0.0571*	*U*	*0.0526*	*U*
Bis(2-ethylhexyl)phthalate	5	0.513	U	0.526	U	0.541	U	0.541	U	1.590		0.571	U	0.526	U
Chrysene	0.002	*0.051*	*U*	*0.053*	*U*	*0.054*	*U*	*0.054*	*U*	*0.056*	*U*	*0.057*	*U*	*0.053*	*U*
Dibenzo(a,h)anthracene	~	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0556	U	0.0571	U	0.0526	U
Fluoranthene	50	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0556	U	0.0571	U	0.0526	U
Fluorene	50	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.133		0.0571	U	0.0526	U
Hexachlorobenzene	0.04	0.0205	U	0.0211	U	0.0216	U	0.0216	U	0.0222	U	0.0229	U	0.0211	U
Hexachlorobutadiene	0.5	*0.513*	*U*	*0.526*	*U*	*0.541*	*U*	*0.541*	*U*	*0.556*	*U*	*0.571*	*U*	*0.526*	*U*
Hexachloroethane	5	0.513	U	0.526	U	0.541	U	0.541	U	0.556	U	0.571	U	0.526	U
Indeno(1,2,3-cd)pyrene	0.002	*0.051*	*U*	*0.053*	*U*	*0.054*	*U*	*0.054*	*U*	*0.056*	*U*	*0.057*	*U*	*0.053*	*U*
Naphthalene	10	0.0513		2.530		0.0541	U	0.0541	U	2.720		0.0571	U	0.0526	U
Nitrobenzene	0.4	0.256	U	0.263	U	0.270	U	0.270	U	0.278	U	0.286	U	0.263	U
N-Nitrosodimethylamine	~	0.513	U	0.526	U	0.541	U	0.541	U	0.556	U	0.571	U	0.526	U
Pentachlorophenol	1	0.256	U	0.263	U	0.270	U	0.270	U	0.278	U	0.286	U	0.263	U
Phenanthrene	50	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0556		0.0571	U	0.0526	U
Pyrene	50	0.0513	U	0.0526	U	0.0541	U	0.0541	U	0.0778		0.0571	U	0.0526	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2E - Groundwater Data - SVOCs

200 E Main Street, Mount Kisco, NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-7 23H0317-06 8/3/2003 Groundwater		MW-7D 23H0317-07 8/3/2003 Groundwater		MW-10 23H0317-12 8/3/2003 Groundwater		MW-10D 23H0317-13 8/3/2003 Groundwater		MW-14 24A1437-18 1/25/2024 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Semi-Volatiles, 1,4-Dioxane 8270 SIM-Aqueous											
1,4-Dioxane	0.35	0.300	U	0.300	U	0.300	U	0.300	U	0.299	U
SVOA, 8270 LOW MASTER											
1,1-Biphenyl	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
1,2,4,5-Tetrachlorobenzene	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,3,4,6-Tetrachlorophenol	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,4,5-Trichlorophenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
2,4,6-Trichlorophenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
2,4-Dichlorophenol	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,4-Dimethylphenol	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,4-Dinitrophenol	10	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,4-Dinitrotoluene	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2,6-Dinitrotoluene	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2-Chloronaphthalene	10	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2-Chlorophenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
2-Methylnaphthalene	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2-Methylphenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
2-Nitroaniline	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
2-Nitrophenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
3- & 4-Methylphenols	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
3,3-Dichlorobenzidine	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
3-Nitroaniline	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4,6-Dinitro-2-methylphenol	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4-Bromophenyl phenyl ether	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4-Chloro-3-methylphenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
4-Chloroaniline	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4-Chlorophenyl phenyl ether	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4-Nitroaniline	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
4-Nitrophenol	1	*5.260*	*U*	*5.150*	*U*	*5.150*	*U*	*5.000*	*U*	*5.260*	*U*
Acetophenone	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Benzaldehyde	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Benzyl butyl phthalate	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Bis(2-chloroethoxy)methane	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Bis(2-chloroethyl)ether	1	*1.050*	*U*	*1.030*	*U*	*1.030*	*U*	1	U	*1.050*	*U*
Bis(2-chloroisopropyl)ether	5	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Caprolactam	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Carbazole	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Dibenzofuran	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Diethyl phthalate	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Dimethyl phthalate	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Di-n-butyl phthalate	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Di-n-octyl phthalate	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Hexachlorocyclopentadiene	5	*5.260*	*U*	*5.150*	*U*	*5.150*	*U*	5	U	*5.260*	*U*
Isophorone	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
N-nitroso-di-n-propylamine	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
N-Nitrosodiphenylamine	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Phenol	1	*2.630*	*U*	*2.580*	*U*	*2.580*	*U*	*2.500*	*U*	*2.630*	*U*
Propargite	~	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
Pyridine	50	2.630	U	2.580	U	2.580	U	2.500	U	2.630	U
SVOA, 8270 SIM MASTER											
Acenaphthene	20	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Acenaphthylene	~	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Anthracene	50	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Atrazine	~	0.526	U	0.515	U	0.515	U	0.500	U	0.526	U
Benzo(a)anthracene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Benzo(a)pyrene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Benzo(b)fluoranthene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Benzo(g,h,i)perylene	~	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Benzo(k)fluoranthene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Bis(2-ethylhexyl)phthalate	5	0.979		1.260		0.515	U	2.830		0.526	U
Chrysene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Dibenzo(a,h)anthracene	~	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Fluoranthene	50	0.0526	U	0.0515	U	0.0515	U	0.0500	U	0.0526	U
Fluorene	50	0.0526	U	0.0515	U	0.0515	U	0.380		0.0526	U
Hexachlorobenzene	0.04	0.0211	U	0.0206	U	0.0206	U	0.0200	U	0.0211	U
Hexachlorobutadiene	0.5	*0.526*	U	*0.515*	*U*	*0.515*	*U*	0.500	U	*0.526*	U
Hexachloroethane	5	0.526	U	0.515	U	0.515	U	0.500	U	0.526	U
Indeno(1,2,3-cd)pyrene	0.002	*0.053*	*U*	*0.052*	*U*	*0.052*	*U*	*0.050*	*U*	*0.053*	*U*
Naphthalene	10	0.0842		0.155		0.175		0.140		0.0947	
Nitrobenzene	0.4	0.263	U	0.258	U	0.258	U	0.250	U	0.263	U
N-Nitrosodimethylamine	~	0.526	U	0.515	U	0.515	U	0.500	U	0.526	U
Pentachlorophenol	1	0.263	U	0.258	U	0.258	U	0.250	U	0.263	U
Phenanthrene	50	0.0526	U	0.103		0.0515		0.0500	U	0.0526	
Pyrene	50	0.0526	U	0.0515		0.0515	U	0.0500	U	0.0526	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2F - Groundwater Data - Metals

200 E Main Street, Mount Kisco, NY BCP

Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-1 21K0972-01 11/18/2021 Groundwater		MW-2 21K0972-02 11/18/2021 Groundwater		MW-3 21K0972-03 11/18/2021 Groundwater		MW-3 duplicate 21K0972-04 11/18/2021 Groundwater		MW-4 21K0972-05 11/18/2021 Groundwater		MW-5 21K0972-06 11/18/2021 Groundwater		MW-6 21K0972-07 11/18/2021 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Mercury by 7470/7471															
Mercury	0.7	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U
Metals, Target Analyte															
Aluminum	~	155		273		87.600		274		274		466		750	
Barium	1,000	400		292		168		177		135		236		210	
Calcium	~	86,800		59,600		79,100		77,500		48,000		99,500		83,900	
Chromium	50	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U
Cobalt	~	4.440	U	4.440	U	4.440	U	4.440	U	4.440	U	4.440	U	4.440	U
Copper	200	22.200	U	22.200	U	22.200	U	22.200	U	22.200	U	22.200	U	22.200	U
Iron	~	3,350		8,670		278	U	278	U	6,510		682		1,330	
Lead	25	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U
Magnesium	35,000	20,200		15,200		18,200		17,800		10,300		27,700		24,000	
Manganese	300	**710**		**543**		20.100		13.200		146		245		195	
Nickel	100	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U
Potassium	~	6,340		6,360		3,430		3,550		2,740		6,450		5,570	
Silver	50	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U
Sodium	20,000	**342,000**		**322,000**		**254,000**		**281,000**		**214,000**		**223,000**		**229,000**	
Vanadium	~	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U
Zinc	2,000	27.800	U	49.300		27.800	U	27.800	U	27.800	U	27.800	U	27.800	U
Metals, Target Analyte															
Antimony	3	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U
Arsenic	25	2.510		2.040		1.110	U	1.110	U	1.170		1.110	U	1.110	U
Beryllium	3	0.333	U	0.333	U	0.333	U	0.333	U	0.333	U	0.333	U	0.333	U
Cadmium	5	0.556	U	0.556	U	0.556	U	0.556	U	0.556	U	0.556	U	0.556	U
Selenium	10	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U
Thallium	~	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2F - Groundwater Data - Metals

200 E Main Street, Mount Kisco, NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-7 23H0317-06 8/3/2023 Groundwater		MW-7D 23H0317-07 8/3/2023 Groundwater		MW-10 23H0317-12 8/3/2023 Groundwater		MW-10D 23H0317-13 8/3/2023 Groundwater		MW-14 24A1437-18 1/25/2024 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Metals, Target Analyte, ICP											
Aluminum	~	55.600	U	55.600	U	303		55.600	U	55.600	U
Barium	1,000	229		224		177		127		200	
Calcium	~	83,800		97,000		41,900		48,600		78,200	
Chromium	50	5.560	U	5.560	U	5.560	U	5.560	U	9.310	
Cobalt	~	4.440	U	4.440	U	4.440	U	4.440	U	4.440	U
Copper	200	22.200	U	22.200	U	22.200	U	22.200	U	22.200	U
Iron	~	278	U	278	U	522		278	U	2,620	
Lead	25	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U
Magnesium	35,000	19,900		29,200		11,000		14,400		10,900	
Manganese	300	10.900		7.620		**1,030**		31.500		**1,430**	
Nickel	100	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U
Potassium	~	4,820		4,380		4,040		4,000		7,290	
Silver	50	5.560	U	5.560	U	5.560	U	5.560	U	5.560	U
Sodium	20,000	**202,000**		**134,000**		**271,000**		**112,000**		**187,000**	
Vanadium	~	11.100	U	11.100	U	11.100	U	11.100	U	11.100	U
Zinc	2,000	27.800	U	27.800	U	27.800	U	27.800	U	27.800	U
Metals, Target Analyte											
Antimony	3	**4.560**		2.750		1.600		1.110	U	1.110	U
Arsenic	25	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U
Beryllium	3	0.333	U	0.333	U	0.333	U	0.333	U	0.333	U
Cadmium	5	0.556	U	0.556	U	0.556	U	0.556	U	0.556	U
Selenium	10	7.780		5.430		6.100		6.240		1.110	U
Thallium	~	1.110	U	1.110	U	1.110	U	1.110	U	1.110	U
Mercury by 7470/7471											
Mercury	0.7	0.200	U	0.200	U	0.200	U	0.200	U	0.200	U
Cyanide, Total											
Cyanide, total	200	10	U	10	U	10	U	10	U	10	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

D = result is from an analysis that required a dilution

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2G - Groundwater Data - PCBs

200 E Main Street, Mount Kisco, NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-1 21K0972-01 11/18/2021 Groundwater		MW-2 21K0972-02 11/18/2021 Groundwater		MW-3 21K0972-03 11/18/2021 Groundwater		MW-3 duplicate 21K0972-04 11/18/2021 Groundwater		MW-4 21K0972-05 11/18/2021 Groundwater		MW-5 21K0972-06 11/18/2021 Groundwater		MW-6 21K0972-07 11/18/2021 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PCB, 8082 MASTER															
Aroclor 1016	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1221	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1232	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1242	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1248	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1254	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Aroclor 1260	~	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U
Decachlorobiphenyl	~	0.150		0.137		0.157		0.134		0.0951		0.105		0.125	
Tetrachloro-m-xylene	~	0.196		0.201		0.221		0.190		0.144		0.157		0.151	
Total PCBs	0.09	0.0500	U	0.0500	U	0.0556	U	0.0556	U	0.0541	U	0.0526	U	0.0526	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2G - Groundwater Data - PCBs

200 E Main Street, Mount Kisco, NY BCP

Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-7 23H0317-06 8/3/2023 Groundwater		MW-7D 23H0317-07 8/3/2023 Groundwater		MW-10 23H0317-12 8/3/2023 Groundwater		MW-10D 23H0317-13 8/3/2023 Groundwater		MW-14 24A1437-18 1/25/2024 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PCB, 8082 MASTER											
Aroclor 1016	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1221	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1232	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1242	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1248	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1254	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Aroclor 1260	~	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Total PCBs	0.09	0.0500	U	0.0500	U	0.0500	U	0.0500	U	0.0500	U
Decachlorobiphenyl	~	NT		NT		NT		NT		0.130	
Tetrachloro-m-xylene	~	NT		NT		NT		NT		0.142	

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

ND = non-detect

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2H - Groundwater Data - Pesticides

200 E Main Street, Mount Kisco, NY BCP

Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-1 21K0972-01 11/18/2021 Groundwater		MW-2 21K0972-02 11/18/2021 Groundwater		MW-3 21K0972-03 11/18/2021 Groundwater		MW-3 duplicate 21K0972-04 11/18/2021 Groundwater		MW-4 21K0972-05 11/18/2021 Groundwater		MW-5 21K0972-06 11/18/2021 Groundwater		MW-6 21K0972-07 11/18/2021 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER															
4,4'-DDD	0.3	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
4,4'-DDE	0.2	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
4,4'-DDT	0.2	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Aldrin	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
alpha-BHC	0.01	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
alpha-Chlordane	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
beta-BHC	0.04	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Chlordane, total	0.05	*0.200*	*U*	*0.200*	*U*	*0.222*	*U*	*0.222*	*U*	*0.216*	*U*	*0.211*	*U*	*0.211*	*U*
Decachlorobiphenyl	~	0.153		0.128		0.150		0.135		0.0953		0.109		0.128	
delta-BHC	0.04	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Dieldrin	0.004	0.00200	U	0.00200	U	0.00222	U	0.00222	U	0.00216	U	0.00211	U	0.00211	U
Endosulfan I	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Endosulfan II	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Endosulfan sulfate	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Endrin	~	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Endrin aldehyde	5	0.0100	U	0.0100	U	0.0111	U	0.0111	U	0.0108	U	0.0105	U	0.0105	U
Endrin ketone	5	0.0100	U	0.0100	U	0.0111	U	0.0111	U	0.0108	U	0.0105	U	0.0105	U
gamma-BHC (Lindane)	0.05	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
gamma-Chlordane	~	0.0100	U	0.0100	U	0.0111	U	0.0111	U	0.0108	U	0.0105	U	0.0105	U
Heptachlor	0.04	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Heptachlor epoxide	0.03	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Methoxychlor	35	0.00400	U	0.00400	U	0.00444	U	0.00444	U	0.00432	U	0.00421	U	0.00421	U
Tetrachloro-m-xylene	~	0.171		0.156		0.166		0.150		0.131		0.123		0.129	
Toxaphene	0.06	*0.100*	*U*	*0.100*	*U*	*0.111*	*U*	*0.111*	*U*	*0.108*	*U*	*0.105*	*U*	*0.105*	*U*

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2H - Groundwater Data - Pesticides

200 E Main Street, Mount Kisco, NY BCP

Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	MW-7 23H0317-06 8/3/2023 Groundwater		MW-7D 23H0317-07 8/3/2023 Groundwater		MW-10 23H0317-12 8/3/2023 Groundwater		MW-10D 23H0317-13 8/3/2023 Groundwater		MW-14 24A1437-18 1/25/2024 Groundwater	
All units in micrograms per liter (ug/L)		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PEST, 8081 MASTER											
4,4'-DDD	0.3	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
4,4'-DDE	0.2	0.00400	UP	0.00400	U	0.00400	U	0.00400	U	0.00400	U
4,4'-DDT	0.2	0.00400	U	0.00400	UP	0.00400	U	0.00400	U	0.00400	U
Aldrin	~	0.00400	UP	0.00400	U	0.00400	U	0.00400	UP	0.00400	U
alpha-BHC	0.01	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
alpha-Chlordane	~	0.00400	U	0.00604		0.00400	U	0.00400	UP	0.00400	U
beta-BHC	0.04	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Chlordane, total	0.05	*0.200*	*U*	*0.200*	*U*	*0.200*	*U*	*0.200*	*U*	*0.200*	*U*
Decachlorobiphenyl	~	NT		NT		NT		NT		0.130	
delta-BHC	0.04	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Dieldrin	0.004	0.00200	UP	0.00200	U	0.00200	U	**0.00411**		0.00200	U
Endosulfan I	~	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Endosulfan II	~	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Endosulfan sulfate	~	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Endrin	~	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Endrin aldehyde	5	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U
Endrin ketone	5	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U
gamma-BHC (Lindane)	0.05	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
gamma-Chlordane	~	0.0100	UP	0.0100	U	0.0100	U	0.0100	UP	0.0100	U
Heptachlor	0.04	0.00400	U	0.00400	U	0.00400	U	0.00400	UP	0.00400	U
Heptachlor epoxide	0.03	0.00400	U	0.00935		0.00400	U	0.00400	U	0.00400	U
Methoxychlor	35	0.00400	U	0.00400	U	0.00400	U	0.00400	U	0.00400	U
Tetrachloro-m-xylene	~	NT		NT		NT		NT		0.118	
Toxaphene	0.06	*0.100*	*U*	*0.100*	*U*	*0.100*	*U*	*0.100*	*U*	*0.100*	*U*

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

ND = non-detect

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2I - Groundwater Data - PFAS
200 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYDEC Part 375 PFAS Remedial Program Water Oct 2020	NYSDEC Part 375 Human Health Criteria PFAS – Apr2023	MW-1 21K0972-01 11/18/2021 Groundwater		MW-2 21K0972-02 11/18/2021 Groundwater		MW-3 21K0972-03 11/18/2021 Groundwater		MW-3 duplicate 21K0972-04 11/18/2021 Groundwater		MW-4 21K0972-05 11/18/2021 Groundwater		MW-5 21K0972-06 11/18/2021 Groundwater		MW-6 21K0972-07 11/18/2021 Groundwater		Field Blank 21K0972-08 11/18/2021 Water	
All units in nanograms per liter (ng/L)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PFAS, NYSDEC Target List	ng/L																	
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	100	~	4.810	U	4.630	U	4.810	U	4.630	U	4.630	U	4.630	U	4.810	U	4.810	U
N-EtFOSAA	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
N-MeFOSAA	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	J
Perfluoro-1-decanesulfonic acid (PFDS)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	100	~	1.920	U	1.850	J	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluoro-1-octanesulfonamide (FOSA)	100	~	1.920	U	4.600		1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluorobutanesulfonic acid (PFBS)	100	~	8.330		10.800		6.820		7.480		8.530		6		7.940		1.920	U
Perfluorodecanoic acid (PFDA)	100	~	1.920	U	1.850	J	1.920	J	1.850	J	1.850	J	1.850	J	2.240		1.920	U
Perfluorododecanoic acid (PFDoA)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluoroheptanoic acid (PFHpA)	100	~	16		9.470		4.240		6.260		4.450		5.690		14.300		1.920	U
Perfluorohexanesulfonic acid (PFHxS)	100	~	3		4.270		2.230		2.240		2.140		2.980		3.890		1.920	U
Perfluorohexanoic acid (PFHxA)	100	~	16.100		11.400		5.680		5.510		2.900		7.380		24.200		1.920	U
Perfluoro-n-butanoic acid (PFBA)	100	~	11.800		9.610		6.320		6.320		6.520		6.620		15.800		1.920	U
Perfluorononanoic acid (PFNA)	100	~	1.920	J	3.960		1.920	J	1.850	J	1.850		1.850	J	2.750		1.920	U
Perfluorooctanesulfonic acid (PFOS)	10	2.7	**11.400**		**41.900**		**14.300**		**11.200**		**16.300**		**14.700**		**15.300**		1.920	U
Perfluorooctanoic acid (PFOA)	10	6.7	**26.900**		**26.700**		**15.800**		**17.400**		**12.600**		**12.600**		**24.300**		1.920	U
Perfluoropentanoic acid (PFPeA)	100	~	15.200		14.100		7.010		7.480		3.440		9.270		33		1.920	U
Perfluorotetradecanoic acid (PFTA)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluorotridecanoic acid (PFTrDA)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U
Perfluoroundecanoic acid (PFUnA)	100	~	1.920	U	1.850	U	1.920	U	1.850	U	1.850	U	1.850	U	1.920	U	1.920	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above one or more criteria

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2I - Groundwater Data - PFAS
200 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYDEC Part 375 PFAS Remedial Program Water Oct 2020	NYSDEC Part 375 Human Health Criteria PFAS – Apr2023	MW-7 23H0317-06 8/3/2023 Groundwater		MW-7D 23H0317-07 8/3/2023 Groundwater		MW-10 23H0317-12 8/3/2023 Groundwater		MW-10D 23H0317-13 8/3/2023 Groundwater		Field Blank 23H0317-18 8/3/2023 Water		MW-14 24A1437-18 1/25/2024 Groundwater	
All units in nanograms per liter (ng/L)			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
PFAS, EPA 1633 Target List														
11CL-PF3OUdS	~	~	1.410	U	1.340	U	1.390	U	1.370	U	1.400	U	1.310	U
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	100	~	2.090	U	1.990	U	2.070	U	2.040	U	2.090	U	1.950	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	100	~	1.820	U	1.740	U	1.810	U	1.780	U	1.820	U	1.700	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	~	~	1.080	U	1.030	U	1.070	U	1.050	U	1.080	U	2.900	J
3-Perfluoroheptyl propanoic acid (FHpPA)	~	~	9.650	U	9.210	U	9.570	U	9.420	U	9.640	U	8.990	U
3-Perfluoropentyl propanoic acid (FPePA)	~	~	7.470	U	7.130	U	7.410	U	7.290	U	7.460	U	6.960	U
3-Perfluoropropyl propanoic acid (FPrPA)	~	~	2.070	U	1.980	U	2.050	U	2.020	U	2.070	U	1.930	U
9CL-PF3ONS	~	~	0.713	U	0.681	U	0.707	U	0.697	U	0.712	U	0.665	U
ADONA	~	~	0.540	U	0.516	U	0.536	U	0.527	U	0.539	U	0.503	U
HFPO-DA (Gen-X)	~	~	3.290	U	3.140	U	3.260	U	3.210	U	3.290	U	3.070	U
N-EtFOSA	~	~	1.830	U	1.750	U	1.820	U	1.790	U	1.830	U	1.710	U
N-EtFOSAA	100	~	1.050	U	1	U	1.040	U	1.020	U	1.050	U	0.978	U
N-EtFOSE	~	~	4.070	U	3.880	U	4.030	U	3.970	U	4.060	U	3.790	U
N-MeFOSA	~	~	1.610	U	1.540	U	1.600	U	1.570	U	1.610	U	1.500	U
N-MeFOSAA	100	~	0.805	U	0.769	U	0.798	U	0.786	U	0.804	U	0.750	U
N-MeFOSE	~	~	4.070	U	3.880	U	4.030	U	3.970	U	4.060	U	3.790	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	~	~	0.509	U	0.486	U	0.505	U	0.498	U	0.509	U	0.475	U
Perfluoro-1-decanesulfonic acid (PFDS)	100	~	1.340	U	1.280	U	1.330	U	1.310	U	1.340	U	1.250	U
Perfluoro-1-heptanesulfonic acid (PFHpS)	100	~	0.927	U	0.885	U	0.920	U	0.905	U	0.926	U	0.864	U
Perfluoro-1-nonanesulfonic acid (PFNS)	~	~	0.876	U	0.837	U	0.869	U	0.856	U	0.875	U	0.817	U
Perfluoro-1-octanesulfonamide (FOSA)	100	~	0.897	U	0.856	U	0.889	U	0.876	U	0.896	U	0.836	U
Perfluoro-1-pentanesulfonate (PFPeS)	~	~	0.774	U	0.739	U	0.768	U	0.756	U	0.773	U	0.722	U
Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	~	~	2.180	U	2.080	U	2.160	U	2.130	U	2.180	U	2.030	U
Perfluoro-4-oxapentanoic acid (PFMPA)	~	~	0.255	U	0.243	U	0.253	U	0.249	U	0.254	U	0.237	U
Perfluoro-5-oxahexanoic acid (PFMBA)	~	~	0.377	U	0.360	U	0.374	U	0.368	U	0.377	U	0.351	U
Perfluorobutanesulfonic acid (PFBS)	100	~	4.540		5.780		5.110		5.070		0.478	U	6.370	
Perfluorodecanoic acid (PFDA)	100	~	0.764	U	0.730	U	0.758	U	0.746	U	0.763	U	0.712	U
Perfluorododecanesulfonic acid (PFDoS)	~	~	0.948	U	0.905	U	0.940	U	0.925	U	0.946	U	0.883	U
Perfluorododecanoic acid (PFDoA)	100	~	0.897	U	0.856	U	0.889	U	0.876	U	0.896	U	0.836	U
Perfluoroheptanoic acid (PFHpA)	100	~	5.370		4.950		3.530		3.960		0.723	U	17.900	
Perfluorohexanesulfonic acid (PFHxS)	100	~	2.720		4.310		2.190		2.260		0.692	U	2.980	
Perfluorohexanoic acid (PFHxA)	100	~	9.750		10		4.880		6.030		0.356	U	94.200	
Perfluoro-n-butanoic acid (PFBA)	100	~	0.336	U	0.321	U	0.333	U	0.328	U	0.336	U	0.313	U
Perfluorononanoic acid (PFNA)	100	~	2.720		1.080	J	0.652	J	0.722	J	0.529	U	1.530	J
Perfluorooctanesulfonic acid (PFOS)	10	2.7	**17.600**		**9.720**		**7.460**		**7.450**		0.835	U	**6.290**	
Perfluorooctanoic acid (PFOA)	10	6.7	**17.500**		**14.500**		**11.900**		**10**		0.427	U	**31.400**	
Perfluoropentanoic acid (PFPeA)	100	~	12.300		12.900		5.170		7.420		0.234	U	84.700	
Perfluorotetradecanoic acid (PFTA)	100	~	0.703	U	0.671	U	0.697	U	0.687	U	0.702	U	0.655	U
Perfluorotridecanoic acid (PFTrDA)	100	~	0.754	U	0.720	U	0.748	U	0.736	U	0.753	U	0.703	U
Perfluoroundecanoic acid (PFUnA)	100	~	1.150	U	1.100	U	1.140	U	1.120	U	1.150	U	1.070	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
ND = non-detect
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2JJ - Sump Data Table - VOCs
188-190 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Client Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Sump 1 22H0066-01 8/1/2022 Water		Sump 2 22H0066-02 8/1/2022 Water		Sump 4 22H0066-03 8/1/2022 Water		INFLUENT* 25B0826-01 2/12/2025 Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q
VOA, 8260 LOW MASTER									
1,1,1,2-Tetrachloroethane	5	0.200	U	1	U	0.200	U		U
1,1,1-Trichloroethane	5	0.200	U	1	U	0.200	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.200	U	1	U	0.200	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.200	U	1	U	0.200	U	0.286	U
1,1,2-Trichloroethane	1	0.200	U	1	U	0.200	U	0.249	U
1,1-Dichloroethane	5	0.200	U	1	U	0.200	U	0.272	U
1,1-Dichloroethylene	5	0.740		1	U	0.200	U	0.327	U
1,1-Dichloropropylene	5	0.200	U	1	U	0.200	U	0.314	U
1,2,3-Trichlorobenzene	5	0.200	U	1	U	0.200	U	0.222	U
1,2,3-Trichloropropane	0.04	*0.200*	U	*1*	U	*0.200*	U	*0.273*	U
1,2,4,5-Tetramethylbenzene	~	0.250	J	1	U	0.200	U	0.255	U
1,2,4-Trichlorobenzene	5	0.200	U	1	U	0.200	U	0.138	U
1,2,4-Trimethylbenzene	5	0.200	U	2	JD	0.200	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	*0.200*	U	*1*	U	*0.200*	U	*0.432*	U
1,2-Dibromoethane	0.0006	*0.200*	U	*1*	U	*0.200*	U	*0.215*	U
1,2-Dichlorobenzene	3	0.200	U	1	U	0.200	U	0.270	U
1,2-Dichloroethane	0.6	0.200	U	*1*	U	0.200	U	0.377	U
1,2-Dichloropropane	1	0.200	U	1	U	0.200	U	0.327	U
1,3,5-Trimethylbenzene	5	0.200	U	1	U	0.200	U	0.347	U
1,3-Dichlorobenzene	3	0.200	U	1	U	0.200	U	0.283	U
1,3-Dichloropropane	5	0.200	U	1	U	0.200	U	0.260	U
1,4-Dichlorobenzene	3	0.200	U	1	U	0.200	U	0.311	U
1,4-Dioxane	0.35	*40*	U	*200*	U	*40*	U	*35.300*	U
2,2-Dichloropropane	5	0.200	U	1	U	0.200	U	0.466	U
2-Butanone	50	0.200	U	6.500	D	0.200	U	0.421	U
2-Chlorotoluene	5	0.200	U	1	U	0.200	U	0.376	U
2-Hexanone	50	0.200	U	1	U	0.200	U	0.320	U
4-Chlorotoluene	5	0.200	U	1	U	0.200	U	0.311	U
4-Methyl-2-pentanone	~	0.200	U	1	U	0.200	U	0.365	U
Acetone	50	2.970		32.400	D	3.910		1.340	U
Acrolein	~	0.200	U	1	U	0.200	U	2.390	
Acrylonitrile	~	0.200	U	1	U	0.200	U	0.422	U
Benzene	1	0.200	U	1	U	0.200	U	0.279	U
Bromobenzene	5	0.200	U	1	U	0.200	U	0.367	U
Bromochloromethane	5	0.200	U	1	U	0.200	U	0.354	U
Bromodichloromethane	50	0.200	U	1	U	0.500		0.245	U
Bromoform	50	0.200	U	1	U	0.200	U	0.163	U
Bromomethane	5	0.200	U	1	U	0.200	U	0.119	U
Carbon disulfide	~	0.200	U	2.850	D	0.200	U	0.362	U
Carbon tetrachloride	5	0.200	U	1	U	0.200	U	0.204	U
Chlorobenzene	5	0.200	U	1	U	0.200	U	0.284	U
Chloroethane	5	0.200	U	1	U	0.200	U	0.448	U
Chloroform	7	0.200	U	1	U	1.860		0.300	J
Chloromethane	5	0.200	U	1	U	0.200	U	0.372	U
cis-1,2-Dichloroethylene	5	**48**		3.050	D	**9.640**		4.320	
cis-1,3-Dichloropropylene	0.4	0.200	U	*1*	U	0.200	U	0.262	U
Cyclohexane	~	13.400		2	JD	1.960		1.390	
Dibromochloromethane	50	0.200	U	1	U	0.200	U	0.146	U
Dibromomethane	~	0.200	U	1	U	0.200	U	0.203	U
Dichlorodifluoromethane	5	0.200	U	1	U	0.200	U	0.451	U
Diisopropyl ether (DIPE)	~	0.400	U	2	U	0.400	U	0.466	U
Ethyl Benzene	5	2.920		1	U	0.200	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.400	U	2	U	0.400	U	0.479	U
Hexachlorobutadiene	0.5	0.200	U	*1*	*U*	0.200	U	0.241	U
Iodomethane	~	0.200	U	1	U	0.200	U	0.477	U
Isopropylbenzene	5	1.080		1	U	0.200	U	0.405	U
Methyl acetate	~	0.200	U	1	U	0.200	U	0.442	U
Methyl Methacrylate	~	6.750		1	U	0.850		0.415	U
Methyl tert-butyl ether (MTBE)	10	0.200	U	1	U	0.200	U	0.244	U
Methylcyclohexane	~	5.670		1.300	JD	0.920		0.930	
Methylene chloride	5	1	U	5	U	1	U	0.397	U
Naphthalene	10	1	U	5	U	1	U	0.980	J
n-Butylbenzene	5	0.200	U	1	U	0.200	U	0.399	U
n-Propylbenzene	5	0.570		1	U	0.200	U	0.384	U
o-Xylene	5	0.200	U	1	U	0.200	U	0.261	U
p- & m- Xylenes	~	0.500	U	2.500	U	0.500	U	0.578	U
p-Diethylbenzene	~	3.240		1.100	JD	0.200	U	0.341	U
p-Ethyltoluene	~	0.200	U	1	U	0.200	U	0.200	U
p-Isopropyltoluene	5	0.200	U	1.100	JD	0.200	U	0.377	U
sec-Butylbenzene	5	1.290		1	U	0.200	U	0.444	U
Styrene	5	0.200	U	1	U	0.200	U	0.255	U
tert-Amyl alcohol (TAA)	~	4	U	20	U	4	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.400	U	2	U	0.400	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.500	U	2.500	U	0.500	U	0.608	U
tert-Butylbenzene	5	0.250	J	1	U	0.200	U	0.367	U
Tetrachloroethylene	5	**79**	D	1	U	**119**	D	**7.910**	
Tetrahydrofuran	~	0.200	U	215	D	0.200	U	0.485	U
Toluene	5	0.270	J	1	U	0.200	U	0.346	U
trans-1,2-Dichloroethylene	5	1.490		1	U	0.200	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.200	U	*1*	U	0.200	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.200	U	1	U	0.200	U	0.283	U

Table 2JJ - Sump Data Table - VOCs
188-190 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Client Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Sump 1 22H0066-01 8/1/2022 Water		Sump 2 22H0066-02 8/1/2022 Water		Sump 4 22H0066-03 8/1/2022 Water		INFLUENT* 25B0826-01 2/12/2025 Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q	Result	Q	Result	Q
Trichloroethylene	5	**21.500**		1	U	**8.320**		2.680	
Trichlorofluoromethane	5	0.200	U	1	U	0.200	U	0.337	U
Vinyl acetate	~	0.200	U	1	U	0.200	U	0.477	U
Vinyl Chloride	2	**13.100**		1	U	0.200	U	0.480	J
Xylenes, Total	5	0.600	U	3	U	0.600	U	0.839	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

*** Influent sample collected from Sump #4 prior to GAC treatment of effluent**

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2JJ - Sump Data Table - VOCs
192 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Sump 22D0566-01 4/11/2022 Water		Sample ID York ID Sampling Date Client Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Influent 22L1142-01 12/20/2022 Water	
All units in micrograms per liter (µg/L)		Result	Q	All units in micrograms per liter (µg/L)		Result	Q
Volatile Organics, 8260				**VOA, 8260 LOW MASTER**			
1,1,1,2-Tetrachloroethane	5	0.910		1,1,1,2-Tetrachloroethane	5	0.200	U
1,1,1-Trichloroethane	5	0.200	U	1,1,1-Trichloroethane	5	0.200	U
1,1,2,2-Tetrachloroethane	5	0.200	U	1,1,2,2-Tetrachloroethane	5	0.200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.200	U	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 11	5	0.200	U
1,1,2-Trichloroethane	1	0.200	U	1,1,2-Trichloroethane	1	0.200	U
1,1-Dichloroethane	5	0.200	U	1,1-Dichloroethane	5	0.200	U
1,1-Dichloroethylene	5	0.200	U	1,1-Dichloroethylene	5	0.200	U
1,1-Dichloropropylene	5	0.200	U	1,1-Dichloropropylene	5	0.200	U
1,2,3-Trichlorobenzene	5	0.200	U	1,2,3-Trichlorobenzene	5	0.200	U
1,2,3-Trichloropropane	0.04	*0.200*	*U*	1,2,3-Trichloropropane	0.04	*0.200*	*U*
1,2,4,5-Tetramethylbenzene	~	3.900		1,2,4,5-Tetramethylbenzene	~	0.200	U
1,2,4-Trichlorobenzene	5	0.200	U	1,2,4-Trichlorobenzene	5	0.200	U
1,2,4-Trimethylbenzene	5	**14**		1,2,4-Trimethylbenzene	5	0.200	U
1,2-Dibromo-3-chloropropane	0.0400	*0.200*	*U*	1,2-Dibromo-3-chloropropane	0.04	*0.200*	*U*
1,2-Dibromoethane	0.0006	*0.200*	*U*	1,2-Dibromoethane	0.0006	*0.200*	U
1,2-Dichlorobenzene	3	0.200	U	1,2-Dichlorobenzene	3	0.200	U
1,2-Dichloroethane	0.6	0.200	U	1,2-Dichloroethane	0.6	0.200	U
1,2-Dichloropropane	1	0.200	U	1,2-Dichloropropane	1	0.200	U
1,3,5-Trimethylbenzene	5	2.600		1,3,5-Trimethylbenzene	5	0.200	U
1,3-Dichlorobenzene	3	0.200	U	1,3-Dichlorobenzene	3	0.200	U
1,3-Dichloropropane	5	0.200	U	1,3-Dichloropropane	5	0.200	U
1,4-Dichlorobenzene	3	0.200	U	1,4-Dichlorobenzene	3	0.200	U
2,2-Dichloropropane	5	0.200	U	1,4-Dioxane	0.35	*40.000*	U
2-Butanone	50	0.200	U	2,2-Dichloropropane	5	0.200	U
2-Chlorotoluene	5	0.200	U	2-Butanone	50	28	
2-Hexanone	50	0.200	U	2-Chlorotoluene	5	0.200	U
4-Chlorotoluene	5	0.200	U	2-Hexanone	50	0.200	U
4-Methyl-2-pentanone	~	0.200	U	4-Chlorotoluene	5	0.200	U
Acetone	50	36		4-Methyl-2-pentanone	~	0.200	U
Benzene	1	0.200	U	Acetone	50	**90.800**	
Bromobenzene	5	0.200	U	Acrolein	~	0.200	U
Bromochloromethane	5	0.200	U	Acrylonitrile	~	0.200	U
Bromodichloromethane	50	0.200	U	Benzene	1	0.200	U
Bromoform	50	0.200	U	Bromobenzene	5	0.200	U
Bromomethane	5	0.200	U	Bromochloromethane	5	0.200	U
Carbon disulfide	~	0.200	U	Bromodichloromethane	50	0.200	U
Carbon tetrachloride	5	0.200	U	Bromoform	50	0.200	U
Chlorobenzene	5	0.200	U	Bromomethane	5	0.200	U
Chloroethane	5	0.200	U	Carbon disulfide	~	0.200	U
Chloroform	7	0.200	U	Carbon tetrachloride	5	0.200	U
Chloromethane	5	0.200	U	Chlorobenzene	5	0.200	U
cis-1,2-Dichloroethylene	5	**7.200**		Chloroethane	5	0.200	U
cis-1,3-Dichloropropylene	0.4	0.200	U	Chloroform	7	1.760	
Dibromochloromethane	50	0.200	U	Chloromethane	5	0.200	U
Dibromomethane	~	0.200	U	cis-1,2-Dichloroethylene	5	**25.400**	
Dichlorodifluoromethane	5	0.200	U	cis-1,3-Dichloropropylene	0.4	0.200	U
Ethyl Benzene	5	2.600		Cyclohexane	~	0.200	U
Hexachlorobutadiene	0.5	0.200	U	Dibromochloromethane	50	0.200	U
Isopropylbenzene	5	1.800		Dibromomethane	~	0.200	U
Methyl tert-butyl ether (MTBE)	10	0.200	U	Dichlorodifluoromethane	5	0.200	U
Methylene chloride	5	1	U	Diisopropyl ether (DIPE)	~	0.400	U
Naphthalene	10	1	U	Ethyl Benzene	5	0.200	U
n-Butylbenzene	5	0.580		Ethyl tert-butyl ether (ETBE)	~	0.400	U
n-Propylbenzene	5	4.200		Freon 11	~	0.250	U
o-Xylene	5	1.100		Hexachlorobutadiene	0.5	0.200	U
p- & m- Xylenes	~	3.300		Iodomethane	~	0.200	U
p-Diethylbenzene	~	3.900		Isopropylbenzene	5	0.200	U
p-Ethyltoluene	~	6		Methyl acetate	~	0.200	U
p-Isopropyltoluene	5	0.390	J	Methyl Methacrylate	~	0.200	U
sec-Butylbenzene	5	0.910		Methyl tert-butyl ether (MTBE)	10	0.200	U
Styrene	5	0.200	U	Methylcyclohexane	~	0.200	U
tert-Butylbenzene	5	0.200	U	Methylene chloride	5	1	U
Tetrachloroethylene	5	**2,900**	D	Naphthalene	10	1	U
Toluene	5	0.760		n-Butylbenzene	5	0.200	U
trans-1,2-Dichloroethylene	5	0.430	J	n-Propylbenzene	5	0.200	U
trans-1,3-Dichloropropylene	0.4	0.200	U	o-Xylene	5	0.200	U
Trichloroethylene	5	**31**		p- & m- Xylenes	~	0.500	U
Trichlorofluoromethane	5	0.200	U	p-Diethylbenzene	~	0.200	U
Vinyl Chloride	2	1		p-Ethyltoluene	~	0.200	U
Xylenes, Total	5	4.400		p-Isopropyltoluene	5	0.200	U
				sec-Butylbenzene	5	0.200	U
				Styrene	5	0.200	U
				tert-Amyl alcohol (TAA)	~	4	U
				tert-Amyl methyl ether (TAME)	~	0.400	U
				tert-Butyl alcohol (TBA)	~	3.440	
				tert-Butylbenzene	5	0.200	U
				Tetrachloroethylene	5	**108**	
				Tetrahydrofuran	~	672	D
				Toluene	5	0.200	U
				trans-1,2-Dichloroethylene	5	0.930	

Table 2JJ - Sump Data Table - VOCs
192 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Sump 22D0566-01 4/11/2022 Water		Sample ID York ID Sampling Date Client Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Influent 22L1142-01 12/20/2022 Water	
All units in micrograms per liter (µg/L)		Result	Q	All units in micrograms per liter (µg/L)		Result	Q
				trans-1,3-Dichloropropylene	0.4	0.200	U
				trans-1,4-dichloro-2-butene	~	0.200	U
				Trichloroethylene	5	**5.460**	
				Trichlorofluoromethane	5	0.200	U
				Vinyl acetate	~	0.200	U
				Vinyl Chloride	2	1.590	
				Xylenes, Total	5	0.600	U
				Semi-Volatiles, 1,4-Dioxane 8270 SIM-Aqueous			
				1,4-Dioxane	0.35	0.300	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation
Concentration Detected
Concentration Above AWQS
Q is the Qualifier Column with definitions as follows:
ND = non-detected
D = result is from an analysis that required a dilution
J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U = analyte not detected at or above the level indicated
~ = this indicates that no regulatory limit has been established for this analyte

Table 2JJ - Sump Data Table - VOCs OS-2
OS-3
179 191 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	OS-2 Sump 23E0030-01 4/28/2023 Water		OS-3 Sump 23E0030-02 4/28/2023 Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q
VOA, 8260 LOW MASTER					
1,1,1,2-Tetrachloroethane	5	0.216	U	0.216	U
1,1,1-Trichloroethane	5	0.266	U	0.266	U
1,1,2,2-Tetrachloroethane	5	0.256	U	0.256	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	5	0.286	U	0.286	U
1,1,2-Trichloroethane	1	0.249	U	0.249	U
1,1-Dichloroethane	5	0.272	U	0.272	U
1,1-Dichloroethylene	5	0.327	U	0.327	U
1,1-Dichloropropylene	5	0.314	U	0.314	U
1,2,3-Trichlorobenzene	5	0.222	U	0.222	U
1,2,3-Trichloropropane	0.04	*0.273*	*U*	*0.273*	*U*
1,2,4,5-Tetramethylbenzene	~	0.255	U	0.255	U
1,2,4-Trichlorobenzene	5	0.138	U	0.138	U
1,2,4-Trimethylbenzene	5	0.310	U	0.310	U
1,2-Dibromo-3-chloropropane	0.04	*0.432*	*U*	*0.432*	*U*
1,2-Dibromoethane	0.0006	*0.215*	*U*	*0.215*	*U*
1,2-Dichlorobenzene	3	0.270	U	0.270	U
1,2-Dichloroethane	0.6	0.377	U	0.377	U
1,2-Dichloropropane	1	0.327	U	0.327	U
1,3,5-Trimethylbenzene	5	0.347	U	0.347	U
1,3-Dichlorobenzene	3	0.283	U	0.283	U
1,3-Dichloropropane	5	0.260	U	0.260	U
1,4-Dichlorobenzene	3	0.311	U	0.311	U
1,4-Dioxane	0.35	*35.300*	*U*	*35.300*	*U*
2,2-Dichloropropane	5	0.466	U	0.466	U
2-Butanone	50	0.421	U	0.421	U
2-Chlorotoluene	5	0.376	U	0.376	U
2-Hexanone	50	0.320	U	0.320	U
4-Chlorotoluene	5	0.311	U	0.311	U
4-Methyl-2-pentanone	~	0.365	U	0.365	U
Acetone	50	1.340	U	1.340	U
Acrolein	~	0.447	U	0.447	U
Acrylonitrile	~	0.422	U	0.422	U
Benzene	1	0.279	U	0.279	U
Bromobenzene	5	0.367	U	0.367	U
Bromochloromethane	5	0.354	U	0.354	U
Bromodichloromethane	50	0.245	U	0.550	
Bromoform	50	0.163	U	0.163	U
Bromomethane	5	0.119	U	0.119	U
Carbon disulfide	~	0.362	U	0.362	U
Carbon tetrachloride	5	0.204	U	0.204	U
Chlorobenzene	5	0.284	U	0.284	U
Chloroethane	5	0.448	U	0.448	U
Chloroform	7	0.840		3.470	
Chloromethane	5	0.372	U	0.372	U
cis-1,2-Dichloroethylene	5	0.294	U	0.740	
cis-1,3-Dichloropropylene	0.4	0.262	U	0.262	U
Cyclohexane	~	0.491	U	0.491	U
Dibromochloromethane	50	0.146	U	0.146	U
Dibromomethane	~	0.203	U	0.203	U
Dichlorodifluoromethane	5	0.451	U	0.451	U
Diisopropyl ether (DIPE)	~	0.466	U	0.466	U
Ethyl Benzene	5	0.290	U	0.290	U
Ethyl tert-butyl ether (ETBE)	~	0.479	U	0.479	U
Hexachlorobutadiene	0.5	0.241	U	0.241	U
Iodomethane	~	0.477	U	0.477	U
Isopropylbenzene	5	0.405	U	0.405	U
Methyl acetate	~	0.442	U	0.442	U
Methyl Methacrylate	~	0.415	U	0.415	U
Methyl tert-butyl ether (MTBE)	10	0.244	U	0.244	U
Methylcyclohexane	~	0.477	U	0.477	U
Methylene chloride	5	0.397	U	0.397	U
Naphthalene	10	0.212	U	0.212	U
n-Butylbenzene	5	0.399	U	0.399	U
n-Propylbenzene	5	0.384	U	0.384	U
o-Xylene	5	0.261	U	0.261	U
p- & m- Xylenes	~	0.578	U	0.578	U
p-Diethylbenzene	~	0.341	U	0.341	U
p-Ethyltoluene	~	0.200	U	0.200	U
p-Isopropyltoluene	5	0.377	U	0.377	U
sec-Butylbenzene	5	0.444	U	0.444	U
Styrene	5	0.255	U	0.255	U
tert-Amyl alcohol (TAA)	~	4.160	U	4.160	U
tert-Amyl methyl ether (TAME)	~	0.511	U	0.511	U
tert-Butyl alcohol (TBA)	~	0.608	U	0.608	U
tert-Butylbenzene	5	0.367	U	0.367	U
Tetrachloroethylene	5	0.239	U	**26.600**	
Tetrahydrofuran	~	0.485	U	0.485	U
Toluene	5	0.346	U	0.346	U

Table 2JJ - Sump Data Table - VOCs
OS-2 OS-3
179 191 E Main Street, Mount Kisco, NY
BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	OS-2 Sump 23E0030-01 4/28/2023 Water		OS-3 Sump 23E0030-02 4/28/2023 Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q
trans-1,2-Dichloroethylene	5	0.279	U	0.279	U
trans-1,3-Dichloropropylene	0.4	0.229	U	0.229	U
trans-1,4-dichloro-2-butene	~	0.283	U	0.283	U
Trichloroethylene	5	0.249	U	2.890	
Trichlorofluoromethane	5	0.337	U	0.337	U
Vinyl acetate	~	0.477	U	0.477	U
Vinyl Chloride	2	0.469	U	0.469	U
Xylenes, Total	5	0.836	U	0.836	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2KK - Sump Data - PFAS

192 E Main Street, Mount Kisco,

NY BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYDEC Part 375 PFAS Remedial Program Water Oct 2020	NYSDEC Part 375 Human Health Criteria PFAS – Apr2023	Influent 22L1142-01 12/20/2022 Water	
All units in nanograms per liter (ng/L)			Result	Q
PFAS, EPA 1633 Target List				
11CL-PF3OUdS	100	~	7.340	U
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	100	~	7.340	U
1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)	~	~	7.340	U
1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	100	~	7.340	U
3-Perfluoroheptyl propanoic acid (FHpPA)	~	~	22.900	U
3-Perfluoropentyl propanoic acid (FPePA)	~	~	22.900	U
3-Perfluoropropyl propanoic acid (FPrPA)	~	~	4.590	U
9CL-PF3ONS	100	~	7.340	U
ADONA	100	~	7.340	U
HFPO-DA (Gen-X)	100	~	7.340	U
N-EtFOSA	~	~	0.890	
N-EtFOSAA	100	~	1.830	U
N-EtFOSE	~	~	18.300	U
N-MeFOSA	~	~	1.830	U
N-MeFOSAA	100	~	1.830	U
N-MeFOSE	~	~	18.300	U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	~	~	3.670	U
Perfluoro-1-decanesulfonic acid (PFDS)	100	~	5.290	
Perfluoro-1-heptanesulfonic acid (PFHpS)	100	~	2.300	
Perfluoro-1-nonanesulfonic acid (PFNS)	~	~	1.830	U
Perfluoro-1-octanesulfonamide (FOSA)	100	~	1.830	U
Perfluoro-1-pentanesulfonate (PFPeS)	~	~	5.240	
Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	~	~	3.670	U
Perfluoro-4-oxapentanoic acid (PFMPA)	~	~	3.670	U
Perfluoro-5-oxahexanoic acid (PFMBA)	~	~	3.670	U
Perfluorobutanesulfonic acid (PFBS)	100	~	19.800	
Perfluorodecanoic acid (PFDA)	100	~	4.190	
Perfluorododecanesulfonic acid (PFDoS)	~	~	1.830	U
Perfluorododecanoic acid (PFDoA)	100	~	1.830	U
Perfluoroheptanoic acid (PFHpA)	100	~	74.900	
Perfluorohexanesulfonic acid (PFHxS)	100	~	27.500	
Perfluorohexanoic acid (PFHxA)	100	~	51.300	
Perfluoro-n-butanoic acid (PFBA)	100	~	21.800	
Perfluorononanoic acid (PFNA)	100	~	4.700	
Perfluorooctanesulfonic acid (PFOS)	10	2.7	**15.500**	
Perfluorooctanoic acid (PFOA)	10	6.7	**108**	
Perfluoropentanoic acid (PFPeA)	100	~	56	
Perfluorotetradecanoic acid (PFTA)	100	~	1.830	U
Perfluorotridecanoic acid (PFTrDA)	100	~	1.830	U
Perfluoroundecanoic acid (PFUnA)	100	~	1.830	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above one or more criteria

Q is the Qualifier Column with definitions as follows:

ND = non-detect

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit)

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 2L - Cooking Pot and Waste Container Data Table - VOCs

200 E Main Street, Mount Kisco, NY

BCP Site #C360183

Sample Name Sample ID Sampling Date Matrix	NYSDEC TOGS Standards and Guidance Values - GA	Cooking Pot 21K0903-01 11/17/2021 Waste Water		Waste Container 21K0903-02 11/17/2021 Waste Water	
All units in micrograms per liter (µg/L)		Result	Q	Result	Q
Volatile Organics, 8260					
1,1,1,2-Tetrachloroethane	5	10,000	U	10,000	U
1,1,1-Trichloroethane	5	10,000	U	10,000	U
1,1,2,2-Tetrachloroethane	5	10,000	U	10,000	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Fr	5	10,000	U	10,000	U
1,1,2-Trichloroethane	1	10,000	U	10,000	U
1,1-Dichloroethane	5	10,000	U	10,000	U
1,1-Dichloroethylene	5	10,000	U	10,000	U
1,2,3-Trichlorobenzene	5	10,000	U	10,000	U
1,2,3-Trichloropropane	0.04	10,000	U	10,000	U
1,2,4-Trichlorobenzene	5	10,000	U	10,000	U
1,2,4-Trimethylbenzene	5	10,000	U	10,000	U
1,2-Dibromo-3-chloropropane	0.04	10,000	U	10,000	U
1,2-Dibromoethane	0.0006	10,000	U	10,000	U
1,2-Dichlorobenzene	3	10,000	U	10,000	U
1,2-Dichloroethane	0.6	**41,000**	D	10,000	U
1,2-Dichloropropane	1	10,000	U	10,000	U
1,3,5-Trimethylbenzene	5	10,000	U	10,000	U
1,3-Dichlorobenzene	3	10,000	U	10,000	U
1,4-Dichlorobenzene	3	10,000	U	10,000	U
1,4-Dioxane	0.35	2,000,000	U	2,000,000	U
2-Butanone	50	10,000	U	10,000	U
2-Hexanone	50	10,000	U	10,000	U
4-Methyl-2-pentanone	~	10,000	U	10,000	U
Acetone	50	50,000	U	50,000	U
Acrolein	5	10,000	U	10,000	U
Acrylonitrile	~	10,000	U	10,000	U
Benzene	1	10,000	U	10,000	U
Bromochloromethane	5	10,000	U	10,000	U
Bromodichloromethane	50	10,000	U	10,000	U
Bromoform	50	10,000	U	10,000	U
Bromomethane	5	10,000	U	10,000	U
Carbon disulfide	~	34,000	D	10,000	U
Carbon tetrachloride	5	10,000	U	10,000	U
Chlorobenzene	5	10,000	U	10,000	U
Chloroethane	5	10,000	U	10,000	U
Chloroform	7	10,000	U	10,000	U
Chloromethane	5	10,000	U	10,000	U
cis-1,2-Dichloroethylene	5	10,000	U	10,000	U
cis-1,3-Dichloropropylene	0.4	10,000	U	10,000	U
Cyclohexane	~	10,000	U	10,000	U
Dibromochloromethane	50	10,000	U	10,000	U
Dibromomethane	~	10,000	U	10,000	U
Dichlorodifluoromethane	5	10,000	U	10,000	U
Ethyl Benzene	5	10,000	U	10,000	U
Hexachlorobutadiene	0.5	10,000	U	10,000	U
Isopropylbenzene	5	10,000	U	10,000	U
Methyl acetate	~	10,000	U	10,000	U
Methyl tert-butyl ether (MTBE)	10	10,000	U	10,000	U
Methylcyclohexane	~	10,000	U	10,000	U
Methylene chloride	5	**140,000**	D	**130,000**	D
n-Butylbenzene	5	10,000	U	10,000	U
n-Propylbenzene	5	10,000	U	10,000	U
o-Xylene	5	10,000	U	10,000	U
p- & m- Xylenes	~	25,000	U	25,000	U
p-Isopropyltoluene	5	10,000	U	10,000	U
sec-Butylbenzene	5	10,000	U	10,000	U
Styrene	5	10,000	U	10,000	U
tert-Butyl alcohol (TBA)	~	25,000	U	25,000	U
tert-Butylbenzene	5	10,000	U	10,000	U
Tetrachloroethylene	5	**890,000**	D	**1,300,000**	D
Toluene	5	10,000	U	10,000	U
trans-1,2-Dichloroethylene	5	10,000	U	10,000	U
trans-1,3-Dichloropropylene	0.4	10,000	U	10,000	U
trans-1,4-dichloro-2-butene	~	10,000	U	10,000	U
Trichloroethylene	5	10,000	U	10,000	U
Trichlorofluoromethane	5	10,000	U	10,000	U
Vinyl Chloride	2	10,000	U	10,000	U
Xylenes, Total	5	30,000	U	30,000	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Concentration Above AWQS

Q is the Qualifier Column with definitions as follows:

ND = non-detected

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

Table 3 - Off-Site Soil Vapor Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Off-Site Location/ Identifier	188-190 E Main Street				10 Dakin Avenue		OS-5/ Basement		OS-6/ Basement		OS-5/ Sidewalk of Dakin Avenue		10 Dakin Avenue	
Sample ID	190 E Main-SG-1		190 E Main-SG-2		10 Dakin-SG-1		SG-5 OS-5		SG-6 OS-6		SV-1		SV-2	
York ID	22G0311-01		22G0311-02		22G0311-06		23C1752-03		23C1752-05		23H0020-01		23H0020-02	
Date	7/7/2022		7/7/2022		7/7/2022		3/29/2023		3/29/2023		7/31/2023		7/31/2023	
Soil Vapor Implant Depth (feet bgs)	Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		6'		10'	
All units in micrograms per cubic meter (ug/m3)	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List														
1,1,1,2-Tetrachloroethane	11	U	15	U	0.660	U	0.690	U	0.550	U	5.900	U	2.100	U
1,1,1-Trichloroethane	8.900	U	12	U	0.520	U	0.550	U	0.430	U	4.700	U	1.700	U
1,1,2,2-Tetrachloroethane	11	U	15	U	0.660	U	0.690	U	0.550	U	5.900	U	2.100	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	13	U	17	U	0.740	U	0.770	U	0.610	U	6.600	U	2.300	U
1,1,2-Trichloroethane	8.900	U	12	U	0.520	U	0.550	U	0.430	U	4.700	U	1.700	U
1,1-Dichloroethane	6.600	U	8.900	U	0.390	U	0.410	U	0.320	U	3.500	U	1.200	U
1,1-Dichloroethylene	1.900	D	14	D	0.0950	U	0.0990	U	0.0790	U	0.860	U	0.300	U
1,2,4-Trichlorobenzene	12	U	16	U	0.710	U	0.740	U	0.590	U	6.400	U	2.300	U
1,2,4-Trimethylbenzene	8.100	U	11	U	2.600	D	0.490	U	2.400	D	14	D	25	D
1,2-Dibromoethane	13	U	17	U	0.740	U	0.770	U	0.610	U	6.600	U	2.400	U
1,2-Dichlorobenzene	9.900	U	13	U	0.580	U	0.600	U	0.480	U	5.200	U	1.800	U
1,2-Dichloroethane	6.600	U	8.900	U	0.700	D	0.410	U	0.320	U	3.500	U	1.200	U
1,2-Dichloropropane	7.600	U	10	U	0.440	U	0.460	U	0.370	U	4	U	1.400	U
1,2-Dichlorotetrafluoroethane	11	U	15	U	0.670	U	0.700	U	1	D	6	U	2.100	U
1,3,5-Trimethylbenzene	8.100	U	11	U	0.900	D	1.300	D	0.780	D	5.100	D	6.500	D
1,3-Butadiene	11	U	15	U	0.640	U	0.670	U	0.530	U	5.700	U	2	U
1,3-Dichlorobenzene	9.900	U	13	U	0.580	U	0.600	U	0.480	U	5.200	U	1.800	U
1,3-Dichloropropane	7.600	U	10	U	0.440	U	0.460	U	0.370	U	4	U	1.400	U
1,4-Dichlorobenzene	9.900	U	13	U	0.580	U	0.600	U	0.480	U	5.200	U	1.800	U
1,4-Dioxane	12	U	16	U	0.690	J	0.720	U	0.570	U	6.200	U	2.200	U
2-Butanone	7.300	D	11	D	9.500	D	11	D	6	D	4.800	D	7.600	D
2-Hexanone	13	U	18	U	7.300	D	3.500	D	2	D	7.100	U	5.900	D
3-Chloropropene	26	U	34	U	1.500	U	1.600	U	1.200	U	14	U	4.800	U
4-Methyl-2-pentanone	6.700	U	9	U	1.800	D	0.410	U	0.330	U	3.500	U	1.300	U
Acetone	150	D	75	D	**240**	D	12	D	26	D	**230**	D	**170**	D
Acrylonitrile	3.600	U	4.800	U	0.210	U	0.220	U	0.170	U	1.900	U	0.660	U
Benzene	9.400	D	24	D	0.670	D	0.610	D	0.460	D	2.800	U	0.980	U
Benzyl chloride	8.500	U	11	U	0.500	U	0.520	U	0.410	U	4.500	U	1.600	U
Bromodichloromethane	23	D	15	U	0.640	J	0.670	U	0.530	U	5.800	U	2.100	U
Bromoform	17	U	23	U	0.990	U	1	U	0.820	U	8.900	U	3.200	U
Bromomethane	6.400	U	8.500	U	0.370	U	0.390	U	0.310	U	3.400	U	1.200	U
Carbon disulfide	15	D	94	D	1.500	D	0.310	U	0.250	U	3	D	1.400	D
Carbon tetrachloride	2.600	U	3.500	U	0.240	D	0.380	D	0.200	D	1.400	U	0.480	U
Chlorobenzene	7.500	U	10	U	0.440	U	0.460	U	0.370	U	4	U	1.400	U
Chloroethane	4.300	U	5.800	U	0.250	U	0.260	U	0.210	U	2.300	U	0.810	U
Chloroform	**1,100**	D	31	D	10	D	1.900	D	5.500	D	5.900	D	1.600	D
Chloromethane	3.400	U	4.500	U	0.240	D	0.290	D	0.210	D	1.800	U	0.630	U
cis-1,2-Dichloroethylene	**470**	D	33	D	3.200	D	0.0990	U	0.0790	U	2.700	D	0.490	D
cis-1,3-Dichloropropylene	7.400	U	10	U	0.440	U	0.450	U	0.360	U	3.900	U	1.400	U
Cyclohexane	22	D	35	D	0.430	D	0.340	U	0.300	D	3	U	1.100	U
Dibromochloromethane	14	U	19	U	0.820	U	0.850	U	0.680	U	7.400	U	2.600	U
Dichlorodifluoromethane	8.100	U	11	U	2.400	D	1.900	D	4	D	4.300	U	2.300	D
Ethyl acetate	12	U	16	U	1.200	D	2.600	D	2.200	D	6.200	U	2.200	U
Ethyl Benzene	7.100	U	9.500	U	1.800	D	2.500	D	1.900	D	3.700	D	83	D
Hexachlorobutadiene	17	U	23	U	1	U	1.100	U	0.850	U	9.200	U	3.300	U
Isopropanol	25	D	11	U	86	D	46	BD	42	BD	5.100	D	3.300	D
Methyl Methacrylate	6.700	U	9	U	0.390	U	0.410	U	0.330	U	3.500	U	1.300	U
Methyl tert-butyl ether (MTBE)	5.900	U	7.900	U	0.350	U	0.360	U	0.290	U	3.100	U	1.100	U
Methylene chloride	13	D	15	J	32	D	0.700	D	0.770	D	6	U	2.100	U
n-Heptane	6.700	U	56	D	1.100	D	2	D	1.600	D	3.500	U	1.300	U
n-Hexane	20	D	**110**	D	3.500	D	0.780	D	0.730	D	3	U	3.100	D
o-Xylene	7.100	U	9.500	J	2.600	D	4.200	D	3	D	6.700	D	110	D
p- & m- Xylenes	14	U	19	U	6.800	D	7.700	D	6	D	14	D	610	D
p-Ethyltoluene	8.100	U	11	U	2	D	3.100	D	1.900	D	8.500	D	16	D
Propylene	2.800	U	84	D	0.170	U	0.170	U	0.140	U	1.500	U	0.530	U
Styrene	7	U	9.300	U	1.900	D	0.680	D	0.340	U	3.700	U	1.300	U
Tetrachloroethylene	**3,500**	D	**13,000**	D	**640**	D	59	D	38	D	**2,200**	D	**300**	D
Tetrahydrofuran	9.700	U	25	D	2.100	D	0.590	U	1.400	D	5.100	U	1.800	U
Toluene	6.200	J	11	D	5	D	5.600	D	5.400	D	13	D	17	D
trans-1,2-Dichloroethylene	6.500	U	8.700	U	0.380	U	0.400	U	0.320	U	3.400	U	1.200	U
trans-1,3-Dichloropropylene	7.400	U	10	U	0.440	U	0.450	U	0.360	U	3.900	U	1.400	U
Trichloroethylene	**650**	D	**720**	D	17	D	4.100	D	0.210	D	**74**	D	2.800	D
Trichlorofluoromethane (Freon 11)	9.200	U	12	U	1.400	D	1.400	D	1.200	D	4.900	U	1.700	U
Vinyl acetate	5.800	U	7.700	U	0.340	U	0.350	U	0.280	U	3	U	1.100	U
Vinyl bromide	7.200	U	9.600	U	0.420	U	0.440	U	0.350	U	3.800	U	1.300	U
Vinyl Chloride	2.100	U	**30**	D	0.250	D	0.130	U	0.100	U	1.100	U	0.390	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

CVOCs with Corresponding NYSDOH Air Guidance and Immediate Action Levels

Elevated Concentration

ND = non-detect

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

"Sub-Slab Soil Vapor" indicates soil vapor samples collected from invert of building concrete slab

Table 3 - Off-Site Soil Vapor Data

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Off-Site Location/ Identifier	Municipal Parking Lot West of Site		On-Site/ Southern property boundary		OS-5/ Front Lawn Area		OS-4/ Utility Closet	
Sample ID	SV-3		SV-4		SV-5		SG-4	
York ID	23H0020-03		23H0020-04		24A0015-04		24A0015-01	
Date	7/31/2023		7/31/2023		12/29/2023		12/29/2023	
Soil Vapor Implant Depth (feet bgs)	10'		15'		5'		Sub-slab Soil Vapor	
All units in micrograms per cubic meter (ug/m3)	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List								
1,1,1,2-Tetrachloroethane	1	U	5.700	U	0.700	U	ND	U
1,1,1-Trichloroethane	0.820	U	4.500	U	0.560	U	ND	U
1,1,2,2-Tetrachloroethane	1	U	5.700	U	0.700	U	ND	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	1.200	U	6.400	U	0.780	U	ND	U
1,1,2-Trichloroethane	0.820	U	4.500	U	0.560	U	ND	U
1,1-Dichloroethane	0.610	U	3.400	U	0.410	U	ND	U
1,1-Dichloroethylene	0.150	U	0.820	U	0.100	U	ND	U
1,2,4-Trichlorobenzene	1.100	U	6.200	U	1.500	U	ND	U
1,2,4-Trimethylbenzene	3.700	D	4.100	U	3.600	D	21	D
1,2-Dibromoethane	1.200	U	6.400	U	0.790	U	ND	U
1,2-Dichlorobenzene	0.900	U	5	U	0.610	U	ND	U
1,2-Dichloroethane	0.610	U	3.400	U	0.410	U	ND	U
1,2-Dichloropropane	0.690	U	3.800	U	0.470	U	ND	U
1,2-Dichlorotetrafluoroethane	1.100	U	5.800	U	0.710	U	ND	U
1,3,5-Trimethylbenzene	1.600	D	4.100	U	0.950	D	5.30	D
1,3-Butadiene	1	U	41	D	11	D	ND	U
1,3-Dichlorobenzene	4.200	D	8.500	D	0.610	U	ND	U
1,3-Dichloropropane	0.690	U	3.800	U	0.470	U	ND	U
1,4-Dichlorobenzene	0.900	U	5	U	0.610	U	ND	U
1,4-Dioxane	1.100	U	6	U	0.740	U	ND	U
2-Butanone	2.600	D	2.500	U	**400**	D	3.60	D
2-Hexanone	1.900	D	6.800	U	49	D	ND	U
3-Chloropropene	2.400	U	13	U	1.600	U	ND	U
4-Methyl-2-pentanone	1	D	3.400	U	0.750	D	2.70	D
Acetone	54	D	**530**	D	**220**	D	40	D
Acrylonitrile	0.330	U	1.800	U	0.440	U	0.66	J
Benzene	0.620	D	5.600	D	5	D	0.63	D
Benzyl chloride	0.780	U	4.300	U	0.530	U	ND	U
Bromodichloromethane	1	U	5.600	U	0.680	U	ND	U
Bromoform	1.600	U	8.600	U	1.100	U	ND	U
Bromomethane	0.580	U	3.200	U	0.400	U	ND	U
Carbon disulfide	0.980	D	2.600	U	3.400	D	1.10	D
Carbon tetrachloride	0.240	U	1.300	U	0.190	D	0.48	D
Chlorobenzene	0.690	U	3.800	U	0.470	U	ND	U
Chloroethane	0.400	U	2.200	U	0.270	U	ND	U
Chloroform	5.700	D	12	D	0.500	U	ND	U
Chloromethane	0.500	D	3.100	D	0.360	D	0.31	D
cis-1,2-Dichloroethylene	0.150	U	0.820	U	0.120	D	ND	U
cis-1,3-Dichloropropylene	0.680	U	3.800	U	0.460	U	ND	U
Cyclohexane	0.520	U	2.900	U	0.670	D	0.68	D
Dibromochloromethane	1.300	U	7.100	U	0.870	U	ND	U
Dichlorodifluoromethane	2.300	D	4.100	U	2.200	D	2.60	D
Ethyl acetate	1.100	U	6	U	0.740	U	ND	U
Ethyl Benzene	4	D	3.600	D	5.500	D	9	D
Hexachlorobutadiene	1.600	U	8.900	U	1.100	U	ND	U
Isopropanol	2	D	4.100	U	1.600	BD	72	D
Methyl Methacrylate	0.620	U	3.400	U	0.420	U	1.20	D
Methyl tert-butyl ether (MTBE)	0.540	U	3	U	0.370	U	ND	U
Methylene chloride	1	U	5.800	U	0.710	U	ND	U
n-Heptane	0.620	U	6.500	D	0.420	U	8.60	D
n-Hexane	0.690	D	13	D	4.400	D	1.40	D
o-Xylene	5.400	D	3.600	D	4.300	D	15.00	D
p- & m- Xylenes	15	D	12	D	17	D	38.00	D
p-Ethyltoluene	3.100	D	4.100	U	4.400	D	15.00	D
Propylene	0.260	U	**520**	D	87	D	ND	U
Styrene	0.640	U	3.500	U	0.440	U	ND	U
Tetrachloroethylene	80	D	41	D	**130**	D	16.00	D
Tetrahydrofuran	0.890	U	4.900	U	0.600	U	14.00	D
Toluene	16	D	20	D	21	D	10.00	D
trans-1,2-Dichloroethylene	0.600	U	3.300	U	0.410	U	ND	U
trans-1,3-Dichloropropylene	0.680	U	3.800	U	0.460	U	ND	U
Trichloroethylene	0.200	U	2.700	D	0.440	D	0.33	D
Trichlorofluoromethane (Freon 11)	1	D	4.700	U	0.570	U	3.00	D
Vinyl acetate	0.530	U	2.900	U	0.360	U	ND	U
Vinyl bromide	0.660	U	3.600	U	0.450	U	ND	U
Vinyl Chloride	0.190	U	1.100	U	0.130	U	ND	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Elevated Concentration

CVOCs with Corresponding NYSDOH Air Guidance and Immediate Action Levels

ND = non-detect

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

"Sub-Slab Soil Vapor" indicates soil vapor samples collected from invert of building concrete slab

TABLE 3 - OFF-SITE SOIL VAPOR DATA

Mt. Kisco Elementary

47 West Hyatt Avenue, Mount Kisco, Westchester County, NY

BCP Site # C360183

	Mount Kisco Elementary School	
Sample ID	**SG-1**	
York ID	**22J0495-01**	
Sampling Date	**10/10/2022**	
Matrix	**Sub-Slab Soil Vapor**	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	Result	Q
Volatile Organics, EPA TO15 Full List		
1,1,1,2-Tetrachloroethane	7.300	U
1,1,1-Trichloroethane	5.800	U
1,1,2,2-Tetrachloroethane	7.300	U
1,1,2-Trichloro-1,2,2-trifluoroethane (F	8.100	U
1,1,2-Trichloroethane	5.800	U
1,1-Dichloroethane	4.300	U
1,1-Dichloroethylene	1	U
1,2,4-Trichlorobenzene	7.900	U
1,2,4-Trimethylbenzene	5.200	U
1,2-Dibromoethane	8.100	U
1,2-Dichlorobenzene	6.400	U
1,2-Dichloroethane	4.300	U
1,2-Dichloropropane	4.900	U
1,2-Dichlorotetrafluoroethane	7.400	U
1,3,5-Trimethylbenzene	5.200	U
1,3-Butadiene	7	U
1,3-Dichlorobenzene	6.400	U
1,3-Dichloropropane	4.900	U
1,4-Dichlorobenzene	6.400	U
1,4-Dioxane	7.600	U
2,2,4-Trimethylpentane		
2-Butanone	3.100	U
2-Hexanone	8.700	U
3-Chloropropene	17	U
4-Methyl-2-pentanone	4.300	U
Acetone	14	D
Acrylonitrile	2.300	U
Benzene	3.400	U
Benzyl chloride	5.500	U
Bromodichloromethane	7.100	U
Bromoform	11	U
Bromomethane	4.100	U
Carbon disulfide	3.300	U
Carbon tetrachloride	1.700	U
Chlorobenzene	4.900	U
Chloroethane	2.800	U
Chloroform	8.300	D
Chloromethane	2.200	J
cis-1,2-Dichloroethylene	1	U
cis-1,3-Dichloropropylene	4.800	U
Cyclohexane	3.600	U
Dibromochloromethane	9	U
Dichlorodifluoromethane	5.200	U
Ethyl acetate	7.600	U
Ethyl Benzene	4.600	D
Hexachlorobutadiene	11	U
Isopropanol	39	BD
Methyl Methacrylate	4.300	U
Methyl tert-butyl ether (MTBE)	3.800	U
Methylene chloride	7.400	J
Naphthalene		
n-Heptane	4.300	J
n-Hexane	3.700	U
o-Xylene	5.100	D
p- & m- Xylenes	15	D
p-Ethyltoluene	5.200	U
Propylene	1.800	D
Styrene	4.500	U
Tetrachloroethylene	7.200	U
Tetrahydrofuran	6.200	U
Toluene	21	D
trans-1,2-Dichloroethylene	4.200	U
trans-1,3-Dichloropropylene	4.800	U
Trichloroethylene	1.400	U
Trichlorofluoromethane (Freon 11)	7.700	D
Vinyl acetate	3.700	U
Vinyl bromide	4.600	U
Vinyl Chloride	1.400	U

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

Detection above laboratory detection limits

"Sub-Slab Soil Vapor" indicates soil vapor samples collected from invert of building concrete slab

CVOCs with Corresponding NYSDOH Air Guidance and Immediate Action Levels

Table 4 - On-Site VOC Sub-slab Soil Vapor (November 2021)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Tenant Space	Vacant Unit #2								Leicht Kitchen (Unit #3)				Le Collage (Unit #4)			
Sample ID	SG-1		SG-2		SG-3		SG-4		SG-5		SG-6		SG-7		SG-8	
York ID	21K0978-01		21K0978-02		21K0978-03		21K0978-04		21K0978-05		21K0978-06		21K0978-07		21K0978-08	
Sampling Date	11/18/2021		11/18/2021		11/18/2021		11/18/2021		11/18/2021		11/18/2021		11/18/2021		11/18/2021	
Client Matrix	Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor	
All units in micrograms per cubic meter (ug/m^3)	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane	0.760	U	1.300	U	6.500	U	5.200	U	6.300	U	5.400	U	5.900	U	14	U
1,1,1-Trichloroethane	0.610	U	1	U	5.200	U	4.100	U	5	U	4.300	U	4.700	U	11	U
1,1,2,2-Tetrachloroethane	0.760	U	1.300	U	6.500	U	5.200	U	6.300	U	5.400	U	5.900	U	14	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.850	U	1.500	U	7.300	U	5.800	U	7.100	U	6	U	6.600	U	15	U
1,1,2-Trichloroethane	0.610	U	1	U	5.200	U	4.100	U	5	U	4.300	U	4.700	U	11	U
1,1-Dichloroethane	0.450	U	0.770	U	3.800	U	3	U	3.700	U	3.200	U	3.500	U	8.200	U
1,1-Dichloroethylene	0.110	U	0.190	U	0.940	U	0.740	U	0.910	U	0.780	U	0.850	U	2	U
1,2,4-Trichlorobenzene	0.820	U	1.400	U	7	U	5.600	U	6.800	U	5.800	U	6.400	U	15	U
1,2,4-Trimethylbenzene	1	D	1.100	D	4.700	U	3.700	U	4.500	U	3.900	U	4.200	U	9.900	U
1,2-Dibromoethane	0.850	U	1.500	U	7.300	U	5.800	U	7.100	U	6	U	6.600	U	16	U
1,2-Dichlorobenzene	0.670	U	1.100	U	5.700	U	4.500	U	5.500	U	4.700	U	5.200	U	12	U
1,2-Dichloroethane	0.450	U	0.770	U	3.800	U	3	U	3.700	U	3.200	U	3.500	U	8.200	U
1,2-Dichloropropane	0.510	U	0.880	U	4.400	U	3.500	U	4.300	U	3.600	U	4	U	9.300	U
1,2-Dichlorotetrafluoroethane	0.780	U	1.300	U	6.600	U	5.300	U	6.400	U	5.500	U	6	U	14	U
1,3,5-Trimethylbenzene	0.550	J	0.940	J	4.700	U	3.700	U	4.500	U	3.900	U	4.200	U	9.900	U
1,3-Butadiene	0.740	U	1.300	U	6.300	U	5	U	6.100	U	5.200	U	5.700	U	13	U
1,3-Dichlorobenzene	7.800	D	7.800	D	8.600	D	4.500	J	9.400	D	9.900	D	13	D	15	D
1,3-Dichloropropane	0.510	U	0.880	U	4.400	U	3.500	U	4.300	U	3.600	U	4	U	9.300	U
1,4-Dichlorobenzene	0.670	U	1.100	U	5.700	U	4.500	U	5.500	U	4.700	U	5.200	U	12	U
1,4-Dioxane	0.800	U	1.400	U	6.800	J	5.400	U	6.600	U	5.700	U	6.200	U	15	U
2-Butanone	47	D	65	D	67	D	110	D	48	D	37	D	80	D	65	D
2-Hexanone	0.910	U	1.600	U	7.800	U	6.200	U	7.600	U	6.400	U	7	U	17	U
3-Chloropropene	1.700	U	3	U	15	U	12	U	14	U	12	U	13	U	32	U
4-Methyl-2-pentanone	0.450	J	0.780	U	3.900	U	3.100	U	3.800	U	3.200	U	3.500	U	8.300	U
Acetone	24	D	46	D	72	D	91	D	27	D	30	D	250	D	260	D
Acrylonitrile	0.240	U	0.410	U	2.100	U	1.600	U	2	U	1.700	U	1.900	U	4.400	U
Benzene	0.600	D	1.300	D	3	U	2.400	D	2.900	U	2.500	U	2.700	U	6.500	U
Benzyl chloride	0.570	U	0.990	U	4.900	U	3.900	U	4.800	U	4.100	U	4.400	U	10	U
Bromodichloromethane	0.740	U	1.300	U	6.400	U	5	U	6.200	U	5.300	U	5.800	U	14	U
Bromoform	1.100	U	2	U	9.800	U	7.800	U	9.500	U	8.100	U	8.900	U	21	U
Bromomethane	0.430	U	0.740	U	3.700	U	2.900	U	3.600	U	3	U	3.300	U	7.800	U
Carbon disulfide	0.350	U	0.590	U	3	U	2.300	U	2.900	U	2.400	U	2.700	U	6.300	U
Carbon tetrachloride	0.210	D	0.360	D	1.500	U	1.200	U	1.500	U	1.200	U	1.400	U	3.200	U
Chlorobenzene	0.510	U	0.880	U	4.400	U	3.500	U	4.200	U	3.600	U	4	U	9.300	U
Chloroethane	0.290	U	0.500	U	2.500	U	2	U	2.400	U	2.100	U	2.300	U	5.300	U
Chloroform	0.540	U	1.400	D	4.600	U	3.700	U	4.500	U	3.800	U	4.200	U	9.900	U
Chloromethane	0.230	U	0.390	U	2	U	1.600	U	1.900	U	1.600	U	1.800	U	4.200	U
cis-1,2-Dichloroethylene	0.110	U	0.190	U	0.940	U	0.740	U	0.910	U	0.780	U	0.850	U	2	U
cis-1,3-Dichloropropylene	0.500	U	0.870	U	4.300	U	3.400	U	4.200	U	3.600	U	3.900	U	9.200	U
Cyclohexane	0.610	D	1.300	D	3.300	J	3.400	D	4.400	D	2.700	U	3	U	7	U
Dibromochloromethane	0.940	U	1.600	U	8.100	U	6.400	U	7.900	U	6.700	U	7.300	U	17	U
Dichlorodifluoromethane	1.400	D	2.600	D	4.700	U	3.700	U	4.600	U	3.900	U	4.200	U	10	U
Ethyl acetate	27	D	79	D	68	D	55	D	50	D	40	D	110	D	110	D
Ethyl Benzene	3	D	4	D	4.100	D	5.500	D	14	D	4.100	D	3.700	J	8.800	U
Hexachlorobutadiene	1.200	U	2	U	10	U	8	U	9.800	U	8.400	U	9.200	U	22	U
Isopropanol	450	D	1,000	D	920	D	630	D	540	D	450	D	1,200	D	1,200	D
Methyl Methacrylate	1.200	D	2.400	D	3.900	J	4	D	3.800	U	3.200	J	3.500	J	8.300	U
Methyl tert-butyl ether (MTBE)	0.400	U	0.690	U	3.400	U	2.700	U	3.300	U	2.800	U	3.100	U	7.300	U
Methylene chloride	1.500	D	13	D	17	D	49	D	12	D	6	D	6	J	**330**	D
n-Heptane	2	D	3.800	D	6.200	D	8.600	D	9.100	D	4.200	D	3.500	U	8.300	U
n-Hexane	0.660	D	2	D	4.700	D	7.700	D	3.900	D	2.800	U	3	U	25	D
o-Xylene	4	D	4.500	D	4.100	D	6.800	D	18	D	5.500	D	3.700	J	8.800	J
p- & m- Xylenes	8.900	D	10	D	9.500	D	18	D	40	D	13	D	7.800	D	18	U
p-Ethyltoluene	1.700	D	1.900	D	4.700	U	3.700	U	5.900	D	3.900	U	4.200	U	9.900	U
Propylene	0.190	U	0.460	D	1.600	U	1.300	U	1.600	U	1.400	U	1.500	U	3.500	U
Styrene	3	D	5.200	D	4	J	4.500	D	7.500	D	4	D	5.100	D	8.600	J
Tetrachloroethylene	**1,800**	D	**1,400**	D	**2,100**	D	**1,900**	D	**2,700**	D	**3,100**	D	**3,200**	D	**6,300**	D
Tetrahydrofuran	51	D	70	D	68	D	120	D	180	D	50	D	22	D	18	D
Toluene	13	D	22	D	24	D	33	D	44	D	16	D	12	D	11	D
trans-1,2-Dichloroethylene	0.440	U	0.760	U	3.800	U	3	U	3.700	U	3.100	U	3.400	U	8	U
trans-1,3-Dichloropropylene	0.500	U	0.870	U	4.300	U	3.400	U	4.200	U	3.600	U	3.900	U	9.200	U
Trichloroethylene	6	D	8.200	D	14	D	8.500	D	11	D	19	D	16	D	41	D
Trichlorofluoromethane (Freon 11)	2.700	D	2.100	D	5.300	U	7.200	D	47	D	31	D	21	D	30	D
Vinyl acetate	0.390	U	0.670	U	3.300	U	2.600	U	3.200	U	2.800	U	3	U	7.100	U
Vinyl bromide	0.490	U	0.840	U	4.100	U	3.300	U	4	U	3.400	U	3.800	U	8.800	U
Vinyl Chloride	0.140	U	0.240	U	1.200	U	0.960	U	1.200	U	1	U	1.100	U	2.600	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Elevated Concentration

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

"Sub-Slab Soil Vapor" indicates soil vapor samples collected from invert of building concrete slab

CVOCs with Corresponding NYSDOH Air Guidance and Immediate Action Levels

Table 4 - On-Site VOC Sub-slab Soil Vapor (November 2021)

200 E Main Street, Mount Kisco, Westchester County, New York

BCP Site #: C360183

Tenant Space	Former Prestice Cleaners (Unit #1)							
Sample ID	SG-9		SG-10		SG-11		SG-12	
York ID	21K0978-09		21K0978-10		21K0978-11		21K0978-12	
Sampling Date	11/18/2021		11/18/2021		11/18/2021		11/18/2021	
Client Matrix	Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor		Sub-slab Soil Vapor	
All units in micrograms per cubic meter (ug/m^3)	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List								
1,1,1,2-Tetrachloroethane	14	U	62	U	64	U	61	U
1,1,1-Trichloroethane	11	U	49	U	51	U	49	U
1,1,2,2-Tetrachloroethane	14	U	62	U	64	U	61	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	16	U	69	U	72	U	69	U
1,1,2-Trichloroethane	11	U	49	U	51	U	49	U
1,1-Dichloroethane	8.400	U	36	U	38	U	36	U
1,1-Dichloroethylene	2.100	U	8.900	U	9.300	U	8.900	U
1,2,4-Trichlorobenzene	15	U	67	U	70	U	66	U
1,2,4-Trimethylbenzene	10	U	44	U	46	U	44	U
1,2-Dibromoethane	16	U	69	U	72	U	69	U
1,2-Dichlorobenzene	12	U	54	U	56	U	54	U
1,2-Dichloroethane	8.400	U	36	U	38	U	36	U
1,2-Dichloropropane	9.600	U	41	U	43	U	41	U
1,2-Dichlorotetrafluoroethane	14	U	63	U	66	U	63	U
1,3,5-Trimethylbenzene	10	U	44	U	46	U	44	U
1,3-Butadiene	14	U	60	U	62	U	59	U
1,3-Dichlorobenzene	12	U	54	U	56	U	54	U
1,3-Dichloropropane	9.600	U	41	U	43	U	41	U
1,4-Dichlorobenzene	12	U	54	U	56	U	54	U
1,4-Dioxane	15	U	65	U	68	U	64	U
2-Butanone	13	D	26	J	28	J	26	U
2-Hexanone	17	U	74	U	77	U	73	U
3-Chloropropene	32	U	140	U	150	U	140	U
4-Methyl-2-pentanone	8.500	U	37	U	38	U	37	U
Acetone	22	D	53	D	53	D	91	D
Acrylonitrile	4.500	U	19	U	20	U	19	U
Benzene	6.600	U	29	U	30	U	29	U
Benzyl chloride	11	U	46	U	49	U	46	U
Bromodichloromethane	14	U	60	U	63	U	60	U
Bromoform	21	U	93	U	97	U	93	U
Bromomethane	8	U	35	U	36	U	35	U
Carbon disulfide	6.500	U	28	U	29	U	28	U
Carbon tetrachloride	3.300	U	14	U	15	U	14	U
Chlorobenzene	9.500	U	41	U	43	D	41	U
Chloroethane	5.500	U	24	U	25	U	24	U
Chloroform	10	U	44	U	46	U	44	U
Chloromethane	4.300	U	19	U	19	U	18	U
cis-1,2-Dichloroethylene	**240**	D	**1,000**	D	**7,900**	D	**340**	D
cis-1,3-Dichloropropylene	9.400	U	41	U	43	U	41	U
Cyclohexane	7.100	U	31	U	32	U	31	U
Dibromochloromethane	18	U	76	U	80	U	76	U
Dichlorodifluoromethane	10	U	44	U	46	U	44	U
Ethyl acetate	58	D	65	D	68	U	64	J
Ethyl Benzene	9	U	39	U	41	U	39	U
Hexachlorobutadiene	22	U	96	U	100	U	95	U
Isopropanol	690	D	780	D	500	D	260	D
Methyl Methacrylate	8.500	U	37	U	38	U	37	U
Methyl tert-butyl ether (MTBE)	7.500	U	32	U	34	U	32	U
Methylene chloride	19	D	62	U	65	U	62	J
n-Heptane	8.500	U	37	U	38	U	37	U
n-Hexane	7.300	U	32	U	33	U	32	U
o-Xylene	9	J	39	U	41	U	39	U
p- & m- Xylenes	18	U	78	U	81	U	78	U
p-Ethyltoluene	10	U	44	U	46	U	44	U
Propylene	3.600	U	15	U	16	U	15	U
Styrene	8.800	U	38	U	40	U	38	U
Tetrachloroethylene	**32,000**	D	**250,000**	D	**1,800,000**	D	**68,000**	D
Tetrahydrofuran	18	D	53	J	55	J	53	U
Toluene	8.600	D	34	U	35	U	34	U
trans-1,2-Dichloroethylene	8.200	U	36	U	37	U	35	U
trans-1,3-Dichloropropylene	9.400	U	41	U	43	U	41	U
Trichloroethylene	**400**	D	**3,900**	D	**11,000**	D	**1,200**	D
Trichlorofluoromethane (Freon 11)	12	U	50	U	53	U	50	U
Vinyl acetate	7.300	U	32	U	33	U	32	U
Vinyl bromide	9.100	U	39	U	41	U	39	U
Vinyl Chloride	2.600	U	11	U	12	U	11	U

NOTES:

Any Regulatory Exceedences are color coded by Regulation

Concentration Detected

Elevated Concentration

D = result is from an analysis that required a dilution

J = analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U = analyte not detected at or above the level indicated

~ = this indicates that no regulatory limit has been established for this analyte

"Sub-Slab Soil Vapor" indicates soil vapor samples collected from invert of building concrete slab

CVOCs with Corresponding NYSDOH Air Guidance and Immediate Action Levels

TABLE 5A - INDOOR AIR DATA
FORMER PRESTIGE CLEANERS/ UNIT #1
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-1 Prestige (Unit #1) 21K0978-13 11/18/2021 Indoor Air		AI-2 Prestige (Unit #1) 21K0978-14 11/18/2021 Indoor Air		AI-3 Prestige (Unit #1) 21K0978-15 11/18/2021 Indoor Air		AI-1B Prestige (Unit #1) 21L0608-01 12/9/2021 Indoor Air		AI-2B Prestige (Unit #1) 21L0608-02 12/9/2021 Indoor Air		AI-3B Prestige (Unit #1) 21L0608-03 12/9/2021 Indoor Air		SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Former Prestige Cleaners (Unit #1) 22H0069-02 8/1/2022 Indoor Air		Prestige (Unit #1) 22J0662-08 10/12/2022 Indoor Air		Former Prestige (Unit #1) 23A1182-01 1/24/2023 Indoor Air		Prestige (Unit #1) 23E0033-01 4/28/2023 Indoor Air		Prestige (Unit #1) 23F0573-01 6/8/2023 Indoor Air		Prestige Cleaners (Unit #1) 23I1039-01 9/14/2023 Indoor Air		Prestige (Unit #1) 23L1251-01 12/15/2023 Indoor Air		SSDS in Unit # 1 Active January 26, 2024	Former Prestige 24C1397-01 3/20/2024 Indoor Air		Former Prestige 24G1107-01 7/16/2024 Indoor Air		Former Prestige 24J1140-01 10/15/2024 Indoor Air		Unit 1 (Vacant) 25B1578-01 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																																						
1,1,1,2-Tetrachloroethane			6.400	U	28	U	25	U	0.640	U	2.400	U	2.300	U		0.630	U	0.770	U	0.730	U	0.600	U	0.600	U	0.590	U	0.630	U		0.450	U	0.600	U	0.600	U	0.480	U
1,1,1-Trichloroethane	~	~	5.100	U	22	U	20	U	0.510	U	1.900	U	1.800	U		0.500	U	0.610	U	0.580	U	0.480	U	0.480	U	0.470	U	0.500	U		0.560	U	0.470	U	0.480	U	0.380	U
1,1,2,2-Tetrachloroethane	~	~	6.400	U	28	U	25	U	0.640	U	2.400	U	2.300	U		0.630	U	0.770	U	0.730	U	0.600	U	0.600	U	0.590	U	0.630	U		0.630	D	0.600	U	0.600	U	0.480	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	7.200	U	31	U	28	U	0.710	U	2.700	U	2.500	U		0.850	D	0.860	U	0.810	U	0.670	D	0.670	U	0.660	U	0.710	U		0.450	U	0.660	U	0.670	U	0.540	U
1,1,2-Trichloroethane	~	~	5.100	U	22	U	20	U	0.510	U	1.900	U	1.800	U		0.500	U	0.610	U	0.580	U	0.480	U	0.480	U	0.470	U	0.500	U		0.330	U	0.470	U	0.480	U	0.380	U
1,1-Dichloroethane	~	~	3.800	U	17	U	15	U	0.380	U	1.400	U	1.300	U		0.370	U	0.460	U	0.430	U	0.360	U	0.360	U	0.350	U	0.370	U		0.081	U	0.350	U	0.350	U	0.280	U
1,1-Dichloroethylene	~	~	0.920	U	4	U	3.600	U	0.0920	U	0.350	U	0.330	U		0.0910	U	0.110	U	0.100	U	0.0870	U	0.0870	U	0.0850	U	0.0910	U		0.610	U	0.0860	U	0.0870	U	0.0690	U
1,2,4-Trichlorobenzene	~	~	6.900	U	30	U	27	U	0.690	U	2.600	U	2.400	U		0.680	U	0.840	U	1.600	U	0.650	U	0.650	U	0.630	U	0.680	U		0.970	D	0.640	U	0.650	U	0.520	U
1,2,4-Trimethylbenzene	~	~	4.600	U	20	U	18	U	1.100	D	1.700	U	1.600	U		0.720	D	0.550	J	0.520	U	0.430	U	0.430	U	0.420	U	0.450	U		0.630	U	0.430	D	0.430	U	0.930	D
1,2-Dibromoethane	~	~	7.200	U	31	U	28	U	0.720	U	2.700	U	2.500	U		0.710	U	0.870	U	0.810	U	0.680	U	0.680	U	0.660	U	0.710	U		0.490	U	0.670	U	0.670	U	0.540	U
1,2-Dichlorobenzene	~	~	5.600	U	25	U	22	U	0.560	U	2.100	U	2	U		0.550	U	0.680	U	0.640	U	0.530	U	0.530	U	0.510	U	0.550	U		0.330	U	0.520	U	0.520	U	0.420	U
1,2-Dichloroethane	~	~	3.800	U	17	U	15	U	0.380	U	1.400	U	1.300	U		0.370	U	0.460	U	0.430	U	0.360	U	0.360	U	0.350	U	0.370	U		0.380	U	0.350	U	0.350	U	0.280	U
1,2-Dichloropropane	~	~	4.300	U	19	U	17	U	0.430	U	1.600	U	1.500	U		0.430	U	0.520	U	0.490	U	0.410	U	0.410	U	0.400	U	0.430	U		0.570	U	0.400	U	0.400	U	0.320	U
1,2-Dichlorotetrafluoroethane	~	~	6.500	U	29	U	26	U	0.650	U	2.500	U	2.300	U		0.640	U	0.790	U	0.740	U	0.610	U	0.620	U	0.600	U	0.650	U		0.400	U	0.610	U	0.610	U	0.490	U
1,3,5-Trimethylbenzene	~	~	4.600	U	20	U	18	U	0.460	J	1.700	U	1.600	U		0.450	U	0.550	U	0.520	U	0.430	U	0.430	U	0.420	U	0.450	U		0.550	U	0.430	U	0.430	U	0.340	U
1,3-Butadiene	~	~	6.200	U	27	U	24	U	0.620	U	2.300	U	2.200	U		0.610	U	0.750	U	0.700	U	0.580	U	0.580	U	0.570	U	0.610	U		0.490	U	0.580	U	0.580	U	0.460	U
1,3-Dichlorobenzene	~	~	5.600	U	25	U	22	U	0.560	U	2.100	U	2	U		0.550	U	0.680	U	0.640	U	0.530	U	0.530	U	0.510	U	0.550	U		0.380	U	0.520	U	0.520	U	0.420	U
1,3-Dichloropropane	~	~	4.300	U	19	U	17	U	0.430	U	1.600	U	1.500	U		0.430	U	0.520	U	0.490	U	0.410	U	0.410	U	0.400	U	0.430	U		0.490	U	0.400	U	0.400	U	0.320	U
1,4-Dichlorobenzene	~	~	5.600	U	25	U	22	U	0.560	U	2.100	U	2	U		0.550	U	0.680	U	0.640	U	0.530	U	0.530	U	0.510	U	0.550	U		0.590	U	0.520	U	0.520	U	0.420	U
1,4-Dioxane	~	~	6.700	U	29	U	27	U	0.670	U	2.500	U	2.400	U		0.660	U	0.810	U	0.760	U	0.630	U	0.630	U	0.620	U	0.670	U		17	D	0.620	U	0.630	U	0.500	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		NT		NT		NT			NT		NT		NT		NT		NT		NT			NT		0.450	D	0.290	D	0.560	D
2-Butanone	~	~	3	D	12	U	11	U	2.100	D	8.300	D	15	D		1.400	D	0.830	D	3.000	D	1	D	1.700	D	1.500	D	10	D		0.670	U	3	D	1.500	D	12	D
2-Hexanone	~	~	7.600	U	33	U	30	U	0.760	U	2.900	U	2.700	U		0.750	J	0.920	J	0.870	U	0.720	U	0.720	U	0.700	U	0.760	U		1.300	U	0.710	U	0.720	U	0.570	U
3-Chloropropene	~	~	15	U	64	U	58	U	1.500	U	5.500	U	5.100	U		1.400	U	1.800	U	1.700	U	1.400	U	1.400	U	1.300	U	1.400	U		1.400	D	1.400	U	1.400	U	1.100	U
4-Methyl-2-pentanone	~	~	3.800	U	17	U	15	U	0.380	U	1.400	U	1.300	U		0.380	U	0.460	U	0.430	U	0.360	U	0.360	U	0.350	U	0.380	U		56	D	0.460	D	0.360	D	0.290	U
Acetone	~	~	22	D	28	D	32	D	46	D	260	D	550	D		15	D	16	D	29	D	7.900	D	11	BD	11	D	29	D		0.180	U	19	D	34	D	33	D
Acrylonitrile	~	~	2	U	8.900	U	8	U	0.200	U	0.760	U	0.710	U		0.200	U	0.240	U	0.230	U	0.190	U	0.190	U	0.190	U	0.200	U		1.300	D	0.190	U	0.190	U	30	D
Benzene	~	~	3	U	13	U	12	U	1.100	D	1.200	D	1.100	D		0.680	D	0.940	D	0.470	D	0.530	D	2	D	0.410	D	0.940	D		0.430	U	0.440	D	0.360	D	0.740	D
Benzyl chloride	~	~	4.800	U	21	U	19	U	0.480	U	1.800	U	1.700	U		0.480	U	0.580	U	0.550	U	0.460	U	0.460	U	0.440	U	0.480	U		0.550	U	0.450	U	0.450	U	0.360	U
Bromodichloromethane	~	~	6.300	U	27	U	25	U	0.620	U	2.400	U	2.200	U		0.620	U	0.750	U	0.710	U	0.590	U	0.590	U	0.570	U	0.620	U		0.850	U	0.580	U	0.580	U	0.470	U
Bromoform	~	~	9.600	U	42	U	38	U	0.960	U	3.600	U	3.400	U		0.950	U	1.200	U	1.100	U	0.910	U	0.910	U	0.880	U	0.950	U		0.320	U	0.900	U	0.900	U	0.720	U
Bromomethane	~	~	3.600	U	16	U	14	U	0.360	U	1.400	U	1.300	U		0.360	U	0.440	U	0.410	U	0.340	U	0.340	U	0.330	U	0.360	U		0.260	U	0.340	U	0.340	U	0.270	U
Carbon disulfide	~	~	2.900	U	13	U	11	U	0.290	U	1.100	U	1	U		0.290	U	0.350	U	0.330	U	0.270	U	0.270	U	0.270	U	0.290	U		0.570	D	0.270	U	0.270	U	0.220	U
Carbon tetrachloride	~	~	1.500	U	6.400	U	5.800	U	0.470	D	0.660	D	0.620	D		0.350	D	0.350	D	0.330	D	0.440	D	0.390	D	0.380	D	0.410	D		0.380	U	0.650	D	0.380	D	0.440	D
Chlorobenzene	~	~	4.300	U	19	U	17	U	0.430	U	1.600	U	1.500	U		0.420	U	0.520	U	0.490	U	0.400	U	0.410	U	0.390	U	0.420	U		0.220	U	0.400	U	0.400	U	0.320	U
Chloroethane	~	~	2.500	U	11	U	9.700	U	0.250	U	0.930	U	0.870	U		0.240	U	0.300	U	0.280	U	0.230	U	0.230	U	0.230	U	0.240	U		0.400	U	0.230	U	0.230	U	0.180	U
Chloroform	~	~	4.600	U	20	U	18	U	0.460	U	1.700	U	1.600	U		0.940	D	0.550	U	0.520	U	0.430	U	0.430	U	0.420	U	0.450	U		0.850	D	0.470	D	0.430	U	0.340	U
Chloromethane	~	~	1.900	U	8.400	U	7.600	U	1.300	D	1.200	D	0.680	U		1.700	D	1.100	D	1.100	D	1.200	BD	1	D	1.200	D	0.840	D		0.081	U	0.810	D	0.970	D	1.100	D

TABLE 5A - INDOOR AIR DATA
FORMER PRESTIGE CLEANERS/ UNIT #1
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-1 Prestige (Unit #1) 21K0978-13 11/18/2021 Indoor Air		AI-2 Prestige (Unit #1) 21K0978-14 11/18/2021 Indoor Air		AI-3 Prestige (Unit #1) 21K0978-15 11/18/2021 Indoor Air		AI-1B Prestige (Unit #1) 21L0608-01 12/9/2021 Indoor Air		AI-2B Prestige (Unit #1) 21L0608-02 12/9/2021 Indoor Air		AI-3B Prestige (Unit #1) 21L0608-03 12/9/2021 Indoor Air			Former Prestige Cleaners (Unit #1) 22H0069-02 8/1/2022 Indoor Air		Prestige (Unit #1) 22J0662-08 10/12/2022 Indoor Air		Former Prestige (Unit #1) 23A1182-01 1/24/2023 Indoor Air		Prestige (Unit #1) 23E0033-01 4/28/2023 Indoor Air		Prestige (Unit #1) 23F0573-01 6/8/2023 Indoor Air		Prestige Cleaners (Unit #1) 23I1039-01 9/14/2023 Indoor Air		Prestige (Unit #1) 23L1251-01 12/15/2023 Indoor Air			Former Prestige 24C1397-01 3/20/2024 Indoor Air		Former Prestige 24G1107-01 7/16/2024 Indoor Air		Former Prestige 24J1140-01 10/15/2024 Indoor Air		Unit 1 (Vacant) 25B1578-01 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	SSDS in Unit # 1 Active January 26, 2024	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,2-Dichloroethylene	~	~	3.700	D	4	U	3.600	U	0.0920	U	0.350	U	0.330	U		0.550	D	0.130	D	0.340	D	0.240	D	0.0870	U	0.0850	U	0.0910	U		0.370	U	0.0860	U	0.0870	U	0.0690	U
cis-1,3-Dichloropropylene	~	~	4.200	U	19	U	17	U	0.420	U	1.600	U	1.500	U		0.420	U	0.510	U	0.480	U	0.400	U	0.400	U	0.390	U	0.420	U		1.600	D	0.390	U	0.400	U	0.320	U
Cyclohexane	~	~	3.200	U	14	U	13	U	0.380	D	1.200	U	1.100	U		0.320	J	0.390	U	0.360	U	0.300	U	0.300	U	0.290	U	0.320	U		0.700	U	0.300	U	0.600	D	1.300	D
Dibromochloromethane	~	~	7.900	U	35	U	31	U	0.790	U	3	U	2.800	U		0.780	U	0.960	U	0.900	U	0.750	U	0.750	U	0.730	U	0.790	U		2.700	D	0.740	U	0.740	U	0.600	U
Dichlorodifluoromethane	~	~	4.600	U	20	U	18	U	2.400	D	3	D	2.900	D		2.600	D	2.300	D	2.200	D	2.700	D	2.100	D	2.400	D	2.400	D		3.300	D	2.800	D	2.200	D	2	D
Ethyl acetate	~	~	6.700	U	29	U	27	U	1.200	D	4.700	D	10	D		0.660	U	0.810	J	0.760	U	0.630	U	0.630	U	0.620	U	0.670	U		1.400	D	0.620	U	0.790	D	7	D
Ethyl Benzene	~	~	4.100	U	18	U	16	U	0.450	D	1.500	U	1.400	U		0.520	D	0.490	J	0.460	U	0.380	U	14	D	0.370	U	0.400	U		0.880	U	1.400	D	0.420	D	0.610	D
Hexachlorobutadiene	~	~	10	U	44	U	39	U	0.990	U	3.700	U	3.500	U		0.980	U	1.200	U	1.100	U	0.940	U	0.940	U	0.910	U	0.980	U		0.400	U	0.920	U	0.930	U	0.750	U
Isopropanol	~	~	14	D	30	D	24	D	54	D	270	D	680	D		4.300	D	4.600	BD	0.860	D	2	D	7.700	BD	4	D	2.800	BD		0.340	U	6.900	D	12	D	5.600	BD
Methyl Methacrylate	~	~	3.800	U	17	U	15	U	1.200	D	1.400	J	1.300	J		0.380	U	0.460	U	0.430	U	0.360	U	1.400	D	0.350	U	0.380	U		0.300	U	0.350	U	0.360	U	0.520	D
Methyl tert-butyl ether (MTBE)	~	~	3.400	U	15	U	13	U	0.340	U	1.300	U	1.200	U		0.330	U	0.410	U	0.380	U	0.320	U	0.320	U	0.310	U	0.330	U		2.500	D	0.310	U	0.310	U	0.250	U
Methylene chloride	60	NA	6.500	J	28	J	26	J	**120**	D	13	D	7.800	D		22	D	1.800	D	1.600	D	0.610	U	1.300	D	0.590	U	0.640	U		1.200	D	0.660	D	1.700	D	1.500	J
Naphthalene	~	~	NT		NT		NT		NT		NT		NT			NT		NT		NT		NT		NT		NT		NT			NT		1.800	D	0.920	U	0.730	U
n-Heptane	~	~	3.800	U	17	U	15	U	1	D	1.400	U	1.300	J		0.640	D	0.600	D	0.430	U	0.360	U	0.360	U	0.350	U	0.380	U		6.900	D	0.360	U	0.640	D	0.800	D
n-Hexane	~	~	3.300	U	14	U	13	U	62	D	1.200	U	2.700	D		2.400	D	1	D	0	D	0.400	D	0.370	D	0.300	U	0.550	D		2.700	D	0.460	D	0.310	D	0.540	D
o-Xylene	~	~	4.100	U	18	U	16	U	0.490	D	1.500	J	1.400	J		0.680	D	0.490	D	0.460	U	0.380	U	11	D	0.370	U	0.400	U		1.600	D	1.700	D	0.490	D	0.670	D
p- & m- Xylenes	~	~	8.100	U	35	U	32	U	1.500	D	3.100	U	2.900	U		1.500	D	1.300	D	0.920	U	0.760	U	50	D	0.780	D	0.800	U		5.600	D	5.700	D	1.500	D	1.900	D
p-Ethyltoluene	~	~	4.600	U	20	U	18	U	1.100	D	1.700	U	1.600	U		0.590	D	0.550	U	0.520	U	0.430	U	0.430	U	0.420	U	0.450	U		0.810	D	0.430	U	0.430	U	0.720	D
Propylene	~	~	2.200	D	7	U	6.300	U	0.160	U	0.600	U	0.570	U		0.840	D	1.900	D	0.180	U	0.730	D	0.150	U	0.150	U	1.700	D		0.950	D	0.150	U	0.150	U	0.120	U
Styrene			4	U	17	U	16	U	0.400	U	1.500	U	1.400	J		0.390	U	0.480	U	0.450	U	0.370	U	0.370	U	0.360	U	0.390	U		0.350	U	0.370	U	0.370	U	0.300	U
Tetrachloroethylene	30	300	**21,000**	BD	**25,000**	D	**18,000**	D	**2,300**	D	**770**	D	**330**	D		**750**	D	**250**	D	**300**	D	**38**	D	**66**	D	**52**	D	**60**	D		3.5	D	14	D	0.710	D	6.400	D
Tetrahydrofuran	~	~	5.500	U	24	U	22	U	0.550	U	2.100	U	1.900	J		0.540	U	0.660	J	33.000	D	1.400	D	4.200	D	3.900	BD	36	D		71	D	0.870	D	0.510	U	6.900	D
Toluene	~	~	4.900	D	15	U	14	U	2.400	D	2.100	D	2	D		3.200	D	2.600	D	0.480	D	0.700	D	2.400	D	0.810	D	1.200	D		13	D	1.200	D	4.300	D	2	D
trans-1,2-Dichloroethylene	~	~	3.700	U	16	U	15	U	0.370	U	1.400	U	1.300	U		0.370	U	0.450	U	0.420	U	0.350	U	0.350	U	0.340	U	0.370	U		0.330	U	0.340	U	0.350	U	0.280	U
trans-1,3-Dichloropropylene	~	~	4.200	U	19	U	17	U	0.420	U	1.600	U	1.500	U		0.420	U	0.510	U	0.480	U	0.400	U	0.400	U	0.390	U	0.420	U		0.370	U	0.390	U	0.400	U	0.320	U
Trichloroethylene	2	20	**75**	D	**88**	D	**79**	D	**3**	D	**12**	D	**11**	D		0.840	D	0.480	D	0.800	D	0.610	D	0.380	D	0.110	U	0.300	D		0.110	U	0.120	U	0.120	U	0.0940	U
Trichlorofluoromethane (Freon 11)	~	~	5.200	U	23	U	21	U	1.800	D	2.800	D	3.900	D		1.700	D	1.200	D	1.000	D	1.400	D	1.300	D	1.200	D	1.100	D		1.400	D	2	D	1.200	D	1.100	D
Vinyl acetate	~	~	3.300	U	14	U	13	U	0.330	U	1.200	U	1.200	U		0.320	U	0.400	U	0.370	U	0.310	U	0.310	U	0.300	U	0.320	U		0.290	U	0.310	U	0.310	U	0.250	U
Vinyl bromide	~	~	4.100	U	18	U	16	U	0.410	U	1.500	U	1.400	U		0.400	U	0.490	U	0.460	U	0.380	U	0.380	U	0.370	U	0.400	U		0.360	U	0.380	U	0.380	U	0.310	U
Vinyl Chloride	~	~	1.200	U	5.200	U	4.700	U	0.120	U	0.450	U	0.420	U		0.590	D	0.140	U	0.140	U	0.110	U	0.110	U	0.110	U	0.120	U		0.110	U	0.110	U	0.110	U	0.0890	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
VACANT #2/ UNIT #2
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-4 Vacant (Unit #2) 21K0978-16 11/18/2021 Indoor Air		AI-5 Vacant (Unit #2) 21K0978-17 11/18/2021 Indoor Air		AI-6 Vacant (Unit #2) 21K0978-18 11/18/2021 Indoor Air		AI-7 Vacant (Unit #2) 21K0978-19 11/18/2021 Indoor Air		AI-5B Vacant (Unit #2) 21L0608-04 12/9/2021 Indoor Air		SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Vacant 2 (Unit #2) 22H0069-03 8/1/2022 Indoor Air		Vacant No. 2 (Unit #2) 22J0662-07 10/12/2022 Indoor Air		Vacant 2 (Unit #2) 23A1182-02 1/24/2023 Indoor Air		Unit 2 Vacant (Unit #2) 23E0033-02 4/28/2023 Indoor Air		Unit 2 (Unit #2) 23F0573-02 6/8/2023 Indoor Air		Vacant No. 2 (Unit #2) 23I0505-02 9/8/2023 Indoor Air		Vacant No.2 (Unit #2) 23L1251-02 12/15/2023 Indoor Air		SSDS in Unit # 1 Active January 26, 2024	Vacant 2 24C1397-02 3/20/2024 Indoor Air		Unit #2 24G1107-02 7/16/2024 Indoor Air		Unit 2 24J1140-02 10/15/2024 Indoor Air		Unit 2 (Barber Zone) 25B1578-02 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																																						
1,1,1,2-Tetrachloroethane	~	~	6.600	U	6.400	U	13	U	12	U	2.800	U		0.660	U	0.760	U	0.510	U	0.660	U	0.640	U	0.760	U	0.620	U		0.530	U	0.680	U	0.710	U	0.610	U
1,1,1-Trichloroethane	~	~	5.200	U	5.100	U	10	U	9.200	U	2.200	U		0.520	U	0.600	U	0.400	U	0.520	U	0.510	U	0.600	U	0.490	U		0.420	U	0.540	U	0.570	U	0.480	U
1,1,2,2-Tetrachloroethane	~	~	6.600	U	6.400	U	13	U	12	U	2.800	U		0.660	U	0.760	U	0.510	U	0.660	U	0.640	U	0.760	U	0.620	U		0.530	U	0.680	U	0.710	U	0.610	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	7.300	U	7.100	U	14	U	13	U	3.100	U		0.810	D	0.850	U	0.570	U	0.730	U	0.710	U	0.850	U	0.690	U		0.590	U	0.760	U	0.790	U	0.680	U
1,1,2-Trichloroethane	~	~	5.200	U	5.100	U	10	U	9.200	U	2.200	U		0.520	U	0.600	U	0.400	U	0.520	U	0.510	U	0.600	U	0.490	U		0.420	U	0.540	U	0.570	U	0.480	U
1,1-Dichloroethane	~	~	3.900	U	3.800	U	7.400	U	6.800	U	1.600	U		0.390	U	0.450	U	0.300	U	0.390	U	0.380	U	0.450	U	0.360	U		0.310	U	0.400	U	0.420	U	0.360	U
1,1-Dichloroethylene	~	~	0.950	U	0.920	U	1.800	U	1.700	U	0.400	U		0.0950	U	0.110	U	0.073	U	0.0950	U	0.0920	U	0.110	U	0.0890	U		0.076	U	0.0980	U	0.100	U	0.0870	U
1,2,4-Trichlorobenzene	~	~	7.100	U	6.900	U	14	U	12	U	3	U		0.710	U	0.820	U	1.100	U	0.710	U	0.690	U	0.820	U	0.670	U		0.570	U	0.730	U	0.770	U	0.650	U
1,2,4-Trimethylbenzene	~	~	4.700	U	4.600	U	9	U	8.300	U	2	U		0.560	D	0.540	D	0.470	D	0.470	U	0.460	U	0.810	D	0.440	U		0.420	D	0.490	U	0.510	U	49	D
1,2-Dibromoethane	~	~	7.300	U	7.200	U	14	U	13	U	3.100	U		0.740	U	0.850	U	0.570	U	0.740	U	0.710	U	0.850	U	0.690	U		0.590	U	0.760	U	0.800	U	0.680	U
1,2-Dichlorobenzene	~	~	5.700	U	5.600	U	11	U	10	U	2.400	U		0.580	U	0.660	U	0.440	U	0.580	U	0.560	U	0.660	U	0.540	U		0.460	U	0.590	U	0.620	U	0.530	U
1,2-Dichloroethane	~	~	3.900	U	3.800	U	7.400	U	6.800	U	1.600	U		0.390	U	0.450	U	0.300	U	0.390	U	0.380	U	0.450	U	0.360	U		0.310	U	0.400	U	0.420	U	0.360	U
1,2-Dichloropropane	~	~	4.400	U	4.300	U	8.500	U	7.800	U	1.900	U		0.440	U	0.510	U	0.340	U	0.440	U	0.430	U	0.510	U	0.410	U		0.360	U	0.460	U	0.480	U	0.410	U
1,2-Dichlorotetrafluoroethane	~	~	6.700	U	6.500	U	13	U	12	U	2.800	U		0.670	U	0.770	U	0.520	U	0.670	U	0.650	U	0.770	U	0.630	U		0.540	U	0.690	U	0.720	U	0.620	U
1,3,5-Trimethylbenzene	~	~	4.700	U	4.600	U	9	U	8.300	U	2	U		0.470	U	0.540	U	0.360	U	0.470	U	0.460	U	0.540	U	0.440	U		0.380	U	0.490	U	0.510	U	12	D
1,3-Butadiene	~	~	6.300	U	6.200	U	12	U	11	U	2.700	U		0.640	U	0.730	U	0.490	U	0.640	U	0.620	U	0.730	U	0.600	U		0.510	U	0.660	U	0.690	U	0.590	U
1,3-Dichlorobenzene	~	~	5.700	U	5.600	U	11	U	10	U	2.400	U		0.580	U	0.660	U	0.440	U	0.580	U	0.560	U	0.660	U	0.540	U		0.460	U	0.590	U	0.620	U	0.530	U
1,3-Dichloropropane	~	~	4.400	U	4.300	U	8.500	U	7.800	U	1.900	U		0.440	U	0.510	U	0.340	U	0.440	U	0.430	U	0.510	U	0.410	U		0.360	U	0.460	U	0.480	U	0.410	U
1,4-Dichlorobenzene	~	~	5.700	U	5.600	U	11	U	10	U	2.400	U		0.580	U	0.660	U	0.440	U	0.580	U	0.560	U	0.660	U	0.540	U		0.460	U	0.590	U	0.620	U	0.530	U
1,4-Dioxane	~	~	6.900	U	6.700	U	13	U	12	U	2.900	U		0.690	U	0.800	U	0.530	U	0.690	U	0.670	U	0.800	U	0.650	U		0.550	U	0.710	U	0.750	U	0.640	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		NT		NT			NT		NT		NT		NT		NT		NT		NT			NT		0.510	D	0.240	D	0.210	U
2-Butanone	~	~	19	D	18	D	18	D	20	D	15	D		1.700	D	0.950	D	0.760	D	1.300	D	1.700	D	3.200	D	9.600	D		7.500	D	4.100	D	0.860	D	85	D
2-Hexanone	~	~	7.800	U	7.600	U	15	U	14	U	3.300	U		0.780	J	0.910	J	0.600	U	0.790	U	0.760	U	0.910	U	0.730	U		0.630	U	0.810	U	0.850	U	0.720	U
3-Chloropropene	~	~	15	U	15	U	29	U	26	U	6.300	U		1.500	U	1.700	U	1.200	U	1.500	U	1.500	U	1.700	U	1.400	U		1.200	U	1.500	U	1.600	U	1.400	U
4-Methyl-2-pentanone	~	~	3.900	U	3.800	U	7.500	U	6.900	U	1.600	U		0.390	U	0.450	J	0.300	U	0.390	U	0.380	U	0.450	D	0.370	U		0.320	U	0.400	U	0.420	U	0.360	U
Acetone	~	~	120	D	120	D	110	D	120	D	590	D		17	D	32	D	10	D	9.400	D	13	BD	21	D	25	D		22	D	24	D	6.800	D	160	D
Acrylonitrile	~	~	2.100	U	2	U	4	U	3.600	U	0.870	U		0.210	U	0.240	U	0.160	U	0.210	U	0.200	U	0.240	U	4.600	D		0.170	U	1.400	D	0.230	U	2.800	D
Benzene	~	~	3.100	U	3	U	5.800	U	5.400	U	1.300	U		0.550	D	1.400	D	0.710	D	0.490	D	2.100	D	0.670	D	1	D		0.980	D	0.510	D	0.330	D	1.100	D
Benzyl chloride	~	~	4.900	U	4.800	U	9.500	U	8.700	U	2.100	U		0.500	U	0.570	U	0.380	U	0.500	U	0.480	U	0.570	U	0.460	U		0.400	U	0.510	U	0.540	U	0.460	U
Bromodichloromethane	~	~	6.400	U	6.200	U	12	U	11	U	2.700	U		0.640	U	0.740	U	0.490	U	0.640	U	0.620	U	0.740	U	0.600	U		0.520	U	0.660	U	0.690	U	0.590	U
Bromoform	~	~	9.900	U	9.600	U	19	U	17	U	4.200	U		0.990	U	1.100	U	0.760	U	0.990	U	0.960	U	1.100	U	0.930	U		0.790	U	1	U	1.100	U	0.910	U
Bromomethane	~	~	3.700	U	3.600	U	7.100	U	6.500	U	1.600	U		0.370	U	0.430	U	0.290	U	0.370	U	0.360	U	0.430	U	0.350	U		0.300	U	0.380	U	0.400	U	0.340	U
Carbon disulfide	~	~	3	U	2.900	U	5.700	U	5.200	U	1.300	U		0.300	U	0.340	U	0.230	U	0.300	U	0.290	U	0.340	U	0.280	U		0.240	U	0.310	U	0.320	U	0.270	U
Carbon tetrachloride	~	~	1.500	U	1.500	U	2.900	U	2.600	U	0.630	U		0.420	D	0.350	D	0.330	D	0.480	D	0.410	D	0.350	D	0.400	D		0.440	D	0.680	D	0.390	D	0.440	D
Chlorobenzene	~	~	4.400	U	4.300	U	8.400	U	7.700	U	1.800	U		0.440	U	0.510	U	0.340	U	0.440	U	0.430	U	0.510	U	0.410	U		0.350	U	0.450	U	0.480	U	0.410	D
Chloroethane	~	~	2.500	U	2.500	U	4.800	U	4.400	U	1.100	U		0.250	U	0.290	U	0.190	U	0.250	U	0.250	U	0.290	U	0.240	U		0.200	U	0.260	U	0.270	U	0.230	U
Chloroform	~	~	4.700	U	4.600	U	8.900	U	8.200	U	2	U		1	D	1.200	D	0.360	U	0.470	U	0.450	U	1	D	0.440	U		0.380	U	0.720	D	0.510	U	0.430	U
Chloromethane	~	~	2	U	1.900	U	3.800	U	3.500	U	1.200	D		1.700	D	0.980	D	0.990	D	1.100	BD	1.100	D	1.100	D	0.930	D		0.840	D	0.960	D	1	D	2.200	D
cis-1,2-Dichloroethylene	~	~	0.950	U	0.920	U	1.800	U	1.700	U	0.400	U		0.680	D	0.110	U	0.073	U	0.150	D	0.0920	U	0.110	U	0.0890	U		0.076	U	0.0980	U	0.100	U	0.0870	U

TABLE 5A - INDOOR AIR DATA
VACANT #2/ UNIT #2
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-4 Vacant (Unit #2) 21K0978-16 11/18/2021 Indoor Air		AI-5 Vacant (Unit #2) 21K0978-17 11/18/2021 Indoor Air		AI-6 Vacant (Unit #2) 21K0978-18 11/18/2021 Indoor Air		AI-7 Vacant (Unit #2) 21K0978-19 11/18/2021 Indoor Air		AI-5B Vacant (Unit #2) 21L0608-04 12/9/2021 Indoor Air			Vacant 2 (Unit #2) 22H0069-03 8/1/2022 Indoor Air		Vacant No. 2 (Unit #2) 22J0662-07 10/12/2022 Indoor Air		Vacant 2 (Unit #2) 23A1182-02 1/24/2023 Indoor Air		Unit 2 Vacant (Unit #2) 23E0033-02 4/28/2023 Indoor Air		Unit 2 (Unit #2) 23F0573-02 6/8/2023 Indoor Air		Vacant No. 2 (Unit #2) 23I0505-02 9/8/2023 Indoor Air		Vacant No.2 (Unit #2) 23L1251-02 12/15/2023 Indoor Air			Vacant 2 24C1397-02 3/20/2024 Indoor Air		Unit #2 24G1107-02 7/16/2024 Indoor Air		Unit 2 24J1140-02 10/15/2024 Indoor Air		Unit 2 (Barber Zone) 25B1578-02 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	SSDS in Unit # 1 Active January 26, 2024	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	4.300	U	4.200	U	8.300	U	7.600	U	1.800	U		0.430	U	0.500	U	0.330	U	0.440	U	0.420	U	0.500	U	0.410	U		0.350	U	0.450	U	0.470	U	0.400	U
Cyclohexane	~	~	3.300	U	3.200	U	6.300	U	5.800	U	1.400	U		0.330	U	0.420	D	1.000	D	0.330	U	0.320	U	0.380	U	0.310	U		0.400	D	0.340	U	0.360	U	1.600	D
Dibromochloromethane	~	~	8.100	U	7.900	U	16	U	14	U	3.400	U		0.820	U	0.940	U	0.630	U	0.820	U	0.790	U	0.940	U	0.760	U		0.660	U	0.840	U	0.880	U	0.750	U
Dichlorodifluoromethane	~	~	4.700	U	4.600	U	9.100	U	8.300	U	3	D		2.700	D	2.200	D	2.200	D	2.600	D	2	D	1.900	D	2.200	D		2.500	D	3	D	2.200	D	2.100	D
Ethyl acetate	~	~	6.900	J	6.700	J	13	U	12	J	11	D		0.690	U	0.800	J	0.530	U	0.690	U	0.670	U	0.800	U	0.650	U		0.550	U	0.710	D	0.750	U	4.600	D
Ethyl Benzene	~	~	4.100	U	4	U	8	U	7.300	U	1.700	U		0.420	J	0.670	D	0.710	D	0.420	U	0.400	U	0.580	D	0.390	U		0.400	D	1.700	D	0.450	U	9	D
Hexachlorobutadiene	~	~	10	U	9.900	U	20	U	18	U	4.300	U		1	U	1.200	U	0.790	U	1	U	0.990	U	1.200	U	0.960	U		0.820	U	1.100	U	1.100	U	0.940	U
Isopropanol	~	~	82	D	80	D	80	D	81	D	700	D		4.600	D	66	BD	10	D	8	D	7	BD	6.500	D	4	BD		5.400	D	13	D	5.600	D	27	BD
Methyl Methacrylate	~	~	3.900	U	3.800	U	7.500	U	6.900	U	1.600	J		0.390	U	0.450	U	0.300	U	0.390	U	0.380	U	0.450	U	0.370	U		0.310	U	0.400	U	0.420	U	5.700	D
Methyl tert-butyl ether (MTBE)	~	~	3.400	U	3.400	U	6.600	U	6.100	U	1.400	U		0.350	U	0.400	U	0.270	U	0.350	U	0.340	U	0.400	U	0.320	U		0.280	U	0.360	U	0.370	U	0.320	U
Methylene chloride	60	NA	24	D	6.500	J	**220**	D	12	J	46	D		9.200	D	1.300	D	1.700	D	0.830	D	0.650	U	0.920	D	0.620	U		0.560	D	0.760	D	1.200	D	1.800	J
Naphthalene	~	~	NT		NT		NT		NT		NT			NT		NT		NT		NT		NT		NT		NT			0.810	U	1.800	D	1.100	U	0.920	U
n-Heptane	~	~	3.900	U	3.800	U	7.500	U	6.900	U	1.600	U		0.390	J	0.820	D	0.730	D	0.390	U	0.380	U	0.450	U	0.370	U		0.950	D	0.400	U	0.430	U	1.500	D
n-Hexane	~	~	3.400	U	3.300	U	6.500	U	5.900	U	2.100	D		1.100	D	1.300	D	1.000	D	0.570	D	0.330	D	0.620	D	0.600	D		1.200	D	0.590	D	0.370	U	0.650	D
o-Xylene	~	~	4.100	U	4	U	8	U	7.300	U	1.700	J		0.460	D	0.820	D	0.670	D	0.420	U	0.400	U	0.670	D	0.390	U		0.500	D	2	D	0.450	U	7.700	D
p- & m- Xylenes	~	~	8.300	U	8.100	U	16	U	15	U	3.500	U		1	D	2.100	D	1.900	D	0.830	U	0.970	D	1.900	D	0.930	D		1.300	D	6.600	D	0.900	U	23	D
p-Ethyltoluene	~	~	4.700	U	4.600	U	9	U	8.300	U	2	U		0.470	J	0.540	D	0.440	D	0.470	U	0.460	U	0.540	D	0.440	U		0.380	D	0.490	U	0.510	U	33	D
Propylene	~	~	2.100	D	2.100	D	3.200	U	2.900	U	0.690	U		0.770	D	3.400	D	0.130	U	0.560	D	0.160	U	0.190	U	1.800	D		1.000	D	0.170	U	0.390	D	1.100	D
Styrene	~	~	4.100	U	4	U	7.800	U	7.200	U	1.700	U		0.410	J	0.470	U	0.310	U	0.410	U	0.400	U	0.560	D	0.380	U		0.330	U	0.420	U	0.440	U	4.100	D
Tetrachloroethylene	30	300	**4,900**	D	**6,000**	D	**4,700**	D	**5,300**	D	**57**	D		**730**	D	**77**	D	27	D	**73**	D	**48**	D	**33**	D	**43**	D		1.8	D	6.900	D	0.910	D	1.300	D
Tetrahydrofuran	~	~	5.600	U	5.500	U	11	U	9.900	U	2.400	J		0.560	U	0.650	J	2.100	D	1.600	D	1.800	D	5.100	BD	23	D		33	D	1	D	0.610	U	52	D
Toluene	~	~	3.600	D	3.500	J	6.900	J	6.300	J	1.800	D		1.600	D	4	D	4	D	0.900	D	1.400	D	2.600	D	1.700	D		2.1	D	1.300	D	1.800	D	13	D
trans-1,2-Dichloroethylene	~	~	3.800	U	3.700	U	7.300	U	6.700	U	1.600	U		0.380	U	0.440	U	0.290	U	0.380	U	0.370	U	0.440	U	0.360	U		0.300	U	0.390	U	0.410	U	0.350	U
trans-1,3-Dichloropropylene	~	~	4.300	U	4.200	U	8.300	U	7.600	U	1.800	U		0.430	U	0.500	U	0.330	U	0.440	U	0.420	U	0.500	U	0.410	U		0.350	U	0.450	U	0.470	U	0.400	U
Trichloroethylene	2	20	**25**	D	**28**	D	**25**	D	26	D	1.500	D		0.930	D	0.360	D	0.099	U	0.670	D	0.450	D	0.150	U	0.240	D		0.100	U	0.130	U	0.140	U	0.120	U
Trichlorofluoromethane (Freon 11)	~	~	5.400	J	5.200	U	10	U	9.400	U	3.400	D		1.700	D	1.500	D	1.100	D	1.400	D	1.400	D	1.100	D	1.200	D		1.300	D	3.800	D	1.200	D	1.200	D
Vinyl acetate	~	~	3.400	U	3.300	U	6.400	U	5.900	U	1.400	U		0.340	U	0.390	U	0.260	U	0.340	U	0.330	U	0.390	U	0.320	U		0.270	U	0.350	U	0.370	U	0.310	U
Vinyl bromide	~	~	4.200	U	4.100	U	8	U	7.300	U	1.800	U		0.420	U	0.480	U	0.320	U	0.420	U	0.410	U	0.480	U	0.390	U		0.340	U	0.430	U	0.450	U	0.390	U
Vinyl Chloride	~	~	1.200	U	1.200	U	2.300	U	2.100	U	0.510	U		0.760	D	0.140	U	0.094	U	0.120	U	0.120	U	0.140	U	0.110	U		0.098	U	0.130	U	0.130	U	0.110	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
LEICHT KITCHEN/ UNIT #3
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		AI-8 Leicht (Unit #3)		AI-9 Leicht (Unit #3)		AI-8B Leicht (Unit #3)		AI-9B Leicht (Unit #3)		SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		SSDS in Unit # 1 Active January 26, 2024	Leicht Kitchen		Leicht Kitchen		Leicht		Unit 3 (Leicht Kitchen)	
York ID			21K0978-20		21K0978-21		21L0608-05		21L0608-06			22H0069-04		22J0662-05		23A1182-03		23E0033-03		23F0573-03		23I0505-03		23L1251-07		24C1397-03		24G1107-03		24J1140-03		25B1578-03	
Sampling Date			11/18/2021		11/18/2021		12/9/2021		12/9/2021			8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																																	
1,1,1,2-Tetrachloroethane	~	~	11	U	14	U	0.720	U	0.730	U		0.660	U	0.720	U	0.690	U	0.510	U	0.590	U	0.800	U	0.510	U		0.620	U	0.650	U	0.720	U	0.610	U
1,1,1-Trichloroethane	~	~	8.400	U	11	U	0.570	U	0.580	U		0.520	U	0.570	U	0.550	U	0.400	U	0.470	U	0.640	U	0.400	U		0.490	U	0.520	U	0.570	U	0.490	U
1,1,2,2-Tetrachloroethane	~	~	11	U	14	U	0.720	U	0.730	U		0.660	U	0.720	U	0.690	U	0.510	U	0.590	U	0.800	U	0.510	U		0.620	U	0.650	U	0.720	U	0.610	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	12	U	15	U	0.800	U	0.820	U		0.880	D	0.800	U	0.780	D	0.680	D	0.660	U	0.900	U	0.560	U		0.690	U	0.720	U	0.800	U	0.690	U
1,1,2-Trichloroethane	~	~	8.400	U	11	U	0.570	U	0.580	U		0.520	U	0.570	U	0.550	U	0.400	U	0.470	U	0.640	U	0.400	U		0.490	U	0.520	U	0.570	U	0.490	U
1,1-Dichloroethane	~	~	6.300	U	8	U	0.420	U	0.430	U		0.390	U	0.420	U	0.410	U	0.300	U	0.350	U	0.470	U	0.300	U		0.360	U	0.380	U	0.420	U	0.360	U
1,1-Dichloroethylene	~	~	1.500	U	2	U	0.100	U	0.110	U		0.110	D	0.100	U	0.100	U	0.0740	U	0.0850	U	0.120	U	0.0730	U		0.089	U	0.0940	U	0.100	U	0.0890	U
1,2,4-Trichlorobenzene	~	~	11	U	15	U	0.770	U	0.790	U		0.710	U	0.780	U	1.500	U	0.550	U	0.640	U	0.870	U	0.550	U		0.670	U	0.700	U	0.780	U	0.660	U
1,2,4-Trimethylbenzene	~	~	7.600	U	9.700	U	0.870	D	0.890	D		1.800	D	1.100	D	1.300	D	0.730	D	0.890	D	2.300	D	0.540	D		0.660	D	1.400	D	0.510	U	4.500	D
1,2-Dibromoethane	~	~	12	U	15	U	0.800	U	0.820	U		0.730	U	0.810	U	0.780	U	0.570	U	0.660	U	0.900	U	0.570	U		0.690	U	0.730	U	0.800	U	0.690	U
1,2-Dichlorobenzene	~	~	9.300	U	12	U	0.630	U	0.640	U		0.570	U	0.630	U	0.610	U	0.450	U	0.520	U	0.700	U	0.440	U		0.540	U	0.570	U	0.630	U	0.540	U
1,2-Dichloroethane	~	~	6.300	U	8	U	0.420	U	0.430	U		0.390	U	0.420	U	0.410	U	0.300	U	0.350	U	0.470	U	0.300	U		0.360	U	0.380	U	0.420	U	0.360	U
1,2-Dichloropropane	~	~	7.200	U	9.100	U	0.480	U	0.490	U		0.440	U	0.490	U	0.470	U	0.340	U	0.400	U	0.540	U	0.340	U		0.410	U	0.440	U	0.480	U	0.410	U
1,2-Dichlorotetrafluoroethane	~	~	11	U	14	U	0.730	U	0.750	U		0.670	U	0.730	U	0.710	U	0.520	U	0.600	U	0.820	U	0.520	U		0.630	U	0.660	U	0.730	U	0.630	U
1,3,5-Trimethylbenzene	~	~	7.600	U	9.700	U	0.510	U	0.530	U		0.560	D	0.520	J	0.500	U	0.360	U	0.420	U	0.750	D	0.360	U		0.440	U	0.460	U	0.510	U	1.200	D
1,3-Butadiene	~	~	10	U	13	U	0.690	U	0.710	U		0.630	U	0.700	U	0.670	U	0.490	U	0.570	U	0.780	U	0.490	U		0.600	U	0.630	U	0.690	U	0.590	U
1,3-Dichlorobenzene	~	~	9.300	U	12	U	0.630	U	0.640	U		0.570	U	0.630	U	0.610	U	0.450	U	0.520	U	0.700	U	0.440	U		0.540	U	0.570	U	0.630	U	0.540	U
1,3-Dichloropropane	~	~	7.200	U	9.100	U	0.480	U	0.490	U		0.440	U	0.490	U	0.470	U	0.340	U	0.400	U	0.540	U	0.340	U		0.410	U	0.440	U	0.480	U	0.410	U
1,4-Dichlorobenzene	~	~	9.300	U	12	U	0.630	U	0.640	U		0.570	U	0.630	U	0.610	U	0.450	U	0.520	U	0.700	U	0.440	U		0.540	U	0.570	U	0.630	U	0.540	U
1,4-Dioxane	~	~	11	U	14	U	0.750	U	0.770	U		0.690	J	0.760	U	0.730	U	0.530	U	0.620	U	0.840	U	0.530	U		0.650	U	0.680	U	0.750	U	0.640	U
2,2,4-Trimethylpentane			NT		NT		NT		NT			NT		NT		NT		NT		NT		NT		NT		NT		0.220	U	0.490	D	0.630	D
2-Butanone	~	~	17	D	19	D	4.200	D	4.600	D		13	D	5.400	D	5.000	D	5.600	D	6.100	D	17	D	8	D		5.100	D	19	D	4.100	D	17	D
2-Hexanone	~	~	13	U	16	U	0.860	U	0.880	U		1.100	D	0.860	J	0.830	U	0.610	U	0.710	U	0.960	U	0.600	U		0.730	U	1.100	D	0.860	U	0.730	D
3-Chloropropene	~	~	24	U	31	U	1.600	U	1.700	U		1.500	U	1.600	U	1.600	U	1.200	U	1.300	U	1.800	U	1.200	U		1.400	U	1.500	U	1.600	U	1.400	U
4-Methyl-2-pentanone	~	~	6.300	U	8.100	U	0.470	D	0.440	D		1.300	D	0.690	D	0.410	U	0.640	D	0.420	D	1.200	D	0.300	U		0.370	U	1.200	D	0.430	U	0.480	D
Acetone	~	~	190	D	180	D	88	D	91	D		200	D	100	D	29	D	76	D	150	D	120	D	46	D		30	D	300	BD	46	D	67	D
Acrylonitrile	~	~	3.400	U	4.300	U	0.230	U	0.230	U		0.210	U	0.230	U	0.220	U	0.160	U	0.190	D	0.250	D	0.160	U		0.190	U	0.210	U	1.900	BD	2.500	U
Benzene	~	~	4.900	U	6.300	U	0.830	D	0.820	D		0.640	D	1.200	D	1.400	D	0.620	D	2.500	D	0.900	D	1.300	D		1.100	D	0.750	D	0.570	D	1.100	D
Benzyl chloride	~	~	8	U	10	U	0.540	U	0.550	U		0.490	U	0.540	U	0.520	U	0.380	U	0.450	U	0.610	U	0.380	U		0.460	U	0.490	U	0.540	U	0.460	U
Bromodichloromethane	~	~	10	U	13	U	0.700	U	0.720	U		0.640	U	0.700	U	0.680	U	0.500	U	0.580	U	0.780	U	0.490	U		0.600	U	0.630	U	0.700	U	0.600	U
Bromoform	~	~	16	U	20	U	1.100	U	1.100	U		0.990	U	1.100	U	1.000	U	0.770	U	0.890	U	1.200	U	0.760	U		0.930	U	0.980	U	1.100	U	0.930	U
Bromomethane	~	~	6	U	7.700	U	0.410	U	0.420	U		0.370	U	0.410	U	0.390	U	0.290	U	0.330	U	0.450	U	0.290	U		0.350	U	0.370	U	0.410	U	0.350	U
Carbon disulfide	~	~	4.800	U	6.200	U	0.330	U	0.330	U		0.450	D	0.330	U	0.320	U	0.230	U	0.270	U	0.730	D	0.230	U		0.280	U	0.350	D	0.330	U	0.280	U
Carbon tetrachloride	~	~	2.400	U	3.100	U	0.460	D	0.400	D		0.360	D	0.330	D	0.640	D	0.470	D	0.380	D	0.290	D	0.420	D		0.450	D	0.650	D	0.390	D	0.450	D
Chlorobenzene	~	~	7.100	U	9.100	U	0.480	U	0.490	U		0.440	U	0.480	U	0.470	U	0.340	U	0.400	U	0.540	U	0.340	U		0.410	U	0.440	U	0.480	U	0.410	U
Chloroethane	~	~	4.100	U	5.200	U	0.280	U	0.280	U		0.250	U	0.280	U	0.270	U	0.200	U	0.230	U	0.310	U	0.190	U		0.240	U	0.250	U	0.280	U	0.240	U
Chloroform	~	~	7.600	U	9.700	U	0.510	U	0.520	U		1.100	D	0.670	D	0.490	U	0.400	D	0.550	D	0.910	D	0.360	U		0.440	U	1	D	0.560	D	0.440	U
Chloromethane	~	~	3.200	U	4.100	U	1.300	D	1.400	D		1.900	D	1.200	D	1.600	D	1.100	BD	1.300	D	1.100	D	0.870	D		0.700	D	1.300	D	1.200	D	1.900	D
cis-1,2-Dichloroethylene	~	~	1.500	U	2	U	0.100	U	0.110	U		0.530	D	0.100	U	0.100	U	0.560	D	0.0850	U	0.120	U	0.0730	U		0.089	U	0.940	D	0.100	U	0.0890	U

TABLE 5A - INDOOR AIR DATA
LEICHT KITCHEN/ UNIT #3
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID			AI-8 Leicht (Unit #3)		AI-9 Leicht (Unit #3)		AI-8B Leicht (Unit #3)		AI-9B Leicht (Unit #3)			Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)		Leicht Kitchen (Unit #3)			Leicht Kitchen		Leicht Kitchen		Leicht		Unit 3 (Leicht Kitchen)	
York ID			21K0978-20		21K0978-21		21L0608-05		21L0608-06			22H0069-04		22J0662-05		23A1182-03		23E0033-03		23F0573-03		23I0505-03		23L1251-07			24C1397-03		24G1107-03		24J1140-03		25B1578-03	
Sampling Date			11/18/2021		11/18/2021		12/9/2021		12/9/2021			8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023			3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air			Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	7	U	9	U	0.470	U	0.490	U		0.430	U	0.480	U	0.460	U	0.340	U	0.390	U	0.530	U	0.330	U		0.410	U	0.430	U	0.470	U	0.410	U
Cyclohexane	~	~	5.300	U	6.800	U	0.360	U	0.370	U		0.330	U	0.400	D	2.200	D	0.260	U	0.300	U	0.400	U	0.250	D		0.430	D	0.330	U	0.360	U	1.500	D
Dibromochloromethane	~	~	13	U	17	U	0.890	U	0.910	U		0.810	U	0.890	U	0.860	U	0.630	U	0.730	U	1	U	0.630	U		0.760	U	0.810	U	0.890	U	0.760	U
Dichlorodifluoromethane	~	~	7.700	U	9.800	U	2.500	D	2.300	D		3	D	2.300	D	3.800	D	2.700	D	2.100	D	2	D	2.600	D		2.500	D	0.470	U	2.200	D	2.100	D
Ethyl acetate	~	~	11	J	14	U	0.830	D	0.810	D		2.800	D	1.500	D	2.400	D	0.830	D	0.900	D	3.800	D	0.610	D		0.650	U	3.700	D	0.750	U	3.500	D
Ethyl Benzene	~	~	6.700	U	8.600	U	1.400	D	2.900	D		3.100	D	2.500	D	1.200	D	2.300	D	2.300	D	3.700	D	1.700	D		1.700	D	3.400	D	1.500	D	3.300	D
Hexachlorobutadiene	~	~	17	U	21	U	1.100	U	1.100	U		1	U	1.100	U	1.100	U	0.790	U	0.920	U	1.200	U	0.790	U		0.960	U	1	U	1.100	U	0.950	U
Isopropanol	~	~	750	D	860	D	110	D	120	D		260	D	78	BD	180	DE	47	D	30	BD	97	D	70	BD		46	D	110	D	68	D	62	BD
Methyl Methacrylate	~	~	6.300	U	8.100	U	2.500	D	0.740	D		2.900	D	0.900	D	0.410	U	0.640	D	0.670	D	1.100	D	0.300	D		0.550	D	0.850	D	0.430	U	0.810	D
Methyl tert-butyl ether (MTBE)	~	~	5.600	U	7.100	U	0.380	U	0.390	U		0.340	U	0.380	U	0.360	U	0.270	U	0.310	U	0.420	U	0.270	U		0.320	U	0.340	U	0.380	U	0.320	U
Methylene chloride	60	NA	**520**	D	40	D	39	D	**61**	D		0.660	D	1.400	D	2.500	D	0.520	D	0.630	D	1.100	D	0.510	D		0.620	U	0.750	D	0.870	D	1.900	U
Naphthalene	~	~	NT		NT		NT		NT			NT		NT		NT		NT		NT		NT		NT			0.940	U	3.400	D	1.100	U	0.940	U
n-Heptane	~	~	6.300	J	8.100	U	0.980	D	0.920	D		0.670	D	0.820	D	16.000	D	0.300	U	0.350	U	0.480	U	0.300	U		1.100	D	0.700	D	0.430	U	0.880	D
n-Hexane	~	~	39	D	7	U	1.700	D	3.300	D		0.610	D	1.300	D	3.800	D	0.470	D	0.520	D	0.870	D	1.100	D		1.400	D	0.700	D	0.410	D	0.570	D
o-Xylene	~	~	6.700	J	8.600	J	2.600	D	5.400	D		6.100	D	4.300	D	1.300	D	4.200	D	4.300	D	7	D	2.700	D		2.900	D	5.700	D	2.600	D	4.500	D
p- & m- Xylenes	~	~	13	D	18	D	6	D	14	D		13	D	11	D	4	D	11	D	11	D	16	D	6.800	D		7.3	D	14	D	6.700	D	11	D
p-Ethyltoluene	~	~	7.600	U	9.700	U	0.670	D	0.630	D		1.400	D	0.880	D	1.000	D	0.470	D	0.550	D	1.500	D	0.430	D		0.530	D	1	D	0.510	U	3.400	D
Propylene	~	~	2.700	U	3.400	U	0.180	U	0.180	U		1.100	D	2.700	D	0.170	U	0.130	U	1.300	D	0.200	U	2.500	D		1.300	D	0.160	U	0.720	D	1.200	D
Styrene	~	~	6.600	U	8.400	U	8	D	7.300	D		2.800	D	1.200	D	1.100	D	1.100	D	1.100	D	2.600	D	0.600	D		0.460	D	2	D	0.530	D	3.200	D
Tetrachloroethylene	30	300	**7,500**	D	**9,300**	D	**54**	D	**53**	D		**470**	D	**35**	D	4	D	**56**	D	28	D	24	D	**32**	D		1.9	D	10	D	1.100	D	1.200	D
Tetrahydrofuran	~	~	9.100	J	12	J	4	D	4.500	D		6.400	D	5.500	D	3.900	D	3.700	D	4.100	D	7.700	BD	17	D		16	D	2.900	D	1.500	D	19	D
Toluene	~	~	13	D	8.200	D	5.400	D	4.700	D		3.400	D	4.400	D	11.000	D	2.200	D	2.700	D	4.800	D	2.400	D		2.700	D	4.700	D	2.400	D	3	D
trans-1,2-Dichloroethylene	~	~	6.100	U	7.800	U	0.410	U	0.420	U		0.380	U	0.420	U	0.400	U	0.290	U	0.340	U	0.460	U	0.290	U		0.360	U	0.370	U	0.410	U	0.350	U
trans-1,3-Dichloropropylene	~	~	7	U	9	U	0.470	U	0.490	U		0.430	U	0.480	U	0.460	U	0.340	U	0.390	U	0.530	U	0.330	U		0.410	U	0.430	U	0.470	U	0.410	U
Trichloroethylene	2	20	**36**	D	**38**	D	1.100	D	1	D		0.820	D	0.560	D	0.220	D	1.500	D	0.420	D	0.160	U	0.240	D		0.120	U	0.130	U	0.140	U	0.120	U
Trichlorofluoromethane (Freon 11)	~	~	51	D	49	D	14	D	13	D		45	D	17	D	2	D	16	D	15	D	26	D	11	D		11	D	58	D	14	D	12	D
Vinyl acetate	~	~	5.500	U	7	U	0.370	U	0.380	U		0.340	U	0.370	U	0.360	U	0.260	U	0.300	U	0.410	U	0.260	U		0.320	U	0.330	U	0.370	U	0.320	U
Vinyl bromide	~	~	6.800	U	8.700	U	0.460	U	0.470	U		0.420	U	0.460	U	0.440	U	0.320	U	0.380	U	0.510	U	0.320	U		0.390	U	0.410	U	0.460	U	0.390	U
Vinyl Chloride	~	~	2	U	2.500	U	0.130	U	0.140	U		0.120	U	0.130	U	0.130	U	0.0950	U	0.110	U	0.150	U	0.0940	U		0.110	U	0.120	U	0.130	U	0.110	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
LE COLLAGE/ UNIT #4
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-10 Le Collage (Unit #4) 21K0978-22 11/18/2021 Indoor Air		AI-10B Le Collage (Unit #4) 21L0608-07 12/9/2021 Indoor Air		SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022	Le Collage (Unit #4) 22H0069-01 8/1/2022 Indoor Air		Le Collage (Unit #4) 22J0662-04 10/12/2022 Indoor Air		Le Collage (Unit #4) 23A1182-04 1/24/2023 Indoor Air		Le Collage (Unit #4) 23E0033-04 4/28/2023 Indoor Air		Le Collage (Unit #4) 23F0573-04 6/8/2023 Indoor Air		Le Collage (Unit #4) 23I0505-04 9/8/2023 Indoor Air		Le Collage (Unit #4) 23I1039-02 9/14/2023 Indoor Air		Le Collage (Unit #4) 23L1251-06 12/15/2023 Indoor Air		SSDS in Unit # 1 Active January 26, 2024	Le Collage 24C1397-04 3/20/2024 Indoor Air		Le Collage 24G1107-04 7/16/2024 Indoor Air		Le Collage 24J1140-04 10/15/2024 Indoor Air		Unit 4 (Vacant) 25B1578-04 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																																	
1,1,1,2-Tetrachloroethane	~	~	6.500	U	12	U		0.650	U	4.900	U	0.670	U	0.720	U	0.710	U	0.680	U	0.630	U	0.830	U		0.760	U	0.560	U	0.700	U	0.550	U
1,1,1-Trichloroethane	~	~	5.200	U	9.700	U		0.520	U	3.900	U	0.530	U	0.580	U	0.560	U	0.540	U	0.500	U	0.660	U		0.610	U	0.450	U	0.560	U	0.440	U
1,1,2,2-Tetrachloroethane	~	~	6.500	U	12	U		0.650	U	4.900	U	0.670	U	0.720	U	0.710	U	0.680	U	0.630	U	0.830	U		0.760	U	0.560	U	0.700	U	0.550	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	7.300	U	14	U		0.730	U	5.500	U	0.750	U	0.810	U	2	D	0.750	U	0.700	U	0.930	U		0.850	U	0.630	U	0.790	U	0.610	U
1,1,2-Trichloroethane	~	~	5.200	U	9.700	U		0.520	U	3.900	U	0.530	U	0.580	U	0.560	U	0.540	U	0.500	U	0.660	U		0.610	U	0.450	U	0.560	U	0.440	U
1,1-Dichloroethane	~	~	3.900	U	7.200	U		0.390	U	2.900	U	0.390	U	0.430	U	0.420	U	0.400	U	0.370	U	0.490	U		0.450	U	0.330	U	0.420	U	0.320	U
1,1-Dichloroethylene	~	~	0.940	U	1.800	U		0.110	D	0.710	U	0.097	U	0.100	U	0.100	U	0.0980	U	0.0910	U	0.120	U		0.110	U	0.0810	U	0.100	U	0.0790	U
1,2,4-Trichlorobenzene	~	~	7.100	U	13	U		0.710	U	5.300	U	1.400	U	0.780	U	0.760	U	0.730	U	0.680	U	0.900	U		0.830	U	0.610	U	0.760	U	0.590	U
1,2,4-Trimethylbenzene	~	~	4.700	U	8.700	U		1.300	D	3.500	U	0.480	U	0.520	U	0.610	D	0.730	D	0.450	U	0.600	U		0.820	D	0.890	D	0.500	D	24	D
1,2-Dibromoethane	~	~	7.300	U	14	U		0.730	U	5.500	U	0.750	U	0.810	U	0.790	U	0.760	U	0.700	U	0.930	U		0.860	U	0.630	U	0.790	U	0.620	U
1,2-Dichlorobenzene	~	~	5.700	U	11	U		0.570	U	4.300	U	0.590	U	0.630	U	0.620	U	0.590	U	0.550	U	0.730	U		0.670	U	0.490	U	0.620	U	0.480	U
1,2-Dichloroethane	~	~	3.900	U	7.200	U		0.500	D	2.900	U	0.390	U	0.430	U	0.420	U	0.560	D	0.850	D	0.490	U		0.450	U	0.330	U	0.420	U	4.200	D
1,2-Dichloropropane	~	~	4.400	U	8.200	U		0.570	D	3.300	U	0.450	U	0.490	U	0.470	U	0.450	U	0.420	U	0.560	U		0.510	U	0.870	D	0.470	U	0.370	U
1,2-Dichlorotetrafluoroethane	~	~	6.700	U	12	U		0.670	U	5	U	1	U	0.740	U	0.720	U	0.690	U	0.640	U	0.850	U		0.780	U	0.570	U	0.720	U	0.560	U
1,3,5-Trimethylbenzene	~	~	4.700	U	8.700	U		0.470	D	3.500	U	0.480	U	0.520	U	0.500	U	0.480	U	0.450	U	0.600	U		0.550	U	0.400	U	0.500	U	6.100	D
1,3-Butadiene	~	~	6.300	U	12	U		0.630	J	4.700	U	0.650	U	0.700	U	0.680	U	0.650	U	0.610	U	0.810	U		0.740	U	0.540	U	0.680	U	0.530	U
1,3-Dichlorobenzene	~	~	5.700	U	11	U		0.570	U	4.300	U	0.590	U	0.630	U	0.620	U	0.590	U	0.550	U	0.730	U		0.670	U	0.490	U	0.620	U	0.480	U
1,3-Dichloropropane	~	~	4.400	U	8.200	U		0.440	U	3.300	U	0.450	U	0.490	U	0.470	U	0.450	U	0.420	U	0.560	U		0.510	U	0.380	U	0.470	U	0.370	U
1,4-Dichlorobenzene	~	~	5.700	U	11	U		0.570	U	4.300	U	0.590	U	0.630	U	0.620	U	0.590	U	0.550	U	0.730	U		0.670	U	0.490	U	0.740	D	0.480	U
1,4-Dioxane	~	~	6.900	U	13	U		0.690	U	5.100	U	0.700	U	0.760	U	0.740	U	0.710	U	0.660	U	0.880	U		0.800	U	0.590	U	0.740	U	0.580	U
2,2,4-Trimethylpentane			NT		NT			NT		NT		NT		NT		NT		NT		NT		NT			NT		7.700	D	2.100	D	0.190	U
2-Butanone	~	~	1,400	D	120	D		28	D	3.400	D	12.000	D	1,200	D	860	D	1,100	D	1,700	D	960	D		960	D	630	D	4,700	D	35	D
2-Hexanone	~	~	7.800	U	15	U		0.780	U	5.800	U	0.800	U	0.870	U	1.500	D	0.970	D	0.750	U	1	U		0.910	U	0.670	D	0.840	U	0.660	U
3-Chloropropene	~	~	15	U	28	U		1.500	U	11	U	2	U	1.700	U	1.600	U	1.500	U	1.400	U	1.900	U		1.700	U	1.300	U	1.600	U	1.300	U
4-Methyl-2-pentanone	~	~	3.900	U	7.300	U		0.430	D	2.900	U	0.400	U	0.430	U	0.420	U	0.640	D	0.380	U	0.500	U		0.460	U	0.370	D	0.420	U	0.330	U
Acetone	~	~	8,300	D	5,900	D		630	D	520	D	4,000	D	1,100	D	3,500	D	11,000	D	6,900	D	11,000	D		1,200	D	3,300	BD	630	D	80	D
Acrylonitrile	~	~	2.100	U	3.800	U		0.210	U	1.500	U	0.210	U	0.230	U	0.220	D	0.210	D	0.200	U	0.260	U		0.240	U	3.400	D	0.400	BD	2.300	J
Benzene	~	~	3	U	5.700	U		0.550	D	2.300	U	0.500	D	0.840	D	2.600	D	0.750	D	0.290	U	1.400	D		1.700	D	0.650	D	0.620	D	0.640	D
Benzyl chloride	~	~	4.900	U	9.200	U		0.490	U	3.700	U	0.500	U	0.550	U	0.530	U	0.510	U	0.470	U	6.500	D		0.580	U	0.420	U	0.530	U	0.410	U
Bromodichloromethane	~	~	6.400	U	12	U		0.640	J	4.800	U	0.650	U	0.990	D	1	D	1.100	D	0.610	U	1.200	D		0.750	D	0.550	D	1.400	D	0.540	U
Bromoform	~	~	9.800	U	18	U		0.990	U	7.400	U	1.000	U	1.100	U	1.100	U	1	U	0.950	U	1.300	U		1.200	U	0.850	U	1.100	U	0.830	U
Bromomethane	~	~	3.700	U	6.900	U		0.370	U	2.800	U	0.380	U	0.410	U	0.400	U	0.380	U	0.360	U	0.470	U		0.430	U	0.320	U	0.400	U	0.310	U
Carbon disulfide	~	~	3	U	5.500	U		0.300	U	2.200	U	0.300	U	0.330	U	0.320	U	0.310	U	0.290	U	0.380	U		0.350	U	0.330	D	0.320	U	0.250	U
Carbon tetrachloride	~	~	1.500	U	2.800	U		0.600	D	1.100	U	0.430	D	0.600	D	0.650	D	0.430	D	0.460	D	0.610	D		0.770	D	1.100	D	0.520	D	0.450	D
Chlorobenzene	~	~	4.400	U	8.200	U		0.440	U	3.300	U	0.450	U	0.490	U	0.470	U	0.450	U	0.420	U	0.560	U		0.510	U	0.380	U	0.470	U	0.370	U
Chloroethane	~	~	2.500	U	4.700	U		0.250	U	1.900	U	0.260	U	0.280	U	0.270	U	0.260	U	0.240	U	0.320	U		0.290	U	0.220	U	0.270	U	0.210	U
Chloroform	~	~	16	D	8.600	U		3.700	D	3.500	U	2.800	D	5.800	D	6.700	D	4.400	D	2	D	9	D		5.100	D	4.100	D	12	D	0.390	U
Chloromethane	~	~	2	D	3.700	J		0.430	D	1.500	D	0.640	D	1.800	BD	1.500	D	1.800	D	1.200	D	0.930	D		0.800	D	1.100	D	1.200	D	1.200	D
cis-1,2-Dichloroethylene	~	~	0.940	U	1.800	U		0.570	D	0.710	U	0.097	U	0.100	U	0.100	U	0.0980	U	0.0910	U	0.120	U		0.110	U	0.0810	U	0.100	U	0.0790	U

TABLE 5A - INDOOR AIR DATA
LE COLLAGE/ UNIT #4
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		AI-10 Le Collage (Unit #4)		AI-10B Le Collage (Unit #4)			Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)		Le Collage (Unit #4)			Le Collage		Le Collage		Le Collage		Unit 4 (Vacant)	
York ID			21K0978-22		21L0608-07			22H0069-01		22J0662-04		23A1182-04		23E0033-04		23F0573-04		23I0505-04			23I1039-02		23L1251-06			24C1397-04		24G1107-04		24J1140-04		25B1578-04	
Sampling Date			11/18/2021		12/9/2021			8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023			9/14/2023		12/15/2023			3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air			Indoor Air		Indoor Air			Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	4.300	U	8	U		0.430	U	3.200	U	0.440	U	0.480	U	0.470	U	0.450	U		0.420	U	0.550	U		0.510	U	0.370	U	0.470	U	0.360	U
Cyclohexane	~	~	3.300	U	6.100	U		0.330	J	2.500	U	0.340	U	0.360	U	0.350	U	0.340	D		0.320	U	0.420	U		0.770	D	0.280	U	0.350	U	1.500	D
Dibromochloromethane	~	~	8.100	U	15	U		0.810	J	6.100	U	0.830	U	0.900	U	0.870	U	0.840	U		0.780	U	1	U		0.950	U	0.700	U	0.870	U	0.680	U
Dichlorodifluoromethane	~	~	4.700	U	8.800	U		0.470	U	3.500	U	1.500	D	0.520	U	2.200	D	1.700	D		0.450	U	2	D		2.400	D	3.200	D	1.900	D	2.100	D
Ethyl acetate	~	~	520	D	150	D		33	D	12	D	200	D	160	D	120	D	710	D		410	D	260	D		170	D	170	D	270	D	1.600	D
Ethyl Benzene	~	~	4.100	U	7.700	U		0.740	D	3.100	U	0.420	U	0.920	D	0.580	D	1.400	D		0.720	D	1	D		0.720	D	2.100	D	0.450	U	5.400	D
Hexachlorobutadiene	~	~	10	U	19	U		1	U	7.600	U	1.000	U	1.100	U	1.100	U	1	U		0.980	U	1.300	U		1.200	U	0.870	U	1.100	U	0.850	U
Isopropanol	~	~	6,800	D	8,600	D		2,400	D	1,200	BDE	64,000	DE	1,300	DE	1.300	U	5,300	D		5,400	D	5,500	BD		0.550	U	NT		0.500	U	23	BD
Methyl Methacrylate	~	~	3.900	U	7.300	U		1.800	D	2.900	U	0.400	U	0.430	U	0.420	U	0.400	U		0.380	U	0.500	U		0.460	U	1.400	D	0.420	U	2.200	D
Methyl tert-butyl ether (MTBE)	~	~	3.400	U	6.400	U		0.340	U	2.600	U	0.350	U	0.380	U	0.370	U	0.350	U		0.330	U	0.440	U		0.400	U	0.300	U	0.370	U	0.290	U
Methylene chloride	60	NA	32	D	**74**	D		0.660	J	5	J	1	D	0.730	U	0.710	U	0.850	D		0.640	U	0.840	U		0.770	U	0.680	D	0.930	D	1.700	J
Naphthalene	~	~	NT		NT			NT		NT		NT		NT		NT		NT			NT		NT			1.200	U	3.400	D	1.100	U	0.840	U
n-Heptane	~	~	8.600	D	7.300	U		2.600	D	2.900	U	0.640	D	1.600	D	0.420	U	2.500	D		7.100	D	0.500	U		5.200	D	4.100	D	5	D	0.950	D
n-Hexane	~	~	3.400	D	6.200	U		0.500	D	2.500	U	0.340	U	0.630	D	0.650	D	0.870	D		0.320	U	0.810	D		2.200	D	0.640	D	0.470	D	0.450	D
o-Xylene	~	~	4.100	J	7.700	U		1.200	D	3.100	U	0.420	U	0.730	D	0.670	D	1.200	D		0.560	D	0.790	D		0.970	D	2.800	D	0.450	D	3.800	D
p- & m- Xylenes	~	~	8.300	U	15	U		2.800	D	6.200	U	0.850	U	3.900	D	2	D	5.100	D		2.300	D	3.600	D		2.500	D	8.600	D	1.200	D	11	D
p-Ethyltoluene	~	~	4.700	U	8.700	U		0.980	D	3.500	U	0.480	U	0.520	U	0.500	D	0.580	D		0.450	U	0.600	U		0.770	D	0.720	D	0.500	U	17	D
Propylene	~	~	1.600	U	3	U		0.160	J	5.300	D	1.300	D	0.180	U	0.180	U	0.170	U		0.160	U	0.210	U		0.190	U	0.140	U	1.100	D	0.950	D
Styrene	~	~	4.100	J	7.500	U		2.300	D	3	U	0	U	0.940	D	1	D	2.100	D		1.900	D	0.520	U		0.470	U	1.900	D	0.610	D	3.100	D
Tetrachloroethylene	30	300	**11,000**	D	**92**	D		**550**	D	**34**	D	26	D	**100**	D	**85**	D	**33**	D		54	D	58	D		2.9	D	6.600	D	1.300	D	1.100	D
Tetrahydrofuran	~	~	5.600	U	10	U		1.200	D	4.200	U	4.000	D	0.620	U	0.610	U	1.500	U		0.540	U	32	D		36	D	1.800	D	0.610	U	35	D
Toluene	~	~	9.300	D	6.700	U		3.600	D	3.200	D	1.700	D	15	D	4.500	D	20	D		23	D	30	D		13	D	23	D	5	D	3.800	D
trans-1,2-Dichloroethylene	~	~	3.800	U	7	U		0.380	U	2.800	U	0.390	U	0.420	U	0.410	U	0.390	U		0.360	U	0.480	U		0.440	U	0.320	U	0.410	U	0.320	U
trans-1,3-Dichloropropylene	~	~	4.300	U	8	U		0.430	U	3.200	U	0.440	U	0.480	U	0.470	U	0.450	U		0.420	U	0.550	U		0.510	U	0.370	U	0.470	U	0.360	U
Trichloroethylene	2	20	**42**	D	**2.400**	U		1.400	D	0.960	U	0.130	U	1.600	D	0.770	D	0.160	D		0.250	D	0.390	D		0.150	U	0.110	U	0.140	U	0.110	U
Trichlorofluoromethane (Freon 11)	~	~	23	D	10	J		34	D	4.800	D	2.600	D	6.800	D	16	D	31	D		15	D	4.400	D		6.500	D	110	D	5.600	D	7	D
Vinyl acetate	~	~	3.400	U	6.200	U		0.340	U	2.500	U	0.340	U	0.370	U	0.360	U	0.350	U		0.320	U	0.430	U		0.390	U	0.290	U	0.360	U	0.280	U
Vinyl bromide	~	~	4.200	U	7.700	U		0.420	U	3.100	U	0.430	U	0.460	U	0.450	U	0.430	U		0.400	U	0.530	U		0.490	U	0.360	U	0.450	U	0.350	U
Vinyl Chloride	~	~	1.200	U	2.300	U		0.630	D	0.910	U	0.120	U	0.130	U	0.130	U	0.130	U		0.120	U	0.160	U		0.140	U	0.100	U	0.130	U	0.100	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
PICK UP EVERY STITCH
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		Pick Up Every Stitch		Pick Up Every Stitch-R		Pickup Every Stitch		Pickup Every Stitch		Pickup Every Stitch		Pickup Every Stitch		Pick Up Every Stitch		Pick Up Every Stitch		Pickup EveryStitch		Pickup Every Stitch		Pick up Every Stitch		Pickup Every Stitch	
York ID			21K1231-03		21L0608-11		22H0069-09		22J0662-09		23A1182-05		23E0033-05		23F0573-05		23I1039-03		23L1251-08		24C1397-05		24G1107-05		24J1140-05		25B1578-05	
Sampling Date			11/22/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/14/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																												
1,1,1,2-Tetrachloroethane	~	~	0.660	U	0.640	U	0.790	U	0.870	U	0.820	U	0.770	U	0.530	U	0.490	U	0.810	U	0.870	U	0.690	U	0.780	U	0.730	U
1,1,1-Trichloroethane	~	~	0.530	U	0.510	U	0.630	U	0.700	U	0.650	U	0.610	U	0.420	U	0.390	U	0.640	U	0.690	U	0.550	U	0.620	U	0.580	U
1,1,2,2-Tetrachloroethane	~	~	0.660	U	0.640	U	0.790	U	0.870	U	0.820	U	0.770	U	0.530	U	0.490	U	0.810	U	0.870	U	0.690	U	0.780	U	0.730	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.740	U	0.710	U	0.880	U	0.980	U	0.920	U	0.860	U	0.590	U	0.550	D	0.910	U	0.970	U	0.770	U	0.870	U	0.810	U
1,1,2-Trichloroethane	~	~	0.530	U	0.510	U	0.630	U	0.700	U	0.650	U	0.610	U	0.420	U	0.390	U	0.640	U	0.690	U	0.550	U	0.620	U	0.580	U
1,1-Dichloroethane	~	~	0.390	U	0.380	U	0.470	U	0.520	U	0.480	U	0.460	U	0.310	U	0.290	U	0.480	U	0.510	U	0.410	U	0.460	U	0.430	U
1,1-Dichloroethylene	~	~	0.0960	U	0.0920	U	0.110	U	0.130	U	0.120	U	0.110	U	0.0760	U	0.0710	U	0.120	U	0.130	U	0.100	U	0.110	U	0.110	U
1,2,4-Trichlorobenzene	~	~	0.720	U	0.690	U	0.850	U	0.950	U	1.800	U	0.840	U	0.570	U	0.850	D	0.880	U	0.940	U	0.750	U	0.840	U	0.790	U
1,2,4-Trimethylbenzene	~	~	0.810	D	0.460	J	0.570	J	0.630	J	0.590	U	0.550	U	0.380	D	0.490	D	0.580	U	0.620	U	0.740	D	0.560	U	11	D
1,2-Dibromoethane	~	~	0.740	U	0.710	U	0.880	U	0.980	U	0.920	U	0.870	U	0.590	U	0.550	U	0.910	U	0.970	U	0.770	U	0.870	U	0.820	U
1,2-Dichlorobenzene	~	~	0.580	U	0.560	U	0.690	U	0.770	U	0.720	U	0.680	U	0.460	U	0.430	U	0.710	U	0.760	U	0.600	U	0.680	U	0.640	U
1,2-Dichloroethane	~	~	0.390	U	0.380	U	0.470	U	0.520	U	0.480	U	0.460	U	0.310	U	0.290	U	0.480	U	0.510	U	0.410	U	0.460	U	2.800	D
1,2-Dichloropropane	~	~	0.450	U	0.430	U	0.530	U	0.590	U	0.550	U	0.520	U	0.350	U	0.330	U	0.550	U	0.590	U	1.200	D	0.520	U	0.490	U
1,2-Dichlorotetrafluoroethane	~	~	0.670	U	0.650	U	0.800	U	0.890	U	0.840	U	0.790	U	0.540	U	0.500	U	0.830	U	0.890	U	0.700	U	0.790	U	0.740	U
1,3,5-Trimethylbenzene	~	~	0.470	U	0.460	U	0.570	U	0.630	U	0.590	U	0.550	U	0.380	U	0.350	U	0.580	U	0.620	U	0.490	U	0.560	U	3	D
1,3-Butadiene	~	~	0.640	U	0.620	U	0.760	U	0.850	U	0.790	U	0.750	U	0.510	U	0.470	U	0.780	U	0.840	U	0.670	U	0.750	U	0.700	U
1,3-Dichlorobenzene	~	~	0.580	U	0.560	U	0.690	U	0.770	U	0.720	U	0.680	U	0.460	U	0.430	U	0.710	U	0.760	U	0.600	U	0.680	U	0.640	U
1,3-Dichloropropane	~	~	0.450	U	0.430	U	0.530	U	0.590	U	0.550	U	0.520	U	0.350	U	0.330	U	0.550	U	0.590	U	0.460	U	0.520	U	0.490	U
1,4-Dichlorobenzene	~	~	0.580	J	0.560	U	0.690	U	0.770	U	0.720	U	0.680	U	0.460	U	0.430	U	2.600	D	0.760	U	0.600	U	0.680	U	0.830	D
1,4-Dioxane	~	~	0.700	U	0.670	U	0.830	U	0.920	U	0.860	U	0.810	U	0.550	U	0.510	U	0.850	U	0.910	U	0.720	U	0.820	U	0.760	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		NT		0.750	D	0.420	D	0.790	D
2-Butanone	~	~	15	D	7.600	D	2.500	D	2.200	D	2.900	D	39	D	3.300	D	5	D	25	D	24.0	D	6.100	D	53	D	46	D
2-Hexanone	~	~	0.790	U	0.760	U	0.940	J	1	U	1	U	0.920	U	0.630	U	0.580	U	0.970	U	1.000	U	0.820	D	0.930	U	0.870	U
3-Chloropropene	~	~	1.500	U	1.500	U	1.800	U	2	U	2	U	1.800	U	1.200	U	1.100	U	1.800	U	2.000	U	1.600	U	1.800	U	1.700	U
4-Methyl-2-pentanone	~	~	0.430	D	0.380	U	0.470	U	0.520	U	0.490	U	0.460	U	0.530	D	0.530	D	0.480	U	0.520	U	0.410	U	0.460	U	0.430	U
Acetone	~	~	95	D	140	D	58	D	110	D	260	D	88	D	40	D	50	D	440	D	150	D	82	D	46	D	130	D
Acrylonitrile	~	~	0.210	U	0.200	U	0.250	U	0.280	U	0.260	U	0.240	U	0.170	U	0.150	U	0.460	D	0.280	U	4	D	3.500	BD	3	U
Benzene	~	~	0.890	D	0.620	D	0.400	D	0.810	D	0.500	D	0.610	D	1.300	D	0.660	D	0.940	D	1.300	D	1.300	D	0.470	D	0.920	D
Benzyl chloride	~	~	0.500	U	0.480	U	0.600	U	0.660	U	0.620	U	0.580	U	0.400	U	0.370	U	0.610	U	0.660	U	0.520	U	0.590	U	0.550	U
Bromodichloromethane	~	~	0.650	U	0.620	U	0.770	U	0.850	U	0.800	U	0.760	U	0.510	U	0.480	U	0.790	U	0.850	U	0.670	U	0.760	U	0.710	U
Bromoform	~	~	1	U	0.960	U	1.200	U	1.300	U	1.200	U	1.200	U	0.790	U	0.740	U	1.200	U	1.300	U	1	U	1.200	U	1.100	U
Bromomethane	~	~	0.370	U	0.360	U	0.450	U	0.490	U	0.460	U	0.440	U	0.300	U	0.280	U	0.460	U	0.490	U	0.390	U	0.440	U	0.410	U
Carbon disulfide	~	~	0.300	U	0.290	U	0.360	U	0.400	U	0.370	U	0.350	U	0.240	U	0.330	D	0.370	U	0.390	U	0.340	D	0.350	U	0.330	U
Carbon tetrachloride	~	~	0.550	D	0.470	D	0.220	D	0.400	D	0.380	D	0.500	D	0.190	D	0.400	D	0.450	D	0.560	D	0.760	D	0.430	D	0.400	D
Chlorobenzene	~	~	0.440	U	0.430	U	0.530	U	0.590	U	0.550	U	0.520	U	0.350	U	0.330	U	0.540	U	0.580	U	0.460	U	0.520	U	0.490	U
Chloroethane	~	~	0.250	U	0.240	U	0.300	U	0.340	U	0.320	U	0.300	U	0.200	U	0.190	U	0.310	U	0.330	U	0.270	U	0.300	U	0.280	U
Chloroform	~	~	0.850	D	0.450	U	0.730	D	0.620	D	0.580	U	0.770	D	0.370	U	0.450	D	0.810	D	0.620	U	0.980	D	0.660	D	0.520	U
Chloromethane	~	~	1.200	D	1.500	D	2.400	D	1.100	D	0.910	D	1.300	BD	1.900	D	1.200	D	0.850	D	0.840	D	1.300	D	1.200	D	1.500	D
cis-1,2-Dichloroethylene	~	~	0.190	D	0.0920	U	0.230	D	0.130	U	0.120	U	0.270	D	0.0760	U	0.0710	U	0.120	U	0.130	U	0.100	U	0.110	U	0.110	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

TABLE 5A - INDOOR AIR DATA
PICK UP EVERY STITCH
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		Pick Up Every Stitch 21K1231-03 11/22/2021 Indoor Air		Pick Up Every Stitch-R 21L0608-11 12/9/2021 Indoor Air		Pickup Every Stitch 22H0069-09 8/1/2022 Indoor Air		Pickup Every Stitch 22J0662-09 10/12/2022 Indoor Air		Pickup Every Stitch 23A1182-05 1/24/2023 Indoor Air		Pickup Every Stitch 23E0033-05 4/28/2023 Indoor Air		Pickup Every Stitch 23F0573-05 6/8/2023 Indoor Air		Pick Up Every Stitch 23I1039-03 9/14/2023 Indoor Air		Pick Up Every Stitch 23L1251-08 12/15/2023 Indoor Air		Pickup EveryStitch 24C1397-05 3/20/2024 Indoor Air		Pickup Every Stitch 24G1107-05 7/16/2024 Indoor Air		Pick up Every Stitch 24J1140-05 10/15/2024 Indoor Air		Pickup Every Stitch 25B1578-05 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	0.440	U	0.420	U	0.520	U	0.580	U	0.540	U	0.510	U	0.350	U	0.320	U	0.540	U	0.580	U	0.460	U	0.510	U	0.480	U
Cyclohexane	~	~	0.370	D	0.320	U	0.400	U	0.440	U	0.410	U	0.390	U	1.100	D	0.250	U	0.730	D	0.440	D	0.350	U	0.390	U	1.800	D
Dibromochloromethane	~	~	0.820	U	0.790	U	0.980	U	1.100	U	1.000	U	0.960	U	0.650	U	0.610	U	1	U	1.100	U	0.860	U	0.960	U	0.900	U
Dichlorodifluoromethane	~	~	2.500	D	2.200	D	3.100	D	2.200	D	2.000	D	2.500	D	1.500	D	2	D	2.400	D	2.70	D	3.900	D	2.300	D	2.100	D
Ethyl acetate	~	~	3.200	D	7.900	D	0.950	D	3.800	D	5.000	D	10	D	5.200	D	5.200	D	5.600	D	5.10	D	2.100	D	6.200	D	3.700	D
Ethyl Benzene	~	~	0.630	D	0.400	J	0.500	U	0.550	J	0.520	U	0.490	U	0.500	D	0.500	D	0.510	D	0.660	D	1.100	D	0.490	U	3.500	D
Hexachlorobutadiene	~	~	1	U	0.990	U	1.200	U	1.400	U	1.300	U	1.200	U	0.820	U	0.760	U	1.300	U	1.400	U	1.100	U	1.200	U	1.100	U
Isopropanol	~	~	120	D	100	D	120	D	140	BD	1,200	DE	170	DE	73	BD	55	D	550	BD	0.620	U	39	D	NT		28	BD
Methyl Methacrylate	~	~	1.100	D	0.490	D	0.470	U	0.520	U	0.490	U	0.460	U	0.310	U	0.940	D	0.480	U	0.520	U	0.540	D	0.460	U	2.200	D
Methyl tert-butyl ether (MTBE)	~	~	0.350	U	0.330	U	0.410	U	0.460	U	0.430	U	0.410	U	0.280	U	0.260	U	0.430	U	0.460	U	0.360	U	0.410	U	0.380	U
Methylene chloride	60	NA	45	D	18	D	0.800	J	1.200	D	1.000	D	0.780	U	1.900	D	0.500	U	1.100	D	0.880	U	0.770	D	0.980	D	2.200	J
Naphthalene	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		1.300	U	1.300	D	1.200	U	1.100	U
n-Heptane	~	~	0.830	D	0.420	D	0.470	J	0.520	D	0.490	U	1.200	D	0.310	U	0.290	U	0.480	U	1.200	D	0.780	D	0.460	U	1.100	D
n-Hexane	~	~	2.700	D	0.460	D	0.410	U	0.760	D	0.420	U	1.300	D	0.700	D	0.330	D	2.300	D	1.500	D	0.670	D	0.400	U	0.640	D
o-Xylene	~	~	0.880	D	0.520	D	0.500	J	0.720	D	0.520	U	0.590	D	0.530	D	0.590	D	0.670	D	1.100	D	1.700	D	0.640	D	2.900	D
p- & m- Xylenes	~	~	2.100	D	1.200	D	1	J	1.800	D	1.000	U	1.400	D	1.500	D	1.500	D	1.800	D	2.400	D	4.100	D	1.400	D	8.300	D
p-Ethyltoluene	~	~	0.710	D	0.460	U	0.570	U	0.630	J	0.590	U	0.550	U	0.380	U	0.350	U	0.580	U	0.620	U	0.540	D	0.560	U	8.400	D
Propylene	~	~	0.170	U	0.160	U	1.400	D	2.400	D	0.210	U	0.190	U	0.130	U	0.120	U	0.200	U	1.400	D	1	D	0.660	D	0.180	U
Styrene	~	~	0.410	J	1.100	D	0.490	J	0.540	U	0.510	U	0.480	U	0.330	U	0.460	D	0.500	U	0.540	U	0.810	D	0.480	U	1.900	D
Tetrachloroethylene	30	300	**800**	D	**58**	D	58	D	25	D	13	D	**47**	D	24	D	15	D	23	D	2.300	D	4.800	D	1.100	D	1.200	D
Tetrahydrofuran	~	~	0.570	J	0.550	U	1.400	D	0.750	U	1.600	D	1.800	D	0.540	D	0.420	U	16	D	26	D	0.590	U	0.670	U	56	D
Toluene	~	~	2.200	D	4.300	D	2.600	D	2.800	D	1.100	D	2.500	D	4	D	4.500	D	3.900	D	4.300	D	7.100	D	3.100	D	4.100	D
trans-1,2-Dichloroethylene	~	~	0.380	U	0.370	U	0.460	U	0.510	U	0.470	U	0.450	U	0.300	U	0.280	U	0.470	U	0.500	U	0.400	U	0.450	U	0.420	U
trans-1,3-Dichloropropylene	~	~	0.440	U	0.420	U	0.520	U	0.580	U	0.540	U	0.510	U	0.350	U	0.320	U	0.540	U	0.580	U	0.460	U	0.510	U	0.480	U
Trichloroethylene	2	20	**23**	D	1.400	D	0.250	D	0.410	D	0.160	U	0.730	D	0.210	D	0.190	D	0.190	D	0.170	U	0.140	U	0.150	U	0.140	U
Trichlorofluoromethane (Freon 11)	~	~	6.300	D	3.300	D	78	D	9.900	D	4.200	D	8.900	D	5	D	11	D	4.200	D	7.600	D	140	D	9.100	D	4.800	D
Vinyl acetate	~	~	0.340	U	0.330	U	0.410	U	0.450	U	0.420	U	0.400	U	0.270	U	0.250	U	0.420	U	0.450	U	0.350	U	0.400	U	0.370	U
Vinyl bromide	~	~	0.420	U	0.410	U	0.500	U	0.560	U	0.520	U	0.490	U	0.340	U	0.310	U	0.520	U	0.550	U	0.440	U	0.500	U	0.460	U
Vinyl Chloride	~	~	0.120	U	0.120	U	0.150	U	0.160	U	0.150	U	0.140	U	0.0980	U	0.0910	U	0.150	U	0.160	U	0.130	U	0.140	U	0.140	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
SECOND FLOOR VACANT UNIT
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		Vacant Store (2nd Floor)		Vacant Store-R		Vacant 2nd Floor		Vacant 2nd Floor		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		Vacant 2nd Floor		Treasure Trunk	
York ID			21K1231-04		21L0608-10		22H0069-05		22J0662-03		23A1182-06		23E0033-06		23F0573-06		23I0505-05		23L1251-03		24C1397-06		24G1107-06		24J1140-06		25B1578-06	
Sampling Date			11/22/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/202		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																												
1,1,1,2-Tetrachloroethane	~	~	0.600	U	0.690	U	0.710	U	0.750	U	0.620	U	0.610	U	0.530	U	0.790	U	0.690	U	0.720	U	0.620	U	0.680	U	0.660	U
1,1,1-Trichloroethane	~	~	0.470	U	0.550	U	0.560	U	0.590	U	0.500	U	0.490	U	0.420	U	0.630	U	0.550	U	0.580	U	0.490	U	0.540	U	0.530	U
1,1,2,2-Tetrachloroethane	~	~	0.600	U	0.690	U	0.710	U	0.750	U	0.620	U	0.610	U	0.530	U	0.790	U	0.690	U	0.720	U	0.620	U	0.680	U	0.660	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.670	U	0.770	U	0.870	D	0.830	U	0.700	U	0.690	D	0.590	U	0.880	U	0.770	U	0.810	U	0.690	U	0.760	U	0.740	U
1,1,2-Trichloroethane	~	~	0.470	U	0.550	U	0.560	U	0.590	U	0.500	U	0.490	U	0.420	U	0.630	U	0.550	U	0.580	U	0.490	U	0.540	U	0.530	U
1,1-Dichloroethane	~	~	0.350	U	0.410	U	0.420	U	0.440	U	0.370	U	0.360	U	0.310	U	0.470	U	0.410	U	0.430	U	0.360	U	0.400	U	0.390	U
1,1-Dichloroethylene	~	~	0.0860	U	0.0990	U	0.100	U	0.110	U	0.090	U	0.500	D	0.0760	U	0.110	U	0.0990	U	0.100	U	0.0890	U	0.0980	U	0.0960	U
1,2,4-Trichlorobenzene	~	~	0.640	U	0.740	U	0.770	U	0.810	U	1.400	U	0.660	U	0.570	U	0.850	U	0.740	U	0.780	U	0.670	U	0.740	U	0.720	U
1,2,4-Trimethylbenzene	~	~	0.430	J	0.490	U	0.610	D	0.530	U	0.450	U	0.440	U	0.380	U	1.500	D	0.490	U	0.520	U	0.660	D	0.490	U	2.700	D
1,2-Dibromoethane	~	~	0.670	U	0.770	U	0.800	U	0.830	U	0.700	U	0.690	U	0.590	U	0.890	U	0.770	U	0.810	U	0.690	U	0.760	U	0.740	U
1,2-Dichlorobenzene	~	~	0.520	U	0.600	U	0.620	U	0.650	U	0.550	U	0.540	U	0.460	U	0.690	U	0.600	U	0.630	U	0.540	U	0.600	U	0.580	U
1,2-Dichloroethane	~	~	0.350	U	0.410	U	0.420	U	0.440	U	0.370	U	0.360	U	0.310	U	0.470	U	0.410	U	0.430	U	0.360	U	0.400	U	0.390	U
1,2-Dichloropropane	~	~	0.400	U	0.460	U	0.480	U	0.500	U	0.420	U	0.410	U	0.350	U	0.530	U	0.460	U	0.490	U	0.670	D	0.460	U	0.450	U
1,2-Dichlorotetrafluoroethane	~	~	0.610	U	0.700	U	0.720	U	0.760	U	0.640	U	0.620	U	0.540	U	0.810	U	0.700	U	0.740	U	0.630	U	0.690	U	0.680	U
1,3,5-Trimethylbenzene	~	~	0.430	U	0.490	U	0.510	U	0.530	U	0.450	U	0.440	U	0.380	U	0.570	U	0.490	U	0.520	U	0.440	U	0.490	U	0.710	D
1,3-Butadiene	~	~	0.580	U	0.670	J	0.690	U	0.720	J	0.600	U	0.590	U	0.510	U	0.760	U	0.670	U	0.700	U	0.600	U	0.660	U	0.640	U
1,3-Dichlorobenzene	~	~	0.520	U	0.600	U	0.620	U	0.650	U	0.550	U	0.540	U	0.460	U	0.690	U	0.600	U	0.630	U	0.540	U	0.600	U	0.580	U
1,3-Dichloropropane	~	~	0.400	U	0.460	U	0.480	U	0.500	U	0.420	U	0.410	U	0.350	U	0.530	U	0.460	U	0.490	U	0.420	U	0.460	U	0.450	U
1,4-Dichlorobenzene	~	~	0.520	U	0.600	U	0.620	U	0.650	U	0.550	U	0.540	U	0.460	U	0.690	U	0.600	U	0.630	U	0.540	U	0.600	U	0.580	U
1,4-Dioxane	~	~	0.630	U	0.720	U	0.750	U	0.780	U	0.660	U	0.640	U	0.550	U	0.830	U	0.720	U	0.760	U	0.650	U	0.710	U	0.700	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		NT		0.760	D	0.280	D	0.540	D
2-Butanone	~	~	3.500	D	1.400	D	2.500	D	0.670	D	0.720	D	3.200	D	2.300	D	13	D	3.400	D	3.300	D	6	D	1.900	D	12	D
2-Hexanone	~	~	0.710	U	0.820	U	0.850	J	0.890	U	0.750	U	0.730	U	0.630	U	1.300	D	0.820	U	0.870	U	1	D	0.810	U	0.790	U
3-Chloropropene	~	~	1.400	U	1.600	U	1.600	U	1.700	U	1.400	U	1.400	U	1.200	U	1.800	U	1.600	U	1.700	U	1.400	U	1.600	U	1.500	U
4-Methyl-2-pentanone	~	~	0.430	D	0.410	U	0.420	U	0.440	U	0.370	U	0.370	U	0.310	U	0.470	U	0.410	U	0.430	U	0.410	D	0.410	U	0.400	U
Acetone	~	~	17	D	16	D	23	D	14	D	15	D	36	D	20	D	39	D	41	D	27.000	D	300	BD	26	D	42	D
Acrylonitrile	~	~	0.190	U	0.220	U	0.220	U	0.240	U	0.200	U	0.190	U	0.170	U	0.250	U	6.600	D	0.230	U	0.200	U	0.220	U	2.700	U
Benzene	~	~	1.700	D	0.800	D	0.630	D	0.800	D	0.320	D	0.510	D	1.800	D	0.630	D	1.100	D	0.840	D	1.300	D	1.400	D	0.990	D
Benzyl chloride	~	~	0.450	U	0.520	U	0.540	U	0.560	U	0.470	U	0.460	U	0.400	U	0.600	U	0.520	U	0.550	U	0.470	U	0.510	U	0.500	U
Bromodichloromethane	~	~	0.580	U	0.670	U	0.690	U	0.730	U	0.610	U	0.600	U	0.510	U	0.770	U	0.670	U	0.710	U	0.600	U	0.660	U	0.650	U
Bromoform	~	~	0.900	U	1	U	1.100	U	1.100	U	0.940	U	0.920	U	0.790	U	1.200	U	1	U	1.100	U	0.930	U	1	U	1	U
Bromomethane	~	~	0.340	U	0.390	U	0.400	U	0.420	U	0.350	U	0.350	U	0.300	U	0.450	U	0.390	U	0.410	U	0.350	U	0.380	U	0.380	U
Carbon disulfide	~	~	0.270	U	0.310	U	0.320	U	0.340	U	0.280	U	0.280	U	0.240	U	0.720	D	0.310	U	0.330	U	0.340	D	0.310	U	0.300	U
Carbon tetrachloride	~	~	0.550	D	0.570	D	0.390	D	0.340	D	0.340	D	0.450	D	0.290	D	0.510	D	0.380	D	0.530	D	0.680	D	0.370	D	0.430	D
Chlorobenzene	~	~	0.400	U	0.460	U	0.480	U	0.500	U	0.420	U	0.410	U	0.350	U	0.530	U	0.460	U	0.490	U	0.410	U	0.460	U	0.450	U
Chloroethane	~	~	0.230	U	0.260	U	0.270	U	0.290	U	0.240	U	0.240	U	0.200	U	0.300	U	0.260	U	0.280	U	0.240	U	0.260	U	0.260	U
Chloroform	~	~	0.420	U	0.490	U	0.710	D	0.580	D	0.440	U	0.570	D	0.410	D	1.500	D	0.490	U	0.520	U	1.400	D	0.680	D	0.470	U
Chloromethane	~	~	1.100	D	1.500	D	1.900	D	1.100	D	0.880	D	1.100	BD	2.100	D	1.500	D	0.890	D	0.650	D	1.100	D	1.900	D	1.200	D
cis-1,2-Dichloroethylene	~	~	0.0860	U	0.0990	U	0.160	D	0.110	U	0.090	U	50	D	0.0760	U	0.110	U	0.0990	U	0.100	U	0.0890	U	0.0980	U	0.0960	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

TABLE 5A - INDOOR AIR DATA
SECOND FLOOR VACANT UNIT
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		Vacant Store (2nd Floor)		Vacant Store-R		Vacant 2nd Floor		Vacant 2nd Floor		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		2nd Floor Vacant		Vacant 2nd Floor		Treasure Trunk	
York ID			21K1231-04		21L0608-10		22H0069-05		22J0662-03		23A1182-06		23E0033-06		23F0573-06		23I0505-05		23L1251-03		24C1397-06		24G1107-06		24J1140-06		25B1578-06	
Sampling Date			11/22/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/202		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	0.390	U	0.450	U	0.470	U	0.490	U	0.410	U	0.410	U	0.350	U	0.520	U	0.450	U	0.480	U	0.410	U	0.450	U	0.440	U
Cyclohexane	~	~	0.960	D	0.340	U	0.360	U	0.370	U	0.310	U	0.310	U	0.260	U	0.400	U	0.340	U	0.360	U	0.310	U	0.340	U	1.500	D
Dibromochloromethane	~	~	0.740	U	0.850	U	0.880	U	0.930	U	0.780	U	0.760	U	0.650	U	0.980	U	0.850	U	0.900	U	0.770	U	0.840	U	0.820	U
Dichlorodifluoromethane	~	~	2.500	D	2.800	D	3	D	2.200	D	2.200	D	2.600	D	2	D	0.570	U	2.200	D	2.700	D	4.100	D	2.400	D	2.200	D
Ethyl acetate	~	~	1.300	D	0.940	D	0.750	J	0.780	J	0.660	U	0.840	D	4.100	D	2	D	0.720	U	0.800	D	1.200	D	0.890	D	2.100	D
Ethyl Benzene	~	~	0.790	D	0.440	U	0.450	J	0.470	J	0.400	U	0.390	U	0.370	D	0.550	D	0.440	U	0.460	U	1	D	0.430	U	1.500	D
Hexachlorobutadiene	~	~	0.930	U	1.100	U	1.100	U	1.200	U	0.970	U	0.950	U	0.820	U	1.200	U	1.100	U	1.100	U	0.960	U	1.100	U	1	U
Isopropanol	~	~	33	D	13	D	17	D	12	BD	42	D	36	D	42	BD	23	D	34	BD	26.000	D	28	D	27	D	12	BD
Methyl Methacrylate	~	~	0.360	U	0.570	D	0.420	J	0.440	U	0.370	U	0.370	U	0.310	U	0.470	U	0.410	U	0.430	U	0.370	D	0.410	U	0.400	U
Methyl tert-butyl ether (MTBE)	~	~	0.310	U	0.360	U	0.370	U	0.390	U	0.330	U	0.320	U	0.280	U	0.420	U	0.360	U	0.380	U	0.320	U	0.360	U	0.350	U
Methylene chloride	60	NA	**63**	D	19	D	12	D	0.750	J	0.790	D	0.620	U	0.530	D	0.920	D	0.700	U	0.730	U	0.750	D	0.900	D	2	U
Naphthalene	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		1.100	U	4	D	1	U	1	U
n-Heptane	~	~	2.600	D	0.410	D	0.510	D	0.450	J	0.370	U	0.370	U	0.310	U	0.850	D	0.410	U	0.560	D	0.520	D	0.410	U	0.590	D
n-Hexane	~	~	6.400	D	0.710	D	1.300	D	0.650	D	0.320	U	0.600	D	0.400	D	1.400	D	0.670	D	0.860	D	0.510	D	0.350	U	0.480	D
o-Xylene	~	~	0.870	D	0.440	D	0.580	D	0.470	J	0.400	U	0.390	U	0.400	D	0.850	D	0.440	U	0.460	U	1.300	D	0.430	U	1.700	D
p- & m- Xylenes	~	~	2.400	D	0.960	D	1.300	D	0.990	D	0.790	U	0.780	U	1	D	2.100	D	0.870	D	1.000	D	3.900	D	0.860	U	3.900	D
p-Ethyltoluene	~	~	0.640	D	0.490	U	0.510	U	0.530	U	0.450	U	0.440	U	0.380	U	1.100	D	0.490	U	0.520	U	0.530	D	0.490	U	2.300	D
Propylene	~	~	0.150	U	0.170	U	0.890	D	1.400	D	0.160	U	0.150	U	1.600	D	0.200	U	1.900	D	0.840	D	0.960	D	0.550	D	0.170	U
Styrene	~	~	0.370	U	3.200	D	1.300	D	0.460	U	0.390	U	0.380	U	0.330	U	0.490	D	0.430	U	0.450	U	0.810	D	0.420	U	0.580	D
Tetrachloroethylene	30	300	200	D	18	D	**79**	D	8	D	4	D	**33**	D	29	D	11	D	14	D	0.720	U	4.200	D	0.670	U	0.660	U
Tetrahydrofuran	~	~	0.510	U	0.590	U	0.610	J	0.640	J	0.540	U	0.660	D	0.450	U	2.300	D	5.800	D	4.900	D	0.530	U	0.580	U	14	D
Toluene	~	~	7.100	D	1.800	D	2.500	D	1.700	D	0.410	D	1	D	2.100	D	2.600	D	1.700	D	1.900	D	4	D	1.700	D	2.600	D
trans-1,2-Dichloroethylene	~	~	0.340	U	0.400	U	0.410	U	0.430	U	0.360	U	1.400	D	0.300	U	0.460	U	0.400	U	0.420	U	0.360	U	0.390	U	0.380	U
trans-1,3-Dichloropropylene	~	~	0.390	U	0.450	U	0.470	U	0.490	U	0.410	U	0.410	U	0.350	U	0.520	U	0.450	U	0.480	U	0.410	U	0.450	U	0.440	U
Trichloroethylene	2	20	**7.400**	D	0.320	D	0.280	D	0.230	D	0.120	U	**110**	D	0.330	D	0.150	U	0.130	U	0.140	U	0.120	U	0.130	U	0.130	U
Trichlorofluoromethane (Freon 11)	~	~	2.600	D	2.400	D	23	D	2.600	D	1.900	D	3.900	D	6.500	D	20	D	2.300	D	4.300	D	62	D	3.300	D	2.400	D
Vinyl acetate	~	~	0.310	U	0.350	U	0.360	U	0.380	U	0.320	U	0.310	U	0.270	U	0.410	U	0.350	U	0.370	U	0.320	U	0.350	U	0.340	U
Vinyl bromide	~	~	0.380	U	0.440	U	0.450	U	0.480	U	0.400	U	0.390	U	0.340	U	0.500	U	0.440	U	0.460	U	0.390	U	0.430	U	0.420	U
Vinyl Chloride	~	~	0.110	U	0.130	U	0.130	U	0.140	U	0.120	U	1.600	D	0.0980	U	0.150	U	0.130	U	0.130	U	0.120	U	0.130	U	0.120	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
SILVER SPOON CATERING
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	NYS DOH Criteria		Silver Bread Basket		Silver Bread Basket-R		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon		Silver Spoon	
York ID			21K1231-02		21L0608-09		22H0069-06		22J0662-02		23A1182-07		23E0033-07		23F0573-07		23I0505-06		23L1251-04		24C1397-07		24G1107-07		24J1140-07		25B1578-07	
Sampling Date			11/22/2021		12/9/2021		8/1/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air		Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																												
1,1,1,2-Tetrachloroethane			0.680	U	0.600	U	0.550	U	0.770	U	0.630	U	0.700	U	0.500	U	0.720	U	0.600	U	0.740	U	0.600	U	0.730	U	0.550	U
1,1,1-Trichloroethane	~	~	0.540	U	0.480	U	0.440	U	0.610	U	0.500	U	0.550	U	0.400	U	0.570	U	0.480	U	0.580	U	0.480	U	0.580	U	0.440	U
1,1,2,2-Tetrachloroethane	~	~	0.680	U	0.600	U	0.550	U	0.770	U	0.630	U	0.700	U	0.500	U	0.720	U	0.600	U	0.740	U	0.600	U	0.730	U	0.550	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.750	U	0.670	U	0.740	D	0.860	U	0.700	U	0.780	U	0.560	U	0.800	U	0.670	U	0.820	U	0.670	U	0.820	U	0.610	U
1,1,2-Trichloroethane	~	~	0.540	U	0.480	U	0.440	U	0.610	U	0.500	U	0.550	U	0.400	U	0.570	U	0.480	U	0.580	U	0.480	U	0.580	U	0.440	U
1,1-Dichloroethane	~	~	0.400	U	0.350	U	0.330	U	0.450	U	0.370	U	0.410	U	0.300	U	0.420	U	0.360	U	0.430	U	0.350	U	0.430	U	0.320	U
1,1-Dichloroethylene	~	~	0.0980	U	0.0870	U	0.0800	U	0.110	U	0.091	U	0.100	U	0.0720	U	0.100	U	0.0870	U	0.110	U	0.0860	U	0.110	U	0.0790	U
1,2,4-Trichlorobenzene	~	~	0.730	U	0.650	U	0.600	U	0.830	U	1.400	U	0.750	U	0.540	U	0.780	U	0.650	U	0.800	U	0.650	U	0.790	U	0.590	U
1,2,4-Trimethylbenzene	~	~	0.730	D	0.430	U	1.800	D	0.550	U	0.450	U	0.500	U	0.900	D	0.520	D	0.430	U	0.530	U	0.560	D	0.530	U	5.600	D
1,2-Dibromoethane	~	~	0.760	U	0.670	U	0.620	U	0.860	U	0.710	U	0.780	U	0.560	U	0.810	U	0.680	U	0.820	U	0.670	U	0.820	U	0.610	U
1,2-Dichlorobenzene	~	~	0.590	U	0.530	U	0.490	U	0.680	U	0.550	U	0.610	U	0.440	U	0.630	U	0.530	U	0.640	U	0.520	U	0.640	U	0.480	U
1,2-Dichloroethane	~	~	0.400	U	0.350	U	0.330	U	0.450	U	0.370	U	0.410	U	0.300	U	0.420	U	0.360	U	0.430	U	0.350	U	0.430	U	0.320	U
1,2-Dichloropropane	~	~	0.450	U	0.400	U	0.370	U	0.520	U	0.420	U	0.470	U	0.340	U	0.490	U	0.410	U	0.500	U	1.100	D	0.490	U	0.370	U
1,2-Dichlorotetrafluoroethane	~	~	0.690	U	0.610	U	0.560	U	0.790	U	0.640	U	0.710	U	0.510	U	0.730	U	0.620	U	0.750	U	0.610	U	0.750	U	0.560	U
1,3,5-Trimethylbenzene	~	~	0.480	U	0.430	U	0.520	D	0.550	U	0.450	U	0.500	U	0.360	U	0.520	U	0.430	U	0.530	U	0.430	U	0.530	U	1.500	D
1,3-Butadiene	~	~	0.650	U	0.580	J	0.540	U	0.750	J	0.610	U	0.670	U	0.480	U	0.700	U	0.580	U	1.200	D	3.700	D	1.200	D	1.800	D
1,3-Dichlorobenzene	~	~	0.590	U	0.530	U	0.490	U	0.680	U	0.550	U	0.610	U	0.440	U	0.630	U	0.530	U	0.640	U	0.520	U	0.640	U	0.480	U
1,3-Dichloropropane	~	~	0.450	U	0.400	U	0.370	U	0.520	U	0.420	U	0.470	U	0.340	U	0.490	U	0.410	U	0.500	U	0.400	U	0.490	U	0.370	U
1,4-Dichlorobenzene	~	~	0.590	J	0.530	U	0.490	U	0.680	U	0.550	U	0.610	U	0.440	U	0.630	U	0.530	U	0.640	U	0.520	U	0.640	U	0.480	U
1,4-Dioxane	~	~	0.710	U	0.630	U	0.580	U	0.810	U	0.660	U	0.730	U	0.530	U	0.760	U	0.630	U	0.770	U	0.630	U	0.770	U	0.580	U
	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		NT		0.730	D	0.250	U	0.190	U
2-Butanone	~	~	8.600	D	2.700	D	3.500	D	1.500	D	1.500	D	5	D	2.900	D	3.400	D	9.400	D	7.600	D	4.500	D	2.300	D	20	D
2-Hexanone	~	~	0.810	J	0.720	U	0.660	J	0.920	J	0.750	U	0.830	U	0.750	D	0.860	U	0.720	U	0.880	U	0.790	D	0.880	U	0.660	U
3-Chloropropene	~	~	1.500	U	1.400	U	1.300	U	1.800	U	1.400	U	1.600	U	1.100	U	1.600	U	1.400	U	1.700	U	1.400	U	1.700	U	1.300	U
4-Methyl-2-pentanone	~	~	0.400	U	0.360	U	1.200	D	0.460	U	0.380	U	0.420	U	0.840	D	0.430	U	0.360	U	0.440	U	0.360	D	0.440	U	0.330	U
Acetone	~	~	54	D	34	D	44	D	29	D	44	D	47	D	24	D	46	D	110	D	58.000	D	47	D	25	D	61	D
Acrylonitrile	~	~	0.210	U	0.190	U	0.180	U	0.240	U	0.200	U	0.220	U	0.160	U	0.230	U	1.600	D	0.230	U	1.600	D	0.230	U	2.300	J
Benzene	~	~	2.800	D	1.500	D	2.500	D	2	D	0	D	0.810	D	2.100	D	0.840	D	2.100	D	5.600	D	16	D	3.300	D	6	D
Benzyl chloride	~	~	0.510	U	0.450	U	0.420	U	0.580	U	0.480	U	0.530	U	0.380	U	0.540	U	0.460	U	0.550	U	0.450	U	0.550	U	0.410	U
Bromodichloromethane	~	~	0.660	U	0.590	U	0.540	U	0.750	U	0.620	U	0.680	U	0.490	U	0.700	U	0.590	U	0.720	U	0.580	U	0.720	U	0.540	U
Bromoform	~	~	1	U	0.900	U	0.840	U	1.200	U	0.950	U	1.100	U	0.750	U	1.100	U	0.910	U	1.100	U	0.900	U	1.100	U	0.830	U
Bromomethane	~	~	0.380	U	0.340	U	0.310	U	0.440	U	0.360	U	0.390	U	0.280	U	0.410	U	0.340	U	0.420	U	0.340	U	0.420	U	0.310	U
Carbon disulfide	~	~	0.340	D	0.270	U	0.650	D	0.350	U	0.290	U	0.320	U	0.270	D	1.500	D	2.600	D	0.330	U	0.300	D	0.330	U	0.250	U
Carbon tetrachloride	~	~	0.560	D	0.330	D	0.410	D	0.420	D	0.350	D	0.580	D	0.280	D	0.400	D	0.440	D	0.470	D	0.820	D	0.400	D	0.450	D
Chlorobenzene	~	~	0.450	U	0.400	U	0.370	U	0.520	U	0.420	U	0.470	U	0.340	U	0.480	U	0.410	U	0.490	U	0.400	U	0.490	U	0.370	U
Chloroethane	~	~	0.260	U	0.230	U	0.210	U	0.300	U	0.240	U	0.270	U	0.190	U	0.280	U	0.230	U	0.280	U	0.230	U	0.280	U	0.210	U
Chloroform	~	~	2.400	D	4.200	D	0.950	D	2.500	D	0.450	U	3.300	D	0.860	D	2.200	D	3.400	D	1.100	D	2.300	D	3.400	D	1.100	D
Chloromethane	~	~	1.400	D	1.500	D	1.600	D	1.100	D	0.890	D	1.100	BD	2.400	D	1.700	D	1.200	D	0.640	D	1.300	D	1	D	1.400	D
cis-1,2-Dichloroethylene	~	~	0.270	D	0.0870	U	0.0960	D	0.110	U	0.091	U	2.600	D	0.0720	U	0.100	U	0.0870	U	0.110	U	0.0860	U	0.110	U	0.0790	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

TABLE 5A - INDOOR AIR DATA
SILVER SPOON CATERING
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		Silver Bread Basket 21K1231-02 11/22/2021 Indoor Air		Silver Bread Basket-R 21L0608-09 12/9/2021 Indoor Air		Silver Spoon 22H0069-06 8/1/2022 Indoor Air		Silver Spoon 22J0662-02 10/12/2022 Indoor Air		Silver Spoon 23A1182-07 1/24/2023 Indoor Air		Silver Spoon 23E0033-07 4/28/2023 Indoor Air		Silver Spoon 23F0573-07 6/8/2023 Indoor Air		Silver Spoon 23I0505-06 9/8/2023 Indoor Air		Silver Spoon 23L1251-04 12/15/2023 Indoor Air		Silver Spoon 24C1397-07 3/20/2024 Indoor Air		Silver Spoon 24G1107-07 7/16/2024 Indoor Air		Silver Spoon 24J1140-07 10/15/2024 Indoor Air		Silver Spoon 25B1578-07 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	0.450	U	0.400	U	0.370	U	0.510	U	0.420	U	0.460	U	0.330	U	0.480	U	0.400	U	0.490	U	0.400	U	0.490	U	0.360	U
Cyclohexane	~	~	0.610	D	0.300	U	1.800	D	0.390	U	0.320	U	0.350	U	1.700	D	0.360	U	0.300	U	0.370	D	0.300	U	0.370	U	1.500	D
Dibromochloromethane	~	~	0.840	U	0.750	U	0.690	U	0.960	U	0.780	U	0.870	U	0.620	U	0.890	U	0.750	U	0.910	U	0.740	U	0.910	U	0.680	U
Dichlorodifluoromethane	~	~	3.100	D	3	D	3.200	D	2.800	D	4.800	D	6.600	D	2.300	D	0.520	U	8.100	D	3.500	D	19	D	2.600	D	3.200	D
Ethyl acetate	~	~	5.900	D	2.500	D	4	D	1.400	D	1.400	D	2	D	4.300	D	4.700	D	3.300	D	1.800	D	1.500	D	1.600	D	2.500	D
Ethyl Benzene	~	~	0.600	D	0.380	U	2.300	D	0.490	J	0.400	U	0.440	U	1	D	0.460	U	0.380	U	0.470	D	1.600	D	0.460	U	2.100	D
Hexachlorobutadiene	~	~	1	U	0.930	U	0.860	U	1.200	U	0.980	U	1.100	U	0.780	U	1.100	U	0.940	U	1.100	U	0.930	U	1.100	U	0.850	U
Isopropanol	~	~	130	D	31	D	17	D	51	BD	220	DE	69	D	84	BD	73	D	110	BD	93.000	D	98	D	44	D	28	BD
Methyl Methacrylate	~	~	0.400	U	0.540	D	1.700	D	0.460	U	0.380	U	0.420	U	0.300	U	0.430	U	0.360	U	0.440	U	0.710	D	0.440	U	0.330	U
Methyl tert-butyl ether (MTBE)	~	~	0.350	U	0.320	U	0.290	U	0.410	U	0.330	U	0.370	U	0.260	U	0.380	U	0.320	U	0.390	U	0.310	U	0.390	U	0.290	U
Methylene chloride	60	NA	31	D	22	D	**230**	D	0.780	D	0.890	D	0.710	U	2.300	D	2.500	D	0.610	U	0.740	U	1.900	D	0.970	D	1.700	J
Naphthalene	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		1.100	U	2.700	D	1.100	U	0.840	U
n-Heptane	~	~	1.800	D	0.970	D	3	D	0.600	D	0.380	U	0.420	U	0.300	U	0.770	D	0.360	U	0.920	D	0.890	D	0.570	D	0.330	U
n-Hexane	~	~	3	D	6.900	D	20	D	0.670	D	0.320	U	0.650	D	1.500	D	0.780	D	0.680	D	1.200	D	0.920	D	0.380	U	0.480	D
o-Xylene	~	~	0.730	D	0.380	J	3	D	0.490	J	0.400	U	0.440	U	1	D	0.460	D	0.380	U	0.510	D	2	D	0.460	U	1.700	D
p- & m- Xylenes	~	~	1.700	D	0.760	J	8	D	0.980	J	0.800	U	0.880	U	3.200	D	1.200	D	0.800	D	1.300	D	5.300	D	0.930	U	4.800	D
p-Ethyltoluene	~	~	0.820	D	0.430	U	1.700	D	0.550	U	0.450	U	0.500	U	0.860	D	0.520	U	0.430	U	0.530	U	0.470	D	0.530	U	4.500	D
Propylene	~	~	0.170	U	0.150	U	1.400	D	5.500	D	0.160	U	0.180	U	0.130	U	0.180	U	0.150	U	4.100	D	5.300	D	2.200	D	4.400	D
Styrene	~	~	0.420	J	0.670	D	1	D	0.480	U	0.390	U	0.430	U	0.310	D	0.450	U	0.370	U	0.460	U	2.500	D	0.460	U	1.300	D
Tetrachloroethylene	30	300	**570**	D	27	D	23	D	14	D	9	D	**64**	D	17	D	9	D	27	D	1.200	D	4.100	D	0.730	U	0.870	D
Tetrahydrofuran	~	~	0.580	J	0.520	J	2	D	0.660	J	0.840	D	0.870	D	0.430	U	1.900	D	13	D	15.000	D	0.510	U	0.630	U	24	D
Toluene	~	~	3.200	D	1.500	D	18	D	1.900	D	0.660	D	2.100	D	6.900	D	3.600	D	2.100	D	2.700	D	5.500	D	1.900	D	3.500	D
trans-1,2-Dichloroethylene	~	~	0.390	U	0.350	U	0.320	U	0.450	U	0.360	U	0.400	U	0.290	U	0.420	U	0.350	U	0.430	U	0.350	U	0.420	U	0.320	U
trans-1,3-Dichloropropylene	~	~	0.450	U	0.400	U	0.370	U	0.510	U	0.420	U	0.460	U	0.330	U	0.480	U	0.400	U	0.490	U	0.400	U	0.490	U	0.360	U
Trichloroethylene	2	20	**19**	D	0.610	D	0.170	D	0.240	D	0.120	U	**5.600**	D	0.240	D	0.140	U	0.190	D	0.140	U	0.120	U	0.140	U	0.110	U
Trichlorofluoromethane (Freon 11)	~	~	7.600	D	5.400	D	11	D	5.900	D	5.800	D	9.200	D	6.400	D	25	D	5.600	D	8.800	D	160	D	5	D	8.100	D
Vinyl acetate	~	~	0.350	U	0.310	U	0.280	U	0.400	U	0.320	U	0.360	U	0.260	U	0.370	U	0.310	U	0.380	U	0.310	U	0.380	U	0.280	U
Vinyl bromide	~	~	0.430	U	0.380	U	0.350	U	0.490	U	0.400	U	0.440	U	0.320	U	0.460	U	0.380	U	0.470	U	0.380	U	0.470	U	0.350	U
Vinyl Chloride	~	~	0.130	U	0.110	U	0.100	U	0.140	U	0.120	U	0.130	D	0.0930	U	0.130	U	0.110	U	0.140	U	0.110	U	0.140	U	0.100	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - INDOOR AIR DATA
REINING CATS AND DOGS
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		Reining Cats+Dogs 21K1231-01 11/22/2021 Indoor Air		Reining Cats+Dogs-R 21L0608-08 12/9/2021 Indoor Air		Reining Cats Dogs 22H0069-07 8/1/2022 Indoor Air		Reigning Cats and Dogs 22J0662-01 10/12/2022 Indoor Air		Reigning Cats and Dogs 23A1182-08 1/24/2023 Indoor Air		Reigning Cats Dogs 23E0033-08 4/28/2023 Indoor Air		Reigning Cats and Dogs 23F0573-08 6/8/2023 Indoor Air		Reining Cats & Dogs 23I0505-07 9/8/2023 Indoor Air		Reigning Cats and Dogs 23L1251-05 12/15/2023 Indoor Air		Reigning Cats and Dogs 24C1397-08 3/20/2024 Indoor Air		Raining Cats & Dogs 24G1107-08 7/16/2024 Indoor Air		Reining Cats and Dogs 24J1140-08 10/15/2024 Indoor Air		Reigning Cats and Dogs 25B1578-08 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																														
1,1,1,2-Tetrachloroethane			0.540	U	0.650	U	0.760	U	0.660	U	0.820	U	0.620	U	0.630	U	0.810	U	0.600	U	0.620	U	0.600	U	0.680	U	0.590	U
1,1,1-Trichloroethane	~	~	0.430	U	0.520	U	0.600	U	0.530	U	0.650	U	0.490	U	0.500	U	0.640	U	0.470	U	0.500	U	0.480	U	0.540	U	0.470	U
1,1,2,2-Tetrachloroethane	~	~	0.540	U	0.650	U	0.760	U	0.660	U	0.820	U	0.620	U	0.630	U	0.810	U	0.600	U	0.620	U	0.600	U	0.680	U	0.590	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.600	D	0.720	U	0.850	U	0.740	U	0.910	U	0.690	U	0.710	U	0.900	U	0.660	U	0.700	U	0.670	U	0.760	U	0.660	U
1,1,2-Trichloroethane	~	~	0.430	U	0.520	U	0.600	U	0.530	U	0.650	U	0.490	U	0.500	U	0.640	U	0.470	U	0.500	U	0.480	U	0.540	U	0.470	U
1,1-Dichloroethane	~	~	0.320	U	0.380	U	0.450	U	0.390	U	0.480	U	0.370	U	0.370	U	0.480	U	0.350	U	0.370	U	0.350	U	0.400	U	0.350	U
1,1-Dichloroethylene	~	~	0.0780	U	0.0940	U	0.110	U	0.150	D	0.120	U	0.0900	U	0.0920	U	0.120	U	0.0860	U	0.0900	U	0.0860	U	0.0990	U	0.0860	U
1,2,4-Trichlorobenzene	~	~	0.590	U	0.700	U	0.820	U	0.720	U	1.800	U	0.670	U	0.690	U	0.870	U	0.640	U	0.670	U	0.650	U	0.740	U	0.640	U
1,2,4-Trimethylbenzene	~	~	0.660	D	0.460	J	0.540	D	0.470	J	0.590	U	0.450	U	0.590	D	0.580	U	0.430	U	0.490	D	0.560	D	0.490	U	3.700	D
1,2-Dibromoethane	~	~	0.610	U	0.730	U	0.850	U	0.740	U	0.920	U	0.700	U	0.710	U	0.900	U	0.670	U	0.700	U	0.670	U	0.760	U	0.660	U
1,2-Dichlorobenzene	~	~	0.470	U	0.570	U	0.660	U	0.580	U	0.720	U	0.540	U	0.560	U	0.710	U	0.520	U	0.550	U	0.520	U	0.600	U	0.520	U
1,2-Dichloroethane	~	~	0.320	U	0.380	U	0.450	U	0.390	U	0.480	U	0.370	U	0.370	U	0.480	U	0.350	U	0.370	U	0.350	U	0.400	U	1.100	D
1,2-Dichloropropane	~	~	0.360	U	0.440	U	0.510	J	0.450	U	0.550	U	0.420	U	0.430	U	0.540	U	0.400	U	0.420	U	0.400	U	0.460	U	0.400	U
1,2-Dichlorotetrafluoroethane	~	~	0.550	U	0.660	U	0.770	U	0.680	U	0.830	U	0.630	U	0.650	U	0.820	U	0.610	U	0.640	U	0.610	U	0.690	U	0.600	U
1,3,5-Trimethylbenzene	~	~	0.390	U	0.460	U	0.540	U	0.470	U	0.590	U	0.450	U	0.450	U	0.580	U	0.430	U	0.450	U	0.430	U	0.490	U	1.100	D
1,3-Butadiene	~	~	0.520	U	0.630	U	0.730	U	0.640	J	0.790	U	0.600	U	0.610	U	0.780	U	0.580	U	0.600	U	0.580	U	0.660	U	0.570	U
1,3-Dichlorobenzene	~	~	0.470	U	0.570	U	0.660	U	0.580	U	0.720	U	0.540	U	0.560	U	0.710	U	0.520	U	0.550	U	0.520	U	0.600	U	0.520	U
1,3-Dichloropropane	~	~	0.360	U	0.440	U	0.510	U	0.450	U	0.550	U	0.420	U	0.430	U	0.540	U	0.400	U	0.420	U	0.400	U	0.460	U	0.400	U
1,4-Dichlorobenzene	~	~	0.620	D	0.570	U	0.660	U	0.580	U	0.720	U	0.540	U	0.560	U	0.710	U	0.520	U	0.550	U	0.520	U	0.600	U	0.520	U
1,4-Dioxane	~	~	0.570	U	0.680	U	0.800	U	0.700	U	0.860	U	0.650	U	0.670	U	0.850	U	0.620	U	0.660	U	0.630	U	0.720	U	0.620	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		NT		0.570	D	0.330	D	0.570	D
2-Butanone	~	~	3.100	D	2.500	D	1	D	1.200	D	2.200	D	3.700	D	2.200	D	3.200	D	5.300	D	6.200	D	4.100	D	3.200	D	16	D
2-Hexanone	~	~	0.650	U	0.770	U	0.900	U	0.790	U	0.980	U	0.740	U	0.760	U	0.960	U	0.710	U	0.740	U	1	D	0.810	U	0.710	U
3-Chloropropene	~	~	1.200	U	1.500	U	1.700	U	1.500	U	1.900	U	1.400	U	1.400	U	1.800	U	1.400	U	1.400	U	1.400	U	1.600	U	1.400	U
4-Methyl-2-pentanone	~	~	0.320	U	0.390	U	0.450	U	0.400	U	0.490	U	0.370	U	0.720	D	0.480	U	0.360	U	0.370	U	0.360	U	0.410	U	0.530	D
Acetone	~	~	31	D	38	D	16	D	37	D	76	D	57	D	20	D	66	D	79	D	97	D	200	BD	110	D	100	D
Acrylonitrile	~	~	0.170	U	0.200	U	0.240	U	0.210	U	0.260	U	0.200	D	0.200	U	0.260	U	0.190	U	0.200	U	0.190	U	0.240	BD	2.400	U
Benzene	~	~	1.400	D	0.810	D	0.530	D	0.860	D	0.420	D	0.580	D	1.500	D	0.380	U	1.200	D	1.600	D	0.640	D	0.890	D	1.100	D
Benzyl chloride	~	~	0.410	U	0.490	U	0.570	U	2.300	D	0.620	U	0.470	U	0.480	U	0.610	U	0.450	U	0.470	U	0.450	U	0.510	U	0.450	U
Bromodichloromethane	~	~	0.530	U	0.630	U	0.740	U	0.970	D	0.800	U	1.200	D	0.620	U	0.790	U	0.760	D	0.610	U	0.580	U	1.200	D	0.870	D
Bromoform	~	~	0.820	U	0.980	U	1.100	U	1	U	1	U	0.940	U	0.960	U	1.200	U	0.900	U	0.940	U	0.900	U	1	U	0.890	U
Bromomethane	~	~	0.310	U	0.370	U	0.430	U	0.380	U	0.460	U	0.350	U	0.360	U	0.460	U	0.340	U	0.350	U	0.340	U	0.390	U	0.340	U
Carbon disulfide	~	~	0.370	D	0.290	U	0.340	U	0.300	D	0.370	U	0.280	D	0.290	U	0.370	U	0.270	U	0.280	U	0.350	D	0.310	U	0.270	U
Carbon tetrachloride	~	~	0.550	D	0.530	D	0.420	D	0.360	D	0.370	D	0.970	D	0.230	D	0.440	D	0.650	D	0.510	D	0.880	D	0.560	D	0.650	D
Chlorobenzene	~	~	0.360	U	0.430	U	0.510	U	0.440	U	0.550	U	0.420	U	0.430	U	0.540	U	0.400	U	0.420	U	0.400	U	0.460	U	0.400	U
Chloroethane	~	~	0.210	U	0.250	U	0.290	U	0.250	U	0.310	U	0.240	U	0.240	U	0.310	U	0.230	U	0.240	U	0.230	U	0.260	U	0.230	U
Chloroform	~	~	2.100	D	2.300	D	0.540	U	12	D	2	D	28	D	1	D	3.800	D	15	D	14	D	3.200	D	7.200	D	4	D
Chloromethane	~	~	1.100	D	1.200	D	2.100	D	1.300	D	1.100	D	1.500	BD	2.400	D	1.700	D	1.100	D	1.500	D	1.100	D	1.300	D	1.700	D
cis-1,2-Dichloroethylene	~	~	0.190	D	0.0940	U	0.130	D	0.0960	U	0.1200	U	0.220	D	0.0920	U	0.120	U	0.0860	U	0.0900	U	0.0860	U	0.0990	U	0.0860	U

SSDS in Unit #s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

TABLE 5A - INDOOR AIR DATA
REINING CATS AND DOGS
200 E. Main Street, Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		Reining Cats+Dogs 21K1231-01 11/22/2021 Indoor Air		Reining Cats+Dogs-R 21L0608-08 12/9/2021 Indoor Air		Reining Cats Dogs 22H0069-07 8/1/2022 Indoor Air		Reigning Cats and Dogs 22J0662-01 10/12/2022 Indoor Air		Reigning Cats and Dogs 23A1182-08 1/24/2023 Indoor Air		Reigning Cats Dogs 23E0033-08 4/28/2023 Indoor Air		Reigning Cats and Dogs 23F0573-08 6/8/2023 Indoor Air		Reining Cats & Dogs 23I0505-07 9/8/2023 Indoor Air		Reigning Cats and Dogs 23L1251-05 12/15/2023 Indoor Air		Reigning Cats and Dogs 24C1397-08 3/20/2024 Indoor Air		Raining Cats & Dogs 24G1107-08 7/16/2024 Indoor Air		Reining Cats and Dogs 24J1140-08 10/15/2024 Indoor Air		Reigning Cats and Dogs 25B1578-08 2/27/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	0.360	U	0.430	U	0.500	U	0.440	U	0.540	U	0.410	U	0.420	U	0.530	U	0.390	U	0.410	U	0.400	U	0.450	U	0.390	U
Cyclohexane	~	~	0.350	D	0.320	U	0.380	U	0.330	U	0.410	U	0.310	U	0.320	U	0.400	U	0.300	U	0.410	D	0.300	U	0.340	U	1.300	D
Dibromochloromethane	~	~	0.670	U	0.800	U	0.940	U	0.820	U	1.000	U	0.770	U	0.790	U	1	U	0.740	U	0.770	U	0.740	U	0.850	U	0.740	U
Dichlorodifluoromethane	~	~	2.500	D	2.200	D	2.900	D	2.100	D	2.500	D	3.200	D	2	D	0.580	U	2.600	D	2.200	D	3.400	D	2.100	D	2.200	D
Ethyl acetate	~	~	3.200	D	2.100	D	0.800	J	1.400	D	3.100	D	3.300	D	1.600	D	4.800	D	1.600	D	2.200	D	1.400	D	2.300	D	8	D
Ethyl Benzene	~	~	0.380	D	0.410	U	0.480	U	0.420	J	0.520	U	0.390	U	0.680	D	0.510	U	0.380	U	0.470	D	1.700	D	0.430	U	1.400	D
Hexachlorobutadiene	~	~	0.840	U	1	U	1.200	U	1	U	1	U	0.970	U	0.990	U	1.300	U	0.920	U	0.970	U	0.930	U	1.100	U	0.920	U
Isopropanol	~	~	320	D	180	DE	13	D	460	BDE	1,400	DE	340	DE	120	BDE	480	DE	670	BDE	580	DE	260	D	0.490	U	190	BDE
Methyl Methacrylate	~	~	0.840	D	0.620	D	0.450	J	0.400	J	0.490	U	0.370	U	0.380	D	0.480	U	0.350	U	0.370	D	0.360	U	0.410	U	1.500	D
Methyl tert-butyl ether (MTBE)	~	~	0.280	U	0.340	U	0.400	U	0.350	U	0.430	U	0.330	U	0.330	U	0.420	U	0.310	U	0.330	U	0.310	U	0.360	U	0.310	U
Methylene chloride	60	NA	27	D	7.400	D	1	D	0.770	D	0.910	D	0.790	D	2.600	D	0.900	D	0.600	U	0.630	U	0.760	D	1.100	D	1.800	J
Naphthalene	~	~	NT		NT		NT		NT		NT		NT		NT		NT		NT		0.950	U	5.300	D	1	U	0.910	U
n-Heptane	~	~	0.870	D	0.580	D	0.450	D	0.550	D	0.490	U	0.370	U	0.380	U	0.480	U	0.360	U	1	D	0.500	D	0.450	D	0.810	D
n-Hexane	~	~	1.800	D	1.900	D	0.390	D	0.720	D	0.420	U	0.730	D	1	D	0.410	D	0.610	D	1.300	D	0.740	D	0.350	U	0.490	D
o-Xylene	~	~	0.620	D	0.410	J	0.480	J	0.460	D	0.520	U	0.390	U	0.720	D	0.510	U	0.380	U	0.590	D	2	D	0.430	U	1.100	D
p- & m- Xylenes	~	~	1.300	D	0.860	D	0.960	J	1.400	D	1.000	U	0.980	D	2.100	D	1	U	0.900	D	1.500	D	6.900	D	0.990	D	3.300	D
p-Ethyltoluene	~	~	0.660	D	0.460	U	0.540	U	0.470	J	0.590	U	0.450	U	0.590	D	0.580	U	0.430	U	0.450	D	0.470	D	0.490	U	2.900	D
Propylene	~	~	0.140	U	0.160	U	0.820	D	14	D	0	U	0.160	U	0.160	U	95	D	0.150	U	0.160	U	0.660	D	0.170	U	3.700	D
Styrene	~	~	0.340	D	0.920	D	0.470	U	0.410	U	0.510	U	0.390	U	0.390	U	0.500	U	0.370	U	0.390	U	0.370	U	0.420	U	0.700	D
Tetrachloroethylene	30	300	**610**	D	**43**	D	5.200	D	12	D	9	D	26	D	8.300	D	8.600	D	20	D	1.200	D	1.700	D	0.670	U	5	D
Tetrahydrofuran	~	~	0.470	J	0.560	U	0.650	J	0.570	J	0.840	D	0.610	D	0.550	U	1.800	D	10	D	13	D	0.510	U	0.590	U	18	D
Toluene	~	~	3.300	D	2.600	D	1.100	D	1.900	D	3.600	D	2.500	D	4	D	1.600	D	2.200	D	3.100	D	2.300	D	2.900	D	3.800	D
trans-1,2-Dichloroethylene	~	~	0.310	U	0.370	U	0.440	U	0.380	U	0.470	U	0.360	U	0.370	U	0.470	U	0.340	U	0.360	U	0.350	U	0.390	U	0.340	U
trans-1,3-Dichloropropylene	~	~	0.360	U	0.430	U	0.500	U	0.440	U	0.540	U	0.410	U	0.420	U	0.530	U	0.390	U	0.410	U	0.400	U	0.450	U	0.390	U
Trichloroethylene	2	20	**24**	D	0.910	D	0.180	D	0.210	D	0.160	U	0.630	D	0.120	U	0.160	U	0.140	D	0.120	U	0.120	U	0.130	U	0.120	U
Trichlorofluoromethane (Freon 11)	~	~	5.500	D	4.900	D	11	D	5.300	D	3.500	D	7.100	D	3.300	D	14	D	4	D	6.800	D	30	D	7.300	D	5.200	D
Vinyl acetate	~	~	0.280	U	0.330	U	0.390	U	0.340	U	0.420	U	0.320	U	0.330	U	0.410	U	0.310	U	0.320	U	0.310	U	0.350	U	0.300	U
Vinyl bromide	~	~	0.350	U	0.410	U	0.480	U	0.420	U	0.520	U	0.400	U	0.400	U	0.510	U	0.380	U	0.400	U	0.380	U	0.430	U	0.380	U
Vinyl Chloride	~	~	0.100	U	0.120	U	0.200	D	0.120	U	0.150	U	0.120	U	0.120	U	0.150	U	0.110	U	0.120	U	0.110	U	0.130	U	0.110	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5A - OUTDOOR AMBIENT AIR

200 E. Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID			AO-1		OA		AO		AO-1		AO		AO		AO		OA		Ambient Outdoor		AO		AO		Ambient Outdoor		AO	
York ID			21K0978-23		22G0311-08		22H0069-08		22J0495-03		22J0662-06		23A1182-09		23E0033-09		23F0573-09		23I0505-08		23L1251-09		24C1397-09		24G1107-09		24J1140-09		25B1578-09	
Sampling Date			11/18/2021		7/7/2022		8/1/2022		10/10/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																														
1,1,1,2-Tetrachloroethane			0.790	U	0.600	U	0.600	U	0.700	U	0.600	U	0.610	U	0.510	U	0.660	U	0.770	U	0.620	U	0.620	U	0.610	U	0.650	U	0.520	U
1,1,1-Trichloroethane	~	~	0.630	U	0.470	U	0.480	U	0.560	U	0.470	U	0.490	U	0.410	U	0.530	U	0.620	U	0.490	U	0.490	U	0.480	U	0.520	U	0.410	U
1,1,2,2-Tetrachloroethane	~	~	0.790	U	0.600	U	0.600	U	0.700	U	0.600	U	0.610	U	0.510	U	0.660	U	0.770	U	0.620	U	0.620	U	0.610	U	0.650	U	0.520	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.880	U	0.670	U	0.810	D	0.780	U	0.670	U	0.680	U	0.630	D	0.740	U	0.860	U	0.690	U	0.690	U	0.680	U	0.730	U	0.580	U
1,1,2-Trichloroethane	~	~	0.630	U	0.470	U	0.480	U	0.560	U	0.470	U	0.490	U	0.410	U	0.530	U	0.620	U	0.490	U	0.490	U	0.480	U	0.520	U	0.410	U
1,1-Dichloroethane	~	~	0.460	U	0.350	U	0.350	U	0.410	U	0.350	U	0.360	U	0.300	U	0.390	U	0.460	U	0.360	U	0.370	U	0.360	U	0.380	U	0.310	U
1,1-Dichloroethylene	~	~	0.110	U	0.0860	U	0.0870	U	0.100	U	0.0860	U	0.0890	U	0.0740	U	0.0960	U	0.110	U	0.0890	U	0.0900	U	0.0880	U	0.0940	U	0.0750	U
1,2,4-Trichlorobenzene	~	~	0.850	U	0.650	U	0.650	U	0.760	U	0.650	U	1.300	U	2.800	U	0.720	U	0.840	U	0.670	U	0.670	U	0.660	U	0.710	U	0.560	U
1,2,4-Trimethylbenzene	~	~	0.900	D	0.680	D	2.100	D	0.500	U	1.200	D	0.440	U	0.370	U	0.480	U	0.550	U	0.490	D	0.440	D	0.430	U	0.470	U	0.410	D
1,2-Dibromoethane	~	~	0.880	U	0.670	U	0.670	U	0.780	U	0.670	U	0.690	U	0.570	U	0.740	U	0.870	U	0.690	U	0.700	U	0.680	U	0.730	U	0.580	U
1,2-Dichlorobenzene	~	~	0.690	U	0.520	U	0.530	U	0.610	U	0.520	U	0.540	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U	0.530	U	0.570	U	0.460	U
1,2-Dichloroethane	~	~	0.460	U	0.350	U	0.350	U	0.410	U	0.350	U	0.360	U	0.300	U	0.390	U	0.460	U	0.360	U	0.370	U	0.360	U	0.380	U	0.310	U
1,2-Dichloropropane	~	~	0.530	U	0.400	U	0.400	U	0.470	U	0.400	U	0.410	U	0.350	U	0.450	U	0.520	U	0.420	U	0.420	U	0.410	U	0.440	U	0.350	U
1,2-Dichlorotetrafluoroethane	~	~	0.800	U	0.610	U	0.610	U	4.700	D	0.610	U	0.620	U	0.520	U	0.680	U	0.790	U	0.630	U	0.630	U	0.620	U	0.660	U	0.530	U
1,3,5-Trimethylbenzene	~	~	0.560	U	0.430	U	0.690	D	0.500	U	0.430	J	0.440	U	0.370	U	0.480	U	0.550	U	0.440	U	0.440	U	0.430	U	0.470	U	0.370	U
1,3-Butadiene	~	~	0.760	U	0.580	U	0.580	U	0.680	U	0.580	U	0.590	U	0.500	U	0.640	U	0.750	U	0.600	U	0.600	U	0.590	U	0.630	U	0.500	U
1,3-Dichlorobenzene	~	~	0.690	U	0.520	U	0.530	U	0.610	U	0.520	U	0.540	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U	0.530	U	0.570	U	0.460	U
1,3-Dichloropropane	~	~	0.530	U	0.400	U	0.400	U	0.470	U	0.400	U	0.410	U	0.350	U	0.450	U	0.520	U	0.420	U	0.420	U	0.410	U	0.440	U	0.350	U
1,4-Dichlorobenzene	~	~	0.690	U	0.520	U	0.530	U	0.610	U	0.520	U	0.540	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U	0.530	U	0.570	U	0.460	U
1,4-Dioxane	~	~	0.830	U	0.630	U	0.630	U	0.730	U	0.630	U	0.640	U	1.300	U	0.700	U	0.810	U	0.650	U	0.650	U	0.640	U	0.690	U	0.550	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT				NT		NT		NT		NT		NT		NT		NT		0.580	D	0.310	D	0.180	U
2-Butanone	~	~	3	D	2.400	D	0.830	D	0.450	D	2.700	D	0.400	D	2	D	2.300	D	1.900	D	1.800	D	1.800	D	2.100	D	2.300	D	1.300	D
2-Hexanone	~	~	0.940	U	0.710	J	0.720	U	0.830	U	1.200	D	0.730	U	1.500	U	0.790	U	0.920	U	0.740	U	0.930	D	0.720	U	0.780	U	0.620	U
3-Chloropropene	~	~	1.800	U	1.400	U	1.400	U	1.600	U	1.400	U	1.400	U	1.200	U	1.500	U	1.800	U	1.400	U	1.400	U	1.400	U	1.500	U	1.200	U
4-Methyl-2-pentanone	~	~	0.470	D	0.460	D	0.680	D	0.420	U	3.300	D	0.370	U	0.610	J	0.400	U	0.460	U	0.370	U	0.370	U	0.360	U	0.390	U	0.370	D
Acetone	~	~	21	D	16	D	12	D	4.600	D	48	D	6	D	14	D	14	D	15	D	11	D	9.800	D	16	D	22	D	21	D
Acrylonitrile	~	~	0.250	U	0.190	U	0.190	U	0.220	U	0.190	U	0.190	U	0.160	U	0.210	U	0.240	U	0.230	D	2.700	D	0.190	U	0.210	U	2.100	J
Benzene	~	~	1.600	D	0.690	D	1.900	D	0.460	D	1.100	D	0.740	D	0.430	D	1.700	D	0.610	D	1.300	D	1.300	D	0.680	D	0.970	D	1	D
Benzyl chloride	~	~	0.590	U	0.450	U	0.450	U	0.530	U	0.450	U	0.460	U	0.770	U	0.500	U	0.580	U	0.470	U	0.470	U	0.460	U	0.490	U	0.390	U
Bromodichloromethane	~	~	0.770	U	0.580	U	0.590	J	0.680	U	0.580	U	0.600	U	0.500	U	0.650	U	0.760	U	0.600	U	0.610	U	0.590	U	0.640	U	0.510	U
Bromoform	~	~	1.200	U	0.900	U	0.910	U	1.100	U	0.900	U	0.920	U	0.770	U	1	U	1.200	U	0.930	U	0.940	U	0.910	U	0.980	U	0.780	U
Bromomethane	~	~	0.440	U	0.340	U	0.340	U	0.400	U	0.410	D	0.350	U	0.290	U	0.380	U	0.440	U	0.350	U	0.350	U	0.340	U	0.370	U	0.290	U
Carbon disulfide	~	~	0.360	U	0.270	U	0.270	U	0.320	U	0.270	U	0.280	U	0.230	U	0.300	U	0.350	U	0.280	U	0.280	U	0.270	U	0.300	U	0.240	U
Carbon tetrachloride	~	~	0.580	D	0.380	D	0.440	D	0.320	D	0.490	D	0.340	D	0.420	D	0.240	D	0.430	D	0.450	D	0.340	D	0.610	D	0.360	D	0.430	D
Chlorobenzene	~	~	0.530	U	0.400	U	0.400	U	0.470	U	0.400	U	0.410	U	0.340	U	0.450	U	0.520	U	0.410	U	0.420	U	0.410	U	0.440	U	0.350	U
Chloroethane	~	~	0.300	U	0.230	U	0.230	U	0.270	U	0.230	U	0.240	U	0.200	U	0.260	U	0.300	U	0.240	U	0.240	U	0.230	U	0.250	U	0.200	U
Chloroform	~	~	0.560	U	0.420	U	0.430	U	0.500	U	0.420	U	0.440	U	0.360	U	0.470	U	0.550	U	0.440	U	0.440	U	4.900	D	0.460	U	0.370	U
Chloromethane	~	~	1.200	D	1.100	D	1.800	D	1.100	D	1.300	D	1.100	D	1.600	D	2.100	D	1.400	D	1.200	D	1.400	D	0.820	D	1.800	D	1.100	D
cis-1,2-Dichloroethylene	~	~	0.110	U	0.0860	U	0.0870	U	0.100	U	0.0860	U	0.0890	U	0.0740	U	0.0960	U	0.110	U	0.0890	U	0.0900	U	0.0880	U	0.0940	U	0.0750	U

SSDS in Unit #'s 2, 3 and 4 Active June 24, 2022

SSDS in Unit # 1 Active January 26, 2024

TABLE 5A - OUTDOOR AMBIENT AIR

200 E. Main Street, Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID			AO-1		OA		AO		AO-1		AO		AO		AO		OA		Ambient Outdoor		AO		AO		Ambient Outdoor		AO	
York ID	NYS DOH Criteria		21K0978-23		22G0311-08		22H0069-08		22J0495-03		22J0662-06		23A1182-09		23E0033-09		23F0573-09		23I0505-08		23L1251-09		24C1397-09		24G1107-09		24J1140-09		25B1578-09	
Sampling Date			11/18/2021		7/7/2022		8/1/2022		10/10/2022		10/12/2022		1/24/2023		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024		7/16/2024		10/15/2024		2/27/2025	
Matrix			Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
cis-1,3-Dichloropropylene	~	~	0.520	U	0.390	U	0.400	U	0.460	U	0.390	U	0.410	U	0.340	U	0.440	U	0.510	U	0.410	U	0.410	U	0.400	U	0.430	U	0.340	U
Cyclohexane	~	~	0.550	D	0.390	D	1.200	D	0.350	U	1.200	D	0.310	U	0.260	U	0.330	U	0.390	U	0.310	U	0.340	D	0.300	U	0.330	U	1.300	D
Dibromochloromethane	~	~	0.980	U	0.740	U	0.750	U	0.870	U	0.740	U	0.760	U	0.640	U	0.820	U	0.960	U	0.770	U	0.770	U	0.750	U	0.810	U	0.650	U
Dichlorodifluoromethane	~	~	2.700	D	2.400	D	2.900	D	2	D	2.500	D	2.400	D	2.600	D	1.900	D	2.500	D	3	D	2.200	D	3	D	2.300	D	2.100	D
Ethyl acetate	~	~	0.830	D	0.720	D	0.630	U	0.730	J	5.600	D	0.640	U	0.540	U	0.700	U	0.810	U	0.650	U	0.650	U	0.640	U	0.690	U	25	D
Ethyl Benzene	~	~	0.800	D	0.490	D	1.700	D	0.440	J	1.200	D	0.390	U	0.320	U	0.630	D	0.490	U	0.390	U	0.390	D	0.420	D	0.410	U	0.660	D
Hexachlorobutadiene	~	~	1.200	U	0.930	U	0.930	U	1.100	U	0.930	U	0.950	U	1.600	U	1	U	1.200	U	0.960	U	0.970	U	0.940	U	1	U	0.810	U
Isopropanol	~	~	8	D	4.900	D	1.900	D	4.100	BD	90	BD	8	D	16	D	6.300	BD	4.400	D	4	BD	12	D	4.300	D	7.100	D	8.300	BD
Methyl Methacrylate	~	~	1.100	D	0.360	U	0.360	J	0.420	U	0.360	U	0.370	U	0.310	U	0.520	D	0.460	U	0.370	U	0.370	U	0.540	D	0.820	D	0.870	D
Methyl tert-butyl ether (MTBE)	~	~	0.410	U	0.310	U	0.320	U	0.370	U	0.310	U	0.320	U	0.270	U	0.350	U	0.410	U	0.320	U	0.330	U	0.320	U	0.340	U	0.270	U
Methylene chloride	60	NA	6.200	D	**120**	D	2.400	D	1.700	D	2.700	D	0.810	D	0.540	D	0.670	U	0.900	D	0.630	U	0.660	D	0.670	D	0.920	D	1.600	J
Naphthalene	~	~	NT		NT		NT				NT		NT		NT		NT		NT		NT		0.950	U	1.100	D	1	U	0.790	U
n-Heptane	~	~	1.200	D	0.960	D	2.500	D	0.420	J	5.700	D	0.370	U	0.310	U	0.400	U	0.460	U	0.370	U	1.600	D	0.430	D	0.390	U	0.750	D
n-Hexane	~	~	1.500	D	11	D	3.100	D	0.930	D	2.400	D	0.440	D	0.290	D	0.340	D	0.600	D	0.760	D	1.100	D	0.650	D	0.340	U	0.720	D
o-Xylene	~	~	0.950	D	0.570	D	2.300	D	0.440	J	1.700	D	0.390	U	0.320	U	0.550	D	0.490	U	0.390	D	0.510	D	0.540	D	0.410	U	0.720	D
p- & m- Xylenes	~	~	2.300	D	1.700	D	5.800	D	1.200	D	4.300	D	0.780	U	0.810	D	2	D	0.980	U	0.980	D	1.300	D	1.500	D	0.870	D	2.300	D
p-Ethyltoluene	~	~	0.960	D	0.430	J	1.800	D	0.500	U	1	D	0	U	0.370	U	0.480	U	0.550	U	0.440	U	0.440	U	0.430	U	0.470	U	0.370	U
Propylene	~	~	0.200	U	0.150	U	2	D	0.540	D	1.500	D	1.400	D	0.130	U	0.170	U	0.190	U	1.800	D	1	D	0.560	D	0.460	D	1.200	D
Styrene	~	~	0.490	U	0.370	U	0.370	J	0.430	U	1.500	D	0.380	U	0.320	U	0.410	U	0.480	U	0.380	U	0.390	U	0.380	U	0.410	U	0.320	U
Tetrachloroethylene	30	300	**35**	D	1.800	D	2.600	D	0.690	U	3.200	D	0.610	U	0.610	D	1.200	D	3.200	D	0.610	U	0.610	U	2.600	D	0.650	U	0.510	D
Tetrahydrofuran	~	~	0.680	U	1.300	D	0.880	D	0.600	U	1.100	D	0.530	U	0.440	U	3.500	D	1.700	BD	0.530	U	0.530	U	0.520	U	0.560	U	0.450	U
Toluene	~	~	4.100	D	3.900	D	7.900	D	2.100	D	16	D	1	D	2	D	1.400	D	1.600	D	1.700	D	2.300	D	1.700	D	2.700	D	2.500	D
trans-1,2-Dichloroethylene	~	~	0.450	U	0.340	U	0.350	U	0.400	U	0.340	U	0.350	U	0.300	U	0.380	U	0.450	U	0.360	U	0.360	U	0.350	U	0.380	U	0.300	U
trans-1,3-Dichloropropylene	~	~	0.520	U	0.390	U	0.400	U	0.460	U	0.390	U	0.410	U	0.340	U	0.440	U	0.510	U	0.410	U	0.410	U	0.400	U	0.430	U	0.340	U
Trichloroethylene	2	20	0.310	D	0.190	D	0.140	D	0.140	U	0.280	D	0.120	U	0.100	U	0.130	U	0.150	U	0.120	U	0.120	U	0.120	U	0.130	U	0.100	U
Trichlorofluoromethane (Freon 11)	~	~	1.600	D	1.500	D	1.600	D	0.970	D	1.500	D	1.100	D	1.300	D	0.920	D	1.100	D	1.600	D	1.100	D	1.700	D	1.200	D	1.100	D
Vinyl acetate	~	~	0.400	U	0.310	U	0.310	U	0.360	U	0.310	U	0.310	U	0.260	U	0.340	U	0.400	U	0.320	U	0.320	U	0.310	U	0.330	U	0.270	U
Vinyl bromide	~	~	0.500	U	0.380	U	0.380	U	0.450	U	0.380	U	0.390	U	0.330	U	0.420	U	0.490	U	0.390	U	0.400	U	0.390	U	0.420	U	0.330	U
Vinyl Chloride	~	~	0.150	U	0.110	U	0.110	U	0.130	U	0.110	U	0.110	U	0.0950	U	0.120	U	0.140	U	0.120	U	0.120	U	0.110	U	0.120	U	0.0970	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Table 5B - Indoor Air Data Basement - Restaurant

188-190 E Main Street, Mount Kisco NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		190 E Main-Basement-IA 22G0311-03 7/7/2022 Indoor Air			Basement 22K1302-01 11/21/2022 Indoor Air		190 Basement 23I0502-01 9/8/2023 Indoor Air		Lefteris Gyro-Basement 23L1247-01 12/14/2023 Indoor Air		Basement 24C1453-01 3/20/2024 Indoor Air		Basement 24G1108-01 7/16/2024 Indoor Air		Lefteris-Basement 24J1139-02 10/15/2024 Indoor Air		Basement 25C0022-01 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15																			
1,1,1,2-Tetrachloroethane			0.570	U		0.580	U	0.780	U	0.690	U	0.640	U	0.660	U	0.710	U	0.620	U
1,1,1-Trichloroethane	~	~	0.450	U		0.460	U	0.620	U	0.540	U	0.510	U	0.520	U	0.560	U	0.490	U
1,1,2,2-Tetrachloroethane	~	~	0.570	U		0.580	U	0.780	U	0.690	U	0.640	U	0.660	U	0.710	U	0.620	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.640	D		0.640	U	0.870	U	0.760	U	0.710	U	0.730	U	0.790	U	0.690	U
1,1,2-Trichloroethane	~	~	0.450	U		0.460	U	0.620	U	0.540	U	0.510	U	0.520	U	0.560	U	0.490	U
1,1-Dichloroethane	~	~	0.340	U		0.340	U	0.460	U	0.400	U	0.380	U	0.390	U	0.420	U	0.360	U
1,1-Dichloroethylene	~	~	0.0820	U		0.0830	U	0.110	U	0.0990	U	0.0920	U	0.0950	U	0.100	U	0.0890	U
1,2,4-Trichlorobenzene	~	~	0.620	U		0.620	U	0.840	U	1.500	U	0.690	U	0.710	U	0.770	U	0.670	U
1,2,4-Trimethylbenzene	~	~	0.570	D		0.410	J	3.400	D	0.490	U	0.460	U	0.990	D	0.510	U	0.440	U
1,2-Dibromoethane	~	~	0.640	U		0.650	U	0.870	U	0.770	U	0.710	U	0.730	U	0.790	U	0.690	U
1,2-Dichlorobenzene	~	~	0.500	U		0.510	U	0.680	U	0.600	U	0.560	U	0.570	U	0.620	U	0.540	U
1,2-Dichloroethane	~	~	0.340	U		0.340	U	0.460	U	0.400	U	0.380	U	0.390	U	0.420	U	0.360	U
1,2-Dichloropropane	~	~	0.380	U		0.390	U	0.520	U	0.460	U	0.430	U	0.440	U	0.480	U	0.410	U
1,2-Dichlorotetrafluoroethane	~	~	0.580	U		0.590	U	0.790	U	0.700	U	0.650	U	0.670	U	0.720	U	0.630	U
1,3,5-Trimethylbenzene	~	~	0.410	U		0.410	U	1.500	D	0.490	U	0.460	U	0.470	U	0.510	U	0.440	U
1,3-Butadiene	~	~	0.550	U		0.560	J	0.750	U	0.660	U	0.620	U	0.630	U	0.680	U	0.600	U
1,3-Dichlorobenzene	~	~	0.500	U		0.510	U	0.680	U	0.600	U	0.560	U	0.570	U	0.620	U	0.540	U
1,3-Dichloropropane	~	~	0.380	U		0.390	U	0.520	U	0.460	U	0.430	U	0.440	U	0.480	U	0.410	U
1,4-Dichlorobenzene	~	~	0.500	U		0.510	U	0.680	U	0.600	U	0.560	U	0.570	U	0.620	U	0.540	U
1,4-Dioxane	~	~	0.600	U		0.610	U	0.820	U	0.720	U	0.670	U	0.690	U	0.740	U	0.650	U
2-Butanone	~	~	1.400	D		0.450	D	3.800	D	1.700	D	18	D	4.700	D	2	D	1.700	D
2-Hexanone	~	~	0.680	U		0.690	U	0.930	U	0.820	U	0.760	U	0.780	U	0.850	U	0.730	U
3-Chloropropene	~	~	1.300	U		1.300	U	1.800	U	1.600	U	1.500	U	1.500	U	1.600	U	1.400	U
4-Methyl-2-pentanone	~	~	0.340	U		0.340	U	0.470	U	0.410	U	0.380	U	0.390	U	0.420	U	0.370	U
Acetone	~	~	24	D		11	D	80	D	12	D	54	D	440	D	42	D	29	D
Acrylonitrile	~	~	0.180	U		0.180	U	0.250	U	47	D	0.200	U	3.900	D	0.220	U	2.500	U
Benzene	~	~	0.580	D		0.910	D	0.580	D	1.300	D	0.830	D	0.640	D	0.490	D	1.700	D
Benzyl chloride	~	~	0.430	U		0.440	U	0.590	U	0.520	U	0.480	U	0.490	U	0.530	U	0.460	U
Bromodichloromethane	~	~	0.560	U		0.560	U	0.760	U	0.670	U	0.620	U	0.640	U	0.690	U	0.600	U
Bromoform	~	~	0.860	U		0.870	U	1.200	U	1	U	0.960	U	0.990	U	1.100	U	0.930	U
Bromomethane	~	~	0.390	D		0.330	U	0.440	U	0.390	U	0.360	U	0.370	U	0.400	U	0.350	U
Carbon disulfide	~	~	0.260	U		0.260	U	0.390	D	0.310	U	0.290	U	0.300	U	0.320	U	0.280	U
Carbon tetrachloride	~	~	0.420	D		0.320	D	0.430	D	0.440	D	0.350	D	0.480	D	0.450	D	0.450	D
Chlorobenzene	~	~	0.380	U		0.390	U	0.520	U	0.460	U	0.430	U	0.440	U	0.480	U	0.410	U
Chloroethane	~	~	0.220	U		0.220	U	0.300	U	0.260	U	0.250	U	0.250	U	0.270	U	0.240	U
Chloroform	~	~	1.400	D		3.300	D	2.500	D	3	D	3.900	D	2.100	D	5.100	D	7.700	D
Chloromethane	~	~	1.600	D		0.800	D	1	D	0.870	D	2.400	D	0.990	D	0.210	U	1.700	D
cis-1,2-Dichloroethylene	~	~	0.0820	U		2.900	D	0.110	U	3.300	D	1.400	D	0.0950	U	0.200	D	0.390	D
cis-1,3-Dichloropropylene	~	~	0.380	U		0.380	U	0.520	U	0.450	U	0.420	U	0.430	U	0.470	U	0.410	U
Cyclohexane	~	~	0.290	U		0.290	U	0.390	U	0.520	D	0.540	D	0.330	U	0.360	U	0.400	D
Dibromochloromethane	~	~	0.710	U		0.720	U	0.970	U	0.850	U	0.790	U	0.810	U	0.880	U	0.760	U
Dichlorodifluoromethane	~	~	2.300	D		1.700	D	2	D	2.100	D	2.100	D	2.400	D	2.500	D	2.400	D
Ethyl acetate	~	~	3.700	D		1.800	D	1.800	D	0.720	U	2.400	D	2.900	D	1.700	D	3.300	D
Ethyl Benzene	~	~	0.360	U		0.370	J	0.590	D	0.430	U	0.400	U	0.660	D	0.450	U	0.390	U
Hexachlorobutadiene	~	~	0.890	U		0.900	U	1.200	U	1.100	U	0.990	U	1	U	1.100	U	0.960	U
Isopropanol	~	~	140	DE		17	D	14	D	16	BD	65	D	140	D	46	D	10	D
Methyl Methacrylate	~	~	0.580	D		0.340	U	2	D	0.410	U	0.380	U	1.400	D	0.420	U	0.400	D
Methyl tert-butyl ether (MTBE)	~	~	0.300	U		0.300	U	0.410	U	0.360	U	0.340	U	0.340	U	0.370	U	0.320	U
Methylene chloride	60	NA	1.900	D		1.100	D	0.950	D	0.690	U	0.650	U	0.800	D	1	D	1.900	J
n-Heptane	~	~	0.480	D		0.480	D	0.470	U	0.570	D	0.460	D	0.940	D	0.420	U	0.370	D
n-Hexane	~	~	0.590	D		0.650	D	0.520	D	0.840	D	0.390	D	0.710	D	0.360	U	0.470	D
o-Xylene	~	~	0.360	J		0.370	J	1.300	D	0.430	U	0.400	U	1	D	0.450	U	0.390	U
p- & m- Xylenes	~	~	0.720	J		0.770	D	3.400	D	0.910	D	0.810	U	2.900	D	0.900	D	0.820	D
p-Ethyltoluene	~	~	0.410	U		0.410	U	3.200	D	0.490	U	0.460	U	0.800	D	0.510	U	0.440	U
Propylene	~	~	0.140	U		5.900	D	0.200	U	2	D	0.160	U	0.160	U	0.180	U	1.100	D
Styrene	~	~	0.350	U		0.360	U	0.480	U	0.430	U	0.400	U	0.410	U	0.440	U	0.380	U
Tetrachloroethylene	30	300	4.800	D		11	D	2.300	D	8.500	D	4.900	D	3.200	D	2.400	D	2	D
Tetrahydrofuran	~	~	0.490	U		660	D	2.400	BD	4.200	D	27	D	0.560	U	0.730	D	1.400	D
Toluene	~	~	1.300	D		1.800	D	1.800	D	2	D	0.600	D	2.200	D	1.300	D	1.600	D
trans-1,2-Dichloroethylene	~	~	0.330	U		0.330	U	0.450	U	0.400	U	0.370	U	0.380	U	0.410	U	0.360	U
trans-1,3-Dichloropropylene	~	~	0.380	U		0.380	U	0.520	U	0.450	U	0.420	U	0.430	U	0.470	U	0.410	U
Trichloroethylene	30	300	0.310	D		1.200	D	0.150	U	1.100	D	0.600	D	0.130	U	0.140	U	0.340	D
Trichlorofluoromethane (Freon 11)	~	~	1.300	D		0.800	D	1.100	D	1.200	D	1.100	D	1.300	D	1.300	D	1.200	D
Vinyl acetate	~	~	0.290	U		0.300	U	0.400	U	0.350	U	0.330	U	0.340	U	0.360	U	0.320	U
Vinyl bromide	~	~	0.360	U		0.370	U	0.500	U	0.440	U	0.410	U	0.420	U	0.450	U	0.390	U
Vinyl Chloride	~	~	0.110	U		0.170	D	0.150	U	0.200	D	0.260	D	0.120	U	0.130	U	0.140	D
Naphthalene	~	~	NT			NT		NT		NT		0.980	U	6.200	D	1.100	U	0.940	U
2,2,4-Trimethylpentane	~	~	NT			NT		NT		NT		0.261	D	0.220	U	0.340	D	0.420	D

Sump Pump Covers Sealed Between October/ November 2022

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Table 5B - Indoor Air Data - First Floor Restaurant

188-190 E Main Street, Mount Kisco NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		190 E Main-First Floor-IA 22G0311-04 7/7/2022 Indoor Air			1st Floor 22K1302-02 11/21/2022 Indoor Air		190 1st Floor 23I0502-02 9/8/2023 Indoor Air		Lefteris Gyro-1st Floor 23L1247-02 12/14/2023 Indoor Air		First Floor 24C1453-02 3/20/2024 Indoor Air		First Floor 24G1108-02 7/16/2024 Indoor Air		Lesteris-1st Floor 24J1139-03 10/15/2024 Indoor Air		First Floor 25C0022-02 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List																			
1,1,1,2-Tetrachloroethane			0.710	U		0.710	U	0.750	U	0.740	U	0.580	U	0.610	U	2.700	D	0.670	U
1,1,1-Trichloroethane	~	~	0.570	U		0.570	U	0.600	U	0.590	U	0.460	U	0.490	U	2.500	D	0.530	U
1,1,2,2-Tetrachloroethane	~	~	0.710	U		0.710	U	0.750	U	0.740	U	0.580	U	0.610	U	2.700	D	0.670	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.800	U		0.800	U	0.840	U	0.830	U	0.650	U	0.680	U	4	D	0.740	U
1,1,2-Trichloroethane	~	~	0.570	U		0.570	U	0.600	U	0.590	U	0.460	U	0.490	U	2.200	D	0.530	U
1,1-Dichloroethane	~	~	0.420	U		0.420	U	0.440	U	0.440	U	0.340	U	0.360	U	1.800	D	0.390	U
1,1-Dichloroethylene	~	~	0.100	U		0.100	U	0.110	U	0.110	U	0.0840	U	0.0880	U	1.800	D	0.0960	U
1,2,4-Trichlorobenzene	~	~	0.770	U		0.770	U	0.810	U	1.600	U	0.630	U	0.660	U	0.680	D	0.720	U
1,2,4-Trimethylbenzene	~	~	0.820	D		0.510	U	0.540	U	0.530	U	0.420	U	0.440	U	1.900	D	0.480	U
1,2-Dibromoethane	~	~	0.800	U		0.800	U	0.840	U	0.830	U	0.650	U	0.690	U	2.900	D	0.740	U
1,2-Dichlorobenzene	~	~	0.620	U		0.620	U	0.660	U	0.650	U	0.510	U	0.540	U	1.500	D	0.580	U
1,2-Dichloroethane	~	~	0.420	U		0.420	U	0.440	U	0.440	U	0.340	U	0.360	U	2	D	0.390	U
1,2-Dichloropropane	~	~	0.480	U		0.480	U	0.510	U	0.500	U	0.390	U	0.410	U	1.900	D	0.450	U
1,2-Dichlorotetrafluoroethane	~	~	0.730	U		0.730	U	0.760	U	0.760	U	0.590	U	0.620	U	3.700	D	0.680	U
1,3,5-Trimethylbenzene	~	~	0.510	U		0.510	U	0.540	U	0.530	U	0.420	U	0.440	U	1.800	D	0.480	U
1,3-Butadiene	~	~	0.690	U		0.690	U	0.730	U	0.720	U	0.560	U	0.590	U	1.100	D	0.640	U
1,3-Dichlorobenzene	~	~	0.620	U		0.620	U	0.660	U	0.650	U	0.510	U	0.540	U	1.900	D	0.580	U
1,3-Dichloropropane	~	~	0.480	U		0.480	U	0.510	U	0.500	U	0.390	U	0.410	U	1.800	D	0.450	U
1,4-Dichlorobenzene	~	~	0.620	U		0.620	U	0.660	U	0.650	U	0.510	U	0.540	U	1.900	D	0.580	U
1,4-Dioxane	~	~	0.750	U		0.750	U	0.790	U	0.780	U	0.610	U	0.640	U	1.300	D	0.700	U
2-Butanone	~	~	2	D		0.730	D	3	D	1.100	D	2.600	D	2.800	D	2	D	1.300	D
2-Hexanone	~	~	0.850	J		0.850	U	0.900	U	0.890	U	0.690	U	0.730	U	1.600	D	0.790	U
3-Chloropropene	~	~	1.600	U		1.600	U	1.700	U	1.700	U	1.300	U	1.400	U	1.400	D	1.500	U
4-Methyl-2-pentanone	~	~	0.430	U		0.430	U	0.450	U	0.440	U	0.350	U	0.370	U	1.500	D	0.400	U
Acetone	~	~	110	D		51	D	89	D	32	D	18	D	45	D	10	D	18	D
Acrylonitrile	~	~	0.230	U		0.230	U	0.240	U	0.910	D	2.400	D	4.200	D	1	BD	2.700	U
Benzene	~	~	0.700	D		0.760	D	0.560	D	1.200	D	0.400	D	0.740	D	2	D	0.870	D
Benzyl chloride	~	~	0.540	U		0.540	U	0.570	U	0.560	U	0.440	U	0.460	U	1.200	D	0.500	U
Bromodichloromethane	~	~	0.700	U		0.700	U	0.730	U	0.720	U	0.740	D	0.600	U	3.100	D	1	D
Bromoform	~	~	1.100	U		1.100	U	1.100	U	1.100	U	0.870	U	0.920	U	2.700	D	1	U
Bromomethane	~	~	0.400	U		0.400	U	0.420	U	0.420	U	0.330	U	0.350	U	1.800	D	0.380	U
Carbon disulfide	~	~	0.320	U		0.320	U	0.340	U	0.340	U	0.260	U	0.280	U	1.500	D	0.300	U
Carbon tetrachloride	~	~	0.390	D		0.390	D	0.410	D	0.410	D	0.370	D	0.730	D	2.900	D	0.490	D
Chlorobenzene	~	~	0.480	U		0.480	U	0.500	U	0.500	U	0.390	U	0.410	U	1.900	D	0.450	U
Chloroethane	~	~	0.270	U		0.270	U	0.290	U	0.290	U	0.220	U	0.240	U	1.200	D	0.260	U
Chloroform	~	~	1.400	D		1.200	D	1.500	D	1.500	D	9.800	D	1.400	D	4.500	D	15	D
Chloromethane	~	~	1.200	D		0.920	D	1	D	0.800	D	1.700	D	0.920	D	2	D	2	D
cis-1,2-Dichloroethylene	~	~	0.100	U		0.410	D	0.110	U	0.510	D	0.170	D	0.0880	U	1.900	D	0.0960	U
cis-1,3-Dichloropropylene	~	~	0.470	U		0.470	U	0.500	U	0.490	U	0.380	U	0.400	U	1.800	D	0.440	U
Cyclohexane	~	~	0.360	U		0.360	U	0.380	U	0.370	U	0.290	U	0.310	U	1.600	D	0.330	D
Dibromochloromethane	~	~	0.880	U		0.880	U	0.930	U	0.920	U	0.720	U	0.760	U	2.500	D	0.830	U
Dichlorodifluoromethane	~	~	2.400	D		1.400	D	2	D	2.100	D	2.100	D	3	D	4.500	D	2.300	D
Ethyl acetate	~	~	4.200	D		1.600	D	1.700	D	2	D	2	D	2.200	D	3.700	D	2.300	D
Ethyl Benzene	~	~	0.450	U		0.450	U	0.470	U	0.470	U	0.370	U	0.390	U	2	D	0.420	U
Hexachlorobutadiene	~	~	1.100	U		1.100	U	1.200	U	1.200	U	0.900	U	0.950	U	1.700	D	1	U
Isopropanol	~	~	110	D		100	D	21	D	120	BD	300	DE	NT		82	D	87	D
Methyl Methacrylate	~	~	0.420	U		0.420	U	1.900	D	0.440	U	0.520	D	0.910	D	2	D	0.480	D
Methyl tert-butyl ether (MTBE)	~	~	0.370	U		0.370	U	0.390	U	0.390	U	0.300	U	0.320	U	1.700	D	0.350	U
Methylene chloride	60	NA	1.700	D		0.870	D	0.910	D	0.750	U	0.590	U	0.770	D	2.300	D	2	J
n-Heptane	~	~	0.720	D		0.430	J	0.450	U	0.580	D	0.380	D	1.100	D	2.500	D	0.440	D
n-Hexane	~	~	0.620	D		0.590	D	0.460	D	0.720	D	0.300	U	0.790	D	1.900	D	0.410	D
o-Xylene	~	~	0.450	J		0.450	J	0.470	U	0.470	U	0.370	U	0.430	D	1.900	D	0.420	U
p- & m- Xylenes	~	~	0.900	J		0.900	U	0.950	U	0.990	D	0.730	U	1.200	D	4.200	D	0.840	U
p-Ethyltoluene	~	~	0.510	U		0.510	U	0.540	U	0.530	U	0.420	U	0.440	U	2	D	0.480	U
Propylene	~	~	0.180	U		4.700	D	0.190	U	5.400	D	0.150	U	0.150	U	2.600	D	0.170	U
Styrene	~	~	0.440	U		0.440	U	0.470	U	0.460	U	0.360	U	0.380	U	1.600	D	0.410	U
Tetrachloroethylene	30	300	2.300	D		1.300	D	0.740	U	2.100	D	1.200	D	1.100	D	3.500	D	0.790	D
Tetrahydrofuran	~	~	0.610	J		0.890	D	2.100	BD	0.920	D	2.900	D	0.530	U	1.600	D	0.570	U
Toluene	~	~	1.600	D		1.300	D	1.300	D	2	D	0.610	D	1.800	D	2.400	D	1.200	D
trans-1,2-Dichloroethylene	~	~	0.410	U		0.410	U	0.430	U	0.430	U	0.340	U	0.350	U	1.800	D	0.380	U
trans-1,3-Dichloropropylene	~	~	0.470	U		0.470	U	0.500	U	0.490	U	0.380	U	0.400	U	1.700	D	0.440	U
Trichloroethylene	2	20	0.220	D		0.280	D	0.150	U	0.290	D	0.110	U	0.120	U	**2.300**	D	0.160	D
Trichlorofluoromethane (Freon 11)	~	~	1.300	D		0.820	D	1	D	1.200	D	1.100	D	1.800	D	3.800	D	1.300	D
Vinyl acetate	~	~	0.370	U		0.370	U	0.380	U	0.380	U	0.300	U	0.310	U	1.500	D	0.340	U
Vinyl bromide	~	~	0.450	U		0.450	U	0.480	U	0.470	U	0.370	U	0.390	U	2	D	0.420	U
Vinyl Chloride	~	~	0.130	U		0.130	U	0.140	U	0.140	U	0.110	U	0.110	U	1.100	D	0.120	U
Naphthalene	~	~	NT			NT		NT		NT		0.890	U	1.400	D	0.800	U	1	U
2,2,4-Trimethylpentane	~	~	NT			NT		NT		NT		0.197	U	0.670	D	2.400	D	0.500	D

Sump Pump Covers Sealed Between October/ November 2022

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Table 5B - Indoor Air Data -Second Floor

Apartment 188 - 190 E Main Street, Mount Kisco NY

BCP Site #C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		190 E Main-2nd Floor-IA 22G0311-05 7/7/2022 Indoor Air		190 East Main 2nd Floor 23I1037-01 9/14/2023 Indoor Air		190 East Main 2nd Floor 23L1247-02 12/14/2023 Indoor Air		Apartment 2 24C1453-03 3/20/2024 Indoor Air		Apartment No.2 24G1108-03 7/16/2024 Indoor Air		Apartment 2 24J1139-01 10/15/2024 Indoor Air		Apartment 25C0022-03 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane			0.730	U	0.670	U			0.610	U	0.590	U	0.520	U	0.530	U
1,1,1-Trichloroethane	~	~	0.580	U	0.530	U			0.480	U	0.470	U	0.410	U	0.420	U
1,1,2,2-Tetrachloroethane	~	~	0.730	U	0.670	U			0.610	U	0.590	U	0.520	U	0.530	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.810	U	0.750	U			0.680	U	0.660	U	0.580	U	0.590	U
1,1,2-Trichloroethane	~	~	0.580	U	0.530	U			0.480	U	0.470	U	0.410	U	0.420	U
1,1-Dichloroethane	~	~	0.430	U	0.400	U			0.360	U	0.350	U	0.300	U	0.310	U
1,1-Dichloroethylene	~	~	0.110	U	0.0970	U			0.0880	U	0.0850	U	0.0740	U	0.0760	U
1,2,4-Trichlorobenzene	~	~	0.790	U	0.730	U			0.660	U	0.640	U	0.560	U	0.570	U
1,2,4-Trimethylbenzene	~	~	0.890	D	0.480	U			0.440	U	0.680	D	0.370	U	0.380	U
1,2-Dibromoethane	~	~	0.820	U	0.750	U			0.680	U	0.660	U	0.580	U	0.590	U
1,2-Dichlorobenzene	~	~	0.640	U	0.590	U			0.530	U	0.520	U	0.450	U	0.460	U
1,2-Dichloroethane	~	~	0.430	U	0.400	U			0.360	U	0.350	U	0.300	U	0.310	U
1,2-Dichloropropane	~	~	0.490	U	0.450	U			0.410	U	0.400	U	0.350	U	0.360	U
1,2-Dichlorotetrafluoroethane	~	~	0.740	U	0.680	U			0.620	U	0.600	U	0.520	U	0.540	U
1,3,5-Trimethylbenzene	~	~	0.520	U	0.480	U			0.440	U	0.420	U	0.370	U	0.380	U
1,3-Butadiene	~	~	0.700	U	0.650	U			0.590	U	0.570	U	0.500	U	0.510	U
1,3-Dichlorobenzene	~	~	0.640	U	0.590	U			0.530	U	0.520	U	0.450	U	0.460	U
1,3-Dichloropropane	~	~	0.490	U	0.450	U			0.410	U	0.400	U	0.350	U	0.360	U
1,4-Dichlorobenzene	~	~	0.640	U	0.590	U			0.530	U	0.520	U	0.450	U	0.460	U
1,4-Dioxane	~	~	0.770	U	0.710	U			0.640	U	0.620	U	0.540	U	0.550	U
2-Butanone	~	~	1.600	D	3.200	D			1.600	D	2.700	D	3.100	D	2	D
2-Hexanone	~	~	0.870	U	0.800	U			1.100	D	0.710	U	1.200	D	0.630	U
3-Chloropropene	~	~	1.700	U	1.500	U			1.400	U	1.300	U	1.200	U	1.200	U
4-Methyl-2-pentanone	~	~	0.440	U	0.400	U			0.360	U	0.350	U	0.310	U	0.320	U
Acetone	~	~	56	D	35	D			81	D	52	D	71	D	34	D
Acrylonitrile	~	~	0.230	U	0.210	U			0.190	U	0.190	U	0.650	D	2.200	J
Benzene	~	~	1.200	D	0.750	D			0.790	D	0.880	D	0.820	D	1.100	D
Benzyl chloride	~	~	0.550	U	0.510	U			0.460	U	0.450	U	0.390	U	0.400	U
Bromodichloromethane	~	~	0.710	J	0.660	U			0.590	U	0.750	D	0.600	D	0.670	D
Bromoform	~	~	1.100	U	1	U			0.910	U	0.890	U	0.780	U	0.790	U
Bromomethane	~	~	0.410	U	0.380	U			0.340	U	0.330	U	0.290	U	0.300	U
Carbon disulfide	~	~	0.330	U	0.300	U			0.280	U	0.270	U	0.230	U	0.240	U
Carbon tetrachloride	~	~	0.470	D	0.370	D			0.390	D	1.100	D	0.380	D	0.390	D
Chlorobenzene	~	~	0.490	U	0.450	U			0.410	U	0.400	U	0.350	U	0.350	U
Chloroethane	~	~	0.280	U	0.260	U			0.230	U	0.230	U	0.200	U	0.200	U
Chloroform	~	~	7.200	D	1.500	D			3.100	D	5	D	3.200	D	3.200	D
Chloromethane	~	~	1.300	D	1.700	D			1.700	D	0.960	D	1.400	D	1.300	D
cis-1,2-Dichloroethylene	~	~	0.110	U	0.0970	U			0.0880	U	0.0850	U	0.0740	U	0.0760	U
cis-1,3-Dichloropropylene	~	~	0.480	U	0.440	U			0.400	U	0.390	U	0.340	U	0.350	U
Cyclohexane	~	~	0.370	U	0.340	U			0.300	U	0.300	U	0.260	U	0.370	D
Dibromochloromethane	~	~	0.900	U	0.830	U			0.750	U	0.730	U	0.640	U	0.660	U
Dichlorodifluoromethane	~	~	2.300	D	2.300	D			2.100	D	3.200	D	2	D	1.900	D
Ethyl acetate	~	~	120	D	27	D			15	D	10	D	14	D	13	D
Ethyl Benzene	~	~	0.460	U	0.430	U			0.380	U	0.820	D	0.330	U	0.370	D
Hexachlorobutadiene	~	~	1.100	U	1	U			0.940	U	0.920	U	0.800	U	0.820	U
Isopropanol	~	~	84	D	33	D			24	D	43	D	52	D	14	D
Methyl Methacrylate	~	~	0.520	D	1.100	D			0.470	D	0.530	D	1.700	D	0.410	D
Methyl tert-butyl ether (MTBE)	~	~	0.380	U	0.350	U			0.320	U	0.310	U	0.270	U	0.280	U
Methylene chloride	60	NA	1	D	0.680	U			0.610	U	0.780	D	0.730	D	1.600	J
n-Heptane	~	~	0.780	D	0.640	D			1.200	D	2.200	D	7.100	D	1.400	D
n-Hexane	~	~	0.820	D	0.380	D			0.500	D	1.300	D	1	D	0.700	D
o-Xylene	~	~	0.460	J	0.430	U			0.380	U	1.100	D	0.330	D	0.370	D
p- & m- Xylenes	~	~	0.920	J	0.850	U			0.770	U	3	D	0.650	D	1	D
p-Ethyltoluene	~	~	0.520	U	0.480	U			0.440	U	0.510	D	0.370	U	0.380	U
Propylene	~	~	0.180	U	0.170	U			0.150	U	0.150	U	0.130	U	2.200	D
Styrene	~	~	0.450	J	0.420	U			0.380	U	0.370	U	0.320	U	0.330	U
Tetrachloroethylene	30	300	1.400	D	2.500	D			0.600	U	0.640	D	0.510	U	0.520	U
Tetrahydrofuran	~	~	0.630	J	0.580	U			0.520	U	0.510	U	0.440	U	0.450	U
Toluene	~	~	2	D	2.100	D			1.100	D	3.200	D	1.800	D	1.800	D
trans-1,2-Dichloroethylene	~	~	0.420	U	0.390	U			0.350	U	0.340	U	0.300	U	0.300	U
trans-1,3-Dichloropropylene	~	~	0.480	U	0.440	U			0.400	U	0.390	U	0.340	U	0.350	U
Trichloroethylene	2	20	0.170	D	0.530	D			0.120	U	0.120	U	0.100	U	0.170	D
Trichlorofluoromethane (Freon 11)	~	~	1.300	D	1	D			1.200	D	2	D	1.100	D	1	D
Vinyl acetate	~	~	0.370	U	0.340	U			0.310	U	0.300	U	0.260	U	0.270	U
Vinyl bromide	~	~	0.460	U	0.430	U			0.390	U	0.380	U	0.330	U	0.340	U
Vinyl Chloride	~	~	0.140	U	0.130	U			0.110	U	0.110	U	0.0960	U	0.0980	U
Naphthalene	~	~	NT		NT				0.930	U	1.800	D	0.790	U	0.810	U
2,2,4-Trimethylpentane	~	~	NT		NT				0.207	U	0.800	D	0.250	D	0.470	D

Sump Pump Covers Sealed Between October/ November 2022

No sample collected

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA
BASEMENT
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Basement IA 22D0571-01 4/11/2022 Indoor Air		Basement 22E0918-06 5/17/2022 Indoor Air		Basement 22K1299-05 11/21/2022 Indoor Air		Basement 23C1754-05 3/28/2023 Indoor Air			192 23I0504-01 9/8/2023 Indoor Air		No 192 23K1489-01 11/20/2023 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List															
1,1,1,2-Tetrachloroethane			0.690	U	0.630	U	0.600	U	0.540	U		0.640	U	0.600	U
1,1,1-Trichloroethane	~	~	0.550	U	0.500	U	0.480	U	0.430	U		0.500	U	0.480	U
1,1,2,2-Tetrachloroethane	~	~	0.690	U	0.630	U	0.600	U	0.540	U		0.640	U	0.600	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.770	U	0.700	U	0.680	U	0.600	U		0.710	U	0.670	U
1,1,2-Trichloroethane	~	~	0.550	U	0.500	U	0.480	U	0.430	U		0.500	U	0.480	U
1,1-Dichloroethane	~	~	0.410	U	0.370	U	0.360	U	0.320	U		0.370	U	0.360	U
1,1-Dichloroethylene	~	~	0.100	U	0.0900	U	0.0870	U	0.0780	U		0.0920	U	0.0870	U
1,2,4-Trichlorobenzene	~	~	0.750	U	0.680	U	0.650	U	0.580	U		0.690	U	0.650	U
1,2,4-Trimethylbenzene	~	~	0.740	D	0.450	D	0.690	D	0.390	U		0.680	D	1	D
1,2-Dibromoethane	~	~	0.770	U	0.700	U	0.680	U	0.600	U		0.710	U	0.680	U
1,2-Dichlorobenzene	~	~	0.600	U	0.550	U	0.530	U	0.470	U		0.560	U	0.530	U
1,2-Dichloroethane	~	~	0.410	U	0.370	U	0.360	U	0.320	U		0.640	D	0.360	U
1,2-Dichloropropane	~	~	0.460	U	0.420	U	0.410	U	0.360	U		0.430	U	0.410	U
1,2-Dichlorotetrafluoroethane	~	~	0.700	U	0.640	U	0.620	U	0.550	U		0.650	U	0.610	U
1,3,5-Trimethylbenzene	~	~	0.490	U	0.450	U	0.430	U	0.390	U		0.450	U	0.430	U
1,3-Butadiene	~	~	0.670	U	0.610	U	0.580	U	0.520	U		0.610	U	0.580	U
1,3-Dichlorobenzene	~	~	0.600	U	0.550	U	0.530	U	0.470	U		0.560	U	0.530	U
1,3-Dichloropropane	~	~	0.460	U	0.420	U	0.410	U	0.360	U		0.430	U	0.410	U
1,4-Dichlorobenzene	~	~	0.600	U	0.550	U	0.530	U	0.470	U		0.560	U	0.530	U
1,4-Dioxane	~	~	0.720	U	0.660	U	0.630	U	0.570	U		0.670	U	0.630	U
2-Butanone	~	~	1.200	D	0.730	D	1.100	D	0.460	D		9.200	D	2.500	D
2-Hexanone	~	~	0.820	U	0.750	U	0.720	U	0.640	U		0.760	U	0.720	U
3-Chloropropene	~	~	1.600	U	1.400	U	1.400	U	1.200	U		1.400	U	1.400	U
4-Methyl-2-pentanone	~	~	0.410	U	0.370	U	0.360	U	0.320	U		0.380	U	0.360	U
Acetone	~	~	1,000	D	200	D	260	D	56	D		4,600	D	400	D
Acrylonitrile	~	~	0.220	U	0.200	U	0.190	U	0.170	U		0.220	D	6	D
Benzene	~	~	0.710	D	0.290	U	0.680	D	0.700	D		1.200	D	1.400	D
Benzyl chloride	~	~	0.520	U	0.470	U	0.460	U	0.410	U		0.480	U	0.460	U
Bromodichloromethane	~	~	0.670	U	0.610	U	0.590	U	0.530	U		0.620	U	0.590	U
Bromoform	~	~	1	U	0.940	U	0.910	U	0.810	U		0.960	U	0.910	U
Bromomethane	~	~	0.390	U	0.350	U	0.340	U	0.300	U		0.360	U	0.340	U
Carbon disulfide	~	~	0.310	U	0.280	U	0.270	U	0.240	U		0.660	D	0.270	U
Carbon tetrachloride	~	~	0.380	D	0.340	D	0.390	D	0.350	D		0.410	D	0.390	D
Chlorobenzene	~	~	0.460	U	0.420	U	0.410	U	0.360	U		0.430	U	0.400	U
Chloroethane	~	~	0.270	U	0.240	U	0.230	U	0.210	U		0.240	U	0.230	U
Chloroform	~	~	1.300	D	0.450	U	0.430	U	0.380	U		2.400	D	0.430	U
Chloromethane	~	~	0.710	D	1.200	D	0.930	D	1	D		1.300	D	0.960	D
cis-1,2-Dichloroethylene	~	~	0.800	D	1	D	0.450	D	0.620	D		0.0920	U	0.350	D
cis-1,3-Dichloropropylene	~	~	0.460	U	0.410	U	0.400	U	0.360	U		0.420	U	0.400	U
Cyclohexane	~	~	1.500	D	0.310	D	0.300	U	0.270	U		0.510	D	0.510	D
Dibromochloromethane	~	~	0.860	U	0.780	U	0.750	U	0.670	U		0.790	U	0.750	U
Dichlorodifluoromethane	~	~	2.100	D	2.500	D	2.500	D	2.200	D		1.800	D	2.500	D
Ethyl acetate	~	~	14	D	2.400	D	1.700	D	1.100	D		240	D	4.800	D
Ethyl Benzene	~	~	0.480	D	0.400	U	1.200	D	0.340	U		0.680	D	1.200	D
Hexachlorobutadiene	~	~	1.100	U	0.970	U	0.940	U	0.840	U		0.990	U	0.940	U
Isopropanol	~	~	1,600	BD	26	D	680	BDE	87	BD		2,400	D	640	BD
Methyl Methacrylate	~	~	110	D	8.400	D	0.940	D	2.900	D		0.380	U	14	D
Methyl tert-butyl ether (MTBE)	~	~	0.360	U	0.330	U	0.320	U	0.280	U		0.330	U	0.320	U
Methylene chloride	60	NA	**94**	D	3.500	D	1.100	D	0.930	BD		3.400	D	3.300	D
n-Heptane	~	~	1.900	D	0.490	D	0.650	D	0.320	U		5.100	D	1.400	D
n-Hexane	~	~	6.400	D	0.640	D	0.680	D	0.360	D		1.800	D	1.500	D
o-Xylene	~	~	0.480	D	0.400	J	0.840	D	0.340	U		0.880	D	1.300	D
p- & m- Xylenes	~	~	1.300	D	0.790	U	2.100	D	0.680	U		2.100	D	3.800	D
p-Ethyltoluene	~	~	0.540	D	0.450	U	0.610	D	0.390	U		0.680	D	0.820	D
Propylene	~	~	0.170	U	0.160	U	3.700	D	0.140	U		270	D	0.150	U
Styrene	~	~	0.430	U	0.390	U	0.380	U	0.330	U		0.710	D	0.370	U
Tetrachloroethylene	30	300	**840**	D	**910**	D	**310**	D	**95**	D		**55**	D	**140**	D
Tetrahydrofuran	~	~	0.590	U	0.540	U	7.700	D	0.460	U		43	BD	2.300	D
Toluene	~	~	14	D	2.500	D	8.800	D	1.400	D		13	D	6.100	D
trans-1,2-Dichloroethylene	~	~	0.400	U	0.360	U	0.350	U	0.310	U		0.370	U	0.350	U
trans-1,3-Dichloropropylene	~	~	0.460	U	0.410	U	0.400	U	0.360	U		0.420	U	0.400	U
Trichloroethylene	2	20	**2.400**	D	**2.600**	D	0.710	D	0.590	D		0.600	D	0.470	D
Trichlorofluoromethane (Freon 11)	~	~	1.400	D	1.100	D	0.790	D	1.100	D		0.990	D	1.300	D
Vinyl acetate	~	~	0.350	U	0.320	U	0.310	U	0.280	U		0.330	U	0.310	U
Vinyl bromide	~	~	0.440	U	0.400	U	0.390	U	0.340	U		0.400	U	0.380	U
Vinyl Chloride	~	~	0.130	U	0.120	U	0.110	U	0.100	U		0.120	U	0.110	U

SSDS/Mitigtaion System Active week of Augsut 20, 2023

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA

BASEMENT

192 E. Main Street

Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Basement IA 22D0571-01 4/11/2022 Indoor Air		Basement 22E0918-06 5/17/2022 Indoor Air		Basement 22K1299-05 11/21/2022 Indoor Air		Basement 23C1754-05 3/28/2023 Indoor Air			192 23I0504-01 9/8/2023 Indoor Air		No 192 23K1489-01 11/20/2023 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q
Naphthalene	~	~	NT	NT	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT
2,2,4-Trimethylpentane	~	~	NT	NT	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - BASEMENT

192 E. Main Street

Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		192 E Main 23L1255-05 12/14/2023 Indoor Air			Basement 24C1456-01 3/20/2024 Indoor Air		192 Basement 24G1112-01 7/16/2024 Indoor Air		192 Basement 24I0098-01 9/3/2024 Indoor Air		Basement 24J1137-04 10/14/2024 Indoor Air		Basement 25C0023-01 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List															
1,1,1,2-Tetrachloroethane			0.670	U		0.550	U	0.600	U	0.880	U	0.560	U	0.610	U
1,1,1-Trichloroethane	~	~	0.530	U		0.440	U	0.470	U	0.700	U	0.450	U	0.480	U
1,1,2,2-Tetrachloroethane	~	~	0.670	U		0.550	U	0.600	U	0.880	U	0.560	U	0.610	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.750	U		0.620	U	0.670	U	0.980	U	0.630	U	0.680	U
1,1,2-Trichloroethane	~	~	0.530	U		0.440	U	0.470	U	0.700	U	0.450	U	0.480	U
1,1-Dichloroethane	~	~	0.400	U		0.330	U	0.350	U	0.520	U	0.330	U	0.360	U
1,1-Dichloroethylene	~	~	0.0970	U		0.0800	U	0.0860	U	0.130	U	0.0810	U	0.0880	U
1,2,4-Trichlorobenzene	~	~	0.730	U		0.600	U	0.650	U	0.950	U	0.610	U	0.660	U
1,2,4-Trimethylbenzene	~	~	0.480	U		0.400	U	1.500	D	0.630	U	0.400	U	0.910	D
1,2-Dibromoethane	~	~	0.750	U		0.620	U	0.670	U	0.980	U	0.630	U	0.680	U
1,2-Dichlorobenzene	~	~	0.590	U		0.480	U	0.520	U	0.770	U	0.490	U	0.530	U
1,2-Dichloroethane	~	~	0.400	U		0.330	U	0.350	U	0.520	U	0.330	U	0.360	U
1,2-Dichloropropane	~	~	0.450	U		0.370	U	0.400	U	0.590	U	0.380	U	0.410	U
1,2-Dichlorotetrafluoroethane	~	~	0.690	U		0.560	U	0.610	U	0.890	U	0.570	U	0.620	U
1,3,5-Trimethylbenzene	~	~	0.480	U		0.400	U	0.430	U	0.630	U	0.400	U	0.440	U
1,3-Butadiene	~	~	0.650	U		0.530	U	0.580	U	0.850	U	0.540	U	0.590	U
1,3-Dichlorobenzene	~	~	0.590	U		0.480	U	0.520	U	0.770	U	0.490	U	0.530	U
1,3-Dichloropropane	~	~	0.450	U		0.370	U	0.400	U	0.590	U	0.380	U	0.410	U
1,4-Dichlorobenzene	~	~	0.590	U		0.480	U	0.520	U	0.770	U	0.490	U	0.530	U
1,4-Dioxane	~	~	0.710	U		0.580	U	0.630	U	0.920	U	0.590	U	0.640	U
2-Butanone	~	~	1.200	D		1.800	D	8.300	D	2.400	D	1.200	D	2.100	D
2-Hexanone	~	~	0.800	U		0.730	D	0.710	U	1	U	0.670	U	0.830	D
3-Chloropropene	~	~	1.500	U		1.300	U	1.400	U	2	U	1.300	U	1.400	U
4-Methyl-2-pentanone	~	~	0.400	U		0.330	U	0.360	U	0.520	U	0.340	U	0.760	D
Acetone	~	~	240	D		140	D	4,200	BD	1,600	BD	160	D	410	D
Acrylonitrile	~	~	0.640	U		47	D	0.190	U	3.200	D	1.200	D	2.500	J
Benzene	~	~	1.300	D		0.390	D	1.200	D	0.410	D	0.290	D	0.990	D
Benzyl chloride	~	~	0.510	U		0.420	U	0.450	U	0.660	U	0.420	U	0.460	U
Bromodichloromethane	~	~	0.660	U		0.540	U	0.580	U	0.860	U	0.550	U	0.590	U
Bromoform	~	~	1	U		0.830	U	0.900	U	1.300	U	0.850	U	0.910	U
Bromomethane	~	~	0.380	U		0.310	U	0.340	U	0.500	U	0.320	U	0.340	U
Carbon disulfide	~	~	0.310	U		0.250	U	0.350	D	0.400	U	0.250	U	0.280	U
Carbon tetrachloride	~	~	0.430	D		0.200	D	0.440	D	0.640	D	0.360	D	0.390	D
Chlorobenzene	~	~	0.450	U		0.370	U	0.400	U	0.590	U	0.380	U	0.410	U
Chloroethane	~	~	0.260	U		0.210	U	0.230	U	0.340	U	0.220	U	0.230	U
Chloroform	~	~	0.480	U		0.390	U	2.500	D	1.700	D	0.400	U	0.690	D
Chloromethane	~	~	0.750	D		1.200	D	1.800	D	0.790	D	0.930	D	2.700	D
cis-1,2-Dichloroethylene	~	~	0.0970	U		0.0800	U	0.0860	U	0.130	U	0.0810	U	0.280	D
cis-1,3-Dichloropropylene	~	~	0.440	U		0.370	U	0.390	U	0.580	U	0.370	U	0.400	U
Cyclohexane	~	~	0.340	U		0.280	U	0.390	D	0.440	U	0.280	U	0.580	D
Dibromochloromethane	~	~	0.830	U		0.690	U	0.740	U	1.100	U	0.700	U	0.750	U
Dichlorodifluoromethane	~	~	2.200	D		2.100	D	2	D	2.900	D	2.200	D	2	D
Ethyl acetate	~	~	4.300	D		2.400	D	110	D	41	D	4.400	D	8.700	D
Ethyl Benzene	~	~	0.470	D		0.350	U	0.910	D	0.550	U	0.360	U	0.500	D
Hexachlorobutadiene	~	~	1	U		0.860	U	0.930	U	1.400	U	0.870	U	0.940	U
Isopropanol	~	~	470	BD		250	D	3,100	D	680	D	0.400	U	240	DE
Methyl Methacrylate	~	~	39	D		14	D	530	D	210	D	56	D	100	D
Methyl tert-butyl ether (MTBE)	~	~	0.350	U		0.290	U	0.310	U	0.460	U	0.290	U	0.320	U
Methylene chloride	60	NA	0.710	D		0.670	D	2.500	D	1.100	D	2.100	D	3.200	D
n-Heptane	~	~	0.400	U		0.500	D	1.300	D	0.520	U	0.340	U	0.510	D
n-Hexane	~	~	0.860	D		0.280	U	1.300	D	0.450	U	0.290	U	0.560	D
o-Xylene	~	~	0.470	D		0.350	U	1.200	D	0.610	D	0.360	U	0.540	D
p- & m- Xylenes	~	~	1.200	D		0.700	U	3.400	D	1.400	D	0.710	U	1.600	D
p-Ethyltoluene	~	~	0.480	U		0.400	U	0.980	D	0.630	U	0.400	U	0.740	D
Propylene	~	~	2.400	D		0.140	U	0.150	U	0.220	U	0.140	U	6.500	D
Styrene	~	~	0.420	U		0.340	U	0.890	D	0.540	U	0.350	U	0.380	U
Tetrachloroethylene	30	300	3.700	D		8.600	D	**90**	D	3.400	D	2.500	D	1.900	D
Tetrahydrofuran	~	~	0.640	D		0.620	D	13	D	0.750	U	0.480	U	0.840	D
Toluene	~	~	2.300	D		0.790	D	7.500	D	1.500	D	1	D	2.100	D
trans-1,2-Dichloroethylene	~	~	0.390	U		0.320	U	0.620	D	0.510	U	0.320	U	0.350	U
trans-1,3-Dichloropropylene	~	~	0.440	U		0.370	U	0.390	U	0.580	U	0.370	U	0.400	U
Trichloroethylene	2	20	0.160	D		0.110	U	0.190	D	0.170	U	0.110	U	0.190	D
Trichlorofluoromethane (Freon 11)	~	~	1.200	D		1.100	D	1.100	D	1.400	D	1.100	D	0.990	D
Vinyl acetate	~	~	0.350	U		0.280	U	0.310	U	0.450	U	0.290	U	0.310	U
Vinyl bromide	~	~	0.430	U		0.350	U	0.380	U	0.560	U	0.360	U	0.390	U
Vinyl Chloride	~	~	0.130	U		0.100	U	0.110	U	0.160	U	0.100	U	0.110	U

SSDS/Mitigation System modifications completed March 8, 2024

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA

BASEMENT

192 E. Main Street

Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		192 E Main 23L1255-05 12/14/2023 Indoor Air			Basement 24C1456-01 3/20/2024 Indoor Air		192 Basement 24G1112-01 7/16/2024 Indoor Air		192 Basement 24I0098-01 9/3/2024 Indoor Air		Basement 24J1137-04 10/14/2024 Indoor Air		Basement 25C0023-01 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q		Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Naphthalene	~	~	NT	NT		0.850	U	1	D	5.200	D	0.860	U	0.930	U
2,2,4-Trimethylpentane	~	~	NT	NT		0.234	U	1.200	D	0.480	D	0.230	D	0.580	D

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laborat

Detection above NYSDO

Detection above NYSDO

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - KYRIOS

192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Kyrios Hair Salon 22E0918-01 5/17/2022 Indoor Air		Kynos Hair Salon 22K1299-01 11/21/2022 Indoor Air		Kyrios 23C1754-01 3/28/2023 Indoor Air			Kyrios 23I0504-04 9/8/2023 Indoor Air		Kyrios 23L1255-01 12/14/2023 Indoor Air			Kyrios 24C1456-02 3/20/2024 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane			0.830	U	0.530	U	0.570	U		0.730	U	0.740	U		0.580	U
1,1,1-Trichloroethane	~	~	0.660	U	0.420	U	0.450	U		0.580	U	0.590	U		0.460	U
1,1,2,2-Tetrachloroethane	~	~	0.830	U	0.530	U	0.570	U		0.730	U	0.740	U		0.580	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.930	U	0.590	U	0.630	U		0.820	U	0.820	U		0.650	U
1,1,2-Trichloroethane	~	~	0.660	U	0.420	U	0.450	U		0.580	U	0.590	U		0.460	U
1,1-Dichloroethane	~	~	0.490	U	0.310	U	0.330	U		0.430	U	0.440	U		0.340	U
1,1-Dichloroethylene	~	~	0.120	U	0.0770	U	0.0820	U		0.110	U	0.110	U		0.0840	U
1,2,4-Trichlorobenzene	~	~	0.900	U	0.580	U	0.610	U		0.790	U	0.800	U		0.630	U
1,2,4-Trimethylbenzene	~	~	0.600	U	0.380	J	0.410	U		0.740	D	1.400	D		0.420	U
1,2-Dibromoethane	~	~	0.930	U	0.600	U	0.630	U		0.820	U	0.830	U		0.650	U
1,2-Dichlorobenzene	~	~	0.730	U	0.470	U	0.500	U		0.640	U	0.650	U		0.510	U
1,2-Dichloroethane	~	~	0.490	U	0.310	U	0.330	U		0.430	U	0.440	U		0.340	U
1,2-Dichloropropane	~	~	0.560	U	0.360	U	0.380	U		0.490	U	0.500	U		0.390	U
1,2-Dichlorotetrafluoroethane	~	~	0.850	U	0.540	U	0.580	U		0.750	U	0.750	U		0.590	U
1,3,5-Trimethylbenzene	~	~	0.600	U	0.380	U	0.410	U		0.530	U	0.530	U		0.420	U
1,3-Butadiene	~	~	0.810	U	0.520	U	0.550	U		0.710	U	0.710	U		0.560	U
1,3-Dichlorobenzene	~	~	0.730	U	0.470	U	0.500	U		0.640	U	0.650	U		0.510	U
1,3-Dichloropropane	~	~	0.560	U	0.360	U	0.380	U		0.490	U	0.500	U		0.390	U
1,4-Dichlorobenzene	~	~	0.730	U	0.470	U	0.500	U		0.640	U	1.400	D		0.560	D
1,4-Dioxane	~	~	0.880	U	0.560	U	0.590	U		0.770	U	0.770	U		0.610	U
2-Butanone	~	~	2.700	D	1.600	D	1.800	D		21	D	55	D		83	D
2-Hexanone	~	~	1	U	0.640	U	0.680	U		0.880	U	0.880	U		2.400	D
3-Chloropropene	~	~	1.900	U	1.200	U	1.300	U		1.700	U	1.700	U		1.300	U
4-Methyl-2-pentanone	~	~	0.500	U	0.320	U	0.340	U		0.700	D	0.440	U		0.350	U
Acetone	~	~	42,000	D	1,500	D	1,300	D		3,600	D	1,200	D		4,700	D
Acrylonitrile	~	~	0.260	U	0.170	U	0.180	U		0.230	U	0.930	D		14	D
Benzene	~	~	0.540	D	0.720	D	0.680	D		0.790	D	1.900	D		0.270	U
Benzyl chloride	~	~	0.630	U	0.400	U	0.430	U		0.550	U	0.560	D		0.440	U
Bromodichloromethane	~	~	0.810	J	0.520	J	0.550	U		0.860	D	0.720	U		0.570	U
Bromoform	~	~	1.300	U	0.800	U	0.850	U		1.100	U	1.100	U		0.880	U
Bromomethane	~	~	0.470	U	0.300	U	0.320	U		0.420	U	0.420	U		0.330	U
Carbon disulfide	~	~	0.380	U	0.240	U	0.670	D		0.330	U	0.330	U		0.260	U
Carbon tetrachloride	~	~	0.310	D	0.340	D	0.210	D		0.610	D	0.410	D		0.210	D
Chlorobenzene	~	~	0.560	U	0.360	U	0.380	U		0.490	U	0.490	U		0.390	U
Chloroethane	~	~	0.320	U	0.200	U	0.220	U		0.280	U	0.280	U		0.220	U
Chloroform	~	~	1.800	D	1	D	1.300	D		4.900	D	3.400	D		1.700	D
Chloromethane	~	~	0.780	D	1.100	D	0.970	D		1.500	D	1.500	D		1.500	D
cis-1,2-Dichloroethylene	~	~	0.120	U	0.0770	U	0.0820	U		0.110	U	0.110	U		0.0840	U
cis-1,3-Dichloropropylene	~	~	0.550	U	0.350	U	0.370	U		0.490	U	0.490	U		0.390	U
Cyclohexane	~	~	0.420	U	0.270	U	0.280	U		0.370	U	0.410	D		0.290	U
Dibromochloromethane	~	~	1	U	0.660	U	0.700	U		0.910	U	0.920	U		0.720	U
Dichlorodifluoromethane	~	~	2.200	D	2	D	1.800	D		0.530	U	2.600	D		2	D
Ethyl acetate	~	~	570	D	120	D	52	D		260	D	140	D		190	D
Ethyl Benzene	~	~	0.530	J	0.470	D	2.500	D		0.740	D	0.650	D		0.370	U
Hexachlorobutadiene	~	~	1.300	U	0.830	U	0.880	U		1.100	U	1.100	U		0.910	U
Isopropanol	~	~	2,800	D	760	BDE	1,300	BD		2,000	D	1,700	BD		2,500	D
Methyl Methacrylate	~	~	4,800	D	1.500	D	7.800	D		250	D	340	D		58	D
Methyl tert-butyl ether (MTBE)	~	~	0.440	U	0.280	U	0.300	U		0.390	U	0.390	U		0.310	U
Methylene chloride	60	NA	2.600	D	2.800	D	3.200	BD		23	D	1.800	D		4.600	D
n-Heptane	~	~	0.500	J	0.600	D	0.470	D		1.600	D	0.440	U		5.500	D
n-Hexane	~	~	0.430	J	0.850	D	0.640	D		0.900	D	3	D		5.300	D
o-Xylene	~	~	0.530	D	0.440	D	3	D		0.930	D	0.790	D		0.370	U
p- & m- Xylenes	~	~	1.100	D	1.100	D	11	D		2.100	D	2	D		0.810	D
p-Ethyltoluene	~	~	0.600	U	0.380	J	0.410	U		0.740	D	0.790	D		0.420	U
Propylene	~	~	0.210	U	5.600	D	0.140	U		0.180	U	0.190	U		26	D
Styrene	~	~	0.620	D	0.330	J	0.350	U		1.400	D	0.460	D		0.360	U
Tetrachloroethylene	30	300	**120**	D	**32**	D	**92**	D		6.700	D	2.900	D		11	D
Tetrahydrofuran	~	~	0.820	D	0.460	U	0.490	U		1.600	U	0.630	U		0.500	U
Toluene	~	~	4.500	D	3.500	D	6.600	D		6.500	D	11	D		2.700	D
trans-1,2-Dichloroethylene	~	~	0.480	U	0.310	U	0.330	U		0.420	U	0.430	U		0.340	U
trans-1,3-Dichloropropylene	~	~	0.550	U	0.350	U	0.370	U		0.490	U	0.490	U		0.390	U
Trichloroethylene	2	20	0.460	D	0.170	D	0.440	D		0.140	U	0.170	D		0.140	D
Trichlorofluoromethane (Freon 11)	~	~	1.300	D	0.740	D	1.200	D		0.900	D	1.400	D		1.100	D
Vinyl acetate	~	~	0.430	U	0.270	U	0.290	U		0.380	U	0.380	U		0.300	U
Vinyl bromide	~	~	0.530	U	0.340	U	0.360	U		0.470	U	0.470	U		0.370	U
Vinyl Chloride	~	~	0.160	U	0.0990	U	0.110	U		0.140	U	0.140	U		0.110	U
Naphthalene	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.890	U
2,2,4-Trimethylpentane	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.374	B

SSDS/Mitigation System Active week of Augsut 20, 2023

SSDS/Mitigation System modifications completed March 8, 2024

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C- PRE AND POST MITIGATION INDOOR AIR DATA - KYRIOS

192 E. Main Street

Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Kyrios 24G1112-02 7/16/2024 Indoor Air		Kyrios 24I0098-02 9/3/2024 Indoor Air		Kyrios 24J1137-01 10/14/2024 Indoor Air		Kyrios 25C0023-02 2/27/2025 Indoor Air	
All units in micrograms per cubic meter ($\mu g/m^3$)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List										
1,1,1,2-Tetrachloroethane			0.610	U	0.590	U	0.500	U	0.670	U
1,1,1-Trichloroethane	~	~	0.480	U	0.470	U	0.400	U	0.530	U
1,1,2,2-Tetrachloroethane	~	~	0.610	U	0.590	U	0.500	U	0.670	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.680	U	0.660	U	0.550	U	0.740	U
1,1,2-Trichloroethane	~	~	0.480	U	0.470	U	0.400	U	0.530	U
1,1-Dichloroethane	~	~	0.360	U	0.350	U	0.290	U	0.390	U
1,1-Dichloroethylene	~	~	0.0880	U	0.0850	U	0.0720	U	0.0960	U
1,2,4-Trichlorobenzene	~	~	0.660	U	0.630	U	0.540	U	0.720	U
1,2,4-Trimethylbenzene	~	~	0.870	D	0.420	D	0.360	U	0.950	D
1,2-Dibromoethane	~	~	0.680	U	0.660	U	0.560	U	0.740	U
1,2-Dichlorobenzene	~	~	0.530	U	0.510	U	0.440	U	0.580	U
1,2-Dichloroethane	~	~	0.610	D	0.350	U	0.440	D	0.390	U
1,2-Dichloropropane	~	~	0.410	U	0.400	U	0.330	U	0.450	U
1,2-Dichlorotetrafluoroethane	~	~	0.620	U	0.600	U	0.510	U	0.680	U
1,3,5-Trimethylbenzene	~	~	0.430	U	0.420	U	0.360	U	0.480	U
1,3-Butadiene	~	~	0.590	U	0.570	U	0.480	U	0.640	U
1,3-Dichlorobenzene	~	~	0.530	U	0.510	U	0.440	U	0.580	U
1,3-Dichloropropane	~	~	0.410	U	0.400	U	0.330	U	0.450	U
1,4-Dichlorobenzene	~	~	0.530	U	0.510	U	0.440	U	0.580	U
1,4-Dioxane	~	~	0.640	U	0.620	U	0.520	U	0.700	U
2-Butanone	~	~	20	D	170	D	76	D	52	D
2-Hexanone	~	~	1.800	D	0.700	U	0.590	U	0.790	U
3-Chloropropene	~	~	14	D	1.300	U	1.100	U	1.500	U
4-Methyl-2-pentanone	~	~	0.360	U	0.350	U	0.300	U	0.400	D
Acetone	~	~	8,100	BD	3,100	BD	0.340	U	6,700	D
Acrylonitrile	~	~	0.250	D	0.260	D	0.160	U	2.700	U
Benzene	~	~	1.400	D	0.790	D	0.690	D	1.100	D
Benzyl chloride	~	~	5.700	D	0.440	U	0.370	U	0.500	U
Bromodichloromethane	~	~	0.590	U	0.570	U	0.490	U	0.650	U
Bromoform	~	~	0.910	U	0.880	U	0.750	U	1	U
Bromomethane	~	~	0.340	U	0.330	U	0.280	U	0.380	U
Carbon disulfide	~	~	0.630	D	0.270	U	0.230	U	0.300	U
Carbon tetrachloride	~	~	0.830	D	1.200	D	0.730	D	0.670	D
Chlorobenzene	~	~	0.410	U	0.390	U	0.330	U	0.450	U
Chloroethane	~	~	0.230	U	0.230	U	0.190	U	0.260	U
Chloroform	~	~	4.400	D	2.200	D	3.300	D	1.400	D
Chloromethane	~	~	1.900	D	1.200	D	1.400	D	1.600	D
cis-1,2-Dichloroethylene	~	~	160	D	0.0850	U	0.0720	U	0.0960	U
cis-1,3-Dichloropropylene	~	~	0.400	U	0.390	U	0.330	U	0.440	U
Cyclohexane	~	~	0.790	D	0.440	D	0.250	U	1	D
Dibromochloromethane	~	~	0.750	U	0.730	U	0.620	U	0.830	U
Dichlorodifluoromethane	~	~	2.100	D	3	D	2.100	D	2	D
Ethyl acetate	~	~	610	D	460	D	79	D	290	D
Ethyl Benzene	~	~	0.920	D	0.630	D	0.600	D	3.100	D
Hexachlorobutadiene	~	~	0.940	U	0.910	U	0.770	U	1	U
Isopropanol	~	~	4,800	D	NT		0.360	U	2,900	D
Methyl Methacrylate	~	~	75	D	68	D	98	D	140	D
Methyl tert-butyl ether (MTBE)	~	~	0.320	U	0.310	U	0.260	U	0.350	U
Methylene chloride	60	NA	20	D	8.600	D	**100**	D	**370**	D
n-Heptane	~	~	1.700	D	0.560	D	0.530	D	0.910	D
n-Hexane	~	~	2	D	1	D	0.560	D	4.400	D
o-Xylene	~	~	1.200	D	0.780	D	0.660	D	2.200	D
p- & m- Xylenes	~	~	3.100	D	2.200	D	2.200	D	12	D
p-Ethyltoluene	~	~	0.870	D	0.420	U	0.360	U	0.480	U
Propylene	~	~	22	D	22	D	0.690	D	13	D
Styrene	~	~	2.200	D	0.760	D	0.430	D	0.410	U
Tetrachloroethylene	30	300	5	D	4	D	3.800	D	1.600	D
Tetrahydrofuran	~	~	36	D	0.500	U	2.100	D	2	D
Toluene	~	~	180	D	18	D	23	D	66	D
trans-1,2-Dichloroethylene	~	~	0.390	D	0.340	U	0.290	U	0.380	U
trans-1,3-Dichloropropylene	~	~	0.400	U	0.430	D	0.330	U	0.440	U
Trichloroethylene	2	20	0.120	U	0.600	D	0.310	D	0.310	D
Trichlorofluoromethane (Freon 11)	~	~	1.300	D	1.900	D	1.200	D	1	D
Vinyl acetate	~	~	0.310	U	0.300	U	0.250	U	0.340	U
Vinyl bromide	~	~	0.390	U	0.370	U	0.320	U	0.420	U
Vinyl Chloride	~	~	0.110	U	0.110	U	0.0930	U	0.120	U
Naphthalene	~	~	1.100	D	1.800	D	0.760	U	1	U
2,2,4-Trimethylpentane	~	~	1.900	D	0.680	D	0.410	D	0.720	D

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laborat

Detection above NYSDC

Detection above NYSDC

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
PERLA NAILS
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Mariana's Beauty Salon 22E0918-02 5/17/2022 Indoor Air		Perla Nails Beauty 22K1299-02 11/21/2022 Indoor Air		Perla Nails Beauty 23C1754-02 3/28/2023 Indoor Air			Perla Nails 23I0504-03 9/8/2023 Indoor Air		Perla Nails Beauty 23L1255-02 12/14/2023 Indoor Air			Perla Nails 24C1456-03 3/20/2024 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane			0.580	U	0.710	U	0.600	U		0.710	U	0.670	U		0.800	U
1,1,1-Trichloroethane	~	~	0.460	U	0.570	U	0.480	U		0.570	U	0.530	U		0.640	U
1,1,2,2-Tetrachloroethane	~	~	0.580	U	0.710	U	0.600	U		0.710	U	0.670	U		0.800	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	2.300	D	0.790	U	0.670	U		0.800	U	0.740	U		0.900	U
1,1,2-Trichloroethane	~	~	0.460	U	0.570	U	0.480	U		0.570	U	0.530	U		0.640	U
1,1-Dichloroethane	~	~	0.340	U	0.420	U	0.350	U		0.420	U	0.390	U		0.470	U
1,1-Dichloroethylene	~	~	0.0830	U	0.100	U	0.0870	U		0.100	U	0.0960	U		0.120	U
1,2,4-Trichlorobenzene	~	~	0.620	U	0.770	U	0.650	U		0.770	U	0.720	U		0.870	U
1,2,4-Trimethylbenzene	~	~	0.410	J	0.510	D	0.430	U		0.970	D	1.400	D		0.580	U
1,2-Dibromoethane	~	~	0.650	U	0.800	U	0.670	U		0.800	U	0.750	U		0.900	U
1,2-Dichlorobenzene	~	~	0.510	U	0.620	U	0.530	U		0.620	U	0.580	U		0.700	U
1,2-Dichloroethane	~	~	0.340	U	0.420	U	0.350	U		3.200	D	0.390	U		1.200	D
1,2-Dichloropropane	~	~	0.390	U	0.480	U	0.400	U		0.480	U	0.450	U		0.540	U
1,2-Dichlorotetrafluoroethane	~	~	0.590	U	0.720	U	0.610	U		0.730	U	0.680	U		0.820	U
1,3,5-Trimethylbenzene	~	~	0.410	U	0.510	U	0.430	U		0.510	U	0.480	U		0.580	U
1,3-Butadiene	~	~	0.560	U	0.690	U	0.580	U		0.690	U	0.640	U		0.780	U
1,3-Dichlorobenzene	~	~	0.510	U	0.620	U	0.530	U		0.620	U	0.580	U		0.700	U
1,3-Dichloropropane	~	~	0.390	U	0.480	U	0.400	U		0.480	U	0.450	U		0.540	U
1,4-Dichlorobenzene	~	~	0.510	U	0.620	U	0.530	U		1.900	D	0.580	U		0.700	U
1,4-Dioxane	~	~	0.610	U	0.750	U	0.630	U		0.750	U	0.700	U		0.840	U
2-Butanone	~	~	1.300	D	14	D	1.200	D		11	D	7.900	D		4.300	D
2-Hexanone	~	~	0.690	J	0.850	U	0.720	U		0.850	U	0.800	U		3	D
3-Chloropropene	~	~	1.300	U	1.600	U	1.400	U		1.600	U	1.500	U		1.800	U
4-Methyl-2-pentanone	~	~	0.340	U	0.420	U	0.360	U		0.430	U	0.400	U		1.100	D
Acetone	~	~	8,000	D	2,600	D	4,400	D		35,000	D	6,000	D		7,400	D
Acrylonitrile	~	~	0.180	U	0.220	U	0.190	U		0.230	U	2.500	D		0.250	U
Benzene	~	~	0.320	D	0.760	D	0.780	D		0.330	U	1.800	D		0.640	D
Benzyl chloride	~	~	0.440	U	0.540	U	0.450	U		0.540	U	0.500	U		0.610	U
Bromodichloromethane	~	~	0.560	U	0.690	U	0.590	U		0.900	D	0.650	U		0.780	U
Bromoform	~	~	0.870	U	1.100	U	0.900	U		1.100	U	1	U		1.200	U
Bromomethane	~	~	0.330	U	0.440	D	0.340	U		0.400	U	0.380	U		0.450	U
Carbon disulfide	~	~	0.260	U	0.320	U	0.270	U		0.320	U	0.300	U		0.360	U
Carbon tetrachloride	~	~	0.210	D	0.330	D	0.220	D		0.460	D	0.430	D		0.290	D
Chlorobenzene	~	~	0.390	U	0.480	U	0.400	U		0.480	U	0.450	U		0.540	U
Chloroethane	~	~	0.220	U	0.270	U	0.230	U		0.270	U	0.260	U		0.310	U
Chloroform	~	~	0.950	D	0.610	D	0.810	D		5.300	D	0.810	D		0.860	D
Chloromethane	~	~	0.800	D	1.200	D	1.100	D		1.600	D	1.200	D		1.600	D
cis-1,2-Dichloroethylene	~	~	0.0830	U	0.100	U	0.0870	U		0.100	U	0.0960	U		0.120	U
cis-1,3-Dichloropropylene	~	~	0.380	U	0.470	U	0.400	U		0.470	U	0.440	U		0.530	U
Cyclohexane	~	~	0.290	U	0.360	U	0.300	U		0.500	D	0.330	U		0.400	U
Dibromochloromethane	~	~	0.720	U	0.880	U	0.740	U		0.880	U	0.830	U		1	U
Dichlorodifluoromethane	~	~	2.500	D	1.900	D	1.800	D		0.510	U	2.600	D		2.500	D
Ethyl acetate	~	~	320	D	70	D	140	D		1,600	D	340	D		240	D
Ethyl Benzene	~	~	0.370	D	0.760	D	0.380	U		1.200	D	0.930	D		0.510	U
Hexachlorobutadiene	~	~	0.900	U	1.100	U	0.930	U		1.100	U	1	U		1.200	U
Isopropanol	~	~	240	D	1,600	BDE	1,500	D		1.200	D	2,400	BD		2,000	D
Methyl Methacrylate	~	~	340	D	59	D	1,000	D		2,800	D	1,900	D		3,100	D
Methyl tert-butyl ether (MTBE)	~	~	0.300	U	0.370	U	0.320	U		0.370	U	0.350	U		0.420	U
Methylene chloride	60	NA	1.700	D	3	D	1.400	BD		2.900	D	2.100	D		0.810	U
n-Heptane	~	~	0.830	D	0.510	D	0.470	D		19	D	0.400	U		1.100	D
n-Hexane	~	~	0.390	D	0.620	D	0.430	D		1.500	D	1.100	D		0.410	U
o-Xylene	~	~	0.370	J	0.630	D	0.420	D		1.400	D	0.890	D		0.510	D
p- & m- Xylenes	~	~	0.880	D	1.600	D	0.990	D		3.100	D	2.300	D		1.200	D
p-Ethyltoluene	~	~	0.410	U	0.510	J	0.430	U		0.710	D	0.620	D		0.580	U
Propylene	~	~	0.140	U	2.400	D	0.150	U		1,700	D	0.170	U		42	D
Styrene	~	~	0.360	D	0.440	U	0.370	U		1.300	D	0.410	U		0.500	U
Tetrachloroethylene	30	300	**270**	D	**75**	D	**70**	D		8.300	D	1.800	D		9.100	D
Tetrahydrofuran	~	~	0.500	U	0.610	J	0.520	U		1.500	U	1.500	D		1	D
Toluene	~	~	15	D	5.300	D	2.300	D		40	D	4.600	D		3.400	D
trans-1,2-Dichloroethylene	~	~	0.330	U	0.410	U	0.350	U		0.410	U	0.380	U		0.460	U
trans-1,3-Dichloropropylene	~	~	0.380	U	0.470	U	0.400	U		0.470	U	0.440	U		0.530	U
Trichloroethylene	2	20	1	D	0.330	D	0.610	D		0.220	D	0.210	D		0.250	D
Trichlorofluoromethane (Freon 11)	~	~	1.500	D	0.760	D	1.100	D		0.870	D	1.400	D		1.300	D
Vinyl acetate	~	~	0.300	U	0.360	U	0.310	U		0.370	U	0.340	U		0.410	U
Vinyl bromide	~	~	0.370	U	0.450	U	0.380	U		0.450	U	0.420	U		0.510	U
Vinyl Chloride	~	~	0.110	U	0.130	U	0.110	U		0.130	U	0.120	U		0.150	U

SSDS/Mitigation System Active week of Augsut 20, 2023

SSDS/Mitigation System modifications completed March 8, 2024

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
PERLA NAILS
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Mariana's Beauty Salon 22E0918-02 5/17/2022 Indoor Air		Perla Nails Beauty 22K1299-02 11/21/2022 Indoor Air		Perla Nails Beauty 23C1754-02 3/28/2023 Indoor Air			Perla Nails 23I0504-03 9/8/2023 Indoor Air		Perla Nails Beauty 23L1255-02 12/14/2023 Indoor Air			Perla Nails 24C1456-03 3/20/2024 Indoor Air	
All units in micrograms per cubic meter ($\mu g/m^3$)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q
Naphthalene	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		1.200	U
2,2,4-Trimethylpentane	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.280	B

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
PERLA NAILS
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Perla Nails 24G1112-03 7/16/2024 Indoor Air		Perla Nails and Beauty 24J1137-02 10/14/2024 Indoor Air		Perla Nails and Beauty 2/27/2025 Indoor Air
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	
Volatile Organics, EPA TO15 Full List							
1,1,1,2-Tetrachloroethane			0.610	U	0.610	U	
1,1,1-Trichloroethane	~	~	0.480	U	0.480	U	
1,1,2,2-Tetrachloroethane	~	~	0.610	U	0.610	U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.680	U	0.680	U	
1,1,2-Trichloroethane	~	~	0.480	U	0.480	U	
1,1-Dichloroethane	~	~	0.360	U	0.360	U	
1,1-Dichloroethylene	~	~	0.0880	U	0.0880	U	
1,2,4-Trichlorobenzene	~	~	0.660	U	0.660	U	
1,2,4-Trimethylbenzene	~	~	0.700	D	0.440	U	
1,2-Dibromoethane	~	~	0.680	U	0.680	U	
1,2-Dichlorobenzene	~	~	0.530	U	0.530	U	
1,2-Dichloroethane	~	~	0.930	D	0.500	D	
1,2-Dichloropropane	~	~	0.410	U	0.410	U	
1,2-Dichlorotetrafluoroethane	~	~	0.620	U	0.620	U	
1,3,5-Trimethylbenzene	~	~	0.430	U	0.440	U	
1,3-Butadiene	~	~	0.590	U	0.590	U	
1,3-Dichlorobenzene	~	~	0.530	U	0.530	U	
1,3-Dichloropropane	~	~	0.410	U	0.410	U	
1,4-Dichlorobenzene	~	~	0.530	U	0.530	U	
1,4-Dioxane	~	~	0.640	U	0.640	U	
2-Butanone	~	~	6.200	D	1.100	D	
2-Hexanone	~	~	0.720	U	0.730	U	
3-Chloropropene	~	~	1.400	U	1.400	U	
4-Methyl-2-pentanone	~	~	0.360	U	0.360	U	
Acetone	~	~	1	U	NT		
Acrylonitrile	~	~	0.330	D	0.600	D	
Benzene	~	~	1.300	D	0.600	D	
Benzyl chloride	~	~	0.460	U	0.460	U	
Bromodichloromethane	~	~	0.590	U	0.590	U	
Bromoform	~	~	0.910	U	0.920	U	
Bromomethane	~	~	0.340	U	0.340	U	
Carbon disulfide	~	~	0.830	D	0.280	U	
Carbon tetrachloride	~	~	0.440	D	0.450	D	
Chlorobenzene	~	~	0.410	U	0.410	U	
Chloroethane	~	~	0.230	U	0.230	U	
Chloroform	~	~	4.700	D	5.100	D	
Chloromethane	~	~	3	D	1.100	D	
cis-1,2-Dichloroethylene	~	~	0.0880	U	0.0880	U	
cis-1,3-Dichloropropylene	~	~	0.400	U	0.400	U	
Cyclohexane	~	~	0.400	D	0.310	U	
Dibromochloromethane	~	~	0.750	U	0.760	U	
Dichlorodifluoromethane	~	~	2	D	2.200	D	
Ethyl acetate	~	~	550	D	NT		
Ethyl Benzene	~	~	0.730	D	0.390	U	
Hexachlorobutadiene	~	~	0.940	U	0.950	U	
Isopropanol	~	~	3,700	D	0.440	U	
Methyl Methacrylate	~	~	4,500	D	NT		
Methyl tert-butyl ether (MTBE)	~	~	0.320	U	0.320	U	
Methylene chloride	60	NA	8.900	D	2.800	D	
n-Heptane	~	~	1.300	D	0.360	U	
n-Hexane	~	~	1.100	D	0.310	D	
o-Xylene	~	~	0.840	D	0.390	D	
p- & m- Xylenes	~	~	2	D	0.770	D	
p-Ethyltoluene	~	~	0.560	D	0.440	U	
Propylene	~	~	0.150	U	0.660	D	
Styrene	~	~	1.300	D	0.380	U	
Tetrachloroethylene	30	300	2.700	D	1	D	
Tetrahydrofuran	~	~	2.200	D	0.520	U	
Toluene	~	~	7.300	D	2.400	D	
trans-1,2-Dichloroethylene	~	~	0.350	U	0.350	U	
trans-1,3-Dichloropropylene	~	~	0.400	U	0.400	U	
Trichloroethylene	2	20	0.240	D	0.120	U	
Trichlorofluoromethane (Freon 11)	~	~	1.100	D	1.200	D	
Vinyl acetate	~	~	0.310	U	0.310	U	
Vinyl bromide	~	~	0.390	U	0.390	U	
Vinyl Chloride	~	~	0.110	U	0.110	U	

NO ACCESS TO PERLA NAILS. DID NOT OPEN FOR DAY - NO SAMPLE COLLECTED

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
PERLA NAILS
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Perla Nails 24G1112-03 7/16/2024 Indoor Air		Perla Nails and Beauty 24J1137-02 10/14/2024 Indoor Air		Perla Nails and Beauty 2/27/2025 Indoor Air
All units in micrograms per cubic meter ($\mu g/m^3$)	Guideline	Immediate Action	Result	Q	Result	Q	
Naphthalene	~	~	0.930	U	0.930	U	
2,2,4-Trimethylpentane	~	~	1.300	D	0.460	D	

NOTES:
D=result is from an analysis that required a dilution
J=analyte detected at or above the MDL (method detection limi
U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank
Detection above laborat
Detection above NYSDC
Detection above NYSDC

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
BARBER ZONE
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Barber Zone 22E0918-03 5/17/2022 Indoor Air		Barber Zone 22K1299-03 11/21/2022 Indoor Air		Barber Zone 23C1754-03 3/28/2023 Indoor Air			Barber Shop 23K1489-02 11/20/2023 Indoor Air		Barber Zone 23L1255-03 12/14/2023 Indoor Air			Barber Zone 24C1456-04 3/20/2024 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane			0.610	U	0.660	U	0.620	U		0.770	U	0.640	U		0.610	U
1,1,1-Trichloroethane	~	~	0.490	U	0.520	U	0.490	U		0.620	U	0.510	U		0.480	U
1,1,2,2-Tetrachloroethane	~	~	0.610	U	0.660	U	0.620	U		0.770	U	0.640	U		0.610	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.680	U	0.740	U	0.690	U		0.860	U	0.720	U		0.680	U
1,1,2-Trichloroethane	~	~	0.490	U	0.520	U	0.490	U		0.620	U	0.510	U		0.480	U
1,1-Dichloroethane	~	~	0.360	U	0.390	U	0.360	U		0.460	U	0.380	U		0.360	U
1,1-Dichloroethylene	~	~	0.0890	U	0.0950	U	0.0890	U		0.110	U	0.0930	U		0.0880	U
1,2,4-Trichlorobenzene	~	~	0.660	U	0.710	U	0.670	U		0.840	U	0.690	U		0.660	U
1,2,4-Trimethylbenzene	~	~	0.830	D	4.700	D	0.440	U		3.500	D	1.800	D		0.440	U
1,2-Dibromoethane	~	~	0.690	U	0.740	U	0.690	U		0.870	U	0.720	U		0.680	U
1,2-Dichlorobenzene	~	~	0.540	U	0.580	U	0.540	U		0.680	U	0.560	U		0.530	U
1,2-Dichloroethane	~	~	0.360	U	0.390	U	0.360	U		0.460	U	0.380	U		0.360	U
1,2-Dichloropropane	~	~	0.410	U	0.440	U	0.410	U		0.520	U	0.430	U		0.410	U
1,2-Dichlorotetrafluoroethane	~	~	0.620	U	0.670	U	0.630	U		0.790	U	0.650	U		0.620	U
1,3,5-Trimethylbenzene	~	~	0.440	U	1.300	D	0.440	U		0.670	D	0.460	U		0.440	U
1,3-Butadiene	~	~	0.590	U	0.640	U	0.600	U		0.750	U	0.620	U		0.590	U
1,3-Dichlorobenzene	~	~	0.540	U	0.580	U	0.540	U		0.680	U	0.560	U		0.530	U
1,3-Dichloropropane	~	~	0.410	U	0.440	U	0.410	U		0.520	U	0.430	U		0.410	U
1,4-Dichlorobenzene	~	~	0.540	U	0.580	U	0.540	U		0.680	U	0.560	U		0.530	U
1,4-Dioxane	~	~	0.640	U	0.690	U	0.650	U		0.810	U	0.670	U		0.640	U
2-Butanone	~	~	2.100	D	12	D	1.100	D		3.700	D	2.800	D		3.200	D
2-Hexanone	~	~	0.730	U	0.790	U	0.730	U		0.920	U	0.770	U		0.870	D
3-Chloropropene	~	~	1.400	U	1.500	U	1.400	U		1.800	U	1.500	U		1.400	U
4-Methyl-2-pentanone	~	~	0.440	D	0.550	D	0.370	U		3.200	D	0.880	D		0.360	U
Acetone	~	~	3,600	D	1,200	D	130	D		0.540	U	160	D		1,600	D
Acrylonitrile	~	~	0.190	U	0.210	U	0.190	U		0.240	U	0.610	J		0.190	U
Benzene	~	~	1.100	D	0.860	D	0.660	D		2.300	D	1.700	D		0.370	D
Benzyl chloride	~	~	0.460	U	0.500	U	0.460	U		0.580	U	0.480	U		0.460	U
Bromodichloromethane	~	~	0.600	U	0.640	U	0.600	U		0.760	U	0.630	U		0.590	U
Bromoform	~	~	0.920	U	0.990	U	0.930	U		1.200	U	0.970	U		0.910	U
Bromomethane	~	~	0.350	U	0.370	U	0.350	U		0.440	U	0.360	U		0.340	U
Carbon disulfide	~	~	0.280	U	0.300	U	0.280	U		0.350	U	0.290	U		0.280	U
Carbon tetrachloride	~	~	0.280	D	0.360	D	0.230	D		0.430	D	0.410	D		0.140	U
Chlorobenzene	~	~	0.410	U	0.440	U	0.410	U		0.520	U	0.430	U		0.410	U
Chloroethane	~	~	0.240	U	0.250	U	0.240	U		0.300	U	0.250	U		0.230	U
Chloroform	~	~	0.920	D	0.470	U	0.440	U		0.720	D	0.640	D		0.430	U
Chloromethane	~	~	1.100	D	1.100	D	1.200	D		1.600	D	1.400	D		1.100	D
cis-1,2-Dichloroethylene	~	~	0.420	D	0.0950	U	0.210	D		0.110	U	0.0930	U		0.0880	U
cis-1,3-Dichloropropylene	~	~	0.410	U	0.440	U	0.410	U		0.510	U	0.420	U		0.400	U
Cyclohexane	~	~	0.310	J	0.330	J	0.310	U		1.100	D	0.390	D		0.300	U
Dibromochloromethane	~	~	0.760	U	0.820	U	0.760	U		0.960	U	0.800	U		0.750	U
Dichlorodifluoromethane	~	~	2.500	D	1.800	D	2.100	D		3.100	D	2.600	D		1.600	D
Ethyl acetate	~	~	3.800	D	3.500	D	1.600	D		3	D	3	D		2.300	D
Ethyl Benzene	~	~	0.390	D	14	D	1.100	D		2.300	D	0.930	D		0.380	U
Hexachlorobutadiene	~	~	0.950	U	1	U	0.960	U		1.200	U	1	U		0.940	U
Isopropanol	~	~	8,400	D	2,500	BDE	7,900	BDE		17,000	BDE	13,000	BD		12,000	DE
Methyl Methacrylate	~	~	6.500	D	1.200	D	2.600	D		5.400	D	5.200	D		6.800	D
Methyl tert-butyl ether (MTBE)	~	~	0.320	U	0.350	U	0.320	U		0.410	U	0.340	U		0.320	U
Methylene chloride	60	NA	6.700	D	2.100	D	1.200	BD		1.700	D	2.600	D		0.610	U
n-Heptane	~	~	2	D	1	D	0.480	D		3.700	D	4.200	D		1.700	D
n-Hexane	~	~	0.500	D	1.100	D	0.380	D		3	D	1.300	D		0.310	U
o-Xylene	~	~	0.390	J	8.500	D	0.900	D		2.800	D	1.200	D		0.380	D
p- & m- Xylenes	~	~	1	D	19	D	1.900	D		7.300	D	3	D		1.300	D
p-Ethyltoluene	~	~	0.440	D	3.500	D	0.440	U		2.300	D	0.830	D		0.440	U
Propylene	~	~	0.150	U	12	D	0.150	U		0.190	U	0.160	U		0.150	U
Styrene	~	~	0.380	J	1.100	D	0.380	U		0.480	U	0.400	U		0.380	U
Tetrachloroethylene	30	300	**150**	D	4.900	D	**36**	D		16	D	1.200	D		1.900	D
Tetrahydrofuran	~	~	0.530	J	22	D	0.530	U		0.670	U	0.550	U		0.680	D
Toluene	~	~	6.800	D	110	D	5.100	D		9.100	D	4.500	D		4.600	D
trans-1,2-Dichloroethylene	~	~	0.350	U	0.380	U	0.360	U		0.450	U	0.370	U		0.350	U
trans-1,3-Dichloropropylene	~	~	0.410	U	0.440	U	0.410	U		0.510	U	0.420	U		0.400	U
Trichloroethylene	2	20	1.100	D	0.130	U	0.390	D		0.300	D	0.200	D		0.120	U
Trichlorofluoromethane (Freon 11)	~	~	1.300	D	0.860	D	1.200	D		1.500	D	1.300	D		0.800	D
Vinyl acetate	~	~	0.310	U	0.340	U	0.320	U		0.400	U	0.330	U		0.310	U
Vinyl bromide	~	~	0.390	U	0.420	U	0.390	U		0.490	U	0.410	U		0.390	U
Vinyl Chloride	~	~	0.110	U	0.120	U	0.110	U		0.140	U	0.120	U		0.110	U
Naphthalene	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.930	U
2,2,4-Trimethylpentane	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.234	B

SSDS/Mitigation System Active week of Augsut 20, 2023

SSDS/Mitigation System modifications completed March 8, 2024

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA -
BARBER ZONE
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Barber Zone 24G1112-04 7/16/2024 Indoor Air		Baber Zone 24J1137-03 10/14/2024 Indoor Air		Barber Zone 25C0023-03 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List								
1,1,1,2-Tetrachloroethane			0.610	U	0.560	U	0.660	U
1,1,1-Trichloroethane	~	~	0.480	U	0.450	U	0.530	U
1,1,2,2-Tetrachloroethane	~	~	0.610	U	0.560	U	7.500	D
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.680	U	0.630	D	0.740	U
1,1,2-Trichloroethane	~	~	0.480	U	0.450	U	0.530	U
1,1-Dichloroethane	~	~	0.360	U	0.330	U	0.390	U
1,1-Dichloroethylene	~	~	0.0880	U	0.0810	U	0.0960	U
1,2,4-Trichlorobenzene	~	~	0.660	U	0.610	U	0.720	U
1,2,4-Trimethylbenzene	~	~	1.100	D	0.400	U	53	D
1,2-Dibromoethane	~	~	0.680	U	0.630	U	0.740	U
1,2-Dichlorobenzene	~	~	0.530	U	0.490	U	0.580	U
1,2-Dichloroethane	~	~	0.360	U	0.330	U	0.390	U
1,2-Dichloropropane	~	~	0.410	U	0.380	U	0.450	U
1,2-Dichlorotetrafluoroethane	~	~	0.620	U	0.570	U	0.670	U
1,3,5-Trimethylbenzene	~	~	0.430	U	0.400	U	9.500	D
1,3-Butadiene	~	~	0.590	U	0.540	U	0.640	U
1,3-Dichlorobenzene	~	~	0.530	U	0.490	U	0.580	U
1,3-Dichloropropane	~	~	0.410	U	0.380	U	0.450	U
1,4-Dichlorobenzene	~	~	0.530	U	0.490	U	0.580	U
1,4-Dioxane	~	~	0.640	U	0.590	U	0.690	U
2-Butanone	~	~	6.900	D	1	D	2.600	D
2-Hexanone	~	~	0.830	D	0.670	U	0.790	U
3-Chloropropene	~	~	1.400	U	1.300	U	1.500	U
4-Methyl-2-pentanone	~	~	0.830	D	0.500	D	0.390	U
Acetone	~	~	1	U	36	D	86	D
Acrylonitrile	~	~	0.520	D	0.180	U	3.200	D
Benzene	~	~	0.850	D	0.520	D	1	D
Benzyl chloride	~	~	0.460	U	0.420	U	0.500	U
Bromodichloromethane	~	~	0.590	U	0.550	U	0.650	U
Bromoform	~	~	0.910	U	0.850	U	1	U
Bromomethane	~	~	0.340	U	0.320	U	0.370	U
Carbon disulfide	~	~	0.660	D	0.260	U	0.300	U
Carbon tetrachloride	~	~	0.440	D	0.520	D	0.490	D
Chlorobenzene	~	~	0.410	U	0.380	U	0.440	U
Chloroethane	~	~	0.230	U	0.220	U	0.250	U
Chloroform	~	~	1.800	D	0.400	U	1.700	D
Chloromethane	~	~	2.400	D	1.300	D	1.300	D
cis-1,2-Dichloroethylene	~	~	0.0880	U	0.0810	U	0.110	D
cis-1,3-Dichloropropylene	~	~	0.400	U	0.370	U	0.440	U
Cyclohexane	~	~	0.330	D	0.450	D	0.760	D
Dibromochloromethane	~	~	0.750	U	0.700	U	0.820	U
Dichlorodifluoromethane	~	~	1.900	D	2.800	D	2	D
Ethyl acetate	~	~	26	D	1.200	D	11	D
Ethyl Benzene	~	~	1	D	0.530	D	1	D
Hexachlorobutadiene	~	~	0.940	U	0.870	U	1	U
Isopropanol	~	~	15,000	DE	0.400	U	300	DE
Methyl Methacrylate	~	~	23	D	2.900	D	5.800	D
Methyl tert-butyl ether (MTBE)	~	~	0.320	U	0.300	U	0.350	U
Methylene chloride	60	NA	0.980	D	1.100	D	2	J
n-Heptane	~	~	3	D	1.600	D	0.710	D
n-Hexane	~	~	1.100	D	0.520	D	0.820	D
o-Xylene	~	~	1.500	D	0.820	D	4.500	D
p- & m- Xylenes	~	~	3.700	D	2.200	D	3.800	D
p-Ethyltoluene	~	~	0.830	D	0.400	U	17	D
Propylene	~	~	0.150	U	0.890	D	31	D
Styrene	~	~	0.600	D	0.350	U	0.410	U
Tetrachloroethylene	30	300	0.840	D	0.560	U	0.650	U
Tetrahydrofuran	~	~	1.400	D	0.480	U	0.570	U
Toluene	~	~	3.900	D	3.100	D	2.300	D
trans-1,2-Dichloroethylene	~	~	0.770	D	0.320	U	0.380	U
trans-1,3-Dichloropropylene	~	~	0.400	U	0.370	U	0.440	U
Trichloroethylene	2	20	0.900	D	0.110	U	0.160	D
Trichlorofluoromethane (Freon 11)	~	~	0.700	D	1.500	D	1	D
Vinyl acetate	~	~	0.310	U	0.290	U	0.340	U
Vinyl bromide	~	~	0.390	U	0.360	U	0.420	U
Vinyl Chloride	~	~	0.110	U	0.100	U	0.120	U
Naphthalene	~	~	3.200	D	0.990	D	1	U
2,2,4-Trimethylpentane	~	~	0.990	D	0.610	D	0.860	D

NOTES:
D=result is from an analysis that required a dilution
J=analyte detected at or above the MDL (method detection limit
U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank

	Detection above laborat
	Detection above NYSDC
	Detection above NYSDC

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - APARTMENT 2
(2nd Floor)
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID			Apartment 2		Apartment 2		Apartment 2			192 East Main - Apt 2		Apartment 2			Apartment 2		
York ID	NYS DOH Criteria		22E0918-04		22K1299-04		23C1754-04			23I1038-01		23L1255-04			24C1456-05		
Sampling Date			5/17/2022		11/21/2022		3/28/2023			9/14/2023		12/14/2023			3/20/2024		
Client Matrix			Indoor Air		Indoor Air		Indoor Air			Indoor Air		Indoor Air			Indoor Air		
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q		Result	Q	Result	Q		Result	Q	
Volatile Organics, EPA TO15 Full List																	
1,1,1,2-Tetrachloroethane			0.770	U	0.500	U	0.700	U		0.610	U	0.840	U		0.610	U	
1,1,1-Trichloroethane	~	~	0.610	U	0.400	U	0.560	U		0.490	U	0.670	U		0.480	U	
1,1,2,2-Tetrachloroethane	~	~	0.770	U	0.500	U	0.700	U		0.610	U	0.840	U		0.610	U	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.860	U	0.560	U	0.780	U		0.690	U	0.940	U		0.680	U	
1,1,2-Trichloroethane	~	~	0.610	U	0.400	U	0.560	U		0.490	U	0.670	U		0.480	U	
1,1-Dichloroethane	~	~	0.450	U	0.300	U	0.410	U		0.360	U	0.500	U		0.360	U	
1,1-Dichloroethylene	~	~	0.110	U	0.0720	U	0.100	U		0.0890	U	0.120	U		0.0880	U	
1,2,4-Trichlorobenzene	~	~	0.830	U	0.540	U	0.760	U		0.660	U	0.910	U		0.660	U	
1,2,4-Trimethylbenzene	~	~	0.550	U	0.720	D	0.500	U		0.440	U	2	D		0.440	D	
1,2-Dibromoethane	~	~	0.860	U	0.560	U	0.790	U		0.690	U	0.940	U		0.680	U	
1,2-Dichlorobenzene	~	~	0.670	U	0.440	U	0.620	U		0.540	U	0.740	U		0.530	U	
1,2-Dichloroethane	~	~	0.450	U	0.300	U	0.410	U		0.360	U	0.500	U		0.360	U	
1,2-Dichloropropane	~	~	0.520	U	0.340	U	0.470	U		0.410	U	0.570	U		0.410	U	
1,2-Dichlorotetrafluoroethane	~	~	0.780	U	0.510	U	0.720	U		0.630	U	0.860	U		0.620	U	
1,3,5-Trimethylbenzene	~	~	0.550	U	0.360	J	0.500	U		0.440	U	0.600	U		0.440	U	
1,3-Butadiene	~	~	0.740	J	0.480	J	0.680	U		0.590	U	0.820	U		0.590	U	
1,3-Dichlorobenzene	~	~	0.670	U	0.440	U	0.620	U		0.540	U	0.740	U		0.530	U	
1,3-Dichloropropane	~	~	0.520	U	0.340	U	0.470	U		0.410	U	0.570	U		0.410	U	
1,4-Dichlorobenzene	~	~	0.670	U	0.440	U	0.620	U		0.540	U	0.740	U		0.530	U	
1,4-Dioxane	~	~	0.800	U	0.530	U	0.740	U		0.640	U	0.880	U		0.640	U	
2-Butanone	~	~	1.300	D	2.300	D	1	D		2.500	D	14	D		0.780	D	
2-Hexanone	~	~	0.910	J	0.600	U	0.840	U		0.730	U	1	U		0.730	U	
3-Chloropropene	~	~	1.700	U	1.100	U	1.600	U		1.400	U	1.900	U		1.400	U	
4-Methyl-2-pentanone	~	~	0.460	U	0.300	U	0.420	U		0.810	D	0.500	U		0.360	U	
Acetone	~	~	2,500	D	1,000	D	400	D		380	D	700	D		1,500	D	
Acrylonitrile	~	~	0.240	U	0.160	U	0.220	U		0.190	U	32	D		4.800	D	
Benzene	~	~	0.890	D	0.820	D	0.750	D		0.830	D	2.300	D		0.450	D	
Benzyl chloride	~	~	0.580	U	0.380	U	0.530	U		0.460	U	0.640	U		0.460	U	
Bromodichloromethane	~	~	0.750	J	0.490	J	0.690	U		0.600	U	0.820	U		0.590	U	
Bromoform	~	~	1.200	U	0.750	U	1.100	U		0.930	U	1.300	U		0.910	U	
Bromomethane	~	~	0.430	U	0.570	D	0.400	U		0.350	U	0.480	U		0.340	U	
Carbon disulfide	~	~	0.350	U	0.230	U	0.320	U		0.780	D	0.380	U		0.280	U	
Carbon tetrachloride	~	~	0.630	D	0.410	D	0.320	D		0.390	D	0.460	D		0.170	D	
Chlorobenzene	~	~	0.510	U	0.340	U	0.470	U		0.410	U	0.570	U		0.410	U	
Chloroethane	~	~	0.290	U	0.190	U	0.270	U		0.240	U	0.320	U		0.230	U	
Chloroform	~	~	7.100	D	3.800	D	1.600	D		2.400	D	3.800	D		0.430	U	
Chloromethane	~	~	1.500	D	11	D	1.500	D		2.500	D	2.200	D		0.990	D	
cis-1,2-Dichloroethylene	~	~	0.110	U	0.0720	U	0.100	U		0.0890	U	0.120	U		0.0880	U	
cis-1,3-Dichloropropylene	~	~	0.510	U	0.330	U	0.460	U		0.410	U	0.560	U		0.400	U	
Cyclohexane	~	~	0.380	U	0.250	U	0.350	U		0.310	U	0.420	U		0.300	U	
Dibromochloromethane	~	~	0.950	U	0.620	U	0.870	U		0.760	U	1	U		0.750	U	
Dichlorodifluoromethane	~	~	2.500	D	2.400	D	2	D		2.300	D	2	D		1.600	D	
Ethyl acetate	~	~	26	D	30	D	51	D		22	D	55	D		0.640	U	
Ethyl Benzene	~	~	0.480	U	3.400	D	0.440	U		0.390	U	0.750	D		0.380	U	
Hexachlorobutadiene	~	~	1.200	U	0.780	U	1.100	U		0.950	U	1.300	U		0.940	U	
Isopropanol	~	~	190	BD	670	BDE	850	D		860	DE	1,200	BD		760	D	
Methyl Methacrylate	~	~	210	D	3.600	D	110	D		240	D	110	D		0.430	D	
Methyl tert-butyl ether (MTBE)	~	~	0.400	U	0.260	U	0.370	U		0.320	U	0.440	U		0.320	U	
Methylene chloride	60	NA	2.400	D	0.940	D	1.200	BD		1.800	D	1	D		0.610	U	
n-Heptane	~	~	1.400	D	0.630	D	0.630	D		1.200	D	0.500	U		0.540	D	
n-Hexane	~	~	0.510	D	0.750	D	0.430	D		0.540	D	1.100	D		0.440	D	
o-Xylene	~	~	0.480	J	3.700	D	0.440	U		0.390	U	0.640	D		0.380	D	
p- & m- Xylenes	~	~	0.970	U	12	D	0.890	U		0.890	D	1.500	D		0.920	D	
p-Ethyltoluene	~	~	0.550	U	0.570	D	0.500	U		0.440	U	1.700	D		0.440	U	
Propylene	~	~	0.190	U	3.900	D	0.180	U		0.150	U	4.300	D		9	D	
Styrene	~	~	0.480	U	0.310	J	0.440	U		0.380	U	0.520	U		0.380	U	
Tetrachloroethylene	30	300	**56**	D	**110**	D	**52**	D		2	D	2.200	D		3.700	D	
Tetrahydrofuran	~	~	0.660	J	2.200	D	0.600	U		0.530	U	0.720	U		0.520	U	
Toluene	~	~	2.400	D	7.500	D	2.200	D		1.700	D	4	D		2.200	D	
trans-1,2-Dichloroethylene	~	~	0.440	U	0.290	U	0.410	U		0.350	U	0.490	U		0.350	U	
trans-1,3-Dichloropropylene	~	~	0.510	U	0.330	U	0.460	U		0.410	U	0.560	U		0.400	U	
Trichloroethylene	2	20	0.960	D	0.350	D	0.490	D		0.120	U	0.200	D		0.190	D	
Trichlorofluoromethane (Freon 11)	~	~	1.400	D	0.780	D	1.100	D		1.100	D	1.100	D		0.800	D	
Vinyl acetate	~	~	0.390	U	0.260	U	0.360	U		0.320	U	0.430	U		0.310	U	
Vinyl bromide	~	~	0.490	U	0.320	U	0.450	U		0.390	U	0.540	U		0.390	U	
Vinyl Chloride	~	~	0.140	U	0.0930	U	0.130	U		0.110	U	0.160	U		0.110	U	
Naphthalene	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.930	U	
2,2,4-Trimethylpentane	~	~	NT	NT	NT	NT	NT	NT		NT	NT	NT	NT		0.280	B	

SSDS/Mitigation System Active week of Augsut 20, 2023

SSDS/Mitigtaion System modifications completed March 8, 2024

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

* No apartment access 10/14/24. Sample from commmon hallway.

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - APARTMENT 2
(2nd Floor)
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Apartment No.2 24G1112-05 7/16/2024 Indoor Air		Second Floor Hallway* 24J1137-05 10/14/2024 Indoor Air		Apartment #2 25C0023-04 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List								
1,1,1,2-Tetrachloroethane			0.560	U	0.540	U	0.570	U
1,1,1-Trichloroethane	~	~	0.450	U	0.430	U	0.460	U
1,1,2,2-Tetrachloroethane	~	~	0.560	U	0.540	U	0.570	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.630	U	0.600	U	0.640	U
1,1,2-Trichloroethane	~	~	0.450	U	0.430	U	0.460	U
1,1-Dichloroethane	~	~	0.330	U	0.320	U	0.340	U
1,1-Dichloroethylene	~	~	0.0810	U	0.0780	U	0.0830	U
1,2,4-Trichlorobenzene	~	~	0.610	U	0.580	U	0.620	U
1,2,4-Trimethylbenzene	~	~	0.640	D	1.100	D	0.980	D
1,2-Dibromoethane	~	~	0.630	U	0.600	U	0.640	U
1,2-Dichlorobenzene	~	~	0.490	U	0.470	U	0.500	U
1,2-Dichloroethane	~	~	0.330	U	0.320	U	0.340	U
1,2-Dichloropropane	~	~	0.380	U	0.360	U	0.390	U
1,2-Dichlorotetrafluoroethane	~	~	0.570	U	0.550	U	0.580	U
1,3,5-Trimethylbenzene	~	~	0.400	U	0.380	U	0.410	U
1,3-Butadiene	~	~	0.540	U	0.520	U	0.550	U
1,3-Dichlorobenzene	~	~	0.490	U	0.470	U	0.500	U
1,3-Dichloropropane	~	~	0.380	U	0.360	U	0.390	U
1,4-Dichlorobenzene	~	~	0.490	U	0.470	U	0.500	U
1,4-Dioxane	~	~	0.590	U	0.560	U	0.600	U
2-Butanone	~	~	7.400	D	0.810	D	6.600	D
2-Hexanone	~	~	0.770	D	0.640	U	0.680	U
3-Chloropropene	~	~	1.300	U	1.200	U	1.300	U
4-Methyl-2-pentanone	~	~	0.340	D	0.320	U	0.340	U
Acetone	~	~	0.970	U	70	D	560	D
Acrylonitrile	~	~	6.800	D	1.100	D	2.400	J
Benzene	~	~	1	D	0.700	D	1.400	D
Benzyl chloride	~	~	0.420	U	0.400	U	0.430	U
Bromodichloromethane	~	~	0.550	U	0.520	U	0.560	U
Bromoform	~	~	0.850	U	0.810	U	0.860	U
Bromomethane	~	~	0.320	U	0.300	U	0.320	U
Carbon disulfide	~	~	0.740	D	0.240	U	0.260	U
Carbon tetrachloride	~	~	0.460	D	0.390	D	1.300	D
Chlorobenzene	~	~	0.380	U	0.360	U	0.380	U
Chloroethane	~	~	0.220	U	0.210	U	0.220	U
Chloroform	~	~	28	D	0.380	U	6.400	D
Chloromethane	~	~	2.200	D	1.100	D	1.800	D
cis-1,2-Dichloroethylene	~	~	0.0810	U	0.0780	U	0.0830	U
cis-1,3-Dichloropropylene	~	~	0.370	U	0.350	U	0.380	U
Cyclohexane	~	~	0.370	D	0.270	U	0.690	D
Dibromochloromethane	~	~	0.700	U	0.670	U	0.710	U
Dichlorodifluoromethane	~	~	2	D	2.100	D	2	D
Ethyl acetate	~	~	24	D	2.200	D	35	D
Ethyl Benzene	~	~	0.600	D	0.510	D	0.540	D
Hexachlorobutadiene	~	~	0.870	U	0.830	U	0.890	U
Isopropanol	~	~	1,900	DE	90	D	380	D
Methyl Methacrylate	~	~	16	D	31	D	97	D
Methyl tert-butyl ether (MTBE)	~	~	0.290	U	0.280	U	0.300	U
Methylene chloride	60	NA	1.800	D	0.870	D	15	D
n-Heptane	~	~	1.400	D	0.320	D	0.340	U
n-Hexane	~	~	1.200	D	0.330	D	1	D
o-Xylene	~	~	0.750	D	0.810	D	0.620	D
p- & m- Xylenes	~	~	2.100	D	2	D	1.700	D
p-Ethyltoluene	~	~	0.600	D	0.920	D	0.410	U
Propylene	~	~	29	D	0.130	U	17	D
Styrene	~	~	0.450	D	0.330	U	0.360	U
Tetrachloroethylene	30	300	1.300	D	0.530	U	0.570	D
Tetrahydrofuran	~	~	2.300	D	0.460	U	0.490	U
Toluene	~	~	6.100	D	2	D	5.400	D
trans-1,2-Dichloroethylene	~	~	0.320	U	0.310	U	0.330	U
trans-1,3-Dichloropropylene	~	~	0.370	U	0.350	U	0.380	U
Trichloroethylene	2	20	0.260	D	0.110	U	0.110	U
Trichlorofluoromethane (Freon 11)	~	~	1.200	D	1.100	D	1.100	D
Vinyl acetate	~	~	0.290	U	0.280	U	0.290	U
Vinyl bromide	~	~	0.360	U	0.340	U	0.360	U
Vinyl Chloride	~	~	0.100	U	0.100	U	0.110	U
Naphthalene	~	~	2	D	0.820	U	0.870	U
2,2,4-Trimethylpentane	~	~	1.200	D	0.470	D	0.190	U

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limi

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laborat

Detection above NYSDC

Detection above NYSDC

* No apartment access 10/14/24. Sample from commmon hallw

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - APARTMENT 3
(2nd Floor)
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Apartment 3 22E0918-05 5/17/2022 Indoor Air		Apartment 3 11/21/2022 Indoor Air		Apartment 3 23C1754-06 3/28/2023 Indoor Air			Apartment 3 11/20/2023 Indoor Air	Apartment 3 12/14/2023 Indoor Air			Apartment 3 3/20/2024 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action	Result	Q	Result	Q	Result	Q							
Volatile Organics, EPA TO15 Full List															
1,1,1,2-Tetrachloroethane			0.660	U			0.490	U							
1,1,1-Trichloroethane	~	~	0.530	U			0.390	U							
1,1,2,2-Tetrachloroethane	~	~	0.660	U			0.490	U							
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.740	U			0.550	U							
1,1,2-Trichloroethane	~	~	0.530	U			0.390	U							
1,1-Dichloroethane	~	~	0.390	U			0.290	U							
1,1-Dichloroethylene	~	~	0.0960	U			0.0710	U							
1,2,4-Trichlorobenzene	~	~	0.720	U			0.530	U							
1,2,4-Trimethylbenzene	~	~	0.710	D			0.670	D							
1,2-Dibromoethane	~	~	0.740	U			0.550	U							
1,2-Dichlorobenzene	~	~	0.580	U			0.430	U							
1,2-Dichloroethane	~	~	0.390	U			0.290	U							
1,2-Dichloropropane	~	~	0.450	U			0.330	U							
1,2-Dichlorotetrafluoroethane	~	~	0.680	U			0.500	U							
1,3,5-Trimethylbenzene	~	~	0.470	U			0.350	U							
1,3-Butadiene	~	~	0.640	J			0.480	U							
1,3-Dichlorobenzene	~	~	0.580	U			0.430	U							
1,3-Dichloropropane	~	~	0.450	U			0.330	U							
1,4-Dichlorobenzene	~	~	0.580	U			0.430	U							
1,4-Dioxane	~	~	0.700	U			0.520	U							
2-Butanone	~	~	11	D			20	D							
2-Hexanone	~	~	0.790	U			0.590	U							
3-Chloropropene	~	~	1.500	U			1.100	U							
4-Methyl-2-pentanone	~	~	0.400	U			0.290	U							
Acetone	~	~	3,000	D			570	D							
Acrylonitrile	~	~	0.210	U			0.160	U							
Benzene	~	~	2.500	D			1.700	D							
Benzyl chloride	~	~	0.500	U			0.370	U							
Bromodichloromethane	~	~	0.650	J			0.480	U							
Bromoform	~	~	1	U			0.740	U							
Bromomethane	~	~	0.380	U			0.280	U							
Carbon disulfide	~	~	0.300	U			0.220	U							
Carbon tetrachloride	~	~	0.360	D			0.410	D							
Chlorobenzene	~	~	0.440	U			0.330	U							
Chloroethane	~	~	0.250	U			0.190	U							
Chloroform	~	~	1.800	D			2.500	D							
Chloromethane	~	~	1.400	D			1.100	D							
cis-1,2-Dichloroethylene	~	~	0.0960	U			0.0710	U							
cis-1,3-Dichloropropylene	~	~	0.440	U			0.330	U							
Cyclohexane	~	~	0.330	U			0.250	U							
Dibromochloromethane	~	~	0.820	U			0.610	U							
Dichlorodifluoromethane	~	~	2.100	D			1.800	D							
Ethyl acetate	~	~	140	D			34	D							
Ethyl Benzene	~	~	0.590	D			1.100	D							
Hexachlorobutadiene	~	~	1	U			0.770	U							
Isopropanol	~	~	720	D			480	D							
Methyl Methacrylate	~	~	200	D			110	D							
Methyl tert-butyl ether (MTBE)	~	~	0.350	U			0.260	U							
Methylene chloride	60	NA	0.670	J			0.970	BD							
n-Heptane	~	~	0.950	D			0.410	D							
n-Hexane	~	~	0.720	D			0.410	D							
o-Xylene	~	~	0.630	D			0.970	D							
p- & m- Xylenes	~	~	1.900	D			3.600	D							
p-Ethyltoluene	~	~	0.570	D			0.420	D							
Propylene	~	~	0.170	U			0.120	U							
Styrene	~	~	0.410	D			9	D							
Tetrachloroethylene	30	300	**180**	D			**93**	D							
Tetrahydrofuran	~	~	3.100	D			9.100	D							
Toluene	~	~	6.700	D			4	D							
trans-1,2-Dichloroethylene	~	~	0.380	U			0.290	U							
trans-1,3-Dichloropropylene	~	~	0.440	U			0.330	U							
Trichloroethylene	2	20	0.780	D			0.660	D							
Trichlorofluoromethane (Freon 11)	~	~	1	D			1.200	D							
Vinyl acetate	~	~	0.340	U			0.250	U							
Vinyl bromide	~	~	0.420	U			0.310	U							
Vinyl Chloride	~	~	0.120	U			0.0920	U							
Naphthalene	~	~	NT				NT								
2,2,4-Trimethylpentane	~	~	NT				NT								

NO ACCESS TO APARTMENT 3 - NO SAMPLE COLLECTED

SSDS/Mitigation System Active week of Augsut 20, 2023

NO ACCESS TO APARTMENT 3 - NO SAMPLE COLLECTED

NO ACCESS TO APARTMENT 3 - NO SAMPLE COLLECTED

SSDS/Mitigation System modifications completed March 8, 2024

NO ACCESS TO APARTMENT 3 - NO SAMPLE COLLECTED

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5C - PRE AND POST MITIGATION INDOOR AIR DATA - APARTMENT 3
(2nd Floor)
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		Apartment 3 7/16/2024 Indoor Air		Apartment #3 25C0023-05 2/27/2025 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	Guideline	Immediate Action			Result	Q
Volatile Organics, EPA TO15 Full List						
1,1,1,2-Tetrachloroethane					0.600	U
1,1,1-Trichloroethane	~	~			0.470	U
1,1,2,2-Tetrachloroethane	~	~			0.600	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~			0.660	U
1,1,2-Trichloroethane	~	~			0.470	U
1,1-Dichloroethane	~	~			0.350	U
1,1-Dichloroethylene	~	~			0.0860	U
1,2,4-Trichlorobenzene	~	~			0.640	U
1,2,4-Trimethylbenzene	~	~			0.640	D
1,2-Dibromoethane	~	~			0.670	U
1,2-Dichlorobenzene	~	~			0.520	U
1,2-Dichloroethane	~	~			0.350	U
1,2-Dichloropropane	~	~			0.400	U
1,2-Dichlorotetrafluoroethane	~	~			0.610	U
1,3,5-Trimethylbenzene	~	~			0.430	U
1,3-Butadiene	~	~			0.580	U
1,3-Dichlorobenzene	~	~			0.520	U
1,3-Dichloropropane	~	~			0.400	U
1,4-Dichlorobenzene	~	~			0.520	U
1,4-Dioxane	~	~			0.620	U
2-Butanone	~	~			3.800	D
2-Hexanone	~	~			0.710	U
3-Chloropropene	~	~			1.400	U
4-Methyl-2-pentanone	~	~			0.360	U
Acetone	~	~			810	D
Acrylonitrile	~	~			2.400	U
Benzene	~	~			3.600	D
Benzyl chloride	~	~			0.450	U
Bromodichloromethane	~	~			0.580	U
Bromoform	~	~			0.900	U
Bromomethane	~	~			0.340	U
Carbon disulfide	~	~			0.270	U
Carbon tetrachloride	~	~			0.440	D
Chlorobenzene	~	~			0.400	U
Chloroethane	~	~			0.230	U
Chloroform	~	~			2.700	D
Chloromethane	~	~			2.200	D
cis-1,2-Dichloroethylene	~	~			0.0860	U
cis-1,3-Dichloropropylene	~	~			0.390	U
Cyclohexane	~	~			1	D
Dibromochloromethane	~	~			0.740	U
Dichlorodifluoromethane	~	~			2.100	D
Ethyl acetate	~	~			23	D
Ethyl Benzene	~	~			1.200	D
Hexachlorobutadiene	~	~			0.920	U
Isopropanol	~	~			3,000	DE
Methyl Methacrylate	~	~			220	D
Methyl tert-butyl ether (MTBE)	~	~			0.310	U
Methylene chloride	60	NA			6.800	D
n-Heptane	~	~			1.500	D
n-Hexane	~	~			0.980	D
o-Xylene	~	~			0.830	D
p- & m- Xylenes	~	~			2.600	D
p-Ethyltoluene	~	~			0.430	U
Propylene	~	~			7.100	D
Styrene	~	~			8.400	D
Tetrachloroethylene	30	300			3.500	D
Tetrahydrofuran	~	~			0.690	D
Toluene	~	~			5.700	D
trans-1,2-Dichloroethylene	~	~			0.340	U
trans-1,3-Dichloropropylene	~	~			0.390	U
Trichloroethylene	2	20			0.140	D
Trichlorofluoromethane (Freon 11)	~	~			1	D
Vinyl acetate	~	~			0.310	U
Vinyl bromide	~	~			0.380	U
Vinyl Chloride	~	~			0.110	U
Naphthalene	~	~			0.910	U
2,2,4-Trimethylpentane	~	~			0.770	D

NO ACCESS TO APARTMENT 3 - NO SAMPLE COLLECTED

NOTES:
D=result is from an analysis that required a dilution
J=analyte detected at or above the MDL (method detection limit)
U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank
Detection above laborat
Detection above NYSDO
Detection above NYSDO

TABLE 5C - PRE AND POST MITIGATION - OUTDOOR
AMBIENT AIR
192 E. Main Street
Mount Kisco, Westchester County, NY
BCP Site # C360183

Sample ID	Ambient OA		Ambient Outdoor		Ambient Outdoor		AO		OA		Ambient Outdoor		AO		AO	
York ID	22D0571-02		22E0918-07		22K1299-06		23E0033-09		23F0573-09		23I0505-08		23L1251-09		24C1397-09	
Sampling Date	4/11/2022		5/17/2022		11/21/2022		4/28/2023		6/8/2023		9/8/2023		12/15/2023		3/20/2024	
Matrix	Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air		Outdoor Ambient Air	
All units in micrograms per cubic meter (µg/m^3)	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane	0.520	U	0.590	U	0.550	U	0.510	U	0.660	U	0.770	U	0.620	U	0.620	U
1,1,1-Trichloroethane	0.410	U	0.470	U	0.440	U	0.410	U	0.530	U	0.620	U	0.490	U	0.490	U
1,1,2,2-Tetrachloroethane	0.520	U	0.590	U	0.550	U	0.510	U	0.660	U	0.770	U	0.620	U	0.620	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.640	D	0.660	U	0.620	U	0.630	D	0.740	U	0.860	U	0.690	U	0.690	U
1,1,2-Trichloroethane	0.410	U	0.470	U	0.440	U	0.410	U	0.530	U	0.620	U	0.490	U	0.490	U
1,1-Dichloroethane	0.310	U	0.350	U	0.330	U	0.300	U	0.390	U	0.460	U	0.360	U	0.370	U
1,1-Dichloroethylene	0.0750	U	0.0850	U	0.0800	U	0.0740	U	0.0960	U	0.110	U	0.0890	U	0.0900	U
1,2,4-Trichlorobenzene	0.560	U	0.640	U	0.600	U	2.800	U	0.720	U	0.840	U	0.670	U	0.670	U
1,2,4-Trimethylbenzene	0.370	U	0.420	U	0.400	U	0.370	U	0.480	U	0.550	U	0.490	D	0.440	D
1,2-Dibromoethane	0.580	U	0.660	U	0.620	U	0.570	U	0.740	U	0.870	U	0.690	U	0.700	U
1,2-Dichlorobenzene	0.450	U	0.520	U	0.480	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U
1,2-Dichloroethane	0.310	U	0.350	U	0.330	U	0.300	U	0.390	U	0.460	U	0.360	U	0.370	U
1,2-Dichloropropane	0.350	U	0.400	U	0.370	U	0.350	U	0.450	U	0.520	U	0.420	U	0.420	U
1,2-Dichlorotetrafluoroethane	0.530	U	0.600	U	0.560	U	0.520	U	0.680	U	0.790	U	0.630	U	0.630	U
1,3,5-Trimethylbenzene	0.370	U	0.420	U	0.400	U	0.370	U	0.480	U	0.550	U	0.440	U	0.440	U
1,3-Butadiene	0.500	U	0.570	U	0.530	U	0.500	U	0.640	U	0.750	U	0.600	U	0.600	U
1,3-Dichlorobenzene	0.450	U	0.520	U	0.480	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U
1,3-Dichloropropane	0.350	U	0.400	U	0.370	U	0.350	U	0.450	U	0.520	U	0.420	U	0.420	U
1,4-Dichlorobenzene	0.450	U	0.520	U	0.480	U	0.450	U	0.580	U	0.680	U	0.540	U	0.540	U
1,4-Dioxane	0.540	U	0.620	U	0.580	U	1.300	U	0.700	U	0.810	U	0.650	U	0.650	U
2-Butanone	1.100	D	0.610	D	0.450	D	2	D	2.300	D	1.900	D	1.800	D	1.800	D
2-Hexanone	0.620	J	0.700	U	0.660	U	1.500	U	0.790	U	0.920	U	0.740	U	0.930	D
3-Chloropropene	1.200	U	1.300	U	1.300	U	1.200	U	1.500	U	1.800	U	1.400	U	1.400	U
4-Methyl-2-pentanone	0.460	D	0.350	U	0.330	U	0.610	J	0.400	U	0.460	U	0.370	U	0.370	U
Acetone	9.200	D	13	D	200	D	14	D	14	D	15	D	11	D	9.800	D
Acrylonitrile	0.160	U	0.190	U	0.170	U	0.160	U	0.210	U	0.240	U	0.230	D	2.700	D
Benzene	0.430	D	0.270	U	0.690	D	0.430	D	1.700	D	0.610	D	1.300	D	1.300	D
Benzyl chloride	0.390	U	0.440	U	0.420	U	0.770	U	0.500	U	0.580	U	0.470	U	0.470	U
Bromodichloromethane	0.510	U	0.570	U	0.540	U	0.500	U	0.650	U	0.760	U	0.600	U	0.610	U
Bromoform	0.780	U	0.890	U	0.830	U	0.770	U	1	U	1.200	U	0.930	U	0.940	U
Bromomethane	0.290	U	0.330	U	0.310	U	0.290	U	0.380	U	0.440	U	0.350	U	0.350	U
Carbon disulfide	0.240	U	0.270	U	0.250	U	0.230	U	0.300	U	0.350	U	0.280	U	0.280	U
Carbon tetrachloride	0.430	D	0.320	D	0.350	D	0.420	D	0.240	D	0.430	D	0.450	D	0.340	D
Chlorobenzene	0.350	U	0.390	U	0.370	U	0.340	U	0.450	U	0.520	U	0.410	U	0.420	U
Chloroethane	0.200	U	0.230	U	0.210	U	0.200	U	0.260	U	0.300	U	0.240	U	0.240	U
Chloroform	0.370	U	0.420	U	0.390	U	0.360	U	0.470	U	0.550	U	0.440	U	0.440	U
Chloromethane	1	D	1.200	D	0.880	D	1.600	D	2.100	D	1.400	D	1.200	D	1.400	D
cis-1,2-Dichloroethylene	0.0750	U	0.0850	U	0.0800	U	0.0740	U	0.0960	U	0.110	U	0.0890	U	0.0900	U
cis-1,3-Dichloropropylene	0.340	U	0.390	U	0.360	U	0.340	U	0.440	U	0.510	U	0.410	U	0.410	U
Cyclohexane	0.260	D	0.300	U	0.280	U	0.260	U	0.330	U	0.390	U	0.310	U	0.340	D
Dibromochloromethane	0.640	U	0.730	U	0.680	U	0.640	U	0.820	U	0.960	U	0.770	U	0.770	U
Dichlorodifluoromethane	2.300	D	2.200	D	1.700	D	2.600	D	1.900	D	2.500	D	3	D	2.200	D
Ethyl acetate	0.540	U	0.620	J	6.300	D	0.540	U	0.700	U	0.810	U	0.650	U	0.650	U
Ethyl Benzene	0.330	U	0.370	U	0.350	J	0.320	U	0.630	D	0.490	U	0.390	U	0.390	D
Hexachlorobutadiene	0.810	U	0.920	U	0.860	U	1.600	U	1	U	1.200	U	0.960	U	0.970	U
Isopropanol	4.500	BD	3.700	D	53	D	16	D	6.300	BD	4.400	D	4	BD	12	D
Methyl Methacrylate	0.740	D	2	D	0.330	J	0.310	U	0.520	D	0.460	U	0.370	U	0.370	U
Methyl tert-butyl ether (MTBE)	0.270	U	0.310	U	0.290	U	0.270	U	0.350	U	0.410	U	0.320	U	0.330	U
Methylene chloride	0.730	D	3.900	D	0.890	D	0.540	D	0.670	U	0.900	D	0.630	U	0.660	D
n-Heptane	0.340	D	0.600	D	0.430	D	0.310	U	0.400	U	0.460	U	0.370	U	1.600	D
n-Hexane	0.430	D	0.390	D	0.680	D	0.290	D	0.340	D	0.600	D	0.760	D	1.100	D
o-Xylene	0.330	J	0.370	J	0.350	J	0.320	U	0.550	D	0.490	U	0.390	D	0.510	D
p- & m- Xylenes	0.660	U	0.750	U	0.800	D	0.810	D	2	D	0.980	U	0.980	D	1.300	D
p-Ethyltoluene	0.370	U	0.420	U	0.400	U	0.370	U	0.480	U	0.550	U	0.440	U	0.440	U
Propylene	0.130	U	0.150	U	1.300	D	0.130	U	0.170	U	0.190	U	1.800	D	1	D
Styrene	0.320	U	0.370	U	0.340	U	0.320	U	0.410	U	0.480	U	0.380	U	0.390	U
Tetrachloroethylene	1.600	D	1.200	D	1.900	D	0.610	D	1.200	D	3.200	D	0.610	U	0.610	U
Tetrahydrofuran	0.490	D	0.510	U	0.470	J	0.440	U	3.500	D	1.700	BD	0.530	U	0.530	U
Toluene	0.460	D	0.910	D	1.700	D	2	D	1.400	D	1.600	D	1.700	D	2.300	D
trans-1,2-Dichloroethylene	0.300	U	0.340	U	0.320	U	0.300	U	0.380	U	0.450	U	0.360	U	0.360	U
trans-1,3-Dichloropropylene	0.340	U	0.390	U	0.360	U	0.340	U	0.440	U	0.510	U	0.410	U	0.410	U
Trichloroethylene	0.100	U	0.120	U	0.110	U	0.100	U	0.130	U	0.150	U	0.120	U	0.120	U
Trichlorofluoromethane (Freon 11)	1.300	D	1.100	D	0.720	D	1.300	D	0.920	D	1.100	D	1.600	D	1.100	D
Vinyl acetate	0.270	U	0.300	U	0.280	U	0.260	U	0.340	U	0.400	U	0.320	U	0.320	U
Vinyl bromide	0.330	U	0.380	U	0.350	U	0.330	U	0.420	U	0.490	U	0.390	U	0.400	U
Vinyl Chloride	0.0960	U	0.110	U	0.100	U	0.0950	U	0.120	U	0.140	U	0.120	U	0.120	U
Naphthalene	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	0.950	U
2,2,4-Trimethylpentane	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above labaratory detection limit

TABLE 5C - PRE AND POST MITIGATION - OUTDOOR AMBIENT AIR

192 E. Main Street

Mount Kisco, Westchester County, NY

BCP Site # C360183

Sample ID	AO		AO	
York ID	24G1107-09		24I0098-03	
Sampling Date	7/16/2024		9/3/2024	
Matrix	Outdoor Ambient Air		Outdoor Air	
All units in micrograms per cubic meter (µg/m^3)	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List				
1,1,1,2-Tetrachloroethane	0.610	U	0.580	U
1,1,1-Trichloroethane	0.480	U	0.460	U
1,1,2,2-Tetrachloroethane	0.610	U	0.580	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	0.680	U	0.720	D
1,1,2-Trichloroethane	0.480	U	0.460	U
1,1-Dichloroethane	0.360	U	0.340	U
1,1-Dichloroethylene	0.0880	U	0.100	D
1,2,4-Trichlorobenzene	0.660	U	0.630	U
1,2,4-Trimethylbenzene	0.430	U	1.300	D
1,2-Dibromoethane	0.680	U	0.650	U
1,2-Dichlorobenzene	0.530	U	0.510	U
1,2-Dichloroethane	0.360	U	0.340	U
1,2-Dichloropropane	0.410	U	0.390	U
1,2-Dichlorotetrafluoroethane	0.620	U	0.590	U
1,3,5-Trimethylbenzene	0.430	U	0.460	D
1,3-Butadiene	0.590	U	0.560	U
1,3-Dichlorobenzene	0.530	U	0.510	U
1,3-Dichloropropane	0.410	U	0.390	U
1,4-Dichlorobenzene	0.530	U	0.510	U
1,4-Dioxane	0.640	U	0.610	U
2-Butanone	0.580	D	1.300	D
2-Hexanone	0.720	U	0.700	U
3-Chloropropene	1.400	U	1.300	U
4-Methyl-2-pentanone	0.360	U	0.980	D
Acetone	16	D	15	BD
Acrylonitrile	0.190	U	0.610	D
Benzene	0.680	D	0.950	D
Benzyl chloride	0.460	U	0.440	U
Bromodichloromethane	0.590	U	0.570	U
Bromoform	0.910	U	0.880	U
Bromomethane	0.340	U	0.330	U
Carbon disulfide	0.270	U	0.270	D
Carbon tetrachloride	0.610	D	0.800	D
Chlorobenzene	0.410	U	0.390	U
Chloroethane	0.230	U	0.220	U
Chloroform	4.900	D	0.420	U
Chloromethane	0.820	D	0.880	D
cis-1,2-Dichloroethylene	0.0880	U	0.100	D
cis-1,3-Dichloropropylene	0.400	U	0.390	U
Cyclohexane	0.300	U	0.790	D
Dibromochloromethane	0.750	U	0.720	U
Dichlorodifluoromethane	3	D	2.800	D
Ethyl acetate	0.640	U	1.500	D
Ethyl Benzene	0.420	D	1.400	D
Hexachlorobutadiene	0.940	U	0.910	U
Isopropanol	4.300	D	38	D
Methyl Methacrylate	0.540	D	0.870	D
Methyl tert-butyl ether (MTBE)	0.320	U	0.310	U
Methylene chloride	0.670	D	3.200	D
n-Heptane	0.430	D	1.400	D
n-Hexane	0.650	D	2.200	D
o-Xylene	0.540	D	1.800	D
p- & m- Xylenes	1.500	D	4.800	D
p-Ethyltoluene	0.430	U	1.200	D
Propylene	0.560	D	0.150	U
Styrene	0.380	U	0.440	D
Tetrachloroethylene	2.600	D	0.980	D
Tetrahydrofuran	0.520	U	0.500	U
Toluene	1.700	D	6.300	D
trans-1,2-Dichloroethylene	0.350	U	0.340	U
trans-1,3-Dichloropropylene	0.400	U	0.390	U
Trichloroethylene	0.120	U	0.230	D
Trichlorofluoromethane (Freon 11)	1.700	D	2.100	D
Vinyl acetate	0.310	U	0.300	U
Vinyl bromide	0.390	U	0.370	U
Vinyl Chloride	0.110	U	0.110	U
Naphthalene	1.100	D	3.300	D
2,2,4-Trimethylpentane	2.100	D	5.800	D

NOTES:

Q is the Qualifier Column with definiti

D=result is from an analysis that requir

J=analyte detected at or above the MD

U=analyte not detected at or above the

B=analyte found in the analysis batch b

Detection above labaratory detection l

TABLE 5D - Indoor Air Data Table

10 Dakin Avenue, Mount Kisco, NY

BCP Site #: C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		10 Dakin-First Floor-IA 22G0311-07 7/7/2022 Indoor Air		Ambient Indoor 22K1296-01 11/21/2022 Indoor Air		10 Dakin 23I0501-01 9/8/2023 Indoor Air		10 Dakin-First Floor 24K1923-01 11/25/2024 Indoor Air	
All units in micrograms per cubic meter (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15										
1,1,1,2-Tetrachloroethane	~	~	0.550	U	0.520	U	0.670	U	0.730	U
1,1,1-Trichloroethane	~	~	0.440	U	0.410	U	0.530	U	0.580	U
1,1,2,2-Tetrachloroethane	~	~	0.550	U	0.520	U	0.670	U	0.730	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.610	U	0.580	U	0.740	U	0.810	U
1,1,2-Trichloroethane	~	~	0.440	U	0.410	U	0.530	U	0.580	U
1,1-Dichloroethane	~	~	0.320	U	0.300	U	0.390	U	0.430	U
1,1-Dichloroethylene	~	~	0.0790	U	0.0740	U	0.0960	U	0.110	U
1,2,4-Trichlorobenzene	~	~	0.590	U	0.560	U	0.720	U	0.790	U
1,2,4-Trimethylbenzene	~	~	1.600	D	0.370	U	1.100	D	0.520	U
1,2-Dibromoethane	~	~	0.610	U	0.580	U	0.740	U	0.810	U
1,2-Dichlorobenzene	~	~	0.480	U	0.450	U	0.580	U	0.640	U
1,2-Dichloroethane	~	~	2.200	D	0.300	U	2.500	D	0.430	U
1,2-Dichloropropane	~	~	0.370	U	0.350	U	0.450	U	0.490	U
1,2-Dichlorotetrafluoroethane	~	~	0.560	U	0.520	U	0.680	U	0.740	U
1,3,5-Trimethylbenzene	~	~	0.510	D	0.370	U	0.480	U	0.520	U
1,3-Butadiene	~	~	0.530	U	0.500	U	0.640	U	0.700	U
1,3-Dichlorobenzene	~	~	0.480	U	0.450	U	0.580	U	0.640	U
1,3-Dichloropropane	~	~	0.370	U	0.350	U	0.450	U	0.490	U
1,4-Dichlorobenzene	~	~	0.480	U	0.450	U	0.580	U	0.640	U
1,4-Dioxane	~	~	0.580	U	0.540	U	0.700	U	0.760	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		0.740	D
2-Butanone	~	~	6	D	0.550	D	4.300	D	1.300	D
2-Hexanone	~	~	0.650	J	0.620	U	0.790	U	0.870	U
3-Chloropropene	~	~	1.300	U	1.200	U	1.500	U	1.700	U
4-Methyl-2-pentanone	~	~	1.100	D	0.310	U	0.670	D	0.430	U
Acetone	~	~	96	D	46	D	100	D	37	D
Acrylonitrile	~	~	0.170	U	0.160	U	0.210	U	3	U
Benzene	~	~	1.300	D	0.620	D	0.740	D	1.800	D
Benzyl chloride	~	~	0.410	U	0.390	U	0.500	U	0.550	U
Bromodichloromethane	~	~	0.540	J	0.500	U	0.910	D	0.710	U
Bromoform	~	~	0.830	U	0.780	U	1	U	1.100	U
Bromomethane	~	~	0.310	U	0.290	U	0.380	U	0.410	U
Carbon disulfide	~	~	0.420	D	0.230	U	0.420	D	0.330	U
Carbon tetrachloride	~	~	0.400	D	0.380	D	0.550	D	0.400	D
Chlorobenzene	~	~	0.370	U	0.350	U	0.450	U	0.490	U
Chloroethane	~	~	0.210	U	0.200	U	0.260	U	0.280	U
Chloroform	~	~	4.600	D	1.800	D	4.500	D	2.300	D
Chloromethane	~	~	1.300	D	0.870	D	1.400	D	2.500	D
cis-1,2-Dichloroethylene	~	~	0.0790	U	0.390	D	0.0960	U	0.110	U
cis-1,3-Dichloropropylene	~	~	0.360	U	0.340	U	0.440	U	0.480	U
Cyclohexane	~	~	0.850	D	0.260	U	0.530	D	0.360	U
Dibromochloromethane	~	~	0.680	U	0.640	U	0.830	U	0.900	U
Dichlorodifluoromethane	~	~	2	D	1.700	D	2.100	D	2.300	D
Ethyl acetate	~	~	6.400	D	1.100	D	11	D	3.400	D
Ethyl Benzene	~	~	1.200	D	0.330	J	1.100	D	0.460	U
Hexachlorobutadiene	~	~	0.850	U	0.800	U	1	U	1.100	U
Isopropanol	~	~	1,300	DE	1,000	DE	1,100	DE	340	DE
Methyl Methacrylate	~	~	0.330	U	0.310	U	0.400	U	0.430	U
Methyl tert-butyl ether (MTBE)	~	~	0.290	U	0.270	U	0.350	U	0.380	U
Methylene chloride	60	NA	**240***	D	0.700	D	0.810	D	2.200	J
Naphthalene	~	~	NT		NT		NT		1.100	U
n-Heptane	~	~	2.700	D	0.580	D	2	D	0.610	D
n-Hexane	~	~	18	D	0.870	D	2.600	D	0.820	D
o-Xylene	~	~	1.600	D	0.330	J	1.400	D	0.460	U
p- & m- Xylenes	~	~	4	D	0.980	D	3.400	D	1.100	D
p-Ethyltoluene	~	~	1.100	D	0.370	U	1.500	D	0.520	U
Propylene	~	~	0.140	U	1.400	D	0.170	U	0.910	D
Styrene	~	~	2.600	D	0.320	U	2.600	D	0.450	U
Tetrachloroethylene	30	300	2.800	D	1.400	D	0.850	D	0.720	U
Tetrahydrofuran	~	~	3	D	5.800	D	1.400	U	0.630	U
Toluene	~	~	9.800	D	1.800	D	4.800	D	1.800	D
trans-1,2-Dichloroethylene	~	~	0.320	U	0.300	U	0.380	U	0.420	U
trans-1,3-Dichloropropylene	~	~	0.360	U	0.340	U	0.440	U	0.480	U
Trichloroethylene	30	300	0.170	D	0.160	D	0.130	U	0.140	U
Trichlorofluoromethane (Freon 11)	~	~	1.600	D	0.760	D	1	D	1.200	D
Vinyl acetate	~	~	0.280	U	0.260	U	0.340	U	0.370	U
Vinyl bromide	~	~	0.350	U	0.330	U	0.420	U	0.460	U
Vinyl Chloride	~	~	0.100	U	0.0960	D	0.120	U	0.140	U

NOTES:

**** Methylene chloride detected in soil vapor at 32 ug/m^3 and outdoor ambient air at 120 ug/m^3 on 7/7/2022***

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDI Detection above laboratory detection limits

U=analyte not detected at or above the Detection above NYSDOH Guidelines

B=analyte found in the analysis batch b Detection above NYSDOH Immediate Action Level

Detection Detection above laboratory detection limits

Detection above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5E - INDOOR AIR DATA - Mt. Kisco Elementary

47 West Hyatt Avenue, Mount Kisco, Westchester County,
NY BCP Site # C360183

			Mount Kisco Elementary School	
Sample ID **York ID** **Sampling Date** **Matrix**	**NYS DOH Criteria**		**AI-1** **22J0495-02** **10/10/2022** **Indoor**	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m³)	**Guideline**	**Immediate Action**	Result	Q
Volatile Organics, EPA TO15 Full List				
1,1,1,2-Tetrachloroethane	~	~	0.740	U
1,1,1-Trichloroethane	~	~	0.590	U
1,1,2,2-Tetrachloroethane	~	~	0.740	U
1,1,2-Trichloro-1,2,2-trifluoroethane (F	~	~	0.830	U
1,1,2-Trichloroethane	~	~	0.590	U
1,1-Dichloroethane	~	~	0.440	U
1,1-Dichloroethylene	~	~	0.110	U
1,2,4-Trichlorobenzene	~	~	0.800	U
1,2,4-Trimethylbenzene	~	~	0.690	D
1,2-Dibromoethane	~	~	0.830	U
1,2-Dichlorobenzene	~	~	0.650	U
1,2-Dichloroethane	~	~	0.440	U
1,2-Dichloropropane	~	~	0.500	U
1,2-Dichlorotetrafluoroethane	~	~	2.600	D
1,3,5-Trimethylbenzene	~	~	0.530	U
1,3-Butadiene	~	~	0.710	J
1,3-Dichlorobenzene	~	~	0.650	U
1,3-Dichloropropane	~	~	0.500	U
1,4-Dichlorobenzene	~	~	0.650	U
1,4-Dioxane	~	~	0.780	U
2,2,4-Trimethylpentane	~	~		
2-Butanone	~	~	0.510	D
2-Hexanone	~	~	0.880	U
3-Chloropropene	~	~	1.700	J
4-Methyl-2-pentanone	~	~	0.440	U
Acetone	~	~	4.600	D
Acrylonitrile	~	~	0.230	U
Benzene	~	~	0.690	D
Benzyl chloride	~	~	0.560	U
Bromodichloromethane	~	~	0.720	J
Bromoform	~	~	1.100	U
Bromomethane	~	~	0.420	U
Carbon disulfide	~	~	0.340	U
Carbon tetrachloride	~	~	0.340	D
Chlorobenzene	~	~	0.500	U
Chloroethane	~	~	0.280	U
Chloroform	~	~	0.530	U
Chloromethane	~	~	1.100	D
cis-1,2-Dichloroethylene	~	~	0.110	U
cis-1,3-Dichloropropylene	~	~	0.490	U
Cyclohexane	~	~	0.370	U
Dibromochloromethane	~	~	0.920	U
Dichlorodifluoromethane	~	~	2	D
Ethyl acetate	~	~	0.780	J
Ethyl Benzene	~	~	0.510	D
Hexachlorobutadiene	~	~	1.100	U
Isopropanol	~	~	19	BD
Methyl Methacrylate	~	~	0.440	J
Methyl tert-butyl ether (MTBE)	~	~	0.390	U
Methylene chloride	60	NA	2.300	D
Naphthalene	~	~		
n-Heptane	~	~	0.620	D
n-Hexane	~	~	1.300	D
o-Xylene	~	~	0.650	D
p- & m- Xylenes	~	~	1.900	D
p-Ethyltoluene	~	~	0.580	D
Propylene	~	~	0.930	D
Styrene	~	~	0.460	U
Tetrachloroethylene	30	300	0.730	J
Tetrahydrofuran	~	~	0.640	J
Toluene	~	~	3.100	D
trans-1,2-Dichloroethylene	~	~	0.430	U
trans-1,3-Dichloropropylene	~	~	0.490	U
Trichloroethylene	2	20	0.410	D
Trichlorofluoromethane (Freon 11)	~	~	1	D
Vinyl acetate	~	~	0.490	D
Vinyl bromide	~	~	0.470	U
Vinyl Chloride	~	~	0.140	U

NOTES:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

	Detection above laboratory detection limits
	Detection above NYSDOH Guidelines
	Detection above NYSDOH Immediate Action Level

TABLE 5F - Indoor Air Data

OS-2 Basement and First Floor

191 E Main Street, Mount Kisco, NY

BCP Site #: C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-2 OS-2 (Basement) 23C1752-01 3/29/2023 Indoor Air		OS-2 Basement 23E0032-01 4/28/2023 Indoor Air		Basement (OS-2) 24E2057-01 5/30/2024 Indoor Air		Basement OS-2 25L0974-01 12/16/2025 Indoor Air		OS-2 First Floor 23E0032-02 4/28/2023 Indoor Air		First Floor (OS-2) 24E2057-02 5/30/2024 Indoor Air		First Floor OS-2 25L0974-02 12/16/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOCs, EPA TO15 Full List																
1,1,1,2-Tetrachloroethane	~	~	0.560	U	0.600	U	0.580	U	0.630	U	0.660	U	0.600	U	0.650	U
1,1,1-Trichloroethane	~	~	0.440	U	0.480	U	0.460	U	0.500	U	0.520	U	0.470	U	0.510	U
1,1,2,2-Tetrachloroethane	~	~	0.560	U	0.600	U	0.580	U	0.630	U	0.660	U	0.600	U	0.650	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.620	U	0.670	U	0.650	U	0.710	U	0.730	U	0.660	U	0.720	U
1,1,2-Trichloroethane	~	~	0.440	U	0.480	U	0.460	U	0.500	U	0.520	U	0.470	U	0.510	U
1,1-Dichloroethane	~	~	0.330	U	0.360	U	0.340	U	0.370	U	0.390	U	0.350	U	0.380	U
1,1-Dichloroethylene	~	~	0.0800	U	0.0870	U	0.0840	U	0.180	U	0.0950	U	0.0860	U	0.190	U
1,2,4-Trichlorobenzene	~	~	0.600	U	0.650	U	0.630	U	34	U	0.710	U	0.640	U	35	U
1,2,4-Trimethylbenzene	~	~	0.400	U	0.430	U	0.410	U	0.450	U	0.470	D	0.470	D	0.460	U
1,2-Dibromoethane	~	~	0.620	U	0.680	U	0.650	U	0.710	U	0.740	U	0.670	U	0.720	U
1,2-Dichlorobenzene	~	~	0.490	U	0.530	U	0.510	U	0.560	U	0.580	U	0.520	U	0.570	U
1,2-Dichloroethane	~	~	0.330	U	0.360	U	0.340	U	0.370	U	0.390	U	0.350	U	0.380	U
1,2-Dichloropropane	~	~	0.370	U	0.410	U	0.390	U	0.430	U	0.440	U	0.400	U	0.440	U
1,2-Dichlorotetrafluoroethane	~	~	0.570	U	0.610	U	0.590	U	0.650	U	0.670	U	0.610	U	0.660	U
1,3,5-Trimethylbenzene	~	~	0.400	U	0.430	U	0.410	U	0.450	U	0.470	U	0.430	U	0.460	U
1,3-Butadiene	~	~	0.540	U	0.580	U	0.560	U	0.610	U	0.640	U	0.580	U	0.630	U
1,3-Dichlorobenzene	~	~	0.490	U	0.530	U	0.510	U	0.560	U	0.580	U	0.520	U	0.570	U
1,3-Dichloropropane	~	~	0.370	U	0.410	U	0.390	U	0.430	U	0.440	U	0.400	U	0.440	U
1,4-Dichlorobenzene	~	~	0.490	U	0.530	U	0.510	U	0.560	U	0.580	U	0.520	U	0.570	U
1,4-Dioxane	~	~	0.580	U	0.630	U	0.610	U	1.700	U	0.690	U	0.620	U	1.700	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT		0.430	D	NT		NT		0.220	U
2-Butanone	~	~	1.900	D	8.200	D	42	D	14	U	13	D	70	D	14	U
2-Hexanone	~	~	0.660	U	0.720	U	0.690	U	0.760	U	0.790	U	0.710	U	0.770	U
3-Chloropropene	~	~	1.300	U	1.400	U	1.300	U	1.400	U	1.500	U	1.400	U	1.500	U
4-Methyl-2-pentanone	~	~	0.330	U	0.360	U	0.350	U	0.380	U	0.390	U	0.360	U	0.540	D
Acetone	~	~	7.400	D	10	D	33	BD	11	U	37	D	130	D	28	D
Acrolein	~	~	NT		NT		NT		0.210	U	NT		NT		0.220	U
Acrylonitrile	~	~	0.180	U	0.190	U	0.180	U	10	U	0.210	U	0.190	U	10	U
Benzene	~	~	0.490	D	0.280	U	0.460	D	0.590	D	0.310	U	0.440	D	0.690	D
Benzyl chloride	~	~	0.420	U	0.460	U	0.440	U	12	U	0.500	U	0.450	U	12	U
Bromodichloromethane	~	~	0.540	U	0.650	D	0.560	U	0.620	U	0.640	U	0.580	U	0.630	U
Bromoform	~	~	0.840	U	0.910	U	0.870	U	0.960	U	0.990	U	0.900	U	0.970	U
Bromomethane	~	~	0.310	U	0.340	U	0.330	U	0.360	U	0.370	U	0.340	U	0.370	U
Carbon disulfide	~	~	0.250	U	0.270	U	0.260	U	0.290	U	0.300	U	0.270	U	0.290	U
Carbon tetrachloride	~	~	0.250	D	0.440	D	0.320	D	0.170	U	0.540	D	0.270	D	0.180	U
Chlorobenzene	~	~	0.370	U	0.400	U	0.390	U	0.430	U	0.440	U	0.400	U	0.430	U
Chloroethane	~	~	0.210	U	0.230	U	0.220	U	0.240	U	0.250	U	0.230	U	0.250	U
Chloroform	~	~	2.500	D	4.800	D	3.500	D	0.450	U	2.500	D	0.970	D	1.100	D
Chloromethane	~	~	0.820	D	0.800	D	1	D	0.710	D	0.830	D	0.970	D	0.860	D
cis-1,2-Dichloroethylene	~	~	3.300	D	3.800	D	1.700	D	1.500	D	1.400	D	0.0860	U	0.190	U
cis-1,3-Dichloropropylene	~	~	0.370	U	0.400	U	0.380	U	0.420	U	0.440	U	0.390	U	0.430	U
Cyclohexane	~	~	0.610	D	12	D	1.100	D	0.320	U	3.500	D	1.200	D	0.680	D
Dibromochloromethane	~	~	0.690	U	0.750	U	0.720	U	0.790	U	0.820	U	0.740	U	0.800	U
Dichlorodifluoromethane	~	~	2.200	D	2.500	D	2.500	D	1.800	D	4.300	D	5.300	D	2.600	D
Ethyl acetate	~	~	1.400	D	4.100	D	4.800	D	17	U	14	D	110	D	17	U
Ethyl Benzene	~	~	0.740	D	1.900	D	1.700	D	0.520	D	0.870	D	2	D	0.780	D
Hexachlorobutadiene	~	~	0.860	U	0.940	U	0.900	U	0.990	U	1	U	0.920	U	1	U
Isopropanol	~	~	3.700	BD	0.840	D	4.500	D	1.700	D	11	D	19	D	2.600	D
Isopropylbenzene	~	~	NT		NT		NT		0.450	U	NT		NT		0.460	U
Methyl Methacrylate	~	~	0.330	U	2	D	0.350	U	0.380	U	0.390	U	0.350	U	0.390	U
Methyl tert-butyl ether (MTBE)	~	~	0.290	U	0.320	U	0.300	U	0.330	U	0.350	U	0.310	U	0.340	U
Methylene chloride	60	NA	1.900	D	0.890	D	1.500	D	1.900	U	1.200	D	1.700	D	2	U
Naphthalene	~	~	NT		NT		NT		4.800	U	NT		NT		4.900	U
n-Butylbenzene	~	~	NT		NT		NT		0.510	U	NT		NT		0.520	U
n-Heptane	~	~	4.600	D	21	D	52	D	1.200	D	7.900	D	64	D	4.600	D
n-Hexane	~	~	7.300	D	41	D	78	D	1.500	D	13	D	74	D	5.800	D
n-Propylbenzene	~	~	NT		NT		NT		0.450	U	NT		NT		0.460	U
o-Xylene	~	~	0.880	D	2.100	D	1.600	D	0.520	D	1.200	D	2.100	D	0.980	D
p- & m- Xylenes	~	~	3.600	D	7.600	D	7.400	D	1.700	D	3.800	D	7.900	D	3.100	D
p-Ethyltoluene	~	~	0.400	U	0.430	U	0.410	U	0.450	U	0.470	U	0.430	D	0.460	U
p-Isopropyltoluene	~	~	NT		NT		NT		0.510	U	NT		NT		0.980	D
Propylene	~	~	0.140	U	0.150	U	0.150	U	0.160	U	0.170	U	0.150	U	0.160	U
sec-Butylbenzene	~	~	NT		NT		NT		0.510	U	NT		NT		0.520	U
Styrene	~	~	0.350	U	0.370	U	0.360	U	0.390	U	0.410	D	0.590	D	0.400	U
tert-Butylbenzene	~	~	NT		NT		NT		0.510	U	NT		NT		0.520	U
Tetrachloroethylene	30	300	**39**	D	**30**	D	15	D	1.900	D	12	D	2.300	D	0.700	D
Tetrahydrofuran	~	~	0.480	U	0.520	U	0.500	U	0.550	U	3	D	0.510	U	0.560	U
Toluene	~	~	17	D	57	D	140	D	4.100	D	32	D	120	D	23	D
trans-1,2-Dichloroethylene	~	~	0.320	U	0.350	U	0.330	U	0.370	U	0.380	U	0.340	U	0.370	U
trans-1,3-Dichloropropylene	~	~	0.370	U	0.400	U	0.380	U	0.420	U	0.440	U	0.390	U	0.430	U
Trichloroethylene	2	20	**3.300**	D	**4.500**	D	1	D	0.150	U	**4**	D	0.190	D	0.150	U
Trichlorofluoromethane (Freon 11)	~	~	1.100	D	1.400	D	1.600	D	1.100	D	7.500	D	7.300	D	3.400	D
Vinyl acetate	~	~	0.290	U	0.310	U	0.300	U	0.330	U	0.340	U	0.310	U	0.330	U
Vinyl bromide	~	~	0.350	U	0.380	U	0.370	U	0.400	U	0.420	U	0.380	U	0.410	U
Vinyl Chloride	~	~	0.310	D	0.290	D	0.170	D	0.120	U	0.120	D	0.110	U	0.120	U
Xylenes, Total	~	~	NT		NT		NT		2.200	D	NT		NT		4	D

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection at or above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 5G - Indoor Air Data

OS-3 Basement and First Floor Air Data

179 E Main Street, Mount Kisco, NY

BCP Site #: C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-3 OS-3 (Basement) 23C1752-02 3/29/2023 Indoor Air		OS-3 Basement 23E0032-03 4/28/2023 Indoor Air		OS- 3 Basement 24K1918-01 11/25/2024 Indoor Air		Basement OS-3 25L0973-01 12/16/2025 Indoor Air		OS-3 First Floor 23E0032-04 4/28/2023 Indoor Air		OS- 3 First Floor 24K1918-02 11/25/2024 Indoor Air		First Floor OS-3 25L0973-02 12/16/2025 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
VOCs, EPA TO15																
1,1,1,2-Tetrachloroethane	~	~	0.710	U	0.630	U	0.700	U	0.660	U	0.620	U	0.500	U	0.650	U
1,1,1-Trichloroethane	~	~	0.560	U	0.500	U	0.550	U	0.530	U	0.490	U	0.400	U	0.520	U
1,1,2,2-Tetrachloroethane	~	~	0.710	U	0.630	U	0.700	U	0.660	U	0.620	U	0.500	U	0.650	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.790	U	0.710	U	0.780	U	0.740	U	0.690	U	0.610	D	0.730	U
1,1,2-Trichloroethane	~	~	0.560	U	0.500	U	0.550	U	0.530	U	0.490	U	0.400	U	0.520	U
1,1-Dichloroethane	~	~	0.420	U	0.370	U	0.410	U	0.390	U	0.360	U	0.290	U	0.380	U
1,1-Dichloroethylene	~	~	0.100	U	0.0910	U	0.100	U	0.190	U	0.0890	U	0.0720	U	0.190	U
1,2,4-Trichlorobenzene	~	~	0.770	U	1	D	0.750	U	36	U	0.670	U	0.540	U	35	U
1,2,4-Trimethylbenzene	~	~	0.510	U	0.450	U	0.500	U	0.470	U	5.800	D	2	D	1.400	D
1,2-Dibromoethane	~	~	0.790	U	0.710	U	0.780	U	0.740	U	0.690	U	0.560	U	0.730	U
1,2-Dichlorobenzene	~	~	0.620	U	0.550	U	0.610	U	0.580	U	0.540	U	0.440	U	0.570	U
1,2-Dichloroethane	~	~	0.420	U	0.370	U	0.410	U	0.390	U	0.360	U	0.290	U	0.380	U
1,2-Dichloropropane	~	~	0.480	U	0.430	U	0.470	U	0.450	U	0.420	U	0.340	U	0.440	U
1,2-Dichlorotetrafluoroethane	~	~	0.720	U	0.640	U	0.710	U	0.670	U	0.630	U	0.510	U	0.660	U
1,3,5-Trimethylbenzene	~	~	0.510	U	0.450	U	0.500	U	0.470	U	1.200	D	0.500	D	0.470	U
1,3-Butadiene	~	~	0.680	U	0.610	U	0.670	U	0.640	U	0.600	U	0.480	U	0.630	U
1,3-Dichlorobenzene	~	~	0.620	U	0.550	U	0.610	U	0.580	U	0.540	U	0.440	U	0.570	U
1,3-Dichloropropane	~	~	0.480	U	0.430	U	0.470	U	0.450	U	0.420	U	0.340	U	0.440	U
1,4-Dichlorobenzene	~	~	0.620	U	0.550	U	0.610	U	0.580	U	0.540	U	0.440	U	0.570	U
1,4-Dioxane	~	~	0.740	U	0.660	U	0.730	U	1.700	U	2.700	D	0.840	D	1.700	U
2,2,4-Trimethylpentane	~	~	NT		NT		0.520	D	0.230	U	NT		1.500	D	0.220	U
2-Butanone	~	~	0.700	D	1.600	D	0.900	D	14	U	4.700	D	4.200	D	14	U
2-Hexanone	~	~	0.840	U	0.750	U	0.830	U	0.790	U	0.740	U	1.300	D	0.780	U
3-Chloropropene	~	~	1.600	U	1.400	U	1.600	U	1.500	U	1.400	U	1.100	U	1.500	U
4-Methyl-2-pentanone	~	~	0.420	U	0.380	U	0.420	U	0.400	U	0.880	D	0.300	U	0.390	U
Acetone	~	~	6.900	D	9.500	D	27	D	11	U	52	D	64	D	22	D
Acrolein	~	~	NT		NT		NT		0.220	U	NT		NT		0.220	U
Acrylonitrile	~	~	0.220	U	0.200	U	2.900	U	10	U	0.200	U	6.100	D	10	U
Benzene	~	~	0.460	D	0.560	D	0.550	D	0.650	D	2.300	D	1.400	D	1.200	D
Benzyl chloride	~	~	0.530	U	0.480	U	0.520	U	12	U	0.470	U	0.380	U	12	U
Bromodichloromethane	~	~	0.690	U	0.620	U	0.680	U	0.650	U	0.600	U	0.490	U	0.640	U
Bromoform	~	~	1.100	U	0.950	U	1	U	1	U	0.930	U	0.750	U	0.980	U
Bromomethane	~	~	0.400	U	0.360	U	0.390	U	0.370	U	0.350	U	0.280	U	0.370	U
Carbon disulfide	~	~	0.320	U	0.290	U	0.320	U	0.300	U	0.280	U	0.250	D	0.300	U
Carbon tetrachloride	~	~	0.450	D	0.410	D	0.450	D	0.180	U	0.570	D	0.690	D	0.540	D
Chlorobenzene	~	~	0.470	U	0.420	U	0.470	U	0.440	U	0.410	U	0.330	U	0.440	U
Chloroethane	~	~	0.270	U	0.240	U	0.270	U	0.250	U	0.240	U	0.190	U	0.250	U
Chloroform	~	~	2.500	D	3.500	D	1.500	D	0.710	D	3.900	D	1.700	D	0.830	D
Chloromethane	~	~	0.850	D	0.780	BD	1.700	D	0.880	D	1.200	BD	1.500	D	1	D
cis-1,2-Dichloroethylene	~	~	0.450	D	1.100	D	1	D	0.190	U	0.360	D	0.230	D	0.190	U
cis-1,3-Dichloropropylene	~	~	0.470	U	0.420	U	0.460	U	0.440	U	0.410	U	0.330	U	0.430	U
Cyclohexane	~	~	0.350	U	0.320	U	0.350	U	0.330	U	0.460	D	0.320	D	0.330	U
Dibromochloromethane	~	~	0.880	U	0.780	U	0.860	U	0.820	U	0.770	U	0.620	U	0.810	U
Dichlorodifluoromethane	~	~	2	D	2.600	D	2.500	D	1.900	D	2.800	D	2.300	D	1.700	D
Ethyl acetate	~	~	0.740	U	0.660	U	0.730	U	17	U	4.500	D	3.100	D	17	U
Ethyl Benzene	~	~	0.450	U	0.400	U	0.440	U	0.420	U	0.630	D	0.660	D	0.410	U
Hexachlorobutadiene	~	~	1.100	U	0.980	U	1.100	U	1	U	0.960	U	0.770	U	1	U
Isopropanol	~	~	39	BD	20	D	1.800	D	2.100	D	210	DE	410	DE	81	DE
Isopropylbenzene	~	~	NT		NT		NT		0.470	U	NT		NT		0.610	D
Methyl Methacrylate	~	~	0.420	U	0.380	U	0.420	U	0.400	U	0.370	U	0.620	D	0.390	U
Methyl tert-butyl ether (MTBE)	~	~	0.370	U	0.330	U	0.370	U	0.350	U	0.320	U	0.260	U	0.340	U
Methylene chloride	60	NA	1.100	D	0.640	U	2.100	J	2	U	1.100	D	1.800	D	2	U
Naphthalene	~	~	NT		NT		1.100	U	5.100	U	NT		0.840	D	5	U
n-Butylbenzene	~	~	NT		NT		NT		0.530	U	NT		NT		0.520	U
n-Heptane	~	~	0.420	U	0.380	D	0.420	U	0.400	U	1.700	D	1.200	D	0.390	U
n-Hexane	~	~	0.360	U	0.520	D	0.570	D	0.440	D	1.600	D	1.900	D	1	D
n-Propylbenzene	~	~	NT		NT		NT		0.470	U					0.470	U
o-Xylene	~	~	0.450	U	0.400	U	0.440	U	0.420	U	1.100	D	0.910	D	0.580	D
p- & m- Xylenes	~	~	0.900	U	0.800	U	0.880	U	0.840	U	2.200	D	2.100	D	1.200	D
p-Ethyltoluene	~	~	0.510	U	0.450	U	0.500	U	0.470	U	3.500	D	1.200	D	0.470	U
p-Isopropyltoluene	~	~	NT		NT		NT		0.530	U	NT		NT		1.100	D
Propylene	~	~	0.180	U	0.160	U	0.170	U	0.810	D	0.150	U	3.500	D	1.600	D
sec-Butylbenzene	~	~	NT		NT		NT		0.530	U	NT		NT		0.520	U
Styrene	~	~	0.440	U	0.390	U	0.430	U	0.410	U	0.580	D	0.560	D	0.400	U
tert-Butylbenzene	~	~	NT		NT		NT		0.530	U	NT		NT		0.520	U
Tetrachloroethylene	30	300	**67**	D	**56**	D	7.400	D	1.700	D	**30**	D	2.400	D	0.640	D
Tetrahydrofuran	~	~	0.610	U	1	D	0.600	U	0.630	D	1.700	D	1.600	D	0.870	D
Toluene	~	~	0.470	D	1.200	D	0.800	D	1.400	D	6.800	D	4.500	D	23	D
trans-1,2-Dichloroethylene	~	~	0.410	U	0.360	U	0.400	U	0.380	U	0.360	U	0.290	U	0.380	U
trans-1,3-Dichloropropylene	~	~	0.470	U	0.420	U	0.460	U	0.440	U	0.410	U	0.330	U	0.430	U
Trichloroethylene	2	20	**2.400**	D	**3.800**	D	**2.100**	D	0.160	U	1.400	D	0.510	D	0.150	U
Trichlorofluoromethane (Freon 11)	~	~	1.300	D	1.400	D	1.400	D	1.200	D	1.500	D	1.500	D	1.100	D
Vinyl acetate	~	~	0.360	U	0.320	U	0.360	U	0.340	U	0.320	U	0.260	U	0.330	U
Vinyl bromide	~	~	0.450	U	0.400	U	0.440	U	0.420	U	0.390	U	0.320	U	0.420	U
Vinyl Chloride	~	~	0.130	U	0.120	U	0.130	U	0.120	U	0.120	U	0.0930	U	0.120	U
Xylenes, Total	~	~	NT		NT		NT		1.300	U	NT		NT		1.800	D

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection at or above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Table 5H - Indoor Air Data

Air Data

Mount Kisco, NY BCP Site #: C360183

Sample ID York ID Sampling Date Matrix	NYS DOH Criteria		AI-4 24A0015-02 12/29/2023 Indoor Air		AI-5 OS-5 23C1752-04 3/29/2023 Indoor Air		AI-6 OS-6 23C1752-06 3/29/2023 Indoor Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q
VOCs, EPA TO15								
1,1,1,2-Tetrachloroethane	~	~	1.300	U	0.670	U	0.560	U
1,1,1-Trichloroethane	~	~	1	U	0.530	U	0.450	U
1,1,2,2-Tetrachloroethane	~	~	1.300	U	0.670	U	0.560	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	1.400	U	0.830	D	0.630	U
1,1,2-Trichloroethane	~	~	1	U	0.530	U	0.450	U
1,1-Dichloroethane	~	~	0.740	U	0.400	U	0.330	U
1,1-Dichloroethylene	~	~	0.180	U	0.0970	U	0.0810	U
1,2,4-Trichlorobenzene	~	~	2.700	U	0.730	U	0.610	U
1,2,4-Trimethylbenzene	~	~	1.500	D	0.670	D	0.400	U
1,2-Dibromoethane	~	~	1.400	U	0.750	U	0.630	U
1,2-Dichlorobenzene	~	~	1.100	U	0.590	U	0.490	U
1,2-Dichloroethane	~	~	0.740	U	0.400	U	0.330	U
1,2-Dichloropropane	~	~	0.850	U	0.450	U	0.380	U
1,2-Dichlorotetrafluoroethane	~	~	1.300	U	0.680	U	0.570	U
1,3,5-Trimethylbenzene	~	~	0.900	U	0.480	`	0.400	U
1,3-Butadiene	~	~	1.200	U	0.650	U	0.540	U
1,3-Dichlorobenzene	~	~	1.100	U	0.590	U	0.490	U
1,3-Dichloropropane	~	~	0.850	U	0.450	U	0.380	U
1,4-Dichlorobenzene	~	~	1.100	U	0.590	U	0.490	U
1,4-Dioxane	~	~	1.300	U	0.710	U	0.590	U
2,2,4-Trimethylpentane	~	~	NT		NT		NT	
2-Butanone	~	~	1.400	D	1.200	D	1	D
2-Hexanone	~	~	1.500	U	0.800	U	0.670	U
3-Chloropropene	~	~	2.900	U	1.500	U	1.300	U
4-Methyl-2-pentanone	~	~	1.500	D	0.400	U	0.340	U
Acetone	~	~	13	D	7.400	D	8.300	D
Acrylonitrile	~	~	0.790	J	0.210	U	0.180	U
Benzene	~	~	1.200	D	6.600	D	0.780	D
Benzyl chloride	~	~	0.950	U	0.510	U	0.420	U
Bromodichloromethane	~	~	1.200	U	0.660	U	0.550	U
Bromoform	~	~	1.900	U	1	U	0.850	U
Bromomethane	~	~	0.710	U	0.380	U	0.320	U
Carbon disulfide	~	~	0.570	U	0.300	U	0.260	U
Carbon tetrachloride	~	~	0.580	D	0.370	D	0.360	D
Chlorobenzene	~	~	0.840	U	0.450	U	0.380	U
Chloroethane	~	~	0.480	U	0.260	U	0.220	U
Chloroform	~	~	0.890	U	1.100	D	1.500	D
Chloromethane	~	~	1.400	D	1.100	D	0.930	D
cis-1,2-Dichloroethylene	~	~	0.180	U	0.0970	U	0.0810	U
cis-1,3-Dichloropropylene	~	~	0.830	U	0.440	U	0.370	U
Cyclohexane	~	~	0.630	U	0.670	D	0.280	U
Dibromochloromethane	~	~	1.600	U	0.830	U	0.700	U
Dichlorodifluoromethane	~	~	3.100	D	2	D	2.500	D
Ethyl acetate	~	~	1.300	U	0.710	U	0.590	U
Ethyl Benzene	~	~	1.400	D	0.600	D	0.360	U
Hexachlorobutadiene	~	~	2	U	1	U	0.870	U
Isopropanol	~	~	7.800	D	3.200	BD	3.100	BD
Methyl Methacrylate	~	~	0.750	U	0.400	U	0.340	U
Methyl tert-butyl ether (MTBE)	~	~	0.660	U	0.350	U	0.300	U
Methylene chloride	60	NA	5.900	D	1.100	D	0.940	D
Naphthalene	~	~	NT		NT		NT	
n-Heptane	~	~	1.100	D	1.500	D	0.340	U
n-Hexane	~	~	1.600	D	2	D	0.640	D
o-Xylene	~	~	1.700	D	1.100	D	0.360	U
p- & m- Xylenes	~	~	4.800	D	3.300	D	0.890	D
p-Ethyltoluene	~	~	1.100	D	0.480	U	0.400	U
Propylene	~	~	0.320	U	0.170	U	0.140	U
Styrene	~	~	0.780	U	0.420	U	0.350	U
Tetrachloroethylene	30	300	21	D	2.300	D	1.200	D
Tetrahydrofuran	~	~	1.100	U	0.580	U	0.480	U
Toluene	~	~	8.600	D	7.100	D	1.900	D
trans-1,2-Dichloroethylene	~	~	0.730	U	0.390	U	0.320	U
trans-1,3-Dichloropropylene	~	~	0.830	U	0.440	U	0.370	U
Trichloroethylene	2	20	0.300	D	0.210	D	0.110	U
Trichlorofluoromethane (Freon 11)	~	~	2	D	1.900	D	1.100	D
Vinyl acetate	~	~	0.640	U	0.340	U	0.290	U
Vinyl bromide	~	~	0.800	U	0.430	U	0.360	U
Vinyl Chloride	~	~	0.230	U	0.130	U	0.100	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection at or above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

TABLE 55I - Outdoor Air Data

OS-2 and OS-3

E Main Street, Mount Kisco, NY

BCP Site #: C360183

Sample ID York ID Sampling Date Client Matrix	NYS DOH Criteria		AO 23C1752-07 3/29/2023 Outdoor Ambient Air		AO (OS-2) 24E2057-03 5/30/2024 Outdoor Ambient Air		AO 24K1918-03 11/25/2024 Outdoor Ambient Air		AO 25L0974-03 12/16/2025 Outdoor Ambient Air	
ALL UNITS IN MICROGRAMS/ CUBIC METER (µg/m^3)	**Guideline**	**Immediate Action**	Result	Q	Result	Q	Result	Q	Result	Q
VOCs, EPA TO15										
1,1,1,2-Tetrachloroethane	~	~	0.570	U	0.700	U	0.600	U	0.600	U
1,1,1-Trichloroethane	~	~	0.450	U	0.560	U	0.470	U	0.480	U
1,1,2,2-Tetrachloroethane	~	~	0.570	U	0.700	U	0.600	U	0.600	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	~	~	0.630	U	0.780	U	0.670	U	0.670	U
1,1,2-Trichloroethane	~	~	0.450	U	0.560	U	0.470	U	0.480	U
1,1-Dichloroethane	~	~	0.330	U	0.410	U	0.350	U	0.350	U
1,1-Dichloroethylene	~	~	0.0820	U	0.100	U	0.0860	U	0.170	U
1,2,4-Trichlorobenzene	~	~	0.610	U	0.760	U	0.650	U	32	U
1,2,4-Trimethylbenzene	~	~	0.450	D	0.500	D	0.560	D	0.430	U
1,2-Dibromoethane	~	~	0.630	U	0.780	U	0.670	U	0.670	U
1,2-Dichlorobenzene	~	~	0.500	U	0.610	U	0.520	U	0.530	U
1,2-Dichloroethane	~	~	0.330	U	0.410	U	0.350	U	0.350	U
1,2-Dichloropropane	~	~	0.380	U	0.470	U	0.400	U	0.400	U
1,2-Dichlorotetrafluoroethane	~	~	0.580	U	0.710	U	0.610	U	0.610	U
1,3,5-Trimethylbenzene	~	~	0.410	U	0.500	U	0.430	U	0.430	U
1,3-Butadiene	~	~	0.550	U	0.680	U	0.580	U	0.580	U
1,3-Dichlorobenzene	~	~	0.500	U	0.610	U	0.520	U	0.530	U
1,3-Dichloropropane	~	~	0.380	U	0.470	U	0.400	U	0.400	U
1,4-Dichlorobenzene	~	~	0.500	U	0.610	U	1.800	D	0.530	U
1,4-Dioxane	~	~	0.590	U	0.740	U	0.630	U	1.600	U
2,2,4-Trimethylpentane	~	~	NT		NT		0.330	D	0.330	D
2-Butanone	~	~	0.460	D	5.700	D	1	D	13	U
2-Hexanone	~	~	0.680	U	1.100	D	0.710	U	0.720	U
3-Chloropropene	~	~	1.300	U	1.600	U	1.400	U	1.400	U
4-Methyl-2-pentanone	~	~	0.340	U	0.420	U	0.430	D	0.360	U
Acetone	~	~	3.700	D	120	BD	20	D	10	U
Acrolein	~	~	NT		NT		NT		0.200	U
Acrylonitrile	~	~	0.180	U	0.220	U	2.500	U	9.500	U
Benzene	~	~	1.300	D	0.360	D	1.600	D	0.590	D
Benzyl chloride	~	~	0.430	U	0.530	U	0.450	U	11	U
Bromodichloromethane	~	~	0.550	U	0.680	U	0.580	U	0.590	U
Bromoform	~	~	0.850	U	1.100	U	0.900	U	0.900	U
Bromomethane	~	~	0.320	U	0.400	U	0.340	U	0.340	U
Carbon disulfide	~	~	0.260	U	0.320	U	0.270	U	0.270	U
Carbon tetrachloride	~	~	0.360	D	0.390	D	0.440	D	0.170	U
Chlorobenzene	~	~	0.380	U	0.470	U	0.400	U	0.400	U
Chloroethane	~	~	0.220	U	0.270	U	0.230	U	0.230	U
Chloroform	~	~	0.400	U	0.500	U	0.420	U	0.430	U
Chloromethane	~	~	0.990	D	1.100	D	3.800	D	0.900	D
cis-1,2-Dichloroethylene	~	~	0.0820	U	0.100	U	0.0860	U	0.170	U
cis-1,3-Dichloropropylene	~	~	0.370	U	0.460	U	0.390	U	0.400	U
Cyclohexane	~	~	0.540	D	0.350	U	0.300	U	0.300	U
Dibromochloromethane	~	~	0.700	U	0.870	U	0.740	U	0.750	U
Dichlorodifluoromethane	~	~	1.900	D	2.300	D	2.400	D	1.800	D
Ethyl acetate	~	~	0.590	U	1	D	0.630	U	16	U
Ethyl Benzene	~	~	0.680	D	0.440	U	0.380	U	0.380	U
Hexachlorobutadiene	~	~	0.880	U	1.100	U	0.930	U	0.930	U
Isopropanol	~	~	1.600	BD	4	D	2.800	D	1.300	D
Isopropylbenzene	~	~							0.430	U
Methyl Methacrylate	~	~	0.340	U	0.420	U	0.360	U	0.360	U
Methyl tert-butyl ether (MTBE)	~	~	0.300	U	0.370	U	0.310	U	0.320	U
Methylene chloride	60	NA	0.860	D	0.710	D	1.900	D	1.800	U
Naphthalene	~	~	NT		NT		0.910	U	4.600	U
n-Butylbenzene	~	~	NT		NT		NT		0.480	U
n-Heptane	~	~	0.980	D	1.900	D	0.360	U	2.700	D
n-Hexane	~	~	2	D	2.100	D	0.370	D	2.800	D
n-Propylbenzene	~	~	NT		NT		NT		0.430	U
o-Xylene	~	~	0.750	D	0.440	D	0.420	D	0.380	U
p- & m- Xylenes	~	~	2.400	D	1.100	D	0.940	D	0.950	D
p-Ethyltoluene	~	~	0.490	D	0.500	U	0.560	D	0.430	U
p-Isopropyltoluene	~	~	NT		NT		NT		0.480	U
Propylene	~	~	0.140	U	0.180	U	0.580	D	0.150	U
sec-Butylbenzene	~	~	NT		NT		NT		0.480	U
Styrene	~	~	0.350	U	0.430	U	0.370	U	0.370	U
tert-Butylbenzene	~	~	NT		NT		NT		0.480	U
Tetrachloroethylene	30	300	0.620	D	0.690	U	0.590	D	0.590	U
Tetrahydrofuran	~	~	0.490	U	0.600	U	0.510	U	0.830	D
Toluene	~	~	4.200	D	3.600	D	1.500	D	5.300	D
trans-1,2-Dichloroethylene	~	~	0.330	U	0.400	U	0.340	U	0.350	U
trans-1,3-Dichloropropylene	~	~	0.370	U	0.460	U	0.390	U	0.400	U
Trichloroethylene	2	20	0.110	U	0.140	U	0.120	U	0.140	U
Trichlorofluoromethane (Freon 11)	~	~	1	D	1.100	D	1.300	D	1.100	D
Vinyl acetate	~	~	0.290	U	0.360	U	0.310	U	0.310	U
Vinyl bromide	~	~	0.360	U	0.450	U	0.380	U	0.380	U
Vinyl Chloride	~	~	0.110	U	0.130	U	0.110	U	0.110	U
Xylenes, Total	~	~	NT		NT		NT		1.100	U

NOTES:

Q is the Qualifier Column with definitions as follows:

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

B=analyte found in the analysis batch blank

Detection above laboratory detection limits

Detection at or above NYSDOH Guidelines

Detection above NYSDOH Immediate Action Level

Table 6 - List of Laboratory Analytical Reports

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site# C360183

Lab Report #	Media	Date	Samples	Analytes	FB	TB
			SOIL			
19E1316	Soil	5/28/2019	MW-1 Soil, MW-2 Soi, MW-3 Soil, MW-4 Soil	VOCs 8260	No	No
21K0904	Soil	11/17/2021	SB-1A, SB-1B, SB-2A, SB-2B, SB-3A, SB-3B, SB-3B Duplicate	VOCs 8260, SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 537	Yes	yes
21K0905	Soil	11/29/2021	MW-5, MW-6	VOCs 8260, SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082	No	No
21K0974	Rinsate	11/18/2021	Rinsate	VOCs	Yes	No
22C0009	Soil	2/28/2022	SB-1A (1), SB-1A (2), SB-2A (1), SB-3A (1), SB-3A (2), SB-3A (3), SB-4A (1), SB-4A (2), SB-4A (3), SB-5A (1), SB-5A (2), SB-5A (3), SB-6A (1), SB-6A (1D), SB-6A (2), SB-6A (3)	VOCs 8260	Yes	yes
22L1027	Soil	12/16/2022	RA-1 S-1	VOCs 8260 (Short list)	No	No
23B1374	Soil	2/24/2023	RA-1-A, RA-1-B, RA-1-C, RA-1-D, RA-1-E	VOCs 8260		
23B1192	Soil	2/22/2023	RA-2A, RA-2B, RA-2C, RA-2D, RA-2E, RA-2E DUP	VOCs 8260	Yes	No
23G1606	Soil	7/26/2023	SB-2A, SB-2B, SB-7A, SB-7B	VOCs 8260	No	No
23G1477	Soil	7/25/2023	SB-3A, SB-3B	VOCs 8260	No	No
23G1657	Soil	7/27/2023	SB-4A, SB-5A, SB-5A Dup	VOCs 8260	Yes	No
23G1800	Soil	7/31/2023	SB-6A, SB-6B	VOCs 8260	No	No
			SB-8A, SB-8A Dup, SB-9B, SB-10A, SB-10B	VOCs 8260.	Yes	No
23L1865	Soil	12/29/2023	SB-9A	VOCs 8260, 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 1633	Yes	No
23L1788	Soil	12/27/2023	SB-11A, SB-11B	VOCs 8260	No	No
23G1367	Soil	7/24/2023	SB-1A, SB-1B	VOCs 8260, SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 1633	No	No
			GROUNDWATER			
21K0972	GW	11/18/2021	MW-1, MW-2, MW-3, MW-4, MW-5, MW-6	VOCs 8260, SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 537	Yes	yes
23H0317	GW	8/3/2023	MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7/7D, MW-8/8D, MW-9/ 9 Dup, 9D, MW-10/10D, MW-12/12 Dup, MW-13/13D	VOCs 8260 (ALL Wells). MW-7/7D, 10/10D full list: SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 537	Yes	yes
24A1437	GW	1/25/2024	MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7/7D, MW-8/8D, MW-9/ 9D/ Dup, MW-10/10D, MW-12, MW-13/13D, MW-14, MW-15/ 15D, MW-16/ 16D, MW-17/17D	VOCs 8260 (all Wells); . MW-14 full list: SVOCs 8270, Pesticides 8081, TAL Metals, Mercury by 7473, PCBs 8082, PFAS 1633	No	yes
24G0928	GW	7/15/2024	MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7/7D, MW-8/8D, MW-9/ 9D	VOCs 8260	No	yes
24G1118	GW	7/16/2024	MW-10/10D, MW-12, MW-13/ 13D, MW-14, MW-15/15D, MW-16, MW-16 DUP, MW-16D, MW-17/17D	VOCs 8260	No	yes
21K0903	Waste PCE	11/17/2021	Cooking Pot Waste Container	VOCs 8260	No	No
			SUMP WATER			
22D0566	Sump water	4/11/2022	Sump	VOCS 8260 Short List	No	No
22H0066	Sump Water	8/1/2022	Sump 1, Sump 2, Sump 4	VOCS 8260 Full List	No	No
22L1142	Sump Water	12/20/2022	Influent	VOCS 8260 Full List	No	No
23E0030	Sump Water	4/28/2023	OS-2 Sump, OS-3 Sump	VOCS 8260 Full List	No	No
25B0826	Sump Water	2/12/2025	INFLUENT*	VOCS 8260 Full List	No	No
			CEILING TILES			
22J0656	Ceiling Tile	10/12/2022	Acoustic Ceiling Tile - Unit #1	TCLP VOCs 8260C/1311	No	No
10851	Ceiling Tile	11/8/2022	Acoustic Ceiling Tile - Unit #1	NYS-DOH-198.4	No	No
			SOIL VAPOR			
21K0978	Vapor / IA	11/18/2021	AI-1, AI-2, AI-3, AI-4, AI-5, AI-6, AI-7, AI-8, AI-9, AO-1, SG-1, SG-2, SG-3, SG-4, SG-5, SG-6 SG-7, SG-8, SG-9, SG-10, SG-11, SG-12, AO-1	TO-15	N/A	N/A
22G0311	Vapor / IA	7/7/2022	190 E Main SG-1, 190 E Main SG-2,	TO-15	N/A	N/A
22J0495	Vapor / IA	10/10/2022	SG-1 (Mt. Kisco Elem)	TO-15	N/A	N/A
23C1752	Vapor	3/29/2023	SG-5	TO-15	N/A	N/A
23H0020	Vapor/IA	7/31/2023	SV-1, SV-2, SV-3, SV-4, SV-5	TO-15	N/A	N/A
24A0015	Vapor/IA	12/29/2023	SG-4	TO-15	N/A	N/A
			INDOOR AIR			
			On-Site/ 200 E Main			
21K0978	Vapor / IA	11/18/2021	AI-1, AI-2, AI-3, AI-4, AI-5, AI-6, AI-7, AI-8, AI-9, AO-1	TO-15	N/A	N/A
21L0608	IA	12/9/2021	AI-1B, AI-2B, AI-3B, AI-4, AI-5, AI-6, AI-7, AI-8B, AI-9B	TO-15	N/A	N/A
22G0311	Vapor / IA	7/7/2022	190 E Main Basement IA, 190 E Main-First Floor-IA, 190 E Main-2nd Floor-IA, 10 Dakin-SG-1, 10 Dakin-First Floor-IA, Outdoor Air	TO-15	N/A	N/A
22H0069	IA	8/1/2022	Unit 1, AI-5B, Unit 3, Unit 4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
22J0662	IA	10/12/2022	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
23A1182	IA	1/24/2023	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A

Table 6 - List of Laboratory Analytical Reports

200 E Main Street, Mount Kisco, Westchester County, NY

BCP Site# C360183

Lab Report #	Media	Date	Samples	Analytes	FB	TB
23E0033	IA	4/28/2023	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
23F0573	IA	6/8/2023	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
23I0505	IA	9/8/2023	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
23L1251	IA	12/15/2023	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
24C1397	IA	3/20/2024	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
24G1107	IA	7/16/2024	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
24J1140	IA	10/15/2024	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
25B1578	IA	2/27/2025	Units 1-4, Pickup Every Stitch, Vacant 2nd Floor, Silver Spoon Catering, Reigning Cats and Dogs, Outdoor Air	TO-15	N/A	N/A
			188-190 E Main Street			
22K1302	IA	11/21/2022	Basement, 1st floor	TO-15	N/A	N/A
23I0502	IA	9/8/2023	Basement, 1st floor	TO-15	N/A	N/A
23I1037	IA	9/14/2023	2nd Floor Apt 2	TO-15	N/A	N/A
23L1247	IA	12/14/2023	Basement, 1st floor	TO-15	N/A	N/A
24C1453	IA	3/20/2024	Basement, 1st floor, 2nd floor Apt 2	TO-15	N/A	N/A
24G1108	IA	7/16/2024	Basement, 1st floor, 2nd floor Apt 2	TO-15	N/A	N/A
24J1139	IA	10/15/2024	Basement, 1st floor, 2nd floor Apt 2	TO-15	N/A	N/A
25C0022	IA	2/27/2025	Basement, 1st floor, 2nd floor Apt 2	TO-15	N/A	N/A
			192 E Main Street			
22D0571	IA	4/11/2022	Basement, Outdoor Air	TO-15	N/A	N/A
22E0918	IA	5/17/2022	Basement, Kyrios, Mariana's, Barber Zone, Apartment 2, Apartment 3, Outdoor Air	TO-15	N/A	N/A
22K1299	IA	11/21/2022	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2, Outdoor Air	TO-15	N/A	N/A
23C1754	IA	3/28/2023	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2, Apartment 3 Outdoor Air	TO-15	N/A	N/A
23I0504	IA	9/8/2023	Basement, Kyrios, Perla Nails, Apartment 2, Apartment 3 Outdoor Air	TO-15	N/A	N/A
23I1038	IA	9/14/2023	Apartment 2	TO-15	N/A	N/A
23K1489	IA	11/20/2023	Basement, Barber Zone	TO-15	N/A	N/A
23L1255	IA	12/14/2023	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2	TO-15	N/A	N/A
24C1456	IA	3/20/2024	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2	TO-15	N/A	N/A
24G1112	IA	7/16/2024	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2	TO-15	N/A	N/A
24I0098	IA	9/3/2024	Basement, Kyrios, Barber Zone, Apartment 2	TO-15	N/A	N/A
24J1137	IA	10/14/2024	Basement, Kyrios, Perla Nails, Barber Zone, 2nd Floor Hallway	TO-15	N/A	N/A
25C0023	IA	2/27/2025	Basement, Kyrios, Perla Nails, Barber Zone, Apartment 2, Apartment 3	TO-15	N/A	N/A
			10 Dakin Avenue			
22G0311	IA	7/7/2022	First Floor	TO-15	N/A	N/A
22K1296	IA	11/21/2022	First Floor	TO-15	N/A	N/A
23I0501	IA	9/8/2023	First Floor	TO-15	N/A	N/A
24K1923	IA	11/25/2024	First Floor	TO-15	N/A	N/A
			Mt Kisco Elem			
22J0495	Vapor / IA	10/10/2022	AO-1	TO-15	N/A	N/A
			OS-2			
23C1752	IA	3/29/2023	Basement	TO-15	N/A	N/A
23E0032	IA	4/28/2023	Basement, First Floor	TO-15	N/A	N/A
24E2057	IA	5/30/2024	Basement, First Floor	TO-15	N/A	N/A
			OS-3			
23C1752	IA	3/29/2023	AI-3/ OS-3	TO-15	N/A	N/A
23E0032	IA	4/28/2023	OS-3 Basement, OS-3 First Floor	TO-15	N/A	N/A
24K1918	IA	11/25/2024	OS-3 Basement, OS-3 First Floor	TO-15	N/A	N/A
			OS-4			
24A0015	IA	12/29/2023	IA-4	TO-15	N/A	N/A
			OS-5			
23C1752	IA	3/29/2023	AI-5, OS-5	TO-15	N/A	N/A
			OS-6			
23C1752	IA	3/29/2023	AI-6, OS-6	TO-15	N/A	N/A