

	Daily Activity Report			
	Former United Hospital Port Chester, NY			
	BCP No. C360202			
General Site Information				
Date:	Tuesday, April 30, 2024			
Weather:	Cloudy, 60°F			
Wind Direction/Speed:	East @ 7 mph			
AKRF Personnel on Site:	Steve Schmid			
AKRF Equipment on Site:	Handheld PID and Dust Monitor			
Visitors:	None			
Contractor Information				
Contracting Company	Key Personnel		Equipment	
Coastal Environmental Solutions (Well Driller)	Nick Turro		Geoprobe 7822DT, Air Rotary Tooling, Compressor, etc.	
Description and Location of Work Activities Performed				
<p>Coastal Environmental Solutions (Coastal) mobilized to the site to begin the installation of bedrock monitoring wells in accordance with the Supplemental Groundwater Investigation Work Plan (SGWIWP). Bedrock monitoring well RI-MW-01BR was installed in the northwestern portion of the site to a depth of approximately 20 feet below ground surface (bgs). During installation, bedrock was encountered at approximately 9 feet bgs and the first water bearing zone was documented at approximately 12 feet bgs. The well was constructed by setting 10 feet of 2-inch diameter, 0.02-slot PVC well screen across the observed water bearing zone in bedrock with riser pipe to grade, and included a sand pack extending 1 foot above the well screen, followed by 2 feet of bentonite above the sand pack and cement-bentonite grout to grade (with locking j-plug and flush-mount cover). The well was developed by pumping and surging to remove sediment/accumulated fines until the water ran clear, and will be further developed in accordance with the SGWIWP prior to sampling. The investigation derived waste generated during the well installation activities was containerized in DOT-approved 55-gallon drums for future off-site disposal at a permitted facility(ies).</p>				
Site Soil Disposal Tracking Information				
Destination Facility	Daily Trucks	Daily Approx. Cubic Yds.	Total Site Loads	Total Approximate Cubic Yards
Clean Earth of Carteret - Carteret, NJ	0	0	37	710
	Daily Export (CY)	0	Total Export (CY)	710
Imported Fill Tracking Information				
Origin Facility	Daily Trucks	Daily Approx. Cubic Yds.	Total Site Loads	Total Approximate Cubic Yards
Tilcon West Nyack Quarry - West Nyack, NY (ITEM #4)	0	0	137	3,125
Tilcon West Nyack Quarry - West Nyack, NY (NY2/ASTM #5 - 3/4" Stone)	0	0	5	120
	Daily Import (CY)	0	Total Import (CY)	3,245
CAMP Information	Roving Equipment	Comments / Notes / Etc.		
Odors:	None Observed	None		
VOC Action Level Exceedance(s) Above Background:	No	None		
Particulate Action Level Exceedance(s) Above Background:	No	None		
Additional Information				
Planned Work Activity for Following Day(s):	Continue installation of bedrock monitoring wells in accordance with the SGWIWP.			
Comments:	None			

Site Photographs

Photograph 1 -
Geoprobe 7822DT in
position for the
installation of
bedrock well RI-MW-
01BR in the
northwestern portion
of the site.



Photograph 2 -
Construction of
monitoring well RI-
MW-01BR.



Photograph 3 -
Initial development of
monitoring well RI-
MW-01BR.



WORK AREA LOCATION MAP



Roving CAMP Log

AKRF, Inc.			Air Monitoring Log		
Project: Former United Hospital			Client: Rose Associates		Date: 4/30/24
Work Activity: Drilling for bedrock well installation				Logged By: S. Schmidt	
				Job No: 200057	
Weather: ~60F Cloudy			Wind Direction: E		Wind Speed: 7 mph
TIME	LOCATION	PID (ppm)	DUST (mg/m ³)	ODORS	COMMENTS (activity; work zone, upwind or downwind)
705	UW	0.0	0.038	None	BACKGROUND
735	DW	0.0	0.047	None	prep
805	WZ	0.0	0.049	None	bedrock drilling
835	UW	0.0	0.036	None	↓
905	DW	0.0	0.044	None	↓
935	WZ	0.0	0.051	None	↓
1005	UW	0.0	0.041	None	↓
1035	DW	0.0	0.047	None	↓
1105	WZ	0.0	0.044	None	↓
1135	UW	0.0	0.031	None	↓
1205	DW	0.0	0.037	None	↓
1235	WZ	0.0	0.050	None	↓
1305	UW	0.0	0.028	None	well install / done
1335	DW	0.0	0.035	None	↓
1405	WZ	0.0	0.039	None	↓
1435	UW	0.0	0.033	None	↓
SS					

Work Zone Action Levels	
PID	DUST
<5 ppm: Level D	<0.150 mg/m ³ above background in breathing zone; level D
Between 5 ppm and 50 ppm: level C	
>50 ppm: STOP	>0.150 mg/m ³ above background in breathing zone; Dust suppression

Community (Perimeter) Action Levels	
PID	DUST
>5 ppm above background: vapor suppression	>0.1 mg/m ³ above background: dust suppression
>25 ppm above background: STOP	>0.15 mg/m ³ above background: STOP