Phase I Environmental Audit

at

90-96 Westchester Avenue
White Plains, New York 10601



Prepared for:

Saber White Plains LLC
80 Business Park Drive, Suite 100
Armonk, New York 10504

Prepared by:

D.V.D. Environmental, Inc.

PO Box 2152, Cliffside Park, New Jersey 07010

Phone:212 260 9818 Fax: 201 941 8739 www.dvdenvironmental.com



EXECUTIVE SUMMARY

This report presents the findings of the Phase I Environmental Assessment (EA) of the property (the “site’) located at 90-96 Westchester Avenue, White Plains, New York performed by DVD Environmental, Inc. (DVD).

This EA was prepared for the prospective owner, Saber White Plains, LLC at their request, in accordance with the ASTM *Standard Practice for Phase I Environmental Site Assessments for Commercial Real Estate (E1527-00).* The findings and conclusions of the ESA Report are certified to Manufacturers and Traders Trust Company, M&T Real Estate Trust, their respective affiliates and subsidiaries and all successors and assigns thereof.

This report was prepared in accordance with the signed Master Agreement with M&T Bank.

The site is an approximately a .15 acre parcel of land with retail stores and a rear yard which is connected to 80 Westchester Avenue. The property is currently occupied by 4 retail tenants; a window store, a restaurant, a bead store and a tailor. There is one unoccupied space. The 5 retail spaces share 3 basements. One basement is used by the window store one is used by the restaurant and a smaller basement is used by the tailor shop. The building is a one level structure with all HVAC in the basement boiler rooms or on the roof. The water supply is from municipal sources.

DVD has performed this EA in accordance with the ASTM *Standard Practice for Phase I Environmental Site Assessments for Commercial Real Estate (E1527-00).* This assessment has revealed evidence of the following recognized environmental conditions (RECs) in connection with the property: Asbestos containing materials in the basement roof tar and rear yard, a 550 gallon oil tank in the rear of the building and potential contamination from spills reported at the adjacent auto dealership.

The property is located on the North side of Westchester Avenue in White Plains, New York. which has been used as retail and contractor spaces since the 1940s. The adjacent property has been used as an auto dealership since the 1930s. The searches performed show several environmental concerns within 1/8 mile of the subject property.

Sanborn Maps show that this area has been in use since 1905 and that it has been commercial space since the 1930s.

TABLE OF CONTENTS

1.0	**INTRODUCTION**	**2**
2.0	**SITE DESCRIPTION**	**2**
3.0	**RECORDS REVIEW**	**3**
4.0	**SITE RECONNAISSANCE AND INTERVIEWS**	**10**
5.0	**SUMMARY**	**12**
6.0	**LIMITATIONS**	**12**
7.0	**REFERENCES**	**13**
8.0	**FIGURES**	**14**

Figure 1 – Site Maps

9.0 APPENDICES

Appendix A – Photographs
Appendix B – EDR Database Report
Appendix C – Aerial Photographs
Appendix D – Sanborn Maps
Appendix E – Health Department, FOIA and Right to Know Info
Appendix F - Water Quality Report
Appendix G- City Abstract and Environmental Lien Search

1.0 INTRODUCTION

DVD Environmental, Inc. (DVD) has performed a Phase I Environmental Assessment (EA) of the property (the "site') located at 90-96 Westchester Avenue, White Plains, New York (Figure 1) in accordance with the American Society of Testing and Materials (ASTM) *Standard Practice for Phase Environmental Site Assessments for Commercial Real Estate* (E-1527, ASTM Standard). The following report documents the activities performed, and the findings of, the EA.

At the request of prospective owner, Saber White Plains, LLC; DVD has performed an EA of the above referenced property. The EA has been prepared in accordance with the "due diligence" regulations of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and Section 9601 (35)(b) of the Superfund Amendment and Reauthorization Act (SARA), which requires that "all appropriate inquiry" by made in to the presence or potential presence of hazardous substances or petroleum products on the subject property under conditions that indicate an existing release, past release, or material threat of release on the property or into the ground, groundwater, or surface water of the property.

Mr. Timothy Donohoe of DVD performed the site reconnaissance on December 3, 2012 and was assisted by an agent of the prospective owner, Saber White Plains, LLC, who was interviewed and provided access to the site. All areas of 90-96 Westchester Avenue were inspected.

2.0 SITE DESCRIPTION

The site consists of .15 acre plot of land located within an area of White Plains, New York that is currently characterized by industrial, retail and commercial use to the North, South, East and West. The properties to the North and West consist of a closed auto dealership. The properties to the South and East are and commercial/ industrial properties including the Westchester Mall. There are several car dealerships to the west of the property and a restaurant and Avis car rental lot to the east. The target property includes approximately 250 feet of frontage along Westchester Avenue.

2.1 PHYSICAL SETTING

The site is located at 90-96 Westchester Avenue in the area of White Plains, New York County, New York (Figure 1). The coordinates of the site are: Latitude (North): 41.0326000 - 41° 1' 57.36'', Longitude (West): 73.7589000 - 73° 45' 32.04'' Elevation: 159 ft. above sea level.

The underlying bedrock within this region is from the Paleozoic era and is categorized as Stratified Sequence; it is located at a depth from 0 - > 10 Feet. Soils are variable. Urban land consists of areas where man has altered the soil during development such that 40 to 80% of the original soil has been altered (United States Department of Agriculture Soil Conservation Service). Slopes are approximately 2 to 5 percent upwards to the North and West and downwards towards the South and East. The soil materials are mostly gravelly – silt loam and are considered Class C soils which have slow infiltration rates and layers which impede downward movement of water. Based on review of area topography, groundwater would be expected to flow to the South East from the property.



2.2 STRUCTURES, ROADS, AND OTHER IMPROVEMENTS

The property contains a brick and wood retail building with 5 retail units. Except fotr the rear yard directly behind the property, all areas around the building are paved with concrete and asphalt. Surrounding areas are; paved roads, parking lots, retail buildings and an auto dealership.

2.3 CURRENT USE OF THE SITE AND ADJOINING PROPERTIES

The site is currently a retail building (strip mall). Properties adjoining the site are an auto dealership and a restaurant with a parking lot. There is a 100' x 30' parcel of undeveloped land directly behind the building.

3.0 RECORDS REVIEW

According to ASTM, standard Federal and State record sources must be reviewed to identify potential sites of environmental concern that are located within established search distances. The review of the standard environmental record sources was accomplished utilizing a computer database search report provided by Environmental Data Resources, Inc. (EDR). A copy of the EDR report is included as Appendix C. In general, it is difficult to conclude within the scope of an ASTM Phase I EA if the sites located within the ASTM search radii have the potential to, or are impacting the subject site. Additional investigation or review, which is beyond the scope of an ASTM Phase I EA, would be necessary to fully assess the impact, if any, of the sites have on the subject site. A description of the various databases reviewed and a summary of the review is provided below. The target property was not listed in any of the databases searched by EDR. No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS
Federal NPL site list
NPL National Priority List
Proposed NPL Proposed National Priority List Sites
NPL LIENS Federal Superfund Liens
Federal Delisted NPL site list
Delisted NPL National Priority List Deletions
Federal CERCLIS list
CERCLIS Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY Federal Facility Site Information listing
Federal CERCLIS NFRAP site List
CERC-NFRAP CERCLIS No Further Remedial Action Planned
Federal RCRA CORRACTS facilities list
CORRACTS Corrective Action Report
Federal RCRA non-CORRACTS TSD facilities list



RCRA-TSDF RCRA - Treatment, Storage and Disposal
Federal RCRA generators list
RCRA-LQG RCRA - Large Quantity Generators
Federal institutional controls / engineering controls registries
US ENG CONTROLS Engineering Controls Sites List
US INST CONTROL Sites with Institutional Controls
LUCIS Land Use Control Information System
Federal ERNS list
ERNS Emergency Response Notification System
State- and tribal - equivalent CERCLIS
SHWS Inactive Hazardous Waste Disposal Sites in New York State
VAPOR REOPENED Vapor Intrusion Legacy Site List
State and tribal leaking storage tank lists
INDIAN LUST Leaking Underground Storage Tanks on Indian Land
State and tribal registered storage tank lists
TANKS Storage Tank Faciliy Listing
CBS UST Chemical Bulk Storage Database
MOSF UST Major Oil Storage Facilities Database
MOSF AST Major Oil Storage Facilities Database
MOSF Major Oil Storage Facility Site Listing
INDIAN UST Underground Storage Tanks on Indian Land
FEMA UST Underground Storage Tank Listing
State and tribal institutional control / engineering control registries
ENG CONTROLS Registry of Engineering Controls
INST CONTROL Registry of Institutional Controls
RES DECL Restrictive Declarations Listing
State and tribal voluntary cleanup sites
VCP Voluntary Cleanup Agreements
INDIAN VCP Voluntary Cleanup Priority Listing
State and tribal Brownfields sites
ERP Environmental Restoration Program Listing
ADDITIONAL ENVIRONMENTAL RECORDS
Local Brownfield lists
US BROWNFIELDS A Listing of Brownfields Sites
Local Lists of Landfill / Solid Waste Disposal Sites
DEBRIS REGION 9 Torres Martinez Reservation Illegal Dump Site Locations
ODI Open Dump Inventory
SWTIRE Registered Waste Tire Storage & Facility List
SWRCY Registered Recycling Facility List
INDIAN ODI Report on the Status of Open Dumps on Indian Lands
Local Lists of Hazardous waste / Contaminated Sites
US CDL Clandestine Drug Labs
DEL SHWS Delisted Registry Sites
US HIST CDL National Clandestine Laboratory Register
Local Lists of Registered Storage Tanks
HIST UST Historical Petroleum Bulk Storage Database
HIST AST Historical Petroleum Bulk Storage Database

Local Land Records
LIENS 2 CERCLA Lien Information
LIENS Spill Liens Information
Records of Emergency Release Reports
HMIRS Hazardous Materials Information Reporting System
Other Ascertainable Records
DOT OPS Incident and Accident Data

3.1 SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases. Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

3.1.1 Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. A review of the RCRA-SQG list, as provided by EDR, and dated 09/11/2012 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

SEPHORA #326 125 WESTCHESTER AVE - S ESE 0 - 1/8 (0.006 mi.) A3 13

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg ofacutely hazardous waste per month. A review of the RCRA-CESQG list, as provided by EDR, and dated 09/11/2012 has revealed that there are 6 RCRA-CESQG sites within approximately 0.25 miles of the target property. Five of these appear on several databases. Key Ford and Fromex are on adjoining properties.

KEY FORD OF WHITE PLAINS 80 WESTCHESTER AVE W 0 - 1/8 (0.034 mi.)
FROMEX 125 WESTCHESTER AVE ESE 0 - 1/8 (0.006 mi.)

3.1.2 State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list. A review of the SWF/LF list, as provided by EDR, and dated 10/10/2012 has revealed that there are 2 SWF/LF sites within approximately 0.5 miles of the target property.

3.1.3 State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills A review of the LTANKS list, as provided by EDR, and dated 08/20/2012 has revealed that there are 105 LTANKS sites within approximately 0.5 miles of the target property. All LTANKS listed are listed as closed. Key Ford and Franklin Apartments are on adjoining properties.

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database A review of the UST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 30 UST sites within approximately 0.25 miles of the target property.

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database. A review of the AST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 18 AST sites within approximately 0.25 miles of the target property.

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.
A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size A review of the CBS list, as provided by EDR, and dated 10/02/2012 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.



3.1.3 State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List A review of the BROWNFIELDS list, as provided by EDR, and dated 10/03/2012 has revealed that there is 1 BROWNFIELDS site within approximately 0.5 miles of the target property.

3.1.4 Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following:
Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date. A review of the NY Spills list, as provided by EDR, and dated 08/20/2012 has revealed that there are 11 NY Spills sites within approximately 0.125 miles of the target property.

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 10 NY Hist Spills sites within approximately 0.125 miles of the target property.

3.1.5 Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste. A review of the RCRA-NonGen list, as provided by EDR, and dated 09/11/2012 has revealed that there are 23 RCRA-NonGen sites within approximately 0.25 miles of the target property.

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility. A review of the MANIFEST list, as provided by EDR, and dated 08/01/2012 has revealed that there are 20 MANIFEST sites within approximately 0.25 miles of the target property.

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 85 HIST LTANKS sites within approximately 0.5



miles of the target property. Key Ford and Franklin Apartments both list leaks within 1/8th of a mile of the property.

3.1.6 EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination. A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.

WHITE PLAINS MGP SITE 9 NEW STREET AND 12 WAT W 1/2 - 1 (0.712 mi.)

3.1.7 Orphan Sites

There are 20 records found on the EDR database which could not be located or mapped due to poor or inadequate address information, the following sites were not mapped.

NEW YORK TELEPHONE MANIFEST
WESTCHESTER CTY DPW BIN 3348490 FINDS,RCRA-NLR,MANIFEST
GENERAL ELECTRIC CO - CORP AIR TRA FINDS,RCRA-NLR,MANIFEST
WESTCHESTER CO DPW FINDS,MANIFEST,RCRA-NLR
WESTCHESTER COUNTY FINDS,RCRA-NLR,MANIFEST
WAYFARER KETCH CORPORATION FINDS,MANIFEST,RCRA-CESQG
JOSEPH E SEAGRAM & SONS RCRA-SQG,MANIFEST,MANIFEST,FINDS
PACIFIC AIRMOTIVE CERCLIS-NFRAP
HARRISON ORGANIC YARD WASTE T. S. LF
TOWN/VILLAGE OF HARRISON UST
TOWN/VILLAGE OF HARRISON AST
CARE ENVIRONMENTAL CORP AT HARRISO RCRA-SQG
WESTPOINT PEPPERELL FINDS,RCRA-NLR
WESTCHESTER EXPRESS WAY SPILLS
AMOCO SPILLS,HIST SPILLS
EXIT 5 RAMP - ROADWAY SPILLS
STEW LEONARD'S TRUCK SPILLS
HIGHWAY SPILLS,HIST SPILLS
CROSS WESTCHESTER EXPWAY SPILLS
ROUTE 130 & UNION LANDING ROAD VCP



3.3 AERIAL PHOTOGRAPHS

Aerial photographs of the study area for the years 1954, 1964 , 1971, 1974, 1989, 1991, 1994 and 2006 were reviewed to determine prior land usage and identify historical recognized environmental conditions. Review of the photographs indicated that the subject property and adjoining properties have been developed since before 1954. The area has remained the same since that time. Appendix C includes copies of aerial photographs from the years listed.

3.4 SANBORN FIRE INSURANCE MAPS

A search of Sanborn Fire Insurance Maps (Sanborn Maps) was conducted, Sanborn maps for this parcel include; 1905, 1911, 1930, 1942, 1950, 1987, 1989, 1990, 1992, 1993, 1994, 1995, 2002, 2003 and 2004. See Appendix D of this report. The maps show that the space has been used as a commercial property since 1930 and had single residential or commercial buildings on the property prior to 1930. The Adjoining property has been a car dealership and garages since 1930. The area to the south, which is now the Westchester Mall was previously used as a train station and electrical substation. The Westchester Mall appears for the first time on the 1995 map. The Westchester was built on the site of the B. Altman & Co. store which opened in 1930, as well as the terminal for the New York, Westchester and Boston Railway White Plains branch. B. Altman's was located where Nordstrom is now situated. The mall was built adjacent to the (once) freestanding location of Neiman Marcus, which originally opened in 1972.

3.5 ADDITIONAL ENVIRONMENTAL RECORD SOURCES

The ASTM Standard also states that additional state and local records sources may be checked to attempt to supplement information obtained through review of standard environmental record sources. The additional records and sources consulted in conjunction with this ESA are listed below. Copies of correspondence to and from, any of these record sources is included in Appendix F. Any additional information received after the submission of this report will be forwarded under a separate cover

City of White Plains Department of Buildings – The department of buildings records were requested. Any information provided by the Buildings department will be appended to this report.

Westchester County Department of Health – The DOH was contacted via telephone to determine if any of the city agencies had records for the subject site. We have included a Community Health Profile from the Westchester County Department of Health in Appendix E of this report. Any pertinent information received from the DOH will be forwarded under a separate cover. White Plains falls in the middle of most statistics for the County of Westchester.

4.0 SITE RECONNAISSANCE AND INTERVIEWS

Mr. Timothy Donohoe of DVD performed the site reconnaissance and interviews with the Owner's representative on December 3, 2012. Information and observations gathered during this phase of the project are included in the following sections.

4.1 INTERVIEWS WITH SITE REPRESENTATIVES

A representative of the buyer was interviewed during the site inspection. No changes were made in the building since construction. The roof is over 20 years old and there are some leaks into the Bead Store from the roof.

4.2 HAZARDOUS SUBSTANCES AND AREAS OF CONCERN

One small oil tank was noted in the rear of the building. Oil lines from the tank run into the boiler in the basement of the window shop. No oil tanks or chemical storage was noted at the site. A summary of the hazardous substances, and suspected hazardous substances located at the site are summarized in Table 1.

TABLE 1
Summary of Hazardous Substances and Areas of Concern

Substance	Description	Notes / Recommendations
Asbestos	Asbestos Pipe insulation	Remove prior to demolition
Asbestos	Black tar pipe covering in rear yard	Remove prior to demolition
Asbestos	Flashing tar on roof	Remove prior to demolition
Oil Tank	550 Gallon oil tank in yard	Test for tightness. remove prior to demolition
Restaurant waste	Organic waste from pizza shop	Remove from site

4.3 UNIDENTIFIED HAZARDOUS SUBSTANCES AND PETROLEUM PRODUCTS

No drums or containers of unidentified hazardous substances or petroleum products were noted during the site inspection. Photos are included in the photo section.

4.4 UNDERGROUND STORAGE TANKS (USTS)

One UST and no oil spills were reported on the site. No evidence of the leaks from the UST or oil lines was observed during the inspection.

4.5 PITS AND SUMPS

No pits or sumps were observed.



4.6 INDICATIONS OF PCBS (POLYCHORINATED BIPHENYLS)

No evidence of leaking PCB containing equipment or dumping was noted during the site inspection. There are some fluorescent lights and ballasts which may contain PCB throughout the building. Prior use of the Westchester Mall site was a train station and electrical station. There may have been some oil spills prior to the removal of the electrical equipment in the 1960s. PCB spills from the train station are not likely to impact the site.

4.7 INDICATIONS OF SOLID WASTE DISPOSAL

The building is cleared of debris and garbage regularly. Solid waste (garbage) is collected from the site and removed daily. Some industrial supplies and cleaning supplies are stored in cabinets and closets but proper houskeeping and storage seems to be followed.

4.8 ASBESTOS CONTAINING MATERIALS (ACM)

During the site inspection PACMs were identified on the property. Asbestos containing materials should be removed prior to demolition of the building.

4.9 LEAD BASED PAINT

Since the building was constructed prior to 1972 it is possible that some paints are considered Lead Based Paints. All OSHA regulations should be followed when demolishing the building.

4.10 DRINKING WATER QUALITY

One hundred (100%) of the water delivered by the City of White Plains is purchased from The New York City Water Board through County Water District No. 1. The raw water purchased from New York City (NYC) is drawn from the Kensico Reservoir, which is an unfiltered surface water source. Kensico Reservoir delivers a high-quality water and has sufficient capacity to supply the City. The 2010 water quality report is included in Appendix E.

4.11 RADON

The Federal EPA Radon zone for Westchester County, NY is 3. The indoor average level for zone 3 areas is less than 2 pCi/L. No specific radon testing information was available for the subject property. Area radon information reviewed indicated that the site is an area classified as Zone 3 where the average indoor concentration of radon is less than 4 picocuries per liter (pCi/L). There were no radon concerns reported.

4.12 INDOOR AIR QUALITY

All the accessible spaces in the building were clean and proper housekeeping procedures were in place. No evidence of rodent or insect infestation was noted.

5.0 SUMMARY

Data collected for the EA does not show any impediments to the sites future use as a Commercial property. Asbestos and the 550 gallon oil tank and associated equipment should be removed prior to demolition of the property.

DVD has performed this EA in accordance with the ASTM Standard Practice for Phase I Environmental Site Assessments for Commercial Real Estate (E1527-00). Any exception to, or deletions from, these practices are described in Section 1.1 of this report. This assessment has revealed evidence of recognized environmental conditions in connection with the property. These conditions are noted and described in this report.

6.0 LIMITATIONS

This EA was limited to the review of available records, interviews with available on-site personnel and local officials, and an on-site inspection. The site inspection was limited to observation of exterior surficial conditions only. Such an inspection cannot be expected to reveal all hazardous materials or situations that might be present on-site; some hazardous materials or conditions may exist and not be detected because they are beyond the scope of this study. The investigation was conducted in a manner consistent with that level of care and skill exercised by environmental professionals currently practicing under similar conditions and was based on information made available to the representatives of DVD Environmental, Inc. All documents prepared or furnished by DVD Environmental, Inc. pursuant to this project are to be used in the context of the scope of services contracted. This document is not intended or represented to be suitable for reuse by the client or others on modifications of the project scope. This EA has been prepared for the use of the client and agents thereof. The reuse or release to other third parties with the expressed written permission of the consultant is prohibited.



PREPARED BY: _____

Timothy Donohoe

DATE: December 4, 2012



7.0 REFERENCES

American Society for Testing and Materials, ASTM Standard E-1527-00, *Standards for Environmental Site Assessments for Commercial Real Estate, 2000.*

Environmental Data Resources, Inc. *Radius Map Report, 90-96 Westchester Avenue, White Plains, New York*, October 12, 2005.

Stearns & Wheler Companies, Site investigation and Remedial Action Work Plan. January 2004.

8.0 Figures

Figure 1

Site Maps

90-96 Westchester Avenue White Plains New York



90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3471599.4
December 10, 2012

EDR Historical Topographic Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map



N	TARGET QUAD NAME: TARRYTOWN MAP YEAR: 1892 SERIES: 15 SCALE: 1:62500	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

Historical Topographic Map




N	TARGET QUAD NAME: TARRYTOWN MAP YEAR: 1902 SERIES: 15 SCALE: 1:62500	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

Historical Topographic Map




N	TARGET QUAD NAME: WHITE PLAINS MAP YEAR: 1938 SERIES: 7.5 SCALE: 1:31680	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

Historical Topographic Map




N	TARGET QUAD NAME: WHITE PLAINS MAP YEAR: 1943 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

Historical Topographic Map



WHITE PLAINS
Hartsdale
Fairview
Battle Hill Jr High Sch
Hartsdale Jr High Sch
Highview Sch
Sacred Heart Sch
Rochambeau Sch
Post Road Sch
Mamaroneck Ave Sch
St Bernards Sch
Eastview Ave Sch
Ferris Ave Sch
Church St Sch
Washington Sch
Greenacres Sch
White Plains High Sch
Good Counsel College
West Harrison
Silver Lake
Bloomingdale Pond
Hartsdale Lake
Scarsdale Country Club
Sch No 2
Sch No 3
N Y Sch for the Deaf
Knollwood Country Club
Metropolis Country Club
Gedney Field
Burke Foundation
New York Hospital
General Hospital
County Center
City Hall
Court House
Armory
Public Works
Fire Sta
Post Office
YMCA
YWCA
Cemetery
Pumping Sta
Standpipe
Microwave Tower
Bronx River
Hutchinson River Pkwy
Old Tarrytown Road
Central Park Ave
Westchester Ave
Broadway
Main St
Lexington Ave
Chatterton Parkway
Bryant Road
Sound View Ave
Post Road
Fisher Rd
Bloomingdale Rd
Mamaroneck Ave
Knollwood Golf
Fairview Golf Course
Camine Cem
Cem
No 2
243
Hillside Ave
Knollwood Park
Silver Lake Park
Harrison Park
Hall of Fame
Hutchinson River Pkwy. 2.3 Mi. to N.Y. 120
Hutchinson River Pkwy. 2.1 Mi.
Hutchinson River Pkwy. 2.3 Mi.
Bronx River
Sheldrake River
New York Westchester Bdy
West City Village Bdy
Walworth Ave
Park Hartsdale Ave
Central Ave
Post Road
Broadway
Main St
Lexington Ave
Chatterton Parkway
Bryant Road
Sound View Ave
Bloomingdale Rd
Mamaroneck Ave
Fisher Rd
Westchester Ave
Old Tarrytown Road
Hillside Ave
Central Park

Historical Topographic Map




N	TARGET QUAD NAME: WHITE PLAINS MAP YEAR: 1967 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

Historical Topographic Map



N	TARGET QUAD		SITE NAME:	90 - 96 Westchester Avenue	CLIENT: DVD Environmental
	NAME:	WHITE PLAINS	ADDRESS:	90-102 WESTCHESTER AVE	CONTACT: Tim Donohoe
	MAP YEAR:	1979		White Plains, NY 10601	INQUIRY#: 3471599.4
	PHOTOREVISED FROM :	1967	LAT/LONG:	41.0326 / -73.7589	RESEARCH DATE: 12/10/2012
	SERIES:	7.5			
	SCALE:	1:24000			

Historical Topographic Map



N	TARGET QUAD NAME: WHITE PLAINS MAP YEAR: 1994 SERIES: 7.5 SCALE: 1:24000	SITE NAME: 90 - 96 Westchester Avenue ADDRESS: 90-102 WESTCHESTER AVE White Plains, NY 10601 LAT/LONG: 41.0326 / -73.7589	CLIENT: DVD Environmental CONTACT: Tim Donohoe INQUIRY#: 3471599.4 RESEARCH DATE: 12/10/2012

9.0 Appendices
Appendix A

Photographs






Window Shop basement and boiler Room. Asbestos pipe in boiler and around perimeter.






Rear yard of property. Oil fill line visible









90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3465400.2s
December 06, 2012

The EDR Radius Map™ Report with GeoCheck®

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	705
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-13
Physical Setting Source Map Findings	A-15
Physical Setting Source Records Searched	A-32

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

COORDINATES

Latitude (North):	41.0326000 - 41° 1' 57.36''
Longitude (West):	73.7589000 - 73° 45' 32.04''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	604330.9
UTM Y (Meters):	4542906.0
Elevation:	159 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	41073-A7 WHITE PLAINS, NY
Most Recent Revision:	1994
East Map:	41073-A6 GLENVILLE, CT NY
Most Recent Revision:	1971

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	2009, 2010
Source:	USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL---------- National Priority List

EXECUTIVE SUMMARY

Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

CERCLIS ---------- Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY ---------- Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP ---------- CERCLIS No Further Remedial Action Planned

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG ---------- RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROL ---------- Sites with Institutional Controls
LUCIS ---------- Land Use Control Information System

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS ---------- Inactive Hazardous Waste Disposal Sites in New York State
VAPOR REOPENED ---------- Vapor Intrusion Legacy Site List

State and tribal leaking storage tank lists

INDIAN LUST ---------- Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

TANKS ---------- Storage Tank Faciliy Listing
CBS UST ---------- Chemical Bulk Storage Database
MOSF UST ---------- Major Oil Storage Facilities Database
MOSF AST ---------- Major Oil Storage Facilities Database
MOSF ---------- Major Oil Storage Facility Site Listing
INDIAN UST ---------- Underground Storage Tanks on Indian Land

FEMA UST ---- Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS ---- Registry of Engineering Controls
INST CONTROL ---- Registry of Institutional Controls
RES DECL ---- Restrictive Declarations Listing

State and tribal voluntary cleanup sites

VCP ---- Voluntary Cleanup Agreements
INDIAN VCP ---- Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

ERP ---- Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---- Open Dump Inventory
SWTIRE ---- Registered Waste Tire Storage & Facility List
SWRCY ---- Registered Recycling Facility List
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL ---- Clandestine Drug Labs
DEL SHWS ---- Delisted Registry Sites
US HIST CDL ---- National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

HIST UST ---- Historical Petroleum Bulk Storage Database
HIST AST ---- Historical Petroleum Bulk Storage Database

Local Land Records

LIENS 2 ---- CERCLA Lien Information
LIENS ---- Spill Liens Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System

Other Ascertainable Records

DOT OPS ---- Incident and Accident Data

EXECUTIVE SUMMARY

DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
MINES	Mines Master Index File
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS	Section 7 Tracking Systems
ICIS	Integrated Compliance Information System
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
RADINFO	Radiation Information Database
FINDS	Facility Index System/Facility Registry System
RAATS	RCRA Administrative Action Tracking System
HSWDS	Hazardous Substance Waste Disposal Site Inventory
UIC	Underground Injection Control Wells
DRYCLEANERS	Registered Drycleaners
NPDES	State Pollutant Discharge Elimination System
AIRS	Air Emissions Data
E DESIGNATION	E DESIGNATION SITE LISTING
INDIAN RESERV	Indian Reservations
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
EPA WATCH LIST	EPA WATCH LIST
US FIN ASSUR	Financial Assurance Information
PRP	Potentially Responsible Parties
PCB TRANSFORMER	PCB Transformer Registration Database
COAL ASH DOE	Steam-Electric Plant Operation Data
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
2020 COR ACTION	2020 Corrective Action Program List
FINANCIAL ASSURANCE	Financial Assurance Information Listing
COAL ASH	Coal Ash Disposal Site Listing

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 09/11/2012 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SEPHORA #326	***125 WESTCHESTER AVE - S***	***ESE 0 - 1/8 (0.006 mi.)***	***A3***	***13***

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 09/11/2012 has revealed that there are 6 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PLAINS	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***62***
WESTCHESTER ONE	44 S BROADWAY	SW 1/8 - 1/4 (0.194 mi.)	K74	273

Lower Elevation	Address	Direction / Distance	Map ID	Page
FROMEX	***125 WESTCHESTER AVE***	***ESE 0 - 1/8 (0.006 mi.)***	***A5***	***38***
WHITE PLAINS SCHOOL EASTVIEW	***7 AMHERST PL***	***N 0 - 1/8 (0.111 mi.)***	***D31***	***132***
180 S KENSICO AVE AUTO BODY IN	***96 S KENSICO AVE***	***NNE 1/8 - 1/4 (0.179 mi.)***	***J68***	***254***
CONSUMER CAR CARE INC	***112 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.206 mi.)***	***J83***	***287***

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 10/10/2012 has revealed that there are 2 SWF/LF sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CITY OF	***255 MAIN ST***	***W 1/4 - 1/2 (0.319 mi.)***	***Y147***	***428***

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER COUNTY BROCKWAY PL	71 BROCKWAY PLACE	NE 1/4 - 1/2 (0.308 mi.)	X139	408

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 08/20/2012 has revealed that there are 105 LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PLAINS	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***62***
Date Closed: 1/8/1987				
FRANKLIN APTS	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***127***
Date Closed: 8/19/1988				
3-5 FRANKLIN AVE	***3-5 FRANKLIN AVE.***	***WNW 1/8 - 1/4 (0.152 mi.)***	***G47***	***180***
Date Closed: 1/11/1989				
Date Closed: 2/5/1993				
DPW GARAGE	***140 SOUTH KENSICO AVE***	***NE 1/8 - 1/4 (0.152 mi.)***	***H49***	***187***
Date Closed: 11/23/1987				
M B TRUCKING	***12 WESTCHESTER AVE***	***WNW 1/8 - 1/4 (0.163 mi.)***	***G58***	***234***
CON ED HOLE # TM 2514	***MARTINE AVE WEST OF BDW***	***SW 1/8 - 1/4 (0.171 mi.)***	***K65***	***248***
Date Closed: 2/6/1989				
CROWN PLAZA HOTEL	66 HALE AVE	SSW 1/8 - 1/4 (0.197 mi.)	75	275
APARTMENT BUILDING	2-4 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.205 mi.)	L79	278
Date Closed: 4/24/2009				
RESIDENCE	***325 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L81***	***281***
Date Closed: 1/9/1998				
APT BUILDING	***300 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L84***	***294***
Date Closed: 7/19/1993				
Date Closed: 2/9/2000				
**Additional key fields are available in the Map Findings section*				
Not reported	***2 AMHERST PL***	***NNW 1/8 - 1/4 (0.213 mi.)***	***95***	***309***
Date Closed: 9/18/2001				
Not reported	***300 MARTINE AVE***	***W 1/8 - 1/4 (0.218 mi.)***	***O98***	***313***
Date Closed: 12/13/2002				
ES GORDON	***7-11 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.218 mi.)***	***P100***	***316***
Date Closed: 5/4/1994				
PRESIDENTIAL MANAGEMENT	***2 WESTCHESTER AVE.***	***WNW 1/8 - 1/4 (0.220 mi.)***	***M101***	***319***
Date Closed: 5/6/2004				
BART GOLDBERG APT. BLDG	***277 MARTINE AVE***	***W 1/8 - 1/4 (0.237 mi.)***	***O114***	***343***
Date Closed: 11/8/1990				
APARTMENT BUILDING	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.245 mi.)***	***P124***	***363***
Date Closed: 3/8/1989				
APARTMENT COMPLEX	***10 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.252 mi.)***	***M125***	***368***
Date Closed: 12/12/2003				
APT BUILDING	***16 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.270 mi.)***	***T127***	***374***
Date Closed: 12/12/2007				
Date Closed: 8/27/2005				
BROADLAWN APART.	***20 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.285 mi.)***	***T130***	***385***
Date Closed: 3/11/2002				
Date Closed: 6/8/2008				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MGH CO	***45 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.285 mi.)***	***U132***	***392***
Date Closed: 12/12/1995				
Date Closed: 1/11/2000				
TATE RESIDENCE	38-42 SOUTH KENSICO AVE	N 1/4 - 1/2 (0.285 mi.)	V133	396
Date Closed: 11/27/2004				
240 EAST POST RD	***240 EAST POST RD***	***SW 1/4 - 1/2 (0.287 mi.)***	***W134***	***397***
Date Closed: 12/15/1999				
APARTMENT BUILDING	40 MITCHELL PL	WSW 1/4 - 1/2 (0.295 mi.)	U135	400
Date Closed: 10/31/2003				
APARTMENT BLDG	37-43 MITCHELL PL	WSW 1/4 - 1/2 (0.301 mi.)	U137	405
Date Closed: 4/7/2003				
BARGAM HOME	36-38 MITCHELL PLACE	WSW 1/4 - 1/2 (0.304 mi.)	U138	407
Date Closed: 12/18/2005				
Not reported	***32 MITCHELL PL***	***WSW 1/4 - 1/2 (0.312 mi.)***	***U142***	***411***
Date Closed: 7/22/2002				
Date Closed: 12/24/1996				
**Additional key fields are available in the Map Findings section*				
NESTLWES CO.	***100 BLOOMINGDALE RD***	***S 1/4 - 1/2 (0.313 mi.)***	***143***	***416***
Date Closed: 4/5/1989				
APARTMENT BUILDING	193 EAST POST ROAD	SW 1/4 - 1/2 (0.318 mi.)	W145	426
Date Closed: 10/11/2005				
WHITE PLAINS CITY OF	***255 MAIN ST***	***W 1/4 - 1/2 (0.319 mi.)***	***Y147***	***428***
Date Closed: 3/14/1988				
OFFICE BUILDING	***15 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.320 mi.)***	***148***	***432***
Date Closed: 2/1/1996				
6 HADDEN AVENUE	***6 HADDEN AVENUE***	***N 1/4 - 1/2 (0.320 mi.)***	***V149***	***436***
Date Closed: 10/16/2000				
28 MITCHELL PLACE	***28 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.321 mi.)***	***U150***	***438***
Date Closed: 5/13/1999				
Date Closed: 11/14/2001				
Not reported	***8 HAYDEN AVE***	***N 1/4 - 1/2 (0.321 mi.)***	***V152***	***443***
Date Closed: 2/28/2006				
RESIDENCE	10 HADDEN AVE	N 1/4 - 1/2 (0.322 mi.)	V153	446
Date Closed: 2/3/2006				
Not reported	***25 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.326 mi.)***	***U154***	***447***
Date Closed: 10/8/1999				
Not reported	***23 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.330 mi.)***	***U155***	***450***
Date Closed: 12/20/1991				
POLE #W6	***18 DEKALB AVE***	***SSW 1/4 - 1/2 (0.333 mi.)***	***Z156***	***453***
Date Closed: 10/4/2004				
Date Closed: 10/4/2004				
**Additional key fields are available in the Map Findings section*				
APT BUILDING	16 LAKE STREET	NNW 1/4 - 1/2 (0.334 mi.)	AA157	459
Date Closed: 6/23/2010				
JSD MANAGEMENT	***15 LAKE ST.***	***NNW 1/4 - 1/2 (0.334 mi.)***	***AA158***	***460***
Date Closed: 7/30/1992				
CONDO TOWER	***30 LAKE ST***	***NNW 1/4 - 1/2 (0.335 mi.)***	***AB160***	***464***
Date Closed: 4/14/2009				
Date Closed: 3/30/2011				
**Additional key fields are available in the Map Findings section*				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DEROSA Date Closed: 3/30/2004	***25 LAKE STREET***	***NNW 1/4 - 1/2 (0.337 mi.)***	***AB162***	***474***
PARK KNOLL Date Closed: 11/29/1989	***34 UNDERHILL AVE.***	***ENE 1/4 - 1/2 (0.339 mi.)***	***AC163***	***478***
TORELLI Date Closed: 2/2/2005	21 DEKALB AVE	SSW 1/4 - 1/2 (0.344 mi.)	Z164	481
WHITE PLAINS EXTRA MART Date Closed: 7/29/1992 Date Closed: 9/11/2005	***42 LAKE ST***	***NNW 1/4 - 1/2 (0.347 mi.)***	***AD165***	***482***
DEROSA BUILDERS Date Closed: 7/31/2008 Date Closed: 11/17/2006 **Additional key fields are available in the Map Findings section*	***7 LAKE STREET***	***NW 1/4 - 1/2 (0.350 mi.)***	***167***	***490***
RAAB CO. Date Closed: 3/3/1994 Date Closed: 2/11/1995	***48 LAKE STREET***	***N 1/4 - 1/2 (0.358 mi.)***	***AD168***	***494***
MITCHELL PLACE ASSOC. Date Closed: 10/2/1989	***10 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.358 mi.)***	***AE170***	***500***
GAS STATION Date Closed: 10/27/1998	***9 MITCHELL PL***	***WSW 1/4 - 1/2 (0.359 mi.)***	***AE171***	***502***
OFFICE BLDG Date Closed: 3/30/2004	***171 EAST POST RD***	***SW 1/4 - 1/2 (0.365 mi.)***	***AF172***	***506***
HALPERN ENTERPRISES Date Closed: 4/30/2005	***170 EAST POST ROAD***	***SW 1/4 - 1/2 (0.367 mi.)***	***AF173***	***509***
STORE AT Date Closed: 3/1/2007	***41 LAKE ST***	***N 1/4 - 1/2 (0.369 mi.)***	***AG174***	***511***
ALL PHASE CONSRUCTION Date Closed: 8/13/2007	56 UNDERHILL AV	ENE 1/4 - 1/2 (0.371 mi.)	AC175	515
GETTY SERVICE STATION #74 Date Closed: 10/22/1992 Date Closed: 6/8/2004	***43 LAKE STREET***	***N 1/4 - 1/2 (0.375 mi.)***	***AG176***	***517***
AMERICAN TELEPHONE & TELEGRAPH Date Closed: 7/22/1996	***400 HAMILTON AVENUE***	***WNW 1/4 - 1/2 (0.377 mi.)***	***177***	***529***
NICKY'S RESTAURANT Date Closed: 5/3/1989	***107 MAMARONECK AVE.***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH178***	***536***
PIRRO, MONSELL REALTY Date Closed: 2/2/1988	***40 WALLER AVE***	***SW 1/4 - 1/2 (0.385 mi.)***	***179***	***538***
DEVON PLAZA REALITY Date Closed: 12/29/1995	***109 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH180***	***541***
SILVERMAN REALITY Date Closed: 1/22/2003	***110 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.390 mi.)***	***AE182***	***551***
PER-BAR Date Closed: 1/18/1989	***124 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.395 mi.)***	***AF183***	***553***
MILLER CENTER FOR NURSING Date Closed: 8/30/1988	***37 DEKALD AVE.***	***SSW 1/4 - 1/2 (0.395 mi.)***	***184***	***556***
COMMERCIAL PROERTY Date Closed: 11/3/2006	151 EAST POST ROAD	SW 1/4 - 1/2 (0.402 mi.)	AF185	558

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OFFICE BUILDING Date Closed: 3/5/1997 Date Closed: 4/22/2004	14 MAMARONECK AVE	W 1/4 - 1/2 (0.402 mi.)	AI186	560
Not reported Date Closed: 11/5/2009	***44 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.408 mi.)***	***AJ188***	***564***
165 MAMARONECK AVE Date Closed: 6/22/2007 Date Closed: 6/22/2007 **Additional key fields are available in the Map Findings section*	165 MAMARONECK AVENUE	SW 1/4 - 1/2 (0.411 mi.)	AK189	569
KEMPLER RESIDENCE Date Closed: 8/25/2003	169 MAMARONECK AVE	SW 1/4 - 1/2 (0.414 mi.)	AK191	579
MINSKOFF CORP. Date Closed: 5/15/1992	***179 MARTINE AVE***	***WSW 1/4 - 1/2 (0.416 mi.)***	***AL192***	***580***
Not reported Date Closed: 9/3/2003	203 MAIN ST	W 1/4 - 1/2 (0.419 mi.)	AI193	583
JOHN DALE INC Date Closed: 12/1/1998	***178 MAMORENECK AVE***	***SW 1/4 - 1/2 (0.421 mi.)***	***AK194***	***584***
RENEE COLON Date Closed: 5/13/1993	***10 ROSS STREET***	***NNW 1/4 - 1/2 (0.429 mi.)***	***195***	***587***
UNKNOWN Date Closed: 1/23/1995 Date Closed: 1/19/1995	***55 LAKE STREET***	***N 1/4 - 1/2 (0.430 mi.)***	***AM196***	***592***
PRESBYTERIAN CHURCH Date Closed: 3/4/1988	***39 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.434 mi.)***	***AJ198***	***599***
PARK KNOLL Date Closed: 11/29/1989	***88 UNDERHILL AVE***	***ENE 1/4 - 1/2 (0.434 mi.)***	***199***	***603***
SAL'S AUTO BODY Date Closed: 8/15/2012 Date Closed: 8/15/2012 **Additional key fields are available in the Map Findings section*	***59 LAKE ST***	***N 1/4 - 1/2 (0.440 mi.)***	***AM200***	***606***
OFFICE BLDG	***203 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.440 mi.)***	***AN201***	***620***
50 N. BWAY. OWNERS INC. Date Closed: 6/29/1994	***50 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.446 mi.)***	***AJ203***	***626***
INNS OF COURT Date Closed: 2/28/2006	***99 COURT ST***	***WSW 1/4 - 1/2 (0.447 mi.)***	***204***	***630***
THE MICHICALLIAN OFFICE Date Closed: 11/18/1993	***MARTINE AVE. & COURT ST***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL205***	***633***
INTERSECTION OF COURT ST. Date Closed: 11/29/1989	***COURT ST. & MARITINE AV***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL206***	***635***
WHITE PLAINS-FIRE HOUSE 6 Date Closed: 1/5/1989	***MAMARONECK & MAPLE AVE***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN207***	***638***
WHITE PLAINS DPW Date Closed: 3/10/1992	***MAPLE & MAMARONECK AVE***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN208***	***640***
MICHAEL E LAND OFFICE BLD Date Closed: 9/26/2005 Date Closed: 1/14/2002 **Additional key fields are available in the Map Findings section*	***148 MARTINE AVE***	***WSW 1/4 - 1/2 (0.455 mi.)***	***AL209***	***643***
41 BARKER AVE. Date Closed: 3/4/2010	***41 BARKER AVE.***	***WNW 1/4 - 1/2 (0.466 mi.)***	***AO210***	***651***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RESIDENCE Date Closed: 11/10/1997	***185- 187 MAIN ST***	***W 1/4 - 1/2 (0.468 mi.)***	***AP211***	***655***
SILVERMAN REALTY Date Closed: 3/30/2012 Date Closed: 1/10/2005	***235 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.470 mi.)***	***AQ212***	***658***
APARTMENT BLDG Date Closed: 1/31/2001	***40 BARKER AVE***	***WNW 1/4 - 1/2 (0.473 mi.)***	***AO213***	***661***
Not reported Date Closed: 3/23/1999	***12-14 WOODCREST AVE***	***N 1/4 - 1/2 (0.476 mi.)***	***AR214***	***664***
POLICE Date Closed: 11/29/1989	***279 HAMILTON***	***W 1/4 - 1/2 (0.477 mi.)***	***215***	***667***
Not reported Date Closed: 6/24/2003	16 WOODCREST AVE	N 1/4 - 1/2 (0.480 mi.)	AR217	672
BLOOMINGDALES Date Closed: 8/3/1988	***170 BLOOMINGDALE AVE***	***S 1/4 - 1/2 (0.481 mi.)***	***AS218***	***673***
COACHMAN HOTEL Date Closed: 9/24/1993	***123 EAST POST ROAD***	***SW 1/4 - 1/2 (0.483 mi.)***	***219***	***690***
GOOD COUNCIL CONVENT Date Closed: 3/21/2006 Date Closed: 12/2/1988	52 NORTH BROADWAY	NW 1/4 - 1/2 (0.488 mi.)	AT220	693
VINTAGE RESTAURANT Date Closed: 9/26/2008 Date Closed: 9/26/2008	171-173 MAIN STREET	W 1/4 - 1/2 (0.489 mi.)	AP222	697
Not reported Date Closed: 5/6/2004	28 MACRI AVE	ENE 1/4 - 1/2 (0.495 mi.)	223	700
YMCA Date Closed: 3/23/2002	***260 MAMARONECK AVE***	***SSW 1/4 - 1/2 (0.497 mi.)***	***AQ224***	***701***

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER SHOPPING CENT Date Closed: 1/20/1995	***WEST AVE.& PAWLING ST.***	***E 0 - 1/8 (0.016 mi.)***	***A6***	***57***
EXXON S/S KENSECO AVE. Date Closed: 7/1/1998 Date Closed: 7/1/1998 **Additional key fields are available in the Map Findings section*	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***109***
EXXON MOBIL Date Closed: 6/6/1986	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F34***	***152***
Not reported Date Closed: 3/23/2004	155-157 KENSICO AVE	ENE 1/8 - 1/4 (0.144 mi.)	F42	173
NEW YORK BLOOD CENTER - CLINIC Date Closed: 6/2/1999 Date Closed: 6/24/2009	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***
NEXT TO Date Closed: 9/16/2008	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S121***	***358***
BLDG Date Closed: 12/12/2000	***43-73 BROCKWAY PL***	***NE 1/4 - 1/2 (0.261 mi.)***	***S126***	***371***
COMMERCIAL Date Closed: 2/11/1995	***47 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.278 mi.)***	***S129***	***382***

Lower Elevation	Address	Direction / Distance	Map ID	Page
OREIRO RESIDENCE Date Closed: 2/9/1993	***425 MAIN STREET***	***NNE 1/4 - 1/2 (0.301 mi.)***	***V136***	***401***
WHITE PLAINS BUS CO Date Closed: 8/7/2006	***75 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.313 mi.)***	***X144***	***422***
CARPINETTO RESIDENCE Date Closed: 11/7/2002	34 UNDERHILL PL	NE 1/4 - 1/2 (0.445 mi.)	202	625

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 85 HIST LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PLAINS Date Closed: 01/08/87	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***62***
FRANKLIN APTS Date Closed: 08/19/88	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***127***
APT. BUILDING Date Closed: 02/05/93	3-5 FRANKLIN AVE.	WNW 1/8 - 1/4 (0.152 mi.)	G45	178
3-5 FRANKLIN AVE Date Closed: 01/11/89	***3-5 FRANKLIN AVE.***	***WNW 1/8 - 1/4 (0.152 mi.)***	***G47***	***180***
DPW GARAGE Date Closed: 11/23/87	***140 SOUTH KENSICO AVE***	***NE 1/8 - 1/4 (0.152 mi.)***	***H49***	***187***
CON ED HOLE # TM 2514 Date Closed: 02/06/89	***MARTINE AVE WEST OF BDW***	***SW 1/8 - 1/4 (0.171 mi.)***	***K65***	***248***
RESIDENCE Date Closed: 01/09/98	***325 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L81***	***281***
APT BUILDING Date Closed: 02/09/00	***300 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L84***	***294***
BRENTWOOD CONDOS Date Closed: 07/19/93	300 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L85	299
BRENT WOOD APTS Date Closed: 02/17/88	300 MAIN ST	NW 1/8 - 1/4 (0.206 mi.)	L86	300
Not reported Date Closed: / /	***2 AMHERST PL***	***NNW 1/8 - 1/4 (0.213 mi.)***	***95***	***309***
ES GORDON Date Closed: 05/04/94	***7-11 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.218 mi.)***	***P100***	***316***
PRESIDENTIAL MANAGEMENT Date Closed: / /	***2 WESTCHESTER AVE.***	***WNW 1/8 - 1/4 (0.220 mi.)***	***M101***	***319***
BART GOLDBERG APT. BLDG Date Closed: 11/08/90	***277 MARTINE AVE***	***W 1/8 - 1/4 (0.237 mi.)***	***O114***	***343***
LASALLE PARTNERS Date Closed: 03/08/89	1 NORTH BROADWAY	WNW 1/8 - 1/4 (0.245 mi.)	P123	362

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS BUS CO. Date Closed: / /	***75 BROADWAY PLACE***	***SW 1/4 - 1/2 (0.271 mi.)***	***128***	***380***
Not reported Date Closed: 01/11/00	45 MITCHELL PLACE	WSW 1/4 - 1/2 (0.285 mi.)	U131	391
MGH CO Date Closed: 12/12/95	***45 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.285 mi.)***	***U132***	***392***
240 EAST POST RD Date Closed: 12/15/99	***240 EAST POST RD***	***SW 1/4 - 1/2 (0.287 mi.)***	***W134***	***397***
APT COMPLEX Date Closed: 11/10/97	32 MITCHELL PL	WSW 1/4 - 1/2 (0.312 mi.)	U140	409
Not reported Date Closed: 12/24/96	32 MITCHELL PL	WSW 1/4 - 1/2 (0.312 mi.)	U141	410
Not reported Date Closed: / /	***32 MITCHELL PL***	***WSW 1/4 - 1/2 (0.312 mi.)***	***U142***	***411***
NESTLWES CO. Date Closed: 04/05/89	***100 BLOOMINGDALE RD***	***S 1/4 - 1/2 (0.313 mi.)***	***143***	***416***
CITY HALL Date Closed: 03/14/88	255 MAIN ST.	W 1/4 - 1/2 (0.319 mi.)	Y146	427
OFFICE BUILDING Date Closed: / /	***15 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.320 mi.)***	***148***	***432***
6 HADDEN AVENUE Date Closed: 10/16/00	***6 HADDEN AVENUE***	***N 1/4 - 1/2 (0.320 mi.)***	***V149***	***436***
28 MITCHELL PLACE Date Closed: / /	***28 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.321 mi.)***	***U150***	***438***
Not reported Date Closed: 05/13/99	28 MITCHELL PLACE	WSW 1/4 - 1/2 (0.321 mi.)	U151	442
Not reported Date Closed: / /	***8 HAYDEN AVE***	***N 1/4 - 1/2 (0.321 mi.)***	***V152***	***443***
Not reported Date Closed: 10/08/99	***25 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.326 mi.)***	***U154***	***447***
Not reported Date Closed: 12/20/91	***23 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.330 mi.)***	***U155***	***450***
JSD MANAGEMENT Date Closed: 07/30/92	***15 LAKE ST.***	***NNW 1/4 - 1/2 (0.334 mi.)***	***AA158***	***460***
BELTMORE TOWERS APTS. Date Closed: 07/27/88	30 LAKE ST.	NNW 1/4 - 1/2 (0.335 mi.)	AB159	463
RESIDENCE Date Closed: / /	30 LAKE STREET	NNW 1/4 - 1/2 (0.335 mi.)	AB161	473
DEROSA Date Closed: / /	***25 LAKE STREET***	***NNW 1/4 - 1/2 (0.337 mi.)***	***AB162***	***474***
PARK KNOLL Date Closed: 11/29/89	***34 UNDERHILL AVE.***	***ENE 1/4 - 1/2 (0.339 mi.)***	***AC163***	***478***
NATIONAL CAR RENTAL Date Closed: 07/29/92	42 LAKE STREET	NNW 1/4 - 1/2 (0.347 mi.)	AD166	488
RAAB CO. Date Closed: 03/03/94	***48 LAKE STREET***	***N 1/4 - 1/2 (0.358 mi.)***	***AD168***	***494***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
EMPTY WAREHOUSE Date Closed: 02/11/95	48 LAKE STREET	N 1/4 - 1/2 (0.358 mi.)	AD169	498
MITCHELL PLACE ASSOC. Date Closed: 10/02/89	***10 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.358 mi.)***	***AE170***	***500***
GAS STATION Date Closed: 10/27/98	***9 MITCHELL PL***	***WSW 1/4 - 1/2 (0.359 mi.)***	***AE171***	***502***
OFFICE BLDG Date Closed: / /	***171 EAST POST RD***	***SW 1/4 - 1/2 (0.365 mi.)***	***AF172***	***506***
HALPERN ENTERPRISES Date Closed: / /	***170 EAST POST ROAD***	***SW 1/4 - 1/2 (0.367 mi.)***	***AF173***	***509***
GETTY SERVICE STATION #74 Date Closed: / / Date Closed: 10/22/92	***43 LAKE STREET***	***N 1/4 - 1/2 (0.375 mi.)***	***AG176***	***517***
AMERICAN TELEPHONE & TELEGRAPH Date Closed: 07/22/96	***400 HAMILTON AVENUE***	***WNW 1/4 - 1/2 (0.377 mi.)***	***177***	***529***
NICKY'S RESTAURANT Date Closed: 05/03/89	***107 MAMARONECK AVE.***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH178***	***536***
PIRRO, MONSELL REALTY Date Closed: 02/02/88	***40 WALLER AVE***	***SW 1/4 - 1/2 (0.385 mi.)***	***179***	***538***
DEVON PLAZA REALITY Date Closed: 12/29/95	***109 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH180***	***541***
SILVERMAN REALITY Date Closed: / /	***110 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.390 mi.)***	***AE182***	***551***
PER-BAR Date Closed: 01/18/89	***124 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.395 mi.)***	***AF183***	***553***
MILLER CENTER FOR NURSING Date Closed: 08/30/88	***37 DEKALD AVE.***	***SSW 1/4 - 1/2 (0.395 mi.)***	***184***	***556***
OFFICE BUILDING Date Closed: 03/05/95	14 NANARONECK AVE	W 1/4 - 1/2 (0.402 mi.)	AI187	562
220 BATTLE AVE Date Closed: / /	***SAME***	***SW 1/4 - 1/2 (0.411 mi.)***	***AK190***	***574***
MINSKOFF CORP. Date Closed: 05/15/92	***179 MARTINE AVE***	***WSW 1/4 - 1/2 (0.416 mi.)***	***AL192***	***580***
JOHN DALE INC Date Closed: 12/01/98	***178 MAMORENECK AVE***	***SW 1/4 - 1/2 (0.421 mi.)***	***AK194***	***584***
RENEE COLON Date Closed: 05/13/93	***10 ROSS STREET***	***NNW 1/4 - 1/2 (0.429 mi.)***	***195***	***587***
AGROS S/S Date Closed: 01/19/95 Date Closed: 01/23/95	55 LAKE STREET	N 1/4 - 1/2 (0.430 mi.)	AM197	596
PRESBYTERIAN CHURCH Date Closed: 03/04/88	***39 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.434 mi.)***	***AJ198***	***599***
PARK KNOLL Date Closed: 11/29/89	***88 UNDERHILL AVE***	***ENE 1/4 - 1/2 (0.434 mi.)***	***199***	***603***
OFFICE BLDG Date Closed: / /	***203 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.440 mi.)***	***AN201***	***620***
50 N. BWAY. OWNERS INC. Date Closed: 06/29/94	***50 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.446 mi.)***	***AJ203***	***626***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
INNS OF COURT Date Closed: / /	***99 COURT ST***	***WSW 1/4 - 1/2 (0.447 mi.)***	***204***	***630***
THE MICHICALLIAN OFFICE Date Closed: 11/18/93	***MARTINE AVE. & COURT ST***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL205***	***633***
INTERSECTION OF COURT ST. Date Closed: 11/29/89	***COURT ST. & MARITINE AV***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL206***	***635***
WHITE PLAINS-FIRE HOUSE 6 Date Closed: 01/05/89	***MAMARONECK & MAPLE AVE***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN207***	***638***
WHITE PLAINS DPW Date Closed: 03/10/92	***MAPLE & MAMARONECK AVE***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN208***	***640***
RESIDENCE Date Closed: 11/10/97	***185- 187 MAIN ST***	***W 1/4 - 1/2 (0.468 mi.)***	***AP211***	***655***
APARTMENT BLDG Date Closed: 01/31/01	***40 BARKER AVE***	***WNW 1/4 - 1/2 (0.473 mi.)***	***AO213***	***661***
Not reported Date Closed: 03/23/99	***12-14 WOODCREST AVE***	***N 1/4 - 1/2 (0.476 mi.)***	***AR214***	***664***
POLICE Date Closed: 11/29/89	***279 HAMILTON***	***W 1/4 - 1/2 (0.477 mi.)***	***215***	***667***
BLOOMINGDALES Date Closed: 08/03/88	***175 BLOOMINGDALE ROAD***	***S 1/4 - 1/2 (0.480 mi.)***	***AS216***	***670***
COACHMAN HOTEL Date Closed: 09/24/93	***123 EAST POST ROAD***	***SW 1/4 - 1/2 (0.483 mi.)***	***219***	***690***
Not reported Date Closed: 12/02/88	52 N. BROADWAY	NW 1/4 - 1/2 (0.488 mi.)	AT221	695
YMCA Date Closed: / /	***260 MAMARONECK AVE***	***SSW 1/4 - 1/2 (0.497 mi.)***	***AQ224***	***701***

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER SHOPPING CENT Date Closed: 01/20/95	***WEST AVE.& PAWLING ST.***	***E 0 - 1/8 (0.016 mi.)***	***A6***	***57***
Not reported Date Closed: 06/06/86	174 WESTCHESTER AVE.	E 1/8 - 1/4 (0.127 mi.)	F35	156
EXXON GAS STATION Date Closed: 07/01/98	186 WESTCHESTER AVE.	E 1/8 - 1/4 (0.138 mi.)	F41	172
SEABURGH'S FROZEN FOODS Date Closed: / /	***200 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.152 mi.)***	***F44***	***175***
NEW YORK PRESBYTERIAN Date Closed: 06/02/99	21 BLOOMINGDALE ROAD	SSE 1/8 - 1/4 (0.159 mi.)	I55	201
NEW YORK BLOOD CENTER - CLINIC Date Closed: / /	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***
W.C. MAINT. GARAGE Date Closed: / /	BROCKWAY PLACE	ENE 1/8 - 1/4 (0.209 mi.)	91	305
BLDG Date Closed: 12/12/00	***43-73 BROCKWAY PL***	***NE 1/4 - 1/2 (0.261 mi.)***	***S126***	***371***
COMMERCIAL Date Closed: 02/11/95	***47 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.278 mi.)***	***S129***	***382***

Lower Elevation	Address	Direction / Distance	Map ID	Page
OREIRO RESIDENCE Date Closed: 02/09/93	***425 MAIN STREET***	***NNE 1/4 - 1/2 (0.301 mi.)***	***V136***	***401***
WHITE PLAINS BUS CO Date Closed: / /	***75 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.313 mi.)***	***X144***	***422***

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 30 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CHRYSLER JEEP DOD	***70 WESTCHESTER AVENUE***	***W 0 - 1/8 (0.039 mi.)***	***B13***	***81***
B. ALTMAN BUILDING	65 WESTCHESTER AVE	WSW 0 - 1/8 (0.062 mi.)	B14	86
FRANKLIN TOWERS	***25 FRANKLIN AVENUE***	***NW 0 - 1/8 (0.107 mi.)***	***E27***	***125***
WESTBROOK TENANTS CORP.	10 FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.136 mi.)	E40	171
HIGHWAY GARAGE	***140 SOUTH KENSICO AVENU***	***NE 1/8 - 1/4 (0.152 mi.)***	***H50***	***192***
COLIN SERVICE SYSTEM INC	1 BROCKWAY PLACE	NE 1/8 - 1/4 (0.155 mi.)	H51	197
ONE FRANKLIN OWNERS CORP.	ONE FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.157 mi.)	G52	198
12 WESTCHESTER TENANTS CORP.	12 WESTCHESTER AVENUE	WNW 1/8 - 1/4 (0.163 mi.)	G59	239
34 SOUTH BROADWAY	34 SOUTH BROADWAY	WSW 1/8 - 1/4 (0.181 mi.)	K70	262
2-4 WINDSOR TERRACE OWNERS, IN	2-4 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.205 mi.)	L78	277
325 MAIN STREET OWNERS CORP.	325 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L80	280
BRENTWOOD CONDOMINIUM	300 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L87	302
WHITE PLAINS ONE COMPANY, LLC	345 MAIN STREET	NNW 1/8 - 1/4 (0.209 mi.)	L92	307
EDWARD S. GORDON CO.	7-11 SOUTH BROADWAY	WNW 1/8 - 1/4 (0.218 mi.)	P99	316
2 NORTH BROADWAY ASSOCIATES, L	***2 NORTH BROADWAY***	***WNW 1/8 - 1/4 (0.222 mi.)***	***M102***	***323***
ALEXANDER'S INC	60 SOUTH BROADWAY	SW 1/8 - 1/4 (0.235 mi.)	R109	337
BROADMAR COMPANY, LLC	277 MARTINE AVENUE	W 1/8 - 1/4 (0.237 mi.)	O113	342
EMERICK GROSS REAL ESTATE L.P.	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.242 mi.)***	***P118***	***351***

Lower Elevation	Address	Direction / Distance	Map ID	Page
COLONIAL FUEL & FOOD	186 WESTCHESTER AVENUE	E 0 - 1/8 (0.078 mi.)	C23	117
THE BANK OF NEW YORK	158 WESTCHESTER AVE	E 0 - 1/8 (0.088 mi.)	C25	123
EASTVIEW SCHOOL	***7 AMHERST PLACE***	***N 0 - 1/8 (0.111 mi.)***	***D30***	***131***
MOBIL R/S #11617	174 WESTCHESTER AVE.	E 1/8 - 1/4 (0.127 mi.)	F37	158
NEW YORK PRESBYTERIAN HOSPITAL	***21 BLOOMINGDALE ROAD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I56***	***202***
OFFICE BUILDING	210 WESTCHESTER AVE.	E 1/8 - 1/4 (0.165 mi.)	F61	241
HARRISON COURT	220 - 230 WESTCHESTER A	E 1/8 - 1/4 (0.172 mi.)	F66	252
ALTA METAL FINISHING INC	126 OAKLEY AVENUE	NNE 1/8 - 1/4 (0.225 mi.)	N103	324
STORAGE DELUXE	80 SOUTH KENSICO AVENUE	NNE 1/8 - 1/4 (0.226 mi.)	Q104	325
ALTA METAL FINISHING INC	130 OAKLEY AVE	NNE 1/8 - 1/4 (0.231 mi.)	N107	335
MINERVA APARTMENTS, INC	16 MINERVA PLACE	NNE 1/8 - 1/4 (0.237 mi.)	Q112	342
CENTRAL COUNTY GARAGE	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S120***	***355***

EXECUTIVE SUMMARY

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 18 AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CHRYSLER JEEP DOD	***70 WESTCHESTER AVENUE***	***W 0 - 1/8 (0.039 mi.)***	***B13***	***81***
FRANKLIN TOWERS	***25 FRANKLIN AVENUE***	***NW 0 - 1/8 (0.107 mi.)***	***E27***	***125***
GRANADA ARMS CONDOMINIUM	30 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.147 mi.)	43	175
3-5 FRANKLIN OWNERS CORP.	3-5 FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.152 mi.)	G46	179
HIGHWAY GARAGE	***140 SOUTH KENSICO AVENU***	***NE 1/8 - 1/4 (0.152 mi.)***	***H50***	***192***
12 WESTCHESTER TENANTS CORP.	12 WESTCHESTER AVENUE	WNW 1/8 - 1/4 (0.163 mi.)	G60	240
THE WELLINGTON CONDO	312 MAIN STREET	NW 1/8 - 1/4 (0.204 mi.)	L76	276
BROAD PARKWAY OWNERS, INC.	1 BROAD PARKWAY	NW 1/8 - 1/4 (0.205 mi.)	L77	277
WHITE PLAINS ONE COMPANY, LLC	345 MAIN STREET	NNW 1/8 - 1/4 (0.209 mi.)	L93	307
BROAD PARK LODGE OWNERS	292 MAIN STREET	NW 1/8 - 1/4 (0.210 mi.)	M94	308
CAMEO HOUSE OWNERS, INC.	300 MARTINE AVENUE	W 1/8 - 1/4 (0.218 mi.)	O97	312
2 NORTH BROADWAY ASSOCIATES, L	***2 NORTH BROADWAY***	***WNW 1/8 - 1/4 (0.222 mi.)***	***M102***	***323***
EMERICK GROSS REAL ESTATE L.P.	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.242 mi.)***	***P118***	***351***

Lower Elevation	Address	Direction / Distance	Map ID	Page
EASTVIEW SCHOOL	***7 AMHERST PLACE***	***N 0 - 1/8 (0.111 mi.)***	***D30***	***131***
NEW YORK PRESBYTERIAN HOSPITAL	***21 BLOOMINGDALE ROAD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I56***	***202***
HARRISON COURT	222-230 WESTCHESTER AVE	E 1/8 - 1/4 (0.173 mi.)	F67	253
ATLANTIC AUTO MECHANIC, INC.	118 OAKLEY AVENUE	NNE 1/8 - 1/4 (0.214 mi.)	N96	311
CENTRAL COUNTY GARAGE	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S120***	***355***

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK BLOOD CENTER - CLINIC	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the CBS list, as provided by EDR, and dated 10/02/2012 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK BLOOD CENTER - CLINIC	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List

A review of the BROWNFIELDS list, as provided by EDR, and dated 10/03/2012 has revealed that there is 1 BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
COMMERCIAL SITE	***221 MAIN STREET***	***W 1/4 - 1/2 (0.386 mi.)***	***AI181***	***547***

ADDITIONAL ENVIRONMENTAL RECORDS

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 08/20/2012 has revealed that there are 11 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
IN THE STREET Date Closed: 5/16/2003 Date Closed: 11/30/2011	106 WESTCHESTER AVE	0 - 1/8 (0.000 mi.)	A1	8
WESTCHESTER CHRYSLER Date Closed: 9/20/2001 Date Closed: 2/1/1990 **Additional key fields are available in the Map Findings section*	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***92***
WESTCHESTER CHRYSLER PLYM Date Closed: 9/20/2001	***70 WESTCHESTER AVE.***	***W 0 - 1/8 (0.067 mi.)***	***B17***	***98***
Not reported Date Closed: 8/22/2000	***80 SOUTH KENSICO AVE***	***NE 0 - 1/8 (0.087 mi.)***	***24***	***121***
FRANKLIN APTS Date Closed: 10/3/2000	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***127***
WESTCEHSTER MALL Date Closed: 8/8/2000	***HIRAM ST/PAULDING ST***	***SW 0 - 1/8 (0.113 mi.)***	***32***	***147***

Lower Elevation	Address	Direction / Distance	Map ID	Page
TAPPANZEE BRIDGE Date Closed: 9/17/1999	***ROUTE 287 N***	***E 0 - 1/8 (0.001 mi.)***	***A2***	***10***
TRANSFORMER VAULT V6200 Date Closed: 8/10/2009	145 WESTCHESTER AVE	E 0 - 1/8 (0.031 mi.)	A7	60
BANK OF NEW YORK Date Closed: 11/19/2001	***150 WESTCHESTER AVE***	***E 0 - 1/8 (0.072 mi.)***	***C18***	***100***
EXXON S/S KENSECO AVE. Date Closed: 7/15/2004 Date Closed: 8/1/1990	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***109***

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER AVE.UTIL.TREN	***WEST AVE & KENSICO AVE***	***ENE 0 - 1/8 (0.116 mi.)***	***C33***	***150***
Date Closed: 7/18/1994				

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 10 NY Hist Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CRYTSLER PLM	70 WESTCHESTER AVE.	W 0 - 1/8 (0.039 mi.)	B11	79
WESTCHESTER CHRYSLER	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***92***
WESTCHESTER CHRYSLER PLYM	***70 WESTCHESTER AVE.***	***W 0 - 1/8 (0.067 mi.)***	***B17***	***98***
Not reported	***80 SOUTH KENSICO AVE***	***NE 0 - 1/8 (0.087 mi.)***	***24***	***121***
APARTMENT HOUSE	25 FRANKLIN AVE	NW 0 - 1/8 (0.107 mi.)	E28	126
WESTCEHSTER MALL	***HIRAM ST/PAULDING ST***	***SW 0 - 1/8 (0.113 mi.)***	***32***	***147***

Lower Elevation	Address	Direction / Distance	Map ID	Page
TAPPANZEE BRIDGE	***ROUTE 287 N***	***E 0 - 1/8 (0.001 mi.)***	***A2***	***10***
BANK OF NEW YORK	***150 WESTCHESTER AVE***	***E 0 - 1/8 (0.072 mi.)***	***C18***	***100***
EXXON S/S KENSECO AVE.	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***109***
WESTCHESTER AVE.UTIL.TREN	***WEST AVE & KENSICO AVE***	***ENE 0 - 1/8 (0.116 mi.)***	***C33***	***150***

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 09/11/2012 has revealed that there are 23 RCRA-NonGen sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CHRYSLER REALTY CORP	***70 WESTCHESTER AVE - RE***	***W 0 - 1/8 (0.039 mi.)***	***B10***	***76***
WHITE PLAINS CHRYSLER	***70 WESTCHESTER AVE***	***W 0 - 1/8 (0.039 mi.)***	***B12***	***80***
FASHION MALL - B ALTMANS	***65 WESTCHESTER AVE***	***WSW 0 - 1/8 (0.062 mi.)***	***B15***	***88***
CON EDISON MANHOLE	3 FRANKLIN AVE	WNW 1/8 - 1/4 (0.152 mi.)	G48	186
CON EDISON	FRANKLIN AVE & WESTCHES	W 1/8 - 1/4 (0.159 mi.)	G53	199
WHITE PLAINS CITY OF DPW GARAG	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J62***	***242***
WHITE PLAINS CITY OF DPW GARAG	111 S KENSICO AVE	NE 1/8 - 1/4 (0.166 mi.)	J63	244
CON ED AT DEPT OF PUBLIC WORKS	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J64***	***246***
CON EDISON MANHOLE 3558	BROADWAY & MARTIN AVE	W 1/8 - 1/4 (0.190 mi.)	G71	263
CON EDISON	WINDSOR TERR & MAIN ST	NNW 1/8 - 1/4 (0.206 mi.)	L88	303
CON EDISON	MAIN ST & BROAD PKWY	NW 1/8 - 1/4 (0.208 mi.)	L89	304

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON MANHOLE 3558	MAIN ST & BROAD PKWY	NW 1/8 - 1/4 (0.208 mi.)	L90	304
WESTCHESTER PAVILION THE	***60 S BROADWAY***	***SW 1/8 - 1/4 (0.235 mi.)***	***R110***	***338***
WHITE PLAINS CITY OF	***MARTINE AVE PUBLIC LIBR***	***W 1/8 - 1/4 (0.238 mi.)***	***O115***	***346***
EASTVIEW SCHOOL	350 MAIN ST	N 1/8 - 1/4 (0.244 mi.)	119	354
NEW YORK SPORTS CLUBS	***1 N BROADWAY***	***WNW 1/8 - 1/4 (0.245 mi.)***	***P122***	***360***

Lower Elevation	Address	Direction / Distance	Map ID	Page
COLONIAL REPAIR SHOP INC	***186 WESTCHESTER AVE***	***E 0 - 1/8 (0.078 mi.)***	***C19***	***103***
MOBIL OIL CORP SS N5B	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F38***	***162***
CON EDISON MANHOLE 4640	***WESTCHESTER AVENUE***	***E 1/8 - 1/4 (0.133 mi.)***	***F39***	***168***
NEW YORK BLOOD CENTER - CLINIC	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***
ELECTRO PLATING SERVICE INC	***127 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N105***	***325***
ALTA METAL FINISHING INC	***130 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.231 mi.)***	***N108***	***336***
BOBS AUTO BODY SHOP	***138 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.242 mi.)***	***N117***	***348***

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 08/01/2012 has revealed that there are 20 MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PLAINS	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***62***
CHRYSLER REALTY CORP	***70 WESTCHESTER AVE - RE***	***W 0 - 1/8 (0.039 mi.)***	***B10***	***76***
FASHION MALL - B ALTMANS	***65 WESTCHESTER AVE***	***WSW 0 - 1/8 (0.062 mi.)***	***B15***	***88***
WESTCHESTER CHRYSLER	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***92***
WHITE PLAINS CITY OF DPW GARAG	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J62***	***242***
CON ED AT DEPT OF PUBLIC WORKS	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J64***	***246***
WESTCHESTER PAVILION THE	***60 S BROADWAY***	***SW 1/8 - 1/4 (0.235 mi.)***	***R110***	***338***
CONSOLIDATED EDISON	MAIN ST & S. BROADWAY	WNW 1/8 - 1/4 (0.236 mi.)	P111	341

Lower Elevation	Address	Direction / Distance	Map ID	Page
FROMEX	***125 WESTCHESTER AVE***	***ESE 0 - 1/8 (0.006 mi.)***	***A5***	***38***
EXXON S/S KENSECO AVE.	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***109***
CONSOLIDATED EDISON	FRANKLIN & AMHERST	N 0 - 1/8 (0.101 mi.)	D26	124
WHITE PLAINS SCHOOL EASTVIEW	***7 AMHERST PL***	***N 0 - 1/8 (0.111 mi.)***	***D31***	***132***
MOBIL OIL CORP SS N5B	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F38***	***162***
CON EDISON MANHOLE 4640	***WESTCHESTER AVENUE***	***E 1/8 - 1/4 (0.133 mi.)***	***F39***	***168***
NEW YORK BLOOD CENTER - CLINIC	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***211***
180 S KENSICO AVE AUTO BODY IN	***96 S KENSICO AVE***	***NNE 1/8 - 1/4 (0.179 mi.)***	***J68***	***254***
CONSUMER CAR CARE INC	***112 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.206 mi.)***	***J83***	***287***
ELECTRO PLATING SERVICE INC	***127 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N105***	***325***
CON ED ELEC.VAULT	***127 OAKLEY AVE.***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N106***	***331***
BOBS AUTO BODY SHOP	***138 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.242 mi.)***	***N117***	***348***

EXECUTIVE SUMMARY

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.


Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS MGP SITE	9 NEW STREET AND 12 WAT	W 1/2 - 1 (0.712 mi.)	225	704

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

Site Name	Database(s)
NEW YORK TELEPHONE	MANIFEST
WESTCHESTER CTY DPW BIN 3348490	FINDS,RCRA-NLR,MANIFEST
GENERAL ELECTRIC CO - CORP AIR TRA	FINDS,RCRA-NLR,MANIFEST
WESTCHESTER CO DPW	FINDS,MANIFEST,RCRA-NLR
WESTCHESTER COUNTY	FINDS,RCRA-NLR,MANIFEST
WAYFARER KETCH CORPORATION	FINDS,MANIFEST,RCRA-CESQG
JOSEPH E SEAGRAM & SONS	RCRA-SQG,MANIFEST,MANIFEST,FINDS
PACIFIC AIRMOTIVE	CERCLIS-NFRAP
HARRISON ORGANIC YARD WASTE T. S.	LF
TOWN/VILLAGE OF HARRISON	UST
TOWN/VILLAGE OF HARRISON	AST
CARE ENVIRONMENTAL CORP AT HARRISO	RCRA-SQG
WESTPOINT PEPPERELL	FINDS,RCRA-NLR
WESTCHESTER EXPRESS WAY	SPILLS
AMOCO	SPILLS,HIST SPILLS
EXIT 5 RAMP - ROADWAY	SPILLS
STEW LEONARD'S TRUCK	SPILLS
HIGHWAY	SPILLS,HIST SPILLS
CROSS WESTCHESTER EXPWAY	SPILLS
ROUTE 130 & UNION LANDING ROAD	VCP

OVERVIEW MAP - 3465400.2s




- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 90 - 96 Westchester Avenue	CLIENT: DVD Environmental
ADDRESS: 90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT: Tim Donohoe
LAT/LONG: 41.0326 / 73.7589	INQUIRY #: 3465400.2s DATE: December 06, 2012 11:22 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

DETAIL MAP - 3465400.2s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
LAT/LONG:	41.0326 / 73.7589	INQUIRY #:	3465400.2s
		DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	1.000		0	0	0	0	NR	0
Federal CERCLIS NFRAP site List								
CERC-NFRAP	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	0	NR	NR	NR	1
RCRA-CESQG	0.250		3	3	NR	NR	NR	6
Federal institutional controls / engineering controls registries								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
SHWS	1.000		0	0	0	0	NR	0
VAPOR REOPENED	1.000		0	0	0	0	NR	0
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	2	NR	NR	2
State and tribal leaking storage tank lists								
LTANKS	0.500		4	18	83	NR	NR	105
HIST LTANKS	0.500		3	19	63	NR	NR	85
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
State and tribal registered storage tank lists								
TANKS	0.250		0	0	NR	NR	NR	0
UST	0.250		6	24	NR	NR	NR	30
CBS UST	0.250		0	0	NR	NR	NR	0
MOSF UST	0.500		0	0	0	NR	NR	0
AST	0.250		3	15	NR	NR	NR	18
CBS AST	0.250		0	1	NR	NR	NR	1
MOSF AST	0.500		0	0	0	NR	NR	0
MOSF	0.500		0	0	0	NR	NR	0
CBS	0.250		0	1	NR	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
RES DECL	0.125		0	NR	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
ERP	0.500		0	0	0	NR	NR	0
BROWNFIELDS	0.500		0	0	1	NR	NR	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
SWTIRE	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
HIST UST	0.250		0	0	NR	NR	NR	0
HIST AST	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LIENS	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		11	NR	NR	NR	NR	11
NY Hist Spills	0.125		10	NR	NR	NR	NR	10
Other Ascertainable Records								
RCRA-NonGen	0.250		4	19	NR	NR	NR	23
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
HSWDS	0.500		0	0	0	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
MANIFEST	0.250		13	19	NR	NR	NR	32
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
E DESIGNATION	0.125		0	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
FINANCIAL ASSURANCE	TP		NR	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
EDR PROPRIETARY RECORDS								
EDR Proprietary Records								
Manufactured Gas Plants	1.000		0	0	0	1	NR	1

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **IN THE STREET** **NY Spills** **S106014077**
106 WESTCHESTER AVE **N/A**
< 1/8 **WHITE PLAINS, NY**
1 ft.

Site 1 of 9 in cluster A

Relative:
Higher

Actual:
159 ft.

SPILLS:

Facility ID:	1108176
DER Facility ID:	84633
Facility Type:	ER
Site ID:	455894
DEC Region:	3
Spill Number:	1108176
Spill Date:	9/27/2011
Spill Cause:	Traffic Accident
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	11/30/2011
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	9/27/2011
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Police Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	9/28/2011
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/27/2011
Spill Record Last Update:	11/30/2011
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	LT. FULLER
Contact Phone:	(914) 422-6006
DEC Memo:	9/27/11 Spoke to Lt. Fuller. Car fire led to release of automotive fluids on street. According to Fuller, a small amount went down storm drain, and pads were placed in it. Spill on street has been cleaned up. Max spill 10-15 gal. Spoke to Carlos Torres-WCHD will check out site. dw11/30/11: Chris Lalak from WCDOH inspected this location after the FD had completed the clean up. He reports that this was a minor accident, actual amount of gasoline spilled was closer to 3-5 gallons. No further action is required. jod
Remarks:	Car fire resulted in the spilling of gas, some made it to a storm drain. Fire dept. has finished the clean up.

Material:

Site ID:	455894
Operable Unit ID:	1206042
Operable Unit:	01
Material ID:	2203055
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported

IN THE STREET (Continued) **S106014077**

Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	0301662
DER Facility ID:	84633
Facility Type:	ER
Site ID:	94536
DEC Region:	3
Spill Number:	0301662
Spill Date:	5/15/2003
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	5/16/2003
SWIS:	6017
Investigator:	dxtraver
Referred To:	Not reported
Reported to Dept:	5/15/2003
CID:	282
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Police Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	5/15/2003
Spill Record Last Update:	5/19/2003
Spiller Name:	SAME
Spiller Company:	UNKNOWN FOR NOW
Spiller Address:	SAME
Spiller City,St,Zip:	N/A, ZZ
Spiller Company:	001
Contact Name:	MR ZUMPANO
Contact Phone:	(914) 422-6111
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TRAVER"05/15/03: Fire department cleaned up. Material contained to pavement. No storm drains impacted. NFA required at this time.

IN THE STREET (Continued) **S106014077**

Remarks: fire dept is out with a gasoline spill.call police dept

Material:

Site ID:	94536
Operable Unit ID:	868217
Operable Unit:	01
Material ID:	506154
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

A2
East
< 1/8
0.001 mi.
7 ft.

Relative:
Lower

Actual:
158 ft.

TAPPANZEE BRIDGE
ROUTE 287 N
WHITE PLAINS, NY

NY Spills **S104508097**
NY Hist Spills **N/A**

Site 2 of 9 in cluster A

SPILLS:

Facility ID:	9907235
DER Facility ID:	196272
Facility Type:	ER
Site ID:	238339
DEC Region:	3
Spill Number:	9907235
Spill Date:	9/16/1999
Spill Cause:	Equipment Failure
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/17/1999
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	9/17/1999
CID:	246
Water Affected:	Not reported
Spill Source:	Commercial Vehicle

TAPPANZEE BRIDGE (Continued) **S104508097**

Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/17/1999
Spill Record Last Update:	1/26/2000
Spiller Name:	JEFF WARNER
Spiller Company:	RYDER INTEGRATED LOGISTIC
Spiller Address:	11407 CRONHILL DR
Spiller City,St,Zip:	OWINGS MILLS, MD
Spiller Company:	001
Contact Name:	JEFF WARNER
Contact Phone:	(410) 579-2503
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"
Remarks:	saddle tank broke away from truck depositing material onto roadwayfor 5 miles - nothing left to clean up - washed away by rainnys thruway authority investigator bill bender ph #914-524-0225

Material:

Site ID:	238339
Operable Unit ID:	1081526
Operable Unit:	01
Material ID:	299930
Material Code:	0008
Material Name:	Diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	75
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9907235
Investigator:	WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported

TAPPANZEE BRIDGE (Continued) **S104508097**

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 09/16/1999 23:00
Reported to Dept Date/Time: 09/17/99 00:12
SWIS: 55
Spiller Name: RYDER INTEGRATED LOGISTIC
Spiller Contact: JEFF WARNER
Spiller Phone: (410) 581-1800 394
Spiller Contact: JEFF WARNER
Spiller Phone: (410) 579-2503
Spiller Address: 11407 CRONHILL DR
Spiller City,St,Zip: OWINGS MILLS, MD
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/17/99
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/17/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/26/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 75
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported

TAPPANZEE BRIDGE (Continued) **S104508097**

Remark: saddle tank broke away from truck depositing material onto roadway for 5 miles - nothing left to clean up - washed away by rain nys thruway authority investigator bill bender ph 914-524-0225

A3 **SEPHORA #326** **RCRA-SQG** **1007112529**
ESE **125 WESTCHESTER AVE - SUITE 10** **MANIFEST** **NYR000117853**
< 1/8 **WHITE PLAINS, NY 10601**
0.006 mi.
32 ft. **Site 3 of 9 in cluster A**

Relative:
Lower

Actual:
158 ft.

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	SEPHORA #326
Facility address:	125 WESTCHESTER AVE - SUITE 10 WHITE PLAINS, NY 10601
EPA ID:	NYR000117853
Mailing address:	MARKET ST SAN FRANCISCO, CA 94105
Contact:	SANDI BAKER
Contact address:	MARKET ST SAN FRANCISCO, CA 94105
Contact country:	US
Contact telephone:	(415) 348-3488
Contact email:	Not reported
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	4676 FASHION MALL PARTNERS
Owner/operator address:	UNKNOWN UNKNOWN, NY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	12/31/1979
Owner/Op end date:	Not reported
Owner/operator name:	SEPHORA
Owner/operator address:	WESTCHESTER AVE SUITE 1001 WHITE PLAINS, NY 10601
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	10/14/2000
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No

SEPHORA #326 (Continued) **1007112529**

Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: SEPHORA #326
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 08/25/2003
Facility name: SEPHORA #326
Classification: Small Quantity Generator

Violation Status: No violations found

NJ MANIFEST:
Manifest Code: 001546733JJK
EPA ID: NYR000117853
Date Shipped: 09/21/2007
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJR000050617
Transporter 2 EPA ID: NJR000050617
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/21/2007
Date Trans2 Transported Waste: 09/28/2007
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 09/28/2007
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Generator EPA Facility Name: Not reported
Transporter-1 EPA Facility Name: Not reported
Transporter-2 EPA Facility Name: Not reported
Transporter-3 EPA Facility Name: Not reported
Transporter-4 EPA Facility Name: Not reported
Transporter-5 EPA Facility Name: Not reported

SEPHORA #326 (Continued) **1007112529**

TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H06

Manifest Code:	001546946JJK
EPA ID:	NYR000117853
Date Shipped:	07/14/2008
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/14/2008
Date Trans2 Transported Waste:	07/18/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/18/2008
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported

SEPHORA #326 (Continued) **1007112529**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2008 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H141

Manifest Code:	001546666JJK
EPA ID:	NYR000117853
Date Shipped:	04/12/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/12/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/18/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

SEPHORA #326 (Continued) **1007112529**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H14

Manifest Code:	001546861JJK
EPA ID:	NYR000117853
Date Shipped:	02/28/2008
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/28/2008
Date Trans2 Transported Waste:	03/06/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/06/2008
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported

SEPHORA #326 (Continued) **1007112529**

Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2008 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H141

Manifest Code:	001546897JJK
EPA ID:	NYR000117853
Date Shipped:	04/21/2008
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/21/2008
Date Trans2 Transported Waste:	04/25/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/25/2008
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2008 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H141

Manifest Code:	001546616JJK
EPA ID:	NYR000117853
Date Shipped:	06/28/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/28/2007
Date Trans2 Transported Waste:	07/06/2007
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/06/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H14

Manifest Code:	001546955JJK
EPA ID:	NYR000117853
Date Shipped:	07/11/2008
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/11/2008
Date Trans2 Transported Waste:	07/18/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/18/2008
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2008 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H141

Manifest Code:	001546618JJK
EPA ID:	NYR000117853
Date Shipped:	07/06/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/06/2007
Date Trans2 Transported Waste:	07/06/2007
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/12/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H14

Manifest Code:	NJA5288039
EPA ID:	NYR000117853
Date Shipped:	02/09/2006
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/09/2006
Date Trans2 Transported Waste:	02/14/2006
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	02/14/2006
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	04060625
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	001546804JJK
EPA ID:	NYR000117853
Date Shipped:	12/12/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	NJR000050617
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/12/2007
Date Trans2 Transported Waste:	12/28/2007
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/28/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	001546777JJK
EPA ID:	NYR000117853
Date Shipped:	11/15/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/15/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/26/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

SEPHORA #326 (Continued) **1007112529**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	001546563JJK
EPA ID:	NYR000117853
Date Shipped:	03/19/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/19/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/28/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported

SEPHORA #326 (Continued) **1007112529**

Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150
Unit:	P
Hand Code:	H14

Manifest Code:	NJA5210476
EPA ID:	NYR000117853
Date Shipped:	02/14/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/14/2005
Date Trans2 Transported Waste:	02/22/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	02/22/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported

SEPHORA #326 (Continued) **1007112529**

Data Entry Number:	06150525
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5214018
EPA ID:	NYR000117853
Date Shipped:	03/21/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	VTR000500090
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/21/2005
Date Trans2 Transported Waste:	03/30/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/30/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	05130522

SEPHORA #326 (Continued) **1007112529**

Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5214004
EPA ID:	NYR000117853
Date Shipped:	06/01/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/01/2005
Date Trans2 Transported Waste:	06/09/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/09/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	07080521
Reference Manifest Number:	Not reported

SEPHORA #326 (Continued) **1007112529**

Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5213968
EPA ID:	NYR000117853
Date Shipped:	09/07/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/07/2005
Date Trans2 Transported Waste:	09/07/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/07/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	10120521
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No

SEPHORA #326 (Continued) **1007112529**

Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5244428
EPA ID:	NYR000117853
Date Shipped:	10/05/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	VTR000500090
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/05/2005
Date Trans2 Transported Waste:	10/12/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/12/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	12080521
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported

SEPHORA #326 (Continued) **1007112529**

Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5244441
EPA ID:	NYR000117853
Date Shipped:	11/08/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	11/08/2005
Date Trans2 Transported Waste:	11/11/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	11/11/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	01180625
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported

SEPHORA #326 (Continued) **1007112529**

Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5241882
EPA ID:	NYR000117853
Date Shipped:	12/12/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	VTR000500090
Transporter 2 EPA ID:	NYD980761191
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/12/2005
Date Trans2 Transported Waste:	12/21/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	12/21/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02220621
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported

SEPHORA #326 (Continued) **1007112529**

Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	001546595JJK
EPA ID:	NYR000117853
Date Shipped:	01/12/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJR000050617
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/12/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/18/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D001
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	150

SEPHORA #326 (Continued) **1007112529**

Unit: P
Hand Code: H14

A4
ESE
< 1/8
0.006 mi.
32 ft.

FROMEX **MANIFEST** **S109787484**
125 WESTCHESTER AVE **N/A**
WHITE PLAINS, NY 10601

Site 4 of 9 in cluster A

Relative: Lower

Actual: 158 ft.

CT MANIFEST:

Waste:

Manifest No:	CTF0726023
Waste Occurence:	1
UNNA:	3082
Hazard Class:	9
US Dot Description:	RQ HAZARDOUS WASTE, LIQUID, N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	250
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0726023
Waste Occurence:	1
EPA Waste Code:	D011
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1998
Manifest ID:	CTF0726023
TSDF EPA ID:	CTD001156009
TSDF Name:	SAFETY-KLEEN SYSTEMS, INC.
TSDF Address:	39 COMMUNITY AVE EXT.
TSDF City,St,Zip:	PLAINFIELD, CT 06374
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	8/3/1998
Transporter EPA ID:	ILD984908202
Transporter Name:	SAFETY-KLEEN SYSTEMS, INC.
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported

FROMEX (Continued) **S109787484**

EPA ID:	NYR000012344
Generator Phone:	9144211099
Generator Mailing Addr:	125 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	8/3/1998
Date Received:	8/5/1998
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Manifest No:	CTF0612611
Waste Occurence:	1
UNNA:	3082
Hazard Class:	9
US Dot Description:	RQ HAZARDOUS WASTE, LIQUID, N.O.S.
No of Containers:	002
Container Type:	DF
Quantity:	500
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0612611
Waste Occurence:	1
EPA Waste Code:	D011
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1997
Manifest ID:	CTF0612611
TSDF EPA ID:	CTD001156009
TSDF Name:	SAFETY-KLEEN CORP.
TSDF Address:	39 COMMUNITY AVE EXT.
TSDF City,St,Zip:	PLAINFIELD, CT 06374
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	5/23/1997
Transporter EPA ID:	ILD984908202
Transporter Name:	SAFETY-KLEEN CORP.
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

FROMEX (Continued) **S109787484**

Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYR000012344
Generator Phone:	9144211099
Generator Mailing Addr:	125 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	5/23/1997
Date Received:	5/27/1997
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Manifest No:	CTF0436534
Waste Occurence:	1
UNNA:	3082
Hazard Class:	9
US Dot Description:	RQ HAZARDOUS WASTE, LIQUID, N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	250
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0436534
Waste Occurence:	1
EPA Waste Code:	D011
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1996
Manifest ID:	CTF0436534
TSDF EPA ID:	CTD001156009
TSDF Name:	SAFETY-KLEEN SYSTEMS, INC.
TSDF Address:	39 COMMUNITY AVE EXT.
TSDF City,St,Zip:	PLAINFIELD, CT 06374
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	7/3/1996
Transporter EPA ID:	ILD984908202
Transporter Name:	SAFETY-KLEEN SYSTEMS, INC.
Transporter Country:	USA

FROMEX (Continued) **S109787484**

Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYR000012344
Generator Phone:	9144211099
Generator Mailing Addr:	125 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	7/3/1996
Date Received:	7/8/1996
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Manifest No:	CTF0436661
Waste Occurence:	1
UNNA:	3082
Hazard Class:	9
US Dot Description:	HAZARDOUS WASTE LIQUID NOS
No of Containers:	002
Container Type:	DF
Quantity:	500
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0436661
Waste Occurence:	1
EPA Waste Code:	D011
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1995
Manifest ID:	CTF0436661
TSDF EPA ID:	CTD001156009
TSDF Name:	SAFETY-KLEEN CORP.
TSDF Address:	39 COMMUNITY AVE EXT.
TSDF City,St,Zip:	PLAINFIELD, CT 06374
TSDF Country:	USA
TSDF Telephone:	Not reported

FROMEX (Continued) **S109787484**

Transport Date:	10/13/1995
Transporter EPA ID:	ILD984908202
Transporter Name:	SAFETY-KLEEN CORP.
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYR000012344
Generator Phone:	9144211099
Generator Mailing Addr:	125 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	10/13/1995
Date Received:	10/19/1995
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

A5 **FROMEX** **RCRA-CESQG** **1001029002**
ESE **125 WESTCHESTER AVE** **FINDS** **NYR000012344**
< 1/8 **WHITE PLAINS, NY 10601** **MANIFEST**
0.006 mi.
32 ft. **Site 5 of 9 in cluster A**

Relative:
Lower

Actual:
158 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	FROMEX
Facility address:	125 WESTCHESTER AVE WESTCHESTER MALL SUITE 3170 WHITE PLAINS, NY 10601
EPA ID:	NYR000012344
Mailing address:	WESTCHESTER AVE WESTCHESTER MALL SUITE 3170 WHITE PLAINS, NY 10601
Contact:	FORREST LEIGHTON
Contact address:	WESTCHESTER AVE WESTCHESTER MALL SUITE 3170 WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 421-1099
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

FROMEX (Continued) **1001029002**

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	DAN SILNA
Owner/operator address:	125 PATTERSON PLANK RD CARTLSTADT, NJ 07072
Owner/operator country:	US
Owner/operator telephone:	(201) 896-0700
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	DAN SILNA
Owner/operator address:	125 PATTERSON PLANK RD CARTLSTADT, NJ 07072
Owner/operator country:	US
Owner/operator telephone:	(201) 896-0700
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	01/01/2006
Facility name:	FROMEX
Classification:	Small Quantity Generator

Date form received by agency:	08/25/1995
Facility name:	FROMEX
Classification:	Small Quantity Generator

FROMEX (Continued) **1001029002**

Violation Status: No violations found

FINDS:

Registry ID: 110004517960

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID:	NYR000117853
Country:	USA
Mailing Name:	SEPHORA #326
Mailing Contact:	N/S
Mailing Address:	125 WESTCHESTER AVE
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-761-7656

Document ID:	CTF0526192
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYLC4690
Trans2 State ID:	Not reported
Generator Ship Date:	961106
Trans1 Recv Date:	961106
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	961107
Part A Recv Date:	961125
Part B Recv Date:	961204
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	96

Document ID:	CTF0526175
Manifest Status:	Completed copy
Trans1 State ID:	NYLH7543

FROMEX (Continued) **1001029002**

Trans2 State ID:	Not reported
Generator Ship Date:	960820
Trans1 Recv Date:	960820
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	960822
Part A Recv Date:	960905
Part B Recv Date:	960910
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	96

Document ID:	CTF0436639
Manifest Status:	Completed copy
Trans1 State ID:	NYAV4489
Trans2 State ID:	Not reported
Generator Ship Date:	961021
Trans1 Recv Date:	961021
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	961023
Part A Recv Date:	961107
Part B Recv Date:	961107
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	96

Document ID:	CTF0526147
Manifest Status:	Completed copy
Trans1 State ID:	NYAV4489
Trans2 State ID:	Not reported
Generator Ship Date:	970103
Trans1 Recv Date:	970103
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970106
Part A Recv Date:	970122
Part B Recv Date:	970124
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202

FROMEX (Continued) **1001029002**

Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0624738
Manifest Status: Completed copy
Trans1 State ID: NYLH7543
Trans2 State ID: Not reported
Generator Ship Date: 970227
Trans1 Recv Date: 970227
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970303
Part A Recv Date: 970312
Part B Recv Date: 970312
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0455331
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 970124
Trans1 Recv Date: 970124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970127
Part A Recv Date: 970219
Part B Recv Date: 970210
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

FROMEX (Continued) **1001029002**

Year: 97

Document ID: CTF0455326
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 970217
Trans1 Recv Date: 970217
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970220
Part A Recv Date: 970227
Part B Recv Date: 970307
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0623174
Manifest Status: Completed copy
Trans1 State ID: LH7543IL
Trans2 State ID: Not reported
Generator Ship Date: 970610
Trans1 Recv Date: 970610
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970612
Part A Recv Date: 970619
Part B Recv Date: 970623
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: MAM9072350
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 12/29/2000
Trans1 Recv Date: 12/29/2000

FROMEX (Continued) **1001029002**

Trans2 Recv Date:	01/03/2001
TSD Site Recv Date:	01/10/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NY30747AL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM5998330
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	07/10/2000
Trans1 Recv Date:	07/10/2000
Trans2 Recv Date:	07/13/2000
TSD Site Recv Date:	07/18/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	P39038IL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM6014210
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	06/27/2000
Trans1 Recv Date:	06/27/2000
Trans2 Recv Date:	06/28/2000
TSD Site Recv Date:	07/13/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NY30747AL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP

FROMEX (Continued) **1001029002**

Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM5611280
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 05/03/2000
Trans1 Recv Date: 05/03/2000
Trans2 Recv Date: 05/04/2000
TSD Site Recv Date: 05/10/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYDW9495
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM6054820
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 08/23/2000
Trans1 Recv Date: 08/23/2000
Trans2 Recv Date: 08/24/2000
TSD Site Recv Date: 08/29/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYCR2436
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00750
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

FROMEX (Continued) **1001029002**

Document ID:	MAM6142130
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	11/10/2000
Trans1 Recv Date:	11/10/2000
Trans2 Recv Date:	11/13/2000
TSD Site Recv Date:	11/21/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM5750840
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	06/14/2000
Trans1 Recv Date:	06/14/2000
Trans2 Recv Date:	06/15/2000
TSD Site Recv Date:	06/20/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	INCR2436
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00270
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM5971950
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	08/02/2000
Trans1 Recv Date:	08/02/2000
Trans2 Recv Date:	08/03/2000
TSD Site Recv Date:	08/08/2000
Part A Recv Date:	Not reported

FROMEX (Continued) **1001029002**

Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM6036000
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 09/06/2000
Trans1 Recv Date: 09/06/2000
Trans2 Recv Date: 09/06/2000
TSD Site Recv Date: 09/12/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM3141290
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 01/26/2000
Trans1 Recv Date: 01/26/2000
Trans2 Recv Date: 01/28/2000
TSD Site Recv Date: 02/03/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYDW9495
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 002

FROMEX (Continued) **1001029002**

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM3536430
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 04/18/2000
Trans1 Recv Date: 04/18/2000
Trans2 Recv Date: 04/19/2000
TSD Site Recv Date: 04/25/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYDW9495
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM3582350
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 01/07/2000
Trans1 Recv Date: 01/07/2000
Trans2 Recv Date: 01/10/2000
TSD Site Recv Date: 01/13/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYDW9495
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Click this hyperlink while viewing on your computer to access
173 additional NY_MANIFEST: record(s) in the EDR Site Report.

EPA ID: NYR000012344

FROMEX (Continued) **1001029002**

Country:	USA
Mailing Name:	FROMEX
Mailing Contact:	MIKE RODRIGUEZ
Mailing Address:	125 WESTCHESTER AVE STE 3170
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-421-1099

Document ID:	CTF0526192
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYLC4690
Trans2 State ID:	Not reported
Generator Ship Date:	961106
Trans1 Recv Date:	961106
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	961107
Part A Recv Date:	961125
Part B Recv Date:	961204
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	96

Document ID:	CTF0526175
Manifest Status:	Completed copy
Trans1 State ID:	NYLH7543
Trans2 State ID:	Not reported
Generator Ship Date:	960820
Trans1 Recv Date:	960820
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	960822
Part A Recv Date:	960905
Part B Recv Date:	960910
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.

FROMEX (Continued) **1001029002**

Specific Gravity: 100
Year: 96

Document ID: CTF0436639
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 961021
Trans1 Recv Date: 961021
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961023
Part A Recv Date: 961107
Part B Recv Date: 961107
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 96

Document ID: CTF0526147
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 970103
Trans1 Recv Date: 970103
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970106
Part A Recv Date: 970122
Part B Recv Date: 970124
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0624738
Manifest Status: Completed copy
Trans1 State ID: NYLH7543
Trans2 State ID: Not reported
Generator Ship Date: 970227

FROMEX (Continued) **1001029002**

Trans1 Recv Date: 970227
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970303
Part A Recv Date: 970312
Part B Recv Date: 970312
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0455331
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 970124
Trans1 Recv Date: 970124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970127
Part A Recv Date: 970219
Part B Recv Date: 970210
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: CTF0455326
Manifest Status: Completed copy
Trans1 State ID: NYAV4489
Trans2 State ID: Not reported
Generator Ship Date: 970217
Trans1 Recv Date: 970217
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970220
Part A Recv Date: 970227
Part B Recv Date: 970307
Generator EPA ID: NYR000012344
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: CTD001156009

FROMEX (Continued) **1001029002**

Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	97

Document ID:	CTF0623174
Manifest Status:	Completed copy
Trans1 State ID:	LH7543IL
Trans2 State ID:	Not reported
Generator Ship Date:	970610
Trans1 Recv Date:	970610
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970612
Part A Recv Date:	970619
Part B Recv Date:	970623
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	CTD001156009
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	97

Document ID:	MAM9072350
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	12/29/2000
Trans1 Recv Date:	12/29/2000
Trans2 Recv Date:	01/03/2001
TSD Site Recv Date:	01/10/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NY30747AL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

FROMEX (Continued) **1001029002**

Document ID:	MAM5998330
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	07/10/2000
Trans1 Recv Date:	07/10/2000
Trans2 Recv Date:	07/13/2000
TSD Site Recv Date:	07/18/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	P39038IL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM6014210
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	SCR000074591
Generator Ship Date:	06/27/2000
Trans1 Recv Date:	06/27/2000
Trans2 Recv Date:	06/28/2000
TSD Site Recv Date:	07/13/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NY30747AL
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM5611280
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCR000074591
Generator Ship Date:	05/03/2000
Trans1 Recv Date:	05/03/2000
Trans2 Recv Date:	05/04/2000
TSD Site Recv Date:	05/10/2000
Part A Recv Date:	Not reported

FROMEX (Continued) **1001029002**

Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYDW9495
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM6054820
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 08/23/2000
Trans1 Recv Date: 08/23/2000
Trans2 Recv Date: 08/24/2000
TSD Site Recv Date: 08/29/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: NYCR2436
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00750
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM6142130
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 11/10/2000
Trans1 Recv Date: 11/10/2000
Trans2 Recv Date: 11/13/2000
TSD Site Recv Date: 11/21/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002

FROMEX (Continued) **1001029002**

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM5750840
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 06/14/2000
Trans1 Recv Date: 06/14/2000
Trans2 Recv Date: 06/15/2000
TSD Site Recv Date: 06/20/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: INCR2436
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00270
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM5971950
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 08/02/2000
Trans1 Recv Date: 08/02/2000
Trans2 Recv Date: 08/03/2000
TSD Site Recv Date: 08/08/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000012344
Trans1 EPA ID: MAD982755639
Trans2 EPA ID: Not reported
TSDF ID: Not reported
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2000

Document ID: MAM6036000
Manifest Status: Not reported
Trans1 State ID: SCR000075150

FROMEX (Continued) **1001029002**

Trans2 State ID:	SCR000074591
Generator Ship Date:	09/06/2000
Trans1 Recv Date:	09/06/2000
Trans2 Recv Date:	09/06/2000
TSD Site Recv Date:	09/12/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	Not reported
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM3141290
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCR000074591
Generator Ship Date:	01/26/2000
Trans1 Recv Date:	01/26/2000
Trans2 Recv Date:	01/28/2000
TSD Site Recv Date:	02/03/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NYDW9495
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM3536430
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCR000074591
Generator Ship Date:	04/18/2000
Trans1 Recv Date:	04/18/2000
Trans2 Recv Date:	04/19/2000
TSD Site Recv Date:	04/25/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639

FROMEX (Continued) **1001029002**

Trans2 EPA ID:	Not reported
TSDF ID:	NYDW9495
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00250
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM3582350
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCR000074591
Generator Ship Date:	01/07/2000
Trans1 Recv Date:	01/07/2000
Trans2 Recv Date:	01/10/2000
TSD Site Recv Date:	01/13/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000012344
Trans1 EPA ID:	MAD982755639
Trans2 EPA ID:	Not reported
TSDF ID:	NYDW9495
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

Click this hyperlink while viewing on your computer to access
173 additional NY_MANIFEST: record(s) in the EDR Site Report.

A6 **WESTCHESTER SHOPPING CENT** **LTANKS** **S100782169**
East **WEST AVE.& PAWLING ST.** **HIST LTANKS** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.016 mi.
85 ft. **Site 6 of 9 in cluster A**

Relative:
Lower

Actual:
157 ft.

LTANKS:

Site ID:	213450
Spill No:	9310531
Spill Date:	9/9/1993
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/20/1995
Facility Addr2:	Not reported
Cleanup Ceased:	1/20/1995
Cleanup Meets Standard:	False
SWIS:	6017

WESTCHESTER SHOPPING CENT (Continued) **S100782169**

Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	11/30/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/28/1993
Spill Record Last Update:	1/20/1995
Spiller Name:	Not reported
Spiller Company:	FASHION MALL PARTNERS
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	176839
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	EXCAVATING REMOVING SOIL TANKS ARE REMOVED

Material:

Site ID:	213450
Operable Unit ID:	992245
Operable Unit:	01
Material ID:	393136
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3

WESTCHESTER SHOPPING CENT (Continued) **S100782169**

Spill Number:	9310531
Spill Date:	09/09/1993
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	01/20/95
Cleanup Ceased:	01/20/95
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	11/30/93
Reported to Department Time:	14:48
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	FASHION MALL PARTNERS
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	( ) 683-6700
Facility Extention:	Not reported
Spill Notifier:	Other
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/28/93
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/20/95
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

WESTCHESTER SHOPPING CENT (Continued) **S100782169**

Material:
- Material Class Type: Petroleum
- Quantity Spilled: 0
- Unkonwn Quantity Spilled: False
- Units: Not reported
- Quantity Recovered: 0
- Unkonwn Quantity Recovered: False
- Material: UNKNOWN PETROLEUM
- Class Type: UNKNOWN PETROLEUM
- Times Material Entry In File: 16414
- CAS Number: Not reported
- Last Date: 19940929
- DEC Remarks: Not reported
- Spill Cause: EXCAVATING REMOVING SOIL TANKS ARE REMOVED

A7 **TRANSFORMER VAULT V6200** **NY Spills** **S109828509**
East **145 WESTCHESTER AVE** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.031 mi.
162 ft. **Site 7 of 9 in cluster A**

Relative: **Lower**

Actual: **156 ft.**

SPILLS:
- Facility ID: 0905422
- DER Facility ID: 366831
- Facility Type: ER
- Site ID: 417684
- DEC Region: 3
- Spill Number: 0905422
- Spill Date: 8/10/2009
- Spill Cause: Equipment Failure
- Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
- Spill Closed Date: 8/10/2009
- SWIS: 6017
- Investigator: jbodee
- Referred To: Not reported
- Reported to Dept: 8/10/2009
- CID: Not reported
- Water Affected: Not reported
- Spill Source: Commercial/Industrial
- Spill Notifier: Responsible Party
- Cleanup Ceased: Not reported
- Cleanup Meets Std: False
- Last Inspection: Not reported
- Recommended Penalty: False
- UST Trust: False
- Remediation Phase: 0
- Date Entered In Computer: 8/10/2009
- Spill Record Last Update: 8/10/2009
- Spiller Name: Not reported
- Spiller Company: CON ED
- Spiller Address: Not reported
- Spiller City,St,Zip: NY
- Spiller Company: 999
- Contact Name: ERT
- Contact Phone: (212) 580-8383
- DEC Memo: 8/10/09: No impacts. Clean up is being completed. NFA jod

TRANSFORMER VAULT V6200 (Continued) **S109828509**

Remarks: DUE TO A FEEDER LEAK ABOUT 20 GALLON SPILLED TO THE VAULT ABOUT 20 GALLONS. CLEAN UP PENDING.

Material:

Site ID:	417684
Operable Unit ID:	1173900
Operable Unit:	01
Material ID:	2166028
Material Code:	0541A
Material Name:	DIELECTRIC FLUID
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20
Units:	Gallons
Recovered:	20
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

A8 **KEY FORD OF WHITE PLAINS** **MANIFEST** **S109784212**
West **80 WESTCHESTER AVE** **N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.034 mi.
177 ft. **Site 8 of 9 in cluster A**

Relative: Higher

Actual: 160 ft.

CT MANIFEST:

Waste:

Manifest No:	NYC1407644
Waste Occurence:	1
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETROLEUM NAPHTHA
No of Containers:	003
Container Type:	DM
Quantity:	176
Weight/Volume:	P
Additional Description:	Y
Handling Code:	R
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	NYC1407644
Waste Occurence:	1
EPA Waste Code:	D001

KEY FORD OF WHITE PLAINS (Continued) **S109784212**

Recycled Waste?: F
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

Detail:

Year:	1992
Manifest ID:	NYC1407644
TSDF EPA ID:	NYD000708172
TSDF Name:	SAFETY-KLEEN CORP.
TSDF Address:	9 WALNUT PLACE
TSDF City,St,Zip:	THORNWOOD, NY 10594
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	1/2/1992
Transporter EPA ID:	ILD051060408
Transporter Name:	SAFETY-KLEEN CORP. (TRANSPORTER ONLY)
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD981559586
Generator Phone:	9147616760
Generator Mailing Addr:	80 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	1/2/1992
Date Received:	1/2/1992
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

A9 **KEY FORD OF WHITE PLAINS** **RCRA-CESQG** **1000114327**
West **80 WESTCHESTER AVE** **FINDS** **NYD981559586**
< 1/8 **WHITE PLAINS, NY 10601** **LTANKS**
0.034 mi. **HIST LTANKS**
177 ft. **Site 9 of 9 in cluster A** **MANIFEST**

Relative:
Higher

Actual:
160 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	KEY FORD OF WHITE PLAINS
Facility address:	80 WESTCHESTER AVE WHITE PLAINS, NY 10601
EPA ID:	NYD981559586
Mailing address:	WESTCHESTER AVE WHITE PLAINS, NY 10601
Contact:	FRED BAUCHHAM
Contact address:	WESTCHESTER AVE

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: (914) 761-6655
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: KEY FORD OF WP INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: KEY FORD OF WP INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: KEY FORD OF WHITE PLAINS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 09/10/1986
Facility name: KEY FORD OF WHITE PLAINS
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 08/13/1990
Date achieved compliance: 08/13/1990
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Evaluation Action Summary:
Evaluation date: 08/13/1990
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 08/13/1990
Evaluation lead agency: State

FINDS:

Registry ID: 110004408800

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:
Site ID: 320738
Spill No: 8606267
Spill Date: 1/8/1987
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 1/8/1987

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Facility Addr2:	Not reported
Cleanup Ceased:	1/8/1987
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	1/8/1987
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	1/8/1987
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	12/2/2003
Spill Record Last Update:	12/2/2003
Spiller Name:	Not reported
Spiller Company:	KEY FORD
Spiller Address:	SAME
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	258406
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON" / / : TANK HAS BEEN OUT OF SERVICE FOR YEARS-NFA.11/29/95: This is additional information about material spilled from the translation of the old spill file: TANK BOTTOM MATERIAL.
Remarks:	TTTF

Material:

Site ID:	320738
Operable Unit ID:	903556
Operable Unit:	01
Material ID:	475400
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	320738
Spill Tank Test:	1530490
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8606267
Spill Date: 01/08/1987
Spill Time: 11:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 01/08/87
Cleanup Ceased: 01/08/87
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/08/87
Reported to Department Time: 11:40
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: KEY FORD
Spiller Address: SAME
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: 01/08/87
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/20/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: / / : TANK HAS BEEN OUT OF SERVICE FOR YEARS-NFA. 11/29/95: This is additional information about material spilled from the translation of the old spill file: TANK BOTTOM MATERIAL.
Spill Cause: TTTF

NY MANIFEST:
EPA ID: NYD981559586
Country: USA
Mailing Name: KEY FORD OF WHITE PLAINS
Mailing Contact: KEY FORD OF WHITE PLAINS
Mailing Address: 80 WESTCHESTER AVENUE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10601
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 506-761-6760

Document ID: NYA3345838
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 860924
Trans1 Recv Date: 860924
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860924
Part A Recv Date: 861107
Part B Recv Date: 860930
Generator EPA ID: NYD981559586
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708172
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00135
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Specific Gravity: 100
Year: 86

Document ID: NYC0320062
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 900620
Trans1 Recv Date: 900620
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900620
Part A Recv Date: 900816
Part B Recv Date: 900627
Generator EPA ID: NYD981559586
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708172
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00175
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90

Document ID: NYC0303489
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 900531
Trans1 Recv Date: 900531
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900531
Part A Recv Date: 900731
Part B Recv Date: 900618
Generator EPA ID: NYD981559586
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708172
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00217
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90

Document ID: NYC0577945
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NYLH7543
Trans2 State ID: NYLH7543
Generator Ship Date: 901105

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Trans1 Recv Date:	901105
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	901105
Part A Recv Date:	910409
Part B Recv Date:	901120
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00176
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0385097
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	900713
Trans1 Recv Date:	900713
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900713
Part A Recv Date:	900817
Part B Recv Date:	900802
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00221
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0649271
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYLH7543
Trans2 State ID:	Not reported
Generator Ship Date:	901005
Trans1 Recv Date:	901005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	901005
Part A Recv Date:	901029
Part B Recv Date:	901107
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00262
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0978985
Manifest Status:	Completed copy
Trans1 State ID:	NYLC4690
Trans2 State ID:	Not reported
Generator Ship Date:	910524
Trans1 Recv Date:	910524
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	910524
Part A Recv Date:	910605
Part B Recv Date:	910605
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00176
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	91

Document ID:	NYC0866878
Manifest Status:	Completed copy
Trans1 State ID:	LH7543NY
Trans2 State ID:	Not reported
Generator Ship Date:	910322
Trans1 Recv Date:	910322
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	910322
Part A Recv Date:	910408
Part B Recv Date:	910403
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00262
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	91

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Document ID:	NYC2690471
Manifest Status:	Completed copy
Trans1 State ID:	CR2436NY
Trans2 State ID:	Not reported
Generator Ship Date:	931130
Trans1 Recv Date:	931130
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	931130
Part A Recv Date:	931208
Part B Recv Date:	931214
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00014
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00015
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

Document ID:	NYC2755080
Manifest Status:	Completed copy
Trans1 State ID:	GX1017
Trans2 State ID:	Not reported
Generator Ship Date:	931227
Trans1 Recv Date:	931227
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	931227
Part A Recv Date:	940105
Part B Recv Date:	940107
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00014
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00030
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

Document ID:	NYC2430325
Manifest Status:	Completed copy
Trans1 State ID:	NYEP6118
Trans2 State ID:	Not reported
Generator Ship Date:	930712
Trans1 Recv Date:	930712
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930712
Part A Recv Date:	930719
Part B Recv Date:	930721
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00014
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00034
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

Document ID:	NYC2549147
Manifest Status:	Completed copy
Trans1 State ID:	LC4690
Trans2 State ID:	Not reported
Generator Ship Date:	930907
Trans1 Recv Date:	930907
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930907
Part A Recv Date:	931021
Part B Recv Date:	930927
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00014
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Waste Code:	Not reported
Quantity:	00015
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

Document ID:	NYC2478701
Manifest Status:	Completed copy
Trans1 State ID:	NYEP6118
Trans2 State ID:	Not reported
Generator Ship Date:	930810
Trans1 Recv Date:	930810
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930810
Part A Recv Date:	930819
Part B Recv Date:	930824
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00014
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00017
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

Document ID:	NYA3884444
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	IL009
Trans2 State ID:	Not reported
Generator Ship Date:	861217
Trans1 Recv Date:	861217
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861217
Part A Recv Date:	870202
Part B Recv Date:	861226
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00135

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	86

Document ID:	NYA3107248
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	IL009
Trans2 State ID:	Not reported
Generator Ship Date:	861118
Trans1 Recv Date:	861118
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861118
Part A Recv Date:	870105
Part B Recv Date:	861124
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00135
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	86

Document ID:	NYA5685498
Manifest Status:	Completed copy
Trans1 State ID:	72697GP
Trans2 State ID:	Not reported
Generator Ship Date:	870310
Trans1 Recv Date:	870310
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870310
Part A Recv Date:	870319
Part B Recv Date:	870317
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00135
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	87

Document ID:	NYC0430727

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Manifest Status:	Completed copy
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	900809
Trans1 Recv Date:	900809
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900809
Part A Recv Date:	900830
Part B Recv Date:	900830
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00176
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0796566
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYLC4690
Trans2 State ID:	Not reported
Generator Ship Date:	901203
Trans1 Recv Date:	901203
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	901203
Part A Recv Date:	910115
Part B Recv Date:	901227
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Quantity:	00176
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0479586
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	900912
Trans1 Recv Date:	900912
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900912
Part A Recv Date:	901206
Part B Recv Date:	900917

KEY FORD OF WHITE PLAINS (Continued) **1000114327**

Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00176
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	NYC0666742
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYLC4690
Trans2 State ID:	Not reported
Generator Ship Date:	910104
Trans1 Recv Date:	910104
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	910104
Part A Recv Date:	910520
Part B Recv Date:	910124
Generator EPA ID:	NYD981559586
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	NYD000708172
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Quantity:	00262
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	91

Click this hyperlink while viewing on your computer to access
106 additional NY_MANIFEST: record(s) in the EDR Site Report.

B10 **CHRYSLER REALTY CORP** **RCRA-NonGen** **1000981353**
West **70 WESTCHESTER AVE - REAR OF** **FINDS** **NY0000972232**
< 1/8 **WHITE PLAINS, NY 10601** **MANIFEST**
0.039 mi.
204 ft. **Site 1 of 8 in cluster B**

Relative:
Higher

Actual:
160 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	CHRYSLER REALTY CORP
Facility address:	70 WESTCHESTER AVE - REAR OF THE YARD WHITE PLAINS, NY 10601
EPA ID:	NY0000972232
Mailing address:	RTE 303 TAPPAN, NY 10983
Contact:	Not reported
Contact address:	RTE 303 TAPPAN, NY 10983

CHRYSLER REALTY CORP (Continued) **1000981353**

Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CHRYSLER REALTY CORP
Owner/operator address: 1450 W LONG LAKE RD SUITE 780
TROY, MI 48098
Owner/operator country: US
Owner/operator telephone: (313) 952-1222
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CHRYSLER REALTY CORP
Owner/operator address: 1450 W LONG LAKE RD SUITE 780
TROY, MI 48098
Owner/operator country: US
Owner/operator telephone: (313) 952-1222
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: CHRYSLER REALTY CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: CHRYSLER REALTY CORP
Classification: Not a generator, verified

Date form received by agency: 12/07/1994
Facility name: CHRYSLER REALTY CORP

CHRYSLER REALTY CORP (Continued) **1000981353**

Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110007989757

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID:	NY0000972232
Country:	USA
Mailing Name:	CHRYSLER REALTY CORPORATION
Mailing Contact:	J FRANCOMANO
Mailing Address:	500 RT 303 CIMS 101-02-00
Mailing Address 2:	Not reported
Mailing City:	TAPPAN
Mailing State:	NY
Mailing Zip:	10983
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-587-2228

Document ID:	LAA3311211
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	AR004
Trans2 State ID:	Not reported
Generator Ship Date:	941228
Trans1 Recv Date:	941228
Trans2 Recv Date:	941229
TSD Site Recv Date:	950103
Part A Recv Date:	950117
Part B Recv Date:	950329
Generator EPA ID:	NY0000972232
Trans1 EPA ID:	ARD981908551
Trans2 EPA ID:	LAD981057706
TSDF ID:	LAD981057706
Waste Code:	D003 - NON-LISTED REACTIVE WASTES
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	011
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	94

B11 **WHITE PLAINS CRYTSLER PLM** **NY Hist Spills** **S102153330**
West **70 WESTCHESTER AVE.** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.039 mi.
204 ft. **Site 2 of 8 in cluster B**

Relative:
Higher

Actual:
160 ft.

NY Hist Spills:

Region of Spill:	3
Spill Number:	8808621
Investigator:	T. GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	01/26/1989 12:00
Reported to Dept Date/Time:	02/01/89 09:54
SWIS:	55
Spiller Name:	WHITE PLAINS CRYSTLER PLM
Spiller Contact:	Not reported
Spiller Phone:	(914) 946-2600
Spiller Address:	70 WESTCHESTER AVE.
Spiller City,St,Zip:	WHITE PLAINS, NY
Spill Cause:	Unknown
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	01
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	02/01/90
Cleanup Meets Std:	True
Last Inspection:	01/15/90
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Not reported
Spill Closed Dt:	02/01/90
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	02/03/89
Date Spill Entered In Computer Data File:	Not reported
Update Date:	02/01/90
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Gallons

WHITE PLAINS CRYTSLER PLM (Continued) **S102153330**

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 02/01/90: PROPERTY OWNER HIRED OBRIEN AND GERE TO OVERSEE TANK REMOVAL. MANY MORE TANKS REMOVED THAN ORIGINALLY EXPECTED. SOIL STOCKPILED AND REMOVED. 11/29/95: This is additional information about material spilled from the translation ofthe old spill file: FUEL OIL TOO.
Remark: 2 2K TANKS REMOVED. CONTAMINED SOIL FOUND AND TO BE REMOVED. STOCK PILED AND SAMPLED.

B12 **WHITE PLAINS CHRYSLER** **RCRA-NonGen** **1000397519**
West **70 WESTCHESTER AVE** **FINDS** **NYD061987806**
< 1/8 **WHITE PLAINS, NY 10601**
0.039 mi.
204 ft. **Site 3 of 8 in cluster B**

Relative:
Higher

Actual:
160 ft.

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: WHITE PLAINS CHRYSLER
Facility address: 70 WESTCHESTER AVE
WHITE PLAINS, NY 106014514
EPA ID: NYD061987806
Mailing address: WESTCHESTER AVE
WHITE PLAINS, NY 10601
Contact: Not reported
Contact address: WESTCHESTER AVE
WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: WHITE PLAINS CHRYS PLY
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: WHITE PLAINS CHRYS PLY
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported

WHITE PLAINS CHRYSLER (Continued) **1000397519**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: WHITE PLAINS CHRYSLER
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: WHITE PLAINS CHRYSLER
Classification: Not a generator, verified

Date form received by agency: 01/06/1987
Facility name: WHITE PLAINS CHRYSLER
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004362975

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

B13 **WHITE PLAINS CHRYSLER JEEP DODGE** **UST U004177653**
West **70 WESTCHESTER AVENUE** **AST N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.039 mi.
204 ft. **Site 4 of 8 in cluster B**

Relative:
Higher

Actual:
160 ft.

WESTCHESTER CO. UST:
PBS Number: 3-074896
Owner Name: 70 Westchester LLC
Owner Street: 70 Westchester Avenue

WHITE PLAINS CHRYSLER JEEP DODGE (Continued) **U004177653**

Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Augie DiFeo

Tank Number:	1
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	06/01/1994

Tank Number:	2
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	06/01/1994

Tank Number:	3
Tank Location:	5. Underground
Capacity:	250

WHITE PLAINS CHRYSLER JEEP DODGE (Continued) **U004177653**

Product Stored:	99. Other
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	06/01/1994

Tank Number:	4
Tank Location:	Not reported
Capacity:	500
Product Stored:	99. Other
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	06/01/1994

Tank Number:	5
Tank Location:	Not reported
Capacity:	500
Product Stored:	99. Other
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity

WHITE PLAINS CHRYSLER JEEP DODGE (Continued) **U004177653**

Status: 0. Administratively closed
Product Stored Percent: Not reported
Tank Secondary Containment: 0. None
Piping Secondary Containment: Not reported
Tank Leak Detection: 0. None
Date Installation: 01/01/1900
Date Perm Closure: 06/01/1994

WESTCHESTER CO. AST:
PBS Number: 3-074896
Owner Name: 70 Westchester LLC
Owner Street: 70 Westchester Avenue
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Active
GDS Number: Not reported
Operator Name: Augie DiFeo

Tank Number: ATF 1
Tank Location: 2. Aboveground (contact w/ impervious barrier)
Capacity: 330
Product Stored: 24. Transmission fluid
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 0. None
Tank External Protection: 7. Jacketed (tank)
Piping Location: 1. Aboveground
Piping Type: 2. Galvanized steel
Piping External Protection: 9. Urethane
Piping Leak Detection: 7. Exempt suction piping
Overfill Prevention: 1. Float Vent Valve,2. High Level Alarm
Spill Prevention: 1. Catch Basin
Dispenser: 2. Suction
Status: 1. In-Service
Product Stored Percent: 0
Tank Secondary Containment: 1. Diking (aboveground only),9. Modified double-walled (aboveground only)
Piping Secondary Containment: 1. Diking (aboveground only)
Tank Leak Detection: 6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation: 01/01/2008
Date Perm Closure: 01/01/1900

Tank Number: OIL 1
Tank Location: 2. Aboveground (contact w/ impervious barrier)
Capacity: 1000
Product Stored: 12. Motor Oil
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 0. None
Tank External Protection: 7. Jacketed (tank)
Piping Location: 1. Aboveground
Piping Type: 2. Galvanized steel
Piping External Protection: 9. Urethane
Piping Leak Detection: 7. Exempt suction piping
Overfill Prevention: 1. Float Vent Valve,2. High Level Alarm
Spill Prevention: 1. Catch Basin
Dispenser: 2. Suction

WHITE PLAINS CHRYSLER JEEP DODGE (Continued) **U004177653**

Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),9. Modified double-walled (aboveground only)
Piping Secondary Containment:	1. Diking (aboveground only)
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/2008
Date Perm Closure:	01/01/1900

Tank Number:	OIL 2
Tank Location:	2. Aboveground (contact w/ impervious barrier)
Capacity:	500
Product Stored:	12. Motor Oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	Not reported
Tank External Protection:	7. Jacketed (tank)
Piping Location:	1. Aboveground
Piping Type:	2. Galvanized steel
Piping External Protection:	9. Urethane
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	1. Float Vent Valve,2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),9. Modified double-walled (aboveground only)
Piping Secondary Containment:	1. Diking (aboveground only)
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/2008
Date Perm Closure:	01/01/1900

Tank Number:	WO 1
Tank Location:	2. Aboveground (contact w/ impervious barrier)
Capacity:	1000
Product Stored:	13. Waste/Used Oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	Not reported
Tank External Protection:	7. Jacketed (tank)
Piping Location:	1. Aboveground
Piping Type:	2. Galvanized steel
Piping External Protection:	9. Urethane
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),9. Modified double-walled (aboveground only)
Piping Secondary Containment:	1. Diking (aboveground only)
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/2008
Date Perm Closure:	01/01/1900

B14
WSW
< 1/8
0.062 mi.
328 ft.

B. ALTMAN BUILDING
65 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Site 5 of 8 in cluster B

UST **U003883951**
N/A

Relative:
Higher

Actual:
164 ft.

WESTCHESTER CO. UST:

PBS Number:	3-600031
Owner Name:	Kmd-361 Realty Associates C/o Mall Properties
Owner Street:	654 Madison Ave.
Owner Address2:	Not reported
Owner City:	New York
Owner State:	NY
Owner Zipcode:	10021
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Kmd-361 Realty Asoociates
Tank Number:	1
Tank Location:	6. Underground, vaulted, with access
Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	4. Groundwater Well
Date Installation:	07/01/1950
Date Perm Closure:	Not reported
Tank Number:	2
Tank Location:	6. Underground, vaulted, with access
Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported

B. ALTMAN BUILDING (Continued) **U003883951**

Tank Leak Detection:	4. Groundwater Well
Date Installation:	07/01/1950
Date Perm Closure:	Not reported

Tank Number:	3
Tank Location:	6. Underground, vaulted, with access
Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	4. Groundwater Well
Date Installation:	11/01/1961
Date Perm Closure:	Not reported

Tank Number:	4
Tank Location:	6. Underground, vaulted, with access
Capacity:	1000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	Not reported
Date Perm Closure:	07/01/1993

B15 **FASHION MALL - B ALTMANS** **RCRA-NonGen** **1000833444**
WSW **65 WESTCHESTER AVE** **FINDS** **NYD987015948**
< 1/8 **WHITE PLAINS, NY 10601** **MANIFEST**
0.062 mi.
328 ft. **Site 6 of 8 in cluster B**

Relative:
Higher

Actual:
164 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	FASHION MALL - B ALTMANS
Facility address:	65 WESTCHESTER AVE WHITE PLAINS, NY 106014507
EPA ID:	NYD987015948
Mailing address:	PARK AVE NEW YORK, NY 10166
Contact:	Not reported
Contact address:	PARK AVE NEW YORK, NY 10166
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	OCONNOR GROUP
Owner/operator address:	200 PARK AVE NEW YORK, NY 10166
Owner/operator country:	US
Owner/operator telephone:	(914) 948-2554
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	OCONNOR GROUP
Owner/operator address:	200 PARK AVE NEW YORK, NY 10166
Owner/operator country:	US
Owner/operator telephone:	(914) 948-2554
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

FASHION MALL - B ALTMANS (Continued) **1000833444**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: FASHION MALL - B ALTMANS
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: FASHION MALL - B ALTMANS
Classification: Not a generator, verified

Date form received by agency: 10/01/1992
Facility name: FASHION MALL - B ALTMANS
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004495494

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYD987015948
Country: USA
Mailing Name: O'CONNER GROUP
Mailing Contact: CARL B EDWARDS
Mailing Address: 200 PARK AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10166
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-687-7420

Document ID: NJA1388989
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 921015
Trans1 Recv Date: 921015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921015
Part A Recv Date: 921030
Part B Recv Date: 930106

FASHION MALL - B ALTMANS (Continued) **1000833444**

Generator EPA ID:	NYD987015948
Trans1 EPA ID:	NJD982281016
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	92

Document ID:	NJA1388984
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS581
Trans2 State ID:	Not reported
Generator Ship Date:	921015
Trans1 Recv Date:	921015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	921015
Part A Recv Date:	Not reported
Part B Recv Date:	921030
Generator EPA ID:	NYD987015948
Trans1 EPA ID:	NJD982281016
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00085
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	92

Document ID:	NJA1388985
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS581
Trans2 State ID:	Not reported
Generator Ship Date:	921015
Trans1 Recv Date:	921015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	921015
Part A Recv Date:	921030
Part B Recv Date:	921030
Generator EPA ID:	NYD987015948
Trans1 EPA ID:	NJD982281016

FASHION MALL - B ALTMANS (Continued) **1000833444**

Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92

Document ID: NJA1388986
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 921015
Trans1 Recv Date: 921015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921015
Part A Recv Date: 921030
Part B Recv Date: 921030
Generator EPA ID: NYD987015948
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D026 - CRESOL 200.0 MG/L TCLP
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00140
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1388988
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 921015
Trans1 Recv Date: 921015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921015
Part A Recv Date: 921030
Part B Recv Date: 921030
Generator EPA ID: NYD987015948
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046

FASHION MALL - B ALTMANS (Continued) **1000833444**

Waste Code:	D007 - CHROMIUM 5.0 MG/L TCLP
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	92

Document ID:	NJA1388987
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS581
Trans2 State ID:	Not reported
Generator Ship Date:	921015
Trans1 Recv Date:	921015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	921015
Part A Recv Date:	921030
Part B Recv Date:	921030
Generator EPA ID:	NYD987015948
Trans1 EPA ID:	NJD982281016
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	92

B16 **WESTCHESTER CHRYSLER** **MANIFEST** **S104501016**
West **70 WESCHESTER AVE** **NY Spills** **N/A**
< 1/8 **WHITE PLANES, NY** **NY Hist Spills**
0.067 mi.
353 ft. **Site 7 of 8 in cluster B**

Relative:
Higher

Actual:
165 ft.

NY MANIFEST:

EPA ID:	NYD061987806
Country:	USA
Mailing Name:	WHITE PLAINS CHRYSLER
Mailing Contact:	WHITE PLAINS CHRYSLER
Mailing Address:	70 WESTCHESTER AVENUE
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA

WESTCHESTER CHRYSLER (Continued) **S104501016**

Mailing Phone: 914-946-3544

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID:	0008186
DER Facility ID:	64767
Facility Type:	ER
Site ID:	67839
DEC Region:	3
Spill Number:	0008186
Spill Date:	10/12/2000
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/20/2001
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	10/12/2000
CID:	257
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	10/12/2000
Spill Record Last Update:	9/27/2001
Spiller Name:	THOMAS NOLES
Spiller Company:	WESTCHESTER CHRY PLYM
Spiller Address:	70 WESTCHESTER AVE
Spiller City,St,Zip:	WHITEPLAINS, NY
Spiller Company:	001
Contact Name:	THOMAS NOLES
Contact Phone:	(810) 512-2119
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; BASED ON EARTH TECH REPORT, NO FURTHER ACTION REQUIRED AT THIS TIME.
Remarks:	tanks were pulled in 1989 and test were taken just now and found contaminated soil from the area were the tanks were - dec did over see the tank removal in 1989

Material:

Site ID:	67839
Operable Unit ID:	830581
Operable Unit:	01
Material ID:	545705
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0

WESTCHESTER CHRYSLER (Continued) **S104501016**

Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	8808621
DER Facility ID:	64767
Facility Type:	ER
Site ID:	194239
DEC Region:	3
Spill Number:	8808621
Spill Date:	1/26/1989
Spill Cause:	Unknown
Spill Class:	Not reported
Spill Closed Date:	2/1/1990
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/1/1989
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	2/1/1990
Cleanup Meets Std:	True
Last Inspection:	1/15/1990
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/3/1989
Spill Record Last Update:	2/1/1990
Spiller Name:	Not reported
Spiller Company:	WHITE PLAINS CRYSTLER PLM
Spiller Address:	70 WESTCHESTER AVE.
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "T. GHIOSAY"02/01/90: PROPERTY OWNER HIRED OBRIEN AND GERE TO OVERSEE TANK REMOVAL. MANY MORE TANKS REMOVED THAN ORIGINALLY EXPECTED. SOIL STOCKPILED AND REMOVED. 11/29/95: This is additional information about material spilled from the translation of the old spill file: FUEL OIL TOO.

WESTCHESTER CHRYSLER (Continued) **S104501016**

Remarks: 2 2K TANKS REMOVED. CONTAMINED SOIL FOUND AND TO BE REMOVED. STOCK PILED AND SAMPLED.

Material:

Site ID:	194239
Operable Unit ID:	924519
Operable Unit:	01
Material ID:	554720
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	0008186
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	10/12/2000 14:00
Reported to Dept Date/Time:	10/12/00 14:05
SWIS:	55
Spiller Name:	WESTCHESTER CHRY PLYM
Spiller Contact:	THOMAS NOLES
Spiller Phone:	(810) 512-2119
Spiller Contact:	THOMAS NOLES
Spiller Phone:	(810) 512-2119
Spiller Address:	70 WESTCHESTER AVE
Spiller City,St,Zip:	WHITEPLAINS, NY
Spill Cause:	Unknown
Reported to Dept:	On Land
Water Affected:	Not reported

WESTCHESTER CHRYSLER (Continued) **S104501016**

Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/12/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/27/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; BASED ON EARTH TECH REPORT, NO FURTHER ACTION REQUIRED AT THIS TIME.
Remark: tanks were pulled in 1989 and test were taken just now and found contaminated soil from the area were the tanks were - dec did over see the tank removal in 1989

Region of Spill: 3
Spill Number: 9511683
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/01/1995 12:00
Reported to Dept Date/Time: 12/15/95 12:44

WESTCHESTER CHRYSLER (Continued) **S104501016**

SWIS: 55
Spiller Name: WESTCHESTER CHRYSLER
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: 70 WESCHESTER AVE
Spiller City,St,Zip: WHITE PLANES
Spill Cause: Deliberate
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/15/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/30/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: HYDRAULIC OIL
Class Type: HYDRAULIC OIL
Times Material Entry In File: 1846
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; PHASE II ENV. SITE ASSESSMENT BY NORTH CONSULTANTS HAS BEEN REVIEWED. DEC REQUIRING REMOVAL OF ALL LIFTS AND DISPOSAL OF ALL CONTAMINATED SOILS AT THIS SITE. 09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; PHASE II REPORT BY NORTH CONSULTANTS HAS BEEN REVIEWED. DEC IS REQUIRING THE REMOVAL OF ALL THE LIFTS AT THE SITE ALONG WITH THE EXCAVATION PROPER DISPOSAL OF ALL CONTAMINATED SOILS.
Remark: CALLER RECIEVED INFO FROM AN EMPLOYEE THAT THE DEALERSHIP INSTALLED NEW CAR

WESTCHESTER CHRYSLER (Continued) **S104501016**

LIFTS - THE OLD LIFTS WERE JUST CEMENTED OVER - CALLER DOES NOT BELIEVE THAT THE FLUIDS WERE DRAINED FROM THE OLD LIFTS

B17 **WESTCHESTER CHRYSLER PLYM** **NY Spills** **S102155137**
West **70 WESTCHESTER AVE.** **NY Hist Spills** **N/A**
< 1/8 **POUND RIDGE, NY**
0.067 mi.
353 ft. **Site 8 of 8 in cluster B**

Relative:
Higher

Actual:
165 ft.

SPILLS:

Facility ID:	9407257
DER Facility ID:	273685
Facility Type:	ER
Site ID:	124055
DEC Region:	3
Spill Number:	9407257
Spill Date:	4/1/1994
Spill Cause:	Housekeeping
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/20/2001
SWIS:	6046
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	8/29/1994
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/7/1994
Spill Record Last Update:	3/6/2005
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; BASED ON EARTH TECH REPORT, NO FURTHER ACTION REQUIRED AT THIS TIME.
Remarks:	SURROUNDING SOILS AROUND DRAINS AFFECTED WILL CLEAN UP

Material:

Site ID:	124055
Operable Unit ID:	1001508
Operable Unit:	01
Material ID:	556797
Material Code:	0022
Material Name:	Waste Oil/Used Oil
Case No.:	Not reported
Material FA:	Petroleum

WESTCHESTER CHRYSLER PLYM (Continued) **S102155137**

Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 3
Spill Number: 9407257
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/01/1994 12:00
Reported to Dept Date/Time: 08/29/94 15:56
SWIS: 55
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Housekeeping
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /

WESTCHESTER CHRYSLER PLYM (Continued) **S102155137**

Date Spill Entered In Computer Data File: 09/07/94
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/27/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927
DEC Remarks: 09/20/2001 LETTER SENT TO DAIMLER CHRYSLER BY T. GHIOSAY; BASED ON EARTH TECH REPORT, NO FURTHER ACTION REQUIRED AT THIS TIME.
Remark: SURROUNDING SOILS AROUND DRAINS AFFECTED WILL CLEAN UP

C18 **BANK OF NEW YORK** **NY Spills** **S105236134**
East **150 WESTCHESTER AVE** **NY Hist Spills** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.072 mi.
379 ft. **Site 1 of 8 in cluster C**

Relative:
Lower

Actual:
152 ft.

SPILLS:
Facility ID: 0108346
DER Facility ID: 276494
Facility Type: ER
Site ID: 237171
DEC Region: 3
Spill Number: 0108346
Spill Date: 11/16/2001
Spill Cause: Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 11/19/2001
SWIS: 6000
Investigator: DXWEITZ
Referred To: Not reported
Reported to Dept: 11/16/2001
CID: 397
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False

BANK OF NEW YORK (Continued) **S105236134**

UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	11/16/2001
Spill Record Last Update:	11/26/2001
Spiller Name:	MARK ZALL
Spiller Company:	BANK OF NEW YORK
Spiller Address:	101 BARKLEY ST
Spiller City,St,Zip:	MANHATTAN, NY
Spiller Company:	001
Contact Name:	STEVE CIAMBRSHINI
Contact Phone:	(201) 791-8120
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WEITZ"
Remarks:	during demolition of the building a tank was discovered and had been damaged during demolition. all has been cleaned

Material:

Site ID:	237171
Operable Unit ID:	846388
Operable Unit:	01
Material ID:	529595
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	5
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	0108346
Investigator:	WEITZ
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	11/16/2001 09:00
Reported to Dept Date/Time:	11/16/01 17:15
SWIS:	55

BANK OF NEW YORK (Continued) **S105236134**

Spiller Name: BANK OF NEW YORK
Spiller Contact: MARK ZALL
Spiller Phone: (917) 335-6197
Spiller Contact: STEVE CIAMBRSHINI
Spiller Phone: (201) 791-8120
Spiller Address: 101 BARKLEY ST
Spiller City,St,Zip: MANHATTAN, NY
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/19/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/16/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/26/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: during demolition of the building a tank was discovered and had been damaged during demolition. all has been cleaned

C19 **COLONIAL REPAIR SHOP INC** **RCRA-NonGen** **1000338875**
East **186 WESTCHESTER AVE** **FINDS** **NYD982729915**
< 1/8 **WHITE PLAINS, NY 10601**
0.078 mi.
411 ft. **Site 2 of 8 in cluster C**

Relative:
Lower

Actual:
152 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	COLONIAL REPAIR SHOP INC
Facility address:	186 WESTCHESTER AVE WHITE PLAINS, NY 106014510
EPA ID:	NYD982729915
Mailing address:	WESTCHESTER AVE WHITE PLAINS, NY 10601
Contact:	Not reported
Contact address:	WESTCHESTER AVE WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	EXXON CO USA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	EXXON CO USA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

COLONIAL REPAIR SHOP INC (Continued) **1000338875**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: COLONIAL REPAIR SHOP INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: COLONIAL REPAIR SHOP INC
Classification: Not a generator, verified

Date form received by agency: 03/01/1990
Facility name: COLONIAL REPAIR SHOP INC
Site name: EXXON USA-SS#3-1356
Classification: Large Quantity Generator

Date form received by agency: 04/04/1989
Facility name: COLONIAL REPAIR SHOP INC
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 03/12/1991
Date achieved compliance: 03/12/1991
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: 0
Final penalty amount: 0
Paid penalty amount: 0

Evaluation Action Summary:
Evaluation date: 03/12/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 03/12/1991
Evaluation lead agency: State

FINDS:

Registry ID: 110004429672

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

C20
East
< 1/8
0.078 mi.
411 ft.

EXXON CO. USA.
186 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Site 3 of 8 in cluster C

MANIFEST **S109784688**
N/A

Relative:
Lower

Actual:
152 ft.

CT MANIFEST:

Waste:

Manifest No:	CTF0371854
Waste Occurence:	1
UNNA:	3082
Hazard Class:	9
US Dot Description:	HAZARDOUS WASTE LIQUID, NOS
No of Containers:	001
Container Type:	TT
Quantity:	700
Weight/Volume:	G
Additional Description:	Y
Handling Code:	S02
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0371854
Waste Occurence:	1
EPA Waste Code:	D018
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1994
Manifest ID:	CTF0371854
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDF Address:	136 GRACEY AVE.
TSDF City,St,Zip:	MERIDEN, CT 06451
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	8/31/1994
Transporter EPA ID:	CTD021816889
Transporter Name:	UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982729915
Generator Phone:	7136567761
Generator Mailing Addr:	186 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	Not reported
Generator Mailing Country:	USA

EXXON CO. USA. (Continued) **S109784688**

Special Handling: Yes
Discrepancies: No
Date Shipped: 8/31/1994
Date Received: 9/1/1994
Last modified date: 4/26/2004
Last modified by: IG
Comments: Not reported

Waste:
Manifest No: CTF0072675
Waste Occurence: 1
UNNA: 1993
Hazard Class: FLAMMABLE
US Dot Description: WASTE LIQ NOS GAS/WATER MIX
No of Containers: 001
Container Type: TT
Quantity: 55
Weight/Volume: G
Additional Description: Y
Handling Code: S02
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

Waste CD:
Manifest No: CTF0072675
Waste Occurence: 1
EPA Waste Code: D001
Recycled Waste?: F
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

Detail:
Year: 1991
Manifest ID: CTF0072675
TSDF EPA ID: CTD021816889
TSDF Name: UNITED OIL RECOVERY, INC.
TSDF Address: 136 GRACEY AVENUE
TSDF City,St,Zip: MERIDEN, CT 06450
TSDF Country: USA
TSDF Telephone: Not reported
Transport Date: 1/10/1991
Transporter EPA ID: CTD983871021
Transporter Name: IT ENVIRONMENTAL SERVICES, INC
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYD982729915
Generator Phone: 7136567761
Generator Mailing Addr: 186 WESTCHESTER AVE

EXXON CO. USA. (Continued) **S109784688**

Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	Not reported
Generator Mailing Country:	USA
Special Handling:	No
Discrepancies:	No
Date Shipped:	1/10/1991
Date Received:	1/10/1991
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Manifest No:	CTF0039299
Waste Occurence:	1
UNNA:	1993
Hazard Class:	FLAMMABLE
US Dot Description:	WASTE LIQ NOS
No of Containers:	001
Container Type:	TT
Quantity:	685
Weight/Volume:	G
Additional Description:	Y
Handling Code:	T01
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0039299
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1990
Manifest ID:	CTF0039299
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES, INC.
TSDF Address:	130 FREIGHT STREET
TSDF City,St,Zip:	WATERBURY, CT 06702
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	6/27/1990
Transporter EPA ID:	CTD983871021
Transporter Name:	I T ENVIRONMENTAL SERVICES, INC.
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA

EXXON CO. USA. (Continued) **S109784688**

Trans 2 Phone:	Not reported
EPA ID:	NYD982729915
Generator Phone:	7136567761
Generator Mailing Addr:	186 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	Not reported
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	6/27/1990
Date Received:	6/28/1990
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

C21
East
< 1/8
0.078 mi.
411 ft.

EXXON CO., U.S.A. **MANIFEST** **S109784689**
186 WESTCHESTER AVE **N/A**
WHITE PLAINS, NY 10601

Site 4 of 8 in cluster C

Relative:
Lower

Actual:
152 ft.

CT MANIFEST:

Waste:

Manifest No:	CTC0226579
Waste Occurence:	1
UNNA:	1993
Hazard Class:	FLAMMABLE
US Dot Description:	WASTE LIQUID NOS GROUNDWATER/GAS
No of Containers:	001
Container Type:	TT
Quantity:	3160
Weight/Volume:	P
Additional Description:	Y
Handling Code:	T01
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTC0226579
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1989
Manifest ID:	CTC0226579
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES, INC.
TSDF Address:	130 FREIGHT STREET
TSDF City,St,Zip:	WATERBURY, CT 06702
TSDF Country:	USA
TSDF Telephone:	Not reported

EXXON CO., U.S.A. (Continued) **S109784689**

Transport Date:	5/19/1989
Transporter EPA ID:	CTD982194946
Transporter Name:	AMERICAN ENVIRONMENTAL TECHNOLOGY
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982729915
Generator Phone:	7136567798
Generator Mailing Addr:	186 WESTCHESTER AVENUE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	Not reported
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	Unknown
Date Shipped:	5/19/1989
Date Received:	5/22/1989
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

C22 **EXXON S/S KENSECO AVE.** **LTANKS** **S102151700**
East **186 WESTCHESTER AVE.** **MANIFEST** **N/A**
< 1/8 **WHITE PLAINS, NY** **NY Spills**
0.078 mi. **NY Hist Spills**
411 ft. **Site 5 of 8 in cluster C**

Relative:
Lower

Actual:
152 ft.

LTANKS:

Site ID:	242153
Spill No:	8808631
Spill Date:	2/1/1989
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/1/1998
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/1/1989
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Date Entered In Computer:	2/3/1989
Spill Record Last Update:	9/19/2003
Spiller Name:	Not reported
Spiller Company:	EXXON GAS STATION
Spiller Address:	186 WESTCHESTER AVE
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	199024
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	EXXON NOTIFIED. GAS SERVICE RECOMMENDED IMMEDIATE PUMPING OUT OF TANKS. PETRO-TITE 2 TANKS 1 2K AND 1 3K - COULDN'T MAINTAIN PRODUCT. EXXON WILL PUMP OUT.

Material:

Site ID:	242153
Operable Unit ID:	924529
Operable Unit:	01
Material ID:	453393
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	242153
Spill Tank Test:	1535138
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Site ID:	242153
Spill No:	8808631
Spill Date:	2/1/1989
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/1/1998
Facility Addr2:	Not reported

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/1/1989
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2/3/1989
Spill Record Last Update:	9/19/2003
Spiller Name:	Not reported
Spiller Company:	EXXON GAS STATION
Spiller Address:	186 WESTCHESTER AVE
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	199024
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	EXXON NOTIFIED. GAS SERVICE RECOMMENDED IMMEDIATE PUMPING OUT OF TANKS. PETRO-TITE 2 TANKS 1 2K AND 1 3K - COULDN'T MAINTAIN PRODUCT. EXXON WILL PUMP OUT.

Material:

Site ID:	242153
Operable Unit ID:	924529
Operable Unit:	01
Material ID:	453393
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	242153
Spill Tank Test:	1535138
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Test Method: Unknown

Site ID: 242153
Spill No: 8808631
Spill Date: 2/1/1989
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/1/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 2/1/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 2/3/1989
Spill Record Last Update: 9/19/2003
Spiller Name: Not reported
Spiller Company: EXXON GAS STATION
Spiller Address: 186 WESTCHESTER AVE
Spiller City,St,Zip: WHITE PLAINS, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 199024
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks: EXXON NOTIFIED. GAS SERVICE RECOMMENDED IMMEDIATE PUMPING OUT OF TANKS. PETRO-TITE 2 TANKS 1 2K AND 1 3K - COULDN'T MAINTAIN PRODUCT. EXXON WILL PUMP OUT.

Material:
Site ID: 242153
Operable Unit ID: 924529
Operable Unit: 01
Material ID: 453393
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Oxygenate: False

Tank Test:
Site ID: 242153
Spill Tank Test: 1535138
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

NY MANIFEST:
EPA ID: NYP000886077
Country: USA
Mailing Name: EXXON CO USA
Mailing Contact: EXXON CO USA
Mailing Address: P.O. BOX 4415
Mailing Address 2: Not reported
Mailing City: HOUSTON
Mailing State: TX
Mailing Zip: 00000
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 713-656-7748

NY MANIFEST:
No Manifest Records Available

EPA ID: NYD982729915
Country: USA
Mailing Name: COLONIAL REPAIR SHOP
Mailing Contact: C H CRUTCHFIELD
Mailing Address: 1200 SMITH STREET SUITE 31100
Mailing Address 2: Not reported
Mailing City: HOUSTON
Mailing State: TX
Mailing Zip: 77002
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 713-656-7748

NY MANIFEST:
No Manifest Records Available

SPILLS:
Facility ID: 0403907
DER Facility ID: 199024
Facility Type: ER
Site ID: 242151
DEC Region: 3
Spill Number: 0403907

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Spill Date:	7/12/2004
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/15/2004
SWIS:	6017
Investigator:	jghardy
Referred To:	Not reported
Reported to Dept:	7/12/2004
CID:	403
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/12/2004
Spill Record Last Update:	7/15/2004
Spiller Name:	SAM RIMAWI
Spiller Company:	Not reported
Spiller Address:	186 WESTCHESTER AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	SAM RIMAWI
Contact Phone:	(914) 949-2778
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "HARDY"07/15/04 REFER TO SPILL 88-08460. NFA THIS NUMBER. jbo
Remarks:	ethanol was detected in the groundwater

Material:

Site ID:	242151
Operable Unit ID:	886474
Operable Unit:	01
Material ID:	491456
Material Code:	0064A
Material Name:	UNKNOWN MATERIAL
Case No.:	Not reported
Material FA:	Other
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Test Method:	Not reported
Facility ID:	9001665
DER Facility ID:	199024
Facility Type:	ER
Site ID:	242154
DEC Region:	3
Spill Number:	9001665
Spill Date:	5/12/1990
Spill Cause:	Abandoned Drums
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	8/1/1990
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	5/12/1990
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Fire Department
Cleanup Ceased:	8/1/1990
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	5/16/1990
Spill Record Last Update:	7/15/2004
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" / / : N.F.A. 09/27/95: This is additional information about material spilled from the translation of the old spill file: THREE DRUMS (55 GAL).
Remarks:	THREE NONLEAKING 55 GAL.DRUMS LABELED D-001 SOLID HAZ. WASTE SPOKE TO LT.KLAPPIER DRUMS NOT LEAKING HAVE BEEN AT SITE SINCE 7/89 NO ACTION NEEDED AT THIS TIME

Material:

Site ID:	242154
Operable Unit ID:	939971
Operable Unit:	01
Material ID:	439992
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
Region of Spill: 3
Spill Number: 8808460
Investigator: T. GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/24/1989 14:35
Reported to Dept Date/Time: 01/24/89 16:45
SWIS: 55
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: Groundwater
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/01/89

EXXON S/S KENSECO AVE. (Continued) **S102151700**

Date Spill Entered In Computer Data File: Not reported
Update Date: 05/17/95
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 177
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: Not reported

C23 **COLONIAL FUEL & FOOD** **UST** **U003884138**
East **186 WESTCHESTER AVENUE** **N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.078 mi.
411 ft. **Site 6 of 8 in cluster C**

Relative:
Lower

Actual:
152 ft.

WESTCHESTER CO. UST:
PBS Number: 3-164194
Owner Name: Exxon Co Usa
Owner Street: 4550 Dacoma St
Owner Address2: Not reported
Owner City: Houston
Owner State: TX
Owner Zipcode: 77092
Site Status: Administratively Closed
GDS Number: Not reported
Operator Name: Wilfredo Santos

Tank Number: 001
Tank Location: 5. Underground
Capacity: 2000
Product Stored: 7. Gasoline
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 1. Epoxy liner
Tank External Protection: 0. None
Piping Location: Not reported
Piping Type: 2. Galvanized steel
Piping External Protection: 0. None
Piping Leak Detection: Not reported
Overfill Prevention: 0. None
Spill Prevention: 0. None
Dispenser: 2. Suction

COLONIAL FUEL & FOOD (Continued) **U003884138**

Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1962
Date Perm Closure:	01/01/1900

Tank Number:	002
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1962
Date Perm Closure:	01/01/1900

Tank Number:	003
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1962
Date Perm Closure:	01/01/1900

Tank Number:	004
Tank Location:	5. Underground

COLONIAL FUEL & FOOD (Continued) **U003884138**

Capacity:	2000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1962
Date Perm Closure:	01/01/1900

Tank Number:	005
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1962
Date Perm Closure:	01/01/1900

Tank Number:	1
Tank Location:	5. Underground
Capacity:	10000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	Not reported
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin

COLONIAL FUEL & FOOD (Continued) **U003884138**

Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	12/01/1990
Date Perm Closure:	Not reported

Tank Number:	2
Tank Location:	5. Underground
Capacity:	8000
Product Stored:	6. Diesel
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	Not reported
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	12/01/1990
Date Perm Closure:	Not reported

Tank Number:	3
Tank Location:	5. Underground
Capacity:	8000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	Not reported
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	12/01/1990
Date Perm Closure:	Not reported

24
NE
< 1/8
0.087 mi.
460 ft.

80 SOUTH KENSICO AVE
WHITE PLAINS, NY

NY Spills **S104788353**
NY Hist Spills **N/A**

Relative:
Higher

Actual:
159 ft.

SPILLS:

Facility ID:	0005725
DER Facility ID:	192533
Facility Type:	ER
Site ID:	233671
DEC Region:	3
Spill Number:	0005725
Spill Date:	8/12/2000
Spill Cause:	Deliberate
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	8/22/2000
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	8/12/2000
CID:	382
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Police Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/12/2000
Spill Record Last Update:	9/14/2000
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ -
Spiller Company:	001
Contact Name:	WHITE PLAINS FD
Contact Phone:	(914) 422-6322
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	subject poured oil into storm sewer. subject under investigation now.

Material:

Site ID:	233671
Operable Unit ID:	826744
Operable Unit:	01
Material ID:	546872
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

(Continued) **S104788353**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	0005725
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	08/12/2000 08:46
Reported to Dept Date/Time:	08/12/00 09:06
SWIS:	55
Spiller Name:	UNKNOWN
Spiller Contact:	Not reported
Spiller Phone:	( ) -
Spiller Contact:	WHITE PLAINS FD
Spiller Phone:	(914) 422-6322
Spiller Address:	Not reported
Spiller City,St,Zip:	-
Spill Cause:	Deliberate
Reported to Dept:	In Sewer
Water Affected:	Not reported
Spill Source:	12
Spill Notifier:	Police Department
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	08/22/00
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	08/12/00
Date Spill Entered In Computer Data File:	Not reported
Update Date:	09/14/00
Is Updated:	True

(Continued) **S104788353**

Tank:
- PBS Number: Not reported
- Tank Number: Not reported
- Tank Size: Not reported
- Test Method: Not reported
- Leak Rate Failed Tank: Not reported
- Gross Leak Rate: Not reported

Material:
- Material Class Type: Petroleum
- Quantity Spilled: 0
- Unkonwn Quantity Spilled: True
- Units: Gallons
- Quantity Recovered: 0
- Unkonwn Quantity Recovered: False
- Material: UNKNOWN PETROLEUM
- Class Type: UNKNOWN PETROLEUM
- Times Material Entry In File: 16414
- CAS Number: Not reported
- Last Date: 19940929
- DEC Remarks: Not reported
- Remark: subject poured oil into storm sewer. subject under investigation now.

C25 **THE BANK OF NEW YORK** **UST** **U004177458**
East **158 WESTCHESTER AVE** **N/A**
< 1/8 **WHITE PLAINS, NY 10602**
0.088 mi.
465 ft. **Site 7 of 8 in cluster C**

Relative:
Lower

Actual:
151 ft.

WESTCHESTER CO. UST:
- PBS Number: 3-103950
- Owner Name: Amf Leisuereland Center
- Owner Street: Jericho Turnpike
- Owner Address2: Not reported
- Owner City: Westbury
- Owner State: NY
- Owner Zipcode: 11590
- Site Status: Unregulated: <1101 gal. PBS
- GDS Number: Not reported
- Operator Name: The Bank Of New York

- Tank Number: 1
- Tank Location: 5. Underground
- Capacity: 2000
- Product Stored: Not reported
- Tank Type: 1. Steel/Carbon steel/Iron
- Tank Internal Protection: 0. None
- Tank External Protection: 0. None
- Piping Location: 0. No Pipiing
- Piping Type: 1. Steel/Carbon/ steel/iron
- Piping External Protection: 0. None
- Piping Leak Detection: Not reported
- Overfill Prevention: 5. Vent Whistle
- Spill Prevention: Not reported
- Dispenser: 2. Suction
- Status: 5. Closed - removed
- Product Stored Percent: Not reported
- Tank Secondary Containment: 0. None

THE BANK OF NEW YORK (Continued) **U004177458**

Piping Secondary Containment: Not reported
Tank Leak Detection: 0. None
Date Installation: 07/01/1991
Date Perm Closure: 12/01/2001

D26 **CONSOLIDATED EDISON** **MANIFEST** **1009241582**
North **FRANKLIN & AMHERST** **N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.101 mi.
531 ft. **Site 1 of 3 in cluster D**

Relative:
Lower

Actual:
157 ft.

NY MANIFEST:

EPA ID:	NYP004100756
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID:	MAQ2486450
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	Not reported
Generator Ship Date:	07/25/2002
Trans1 Recv Date:	07/25/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/26/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004100756
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	13267MA
Waste Code:	D018 - BENZENE 0.5 MG/L TCLP
Quantity:	00370
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	2002

E27 **FRANKLIN TOWERS** **UST U003856282**
NW **25 FRANKLIN AVENUE** **AST N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.107 mi.
566 ft. **Site 1 of 4 in cluster E**

Relative:
Higher

Actual:
176 ft.

WESTCHESTER CO. UST:

PBS Number:	3-123412
Owner Name:	Franklin Plains Corp.
Owner Street:	25 Franklin Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Steve Spector
Tank Number:	1
Tank Location:	5. Underground
Capacity:	7500
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	3. Aboveground/underground combination
Piping Type:	2. Galvanized steel
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	03/01/1967
Date Perm Closure:	09/01/1992

WESTCHESTER CO. AST:

PBS Number:	3-123412
Owner Name:	Franklin Plains Corp.
Owner Street:	25 Franklin Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Steve Spector
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	5000
Product Stored:	2. No. 4 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating

FRANKLIN TOWERS (Continued) **U003856282**

Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1992
Date Perm Closure:	09/01/1992

E28 **APARTMENT HOUSE** **NY Hist Spills** **S104787838**
NW **25 FRANKLIN AVE** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.107 mi.
566 ft. **Site 2 of 4 in cluster E**

Relative:
Higher

Actual:
176 ft.

NY Hist Spills:

Region of Spill:	3
Spill Number:	0005174
Investigator:	WCHD
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	07/30/2000 08:30
Reported to Dept Date/Time:	07/31/00 11:33
SWIS:	55
Spiller Name:	APARTMENT HOUSE
Spiller Contact:	Not reported
Spiller Phone:	( ) -
Spiller Contact:	CALLER
Spiller Phone:	( ) -
Spiller Address:	25 RANKLIN AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spill Cause:	Equipment Failure
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	09
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/03/00

APARTMENT HOUSE (Continued) **S104787838**

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/31/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/21/00
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 150
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 150
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 10/03/2000 SPILL CLEANED UP. PBS VIOLATIONS CORRECTED PER B. MCDONALD WCDOH). NFA
Remark: caller reporting a spill of material from a broken pipe to oil burner material is inthe process of being cleaned up callback ncessary

---

E29 **FRANKLIN APTS** **LTANKS** **S100136758**
NW **25 FRANKLIN AVE** **HIST LTANKS** **N/A**
< 1/8 **WHITE PLAINS, NY** **NY Spills**
0.107 mi.
566 ft. **Site 3 of 4 in cluster E**

Relative: Higher

Actual: 176 ft.

LTANKS:
Site ID: 154120
Spill No: 8801525
Spill Date: 5/18/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 8/19/1988
Facility Addr2: Not reported
Cleanup Ceased: 8/19/1988
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jeokesso
Referred To: Not reported
Reported to Dept: 5/19/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: 8/19/1988
Recommended Penalty: False
UST Involvement: False

FRANKLIN APTS (Continued) **S100136758**

Remediation Phase: 0
Date Entered In Computer: 5/31/1988
Spill Record Last Update: 9/7/1988
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 130707
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"09/07/88: TANK RELINED.RETEST PASSED.
Remarks: TANK FAILED TEST ATUNREADABLE LEVEL 7500GAL

Material:
Site ID: 154120
Operable Unit ID: 918678
Operable Unit: 01
Material ID: 460668
Material Code: 0002A
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 154120
Spill Tank Test: 1533929
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8801525
Spill Date: 05/18/1988
Spill Time: 13:33
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 08/19/88

FRANKLIN APTS (Continued) **S100136758**

Cleanup Ceased: 08/19/88
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/19/88
Reported to Department Time: 12:59
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 946-4040
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: 08/19/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/31/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/07/88
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported

FRANKLIN APTS (Continued) **S100136758**

Last Date: 19941205
DEC Remarks: 09/07/88: TANK RELINED.RETEST PASSED.
Spill Cause: TANK FAILED TEST ATUNREADABLE LEVEL 7500GAL

SPILLS:
Facility ID: 0005174
DER Facility ID: 130707
Facility Type: ER
Site ID: 154119
DEC Region: 3
Spill Number: 0005174
Spill Date: 7/30/2000
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 10/3/2000
SWIS: 6017
Investigator: WCHD
Referred To: Westchester Cnty Health Dept
Reported to Dept: 7/31/2000
CID: 389
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 7/31/2000
Spill Record Last Update: 11/21/2000
Spiller Name: Not reported
Spiller Company: APARTMENT HOUSE
Spiller Address: 25 RANKLIN AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Company: 001
Contact Name: CALLER
Contact Phone: Not reported
DEC Memo: Not reported
Remarks: caller reporting a spill of material from a broken pipe to oil burner material is inthe process of being cleaned up callback ncessary

Material:
Site ID: 154119
Operable Unit ID: 826230
Operable Unit: 01
Material ID: 549906
Material Code: 0002A
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 150
Units: Gallons
Recovered: 150
Resource Affected: Not reported
Oxygenate: False

FRANKLIN APTS (Continued) **S100136758**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

D30 **EASTVIEW SCHOOL** **UST U003884260**
North **7 AMHERST PLACE** **AST N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.111 mi.
587 ft. **Site 2 of 3 in cluster D**

Relative:
Lower

Actual:
158 ft.

WESTCHESTER CO. UST:

PBS Number:	3-030295
Owner Name:	White Plains City School District
Owner Street:	5 Homeside Lane
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10605
Site Status:	Active PBS: >1100 gal. PBS regardless if subpart 360-14 tanks exist or not
GDS Number:	Not reported
Operator Name:	Rudy Rivera
Tank Number:	1
Tank Location:	5. Underground
Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1940
Date Perm Closure:	01/04/2000

WESTCHESTER CO. AST:

PBS Number:	3-030295
Owner Name:	White Plains City School District
Owner Street:	5 Homeside Lane

EASTVIEW SCHOOL (Continued) **U003884260**

Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10605
Site Status:	Active PBS: >1100 gal. PBS regardless if subpart 360-14 tanks exist or not
GDS Number:	Not reported
Operator Name:	Rudy Rivera
Tank Number:	2
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	10000
Product Stored:	1. No. 2 fuel oil
Tank Type:	99. Other
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	1. Diking (aboveground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	5. In-Tank System (auto tank gauge)
Date Installation:	09/01/2001
Date Perm Closure:	01/01/1900

D31 **WHITE PLAINS SCHOOL EASTVIEW** **RCRA-CESQG 1004756723**
North **7 AMHERST PL** **FINDS NYD981486871**
< 1/8 **WHITE PLAINS, NY 10601** **MANIFEST**
0.111 mi. **MANIFEST**
587 ft. **Site 3 of 3 in cluster D**

Relative:
Lower

Actual:
158 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	WHITE PLAINS SCHOOL EASTVIEW
Facility address:	7 AMHERST PL WHITE PLAINS, NY 10601
EPA ID:	NYD981486871
Mailing address:	AMHERST PL WHITE PLAINS, NY 10601
Contact:	MICHAEL LYNCH
Contact address:	AMHERST PL WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 422-2049
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	WHITE PLAINS CITY SCHOOL DIST
Owner/operator address:	5 HOMESIDE LANE WHITE PLAINS, NY 10605
Owner/operator country:	US
Owner/operator telephone:	(914) 422-2000
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	WHITE PLAINS CITY SCHOOL DIST
Owner/operator address:	5 HOMESIDE LANE WHITE PLAINS, NY 10605
Owner/operator country:	US
Owner/operator telephone:	(914) 422-2000
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	01/01/2006
Facility name:	WHITE PLAINS SCHOOL EASTVIEW
Classification:	Conditionally Exempt Small Quantity Generator

Date form received by agency:	10/04/1994
Facility name:	WHITE PLAINS SCHOOL EASTVIEW
Classification:	Conditionally Exempt Small Quantity Generator

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Violation Status: No violations found

FINDS:

Registry ID: 110004405554

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NJ MANIFEST:

Manifest Code:	000308384JJK
EPA ID:	NYD981486871
Date Shipped:	05/11/2007
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NY0001031814
Transporter 2 EPA ID:	NJ0000027193
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	05/11/2007
Date Trans2 Transported Waste:	05/18/2007
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	05/22/2007
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D002
Manifest Year:	2007 New Jersey Manifest Data
Quantity:	70
Unit:	P
Hand Code:	H14

Manifest Code:	NJA5244495
EPA ID:	NYD981486871
Date Shipped:	10/26/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NY0001031814
Transporter 2 EPA ID:	NJ0000027193
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/26/2005
Date Trans2 Transported Waste:	10/27/2005
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/31/2005
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	01060621
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

Manifest Code:	NJA5241273
EPA ID:	NYD981486871
Date Shipped:	12/30/2005
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NY0001031814
Transporter 2 EPA ID:	NJ0000027193
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	12/30/2005
Date Trans2 Transported Waste:	01/03/2006
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/05/2006
Tranporter 1 Decal:	Not reported
Tranporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Manifest Discrepancy Type:	Not reported
Data Entry Number:	02240622
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported

NY MANIFEST:

EPA ID:	NYD981486871
Country:	USA
Mailing Name:	WHITE PLAINS MIDDLE SCHOOL
Mailing Contact:	WHITE PLAINS MIDDLE SCHOOL
Mailing Address:	7 AMHERST PLACE
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-997-2251

Document ID:	NJA0170216
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYJA043NJ
Trans2 State ID:	Not reported
Generator Ship Date:	860805
Trans1 Recv Date:	860805
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	860805
Part A Recv Date:	860916
Part B Recv Date:	860820
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	NJD991291584
Trans2 EPA ID:	Not reported
TSDF ID:	NJD080631369
Waste Code:	U117 - ETHYL ETHER
Quantity:	00008
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00007
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Quantity:	00014
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00009
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00008
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	D003 - NON-LISTED REACTIVE WASTES
Quantity:	00008
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	86

Document ID:	NJA1882675
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPE632
Trans2 State ID:	Not reported
Generator Ship Date:	941025
Trans1 Recv Date:	941025
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	941025
Part A Recv Date:	Not reported
Part B Recv Date:	941117
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	NJD991291584
Trans2 EPA ID:	Not reported
TSDF ID:	NJD980536593
Waste Code:	F003 - UNKNOWN
Quantity:	00400
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00240
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CW - Wooden boxes
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CW - Wooden boxes
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NJA1882675
Manifest Status: Completed copy
Trans1 State ID: NJDEPE632
Trans2 State ID: Not reported
Generator Ship Date: 941025
Trans1 Recv Date: 941025
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941025
Part A Recv Date: Not reported
Part B Recv Date: 941117
Generator EPA ID: NYD981486871
Trans1 EPA ID: NJD991291584
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00240
Units: P - Pounds
Number of Containers: 001

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00300
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA1882675
Manifest Status: Completed copy
Trans1 State ID: NJDEPE632
Trans2 State ID: Not reported
Generator Ship Date: 941025
Trans1 Recv Date: 941025
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941025
Part A Recv Date: Not reported
Part B Recv Date: 941117
Generator EPA ID: NYD981486871
Trans1 EPA ID: NJD991291584
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00070

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	94

Document ID:	NJA5244495
Manifest Status:	Not reported
Trans1 State ID:	NY0001031814
Trans2 State ID:	NJ0000027193
Generator Ship Date:	10/26/2005
Trans1 Recv Date:	10/26/2005
Trans2 Recv Date:	10/27/2005
TSD Site Recv Date:	10/31/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	5811
TSDF ID:	NJD002200046
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00100
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00500
Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	Not reported
Specific Gravity:	01.00
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00025
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00045
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Waste Code:	Not reported
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	Not reported
Year:	Not reported

Document ID:	NJA0482793
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYJA043/N
Trans2 State ID:	Not reported
Generator Ship Date:	880715
Trans1 Recv Date:	880715
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880715
Part A Recv Date:	890418
Part B Recv Date:	890414
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	NJD991291584
Trans2 EPA ID:	Not reported
TSDF ID:	NJD080631369
Waste Code:	P098 - POTASSIUM CYANIDE
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001
Container Type:	CF - Fiber or plastic boxes, cartons
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	88

Document ID:	07
Manifest Status:	000308384JJK
Trans1 State ID:	NYD981486871
Trans2 State ID:	Not reported
Generator Ship Date:	NJD002200046
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	NY0001031814
TSD Site Recv Date:	Not reported
Part A Recv Date:	NJ0000027193
Part B Recv Date:	2007-05-18
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSDF ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	1
Number of Containers:	DF
Container Type:	70
Handling Method:	P
Specific Gravity:	1
Waste Code:	T
Quantity:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NY0001031814
Trans2 State ID:	NJ0000027193
Generator Ship Date:	5/11/2007
Trans1 Recv Date:	5/11/2007
Trans2 Recv Date:	5/18/2007
TSD Site Recv Date:	5/22/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	Not reported
Quantity:	70
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2007
Manifest Tracking Num:	000308384JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	NJA0482730
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS632
Trans2 State ID:	Not reported
Generator Ship Date:	880706
Trans1 Recv Date:	880706
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880706
Part A Recv Date:	880715
Part B Recv Date:	880719
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	NJD991291584
Trans2 EPA ID:	Not reported

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

TSDF ID:	NJD080631369
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00011
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00012
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00007
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00015
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Waste Code:	U144 - LEAD ACETATE
Quantity:	00010
Units:	P - Pounds
Number of Containers:	001
Container Type:	CF - Fiber or plastic boxes, cartons
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	88

Document ID:	NJA0482730
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS632
Trans2 State ID:	Not reported
Generator Ship Date:	880706
Trans1 Recv Date:	880706
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880706
Part A Recv Date:	880715
Part B Recv Date:	880719
Generator EPA ID:	NYD981486871

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Trans1 EPA ID: NJD991291584
Trans2 EPA ID: Not reported
TSDF ID: NJD080631369
Waste Code: X850 - NJ ONLY
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00015
Units: P - Pounds
Number of Containers: 001
Container Type: CW - Wooden boxes
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 100
Year: 88

Document ID: NJA5244495
Manifest Status: Not reported
Trans1 State ID: NY0001031814
Trans2 State ID: NJ0000027193
Generator Ship Date: 10/26/2005
Trans1 Recv Date: 10/26/2005
Trans2 Recv Date: 10/27/2005
TSD Site Recv Date: 10/31/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981486871
Trans1 EPA ID: Not reported
Trans2 EPA ID: 5811
TSDF ID: NJD002200046
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00100
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00500

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	Not reported
Specific Gravity:	01.00
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00025
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00045
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Waste Code:	Not reported
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	Not reported
Year:	2005

Document ID:	NJA0654572
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS632
Trans2 State ID:	Not reported
Generator Ship Date:	890803
Trans1 Recv Date:	890803
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890803
Part A Recv Date:	890814
Part B Recv Date:	890810
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	NJD991291584
Trans2 EPA ID:	Not reported
TSDF ID:	NJD980536593
Waste Code:	D003 - NON-LISTED REACTIVE WASTES
Quantity:	00007
Units:	P - Pounds
Number of Containers:	001
Container Type:	CW - Wooden boxes
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	89

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NY0001031814
Trans2 State ID:	NJ0000027193

WHITE PLAINS SCHOOL EASTVIEW (Continued) **1004756723**

Generator Ship Date:	2007-05-11
Trans1 Recv Date:	2007-05-11
Trans2 Recv Date:	2007-05-18
TSD Site Recv Date:	2007-05-22
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981486871
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	Not reported
Quantity:	70.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	2007
Manifest Tracking Num:	000308384JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

---

32 **WESTCEHSTER MALL** **NY Spills** **S104788114**
SW **HIRAM ST/PAULDING ST** **NY Hist Spills** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.113 mi.
596 ft.

Relative:
Higher

Actual:
161 ft.

SPILLS:

Facility ID:	0005456
DER Facility ID:	207632
Facility Type:	ER
Site ID:	253454
DEC Region:	3
Spill Number:	0005456
Spill Date:	8/7/2000
Spill Cause:	Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	8/8/2000
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	8/7/2000
CID:	396
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Health Department
Cleanup Ceased:	Not reported

WESTCEHSTER MALL (Continued) **S104788114**

Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/7/2000
Spill Record Last Update:	9/12/2000
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	001
Contact Name:	CHRIS LALAK
Contact Phone:	(914) 637-4893
DEC Memo:	Not reported
Remarks:	DUMPSTER OVERFLOW AND SPILL IS GETTING INTO STORM SEWERS. HEALTH DEPT IS WILL GET MALL MNGT TO CLEAN UP SPILL.

Material:

Site ID:	253454
Operable Unit ID:	826509
Operable Unit:	01
Material ID:	550180
Material Code:	0046A
Material Name:	COOKING GREASE
Case No.:	Not reported
Material FA:	Other
Quantity:	50
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	0005456
Investigator:	WCHD
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	08/07/2000 14:30

WESTCEHSTER MALL (Continued) **S104788114**

Reported to Dept Date/Time: 08/07/00 14:45
SWIS: 55
Spiller Name: SAME
Spiller Contact: Not reported
Spiller Phone: ( ) -
Spiller Contact: CHRIS LALAK
Spiller Phone: (914) 637-4893
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Other
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Health Department
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/08/00
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/07/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/12/00
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Hazardous Material
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: COOKING GREASE
Class Type: COOKING GREASE
Times Material Entry In File: 59
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: 08/08/2000 PER C. BADOLATO WCHD); KITCHEN GREASE SPILL FROM DUMPSTER. CLEANED UP BY FACILITY. NO WATERWAYS AFFECTED. NFA
Remark: DUMPSTER OVERFLOW AND SPILL IS GETTING INTO STORM SEWERS. HEALTH DEPT IS WILL GET MALL MNGT TO CLEAN UP SPILL.

C33 **WESTCHESTER AVE.UTIL.TREN** **NY Spills** **S102155031**
ENE **WEST AVE & KENSICO AVE** **NY Hist Spills** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.116 mi.
610 ft. **Site 8 of 8 in cluster C**

Relative:
Lower

Actual:
146 ft.

SPILLS:

Facility ID:	9402527
DER Facility ID:	124836
Facility Type:	ER
Site ID:	146608
DEC Region:	3
Spill Number:	9402527
Spill Date:	5/18/1994
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/18/1994
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	5/18/1994
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Local Agency
Cleanup Ceased:	7/18/1994
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	6/22/1994
Spill Record Last Update:	2/13/1995
Spiller Name:	Not reported
Spiller Company:	EXXON & MOBIL
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"09/27/95: This is additional information about material spilled from the translation of the old spill file: CONTAM.SOIL.
Remarks:	CONTAMINATED SOIL FOUND DURING TRENCH EXCAVATION WORK AT THE INTERSECTION OF WESTCHESTER AVE & KENSICO BETWEEN MOBIL & EXXON REFER TO SPILL # 8808461

Material:

Site ID:	146608
Operable Unit ID:	999637
Operable Unit:	01
Material ID:	570074
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No

WESTCHESTER AVE.UTIL.TREN (Continued) **S102155031**

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 3
Spill Number: 9402527
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/18/1994 11:15
Reported to Dept Date/Time: 05/18/94 16:45
SWIS: 55
Spiller Name: EXXON & MOBIL
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 05
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: 07/18/94
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: True
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/18/94
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/22/94
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/13/95

WESTCHESTER AVE.UTIL.TREN (Continued) **S102155031**

Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 09/27/95: This is additional information about material spilled from the translation of the old spill file: CONTAM.SOIL.
Remark: CONTAMINATED SOIL FOUND DURING TRENCH EXCAVATION WORK AT THE INTERSECTION OF WESTCHESTER AVE KENSICO BETWEEN MOBIL EXXON REFER TO SPILL 8808461

F34 **EXXON MOBIL** **LTANKS S108130017**
East **174 WESTCHESTER AVE** **NY Spills N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.127 mi.
669 ft. **Site 1 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

LTANKS:
Site ID: 258244
Spill No: 8600621
Spill Date: 4/23/1986
Spill Cause: Tank Failure
Spill Source: Gasoline Station
Spill Class: Not reported
Spill Closed Dt: 6/6/1986
Facility Addr2: Not reported
Cleanup Ceased: 6/6/1986
Cleanup Meets Standard: True
SWIS: 6017
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 4/25/1986
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: 6/6/1986
Recommended Penalty: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 5/16/1986
Spill Record Last Update: 9/5/1986
Spiller Name: Not reported
Spiller Company: MOBIL STATION

EXXON MOBIL (Continued) **S108130017**

Spiller Address:	174 WESTCHESTER AVE.
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	186029
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "
	Not reported
Remarks:	CONTCT.MOBIL ENG-MR.MAIWANDI-LOSS OF INVEN.-1299GAL.POT.LOSS THRU LEAK
	Not reported

Material:

Site ID:	258244
Operable Unit ID:	898436
Operable Unit:	01
Material ID:	552177
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

SPILLS:

Facility ID:	8705500
DER Facility ID:	186029
Facility Type:	ER
Site ID:	258245
DEC Region:	3
Spill Number:	8705500
Spill Date:	9/29/1987
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	2/12/2005
SWIS:	6017
Investigator:	jghardy
Referred To:	Not reported

EXXON MOBIL (Continued) **S108130017**

Reported to Dept:	9/30/1987
CID:	Not reported
Water Affected:	NONE
Spill Source:	Gasoline Station
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	9/29/1987
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	10/5/1987
Spill Record Last Update:	3/18/2005
Spiller Name:	Not reported
Spiller Company:	MOBIL
Spiller Address:	Not reported
Spiller City,St,Zip:	MOUNT VERNON, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "HARDY"09/30/87 SPILLER REMOVING CONTAM. SOIL.01/22/97 REPORT RECEIVED; REPORTS SHOULD BE MORE PROMPT.10/03/03: Letter to Brian J. Melancon, Geologic Services Corp. from J. Hardy. Reduce reporting to annually.2/12/05 source removed and remedial systems have operated--ves has operated without removing any additional contamination for more the 1 year--levels in wells low and decreasing--close
Remarks:	SPILLER CLEANED UP MINOR AMOUNT OF CONTAMINATED SOIL. NFA

Material:

Site ID:	258245
Operable Unit ID:	911678
Operable Unit:	01
Material ID:	468098
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

EXXON MOBIL (Continued) **S108130017**

Facility ID:	0605630
DER Facility ID:	186029
Facility Type:	ER
Site ID:	368831
DEC Region:	3
Spill Number:	0605630
Spill Date:	8/14/2006
Spill Cause:	Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	2/13/2008
SWIS:	6017
Investigator:	WCHD
Referred To:	GOREAU
Reported to Dept:	8/15/2006
CID:	444
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/15/2006
Spill Record Last Update:	2/19/2008
Spiller Name:	CURT GOOD
Spiller Company:	EXXON MOBILE
Spiller Address:	174 WESTCHESTER AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	CURT GOOD
Contact Phone:	(610) 593-4790
DEC Memo:	02/13/08 Stefan Goreau - 0605630 and 0610363, 174 Westchester Ave, White Plains. NFA Postexcavation soil samples showed contaminated soil removed.
Remarks:	CUSTOMER CRASHED INTO THE PUMP AND DUE TO NO CONTAINMENT, CAUSED SPILL; CLEANED UP AND TECHS ENROUTE TO CHECK SOIL

Material:

Site ID:	368831
Operable Unit ID:	1126689
Operable Unit:	01
Material ID:	2116240
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported

EXXON MOBIL (Continued) **S108130017**

Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

F35 **HIST LTANKS** **S104619222**
East **174 WESTCHESTER AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.127 mi.
669 ft. **Site 2 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	8600621
Spill Date:	04/23/1986
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Gas Station
Spill Class:	Not reported
Spill Closed Dt:	06/06/86
Cleanup Ceased:	06/06/86
Cleanup Meets Standard:	True
Investigator:	Not reported
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	04/25/86
Reported to Department Time:	09:39
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	MOBIL STATION
Spiller Address:	174 WESTCHESTER AVE.
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	06/06/86

(Continued) **S104619222**

Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/16/86
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/05/86
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: CONTCT.MOBIL ENG-MR.MAIWANDI-LOSS OF INVEN.-1299GAL.POT.LOSS THRU LEAK

F36 **MOBIL OIL CORPORATION** **MANIFEST** **S109784511**
East **174 WESTCHESTER AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.127 mi.
669 ft. **Site 3 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

CT MANIFEST:

Waste:
Manifest No: NYB295821-0
Waste Occurence: 1
UNNA: 9189
Hazard Class: ORM-E
US Dot Description: HAZARDOUS WASTE LIQUID NOS, BENZENE
No of Containers: 001
Container Type: TT
Quantity: 58
Weight/Volume: G
Additional Description: Not reported
Handling Code: S02
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

MOBIL OIL CORPORATION (Continued) **S109784511**

Waste CD:

Manifest No:	NYB295821-0
Waste Occurence:	1
EPA Waste Code:	D018
Recycled Waste?:	F
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1991
Manifest ID:	NYB295821-0
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY, INC.
TSDF Address:	136 GRACEY AVENUE
TSDF City,St,Zip:	MERIDEN, CT 06450
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/25/1991
Transporter EPA ID:	NYD006801245
Transporter Name:	TYREE BROS ENVIRONMENTAL SVC/TYREE ORGANIZATION
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982533754
Generator Phone:	9149494821
Generator Mailing Addr:	174 WESTCHESTER AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10607
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	R
Date Shipped:	10/25/1991
Date Received:	11/21/1991
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

F37 **MOBIL R/S #11617** **UST** **U003884756**
East **174 WESTCHESTER AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.127 mi.
669 ft. **Site 4 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

WESTCHESTER CO. UST:

PBS Number:	3-049395
Owner Name:	CPD NY ENERGY CORP
Owner Street:	536 MAIN ST
Owner Address2:	Not reported
Owner City:	NEW PALTZ

MOBIL R/S #11617 (Continued) **U003884756**

Owner State:	NY
Owner Zipcode:	12561
Site Status:	Active
GDS Number:	3551700147
Operator Name:	CHESTNUT MARTS, INC.
Tank Number:	1
Tank Location:	5. Underground
Capacity:	10000
Product Stored:	Not reported
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	Not reported
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	1. Submersible
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	11/01/1987
Tank Number:	2
Tank Location:	5. Underground
Capacity:	8000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	Not reported
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	1. Submersible
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	11/01/1987
Tank Number:	3
Tank Location:	5. Underground
Capacity:	10000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)

MOBIL R/S #11617 (Continued) **U003884756**

Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	Not reported
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	1. Submersible
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	11/01/1987

Tank Number:	4
Tank Location:	5. Underground
Capacity:	12000
Product Stored:	6. Diesel
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	0. None
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	11/01/1987
Date Perm Closure:	01/01/1900

Tank Number:	5
Tank Location:	5. Underground
Capacity:	12000
Product Stored:	8. Gasoline/Ethanol
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	0. None
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	10

MOBIL R/S #11617 (Continued) **U003884756**

Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	11/01/1987
Date Perm Closure:	01/01/1900

Tank Number:	6
Tank Location:	5. Underground
Capacity:	12000
Product Stored:	8. Gasoline/Ethanol
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	0. None
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	10
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	11/01/1987
Date Perm Closure:	01/01/1900

Tank Number:	7
Tank Location:	5. Underground
Capacity:	12000
Product Stored:	8. Gasoline/Ethanol
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	0. None
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	10
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	11/01/1987
Date Perm Closure:	01/01/1900

F38 **MOBIL OIL CORP SS N5B** **RCRA-NonGen** **1000253414**
East **174 WESTCHESTER AVE** **MANIFEST** **NYD982533754**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.127 mi. **NY Hist Spills**
669 ft. **Site 5 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	MOBIL OIL CORP SS N5B
Facility address:	174 WESTCHESTER AVE WHITE PLAINS, NY 10601
EPA ID:	NYD982533754
Mailing address:	EDISON AVE MOUNT VERNON, NY 10550
Contact:	Not reported
Contact address:	EDISON AVE MOUNT VERNON, NY 10550
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	MOBIL OIL CORP - MKTG ENVIRON
Owner/operator address:	3225 GALLOWS RD FAIRFAX, VA 22037
Owner/operator country:	US
Owner/operator telephone:	(703) 849-3330
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	MOBIL OIL CORP - MKTG ENVIRON
Owner/operator address:	3225 GALLOWS RD FAIRFAX, VA 22037
Owner/operator country:	US
Owner/operator telephone:	(703) 849-3330
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: MOBIL OIL CORP SS N5B
Classification: Not a generator, verified

Date form received by agency: 04/26/1995
Facility name: MOBIL OIL CORP SS N5B
Classification: Not a generator, verified

Date form received by agency: 02/24/1988
Facility name: MOBIL OIL CORP SS N5B
Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
EPA ID: NYD982533754
Country: USA
Mailing Name: MOBIL OIL CORPORATION
Mailing Contact: R. BUCHALSKI
Mailing Address: 89 EDISON AVENUE
Mailing Address 2: Not reported
Mailing City: MOUNT VERNON
Mailing State: NY
Mailing Zip: 10501
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-668-8002

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2007-01-04
Trans1 Recv Date: 2007-01-04
Trans2 Recv Date: 2007-01-12
TSD Site Recv Date: 2007-01-15
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982533754
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: KYD053348108
Waste Code: Not reported
Quantity: 300.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2007
Manifest Tracking Num: 000000949SKS

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	NYB5554044
Manifest Status:	Completed copy
Trans1 State ID:	Not reported
Trans2 State ID:	Not reported
Generator Ship Date:	940426
Trans1 Recv Date:	940426
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	940426
Part A Recv Date:	Not reported
Part B Recv Date:	940510
Generator EPA ID:	NYD982533754
Trans1 EPA ID:	NYD006801245
Trans2 EPA ID:	Not reported
TSDF ID:	NYD082785429
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00165
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	94

Document ID:	CTC0146086
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	H-1214 CT
Trans2 State ID:	Not reported
Generator Ship Date:	880225
Trans1 Recv Date:	880225
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880225
Part A Recv Date:	890601
Part B Recv Date:	890509
Generator EPA ID:	NYD982533754
Trans1 EPA ID:	CTD991288747
Trans2 EPA ID:	Not reported
TSDF ID:	CTD021816889
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	03000
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Specific Gravity:	100
Year:	88

Document ID:	07
Manifest Status:	000000949SKS
Trans1 State ID:	NYD982533754
Trans2 State ID:	Not reported
Generator Ship Date:	KYD053348108
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	TXR000050930
TSD Site Recv Date:	Not reported
Part A Recv Date:	NJD071629976
Part B Recv Date:	2007-01-12
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSDF ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	1
Number of Containers:	DM
Container Type:	300
Handling Method:	P
Specific Gravity:	1
Waste Code:	B
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	1/4/2007
Trans1 Recv Date:	1/4/2007
Trans2 Recv Date:	1/12/2007
TSD Site Recv Date:	1/15/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982533754
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Year:	2007

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Manifest Tracking Num:	000000949SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	NYB2957121
Manifest Status:	Completed copy
Trans1 State ID:	PD5158
Trans2 State ID:	Not reported
Generator Ship Date:	930115
Trans1 Recv Date:	930115
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930115
Part A Recv Date:	930128
Part B Recv Date:	930128
Generator EPA ID:	NYD982533754
Trans1 EPA ID:	NYD006801245
Trans2 EPA ID:	Not reported
TSDF ID:	NYD082785429
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	93

MANIFEST:

GEN Cert Date:	2/25/1988
Transporter Recpt Date:	Not reported
Number Of Containers:	0
Container Type:	Not reported
Waste Code1:	D001
Waste Code2:	Not reported
Waste Code3:	Not reported
Comment:	Not reported
Fee Exempt Code:	Not reported
TSDF Name:	UNITED IND
TSDF ID:	CTD021816889
TSDF Date:	Not reported
Transporter 2 Name:	Not reported
Transporter 2 ID:	Not reported
Manifest Docket Number:	CTC0146086
Waste Description:	GAS SOIL
Quantity:	3000
WT/Vol Units:	G
Item Number:	1

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Transporter Name:	NEPCCO
Transporter EPA ID:	CTD991288747
GEN Cert Date:	2/25/1988
Transporter Recpt Date:	Not reported
Transporter 2 Recpt Date:	Not reported
TSDF Recpt Date:	Not reported
EPA ID:	NYD982533754
Transporter 2 ID:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	8705500
Investigator:	HARDY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	09/29/1987 13:30
Reported to Dept Date/Time:	09/30/87 10:00
SWIS:	55
Spiller Name:	MOBIL
Spiller Contact:	Not reported
Spiller Phone:	(914) 668-3793
Spiller Address:	Not reported
Spiller City,St,Zip:	RICH CICCOTELLI
Spill Cause:	Unknown
Reported to Dept:	Groundwater
Water Affected:	NONE
Spill Source:	05
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	False
Last Inspection:	09/29/87
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	True
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	10/05/87
Date Spill Entered In Computer Data File:	Not reported
Update Date:	06/17/99
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

MOBIL OIL CORP SS N5B (Continued) **1000253414**

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 09/30/87 SPILLER REMOVING CONTAM. SOIL. 01/22/97 REPORT RECEIVED; REPORTS SHOULD BE MORE PROMPT.
Remark: SPILLER CLEANED UP MINOR AMOUNT OF CONTAMINATED SOIL. NFA

F39 **CON EDISON MANHOLE 4640** **RCRA-NonGen** **1010326278**
East **WESTCHESTER AVENUE** **MANIFEST** **NYP004140349**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.133 mi.
704 ft. **Site 6 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

RCRA-NonGen:
Date form received by agency: 07/05/2006
Facility name: CON EDISON MANHOLE 4640
Facility address: WESTCHESTER AVENUE
WHITE PLAINS, NY 10601
EPA ID: NYP004140349
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: ANTONIO DELGADO
Contact address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact country: US
Contact telephone: (718) 204-4201
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No

CON EDISON MANHOLE 4640 (Continued) **1010326278**

Used oil transporter: No

Historical Generators:
Date form received by agency: 07/04/2006
Facility name: CON EDISON MANHOLE 4640
Site name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 07/03/2006
Facility name: CON EDISON MANHOLE 4640
Site name: CON EDISON
Classification: Unverified

Violation Status: No violations found

NY MANIFEST:
EPA ID: NYP004140349
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE1607697
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 03/08/2006
Trans1 Recv Date: 03/08/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/09/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004140349
Trans1 EPA ID: 18887JU
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00184
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00191
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.

CON EDISON MANHOLE 4640 (Continued) **1010326278**

Specific Gravity: 01.00
Year: 2006

Document ID: NYE1541844
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 03/15/2006
Trans1 Recv Date: 03/15/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/16/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004140349
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00042
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2006

Document ID: NYE1541844
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 03/15/2006
Trans1 Recv Date: 03/15/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/16/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004140349
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00042
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2006

Document ID: NYE1607697
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 03/08/2006

CON EDISON MANHOLE 4640 (Continued) **1010326278**

Trans1 Recv Date:	03/08/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/09/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004140349
Trans1 EPA ID:	18887JU
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity:	00184
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00
Waste Code:	B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity:	00191
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2006

E40 **WESTBROOK TENANTS CORP.** **UST** **U003994994**
WNW **10 FRANKLIN AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.136 mi.
717 ft. **Site 4 of 4 in cluster E**

Relative:
Higher

Actual:
203 ft.

WESTCHESTER CO. UST:

PBS Number:	3-048402
Owner Name:	Westbrook Tenants Corp
Owner Street:	141 Halstead Avenue
Owner Address2:	Not reported
Owner City:	Mamaroneck
Owner State:	NY
Owner Zipcode:	10543
Site Status:	Unregulated
GDS Number:	Not reported
Operator Name:	Stillman Management
Tank Number:	001
Tank Location:	5. Underground
Capacity:	7500
Product Stored:	4. No. 6 fuel oil
Tank Type:	9. Concrete
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	3. Gravity
Status:	4. Closed - in place

WESTBROOK TENANTS CORP. (Continued) **U003994994**

Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	03/01/1954
Date Perm Closure:	12/02/2010

F41 **EXXON GAS STATION** **HIST LTANKS** **S100165959**
East **186 WESTCHESTER AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.138 mi.
731 ft. **Site 7 of 12 in cluster F**

Relative:
Lower

Actual:
145 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	8808631
Spill Date:	02/01/1989
Spill Time:	12:30
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Gas Station
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/01/98
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	T. GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	02/01/89
Reported to Department Time:	13:24
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	EXXON GAS STATION
Spiller Address:	186 WESTCHESTER AVE.
Spiller City,St,Zip:	WHITE PLAINS
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 738-5799
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	True

Date Region Sent Summary to Central Office: / /

EXXON GAS STATION (Continued) **S100165959**

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/03/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/21/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: EXXON NOTIFIED. GAS SERVICE RECOMMENDED IMMEDIATE PUMPING OUT OF TANKS. PETRO-TITE 2 TANKS 1 2K AND 1 3K - COULDN T MAINTAIN PRODUCT. EXXON WILL PUMP OUT.

F42 **LTANKS** **S105999834**
ENE **155-157 KENSICO AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.144 mi.
758 ft. **Site 8 of 12 in cluster F**

Relative:
Lower

Actual:
149 ft.

LTANKS:
Site ID: 275807
Spill No: 0306120
Spill Date: 9/9/2003
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/23/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 9/9/2003
CID: 281
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False

(Continued) **S105999834**

UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/9/2003
Spill Record Last Update:	3/23/2004
Spiller Name:	SUSAN HOGAN
Spiller Company:	SUSAN HOGAN
Spiller Address:	SAME
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	DAVE SPELMAN
Spiller Phone:	(888) 963-8265
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	224240
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"03/23/04 CLEAN EARTH DISPOSED OF LUST AND 6.35 TONS OF CONTAMINATED SOIL. SAMPLE RESULTS WERE BENEATH TAGM LIMITS. NO FURTHER ACTION REQUIRED AT THIS TIME.
Remarks:	During tank removal at above location soil contamination has been discovered. The tank has been removed and samples taken of soil at location. Further cleanup is pending sample results.

Material:

Site ID:	275807
Operable Unit ID:	874686
Operable Unit:	01
Material ID:	503357
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

43
NNW
1/8-1/4
0.147 mi.
778 ft.

GRANADA ARMS CONDOMINIUM
30 WINDSOR TERRACE
WHITE PLAINS, NY 10601

AST **A100204283**
N/A

Relative:
Higher

Actual:
186 ft.

WESTCHESTER CO. AST:

PBS Number:	3-039160
Owner Name:	Granada Arms Condominium
Owner Street:	30 Windsor Terrace
Owner Address2:	Not reported
Owner City:	White Place
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Gus Gutierrez
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	5000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	1. Aboveground
Piping Type:	9. Copper
Piping External Protection:	9. Urethane
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only),5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	2. Vault (w/ access)
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1960
Date Perm Closure:	01/01/1900

F44
East
1/8-1/4
0.152 mi.
800 ft.

SEABURGH'S FROZEN FOODS
200 WESTCHESTER AVE
WHITE PLAINS, NY

Site 9 of 12 in cluster F

HIST LTANKS **S100177726**
NY Spills **N/A**

Relative:
Lower

Actual:
149 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9109951
Spill Date:	11/25/1991
Spill Time:	10:00
Spill Cause:	Tank Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False

SEABURGH'S FROZEN FOODS (Continued) **S100177726**

Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/25/91
Reported to Department Time: 10:00
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 948-6377
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/07/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/25/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported

SEABURGH'S FROZEN FOODS (Continued) **S100177726**

Spill Cause: NUM TWO FUEL OIL IN MONITORING WELLS IN THE VICINITY OF SEABURGHS TANK

SPILLS:

Facility ID:	9109951
DER Facility ID:	143196
Facility Type:	ER
Site ID:	170183
DEC Region:	3
Spill Number:	9109951
Spill Date:	11/25/1991
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	3/24/2010
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	11/25/1991
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/7/1992
Spill Record Last Update:	3/24/2010
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"3/24/10 NFA JO'M
Remarks:	NUM TWO FUEL OIL IN MONITORING WELLS IN THE VICINITY OF SEABURGHS TANK Not reported

Material:

Site ID:	170183
Operable Unit ID:	963671
Operable Unit:	01
Material ID:	561940
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

SEABURGH'S FROZEN FOODS (Continued) **S100177726**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

G45 **APT. BUILDING** **HIST LTANKS** **S100494086**
WNW **3-5 FRANKLIN AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.152 mi.
802 ft. **Site 1 of 10 in cluster G**

Relative:
Higher

Actual:
197 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9207566
Spill Date:	09/29/1992
Spill Time:	13:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	02/05/93
Cleanup Ceased:	02/05/93
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	09/30/92
Reported to Department Time:	10:22
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported

APT. BUILDING (Continued) **S100494086**

Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/30/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/05/93
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 02/05/93: SPOKE WITH ED TORHAN WCHD- SPILL HAS BEEN CLEANED UP BY SPILLER.
Spill Cause: PIPE LINE REPAIRED SPEEDI-DRI APPLIED WILL PICK UP AND DISPOSE W.P.F.D.
RESPONDED FOR ROUTINE INSPECTION

G46 **3-5 FRANKLIN OWNERS CORP.** **AST** **A100213212**
WNW **3-5 FRANKLIN AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.152 mi.
802 ft. **Site 2 of 10 in cluster G**

Relative:
Higher

Actual:
197 ft.

WESTCHESTER CO. AST:
PBS Number: 3-165409
Owner Name: 3-5 Franklin Owners Corp.
Owner Street: 1053 Saw Mill River Road
Owner Address2: Not reported
Owner City: Ardsley
Owner State: NY
Owner Zipcode: 10502
Site Status: Active
GDS Number: Not reported
Operator Name: Marty Telesmanic

Tank Number: 1
Tank Location: 3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity: 4850
Product Stored: Not reported

3-5 FRANKLIN OWNERS CORP. (Continued) **A100213212**

Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	08/01/1989
Date Perm Closure:	Not reported

G47 **3-5 FRANKLIN AVE** **LTANKS** **S102154546**
WNW **3-5 FRANKLIN AVE.** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Spills**
0.152 mi. **NY Hist Spills**
802 ft. **Site 3 of 10 in cluster G**

Relative:
Higher

Actual:
197 ft.

LTANKS:

Site ID:	161165
Spill No:	8800464
Spill Date:	4/14/1988
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	1/11/1989
Facility Addr2:	Not reported
Cleanup Ceased:	1/11/1989
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	4/14/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	1/11/1989
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/4/1988
Spill Record Last Update:	2/7/1989
Spiller Name:	Not reported
Spiller Company:	PRESIDENTIAL MANAGEMENT
Spiller Address:	180 S. BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	136071

3-5 FRANKLIN AVE (Continued) **S102154546**

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"
Remarks: 5K TTF AT GROSS RATE. PBS TO FOLLOW.RETEST NEEDED.

Material:
Site ID: 161165
Operable Unit ID: 917348
Operable Unit: 01
Material ID: 459648
Material Code: 0002A
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 161165
Spill Tank Test: 1533653
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Site ID: 161166
Spill No: 9207566
Spill Date: 9/29/1992
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/5/1993
Facility Addr2: Not reported
Cleanup Ceased: 2/5/1993
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 9/30/1992
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/30/1992
Spill Record Last Update: 2/5/1993

3-5 FRANKLIN AVE (Continued) **S102154546**

Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	136071
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"02/05/93: SPOKE WITH ED TORHAN WCHD- SPILL HAS BEEN CLEANED UP BY SPILLER.
Remarks:	PIPE LINE REPAIRED SPEEDI-DRI APPLIED WILL PICK UP AND DISPOSE W.P.F.D. RESPONDED FOR ROUTINE INSPECTION

Material:

Site ID:	161166
Operable Unit ID:	974406
Operable Unit:	01
Material ID:	408196
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	8800464
Spill Date:	04/14/1988
Spill Time:	12:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	01/11/89
Cleanup Ceased:	01/11/89

3-5 FRANKLIN AVE (Continued) **S102154546**

Cleanup Meets Standard:	True
Investigator:	OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	04/14/88
Reported to Department Time:	12:52
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	PRESIDENTIAL MANAGEMENT
Spiller Address:	180 S. BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 761-4056
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	3-165409
Last Inspection:	01/11/89
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	05/04/88
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	02/07/89
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Not reported
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	#4 FUEL OIL
Class Type:	#4 FUEL OIL
Times Material Entry In File:	1751
CAS Number:	Not reported
Last Date:	19941205

3-5 FRANKLIN AVE (Continued) **S102154546**

DEC Remarks: Not reported
Spill Cause: 5K TTF AT GROSS RATE. PBS TO FOLLOW.RETEST NEEDED.

SPILLS:

Facility ID:	9305571
DER Facility ID:	136071
Facility Type:	ER
Site ID:	161167
DEC Region:	3
Spill Number:	9305571
Spill Date:	8/4/1993
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	11/20/1997
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	8/4/1993
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/16/1993
Spill Record Last Update:	12/29/1997
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"11/29/95 OIL RECOVERY SYSTEM INSTALLED BY EES HAVE BEEN INEFFECTIVE IN RECOVERING PRODUCT NEW SYSTEM WILL BE DESIGNED BY DAN FLORENTINO OF AEON ENVIRON. SPEC.11/20/97 LETTER SENT BY TODD; NFA;
Remarks:	FUEL OIL SEEPING UP THROUGH FLOOR OF BOILER ROOM IN APARTMENT BUILDING Not reported

Material:

Site ID:	161167
Operable Unit ID:	987082
Operable Unit:	01
Material ID:	395483
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No

3-5 FRANKLIN AVE (Continued) **S102154546**

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 161167
Spill Tank Test: 1541846
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

NY Hist Spills:
Region of Spill: 3
Spill Number: 9305571
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/04/1993 10:15
Reported to Dept Date/Time: 08/04/93 10:20
SWIS: 55
Spiller Name: SAME
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Other
PBS Number: 3-165409
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/20/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/16/93
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/29/97

3-5 FRANKLIN AVE (Continued) **S102154546**

Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 11/29/95 OIL RECOVERY SYSTEM INSTALLED BY EES HAVE BEEN INEFFECTIVE IN RECOVERING PRODUCT NEW SYSTEM WILL BE DESIGNED BY DAN FLORENTINO OF AEON ENVIRON. SPEC. 11/20/97 LETTER SENT BY TODD; NFA;
Remark: FUEL OIL SEEPING UP THROUGH FLOOR OF BOILER ROOM IN APARTMENT BUILDING

G48 **CON EDISON MANHOLE** **RCRA-NonGen** **1014398558**
WNW **3 FRANKLIN AVE** **NYP004209126**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.152 mi.
802 ft. **Site 4 of 10 in cluster G**

Relative:
Higher

Actual:
197 ft.

RCRA-NonGen:
Date form received by agency: 07/20/2010
Facility name: CON EDISON MANHOLE
Facility address: 3 FRANKLIN AVE
WHITE PLAINS, NY 10601
EPA ID: NYP004209126
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: HERMAN BAKER
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: (718) 267-3853
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No

CON EDISON MANHOLE (Continued) **1014398558**

On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/20/2010
Facility name:	CON EDISON MANHOLE
Site name:	CON EDISON
Classification:	Not a generator, verified
Violation Status:	No violations found

H49 **DPW GARAGE** **LTANKS** **S104276650**
NE **140 SOUTH KENSICO AVE** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Spills**
0.152 mi.
805 ft. **Site 1 of 3 in cluster H**

Relative:
Higher

Actual:
159 ft.

LTANKS:

Site ID:	216872
Spill No:	8707259
Spill Date:	11/23/1987
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Spill Closed Dt:	11/23/1987
Facility Addr2:	Not reported
Cleanup Ceased:	11/23/1987
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	11/23/1987
CID:	Not reported
Water Affected:	NONE
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/2/2003
Spill Record Last Update:	12/2/2003
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	RED BROCCHI, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	179563

DPW GARAGE (Continued) **S104276650**

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was " " / / : 11/23/87- SPILLER CLEANED UP-NFA.
Remarks: HOLE NEAR TOP OF A/G TANK IN BASEMENT-SMALL LEAK

Material:
Site ID: 216872
Operable Unit ID: 912987
Operable Unit: 01
Material ID: 466223
Material Code: 0002A
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 8707259
Spill Date: 11/23/1987
Spill Time: 15:45
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: NONE
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 11/23/87
Cleanup Ceased: 11/23/87
Cleanup Meets Standard: True
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/23/87
Reported to Department Time: 15:55

DPW GARAGE (Continued) **S104276650**

SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: RED BROCCHI
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 682-4389
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/30/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: / / : 11/23/87- SPILLER CLEANED UP-NFA.
Spill Cause: HOLE NEAR TOP OF A/G TANK IN BASEMENT-SMALL LEAK

SPILLS:
Facility ID: 9705509
DER Facility ID: 226093
Facility Type: ER
Site ID: 291243
DEC Region: 3
Spill Number: 9705509
Spill Date: 8/6/1997
Spill Cause: Housekeeping

DPW GARAGE (Continued) **S104276650**

Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	11/10/1997
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	8/6/1997
CID:	252
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/6/1997
Spill Record Last Update:	12/12/1997
Spiller Name:	JOHN MENDELSOHN
Spiller Company:	DEPT PUBLIC WORKS
Spiller Address:	140 SOUTH KENSICO
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller Company:	001
Contact Name:	JOHN MENDELSOHN
Contact Phone:	(908) 548-8730
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	WORKERS WERE WASHING OFF OIL MATERIALS FROM TRUCKS-CAUSING MATERIALTO BE WASHED INTO SEWER

Material:

Site ID:	291243
Operable Unit ID:	1051519
Operable Unit:	01
Material ID:	334726
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

DPW GARAGE (Continued) **S104276650**

Facility ID:	9205252
DER Facility ID:	226093
Facility Type:	ER
Site ID:	239979
DEC Region:	3
Spill Number:	9205252
Spill Date:	8/6/1992
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/15/1992
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	8/6/1992
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Citizen
Cleanup Ceased:	8/10/1992
Cleanup Meets Std:	True
Last Inspection:	8/10/1992
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/19/1992
Spill Record Last Update:	9/15/1992
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"
Remarks:	DIGGING GOING ON AT GARAGE EMPLOYEE SAYS THEY DUG DOWN 25 FEET AND HEAVYCONTAMINATION STLL EXISTS

Material:

Site ID:	239979
Operable Unit ID:	969011
Operable Unit:	01
Material ID:	409473
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported

DPW GARAGE (Continued) **S104276650**

Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

H50 **HIGHWAY GARAGE** **UST U003994611**
NE **140 SOUTH KENSICO AVENUE** **AST N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.152 mi.
805 ft. **Site 2 of 3 in cluster H**

Relative:
Higher

Actual:
159 ft.

WESTCHESTER CO. UST:

PBS Number:	3-169536
Owner Name:	City Of White Plains
Owner Street:	255 Main Street
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	TBD
Operator Name:	City Of White Plains

Tank Number:	19
Tank Location:	6. Underground, vaulted, with access
Capacity:	2500
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1975
Date Perm Closure:	04/01/1994

Tank Number:	20
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	Not reported

HIGHWAY GARAGE (Continued) **U003994611**

Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	04/01/1994

Tank Number:	21
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	2. Sacrificial Anode (no retrofit)
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	02/01/1989
Date Perm Closure:	Not reported

Tank Number:	21
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed

HIGHWAY GARAGE (Continued) **U003994611**

Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	Not reported

Tank Number:	22
Tank Location:	5. Underground
Capacity:	6000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	3. Stainless steel alloy
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring,5. In-Tank System (auto tank gauge)
Date Installation:	10/01/1989
Date Perm Closure:	01/01/1900

Tank Number:	22
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	01/01/1900

Tank Number:	23
Tank Location:	5. Underground
Capacity:	6000

HIGHWAY GARAGE (Continued) **U003994611**

Product Stored:	9. Biodiesel
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	3. Stainless steel alloy
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	5. Pressurized piping leak detector
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	20
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring,5. In-Tank System (auto tank gauge)
Date Installation:	10/01/1989
Date Perm Closure:	10/01/1990

Tank Number:	23
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1974
Date Perm Closure:	10/01/1990

WESTCHESTER CO. AST:

PBS Number:	3-169536
Owner Name:	City Of White Plains
Owner Street:	255 Main Street
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	TBD
Operator Name:	City Of White Plains

Tank Number:	36
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	1000

HIGHWAY GARAGE (Continued) **U003994611**

Product Stored:	8. Gasoline/Ethanol
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	concrete
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	85
Tank Secondary Containment:	5. Synthetic Liner,9. Modified double-walled (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	2. Manual Interstitial Monitoring,6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	12/01/1992
Date Perm Closure:	01/01/1900

Tank Number:	37
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	1000
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	concrete
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	5. Synthetic Liner,9. Modified double-walled (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	2. Manual Interstitial Monitoring,6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	12/01/1992
Date Perm Closure:	01/01/1900

Tank Number:	38
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	275
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction

HIGHWAY GARAGE (Continued) **U003994611**

Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1994
Date Perm Closure:	01/01/1900

Tank Number:	39
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	275
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1994
Date Perm Closure:	01/01/1900

H51 **COLIN SERVICE SYSTEM INC** **UST** **U003994451**
NE **1 BROCKWAY PLACE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.155 mi.
817 ft. **Site 3 of 3 in cluster H**

Relative:
Higher

Actual:
160 ft.

WESTCHESTER CO. UST:

PBS Number:	3-411310
Owner Name:	Nilco Operating Co.
Owner Street:	1 Brockway Place
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Jay Colin

Tank Number:	1
Tank Location:	5. Underground
Capacity:	1500
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron

COLIN SERVICE SYSTEM INC (Continued) **U003994451**

Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	03/01/1995

Tank Number:	2
Tank Location:	5. Underground
Capacity:	4000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1980
Date Perm Closure:	03/01/1995

G52 **ONE FRANKLIN OWNERS CORP.** **UST** **U003857347**
WNW **ONE FRANKLIN AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.157 mi.
827 ft. **Site 5 of 10 in cluster G**

Relative:
Higher

Actual:
194 ft.

WESTCHESTER CO. UST:

PBS Number:	3-104663
Owner Name:	One Franklin Owners Corp.
Owner Street:	One Franklin Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Manual Blanco

Tank Number:	1
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	1. No. 2 fuel oil

ONE FRANKLIN OWNERS CORP. (Continued) **U003857347**

Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1985
Date Perm Closure:	01/01/1900

G53 **CON EDISON** **RCRA-NonGen** **1014399086**
West **FRANKLIN AVE & WESTCHESTER AVE** **NYP004214631**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.159 mi.
839 ft. **Site 6 of 10 in cluster G**

Relative:
Higher

Actual:
193 ft.

RCRA-NonGen:

Date form received by agency:	08/31/2010
Facility name:	CON EDISON
Facility address:	FRANKLIN AVE & WESTCHESTER AVE WHITE PLAINS, NY 10601
EPA ID:	NYP004214631
Mailing address:	4 IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	DOMINIC BIZZARO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(914) 925-6219
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No

CON EDISON (Continued) **1014399086**

Used oil transporter: No

Violation Status: No violations found

I54 **NEW YORK HOSPITAL** **MANIFEST** **S109783726**
SSE **21 BLOOMINGDALE RD.** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.159 mi.
840 ft. **Site 1 of 4 in cluster I**

Relative:
Lower

Actual:
156 ft.

CT MANIFEST:

Waste:

Manifest No:	CTF0366414
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	HAZARDOUS WASTE SOLID, NOS
No of Containers:	001
Container Type:	DT
Quantity:	15
Weight/Volume:	Y
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0366414
Waste Occurence:	1
EPA Waste Code:	D018
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1994
Manifest ID:	CTF0366414
TSDF EPA ID:	CTD000604488
TSDF Name:	CLEAN HARBORS OF CONNECTICUT, INC.
TSDF Address:	51 BRODERICK RD
TSDF City,St,Zip:	BRISTOL, CT 06010
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	11/30/1994
Transporter EPA ID:	MAD039322250
Transporter Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD98059427
Generator Phone:	Not reported

NEW YORK HOSPITAL (Continued) **S109783726**

Generator Mailing Addr:	21 BLOOMINGDALE RD.
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	Not reported
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	11/30/1994
Date Received:	12/1/1994
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

I55 **NEW YORK PRESBYTERIAN** **HIST LTANKS** **S103940628**
SSE **21 BLOOMINGDALE ROAD** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.159 mi.
840 ft. **Site 2 of 4 in cluster I**

Relative:
Lower

Actual:
156 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9813782
Spill Date:	02/12/1999
Spill Time:	10:00
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Unknown
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	06/02/99
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	02/12/99
Reported to Department Time:	10:23
SWIS:	55
Spiller Contact:	NICHOLAS PASCAL
Spiller Phone:	(201) 489-5100
Spiller Extention:	Not reported
Spiller Name:	AMERADA HESS
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	( ) -
Facility Extention:	Not reported
Spill Notifier:	Local Agency
PBS Number:	Not reported

NEW YORK PRESBYTERIAN (Continued) **S103940628**

Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/12/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/08/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK OVERFILL - OVER 100 GALLONS. SPILL IMPACTED STORM DRAIN ALONG A SERVICE ROAD. CASTLETON ENV. CLEAN HARBORS ENROUTE FOR CLEANUP.

I56 **NEW YORK PRESBYTERIAN HOSPITAL** **UST 1006357971**
SSE **21 BLOOMINGDALE ROAD** **AST N/A**
1/8-1/4 **WHITE PLAINS, NY 10605**
0.159 mi.
840 ft. **Site 3 of 4 in cluster I**

Relative:
Lower

Actual:
156 ft.

WESTCHESTER CO. UST:
PBS Number: 3-170585
Owner Name: New York Presbyterian Hospital
Owner Street: 21 Bloomingdale Road
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10605
Site Status: Active
GDS Number: 3551700138
Operator Name: Douglas McGrath

Tank Number: 13
Tank Location: 5. Underground
Capacity: 550
Product Stored: Not reported

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	3. Aboveground/underground combination
Piping Type:	9. Copper
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	Not reported
Dispenser:	3. Gravity
Status:	5. Closed - removed
Product Stored Percent:	0
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1983
Date Perm Closure:	10/20/2008

Tank Number:	16
Tank Location:	5. Underground
Capacity:	1000
Product Stored:	1. No. 2 fuel oil
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	4. Glass liner
Tank External Protection:	6. Fiberglass,7. Jacketed (tank)
Piping Location:	2. Underground/on ground
Piping Type:	9. Copper
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	08/01/1997
Date Perm Closure:	01/01/1900

Tank Number:	17
Tank Location:	5. Underground
Capacity:	550
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	9. Copper
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	3. Gravity
Status:	4. Closed - in place

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Product Stored Percent:	Not reported
Tank Secondary Containment:	99. Other
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1962
Date Perm Closure:	Not reported

Tank Number:	4
Tank Location:	5. Underground
Capacity:	4000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	10/01/1976
Date Perm Closure:	03/01/1996

Tank Number:	5
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	08/01/1971
Date Perm Closure:	01/01/1996

Tank Number:	D4
Tank Location:	5. Underground
Capacity:	2000

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Product Stored:	6. Diesel
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	0. None
Tank External Protection:	2. Sacrificial Anode (no retrofit),6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring,5. In-Tank System (auto tank gauge)
Date Installation:	01/01/1996
Date Perm Closure:	01/01/1900

Tank Number:	G5
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass,2. Sacrificial Anode (no retrofit)
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm,3. Automatic Shut-off
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring,5. In-Tank System (auto tank gauge)
Date Installation:	01/01/1996
Date Perm Closure:	01/01/1900

WESTCHESTER CO. AST:

PBS Number:	3-170585
Owner Name:	New York Presbyterian Hospital
Owner Street:	21 Bloomingdale Road
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10605
Site Status:	Active
GDS Number:	3551700138
Operator Name:	Douglas McGrath

Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	23000

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	2. Vault (w/ access)
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	04/01/1947
Date Perm Closure:	01/01/1900

Tank Number:	10
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	150
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm,3. Automatic Shut-off
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	1. Electronic Interstitial Monitoring,6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	10/01/1990
Date Perm Closure:	01/01/1900

Tank Number:	11
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	275
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	1. Submersible

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	10. Impervious Underlayment
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	10/01/1976
Date Perm Closure:	03/01/1996

Tank Number:	12
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	275
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	1. Submersible
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	10. Impervious Underlayment
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	10/01/1976
Date Perm Closure:	01/01/1996

Tank Number:	13A
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	280
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	9. Copper
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only),5. Vent Whistle
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	9. Modified double-walled (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	2. Manual Interstitial Monitoring,6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	10/01/2008
Date Perm Closure:	01/01/1900

Tank Number:	14
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Capacity:	275
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only),5. Vent Whistle
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	2. Vault (w/ access),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None,6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1959
Date Perm Closure:	01/01/1900

Tank Number:	15
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	275
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only),5. Vent Whistle
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	2. Vault (w/ access),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1959
Date Perm Closure:	01/01/1900

Tank Number:	2
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	23000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	2. Vault (w/ access)
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	04/01/1947
Date Perm Closure:	01/01/1900

Tank Number:	3
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	2000
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	3. Gravity
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	99. Other
Date Installation:	08/01/1973
Date Perm Closure:	Not reported

Tank Number:	6
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	275
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	05/01/1980
Date Perm Closure:	01/01/1900

Tank Number:	7

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	275
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	Not reported
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	05/01/1980
Date Perm Closure:	01/01/1900

Tank Number:	8
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	275
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	Not reported
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	05/01/1980
Date Perm Closure:	01/01/1900

Tank Number:	9
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	275
Product Stored:	6. Diesel
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm,4. Product Level Gauge (Aboveground Only)

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	1. Diking (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	Not reported
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	05/01/1980
Date Perm Closure:	01/01/1900

I57 **NEW YORK BLOOD CENTER - CLINICAL SVCS** **RCRA-NonGen** **1000990620**
SSE **21 BLOOMINGDALE RD** **FINDS** **NY0001020908**
1/8-1/4 **WHITE PLAINS, NY 10605** **LTANKS**
0.159 mi. **HIST LTANKS**
840 ft. **Site 4 of 4 in cluster I** **CBS AST**
MANIFEST
Relative: **NY Spills**
Lower **CBS**

Actual: **156 ft.**

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	NEW YORK BLOOD CENTER - CLINICAL SVCS
Facility address:	21 BLOOMINGDALE RD THE WALL BUILDING WHITE PLAINS, NY 106051504
EPA ID:	NY0001020908
Mailing address:	BLOOMINGDALE RD THE WALL BUILDING WHITE PLAINS, NY 106051504
Contact:	RONA WEINBERG
Contact address:	BLOOMINGDALE RD THE WALL BUILDING WHITE PLAINS, NY 106051504
Contact country:	US
Contact telephone:	(914) 784-4566
Contact email:	RWEINBERG@NYBLOODCENTER.ORG
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	THE NEW YORK HOSPITAL
Owner/operator address:	21 BLOOMINGDALE RD WHITE PLAINS, NY 10605
Owner/operator country:	US
Owner/operator telephone:	(914) 682-9100
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	ROYAL CHARTER PROPERTIES-WESTCHESTER INC
Owner/operator address:	E 70TH ST #304 REAL ESTATE DIV NEW YORK, NY 10021
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Owner/Op start date: 01/01/1956
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: NEW YORK BLOOD CENTER - CLINICAL SVCS
Classification: Not a generator, verified

Date form received by agency: 02/16/2005
Facility name: NEW YORK BLOOD CENTER - CLINICAL SVCS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Facility name: NEW YORK BLOOD CENTER - CLINICAL SVCS
Site name: NEW YORK HOSPITAL THE
Classification: Not a generator, verified

Date form received by agency: 05/20/1998
Facility name: NEW YORK BLOOD CENTER - CLINICAL SVCS
Site name: NEW YORK HOSPITAL CORNELL MEDICAL CENTER
Classification: Large Quantity Generator

Date form received by agency: 02/02/1995
Facility name: NEW YORK BLOOD CENTER - CLINICAL SVCS
Site name: NEW YORK HOSPITAL THE
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110000806147

Environmental Interest/Information System
NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

LTANKS:

Site ID:	267817
Spill No:	9813782
Spill Date:	2/12/1999
Spill Cause:	Tank Overfill
Spill Source:	Unknown
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/2/1999
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/12/1999
CID:	204
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/12/1999
Spill Record Last Update:	6/8/1999

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Spiller Name:	Not reported
Spiller Company:	AMERADA HESS
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	NICHOLAS PASCAL
Spiller Phone:	(201) 489-5100
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	218177
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	TANK OVERFILL - OVER 100 GALLONS. SPILL IMPACTED STORM DRAIN ALONG A SERVICE ROAD. CASTLETON ENV. & CLEAN HARBORS ENROUTE FOR CLEANUP.

Material:

Site ID:	267817
Operable Unit ID:	1071328
Operable Unit:	01
Material ID:	310487
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	267816
Spill No:	0404544
Spill Date:	7/27/2004
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/24/2009
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jbodee

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Referred To:	WESTCHESTER CNTY HEALTH DEPT
Reported to Dept:	7/27/2004
CID:	407
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/27/2004
Spill Record Last Update:	6/24/2009
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	DOUG MCGRAPH
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	218177
DEC Memo:	Tank test failure reported at New York Presbyterian Hospital. PBS registration 3-170585WCDOH will follow up.6/24/09: Tank passed a subsequent test after repair work. NFA jod
Remarks:	Going to isolate and test the tank.

Material:

Site ID:	Not reported
Operable Unit ID:	Not reported
Operable Unit:	Not reported
Material ID:	Not reported
Material Code:	Not reported
Material Name:	Not reported
Case No.:	Not reported
Material FA:	Not reported
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	267816
Spill Tank Test:	1529475
Tank Number:	1
Tank Size:	1000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

HIST LTANKS:

Region of Spill:	3

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Spill Number:	9512089
Spill Date:	12/26/1995
Spill Time:	13:00
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/26/95
Reported to Department Time:	13:26
SWIS:	55
Spiller Contact:	KEN MUCHERINO
Spiller Phone:	(914) 682-9100
Spiller Extention:	2250
Spiller Name:	NEW YORK HOSPITAL
Spiller Address:	21 BLOOMINDALE RD
Spiller City,St,Zip:	WHITEPLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	KEN MUCHERINO
Facility Phone:	(914) 682-9100
Facility Extention:	2250
Spill Notifier:	Other
PBS Number:	3-170585
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	True
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/26/95
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/12/01
Is Updated:	True

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 12/26/95 UNKNOWWN TANK ENCOUNTERED TO BE REMOVED 10/06/99 LETTER SENT; ORC INJECTION PROPOSAL HAS BEEN APPROVED- ADVISE T. GHIOSAY WHEN GEO-PROBE WORK IS TO BEGIN;
Spill Cause: CALLER FOUND CONTAMINATED SOIL WHILE REMOVING TANK

CBS AST:
CBS Number: 3-000206
Region: STATE
ICS Number: 3-700591
PBS Number: Not reported
MOSF Number: Not reported
Telephone: (914) 682-9100
Facility Town: WHITE PLAINS (C)
Operator: GROUNDS SUPERVISOR
Emrgncy Contact: KENNETH MUCHERINO
Emrgncy Phone: (914) 997-5701
Expiration Date: 07/27/2001
Owner Name: NEW YORK HOSPITAL CORNELL
Owner Address: 21 BLOOMINGDALE ROAD
Owner City,St,Zip: WHITE PLAINS, NY 10605
Owner Telephone: (914) 997-5701
Owner type: Corporate/Commercial
Facility Type: TRUCKING/TRANSPORTATION
Mail Name: NEW YORK HOSPITAL CORNELL
Mail Contact Addr: 21 BLOOMINGDALE ROAD
Mail Contact Addr2: Not reported
Mail Contact Contact: KENNETH F. MUCHERINO
Mail Contact City,St,Zip: WHITE PLAINS, NY 10605
Mail Phone: (914) 997-5701
SPDES Number: Not reported
Facility Status: ACTIVE FACILITY
Owner Sub Type: Not reported

Tank Id: 001
Date Entered: 07/27/1989
Capacity (Gal): 350
Chemical: Chlorine
Tank Closed: 12/99
Tank Status: 0
Tank Type: Fiberglass coated steel
Install Date: 10/86
Certified Date: 05/04/1999
CAS Number: 7782505
Substance: Single Hazardous Substance on DEC List
Tank Location: ABOVEGROUND
Intrnl Protection: None

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Extrnl Protection:	None
Pipe Location:	Aboveground
Pipe Type:	PLASTIC
Pipe Internal:	None
Pipe External:	0
Pipe Containment:	Other
Tank Containment:	Vault (w/access)
Leak Detection:	Other
Overfill Protection:	Catch Basin
Haz Percent:	100
Total Tanks:	0
Tank Secret:	False
Last Test:	Not reported
Due Date:	Not reported
Tank Error Status:	No Missing Data
SWIS Code:	5517
Lat/Long:	Not reported
Pipe Flag:	False
Federal ID:	Not reported
Is Updated:	F
Renew Date:	04/01/93
Is it There:	F
Deliquent:	F
Date Expired:	07/27/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	04/01/1999
Total Capacity of All Active Tanks(gal):	0

NY MANIFEST:

EPA ID:	NY0001020908
Country:	USA
Mailing Name:	NEW YORK HOSPITAL - CORNELL MEDICAL
Mailing Contact:	VAN BENSON
Mailing Address:	21 BLOOMINGDALE ROAD
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10606
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-682-9100

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2012-01-24
Trans1 Recv Date:	2012-01-24
Trans2 Recv Date:	2012-01-24
TSD Site Recv Date:	2012-02-01
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	20.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	004789083FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2012-01-24
Trans1 Recv Date:	2012-01-24
Trans2 Recv Date:	2012-01-24
TSD Site Recv Date:	2012-02-01
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	120.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	004789083FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2012-01-24
Trans1 Recv Date:	2012-01-24
Trans2 Recv Date:	2012-01-24
TSD Site Recv Date:	2012-02-01
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	40.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	004789083FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2012-01-24
Trans1 Recv Date:	2012-01-24
Trans2 Recv Date:	2012-01-24
TSD Site Recv Date:	2012-02-01
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	20.0
Units:	P - Pounds

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	004789083FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	NYB7721442
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	OH044
Trans2 State ID:	Not reported
Generator Ship Date:	970125
Trans1 Recv Date:	970125
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970127
Part A Recv Date:	970210
Part B Recv Date:	970418
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	OHD053576294
Trans2 EPA ID:	Not reported
TSDF ID:	OHD053576294
Waste Code:	B006 - PCB TRANSFORMERS WITH 500 PPM OR > PCB
Quantity:	02127
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	004
Container Type:	CM - Metal boxes, cases, roll-offs
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	97

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-02-04
Trans1 Recv Date:	2009-02-04
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-10
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Waste Code:	Not reported
Quantity:	50.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004853572JJK
Import Ind:	N
Export Ind:	Y
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178896
Trans2 State ID:	Not reported
Generator Ship Date:	2009-08-06
Trans1 Recv Date:	2009-08-06
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-08-14
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	30.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004854819JJK
Import Ind:	N
Export Ind:	Y
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-01-20
Trans1 Recv Date:	2009-01-20
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-05
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004853112JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-01-20
Trans1 Recv Date:	2009-01-20
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-05
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Year:	2009
Manifest Tracking Num:	004853112JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-01-20
Trans1 Recv Date:	2009-01-20
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-05
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004853112JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-01-20
Trans1 Recv Date:	2009-01-20

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-05
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004853112JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	2009-02-04
Trans1 Recv Date:	2009-02-04
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-02-10
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CDX480000000
Waste Code:	Not reported
Quantity:	50.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	004853572JJK
Import Ind:	N
Export Ind:	Y
Discr Quantity Ind:	N
Discr Type Ind:	N

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-08-05
Trans1 Recv Date:	2010-08-05
Trans2 Recv Date:	2010-08-05
TSD Site Recv Date:	2010-08-17
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	120.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003032624FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-08-05
Trans1 Recv Date:	2010-08-05
Trans2 Recv Date:	2010-08-05
TSD Site Recv Date:	2010-08-17
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003032624FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-08-05
Trans1 Recv Date:	2010-08-05
Trans2 Recv Date:	2010-08-05
TSD Site Recv Date:	2010-08-17
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	25.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003032624FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Mgmt Method Type Code: H040

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD039322250
Trans2 State ID: MAD039322250
Generator Ship Date: 2010-10-29
Trans1 Recv Date: 2010-10-29
Trans2 Recv Date: 2010-10-29
TSD Site Recv Date: 2010-11-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0001020908
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: ARD069748192
Waste Code: Not reported
Quantity: 50.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 003437719FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H040

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD039322250
Trans2 State ID: MAD039322250
Generator Ship Date: 2010-10-29
Trans1 Recv Date: 2010-10-29
Trans2 Recv Date: 2010-10-29
TSD Site Recv Date: 2010-11-13
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0001020908
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: ARD069748192
Waste Code: Not reported
Quantity: 60.0
Units: P - Pounds
Number of Containers: 1.0

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003437719FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-10-29
Trans1 Recv Date:	2010-10-29
Trans2 Recv Date:	2010-10-29
TSD Site Recv Date:	2010-11-13
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	ARD069748192
Waste Code:	Not reported
Quantity:	5.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003437719FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H040

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-08-05
Trans1 Recv Date:	2010-08-05
Trans2 Recv Date:	2010-08-05
TSD Site Recv Date:	2010-08-17
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	OHD000816629
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003032625FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	MAD039322250
Generator Ship Date:	2010-05-26
Trans1 Recv Date:	2010-05-26
Trans2 Recv Date:	2010-05-26
TSD Site Recv Date:	2010-06-04
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0001020908
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	OHD000816629
Waste Code:	Not reported
Quantity:	30.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003100905FLE
Import Ind:	N

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Click this hyperlink while viewing on your computer to access
11 additional NY_MANIFEST: record(s) in the EDR Site Report.

SPILLS:

Facility ID:	9500446
DER Facility ID:	218177
Facility Type:	ER
Site ID:	197890
DEC Region:	3
Spill Number:	9500446
Spill Date:	4/1/1995
Spill Cause:	Other
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	10/11/1995
SWIS:	6017
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	4/11/1995
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	10/11/1995
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/27/1948
Spill Record Last Update:	2/20/2004
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "111111111111"02/20/04 SPILL FILE CORRUPTED ON DATABASE. NO HARD COPY FILE EXISTS IN REGIONAL OFFICE. jbo
Remarks:	Not reported

Material:

Site ID:	197890

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Operable Unit ID:	1011209
Operable Unit:	01
Material ID:	369063
Material Code:	0064A
Material Name:	UNKNOWN MATERIAL
Case No.:	Not reported
Material FA:	Other
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9512089
DER Facility ID:	218177
Facility Type:	ER
Site ID:	282420
DEC Region:	3
Spill Number:	9512089
Spill Date:	12/26/1995
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	Not Closed
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/26/1995
CID:	257
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	4
Date Entered In Computer:	12/26/1995
Spill Record Last Update:	5/3/2011
Spiller Name:	KEN MUCHERINO
Spiller Company:	NEW YORK HOSPITAL
Spiller Address:	21 BLOOMINDALE RD
Spiller City,St,Zip:	WHITEPLAINS, NY

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Spiller Company: 001
Contact Name: KEN MUCHERINO
Contact Phone: (914) 682-9100 2250
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"12/26/95 UNKNOWWN TANK ENCOUNTERED TO BE REMOVED10/06/99 LETTER SENT; ORC INJECTION PROPOSAL HAS BEEN APPROVED- ADVISE T. GHIOSAY WHEN GEO-PROBE WORK IS TO BEGIN;10/25/01 IDC GW MONITORING REPORT SUBMITTED. BTEX REMAINS HIGH AROUND TANK FIELD. IDC PROPOSES PUMPING 3 WELLS WITH A VAC TRUCK FOR TWO WELLS & THEN EVALUATING CONNECTING AREA TO PUMP & TREAT SYSTEM. 06/17/03 Monitoring report submitted by Ira D. Conklin. Report recommended expanding the pumping of ground water from MW-1 & MW-7.01-07-04 Quarterly monitoring report received from IDC. Significant contamination still exists in the areas around MW1 MW2, MW3 and MW7. Expansion of the treatment system to that area still has not been implemented. TG07/28/04 Quarterly monitoring report rec'd from IDC. Elevated levels of contaminants in 1,2,3,7,9. Recommends pumping from 1,2,7, & 9. 05/31/05 2nd Quarter Monitoring report submitted be Greg Bendell from Ira Conklin and sons. VOC contamination still present in MW1, MW2 & MW3. Conklin recommended "...targeted monthly vac truck events on MW1, 2, 3 to expedite contamination removal. TG10/26/06 Quarterly monitoring report submitted by Conklin Services & Construction, formerly Ira Conklin and Sons. TG10/14/08 Quarterly monitoring report submitted by Conklin Services& Construction.03/04/09 Monitoring report submitted by Conklin including recommendations for remedial measures to accelerate the pace of the cleanup. Stacey Smit from Conklin was advised that the DEC will require that one or more of the alternatives be selected and implemented. She will respond back to DEC after preparing cost estimates for the client. TG10/01/09 Quarterly monitoring report received from Conklin. TG07/12/10 Quarterly monitoring report received from Conklin. TG01/26/11 Quarterly monitoring report dated 12/17/10 received from Conklin. Report recommends monthly vacuum events be performed on MW-1. TG03/18/11 New project manager Michael and a staff engineer from Conklin called and a remedial approach was discussed which they will be submitting a letter shortly. TG04/30/11 GW monitoring report submitted by Conklin. Sudden spike in VOC detected in down gradient well 6. Suggested immediate resampling to confirm. Report in edocs. TG
Not reported
Remarks: CALLER FOUND CONTAMINATED SOIL WHILE REMOVING TANK

Material:
Site ID: 282420
Operable Unit ID: 1026305
Operable Unit: 01
Material ID: 359407
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: True
Site ID: 282420
Operable Unit ID: 1026305
Operable Unit: 01

NEW YORK BLOOD CENTER - CLINICAL SVCS (Continued) **1000990620**

Material ID:	2106654
Material Code:	1213A
Material Name:	MTBE (METHYL-TERT-BUTYL ETHER)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	True

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

CBS:

CBS Number:	3-000206
Program Type:	CBS
Dec Region:	3
Expiration Date:	N/A
Facility Status:	Unregulated
UTMX:	604397.54931999
UTMY:	4542870.4106700

G58 **M B TRUCKING** **LTANKS** **S102152995**
WNW **12 WESTCHESTER AVE** **NY Spills** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Hist Spills**
0.163 mi.
859 ft. **Site 7 of 10 in cluster G**

Relative:
Higher

Actual:
195 ft.

LTANKS:

Site ID:	411931
Spill No:	0900020
Spill Date:	4/1/2009
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	Not reported
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JKOMARA
Referred To:	Not reported

M B TRUCKING (Continued) **S102152995**

Reported to Dept:	4/1/2009
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	4
Date Entered In Computer:	4/1/2009
Spill Record Last Update:	9/7/2011
Spiller Name:	DAVID DRASHOW
Spiller Company:	PATRIOT MANAGEMENT
Spiller Address:	12 WESTCHETER AVE
Spiller City,St,Zip:	WHITEPLAINS, NY
Spiller County:	999
Spiller Contact:	ROBIN WIECZOREK
Spiller Phone:	(845) 434-7805
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	176944
DEC Memo:	4-1-09: V.Mc.^ DAVID DRASHOW/PATRIOT: UST is 5K, as per Mr.Drashow. To authorize Luzon to proceed with repair of line and retest of system.5/14/09: During investigation the tank was found to be 7,500 gallons in size. Tank was out of service and partly filled with sand. Reps from Luzon, Lane Engineering and the White Plains Bldg Dept met on site 5-18-09. It was determined the tank cannot be removed without causing severe damage to the structure. Accessible contaminated soil will be remediated and the tank will be abandoned in place. jod06/24/09 Luzon Environmental Services submitted a Underground Storage Tank Closure Report. Structural concerns prevented the removal of the tank, so the WCHD allowed the oil tank to be cleaned and abandoned in place. Recovery well was placed in an area where oil was seeping from beneath the tank and will be monitored for a year. TG 12/14/09: Well data including sample results from November 19 submitted by Luzon. Further vaccing of well and additional sampling necessary. Results to be entered into eDocs. jod09/06/11 GW sampling report submitted by Luzon. Report in Edocs. TG
Remarks:	LINE TEST FAILURE ON 10,000 GALLON VAULTED TANK, WHICH IS IN THE BASEMENT. REMOTE FILL LINE IS LEAKING UNK AMOUNT.

Material:

Site ID:	411931
Operable Unit ID:	1168423
Operable Unit:	01
Material ID:	2160029
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

M B TRUCKING (Continued) **S102152995**

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

SPILLS:

Facility ID:	8710547
DER Facility ID:	176944
Facility Type:	ER
Site ID:	213572
DEC Region:	3
Spill Number:	8710547
Spill Date:	3/17/1988
Spill Cause:	Equipment Failure
Spill Class:	Not reported
Spill Closed Date:	3/17/1988
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	3/17/1988
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	3/17/1988
Cleanup Meets Std:	True
Last Inspection:	3/17/1988
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/2/2003
Spill Record Last Update:	12/2/2003
Spiller Name:	TRUCKERS FOR HESS OIL
Spiller Company:	DAVE UNGEKER, M B TRUCK
Spiller Address:	212-328-3275
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"
Remarks:	M B TO TAKE RESPONSIBILITY FOR CLEANUP. UPDATE:3-17-88 AS PER D.UNGEKER: 1GAL SPILLED, DRIVER DID NOT CAUSE SPILL BUT MB TRUCK TAKES RESPONSIBILITY. FUEL SPILLED ON ASPHALT.MB CLEANED UP. N.F.A. D.O'B

Material:

Site ID:	213572
Operable Unit ID:	916420
Operable Unit:	01

M B TRUCKING (Continued) **S102152995**

Material ID:	462318
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	8607154
DER Facility ID:	176944
Facility Type:	ER
Site ID:	213571
DEC Region:	3
Spill Number:	8607154
Spill Date:	2/24/1987
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	3/7/1987
SWIS:	6017
Investigator:	PATEL
Referred To:	Not reported
Reported to Dept:	2/24/1987
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	3/7/1987
Cleanup Meets Std:	True
Last Inspection:	3/7/1987
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/27/1987
Spill Record Last Update:	1/29/1998
Spiller Name:	Not reported
Spiller Company:	PARK ROSE MGT
Spiller Address:	22 SAW MILL RIVER RD
Spiller City,St,Zip:	HAWTHORNE, ZZ
Spiller Company:	001
Contact Name:	Not reported

M B TRUCKING (Continued) **S102152995**

Contact Phone:	Not reported
DEC Memo:	Not reported
Remarks:	OIL SEEPING AFTER DELIVERY

Material:

Site ID:	213571
Operable Unit ID:	903844
Operable Unit:	01
Material ID:	472679
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	8710547
Investigator:	OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	03/17/1988 11:45
Reported to Dept Date/Time:	03/17/88 12:05
SWIS:	55
Spiller Name:	DAVE UNGEKER, M B TRUCK
Spiller Contact:	Not reported
Spiller Phone:	(201) 636-3000
Spiller Address:	212-328-3275
Spiller City,St,Zip:	TRUCKERS FOR HESS OIL
Spill Cause:	Equipment Failure
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	08

M B TRUCKING (Continued) **S102152995**

Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 03/17/88
Cleanup Meets Std: True
Last Inspection: 03/17/88
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 03/17/88
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: 03/17/88
Date Spill Entered In Computer Data File: 03/31/88
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: M B TO TAKE RESPONSIBILITY FOR CLEANUP. UPDATE:3-17-88 AS PER D.UNGEKER: 1GAL SPILLED, DRIVER DID NOT CAUSE SPILL BUT MB TRUCK TAKES RESPONSIBILITY. FUEL SPILLED ON ASPHALT.MB CLEANED UP. N.F.A. D.O B

G59 **12 WESTCHESTER TENANTS CORP.** **UST** **U004175899**
WNW **12 WESTCHESTER AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.163 mi.
859 ft. **Site 8 of 10 in cluster G**

Relative:
Higher

Actual:
195 ft.

WESTCHESTER CO. UST:
PBS Number: 3-104655
Owner Name: 12 Westchester Tenants Corp.
Owner Street: 12 Westchester Avenue
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Active

12 WESTCHESTER TENANTS CORP. (Continued) **U004175899**

GDS Number:	Not reported
Operator Name:	Avelino Prieto
Tank Number:	2
Tank Location:	5. Underground
Capacity:	7500
Product Stored:	4. No. 6 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Piping
Piping Type:	0. No Piping
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	0. None
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1953
Date Perm Closure:	05/18/2009

G60 **12 WESTCHESTER TENANTS CORP.** **AST** **A100213204**
WNW **12 WESTCHESTER AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.163 mi.
859 ft. **Site 9 of 10 in cluster G**

Relative:
Higher

Actual:
195 ft.

WESTCHESTER CO. AST:

PBS Number:	3-104655
Owner Name:	12 Westchester Tenants Corp.
Owner Street:	12 Westchester Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Avelino Prieto
Tank Number:	1
Tank Location:	6. Aboveground in subterranean vault with access for inspections
Capacity:	5000
Product Stored:	4. No. 6 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service

12 WESTCHESTER TENANTS CORP. (Continued) **A100213204**

Product Stored Percent:	Not reported
Tank Secondary Containment:	2. Vault (w/ access)
Piping Secondary Containment:	10. Impervious Underlayment
Tank Leak Detection:	6. Impervious Barrier/Concrete Pad (Aboveground Only)
Date Installation:	01/01/1953
Date Perm Closure:	01/01/1900

F61 **OFFICE BUILDING** **UST** **U004177066**
East **210 WESTCHESTER AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10604**
0.165 mi.
869 ft. **Site 10 of 12 in cluster F**

Relative:
Lower

Actual:
150 ft.

WESTCHESTER CO. UST:

PBS Number:	3-497665
Owner Name:	Von-ford Associates
Owner Street:	P.o. Box 475
Owner Address2:	Not reported
Owner City:	Crugers
Owner State:	NY
Owner Zipcode:	10521
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Von-ford Associates
Tank Number:	F01
Tank Location:	5. Underground
Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	04/01/1965
Date Perm Closure:	Not reported

J62 **WHITE PLAINS CITY OF DPW GARAGE** **RCRA-NonGen** **1000833442**
NE **111 S KENSICO AVE** **FINDS** **NYD987015104**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.166 mi.
876 ft. **Site 1 of 9 in cluster J**

Relative:
Higher

Actual:
159 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	MUNICIPAL SERVICES BLDG 2
Facility address:	111 S KENSICO AVE WHITE PLAINS, NY 106014006
EPA ID:	NYD987015104
Mailing address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact:	Not reported
Contact address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CITY OF WHITE PLAINS
Owner/operator address:	255 MAIN ST WHITE PLAINS, NY 10601
Owner/operator country:	US
Owner/operator telephone:	(914) 422-1206
Legal status:	Municipal
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	CITY OF WHITE PLAINS
Owner/operator address:	255 MAIN ST WHITE PLAINS, NY 10601
Owner/operator country:	US
Owner/operator telephone:	(914) 422-1206
Legal status:	Municipal
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

WHITE PLAINS CITY OF DPW GARAGE (Continued) **1000833442**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: MUNICIPAL SERVICES BLDG 2
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: MUNICIPAL SERVICES BLDG 2
Classification: Not a generator, verified

Date form received by agency: 09/24/1992
Facility name: MUNICIPAL SERVICES BLDG 2
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110012264502

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYD987015104
Country: USA
Mailing Name: MUNICIPAL SERVICE
Mailing Contact: A GUIFFREDY
Mailing Address: 111 S KENSICO AVE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10601
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-422-1219

Document ID: PAC8460001
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: PAAH0172
Trans2 State ID: Not reported
Generator Ship Date: 920929
Trans1 Recv Date: 920929
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921019
Part A Recv Date: Not reported
Part B Recv Date: 921030

WHITE PLAINS CITY OF DPW GARAGE (Continued) **1000833442**

Generator EPA ID:	NYD987015104
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	PAD987266715
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00080
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	92

Document ID:	NYC2030387
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	Not reported
Trans2 State ID:	Not reported
Generator Ship Date:	930525
Trans1 Recv Date:	930525
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930709
Part A Recv Date:	Not reported
Part B Recv Date:	930722
Generator EPA ID:	NYD987015104
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID:	VAD105838874
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00074
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	93

J63 **WHITE PLAINS CITY OF DPW GARAGE** **RCRA-NonGen** **1005444203**
NE **111 S KENSICO AVE** **NYR000105239**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.166 mi.
876 ft. **Site 2 of 9 in cluster J**

Relative:
Higher

Actual:
159 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	WHITE PLAINS CITY OF DPW GARAGE
Facility address:	111 S KENSICO AVE WHITE PLAINS, NY 10601
EPA ID:	NYR000105239
Mailing address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact:	RICK HOPE
Contact address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 422-1216
Contact email:	Not reported
EPA Region:	02

WHITE PLAINS CITY OF DPW GARAGE (Continued) **1005444203**

Land type: Municipal
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 111 S KENSICO AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1216
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 111 S KENSICO AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1216
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: WHITE PLAINS CITY OF DPW GARAGE
Classification: Not a generator, verified

Date form received by agency: 04/10/2002
Facility name: WHITE PLAINS CITY OF DPW GARAGE
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 03/15/2007

WHITE PLAINS CITY OF DPW GARAGE (Continued) **1005444203**

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

J64 **CON ED AT DEPT OF PUBLIC WORKS** **RCRA-NonGen** **1005417323**
NE **111 S KENSICO AVE** **FINDS** **NYR000104497**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.166 mi.
876 ft. **Site 3 of 9 in cluster J**

Relative:
Higher

Actual:
159 ft.

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: CON ED AT DEPT OF PUBLIC WORKS
Facility address: 111 S KENSICO AVE
WHITE PLAINS, NY 10601
EPA ID: NYR000104497
Mailing address: THEODORE FREMD
RYE, NY 10580
Contact: JAMES MCCABE
Contact address: THEODORE FREMD
RYE, NY 10580
Contact country: US
Contact telephone: (914) 925-6382
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 111 S KENSICO AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1206
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 111 S KENSICO AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1206
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No

CON ED AT DEPT OF PUBLIC WORKS (Continued) **1005417323**

Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: CON ED AT DEPT OF PUBLIC WORKS
Classification: Not a generator, verified

Date form received by agency: 03/08/2002
Facility name: CON ED AT DEPT OF PUBLIC WORKS
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110012262826

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYR000104497
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

NY MANIFEST:
No Manifest Records Available

K65 **CON ED HOLE # TM 2514** **LTANKS** **S102155353**
SW **MARTINE AVE WEST OF BDWAY** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Spills**
0.171 mi. **NY Hist Spills**
901 ft. **Site 1 of 3 in cluster K**

Relative:
Higher

Actual:
189 ft.

LTANKS:

Site ID:	172819
Spill No:	8806957
Spill Date:	11/21/1988
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/6/1989
Facility Addr2:	Not reported
Cleanup Ceased:	11/23/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	11/21/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	11/21/1988
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/3/1989
Spill Record Last Update:	1/2/1996
Spiller Name:	Not reported
Spiller Company:	RAD OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	145441
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	TANK OVERFILL

Material:

Site ID:	172819
Operable Unit ID:	923699
Operable Unit:	01
Material ID:	455302
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	200
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

CON ED HOLE # TM 2514 (Continued) **S102155353**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	8806957
Spill Date:	11/21/1988
Spill Time:	08:20
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	02/06/89
Cleanup Ceased:	11/23/88
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	11/21/88
Reported to Department Time:	08:20
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	RAD OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Fire Department
PBS Number:	Not reported
Last Inspection:	11/21/88
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False

CON ED HOLE # TM 2514 (Continued) **S102155353**

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/03/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/02/96
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 200
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: TANK OVERFILL

SPILLS:
Facility ID: 9414918
DER Facility ID: 150830
Facility Type: ER
Site ID: 179716
DEC Region: 3
Spill Number: 9414918
Spill Date: 2/13/1995
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 2/23/1995
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 2/13/1995
CID: Not reported
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: 2/23/1995
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 12/2/2003

CON ED HOLE # TM 2514 (Continued) **S102155353**

Spill Record Last Update:	12/2/2003
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	LEAK NOTICED DURING ROUTINE INSPECTION CON ED TO CLEAN UP

Material:

Site ID:	179716
Operable Unit ID:	1012341
Operable Unit:	01
Material ID:	373638
Material Code:	0017A
Material Name:	PCB OIL
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9414918
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	02/13/1995 10:15
Reported to Dept Date/Time:	02/13/95 14:19
SWIS:	55
Spiller Name:	CON ED
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Address:	Not reported

CON ED HOLE # TM 2514 (Continued) **S102155353**

Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 02/23/95
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/23/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/23/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: PCB OIL
Class Type: PCB OIL
Times Material Entry In File: 1229
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: LEAK NOTICED DURING ROUTINE INSPECTION CON ED TO CLEAN UP

F66 **HARRISON COURT** **UST** **U004187357**
East **220 - 230 WESTCHESTER AVE.** **N/A**
1/8-1/4 **HARRISON, NY 10604**
0.172 mi.
907 ft. **Site 11 of 12 in cluster F**

Relative:
Lower

Actual:
151 ft.

WESTCHESTER CO. UST:
PBS Number: 3-507016
Owner Name: 220/230 Westchester Ave.assoc.
Owner Street: 136 John St.
Owner Address2: Not reported

HARRISON COURT (Continued) **U004187357**

Owner City:	Southport
Owner State:	CT
Owner Zipcode:	06490
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Northbrook Management Corp.
Tank Number:	127
Tank Location:	Not reported
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	07/01/1968
Date Perm Closure:	07/30/2003

F67 **HARRISON COURT** **AST** **A100276719**
East **222-230 WESTCHESTER AVE.** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10604**
0.173 mi.
916 ft. **Site 12 of 12 in cluster F**

Relative:
Lower

Actual:
151 ft.

WESTCHESTER CO. AST:

PBS Number:	3-489514
Owner Name:	Amvest Properties, Inc.
Owner Street:	44 S. Bayles Ave.
Owner Address2:	Not reported
Owner City:	Port Washington
Owner State:	NY
Owner Zipcode:	11050
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	220-230 Westchester *
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported

HARRISON COURT (Continued) **A100276719**

Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	3. Gravity
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1968
Date Perm Closure:	01/01/1900

J68 **180 S KENSICO AVE AUTO BODY INC** **RCRA-CESQG** **1004757319**
NNE **96 S KENSICO AVE** **FINDS** **NYD986928216**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.179 mi.
943 ft. **Site 4 of 9 in cluster J**

Relative:
Lower

Actual:
154 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	180 S KENSICO AVE AUTO BODY INC
Facility address:	96 S KENSICO AVE WHITE PLAINS, NY 10601
EPA ID:	NYD986928216
Mailing address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact:	CHARLES HIPP JR
Contact address:	S KENSICO AVE WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 428-0250
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	CHARLES HIPP SR
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Owner/Op end date: Not reported

Owner/operator name: CHARLES HIPP SR
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: 180 S KENSICO AVE AUTO BODY INC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 10/18/1990
Facility name: 180 S KENSICO AVE AUTO BODY INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004454590

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYD986928216
Country: USA

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Mailing Name:	CHARLES AUTO BODY
Mailing Contact:	CHARLES HIPP
Mailing Address:	96 SOUTH KENSICO AVENUE
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-428-0250

Document ID:	MAM1190100
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/26/2000
Trans1 Recv Date:	05/26/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/30/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00030
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2000

Document ID:	MAM0187792
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/22/2003
Trans1 Recv Date:	05/22/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/23/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00030
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Year: 2003

Document ID: CTF0514806
Manifest Status: Completed copy
Trans1 State ID: P207055IL
Trans2 State ID: Not reported
Generator Ship Date: 970416
Trans1 Recv Date: 970416
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970421
Part A Recv Date: 970428
Part B Recv Date: 970507
Generator EPA ID: NYD986928216
Trans1 EPA ID: NJD080631369
Trans2 EPA ID: Not reported
TSDF ID: CTD072138969
Waste Code: F003 - UNKNOWN
Quantity: 00382
Units: P - Pounds
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: CTF1051535
Manifest Status: Not reported
Trans1 State ID: P298709IL
Trans2 State ID: Not reported
Generator Ship Date: 05/12/2004
Trans1 Recv Date: 05/12/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/14/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986928216
Trans1 EPA ID: NJD080631369
Trans2 EPA ID: Not reported
TSDF ID: CTD021816
Waste Code: F003 - UNKNOWN
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2004

Document ID: MAF3568870
Manifest Status: Completed copy
Trans1 State ID: P14004IL
Trans2 State ID: Not reported
Generator Ship Date: 911022
Trans1 Recv Date: 911022

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	911022
Part A Recv Date:	Not reported
Part B Recv Date:	911108
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F003 - UNKNOWN
Quantity:	00012
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	91

Document ID:	MAK0295390
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/12/1998
Trans1 Recv Date:	05/12/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/12/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P207061IL
Waste Code:	F003 - UNKNOWN
Quantity:	00025
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	98

Document ID:	MAM1468370
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/29/2001
Trans1 Recv Date:	05/29/2001
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/01/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Quantity:	00025
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2001

Document ID:	MAG1200680
Manifest Status:	Completed copy
Trans1 State ID:	P52018IL
Trans2 State ID:	Not reported
Generator Ship Date:	930325
Trans1 Recv Date:	930325
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930330
Part A Recv Date:	Not reported
Part B Recv Date:	930419
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F003 - UNKNOWN
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	93

Document ID:	MAK0832910
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	06/04/1999
Trans1 Recv Date:	06/04/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/08/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00025
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99

180 S KENSICO AVE AUTO BODY INC (Continued) **1004757319**

Document ID:	MAM1695130
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/15/2002
Trans1 Recv Date:	05/15/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/17/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986928216
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00025
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2002

J69 **180 S KENSICO AVE AUTO BODY INC** **MANIFEST** **S109785136**
NNE **96 S KENSICO AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.179 mi.
943 ft. **Site 5 of 9 in cluster J**

Relative:
Lower

Actual:
154 ft.

CT MANIFEST:

Waste:

Manifest No:	ctf1051535
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, N.O.S.
No of Containers:	1
Container Type:	TT
Quantity:	30
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/5/2005
DEO Who Last Modified Record:	CYF

Waste CD:

Manifest No:	ctf1051535
Waste Occurence:	1
EPA Waste Code:	F003
Recycled Waste?:	F
Date Record Was Last Modified:	4/5/2005
DEO Who Last Modified Record:	CYF

Detail:

Year:	2004
Manifest ID:	ctf1051535

180 S KENSICO AVE AUTO BODY INC (Continued) **S109785136**

TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY, INC.
TSDF Address:	14 WEST MAIN STREET
TSDF City,St,Zip:	MERIDEN, CT 06451
TSDF Country:	USA
TSDF Telephone:	(203)238-6745
Transport Date:	5/12/2004
Transporter EPA ID:	NJD080631369
Transporter Name:	ONYX ENVIRONMENTAL SERVICES, L.L.C.
Transporter Country:	USA
Transporter Phone:	(973)691-7321
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD986928216
Generator Phone:	9144280250
Generator Mailing Addr:	96 S KENSICO AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	5/12/2004
Date Received:	5/14/2004
Last modified date:	4/5/2005
Last modified by:	CYF
Comments:	Not reported

Waste:

Manifest No:	CTF0514806
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID N.O.S.
No of Containers:	001
Container Type:	TT
Quantity:	50
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0514806
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

180 S KENSICO AVE AUTO BODY INC (Continued) **S109785136**

Detail:

Year:	1997
Manifest ID:	CTF0514806
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES
TSDF Address:	130 FREIGHT ST. WATERBURY
TSDF City,St,Zip:	CT 06725
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	4/16/1997
Transporter EPA ID:	NJD080631369
Transporter Name:	ADVANCED ENVIRONMENTAL TECHNICAL SERVICE
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD986928216
Generator Phone:	9144280250
Generator Mailing Addr:	96 S KENSICO AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	4/16/1997
Date Received:	Not reported
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

K70 **34 SOUTH BROADWAY** **UST** **U003994272**
WSW **34 SOUTH BROADWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.181 mi.
957 ft. **Site 2 of 3 in cluster K**

Relative:
Higher

Actual:
205 ft.

WESTCHESTER CO. UST:

PBS Number:	3-104434
Owner Name:	Broadway Freeform LLC c/o KND Mgmt. Co.
Owner Street:	101 Richardson St
Owner Address2:	Not reported
Owner City:	Brooklyn
Owner State:	NY
Owner Zipcode:	11211
Site Status:	Unregulated
GDS Number:	Not reported
Operator Name:	KND Management Co.
Tank Number:	1
Tank Location:	5. Underground

34 SOUTH BROADWAY (Continued) **U003994272**

Capacity:	5000
Product Stored:	2. No. 4 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	06/01/1970
Date Perm Closure:	09/03/2009

G71 **CON EDISON MANHOLE 3558** **RCRA-NonGen** **1014918170**
West **BROADWAY & MARTIN AVE** **NYP004217547**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.190 mi.
1003 ft. **Site 10 of 10 in cluster G**

Relative:
Higher

Actual:
209 ft.

RCRA-NonGen:

Date form received by agency:	11/09/2010
Facility name:	CON EDISON MANHOLE 3558
Facility address:	BROADWAY & MARTIN AVE 150 FEET N OF WHITE PLAINS, NY 10601
EPA ID:	NYP004217547
Mailing address:	IRVING PL RM 828 NEW YORK, NY 10003
Contact:	CHRISTOPHER BLAICH
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(914) 925-6219
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

CON EDISON MANHOLE 3558 (Continued) **1014918170**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 10/10/2010
Facility name: CON EDISON MANHOLE 3558
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

J72 **PETAGINES AUTO BODY** **MANIFEST** **S109784361**
NNE **13 OAKLEY AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.192 mi.
1013 ft. **Site 6 of 9 in cluster J**

Relative:
Lower

Actual:
149 ft.

CT MANIFEST:

Waste:
Manifest No: ctf1063290
Waste Occurence: 1
UNNA: 1993
Hazard Class: 3
US Dot Description: FLAMMABLE LIQUIDS, N.O.S.
No of Containers: 1
Container Type: TT
Quantity: 165
Weight/Volume: G
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 12/13/2005
DEO Who Last Modified Record: CYF

Waste CD:
Manifest No: ctf1063290
Waste Occurence: 1
EPA Waste Code: F003
Recycled Waste?: F
Date Record Was Last Modified: 12/13/2005
DEO Who Last Modified Record: CYF

Manifest No: ctf1063290
Waste Occurence: 1
EPA Waste Code: F005
Recycled Waste?: F
Date Record Was Last Modified: 12/13/2005
DEO Who Last Modified Record: CYF

Detail:
Year: 2005
Manifest ID: ctf1063290
TSDF EPA ID: CTD002593887
TSDF Name: BRIDGEPORT UNITED RECYCLING
TSDF Address: 50 Cross St
TSDF City,St,Zip: BRIDGEPORT, CT 06610-
TSDF Country: USA

PETAGINES AUTO BODY (Continued) **S109784361**

TSDF Telephone:	Not reported
Transport Date:	6/22/2005
Transporter EPA ID:	CTD021816889
Transporter Name:	UNITED OIL RECOVERY, INC.
Transporter Country:	USA
Transporter Phone:	(203)238-6745
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	nyd982185084
Generator Phone:	9146820030
Generator Mailing Addr:	13 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	6/22/2005
Date Received:	6/22/2005
Last modified date:	1/25/2006
Last modified by:	JEB
Comments:	Not reported

Waste:

Manifest No:	ctf1136330
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, N.O.S.
No of Containers:	1
Container Type:	TT
Quantity:	200
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	12/30/2004
DEO Who Last Modified Record:	CYF

Waste CD:

Manifest No:	ctf1136330
Waste Occurence:	1
EPA Waste Code:	F005
Recycled Waste?:	F
Date Record Was Last Modified:	12/30/2004
DEO Who Last Modified Record:	CYF

Manifest No:	ctf1136330
Waste Occurence:	1
EPA Waste Code:	F003
Recycled Waste?:	F

PETAGINES AUTO BODY (Continued) **S109784361**

Date Record Was Last Modified: 12/30/2004
DEO Who Last Modified Record: CYF

Detail:

Year:	2004
Manifest ID:	ctf1136330
TSDF EPA ID:	CTD002593887
TSDF Name:	BRIDGEPORT UNITED RECYCLING, INC.
TSDF Address:	50 CROSS STREET
TSDF City,St,Zip:	BRIDGEPORT, CT 06610
TSDF Country:	USA
TSDF Telephone:	2032386745
Transport Date:	7/15/2004
Transporter EPA ID:	CTD021816889
Transporter Name:	UNITED OIL RECOVERY, INC.
Transporter Country:	USA
Transporter Phone:	(203)238-6745
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982185084
Generator Phone:	9146820030
Generator Mailing Addr:	13 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	7/15/2004
Date Received:	7/15/2004
Last modified date:	12/30/2004
Last modified by:	CYF
Comments:	Not reported

Waste:

Manifest No:	CTC0258942
Waste Occurence:	1
UNNA:	1263
Hazard Class:	FLAMMABLE
US Dot Description:	WASTE OAINT RELATED MATERIAL
No of Containers:	001
Container Type:	TT
Quantity:	75
Weight/Volume:	G
Additional Description:	Y
Handling Code:	T01
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

PETAGINES AUTO BODY (Continued) **S109784361**

Waste CD:

Manifest No:	CTC0258942
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/27/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1989
Manifest ID:	CTC0258942
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES, INC.
TSDF Address:	130 FREIGHT STREET
TSDF City,St,Zip:	WATERBURY, CT 06702
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	9/13/1989
Transporter EPA ID:	ILD099202681
Transporter Name:	CHEMICAL WASTE MANAGEMENT, INC. (TRANSPORTER)
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982185084
Generator Phone:	9146820030
Generator Mailing Addr:	13 OAKLEY AVE.
Generator Mailing Town:	WHITE OLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	9/13/1989
Date Received:	9/14/1989
Last modified date:	4/27/2004
Last modified by:	IG
Comments:	Not reported

J73 **PETAGIONES AUTO BODY** **MANIFEST** **S109784362**
NNE **13 OAKLEY AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.192 mi.
1013 ft. **Site 7 of 9 in cluster J**

Relative:
Lower

Actual:
149 ft.

CT MANIFEST:

Waste:

Manifest No:	CTF0886763
Waste Occurence:	1
UNNA:	1993

PETAGIONES AUTO BODY (Continued) **S109784362**

Hazard Class: 3
US Dot Description: FLAMMABLE LIQUID N.O.S.
No of Containers: 001
Container Type: TT
Quantity: 100
Weight/Volume: G
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Waste CD:
Manifest No: CTF0886763
Waste Occurence: 1
EPA Waste Code: D001
Recycled Waste?: F
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Detail:
Year: 1999
Manifest ID: CTF0886763
TSDF EPA ID: CTD021816889
TSDF Name: UNITED OIL RECOVERY INC./UIS DBA ADVANCED LIQ. REC
TSDF Address: 136 GRACEY AVE.
TSDF City,St,Zip: MERIDEN, CT 06451
TSDF Country: USA
TSDF Telephone: Not reported
Transport Date: 9/22/1999
Transporter EPA ID: ILD099202681
Transporter Name: CHEMICAL WASTE MANAGEMENT, INC. (TRANSPORTER)
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYD982185084
Generator Phone: 9146820030
Generator Mailing Addr: 13 OAKLEY AVE
Generator Mailing Town: WHITE PLAINS
Generator Mailing State: NY
Generator Mailing Zip: 10601
Generator Mailing Country: USA
Special Handling: Not reported
Discrepancies: No
Date Shipped: 9/22/1999
Date Received: 9/24/1999
Last modified date: 4/26/2004
Last modified by: IG
Comments: Not reported

PETAGIONES AUTO BODY (Continued) **S109784362**

Waste:

Manifest No:	CTF0514988
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID N.O.S.
No of Containers:	001
Container Type:	TT
Quantity:	125
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0514988
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1997
Manifest ID:	CTF0514988
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES
TSDF Address:	130 FREIGHT ST. WATERBURY
TSDF City,St,Zip:	CT 06725
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	4/16/1997
Transporter EPA ID:	NJD080631369
Transporter Name:	ADVANCED ENVIRONMENTAL TECHNICAL SERVICE
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYD982185084
Generator Phone:	9146820030
Generator Mailing Addr:	13 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	4/16/1997
Date Received:	Not reported
Last modified date:	4/26/2004

PETAGIONES AUTO BODY (Continued) **S109784362**

Last modified by: IG
Comments: Not reported

Waste:
Manifest No: CTF0485070
Waste Occurence: 1
UNNA: 1993
Hazard Class: 3
US Dot Description: FLAMMABLE LIQUID N.O.S.
No of Containers: 001
Container Type: TT
Quantity: 125
Weight/Volume: G
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Waste CD:
Manifest No: CTF0485070
Waste Occurence: 1
EPA Waste Code: D001
Recycled Waste?: F
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Detail:
Year: 1996
Manifest ID: CTF0485070
TSDF EPA ID: CTD072138969
TSDF Name: ENVIRONMENTAL WASTE RESOURCES
TSDF Address: 130 FREIGHT ST. WATERBURY
TSDF City,St,Zip: CT 06725
TSDF Country: USA
TSDF Telephone: Not reported
Transport Date: 3/21/1996
Transporter EPA ID: NJD080631369
Transporter Name: ONYX ENVIRONMENTAL SERVICE LLC
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYD982185084
Generator Phone: 9146820030
Generator Mailing Addr: 13 OAKLEY AVE
Generator Mailing Town: WHITE PLAINS
Generator Mailing State: NY
Generator Mailing Zip: 10601
Generator Mailing Country: USA
Special Handling: Not reported

PETAGIONES AUTO BODY (Continued) **S109784362**

Discrepancies: Not reported
Date Shipped: 3/21/1996
Date Received: 3/22/1996
Last modified date: 4/26/2004
Last modified by: IG
Comments: Not reported

Waste:
Manifest No: CTF0399335
Waste Occurence: 1
UNNA: 1993
Hazard Class: 3
US Dot Description: WASTE FLAMMABLE LIQUID NOS
No of Containers: 001
Container Type: TT
Quantity: 290
Weight/Volume: G
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Waste CD:
Manifest No: CTF0399335
Waste Occurence: 1
EPA Waste Code: D001
Recycled Waste?: F
Date Record Was Last Modified: 4/26/2004
DEO Who Last Modified Record: IG

Detail:
Year: 1995
Manifest ID: CTF0399335
TSDF EPA ID: CTD072138969
TSDF Name: ENVIRONMENTAL WASTE RESOURCES
TSDF Address: 130 FREIGHT ST. WATERBURY
TSDF City,St,Zip: CT 06725
TSDF Country: USA
TSDF Telephone: Not reported
Transport Date: 9/7/1995
Transporter EPA ID: ILD099202681
Transporter Name: CHEMICAL WASTE MANAGEMENT, INC. (TRANSPORTER)
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYD982185084
Generator Phone: 9146820030
Generator Mailing Addr: 13 OAKLEY AVE
Generator Mailing Town: WHITE PLAINS

PETAGIONES AUTO BODY (Continued) **S109784362**

Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	9/7/1995
Date Received:	9/11/1995
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Manifest No:	CTF0252747
Waste Occurence:	1
UNNA:	1993
Hazard Class:	FLAMMABLE
US Dot Description:	WASTE FLAMMABLE LIQUID
No of Containers:	001
Container Type:	TT
Quantity:	821
Weight/Volume:	P
Additional Description:	Y
Handling Code:	T23
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0252747
Waste Occurence:	1
EPA Waste Code:	D001
Recycled Waste?:	F
Date Record Was Last Modified:	4/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	1994
Manifest ID:	CTF0252747
TSDF EPA ID:	CTD072138969
TSDF Name:	ENVIRONMENTAL WASTE RESOURCES, INC.
TSDF Address:	130 FREIGHT STREET
TSDF City,St,Zip:	WATERBURY, CT 06702
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	5/20/1994
Transporter EPA ID:	ILD099202681
Transporter Name:	CHEMICAL WASTE MANAGEMENT, INC. (TRANSPORTER)
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported

PETAGIONES AUTO BODY (Continued) **S109784362**

EPA ID:	NYD982185084
Generator Phone:	9146820030
Generator Mailing Addr:	13 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	5/20/1994
Date Received:	5/23/1994
Last modified date:	4/26/2004
Last modified by:	IG
Comments:	Not reported

K74 **WESTCHESTER ONE** **RCRA-CESQG** **1010566194**
SW **44 S BROADWAY** **NYR000147843**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.194 mi.
1023 ft. **Site 3 of 3 in cluster K**

Relative:
Higher

Actual:
207 ft.

RCRA-CESQG:

Date form received by agency:	07/05/2007
Facility name:	WESTCHESTER ONE
Facility address:	44 S BROADWAY WHITE PLAINS, NY 10601
EPA ID:	NYR000147843
Mailing address:	S BROADWAY WHITE PLAINS, NY 10601
Contact:	ROBERT T WHITE
Contact address:	S BROADWAY WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 682-8300
Contact email:	BWHITE@WESTCHESTERONE.COM
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	CUSHMAN & WAKEFIELD
Owner/operator address:	Not reported Not reported

WESTCHESTER ONE (Continued) **1010566194**

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/30/2006
Owner/Op end date: Not reported

Owner/operator name: 44 SOUTH BROADWAY PROPERTY LLC
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 06/30/2006
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 07/04/2007
Facility name: WESTCHESTER ONE
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:
Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D009
Waste name: MERCURY

Violation Status: No violations found

75 SSW 1/8-1/4 0.197 mi. 1042 ft.

CROWN PLAZA HOTEL
66 HALE AVE
WHITE PLAINS, NY 10601

LTANKS **S111836460**
N/A

Relative: Higher

Actual: 169 ft.

LTANKS:

Site ID:	453595
Spill No:	1105926
Spill Date:	8/24/2011
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	Not reported
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	8/24/2011
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	4
Date Entered In Computer:	8/24/2011
Spill Record Last Update:	4/11/2012
Spiller Name:	HOTETON SMITH
Spiller Company:	CROWN PLAZA HOTEL
Spiller Address:	66 TALE AVE
Spiller City,St,Zip:	WHITE PLANES, NY 10601
Spiller County:	999
Spiller Contact:	HOTETON SMITH
Spiller Phone:	(914) 821-1349
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	408220
DEC Memo:	8-24-11: V.Mc. call to H.Smith: Left Mess.:Req. Call to Dispt.8-25-11 Mr Smith called. Will be meeting with NE Env to discuss repair and retest. Advised him to submit documentation to close spill. jc4/11/12 Tank was repaired by Northeast and retested. It failed again. The tank's owner is contacting Northeast to have the tank removed...mm
Remarks:	tank failure -

Material:

Site ID:	453595
Operable Unit ID:	1203754
Operable Unit:	01
Material ID:	2200483
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported

CROWN PLAZA HOTEL (Continued) **S111836460**

Recovered: Not reported
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

L76 **THE WELLINGTON CONDO** **AST** **A100082461**
NW **312 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.204 mi.
1079 ft. **Site 1 of 15 in cluster L**

Relative:
Higher

Actual:
209 ft.

WESTCHESTER CO. AST:
PBS Number: 3-039152
Owner Name: The Wellington Condo
Owner Street: 312 Main Street
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Active
GDS Number: Not reported
Operator Name: Abraham Martinez

Tank Number: 1
Tank Location: 3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity: 5000
Product Stored: 2. No. 4 fuel oil
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 0. None
Tank External Protection: 0. None
Piping Location: 1. Aboveground
Piping Type: 1. Steel/Carbon/ steel/iron
Piping External Protection: 0. None
Piping Leak Detection: 0. None
Overfill Prevention: 5. Vent Whistle
Spill Prevention: Not reported
Dispenser: 2. Suction
Status: 1. In-Service
Product Stored Percent: Not reported
Tank Secondary Containment: 2. Vault (w/ access)
Piping Secondary Containment: 0. None
Tank Leak Detection: 4. Groundwater Well
Date Installation: 09/01/1985
Date Perm Closure: 01/01/1900

L77 **BROAD PARKWAY OWNERS, INC.** **AST** **A100359196**
NW **1 BROAD PARKWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.205 mi.
1080 ft. **Site 2 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

WESTCHESTER CO. AST:

PBS Number:	3-039195
Owner Name:	Broad Parkway Owners, Inc
Owner Street:	n/a P.O. Box 395
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10602
Site Status:	Active
GDS Number:	Not reported
Operator Name:	John DeRosa
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	6000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	Not reported
Dispenser:	3. Gravity
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1930
Date Perm Closure:	01/01/1900

L78 **2-4 WINDSOR TERRACE OWNERS, INC.** **UST** **U003883813**
NNW **2-4 WINDSOR TERRACE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.205 mi.
1083 ft. **Site 3 of 15 in cluster L**

Relative:
Higher

Actual:
202 ft.

WESTCHESTER CO. UST:

PBS Number:	3-039187
Owner Name:	2-4 Windsor Terrace Owners, Inc.
Owner Street:	2-4 Windsor Terrace
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Stillman Management
Tank Number:	1
Tank Location:	5. Underground

2-4 WINDSOR TERRACE OWNERS, INC. (Continued) **U003883813**

Capacity:	10000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	07/21/2008

Tank Number:	1-R
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	2. No. 4 fuel oil
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass
Piping Location:	3. Aboveground/underground combination
Piping Type:	10. Flexible Piping
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	1. Electronic Interstitial Monitoring
Overfill Prevention:	2. High Level Alarm,5. Vent Whistle
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	07/01/2008
Date Perm Closure:	01/01/1900

L79 **APARTMENT BUILDING** **LTANKS** **S108957689**
NNW **2-4 WINDSOR TERRACE** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.205 mi.
1083 ft. **Site 4 of 15 in cluster L**

Relative:
Higher

Actual:
202 ft.

LTANKS:

Site ID:	388014
Spill No:	0707336
Spill Date:	10/3/2007
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	4/24/2009

APARTMENT BUILDING (Continued) **S108957689**

Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	WCDOH/PBS
Reported to Dept:	10/3/2007
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/3/2007
Spill Record Last Update:	4/24/2009
Spiller Name:	STEVE
Spiller Company:	APARTMENT BUILD
Spiller Address:	2-4 WINDSOR TERRACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	STEVE
Spiller Phone:	(914) 879-3623
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	337517
DEC Memo:	4/24/09: Tank removed, no contamintion evident. See eDocs. jod
Remarks:	PBS No: 3-039187 -PBS No. not found in UIS, may be invalid.uncover repair and test

Material:

Site ID:	388014
Operable Unit ID:	1145203
Operable Unit:	01
Material ID:	2135534
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	388014
Spill Tank Test:	1815592
Tank Number:	1
Tank Size:	10000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	10/3/2007
Test Method:	Horner EZ Check I or II

L80 **325 MAIN STREET OWNERS CORP.** **UST** **U004187312**
NW **325 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.206 mi.
1088 ft. **Site 5 of 15 in cluster L**

Relative:
Higher

Actual:
212 ft.

WESTCHESTER CO. UST:

PBS Number:	3-204404
Owner Name:	325 Main Street Owners Corp.
Owner Street:	325 Main Street
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active PBS: >1100 gal. PBS regardless if subpart 360-14 tanks exist or not
GDS Number:	Not reported
Operator Name:	Brooke Properties Ltd.
Tank Number:	1
Tank Location:	Not reported
Capacity:	7500
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	Not reported
Dispenser:	3. Gravity
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1953
Date Perm Closure:	Not reported
Tank Number:	1
Tank Location:	Not reported
Capacity:	5500
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	3. Aboveground/underground combination
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	99. Other
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	1. Catch Basin
Dispenser:	3. Gravity
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported

325 MAIN STREET OWNERS CORP. (Continued) **U004187312**

Tank Leak Detection: 99. Other
Date Installation: 11/01/1998
Date Perm Closure: Not reported

L81 **RESIDENCE** **LTANKS** **S102960214**
NW **325 MAIN ST** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.206 mi.
1088 ft. **Site 6 of 15 in cluster L**

Relative:
Higher

Actual:
212 ft.

LTANKS:

Site ID:	230651
Spill No:	9710553
Spill Date:	12/15/1997
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/9/1998
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/15/1997
CID:	211
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/15/1997
Spill Record Last Update:	1/29/1998
Spiller Name:	IZET
Spiller Company:	325 MAIN ST OWNERS CORP
Spiller Address:	12 EAST END AV
Spiller City,St,Zip:	NEW YORK, NY 10021-
Spiller County:	001
Spiller Contact:	JIM CAREY
Spiller Phone:	(718) 579-3414
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	190083
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"12/16/97 7,500 GAL TANK IN APT. BUILDING BASEMENT TANK ROOM; #6 FUEL OIL, 100 GAL SPILLED; CONFINED TO TANK ROOM; CONTRACTOR IN PROCESS OF CLEANING ROOM; 01/09/98 TANK HAS BEEN CLEANED; ODORS IN TANK ROOM ARE MINIMAL; NO ODORS OUTSIDE TANK ROOM; NFA;
Remarks:	CALLER STATES TANK RUPTURED - SPILL IS RECOVERABLE - CLEAN UP CREW ON WAY

Material:

Site ID:	230651
Operable Unit ID:	1056913
Operable Unit:	01

RESIDENCE (Continued) **S102960214**

Material ID: 328850
Material Code: 0003A
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9710553
Spill Date: 12/15/1997
Spill Time: 15:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/09/98
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/15/97
Reported to Department Time: 16:38
SWIS: 55
Spiller Contact: JIM CAREY
Spiller Phone: (718) 579-3414
Spiller Extention: Not reported
Spiller Name: 325 MAIN ST OWNERS CORP
Spiller Address: 12 EAST END AV
Spiller City,St,Zip: NEW YORK, NY 10021-

RESIDENCE (Continued) **S102960214**

Spiller Cleanup Date: / /
Facility Contact: IZET
Facility Phone: (914) 946-0395
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/15/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/29/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 12/16/97 7,500 GAL TANK IN APT. BUILDING BASEMENT TANK ROOM; 6 FUEL OIL, 100 GAL SPILLED; CONFINED TO TANK ROOM; CONTRACTOR IN PROCESS OF CLEANING ROOM; 01/09/98 TANK HAS BEEN CLEANED; ODORS IN TANK ROOM ARE MINIMAL; NO ODORS OUTSIDE TANK ROOM; NFA;
Spill Cause: CALLER STATES TANK RUPTURED - SPILL IS RECOVERABLE - CLEAN UP CREW ON WAY

J82 **CONSUMER CAR CARE INC** **MANIFEST** **S109787593**
NNE **112 OAKLEY AVE** **N/A**
1/8-1/4 **WHITE PLAINS, CT 10601**
0.206 mi.
1088 ft. **Site 8 of 9 in cluster J**

Relative:
Lower

Actual:
148 ft.

CT MANIFEST:

Waste:
Manifest No: ctf1173250
Waste Occurence: 1
UNNA: 1993
Hazard Class: 3
US Dot Description: FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.

CONSUMER CAR CARE INC (Continued) **S109787593**

No of Containers: 1
Container Type: TT
Quantity: 145
Weight/Volume: G
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 1/9/2006
DEO Who Last Modified Record: JEB

Waste CD:
Manifest No: ctf1173250
Waste Occurence: 1
EPA Waste Code: F003
Recycled Waste?: F
Date Record Was Last Modified: 1/9/2006
DEO Who Last Modified Record: JEB

Detail:
Year: 2005
Manifest ID: ctf1173250
TSDF EPA ID: CTD021816889
TSDF Name: UNITED OIL RECOVERY, INC.
TSDF Address: 14 WEST MAIN STREET
TSDF City,St,Zip: MERIDEN, CT 06451
TSDF Country: USA
TSDF Telephone: (203)238-6745
Transport Date: 7/13/2005
Transporter EPA ID: NJD080631369
Transporter Name: ONYX ENVIRONMENTAL SERVICES, L.L.C.
Transporter Country: USA
Transporter Phone: (973)691-7321
Trans 2 Date: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYR000026211
Generator Phone: 9149930678
Generator Mailing Addr: 112 OAKLEY AVE
Generator Mailing Town: WHITE PLAINS
Generator Mailing State: NY
Generator Mailing Zip: 10601
Generator Mailing Country: USA
Special Handling: Not reported
Discrepancies: Not reported
Date Shipped: 7/13/2005
Date Received: 7/14/2005
Last modified date: 1/9/2006
Last modified by: JEB
Comments: Not reported

Waste:
Manifest No: CTF1051223

CONSUMER CAR CARE INC (Continued) **S109787593**

Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, N.O.S.
No of Containers:	1
Container Type:	TT
Quantity:	110
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	1/27/2005
DEO Who Last Modified Record:	DL

Waste CD:

Manifest No:	CTF1051223
Waste Occurence:	1
EPA Waste Code:	F003
Recycled Waste?:	F
Date Record Was Last Modified:	1/27/2005
DEO Who Last Modified Record:	DL

Detail:

Year:	2004
Manifest ID:	CTF1051223
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY, INC.
TSDF Address:	14 WEST MAIN STREET
TSDF City,St,Zip:	MERIDEN, CT 06451
TSDF Country:	USA
TSDF Telephone:	(203)238-6745
Transport Date:	7/16/2004
Transporter EPA ID:	NJD080631369
Transporter Name:	ONYX ENVIRONMENTAL SERVICES, L.L.C.
Transporter Country:	USA
Transporter Phone:	(973)691-7321
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYR000026211
Generator Phone:	9149930678
Generator Mailing Addr:	112 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	7/16/2004
Date Received:	7/19/2004
Last modified date:	1/27/2005
Last modified by:	DL
Comments:	Not reported

CONSUMER CAR CARE INC (Continued) **S109787593**

Waste:

Manifest No:	CTF0886716
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID N.O.S.
No of Containers:	001
Container Type:	TT
Quantity:	155
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	5/26/2004
DEO Who Last Modified Record:	IG

Waste CD:

Manifest No:	CTF0886716
Waste Occurence:	1
EPA Waste Code:	F003
Recycled Waste?:	F
Date Record Was Last Modified:	5/26/2004
DEO Who Last Modified Record:	IG

Detail:

Year:	2003
Manifest ID:	CTF0886716
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY INC
TSDF Address:	136 GRACEY AVE
TSDF City,St,Zip:	MERIDEN, CT 06450
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	7/15/2003
Transporter EPA ID:	NJD080631369
Transporter Name:	ONYX ENVIRONMENTAL SERVICE LLC
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
EPA ID:	NYR000026211
Generator Phone:	9149930678
Generator Mailing Addr:	112 OAKLEY AVE
Generator Mailing Town:	WHITE PLAINS
Generator Mailing State:	NY
Generator Mailing Zip:	10601
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	7/15/2003
Date Received:	7/16/2003
Last modified date:	5/26/2004

CONSUMER CAR CARE INC (Continued) **S109787593**

Last modified by: IG
Comments: Not reported

J83 **CONSUMER CAR CARE INC** **RCRA-CESQG** **1004759932**
NNE **112 OAKLEY AVE** **FINDS** **NYR000026211**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.206 mi.
1088 ft. **Site 9 of 9 in cluster J**

Relative:
Lower

Actual:
148 ft.

RCRA-CESQG:
Date form received by agency: 01/01/2007
Facility name: CONSUMER CAR CARE INC
Facility address: 112 OAKLEY AVE
WHITE PLAINS, NY 10601
EPA ID: NYR000026211
Mailing address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact: MICHAEL FUSCO
Contact address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: (914) 993-0678
Contact email: Not reported
EPA Region: 02
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: SAN-HAR REALTY
Owner/operator address: 112 OAKLEY AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 993-0678
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SAN-HAR REALTY
Owner/operator address: 112 OAKLEY AVE
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 993-0678

CONSUMER CAR CARE INC (Continued) **1004759932**

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: CONSUMER CAR CARE INC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1996
Facility name: CONSUMER CAR CARE INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004526326

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:
EPA ID: NYR000026211
Country: USA
Mailing Name: CONSUMER CAR CARE INC
Mailing Contact: MICHAEL FUSCO
Mailing Address: 112 OAKLEY AVENUE

CONSUMER CAR CARE INC (Continued) **1004759932**

Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-993-0678

Document ID:	MAM1321950
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	12/21/2000
Trans1 Recv Date:	12/21/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/27/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2000

Document ID:	CTF0886716
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	07/15/2003
Trans1 Recv Date:	07/15/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/16/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	CTD021816889
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00155
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	2003

CONSUMER CAR CARE INC (Continued) **1004759932**

Document ID:	MAK0138810
Manifest Status:	Completed copy
Trans1 State ID:	P207061IL
Trans2 State ID:	Not reported
Generator Ship Date:	970918
Trans1 Recv Date:	970918
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970924
Part A Recv Date:	970930
Part B Recv Date:	971010
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F003 - UNKNOWN
Quantity:	00240
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	97

Document ID:	MAK0256410
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	05/08/1998
Trans1 Recv Date:	05/08/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/12/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P207061IL
Waste Code:	F003 - UNKNOWN
Quantity:	00235
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	98

Document ID:	CTF1051223
Manifest Status:	Not reported
Trans1 State ID:	P298709IL
Trans2 State ID:	Not reported
Generator Ship Date:	07/16/2004
Trans1 Recv Date:	07/16/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/19/2004
Part A Recv Date:	Not reported

CONSUMER CAR CARE INC (Continued) **1004759932**

Part B Recv Date: Not reported
Generator EPA ID: NYR000026211
Trans1 EPA ID: NJD080631369
Trans2 EPA ID: Not reported
TSDF ID: CTD021816
Waste Code: F003 - UNKNOWN
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2004

Document ID: CTF1173250
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 07/13/2005
Trans1 Recv Date: 07/13/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/14/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000026211
Trans1 EPA ID: P298709IL
Trans2 EPA ID: Not reported
TSDF ID: CTD021816889
Waste Code: F003 - UNKNOWN
Quantity: 00145
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported

Document ID: MAK0291560
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 12/17/1998
Trans1 Recv Date: 12/17/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/22/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000026211
Trans1 EPA ID: MAD053452637
Trans2 EPA ID: Not reported
TSDF ID: P298709IL
Waste Code: F003 - UNKNOWN
Quantity: 00150
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

CONSUMER CAR CARE INC (Continued) **1004759932**

Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: MAM1397570
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 12/19/2001
Trans1 Recv Date: 12/19/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/21/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000026211
Trans1 EPA ID: MAD053452637
Trans2 EPA ID: Not reported
TSDF ID: P298709IL
Waste Code: F003 - UNKNOWN
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2001

Document ID: CTF1173250
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 07/13/2005
Trans1 Recv Date: 07/13/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/14/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000026211
Trans1 EPA ID: P298709IL
Trans2 EPA ID: Not reported
TSDF ID: CTD021816889
Waste Code: F003 - UNKNOWN
Quantity: 00145
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2005

Document ID: MAM1114070
Manifest Status: Not reported
Trans1 State ID: NJD080631369

CONSUMER CAR CARE INC (Continued) **1004759932**

Trans2 State ID:	Not reported
Generator Ship Date:	12/28/1999
Trans1 Recv Date:	12/28/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/29/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99

Document ID:	MAM1772350
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	10/17/2002
Trans1 Recv Date:	10/17/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/22/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2002

Document ID:	NYB8394903
Manifest Status:	Completed copy
Trans1 State ID:	P207083IL
Trans2 State ID:	Not reported
Generator Ship Date:	960918
Trans1 Recv Date:	960918
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	960920
Part A Recv Date:	960926
Part B Recv Date:	961010
Generator EPA ID:	NYR000026211
Trans1 EPA ID:	NJD080631369

CONSUMER CAR CARE INC (Continued) **1004759932**

Trans2 EPA ID:	Not reported
TSDF ID:	NYD049836679
Waste Code:	F005 - UNKNOWN
Quantity:	00260
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	96

L84 **APT BUILDING** **LTANKS** **S103558616**
NW **300 MAIN ST** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.206 mi.
1089 ft. **Site 7 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

LTANKS:

Site ID:	153296
Spill No:	9209346
Spill Date:	11/11/1992
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/19/1993
Facility Addr2:	Not reported
Cleanup Ceased:	7/19/1993
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	11/11/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	11/19/1992
Spill Record Last Update:	8/3/1993
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	130071
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Remarks:	WILL EIR PETRO-TITE

APT BUILDING (Continued) **S103558616**

Material:

Site ID:	153296
Operable Unit ID:	972998
Operable Unit:	01
Material ID:	406397
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	153296
Spill Tank Test:	1540836
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Site ID:	76156
Spill No:	9810968
Spill Date:	12/1/1998
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/9/2000
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	12/1/1998
CID:	252
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/1/1998
Spill Record Last Update:	3/24/2000
Spiller Name:	TOM GALLINGER
Spiller Company:	APT BUILDING
Spiller Address:	101 ELWOOD AV

APT BUILDING (Continued) **S103558616**

Spiller City,St,Zip:	MOUNT VERNON, NY
Spiller County:	001
Spiller Contact:	JOYCE PARKER
Spiller Phone:	(914) 939-7100
Spiller Extention:	118
DEC Region:	3
DER Facility ID:	130071
DEC Memo:	Not reported
Remarks:	ISOLATION TEST TO BE DONE IN NEXT TWO WEEKS

Material:

Site ID:	76156
Operable Unit ID:	1071857
Operable Unit:	01
Material ID:	314826
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	76156
Spill Tank Test:	1546589
Tank Number:	1
Tank Size:	5000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

Site ID:	76155
Spill No:	8708398
Spill Date:	12/30/1987
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Not reported
Spill Closed Dt:	2/17/1988
Facility Addr2:	Not reported
Cleanup Ceased:	2/17/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	12/30/1987
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	2/17/1988

APT BUILDING (Continued) **S103558616**

Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/28/1988
Spill Record Last Update:	4/4/1988
Spiller Name:	Not reported
Spiller Company:	W.R.G. MANAGEMENT
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	130071
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"02/17/88: JOSH SEGEL INDICATED THAT TANK TESTED TIGHT ON 01-21-88 HAZCO. N.F.A.J.OK.04/04/88: AS PER JOE MCCARTHY: NOTHING DONE AT THIS POINT. CALLED TANK COMPANY TO LOOK AT SITUATION. REQUESTED TANK TO BE EMPTIED ASAP. JOSH SEIGEL TO CALL BACK TODAY.
Remarks:	4YRS. TANK WAS CLEANED HAD TO CUT HHOLE IN TANK. SOIL IS CONTAMINATED OOZING WITH PRODUCT LEAK RATE HIGH 5K TANK. WANT DEC ADVICE

Material:

Site ID:	76155
Operable Unit ID:	913830
Operable Unit:	01
Material ID:	463792
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	76155
Spill Tank Test:	1532856
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	9810968
Spill Date:	12/01/1998
Spill Time:	14:30

APT BUILDING (Continued) **S103558616**

Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	02/09/00
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	WCHD
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/01/98
Reported to Department Time:	17:11
SWIS:	55
Spiller Contact:	JOYCE PARKER
Spiller Phone:	(914) 939-7100
Spiller Extention:	118
Spiller Name:	APT BUILDING
Spiller Address:	101 ELWOOD AV
Spiller City,St,Zip:	MOUNT VERNON, NY
Spiller Cleanup Date:	/ /
Facility Contact:	TOM GALLINGER
Facility Phone:	(914) 592-3117
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	0-000000
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/01/98
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	03/24/00
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	1
Tank Size:	5000
Test Method:	Horner EZ Check
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0

APT BUILDING (Continued) **S103558616**

Unkonwn Quantity Spilled:	True
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	True
Material:	#4 FUEL OIL
Class Type:	#4 FUEL OIL
Times Material Entry In File:	1751
CAS Number:	Not reported
Last Date:	19941205
DEC Remarks:	02092000 PER B. MCDONALD WCHD) TANK PASSED RETEST. NFA
Spill Cause:	ISOLATION TEST TO BE DONE IN NEXT TWO WEEKS

L85 **BRENTWOOD CONDOS** **HIST LTANKS** **S100494315**
NW **300 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.206 mi.
1089 ft. **Site 8 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9209346
Spill Date:	11/11/1992
Spill Time:	13:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/19/93
Cleanup Ceased:	07/19/93
Cleanup Meets Standard:	False
Investigator:	WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	11/11/92
Reported to Department Time:	13:58
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Other
PBS Number:	3-039398
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended

BRENTWOOD CONDOS (Continued) **S100494315**

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/19/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/03/93
Is Updated: False

Tank:
PBS Number: 4-600278
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: WILL EIR PETRO-TITE

L86 **BRENT WOOD APTS** **HIST LTANKS** **S100139822**
NW **300 MAIN ST** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.206 mi.
1089 ft. **Site 9 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 8708398
Spill Date: 12/30/1987
Spill Time: 14:29
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Not reported
Spill Closed Dt: 02/17/88
Cleanup Ceased: 02/17/88
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported

BRENT WOOD APTS (Continued) **S100139822**

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/30/87
Reported to Department Time: 14:29
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: W.R.G. MANAGEMENT
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 939-7100
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: 02/17/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/04/88
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 02/17/88: JOSH SEGEL INDICATED THAT TANK TESTED TIGHT ON 01-21-88 HAZCO. N.F.A.J.OK. 04/04/88: AS PER JOE MCCARTHY: NOTHING DONE AT THIS POINT. CALLED TANK COMPANY TO LOOK AT SITUATION. REQUESTED TANK TO BE EMPTIED ASAP. JOSH SEIGEL TO CALL BACK TODAY.
Spill Cause: 4YRS. TANK WAS CLEANED HAD TO CUT HHOLE IN TANK. SOIL IS CONTAMINATED OOZING WITH PRODUCT LEAK RATE HIGH 5K TANK. WANT DEC ADVICE

L87 **BRENTWOOD CONDOMINIUM** **UST** **U003994383**
NW **300 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.206 mi.
1089 ft. **Site 10 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

WESTCHESTER CO. UST:

PBS Number:	3-039098
Owner Name:	Brentwood Condominium
Owner Street:	300 Main Street
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Antonio Teran
Tank Number:	001
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	7. Jacketed (tank),99. Other
Piping Location:	2. Underground/on ground
Piping Type:	8. Equivalent Technology
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	Not reported
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	09/01/2004
Date Perm Closure:	01/01/1900
Tank Number:	1
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	9. Copper
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported

BRENTWOOD CONDOMINIUM (Continued) **U003994383**

Tank Leak Detection: 0. None
Date Installation: Not reported
Date Perm Closure: 08/30/2004

L88 **CON EDISON** **RCRA-NonGen** **1014398880**
NNW **WINDSOR TERR & MAIN ST** **NYP004212536**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.206 mi.
1090 ft. **Site 11 of 15 in cluster L**

Relative:
Higher

Actual:
203 ft.

RCRA-NonGen:
Date form received by agency: 08/01/2010
Facility name: CON EDISON
Facility address: WINDSOR TERR & MAIN ST
WHITE PLAINS, NY 10601
EPA ID: NYP004212536
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: DOMINIC BIZZARO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (914) 925-6219
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

L89 **CON EDISON** **RCRA-NonGen** **1014398809**
NW **MAIN ST & BROAD PKWY** **NYP004211785**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.208 mi.
1096 ft. **Site 12 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

RCRA-NonGen:
Date form received by agency: 07/20/2010
Facility name: CON EDISON
Facility address: MAIN ST & BROAD PKWY
WHITE PLAINS, NY 10601
EPA ID: NYP004211785
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: DONALD SENNO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (914) 925-6219
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

L90 **CON EDISON MANHOLE 3558** **RCRA-NonGen** **1014918001**
NW **MAIN ST & BROAD PKWY** **NYP004215844**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.208 mi.
1096 ft. **Site 13 of 15 in cluster L**

Relative:
Higher

Actual:
222 ft.

RCRA-NonGen:
Date form received by agency: 10/17/2010
Facility name: CON EDISON MANHOLE 3558
Facility address: MAIN ST & BROAD PKWY
WHITE PLAINS, NY 10601
EPA ID: NYP004215844
Mailing address: IRVING PL RM 828
NEW YORK, NY 10003
Contact: DONALD SENNO
Contact address: Not reported
Not reported

CON EDISON MANHOLE 3558 (Continued) **1014918001**

Contact country: Not reported
Contact telephone: (914) 925-6219
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 09/17/2010
Facility name: CON EDISON MANHOLE 3558
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

91
ENE
1/8-1/4
0.209 mi.
1102 ft.

Relative:
Lower

Actual:
149 ft.

W.C. MAINT. GARAGE **HIST LTANKS** **S100782083**
BROCKWAY PLACE **N/A**
WHITE PLAINS, NY

HIST LTANKS:
Region of Spill: 3
Spill Number: 9309773
Spill Date: 11/09/1993
Spill Time: 09:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported

W.C. MAINT. GARAGE (Continued) **S100782083**

Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/12/93
Reported to Department Time: 10:09
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/18/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: SHEEN IN TANK PULL EXCAVATION

L92 **WHITE PLAINS ONE COMPANY, LLC** **UST** **U004187352**
NNW **345 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.209 mi.
1104 ft. **Site 14 of 15 in cluster L**

Relative:
Higher

Actual:
199 ft.

WESTCHESTER CO. UST:

PBS Number:	3-504572
Owner Name:	White Plains One Company, LLC
Owner Street:	524 North Avenue
Owner Address2:	5th Floor
Owner City:	New Rochelle
Owner State:	NY
Owner Zipcode:	10801
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Peter Le
Tank Number:	2
Tank Location:	Not reported
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	3. Closed - Prior to 04/1991
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	01/01/1900

L93 **WHITE PLAINS ONE COMPANY, LLC** **AST** **U003979103**
NNW **345 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.209 mi.
1104 ft. **Site 15 of 15 in cluster L**

Relative:
Higher

Actual:
199 ft.

WESTCHESTER CO. AST:

PBS Number:	3-504572
Owner Name:	White Plains One Company, LLC
Owner Street:	524 North Avenue
Owner Address2:	5th Floor
Owner City:	New Rochelle
Owner State:	NY
Owner Zipcode:	10801
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Peter Le
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle

WHITE PLAINS ONE COMPANY, LLC (Continued) **U003979103**

Capacity:	5000
Product Stored:	4. No. 6 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	0. None
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	2. Vault (w/ access)
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None,99. Other
Date Installation:	03/01/1989
Date Perm Closure:	01/01/1900

M94 **BROAD PARK LODGE OWNERS** **AST** **A100356483**
NW **292 MAIN STREET** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.210 mi.
1109 ft. **Site 1 of 4 in cluster M**

Relative:
Higher

Actual:
222 ft.

WESTCHESTER CO. AST:

PBS Number:	3-165492
Owner Name:	Broad Park Lodge Corp.
Owner Street:	7-11 Holland Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Broad Park Lodge Owners
Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	5000
Product Stored:	2. No. 4 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	3. Aboveground/underground combination
Piping Type:	3. Stainless steel alloy
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	04/01/1990

BROAD PARK LODGE OWNERS (Continued) **A100356483**

Date Perm Closure: 01/01/1900

95
NNW
1/8-1/4
0.213 mi.
1127 ft.

2 AMHERST PL
WHITE PLAINS, NY

LTANKS **S104950543**
HIST LTANKS **N/A**

Relative:
Higher

Actual:
183 ft.

LTANKS:

Site ID:	196605
Spill No:	0011055
Spill Date:	12/15/2000
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/18/2001
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	1/10/2001
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/10/2001
Spill Record Last Update:	3/22/2002
Spiller Name:	CALLER
Spiller Company:	KENSICO CO-OP
Spiller Address:	2 AMHERST PL
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	163658
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"01/10/01 CALLER STATES ALL CONTAMINATION HAS BEEN REMOVED; HOLE WAS CLOSED. WILL BE SENDING CLOSURE REPORT.09/18/2001 NES DISPOSED OF TANK AND 22.88 TONS OF CONTAMINATED SOIL. NO FURTHER ACTION.
Remarks:	CALLER REMOVED SOIL AND FOUND CONTAMINATION. NEVER CALLED IN AT TIME OF CLEANUP. JUST NOTICED PAPERWORK ERROR, AND CALLED IT IN.

Material:

Site ID:	196605
Operable Unit ID:	832970
Operable Unit:	01
Material ID:	541383
Material Code:	0001A

(Continued) **S104950543**

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 0011055
Spill Date: 12/15/2000
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/10/01
Reported to Department Time: 09:46
SWIS: 55
Spiller Contact: CALLER
Spiller Phone: ( ) -
Spiller Extention: Not reported
Spiller Name: KENSICO CO-OP
Spiller Address: 2 AMHERST PL
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: CALLER
Facility Phone: ( ) -

(Continued) **S104950543**

Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/10/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/12/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 01/10/01 CALLER STATES ALL CONTAMINATION HAS BEEN REMOVED; HOLE WAS CLOSED. WILL BE SENDING CLOSURE REPORT.
Spill Cause: CALLER REMOVED SOIL AND FOUND CONTAMINATION. NEVER CALLED IN AT TIME OF CLEANUP. JUST NOTICED PAPERWORK ERROR, AND CALLED IT IN.

N96 **ATLANTIC AUTO MECHANIC, INC.** **AST** **A100204179**
NNE **118 OAKLEY AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.214 mi.
1131 ft. **Site 1 of 8 in cluster N**

Relative:
Lower

Actual:
149 ft.

WESTCHESTER CO. AST:
PBS Number: 3-800780
Owner Name: Atlantic Auto Mechanic, Inc.
Owner Street: 118 Oakley Avenue
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Active
GDS Number: Not reported
Operator Name: Atlantic Auto Mechanic

ATLANTIC AUTO MECHANIC, INC. (Continued) **A100204179**

Tank Number:	1
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	250
Product Stored:	13. Waste/Used Oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	Not reported
Piping Type:	9. Copper
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	0. None
Dispenser:	0. None
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	1. Diking (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/2000
Date Perm Closure:	01/01/1900

Tank Number:	2
Tank Location:	3. Aboveground on saddles,legs,stlits,racks or cradle
Capacity:	275
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	9. Copper
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	0. None
Dispenser:	0. None
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	1. Diking (aboveground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/2000
Date Perm Closure:	01/01/1900

O97 **CAMEO HOUSE OWNERS, INC.** **AST** **A100361849**
West **300 MARTINE AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10604**
0.218 mi.
1151 ft. **Site 1 of 5 in cluster O**

Relative:
Higher

Actual:
219 ft.

WESTCHESTER CO. AST:

PBS Number:	3-171069
Owner Name:	Cameo House Owners, Inc.
Owner Street:	300 Martine Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY

CAMEO HOUSE OWNERS, INC. (Continued) **A100361849**

Owner Zipcode:	10604
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Larry Carney
Tank Number:	1
Tank Location:	1. Aboveground (contact w/ soil)
Capacity:	10000
Product Stored:	4. No. 6 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	7. Jacketed (tank)
Piping Location:	Not reported
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	2. Transfer Station Containment
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1966
Date Perm Closure:	01/01/1900

O98 **LTANKS** **S105996852**
West **300 MARTINE AVE** **NY Spills** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.218 mi.
1151 ft. **Site 2 of 5 in cluster O**

Relative:
Higher

Actual:
219 ft.

LTANKS:

Site ID:	293177
Spill No:	0206553
Spill Date:	9/24/2002
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/13/2002
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	9/24/2002
CID:	211
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/24/2002
Spill Record Last Update:	3/25/2003

(Continued) **S105996852**

Spiller Name:	Not reported
Spiller Company:	JAINE VOGHAN
Spiller Address:	209 GARTH RD
Spiller City,St,Zip:	SCARSDALE, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	147087
DEC Memo:	Not reported
Remarks:	gross leak coming from manhole cover - resealing manhole cover and retest

Material:

Site ID:	293177
Operable Unit ID:	858167
Operable Unit:	01
Material ID:	517155
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	293177
Spill Tank Test:	1527492
Tank Number:	1
Tank Size:	10000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	0311391
DER Facility ID:	147087
Facility Type:	ER
Site ID:	174952
DEC Region:	3
Spill Number:	0311391
Spill Date:	1/8/2004
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	1/8/2004
SWIS:	6017
Investigator:	tdghiosa

(Continued) **S105996852**

Referred To:	Not reported
Reported to Dept:	1/8/2004
CID:	402
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/8/2004
Spill Record Last Update:	1/13/2004
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	JAMIE BARNABA
Contact Phone:	(914) 777-1930
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"01/08/04: Mechanical failure from a fitting on boiler. Nick Barnaba reported cleanup completed tonight. NFA at this time.
Remarks:	Crew on scene to clean it up.

Material:

Site ID:	174952
Operable Unit ID:	879016
Operable Unit:	01
Material ID:	500202
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	40
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

P99 **EDWARD S. GORDON CO.** **UST** **U003994510**
WNW **7-11 SOUTH BROADWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.218 mi.
1153 ft. **Site 1 of 7 in cluster P**

Relative:
Higher

Actual:
211 ft.

WESTCHESTER CO. UST:

PBS Number:	3-600456
Owner Name:	Travelers Insurance Co. C/o Travelers Invest. Co.
Owner Street:	125 High Street
Owner Address2:	Not reported
Owner City:	Boston
Owner State:	MA
Owner Zipcode:	02110-2715
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Carmine Fico
Tank Number:	1
Tank Location:	5. Underground
Capacity:	7500
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	3. Aboveground/underground combination
Piping Type:	0. No Pippping
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	Not reported
Date Perm Closure:	05/01/1994

P100 **ES GORDON** **LTANKS** **S100560022**
WNW **7-11 SOUTH BROADWAY** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.218 mi.
1153 ft. **Site 2 of 7 in cluster P**

Relative:
Higher

Actual:
211 ft.

LTANKS:

Site ID:	86174
Spill No:	9303840
Spill Date:	6/24/1993
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	5/4/1994
Facility Addr2:	Not reported
Cleanup Ceased:	5/4/1994
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	wxwadswo

ES GORDON (Continued) **S100560022**

Referred To:	Not reported
Reported to Dept:	6/24/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/1/1993
Spill Record Last Update:	5/26/1994
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	79091
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "W. WADSWORTH"09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Remarks:	SUSPECT LINE LEAK WILL INVESTIGATE HORNER

Material:

Site ID:	86174
Operable Unit ID:	982139
Operable Unit:	01
Material ID:	397384
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	86174
Spill Tank Test:	1541701
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3

ES GORDON (Continued) **S100560022**

Spill Number:	9303840
Spill Date:	06/24/1993
Spill Time:	12:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	05/04/94
Cleanup Ceased:	05/04/94
Cleanup Meets Standard:	False
Investigator:	W. WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/24/93
Reported to Department Time:	16:48
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	3-600456
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	07/01/93
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	05/26/94
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Not reported

Material:

ES GORDON (Continued) **S100560022**

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Not reported
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	#4 FUEL OIL
Class Type:	#4 FUEL OIL
Times Material Entry In File:	1751
CAS Number:	Not reported
Last Date:	19941205
DEC Remarks:	09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause:	SUSPECT LINE LEAK WILL INVESTIGATE HORNER

M101 **PRESIDENTIAL MANAGEMENT** **LTANKS** **S100165922**
WNW **2 WESTCHESTER AVE.** **HIST LTANKS** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Spills**
0.220 mi.
1163 ft. **Site 2 of 4 in cluster M**

Relative:
Higher

Actual:
217 ft.

LTANKS:

Site ID:	322460
Spill No:	8800351
Spill Date:	4/11/1988
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	5/6/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	4/11/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/2/1988
Spill Record Last Update:	5/10/2004
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	259772
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"05/06/04 TANK WAS REMOVED IN 1988 BUT NO CLOSURE REPORT WAS

PRESIDENTIAL MANAGEMENT (Continued) **S100165922**

SUBMITTED. ON 4-6-2004, PROPERTY OWNER HAD SOIL SAMPLES TAKEN FROM BORING IN AREA OF ORIGINAL TANK GRAVE. SAMPLE RESULTS FROM ADVANCED TANK SERVICES WERE ND. BASED UPON REPORT, NFA REQUIRED. jbo
Remarks: 5K TANK, LEAK RATE GREATER THAN 10GPH. PUMP TANK OUT.

Material:
Site ID: 322460
Operable Unit ID: 915986
Operable Unit: 01
Material ID: 463066
Material Code: 0003A
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 322460
Spill Tank Test: 1533629
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8800351
Spill Date: 04/11/1988
Spill Time: 10:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

PRESIDENTIAL MANAGEMENT (Continued) **S100165922**

Notifier Extension: Not reported
Reported to Department Date: 04/11/88
Reported to Department Time: 16:41
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 948-1300
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/02/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/22/94
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: 5K TANK,LEAK RATE GREATER THAN 10GPH. PUMP TANK OUT.

SPILLS:
Facility ID: 1112238
DER Facility ID: 259772
Facility Type: ER
Site ID: 460167
DEC Region: 3

PRESIDENTIAL MANAGEMENT (Continued) **S100165922**

Spill Number:	1112238
Spill Date:	1/20/2012
Spill Cause:	Human Error
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	1/20/2012
SWIS:	6017
Investigator:	VPMCCABE
Referred To:	Not reported
Reported to Dept:	1/20/2012
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/20/2012
Spill Record Last Update:	1/20/2012
Spiller Name:	MIKE/ROBISON OIL
Spiller Company:	ROBISON OIL
Spiller Address:	2 WESTCHESTER AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	999
Contact Name:	ROBISON OIL
Contact Phone:	(914) 847-0292
DEC Memo:	1-20-12: V.Mc. call to MIKE/ Rob.Oil: Outside Ab.Gr.vaulted tank, spilled onto concrete slab to tank. Crew on site completing clean up, expecting to finish clean up today. NFA.
Remarks:	Overfill spilled onto concrete pad. Cleanup underway.

Material:

Site ID:	460167
Operable Unit ID:	1210261
Operable Unit:	01
Material ID:	2207863
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported

PRESIDENTIAL MANAGEMENT (Continued) **S100165922**

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

M102 **2 NORTH BROADWAY ASSOCIATES, LLC** **UST U003949276**
WNW **2 NORTH BROADWAY** **AST N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.222 mi.
1174 ft. **Site 3 of 4 in cluster M**

Relative:
Higher

Actual:
217 ft.

WESTCHESTER CO. UST:

PBS Number:	3-139750
Owner Name:	Samson Management LLC
Owner Street:	97-77 Queens Boulevard, Suite 710
Owner Address2:	Not reported
Owner City:	Rego Park
Owner State:	NY
Owner Zipcode:	11374
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Rosa Korac
Tank Number:	1
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	Not reported
Date Perm Closure:	01/18/2000

WESTCHESTER CO. AST:

PBS Number:	3-139750
Owner Name:	Samson Management LLC
Owner Street:	97-77 Queens Boulevard, Suite 710
Owner Address2:	Not reported
Owner City:	Rego Park
Owner State:	NY
Owner Zipcode:	11374
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Rosa Korac

2 NORTH BROADWAY ASSOCIATES, LLC (Continued) **U003949276**

Tank Number:	01
Tank Location:	1. Aboveground (contact w/ soil)
Capacity:	3000
Product Stored:	4. No. 6 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Piping
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	0. None
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1940
Date Perm Closure:	01/18/2000

N103 **ALTA METAL FINISHING INC** **UST** **U003994321**
NNE **126 OAKLEY AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.225 mi.
1188 ft. **Site 2 of 8 in cluster N**

Relative:
Lower

Actual:
148 ft.

WESTCHESTER CO. UST:

PBS Number:	3-409065
Owner Name:	Vibra-tech Industries
Owner Street:	126 Oakley Ave
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Administratively Closed
GDS Number:	Not reported
Operator Name:	Ken Strati
Tank Number:	126
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported

ALTA METAL FINISHING INC (Continued) **U003994321**

Tank Leak Detection: 0. None
Date Installation: 01/01/1900
Date Perm Closure: 06/01/1994

Q104 **STORAGE DELUXE** **UST** **U004177412**
NNE **80 SOUTH KENSICO AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.226 mi.
1192 ft. **Site 1 of 2 in cluster Q**

Relative:
Lower

Actual:
156 ft.

WESTCHESTER CO. UST:
PBS Number: 3-801341
Owner Name: 80 South Kensico Avenue LLC
Owner Street: 50 Main Street, Suite 812
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10606
Site Status: Unregulated: <1101 gal. PBS
GDS Number: Not reported
Operator Name: Storage Deluxe

Tank Number: 001
Tank Location: 6. Underground, vaulted, with access
Capacity: 2000
Product Stored: Not reported
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 0. None
Tank External Protection: 0. None
Piping Location: 2. Underground/on ground
Piping Type: 1. Steel/Carbon/ steel/iron
Piping External Protection: 0. None
Piping Leak Detection: Not reported
Overfill Prevention: 0. None
Spill Prevention: 0. None
Dispenser: 0. None
Status: 5. Closed - removed
Product Stored Percent: Not reported
Tank Secondary Containment: 0. None
Piping Secondary Containment: Not reported
Tank Leak Detection: 0. None
Date Installation: Not reported
Date Perm Closure: 03/28/2006

N105 **ELECTRO PLATING SERVICE INC** **RCRA-NonGen** **1000181431**
NNE **127 OAKLEY AVE** **FINDS** **NYD002406049**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.226 mi. **MANIFEST**
1193 ft. **Site 3 of 8 in cluster N** **NY Hist Spills**

Relative:
Lower

Actual:
148 ft.

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: ELECTRO PLATING SERVICE INC
Facility address: 127 OAKLEY AVE
WHITE PLAINS, NY 106013903
EPA ID: NYD002406049

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Mailing address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact: Not reported
Contact address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: JULIAN GALPERIN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: JULIAN GALPERIN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: ELECTRO PLATING SERVICE INC
Classification: Not a generator, verified

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Date form received by agency: 07/08/1999
Facility name: ELECTRO PLATING SERVICE INC
Classification: Not a generator, verified

Date form received by agency: 03/30/1981
Facility name: ELECTRO PLATING SERVICE INC
Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 02/19/1992
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 06/21/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 12/19/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/18/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004341196

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYD002406049
Country: USA
Mailing Name: ELECTROPLATING SERVICE INC
Mailing Contact: ELECTROPLATING SERVICE INC
Mailing Address: 127 OAKLEY AVENUE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-948-3777

Document ID:	RIB0012856
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	CT2142A
Trans2 State ID:	Not reported
Generator Ship Date:	901025
Trans1 Recv Date:	901025
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	901025
Part A Recv Date:	910206
Part B Recv Date:	901108
Generator EPA ID:	NYD002406049
Trans1 EPA ID:	CTD983872748
Trans2 EPA ID:	Not reported
TSDF ID:	RID040098352
Waste Code:	F006 - WW TREAT SL FM ELECTROPLATING OPER
Quantity:	01350
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	90

Document ID:	NYA7201521
Manifest Status:	Completed copy
Trans1 State ID:	RA99818
Trans2 State ID:	Not reported
Generator Ship Date:	890411
Trans1 Recv Date:	890411
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890411
Part A Recv Date:	890421
Part B Recv Date:	890420
Generator EPA ID:	NYD002406049
Trans1 EPA ID:	NYD980762140
Trans2 EPA ID:	Not reported
TSDF ID:	CDD980756415
Waste Code:	F006 - WW TREAT SL FM ELECTROPLATING OPER
Quantity:	01200
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	89

Document ID:	RIB0008779
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	V8305CT

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Trans2 State ID:	Not reported
Generator Ship Date:	891114
Trans1 Recv Date:	891116
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	891117
Part A Recv Date:	891204
Part B Recv Date:	891227
Generator EPA ID:	NYD002406049
Trans1 EPA ID:	CTD980521280
Trans2 EPA ID:	Not reported
TSDF ID:	RID040098352
Waste Code:	F006 - WW TREAT SL FM ELECTROPLATING OPER
Quantity:	01280
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	89

Document ID:	RIB0012855
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	CT2143A
Trans2 State ID:	Not reported
Generator Ship Date:	900522
Trans1 Recv Date:	900522
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900522
Part A Recv Date:	900712
Part B Recv Date:	900717
Generator EPA ID:	NYD002406049
Trans1 EPA ID:	CTD980521280
Trans2 EPA ID:	Not reported
TSDF ID:	RID040098352
Waste Code:	F006 - WW TREAT SL FM ELECTROPLATING OPER
Quantity:	01350
Units:	L
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	90

MANIFEST:

GEN Cert Date:	5/22/1990
Transporter Recpt Date:	Not reported
Number Of Containers:	0
Container Type:	Not reported
Waste Code1:	F006
Waste Code2:	Not reported
Waste Code3:	Not reported
Comment:	Not reported
Fee Exempt Code:	Not reported
TSDF Name:	STABLEX
TSDF ID:	RID040098352
TSDF Date:	Not reported

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Transporter 2 Name: Not reported
Transporter 2 ID: Not reported
Manifest Docket Number: RIB0012856
Waste Description: ELEC PLATING
Quantity: 350
WT/Vol Units: P
Item Number: 1
Transporter Name: SEALAND
Transporter EPA ID: CTD983872748
GEN Cert Date: 10/25/1990
Transporter Recpt Date: Not reported
Transporter 2 Recpt Date: Not reported
TSDF Recpt Date: Not reported
EPA ID: NYD002406049
Transporter 2 ID: Not reported

NY Hist Spills:
Region of Spill: 3
Spill Number: 9107973
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/25/1991 12:00
Reported to Dept Date/Time: 10/25/91 14:30
SWIS: 55
Spiller Name: SAME
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Fire Department
PBS Number: Not reported
Cleanup Ceased: 11/05/91
Cleanup Meets Std: True
Last Inspection: 11/05/92
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 03/10/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/20/91
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/10/92
Is Updated: False

ELECTRO PLATING SERVICE INC (Continued) **1000181431**

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: OWNER OF FACILITY CLAIMS TO HAVE SPILLED ENGINE OIL IN PARKING LOT HE ATTEMPTED TO WASH OIL INTO THE STORM DRAIN F.D. RESPONDED ROAD WAS SANDED AND OIL WAS PADDED UP WITH SORBANTS

N106 **CON ED ELEC.VAULT** **MANIFEST** **S102153885**
NNE **127 OAKLEY AVE.** **NY Spills** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Hist Spills**
0.226 mi.
1193 ft. **Site 4 of 8 in cluster N**

Relative:
Lower

Actual:
148 ft.

NY MANIFEST:
EPA ID: NYP980756416
Country: USA
Mailing Name: ELECTRO PLATING SERVICE INCORPORATED
Mailing Contact: JULIAN GALPERIN
Mailing Address: 127 OAKLEY AVENUE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10601
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 000-000-0000

NY MANIFEST:
No Manifest Records Available

SPILLS:
Facility ID: 9002371
DER Facility ID: 159643
Facility Type: ER
Site ID: 191403
DEC Region: 3
Spill Number: 9002371
Spill Date: 5/31/1990
Spill Cause: Deliberate

CON ED ELEC.VAULT (Continued) **S102153885**

Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/27/1990
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	5/31/1990
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	DEC
Cleanup Ceased:	8/13/1990
Cleanup Meets Std:	True
Last Inspection:	8/13/1990
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/7/1990
Spill Record Last Update:	10/21/2003
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"09/27/90: A FOLLOW UP INSPECTION FOUND THAT MORE WASTE OIL HAD BEEN DUMPED IN TO THE VAULT. MIKE MACUR WILL HAVE THE VAULT SAMPLED AND CLEANED AGAIN. 09/27/90: A FOLLOW UP INSPECTION FOUND THAT MORE WASTE OIL HAD BEEN DUMPED INTO THE VAULT. MIKE MACUR WILL HAVE THE VAULT SAMPLED AND CLEANED AGAIN.
Remarks:	PETROLEUM DISCOVERED IN CON ED ELECTRICAL VAULT IN FRONT OF 127 OAKLEY AVE.APPEARS TO BE WASTE CRANKCASE OIL FROM ILLEGAL DUMPING RICH ABBOTT WILL ARRANGE FOR SAMPLE AND CLEAN UP

Material:

Site ID:	191403
Operable Unit ID:	940413
Operable Unit:	01
Material ID:	437114
Material Code:	0022
Material Name:	Waste Oil/Used Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

CON ED ELEC.VAULT (Continued) **S102153885**

Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9107973
DER Facility ID:	159643
Facility Type:	ER
Site ID:	75600
DEC Region:	3
Spill Number:	9107973
Spill Date:	10/25/1991
Spill Cause:	Deliberate
Spill Class:	Not reported
Spill Closed Date:	3/10/1992
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	10/25/1991
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Fire Department
Cleanup Ceased:	11/5/1991
Cleanup Meets Std:	True
Last Inspection:	11/5/1992
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	11/20/1991
Spill Record Last Update:	3/10/1992
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	OWNER OF FACILITY CLAIMS TO HAVE SPILLED ENGINE OIL IN PARKING LOT HE ATTEMPTED TO WASH OIL INTO THE STORM DRAIN F.D. RESPONDED ROAD WAS SANDED AND OIL WAS PADDED UP WITH SORBANTS

Material:

Site ID:	75600
Operable Unit ID:	958434
Operable Unit:	01
Material ID:	564768
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No

CON ED ELEC.VAULT (Continued) **S102153885**

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
Region of Spill: 3
Spill Number: 9002371
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/31/1990 12:30
Reported to Dept Date/Time: 05/31/90 12:30
SWIS: 55
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 06
Spill Notifier: DEC
PBS Number: Not reported
Cleanup Ceased: 08/13/90
Cleanup Meets Std: True
Last Inspection: 08/13/90
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/27/90
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /

CON ED ELEC.VAULT (Continued) **S102153885**

Date Spill Entered In Computer Data File: 06/07/90
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/30/94
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927
DEC Remarks: 09/27/90: A FOLLOW UP INSPECTION FOUND THAT MORE WASTE OIL HAD BEEN DUMPED IN TO THE VAULT. MIKE MACUR WILL HAVE THE VAULT SAMPLED AND CLEANED AGAIN. 09/27/90: A FOLLOW UP INSPECTION FOUND THAT MORE WASTE OIL HADBEEN DUMPED INTO THE VAULT. MIKE MACUR WILL HAVE THE VAULT SAMPLED AND CLEANED AGAIN.
Remark: PETROLEUM DISCOVERED IN CON ED ELECTRICAL VAULT IN FRONT OF 127 OAKLEY AVE.APPEARS TO BE WASTE CRANKCASE OIL FROM ILLEGAL DUMPING RICH ABBOTT WILL ARRANGE FOR SAMPLE AND CLEAN UP

N107 **ALTA METAL FINISHING INC** **UST** **U004175999**
NNE **130 OAKLEY AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.231 mi.
1218 ft. **Site 5 of 8 in cluster N**

Relative:
Lower

Actual:
148 ft.

WESTCHESTER CO. UST:
PBS Number: 3-409073
Owner Name: Auto Truck Concepts
Owner Street: 130 Oakley Ave.
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Administratively Closed
GDS Number: Not reported
Operator Name: Dominick Altamura

Tank Number: 130
Tank Location: 5. Underground
Capacity: 2500
Product Stored: Not reported
Tank Type: 1. Steel/Carbon steel/Iron
Tank Internal Protection: 0. None
Tank External Protection: 0. None

ALTA METAL FINISHING INC (Continued) **U004175999**

Piping Location:	Not reported
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	0. Administratively closed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1900
Date Perm Closure:	06/01/1994

N108 **ALTA METAL FINISHING INC** **RCRA-NonGen** **1000142871**
NNE **130 OAKLEY AVE** **FINDS** **NYD002003440**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.231 mi.
1218 ft. **Site 6 of 8 in cluster N**

Relative:
Lower

Actual:
148 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	ALTA METAL FINISHING INC
Facility address:	130 OAKLEY AVE WHITE PLAINS, NY 10601
EPA ID:	NYD002003440
Mailing address:	OAKLEY AVE WHITE PLAINS, NY 10601
Contact:	DOMINICK ALTAMURA
Contact address:	OAKLEY AVE WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 946-1916
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	DOMINICK J ALTAMURA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	DOMINICK J ALTAMURA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner

ALTA METAL FINISHING INC (Continued) **1000142871**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: ALTA METAL FINISHING INC
Classification: Not a generator, verified

Date form received by agency: 08/20/1980
Facility name: ALTA METAL FINISHING INC
Classification: Unverified

Violation Status: No violations found

FINDS:

Registry ID: 110004336362

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

R109 **ALEXANDER'S INC** **UST** **U004175991**
SW **60 SOUTH BROADWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY 11374**
0.235 mi.
1239 ft. **Site 1 of 2 in cluster R**

Relative:
Higher

Actual:
200 ft.

WESTCHESTER CO. UST:
PBS Number: 3-171328
Owner Name: Alexander's Inc
Owner Street: 60 West 35th St
Owner Address2: Not reported
Owner City: New York
Owner State: NY

ALEXANDER'S INC (Continued) **U004175991**

Owner Zipcode:	10001
Site Status:	Unregulated: <1101 gal. PBS
GDS Number:	Not reported
Operator Name:	Alexander's Inc
Tank Number:	1
Tank Location:	6. Underground, vaulted, with access
Capacity:	20000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1956
Date Perm Closure:	03/01/1993

R110 **WESTCHESTER PAVILION THE** **RCRA-NonGen** **1004759064**
SW **60 S BROADWAY** **FINDS** **NYD987038486**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.235 mi.
1239 ft. **Site 2 of 2 in cluster R**

Relative:
Higher

Actual:
200 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	WESTCHESTER PAVILION THE
Facility address:	60 S BROADWAY HALE & MAPLE AVES WHITE PLAINS, NY 10601
EPA ID:	NYD987038486
Mailing address:	S BROADWAY HALE & MAPLE AVES WHITE PLAINS, NY 10601
Contact:	JOHN REESE
Contact address:	S BROADWAY WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 948-0110
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	FISCHER-REESE WHITE PLAINS ASSOC
Owner/operator address:	50 MAIN ST - 7TH FLOOR WHITE PLAINS, NY 10606

WESTCHESTER PAVILION THE (Continued) **1004759064**

Owner/operator country: US
Owner/operator telephone: (914) 948-0110
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FISCHER-REESE WHITE PLAINS ASSOC
Owner/operator address: 50 MAIN ST - 7TH FLOOR
WHITE PLAINS, NY 10606
Owner/operator country: US
Owner/operator telephone: (914) 948-0110
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: WESTCHESTER PAVILION THE
Classification: Not a generator, verified

Date form received by agency: 08/02/1993
Facility name: WESTCHESTER PAVILION THE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004507310

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

WESTCHESTER PAVILION THE (Continued) **1004759064**

NY MANIFEST:

EPA ID:	NYD987038486
Country:	USA
Mailing Name:	FISHER REESE WHITE PLAINS
Mailing Contact:	MICHAEL FISHER
Mailing Address:	60 S BROADWAY
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-948-0110

Document ID:	PAE0181053
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	PAAH0317
Trans2 State ID:	Not reported
Generator Ship Date:	930826
Trans1 Recv Date:	930826
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930830
Part A Recv Date:	931118
Part B Recv Date:	930927
Generator EPA ID:	NYD987038486
Trans1 EPA ID:	PAD982661381
Trans2 EPA ID:	Not reported
TSDF ID:	PAD085690592
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00050
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	93

Document ID:	PAE0179082
Manifest Status:	Completed copy
Trans1 State ID:	PAAH0317
Trans2 State ID:	Not reported
Generator Ship Date:	930813
Trans1 Recv Date:	930813
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	930815
Part A Recv Date:	931118
Part B Recv Date:	930831
Generator EPA ID:	NYD987038486
Trans1 EPA ID:	PAD982661381
Trans2 EPA ID:	Not reported
TSDF ID:	PAD085690592
Waste Code:	D004 - ARSENIC 5.0 MG/L TCLP
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001

WESTCHESTER PAVILION THE (Continued) **1004759064**

Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	93

P111 **CONSOLIDATED EDISON** **MANIFEST** **S111157596**
WNW **MAIN ST & S. BROADWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.236 mi.
1248 ft. **Site 3 of 7 in cluster P**

Relative:
Higher

Actual:
215 ft.

NY MANIFEST:

EPA ID:	NYP004226074
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	CONSOLIDATED EDISON
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	2011-01-30
Trans1 Recv Date:	2011-01-30
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2011-01-31
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004226074
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NJD002200046
Waste Code:	Not reported
Quantity:	500.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	2011
Manifest Tracking Num:	007655820JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	Y
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported

CONSOLIDATED EDISON (Continued) **S111157596**

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Q112 **MINERVA APARTMENTS, INC** **UST** **U003994732**
NNE **16 MINERVA PLACE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.237 mi.
1253 ft. **Site 2 of 2 in cluster Q**

Relative:
Lower

Actual:
154 ft.

WESTCHESTER CO. UST:

PBS Number:	3-800499
Owner Name:	Minerva Apartments, Inc
Owner Street:	16 Minerva Place
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Not reported
Tank Number:	3-800499
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1958
Date Perm Closure:	01/01/1900

O113 **BROADMAR COMPANY, LLC** **UST** **U003994390**
West **277 MARTINE AVENUE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.237 mi.
1254 ft. **Site 3 of 5 in cluster O**

Relative:
Higher

Actual:
221 ft.

WESTCHESTER CO. UST:

PBS Number:	3-506966
Owner Name:	Broadmar Company, LLC
Owner Street:	277 Martine Avenue
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY

BROADMAR COMPANY, LLC (Continued) **U003994390**

Owner Zipcode:	10601
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Broadmar Company
Tank Number:	1
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	2. No. 4 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	2. Original sacrificial anode,3. Retrofitted Sacrificial Anode
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	3. Retrofitted Sacrificial Anode
Piping Leak Detection:	0. None
Overfill Prevention:	5. Vent Whistle
Spill Prevention:	0. None
Dispenser:	0. None
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	01/01/1955
Date Perm Closure:	01/01/1900

O114 **BART GOLDBERG APT. BLDG** **LTANKS S100141680**
West **277 MARTINE AVE** **HIST LTANKS N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.237 mi.
1254 ft. **Site 4 of 5 in cluster O**

Relative:
Higher

Actual:
221 ft.

LTANKS:

Site ID:	255929
Spill No:	9008032
Spill Date:	10/22/1990
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	11/8/1990
Facility Addr2:	Not reported
Cleanup Ceased:	6/18/1953
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	10/22/1990
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/30/1990
Spill Record Last Update:	11/20/1990
Spiller Name:	Not reported

BART GOLDBERG APT. BLDG (Continued) **S100141680**

Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	209602
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"11/08/90: TANK PASSED RETEST.09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Remarks:	TO E I R PETRO-TITE GROSS LEAK

Material:

Site ID:	255929
Operable Unit ID:	948684
Operable Unit:	01
Material ID:	431865
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	255929
Spill Tank Test:	1537746
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	9008032
Spill Date:	10/22/1990
Spill Time:	16:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	11/08/90
Cleanup Ceased:	06/18/53
Cleanup Meets Standard:	True

BART GOLDBERG APT. BLDG (Continued) **S100141680**

Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/22/90
Reported to Department Time: 14:58
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 946-4600
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 3-506966
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/30/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/20/90
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 11/08/90: TANK PASSED RETEST. 09/27/95: This is additional information about

BART GOLDBERG APT. BLDG (Continued) **S100141680**

material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: TO E I R PETRO-TITE GROSS LEAK

O115 **WHITE PLAINS CITY OF** **RCRA-NonGen** **1000552793**
West **MARTINE AVE PUBLIC LIBRARY** **FINDS** **NYD986951986**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.238 mi.
1255 ft. **Site 5 of 5 in cluster O**

Relative:
Higher

Actual:
220 ft.

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: WHITE PLAINS CITY OF
Facility address: MARTINE AVE PUBLIC LIBRARY
WHITE PLAINS, NY 10601
EPA ID: NYD986951986
Mailing address: MAIN ST NY POWER AUTH
WHITE PLAINS, NY 10601
Contact: Not reported
Contact address: MAIN ST NY POWER AUTH
WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 255 MAIN ST
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1210
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CITY OF WHITE PLAINS
Owner/operator address: 255 MAIN ST
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 422-1210
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No

WHITE PLAINS CITY OF (Continued) **1000552793**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: WHITE PLAINS CITY OF
Classification: Not a generator, verified

Date form received by agency: 12/07/1994
Facility name: WHITE PLAINS CITY OF
Classification: Not a generator, verified

Date form received by agency: 05/15/1991
Facility name: WHITE PLAINS CITY OF
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008051044

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

N116 **BOBS AUTO BODY SHOP** **MANIFEST** **S109783567**
NNE **138 OAKLEY AVE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.242 mi.
1276 ft. **Site 7 of 8 in cluster N**

Relative:
Lower

Actual:
147 ft.

CT MANIFEST:

Waste:
Manifest No: CTC0258941
Waste Occurence: 1
UNNA: 1263
Hazard Class: FLAMMABLE
US Dot Description: WASTE PAINT RELATED MATERIAL
No of Containers: 001
Container Type: TT
Quantity: 40
Weight/Volume: G
Additional Description: Y
Handling Code: T01
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

BOBS AUTO BODY SHOP (Continued) **S109783567**

Waste CD:
- Manifest No: CTC0258941
- Waste Occurence: 1
- EPA Waste Code: D001
- Recycled Waste?: F
- Date Record Was Last Modified: 4/27/2004
- DEO Who Last Modified Record: IG

Detail:
- Year: 1989
- Manifest ID: CTC0258941
- TSDF EPA ID: CTD072138969
- TSDF Name: ENVIRONMENTAL WASTE RESOURCES, INC.
- TSDF Address: 130 FREIGHT STREET
- TSDF City,St,Zip: WATERBURY, CT 06702
- TSDF Country: USA
- TSDF Telephone: Not reported
- Transport Date: 9/13/1989
- Transporter EPA ID: ILD099202681
- Transporter Name: CHEMICAL WASTE MANAGEMENT, INC. (TRANSPORTER)
- Transporter Country: USA
- Transporter Phone: Not reported
- Trans 2 Date: Not reported
- Trans 2 EPA ID: Not reported
- Trans 2 Name: Not reported
- Trans 2 Address: Not reported
- Trans 2 City,St,Zip: CT
- Trans 2 Country: USA
- Trans 2 Phone: Not reported
- EPA ID: NYD143852226
- Generator Phone: 9147611297
- Generator Mailing Addr: 138 OAKLEY AVE
- Generator Mailing Town: WHITE PLAINS
- Generator Mailing State: NY
- Generator Mailing Zip: 10601
- Generator Mailing Country: USA
- Special Handling: Yes
- Discrepancies: No
- Date Shipped: 9/13/1989
- Date Received: 9/14/1989
- Last modified date: 4/27/2004
- Last modified by: IG
- Comments: Not reported

N117 **BOBS AUTO BODY SHOP** **RCRA-NonGen** **1000373486**
NNE **138 OAKLEY AVE** **FINDS** **NYD143852226**
1/8-1/4 **WHITE PLAINS, NY 10601** **MANIFEST**
0.242 mi.
1276 ft. **Site 8 of 8 in cluster N**

Relative:
Lower

Actual:
147 ft.

RCRA-NonGen:
- Date form received by agency: 01/01/2007
- Facility name: BOBS AUTO BODY SHOP
- Facility address: 138 OAKLEY AVE
  WHITE PLAINS, NY 106013904
- EPA ID: NYD143852226

BOBS AUTO BODY SHOP (Continued) **1000373486**

Mailing address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact: Not reported
Contact address: OAKLEY AVE
WHITE PLAINS, NY 10601
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: LEON JONES
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: LEON JONES
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: BOBS AUTO BODY SHOP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999

BOBS AUTO BODY SHOP (Continued) **1000373486**

Facility name: BOBS AUTO BODY SHOP
Classification: Not a generator, verified

Date form received by agency: 07/16/1987
Facility name: BOBS AUTO BODY SHOP
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004383300

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:
EPA ID: NYD143852226
Country: USA
Mailing Name: BOBS AUTO BODY SHOP
Mailing Contact: BOBS AUTO BODY SHOP
Mailing Address: 138 OAKLEY AVENUE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10601
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-761-1297

Document ID: CTC0180180
Manifest Status: Completed copy
Trans1 State ID: H18750CT
Trans2 State ID: Not reported
Generator Ship Date: 880916
Trans1 Recv Date: 880916
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880921
Part A Recv Date: 881003
Part B Recv Date: 880929
Generator EPA ID: NYD143852226
Trans1 EPA ID: VAD980831580
Trans2 EPA ID: Not reported
TSDF ID: CTD072138969
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00005
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.

BOBS AUTO BODY SHOP (Continued) **1000373486**

Specific Gravity:	100
Year:	88
Document ID:	CTC0258941
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	P78062IL
Trans2 State ID:	Not reported
Generator Ship Date:	890913
Trans1 Recv Date:	890913
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890914
Part A Recv Date:	891025
Part B Recv Date:	890926
Generator EPA ID:	NYD143852226
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F003 - UNKNOWN
Quantity:	00040
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	89

P118 **EMERICK GROSS REAL ESTATE L.P.** **UST U003949488**
WNW **1 SOUTH BROADWAY** **AST N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.242 mi.
1277 ft. **Site 4 of 7 in cluster P**

Relative:
Higher

Actual:
216 ft.

WESTCHESTER CO. UST:

PBS Number:	3-485969
Owner Name:	White Plains Plaza Realty LLC
Owner Street:	333 Post Road West
Owner Address2:	Not reported
Owner City:	Westport
Owner State:	CT
Owner Zipcode:	06880
Site Status:	Active
GDS Number:	Not reported
Operator Name:	White Plains Plaza Realty
Tank Number:	001
Tank Location:	5. Underground
Capacity:	20000
Product Stored:	1. No. 2 fuel oil
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	3. Fiberglass liner (FRP)
Tank External Protection:	6. Fiberglass
Piping Location:	3. Aboveground/underground combination
Piping Type:	4. fiberglass coated steel
Piping External Protection:	8. Wrapped (Piping)
Piping Leak Detection:	7. Exempt suction piping
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin

EMERICK GROSS REAL ESTATE L.P. (Continued) **U003949488**

Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	10/01/1992
Date Perm Closure:	01/01/1900

Tank Number:	1
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	Not reported
Date Perm Closure:	10/01/2000

Tank Number:	1
Tank Location:	6. Underground, vaulted, with access
Capacity:	20000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1967
Date Perm Closure:	Not reported

Tank Number:	2

EMERICK GROSS REAL ESTATE L.P. (Continued) **U003949488**

Tank Location:	6. Underground, vaulted, with access
Capacity:	20000
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	0. No Pipiing
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	Not reported
Spill Prevention:	Not reported
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	12/01/1967
Date Perm Closure:	Not reported

WESTCHESTER CO. AST:

PBS Number:	3-277622
Owner Name:	Emerick Gross Real Estate L.P.
Owner Street:	4 Park Avenue, 3rd Floor
Owner Address2:	Not reported
Owner City:	New York
Owner State:	NY
Owner Zipcode:	10016
Site Status:	Active
GDS Number:	Not reported
Operator Name:	Oscar Solis

Tank Number:	1a
Tank Location:	2. Aboveground (contact w/ impervious barrier)
Capacity:	4000
Product Stored:	2. No. 4 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	4. Product Level Gauge (Aboveground Only)
Spill Prevention:	1. Catch Basin
Dispenser:	3. Gravity
Status:	1. In-Service
Product Stored Percent:	0
Tank Secondary Containment:	0. None
Piping Secondary Containment:	0. None
Tank Leak Detection:	0. None
Date Installation:	10/01/2000
Date Perm Closure:	10/01/2000

119 North 1/8-1/4 0.244 mi. 1286 ft.

EASTVIEW SCHOOL
350 MAIN ST
WHITE PLAINS, NY 10601

RCRA-NonGen

1008404443
NYR000134353

Relative: Higher

Actual: 174 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	EASTVIEW SCHOOL
Facility address:	350 MAIN ST WHITE PLAINS, NY 10601
EPA ID:	NYR000134353
Mailing address:	MAIN ST WHITE PLAINS, NY 10601
Contact:	RUDOLFO RIVERA
Contact address:	MAIN ST WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 422-2016
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NO NAME FOUND
Owner/operator address:	Not reported Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	State
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/1900
Owner/Op end date:	Not reported

Owner/operator name:	WHITE PLAINS CITY SCHOOL DISTRICT
Owner/operator address:	HOMESIDE LANE WHITE PLAINS, NY 10605
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	State
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/1900
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

EASTVIEW SCHOOL (Continued) **1008404443**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: EASTVIEW SCHOOL
Classification: Not a generator, verified

Date form received by agency: 08/26/2005
Facility name: EASTVIEW SCHOOL
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

S120 **CENTRAL COUNTY GARAGE** **UST U004176184**
NE **38 BROCKWAY PLACE** **AST N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.245 mi.
1293 ft. **Site 1 of 4 in cluster S**

Relative:
Lower

Actual:
149 ft.

WESTCHESTER CO. UST:
PBS Number: 3-185833
Owner Name: County of Westchester
Owner Street: 148 Martine Ave
Owner Address2: Not reported
Owner City: White Plains
Owner State: NY
Owner Zipcode: 10601
Site Status: Active
GDS Number: TBD
Operator Name: Joe Simoncini

Tank Number: 1
Tank Location: 5. Underground
Capacity: 5000
Product Stored: 6. Diesel
Tank Type: 4. Fiberglass coated steel
Tank Internal Protection: 0. None
Tank External Protection: 6. Fiberglass
Piping Location: 2. Underground/on ground
Piping Type: Not reported
Piping External Protection: 6. Fiberglass
Piping Leak Detection: 6. Tank top sump
Overfill Prevention: 2. High Level Alarm
Spill Prevention: 1. Catch Basin
Dispenser: 2. Suction
Status: 1. In-Service
Product Stored Percent: Not reported
Tank Secondary Containment: 4. Double-Walled (underground only)
Piping Secondary Containment: 9. Double-walled (aboveground only)
Tank Leak Detection: 1. Electronic Interstitial Monitoring
Date Installation: 05/01/1993
Date Perm Closure: 01/01/1900

Tank Number: 2
Tank Location: 5. Underground

CENTRAL COUNTY GARAGE (Continued) **U004176184**

Capacity:	5000
Product Stored:	7. Gasoline
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	6. Tank top sump
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	05/01/1993
Date Perm Closure:	01/01/1900

Tank Number:	3
Tank Location:	5. Underground
Capacity:	550
Product Stored:	13. Waste/Used Oil
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	6. Tank top sump
Overfill Prevention:	3. Automatic Shut-off
Spill Prevention:	1. Catch Basin
Dispenser:	3. Gravity
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	4. Double-Walled (underground only)
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	05/01/1993
Date Perm Closure:	01/01/1900

Tank Number:	4 (removed)
Tank Location:	5. Underground
Capacity:	5000
Product Stored:	Not reported
Tank Type:	4. Fiberglass coated steel
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	9. Copper
Piping External Protection:	99. Other
Piping Leak Detection:	Not reported
Overfill Prevention:	2. High Level Alarm,3. Automatic Shut-off
Spill Prevention:	Not reported

CENTRAL COUNTY GARAGE (Continued) **U004176184**

Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	05/01/1993
Date Perm Closure:	11/01/2007

Tank Number:	5
Tank Location:	5. Underground
Capacity:	550
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	2. Underground/on ground
Piping Type:	1. Steel/Carbon/ steel/iron
Piping External Protection:	1. Painted/Asphalt Coating
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	4. Closed - in place
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	01/01/1993
Date Perm Closure:	Not reported

WESTCHESTER CO. AST:

PBS Number:	3-185833
Owner Name:	County of Westchester
Owner Street:	148 Martine Ave
Owner Address2:	Not reported
Owner City:	White Plains
Owner State:	NY
Owner Zipcode:	10601
Site Status:	Active
GDS Number:	TBD
Operator Name:	Joe Simoncini

Tank Number:	6
Tank Location:	3. Aboveground on saddles,legs,stilts,racks or cradle
Capacity:	4000
Product Stored:	1. No. 2 fuel oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating
Piping Location:	1. Aboveground
Piping Type:	9. Copper
Piping External Protection:	0. None
Piping Leak Detection:	0. None
Overfill Prevention:	2. High Level Alarm
Spill Prevention:	1. Catch Basin

CENTRAL COUNTY GARAGE (Continued) **U004176184**

Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	9. Modified double-walled (aboveground only),10. Impervious Underlayment
Piping Secondary Containment:	0. None
Tank Leak Detection:	1. Electronic Interstitial Monitoring
Date Installation:	05/01/2008
Date Perm Closure:	01/01/1900

S121 **NEXT TO** **LTANKS** **S108636825**
NE **38 BROCKWAY PLACE** **NY Spills** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.245 mi.
1293 ft. **Site 2 of 4 in cluster S**

Relative:
Lower

Actual:
149 ft.

LTANKS:

Site ID:	386855
Spill No:	0706351
Spill Date:	9/6/2007
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/16/2008
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	WCDOH
Reported to Dept:	9/6/2007
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/6/2007
Spill Record Last Update:	9/16/2008
Spiller Name:	FRED CARDILLO
Spiller Company:	YONKERS- DRAGADOS J.D.
Spiller Address:	BROCKWAY PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	FRED CARDILLO
Spiller Phone:	(914) 428-2093
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	330325
DEC Memo:	9/16/08: Tank removed. No evidence of a leak or contamination was found. See eDocs for WCDOH closure letter. Based upon the information provided, this Department requires No Further Action at this time. jod
	Not reported
Remarks:	Not reported

Material:

NEXT TO (Continued) **S108636825**

Site ID: 386855
Operable Unit ID: 1144081
Operable Unit: 01
Material ID: 2134370
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 386855
Spill Tank Test: 1764088
Tank Number: 1
Tank Size: 2000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 9/6/2007
Test Method: Horner EZ Check I or II

SPILLS:
Facility ID: 0701405
DER Facility ID: 330325
Facility Type: ER
Site ID: 380914
DEC Region: 3
Spill Number: 0701405
Spill Date: 5/3/2007
Spill Cause: Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 6/8/2008
SWIS: 6017
Investigator: jbodee
Referred To: WCDOH
Reported to Dept: 5/3/2007
CID: 444
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Health Department
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 5/3/2007
Spill Record Last Update: 9/4/2008
Spiller Name: CARLOS TORRES

NEXT TO (Continued) **S108636825**

Spiller Company:	NEXT TO
Spiller Address:	38 BROCKWAY PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	CARLOS TORRES
Contact Phone:	(914) 424-5927
DEC Memo:	Report submitted to Health Dept. Also see spill 07-01518. NFA this spill number. jod
Remarks:	UNDERMINED A FUEL TANK HWILE THEY WERE DIGGING FOR A DOT CONSTRUCTION ADDITION TO RT 287

Material:

Site ID:	380914
Operable Unit ID:	1138385
Operable Unit:	01
Material ID:	2128372
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

P122 **NEW YORK SPORTS CLUBS** **RCRA-NonGen** **1004567862**
WNW **1 N BROADWAY** **FINDS** **NY0002194652**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.245 mi.
1293 ft. **Site 5 of 7 in cluster P**

Relative:
Higher

Actual:
216 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	NEW YORK SPORTS CLUBS
Facility address:	1 N BROADWAY WHITE PLAINS, NY 10601
EPA ID:	NY0002194652
Mailing address:	N BROADWAY WHITE PLAINS, NY 10601
Contact:	ANTHONY BUCELLO
Contact address:	N BROADWAY WHITE PLAINS, NY 10601
Contact country:	US
Contact telephone:	(914) 946-0404

NEW YORK SPORTS CLUBS (Continued) **1004567862**

Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CUSHMAN & WAKEFIELD
Owner/operator address: 1 N BROADWAY
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 683-0995
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CUSHMAN & WAKEFIELD
Owner/operator address: 1 N BROADWAY
WHITE PLAINS, NY 10601
Owner/operator country: US
Owner/operator telephone: (914) 683-0995
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: NEW YORK SPORTS CLUBS
Classification: Not a generator, verified

Date form received by agency: 04/21/1998
Facility name: NEW YORK SPORTS CLUBS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

NEW YORK SPORTS CLUBS (Continued) **1004567862**

Registry ID: 110004325007

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

P123 **LASALLE PARTNERS** **HIST LTANKS** **S100137242**
WNW **1 NORTH BROADWAY** **N/A**
1/8-1/4 **WHITE PLAINS, NY**
0.245 mi.
1293 ft. **Site 6 of 7 in cluster P**

Relative:
Higher

Actual:
216 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	8807326
Spill Date:	12/05/1988
Spill Time:	22:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	03/08/89
Cleanup Ceased:	03/08/89
Cleanup Meets Standard:	True
Investigator:	J. OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/06/88
Reported to Department Time:	08:31
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 761-2875
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	3-485969
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /

LASALLE PARTNERS (Continued) **S100137242**

UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/07/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/08/89
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 03/08/89: BULK STORAGE APPLICATION RECEIVED AND REGISTERED AS PER J.OKESSON S REQUEST. TANK TEST RESULTS ARE INCLUDED WITH APPLICATION SHOWING TANK PASSED RE-TEST AT +.002 GPH. NFA.
Spill Cause: 20K -.921 SYSTEM FAILURE. TANK ONLY TEST TO BE DONE SOON. TANK PASSED RETEST. SEE HISTORY. NFA.

P124 **APARTMENT BUILDING** **LTANKS** **S102155385**
WNW **1 SOUTH BROADWAY** **NY Spills** **N/A**
1/8-1/4 **WHITE PLAINS, NY** **NY Hist Spills**
0.245 mi.
1293 ft. **Site 7 of 7 in cluster P**

Relative:
Higher

Actual:
216 ft.

LTANKS:
Site ID: 245085
Spill No: 8807326
Spill Date: 12/5/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 3/8/1989
Facility Addr2: Not reported
Cleanup Ceased: 3/8/1989
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jeokesso
Referred To: Not reported
Reported to Dept: 12/6/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester

APARTMENT BUILDING (Continued) **S102155385**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/7/1988
Spill Record Last Update:	3/8/1989
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	201325
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "J. OKESSON"03/08/89: BULK STORAGE APPLICATION RECEIVED AND REGISTERED AS PER J.OKESSON'S REQUEST. TANK TEST RESULTS ARE INCLUDED WITH APPLICATION SHOWING TANK PASSED RE-TEST AT +.002 GPH. NFA.
Remarks:	20K -.921 SYSTEM FAILURE. TANK ONLY TEST TO BE DONE SOON. TANK PASSED RETEST. SEE HISTORY. NFA.

Material:

Site ID:	245085
Operable Unit ID:	922741
Operable Unit:	01
Material ID:	455672
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	245085
Spill Tank Test:	1534970
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

SPILLS:

Facility ID:	0006248
DER Facility ID:	132918
Facility Type:	ER
Site ID:	157162

APARTMENT BUILDING (Continued) **S102155385**

DEC Region:	3
Spill Number:	0006248
Spill Date:	8/25/2000
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	11/3/2000
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	8/25/2000
CID:	322
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Health Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/25/2000
Spill Record Last Update:	11/3/2000
Spiller Name:	EMERICK GROSS REAL ESTATE
Spiller Company:	Not reported
Spiller Address:	1 SOUTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	EMERICK GROSS REAL ESTATE
Contact Phone:	(718) 783-7858
DEC Memo:	Not reported
Remarks:	LEAKING ABOVE GROUND LINE CAUSING ONGOING SPILL - THIS IS A SPILL IN THE BOILER ROOM OF AN APARTMENT BUILDING

Material:

Site ID:	157162
Operable Unit ID:	829070
Operable Unit:	01
Material ID:	547367
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported

APARTMENT BUILDING (Continued) **S102155385**

Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported
Facility ID:	0304526
DER Facility ID:	201325
Facility Type:	ER
Site ID:	245084
DEC Region:	3
Spill Number:	0304526
Spill Date:	7/29/2003
Spill Cause:	Traffic Accident
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/30/2003
SWIS:	6017
Investigator:	DXWEITZ
Referred To:	Not reported
Reported to Dept:	7/29/2003
CID:	207
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/29/2003
Spill Record Last Update:	8/1/2003
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	DEP CHIEF CIOCCA
Contact Phone:	(914) 422-6325
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WEITZ"
Remarks:	pads applied - no sewers affected

Material:

Site ID:	245084
Operable Unit ID:	872776
Operable Unit:	01
Material ID:	505386
Material Code:	0015
Material Name:	Motor Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False
Site ID:	245084

APARTMENT BUILDING (Continued) **S102155385**

Operable Unit ID:	872776
Operable Unit:	01
Material ID:	505385
Material Code:	0010
Material Name:	Hydraulic Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	9416008
Investigator:	WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	03/10/1995 12:00
Reported to Dept Date/Time:	03/10/95 15:18
SWIS:	55
Spiller Name:	Not reported
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Unknown
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	12
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /

APARTMENT BUILDING (Continued) **S102155385**

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: True
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/05/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/20/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/05/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: FOUR CUBIC YARDS OF CONTAMINATED SOIL REMOVED DURING TANK REMOVAL AROUND FILL PIPES NO APPARANT LEAKS PROBABLY OCCURED OVER TIME DURING FILLING

M125 **APARTMENT COMPLEX** **LTANKS** **S105998980**
WNW **10 NORTH BROADWAY** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.252 mi.
1331 ft. **Site 4 of 4 in cluster M**

Relative:
Higher

Actual:
222 ft.

LTANKS:
Site ID: 302706
Spill No: 0301652
Spill Date: 5/15/2003
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: WCHD

APARTMENT COMPLEX (Continued) **S105998980**

Referred To:	Westchester Cnty Health Dept
Reported to Dept:	5/15/2003
CID:	282
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/15/2003
Spill Record Last Update:	12/12/2003
Spiller Name:	DONNA
Spiller Company:	BROOK PROPERTIES
Spiller Address:	60 MORROW AVE
Spiller City,St,Zip:	SCARSDALE, NY 10583-
Spiller County:	001
Spiller Contact:	RENE LEWIS
Spiller Phone:	(718) 378-7000
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	244561
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"12/12/03 TANK PASSED RETEST 6/6/03. CLOSED BY WCHD.
Remarks:	TANK FAILED THE TEST.

Material:

Site ID:	302706
Operable Unit ID:	868209
Operable Unit:	01
Material ID:	506144
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	302706
Spill Tank Test:	1528379
Tank Number:	1
Tank Size:	7500
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	0908496
DER Facility ID:	244561

APARTMENT COMPLEX (Continued) **S105998980**

Facility Type:	ER
Site ID:	421100
DEC Region:	3
Spill Number:	0908496
Spill Date:	10/28/2009
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	10/1/2010
SWIS:	6017
Investigator:	JKOMARA
Referred To:	Not reported
Reported to Dept:	10/28/2009
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	10/28/2009
Spill Record Last Update:	10/1/2010
Spiller Name:	Not reported
Spiller Company:	ABEL GONZOLES
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	SAME AS ABOVE
Contact Phone:	Not reported
DEC Memo:	10-28-09: V.Mc. ^ JAMES WILSON/R&D SER.: Apt.complex, 7.5K UST, installed 1953, R&D to recomment EIR.10/1/10 As per WCDOH Tibbets Apartments, 10 North Broadway, White Plains can be closed. Tightness test failure. Tank discovered to be leaking #6 oil, removed. Remediation completed. Numbers are ok. NFA JO'M
Remarks:	Unk amount of # 6 oil spilled due to leak in underground tank. Clean up is pending at this time.

Material:

Site ID:	421100
Operable Unit ID:	1177035
Operable Unit:	01
Material ID:	2169776
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported

APARTMENT COMPLEX (Continued) **S105998980**

Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

S126 **BLDG** **LTANKS** **S104278083**
NE **43-73 BROCKWAY PL** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.261 mi.
1377 ft. **Site 3 of 4 in cluster S**

Relative:
Lower

Actual:
149 ft.

LTANKS:

Site ID:	189184
Spill No:	9904750
Spill Date:	7/21/1999
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/12/2000
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	7/21/1999
CID:	388
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/21/1999
Spill Record Last Update:	1/4/2001
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	CALLER
Spiller Phone:	(914) 965-5813
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	157955
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"7/21/99 SITE/BLDG. TO BE DEMOLISHED IN SEPT./OCT. 1999. SOIL BORINGS ON PROPERTY IDENTIFIED PETROLEUM CONTAMINATION DURING PHASE 1 ASSESSMENT. CALLER ALSO SPOKE WITH CARLOS TORRES OF WCHD.12/12/2000 LETTER SENT TO OMEGA ENVIRONMENTAL BY T. GHIOSAY; NO FURTHER ACTION IS REQUIRED AT THIS TIME REGARDING THIS GROUNDWATER CONTAMINATION

BLDG (Continued) **S104278083**

ISSUE. HOWEVER, SINCE THE LEVEL OF VOLATILE ORGANIC COMPOUNDS CURRENTLY PRESENT IN THE GROUNDWATER EXCEEDS WATER QUALITY DISCHARGE STANDARDS, DEWATERING OF THIS AREA DURING ANY FUTURE SITE DEVELOPMENT IS PROHIBITED. SEE LETTER FOR FURTHER INFO.

Remarks: caller reports they discovered spill on site and took sample and found soil contamination.

Material:

Site ID:	189184
Operable Unit ID:	1079208
Operable Unit:	01
Material ID:	301075
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9904750
Spill Date:	07/21/1999
Spill Time:	09:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/12/00
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported

BLDG (Continued) **S104278083**

Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/21/99
Reported to Department Time: 11:30
SWIS: 55
Spiller Contact: CALLER
Spiller Phone: (914) 965-5813
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/21/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/04/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 7/21/99 SITE/BLDG. TO BE DEMOLISHED IN SEPT./OCT. 1999. SOIL BORINGS ON PROPERTY IDENTIFIED PETROLEUM CONTAMINATION DURING PHASE 1 ASSESSMENT. CALLER ALSO SPOKE WITH CARLOS TORRES OF WCHD. 12/12/2000 LETTER SENT TO OMEGA ENVIRONMENTAL BY T. GHIOSAY; NO FURTHER ACTION IS REQUIRED AT THIS TIME REGARDING THIS GROUNDWATER CONTAMINATION ISSUE. HOWEVER, SINCE THE LEVEL OF VOLATILE ORGANIC COMPOUNDS CURRENTLY PRESENT IN THE GROUNDWATER EXCEEDS WATER QUALITY DISCHARGE STANDARDS, DEWATERING OF THIS AREA DURING ANY FUTURE SITE DEVELOPMENT IS PROHIBITED. SEE LETTER FOR FURTHER INFO.

BLDG (Continued) **S104278083**

Spill Cause: caller reports they discovered spill on site and took sample and found soil contamination.

T127 **APT BUILDING** **LTANKS** **S102153144**
NW **16 NORTH BROADWAY** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.270 mi.
1425 ft. **Site 1 of 2 in cluster T**

Relative:
Higher

Actual:
227 ft.

LTANKS:

Site ID:	381144
Spill No:	0701599
Spill Date:	5/8/2007
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/12/2007
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	WCHD
Referred To:	WCDOH
Reported to Dept:	5/8/2007
CID:	408
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/8/2007
Spill Record Last Update:	12/12/2007
Spiller Name:	ARLENE
Spiller Company:	APARTMENT BUILDING
Spiller Address:	16 NORTH BROADWAY
Spiller City,St,Zip:	WHITEPLAINS, NY 10601
Spiller County:	001
Spiller Contact:	ARLENE
Spiller Phone:	(914) 779-0405
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	90153
DEC Memo:	07/31/07 Repaired and retested and closed by D Jackson - WCHD. TG
Remarks:	MINIAMAL AMOUNT RELEASED;

Material:

Site ID:	381144
Operable Unit ID:	1138611
Operable Unit:	01
Material ID:	2128606
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0

APT BUILDING (Continued) **S102153144**

Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	381144
Spill Tank Test:	1550827
Tank Number:	1
Tank Size:	10000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	5/8/2007
Test Method:	Horner EZ Check I or II

Site ID:	337751
Spill No:	0412306
Spill Date:	2/17/2005
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	8/27/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	WCDOH
Reported to Dept:	2/17/2005
CID:	74
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/18/2005
Spill Record Last Update:	8/27/2005
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	90153
DEC Memo:	August 27, 2005: PBS SITE. TANK PASSED RETEST. SPILL FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	PBS No: 3-167223

APT BUILDING (Continued) **S102153144**

Material:

Site ID:	Not reported
Operable Unit ID:	Not reported
Operable Unit:	Not reported
Material ID:	Not reported
Material Code:	Not reported
Material Name:	Not reported
Case No.:	Not reported
Material FA:	Not reported
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	337751
Spill Tank Test:	1548607
Tank Number:	1
Tank Size:	10000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	2/18/2005
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	1104037
DER Facility ID:	90153
Facility Type:	ER
Site ID:	451622
DEC Region:	3
Spill Number:	1104037
Spill Date:	7/12/2011
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/12/2011
SWIS:	6017
Investigator:	kabrowne
Referred To:	Not reported
Reported to Dept:	7/12/2011
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/12/2011
Spill Record Last Update:	9/30/2011

APT BUILDING (Continued) **S102153144**

Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	16 NORTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	999
Contact Name:	ERT
Contact Phone:	(212) 580-8383
DEC Memo:	Not reported
Remarks:	Caller reporting a spill of an unknown material contained in concrete Structure. Clean up pending identification.

Material:

Site ID:	451622
Operable Unit ID:	1201809
Operable Unit:	01
Material ID:	2198370
Material Code:	0064A
Material Name:	UNKNOWN MATERIAL
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	8802449
DER Facility ID:	90153
Facility Type:	ER
Site ID:	101750
DEC Region:	3
Spill Number:	8802449
Spill Date:	6/16/1988
Spill Cause:	Equipment Failure
Spill Class:	Not reported
Spill Closed Date:	6/30/1988
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	6/17/1988
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Health Department

APT BUILDING (Continued) **S102153144**

Cleanup Ceased:	6/22/1988
Cleanup Meets Std:	True
Last Inspection:	6/22/1988
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/24/1988
Spill Record Last Update:	3/23/1988
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"06/30/88: RUPTURED RETURN LINE REPAIRED FROM TANK TO BOILER. CONTAMINATED SOIL EXCAVATED AND REMOVED. 06/30/88: RUPTURED RETURN LINE REPLACED FROM TANK TO BOILER. CONTAMINATED SOIL EXCAVATED AND REMOVED.
Remarks:	#6 FUEL OIL LEAKED OUT EXCAVATE THE SOIL AND DEBRIS

Material:

Site ID:	101750
Operable Unit ID:	919673
Operable Unit:	01
Material ID:	458015
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	125
Units:	Gallons
Recovered:	125
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	8802449
Investigator:	GHIOSAY

APT BUILDING (Continued) **S102153144**

Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	06/16/1988 08:00
Reported to Dept Date/Time:	06/17/88 12:05
SWIS:	55
Spiller Name:	SAME
Spiller Contact:	Not reported
Spiller Phone:	(914) 948-8715
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Equipment Failure
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	02
Spill Notifier:	Health Department
PBS Number:	Not reported
Cleanup Ceased:	06/22/88
Cleanup Meets Std:	True
Last Inspection:	06/22/88
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Not reported
Spill Closed Dt:	06/30/88
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	06/24/88
Date Spill Entered In Computer Data File:	Not reported
Update Date:	03/23/88
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	125
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	125
Unkonwn Quantity Recovered:	False
Material:	#6 FUEL OIL
Class Type:	#6 FUEL OIL
Times Material Entry In File:	2190
CAS Number:	Not reported
Last Date:	19940728

DEC Remarks: 06/30/88: RUPTURED RETURN LINE REPAIRED FROM TANK TO BOILER. CONTAMINATED

APT BUILDING (Continued) **S102153144**

SOIL EXCAVATED AND REMOVED. 06/30/88: RUPTURED RETURN LINE REPLACED FROM TANK TO BOILER. CONTAMINATED SOIL EXCAVATED AND REMOVED.
Remark: 6 FUEL OIL LEAKED OUT EXCAVATE THE SOIL AND DEBRIS

---

128 SW 1/4-1/2 0.271 mi. 1429 ft. **WHITE PLAINS BUS CO.** **HIST LTANKS S101341325**
75 BROADWAY PLACE **NY Spills N/A**
WHITE PLAINS, NY

Relative: Higher

Actual: 203 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9405770
Spill Date:	07/28/1994
Spill Time:	10:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	07/28/94
Reported to Department Time:	11:46
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 328-1400
Facility Extention:	Not reported
Spill Notifier:	Other
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	True
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	07/29/94
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	/ /

WHITE PLAINS BUS CO. (Continued) **S101341325**

Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: LAB RESULTS SHOW CONTAMINATION IN SAMPLES TAKEN AROUND TWO U/G TANKS 1K DIESEL AND 5K GASOLINE

SPILLS:
Facility ID: 0404926
DER Facility ID: 153391
Facility Type: ER
Site ID: 183098
DEC Region: 3
Spill Number: 0404926
Spill Date: 8/5/2004
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 8/5/2004
SWIS: 6017
Investigator: dxtraver
Referred To: Not reported
Reported to Dept: 8/5/2004
CID: 444
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 8/5/2004
Spill Record Last Update: 8/27/2004
Spiller Name: ERT DESK
Spiller Company: VAULT # 1664
Spiller Address: 75 SOUTH BROADWAY

WHITE PLAINS BUS CO. (Continued) **S101341325**

Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	ERT DESK
Contact Phone:	(212) 580-8383
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TRAVER"
Remarks:	OIL LEAKED FROM A TRANSFORMER: NO TO 4 QUESTIONS: CLEAN UP PENDING TEST RESULTS: CONED # 154716

Material:

Site ID:	183098
Operable Unit ID:	888319
Operable Unit:	01
Material ID:	488898
Material Code:	0541A
Material Name:	DIELECTRIC FLUID
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

S129 **COMMERCIAL** **LTANKS** **S101341397**
NE **47 BROCKWAY PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.278 mi.
1469 ft. **Site 4 of 4 in cluster S**

Relative:
Lower

Actual:
148 ft.

LTANKS:

Site ID:	223789
Spill No:	9410165
Spill Date:	10/31/1994
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/11/1995
Facility Addr2:	Not reported
Cleanup Ceased:	2/11/1995
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	MONACO
Referred To:	Not reported

COMMERCIAL (Continued) **S101341397**

Reported to Dept:	10/31/1994
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	11/1/1994
Spill Record Last Update:	2/11/1995
Spiller Name:	Not reported
Spiller Company:	GENE PEEPE
Spiller Address:	47 BROCKWAY PL.
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	185010
DEC Memo:	Not reported
Remarks:	REMOVED TANK FOUND CONTAMINATION # 2 FUEL OIL

Material:

Site ID:	223789
Operable Unit ID:	1004097
Operable Unit:	01
Material ID:	376035
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9410165
Spill Date:	10/31/1994
Spill Time:	11:30

COMMERCIAL (Continued) **S101341397**

Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	02/11/95
Cleanup Ceased:	02/11/95
Cleanup Meets Standard:	False
Investigator:	MONACO
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	10/31/94
Reported to Department Time:	12:06
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	GENE PEEPE
Spiller Address:	47 BROCKWAY PL.
Spiller City,St,Zip:	WHITE PLAINS
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	11/01/94
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	02/11/95
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False

COMMERCIAL (Continued) **S101341397**

Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 02/11/95: NATIONAL ENVIRONMENTAL SERVICES CONDUCTED CLEAN UP,MONITORINGWELL INSTALLED.
Spill Cause: REMOVED TANK FOUND CONTAMINATION 2 FUEL OIL

T130 **BROADLAWN APART.** **LTANKS** **S102155428**
NW **20 NORTH BROADWAY** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.285 mi.
1503 ft. **Site 2 of 2 in cluster T**

Relative:
Higher

Actual:
229 ft.

LTANKS:
Site ID: 84678
Spill No: 0111039
Spill Date: 2/20/2002
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/11/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 2/20/2002
CID: 397
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/20/2002
Spill Record Last Update: 12/4/2002
Spiller Name: Not reported
Spiller Company: APT COMPLEX
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 77855
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"03/11/02 NORTHEAST REMOVED TANK AND DISPOSED OF 364 CUBIC YARDS OF CONTAMINATED SOIL.
Remarks: caller co was removing tank and discovered soil contamination

BROADLAWN APART. (Continued) **S102155428**

Material:

Site ID:	84678
Operable Unit ID:	848108
Operable Unit:	01
Material ID:	528641
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	396726
Spill No:	0800897
Spill Date:	4/22/2008
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/8/2008
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	WCDOH
Reported to Dept:	4/22/2008
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	4/22/2008
Spill Record Last Update:	6/8/2008
Spiller Name:	ISSAC
Spiller Company:	BUILDING
Spiller Address:	20 NORTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY

BROADLAWN APART. (Continued) **S102155428**

Spiller County:	001
Spiller Contact:	ISSAC
Spiller Phone:	(718) 378-3000
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	77855
DEC Memo:	PBS 3-167320June 8, 2008: Tank passed a retest after piping was repaired. Based upon information provided to DEC, no further action is required at this time. jod
Remarks:	FAILED DRY LEAK

Material:

Site ID:	396726
Operable Unit ID:	1153696
Operable Unit:	01
Material ID:	2144464
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	396726
Spill Tank Test:	2453566
Tank Number:	Not reported
Tank Size:	5000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	4/22/2008
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	9808000
DER Facility ID:	77855
Facility Type:	ER
Site ID:	84680
DEC Region:	3
Spill Number:	9808000
Spill Date:	9/30/1998
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	4/1/2002
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	9/30/1998
CID:	252

BROADLAWN APART. (Continued) **S102155428**

Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/30/1998
Spill Record Last Update:	9/9/2003
Spiller Name:	WES WOODLEAF
Spiller Company:	APARTMENT BLDG
Spiller Address:	20 NORTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller Company:	001
Contact Name:	WES WOODLEAF
Contact Phone:	(914) 948-6100
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"04/01/2002 SEE NORTHEAST ENVIRONMENTAL UST REMEDIATION REPORT UNDER SPILL NUMBER 01-11039. NO FURTHER ACTION.
Remarks:	OIL LINES HAVE BEEN EXCAVATED FROM TANK TO BLDG-PIPES HAVE A CRACK IN THEM RUNNING THROUGH FOUNDATION-BOIL HAS BEEN SHUT DOWN AND LEAK TO BE REPAIRED. NORTH EAST ENVIRONMENTAL ON SITE FOR REMOVAL OF CONTAMINATED SOIL.

Material:

Site ID:	84680
Operable Unit ID:	1065560
Operable Unit:	01
Material ID:	315536
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9500251
DER Facility ID:	77855
Facility Type:	ER

BROADLAWN APART. (Continued) **S102155428**

Site ID:	84679
DEC Region:	3
Spill Number:	9500251
Spill Date:	4/6/1995
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	12/5/1997
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	4/6/1995
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	4/18/1995
Spill Record Last Update:	12/5/1997
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	DEFECTIVE GUAGE TANK OVERFILL ON CONCRETE FLOOR CONTRACTOR DOING CLEAN UP

Material:

Site ID:	84679
Operable Unit ID:	1011023
Operable Unit:	01
Material ID:	368859
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

BROADLAWN APART. (Continued) **S102155428**

Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
Region of Spill: 3
Spill Number: 9500251
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/06/1995 16:00
Reported to Dept Date/Time: 04/06/95 16:14
SWIS: 55
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/05/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/18/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/05/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

BROADLAWN APART. (Continued) **S102155428**

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: DEFECTIVE GUAGE TANK OVERFILL ON CONCRETE FLOOR CONTRACTOR DOING CLEAN UP

U131 **HIST LTANKS** **S104620335**
WSW **45 MITCHELL PLACE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.285 mi.
1504 ft. **Site 1 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9904849
Spill Date: 07/23/1999
Spill Time: 13:15
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/11/00
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: WCHD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/23/99
Reported to Department Time: 13:28
SWIS: 55
Spiller Contact: JAY BRENNAN
Spiller Phone: (914) 948-6068
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 45 MITCHELL PLACE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /

(Continued) **S104620335**

Facility Contact: JAY BRENNAN
Facility Phone: (914) 948-6068
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 3-800409
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/23/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/04/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 3000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 01/11/2000 LETTER SENT TO MGH BY WCHD B. MCDONALD) NO FURTHER ACTION REQUIRED.
Spill Cause: tank test failure

U132 **MGH CO** **LTANKS** **S102674590**
WSW **45 MITCHELL PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.285 mi.
1504 ft. **Site 2 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:
Site ID: 143584
Spill No: 9510979
Spill Date: 11/29/1995
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/1995
Facility Addr2: Not reported
Cleanup Ceased: 12/12/1995
Cleanup Meets Standard: True

MGH CO (Continued) **S102674590**

SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/1/1995
CID:	349
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/1/1995
Spill Record Last Update:	7/25/1999
Spiller Name:	PHIL MENDOLA
Spiller Company:	ROBISON OIL
Spiller Address:	500 EXECUTIVE BLVD
Spiller City,St,Zip:	ELMSFORD, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(914) 948-6068
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	72789
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	DRIVER OVERFILLED TANK

Material:

Site ID:	143584
Operable Unit ID:	1021528
Operable Unit:	01
Material ID:	358334
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1
Units:	Gallons
Recovered:	Yes
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	78194

MGH CO (Continued) **S102674590**

Spill No:	9904849
Spill Date:	7/23/1999
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/11/2000
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	7/23/1999
CID:	322
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/23/1999
Spill Record Last Update:	2/4/2000
Spiller Name:	JAY BRENNAN
Spiller Company:	Not reported
Spiller Address:	45 MITCHELL PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	JAY BRENNAN
Spiller Phone:	(914) 948-6068
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	72789
DEC Memo:	Not reported
Remarks:	tank test failure

Material:

Site ID:	78194
Operable Unit ID:	1079286
Operable Unit:	01
Material ID:	301173
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	78194
Spill Tank Test:	1547407
Tank Number:	1

MGH CO (Continued) **S102674590**

Tank Size:	3000
Test Method:	03
Leak Rate:	0
Gross Fail:	F
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

HIST LTANKS:

Region of Spill:	3
Spill Number:	9510979
Spill Date:	11/29/1995
Spill Time:	12:00
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/12/95
Cleanup Ceased:	12/12/95
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/01/95
Reported to Department Time:	12:40
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	(914) 948-6068
Spiller Extention:	Not reported
Spiller Name:	ROBISON OIL
Spiller Address:	500 EXECUTIVE BLVD
Spiller City,St,Zip:	ELMSFORD, NY
Spiller Cleanup Date:	/ /
Facility Contact:	PHIL MENDOLA
Facility Phone:	(914) 345-5700
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/01/95
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	07/25/99

MGH CO (Continued) **S102674590**

Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 1
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: DRIVER OVERFILLED TANK

V133 **TATE RESIDENCE** **LTANKS** **S106385654**
North **38-42 SOUTH KENSICO AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.285 mi.
1505 ft. **Site 1 of 5 in cluster V**

Relative:
Higher

Actual:
164 ft.

LTANKS:
Site ID: 325284
Spill No: 0313935
Spill Date: 3/22/2004
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/27/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 3/22/2004
CID: 403
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: 3/24/2004
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/22/2004
Spill Record Last Update: 11/27/2004
Spiller Name: JEANINE FERRARA
Spiller Company: TATE RESIDENCE

TATE RESIDENCE (Continued) **S106385654**

Spiller Address:	38-42 SOUTH KENSICO AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	JEANINE FERRARA
Spiller Phone:	(914) 741-5472
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	262013
DEC Memo:	11/27/04 NES REMOVED AND DISPOSED OF TANK. NO SOIL REMOVAL POSSIBLE. SAMPLE RESULTS BELOW TAGM LIMITS. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jbo
Remarks:	they were removing a tank when they noticed that the tank had holes in it.

Material:

Site ID:	325284
Operable Unit ID:	879240
Operable Unit:	01
Material ID:	495524
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

W134 **240 EAST POST RD** **LTANKS** **S103941435**
SW **240 EAST POST RD** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.287 mi.
1515 ft. **Site 1 of 2 in cluster W**

Relative: Higher

Actual: 216 ft.

LTANKS:

Site ID:	135983
Spill No:	9903233
Spill Date:	6/21/1999
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/15/1999

240 EAST POST RD (Continued) **S103941435**

Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	6/21/1999
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/21/1999
Spill Record Last Update:	4/5/2000
Spiller Name:	NATE GORHAM
Spiller Company:	240 EAST POST RD
Spiller Address:	240 EAST POST RD
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	116709
DEC Memo:	Not reported
Remarks:	TANK REMOVED AND CONTAMINATION FOUND IN SOIL.

Material:

Site ID:	135983
Operable Unit ID:	1082158
Operable Unit:	01
Material ID:	303161
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

240 EAST POST RD (Continued) **S103941435**

HIST LTANKS:

Region of Spill:	3
Spill Number:	9903233
Spill Date:	06/21/1999
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/15/99
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	WCHD
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/21/99
Reported to Department Time:	13:19
SWIS:	55
Spiller Contact:	CALLER
Spiller Phone:	( ) -
Spiller Extention:	Not reported
Spiller Name:	240 EAST POST RD
Spiller Address:	240 EAST POST RD
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	NATE GORHAM
Facility Phone:	(914) 631-8020
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	3-601110
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	06/21/99
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	04/05/00
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported

240 EAST POST RD (Continued) **S103941435**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 12/15/99 LETTER SENT TO CAROD 240 ASSOCIATES BY C. LALAK WCHD) BASED ON REPORTS FIELD OBSERVATIONS, SPILL IS CLOSED. NFA
Spill Cause: TANK REMOVED AND CONTAMINATION FOUND IN SOIL.

U135 **APARTMENT BUILDING** **LTANKS** **S105999478**
WSW **40 MITCHELL PL** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.295 mi.
1559 ft. **Site 3 of 12 in cluster U**

Relative: **Higher**

Actual: **218 ft.**

LTANKS:
Site ID: 151265
Spill No: 0304394
Spill Date: 7/25/2003
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/31/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: WCHD
Referred To: Westchester Cnty Health Dept
Reported to Dept: 7/25/2003
CID: 390
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/25/2003
Spill Record Last Update: 12/12/2003
Spiller Name: NORMAN TUNNELL
Spiller Company: APARTMENT BUILDING
Spiller Address: 40 MITCHELL PL
Spiller City,St,Zip: WHITE PLAINS, NY -
Spiller County: 001
Spiller Contact: NORMAN TUNNELL
Spiller Phone: (914) 328-7511
Spiller Extention: Not reported
DEC Region: 3

APARTMENT BUILDING (Continued) **S105999478**

DER Facility ID: 128562
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-GOREAU"11/4/03: Letter to Toni Palancia, Yurik Enterprises from Stefan Goreau, WCDOH dated 10/31/2003. Site closure report has been reviewed. WCDOH recommends NFA at this time.
Remarks: leaking underground storage tank caused spill - tank is still in ground - more will be done next week -- tank has been abandoned and covered

Material:
Site ID: 151265
Operable Unit ID: 871197
Operable Unit: 01
Material ID: 505252
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

V136 **OREIRO RESIDENCE** **LTANKS** **S102673905**
NNE **425 MAIN STREET** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.301 mi.
1588 ft. **Site 2 of 5 in cluster V**

Relative:
Lower

Actual:
149 ft.

LTANKS:
Site ID: 200926
Spill No: 9206586
Spill Date: 9/7/1992
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/9/1993
Facility Addr2: Not reported
Cleanup Ceased: 2/9/1993
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa

OREIRO RESIDENCE (Continued) **S102673905**

Referred To:	Not reported
Reported to Dept:	9/7/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Citizen
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/10/1992
Spill Record Last Update:	2/9/1993
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	167183
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"02/09/93: GARITO EXCAVATING CO WAS ON SITE REMOVING CONTAMINATED SOIL. SOME ADDITIONAL CLEAN-UP WAS TO BE PERFORMED. TANK CLEANED AND FILLED UNDER SUPERVISION OF WPFD ACCORDING TO OREIRO.
Remarks:	OIL ODOR COMPLAINT SPOKE WITH LT. EVANS EITHER OVERFILL IN DRIVEWAY OR HEAVY RAINS FORCED OIL FROM U/G TANK WITH NO CAP CLEAN UP NECESSARY Not reported

Material:

Site ID:	200926
Operable Unit ID:	970376
Operable Unit:	01
Material ID:	407287
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	100
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

OREIRO RESIDENCE (Continued) **S102673905**

HIST LTANKS:

Region of Spill:	3
Spill Number:	9206586
Spill Date:	09/07/1992
Spill Time:	18:54
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	02/09/93
Cleanup Ceased:	02/09/93
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	09/07/92
Reported to Department Time:	19:13
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Citizen
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	09/10/92
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	02/09/93
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported

OREIRO RESIDENCE (Continued) **S102673905**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 02/09/93: GARITO EXCAVATING CO WAS ON SITE REMOVING CONTAMINATED SOIL. SOME ADDITIONAL CLEAN-UP WAS TO BE PERFORMED. TANK CLEANED AND FILLED UNDER SUPERVISION OF WPFD ACCORDING TO OREIRO.
Spill Cause: OIL ODOR COMPLAINT SPOKE WITH LT. EVANS EITHER OVERFILL IN DRIVEWAY OR HEAVY RAINS FORCED OIL FROM U/G TANK WITH NO CAP CLEAN UP NECESSARY

SPILLS:
Facility ID: 9207875
DER Facility ID: 167183
Facility Type: ER
Site ID: 200927
DEC Region: 3
Spill Number: 9207875
Spill Date: 10/6/1992
Spill Cause: Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 1/25/1993
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 10/7/1992
CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: 1/25/1993
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 10/9/1992
Spill Record Last Update: 1/26/1993
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"01/26/93: SAME SPILL AS 9206586.

OREIRO RESIDENCE (Continued) **S102673905**

Remarks: SPILL ON DRIVEWAY AND ADJACENT SOIL

Material:
Site ID: 200927
Operable Unit ID: 971526
Operable Unit: 01
Material ID: 408489
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 33
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

U137 **APARTMENT BLDG** **LTANKS** **S105997251**
WSW **37-43 MITCHELL PL** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.301 mi.
1591 ft. **Site 4 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:
Site ID: 248365
Spill No: 0208214
Spill Date: 11/7/2002
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/7/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 11/7/2002
CID: 390
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False

APARTMENT BLDG (Continued) **S105997251**

Remediation Phase:	0
Date Entered In Computer:	11/7/2002
Spill Record Last Update:	9/8/2003
Spiller Name:	PHIL GUSSACK
Spiller Company:	APARTMENT BLDG
Spiller Address:	37-43 MITCHELL PL
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	PHIL GUSSACK
Spiller Phone:	(914) 497-5310
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	203790
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"04/15/03: Letter to Philip Gussack from Marc Grazioli, WCHD, dated 4/7/2003. Site closure report has been reviewed. Soil sample results satisfactory. WCHD recommend NFA at this time.
Remarks:	caller reporting 1000 gal storage tank failed - there is soil contamination - unk amount spilled yet - soil is being stockpiled

Material:

Site ID:	248365
Operable Unit ID:	859738
Operable Unit:	01
Material ID:	515218
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

U138 **BARGAM HOME** **LTANKS** **S106972377**
WSW **36-38 MITCHELL PLACE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.304 mi.
1604 ft. **Site 5 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:

Site ID:	350305
Spill No:	0505320
Spill Date:	8/1/2005
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/18/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	JBODee
Referred To:	Not reported
Reported to Dept:	8/1/2005
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	8/1/2005
Spill Record Last Update:	12/18/2005
Spiller Name:	GILL BARGAM
Spiller Company:	BARGAM HOME
Spiller Address:	36-38 MITCHELL PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	GILL BARGAM
Spiller Phone:	(914) 310-1500
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	296750
DEC Memo:	Have ok to finish job.December 18, 2005: ELITE ENVIRONMENTAL DISPOSED OF LUST AND 19.56 TONS OF CONTAMINATED SOIL. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	HOLES IN 1000 GALLON TANK, AND SOME CONTAMINATION IN SOIL;

Material:

Site ID:	350305
Operable Unit ID:	1107882
Operable Unit:	01
Material ID:	2097770
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

BARGAM HOME (Continued) **S106972377**

Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

X139 **WESTCHESTER COUNTY BROCKWAY PLACE TRANSFER STATION** **SWF/LF** **S110996129**
NE **71 BROCKWAY PLACE** **N/A**
1/4-1/2 **WHITE PLAINS, NY 10601**
0.308 mi.
1628 ft. **Site 1 of 2 in cluster X**

Relative:
Lower

Actual:
143 ft.

SWF/LF:
Flag: ACTIVE
Region Code: 3
Phone Number: 9148135453
Owner Name: Westchester County
Owner Type: County
Owner Address: 270 North Avenue
Owner Addr2: Not reported
Owner City,St,Zip: New Rochelle, NY 10801
Owner Email: Not reported
Owner Phone: 9148135453
Contact Name: Fred Sears
Contact Address: 270 North Ave
Contact Addr2: Not reported
Contact City,St,Zip: New Rochele, NY 10801
Contact Email: freds@citycart.net
Contact Phone: 9144230420
Activity Desc: Transfer station - permit
Activity Number: [60T16]
Active: Yes
East Coordinate: 604346
North Coordinate: 4543728
Accuracy Code: Not reported
Regulatory Status: Permit
Waste Type: MSW (Residential/Institutional & Commercial)
Authorization #: 355170013000003
Authorization Date: 12/20/2007
Expiration Date: 12/19/2017

U140 **APT COMPLEX** **HIST LTANKS** **S102664002**
WSW **32 MITCHELL PL** **N/A**
1/4-1/2 **WHITE PLAINS FD, NY**
0.312 mi.
1649 ft. **Site 6 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9611679
Spill Date:	12/24/1996
Spill Time:	14:58
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/10/97
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/24/96
Reported to Department Time:	15:44
SWIS:	55
Spiller Contact:	BOB LYONS
Spiller Phone:	(914) 422-6333
Spiller Extention:	Not reported
Spiller Name:	OIL COMPANY
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Fire Department
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/24/96
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	12/10/97
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported

APT COMPLEX (Continued) **S102664002**

Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 15
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: FD ON SCENE CLEANING UP SPILL.

U141 **HIST LTANKS** **S104619366**
WSW **32 MITCHELL PL** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.312 mi.
1649 ft. **Site 7 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9611678
Spill Date: 12/24/1996
Spill Time: 15:20
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: 12/24/96
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/24/96
Reported to Department Time: 15:42
SWIS: 55
Spiller Contact: MITCHELL SAUNDERS
Spiller Phone: (914) 421-1742
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported

(Continued) **S104619366**

Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/24/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/14/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 18
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 12/24/96 SPILL CONTAINED ON BLACKTOP WITH SPEEDI-DRI; CLEAN UP COMPLETE.
Spill Cause: DRIVER OVERFILLED THE TANK - SUPPOSEDLY NO VENT ALARM

U142 **LTANKS** **S105230064**
WSW **32 MITCHELL PL** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.312 mi.
1649 ft. **Site 8 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:
Site ID: 255456
Spill No: 0108164
Spill Date: 11/12/2001
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/22/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported

(Continued) **S105230064**

Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	11/12/2001
CID:	270
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	11/12/2001
Spill Record Last Update:	7/24/2002
Spiller Name:	MITCH
Spiller Company:	M AND T DEVELOPEMENT
Spiller Address:	32 MITCHELL PL
Spiller City,St,Zip:	WHITPLANES, NY
Spiller County:	001
Spiller Contact:	MITCH
Spiller Phone:	(914) 472-5424
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	209243
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"07/22/02 - NORTHEAST DISPOSED OF TANK AND 15.67 TONS OF CONTAMINATED SOIL. NFA
Remarks:	contaminated soil discovered from tank removal

Material:

Site ID:	255456
Operable Unit ID:	845393
Operable Unit:	01
Material ID:	529414
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

(Continued) **S105230064**

Site ID:	255457
Spill No:	9611678
Spill Date:	12/24/1996
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt:	12/24/1996
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/24/1996
CID:	312
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/24/1996
Spill Record Last Update:	1/14/1997
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	MITCHELL SAUNDERS
Spiller Phone:	(914) 421-1742
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	209243
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"12/24/96 SPILL CONTAINED ON BLACKTOP WITH SPEEDI-DRI; CLEAN UP COMPLETE.
Remarks:	DRIVER OVERFILLED THE TANK - SUPPOSEDLY NO VENT ALARM

Material:

Site ID:	255457
Operable Unit ID:	1043016
Operable Unit:	01
Material ID:	340329
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	18
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported

(Continued) **S105230064**

Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	255458
Spill No:	9611679
Spill Date:	12/24/1996
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/10/1997
Facility Addr2:	WHITE PLAINS FD
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6000
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/24/1996
CID:	323
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/24/1996
Spill Record Last Update:	12/10/1997
Spiller Name:	Not reported
Spiller Company:	OIL COMPANY
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	BOB LYONS
Spiller Phone:	(914) 422-6333
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	276053
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	FD ON SCENE CLEANING UP SPILL.

Material:

Site ID:	255458
Operable Unit ID:	1043017
Operable Unit:	01
Material ID:	569601
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported

(Continued) **S105230064**

Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: 15
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 0108164
Spill Date: 11/12/2001
Spill Time: 12:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: O'DEE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/12/01
Reported to Department Time: 13:04
SWIS: 55
Spiller Contact: MITCH
Spiller Phone: (914) 472-5424
Spiller Extention: Not reported
Spiller Name: M AND T DEVELOPEMENT
Spiller Address: 32 MITCHELL PL
Spiller City,St,Zip: WHITPLANES, NY
Spiller Cleanup Date: / /
Facility Contact: MITCH
Facility Phone: Not reported
Facility Extention: Not reported

(Continued) **S105230064**

Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/12/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/26/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: contaminated soil discovered from tank removal

143
South
1/4-1/2
0.313 mi.
1654 ft.

NESTLWES CO.
100 BLOOMINGDALE RD
WHITE PLAINS, NY

LTANKS **S100494850**
HIST LTANKS **N/A**
MANIFEST
NY Spills

Relative:
Higher

Actual:
159 ft.

LTANKS:
Site ID: 217911
Spill No: 8605886
Spill Date: 12/3/1986
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 4/5/1989
Facility Addr2: Not reported
Cleanup Ceased: 4/5/1989
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 12/17/1986

NESTLWES CO. (Continued) **S100494850**

CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/21/1988
Spill Record Last Update:	4/5/1989
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	180272
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" / / : 12/17/86-SPILLER HAS STARTED CLEAN UP. / / : 1/8/87-SOIL TO BE INSPECTED FOR CONTAMINATION-MONITOR WELLS TO BE INSTALLED. / / : 2/6/87-CONTAMINATED SOIL REMOVED-4 MONITORING WELLS TO BE INSTALLED. / / : N.F.A. U
Remarks:	Not reported

Material:

Site ID:	217911
Operable Unit ID:	902735
Operable Unit:	01
Material ID:	475035
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3

NESTLWES CO. (Continued) **S100494850**

Spill Number:	8605886
Spill Date:	12/03/1986
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	04/05/89
Cleanup Ceased:	04/05/89
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/17/86
Reported to Department Time:	08:10
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	09/21/88
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	04/05/89
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum

NESTLWES CO. (Continued) **S100494850**

Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: / / : 12/17/86-SPILLER HAS STARTED CLEAN UP. / / : 1/8/87-SOIL TO BE INSPECTED FOR CONTAMINATION-MONITOR WELLS TO BE INSTALLED. / / : 2/6/87-CONTAMINATED SOIL REMOVED-4 MONITORING WELLS TO BE INSTALLED. / / : N.F.A. U
Spill Cause: Not reported

NY MANIFEST:
EPA ID: NYR000104273
Country: USA
Mailing Name: FORTWEST LLC / SACHS FIFTH AVE
Mailing Contact: MARWAN RABADI
Mailing Address: 70 CHARLES LINDBERGH BLVD
Mailing Address 2: Not reported
Mailing City: UNIONDALE
Mailing State: NY
Mailing Zip: 11553
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 516-542-4214

NY MANIFEST:
No Manifest Records Available

SPILLS:
Facility ID: 0501816
DER Facility ID: 180272
Facility Type: ER
Site ID: 346103
DEC Region: 3
Spill Number: 0501816
Spill Date: 5/14/2005
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 5/15/2005
SWIS: 6017
Investigator: DVWEHRFR
Referred To: Not reported
Reported to Dept: 5/14/2005
CID: 72
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported

NESTLWES CO. (Continued) **S100494850**

Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	5/16/2005
Spill Record Last Update:	5/23/2005
Spiller Name:	ERT DESK
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	ERT DESK
Contact Phone:	(212) 580-8383
DEC Memo:	Not reported
Remarks:	Faulty equipment (feeder) caused 30 gallons of dielectric fluid to spill. Hasn't been cleaned up as of yet.

Material:

Site ID:	346103
Operable Unit ID:	1103838
Operable Unit:	01
Material ID:	584041
Material Code:	0541A
Material Name:	DIELECTRIC FLUID
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	0106999
DER Facility ID:	180272
Facility Type:	ER
Site ID:	217910
DEC Region:	3
Spill Number:	0106999
Spill Date:	10/4/2001
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	2/28/2002
SWIS:	6017
Investigator:	jbodee

NESTLWES CO. (Continued) **S100494850**

Referred To:	Not reported
Reported to Dept:	10/5/2001
CID:	211
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	10/5/2001
Spill Record Last Update:	10/10/2002
Spiller Name:	MARK MILLER
Spiller Company:	Not reported
Spiller Address:	100 BLOOMINGDALE RD
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	MARK MILLER
Contact Phone:	(336) 294-4221
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"02/28/2002 LETTER SENT TO LAW ENV. BY B. MCDONALD (WCDOH); REPORT OF ELECTRICAL TRANSFORMER ASSESSMENT HAS BEEN REVIEWED. WCDOH REQUIRES NO FURTHER ACTION REGARDING THIS SPILL. 8-28-02 ADDITIONAL CLEANUP WORK DONE AND DOCUMENTED BE LEGGETTE, BRASHEARS AND GRAHAM. REPORT ISSUED TO DEC. BASED ON THE INFO SUBMITTED, NO FURTHER ACTION IS REQUIRED. NFA TG
Remarks:	LEAK IN TRANSFORMER CAUSED SPILL - CONFINED TO VAULT - CLEAN UP SET FOR TUESDAY

Material:

Site ID:	217910
Operable Unit ID:	844079
Operable Unit:	01
Material ID:	531838
Material Code:	0020A
Material Name:	TRANSFORMER OIL
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NESTLWES CO. (Continued) **S100494850**

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

X144 **WHITE PLAINS BUS CO** **LTANKS** **U003647669**
NE **75 BROCKWAY PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.313 mi.
1655 ft. **Site 2 of 2 in cluster X**

Relative:
Lower

Actual:
143 ft.

LTANKS:

Site ID:	196963
Spill No:	9405770
Spill Date:	7/28/1994
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	8/7/2006
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JBODee
Referred To:	Not reported
Reported to Dept:	7/28/1994
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	7/29/1994
Spill Record Last Update:	8/7/2006
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	163948
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"See spill 94-01412. NFA is spill number. jod
Remarks:	LAB RESULTS SHOW CONTAMINATION IN SAMPLES TAKEN AROUND TWO U/G TANKS 1K DIESEL AND 5K GASOLINE

Material:

Site ID:	196963
Operable Unit ID:	1003133
Operable Unit:	01
Material ID:	382356
Material Code:	0008
Material Name:	Diesel

WHITE PLAINS BUS CO (Continued) **U003647669**

Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9401412
Spill Date: 04/29/1994
Spill Time: 10:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/29/94
Reported to Department Time: 10:11
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported

WHITE PLAINS BUS CO (Continued) **U003647669**

Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/09/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/06/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 04/18/97 LETTER SENT
Spill Cause: CONTAMINATED SOIL DISCOVERED DURING TANK PULL STOCKPILING SOIL WILL SAMPLE PERFORM ASSESSMENT SUBMIT TO DEC TODD GHIOSAY IS AWARE OF SITE

SPILLS:
Facility ID: 9401412
DER Facility ID: 163948
Facility Type: ER
Site ID: 196962
DEC Region: 3
Spill Number: 9401412
Spill Date: 4/29/1994
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: Not Closed
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 4/29/1994
CID: Not reported
Water Affected: Not reported

WHITE PLAINS BUS CO (Continued) **U003647669**

Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	4
Date Entered In Computer:	5/9/1994
Spill Record Last Update:	3/24/2010
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"04/18/97 LETTER SENT3/24/10 TG to research. TG
Remarks:	CONTAMINATED SOIL DISCOVERED DURING TANK PULL STOCKPILING SOIL WILL SAMPLE PERFORM ASSESSMENT & SUBMIT TO DEC TODD GHIOSAY IS AWARE OF SITE

Material:

Site ID:	196962
Operable Unit ID:	995185
Operable Unit:	01
Material ID:	385168
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

W145
SW
1/4-1/2
0.318 mi.
1681 ft.

APARTMENT BUILDING
193 EAST POST ROAD
WHITE PLAINS, NY

Site 2 of 2 in cluster W

LTANKS **S106124534**
N/A

Relative:
Higher

Actual:
219 ft.

LTANKS:

Site ID:	158568
Spill No:	0310631
Spill Date:	12/15/2003
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/11/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	WESTCHESTER CNTY HEALTH D
Reported to Dept:	12/15/2003
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	12/15/2003
Spill Record Last Update:	11/1/2005
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	PAOLA CORONEL
Spiller Phone:	(914) 747-9741
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	133999
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"10/11/05 letter from Barbara McDonald of WCDH to Virginia Manning saying submittals have been reviewed. NFA.
Remarks:	tank test failed. not yet being cleaned up.

Material:

Site ID:	158568
Operable Unit ID:	875713
Operable Unit:	01
Material ID:	499481
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported

APARTMENT BUILDING (Continued) **S106124534**

Oxygenate: False

Tank Test:
Site ID: 158568
Spill Tank Test: 1528864
Tank Number: 1
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

Y146 **CITY HALL** **HIST LTANKS** **S100165736**
West **255 MAIN ST.** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.319 mi.
1684 ft. **Site 1 of 2 in cluster Y**

Relative:
Higher

Actual:
221 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 8707220
Spill Date: 11/21/1987
Spill Time: 16:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/14/88
Cleanup Ceased: 03/14/88
Cleanup Meets Standard: True
Investigator: RICCI
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/21/87
Reported to Department Time: 16:56
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MR. BROCCHI
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 682-4389

CITY HALL (Continued) **S100165736**

Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: 03/14/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/27/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/05/88
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 03/08/88: SITE INSPECTION BY P.P.:ON SITE W/RON KING, TANK MODERALELY CORRODED, NO HOLES VISIBLE. THE EXCAVATION WAS PARTLY BACKFILLED DUE TO FEAR THAT AJACANT LIGHT POLE WAS UNDERMINED,DID NOT APPEAR CONTAIMIN. 03/14/88: PASSED RETEST. JOK. 03-14-88 N.F.A.
Spill Cause: 5K TANK SYSTEM -.1255 GPH

Y147 **WHITE PLAINS CITY OF** **SWF/LF** **S105912883**
West **255 MAIN ST** **LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY 10601** **MANIFEST**
0.319 mi.
1684 ft. **Site 2 of 2 in cluster Y**

Relative:
Higher

Actual:
221 ft.

SWF/LF:
Flag: ACTIVE
Region Code: 3
Phone Number: 9144221210
Owner Name: Not reported
Owner Type: Not reported
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: Not reported
Owner Email: Not reported
Owner Phone: Not reported

WHITE PLAINS CITY OF (Continued) **S105912883**

Contact Name:	Joseph DiPilato
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	Not reported
Contact Phone:	Not reported
Activity Desc:	Composting - yard waste
Activity Number:	[60Y24]
Active:	Yes
East Coordinate:	603793
North Coordinate:	4543184
Accuracy Code:	4.3 - Utilization of Digital Orthophoto Quads
Regulatory Status:	Permit
Waste Type:	Not reported
Authorization #:	Not reported
Authorization Date:	Not reported
Expiration Date:	Not reported

LTANKS:

Site ID:	294455
Spill No:	8707220
Spill Date:	11/21/1987
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/14/1988
Facility Addr2:	Not reported
Cleanup Ceased:	3/14/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	RICCI
Referred To:	Not reported
Reported to Dept:	11/21/1987
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	3/14/1988
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	11/27/1987
Spill Record Last Update:	12/5/1988
Spiller Name:	Not reported
Spiller Company:	MR. BROCCHI
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	238304
DEC Memo:	Not reported
Remarks:	5K TANK SYSTEM -.1255 GPH

WHITE PLAINS CITY OF (Continued) **S105912883**

Material:

Site ID:	294455
Operable Unit ID:	911097
Operable Unit:	01
Material ID:	466187
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	294455
Spill Tank Test:	1532403
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

NY MANIFEST:

EPA ID:	NYD000877423
Country:	USA
Mailing Name:	WHITE PLAINS DEPT OF PUBLIC WORKS
Mailing Contact:	DENNIS DEFILLIPIS
Mailing Address:	255 MAIN STREET ATTN TOM
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914429214

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	CT5000001495
Trans2 State ID:	Not reported
Generator Ship Date:	2011-07-07
Trans1 Recv Date:	2011-07-07
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2011-07-07
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD000877423
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

WHITE PLAINS CITY OF (Continued) **S105912883**

TSDF ID:	CT5000001495
Waste Code:	Not reported
Quantity:	933.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2011
Manifest Tracking Num:	006572842JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	Y
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H010

EPA ID:	NYD987015146
Country:	USA
Mailing Name:	WHITE PLAINS CITY OF
Mailing Contact:	HOWARD MARTIN
Mailing Address:	255 MAIN ST
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-632-3362

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	CT5000001495
Trans2 State ID:	Not reported
Generator Ship Date:	2011-07-07
Trans1 Recv Date:	2011-07-07
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2011-07-07
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD000877423
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	CT5000001495
Waste Code:	Not reported
Quantity:	933.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0

WHITE PLAINS CITY OF (Continued) **S105912883**

Year:	2011
Manifest Tracking Num:	006572842JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	Y
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H010

---

148 **OFFICE BUILDING** **LTANKS** **S100494055**
WNW **15 NORTH BROADWAY** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.320 mi.
1691 ft.

Relative:
Higher

Actual:
231 ft.

LTANKS:

Site ID:	125976
Spill No:	9207265
Spill Date:	9/23/1992
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/1/1996
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jkomara
Referred To:	Not reported
Reported to Dept:	9/23/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/25/1992
Spill Record Last Update:	7/29/2003
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	108944
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'MARA"09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK

OFFICE BUILDING (Continued) **S100494055**

TEST.02/01/96 LETTER FROM JOHN O'MARA TO GEORGE ARDITTI, G&M ENTERPRISES, DEC REQUIRES NO FURTHER ACTION.
Remarks: RECOMMEND E.I.R. AIRLAY

Material:
Site ID: 125976
Operable Unit ID: 974235
Operable Unit: 01
Material ID: 554233
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9207265
Spill Date: 09/23/1992
Spill Time: 14:00
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/23/92

OFFICE BUILDING (Continued) **S100494055**

Reported to Department Time: 15:06
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/25/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: RECOMMEND E.I.R. AIRLAY

SPILLS:
Facility ID: 0403095
DER Facility ID: 108944
Facility Type: ER
Site ID: 125975
DEC Region: 3
Spill Number: 0403095

OFFICE BUILDING (Continued) **S100494055**

Spill Date:	6/21/2004
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	10/6/2004
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	6/21/2004
CID:	408
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/21/2004
Spill Record Last Update:	10/6/2004
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Company:	Not reported
Contact Name:	TONY KLOSS
Contact Phone:	(908) 534-8820
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"09-13-04 Spill/discharge investigation and remediation report received from Impact Environmental. Based on the information contained in that report, NFA TG
Remarks:	ELEVATOR HYDROLIC OIL: IN THE PROCESS OF BEING CLEANED UP: IT HAS BEEN IDENTIFIED

Material:

Site ID:	125975
Operable Unit ID:	885057
Operable Unit:	01
Material ID:	490698
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	250
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported

OFFICE BUILDING (Continued) **S100494055**

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

V149 **6 HADDEN AVENUE** **LTANKS** **S104621727**
North **6 HADDEN AVENUE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.320 mi.
1692 ft. **Site 3 of 5 in cluster V**

Relative:
Higher

Actual:
166 ft.

LTANKS:
Site ID: 316153
Spill No: 0002679
Spill Date: 6/2/2000
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/16/2000
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 6/2/2000
CID: 204
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/2/2000
Spill Record Last Update: 10/20/2000
Spiller Name: MICHAEL TELLONE
Spiller Company: 6 HADDEN AVENUE
Spiller Address: 6 HADDEN AVENUE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 001
Spiller Contact: JOHN BUETI
Spiller Phone: (914) 697-7654
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 254877
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"10/16/2000 NORTHEAST PULLED TANK AND DISPOSED OF 20.72 TONS OF CONTAMINATED SOIL. NFA
Remarks: TANK TEST FAILURE

Material:
Site ID: 316153
Operable Unit ID: 824200
Operable Unit: 01
Material ID: 551034

6 HADDEN AVENUE (Continued) **S104621727**

Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	316153
Spill Tank Test:	1525658
Tank Number:	1
Tank Size:	550
Test Method:	03
Leak Rate:	2.5
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

HIST LTANKS:

Region of Spill:	3
Spill Number:	0002679
Spill Date:	06/02/2000
Spill Time:	14:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/16/00
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	O'DEE
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/02/00
Reported to Department Time:	14:30
SWIS:	55
Spiller Contact:	JOHN BUETI
Spiller Phone:	(914) 697-7654
Spiller Extention:	Not reported
Spiller Name:	6 HADDEN AVENUE
Spiller Address:	6 HADDEN AVENUE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /

6 HADDEN AVENUE (Continued) **S104621727**

Facility Contact: MICHAEL TELLONE
Facility Phone: (914) 683-2549
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/02/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/20/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 550
Test Method: Horner EZ Check
Leak Rate Failed Tank: 2.50
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 10/16/2000 NORTHEAST PULLED TANK AND DISPOSED OF 20.72 TONS OF CONTAMINATED SOIL. NFA
Spill Cause: TANK TEST FAILURE

U150 **28 MITCHELL PLACE** **LTANKS** **U003647993**
WSW **28 MITCHELL PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.321 mi.
1694 ft. **Site 9 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:
Site ID: 206822
Spill No: 9901259
Spill Date: 5/3/1999
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/13/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported

28 MITCHELL PLACE (Continued) **U003647993**

Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	5/3/1999
CID:	382
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/3/1999
Spill Record Last Update:	7/25/1999
Spiller Name:	PHILLIPS
Spiller Company:	Not reported
Spiller Address:	28 MITCHELL PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	PHILLIPS
Spiller Phone:	(914) 472-5424
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	171695
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"5/13/99 TANK PASSED ISOLATION RETEST. LINES TO BE REPLACED. NFA Not reported
Remarks:	SYSTEM FAILURE. OWNER WAS ADVISED.

Material:

Site ID:	206822
Operable Unit ID:	1079959
Operable Unit:	01
Material ID:	304805
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	206822
Spill Tank Test:	1547140
Tank Number:	Not reported
Tank Size:	2000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

28 MITCHELL PLACE (Continued) **U003647993**

Site ID:	206823
Spill No:	9903630
Spill Date:	6/29/1999
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt:	11/14/2001
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	6/29/1999
CID:	388
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/29/1999
Spill Record Last Update:	6/2/2003
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	MMP DEVELOPMENT
Spiller Phone:	(914) 725-6858
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	171695
DEC Memo:	Not reported
Remarks:	CALLER REPORTS PULLING TANK AND THE TANK WAS LEAKING.

Material:

Site ID:	206823
Operable Unit ID:	1082559
Operable Unit:	01
Material ID:	303542
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported

28 MITCHELL PLACE (Continued) **U003647993**

Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9903630
Spill Date:	06/29/1999
Spill Time:	14:40
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	O'DEE
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/29/99
Reported to Department Time:	14:56
SWIS:	55
Spiller Contact:	MMP DEVELOPMENT
Spiller Phone:	(914) 725-6858
Spiller Extention:	Not reported
Spiller Name:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	( ) -
Facility Extention:	Not reported
Spill Notifier:	Affected Persons
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	06/29/99
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	07/25/99

28 MITCHELL PLACE (Continued) **U003647993**

Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 6/29/99 2,000 GALLON TANK. WCHD WAS NOTIFIED OF TANK REMOVAL. SOIL REMOVAL TO BEGIN ON 6/30/99.
Spill Cause: CALLER REPORTS PULLING TANK AND THE TANK WAS LEAKING.

U151 **HIST LTANKS** **S104620179**
WSW **28 MITCHELL PLACE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.321 mi.
1694 ft. **Site 10 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9901259
Spill Date: 05/03/1999
Spill Time: 12:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/13/99
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: O'DEE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/03/99
Reported to Department Time: 12:07
SWIS: 55

(Continued) **S104620179**

Spiller Contact: PHILLIPS
Spiller Phone: (914) 472-5424
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 28 MITCHELL PLACE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: PHILLIPS
Facility Phone: (914) 472-5424
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/03/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/25/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 2000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 5/13/99 TANK PASSED ISOLATION RETEST. LINES TO BE REPLACED. NFA
Spill Cause: SYSTEM FAILURE. OWNER WAS ADVISED.

V152 **LTANKS** **S104619342**
North **8 HAYDEN AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.321 mi.
1696 ft. **Site 4 of 5 in cluster V**

Relative:
Higher

Actual:
165 ft.

LTANKS:
Site ID: 245745
Spill No: 9608637
Spill Date: 10/10/1996
Spill Cause: Tank Failure

(Continued) **S104619342**

Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/28/2006
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	10/10/1996
CID:	233
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/10/1996
Spill Record Last Update:	2/28/2006
Spiller Name:	DOM FANELLI
Spiller Company:	COMM DEVELOPMENT
Spiller Address:	8 HAYDEN AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	201802
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"02/28/06 NES removed and disposed of LUST and 49.24 tons of contaminated soil. A monitoring well was installed due to high water table. No information about water sampling has been received by DEC at this time, but no evidence of ground water contamination was reported to DEC either. NFA at this time. jod
Remarks:	caller hired to remove tank tank shows holes contaiminated soil found soil to be stock piled

Material:

Site ID:	245745
Operable Unit ID:	1036875
Operable Unit:	01
Material ID:	344368
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported

(Continued) **S104619342**

Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9608637
Spill Date: 10/10/1996
Spill Time: 15:15
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/10/96
Reported to Department Time: 15:50
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: COMM DEVELOPMENT
Spiller Address: 8 HAYDEN AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: DOM FANELLI
Facility Phone: (914) 948-0393
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/10/96

(Continued) **S104619342**

Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/02/96
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: caller hired to remove tank tank shows holes contaiminated soil found soil to be stock piled

---

V153 **RESIDENCE** **LTANKS** **S106971872**
North **10 HADDEN AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.322 mi.
1699 ft. **Site 5 of 5 in cluster V**

Relative:
Higher

Actual:
164 ft.

LTANKS:
Site ID: 346361
Spill No: 0502070
Spill Date: 5/20/2005
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/3/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: TDGHIOSA
Referred To: Not reported
Reported to Dept: 5/20/2005
CID: 408
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/20/2005

RESIDENCE (Continued) **S106971872**

Spill Record Last Update:	2/3/2006
Spiller Name:	LOYD DEAN
Spiller Company:	RESIDENCE
Spiller Address:	10 HADDEN AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	LOYD DEAN
Spiller Phone:	(914) 835-9369
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	292616
DEC Memo:	February 3, 2006: LEWIS ENVIRONMENTAL DISPOSED OF LUST AND 191.72 TONS OF CONTAMINATED SOIL. CLOSURE REPORT REVIEWED BY DEC. BASED UPON INFORMATION PROVIDED, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	TESTED POSITIVE FOR SEMI AND VOLATALES.

Material:

Site ID:	346361
Operable Unit ID:	1104091
Operable Unit:	01
Material ID:	584294
Material Code:	0064A
Material Name:	UNKNOWN MATERIAL
Case No.:	Not reported
Material FA:	Other
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	346361
Spill Tank Test:	1548933
Tank Number:	Not reported
Tank Size:	1000
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	5/20/2005
Test Method:	Unknown

U154 **LTANKS** **S104620381**
WSW **25 MITCHELL PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.326 mi.
1722 ft. **Site 11 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:

Site ID:	111332
Spill No:	9905959
Spill Date:	8/17/1999
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response.

(Continued) **S104620381**

	Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/8/1999
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	8/18/1999
CID:	388
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	8/18/1999
Spill Record Last Update:	10/27/1999
Spiller Name:	JAMES MA
Spiller Company:	W P M V INC
Spiller Address:	200 E 61ST ST SUITE 4G
Spiller City,St,Zip:	NEW YORK, NY 10021-
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	(914) 472-8779
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	97378
DEC Memo:	Not reported
Remarks:	caller reports they went to clean tank and they saw holes in the tank.
	Not reported

Material:

Site ID:	111332
Operable Unit ID:	1084404
Operable Unit:	01
Material ID:	553103
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported

(Continued) **S104620381**

Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9905959
Spill Date: 08/17/1999
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/08/99
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: WCHD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/18/99
Reported to Department Time: 12:48
SWIS: 55
Spiller Contact: CALLER
Spiller Phone: (914) 472-8779
Spiller Extention: Not reported
Spiller Name: W P M V INC
Spiller Address: 200 E 61ST ST SUITE 4G
Spiller City,St,Zip: NEW YORK, NY 10021-
Spiller Cleanup Date: / /
Facility Contact: JAMES MA
Facility Phone: (212) 832-2323
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/18/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/27/99
Is Updated: False

Tank:
PBS Number: Not reported

(Continued) **S104620381**

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 10/08/99 PER STEFAN GOREAU WCHD) SITE CLOSURE REPORT AT SITE WAS REVIEWED BY WCHD. RESULTS OF SOIL SAMPLES SATISFACTORY. WCHD REQUIRES NO FURTHER ACTION.
Spill Cause: caller reports they went to clean tank and they saw holes in the tank.

U155 **LTANKS** **S104619049**
WSW **23 MITCHELL PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.330 mi.
1744 ft. **Site 12 of 12 in cluster U**

Relative:
Higher

Actual:
218 ft.

LTANKS:
Site ID: 286069
Spill No: 8809894
Spill Date: 3/23/1989
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/20/1991
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 3/23/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/28/1989
Spill Record Last Update: 9/19/2003
Spiller Name: Not reported
Spiller Company: SEA MGT
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001

(Continued) **S104619049**

Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	231859
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	PLUMBING LEAKED DURING FILLING FOR TEST. TO ISOLATE, EXCAVATE AND RETEST.

Material:

Site ID:	286069
Operable Unit ID:	926206
Operable Unit:	01
Material ID:	451068
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	286069
Spill Tank Test:	1535281
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	8809894
Spill Date:	03/23/1989
Spill Time:	12:30
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/20/91
Cleanup Ceased:	06/18/53
Cleanup Meets Standard:	True
Investigator:	T. GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported

(Continued) **S104619049**

Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/23/89
Reported to Department Time: 15:34
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SEA MGT.
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/28/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/25/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: PLUMBING LEAKED DURING FILLING FOR TEST. TO ISOLATE, EXCAVATE AND RETEST.

Z156 **POLE #W6** **LTANKS** **S106699823**
SSW **18 DEKALB AVE** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.333 mi.
1758 ft. **Site 1 of 2 in cluster Z**

Relative:
Higher

Actual:
209 ft.

LTANKS:

Site ID:	195806
Spill No:	0406991
Spill Date:	9/23/2004
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	c3
Spill Closed Dt:	10/4/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JBODee
Referred To:	WCHD
Reported to Dept:	9/23/2004
CID:	64
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/23/2004
Spill Record Last Update:	1/5/2005
Spiller Name:	ALAN BAKER
Spiller Company:	PRIVATE HOME
Spiller Address:	18 DEKALB AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	ALAN BAKER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	163125
DEC Memo:	10/04/04 CLEAN UP COMPLETED BY TRI-STATE, BUT THERE ARE INDOOR AIR ISSUES BEING HANDLED BY COUNTY HEALTH DEPT.
Remarks:	Caller states that the oil tank was leaking. Apparently the leak is controlled at this time and he is enroute for clean up. During call, call was lost due to a bad cell phone connection. Caller can be reached on cell - 914-424-0973. Caller called back.

Material:

Site ID:	195806
Operable Unit ID:	889588
Operable Unit:	01
Material ID:	484834
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15
Units:	Gallons
Recovered:	No

POLE #W6 (Continued) **S106699823**

Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	195806
Spill No:	0406991
Spill Date:	9/23/2004
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	c3
Spill Closed Dt:	10/4/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JBODee
Referred To:	WCHD
Reported to Dept:	9/23/2004
CID:	64
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/23/2004
Spill Record Last Update:	1/5/2005
Spiller Name:	ALAN BAKER
Spiller Company:	PRIVATE HOME
Spiller Address:	18 DEKALB AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	ALAN BAKER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	163125
DEC Memo:	10/04/04 CLEAN UP COMPLETED BY TRI-STATE, BUT THERE ARE INDOOR AIR ISSUES BEING HANDLED BY COUNTY HEALTH DEPT.
Remarks:	Caller states that the oil tank was leaking. Apparently the leak is controlled at this time and he is enroute for clean up. During call, call was lost due to a bad cell phone connection. Caller can be reached on cell - 914-424-0973. Caller called back.

POLE #W6 (Continued) **S106699823**

Material:

Site ID:	195806
Operable Unit ID:	889588
Operable Unit:	01
Material ID:	484834
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	195806
Spill No:	0406991
Spill Date:	9/23/2004
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	c3
Spill Closed Dt:	10/4/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JBODee
Referred To:	WCHD
Reported to Dept:	9/23/2004
CID:	64
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/23/2004
Spill Record Last Update:	1/5/2005
Spiller Name:	ALAN BAKER
Spiller Company:	PRIVATE HOME
Spiller Address:	18 DEKALB AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001

POLE #W6 (Continued) **S106699823**

Spiller Contact:	ALAN BAKER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	163125
DEC Memo:	10/04/04 CLEAN UP COMPLETED BY TRI-STATE, BUT THERE ARE INDOOR AIR ISSUES BEING HANDLED BY COUNTY HEALTH DEPT.
Remarks:	Caller states that the oil tank was leaking. Apparently the leak is controlled at this time and he is enroute for clean up. During call, call was lost due to a bad cell phone connection. Caller can be reached on cell - 914-424-0973. Caller called back.

Material:

Site ID:	195806
Operable Unit ID:	889588
Operable Unit:	01
Material ID:	484834
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

SPILLS:

Facility ID:	0104393
DER Facility ID:	163125
Facility Type:	ER
Site ID:	215770
DEC Region:	3
Spill Number:	0104393
Spill Date:	7/25/2001
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/25/2001
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	7/25/2001

POLE #W6 (Continued) **S106699823**

CID:	201
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/25/2001
Spill Record Last Update:	10/21/2003
Spiller Name:	CALLER
Spiller Company:	CON ED
Spiller Address:	4 IRVING PL
Spiller City,St,Zip:	NEW YORK, NY
Spiller Company:	001
Contact Name:	CALLER
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"
Remarks:	2 QTS ON GRASS AND CONCREAT. CLEAN UP CREW ON THE WAY. CON ED #138458. NON PCB OIL.

Material:

Site ID:	215770
Operable Unit ID:	841030
Operable Unit:	01
Material ID:	532888
Material Code:	0020A
Material Name:	TRANSFORMER OIL
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	0104393
Investigator:	WADSWORTH
Caller Name:	Not reported

POLE #W6 (Continued) **S106699823**

Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	07/25/2001 01:42
Reported to Dept Date/Time:	07/25/01 02:57
SWIS:	55
Spiller Name:	CON ED
Spiller Contact:	CALLER
Spiller Phone:	( ) -
Spiller Contact:	CALLER
Spiller Phone:	( ) -
Spiller Address:	4 IRVING PL
Spiller City,St,Zip:	MANHATTAN, NY
Spill Cause:	Equipment Failure
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	01
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/25/01
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	07/25/01
Date Spill Entered In Computer Data File:	Not reported
Update Date:	08/06/01
Is Updated:	True

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	1
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	True
Material:	TRANSFORMER OIL
Class Type:	TRANSFORMER OIL
Times Material Entry In File:	533
CAS Number:	Not reported

POLE #W6 (Continued) **S106699823**

Last Date: 19940926
DEC Remarks: Not reported
Remark: 2 QTS ON GRASS AND CONCREAT. CLEAN UP CREW ON THE WAY. CON ED 138458. NON PCB OIL.

AA157 **APT BUILDING** **LTANKS** **S110243958**
NNW **16 LAKE STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.334 mi.
1761 ft. **Site 1 of 2 in cluster AA**

Relative:
Higher

Actual:
233 ft.

LTANKS:

Site ID:	425742
Spill No:	0912833
Spill Date:	3/10/2010
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/23/2010
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JKOMARA
Referred To:	Not reported
Reported to Dept:	3/10/2010
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	3/10/2010
Spill Record Last Update:	6/23/2010
Spiller Name:	Not reported
Spiller Company:	FAILED TANK TEST
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	MEG @ WHITE MGMT
Spiller Phone:	(914) 874-5424
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	374630
DEC Memo:	Spoke to Kathy at US tank. Hole in vent pipe below pavement. US Tank advised owner to excavate tank top, isolate and retest. WCHD to be notified also by US Tank. WCHD regulated site. DT 3/10/106/23/10 WCDOH reports that ttf 3/10/10.received report from petroleum tank claners indicating replacement of fill port and passing retest JO'M
Remarks:	Not reported

Material:

Site ID:	425742
Operable Unit ID:	1181454
Operable Unit:	01

APT BUILDING (Continued) **S110243958**

Material ID:	2175539
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False
Site ID:	425742
Operable Unit ID:	1181454
Operable Unit:	01
Material ID:	2175540
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AA158 **JSD MANAGEMENT** **LTANKS** **S100140548**
NNW **15 LAKE ST.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.334 mi.
1766 ft. **Site 2 of 2 in cluster AA**

Relative:
Higher

Actual:
228 ft.

LTANKS:

Site ID:	213796
Spill No:	8902337
Spill Date:	6/6/1989
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/30/1992
Facility Addr2:	Not reported
Cleanup Ceased:	7/30/1992
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa

JSD MANAGEMENT (Continued) **S100140548**

Referred To:	Not reported
Reported to Dept:	6/6/1989
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/9/1989
Spill Record Last Update:	9/29/2003
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	177125
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"06/27/89: RECEIVED RETEST RESULTS ON 6/27/89. THE TANK PASSED WITH 0.01486 GPH LEAK RATE (EZY CHECK).
Remarks:	EXCAVATE, EMPTY TANK & INSPECT. 5,000 GAL TANK. HORNER METHOD. GROSS LEAK.

Material:

Site ID:	213796
Operable Unit ID:	928098
Operable Unit:	01
Material ID:	450046
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	213796
Spill Tank Test:	1535549
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

JSD MANAGEMENT (Continued) **S100140548**

HIST LTANKS:

Region of Spill:	3
Spill Number:	8902337
Spill Date:	06/06/1989
Spill Time:	15:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/30/92
Cleanup Ceased:	07/30/92
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/06/89
Reported to Department Time:	17:01
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	06/09/89
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	06/12/96
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00

JSD MANAGEMENT (Continued) **S100140548**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 06/27/89: RECEIVED RETEST RESULTS ON 6/27/89. THE TANK PASSED WITH 0.01486 GPH LEAK RATE EZY CHECK).
Spill Cause: EXCAVATE, EMPTY TANK INSPECT. 5,000 GAL TANK. HORNER METHOD. GROSS LEAK.

AB159 **BELTMORE TOWERS APTS.** **HIST LTANKS** **S100139642**
NNW **30 LAKE ST.** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.335 mi.
1769 ft. **Site 1 of 4 in cluster AB**

Relative:
Higher

Actual:
210 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 8706628
Spill Date: 11/04/1987
Spill Time: 16:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: NONE
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 07/27/88
Cleanup Ceased: 07/25/88
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/04/87
Reported to Department Time: 17:34
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: FRANK WAGNER
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported

BELTMORE TOWERS APTS. (Continued) **S100139642**

Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: 07/25/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/18/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/27/88
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: / / : 11/5/87-WILL RETEST. 07/27/88: TANK RETESTED AND PASSED.
Spill Cause: TTTF-15K TANK;HIGH VOLUME LEAK

AB160 **CONDO TOWER** **LTANKS** **S109416253**
NNW **30 LAKE ST** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.335 mi.
1769 ft. **Site 2 of 4 in cluster AB**

Relative:
Higher

Actual:
210 ft.

LTANKS:
Site ID: 408703
Spill No: 0811148
Spill Date: 1/8/2009
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/14/2009
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: TDGHIOSA

CONDO TOWER (Continued) **S109416253**

Referred To:	Not reported
Reported to Dept:	1/8/2009
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/8/2009
Spill Record Last Update:	4/14/2009
Spiller Name:	LARRY NEWMAN
Spiller Company:	CONDO COMPLEX
Spiller Address:	30 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	999
Spiller Contact:	LARRY NEWMAN
Spiller Phone:	(914) 337-1312
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	357952
DEC Memo:	1/8/09 left message for Mr. Newman (ext 319). Waiting for callback. Referred to WCHD PBS dw04/14/09 W Schneider reported ttf 1-8-09. passing retest after fill, vent line replacement and fitting adj. NFA TG
Remarks:	Caller states they performed a EZ-3 test and had a failure. No spill or resources affected.

Material:

Site ID:	408703
Operable Unit ID:	1165225
Operable Unit:	01
Material ID:	2156629
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

CONDO TOWER (Continued) **S109416253**

Site ID:	443959
Spill No:	1010357
Spill Date:	1/4/2011
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/30/2011
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	JKOMARA
Referred To:	Not reported
Reported to Dept:	1/4/2011
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/4/2011
Spill Record Last Update:	3/30/2011
Spiller Name:	LARRY NEWMAN
Spiller Company:	CONDO TOWER
Spiller Address:	30 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	999
Spiller Contact:	KATHY MORGAN
Spiller Phone:	(845) 855-3970
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	357952
DEC Memo:	01/05/11 Tank was relined in 1999. Will be uncovered to hopefully find problem and repair and then tank will be retested....mm3/30/2011 As per WCDOH 30 lake street, white plains- ttf, man way flange fixed and tank passed retest NFA JO'M
Remarks:	Caller reporting tank test failure.

Material:

Site ID:	443959
Operable Unit ID:	1194403
Operable Unit:	01
Material ID:	2190203
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

CONDO TOWER (Continued) **S109416253**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	243796
Spill No:	8706628
Spill Date:	11/4/1987
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Spill Closed Dt:	7/27/1988
Facility Addr2:	Not reported
Cleanup Ceased:	7/25/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	11/4/1987
CID:	Not reported
Water Affected:	NONE
Spill Notifier:	Tank Tester
Last Inspection:	7/25/1988
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	11/18/1987
Spill Record Last Update:	8/5/2003
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	127288
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON" / / : 11/5/87-WILL RETEST.07/27/88: TANK RETESTED AND PASSED.
Remarks:	TTTF-15K TANK;HIGH VOLUME LEAK

Material:

Site ID:	243796
Operable Unit ID:	912519
Operable Unit:	01
Material ID:	465635

CONDO TOWER (Continued) **S109416253**

Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	243796
Spill Tank Test:	1532166
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Site ID:	149672
Spill No:	9905417
Spill Date:	8/4/1999
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/5/2003
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	8/4/1999
CID:	389
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	8/4/1999
Spill Record Last Update:	12/5/2003
Spiller Name:	Not reported
Spiller Company:	DICK YAKMAN
Spiller Address:	30 LAKE STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	127288

CONDO TOWER (Continued) **S109416253**

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-MCDONALD"8/4/99 WCHD TO FOLLOW UP.12/01/99 LETTER SENT TO BILTMORE TOWERS BY WCHD; TANK SYSTEM MUST BE REPAIRED OR REMOVED.08/05/03 ALSO SEE SPILLS 02-9355 AND 02-11185.12/05/03 CLOSED BY BARBARA McDONALD OF WCHD.
Remarks: CALLER STATES A FAILED TANK TEST FAILED ON LIQUID PORTION OF THE TEST NO RELEASE 2.58840 LEAK GAIN

Material:
Site ID: 149672
Operable Unit ID: 1079853
Operable Unit: 01
Material ID: 301712
Material Code: 0002A
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 149672
Spill Tank Test: 1547452
Tank Number: 1
Tank Size: 15000
Test Method: 20
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: USTest 2000/P/LL plus USTest 2000/U

Site ID: 337240
Spill No: 0411926
Spill Date: 2/8/2005
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/27/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6000
Investigator: WCHD
Referred To: Not reported
Reported to Dept: 2/8/2005
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False

CONDO TOWER (Continued) **S109416253**

UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/8/2005
Spill Record Last Update:	3/27/2005
Spiller Name:	BILL PALMER
Spiller Company:	COMMERCIAL PROP-ERTY
Spiller Address:	30 LAKE STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	BILL PALMER
Spiller Phone:	(914) 682-7398
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	272582
DEC Memo:	03/27/05 PBS SITE. TANK PASSED RETEST. SPILL FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	PBS No: 3-183024

Material:

Site ID:	337240
Operable Unit ID:	1099226
Operable Unit:	01
Material ID:	579539
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	337240
Spill Tank Test:	1548570
Tank Number:	1
Tank Size:	15000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	2/8/2005
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	0211185
DER Facility ID:	127288
Facility Type:	ER
Site ID:	243795
DEC Region:	3
Spill Number:	0211185
Spill Date:	2/7/2003
Spill Cause:	Equipment Failure

CONDO TOWER (Continued) **S109416253**

Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	12/17/2003
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/7/2003
CID:	365
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/7/2003
Spill Record Last Update:	12/17/2003
Spiller Name:	Not reported
Spiller Company:	HESS OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ -
Spiller Company:	001
Contact Name:	JULIO - SUPER
Contact Phone:	(914) 428-2714
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"08/05/03 ALSO SEE SPILLS 99-05417 AND 02-09355.
Remarks:	in the grass ifo building - the apartments order oil but their gadge is way off and they couldn't take as much oil as the requested - caller will get a contractor there for clean up

Material:

Site ID:	243795
Operable Unit ID:	864358
Operable Unit:	01
Material ID:	514541
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported

CONDO TOWER (Continued) **S109416253**

Test Method:	Not reported
Facility ID:	0209355
DER Facility ID:	127288
Facility Type:	ER
Site ID:	243794
DEC Region:	3
Spill Number:	0209355
Spill Date:	12/11/2002
Spill Cause:	Equipment Failure
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	10/29/2003
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	12/11/2002
CID:	390
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/11/2002
Spill Record Last Update:	12/17/2003
Spiller Name:	UNK
Spiller Company:	UNK
Spiller Address:	30 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	UNK
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-MANCINI"12/11/02: CARLOS TORRES, WCHD, NOTIFIED. WCHD RESPONDING.08/05/03 ALSO SEE SPILLS 99-05417 AND 02-11185.10/29/03 CLOSED BY WCHD - NES COMPLETED CLEANUP
Remarks:	malfunction in a transfer pump caused spill

Material:

Site ID:	243794
Operable Unit ID:	860731
Operable Unit:	01
Material ID:	516330
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

CONDO TOWER (Continued) **S109416253**

Tank Test:
- Site ID: Not reported
- Spill Tank Test: Not reported
- Tank Number: Not reported
- Tank Size: Not reported
- Test Method: Not reported
- Leak Rate: Not reported
- Gross Fail: Not reported
- Modified By: Not reported
- Last Modified: Not reported
- Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

AB161 **RESIDENCE** **HIST LTANKS** **S104191635**
NNW **30 LAKE STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.335 mi.
1769 ft. **Site 3 of 4 in cluster AB**

Relative:
Higher

Actual:
210 ft.

HIST LTANKS:
- Region of Spill: 3
- Spill Number: 9905417
- Spill Date: 08/04/1999
- Spill Time: 16:15
- Spill Cause: Tank Test Failure
- Resource Affectd: On Land
- Water Affected: Not reported
- Spill Source: Private Dwelling
- Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
- Spill Closed Dt: / /
- Cleanup Ceased: / /
- Cleanup Meets Standard: False
- Investigator: WCHD
- Caller Name: Not reported
- Caller Agency: Not reported
- Caller Phone: Not reported
- Caller Extension: Not reported
- Notifier Name: Not reported
- Notifier Agency: Not reported
- Notifier Phone: Not reported
- Notifier Extension: Not reported
- Reported to Department Date: 08/04/99
- Reported to Department Time: 16:30
- SWIS: 55
- Spiller Contact: Not reported
- Spiller Phone: Not reported
- Spiller Extention: Not reported
- Spiller Name: DICK YAKMAN
- Spiller Address: 30 LAKE STREET
- Spiller City,St,Zip: WHITE PLAINS, NY
- Spiller Cleanup Date: / /
- Facility Contact: Not reported
- Facility Phone: (914) 337-1312

RESIDENCE (Continued) **S104191635**

Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/04/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/28/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 15000
Test Method: USTest 2000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 8/4/99 WCHD TO FOLLOW UP. 12/01/99 LETTER SENT TO BILTMORE TOWERS BY WCHD; TANK SYSTEM MUST BE REPAIRED OR REMOVED.
Spill Cause: CALLER STATES A FAILED TANK TEST FAILED ON LIQUID PORTION OF THE TEST NO RELEASE 2.58840 LEAK GAIN

AB162 **DEROSA** **LTANKS** **S103940360**
NNW **25 LAKE STREET** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.337 mi.
1779 ft. **Site 4 of 4 in cluster AB**

Relative:
Higher

Actual:
210 ft.

LTANKS:
Site ID: 291855
Spill No: 9808490
Spill Date: 10/8/1998
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/30/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True

DEROSA (Continued) **S103940360**

SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	10/8/1998
CID:	281
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/8/1998
Spill Record Last Update:	3/30/2004
Spiller Name:	JOHN DEROSA
Spiller Company:	JSD MANAGMENT
Spiller Address:	PO BOX 395
Spiller City,St,Zip:	WHITE PLAINS, NY 10602-
Spiller County:	001
Spiller Contact:	JOHN DEROSA
Spiller Phone:	(914) 949-0300
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	236298
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-BECK"12/14/99 FAILED RETEST.03/30/04 WCHD REPORTS TANK PASSED RETESTS 10-98 AND 3-03. FILE CLOSED BY FRED BECK OF THE WESTCHESTER COUNTY HEALTH DEPARTMENT. NFA jbo
Remarks:	TANK TEST FAILURE AT ABOVE LOCATION. PROPERTY OWNERS ADVISED.UNKNOWN WHAT OWNERS PLANS ARE. NO CALL BACK REQUESTED.

Material:

Site ID:	291855
Operable Unit ID:	1065891
Operable Unit:	01
Material ID:	315994
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	291855
Spill Tank Test:	1546363
Tank Number:	1
Tank Size:	7500
Test Method:	03
Leak Rate:	0
Gross Fail:	F
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

DEROSA (Continued) **S103940360**

HIST LTANKS:

Region of Spill:	3
Spill Number:	9808490
Spill Date:	10/08/1998
Spill Time:	14:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	WCHD
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	10/08/98
Reported to Department Time:	16:42
SWIS:	55
Spiller Contact:	JOHN DEROSA
Spiller Phone:	(914) 949-0300
Spiller Extention:	Not reported
Spiller Name:	JSD MANAGMENT
Spiller Address:	PO BOX 395
Spiller City,St,Zip:	WHITE PLAINS, NY 10602-
Spiller Cleanup Date:	/ /
Facility Contact:	JOHN DEROSA
Facility Phone:	(914) 949-0300
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	10/08/98
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	07/28/99
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	1
Tank Size:	7500
Test Method:	Horner EZ Check

DEROSA (Continued) **S103940360**

Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK TEST FAILURE AT ABOVE LOCATION. PROPERTY OWNERS ADVISED. UNKNOWN WHAT OWNERS PLANS ARE. NO CALL BACK REQUESTED.

SPILLS:
Facility ID: 0300929
DER Facility ID: 236298
Facility Type: ER
Site ID: 275598
DEC Region: 3
Spill Number: 0300929
Spill Date: 4/26/2003
Spill Cause: Unknown
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 12/12/2003
SWIS: 6017
Investigator: WCHD
Referred To: Westchester Cnty Health Dept
Reported to Dept: 4/26/2003
CID: 252
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Fire Department
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 4/26/2003
Spill Record Last Update: 12/12/2003
Spiller Name: UNK
Spiller Company: APARTMENT BLDG
Spiller Address: 25 LAKE ST
Spiller City,St,Zip: WHITEPLAINS, NY
Spiller Company: 001
Contact Name: UNK
Contact Phone: (000) 000-0000
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-SCHNEIDER"04/26/03: About 15-20 gal spilled and is contained in building. Tarricone Fuel Service has been called for cleanup.12/12/03

DEROSA (Continued) **S103940360**

Remarks:	CLOSED BY WAYNE SCHNEIDER OF WCHD. FIRE DEPT RESPONDED-NO FURTHER INFO

Material:

Site ID:	275598
Operable Unit ID:	869045
Operable Unit:	01
Material ID:	509001
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AC163 **PARK KNOLL** **LTANKS** **S100139821**
ENE **34 UNDERHILL AVE.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.339 mi.
1791 ft. **Site 1 of 2 in cluster AC**

Relative:
Higher

Actual:
159 ft.

LTANKS:

Site ID:	287827
Spill No:	8708778
Spill Date:	1/14/1988
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	11/29/1989
Facility Addr2:	Not reported
Cleanup Ceased:	11/29/1989
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	1/14/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False

PARK KNOLL (Continued) **S100139821**

Remediation Phase:	0
Date Entered In Computer:	1/28/1988
Spill Record Last Update:	11/29/1989
Spiller Name:	Not reported
Spiller Company:	PARK KNOLL
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	233144
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"
Remarks:	3K -.250 TO EXCAVATE, ISOLATE & RETEST

Material:

Site ID:	287827
Operable Unit ID:	914086
Operable Unit:	01
Material ID:	464146
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	287827
Spill Tank Test:	1533002
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	8708778
Spill Date:	01/14/1988
Spill Time:	16:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	11/29/89

PARK KNOLL (Continued) **S100139821**

Cleanup Ceased: 11/29/89
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/14/88
Reported to Department Time: 18:26
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PARK KNOLL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 946-3202
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/29/89
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported

PARK KNOLL (Continued) **S100139821**

Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: 3K -.250 TO EXCAVATE, ISOLATE RETEST

Z164 **TORELLI** **LTANKS** **S106718922**
SSW **21 DEKALB AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.344 mi.
1818 ft. **Site 2 of 2 in cluster Z**

Relative:
Higher

Actual:
215 ft.

LTANKS:

Site ID:	253456
Spill No:	0206319
Spill Date:	9/18/2002
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/2/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	9/18/2002
CID:	257
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/18/2002
Spill Record Last Update:	2/2/2005
Spiller Name:	MR TORELLI
Spiller Company:	Not reported
Spiller Address:	21 DEKALB AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	MR TORELLI
Spiller Phone:	(914) 761-2423
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	207634
DEC Memo:	02/02/05 ELITE ENVIRONMENTAL DISPOSED OF LUST AND 43.36 TONS OF CONTAMINATED SOIL. CLOSURE REPORT RECEIVED FROM HES. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jbo
Remarks:	during removal caller found contaminted soil and holes in the tank

Material:

Site ID:	253456
Operable Unit ID:	857806
Operable Unit:	01
Material ID:	516935
Material Code:	0001A

TORELLI (Continued) **S106718922**

Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AD165 **WHITE PLAINS EXTRA MART** **LTANKS** **S102241613**
NNW **42 LAKE ST** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.347 mi.
1831 ft. **Site 1 of 4 in cluster AD**

Relative:
Higher

Actual:
194 ft.

LTANKS:

Site ID:	149146
Spill No:	9013260
Spill Date:	3/28/1991
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/29/1992
Facility Addr2:	Not reported
Cleanup Ceased:	6/18/1953
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	3/28/1991
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	4/1/1991
Spill Record Last Update:	8/24/1992
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	126893
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Remarks:	E I R ON MONDAY PETRO-TITE -1.582 PER 1/2 HR.

Material:

Site ID:	149146
Operable Unit ID:	950471
Operable Unit:	01
Material ID:	426139
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	149146
Spill Tank Test:	1538386
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Site ID:	349226
Spill No:	0504419
Spill Date:	7/13/2005
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/11/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	JBODee
Referred To:	WCDOH
Reported to Dept:	7/13/2005
CID:	409
Water Affected:	Not reported

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	7/13/2005
Spill Record Last Update:	9/11/2005
Spiller Name:	MIKE TAYLOR
Spiller Company:	WARECKS TERMINAL CORP
Spiller Address:	42 LAKE STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	MIKE TAYLOR
Spiller Phone:	(800) 243-6366
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	126893
DEC Memo:	September 11, 2005: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	PBS No: 3-441546

Material:

Site ID:	349226
Operable Unit ID:	1106854
Operable Unit:	01
Material ID:	2096173
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	349226
Spill Tank Test:	1549076
Tank Number:	2
Tank Size:	6000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	7/13/2005
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	9602457
DER Facility ID:	126893
Facility Type:	ER
Site ID:	192380
DEC Region:	3

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Spill Number:	9602457
Spill Date:	5/21/1996
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/8/1996
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	5/21/1996
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	5/21/1996
Spill Record Last Update:	9/4/1996
Spiller Name:	ROBERT MCGURKINS
Spiller Company:	WHITE PLAINS EXTRA MART
Spiller Address:	42 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller Company:	001
Contact Name:	ROBERT MCGURKINS
Contact Phone:	(914) 328-5266
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"07/08/96 TANK WAS REMOVED CONTAMINATED SOIL FOUND AND REMOVED SOIL SAMPLES TAKEN RESULTS UNDER STARS
Remarks:	tank was removed and contaiminated soil found

Material:

Site ID:	192380
Operable Unit ID:	1033932
Operable Unit:	01
Material ID:	352278
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported
Facility ID:	0012562
DER Facility ID:	126893
Facility Type:	ER
Site ID:	192379
DEC Region:	3
Spill Number:	0012562
Spill Date:	2/24/2001
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	2/24/2001
SWIS:	6017
Investigator:	DVWEHRFR
Referred To:	Not reported
Reported to Dept:	2/24/2001
CID:	839
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/24/2001
Spill Record Last Update:	7/3/2001
Spiller Name:	Not reported
Spiller Company:	TEXACO
Spiller Address:	42 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS, NY 10601-
Spiller Company:	001
Contact Name:	MIQUEL
Contact Phone:	(914) 328-5266
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WEHRFRITZ"02/24/2001 CONTACTED TEXACO. CLEANED UP. NO FURTHER ACTION. Not reported
Remarks:	CALLER IS AWAITING INSTRUCTION. SPILL COVERED WITH SPEEDY DRY.

Material:

Site ID:	192379
Operable Unit ID:	834104
Operable Unit:	01
Material ID:	542827
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	8
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	9602457
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	05/21/1996 12:30
Reported to Dept Date/Time:	05/21/96 12:54
SWIS:	55
Spiller Name:	WHITE PLAINS EXTRA MART
Spiller Contact:	ROBERT MCGURKINS
Spiller Phone:	(914) 328-5266
Spiller Contact:	ROBERT MCGURKINS
Spiller Phone:	(914) 328-5266
Spiller Address:	42 LAKE ST
Spiller City,St,Zip:	WHITE PLAINS
Spill Cause:	Unknown
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	05
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/08/96

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/21/96

WHITE PLAINS EXTRA MART (Continued) **S102241613**

Date Spill Entered In Computer Data File: Not reported
Update Date: 09/04/96
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 07/08/96 TANK WAS REMOVED CONTAMINATED SOIL FOUND AND REMOVED SAMPLES TAKEN RESULTS UNDER STARS SOIL
Remark: tank was removed and contaiminated soil found

AD166 **NATIONAL CAR RENTAL** **HIST LTANKS** **S100142206**
NNW **42 LAKE STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.347 mi.
1831 ft. **Site 2 of 4 in cluster AD**

Relative:
Higher

Actual:
194 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9013260
Spill Date: 03/28/1991
Spill Time: 19:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/29/92
Cleanup Ceased: 06/18/53
Cleanup Meets Standard: True
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/28/91
Reported to Department Time: 21:30

NATIONAL CAR RENTAL (Continued) **S100142206**

SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 428-3080
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 3-441546
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/01/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/24/92
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: E I R ON MONDAY PETRO-TITE -1.582 PER 1/2 HR.

167
NW
1/4-1/2
0.350 mi.
1849 ft.

DEROSA BUILDERS
7 LAKE STREET
WHITE PLAINS, NY

LTANKS **S106125358**
NY Spills **N/A**

Relative:
Higher

Actual:
249 ft.

LTANKS:

Site ID:	386923
Spill No:	0706405
Spill Date:	9/7/2007
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/31/2008
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	WCDOH
Reported to Dept:	9/7/2007
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/7/2007
Spill Record Last Update:	8/1/2008
Spiller Name:	LISA DEROSA
Spiller Company:	COMMERCIAL
Spiller Address:	7 LAKE STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	LISA DEROSA
Spiller Phone:	(914) 682-1800
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	82292
DEC Memo:	07/31/08 Danielle Jackson - WCHD reported "7 lake st, white plains, ny - bad petrometer , repaired and retested, passed, NFA." TG
Remarks:	DRY LEAK- PIN HOLE

Material:

Site ID:	386923
Operable Unit ID:	1144147
Operable Unit:	01
Material ID:	2134436
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

DEROSA BUILDERS (Continued) **S106125358**

Tank Test:

Site ID:	386923
Spill Tank Test:	1764097
Tank Number:	1
Tank Size:	8000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	9/7/2007
Test Method:	Horner EZ Check I or II

Site ID:	368064
Spill No:	0604972
Spill Date:	8/1/2006
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/17/2006
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	JBODee
Referred To:	WCDOH
Reported to Dept:	8/1/2006
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	8/1/2006
Spill Record Last Update:	11/17/2006
Spiller Name:	LISA DEROSA
Spiller Company:	BUSINESS
Spiller Address:	7 LAKE STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	LISA DEROSA
Spiller Phone:	(914) 682-1800
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	82292
DEC Memo:	November 17, 2006: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	PBS No: 3-492078 -PBS No. not found in UIS, may be invalid.DRY LEAK

Material:

Site ID:	368064
Operable Unit ID:	1125954
Operable Unit:	01

DEROSA BUILDERS (Continued) **S106125358**

Material ID:	2115478
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	368064
Spill Tank Test:	1550165
Tank Number:	1
Tank Size:	8000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	8/1/2006
Test Method:	Horner EZ Check I or II

Site ID:	380826
Spill No:	0701292
Spill Date:	5/1/2007
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/28/2007
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	TDGHIOSA
Referred To:	Not reported
Reported to Dept:	5/1/2007
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/2/2007
Spill Record Last Update:	9/28/2007
Spiller Name:	ED ALLEN
Spiller Company:	ROBISON OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	NN
Spiller County:	999
Spiller Contact:	ED ALLEN
Spiller Phone:	(914) 345-5700
Spiller Extention:	Not reported
DEC Region:	3

DEROSA BUILDERS (Continued) **S106125358**

DER Facility ID: 82292
DEC Memo: 09/25/07 Northeast Environmental reported that they were hired and completed the cleanup. NFA TG
Remarks: THERE WAS NO ROOM IN THE OIL TANK AND CAUSED A SPLASH OUT AND IN PROCESS OF CLEANING UP

Material:
Site ID: 380826
Operable Unit ID: 1138299
Operable Unit: 01
Material ID: 2128284
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

SPILLS:
Facility ID: 0311640
DER Facility ID: 82292
Facility Type: ER
Site ID: 91506
DEC Region: 3
Spill Number: 0311640
Spill Date: 1/15/2004
Spill Cause: Equipment Failure
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Date: 3/23/2004
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 1/15/2004
CID: 444
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: True

DEROSA BUILDERS (Continued) **S106125358**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/15/2004
Spill Record Last Update:	3/23/2004
Spiller Name:	RAY GORHAM
Spiller Company:	TARRICONE OIL
Spiller Address:	59 MAIN STREET
Spiller City,St,Zip:	DOBBS FERRY, NY 10522
Spiller Company:	001
Contact Name:	DEROSA BUILDERS
Contact Phone:	(914) 682-1800
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"03/23/04 NORTHEAST COMPLETED CLEAN UP.
Remarks:	WHILE DELIVERING OIL THE DROP PIPE CAME LOOSE AND SPILLED. ALL CLEANED UP.

Material:

Site ID:	91506
Operable Unit ID:	879249
Operable Unit:	01
Material ID:	496892
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3
Units:	Gallons
Recovered:	3
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AD168 **RAAB CO.** **LTANKS** **S100781873**
North **48 LAKE STREET** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.358 mi.
1892 ft. **Site 3 of 4 in cluster AD**

Relative:
Higher

Actual:
188 ft.

LTANKS:

Site ID:	71887
Spill No:	9308180
Spill Date:	10/6/1993
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial

RAAB CO. (Continued) **S100781873**

Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/3/1994
Facility Addr2:	Not reported
Cleanup Ceased:	3/3/1994
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	wxwadswo
Referred To:	Not reported
Reported to Dept:	10/6/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/7/1993
Spill Record Last Update:	5/26/1994
Spiller Name:	Not reported
Spiller Company:	BRYNN RAAB
Spiller Address:	30 LINTON PL.
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	67945
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "W. WADSWORTH"
Remarks:	TANK EMPTY TESTED TANK TWICE FAILED WILL TEST AGAIN

Material:

Site ID:	71887
Operable Unit ID:	989698
Operable Unit:	01
Material ID:	394417
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	71887
Spill Tank Test:	1542062
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported

RAAB CO. (Continued) **S100781873**

Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Site ID:	71888
Spill No:	9410005
Spill Date:	10/26/1994
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/11/1995
Facility Addr2:	Not reported
Cleanup Ceased:	2/11/1995
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	MONACO
Referred To:	Not reported
Reported to Dept:	10/26/1994
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/27/1994
Spill Record Last Update:	2/11/1995
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	67945
DEC Memo:	Not reported
Remarks:	CONTAMINATED SOIL WILL EXCAVATE LIMITED BECAUSE THEY ARE VERY NEAR ANOTHER BLDG.

Material:

Site ID:	71888
Operable Unit ID:	1007766
Operable Unit:	01
Material ID:	375874
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

RAAB CO. (Continued) **S100781873**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9308180
Spill Date:	10/06/1993
Spill Time:	07:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	03/03/94
Cleanup Ceased:	03/03/94
Cleanup Meets Standard:	False
Investigator:	W. WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	10/06/93
Reported to Department Time:	07:51
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	BRYNN RAAB
Spiller Address:	30 LINTON PL.
Spiller City,St,Zip:	WHITE PLAINS
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False

RAAB CO. (Continued) **S100781873**

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/07/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/26/94
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: TANK EMPTY TESTED TANK TWICE FAILED WILL TEST AGAIN

AD169 **EMPTY WAREHOUSE** **HIST LTANKS** **S101341393**
North **48 LAKE STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.358 mi.
1892 ft. **Site 4 of 4 in cluster AD**

Relative:
Higher

Actual:
188 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9410005
Spill Date: 10/26/1994
Spill Time: 13:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/11/95
Cleanup Ceased: 02/11/95
Cleanup Meets Standard: False
Investigator: MONACO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

EMPTY WAREHOUSE (Continued) **S101341393**

Notifier Extension: Not reported
Reported to Department Date: 10/26/94
Reported to Department Time: 13:34
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/27/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/11/95
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: CONTAMINATED SOIL WILL EXCAVATE LIMITED BECAUSE THEY ARE VERY NEAR ANOTHER BLDG.

AE170 **MITCHELL PLACE ASSOC.** **LTANKS** **S100137749**
WSW **10 MITCHELL PLACE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.358 mi.
1892 ft. **Site 1 of 3 in cluster AE**

Relative:
Higher

Actual:
217 ft.

LTANKS:

Site ID:	76057
Spill No:	8902485
Spill Date:	6/9/1989
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	10/2/1989
Facility Addr2:	Not reported
Cleanup Ceased:	10/2/1989
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	6/9/1989
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/14/1989
Spill Record Last Update:	10/2/1989
Spiller Name:	Not reported
Spiller Company:	MITCHELL PLACE ASSOC.
Spiller Address:	10 MITCHELL PLACE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	71149
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TODD GHIOSAY"10/02/89: SPILLER HIRED EES TO PULL TANK AND REMOVE CONTAMINATED SOIL. SUMP WAS PERIODICALLY CLEANE AND FREE OIL REMOVED. NFA.
Remarks:	SPOKE W/BOB HYMAN. DIGGING ON 6/14/89 TO UNCOVER TANK & RETEST.

Material:

Site ID:	76057
Operable Unit ID:	928178
Operable Unit:	01
Material ID:	450186
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported

MITCHELL PLACE ASSOC. (Continued) **S100137749**

Oxygenate: False

Tank Test:
Site ID: 76057
Spill Tank Test: 1535567
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8902485
Spill Date: 06/09/1989
Spill Time: 13:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 10/02/89
Cleanup Ceased: 10/02/89
Cleanup Meets Standard: True
Investigator: TODD GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 06/09/89
Reported to Department Time: 13:47
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MITCHELL PLACE ASSOC.
Spiller Address: 10 MITCHELL PLACE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 636-7024
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /

MITCHELL PLACE ASSOC. (Continued) **S100137749**

UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/14/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/02/89
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 10/02/89: SPILLER HIRED EES TO PULL TANK AND REMOVE CONTAMINATED SOIL. SUMP WAS PERIODICALLY CLEANE AND FREE OIL REMOVED. NFA.
Spill Cause: SPOKE W/BOB HYMAN. DIGGING ON 6/14/89 TO UNCOVER TANK RETEST.

AE171 **GAS STATION** **LTANKS** **S102960212**
WSW **9 MITCHELL PL** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.359 mi.
1897 ft. **Site 2 of 3 in cluster AE**

Relative:
Higher

Actual:
217 ft.

LTANKS:
Site ID: 199404
Spill No: 9710474
Spill Date: 12/12/1997
Spill Cause: Tank Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/27/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 12/12/1997
CID: 205
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

GAS STATION (Continued) **S102960212**

Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	12/12/1997
Spill Record Last Update:	1/20/1999
Spiller Name:	Not reported
Spiller Company:	GAS STATION
Spiller Address:	9 MITCHELL PL
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	165966
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	Caller doing site work found contaminated soil. Luzon report - no further work required.

Material:

Site ID:	199404
Operable Unit ID:	1056851
Operable Unit:	01
Material ID:	328768
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9710474
Spill Date:	12/12/1997
Spill Time:	12:30
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported

GAS STATION (Continued) **S102960212**

Spill Source:	Gas Station
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/27/98
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/12/97
Reported to Department Time:	13:04
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	GAS STATION
Spiller Address:	9 MITCHELL PL
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	True
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/12/97
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/20/99
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	True
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False

GAS STATION (Continued) **S102960212**

Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: Caller doing site work found contaminated soil. Lu on report - no further work required.

SPILLS:
Facility ID: 1200312
DER Facility ID: 417359
Facility Type: ER
Site ID: 462934
DEC Region: 3
Spill Number: 1200312
Spill Date: 4/11/2012
Spill Cause: Equipment Failure
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 8/2/2012
SWIS: 6017
Investigator: TDGHIOSA
Referred To: Not reported
Reported to Dept: 4/11/2012
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 4/11/2012
Spill Record Last Update: 8/2/2012
Spiller Name: LEE LEWITT
Spiller Company: LEE LEWITT
Spiller Address: 9 MITCHELL PL
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Company: 999
Contact Name: LEE LEWITT
Contact Phone: (914) 813-1951
DEC Memo: 4/11/12: Former PBS Facility, Mitchell Place Garage. Barbara McDonald from WCDOH reports all USTs were reportedly removed when the site was deregulated. She will follow up with owner and caller, then update DEC. jod07/31/12 Northeast Environmental submitted a soil remediation report. They reported that they unearthed a 1000 gallon fuel oil tank. More than 60% of the tank was under the building making removal impossible. The soil immediately beneath the tank was impacted but left in place. All surrounding soils were removed. A gw monitoring well was installed in the vicinity of the tank and no contaminants were detected. NE Environmental recommended removing any remaining impacted soil once the building is demolished. NFA TG
Remarks: cleanup pending - tank under foundation of building

GAS STATION (Continued) **S102960212**

Material:
Site ID:	462934
Operable Unit ID:	1213041
Operable Unit:	01
Material ID:	2210932
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:
Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AF172 **OFFICE BLDG** **LTANKS** **S103558663**
SW **171 EAST POST RD** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.365 mi.
1925 ft. **Site 1 of 4 in cluster AF**

Relative:
Higher

Actual:
222 ft.

LTANKS:
Site ID:	293961
Spill No:	9811157
Spill Date:	12/4/1998
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/30/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	12/4/1998
CID:	252
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False

OFFICE BLDG (Continued) **S103558663**

Remediation Phase: 0
Date Entered In Computer: 12/4/1998
Spill Record Last Update: 3/30/2004
Spiller Name: BILL CHRISTOPHER
Spiller Company: OFFICE BLDG
Spiller Address: 171 EAST POST RD
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 001
Spiller Contact: BILL CHRISTOPHER
Spiller Phone: (203) 972-0231
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 237886
DEC Memo: Not reported
Remarks: TANK TO BE ISOLATED AND RE-TESTED

Material:
Site ID: 293961
Operable Unit ID: 1068550
Operable Unit: 01
Material ID: 315008
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 293961
Spill Tank Test: 1546601
Tank Number: 1
Tank Size: 2000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:
Region of Spill: 3
Spill Number: 9811157
Spill Date: 12/04/1998
Spill Time: 16:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /

OFFICE BLDG (Continued) **S103558663**

Cleanup Meets Standard: False
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/04/98
Reported to Department Time: 16:45
SWIS: 55
Spiller Contact: BILL CHRISTOPHER
Spiller Phone: (203) 972-0231
Spiller Extention: Not reported
Spiller Name: OFFICE BLDG
Spiller Address: 171 EAST POST RD
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: BILL CHRISTOPHER
Facility Phone: (203) 972-0231
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: 0-000000
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/04/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/04/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 2000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

OFFICE BLDG (Continued) **S103558663**

DEC Remarks: Not reported
Spill Cause: TANK TO BE ISOLATED AND RE-TESTED

AF173 **HALPERN ENTERPRISES** **LTANKS** **S100140406**
SW **170 EAST POST ROAD** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.367 mi.
1936 ft. **Site 2 of 4 in cluster AF**

Relative:
Higher

Actual:
222 ft.

LTANKS:

Site ID:	154885
Spill No:	8804996
Spill Date:	9/8/1988
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	4/30/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	9/8/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/16/1988
Spill Record Last Update:	4/30/2005
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	BILL DONNELLEY, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	131293
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"04/30/05 ADMINISTRATIVELY CLOSED AS PER DIRECTIVE FROM CENTRAL OFFIICE.
Remarks:	3,000 GAL. TANK; -.10 GPH; TO EXCAVATE, ISOLATE & RETEST. TANK TO BE RETESTED THE WEEK OF 9/12. LEAK COULD BE FROM FILL PIPE WHICH IS BENTSPOKE TO GARY GIGLIO. WILL CALL IF TANK IS TO BE REMOVED.

Material:

Site ID:	154885
Operable Unit ID:	922162
Operable Unit:	01
Material ID:	456917

HALPERN ENTERPRISES (Continued) **S100140406**

Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 154885
Spill Tank Test: 1534581
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8804996
Spill Date: 09/08/1988
Spill Time: 18:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/08/88
Reported to Department Time: 20:33
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: BILL DONNELLEY

HALPERN ENTERPRISES (Continued) **S100140406**

Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 332-0600
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/16/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/10/92
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: 3,000 GAL. TANK; -.10 GPH; TO EXCAVATE, ISOLATE RETEST. TANK TO BE RETESTED THE WEEK OF 9/12. LEAK COULD BE FROM FILL PIPE WHICH IS BENTSPOKE TO GARY GIGLIO. WILL CALL IF TANK IS TO BE REMOVED.

AG174 **STORE AT** **LTANKS** **S102560884**
North **41 LAKE ST** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.369 mi.
1947 ft. **Site 1 of 2 in cluster AG**

Relative:
Higher

Actual:
182 ft.

LTANKS:
Site ID: 376620
Spill No: 0611883
Spill Date: 1/26/2007
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/1/2007

STORE AT (Continued) **S102560884**

Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	WCDOH
Reported to Dept:	1/26/2007
CID:	410
Water Affected:	Not reported
Spill Notifier:	Health Department
Last Inspection:	1/29/2007
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/26/2007
Spill Record Last Update:	3/1/2007
Spiller Name:	JAMES STALLON
Spiller Company:	TECH ENERGY
Spiller Address:	PO BOX 1322
Spiller City,St,Zip:	MOUNT VERNON, NY
Spiller County:	001
Spiller Contact:	JANE STALLON
Spiller Phone:	(914) 667-0600
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	326210
DEC Memo:	Approx 10 gallons spilled to pavement. Clean up completed. jod
Remarks:	DURING DELIVERY TANK WAS OVERFILLED, MATERIAL ENTERED STREET, NO DRAINS AND CLEAN UP IN PROGRESS,:

Material:

Site ID:	376620
Operable Unit ID:	1134188
Operable Unit:	01
Material ID:	2124047
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

STORE AT (Continued) **S102560884**

SPILLS:

Facility ID:	9700669
DER Facility ID:	326210
Facility Type:	ER
Site ID:	310120
DEC Region:	3
Spill Number:	9700669
Spill Date:	4/15/1997
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Date:	4/15/1997
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	4/15/1997
CID:	365
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Police Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	4/15/1997
Spill Record Last Update:	4/30/1997
Spiller Name:	Not reported
Spiller Company:	UNKNOWN PLUMBER
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	CALLER
Contact Phone:	(914) 422-6111
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	MERCURY SPILLED FROM A TEST GAUGE BY A PLUMBER IN THE BASEMENT OF STORE - POLICE DEPT IS GOING TO CONTACT LOCAL HEALTH DEPT***REQUESTS A CALL BACK FROM DEC ON HOW TO CLEAN UP***

Material:

Site ID:	310120
Operable Unit ID:	1043367
Operable Unit:	01
Material ID:	556350
Material Code:	0031A
Material Name:	MERCURY
Case No.:	07439976
Material FA:	Hazardous Material
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

STORE AT (Continued) **S102560884**

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9700669
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	04/15/1997 11:15
Reported to Dept Date/Time:	04/15/97 11:55
SWIS:	55
Spiller Name:	UNKNOWN PLUMBER
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Contact:	CALLER
Spiller Phone:	(914) 422-6111
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Unknown
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	01
Spill Notifier:	Police Department
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt:	04/15/97
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	04/15/97
Date Spill Entered In Computer Data File:	Not reported
Update Date:	04/30/97
Is Updated:	False

STORE AT (Continued) **S102560884**

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Nonpetroleum/Nonhazardous
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: MERCURY
Class Type: MERCURY
Times Material Entry In File: 0
CAS Number: 07439976
Last Date: Not reported
DEC Remarks: Not reported
Remark: MERCURY SPILLED FROM A TEST GAUGE BY A PLUMBER IN THE BASEMENT OF STORE - POLICE DEPT IS GOING TO CONTACT LOCAL HEALTH DEPT ***REQUESTS A CALL BACK FROM DEC ON HOW TO CLEAN UP***

AC175 **ALL PHASE CONSRUCTION** **LTANKS** **S108765438**
ENE **56 UNDERHILL AV** **N/A**
1/4-1/2 **HARRISON, NY**
0.371 mi.
1961 ft. **Site 2 of 2 in cluster AC**

Relative:
Higher

Actual:
159 ft.

LTANKS:
Site ID: 384980
Spill No: 0704764
Spill Date: 7/27/2007
Spill Cause: Tank Failure
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/13/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6028
Investigator: WCHD
Referred To: BRIAN KALEY
Reported to Dept: 7/27/2007
CID: 113
Water Affected: Not reported
Spill Notifier: Health Department
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/27/2007
Spill Record Last Update: 8/13/2007
Spiller Name: RAY WEINER
Spiller Company: ALL PHASE CONSTRUCTION

ALL PHASE CONSRUCTION (Continued) **S108765438**

Spiller Address:	460 BUNNELL ST
Spiller City,St,Zip:	BRIDGEPORT, CT
Spiller County:	001
Spiller Contact:	KALEY,BRIAN
Spiller Phone:	(914) 424-6719
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	334379
DEC Memo:	08/13/07 I am recommending the closure of the above listed spill. I was on sceneat time of spill and witnessed the cleanup of the speedi-dry from theroad surface. No storm drains or waterways were affected.Brian Kaley Sanitarian Trainee Westchester County Dept. of Health
Remarks:	Tractor Trailer ran over some debris which cased a rupture to the saddle tank. About a mile and a half trail on the above named road and on purchase and lake streets. Spill is contained to pavement speedi dri has been placed on the spill. Royal Environmental on scene. Not reported

Material:

Site ID:	384980
Operable Unit ID:	1142265
Operable Unit:	01
Material ID:	2132489
Material Code:	0008
Material Name:	Diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	35
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AG176 **GETTY SERVICE STATION #74** **LTANKS** **U003856387**
North **43 LAKE STREET** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY 10603** **UST**
0.375 mi. **MANIFEST**
1979 ft. **Site 2 of 2 in cluster AG** **NY Spills**
NY Hist Spills

Relative:
Higher

Actual:
179 ft.

LTANKS:

Site ID:	222780
Spill No:	9208369
Spill Date:	10/20/1992
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	10/22/1992
Facility Addr2:	Not reported
Cleanup Ceased:	10/22/1992
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	10/20/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	10/21/1992
Spill Record Last Update:	12/9/1992
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	184219
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Remarks:	VISUAL LEAK IN VENT APPEARS TO BE BROKEN

Material:

Site ID:	222780
Operable Unit ID:	971959
Operable Unit:	01
Material ID:	554242
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No

GETTY SERVICE STATION #74 (Continued) **U003856387**

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 222780
Spill Tank Test: 1540741
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Site ID: 273609
Spill No: 0004195
Spill Date: 7/7/2000
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/8/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: WCHD
Referred To: Westchester Cnty Health Dept
Reported to Dept: 7/7/2000
CID: 389
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 7/7/2000
Spill Record Last Update: 6/8/2004
Spiller Name: Not reported
Spiller Company: GETTY GAS STATION
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 184219
DEC Memo: Not reported
Remarks: found manway gasket leaking no spillage

Material:
Site ID: 273609
Operable Unit ID: 825411

GETTY SERVICE STATION #74 (Continued) **U003856387**

Operable Unit: 01
Material ID: 548938
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 273609
Spill Tank Test: 1525750
Tank Number: Not reported
Tank Size: 0
Test Method: 20
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: USTest 2000/P/LL plus USTest 2000/U

HIST LTANKS:
Region of Spill: 3
Spill Number: 9208369
Spill Date: 10/20/1992
Spill Time: 14:20
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/22/92
Cleanup Ceased: 10/22/92
Cleanup Meets Standard: False
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/20/92
Reported to Department Time: 14:58
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported

GETTY SERVICE STATION #74 (Continued) **U003856387**

Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 324-5110
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 3-137553
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/21/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/09/92
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: VISUAL LEAK IN VENT APPEARS TO BE BROKEN

Region of Spill: 3
Spill Number: 0004195
Spill Date: 07/07/2000
Spill Time: 11:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: WCHD
Caller Name: Not reported

GETTY SERVICE STATION #74 (Continued) **U003856387**

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/07/00
Reported to Department Time: 12:20
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: GETTY GAS STATION
Spiller Address: Not reported
Spiller City,St,Zip: -
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: ( ) -
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 3-137553
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/07/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/01/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: USTest 2000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: found manway gasket leaking no spillage

GETTY SERVICE STATION #74 (Continued) **U003856387**

WESTCHESTER CO. UST:

PBS Number:	3-137553
Owner Name:	Getty Petroleum Marketing, Inc.
Owner Street:	1500 Hempstead Turnpike
Owner Address2:	Not reported
Owner City:	East Meadow
Owner State:	NY
Owner Zipcode:	11554
Site Status:	Active
GDS Number:	3551700184
Operator Name:	Lake Street Fuel Corp.
Tank Number:	1
Tank Location:	5. Underground
Capacity:	8000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	5. Retrofitted Impressed Current
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	09/01/1971
Date Perm Closure:	01/01/1900

Tank Number:	2
Tank Location:	5. Underground
Capacity:	8000
Product Stored:	7. Gasoline
Tank Type:	6. Fiberglass reinforced plastic (FRP)
Tank Internal Protection:	0. None
Tank External Protection:	6. Fiberglass
Piping Location:	2. Underground/on ground
Piping Type:	6. Fiberglass reinforced plastic (FRP)
Piping External Protection:	6. Fiberglass
Piping Leak Detection:	Not reported
Overfill Prevention:	1. Float Vent Valve
Spill Prevention:	1. Catch Basin
Dispenser:	1. Submersible
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	4. Double-Walled (underground only)
Piping Secondary Containment:	Not reported
Tank Leak Detection:	1. Electronic Interstitial Monitoring,
Date Installation:	07/01/1996
Date Perm Closure:	01/01/1900

GETTY SERVICE STATION #74 (Continued) **U003856387**

Tank Number:	2old
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1971
Date Perm Closure:	Not reported

Tank Number:	3
Tank Location:	5. Underground
Capacity:	3000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1971
Date Perm Closure:	Not reported

Tank Number:	3
Tank Location:	Not reported
Capacity:	240
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating,7. Jacketed (tank)
Piping Location:	1. Aboveground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported

GETTY SERVICE STATION #74 (Continued) **U003856387**

Overfill Prevention:	3. Automatic Shut-off
Spill Prevention:	1. Catch Basin
Dispenser:	2. Suction
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	07/01/1996
Date Perm Closure:	01/01/1900

Tank Number:	4
Tank Location:	Not reported
Capacity:	180
Product Stored:	13. Waste/Used Oil
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	1. Painted/Asphalt Coating,7. Jacketed (tank)
Piping Location:	0. No Piping
Piping Type:	0. No Piping
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	3. Automatic Shut-off
Spill Prevention:	1. Catch Basin
Dispenser:	0. None
Status:	1. In-Service
Product Stored Percent:	Not reported
Tank Secondary Containment:	Not reported
Piping Secondary Containment:	Not reported
Tank Leak Detection:	Not reported
Date Installation:	07/01/1996
Date Perm Closure:	01/01/1900

Tank Number:	4
Tank Location:	5. Underground
Capacity:	2000
Product Stored:	7. Gasoline
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	1. Epoxy liner
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1971
Date Perm Closure:	Not reported

GETTY SERVICE STATION #74 (Continued) **U003856387**

Tank Number:	5
Tank Location:	5. Underground
Capacity:	550
Product Stored:	Not reported
Tank Type:	1. Steel/Carbon steel/Iron
Tank Internal Protection:	0. None
Tank External Protection:	0. None
Piping Location:	2. Underground/on ground
Piping Type:	2. Galvanized steel
Piping External Protection:	0. None
Piping Leak Detection:	Not reported
Overfill Prevention:	0. None
Spill Prevention:	0. None
Dispenser:	2. Suction
Status:	5. Closed - removed
Product Stored Percent:	Not reported
Tank Secondary Containment:	0. None
Piping Secondary Containment:	Not reported
Tank Leak Detection:	0. None
Date Installation:	09/01/1971
Date Perm Closure:	Not reported

NY MANIFEST:

EPA ID:	NYR000011387
Country:	USA
Mailing Name:	GETTY PETROLEUM CORP
Mailing Contact:	STEVE GORDON
Mailing Address:	43 LAKE STREET
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10602
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	800-645-8265

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID:	0806286
DER Facility ID:	352794
Facility Type:	ER
Site ID:	403561
DEC Region:	3
Spill Number:	0806286
Spill Date:	9/4/2008
Spill Cause:	Equipment Failure
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/4/2008
SWIS:	6017
Investigator:	dxtraver
Referred To:	Not reported
Reported to Dept:	9/4/2008

GETTY SERVICE STATION #74 (Continued) **U003856387**

CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/4/2008
Spill Record Last Update:	9/5/2008
Spiller Name:	Not reported
Spiller Company:	EQUIPMENT FAILURE
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	TERRY
Contact Phone:	(518) 639-7822
DEC Memo:	SPOKE TO MIKE CARR. PRODUCT CONTAINED IN DISPENSER PAN. TYREE TO VAC OUT. NFA DT
Remarks:	Less than 1 gallon of gas spilled due to equipment failure. 5 inches of product in dispenser pan, tech scheduled for tomorrow am.

Material:

Site ID:	403561
Operable Unit ID:	1160253
Operable Unit:	01
Material ID:	2151414
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0.5
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	0805702
DER Facility ID:	184219
Facility Type:	ER
Site ID:	402847
DEC Region:	3

GETTY SERVICE STATION #74 (Continued) **U003856387**

Spill Number:	0805702
Spill Date:	8/18/2008
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	8/18/2008
SWIS:	6017
Investigator:	rxamato
Referred To:	Not reported
Reported to Dept:	8/18/2008
CID:	408
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/18/2008
Spill Record Last Update:	8/26/2008
Spiller Name:	MIKE CARR‘
Spiller Company:	GETTY #74
Spiller Address:	43 LAKE STREET
Spiller City,St,Zip:	WHITEPLAINS, NY
Spiller Company:	001
Contact Name:	MIKE CARR‘
Contact Phone:	(518) 369-7822
DEC Memo:	Not reported
Remarks:	pump # 1 and 2 leaking - gasoline in containment - opporator clean;

Material:

Site ID:	402847
Operable Unit ID:	1159595
Operable Unit:	01
Material ID:	2150709
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported

GETTY SERVICE STATION #74 (Continued) **U003856387**

Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
Region of Spill: 3
Spill Number: 9200573
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/14/1992 21:30
Reported to Dept Date/Time: 04/14/92 22:21
SWIS: 55
Spiller Name: ISLAND TRANS.
Spiller Contact: Not reported
Spiller Phone: (718) 821-6900
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: 09/14/93
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/14/93
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/14/93
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/01/93
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum

GETTY SERVICE STATION #74 (Continued) **U003856387**

Quantity Spilled:	5
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	GASOLINE
Class Type:	GASOLINE
Times Material Entry In File:	21329
CAS Number:	Not reported
Last Date:	19940929
DEC Remarks:	Not reported
Remark:	ISLAND TRANS. WAS FILLING TANK WHEN VENT DIDN T WORK THEY FIRST TRIED WASHING WITH WATER THEN DECIDED TO USE SPEEDI-DRI AFTER NOTICING THAT THE SPILL WAS SPREADING

---

177 **AMERICAN TELEPHONE & TELEGRAPH** **LTANKS** **S102233627**
WNW **400 HAMILTON AVENUE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **MANIFEST**
0.377 mi. **NY Spills**
1989 ft. **NY Hist Spills**

Relative:
Higher

Actual:
234 ft.

LTANKS:

Site ID:	72317
Spill No:	9604857
Spill Date:	7/15/1996
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	7/22/1996
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	7/15/1996
CID:	297
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/15/1996
Spill Record Last Update:	9/5/1996
Spiller Name:	UNKNOWN
Spiller Company:	AT&T TELEPHONE COMPANY
Spiller Address:	400 HAMILTON AV
Spiller City,St,Zip:	WHITEPLAINS, NY
Spiller County:	001
Spiller Contact:	RICHARD EGAN
Spiller Phone:	(201) 933-5541
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	60149
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"07/22/96 STEVE PONZA FROM TRC ENVIRONMENTAL REPORTED THE

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

SPILL RESULTED FROM AN OLD LINE THAT WAS BROKEN DURING THE TANK REMOVAL SPILL HAS BEEN CLEANED UP

Remarks: CALLER COMPLETED A TANK REMOVAL ON FRIDAY 7/12/96 AND THEY FOUND NO CONTAMINATION - TODAY THEY RETURNED TO THE WORK SITE A FOUND WHAT LOOKS LIKE WASTE OIL COMING FROM AN UNKNOWN SOURCE

Material:

Site ID:	72317
Operable Unit ID:	1035809
Operable Unit:	01
Material ID:	347610
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9604857
Spill Date:	07/15/1996
Spill Time:	09:30
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	07/22/96
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Notifier Extension: Not reported
Reported to Department Date: 07/15/96
Reported to Department Time: 10:26
SWIS: 55
Spiller Contact: RICHARD EGAN
Spiller Phone: (201) 933-5541
Spiller Extention: Not reported
Spiller Name: AT&T TELEPHONE COMPANY
Spiller Address: 400 HAMILTON AV
Spiller City,St,Zip: WHITEPLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: UNKNOWN
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/15/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/05/96
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 07/22/96 STEVE PONZA FROM TRC ENVIRONMENTAL REPORTED THE SPILL RESULTED FROM AN OLD LINE THAT WAS BROKEN DURING THE TANK REMOVAL SPILL HAS BEEN CLEANED UP
Spill Cause: CALLER COMPLETED A TANK REMOVAL ON FRIDAY 7/12/96 AND THEY FOUND NO CONTAMINATION - TODAY THEY RETURNED TO THE WORK SITE A FOUND WHAT LOOKS LIKE WASTE OIL COMING FROM AN UNKNOWN SOURCE

NY MANIFEST:
EPA ID: NYD070955828
Country: USA

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Mailing Name:	AT&T LONG LINES DEPT/WHIT
Mailing Contact:	OPERATIONS MANAGER
Mailing Address:	400 HAMILTON AVE300C ROOM
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-328-3472

NY MANIFEST:

No Manifest Records Available

EPA ID:	NYD980525919
Country:	USA
Mailing Name:	AMERICAN TELEPHONE & TELEGRAPH
Mailing Contact:	AMERICAN TELEPHONE & TELEGRAPH
Mailing Address:	400 HAMILTON AVENUE
Mailing Address 2:	Not reported
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-397-5210

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID:	0507082
DER Facility ID:	60149
Facility Type:	ER
Site ID:	352409
DEC Region:	3
Spill Number:	0507082
Spill Date:	9/12/2005
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	9/12/2005
SWIS:	6017
Investigator:	TDGHIOSA
Referred To:	Not reported
Reported to Dept:	9/12/2005
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Date Entered In Computer:	9/12/2005
Spill Record Last Update:	9/21/2005
Spiller Name:	ERT DESK'
Spiller Company:	VAULT#6174
Spiller Address:	400 HAMILTON AVE
Spiller City,St,Zip:	WHITE PALINS, NY
Spiller Company:	001
Contact Name:	ERT DESK'
Contact Phone:	(212) 580-8383
DEC Memo:	Cable leak. To fix leak equipment has to be replace in an confine space. Leak is contained ConEd arranging equipment and personell to fix the leak.
Remarks:	FOUND 1 OUNCE ON TOP OF A TRANSFORMER FROM A LEAKY DEFAULT: NO TO 5 QUESTIONS: CONED # 160995

Material:

Site ID:	352409
Operable Unit ID:	1109910
Operable Unit:	01
Material ID:	2099927
Material Code:	0541A
Material Name:	DIELECTRIC FLUID
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9606368
DER Facility ID:	60149
Facility Type:	ER
Site ID:	188189
DEC Region:	3
Spill Number:	9606368
Spill Date:	8/17/1996
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	8/17/1996
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Reported to Dept:	8/17/1996
CID:	257
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	8/17/1996
Spill Record Last Update:	10/2/1996
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	MR FEDORCZAK
Contact Phone:	(914) 422-6333
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"08/17/96 LESS THAN REPORTABLE
Remarks:	fire dept still on scene caller has no further info at this time

Material:

Site ID:	188189
Operable Unit ID:	1034164
Operable Unit:	01
Material ID:	345628
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Spill Number:	9610406
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	11/19/1996 15:00
Reported to Dept Date/Time:	11/19/96 16:10
SWIS:	55
Spiller Name:	AT&T CORPORATION
Spiller Contact:	FRAN MAJEAU
Spiller Phone:	(914) 397-5530
Spiller Contact:	FRAN MAJEAU
Spiller Phone:	(914) 397-5530
Spiller Address:	400 HAMILTON AVENUE
Spiller City,St,Zip:	WHITE PLAINS, NY 10601-
Spill Cause:	Housekeeping
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	01
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	/ /
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	False
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/19/96
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	11/19/96
Date Spill Entered In Computer Data File:	Not reported
Update Date:	12/16/96
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	True
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	True
Material:	#2 FUEL OIL

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: CONTAMINATED SOIL FOUND DURING TANK REMOVAL. FOUR OTHER TANKS TO BE REMOVED STILL. CROSS REFERENCE TO SPILL NUMBER 9604857 FROM PHASE 1 OF PROJECT.

AH178 **NICKY'S RESTAURANT** **LTANKS S100137599**
WSW **107 MAMARONECK AVE.** **HIST LTANKS N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.385 mi.
2031 ft. **Site 1 of 2 in cluster AH**

Relative:
Higher

Actual:
220 ft.

LTANKS:
Site ID: 239748
Spill No: 8900599
Spill Date: 4/19/1989
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/3/1989
Facility Addr2: Not reported
Cleanup Ceased: 5/3/1989
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 4/19/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/25/1989
Spill Record Last Update: 9/29/2003
Spiller Name: Not reported
Spiller Company: NICKY'S RESTAURANT
Spiller Address: 107 MAMARONECK AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 197197
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" / / : LINES WERE CAPPED OFF AND TANK PASSED.
Remarks: 2,000 GAL. PETRO-TITE LINE LEAK >10 GPH, EXCAVATE, REPAIR & RETEST DURING TEST PRODUCT ENTERED BASEMENT THRU WELL. WILL CALL BACK WHEN EXCAVATION IS TO BE DONE.

Material:
Site ID: 239748

NICKY'S RESTAURANT (Continued) **S100137599**

Operable Unit ID: 926893
Operable Unit: 01
Material ID: 559486
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 239748
Spill Tank Test: 1535369
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8900599
Spill Date: 04/19/1989
Spill Time: 14:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/03/89
Cleanup Ceased: 05/03/89
Cleanup Meets Standard: True
Investigator: TODD GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/19/89
Reported to Department Time: 16:40
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NICKY'S RESTAURANT

NICKY'S RESTAURANT (Continued) **S100137599**

Spiller Address: 107 MAMARONECK AVE.
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/25/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/03/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: / / : LINES WERE CAPPED OFF AND TANK PASSED.
Spill Cause: 2,000 GAL. PETRO-TITE LINE LEAK >10 GPH, EXCAVATE, REPAIR RETEST DURING TEST PRODUCT ENTERED BASEMENT THRU WELL. WILL CALL BACK WHEN EXCAVATION IS TO BE DONE.

179
SW
1/4-1/2
0.385 mi.
2031 ft.

PIRRO, MONSELL REALTY **LTANKS S100139873**
40 WALLER AVE **HIST LTANKS N/A**
WHITE PLAINS, NY

Relative: Higher

Actual: 222 ft.

LTANKS:
Site ID: 162080
Spill No: 8709325
Spill Date: 2/2/1988
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported

PIRRO, MONSELL REALTY (Continued) **S100139873**

Spill Closed Dt:	2/2/1988
Facility Addr2:	Not reported
Cleanup Ceased:	2/2/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	2/2/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	2/2/1988
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/9/1988
Spill Record Last Update:	2/10/1988
Spiller Name:	MARIE TEDESCHI
Spiller Company:	JOE ZAHENSKY,914-478-5700
Spiller Address:	ROBISON OIL CORP.
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	136800
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON" / / : WCHD NOTIFIED, RICH DORAN, SPILL IS CONTAINED. N.F.A. / / : 02-10-88 DRAIN IN CELLAR HAS CAP ON IT.
Remarks:	TANK RUPTURE IN BASEMENT 275GAL. A/G TANK. CEMENT FLOOR. USEING SPEEDY DRY TO CLEAN UP.

Material:

Site ID:	162080
Operable Unit ID:	914412
Operable Unit:	01
Material ID:	464653
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported

PIRRO, MONSELL REALTY (Continued) **S100139873**

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 8709325
Spill Date: 02/02/1988
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 02/02/88
Cleanup Ceased: 02/02/88
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/02/88
Reported to Department Time: 13:56
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: JOE ZAHENSKY,914-478-5700
Spiller Address: ROBISON OIL CORP.
Spiller City,St,Zip: MARIE TEDESCHI
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 684-6800
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: 02/02/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/09/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/10/88
Is Updated: False

Tank:
PBS Number: Not reported

PIRRO, MONSELL REALTY (Continued) **S100139873**

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: / / : WCHD NOTIFIED, RICH DORAN, SPILL IS CONTAINED. N.F.A. / / : 02-10-88 DRAIN IN CELLAR HAS CAP ON IT.
Spill Cause: TANK RUPTURE IN BASEMENT 275GAL. A/G TANK. CEMENT FLOOR. USEING SPEEDY DRY TO CLEAN UP.

AH180 **DEVON PLAZA REALITY** **LTANKS** **S102240691**
WSW **109 MAMARONECK AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.385 mi. **NY Hist Spills**
2032 ft. **Site 2 of 2 in cluster AH**

Relative: Higher

Actual: 220 ft.

LTANKS:
Site ID: 254450
Spill No: 9512203
Spill Date: 12/29/1995
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/29/1995
Facility Addr2: Not reported
Cleanup Ceased: 12/29/1995
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 12/29/1995
CID: 257
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/29/1995
Spill Record Last Update: 1/22/1996
Spiller Name: MR MENDOLA
Spiller Company: ROBINSON OIL
Spiller Address: 500 EXECUTIVE BLVD

DEVON PLAZA REALITY (Continued) **S102240691**

Spiller City,St,Zip:	ELMSFORD, ZZ 10523-
Spiller County:	001
Spiller Contact:	NONE
Spiller Phone:	(914) 332-0600
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	208418
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	customer over ordered driver clean up spill

Material:

Site ID:	254450
Operable Unit ID:	1026423
Operable Unit:	01
Material ID:	359516
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3
Units:	Gallons
Recovered:	3
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9512203
Spill Date:	12/29/1995
Spill Time:	07:25
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/29/95
Cleanup Ceased:	12/29/95
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported

DEVON PLAZA REALITY (Continued) **S102240691**

Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/29/95
Reported to Department Time:	07:27
SWIS:	55
Spiller Contact:	NONE
Spiller Phone:	(914) 332-0600
Spiller Extention:	Not reported
Spiller Name:	ROBINSON OIL
Spiller Address:	500 EXECUTIVE BLVD
Spiller City,St,Zip:	ELMSFORD, MY 10523-
Spiller Cleanup Date:	/ /
Facility Contact:	MR MENDOLA
Facility Phone:	(914) 345-5700
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	12/29/95
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/22/96
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	3
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	3
Unkonwn Quantity Recovered:	False
Material:	#2 FUEL OIL
Class Type:	#2 FUEL OIL
Times Material Entry In File:	24464
CAS Number:	Not reported
Last Date:	19941207
DEC Remarks:	Not reported
Spill Cause:	customer over ordered driver clean up spill

DEVON PLAZA REALITY (Continued) **S102240691**

SPILLS:

Facility ID:	0512970
DER Facility ID:	309423
Facility Type:	ER
Site ID:	359374
DEC Region:	3
Spill Number:	0512970
Spill Date:	2/7/2006
Spill Cause:	Human Error
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	3/15/2006
SWIS:	6017
Investigator:	JBODee
Referred To:	Not reported
Reported to Dept:	2/8/2006
CID:	409
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	2/9/2006
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/8/2006
Spill Record Last Update:	3/15/2006
Spiller Name:	UNKNOWN
Spiller Company:	MALLOZZI CONSTRUCTION
Spiller Address:	UNKNOWN
Spiller City,St,Zip:	UNKNOWN, ZZ
Spiller Company:	999
Contact Name:	TIM BISHOP
Contact Phone:	(914) 276-2560
DEC Memo:	March 15, 2006: TANK REMOVED WITHOUT PERMIT FROM CITY OF WHITE PLAINS. CONSTRUCTION COMPANY (RP) DID NOT REPORT SPILL. HYDRO ENVIRONMENTAL SOLUTIONS DISPOSED OF 95.74 TONS OF CONTAMINATED SOIL. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod
Remarks:	WAS SPILLED ON THE DRIVEWAY. SPOKE TO JOHN O'DEE AND WILL BE MEETING TIM TOMORROW AT THE SITE. TANK WAS REMOVED AND WHEN BEING REMOVED IT LEAKED ONTO THE DRIVEWAY.

Material:

Site ID:	359374
Operable Unit ID:	1116586
Operable Unit:	01
Material ID:	2107025
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

DEVON PLAZA REALITY (Continued) **S102240691**

Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9510997
DER Facility ID:	208418
Facility Type:	ER
Site ID:	148365
DEC Region:	3
Spill Number:	9510997
Spill Date:	12/1/1995
Spill Cause:	Human Error
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	12/12/1995
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/1/1995
CID:	365
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	12/12/1995
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/1/1995
Spill Record Last Update:	12/12/1995
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	DEVON PLAZA REALITY
Contact Phone:	(914) 332-0600
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	customer ordered 400 gallons of oil with an already partially full tank / the tank only took 89 gallons & then spilled onto the driveway / has been cleaned up

Material:

Site ID:	148365

DEVON PLAZA REALITY (Continued) **S102240691**

Operable Unit ID:	1025321
Operable Unit:	01
Material ID:	358350
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	5
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	9510997
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	12/01/1995 15:35
Reported to Dept Date/Time:	12/01/95 15:40
SWIS:	55
Spiller Name:	Not reported
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Contact:	DEVON PLAZA REALITY
Spiller Phone:	(914) 332-0600
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Human Error
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	09
Spill Notifier:	Other
PBS Number:	Not reported
Cleanup Ceased:	12/12/95

DEVON PLAZA REALITY (Continued) **S102240691**

Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/01/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/12/95
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: customer ordered 400 gallons of oil with an already partially full tank / the tank only took 89 gallons then spilled onto the driveway / has been cleaned up

---

AI181 **COMMERCIAL SITE** **NY Spills** **S106704121**
West **221 MAIN STREET** **BROWNFIELDS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.386 mi.
2038 ft. **Site 1 of 4 in cluster AI**

Relative:
Higher

Actual:
215 ft.

SPILLS:
Facility ID: 0706741
DER Facility ID: 292111
Facility Type: ER
Site ID: 387315
DEC Region: 3
Spill Number: 0706741
Spill Date: 9/18/2007
Spill Cause: Human Error
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 7/31/2008

COMMERCIAL SITE (Continued) **S106704121**

SWIS:	6017
Investigator:	jbodee
Referred To:	WCDOH
Reported to Dept:	9/18/2007
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	9/18/2007
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	9/18/2007
Spill Record Last Update:	7/31/2008
Spiller Name:	VENESSA
Spiller Company:	COMMERCIAL SITE
Spiller Address:	221 MAIN STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	VENESSA
Contact Phone:	(914) 241-3795
DEC Memo:	7/31/08: Spill closure report from JM Associates submitted to DEC. Based upon information provided, this Department requires No Further Action at this time. jod
Remarks:	OVERFILLED THE TANK AND IS SURFACE SPILL AND IS BEING CLEANED UP' CALLED ENVIRO WASTE TO PUMP

Material:

Site ID:	387315
Operable Unit ID:	1144524
Operable Unit:	01
Material ID:	2134831
Material Code:	0008
Material Name:	Diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	75
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

COMMERCIAL SITE (Continued) **S106704121**

Facility ID:	0504810
DER Facility ID:	292111
Facility Type:	ER
Site ID:	349725
DEC Region:	3
Spill Number:	0504810
Spill Date:	7/21/2005
Spill Cause:	Other
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	6/17/2008
SWIS:	6017
Investigator:	TDGHIOSA
Referred To:	Not reported
Reported to Dept:	7/21/2005
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/21/2005
Spill Record Last Update:	6/17/2008
Spiller Name:	JOHN MANFERI
Spiller Company:	COMMECRCIAL BUISNESS
Spiller Address:	221 MAIN STREET
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	JOHN MANFERI
Contact Phone:	(914) 241-3795
DEC Memo:	06/17/08 Spill addressed by the Brownfield Cleanup Program remedial action, as documented in the Final Engineering Report for site no. C3-60-073. JPC
Remarks:	2 1000 GALLON TANKS: FOUND CONTAMINATION:

Material:

Site ID:	349725
Operable Unit ID:	1107313
Operable Unit:	01
Material ID:	2097204
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported

COMMERCIAL SITE (Continued) **S106704121**

Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

BROWNFIELDS:

Program:	BCP
Site Code:	58997
Site Description:	Location Description: The site is located in an urban portion of Westchester County, occupying several city tax parcels, including 221 Main Street, in the City of White Plains.Current Use: The site is currently being redeveloped. The newly constructed complex will contain approximately 125 hotel rooms, 400 condominiums and approximately 10,000 square feet of street levels stores. Surrounding Uses: The site is surrounded by commercial properties with a mix of retail and office space.Historical Source(s)of contamination: The historical source of contamination at this site included multiple leaking underground storage tanks (USTs). Investigations revealed the presence of ten USTs. Investigations/Actions Performed to date: Previous environmental investigations include a Phase I Investigation in 2002 and a Petroleum Contamination Site Investigation completed in June of 1993. Under the Brownfield Cleanup Program, a Remedial Investigation was conducted in 2005-2006. Based on RI findings, an Interim Remedial Measure (IRM) was planned and implemented which included the removal of all USTs, and contaminated soil. Current Action: A Final Engineering Report which documents the remedial activities completed has been approved. On December 19, 2006 a Certificate of Completion was issued declaring remedial activities complete, and that a Track 1 cleanup (i.e., unrestricted use) has been achieved.
Env Problem:	Contaminant of concern: Petroleum-related compounds including volatile organic compounds (VOCs) and polycyclic aromatic hydrocarbons. Impacted Media: Soil and groundwater.Known SCGs exceedences: Investigation revealed benzene, toluene, ethyl-benzene and xylenes, however, as part of a site-wide remedial program (2005-2006) all contaminated media has been removed and properly disposed.
Health Problem:	The site is located in downtown White Plains, public water serves the area. Through the implementation of an IRM the site has been remediated and nearly all the soil has been removed to bedrock eliminating potential exposure to contaminated soil. Proposed redevelopment of the site will include a ventilated below-grade parking garage with foundation drainage which will effectively eliminate the potential for soil vapor intrusion to occur.

AE182 **SILVERMAN REALITY** **LTANKS** **S104950814**
WSW **110 MAMARONECK AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.390 mi.
2061 ft. **Site 3 of 3 in cluster AE**

Relative:
Higher

Actual:
220 ft.

LTANKS:

Site ID:	308222
Spill No:	0011270
Spill Date:	1/16/2001
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/22/2003
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	1/16/2001
CID:	281
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/16/2001
Spill Record Last Update:	1/28/2003
Spiller Name:	UNKNOWN
Spiller Company:	SILVERMAN REALITY
Spiller Address:	110 MAMARONECK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	TARRICONE OIL
Spiller Phone:	(914) 693-1132
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	248921
DEC Memo:	Not reported
Remarks:	TANK TEST FAILURE AT ABOVE LOCATION PERFORMED AT REQUEST OFOIL COMPANY. OIL COMPANY HAS BEEN ADVISED OF RESULTS. NO CALLBACK REQUESTED.

Material:

Site ID:	308222
Operable Unit ID:	832660
Operable Unit:	01
Material ID:	541592
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

SILVERMAN REALITY (Continued) **S104950814**

Oxygenate: False

Tank Test:
Site ID: 308222
Spill Tank Test: 1526050
Tank Number: 1
Tank Size: 2000
Test Method: 00
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 0011270
Spill Date: 01/16/2001
Spill Time: 12:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/16/01
Reported to Department Time: 13:21
SWIS: 55
Spiller Contact: TARRICONE OIL
Spiller Phone: (914) 693-1132
Spiller Extention: Not reported
Spiller Name: SILVERMAN REALITY
Spiller Address: 110 MAMARONECK AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: UNKNOWN
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

SILVERMAN REALITY (Continued) **S104950814**

Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/16/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/25/01
Is Updated: True

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 2000
Test Method: Unknown
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK TEST FAILURE AT ABOVE LOCATION PERFORMED AT REQUEST OF OIL COMPANY. OIL COMPANY HAS BEEN ADVISED OF RESULTS. NO CALL BACK REQUESTED.

AF183 **PER-BAR** **LTANKS S100140366**
WSW **124 MAMARONECK AVE** **HIST LTANKS N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.395 mi.
2083 ft. **Site 3 of 4 in cluster AF**

Relative:
Higher

Actual:
222 ft.

LTANKS:
Site ID: 116904
Spill No: 8802839
Spill Date: 6/29/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 1/18/1989
Facility Addr2: Not reported
Cleanup Ceased: 1/18/1989
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jeokesso
Referred To: Not reported
Reported to Dept: 6/29/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: 1/18/1989

PER-BAR (Continued) **S100140366**

Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	3/23/1988
Spill Record Last Update:	2/7/1989
Spiller Name:	Not reported
Spiller Company:	BRIAN COMI
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	101701
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"
Remarks:	FAILED WITH GROSS LEAK. PBS TO FOLLOW.RETEST NEEDED.

Material:

Site ID:	116904
Operable Unit ID:	918126
Operable Unit:	01
Material ID:	458404
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	116904
Spill Tank Test:	1534211
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	8802839
Spill Date:	06/29/1988
Spill Time:	13:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial

PER-BAR (Continued) **S100140366**

Spill Class:	Not reported
Spill Closed Dt:	01/18/89
Cleanup Ceased:	01/18/89
Cleanup Meets Standard:	True
Investigator:	OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/29/88
Reported to Department Time:	14:07
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	BRIAN COMI
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 592-3500
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	3-412007
Last Inspection:	01/18/89
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	03/23/88
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	02/07/89
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	#2 FUEL OIL
Class Type:	#2 FUEL OIL

PER-BAR (Continued) **S100140366**

Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: FAILED WITH GROSS LEAK. PBS TO FOLLOW.RETEST NEEDED.

---

184 **MILLER CENTER FOR NURSING** **LTANKS** **S100136824**
SSW **37 DEKALD AVE.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.395 mi.
2085 ft.

Relative:
Higher

Actual:
244 ft.

LTANKS:

Site ID:	211184
Spill No:	8802117
Spill Date:	6/3/1988
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	8/30/1988
Facility Addr2:	Not reported
Cleanup Ceased:	8/30/1988
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	dxtraver
Referred To:	Not reported
Reported to Dept:	6/7/1988
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/10/1988
Spill Record Last Update:	12/5/1988
Spiller Name:	Not reported
Spiller Company:	DR MILLER
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	175055
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TRAVER"08/29/88: TANK TO BE FILLED IN PLACE. SWITCHING TO GAS.
Remarks:	TANK TO BE TAKEN OUT OF SERVICE. NFA

Material:

Site ID:	211184
Operable Unit ID:	919447
Operable Unit:	01
Material ID:	461242
Material Code:	0002A
Material Name:	#4 Fuel Oil

MILLER CENTER FOR NURSING (Continued) **S100136824**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	211184
Spill Tank Test:	1534060
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	8802117
Spill Date:	06/03/1988
Spill Time:	18:30
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	08/30/88
Cleanup Ceased:	08/30/88
Cleanup Meets Standard:	True
Investigator:	TRAVER
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	06/07/88
Reported to Department Time:	17:35
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	DR MILLER
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 686-8880
Facility Extention:	Not reported

MILLER CENTER FOR NURSING (Continued) **S100136824**

Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/10/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/05/88
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: 08/29/88: TANK TO BE FILLED IN PLACE. SWITCHING TO GAS.
Spill Cause: TANK TO BE TAKEN OUT OF SERVICE. NFA

AF185 **COMMERCIAL PROERTY** **LTANKS** **S107789254**
SW **151 EAST POST ROAD** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.402 mi.
2120 ft. **Site 4 of 4 in cluster AF**

Relative:
Higher

Actual:
226 ft.

LTANKS:
Site ID: 363155
Spill No: 0601015
Spill Date: 4/26/2006
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/3/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: JBODee
Referred To: WCDOH

COMMERCIAL PROERTY (Continued) **S107789254**

Reported to Dept:	4/26/2006
CID:	409
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	4/26/2006
Spill Record Last Update:	11/3/2006
Spiller Name:	TONY GASHA
Spiller Company:	COMMERCIAL PROERTY
Spiller Address:	151 EAST POST ROAD
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	TONY GASHA
Spiller Phone:	(914) 946-2357
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	313347
DEC Memo:	5/3/06: Refer to WC PBSAugust 16, 2006Tony Gashi151 East Post Road Corp47 Mamaroneck Ave, Suite 111White Plains, Ny 10601Re: PBS #3-030910 - 151 East Post Road, White Plains, NY NYSDEC Spill # 06-01015 TTFDear Facility;The Westchester County Department of Health has received the retest results from July 28, 2006. The results are acceptable to the Department. A request for closure is being sent to NYSDEC for the above spill # and no further action is required regarding the work at this time.If you have any questions, please call me at (914) 813-5971.Sincerely, Danielle JacksonSanitarianOffice of Environmental Health Risk Control
Remarks:	NO REMARKS.

Material:

Site ID:	363155
Operable Unit ID:	1121214
Operable Unit:	01
Material ID:	2110709
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	363155
Spill Tank Test:	1549917
Tank Number:	1
Tank Size:	1500
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog

COMMERCIAL PROERTY (Continued) **S107789254**

Last Modified: 4/26/2006
Test Method: Horner EZ Check I or II

AI186 **OFFICE BUILDING** **LTANKS** **S106385494**
West **14 MAMARONECK AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.402 mi.
2122 ft. **Site 2 of 4 in cluster AI**

Relative:
Higher

Actual:
213 ft.

LTANKS:

Site ID:	284245
Spill No:	9613653
Spill Date:	2/20/1997
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/5/1997
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	2/20/1997
CID:	257
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/20/1997
Spill Record Last Update:	11/8/2005
Spiller Name:	KEMPNER CORP
Spiller Company:	OFFICE BUILDING
Spiller Address:	14 NANARONNECK AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	KEMPNER CORP
Spiller Phone:	(914) 946-3030
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	188973
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"03/05/1995 TANK PASSED A RETEST ON THIS DATE. NFA
Remarks:	Not reported

Material:

Site ID:	284245
Operable Unit ID:	1041238
Operable Unit:	01
Material ID:	338758
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported

OFFICE BUILDING (Continued) **S106385494**

Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	229197
Spill No:	0313324
Spill Date:	3/4/2004
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	4/22/2004
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	3/4/2004
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	3/4/2004
Spill Record Last Update:	4/22/2004
Spiller Name:	Not reported
Spiller Company:	CELESTILA GROUP
Spiller Address:	14 MAMARONECK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(646) 935-1200
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	188973
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"04/22/04 TANK PASSED A RETEST ON 3-29-04. jbo
Remarks:	RECOMEND: EXCAVATE, AND RETEST

OFFICE BUILDING (Continued) **S106385494**

Material:

Site ID:	229197
Operable Unit ID:	880498
Operable Unit:	01
Material ID:	498477
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	229197
Spill Tank Test:	1529019
Tank Number:	1
Tank Size:	3000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

AI187 **OFFICE BUILDING** **HIST LTANKS** **S102555827**
West **14 NANARONECK AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.402 mi.
2122 ft. **Site 3 of 4 in cluster AI**

Relative:
Higher

Actual:
213 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9613653
Spill Date:	02/20/1997
Spill Time:	16:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	03/05/95
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported

OFFICE BUILDING (Continued) **S102555827**

Reported to Department Date: 02/20/97
Reported to Department Time: 16:38
SWIS: 55
Spiller Contact: KEMPNER CORP
Spiller Phone: (914) 946-3030
Spiller Extention: Not reported
Spiller Name: OFFICE BUILDING
Spiller Address: 14 NANARONNECK AV
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: KEMPNER CORP
Facility Phone: (914) 946-3030
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/20/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/08/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 03/05/1995 TANK PASSED A RETEST ON THIS DATE. NFA
Spill Cause: Not reported

AJ188
NW
1/4-1/2
0.408 mi.
2154 ft.

44 NORTH BROADWAY
WHITE PLAINS, NY

Site 1 of 3 in cluster AJ

LTANKS **S104645518**
NY Spills **N/A**
NY Hist Spills

Relative:
Higher

Actual:
255 ft.

LTANKS:

Site ID:	328668
Spill No:	0302230
Spill Date:	6/2/2003
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/5/2009
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jkomara
Referred To:	WESTCHESTER CNTY HEALTH DEPT
Reported to Dept:	6/2/2003
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/2/2003
Spill Record Last Update:	11/5/2009
Spiller Name:	KATHRIN KRASOVIC
Spiller Company:	BROADLAKE CO
Spiller Address:	44 NORTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	264506
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - JACKSON"
Remarks:	Not reported

Material:

Site ID:	328668
Operable Unit ID:	868941
Operable Unit:	01
Material ID:	506707
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

(Continued) **S104645518**

Oxygenate: False

Tank Test:
Site ID: 328668
Spill Tank Test: 1528418
Tank Number: 1
Tank Size: 7500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

SPILLS:
Facility ID: 0703466
DER Facility ID: 137201
Facility Type: ER
Site ID: 383396
DEC Region: 3
Spill Number: 0703466
Spill Date: 6/25/2007
Spill Cause: Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 6/25/2007
SWIS: 6017
Investigator: JYMCCART
Referred To: Not reported
Reported to Dept: 6/25/2007
CID: 410
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 6/25/2007
Spill Record Last Update: 8/15/2007
Spiller Name: DAVID ANAGONUS
Spiller Company: WESTCHESTER ONE
Spiller Address: 44 SOUTH BROADWAY
Spiller City,St,Zip: WHITE PLAINS, NY 10601
Spiller Company: 001
Contact Name: DAVID ANAGONUS
Contact Phone: (732) 613-1660
DEC Memo: Clean up completed. NFA.
Remarks: DURING A TANK CLOSURE, A REMOTE FILL LINE LEAKED SOME OIL : ROUGHLY 4-5 GALLONS: CLEANUP IS COMPLETE: SUPERVISOR ON SCENE IS JIM LEWIS CELL # 908-461-3056,

Material:
Site ID: 383396

(Continued) **S104645518**

Operable Unit ID:	1140750
Operable Unit:	01
Material ID:	2130845
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	0313749
DER Facility ID:	137201
Facility Type:	ER
Site ID:	162623
DEC Region:	3
Spill Number:	0313749
Spill Date:	3/16/2004
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	3/16/2004
SWIS:	6017
Investigator:	DVWEHRFR
Referred To:	Not reported
Reported to Dept:	3/16/2004
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	3/16/2004
Spill Record Last Update:	4/2/2004
Spiller Name:	ERT DESK
Spiller Company:	CON ED VAULT #6407
Spiller Address:	44 SOUTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY

(Continued) **S104645518**

Spiller Company: 001
Contact Name: ERT DESK
Contact Phone: (212) 580-8383
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WEHRFRITZ"
Remarks: 40 GALLONS OF WATER WITH THE OIL IN HOLE; FAULTY TRANSFORMER: NO TO ALL 5 QUESTIONS: CON ED # 152526 SUMP IN VAULTY AND WAS NOT OPERATING: Not reported

Material:
Site ID: 162623
Operable Unit ID: 880842
Operable Unit: 01
Material ID: 495341
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
Region of Spill: 3
Spill Number: 9610799
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/02/1996 09:45
Reported to Dept Date/Time: 12/02/96 10:01
SWIS: 55
Spiller Name: CASTLE OIL
Spiller Contact: JIM CAREY
Spiller Phone: (718) 579-3414
Spiller Contact: VAL

(Continued) **S104645518**

Spiller Phone: (914) 761-0546
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY 10454-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: 12/02/96
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/02/96
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/28/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 40
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: BROKEN DECK HOSE DISCHARGE HOSE) CAUSED MATERAL TO LEAK ONTO STREET PAVEMENT) ALL MATERAL CONTAINED - SPILL CLEAN UP CREW ON THE WAY TO CLEAN AT THIS TIME

AK189 **165 MAMARONECK AVE** **LTANKS** **S105999309**
SW **165 MAMARONECK AVENUE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.411 mi.
2170 ft. **Site 1 of 4 in cluster AK**

Relative:
Higher

Actual:
227 ft.

LTANKS:

Site ID:	180689
Spill No:	0303361
Spill Date:	6/30/2003
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/22/2007
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	6/30/2003
CID:	204
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	6/30/2003
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/30/2003
Spill Record Last Update:	6/22/2007
Spiller Name:	BAHRU STEWARD
Spiller Company:	BAHRU STEWARD
Spiller Address:	165 MAMARONECK AVENUE
Spiller City,St,Zip:	WHITE PLAINS, NY 10607-
Spiller County:	001
Spiller Contact:	MARIE MULLEN
Spiller Phone:	(914) 741-5472
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	151552
DEC Memo:	06/30/03: UST lined tank, leaked through lining, tank out, soil will be removed. Waiting on insurance. See also spill #03-01465.02/12/05 PREVIOUSLY REPORTED AS 97-01601. UST FAILED TANK TEST, TANK WAS RELINED AND PUT BACK IN SERVICE. TANK REMOVED BY NES AFTER CONTAMINATION FOUND DURING REMOVAL OF NEIGHBORING TANK AT 169 MAMARONECK AVE. TANK HAD BEEN LEAKING PRIOR TO RELINING. jbo06/22/2007: NES COMPLETED CLEAN UP. jod
Remarks:	OLD TANK FAILED

Material:

Site ID:	180689
Operable Unit ID:	871405
Operable Unit:	01
Material ID:	504234
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum

165 MAMARONECK AVE (Continued) **S105999309**

Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	180689
Spill No:	0303361
Spill Date:	6/30/2003
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/22/2007
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	6/30/2003
CID:	204
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	6/30/2003
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/30/2003
Spill Record Last Update:	6/22/2007
Spiller Name:	BAHRU STEWARD
Spiller Company:	BAHRU STEWARD
Spiller Address:	165 MAMARONECK AVENUE
Spiller City,St,Zip:	WHITE PLAINS, NY 10607-
Spiller County:	001
Spiller Contact:	MARIE MULLEN
Spiller Phone:	(914) 741-5472
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	151552
DEC Memo:	06/30/03: UST lined tank, leaked through lining, tank out, soil will be removed. Waiting on insurance. See also spill #03-01465.02/12/05 PREVIOUSLY REPORTED AS 97-01601. UST FAILED TANK TEST, TANK WAS RELINED AND PUT BACK IN SERVICE. TANK REMOVED BY NES AFTER

165 MAMARONECK AVE (Continued) **S105999309**

	CONTAMINATION FOUND DURING REMOVAL OF NEIGHBORING TANK AT 169 MAMARONECK AVE. TANK HAD BEEN LEAKING PRIOR TO RELINING. jbo06/22/2007: NES COMPLETED CLEAN UP. jod
Remarks:	OLD TANK FAILED

Material:

Site ID:	180689
Operable Unit ID:	871405
Operable Unit:	01
Material ID:	504234
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	180689
Spill No:	0303361
Spill Date:	6/30/2003
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/22/2007
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	6/30/2003
CID:	204
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	6/30/2003
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/30/2003

165 MAMARONECK AVE (Continued) **S105999309**

Spill Record Last Update:	6/22/2007
Spiller Name:	BAHRU STEWARD
Spiller Company:	BAHRU STEWARD
Spiller Address:	165 MAMARONECK AVENUE
Spiller City,St,Zip:	WHITE PLAINS, NY 10607-
Spiller County:	001
Spiller Contact:	MARIE MULLEN
Spiller Phone:	(914) 741-5472
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	151552
DEC Memo:	06/30/03: UST lined tank, leaked through lining, tank out, soil will be removed. Waiting on insurance. See also spill #03-01465.02/12/05 PREVIOUSLY REPORTED AS 97-01601. UST FAILED TANK TEST, TANK WAS RELINED AND PUT BACK IN SERVICE. TANK REMOVED BY NES AFTER CONTAMINATION FOUND DURING REMOVAL OF NEIGHBORING TANK AT 169 MAMARONECK AVE. TANK HAD BEEN LEAKING PRIOR TO RELINING. jbo06/22/2007: NES COMPLETED CLEAN UP. jod
Remarks:	OLD TANK FAILED

Material:

Site ID:	180689
Operable Unit ID:	871405
Operable Unit:	01
Material ID:	504234
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	118993
Spill No:	9701601
Spill Date:	5/6/1997
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/12/2005

165 MAMARONECK AVE (Continued) **S105999309**

Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	5/6/1997
CID:	282
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/6/1997
Spill Record Last Update:	2/12/2005
Spiller Name:	SAME
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ -
Spiller County:	001
Spiller Contact:	N/A
Spiller Phone:	(914) 934-5992
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	151552
DEC Memo:	02/12/05 TANK REPORTEDLY PASSED A RETEST, NO RETEST INFORMATION SUBMITTED TO DEC. TANK WAS REMOVED BY NES ON 6-30-03 AFTER CONTAMINATION WAS DISCOVERED DURING REMOVAL OF NEIGHBORING TANK AT 169 MAMARONECK AVE BY NORTHEAST ENVIRONMENTAL (SEE SPILL 03-01465). WHEN TANK WAS REMOVED BY NES, IT WAS DISCOVERED THAT THE TANK HAD BEEN FIBERGLASS RELINED IN THE PAST. THE TANK WAS NO LONGER LEAKING BUT HAD LEAKED PRIOR TO RELINING. NES REMOVING SOIL, REPORT TO FOLLOW. SEE SPILL 03-03361 FOR ALL UPDATES. NFA THIS SPILL NUMBER. jbo
	Not reported
Remarks:	TANK FAILED THE VACUUM TEST.COMMERCIAL BUILDING IS WHERE THE TEST WAS DONE.

Material:

Site ID:	Not reported
Operable Unit ID:	Not reported
Operable Unit:	Not reported
Material ID:	Not reported
Material Code:	Not reported
Material Name:	Not reported
Case No.:	Not reported
Material FA:	Not reported
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	118993
Spill Tank Test:	1545105

165 MAMARONECK AVE (Continued) **S105999309**

Tank Number:	1
Tank Size:	1000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

AK190 **220 BATTLE AVE** **HIST LTANKS** **S102446851**
SW **SAME** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.411 mi.
2170 ft. **Site 2 of 4 in cluster AK**

Relative:
Higher

Actual:
227 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	9701601
Spill Date:	05/06/1997
Spill Time:	08:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	05/06/97
Reported to Department Time:	15:13
SWIS:	55
Spiller Contact:	N/A
Spiller Phone:	(914) 934-5992
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY -
Spiller Cleanup Date:	/ /
Facility Contact:	SAME
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /

220 BATTLE AVE (Continued) **S102446851**

UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/06/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/14/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 1000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Not reported
Quantity Spilled: Not reported
Unkonwn Quantity Spilled: Not reported
Units: Not reported
Quantity Recovered: Not reported
Unkonwn Quantity Recovered: Not reported
Material: Not reported
Class Type: Not reported
Times Material Entry In File: Not reported
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: Not reported
Spill Cause: TANK FAILED THE VACUUM TEST.COMMERCIAL BUILDING IS WHERE THE TEST WAS DONE.

SPILLS:
Facility ID: 9609116
DER Facility ID: 78038
Facility Type: ER
Site ID: 84889
DEC Region: 3
Spill Number: 9609116
Spill Date: 10/21/1996
Spill Cause: Equipment Failure
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 10/21/1996
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 10/21/1996
CID: 282
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0

220 BATTLE AVE (Continued) **S102446851**

Date Entered In Computer:	10/21/1996
Spill Record Last Update:	12/5/1996
Spiller Name:	MR. ROACH
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller City,St,Zip:	MANHATTAN, NY 10003
Spiller Company:	001
Contact Name:	SAME
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	BUSHING ON THE TRANSFORMER WAS LEAKING SCHEDULED TO BE CLEANED UPACTUAL SPILL WAS (3 OUNCES).

Material:

Site ID:	84889
Operable Unit ID:	1037208
Operable Unit:	01
Material ID:	344846
Material Code:	0020A
Material Name:	TRANSFORMER OIL
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9609116
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	10/21/1996 20:30
Reported to Dept Date/Time:	10/21/96 21:33
SWIS:	55
Spiller Name:	CON ED
Spiller Contact:	MR ROACH

220 BATTLE AVE (Continued) **S102446851**

Spiller Phone: (212) 580-6764
Spiller Contact: SAME
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/21/96
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/21/96
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/05/96
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926
DEC Remarks: Not reported
Remark: BUSHING ON THE TRANSFORMER WAS LEAKING SCHEDULED TO BE CLEANED UP ACTUAL SPILL WAS 3 OUNCES).

Region of Spill: 3
Spill Number: 9613471
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported

220 BATTLE AVE (Continued) **S102446851**

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/14/1997 16:30
Reported to Dept Date/Time: 02/14/97 17:14
SWIS: 55
Spiller Name: 220 BATTLE AVE
Spiller Contact: SANDRA GIFF
Spiller Phone: (718) 798-7958
Spiller Contact: SANDRA GIFF
Spiller Phone: (718) 798-7958
Spiller Address: SAME
Spiller City,St,Zip: WHITE PLAINS, NY
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/30/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/14/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/23/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 04/30/97 NES REMOVED TANK 42 TONS OF CONTAMINATED SOIL.

220 BATTLE AVE (Continued) **S102446851**

Remark: CONSTRUCTION COMPANY WAS DIGHGING BASEMENT FLOOR UP AND DISCOVERED OIL

AK191 **KEMPLER RESIDENCE** **LTANKS** **S105998935**
SW **169 MAMARONECK AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.414 mi.
2184 ft. **Site 3 of 4 in cluster AK**

Relative:
Higher

Actual:
227 ft.

LTANKS:

Site ID:	160482
Spill No:	0301465
Spill Date:	5/9/2003
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	8/25/2003
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	5/9/2003
CID:	195
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	6/16/2003
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/9/2003
Spill Record Last Update:	2/12/2005
Spiller Name:	PETER KEMPLER
Spiller Company:	PETER KEMPLER
Spiller Address:	169 MAMARONECK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	PETER KEMPLER
Spiller Phone:	(914) 946-3030
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	135518
DEC Memo:	06/30/03 ALSO SPILL 03-03361.08/25/03 NORTHEAST DISPOSED OF LUST AND 122.09 TONS OF CONTAMINATED SOIL. NFA
Remarks:	TANK WAS UNCOVERED AND TESTED. TEST FAILED. OWNER (PETER KEMPLER) WAS TOLD TO PUMP TANK OUT WITHIN 48 HOURS AND HAVE TANK REMOVED TO CHECK FOR CONTAMINATION. CALLER CAN BE REACHED AT 845-742-1666.

Material:

Site ID:	160482
Operable Unit ID:	867853
Operable Unit:	01
Material ID:	505959
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported

KEMPLER RESIDENCE (Continued) **S105998935**

Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 160482
Spill Tank Test: 1528363
Tank Number: 1
Tank Size: 1000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

AL192 **MINSKOFF CORP.** **LTANKS** **S102673852**
WSW **179 MARTINE AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.416 mi.
2194 ft. **Site 1 of 4 in cluster AL**

Relative:
Higher

Actual:
217 ft.

LTANKS:
Site ID: 217944
Spill No: 9201879
Spill Date: 5/15/1992
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/15/1992
Facility Addr2: Not reported
Cleanup Ceased: 5/15/1992
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 5/15/1992
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/2/2003
Spill Record Last Update: 12/2/2003
Spiller Name: Not reported
Spiller Company: ORIG. CONSUMERS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported

MINSKOFF CORP. (Continued) **S102673852**

Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	180303
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	CONTAINED ON CONCRETE FLOOR IN CELLAR SPILLER DOING CLEAN UP

Material:

Site ID:	217944
Operable Unit ID:	969292
Operable Unit:	01
Material ID:	413166
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	7
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9201879
Spill Date:	05/15/1992
Spill Time:	11:00
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	05/15/92
Cleanup Ceased:	05/15/92
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported

MINSKOFF CORP. (Continued) **S102673852**

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/15/92
Reported to Department Time: 11:21
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: ORIG. CONSUMERS
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/15/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 7
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CONTAINED ON CONCRETE FLOOR IN CELLAR SPILLER DOING CLEAN UP

AI193 **LTANKS** **S105996744**
West **203 MAIN ST** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.419 mi.
2213 ft. **Site 4 of 4 in cluster AI**

Relative:
Higher

Actual:
211 ft.

LTANKS:

Site ID:	176565
Spill No:	0206130
Spill Date:	9/12/2002
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/3/2003
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	Westchester Cnty Health Dept
Reported to Dept:	9/13/2002
CID:	396
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/13/2002
Spill Record Last Update:	9/8/2003
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	JOHN JANUS
Spiller Phone:	(914) 760-0257
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	148388
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - SCHNEIDER"09/03/03 TANK CLOSED IN PLACE, VAULT CLEAN.
Remarks:	while doing an inspection of the tank oil was observed leaking back into the empty tank.

Material:

Site ID:	176565
Operable Unit ID:	857669
Operable Unit:	01
Material ID:	516742
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported

(Continued) **S105996744**

Oxygenate: False

Tank Test:
Site ID: 176565
Spill Tank Test: 1527446
Tank Number: 1
Tank Size: 2500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

AK194 **JOHN DALE INC** **LTANKS** **S103558559**
SW **178 MAMORENECK AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.421 mi.
2224 ft. **Site 4 of 4 in cluster AK**

Relative:
Higher

Actual:
227 ft.

LTANKS:
Site ID: 325049
Spill No: 9810809
Spill Date: 11/25/1998
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/1/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 11/25/1998
CID: 282
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/25/1998
Spill Record Last Update: 1/16/1999
Spiller Name: DWAYNE MONICO
Spiller Company: JOHN DALE INC
Spiller Address: 80 BUSINESS PARK DRIVE
Spiller City,St,Zip: ARMONK, NY 10504-
Spiller County: 001
Spiller Contact: DWAYNE MONICO
Spiller Phone: (914) 777-1930
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 261843
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

JOHN DALE INC (Continued) **S103558559**

Remarks:	"GHIOSAY"SPILL CLOSED BY WCHD, S. GOREAU. tank leaked and the soil around the tank was contaminated.soil was removed and stockpiled.site has been cleaned .

Material:

Site ID:	325049
Operable Unit ID:	1071785
Operable Unit:	01
Material ID:	314671
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9810809
Spill Date:	11/25/1998
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	12/01/98
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	11/25/98

JOHN DALE INC (Continued) **S103558559**

Reported to Department Time: 16:59
SWIS: 55
Spiller Contact: DWAYNE MONICO
Spiller Phone: (914) 777-1930
Spiller Extention: Not reported
Spiller Name: JOHN DALE INC
Spiller Address: 80 BUSINESS PARK DRIVE
Spiller City,St,Zip: ARMONK, NY 10504-
Spiller Cleanup Date: / /
Facility Contact: DWAYNE MONICO
Facility Phone: (914) 777-1930
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/25/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/16/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: SPILL CLOSED BY WCHD, S. GOREAU.
Spill Cause: tank leaked and the soil around the tank was contaminated.soil was removed and stockpiled.site has been cleaned .

195
NNW
1/4-1/2
0.429 mi.
2267 ft.

RENEE COLON
10 ROSS STREET
WHITE PLAINS, NY

LTANKS **S102152131**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Relative:
Higher

Actual:
236 ft.

LTANKS:

Site ID:	222620
Spill No:	9300853
Spill Date:	4/17/1993
Spill Cause:	Tank Overfill
Spill Source:	Major Facility > 400,000 gal
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	5/13/1993
Facility Addr2:	Not reported
Cleanup Ceased:	5/13/1993
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	4/17/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	4/19/1993
Spill Record Last Update:	5/13/1993
Spiller Name:	Not reported
Spiller Company:	BURKE FUEL
Spiller Address:	475 COMMERCE STREET
Spiller City,St,Zip:	HAWTHORNE, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	184077
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"04/19/93: SKIP BARTRAM REPORTED THAT LUZON HAS COMPLETED THE CLEAN-UP.
Remarks:	FILLING TANK DID NOT HEAR WHISTLE DUE TO BACK GROUND NOISE ONTO GROUND AND CURB CONTAINED AT CURB SORBENT PADS AND BOOM BURKE WILL PICK UP

Material:

Site ID:	222620
Operable Unit ID:	979454
Operable Unit:	01
Material ID:	401593
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20
Units:	Gallons

RENEE COLON (Continued) **S102152131**

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9300853
Spill Date: 04/17/1993
Spill Time: 12:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Major Facility 400,000 gallons
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/13/93
Cleanup Ceased: 05/13/93
Cleanup Meets Standard: False
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/17/93
Reported to Department Time: 13:45
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: BURKE FUEL
Spiller Address: 475 COMMERCE STREET
Spiller City,St,Zip: HAWTHORNE
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /

RENEE COLON (Continued) **S102152131**

Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/19/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/13/93
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 04/19/93: SKIP BARTRAM REPORTED THAT LUZON HAS COMPLETED THE CLEAN-UP.
Spill Cause: FILLING TANK DID NOT HEAR WHISTLE DUE TO BACK GROUND NOISE ONTO GROUND AND CURB CONTAINED AT CURB SORBENT PADS AND BOOM BURKE WILL PICK UP

SPILLS:
Facility ID: 9207640
DER Facility ID: 184077
Facility Type: ER
Site ID: 222619
DEC Region: 3
Spill Number: 9207640
Spill Date: 10/1/1992
Spill Cause: Human Error
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 10/5/1992
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 10/1/1992
CID: Not reported
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Other
Cleanup Ceased: 10/5/1992
Cleanup Meets Std: False

RENEE COLON (Continued) **S102152131**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	10/5/1992
Spill Record Last Update:	10/5/1992
Spiller Name:	Not reported
Spiller Company:	BURKE HEAT
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	DRIVER DID NOT HEAR VENT ALARM LUZON CLEANING NO CALL BACK

Material:

Site ID:	222619
Operable Unit ID:	974456
Operable Unit:	01
Material ID:	408266
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9207640
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	10/01/1992 16:10
Reported to Dept Date/Time:	10/01/92 17:35

RENEE COLON (Continued) **S102152131**

SWIS: 55
Spiller Name: BURKE HEAT
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 08
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 10/05/92
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/05/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/05/92
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/05/92
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: DRIVER DID NOT HEAR VENT ALARM LUZON CLEANING NO CALL BACK

AM196 **UNKNOWN** **LTANKS** **S103273089**
North **55 LAKE STREET** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.430 mi.
2273 ft. **Site 1 of 3 in cluster AM**

Relative:
Higher

Actual:
161 ft.

LTANKS:

Site ID:	232366
Spill No:	9413534
Spill Date:	12/7/1994
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/23/1995
Facility Addr2:	Not reported
Cleanup Ceased:	1/23/1995
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	1/11/1995
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1/23/1995
Spill Record Last Update:	1/23/1995
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	191496
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	TWO 1K TANKS PULLED ALONG WITH PUMP ISLAND ABANDONED 5-10 YEARS AGO FIVE YARDS OF SOIL REMOVED SEE SPILL # 9413355

Material:

Site ID:	232366
Operable Unit ID:	1007108
Operable Unit:	01
Material ID:	372283
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported

UNKNOWN (Continued) **S103273089**

Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 232364
Spill No: 9413345
Spill Date: 12/7/1994
Spill Cause: Tank Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/19/1995
Facility Addr2: Not reported
Cleanup Ceased: 1/19/1995
Cleanup Meets Standard: False
SWIS: 6017
Investigator: WXWADSWO
Referred To: Not reported
Reported to Dept: 1/6/1995
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1/19/1995
Spill Record Last Update: 9/20/1995
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 191496
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"
Remarks: TWO 1K GAL TANKS PULLED ALONG WITH PUMP ISLAND ABANDONED 8-10 YEARS FIVE YARDS OF CONTAMINATED SOIL NO TANKS WILL BE REPLACED SEE SPILL # 9413534

Material:

UNKNOWN (Continued) **S103273089**

Site ID: 232364
Operable Unit ID: 1006948
Operable Unit: 01
Material ID: 569940
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

SPILLS:
Facility ID: 9413355
DER Facility ID: 191496
Facility Type: ER
Site ID: 232365
DEC Region: 3
Spill Number: 9413355
Spill Date: 1/6/1995
Spill Cause: Missing Code in Old Data - Must be fixed
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 4/14/2004
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 1/6/1995
CID: Not reported
Water Affected: Not reported
Spill Source: Missing Code in Old Data - Must be fixed
Spill Notifier: Missing Code in Old Data - Must be fixed
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: Not reported
Spill Record Last Update: 7/6/2004
Spiller Name: Not reported

UNKNOWN (Continued) **S103273089**

Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	Not reported

Material:

Site ID:	232365
Operable Unit ID:	1006951
Operable Unit:	01
Material ID:	372094
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

NY Hist Spills:

Region of Spill:	3
Spill Number:	9413355
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	01/06/1995 12:00
Reported to Dept Date/Time:	/ /
SWIS:	55
Spiller Name:	Not reported
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Not reported

UNKNOWN (Continued) **S103273089**

Reported to Dept: Not reported
Water Affected: Not reported
Spill Source: Not reported
Spill Notifier: Not reported
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: / /
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/11/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: Not reported

AM197 **AGROS S/S** **HIST LTANKS** **S101341461**
North **55 LAKE STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.430 mi.
2273 ft. **Site 2 of 3 in cluster AM**

Relative:
Higher

Actual:
161 ft.

HIST LTANKS:
Region of Spill: 3
Spill Number: 9413534
Spill Date: 12/07/1994
Spill Time: 08:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported

AGROS S/S (Continued) **S101341461**

Spill Source:	Gas Station
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	01/23/95
Cleanup Ceased:	01/23/95
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	01/11/95
Reported to Department Time:	15:00
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Other
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	True
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	01/23/95
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/23/95
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Not reported
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False

AGROS S/S (Continued) **S101341461**

Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: TWO 1K TANKS PULLED ALONG WITH PUMP ISLAND ABANDONED 5-10 YEARS AGO FIVE YARDS OF SOIL REMOVED SEE SPILL 9413355

Region of Spill: 3
Spill Number: 9413345
Spill Date: 12/07/1994
Spill Time: 08:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/19/95
Cleanup Ceased: 01/19/95
Cleanup Meets Standard: False
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/06/95
Reported to Department Time: 17:12
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/19/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/20/95
Is Updated: False

AGROS S/S (Continued) **S101341461**

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: TWO 1K GAL TANKS PULLED ALONG WITH PUMP ISLAND ABANDONED 8-10 YEARS FIVE YARDS OF CONTAMINATED SOIL NO TANKS WILL BE REPLACED SEE SPILL 9413534

AJ198 **PRESBYTERIAN CHURCH** **LTANKS** **S100139602**
NW **39 NORTH BROADWAY** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.434 mi.
2289 ft. **Site 2 of 3 in cluster AJ**

Relative:
Higher

Actual:
256 ft.

LTANKS:
Site ID: 424343
Spill No: 0911530
Spill Date: 1/27/2010
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates a file or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6017
Investigator: JKOMARA
Referred To: Not reported
Reported to Dept: 1/27/2010
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 4
Date Entered In Computer: 1/27/2010
Spill Record Last Update: 10/12/2011
Spiller Name: VINCENTE VALSCO
Spiller Company: WHITE PLAINS PRESBYTERIAN CHURCH
Spiller Address: 39 NORTH BROADWAY

PRESBYTERIAN CHURCH (Continued) **S100139602**

Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	999
Spiller Contact:	BOB URBAN
Spiller Phone:	(631) 321-4670
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	104243
DEC Memo:	ProTest to propose to excavate, isolate and retest. DT 1/27/103/4/10: WCHD PBS site. JO'M10/12/11: This tank was repiped and retested in February of 2010. Tank reportedly passed the retest. Prior to documentation being submitted for closure of this spill, several thousand gallons of heating oil from this tank system impacted neighboring properties, storm drains, and the Bronx River. See Spill 0912623 for additional information. jod
Remarks:	TANK TEST FAILURE ON A 8000 GALLON UST

Material:

Site ID:	424343
Operable Unit ID:	1180125
Operable Unit:	01
Material ID:	2173985
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	120033
Spill No:	8705816
Spill Date:	10/9/1987
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/4/1988
Facility Addr2:	Not reported
Cleanup Ceased:	3/4/1988
Cleanup Meets Standard:	True
SWIS:	6017

PRESBYTERIAN CHURCH (Continued) **S100139602**

Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	10/9/1987
CID:	Not reported
Water Affected:	NONE
Spill Notifier:	Tank Tester
Last Inspection:	3/4/1988
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	11/18/1987
Spill Record Last Update:	8/20/2003
Spiller Name:	JACK JONES
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	104243
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON" / / : 10/13/87-WILL RETEST. / / : 02-16-88 TANK HAS BEEN RELINED & REFILLED. WILL RETEST ASAP. WILL CALL IN RESULTS. L.R. 03/04/88: TANK PASSED RETEST. N.F.A. L.R.
Remarks:	TTTF-8K TANK;-0.253 GPH

Material:

Site ID:	120033
Operable Unit ID:	911852
Operable Unit:	01
Material ID:	468384
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	120033
Spill Tank Test:	1531881
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

PRESBYTERIAN CHURCH (Continued) **S100139602**

HIST LTANKS:

Region of Spill:	3
Spill Number:	8705816
Spill Date:	10/09/1987
Spill Time:	16:30
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	NONE
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	03/04/88
Cleanup Ceased:	03/04/88
Cleanup Meets Standard:	True
Investigator:	OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	10/09/87
Reported to Department Time:	18:40
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	JACK JONES
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 761-8385
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	03/04/88
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	03/04/88
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	11/18/87
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	03/20/98
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00

PRESBYTERIAN CHURCH (Continued) **S100139602**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: / / : 10/13/87-WILL RETEST. / / : 02-16-88 TANK HAS BEEN RELINED REFILLED. WILL RETEST ASAP. WILL CALL IN RESULTS. L.R. 03/04/88: TANK PASSED RETEST. N.F.A. L.R.
Spill Cause: TTTF-8K TANK;-0.253 GPH

199
ENE
1/4-1/2
0.434 mi.
2290 ft.

PARK KNOLL **LTANKS S100165795**
88 UNDERHILL AVE **HIST LTANKS N/A**
WHITE PLAINS, NY

Relative:
Higher

Actual:
161 ft.

LTANKS:
Site ID: 190147
Spill No: 8708779
Spill Date: 1/14/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 11/29/1989
Facility Addr2: Not reported
Cleanup Ceased: 11/29/1989
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jeokesso
Referred To: Not reported
Reported to Dept: 1/14/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/28/1988
Spill Record Last Update: 11/29/1989
Spiller Name: Not reported
Spiller Company: PARKKNOLL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3

PARK KNOLL (Continued) **S100165795**

DER Facility ID: 158655
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"
Remarks: 3K -.424 TO EXCAVATE,ISOLATE & RETEST

Material:
Site ID: 190147
Operable Unit ID: 914087
Operable Unit: 01
Material ID: 464147
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 190147
Spill Tank Test: 1533003
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8708779
Spill Date: 01/14/1988
Spill Time: 16:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 11/29/89
Cleanup Ceased: 11/29/89
Cleanup Meets Standard: True
Investigator: OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/14/88

PARK KNOLL (Continued) **S100165795**

Reported to Department Time: 18:26
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PARKKNOLL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 946-3202
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/29/89
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: 3K -.424 TO EXCAVATE,ISOLATE RETEST

AM200 **SAL'S AUTO BODY** **RCRA-CESQG** **1000137564**
North **59 LAKE ST** **FINDS** **NYD982183501**
1/4-1/2 **WHITE PLAINS, NY 10604** **LTANKS**
0.440 mi. **MANIFEST**
2323 ft. **Site 3 of 3 in cluster AM**

Relative:
Higher

Actual:
162 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	SAL'S AUTO BODY
Facility address:	59 LAKE ST WHITE PLAINS, NY 10604
EPA ID:	NYD982183501
Mailing address:	LAKE ST WHITE PLAINS, NY 10604
Contact:	Not reported
Contact address:	LAKE ST WHITE PLAINS, NY 10604
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	JOHN SALVATORE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JOHN SALVATORE
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

SAL'S AUTO BODY (Continued) **1000137564**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: SAL'S AUTO BODY
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/14/1999
Facility name: SAL'S AUTO BODY
Site name: SAL'S AUTO BODY
Classification: Small Quantity Generator

Date form received by agency: 05/13/1987
Facility name: SAL'S AUTO BODY
Site name: SAL'S AUTO BODY
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004415124

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:
Site ID: 354522
Spill No: 0508843
Spill Date: 10/24/2005
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

SAL'S AUTO BODY (Continued) **1000137564**

Spill Closed Dt:	8/15/2012
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	10/24/2005
CID:	407
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/24/2005
Spill Record Last Update:	8/15/2012
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ -
Spiller County:	001
Spiller Contact:	ANN WEST
Spiller Phone:	(914) 946-2370
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	301873
DEC Memo:	No known impacts at this time; 550 tank failed test; recommend uncover and retest.7/30/10 Homeowner TTF JO'M8/15/12 Upon Consultation with Albany and the Region all HO TTF's greater then 5 years old and no indications of contamination or problems will be closed. NFA JO'M
Remarks:	Recommend uncover/repair/retest.

Material:

Site ID:	354522
Operable Unit ID:	1111923
Operable Unit:	01
Material ID:	2101969
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	354522
Spill Tank Test:	1549434
Tank Number:	1
Tank Size:	550
Test Method:	03
Leak Rate:	0

SAL'S AUTO BODY (Continued) **1000137564**

Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	10/24/2005
Test Method:	Horner EZ Check I or II

Site ID:	354522
Spill No:	0508843
Spill Date:	10/24/2005
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	8/15/2012
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	10/24/2005
CID:	407
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/24/2005
Spill Record Last Update:	8/15/2012
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ -
Spiller County:	001
Spiller Contact:	ANN WEST
Spiller Phone:	(914) 946-2370
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	301873
DEC Memo:	No known impacts at this time; 550 tank failed test; recommend uncover and retest.7/30/10 Homeowner TTF JO'M8/15/12 Upon Consultation with Albany and the Region all HO TTF's greater then 5 years old and no indications of contamination or problems will be closed. NFA JO'M
Remarks:	Recommend uncover/repair/retest.

Material:

Site ID:	354522
Operable Unit ID:	1111923
Operable Unit:	01
Material ID:	2101969
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum

SAL'S AUTO BODY (Continued) **1000137564**

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 354522
Spill Tank Test: 1549434
Tank Number: 1
Tank Size: 550
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 10/24/2005
Test Method: Horner EZ Check I or II

Site ID: 354522
Spill No: 0508843
Spill Date: 10/24/2005
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/15/2012
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6017
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 10/24/2005
CID: 407
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/24/2005
Spill Record Last Update: 8/15/2012
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: ANN WEST
Spiller Phone: (914) 946-2370
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 301873
DEC Memo: No known impacts at this time; 550 tank failed test; recommend uncover and retest.7/30/10 Homeowner TTF JO'M8/15/12 Upon Consultation with Albany and the Region all HO TTF's greater then 5

SAL'S AUTO BODY (Continued) **1000137564**

years old and no indications of contamination or problems will be closed. NFA JO'M
Remarks: Recommend uncover/repair/retest.

Material:
Site ID: 354522
Operable Unit ID: 1111923
Operable Unit: 01
Material ID: 2101969
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 354522
Spill Tank Test: 1549434
Tank Number: 1
Tank Size: 550
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 10/24/2005
Test Method: Horner EZ Check I or II

NY MANIFEST:
EPA ID: NYD982183501
Country: USA
Mailing Name: SAL AUTO BODY
Mailing Contact: SAL AUTO BODY
Mailing Address: 59 LAKE STREET
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10604
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-948-0194

Document ID: MAC7218540
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: P48758IL
Trans2 State ID: Not reported
Generator Ship Date: 900620
Trans1 Recv Date: 900620
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900622
Part A Recv Date: 900817

SAL'S AUTO BODY (Continued) **1000137564**

Part B Recv Date:	900827
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F003 - UNKNOWN
Quantity:	00090
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	90

Document ID:	MAM1186460
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	07/26/2000
Trans1 Recv Date:	07/26/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/31/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2000

Document ID:	CTF0886495
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	06/19/2003
Trans1 Recv Date:	06/19/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/24/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	CTD021816889
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001

SAL'S AUTO BODY (Continued) **1000137564**

Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2003

Document ID: MAH3712110
Manifest Status: Completed copy
Trans1 State ID: P52018IL
Trans2 State ID: Not reported
Generator Ship Date: 940630
Trans1 Recv Date: 940630
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940706
Part A Recv Date: 940708
Part B Recv Date: 940718
Generator EPA ID: NYD982183501
Trans1 EPA ID: ILD099202681
Trans2 EPA ID: Not reported
TSDF ID: CTD072138969
Waste Code: F003 - UNKNOWN
Quantity: 00602
Units: P - Pounds
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NYB2800224
Manifest Status: Completed copy
Trans1 State ID: P14005IL
Trans2 State ID: Not reported
Generator Ship Date: 910626
Trans1 Recv Date: 910626
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910703
Part A Recv Date: 910709
Part B Recv Date: 910715
Generator EPA ID: NYD982183501
Trans1 EPA ID: ILD099202681
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: F005 - UNKNOWN
Quantity: 00140
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: MAK0493620
Manifest Status: Not reported
Trans1 State ID: NJD080631369

SAL'S AUTO BODY (Continued) **1000137564**

Trans2 State ID:	Not reported
Generator Ship Date:	06/16/1998
Trans1 Recv Date:	06/16/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/24/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P207061IL
Waste Code:	F003 - UNKNOWN
Quantity:	00130
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	98

Document ID:	CTF0511645
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	P207055IL
Trans2 State ID:	Not reported
Generator Ship Date:	970619
Trans1 Recv Date:	970619
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970623
Part A Recv Date:	970708
Part B Recv Date:	970728
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F005 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	97

Document ID:	06
Manifest Status:	000155812GBF
Trans1 State ID:	NYD982183501
Trans2 State ID:	Not reported
Generator Ship Date:	CTD002593887
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	CTD021816889
TSD Site Recv Date:	Not reported
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	N
Trans1 EPA ID:	N

SAL'S AUTO BODY (Continued) **1000137564**

Trans2 EPA ID:	N
TSDF ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	1
Number of Containers:	TT
Container Type:	110
Handling Method:	G
Specific Gravity:	1
Waste Code:	B
Quantity:	D035
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported

Document ID:	CTF1051156
Manifest Status:	Not reported
Trans1 State ID:	P298709IL
Trans2 State ID:	Not reported
Generator Ship Date:	06/17/2004
Trans1 Recv Date:	06/17/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/18/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID:	CTD021816
Waste Code:	F003 - UNKNOWN
Quantity:	00145
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2004

Document ID:	CTF1173275
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	09/06/2005
Trans1 Recv Date:	09/06/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/12/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	P207004IL
Trans2 EPA ID:	Not reported
TSDF ID:	CTD021816889

SAL'S AUTO BODY (Continued) **1000137564**

Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	Not reported

Document ID:	CTB0086898
Manifest Status:	Completed copy
Trans1 State ID:	G65142CT
Trans2 State ID:	Not reported
Generator Ship Date:	880129
Trans1 Recv Date:	880129
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880201
Part A Recv Date:	880212
Part B Recv Date:	880211
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	VAD980831580
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F003 - UNKNOWN
Quantity:	00105
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	88

Document ID:	CTC0163637
Manifest Status:	Completed copy
Trans1 State ID:	H18750CT
Trans2 State ID:	Not reported
Generator Ship Date:	880706
Trans1 Recv Date:	880706
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880708
Part A Recv Date:	880719
Part B Recv Date:	880719
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	VAD980831580
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F003 - UNKNOWN
Quantity:	00082
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	88

SAL'S AUTO BODY (Continued) **1000137564**

Document ID:	CTF0399052
Manifest Status:	Completed copy
Trans1 State ID:	P52018IL
Trans2 State ID:	Not reported
Generator Ship Date:	950612
Trans1 Recv Date:	950612
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	950614
Part A Recv Date:	950622
Part B Recv Date:	950703
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F003 - UNKNOWN
Quantity:	00763
Units:	P - Pounds
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	95

Document ID:	MAM1496360
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	06/11/2001
Trans1 Recv Date:	06/11/2001
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/12/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2001

Document ID:	CTC0195098
Manifest Status:	Completed copy
Trans1 State ID:	P93-069VA
Trans2 State ID:	Not reported
Generator Ship Date:	890120
Trans1 Recv Date:	890120
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890125
Part A Recv Date:	890201

SAL'S AUTO BODY (Continued) **1000137564**

Part B Recv Date:	890207
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	VAD980831580
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F003 - UNKNOWN
Quantity:	00080
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	89

Document ID:	CTF1173275
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	09/06/2005
Trans1 Recv Date:	09/06/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/12/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	P207004IL
Trans2 EPA ID:	Not reported
TSDF ID:	CTD021816889
Waste Code:	F003 - UNKNOWN
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2005

Document ID:	MAG1003240
Manifest Status:	Completed copy
Trans1 State ID:	P22294IL
Trans2 State ID:	Not reported
Generator Ship Date:	920622
Trans1 Recv Date:	920622
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	920624
Part A Recv Date:	Not reported
Part B Recv Date:	920710
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	MAD053452637
Waste Code:	F003 - UNKNOWN
Quantity:	00115
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001

SAL'S AUTO BODY (Continued) **1000137564**

Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	92

Document ID:	CTC0245013
Manifest Status:	Completed copy
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	890802
Trans1 Recv Date:	890802
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890804
Part A Recv Date:	890814
Part B Recv Date:	890817
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID:	CTD072138969
Waste Code:	F005 - UNKNOWN
Quantity:	00045
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	89

Document ID:	MAK0837940
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Trans2 State ID:	Not reported
Generator Ship Date:	06/04/1999
Trans1 Recv Date:	06/04/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/08/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00080
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99

Document ID:	MAM1686990
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369

SAL'S AUTO BODY (Continued) **1000137564**

Trans2 State ID:	Not reported
Generator Ship Date:	07/15/2002
Trans1 Recv Date:	07/15/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/17/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982183501
Trans1 EPA ID:	MAD053452637
Trans2 EPA ID:	Not reported
TSDF ID:	P298709IL
Waste Code:	F003 - UNKNOWN
Quantity:	00135
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2002

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AN201 **OFFICE BLDG** **LTANKS** **S102960015**
SW **203 MAMARONECK AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.440 mi.
2325 ft. **Site 1 of 3 in cluster AN**

Relative:
Higher

Actual:
227 ft.

LTANKS:

Site ID:	329412
Spill No:	9710787
Spill Date:	12/22/1997
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	Not reported
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	12/22/1997
CID:	312
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	4
Date Entered In Computer:	12/22/1997
Spill Record Last Update:	8/3/2010
Spiller Name:	Not reported
Spiller Company:	OFFICE BLDG
Spiller Address:	203 MAMARONECK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY

OFFICE BLDG (Continued) **S102960015**

Spiller County:	001
Spiller Contact:	TARRICONE FUEL GREG
Spiller Phone:	(914) 693-1132
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	265043
DEC Memo:	8/3/10 need Update JO'M
Remarks:	TANK FAILED

Material:

Site ID:	Not reported
Operable Unit ID:	Not reported
Operable Unit:	Not reported
Material ID:	Not reported
Material Code:	Not reported
Material Name:	Not reported
Case No.:	Not reported
Material FA:	Not reported
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	329412
Spill Tank Test:	1545530
Tank Number:	001
Tank Size:	3000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

HIST LTANKS:

Region of Spill:	3
Spill Number:	9710787
Spill Date:	12/22/1997
Spill Time:	13:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported

OFFICE BLDG (Continued) **S102960015**

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/22/97
Reported to Department Time: 16:17
SWIS: 55
Spiller Contact: TARRICONE FUEL GREG
Spiller Phone: (914) 693-1132
Spiller Extention: Not reported
Spiller Name: OFFICE BLDG
Spiller Address: 203 MAMARONECK AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: ( ) -
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/22/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/23/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 001
Tank Size: 3000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Not reported
Quantity Spilled: Not reported
Unkonwn Quantity Spilled: Not reported
Units: Not reported
Quantity Recovered: Not reported
Unkonwn Quantity Recovered: Not reported
Material: Not reported
Class Type: Not reported
Times Material Entry In File: Not reported
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: Not reported
Spill Cause: TANK FAILED

SPILLS:
Facility ID: 0800340
DER Facility ID: 265043

OFFICE BLDG (Continued) **S102960015**

Facility Type:	ER
Site ID:	396080
DEC Region:	3
Spill Number:	0800340
Spill Date:	4/9/2008
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	4/25/2008
SWIS:	6017
Investigator:	jbodee
Referred To:	Not reported
Reported to Dept:	4/9/2008
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	4/9/2008
Spill Record Last Update:	4/28/2008
Spiller Name:	STORE MANAGER-DAVE
Spiller Company:	SPENCER ADAMS STORE
Spiller Address:	203 MANAMACK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	STORE MANAGER-DAVE
Contact Phone:	(914) 806-7063
DEC Memo:	Spill of 10 to 20 gallons, contained to concrete. Robison completed cleanup. NFA jod
Remarks:	BROKEN OIL LINE AND IN PROCESS OF CLEANING AND IS CONTAINED IN A PIT

Material:

Site ID:	396080
Operable Unit ID:	1153026
Operable Unit:	01
Material ID:	2143804
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

OFFICE BLDG (Continued) **S102960015**

Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Facility ID:	9711397
DER Facility ID:	265043
Facility Type:	ER
Site ID:	329413
DEC Region:	3
Spill Number:	9711397
Spill Date:	1/10/1998
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	1/12/1998
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	1/10/1998
CID:	207
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Police Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/10/1998
Spill Record Last Update:	3/5/1998
Spiller Name:	ARNOLD LIPMAN
Spiller Company:	Not reported
Spiller Address:	203 MAMARONECK AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Company:	001
Contact Name:	ARNOLD LIPMAN
Contact Phone:	(914) 761-3379
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"01/10/98 BASEMENT FLOOR OF BUILDING; WCHD RESPONDING;01/12/98 SMALL SPILL ONTO BOILER ROOM FLOOR; NO DRAIN AFFECTED; CONTAINED WITH SPEEDI-DRI; CHRIS LELAK (WCHD);
Remarks:	temp oil storage leaked - oil co enroute to clean up

Material:

Site ID:	329413
Operable Unit ID:	1057884
Operable Unit:	01
Material ID:	326067
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons

OFFICE BLDG (Continued) **S102960015**

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

202
NE
1/4-1/2
0.445 mi.
2348 ft.

CARPINETTO RESIDENCE **LTANKS** **S105995944**
34 UNDERHILL PL **N/A**
WEST HARRISON, NY

Relative:
Lower

Actual:
149 ft.

LTANKS:
Site ID: 109280
Spill No: 0202056
Spill Date: 5/28/2002
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/7/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6000
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 5/28/2002
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/28/2002
Spill Record Last Update: 11/12/2002
Spiller Name: JAMES CARPINETTO
Spiller Company: JAMES CARPINETO
Spiller Address: 34 UNDERHILL PL
Spiller City,St,Zip: WEST HARRISON, NY
Spiller County: 001
Spiller Contact: JAMES CARPINETTO

CARPINETTO RESIDENCE (Continued) **S105995944**

Spiller Phone:	(914) 755-1982
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	95982
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"10/15/02 NES DISPOSED OF TANK AND 91.21 TONS CONTAMINATED SOIL. GROUND WATER SAMPLE FROM MONITORING WELL WAS ND. NFA
Remarks:	contaminated soil discovered from tank removal

Material:

Site ID:	109280
Operable Unit ID:	855085
Operable Unit:	01
Material ID:	523465
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AJ203 **50 N. BWAY. OWNERS INC.** **LTANKS** **S100494668**
NW **50 NORTH BROADWAY** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.446 mi.
2355 ft. **Site 3 of 3 in cluster AJ**

Relative:
Higher

Actual:
263 ft.

LTANKS:

Site ID:	219739
Spill No:	9212081
Spill Date:	1/22/1993
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	6/29/1994
Facility Addr2:	Not reported
Cleanup Ceased:	6/29/1994
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa

50 N. BWAY. OWNERS INC. (Continued) **S100494668**

Referred To:	Not reported
Reported to Dept:	1/22/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1/25/1993
Spill Record Last Update:	6/29/1994
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	181732
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"06/28/94: TANK REMOVED BY TANK TECH. CLOSURE REPORT SUBMITTED.
Remarks:	DURING ROUTINE MAINTENANCE AND TANK CLEANING BY A.L. EASTMAN & CO. TWO SMALL HOLES DISCOVERED TEMPORARY TANK SET UP LEAKING TANK EMPTIED REQUEST CALL BACK MONDAY

Material:

Site ID:	219739
Operable Unit ID:	978925
Operable Unit:	01
Material ID:	557072
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

50 N. BWAY. OWNERS INC. (Continued) **S100494668**

HIST LTANKS:

Region of Spill:	3
Spill Number:	9212081
Spill Date:	01/22/1993
Spill Time:	11:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	06/29/94
Cleanup Ceased:	06/29/94
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	01/22/93
Reported to Department Time:	14:55
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Responsible Party
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	01/25/93
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	06/29/94
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported

50 N. BWAY. OWNERS INC. (Continued) **S100494668**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 06/28/94: TANK REMOVED BY TANK TECH. CLOSURE REPORT SUBMITTED.
Spill Cause: DURING ROUTINE MAINTENANCE AND TANK CLEANING BY A.L. EASTMAN CO. TWO SMALL HOLES DISCOVERED TEMPORARY TANK SET UP LEAKING TANK EMPTIED REQUEST CALL BACK MONDAY

SPILLS:
Facility ID: 8907277
DER Facility ID: 181732
Facility Type: ER
Site ID: 308058
DEC Region: 3
Spill Number: 8907277
Spill Date: 10/24/1989
Spill Cause: Human Error
Spill Class: Not reported
Spill Closed Date: 10/24/1989
SWIS: 6017
Investigator: DUNN
Referred To: Not reported
Reported to Dept: 10/24/1989
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: 10/24/1989
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 12/2/2003
Spill Record Last Update: 12/2/2003
Spiller Name: Not reported
Spiller Company: ORIGINAL OIL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "P. DUNN"
Remarks: APPLIED SPEEDY DRY. SPILL IS CONTAINED. A.L. EASTMONT WAS CONTRACTOR THAT CLEANED UP.

50 N. BWAY. OWNERS INC. (Continued) **S100494668**

Material:

Site ID:	308058
Operable Unit ID:	934922
Operable Unit:	01
Material ID:	444070
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

204
WSW
1/4-1/2
0.447 mi.
2362 ft.

INNS OF COURT **LTANKS S102399524**
99 COURT ST **HIST LTANKS N/A**
WHITE PLAINS, NY

Relative:
Higher

Actual:
230 ft.

LTANKS:

Site ID:	204590
Spill No:	9606465
Spill Date:	8/20/1996
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	2/28/2006
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	8/20/1996
CID:	349
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0

INNS OF COURT (Continued) **S102399524**

Date Entered In Computer: 8/20/1996
Spill Record Last Update: 2/28/2006
Spiller Name: SUSAN HARVEY
Spiller Company: INNS OF COURT
Spiller Address: 99 COURT ST
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 001
Spiller Contact: SUSAN HARVEY
Spiller Phone: (914) 947-8400
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 170073
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"02/28/06 Tank passed an isolation retest but lines failed in Aug of 1996. Tank was scheduled to be abandoned in place and lines removed by NES Oct 1996. WCHD PBS databse lists site as "Unregulated" as of June 1997. NFA jod
Remarks: Not reported

Material:
Site ID: 204590
Operable Unit ID: 1034262
Operable Unit: 01
Material ID: 561159
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 204590
Spill Tank Test: 1544695
Tank Number: Not reported
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:
Region of Spill: 3
Spill Number: 9606465
Spill Date: 08/20/1996
Spill Time: 10:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial

INNS OF COURT (Continued) **S102399524**

Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	08/20/96
Reported to Department Time:	11:34
SWIS:	55
Spiller Contact:	SUSAN HARVEY
Spiller Phone:	(914) 947-8400
Spiller Extention:	Not reported
Spiller Name:	INNS OF COURT
Spiller Address:	99 COURT ST
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller Cleanup Date:	/ /
Facility Contact:	SUSAN HARVEY
Facility Phone:	(914) 947-8400
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	08/20/96
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	10/02/96
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	3000
Test Method:	Horner EZ Check
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Talk Test Failures only pass or fail

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Gallons
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	#2 FUEL OIL

INNS OF COURT (Continued) **S102399524**

Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: Not reported

AL205 **THE MICHICALLIAN OFFICE** **LTANKS** **S100782193**
WSW **MARTINE AVE. & COURT ST.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.452 mi.
2388 ft. **Site 2 of 4 in cluster AL**

Relative:
Higher

Actual:
220 ft.

LTANKS:
Site ID: 276042
Spill No: 9310783
Spill Date: 11/16/1993
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/18/1993
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 12/6/1993
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: 11/16/1993
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/3/1994
Spill Record Last Update: 7/29/1997
Spiller Name: Not reported
Spiller Company: W.C. DPW
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 224426
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"11/16/93 DEC ON SITE TO DETERMINE CONTAMINATION;11/18/93 REMOVAL OF 77.98 TONS OF SOIL;
Remarks: DISCOVERED OIL IN TANK PULL FAXED TO TODD GHIOSAY

Material:
Site ID: 276042
Operable Unit ID: 989528
Operable Unit: 01

THE MICHICALLIAN OFFICE (Continued) **S100782193**

Material ID:	389858
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9310783
Spill Date:	11/16/1993
Spill Time:	12:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/18/93
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	12/06/93
Reported to Department Time:	12:32
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	W.C. DPW
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported

THE MICHICALLIAN OFFICE (Continued) **S100782193**

Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: 11/16/93
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/03/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/29/97
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 11/16/93 DEC ON SITE TO DETERMINE CONTAMINATION; 11/18/93 REMOVAL OF 77.98 TONS OF SOIL;
Spill Cause: DISCOVERED OIL IN TANK PULL FAXED TO TODD GHIOSAY

AL206 **INTERSECTION OF COURT ST.** **LTANKS** **S102674960**
WSW **COURT ST. & MARITINE AVE.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.452 mi.
2388 ft. **Site 3 of 4 in cluster AL**

Relative:
Higher

Actual:
220 ft.

LTANKS:
Site ID: 187446
Spill No: 8905963
Spill Date: 9/18/1989
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 11/29/1989
Facility Addr2: Not reported
Cleanup Ceased: 11/29/1989

INTERSECTION OF COURT ST. (Continued) **S102674960**

Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	9/18/1989
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/21/1989
Spill Record Last Update:	11/29/1989
Spiller Name:	Not reported
Spiller Company:	RAD OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	156611
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TODD GHIOSAY"
Remarks:	TANK TRUCK WAS OVERFILLED. WHITE PLAINS P.D. & F.D. ON SCENE.

Material:

Site ID:	187446
Operable Unit ID:	931170
Operable Unit:	01
Material ID:	446358
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

INTERSECTION OF COURT ST. (Continued) **S102674960**

HIST LTANKS:

Region of Spill:	3
Spill Number:	8905963
Spill Date:	09/18/1989
Spill Time:	06:05
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Class:	Not reported
Spill Closed Dt:	11/29/89
Cleanup Ceased:	11/29/89
Cleanup Meets Standard:	True
Investigator:	TODD GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	09/18/89
Reported to Department Time:	06:49
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	RAD OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	Not reported
Facility Extention:	Not reported
Spill Notifier:	Fire Department
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	09/21/89
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	11/29/89
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

INTERSECTION OF COURT ST. (Continued) **S102674960**

Material:
- Material Class Type: Petroleum
- Quantity Spilled: 25
- Unkonwn Quantity Spilled: False
- Units: Gallons
- Quantity Recovered: 0
- Unkonwn Quantity Recovered: False
- Material: GASOLINE
- Class Type: GASOLINE
- Times Material Entry In File: 21329
- CAS Number: Not reported
- Last Date: 19940929
- DEC Remarks: Not reported
- Spill Cause: TANK TRUCK WAS OVERFILLED. WHITE PLAINS P.D. F.D. ON SCENE.

AN207 **WHITE PLAINS-FIRE HOUSE 6** **LTANKS** **S100140233**
SW **MAMARONECK & MAPLE AVE.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.454 mi.
2398 ft. **Site 2 of 3 in cluster AN**

Relative:
Higher

Actual:
228 ft.

LTANKS:
- Site ID: 311048
- Spill No: 8707149
- Spill Date: 11/19/1987
- Spill Cause: Tank Test Failure
- Spill Source: Institutional, Educational, Gov., Other
- Spill Class: Not reported
- Spill Closed Dt: 1/5/1989
- Facility Addr2: Not reported
- Cleanup Ceased: 1/5/1989
- Cleanup Meets Standard: True
- SWIS: 6017
- Investigator: jeokesso
- Referred To: Not reported
- Reported to Dept: 11/19/1987
- CID: Not reported
- Water Affected: Not reported
- Spill Notifier: Tank Tester
- Last Inspection: 1/5/1989
- Recommended Penalty: False
- UST Involvement: False
- Remediation Phase: 0
- Date Entered In Computer: 11/20/1987
- Spill Record Last Update: 1/12/1989
- Spiller Name: MR. BROCCHI
- Spiller Company: CITY OF WHITE PLAINS
- Spiller Address: Not reported
- Spiller City,St,Zip: ZZ
- Spiller County: 001
- Spiller Contact: Not reported
- Spiller Phone: Not reported
- Spiller Extention: Not reported
- DEC Region: 3
- DER Facility ID: 251062
- DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON"

WHITE PLAINS-FIRE HOUSE 6 (Continued) **S100140233**

Remarks: 2K SYSTEM- HIGH VOLUME LEAK.TO E & I & R. TANK REMOVED. NEW TANK INSTALLED

Material:

Site ID:	311048
Operable Unit ID:	911037
Operable Unit:	01
Material ID:	466122
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	311048
Spill Tank Test:	1532377
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	8707149
Spill Date:	11/19/1987
Spill Time:	18:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Not reported
Spill Closed Dt:	01/05/89
Cleanup Ceased:	01/05/89
Cleanup Meets Standard:	True
Investigator:	OKESSON
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	11/19/87
Reported to Department Time:	19:49
SWIS:	55

WHITE PLAINS-FIRE HOUSE 6 (Continued) **S100140233**

Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	CITY OF WHITE PLAINS
Spiller Address:	Not reported
Spiller City,St,Zip:	MR. BROCCHI
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 682-4389
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	3-169471
Last Inspection:	01/05/89
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	11/20/87
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	01/12/89
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00
Gross Leak Rate:	Not reported

Material:

Material Class Type:	Petroleum
Quantity Spilled:	0
Unkonwn Quantity Spilled:	False
Units:	Not reported
Quantity Recovered:	0
Unkonwn Quantity Recovered:	False
Material:	#2 FUEL OIL
Class Type:	#2 FUEL OIL
Times Material Entry In File:	24464
CAS Number:	Not reported
Last Date:	19941207
DEC Remarks:	Not reported
Spill Cause:	2K SYSTEM- HIGH VOLUME LEAK.TO E I R. TANK REMOVED. NEW TANK INSTALLED

AN208 **WHITE PLAINS DPW** **LTANKS** **S100177896**
SW **MAPLE & MAMARONECK AVE.** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.454 mi.
2398 ft. **Site 3 of 3 in cluster AN**

Relative:
Higher

Actual:
228 ft.

LTANKS:

Site ID:	90852
Spill No:	9111846
Spill Date:	2/18/1992
Spill Cause:	Tank Failure

WHITE PLAINS DPW (Continued) **S100177896**

Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/10/1992
Facility Addr2:	Not reported
Cleanup Ceased:	2/18/1992
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	TAYLOR
Referred To:	Not reported
Reported to Dept:	2/18/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	2/18/1992
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2/25/1992
Spill Record Last Update:	3/10/1992
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	81978
DEC Memo:	Not reported
Remarks:	DURING UPGRADE TANK PULL CONTAMINATED SOIL DISCOVERED EXCAVATED AND STOCKPILED WILL TEST AND DISPOSED

Material:

Site ID:	90852
Operable Unit ID:	965509
Operable Unit:	01
Material ID:	567527
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

WHITE PLAINS DPW (Continued) **S100177896**

Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 3
Spill Number: 9111846
Spill Date: 02/18/1992
Spill Time: 12:01
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/10/92
Cleanup Ceased: 02/18/92
Cleanup Meets Standard: True
Investigator: TAYLOR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/18/92
Reported to Department Time: 13:15
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 422-1212
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: 02/18/92
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/25/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/10/92
Is Updated: False

WHITE PLAINS DPW (Continued) **S100177896**

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: DURING UPGRADE TANK PULL CONTAMINATED SOIL DISCOVERED EXCAVATED AND STOCKPILED WILL TEST AND DISPOSED

AL209 **MICHAEL E LAND OFFICE BLD** **LTANKS** **S102151229**
WSW **148 MARTINE AVE** **MANIFEST** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Spills**
0.455 mi. **NY Hist Spills**
2405 ft. **Site 4 of 4 in cluster AL**

Relative:
Higher

Actual:
221 ft.

LTANKS:
Site ID: 347878
Spill No: 0503295
Spill Date: 6/17/2005
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/26/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: JBODee
Referred To: WCDOH
Reported to Dept: 6/17/2005
CID: 407
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/17/2005
Spill Record Last Update: 9/26/2005
Spiller Name: LOU MASTRO
Spiller Company: MICHAEL E LAND OFFICE BLD
Spiller Address: 148 MARTINE AVE

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	LOU MASTRO
Spiller Phone:	(845) 565-9600
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	153551
DEC Memo:	09/26/05: Letter to J. Varmon, County of Westchester DPW, from C. Lalak, WCDOH, dated 13Sep2005. Spill closure report, reporting requirement and as-built plans received. Department still needs a copy of the passing tightness test. Submit results asap. No further remdiation required regarding this spill number.
Remarks:	Located on the court st side of the building.

Material:

Site ID:	347878
Operable Unit ID:	1105557
Operable Unit:	01
Material ID:	1521369
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	126439
Spill No:	0109874
Spill Date:	1/11/2002
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/14/2002
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6018
Investigator:	jbodee
Referred To:	Not reported

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Reported to Dept:	1/12/2002
CID:	281
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1/12/2002
Spill Record Last Update:	9/2/2003
Spiller Name:	SAME
Spiller Company:	WESTCHESTER CO DPW
Spiller Address:	SAME
Spiller City,St,Zip:	ZZ -
Spiller County:	001
Spiller Contact:	MIKE CIRCOSTA
Spiller Phone:	(914) 995-3905
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	304255
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"
Remarks:	LINE TEST FAILURE AT ABOVE LOCATION. SOME MATERIAL DID LEAK ANDWAS RECOVERED IN CONTAINMENT AREA. LINE TO BE REPLACED.

Material:

Site ID:	126439
Operable Unit ID:	848218
Operable Unit:	01
Material ID:	552679
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	126439
Spill Tank Test:	1526811
Tank Number:	5
Tank Size:	3000
Test Method:	01
Leak Rate:	0.10000000
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Petro-Tite/Petro Comp

Site ID:	214706
Spill No:	0301426
Spill Date:	5/8/2003

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	5/8/2003
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	VPMCCABE
Referred To:	Not reported
Reported to Dept:	5/8/2003
CID:	270
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	5/8/2003
Spill Record Last Update:	5/12/2003
Spiller Name:	CALLER
Spiller Company:	KENN ORICCHIO
Spiller Address:	500 KINGSLAND
Spiller City,St,Zip:	BROOKLYN, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(914) 995-3905
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	153551
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MCCABE"
Remarks:	DRIVER OVERFILLED TANK. ALL CLEANED UP

Material:

Site ID:	214706
Operable Unit ID:	867817
Operable Unit:	01
Material ID:	505918
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	5
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY MANIFEST:
EPA ID: NYD072705213
Country: USA
Mailing Name: WESTCHESTER CITY OFFICE BLDG
Mailing Contact: WESTCHESTER CITY OFFICE BLDG
Mailing Address: 19 BRODHURST AVE
Mailing Address 2: Not reported
Mailing City: HAWTHORNE
Mailing State: NY
Mailing Zip: 10532
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-593-2305

NY MANIFEST:
No Manifest Records Available

EPA ID: NYR000067520
Country: USA
Mailing Name: WESTCHESTER CO DPW
Mailing Contact: EUGENE FISKE
Mailing Address: 148 MARTINE AVE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10605
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-827-9429

NY MANIFEST:
No Manifest Records Available

SPILLS:
Facility ID: 9103040
DER Facility ID: 304255
Facility Type: ER
Site ID: 126441
DEC Region: 3
Spill Number: 9103040
Spill Date: 6/12/1991
Spill Cause: Housekeeping
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 6/18/1991
SWIS: 6018
Investigator: tdghiosa

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Referred To:	Not reported
Reported to Dept:	6/12/1991
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Citizen
Cleanup Ceased:	6/18/1953
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	6/18/1991
Spill Record Last Update:	9/2/2003
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks:	FOUND CONTAMINATION WHILE REMOVING TANKS ARBEN CORP. IS PULLING THE TANKS STOCKPILE OF SOIL IS NOT TO DEC REQUIREMENTS LAURI TAYLOR INSTRUCTED THEM TO STOCKPILE ON PLASTIC SOIL STOCKPILE TO BE REMOVED

Material:

Site ID:	126441
Operable Unit ID:	957062
Operable Unit:	01
Material ID:	425507
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	126441
Spill Tank Test:	1538674
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

Facility ID:	9202919
DER Facility ID:	153551

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Facility Type:	ER
Site ID:	183296
DEC Region:	3
Spill Number:	9202919
Spill Date:	6/10/1992
Spill Cause:	Human Error
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date:	7/13/1992
SWIS:	6017
Investigator:	WCHD
Referred To:	WESTCHESTER CNTY HEALTH D
Reported to Dept:	6/10/1992
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	7/13/1992
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/11/1992
Spill Record Last Update:	2/12/2005
Spiller Name:	Not reported
Spiller Company:	IS. TRANSPORTATION
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Not reported
Remarks:	SPILL CONTAINED ON PAVEMENT MOST EVAPORATED SPEEDI-DRI WAS APPLIED AND F.D. WASHED AREA MARINE POLLUTION CONTROL ON WAY TO VAC OUT STORM DRAIN VICKI WCHD ON SCENE

Material:

Site ID:	183296
Operable Unit ID:	970249
Operable Unit:	01
Material ID:	554262
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	23
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill:	3
Spill Number:	9103040
Investigator:	GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Spill Date/Time:	06/12/1991 09:00
Reported to Dept Date/Time:	06/12/91 11:00
SWIS:	55
Spiller Name:	SAME
Spiller Contact:	Not reported
Spiller Phone:	(914) 285-2573
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spill Cause:	Housekeeping
Reported to Dept:	On Land
Water Affected:	Not reported
Spill Source:	02
Spill Notifier:	Citizen
PBS Number:	3-168777
Cleanup Ceased:	06/18/53
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Dt:	/ /
Enforcement Date:	/ /
Invstgn Complete:	/ /
UST Involvement:	True
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	06/18/91
Corrective Action Plan Submitted:	/ /
Date Region Sent Summary to Central Office:	/ /
Date Spill Entered In Computer Data File:	06/18/91
Date Spill Entered In Computer Data File:	Not reported
Update Date:	/ /
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported

MICHAEL E LAND OFFICE BLD (Continued) **S102151229**

Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: FOUND CONTAMINATION WHILE REMOVING TANKS ARBEN CORP. IS PULLING THE TANKS STOCKPILE OF SOIL IS NOT TO DEC REQUIREMENTS LAURI TAYLOR INSTRUCTED THEM TO STOCKPILE ON PLASTIC SOIL STOCKPILE TO BE REMOVED

AO210 **41 BARKER AVE.** **LTANKS** **S102153972**
WNW **41 BARKER AVE.** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY** **NY Hist Spills**
0.466 mi.
2462 ft. **Site 1 of 2 in cluster AO**

Relative:
Higher

Actual:
247 ft.

LTANKS:
Site ID: 422220
Spill No: 0909513
Spill Date: 11/25/2009
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/4/2010
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: WCDOH
Reported to Dept: 11/25/2009
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/25/2009
Spill Record Last Update: 3/4/2010
Spiller Name: CERDAN LOVELL
Spiller Company: H AND S PROPRTY MANAGEMENT
Spiller Address: 41 BARKER AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 999

41 BARKER AVE. (Continued) **S102153972**

Spiller Contact:	KATHY MORGAN
Spiller Phone:	(845) 225-5240
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	254318
DEC Memo:	11-25-09 Tank top is 103 in below grade. Test was done in relation to WCHD NOHC. NE Environmental is handling compliance issues. jc12/10/09 -- According to WCDOH: "They're in our hearing process right now. Major violations include no corrosion protection and no leak detection. They're claiming they don't have to come into compliance because White Plains issued them a certificate that everything was in "compliance" when the tank was installed in 1990. They're not accepting our explanation that the certificate only applies to White Plains building code. Because the tank is buried so deep, it will be a hardship for them to come into compliance." And"The case was adjourned for them to prove compliance. If they can get proper documentation, excavation may not be necessary. They're not performing leak monitoring, at least they're not maintaining any documentation. We don't know if the tank is single- or double-walled because the interstitial port is probably not to grade. They have an ATG but there's no proof that it's performing interstitial monitoring. They need to get a contractor to determine what they've got since we're not accepting the "proof" from White Plains Bldg Dept." Resolution to be determined in January, maybe. ELM1/25/10: See eDocs for 12-31-09 letter from WCDOH/PBS - requiring additional action. jod3/4/10: As per an e-mail recived from Chris Lalak of WCDOH dated 2-16-10, this tank was retested and passed. E-mail entered into eDocs. Passed upon the information provided, DEC requires no further action at this time. jod
Remarks:	caller reporting tank test failure on a 10000 gallon ust. caller reports tank is deep, fill pipe is 103 ft long. clean up pending.

Material:

Site ID:	422220
Operable Unit ID:	1178070
Operable Unit:	01
Material ID:	2171020
Material Code:	0002A
Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported

41 BARKER AVE. (Continued) **S102153972**

Last Modified: Not reported
Test Method: Not reported

SPILLS:

Facility ID:	9004325
DER Facility ID:	254318
Facility Type:	ER
Site ID:	315451
DEC Region:	3
Spill Number:	9004325
Spill Date:	7/19/1990
Spill Cause:	Unknown
Spill Class:	Not reported
Spill Closed Date:	12/26/1990
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	7/19/1990
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Fire Department
Cleanup Ceased:	12/26/1990
Cleanup Meets Std:	True
Last Inspection:	12/26/1990
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	7/20/1990
Spill Record Last Update:	1/15/1991
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"01/15/91: LUZON OIL WAS ON SITE LOADING THE LAST OF THE CONTAMINATED SOIL INTOTRUCKS FOR DISPOSAL. JOB IS COMPLETED.
Remarks:	10K TANK OR PIPING LEAKING FOR COUPLE OF DAYS CASTLE OIL FILLED TANK TODAY EASTMAN TANK IS PUMPING OUT TANK FIRE DEPT.AND DOT SANDING STORMDRAIN LEADS TO SEWER PLANT,WCHD,WC HAZMAT,EPA ALL NOTIFIED

Material:

Site ID:	315451
Operable Unit ID:	942144
Operable Unit:	01
Material ID:	435423
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	80
Units:	Gallons
Recovered:	No

41 BARKER AVE. (Continued) **S102153972**

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 3
Spill Number: 9004325
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/19/1990 07:40
Reported to Dept Date/Time: 07/19/90 08:03
SWIS: 55
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Fire Department
PBS Number: Not reported
Cleanup Ceased: 12/26/90
Cleanup Meets Std: True
Last Inspection: 12/26/90
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 12/26/90
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/20/90
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/15/91
Is Updated: False

41 BARKER AVE. (Continued) **S102153972**

Tank:
- PBS Number: Not reported
- Tank Number: Not reported
- Tank Size: Not reported
- Test Method: Not reported
- Leak Rate Failed Tank: Not reported
- Gross Leak Rate: Not reported

Material:
- Material Class Type: Petroleum
- Quantity Spilled: 80
- Unkonwn Quantity Spilled: False
- Units: Gallons
- Quantity Recovered: 0
- Unkonwn Quantity Recovered: False
- Material: #6 FUEL OIL
- Class Type: #6 FUEL OIL
- Times Material Entry In File: 2190
- CAS Number: Not reported
- Last Date: 19940728
- DEC Remarks: 01/15/91: LUZON OIL WAS ON SITE LOADING THE LAST OF THE CONTAMINATED SOIL INTOTRUCKS FOR DISPOSAL. JOB IS COMPLETED.
- Remark: 10K TANK OR PIPING LEAKING FOR COUPLE OF DAYS CASTLE OIL FILLED TANK TODAY EASTMAN TANK IS PUMPING OUT TANK FIRE DEPT.AND DOT SANDING STORMDRAIN LEADS TO SEWER PLANT,WCHD,WC HAZMAT,EPA ALL NOTIFIED

AP211 **RESIDENCE** **LTANKS** **S102660217**
West **185- 187 MAIN ST** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.468 mi.
2473 ft. **Site 1 of 2 in cluster AP**

Relative:
Higher

Actual:
207 ft.

LTANKS:
- Site ID: 81930
- Spill No: 9708138
- Spill Date: 10/9/1997
- Spill Cause: Tank Failure
- Spill Source: Private Dwelling
- Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
- Spill Closed Dt: 11/10/1997
- Facility Addr2: Not reported
- Cleanup Ceased: Not reported
- Cleanup Meets Standard: True
- SWIS: 6017
- Investigator: tdghiosa
- Referred To: Not reported
- Reported to Dept: 10/10/1997
- CID: 369
- Water Affected: Not reported
- Spill Notifier: Other
- Last Inspection: Not reported
- Recommended Penalty: False
- UST Involvement: False
- Remediation Phase: 0
- Date Entered In Computer: 10/10/1997
- Spill Record Last Update: 1/29/1998
- Spiller Name: STANLEY DRUCKER

RESIDENCE (Continued) **S102660217**

Spiller Company:	Not reported
Spiller Address:	185- 187 MAIN ST
Spiller City,St,Zip:	WHITE PLAINS, ZZ
Spiller County:	001
Spiller Contact:	STANLEY DRUCKER
Spiller Phone:	(914) 937-7307
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	75659
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"10/10/97 SOIL TO BE STOCKPILED & DISPOSED;10/13/97 LUZON TANK REMOVAL IN DOWNTOWN WHITE PLAINS; TANK LOCATED IN BUCK U/G VAULTED, UNDER THE SIDEWALK; ALL CONTAMINATION MATERIAL REMOVED;
Remarks:	contaminated soil uncovered during tank removal. tanks in u/g vaultfilled with dirt-about 4 yards worth.

Material:

Site ID:	81930
Operable Unit ID:	1051362
Operable Unit:	01
Material ID:	330125
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

HIST LTANKS:

Region of Spill:	3
Spill Number:	9708138
Spill Date:	10/09/1997
Spill Time:	01:00
Spill Cause:	Tank Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/10/97

RESIDENCE (Continued) **S102660217**

Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/10/97
Reported to Department Time: 10:08
SWIS: 55
Spiller Contact: STANLEY DRUCKER
Spiller Phone: (914) 937-7307
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 185- 187 MAIN ST
Spiller City,St,Zip: WHITE PLAINS
Spiller Cleanup Date: / /
Facility Contact: STANLEY DRUCKER
Facility Phone: (914) 937-7307
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/10/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/29/98
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported

RESIDENCE (Continued) **S102660217**

Last Date: 19941207
DEC Remarks: 10/10/97 SOIL TO BE STOCKPILED DISPOSED; 10/13/97 LUZON TANK REMOVAL IN DOWNTOWN WHITE PLAINS; TANK LOCATED IN BUCK U/G VAULTED, UNDER THE SIDEWALK; ALL CONTAMINATION MATERIAL REMOVED;
Spill Cause: contaminated soil uncovered during tank removal. tanks in u/g vault filled with dirt-about 4 yards worth.

AQ212 **SILVERMAN REALTY** **LTANKS** **S106702432**
SW **235 MAMARONECK AVE** **NY Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.470 mi.
2480 ft. **Site 1 of 2 in cluster AQ**

Relative:
Higher

Actual:
232 ft.

LTANKS:
Site ID: 460824
Spill No: 1112859
Spill Date: 2/9/2012
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/30/2012
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 6017
Investigator: TDGHIOSA
Referred To: Not reported
Reported to Dept: 2/9/2012
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/9/2012
Spill Record Last Update: 4/2/2012
Spiller Name: TONYA BASALYGA
Spiller Company: SILVERMAN REALTY
Spiller Address: 235 MAMARONECK DR
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller County: 999
Spiller Contact: TONYA BASALYGA
Spiller Phone: (914) 683-8000
Spiller Extention: 328
DEC Region: 3
DER Facility ID: 110492
DEC Memo: 2/9/12 - To isolate the tank and retest. KAB3/30/12 As per WCDOH ttf, passed retest after remote fill and vent replacement.
Remarks: retest pending, failed with dry leak

Material:
Site ID: 460824
Operable Unit ID: 1210926
Operable Unit: 01

SILVERMAN REALTY (Continued) **S106702432**

Material ID:	2208598
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

Site ID:	128036
Spill No:	0404588
Spill Date:	7/28/2004
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/10/2005
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	WCHD
Reported to Dept:	7/28/2004
CID:	408
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	7/28/2004
Spill Record Last Update:	1/10/2005
Spiller Name:	Not reported
Spiller Company:	SILVERMANN REALITY
Spiller Address:	237 MAMARONECK AVE.
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	SILVERMANN REALITY
Spiller Phone:	(914) 557-0310
Spiller Extention:	Not reported
DEC Region:	3

SILVERMAN REALTY (Continued) **S106702432**

DER Facility ID: 110492
DEC Memo: 01/10/05 PBS SITE. TANK PASSED RETEST. SPILL FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. jbo
Remarks: VACCUM TEST; VENT IS BROKEN

Material:
Site ID: 128036
Operable Unit ID: 887658
Operable Unit: 01
Material ID: 488573
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 128036
Spill Tank Test: 1529478
Tank Number: 1
Tank Size: 5000
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

SPILLS:
Facility ID: 0712619
DER Facility ID: 110492
Facility Type: ER
Site ID: 394259
DEC Region: 3
Spill Number: 0712619
Spill Date: 3/2/2008
Spill Cause: Human Error
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Date: 3/6/2008
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 3/2/2008
CID: 41
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: True

SILVERMAN REALTY (Continued) **S106702432**

Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	3/2/2008
Spill Record Last Update:	3/13/2008
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ 10510
Spiller Company:	001
Contact Name:	ABOVE
Contact Phone:	Not reported
DEC Memo:	WCDOH responded, clean up completed.
Remarks:	OVERFILL OF TANK - OIL COMPANY ON SITE - THREW DRAINING PIPE INTO SUB PUMP - BLDG OWNER WANTS AUTHORIZATION TO HAVE PUMP TURNED BACK ON - REQUESTS CALLBACK ASAP

Material:

Site ID:	394259
Operable Unit ID:	1151204
Operable Unit:	01
Material ID:	2141910
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5
Units:	Gallons
Recovered:	5
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AO213 **APARTMENT BLDG** **LTANKS** **S103037425**
WNW **40 BARKER AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.473 mi.
2497 ft. **Site 2 of 2 in cluster AO**

Relative:
Higher

Actual:
242 ft.

LTANKS:

Site ID:	271212
Spill No:	9713796
Spill Date:	3/12/1998
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other

APARTMENT BLDG (Continued) **S103037425**

Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	1/31/2001
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	tdghiosa
Referred To:	Not reported
Reported to Dept:	3/13/1998
CID:	312
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	3/13/1998
Spill Record Last Update:	3/27/2001
Spiller Name:	SUPERINTENDENT
Spiller Company:	APARTMENT BLDG
Spiller Address:	40 BARKER AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	MANNY ZEVALOS
Spiller Phone:	(718) 830-0131
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	220750
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"08/09/2000 ARMOR REMOVED UST01/31/2001 PETROSCIENCE SUBMITTED A UST CLOSURE REPORT. 149.1 TONS OF CONTAMINATED SOIL EXCAVATED & DISPOSED. NO FURTHER ACTION.
Remarks:	TANK FAILED AIR TIGHTNESS TEST - SUCTION LINE, RETURN LINE AND TANK ITSELF FALIED - ATTEMPTED TO CALL LAST NIGHT BUT WAS PUT ON HOLD

Material:

Site ID:	271212
Operable Unit ID:	1056654
Operable Unit:	01
Material ID:	324789
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	271212
Spill Tank Test:	1545670
Tank Number:	001
Tank Size:	5000

APARTMENT BLDG (Continued) **S103037425**

Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 9713796
Spill Date: 03/12/1998
Spill Time: 17:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/31/01
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: GHIOSAY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/13/98
Reported to Department Time: 10:04
SWIS: 55
Spiller Contact: MANNY ZEVALOS
Spiller Phone: (718) 830-0131
Spiller Extention: Not reported
Spiller Name: APARTMENT BLDG
Spiller Address: 40 BARKER AV
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: SUPERINTENDENT
Facility Phone: (914) 328-9035
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/13/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/27/01
Is Updated: True

APARTMENT BLDG (Continued) **S103037425**

Tank:
- PBS Number: Not reported
- Tank Number: 001
- Tank Size: 5000
- Test Method: Unknown
- Leak Rate Failed Tank: 0.00
- Gross Leak Rate: Not reported

Material:
- Material Class Type: Petroleum
- Quantity Spilled: 0
- Unkonwn Quantity Spilled: True
- Units: Gallons
- Quantity Recovered: 0
- Unkonwn Quantity Recovered: False
- Material: #6 FUEL OIL
- Class Type: #6 FUEL OIL
- Times Material Entry In File: 2190
- CAS Number: Not reported
- Last Date: 19940728
- DEC Remarks: 08/09/2000 ARMOR REMOVED UST 01/31/2001 PETROSCIENCE SUBMITTED A UST CLOSURE REPORT. 149.1 TONS OF CONTAMINATED SOIL EXCAVATED DISPOSED. NO FURTHER ACTION.
- Spill Cause: TANK FAILED AIR TIGHTNESS TEST - SUCTION LINE, RETURN LINE AND TANK ITSELF FALIED - ATTEMPTED TO CALL LAST NIGHT BUT WAS PUT ON HOLD

AR214 **LTANKS** **S104619839**
North **12-14 WOODCREST AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.476 mi.
2512 ft. **Site 1 of 2 in cluster AR**

Relative:
Higher

Actual:
167 ft.

LTANKS:
- Site ID: 131154
- Spill No: 9810848
- Spill Date: 11/28/1998
- Spill Cause: Tank Test Failure
- Spill Source: Private Dwelling
- Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
- Spill Closed Dt: 3/23/1999
- Facility Addr2: Not reported
- Cleanup Ceased: Not reported
- Cleanup Meets Standard: True
- SWIS: 6017
- Investigator: WCHD
- Referred To: Westchester Cnty Health Dept
- Reported to Dept: 11/28/1998
- CID: 382
- Water Affected: Not reported
- Spill Notifier: Tank Tester
- Last Inspection: Not reported
- Recommended Penalty: False
- UST Involvement: False
- Remediation Phase: 0
- Date Entered In Computer: 11/28/1998
- Spill Record Last Update: 3/31/1999
- Spiller Name: FRANCIS BARBOLLA

(Continued) **S104619839**

Spiller Company:	Not reported
Spiller Address:	12-14 WOODCREST AVE
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	FRANCIS BARBOLLA
Spiller Phone:	(914) 948-7947
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	112999
DEC Memo:	Not reported
Remarks:	GROSS FAILURE. OWNER WILL CONTACT THE OIL COMPANY ON MONDAY FOR FURTHER INFORMATIOIN ON WHAT TO DO NEXT.

Material:

Site ID:	131154
Operable Unit ID:	1068236
Operable Unit:	01
Material ID:	314709
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	131154
Spill Tank Test:	1546580
Tank Number:	1
Tank Size:	1000
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

HIST LTANKS:

Region of Spill:	3
Spill Number:	9810848
Spill Date:	11/28/1998
Spill Time:	16:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	03/23/99
Cleanup Ceased:	/ /
Cleanup Meets Standard:	True

(Continued) **S104619839**

Investigator: WCHD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/28/98
Reported to Department Time: 17:47
SWIS: 55
Spiller Contact: FRANCIS BARBOLLA
Spiller Phone: (914) 948-7947
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 12-14 WOODCREST AVE
Spiller City,St,Zip: WHITE PLAINS, NY
Spiller Cleanup Date: / /
Facility Contact: FRANCIS BARBOLLA
Facility Phone: (914) 948-7947
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/28/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/31/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1
Tank Size: 1000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported

(Continued) **S104619839**

Spill Cause: GROSS FAILURE. OWNER WILL CONTACT THE OIL COMPANY ON MONDAY FOR FURTHER INFORMATIOIN ON WHAT TO DO NEXT.

---

215 West 1/4-1/2 0.477 mi. 2520 ft. **POLICE** **LTANKS** **S100139018**
279 HAMILTON **HIST LTANKS** **N/A**
WHITE PLAINS, NY **MANIFEST**

Relative: Higher

Actual: 211 ft.

LTANKS:

Site ID:	92789
Spill No:	8606771
Spill Date:	2/4/1987
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	11/29/1989
Facility Addr2:	Not reported
Cleanup Ceased:	11/29/1989
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	PATEL
Referred To:	Not reported
Reported to Dept:	2/4/1987
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	2/17/1987
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2/9/1987
Spill Record Last Update:	10/25/2007
Spiller Name:	Not reported
Spiller Company:	WPPD
Spiller Address:	SAME
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	83302
DEC Memo:	There is a 2007 Region 3 signed stipulation agreement for this site which can be found at:http://internal/home/rgenf/donepages/consent_orders/mt10/25/07
Remarks:	TTTF

Material:

Site ID:	92789
Operable Unit ID:	903611
Operable Unit:	01
Material ID:	472333
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported

POLICE (Continued) **S100139018**

Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 92789
Spill Tank Test: 1530547
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:
Region of Spill: 3
Spill Number: 8606771
Spill Date: 02/04/1987
Spill Time: 13:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 11/29/89
Cleanup Ceased: 11/29/89
Cleanup Meets Standard: True
Investigator: PATEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/04/87
Reported to Department Time: 15:47
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WPPD
Spiller Address: SAME
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 682-4206
Facility Extention: Not reported
Spill Notifier: Tank Tester

POLICE (Continued) **S100139018**

PBS Number: Not reported
Last Inspection: 02/17/87
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/09/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/29/89
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: / / : 2/4/87-REFERRED TO PBS. / / : 2/17/87-2 MORE MON WELLS TO BE DRILLED.
Spill Cause: TTTF

NY MANIFEST:
EPA ID: NYP000877423
Country: USA
Mailing Name: WHITE PLAINS POLICE DEPT
Mailing Contact: WHITE PLAINS POLICE DEPT
Mailing Address: 279 HAMILTON AVENUE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINS
Mailing State: NY
Mailing Zip: 10601
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 914-682-4210

NY MANIFEST:
No Manifest Records Available

AS216 **BLOOMINGDALES** **HIST LTANKS** **S104075620**
South **175 BLOOMINGDALE ROAD** **NY Hist Spills** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.480 mi.
2534 ft. **Site 1 of 2 in cluster AS**

Relative:
Higher

Actual:
161 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	8803734
Spill Date:	07/29/1988
Spill Time:	11:00
Spill Cause:	Tank Test Failure
Resource Affectd:	Groundwater
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	08/03/88
Cleanup Ceased:	08/03/88
Cleanup Meets Standard:	False
Investigator:	T. GHIOSAY
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	07/29/88
Reported to Department Time:	13:11
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	BLOOMINGDALE-GREG SHIELDS
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(212) 705-3756
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	08/03/88
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	02/10/92
Is Updated:	False

Tank:

PBS Number:	Not reported

BLOOMINGDALES (Continued) **S104075620**

Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: 10K -.045 NFA

NY Hist Spills:
Region of Spill: 3
Spill Number: 8803674
Investigator: J. OKESSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/27/1988 16:11
Reported to Dept Date/Time: 07/27/88 19:56
SWIS: 55
Spiller Name: DENNIS MURPHY
Spiller Contact: Not reported
Spiller Phone: (914) 293-3835
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: Groundwater
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Tank Tester
PBS Number: Not reported
Cleanup Ceased: 08/09/88
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 08/09/88
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /

BLOOMINGDALES (Continued) **S104075620**

Date Spill Entered In Computer Data File: 08/09/88
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: 10K -.073. PBS 104442. NFA

AR217 **LTANKS** **S105999156**
North **16 WOODCREST AVE** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.480 mi.
2535 ft. **Site 2 of 2 in cluster AR**

Relative:
Higher

Actual:
168 ft.

LTANKS:
Site ID: 164534
Spill No: 0302419
Spill Date: 6/6/2003
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/24/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 6/6/2003
CID: 211
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/6/2003

(Continued) **S105999156**

Spill Record Last Update:	6/24/2003
Spiller Name:	VERONICA VRANJESEVIC
Spiller Company:	Not reported
Spiller Address:	16 WOODCREST AV
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	MARIA MADERA
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	138724
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"06/24/03 TANK PASSED RETEST BY PRO-TEST. NFA
Remarks:	uncover repair retest

Material:

Site ID:	164534
Operable Unit ID:	870164
Operable Unit:	01
Material ID:	506896
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	164534
Spill Tank Test:	1528435
Tank Number:	1
Tank Size:	550
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Horner EZ Check I or II

AS218 **BLOOMINGDALES** **RCRA-NonGen** **1007112022**
South **170 BLOOMINGDALE AVE** **LTANKS** **NYD078723756**
1/4-1/2 **WHITE PLAINS, NY 10605** **MANIFEST**
0.481 mi. **NY Spills**
2542 ft. **Site 2 of 2 in cluster AS**

Relative:
Higher

Actual:
164 ft.

RCRA-NonGen:

Date form received by agency:	01/01/2007
Facility name:	BLOOMINGDALES
Facility address:	170 BLOOMINGDALE AVE WHITE PLAINS, NY 10605
EPA ID:	NYD078723756
Mailing address:	BLOOMINGDALE AVE WHITE PLAINS, NY 10605

BLOOMINGDALES (Continued) **1007112022**

Contact: BILL KENNEDY
Contact address: BLOOMINGDALE AVE 7 W 7TH ST
WHITE PLAINS, NY 10605
Contact country: US
Contact telephone: (914) 684-6238
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: BLOOMINGDALES FEDERATED DEPT STORE
Owner/operator address: 7 W 7TH ST
CINCINNATI, OH 45202
Owner/operator country: US
Owner/operator telephone: (513) 579-7795
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: BLOOMINGDALES FEDERATED DEPT STORE
Owner/operator address: 7 W 7TH ST
CINCINNATI, OH 45202
Owner/operator country: US
Owner/operator telephone: (513) 579-7795
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Facility name: BLOOMINGDALES
Classification: Not a generator, verified

Date form received by agency: 01/26/1999
Facility name: BLOOMINGDALES

BLOOMINGDALES (Continued) **1007112022**

Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 09/10/2009
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

LTANKS:
Site ID: 201517
Spill No: 8803734
Spill Date: 7/29/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/3/1988
Facility Addr2: Not reported
Cleanup Ceased: 8/3/1988
Cleanup Meets Standard: False
SWIS: 6017
Investigator: tdghiosa
Referred To: Not reported
Reported to Dept: 7/29/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/3/1988
Spill Record Last Update: 9/19/2003
Spiller Name: Not reported
Spiller Company: BLOOMINGDALE-GREG SHIELDS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 167661
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"
Remarks: 10K -.045 NFA

Material:
Site ID: 201517
Operable Unit ID: 918882
Operable Unit: 01
Material ID: 459267
Material Code: 0001A

BLOOMINGDALES (Continued) **1007112022**

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 201517
Spill Tank Test: 1534371
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

NY MANIFEST:
EPA ID: NYD078723756
Country: USA
Mailing Name: BLOOMINGDALES
Mailing Contact: GINO ROMANO
Mailing Address: 175 BLOOMINGDALE AVE
Mailing Address 2: Not reported
Mailing City: WHITE PLAINES
Mailing State: NY
Mailing Zip: 10610
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-705-3974

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2008-02-01
Trans1 Recv Date: 2008-02-01
Trans2 Recv Date: 2008-02-14
TSD Site Recv Date: 2008-02-15
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD078723756
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: KYD053348108
Waste Code: Not reported
Quantity: 300.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels

BLOOMINGDALES (Continued) **1007112022**

Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2008
Manifest Tracking Num:	000109263SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2012-02-07
Trans1 Recv Date:	2012-02-07
Trans2 Recv Date:	2012-02-10
TSD Site Recv Date:	2012-02-11
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	3000.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	003013903SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976

BLOOMINGDALES (Continued) **1007112022**

Generator Ship Date:	2012-01-06
Trans1 Recv Date:	2012-01-06
Trans2 Recv Date:	2012-01-17
TSD Site Recv Date:	2012-01-26
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	400.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	003016488SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2012-06-01
Trans1 Recv Date:	2012-06-01
Trans2 Recv Date:	2012-06-08
TSD Site Recv Date:	2012-06-09
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	003124218SKS
Import Ind:	N
Export Ind:	N

BLOOMINGDALES (Continued) **1007112022**

Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2010-03-02
Trans1 Recv Date:	2010-03-02
Trans2 Recv Date:	2010-03-08
TSD Site Recv Date:	2010-03-08
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	002562528SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2009-02-14
Trans1 Recv Date:	2009-02-14
Trans2 Recv Date:	2009-02-20
TSD Site Recv Date:	2009-02-21
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

BLOOMINGDALES (Continued) **1007112022**

Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	001310553SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2009-02-14
Trans1 Recv Date:	2009-02-14
Trans2 Recv Date:	2009-02-20
TSD Site Recv Date:	2009-02-21
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	001310553SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported

BLOOMINGDALES (Continued) **1007112022**

Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2010-11-30
Trans1 Recv Date:	2010-11-30
Trans2 Recv Date:	2010-12-03
TSD Site Recv Date:	2010-12-11
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	002496016SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2010-06-17
Trans1 Recv Date:	2010-06-17
Trans2 Recv Date:	2010-06-25
TSD Site Recv Date:	2010-07-04
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	250.0

BLOOMINGDALES (Continued) **1007112022**

Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	002496080SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2010-03-02
Trans1 Recv Date:	2010-03-02
Trans2 Recv Date:	2010-03-08
TSD Site Recv Date:	2010-03-08
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	002562528SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported

BLOOMINGDALES (Continued) **1007112022**

Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2010-09-17
Trans1 Recv Date:	2010-09-17
Trans2 Recv Date:	2010-09-28
TSD Site Recv Date:	2010-10-06
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	250.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2010
Manifest Tracking Num:	003869466FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2009-06-02
Trans1 Recv Date:	2009-06-02
Trans2 Recv Date:	2009-06-08
TSD Site Recv Date:	2009-06-09
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009

BLOOMINGDALES (Continued) **1007112022**

Manifest Tracking Num:	001811378SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2008-02-01
Trans1 Recv Date:	2008-02-01
Trans2 Recv Date:	2008-02-14
TSD Site Recv Date:	2008-02-15
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2008
Manifest Tracking Num:	000109263SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2009-02-14
Trans1 Recv Date:	2009-02-14
Trans2 Recv Date:	2009-02-20

BLOOMINGDALES (Continued) **1007112022**

TSD Site Recv Date:	2009-02-21
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	001310553SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2009-06-02
Trans1 Recv Date:	2009-06-02
Trans2 Recv Date:	2009-06-08
TSD Site Recv Date:	2009-06-09
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	001811378SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N

BLOOMINGDALES (Continued) **1007112022**

Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2008-02-01
Trans1 Recv Date:	2008-02-01
Trans2 Recv Date:	2008-02-14
TSD Site Recv Date:	2008-02-15
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2008
Manifest Tracking Num:	000109263SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	D071629976
Generator Ship Date:	2011-08-26
Trans1 Recv Date:	2011-08-26
Trans2 Recv Date:	2011-09-02
TSD Site Recv Date:	2011-09-03
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

BLOOMINGDALES (Continued) **1007112022**

TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2011
Manifest Tracking Num:	002689132SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2011-12-08
Trans1 Recv Date:	2011-12-08
Trans2 Recv Date:	2011-12-13
TSD Site Recv Date:	2011-12-19
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2011
Manifest Tracking Num:	003006399SKS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

BLOOMINGDALES (Continued) **1007112022**

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2011-01-26
Trans1 Recv Date:	2011-01-26
Trans2 Recv Date:	2011-02-01
TSD Site Recv Date:	2011-02-03
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	250.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2011
Manifest Tracking Num:	003378973FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	2011-04-13
Trans1 Recv Date:	2011-04-13
Trans2 Recv Date:	2011-04-19
TSD Site Recv Date:	2011-04-22
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD078723756
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	KYD053348108
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0

BLOOMINGDALES (Continued) **1007112022**

Year:	2011
Manifest Tracking Num:	003391368FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H061

Click this hyperlink while viewing on your computer to access
4 additional NY_MANIFEST: record(s) in the EDR Site Report.

SPILLS:

Facility ID:	8803674
DER Facility ID:	167661
Facility Type:	ER
Site ID:	201516
DEC Region:	3
Spill Number:	8803674
Spill Date:	7/27/1988
Spill Cause:	Equipment Failure
Spill Class:	Not reported
Spill Closed Date:	8/9/1988
SWIS:	6017
Investigator:	jeokesso
Referred To:	Not reported
Reported to Dept:	7/27/1988
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Tank Tester
Cleanup Ceased:	8/9/1988
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/2/2003
Spill Record Last Update:	12/2/2003
Spiller Name:	Not reported
Spiller Company:	DENNIS MURPHY
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "J. OKESSON"
Remarks:	10K -.073. PBS #104442. NFA

Material:

Site ID:	201516

BLOOMINGDALES (Continued) **1007112022**

Operable Unit ID:	920841
Operable Unit:	01
Material ID:	459214
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

219
SW
1/4-1/2
0.483 mi.
2550 ft.

COACHMAN HOTEL **LTANKS** **1000912672**
123 EAST POST ROAD **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Relative:
Higher

Actual:
237 ft.

LTANKS:

Site ID:	211948
Spill No:	9306655
Spill Date:	8/31/1993
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/24/1993
Facility Addr2:	Not reported
Cleanup Ceased:	9/24/1993
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	8/31/1993
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	9/2/1993
Spill Record Last Update:	11/16/1993

COACHMAN HOTEL (Continued) **1000912672**

Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	175633
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"
Remarks:	HOLE IN CROWN OF TANK WILL WORK WITH CTY. TO MAKE SURE NO SOIL CONTAMINATION 8K 35 YEARS OLD TANK W.C. IS LOOKING TO BUY HOTEL

Material:

Site ID:	211948
Operable Unit ID:	984819
Operable Unit:	01
Material ID:	396502
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Not reported
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	211948
Spill Tank Test:	1541932
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

HIST LTANKS:

Region of Spill:	3
Spill Number:	9306655
Spill Date:	08/31/1993
Spill Time:	10:30
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	09/24/93
Cleanup Ceased:	09/24/93

COACHMAN HOTEL (Continued) **1000912672**

Cleanup Meets Standard: False
Investigator: WADSWORTH
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/31/93
Reported to Department Time: 11:37
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/02/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/16/93
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

COACHMAN HOTEL (Continued) **1000912672**

DEC Remarks: Not reported
Spill Cause: HOLE IN CROWN OF TANK WILL WORK WITH CTY. TO MAKE SURE NO SOIL CONTAMINATION 8K 35 YEARS OLD TANK W.C. IS LOOKING TO BUY HOTEL

AT220 **GOOD COUNCIL CONVENT** **LTANKS** **S107417139**
NW **52 NORTH BROADWAY** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.488 mi.
2577 ft. **Site 1 of 2 in cluster AT**

Relative:
Higher

Actual:
274 ft.

LTANKS:

Site ID:	354798
Spill No:	0509076
Spill Date:	10/28/2005
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	3/21/2006
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	6017
Investigator:	WCHD
Referred To:	WCDOH
Reported to Dept:	10/28/2005
CID:	409
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	10/28/2005
Spill Record Last Update:	3/21/2006
Spiller Name:	JOHN
Spiller Company:	GOOD COUNCIL CONVENT
Spiller Address:	52 NORTH BROADWAY
Spiller City,St,Zip:	WHITE PLAINS, NY
Spiller County:	001
Spiller Contact:	JOHN
Spiller Phone:	(914) 557-0334
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	304812
DEC Memo:	3-14-06 Letter reported submitted by Pro Test. Lines to the tank were excavated, removed and replaced along with 93.87 tons of petroleum impacted soil. Post ex samples were satifactory. NFA. TG
Remarks:	NO REMARKS.

Material:

Site ID:	354798
Operable Unit ID:	1112188
Operable Unit:	01
Material ID:	2102231
Material Code:	0001A
Material Name:	#2 Fuel Oil

GOOD COUNCIL CONVENT (Continued) **S107417139**

Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 354798
Spill Tank Test: 1549468
Tank Number: 1
Tank Size: 15000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 10/28/2005
Test Method: Horner EZ Check I or II

Site ID: 181366
Spill No: 8807217
Spill Date: 12/1/1988
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 12/2/1988
Facility Addr2: Not reported
Cleanup Ceased: 12/1/1988
Cleanup Meets Standard: True
SWIS: 6017
Investigator: dxtraver
Referred To: Not reported
Reported to Dept: 12/1/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: 12/1/1988
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/2/2003
Spill Record Last Update: 12/2/2003
Spiller Name: Not reported
Spiller Company: ROBISON OIL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 304812
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "D. TRAVER"
Remarks: SPILLAGE DUE TO PLUGGED VENT. USED SORBENT IN CLEAN-UP. ROBISON OIL -

GOOD COUNCIL CONVENT (Continued) **S107417139**

NO RESOURCES AFFECTED. CLEANUP IS COMPLETE. NFA

Material:

Site ID:	181366
Operable Unit ID:	923880
Operable Unit:	01
Material ID:	455561
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	Not reported
Spill Tank Test:	Not reported
Tank Number:	Not reported
Tank Size:	Not reported
Test Method:	Not reported
Leak Rate:	Not reported
Gross Fail:	Not reported
Modified By:	Not reported
Last Modified:	Not reported
Test Method:	Not reported

AT221 **HIST LTANKS** **S104619248**
NW **52 N. BROADWAY** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.488 mi.
2577 ft. **Site 2 of 2 in cluster AT**

Relative:
Higher

Actual:
274 ft.

HIST LTANKS:

Region of Spill:	3
Spill Number:	8807217
Spill Date:	12/01/1988
Spill Time:	10:15
Spill Cause:	Tank Overfill
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Class:	Not reported
Spill Closed Dt:	12/02/88
Cleanup Ceased:	12/01/88
Cleanup Meets Standard:	True
Investigator:	D. TRAVER
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported

(Continued) **S104619248**

Notifier Extension: Not reported
Reported to Department Date: 12/01/88
Reported to Department Time: 12:24
SWIS: 55
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: ROBISON OIL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 478-5700
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: 12/01/88
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/02/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: SPILLAGE DUE TO PLUGGED VENT. USED SORBENT IN CLEAN-UP. ROBISON OIL - NO RESOURCES AFFECTED. CLEANUP IS COMPLETE. NFA

AP222 **VINTAGE RESTAURANT** **LTANKS** **S108059295**
West **171-173 MAIN STREET** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.489 mi.
2581 ft. **Site 2 of 2 in cluster AP**

Relative:
Higher

Actual:
205 ft.

LTANKS:

Site ID:	365437
Spill No:	0602861
Spill Date:	6/14/2006
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/26/2008
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	TDGHIOSA
Referred To:	Not reported
Reported to Dept:	6/14/2006
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/14/2006
Spill Record Last Update:	9/26/2008
Spiller Name:	FREDERICK SASSE
Spiller Company:	SINGER TRUST C/O GEORGE A BOWNMAN INC
Spiller Address:	36 W 44TH ST. SUIT 810
Spiller City,St,Zip:	NEW YORK, NY 10036
Spiller County:	001
Spiller Contact:	MIKE
Spiller Phone:	(516) 924-3824
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	315576
DEC Memo:	6/14/06 Pro Test on site to test the 1500 gallon tank as ordered by the DEC. Tester couldn't get vacuum on the tank. Andre from ProTest said the cement on top of the tank needs to be removed to expose all of the bungs and piping. Once that is performed, then the tank can be isolated and tested. Visual observation revealed that the steel on the top of the tank was very heavily corroded. TG06/29/06 AM - ProTest back on site retesting the lines and the tank. Andre reported that the vent line and the remote fill line both failed the test. The tank failed to hold a vacuum therefore, it also failed. Andre recommending unearthing the manway and checking that for a definitive answer on the tank failure. However this can't be accomplished until a refrigeration compressor is moved which will require a refrigeration mechanic. TG06/29/06 John Leddy from ProTest officially reported that the tank failed and that the tank has lost two inches of oil since the 14th and the tank is not being used. Recommending emptying the tank to their client. TG 07/05/06 Joe Ostrosky from Petroleum Tank Cleaners (PTC) reported that PTC was hired to remove the oil from the tank. The tank has been emptied, cut open and

VINTAGE RESTAURANT (Continued) **S108059295**

cleaned. TG11/15/06 New England Tank Services has completed the removal of the tank, allowing for an inspection. Substantial corrosion and numerous holes were observed. A letter was sent to the management company requiring the installation of two monitoring wells.03/12/07 Monitoring well installation report submitted by JM Associates who were subcontracted by Fleet Environmental. No free product was detected in the wells. TG07/30/07 New England Tank Services reported that they removed the tank along with 2.64 tons of petroleum contaminated soil. TG

Remarks: Not reported

Material:

Site ID:	365437
Operable Unit ID:	1123455
Operable Unit:	01
Material ID:	2112912
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	365437
Spill Tank Test:	1550055
Tank Number:	1
Tank Size:	1500
Test Method:	03
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	6/14/2006
Test Method:	Horner EZ Check I or II

Site ID:	365437
Spill No:	0602861
Spill Date:	6/14/2006
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	9/26/2008
Facility Addr2:	Not reported
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	6017
Investigator:	TDGHIOSA
Referred To:	Not reported
Reported to Dept:	6/14/2006
CID:	444
Water Affected:	Not reported

VINTAGE RESTAURANT (Continued) **S108059295**

Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/14/2006
Spill Record Last Update:	9/26/2008
Spiller Name:	JOHN HAMILTON
Spiller Company:	SINGER TRUSTEE
Spiller Address:	Not reported
Spiller City,St,Zip:	SPRING LAKE, NJ
Spiller County:	999
Spiller Contact:	MIKE
Spiller Phone:	(516) 924-3824
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	315576
DEC Memo:	6/14/06 Pro Test on site to test the 1500 gallon tank as ordered by the DEC. Tester couldn't get vacuum on the tank. Andre from ProTest said the cement on top of the tank needs to be removed to expose all of the bungs and piping. Once that is performed, then the tank can be isolated and tested. Visual observation revealed that the steel on the top of the tank was very heavily corroded. TG06/29/06 AM - ProTest back on site retesting the lines and the tank. Andre reported that the vent line and the remote fill line both failed the test. The tank failed to hold a vacuum therefore, it also failed. Andre recommending unearthing the manway and checking that for a definitive answer on the tank failure. However this can't be accomplished until a refrigeration compressor is moved which will require a refrigeration mechanic. TG06/29/06 John Leddy from ProTest officially reported that the tank failed and that the tank has lost two inches of oil since the 14th and the tank is not being used. Recommending emptying the tank to their client. TG 07/05/06 Joe Ostrosky from Petroleum Tank Cleaners (PTC) reported that PTC was hired to remove the oil from the tank. The tank has been emptied, cut open and cleaned. TG11/15/06 New England Tank Services has completed the removal of the tank, allowing for an inspection. Substantial corrosion and numerous holes were observed. A letter was sent to the management company requiring the installation of two monitoring wells.03/12/07 Monitoring well installation report submitted by JM Associates who were subcontracted by Fleet Environmental. No free product was detected in the wells. TG07/30/07 New England Tank Services reported that they removed the tank along with 2.64 tons of petroleum contaminated soil. TG
Remarks:	Not reported

Material:

Site ID:	365437
Operable Unit ID:	1123455
Operable Unit:	01
Material ID:	2112912
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons

VINTAGE RESTAURANT (Continued) **S108059295**

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 365437
Spill Tank Test: 1550055
Tank Number: 1
Tank Size: 1500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 6/14/2006
Test Method: Horner EZ Check I or II

223
ENE
1/4-1/2
0.495 mi.
2613 ft.

28 MACRI AVE
WEST HARRISON, NY

LTANKS **S106385357**
N/A

Relative:
Higher

Actual:
247 ft.

LTANKS:
Site ID: 169200
Spill No: 0312748
Spill Date: 2/17/2004
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: 5/6/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6000
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 2/17/2004
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/17/2004
Spill Record Last Update: 5/6/2004
Spiller Name: Not reported
Spiller Company: GIDLO SANTANNA
Spiller Address: 28 MACRI AVE
Spiller City,St,Zip: WEST HARRISON, NY
Spiller County: 001
Spiller Contact: JOE TOMASULO
Spiller Phone: (845) 938-3224
Spiller Extention: Not reported
DEC Region: 3

(Continued) **S106385357**

DER Facility ID: 142469
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"05/06/04 MADISON DISPOSED OF LUST AND 81.64 TONS OF CONTAMINATED SOIL. SAMPLE RESULTS BELOW TAGM. CLOSURE REPORT FROM HES. NFA REQUIRED AT THIS TIME. jbo
Remarks: HOLES FOUND IN TANK WHEN REMOVING, TANK HAS BEEN REMOVED, SAMPLES WERE TAKEN. ******UPDATE TO 400 GALLONS*****

Material:
Site ID: 169200
Operable Unit ID: 880055
Operable Unit: 01
Material ID: 497932
Material Code: 0001A
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 400
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AQ224 **YMCA** **LTANKS** **S100166488**
SSW **260 MAMARONECK AVE** **HIST LTANKS** **N/A**
1/4-1/2 **WHITE PLAINS, NY**
0.497 mi.
2625 ft. **Site 2 of 2 in cluster AQ**

Relative:
Higher

Actual:
235 ft.

LTANKS:
Site ID: 263885
Spill No: 9013259
Spill Date: 3/28/1991
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/23/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: WXWADSWO
Referred To: Not reported

YMCA (Continued) **S100166488**

Reported to Dept:	3/28/1991
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	4/1/1991
Spill Record Last Update:	4/29/2002
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	215095
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"05/01/91: MAY 1, FRED TOOT DIRECTOR STILL ATTEMPTING TO GET BIDS TO EXCAVATE THE LINES TO RETEST.09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.03/23/2002 LETTER SENT TO TEAM ENV. CONSULTANTS BY T. GHIOSAY; BASED ON 3/13/02 CORRESPONDENCE, NO FURTHER ACTION REQUIRED AT THIS TIME. SPILL NUMBER CLOSED.
Remarks:	E I R TODAY PETRO-TITE -.126

Material:

Site ID:	263885
Operable Unit ID:	953354
Operable Unit:	01
Material ID:	426138
Material Code:	0001A
Material Name:	#2 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Pounds
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	263885
Spill Tank Test:	1538385
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

YMCA (Continued) **S100166488**

HIST LTANKS:

Region of Spill:	3
Spill Number:	9013259
Spill Date:	03/28/1991
Spill Time:	16:00
Spill Cause:	Tank Test Failure
Resource Affectd:	On Land
Water Affected:	Not reported
Spill Source:	Other Non Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	/ /
Cleanup Ceased:	/ /
Cleanup Meets Standard:	False
Investigator:	WADSWORTH
Caller Name:	Not reported
Caller Agency:	Not reported
Caller Phone:	Not reported
Caller Extension:	Not reported
Notifier Name:	Not reported
Notifier Agency:	Not reported
Notifier Phone:	Not reported
Notifier Extension:	Not reported
Reported to Department Date:	03/28/91
Reported to Department Time:	17:53
SWIS:	55
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
Spiller Name:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Cleanup Date:	/ /
Facility Contact:	Not reported
Facility Phone:	(914) 949-8030
Facility Extention:	Not reported
Spill Notifier:	Tank Tester
PBS Number:	Not reported
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
Enforcement Date:	/ /
Investigation Complete:	/ /
UST Involvement:	False
Date Region Sent Summary to Central Office:	/ /
Corrective Action Plan Submitted:	/ /
Date Spill Entered In Computer Data File:	04/01/91
Time Spill Entered In Computer Data File:	Not reported
Spill Record Last Update:	05/02/91
Is Updated:	False

Tank:

PBS Number:	Not reported
Tank Number:	Not reported
Tank Size:	0
Test Method:	Not reported
Leak Rate Failed Tank:	0.00

YMCA (Continued) **S100166488**

Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 05/01/91: MAY 1, FRED TOOT DIRECTOR STILL ATTEMPTING TO GET BIDS TO EXCAVATE THE LINES TO RETEST. 09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.
Spill Cause: E I R TODAY PETRO-TITE -.126

225
West
1/2-1
0.712 mi.
3760 ft.

WHITE PLAINS MGP SITE **Manufactured Gas Plants** **1008408071**
9 NEW STREET AND 12 WATER STREET **N/A**
WHITE PLAINS, NY 10601

Relative:
Higher

Actual:
201 ft.

Manufactured Gas Plants:
No additional information available

Count: 20 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
WEST HARRISON	1000212475	GENERAL ELECTRIC CO - CORP AIR TRA	73 TOWES RD	10604	FINDS,RCRA-NLR,MANIFEST
WHITE PLAINS	1000555499	WESTCHESTER COUNTY	CENTER AVENUE BRIDGE	10603	FINDS,RCRA-NLR,MANIFEST
WHITE PLAINS	1000790342	WAYFARER KETCH CORPORATION	WESTCHESTER CTY AIRPT HANGAR G	10604	FINDS,MANIFEST,RCRA-CESQG
HARRISON	1001197456	WESTCHESTER CTY DPW BIN 3348490	LINC AVE BRG OVR BLIND WESTCHE	10577	FINDS,RCRA-NLR,MANIFEST
HARRISON	1003863864	PACIFIC AIRMOTIVE	WESTCHESTER CO AIRPORT	10601	CERCLIS-NFRAP
WHITE PLAINS	1004757336	JOSEPH E SEAGRAM & SONS	WESTCHESTER CO ARPRT H6	10604	RCRA-SQG,MANIFEST,MANIFEST,FI
WHITE PLAINS	1004757707	WESTPOINT PEPPERELL	WESTCHESTER CO AIRPORT	10601	FINDS,RCRA-NLR
WHITE PLAINS	1004762837	WESTCHESTER CO DPW	BRONX ST BUS TERMINAL	10601	FINDS,MANIFEST,RCRA-NLR
PURCHASE	1011863515	CARE ENVIRONMENTAL CORP AT HARRISO	RTE 120 AT NEW KING ST	10577	RCRA-SQG
HARRISON	A100276901	TOWN/VILLAGE OF HARRISON	HIGHWAY GARAGE	10604	AST
WHITE PLAINS	S102152276	HIGHWAY	CROSS WESTCHESTER HIGHWAY		SPILLS,HIST SPILLS
WHITE PLAINS	S102152502	AMOCO	RTE 22		SPILLS,HIST SPILLS
WHITE PLAINS	S106013542	CROSS WESTCHESTER EXPWAY	INTERSTATE 287 MM 5.2 WB		SPILLS
WHITE PLAINS	S106126130	WESTCHESTER EXPRESS WAY	ROUTE 287 WB @ EXIT 7		SPILLS
CINNAMINSON TWP	S106763359	ROUTE 130 & UNION LANDING ROAD	RTE 130 & UNION LANDING RD	10577	VCP
WHITE PLAINS	S107407362	STEW LEONARD'S TRUCK	ROUTE 287		SPILLS
GREENBURGH	S109786001	NEW YORK TELEPHONE	ROUTE 119 (MANHOLE #17)	10603	MANIFEST
PURCHASE	S111711071	HARRISON ORGANIC YARD WASTE T. S.	ROUTE 120 AND NEW KING STREET	10577	LF
WHITE PLAINS	S111836159	EXIT 5 RAMP - ROADWAY	INTERSTATE 287 EXIT 5		SPILLS
HARRISON	U003995006	TOWN/VILLAGE OF HARRISON	HIGHWAY GARAGE	10604	UST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/07/2012
Date Data Arrived at EDR: 07/05/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 75

Source: EPA
Telephone: N/A
Last EDR Contact: 10/11/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/07/2012
Date Data Arrived at EDR: 07/05/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 75

Source: EPA
Telephone: N/A
Last EDR Contact: 10/11/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/07/2012
Date Data Arrived at EDR: 07/05/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 75

Source: EPA
Telephone: N/A
Last EDR Contact: 10/11/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/27/2011
Date Data Arrived at EDR: 02/27/2012
Date Made Active in Reports: 03/12/2012
Number of Days to Update: 14

Source: EPA
Telephone: 703-412-9810
Last EDR Contact: 11/28/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/10/2010
Date Data Arrived at EDR: 01/11/2011
Date Made Active in Reports: 02/16/2011
Number of Days to Update: 36

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 10/09/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 12/28/2011
Date Data Arrived at EDR: 02/27/2012
Date Made Active in Reports: 03/12/2012
Number of Days to Update: 14

Source: EPA
Telephone: 703-412-9810
Last EDR Contact: 11/28/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 08/19/2011
Date Data Arrived at EDR: 08/31/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 132

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/12/2012
Next Scheduled EDR Contact: 02/25/2013
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 12/04/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 11/29/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 12/04/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 11/29/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 12/04/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 11/29/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 12/04/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 11/29/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 07/18/2012
Date Data Arrived at EDR: 07/24/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 104

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 07/18/2012
Date Data Arrived at EDR: 07/24/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 104

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 11/15/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 04/02/2012
Date Data Arrived at EDR: 04/03/2012
Date Made Active in Reports: 06/14/2012
Number of Days to Update: 72

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 10/02/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrustion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 05/01/2012
Date Data Arrived at EDR: 05/23/2012
Date Made Active in Reports: 07/03/2012
Number of Days to Update: 41

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 08/24/2012
Next Scheduled EDR Contact: 12/03/2012
Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 10/10/2012
Date Data Arrived at EDR: 10/11/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 08/20/2012
Date Data Arrived at EDR: 08/23/2012
Date Made Active in Reports: 10/05/2012
Number of Days to Update: 43

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 12/14/2011
Date Data Arrived at EDR: 12/15/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 26

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011
Date Data Arrived at EDR: 09/13/2011
Date Made Active in Reports: 11/11/2011
Number of Days to Update: 59
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/12/2012
Date Data Arrived at EDR: 05/09/2012
Date Made Active in Reports: 07/10/2012
Number of Days to Update: 62
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 11/01/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 08/17/2012
Date Data Arrived at EDR: 08/28/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 49
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 09/06/2012
Date Data Arrived at EDR: 09/07/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 39
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 08/01/2012
Date Data Arrived at EDR: 08/02/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 75
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/30/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012
Date Data Arrived at EDR: 08/28/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 49
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

State and tribal registered storage tank lists

TANKS: Storage Tank Faciliy Listing
This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/03/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 37
Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

UST: Petroleum Bulk Storage (PBS) Database
Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/03/2012
Date Made Active in Reports: 11/08/2012
Number of Days to Update: 36
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database
Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30
Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database
Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30
Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

AST: Petroleum Bulk Storage
Registered Aboveground Storage Tanks.

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/03/2012
Date Made Active in Reports: 11/08/2012
Number of Days to Update: 36
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database
Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30
Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database
Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30
Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/03/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 37

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/03/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 37

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/12/2012
Date Data Arrived at EDR: 05/02/2012
Date Made Active in Reports: 07/16/2012
Number of Days to Update: 75

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 11/01/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 12/14/2011
Date Data Arrived at EDR: 12/15/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 26

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 08/02/2012
Date Data Arrived at EDR: 08/03/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 94

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011
Date Data Arrived at EDR: 05/11/2011
Date Made Active in Reports: 06/14/2011
Number of Days to Update: 34

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 08/17/2012
Date Data Arrived at EDR: 08/28/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 49

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/27/2012
Date Data Arrived at EDR: 08/28/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 49

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 08/01/2012
Date Data Arrived at EDR: 08/02/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 75

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 09/06/2012
Date Data Arrived at EDR: 09/07/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 39

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 07/26/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 10/15/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls
Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing
A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010
Date Data Arrived at EDR: 12/23/2010
Date Made Active in Reports: 02/11/2011
Number of Days to Update: 50
Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 09/28/2012
Next Scheduled EDR Contact: 01/07/2013
Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements
New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36
Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/28/2012
Date Data Arrived at EDR: 10/02/2012
Date Made Active in Reports: 10/16/2012
Number of Days to Update: 14
Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 10/02/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27
Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing
In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Semi-Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 10/24/2012
Date Data Arrived at EDR: 10/26/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 10

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/24/2012
Next Scheduled EDR Contact: 01/07/2013
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/03/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006
Date Data Arrived at EDR: 11/15/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 10/26/2012
Next Scheduled EDR Contact: 02/04/2013
Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List
A listing of recycling facilities.

Date of Government Version: 10/10/2012
Date Data Arrived at EDR: 10/11/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Semi-Annually

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs
A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 07/11/2012
Date Data Arrived at EDR: 09/12/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 54

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 12/03/2012
Next Scheduled EDR Contact: 03/18/2013
Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites
A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 10/03/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register
A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 11/19/2008
Date Made Active in Reports: 03/30/2009
Number of Days to Update: 131

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/16/2012
Date Data Arrived at EDR: 03/26/2012
Date Made Active in Reports: 06/14/2012
Number of Days to Update: 80
Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 11/01/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

LIENS: Spill Liens Information
Lien information from the Oil Spill Fund.

Date of Government Version: 08/08/2012
Date Data Arrived at EDR: 08/14/2012
Date Made Active in Reports: 10/03/2012
Number of Days to Update: 50
Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 11/12/2012
Next Scheduled EDR Contact: 02/25/2013
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System
Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/01/2012
Date Data Arrived at EDR: 04/03/2012
Date Made Active in Reports: 06/14/2012
Number of Days to Update: 72
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 10/02/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Annually

SPILLS: Spills Information Database
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 08/20/2012
Date Data Arrived at EDR: 08/23/2012
Date Made Active in Reports: 10/05/2012
Number of Days to Update: 43

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/20/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 12/04/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 11/29/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 11/06/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/18/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 08/12/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 112

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 09/10/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/01/2012
Date Data Arrived at EDR: 07/24/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 56

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 10/01/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 02/27/2012
Date Data Arrived at EDR: 03/14/2012
Date Made Active in Reports: 06/14/2012
Number of Days to Update: 92

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 09/12/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/28/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/18/2011
Date Data Arrived at EDR: 09/08/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 21

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 12/05/2012
Next Scheduled EDR Contact: 03/18/2013
Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 09/01/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 131

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/28/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 09/29/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 64

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/29/2012
Next Scheduled EDR Contact: 01/07/2013
Data Release Frequency: Every 4 Years

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 11/26/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 11/26/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems
Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77
Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 11/01/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011
Date Data Arrived at EDR: 11/10/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 10/19/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2010
Date Data Arrived at EDR: 11/10/2010
Date Made Active in Reports: 02/16/2011
Number of Days to Update: 98

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 10/19/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/21/2011
Date Data Arrived at EDR: 07/15/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 60

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 09/05/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/02/2012
Date Data Arrived at EDR: 10/02/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 10/02/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 10/23/2011
Date Data Arrived at EDR: 12/13/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 79

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 09/11/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 03/01/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 62

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 11/30/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 09/07/2012
Date Data Arrived at EDR: 09/12/2012
Date Made Active in Reports: 10/04/2012
Number of Days to Update: 22

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 09/12/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Quarterly

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 08/01/2012
Date Data Arrived at EDR: 08/09/2012
Date Made Active in Reports: 10/03/2012
Number of Days to Update: 55

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 11/07/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/20/2012
Date Data Arrived at EDR: 07/16/2012
Date Made Active in Reports: 09/06/2012
Number of Days to Update: 52

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 10/23/2012
Date Data Arrived at EDR: 10/24/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 10/15/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 08/02/2012
Date Made Active in Reports: 10/03/2012
Number of Days to Update: 62

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 11/01/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/11/2012
Date Data Arrived at EDR: 11/01/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 8

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 10/29/2012
Next Scheduled EDR Contact: 01/07/2013
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/18/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 10/22/2012
Next Scheduled EDR Contact: 02/04/2013
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 10/10/2012
Date Data Arrived at EDR: 10/11/2012
Date Made Active in Reports: 11/19/2012
Number of Days to Update: 39

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 10/16/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010
Date Data Arrived at EDR: 01/03/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 77

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 09/14/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008
Date Data Arrived at EDR: 11/25/2008
Date Made Active in Reports: 12/11/2008
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Varies

FINANCIAL ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 10/05/2012
Date Data Arrived at EDR: 10/11/2012
Date Made Active in Reports: 11/09/2012
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: Quarterly

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/18/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: N/A

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 08/20/2012
Date Data Arrived at EDR: 08/28/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 11/16/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/13/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 36

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 11/12/2012
Next Scheduled EDR Contact: 02/25/2013
Data Release Frequency: Quarterly

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/01/2012
Date Data Arrived at EDR: 10/04/2012
Date Made Active in Reports: 11/05/2012
Number of Days to Update: 32

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/14/2013
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011
Date Data Arrived at EDR: 05/18/2012
Date Made Active in Reports: 05/25/2012
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/16/2012
Next Scheduled EDR Contact: 11/26/2012
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 11/02/2012
Next Scheduled EDR Contact: 02/11/2013
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing
A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 09/12/2012
Date Made Active in Reports: 10/04/2012
Number of Days to Update: 22

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/07/8062
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Quarterly

Cortland County Storage Tank Listing
A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 09/11/2012
Date Data Arrived at EDR: 09/12/2012
Date Made Active in Reports: 10/04/2012
Number of Days to Update: 22

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/07/8062
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 10/04/2012
Next Scheduled EDR Contact: 01/21/2013
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 10/11/2012
Date Data Arrived at EDR: 10/12/2012
Date Made Active in Reports: 11/14/2012
Number of Days to Update: 33

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 09/10/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 10/11/2012
Date Data Arrived at EDR: 10/12/2012
Date Made Active in Reports: 11/14/2012
Number of Days to Update: 33

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 09/10/2012
Next Scheduled EDR Contact: 12/24/2012
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Annually

Storage Tank Database
A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks
A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 08/16/2012
Date Data Arrived at EDR: 08/16/2012
Date Made Active in Reports: 10/04/2012
Number of Days to Update: 49

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 08/16/2012
Date Data Arrived at EDR: 08/16/2012
Date Made Active in Reports: 10/04/2012
Number of Days to Update: 49

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/05/2012
Next Scheduled EDR Contact: 02/18/2013
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 08/20/2012
Date Data Arrived at EDR: 08/20/2012
Date Made Active in Reports: 09/20/2012
Number of Days to Update: 31

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/19/2012
Next Scheduled EDR Contact: 03/04/2013
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 10/16/2012
Next Scheduled EDR Contact: 01/28/2013
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/23/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 57

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/22/2012
Next Scheduled EDR Contact: 02/04/2013
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 06/22/2012
Date Made Active in Reports: 07/31/2012
Number of Days to Update: 39

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/26/2012
Next Scheduled EDR Contact: 03/11/2013
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 08/09/2012
Date Data Arrived at EDR: 08/15/2012
Date Made Active in Reports: 09/13/2012
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 10/22/2012
Next Scheduled EDR Contact: 02/04/2013
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 09/27/2012
Number of Days to Update: 70

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 09/18/2012
Next Scheduled EDR Contact: 12/31/2012
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data
Source: Rextag Strategies Corp.
Telephone: (281) 769-2247
U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Scanned Digital USGS 7.5' Topographic Map (DRG)
Source: United States Geologic Survey
A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

90 - 96 WESTCHESTER AVENUE
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

TARGET PROPERTY COORDINATES

Latitude (North):	41.0326 - 41° 1' 57.36''
Longitude (West):	73.7589 - 73° 45' 32.04''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	604330.9
UTM Y (Meters):	4542906.0
Elevation:	159 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	41073-A7 WHITE PLAINS, NY
Most Recent Revision:	1994
East Map:	41073-A6 GLENVILLE, CT NY
Most Recent Revision:	1971

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION


Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





0 1/2 1 Miles

Target Property Elevation: 159 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County	FEMA Flood Electronic Data
WESTCHESTER, NY	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 36119C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
WHITE PLAINS	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY


Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT **GEOLOGIC AGE IDENTIFICATION**

Era:	Paleozoic	Category:	Stratified Sequence
System:	Ordovicias		
Series:	Lower Ordovician and Cambrian carbonate rocks		
Code:	OC *(decoded above as Era, System & Series)*		

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3465400.2s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
		INQUIRY #:	3465400.2s
LAT/LONG:	41.0326 / 73.7589	DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 2

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 3

Soil Component Name: Udorthents

Soil Surface Texture: gravelly loam

Hydrologic Group: Not reported

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 127 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	3 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5
2	3 inches	70 inches	very gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5

Soil Map ID: 4

Soil Component Name: Paxton

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
2	9 inches	20 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
3	20 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5

Soil Map ID: 5

Soil Component Name: Paxton

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
2	9 inches	20 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
3	20 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5

Soil Map ID: 6

Soil Component Name: Udorthents

Soil Surface Texture: gravelly loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 127 inches

Depth to Watertable Min: > 38 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	3 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5
2	3 inches	72 inches	very gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5

Soil Map ID: 7

Soil Component Name: Charlton

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
2	7 inches	24 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	24 inches	59 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 8

Soil Component Name: Urban land

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

No Layer Information available.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS2128643	1/4 - 1/2 Mile WSW
2	USGS2128674	1/4 - 1/2 Mile NNE
A3	USGS2128835	1/4 - 1/2 Mile SSE
A4	USGS2128836	1/4 - 1/2 Mile SSE
B5	USGS2128669	1/4 - 1/2 Mile NE
B6	USGS2128670	1/4 - 1/2 Mile NE
7	USGS2128131	1/4 - 1/2 Mile WSW
8	USGS2128651	1/4 - 1/2 Mile West
9	USGS2128675	1/4 - 1/2 Mile NNE
10	USGS2128682	1/4 - 1/2 Mile North
11	USGS2128648	1/4 - 1/2 Mile WSW
12	USGS2128824	1/4 - 1/2 Mile SSW
13	USGS2128636	1/2 - 1 Mile WSW
14	USGS2128821	1/2 - 1 Mile SSW
15	USGS2128685	1/2 - 1 Mile NNW
C16	USGS2128661	1/2 - 1 Mile WNW
C17	USGS2128660	1/2 - 1 Mile WNW
18	USGS2128826	1/2 - 1 Mile SW
19	USGS2128822	1/2 - 1 Mile SW
D20	USGS2128654	1/2 - 1 Mile West
D21	USGS2128653	1/2 - 1 Mile West

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
1	NYOG70000000275	1/4 - 1/2 Mile East

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
2	NYOG70000000276	1/2 - 1 Mile WNW

PHYSICAL SETTING SOURCE MAP - 3465400.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
LAT/LONG:	41.0326 / 73.7589	INQUIRY #:	3465400.2s
		DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

1
WSW **FED USGS** **USGS2128643**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410150073455201
Site name:	WE 118		
Latitude:	410150	EDR Site id:	USGS2128643
Longitude:	0734552	Dec lat:	41.03065287
Dec lon:	-73.76402087	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	210.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	108	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

2
NNE **FED USGS** **USGS2128674**
1/4 - 1/2 Mile
Lower

Agency cd:	USGS	Site no:	410213073452601
Site name:	WE 93		
Latitude:	410213	EDR Site id:	USGS2128674
Longitude:	0734526	Dec lat:	41.03704167
Dec lon:	-73.75679848	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported

Altitude:	160.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	250	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

A3
SSE **FED USGS** **USGS2128835**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410141073452401
Site name:	WE 200		
Latitude:	410141	EDR Site id:	USGS2128835
Longitude:	0734524	Dec lat:	41.02815291
Dec lon:	-73.75624286	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	180.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND AND GRAVEL		
Well depth:	22.0	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

A4
SSE **FED USGS** **USGS2128836**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410141073452402
Site name:	WE 220		
Latitude:	410141	EDR Site id:	USGS2128836
Longitude:	0734524	Dec lat:	41.02815291
Dec lon:	-73.75624286	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	180.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND AND GRAVEL		
Well depth:	40.0	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

B5
NE **FED USGS** **USGS2128669**
1/4 - 1/2 Mile
Lower

Agency cd:	USGS	Site no:	410211073451801
Site name:	WE 89		
Latitude:	410211	EDR Site id:	USGS2128669
Longitude:	0734518	Dec lat:	41.03648613
Dec lon:	-73.75457619	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	145.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	52.0	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

B6
NE
1/4 - 1/2 Mile
Lower

FED USGS **USGS2128670**

Agency cd:	USGS	Site no:	410211073451802
Site name:	WE 90		
Latitude:	410211	EDR Site id:	USGS2128670
Longitude:	0734518	Dec lat:	41.03648613
Dec lon:	-73.75457619	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	145.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	60.0	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

7
WSW **FED USGS** **USGS2128131**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410847073455201
Site name:	WE 119		
Latitude:	410151	EDR Site id:	USGS2128131
Longitude:	0734557	Dec lat:	41.03093064
Dec lon:	-73.7654098	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	210.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	350	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

8
West
1/4 - 1/2 Mile
Higher | **FED USGS** | **USGS2128651**

Agency cd:	USGS	Site no:	410156073455901
Site name:	WE 161		
Latitude:	410156	EDR Site id:	USGS2128651
Longitude:	0734559	Dec lat:	41.03231951
Dec lon:	-73.76596538	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	220.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	225	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

9
NNE
1/4 - 1/2 Mile
Lower | **FED USGS** | **USGS2128675**

Agency cd:	USGS	Site no:	410214073452101
Site name:	WE1407		
Latitude:	410214	EDR Site id:	USGS2128675
Longitude:	0734521	Dec lat:	41.03731945
Dec lon:	-73.75540955	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported

Altitude:	160.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	298	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

10
North
1/4 - 1/2 Mile
Higher

FED USGS **USGS2128682**

Agency cd:	USGS	Site no:	410219073453601
Site name:	WE 92		
Latitude:	410219	EDR Site id:	USGS2128682
Longitude:	0734536	Dec lat:	41.03870831
Dec lon:	-73.75957635	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	332	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

11
WSW **FED USGS** **USGS2128648**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410152073460401
Site name:	WE 4		
Latitude:	410152	EDR Site id:	USGS2128648
Longitude:	0734604	Dec lat:	41.03120841
Dec lon:	-73.7673543	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	WHITE PLAINS Q-25-3	Map scale:	24000
Altitude:	220.80		
Altitude method:	Level or other surveying method		
Altitude accuracy:	.5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19120101
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BASEMENT COMPLEX		
Well depth:	203	Hole depth:	203
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1953-02-09	Ground water data end date:	1974-10-15
Ground water data count:	1037		

Ground-water levels, Number of Measurements: 0

12
SSW **FED USGS** **USGS2128824**
1/4 - 1/2 Mile
Higher

Agency cd:	USGS	Site no:	410135073454901
Site name:	WE 305		
Latitude:	410135	EDR Site id:	USGS2128824
Longitude:	0734549	Dec lat:	41.02648626
Dec lon:	-73.76318749	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	360.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	484	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

13
WSW
1/2 - 1 Mile
Higher

FED USGS **USGS2128636**

Agency cd:	USGS	Site no:	410144073460501
Site name:	WE 96		
Latitude:	410144	EDR Site id:	USGS2128636
Longitude:	0734605	Dec lat:	41.02898622
Dec lon:	-73.76763207	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	725	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1950-00-00	Ground water data end date:	1950-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

14
SSW
1/2 - 1 Mile
Higher

FED USGS **USGS2128821**

Agency cd:	USGS	Site no:	410130073454201
Site name:	WE 120		
Latitude:	410130	EDR Site id:	USGS2128821
Longitude:	0734542	Dec lat:	41.0250974
Dec lon:	-73.76124298	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	240.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	200	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

15
NNW
1/2 - 1 Mile
Higher | **FED USGS** | **USGS2128685**

Agency cd:	USGS	Site no:	410223073454901
Site name:	WE 91		
Latitude:	410223	EDR Site id:	USGS2128685
Longitude:	0734549	Dec lat:	41.03981941
Dec lon:	-73.76318757	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	300.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	350	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

C16
WNW
1/2 - 1 Mile
Higher | **FED USGS** | **USGS2128661**

Agency cd:	USGS	Site no:	410203073461202
Site name:	WE 88		
Latitude:	410203	EDR Site id:	USGS2128661
Longitude:	0734612	Dec lat:	41.03426392
Dec lon:	-73.7695766	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported

Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	250	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

C17
WNW
1/2 - 1 Mile
Higher

FED USGS **USGS2128660**

Agency cd:	USGS	Site no:	410203073461201
Site name:	WE 87		
Latitude:	410203	EDR Site id:	USGS2128660
Longitude:	0734612	Dec lat:	41.03426392
Dec lon:	-73.7695766	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	700	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

18
SW
1/2 - 1 Mile
Higher

FED USGS **USGS2128826**

Agency cd:	USGS	Site no:	410136073460401
Site name:	WE 95		
Latitude:	410136	EDR Site id:	USGS2128826
Longitude:	0734604	Dec lat:	41.02676403
Dec lon:	-73.76735428	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	220.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	495	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

19
SW
1/2 - 1 Mile
Higher

FED USGS **USGS2128822**

Agency cd:	USGS	Site no:	410131073461101
Site name:	WE 94		
Latitude:	410131	EDR Site id:	USGS2128822
Longitude:	0734611	Dec lat:	41.02537516
Dec lon:	-73.76929877	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	208.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	302	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

D20
West
1/2 - 1 Mile
Higher

FED USGS **USGS2128654**

Agency cd:	USGS	Site no:	410158073462602
Site name:	WE 123		
Latitude:	410158	EDR Site id:	USGS2128654
Longitude:	0734626	Dec lat:	41.03287505
Dec lon:	-73.77346559	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	300	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

D21
West
1/2 - 1 Mile
Higher

FED USGS **USGS2128653**

Agency cd:	USGS	Site no:	410158073462601
Site name:	WE 121		
Latitude:	410158	EDR Site id:	USGS2128653
Longitude:	0734626	Dec lat:	41.03287505
Dec lon:	-73.77346559	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	119
Country:	US	Land net:	Not Reported
Location map:	BULL GW-35	Map scale:	Not Reported
Altitude:	200.00		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Bronx. New York. Area = 190 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	310	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	BULLGW-35		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1955-00-00	Ground water data end date:	1955-00-00
Ground water data count:	1		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

1
East **OIL_GAS** **NYOG70000000275**
1/4 - 1/2 Mile

Api wellno:	31119236860000	Cnty:	Westchester
Hole:	23686	Sidetrck:	0
Completion:	0		
Well nm:	KCT B-5		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	03/28/2006	Dt spud:	07/18/2006
Dt comp:	09/21/2006	Well typ:	Stratigraphic
Dtd:	530		
Wl status:	Plugged and Abandoned	Town:	White Plains
Field:	Not Applicable	Prodform:	Yonkers Gneiss
Xloc:	-73.75287		
Yloc:	41.03196		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	White Plains	Quadsec:	I
Deepestfor:	Not Applicable	Elevation:	143
Dt mod:	06/22/2007	Site id:	NYOG70000000275

2
WNW **OIL_GAS** **NYOG70000000276**
1/2 - 1 Mile

Api wellno:	31119236850000	Cnty:	Westchester
Hole:	23685	Sidetrck:	0
Completion:	0		
Well nm:	KCT B-4		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	03/28/2006	Dt spud:	07/17/2006
Dt comp:	09/13/2006	Well typ:	Stratigraphic
Dtd:	560		
Wl status:	Plugged and Abandoned	Town:	White Plains
Field:	Not Applicable	Prodform:	Fordham Gneiss
Xloc:	-73.77627		
Yloc:	41.03717		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	White Plains	Quadsec:	I
Deepestfor:	Fordham Gneiss	Elevation:	187
Dt mod:	06/22/2007	Site id:	NYOG70000000276

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
WESTCHESTER	BEDFORD	104	2.25	1.59	8.6
WESTCHESTER	CORTLANDT	159	4.86	2.19	95.4
WESTCHESTER	EASTCHESTER	76	2.89	1.75	41.9
WESTCHESTER	GREENBURGH	218	2.26	1.45	21.8
WESTCHESTER	HARRISON	67	3.33	2.14	42.3
WESTCHESTER	LEWISBORO	70	3.92	2.61	19.2
WESTCHESTER	MAMARONECK	118	4.01	2.39	35.9
WESTCHESTER	MT. KISCO	37	2.31	1.69	9.3
WESTCHESTER	MT. PLEASANT	170	2.11	1.42	17.1
WESTCHESTER	MT. VERNON	53	2.82	1.65	32
WESTCHESTER	NEW CASTLE	133	2.21	1.46	31.7
WESTCHESTER	NEW ROCHELLE	126	1.92	1.3	13.8
WESTCHESTER	NO. CASTLE	59	3.53	2.3	16.5
WESTCHESTER	NO. SALEM	56	3.78	2.56	25.7
WESTCHESTER	OSSINING	63	2.08	1.38	10.9
WESTCHESTER	PEEKSKILL	45	3.6	2.27	19.9
WESTCHESTER	PELHAM	26	2.5	1.91	9.1
WESTCHESTER	POUND RIDGE	34	3.37	2.22	18.5
WESTCHESTER	RYE	93	2.28	1.7	9.5
WESTCHESTER	SCARSDALE	138	2.35	1.63	22.4
WESTCHESTER	SOMERS	70	3.94	2.85	21.3
WESTCHESTER	WHITE PLAINS	128	2.77	1.47	65.2
WESTCHESTER	YONKERS	150	2.24	1.37	16
WESTCHESTER	YORKTOWN	175	2.72	1.73	27.2

Federal EPA Radon Zone for WESTCHESTER County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for WESTCHESTER COUNTY, NY

Number of sites tested: 650

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.930 pCi/L	97%	3%	0%
Basement	1.730 pCi/L	84%	13%	2%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)
Source: United States Geologic Survey
A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3465400.2s
December 06, 2012

EDR Summary Radius Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	705
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-13
Physical Setting Source Map Findings	A-15
Physical Setting Source Records Searched	A-32

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

COORDINATES

Latitude (North):	41.0326000 - 41° 1' 57.36''
Longitude (West):	73.7589000 - 73° 45' 32.04''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	604330.9
UTM Y (Meters):	4542906.0
Elevation:	159 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property:	TP
Source:	USGS 7.5 min quad index

Target Property:	E
Source:	USGS 7.5 min quad index

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	2009, 2010
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
A1	IN THE STREET	106 WESTCHESTER AVE	NY Spills	Higher	1 ft.
A2	TAPPANZEE BRIDGE	ROUTE 287 N	NY Spills, NY Hist Spills	Lower	7, East
A3	SEPHORA #326	125 WESTCHESTER AVE	RCRA-SQG, MANIFEST	Lower	32, ESE
A4	FROMEX	125 WESTCHESTER AVE	MANIFEST	Lower	32, ESE
A5	FROMEX	125 WESTCHESTER AVE	RCRA-CESQG, FINDS, MANIFEST	Lower	32, ESE
A6	WESTCHESTER SHOPPING	WEST AVE.& PAWLING S	LTANKS, HIST LTANKS	Lower	85, East
A7	TRANSFORMER VAULT V6	145 WESTCHESTER AVE	NY Spills	Lower	162, East
A8	KEY FORD OF WHITE PL	80 WESTCHESTER AVE	MANIFEST	Higher	177, West
A9	KEY FORD OF WHITE PL	80 WESTCHESTER AVE	RCRA-CESQG, FINDS, LTANKS, HIST LTANKS, MANIFEST	Higher	177, West
B10	CHRYSLER REALTY CORP	70 WESTCHESTER AVE -	RCRA-NonGen, FINDS, MANIFEST	Higher	204, West
B11	WHITE PLAINS CRYTSLE	70 WESTCHESTER AVE.	NY Hist Spills	Higher	204, West
B12	WHITE PLAINS CHRYSLE	70 WESTCHESTER AVE	RCRA-NonGen, FINDS	Higher	204, West
B13	WHITE PLAINS CHRYSLE	70 WESTCHESTER AVENU	UST, AST	Higher	204, West
B14	B. ALTMAN BUILDING	65 WESTCHESTER AVE	UST	Higher	328, WSW
B15	FASHION MALL - B ALT	65 WESTCHESTER AVE	RCRA-NonGen, FINDS, MANIFEST	Higher	328, WSW
B16	WESTCHESTER CHRYSLER	70 WESCHESTER AVE	MANIFEST, NY Spills, NY Hist Spills	Higher	353, West
B17	WESTCHESTER CHRYSLER	70 WESTCHESTER AVE.	NY Spills, NY Hist Spills	Higher	353, West
C18	BANK OF NEW YORK	150 WESTCHESTER AVE	NY Spills, NY Hist Spills	Lower	379, East
C19	COLONIAL REPAIR SHOP	186 WESTCHESTER AVE	RCRA-NonGen, FINDS	Lower	411, East
C20	EXXON CO. USA.	186 WESTCHESTER AVE	MANIFEST	Lower	411, East
C21	EXXON CO., U.S.A.	186 WESTCHESTER AVE	MANIFEST	Lower	411, East
C22	EXXON S/S KENSECO AV	186 WESTCHESTER AVE.	LTANKS, MANIFEST, NY Spills, NY Hist Spills	Lower	411, East
C23	COLONIAL FUEL & FOOD	186 WESTCHESTER AVEN	UST	Lower	411, East
24		80 SOUTH KENSICO AVE	NY Spills, NY Hist Spills	Higher	460, NE
C25	THE BANK OF NEW YORK	158 WESTCHESTER AVE	UST	Lower	465, East
D26	CONSOLIDATED EDISON	FRANKLIN & AMHERST	MANIFEST	Lower	531, North
E27	FRANKLIN TOWERS	25 FRANKLIN AVENUE	UST, AST	Higher	566, NW
E28	APARTMENT HOUSE	25 FRANKLIN AVE	NY Hist Spills	Higher	566, NW
E29	FRANKLIN APTS	25 FRANKLIN AVE	LTANKS, HIST LTANKS, NY Spills	Higher	566, NW
D30	EASTVIEW SCHOOL	7 AMHERST PLACE	UST, AST	Lower	587, North
D31	WHITE PLAINS SCHOOL	7 AMHERST PL	RCRA-CESQG, FINDS, MANIFEST, MANIFEST	Lower	587, North
32	WESTCEHSTER MALL	HIRAM ST/PAULDING ST	NY Spills, NY Hist Spills	Higher	596, SW
C33	WESTCHESTER AVE.UTIL	WEST AVE & KENSICO A	NY Spills, NY Hist Spills	Lower	610, ENE
F34	EXXON MOBIL	174 WESTCHESTER AVE	LTANKS, NY Spills	Lower	669, East
F35		174 WESTCHESTER AVE.	HIST LTANKS	Lower	669, East
F36	MOBIL OIL CORPORATIO	174 WESTCHESTER AVE	MANIFEST	Lower	669, East
F37	MOBIL R/S #11617	174 WESTCHESTER AVE.	UST	Lower	669, East
F38	MOBIL OIL CORP SS N5	174 WESTCHESTER AVE	RCRA-NonGen, MANIFEST, MANIFEST, NY Hist Spills	Lower	669, East
F39	CON EDISON MANHOLE 4	WESTCHESTER AVENUE	RCRA-NonGen, MANIFEST	Lower	704, East

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
E40	WESTBROOK TENANTS CO	10 FRANKLIN AVENUE	UST	Higher	717, WNW
F41	EXXON GAS STATION	186 WESTCHESTER AVE.	HIST LTANKS	Lower	731, East
F42		155-157 KENSICO AVE	LTANKS	Lower	758, ENE
43	GRANADA ARMS CONDOMI	30 WINDSOR TERRACE	AST	Higher	778, NNW
F44	SEABURGH'S FROZEN FO	200 WESTCHESTER AVE	HIST LTANKS, NY Spills	Lower	800, East
G45	APT. BUILDING	3-5 FRANKLIN AVE.	HIST LTANKS	Higher	802, WNW
G46	3-5 FRANKLIN OWNERS	3-5 FRANKLIN AVENUE	AST	Higher	802, WNW
G47	3-5 FRANKLIN AVE	3-5 FRANKLIN AVE.	LTANKS, HIST LTANKS, NY Spills, NY Hist Spills	Higher	802, WNW
G48	CON EDISON MANHOLE	3 FRANKLIN AVE	RCRA-NonGen	Higher	802, WNW
H49	DPW GARAGE	140 SOUTH KENSICO AV	LTANKS, HIST LTANKS, NY Spills	Higher	805, NE
H50	HIGHWAY GARAGE	140 SOUTH KENSICO AV	UST, AST	Higher	805, NE
H51	COLIN SERVICE SYSTEM	1 BROCKWAY PLACE	UST	Higher	817, NE
G52	ONE FRANKLIN OWNERS	ONE FRANKLIN AVENUE	UST	Higher	827, WNW
G53	CON EDISON	FRANKLIN AVE & WESTC	RCRA-NonGen	Higher	839, West
I54	NEW YORK HOSPITAL	21 BLOOMINGDALE RD.	MANIFEST	Lower	840, SSE
I55	NEW YORK PRESBYTERIA	21 BLOOMINGDALE ROAD	HIST LTANKS	Lower	840, SSE
I56	NEW YORK PRESBYTERIA	21 BLOOMINGDALE ROAD	UST, AST	Lower	840, SSE
I57	NEW YORK BLOOD CENTE	21 BLOOMINGDALE RD	RCRA-NonGen, FINDS, LTANKS, HIST LTANKS, CBS AST,...	Lower	840, SSE
G58	M B TRUCKING	12 WESTCHESTER AVE	LTANKS, NY Spills, NY Hist Spills	Higher	859, WNW
G59	12 WESTCHESTER TENAN	12 WESTCHESTER AVENU	UST	Higher	859, WNW
G60	12 WESTCHESTER TENAN	12 WESTCHESTER AVENU	AST	Higher	859, WNW
F61	OFFICE BUILDING	210 WESTCHESTER AVE.	UST	Lower	869, East
J62	WHITE PLAINS CITY OF	111 S KENSICO AVE	RCRA-NonGen, FINDS, MANIFEST	Higher	876, NE
J63	WHITE PLAINS CITY OF	111 S KENSICO AVE	RCRA-NonGen	Higher	876, NE
J64	CON ED AT DEPT OF PU	111 S KENSICO AVE	RCRA-NonGen, FINDS, MANIFEST	Higher	876, NE
K65	CON ED HOLE # TM 251	MARTINE AVE WEST OF	LTANKS, HIST LTANKS, NY Spills, NY Hist Spills	Higher	901, SW
F66	HARRISON COURT	220 - 230 WESTCHESTE	UST	Lower	907, East
F67	HARRISON COURT	222-230 WESTCHESTER	AST	Lower	916, East
J68	180 S KENSICO AVE AU	96 S KENSICO AVE	RCRA-CESQG, FINDS, MANIFEST	Lower	943, NNE
J69	180 S KENSICO AVE AU	96 S KENSICO AVE	MANIFEST	Lower	943, NNE
K70	34 SOUTH BROADWAY	34 SOUTH BROADWAY	UST	Higher	957, WSW
G71	CON EDISON MANHOLE 3	BROADWAY & MARTIN AV	RCRA-NonGen	Higher	1003, West
J72	PETAGINES AUTO BODY	13 OAKLEY AVE	MANIFEST	Lower	1013, NNE
J73	PETAGIONES AUTO BODY	13 OAKLEY AVE	MANIFEST	Lower	1013, NNE
K74	WESTCHESTER ONE	44 S BROADWAY	RCRA-CESQG	Higher	1023, SW
75	CROWN PLAZA HOTEL	66 HALE AVE	LTANKS	Higher	1042, SSW
L76	THE WELLINGTON CONDO	312 MAIN STREET	AST	Higher	1079, NW
L77	BROAD PARKWAY OWNERS	1 BROAD PARKWAY	AST	Higher	1080, NW
L78	2-4 WINDSOR TERRACE	2-4 WINDSOR TERRACE	UST	Higher	1083, NNW

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
L79	APARTMENT BUILDING	2-4 WINDSOR TERRACE	LTANKS	Higher	1083, NNW
L80	325 MAIN STREET OWNE	325 MAIN STREET	UST	Higher	1088, NW
L81	RESIDENCE	325 MAIN ST	LTANKS, HIST LTANKS	Higher	1088, NW
J82	CONSUMER CAR CARE IN	112 OAKLEY AVE	MANIFEST	Lower	1088, NNE
J83	CONSUMER CAR CARE IN	112 OAKLEY AVE	RCRA-CESQG, FINDS, MANIFEST	Lower	1088, NNE
L84	APT BUILDING	300 MAIN ST	LTANKS, HIST LTANKS	Higher	1089, NW
L85	BRENTWOOD CONDOS	300 MAIN STREET	HIST LTANKS	Higher	1089, NW
L86	BRENT WOOD APTS	300 MAIN ST	HIST LTANKS	Higher	1089, NW
L87	BRENTWOOD CONDOMINIU	300 MAIN STREET	UST	Higher	1089, NW
L88	CON EDISON	WINDSOR TERR & MAIN	RCRA-NonGen	Higher	1090, NNW
L89	CON EDISON	MAIN ST & BROAD PKWY	RCRA-NonGen	Higher	1096, NW
L90	CON EDISON MANHOLE 3	MAIN ST & BROAD PKWY	RCRA-NonGen	Higher	1096, NW
91	W.C. MAINT. GARAGE	BROCKWAY PLACE	HIST LTANKS	Lower	1102, ENE
L92	WHITE PLAINS ONE COM	345 MAIN STREET	UST	Higher	1104, NNW
L93	WHITE PLAINS ONE COM	345 MAIN STREET	AST	Higher	1104, NNW
M94	BROAD PARK LODGE OWN	292 MAIN STREET	AST	Higher	1109, NW
95		2 AMHERST PL	LTANKS, HIST LTANKS	Higher	1127, NNW
N96	ATLANTIC AUTO MECHAN	118 OAKLEY AVENUE	AST	Lower	1131, NNE
O97	CAMEO HOUSE OWNERS,	300 MARTINE AVENUE	AST	Higher	1151, West
O98		300 MARTINE AVE	LTANKS, NY Spills	Higher	1151, West
P99	EDWARD S. GORDON CO.	7-11 SOUTH BROADWAY	UST	Higher	1153, WNW
P100	ES GORDON	7-11 SOUTH BROADWAY	LTANKS, HIST LTANKS	Higher	1153, WNW
M101	PRESIDENTIAL MANAGEM	2 WESTCHESTER AVE.	LTANKS, HIST LTANKS, NY Spills	Higher	1163, WNW
M102	2 NORTH BROADWAY ASS	2 NORTH BROADWAY	UST, AST	Higher	1174, WNW
N103	ALTA METAL FINISHING	126 OAKLEY AVENUE	UST	Lower	1188, NNE
Q104	STORAGE DELUXE	80 SOUTH KENSICO AVE	UST	Lower	1192, NNE
N105	ELECTRO PLATING SERV	127 OAKLEY AVE	RCRA-NonGen, FINDS, MANIFEST, MANIFEST, NY Hist...	Lower	1193, NNE
N106	CON ED ELEC.VAULT	127 OAKLEY AVE.	MANIFEST, NY Spills, NY Hist Spills	Lower	1193, NNE
N107	ALTA METAL FINISHING	130 OAKLEY AVE	UST	Lower	1218, NNE
N108	ALTA METAL FINISHING	130 OAKLEY AVE	RCRA-NonGen, FINDS	Lower	1218, NNE
R109	ALEXANDER'S INC	60 SOUTH BROADWAY	UST	Higher	1239, SW
R110	WESTCHESTER PAVILION	60 S BROADWAY	RCRA-NonGen, FINDS, MANIFEST	Higher	1239, SW
P111	CONSOLIDATED EDISON	MAIN ST & S. BROADWA	MANIFEST	Higher	1248, WNW
Q112	MINERVA APARTMENTS,	16 MINERVA PLACE	UST	Lower	1253, NNE
O113	BROADMAR COMPANY, LL	277 MARTINE AVENUE	UST	Higher	1254, West
O114	BART GOLDBERG APT. B	277 MARTINE AVE	LTANKS, HIST LTANKS	Higher	1254, West
O115	WHITE PLAINS CITY OF	MARTINE AVE PUBLIC L	RCRA-NonGen, FINDS	Higher	1255, West
N116	BOBS AUTO BODY SHOP	138 OAKLEY AVE	MANIFEST	Lower	1276, NNE
N117	BOBS AUTO BODY SHOP	138 OAKLEY AVE	RCRA-NonGen, FINDS, MANIFEST	Lower	1276, NNE

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
P118	EMERICK GROSS REAL E	1 SOUTH BROADWAY	UST, AST	Higher	1277, WNW
119	EASTVIEW SCHOOL	350 MAIN ST	RCRA-NonGen	Higher	1286, North
S120	CENTRAL COUNTY GARAG	38 BROCKWAY PLACE	UST, AST	Lower	1293, NE
S121	NEXT TO	38 BROCKWAY PLACE	LTANKS, NY Spills	Lower	1293, NE
P122	NEW YORK SPORTS CLUB	1 N BROADWAY	RCRA-NonGen, FINDS	Higher	1293, WNW
P123	LASALLE PARTNERS	1 NORTH BROADWAY	HIST LTANKS	Higher	1293, WNW
P124	APARTMENT BUILDING	1 SOUTH BROADWAY	LTANKS, NY Spills, NY Hist Spills	Higher	1293, WNW
M125	APARTMENT COMPLEX	10 NORTH BROADWAY	LTANKS, NY Spills	Higher	1331, WNW
S126	BLDG	43-73 BROCKWAY PL	LTANKS, HIST LTANKS	Lower	1377, NE
T127	APT BUILDING	16 NORTH BROADWAY	LTANKS, NY Spills, NY Hist Spills	Higher	1425, NW
128	WHITE PLAINS BUS CO.	75 BROADWAY PLACE	HIST LTANKS, NY Spills	Higher	1429, SW
S129	COMMERCIAL	47 BROCKWAY PLACE	LTANKS, HIST LTANKS	Lower	1469, NE
T130	BROADLAWN APART.	20 NORTH BROADWAY	LTANKS, NY Spills, NY Hist Spills	Higher	1503, NW
U131		45 MITCHELL PLACE	HIST LTANKS	Higher	1504, WSW
U132	MGH CO	45 MITCHELL PLACE	LTANKS, HIST LTANKS	Higher	1504, WSW
V133	TATE RESIDENCE	38-42 SOUTH KENSICO	LTANKS	Higher	1505, North
W134	240 EAST POST RD	240 EAST POST RD	LTANKS, HIST LTANKS	Higher	1515, SW
U135	APARTMENT BUILDING	40 MITCHELL PL	LTANKS	Higher	1559, WSW
V136	OREIRO RESIDENCE	425 MAIN STREET	LTANKS, HIST LTANKS, NY Spills	Lower	1588, NNE
U137	APARTMENT BLDG	37-43 MITCHELL PL	LTANKS	Higher	1591, WSW
U138	BARGAM HOME	36-38 MITCHELL PLACE	LTANKS	Higher	1604, WSW
X139	WESTCHESTER COUNTY B	71 BROCKWAY PLACE	SWF/LF	Lower	1628, NE
U140	APT COMPLEX	32 MITCHELL PL	HIST LTANKS	Higher	1649, WSW
U141		32 MITCHELL PL	HIST LTANKS	Higher	1649, WSW
U142		32 MITCHELL PL	LTANKS, HIST LTANKS	Higher	1649, WSW
143	NESTLWES CO.	100 BLOOMINGDALE RD	LTANKS, HIST LTANKS, MANIFEST, NY Spills	Higher	1654, South
X144	WHITE PLAINS BUS CO	75 BROCKWAY PLACE	LTANKS, HIST LTANKS, NY Spills	Lower	1655, NE
W145	APARTMENT BUILDING	193 EAST POST ROAD	LTANKS	Higher	1681, SW
Y146	CITY HALL	255 MAIN ST.	HIST LTANKS	Higher	1684, West
Y147	WHITE PLAINS CITY OF	255 MAIN ST	SWF/LF, LTANKS, MANIFEST	Higher	1684, West
148	OFFICE BUILDING	15 NORTH BROADWAY	LTANKS, HIST LTANKS, NY Spills	Higher	1691, WNW
V149	6 HADDEN AVENUE	6 HADDEN AVENUE	LTANKS, HIST LTANKS	Higher	1692, North
U150	28 MITCHELL PLACE	28 MITCHELL PLACE	LTANKS, HIST LTANKS	Higher	1694, WSW
U151		28 MITCHELL PLACE	HIST LTANKS	Higher	1694, WSW
V152		8 HAYDEN AVE	LTANKS, HIST LTANKS	Higher	1696, North
V153	RESIDENCE	10 HADDEN AVE	LTANKS	Higher	1699, North
U154		25 MITCHELL PLACE	LTANKS, HIST LTANKS	Higher	1722, WSW
U155		23 MITCHELL PLACE	LTANKS, HIST LTANKS	Higher	1744, WSW
Z156	POLE #W6	18 DEKALB AVE	LTANKS, NY Spills, NY Hist Spills	Higher	1758, SSW

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
AA157	APT BUILDING	16 LAKE STREET	LTANKS	Higher	1761, NNW
AA158	JSD MANAGEMENT	15 LAKE ST.	LTANKS, HIST LTANKS	Higher	1766, NNW
AB159	BELTMORE TOWERS APTS	30 LAKE ST.	HIST LTANKS	Higher	1769, NNW
AB160	CONDO TOWER	30 LAKE ST	LTANKS, NY Spills	Higher	1769, NNW
AB161	RESIDENCE	30 LAKE STREET	HIST LTANKS	Higher	1769, NNW
AB162	DEROSA	25 LAKE STREET	LTANKS, HIST LTANKS, NY Spills	Higher	1779, NNW
AC163	PARK KNOLL	34 UNDERHILL AVE.	LTANKS, HIST LTANKS	Higher	1791, ENE
Z164	TORELLI	21 DEKALB AVE	LTANKS	Higher	1818, SSW
AD165	WHITE PLAINS EXTRA M	42 LAKE ST	LTANKS, NY Spills, NY Hist Spills	Higher	1831, NNW
AD166	NATIONAL CAR RENTAL	42 LAKE STREET	HIST LTANKS	Higher	1831, NNW
167	DEROSA BUILDERS	7 LAKE STREET	LTANKS, NY Spills	Higher	1849, NW
AD168	RAAB CO.	48 LAKE STREET	LTANKS, HIST LTANKS	Higher	1892, North
AD169	EMPTY WAREHOUSE	48 LAKE STREET	HIST LTANKS	Higher	1892, North
AE170	MITCHELL PLACE ASSOC	10 MITCHELL PLACE	LTANKS, HIST LTANKS	Higher	1892, WSW
AE171	GAS STATION	9 MITCHELL PL	LTANKS, HIST LTANKS, NY Spills	Higher	1897, WSW
AF172	OFFICE BLDG	171 EAST POST RD	LTANKS, HIST LTANKS	Higher	1925, SW
AF173	HALPERN ENTERPRISES	170 EAST POST ROAD	LTANKS, HIST LTANKS	Higher	1936, SW
AG174	STORE AT	41 LAKE ST	LTANKS, NY Spills, NY Hist Spills	Higher	1947, North
AC175	ALL PHASE CONSRUCTIO	56 UNDERHILL AV	LTANKS	Higher	1961, ENE
AG176	GETTY SERVICE STATIO	43 LAKE STREET	LTANKS, HIST LTANKS, UST, MANIFEST, NY Spills, NY...	Higher	1979, North
177	AMERICAN TELEPHONE &	400 HAMILTON AVENUE	LTANKS, HIST LTANKS, MANIFEST, NY Spills, NY Hist...	Higher	1989, WNW
AH178	NICKY'S RESTAURANT	107 MAMARONECK AVE.	LTANKS, HIST LTANKS	Higher	2031, WSW
179	PIRRO, MONSELL REALT	40 WALLER AVE	LTANKS, HIST LTANKS	Higher	2031, SW
AH180	DEVON PLAZA REALITY	109 MAMARONECK AVE	LTANKS, HIST LTANKS, NY Spills, NY Hist Spills	Higher	2032, WSW
AI181	COMMERCIAL SITE	221 MAIN STREET	NY Spills, BROWNFIELDS	Higher	2038, West
AE182	SILVERMAN REALITY	110 MAMARONECK AVE	LTANKS, HIST LTANKS	Higher	2061, WSW
AF183	PER-BAR	124 MAMARONECK AVE	LTANKS, HIST LTANKS	Higher	2083, WSW
184	MILLER CENTER FOR NU	37 DEKALD AVE.	LTANKS, HIST LTANKS	Higher	2085, SSW
AF185	COMMERCIAL PROERTY	151 EAST POST ROAD	LTANKS	Higher	2120, SW
AI186	OFFICE BUILDING	14 MAMARONECK AVE	LTANKS	Higher	2122, West
AI187	OFFICE BUILDING	14 NANARONECK AVE	HIST LTANKS	Higher	2122, West
AJ188		44 NORTH BROADWAY	LTANKS, NY Spills, NY Hist Spills	Higher	2154, NW
AK189	165 MAMARONECK AVE	165 MAMARONECK AVENU	LTANKS	Higher	2170, SW
AK190	220 BATTLE AVE	SAME	HIST LTANKS, NY Spills, NY Hist Spills	Higher	2170, SW
AK191	KEMPLER RESIDENCE	169 MAMARONECK AVE	LTANKS	Higher	2184, SW
AL192	MINSKOFF CORP.	179 MARTINE AVE	LTANKS, HIST LTANKS	Higher	2194, WSW
AI193		203 MAIN ST	LTANKS	Higher	2213, West
AK194	JOHN DALE INC	178 MAMORENECK AVE	LTANKS, HIST LTANKS	Higher	2224, SW
195	RENEE COLON	10 ROSS STREET	LTANKS, HIST LTANKS, NY Spills, NY Hist Spills	Higher	2267, NNW

MAPPED SITES SUMMARY

Target Property Address:
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft.) DIRECTION
AM196	UNKNOWN	55 LAKE STREET	LTANKS, NY Spills, NY Hist Spills	Higher	2273, North
AM197	AGROS S/S	55 LAKE STREET	HIST LTANKS	Higher	2273, North
AJ198	PRESBYTERIAN CHURCH	39 NORTH BROADWAY	LTANKS, HIST LTANKS	Higher	2289, NW
199	PARK KNOLL	88 UNDERHILL AVE	LTANKS, HIST LTANKS	Higher	2290, ENE
AM200	SAL'S AUTO BODY	59 LAKE ST	RCRA-CESQG, FINDS, LTANKS, MANIFEST	Higher	2323, North
AN201	OFFICE BLDG	203 MAMARONECK AVE	LTANKS, HIST LTANKS, NY Spills	Higher	2325, SW
202	CARPINETTO RESIDENCE	34 UNDERHILL PL	LTANKS	Lower	2348, NE
AJ203	50 N. BWAY. OWNERS I	50 NORTH BROADWAY	LTANKS, HIST LTANKS, NY Spills	Higher	2355, NW
204	INNS OF COURT	99 COURT ST	LTANKS, HIST LTANKS	Higher	2362, WSW
AL205	THE MICHICALLIAN OFF	MARTINE AVE. & COURT	LTANKS, HIST LTANKS	Higher	2388, WSW
AL206	INTERSECTION OF COUR	COURT ST. & MARITINE	LTANKS, HIST LTANKS	Higher	2388, WSW
AN207	WHITE PLAINS-FIRE HO	MAMARONECK & MAPLE A	LTANKS, HIST LTANKS	Higher	2398, SW
AN208	WHITE PLAINS DPW	MAPLE & MAMARONECK A	LTANKS, HIST LTANKS	Higher	2398, SW
AL209	MICHAEL E LAND OFFIC	148 MARTINE AVE	LTANKS, MANIFEST, NY Spills, NY Hist Spills	Higher	2405, WSW
AO210	41 BARKER AVE.	41 BARKER AVE.	LTANKS, NY Spills, NY Hist Spills	Higher	2462, WNW
AP211	RESIDENCE	185- 187 MAIN ST	LTANKS, HIST LTANKS	Higher	2473, West
AQ212	SILVERMAN REALTY	235 MAMARONECK AVE	LTANKS, NY Spills	Higher	2480, SW
AO213	APARTMENT BLDG	40 BARKER AVE	LTANKS, HIST LTANKS	Higher	2497, WNW
AR214		12-14 WOODCREST AVE	LTANKS, HIST LTANKS	Higher	2512, North
215	POLICE	279 HAMILTON	LTANKS, HIST LTANKS, MANIFEST	Higher	2520, West
AS216	BLOOMINGDALES	175 BLOOMINGDALE ROA	HIST LTANKS, NY Hist Spills	Higher	2534, South
AR217		16 WOODCREST AVE	LTANKS	Higher	2535, North
AS218	BLOOMINGDALES	170 BLOOMINGDALE AVE	RCRA-NonGen, LTANKS, MANIFEST, NY Spills	Higher	2542, South
219	COACHMAN HOTEL	123 EAST POST ROAD	LTANKS, HIST LTANKS	Higher	2550, SW
AT220	GOOD COUNCIL CONVENT	52 NORTH BROADWAY	LTANKS	Higher	2577, NW
AT221		52 N. BROADWAY	HIST LTANKS	Higher	2577, NW
AP222	VINTAGE RESTAURANT	171-173 MAIN STREET	LTANKS	Higher	2581, West
223		28 MACRI AVE	LTANKS	Higher	2613, ENE
AQ224	YMCA	260 MAMARONECK AVE	LTANKS, HIST LTANKS	Higher	2625, SSW
225	WHITE PLAINS MGP SIT	9 NEW STREET AND 12	Manufactured Gas Plants	Higher	3760, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 09/11/2012 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SEPHORA #326	***125 WESTCHESTER AVE***	***ESE 0 - 1/8 (0.006 mi.)***	***A3***	***8***

RCRA-CESQG: A review of the RCRA-CESQG list, as provided by EDR, and dated 09/11/2012 has revealed that there are 6 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PL	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***9***
WESTCHESTER ONE	44 S BROADWAY	SW 1/8 - 1/4 (0.194 mi.)	K74	26

Lower Elevation	Address	Direction / Distance	Map ID	Page
FROMEX	***125 WESTCHESTER AVE***	***ESE 0 - 1/8 (0.006 mi.)***	***A5***	***8***
WHITE PLAINS SCHOOL	***7 AMHERST PL***	***N 0 - 1/8 (0.111 mi.)***	***D31***	***15***
180 S KENSICO AVE AU	***96 S KENSICO AVE***	***NNE 1/8 - 1/4 (0.179 mi.)***	***J68***	***25***
CONSUMER CAR CARE IN	***112 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.206 mi.)***	***J83***	***28***

EXECUTIVE SUMMARY

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: A review of the SWF/LF list, as provided by EDR, and dated 10/10/2012 has revealed that there are 2 SWF/LF sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CITY OF	***255 MAIN ST***	***W 1/4 - 1/2 (0.319 mi.)***	***Y147***	***44***
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
WESTCHESTER COUNTY B	71 BROCKWAY PLACE	NE 1/4 - 1/2 (0.308 mi.)	X139	41

State and tribal leaking storage tank lists

LTANKS: A review of the LTANKS list, as provided by EDR, and dated 08/20/2012 has revealed that there are 105 LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PL Date Closed: 1/8/1987	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***9***
FRANKLIN APTS Date Closed: 8/19/1988	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***14***
3-5 FRANKLIN AVE Date Closed: 1/11/1989 Date Closed: 2/5/1993	***3-5 FRANKLIN AVE.***	***WNW 1/8 - 1/4 (0.152 mi.)***	***G47***	***19***
DPW GARAGE Date Closed: 11/23/1987	***140 SOUTH KENSICO AV***	***NE 1/8 - 1/4 (0.152 mi.)***	***H49***	***19***
M B TRUCKING	***12 WESTCHESTER AVE***	***WNW 1/8 - 1/4 (0.163 mi.)***	***G58***	***23***
CON ED HOLE # TM 251 Date Closed: 2/6/1989	***MARTINE AVE WEST OF***	***SW 1/8 - 1/4 (0.171 mi.)***	***K65***	***24***
CROWN PLAZA HOTEL	66 HALE AVE	SSW 1/8 - 1/4 (0.197 mi.)	75	26
APARTMENT BUILDING Date Closed: 4/24/2009	2-4 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.205 mi.)	L79	27
RESIDENCE Date Closed: 1/9/1998	***325 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L81***	***27***
APT BUILDING Date Closed: 7/19/1993 Date Closed: 2/9/2000 **Additional key fields are available in the Map Findings section*	***300 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L84***	***28***
Not reported Date Closed: 9/18/2001	***2 AMHERST PL***	***NNW 1/8 - 1/4 (0.213 mi.)***	***95***	***30***
Not reported Date Closed: 12/13/2002	***300 MARTINE AVE***	***W 1/8 - 1/4 (0.218 mi.)***	***O98***	***31***
ES GORDON Date Closed: 5/4/1994	***7-11 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.218 mi.)***	***P100***	***31***
PRESIDENTIAL MANAGEM Date Closed: 5/6/2004	***2 WESTCHESTER AVE.***	***WNW 1/8 - 1/4 (0.220 mi.)***	***M101***	***32***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BART GOLDBERG APT. B	***277 MARTINE AVE***	***W 1/8 - 1/4 (0.237 mi.)***	***O114***	***35***
Date Closed: 11/8/1990				
APARTMENT BUILDING	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.245 mi.)***	***P124***	***37***
Date Closed: 3/8/1989				
APARTMENT COMPLEX	***10 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.252 mi.)***	***M125***	***37***
Date Closed: 12/12/2003				
APT BUILDING	***16 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.270 mi.)***	***T127***	***38***
Date Closed: 12/12/2007				
Date Closed: 8/27/2005				
BROADLAWN APART.	***20 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.285 mi.)***	***T130***	***39***
Date Closed: 3/11/2002				
Date Closed: 6/8/2008				
MGH CO	***45 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.285 mi.)***	***U132***	***40***
Date Closed: 12/12/1995				
Date Closed: 1/11/2000				
TATE RESIDENCE	38-42 SOUTH KENSICO	N 1/4 - 1/2 (0.285 mi.)	V133	40
Date Closed: 11/27/2004				
240 EAST POST RD	***240 EAST POST RD***	***SW 1/4 - 1/2 (0.287 mi.)***	***W134***	***40***
Date Closed: 12/15/1999				
APARTMENT BUILDING	40 MITCHELL PL	WSW 1/4 - 1/2 (0.295 mi.)	U135	40
Date Closed: 10/31/2003				
APARTMENT BLDG	37-43 MITCHELL PL	WSW 1/4 - 1/2 (0.301 mi.)	U137	41
Date Closed: 4/7/2003				
BARGAM HOME	36-38 MITCHELL PLACE	WSW 1/4 - 1/2 (0.304 mi.)	U138	41
Date Closed: 12/18/2005				
Not reported	***32 MITCHELL PL***	***WSW 1/4 - 1/2 (0.312 mi.)***	***U142***	***42***
Date Closed: 7/22/2002				
Date Closed: 12/24/1996				
**Additional key fields are available in the Map Findings section*				
NESTLWES CO.	***100 BLOOMINGDALE RD***	***S 1/4 - 1/2 (0.313 mi.)***	***143***	***42***
Date Closed: 4/5/1989				
APARTMENT BUILDING	193 EAST POST ROAD	SW 1/4 - 1/2 (0.318 mi.)	W145	43
Date Closed: 10/11/2005				
WHITE PLAINS CITY OF	***255 MAIN ST***	***W 1/4 - 1/2 (0.319 mi.)***	***Y147***	***44***
Date Closed: 3/14/1988				
OFFICE BUILDING	***15 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.320 mi.)***	***148***	***44***
Date Closed: 2/1/1996				
6 HADDEN AVENUE	***6 HADDEN AVENUE***	***N 1/4 - 1/2 (0.320 mi.)***	***V149***	***44***
Date Closed: 10/16/2000				
28 MITCHELL PLACE	***28 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.321 mi.)***	***U150***	***44***
Date Closed: 5/13/1999				
Date Closed: 11/14/2001				
Not reported	***8 HAYDEN AVE***	***N 1/4 - 1/2 (0.321 mi.)***	***V152***	***45***
Date Closed: 2/28/2006				
RESIDENCE	10 HADDEN AVE	N 1/4 - 1/2 (0.322 mi.)	V153	45
Date Closed: 2/3/2006				
Not reported	***25 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.326 mi.)***	***U154***	***46***
Date Closed: 10/8/1999				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported	***23 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.330 mi.)***	***U155***	***46***
Date Closed: 12/20/1991				
POLE #W6	***18 DEKALB AVE***	***SSW 1/4 - 1/2 (0.333 mi.)***	***Z156***	***46***
Date Closed: 10/4/2004				
Date Closed: 10/4/2004				
**Additional key fields are available in the Map Findings section*				
APT BUILDING	16 LAKE STREET	NNW 1/4 - 1/2 (0.334 mi.)	AA157	47
Date Closed: 6/23/2010				
JSD MANAGEMENT	***15 LAKE ST.***	***NNW 1/4 - 1/2 (0.334 mi.)***	***AA158***	***47***
Date Closed: 7/30/1992				
CONDO TOWER	***30 LAKE ST***	***NNW 1/4 - 1/2 (0.335 mi.)***	***AB160***	***47***
Date Closed: 4/14/2009				
Date Closed: 3/30/2011				
**Additional key fields are available in the Map Findings section*				
DEROSA	***25 LAKE STREET***	***NNW 1/4 - 1/2 (0.337 mi.)***	***AB162***	***48***
Date Closed: 3/30/2004				
PARK KNOLL	***34 UNDERHILL AVE.***	***ENE 1/4 - 1/2 (0.339 mi.)***	***AC163***	***48***
Date Closed: 11/29/1989				
TORELLI	21 DEKALB AVE	SSW 1/4 - 1/2 (0.344 mi.)	Z164	49
Date Closed: 2/2/2005				
WHITE PLAINS EXTRA M	***42 LAKE ST***	***NNW 1/4 - 1/2 (0.347 mi.)***	***AD165***	***49***
Date Closed: 7/29/1992				
Date Closed: 9/11/2005				
DEROSA BUILDERS	***7 LAKE STREET***	***NW 1/4 - 1/2 (0.350 mi.)***	***167***	***49***
Date Closed: 7/31/2008				
Date Closed: 11/17/2006				
**Additional key fields are available in the Map Findings section*				
RAAB CO.	***48 LAKE STREET***	***N 1/4 - 1/2 (0.358 mi.)***	***AD168***	***50***
Date Closed: 3/3/1994				
Date Closed: 2/11/1995				
MITCHELL PLACE ASSOC	***10 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.358 mi.)***	***AE170***	***50***
Date Closed: 10/2/1989				
GAS STATION	***9 MITCHELL PL***	***WSW 1/4 - 1/2 (0.359 mi.)***	***AE171***	***51***
Date Closed: 10/27/1998				
OFFICE BLDG	***171 EAST POST RD***	***SW 1/4 - 1/2 (0.365 mi.)***	***AF172***	***51***
Date Closed: 3/30/2004				
HALPERN ENTERPRISES	***170 EAST POST ROAD***	***SW 1/4 - 1/2 (0.367 mi.)***	***AF173***	***51***
Date Closed: 4/30/2005				
STORE AT	***41 LAKE ST***	***N 1/4 - 1/2 (0.369 mi.)***	***AG174***	***52***
Date Closed: 3/1/2007				
ALL PHASE CONSRUCTIO	56 UNDERHILL AV	ENE 1/4 - 1/2 (0.371 mi.)	AC175	52
Date Closed: 8/13/2007				
GETTY SERVICE STATIO	***43 LAKE STREET***	***N 1/4 - 1/2 (0.375 mi.)***	***AG176***	***52***
Date Closed: 10/22/1992				
Date Closed: 6/8/2004				
AMERICAN TELEPHONE &	***400 HAMILTON AVENUE***	***WNW 1/4 - 1/2 (0.377 mi.)***	***177***	***53***
Date Closed: 7/22/1996				
NICKY'S RESTAURANT	***107 MAMARONECK AVE.***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH178***	***54***
Date Closed: 5/3/1989				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PIRRO, MONSELL REALT	***40 WALLER AVE***	***SW 1/4 - 1/2 (0.385 mi.)***	***179***	***54***
Date Closed: 2/2/1988				
DEVON PLAZA REALITY	***109 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH180***	***55***
Date Closed: 12/29/1995				
SILVERMAN REALITY	***110 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.390 mi.)***	***AE182***	***55***
Date Closed: 1/22/2003				
PER-BAR	***124 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.395 mi.)***	***AF183***	***56***
Date Closed: 1/18/1989				
MILLER CENTER FOR NU	***37 DEKALD AVE.***	***SSW 1/4 - 1/2 (0.395 mi.)***	***184***	***56***
Date Closed: 8/30/1988				
COMMERCIAL PROERTY	151 EAST POST ROAD	SW 1/4 - 1/2 (0.402 mi.)	AF185	56
Date Closed: 11/3/2006				
OFFICE BUILDING	14 MAMARONECK AVE	W 1/4 - 1/2 (0.402 mi.)	AI186	56
Date Closed: 3/5/1997				
Date Closed: 4/22/2004				
Not reported	***44 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.408 mi.)***	***AJ188***	***57***
Date Closed: 11/5/2009				
165 MAMARONECK AVE	165 MAMARONECK AVENU	SW 1/4 - 1/2 (0.411 mi.)	AK189	57
Date Closed: 6/22/2007				
Date Closed: 6/22/2007				
**Additional key fields are available in the Map Findings section*				
KEMPLER RESIDENCE	169 MAMARONECK AVE	SW 1/4 - 1/2 (0.414 mi.)	AK191	58
Date Closed: 8/25/2003				
MINSKOFF CORP.	***179 MARTINE AVE***	***WSW 1/4 - 1/2 (0.416 mi.)***	***AL192***	***58***
Date Closed: 5/15/1992				
Not reported	203 MAIN ST	W 1/4 - 1/2 (0.419 mi.)	AI193	59
Date Closed: 9/3/2003				
JOHN DALE INC	***178 MAMORENECK AVE***	***SW 1/4 - 1/2 (0.421 mi.)***	***AK194***	***59***
Date Closed: 12/1/1998				
RENEE COLON	***10 ROSS STREET***	***NNW 1/4 - 1/2 (0.429 mi.)***	***195***	***59***
Date Closed: 5/13/1993				
UNKNOWN	***55 LAKE STREET***	***N 1/4 - 1/2 (0.430 mi.)***	***AM196***	***60***
Date Closed: 1/23/1995				
Date Closed: 1/19/1995				
PRESBYTERIAN CHURCH	***39 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.434 mi.)***	***AJ198***	***60***
Date Closed: 3/4/1988				
PARK KNOLL	***88 UNDERHILL AVE***	***ENE 1/4 - 1/2 (0.434 mi.)***	***199***	***61***
Date Closed: 11/29/1989				
SAL'S AUTO BODY	***59 LAKE ST***	***N 1/4 - 1/2 (0.440 mi.)***	***AM200***	***61***
Date Closed: 8/15/2012				
Date Closed: 8/15/2012				
**Additional key fields are available in the Map Findings section*				
OFFICE BLDG	***203 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.440 mi.)***	***AN201***	***61***
50 N. BWAY. OWNERS I	***50 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.446 mi.)***	***AJ203***	***62***
Date Closed: 6/29/1994				
INNS OF COURT	***99 COURT ST***	***WSW 1/4 - 1/2 (0.447 mi.)***	***204***	***62***
Date Closed: 2/28/2006				
THE MICHICALLIAN OFF	***MARTINE AVE. & COURT***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL205***	***62***
Date Closed: 11/18/1993				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
INTERSECTION OF COUR	***COURT ST. & MARITINE***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL206***	***63***
Date Closed: 11/29/1989				
WHITE PLAINS-FIRE HO	***MAMARONECK & MAPLE A***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN207***	***63***
Date Closed: 1/5/1989				
WHITE PLAINS DPW	***MAPLE & MAMARONECK A***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN208***	***63***
Date Closed: 3/10/1992				
MICHAEL E LAND OFFIC	***148 MARTINE AVE***	***WSW 1/4 - 1/2 (0.455 mi.)***	***AL209***	***64***
Date Closed: 9/26/2005				
Date Closed: 1/14/2002				
**Additional key fields are available in the Map Findings section*				
41 BARKER AVE.	***41 BARKER AVE.***	***WNW 1/4 - 1/2 (0.466 mi.)***	***AO210***	***64***
Date Closed: 3/4/2010				
RESIDENCE	***185- 187 MAIN ST***	***W 1/4 - 1/2 (0.468 mi.)***	***AP211***	***64***
Date Closed: 11/10/1997				
SILVERMAN REALTY	***235 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.470 mi.)***	***AQ212***	***65***
Date Closed: 3/30/2012				
Date Closed: 1/10/2005				
APARTMENT BLDG	***40 BARKER AVE***	***WNW 1/4 - 1/2 (0.473 mi.)***	***AO213***	***65***
Date Closed: 1/31/2001				
Not reported	***12-14 WOODCREST AVE***	***N 1/4 - 1/2 (0.476 mi.)***	***AR214***	***65***
Date Closed: 3/23/1999				
POLICE	***279 HAMILTON***	***W 1/4 - 1/2 (0.477 mi.)***	***215***	***66***
Date Closed: 11/29/1989				
Not reported	16 WOODCREST AVE	N 1/4 - 1/2 (0.480 mi.)	AR217	66
Date Closed: 6/24/2003				
BLOOMINGDALES	***170 BLOOMINGDALE AVE***	***S 1/4 - 1/2 (0.481 mi.)***	***AS218***	***66***
Date Closed: 8/3/1988				
COACHMAN HOTEL	***123 EAST POST ROAD***	***SW 1/4 - 1/2 (0.483 mi.)***	***219***	***67***
Date Closed: 9/24/1993				
GOOD COUNCIL CONVENT	52 NORTH BROADWAY	NW 1/4 - 1/2 (0.488 mi.)	AT220	67
Date Closed: 3/21/2006				
Date Closed: 12/2/1988				
VINTAGE RESTAURANT	171-173 MAIN STREET	W 1/4 - 1/2 (0.489 mi.)	AP222	67
Date Closed: 9/26/2008				
Date Closed: 9/26/2008				
Not reported	28 MACRI AVE	ENE 1/4 - 1/2 (0.495 mi.)	223	68
Date Closed: 5/6/2004				
YMCA	***260 MAMARONECK AVE***	***SSW 1/4 - 1/2 (0.497 mi.)***	***AQ224***	***68***
Date Closed: 3/23/2002				

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER SHOPPING	***WEST AVE.& PAWLING S***	***E 0 - 1/8 (0.016 mi.)***	***A6***	***9***
Date Closed: 1/20/1995				
EXXON S/S KENSECO AV	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***12***
Date Closed: 7/1/1998				
Date Closed: 7/1/1998				
**Additional key fields are available in the Map Findings section*				

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
EXXON MOBIL Date Closed: 6/6/1986	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F34***	***16***
Not reported Date Closed: 3/23/2004	155-157 KENSICO AVE	ENE 1/8 - 1/4 (0.144 mi.)	F42	18
NEW YORK BLOOD CENTE Date Closed: 6/2/1999 Date Closed: 6/24/2009	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***
NEXT TO Date Closed: 9/16/2008	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S121***	***36***
BLDG Date Closed: 12/12/2000	***43-73 BROCKWAY PL***	***NE 1/4 - 1/2 (0.261 mi.)***	***S126***	***38***
COMMERCIAL Date Closed: 2/11/1995	***47 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.278 mi.)***	***S129***	***39***
OREIRO RESIDENCE Date Closed: 2/9/1993	***425 MAIN STREET***	***NNE 1/4 - 1/2 (0.301 mi.)***	***V136***	***41***
WHITE PLAINS BUS CO Date Closed: 8/7/2006	***75 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.313 mi.)***	***X144***	***43***
CARPINETTO RESIDENCE Date Closed: 11/7/2002	34 UNDERHILL PL	NE 1/4 - 1/2 (0.445 mi.)	202	62

HIST LTANKS: A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 85 HIST LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PL Date Closed: 01/08/87	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***9***
FRANKLIN APTS Date Closed: 08/19/88	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***14***
APT. BUILDING Date Closed: 02/05/93	3-5 FRANKLIN AVE.	WNW 1/8 - 1/4 (0.152 mi.)	G45	18
3-5 FRANKLIN AVE Date Closed: 01/11/89	***3-5 FRANKLIN AVE.***	***WNW 1/8 - 1/4 (0.152 mi.)***	***G47***	***19***
DPW GARAGE Date Closed: 11/23/87	***140 SOUTH KENSICO AV***	***NE 1/8 - 1/4 (0.152 mi.)***	***H49***	***19***
CON ED HOLE # TM 251 Date Closed: 02/06/89	***MARTINE AVE WEST OF***	***SW 1/8 - 1/4 (0.171 mi.)***	***K65***	***24***
RESIDENCE Date Closed: 01/09/98	***325 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L81***	***27***
APT BUILDING Date Closed: 02/09/00	***300 MAIN ST***	***NW 1/8 - 1/4 (0.206 mi.)***	***L84***	***28***
BRENTWOOD CONDOS Date Closed: 07/19/93	300 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L85	28
BRENT WOOD APTS Date Closed: 02/17/88	300 MAIN ST	NW 1/8 - 1/4 (0.206 mi.)	L86	29
Not reported Date Closed: / /	***2 AMHERST PL***	***NNW 1/8 - 1/4 (0.213 mi.)***	***95***	***30***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ES GORDON Date Closed: 05/04/94	***7-11 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.218 mi.)***	***P100***	***31***
PRESIDENTIAL MANAGEM Date Closed: / /	***2 WESTCHESTER AVE.***	***WNW 1/8 - 1/4 (0.220 mi.)***	***M101***	***32***
BART GOLDBERG APT. B Date Closed: 11/08/90	***277 MARTINE AVE***	***W 1/8 - 1/4 (0.237 mi.)***	***O114***	***35***
LASALLE PARTNERS Date Closed: 03/08/89	1 NORTH BROADWAY	WNW 1/8 - 1/4 (0.245 mi.)	P123	37
WHITE PLAINS BUS CO. Date Closed: / /	***75 BROADWAY PLACE***	***SW 1/4 - 1/2 (0.271 mi.)***	***128***	***38***
Not reported Date Closed: 01/11/00	45 MITCHELL PLACE	WSW 1/4 - 1/2 (0.285 mi.)	U131	39
MGH CO Date Closed: 12/12/95	***45 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.285 mi.)***	***U132***	***40***
240 EAST POST RD Date Closed: 12/15/99	***240 EAST POST RD***	***SW 1/4 - 1/2 (0.287 mi.)***	***W134***	***40***
APT COMPLEX Date Closed: 11/10/97	32 MITCHELL PL	WSW 1/4 - 1/2 (0.312 mi.)	U140	42
Not reported Date Closed: 12/24/96	32 MITCHELL PL	WSW 1/4 - 1/2 (0.312 mi.)	U141	42
Not reported Date Closed: / /	***32 MITCHELL PL***	***WSW 1/4 - 1/2 (0.312 mi.)***	***U142***	***42***
NESTLWES CO. Date Closed: 04/05/89	***100 BLOOMINGDALE RD***	***S 1/4 - 1/2 (0.313 mi.)***	***143***	***42***
CITY HALL Date Closed: 03/14/88	255 MAIN ST.	W 1/4 - 1/2 (0.319 mi.)	Y146	43
OFFICE BUILDING Date Closed: / /	***15 NORTH BROADWAY***	***WNW 1/4 - 1/2 (0.320 mi.)***	***148***	***44***
6 HADDEN AVENUE Date Closed: 10/16/00	***6 HADDEN AVENUE***	***N 1/4 - 1/2 (0.320 mi.)***	***V149***	***44***
28 MITCHELL PLACE Date Closed: / /	***28 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.321 mi.)***	***U150***	***44***
Not reported Date Closed: 05/13/99	28 MITCHELL PLACE	WSW 1/4 - 1/2 (0.321 mi.)	U151	45
Not reported Date Closed: / /	***8 HAYDEN AVE***	***N 1/4 - 1/2 (0.321 mi.)***	***V152***	***45***
Not reported Date Closed: 10/08/99	***25 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.326 mi.)***	***U154***	***46***
Not reported Date Closed: 12/20/91	***23 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.330 mi.)***	***U155***	***46***
JSD MANAGEMENT Date Closed: 07/30/92	***15 LAKE ST.***	***NNW 1/4 - 1/2 (0.334 mi.)***	***AA158***	***47***
BELTMORE TOWERS APTS Date Closed: 07/27/88	30 LAKE ST.	NNW 1/4 - 1/2 (0.335 mi.)	AB159	47
RESIDENCE Date Closed: / /	30 LAKE STREET	NNW 1/4 - 1/2 (0.335 mi.)	AB161	48

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DEROSA Date Closed: / /	***25 LAKE STREET***	***NNW 1/4 - 1/2 (0.337 mi.)***	***AB162***	***48***
PARK KNOLL Date Closed: 11/29/89	***34 UNDERHILL AVE.***	***ENE 1/4 - 1/2 (0.339 mi.)***	***AC163***	***48***
NATIONAL CAR RENTAL Date Closed: 07/29/92	42 LAKE STREET	NNW 1/4 - 1/2 (0.347 mi.)	AD166	49
RAAB CO. Date Closed: 03/03/94	***48 LAKE STREET***	***N 1/4 - 1/2 (0.358 mi.)***	***AD168***	***50***
EMPTY WAREHOUSE Date Closed: 02/11/95	48 LAKE STREET	N 1/4 - 1/2 (0.358 mi.)	AD169	50
MITCHELL PLACE ASSOC Date Closed: 10/02/89	***10 MITCHELL PLACE***	***WSW 1/4 - 1/2 (0.358 mi.)***	***AE170***	***50***
GAS STATION Date Closed: 10/27/98	***9 MITCHELL PL***	***WSW 1/4 - 1/2 (0.359 mi.)***	***AE171***	***51***
OFFICE BLDG Date Closed: / /	***171 EAST POST RD***	***SW 1/4 - 1/2 (0.365 mi.)***	***AF172***	***51***
HALPERN ENTERPRISES Date Closed: / /	***170 EAST POST ROAD***	***SW 1/4 - 1/2 (0.367 mi.)***	***AF173***	***51***
GETTY SERVICE STATIO Date Closed: / / Date Closed: 10/22/92	***43 LAKE STREET***	***N 1/4 - 1/2 (0.375 mi.)***	***AG176***	***52***
AMERICAN TELEPHONE & Date Closed: 07/22/96	***400 HAMILTON AVENUE***	***WNW 1/4 - 1/2 (0.377 mi.)***	***177***	***53***
NICKY'S RESTAURANT Date Closed: 05/03/89	***107 MAMARONECK AVE.***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH178***	***54***
PIRRO, MONSELL REALT Date Closed: 02/02/88	***40 WALLER AVE***	***SW 1/4 - 1/2 (0.385 mi.)***	***179***	***54***
DEVON PLAZA REALITY Date Closed: 12/29/95	***109 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.385 mi.)***	***AH180***	***55***
SILVERMAN REALITY Date Closed: / /	***110 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.390 mi.)***	***AE182***	***55***
PER-BAR Date Closed: 01/18/89	***124 MAMARONECK AVE***	***WSW 1/4 - 1/2 (0.395 mi.)***	***AF183***	***56***
MILLER CENTER FOR NU Date Closed: 08/30/88	***37 DEKALD AVE.***	***SSW 1/4 - 1/2 (0.395 mi.)***	***184***	***56***
OFFICE BUILDING Date Closed: 03/05/95	14 NANARONECK AVE	W 1/4 - 1/2 (0.402 mi.)	AI187	57
220 BATTLE AVE Date Closed: / /	***SAME***	***SW 1/4 - 1/2 (0.411 mi.)***	***AK190***	***58***
MINSKOFF CORP. Date Closed: 05/15/92	***179 MARTINE AVE***	***WSW 1/4 - 1/2 (0.416 mi.)***	***AL192***	***58***
JOHN DALE INC Date Closed: 12/01/98	***178 MAMORENECK AVE***	***SW 1/4 - 1/2 (0.421 mi.)***	***AK194***	***59***
RENEE COLON Date Closed: 05/13/93	***10 ROSS STREET***	***NNW 1/4 - 1/2 (0.429 mi.)***	***195***	***59***
AGROS S/S Date Closed: 01/19/95 Date Closed: 01/23/95	55 LAKE STREET	N 1/4 - 1/2 (0.430 mi.)	AM197	60

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PRESBYTERIAN CHURCH Date Closed: 03/04/88	***39 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.434 mi.)***	***AJ198***	***60***
PARK KNOLL Date Closed: 11/29/89	***88 UNDERHILL AVE***	***ENE 1/4 - 1/2 (0.434 mi.)***	***199***	***61***
OFFICE BLDG Date Closed: / /	***203 MAMARONECK AVE***	***SW 1/4 - 1/2 (0.440 mi.)***	***AN201***	***61***
50 N. BWAY. OWNERS I Date Closed: 06/29/94	***50 NORTH BROADWAY***	***NW 1/4 - 1/2 (0.446 mi.)***	***AJ203***	***62***
INNS OF COURT Date Closed: / /	***99 COURT ST***	***WSW 1/4 - 1/2 (0.447 mi.)***	***204***	***62***
THE MICHICALLIAN OFF Date Closed: 11/18/93	***MARTINE AVE. & COURT***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL205***	***62***
INTERSECTION OF COUR Date Closed: 11/29/89	***COURT ST. & MARITINE***	***WSW 1/4 - 1/2 (0.452 mi.)***	***AL206***	***63***
WHITE PLAINS-FIRE HO Date Closed: 01/05/89	***MAMARONECK & MAPLE A***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN207***	***63***
WHITE PLAINS DPW Date Closed: 03/10/92	***MAPLE & MAMARONECK A***	***SW 1/4 - 1/2 (0.454 mi.)***	***AN208***	***63***
RESIDENCE Date Closed: 11/10/97	***185- 187 MAIN ST***	***W 1/4 - 1/2 (0.468 mi.)***	***AP211***	***64***
APARTMENT BLDG Date Closed: 01/31/01	***40 BARKER AVE***	***WNW 1/4 - 1/2 (0.473 mi.)***	***AO213***	***65***
Not reported Date Closed: 03/23/99	***12-14 WOODCREST AVE***	***N 1/4 - 1/2 (0.476 mi.)***	***AR214***	***65***
POLICE Date Closed: 11/29/89	***279 HAMILTON***	***W 1/4 - 1/2 (0.477 mi.)***	***215***	***66***
BLOOMINGDALES Date Closed: 08/03/88	***175 BLOOMINGDALE ROA***	***S 1/4 - 1/2 (0.480 mi.)***	***AS216***	***66***
COACHMAN HOTEL Date Closed: 09/24/93	***123 EAST POST ROAD***	***SW 1/4 - 1/2 (0.483 mi.)***	***219***	***67***
Not reported Date Closed: 12/02/88	52 N. BROADWAY	NW 1/4 - 1/2 (0.488 mi.)	AT221	67
YMCA Date Closed: / /	***260 MAMARONECK AVE***	***SSW 1/4 - 1/2 (0.497 mi.)***	***AQ224***	***68***

Lower Elevation	Address	Direction / Distance	Map ID	Page
WESTCHESTER SHOPPING Date Closed: 01/20/95	***WEST AVE.& PAWLING S***	***E 0 - 1/8 (0.016 mi.)***	***A6***	***9***
Not reported Date Closed: 06/06/86	174 WESTCHESTER AVE.	E 1/8 - 1/4 (0.127 mi.)	F35	16
EXXON GAS STATION Date Closed: 07/01/98	186 WESTCHESTER AVE.	E 1/8 - 1/4 (0.138 mi.)	F41	17
SEABURGH'S FROZEN FO Date Closed: / /	***200 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.152 mi.)***	***F44***	***18***
NEW YORK PRESBYTERIA Date Closed: 06/02/99	21 BLOOMINGDALE ROAD	SSE 1/8 - 1/4 (0.159 mi.)	I55	21

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK BLOOD CENTE Date Closed: / /	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***
W.C. MAINT. GARAGE Date Closed: / /	BROCKWAY PLACE	ENE 1/8 - 1/4 (0.209 mi.)	91	30
BLDG Date Closed: 12/12/00	***43-73 BROCKWAY PL***	***NE 1/4 - 1/2 (0.261 mi.)***	***S126***	***38***
COMMERCIAL Date Closed: 02/11/95	***47 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.278 mi.)***	***S129***	***39***
OREIRO RESIDENCE Date Closed: 02/09/93	***425 MAIN STREET***	***NNE 1/4 - 1/2 (0.301 mi.)***	***V136***	***41***
WHITE PLAINS BUS CO Date Closed: / /	***75 BROCKWAY PLACE***	***NE 1/4 - 1/2 (0.313 mi.)***	***X144***	***43***

State and tribal registered storage tank lists

UST: A review of the UST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 30 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CHRYSLE	***70 WESTCHESTER AVENU***	***W 0 - 1/8 (0.039 mi.)***	***B13***	***10***
B. ALTMAN BUILDING	65 WESTCHESTER AVE	WSW 0 - 1/8 (0.062 mi.)	B14	11
FRANKLIN TOWERS	***25 FRANKLIN AVENUE***	***NW 0 - 1/8 (0.107 mi.)***	***E27***	***14***
WESTBROOK TENANTS CO	10 FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.136 mi.)	E40	17
HIGHWAY GARAGE	***140 SOUTH KENSICO AV***	***NE 1/8 - 1/4 (0.152 mi.)***	***H50***	***20***
COLIN SERVICE SYSTEM	1 BROCKWAY PLACE	NE 1/8 - 1/4 (0.155 mi.)	H51	20
ONE FRANKLIN OWNERS	ONE FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.157 mi.)	G52	21
12 WESTCHESTER TENAN	12 WESTCHESTER AVENU	WNW 1/8 - 1/4 (0.163 mi.)	G59	23
34 SOUTH BROADWAY	34 SOUTH BROADWAY	WSW 1/8 - 1/4 (0.181 mi.)	K70	25
2-4 WINDSOR TERRACE	2-4 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.205 mi.)	L78	27
325 MAIN STREET OWNE	325 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L80	27
BRENTWOOD CONDOMINIU	300 MAIN STREET	NW 1/8 - 1/4 (0.206 mi.)	L87	29
WHITE PLAINS ONE COM	345 MAIN STREET	NNW 1/8 - 1/4 (0.209 mi.)	L92	30
EDWARD S. GORDON CO.	7-11 SOUTH BROADWAY	WNW 1/8 - 1/4 (0.218 mi.)	P99	31
2 NORTH BROADWAY ASS	***2 NORTH BROADWAY***	***WNW 1/8 - 1/4 (0.222 mi.)***	***M102***	***32***
ALEXANDER'S INC	60 SOUTH BROADWAY	SW 1/8 - 1/4 (0.235 mi.)	R109	34
BROADMAR COMPANY, LL	277 MARTINE AVENUE	W 1/8 - 1/4 (0.237 mi.)	O113	34
EMERICK GROSS REAL E	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.242 mi.)***	***P118***	***35***

Lower Elevation	Address	Direction / Distance	Map ID	Page
COLONIAL FUEL & FOOD	186 WESTCHESTER AVEN	E 0 - 1/8 (0.078 mi.)	C23	13
THE BANK OF NEW YORK	158 WESTCHESTER AVE	E 0 - 1/8 (0.088 mi.)	C25	13
EASTVIEW SCHOOL	***7 AMHERST PLACE***	***N 0 - 1/8 (0.111 mi.)***	***D30***	***15***
MOBIL R/S #11617	174 WESTCHESTER AVE.	E 1/8 - 1/4 (0.127 mi.)	F37	16
NEW YORK PRESBYTERIA	***21 BLOOMINGDALE ROAD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I56***	***21***
OFFICE BUILDING	210 WESTCHESTER AVE.	E 1/8 - 1/4 (0.165 mi.)	F61	23
HARRISON COURT	220 - 230 WESTCHESTE	E 1/8 - 1/4 (0.172 mi.)	F66	25
ALTA METAL FINISHING	126 OAKLEY AVENUE	NNE 1/8 - 1/4 (0.225 mi.)	N103	32
STORAGE DELUXE	80 SOUTH KENSICO AVE	NNE 1/8 - 1/4 (0.226 mi.)	Q104	33
ALTA METAL FINISHING	130 OAKLEY AVE	NNE 1/8 - 1/4 (0.231 mi.)	N107	33

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
MINERVA APARTMENTS,	16 MINERVA PLACE	NNE 1/8 - 1/4 (0.237 mi.)	Q112	34
CENTRAL COUNTY GARAG	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S120***	***36***

AST: A review of the AST list, as provided by EDR, and dated 10/02/2012 has revealed that there are 18 AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CHRYSLE	***70 WESTCHESTER AVENU***	***W 0 - 1/8 (0.039 mi.)***	***B13***	***10***
FRANKLIN TOWERS	***25 FRANKLIN AVENUE***	***NW 0 - 1/8 (0.107 mi.)***	***E27***	***14***
GRANADA ARMS CONDOMI	30 WINDSOR TERRACE	NNW 1/8 - 1/4 (0.147 mi.)	43	18
3-5 FRANKLIN OWNERS	3-5 FRANKLIN AVENUE	WNW 1/8 - 1/4 (0.152 mi.)	G46	19
HIGHWAY GARAGE	***140 SOUTH KENSICO AV***	***NE 1/8 - 1/4 (0.152 mi.)***	***H50***	***20***
12 WESTCHESTER TENAN	12 WESTCHESTER AVENU	WNW 1/8 - 1/4 (0.163 mi.)	G60	23
THE WELLINGTON CONDO	312 MAIN STREET	NW 1/8 - 1/4 (0.204 mi.)	L76	26
BROAD PARKWAY OWNERS	1 BROAD PARKWAY	NW 1/8 - 1/4 (0.205 mi.)	L77	27
WHITE PLAINS ONE COM	345 MAIN STREET	NNW 1/8 - 1/4 (0.209 mi.)	L93	30
BROAD PARK LODGE OWN	292 MAIN STREET	NW 1/8 - 1/4 (0.210 mi.)	M94	30
CAMEO HOUSE OWNERS,	300 MARTINE AVENUE	W 1/8 - 1/4 (0.218 mi.)	O97	31
2 NORTH BROADWAY ASS	***2 NORTH BROADWAY***	***WNW 1/8 - 1/4 (0.222 mi.)***	***M102***	***32***
EMERICK GROSS REAL E	***1 SOUTH BROADWAY***	***WNW 1/8 - 1/4 (0.242 mi.)***	***P118***	***35***

Lower Elevation	Address	Direction / Distance	Map ID	Page
EASTVIEW SCHOOL	***7 AMHERST PLACE***	***N 0 - 1/8 (0.111 mi.)***	***D30***	***15***
NEW YORK PRESBYTERIA	***21 BLOOMINGDALE ROAD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I56***	***21***
HARRISON COURT	222-230 WESTCHESTER	E 1/8 - 1/4 (0.173 mi.)	F67	25
ATLANTIC AUTO MECHAN	118 OAKLEY AVENUE	NNE 1/8 - 1/4 (0.214 mi.)	N96	31
CENTRAL COUNTY GARAG	***38 BROCKWAY PLACE***	***NE 1/8 - 1/4 (0.245 mi.)***	***S120***	***36***

CBS AST: A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK BLOOD CENTE	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***

CBS: A review of the CBS list, as provided by EDR, and dated 10/02/2012 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK BLOOD CENTE	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***

EXECUTIVE SUMMARY

State and tribal Brownfields sites

BROWNFIELDS: A review of the BROWNFIELDS list, as provided by EDR, and dated 10/03/2012 has revealed that there is 1 BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
COMMERCIAL SITE	***221 MAIN STREET***	***W 1/4 - 1/2 (0.386 mi.)***	***AI181***	***55***

ADDITIONAL ENVIRONMENTAL RECORDS

Records of Emergency Release Reports

NY Spills: A review of the NY Spills list, as provided by EDR, and dated 08/20/2012 has revealed that there are 11 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
IN THE STREET Date Closed: 5/16/2003 Date Closed: 11/30/2011	106 WESTCHESTER AVE	0 - 1/8 (0.000 mi.)	A1	8
WESTCHESTER CHRYSLER Date Closed: 9/20/2001 Date Closed: 2/1/1990 **Additional key fields are available in the Map Findings section*	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***11***
WESTCHESTER CHRYSLER Date Closed: 9/20/2001	***70 WESTCHESTER AVE.***	***W 0 - 1/8 (0.067 mi.)***	***B17***	***11***
Not reported Date Closed: 8/22/2000	***80 SOUTH KENSICO AVE***	***NE 0 - 1/8 (0.087 mi.)***	***24***	***13***
FRANKLIN APTS Date Closed: 10/3/2000	***25 FRANKLIN AVE***	***NW 0 - 1/8 (0.107 mi.)***	***E29***	***14***
WESTCEHSTER MALL Date Closed: 8/8/2000	***HIRAM ST/PAULDING ST***	***SW 0 - 1/8 (0.113 mi.)***	***32***	***15***

Lower Elevation	Address	Direction / Distance	Map ID	Page
TAPPANZEE BRIDGE Date Closed: 9/17/1999	***ROUTE 287 N***	***E 0 - 1/8 (0.001 mi.)***	***A2***	***8***
TRANSFORMER VAULT V6 Date Closed: 8/10/2009	145 WESTCHESTER AVE	E 0 - 1/8 (0.031 mi.)	A7	9
BANK OF NEW YORK Date Closed: 11/19/2001	***150 WESTCHESTER AVE***	***E 0 - 1/8 (0.072 mi.)***	***C18***	***12***
EXXON S/S KENSECO AV Date Closed: 7/15/2004 Date Closed: 8/1/1990	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***12***
WESTCHESTER AVE.UTIL Date Closed: 7/18/1994	***WEST AVE & KENSICO A***	***ENE 0 - 1/8 (0.116 mi.)***	***C33***	***15***

EXECUTIVE SUMMARY

NY Hist Spills: A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 10 NY Hist Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS CRYTSLE	70 WESTCHESTER AVE.	W 0 - 1/8 (0.039 mi.)	B11	10
WESTCHESTER CHRYSLER	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***11***
WESTCHESTER CHRYSLER	***70 WESTCHESTER AVE.***	***W 0 - 1/8 (0.067 mi.)***	***B17***	***11***
Not reported	***80 SOUTH KENSICO AVE***	***NE 0 - 1/8 (0.087 mi.)***	***24***	***13***
APARTMENT HOUSE	25 FRANKLIN AVE	NW 0 - 1/8 (0.107 mi.)	E28	14
WESTCEHSTER MALL	***HIRAM ST/PAULDING ST***	***SW 0 - 1/8 (0.113 mi.)***	***32***	***15***

Lower Elevation	Address	Direction / Distance	Map ID	Page
TAPPANZEE BRIDGE	***ROUTE 287 N***	***E 0 - 1/8 (0.001 mi.)***	***A2***	***8***
BANK OF NEW YORK	***150 WESTCHESTER AVE***	***E 0 - 1/8 (0.072 mi.)***	***C18***	***12***
EXXON S/S KENSECO AV	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***12***
WESTCHESTER AVE.UTIL	***WEST AVE & KENSICO A***	***ENE 0 - 1/8 (0.116 mi.)***	***C33***	***15***

Other Ascertainable Records

RCRA-NonGen: A review of the RCRA-NonGen list, as provided by EDR, and dated 09/11/2012 has revealed that there are 23 RCRA-NonGen sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CHRYSLER REALTY CORP	***70 WESTCHESTER AVE -***	***W 0 - 1/8 (0.039 mi.)***	***B10***	***10***
WHITE PLAINS CHRYSLE	***70 WESTCHESTER AVE***	***W 0 - 1/8 (0.039 mi.)***	***B12***	***10***
FASHION MALL - B ALT	***65 WESTCHESTER AVE***	***WSW 0 - 1/8 (0.062 mi.)***	***B15***	***11***
CON EDISON MANHOLE	3 FRANKLIN AVE	WNW 1/8 - 1/4 (0.152 mi.)	G48	19
CON EDISON	FRANKLIN AVE & WESTC	W 1/8 - 1/4 (0.159 mi.)	G53	21
WHITE PLAINS CITY OF	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J62***	***24***
WHITE PLAINS CITY OF	111 S KENSICO AVE	NE 1/8 - 1/4 (0.166 mi.)	J63	24
CON ED AT DEPT OF PU	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J64***	***24***
CON EDISON MANHOLE 3	BROADWAY & MARTIN AV	W 1/8 - 1/4 (0.190 mi.)	G71	26
CON EDISON	WINDSOR TERR & MAIN	NNW 1/8 - 1/4 (0.206 mi.)	L88	29
CON EDISON	MAIN ST & BROAD PKWY	NW 1/8 - 1/4 (0.208 mi.)	L89	29
CON EDISON MANHOLE 3	MAIN ST & BROAD PKWY	NW 1/8 - 1/4 (0.208 mi.)	L90	29
WESTCHESTER PAVILION	***60 S BROADWAY***	***SW 1/8 - 1/4 (0.235 mi.)***	***R110***	***34***
WHITE PLAINS CITY OF	***MARTINE AVE PUBLIC L***	***W 1/8 - 1/4 (0.238 mi.)***	***O115***	***35***
EASTVIEW SCHOOL	350 MAIN ST	N 1/8 - 1/4 (0.244 mi.)	119	36
NEW YORK SPORTS CLUB	***1 N BROADWAY***	***WNW 1/8 - 1/4 (0.245 mi.)***	***P122***	***36***

Lower Elevation	Address	Direction / Distance	Map ID	Page
COLONIAL REPAIR SHOP	***186 WESTCHESTER AVE***	***E 0 - 1/8 (0.078 mi.)***	***C19***	***12***
MOBIL OIL CORP SS N5	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F38***	***17***
CON EDISON MANHOLE 4	***WESTCHESTER AVENUE***	***E 1/8 - 1/4 (0.133 mi.)***	***F39***	***17***
NEW YORK BLOOD CENTE	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***
ELECTRO PLATING SERV	***127 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N105***	***33***
ALTA METAL FINISHING	***130 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.231 mi.)***	***N108***	***33***
BOBS AUTO BODY SHOP	***138 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.242 mi.)***	***N117***	***35***

EXECUTIVE SUMMARY

MANIFEST: A review of the MANIFEST list, as provided by EDR, and dated 08/01/2012 has revealed that there are 20 MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KEY FORD OF WHITE PL	***80 WESTCHESTER AVE***	***W 0 - 1/8 (0.034 mi.)***	***A9***	***9***
CHRYSLER REALTY CORP	***70 WESTCHESTER AVE -***	***W 0 - 1/8 (0.039 mi.)***	***B10***	***10***
FASHION MALL - B ALT	***65 WESTCHESTER AVE***	***WSW 0 - 1/8 (0.062 mi.)***	***B15***	***11***
WESTCHESTER CHRYSLER	***70 WESCHESTER AVE***	***W 0 - 1/8 (0.067 mi.)***	***B16***	***11***
WHITE PLAINS CITY OF	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J62***	***24***
CON ED AT DEPT OF PU	***111 S KENSICO AVE***	***NE 1/8 - 1/4 (0.166 mi.)***	***J64***	***24***
WESTCHESTER PAVILION	***60 S BROADWAY***	***SW 1/8 - 1/4 (0.235 mi.)***	***R110***	***34***
CONSOLIDATED EDISON	MAIN ST & S. BROADWA	WNW 1/8 - 1/4 (0.236 mi.)	P111	34

Lower Elevation	Address	Direction / Distance	Map ID	Page
FROMEX	***125 WESTCHESTER AVE***	***ESE 0 - 1/8 (0.006 mi.)***	***A5***	***8***
EXXON S/S KENSECO AV	***186 WESTCHESTER AVE.***	***E 0 - 1/8 (0.078 mi.)***	***C22***	***12***
CONSOLIDATED EDISON	FRANKLIN & AMHERST	N 0 - 1/8 (0.101 mi.)	D26	14
WHITE PLAINS SCHOOL	***7 AMHERST PL***	***N 0 - 1/8 (0.111 mi.)***	***D31***	***15***
MOBIL OIL CORP SS N5	***174 WESTCHESTER AVE***	***E 1/8 - 1/4 (0.127 mi.)***	***F38***	***17***
CON EDISON MANHOLE 4	***WESTCHESTER AVENUE***	***E 1/8 - 1/4 (0.133 mi.)***	***F39***	***17***
NEW YORK BLOOD CENTE	***21 BLOOMINGDALE RD***	***SSE 1/8 - 1/4 (0.159 mi.)***	***I57***	***22***
180 S KENSICO AVE AU	***96 S KENSICO AVE***	***NNE 1/8 - 1/4 (0.179 mi.)***	***J68***	***25***
CONSUMER CAR CARE IN	***112 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.206 mi.)***	***J83***	***28***
ELECTRO PLATING SERV	***127 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N105***	***33***
CON ED ELEC.VAULT	***127 OAKLEY AVE.***	***NNE 1/8 - 1/4 (0.226 mi.)***	***N106***	***33***
BOBS AUTO BODY SHOP	***138 OAKLEY AVE***	***NNE 1/8 - 1/4 (0.242 mi.)***	***N117***	***35***

EDR PROPRIETARY RECORDS

EDR Proprietary Records


Manufactured Gas Plants: A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WHITE PLAINS MGP SIT	9 NEW STREET AND 12	W 1/2 - 1 (0.712 mi.)	225	68

Count: 20 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
WEST HARRISON	1000212475	GENERAL ELECTRIC CO - CORP AIR TRA	73 TOWES RD	10604	FINDS,RCRA-NLR,MANIFEST
WHITE PLAINS	1000555499	WESTCHESTER COUNTY	CENTER AVENUE BRIDGE	10603	FINDS,RCRA-NLR,MANIFEST
WHITE PLAINS	1000790342	WAYFARER KETCH CORPORATION	WESTCHESTER CTY AIRPT HANGAR G	10604	FINDS,MANIFEST,RCRA-CESQG
HARRISON	1001197456	WESTCHESTER CTY DPW BIN 3348490	LINC AVE BRG OVR BLIND WESTCHE	10577	FINDS,RCRA-NLR,MANIFEST
HARRISON	1003863864	PACIFIC AIRMOTIVE	WESTCHESTER CO AIRPORT	10601	CERCLIS-NFRAP
WHITE PLAINS	1004757336	JOSEPH E SEAGRAM & SONS	WESTCHESTER CO ARPRT H6	10604	RCRA-SQG,MANIFEST,MANIFEST,FI
WHITE PLAINS	1004757707	WESTPOINT PEPPERELL	WESTCHESTER CO AIRPORT	10601	FINDS,RCRA-NLR
WHITE PLAINS	1004762837	WESTCHESTER CO DPW	BRONX ST BUS TERMINAL	10601	FINDS,MANIFEST,RCRA-NLR
PURCHASE	1011863515	CARE ENVIRONMENTAL CORP AT HARRISO	RTE 120 AT NEW KING ST	10577	RCRA-SQG
HARRISON	A100276901	TOWN/VILLAGE OF HARRISON	HIGHWAY GARAGE	10604	AST
WHITE PLAINS	S102152276	HIGHWAY	CROSS WESTCHESTER HIGHWAY		SPILLS,HIST SPILLS
WHITE PLAINS	S102152502	AMOCO	RTE 22		SPILLS,HIST SPILLS
WHITE PLAINS	S106013542	CROSS WESTCHESTER EXPWAY	INTERSTATE 287 MM 5.2 WB		SPILLS
WHITE PLAINS	S106126130	WESTCHESTER EXPRESS WAY	ROUTE 287 WB @ EXIT 7		SPILLS
CINNAMINSON TWP	S106763359	ROUTE 130 & UNION LANDING ROAD	RTE 130 & UNION LANDING RD	10577	VCP
WHITE PLAINS	S107407362	STEW LEONARD'S TRUCK	ROUTE 287		SPILLS
GREENBURGH	S109786001	NEW YORK TELEPHONE	ROUTE 119 (MANHOLE #17)	10603	MANIFEST
PURCHASE	S111711071	HARRISON ORGANIC YARD WASTE T. S.	ROUTE 120 AND NEW KING STREET	10577	LF
WHITE PLAINS	S111836159	EXIT 5 RAMP - ROADWAY	INTERSTATE 287 EXIT 5		SPILLS
HARRISON	U003995006	TOWN/VILLAGE OF HARRISON	HIGHWAY GARAGE	10604	UST

OVERVIEW MAP - 3465400.2s




- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 90 - 96 Westchester Avenue	CLIENT: DVD Environmental
ADDRESS: 90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT: Tim Donohoe
LAT/LONG: 41.0326 / 73.7589	INQUIRY #: 3465400.2s DATE: December 06, 2012 11:22 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

DETAIL MAP - 3465400.2s



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Oil & Gas pipelines from USGS
- 100-year flood zone
- 500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
LAT/LONG:	41.0326 / 73.7589	INQUIRY #:	3465400.2s
		DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
CERCLIS	0.500		0	0	0	NR	NR	0
FEDERAL FACILITY	1.000		0	0	0	0	NR	0
Federal CERCLIS NFRAP site List								
CERC-NFRAP	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	0	NR	NR	NR	1
RCRA-CESQG	0.250		3	3	NR	NR	NR	6
Federal institutional controls / engineering controls registries								
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
SHWS	1.000		0	0	0	0	NR	0
VAPOR REOPENED	1.000		0	0	0	0	NR	0
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	2	NR	NR	2
State and tribal leaking storage tank lists								
LTANKS	0.500		4	18	83	NR	NR	105
HIST LTANKS	0.500		3	19	63	NR	NR	85
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
State and tribal registered storage tank lists								
TANKS	0.250		0	0	NR	NR	NR	0
UST	0.250		6	24	NR	NR	NR	30
CBS UST	0.250		0	0	NR	NR	NR	0
MOSF UST	0.500		0	0	0	NR	NR	0
AST	0.250		3	15	NR	NR	NR	18
CBS AST	0.250		0	1	NR	NR	NR	1
MOSF AST	0.500		0	0	0	NR	NR	0
MOSF	0.500		0	0	0	NR	NR	0
CBS	0.250		0	1	NR	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
RES DECL	0.125		0	NR	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
ERP	0.500		0	0	0	NR	NR	0
BROWNFIELDS	0.500		0	0	1	NR	NR	1
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
SWTIRE	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
HIST UST	0.250		0	0	NR	NR	NR	0
HIST AST	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LIENS	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		11	NR	NR	NR	NR	11
NY Hist Spills	0.125		10	NR	NR	NR	NR	10
Other Ascertainable Records								
RCRA-NonGen	0.250		4	19	NR	NR	NR	23
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	0	0	0	NR	0
ROD	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
HSWDS	0.500		0	0	0	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
MANIFEST	0.250		13	19	NR	NR	NR	32
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
E DESIGNATION	0.125		0	NR	NR	NR	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
FINANCIAL ASSURANCE	TP		NR	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
EDR PROPRIETARY RECORDS								
EDR Proprietary Records								
Manufactured Gas Plants	1.000		0	0	0	1	NR	1

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **IN THE STREET** **NY Spills** **S106014077**
106 WESTCHESTER AVE **N/A**
< 1/8 **WHITE PLAINS, NY**
1 ft.

Relative: Higher

Click here for full text details

NY Spills
Facility Id: 0301662
Facility Id: 1108176
Date Closed: 5/16/2003
Date Closed: 11/30/2011

A2 **TAPPANZEE BRIDGE** **NY Spills** **S104508097**
East **ROUTE 287 N** **NY Hist Spills** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.001 mi.
7 ft.

Relative: Lower

Click here for full text details

NY Spills
Facility Id: 9907235
Date Closed: 9/17/1999

NY Hist Spills
Spill Number: 9907235

A3 **SEPHORA #326** **RCRA-SQG** **1007112529**
ESE **125 WESTCHESTER AVE - SUITE 10** **MANIFEST** **NYR000117853**
< 1/8 **WHITE PLAINS, NY 10601**
0.006 mi.
32 ft.

Relative: Lower

Click here for full text details

A4 **FROMEX** **MANIFEST** **S109787484**
ESE **125 WESTCHESTER AVE** **N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.006 mi.
32 ft.

Relative: Lower

Click here for full text details

A5 **FROMEX** **RCRA-CESQG** **1001029002**
ESE **125 WESTCHESTER AVE** **FINDS** **NYR000012344**
< 1/8 **WHITE PLAINS, NY 10601** **MANIFEST**
0.006 mi.
32 ft.

Relative: Lower

Click here for full text details

A6
East
< 1/8
0.016 mi.
85 ft.

Relative:
Lower

WESTCHESTER SHOPPING CENT
WEST AVE.& PAWLING ST.
WHITE PLAINS, NY

Database(s): LTANKS, HIST LTANKS
EDR ID Number: S100782169
EPA ID Number: N/A

Click here for full text details

LTANKS
Spill No: 9310531
Date Closed: 1/20/1995

HIST LTANKS
Spill Number: 9310531
Date Closed: 01/20/95

A7
East
< 1/8
0.031 mi.
162 ft.

Relative:
Lower

TRANSFORMER VAULT V6200
145 WESTCHESTER AVE
WHITE PLAINS, NY

Database(s): NY Spills
EDR ID Number: S109828509
EPA ID Number: N/A

Click here for full text details

NY Spills
Facility Id: 0905422
Date Closed: 8/10/2009

A8
West
< 1/8
0.034 mi.
177 ft.

Relative:
Higher

KEY FORD OF WHITE PLAINS
80 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Database(s): MANIFEST
EDR ID Number: S109784212
EPA ID Number: N/A

Click here for full text details

A9
West
< 1/8
0.034 mi.
177 ft.

Relative:
Higher

KEY FORD OF WHITE PLAINS
80 WESTCHESTER AVE
WHITE PLAINS, NY 10601

Database(s): RCRA-CESQG, FINDS, LTANKS, HIST LTANKS, MANIFEST
EDR ID Number: 1000114327
EPA ID Number: NYD981559586

Click here for full text details

LTANKS
Spill No: 8606267
Date Closed: 1/8/1987

HIST LTANKS
Spill Number: 8606267
Date Closed: 01/08/87

B10
West
< 1/8
0.039 mi.
204 ft.

Relative:
Higher

CHRYSLER REALTY CORP
70 WESTCHESTER AVE - REAR OF
WHITE PLAINS, NY 10601

RCRA-NonGen
FINDS
MANIFEST

1000981353
NY0000972232

Click here for full text details

B11
West
< 1/8
0.039 mi.
204 ft.

Relative:
Higher

WHITE PLAINS CRYTSLER PLM
70 WESTCHESTER AVE.
WHITE PLAINS, NY

NY Hist Spills

S102153330
N/A

Click here for full text details

NY Hist Spills
Spill Number: 8808621

B12
West
< 1/8
0.039 mi.
204 ft.

Relative:
Higher

WHITE PLAINS CHRYSLER
70 WESTCHESTER AVE
WHITE PLAINS, NY 10601

RCRA-NonGen
FINDS

1000397519
NYD061987806

Click here for full text details

B13
West
< 1/8
0.039 mi.
204 ft.

Relative:
Higher

WHITE PLAINS CHRYSLER JEEP DODGE
70 WESTCHESTER AVENUE
WHITE PLAINS, NY 10601

UST
AST

U004177653
N/A

Click here for full text details

UST
PBS Number: 3-074896
PBS Number: 3-074896
PBS Number: 3-074896
PBS Number: 3-074896
PBS Number: 3-074896

AST
PBS Number: 3-074896
PBS Number: 3-074896
PBS Number: 3-074896
PBS Number: 3-074896

B14
WSW
< 1/8
0.062 mi.
328 ft.

Relative:
Higher

B. ALTMAN BUILDING
65 WESTCHESTER AVE
WHITE PLAINS, NY 10601

UST **U003883951**
N/A

Click here for full text details

UST
PBS Number: 3-600031
PBS Number: 3-600031
PBS Number: 3-600031
PBS Number: 3-600031

B15
WSW
< 1/8
0.062 mi.
328 ft.

Relative:
Higher

FASHION MALL - B ALTMANS
65 WESTCHESTER AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1000833444**
FINDS **NYD987015948**
MANIFEST

Click here for full text details

B16
West
< 1/8
0.067 mi.
353 ft.

Relative:
Higher

WESTCHESTER CHRYSLER
70 WESCHESTER AVE
WHITE PLANES, NY

MANIFEST **S104501016**
NY Spills **N/A**
NY Hist Spills

Click here for full text details

NY Spills
Facility Id: 0008186
Facility Id: 8808621
Facility Id: 9511683
Date Closed: 9/20/2001
Date Closed: 2/1/1990
Date Closed: 2/1/2002

NY Hist Spills
Spill Number: 0008186
Spill Number: 9511683

B17
West
< 1/8
0.067 mi.
353 ft.

Relative:
Higher

WESTCHESTER CHRYSLER PLYM
70 WESTCHESTER AVE.
POUND RIDGE, NY

NY Spills **S102155137**
NY Hist Spills **N/A**

Click here for full text details

NY Spills
Facility Id: 9407257
Date Closed: 9/20/2001

NY Hist Spills
Spill Number: 9407257

C18
East
< 1/8
0.072 mi.
379 ft.

Relative:
Lower

BANK OF NEW YORK
150 WESTCHESTER AVE
WHITE PLAINS, NY

NY Spills **S105236134**
NY Hist Spills **N/A**

Click here for full text details

NY Spills
Facility Id: 0108346
Date Closed: 11/19/2001

NY Hist Spills
Spill Number: 0108346

C19
East
< 1/8
0.078 mi.
411 ft.

Relative:
Lower

COLONIAL REPAIR SHOP INC
186 WESTCHESTER AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1000338875**
FINDS **NYD982729915**

Click here for full text details

C20
East
< 1/8
0.078 mi.
411 ft.

Relative:
Lower

EXXON CO. USA.
186 WESTCHESTER AVE
WHITE PLAINS, NY 10601

MANIFEST **S109784688**
N/A

Click here for full text details

C21
East
< 1/8
0.078 mi.
411 ft.

Relative:
Lower

EXXON CO., U.S.A.
186 WESTCHESTER AVE
WHITE PLAINS, NY 10601

MANIFEST **S109784689**
N/A

Click here for full text details

C22
East
< 1/8
0.078 mi.
411 ft.

Relative:
Lower

EXXON S/S KENSECO AVE.
186 WESTCHESTER AVE.
WHITE PLAINS, NY

LTANKS **S102151700**
MANIFEST **N/A**
NY Spills
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 8808631
Spill No: 8808631
Spill No: 8808631
Date Closed: 7/1/1998
Date Closed: 7/1/1998
Date Closed: 7/1/1998

EXXON S/S KENSECO AVE. (Continued) **S102151700**

NY Spills
Facility Id: 0403907
Facility Id: 8808460
Facility Id: 9001665
Date Closed: 7/15/2004
Date Closed: 8/1/1990

NY Hist Spills
Spill Number: 8808460

C23 **COLONIAL FUEL & FOOD** **UST** **U003884138**
East **186 WESTCHESTER AVENUE** **N/A**
< 1/8 **WHITE PLAINS, NY 10601**
0.078 mi.
411 ft.

Click here for full text details

Relative: Lower

UST
PBS Number: 3-600051
PBS Number: 3-600051
PBS Number: 3-600051
PBS Number: 3-164194
PBS Number: 3-164194
PBS Number: 3-164194
PBS Number: 3-164194
PBS Number: 3-164194

---

24 **NY Spills** **S104788353**
NE **80 SOUTH KENSICO AVE** **NY Hist Spills** **N/A**
< 1/8 **WHITE PLAINS, NY**
0.087 mi.
460 ft.

Click here for full text details

Relative: Higher

NY Spills
Facility Id: 0005725
Date Closed: 8/22/2000

NY Hist Spills
Spill Number: 0005725

C25 **THE BANK OF NEW YORK** **UST** **U004177458**
East **158 WESTCHESTER AVE** **N/A**
< 1/8 **WHITE PLAINS, NY 10602**
0.088 mi.
465 ft.

Click here for full text details

Relative: Lower

UST
PBS Number: 3-103950

D26
North
< 1/8
0.101 mi.
531 ft.

Relative:
Lower

CONSOLIDATED EDISON
FRANKLIN & AMHERST
WHITE PLAINS, NY 10601

MANIFEST

1009241582
N/A

Click here for full text details

E27
NW
< 1/8
0.107 mi.
566 ft.

Relative:
Higher

FRANKLIN TOWERS
25 FRANKLIN AVENUE
WHITE PLAINS, NY 10601

UST
AST

U003856282
N/A

Click here for full text details

UST
PBS Number: 3-123412

AST
PBS Number: 3-123412

E28
NW
< 1/8
0.107 mi.
566 ft.

Relative:
Higher

APARTMENT HOUSE
25 FRANKLIN AVE
WHITE PLAINS, NY

NY Hist Spills

S104787838
N/A

Click here for full text details

NY Hist Spills
Spill Number: 0005174

E29
NW
< 1/8
0.107 mi.
566 ft.

Relative:
Higher

FRANKLIN APTS
25 FRANKLIN AVE
WHITE PLAINS, NY

LTANKS
HIST LTANKS
NY Spills

S100136758
N/A

Click here for full text details

LTANKS
Spill No: 8801525
Date Closed: 8/19/1988

HIST LTANKS
Spill Number: 8801525
Date Closed: 08/19/88

NY Spills
Facility Id: 0005174
Date Closed: 10/3/2000

D30
North
< 1/8
0.111 mi.
587 ft.

Relative:
Lower

EASTVIEW SCHOOL — **UST** **U003884260**
7 AMHERST PLACE — **AST** **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-030295

AST
PBS Number: 3-030295

D31
North
< 1/8
0.111 mi.
587 ft.

Relative:
Lower

WHITE PLAINS SCHOOL EASTVIEW — **RCRA-CESQG** **1004756723**
7 AMHERST PL — **FINDS** **NYD981486871**
WHITE PLAINS, NY 10601 — **MANIFEST**
MANIFEST

Click here for full text details

32
SW
< 1/8
0.113 mi.
596 ft.

Relative:
Higher

WESTCEHSTER MALL — **NY Spills** **S104788114**
HIRAM ST/PAULDING ST — **NY Hist Spills** **N/A**
WHITE PLAINS, NY

Click here for full text details

NY Spills
Facility Id: 0005456
Date Closed: 8/8/2000

NY Hist Spills
Spill Number: 0005456

C33
ENE
< 1/8
0.116 mi.
610 ft.

Relative:
Lower

WESTCHESTER AVE.UTIL.TREN — **NY Spills** **S102155031**
WEST AVE & KENSICO AVE — **NY Hist Spills** **N/A**
WHITE PLAINS, NY

Click here for full text details

NY Spills
Facility Id: 9402527
Date Closed: 7/18/1994

NY Hist Spills
Spill Number: 9402527

F34
East
1/8-1/4
0.127 mi.
669 ft.

Relative:
Lower

EXXON MOBIL
174 WESTCHESTER AVE
WHITE PLAINS, NY

LTANKS **S108130017**
NY Spills **N/A**

Click here for full text details

LTANKS
Spill No: 8600621
Date Closed: 6/6/1986

NY Spills
Facility Id: 0603558
Facility Id: 0605630
Facility Id: 0608483
Facility Id: 0610363
Facility Id: 0912571
Facility Id: 8705500
Facility Id: 9509796
Date Closed: 7/7/2006
Date Closed: 2/13/2008
Date Closed: 8/27/2007
Date Closed: 2/13/2008
Date Closed: 2/12/2005
Date Closed: 11/8/1995

F35
East
1/8-1/4
0.127 mi.
669 ft.

Relative:
Lower

174 WESTCHESTER AVE.
WHITE PLAINS, NY

HIST LTANKS **S104619222**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 8600621
Date Closed: 06/06/86

F36
East
1/8-1/4
0.127 mi.
669 ft.

Relative:
Lower

MOBIL OIL CORPORATION
174 WESTCHESTER AVE
WHITE PLAINS, NY 10601

MANIFEST **S109784511**
N/A

Click here for full text details

F37
East
1/8-1/4
0.127 mi.
669 ft.

Relative:
Lower

MOBIL R/S #11617
174 WESTCHESTER AVE.
WHITE PLAINS, NY 10601

UST **U003884756**
N/A

Click here for full text details

UST
PBS Number: 3-049395
PBS Number: 3-049395

MOBIL R/S #11617 (Continued) **U003884756**

PBS Number: 3-049395
PBS Number: 3-049395
PBS Number: 3-049395
PBS Number: 3-049395
PBS Number: 3-049395

F38
East
1/8-1/4
0.127 mi.
669 ft.

Relative:
Lower

MOBIL OIL CORP SS N5B **RCRA-NonGen** **1000253414**
174 WESTCHESTER AVE **MANIFEST** **NYD982533754**
WHITE PLAINS, NY 10601 **MANIFEST**
NY Hist Spills

Click here for full text details

NY Hist Spills
Spill Number: 8705500

F39
East
1/8-1/4
0.133 mi.
704 ft.

Relative:
Lower

CON EDISON MANHOLE 4640 **RCRA-NonGen** **1010326278**
WESTCHESTER AVENUE **MANIFEST** **NYP004140349**
WHITE PLAINS, NY 10601

Click here for full text details

E40
WNW
1/8-1/4
0.136 mi.
717 ft.

Relative:
Higher

WESTBROOK TENANTS CORP. **UST** **U003994994**
10 FRANKLIN AVENUE **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-048402

F41
East
1/8-1/4
0.138 mi.
731 ft.

Relative:
Lower

EXXON GAS STATION **HIST LTANKS** **S100165959**
186 WESTCHESTER AVE. **N/A**
WHITE PLAINS, NY

Click here for full text details

HIST LTANKS
Spill Number: 8808631
Date Closed: 07/01/98

F42
ENE
1/8-1/4
0.144 mi.
758 ft.

Relative:
Lower

155-157 KENSICO AVE
WHITE PLAINS, NY

LTANKS **S105999834**
N/A

Click here for full text details

LTANKS
Spill No: 0306120
Date Closed: 3/23/2004

43
NNW
1/8-1/4
0.147 mi.
778 ft.

Relative:
Higher

GRANADA ARMS CONDOMINIUM
30 WINDSOR TERRACE
WHITE PLAINS, NY 10601

AST **A100204283**
N/A

Click here for full text details

AST
PBS Number: 3-039160

F44
East
1/8-1/4
0.152 mi.
800 ft.

Relative:
Lower

SEABURGH'S FROZEN FOODS
200 WESTCHESTER AVE
WHITE PLAINS, NY

HIST LTANKS **S100177726**
NY Spills **N/A**

Click here for full text details

HIST LTANKS
Spill Number: 9109951
Date Closed: / /

NY Spills
Facility Id: 9109951
Date Closed: 3/24/2010

G45
WNW
1/8-1/4
0.152 mi.
802 ft.

Relative:
Higher

APT. BUILDING
3-5 FRANKLIN AVE.
WHITE PLAINS, NY

HIST LTANKS **S100494086**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9207566
Date Closed: 02/05/93

G46
WNW
1/8-1/4
0.152 mi.
802 ft.

Relative:
Higher

3-5 FRANKLIN OWNERS CORP.
3-5 FRANKLIN AVENUE
WHITE PLAINS, NY 10601

AST **A100213212**
N/A

Click here for full text details

AST
PBS Number: 3-165409

G47
WNW
1/8-1/4
0.152 mi.
802 ft.

Relative:
Higher

3-5 FRANKLIN AVE
3-5 FRANKLIN AVE.
WHITE PLAINS, NY

LTANKS **S102154546**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 8800464
Spill No: 9207566
Date Closed: 1/11/1989
Date Closed: 2/5/1993

HIST LTANKS
Spill Number: 8800464
Date Closed: 01/11/89

NY Spills
Facility Id: 9305571
Date Closed: 11/20/1997

NY Hist Spills
Spill Number: 9305571

G48
WNW
1/8-1/4
0.152 mi.
802 ft.

Relative:
Higher

CON EDISON MANHOLE
3 FRANKLIN AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1014398558**
NYP004209126

Click here for full text details

H49
NE
1/8-1/4
0.152 mi.
805 ft.

Relative:
Higher

DPW GARAGE
140 SOUTH KENSICO AVE
WHITE PLAINS, NY

LTANKS **S104276650**
HIST LTANKS **N/A**
NY Spills

Click here for full text details

LTANKS
Spill No: 8707259
Date Closed: 11/23/1987

HIST LTANKS

DPW GARAGE (Continued) **S104276650**

Spill Number: 8707259
Date Closed: 11/23/87

NY Spills
Facility Id: 8806994
Facility Id: 8807001
Facility Id: 9205252
Facility Id: 9705509
Date Closed: 11/22/1988
Date Closed: 3/7/1989
Date Closed: 9/15/1992
Date Closed: 11/10/1997

H50 **HIGHWAY GARAGE** **UST** **U003994611**
NE **140 SOUTH KENSICO AVENUE** **AST** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.152 mi.
805 ft.

Relative: Higher

Click here for full text details

UST
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536

AST
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536
PBS Number: 3-169536

H51 **COLIN SERVICE SYSTEM INC** **UST** **U003994451**
NE **1 BROCKWAY PLACE** **N/A**
1/8-1/4 **WHITE PLAINS, NY 10601**
0.155 mi.
817 ft.

Relative: Higher

Click here for full text details

UST
PBS Number: 3-411310
PBS Number: 3-411310

G52
WNW
1/8-1/4
0.157 mi.
827 ft.

Relative:
Higher

ONE FRANKLIN OWNERS CORP.
ONE FRANKLIN AVENUE
WHITE PLAINS, NY 10601

UST **U003857347**
N/A

Click here for full text details

UST
PBS Number: 3-104663

G53
West
1/8-1/4
0.159 mi.
839 ft.

Relative:
Higher

CON EDISON
FRANKLIN AVE & WESTCHESTER AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1014399086**
NYP004214631

Click here for full text details

I54
SSE
1/8-1/4
0.159 mi.
840 ft.

Relative:
Lower

NEW YORK HOSPITAL
21 BLOOMINGDALE RD.
WHITE PLAINS, NY

MANIFEST **S109783726**
N/A

Click here for full text details

I55
SSE
1/8-1/4
0.159 mi.
840 ft.

Relative:
Lower

NEW YORK PRESBYTERIAN
21 BLOOMINGDALE ROAD
WHITE PLAINS, NY

HIST LTANKS **S103940628**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9813782
Date Closed: 06/02/99

I56
SSE
1/8-1/4
0.159 mi.
840 ft.

Relative:
Lower

NEW YORK PRESBYTERIAN HOSPITAL
21 BLOOMINGDALE ROAD
WHITE PLAINS, NY 10605

UST **1006357971**
AST **N/A**

Click here for full text details

UST
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585

AST

NEW YORK PRESBYTERIAN HOSPITAL (Continued) **1006357971**

PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585
PBS Number: 3-170585

I57
SSE
1/8-1/4
0.159 mi.
840 ft.

Relative:
Lower

NEW YORK BLOOD CENTER - CLINICAL SVCS
21 BLOOMINGDALE RD
WHITE PLAINS, NY 10605

Click here for full text details

RCRA-NonGen
FINDS
LTANKS
HIST LTANKS
CBS AST
MANIFEST
NY Spills
CBS

1000990620
NY0001020908

LTANKS
Spill No: 9813782
Spill No: 0404544
Date Closed: 6/2/1999
Date Closed: 6/24/2009

HIST LTANKS
Spill Number: 9512089
Date Closed: / /

CBS AST
CBS Number: 3-000206
Facility Status: ACTIVE FACILITY

NY Spills
Facility Id: 9500446
Facility Id: 9512089
Date Closed: 10/11/1995

CBS
Facility Status: Unregulated
CBS Number: 3-000206

G58
WNW
1/8-1/4
0.163 mi.
859 ft.

Relative:
Higher

M B TRUCKING
12 WESTCHESTER AVE
WHITE PLAINS, NY

LTANKS
NY Spills
NY Hist Spills

S102152995
N/A

Click here for full text details

LTANKS
Spill No: 0900020

NY Spills
Facility Id: 8607154
Facility Id: 8710547
Date Closed: 3/7/1987
Date Closed: 3/17/1988

NY Hist Spills
Spill Number: 8710547

G59
WNW
1/8-1/4
0.163 mi.
859 ft.

Relative:
Higher

12 WESTCHESTER TENANTS CORP.
12 WESTCHESTER AVENUE
WHITE PLAINS, NY 10601

UST

U004175899
N/A

Click here for full text details

UST
PBS Number: 3-104655

G60
WNW
1/8-1/4
0.163 mi.
859 ft.

Relative:
Higher

12 WESTCHESTER TENANTS CORP.
12 WESTCHESTER AVENUE
WHITE PLAINS, NY 10601

AST

A100213204
N/A

Click here for full text details

AST
PBS Number: 3-104655

F61
East
1/8-1/4
0.165 mi.
869 ft.

Relative:
Lower

OFFICE BUILDING
210 WESTCHESTER AVE.
WHITE PLAINS, NY 10604

UST

U004177066
N/A

Click here for full text details

UST
PBS Number: 3-497665

J62
NE
1/8-1/4
0.166 mi.
876 ft.

Relative:
Higher

WHITE PLAINS CITY OF DPW GARAGE
111 S KENSICO AVE
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-NonGen
FINDS
MANIFEST

1000833442
NYD987015104

J63
NE
1/8-1/4
0.166 mi.
876 ft.

Relative:
Higher

WHITE PLAINS CITY OF DPW GARAGE
111 S KENSICO AVE
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-NonGen

1005444203
NYR000105239

J64
NE
1/8-1/4
0.166 mi.
876 ft.

Relative:
Higher

CON ED AT DEPT OF PUBLIC WORKS
111 S KENSICO AVE
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-NonGen
FINDS
MANIFEST

1005417323
NYR000104497

K65
SW
1/8-1/4
0.171 mi.
901 ft.

Relative:
Higher

CON ED HOLE # TM 2514
MARTINE AVE WEST OF BDWAY
WHITE PLAINS, NY

Click here for full text details

LTANKS
HIST LTANKS
NY Spills
NY Hist Spills

S102155353
N/A

LTANKS
Spill No: 8806957
Date Closed: 2/6/1989

HIST LTANKS
Spill Number: 8806957
Date Closed: 02/06/89

NY Spills
Facility Id: 9414918
Date Closed: 2/23/1995

NY Hist Spills
Spill Number: 9414918

F66
East
1/8-1/4
0.172 mi.
907 ft.

Relative:
Lower

HARRISON COURT — **UST** — **U004187357**
220 - 230 WESTCHESTER AVE. — **N/A**
HARRISON, NY 10604

Click here for full text details

UST
PBS Number: 3-507016

F67
East
1/8-1/4
0.173 mi.
916 ft.

Relative:
Lower

HARRISON COURT — **AST** — **A100276719**
222-230 WESTCHESTER AVE. — **N/A**
WHITE PLAINS, NY 10604

Click here for full text details

AST
PBS Number: 3-489514

J68
NNE
1/8-1/4
0.179 mi.
943 ft.

Relative:
Lower

180 S KENSICO AVE AUTO BODY INC — **RCRA-CESQG** — **1004757319**
96 S KENSICO AVE — **FINDS** — **NYD986928216**
WHITE PLAINS, NY 10601 — **MANIFEST**

Click here for full text details

J69
NNE
1/8-1/4
0.179 mi.
943 ft.

Relative:
Lower

180 S KENSICO AVE AUTO BODY INC — **MANIFEST** — **S109785136**
96 S KENSICO AVE — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

K70
WSW
1/8-1/4
0.181 mi.
957 ft.

Relative:
Higher

34 SOUTH BROADWAY — **UST** — **U003994272**
34 SOUTH BROADWAY — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-104434

G71
West
1/8-1/4
0.190 mi.
1003 ft.

Relative:
Higher

CON EDISON MANHOLE 3558
BROADWAY & MARTIN AVE
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-NonGen

1014918170
NYP004217547

J72
NNE
1/8-1/4
0.192 mi.
1013 ft.

Relative:
Lower

PETAGINES AUTO BODY
13 OAKLEY AVE
WHITE PLAINS, NY 10601

Click here for full text details

MANIFEST

S109784361
N/A

J73
NNE
1/8-1/4
0.192 mi.
1013 ft.

Relative:
Lower

PETAGIONES AUTO BODY
13 OAKLEY AVE
WHITE PLAINS, NY 10601

Click here for full text details

MANIFEST

S109784362
N/A

K74
SW
1/8-1/4
0.194 mi.
1023 ft.

Relative:
Higher

WESTCHESTER ONE
44 S BROADWAY
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-CESQG

1010566194
NYR000147843

75
SSW
1/8-1/4
0.197 mi.
1042 ft.

Relative:
Higher

CROWN PLAZA HOTEL
66 HALE AVE
WHITE PLAINS, NY 10601

Click here for full text details

LTANKS
Spill No: 1105926

LTANKS

S111836460
N/A

L76
NW
1/8-1/4
0.204 mi.
1079 ft.

Relative:
Higher

THE WELLINGTON CONDO
312 MAIN STREET
WHITE PLAINS, NY 10601

Click here for full text details

AST
PBS Number: 3-039152

AST

A100082461
N/A

L77
NW
1/8-1/4
0.205 mi.
1080 ft.

Relative:
Higher

BROAD PARKWAY OWNERS, INC. — **AST** — **A100359196**
1 BROAD PARKWAY — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

AST
PBS Number: 3-039195

L78
NNW
1/8-1/4
0.205 mi.
1083 ft.

Relative:
Higher

2-4 WINDSOR TERRACE OWNERS, INC. — **UST** — **U003883813**
2-4 WINDSOR TERRACE — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-039187
PBS Number: 3-039187

L79
NNW
1/8-1/4
0.205 mi.
1083 ft.

Relative:
Higher

APARTMENT BUILDING — **LTANKS** — **S108957689**
2-4 WINDSOR TERRACE — **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0707336
Date Closed: 4/24/2009

L80
NW
1/8-1/4
0.206 mi.
1088 ft.

Relative:
Higher

325 MAIN STREET OWNERS CORP. — **UST** — **U004187312**
325 MAIN STREET — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-204404
PBS Number: 3-204404

L81
NW
1/8-1/4
0.206 mi.
1088 ft.

Relative:
Higher

RESIDENCE — **LTANKS** — **S102960214**
325 MAIN ST — **HIST LTANKS** — **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9710553
Date Closed: 1/9/1998

HIST LTANKS

RESIDENCE (Continued) **S102960214**

Spill Number: 9710553
Date Closed: 01/09/98

J82
NNE
1/8-1/4
0.206 mi.
1088 ft.

Relative:
Lower

CONSUMER CAR CARE INC
112 OAKLEY AVE
WHITE PLAINS, CT 10601

MANIFEST **S109787593**
N/A

Click here for full text details

J83
NNE
1/8-1/4
0.206 mi.
1088 ft.

Relative:
Lower

CONSUMER CAR CARE INC
112 OAKLEY AVE
WHITE PLAINS, NY 10601

RCRA-CESQG **1004759932**
FINDS **NYR000026211**
MANIFEST

Click here for full text details

L84
NW
1/8-1/4
0.206 mi.
1089 ft.

Relative:
Higher

APT BUILDING
300 MAIN ST
WHITE PLAINS, NY

LTANKS **S103558616**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9209346
Spill No: 9810968
Spill No: 8708398
Date Closed: 7/19/1993
Date Closed: 2/9/2000
Date Closed: 2/17/1988

HIST LTANKS
Spill Number: 9810968
Date Closed: 02/09/00

L85
NW
1/8-1/4
0.206 mi.
1089 ft.

Relative:
Higher

BRENTWOOD CONDOS
300 MAIN STREET
WHITE PLAINS, NY

HIST LTANKS **S100494315**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9209346
Date Closed: 07/19/93

L86
NW
1/8-1/4
0.206 mi.
1089 ft.

Relative:
Higher

BRENT WOOD APTS
300 MAIN ST
WHITE PLAINS, NY

HIST LTANKS **S100139822**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 8708398
Date Closed: 02/17/88

L87
NW
1/8-1/4
0.206 mi.
1089 ft.

Relative:
Higher

BRENTWOOD CONDOMINIUM
300 MAIN STREET
WHITE PLAINS, NY 10601

UST **U003994383**
N/A

Click here for full text details

UST
PBS Number: 3-039098
PBS Number: 3-039098

L88
NNW
1/8-1/4
0.206 mi.
1090 ft.

Relative:
Higher

CON EDISON
WINDSOR TERR & MAIN ST
WHITE PLAINS, NY 10601

RCRA-NonGen **1014398880**
NYP004212536

Click here for full text details

L89
NW
1/8-1/4
0.208 mi.
1096 ft.

Relative:
Higher

CON EDISON
MAIN ST & BROAD PKWY
WHITE PLAINS, NY 10601

RCRA-NonGen **1014398809**
NYP004211785

Click here for full text details

L90
NW
1/8-1/4
0.208 mi.
1096 ft.

Relative:
Higher

CON EDISON MANHOLE 3558
MAIN ST & BROAD PKWY
WHITE PLAINS, NY 10601

RCRA-NonGen **1014918001**
NYP004215844

Click here for full text details

91
ENE
1/8-1/4
0.209 mi.
1102 ft.

Relative:
Lower

W.C. MAINT. GARAGE
BROCKWAY PLACE
WHITE PLAINS, NY

HIST LTANKS

S100782083
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9309773
Date Closed: / /

L92
NNW
1/8-1/4
0.209 mi.
1104 ft.

Relative:
Higher

WHITE PLAINS ONE COMPANY, LLC
345 MAIN STREET
WHITE PLAINS, NY 10601

UST

U004187352
N/A

Click here for full text details

UST
PBS Number: 3-504572

L93
NNW
1/8-1/4
0.209 mi.
1104 ft.

Relative:
Higher

WHITE PLAINS ONE COMPANY, LLC
345 MAIN STREET
WHITE PLAINS, NY 10601

AST

U003979103
N/A

Click here for full text details

AST
PBS Number: 3-504572

M94
NW
1/8-1/4
0.210 mi.
1109 ft.

Relative:
Higher

BROAD PARK LODGE OWNERS
292 MAIN STREET
WHITE PLAINS, NY 10601

AST

A100356483
N/A

Click here for full text details

AST
PBS Number: 3-165492

95
NNW
1/8-1/4
0.213 mi.
1127 ft.

Relative:
Higher

2 AMHERST PL
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S104950543
N/A

Click here for full text details

LTANKS
Spill No: 0011055
Date Closed: 9/18/2001

HIST LTANKS
Spill Number: 0011055
Date Closed: / /

N96
NNE
1/8-1/4
0.214 mi.
1131 ft.

Relative:
Lower

ATLANTIC AUTO MECHANIC, INC.
118 OAKLEY AVENUE
WHITE PLAINS, NY 10601

AST **A100204179**
N/A

Click here for full text details

AST
PBS Number: 3-800780
PBS Number: 3-800780

O97
West
1/8-1/4
0.218 mi.
1151 ft.

Relative:
Higher

CAMEO HOUSE OWNERS, INC.
300 MARTINE AVENUE
WHITE PLAINS, NY 10604

AST **A100361849**
N/A

Click here for full text details

AST
PBS Number: 3-171069

O98
West
1/8-1/4
0.218 mi.
1151 ft.

Relative:
Higher

300 MARTINE AVE
WHITE PLAINS, NY

LTANKS **S105996852**
NY Spills **N/A**

Click here for full text details

LTANKS
Spill No: 0206553
Date Closed: 12/13/2002

NY Spills
Facility Id: 0311391
Date Closed: 1/8/2004

P99
WNW
1/8-1/4
0.218 mi.
1153 ft.

Relative:
Higher

EDWARD S. GORDON CO.
7-11 SOUTH BROADWAY
WHITE PLAINS, NY 10601

UST **U003994510**
N/A

Click here for full text details

UST
PBS Number: 3-600456

P100
WNW
1/8-1/4
0.218 mi.
1153 ft.

Relative:
Higher

ES GORDON
7-11 SOUTH BROADWAY
WHITE PLAINS, NY

LTANKS **S100560022**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9303840

ES GORDON (Continued) **S100560022**

Date Closed: 5/4/1994

HIST LTANKS
Spill Number: 9303840
Date Closed: 05/04/94

M101
WNW
1/8-1/4
0.220 mi.
1163 ft.

Relative:
Higher

PRESIDENTIAL MANAGEMENT **LTANKS** **S100165922**
2 WESTCHESTER AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY **NY Spills**

Click here for full text details

LTANKS
Spill No: 8800351
Date Closed: 5/6/2004

HIST LTANKS
Spill Number: 8800351
Date Closed: / /

NY Spills
Facility Id: 1112238
Date Closed: 1/20/2012

M102
WNW
1/8-1/4
0.222 mi.
1174 ft.

Relative:
Higher

2 NORTH BROADWAY ASSOCIATES, LLC **UST** **U003949276**
2 NORTH BROADWAY **AST** **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-139750

AST
PBS Number: 3-139750

N103
NNE
1/8-1/4
0.225 mi.
1188 ft.

Relative:
Lower

ALTA METAL FINISHING INC **UST** **U003994321**
126 OAKLEY AVENUE **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-409065

Q104
NNE
1/8-1/4
0.226 mi.
1192 ft.

Relative:
Lower

STORAGE DELUXE
80 SOUTH KENSICO AVENUE
WHITE PLAINS, NY 10601

UST **U004177412**
N/A

Click here for full text details

UST
PBS Number: 3-801341

N105
NNE
1/8-1/4
0.226 mi.
1193 ft.

Relative:
Lower

ELECTRO PLATING SERVICE INC
127 OAKLEY AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1000181431**
FINDS **NYD002406049**
MANIFEST
MANIFEST
NY Hist Spills

Click here for full text details

NY Hist Spills
Spill Number: 9107973

N106
NNE
1/8-1/4
0.226 mi.
1193 ft.

Relative:
Lower

CON ED ELEC.VAULT
127 OAKLEY AVE.
WHITE PLAINS, NY

MANIFEST **S102153885**
NY Spills **N/A**
NY Hist Spills

Click here for full text details

NY Spills
Facility Id: 9002371
Facility Id: 9107973
Date Closed: 9/27/1990
Date Closed: 3/10/1992

NY Hist Spills
Spill Number: 9002371

N107
NNE
1/8-1/4
0.231 mi.
1218 ft.

Relative:
Lower

ALTA METAL FINISHING INC
130 OAKLEY AVE
WHITE PLAINS, NY 10601

UST **U004175999**
N/A

Click here for full text details

UST
PBS Number: 3-409073

N108
NNE
1/8-1/4
0.231 mi.
1218 ft.

Relative:
Lower

ALTA METAL FINISHING INC
130 OAKLEY AVE
WHITE PLAINS, NY 10601

RCRA-NonGen **1000142871**
FINDS **NYD002003440**

Click here for full text details

R109
SW
1/8-1/4
0.235 mi.
1239 ft.

Relative:
Higher

ALEXANDER'S INC
60 SOUTH BROADWAY
WHITE PLAINS, NY 11374

Click here for full text details

UST
PBS Number: 3-171328

UST **U004175991**
N/A

R110
SW
1/8-1/4
0.235 mi.
1239 ft.

Relative:
Higher

WESTCHESTER PAVILION THE
60 S BROADWAY
WHITE PLAINS, NY 10601

Click here for full text details

RCRA-NonGen **1004759064**
FINDS **NYD987038486**
MANIFEST

P111
WNW
1/8-1/4
0.236 mi.
1248 ft.

Relative:
Higher

CONSOLIDATED EDISON
MAIN ST & S. BROADWAY
WHITE PLAINS, NY

Click here for full text details

MANIFEST **S111157596**
N/A

Q112
NNE
1/8-1/4
0.237 mi.
1253 ft.

Relative:
Lower

MINERVA APARTMENTS, INC
16 MINERVA PLACE
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-800499

UST **U003994732**
N/A

O113
West
1/8-1/4
0.237 mi.
1254 ft.

Relative:
Higher

BROADMAR COMPANY, LLC
277 MARTINE AVENUE
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-506966

UST **U003994390**
N/A

O114
West
1/8-1/4
0.237 mi.
1254 ft.

Relative: Higher

BART GOLDBERG APT. BLDG — **LTANKS** **S100141680**
277 MARTINE AVE — **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9008032
Date Closed: 11/8/1990

HIST LTANKS
Spill Number: 9008032
Date Closed: 11/08/90

O115
West
1/8-1/4
0.238 mi.
1255 ft.

Relative: Higher

WHITE PLAINS CITY OF — **RCRA-NonGen** **1000552793**
MARTINE AVE PUBLIC LIBRARY — **FINDS** **NYD986951986**
WHITE PLAINS, NY 10601

Click here for full text details

N116
NNE
1/8-1/4
0.242 mi.
1276 ft.

Relative: Lower

BOBS AUTO BODY SHOP — **MANIFEST** **S109783567**
138 OAKLEY AVE — **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

N117
NNE
1/8-1/4
0.242 mi.
1276 ft.

Relative: Lower

BOBS AUTO BODY SHOP — **RCRA-NonGen** **1000373486**
138 OAKLEY AVE — **FINDS** **NYD143852226**
WHITE PLAINS, NY 10601 — **MANIFEST**

Click here for full text details

P118
WNW
1/8-1/4
0.242 mi.
1277 ft.

Relative: Higher

EMERICK GROSS REAL ESTATE L.P. — **UST** **U003949488**
1 SOUTH BROADWAY — **AST** **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-277622
PBS Number: 3-485969
PBS Number: 3-485969
PBS Number: 3-485969

AST

EMERICK GROSS REAL ESTATE L.P. (Continued) **U003949488**

PBS Number: 3-277622

119
North
1/8-1/4
0.244 mi.
1286 ft.

Relative:
Higher

EASTVIEW SCHOOL **RCRA-NonGen** **1008404443**
350 MAIN ST **NYR000134353**
WHITE PLAINS, NY 10601

Click here for full text details

S120
NE
1/8-1/4
0.245 mi.
1293 ft.

Relative:
Lower

CENTRAL COUNTY GARAGE **UST** **U004176184**
38 BROCKWAY PLACE **AST** **N/A**
WHITE PLAINS, NY 10601

Click here for full text details

UST
PBS Number: 3-185833
PBS Number: 3-185833
PBS Number: 3-185833
PBS Number: 3-185833
PBS Number: 3-185833

AST
PBS Number: 3-185833

S121
NE
1/8-1/4
0.245 mi.
1293 ft.

Relative:
Lower

NEXT TO **LTANKS** **S108636825**
38 BROCKWAY PLACE **NY Spills** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0706351
Date Closed: 9/16/2008

NY Spills
Facility Id: 0701405
Date Closed: 6/8/2008

P122
WNW
1/8-1/4
0.245 mi.
1293 ft.

Relative:
Higher

NEW YORK SPORTS CLUBS **RCRA-NonGen** **1004567862**
1 N BROADWAY **FINDS** **NY0002194652**
WHITE PLAINS, NY 10601

Click here for full text details

P123
WNW
1/8-1/4
0.245 mi.
1293 ft.

Relative:
Higher

LASALLE PARTNERS
1 NORTH BROADWAY
WHITE PLAINS, NY

HIST LTANKS **S100137242**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 8807326
Date Closed: 03/08/89

P124
WNW
1/8-1/4
0.245 mi.
1293 ft.

Relative:
Higher

APARTMENT BUILDING
1 SOUTH BROADWAY
WHITE PLAINS, NY

LTANKS **S102155385**
NY Spills **N/A**
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 8807326
Date Closed: 3/8/1989

NY Spills
Facility Id: 0006248
Facility Id: 0012204
Facility Id: 0304526
Facility Id: 9112715
Facility Id: 9416008
Date Closed: 11/3/2000
Date Closed: 4/26/2001
Date Closed: 7/30/2003
Date Closed: 10/20/1995
Date Closed: 12/5/1997

NY Hist Spills
Spill Number: 9416008

M125
WNW
1/4-1/2
0.252 mi.
1331 ft.

Relative:
Higher

APARTMENT COMPLEX
10 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS **S105998980**
NY Spills **N/A**

Click here for full text details

LTANKS
Spill No: 0301652
Date Closed: 12/12/2003

NY Spills
Facility Id: 0908496
Date Closed: 10/1/2010

S126
NE
1/4-1/2
0.261 mi.
1377 ft.

Relative:
Lower

BLDG
43-73 BROCKWAY PL
WHITE PLAINS, NY

LTANKS **S104278083**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9904750
Date Closed: 12/12/2000

HIST LTANKS
Spill Number: 9904750
Date Closed: 12/12/00

T127
NW
1/4-1/2
0.270 mi.
1425 ft.

Relative:
Higher

APT BUILDING
16 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS **S102153144**
NY Spills **N/A**
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 0701599
Spill No: 0412306
Date Closed: 12/12/2007
Date Closed: 8/27/2005

NY Spills
Facility Id: 1104037
Facility Id: 8802449
Date Closed: 7/12/2011
Date Closed: 6/30/1988

NY Hist Spills
Spill Number: 8802449

128
SW
1/4-1/2
0.271 mi.
1429 ft.

Relative:
Higher

WHITE PLAINS BUS CO.
75 BROADWAY PLACE
WHITE PLAINS, NY

HIST LTANKS **S101341325**
NY Spills **N/A**

Click here for full text details

HIST LTANKS
Spill Number: 9405770
Date Closed: / /

NY Spills
Facility Id: 0404926
Date Closed: 8/5/2004

S129
NE
1/4-1/2
0.278 mi.
1469 ft.

Relative:
Lower

COMMERCIAL
47 BROCKWAY PLACE
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S101341397
N/A

Click here for full text details

LTANKS
Spill No: 9410165
Date Closed: 2/11/1995

HIST LTANKS
Spill Number: 9410165
Date Closed: 02/11/95

T130
NW
1/4-1/2
0.285 mi.
1503 ft.

Relative:
Higher

BROADLAWN APART.
20 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS
NY Spills
NY Hist Spills

S102155428
N/A

Click here for full text details

LTANKS
Spill No: 0111039
Spill No: 0800897
Date Closed: 3/11/2002
Date Closed: 6/8/2008

NY Spills
Facility Id: 9500251
Facility Id: 9808000
Date Closed: 12/5/1997
Date Closed: 4/1/2002

NY Hist Spills
Spill Number: 9500251

U131
WSW
1/4-1/2
0.285 mi.
1504 ft.

Relative:
Higher

45 MITCHELL PLACE
WHITE PLAINS, NY

HIST LTANKS

S104620335
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9904849
Date Closed: 01/11/00

U132
WSW
1/4-1/2
0.285 mi.
1504 ft.

Relative:
Higher

MGH CO
45 MITCHELL PLACE
WHITE PLAINS, NY

LTANKS **S102674590**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9510979
Spill No: 9904849
Date Closed: 12/12/1995
Date Closed: 1/11/2000

HIST LTANKS
Spill Number: 9510979
Date Closed: 12/12/95

V133
North
1/4-1/2
0.285 mi.
1505 ft.

Relative:
Higher

TATE RESIDENCE
38-42 SOUTH KENSICO AVE
WHITE PLAINS, NY

LTANKS **S106385654**
N/A

Click here for full text details

LTANKS
Spill No: 0313935
Date Closed: 11/27/2004

W134
SW
1/4-1/2
0.287 mi.
1515 ft.

Relative:
Higher

240 EAST POST RD
240 EAST POST RD
WHITE PLAINS, NY

LTANKS **S103941435**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9903233
Date Closed: 12/15/1999

HIST LTANKS
Spill Number: 9903233
Date Closed: 12/15/99

U135
WSW
1/4-1/2
0.295 mi.
1559 ft.

Relative:
Higher

APARTMENT BUILDING
40 MITCHELL PL
WHITE PLAINS, NY

LTANKS **S105999478**
N/A

Click here for full text details

LTANKS
Spill No: 0304394
Date Closed: 10/31/2003

V136
NNE
1/4-1/2
0.301 mi.
1588 ft.

Relative:
Lower

OREIRO RESIDENCE
425 MAIN STREET
WHITE PLAINS, NY

LTANKS
HIST LTANKS
NY Spills

S102673905
N/A

Click here for full text details

LTANKS
Spill No: 9206586
Date Closed: 2/9/1993

HIST LTANKS
Spill Number: 9206586
Date Closed: 02/09/93

NY Spills
Facility Id: 9207875
Date Closed: 1/25/1993

U137
WSW
1/4-1/2
0.301 mi.
1591 ft.

Relative:
Higher

APARTMENT BLDG
37-43 MITCHELL PL
WHITE PLAINS, NY

LTANKS

S105997251
N/A

Click here for full text details

LTANKS
Spill No: 0208214
Date Closed: 4/7/2003

U138
WSW
1/4-1/2
0.304 mi.
1604 ft.

Relative:
Higher

BARGAM HOME
36-38 MITCHELL PLACE
WHITE PLAINS, NY

LTANKS

S106972377
N/A

Click here for full text details

LTANKS
Spill No: 0505320
Date Closed: 12/18/2005

X139
NE
1/4-1/2
0.308 mi.
1628 ft.

Relative:
Lower

WESTCHESTER COUNTY BROCKWAY PLACE TRANSFER STATION
71 BROCKWAY PLACE
WHITE PLAINS, NY 10601

SWF/LF

S110996129
N/A

Click here for full text details

U140
WSW
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

APT COMPLEX
32 MITCHELL PL
WHITE PLAINS FD, NY

HIST LTANKS **S102664002**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9611679
Date Closed: 11/10/97

U141
WSW
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

32 MITCHELL PL
WHITE PLAINS, NY

HIST LTANKS **S104619366**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9611678
Date Closed: 12/24/96

U142
WSW
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

32 MITCHELL PL
WHITE PLAINS, NY

LTANKS **S105230064**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 0108164
Spill No: 9611678
Spill No: 9611679
Date Closed: 7/22/2002
Date Closed: 12/24/1996
Date Closed: 11/10/1997

HIST LTANKS
Spill Number: 0108164
Date Closed: / /

143
South
1/4-1/2
0.313 mi.
1654 ft.

Relative:
Higher

NESTLWES CO.
100 BLOOMINGDALE RD
WHITE PLAINS, NY

LTANKS **S100494850**
HIST LTANKS **N/A**
MANIFEST
NY Spills

Click here for full text details

LTANKS
Spill No: 8605886
Date Closed: 4/5/1989

HIST LTANKS
Spill Number: 8605886
Date Closed: 04/05/89

NESTLWES CO. (Continued) **S100494850**

NY Spills
Facility Id: 0106999
Facility Id: 0501816
Date Closed: 2/28/2002
Date Closed: 5/15/2005

X144
NE
1/4-1/2
0.313 mi.
1655 ft.

Relative:
Lower

WHITE PLAINS BUS CO **LTANKS** **U003647669**
75 BROCKWAY PLACE **HIST LTANKS** **N/A**
WHITE PLAINS, NY **NY Spills**

Click here for full text details

LTANKS
Spill No: 9405770
Date Closed: 8/7/2006

HIST LTANKS
Spill Number: 9401412
Date Closed: / /

NY Spills
Facility Id: 9401412

W145
SW
1/4-1/2
0.318 mi.
1681 ft.

Relative:
Higher

APARTMENT BUILDING **LTANKS** **S106124534**
193 EAST POST ROAD **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0310631
Date Closed: 10/11/2005

Y146
West
1/4-1/2
0.319 mi.
1684 ft.

Relative:
Higher

CITY HALL **HIST LTANKS** **S100165736**
255 MAIN ST. **N/A**
WHITE PLAINS, NY

Click here for full text details

HIST LTANKS
Spill Number: 8707220
Date Closed: 03/14/88

Y147
West
1/4-1/2
0.319 mi.
1684 ft.

Relative:
Higher

WHITE PLAINS CITY OF
255 MAIN ST
WHITE PLAINS, NY 10601

SWF/LF
LTANKS
MANIFEST

S105912883
N/A

Click here for full text details

LTANKS
Spill No: 8707220
Date Closed: 3/14/1988

148
WNW
1/4-1/2
0.320 mi.
1691 ft.

Relative:
Higher

OFFICE BUILDING
15 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS
HIST LTANKS
NY Spills

S100494055
N/A

Click here for full text details

LTANKS
Spill No: 9207265
Date Closed: 2/1/1996

HIST LTANKS
Spill Number: 9207265
Date Closed: / /

NY Spills
Facility Id: 0403095
Date Closed: 10/6/2004

V149
North
1/4-1/2
0.320 mi.
1692 ft.

Relative:
Higher

6 HADDEN AVENUE
6 HADDEN AVENUE
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S104621727
N/A

Click here for full text details

LTANKS
Spill No: 0002679
Date Closed: 10/16/2000

HIST LTANKS
Spill Number: 0002679
Date Closed: 10/16/00

U150
WSW
1/4-1/2
0.321 mi.
1694 ft.

Relative:
Higher

28 MITCHELL PLACE
28 MITCHELL PLACE
WHITE PLAINS, NY

LTANKS
HIST LTANKS

U003647993
N/A

Click here for full text details

LTANKS
Spill No: 9901259

28 MITCHELL PLACE (Continued) **U003647993**

Spill No: 9903630
Date Closed: 5/13/1999
Date Closed: 11/14/2001

HIST LTANKS
Spill Number: 9903630
Date Closed: / /

U151
WSW
1/4-1/2
0.321 mi.
1694 ft.

Relative:
Higher

28 MITCHELL PLACE **HIST LTANKS** **S104620179**
WHITE PLAINS, NY **N/A**

Click here for full text details

HIST LTANKS
Spill Number: 9901259
Date Closed: 05/13/99

V152
North
1/4-1/2
0.321 mi.
1696 ft.

Relative:
Higher

8 HAYDEN AVE **LTANKS** **S104619342**
WHITE PLAINS, NY **HIST LTANKS** **N/A**

Click here for full text details

LTANKS
Spill No: 9608637
Date Closed: 2/28/2006

HIST LTANKS
Spill Number: 9608637
Date Closed: / /

V153
North
1/4-1/2
0.322 mi.
1699 ft.

Relative:
Higher

RESIDENCE **LTANKS** **S106971872**
10 HADDEN AVE **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0502070
Date Closed: 2/3/2006

U154
WSW
1/4-1/2
0.326 mi.
1722 ft.

Relative:
Higher

25 MITCHELL PLACE
WHITE PLAINS, NY

LTANKS **S104620381**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9905959
Date Closed: 10/8/1999

HIST LTANKS
Spill Number: 9905959
Date Closed: 10/08/99

U155
WSW
1/4-1/2
0.330 mi.
1744 ft.

Relative:
Higher

23 MITCHELL PLACE
WHITE PLAINS, NY

LTANKS **S104619049**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 8809894
Date Closed: 12/20/1991

HIST LTANKS
Spill Number: 8809894
Date Closed: 12/20/91

Z156
SSW
1/4-1/2
0.333 mi.
1758 ft.

Relative:
Higher

POLE #W6
18 DEKALB AVE
WHITE PLAINS, NY

LTANKS **S106699823**
NY Spills **N/A**
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 0406991
Spill No: 0406991
Spill No: 0406991
Date Closed: 10/4/2004
Date Closed: 10/4/2004
Date Closed: 10/4/2004

NY Spills
Facility Id: 0104393
Date Closed: 7/25/2001

NY Hist Spills
Spill Number: 0104393

AA157
NNW
1/4-1/2
0.334 mi.
1761 ft.

Relative:
Higher

APT BUILDING
16 LAKE STREET
WHITE PLAINS, NY

LTANKS **S110243958**
N/A

Click here for full text details

LTANKS
Spill No: 0912833
Date Closed: 6/23/2010

AA158
NNW
1/4-1/2
0.334 mi.
1766 ft.

Relative:
Higher

JSD MANAGEMENT
15 LAKE ST.
WHITE PLAINS, NY

LTANKS **S100140548**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 8902337
Date Closed: 7/30/1992

HIST LTANKS
Spill Number: 8902337
Date Closed: 07/30/92

AB159
NNW
1/4-1/2
0.335 mi.
1769 ft.

Relative:
Higher

BELTMORE TOWERS APTS.
30 LAKE ST.
WHITE PLAINS, NY

HIST LTANKS **S100139642**
N/A

Click here for full text details

HIST LTANKS
Spill Number: 8706628
Date Closed: 07/27/88

AB160
NNW
1/4-1/2
0.335 mi.
1769 ft.

Relative:
Higher

CONDO TOWER
30 LAKE ST
WHITE PLAINS, NY

LTANKS **S109416253**
NY Spills **N/A**

Click here for full text details

LTANKS
Spill No: 0811148
Spill No: 1010357
Spill No: 8706628
Spill No: 9905417
Spill No: 0411926
Date Closed: 4/14/2009
Date Closed: 3/30/2011
Date Closed: 7/27/1988
Date Closed: 12/5/2003
Date Closed: 3/27/2005

NY Spills

CONDO TOWER (Continued) **S109416253**

Facility Id: 0209355
Facility Id: 0211185
Date Closed: 10/29/2003
Date Closed: 12/17/2003

AB161
NNW
1/4-1/2
0.335 mi.
1769 ft.

Relative:
Higher

RESIDENCE **HIST LTANKS** **S104191635**
30 LAKE STREET **N/A**
WHITE PLAINS, NY

Click here for full text details

HIST LTANKS
Spill Number: 9905417
Date Closed: / /

AB162
NNW
1/4-1/2
0.337 mi.
1779 ft.

Relative:
Higher

DEROSA **LTANKS** **S103940360**
25 LAKE STREET **HIST LTANKS** **N/A**
WHITE PLAINS, NY **NY Spills**

Click here for full text details

LTANKS
Spill No: 9808490
Date Closed: 3/30/2004

HIST LTANKS
Spill Number: 9808490
Date Closed: / /

NY Spills
Facility Id: 0300929
Date Closed: 12/12/2003

AC163
ENE
1/4-1/2
0.339 mi.
1791 ft.

Relative:
Higher

PARK KNOLL **LTANKS** **S100139821**
34 UNDERHILL AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8708778
Date Closed: 11/29/1989

HIST LTANKS
Spill Number: 8708778
Date Closed: 11/29/89

Z164
SSW
1/4-1/2
0.344 mi.
1818 ft.

Relative:
Higher

TORELLI
21 DEKALB AVE
WHITE PLAINS, NY

Database(s): LTANKS
EDR ID Number: S106718922
EPA ID Number: N/A

Click here for full text details

LTANKS
Spill No: 0206319
Date Closed: 2/2/2005

AD165
NNW
1/4-1/2
0.347 mi.
1831 ft.

Relative:
Higher

WHITE PLAINS EXTRA MART
42 LAKE ST
WHITE PLAINS, NY

Database(s): LTANKS, NY Spills, NY Hist Spills
EDR ID Number: S102241613
EPA ID Number: N/A

Click here for full text details

LTANKS
Spill No: 9013260
Spill No: 0504419
Date Closed: 7/29/1992
Date Closed: 9/11/2005

NY Spills
Facility Id: 0012562
Facility Id: 9602457
Date Closed: 2/24/2001
Date Closed: 7/8/1996

NY Hist Spills
Spill Number: 9602457

AD166
NNW
1/4-1/2
0.347 mi.
1831 ft.

Relative:
Higher

NATIONAL CAR RENTAL
42 LAKE STREET
WHITE PLAINS, NY

Database(s): HIST LTANKS
EDR ID Number: S100142206
EPA ID Number: N/A

Click here for full text details

HIST LTANKS
Spill Number: 9013260
Date Closed: 07/29/92

167
NW
1/4-1/2
0.350 mi.
1849 ft.

Relative:
Higher

DEROSA BUILDERS
7 LAKE STREET
WHITE PLAINS, NY

Database(s): LTANKS, NY Spills
EDR ID Number: S106125358
EPA ID Number: N/A

Click here for full text details

LTANKS
Spill No: 0706405
Spill No: 0604972
Spill No: 0701292

DEROSA BUILDERS (Continued) **S106125358**

Date Closed: 7/31/2008
Date Closed: 11/17/2006
Date Closed: 9/28/2007

NY Spills
Facility Id: 0311640
Date Closed: 3/23/2004

AD168
North
1/4-1/2
0.358 mi.
1892 ft.

Relative:
Higher

RAAB CO. **LTANKS** **S100781873**
48 LAKE STREET **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9308180
Spill No: 9410005
Date Closed: 3/3/1994
Date Closed: 2/11/1995

HIST LTANKS
Spill Number: 9308180
Date Closed: 03/03/94

AD169
North
1/4-1/2
0.358 mi.
1892 ft.

Relative:
Higher

EMPTY WAREHOUSE **HIST LTANKS** **S101341393**
48 LAKE STREET **N/A**
WHITE PLAINS, NY

Click here for full text details

HIST LTANKS
Spill Number: 9410005
Date Closed: 02/11/95

AE170
WSW
1/4-1/2
0.358 mi.
1892 ft.

Relative:
Higher

MITCHELL PLACE ASSOC. **LTANKS** **S100137749**
10 MITCHELL PLACE **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8902485
Date Closed: 10/2/1989

HIST LTANKS
Spill Number: 8902485
Date Closed: 10/02/89

AE171
WSW
1/4-1/2
0.359 mi.
1897 ft.

Relative:
Higher

GAS STATION
9 MITCHELL PL
WHITE PLAINS, NY

LTANKS **S102960212**
HIST LTANKS **N/A**
NY Spills

Click here for full text details

LTANKS
Spill No: 9710474
Date Closed: 10/27/1998

HIST LTANKS
Spill Number: 9710474
Date Closed: 10/27/98

NY Spills
Facility Id: 1200312
Date Closed: 8/2/2012

AF172
SW
1/4-1/2
0.365 mi.
1925 ft.

Relative:
Higher

OFFICE BLDG
171 EAST POST RD
WHITE PLAINS, NY

LTANKS **S103558663**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9811157
Date Closed: 3/30/2004

HIST LTANKS
Spill Number: 9811157
Date Closed: / /

AF173
SW
1/4-1/2
0.367 mi.
1936 ft.

Relative:
Higher

HALPERN ENTERPRISES
170 EAST POST ROAD
WHITE PLAINS, NY

LTANKS **S100140406**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 8804996
Date Closed: 4/30/2005

HIST LTANKS
Spill Number: 8804996
Date Closed: / /

AG174
North
1/4-1/2
0.369 mi.
1947 ft.

Relative:
Higher

STORE AT
41 LAKE ST
WHITE PLAINS, NY

LTANKS
NY Spills
NY Hist Spills

S102560884
N/A

Click here for full text details

LTANKS
Spill No: 0611883
Date Closed: 3/1/2007

NY Spills
Facility Id: 9700669
Date Closed: 4/15/1997

NY Hist Spills
Spill Number: 9700669

AC175
ENE
1/4-1/2
0.371 mi.
1961 ft.

Relative:
Higher

ALL PHASE CONSRUCTION
56 UNDERHILL AV
HARRISON, NY

LTANKS

S108765438
N/A

Click here for full text details

LTANKS
Spill No: 0704764
Date Closed: 8/13/2007

AG176
North
1/4-1/2
0.375 mi.
1979 ft.

Relative:
Higher

GETTY SERVICE STATION #74
43 LAKE STREET
WHITE PLAINS, NY 10603

LTANKS
HIST LTANKS
UST
MANIFEST
NY Spills
NY Hist Spills

U003856387
N/A

Click here for full text details

LTANKS
Spill No: 9208369
Spill No: 0004195
Date Closed: 10/22/1992
Date Closed: 6/8/2004

HIST LTANKS
Spill Number: 0004195
Spill Number: 9208369
Date Closed: / /
Date Closed: 10/22/92

UST
PBS Number: 3-137553
PBS Number: 3-137553
PBS Number: 3-137553
PBS Number: 3-137553

GETTY SERVICE STATION #74 (Continued) **U003856387**

PBS Number: 3-137553
PBS Number: 3-137553
PBS Number: 3-137553
PBS Number: 3-137553

NY Spills
Facility Id: 0503157
Facility Id: 0512723
Facility Id: 0513273
Facility Id: 0610377
Facility Id: 0613542
Facility Id: 0704361
Facility Id: 0710913
Facility Id: 0800179
Facility Id: 0805702
Facility Id: 0806286
Facility Id: 0811250
Facility Id: 1010320
Facility Id: 9200573
Date Closed: 8/9/2006
Date Closed: 12/19/2006
Date Closed: 8/24/2006
Date Closed: 1/23/2007
Date Closed: 3/16/2007
Date Closed: 8/10/2007
Date Closed: 1/15/2008
Date Closed: 4/4/2008
Date Closed: 8/18/2008
Date Closed: 9/4/2008
Date Closed: 1/12/2009
Date Closed: 1/3/2011
Date Closed: 9/14/1993

NY Hist Spills
Spill Number: 9200573

177
WNW
1/4-1/2
0.377 mi.
1989 ft.

Relative:
Higher

AMERICAN TELEPHONE & TELEGRAPH **LTANKS** **S102233627**
400 HAMILTON AVENUE **HIST LTANKS** **N/A**
WHITE PLAINS, NY **MANIFEST**
NY Spills
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 9604857
Date Closed: 7/22/1996

HIST LTANKS
Spill Number: 9604857
Date Closed: 07/22/96

NY Spills
Facility Id: 0010086

AMERICAN TELEPHONE & TELEGRAPH (Continued) **S102233627**

Facility Id: 0010088
Facility Id: 0507082
Facility Id: 9416809
Facility Id: 9606368
Facility Id: 9610406
Date Closed: 12/7/2000
Date Closed: 12/7/2000
Date Closed: 9/12/2005
Date Closed: 8/17/1996
Date Closed: 11/19/1996

NY Hist Spills
Spill Number: 9610406

AH178
WSW
1/4-1/2
0.385 mi.
2031 ft.

Relative: Higher

NICKY'S RESTAURANT **LTANKS** **S100137599**
107 MAMARONECK AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8900599
Date Closed: 5/3/1989

HIST LTANKS
Spill Number: 8900599
Date Closed: 05/03/89

179
SW
1/4-1/2
0.385 mi.
2031 ft.

Relative: Higher

PIRRO, MONSELL REALTY **LTANKS** **S100139873**
40 WALLER AVE **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8709325
Date Closed: 2/2/1988

HIST LTANKS
Spill Number: 8709325
Date Closed: 02/02/88

AH180
WSW
1/4-1/2
0.385 mi.
2032 ft.

Relative:
Higher

DEVON PLAZA REALITY
109 MAMARONECK AVE
WHITE PLAINS, NY

LTANKS
HIST LTANKS
NY Spills
NY Hist Spills

S102240691
N/A

Click here for full text details

LTANKS
Spill No: 9512203
Date Closed: 12/29/1995

HIST LTANKS
Spill Number: 9512203
Date Closed: 12/29/95

NY Spills
Facility Id: 0512970
Facility Id: 9510997
Date Closed: 3/15/2006
Date Closed: 12/12/1995

NY Hist Spills
Spill Number: 9510997

AI181
West
1/4-1/2
0.386 mi.
2038 ft.

Relative:
Higher

COMMERCIAL SITE
221 MAIN STREET
WHITE PLAINS, NY

NY Spills
BROWNFIELDS

S106704121
N/A

Click here for full text details

NY Spills
Facility Id: 0413395
Facility Id: 0500820
Facility Id: 0504810
Facility Id: 0706741
Date Closed: 5/12/2005
Date Closed: 6/17/2008
Date Closed: 6/17/2008
Date Closed: 7/31/2008

AE182
WSW
1/4-1/2
0.390 mi.
2061 ft.

Relative:
Higher

SILVERMAN REALITY
110 MAMARONECK AVE
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S104950814
N/A

Click here for full text details

LTANKS
Spill No: 0011270
Date Closed: 1/22/2003

HIST LTANKS
Spill Number: 0011270

SILVERMAN REALITY (Continued) **S104950814**

Date Closed: / /

AF183
WSW
1/4-1/2
0.395 mi.
2083 ft.

Relative:
Higher

PER-BAR **LTANKS** **S100140366**
124 MAMARONECK AVE **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8802839
Date Closed: 1/18/1989

HIST LTANKS
Spill Number: 8802839
Date Closed: 01/18/89

184
SSW
1/4-1/2
0.395 mi.
2085 ft.

Relative:
Higher

MILLER CENTER FOR NURSING **LTANKS** **S100136824**
37 DEKALD AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8802117
Date Closed: 8/30/1988

HIST LTANKS
Spill Number: 8802117
Date Closed: 08/30/88

AF185
SW
1/4-1/2
0.402 mi.
2120 ft.

Relative:
Higher

COMMERCIAL PROERTY **LTANKS** **S107789254**
151 EAST POST ROAD **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0601015
Date Closed: 11/3/2006

AI186
West
1/4-1/2
0.402 mi.
2122 ft.

Relative:
Higher

OFFICE BUILDING **LTANKS** **S106385494**
14 MAMARONECK AVE **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9613653

OFFICE BUILDING (Continued) **S106385494**

Spill No: 0313324
Date Closed: 3/5/1997
Date Closed: 4/22/2004

AI187
West
1/4-1/2
0.402 mi.
2122 ft.

Relative:
Higher

OFFICE BUILDING **HIST LTANKS** **S102555827**
14 NANARONECK AVE **N/A**
WHITE PLAINS, NY

Click here for full text details

HIST LTANKS
Spill Number: 9613653
Date Closed: 03/05/95

AJ188
NW
1/4-1/2
0.408 mi.
2154 ft.

Relative:
Higher

LTANKS **S104645518**
44 NORTH BROADWAY **NY Spills** **N/A**
WHITE PLAINS, NY **NY Hist Spills**

Click here for full text details

LTANKS
Spill No: 0302230
Date Closed: 11/5/2009

NY Spills
Facility Id: 0308354
Facility Id: 0313703
Facility Id: 0313749
Facility Id: 0313751
Facility Id: 0703466
Facility Id: 9610799
Date Closed: 11/7/2003
Date Closed: 3/15/2004
Date Closed: 3/16/2004
Date Closed: 3/16/2004
Date Closed: 6/25/2007
Date Closed: 12/2/1996

NY Hist Spills
Spill Number: 9610799

AK189
SW
1/4-1/2
0.411 mi.
2170 ft.

Relative:
Higher

165 MAMARONECK AVE **LTANKS** **S105999309**
165 MAMARONECK AVENUE **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0303361
Spill No: 0303361

165 MAMARONECK AVE (Continued) **S105999309**

Spill No: 0303361
Spill No: 9701601
Date Closed: 6/22/2007
Date Closed: 6/22/2007
Date Closed: 6/22/2007
Date Closed: 2/12/2005

AK190
SW
1/4-1/2
0.411 mi.
2170 ft.

Relative:
Higher

220 BATTLE AVE **HIST LTANKS** **S102446851**
SAME **NY Spills** **N/A**
WHITE PLAINS, NY **NY Hist Spills**

Click here for full text details

HIST LTANKS
Spill Number: 9701601
Date Closed: / /

NY Spills
Facility Id: 9609116
Date Closed: 10/21/1996

NY Hist Spills
Spill Number: 9609116
Spill Number: 9613471

AK191
SW
1/4-1/2
0.414 mi.
2184 ft.

Relative:
Higher

KEMPLER RESIDENCE **LTANKS** **S105998935**
169 MAMARONECK AVE **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 0301465
Date Closed: 8/25/2003

AL192
WSW
1/4-1/2
0.416 mi.
2194 ft.

Relative:
Higher

MINSKOFF CORP. **LTANKS** **S102673852**
179 MARTINE AVE **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9201879
Date Closed: 5/15/1992

HIST LTANKS
Spill Number: 9201879
Date Closed: 05/15/92

AI193
West
1/4-1/2
0.419 mi.
2213 ft.

Relative:
Higher

203 MAIN ST
WHITE PLAINS, NY

LTANKS **S105996744**
N/A

Click here for full text details

LTANKS
Spill No: 0206130
Date Closed: 9/3/2003

AK194
SW
1/4-1/2
0.421 mi.
2224 ft.

Relative:
Higher

JOHN DALE INC
178 MAMORENECK AVE
WHITE PLAINS, NY

LTANKS **S103558559**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9810809
Date Closed: 12/1/1998

HIST LTANKS
Spill Number: 9810809
Date Closed: 12/01/98

195
NNW
1/4-1/2
0.429 mi.
2267 ft.

Relative:
Higher

RENEE COLON
10 ROSS STREET
WHITE PLAINS, NY

LTANKS **S102152131**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Click here for full text details

LTANKS
Spill No: 9300853
Date Closed: 5/13/1993

HIST LTANKS
Spill Number: 9300853
Date Closed: 05/13/93

NY Spills
Facility Id: 9207640
Date Closed: 10/5/1992

NY Hist Spills
Spill Number: 9207640

AM196
North
1/4-1/2
0.430 mi.
2273 ft.

Relative:
Higher

UNKNOWN
55 LAKE STREET
WHITE PLAINS, NY

LTANKS
NY Spills
NY Hist Spills

S103273089
N/A

Click here for full text details

LTANKS
Spill No: 9413534
Spill No: 9413345
Date Closed: 1/23/1995
Date Closed: 1/19/1995

NY Spills
Facility Id: 9413355
Date Closed: 4/14/2004

NY Hist Spills
Spill Number: 9413355

AM197
North
1/4-1/2
0.430 mi.
2273 ft.

Relative:
Higher

AGROS S/S
55 LAKE STREET
WHITE PLAINS, NY

HIST LTANKS

S101341461
N/A

Click here for full text details

HIST LTANKS
Spill Number: 9413345
Spill Number: 9413534
Date Closed: 01/19/95
Date Closed: 01/23/95

AJ198
NW
1/4-1/2
0.434 mi.
2289 ft.

Relative:
Higher

PRESBYTERIAN CHURCH
39 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S100139602
N/A

Click here for full text details

LTANKS
Spill No: 0911530
Spill No: 8705816
Date Closed: 3/4/1988

HIST LTANKS
Spill Number: 8705816
Date Closed: 03/04/88

199
ENE
1/4-1/2
0.434 mi.
2290 ft.

Relative:
Higher

PARK KNOLL
88 UNDERHILL AVE
WHITE PLAINS, NY

LTANKS **S100165795**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 8708779
Date Closed: 11/29/1989

HIST LTANKS
Spill Number: 8708779
Date Closed: 11/29/89

AM200
North
1/4-1/2
0.440 mi.
2323 ft.

Relative:
Higher

SAL'S AUTO BODY
59 LAKE ST
WHITE PLAINS, NY 10604

RCRA-CESQG **1000137564**
FINDS **NYD982183501**
LTANKS
MANIFEST

Click here for full text details

LTANKS
Spill No: 0508843
Spill No: 0508843
Spill No: 0508843
Date Closed: 8/15/2012
Date Closed: 8/15/2012
Date Closed: 8/15/2012

AN201
SW
1/4-1/2
0.440 mi.
2325 ft.

Relative:
Higher

OFFICE BLDG
203 MAMARONECK AVE
WHITE PLAINS, NY

LTANKS **S102960015**
HIST LTANKS **N/A**
NY Spills

Click here for full text details

LTANKS
Spill No: 9710787

HIST LTANKS
Spill Number: 9710787
Date Closed: / /

NY Spills
Facility Id: 0800340
Facility Id: 9711397
Date Closed: 4/25/2008
Date Closed: 1/12/1998

202
NE
1/4-1/2
0.445 mi.
2348 ft.

Relative:
Lower

CARPINETTO RESIDENCE
34 UNDERHILL PL
WEST HARRISON, NY

LTANKS **S105995944**
N/A

Click here for full text details

LTANKS
Spill No: 0202056
Date Closed: 11/7/2002

AJ203
NW
1/4-1/2
0.446 mi.
2355 ft.

Relative:
Higher

50 N. BWAY. OWNERS INC.
50 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS **S100494668**
HIST LTANKS **N/A**
NY Spills

Click here for full text details

LTANKS
Spill No: 9212081
Date Closed: 6/29/1994

HIST LTANKS
Spill Number: 9212081
Date Closed: 06/29/94

NY Spills
Facility Id: 8907277
Date Closed: 10/24/1989

204
WSW
1/4-1/2
0.447 mi.
2362 ft.

Relative:
Higher

INNS OF COURT
99 COURT ST
WHITE PLAINS, NY

LTANKS **S102399524**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9606465
Date Closed: 2/28/2006

HIST LTANKS
Spill Number: 9606465
Date Closed: / /

AL205
WSW
1/4-1/2
0.452 mi.
2388 ft.

Relative:
Higher

THE MICHICALLIAN OFFICE
MARTINE AVE. & COURT ST.
WHITE PLAINS, NY

LTANKS **S100782193**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9310783

THE MICHICALLIAN OFFICE (Continued) **S100782193**

Date Closed: 11/18/1993

HIST LTANKS
Spill Number: 9310783
Date Closed: 11/18/93

AL206
WSW
1/4-1/2
0.452 mi.
2388 ft.

Relative:
Higher

INTERSECTION OF COURT ST. **LTANKS** **S102674960**
COURT ST. & MARITINE AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8905963
Date Closed: 11/29/1989

HIST LTANKS
Spill Number: 8905963
Date Closed: 11/29/89

AN207
SW
1/4-1/2
0.454 mi.
2398 ft.

Relative:
Higher

WHITE PLAINS-FIRE HOUSE 6 **LTANKS** **S100140233**
MAMARONECK & MAPLE AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 8707149
Date Closed: 1/5/1989

HIST LTANKS
Spill Number: 8707149
Date Closed: 01/05/89

AN208
SW
1/4-1/2
0.454 mi.
2398 ft.

Relative:
Higher

WHITE PLAINS DPW **LTANKS** **S100177896**
MAPLE & MAMARONECK AVE. **HIST LTANKS** **N/A**
WHITE PLAINS, NY

Click here for full text details

LTANKS
Spill No: 9111846
Date Closed: 3/10/1992

HIST LTANKS
Spill Number: 9111846
Date Closed: 03/10/92

AL209
WSW
1/4-1/2
0.455 mi.
2405 ft.

Relative:
Higher

MICHAEL E LAND OFFICE BLD
148 MARTINE AVE
WHITE PLAINS, NY

LTANKS
MANIFEST
NY Spills
NY Hist Spills

S102151229
N/A

Click here for full text details

LTANKS

Spill No: 0503295
Spill No: 0109874
Spill No: 0301426
Date Closed: 9/26/2005
Date Closed: 1/14/2002
Date Closed: 5/8/2003

NY Spills

Facility Id: 0412020
Facility Id: 9103040
Facility Id: 9202919
Date Closed: 12/18/2008
Date Closed: 6/18/1991
Date Closed: 7/13/1992

NY Hist Spills

Spill Number: 9103040

AO210
WNW
1/4-1/2
0.466 mi.
2462 ft.

Relative:
Higher

41 BARKER AVE.
41 BARKER AVE.
WHITE PLAINS, NY

LTANKS
NY Spills
NY Hist Spills

S102153972
N/A

Click here for full text details

LTANKS

Spill No: 0909513
Date Closed: 3/4/2010

NY Spills

Facility Id: 9004325
Date Closed: 12/26/1990

NY Hist Spills

Spill Number: 9004325

AP211
West
1/4-1/2
0.468 mi.
2473 ft.

Relative:
Higher

RESIDENCE
185- 187 MAIN ST
WHITE PLAINS, NY

LTANKS
HIST LTANKS

S102660217
N/A

Click here for full text details

LTANKS

Spill No: 9708138
Date Closed: 11/10/1997

RESIDENCE (Continued) **S102660217**

HIST LTANKS
Spill Number: 9708138
Date Closed: 11/10/97

AQ212
SW
1/4-1/2
0.470 mi.
2480 ft.

Relative:
Higher

SILVERMAN REALTY
235 MAMARONECK AVE
WHITE PLAINS, NY

LTANKS **S106702432**
NY Spills **N/A**

Click here for full text details

LTANKS
Spill No: 1112859
Spill No: 0404588
Date Closed: 3/30/2012
Date Closed: 1/10/2005

NY Spills
Facility Id: 0712619
Date Closed: 3/6/2008

AO213
WNW
1/4-1/2
0.473 mi.
2497 ft.

Relative:
Higher

APARTMENT BLDG
40 BARKER AVE
WHITE PLAINS, NY

LTANKS **S103037425**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9713796
Date Closed: 1/31/2001

HIST LTANKS
Spill Number: 9713796
Date Closed: 01/31/01

AR214
North
1/4-1/2
0.476 mi.
2512 ft.

Relative:
Higher

12-14 WOODCREST AVE
WHITE PLAINS, NY

LTANKS **S104619839**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9810848
Date Closed: 3/23/1999

HIST LTANKS
Spill Number: 9810848
Date Closed: 03/23/99

215
West
1/4-1/2
0.477 mi.
2520 ft.

Relative:
Higher

POLICE
279 HAMILTON
WHITE PLAINS, NY

LTANKS **S100139018**
HIST LTANKS **N/A**
MANIFEST

Click here for full text details

LTANKS
Spill No: 8606771
Date Closed: 11/29/1989

HIST LTANKS
Spill Number: 8606771
Date Closed: 11/29/89

AS216
South
1/4-1/2
0.480 mi.
2534 ft.

Relative:
Higher

BLOOMINGDALES
175 BLOOMINGDALE ROAD
WHITE PLAINS, NY

HIST LTANKS **S104075620**
NY Hist Spills **N/A**

Click here for full text details

HIST LTANKS
Spill Number: 8803734
Date Closed: 08/03/88

NY Hist Spills
Spill Number: 8803674

AR217
North
1/4-1/2
0.480 mi.
2535 ft.

Relative:
Higher

16 WOODCREST AVE
WHITE PLAINS, NY

LTANKS **S105999156**
N/A

Click here for full text details

LTANKS
Spill No: 0302419
Date Closed: 6/24/2003

AS218
South
1/4-1/2
0.481 mi.
2542 ft.

Relative:
Higher

BLOOMINGDALES
170 BLOOMINGDALE AVE
WHITE PLAINS, NY 10605

RCRA-NonGen **1007112022**
LTANKS **NYD078723756**
MANIFEST
NY Spills

Click here for full text details

LTANKS
Spill No: 8803734
Date Closed: 8/3/1988

NY Spills
Facility Id: 8803674
Date Closed: 8/9/1988

219
SW
1/4-1/2
0.483 mi.
2550 ft.

Relative:
Higher

COACHMAN HOTEL
123 EAST POST ROAD
WHITE PLAINS, NY

LTANKS
HIST LTANKS

1000912672
N/A

Click here for full text details

LTANKS
Spill No: 9306655
Date Closed: 9/24/1993

HIST LTANKS
Spill Number: 9306655
Date Closed: 09/24/93

AT220
NW
1/4-1/2
0.488 mi.
2577 ft.

Relative:
Higher

GOOD COUNCIL CONVENT
52 NORTH BROADWAY
WHITE PLAINS, NY

LTANKS

S107417139
N/A

Click here for full text details

LTANKS
Spill No: 0509076
Spill No: 8807217
Date Closed: 3/21/2006
Date Closed: 12/2/1988

AT221
NW
1/4-1/2
0.488 mi.
2577 ft.

Relative:
Higher

52 N. BROADWAY
WHITE PLAINS, NY

HIST LTANKS

S104619248
N/A

Click here for full text details

HIST LTANKS
Spill Number: 8807217
Date Closed: 12/02/88

AP222
West
1/4-1/2
0.489 mi.
2581 ft.

Relative:
Higher

VINTAGE RESTAURANT
171-173 MAIN STREET
WHITE PLAINS, NY

LTANKS

S108059295
N/A

Click here for full text details

LTANKS
Spill No: 0602861
Spill No: 0602861
Date Closed: 9/26/2008
Date Closed: 9/26/2008

223
ENE
1/4-1/2
0.495 mi.
2613 ft.

Relative:
Higher

28 MACRI AVE
WEST HARRISON, NY

LTANKS **S106385357**
N/A

Click here for full text details

LTANKS
Spill No: 0312748
Date Closed: 5/6/2004

AQ224
SSW
1/4-1/2
0.497 mi.
2625 ft.

Relative:
Higher

YMCA
260 MAMARONECK AVE
WHITE PLAINS, NY

LTANKS **S100166488**
HIST LTANKS **N/A**

Click here for full text details

LTANKS
Spill No: 9013259
Date Closed: 3/23/2002

HIST LTANKS
Spill Number: 9013259
Date Closed: / /

225
West
1/2-1
0.712 mi.
3760 ft.

Relative:
Higher

WHITE PLAINS MGP SITE
9 NEW STREET AND 12 WATER STREET
WHITE PLAINS, NY 10601

Manufactured Gas Plants **1008408071**
N/A

Click here for full text details

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
NY	AIRS	Air Emissions Data	Department of Environmental Conservation	12/31/2011	08/02/2012	10/03/2012
NY	AST	Petroleum Bulk Storage	Department of Environmental Conservation	10/02/2012	10/03/2012	11/08/2012
NY	BROWNFIELDS	Brownfields Site List	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	CBS	Chemical Bulk Storage Site Listing	Department of Environmental Conservation	10/02/2012	10/03/2012	11/09/2012
NY	CBS AST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	CBS UST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	COAL ASH	Coal Ash Disposal Site Listing	Department of Environmental Conservation	10/10/2012	10/11/2012	11/19/2012
NY	DEL SHWS	Delisted Registry Sites	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	DRYCLEANERS	Registered Drycleaners	Department of Environmental Conservation	06/20/2012	07/16/2012	09/06/2012
NY	E DESIGNATION	E DESIGNATION SITE LISTING	New York City Department of City Planning	10/11/2012	11/01/2012	11/09/2012
NY	ENG CONTROLS	Registry of Engineering Controls	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	ERP	Environmental Restoration Program Listing	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	FINANCIAL ASSURANCE 1	Financial Assurance Information Listing	Department of Environmental Conservation	10/05/2012	10/11/2012	11/09/2012
NY	FINANCIAL ASSURANCE 2	Financial Assurance Information Listing	Department of Environmental Conservation	10/31/2008	11/25/2008	12/11/2008
NY	HIST AST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
NY	HIST LTANKS	Listing of Leaking Storage Tanks	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
NY	HIST SPILLS	SPILLS Database	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
NY	HIST UST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
NY	HSWDS	Hazardous Substance Waste Disposal Site Inventory	Department of Environmental Conservation	01/01/2003	10/20/2006	11/30/2006
NY	INST CONTROL	Registry of Institutional Controls	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	LIENS	Spill Liens Information	Office of the State Comptroller	08/08/2012	08/14/2012	10/03/2012
NY	LTANKS	Spills Information Database	Department of Environmental Conservation	08/20/2012	08/23/2012	10/05/2012
NY	MOSF	Major Oil Storage Facility Site Listing	Department of Environmental Conservation	10/02/2012	10/03/2012	11/09/2012
NY	MOSF AST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	MOSF UST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	08/01/2012	08/09/2012	10/03/2012
NY	RES DECL	Restrictive Declarations Listing	NYC Department of City Planning	11/18/2010	12/23/2010	02/11/2011
NY	SHWS	Inactive Hazardous Waste Disposal Sites in New York State	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
NY	SPDES	State Pollutant Discharge Elimination System	Department of Environmental Conservation	10/23/2012	10/24/2012	11/09/2012
NY	SPILLS	Spills Information Database	Department of Environmental Conservation	08/20/2012	08/23/2012	10/05/2012
NY	SWF/LF	Facility Register	Department of Environmental Conservation	10/10/2012	10/11/2012	11/09/2012
NY	SWRCY	Registered Recycling Facility List	Department of Environmental Conservation	10/10/2012	10/11/2012	11/09/2012
NY	SWTIRE	Registered Waste Tire Storage & Facility List	Department of Environmental Conservation	08/01/2006	11/15/2006	11/30/2006
NY	TANKS	Storage Tank Faciliy Listing	Department of Environmental Conservation	10/02/2012	10/03/2012	11/09/2012
NY	UIC	Underground Injection Control Wells	Department of Environmental Conservation	09/07/2012	09/12/2012	10/04/2012
NY	UST	Petroleum Bulk Storage (PBS) Database	Department of Environmental Conservation	10/02/2012	10/03/2012	11/08/2012
NY	VAPOR REOPENED	Vapor Intrustion Legacy Site List	Department of Environmenal Conservation	05/01/2012	05/23/2012	07/03/2012
NY	VCP	Voluntary Cleanup Agreements	Department of Environmental Conservation	10/03/2012	10/04/2012	11/09/2012
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	11/11/2011	05/18/2012	05/25/2012
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2009	03/01/2011	05/02/2011
US	CERCLIS	Comprehensive Environmental Response, Compensation, and Liab	EPA	12/27/2011	02/27/2012	03/12/2012
US	CERCLIS-NFRAP	CERCLIS No Further Remedial Action Planned	EPA	12/28/2011	02/27/2012	03/12/2012
US	COAL ASH DOE	Sleam-Electric Plan Operation Data	Department of Energy	12/31/2005	08/07/2009	10/22/2009
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	08/17/2010	01/03/2011	03/21/2011
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	06/01/2012	07/24/2012	09/18/2012
US	CORRACTS	Corrective Action Report	EPA	08/19/2011	08/31/2011	01/10/2012
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	DELISTED NPL	National Priority List Deletions	EPA	06/07/2012	07/05/2012	09/18/2012
US	DOD	Department of Defense Sites	USGS	12/31/2005	11/10/2006	01/11/2007
US	DOT OPS	Incident and Accident Data	Department of Transporation, Office of Pipeli	07/31/2012	08/07/2012	09/18/2012
US	EPA WATCH LIST	EPA WATCH LIST	Environmental Protection Agency	07/31/2012	08/13/2012	09/18/2012
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	04/02/2012	04/03/2012	06/14/2012
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	12/10/2010	01/11/2011	02/16/2011
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	12/31/2005	02/06/2006	01/11/2007
US	FEMA UST	Underground Storage Tank Listing	FEMA	01/01/2010	02/16/2010	04/12/2010
US	FINDS	Facility Index System/Facility Registry System	EPA	10/23/2011	12/13/2011	03/01/2012
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	12/31/2009	08/12/2010	12/02/2010
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	04/01/2012	04/03/2012	06/14/2012
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	07/20/2011	11/10/2011	01/10/2012
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	04/12/2012	05/09/2012	07/10/2012
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	08/01/2012	08/02/2012	10/16/2012
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	12/14/2011	12/15/2011	01/10/2012
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	09/12/2011	09/13/2011	11/11/2011
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	08/17/2012	08/28/2012	10/16/2012
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	08/27/2012	08/28/2012	10/16/2012
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	09/06/2012	09/07/2012	10/16/2012
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2005	12/08/2006	01/11/2007
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	04/12/2012	05/02/2012	07/16/2012
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	08/01/2012	08/02/2012	10/16/2012
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	12/14/2011	12/15/2011	01/10/2012
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	08/02/2012	08/03/2012	11/05/2012
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/10/2011	05/11/2011	06/14/2011
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	08/17/2012	08/28/2012	10/16/2012
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	08/27/2012	08/28/2012	10/16/2012
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	09/06/2012	09/07/2012	10/16/2012
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	09/28/2012	10/02/2012	10/16/2012
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	02/16/2012	03/26/2012	06/14/2012
US	LUCIS	Land Use Control Information System	Department of the Navy	12/09/2005	12/11/2006	01/11/2007
US	MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	08/18/2011	09/08/2011	09/29/2011
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	06/21/2011	07/15/2011	09/13/2011
US	Manufactured Gas Plants	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	NPL	National Priority List	EPA	06/07/2012	07/05/2012	09/18/2012
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	11/01/2010	11/10/2010	02/16/2011
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	02/01/2011	10/19/2011	01/10/2012
US	PRP	Potentially Responsible Parties	EPA	10/01/2012	10/04/2012	11/05/2012
US	Proposed NPL	Proposed National Priority List Sites	EPA	06/07/2012	07/05/2012	09/18/2012

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	10/02/2012	10/02/2012	11/05/2012
US	RCRA-CESQG	RCRA - Conditionally Exempt Small Quantity Generators	Environmental Protection Agency	09/11/2012	10/04/2012	12/04/2012
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	09/11/2012	10/04/2012	12/04/2012
US	RCRA-NonGen	RCRA - Non Generators	Environmental Protection Agency	09/11/2012	10/04/2012	12/04/2012
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	09/11/2012	10/04/2012	12/04/2012
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	09/11/2012	10/04/2012	12/04/2012
US	ROD	Records Of Decision	EPA	02/27/2012	03/14/2012	06/14/2012
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	03/07/2011	03/09/2011	05/02/2011
US	SSTS	Section 7 Tracking Systems	EPA	12/31/2009	12/10/2010	02/25/2011
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2009	09/01/2011	01/10/2012
US	TSCA	Toxic Substances Control Act	EPA	12/31/2006	09/29/2010	12/02/2010
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	09/14/2010	10/07/2011	03/01/2012
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	10/24/2012	10/26/2012	11/05/2012
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	07/11/2012	09/12/2012	11/05/2012
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	07/18/2012	07/24/2012	11/05/2012
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	08/20/2012	08/28/2012	11/05/2012
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	09/01/2007	11/19/2008	03/30/2009
US	US INST CONTROL	Sites with Institutional Controls	Environmental Protection Agency	07/18/2012	07/24/2012	11/05/2012
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protecti	08/20/2012	08/20/2012	09/20/2012
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2011	07/19/2012	08/28/2012
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2011	07/23/2012	09/18/2012
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2011	06/22/2012	07/31/2012
VT	VT MANIFEST	Hazardous Waste Manifest Data	Department of Environmental Conservation	08/09/2012	08/15/2012	09/13/2012
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	12/31/2011	07/19/2012	09/27/2012
US	Oil/Gas Pipelines	GeoData Digital Line Graphs from 1:100,000-Scale Maps	USGS			
US	Electric Power Lines	Electric Power Transmission Line Data	Rextag Strategies Corp.			
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
NY	Daycare Centers	Sensitive Receptor: Day Care Providers	Department of Health			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
NY	State Wetlands	Freshwater Wetlands	Department of Environmental Conservation			

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	USGS 7.5' Topographic Map	Scanned Digital USGS 7.5' Topographic Map (DRG)	USGS			

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

90 - 96 WESTCHESTER AVENUE
90-102 WESTCHESTER AVE
WHITE PLAINS, NY 10601

TARGET PROPERTY COORDINATES

Latitude (North):	41.0326 - 41° 1' 57.36''
Longitude (West):	73.7589 - 73° 45' 32.04''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	604330.9
UTM Y (Meters):	4542906.0
Elevation:	159 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	41073-A7 WHITE PLAINS, NY
Most Recent Revision:	1994
East Map:	41073-A6 GLENVILLE, CT NY
Most Recent Revision:	1971

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION


Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General ESE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





0 1/2 1 Miles

Target Property Elevation: 159 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County	FEMA Flood Electronic Data
WESTCHESTER, NY	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 36119C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
WHITE PLAINS	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY


Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT **GEOLOGIC AGE IDENTIFICATION**

Era:	Paleozoic	Category:	Stratified Sequence
System:	Ordovicias		
Series:	Lower Ordovician and Cambrian carbonate rocks		
Code:	OC *(decoded above as Era, System & Series)*		

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 3465400.2s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
		INQUIRY #:	3465400.2s
LAT/LONG:	41.0326 / 73.7589	DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 2

Soil Component Name: Urban land

Soil Surface Texture:
Hydrologic Group: Not reported

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 3

Soil Component Name: Udorthents

Soil Surface Texture: gravelly loam

Hydrologic Group: Not reported

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 127 inches

Depth to Watertable Min: > 84 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	3 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5
2	3 inches	70 inches	very gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5

Soil Map ID: 4

Soil Component Name: Paxton

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
2	9 inches	20 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
3	20 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5

Soil Map ID: 5

Soil Component Name: Paxton

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
2	9 inches	20 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5
3	20 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 1.4 Min: 0.42	Max: 6 Min: 4.5

Soil Map ID: 6

Soil Component Name: Udorthents

Soil Surface Texture: gravelly loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 127 inches

Depth to Watertable Min: > 38 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	3 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5
2	3 inches	72 inches	very gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 42 Min: 0.42	Max: 8.4 Min: 4.5

Soil Map ID: 7

Soil Component Name: Charlton

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
2	7 inches	24 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	24 inches	59 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 8

Soil Component Name: Urban land

Soil Surface Texture: loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

No Layer Information available.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS2128643	1/4 - 1/2 Mile WSW
2	USGS2128674	1/4 - 1/2 Mile NNE
A3	USGS2128835	1/4 - 1/2 Mile SSE
A4	USGS2128836	1/4 - 1/2 Mile SSE
B5	USGS2128669	1/4 - 1/2 Mile NE
B6	USGS2128670	1/4 - 1/2 Mile NE
7	USGS2128131	1/4 - 1/2 Mile WSW
8	USGS2128651	1/4 - 1/2 Mile West
9	USGS2128675	1/4 - 1/2 Mile NNE
10	USGS2128682	1/4 - 1/2 Mile North
11	USGS2128648	1/4 - 1/2 Mile WSW
12	USGS2128824	1/4 - 1/2 Mile SSW
13	USGS2128636	1/2 - 1 Mile WSW
14	USGS2128821	1/2 - 1 Mile SSW
15	USGS2128685	1/2 - 1 Mile NNW
C16	USGS2128661	1/2 - 1 Mile WNW
C17	USGS2128660	1/2 - 1 Mile WNW
18	USGS2128826	1/2 - 1 Mile SW
19	USGS2128822	1/2 - 1 Mile SW
D20	USGS2128654	1/2 - 1 Mile West
D21	USGS2128653	1/2 - 1 Mile West

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
1	NYOG70000000275	1/4 - 1/2 Mile East

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
2	NYOG70000000276	1/2 - 1 Mile WNW

PHYSICAL SETTING SOURCE MAP - 3465400.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	90 - 96 Westchester Avenue	CLIENT:	DVD Environmental
ADDRESS:	90-102 WESTCHESTER AVE White Plains NY 10601	CONTACT:	Tim Donohoe
LAT/LONG:	41.0326 / 73.7589	INQUIRY #:	3465400.2s
		DATE:	December 06, 2012 11:24 am

Copyright © 2012 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 **East** **1/4 - 1/2 Mile**	Click here for full text details	**OIL_GAS**	**NYOG70000000275**
2 **WNW** **1/2 - 1 Mile**	Click here for full text details	**OIL_GAS**	**NYOG70000000276**
1 **WSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128643**
2 **NNE** **1/4 - 1/2 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS2128674**
A3 **SSE** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128835**
A4 **SSE** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128836**
B5 **NE** **1/4 - 1/2 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS2128669**
B6 **NE** **1/4 - 1/2 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS2128670**
7 **WSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128131**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
8 **West** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128651**
9 **NNE** **1/4 - 1/2 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS2128675**
10 **North** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128682**
11 **WSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128648**
12 **SSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128824**
13 **WSW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128636**
14 **SSW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128821**
15 **NNW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128685**
C16 **WNW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128661**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
C17 **WNW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128660**
18 **SW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128826**
19 **SW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128822**
D20 **West** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128654**
D21 **West** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS2128653**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
WESTCHESTER	BEDFORD	104	2.25	1.59	8.6
WESTCHESTER	CORTLANDT	159	4.86	2.19	95.4
WESTCHESTER	EASTCHESTER	76	2.89	1.75	41.9
WESTCHESTER	GREENBURGH	218	2.26	1.45	21.8
WESTCHESTER	HARRISON	67	3.33	2.14	42.3
WESTCHESTER	LEWISBORO	70	3.92	2.61	19.2
WESTCHESTER	MAMARONECK	118	4.01	2.39	35.9
WESTCHESTER	MT. KISCO	37	2.31	1.69	9.3
WESTCHESTER	MT. PLEASANT	170	2.11	1.42	17.1
WESTCHESTER	MT. VERNON	53	2.82	1.65	32
WESTCHESTER	NEW CASTLE	133	2.21	1.46	31.7
WESTCHESTER	NEW ROCHELLE	126	1.92	1.3	13.8
WESTCHESTER	NO. CASTLE	59	3.53	2.3	16.5
WESTCHESTER	NO. SALEM	56	3.78	2.56	25.7
WESTCHESTER	OSSINING	63	2.08	1.38	10.9
WESTCHESTER	PEEKSKILL	45	3.6	2.27	19.9
WESTCHESTER	PELHAM	26	2.5	1.91	9.1
WESTCHESTER	POUND RIDGE	34	3.37	2.22	18.5
WESTCHESTER	RYE	93	2.28	1.7	9.5
WESTCHESTER	SCARSDALE	138	2.35	1.63	22.4
WESTCHESTER	SOMERS	70	3.94	2.85	21.3
WESTCHESTER	WHITE PLAINS	128	2.77	1.47	65.2
WESTCHESTER	YONKERS	150	2.24	1.37	16
WESTCHESTER	YORKTOWN	175	2.72	1.73	27.2

Federal EPA Radon Zone for WESTCHESTER County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for WESTCHESTER COUNTY, NY

Number of sites tested: 650

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.930 pCi/L	97%	3%	0%
Basement	1.730 pCi/L	84%	13%	2%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)
Source: United States Geologic Survey
A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix C

Aerial Photographs


INQUIRY #: 3471599.3
YEAR: 2006
= 500'
N
EDR Environmental Data Resources Inc


INQUIRY #: 3471599.3
YEAR: 1991
= 500'
N
EDR Environmental Data Resources Inc


INQUIRY #: 3471599.3
YEAR: 1994
= 750'
N
EDR Environmental Data Resources Inc


INQUIRY #: 3471599.3
YEAR: 1974
= 750'
N
EDR Environmental Data Resources Inc


INQUIRY #: 3471599.3
YEAR: 1989
= 750'
N

90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3471599.3
December 07, 2012

The EDR Aerial Photo Decade Package

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography December 07, 2012

Target Property:

90-102 WESTCHESTER AVE

White Plains, NY 10601

Year	***Scale***	***Details***	***Source***
1954	Aerial Photograph. Scale: 1"=500'	Panel #: 41073-A7, White Plains, NY;/Flight Date: April 13, 1954	EDR
1964	Aerial Photograph. Scale: 1"=500'	Panel #: 41073-A7, White Plains, NY;/Flight Date: March 23, 1964	EDR
1971	Aerial Photograph. Scale: 1"=500'	Panel #: 41073-A7, White Plains, NY;/Flight Date: December 05, 1971	EDR
1974	Aerial Photograph. Scale: 1"=750'	Panel #: 41073-A7, White Plains, NY;/Flight Date: October 24, 1974	EDR
1989	Aerial Photograph. Scale: 1"=750'	Panel #: 41073-A7, White Plains, NY;/Flight Date: April 20, 1989	EDR
1991	Aerial Photograph. Scale: 1"=500'	Panel #: 41073-A7, White Plains, NY;/Composite DOQQ - acquisition dates: April 12, 1991	EDR
1994	Aerial Photograph. Scale: 1"=750'	Panel #: 41073-A7, White Plains, NY;/Flight Date: April 08, 1994	EDR
2006	Aerial Photograph. Scale: 1"=500'	Panel #: 41073-A7, White Plains, NY;/Flight Year: 2006	EDR


INQUIRY #: 3471599.3
YEAR: 1954
= 500'
N


INQUIRY #: 3471599.3
YEAR: 1964
= 500'
N
EDR Environmental Data Resources Inc


INQUIRY #: 3471599.3
YEAR: 1971
= 500'
N
EDR Environmental Data Resources Inc

Appendix D

Sanborn Maps

90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3465400.3
November 30, 2012

Certified Sanborn® Map Report

EDR® Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

11/30/12

Site Name:
90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

EDR Inquiry # 3465400.3

Client Name:
DVD Environmental
P.O. Box 2152
Cliffside Park, NJ 07010

Contact: Tim Donohoe

EDR® Environmental Data Resources Inc

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by DVD Environmental were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, State, Zip: White Plains, NY 10601
Cross Street:
P.O. # 90-96
Project: Saber Westchester LLC
Certification # 4FFC-4847-827D

Maps Provided:

2004	1992	1930
2003	1990	1911
2002	1989	1905
1995	1987	
1994	1950	
1993	1942	

Sanborn® Library search results
Certification # 4FFC-4847-827D

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

DVD Environmental (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.


2004 Source Sheets




Volume 1, Sheet 55



Volume 1, Sheet 56




Volume 1, Sheet 64



Volume 2, Sheet 231

2003 Source Sheets




Volume 2, Sheet 231



Volume 1, Sheet 55



Volume 1, Sheet 56



Volume 1, Sheet 64


2002 Source Sheets



Volume 1, Sheet 55




Volume 1, Sheet 56



Volume 1, Sheet 64

1995 Source Sheets



Volume 2, Sheet 231



Volume 1, Sheet 15



Volume 1, Sheet 56



Volume 1, Sheet 64



Volume 1, Sheet 55

1994 Source Sheets




Volume 2, Sheet 231



Volume 1, Sheet 15



Volume 1, Sheet 56



Volume 1, Sheet 64



Volume 1, Sheet 55

1993 Source Sheets



Volume 2, Sheet 231



Volume 1, Sheet 15



Volume 1, Sheet 55



Volume 1, Sheet 56

1992 Source Sheets



Volume 2, Sheet 231



Volume 1, Sheet 15



Volume 1, Sheet 55



Volume 1, Sheet 56

1990 Source Sheets




Volume 1, Sheet 55



Volume 1, Sheet 56




Volume 2, Sheet 231



Volume 1, Sheet 15

1989 Source Sheets




Volume 1, Sheet 15



Volume 1, Sheet 55




Volume 1, Sheet 56



Volume 2, Sheet 231

1987 Source Sheets



Volume 1, Sheet 15




Volume 1, Sheet 55



Volume 1, Sheet 56

1950 Source Sheets



Volume 2, Sheet 231



Volume 1, Sheet 15



Volume 1, Sheet 55



Volume 1, Sheet 56

1942 Source Sheets



Volume 2, Sheet 24



Volume 2, Sheet 25


1930 Source Sheets



Volume 1, Sheet 55



Volume 1, Sheet 56




Volume 2, Sheet 231



Volume 1, Sheet 15

1911 Source Sheets



Volume 1, Sheet 51




Volume 1, Sheet 52



Volume 1, Sheet 59

1905 Source Sheets



Volume 1, Sheet 7

2004 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 2004

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 1, Sheet 64
Volume 2, Sheet 231

0 Feet 150 300 600

N

2003 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name:	90 - 96 Westchester Avenue
Address:	90-102 WESTCHESTER AVE
City, ST, ZIP:	White Plains NY 10601
Client:	DVD Environmental
EDR Inquiry:	3465400.3
Order Date:	11/30/2012 8:27:01 AM
Certification #	4FFC-4847-827D
Copyright:	2003

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 2, Sheet 231
Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 1, Sheet 64

0 Feet 150 300 600

N

2002 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 2002

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 1, Sheet 64

0 Feet 150 300 600

N

1995 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1995

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 2, Sheet 231
Volume 1, Sheet 15
Volume 1, Sheet 56
Volume 1, Sheet 64
Volume 1, Sheet 55

0 Feet 150 300 600

N

1994 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1994

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 2, Sheet 231
Volume 1, Sheet 15
Volume 1, Sheet 56
Volume 1, Sheet 64
Volume 1, Sheet 55

0 Feet 150 300 600

N

1993 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1993

THE SANBORN LIBRARY LLC Sanborn SEAL OF AUTHENTICITY

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 2, Sheet 231
Volume 1, Sheet 15
Volume 1, Sheet 55
Volume 1, Sheet 56

0 Feet 150 300 600

N

1992 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1992

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





Volume 2, Sheet 231
Volume 1, Sheet 15
Volume 1, Sheet 55
Volume 1, Sheet 56

0 Feet 150 300 600

N

1990 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1990

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 2, Sheet 231
Volume 1, Sheet 15

0 Feet 150 300 600

N

1989 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name:	90 - 96 Westchester Avenue
Address:	90-102 WESTCHESTER AVE
City, ST, ZIP:	White Plains NY 10601
Client:	DVD Environmental
EDR Inquiry:	3465400.3
Order Date:	11/30/2012 8:27:01 AM
Certification #	4FFC-4847-827D
Copyright:	1989

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 15
Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 2, Sheet 231

0 Feet 150 300 600

N

1987 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1987

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 15
Volume 1, Sheet 55
Volume 1, Sheet 56

0 Feet 150 300 600

N

1950 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1950

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.






Volume 2, Sheet 231
Volume 1, Sheet 15
Volume 1, Sheet 55
Volume 1, Sheet 56

0 Feet 150 300 600

N

1942 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1942

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600






Volume 2, Sheet 24
Volume 2, Sheet 25

N

1930 Certified Sanborn Map




Certification # 4FFC-4847-827D

The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1930

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 55
Volume 1, Sheet 56
Volume 2, Sheet 231
Volume 1, Sheet 15

0 Feet 150 300 600

N

1911 Certified Sanborn Map




The certified Sanborn Library search results in this report can be authenticated by visiting www.ednet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 4FFC-4847-827D

Site Name:	90 - 96 Westchester Avenue
Address:	90-102 WESTCHESTER AVE
City, ST, ZIP:	White Plains NY 10601
Client:	DVD Environmental
EDR Inquiry:	3465400.3
Order Date:	11/30/2012 8:27:01 AM
Certification #	4FFC-4847-827D
Copyright:	1911

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 51
Volume 1, Sheet 52
Volume 1, Sheet 59

0 Feet 150 300 600

N

1905 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 4FFC-4847-827D

Site Name: 90 - 96 Westchester Avenue
Address: 90-102 WESTCHESTER AVE
City, ST, ZIP: White Plains NY 10601
Client: DVD Environmental
EDR Inquiry: 3465400.3
Order Date: 11/30/2012 8:27:01 AM
Certification # 4FFC-4847-827D
Copyright: 1905

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600






Volume 1, Sheet 7

N


Appendix E

Health Department, FOIA and Right to Know Info











Robert P. Astorino
Westchester County Executive
County Board of Legislators

Annual Data Book

Vital Statistics Report

Westchester County Department of Health

Westchestergov.com

2011

Sherlita Amler, MD
Commissioner of Health

Project Directors	Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration
Project Staff	Milagros Venuti, MPH, Assistant Statistician Maryellen Bubnis, Megan Cea, Stanley Cho, Rosemary James
Contact	Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 10 County Center Road, White Plains, NY 10607-1541 914-995-7499

FOREWORD

Westchester County Department of Health is the local health department for Westchester County, which is located north of New York City and covers an area of 450.5 square miles. The Hudson River and Rockland County form Westchester County's western border and Putnam County and the state of Connecticut border Westchester to the north and east, respectively. Westchester County has a population of 949,113 based on 2010 US Census data. In 2010, 68.1% of the County's population was white, 14.6% was black, 5.5% was Asian/Pacific Islander, and 11.8% was of mixed or other races. In addition, Hispanics comprised 21.8% of Westchester County's residents.

The mission of the Westchester County Department of Health is to promote health, prevent diseases and prolong meaningful life for Westchester County residents. The Health Department monitors and controls the spread of communicable diseases, monitors and regulates air and water quality, enforces the state and local sanitary codes, promotes and ensures local public health activities, and assures the availability of community health services.

The Annual Data Book 2011 – Vital Statistics Report contains information on births, pregnancies, and deaths occurred among Westchester County Residents during 2009. Detailed information includes total number of births, birth rates, demographic characteristics of women who had births during 2009, number of pregnancies and outcome of such pregnancies by women's age and race/ethnicity, number deaths, death rates, leading causes of deaths, and the demographic characteristics of the people who died during 2009.

TABLE OF CONTENTS

Highlights	1
Births and Pregnancies	2
Number of Births and Birth Rates	2
Number of Births by Mother's Demographic Characteristics	3
Maternal Age	5
Residential Areas	7
Birthweight	8
Prenatal Care	9
Gestational Age	12
Insurance Coverage	13
Cesarean Delivery	16
Pregnancies and Abortions	18
Deaths	20
Number of Deaths and Death Rates	20
Deaths by Municipality	21
Infant Mortality	22
Leading Causes of Death	23
Diseases of the Heart	25
Malignant Neoplasms	26
Tables	27
Appendices	57

List of Figures

1	Number of Live Births, Westchester County, 2001-2009	2
2	Percent of Births by Birth Place, Westchester County, 2009	3
3	Number of Births by Mother's Race/Ethnicity, Westchester County, 2009	3
4	Percent of Births by Mother's Region of Origin, Westchester County, 2009	4
5	Percent of Births by Maternal Age, Westchester County, 2009	4
6	Percent of Births by Maternal Age and Race/Ethnicity, Westchester County, 2009	5
7	Average Maternal Age by Race/Ethnicity, Westchester County, 2009	5
8	Average Maternal Age by Mother's Region of Origin, Westchester County, 2009	6
9	Average Maternal Age by Mother's Education, Westchester County, 2009	6
10	Percent of Births and Birth Rates by Residential Municipalities, Westchester County, 2009	7
11	Percent of Infants Born with Low Birthweight by Mother's Race/Ethnicity, Westchester County, 2009	8
12	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2009	8
13	Percent of Births by Time Mother Started Prenatal Care, Westchester County, 2009	9
14	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2009	9
15	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2009	10
16	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Region of Origin, Westchester County, 2009	10
17	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Education, Westchester County, 2009	11
18	Number of Births by Gestational Age and Race/Ethnicity, Westchester County, 2009	12
19	Percent of Births by Mother's Insurance Coverage for Delivery, Westchester County, 2009	13
20	Percent of Births by Mother's Insurance Coverage for Delivery and Maternal Age, Westchester County, 2009	13
21	Percent of Births by Mother's Insurance Coverage for Delivery and Race/Ethnicity, Westchester County, 2009	14
22	Percent of Births by Mother's Insurance Coverage for Delivery and Region of Origin, Westchester County, 2009	15
23	Percent of Births by Delivery Method and Mother's Age*, Westchester County, 2009	16

24	Percent of Births by Delivery Method and Mother's Race/Ethnicity*, Westchester County, 2009	17
25	Percentage Distribution of Pregnancy Outcomes, Westchester County, 2009	18
26	Percentage Distribution of Pregnancy Outcomes by Women's Age, Westchester County, 2009	18
27	Percentage Distribution of Pregnancy Outcomes by Women's Race/Ethnicity, Westchester County, 2009	19
28	Death Rate and Average Age of Death by Sex, Race/Ethnicity, Westchester County, 2009	20
29	Percent of Deaths and Death Rates by Residential Municipalities, Westchester County, 2009	21
30	Infant Mortality by Race/Ethnicity, Westchester County, 2009	22
31	Leading Causes of Death, Westchester County, 2009	23
32	Percent of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2009	24
33	Number and Percentage of Deaths Due to Diseases of the Circulatory System, Westchester County, 2009	25
34	Number and Percent of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2009	26

Tables

1	Total Number of Births and Birth Rates by Municipality, Westchester County, 2009	27
2	Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2009	28
3	Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Late or No Prenatal Care by Municipality, Westchester County, 2009	29
4	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2009	30
5	Number of Births by Mother's Age and Mother's Region of Origin, Westchester County, 2009	31
6	Number of Births by Mother's Age and Educational Level, Westchester County, 2009	32
7	Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2009	33
8	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2009	34
9	Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2009	35
10	Number of Births by Time Starting Prenatal Care and Mother's Region of Origin, Westchester County, 2009	36
11	Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2009	37
12	Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2009	38
13	Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2009	39
14	Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County, 2009	40
15	Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2009	41
16	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Age and Race/Ethnicity, Westchester County, 2009	42
17	Total Number of Deaths and Infant Deaths, Death Rate and Infant Mortality Rate, Westchester County, 2009	43
18	Number of Deaths, Death Rates, and Average Age of Death by Sex, Westchester County, 2009	44
19	Number of Deaths, Death Rates, and Average Age of Death by Race/Ethnicity, Westchester County, 2009	45
20	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2002-2009	46

21	Ten Leading Causes of Death and Death Rates, Westchester County, New York State, and the United States, 2009	47
22	Number of Deaths by Selected Causes and Sex, Westchester County, 2009	48
23	Number of Deaths by Selected Causes and Age, Westchester County, 2009	49
24	Number of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2009	50
25	Number and Percentage of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2009	51
26	Number of Deaths Due to Diseases of the Circulatory System by Age, Westchester County, 2009	52
27	Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2009	53
28	Number of Deaths Due to Neoplasms by Sex, Westchester County, 2009	54
29	Number of Deaths Due to Neoplasms by Age, Westchester County, 2009	55
30	Number of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2009	56

Appendices

1	Data Sources and Definitions for Vital Statistics	57
2	The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths	60
3	The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths due to Diseases of the Circulatory System	61
4	The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths due to Neoplasms	62
5	Westchester County Municipalities	63
6	Health Planning Regions and Municipality Map	65

HIGHLIGHTS


- In 2009, 11,143 infants were born to Westchester County residents. The birth rate was 11.7 births per 1,000 population.
- 56.2% of the infants were born to white women, 14.5% were born to black women. 34.7% of infants were born to Hispanic women.
- 43.3% of the infants were born to women of foreign national origin.
- The average maternal age at birth was 31.1 years: 32.5 among whites, 28.7 among blacks, and 28.6 among Hispanics.
- 8.4% of the infants were born with low Birthweight: 14% among blacks, 7.8% among whites, and 6.8% among Hispanics.
- 13.3% were born prematurely.
- 27.1% of the infants were born to mothers who did not have prenatal care or delayed their prenatal care until the second trimester: 21.9% among whites, 39.7% among blacks, and 35.9% among Hispanics.
- 38.4% of the infants were born to women with Medicaid or Family Health Plus as the primary insurance coverage for the delivery: 24.4% among whites, 52.7% among blacks, and 68.8% among Hispanics.
- 40.9% of all births were delivered by cesarean section.
- There were 14,856 recorded pregnancies among Westchester County women in 2009, 23.2% were ended by induced abortion.
- There were 397 pregnancies occurred among women under age 18, 58.2% were ended by abortion.
- There were 6,664 deaths registered in Westchester County in 2009. The death rate was 702.1 per 100,000 population.
- The average age at death was 76.5 years: 79.5 among females, 73.2 among males; 78.6 years for whites, 67.9 years for blacks, and 61.7 years for Hispanics.
- The three leading causes of death were Diseases of the Circulatory System (36.6%), Neoplasms (26.7%), and Diseases of the Respiratory System (9.6%).
- There were 63 infant deaths in 2009, with an infant mortality rate of 5.7 per 1,000 live births.

BIRTHS AND PREGNANCIES

Number of Births and Birth Rates

- A total of 11,143 infants were born to Westchester County residents in 2009, with a birth rate of 11.7 live births per 1,000 people.
- There were 5,698 males and 5,445 females. The male/female ratio was 1.05.
- The number of births has been declining since 2003 (Figure 1).


Figure 1. Number of Live Births, Westchester County, 2001-2009



- The majority of the infants were born within the county (Figure 2).

- 4,543 (40.8%) of the infants were first-born, 3,817 (34.3%) were the second child, and 2,640 (23.7%) were third or higher order births.


Figure 2. Percent of Births by Birth Place, Westchester County, 2009




Number of Births by Mother's Demographic Characteristics

- Over half of the infants were born to white women; about 15% were born to black women. Over one-third of the infants were born to Hispanics (Figure 3).


Figure 3. Number of Births by Mother's Race/Ethnicity Westchester County, 2009



- Over 40% of the infants were born to women with foreign national origin, with a large proportion born to women from Mexico and other Central and South America countries (Figure 4).




- More than half of the infants were born to women in their 30's, and about a third were born to women in their 20's (Figure 5).




Maternal Age


- The distribution of maternal age varied with race/ethnicity. The proportion of infants born to younger mothers was higher among blacks and Hispanics (Figure 6).




- The average maternal age at birth was 31.1 years. The average maternal age was higher among infants born to white women than those born to black women or Hispanic women (Figure 7).



- The average maternal age varied extensively by women's region of origins (Figure 8).




- The average maternal age at birth increased with women's educational levels (Figure 9).



Residential Areas


- About a quarter of the infants were born to women living in Yonkers.
- Over 70% of the infants were born to women living in 11 of the 43 municipalities (Figure 10).
- Port Chester, Peekskill, and Mount Kisco had the highest birth rates. Altogether, 15 municipalities had birth rates higher than the county average (Figure 10).

Figure 10. Percent of Births and Birth Rates by Residential Municipalities, Westchester County, 2009




Birthweight

- Less than 10% of the infants were born with a birthweight lower than 2,500 grams. However, the proportion of infants born with low birthweight varied by race and ethnicity (Figure 11).




- Infant birthweight was associated with maternal behavior during pregnancy (Figure 12).



Prenatal Care


- Most infants were born to women who sought prenatal care. However, over 25% were born to women who delayed their prenatal care until the second or third trimester. Less than 1% of the infants were born to women who did not seek prenatal care (Figure 13).

Figure 13. Percent of Births by Time Mother Started Prenatal Care Westchester County, 2009




- The prenatal care patterns varied by women's age (Figure 14).

Figure 14. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2009



- There was a smaller percentage of women who delayed or sought no prenatal care among whites than among blacks and Hispanics (Figure 15).


Figure 15. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2009



* Hispanic may be of any race.


- The percentage of women receiving adequate prenatal care was different among women from various regions (Figure 16).

Figure 16. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Region of Origin, Westchester County, 2009



* Central/South America excludes Mexico and Caribbean.


- Women with lower educational attainment were more likely to delay or seek no prenatal care than women with higher education (Figure 17).



Gestational Age

- The majority of the infants were born full term, with 37 or longer gestational weeks. However, 13.3% of the infants were born before they reached 37 weeks of gestation. There was a higher percentage of infants born preterm among blacks (Figure 18).

Figure 18. Percent of Births by Gestational Age and Race/Ethnicity Westchester County, 2009




* Hispanic may be of any race.

Insurance Coverage


- Almost all women had health insurance to cover for delivery (Figure 19). Over a third had Medicaid or Family Health Plus.

Figure 19. Percent of Births by Mother's Insurance Coverage for Delivery, Westchester County, 2009




- Younger women were more likely to have Medicaid/ Family Health Plus (FHP) as a form of payment for their delivery, while older women were more likely to have private or another type of insurance (Figure 20).


Figure 20. Percent of Births by Mother's Insurance Coverage for Delivery and Maternal Age, Westchester County, 2009



- Blacks and Hispanics were more likely to have Medicaid or Family Health Plus than whites, while most whites had private or other insurances (Figure 21).



- There were also substantial differences in insurance coverage among women from various countries/regions (Figure 22).




Cesarean Delivery

- Just about 60% of the infants were born via vaginal delivery. Over 40% were delivered by cesarean sections, including primary cesarean sections and repeat cesarean sections.


- Older women were more likely to have cesarean sections (Figure 23).

Figure 23. Percent of Births by Delivery Method and Mother's Age*
Westchester County, 2009




* May not add to 100% since the delivery method was not recorded for a small number of births.

- There were no substantial differences in the percent of births delivered by cesarean section between blacks and whites. However, there was a lower rate of C-section among Hispanic women (Figure 24).




Pregnancies and Abortions


- There were 14,856 pregnancies reported in 2009, about a quarter were ended by induced abortions (Figure 25).



- The percent of pregnancies ended by abortion was higher among younger women (Figure 26).



- The percent of pregnancies ended by abortions was the highest among black non-Hispanic women and the lowest among white non-Hispanic women (Figure 27).




DEATHS

Number of Deaths and Death Rates

- There were 6,664 deaths registered among Westchester County residents in 2009, including 3,519 females and 3,145 males. The death rate was 702.1 per 100,000.
- The average age at death was 76.5 years, 79.5 for females and 73.2 for males.
- The death rate was 850.2 per 100,000 for whites, 590.8 per 100,000 for Blacks, 198.0 per 100,000 for Hispanics.
- The average age at death was 78.6 for whites, 67.9 for Blacks, and 61.7 for Hispanics.

Figure 28. Death Rate and Average Age of Death by Sex, Race/Ethnicity, Westchester County, 2009




* Hispanic may be of any race.

Deaths by Municipality

- Yonkers had the highest number of deaths in 2009, accounting for 22% of all the deaths. The nine municipalities with the highest number of deaths accounted for 63% of all the deaths in 2009 (Figure 28).

- Compared to the county average, the death rate was the highest in Ossining Town, followed by Croton-on-Hudson, Rye Brook, Briarcliff Manor, North Salem, and Somers (Figure 29).

Figure 29. Percent of Deaths and Death Rates by Residential Municipalities, Westchester County, 2009




Infant Mortality

- There were 63 infant deaths registered in 2009. The infant mortality rate was 5.7 deaths per 1,000 live births (Figure 30).

- Blacks have the highest infant mortality rate compared with other racial groups.

Figure 30. Infant Mortality by Race/Ethnicity, Westchester County, 2009




* Hispanic may be of any race.

Leading Causes of Death


- The top leading causes of death in Westchester in 2009 were diseases of the heart and malignant neoplasms for both men and women. Together, they accounted for 56% of all the deaths (Figure 31).

Figure 31. Leading Causes of Death, Westchester County, 2009



- While the top leading causes of deaths were diseases of the heart and malignant neoplasms for all races and ethnicity groups, blacks had a higher percentage of people dying from septicemia, kidney diseases, and diabetes than whites. Hispanics had a higher percentage of people dying from accidents (Figure 32).

Figure 32. Percent of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2009




* Hispanic may be of any race.

Diseases of the Heart

- Among the 2,438 people who died of diseases of the circulatory system, 81% were due to the diseases of the heart (Figure 33).

Figure 33. Number and Percentage of Deaths Due to Diseases of the Circulatory System , Westchester County, 2009




Malignat Neoplasm

- In 2009, malignant neoplasms were ranked second in the number of all deaths, accounting for 26% (1,732) of all deaths.

- Among all malignant neoplasm deaths, bronchus and lung cancer ranked first for both men and women. Breast cancer ranked the second for females and prostate cancer ranked second for males (Figure 34).

Figure 34. Number and Percent of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2009



Tables

Table 1. Total Number of Births and Birth Rates by Municipality, Westchester County, 2009

Health Planning Region and Municipality	Number of Births	Birth Rates *(per 1,000 population)*
Westchester County	**11,143**	**11.7**
Northwest	**1,615**	**11.0**
Briarcliff Manor (V)	58	7.4
Buchanan (V)	28	12.6
Cortlandt (TOV)	257	8.2
Croton-on-Hudson (V)	90	11.2
Mount Pleasant (TOV)	183	7.0
Ossining (TOV)	75	13.9
Ossining (V)	341	13.6
Peekskill (C)	378	16.0
Pleasantville (V)	61	8.7
Sleepy Hollow (V)	144	14.6
Northeast	**1,170**	**8.6**
Bedford (T)	189	10.9
Lewisboro (T)	67	5.4
Mount Kisco (T/V)	168	15.4
New Castle (T)	134	7.6
North Castle (T)	89	7.5
North Salem (T)	48	9.4
Pound Ridge (T)	35	6.9
Somers (T)	117	5.7
Yorktown (T)	323	9.0
West Central	**1,795**	**11.1**
Ardsley (V)	33	7.4
Dobbs Ferry (V)	88	8.1
Elmsford (V)	64	13.7
Greenburgh (TOV)	508	11.9
Hastings-on-Hudson (V)	39	5.0
Irvington (V)	60	9.3
Scarsdale (T/V)	123	7.2
Tarrytown (V)	154	13.7
White Plains (C)	726	12.8
East Central	**1,340**	**11.3**
Harrison (T/V)	229	8.3
Larchmont (V)	77	13.1
Mamaroneck (TOV)	133	11.1
Mamaroneck (V)	219	11.6
Port Chester (V)	478	16.5
Rye (C)	133	8.5
Rye Brook (V)	71	7.6
Southwest	**2,754**	**14.1**
Yonkers (C)	2,754	14.1
Southeast	**2,424**	**12.8**
Bronxville (V)	68	10.8
Eastchester (TOV)	219	11.2
Mount Vernon (C)	1,004	14.9
New Rochelle (C)	964	12.5
Pelham (V)	66	9.6
Pelham Manor (V)	32	5.8
Tuckahoe (V)	71	10.9
Unknown	**45**	--

Source: New York State Department of Health.

Table 2. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2009

Health Planning Region and Municipality	Average Maternal Age	Mother's Age								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Westchester County	**31.1**	**11,143**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
Northwest	**31.2**	**1,615**	**17**	**55**	**206**	**355**	**532**	**352**	**91**	**7**
Briarcliff Manor (V)	35.1	58	0	0	0	4	30	19	4	1
Buchanan (V)	31.9	28	0	1	4	5	10	5	3	0
Cortlandt (TOV)	33.0	257	2	3	16	40	107	69	18	2
Croton-on-Hudson (V)	33.4	90	1	2	6	14	32	20	13	2
Mount Pleasant (TOV)	33.2	183	0	2	9	36	63	64	8	1
Ossining (TOV)	30.5	75	0	3	10	17	31	11	3	0
Ossining (V)	29.8	341	7	17	52	96	86	68	15	0
Peekskill (C)	29.0	378	5	22	77	107	105	49	12	1
Pleasantville (V)	33.7	61	0	1	4	6	27	14	9	0
Sleepy Hollow (V)	30.6	144	2	4	28	30	41	33	6	0
Northeast	**33.4**	**1,170**	**1**	**15**	**73**	**190**	**419**	**365**	**101**	**6**
Bedford (T)	33.3	189	0	3	14	26	67	63	16	0
Lewisboro (T)	34.4	67	0	0	1	11	27	18	10	0
Mount Kisco (T/V)	31.1	168	0	4	26	39	49	39	10	1
New Castle (T)	34.3	134	0	1	5	15	52	45	16	0
North Castle (T)	34.2	89	1	1	1	13	33	31	9	0
North Salem (T)	34.7	48	0	0	4	9	10	14	7	4
Pound Ridge (T)	35.9	35	0	0	1	2	10	18	4	0
Somers (T)	33.5	117	0	0	7	23	41	37	9	0
Yorktown (T)	33.2	323	0	6	14	52	130	100	20	1
West Central	**32.2**	**1,795**	**18**	**40**	**175**	**336**	**621**	**477**	**118**	**10**
Ardsley (V)	34.8	33	0	0	1	4	10	16	2	0
Dobbs Ferry (V)	33.0	88	1	1	2	19	37	25	3	0
Elmsford (V)	30.1	64	1	0	12	19	19	9	4	0
Greenburgh (TOV)	32.2	508	2	11	49	110	159	139	35	3
Hastings-on-Hudson (V)	34.7	39	0	0	5	5	7	13	7	2
Irvington (V)	34.4	60	0	0	1	10	21	23	5	0
Scarsdale (T/V)	36.1	123	0	0	0	7	35	66	15	0
Tarrytown (V)	32.1	154	2	7	8	28	62	41	6	0
White Plains (C)	31.1	726	12	21	97	134	271	145	41	5
East Central	**32.0**	**1,340**	**13**	**29**	**154**	**246**	**452**	**340**	**94**	**12**
Harrison (T/V)	33.4	229	1	3	16	32	88	68	17	4
Larchmont (V)	34.3	77	0	0	1	11	30	32	3	0
Mamaroneck (TOV)	34.1	133	1	1	6	13	59	39	11	3
Mamaroneck (V)	32.8	219	1	2	25	31	76	65	16	3
Port Chester (V)	29.0	478	10	23	101	131	127	64	21	1
Rye (C)	34.9	133	0	0	2	15	50	50	15	1
Rye Brook (V)	33.9	71	0	0	3	13	22	22	11	0
Southwest	**29.4**	**2,754**	**75**	**143**	**508**	**706**	**774**	**430**	**111**	**7**
Yonkers (C)	29.4	2,754	75	143	508	706	774	430	111	7
Southeast	**30.8**	**2,424**	**39**	**87**	**370**	**537**	**724**	**529**	**131**	**7**
Bronxville (V)	35.7	68	0	0	0	4	22	36	6	0
Eastchester (TOV)	34.3	219	0	1	3	25	95	75	20	0
Mount Vernon (C)	29.4	1,004	27	52	212	247	237	180	48	1
New Rochelle (C)	30.5	964	12	30	149	237	312	175	45	4
Pelham (V)	33.2	66	0	3	3	11	20	25	4	0
Pelham Manor (V)	35.6	32	0	0	0	1	13	15	3	0
Tuckahoe (V)	33.6	71	0	1	3	12	25	23	5	2
Unknown	**31.2**	**45**	**1**	**3**	**4**	**7**	**17**	**9**	**4**	**0**

Source: New York State Department of Health.

Table 3. Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Delayed or No Prenatal Care, by Municipality, Westchester County, 2009

Health Planning Region and Municipality	Percentage of Infants Born With		
	Low Birthweight[1]	<37 Weeks Gestation	Delayed or No Prenatal Care[2]
Westchester County	**8.4**	**13.3**	**27.1**
Northwest	**8.4**	**12.9**	**20.4**
Briarcliff Manor (V)	10.3	8.8	1.9
Buchanan (V)	7.1	11.1	23.1
Cortlandt (TOV)	11.7	16.0	14.8
Croton-on-Hudson (V)	4.4	10.7	15.1
Mount Pleasant (TOV)	7.7	15.0	15.9
Ossining (TOV)	9.3	17.8	16.9
Ossining (V)	6.2	12.8	23.6
Peekskill (C)	10.6	11.9	23.6
Pleasantville (V)	9.8	6.9	28.3
Sleepy Hollow (V)	4.2	11.3	29.1
Northeast	**7.7**	**10.0**	**12.0**
Bedford (T)	6.9	9.7	18.7
Lewisboro (T)	9.0	10.6	7.1
Mount Kisco (T/V)	7.7	13.2	10.2
New Castle (T)	10.4	9.1	16.8
North Castle (T)	6.7	9.3	4.9
North Salem (T)	6.3	4.3	15.2
Pound Ridge (T)	8.6	5.7	9.1
Somers (T)	7.7	10.3	9.3
Yorktown (T)	7.1	10.0	11.0
West Central	**7.3**	**12.7**	**22.8**
Ardsley (V)	0.0	16.1	9.7
Dobbs Ferry (V)	5.7	8.2	18.3
Elmsford (V)	10.9	13.1	27.1
Greenburgh (TOV)	7.9	13.7	23.2
Hastings-on-Hudson (V)	7.7	7.9	29.7
Irvington (V)	1.7	5.1	18.5
Scarsdale (T/V)	6.5	12.6	11.7
Tarrytown (V)	6.5	12.2	18.3
White Plains (C)	7.9	13.2	25.9
East Central	**5.7**	**11.3**	**29.1**
Harrison (T/V)	5.7	10.8	22.9
Larchmont (V)	1.3	6.6	15.9
Mamaroneck (TOV)	4.6	13.4	18.0
Mamaroneck (V)	7.3	16.1	31.1
Port Chester (V)	5.5	10.3	36.9
Rye (C)	6.8	10.8	22.2
Rye Brook (V)	7.0	7.2	20.7
Southwest	**9.4**	**15.6**	**35.3**
Yonkers (C)	9.4	15.6	35.3
Southeast	**9.7**	**14.5**	**31.3**
Bronxville (V)	10.3	22.2	9.8
Eastchester (TOV)	5.9	14.4	8.3
Mount Vernon (C)	12.9	16.1	39.6
New Rochelle (C)	7.6	12.9	30.6
Pelham (V)	7.6	9.4	21.8
Pelham Manor (V)	6.3	16.7	12.5
Tuckahoe (V)	8.5	10.4	19.7
Unknown	**6.7**	**10.0**	**45.5**

[1] Low birthweight is defined as less than 2,500 grams at birth. Cases with no information on birthweight are excluded; acceptable birthweight range (350,6550).

[2] Delayed or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those cases with incomplete information on prenatal care are excluded.

Source: New York State Department of Health.

Table 4. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Age	Total[1]		White		Black		Other[2]		Hispanic[3]	
	Number	%	Number	%	Number	%	Number	%	Number	%
Total[1]	**11,143**	**100.0**	**6,258**	**100.0**	**1,616**	**100.0**	**3,255**	**100.0**	**3,872**	**100.0**
10-14	5	0.0	1	0.0	4	0.2	0	0.0	2	0.1
15-17	159	1.4	50	0.8	54	3.3	55	1.7	99	2.6
18-19	372	3.3	121	1.9	117	7.2	133	4.1	219	5.7
20-24	1,490	13.4	571	9.1	345	21.3	573	17.6	883	22.8
25-29	2,377	21.3	1,108	17.7	395	24.4	870	26.7	1,078	27.8
30-34	3,539	31.8	2,231	35.7	381	23.6	920	28.3	943	24.4
35-39	2,502	22.5	1,687	27.0	253	15.7	561	17.2	507	13.1
40-44	650	5.8	447	7.1	64	4.0	139	4.3	136	3.5
45+	49	0.4	42	0.7	3	0.2	4	0.1	5	0.1
Average Age	31.1		32.5		28.7		29.8		28.6	

[1]Total includes cases with unknown race.

[2] "Other" includes all other races, as well as multi-racial categories.

[3]Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 5. Number of Births by Maternal Age and Mother's Region of Origin, Westchester County, 2009

Maternal Age	Total[1]	%	Mother's Region of Origin													
			USA	%	Mexico	%	Central / South America	%	Caribbean	%	Asia / Oceana/ Middle East	%	Europe / Canada / Australia / Russia	%	Africa	%
	11,143	**100.0**	**6,308**	**100.0**	**975**	**100.0**	**1,482**	**100.0**	**843**	**100.0**	**776**	**100.0**	**599**	**100.0**	**148**	**100.0**
10-14	5	0.0	5	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-17	159	1.4	104	1.6	26	2.7	22	1.5	7	0.8	0	0.0	0	0.0	0	0.0
18-19	372	3.3	236	3.7	42	4.3	50	3.4	34	4.0	6	0.8	1	0.2	2	1.4
20-24	1,490	13.4	726	11.5	269	27.6	282	19.0	130	15.4	37	4.8	31	5.2	12	8.1
25-29	2,377	21.3	1,136	18.0	276	28.3	437	29.5	234	27.8	154	19.8	97	16.2	39	26.4
30-34	3,539	31.8	2,100	33.3	227	23.3	396	26.7	226	26.8	309	39.8	232	38.7	46	31.1
35-39	2,502	22.5	1,564	24.8	114	11.7	224	15.1	158	18.7	218	28.1	185	30.9	38	25.7
40-44	650	5.8	398	6.3	21	2.2	69	4.7	54	6.4	47	6.1	52	8.7	9	6.1
45+	49	0.4	39	0.6	0	0.0	2	0.1	0	0.0	5	0.6	1	0.2	2	1.4

[1] Total includes unknown region of origin.

Source: New York State Department of Health.

Table 6. Number of Births by Mother's Age and Educational Level, Westchester County, 2009

Mother's Age	Total[1]		Less than HS		High School / GED		Some College or Associate's Degree		Bachelor's Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total[1]	**11,143**	**100.0**	**2,073**	**100.0**	**1,799**	**100.0**	**2,123**	**100.0**	**2,619**	**100.0**	**2,490**	**100.0**
10-14	5	0.0	5	0.2	0	0.0	0	0.0	0	0.0	0	0.0
15-17	159	1.4	143	6.9	15	0.8	1	0.0	0	0.0	0	0.0
18-19	372	3.3	176	8.5	127	7.1	68	3.2	0	0.0	0	0.0
20-24	1,490	13.4	511	24.7	467	26.0	401	18.9	89	3.4	18	0.7
25-29	2,377	21.3	544	26.2	453	25.2	557	26.2	487	18.6	329	13.2
30-34	3,539	31.8	408	19.7	420	23.3	581	27.4	1,020	38.9	1,095	44.0
35-39	2,502	22.5	222	10.7	231	12.8	382	18.0	819	31.3	841	33.8
40-44	650	5.8	62	3.0	80	4.4	127	6.0	190	7.3	186	7.5
45+	49	0.4	2	0.1	6	0.3	6	0.3	14	0.5	21	0.8
Average Age	31.1		27.2		28.6		30.3		33.6		34.3	

[1]Total includes cases with unknown age or educational level.
Source: New York State Department of Health.

Table 7. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2009

Race/Ethnicity and Birthweight	Total[1]	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total[1]	**11,143**	**100.0**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
<1500 grams	184	1.7	9	4	22	30	59	38	19	3
1500-2499 grams	746	6.7	16	28	109	143	215	179	52	4
2500 grams+	10,200	91.6	139	340	1,359	2,204	3,258	2,280	578	42
Not stated	13	--	0	0	0	0	7	5	1	0
White	**6,258**	**100.0**	**51**	**121**	**571**	**1,108**	**2,231**	**1,687**	**447**	**42**
<1500 grams	86	1.4	0	1	8	8	30	24	13	2
1500-2499 grams	397	6.4	4	6	47	62	126	109	40	3
2500 grams+	5,767	92.3	47	114	516	1,038	2,072	1,550	393	37
Not Stated	8	--	0	0	0	0	3	4	1	0
Black	**1,616**	**100.0**	**58**	**117**	**345**	**395**	**381**	**253**	**64**	**3**
<1500 grams	63	3.9	8	1	11	11	17	12	3	0
1500-2499 grams	163	10.1	5	11	30	41	39	33	4	0
2500 grams+	1,388	86.0	45	105	304	343	323	208	57	3
Not Stated	2	--	0	0	0	0	2	0	0	0
Other[2]	**3,255**	**100.0**	**55**	**133**	**573**	**870**	**920**	**561**	**139**	**4**
<1500 grams	35	1.1	1	2	3	11	12	2	3	1
1500-2499 grams	185	5.7	7	11	32	40	49	37	8	1
2500 grams+	3,032	93.2	47	120	538	819	857	521	128	2
Not Stated	3	--	0	0	0	0	2	1	0	0
Hispanic[3]	**3,872**	**100.0**	**101**	**219**	**882**	**1,078**	**946**	**506**	**135**	**5**
<1500 grams	39	1.0	0	2	6	12	11	3	5	0
1500-2499 grams	226	5.8	10	16	54	52	58	25	11	0
2500 grams+	3,604	93.2	91	201	822	1,014	875	477	119	5
Not Stated	3	--	0	0	0	0	2	1	0	0

[1]Total includes cases with unknown age or race.

[2] "Other" includes all other races, as well as multi-racial categories.

[3]Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 8. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity		No Smoking & No Drug Use	Smoking Only[1]	Drug Use Only[2]	Both Smoking & Drug Use
Total[3]	Birthweight (g)	3,249	2,998 *	2,607 *	2,621 *
	n	9,943	167	26	21
White	Birthweight (g)	3,290	3,008	2,968	2,859
	n	5,318	91	9	7
Black	Birthweight (g)	3,096	2,920	2,290 *	2,503 *
	n	1,487	53	12	14
Hispanic[4]	Birthweight (g)	3,273	3,025 *	2,979	-- [5]
	n	3,663	38	7	N/A

[1] Any use of tobacco products during pregnancy.
[2] Any use of illegal drugs during pregnancy.
[3] Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information are excluded.
[4] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
[5] 5 cases or less.
* Statistical significance determined by Bonferroni's post-hoc multiple comparison tests. All comparisons are between the risk group and non-risk group (the "no smoking and no drug use" group). Please refer to details listed under Hypothesis Testing in Appendix 2.
Source: New York State Department of Health.

Table 9. Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total[1]	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total[1]	**11,143**	**100.0**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
First Trimester (1st-3rd Month)	7,011	72.9	55	169	765	1463	2400	1704	424	31
Second Trimester (4th-6th Month)	2,145	22.3	68	122	490	521	505	335	95	9
Third Trimester (7th-9th Month)	381	4.0	14	42	106	91	74	45	8	1
No Prenatal Care	75	0.8	4	5	23	19	13	8	3	0
No Prenatal Care Information	1,531	-	23	34	106	283	547	410	120	8
White	**6,258**	**100.0**	**51**	**121**	**571**	**1,108**	**2,231**	**1,687**	**447**	**42**
First Trimester (1st-3rd Month)	3,999	78.1	18	48	266	662	1522	1171	287	25
Second Trimester (4th-6th Month)	959	18.7	21	38	196	213	245	182	56	8
Third Trimester (7th-9th Month)	140	2.7	2	13	35	34	30	20	5	1
No Prenatal Care	24	0.5	0	4	10	6	3	1	0	0
No Prenatal Care Information	1,136	-	10	18	64	193	431	313	99	8
Black	**1,616**	**100.0**	**58**	**117**	**345**	**395**	**381**	**253**	**64**	**3**
First Trimester (1st-3rd Month)	862	60.3	17	47	165	218	230	147	36	2
Second Trimester (4th-6th Month)	427	29.9	23	43	105	98	82	62	13	1
Third Trimester (7th-9th Month)	102	7.1	7	16	34	25	13	6	1	0
No Prenatal Care	39	2.7	2	1	11	8	8	7	2	0
No Prenatal Care Information	186	-	9	10	30	46	48	31	12	0
Other[2]	**3,255**	**100.0**	**55**	**133**	**573**	**870**	**920**	**561**	**139**	**4**
First Trimester (1st-3rd Month)	2,138	70.2	20	73	333	580	642	385	101	4
Second Trimester (4th-6th Month)	758	24.9	24	41	189	210	177	91	26	0
Third Trimester (7th-9th Month)	138	4.5	5	13	37	31	31	19	2	0
No Prenatal Care	12	0.4	2	0	2	5	2	0	1	0
No Prenatal Care Information	209	-	4	6	12	44	68	66	9	0
Hispanic[3]	**3,872**	**100.0**	**101**	**219**	**882**	**1078**	**946**	**506**	**135**	**5**
First Trimester (1st-3rd Month)	2,246	64.1	37	101	460	649	595	320	81	3
Second Trimester (4th-6th Month)	1,073	30.6	46	74	304	280	217	116	34	2
Third Trimester (7th-9th Month)	165	4.7	6	22	50	38	26	21	2	0
No Prenatal Care	22	0.6	1	2	9	8	2	0	0	0
No Prenatal Care Information	366	-	11	20	59	103	106	49	18	0

[1] Total includes cases with unknown race.

[2] "Other" includes all other races, as well as multi-racial categories.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 10. Number of Births by Time Starting Prenatal Care and Mother's Region of Origin, Westchester County, 2009

Time Starting Prenatal Care	Total[1]	%	Mother's Region of Origin													
			USA	%	Mexico	%	Central / South America	%	Caribbean	%	Asia / Oceana/ Middle East	%	Europe / Canada / Australia / Russia	%	Africa	%
Total	**11,143**	**100.0**	**6,308**	**100.0**	**975**	**100.0**	**1,482**	**100.0**	**843**	**100.0**	**776**	**100.0**	**599**	**100.0**	**148**	**100.0**
First Trimester (1st-3rd Month)	7,011	72.9	4,047	76.8	509	56.5	904	66.2	508	66.8	544	79.5	407	82.4	83	64.8
Second Trimester (4th-6th Month)	2,145	22.3	998	18.9	335	37.2	406	29.7	189	24.8	109	15.9	79	16.0	28	21.9
Third Trimester (7th-9th Month)	381	4.0	169	3.2	51	5.7	50	3.7	57	7.5	30	4.4	8	1.6	16	12.5
No Prenatal Care	75	0.8	54	1.0	6	0.7	6	0.4	7	0.9	1	0.1	0	0.0	1	0.8
No Prenatal Care Information	1,531	--	1,040	--	74	--	116	--	82	--	92	--	105	--	20	--

[1] Total includes unknown region of origin.

Source: New York State Department of Health.

Table 11. Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total[1]	%	Mother's Educational Level				
			Less than High School	High School / GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
Total[1]	**11,143**	**100.0**	**2,073**	**1,799**	**2,123**	**2,619**	**2,490**
First Trimester (1st-3rd Month)	7,011	72.9	1,051	1,001	1,335	1,812	1,798
Second Trimester (4th-6th Month)	2,145	22.3	688	482	471	278	217
Third Trimester (7th-9th Month)	381	4.0	122	98	83	48	28
No Prenatal Care	75	0.8	35	19	16	3	1
No Prenatal Care Information	1,531	-	177	199	218	478	446
White	**6,258**	**100.0**	**680**	**752**	**1,061**	**1,830**	**1,918**
First Trimester (1st-3rd Month)	3,999	78.1	276	400	677	1,275	1,362
Second Trimester (4th-6th Month)	959	18.7	241	192	202	159	164
Third Trimester (7th-9th Month)	140	2.7	45	32	33	15	15
No Prenatal Care	24	0.5	14	5	2	2	0
No Prenatal Care Information	1,136	-	104	123	147	379	377
Black	**1,616**	**100.0**	**266**	**400**	**548**	**227**	**161**
First Trimester (1st-3rd Month)	862	60.3	99	187	311	148	116
Second Trimester (4th-6th Month)	427	29.9	91	118	153	39	19
Third Trimester (7th-9th Month)	102	7.1	24	35	26	13	3
No Prenatal Care	39	2.7	13	11	14	1	0
No Prenatal Care Information	186	-	39	49	44	26	23
Other[2]	**3,255**	**100.0**	**1,126**	**646**	**508**	**556**	**411**
First Trimester (1st-3rd Month)	2,138	70.2	675	413	343	383	320
Second Trimester (4th-6th Month)	758	24.9	356	172	115	80	34
Third Trimester (7th-9th Month)	138	4.5	53	31	23	20	10
No Prenatal Care	12	0.4	8	3	0	0	1
No Prenatal Care Information	209	-	34	27	27	73	46
Hispanic[3]	**3,872**	**100.0**	**1,629**	**932**	**714**	**368**	**218**
First Trimester (1st-3rd Month)	2,246	64.1	859	546	442	252	142
Second Trimester (4th-6th Month)	1,073	30.6	543	264	179	59	27
Third Trimester (7th-9th Month)	165	4.7	82	38	28	7	10
No Prenatal Care	22	0.6	16	5	0	1	0
No Prenatal Care Information	366	-	129	79	65	49	39

[1] Total includes cases with unknown maternal race and/or educational level.

[2] "Other" includes all other races, as well as multi-racial categories.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 12. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Gestational Age	Total[1]	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total[1]	**11,143**	**100.0**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
37+ Weeks Gestation	9,138	86.7	104	287	1,178	1,942	2,975	2,109	510	33
35-36 Weeks Gestation	820	7.8	17	32	121	175	240	171	56	8
Less than 35 Weeks Gestation	586	5.6	19	18	86	108	177	121	51	6
Unknown	599	-	24	35	105	152	147	101	33	2
Average Gestational Age (weeks)	**38.3**									
White	**6,258**	**100.0**	**51**	**121**	**571**	**1,108**	**2,231**	**1,687**	**447**	**42**
37+ Weeks Gestation	5,222	87.7	38	81	449	922	1,905	1,444	355	28
35-36 Weeks Gestation	427	7.2	2	13	47	68	145	109	36	7
Less than 35 Weeks Gestation	302	5.1	4	9	27	42	101	80	34	5
Unknown	307	-	7	18	48	76	80	54	22	2
Average Gestational Age (weeks)	**38.4**									
Black	**1,616**	**100.0**	**58**	**117**	**345**	**395**	**381**	**253**	**64**	**3**
37+ Weeks Gestation	1,200	80.9	30	93	257	297	289	187	45	2
35-36 Weeks Gestation	150	10.1	8	9	30	37	33	24	8	1
Less than 35 Weeks Gestation	134	9.0	10	4	27	30	33	22	8	0
Unknown	132	-	10	11	31	31	26	20	3	0
Average Gestational Age (weeks)	**37.9**									
Other[2]	**3,255**	**100.0**	**55**	**133**	**573**	**870**	**920**	**561**	**139**	**4**
37+ Weeks Gestation	2,704	87.4	36	112	471	719	775	478	110	3
35-36 Weeks Gestation	241	7.8	7	10	44	70	61	37	12	0
Less than 35 Weeks Gestation	150	4.8	5	5	32	36	43	19	9	1
Unknown	160	-	7	6	26	45	41	27	8	0
Average Gestational Age (weeks)	**38.4**									
Hispanic[3]	**3,872**	**100.0**	**101**	**219**	**882**	**1078**	**946**	**506**	**135**	**5**
37+ Weeks Gestation	3,142	86.6	71	167	709	875	784	429	102	5
35-36 Weeks Gestation	291	8.0	9	20	69	79	63	37	14	0
Less than 35 Weeks Gestation	195	5.4	9	13	45	50	50	17	11	0
Unknown	244	-	12	19	59	74	49	23	8	0
Average Gestational Age (weeks)	**38.4**									

[1] Total includes cases with unknown race.

[2] "Other" includes all other races, as well as multi-racial categories.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 13. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Financial Coverage	Total[1]	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total[1]	**11,143**	**100.0**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
Medicaid / Family Health Plus	4,013	38.4	144	312	1,114	1,091	838	404	105	5
Private or Other Insurance[2]	6,353	60.7	19	52	343	1,158	2,403	1,857	482	39
Self-Pay	96	0.9	1	6	18	31	24	12	4	0
Unknown Coverage	681	-	0	2	15	97	274	229	59	5
White	**6,258**	**100.0**	**51**	**121**	**571**	**1,108**	**2,231**	**1,687**	**447**	**42**
Medicaid / Family Health Plus	1,381	24.4	47	106	400	373	280	139	33	3
Private or Other Insurance[2]	4,259	75.1	4	13	149	647	1,704	1,349	359	34
Self-Pay	30	0.5	0	1	7	8	6	6	2	0
Unknown Coverage	588	-	0	1	15	80	241	193	53	5
Black	**1,616**	**100.0**	**58**	**117**	**345**	**395**	**381**	**253**	**64**	**3**
Medicaid / Family Health Plus	835	52.7	50	93	245	203	146	80	16	2
Private or Other Insurance[2]	735	46.4	8	23	96	178	221	163	45	1
Self-Pay	14	0.9	0	0	4	6	2	2	0	0
Unknown Coverage	32	-	0	1	0	8	12	8	3	0
Other[3]	**3,255**	**100.0**	**55**	**133**	**573**	**870**	**920**	**561**	**139**	**4**
Medicaid / Family Health Plus	1,793	56.1	47	112	468	515	410	185	56	0
Private or Other Insurance[2]	1,349	42.2	7	16	98	329	473	344	78	4
Self-Pay	52	1.6	1	5	7	17	16	4	2	0
Unknown Coverage	61	-	0	0	0	9	21	28	3	0
Hispanic[4]	**3,872**	**100.0**	**101**	**219**	**882**	**1078**	**946**	**506**	**135**	**5**
Medicaid / Family Health Plus	2,594	68.8	91	194	728	703	556	257	63	2
Private or Other Insurance[2]	1,130	30.0	9	20	132	329	348	225	64	3
Self-Pay	48	1.3	1	4	11	17	9	4	2	0
Unknown Coverage	100	-	0	1	11	29	33	20	6	0

[1] Total includes cases with unknown race or age.

[2] "Other Insurance" includes all other forms of private and government insurance.

[2] "Other" includes all other races, as well as multi-racial categories.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 14. Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County, 2009

Financial Coverage	Total[1]	%	Mother's Region of Origin													
			USA	%	Mexico	%	Central / South America	%	Caribbean	%	Asia / Oceana/ Middle East	%	Europe / Canada / Australia / Russia	%	Africa	%
Total	**11,143**	**100.0**	**6,308**	**100.0**	**975**	**100.0**	**1,482**	**100.0**	**843**	**100.0**	**776**	**100.0**	**599**	**100.0**	**148**	**100.0**
Medicaid / Family Health Plus	4,013	38.4	1,416	24.4	821	85.8	1077	74.7	422	50.9	131	17.8	75	14.0	66	46.2
Private or Other Insurance	6,353	60.7	4,361	75.1	127	13.3	340	23.6	403	48.6	591	80.5	458	85.4	69	48.3
Self-Pay	96	0.9	33	0.6	9	0.9	25	1.7	4	0.5	12	1.6	3	0.6	8	5.6
Unknown Coverage	681	--	498	--	18	--	40	--	14	--	42	--	63	--	5	--

[1] Total includes unknown region of origin.
Source: New York State Department of Health.

Table 15. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Delivery Method	Total[1]	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total[1]	**11,143**	**100.0**	**164**	**372**	**1,490**	**2,377**	**3,539**	**2,502**	**650**	**49**
Vaginal Delivery	6,494	58.3	111	245	983	1507	2080	1253	301	14
Vaginal Birth After Cesarean	85	0.8	0	2	6	22	33	18	4	0
Primary Cesarean Section	2,856	25.7	50	109	364	581	863	673	188	28
Repeat Cesarean Section	1,695	15.2	3	16	137	265	556	555	156	7
Unknown Delivery Method	13	--	0	0	0	2	7	3	1	0
White	**6,258**	**100.0**	**51**	**121**	**571**	**1,108**	**2,231**	**1,687**	**447**	**42**
Vaginal Delivery	3,553	56.9	33	74	365	697	1314	843	213	14
Vaginal Birth After Cesarean	36	0.6	0	0	1	10	15	7	3	0
Primary Cesarean Section	1,702	27.2	17	38	158	292	572	469	133	23
Repeat Cesarean Section	958	15.3	1	9	47	108	325	365	98	5
Unknown Delivery Method	9	--	0	0	0	1	5	3	0	0
Black	**1,616**	**100.0**	**58**	**117**	**345**	**395**	**381**	**253**	**64**	**3**
Vaginal Delivery	884	54.7	35	73	223	229	197	106	21	0
Vaginal Birth After Cesarean	17	1.1	0	0	1	4	8	4	0	0
Primary Cesarean Section	465	28.8	22	41	99	114	95	73	20	1
Repeat Cesarean Section	250	15.5	1	3	22	48	81	70	23	2
Unknown Delivery Method	0	--	0	0	0	0	0	0	0	0
Other[2]	**3,255**	**100.0**	**55**	**133**	**573**	**870**	**920**	**561**	**139**	**4**
Vaginal Delivery	2,049	63.0	43	97	394	578	566	304	67	0
Vaginal Birth After Cesarean	32	1.0	0	2	4	8	10	7	1	0
Primary Cesarean Section	685	21.1	11	30	107	175	193	130	35	4
Repeat Cesarean Section	485	14.9	1	4	68	108	149	120	35	0
Unknown Delivery Method	4	--	0	0	0	1	2	0	1	0
Hispanic[3]	**3,872**	**100.0**	**101**	**219**	**882**	**1078**	**946**	**506**	**135**	**5**
Vaginal Delivery	2,330	60.2	73	147	586	685	536	238	62	3
Vaginal Birth After Cesarean	40	1.0	0	2	5	13	10	9	1	0
Primary Cesarean Section	884	22.8	26	58	192	225	217	124	40	2
Repeat Cesarean Section	617	15.9	2	12	99	155	182	135	32	0
Unknown Delivery Method	1	--	0	0	0	0	1	0	0	0

[1] Total includes cases with unknown race.

[2] "Other" includes all other races, as well as multi-racial categories.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 16. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Age and Race/Ethnicity, Westchester County, 2009

Mother's Race/Ethnicity and Age	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total[1]	**14,856**	**11,143**	**261**	**3,452**	**75.0**	**1.76**	**23.2**
10-14	19	5	0	14	26.3	0.00	73.7
15-17	378	159	2	217	42.1	0.53	57.4
18-19	710	372	5	333	52.4	0.70	46.9
20-24	2,517	1,490	21	1,006	59.2	0.83	40.0
25-29	3,231	2,377	44	810	73.6	1.36	25.1
30-34	4,133	3,539	78	516	85.6	1.89	12.5
35-39	2,952	2,502	69	381	84.8	2.34	12.9
40-44	821	650	33	138	79.2	4.02	16.8
45+	72	49	8	15	68.1	11.11	20.8
Unknown	23	0	1	22	0.0	4.35	95.7
White Non-Hispanic	**5,519**	**4,666**	**148**	**705**	**84.5**	**2.68**	**12.8**
10-14	2	0	0	2	0.0	0.00	100.0
15-17	40	3	0	37	7.5	0.00	92.5
18-19	91	21	4	66	23.1	4.40	72.5
20-24	406	206	5	195	50.7	1.23	48.0
25-29	855	701	13	141	82.0	1.52	16.5
30-34	2,004	1,843	51	110	92.0	2.54	5.5
35-39	1,606	1,470	44	92	91.5	2.74	5.7
40-44	460	385	25	50	83.7	5.43	10.9
45+	49	37	5	7	75.5	10.20	14.3
Unknown	6	0	1	5	0.0	16.67	83.3
Black Non-Hispanic	**2,908**	**1,517**	**45**	**1,346**	**52.2**	**1.55**	**46.3**
10-14	9	3	0	6	33.3	0.00	66.7
15-17	143	52	2	89	36.4	1.40	62.2
18-19	250	112	0	138	44.8	0.00	55.2
20-24	763	323	10	430	42.3	1.31	56.4
25-29	691	364	9	318	52.7	1.30	46.0
30-34	558	358	9	191	64.2	1.61	34.2
35-39	374	240	10	124	64.2	2.67	33.2
40-44	109	62	3	44	56.9	2.75	40.4
45+	6	3	2	1	50.0	33.33	16.7
Unknown	5	0	0	5	0.0	0.00	100.0
Hispanic[2]	**5,129**	**3,872**	**42**	**1,215**	**75.5**	**0.82**	**23.7**
10-14	7	2	0	5	28.6	0.00	71.4
15-17	185	99	0	86	53.5	0.00	46.5
18-19	342	219	1	122	64.0	0.29	35.7
20-24	1,222	882	6	334	72.2	0.49	27.3
25-29	1,392	1,078	16	298	77.4	1.15	21.4
30-34	1,144	946	8	190	82.7	0.70	16.6
35-39	646	506	9	131	78.3	1.39	20.3
40-44	173	135	2	36	78.0	1.16	20.8
45+	11	5	0	6	45.5	0.00	54.5
Unknown	7	0	0	7	0.0	0.00	100.0

[1] Total includes 'other' and 'unknown' races.

[2] Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

Table 17. Total Number of Deaths and Infant Deaths, Death Rate and Infant Mortality Rate, Westchester County, 2009

Health Planning Region and Municipality	Number of Deaths	Number of Infant Deaths	Death Rate *(per 100,000 population)*	Infant Mortality Rate *(per 1,000 live births)*
Westchester County	**6,664**	**63**	**702.1**	**5.7**
Northwest	**1,038**	**11**	**708.2**	**6.8**
Briarcliff Manor (V)	75	0	953.3	0.0
Buchanan (V)	12	0	538.1	0.0
Cortlandt (TOV)	268	1	856.4	3.9
Croton-on-Hudson (V)	81	0	1,003.7	0.0
Mount Pleasant (TOV)	122	1	466.1	5.5
Ossining (TOV)	105	2	1,942.3	26.7
Ossining (V)	103	1	411.0	2.9
Peekskill (C)	197	5	835.3	13.2
Pleasantville (V)	39	0	555.6	0.0
Sleepy Hollow (V)	36	1	364.7	6.9
Northeast	**830**	**4**	**606.9**	**3.4**
Bedford (T)	68	0	392.3	0.0
Lewisboro (T)	42	0	338.4	0.0
Mount Kisco (T/V)	71	1	652.8	6.0
New Castle (T)	57	0	324.4	0.0
North Castle (T)	56	1	472.9	11.2
North Salem (T)	46	0	901.3	0.0
Pound Ridge (T)	21	0	411.4	0.0
Somers (T)	182	0	890.7	0.0
Yorktown (T)	287	2	795.4	6.2
West Central	**1,080**	**5**	**664.9**	**2.8**
Ardsley (V)	22	0	494.2	0.0
Dobbs Ferry (V)	88	0	809.2	0.0
Elmsford (V)	20	0	428.8	0.0
Greenburgh (TOV)	314	2	732.6	3.9
Hastings-on-Hudson (V)	67	0	853.6	0.0
Irvington (V)	31	0	482.9	0.0
Scarsdale (T/V)	58	0	337.9	0.0
Tarrytown (V)	88	1	780.3	6.5
White Plains (C)	392	2	689.5	2.8
East Central	**759**	**8**	**641.7**	**6.0**
Harrison (T/V)	147	2	535.1	8.7
Larchmont (V)	31	1	528.6	13.0
Mamaroneck (TOV)	60	0	501.0	0.0
Mamaroneck (V)	142	0	750.2	0.0
Port Chester (V)	153	3	528.2	6.3
Rye (C)	136	0	865.1	0.0
Rye Brook (V)	90	2	962.9	28.2
Southwest	**1,460**	**19**	**745.0**	**6.9**
Yonkers (C)	1,460	19	745.0	6.9
Southeast	**1,376**	**15**	**727.6**	**6.2**
Bronxville (V)	25	0	395.4	0.0
Eastchester (TOV)	138	2	705.7	9.1
Mount Vernon (C)	517	7	768.3	7.0
New Rochelle (C)	588	6	763.0	6.2
Pelham (V)	32	0	463.1	0.0
Pelham Manor (V)	35	0	638.0	0.0
Tuckahoe (V)	41	0	632.1	0.0
Unknown	**121**	**1**	--	--

Source: New York State Department of Health.

Table 18. Number of Deaths, Death Rates, and Average Age of Death by Sex, Westchester County, 2009

	Total	Female	Male
Number of Deaths			
Total[1]	**6,664**	**3,519**	**3,145**
0-4	76	37	39
5-9	5	2	3
10-19	22	6	16
20-29	70	20	50
30-39	89	28	61
40-49	220	89	131
50-59	511	212	299
60-69	766	337	429
70-79	1,242	575	667
80+	3,662	2,213	1,449
Unknown	1	0	1
Death Rate *(per 100,000)*	702.1	770.6	638.6
Average Age of Death	76.5	79.5	73.2

Source: New York State Department of Health.

Table 19. Number of Deaths, Death Rates, and Average Age of Death by Race/ Ethnicity, Westchester County, 2009

	Total	White	Black	Other	Hispanic[2]
Number of Deaths					
Total[1]	**6,664**	**5,496**	**816**	**344**	**410**
0-4	76	37	21	18	26
5-9	5	3	1	1	1
10-19	22	12	5	5	4
20-29	70	42	18	9	20
30-39	89	50	23	16	19
40-49	220	147	45	28	36
50-59	511	349	124	37	60
60-69	766	563	135	67	66
70-79	1,242	1,013	170	59	66
80+	3,662	3,280	274	104	112
Unknown	1	0	0	0	0
Death Rate *(per 100,000)*	702.0	850.2	590.8	209.1	198.0
Average Age of Death	76.5	78.6	67.9	64.2	61.7

1. Total including unknown races.

2. Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 20. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2002-2009

	Total[1]	White	Black	Other	Hispanic[2]
Number of Infant Deaths					
2009	63	31	18	14	19
2008	59	32	17	10	19
2007	57	29	21	7	17
2006	45	23	13	9	19
2005	60	28	12	20	23
2004	55	23	23	9	10
2003	59	27	24	8	15
2002	57	37	17	3	16
Infant Mortality Rate ***(per 1,000 live births)***					
2009	5.7	5.0	11.1	4.3	4.9
2008	5.1	4.9	10.1	3.1	4.8
2007	4.8	4.1	12.4	2.3	4.5
2006	3.8	3.2	7.9	2.9	4.8
2005	5.0	3.7	7.0	7.3	5.9
2004	4.4	2.8	12.7	4.0	2.7
2003	4.6	2.7	12.9	10.0	4.3
2002	4.5	3.8	8.7	3.6	4.8

[1] Totals include unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

Table 21. Ten Leading Causes of Death and Death Rates, Westchester County, New York State, New York City, and the United States, 2009

Cause of Death	Westchester County	New York State	New York City	NYS Excluding NYC	U.S.A.
Total	6,664	144,874	51,449	93,425	2,436,652
Rate[1]	702.1	741.4	613.1	837.9	793.7
Diseases of the Heart					
Number	1,977	46,312	19,715	26,597	598,607
Rate	208.3	237.0	234.9	238.5	195.0
Rank	[1]	[1]	[1]	[1]	[1]
Malignant Neoplasms					
Number	1,732	34,822	12,279	22,543	568,668
Rate	182.5	178.2	146.3	202.2	185.2
Rank	[2]	[2]	[2]	[2]	[2]
Chronic Lower Respiratory Disease (CLRD)					
Number	311	6,661	1,532	5,219	137,082
Rate	32.8	34.1	18.3	46.0	44.7
Rank	[3]	[3]	[5	[3]	[3]
Cerebrovascular Diseases					
Number	293	5,823	1,504	4,319	128,603
Rate	30.9	29.8	17.9	38.7	41.9
Rank	[4]	[4]	[6]	[4]	[4]
Accidents					
Number	188	4,268	1,387	2,881	117,176
Rate	19.8	21.8	16.5	25.8	38.2
Rank	[5]	[6]	[7]	[5]	[5]
Septicemia					
Number	188	2,288	304	1,984	35,587
Rate	19.8	11.7	3.6	17.8	11.6
Rank	[5]	[9]	[15]	[8]	[11]
Pneumonia and Influenza					
Number	169	4,384	2,188	2,196	53,582
Rate	17.8	22.5	26.1	19.7	17.5
Rank	[6]	[5]	[3]	[6]	[8]
Alzheimer's disease					
Number	127	n.a	n.a	n.a	78,889
Rate	13.4				25.7
Rank	[7]				[6]
Diabetes Mellitus					
Number	118	3,684	1,653	2,031	68,504
Rate	12.4	18.9	19.7	18.2	22.3
Rank	[8]	[7]	[4]	[7]	[7]
Nephritis, Nephrotic, Colitis, Diverticulitis					
Number	115	2,392	412	1,980	48,714
Rate	12.1	12.2	4.9	17.8	15.9
Rank	[9]	[8]	[13]	[9]	[9]

[1] Death rates are per 100,000 population.

Source: New York State Department of Health: Annual Vital Statistics Tables at www.health.state.ny.us/nysdoh/vital_statistics and Centers for Disease Control and Prevention: National Vital Statistics Reports, Volume 58, Number 19, May 2010

Table 22. Number of Deaths by Selected Causes and Sex, Westchester County, 2009

	Total	Female	Male
Total	**6,664**	**3,519**	**3,145**
Diseases of the circulatory system	**2,438**	**1,321**	**1,117**
Diseases of the Heart	1,977	1,050	927
Cerebrovascular diseases	293	178	115
Other	168	93	75
Neoplasms	**1,779**	**921**	**858**
Malignant neoplasms	1,732	899	833
Benign neoplasms	6	4	2
Neoplasms of uncertain or unknown behaviour	41	18	23
Diseases of the respiratory system	**640**	**344**	**296**
Pneumonia	169	90	79
Chronic lower respiratory diseases	311	178	133
Other	160	76	84
External causes of morbidity and mortality	**280**	**78**	**202**
Accidents	188	55	133
Intentional self-harm (Suicide)	50	7	43
Assault (Homicide)	21	3	18
Complications of medical and surgical care	12	9	3
Sequelae of external causes of morbidity	1	1	0
Other	8	3	5
Certain infectious and parasitic diseases	**265**	**136**	**129**
Septicemia	188	107	81
Viral hepatitis	18	4	14
Human immunodeficiency virus [HIV] disease	18	5	13
Other	41	20	21
Diseases of the nervous system	**268**	**157**	**111**
Parkinson's disease	62	29	33
Alzheimer's disease	127	93	34
Other	79	35	44
Diseases of the digestive system	**194**	**96**	**98**
Gastritis, Enteritis, Colitis, Diverticulitis	8	3	5
Diseases of liver	82	31	51
Chronic liver diseases, including Cirrhosis	60	20	40
Other	22	11	11
Other	104	62	42
Endocrine, nutritional and metabolic diseases	**174**	**91**	**83**
Diabetes mellitus	118	62	56
Other	56	29	27
Diseases of the genitourinary system	**167**	**101**	**66**
Kidney diseases	126	71	55
Renal failure	*115*	*63*	*52*
Other	*11*	*8*	*3*
Other	41	30	11
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	**118**	**54**	**64**
Certain conditions originating in the perinatal period	**41**	**19**	**22**
Congenital malformations, deformations and chromosomal abormalities	**9**	**2**	**7**
Other	**291**	**199**	**92**

Source: New York State Department of Health.

Table 23. Number of Deaths by Selected Causes and Age, Westchester County, 2009

	Total	<1	1-29	30-49	50-64	65-79	80+
Total	**6,664**	**63**	**110**	**309**	**852**	**1,667**	**3,662**
Diseases of the circulatory system	**2,438**	**3**	**8**	**56**	**209**	**537**	**1,624**
Diseases of the Heart	1,977	2	4	48	168	426	1,328
Cerebrovascular diseases	293	1	3	6	28	68	187
Other	168	0	1	2	13	43	109
Neoplasms	**1,779**	**0**	**14**	**80**	**376**	**646**	**663**
Malignant neoplasms	1,732	0	12	78	371	639	632
Benign neoplasms	6	0	0	0	1	1	4
Neoplasms of uncertain or unknown behaviour	41	0	2	2	4	6	27
Diseases of the respiratory system	**640**	**2**	**2**	**9**	**45**	**157**	**425**
Pneumonia	169	0	0	3	12	24	130
Chronic lower respiratory diseases	311	0	1	3	19	99	189
Other	160	2	1	3	14	34	106
External causes of morbidity and mortality	**280**	**1**	**48**	**73**	**48**	**41**	**69**
Accidents	188	1	28	43	28	30	58
Intentional self-harm (Suicide)	50	0	7	20	14	5	4
Assault (Homicide)	21	0	10	9	1	1	0
Legal intervention and operations of war	0	0	0	0	0	0	0
Complications of medical and surgical care	12	0	0	0	4	3	5
Sequelae of external causes of morbidity	1	0	0	0	0	1	0
Other	8	0	3	1	1	1	2
Certain infectious and parasitic diseases	**265**	**3**	**4**	**13**	**46**	**66**	**133**
Septicemia	188	1	2	5	23	48	109
Viral hepatitis	18	0	0	0	11	5	2
Human immunodeficiency virus [HIV] disease	18	0	0	6	10	2	0
Other	41	2	2	2	2	11	22
Diseases of the nervous system	**268**	**3**	**7**	**9**	**16**	**47**	**186**
Parkinson's disease	62	0	0	0	1	9	52
Alzheimer's disease	127	0	0	0	1	11	115
Other	79	3	7	9	14	27	19
Diseases of the digestive system	**194**	**0**	**2**	**15**	**48**	**47**	**82**
Gastritis, Enteritis, Colitis, Diverticulities	8	0	0	0	1	2	5
Diseases of liver	82	0	1	11	35	21	14
Chronic liver diseases, including Cirrhosis	*60*	*0*	*0*	*8*	*29*	*15*	*8*
Other	*22*	*0*	*1*	*3*	*6*	*6*	*6*
Other	104	0	1	4	12	24	63
Endocrine, nutritional and metabolic diseases	**174**	**0**	**3**	**9**	**21**	**48**	**93**
Diabetes mellitus	118	0	1	7	13	34	63
Other	56	0	2	2	8	14	30
Diseases of the genitourinary system	**167**	**1**	**1**	**2**	**8**	**41**	**114**
Kidney diseases	126	0	1	2	7	33	83
Nephrititis, Nephrotic, Colitis, Diverticulitis	*115*	*0*	*1*	*2*	*6*	*29*	*77*
Other	*11*	*0*	*0*	*0*	*1*	*4*	*6*
Other	41	1	0	0	1	8	31
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	**118**	**6**	**11**	**38**	**26**	**12**	**25**
Certain conditions originating in thhe perinatal period	**41**	**38**	**0**	**0**	**0**	**1**	**2**
Congenital malformations, deformations and chromosomal abormalities	**9**	**6**	**1**	**0**	**1**	**0**	**1**
Other	**291**	**0**	**9**	**5**	**8**	**24**	**245**

[1] For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

Table 24. Number of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2009

	Total [1]	White	Black	Other	Hispanic [2]
Total	**6,664**	**5,496**	**817**	**344**	**410**
Diseases of the circulatory system	**2,438**	**2,039**	**289**	**106**	**120**
Diseases of the Heart	1,977	1,671	222	81	96
Cerebrovascular diseases	293	236	41	16	17
Other	168	132	26	9	7
Neoplasms	**1,779**	**1,470**	**218**	**90**	**112**
Malignant neoplasms	1,732	1,428	214	89	107
Benign neoplasms	6	5	1	0	1
Neoplasms of uncertain or unknown behaviour	41	37	3	1	4
Diseases of the respiratory system	**640**	**560**	**53**	**26**	**22**
Pneumonia	169	140	22	7	4
Chronic lower respiratory diseases	311	285	16	10	9
Other	160	135	15	9	9
External causes of morbidity and mortality	**280**	**216**	**35**	**29**	**40**
Accidents	188	145	19	24	26
Intentional self-harm (Suicide)	50	46	2	2	8
Assault (Homicide)	21	9	9	3	6
Complications of medical and surgical care	12	10	2	0	0
Sequelae of external causes of morbidity	1	1	0	0	0
Other	8	5	3	0	0
Certain infectious and parasitic diseases	**265**	**195**	**55**	**15**	**18**
Septicemia	188	143	35	10	11
Viral hepatitis	18	14	4	0	2
Human immunodeficiency virus [HIV] disease	18	4	13	1	0
Other	41	34	3	4	5
Diseases of the nervous system	**268**	**242**	**13**	**13**	**12**
Parkinson's disease	62	59	1	2	2
Alzheimer's disease	127	118	5	4	6
Other	79	65	7	7	4
Diseases of the digestive system	**194**	**149**	**31**	**14**	**15**
Gastritis, Enteritis, Colitis, Diverticulities	8	7	1	0	0
Diseases of liver	82	60	13	9	11
Chronic liver diseases, including Cirrhosis	*60*	*46*	*8*	*6*	*7*
Other	*22*	*14*	*5*	*3*	*2*
Other	104	82	17	5	4
Endocrine, nutritional and metabolic diseases	**174**	**128**	**31**	**15**	**13**
Diabetes mellitus	118	83	28	7	6
Other	56	45	3	8	7
Diseases of the genitourinary system	**167**	**133**	**26**	**7**	**9**
Kidney diseases	126	101	20	4	6
Nephritits, Nephrotic, Colitis, Diverticulitis	*115*	*92*	*19*	*3*	*6*
Other	*11*	*9*	*1*	*1*	*0*
Other	41	32	6	3	3
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	**118**	**84**	**24**	**10**	**8**
Certain conditions originating in the perinatal period	**41**	**20**	**12**	**9**	**9**
Congenital malformations, deformations and chromosomal	**9**	**5**	**1**	**3**	**6**
Other	**291**	**255**	**29**	**7**	**26**

[1] Totals include unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 25. Number and Percentage of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2009

	Total	Female	Male
Total	**2,438**	**1,321**	**1,117**
Diseases of the Heart	**1,977**	**1,050**	**927**
Ischaemic heart diseases	**1,430**	**735**	**695**
Acute myocardial infarction	352	189	163
Chronic ischaemic heart disease	1,071	543	528
Other	7	3	4
Other forms of heart disease	**409**	**229**	**180**
Nonrheumatic aortic valve disorders	48	33	15
Cardiomyopathy	13	5	8
Cardiac arrest	43	25	18
Atrial filbrillation and fluter	45	28	17
Heart failure	144	83	61
Other	116	55	61
Hypertension with Heart Disease	**100**	**61**	**39**
Pulmonary heart disease and diseases of pulmonary circulation	**25**	**18**	**7**
Diseases of veins, lymphatic vessels, lymph nodes, not elsewhere classified	**7**	**3**	**4**
Chronic rheumatic heart diseases	**6**	**4**	**2**
Acute rheumatic fever	**0**	**0**	**0**
Cerebrovascular diseases	**293**	**178**	**115**
Intracerebral haemorrhage	52	29	23
Stroke, not specified as haemorrhage or infarction	134	83	51
Other	107	66	41
Hypertensive with or without Renal Disease	**79**	**47**	**32**
Diseases of arteries, arterioles and capillaries	**87**	**44**	**43**
Atherosclerosis	38	27	11
Aortic aneurysm and dissection	28	8	20
Other	21	9	12
Other and unspecified disorders of the circulatory system	**2**	**2**	**0**

Source: New York State Department of Health.

Table 26. Number of Deaths Due to Diseases of the Circulatory System by Age, Westchester County, 2009

	Total*	0-49	50-64	65-79	80+
Total	**2,438**	**67**	**209**	**537**	**1,624**
Diseases of the Heart	**1,977**	**54**	**168**	**426**	**1,328**
Ischaemic heart diseases	**1,429**	**27**	**124**	**312**	**966**
Acute myocardial infarction	352	7	33	83	229
Chronic ischaemic heart disease	1,070	20	91	229	730
Other	7	0	0	0	7
Other forms of heart disease	**409**	**21**	**28**	**75**	**285**
Nonrheumatic aortic valve disorders	48	2	*2*	*8*	36
Cardiomyopathy	13	0	*0*	*13*	0
Cardiac arrest	43	0	*5*	*8*	30
Atrial filbrillation and fluter	45	0	*0*	*12*	33
Heart failure	144	2	*2*	*23*	117
Other	116	17	*19*	*11*	69
Hypertension with Heart Disease	**100**	**3**	***11***	***24***	**62**
Pulmonary heart disease and diseases of pulmonary circulation	**25**	**3**	***3***	***9***	**10**
Diseases of veins, lymphatic vessels, lymph nodes, not elsewhere classified	**7**	**0**	**1**	**4**	**2**
Chronic rheumatic heart diseases	**6**	**0**	**1**	**2**	**3**
Cerebrovascular diseases	**293**	**10**	**28**	**68**	**187**
Intracerebral haemorrhage	52	**4**	7	16	25
Stroke, not specified as haemorrhage or infarction	134	**1**	8	29	96
Other	107	**5**	13	23	66
Hypertensive with or without Renal Disease	**79**	**0**	**8**	**22**	**49**
Diseases of arteries, arterioles and capillaries	**87**	**3**	**5**	**21**	**58**
Atherosclerosis	38	1	0	8	29
Aortic aneurysm and dissection	28	2	4	9	13
Other	21	0	1	4	16
Other and unspecified disorders of the circulatory system	**2**	**0**	**0**	**0**	**2**

* Total include unknown age.

Table 27. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2009

	Total[1]	White	Black	Other	Unknown	Hispanic[2]
Total	**2,438**	**2,039**	**289**	**106**	**4**	**120**
Diseases of the Heart	**1,977**	**1,671**	**222**	**81**	**3**	**96**
Ischaemic heart diseases	**1,430**	**1,208**	**161**	**58**	**3**	**72**
Acute myocardial infarction	352	291	44	16	1	18
Chronic ischaemic heart disease	1,071	911	117	41	2	54
Other	7	6	0	1	0	0
Other forms of heart disease	**409**	**359**	**32**	**18**	**0**	**17**
Nonrheumatic aortic valve disorders	48	44	2	2	0	2
Cardiomyopathy	13	9	3	1	0	0
Cardiac arrest	43	38	4	1	0	1
Atrial filbrillation and fluter	45	42	2	1	0	1
Heart failure	144	132	6	6	0	6
Other	116	94	15	7	0	7
Hypertension with Heart Disease	**100**	**74**	**22**	**4**	**0**	**4**
Pulmonary heart disease and diseases of pulmonary circulation	**25**	**18**	**6**	**1**	**0**	**2**
Diseases of veins, lymphatic vessels, lymph nodes, not elsewhere classified	**7**	**6**	**1**	**0**	**0**	**1**
Chronic rheumatic heart diseases	**6**	**6**	**0**	**0**	**0**	**0**
Acute rheumatic fever	**0**	**0**	**0**	**0**	**0**	**0**
Cerebrovascular diseases	**293**	**236**	**41**	**16**	**0**	**17**
Intracerebral haemorrhage	52	41	9	2	0	4
Stroke, not specified as haemorrhage or infarction	134	115	15	4	0	4
Other	107	80	17	10	0	9
Hypertensive with or without Renal Disease	**79**	**58**	**15**	**5**	**1**	**5**
Diseases of arteries, arterioles and capillaries	**87**	**74**	**9**	**4**	**0**	**2**
Atherosclerosis	38	34	3	1	0	0
Aortic aneurysm and dissection	28	25	1	2	0	1
Other	21	15	5	1	0	1
Other and unspecified disorders of the circulatory system	**2**	**0**	**2**	**0**	**0**	**0**

[1] Totals include unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 28. Number of Deaths Due to Neoplasms by Sex, Westchester County, 2009

	Total	Female	Male
Total	**1,779**	**921**	**858**
Malignant neoplasms	**1,732**	**899**	**833**
Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue	**1,418**	**752**	**666**
Digestive organs	**474**	**235**	**239**
Esophagus	40	11	29
Stomach	50	19	31
Colorectal	162	98	64
Colon	*133*	*82*	*51*
Colorectal excluding colon	*29*	*16*	*13*
Liver and intrahepatic bile duct	58	19	39
Pancreas	138	71	67
Other	26	17	9
Respiratory and intrathoracic organs	**377**	**179**	**198**
Larynx	10	2	8
Bronchus and lung	365	176	189
Other	2	1	1
Breast	**152**	**151**	**1**
Male genital organs	**104**	**0**	**104**
Prostate	104	0	104
Other	0	0	0
Female genital organs	**103**	**103**	**0**
Ovary	52	52	0
Other	51	51	0
Urinary tract	**76**	**21**	**55**
Kidney and renal pelvis	28	15	13
Bladder	47	5	42
Other	1	1	0
Eye, brain and other parts of central nervous system	**45**	**20**	**25**
Brain	44	19	25
Other	1	1	0
Skin	**31**	**16**	**15**
Mesothelial and soft tissue	**26**	**16**	**10**
Lip, oral cavity and pharynx	**21**	**7**	**14**
Thyroid and other endocrine glands	**7**	**3**	**4**
Bone and articular cartilage	**2**	**1**	**1**
Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	**197**	**93**	**104**
Hodgkin's disease	5	2	3
Non-Hodgkin's lymphomas	62	26	36
Multiple myeloma and malignant plasma cell neoplasms	42	18	24
Leukaemia	81	44	37
Other	7	3	4
Malignant neoplasms of ill-defined, secondary and unspecified sites	**103**	**48**	**55**
Malignant neoplasms of independent (primary) multiple sites	**14**	**6**	**8**
Neoplasms of uncertain or unknown behaviour	**41**	**18**	**23**
Benign neoplasms	**6**	**4**	**2**
In situ neoplasms	**0**	**0**	**0**

[1] Totals include deaths of unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 29. Number of Deaths Due to Neoplasms by Age, Westchester County, 2009

	Total	0-49	50-64	65-79	80+
Total	**1,779**	**94**	**376**	**646**	**663**
Malignant neoplasms	**1,732**	**90**	**371**	**639**	**632**
Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue	**1,418**	**72**	**319**	**524**	**503**
Digestive organs	**474**	**22**	**118**	**164**	**170**
Esophagus	40	3	11	13	13
Stomach	50	0	9	15	26
Colorectal	162	10	36	49	67
Colon	*133*	*10*	*29*	*41*	*53*
Colorectal excluding colon	*29*	*0*	*7*	*8*	*14*
Liver and intrahepatic bile duct	58	4	18	24	12
Pancreas	138	5	40	51	42
Other	26	0	4	12	10
Respiratory and intrathoracic organs	**377**	**7**	**77**	**173**	**120**
Larynx	10	0	3	5	2
Bronchus and lung	365	7	74	166	118
Other	2	0	0	2	0
Breast	**152**	**13**	**44**	**47**	**48**
Male genital organs	**104**	**0**	**7**	**34**	**63**
Prostate	104	0	7	34	63
Other	0	0	0	0	0
Female genital organs	**103**	**10**	**30**	**40**	**23**
Ovary	52	3	15	20	14
Other	51	7	15	20	9
Urinary tract	**76**	**3**	**11**	**26**	**36**
Kidney and renal pelvis	28	2	6	11	9
Bladder	47	1	5	15	26
Other	1	0	0	0	1
Eye, brain and other parts of central nervous system	**45**	**5**	**11**	**16**	**13**
Brain	44	5	11	16	12
Other	1	0	0	0	1
Skin	**31**	**8**	**6**	**7**	**10**
Mesothelial and soft tissue	**26**	**1**	**8**	**9**	**8**
Lip, oral cavity and pharynx	**21**	**0**	**6**	**7**	**8**
Thyroid and other endocrine glands	**7**	**1**	**1**	**1**	**4**
Bone and articular cartilage	**2**	**2**	**0**	**0**	**0**
Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	**197**	**11**	**29**	**76**	**81**
Hodgkin's disease	5	1	2	1	1
Non-Hodgkin's lymphomas	62	1	5	29	27
Multiple myeloma and malignant plasma cell neoplasms	42	1	8	15	18
Leukaemia	81	7	12	29	33
Other	7	1	2	2	2
Malignant neoplasms of ill-defined, secondary and unspecified sites	**103**	**7**	**21**	**36**	**39**
Malignant neoplasms of independent (primary) multiple sites	**14**	**0**	**2**	**3**	**9**
Neoplasms of uncertain or unknown behaviour	**41**	**4**	**4**	**6**	**27**
Benign neoplasms	**6**	**0**	**1**	**1**	**4**
In situ neoplasms	**0**	**0**	**0**	**0**	0

[1] Totals include deaths of unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 30. Number of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2009

	Total[1]	White	Black	Other	Hispanic[2]
Total	**1,779**	**1,470**	**218**	**90**	**112**
Malignant neoplasms	**1,732**	**1,428**	**214**	**89**	**107**
Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue	**1,418**	**1,159**	**184**	**74**	**85**
Digestive organs	**474**	**376**	**68**	**30**	**37**
Esophagus	42	36	3	1	2
Stomach	50	35	10	5	5
Colorectal	162	130	25	7	10
Colon	*133*	*104*	*23*	*6*	*10*
Colorectal excluding colon	*29*	*26*	*2*	*1*	*0*
Liver and intrahepatic bile duct	58	39	11	8	8
Pancreas	138	114	18	6	8
Other	26	22	1	3	4
Respiratory and intrathoracic organs	**377**	**320**	**43**	**14**	**13**
Larynx	10	8	1	1	1
Bronchus and lung	365	311	42	12	12
Other	2	1	0	1	0
Breast	**152**	**125**	**19**	**7**	**11**
Male genital organs	**104**	**82**	**13**	**9**	**3**
Prostate	104	82	13	9	3
Other	0	0	0	0	0
Female genital organs	**103**	**80**	**17**	**6**	**9**
Ovary	52	45	5	2	1
Other	51	35	12	4	8
Urinary tract	76	**63**	**12**	**1**	**2**
Kidney and renal pelvis	28	22	5	1	1
Bladder	47	40	7	0	1
Other	1	1	0	0	0
Eye, brain and other parts of central nervous system	**45**	**40**	**4**	**1**	**3**
Brain	44	39	4	1	3
Other	1	1	0	0	0
Skin	**31**	**29**	**1**	**1**	**2**
Mesothelial and soft tissue	**26**	**20**	**2**	**4**	**2**
Lip, oral cavity and pharynx	**21**	**17**	**4**	**0**	**3**
Thyroid and other endocrine glands	**7**	**5**	**1**	**1**	**0**
Bone and articular cartilage	**2**	**2**	**0**	**0**	**0**
Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	**197**	**166**	**20**	**11**	**17**
Hodgkin's disease	5	4	1	0	0
Non-Hodgkin's lymphomas	62	54	4	4	5
Multiple myeloma and malignant plasma cell neoplasms	42	29	9	4	2
Leukaemia	81	73	5	3	9
Other	7	6	1	0	1
Malignant neoplasms of ill-defined, secondary and unspecified sites	**103**	**89**	**10**	**4**	**5**
Malignant neoplasms of independent (primary) multiple sites	**14**	**14**	**0**	**0**	**0**
Neoplasms of uncertain or unknown behaviour	**41**	**37**	**3**	**1**	**4**
Benign neoplasms	**6**	**5**	**1**	**0**	**1**
In situ neoplasms	**0**	**0**	**0**	**0**	**0**

[1] Totals include deaths of unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Appendices

Appendix 1. Data Sources and Definitions for Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States. The source of this information is the New York State Department of Health (NYSDOH) and the New York City Department of Health and Mental Hygiene (data accessed as of May 2010). The most current vital statistics data available is for 2009.

Beginning on January 1, 2004, the NYSDOH implemented a web-based registration of all live birth certificates for all counties of New York State excluding New York City. Web-based live birth certificates were revised to incorporate National Center of Health Statistics (NCHS) guidelines. These changes applied only to New York State hospitals exclusive of New York City area. New York City continues to use the older version of the live birth certificate.

Race: For the live birth years 2004 onward, racial categories were defined by the 2000 US Census Bureau guidelines. This format allows for more than one race to be selected among multiple race categories, and also has the new categories of White Alone and Black Alone, which are exclusive of any other race categories. The definition for "Other" race in our vital statistics includes the 2000 US Census Bureau racial categories of "Other Race", "American Indian", "Asian", "Native Hawaiian or Other Pacific Islander", and "Two or More Races". This change in the format of race coding is the reason for the apparent decrease of whites and blacks and the apparent increase in people of 'other' race in live birth data from 2004 onwards (Vital Statistics of New York State 2004, Technical Notes, New York State Department of Health).

Residence: The usual place of residence for the person to whom the event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.

Live Births: A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).

Birth Rate: Annual number of live births per 1,000 total population.

Infant Birthweight: Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).

Gestation Weeks: It is defined as **"**the interval between the first day of the mother's last normal menstrual period and the date of delivery". Gestation weeks are grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more).

Time Starting Prenatal Care: Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.

Cesarean Section: the surgical delivery of the newborn while the mother is under general anesthesia. Cesarean section is usually the result of an abnormal delivery situation, once the mother has already gone into labor. A primary C-section refers to the first delivery by C-section. A repeat C-section is a Cesarean delivery in which a woman has previously delivered by a C-section. A vaginal birth after C-section is a vaginal delivery to a woman who has previously delivered by C-section.

Fetal Deaths: A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (Vital Statistics of New York State 1999, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.

Induced Abortions: Induced abortions include the operative procedures of "dilation and curettage (DDC), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical (non-surgical) and other which includes hysterectomy, hysterotomy and other procedures" (Vital Statistics of New York State 2000, New York State Department of Health).

Mother's Country/Region of Origin:

- The Caribbean Region includes Antigua and Barbuda, the Antilles, the Bahamas, Barbados, Cuba, Dominica, Dominican Republic, Guyana, Haiti, Jamaica, Montserrat, Nevis & St. Christopher, Puerto Rico, St. Lucia, St. Martin, Trinidad, and the Virgin Isles.
- Central and South America includes the countries of Argentina, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Nicaragua, Panama, Paraguay, Peru, Uruguay, and Venezuela.
- Countries of Asia include Afghanistan, Bangladesh, Cambodia, China, Hong Kong, Indonesia, India, Iran, Israel, Japan, Jordan, North Korea, Kuwait, Laos, Lebanon, Nepal, Pakistan, Palestine, the Philippines, Saudi Arabia, Sri Lanka, Syria, Taiwan, Thailand, Turkey, Vietnam, and Yemen.
- The region of Europe, Canada, and Australia includes the countries of Albania, Armenia, Austria, Belarus, Belgium, Bosnia, Bulgaria, Croatia, Czechoslovakia, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, the Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, the United Kingdom, and Yugoslavia. Canada, Australia, and New Zealand are also included in this geographic region.
- Africa includes the countries of Algeria, Angola, Burkina Faso, Cameroon, Central African Republic, Chad, Côte D'Ivoire, the Democratic Republic of Congo, Egypt, Ethiopia, Gabon, Gambia, Ghana, Kenya, Liberia, Morocco, Mozambique, Nigeria,

Senegal, Sierra Leone, South Africa, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.

Causes of Deaths: The cause of death reported is the underlying cause of death and is based on information contained on the death certificate, defined by the World Health Organization's International Classification of Diseases - Tenth Revision as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury

Infant Mortality Rate: Annual number of deaths under one year of age per 1,000 live births occurring during the year.

Death Rate: Annual number of deaths per 100,000 total population.

Appendix 2. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths

Disease Category	ICD-10
Certain infectious and parasitic diseases	A00-B99
Tuberculosis	A15-A19
Septicemia	A40-A41
Viral hepatitis	B15-B19
Human immunodeficiency virus [HIV] disease	B20-B24
Neoplasms	C00-D48
Malignant neoplasms	C00-C97
In situ neoplasms	D00-D09
Benign neoplasms	D10-D36
Neoplasms of uncertain or unknown behaviour	D37-D48
Disease of the blood and blood-forming organs and certain disorders involving the immune mechanism	D50-D89
Endocrine, nutritional and metabolic diseases	E00-E90
Diabetes mellitus	E10-E14
Mental and behavioural disorders	F00-F99
Diseases of the nervous system	G00-G99
Parkinson's disease	G20-G21
Alzheimer's disease	G30
Diseases of the eye and adnexa	H00-H59
Diseases of the ear and mastoid process	H60-H95
Diseases of the circulatory system	I00-I99
Diseases of the respiratory system	J00-J99
Influenza	J09-J11
Pneumonia	J12-J18
Chronic lower respiratory diseases	J40-J47
Diseases of the digestive system	K00-K93
Gastritis, Enteritis, Colitis, Diverticulities	K29, K50-K52, K57
Diseases of liver	K70-K77
Chronic liver diseases, including Cirrhosis	K70, K73-K74
Diseases of the skin and subcutaneous tissue	L00-L99
Diseases of the musculoskeletal system and connective tissue	M00-M99
Diseases of the genitourinary system	N00-N99
Kidney diseases	N00-N29
Nephritis, Nephrotic syndrome and Nephrosis	N00-N07, N17-N19, N25-N27
Renal failure	N17-N19
Pregnancy, childbirth and the puerperium	O00-O99
Certain conditions originating in the perinatal period	P00-P96
congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99
Sudden Infant Death Syndrome	R95
External causes of morbidity and mortality	V01-Y98
Accidents	V01-X59
Intentional self-harm	X60-X84
Assault	X85-Y09
Legal intervention and operations of war	Y35-Y36
Complications of medical and surgical care	Y40-Y84
Sequelae of external causes of morbidity and mortality	Y85-Y89
Supplementary factors related to causes of morbidity and mortality	Y90-Y98
Factors influencing health status and contact with health services	Z00-Z99
Codes for special purposes	U00-U99

Appendix 3. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths due to Diseases of the Circulatory System

Disease Category	ICD-10
Diseases of the circulatory system	**I00-I99**
Acute rheumatic fever	I00-I02
Chronic rheumatic heart diseases	I05-I09
Hypertensive diseases	I10-I15
Essential (primary) hypertension	I10
Hypertensive heart and renal disease	I11-I13
Ischaemic heart diseases	I20-I25
Acute myocardial infarction	I21
Chronic ischaemic heart disease	I25
Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
Other forms of heart disease	I30-I52
Nonrheumatic aortic valve disorders	I35
Cardiomyopathy	I42
Cardiac arrest	I46
Atrial filbrillation and fluter	I48
Heart failure	I50
Cerebrovascular diseases	I60-I69
Intracerebral haemorrhage	I61, I69.1
Stroke, non specified as haemorrhage or infarction	I64, I69.4
Diseases of arteries, arterioles and capillaries	I70-I79
Atherosclerosis	I70
Aortic aneurysm and dissection	I71
Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified	I80-I89
Other and unspecified disorders of the circulatory system	I95-I99

Appendix 4. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Deaths due to Neoplasms

Disease Category	ICD-10
Neoplasms	**C00-D48**
Malignant neoplasms	C00-C97
Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue	C00-C75
Lip, oral cavity and pharynx	C00-C14
Digestive organs	C15-C26
Oesophagus (Esophagus)	C15
Stomach	C16
Colorectal	C18-C21
Colon	C18
Colorectal excluding colon	C19-C21
Liver and Intrahepatic bile duct	C22
Pancreas	C25
Respiratory and intrathoracic organs	C30-C39
Larynx	C32
Bronchus and lung	C34
Bone and articular cartilage	C40-C41
Skin	C43-C44
Mesothelial and soft tissue	C45-C49
Breast	C50
Female genital organs	C51-C58
Ovary	C56
Male genital organs	C60-C63
Prostate	C61
Urinary tract	C64-C68
Kidney and renal pelvis	C64-C65
Kidney, except renal pelvis	C64
Bladder	C67
Eye, brain and other parts of central nervous system	C69-C72
Brain	C71
Thyroid and other endocrine glands	C73-C75
Malignant neoplasms of ill-defined, secondary and unspecified sites	C76-C80
Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	C81-C96
Hodgkin's disease	C81
Non-Hodgkin's lymphomas	C82-C85
Multiple myeloma and malignant plasma cell neoplasms	C90
Leukaemia	C91-C95
Malignant neoplasms of independent (primary) multiple sites	C97
In situ neoplasms	D00-D09
Benign neoplasms	D10-D36
Neoplasms of uncertain or unknown behaviour	D37-D48

Appendix 5. Westchester County Municipalities

Health Planning Region and Municipality[1]	Code[2]
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part)[2]	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part)[2]	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C


Health Planning Region and Municipality[1]	Code[2]
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part)[3]	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part)[3]	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V


[1] For regional planning purposes, municipalities are grouped into six geographic health planning regions.


[2] A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

[3] The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).


Appendix 6. Health Planning Regions and Municipality Map













Robert P. Astorino

Westchester County Executive

County Board of Legislators

Annual Data Book

Hospitalizations in 2008-2009

Westchester County Department of Health

Westchestergov.com

2011

Sherlita Amler, MD

Commissioner of Health

Project Directors	Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration
Project Staff	Megan Cea, MPH, Assistant Statistician
Contact	Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 10 County Center Road, White Plains, NY 10607-1541 914-995-7499

FOREWORD

Westchester County Department of Health is the local health department for Westchester County, which is located north of New York City and covers an area of 450.5 square miles. The Hudson River and Rockland County for Westchester County's western border and Putnam County and the State of Connecticut border Westchester to the north and east, respectively. Westchester County has a population of 949,113 based on the 2010 US Census data. In 2010, 68.1% of the County's population was white, 14.6% was black, 5.5% was Asian/Pacific Islander, and 11.8% was of mixed or other races. In addition, Hispanics comprised 21.8% of Westchester County's residents.

The mission of the Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester County residents. The Health Department monitors and controls the spread of communicable disease, monitors and regulates air and water quality, enforces the state and local sanitary code, promotes and ensures local public health activities, and assures the availability of community health services.

The Annual Data Book 2011–Hospitalizations Report contains information from 2009 on the number of hospital discharges and average length of hospital stay by patients' demographic characteristics such as age, sex, and race/ ethnicity, the leading causes of hospitalization, as well as the hospitals where they received care. Data used in the report were collected by New York State Statewide Planning and Research Cooperative System (SPARCS).

TABLE OF CONTENTS

Highlights	1
Hospital Discharges	2
Hospitals	7
Diagnoses	11
Hospital Discharges by Diagnosis and Age	13
Hospital Discharges by Diagnosis and Sex	14
Hospital Discharges by Diagnosis and Race/Ethnicity	15
Hospital Discharges Due to Diseases of the Circulatory System	18
Hospital Discharges Due to Neoplasms	21
Hospital Discharges Due to Diseases of the Digestive System	26
Hospital Discharges Due to Diseases of the Respiratory System	27
Hospital Discharges Due to Injuries and Poisonings	30
Diabetes Related Hospitalizations	33
HIV/AIDS Related Hospitalizations	35
Tables	36
Appendices	96

Figures

1	Age Distribution of Hospital Discharges, Westchester County Residents, 2009	2
2	Age Distribution of Hospital Discharges by Sex, Westchester County Residents, 2009	3
3	Number of Hospital Discharges by Race/Ethnicity, Westchester County Residents, 2009	4
4	Age Distribution of Hospital Discharges by Race/Ethnicity, Westchester County Residents, 2009	5
5	Percentage Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2009	6
6	Number of Hospital Discharges by Hospital, Westchester County Residents, 2009	7
7	Percentage Distribution of Hospital Discharges Due to Medical Services by Hospital, Westchester County Residents, 2009	8
8	Percentage Distribution of Hospital Discharges Due to Surgical Services by Hospital, Westchester County Residents, 2009	9
9	Percentage Distribution of Hospital Discharges of Obsterics Services and Newborns by Hospital, Westchester County Residents, 2009	10
10	Percentage Distribution of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2009	11
11	Number of Hospital Discharges by All Related Diagnoses, Westchester County Residents, 2009	12
12	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2009	13
13	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2009	14
14	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County Residents, 2009	15
15	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Ethnicity, Westchester County Residents, 2009	16
16	Percentage of Newborns and Hospitalizations Due to Complications of Pregnancy, Childbirth, and Puerperium by Race/Ethnicity, Westchester County Residents, 2009	17
17	Percentage Distribution and Average Length of Stay of Hospital Discharges Due to Diseases of the Circulatory System, Westchester County Residents, 2009	18

18 Number of Hospital Discharges Due to Diseases of the Circulatory System by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 19
19 Percentage Distribution of Hospital Discharges Due to Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2009 20
20 Number and Percentage Distribution of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses, Westchester County Residents, 2009 21
21 Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 22
22 Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Type an Sex, Westchester County Residents, 2009 23
23 Percentage Distribution of Hospital Discharges Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009 24
24 Percentage Distribution of Neoplasm Related Diagnoses by Tyep and Race/Ethnicity, Westchester County Residents, 2009 25
25 Number of Hospital Discharges Due to Digestive System Diseases by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 26
26 Number of Hospital Discharges Due to Respiratory System Diseases by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 27
27 Percentage of Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2009 28
28 Percentage Distribution of Asthma Cases by Age and Race/Ethnicity, Westchester County Residents, 2009 29
29 Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2009 30
30 Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Age, Westchester County Residents, 2009 31
31 Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2009 32
32 Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2009 33
33 Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009 34

34 Number of Hospital Discharges Due to HIV/AIDS Related Diagnoses by Sex and Race/Ethnicity, Westchester County Residents, 2009 35

Tables

1 Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009 36

2 Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009 40

3 Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 42

4 Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009 44

5 Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009 46

6 Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2008-2009 48

7 Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009 50

8 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009 52

9 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009 54

10 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009 56

11 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009 58

12 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 60

13 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009 62

14 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009 64

15 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 66

16 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2008-2009 68

17 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009 69

18 Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 71

19 Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2008-2009 73

20 Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2008-2009 75

21 Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2008-2009 77

22 Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 79

23 Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 81

24 Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Ave, Westchester County Residents, 2008-2009 83
25 Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2008-2009 85
26 Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009 86
27 Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 88
28 Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 90
29 Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 92
30 Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 94

Appendices

A1 The Statewide Planning and Research Cooperative System (SPARCS) 96
A2 The International Classification if Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations 99
A3 Westchester County Hospitals 103
A4 Westchester County Municipalities 105
A5 Westchester County Health Planning Regions and Municipalities 107

HIGHLIGHTS

- There were 112,436 hospital discharges among Westchester County residents in 2009. The average number of days for each hospital stay was 6 days.

- There were 63,675 female cases and 48,756 male cases, with the average length of stay of 5.7 days for females and 6.4 days for males. When excluding obstetrical services, there were 52,719 female cases with an average length of stay of 6.2 days.

- Over half of the cases were 50 years and older.

- The majority of the hospitalized cases were white.

- Almost 70% of the cases were hospitalized either for medical services or surgical services. About 18% of the cases were obstetrics related (excluding abortions) and newborns. The other cases were hospitalized for psychiatric services (8%) and pediatric services (4%).

- Most of the hospitalizations occurred in Westchester County hospitals, with Westchester Medical Center, St. John's Riverside Hospital and White Plains Hospital receiving the greatest number of patients.

- Excluding newborns, and hospitalizations due to complications of pregnancy, childbirth and puerperium, the top causes of hospitalization included: diseases of the circulatory system, diseases of the digestive system, mental disorders, diseases of the respiratory system, and neoplasms. Of all the hospitalizations:

    - Over half had circulatory system diseases.
    - Over 30,000 were treated for mental disorders.
    - Almost 19,000 had diabetes.
    - Over 13,000 had cancer.
    - Almost 7,500 had asthma.
    - Almost 7,000 were due to injuries.
    - Over 1,000 patients had HIV/AIDS.


Hospital Discharges

- The total number of hospital discharges among Westchester County residents was reported as 112,436 in 2009 and 114,799 in 2008.[1] The average number of days for each hospital stay was 6 days.

- There were 63,675 female cases and 48,756 male cases, with the average length of stay of 5.7 days for females and 6.4 days for males[2]. When excluding obstetrical services, there were 52,719 female cases with an average length of stay of 6.2 days.

- Over half of the cases were 50 years and older (Figure 1).


Figure 1. Age Distribution of Hospital Discharges
Westchester County Residents, 2009



* Including 2 cases with unknown ages.

[1] Due to the fact that the SPARCS data are continually being updated, the completeness of reporting by individual facilities varies over time. Information reported in this document reflects data received as of June 2010.
[2] Total includes cases with unknown age or sex.


- There were more females than males among those aged 70 years and older. In addition, there were substantially more female cases among the reproductive age groups due to obstetric related services (Figure 2).



- The majority of the hospitalized cases were white. Blacks and all other race groups each represented about 18% of the total cases. About 15% of the cases were Hispanic (Figure 3).

- The average length of stay was 5.9 for whites, 6.7 for blacks, 5.7 for all other races, and 4.9 for Hispanics.

Figure 3. Number of Hospital Discharges by Race/Ethnicity
Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.


- The age distribution of the hospitalized cases varied among different races and ethnic groups (Figure 4).

- Among white patients, 65% were 50 years and older. However, only 48% of the Black patients were 50 years and older, and only 28% of the Hispanic patients were 50 years and older.

- Hispanics presented a larger proportion of newborns and mid-aged patients than other groups.

- Among blacks, a larger proportion of patients were between 19 and 49 years compared with whites.


Figure 4. Age Distribution of Hospital Discharges by Race/Ethnicity
Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

- Almost 70% of the cases were hospitalized either for medical services or surgical services. About 18% of the cases were obstetrics related (excluding abortions) and newborns. The other remaining were hospitalized for psychiatric services (8.0%) and pediatric services (3.9%) (Figure 5).


Figure 5. Percentage Distribution of Hospital Discharges by Service Category Westchester County Residents, 2009



Hospitals


- Most of the hospitalizations occurred in Westchester County hospitals, with Westchester Medical Center, St. John's Riverside Hospital and White Plains Hospital receiving the greatest number of patients (Figure 6).

Figure 6. Number of Hospital Discharges by Hospital, Westchester County Residents, 2009




- The top five hospitals for medical related hospitalizations were: St. Johns Riverside Hospital, Lawrence Hospital, White Plains Hospital, Sound Shore Medical Center, and Westchester Medical Center (Figure 7). Together, these five hospitals serviced half of all the cases for medical services.

Figure 7. Percentage Distribution of Hospital Discharges due to Medical Services by Hospital, Westchester County Residents, 2009




- The top five hospitals for surgical related hospitalizations were Westchester Medical Center, White Plains Hospital Center, St. John's Riverside Hospital, Lawrence Hospital, and Northern Westchester Hospital. Together, these hospitals provided surgical services to 46% of all the surgical cases (Figure 8).

Figure 8. Percentage Distribution of Hospital Discharges due to Surgical Services by Hospital, Westchester County Residents, 2009



- The top five hospitals for newborns and obstetrics related services were St. Johns Riverside Hospital, Sound Shore Medical Center, White Plains Hospital Center, Northern Westchester Hospital, and Phelps Memorial Hospital. Together, they served 60% of all the newborns and obstetrics cases (Figure 9).


Figure 9. Percentage Distribution of Hospital Discharges of Obstetrics Services and Newborns by Hospital, Westchester County Residents, 2009



Diagnoses

- Excluding newborns, and hospitalizations due to complications of pregnancy, childbirth and puerperium, the top causes of hospitalization, as defined by the principal diagnosis[3], included: diseases of the circulatory system, diseases of the digestive system, mental disorders, diseases of the respiratory system, and neoplasms (including malignant and benign) (Figure 10).

Figure 10. Percentage Distribution of Hospital Discharges by Principal Diagnosis Westchester County Residents, 2009




[3] The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. In addition, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore, it may differ from the admitting diagnosis.

- Because a patient may have other diagnoses that coexisted at the time of admission, or developed subsequently, such additional diagnoses may affect the treatment and the length of the patient's hospitalization. Therefore all related diagnosis, which combines the principal diagnosis and fourteen other diagnoses recorded in the patient charts[4], may represent the reasons for hospitalization in a more comprehensive manor.

- Of all the hospitalized cases, over half had circulatory system diseases (Figure 11).
- Over 30,000 were treated for mental disorders.
- Almost 19,000 had diabetes.
- Over 13,000 had cancer.
- Almost 7,500 had asthma.
- Over 1,000 patients had HIV/AIDS.

Figure 11. Number of Hospital Discharges by All Related Diagnoses Westchester County Residents, 2009




* Subgroups within majory categories listed above.

[4] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

Hospital Discharges by Diagnosis and Age

- The principal diagnosis varied substantially among patients with different ages (Figure 12).
- Patients who were 50 years and older had a substantially higher proportion of being hospitalized due to diseases of the circulatory system, followed by diseases of the digestive system and diseases of the respiratory system.
- Among the patients aged 18 to 49, the leading causes of hospitalization included mental disorder and the diseases of digestive systems.
- Over one-third of the hospitalizations among those between age 13 to 17 were for the treatment of mental disorders.
- For children from age 1 to 12, over one-quarter were hospitalized for diseases of respiratory system.

Figure 12. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Age
Westchester County Residents, 2009




Hospital Discharges by Diagnosis and Sex

- There were more hospitalization discharges among females than among males, with females accounting for 56.6% of all the reported hospitalized cases (Figure 13).

- Excluding newborns, the top three causes of hospitalization for all males were diseases of the circulatory system, mental disorders, and diseases of the digestive system. The top three causes of hospitalization for all females were complication of pregnancy, childbirth, and puerperium, diseases of the circulatory system, followed by diseases of the digestive system.

Figure 13. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex Westchester County Residents, 2009




Hospital Discharges by Diagnosis and Race/Ethnicity

- Among the hospitalization discharges during 2009, whites accounted for 63.5% of all the reported hospitalized cases, blacks accounted for 18.2%, and all other races accounted for 18.3%.

- Excluding newborns and complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization for all whites were: diseases of the circulatory system, diseases of the digestive system, and disease of respiratory system (Figure 14).

- Among blacks, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were diseases of the circulatory system, mental disorders, and diseases of the digestive system (Figure 14).


Figure 14. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County Residents, 2009



- Hispanics represented 14.8% of all reported hospitalized cases.

- Among Hispanics, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were diseases of the digestive system, mental disorders, and diseases of the circulatory system (Figure 15).


Figure 15. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Ethnicity, Westchester County Residents, 2009



- During 2009, 9.8% of the hospitalized cases were related to complications of pregnancy, childbirth, and puerperium, such cases accounted for 8.0% and 9.3% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 19.5% of all cases (Figure 16).

- Newborns accounted for 8.7% of all hospitalized cases. They accounted for 7.4% and 7.3% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 16.4% of all cases.

Figure 16. Percent of Newborns and Hospitalizations due to Complications of Pregnancy, Childbirth, and Puerperium by Race/Ethnicity, Westchester County, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Hospital Discharges Due to Diseases of the Circulatory System

- In 2009, a total of 15,649 cases were hospitalized due to diseases of the circulatory system. Among them, over two-thirds were classified as cases with heart diseases, including acute myocardial infarction and other ischemic heart diseases, pulmonary circulation disease, hypertension with heart disease, chronic and acute rhematic fever, and other types of heart diseases (Figure 17).

- The average length of stay for all cases with diseases of the circulatory system was 5.5 days. However, cases with chronic rhematic fever and arteriosclerosis had much longer hospital stay than others (Figure 17).

Figure 17. Percentage Distribution and Average Length of Stay of Hospital Discharges Due to Diseases of the Circulatory System, Westchester County Residents, 2009




- In general, the number of hospital discharges due to diseases of the circulatory system increased with age. Over 45% of them were 75 years and older. Only slightly over 10% of them were under 50 (Figure 18).

- More males than females were hospitalized due to diseases of the circulatory system.

- The majority (70%) was among whites, 17% were among blacks, 13% were among other races, and 7.6% were among Hispanics.

Figure 18. Number of Hospital Discharges Due to Diseases of the Circulatory System by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

- Among whites hospitalized due to circulatory diseases, less than 7% were under the age of 50, 20% were between the ages of 50-64, about 20% were between the ages of 65-74, and about 54% were over the age of 75 (Figure 19).

- In comparison to whites, blacks had a higher proportion of patients under the age of 50 hospitalized due to circulatory diseases: about 20% were under the age of 50, 29% were between the ages of 50-64, 24% were between the ages of 65-74 years, and 28% were over the age of 75.

- Similarly, Hispanics had a higher proportion of patients under the age of 50 hospitalized due to diseases of the circulatory system compared to whites. For example, 21% were under age 50, 31% were between age 50 and 64, 23% were between age 65 to 74, and 26% were over 75.

Figure 19. Percentage Distribution of Hospital Discharges Due to Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Hospital Discharges Due to Neoplasms

- During 2009, 5,865 cases were hospitalized with neoplasms as the principle diagnosis. An additional 7,649 hospitalized cases had neoplasm as one of the 14 additional diagnosis codes. The total number of neoplasm-related hospitalizations reached 13,514 cases, including malignant neoplasms, benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain behavior or unspecified nature[5].

- Over three quarters of the neoplasm-related hospitalizations were due to malignant neoplasms (a total of 10,214 cases), including lung cancer (9.4%), colon cancer (7.2%), prostate cancer (6.7%) and breast cancer (5.7%). The average length of stay for patients with malignant neoplasms was 8.1 days.

Figure 20. Number and Percentage Distribution of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses, Westchester County Residents, 2009




[5] Neoplasms related hospitalizations include cases with the principal diagnosis and/or 14 other diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. The ICD9 diagnosis codes include the numeric ranges 140-239 or the V-class ranges V58.00-V58.10. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Cases with diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

- Over half of the neoplasms cases were 65 years and older (Figure 21). Less than 10% were under age 35.

- Just over half of the cases were females.

- Over 70% of the cases were white.

Figure 21. Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Age, Sex, Race/Ethnicity, Westchester County Residents, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

- Among males, the top three malignant neoplasms were cancer of Lymphatic & Hematopoietic Tissues, prostate cancer, and lung cancer (Figure 22).

- Among females, the top three malignant neoplasms were cancer of Lymphatic & Hematopoietic Tissues, breast cancer, and lung cancer.

Figure 22. Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Type and Sex, Westchester County Residents, 2009




* Subgroups within major categories listed above.

- The age distribution of hospital discharges due to malignant neoplasms varied across racial and ethnic categories. Among whites, almost 40% of the cases were 75 years and older, less than a quarter were 65-74, and just above a quarter were 50-64. About 11% of the cases were under 50 years of age (Figure 23).

- Among blacks hospitalized due to malignant neoplasms, almost a third was between 50-64. The percents among those aged 65 and older were lower than those among whites. Over 20% of the cases were under 50.

- Similarly, among Hispanics, over a third was among those aged 50-64. Furthermore, almost a third of the Hispanic cancer cases were under 50 years of age.


Figure 23. Percentage Distribution of Hospital Discharges Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

- The type of neoplasms varies among the hospitalized cases from different race and ethnicity backgrounds (Figure 24).

Figure 24. Percentage Distribution of Neoplasm Related Diagnoses by Type and Race/Ethnicity, Westchester County Residents, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Hospital Discharges Due to Diseases of the Digestive System

- A total of 9,067 hospitalized cases were due to diseases of the digestive system during 2009. The average length of stay was 5.3 days.

- Just over half were women. About two-thirds were among people aged 50 years or older. Most of them were whites (Figure 25).

Figure 25. Number of Hospital Discharges Due to Digestive System Diseases by Age, Sex, Race/Ethnicity, Westchester County Residents, 2009




Hospital Discharges Due to Diseases of the Respiratory System

- There were 8,124 hospital discharges due to diseases of the respiratory system. The average length of stay was 6.6 days.

- Almost 3,000 of the respiratory disease hospitalizations were due to Chronic Obstructive Pulmonary Diseases and Allied Conditions (COPD). Among them 1,413 were due to asthma alone.


- Almost 30% were due to pneumonia.

Figure 26. Number of Hospital Discharges Due to Respiratory System Diseases by Age, Sex, Race/Ethnicity, Westchester County Residents, 2009



- Among all hospitalized cases due to respiratory system diseases, 17% were due to asthma. Among whites, the percent of asthma cases was 12%. However, among blacks, the percent of asthma cases was almost 31%. Similarly, the percent of asthma cases was almost 30% among Hispanics (Figure 27).


Figure 27. Percentage of Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2009



- Among the 1,413 asthma cases, over a quarter were children under 13 years of age (Figure 28). Over 40% were 50 years and older.

- One third of the asthma cases were blacks, about a quarter were Hispanics.

Figure 28. Percentage Distribution of Asthma Cases by Age and Race/Ethnicity, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Hospital Discharges Due to Injuries and Poisonings


- During 2009, 5,072 cases were hospitalized due to injuries and poisonings as the principal diagnosis. An additional 1,889 cases were hospitalized with injury and poisoning identified as one of the related causes[6]. The number of hospitalized cases due to injuries and poisonings totaled 6,961 during 2009.

- The average hospital stay due to injuries and poisonings was 6.4 days.

- Over half of the hospitalized injuries and poisoning cases were due to falls. Other major hospitalized injuries included motor vehicle accidents, self-inflicted injuries, poisoning, and assault (Figure 29).

- There was a higher percentage of injury due to falls among females. However, there were higher percentages of injuries due to motor vehicle accidents, self-inflicted injuries, and assaults, among males.


Figure 29. Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2009



[6] Including all the cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-code) are: a) principal diagnosis of an injury or poisoning, b) 14 other diagnosis and admission diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.


- The reasons for hospitalizations due to injuries and poisoning varied among people with different ages (Figure 30).

Figure 30. Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Age, Westchester County Residents, 2009



- The reasons for hospitalizations due to injuries and poisoning varied by race and ethnicity (Figure 31).

Figure 31. Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2009




* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Diabetes Related Hospitalizations

- Diabetes was the principal diagnosis for a total of 1,400 hospital discharges in 2009. However, almost nineteen thousand (18,858) hospital cases had diabetes, as identified by at least one of the 15 diagnoses[7] for hospitalization. The average length of hospital stay for such cases was 6.5 days.

- There were more females than males among those hospitalized with diabetes and the majority of the cases were among those aged 50 and older (Figure 32).


Figure 32. Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2009



[7] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

- The age distribution of diabetes cases varied among people with different race/ethnicity backgrounds. Among the diabetes related hospitalizations, Blacks and other non-white groups as well as Hispanics tend to have a higher percent of patients at younger ages (Figure 33).

Figure 33. Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.


HIV/AIDS Related Hospitalizations

- There were 1,020 hospital discharges related to HIV and AIDS[8] in 2009 among Westchester County residents. The average length of stay for such cases was 7.5 days.

- Just over half of the cases were men (Figure 34).

- Over half of the cases were blacks.

Figure 34. Number of Hospital Discharges Due to HIV/AIDS Related Diagnoses, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

[8] Defined by considering principal diagnosis and all other relevant diagnoses. For details, please refer to Appendix 4.

Tables

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009

2008														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	**114,799**	**100**	**44,337**	**100**	**35,367**	**100**	**4,367**	**100**	**11,572**	**100**	**10,236**	**100**	**8,920**	**100**
Westchester County Acute Care Hospitals	**89,110**	**77.6**	**37,431**	**84.4**	**25,123**	**71.0**	**3,250**	**74.4**	**9,162**	**79.2**	**8,673**	**84.7**	**5,471**	**61.3**
Westchester Medical Center	13,703	11.9	3,210	7.2	5,518	15.6	1,912	43.8	765	6.6	559	5.5	1,739	19.5
White Plains Hospital Center	13,236	11.5	5,661	12.8	4,001	11.3	330	7.6	1,554	13.4	1,591	15.5	99	1.1
St. John's Riverside Hospital	12,011	10.5	4,893	11.0	2,500	7.1	133	3.0	1,571	13.6	1,584	15.5	1,330	14.9
Sound Shore Medical Center of Westchester	9,311	8.1	3,840	8.7	2,099	5.9	147	3.4	1,555	13.4	1,401	13.7	269	3.0
Lawrence Hospital Center	9,196	8.0	4,881	11.0	2,316	6.5	155	3.5	889	7.7	883	8.6	72	0.8
Northern Westchester Hospital	8,324	7.3	3,235	7.3	2,346	6.6	287	6.6	1,107	9.6	1,077	10.5	272	3.0
Phelps Memorial Hospital Center	7,258	6.3	2,770	6.2	2,000	5.7	56	1.3	995	8.6	994	9.7	443	5.0
Hudson Valley Hospital Center	5,421	4.7	2,592	5.8	1,512	4.3	21	0.5	665	5.7	584	5.7	47	0.5
St. Joseph's Hospital (Yonkers)	5,409	4.7	3,140	7.1	1,343	3.8	206	4.7	40	0.3	0	0.0	680	7.6
Mount Vernon Hospital	3,794	3.3	2,280	5.1	993	2.8	0	0.0	20	0.2	0	0.0	501	5.6
Community Hospital at Dobbs Ferry	1,447	1.3	929	2.1	495	1.4	3	0.1	1	0.0	0	0.0	19	0.2
Westchester County Specialty Hospitals	**4,348**	**3.8**	**1,859**	**4.2**	**15**	**0.0**	**46**	**1.1**	**1**	**0.0**	**0**	**0.0**	**2,427**	**27.2**
Winifred Masterson Burke Rehabilitation Hospital	1,814	1.6	1,799	4.1	15	0.0	0	0.0	0	0.0	0	0.0	0	0.0
SVCMC-St. Vincent's Westchester	1,318	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,318	14.8
New York Presbyterian Hospital Westchester Division	1,164	1.0	54	0.1	0	0.0	0	0.0	1	0.0	0	0.0	1,109	12.4
Blythedale Children's Hospital	52	0.0	6	0.0	0	0.0	46	1.1	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	**12,391**	**10.8**	**2,108**	**4.8**	**7,346**	**20.8**	**674**	**15.4**	**1,021**	**8.8**	**954**	**9.3**	**288**	**3.2**
New York Presbyterian Hospital at Columbia Presbyterian Center	2,934	2.6	398	0.9	1,754	5.0	333	7.6	221	1.9	186	1.8	42	0.5
Mount Sinai Hospital	2,104	1.8	366	0.8	1,380	3.9	38	0.9	139	1.2	132	1.3	49	0.5
New York Presbyterian Hospital at New York Weill Cornell Center	1,794	1.6	242	0.5	1,102	3.1	62	1.4	185	1.6	184	1.8	19	0.2
Memorial Hospital for Cancer and Allied Diseases	1,138	1.0	374	0.8	744	2.1	19	0.4	0	0.0	0	0.0	1	0.0
NYU Hospital Center	1,036	0.9	192	0.4	541	1.5	83	1.9	108	0.9	100	1.0	12	0.1
Lenox Hill Hospital	761	0.7	111	0.3	318	0.9	5	0.1	157	1.4	157	1.5	13	0.1
Hospital for Special Surgery	750	0.7	10	0.0	714	2.0	26	0.6	0	0.0	0	0.0	0	0.0
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	502	0.4	50	0.1	186	0.5	7	0.2	127	1.1	122	1.2	10	0.1
Beth Israel Medical Center/Petrie Campus	466	0.4	89	0.2	203	0.6	76	1.7	31	0.3	27	0.3	40	0.4
Hospital for Joint Diseases at Orthopaedic Institute Inc	196	0.2	21	0.0	165	0.5	10	0.2	0	0.0	0	0.0	0	0.0

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009 *(continued)*

New York State Hospitals	2008													
	Total		Medical		Surgical		Pediatric		Obstetrical		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals														
St. Luke's Roosevelt Hospital at St. Lukes Hospital Division	149	0.1	46	0.1	63	0.2	3	0.1	4	0.0	0	0.0	33	0.4
New York Presbyterian Hospital at Allen Pavilion	140	0.1	64	0.1	36	0.1	0	0.0	17	0.1	17	0.2	6	0.1
St. Vincent's Catholic Mediacl Center	140	0.1	30	0.1	63	0.2	2	0.0	17	0.1	18	0.2	10	0.1
Bellevue Hospital Center	70	0.1	27	0.1	27	0.1	1	0.0	2	0.0	1	0.0	12	0.1
All Other Hospitals	211	0.2	88	0.2	50	0.1	9	0.2	13	0.1	10	0.1	41	0.5
Bronx County Hospitals	**5,783**	**5.0**	**2,006**	**4.5**	**2,013**	**5.7**	**359**	**8.2**	**557**	**4.8**	**481**	**4.7**	**367**	**4.1**
Montefiore Medical Center at Henry & Lucy Moses Division	2,271	2.0	749	1.7	1,185	3.4	294	6.7	5	0.0	3	0.0	35	0.4
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,284	1.1	237	0.5	343	1.0	0	0.0	367	3.2	336	3.3	1	0.0
Our Lady of Mercy Medical Center	781	0.7	249	0.6	194	0.5	27	0.6	123	1.1	99	1.0	89	1.0
Calvary Hospital Inc.	444	0.4	411	0.9	28	0.1	0	0.0	0	0.0	0	0.0	5	0.1
Jacobi Medical Center	393	0.3	139	0.3	146	0.4	32	0.7	29	0.3	14	0.1	33	0.4
St. Barnabas Hospital	282	0.2	75	0.2	39	0.1	3	0.1	7	0.1	5	0.0	153	1.7
New York Westchester Square Medical Center	110	0.1	61	0.1	49	0.1	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	218	0.2	85	0.2	29	0.1	3	0.1	26	0.2	24	0.2	51	0.6
Queens County Hospitals	**213**	**0.2**	**75**	**0.2**	**65**	**0.2**	**15**	**0.3**	**20**	**0.2**	**20**	**0.2**	**18**	**0.2**
Kings County (Brooklyn) Hospitals	**119**	**0.1**	**36**	**0.1**	**30**	**0.1**	**2**	**0.0**	**21**	**0.2**	**18**	**0.2**	**12**	**0.1**
Richmond County (Staten Island) Hospitals	**33**	**0.0**	**9**	**0.0**	**8**	**0.0**	**1**	**0.0**	**2**	**0.0**	**2**	**0.0**	**11**	**0.1**
Nassau County Hospitals	**258**	**0.2**	**74**	**0.2**	**109**	**0.3**	**6**	**0.1**	**28**	**0.2**	**32**	**0.3**	**9**	**0.1**
North Shore University Hospital	128	0.1	32	0.1	47	0.1	2	0.0	19	0.2	24	0.2	4	0.0
All Other Hospitals	130	0.1	42	0.1	62	0.2	4	0.1	9	0.1	8	0.1	5	0.1
Suffolk County Hospitals	**57**	**0.0**	**32**	**0.1**	**15**	**0.0**	**2**	**0.0**	**3**	**0.0**	**2**	**0.0**	**3**	**0.0**
Rockland County Hospitals	**254**	**0.2**	**131**	**0.3**	**37**	**0.1**	**1**	**0.0**	**12**	**0.1**	**10**	**0.1**	**63**	**0.7**
Nyack Hospital	144	0.1	34	0.1	33	0.1	1	0.0	11	0.1	9	0.1	56	0.6
Helen Hayes Hospital	88	0.1	87	0.2	1	0.0		0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	22	0.0	10	0.0	3	0.0	0	0.0	1	0.0	1	0.0	7	0.1
Putnam County Hospitals	**1,105**	**1.0**	**436**	**1.0**	**385**	**1.1**	**4**	**0.1**	**52**	**0.4**	**35**	**0.3**	**193**	**2.2**
Putnam Hospital Center	1,105	1.0	436	1.0	385	1.1	4	0.1	52	0.4	35	0.3	193	2.2
Hospitals North of Putnam and Rockland Counties	**324**	**0.3**	**122**	**0.3**	**115**	**0.3**	**7**	**0.2**	**13**	**0.1**	**9**	**0.1**	**58**	**0.7**
Unknown Hospitals	**804**	**0.7**	**18**	**0.0**	**106**	**0.3**	**0**	**0.0**	**680**	**5.9**	**0**	**0.0**	**0**	**0.0**

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009
(continued)

New York State Hospitals	2009													
	Total		Medical		Surgical		Pediatric		Obstetrical		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	**112,436**	**100**	**43,920**	**100**	**34,443**	**100**	**4,413**	**100**	**10,956**	**100**	**9,749**	**100**	**8,955**	**100**
Westchester County Acute Care Hospitals	**87,003**	**77.4**	**37,021**	**84.3**	**24,199**	**70.3**	**3,309**	**75.0**	**8,773**	**80.1**	**8,265**	**84.8**	**5,436**	**60.7**
Westchester Medical Center	13,956	12.4	3,272	7.4	5,415	15.7	2,005	45.4	828	7.6	641	6.6	1,795	20.0
St. John's Riverside Hospital	12,016	10.7	5,159	11.7	2,561	7.4	15	0.3	1,541	14.1	1,527	15.7	1,213	13.5
White Plains Hospital Center	11,029	9.8	4,908	11.2	3,282	9.5	375	8.5	1,217	11.1	1,179	12.1	68	0.8
Lawrence Hospital Center	9,511	8.5	4,976	11.3	2,324	6.7	222	5.0	951	8.7	955	9.8	83	0.9
Sound Shore Medical Center of Westchester	8,780	7.8	3,813	8.7	2,119	6.2	114	2.6	1,281	11.7	1,163	11.9	290	3.2
Northern Westchester Hospital	8,376	7.4	3,253	7.4	2,312	6.7	250	5.7	1,152	10.5	1,131	11.6	278	3.1
Phelps Memorial Hospital Center	7,784	6.9	2,868	6.5	2,094	6.1	101	2.3	1,095	10.0	1,092	11.2	534	6.0
Hudson Valley Hospital Center	5,543	4.9	2,761	6.3	1,444	4.2	36	0.8	670	6.1	577	5.9	55	0.6
St. Joseph's Hospital (Yonkers)	5,068	4.5	2,990	6.8	1,292	3.8	190	4.3	27	0.2	0	0.0	569	6.4
Mount Vernon Hospital	3,866	3.4	2,379	5.4	938	2.7	0	0.0	10	0.1	0	0.0	539	6.0
Community Hospital at Dobbs Ferry	1,074	1.0	642	1.5	418	1.2	1	0.0	1	0.0	0	0.0	12	0.1
Westchester County Specialty Hospitals	**4,401**	**3.9**	**1,877**	**4.3**	**8**	**0.0**	**52**	**1.2**	**0**	**0.0**	**0**	**0.0**	**2,464**	**27.5**
Winifred Masterson Burke Rehabilitation Hospital	1,845	1.6	1,837	4.2	8	0.0	0	0.0	0	0.0	0	0.0	0	0.0
SVCMC-St. Vincent's Westchester	1,329	1.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,329	14.8
New York Presbyterian Hospital Westchester Division	1,165	1.0	30	0.1	0	0.0	0	0.0	0	0.0	0	0.0	1,135	12.7
Blythedale Children's Hospital	62	0.1	10	0.0	0	0.0	52	1.2	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	**12,143**	**10.8**	**2,069**	**4.7**	**7,388**	**21.4**	**599**	**13.6**	**905**	**8.3**	**878**	**9.0**	**304**	**3.4**
New York Presbyterian Hospital at Columbia Presbyterian Center	2,978	2.6	419	1.0	1,813	5.3	270	6.1	219	2.0	202	2.1	55	0.6
Mount Sinai Hospital	2,018	1.8	369	0.8	1,284	3.7	30	0.7	151	1.4	149	1.5	35	0.4
New York Presbyterian Hospital at New York Weill Cornell Center	1,800	1.6	244	0.6	1,131	3.3	66	1.5	169	1.5	172	1.8	18	0.2
Memorial Hospital for Cancer and Allied Diseases	1,148	1.0	341	0.8	770	2.2	37	0.8	0	0.0	0	0.0	0	0.0
NYU Hospital Center	874	0.8	173	0.4	469	1.4	60	1.4	84	0.8	76	0.8	12	0.1
Hospital for Special Surgery	848	0.8	14	0.0	811	2.4	23	0.5	0	0.0	0	0.0	0	0.0
Lenox Hill Hospital	695	0.6	101	0.2	331	1.0	2	0.0	122	1.1	122	1.3	17	0.2
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	430	0.4	57	0.1	150	0.4	11	0.2	105	1.0	102	1.0	5	0.1
Beth Israel Medical Center/Petrie Campus	402	0.4	77	0.2	183	0.5	73	1.7	16	0.1	16	0.2	37	0.4
Hospital for Joint Diseases at Orthopaedic Institute Inc	209	0.2	26	0.1	170	0.5	13	0.3	0	0.0	0	0.0	0	0.0

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009 ***(continued)***

New York State Hospitals	2009													
	Total		Medical		Surgical		Pediatric		Obstetrical		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals *(continued)*														
SVCMC-St. Vincent's Manhattan	186	0.2	39	0.1	101	0.3	0	0.0	14	0.1	14	0.1	18	0.2
St. Luke's Roosevelt Hospital at St. Lukes Hospital Division	160	0.1	45	0.1	68	0.2	5	0.1	1	0.0	0	0.0	41	0.5
New York Presbyterian Hospital at Allen Pavilion	137	0.1	59	0.1	31	0.1	0	0.0	17	0.2	20	0.2	10	0.1
Bellevue Hospital Center	90	0.1	31	0.1	29	0.1	2	0.0	2	0.0	1	0.0	25	0.3
All Other Hospitals	168	0.1	74	0.2	47	0.1	7	0.2	5	0.0	4	0.0	31	0.3
Bronx County Hospitals	**5,803**	**5.2**	**2,039**	**4.6**	**1,955**	**5.7**	**413**	**9.4**	**567**	**5.2**	**495**	**5.1**	**334**	**3.7**
Montefiore Medical Center at Henry & Lucy Moses Division	2,285	2.0	753	1.7	1,148	3.3	359	8.1	4	0.0	0	0.0	21	0.2
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,223	1.1	261	0.6	362	1.1	0	0.0	320	2.9	280	2.9	0	0.0
Our Lady of Mercy Medical Center	856	0.8	244	0.6	153	0.4	27	0.6	181	1.7	161	1.7	90	1.0
Calvary Hospital Inc.	484	0.4	456	1.0	17	0.0	0	0.0	0	0.0	0	0.0	11	0.1
Jacobi Medical Center	405	0.4	130	0.3	163	0.5	17	0.4	24	0.2	24	0.2	47	0.5
St. Barnabas Hospital	235	0.2	61	0.1	33	0.1	6	0.1	10	0.1	7	0.1	118	1.3
New York Westchester Square Medical Center	107	0.1	61	0.1	45	0.1	0	0.0	0	0.0	0	0.0	1	0.0
All Other Hospitals	208	0.2	73	0.2	34	0.1	4	0.1	28	0.3	23	0.2	46	0.5
Queens County Hospitals	**206**	**0.2**	**57**	**0.1**	**54**	**0.2**	**14**	**0.3**	**32**	**0.3**	**28**	**0.3**	**21**	**0.2**
Kings County (Brooklyn) Hospitals	**102**	**0.1**	**28**	**0.1**	**32**	**0.1**	**4**	**0.1**	**10**	**0.1**	**12**	**0.1**	**16**	**0.2**
Richmond County (Staten Island) Hospitals	**29**	**0.0**	**9**	**0.0**	**9**	**0.0**	**0**	**0.0**	**2**	**0.0**	**1**	**0.0**	**8**	**0.1**
Nassau County Hospitals	**239**	**0.2**	**77**	**0.2**	**111**	**0.3**	**7**	**0.2**	**19**	**0.2**	**18**	**0.2**	**7**	**0.1**
North Shore University Hospital	116	0.1	34	0.1	51	0.1	3	0.1	13	0.1	13	0.1	2	0.0
All Other Hospitals	123	0.1	43	0.1	60	0.2	4	0.1	6	0.1	5	0.1	5	0.1
Suffolk County Hospitals	**67**	**0.1**	**26**	**0.1**	**25**	**0.1**	**4**	**0.1**	**3**	**0.0**	**2**	**0.0**	**7**	**0.1**
Rockland County Hospitals	**271**	**0.2**	**143**	**0.3**	**23**	**0.1**	**2**	**0.0**	**7**	**0.1**	**8**	**0.1**	**88**	**1.0**
Nyack Hospital	159	0.1	40	0.1	20	0.1	2	0.0	5	0.0	7	0.1	85	0.9
Helen Hayes Hospital	92	0.1	92	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	20	0.0	11	0.0	3	0.0	0	0.0	2	0.0	1	0.0	3	0.0
Putnam County Hospitals	**1,095**	**1.0**	**429**	**1.0**	**391**	**1.1**	**5**	**0.1**	**39**	**0.4**	**38**	**0.4**	**193**	**2.2**
Putnam Hospital Center	1,095	1.0	429	1.0	391	1.1	5	0.1	39	0.4	38	0.4	193	2.2
Hospitals North of Putnam and Rockland Counties	**346**	**0.3**	**120**	**0.3**	**137**	**0.4**	**4**	**0.1**	**5**	**0.0**	**4**	**0.0**	**76**	**0.8**
Unknown Hospitals	**731**	**0.7**	**25**	**0.1**	**111**	**0.3**	**0**	**0.0**	**594**	**5.4**	**0**	**0.0**	**1**	**0.0**

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 2. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009

2008										
	Total[2]		Female			Female (excluding obstetric service categories)		Male		
Age *(years)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	%	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	%	Average Length of Stay *(days)*
Total	**114,799**	**6.1**	**65,008**	**56.6**	**5.7**	**53,436**	**6.3**	**49,762**	**43.3**	**6.5**
Newborn[1]	10,236	4.0	4,993	48.8	3.8	4,993	3.8	5,215	50.9	4.1
Less than 1	1,208	6.1	515	42.6	7.2	515	7.2	693	57.4	5.3
1-2	838	3.8	358	42.7	4.4	358	4.4	480	57.3	3.3
3-4	578	3.7	230	39.8	3.4	230	3.4	348	60.2	4.0
5-5	399	5.4	181	45.4	4.4	181	4.4	218	54.6	6.2
7-8	348	4.3	144	41.4	3.5	144	3.5	204	58.6	4.9
9-10	403	7.7	158	39.2	4.4	157	4.5	245	60.8	9.7
11-12	475	7.9	204	42.9	6.6	204	6.6	271	57.1	8.9
13-14	641	8.7	311	48.5	8.9	304	9.1	330	51.5	8.6
15-16	918	7.7	470	51.2	6.9	403	7.6	448	48.8	8.6
17-18	1,111	5.5	674	60.7	4.7	392	6.1	437	39.3	6.7
19-20	1,567	4.9	1,023	65.3	3.8	388	5.0	544	34.7	7.0
21-22	1,512	5.6	1,038	68.7	4.2	369	6.3	474	31.3	8.8
23-24	1,632	5.1	1,193	73.1	4.2	423	6.8	439	26.9	7.3
25-29	4,969	4.7	3,748	75.4	3.8	1,049	5.7	1,221	24.6	7.4
30-34	5,740	4.5	4,530	78.9	3.8	1,176	5.9	1,210	21.1	7.0
35-39	5,845	5.1	4,150	71.0	4.4	1,743	6.1	1,695	29.0	6.7
40-44	5,425	6.1	3,098	57.1	5.5	2,466	6.0	2,327	42.9	6.8
45-49	6,159	6.2	3,163	51.4	5.9	3,121	5.9	2,996	48.6	6.5
50-54	6,796	6.4	3,295	48.5	6.1	3,289	6.1	3,501	51.5	6.7
55-59	6,943	6.3	3,156	45.5	6.2	3,155	6.2	3,786	54.5	6.3
60-64	6,921	6.4	3,361	48.6	6.4	3,361	6.4	3,560	51.4	6.4
65-69	6,989	6.4	3,473	49.7	6.5	3,473	6.5	3,516	50.3	6.2
70-74	7,164	6.9	3,853	53.8	7.0	3,853	7.0	3,311	46.2	6.8
75-79	8,631	7.0	4,656	53.9	7.0	4,656	7.0	3,975	46.1	7.0
80-84	9,445	7.1	5,342	56.6	7.2	5,342	7.2	4,103	43.4	7.1
85+	11,903	7.3	7,691	64.6	7.1	7,691	7.1	4,212	35.4	7.6
Unknown Age	3	3.3	0	0.0	0.0	0	0.0	3	100.0	3.3
Total excluding Newborns	**104,563**	**6.3**	**60,015**	**57.4**	**5.9**	—	—	**44,547**	**42.6**	**6.8**
Total excluding Newborns & Obstetrics	**92,991**	**6.7**	**48,443**	**52.1**	**6.6**	—	—	**44,547**	**47.9**	**6.8**

(continued)

Table 2. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009 ***(continued)***

2009										
	Total[2]		Female			Female (excluding obstetric service categories)		Male		
Age *(years)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	%	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	%	Average Length of Stay *(days)*
Total	**112,436**	**6.0**	**63,675**	**56.6**	**5.7**	**52,719**	**6.2**	**48,756**	**43.4**	**6.4**
Newborn[1]	9,749	4.2	4,747	48.7	4.0	4,747	4.0	4,997	51.3	4.4
Less than 1	1,184	6.8	482	40.7	6.9	482	6.9	702	59.3	6.8
1-2	878	3.6	375	42.7	4.1	375	4.1	503	57.3	3.2
3-4	536	3.7	234	43.7	4.4	234	4.4	302	56.3	3.1
5-6	452	4.5	190	42.0	4.5	190	4.5	262	58.0	4.4
7-8	335	6.1	125	37.3	5.0	125	5.0	210	62.7	6.7
9-10	376	6.6	138	36.7	5.4	138	5.4	238	63.3	7.3
11-12	494	8.1	227	46.0	8.0	225	8.1	267	54.0	8.2
13-14	689	8.4	321	46.6	8.8	316	8.8	368	53.4	8.0
15-16	938	7.4	478	51.0	7.4	396	8.4	460	49.0	7.5
17-18	1,098	5.8	665	60.6	4.9	381	6.3	433	39.4	7.2
19-20	1,425	5.1	922	64.7	4.0	397	5.4	503	35.3	7.2
21-22	1,609	4.8	1,137	70.7	4.0	436	5.0	472	29.3	6.9
23-24	1,637	5.9	1,152	70.4	4.6	432	7.2	485	29.6	9.2
25-29	4,688	4.8	3,457	73.7	3.8	1,019	5.6	1,231	26.3	7.6
30-34	5,719	4.6	4,499	78.7	3.8	1,202	5.6	1,220	21.3	7.5
35-39	5,475	5.0	3,907	71.4	4.3	1,670	5.8	1,568	28.6	6.9
40-44	5,154	5.6	2,961	57.5	5.1	2,341	5.5	2,193	42.5	6.2
45-49	6,246	6.0	3,232	51.7	5.7	3,189	5.7	3,014	48.3	6.3
50-54	6,666	6.5	3,381	50.7	6.3	3,380	6.3	3,285	49.3	6.6
55-59	6,585	6.4	3,014	45.8	6.4	3,013	6.4	3,571	54.2	6.4
60-64	7,355	6.4	3,595	48.9	6.5	3,595	6.5	3,760	51.1	6.3
65-69	7,009	6.4	3,431	49.0	6.4	3,431	6.4	3,578	51.0	6.4
70-74	7,132	6.7	3,700	51.9	6.7	3,700	6.7	3,432	48.1	6.7
75-79	8,229	6.7	4,398	53.4	6.5	4,398	6.5	3,831	46.6	6.8
80-84	8,864	7.0	5,115	57.7	7.0	5,115	7.0	3,749	42.3	7.0
85+	11,912	6.9	7,791	65.4	6.8	7,791	6.8	4,121	34.6	7.1
Unknown Age	2	6.0	1	50.0	9.0	1	9.0	1	50.0	3.0
Total excluding Newborns	**102,687**	**6.2**	**58,928**	**57.4**	**5.8**	—	—	**43,759**	**42.6**	**6.7**
Total excluding Newborns & Obstetrics	**91,731**	**6.5**	**47,972**	**52.3**	**6.4**	—	—	**43,759**	**47.7**	**6.7**

[1] Only includes newborns delivered in New York State Hospitals.

[2] Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 3. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Age *(years)*	Total		White		Black		Other[2]		Hispanic[3]	
	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*	Number of Discharges	Average Length of Stay *(days)*
Total	**114,799**	**6.1**	**73,827**	**6.0**	**20,132**	**6.9**	**20,840**	**5.6**	**15,654**	**5.0**
Newborn[1]	10,236	4.0	5,676	3.7	1,580	4.9	2,980	4.1	2,560	3.7
Less than 1	1,208	6.1	599	5.3	201	8.6	408	6.2	373	5.6
1-2	838	3.8	429	3.7	133	5.0	276	3.3	290	3.9
3-4	578	3.7	289	3.5	114	3.7	175	4.2	149	4.4
5-6	399	5.4	184	5.0	71	9.5	144	3.9	96	5.0
7-8	348	4.3	175	3.8	55	5.3	118	4.7	82	3.9
9-10	403	7.7	215	5.0	86	14.8	102	7.3	113	5.9
11-12	475	7.9	251	5.7	102	12.1	122	9.0	78	8.5
13-14	641	8.7	299	7.1	146	13.2	196	7.9	118	7.3
15-16	918	7.7	460	5.8	194	10.0	264	9.4	216	5.9
17-18	1,111	5.5	533	5.4	279	6.3	299	5.0	282	4.6
19-20	1,567	4.9	723	4.8	422	5.3	422	4.8	409	3.9
21-22	1,512	5.6	733	5.8	349	5.3	430	5.5	458	5.1
23-24	1,632	5.1	744	4.3	423	6.1	465	5.3	486	4.3
25-29	4,969	4.7	2,300	4.3	1,121	5.5	1,548	4.6	1,404	4.0
30-34	5,740	4.5	3,083	4.1	1,040	5.8	1,617	4.4	1,239	4.0
35-39	5,845	5.1	3,180	4.6	1,235	6.5	1,430	5.0	1,111	5.1
40-44	5,425	6.1	2,819	6.1	1,433	6.6	1,173	5.5	931	5.7
45-49	6,159	6.2	3,451	5.7	1,684	7.2	1,024	6.1	798	5.4
50-54	6,796	6.4	4,070	6.2	1,585	7.1	1,141	6.1	813	6.2
55-59	6,943	6.3	4,514	6.0	1,330	7.1	1,099	6.3	767	5.7
60-64	6,921	6.4	4,616	6.2	1,287	6.9	1,018	6.5	644	6.1
65-69	6,989	6.4	4,695	6.2	1,209	7.2	1,085	6.3	653	6.0
70-74	7,164	6.9	5,194	6.7	1,096	7.6	874	7.4	465	7.8
75-79	8,631	7.0	6,782	7.0	982	7.4	867	6.8	455	6.3
80-84	9,445	7.1	7,797	7.0	882	8.2	766	7.0	373	7.0
85 and older	11,903	7.3	10,013	7.2	1,093	8.4	797	7.0	291	6.3
Unknown Age	3	3.3	3	3.3	—	—	—	—	—	—
Total Excluding Newborns	**104,563**	**6.3**	**68,151**	**6.2**	**18,552**	**7.0**	**17,860**	**5.8**	**13,094**	**5.3**
Total Excluding Newborns & Obstetrics	**92,991**	**6.7**	**62,014**	**6.5**	**16,527**	**7.5**	**14,450**	**6.5**	**10,097**	**6.0**

(continued)

Table 3. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 *(continued)*

2009										
	Total		White		Black		Other[2]		Hispanic[3]	
Age *(years)*	**Number of Discharges**	**Average Length of Stay** *(days)*	**Number of Discharges**	**Average Length of Stay** *(days)*	**Number of Discharges**	**Average Length of Stay** *(days)*	**Number of Discharges**	**Average Length of Stay** *(days)*	**Number of Discharges**	**Average Length of Stay** *(days)*
Total	**112,436**	**6.0**	**71,388**	**5.9**	**20,488**	**6.7**	**20,560**	**5.7**	**16,640**	**4.9**
Newborn[1]	9,749	4.2	5,268	3.8	1,501	5.0	2,980	4.5	2,731	3.5
Less than 1	1,184	6.8	536	6.0	210	8.7	438	6.9	365	6.1
1-2	878	3.6	437	3.6	154	3.5	287	3.5	274	4.0
3-4	536	3.7	274	4.3	84	3.2	178	3.0	176	4.7
5-6	452	4.5	241	3.9	75	6.0	136	4.6	138	4.2
7-8	335	6.1	167	4.7	50	10.8	118	6.0	101	5.9
9-10	376	6.6	168	4.7	93	8.6	115	7.6	75	6.8
11-12	494	8.1	261	7.9	91	10.9	142	6.8	108	5.8
13-14	689	8.4	302	5.8	162	12.8	225	8.7	141	6.3
15-16	938	7.4	440	5.8	231	10.3	267	7.7	220	7.5
17-18	1,098	5.8	519	5.0	272	7.8	307	5.4	276	5.1
19-20	1,425	5.1	662	4.7	368	5.0	395	5.9	421	4.5
21-22	1,609	4.8	780	4.5	363	6.0	466	4.4	556	3.8
23-24	1,637	5.9	841	5.9	347	6.0	449	6.0	508	4.3
25-29	4,688	4.8	2,156	4.5	1,098	5.6	1,434	4.6	1,478	3.9
30-34	5,719	4.6	2,962	4.2	1,117	5.9	1,640	4.5	1,374	4.1
35-39	5,475	5.0	2,899	4.7	1,233	5.8	1,343	5.0	1,119	5.0
40-44	5,154	5.6	2,753	5.2	1,408	6.1	993	5.8	881	5.5
45-49	6,246	6.0	3,325	5.9	1,776	6.5	1,145	5.4	981	5.4
50-54	6,666	6.5	3,878	6.0	1,690	7.5	1,098	6.4	849	5.6
55-59	6,585	6.4	4,156	6.0	1,341	7.1	1,088	6.9	791	5.9
60-64	7,355	6.4	4,939	6.2	1,402	7.2	1,014	6.6	686	5.4
65-69	7,009	6.4	4,732	6.3	1,307	6.6	970	6.5	636	5.9
70-74	7,132	6.7	5,080	6.5	1,096	7.8	956	6.5	532	5.9
75-79	8,229	6.7	6,379	6.6	988	6.8	862	6.9	483	5.8
80-84	8,864	7.0	7,294	6.9	888	7.8	682	7.0	367	7.3
85+	11,912	6.9	9,937	6.8	1,143	7.6	832	7.3	373	6.2
Unknown Age	2	6.0	2	6.0	—	—	—	—	—	—
Total Excluding Newborns	**102,687**	**6.2**	**66,120**	**6.1**	**18,987**	**6.8**	**17,580**	**5.9**	**13,909**	**5.2**
Total Excluding Newborns & Obstetrics	**91,731**	**6.5**	**60,392**	**6.3**	**17,101**	**7.2**	**14,238**	**6.6**	**10,681**	**5.8**

[1] Only includes newborns delivered in New York State Hospitals.

[2] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 4. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009

2008				
	Prinicpal Diagnosis[1]		All Related Diagnoses[2]	
Diagnosis	Number	%	Number	%
Total	**114,799**	**100**	**114,799**	—
Circulatory System	16,140	14.1	58,342	50.8
Digestive System	9,290	8.1	25,689	22.4
Mental Disorders	8,920	7.8	29,701	25.9
Respiratory System	8,169	7.1	26,772	23.3
Asthma	*1,458*	*1.3*	*7,494*	*6.5*
Neoplasms	6,103	5.3	14,051 [3]	12.2
Malignant	*4,708*	*4.1*	*10,742*	*9.4*
Benign	*1,117*	*1.0*	*2,350*	*2.0*
Carcinoma in Situ & Uncertain	*278*	*0.2*	*959*	*0.8*
Musculoskeletal System & Connective Tissue	5,388	4.7	18,296	15.9
Injury & Poisonings	5,060 [4]	4.4	6,972 [5]	6.3
Genitourinary System	4,688	4.1	25,907	22.6
Infections and Parasitic Diseases	4,318	3.8	14,382	12.5
HIV & AIDS	*155*	*0.1*	*1,088* [6]	*0.9*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,876	3.4	51,880	45.2
Diabetes Mellitus	*1,471*	*1.3*	*18,753*	*16.3*
Nervous System & Sense Organs	2,469	2.2	17,426	15.2
Skin & Subcutaneous Tissue	2,156	1.9	8,773	7.6
Blood & Blood Forming Organs	1,550	1.4	19,048	16.6
Congenital Anomalies	403	0.4	2,373	2.1
Conditions Originating in Perinatal Period	299	0.3	4,891	4.3
Symptoms, Signs, & Ill-defined Conditions	7,369	6.4	28,000	24.4
Supplementary Classifications - Other	3,818	3.3	61,516	53.6
Medical Misadventures, Abnormal Reactions & Late Effects	2,940 [4]	2.6	8,186 [5]	7.1
Complications of Pregnancy, Childbirth, & Puerperium	11,607 [7]	10.1	11,632	10.1
Supplementary Classifications - Newborns	10,236	8.9	10,236	8.9

(continued)

Table 4. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009 *(continued)*

2009				
	Principal Diagnosis[1]		All Related Diagnoses[2]	
Diagnosis	Number	%	Number	%
Total	**112,436**	**100**	**112,436**	—
Circulatory System	15,649	13.9	57,595	51.2
Digestive System	9,067	8.1	25,518	22.7
Mental Disorders	8,955	8.0	30,614	27.2
Respiratory System	8,131	7.2	26,894	23.9
Asthma	*1,413*	*1.3*	*7,438*	*6.6*
Neoplasms	5,865	5.2	13,514 [3]	12.0
Malignant	*4,500*	*4.0*	*10,214*	*9.1*
Benign	*1,099*	*1.0*	*2,349*	*2.1*
Carcinoma in Situ & Uncertain	*266*	*0.2*	*951*	*0.8*
Musculoskeletal System & Connective Tissue	5,448	4.8	18,521	16.5
Injury & Poisonings	5,072 [4]	4.5	6,961 [5]	6.4
Genitourinary System	4,716	4.2	26,404	23.5
Infections and Parasitic Diseases	4,332	3.9	14,043	12.5
HIV & AIDS	*119*	*0.1*	*1,020* [6]	*0.9*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,770	3.4	51,941	46.2
Diabetes Mellitus	*1,400*	*1.2*	*18,858*	*16.8*
Nervous System & Sense Organs	2,443	2.2	18,073	16.1
Skin & Subcutaneous Tissue	2,073	1.8	8,361	7.4
Blood & Blood Forming Organs	1,648	1.5	19,781	17.6
Congenital Anomalies	380	0.3	2,326	2.1
Conditions Originating in Perinatal Period	264	0.2	4,807	4.3
Symptoms, Signs, & Ill-defined Conditions	7,425	6.6	27,681	24.6
Supplementary Classifications - Other	3,648	3.2	61,393	54.6
Medical Misadventures, Abnormal Reactions & Late Effects	2,800 [4]	2.5	7,919 [5]	7.0
Complications of Pregnancy, Childbirth, & Puerperium	10,999 [7]	9.8	11,027	9.8
Supplementary Classifications - Newborns	9,749	8.7	9,749	8.7

[1] The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Although the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. The principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

[2] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

[3] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges of V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episodewhich had no bearing on the current hospital stay were excluded.

[4] Defined by ICD-9 Numberical Code and E Codes.

[5] Including cases coded for external cause of injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

[6] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the the treatment received and/or length of stay. In addition, it included any V-class coding of V08.0 and any of the variables for current, new or past New York State diagnosis-related groupings in the range of 700 to 716 or any current, new or past federal diagnosis-related groupings in the range of 488 to 490.

[7] Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. It includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 5. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009

2008																	
Principal Diagnosis[1]	Total[2]	Less than 1[3]		1-12		13-17		18-34		35-49		50-64		65-74		75+	
		Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total	**114,799**	**1,208**	**100**	**3,041**	**100**	**2,037**	**100**	**16,053**	**100**	**17,429**	**100**	**20,660**	**100**	**14,153**	**100**	**29,979**	**100**
Circulatory System	16,140	14	1.2	34	1.1	21	1.0	280	1.7	1,362	7.8	3,703	17.9	3,215	22.7	7,511	25.1
Digestive System	9,289	76	6.3	261	8.6	207	10.2	1,081	6.7	1,662	9.5	2,097	10.2	1,302	9.2	2,603	8.7
Mental Disorders	8,920	0	0.0	265	8.7	685	33.6	2,245	14.0	3,093	17.7	1,822	8.8	431	3.0	379	1.3
Respiratory System	8,169	306	25.3	754	24.8	84	4.1	332	2.1	708	4.1	1,481	7.2	1,260	8.9	3,244	10.8
Asthma	*1,458*	*22*	1.8	*350*	11.5	*26*	1.3	*113*	0.7	*250*	1.4	*360*	1.7	*138*	1.0	*199*	0.7
Neoplasms (including benign)	6,103	3	0.2	43	1.4	39	1.9	206	1.3	1,123	6.4	1,903	9.2	1,237	8.7	1,549	5.2
Malignant Neoplasms	*4,708*	*0*	0.0	*34*	1.1	*16*	0.8	*100*	0.6	*534*	3.1	*1,556*	7.5	*1,097*	7.8	*1,371*	4.6
Musculoskeletal System & Connective Tissue	5,386	4	0.3	77	2.5	81	4.0	272	1.7	831	4.8	1,550	7.5	1,065	7.5	1,506	5.0
Injury and Poisoning	5,060	26	2.2	237	7.8	200	9.8	768	4.8	687	3.9	736	3.6	470	3.3	1,936	6.5
Genitourinary System	4,688	60	5.0	103	3.4	54	2.7	398	2.5	700	4.0	915	4.4	688	4.9	1,770	5.9
Infections and Parasitic Diseases	4,318	64	5.3	115	3.8	35	1.7	266	1.7	439	2.5	732	3.5	652	4.6	2,015	6.7
HIV and AIDS	*155*	*0*	0.0	*0*	0.0	*0*	0.0	*18*	0.1	*74*	0.4	*59*	0.3	*2*	0.0	*2*	0.0
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,876	45	3.7	225	7.4	80	3.9	319	2.0	605	3.5	886	4.3	547	3.9	1,169	3.9
Diabetes Mellitus	*1,471*	*1*	0.1	*48*	1.6	*36*	1.8	*133*	0.8	*257*	1.5	*432*	2.1	*221*	1.6	*343*	1.1
Nervous System & Sense Organs	2,469	27	2.2	291	9.6	100	4.9	253	1.6	373	2.1	449	2.2	290	2.0	686	2.3
Skin & Subcutaneous Tissue	2,156	23	1.9	106	3.5	51	2.5	235	1.5	386	2.2	507	2.5	258	1.8	590	2.0
Blood & Blood Forming Organs	1,550	6	0.5	91	3.0	41	2.0	254	1.6	242	1.4	246	1.2	183	1.3	487	1.6
Congenital Anomalies	403	125	10.3	109	3.6	33	1.6	42	0.3	36	0.2	36	0.2	13	0.1	9	0.0
Conditions Originating in Perinatal Period	299	297	24.6	2	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, & Ill-defined Conditions	7,369	103	8.5	186	6.1	75	3.7	394	2.5	1,288	7.4	1,892	9.2	1,145	8.1	2,286	7.6
Supplementary Classifications - Other	3,818	10	0.8	76	2.5	49	2.4	180	1.1	398	2.3	863	4.2	885	6.3	1,357	4.5
Medical Misadventure, Abnormal Reaction, & Late Effects	2,940	19	1.6	64	2.1	38	1.9	182	1.1	408	2.3	835	4.0	512	3.6	882	2.9
Complications of Pregnancy, Childbirth, & Puerperium[4]	11,607	0	0.0	2	0.1	164	8.1	8,346	52.0	3,088	17.7	7	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	10,236	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(continued)

Table 5. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009 ***(continued)***

2009

Principal Diagnosis[1]	Total[2]	Less than 1[3]		1-12		13-17		18-34		35-49		50-64		65-74		75 and over	
		Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total	**112,436**	**1,184**	**100**	**3,071**	**100**	**2,154**	**100**	**15,649**	**100**	**16,875**	**100**	**20,606**	**100**	**14,141**	**100**	**29,005**	**100**
Circulatory System	15,649	7	0.6	49	1.6	26	1.2	270	1.7	1,273	7.5	3,555	17.3	3,247	23.0	7,222	24.9
Digestive System	9,067	65	5.5	296	9.6	222	10.3	988	6.3	1,561	9.3	2,165	10.5	1,288	9.1	2,482	8.6
Mental Disorders	8,955	1	0.1	242	7.9	756	35.1	2,401	15.3	2,919	17.3	1,813	8.8	396	2.8	427	1.5
Respiratory System	8,131	333	28.1	805	26.2	99	4.6	427	2.7	722	4.3	1,551	7.5	1,210	8.6	2,984	10.3
Asthma	*1,413*	*16*	1.4	*357*	11.6	*29*	1.3	*144*	0.9	*238*	1.4	*342*	1.7	*116*	0.8	*171*	0.6
Neoplasms (including benign)	5,865	7	0.6	48	1.6	43	2.0	209	1.3	1,124	6.7	1,792	8.7	1,166	8.2	1,476	5.1
Malignant Neoplasms	*4,500*	*3*	0.3	*35*	1.1	*23*	1.1	*107*	0.7	*523*	3.1	*1,463*	7.1	*1,041*	7.4	*1,305*	4.5
Musculoskeletal System & Connective Tissue	5,448	1	0.1	74	2.4	80	3.7	287	1.8	857	5.1	1,554	7.5	1,144	8.1	1,450	5.0
Injury & Poisoning	5,072	45	3.8	220	7.2	205	9.5	712	4.5	691	4.1	758	3.7	567	4.0	1,873	6.5
Genitourinary System	4,716	66	5.6	96	3.1	65	3.0	403	2.6	724	4.3	919	4.5	654	4.6	1,789	6.2
Infections and Parasitic Diseases	4,332	60	5.1	133	4.3	38	1.8	239	1.5	426	2.5	806	3.9	677	4.8	1,953	6.7
HIV and AIDS	*119*	*0*	0.0	*0*	0.0	*1*	0.0	*15*	0.1	*46*	0.3	*43*	0.2	*10*	0.1	*4*	0.0
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,770	51	4.3	245	8.0	73	3.4	278	1.8	583	3.5	876	4.3	534	3.8	1,130	3.9
Diabetes Mellitus	*1,400*	*0*	0.0	*37*	1.2	*44*	2.0	*106*	0.7	*261*	1.5	*435*	2.1	*234*	1.7	*283*	1.0
Nervous System & Sense Organs	2,443	30	2.5	250	8.1	93	4.3	269	1.7	406	2.4	474	2.3	287	2.0	634	2.2
Skin & Subcutaneous Tissue	2,073	13	1.1	96	3.1	45	2.1	224	1.4	388	2.3	531	2.6	225	1.6	551	1.9
Blood & Blood Forming Organs	1,648	26	2.2	95	3.1	40	1.9	266	1.7	277	1.6	260	1.3	184	1.3	500	1.7
Congenital Anomalies	380	111	9.4	97	3.2	26	1.2	44	0.3	37	0.2	35	0.2	14	0.1	16	0.1
Conditions Originating in Perinatal Period	264	261	22.0	2	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Symptoms, Signs, & Ill-defined Conditions	7,425	79	6.7	168	5.5	75	3.5	418	2.7	1,246	7.4	1,960	9.5	1,098	7.8	2,381	8.2
Supplementary Classifications - Other	3,648	21	1.8	72	2.3	45	2.1	161	1.0	311	1.8	790	3.8	917	6.5	1,331	4.6
Medical Misadventure, Abnormal Reactions, & Late Effects	2,800	7	0.6	81	2.6	30	1.4	164	1.0	415	2.5	765	3.7	533	3.8	805	2.8
Complications of Pregnancy, Childbirth, & Puerperium[4]	10,999	0	0.0	2	0.1	193	9.0	7,889	50.4	2,913	17.3	2	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	9,749	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

[1] The principal diagnosis is the condition cheifly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represetns the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principla diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

[2] Totals include newborns and unknown age.

[3] "Less than 1" year of age category excludes newborns.

[4] Defined by ICD-9 numerical codes for pregnancy, childbirth and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 6. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2008-2009

2008					
Principal Diagnosis[1]	Total[2]	Male		Female	
		Number	%	Number	%
Total	**114,799**	**49,762**	**100**	**65,008**	**100**
Circulatory System	16,140	8,571	17.2	7,569	11.6
Digestive System	9,290	4,238	8.5	5,052	7.8
Mental Disorders	8,920	5,212	10.5	3,708	5.7
Respiratory System	8,169	3,801	7.6	4,368	6.7
Asthma	*1,458*	*541*	*1.1*	*917*	*1.4*
Neoplasms (including benign)	6,103	2,526	5.1	3,577	5.5
Malignant Neoplasms	*4,708*	*2,272*	*4.6*	*2,436*	*3.7*
Musculoskeletal System & Connective Tissue	5,388	2,271	4.6	3,117	4.8
Injury & Poisoning	5,060	2,460	4.9	2,600	4.0
Genitourinary System	4,688	1,972	4.0	2,716	4.2
Infections and Parasitic Diseases	4,318	2,014	4.0	2,304	3.5
HIV and AIDS	*155*	*91*	*0.2*	*64*	*0.1*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,876	1,709	3.4	2,167	3.3
Diabetes Mellitus	*1,471*	*789*	*1.6*	*682*	*1.0*
Nervous System & Sense Organs	2,469	1,063	2.1	1,406	2.2
Skin & Subcutaneous Tissue	2,156	1,117	2.2	1,039	1.6
Blood & Blood Forming Organs	1,550	647	1.3	903	1.4
Congenital Anomalies	403	234	0.5	169	0.3
Conditions Originating in Perinatal Period	299	169	0.3	130	0.2
Symptoms, Signs, & Ill-defined Conditions	7,369	3,280	6.6	4,088	6.3
Supplemental Classifications - Other	3,818	1,736	3.5	2,082	3.2
Medical Misadventure, Abnormal Reactions, & Late Effects	2,940	1,527	3.1	1,413	2.2
Complications of Pregnancy, Childbirth, & Puerperium[3]	11,607	—	—	11,607	17.9
Supplemental Classifications - Newborns	10,236	5,215	10.5	4,993	7.7

(continued)

Table 6. Number of Hospital Discharges by Princial Diagnosis and Sex, Westchester County Residents, 2008-2009 ***(continued)***

2009					
Principle Diagnosis[1]	**Total[2]**	**Male**		**Female**	
		Number	**%**	**Number**	**%**
Total	**112,436**	**48,756**	**100**	**63,675**	**100**
Circulatory System	15,649	8,216	16.9	7,433	11.7
Digestive System	9,067	4,171	8.6	4,896	7.7
Mental Disorders	8,955	5,252	10.8	3,703	5.8
Respiratory System	8,131	3,801	7.8	4,330	6.8
Asthma	*1,413*	*543*	*1.1*	*870*	*1.4*
Neoplasms (including benign)	5,865	2,421	5.0	3,444	5.4
Malignant Neoplasms	*4,500*	*2,159*	*4.4*	*2,341*	*3.7*
Musculoskeletal System & Connective Tissue	5,448	2,315	4.7	3,133	4.9
Injury & Poisonings	5,072	2,467	5.1	2,605	4.1
Genitourinary System	4,716	1,958	4.0	2,758	4.3
Infections and Parasitic Diseases	4,332	2,056	4.2	2,276	3.6
HIV and AIDS	*119*	*60*	*0.1*	*59*	*0.1*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,770	1,684	3.5	2,086	3.3
Diabetes Mellitus	*1,400*	*780*	*1.6*	*620*	*1.0*
Nervous System & Sense Organs	2,443	1,063	2.2	1,380	2.2
Skin & Subcutaneous Tissue	2,073	1,037	2.1	1,036	1.6
Blood & Blood Forming Organs	1,648	636	1.3	1,012	1.6
Congenital Anomalies	380	216	0.4	164	0.3
Conditions Originating in Perinatal Period	264	155	0.3	109	0.2
Symptoms, Signs, & Ill-defined Conditions	7,425	3,256	6.7	4,169	6.5
Supplementary Classifications - Other	3,648	1,631	3.3	2,017	3.2
Medical Misadventure, Abnormal Reactions, & Late Effects	2,800	1,424	2.9	1,376	2.2
Complications of Pregnancy, Childbirth, & Puerperium[3]	10,999	—	—	10,999	17.3
Supplementary Classifications - Newborns	9,749	4,997	10.2	4,747	7.5

[1] The principal diagnosis is the condition cheifly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represetns the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principal diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

[2] Totals include unknown sex.

[3] Defined by ICD-9 numerical codes for pregnancy, childbirth and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 7. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Principal Diagnosis[1]	Total	White		Black		Other[2]		Hispanic[3]	
		Number	%	Number	%	Number	%	Number	%
Total	**114,799**	**73,827**	**100**	**20,132**	**100**	**20,840**	**100**	**15,654**	**100**
Circulatory System	16,140	11,294	15.3	2,633	13.1	2,213	10.6	1,214	7.8
Digestive System	9,290	6,310	8.5	1,399	6.9	1,581	7.6	1,382	8.8
Mental Disorders	8,920	4,711	6.4	2,486	12.3	1,723	8.3	1,150	7.3
Respiratory System	8,169	5,512	7.5	1,479	7.3	1,178	5.7	981	6.3
Asthma	*1,458*	*653*	*0.9*	*463*	*2.3*	*342*	*1.6*	*318*	*2.0*
Neoplasms (including benign)	6,103	4,302	5.8	972	4.8	829	4.0	491	3.1
Malignant Neoplasms	*4,708*	*3,520*	*4.8*	*616*	*3.1*	*572*	*2.7*	*317*	*2.0*
Musculoskeletal System & Connective Tissue	5,388	4,014	5.4	710	3.5	664	3.2	398	2.5
Injury & Poisonings	5,060	3,552	4.8	626	3.1	882	4.2	541	3.5
Genitourinary System	4,688	3,123	4.2	765	3.8	800	3.8	634	4.1
Infections and Parasitic Diseases	4,318	2,965	4.0	805	4.0	548	2.6	402	2.6
HIV and AIDS	*155*	*39*	*0.1*	*95*	*0.5*	*21*	*0.1*	*21*	*0.1*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,876	2,321	3.1	955	4.7	600	2.9	443	2.8
Diabetes Mellitus	*1,471*	*700*	*0.9*	*541*	*2.7*	*230*	*1.1*	*211*	*1.3*
Nervous System & Sense Organs	2,469	1,586	2.1	432	2.1	451	2.2	298	1.9
Skin & Subcutaneous Tissue	2,156	1,436	1.9	388	1.9	332	1.6	294	1.9
Blood & Blood Forming Organs	1,550	876	1.2	479	2.4	195	0.9	132	0.8
Congenital Anomalies	403	241	0.3	50	0.2	112	0.5	94	0.6
Conditions Originating in Perinatal Period	299	144	0.2	32	0.2	123	0.6	62	0.4
Symptoms, Signs, & Ill-defined Conditions	7,369	4,665	6.3	1,494	7.4	1,210	5.8	986	6.3
Supplementary Classifications - Other	3,818	2,916	3.9	303	1.5	599	2.9	322	2.1
Medical Misadventure, Abnormal Reactions, & Late Effects	2,940	2,037	2.8	505	2.5	398	1.9	262	1.7
Complications of Pregnancy, Childbirth, & Puerperium[4]	11,607	6,146	8.3	2,039	10.1	3,422	16.4	3,008	19.2
Supplementary Classifications - Newborns	10,236	5,676	7.7	1,580	7.8	2,980	14.3	2,560	16.4

(continued)

Table 7. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009 ***(continued)***

2009									
Principal Diagnosis[1]	Total	White		Black		Other[2]		Hispanic[3]	
		Number	%	Number	%	Number	%	Number	%
Total	**112,436**	**71,388**	**100**	**20,488**	**100**	**20,560**	**100**	**16,640**	**100**
Circulatory System	15,649	10,993	15.4	2,628	12.8	2,028	9.9	1,189	7.1
Digestive System	9,067	5,999	8.4	1,565	7.6	1,503	7.3	1,451	8.7
Mental Disorders	8,955	4,646	6.5	2,494	12.2	1,815	8.8	1,204	7.2
Respiratory System	8,131	5,270	7.4	1,529	7.5	1,332	6.5	1,160	7.0
Athma	*1,413*	*608*	*0.9*	*466*	*2.3*	*339*	*1.6*	*343*	*2.1*
Neoplasms (including benign)	5,865	4,036	5.7	987	4.8	842	4.1	550	3.3
Malignant Neoplasms	*4,500*	*3,294*	*4.6*	*618*	*3.0*	*588*	*2.9*	*356*	*2.1*
Musculoskeletal System & Connective Tissue	5,448	4,017	5.6	755	3.7	676	3.3	404	2.4
Injury & Poisoning	5,072	3,582	5.0	679	3.3	811	3.9	590	3.5
Genitourinary System	4,716	3,137	4.4	806	3.9	773	3.8	657	3.9
Infections and Parasitic Diseases	4,332	2,903	4.1	838	4.1	591	2.9	434	2.6
HIV and AIDS	*119*	*25*	*0.0*	*84*	*0.4*	*10*	*0.0*	*15*	*0.1*
Endocrine, Nutritional, Metabolic, & Immunologic Disorders	3,770	2,262	3.2	941	4.6	567	2.8	480	2.9
Diabetes Mellitus	*1,400*	*695*	*1.0*	*500*	*2.4*	*205*	*1.0*	*221*	*1.3*
Nervous System & Sense Organs	2,443	1,552	2.2	410	2.0	481	2.3	361	2.2
Skin & Subcutaneous Tissue	2,073	1,409	2.0	372	1.8	292	1.4	278	1.7
Blood & Blood Forming Organs	1,648	849	1.2	602	2.9	197	1.0	178	1.1
Congenital Anomalies	380	211	0.3	78	0.4	91	0.4	85	0.5
Conditions Originating in Perinatal Period	264	140	0.2	21	0.1	103	0.5	59	0.4
Symptoms, Signs, & Ill-defined Conditions	7,425	4,613	6.5	1,641	8.0	1,171	5.7	1,027	6.2
Supplementary Classifications - Other	3,648	2,767	3.9	300	1.5	581	2.8	291	1.7
Medical Misadventure, Abnormal Reactions, & Late Effects	2,800	1,987	2.8	442	2.2	371	1.8	269	1.6
Complications of Pregnancy, Childbirth, & Puerperium[4]	10,999	5,746	8.0	1,899	9.3	3,354	16.3	3,241	19.5
Supplementary Classifications - Newborns	9,749	5,268	7.4	1,501	7.3	2,980	14.5	2,731	16.4

[1] The principal diagnosis is the condition cheifly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represetns the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principal diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

[2] Includes Native Americans or Alaskan Native, Asain, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

[4] Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 8. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges																Average Length of Stay (days)								
	Total	Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**16,140**	**14**	**100**	**34**	**100**	**21**	**100**	**280**	**100**	**1,362**	**100**	**3,703**	**100**	**3,215**	**100**	**7,511**	**100**	**5.5**	**6.9**	**4.6**	**3.8**	**5.0**	**5.1**	**4.8**	**5.3**	**6.1**
Diseases of the Heart																										
Ischemic Heart Disease	4,789	0	0.0	0	0.0	0	0.0	20	7.1	428	31.4	1,454	39.3	1,140	35.5	1,747	23.3	4.0	0.0	0.0	0.0	3.5	2.9	3.4	3.8	5.0
Acute Myocardial Infarction	*1,642*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*6*	*2.1*	*150*	*11.0*	*444*	*12.0*	*281*	*8.7*	*761*	*10.1*	*5.9*	*0.0*	*0.0*	*0.0*	*8.7*	*3.8*	*5.0*	*6.2*	*6.7*
Other Ischemic Heart Disease	*3,147*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*14*	*5.0*	*278*	*20.4*	*1,010*	*27.3*	*859*	*26.7*	*986*	*13.1*	*3.1*	*0.0*	*0.0*	*0.0*	*1.2*	*2.5*	*2.6*	*3.0*	*3.7*
Pulmonary Circulation Disease	380	0	0.0	2	5.9	0	0.0	23	8.2	78	5.7	93	2.5	63	2.0	121	1.6	7.7	0.0	1.5	0.0	6.1	6.5	7.5	7.1	9.3
Hypertension with Heart Disease	224	0	0.0	0	0.0	0	0.0	3	1.1	22	1.6	25	0.7	37	1.2	137	1.8	5.9	0.0	0.0	0.0	8.3	4.1	5.4	6.4	6.1
Chronic Rhematic Fever	106	0	0.0	1	2.9	0	0.0	3	1.1	4	0.3	16	0.4	21	0.7	61	0.8	9.8	0.0	4.0	0.0	16.7	6.5	8.6	11.4	9.5
Acute Rhematic Fever	1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0	11.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0
Other Diseases of the Heart	5,662	8	57.1	9	26.5	15	71.4	114	40.7	389	28.6	1,035	28.0	1,005	31.3	3,087	41.1	5.8	9.8	7.2	4.5	4.5	5.1	4.9	5.6	6.3
Other Cardiovascular Diseases																										
Cerebrovascular Disease	2,588	1	7.1	5	14.7	3	14.3	27	9.6	163	12.0	564	15.2	495	15.4	1,330	17.7	6.4	2.0	5.4	2.0	6.8	8.0	7.1	6.0	6.1
Hypertension with or without Renal Disease	601	0	0.0	1	2.9	0	0.0	34	12.1	122	9.0	189	5.1	100	3.1	155	2.1	5.5	0.0	8.0	0.0	3.9	7.3	5.0	5.7	4.9
Arteriosclerosis	374	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	66	1.8	92	2.9	206	2.7	8.3	0.0	0.0	0.0	0.0	5.4	7.8	9.2	8.2
Other Diseases of the Circulatory System	1,415	5	35.7	16	47.1	3	14.3	56	20.0	146	10.7	260	7.0	262	8.1	667	8.9	6.1	3.2	3.1	2.0	5.0	5.5	5.9	6.4	6.4

(continued)

Table 8. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009 ***(continued)***

2009

Principal Diagnosis	Number of Discharges																Average Length of Stay (days)								
	Total	Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**15,649**	**7**	**100**	**49**	**100**	**26**	**100**	**270**	**100**	**1,273**	**100**	**3,555**	**100**	**3,247**	**100**	**7,222**	**100**	**5.5**	**3.3**	**5.5**	**3.9**	**4.7**	**5.0**	**4.9**	**5.2**	**6.0**
Diseases of the Heart																										
Ischemic Heart Disease	4,291	0	0.0	0	0.0	0	0.0	10	3.7	388	30.5	1,316	37.0	1,027	31.6	1,550	21.5	3.8	0.0	0.0	0.0	1.9	2.7	3.2	3.7	4.7
Acute Myocardial Infarction	*1,535*	*0*	0.0	*0*	0.0	*0*	0.0	*7*	2.6	*139*	10.9	*394*	11.1	*305*	9.4	*690*	9.6	*5.5*	*0.0*	*0.0*	*0.0*	*2.1*	*3.8*	*4.5*	*5.5*	*6.3*
Other Ischemic Heart Disease	*2,756*	*0*	0.0	*0*	0.0	*0*	0.0	*3*	1.1	*249*	19.6	*922*	25.9	*722*	22.2	*860*	11.9	*2.9*	*0.0*	*0.0*	*0.0*	*1.3*	*2.1*	*2.6*	*2.9*	*3.5*
Pulmonary Circulation Disease	384	0	0.0	0	0.0	2	7.7	21	7.8	70	5.5	92	2.6	77	2.4	122	1.7	7.1	0.0	0.0	10.0	7.3	6.0	6.4	6.6	8.5
Hypertension with Heart Disease	185	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	26	0.7	21	0.6	124	1.7	6.9	0.0	0.0	0.0	0.0	9.6	5.6	7.6	6.7
Chronic Rhematic Fever	57	0	0.0	0	0.0	0	0.0	1	0.4	2	0.2	15	0.4	16	0.5	23	0.3	10.8	0.0	0.0	0.0	6.0	12.0	7.9	17.4	8.2
Acute Rhematic Fever	3	0	0.0	1	2.0	1	3.8	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	5.7	0.0	1.0	12.0	0.0	0.0	0.0	0.0	4.0
Other Diseases of the Heart	5,615	4	57.1	12	24.5	13	50.0	117	43.3	365	28.7	963	27.1	1,042	32.1	3,099	42.9	5.9	2.3	9.2	1.5	3.8	5.3	5.3	5.5	6.3
Other Cardiovascular Diseases																										
Cerebrovascular Disease	2,531	1	14.3	8	16.3	2	7.7	35	13.0	149	11.7	544	15.3	547	16.8	1,245	17.2	6.5	8.0	8.4	13.0	7.5	9.3	7.0	6.3	6.0
Hypertension with or without Renal Disease	678	0	0.0	2	4.1	2	7.7	31	11.5	126	9.9	186	5.2	129	4.0	202	2.8	4.3	0.0	2.5	2.0	3.5	4.0	4.6	4.0	4.7
Arteriosclerosis	460	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	97	2.7	114	3.5	239	3.3	9.2	0.0	0.0	0.0	0.0	13.4	10.0	7.5	9.6
Other Diseases of the Circulatory System	1,445	2	28.6	26	53.1	6	23.1	55	20.4	149	11.7	316	8.9	274	8.4	617	8.5	5.7	3.0	3.4	3.3	5.1	5.2	6.0	5.8	5.7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 9. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009

2008									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**16,140**	**100**	**8,571**	**100**	**7,569**	**100**	**5.5**	**5.3**	**5.8**
Diseases of the Heart									
Ischemic Heart Disease	4,789	29.7	2,975	34.7	1,814	24.0	4.0	3.9	4.3
Acute Myocardial Infarction	*1,642*	10.2	*932*	*10.9*	*710*	*9.4*	*5.9*	*5.7*	*6.2*
Other Ischemic Heart Disease	*3,147*	19.5	*2,043*	*23.8*	*1,104*	*14.6*	*3.1*	*3.1*	*3.1*
Pulmonary Circulation Disease	380	2.4	175	2.0	205	2.7	7.7	7.6	7.7
Hypertension with Heart Disease	224	1.4	116	1.4	108	1.4	5.9	6.0	5.9
Chronic Rhematic Fever	106	0.7	51	0.6	55	0.7	9.8	9.6	9.9
Acute Rhematic Fever	1	0.0	0	0.0	1	0.0	11.0	0.0	11.0
Other Diseases of the Heart	5,662	35.1	2,883	33.6	2,779	36.7	5.8	5.6	6.0
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,588	16.0	1,193	13.9	1,395	18.4	6.4	6.2	6.5
Hypertension with or without Renal Disease	601	3.7	267	3.1	334	4.4	5.5	5.6	5.4
Arteriosclerosis	374	2.3	216	2.5	158	2.1	8.3	7.7	9.1
Other Diseases of the Circulatory System	1,415	8.8	695	8.1	720	9.5	6.1	6.3	6.0

(continued)

Table 9. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009 *(continued)*

2009									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**15,649**	**100**	**8,216**	**100**	**7,433**	**100**	**5.5**	**5.3**	**5.7**
Diseases of the Heart									
Ischemic Heart Disease	4,291	27.4	2,603	31.7	1,688	22.7	3.8	3.6	4.1
Acute Myocardial Infarction	*1,535*	*9.8*	*849*	*10.3*	*686*	*9.2*	*5.5*	*5.3*	*5.7*
Other Ischemic Heart Disease	*2,756*	*17.6*	*1,754*	*21.3*	*1,002*	*13.5*	*2.9*	*2.8*	*3.0*
Pulmonary Circulation Disease	384	2.5	171	2.1	213	2.9	7.1	6.2	7.8
Hypertension with Heart Disease	185	1.2	70	0.9	115	1.5	6.9	7.1	6.7
Chronic Rhematic Fever	57	0.4	29	0.4	28	0.4	10.8	9.3	12.3
Acute Rhematic Fever	3	0.0	2	0.0	1	0.0	5.7	6.5	4.0
Other Diseases of the Heart	5,615	35.9	2,852	34.7	2,763	37.2	5.9	5.8	5.9
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,531	16.2	1,168	14.2	1,363	18.3	6.5	6.6	6.4
Hypertension with or without Renal Disease	678	4.3	298	3.6	380	5.1	4.3	4.1	4.5
Arteriosclerosis	460	2.9	254	3.1	206	2.8	9.2	9.1	9.4
Other Diseases of the Circulatory System	1,445	9.2	769	9.4	676	9.1	5.7	5.4	5.9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 10. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009

2008

	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[1]		Hispanic[2]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[1]	Hispanic[2]
Total	**16,140**	**100**	**11,294**	**100**	**2,633**	**100**	**2,213**	**100**	**1,214**	**100**	**5.5**	**5.4**	**6.2**	**5.5**	**5.1**
Diseases of the Heart															
Ischemic Heart Disease	4,789	29.7	3,363	29.8	559	21.2	867	39.2	405	33.4	4.0	4.0	4.1	4.2	4.0
Acute Myocardial Infarction	*1,642*	*10.2*	*1,121*	*9.9*	*202*	*7.7*	*319*	*14.4*	*129*	*10.6*	*5.9*	*6.0*	*5.4*	*6.0*	*6.1*
Other Ischemic Heart Disease	*3,147*	*19.5*	*2,242*	*19.9*	*357*	*13.6*	*548*	*24.8*	*276*	*22.7*	*3.1*	*3.0*	*3.4*	*3.2*	*3.0*
Pulmonary Circulation Disease	380	2.4	253	2.2	87	3.3	40	1.8	17	1.4	7.7	7.4	8.4	7.9	9.4
Hypertension with Heart Disease	224	1.4	143	1.3	67	2.5	14	0.6	10	0.8	5.9	5.8	6.3	5.5	4.7
Chronic Rhematic Fever	106	0.7	82	0.7	6	0.2	18	0.8	8	0.7	9.8	9.7	7.7	11.1	8.4
Acute Rhematic Fever	1	0.0	0	0.0	1	0.0	0	0.0	0	0.0	11.0	0.0	11.0	0.0	0.0
Other Diseases of the Heart	5,662	35.1	4,125	36.5	906	34.4	631	28.5	375	30.9	5.8	5.7	6.1	6.0	5.5
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,588	16.0	1,812	16.0	455	17.3	321	14.5	165	13.6	6.4	6.0	7.6	7.2	6.2
Hypertension with or without Renal Disease	601	3.7	244	2.2	259	9.8	98	4.4	88	7.2	5.5	5.0	5.8	5.9	5.8
Arteriosclerosis	374	2.3	263	2.3	77	2.9	34	1.5	23	1.9	8.3	7.9	10.6	6.3	5.3
Other Diseases of the Circulatory System	1,415	8.8	1,009	8.9	216	8.2	190	8.6	123	10.1	6.1	6.1	7.2	5.3	4.9

(continued)

Table 10. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009 (*continued*)

2009

Principle Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[1]		Hispanic[2]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[1]	Hispanic[2]
Total	**15,649**	**100**	**10,993**	**100**	**2,628**	**100**	**2,028**	**100**	**1,189**	**100**	**5.5**	**5.3**	**6.4**	**5.5**	**5.4**
Diseases of the Heart															
Ischemic Heart Disease	4,291	27.4	3,090	28.1	468	17.8	733	36.1	350	29.4	3.8	3.7	4.1	4.3	3.2
Acute Myocardial Infarction	*1,535*	*9.8*	*1,059*	*9.6*	*175*	*6.7*	*301*	*14.8*	*110*	*9.3*	*5.5*	*5.3*	*5.5*	*6.1*	*3.9*
Other Ischemic Heart Disease	*2,756*	*17.6*	*2,031*	*18.5*	*293*	*11.1*	*432*	*21.3*	*240*	*20.2*	*2.9*	*2.8*	*3.3*	*3.1*	*2.9*
Pulmonary Circulation Disease	384	2.5	262	2.4	85	3.2	37	1.8	24	2.0	7.1	6.6	8.9	6.4	6.5
Hypertension with Heart Disease	185	1.2	121	1.1	51	1.9	13	0.6	7	0.6	6.9	7.5	5.0	8.8	10.9
Chronic Rhematic Fever	57	0.4	40	0.4	3	0.1	14	0.7	2	0.2	10.8	8.8	46.3	8.8	8.0
Acute Rhematic Fever	3	0.0	2	0.0	0	0.0	1	0.0	0	0.0	5.7	8.0	0.0	1.0	0.0
Other Diseases of the Heart	5,615	35.9	4,119	37.5	892	33.9	604	29.8	371	31.2	5.9	5.9	6.0	5.6	5.4
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,531	16.2	1,734	15.8	482	18.3	315	15.5	196	16.5	6.5	5.8	8.3	7.8	9.2
Hypertension with or without Renal Disease	678	4.3	310	2.8	271	10.3	97	4.8	84	7.1	4.3	4.2	4.9	3.1	3.2
Arteriosclerosis	460	2.9	323	2.9	90	3.4	47	2.3	39	3.3	9.2	8.2	13.7	7.6	7.3
Other Diseases of the Circulatory System	1,445	9.2	992	9.0	286	10.9	167	8.2	116	9.8	5.7	5.4	6.6	5.4	5.6

[1] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 11. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009

2008								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total[1]	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**16,140**	**8,571**	**53.1**	**7,569**	**46.9**	**5.5**	**5.3**	**5.8**
Less than 1	14	6	42.9	8	57.1	6.9	3.8	9.1
1-2	9	2	22.2	7	77.8	5.0	2.0	5.9
3-4	7	4	57.1	3	42.9	4.6	5.0	4.0
5-6	4	4	100.0	0	0.0	9.5	9.5	0.0
7-8	3	2	66.7	1	33.3	4.0	5.0	2.0
9-10	5	2	40.0	3	60.0	3.0	3.5	2.7
11-12	6	2	33.3	4	66.7	2.5	2.5	2.5
13-14	7	5	71.4	2	28.6	4.7	4.4	5.5
15-16	13	8	61.5	5	38.5	3.2	1.6	5.8
17-18	13	6	46.2	7	53.8	3.3	2.8	3.7
19-20	13	8	61.5	5	38.5	3.2	1.4	6.2
21-22	19	6	31.6	13	68.4	4.6	3.2	5.3
23-24	19	10	52.6	9	47.4	3.6	4.3	2.9
25-29	85	44	51.8	41	48.2	6.0	3.7	8.5
30-34	132	79	59.8	53	40.2	4.9	4.6	5.4
35-39	207	129	62.3	78	37.7	5.0	4.7	5.5
40-44	413	253	61.3	160	38.7	5.6	4.6	7.2
45-49	742	450	60.6	292	39.4	4.8	4.7	4.9
50-54	1,034	669	64.7	365	35.3	4.7	4.6	5.0
55-59	1,221	836	68.5	385	31.5	4.7	4.7	4.7
60-64	1,448	896	61.9	552	38.1	5.1	5.1	5.0
65-69	1,521	930	61.1	591	38.9	5.3	5.3	5.4
70-74	1,694	898	53.0	796	47.0	5.2	5.0	5.5
75-79	2,171	1,113	51.3	1,058	48.7	5.7	5.6	5.8
80-84	2,434	1,173	48.2	1,261	51.8	6.0	5.6	6.4
85+	2,906	1,036	35.7	1,870	64.3	6.4	6.6	6.3

(continued)

Table 11. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009 ***(continued)***

2009								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total[1]	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**15,649**	**8,216**	**52.5**	**7,433**	**47.5**	**5.5**	**5.3**	**5.7**
Less than 1	7	6	85.7	1	14.3	3.3	3.0	5.0
1-2	15	9	60.0	6	40.0	5.0	3.2	7.7
3-4	8	3	37.5	5	62.5	2.0	2.0	2.0
5-6	9	5	55.6	4	44.4	7.1	3.4	11.8
7-8	6	2	33.3	4	66.7	10.0	18.5	5.8
9-10	2	2	100.0	0	0.0	5.5	5.5	.
11-12	9	6	66.7	3	33.3	5.0	4.8	5.3
13-14	5	2	40.0	3	60.0	5.2	6.5	4.3
15-16	17	12	70.6	5	29.4	3.8	1.6	9.2
17-18	15	10	66.7	5	33.3	4.7	5.2	3.6
19-20	20	12	60.0	8	40.0	4.0	5.6	1.5
21-22	17	9	52.9	8	47.1	2.4	3.3	1.4
23-24	29	16	55.2	13	44.8	6.7	7.3	5.9
25-29	82	57	69.5	25	30.5	4.3	3.7	5.6
30-34	111	67	60.4	44	39.6	5.0	6.2	3.0
35-39	209	121	57.9	88	42.1	4.6	3.6	5.9
40-44	375	230	61.3	145	38.7	5.4	6.5	3.6
45-49	689	419	60.8	270	39.2	4.9	4.6	5.4
50-54	980	637	65.0	343	35.0	4.6	4.2	5.2
55-59	1,077	718	66.7	359	33.3	5.0	5.1	4.8
60-64	1,498	885	59.1	613	40.9	5.1	4.9	5.4
65-69	1,540	933	60.6	607	39.4	5.1	4.9	5.5
70-74	1,707	959	56.2	748	43.8	5.3	5.3	5.2
75-79	1,981	999	50.4	982	49.6	5.5	5.5	5.6
80-84	2,215	1,061	47.9	1,154	52.1	5.9	5.5	6.2
85+	3,026	1,036	34.2	1,990	65.8	6.4	6.3	6.4

[1] Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 12. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[1]		Hispanic[2]						
	N	N	%	N	%	N	%	N	%	Total	White	Black	Other[1]	Hispanic[2]
Total	**16,140**	**11,294**	**70.0**	**2,633**	**16.3**	**2,213**	**13.7**	**1,214**	**7.5**	**5.5**	**5.4**	**6.2**	**5.5**	**5.1**
Less than 1	14	9	64.3	1	7.1	4	28.6	8	57.1	6.9	8.3	7.0	3.5	6.5
1-2	9	5	55.6	2	22.2	2	22.2	1	11.1	5.0	5.6	2.0	6.5	3.0
3-4	7	3	42.9	1	14.3	3	42.9	2	28.6	4.6	6.7	2.0	3.3	6.0
5-6	4	3	75.0	0	0.0	1	25.0	1	25.0	9.5	4.0	0.0	26.0	2.0
7-8	3	1	33.3	1	33.3	1	33.3	0	0.0	4.0	2.0	8.0	2.0	0.0
9-10	5	4	80.0	0	0.0	1	20.0	1	20.0	3.0	3.5	0.0	1.0	1.0
11-12	6	5	83.3	0	0.0	1	16.7	0	0.0	2.5	2.8	0.0	1.0	0.0
13-14	7	4	57.1	0	0.0	3	42.9	3	42.9	4.7	3.5	0.0	6.3	6.3
15-16	13	10	76.9	2	15.4	1	7.7	2	15.4	3.2	3.7	2.0	1.0	2.0
17-18	13	9	69.2	3	23.1	1	7.7	1	7.7	3.3	3.3	4.0	1.0	1.0
19-20	13	5	38.5	4	30.8	4	30.8	1	7.7	3.2	2.2	3.8	4.0	1.0
21-22	19	8	42.1	6	31.6	5	26.3	3	15.8	4.6	4.0	6.3	3.6	2.0
23-24	19	9	47.4	8	42.1	2	10.5	2	10.5	3.6	4.0	2.6	6.0	7.5
25-29	85	34	40.0	26	30.6	25	29.4	27	31.8	6.0	4.2	4.3	10.3	4.7
30-34	132	67	50.8	38	28.8	27	20.5	16	12.1	4.9	4.4	5.0	6.2	6.9
35-39	207	88	42.5	76	36.7	43	20.8	30	14.5	5.0	3.8	5.3	6.7	4.8
40-44	413	176	42.6	157	38.0	80	19.4	71	17.2	5.6	4.8	7.4	4.0	4.4
45-49	742	380	51.2	207	27.9	155	20.9	102	13.7	4.8	4.3	5.5	5.2	4.3
50-54	1,034	572	55.3	258	25.0	204	19.7	128	12.4	4.7	4.7	5.2	4.1	4.3
55-59	1,221	770	63.1	228	18.7	223	18.3	130	10.6	4.7	4.3	6.3	4.6	4.5
60-64	1,448	911	62.9	271	18.7	266	18.4	146	10.1	5.1	4.7	5.7	5.7	5.4
65-69	1,521	976	64.2	277	18.2	268	17.6	137	9.0	5.3	4.9	6.4	5.7	4.7
70-74	1,694	1,168	68.9	290	17.1	236	13.9	104	6.1	5.2	5.0	5.7	5.9	6.9
75-79	2,171	1,664	76.6	254	11.7	253	11.7	131	6.0	5.7	5.6	6.5	5.3	4.8
80-84	2,434	1,970	80.9	242	9.9	222	9.1	106	4.4	6.0	5.8	7.4	6.1	6.3
85+	2,906	2,443	84.1	281	9.7	182	6.3	61	2.1	6.4	6.3	7.2	6.3	5.8

(continued)

Table 12. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 ***(continued)***

2009

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[1]		Hispanic[2]						
	N	N	%	N	%	N	%	N	%	Total	White	Black	Other[1]	Hispanic[2]
Total	**15,649**	**10,993**	**70.2**	**2,628**	**16.8**	**2,028**	**13.0**	**1,189**	**7.6**	**5.5**	**5.3**	**6.4**	**5.5**	**5.4**
Less than 1	7	2	28.6	3	42.9	2	28.6	2	28.6	3.3	2.5	2.7	5.0	5.0
1-2	15	7	46.7	1	6.7	7	46.7	3	20.0	5.0	2.7	5.0	7.3	3.7
3-4	8	5	62.5	1	12.5	2	25.0	4	50.0	2.0	1.8	3.0	2.0	1.8
5-6	9	5	55.6	0	0.0	4	44.4	2	22.2	7.1	3.8	0.0	11.3	4.5
7-8	6	2	33.3	0	0.0	4	66.7	1	16.7	10.0	3.0	0.0	13.5	4.0
9-10	2	1	50.0	1	50.0	0	0.0	0	0.0	5.5	2.0	9.0	0.0	0.0
11-12	9	8	88.9	1	11.1	0	0.0	2	22.2	5.0	5.3	3.0	0.0	5.0
13-14	5	5	100.0	0	0.0	0	0.0	0	0.0	5.2	5.2	0.0	0.0	0.0
15-16	17	10	58.8	5	29.4	2	11.8	1	5.9	3.8	3.6	5.4	1.0	3.0
17-18	15	8	53.3	3	20.0	4	26.7	7	46.7	4.7	3.9	3.3	7.3	5.4
19-20	20	13	65.0	4	20.0	3	15.0	6	30.0	4.0	2.7	3.8	9.7	2.5
21-22	17	10	58.8	3	17.6	4	23.5	2	11.8	2.4	1.6	1.7	5.0	5.0
23-24	29	13	44.8	9	31.0	7	24.1	7	24.1	6.7	6.4	6.4	7.4	8.3
25-29	82	32	39.0	33	40.2	17	20.7	19	23.2	4.3	3.9	4.9	3.8	4.5
30-34	111	42	37.8	35	31.5	34	30.6	26	23.4	5.0	3.1	5.2	7.0	6.7
35-39	209	89	42.6	70	33.5	50	23.9	43	20.6	4.6	4.5	5.5	3.5	3.8
40-44	375	183	48.8	128	34.1	64	17.1	45	12.0	5.4	3.8	4.4	12.1	14.5
45-49	689	326	47.3	223	32.4	140	20.3	79	11.5	4.9	5.1	4.7	4.8	5.3
50-54	980	541	55.2	243	24.8	196	20.0	132	13.5	4.6	4.0	6.5	3.7	4.8
55-59	1,077	672	62.4	218	20.2	187	17.4	121	11.2	5.0	4.7	6.1	4.9	4.3
60-64	1,498	994	66.4	287	19.2	217	14.5	116	7.7	5.1	4.8	6.6	4.8	4.8
65-69	1,540	942	61.2	357	23.2	241	15.6	142	9.2	5.1	4.7	6.3	5.3	4.6
70-74	1,707	1,201	70.4	270	15.8	236	13.8	125	7.3	5.3	4.7	7.9	5.4	5.0
75-79	1,981	1,521	76.8	239	12.1	221	11.2	127	6.4	5.5	5.3	6.4	6.3	5.3
80-84	2,215	1,839	83.0	195	8.8	181	8.2	99	4.5	5.9	5.7	7.9	5.4	6.0
85+	3,026	2,522	83.3	299	9.9	205	6.8	78	2.6	6.4	6.3	7.3	6.1	5.8

[1] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table13. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009

2008

Principle Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total[1]		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total[1]	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**9,290**	**100**	**76**	**100**	**261**	**100**	**207**	**100**	**1,081**	**100**	**1,662**	**100**	**2,097**	**100**	**1,302**	**100**	**2,603**	**100**	**5.5**	**5.8**	**4.2**	**3.7**	**3.7**	**4.6**	**5.2**	**6.3**	**6.8**
Diseases of the Esophagus, Stomach and Duodenum	1,202	12.9	25	32.9	33	12.6	19	9.2	79	7.3	176	10.6	260	12.4	194	14.9	416	16.0	5.4	5.2	4.8	4.4	4.9	3.8	4.1	6.0	6.7
Appendicitis	943	10.2	0	0.0	121	46.4	104	50.2	314	29.0	193	11.6	136	6.5	45	3.5	30	1.2	3.2	0.0	4.2	2.8	2.3	2.8	3.4	5.6	7.5
Noninfectious Enteritis and Colitis	897	9.7	13	17.1	36	13.8	31	15.0	147	13.6	158	9.5	176	8.4	114	8.8	222	8.5	5.0	2.5	2.9	7.0	5.1	3.5	5.2	6.7	5.1
Hernia of the Abdonminal Cavity	543	5.8	17	22.4	5	1.9	1	0.5	27	2.5	111	6.7	141	6.7	86	6.6	155	6.0	5.0	1.6	2.4	1.0	3.1	3.7	4.3	6.8	6.5
Diseases of the Oral Cavity, Salivary Glands, and Jaws	156	1.7	1	1.3	12	4.6	12	5.8	36	3.3	23	1.4	29	1.4	16	1.2	27	1.0	4.9	88.0	3.8	1.9	2.5	8.1	3.9	4.2	5.4
Other Diseases of the Digestive System	2,965	31.9	9	11.8	21	8.0	20	9.7	340	31.5	610	36.7	722	34.4	424	32.6	819	31.5	5.7	14.6	7.2	3.0	3.9	5.3	5.4	6.3	6.8
Chronic Liver Disease, including Cirrhosis	*264*	*2.8*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*9*	*0.8*	*63*	*3.8*	*136*	*6.5*	*33*	*2.5*	*23*	*0.9*	*7.5*	*0.0*	*0.0*	*0.0*	*2.2*	*8.5*	*6.6*	*8.5*	*11.2*
Other Diseases of the Intestines and Peritoneum	2,584	27.8	11	14.5	33	12.6	20	9.7	138	12.8	391	23.5	633	30.2	423	32.5	934	35.9	6.3	3.0	3.2	4.8	4.7	5.4	5.9	6.2	7.3
Diverticula of Intestine	*1,620*	*17.4*	*9*	*11.8*	*13*	*5.0*	*12*	*5.8*	*93*	*8.6*	*271*	*16.3*	*406*	*19.4*	*268*	*20.6*	*548*	*21.1*	*6.0*	*2.0*	*2.8*	*4.3*	*4.7*	*5.3*	*6.1*	*6.0*	*6.8*

(continued)

Table13. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009 *(continued)*

2009																									
Principle Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**9,067**	**100**	**65**	**100**	**296**	**100**	**222**	**100**	**988**	**100**	**1,561**	**100**	**2,165**	**100**	**1,288**	**100**	**2,482**	**100**	**5.3**	**3.9**	**3.6**	**4.0**	**3.3**	**4.1**	**5.4**	**6.2**	**6.6**
Diseases of the Esophagus, Stomach and Duodenum	1,151	12.7	26	40.0	34	11.5	19	8.6	83	8.4	162	10.4	262	12.1	191	14.8	374	15.1	5.1	2.7	4.2	6.9	3.2	3.6	4.4	5.8	6.4
Appendicitis	949	10.5	0	0.0	156	52.7	105	47.3	294	29.8	195	12.5	124	5.7	46	3.6	29	1.2	3.2	0.0	4.0	2.6	2.3	2.6	4.3	5.9	5.6
Noninfectious Enteritis and Colitis	891	9.8	9	13.8	38	12.8	42	18.9	135	13.7	158	10.1	157	7.3	109	8.5	243	9.8	4.8	3.6	2.2	6.0	3.6	4.0	5.1	5.3	6.0
Hernia of the Abdonminal Cavity	562	6.2	16	24.6	6	2.0	2	0.9	25	2.5	89	5.7	183	8.5	93	7.2	148	6.0	4.9	1.6	1.3	2.0	2.0	2.7	5.2	5.4	6.6
Diseases of the Oral Cavity, Salivary Glands, and Jaws	118	1.3	2	3.1	18	6.1	11	5.0	23	2.3	17	1.1	22	1.0	9	0.7	16	0.6	2.8	2.0	2.3	2.5	1.8	2.3	2.9	4.0	4.6
Other Diseases of the Digestive System	2,913	32.1	6	9.2	14	4.7	19	8.6	305	30.9	559	35.8	743	34.3	447	34.7	820	33.0	5.6	11.3	5.6	4.1	4.1	4.7	5.7	6.2	6.3
Chronic Liver Disease, including Cirrhosis	*236*	*2.6*	*0*	*0.0*	*0*	*0.0*	*1*	*0.5*	*6*	*0.6*	*45*	*2.9*	*110*	*5.1*	*39*	*3.0*	*35*	*1.4*	*8.6*	*0.0*	*0.0*	*1.0*	*7.0*	*8.4*	*8.3*	*11.3*	*7.1*
Other Diseases of the Intestines and Peritoneum	2,483	27.4	6	9.2	30	10.1	24	10.8	123	12.4	381	24.4	674	31.1	393	30.5	852	34.3	6.2	9.3	2.9	5.4	4.5	4.7	5.8	6.9	7.2
Diverticula of Intestine	*1,599*	*17.6*	*4*	*6.2*	*15*	*5.1*	*15*	*6.8*	*82*	*8.3*	*279*	*17.9*	*430*	*19.9*	*248*	*19.3*	*526*	*21.2*	*5.9*	*12.0*	*3.1*	*6.1*	*4.1*	*4.5*	*6.0*	*6.0*	*6.9*

[1] Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 14. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges					Average Length of Stay *(days)*		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**9,290**	**4,238**	**100**	**5,052**	**100**	**5.5**	**5.3**	**5.6**
Diseases of the Esophagus, Stomach & Duodenum	1,202	562	13.3	640	12.7	5.4	5.2	5.6
Appendicitis	943	536	12.6	407	8.1	3.2	3.2	3.1
Noninfectious Enteritis and Colitis	897	359	8.5	538	10.6	5.0	4.9	5.0
Hernia of the Abdonminal Cavity	543	253	6.0	290	5.7	5.0	3.9	6.0
Diseases of the Oral Cavity, Salivary Glands, & Jaws	156	78	1.8	78	1.5	4.9	3.8	5.9
Other Diseases of the Digestive System	2,965	1,343	31.7	1,622	32.1	5.7	6.0	5.5
Chronic Liver Disease, including Cirrhosis	*264*	*171*	*4.0*	*93*	*1.8*	*7.5*	*7.0*	*8.5*
Other Diseases of the Intestines	2,584	1,107	26.1	1,477	29.2	6.3	6.1	6.4
Diverticula of Intestine	*1,620*	*703*	*16.6*	*917*	*18.2*	*6.0*	*6.1*	*6.0*

(continued)

Table 14. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009 *(continued)*

2009								
Principal Diagnosis	Number of Discharges					Average Length of Stay *(days)*		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	9,067	4,171	100	4,896	100	5.3	5.0	5.5
Diseases of the Esophagus, Stomach & Duodenum	1,151	546	13.1	605	12.4	5.1	4.8	5.3
Appendicitis	949	544	13.0	405	8.3	3.2	3.1	3.3
Noninfectious Enteritis and Colitis	891	303	7.3	588	12.0	4.8	4.8	4.8
Hernia of the Abdonminal Cavity	562	275	6.6	287	5.9	4.9	4.1	5.7
Diseases of the Oral Cavity, Salivary Glands, & Jaws	118	55	1.3	63	1.3	2.8	2.9	2.6
Other Diseases of the Digestive System	2,913	1,342	32.2	1,571	32.1	5.6	5.8	5.4
Chronic Liver Disease, including Cirrhosis	*236*	*151*	*3.6*	*85*	*1.7*	*8.6*	*7.7*	*10.1*
Other Diseases of the Intestines & Peritoneum	2,483	1,106	26.5	1,377	28.1	6.2	5.5	6.7
Diverticula of the Intestine	*1,599*	*716*	*17.2*	*883*	*18.0*	*5.9*	*5.3*	*6.4*

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 15. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009

2008														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total	White		Black		Other[1]		Hispanic[2]						
		N	%	N	%	N	%	N	%	Total	White	Black	Other[1]	Hispanic[2]
Total	**9,290**	**6,310**	**100**	**1,399**	**100**	**1,581**	**100**	**1,382**	**100**	**5.5**	**5.6**	**5.9**	**4.6**	**4.6**
Diseases of the Esophagus, Stomach & Duodenum	1,202	801	12.7	214	15.3	187	11.8	143	10.3	5.4	5.7	5.6	3.8	4.7
Appendicitis	943	608	9.6	79	5.6	256	16.2	264	19.1	3.2	3.1	3.7	3.1	3.1
Noninfectious Enteritis and Colitis	897	597	9.5	136	9.7	164	10.4	131	9.5	5.0	5.0	4.5	5.3	4.8
Hernia of the Abdonminal Cavity	543	371	5.9	108	7.7	64	4.0	52	3.8	5.0	5.3	4.5	4.3	5.0
Diseases of the Oral Cavity, Salivary Glands, & Jaws	156	100	1.6	25	1.8	31	2.0	17	1.2	4.9	5.8	3.7	2.9	2.9
Other Diseases of the Digestive System	2,965	1,932	30.6	445	31.8	588	37.2	536	38.8	5.7	5.7	6.8	5.1	5.1
Chronic Liver Disease, including Cirrhosis	*264*	*174*	*2.8*	*33*	*2.4*	*57*	*3.6*	*62*	*4.5*	*7.5*	*7.9*	*7.9*	*6.1*	*6.8*
Other Diseases of the Intestines & Peritoneum	2,584	1,901	30.1	392	28.0	291	18.4	239	17.3	6.3	6.4	6.5	5.2	4.9
Diverticula of the Intestine	*1,620*	*1,181*	*18.7*	*247*	*17.7*	*192*	*12.1*	*169*	*12.2*	*6.0*	*6.3*	*5.7*	*5.2*	*4.6*

(continued)

Table 15. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 ***(continued)***

2009														
Principal Diagnosis	**Number of Discharges**								**Average Length of Stay** *(days)*					
	Total	**White**		**Black**		**Other[1]**		**Hispanic[2]**						
		N	**%**	**N**	**%**	**N**	**%**	**N**	**%**	**Total**	**White**	**Black**	**Other[1]**	**Hispanic[2]**
Total	**9,067**	**5,999**	**100**	**1,565**	**100**	**1,503**	**100**	**1,451**	**100**	**5.3**	**5.3**	**5.7**	**4.8**	**4.5**
Diseases of the Esophagus, Stomach & Duodenum	1,151	727	12.1	258	16.5	166	11.0	143	9.9	5.1	5.3	4.9	4.5	4.7
Appendicitis	949	590	9.8	92	5.9	267	17.8	301	20.7	3.2	3.1	4.0	3.1	3.0
Noninfectious Enteritis and Colitis	891	600	10.0	162	10.4	129	8.6	114	7.9	4.8	5.1	4.6	4.1	3.9
Hernia of the Abdonminal Cavity	562	392	6.5	76	4.9	94	6.3	81	5.6	4.9	4.9	5.8	4.2	4.0
Diseases of the Oral Cavity	118	71	1.2	18	1.2	29	1.9	20	1.4	2.8	2.9	2.8	2.3	2.6
Other Diseases of the Digestive System	2,913	1,829	30.5	545	34.8	539	35.9	562	38.7	5.6	5.5	5.9	5.6	5.1
Chronic Liver Disease	*236*	*142*	*2.4*	*39*	*2.5*	*55*	*3.7*	*54*	*3.7*	*8.6*	*8.1*	*10.2*	*8.6*	*6.6*
Other Diseases of the Intestines	2,483	1,790	29.8	414	26.5	279	18.6	230	15.9	6.2	6.1	6.6	6.1	5.4
Diverticula of Intestine	*1,599*	*1,154*	*19.2*	*253*	*16.2*	*192*	*12.8*	*167*	*11.5*	*5.9*	*6.0*	*6.0*	*5.3*	*5.0*

[1] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 16. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**8,168**	**100**	**305**	**100**	**754**	**100**	**84**	**100**	**332**	**100**	**708**	**100**	**1,481**	**100**	**1,260**	**100**	**3,244**	**100**	**6.9**	**4.9**	**3.1**	**4.6**	**4.2**	**4.8**	**6.4**	**7.5**	**7.9**
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,905	35.6	22	7.2	355	47.1	28	33.3	122	36.7	292	41.2	634	42.8	479	38.0	973	30.0	5.4	2.0	2.6	3.2	3.5	3.8	5.3	6.1	6.9
Asthma	*1,458*	17.9	*22*	7.2	*350*	46.4	*26*	31.0	*113*	34.0	*250*	35.3	*360*	24.3	*138*	11.0	*199*	6.1	*4.2*	*2.0*	*2.6*	*2.5*	*3.1*	*3.7*	*4.9*	*5.6*	*6.9*
Chronic Bronchitis	*1,254*	15.4	*0*	0.0	*0*	0.0	*0*	0.0	*1*	0.3	*26*	3.7	*249*	16.8	*304*	24.1	*674*	20.8	*6.6*	*0.0*	*0.0*	*0.0*	*3.0*	*4.3*	*6.0*	*6.3*	*7.0*
Pnuemonia	2,444	29.9	48	15.7	192	25.5	9	10.7	94	28.3	199	28.1	406	27.4	355	28.2	1,141	35.2	6.6	2.8	3.2	2.7	5.0	5.3	6.5	7.9	7.5
Acute Respiratory Infections	600	7.3	202	66.2	92	12.2	10	11.9	25	7.5	52	7.3	67	4.5	37	2.9	115	3.5	3.5	3.0	3.3	1.8	3.3	3.8	3.3	4.2	4.3
Other Diseases of the Upper Respiratory Tract	149	1.8	3	1.0	49	6.5	11	13.1	17	5.1	22	3.1	21	1.4	13	1.0	13	0.4	3.1	5.0	2.4	1.8	3.1	2.5	3.1	3.3	7.2
Influenza	61	0.7	12	3.9	5	0.7	2	2.4	2	0.6	1	0.1	6	0.4	9	0.7	24	0.7	5.2	4.4	3.4	1.5	2.5	1.0	6.8	5.3	6.2
Other Respiratory Diseases	2,009	24.6	18	5.9	61	8.1	24	28.6	72	21.7	142	20.1	347	23.4	367	29.1	978	30.1	10.7	38.8	9.0	11.5	6.6	9.2	11.1	11.0	10.5

2009

Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**8,124**	**100**	**332**	**100**	**803**	**100**	**98**	**100**	**427**	**100**	**721**	**100**	**1,550**	**100**	**1,209**	**100**	**2,984**	**100**	**6.6**	**5.4**	**3.4**	**3.3**	**4.9**	**5.2**	**6.4**	**6.8**	**7.6**
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,942	36.2	16	4.8	358	44.6	29	29.6	151	35.4	283	39.3	663	42.8	480	39.7	962	32.2	5.3	3.8	2.5	2.7	3.2	4.4	5.5	6.2	6.5
Asthma	*1,413*	17.4	*16*	4.8	*357*	44.5	*29*	29.6	*144*	33.7	*238*	33.0	*342*	22.1	*116*	9.6	*171*	5.7	*4.3*	*3.8*	*2.5*	*2.7*	*3.2*	*4.4*	*5.4*	*5.3*	*6.0*
Chronic Bronchitis	*1,365*	16.8	*0*	0.0	*1*	0.1	*0*	0.0	*2*	0.5	*37*	5.1	*294*	19.0	*331*	27.4	*700*	23.5	*6.4*	*0.0*	*1.0*	*0.0*	*3.5*	*4.6*	*5.8*	*6.5*	*6.8*
Pnuemonia	2,417	29.8	60	18.1	211	26.3	17	17.3	106	24.8	214	29.7	433	27.9	329	27.2	1,047	35.1	6.2	3.5	3.2	4.0	4.8	5.3	6.5	6.5	7.1
Acute Respiratory Infections	614	7.6	216	65.1	112	13.9	8	8.2	40	9.4	45	6.2	50	3.2	42	3.5	101	3.4	3.4	3.3	2.4	2.6	2.9	3.3	4.4	3.7	4.4
Influenza	195	2.4	17	5.1	36	4.5	6	6.1	31	7.3	27	3.7	40	2.6	16	1.3	22	0.7	4.2	2.2	3.6	3.3	3.3	4.1	6.5	3.5	5.0
Other Diseases of the Upper Respiratory Tract	124	1.5	3	0.9	41	5.1	17	17.3	10	2.3	25	3.5	14	0.9	7	0.6	7	0.2	3.3	2.0	3.2	1.9	1.8	2.5	8.4	1.7	4.1
Other Respiratory Diseases	1,832	22.6	20	6.0	45	5.6	21	21.4	89	20.8	127	17.6	350	22.6	335	27.7	845	28.3	10.7	36.5	21.1	5.6	11.9	9.9	9.8	9.3	10.7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 17. Number of Hospital Discharges and Average Length of StayDue to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	8,168	100	3,800	100	4,368	100	6.9	6.9	6.8
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,905	35.6	1,193	31.4	1,712	39.2	5.4	5.1	5.6
Asthma	*1,458*	*17.9*	*541*	*14.2*	*917*	*21.0*	*4.2*	*3.4*	*4.7*
Chronic Bronchitis	*1,254*	*15.4*	*559*	*14.7*	*695*	*15.9*	*6.6*	*6.6*	*6.6*
Pnuemonia	2,444	29.9	1,158	30.5	1,286	29.4	6.6	6.5	6.8
Acute Respiratory Infections	600	7.3	305	8.0	295	6.8	3.5	3.3	3.6
Other Diseases of the Upper Respiratory Tract	149	1.8	86	2.3	63	1.4	3.1	3.0	3.3
Influenza	61	0.7	28	0.7	33	0.8	5.2	5.0	5.3
Other Respiratory Diseases	2,009	24.6	1,030	27.1	979	22.4	10.7	11.0	10.4

(continued)

Table 17. Number of Hospital Discharges and Average Length of StayDue to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009 *(continued)*

2009									
Principal Diagnosis	Number of Discharges						Average Length of Stay *(days)*		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**8,124**	**100**	**3,797**	**100**	**4,327**	**100**	**6.6**	**6.6**	**6.6**
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,942	36.2	1,223	32.2	1,719	39.7	5.3	5.0	5.6
Asthma	*1,413*	*17.4*	*543*	*14.3*	*870*	*20.1*	*4.3*	*3.7*	*4.6*
Chronic Bronchitis	*1,365*	*16.8*	*606*	*16.0*	*759*	*17.5*	*6.4*	*6.1*	*6.7*
Pnuemonia	2,417	29.8	1,170	30.8	1,247	28.8	6.2	5.9	6.4
Acute Respiratory Infections	614	7.6	300	7.9	314	7.3	3.4	3.1	3.7
Influenza	195	2.4	90	2.4	105	2.4	4.2	4.3	4.2
Other Diseases of the Upper Respiratory Tract	124	1.5	76	2.0	48	1.1	3.3	4.0	2.1
Other Respiratory Diseases	1,832	22.6	938	24.7	894	20.7	10.7	11.0	10.5

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 18. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009

2008															
Prinicpal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[1]		Hispanic[2]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[1]	Hispanic[2]
Total	8,168	100	5,512	100	1,478	100	1,178	100	981	100	6.9	7.2	6.7	5.6	5.7
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,905	35.6	1,797	32.6	650	44.0	458	38.9	396	40.4	5.4	5.9	4.8	3.9	4.1
Asthma	*1,458*	*17.9*	*653*	*11.8*	*463*	*31.3*	*342*	*29.0*	*318*	*32.4*	*4.2*	*4.7*	*4.0*	*3.5*	*3.8*
Chronic Bronchitis	*1,254*	*15.4*	*1,004*	*18.2*	*159*	*10.8*	*91*	*7.7*	*55*	*5.6*	*6.6*	*6.7*	*6.7*	*4.7*	*5.0*
Pnuemonia	2,444	29.9	1,758	31.9	374	25.3	312	26.5	268	27.3	6.6	6.9	6.7	5.3	4.7
Acute Respiratory Infections	600	7.3	361	6.5	110	7.4	129	11.0	126	12.8	3.5	3.5	3.7	3.0	3.3
Other Diseases of the Upper Respiratory Tract	149	1.8	78	1.4	30	2.0	41	3.5	31	3.2	3.1	3.0	3.4	3.1	1.9
Influenza	61	0.7	46	0.8	10	0.7	5	0.4	7	0.7	5.2	4.9	6.8	4.2	3.4
Other Respiratory Diseases	2,009	24.6	1,472	26.7	304	20.6	233	19.8	153	15.6	10.7	10.4	11.9	11.3	14.1

(continued)

Table 18. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 ***(continued)***

2009															
Prinicpal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[1]		Hispanic[2]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[1]	Hispanic[2]
Total	8,124	100	5,264	100	1,528	100	1,332	100	1,160	100	6.6	6.9	6.7	5.4	5.6
Chronic Obstructive Pulmonary Diseases & Allied Conditions	2,942	36.2	1,779	33.8	711	46.5	452	33.9	427	36.8	5.3	5.7	5.3	4.1	4.6
Asthma	*1,413*	*17.4*	*608*	*11.6*	*466*	*30.5*	*339*	*25.5*	*343*	*29.6*	*4.3*	*4.2*	*4.6*	*3.7*	*4.0*
Chronic Bronchitis	*1,365*	*16.8*	*1,040*	*19.8*	*230*	*15.1*	*95*	*7.1*	*75*	*6.5*	*6.4*	*6.5*	*6.5*	*5.4*	*6.6*
Pnuemonia	2,417	29.8	1,669	31.7	378	24.7	370	27.8	320	27.6	6.2	6.5	5.9	5.1	4.8
Acute Respiratory Infections	614	7.6	329	6.3	98	6.4	187	14.0	178	15.3	3.4	3.6	3.3	3.1	3.4
Influenza	195	2.4	103	2.0	36	2.4	56	4.2	54	4.7	4.2	4.9	3.9	3.3	3.5
Other Diseases of the Upper Respiratory Tract	124	1.5	74	1.4	21	1.4	29	2.2	17	1.5	3.3	2.4	3.3	5.6	4.3
Other Respiratory Diseases	1,832	22.6	1,310	24.9	284	18.6	238	17.9	164	14.1	10.7	10.2	13.2	10.5	13.2

[1] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other race, and Unknown race.

[2] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research System Cooperative (SPARCS). Data as of June 2010.

Table 19. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses [1] by Age, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges																Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**14,051**	**100**	**47**	**100**	**150**	**100**	**97**	**100**	**546**	**100**	**2,017**	**100**	**3,725**	**100**	**2,871**	**100**	**4,598**	**100**	**7.7**	**6.9**	**8.3**	**7.5**	**6.6**	**5.7**	**7.5**	**8.1**	**8.7**
Malignant Neoplasms	**10,742**	**76.5**	**0**	**0.0**	**131**	**87.3**	**66**	**68.0**	**270**	**49.5**	**1,069**	**53.0**	**3,077**	**82.6**	**2,457**	**85.6**	**3,672**	**79.9**	**8.3**	**0.0**	**6.9**	**8.9**	**8.3**	**7.3**	**8.0**	**8.3**	**8.9**
Genital & Urinary Organs	2,271	16.2	0	0.0	1	0.7	3	3.1	27	4.9	143	7.1	644	17.3	560	19.5	893	19.4	6.6	0.0	4.0	4.3	7.6	5.2	5.0	6.8	7.8
Prostate	*1,037*	*7.4*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*18*	*0.9*	*269*	*7.2*	*261*	*9.1*	*489*	*10.6*	*5.8*	*0.0*	*0.0*	*0.0*	*0.0*	*2.3*	*2.7*	*5.8*	*7.7*
Uterus	*224*	*1.6*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*1*	*0.2*	*18*	*0.9*	*83*	*2.2*	*64*	*2.2*	*58*	*1.3*	*6.4*	*0.0*	*0.0*	*0.0*	*4.0*	*3.1*	*6.0*	*6.4*	*8.0*
Ovary	*216*	*1.5*	*0*	*0.0*	*0*	*0.0*	*3*	*3.1*	*3*	*0.5*	*29*	*1.4*	*86*	*2.3*	*48*	*1.7*	*47*	*1.0*	*7.7*	*0.0*	*0.0*	*4.3*	*6.3*	*5.2*	*7.9*	*8.3*	*8.4*
Urinary Bladder	*317*	*2.3*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*7*	*0.3*	*45*	*1.2*	*84*	*2.9*	*181*	*3.9*	*7.7*	*0.0*	*0.0*	*0.0*	*0.0*	*5.6*	*6.2*	*8.3*	*7.8*
Kidney	*268*	*1.9*	*0*	*0.0*	*1*	*0.7*	*0*	*0.0*	*4*	*0.7*	*21*	*1.0*	*90*	*2.4*	*61*	*2.1*	*91*	*2.0*	*7.0*	*0.0*	*4.0*	*0.0*	*4.5*	*8.5*	*5.4*	*7.9*	*7.6*
Digestive Organs & Peritoneum	2,099	14.9	0	0.0	1	0.7	1	1.0	7	1.3	213	10.6	695	18.7	479	16.7	703	15.3	9.4	0.0	1.0	5.0	10.6	8.2	8.9	8.9	10.5
Colon (including Rectum)	*1,043*	*7.4*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*6*	*1.1*	*151*	*7.5*	*315*	*8.5*	*233*	*8.1*	*338*	*7.4*	*8.6*	*0.0*	*0.0*	*0.0*	*11.8*	*7.0*	*7.9*	*8.4*	*10.2*
Lymphatic & Hematopoietic Tissues	2,006	14.3	0	0.0	75	50.0	41	42.3	114	20.9	213	10.6	431	11.6	370	12.9	762	16.6	9.6	0.0	9.0	6.7	9.3	10.0	11.2	10.2	8.6
Respiratory & Intrathoracic Organs	1,588	11.3	0	0.0	0	0.0	0	0.0	17	3.1	80	4.0	402	10.8	471	16.4	618	13.4	9.1	0.0	0.0	0.0	4.6	8.6	8.8	9.2	9.4
Lung	*1,478*	*10.5*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*10*	*1.8*	*73*	*3.6*	*363*	*9.7*	*445*	*15.5*	*587*	*12.8*	*9.0*	*0.0*	*0.0*	*0.0*	*4.5*	*9.0*	*8.5*	*9.1*	*9.3*
Bone, Connective Tissue, Skin & Breast	1,038	7.4	0	0.0	15	10.0	5	5.2	50	9.2	213	10.6	340	9.1	197	6.9	218	4.7	5.8	0.0	4.4	5.8	3.3	4.7	5.8	6.1	7.3
Breast (Female)	*734*	*5.2*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*14*	*2.6*	*181*	*9.0*	*273*	*7.3*	*144*	*5.0*	*122*	*2.7*	*5.7*	*0.0*	*0.0*	*0.0*	*2.6*	*4.5*	*5.3*	*6.1*	*8.0*
Skin	*128*	*0.9*	*0*	*0.0*	*1*	*0.7*	*0*	*0.0*	*0*	*0.0*	*9*	*0.4*	*30*	*0.8*	*33*	*1.1*	*55*	*1.2*	*6.3*	*0.0*	*1.0*	*0.0*	*0.0*	*5.7*	*7.1*	*7.5*	*5.4*
Lip, Oral Cavity & Pharynx	199	1.4	0	0.0	0	0.0	0	0.0	0	0.0	27	1.3	99	2.7	41	1.4	32	0.7	7.4	0.0	0.0	0.0	0.0	6.9	8.7	5.7	5.9
Other & Unspecified Malignant Sites	1,541	11.0	0	0.0	39	26.0	16	16.5	55	10.1	180	8.9	466	12.5	339	11.8	446	9.7	8.7	0.0	4.0	16.7	11.8	7.1	8.8	8.3	9.3
Benign	**2,350**	**16.7**	**45**	**95.7**	**12**	**8.0**	**28**	**28.9**	**236**	**43.2**	**854**	**42.3**	**499**	**13.4**	**262**	**9.1**	**414**	**9.0**	**5.0**	**7.0**	**2.8**	**4.4**	**4.1**	**3.7**	**4.6**	**6.8**	**7.8**
Carcinoma in Situ[2]	**120**	**0.9**	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**4**	**0.7**	**34**	**1.7**	**42**	**1.1**	**15**	**0.5**	**25**	**0.5**	**3.7**	**0.0**	**0.0**	**0.0**	**1.8**	**2.9**	**3.0**	**4.5**	**5.7**
Uncertain & Unspecified Neoplasms	**839**	**6.0**	**2**	**4.3**	**7**	**4.7**	**3**	**3.1**	**36**	**6.6**	**60**	**3.0**	**107**	**2.9**	**137**	**4.8**	**487**	**10.6**	**7.8**	**5.5**	**43.6**	**5.3**	**10.2**	**7.7**	**6.2**	**7.2**	**7.7**

(continued)

Table 19. Numner of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses[1] by Age, Westchester County Residents, 2008-2009 *(continued)*

2009

Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**13,514**	**100**	**66**	**100**	**166**	**100**	**102**	**100**	**506**	**100**	**1,966**	**100**	**3,553**	**100**	**2,715**	**100**	**4,440**	**100**	**7.4**	**9.0**	**7.6**	**6.7**	**5.5**	**5.6**	**7.4**	**7.9**	**8.2**
Malignant Neoplasms	**10,214**	**75.6**	**8**	**12.1**	**137**	**82.5**	**72**	**70.6**	**238**	**47.0**	**995**	**50.6**	**2,886**	**81.2**	**2,325**	**85.6**	**3,553**	**80.0**	**8.1**	**23.4**	**8.2**	**7.6**	**6.5**	**7.5**	**7.9**	**8.1**	**8.5**
Genital & Urinary Organs	2,126	15.7	1	1.5	0	0.0	1	1.0	41	8.1	163	8.3	558	15.7	486	17.9	876	19.7	6.4	3.0	0.0	9.0	4.7	6.4	5.2	6.8	7.1
Prostate	*911*	*6.7*	*1*	*1.5*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*24*	*1.2*	*230*	*6.5*	*191*	*7.0*	*465*	*10.5*	*5.1*	*3.0*	*0.0*	*0.0*	*0.0*	*2.8*	*3.3*	*4.8*	*6.1*
Uterus	*227*	*1.7*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*1*	*0.2*	*23*	*1.2*	*87*	*2.4*	*60*	*2.2*	*56*	*1.3*	*5.4*	*0.0*	*0.0*	*0.0*	*1.0*	*3.9*	*5.8*	*4.0*	*7.1*
Ovary	*248*	*1.8*	*0*	*0.0*	*0*	*0.0*	*1*	*1.0*	*11*	*2.2*	*47*	*2.4*	*95*	*2.7*	*58*	*2.1*	*36*	*0.8*	*8.4*	*0.0*	*0.0*	*9.0*	*4.4*	*7.1*	*8.0*	*10.3*	*9.2*
Urinary Bladder	*324*	*2.4*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*7*	*0.4*	*40*	*1.1*	*79*	*2.9*	*198*	*4.5*	*8.4*	*0.0*	*0.0*	*0.0*	*0.0*	*29.4*	*6.3*	*10.6*	*7.2*
Kidney	*258*	*1.9*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*8*	*1.6*	*14*	*0.7*	*75*	*2.1*	*74*	*2.7*	*87*	*2.0*	*7.1*	*0.0*	*0.0*	*0.0*	*6.4*	*3.0*	*5.3*	*7.6*	*8.9*
Digestive Organs & Peritoneum	2,094	15.5	2	3.0	9	5.4	0	0.0	28	5.5	175	8.9	713	20.1	501	18.5	666	15.0	8.7	3.0	4.1	0.0	5.2	6.1	8.0	9.1	9.9
Colon (including Rectum)	*971*	*7.2*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*17*	*3.4*	*108*	*5.5*	*336*	*9.5*	*194*	*7.1*	*316*	*7.1*	*8.0*	*0.0*	*0.0*	*0.0*	*6.2*	*6.1*	*6.9*	*8.6*	*9.6*
Lymphatic & Hematopoietic Tissues	1,846	13.7	1	1.5	86	51.8	24	23.5	81	16.0	176	9.0	443	12.5	330	12.2	705	15.9	9.8	38.0	8.8	13.0	9.3	11.6	11.0	8.6	9.2
Respiratory & Intrathoracic Organs	1,363	10.1	0	0.0	0	0.0	0	0.0	3	0.6	46	2.3	348	9.8	439	16.2	527	11.9	9.2	0.0	0.0	0.0	1.0	13.1	8.7	8.7	9.5
Lung	*1,270*	*9.4*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*2*	*0.4*	*42*	*2.1*	*315*	*8.9*	*408*	*15.0*	*503*	*11.3*	*9.2*	*0.0*	*0.0*	*0.0*	*1.0*	*14.0*	*8.9*	*8.6*	*9.6*
Bone, Connective Tissue, Skin & Breast	1,067	7.9	0	0.0	3	1.8	19	18.6	34	6.7	213	10.8	326	9.2	187	6.9	285	6.4	6.4	0.0	9.7	4.3	5.6	4.8	6.6	6.1	7.7
Breast (Female)	*764*	*5.7*	*0*	*0.0*	*0*	*0.0*	*0*	*0.0*	*13*	*2.6*	*170*	*8.6*	*251*	*7.1*	*141*	*5.2*	*189*	*4.3*	*5.8*	*0.0*	*0.0*	*0.0*	*2.3*	*4.7*	*6.4*	*5.4*	*6.6*
Skin	*145*	*1.1*	*0*	*0.0*	*0*	*0.0*	*1*	*1.0*	*2*	*0.4*	*25*	*1.3*	*26*	*0.7*	*25*	*0.9*	*66*	*1.5*	*8.3*	*0.0*	*0.0*	*4.0*	*1.5*	*5.6*	*6.8*	*8.5*	*10.1*
Lip, Oral Cavity & Pharynx	181	1.3	0	0.0	0	0.0	0	0.0	5	1.0	20	1.0	72	2.0	53	2.0	31	0.7	7.4	0.0	0.0	0.0	5.2	3.9	8.6	7.0	7.6
Other & Unspecified Malignant Sites	1,537	11.4	4	6.1	39	23.5	28	27.5	46	9.1	202	10.3	426	12.0	329	12.1	463	10.4	7.9	0.0	7.8	5.1	4.9	8.1	7.9	8.4	7.8
Benign	**2,349**	**17.4**	**54**	**81.8**	**20**	**12.0**	**21**	**20.6**	**235**	**46.4**	**880**	**44.8**	**487**	**13.7**	**241**	**8.9**	**411**	**9.3**	**4.6**	**5.8**	**3.3**	**5.4**	**4.2**	**3.5**	**4.8**	**5.6**	**6.5**
Carcinoma in Situ[2]	**124**	**0.9**	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**4**	**0.8**	**34**	**1.7**	**44**	**1.2**	**20**	**0.7**	**22**	**0.5**	**3.7**	**0.0**	**0.0**	**0.0**	**7.3**	**2.6**	**3.8**	**4.2**	**4.0**
Uncertain & Unspecified Neoplasms	**827**	**6.1**	**4**	**6.1**	**9**	**5.4**	**9**	**8.8**	**29**	**5.7**	**57**	**2.9**	**136**	**3.8**	**129**	**4.8**	**454**	**10.2**	**7.5**	**22.5**	**7.4**	**3.3**	**8.2**	**6.8**	**8.2**	**8.7**	**6.9**

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

[2] Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 20. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses [1] by Sex, Westchester County Residents, 2008-2009

2008

Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**14,051**	**100**	**6,347**	**100**	**7,704**	**100**	**7.7**	**8.1**	**7.4**
Malignant Neoplasms	**10,742**	**76.5**	**5,469**	**86.2**	**5,273**	**68.4**	**8.3**	**8.1**	**8.5**
Genital & Urinary Organs	2,271	16.2	1,443	22.7	828	10.7	6.6	6.2	7.3
Prostate	*1,037*	*7.4*	*1,037*	*16.3*	—	—	*5.8*	*5.8*	—
Uterus	*224*	*1.6*	—	—	*224*	*2.9*	*6.4*	—	*6.4*
Ovary	*216*	*1.5*	—	—	*216*	*2.8*	*7.7*	—	*7.7*
Urinary Bladder	*317*	*2.3*	*234*	*3.7*	*83*	*1.1*	*7.7*	*7.2*	*9.2*
Kidney	*268*	*1.9*	*150*	*2.4*	*118*	*1.5*	*7.0*	*7.0*	*7.0*
Digestive Organs & Peritoneum	2,099	14.9	1,173	18.5	926	12.0	9.4	8.7	10.2
Colon (including Rectum)	*1,043*	*7.4*	*538*	*8.5*	*505*	*6.6*	*8.6*	*8.5*	*8.8*
Lymphatic & Hematopoietic Tissues	2,006	14.3	1,099	17.3	907	11.8	9.6	9.3	10.1
Respiratory & Intrathoracic Organs	1,588	11.3	787	12.4	801	10.4	9.1	9.2	9.0
Lung	*1,478*	*10.5*	*700*	*11.0*	*778*	*10.1*	*9.0*	*9.0*	*9.0*
Bone, Connective Tissue, Skin & Breast	1,038	7.4	175	2.8	863	11.2	5.8	6.1	5.7
Breast (Female)	*734*	*5.2*	—	—	*734*	*9.5*	*5.7*	—	*5.7*
Skin	*128*	*0.9*	*63*	*1.0*	*65*	*0.8*	*6.3*	*6.1*	*6.6*
Lip, Oral Cavity & Pharynx	199	1.4	135	2.1	64	0.8	7.4	7.4	7.3
Other & Unspecified Malignant Sites	1,541	11.0	657	10.4	884	11.5	8.7	8.6	8.8
Benign	**2,350**	**16.7**	**488**	**7.7**	**1,862**	**24.2**	**5.0**	**7.0**	**4.5**
Carcinoma in Situ [2]	**120**	**0.9**	**14**	**0.2**	**106**	**1.4**	**3.7**	**7.2**	**3.2**
Uncertain & Unspecified Neoplasms	**839**	**6.0**	**376**	**5.9**	**463**	**6.0**	**7.8**	**9.0**	**6.8**

(continued)

Table 20. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses [1] by Sex, Westchester County Residents, 2008-2009 *(continued)*

2009

Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**13,514**	**100**	**6,089**	**100**	**7,425**	**100**	**7.4**	**7.7**	**7.2**
Malignant Neoplasms	**10,214**	**75.6**	**5,188**	**85.2**	**5,026**	**67.7**	**8.1**	**7.8**	**8.4**
Genital & Urinary Organs	2,126	15.7	1,320	21.7	806	10.9	6.4	5.8	7.5
Prostate	*911*	*6.7*	*911*	*15.0*	—	—	*5.1*	*5.1*	—
Uterus	*227*	*1.7*	—	—	*227*	*3.1*	*5.4*	—	*5.4*
Ovary	*248*	*1.8*	—	—	*248*	*3.3*	*8.4*	—	*8.4*
Urinary Bladder	*324*	*2.4*	*249*	*4.1*	*75*	*1.0*	*8.4*	*8.2*	*9.0*
Kidney	*258*	*1.9*	*160*	*2.6*	*98*	*1.3*	*7.1*	*6.5*	*8.1*
Digestive Organs & Peritoneum	2,094	15.5	1,193	19.6	901	12.1	8.7	8.0	9.6
Colon (including Rectum)	*971*	*7.2*	*500*	*8.2*	*471*	*6.3*	*8.0*	*6.9*	*9.2*
Lymphatic & Hematopoietic Tissues	1,846	13.7	977	16.0	869	11.7	9.8	10.0	9.6
Respiratory & Intrathoracic Organs	1,363	10.1	670	11.0	693	9.3	9.2	8.8	9.5
Lung	*1,270*	*9.4*	*605*	*9.9*	*665*	*9.0*	*9.2*	*8.7*	*9.6*
Bone, Connective Tissue, Skin & Breast	1,067	7.9	165	2.7	902	12.1	6.4	6.8	6.3
Breast (Female)	*764*	*5.7*	—	—	*764*	*10.3*	*5.8*	—	*5.8*
Skin	*145*	*1.1*	*75*	*1.2*	*70*	*0.9*	*8.3*	*5.6*	*11.2*
Lip, Oral Cavity & Pharynx	181	1.3	134	2.2	47	0.6	7.4	7.8	6.1
Other & Unspecified Malignant Sites	1,537	11.4	729	12.0	808	10.9	7.9	7.7	8.1
Benign	**2,349**	**17.4**	**514**	**8.4**	**1,835**	**24.7**	**4.6**	**6.6**	**4.1**
Carcinoma in Situ[2]	**124**	**0.9**	**14**	**0.2**	**110**	**1.5**	**3.7**	**6.9**	**3.3**
Uncertain & Unspecified Neoplasms	**827**	**6.1**	**373**	**6.1**	**454**	**6.1**	**7.5**	**7.9**	**7.1**

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

[2] Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 21. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses1 by Race/Ethnicity, Westchester County Residents, 2008-2009

2008															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[2]		Hispanic[3]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**14,051**	**100**	**10,216**	**100**	**2,127**	**100**	**1,708**	**100**	**1,085**	**100**	**7.7**	**7.5**	**8.6**	**7.8**	**7.9**
Malignant Neoplasms	**10,742**	**76.5**	**8,165**	**79.9**	**1,426**	**67.0**	**1,151**	**67.4**	**728**	**67.1**	**8.3**	**7.9**	**9.9**	**9.1**	**9.5**
Genital & Urinary Organs	2,271	16.2	1,747	17.1	306	14.4	218	12.8	130	12.0	6.6	6.2	9.0	6.7	8.3
Prostate	*1,037*	*7.4*	*803*	*7.9*	*132*	*6.2*	*102*	*6.0*	*49*	*4.5*	*5.8*	*5.3*	*9.1*	*5.5*	*5.8*
Uterus	*224*	*1.6*	*175*	*1.7*	*33*	*1.6*	*16*	*0.9*	*11*	*1.0*	*6.4*	*5.9*	*8.5*	*6.9*	*6.9*
Ovary	*216*	*1.5*	*175*	*1.7*	*19*	*0.9*	*22*	*1.3*	*12*	*1.1*	*7.7*	*7.0*	*12.1*	*8.7*	*22.3*
Urinary Bladder	*317*	*2.3*	*277*	*2.7*	*29*	*1.4*	*11*	*0.6*	*3*	*0.3*	*7.7*	*7.4*	*9.3*	*11.7*	*6.3*
Kidney	*268*	*1.9*	*215*	*2.1*	*23*	*1.1*	*30*	*1.8*	*15*	*1.4*	*7.0*	*6.8*	*9.6*	*6.4*	*7.9*
Digestive Organs & Peritoneum	2,099	14.9	1,576	15.4	303	14.2	220	12.9	211	19.4	9.4	9.0	11.0	10.0	10.2
Colon (including Rectum)	*1,043*	*7.4*	*783*	*7.7*	*149*	*7.0*	*111*	*6.5*	*127*	*11.7*	*8.6*	*8.5*	*9.5*	*8.8*	*8.1*
Lymphatic & Hematopoietic Tissues	2,006	14.3	1,506	14.7	259	12.2	241	14.1	167	15.4	9.6	9.2	10.3	11.5	10.6
Respiratory & Intrathoracic Organs	1,588	11.3	1,233	12.1	217	10.2	138	8.1	47	4.3	9.1	8.7	10.0	10.7	13.1
Lung	*1,478*	*10.5*	*1,162*	*11.4*	*192*	*9.0*	*124*	*7.3*	*42*	*3.9*	*9.0*	*8.8*	*9.8*	*9.8*	*13.3*
Bone, Connective Tissue, Skin & Breast	1,038	7.4	767	7.5	136	6.4	135	7.9	66	6.1	5.8	5.6	7.5	5.3	6.3
Breast (Female)	*734*	*5.2*	*518*	*5.1*	*115*	*5.4*	*101*	*5.9*	*53*	*4.9*	*5.7*	*5.5*	*6.7*	*5.3*	*6.1*
Skin	*128*	*0.9*	*106*	*1.0*	*9*	*0.4*	*13*	*0.8*	*6*	*0.6*	*6.3*	*5.9*	*14.6*	*4.3*	*4.3*
Lip, Oral Cavity & Pharynx	199	1.4	138	1.4	23	1.1	38	2.2	19	1.8	7.4	6.5	9.0	9.6	6.7
Other & Unspecified Malignant Sites	1,541	11.0	1,198	11.7	182	8.6	161	9.4	88	8.1	8.7	8.3	11.0	9.1	8.2
Benign	2,350	16.7	1,321	12.9	589	27.7	440	25.8	311	28.7	5.0	5.2	5.1	4.5	4.5
Carcinoma in Situ[4]	120	0.9	80	0.8	21	1.0	19	1.1	5	0.5	3.7	3.4	5.2	2.9	4.0
Uncertain & Unspecified Neoplasms	839	6.0	650	6.4	91	4.3	98	5.7	41	3.8	7.8	7.3	10.9	8.2	6.4

(continued)

Table 21. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses [1] by Race/Ethnicity, Westchester County Residents, 2008-2009 *(continued)*

2009															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[2]		Hispanic[3]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**13,514**	**100**	**9,607**	**100**	**2,176**	**100**	**1,731**	**100**	**1,179**	**100**	**7.4**	**7.4**	**7.8**	**7.2**	**6.8**
Malignant Neoplasms	**10,214**	**75.6**	**7,594**	**79.0**	**1,432**	**65.8**	**1,188**	**68.6**	**807**	**68.4**	**8.1**	**7.9**	**9.3**	**8.0**	**7.7**
Genital & Urinary Organs	2,126	15.7	1,558	16.2	316	14.5	252	14.6	139	11.8	6.4	6.1	8.3	6.0	5.9
Prostate	*911*	*6.7*	*661*	*6.9*	*135*	*6.2*	*115*	*6.6*	*50*	*4.2*	*5.1*	*4.8*	*7.4*	*4.1*	*3.7*
Uterus	*227*	*1.7*	*154*	*1.6*	*50*	*2.3*	*23*	*1.3*	*13*	*1.1*	*5.4*	*5.0*	*6.4*	*6.1*	*3.8*
Ovary	*248*	*1.8*	*173*	*1.8*	*37*	*1.7*	*38*	*2.2*	*15*	*1.3*	*8.4*	*9.4*	*4.5*	*7.8*	*7.3*
Urinary Bladder	*324*	*2.4*	*275*	*2.9*	*34*	*1.6*	*15*	*0.9*	*8*	*0.7*	*8.4*	*7.2*	*17.0*	*11.0*	*9.8*
Kidney	*258*	*1.9*	*199*	*2.1*	*28*	*1.3*	*31*	*1.8*	*23*	*2.0*	*7.1*	*7.0*	*9.2*	*5.4*	*5.8*
Digestive Organs & Peritoneum	2,094	15.5	1,557	16.2	279	12.8	258	14.9	213	18.1	8.7	8.5	9.5	8.7	8.6
Colon (including Rectum)	*971*	*7.2*	*751*	*7.8*	*126*	*5.8*	*94*	*5.4*	*94*	*8.0*	*8.0*	*7.7*	*9.2*	*8.9*	*6.2*
Lymphatic & Hematopoietic Tissues	1,846	13.7	1,344	14.0	278	12.8	224	12.9	190	16.1	9.8	9.7	10.1	9.8	8.7
Respiratory & Intrathoracic Organs	1,363	10.1	1,076	11.2	190	8.7	97	5.6	54	4.6	9.2	8.7	11.4	10.5	8.4
Lung	*1,270*	*9.4*	*1,003*	*10.4*	*179*	*8.2*	*88*	*5.1*	*48*	*4.1*	*9.2*	*8.6*	*11.6*	*10.9*	*8.6*
Bone, Connective Tissue, Skin & Breast	1,067	7.9	779	8.1	144	6.6	144	8.3	84	7.1	6.4	6.3	8.4	4.9	5.8
Breast (Female)	*764*	*5.7*	*552*	*5.7*	*123*	*5.7*	*89*	*5.1*	*51*	*4.3*	*5.8*	*5.6*	*7.6*	*5.1*	*6.2*
Skin	*145*	*1.1*	*111*	*1.2*	*5*	*0.2*	*29*	*1.7*	*13*	*1.1*	*8.3*	*9.2*	*8.2*	*5.0*	*6.0*
Lip, Oral Cavity & Pharynx	181	1.3	128	1.3	17	0.8	36	2.1	20	1.7	7.4	7.4	6.2	7.7	8.0
Other & Unspecified Malignant Sites	1,537	11.4	1,152	12.0	208	9.6	177	10.2	107	9.1	7.9	7.7	8.5	8.8	7.9
Benign	**2,349**	**17.4**	**1,266**	**13.2**	**656**	**30.1**	**427**	**24.7**	**307**	**26.0**	**4.6**	**4.7**	**4.5**	**4.6**	**4.3**
Carcinoma in Situ[4]	**124**	**0.9**	**94**	**1.0**	**18**	**0.8**	**12**	**0.7**	**11**	**0.9**	**3.7**	**3.0**	**7.8**	**2.7**	**3.0**
Uncertain & Unspecified Neoplasms	**827**	**6.1**	**653**	**6.8**	**70**	**3.2**	**104**	**6.0**	**54**	**4.6**	**7.5**	**7.3**	**7.2**	**9.0**	**7.9**

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

[2] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

[4] Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 22. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009

2008

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**10,742**	**5,469**	**50.9**	**5,273**	**49.1**	**8.3**	**8.1**	**8.5**
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	19	1	5.3	18	94.7	14.2	4.0	14.8
3-4	39	30	76.9	9	23.1	5.2	5.4	4.6
5-6	21	3	14.3	18	85.7	4.0	11.0	2.8
7-8	16	7	43.8	9	56.3	5.7	5.9	5.6
9-10	21	0	0.0	21	100.0	3.4	0.0	3.4
11-12	15	0	0.0	15	100.0	12.3	0.0	12.3
13-14	22	18	81.8	4	18.2	9.5	8.1	15.8
15-16	40	20	50.0	20	50.0	9.0	12.6	5.5
17-18	13	2	15.4	11	84.6	3.7	3.0	3.8
19-20	53	40	75.5	13	24.5	5.4	4.4	8.7
21-22	45	40	88.9	5	11.1	9.8	10.9	1.8
23-24	17	9	52.9	8	47.1	10.2	6.2	14.8
25-29	63	26	41.3	37	58.7	5.7	4.6	6.5
30-34	83	38	45.8	45	54.2	11.3	9.6	12.7
35-39	182	66	36.3	116	63.7	7.7	8.0	7.5
40-44	407	142	34.9	265	65.1	7.0	9.3	5.8
45-49	480	225	46.9	255	53.1	7.3	8.1	6.6
50-54	814	361	44.3	453	55.7	7.8	7.6	7.9
55-59	1,094	589	53.8	505	46.2	8.2	7.8	8.7
60-64	1,169	610	52.2	559	47.8	8.0	8.1	8.0
65-69	1,238	682	55.1	556	44.9	7.6	6.9	8.4
70-74	1,219	612	50.2	607	49.8	9.1	8.5	9.6
75-79	1,348	728	54.0	620	46.0	8.6	8.2	9.1
80-84	1,199	630	52.5	569	47.5	8.7	8.2	9.2
85 and older	1,125	590	52.4	535	47.6	9.5	9.3	9.7

(continued)

Table 22. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009 *(continued)*

2009								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total[2]	**10,214**	**5,187**	**50.8**	**5,026**	**49.2**	**8.1**	**7.8**	**8.4**
Less than 1	7	6	85.7	1	14.3	26.3	24.3	38.0
1-2	30	22	73.3	8	26.7	8.8	5.2	18.6
3-4	33	21	63.6	12	36.4	6.9	6.1	8.4
5-6	38	21	55.3	17	44.7	5.5	7.4	3.1
7-8	17	15	88.2	2	11.8	9.1	4.4	44.5
9-10	10	8	80.0	2	20.0	10.0	5.6	27.5
11-12	9	1	11.1	8	88.9	18.9	16.0	19.3
13-14	28	19	67.9	9	32.1	8.9	7.2	12.4
15-16	32	23	71.9	9	28.1	5.9	4.7	9.0
17-18	25	16	64.0	9	36.0	6.5	6.5	6.6
19-20	18	4	22.2	14	77.8	5.9	5.3	6.1
21-22	37	26	70.3	11	29.7	5.2	5.8	3.8
23-24	13	8	61.5	5	38.5	9.8	11.0	8.0
25-29	56	33	58.9	23	41.1	6.6	5.5	8.2
30-34	101	56	55.4	45	44.6	6.8	8.2	5.0
35-39	178	77	43.3	101	56.7	6.9	9.2	5.1
40-44	314	94	29.9	220	70.1	7.8	9.0	7.3
45-49	503	216	42.9	287	57.1	7.6	7.1	8.0
50-54	809	361	44.6	448	55.4	7.9	7.3	8.4
55-59	916	498	54.4	418	45.6	7.3	7.2	7.4
60-64	1,161	592	51.0	569	49.0	8.3	8.2	8.4
65-69	1,207	639	52.9	568	47.1	7.7	7.9	7.5
70-74	1,118	576	51.5	542	48.5	8.5	8.1	8.9
75-79	1,263	707	56.0	556	44.0	8.4	7.8	9.1
80-84	1,122	559	49.8	563	50.2	9.2	8.6	9.7
85+	1,168	589	50.4	579	49.6	8.1	7.6	8.6

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included.

[2] Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 23. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[2]		Hispanic[3]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**10,742**	**8,165**	**76.0**	**1,426**	**13.3**	**1,151**	**10.7**	**728**	**6.8**	**8.3**	**7.9**	**9.9**	**9.1**	**9.5**
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	19	13	68.4	1	5.3	5	26.3	6	31.6	14.2	16.2	4.0	11.0	12.8
3-4	39	17	43.6	13	33.3	9	23.1	9	23.1	5.2	4.6	5.6	5.7	5.3
5-6	21	13	61.9	1	4.8	7	33.3	0	0.0	4.0	3.0	19.0	3.6	0.0
7-8	16	11	68.8	5	31.3	0	0.0	2	12.5	5.7	5.1	7.0	0.0	3.0
9-10	21	19	90.5	0	0.0	2	9.5	11	52.4	3.4	3.4	0.0	3.5	3.3
11-12	15	15	100.0	0	0.0	0	0.0	0	0.0	12.3	12.3	0.0	0.0	0.0
13-14	22	18	81.8	3	13.6	1	4.5	4	18.2	9.5	7.2	24.3	7.0	17.3
15-16	40	34	85.0	2	5.0	4	10.0	17	42.5	9.0	4.8	93.5	3.0	2.7
17-18	13	8	61.5	3	23.1	2	15.4	1	7.7	3.7	4.0	4.3	1.5	2.0
19-20	53	30	56.6	0	0.0	23	43.4	0	0.0	5.4	3.6	0.0	7.8	0.0
21-22	45	35	77.8	0	0.0	10	22.2	9	20.0	9.8	5.5	0.0	25.1	29.7
23-24	17	13	76.5	3	17.6	1	5.9	6	35.3	10.2	7.0	26.3	4.0	15.3
25-29	63	32	50.8	9	14.3	22	34.9	32	50.8	5.7	5.0	7.0	6.2	6.6
30-34	83	53	63.9	7	8.4	23	27.7	25	30.1	11.3	6.9	2.7	24.0	11.4
35-39	182	128	70.3	29	15.9	25	13.7	28	15.4	7.7	7.1	9.0	8.9	13.4
40-44	407	247	60.7	74	18.2	86	21.1	78	19.2	7.0	6.3	9.3	7.1	8.3
45-49	480	305	63.5	113	23.5	62	12.9	48	10.0	7.3	6.4	9.9	6.7	6.2
50-54	814	539	66.2	152	18.7	123	15.1	71	8.7	7.8	7.1	9.6	8.4	8.6
55-59	1,094	769	70.3	170	15.5	155	14.2	101	9.2	8.2	7.6	9.7	9.8	11.4
60-64	1,169	889	76.0	173	14.8	107	9.2	69	5.9	8.0	8.0	8.2	8.2	8.2
65-69	1,238	929	75.0	164	13.2	145	11.7	71	5.7	7.6	7.1	9.1	8.9	9.1
70-74	1,219	951	78.0	160	13.1	108	8.9	47	3.9	9.1	8.5	11.0	11.6	14.9
75-79	1,348	1,102	81.8	148	11.0	98	7.3	41	3.0	8.6	8.5	9.6	8.1	8.3
80-84	1,199	1,016	84.7	98	8.2	85	7.1	36	3.0	8.7	8.4	11.5	8.6	9.0
85+	1,125	979	87.0	98	8.7	48	4.3	16	1.4	9.5	9.2	12.6	8.4	5.4

(continued)

Table 23. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 *(continued)*

2009

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[2]		Hispanic[3]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total[4]	**10,214**	**7,593**	**74.3**	**1,432**	**14.0**	**1,188**	**11.6**	**807**	**7.9**	**8.1**	**7.9**	**9.3**	**8.0**	**7.7**
Less than 1	7	4	57.1	0	0.0	3	42.9	3	42.9	26.3	39.8	0.0	8.3	8.3
1-2	30	20	66.7	0	0.0	10	33.3	1	3.3	8.8	11.1	0.0	4.2	5.0
3-4	33	21	63.6	0	0.0	12	36.4	8	24.2	6.9	9.0	0.0	3.3	3.3
5-6	38	21	55.3	9	23.7	8	21.1	7	18.4	5.5	5.0	9.0	2.6	2.7
7-8	17	1	5.9	2	11.8	14	82.4	14	82.4	9.1	72.0	4.0	5.4	5.4
9-10	10	3	30.0	3	30.0	4	40.0	1	10.0	10.0	19.7	4.3	7.0	4.0
11-12	9	4	44.4	5	55.6	0	0.0	1	11.1	18.9	20.5	17.6	0.0	15.0
13-14	28	12	42.9	3	10.7	13	46.4	6	21.4	8.9	10.3	24.3	3.9	4.3
15-16	32	20	62.5	2	6.3	10	31.3	19	59.4	5.9	7.0	4.0	4.0	5.2
17-18	25	13	52.0	2	8.0	10	40.0	2	8.0	6.5	6.9	6.0	6.1	15.0
19-20	18	4	22.2	3	16.7	11	61.1	1	5.6	5.9	2.8	4.3	7.5	10.0
21-22	37	21	56.8	13	35.1	3	8.1	7	18.9	5.2	6.8	3.5	1.7	6.9
23-24	13	13	100.0	0	0.0	0	0.0	0	0.0	9.8	9.8	0.0	0.0	0.0
25-29	56	21	37.5	9	16.1	26	46.4	31	55.4	6.6	3.3	4.6	10.0	8.7
30-34	101	45	44.6	35	34.7	21	20.8	21	20.8	6.8	6.1	7.7	6.5	6.6
35-39	178	112	62.9	27	15.2	39	21.9	39	21.9	6.9	5.5	9.7	9.0	8.4
40-44	314	171	54.5	83	26.4	60	19.1	38	12.1	7.8	6.8	8.8	9.4	8.7
45-49	503	334	66.4	99	19.7	70	13.9	62	12.3	7.6	6.8	11.2	6.3	7.2
50-54	809	529	65.4	154	19.0	126	15.6	83	10.3	7.9	7.2	10.7	7.6	8.2
55-59	916	619	67.6	146	15.9	151	16.5	117	12.8	7.3	6.8	8.3	8.1	8.5
60-64	1,161	892	76.8	161	13.9	108	9.3	81	7.0	8.3	7.9	9.5	9.5	7.8
65-69	1,207	904	74.9	187	15.5	116	9.6	84	7.0	7.7	7.6	8.2	7.5	7.6
70-74	1,118	858	76.7	149	13.3	111	9.9	52	4.7	8.5	8.5	9.4	7.1	6.7
75-79	1,263	1,031	81.6	122	9.7	110	8.7	74	5.9	8.4	8.4	7.5	9.5	7.4
80-84	1,122	926	82.5	125	11.1	71	6.3	27	2.4	9.2	8.9	10.5	9.6	10.4
85+	1,168	994	85.1	93	8.0	81	6.9	28	2.4	8.1	7.8	11.1	8.9	8.1

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included.

[2] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

[4] Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 24. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning[1] by Etiology and Age, Westchester County Residents, 2008-2009

2008

Etiology	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**6,972**	**100**	**31**	**100**	**256**	**100**	**234**	**100**	**952**	**100**	**925**	**100**	**1,052**	**100**	**708**	**100**	**2,814**	**100**	**6.5**	**5.9**	**3.4**	**4.3**	**5.0**	**6.2**	**6.7**	**7.1**	**7.3**
Falls	3,757	53.9	14	45.2	86	33.6	56	23.9	155	16.3	215	23.2	506	48.1	464	65.5	2,261	80.3	6.6	1.6	2.4	2.4	6.5	5.1	6.6	6.1	7.1
Motor Vehicle Accident	418	6.0	0	0.0	4	1.6	15	6.4	144	15.1	93	10.1	56	5.3	38	5.4	68	2.4	7.0	0.0	6.3	3.3	6.4	7.9	7.9	7.2	7.2
Self-Inflicted	342	4.9	0	0.0	2	0.8	26	11.1	135	14.2	96	10.4	62	5.9	6	0.8	15	0.5	4.7	0.0	2.5	6.6	4.3	4.3	4.1	7.8	7.6
Assault	334	4.8	0	0.0	3	1.2	39	16.7	177	18.6	84	9.1	23	2.2	4	0.6	4	0.1	4.4	0.0	6.3	3.9	3.5	6.3	4.7	4.3	5.3
Poisoning	333	4.8	2	6.5	17	6.6	13	5.6	49	5.1	98	10.6	70	6.7	32	4.5	52	1.8	3.8	2.0	2.4	2.2	3.7	3.3	3.9	5.2	5.2
Struck by Person/Object	203	2.9	1	3.2	30	11.7	20	8.5	50	5.3	39	4.2	24	2.3	12	1.7	27	1.0	5.7	10.0	4.7	2.0	5.9	6.8	4.6	5.6	8.3
Pedestrian	146	2.1	0	0.0	15	5.9	13	5.6	29	3.0	31	3.4	26	2.5	10	1.4	22	0.8	9.2	0.0	4.9	3.8	9.1	10.9	11.6	12.5	9.0
Cutting Instrument	86	1.2	0	0.0	4	1.6	2	0.9	27	2.8	29	3.1	15	1.4	7	1.0	2	0.1	4.6	0.0	1.8	1.5	3.8	5.3	6.5	3.0	3.5
Overexertion	84	1.2	0	0.0	1	0.4	7	3.0	16	1.7	15	1.6	16	1.5	9	1.3	20	0.7	6.2	0.0	5.0	3.4	3.4	12.4	4.4	4.4	7.0
Bicycle	81	1.2	0	0.0	20	7.8	9	3.8	11	1.2	16	1.7	21	2.0	4	0.6	0	0.0	3.5	0.0	2.9	3.9	2.9	5.4	3.1	2.3	0.0
Scalds	76	1.1	5	16.1	24	9.4	1	0.4	9	0.9	15	1.6	9	0.9	2	0.3	11	0.4	8.8	4.8	6.5	4.0	9.2	11.7	11.8	5.0	10.2
Respiratory Interference	41	0.6	1	3.2	0	0.0	1	0.4	0	0.0	2	0.2	10	1.0	9	1.3	18	0.6	22.3	2.0	0.0	1.0	0.0	136.0	34.3	18.4	7.2
Fire/Flame	22	0.3	0	0.0	3	1.2	0	0.0	5	0.5	1	0.1	5	0.5	5	0.7	3	0.1	12.2	0.0	16.0	0.0	5.2	17.0	7.2	23.6	8.0
Machinery	19	0.3	0	0.0	0	0.0	0	0.0	8	0.8	4	0.4	6	0.6	0	0.0	1	0.0	2.1	0.0	0.0	0.0	2.4	2.0	1.8	0.0	1.0
Other	1,030	14.8	8	25.8	47	18.4	32	13.7	137	14.4	187	20.2	203	19.3	106	15.0	310	11.0	7.2	15.1	1.9	9.5	4.0	6.1	7.6	10.4	8.5

(continued)

Table 24. Number of Hospital Discharges and Average Length of Stay Due to Injueries and Poisoning[1] by Etiology and Age, Westchester County Residents, 2008-2009 *(continued)*

2009

	Number of Discharges																		Average Length of Stay (days)								
	Total		Less than 1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
Etiology	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	**6,961**	**100**	**60**	**100**	**258**	**100**	**237**	**100**	**879**	**100**	**911**	**100**	**1,110**	**100**	**804**	**100**	**2,702**	**100**	**6.4**	**6.3**	**3.1**	**4.7**	**4.8**	**5.8**	**7.5**	**7.2**	**6.9**
Falls	3,769	54.1	25	41.7	96	37.2	54	22.8	139	15.8	247	27.1	496	44.7	525	65.3	2,187	80.9	6.6	2.2	2.9	3.6	6.2	7.0	6.9	7.1	6.6
Motor Vehicle Accident	427	6.1	1	1.7	5	1.9	16	6.8	150	17.1	86	9.4	68	6.1	44	5.5	57	2.1	6.5	1.0	3.4	5.8	5.1	6.3	8.9	6.8	7.9
Self-Inflicted	338	4.9	0	0.0	0	0.0	29	12.2	123	14.0	102	11.2	60	5.4	12	1.5	12	0.4	5.4	0.0	0.0	5.7	4.9	4.2	8.3	6.3	5.7
Poisoning	282	4.1	2	3.3	17	6.6	10	4.2	51	5.8	57	6.3	76	6.8	28	3.5	41	1.5	4.2	10.0	1.4	3.0	2.8	4.0	5.8	4.9	4.1
Assault	278	4.0	5	8.3	3	1.2	33	13.9	162	18.4	53	5.8	18	1.6	2	0.2	2	0.1	5.4	13.2	4.7	2.6	5.0	6.9	6.8	7.5	4.0
Struck by Person/Object	188	2.7	3	5.0	25	9.7	21	8.9	34	3.9	32	3.5	34	3.1	8	1.0	31	1.1	5.8	4.3	3.0	11.6	3.9	4.0	7.2	4.6	6.8
Pedestrian	124	1.8	0	0.0	10	3.9	12	5.1	26	3.0	25	2.7	26	2.3	18	2.2	7	0.3	7.8	0.0	2.6	3.4	4.5	9.9	13.1	7.9	7.1
Cutting Instrument	91	1.3	2	3.3	6	2.3	7	3.0	20	2.3	21	2.3	21	1.9	6	0.7	8	0.3	6.0	56.5	2.8	4.0	5.5	5.0	4.9	6.8	4.1
Overexertion	87	1.2	0	0.0	3	1.2	10	4.2	9	1.0	20	2.2	20	1.8	5	0.6	20	0.7	5.2	0.0	3.0	7.6	2.8	4.4	3.7	6.2	7.6
Bicycle	69	1.0	0	0.0	6	2.3	10	4.2	16	1.8	17	1.9	10	0.9	8	1.0	2	0.1	3.9	0.0	3.8	2.3	3.7	3.2	3.0	4.6	21.0
Scalds	68	1.0	5	8.3	18	7.0	2	0.8	11	1.3	10	1.1	10	0.9	4	0.5	8	0.3	7.8	4.8	6.1	2.0	5.2	5.9	7.6	23.0	13.3
Respiratory Interference	58	0.8	3	5.0	3	1.2	0	0.0	1	0.1	3	0.3	9	0.8	3	0.4	36	1.3	13.4	5.7	5.7	0.0	3.0	1.0	22.6	22.7	13.0
Fire/Flame	28	0.4	0	0.0	2	0.8	2	0.8	5	0.6	9	1.0	5	0.5	2	0.2	3	0.1	17.4	0.0	3.0	5.5	6.0	27.8	13.6	20.0	27.0
Machinery	18	0.3	0	0.0	1	0.4	0	0.0	3	0.3	5	0.5	3	0.3	3	0.4	3	0.1	4.3	0.0	2.0	0.0	3.0	4.2	9.0	3.7	2.7
Other	1,136	16.3	14	23.3	63	24.4	31	13.1	129	14.7	224	24.6	254	22.9	136	16.9	285	10.5	6.5	4.8	2.9	3.8	3.7	4.4	8.2	7.9	8.4

[1] Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoining, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 25. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning[1] by Etiology and Sex, Westchester County Residents, 2008-2009

2008

Etiology	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**6,972**	**100**	**3,629**	**100**	**3,343**	**100**	**6.5**	**6.6**	**6.4**
Falls	3,757	53.9	2,298	63.3	1,459	43.6	6.6	6.5	6.7
Motor Vehicle Accident	418	6.0	176	4.8	242	7.2	7.0	5.4	8.2
Self-Inflicted	342	4.9	189	5.2	153	4.6	4.7	4.1	5.3
Assault	334	4.8	44	1.2	290	8.7	4.4	5.9	4.2
Poisoning	333	4.8	157	4.3	176	5.3	3.8	3.9	3.8
Struck by Person/Object	203	2.9	51	1.4	152	4.5	5.7	7.1	5.2
Pedestrian	146	2.1	74	2.0	72	2.2	9.2	10.5	7.9
Cutting Instrument	86	1.2	16	0.4	70	2.1	4.6	5.7	4.3
Overexertion	84	1.2	42	1.2	42	1.3	6.2	7.9	4.5
Bicycle	81	1.2	19	0.5	62	1.9	3.5	2.9	3.7
Scalds	76	1.1	33	0.9	43	1.3	8.8	9.9	8.0
Respiratory Interference	41	0.6	16	0.4	25	0.7	22.3	20.6	23.4
Fire/Flame	22	0.3	10	0.3	12	0.4	12.2	15.2	9.8
Machinery	19	0.3	3	0.1	16	0.5	2.1	1.3	2.2
Other	1,030	14.8	501	13.8	529	15.8	7.2	7.7	6.8

2009

Etiology	Number of Discharges						Average Length of Stay (days)		
	Total		Male		Female				
	Number	%	Number	%	Number	%	Total	Male	Female
Total	**6,961**	**100**	**3,380**	**100**	**3,581**	**100**	**6.4**	**6.4**	**6.4**
Falls	3,769	54.1	1,442	42.7	2,327	65.0	6.6	6.8	6.4
Motor Vehicle Accident	427	6.1	268	7.9	159	4.4	6.5	7.1	5.5
Self-Inflicted	338	4.9	167	4.9	171	4.8	5.4	5.9	5.0
Poisoning	282	4.1	160	4.7	122	3.4	4.2	4.4	4.0
Assault	278	4.0	248	7.3	30	0.8	5.4	5.0	8.0
Struck by Person/Object	188	2.7	141	4.2	47	1.3	5.8	5.8	5.6
Pedestrian	124	1.8	72	2.1	52	1.5	7.8	8.1	7.4
Cutting Instrument	91	1.3	64	1.9	27	0.8	6.0	5.7	6.9
Overexertion	87	1.2	50	1.5	37	1.0	5.2	5.3	5.1
Bicycle	69	1.0	61	1.8	8	0.2	3.9	4.1	2.5
Scalds	68	1.0	41	1.2	27	0.8	7.8	8.2	7.0
Respiratory Interference	58	0.8	34	1.0	24	0.7	13.4	15.5	10.5
Fire/Flame	28	0.4	18	0.5	10	0.3	17.4	14.0	23.4
Machinery	18	0.3	16	0.5	2	0.1	4.3	3.9	8.0
Other	1,136	16.3	598	17.7	538	15.0	6.5	6.1	7.0

[1] Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoining, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 26. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning [1] by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Etiology	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[2]		Hispanic[3]						
	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**6,972**	**100**	**4,997**	**100**	**856**	**100**	**1,119**	**100**	**688**	**100**	**6.5**	**6.5**	**7.2**	**5.8**	**4.7**
Falls	3,757	53.9	3,033	60.7	271	31.7	453	40.5	229	33.3	6.6	6.5	8.6	5.6	5.6
Motor Vehicle Accident	418	6.0	263	5.3	47	5.5	108	9.7	59	8.6	7.0	6.7	5.7	8.3	4.5
Self-Inflicted	342	4.9	240	4.8	47	5.5	55	4.9	35	5.1	4.7	4.7	4.9	4.1	3.7
Assault	334	4.8	88	1.8	130	15.2	116	10.4	68	9.9	4.4	4.8	3.8	4.8	3.3
Poisoning	333	4.8	212	4.2	67	7.8	54	4.8	37	5.4	3.8	4.2	3.4	3.1	3.6
Struck by Person/Object	203	2.9	118	2.4	33	3.9	52	4.6	44	6.4	5.7	5.0	7.1	6.2	5.8
Pedestrian	146	2.1	69	1.4	28	3.3	49	4.4	34	4.9	9.2	10.0	9.4	8.1	5.8
Cutting Instrument	86	1.2	53	1.1	11	1.3	22	2.0	20	2.9	4.6	4.5	4.8	4.5	3.4
Overexertion	84	1.2	58	1.2	15	1.8	11	1.0	9	1.3	6.2	5.0	13.6	2.5	2.8
Bicycle	81	1.2	58	1.2	8	0.9	15	1.3	13	1.9	3.5	3.5	3.4	3.5	2.6
Scalds	76	1.1	42	0.8	17	2.0	17	1.5	15	2.2	8.8	8.3	9.6	9.2	6.3
Respiratory Interference	41	0.6	34	0.7	4	0.5	3	0.3	1	0.1	22.3	16.7	78.5	10.0	2.0
Fire/Flame	22	0.3	13	0.3	5	0.6	4	0.4	4	0.6	12.2	12.9	10.6	12.0	8.3
Machinery	19	0.3	13	0.3	1	0.1	5	0.4	8	1.2	2.1	1.7	6.0	2.2	2.3
Other	1,030	14.8	703	14.1	172	20.1	155	13.9	112	16.3	7.2	7.3	7.5	6.5	4.0

(continued)

Table 26. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoining [1] by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009 *(continued)*

2009															
	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other[2]		Hispanic[3]						
Etiology	Number	%	Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**6,961**	**100**	**5,005**	**100**	**909**	**100**	**1,047**	**100**	**764**	**100**	**6.4**	**6.4**	**6.6**	**6.4**	**5.5**
Falls	3,769	54.1	3,048	60.9	294	32.3	427	40.8	263	34.4	6.6	6.6	6.8	6.4	6.3
Motor Vehicle Accident	427	6.1	273	5.5	70	7.7	84	8.0	61	8.0	6.5	6.0	6.9	7.7	5.3
Self-Inflicted	338	4.9	219	4.4	60	6.6	59	5.6	46	6.0	5.4	4.9	6.0	7.0	3.9
Poisoning	282	4.1	180	3.6	49	5.4	53	5.1	36	4.7	4.2	3.9	6.4	3.2	3.3
Assault	278	4.0	92	1.8	105	11.6	81	7.7	75	9.8	5.4	4.7	5.0	6.6	6.1
Struck by Person/Object	188	2.7	116	2.3	33	3.6	39	3.7	37	4.8	5.8	5.9	7.9	3.7	4.6
Pedestrian	124	1.8	62	1.2	25	2.8	37	3.5	28	3.7	7.8	7.0	5.9	10.4	10.1
Cutting Instrument	91	1.3	58	1.2	17	1.9	16	1.5	14	1.8	6.0	5.8	5.2	7.8	4.5
Overexertion	87	1.2	56	1.1	21	2.3	10	1.0	5	0.7	5.2	4.8	5.0	8.1	6.8
Bicycle	69	1.0	44	0.9	5	0.6	20	1.9	15	2.0	3.9	4.1	3.4	3.5	3.1
Scalds	68	1.0	38	0.8	16	1.8	14	1.3	20	2.6	7.8	9.4	4.9	6.6	5.1
Respiratory Interference	58	0.8	50	1.0	2	0.2	6	0.6	6	0.8	13.4	13.6	13.0	12.3	5.8
Fire/Flame	28	0.4	21	0.4	4	0.4	3	0.3	8	1.0	17.4	15.2	38.0	4.7	6.0
Machinery	18	0.3	11	0.2	0	0.0	7	0.7	8	1.0	4.3	3.5	0.0	5.7	7.0
Other	1,136	16.3	737	14.7	208	22.9	191	18.2	142	18.6	6.5	6.4	7.0	6.3	4.5

[1] Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoining, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

[2] Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethinic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 27. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009

2008

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**18,753**	**9,208**	**49.1**	**9,545**	**50.9**	**6.7**	**6.6**	**6.8**
Less than 1	2	2	100.0	0	0.0	17.5	17.5	0.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	8	4	50.0	4	50.0	4.5	4.8	4.3
5-6	6	2	33.3	4	66.7	23.8	61.0	5.3
7-8	4	1	25.0	3	75.0	4.0	5.0	3.7
9-10	20	9	45.0	11	55.0	6.9	9.7	4.6
11-12	26	11	42.3	15	57.7	4.3	6.2	2.9
13-14	27	18	66.7	9	33.3	8.0	8.0	8.0
15-16	28	20	71.4	8	28.6	8.9	9.7	6.9
17-18	18	8	44.4	10	55.6	6.6	5.3	7.6
19-20	33	15	45.5	18	54.5	6.9	9.7	4.6
21-22	28	14	50.0	14	50.0	4.4	4.9	4.0
23-24	28	9	32.1	19	67.9	5.2	6.2	4.7
25-29	133	61	45.9	72	54.1	5.5	5.4	5.5
30-34	165	80	48.5	85	51.5	5.3	6.1	4.5
35-39	346	167	48.3	179	51.7	6.6	6.7	6.4
40-44	612	324	52.9	288	47.1	7.1	7.9	6.2
45-49	975	495	50.8	480	49.2	6.0	6.3	5.7
50-54	1,413	789	55.8	624	44.2	6.3	6.2	6.3
55-59	1,665	968	58.1	697	41.9	6.6	6.3	7.0
60-64	2,013	1,052	52.3	961	47.7	6.4	6.7	6.1
65-69	2,097	1,046	49.9	1,051	50.1	6.4	6.0	6.7
70-74	2,164	1,024	47.3	1,140	52.7	6.6	6.2	7.0
75-79	2,435	1,147	47.1	1,288	52.9	7.0	6.8	7.2
80-84	2,255	1,072	47.5	1,183	52.5	7.1	6.7	7.5
85 and older	2,252	870	38.6	1,382	61.4	7.2	7.3	7.2

(continued)

Table 27. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009 *(continued)*

2009								
Age *(years)*	Number of Discharges					Average Length of Stay *(days)*		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total	**18,858**	**9,291**	**49.3**	**9,567**	**50.7**	**6.5**	**6.5**	**6.5**
Less than 1	1	1	100.0	0	0.0	115.0	115.0	0.0
1-2	3	2	66.7	1	33.3	3.3	3.5	3.0
3-4	1	0	0.0	1	100.0	6.0	0.0	6.0
5-6	2	1	50.0	1	50.0	5.0	8.0	2.0
7-8	10	4	40.0	6	60.0	16.1	35.5	3.2
9-10	7	4	57.1	3	42.9	6.7	9.8	2.7
11-12	23	12	52.2	11	47.8	10.7	13.2	8.1
13-14	32	22	68.8	10	31.3	10.3	11.3	8.2
15-16	36	19	52.8	17	47.2	16.9	15.3	18.7
17-18	16	6	37.5	10	62.5	5.6	5.2	5.8
19-20	22	10	45.5	12	54.5	3.5	2.9	4.1
21-22	22	7	31.8	15	68.2	3.3	3.7	3.1
23-24	38	11	28.9	27	71.1	4.6	2.0	5.7
25-29	129	68	52.7	61	47.3	4.3	4.5	4.1
30-34	159	80	50.3	79	49.7	5.1	5.6	4.7
35-39	338	165	48.8	173	51.2	5.6	6.6	4.6
40-44	627	311	49.6	316	50.4	6.0	5.7	6.3
45-49	1,083	516	47.6	567	52.4	5.8	5.5	6.1
50-54	1,479	806	54.5	673	45.5	6.7	6.8	6.5
55-59	1,625	964	59.3	661	40.7	6.3	6.1	6.6
60-64	2,133	1,111	52.1	1,022	47.9	6.5	6.7	6.3
65-69	2,076	1,031	49.7	1,045	50.3	6.1	5.9	6.3
70-74	2,197	1,098	50.0	1,099	50.0	6.6	6.6	6.7
75-79	2,331	1,121	48.1	1,210	51.9	6.3	6.1	6.4
80-84	2,198	1,085	49.4	1,113	50.6	7.0	7.1	6.9
85 and older	2,270	836	36.8	1,434	63.2	6.8	7.0	6.6

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

Source: New York State Department of Health, Statewide Planning and Research Cooperative (SPARCS). Data as of June 2010.

Table 28. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

2008

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[2]		Hispanic[3]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**18,753**	**11,307**	**60.3**	**4,476**	**23.9**	**2,970**	**15.8**	**2,061**	**11.0**	**6.7**	**6.7**	**7.0**	**6.2**	**6.0**
Less than 1	2	1	50.0	1	50.0	0	0.0	0	0.0	17.5	18.0	17.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	8	4	50.0	2	25.0	2	25.0	1	12.5	4.5	4.3	6.0	3.5	5.0
5-6	6	3	50.0	3	50.0	0	0.0	0	0.0	23.8	4.0	43.7	0.0	0.0
7-8	4	2	50.0	0	0.0	2	50.0	1	25.0	4.0	3.0	0.0	5.0	1.0
9-10	20	9	45.0	7	35.0	4	20.0	4	20.0	6.9	8.4	6.7	3.8	4.5
11-12	26	8	30.8	14	53.8	4	15.4	2	7.7	4.3	3.9	3.6	7.5	2.0
13-14	27	14	51.9	5	18.5	8	29.6	4	14.8	8.0	4.8	13.4	10.3	2.5
15-16	28	15	53.6	5	17.9	8	28.6	7	25.0	8.9	9.0	9.0	8.6	5.7
17-18	18	10	55.6	4	22.2	4	22.2	6	33.3	6.6	5.3	5.5	10.8	8.0
19-20	33	15	45.5	9	27.3	9	27.3	9	27.3	6.9	3.9	15.4	3.4	4.3
21-22	28	4	14.3	20	71.4	4	14.3	2	7.1	4.4	2.0	5.2	3.0	1.5
23-24	28	8	28.6	8	28.6	12	42.9	15	53.6	5.2	3.9	5.0	6.2	4.3
25-29	133	39	29.3	58	43.6	36	27.1	31	23.3	5.5	4.1	5.9	6.4	4.5
30-34	165	69	41.8	51	30.9	45	27.3	49	29.7	5.3	5.4	5.8	4.6	5.7
35-39	346	148	42.8	131	37.9	67	19.4	82	23.7	6.6	5.2	8.2	6.3	6.0
40-44	612	252	41.2	243	39.7	117	19.1	104	17.0	7.1	6.8	7.4	7.2	8.4
45-49	975	414	42.5	371	38.1	190	19.5	156	16.0	6.0	6.4	5.8	5.5	4.5
50-54	1,413	642	45.4	476	33.7	295	20.9	191	13.5	6.3	6.6	6.5	5.3	5.1
55-59	1,665	872	52.4	444	26.7	349	21.0	269	16.2	6.6	6.5	7.4	5.8	5.5
60-64	2,013	1,082	53.8	542	26.9	389	19.3	247	12.3	6.4	6.4	6.6	6.1	6.2
65-69	2,097	1,189	56.7	501	23.9	407	19.4	295	14.1	6.4	6.2	6.7	6.4	6.1
70-74	2,164	1,323	61.1	506	23.4	335	15.5	199	9.2	6.6	6.5	7.0	6.5	7.4
75-79	2,435	1,674	68.7	454	18.6	307	12.6	198	8.1	7.0	7.0	7.0	6.7	6.1
80-84	2,255	1,759	78.0	281	12.5	215	9.5	122	5.4	7.1	7.0	8.1	6.7	6.4
85 and older	2,252	1,751	77.8	340	15.1	161	7.1	67	3.0	7.2	7.1	7.7	6.9	5.7

(continued)

Table 28. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 *(continued)*

2009

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total	White		Black		Other[2]		Hispanic[3]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[2]	Hispanic[3]
Total	**18,858**	**11,255**	**59.7**	**4,616**	**24.5**	**2,987**	**15.8**	**2,181**	**11.6**	**6.5**	**6.4**	**6.8**	**6.1**	**5.5**
Less than 1	1	1	100.0	0	0.0	0	0.0	0	0.0	115.0	115.0	0.0	0.0	0.0
1-2	3	3	100.0	0	0.0	0	0.0	0	0.0	3.3	3.3	0.0	0.0	0.0
3-4	1	0	0.0	0	0.0	1	100.0	0	0.0	6.0	0.0	0.0	6.0	0.0
5-6	2	2	100.0	0	0.0	0	0.0	0	0.0	5.0	5.0	0.0	0.0	0.0
7-8	10	4	40.0	3	30.0	3	30.0	2	20.0	16.1	2.0	46.7	4.3	2.0
9-10	7	1	14.3	3	42.9	3	42.9	1	14.3	6.7	2.0	10.0	5.0	4.0
11-12	23	9	39.1	11	47.8	3	13.0	3	13.0	10.7	6.9	14.2	9.7	3.3
13-14	32	14	43.8	6	18.8	12	37.5	4	12.5	10.3	10.7	8.3	10.9	13.8
15-16	36	19	52.8	10	27.8	7	19.4	5	13.9	16.9	14.0	14.4	28.4	34.8
17-18	16	5	31.3	2	12.5	9	56.3	6	37.5	5.6	6.8	7.0	4.6	5.0
19-20	22	6	27.3	12	54.5	4	18.2	5	22.7	3.5	1.8	4.8	2.5	2.2
21-22	22	12	54.5	6	27.3	4	18.2	2	9.1	3.3	3.7	3.7	1.8	1.0
23-24	38	15	39.5	15	39.5	8	21.1	15	39.5	4.6	2.3	8.4	1.8	1.7
25-29	129	48	37.2	53	41.1	28	21.7	41	31.8	4.3	3.9	4.8	4.2	3.9
30-34	159	52	32.7	58	36.5	49	30.8	42	26.4	5.1	5.6	4.9	4.9	3.6
35-39	338	116	34.3	129	38.2	93	27.5	90	26.6	5.6	5.0	5.5	6.5	5.9
40-44	627	272	43.4	254	40.5	101	16.1	99	15.8	6.0	5.4	6.4	6.6	4.6
45-49	1,083	471	43.5	379	35.0	233	21.5	199	18.4	5.8	5.5	6.4	5.4	6.0
50-54	1,479	666	45.0	522	35.3	291	19.7	221	14.9	6.7	7.1	6.7	5.8	6.0
55-59	1,625	879	54.1	404	24.9	342	21.0	282	17.4	6.3	6.1	7.2	5.7	5.1
60-64	2,133	1,148	53.8	622	29.2	363	17.0	234	11.0	6.5	6.4	7.0	6.0	5.0
65-69	2,076	1,115	53.7	591	28.5	370	17.8	263	12.7	6.1	5.8	6.3	6.5	5.5
70-74	2,197	1,340	61.0	493	22.4	364	16.6	237	10.8	6.6	6.5	7.5	6.1	5.7
75-79	2,331	1,591	68.3	425	18.2	315	13.5	220	9.4	6.3	6.2	6.6	6.3	5.7
80-84	2,198	1,675	76.2	313	14.2	210	9.6	131	6.0	7.0	7.0	7.4	6.8	5.8
85 and older	2,270	1,791	78.9	305	13.4	174	7.7	79	3.5	6.8	6.7	7.1	6.5	5.4

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

[2] Includes Native Americans or Alaskan Native, Asian, Native Hawiian or Other Pacific Islander, Other Race, and Unknown Race.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 29. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009[2]

2008

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total[3]	**1,088**	**599**	**55.1**	**489**	**44.9**	**7.9**	**7.9**	**8.0**
Less than 1	23	13	56.5	10	43.5	5.0	3.8	6.5
1-2	1	1	100.0	0	0.0	2.0	2.0	0.0
3-4	1	0	0.0	1	100.0	74.0	0.0	74.0
5-6	0	0	0.0	0	0.0	0.0	0.0	0.0
7-8	1	1	100.0	0	0.0	2.0	2.0	0.0
9-10	1	0	0.0	1	100.0	3.0	0.0	3.0
11-12	1	0	0.0	1	100.0	2.0	0.0	2.0
13-14	3	1	33.3	2	66.7	6.0	2.0	8.0
15-16	5	3	60.0	2	40.0	18.0	23.0	10.5
17-18	5	1	20.0	4	80.0	4.2	4.0	4.3
19-20	9	5	55.6	4	44.4	5.1	6.2	3.8
21-22	4	2	50.0	2	50.0	3.3	3.0	3.5
23-24	9	0	0.0	9	100.0	4.3	0.0	4.3
25-29	51	36	70.6	15	29.4	7.2	8.1	5.3
30-34	56	30	53.6	26	46.4	6.5	7.2	5.8
35-39	65	37	56.9	28	43.1	7.4	8.4	6.0
40-44	166	66	39.8	100	60.2	10.1	9.2	10.8
45-49	187	115	61.5	72	38.5	8.7	8.8	8.6
50-54	196	97	49.5	99	50.5	7.0	6.6	7.5
55-59	132	95	72.0	37	28.0	7.4	7.3	7.6
60-64	66	42	63.6	24	36.4	9.6	11.1	7.0
65-69	36	23	63.9	13	36.1	5.9	7.0	4.0
70-74	23	10	43.5	13	56.5	7.9	5.0	10.1
75-79	19	9	47.4	10	52.6	6.5	4.9	7.9
80-84	18	8	44.4	10	55.6	7.2	7.3	7.2
85 and older	10	4	40.0	6	60.0	5.9	5.8	6.0

(continued)

Table 29. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses[1] by Age and Sex, Westchester County Residents, 2008-2009[2] *(continued)*

2009								
Age *(years)*	Number of Discharges					Average Length of Stay *(days)*		
	Total	Male		Female				
		Number	%	Number	%	Total	Male	Female
Total[3]	**1,020**	**518**	**50.8**	**502**	**49.2**	**7.5**	**8.1**	**6.9**
Less than 1	17	11	64.7	6	35.3	10.6	13.6	5.2
1-2	3	1	33.3	2	66.7	21.3	5.0	29.5
3-4	3	1	33.3	2	66.7	12.3	3.0	17.0
5-6	0	0	0.0	0	0.0	0.0	0.0	0.0
7-8	2	1	50.0	1	50.0	7.0	10.0	4.0
9-10	3	2	66.7	1	33.3	2.0	2.0	2.0
11-12	2	1	50.0	1	50.0	1.5	1.0	2.0
13-14	4	2	50.0	2	50.0	3.0	3.0	3.0
15-16	3	2	66.7	1	33.3	5.0	2.0	11.0
17-18	4	1	25.0	3	75.0	6.0	2.0	7.3
19-20	2	1	50.0	1	50.0	2.0	2.0	2.0
21-22	7	4	57.1	3	42.9	2.4	2.5	2.3
23-24	10	8	80.0	2	20.0	5.2	5.5	4.0
25-29	42	25	59.5	17	40.5	7.0	7.6	6.1
30-34	44	22	50.0	22	50.0	10.1	13.1	7.0
35-39	56	29	51.8	27	48.2	6.5	7.4	5.6
40-44	151	47	31.1	104	68.9	6.2	5.8	6.4
45-49	165	80	48.5	85	51.5	7.4	8.0	6.8
50-54	207	109	52.7	98	47.3	7.9	8.2	7.6
55-59	100	64	64.0	36	36.0	8.0	7.4	9.0
60-64	70	37	52.9	33	47.1	6.7	6.6	6.9
65-69	63	39	61.9	24	38.1	8.6	9.7	7.0
70-74	19	12	63.2	7	36.8	10.9	15.0	3.9
75-79	19	10	52.6	9	47.4	8.3	11.3	4.9
80-84	14	4	28.6	10	71.4	6.3	6.5	6.2
85 and older	10	5	50.0	5	50.0	5.1	5.8	4.4

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding of V08 and any of the variables for current, new, or past New York State diagnosis-related group in the range of 700 to 716 or any current, new, or past federal diagnosis-related group in the range of 488 to 490.

[2] For confidentiality reasons, beginning in 2010, certain data (such as patient county, city, and zipcode) relating to HIV/AIDS patients and patients receiving abortions was restricted by the New York State Department of Health. As a result, not all HIV/AIDS or abortion discharges have been captured by this analysis.

[3] Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
Data as of June 2010.

Table 30. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 [2]

2008

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total[3]	White		Black		Other[4]		Hispanic[5]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[4]	Hispanic[5]
Total	**1,088**	**358**	**32.9**	**586**	**53.9**	**144**	**13.2**	**153**	**14.1**	**7.9**	**7.9**	**7.9**	**8.4**	**8.3**
Less than 1	23	8	2.2	8	1.4	7	4.9	6	3.9	5.0	5.8	4.3	4.9	6.7
1-2	1	1	0.3	0	0.0	0	0.0	0	0.0	2.0	2.0	0.0	0.0	0.0
3-4	1	1	0.3	0	0.0	0	0.0	0	0.0	74.0	74.0	0.0	0.0	0.0
5-6	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
7-8	1	1	0.3	0	0.0	0	0.0	0	0.0	2.0	2.0	0.0	0.0	0.0
9-10	1	0	0.0	1	0.2	0	0.0	0	0.0	3.0	0.0	3.0	0.0	0.0
11-12	1	0	0.0	0	0.0	1	0.7	0	0.0	2.0	0.0	0.0	2.0	0.0
13-14	3	1	0.3	1	0.2	1	0.7	0	0.0	6.0	2.0	8.0	8.0	0.0
15-16	5	5	1.4	0	0.0	0	0.0	4	2.6	18.0	18.0	0.0	0.0	22.3
17-18	5	1	0.3	1	0.2	3	2.1	0	0.0	4.2	2.0	3.0	5.3	0.0
19-20	9	1	0.3	6	1.0	2	1.4	0	0.0	5.1	4.0	3.2	11.5	0.0
21-22	4	3	0.8	0	0.0	1	0.7	2	1.3	3.3	2.7	0.0	5.0	3.5
23-24	9	1	0.3	6	1.0	2	1.4	2	1.3	4.3	2.0	5.2	3.0	3.0
25-29	51	8	2.2	40	6.8	3	2.1	3	2.0	7.2	13.3	6.4	3.0	8.0
30-34	56	6	1.7	39	6.7	11	7.6	7	4.6	6.5	9.2	6.4	5.5	9.9
35-39	65	22	6.1	29	4.9	14	9.7	18	11.8	7.4	6.9	7.2	8.5	10.2
40-44	166	46	12.8	93	15.9	27	18.8	27	17.6	10.1	7.6	12.0	7.9	8.0
45-49	187	53	14.8	113	19.3	21	14.6	23	15.0	8.7	7.2	8.3	14.7	8.8
50-54	196	66	18.4	110	18.8	20	13.9	30	19.6	7.0	7.9	6.4	7.8	6.8
55-59	132	42	11.7	74	12.6	16	11.1	17	11.1	7.4	8.0	7.1	6.8	4.2
60-64	66	32	8.9	27	4.6	7	4.9	8	5.2	9.6	10.4	7.4	14.6	15.3
65-69	36	10	2.8	20	3.4	6	4.2	4	2.6	5.9	5.6	6.5	4.5	5.0
70-74	23	12	3.4	9	1.5	2	1.4	2	1.3	7.9	6.3	10.1	7.5	5.0
75-79	19	14	3.9	5	0.9	0	0.0	0	0.0	6.5	6.5	6.4	0.0	0.0
80-84	18	14	3.9	4	0.7	0	0.0	0	0.0	7.2	6.0	11.5	0.0	0.0
85 and older	10	10	2.8	0	0.0	0	0.0	0	0.0	5.9	5.9	0.0	0.0	0.0

(continued)

Table 30. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses [1] by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 [2] *(continued)*

2009

Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total[3]	White		Black		Other[4]		Hispanic[5]						
		Number	%	Number	%	Number	%	Number	%	Total	White	Black	Other[4]	Hispanic[5]
Total	**1,020**	**337**	**33.0**	**591**	**57.9**	**92**	**9.0**	**142**	**13.9**	**7.5**	**6.5**	**8.4**	**5.5**	**5.8**
Less than 1	17	7	2.1	7	1.2	3	3.3	3	2.1	10.6	5.9	18.0	4.7	5.7
1-2	3	1	0.3	1	0.2	1	1.1	1	0.7	21.3	58.0	5.0	1.0	58.0
3-4	3	0	0.0	2	0.3	1	1.1	2	1.4	12.3	0.0	18.0	1.0	17.0
5-6	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
7-8	2	1	0.3	0	0.0	1	1.1	1	0.7	7.0	10.0	0.0	4.0	10.0
9-10	3	3	0.9	0	0.0	0	0.0	1	0.7	2.0	2.0	0.0	0.0	2.0
11-12	2	1	0.3	0	0.0	1	1.1	0	0.0	1.5	1.0	0.0	2.0	0.0
13-14	4	3	0.9	1	0.2	0	0.0	0	0.0	3.0	2.3	5.0	0.0	0.0
15-16	3	3	0.9	0	0.0	0	0.0	0	0.0	5.0	5.0	0.0	0.0	0.0
17-18	4	1	0.3	1	0.2	2	2.2	2	1.4	6.0	6.0	2.0	8.0	8.0
19-20	2	2	0.6	0	0.0	0	0.0	0	0.0	2.0	2.0	0.0	0.0	0.0
21-22	7	3	0.9	4	0.7	0	0.0	1	0.7	2.4	2.7	2.3	0.0	4.0
23-24	10	3	0.9	6	1.0	1	1.1	1	0.7	5.2	3.0	5.8	8.0	6.0
25-29	42	8	2.4	26	4.4	8	8.7	10	7.0	7.0	4.1	8.7	4.3	4.4
30-34	44	8	2.4	31	5.2	5	5.4	8	5.6	10.1	6.0	11.7	6.4	4.0
35-39	56	18	5.3	28	4.7	10	10.9	12	8.5	6.5	4.8	6.9	8.4	5.8
40-44	151	50	14.8	86	14.6	15	16.3	18	12.7	6.2	5.5	6.6	6.3	6.1
45-49	165	43	12.8	107	18.1	15	16.3	29	20.4	7.4	6.0	8.4	4.3	6.6
50-54	207	70	20.8	128	21.7	9	9.8	26	18.3	7.9	5.7	9.4	4.2	3.9
55-59	100	22	6.5	72	12.2	6	6.5	11	7.7	8.0	7.0	8.1	10.0	3.7
60-64	70	28	8.3	39	6.6	3	3.3	7	4.9	6.7	7.8	6.1	4.7	6.7
65-69	63	23	6.8	31	5.2	9	9.8	8	5.6	8.6	12.7	7.1	3.3	4.5
70-74	19	10	3.0	8	1.4	1	1.1	0	0.0	10.9	6.9	16.8	4.0	0.0
75-79	19	12	3.6	6	1.0	1	1.1	1	0.7	8.3	5.9	12.8	9.0	4.0
80-84	14	11	3.3	3	0.5	0	0.0	0	0.0	6.3	6.8	4.3	0.0	0.0
85 and older	10	6	1.8	4	0.7	0	0.0	0	0.0	5.1	4.5	6.0	0.0	0.0

[1] Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding of V08.0 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

[2] For confidentiality reasons, beginning in 2010, certain data (such as patient county, city, and zipcode) relating to HIV/AIDS patients and patients receiving abortions was restricted by the New York State Department of Health. As a result, not all HIV/AIDS or abortion discharges have been captured by this analysis.

[3] Total includes unknown age.

[4] Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

[5] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Appendices

A1. The Statewide Planning and Research Cooperative System (SPARCS)

Information on emergency room visits and hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2007 and 2008. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and outpatient data from hospitals with emergency departments, hospitals providing ambulatory surgery services, and all other facilities providing ambulatory surgery services.

To protect patient privacy, any personal identifiers are omitted from the SPARCS data set, such as patient names, individual medical record numbers, and detailed residence addresses. Data reported are the number of cases of diseases or conditions requiring emergency care and hospitalizations, rather than individual patients.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this data book reflect the information as of June 2009.

Hospitalizations and Emergency Room Visits

Hospitalizations: Cases admitted to an acute-care hospital. Data are extracted from the in-patient data files.

Emergency Room Visits: Cases received treatment from a hospital emergency department or ambulatory surgery services. Data are extracted from both the out-patient data files and the in-patient data files. From the out-patient data files, an emergency room visit is indicated when the record contains an emergency department ancillary revenue code of 045X. From the in-patient data files, an emergency room visit is indicated where the patient record contains an emergency department ancillary revenue codes, where the patient is admitted to the facility upon recommendation of the facility's emergency room physician, or the patient's admission type indicates that the patient required immediate medical intervention as a result of severe, life threatening, or potentially disabling conditions.

Please note that a case may be counted as hospitalization and Emergency Department incident if the individual is admitted to a hospital following an initial admittance to the emergency department. .

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

> **Nursery**: Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
>
> **Obstetrical**: Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
>
> **Psychiatric**: Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
>
> **Pediatric**: Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
>
> **Medical**: Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
>
> **Surgical**: Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from the admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Diagnosis-Related Groups

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

Classification of Neoplasms

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following[9]:

- Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).

- If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.

- If the principal diagnosis does not correspond to a primary or a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.

- If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of HIV and AIDS

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.[10]

[9] Archived on the New York State Department Of Health web page at https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html.
[10] Archived on the New York State Department Of Health web page at https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html

Classification of Injury

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis codes, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations

Disease Category	ICD-9 Code
Infectious and Parasitic Diseases	001-139
AIDS	042
Neoplasms (including Benign)	140-239
Breast	174
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Genital Organs	179-187
Lymphatic and Hemotopoietic Tissues	200-208
Respiratory System	160-165
Urinary Organs	188-189
Other and Unspecified Sites	170-173, 175, 190-199
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	240-279
Diabetes Mellitus	250
Diseases of the Blood and Blood-Forming Organs	280-289
Mental Disorders	290-319
Psychoses	290-299
Alcoholic Psychoses	291
Drug-Induced Psychoses	292
Schizophrenia	295
Other	293-294, 296-299
Neurotic, Personality & Other Non-Psychotic Mental Disorders	300-316
Alcohol Dependence Syndrome	303
Drug Dependence Syndrome	304
Non-Dependent Drug Abuse	305
Other	300-302, 306-316
Mental Retardation	317-319
Diseases of the Nervous System and Sensory Organs	320-389
Disease of the Circulatory System	390-459
Diseases of the Heart	390-398, 402, 404-429
Acute Rheumatic Fever	390-392
Chronic Rheumatic Fever	393-398
Diseases of the Pulmonary Circulation	415-417
Hypertension with Heart Disease	402, 404

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*

Disease Category	ICD-9 Code
Disease of the Circulatory System *(continued)*	390-459
Diseases of the Heart *(continued)*	390-398, 402, 404-429
Ischemic Heart Diseases	410-414
Acute Myocardial Infarction	*410*
Other Ischemic Heart Diseases	*411-414*
Other Diseases of the Heart	420-429
Atherosclerosis	440
Cerebrovascular Disease	430-438
Hypertension with or without Renal Disease	401, 403, 405
Other Diseases of the Circulatory System	441-459
Diseases of the Respiratory System	460-519
Acute Respiratory Infections	460-466
Other Diseases of the Upper Respiratory Tract	470-478
Pneumonia	480-486
Influenza	487
Chronic Obstructive Pulmonary Disease	490-496
Chronic Bronchitis	491
Asthma	493
Other Respiratory Diseases	496
Diseases of the Digestive System	520-579
Diseases of the Oral Cavity, Salivary Glands, and Jaws	520-529
Diseases of the Esophagus, Stomach, and Duodenum	530-539
Appendicitis	540-543
Hernia of the Abdominal Cavity	550-553
Noninfectious Enteritis and Colitis	555-558
Other Diseases of the Intestines and Peritoneum	560-569
Diverticula of the Intestine	562
Other Diseases of the Digestive System	570-579
Chronic Liver Diseases and Cirrhosis	571
Diseases of the Genitourinary System	580-629
Complications of Pregnancy, Childbirth, and the Puerperium	630-679
Disease of the Skin and Subcutaneous Tissue	680-709
Diseases of the Musculoskeletal System and Connective Tissue	710-739
Congenital Anomalies	740-759
Conditions Originating in the Perinatal Period	760-779
Symptoms, Signs, and Ill-Defined Conditions	780-799

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*

Disease Category	ICD-9 Code
Injury and Poisoning	800-999
Assault	E960-E968.9
Bicycle	E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1
Cutting Instrument	E920-E920.9
Falls	E880-E886.9, E888-E888.9
Fire/Flame	E900-E899.9
Machinery	E919-E919.9
Motor Vehicle Crash	E810-E810.3, E810.8-E810.9, E811-E811.3, E811.8-E811.9, E812-E812.3, E812.8-E812.9, E813-E813.3, E813.8-E813.9, E814-E814.3, E814.8-E814.9, E815-E815.3, E815.8-E815.9, E816-E816.3, E816.8-E816.9, E819-E819.3, E819.8-E819.9, E822-E822.3, E822.8-E822.9, E823-E823.3, E823.8-E823.9, E825-E825.3, E825.8-E825.9
Overexertion	E927
Pedestrian	E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7
Poisonings	E850-E858.9, E860-E869.9
Respiratory Interference	E911-E913
Scalds	E924-E924.9
Self-Inflicted	E950-E958.9
Struck by Object or Person	E916-E918
Submersion	E830-E830.9, E832-E832.9, E910-E910.9
Unintentional Firearms	E922-E922.9
Other	
Railway	E800-E800.2, E800.8-E800.9, E801-E801.2, E801.8-E801.9, E802-E802.2, E802.8-E802.9, E803-E803.2, E803.8-E803.9, E804-E804.2, E804.8-E804.9, E805-E805.2, E805.8-E805.9, E806-E806.2, E806.8-E806.9, E807-E807.2, E807.8-E807.9
Motor Vehicle/Traffic	E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E815.4-E815.5, E816.4-E816.5, E817-E817.5, E817.8-E817.9, E818-E818.5, E818.8-E818.9, E819.4-E914.5

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*


Disease Category	ICD-9 Code
Injury and Poisoning *(continued)*	800-999
Other *(continued)*	
Motor Vehicle/Non-Traffic	E820-E820.9, E821-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5
Water Transport	E831-E831.9, E833-E838.9,
Air and Space Transport	E840-E845
Vehicle, Not Elsewhere Classified	E846-E848
Falls (Other)	E887
Natural and Environmental	E900-E909
Submersion, Suffocation, Foreign Body	E914-E915
Other Road Vehicle	E826, E826.2-E826.9, E827-E829
Explosion of a Pressurized Vessel	E921.0-E921.9
Explosive Material	E923
Caustic and Corrosive Material	E924.1
Other Unintentional	E925-E926, E928
Legal Intervention	E970-E976, E978
Injury, Undetermined Whether Accidentally or Purposefully Inflicted	E980-E988
Terrorism	E979
Medical Misadventures, Adverse Reactions, and Late Effects	800-999
Medical Misadventures	E870-E876
Abnormal Reactions to Medical Procedures	E878-E879
Adverse Effects of Therapeutic Substances	E930-E949
Late Effects of Injuries	E929, E959, E969, E977, E989, E999
War	E990-E998
Medical Misadventures (Late Effects)	905-909, 996-999
Certain Adverse Effects, Not Elsewhere Classified	995
Supplementary Classifications – Newborns	V30-V39
Supplementary Classifications – Other	V01-V29, V40-V83

A3. Westchester County Hospitals

Name	Address	Telephone
Acute Hospitals		
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000
St. John's Riverside Hospital - Andrus Pavilion	967 North Broadway, Yonkers, NY 10701	914-964-4200
Park Care Pavilion Division [1]	*2 Park Avenue, Yonkers, New York 10703*	*914-964-7300*
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000
Westchester Medical Center	95 Grasslands Road, Valhalla, NY 10595	914-493-7000
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600
Specialty Hospitals		
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555
W.M. Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100
Rye Hospital Center	754 Boston Post Road, Rye, NY 10580	914-967-4567
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500
Stony Lodge Hospital	40 Croton Dam Road, Ossining, NY 10562	914-941-7400
VA Hudson Valley Health Care System	2094 Albany Post Road, Montrose, NY 10548	914-737-4400

[1] As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center that is open 24 hours a day, 7 days a week. The center is limited to walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, July 2007.


Hospitals Located in Westchester County, 2011
PUTNAM COUNTY
NORTH SALEM
SOMERS
YORKTOWN
PEEKSKILL
2
Buchanan
CORTLANDT
20
LEWISBORO
14
CONNECTICUT
BEDFORD
POUND RIDGE
Croton on Hudson
MOUNT KISCO
5
19
NEW CASTLE
OSSINING
Ossining
HUDSON
Briarcliff Manor
Pleasantville
NORTH CASTLE
CONNECTICUT
Hospital Type
Acute Care Hospitals
Specialty Care Hospitals
6
Sleepy Hollow
MOUNT PLEASANT
10
12
Tarrytown
RIVER
Elmsford
GREENBURGH
11
15
HARRISON
Irvington
Rye Brook
WHITE PLAINS
13
1
Ardsley
Port Chester
RYE
18
Hastings on Hudson
SCARSDALE
16
7
EASTCHESTER
Tuckahoe
MAMARO-NECK
17
YONKERS
3
NEW ROCHELLE
8
MOUNT VERNON
4
Pelham
9
PELHAM
LONG ISLAND SOUND
NEW YORK CITY
Acute Care Hospitals
(1) Community Hospital at Dobbs Ferry
(2) Hudson Valley Hospital Center
(3) Lawrence Hospital Center
(4) Mount Vernon Hospital
(5) Northern Westchester Hospital
(6) Phelps Memorial Hospital Association
(7) St. John's Riverside Hospital
(8) St. Joseph's Medical Center
(9) Sound Shore Medical Center
(10) Westchester Medical Center
(11) White Plains Hospital Center
Specialty Care Hospitals
(12) Community Hospital at Dobbs Ferry
(13) Hudson Valley Hospital Center
(14) Lawrence Hospital Center
(15) Mount Vernon Hospital
(16) Northern Westchester Hospital
(17) Phelps Memorial Hospital Association
(18) St. John's Riverside Hospital
(19) St. Joseph's Medical Center
(20) VA Hudson Valley Health Care

A4. Westchester County Municipalities

Health Planning Region and Municipality[1]	Code[2]
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part)[2]	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part)[2]	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

A4. Westchester County Municipalities *(continued)*


Health Planning Region and Municipality[1]	Code[2]
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part)[3]	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part)[3]	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

[1] For regional planning purposes, municipalities are grouped into six geographic health planning regions.


[2] A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

[3] The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).


A5. Westchester County Health Planning Regions and Municipalities Map













Robert P. Astorino
Westchester County Executive
County Board of Legislators

Annual Data Book

Communicable Disease Report

Westchester County Department of Health

Westchestergov.com

2011

Sherlita Amler, MD
Commissioner of Health

Project Directors	Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration
Project Staff	Megan Cea, MPH, Assistant Statistician Rosemary James, MPH, Medical Data Analyst I
Contact	Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 145 Huguenot Street, 8th Floor, New Rochelle, New York 10801 914-813-5100

FOREWORD

Westchester County Department of Health is the local health department for Westchester County, which is located north of New York City and covers an area of 450.5 square miles. The Hudson River and Rockland County form Westchester County's western border and Putnam County and the State of Connecticut border Westchester to the north and east, respectively. Westchester County has a population of 949,113 based on the 2010 US Census data. In 2010, 68.1% of the County's population was white, 14.6% was black, 5.5% was Asian/Pacific Islander, and 11.8% was of mixed or other races. In addition, Hispanics comprised 21.8% of Westchester County's residents.

The mission of the Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester County residents. The Health Department monitors and controls the spread of communicable disease, monitors and regulates air and water quality, enforces the state and local sanitary code, promotes and ensures local public health activities, and assures the availability of community health services.

The Annual Data Book 2011 – Communicable Disease Report contains information on the number and rate of communicable diseases by patients' demographic characteristics such as age, sex, and race/ethnicity. Data used in the report are from the Communicable Disease Electronic Surveillance System of the New York State Department of Health and clinic data management and reporting systems of the Westchester County Department of Health.

Table of Contents

Highlights	1
Sexually Transmitted Diseases	2
Central Nervous System Diseases and Bacteremias	23
Enteric Diseases	25
Vector-Borne Zoonoses	27
Tuberculosis	32
Vaccine Preventable Diseases	33
Tables	35
Appendices	69

Figures

1	Rate of Chlamydia, Gonorrhea, and Syphilis Infections, Westchester County, 2006 – 2010	2
2	Rate of Chlamydia, Gonorrhea, and Syphilis Infections in Westchester County, New York State, and the United States, 2010	3
3	Reported Rates of Chlamydia by Health Planning Region and Municipality, Westchester County, 2010	4
4	Comparison of Rates of Chlamydia Infections by Municipality with Total Westchester County Rate, 2010	5
5	Reported Rates of Chlamydia by Age Group and Sex, Westchester County, 2010	6
6	Reported Rates of Chlamydia by Age, Sex, and Race, Westchester County, 2010	7
7	Reported Rates of Chlamydia by Age, Sex, and Ethnicity, Westchester County, 2010	7
8	Reported Rates of Gonorrhea Infection by Municipality, Westchester County, 2010	8
9	Reported Rates of Gonorrhea by Age and Sex, Westchester County, 2010	9
10	Reported Rates of Gonorrhea by Age, Race, and Sex, Westchester County, 2010	10
11	Reported Rates of Gonorrhea by Age, Sex, and Ethnicity, Westchester County, 2010	10
12	Reported Rates of Syphilis (All Stages) by Age and Sex, Westchester County, 2010	11
13	Reported Rates of Syphilis (All Stages) by Age and Race, Westchester County, 2010	12
14	Reported Rates of Syphilis (All Stages) by Age and Ethnicity, Westchester County, 2010	12
15	Number of Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis, Westchester County, 1985 – 2010	13
16	Average Annual Number of Newly Diagnosed HIV and AIDS and Cumulative AIDS Cases by Sex, Westchester County, 2007 – 2009	14
17	Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases by Age, Westchester County, 2007 – 2009	15
18	Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases by Race/Ethnicity, Westchester County, 2007 – 2009	16
19	Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases among Males by Risk, Westchester County, 2007 – 2009	17

20	Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases among Females by Risk, Westchester County, 2007 – 2009	18
21	Number of Living HIV and AIDS Cases by Sex, Westchester County, December 2009	18
22	Percentage Distribution of Living HIV and AIDS Cases by Current Age, Westchester County, December 2009	19
23	Percentage Distribution of Living HIV and AIDS Cases by Race/Ethnicity, Westchester County, December 2009	20
24	Percentage Distribution of Living HIV and AIDS Cases among Males by Risk, Westchester County, December 2009	21
25	Percentage Distribution of Living HIV and AIDS Cases among Females by Risk, Westchester County, December 2009	22
26	Percentage Distribution of Meningitis Infections by Age, Westchester County, 2010	23
27	Reported Rates of Meningitis Infections by Age, Westchester County, 2010	23
28	Percentage Distribution of Invasive Streptococcus Pneumoniae Infections by Age, Westchester County, 2010	24
29	Reported Rates of Invasive Streptococcus Pneumoniae Infections by Age and Sex, Westchester County, 2010	24
30	Rates of Major Enteric Infections by Age, Westchester County, 2010	25
31	Reported Rates of Giardiasis Infections by Age and Sex, Westchester County, 2010	25
32	Percentage Distribution of Major Enteric Infections by Month, Westchester County, 2010	26
33	Reported Rates of Lyme Disease by Age and Sex, Westchester County, 2010	27
34	Reported Rates of Lyme Disease by Health Planning Region and Municipality, Westchester County, 2010	28
35	Percentage Distribution of Reported Cases of Lyme Disease by Month, Westchester County, 2010	29
36	Number of West Nile Encephalitis Cases, Westchester County, 199-2010	30
37	Percentage Distribution of Tuberculosis Cases by Origin of Birth, Westchester County, 2010	32

38 Pertussis Trends in Westchester County, 1997 – 2010 34

Tables in Text

A Rabies Surveillance and Human Post-Exposure Prophylaxis, Westchester County, 2006 – 2010 31

B Number of Clients Receiving DOT/DOPT Services and Number of DOT/DOPT Visits Received by Sex, Westchester County, 2010 33

Tables

1 Reported Cases and Rates of Reportable Diseases, Westchester County, 2006 – 2010 35

2 Number of Major Sexually Transmitted Diseases in Westchester County, New York State, and the United States, 2010 37

3 Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2006 – 2010 38

4 Reported Cases and Rates of Gonorrhea by Municipality, Westchester County 2006 – 2010 39

5 Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2006 – 2010 40

6 Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010 41

7 Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010 42

8 Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010 43

9 Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis, Westchester County, 1985 – 2009 44

10	Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, 2007 – 2009	45
11	Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex and Risk, Westchester County, 2007 – 2009	46
12	Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2009	47
13	Living HIV and AIDS Cases by Sex and Risk, Westchester County, December 2009	48
14	Reported Cases and Rates of Major Central Nervous System Diseases and Bacteremias by Municipality, Westchester County, 2010	49
15	Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2010	51
16	Reported Cases and Rates of Invasive Streptococcus Pneumoniae by Age and Sex, Westchester County, 2010	52
17	Reported Cases and Rates of Major Enteric Infections, Westchester County, 2010	53
18	Reported Cases and Rates of Campylobacteriosis by Age and Sex, Westchester County, 2010	55
19	Reported Cases and Rates of Giardiasis by Age and Sex, Westchester County, 2010	56
20	Reported Cases and Rates of Salmonellosis by Age and Sex, Westchester County, 2010	57
21	Reported Cases of Major Enteric Infections by Month, Westchester County, 2010	58
22	Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2006 – 2010	59
23	Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2010	60
24	Reported Cases of Lyme Disease by Month, Westchester County, 2010	61
25	Number of Tuberculosis Cases and Contacts, Westchester County, 2006 – 2010	62
26	Number of Clients and Visits to Westchester County Department of Health Clinics by Age, Sex and Race/Ethnicity, Westchester County, 2010	63
27	Number of Clients and Visits to Westchester County Department of Health Sexually Transmitted Disease Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010	64

28 Number of Clients and Visits for HIV Tests and/or Counseling Services at Westchester County Department of Health HIV Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010 65

29 Number of Clients and Visits to Westchester County Department of Health Tuberculosis Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010 66

30 Number of Clients Enrolled in Home Health Program and Number of Home Health Visits Received by Age, Sex, and Race/Ethnicity, Westchester County Department of Health, 2010 67

31 Number of Clients Served and Number of Client Visits, Westchester County Department of Health, 2010 68

Appendices

A1 Communicable Disease Reporting Requirements 69

A2 Childhood Immunization Schedule 70

A3 Adolescent Immunization Schedule 72

A4 Adult Immunization Schedule 73

A5 Data Sources 74

A6 Westchester County Municipalities 75

A7 Health Planning Regions and Municipalities Map 77

HIGHLIGHTS

- In 2010, a total of 5,254 cases, involving 35 reportable communicable diseases were reported to Westchester County Department of Health.
- Chlamydia was the most commonly reported communicable disease in Westchester County, with 2,915 reported cases in 2010, representing 55.5% of all reported cases of communicable diseases.
- The number of Chlamydia cases has increased by close to 36% from 2006 to 2010. Approximately 66% of all cases were reported among the 15 to 24 age group.
- Gonorrhea had the second highest reported case rate. In 2010, 474 cases were reported, representing 9.0% of all reported cases of communicable diseases.
- Blacks had higher reported rates of Chlamydia and Gonorrhea compared to whites.
- Although there were far fewer cases of Syphilis compared to Chlamydia and Gonorrhea, Syphilis represented 2.8% of all reported cases of communicable diseases. Among the 148 Syphilis cases in 2010, 51 were classified as early Syphilis.
- As of December 2009, 1,085 individuals were living with HIV in Westchester County and another 2,158 individuals were living with AIDS. Excluding New York City, Westchester County had the highest number of individuals living with HIV and/or AIDS among all New York State Counties.
- Meningitis and Invasive Streptococcus Pneumoniae were the most commonly reported Central Nervous System disease and causes of bacteremias, although the majority of cases were not severe.
- In 2010, 180 cases of Salmonellosis were reported, as well as 178 cases of Campylobacteriosis and 93 cases of Giardiasis.
- Post-exposure prophylaxis administered for contact with suspected rabid animals has been on the decline over the past 10 years.
- The number of Tuberculosis cases has been declining over the past five years, from 2006 to 2010.
- Reported cases of Pertussis appear to be rising again, with 40 cases reported in 2010, a 100% increase over the previous year.

This report contains data on reportable communicable diseases among Westchester County residents for the time period of January 2010 to December 2010, with the exception of HIV and AIDS cases. In accordance with the New York State Sanitary Code (10NYCRR 2.10), health care providers and laboratories are mandated to report suspected and confirmed cases of communicable diseases to the New York State Department of Health. A full list of reportable communicable diseases can be found in the appendix at the end of this report.


Sexually Transmitted Diseases

Sexually transmitted diseases (STDs) include a large number of infectious organisms usually spread through sexual contact with an infected person. Individuals infected with an STD can be asymptomatic or have mild symptoms that are easily disregarded. However, those infected have the potential to spread the disease to others and develop severe health consequences.

Chlamydia, Gonorrhea, and Syphilis

Chlamydia is the most prevalent STD in Westchester County, with 2,915 cases reported in 2010 and an overall rate of 307.1 cases per 100,000 county residents (302.0 per 100,000 excluding cases from correctional facilities). Reported infection rates of Chlamydia have risen consistently over the past five years by an average of 8.1% per year and 35.9% overall since 2006 (Figure 1).

Figure 1. Rate of Chlamydia, Gonorrhea, and Syphilis Infections, Westchester County, 2006 - 2010




Gonorrhea is the second most prevalent STD in Westchester County with a rate of 49.9 per 100,000 in 2010 (49.4 per 100,000 excluding cases from correctional facilities). Over the past five years the rate of Gonorrhea has remained relatively stable, with less than 50 cases per 100,000 each year during the past five years (Figure 1).

Syphilis is the third most prevalent STD in Westchester County, with a rate of 15.6 per 100,000 in 2010 (15.4 cases per 100,000 when excluding cases from correctional facilities). The rate of all stages of Syphilis has also remained relatively stable over the past five years (Figure 1).

The reported rates of Chlamydia, Gonorrhea, and Syphilis in Westchester County were much lower than those in New York State when New York City is included. When New York City is excluded, Westchester County continues to have lower rates of Chlamydia and Gonorrhea infections than the rest of New York State but a higher rate of Syphilis cases than the rest of New York State (Figure 2).

Compared to national data, Westchester County had lower rates of Chlamydia and Gonorrhea, but a slightly higher rate of Syphilis (Figure 2).


Figure 2. Rate of Chlamydia, Gonorrhea, and Syphilis Infections in Westchester County, New York State, and the United States, 2010



Distribution of Chlamydia Cases


The reported rates of Chlamydia infection were significantly higher in the Southeast and Southwest Health Planning Regions (465.9 and 460.8 per 100,000, respectively) than the overall county rate (307.1 per 100,000). The remaining four Health Planning Regions (HPRs) all had significantly lower rates of Chlamydia infections than the County as a whole (Figure 3).

Figure 3. Reported Rates of Chlamydia by Health Planning Region and Municipality, Westchester County, 2010




Several municipalities presented significantly different rates of Chlamydia infection from the overall county rate, as shown in Figures 3 and 4.

Figure 4. Comparison of Rates of Chlamydia Infections by Municipality with Total Westchester County Rate, 2010



The reported rate of Chlamydia was highest among the 20 to 24 age group (1,848.1 per 100,000), followed by the 15-19 age group (1,411.8 per 100,000). Females had a higher reported infection rate in comparison to males (Figure 5). However, the higher rate of reported infection among females may be associated with higher rates of screening among women. In addition, women may become re-infected if their partner has not been tested and treated for STDs. Many individuals infected with an STD, especially Chlamydia may not exhibit symptoms and thus are unaware of the need to be tested.

Figure 5. Reported Rates of Chlamydia by Age Group and Sex, Westchester County, 2010




In 2010, blacks were disproportionately represented among Westchester County's reported Chlamydia cases. Although blacks comprise only 14.6%* of the County's population, 55.7% of the reported Chlamydia cases for whom race was known were black; 1,280 (44.7%) cases were of unknown race.

For both males and females and across all age groups, blacks have higher rates of Chlamydia than their white counterparts. In the 15 to 19 age group, black females have a rate of 4,210.9 cases per 100,000, nearly 15 times greater than white females of the same age. In the 20-24 age group, the rate of infection for black females is almost eight times greater. This trend is also evident among males. Black males aged 15-19 have a rate of 1,359.7 per 100,000 compared to 33.3 per 100,000 white males of the same age (Figure 6).


*Calculated from the 2010 census.

Figure 6. Reported Rates of Chlamydia by Age, Sex, and Race, Westchester County, 2010



In general, reported rates of Chlamydia were slightly higher for Hispanics than for non-Hispanics (Figure 7).


Figure 7. Reported Rates of Chlamydia by Age, Sex, and Ethnicity, Westchester County, 2010



Distribution of Gonorrhea Cases

The reported rates of Gonorrhea infection were significantly higher in the Southeast and Southwest Health Planning Regions (108.4 and 72.5 per 100,000, respectively) than the overall county rate (49.9 per 100,000). The Northwest, Northeast, West Central, and East Central HPRs all had significantly lower rates of Gonorrhea infection than the County's rate (Figure 8).


Figure 8. Reported Rates of Gonorrhea Infection by Municipality, Westchester County, 2010



Several municipalities presented significantly different rates of Gonorrhea infection from the overall county rate (Figure 8).


In general, females had a slightly higher overall rate of infection compared to males (56.3 vs. 42.5 per 100,000). However when broken down by age, females had higher rates of Gonorrhea infection among the younger age groups and males had higher rates among age groups 35 years and older (Figure 9). In fact, over 40% of cases occurred among females aged 24 years and younger.

Figure 9. Reported Rates of Gonorrhea Infections by Age and Sex, Westchester County, 2010




As with Chlamydia, the infection rates of Gonorrhea were higher among blacks than among whites overall (203.7 vs. 6.7 per 100,000) and across all age groups and genders. This difference was greatest among the 20 to 24 year old age group, where black women had a reported rate of 1,205.3 per 100,000 compared to only 32.9 per 100,000 for white women. Among males, the reported rate for blacks aged 20 to 24 years was 834.2 per 100,000 and 58.1 per 100,000 among whites of the same age (Figure 10).

Figure 10. Reported Rates of Gonorrhea by Age, Race, and Sex, Westchester County, 2010



Hispanics had lower rates of Gonorrhea infection than non-Hispanics except in the very oldest age groups (45 years and older for males, and 35 years and older for females) (Figure 11) .

Figure 11. Reported Rates of Gonorrhea Infections by Age, Sex, and Ethnicity, Westchester County, 2010




Distribution of Syphilis Cases

In 2010 there were 148 reported cases of Syphilis among Westchester County residents, of these 51 were cases of early Syphilis (primary, secondary, and early latent). The early stages of Syphilis are the symptomatic periods of the disease and are characterized by one or more painless sores at the site where the bacteria entered the body, rashes which can appear on any part of the body, and occasionally flu-like symptoms. These stages are also those during which transmission occurs most readily, and because many of the sores and symptoms of Syphilis are easy to overlook, transmission often occurs from persons unaware of their infection. The symptoms of early Syphilis will resolve with or without treatment, but without treatment, the infection will progress to the latent and late stages of the disease and remain in the body for decades. In the late stages of Syphilis, the disease will eventually damage the internal organs, including the brain, nerves, eyes, heart, blood vessels, liver, bones, and joints.

Over 62% of reported cases of Syphilis (excluding inmates) occurred among residents of the Southeast and Southwest Health Planning Regions. These regions are the most urban and densely populated parts of the County.


Among the total reported cases of Syphilis in 2010, nearly 73% of cases were aged 35 years or older. Unlike Chlamydia and Gonorrhea, males had higher rates of infection than females (22.9 vs. 8.6 per 100,000) (Figure 12).

Figure 12. Reported Rates of Syphilis (All Stages) by Age and Sex, Westchester County, 2010




Among the 110 cases of Syphilis, where race was known, 42.7% were black, 17.3% were white, and 40.0% were of another or more than one race. Like Chlamydia and Gonorrhea, reported rates of Syphilis were also higher among blacks than whites (34.7 vs. 2.9 per 100,000) (Figure 13).

Figure 13. Reported Rates of Syphilis (All Stages) by Age and Race, Westchester County, 2010



Hispanics had higher rates of Gonorrhea infection than their non-Hispanic counterparts. Hispanics also comprised 42.4% of all Gonorrhea cases where ethnicity was reported (Figure 14).


Figure 14. Reported Rates of Syphilis (All Stages) by Age and Ethnicity, Westchester County, 2010



HIV and AIDS

HIV reporting became effective on June 1, 2000. Since then over 100 newly diagnosed HIV positive cases have been reported each year (Figure 15). By December 2009, 1,390 Westchester County residents (not including state prison inmates) had been newly diagnosed with HIV, separate and apart from those who may also have received an AIDS diagnosis by that date. Between January 2007 and December 2009, an average of approximately 125.7 people were diagnosed with HIV each year, which equates to 13.2 people per 100,000 Westchester County residents.

Figure 15. Number of Newly Diagnosed HIV[1] and AIDS[2] Cases by Year of Diagnosis, Westchester County[3], 1985 – 2009



[1] HIV reporting began in June 2000. No earlier data are available.

[2] Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or in a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. Therefore, HIV and AIDS diagnoses cannot be added together in a meaningful way.

[3] Data excludes prison inmates. County of diagnosis usually reflects location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include prison inmates may be substantially higher than those that exclude inmates.


Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology AIDS Institute.

Newly diagnosed AIDS cases have gradually declined in recent years, from a peak of 396 cases reported in 1992 to 86 cases reported in 2009. (Figure 15) By December 2009, a total of 5,065AIDS cases were diagnosed among Westchester County residents (excluding state prisoners). Between January 2007 and December 2009, an average of approximately 104 people were diagnoses with AIDS each year, resulting in an incidence rate of 10.9 people per 100,000 Westchester County residents.

New HIV and AIDS Diagnoses


There were more males than females among those newly diagnosed with HIV and those newly diagnosed with AIDS. As reported by the New York State Department of Health, the average annual number of newly diagnosed HIV cases in Westchester County was 85 cases among males and 41 cases among females during January 2007 through December 2009. The average annual number of newly diagnosed AIDS cases was 66 among males and 38 among females. In December 2009, of the 5,065AIDS cases living in Westchester County 3,572 were men and 1,493 were women (Figure 16).

Figure 16. Average Annual Number of Newly Diagnosed HIV and AIDS and Cumulative AIDS Cases by Sex, Westchester County, 2007 – 2009



Nearly 69% of the newly diagnosed HIV cases were between the ages of 30 and 59 at diagnosis; 27.3% were between 30 and 39 years, 24.1% were between 40 and 49 years, and 17.5% were between 50 and 59 years of age. Slightly more than one-quarter (26.2%) of the newly diagnosed HIV cases were under 30 years of age (Figure 17).

Figure 17. Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases by Age, Westchester County, 2007 – 2009



Average Annual HIV Cases (January 2007 – December 2009)


Average Annual AIDS Cases (January 2007 – December 2009)

Cumulative AIDS Cases (Through December 2009)

Among those newly diagnosed with AIDS, over three-quarters (78.2%) were between the ages of 30 and 59, about 13% were under the age of 30, and 9.0% were 60 years of age or older. As of December 2009, over 80% of the cumulative cases of AIDS were between 30 and 59 years of age, 12.6% were younger than 30 years, and 4.3% were 60 years or older (Figure 17).

Nearly 43% of the newly diagnosed HIV cases were among non-Hispanic blacks, 32.1% were among Hispanics, and 17.0% were among non-Hispanic whites. This distribution was nearly identical for the newly diagnosed AIDS cases; almost half (46.9%) of the cases were among non-Hispanic blacks, 30.2% were among Hispanics, and 14.1% were among non-Hispanic whites. As of December 2009, among the cumulative cases living with AIDS, 46.8% were non-Hispanic blacks, 21.0% were Hispanic, and 28.6% were non-Hispanic whites (Figure 18).


Figure 18. Percentage Distribution of Newly Diagnosed HIV, AIDS, and Cumulative AIDS Cases by Race/Ethnicity, Westchester County, 2007 – 2009



Among the total HIV cases newly diagnosed during January 2007 through December 2009, over one-third (37.4%) was among men who have sex with men (MSM), 6.6% were among injection drug users (IDU), 34.2% was due to heterosexual contact, and 9.5% were among females with presumed heterosexual contact (FPHC).


Among males diagnosed with HIV during January 2007 through December 2009, more than half (55.3%) of the cases were among men having sex with men (MSM). Less than one-quarter (20.8%) of all new cases among males were caused by heterosexual contact. In contrast, 62.3% of all newly diagnosed HIV cases among females was due to heterosexual contact and another 29.5% was due to presumed heterosexual contact (Figures 19 and 20).

Figure 19. Percentage Distribution of Newly Diagnosed HIV, AIDS and Cumulative AIDS Cases among Males by Risk, Westchester County, 2007 – 2009




During the same time period, among males diagnosed with AIDS, over 40% were among men having sex with men, approximately 10% were IDUs, and just over one-quarter (25.8%) was attributed to heterosexual contact. Among the female cases diagnosed with AIDS between 2007 and 2009, 61.1% was due to heterosexual contact, 23.0% was due to presumed heterosexual contact, and 14.2% was due to injection drug use (Figures 19 and 20).

Figure 20. Percentage Distribution of Newly Diagnosed HIV, AIDS and Cumulative AIDS Cases among Females by Risk, Westchester County, 2007 – 2009



Persons Living with HIV and AIDS

Figure 21. Number of Living HIV and AIDS Cases by Sex, Westchester County, December 2009




As of December 2009, there were 1,085 people living with HIV, non-AIDS (113.5 per 100,000) and 2,158 people living with AIDS (225.7 per 100,000) in Westchester County. Excluding New York City, Westchester County had the highest number of individuals living with HIV and/or AIDS among all New York State counties.

Among those living with HIV, 60.6% were males and 39.4% were females. Among those living with AIDS, 64.2% were males and 35.8% were females (Figure 21).


As of December 2009, the majority of Westchester County residents living with HIV and/or AIDS were between the ages of 30 and 59 (78.8%): about three-quarters (74.4%) of the population living with HIV were between these ages, as were 80.9% of those living with AIDS (Figure 22).

Figure 22. Percentage Distribution of Living HIV and AIDS Cases by Current Age, Westchester County, December 2009



Close to half (44.3%) of the individuals living with HIV were non-Hispanic blacks, whereas non-Hispanic whites and Hispanics comprised 23.8% and 25.6% of the remaining cases, respectively. Five and a half (5.5%) percent of those living with HIV were classified as being of multiple races. The racial and ethnic composition of those living with AIDS was similar to those living with HIV: 45.9% were non-Hispanic black, 20.0% were non-Hispanic white, 28.0% were Hispanics, and 5.8% were of multiple races (Figure 23).


Figure 23. Percentage Distribution of Living HIV and AIDS Cases by Race/Ethnicity, Westchester County, December 2009



Of the total population living with HIV between January 2007 and December 2009, approximately one-third (32.3%) of cases were among men who have sex with men (MSM), one-third (32.5%) were among individuals who had heterosexual contact, and 11.1% were among injection drug users (IDUs).

For males living with HIV, 53.2% of cases were among men who had sex with men, 15.2% of cases were due to heterosexual contact, and 10.2% were among injection drug users (Figure 24). For women however, 84.1% of those living with HIV contracted the virus through heterosexual contact or presumed heterosexual contact and 12.4% through injection drug use (Figure 25).


Figure 24. Percentage Distribution of Living HIV and AIDS Cases among Males by Risk, Westchester County, December 2009



Among all individuals living with AIDS during the same time period, approximately one-third (30.8%) of cases were among injection drug users, 28.5% were due to heterosexual contact, and approximately one-quarter (24.3%) of cases were among men who had sex with men.

Among the male living AIDS cases, greater than one-third (37.8%) were among men who had sex with men, another 30.9% was transmitted through injection drug use, and 14.4% was due to heterosexual contact. (Figure 24) In contrast, among females living with AIDS in Westchester County, two-thirds (66.7%) of cases were due to heterosexual contact or presumed heterosexual contact and 30.6% resulted from injection drug use (Figure 25).

Figure 25. Percentage Distribution of Living HIV and AIDS Cases among Females by Risk, Westchester County, December 2009




Westchester County Department of Health (WCDH) works to prevent and control the spread of STDs and HIV/AIDS through its free and confidential walk-in STD clinics. In 2010, WCDH held STD clinics at District locations in White Plains and Yonkers. Collectively, clinic sessions were available four days a week including an evening session one day per week. The clinics provide free walk-in STD testing and treatment, as well as free HIV testing and counseling for all Westchester County residents.

A total of 2,222 clients were seen in the WCDH's STD clinics in 2010 with a total of 3,937 visits. Of all the STD cases diagnosed in Westchester County, 12.7% were tested and/or treated at WCDH clinics. A total of 2,566 clients received HIV testing and/or counseling in WCDH clinics; among these, 2,211 clients (86.2%) received HIV testing with 2,569 tests performed.

Central Nervous System (CNS) Diseases and Bacteremias

Figure 26. Percentage Distribution of Meningitis Infections by Age, Westchester County, 2010



Infectious diseases affecting the central nervous system include bacterial and viral pathogens that may infect one or many locations in the body including the brain, spinal cord membranes (meningitis), and/or the bloodstream (bacteremias). In 2010, the most frequently reported diseases in this category were Meningitis and Invasive Streptococcus (Strep) Pneumoniae.

Meningitis is a disease caused by a bacterial or viral infection of the protective membranes covering the brain and spinal cord. Meningitis is also referred to as spinal meningitis. In 2010, 47 cases of meningitis were reported among Westchester County residents. Of these, 32 cases (68.1%) were aseptic meningitis, which is less severe than bacterial meningitis and does not require treatment of close contacts to the infected individual. The majority of meningitis cases diagnosed in 2010 were adults, with only 25.5% of the confirmed meningitis cases being among children aged 19 years of younger (Figure 26).

The age groups with the highest rates of meningitis infections were those aged 30-39 (10.2 per 100,000) and those aged 0-9 (7.5 per 100,000), followed by the oldest group, 60 years and older (6.2 per 100,000) (Figure 27).

Figure 27. Reported Rates of Meningitis Infections by Age, Westchester County, 2010





Figure 28. Percentage Distribution of Invasive Streptococcus Pneumoniae Infections by Age, Westchester County, 2010




Invasive streptococcus pneumoniae infection is caused by the bacterial pathogen Streptococcus pneumoniae, which is the most common cause of bacterial pneumonia and bacterial meningitis in the United States. The pathogen usually resides in a person's respiratory tract and is spread through respiratory droplets. Having the pathogen does not always result in illness; however, such a person may be a carrier and able to spread the disease to others.

In 2010, there were 90 cases of invasive streptococcus pneumoniae infection in Westchester County. The majority of cases (76.7%) occurred among adults aged 40 and older, with 48.9% among those aged 60 years and above (Figure 28).

In 2010, invasive streptococcus pneumoniae infections were evenly distributed between the sexes (45 cases each) with a slightly higher overall rate of infection among males when compared to females (9.9 vs. 9.1 per 100,000) (Figure 29).

Figure 29. Reported Rates of Invasive Streptococcus Pneumoniae by Age and Sex, Westchester County, 2010



Enteric Diseases

Enteric infections enter the body through the mouth and intestinal tract and are usually spread through contaminated food and water or by contact with infected vomit or feces.

In 2010, the three most prevalent enteric diseases in Westchester County were Campylobacteriosis, Giardiasis, and Salmonellosis; with 178, 93, and 180 cases, respectively.

The rates of all three major enteric infections were more prevalent among children aged younger than 10 years than among all other age groups (Figure 30).

Figure 30. Rates of Major Enteric Infections by Age, Westchester County, 2010







Figure 31. Reported Rates of Giardiasis Infections by Age and Sex, Westchester County, 2010




In general, rates of Campylobacteriosis and Salmonellosis infections in 2010 were evenly distributed among males and females. However, rates of Giardiasis infections were higher among males than females across all age groups except the 20 to 29 year cohort (Figure 31).

Figure 32. Percentage Distribution of Major Enteric Infections by Month, Westchester County, 2010







Rates of foodborne illnesses undergo seasonal fluctuations. These infections are more prevalent in warmer months and begin to decline with the onset of colder weather (Figures 32).

To reduce the spread of foodborne disease, the Westchester County Department of Health performed over 13,000 regular and ad hoc inspections of restaurants and other food service establishments during 2010.

Vector-Borne Zoonoses


Transmission of an infectious disease can involve a vector or carrier. The most common vector-based disease in Westchester County is Lyme disease, which is transmitted by infected deer ticks.

Lyme Disease

Lyme disease can cause symptoms that affect the skin, nervous system, heart, and joints. The most common indication of infection is a bulls-eye or solid rash (referred to as erythema migrans) close to the site of the bite.

In 2010, there were 114 confirmed cases of Lyme disease in Westchester County; most reported through the New York State designed Sentinel Surveillance System. Due to the large volume of Lyme cases in New York State, only a 20% random sampling of reported laboratory cases and 100% of all provider reports of erythema migrans are selected for follow-up. As a result, the data for reported Lyme disease infections presented in this report represents only an estimate of confirmed cases. The New York State Department of Health calculated total incidence of Lyme disease in Westchester County was 404 cases during 2010.

Figure 33. Reported Rates of Lyme Disease by Age and Sex, Westchester County, 2010.



The reported rate of Lyme disease was highest among children aged 10 to 19 (17.6 per 100,000), lowest among those aged 30 to 39 (6.0 per 100,000), and higher among males than females (15.3 vs. 7.9 per 100,000) (Figure 33).

In 2010, cases of Lyme disease were more prevalent in the Northeast and Northwest HPRs (35.1 and 21.1 per 100,000, respectively) than in the overall county (12.0 per 100,000). In general, Lyme disease is less prevalent in the urban regions of the County (Figure 34).

Figure 34. Reported Rates of Lyme Disease by Health Planning Region and Municipality, Westchester County, 2010





Figure 35. Percentage Distribution of Reported Cases of Lyme Disease by Month, Westchester County, 2010



Lyme disease infections also display a seasonal pattern. The months with the greatest percentages of Lyme disease transmissions were June and July, coinciding with the months when residents are most likely to be outdoors and when the nymphal deer tick is actively feeding (Figure 35). Humans primarily acquire the bacteria responsible for Lyme disease from deer tick nymphs because of their small size (less than 1/16th of an inch). Adult ticks are larger (1/8th of an inch) and more likely to be removed before the bacteria is transmitted.


West Nile Virus

West Nile Virus (WNV) made its first appearance in the United States in New York City during the summer of 1999 and quickly spread to surrounding areas, including Westchester County.

The virus is transmitted from mosquito vectors to humans, birds, and other mammals. In very few individuals (1 in 150), WNV will cause encephalitis, a serious illness in which there is acute swelling of the brain. Symptoms may include high fever, headache, disorientation, coma, tremors, and convulsions and may last several weeks. These neurological effects can become irreversible. Up to 20% of people who become infected with WNV will have a milder form of encephalitis, with symptoms lasting from a few days to several weeks. Most people (approximately 80%) however, will be asymptomatic.

A total of 32 confirmed human cases of West Nile encephalitis have been reported in Westchester County since 1999 (Figure 36). The number of West Nile encephalitis cases in Westchester County declined sharply after the initial peak of 9 human cases in 1999. Between 2000 and 2010, no more than 4 people have become infected with West Nile encephalitis each year.

Figure 36. Number of West Nile Encephalitis Cases, Westchester County, 1999 – 2010



Westchester County Department of Health works diligently to reduce the threat of WNV by conducting extensive mosquito larviciding and surveillance activities. In 2010, WCDH inspected and/or treated approximately 70,000 catch basins throughout the County. In addition, the Department trapped and identified the species of over 10,000 mosquitoes and submitted 378 mosquito batches for testing. Thirteen mosquito batches tested positive for the virus in 2010.

Rabies

Zoonotic diseases are caused by infections that can be transmitted between animals and humans. Rabies is a deadly virus that lives in the saliva and brain tissue of an infected animal and is spread through bites, scratches, and contact with the infected animal. Because of the highly infective nature of the disease and its near 100% mortality rate if no medical intervention is obtained, rabies is the most closely monitored zoonotic disease in Westchester County.

Westchester County Department of Health closely monitors rabies exposures, with timely testing of suspected animals and prophylactic treatment of individuals who have come in contact with suspected rabid animals.

In 2010, 540 animals were tested for rabies with 42 being confirmed positive. A total of 264 Westchester County residents were treated with post-exposure prophylaxis (PEP) after being exposed to an animal suspected of having rabies (Table A). The number of individuals receiving PEP for rabies has decreased significantly over the past decade. The majority of rabies PEP is administered for exposures to suspected rabid bats; however, a fungal infection has radically reduced the bat population in the northeastern United States and may be contributing to a decrease in human-bat exposures and therefore, rabies PEP.

Table A. Rabies Surveillance and Human Post-Exposure Prophylaxis, Westchester County, 2006 –2010

Table A. Rabies Surveillance and Human Post-Exposure Prophylaxis, Westchester County, 2006 - 2010

	2010	2009	2008	2007	2006
Total Reported Animal Bites & Scratches	1,108	1,141	1,107	1,068	1,004
Total Animals Tested	540	608	615	596	724
Animals Confirmed Rabid[1]	42	37	31	31	51
Raccoon	22	22	17	15	32
Skunk	5	2	3	5	5
Bat	7	10	9	9	12
Cat	7	2	1	1	2
Fox	0	1	0	1	0
Woodchuck	0	0	1	0	0
As Percent of Total Tested	*7.8*	*6.1*	*5.0*	*5.2*	*7.0*
Human Post-Exposure Prophylaxis	264	258	359	332	396

[1] Confirmed rabid after brain tissue samples are tested at Wadsworth Laboratory, NYSDOH.

One confirmed rabid racoon and one confirmed rabid cat originated in Putnam County.

One confirmed rabid cat originated in the Bronx.


Source: Westchester County Department of Health. Data as of December 2011.

Tuberculosis

Tuberculosis (TB) is a highly contagious air-borne disease that is spread by people with active, untreated TB infections of the lungs or throat. While TB usually affects the lungs, the disease can also cause illness in other parts of the body, including the brain, kidneys, or the spine. If left untreated it can become fatal.

In 2010, 37 new cases of TB were confirmed in Westchester County, 63.9% were male and 36.1% were female. The majority of TB patients were foreign-born (83%) and 16.7% were born in the United States (Figure 37).

Figure 37. Percentage Distribution of Tuberculosis Cases by Origin of Birth, Westchester County, 2010



Westchester County Department of Health conducted tuberculosis clinics at its district offices in White Plains and Yonkers. In 2010, WCDH provided TB tests and/or treatments to 606 clients who were seen at the TB clinics during a total of 2,681 visits. In addition, WCDH conducted investigations of 378 people who had close contact with an individual with active TB outside of the TB clinics.

The standard of care for active TB treatment is Directly Observed Therapy (DOT), as recommended by the Centers for Disease Control and Prevention. A trained healthcare worker monitors the patient's intake of medication at the patient's home or other locations conducive to the needs and privacy of the patient. DOT is necessary for all active TB cases to ensure patients complete their entire therapy regimen, to monitor drug therapy response, to decrease the rates of drug resistance, and to improve the survival rates in those with HIV co-morbidity.

Table B. Number of Clients Receiving DOT/DOPT Services and Number of DOT/DOPT Visits Received by Sex, Westchester County, 2010

Services	Patients			Number of Visits
	Total	Male	Female	
Total	147	63	84	5,561
DOT	114	47	67	4,853
DOPT	33	16	17	708

Directly Observed Preventive Therapy (DOPT) involves a trained healthcare worker monitoring the preventative therapy courses for latent and active TB patients at the patient's home or other locations. In addition to clinical services, WCDH provided DOT and DOPT services to 147 clients, with 5,561 visits conducted in clients' homes or other locations specified by the clients (Table B).


Vaccine Preventable Diseases

In 2002, the World Health Organization reported that approximately 1.4 million deaths among children under 5 years of age could have been prevented by routine vaccinations. Vaccinations are a front-line tool in infectious disease prevention and control. Through widespread immunization programs, many vaccine preventable diseases (VPDs) have been contained in the United States.

The most commonly reported VPD in Westchester County is Pertussis (Whooping Cough). Pertussis is highly contagious and begins with symptoms that are similar to the common cold. However, severe coughing appears after 1-2 weeks and can persist for up to 6 weeks. The classic whooping sound can be identified in older children and adults. Pertussis is particularly dangerous for young children and infants who can develop respiratory distress and difficulty breathing, usually requiring hospitalization for infants.

After a significant increase in the number of Pertussis cases between the winter of 2003 and spring of 2006, cases remained relatively low for the following three years. However, the number of infections appears to again be rising. In 2010, 40 cases of Pertussis were reported in Westchester County, a 100% increase over the previous year. (Figure 38)

Figure 38. Pertussis Trends in Westchester County, 1997 - 2010



The vaccine for Pertussis in infants and children is the DtaP; for older children and adults it is the TdaP. The Pertussis vaccination is combined with the vaccinations for diphtheria and tetanus. Some vaccinations lose their effectiveness over time and revaccinations or booster shots may be required. A full schedule of vaccinations and recommendations appear in the appendix at the end of this report.

Tables

Table 1. Reported Cases and Rates of Reportable Diseases, Westchester County, 2006-2010

Communicable Disease Category	Total Annual Cases					Rate* (per 100,000 persons)				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Vaccine Preventable Diseases										
Measles	0	0	0	1	0	0.0	0.0	0.0	0.1	0.0
Mumps[1]	4	5	1	3	0	0.4	0.5	0.1	0.3	0.0
Pertussis[1]	40	20	20	13	10	4.2	2.1	2.1	1.4	1.1
Central Nervous System Diseases & Bacteremias										
Encephalitis	7	4	5	6	2	0.7	0.4	0.5	0.6	0.2
West Nile Encephalitis	*4*	*0*	*2*	*0*	*1*	*0.4*	*0.0*	*0.2*	*0.0*	*0.1*
Non-West Nile Encephalitis[1]	*3*	*4*	*3*	*6*	*1*	*0.3*	*0.4*	*0.3*	*0.6*	*0.1*
Listeriosis	6	9	7	4	5	0.6	0.9	0.7	0.4	0.5
Meningitis	47	81	44	41	36	5.0	8.5	4.6	4.3	3.8
Aseptic Meningitis	*32*	*63*	*19*	*30*	*18*	*3.4*	*6.6*	*2.0*	*3.2*	*1.9*
Meningococcal Diseases[1]	*0*	*0*	*1*	*1*	*4*	*0.0*	*0.0*	*0.1*	*0.1*	*0.4*
Other Meningitis/Bacteremias	*15*	*18*	*24*	*10*	*14*	*1.6*	*1.9*	*2.5*	*1.1*	*1.5*
Group A Strep	27	25	30	25	27	2.8	2.6	3.2	2.6	2.8
Group B Strep	56	56	69	51	53	5.9	5.9	7.3	5.4	5.6
All Invasive Strep Pnumoniae[2]	90	99	97	110	76	9.5	10.4	10.2	11.6	8.0
Invasive Strep Pnumoniae	*88*	*97*	*93*	*109*	*69*	*9.3*	*10.2*	*9.8*	*11.5*	*7.3*
Drug Resistant Strep Pnumoniae	*2*	*2*	*4*	*1*	*7*	*0.2*	*0.2*	*0.4*	*0.1*	*0.7*
Enteric Infections										
Amebiasis	23	37	20	24	28	2.4	3.9	2.1	2.5	3.0
Campylobacteriosis	178	153	148	175	163	18.8	16.1	15.6	18.4	17.2
Cryptosporidiosis	9	9	11	19	14	0.9	0.9	1.2	2.0	1.5
Cyclospora	3	4	2	3	1	0.3	0.4	0.2	0.3	0.1
Giardiasis	93	108	84	110	122	9.8	11.4	8.9	11.6	12.9
Salmonellosis[1]	180	129	149	155	121	19.0	13.6	15.7	16.3	12.7
Shigellosis[1]	33	39	26	18	14	3.5	4.1	2.7	1.9	1.5
STEC (E. coli 0157)[1,3]	21	17	22	27	6	2.2	1.8	2.3	2.8	0.6
Hemolytic Uremic Syndrome	3	2	1	3	0	0.3	0.2	0.1	0.3	0.0
Typhoid	1	0	1	0	1	0.1	0.0	0.1	0.0	0.1
Vibrio	1	6	0	1	2	0.1	0.6	0.0	0.1	0.2
Yersiniosis	2	1	1	1	6	0.2	0.1	0.1	0.1	0.6
Viral Hepatitis										
Hepatitis A[1]	8	7	14	13	12	0.8	0.7	1.5	1.4	1.3
Hepatitis B	96	128	238	276	269	10.1	13.5	25.1	29.1	28.3
Acute[1]	*3*	*3*	*9*	*6*	*8*	*0.3*	*0.3*	*0.9*	*0.6*	*0.8*
Chronic[1]	*93*	*125*	*229*	*269*	*260*	*9.8*	*13.2*	*24.1*	*28.3*	*27.4*
Infant Perinatal	*0*	*0*	*0*	*1*	*1*	*0.0*	*0.0*	*0.0*	*0.1*	*0.1*
Hepatitis C	288	396	687	784	787	30.3	41.7	72.4	82.6	82.9
Acute	*0*	*0*	*0*	*2*	*1*	*0.0*	*0.0*	*0.0*	*0.2*	*0.1*
Chronic[1]	*288*	*396*	*687*	*782*	*786*	*30.3*	*41.7*	*72.4*	*82.4*	*82.8*
Other Hepatitis	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0

(continued)

Table 1. Reported Cases and Rates of Reportable Diseases, Westchester County, 2006-2010 *(continued)*

Communicable Disease Category	Total Annual Cases					Rate* (per 100,000 persons)				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Sexually Transmitted Diseases										
Chlamydia[4]	2,915	2,765	2,566	2,466	2,144	307.1	291.3	270.4	259.8	225.9
Lymphogranuloma Verereum	2	3	2	0	0	0.2	0.3	0.2	0.0	0.0
Gonorrhea[5]	474	376	377	373	434	49.9	39.6	39.7	39.3	45.7
Syphilis (All Stages)[4,6]	148	163	187	164	172	15.6	17.2	19.7	17.3	18.1
Early Syphilis	*51*	*55*	*52*	*57*	*30*	*5.4*	*5.8*	*5.5*	*6.0*	*3.2*
Primary and Secondary	*26*	*27*	*26*	*30*	*22*	*2.7*	*2.8*	*2.7*	*3.2*	*2.3*
Early Latent	*25*	*28*	*26*	*27*	*8*	*2.6*	*3.0*	*2.7*	*2.8*	*0.8*
All Other Syphilis	*97*	*108*	*135*	*107*	*142*	*10.2*	*11.4*	*14.2*	*11.3*	*15.0*
Congenital Syphilis[7]	1	1	2	2	3	9.0[8]	9.0	17.4	16.9	25.2
Tuberculosis	37	40	62	44	72	3.8	4.2	7.0	4.5	7.4
Vector-Borne Zoonoses										
Babesiosis	37	59	36	29	25	3.9	6.2	3.8	3.1	2.6
Ehrlichiosis	17	36	36	44	61	1.8	3.8	3.8	4.6	6.4
Lyme Disease[1,9]	114	207	263	248	260	12.0	21.8	27.7	26.1	27.4
NYSDOH Calculated Total Incidence[10]	*404*	*643*	—	—	—	*42.6*	*67.7*	—	—	—
Malaria	9	7	3	13	12	0.9	0.7	0.3	1.4	1.3
Post-Exposure Prophylaxis for Rabies[11]	264	258	359	332	396	27.8	27.2	37.8	35.0	41.7
Other										
Legionellosis	16	22	31	16	18	1.7	2.3	3.3	1.7	1.9
Toxic Shock	5	5	2	3	0	0.5	0.5	0.2	0.3	0.0

[1] Includes probable cases.

[2] Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive).

[3] (STEC) Shiga toxin producing E. coli - may include non-0157 shiga toxin producing strains of E. coli.

[4] Includes cases from Westchester County Correctional Facilities.

[5] PPNG (Penicillinase Producing N. gonorrhea) included in Gonorrhea total.

[6] Total Syphilis excludes Congenital Syphilis.

[7] Rates for Congenital Syphilis are per 100,00 live births.

[8] Due to the lack of the availablilty of the data, 2009 birth data was used to calculate the rate of congential syphilis for 2010.

[9] Lyme Disease totals includes the number of confirmed cases from sentinel survellance, erythmea migrans (EM) rash, and provider reporting. Sentinel survelliance randomly extracts 20% of cases reported to WCDOH through the Electronic Clinical Laboratory Reporting System (ECLRS).

[10] The number of actual cases was extrapolated to generate estimates of the total number of cases. Data is not available before 2009.

[11] Number of individuals for whom rabies post-exposure prophylaxis has been distributed by Westchester County Department of Health.

*Rates are calculated using the 2010 US Census.

Source: Westchester County Department of Health. Data as of November 2011.

Table 2. Number of Major Sexually Transmitted Diseases in Westchester County, New York State, and the United States, 2010

	Westchester County[1]		New York State[2]		New York State (excluding NYC)[2]		United States[3]	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Chlamydia	2,915	307.1	99,823	510.8	36,279	325.4	1,307,893	426.0
Gonorrhea	474	49.9	18,270	93.5	5,916	53.1	309,341	100.8
Syphilis (All Stages)	148	15.6	4,869	24.9	708	6.4	45,834	14.9
Primary & Secondary	26	2.7	2,461	12.6	271	2.4	13,774	4.5

[1] Source: Westchester County Department of Health. Data as of November 2011.

[2] Source: New York State Department of Health.

[3] Source: Centers for Disease Control and Prevention.

Table 3. Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2006-2010

Health Planning Region & Municipality	Total Cases					Rate (per 100,000)				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Westchester County	**2,915**	**2,765**	**2,566**	**2,466**	**2,144**	**307.1**	**291.3**	**270.4**	**259.8**	**225.9**
Northwest	**382**	**315**	**281**	**278**	**194**	**260.6**	**214.9**	**191.7**	**189.7**	**132.4**
Briarcliff Manor	2	7	5	8	1	25.4	89.0	63.6	101.7	12.7
Buchanan	2	7	2	3	1	89.7	313.9	89.7	134.5	44.8
Cortlandt Manor	37	36	37	23	10	118.2	115.0	118.2	73.5	32.0
Croton-on-Hudson	13	5	7	4	3	161.1	62.0	86.7	49.6	37.2
Mount Pleasant	45	35	33	32	31	171.9	133.7	126.1	122.2	118.4
Ossining (Town)	5	6	6	4	1	92.5	111.0	111.0	74.0	18.5
Ossining (Village)	87	61	78	83	59	347.2	243.4	311.3	331.2	235.4
Peekskill	121	99	74	70	53	513.1	419.8	313.8	296.8	224.7
Pleasantville	34	35	15	26	14	484.4	498.6	213.7	370.4	199.5
Sleepy Hollow	36	24	24	25	21	364.7	243.2	243.2	253.3	212.8
Northeast	**143**	**138**	**129**	**105**	**83**	**104.6**	**100.9**	**94.3**	**76.8**	**60.7**
Bedford	17	15	8	9	9	98.1	86.5	46.1	51.9	51.9
Lewisboro	9	25	6	7	5	72.5	201.4	48.3	56.4	40.3
Mount Kisco	16	15	26	21	16	147.1	137.9	239.0	193.1	147.1
New Castle	15	10	9	7	5	85.4	56.9	51.2	39.8	28.5
North Castle	13	13	13	9	9	109.8	109.8	109.8	76.0	76.0
North Salem	5	3	0	1	1	98.0	58.8	0.0	19.6	19.6
Pound Ridge	0	2	2	2	1	0.0	39.2	39.2	39.2	19.6
Somers	21	16	17	17	11	102.8	78.3	83.2	83.2	53.8
Yorktown Heights	47	39	48	32	26	130.3	108.1	133.0	88.7	72.1
West Central	**368**	**376**	**362**	**320**	**299**	**226.6**	**231.5**	**222.9**	**197.0**	**184.1**
Ardsley	6	2	1	1	0	134.8	44.9	22.5	22.5	0.0
Dobbs Ferry	33	31	26	24	27	303.4	285.1	239.1	220.7	248.3
Elmsford	22	20	16	18	16	471.7	428.8	343.1	385.9	343.1
Greenburgh	98	100	89	96	78	228.6	233.3	207.6	224.0	182.0
Hastings-on-Hudson	23	23	16	8	9	293.0	293.0	203.8	101.9	114.7
Irvington	13	17	28	15	7	202.5	264.8	436.1	233.6	109.0
Scarsdale	9	8	13	7	11	52.4	46.6	75.7	40.8	64.1
Tarrytown	26	21	14	15	15	230.6	186.2	124.1	133.0	133.0
White Plains	138	154	159	136	136	242.7	270.9	279.7	239.2	239.2
East Central	**184**	**193**	**176**	**133**	**107**	**155.6**	**163.2**	**148.8**	**112.4**	**90.5**
Harrison	32	44	35	39	36	116.5	160.2	127.4	142.0	131.0
Larchmont	3	2	8	4	5	51.2	34.1	136.4	68.2	85.3
Mamaroneck (Town)	10	17	8	10	6	83.5	141.9	66.8	83.5	50.1
Mamaroneck (Village)	34	28	29	19	19	179.6	147.9	153.2	100.4	100.4
Port Chester	75	83	86	48	30	258.9	286.5	296.9	165.7	103.6
Rye	17	11	5	12	7	108.1	70.0	31.8	76.3	44.5
Rye Brook	13	8	5	1	4	139.1	85.6	53.5	10.7	42.8
Southwest	**903**	**808**	**721**	**732**	**697**	**460.8**	**412.3**	**367.9**	**373.5**	**355.7**
Yonkers	903	808	721	732	697	460.8	412.3	367.9	373.5	355.7
Southeast	**881**	**898**	**851**	**847**	**719**	**465.9**	**474.8**	**450.0**	**447.9**	**380.2**
Bronxville	5	5	8	10	4	79.1	79.1	126.5	158.2	63.3
Eastchester	16	14	6	8	8	81.8	71.6	30.7	40.9	40.9
Mount Vernon	638	633	598	567	497	948.1	940.7	888.7	842.6	738.6
New Rochelle	202	219	219	231	178	262.1	284.2	284.2	299.8	231.0
Pelham	5	17	5	7	15	72.4	246.0	72.4	101.3	217.1
Pelham Manor	3	4	5	7	4	54.7	72.9	91.1	127.6	72.9
Tuckahoe	12	6	10	17	13	185.0	92.5	154.2	262.1	200.4
Westchester County Correctional Facilities	49	34	43	51	44	—	—	—	—	—
Unknown	5	3	3	0	1	—	—	—	—	—

Source: Westchester County Department of Health. Data as of November 2011 (confirmed cases).

Table 4. Reported Cases and Rates of Gonorrhea by Municipality, Westchester County, 2006-2010

Health Planning Region & Municipality	Total Cases					Rate (per 100,000)				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Westchester County	**474**	**376**	**377**	**373**	**434**	**49.9**	**39.6**	**39.7**	**39.3**	**45.7**
Northwest	**46**	**37**	**27**	**32**	**37**	**31.4**	**25.2**	**18.4**	**21.8**	**25.2**
Briarcliff Manor	1	2	0	0	1	12.7	25.4	0.0	0.0	12.7
Buchanan	1	0	0	0	0	44.8	0.0	0.0	0.0	0.0
Cortlandt Manor	3	6	5	1	2	9.6	19.2	16.0	3.2	6.4
Croton-on-Hudson	1	1	0	0	0	12.4	12.4	0.0	0.0	0.0
Mount Pleasant	5	4	6	6	8	19.1	15.3	22.9	22.9	30.6
Ossining (Town)	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Ossining (Village)	10	8	4	4	9	39.9	31.9	16.0	16.0	35.9
Peekskill	13	12	6	11	13	55.1	50.9	25.4	46.6	55.1
Pleasantville	8	2	6	10	2	114.0	28.5	85.5	142.5	28.5
Sleepy Hollow	4	2	0	0	2	40.5	20.3	0.0	0.0	20.3
Northeast	**10**	**10**	**13**	**15**	**11**	**7.3**	**7.3**	**9.5**	**11.0**	**8.0**
Bedford	1	1	0	1	1	5.8	5.8	0.0	5.8	5.8
Lewisboro	1	0	0	3	1	8.1	0.0	0.0	24.2	8.1
Mount Kisco	1	1	2	1	2	9.2	9.2	18.4	9.2	18.4
New Castle	0	1	0	1	1	0.0	5.7	0.0	5.7	5.7
North Castle	1	0	1	1	1	8.4	0.0	8.4	8.4	8.4
North Salem	0	2	0	0	1	0.0	39.2	0.0	0.0	19.6
Pound Ridge	1	0	0	0	0	19.6	0.0	0.0	0.0	0.0
Somers	1	1	2	3	0	4.9	4.9	9.8	14.7	0.0
Yorktown Heights	4	4	8	5	4	11.1	11.1	22.2	13.9	11.1
West Central	**52**	**44**	**48**	**31**	**54**	**32.0**	**27.1**	**29.6**	**19.1**	**33.2**
Ardsley	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Dobbs Ferry	3	5	8	6	6	27.6	46.0	73.6	55.2	55.2
Elmsford	3	2	3	1	0	64.3	42.9	64.3	21.4	0.0
Greenburgh	17	12	13	8	23	39.7	28.0	30.3	18.7	53.7
Hastings-on-Hudson	3	3	5	2	1	38.2	38.2	63.7	25.5	12.7
Irvington	2	3	3	1	0	31.2	46.7	46.7	15.6	0.0
Scarsdale	1	2	0	2	0	5.8	11.7	0.0	11.7	0.0
Tarrytown	2	4	1	0	1	17.7	35.5	8.9	0.0	8.9
White Plains	21	13	15	11	23	36.9	22.9	26.4	19.3	40.5
East Central	**14**	**11**	**17**	**18**	**10**	**11.8**	**9.3**	**14.4**	**15.2**	**8.5**
Harrison	5	7	5	6	6	18.2	25.5	18.2	21.8	21.8
Larchmont	0	0	0	1	0	0.0	0.0	0.0	17.1	0.0
Mamaroneck (Town)	0	0	3	4	1	0.0	0.0	25.0	33.4	8.3
Mamaroneck (Village)	3	1	2	2	1	15.8	5.3	10.6	10.6	5.3
Port Chester	5	3	7	4	2	17.3	10.4	24.2	13.8	6.9
Rye	0	0	0	1	0	0.0	0.0	0.0	6.4	0.0
Rye Brook	1	0	0	0	0	10.7	0.0	0.0	0.0	0.0
Southwest	**142**	**97**	**97**	**120**	**149**	**72.5**	**49.5**	**49.5**	**61.2**	**76.0**
Yonkers	142	97	97	120	149	72.5	49.5	49.5	61.2	76.0
Southeast	**205**	**171**	**165**	**147**	**160**	**108.4**	**90.4**	**87.2**	**77.7**	**84.6**
Bronxville	1	1	1	1	0	15.8	15.8	15.8	15.8	0.0
Eastchester	0	1	2	2	3	0.0	5.1	10.2	10.2	15.3
Mount Vernon	166	130	126	107	128	246.7	193.2	187.2	159.0	190.2
New Rochelle	35	34	33	31	27	45.4	44.1	42.8	40.2	35.0
Pelham	1	2	1	3	0	14.5	28.9	14.5	43.4	0.0
Pelham Manor	2	1	1	0	0	36.5	18.2	18.2	0.0	0.0
Tuckahoe	0	2	1	3	2	0.0	30.8	15.4	46.3	30.8
Westchester County Correctional Facilities	5	6	10	10	13	—	—	—	—	—

Source: Westchester County Department of Health. Data as of November 2011 (confirmed cases).

Table 5. Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2006-2010

Health Planning Region & Municipality	Total Cases					Rate (per 100,000)				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Westchester County	**148**	**163**	**187**	**164**	**172**	**15.6**	**17.2**	**19.7**	**17.3**	**18.1**
Northwest	**14**	**16**	**8**	**13**	**18**	**9.6**	**10.9**	**5.5**	**8.9**	**12.3**
Briarcliff Manor	0	0	0	0	1	0.0	0.0	0.0	0.0	12.7
Buchanan	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Cortlandt Manor	4	2	1	0	3	12.8	6.4	3.2	0.0	9.6
Croton-on-Hudson	0	0	1	1	0	0.0	0.0	12.4	12.4	0.0
Mount Pleasant	3	6	0	2	0	11.5	22.9	0.0	7.6	0.0
Ossining (Town)	0	0	0	0	1	0.0	0.0	0.0	0.0	18.5
Ossining (Village)	3	2	3	4	5	12.0	8.0	12.0	16.0	20.0
Peekskill	1	5	2	3	5	4.2	21.2	8.5	12.7	21.2
Pleasantville	1	0	0	1	1	14.2	0.0	0.0	14.2	14.2
Sleepy Hollow	2	1	1	2	2	20.3	10.1	10.1	20.3	20.3
Northeast	**2**	**2**	**10**	**10**	**6**	**1.5**	**1.5**	**7.3**	**7.3**	**4.4**
Bedford	0	0	1	3	0	0.0	0.0	5.8	17.3	0.0
Lewisboro	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mount Kisco	2	0	4	0	2	18.4	0.0	36.8	0.0	18.4
New Castle	0	1	2	0	1	0.0	5.7	11.4	0.0	5.7
North Castle	0	0	1	0	0	0.0	0.0	8.4	0.0	0.0
North Salem	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Pound Ridge	0	0	0	1	0	0.0	0.0	0.0	19.6	0.0
Somers	0	0	0	2	0	0.0	0.0	0.0	9.8	0.0
Yorktown	0	1	2	4	3	0.0	2.8	5.5	11.1	8.3
West Central	**19**	**30**	**20**	**26**	**24**	**11.7**	**18.5**	**12.3**	**16.0**	**14.8**
Ardsley	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Dobbs Ferry	0	1	2	3	2	0.0	9.2	18.4	27.6	18.4
Elmsford	2	2	1	2	1	42.9	42.9	21.4	42.9	21.4
Greenburgh	3	7	4	3	5	7.0	16.3	9.3	7.0	11.7
Hastings-on-Hudson	0	1	0	1	0	0.0	12.7	0.0	12.7	0.0
Irvington	0	1	0	0	0	0.0	15.6	0.0	0.0	0.0
Scarsdale	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tarrytown	1	0	0	1	1	8.9	0.0	0.0	8.9	8.9
White Plains	13	18	13	16	15	22.9	31.7	22.9	28.1	26.4
East Central	**19**	**10**	**16**	**12**	**10**	**16.1**	**8.5**	**13.5**	**10.1**	**8.5**
Harrison	5	0	1	6	3	18.2	0.0	3.6	21.8	10.9
Larchmont	1	0	1	0	0	17.1	0.0	17.1	0.0	0.0
Mamaroneck (Town)	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Mamaroneck (Village)	4	1	8	3	0	21.1	5.3	42.3	15.8	0.0
Port Chester	8	9	5	3	6	27.6	31.1	17.3	10.4	20.7
Rye	1	0	1	0	0	6.4	0.0	6.4	0.0	0.0
Rye Brook	0	0	0	0	1	0.0	0.0	0.0	0.0	10.7
Southwest	**49**	**57**	**76**	**53**	**55**	**25.0**	**29.1**	**38.8**	**27.0**	**28.1**
Yonkers	49	57	76	53	55	25.0	29.1	38.8	27.0	28.1
Southeast	**42**	**47**	**53**	**50**	**59**	**22.2**	**24.9**	**28.0**	**26.4**	**31.2**
Bronxville	1	0	1	0	0	15.8	0.0	15.8	0.0	0.0
Eastchester	3	0	0	1	0	15.3	0.0	0.0	5.1	0.0
Mount Vernon	22	32	43	29	38	32.7	47.6	63.9	43.1	56.5
New Rochelle	16	14	9	20	21	20.8	18.2	11.7	26.0	27.3
Pelham	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Pelham Manor	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Tuckahoe	0	1	0	0	0	0.0	15.4	0.0	0.0	0.0
Westchester County Correctional Facilities	2	1	4	0	0	—	—	—	—	—
Unknown	1	0	0	0	0	—	—	—	—	—

Source: Westchester County Department of Health. Data as of November 2011 (confirmed cases).

Table 6. Reported Cases and Rates[1] of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010

Sex & Race/Ethnicity	Age Group															
	Total[2]		<15		15-19		20-24		25-29		30-34		35-44		45+	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Total	**2,866**	**303.6**	**53**	**28.5**	**926**	**1411.8**	**972**	**1848.1**	**463**	**886.5**	**208**	**378.4**	**162**	**119.5**	**82**	**20.6**
White	230	35.7	1	0.8	63	154.3	103	335.6	28	95.8	13	40.7	10	11.3	12	4.0
Black	883	651.8	19	71.7	323	2759.7	301	3091.6	135	1535.5	47	565.2	45	230.2	13	25.5
Other	473	287.5	8	20.4	138	1058.0	154	1265.2	94	661.0	43	293.0	28	100.8	8	18.4
Unknown	1,280	—	25	—	402	—	414	—	206	—	105	—	79	—	49	—
Hispanic[3]	505	251.8	6	12.0	136	808.8	185	1112.6	94	514.7	46	252.2	30	91.0	8	16.7
Non-Hispanic	1,056	142.0	20	14.7	380	779.1	369	1025.9	147	432.8	69	187.9	48	46.8	23	6.6
Males	**838**	**184.6**	**9**	**9.5**	**218**	**646.2**	**268**	**993.4**	**175**	**670.3**	**71**	**263.6**	**63**	**96.4**	**34**	**18.9**
White	53	17.1	0	0.0	7	33.3	23	148.5	7	48.7	6	38.2	3	7.0	7	5.1
Black	276	454.4	5	37.1	81	1359.7	90	1925.1	61	1495.1	19	516.6	15	179.1	5	24.4
Other	138	164.4	1	4.9	31	459.9	47	689.5	36	470.7	10	132.2	11	79.0	2	9.7
Unknown	371	—	3	—	99	—	108	—	71	—	36	—	34	—	20	—
Hispanic[3]	149	146.8	1	3.9	29	329.1	52	567.2	37	379.8	15	156.6	12	72.2	3	13.6
Non-Hispanic	313	88.8	4	5.7	93	373.1	103	578.3	61	372.7	21	121.0	19	39.0	12	7.6
Females	**2,028**	**413.8**	**44**	**48.4**	**708**	**2222.8**	**704**	**2748.3**	**288**	**1102.6**	**137**	**488.7**	**99**	**141.0**	**48**	**22.1**
White	177	52.9	1	1.7	56	282.8	80	526.3	21	141.6	7	43.0	7	15.5	5	3.0
Black	607	812.1	14	107.7	242	4210.9	211	4169.1	74	1570.5	28	603.8	30	268.5	8	26.3
Other	335	415.8	7	37.4	107	1697.6	107	1998.1	58	882.5	33	463.9	17	122.8	6	26.5
Unknown	909	—	22	—	303	—	306	—	135	—	69	—	45	—	29	—
Hispanic[3]	356	359.3	5	20.5	107	1337.3	133	1782.8	57	668.9	31	357.8	18	110.1	5	19.4
Non-Hispanic	743	190.0	16	24.0	287	1203.3	266	1465.1	86	488.7	48	247.8	29	53.8	11	5.7

[1] Rates are per 100,000 persons, calculated using the 2008-2010 American Community Survey three-year population estimates.

[2] Total excludes 49 Westchester County Correctional Facility cases.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also included in the race categories.

Source: Westchester County Department of Health, Division of Disease Control. Data as of November 2011 (confirmed cases).

Table 7. Reported Cases and Rates[1] of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010

Sex & Race/Ethnicity	Age Group															
	Total[2]		<15		15-19		20-24		25-29		30-34		35-44		45+	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Total	**469**	**49.7**	**7**	**3.8**	**125**	**190.6**	**156**	**296.6**	**73**	**139.8**	**37**	**67.3**	**38**	**28.0**	**33**	**8.3**
White	43	6.7	0	0.0	8	19.6	14	45.6	4	13.7	4	12.5	5	5.7	8	2.6
Black	276	203.7	3	11.3	76	649.4	100	1027.1	48	546.0	20	240.5	16	81.8	13	25.5
Other	63	38.3	1	2.5	19	145.7	15	123.2	11	77.4	3	20.4	6	21.6	8	18.4
Unknown	87	—	3	—	22	—	27	—	10	—	10	—	11	—	4	—
Hispanic[3]	53	26.4	0	0.0	15	89.2	15	90.2	8	43.8	4	21.9	6	18.2	5	10.5
Non-Hispanic	324	43.6	2	1.5	84	172.2	109	303.1	57	167.8	27	73.5	22	21.5	23	6.6
Males	**193**	**42.5**	**1**	**1.1**	**32**	**94.9**	**64**	**237.2**	**30**	**114.9**	**17**	**63.1**	**24**	**36.7**	**25**	**13.9**
White	24	7.8	0	0.0	2	9.5	9	58.1	2	13.9	2	12.7	3	7.0	6	4.3
Black	106	174.5	1	7.4	19	319.0	39	834.2	20	490.2	8	217.5	9	107.4	10	48.8
Other	22	26.2	0	0.0	7	103.9	1	14.7	4	52.3	1	13.2	4	28.7	5	24.1
Unknown	41	—	0	—	4	—	15	—	4	—	6	—	8	—	4	—
Hispanic[3]	20	19.7	0	0.0	5	56.7	5	54.5	4	41.1	1	10.4	1	6.0	4	18.1
Non-Hispanic	132	37.4	1	1.4	21	84.3	44	247.0	23	140.5	12	69.1	14	28.7	17	10.8
Females	**276**	**56.3**	**6**	**6.6**	**93**	**292.0**	**92**	**359.2**	**43**	**164.6**	**20**	**71.3**	**14**	**19.9**	**8**	**3.7**
White	19	5.7	0	0.0	6	30.3	5	32.9	2	13.5	2	12.3	2	4.4	2	1.2
Black	170	227.4	2	15.4	57	991.8	61	1205.3	28	594.2	12	258.8	7	62.7	3	9.9
Other	41	50.9	1	5.3	12	190.4	14	261.4	7	106.5	2	28.1	2	14.4	3	13.2
Unknown	46	—	3	—	18	—	12	—	6	—	4	—	3	—	0	—
Hispanic[3]	33	33.3	0	0.0	10	125.0	10	134.0	4	46.9	3	34.6	5	30.6	1	3.9
Non-Hispanic	192	49.1	1	1.5	63	264.1	65	358.0	34	193.2	15	77.4	8	14.9	6	3.1

[1] Rates are per 100,000 persons, calculated using the 2008-2010 American Community Survey three-year population estimates.

[2] Total excludes 5 Westchester County Correctional Facilities cases.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control. Data as of November 2011 (confirmed cases).

Table 8. Reported Cases and Rates[1] of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2010

Sex & Race/Ethnicity	Age Group															
	Total[2]		<15		15-19		20-24		25-29		30-34		35-44		45+	
	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate	N	Rate
Total	**146**	**15.5**	**0**	**0.0**	**7**	**10.7**	**12**	**22.8**	**8**	**15.3**	**13**	**23.6**	**29**	**21.4**	**77**	**19.4**
White	19	2.9	0	0.0	1	2.4	3	9.8	0	0.0	3	9.4	3	3.4	9	3.0
Black	47	34.7	0	0.0	4	34.2	4	41.1	5	56.9	1	12.0	11	56.3	22	43.2
Other	44	26.7	0	0.0	2	15.3	2	16.4	2	14.1	7	47.7	8	28.8	23	53.0
Unknown	36	—	0	—	0	—	3	—	1	—	2	—	7	—	23	—
Hispanic[3]	50	24.9	0	0.0	3	17.8	6	36.1	2	11.0	7	38.4	8	24.3	24	50.2
Non-Hispanic	68	9.1	0	0.0	4	8.2	5	13.9	6	17.7	3	8.2	16	15.6	34	9.7
Males	**104**	**22.9**	**0**	**0.0**	**7**	**20.7**	**12**	**44.5**	**6**	**23.0**	**10**	**37.1**	**20**	**30.6**	**49**	**27.3**
White	18	5.8	0	0.0	1	4.8	3	19.4	0	0.0	3	19.1	3	7.0	8	5.8
Black	36	59.3	0	0.0	4	67.1	4	85.6	5	122.5	1	27.2	8	95.5	14	68.3
Other	29	34.6	0	0.0	2	29.7	2	29.3	1	13.1	5	66.1	5	35.9	14	67.6
Unknown	21	—	0	—	0	—	3	—	0	—	1	—	4	—	13	—
Hispanic[3]	35	34.5	0	0.0	3	34.0	6	65.4	1	10.3	5	52.2	5	30.1	15	68.0
Non-Hispanic	52	14.8	0	0.0	4	16.0	5	28.1	5	30.5	3	17.3	12	24.6	23	14.6
Females	**42**	**8.6**	**0**	**0.0**	0	**0.0**	0	**0.0**	**2**	**7.7**	**3**	**10.7**	**9**	**12.8**	**28**	**12.9**
White	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6
Black	11	14.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	26.9	8	26.3
Other	15	18.6	0	0.0	0	0.0	0	0.0	1	15.2	2	28.1	3	21.7	9	39.7
Unknown	15	—	0	—	0	—	0	—	1	—	1	—	3	—	10	—
Hispanic[3]	15	15.1	0	0.0	0	0.0	0	0.0	1	11.7	2	23.1	3	18.4	9	35.0
Non-Hispanic	16	4.1	0	0.0	0	0.0	0	0.0	1	5.7	0	0.0	4	7.4	11	5.7

[1] Rates are per 100,000 persons, calculated using the 2008-2010 American Community Survey three-year population estimates.

[2] Total excludes 2 Westchester County Correctional Facilities cases.

[3] Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control. Data as of November 2011 (confirmed cases).

Table 9. Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis, Westchester County, December 2009

Year of Diagnosis	HIV	AIDS
Prior to 1986		111
1986		110
1987		173
1988		190
1989		231
1990		247
1991		292
1992		393
1993		353
1994		344
1995		345
1996		271
1997		223
1998		222
1999		173
2000	209	177
2001	140	179
2002	137	170
2003	134	171
2004	146	140
2005	106	124
2006	141	115
2007	133	122
2008	129	103
2009	115	86
Total	**1,390**	**5,065**

Excludes state prison inmates. County of diagnosis for prison inmates usually reflects the location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

HIV reporting began in June 2000.

Persons diagnosed with HIV may also be diagnoses with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables HIV and AIDS diagnoses cannot be added together in a meaningful way.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.
Data as of May 2011.

Table 10. Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2008

	HIV Diagnoses Annual Average		AIDS Diagnoses Annual Average		Cummulative AIDS Cases	
	Jan. 2007-Dec. 2009		Jan. 2007-Dec. 2009		Through December 2009	
	Number	%	Number	%	Number	%
Total	**125.7**	**100**	**103.7**	**100**	**5,065**	**100**
Sex						
Male	85.0	67.6	66.0	63.7	3,572	70.5
Female	40.7	32.4	37.7	36.3	1,493	29.5
Age at Diagnosis						
12 & under	0.0	0.0	0.3	0.3	58	1.1
13-19	4.7	3.7	2.2	2.3	43	0.8
20-24	14.0	11.1	3.7	3.5	128	2.5
25-29	14.3	11.4	7.0	6.8	413	8.2
30-39	34.3	27.3	32.7	31.5	1,935	38.2
40-49	30.3	24.1	27.3	26.4	1,660	32.8
50-59	22.0	17.5	21.0	20.3	608	12.0
60+	6.0	4.8	9.3	9.0	220	4.3
Race/Ethnicity						
White	21.3	17.0	14.7	14.1	1,436	28.4
Black	53.7	42.7	48.7	46.9	2,372	46.8
Hispanic	40.3	32.1	31.3	30.2	1,063	21.0
Mulit Race	9.3	7.4	8.0	7.7	177	3.5
Other	1.0	0.8	1.0	1.0	17	0.3
Risk Group						
MSM	47.0	37.4	29.3	28.3	1,241	24.5
IDU	8.3	6.6	12.0	11.6	2,114	41.7
MSM/IDU	2.7	2.1	3.7	3.5	239	4.7
Heterosexual Contact	43.0	34.2	40.0	38.6	989	19.5
FPHC[1]	12.0	9.5	8.7	8.4	143	2.8
Blood Products	0.0	0.0	0.0	0.0	44	0.9
Pediatric Risk	0.0	0.0	1.3	1.3	76	1.5
Unknown	12.7	10.1	8.7	8.4	219	4.3

Excludes state prison inmates. County of diagnosis for prison inmates usually reflects the location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Persons diagnosed with HIV may also be diagnoses with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables HIV and AIDS diagnoses cannot be added together in a meaningful way.

[1] Female Presumed Heterosexual Contact - record must show sex at birth is female, case does not meet requirements for any other transmission risk group, no indication of injection drug use, and postive indication of heterosexual contact.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology. Data as of May 2011.

Table 11. Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex and Risk, Westchester County, December 2009

	HIV Diagnoses Annual Average		AIDS Diagnoses Annual Average		Cummulative AIDS Cases	
	Jan. 2007-Dec. 2009		Jan. 2007-Dec. 2009		Through December 2009	
	Number	%	Number	%	Number	%
Total	**125.7**	**100**	**103.7**	**100**	**5,065**	**100**
MSM	47.0	37.4	29.3	28.3	1,241	24.5
IDU	8.3	6.6	12.0	11.6	2,114	41.7
MSM/IDU	2.7	2.1	3.7	3.5	239	4.7
Heterosexual Contact	43.0	34.2	40.0	38.6	989	19.5
FPHC	12.0	9.5	8.7	8.4	143	2.8
Blood Product	0.0	0.0	0.0	0.0	44	0.9
Pediatric Risk	0.0	0.0	1.3	1.3	76	1.5
Unknown	12.7	10.1	8.7	8.4	219	4.3
Male	**85.0**	**100**	**66.0**	**100**	**3,572**	**100**
MSM	47.0	55.3	29.3	44.4	1,241	34.7
IDU	5.0	5.9	6.7	10.1	1,511	42.3
MSM/IDU	2.7	3.1	3.7	5.6	239	6.7
Heterosexual Contact	17.7	20.8	17.0	25.8	296	8.3
Blood Product	0.0	0.0	0.0	0.0	31	0.9
Pediatric Risk	0.0	0.0	0.7	1.0	35	1.0
Unknown	12.7	14.9	8.7	13.1	219	6.1
Female	**40.7**	**100**	**37.7**	**100**	**1,493**	**100**
IDU	3.3	8.2	5.3	14.2	603	40.4
Heterosexual Contact	25.3	62.3	23.0	61.1	693	46.4
FPHC	12.0	29.5	8.7	23.0	143	9.6
Blood Product	0.0	0.0	0.0	0.0	13	0.9
Pediatric Risk	0.0	0.0	0.7	1.8	41	2.7
Unknown	0.0	0.0	0.0	0.0	0	0.0

Excludes state prison inmates. County of diagnosis for prison inmates usually reflects the location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Persons diagnosed with HIV may also be diagnoses with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables HIV and AIDS diagnoses cannot be added together in a meaningful way.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology. Data as of May 2011.

Table 12. Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2009

	Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV & AIDS Cases	
	Number	%	Number	%	Number	%
Total	**1,085**	**100**	**2,158**	**100**	**3,243**	**100**
Sex						
Male	658	60.6	1,386	64.2	2,044	63.0
Female	427	39.4	772	35.8	1,199	37.0
Current Age						
12 & under	11	1.0	0	0.0	11	0.3
13-19	25	2.3	12	0.6	37	1.1
20-24	58	5.3	31	1.4	89	2.7
25-29	75	6.9	51	2.4	126	3.9
30-39	217	20.0	249	11.5	466	14.4
40-49	346	31.9	741	34.3	1,087	33.5
50-59	244	22.5	757	35.1	1,001	30.9
60+	107	9.9	315	14.6	422	13.0
Unknown	2	0.2	8	0.1	4	0.1
Race/Ethnicity						
White	258	23.8	431	20.0	689	21.2
Black	481	44.3	991	45.9	1,472	45.4
Hispanic	278	25.6	604	28.0	882	27.2
Multi Race	60	5.5	125	5.8	185	5.7
Other	8	0.7	7	0.3	15	0.5
Risk Group						
MSM	350	32.3	524	24.3	874	27.0
IDU	120	11.1	664	30.8	784	24.2
MSM/IDU	18	1.7	102	4.7	120	3.7
Heterosexual Contact	353	32.5	615	28.5	968	29.8
FPHC[1]	106	9.8	99	4.6	205	6.3
Blood Products	1	0.1	9	0.4	10	0.3
Pediatric Risk	34	3.1	29	1.3	63	1.9
Unknown	103	9.5	116.0	5.4	219	6.8

Excludes state prison inmates. County of diagnosis for prison inmates usually reflects the location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology. Data as of May 2011.

Table 13. Living HIV and AIDS Cases by Sex and Risk, Westchester County, December 2009

	Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV & AIDS Cases	
	Number	%	Number	%	Number	%
Total	**1,085**	**100**	**2,158**	**100**	**3,243**	**100**
MSM	350	32.3	524	24.3	874	27.0
IDU	120	11.1	664	30.8	784	24.2
MSM/IDU	18	1.7	102	4.7	120	3.7
Heterosexual Contact	353	32.5	615	28.5	968	29.8
FPHC	106	9.8	99	4.6	205	6.3
Blood Product	1	0.1	9	0.4	10	0.3
Pediatric Risk	34	3.1	29	1.3	63	1.9
Unknown	103	9.5	116	5.4	219	6.8
Male	**658**	**100**	**1,386**	**100**	**2,044**	**100**
MSM	350	53.2	524	37.8	874	42.8
IDU	67	10.2	428	30.9	495	24.2
MSM/IDU	18	2.7	102	7.4	120	5.9
Heterosexual Contact	100	15.2	199	14.4	299	14.6
Blood Product	1	0.2	5	0.4	6	0.3
Pediatric Risk	19	2.9	12	0.9	31	1.5
Unknown	103	15.7	116	8.4	219	10.7
Female	**427**	**100**	**772**	**100**	**1,199**	**100**
IDU	53	12.4	236	30.6	289	24.1
Heterosexual Contact	253	59.3	416	53.9	669	55.8
FPHC	106	24.8	99	12.8	205	17.1
Blood Product	0	0.0	4	0.5	4	0.3
Pediatric Risk	15	3.5	17	2.2	32	2.7
Unknown	0	0.0	0	0.0	0	0.0

Excludes state prison inmates. County of diagnosis for prison inmates usually reflects the location of the prison rather than the inmates' home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology. Data as of May 2011.

Table 14. Reported Cases and Rates of Major Central Nervous System Diseases and Bacteremias by Municipality, Westchester County, 2010

Health Planning Region & Municipality	Meningitis[1]		Invasive Strep	
	Cases	Rate[2]	Cases	Rate[2]
Westchester County	**47**	**5.0**	**90**	**9.5**
Northwest	**11**	**7.5**	**13**	**8.9**
Briarcliff Manor	2	25.4	0	0.0
Buchanan	0	0.0	0	0.0
Cortlandt Manor	1	3.2	3	9.6
Croton-on-Hudson	0	0.0	2	24.8
Mount Pleasant	1	3.8	2	7.6
Ossining Town	0	0.0	0	0.0
Ossining Village	3	12.0	3	12.0
Peekskill	2	8.5	0	0.0
Pleasantville	1	14.2	2	28.5
Sleepy Hollow	1	10.1	1	10.1
Northeast	**4**	**2.9**	**6**	**4.4**
Bedford	1	5.8	0	0.0
Lewisboro	0	0.0	0	0.0
Mount Kisco	1	9.2	0	0.0
New Castle	0	0.0	1	5.7
North Castle	1	8.4	2	16.9
North Salem	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0
Somers	1	4.9	2	9.8
Yorktown Heights	0	0.0	1	2.8
West Central	**11**	**6.8**	**20**	**12.3**
Ardsley	0	0.0	1	22.5
Dobbs Ferry	0	0.0	0	0.0
Elmsford	0	0.0	0	0.0
Greenburgh	2	4.7	3	7.0
Hastings-on-Hudson	0	0.0	0	0.0
Irvington	0	0.0	1	15.6
Scarsdale	1	5.8	2	11.7
Tarrytown	0	0.0	1	8.9
White Plains	8	14.1	12	21.1

(continued)

Table 14. Reported Cases and Rates of Major Central Nervous System Diseases and Bacteremias by Municipality, Westchester County, 2010 *(continued)*

Health Planning Region & Municipality	Meningitis[1]		Invasive Strep	
	Cases	Rate[2]	Cases	Rate[2]
East Central	**9**	**7.6**	**18**	**15.2**
Harrison	2	7.3	3	10.9
Larchmont	1	17.1	0	0.0
Mamaroneck Town	0	0.0	1	8.3
Mamaroneck Village	1	5.3	5	26.4
Port Chester	2	6.9	4	13.8
Rye	1	6.4	5	31.8
Rye Brook	2	21.4	0	0.0
Southwest	**6**	**3.1**	**24**	**12.2**
Yonkers	6	3.1	24	12.2
Southeast	**6**	**3.2**	**9**	**4.8**
Bronxville	0	0.0	0	0.0
Eastchester	1	5.1	0	0.0
Mount Vernon	2	3.0	5	7.4
New Rochelle	3	3.9	4	5.2
Pelham	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0

[1] Meningitis disease category includes aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census.

Source: Westchester County Department of Health. Data as of November 2011.

Table 15. Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2010

Age *(years)*	Total[1]			Male			Female		
	Number	Rate[2]	Percent	Number	Rate[2]	Percent	Number	Rate[2]	Percent
Total	**47**	**5.0**	**100**	**28**	**6.1**	**100**	**18**	**3.7**	**100**
0-9	9	7.5	19.1	7	11.4	25.0	2	3.4	11.1
10-19	3	2.3	6.4	2	3.0	7.1	1	1.6	5.6
20-29	4	3.8	8.5	3	5.6	10.7	1	1.9	5.6
30-39	12	10.2	25.5	6	10.6	21.4	6	10.0	33.3
40-49	5	3.4	10.6	4	5.6	14.3	1	1.3	5.6
50-59	1	0.7	2.1	1	1.6	3.6	0	0.0	0.0
60+	12	6.2	25.5	5	6.1	17.9	7	6.3	38.9

[1] Total includes one case of unknown age and sex.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census population.

Source: Westcheser County Department of Health. Data as of November 2011.

Table 16. Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2010

Age *(years)*	Total			Male			Female		
	Number	Rate[1]	Percent	Number	Rate[1]	Percent	Number	Rate[1]	Percent
Total	**90**	**9.5**	**100**	**45**	**9.9**	**100**	**45**	**9.1**	**100**
0-9	13	10.8	14.4	8	13.0	17.8	5	8.5	11.1
10-19	3	2.3	3.3	1	1.5	2.2	2	3.1	4.4
20-29	3	2.8	3.3	1	1.9	2.2	2	3.8	4.4
30-39	2	1.7	2.2	1	1.8	2.2	1	1.7	2.2
40-49	11	7.5	12.2	4	5.6	8.9	7	9.1	15.6
50-59	14	10.4	15.6	8	12.5	17.8	6	8.5	13.3
60+	44	22.9	48.9	22	26.8	48.9	22	19.9	48.9

[1] Rates are per 100,000 persons, calculated using the 2010 US Census population.

Source: Westchester County Department of Health. Data as of November 2011.

Table 17. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2010

Health Planning Region & Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	**178**	**18.8**	**93**	**9.8**	**180**	**19.0**
Northwest	**35**	**23.9**	**11**	**7.5**	**24**	**16.4**
Briarcliff Manor	2	25.4	0	0.0	1	12.7
Buchanan	1	44.8	0	0.0	1	44.8
Cortlandt Manor	3	9.6	1	3.2	7	22.4
Croton-on-Hudson	4	49.6	1	12.4	1	12.4
Mount Pleasant	5	19.1	4	15.3	1	3.8
Ossining Town	2	37.0	0	0.0	1	18.5
Ossining Village	6	23.9	0	0.0	6	23.9
Peekskill	8	33.9	2	8.5	4	17.0
Pleasantville	0	0.0	2	28.5	0	0.0
Sleepy Hollow	4	40.5	1	10.1	2	20.3
Northeast	**27**	**19.7**	**16**	**11.7**	**29**	**21.2**
Bedford	3	17.3	5	28.8	3	17.3
Lewisboro	3	24.2	0	0.0	0	0.0
Mount Kisco	0	0.0	0	0.0	2	18.4
New Castle	3	17.1	1	5.7	7	39.8
North Castle	6	50.7	2	16.9	7	59.1
North Salem	1	19.6	0	0.0	0	0.0
Pound Ridge	2	39.2	0	0.0	0	0.0
Somers	4	19.6	5	24.5	4	19.6
Yorktown Heights	5	13.9	3	8.3	6	16.6
West Central	**32**	**19.7**	**16**	**9.9**	**42**	**25.9**
Ardsley	1	22.5	2	44.9	0	0.0
Dobbs Ferry	2	18.4	0	0.0	1	9.2
Elmsford	1	21.4	1	21.4	1	21.4
Greenburgh	6	14.0	4	9.3	14	32.7
Hastings-on-Hudson	2	25.5	0	0.0	2	25.5
Irvington	0	0.0	1	15.6	3	46.7
Scarsdale	8	46.6	4	23.3	5	29.1
Tarrytown	0	0.0	0	0.0	3	26.6
White Plains	12	21.1	4	7.0	13	22.9

(continued)

Table 17. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2010 *(continued)*

Health Planning Region & Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
East Central	**33**	**27.9**	**23**	**19.4**	**23**	**19.4**
Harrison	6	21.8	4	14.6	5	18.2
Larchmont	1	17.1	3	51.2	2	34.1
Mamaroneck Town	3	25.0	3	25.0	1	8.3
Mamaroneck Village	6	31.7	5	26.4	3	15.8
Port Chester	11	38.0	5	17.3	10	34.5
Rye	3	19.1	2	12.7	1	6.4
Rye Brook	3	32.1	1	10.7	1	10.7
Southwest	**30**	**15.3**	**7**	**3.6**	**38**	**19.4**
Yonkers	30	15.3	7	3.6	38	19.4
Southeast	**21**	**11.1**	**20**	**10.6**	**24**	**12.7**
Bronxville	1	15.8	0	0.0	1	15.8
Eastchester	0	0.0	1	5.1	0	0.0
Mount Vernon	3	4.5	4	5.9	13	19.3
New Rochelle	12	15.6	13	16.9	8	10.4
Pelham	3	43.4	1	14.5	1	14.5
Pelham Manor	0	0.0	0	0.0	0	0.0
Tuckahoe	2	30.8	1	15.4	1	15.4

[1] Rates are per 100,000 persons, calculated using the 2010 US Census.

Source: Westchester County Department of Health. Data as of November 2011.

Table 18. Reported Cases and Rates of Campylobacteriosis by Age and Sex, Westchester County, 2010

Age *(years)*	Total[1]			Male			Female		
	Number	Rate[2]	Percent	Number	Rate[2]	Percent	Number	Rate[2]	Percent
Total	**178**	**18.8**	**100**	**91**	**19.9**	**100**	**83**	**16.9**	**100**
0-9	36	29.9	20.2	21	34.1	23.1	15	25.5	18.1
10-19	18	13.7	10.1	11	16.4	12.1	7	11.0	8.4
20-29	24	22.6	13.5	11	20.4	12.1	13	24.8	15.7
30-39	22	18.8	12.4	10	17.6	11.0	12	19.9	14.5
40-49	30	20.3	16.9	18	25.4	19.8	12	15.7	14.5
50-59	23	17.1	12.9	10	15.6	11.0	13	18.5	15.7
60+	21	10.9	11.8	10	12.2	11.0	11	10.0	13.3

[1] Total includes four cases of unknown sex and/or age.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census population data.

Source: Westchester County Department of Health. Data as of November 2011.

Table 19. Reported Cases and Rates of Giardiasis by Age and Sex, Westchester County, 2010

Age *(years)*	Total[1]			Male			Female		
	Number	Rate[2]	Percent	Number	Rate[2]	Percent	Number	Rate[2]	Percent
Total	**93**	**9.8**	**100**	**56**	**12.3**	**100**	**36**	**7.3**	**100**
0-9	16	13.3	17.2	11	17.9	19.6	5	8.5	13.9
10-19	4	3.1	4.3	3	4.5	5.4	1	1.6	2.8
20-29	20	18.8	21.5	10	18.6	17.9	10	19.1	27.8
30-39	11	9.4	11.8	6	10.6	10.7	5	8.3	13.9
40-49	20	13.6	21.5	13	18.3	23.2	7	9.1	19.4
50-59	12	8.9	12.9	7	10.9	12.5	5	7.1	13.9
60+	9	4.7	9.7	6	7.3	10.7	3	2.7	8.3

[1] Total includes one case of unknown sex and/or age.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census population data.

Source: Westchester County Department of Health. Data as of November 2011.

Table 20. Reported Cases and Rates of Salmonellosis by Age and Sex, Westchester County, 2010

Age *(years)*	Total[1]			Male			Female		
	Number	Rate[2]	Percent	Number	Rate[2]	Percent	Number	Rate[2]	Percent
Total	**180**	**19.0**	**100**	**81**	**17.7**	**100**	**97**	**19.7**	**100**
0-9	47	39.0	26.1	24	39.0	29.6	23	39.1	23.7
10-19	37	28.2	20.6	20	29.8	24.7	17	26.6	17.5
20-29	24	22.6	13.3	7	13.0	8.6	17	32.5	17.5
30-39	16	13.7	8.9	3	5.3	3.7	13	21.6	13.4
40-49	17	11.5	9.4	9	12.7	11.1	8	10.4	8.2
50-59	14	10.4	7.8	8	12.5	9.9	6	8.5	6.2
60+	23	12.0	12.8	10	12.2	12.3	13	11.8	13.4

[1] Total includes two cases of unknown sex and/or age.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census population data.

Source: Westchester County Department of Health. Data as of November 2011.

Table 21. Reported Cases of Major Enteric Infections by Month, Westchester County, 2010

Month	Campylobacteriosis	Giardiasis	Salmonellosis
Total	**178**	**93**	**180**
January	8	5	19
February	10	6	6
March	6	8	9
April	16	4	10
May	15	4	18
June	18	6	17
July	26	10	17
August	32	14	29
September	12	10	22
October	13	11	16
November	15	10	9
December	7	5	8

Source: Westchester County Department of Health. Data as of November 2011.

Table 22. Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2006-2010

Health Planning Region & Municipality	Cases					Rate (per 100,000)[1]				
	2010	2009	2008	2007	2006	2010	2009	2008	2007	2006
Westchester County	**114**	**207**	**263**	**246**	**259**	**12.0**	**21.8**	**27.7**	**25.9**	**27.3**
Northwest	**31**	**60**	**61**	**61**	**44**	**21.1**	**40.9**	**41.6**	**41.6**	**30.0**
Briarcliff Manor	0	1	2	3	1	0.0	12.7	25.4	38.1	12.7
Buchanan	3	2	2	1	1	134.5	89.7	89.7	44.8	44.8
Cortlandt Manor	10	24	17	15	9	32.0	76.7	54.3	47.9	28.8
Croton-on-Hudson	3	4	6	3	4	37.2	49.6	74.3	37.2	49.6
Mount Pleasant	1	7	11	11	9	3.8	26.7	42.0	42.0	34.4
Ossining Town	0	4	2	4	2	0.0	74.0	37.0	74.0	37.0
Ossining Village	4	4	9	7	11	16.0	16.0	35.9	27.9	43.9
Peekskill	8	7	6	8	4	33.9	29.7	25.4	33.9	17.0
Pleasantville	2	3	5	3	1	28.5	42.7	71.2	42.7	14.2
Sleepy Hollow	0	4	1	6	2	0.0	40.5	10.1	60.8	20.3
Northeast	**48**	**94**	**113**	**135**	**168**	**35.1**	**68.7**	**82.6**	**98.7**	**122.8**
Bedford	4	14	16	12	36	23.1	80.8	92.3	69.2	207.7
Lewisboro	9	12	16	18	18	72.5	96.7	128.9	145.0	145.0
Mount Kisco	4	5	8	7	15	36.8	46.0	73.5	64.4	137.9
New Castle	6	13	17	12	19	34.2	74.0	96.8	68.3	108.1
North Castle	2	4	4	8	8	16.9	33.8	33.8	67.6	67.6
North Salem	2	8	5	12	13	39.2	156.7	98.0	235.1	254.7
Pound Ridge	0	3	5	10	11	0.0	58.8	98.0	195.9	215.5
Somers	8	13	13	28	36	39.2	63.6	63.6	137.0	176.2
Yorktown Heights	13	22	29	28	12	36.0	61.0	80.4	77.6	33.3
West Central	**21**	**21**	**41**	**27**	**23**	**12.9**	**12.9**	**25.2**	**16.6**	**14.2**
Ardsley	2	1	3	0	1	44.9	22.5	67.4	0.0	22.5
Dobbs Ferry	3	2	3	4	2	27.6	18.4	27.6	36.8	18.4
Elmsford	0	0	1	1	0	0.0	0.0	21.4	21.4	0.0
Greenburgh	6	6	7	10	7	14.0	14.0	16.3	23.3	16.3
Hastings-on-Hudson	1	1	5	5	3	12.7	12.7	63.7	63.7	38.2
Irvington	2	1	3	1	2	31.2	15.6	46.7	15.6	31.2
Scarsdale	0	1	3	0	4	0.0	5.8	17.5	0.0	23.3
Tarrytown	3	4	7	3	2	26.6	35.5	62.1	26.6	17.7
White Plains	4	5	9	3	2	7.0	8.8	15.8	5.3	3.5
East Central	**6**	**13**	**18**	**12**	**18**	**5.1**	**11.0**	**15.2**	**10.1**	**15.2**
Harrison	2	3	8	4	4	7.3	10.9	29.1	14.6	14.6
Larchmont	0	1	0	1	0	0.0	17.1	0.0	17.1	0.0
Mamaroneck Town	2	1	4	1	1	16.7	8.3	33.4	8.3	8.3
Mamaroneck Village	1	2	3	1	1	5.3	10.6	15.8	5.3	5.3
Port Chester	1	1	1	3	4	3.5	3.5	3.5	10.4	13.8
Rye	0	2	2	1	8	0.0	12.7	12.7	6.4	50.9
Rye Brook	0	3	0	1	0	0.0	32.1	0.0	10.7	0.0
Southwest	**1**	**11**	**17**	**7**	**2**	**0.5**	**5.6**	**8.7**	**3.6**	**1.0**
Yonkers	1	11	17	7	2	0.5	5.6	8.7	3.6	1.0
Southeast	**7**	**8**	**13**	**4**	**4**	**3.7**	**4.2**	**6.9**	**2.1**	**2.1**
Bronxville	0	2	1	0	1	0.0	31.6	15.8	0.0	15.8
Eastchester	0	0	2	0	0	0.0	0.0	10.2	0.0	0.0
Mount Vernon	2	0	2	1	0	3.0	0.0	3.0	1.5	0.0
New Rochelle	4	3	6	3	3	5.2	3.9	7.8	3.9	3.9
Pelham	0	1	1	0	0	0.0	14.5	14.5	0.0	0.0
Pelham Manor	1	1	1	0	0	18.2	18.2	18.2	0.0	0.0
Tuckahoe	0	1	0	0	0	0.0	15.4	0.0	0.0	0.0

[1] Rates were calculated using the 2010 US Census population data.

Source: Westchester County Department of Health. Data as of November 2011.

Table 23. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2010

Age *(years)*	Total[1]			Male			Female		
	Number	Rate[2]	Percent	Number	Rate[2]	Percent	Number	Rate[2]	Percent
Total	**114**	**12.0**	**100**	**70**	**15.3**	**100**	**39**	**7.9**	**100**
0-9	15	12.5	13.2	9	14.6	12.9	6	10.2	15.4
10-19	23	17.6	20.2	18	26.8	25.7	5	7.8	12.8
20-29	10	9.4	8.8	8	14.8	11.4	2	3.8	5.1
30-39	7	6.0	6.1	4	7.0	5.7	3	5.0	7.7
40-49	12	8.1	10.5	8	11.3	11.4	4	5.2	10.3
50-59	21	15.6	18.4	12	18.7	17.1	9	12.8	23.1
60-69	11	11.9	9.6	7	16.4	10.0	4	8.1	10.3
70+	10	10.0	8.8	4	10.2	5.7	6	9.9	15.4

[1] Total includes five cases of unknown sex and/or age.

[2] Rates are per 100,000 persons, calculated using the 2010 US Census population data.

Source: Westchester County Department of Health. Data as of November 2011.

Table 24. Reported Cases of Lyme Disease by Month, Westchester County, 2010

Month	Cases	Percent
Total	**114**	**100**
January	9	7.9
February	4	3.5
March	6	5.3
April	8	7.0
May	8	7.0
June	32	28.1
July	27	23.7
August	7	6.1
September	3	2.6
October	0	0.0
November	2	1.8
December	8	7.0

Source: Westchester County Department of Health.
Data as of November 2011.

Table 25. Number of Tuberculosis Cases and Contacts, Westchester County, 2006 - 2010

	2010		2009		2008		2007		2006	
	Number	%	Number	%	Number	%	Number	%	Number	%
New Tuberculosis Cases[1]	37		40		62		44		72	
Sex										
Male	24	64.9	25	62.5	40	64.5	21	47.7	42	58.3
Females	13	35.1	15	37.5	22	35.5	23	52.3	30	41.7
Race										
White	22	59.4	25	62.5	46	74.2	25	56.8	36	50.0
Black	5	13.5	7	17.5	4	6.5	12	27.3	16	22.2
Asian	6	16.2	8	20.0	12	19.4	7	15.9	20	27.8
Other	4	10.8								
Ethnicity										
Hispanic	19	51.4	20	50.0	35	56.5	21	47.7	31	43.1
Non-Hispanic	18	48.4	20	50.0	27	43.5	23	52.3	41	56.9
Foreign Born	31	83.8	32	80.0	52	83.9	36	81.8	53	73.6
US Born	6	16.2	8	20.0	10	16.1	8	18.2	19	26.4
Site of Infection										
Pulmonary	27	73.0	29	72.5	56	90.3	34	77.3	62	86.1
Extra-Pulmonary Only[2]	10	27.0	11	27.5	6	9.7	10	22.7	10	13.9
Drug Resistant										
None Identified[3]	36	97.3	34	85.0	55	88.7	40	90.9	67	93.1
Drug Resistant (Non-MDR)[4]	0	0.0	3	7.5	7	11.3	4	9.1	5	6.9
Multi-Drug Resistant[5]	1	2.7	3	7.5	0	0.0	0	0.0	0	0.0
HIV Status										
Negative	27	73.0	32	80.0	50	80.6	31	70.5	50	69.4
Positive	3	8.1	2	5.0	7	11.3	5	11.4	8	11.1
Unknown	7	18.9	6	15.0	5	8.1	8	18.2	14	19.4
Active Cases[6]	31		29		56		35		65	
Contacts Identified[7]	378		944		1,151		1,801		1,715	
Incidence Rate per 100,000	3.9		4.4		6.7		4.8		7.8	

[1] Those treated with ≥2 drugs for TB as of 12/31 of year; includes cases reported by DOCS & followed by NYSDOH.

[2] Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement.

[3] Includes culture-confirmed cases and clinical cases without positive cultures.

[4] Resistant to any other drugs, but not the combination of INH + Rifampin.

[5] Restistant to at least INH + Rifampin.

[6] Persons being monitored on December 31st of the year shown.

[7] Source: Westchester County Department of Health. Data as of January 2012.

Table 26. Numberof Clients and Visits to Westchester County Department of Health Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010

	Clients	%	Visits	%	Average Visits per Client
Total [1,2]	**3,328**	..	**7,747**	..	2.3
Gender					
Female	1,498	45.0	3,472	44.8	2.3
Male	1,828	54.9	4,275	55.2	2.3
Race/Ethnicity					
White - Non Hispanic[3]	541	16.3	1,047	13.5	1.9
Black - Non Hispanic[3]	1,256	37.7	2,464	31.8	2.0
Hispanic - White	543	16.3	1,776	22.9	3.3
Hispanic - Black	51	1.5	86	1.1	1.7
Hispanic - Race unspecified	497	14.9	1,217	15.7	2.4
Asian/Native Hawaiian/Pacific Islander	101	3.0	340	4.4	3.4
Multicultural/Some Other Race/Unknown	337	10.1	817	10.5	2.4
Age Group					
<1	2	0.1	8	0.1	4.0
1-4	48	1.4	136	1.8	2.8
5-9	89	2.7	273	3.5	3.1
10 - 14	119	3.6	292	3.8	2.5
15 - 19	358	10.8	799	10.3	2.2
20 - 24	824	24.8	1,687	21.8	2.0
25 - 29	553	16.6	1,165	15.0	2.1
30 - 34	400	12.0	913	11.8	2.3
35 - 39	230	42.4	541	7.0	2.4
40 - 44	202	6.1	494	6.4	2.4
45 - 64	434	13.0	1,232	15.9	2.8
65+	67	2.0	207	2.7	3.1

[1] Patients may visit one or more clinic programs during the year, including STD, TB, PPD, Immunization and HIV; total is an unduplicated count of all the patients utilizing servies across all the clinic programs. Therefore, total patient count may be less than the sum of individual programs. Does not include the School Dental Program or the Home Health Program.

[2] District office numbers includes confidential HIV counseling & testing visits that are part of STD and TB clinics.

[3]White-Non Hispanic includes 8 cases of unknown ethnicity and Black-Non Hispanic includes 27 cases of unknown ethnicity.
Source: Westchester County Department of Health. Data as of December 2011.

Table 27. Number of Clients and Visits toWestchester County Department of Health Sexually Transmitted Disease Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010

Demographics	Total Patients[1]	Total Visits	Visits per Patient
Total[2]	**2,222**	**3,937**	**1.8**
Sex			
Female	972	1,754	1.8
Male	1,250	2,183	1.7
Race/Ethnicity			
White - Non Hispanic[3]	408	702	1.7
Black - Non Hispanic[3]	1,070	1,916	1.8
Hispanic - White	215	394	1.8
Hispanic - Black	47	76	1.6
Hispanic - Race unspecified	307	547	1.8
Asian/Native Hawaiian/Pacific Islander	24	41	1.7
Multicultural/Some Other Race/ Unknown	151	261	1.7
Age Group			
<15	11	16	1.5
15 - 19	280	496	1.8
20 - 24	696	1,211	1.7
25 - 29	429	738	1.7
30 - 34	269	438	1.6
35 - 39	152	255	1.7
40 - 44	117	216	1.8
45+	268	567	2.1

[1]Total represents unduplicated patients; includes patients who may have received HIV testing and counseling during the

[2]Total includes unknown sex and unknown race/ethnicity.

[3]White-Non Hispanic includes 7 cases of unknown ethnicity and Black-Non Hispanic includes 26 cases of unknown

Source: Westchester County Department of Health. Data as of December 2011.

Table 28. Number of Clients and Visits for HIV Tests and/or Counseling Services at Westchester County Department of Health HIV Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010

Demographics	Total Patients	Total Visits	Visits per Patient
Total	**2,566**	**3,267**	**1.3**
Sex			
Female	1,135	1,457	1.3
Male	1,430	1,810	1.3
Race/Ethnicity			
White - Non Hispanic	453	558	1.2
Black - Non Hispanic	1,109	1,435	1.3
Hispanic - White	333	422	1.3
Hispanic - Black	48	58	1.2
Hispanic - Race unspecified	366	469	1.3
Asian/Native Hawaiian/Pacific Islander	57	74	1.3
Multicultural/Some Other Race/Unknown	199	249	1.3
Unknown	180	208	1.2
Age Group			
<10	37	52	1.4
10 - 14	14	24	1.7
15 - 19	304	375	1.2
20 - 24	752	939	1.2
25 - 29	466	610	1.3
30 - 34	314	388	1.2
35 - 39	172	215	1.3
40 - 44	148	191	1.3
45+	358	473	1.3

Source: Westchester County Department of Health. Data as of December 2011.

Table 29. Number of Clients and Visits to Westchester County Department of Health Tuberculosis Clinics by Age, Sex, and Race/Ethnicity, Westchester County, 2010

Demographics	Total Patients[1]	Total Visits	Visits per Patient
Total[2]	**606**	**2,681**	**4.4**
Sex			
Female	281	1,205	4.3
Male	325	1,476	4.5
Race/Ethnicity			
White - Non Hispanic[3]	46	174	3.8
Black - Non Hispanic[3]	61	284	4.7
Hispanic - White	228	1,102	4.8
Hispanic - Black	1	3	3.0
Hispanic - Race unspecified	128	525	4.1
Asian/Native Hawaiian/Pacific Islander	51	239	4.7
Multicultural/Some Other Race/Other/Unknown	91	353	3.9
Age Group			
<10	71	268	3.8
10 - 14	35	161	4.6
15 - 19	41	226	5.5
20 - 24	69	327	4.7
25 - 29	66	278	4.2
30 - 34	68	328	4.8
35 - 39	44	211	4.8
40 - 44	53	210	4.0
45 - 64	127	577	4.5
65+	32	95	3.0

Source: Westchester County Department of Health. Data as of December 2011.

Table 30. Number of Clients Enrolled in Home Health Program[1] and Number of Home Health Visits Received by Age, Sex, and Race/Ethnicity, Westchester County Department of Health, 2010

	Total Patients	Total Visits	Average Visits per Patient
Total	**3,545**	**13,650**	**3.9**
Age Group			
<1	241	479	2.0
1 - 4	361	1,255	3.5
5 - 9	57	588	10.3
10 - 14	74	131	1.8
15 - 19	91	199	2.2
20 - 24	109	826	7.6
25 - 29	66	984	14.9
30 - 34	64	371	5.8
35 - 39	71	408	5.7
40 - 44	83	876	10.6
45 - 49	144	1,058	7.3
50 - 54	148	541	3.7
55 - 59	150	473	3.2
60 - 64	165	642	3.9
65 - 69	167	645	3.9
70 - 74	169	506	3.0
75 - 79	235	811	3.5
80 - 84	358	891	2.5
85 - 89	351	874	2.5
90+	441	1,092	2.5
Sex			
Female	2,357	7,965	3.4
Male	1,188	5,685	4.8
Race/Ethnicity			
White - Non Hispanic	1,220	3,487	2.9
Black - Non Hispanic	707	2,755	3.9
Hispanic - White	514	3,398	6.6
Hispanic - Black	26	62	2.4
Hispanic - Race unspecified	65	601	9.2
Asian/Native Hawaiian/Pacific Islander	65	682	10.5
Multicultural/Some Other Race/Other/Unknown	929	2,665	2.9

[1] Home Health Program includes DOT, DOPT, and other visits.

Source: Westchester County Department of Health. Data as of December 2010.

Table 31. Number of Clients Served and Number of Client Visits, Westchester County Department of Health, 2010

Clinic / Programs	Patients	%	Visits	%	Average Visits per Client
TOTAL[1]	**3,328**	..	**7,747**	..	2.3
Sexually Transmitted Diseases	2,224	0.7	3,937	50.8	1.8
Tuberculosis	606	0.2	2,681	34.6	4.2
PPD[2]	306	0.1	489	6.3	2.0
HIV Counseling and Testing[3]	2,566	0.8	3,267	42.2	1.3
HIV Counseling and Testing Only[4]	277	0.1	313	4.0	1.1
Immunization	286	0.1	327	4.2	1.2
Certified Home Health Program[5]	3,545	1.1	13,650	176.2	3.9
School-Based Dental	292	0.1	294	3.8	1.0

[1] Clients may visit one or more clinic during the year, therefore, total client count may be more than the sum of individual programs.

[2] Includign PPDs given during community surveys outside of the clinics.

[3,4] Clients may visit an HIV clininc to receive only HIV counseling and testing services. However, they may also receive HIV couseling and testing services in STD or T clinics while receiving other services. Such visits are not included in the total.


[5] Visits in Certified Home Health Program refers to the number of visits received by clients at their homes or other locations.

[6] Clients seen in designated schools in the county.

Appendices

A1. Communicable Disease Reporting Requirements

Westchester County publishes a quarterly morbidity report detailing the incidence of all reportable diseases that occur within the County. The monthly morbidity report can be found on the Health Department's website www.westchestergov.com/health, under data and statistics. Diseases are reported in the Monthly Morbidity Report if there have been cases during the past 5 years, therefore not every disease that is listed in the New York State Department of Health reporting requirements will appear.



NEW YORK STATE DEPARTMENT OF HEALTH
COMMUNICABLE DISEASE REPORTING REQUIREMENTS

Reporting of suspected or confirmed communicable diseases is mandated under the New York State Sanitary Code (10NYCRR 2.10). The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10a) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

- Amebiasis
- ☎ **Animal bites for which rabies prophylaxis is given**[1]
- ☎ **Anthrax**[2]
- ☎ **Arboviral infection**[3]
- Babesiosis
- ☎ **Botulism**[2]
- ☎ **Brucellosis**[2]
- Campylobacteriosis
- Chancroid
- Chlamydia trachomatis infection
- ☎ **Cholera**
- Cryptosporidiosis
- Cyclosporiasis
- ☎ **Diphtheria**
- E. coli O157:H7 infection[4]
- Ehrlichiosis/Anaplasmosis
- ☎ **Encephalitis**
- ☎ **Foodborne illness**
- Giardiasis
- ☎ **Glanders**[2]
- Gonococcal infection
- Haemophilus influenzae[5] (invasive disease)
- ☎ **Hantavirus disease**
- Hemolytic uremic syndrome
- Hepatitis A
- ☎ **Hepatitis A in a food handler**
- Hepatitis B, C (specify acute or chronic)
- Pregnant hepatitis B carrier
- Herpes infection, infants aged 60 days or younger
- Hospital associated infections (as defined in section 2.2 10NYCRR)
- Influenza, laboratory-confirmed
- Legionellosis
- Listeriosis
- Lyme disease
- Lymphogranuloma venereum
- Malaria
- ☎ **Measles**
- ☎ **Melioidosis**[2]
- Meningitis
  - Aseptic or viral
  - ☎ **Haemophilus**
  - ☎ **Meningococcal**
  - Other (specify type)
- ☎ **Meningococcemia**
- ☎ **Monkeypox**
- Mumps
- Pertussis
- ☎ **Plague**[2]
- ☎ **Poliomyelitis**
- Psittacosis
- ☎ **Q Fever**[2]
- ☎ **Rabies**
- Rocky Mountain spotted fever
- ☎ **Rubella** (including congenital rubella syndrome)
- Salmonellosis
- ☎ **Severe Acute Respiratory Syndrome (SARS)**
- Shigatoxin-producing ecoli[4]
- Shigellosis[4]
- ☎ **Smallpox**[2]
- Staphylococcus aureus[6] (due to strains showing reduced susceptibility or resistance to vancomycin)
- ☎ **Staphylococcal enterotoxin B poisoning**[2]
- Streptococcal infection (invasive disease)[5]
  - Group A beta-hemolytic strep
  - Group B strep
  - Streptococcus pneumoniae
- ☎ **Syphilis, specify stage**[7]
- Tetanus
- Toxic shock syndrome
- Transmissable spongiform encephalopathies[8]
- Trichinosis
- ☎ **Tuberculosis current disease (specify site)**
- ☎ **Tularemia**[2]
- ☎ **Typhoid**
- Vibriosis[6]
- ☎ **Vaccinia disease**[9]
- ☎ **Viral hemorrhagic fever**[2]
- Yersiniosis

1 Local health department must be notified prior to initiating rabies prophylaxis.
2 Diseases that are possible indicators of bioterrorism.
3 Including, but not limited to, infections caused by eastern equine encephalitis virus, western equine encephalitis virus, West Nile virus, St. Louis encephalitis virus, La Crosse virus, Powassan virus, Jamestown Canyon virus, dengue and yellow fever.
4 Positive shigatoxin test results should be reported as presumptive evidence of disease.
5 Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluid. Do not report cases with positive cultures from skin, saliva, sputum or throat.
6 Proposed addition to list.
7 Any non-treponemal test ≥ 1:16 or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.
8 Including Creutzfeldt-Jakob disease. Cases should be reported directly to the New York State Department of Health Alzheimer's Disease and Other Dementias Registry at (518) 473-7817 upon suspicion of disease. In NYC, cases should also be reported to the NYCDOHMH.
9 Persons with vaccinia infection due to contact transmission, and persons with the following complications from vaccination: eczema vaccinatum, erythema multiforme major or Stevens-Johnson syndrome, fetal vaccinia, generalized vaccinia, inadvertent inoculation, ocular vaccinia, post-vaccinial encephalitis or encephalomyelitis, progressive vaccinia, pyogenic infection of the infection site, and any other serious adverse events.

SPECIAL NOTES

- Diseases listed in **bold type** (☎) warrant prompt action and should be reported **immediately** to local health departments by phone followed by submission of the confidential case report form (DOH-389). In NYC use universal reporting form PD-16.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- **Cases of HIV infection, HIV-related illness and AIDS are reportable to:**

Division of Epidemiology
P.O. Box 2073, ESP Station
Albany, NY 12220-2073
(518) 474-4284

In New York City: New York City Department of Health and Mental Hygiene
For HIV/AIDS reporting, call: (212) 442-3388

For more information on disease reporting, call your local health department or the New York State Department of Health Bureau of Communicable Disease Control at (518) 473-4439 or (866) 881-2809 after hours. In New York City, 1 (866) NYC-DOH1. To obtain reporting forms (DOH-389), call (518) 474-0548.

PLEASE POST THIS CONSPICUOUSLY

WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Contact Person_____

Name/Address _____

_____

_____

Phone_____


Fax_____

WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:
- phone diseases in bold type,
- mail case report, DOH-389, for all other diseases.
- in New York City use form PD-16.

Revised 10/07

A2. Childhood Immunization Schedule



Vaccine-Preventable Diseases and the Vaccines that Prevent Them

Diphtheria (Can be prevented by DTaP vaccine)*

Diphtheria is a very contagious bacterial disease that affects the respiratory system, including the lungs. Diphtheria can be passed from person to person by direct contact with droplets from an infected person's cough or sneeze. When people are infected, the diphtheria bacteria produce a toxin (poison) in the body that can cause weakness, sore throat, low-grade fever, and swollen glands in the neck. Effects from this toxin can also lead to swelling of the heart muscle and, in some cases, heart failure. In severe cases, the illness can cause coma, paralysis, and even death.

***Haemophilus influenzae* type b** (Can be prevented by Hib vaccine)

Hib disease is caused by bacteria called Haemophilus influenzae type b.The disease is very serious for children younger than age 5, especially infants. Hib is spread from person to person by direct contact, or by contact with respiratory droplets from an infected person's cough or sneeze. Hib is most commonly spread by people who have the bacteria in their noses and throats but who are not sick. Hib can cause meningitis—an infection around the brain and spinal cord—which can lead to life-long disability, mental retardation, or death. Hib can also cause epiglottis (infection in the throat) and pneumonia (infection in the lungs). All these infections can be life threatening.

Hepatitis A (Can be prevented by HepA vaccine)

Hepatitis A is an infection in the liver caused by a virus. The virus is spread primarily person-to-person through the fecal-oral route. In other words, the virus is taken in by mouth from contact with objects, food, or drinks contaminated by the feces (stool) of an infected person. Symptoms include fever, tiredness, loss of appetite, nausea, abdominal discomfort, dark urine, and jaundice (yellowing of the skin and eyes). An infected person may have no symptoms, may have mild illness for a week or two, or may have severe illness for several months that requires hospitalization. In the U.S., about 100 people a year die from hepatitis A.

Hepatitis B (Can be prevented by HepB vaccine)

Hepatitis B is an infection of the liver caused by a virus. It spreads through contact with blood or other body fluids, for example, from sharing personal items, such as toothbrushes or eating utensils. Hepatitis B causes a flu-like illness with loss of appetite, nausea, vomiting, rashes, joint pain, and jaundice. The virus stays in the liver of some people for the rest of their lives and can result in severe liver diseases, including fatal cancer.

Influenza (Can be prevented by annual flu vaccine)

Influenza is a highly contagious viral infection of the nose, throat, and lungs. It spreads easily through droplets when an infected person coughs or sneezes and can cause mild to severe illness. Typical symptoms include a sudden high fever, chills, a dry cough, headache, runny nose, sore throat, and muscle and joint pain. Extreme fatigue can last from several days to weeks. Influenza may lead to hospitalization or even death, even among previously healthy children.

Measles (Can be prevented by MMR vaccine)**

Measles is one of the most contagious viral diseases. Measles is spread by direct contact with the airborne respiratory droplets of an infected person. Measles is so contagious that just being in the same room after a person who has measles has already left can result in infection. Symptoms usually include a rash, fever, cough, and watery eyes. Fever can persist, reaching 104˚F or higher, rash can last for up to a week, and coughing can last about 10 days. Measles can also cause pneumonia, seizures, brain damage, or death.

Mumps (Can be prevented by MMR vaccine)**

Mumps is an infectious disease caused by the mumps virus, which is spread in the air by a cough or sneeze from an infected person. A child can also get infected with mumps by coming in contact with a contaminated object, like a toy. The mumps virus causes fever, headaches, painful swelling of the salivary glands under the jaw, fever, muscle aches, tiredness, and loss of appetite. Severe complications for children who get mumps are rare, but can include meningitis (infection of the covering of the brain and spinal cord), encephalitis (inflammation of the brain), permanent hearing loss, or swelling of the testes, which can lead to sterility in men.

Pertussis (Whooping Cough) (Can be prevented by DTaP vaccine)*

Pertussis is caused by bacteria that spread through direct contact with respiratory droplets when an infected person coughs or sneezes. In the beginning, symptoms of pertussis are similar to the common cold, including runny nose, sneezing, low grade fever, and cough. After 1-2 weeks, pertussis can cause spells of violent coughing and choking, making it hard to breathe, drink, or eat. This cough can last for weeks. Pertussis is most serious for babies, who can get pneumonia, have seizures, become brain damaged, or even die. About two-thirds of children under 1 year of age who get pertussis must be hospitalized.

Pneumococcal Disease (Can be prevented by PCV vaccine)

Pneumococcal disease is a bacterial infection that invades the lungs, causing the most common kind of bacterial pneumonia. The bacteria are commonly found in many people's noses and throats and are spread by droplets when people who have the bacteria in their throats or noses cough or sneeze. People—especially children—often have the bacteria in their throats without being ill. In fact, the bacteria are present in about 25% of people. Why the bacteria suddenly invade the body and cause disease is unknown. The bacteria can invade both the bloodstream (bacteremia) and the brain (meningitis, that is infection of the covering of the brain and spinal cord). Symptoms include high fever, cough with chest pain and mucus, shaking chills, breathlessness, and chest pain that increases with breathing. Pneumococcal disease can result in hospitalization and even death.

Polio (Can be prevented by IPV vaccine)

Polio is caused by a virus that lives in an infected person's throat and intestines. It spreads through contact with the feces (stool) of an infected person and through droplets from a sneeze or cough. Symptoms typically include sudden fever, sore throat, headache, muscle weakness, and pain. In about 1% of cases, polio can cause paralysis. Among those who are paralyzed, up to 5% of children may die because they become unable to breathe.

Rotavirus (Can be prevented by RV vaccine)

Rotavirus is caused by a virus and is the most common cause of severe diarrhea among children. Rotavirus is spread primarily person-to-person through the fecal-oral route. In other words, the virus is taken in by mouth from contact with objects, food, or drinks contaminated by the feces (stool) of an infected person. Common symptoms of rotavirus include vomiting, watery diarrhea that lasts for 3-8 days, fever and abdominal pain. Approximately 55,000 children are hospitalized each year in the United States from severe diarrhea and vomiting caused by rotavirus.

Rubella (German Measles) (Can be prevented by MMR vaccine)**

Rubella is caused by a virus that is spread through coughing and sneezing. In children rubella usually causes a mild illness with fever, swollen glands, and a rash that lasts about 3 days. Rubella rarely causes serious illness or complications in children, but can be very serious in pregnant women. If a pregnant woman is infected, the result to the baby can be devastating, including miscarriage, serious heart defects, mental retardation and loss of hearing and eye sight.

Tetanus (Lockjaw) (Can be prevented by DTaP vaccine)*

Tetanus is caused by bacteria found in soil that enters the body through a wound, such as a deep cut. When people are infected, the bacteria produce a toxin (poison) in the body that causes serious, painful spasms and stiffness of all muscles in the body. This can lead to "locking" of the jaw so a person cannot open his or her mouth, swallow, or breathe. Complete recovery from tetanus can take months. Three of ten people who get tetanus die from the disease.

Varicella (Chickenpox) (Can be prevented by Varicella vaccine)

Chickenpox is caused by the varicella zoster virus. Chickenpox is very contagious and spreads very easily from infected people. It can spread from either a cough, sneeze. It can also spread by contact with virus particles that come from the blisters on the skin, either by touching them or by breathing in these virus particles. Typical symptoms of chickenpox include an itchy rash with blisters, tiredness, headache and fever. Chickenpox is usually mild, but it can lead to severe skin infections, pneumonia, encephalitis (brain swelling), or even death.

*DTap is a combination vaccine that can prevent Diphtheria, Tetanus, and Pertussis.
**MMR is a combination vaccine that can prevent Measles, Mumps, and Rubella.

This document can be found on the CDC website at: http://www.cdc.gov/vaccines/events/niiw/2010/downloads/educ/parent-ver-sch-0-6yrs-508.pdf

A3. Adolescent Immunization Schedule

Recommended Immunization Schedule for Persons Aged 7 Through 18 Years - United States • 2011

For those who fall behind or start late, see the schedule below and the catch-up schedule

Vaccine ⮟ Age ⮞	7-10 years	11-12 years	13-18 years
Tetanus, Diptheria, Pertusis[1]		Tdap	Tdap
Human Papillomavirus[2]	*See footnote*[2]	HPV (3 doses)(females)	HPV series
Meningococcal[3]	MCV4	MCV4	MCV4
Influenza[4]		Influenza (yearly)	
Pneumococcal[5]		Pneumococcal	
Hepatitis A[6]		HepA Series	
Hepatitis B[7]		HepB Series	
Inactivated Poliovirus[8]		IPV Series	
Measles, Mumps, and Rubella[9]		MMR Series	
Varicella[10]		Varicella Series	

Range of recommended ages for all children

Range of recommended ages for catch-up immunization

Range of recommended ages for certain high-risk groups

This schedule includes recommendations in effect as of December 21, 2010. Any dose not administered at the recommended age should be administered at a subsequent visit, when indicated and feasible. The use of a combination vaccine generally is preferred over separate injections of its equivalent component vaccines. Considerations should include provider assessment, patient preference, and the potential for adverse events. Providers should consult the relevant Advisory Committee on Immunization Practices statement for detailed recommendations: **http://www.cdc.gov/vaccines/pubs/acip-list.htm**. Clinically significant adverse events that follow immunization should be reported to the Vaccine Adverse Event Reporting System (VAERS) at **http://www.vaers.hhs.gov** or by telephone, **800-822-7967**.

1. Tetanus and diphtheria toxoids and acellular pertussis vaccine (Tdap). (Minimum age: 10 years for Boostrix and 11 years for Adacel))
• Persons aged 11 through 18 years who have not received Tdap should receive a dose followed by Td booster doses every 10 years thereafter.
• Persons aged 7 through 10 years who are not fully immunized against pertussis (including those never vaccinated or with unknown pertussis vaccination status) should receive a single dose of Tdap. Refer to the catch-up schedule if additional doses of tetanus and diphtheria toxoid–containing vaccine are needed.
• Tdap can be administered regardless of the interval since the last tetanus and diphtheria toxoid–containing vaccine.

2. Human papillomavirus vaccine (HPV). (Minimum age: 9 years)
• Quadrivalent HPV vaccine (HPV4) or bivalent HPV vaccine (HPV2) is recommended for the prevention of cervical precancers and cancers in females.
• HPV4 is recommended for prevention of cervical precancers, cancers, and genital warts in females.
• HPV4 may be administered in a 3-dose series to males aged 9 through 18 years to reduce their likelihood of genital warts.
• Administer the second dose 1 to 2 months after the first dose and the third dose 6 months after the first dose (at least 24 weeks after the first dose).

3. Meningococcal conjugate vaccine, quadrivalent (MCV4). (Minimum age: 2 years)
• Administer MCV4 at age 11 through 12 years with a booster dose at age 16 years.
• Administer 1 dose at age 13 through 18 years if not previously vaccinated.
• Persons who received their first dose at age 13 through 15 years should receive a booster dose at age 16 through 18 years.
• Administer 1 dose to previously unvaccinated college freshmen living in a dormitory.
• Administer 2 doses at least 8 weeks apart to children aged 2 through 10 years with persistent complement component deficiency and anatomic or functional asplenia, and 1 dose every 5 years thereafter.
• Persons with HIV infection who are vaccinated with MCV4 should receive 2 doses at least 8 weeks apart.
• Administer 1 dose of MCV4 to children aged 2 through 10 years who travel to countries with highly endemic or epidemic disease and during outbreaks caused by a vaccine serogroup.
• Administer MCV4 to children at continued risk for meningococcal disease who were previously vaccinated with MCV4 or meningococcal polysaccharide vaccine after 3 years (if first dose administered at age 2 through 6 years) or after 5 years (if first dose administered at age 7 years or older).

4. Influenza vaccine (seasonal).
• For healthy nonpregnant persons aged 7 through 18 years (i.e., those who do not have underlying medical conditions that predispose them to influenza complications), either LAIV or TIV may be used.
• Administer 2 doses (separated by at least 4 weeks) to children aged 6 months through 8 years who are receiving seasonal influenza vaccine for the first time or who were vaccinated for the first time during the previous influenza season but only received 1 dose.
• Children 6 months through 8 years of age who received no doses of monovalent 2009 H1N1 vaccine should receive 2 doses of 2010-2011 seasonal influenza vaccine. See *MMWR* 2010;59(No. RR-8):33–34.

5. Pneumococcal vaccines.
• A single dose of 13-valent pneumococcal conjugate vaccine (PCV13) may be administered to children aged 6 through 18 years who have functional or anatomic asplenia, HIV infection or other immunocompromising condition, cochlear implant or CSF leak. See *MMWR* 2010;59(No. RR-11).
• The dose of PCV13 should be administered at least 8 weeks after the previous dose of PCV7.
• Administer pneumococcal polysaccharide vaccine at least 8 weeks after the last dose of PCV to children aged 2 years or older with certain underlying medical conditions, including a cochlear implant. A single revaccination should be administered after 5 years to children with functional or anatomic asplenia or an immunocompromising condition.

6. Hepatitis A vaccine (HepA).
• Administer 2 doses at least 6 months apart.
• HepA is recommended for children aged older than 23 months who live in areas where vaccination programs target older children, or who are at increased risk for infection, or for whom immunity against hepatitis A is desired.

7. Hepatitis B vaccine (HepB).
• Administer the 3-dose series to those not previously vaccinated. For those with incomplete vaccination, follow the catch-up schedule.
• A 2-dose series (separated by at least 4 months) of adult formulation Recombivax HB is licensed for children aged 11 through 15 years.

8. Inactivated poliovirus vaccine (IPV).
• The final dose in the series should be administered on or after the fourth birthday and at least 6 months following the previous dose.
• If both OPV and IPV were administered as part of a series, a total of 4 doses should be administered, regardless of the child's current age.

9. Measles, mumps, and rubella vaccine (MMR).
• The minimum interval between the 2 doses of MMR is 4 weeks.

10. Varicella vaccine.
• For persons aged 7 through 18 years without evidence of immunity (see *MMWR* 2007;56[No. RR-4]), administer 2 doses if not previously vaccinated or the second dose if only 1 dose has been administered.
• For persons aged 7 through 12 years, the recommended minimum interval between doses is 3 months. However, if the second dose was administered at least 4 weeks after the first dose, it can be accepted as valid.
• For persons aged 13 years and older, the minimum interval between doses is 4 weeks.

The recommended Immunization Schedules for Persons Aged 0 Through 18 years are approved by the Advisory Committee on Immuniztion Practices (**http://www.cdc.gov/vaccines/recs/acip**), the American Academy of pediatrics (**http://www.aap.org**), and the American Academy of Family Physicians (**http://www.aafp.org**).
Department of Health and Human Services • Centers for Disease Control and Prevention

A4. Adult Immunization Schedule

Vaccinations for Adults

You're NEVER too old to get immunized!

Getting immunized is a lifelong, life-protecting job. Don't leave your healthcare provider's office without making sure you've had all the vaccinations you need.

Age ➤ / Vaccine ⮟	19-49 years	50-64 years	65 years & older
Influenza	You need a dose every fall (or winter) for your protection and the protection of others around you.		
Pneumococcal	You need 1-2 doses if you smoke cigarettes or if you have certain chronic medical conditions.*		You need 1 dose at age 65 (or older) if you've never been vaccinated.
Tetanus, Diphtheria, Pertussis (Whooping Cough) (Td, Tdap)	Be sure to get a 1-time dose of "Tdap" vaccine (the adult whooping cough vaccine) if you are younger than age 65 years, are 65+ and have contact with an infant, are a healthcare worker, or simply want to be protected from whooping cough. You need a Td booster dose every 10 years. Consult your healthcare provider if you haven't had at least 3 tetanus- and diphtheria-containing shots sometime in your life or have a deep or dirty wound.		
Hepatitis B (HepB)	You need this vaccine if you have a specific risk factor for hepatitis B virus infection* or you simply wish to be protected from this disease. The vaccine is given in 3 doses, usually over 6 months.		
Hepatitis A (HepA)	You need this vaccine if you have a specific risk factor for hepatitis A virus infection* or you simply wish to be protected from this disease. The vaccine is usually given as 2 doses, 6-18 months apart.		
Human Papillomavirus (HPV)	You need this vaccine if you are a woman who is age 26 years or younger. One brand, Gardasil, can be given to men age 26 years or younger to prevent genital warts. The vaccine is given in 3 doses over 6 months.		
Measles, Mumps, Rubella (MMR)	You need at least 1 dose of MMR if you were born in 1957 or later. You may also need a second dose.		
Varicella (Chikenpox)	If you've never had chickenpox or you were vaccinated but received only 1 dose, talk to your healthcare provider to find out if you need this vaccine.*		
Meningococcal	If you are going to college and plan to live in a dormitory, or have one of several medical conditions*, you need to get vaccinated against meningococcal disease. You may also need additional booster shots.		
Zoster (Shingles)			If you are age 60 years or older, you should get this vaccine now.

*Consult your healthcare provider to determine your level of risk for infection and your need for this vaccine.

Do you travel outside the United States? If so, you may need additional vaccines. The Centers for Disease Control and Prevention (CDC) provides information to assist travelers and their healthcare providers in deciding the vaccines, medications, and other measures necessary to prevent illness and injury during international travel. Visit CDC's website at www.cdc.gov/travel or call (800) CDC-INFO ([800] 232-4636). You may also consult a travel clinic or your healthcare provider.

Technical content provided by the Centers for Disease Control and Prevention, December 2010. www.immunize.org/catg.d/p4030.pdf • Item #P4030(12/10)

Immunization Action Coalition • 1573 Selby Ave. • St. Paul, MN 55104 • (651) 647-9009 • www.vaccineinformation.org • www.immunize.org

A5. Data Sources

The information source on communicable diseases in Westchester County is the New York State Communicable Disease Electronic Surveillance System (CDESS). CDESS is a live database that collects information regarding cases and investigations of numerous communicable diseases in New York State. The information presented in this report represents a snapshot of the data at the time it was downloaded. Subsequently, cases may have been revoked, added, or found to have been duplicates and removed based on new information.

A6. Westchester County Municipalities

Health Planning Region and Municipality[1]	Code[2]
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part)[2]	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part)[2]	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C


Health Planning Region and Municipality[1]	Code[2]
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part)[3]	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part)[3]	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

[1] For regional planning purposes, municipalities are grouped into six geographic health planning regions.


[2] A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

[3] The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).


A7. Health Planning Regions and Municipality Map













Robert P. Astorino
Westchester County Executive
County Board of Legislators

Annual Data Book

Cancer Report

Westchester County Department of Health

Westchestergov.com

2011

Sherlita Amler, MD
Commissioner of Health

Project Directors	Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration
Project Staff	Megan Cea, MPH, Assistant Statistician Stanley Cho, MPH, Medical Data Analyst I Rosemary James, MPH, Medical Data Analyst I
Contact	Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 145 Huguenot Street, 8th Floor, New Rochelle, New York 10801 914-813-5100

FOREWORD

Westchester County Department of Health is the local health department for Westchester County, which is located north of New York City and covers an area of 450.5 square miles. The Hudson River and Rockland County form Westchester County's western border and Putnam County and the state of Connecticut border Westchester to the north and east, respectively. Westchester County has a population of 949,113 based on 2010 US Census data. In 2010, 68.1% of the County's population was white, 14.6% was black, 5.5% was Asian/Pacific Islander, and 11.8% was of mixed or other races. In addition, Hispanics comprised 21.8% of Westchester County's residents.

The mission of the Westchester County Department of Health is to promote health, prevent diseases and prolong meaningful life for Westchester County residents. The Health Department monitors and controls the spread of communicable diseases, monitors and regulates air and water quality, enforces the state and local sanitary codes, promotes and ensures local public health activities, and assures the availability of community health services.

The Annual Data Book 2011 – Cancer Report contains information on cancer incidence rates and mortality rates of various cancers among Westchester County residents. Data are provided by sex, race/ethnicity, and residential regions within the county. Comparisons of the incidence and mortality rates between Westchester County and New York State are presented. In addition, the report provides trends in average annual cancer incidence and mortality rates over the past thirty years. The information in this report is from the New York State Department of Health Cancer Registry and the National Cancer Institute.

TABLE OF CONTENTS

Highlights	1
Cancer Incidence by Sex	2
Cancer Incidence by Sex, Race and Ethnicity	4
Cancer Incidence by Region of Westchester County	8
Cancer Incidence in Westchester County Compared with New York State	13
Trends in Average Annual Cancer Incidence Rates	17
Estimated Cancer Prevalence	22
Cancer Mortality by Sex	24
Cancer Mortality by Sex, Race and Ethnicity	25
Cancer Mortality in Westchester County Compared with New York State	22
Trends in Average Annual Cancer Mortality Rates	31
Early Stage Cancer Diagnoses	36
Incidence of Childhood Cancers	38
Tables	39
Appendices	62

List of Figures in Text

1	Average Annual Cancer Incidence Rates by Sex, Westchester County, 2004-2008	3
2	Average Annual Cancer Incidence Rates among Males by Race and Ethnicity, Westchester County, 2004-2008	4
3	Average Annual Cancer Incidence Rates among Females by Race and Ethnicity, Westchester County, 2004-2008	6
4	Average Annual Total Malignant Tumor Incidence Rates among Males by Health Planning Region, Westchester County, 2004-2008	8
5	Average Annual Lung and Bronchus Cancer Incidence Rates among Males by Health Planning Region, Westchester County, 2004-2008	9
6	Average Annual Prostate Cancer Incidence Rates among Males by Health Planning Region, Westchester County, 2004-2008	10
7	Average Annual Colorectal Cancer Incidence Rates by Health Planning Region, Westchester County, 2004-2008	10
8	Average Annual Total Malignant Tumor Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008	11
9	Average Annual Lung and Bronchus Cancer Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008	11
10	Average Annual Breast Cancer Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008	12
11	Average Annual Cancer Incidence Rates among Males by Race, Westchester County and New York State, 2004-2008	13
12	Average Annual Cancer Incidence Rates among Females by Race, Westchester County and New York State, 2004-2008	15
13	Average Annual Total Invasive Malignant Tumor Incidence Rates by Sex, Westchester County and New York State, 1976-2008	17
14	Average Annual Lung and Bronchus Cancer Incidence Rates by Sex, Westchester County and New York State, 1976-2008	18
15	Average Annual Colorectal Cancer Incidence Rates by Sex, Westchester County and New York State, 1976-2008	19
16	Average Annual Melanoma of the Skin Incidence Rates by Sex, Westchester County, 1976-2008	20
17	Average Annual Prostate Cancer Incidence Rates, Westchester County and New York State, 1976-2008	21

18	Estimated Number of Persons Alive Diagnosed with Cancer by Site, Westchester County, January 1, 2007	23
19	Percent of Newly Diagnosed Cancer Cases by Site, Westchester County, 2004-2008	23
20	Average Annual Cancer Mortality Rates by Sex, Westchester County, 2004-2008	24
21	Average Annual Cancer Mortality Rates among Males by Race and Ethnicity, Westchester County, 2004-2008	25
22	Average Annual Cancer Mortality Rates among Females by Race and Ethnicity, Westchester County, 2004-2008	27
23	Average Annual Cancer Mortality Rates among Males by Race, Westchester County and New York State, 2004-2008	28
24	Average Annual Cancer Mortality Rates among Females by Race, Westchester County and New York State, 2004-2008	30
25	Average Annual Total Invasive Malignant Tumor Mortality Rates by Sex, Westchester County and New York State, 1976-2008	31
26	Average Annual Lung and Bronchus Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008	32
27	Average Annual Colorectal Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008	33
28	Average Annual Prostate Cancer Mortality Rates and Female Breast Cancer Mortality Rates, Westchester County, 1976-2008	34
29	Average Annual Liver and Intrahepatic Bile Ducts Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008	35

List of Tables in Text

A	Percent of Cancers Diagnosed at an Early Stage among Males by Select County and New York State, 2004-2008	36
B	Percent of Cancers Diagnosed at an Early Stage among Females by Select County and New York State, 2004-2008	37
C	Average Annual Childhood Cancer Incidence by Select County and New York State, 3003-2007	38

Tables

1	Average Annual Cancer Incidence Rates by Sex, Westchester County, New York State, and the United States, 2004-2008	39
2	Average Annual Cancer Incidence Rates among White and Black Males, Westchester County, New York State, and the United States, 2004-2008	40
3	Average Annual Cancer Incidence Rates among White and Black Females, Westchester County, New York State, and the United States, 2004-2008	41
4	Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Males, Westchester County, New York State, and the United States, 2004-2008	42
5	Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Females, Westchester County, New York State, and the United States, 2004-2008	43
6	Average Annual Cancer Incidence Rates among Males by Region of County, Westchester County, 2004-2008	44
7	Average Annual Cancer Incidence Rates among Females by Region of County, Westchester County, 2004-2008	45
8	Trends in Average Annual Cancer Incidence Rates among Males, Westchester County, New York State, and New York State excluding New York City, 1976-2008	46
9	Trends in Average Annual Cancer Incidence Rates among Females, Westchester County, New York State, and New York State excluding New York City, 1976-2008	48
10	Childhood Cancer Incidence by Select County and New York State, 2004-2008	50
11	Estimated Cancer Prevalence for Selected Cancer Sites by Select County and Gender, 2008	51
12	Average Annual Cancer Mortality Rates by Sex, Westchester County, New York State, and the United States, 2004-2008	53
13	Average Annual Cancer Mortality Rates among White and Black Males, Westchester County, New York State, and the United States, 2004-2008	54
14	Average Annual Cancer Mortality Rates among White and Black Females, Westchester County, New York State, and the United States, 2004-2008	55
15	Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Males, Westchester County, New York State, and the United States, 2004-2008	56
16	Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Females, Westchester County, New York State, and the United States, 2004-2008	57
17	Trends in Average Annual Cancer Mortality Rates among Males, Westchester County, New York State, and New York State excluding New York City, 1976-2008	58
18	Trends in Average Annual Cancer Mortality Rates among Females. Westchester County, New York State, and New York State excluding New York City, 1976-2008	60

Appendices

A1. Data Sources 62
A2. Westchester County Municipalities 63
A3. Health Planning Regions and Municipality Map 65

HIGHLIGHTS

- An average of over 5,000 Westchester County residents were diagnosed with cancer every year between 2004 and 2008. An average of 1,717 people died of cancer each year during the same period.

- The average annual incidence rate for all malignant cancers was 573 per 100,000 for males and 454 per 100,000 for females during 2004 to 2008.

- The most commonly diagnosed cancer for men was prostate cancer, at 175 per 100,000.

- The most commonly diagnosed cancer for women was breast cancer, at 137 per 100,000.

- Overall, black men had higher cancer incidence rates than white men.

- In general, Hispanic men had lower cancer incidence rates than non-Hispanic men, except for cancer of the liver and intrahepatic bile duct.

- Overall, white women had higher cancer incidence rates than black women.

- For all cancer sites, Hispanic women had lower cancer incidence rates than non-Hispanic women, except for cervical cancer.

- The average cancer mortality rate was 181 per 100,000 among males and 143 per 100,000 among females.

- Black men had a higher cancer mortality rate than white men.

- Hispanic men had a lower cancer mortality rate than non-Hispanic men.

- Although black women had a lower overall cancer incidence rate than white women, they had a higher overall cancer mortality rate.

- The cancer mortality rate among Hispanic women was lower than among non-Hispanic women.

- Lung and bronchus cancer had the highest mortality rate for both men and women among all race/ethnicities, except for Hispanic women. Breast cancer had the highest mortality rate among Hispanic women.

Cancer is one of the most common chronic diseases in New York State and Westchester County. It is the second leading cause of death. Each year, over 100,000 New Yorkers are diagnosed with cancer.[1] Among them, over 5,000 are Westchester County residents.

Age-adjusted cancer incidence, prevalence, and mortality rates[2] are presented in this report for Westchester County residents. These rates are compared with those in New York State as a whole, New York State excluding New York City, and the United States when available. Only statistically significant differences between rates are mentioned in this report.

Cancer Incidence by Sex

- Between 2004 and 2008, the average annual incidence rate of all invasive malignant cancers in Westchester County was 573.3 per 100,000 among males and 454.4 per 100,000 among females. Overall, the incidence rate was significantly higher for men than for women, except for thyroid cancer.

- Among males, the most commonly diagnosed cancer was prostate cancer, with an average annual incidence rate of 174.8 per 100,000, followed by lung and bronchus cancer (64.4 per 100,000 men), colorectal cancer (53.5 per 100,000), cancer of the urinary bladder including in situ (41.6 per 100,000), and non-Hodgkin lymphomas (27.7 per 100,000) (Figure 1).

- Among females, breast cancer was the most commonly diagnosed cancer, with an average annual incidence rate of 137.4 per 100,000, followed by lung and bronchus cancer (53.1 per 100,000), colorectal cancer (42.6 per 100,000), cancer of the corpus uterus and uterus not otherwise specified (30.0 per 100,000), and thyroid cancer (21.6 per 100,000). (Figure 1)


[1] New York State Cancer Registry and Cancer Statistics. Retrieved Nov 17, 2011 from http://www.health.state.ny.us/statistics/cancer/registry/

[2] Incidence rate is defined as the number of new cases of a particular disease or health condition diagnosed during a specified time period. Prevalence rate is the number of existing cases of a disease or health condition in a population at a given time. Mortality rate is the number of deaths, due to a particular cause, in a population during a specified time period.

- Women had lower cancer incidence rates than men in nearly all categories, except thyroid cancer, including lung and bronchus, liver and intrahepatic bile duct, urinary bladder including in situ, kidney and renal pelvis, non-Hodgkin lymphoma, and melanoma of the skin.

- Hodgkin lymphoma was the only cancer in which there was no significant difference in incidence rates between men and women.

Figure 1. Average Annual Cancer Incidence Rates by Sex, Westchester County, 2004-2008



Source: New York State Department of Health, New York State Cancer Registry.
Data as of November 2010.


Cancer Incidence by Sex, Race, and Ethnicity

Males

- During 2004 to 2008, the average annual cancer incidence rate for all invasive malignant tumors was 564.1 per 100,000 among white males and 649.1 per 100,000 among black males. The incidence rate was higher for black men than for white men.

- Among white men, the cancers with the highest average annual incidence rates were: prostate cancer, lung and bronchus cancer, colorectal cancer, cancer of the urinary bladder including in situ, and non-Hodgkin lymphomas (Figure 2).

Figure 2. Average Annual Cancer Incidence Rates among Males by Race and Ethnicity, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Among black men, the cancers with the highest incidence rates were prostate cancer, lung and bronchus cancer, colorectal cancer, cancer of the urinary bladder, including in situ, and cancer of the kidney and renal pelvis.

- Black males had a higher incidence rate than white males for the following cancers: prostate cancer, cancer of the liver and intrahepatic bile duct, cancer of the larynx, and multiple myeloma.

- White males had higher incidence rates than black males for the following cancers: melanoma of the skin, cancer of the urinary bladder including in situ, thyroid cancer, and non-Hodgkin lymphomas.

- For all other cancer sites there was no significant difference in incidence rates between white and black males.

- Among Hispanic men, the most frequently diagnosed cancer was prostate cancer, with an average annual incidence rate of 188.9 per 100,000.

- Compared with non-Hispanic men in the county, Hispanic men had a lower incidence rate for all invasive malignant cancers combined.


- Hispanic men also had lower incidence rates for cancer of the urinary bladder including in situ, melanoma of the skin, testicular cancer, and thyroid cancer compared to non-Hispanic men.

- However, Hispanic males had a significantly higher incidence rate for cancer of the liver and intrahepatic bile duct than non-Hispanic males.

Females

- During 2004 to 2008, the average annual incidence rate was 467.8 per 100,000 among white women and 409.1 per 100,000 among black women. The overall rate of cancer incidence was higher among white women than among black women.

Figure 3. Average Annual Cancer Incidence Rates among Females by Race and Ethnicity, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Among white women, the cancer with the highest incidence was breast cancer, with 142.7 cases diagnosed per 100,000, followed by cancers of the lung and bronchus, colorectal, corpus uterus and uterus not otherwise specified, and thyroid (Figure 3).

- Among black women, the most frequently diagnosed cancers were breast cancer, colorectal cancer, lung and bronchus cancer, and cancer of the corpus uterus and uterus not otherwise specified.

- Black females had a higher incidence rate than white women for cervical cancer, stomach cancer, and multiple myeloma.

- White women had higher average annual incidence rates than black women for all invasive malignant cancers combined, as well as breast cancer, ovarian cancer, cancer of the bladder including in situ, thyroid cancer, Hodgkin lymphoma, and non-Hodgkin lymphomas.

- Among Hispanic women, breast cancer was the most commonly diagnosed cancer, with 93.2 average cases diagnosed annually per 100,000, followed by colorectal cancer, lung and bronchus cancer, and cancer of the corpus uterus and uterus not otherwise specified.


- Hispanic women had lower incidence rates than non-Hispanic women for all cancers combined, breast cancer, colorectal cancer, lung and bronchus cancer, cancer of the corpus uterus and uterus not otherwise specified, and thyroid cancer. However, Hispanic women had a higher average annual incidence rate than non-Hispanic women in cervical cancer.

Cancer Incidence by Region of Westchester County

Males

- The overall cancer incidence rate among males was highest in the Northwest Health Planning Region (HPR) of the county, and lowest in the East Central and West Central HPR (Figure 4).

Figure 4. Average Annual Total Malignant Tumor Incidence Rates among Males by Health Planning Region, Westchester County, 2004-2008




Rates are per 100,000 persons.
*Rate is significantly different from the County average.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- The total cancer incidence rate among males in the West Central HPR was significantly lower than the county average (Figure 4). There were no other significant differences in any individual cancer rates in this region compared to the county average.

- Men residing in the East Central HPR of the county had lower incidence rates of overall cancer than the county average (Figure 4), as well as a lower incidence rate of multiple myeloma.

- In the Northeast HPR, incidence rates for lung and bronchus cancer were significantly lower than the county average (Figure 5), as well as for stomach cancer and cancer of the liver and intrahepatic bile duct.


Figure 5. Average Annual Lung and Bronchus Cancer Incidence Rates among Males by Health Planning Region, 2004-2008



Rates are per 100,000 persons.
*Rate is significantly different from the County average.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Males in the Southwest HPR had higher rates of lung and bronchus cancer than the county average (Figure 5). However, males in the Southwest HPR of the county had lower rates of incidence for prostate cancer (Figure 6), as well as pancreatic cancer, melanoma of the skin, and thyroid cancer than the county average.


Figure 6. Average Annual Prostate Cancer Incidence Rates by Health Planning Region, Westchester County, 2004-2008



Rates are per 100,000 persons.
*Rate is significantly different from the County average.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Although colorectal cancer has the third highest incidence rate, there were no significant differences in Westchester County by region (Figure 7).

Figure 7. Average Annual Colorectal Cancer Incidence Rates among Males by Health Planning Region, Westchester County, 2004-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

Females

- The average annual incidence rate for all invasive malignant tumors was highest among women in the Northeast HPR, followed by the Northwest HPR, and lowest in the Southwest HPR. However, these rates were not significantly different from the county average. (Figure 8)


Figure 8. Average Annual Total Malignant Tumor Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Women living in the East Central HPR had a lower incidence rate for lung and bronchus cancer than the County average (Figure 9).


Figure 9. Average Annual Lung and Bronchus Cancer Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008



Rates are per 100,000 persons.
*Rate is significantly different from the County average.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- The incidence rate of breast cancer was higher than the county average among women in the Northeast HPR, but lower than the county average among the women residing in the Southwest HPR (Figure 10).

Figure 10. Average Annual Breast Cancer Incidence Rates among Females by Health Planning Region, Westchester County, 2004-2008



Rates are per 100,000 persons.
*Rate is significantly different from the County average.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- The incidence rate of melanoma of the skin was lower than the county average among women in the Southwest HPR.


Cancer Incidence in Westchester County Compared with New York State

Males

- The average annual cancer incidence rate for men in Westchester County was lower than for New York State as a whole (573.3 vs. 580.9 per 100,000), as well as New York State excluding New York City (573.3 vs. 611.4).

- Compared to all of New York State, the cancer incidence rates for men in Westchester County were lower for lung and bronchus cancer and esophageal cancer (Figure 11).

Figure 11. Average Annual Cancer Incidence Rates among Males by Race, Westchester County and New York State, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Westchester County men had higher rates of prostate cancer, melanoma of the skin and thyroid cancer compared to the entire State of New York.

- Compared to New York State excluding New York City, the cancer incidence rate for Westchester County men was lower for lung and bronchus cancer, cancer of the urinary bladder, including in situ, and esophageal cancer.

- Compared to New York State, the overall cancer incidence rate for white men in Westchester County was lower (564.1 vs. 583.8), as well as for lung and bronchus cancer, colorectal cancer, cancer of the esophagus, and cancer of the larynx.

- The incidence rate for melanoma of the skin was higher, however, for the white men in Westchester County as compared to the white men of New York State.

- When compared to New York State excluding New York City, the overall cancer incidence rate for Westchester County's white men was lower (564.1 vs. 611.3). In addition, the incidence rates of lung and bronchus cancer, colorectal cancer, cancer of the esophagus, and cancer of the larynx were also lower among Westchester County white men.

- The incidence rate for cancer of the urinary bladder, including in situ, was lower for Westchester County's white male population compared to New York State when excluding New York City.

- For black men in Westchester County, the overall cancer incidence rate was higher than the overall New York State cancer incidence rate for black men (649.1 vs. 600.6).

- When compared to New York State excluding New York City, Westchester's black men had lower incidence rates for lung and bronchus cancer (Figure 11).

- Among Hispanic men, the overall cancer incidence rate was higher in Westchester County than in the whole of New York State (520.2 vs. 474.1).


- In addition, Hispanic men in Westchester County had a higher incidence rate of prostate cancer compared to Hispanic men in New York State, as well as in New York State excluding New York City (188.9 vs. 146.7).

- However, Hispanic men in Westchester County had a significantly lower rate of colon cancer, excluding rectum, than the New York State average.

Females

- The average annual incidence rate for women in Westchester County was significantly higher than New York State (454.4 vs. 438.4), but significantly lower than New York State when excluding New York City (454.4 vs.468.9).

Figure 12. Average Annual Cancer Incidence Rates among Females by Race, Westchester County and New York State, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Compared to New York State, the cancer incidence rates for women in Westchester County were significantly higher for breast cancer, melanoma of the skin, and Hodgkin Lymphoma (Figure 12).

- Westchester County women had a lower overall cancer incidence rate than New York State, excluding New York City (454.4 vs. 468.9), as well as lung and bronchus cancer and cancer of the kidney and renal pelvis. However, Westchester County women had a higher incidence rate of stomach cancer compared to New York State excluding New York City.

- Westchester County white women had higher incidence rates of total cancers (467.8 vs. 455.0), breast cancer, and Hodgkin Lymphoma compared to white women in New York State as a whole. However, they had lower rates of lung and bronchus cancer when compared with the state average.


- When compared to the New York State average excluding New York City, white women in Westchester County had lower rates of lung and bronchus cancer and cancer of the kidney and renal pelvis, but higher incidence rates of breast cancer, stomach cancer, and Hodgkin lymphoma.

- The overall cancer incidence rate among Westchester County black women was higher than the average rate among black women in New York State (409.1 vs. 373.7).

Trends in Average Annual Cancer Incidence Rates

- The average annual cancer incidence rates have demonstrated an overall increasing trend since the 1976-1981 period for both men and women in Westchester County, New York State, and New York State excluding New York City. In the past ten years, there has been a slight decreasing trend for men, but not for women (Figure 13).

Figure 13. Average Annual Total Invasive Malignant Tumor Incidence Rates by Sex, Westchester County and New York State, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- In the 30 years since the collection of incidence data was first started by the New York State Department of Health, the average annual incidence rate for all malignancies among males in Westchester County has increased by 17.9% (from 477.5 per 100,000 men during 1976-1981 to 562.9 per 100,000 men in 2004-2008). Among females, the increase was 20.3% (from 373.0 to 448.7 per 100,000 women).

- For males, the average annual incidence rates of lung and bronchus cancer have been declining over the past three decades. The average annual incidence rate has fallen by 27.4% since its peak of 89.2 per 100,000 men in 1982-1987 to its current level of 64.4 per 100,000 men in 2004-2008. (Figure 14)

Figure 14. Average Annual Lung and Bronchus Cancer Incidence Rates by Sex, Westchester County and New York State, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- For females, however, the trend is reversed. The average annual incidence rate of lung and bronchus cancer has increased by 59.9% (from 33.2 in 1976-1981 to 53.1 per 100,000 in 2004-2008).

- The average annual incidence rate of colorectal cancer has been declining for both men and women. Among Westchester County males, incidence rates have declined by 36.6% since 1976-1981 (from an annual average incidence of 84.4 to 53.5 per 100,000 men) (Figure 15).

Figure 15. Average Annual Colorectal Cancer Incidence Rates by Sex, Westchester County and New York State, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Among Westchester County females, incidence rates of colorectal cancer have declined by 29.0% since the 1976-1981 time period (from 60.0 to 42.6 per 100,000 women in 2004-2008).

- Average annual incidence rates of melanoma of the skin have been rising for both men and women. Among Westchester County men, the rate of incidence for this cancer has increased by 154.2% (from 9.6 in 1976-1981 to 24.4 per 100,000 in 2004-2008); and among women, by 106.8% (from 7.3 in 1976-1981 to 15.1 per 100,000 in 2004-2008) (Figure 16).


Figure 16. Average Annual Melanoma of the Skin Incidence Rates by Sex, Westchester County, 1976-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- The average annual incidence rate of prostate cancer in Westchester County has increased by 136.2%, from 80.9 per 100,000 in 1976-1981, to 191.1 cases per 100,000 in 1999-2003, when the incidence rate reached a peak. However, the incidence rate of prostate cancer declined during the 2004-2008 time period, to 174.8 cases per 100,000 men (Figure 17).

Figure 17. Average Annual Prostate Cancer Incidence Rates, Westchester County and New York State, 1976-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Among Westchester County residents, other cancers that have shown an increasing trend in incidence rates include cancer of the liver and intrahepatic bile duct, female breast, testicular cancer, cancer of the kidney and renal pelvis, thyroid cancer, and non-Hodgkin lymphomas.

- Some cancers that have decreased in incidence include cancer of the cervix uteri, stomach cancer, and cancer of the oral cavity and pharynx.

Estimated Cancer Prevalence

- Prevalence represents new and pre-existing cases living at a particular point in time, in contrast to incidence which reflects new cases diagnosed during a given time period. For this reason, prevalence is a function of both the incidence and survival of a disease. Cancer prevalence, therefore, refers to the number of people who have been diagnosed with cancer and who are still alive. These could be either people who are currently living with cancer or people whose cancer is in remission (meaning, their cancer had been successfully treated, and while they are now living free of the disease, the possibility of the cancer returning remains).

- Cancer prevalence is a statistic of interest because it identifies the burden the disease places on the population and on the health care system.

- According to the National Cancer Institute, as of January 2008, it is estimated that there are 11.9 million cancer survivors in the United States, approximately 4% of the population. About 15% of these 11.9 million people were diagnosed 20 or more years ago, and 60% of these survivors are currently 65 years of age or older.[3]


- It is estimated that 67% percent of adults in the United States who have been diagnosed with cancer will survive at least five years. Among children, over 75% of childhood cancer cases will survive ten years after their diagnosis.[3] The most common cancer survivors are those with female breast cancer (22%), prostate cancer (20%), colorectal cancer (9%), and gynecologic cancers (8%).

- As of January 1, 2008, there were an estimated 43,300 cancer survivors living in Westchester County. Among these, an estimated 9,000 (21%) had been diagnosed with breast cancer, 8,620 (20%) had been diagnosed with prostate cancer, 4,000 (9%) had survived a diagnosis of colorectal cancer, and 1,350 (3%) were survivors of lung cancer. (Figure 18)

- In Westchester County between 2004 and 2008, an average of 11% of all newly diagnosed cases of cancer were lung and bronchus cancers (Figure 19). During the same time period, only 5% of cancer survivors had a history of lung and bronchus cancer. When looking at all patients ever diagnosed with cancer, only 3% had a history of lung and bronchus cancer. (Figure 18) The high incidence rate of lung and bronchus cancer compared to its relatively low prevalence indicates that this cancer has a low survival rate.

[3] National Cancer Institute: Cancer Survivorship Research. (2010, 12 20). Retrieved November 23, 2011 from http://cancercontrol.cancer.gov/ocs/prevalence/.


Figure 18. Estimated Number of Persons Alive Diagnosed with Cancer by Site, Westchester County, January 1, 2008



Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- On the other hand, between 2004 and 2008, breast cancer comprised an average of 15% of all newly diagnosed cases of cancer. However, breast cancer survivors made up 21% of all people ever diagnosed with cancer. This indicates a higher survival rate for breast cancer cases and the importance of regular screenings and early diagnosis.

Figure 19. Percent of Newly Diagnosed Cancer Cases by Site, Westchester County, 2004-2008




Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

Cancer Mortality by Sex

- During 2004 to 2008, the average annual mortality rate of all combined invasive malignant cancers was 181.1 per 100,000 for men and 142.6 per 100,000 for women among Westchester County residents.

- The overall mortality rate was significantly higher for men than for women, as well as for nearly all cancers. The only cancers for which there was no significant difference in mortality rates between men and women were stomach cancer, colon cancer (excluding rectum), rectum and rectosigmoid, thyroid cancer, multiple myeloma, and Hodgkin lymphoma.

Figure 20. Average Annual Cancer Mortality Rates by Sex, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry.
Data as of November 2010.

- For both men and women, the cancer with the highest mortality rate was lung and bronchus cancer. The cancer with the second highest mortality rate was prostate cancer among men, and breast cancer among women. Colorectal cancer was the cancer with the third highest mortality rate for both sexes (Figure 20).

Cancer Mortality by Sex, Race and Ethnicity


Males

- The average annual cancer mortality rate was 179.0 per 100,000 among white men and 212.7 per 100,000 among black men.

- The overall cancer mortality rate was significantly higher among blacks than whites.

- For both whites and blacks, lung and bronchus cancer had the highest mortality rate, followed by prostate cancer and colorectal cancer (Figure 21).

Figure 21. Average Annual Cancer Mortality Rates among Males by Race and Ethnicity, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- For black men, compared to white men, the mortality rates of colorectal cancer, prostate cancer, and multiple myeloma were significantly higher. For white men however, the mortality rates from cancer of the urinary bladder including in situ, and melanoma of the skin were higher than for black men.

- The overall average cancer mortality rate among Hispanic men in Westchester County was significantly lower than among non-Hispanic men (148.9 per 100,000 vs. 183.5 per 100,000). However, there were no individual cancer sites in which Westchester County's Hispanic men had significantly higher or lower incidence rates when compared to non-Hispanic men.

Females

- The average annual cancer mortality rate was 140.4 per 100,000 among white women and 169.0 per 100,000 among black women living in Westchester County during 2004-2008.


- Lung and bronchus cancer and breast cancer were the top two causes of cancer mortality for both black and white women, followed by colorectal cancer and pancreatic cancer. (Figure 22)

- Compared to white women, black women had higher overall cancer mortality rates. In addition, black women also had high mortality rates for stomach cancer and multiple myeloma.

- The average annual cancer mortality rate for Hispanic women in Westchester County was lower than that of non-Hispanic women in the county (95.8 vs. 145.9). (Figure 22)

- The top causes of cancer mortality among non-Hispanic women were lung and bronchus cancer, breast cancer, and colorectal cancer. Among Hispanic women, the top causes of cancer mortality were due to breast cancer, followed by lung and bronchus cancer and colorectal cancer.

Figure 22. Average Annual Cancer Mortality Rates among Females by Race and Ethnicity, Westchester County, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.


- Hispanic women had lower mortality rates for lung and bronchus cancer and breast cancer when compared to non-Hispanic women in Westchester County.

Cancer Mortality in Westchester County Compared with New York State

Males

- The average annual cancer mortality rate for men in Westchester County was lower than that of men in New York State both including and excluding New York City, 181.1 vs. 202.7 and 214.3, respectively (Figure 23).

Figure 23. Average Annual Cancer Mortality Rates among Males by Race, Westchester County and New York State, 2004-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- In addition, the mortality rates due to lung and bronchus cancer, colorectal cancer, and esophageal cancer were lower among males in Westchester County when compared to the state average, including and excluding the City of New York. (Figure 23)

- Compared to the average annual cancer mortality rate for New York State, including and excluding New York City, white men in Westchester County had a lower rate of cancer mortality (179.0 vs. 203.5 and 213.6, respectively), as well as lower rates of mortality due to lung and bronchus cancer, colorectal cancer and esophageal cancer.

- When compared to the New York State average, both including and excluding New York City, black males had a significantly lower mortality rate for cancer of the oral cavity and pharynx.

- When compared to the New York State average excluding New York City, black males in Westchester County had significantly lower rates of mortality for all cancers combined (212.7 vs. 249.6) and for lung and bronchus cancer.

Females


- Westchester County women had lower rates of overall cancer mortality than the New York State average excluding New York City (142.6 vs. 156.6), as well as a lower mortality rate due to lung and bronchus cancer. However, Westchester women had a higher rate of mortality from stomach cancer (Figure 24).

- White women in Westchester County also had a significantly lower overall rate of cancer mortality, compared to the New York State average either including or excluding New York City (140.4 vs. 148.7 vs. 156.7, respectively).

- The average annual cancer mortality rates due to lung and bronchus cancer were significantly lower for white women in Westchester County compared to white women in New York State, both including and excluding New York City.

- The overall average annual cancer mortality rate among black women, in contrast, was significantly higher for residents of Westchester County when compared to those of New York State including New York City (169.0 vs. 145.3).

Figure 24. Average Annual Cancer Mortality Rates among Females by Race, Westchester County and New York State, 2004-2008




Rates are per 100,000 persons.

Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

Trends in Average Annual Cancer Mortality Rates

- Mortality rates due to cancer have been decreasing since 1976-1981, the earliest time period for which cancer mortality data are available, for the men and women in Westchester County, New York State, and New York State excluding New York City.

Figure 25. Average Annual Total Invasive Malignant Tumor Mortality Rates by Sex, Westchester County and New York State, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health. New York State Cancer Registry. Data as of November 2010.

- During the past three decades, the overall average annual cancer mortality rate among males in Westchester County has decreased by 35.8%. And among females, the mortality rate has decreased by 23.2% (Figure 25).

- The mortality rates due to lung and bronchus cancer have been declining over the past 30 years for males but rising for females. For men in Westchester County, the average annual mortality rate of lung and bronchus cancer has decreased by 39.7% (from 76.6 to 46.2 per 100,000) since 1976. In contrast, the mortality rate among women in Westchester County has increased by 25.9% during the same time period (from 26.3 to 33.1 per 100,000) (Figure 26).

Figure 26. Average Annual Lung and Bronchus Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- In the past 10 years, however, women's mortality rate due to lung and bronchus cancer has declined by 11.0%, from a peak of 37.2 cases per 100,000 in 1994-1998 to 33.1 cases per 100,000 in 2004-2008.

- The average annual mortality rate of colorectal cancer has been declining for both men and women. Among Westchester County men, mortality rates have declined by 58.4% over the past 30 years. Among Westchester County women, mortality rates have also declined at a similar pace of 52.3%. (Figure 27)


Figure 27. Average Annual Colorectal Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- The average annual mortality rate due to prostate cancer has declined by 42.7% since 1976-1981 (from 37.7 per 100,000 to 21.6 per 100,000 in 2004-2008). The mortality rate due to female breast cancer has decreased by 40.3% during the same time period (from 39.5 per 100,000 to 23.6 per 100,000). (Figure 28)

Figure 28. Average Annual Prostate Cancer Mortality and Female Breast Cancer Mortality Rates, Westchester County, 1976-2008




Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

- Among Westchester County residents, other cancers that have shown decreasing trends in mortality rates include cancer of the oral cavity and pharynx, cancer of the larynx, stomach cancer, and cancer of the urinary bladder including in situ.

- The only cancer showing a clear, though slight, increase in average annual mortality rates among Westchester County's population since the late 1970s was cancer of the liver and intrahepatic bile ducts: increasing from 3.2 per 100,000 in 1976-1981 to 7.2 per 100,000 in 2004-2008 among men and from 1.6 per 100,000 in 1976-1981 to 2.9 per 100,000 in 2004-2008 among women. (Figure 29)

Figure 29. Average Annual Liver and Intrahepatic Bile Duct Cancer Mortality Rates by Sex, Westchester County and New York State, 1976-2008



Rates are per 100,000 persons.
Source: New York State Department of Health, New York State Cancer Registry. Data as of November 2010.

Early Stage Cancer Diagnoses

- Cancers can be diagnosed at any stage during their development. The earlier the diagnosis, the lower the chances that the cancer has begun to spread and the better a person's chances of benefiting from treatment and possibly being cured. Tracking the percentage of cancers diagnosed at an early stage is a useful method for assessing the impact of cancer screening.

- Screening for certain cancers among targeted age-groups or other high risk individuals provides the most reliable and accurate means of detecting cancers early and evidence suggests that these tests decrease cancer mortality rates.[4] Examples of targeted screening tests include: mammography for breast cancer, pap test for cervical cancer, the prostate-specific antigen test for prostate cancer, and the fecal occult blood test and/or colonoscopy for colorectal cancer.

- Between 2004 and 2008, the percentages of Westchester County men and women diagnosed in the early stages of their cancer development were similar to most other surrounding counties, as well as New York State and New York State excluding New York City.

Table A. Percent of Cancers Diagnosed at an Early Stage* among Males by Select County and New York State, 2004-2008**

	Males					
Region/County	Colorectal	Lung	Melanoma	Oral	Prostate	Testis
Westchester	45.5	20.4	83.1	23.9	85.5	68.2
Putnam	33.7	21.0	76.0	29.0	87.0	94.7 [1]
Rockland	41.7	23.0	80.1	33.8	89.7	76.6
Suffolk	45.8	22.4	81.1	30.5	89.1	70.9
Nassau	45.4	24.1	86.0	29.5	88.0	70.7
New York City	41.8	19.5	81.7	25.9	85.5	66.4
Bronx	43.8	14.2	73.6	21.0	84.8	63.4
Kings (Brooklyn)	39.6	18.6	78.2	27.4	86.3	70.8
New York (Manhattan)	44.7	24.1	85.5	26.1	82.6	68.3
Queens	41.3	19.8	79.6	26.3	86.7	61.2
Richmond (Staten Island)	41.5	20.6	84.7	31.5	89.4	64.2
New York State	44.4	19.7	81.4	28.8	85.7	70.7
New York State excluding NYC	46.0	19.8	81.3	30.5	85.8	72.9

**Based on tumors with known stage at diagnosis

*Early stage cancers are those which are confined to the organ of origin at diagnosis.

[1] Due to the small number of cases, percent should be used with caution.

Source: New York State Department of Health, New York State Cancer Registry. http://www.health.state.ny.us/statistics/cancer/registry

[4] National Cancer Institute: Cancer Trends Progress Report 2009/2010 Update. (2010,4 15). Retrieved November 28, 2011 from http://progressreport.cancer.gov/index.asp.

- Among Westchester County men, the cancers with the lowest rates of early diagnosis were lung cancer (20.4%) and oral cancer (23.9%) (Table A). Prostate cancer and melanoma of the skin were the cancers with the highest rates of early diagnosis (85.5% and 83.1%, respectively).

- Among Westchester County women, the cancers with the lowest rates of early diagnosis were ovarian cancer (18.5%), lung cancer (23.0%), colorectal cancer (41.4%), oral cancer (41.5%), and cervical cancer (43.6%) (Table B).

Table B. Percent of Cancers Diagnosed at an Early Stage* among Females by Select County and New York State, 2004-2008**

	Females							
Region/County	Breast	Cervix	Colorectal	Lung	Melanoma	Oral	Uterus	Ovary
Westchester	64.5	43.6	41.4	23.0	86.3	41.5	68.9	18.5
Putnam	60.2	~	37.3	23.5	78.8	~	79.5	20.0*
Rockland	66.1	40.0	48.9	24.4	84.0	38.9	68.5	14.4
Suffolk	60.9	50.9	44.0	24.9	84.9	43.5	70.8	17.3
Nassau	65.1	48.8	45.0	28.1	88.6	47.7	71.5	14.6
New York City	60.0	46.1	40.2	22.6	85.2	40.7	65.3	18.2
Bronx	57.4	46.8	43.1	17.3	79.0	40.2	65.9	21.0
Kings (Brooklyn)	56.1	41.8	39.7	20.7	81.5	33.7	61.7	18.6
New York (Manhattan)	64.4	50.8	40.1	27.6	90.0	42.4	67.5	16.8
Queens	60.1	48.7	39.8	23.7	82.4	44.8	66.6	18.0
Richmond (Staten Island)	65.8	43.3	37.6	21.6	86.0	50.0	67.9	14.8
New York State	63.1	47.2	42.6	22.8	84.9	42.7	69.4	17.6
New York State excluding NYC	64.8	48.2	44.1	22.9	84.8	44.1	72.0	17.3

** Based on tumors with known stage at diagnosis

* Early stage cancers are those which are confined to the organ of origin at diagnosis.

[1] Due to the small number of cases, percent should be used with caution.

~ Percent could not be calculated, fewer than 3 cases per year.

Source: New York State Department of Health, New York State Cancer Registry.

http://www.health.state.ny.us/statistics/cancer/registry

- Although the percentage of women diagnosed with early stage oral cancer was much greater than that of men (41.5% vs. 23.9%), the percentage of cases detected in their earliest stage was still low. Less than half of female patients who developed oral cancer were diagnosed before the cancer had spread to other organs.

Incidence of Childhood Cancers

- According to the National Cancer Institute, over the past 30 years, there has been some increase in the incidence of children diagnosed with all forms of invasive malignant tumors nationwide, from 11.5 cases per 100,000 children in 1975 to 14.8 per 100,000 in 2004. During the same period of time, however, mortality rates have decreased dramatically.

- In 2007, approximately 10,400 children were diagnosed with cancer under the age of 15 in the United States. During that same year, cancer was the leading cause of death by disease among children aged 1 to 14 years.[5]

- Among the 12 major types of cancers that afflict children, leukemias and cancers of the brain and central nervous system account for nearly half of these childhood cancers.[5]

Table C. Average Annual Childhood Cancer Incidence by Select County and New York State, 2004-2008

Region / County	Ages 0-19		
	Average Annual Cases	Rate	95% CI
Westchester	48.0	18.6	16.2 - 21.0
Putnam	3.8	13.8	7.6 - 20.0
Rockland	18.0	19.6	15.5 - 23.7
Suffolk	78.8	18.9	17.0 - 20.8
Nassau	66.2	18.3	16.3 - 20.3
New York City	390.4	18.4	17.6 - 19.2
Bronx	76.2	17.4	15.6 - 19.2
Kings (Brooklyn)	134.4	18.9	17.5 - 20.3
New York (Manhattan)	61.0	20.2	17.9 - 22.5
Queens	93.6	17.1	15.5 - 18.7
Richmond (Staten Island)	25.2	19.8	16.3 - 23.3
New York State	940.4	18.3	17.8 - 18.8
New York State excluding NYC	548.8	18.3	17.6 - 19.0

Rates are per 100,000 persons, age-adjusted within the 0-19 years age interval to the 2000 US standard population.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source: New York State Department of Health, New York State Cancer Registry.

http://www.health.state.ny.us/statistics/cancer/registry

- Between 2004-2008, there was an annual average of 48.0 cases of newly diagnosed cancers among Westchester County children aged 19 or younger. (Table C)

- During this time period, the average annual incidence rate of childhood cancers for Westchester County's children was not significantly different than that of neighboring counties, the boroughs of New York City, or that of New York State or New York State excluding New York City.

[5] National Cancer Institute Fact Sheet: Childhood Cancers. (2008, 1 8). Retrieved November 21, 2011 from http://www.cancer.gov/cancertopics/factsheet/Sites-Types/childhood.

Tables

Table 1. Average Annual Cancer Incidence Rates by Sex, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	Males			Females			Males			Females			Males			Females			Male	Female
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	2,641	573.3	9.9	2,708	454.4	7.8	52,177	580.9	2.3	50,827	438.4	1.7	33,788	611.4	3.0	32,100	468.9	2.3	541.0	411.6
Oral Cavity and Pharynx	65	13.6	1.5	35	5.8	0.9	1,411	14.9	0.4	696	6.0	0.2	889	15.3	0.5	423	6.2	0.3	15.7	6.2
Esophagus	32	7.0	1.1	15	2.4	0.5	795	8.8	0.3	281	2.3	0.1	555	10.0	0.4	166	2.3	0.2	7.8	1.9
Stomach	51	11.4	1.4	42	6.6	0.9	1,114	12.7	0.3	767	6.4	0.2	572	10.5	0.4	355	4.9	0.2	10.8	5.4
Colorectal	245	53.5	3.0	268	42.6	2.3	5,002	56.7	0.7	5,210	43.0	0.5	3,104	57.1	0.9	3,162	43.6	0.7	55.0	41.0
Colon excluding Rectum	173	38.3	2.6	204	32.2	2.0	3,494	40.1	0.6	3,922	32.1	0.5	2,163	40.2	0.8	2,398	32.8	0.6	--	--
Rectum & Rectosigmoid	72	15.3	1.6	64	10.4	1.2	1,508	16.6	0.4	1,288	10.9	0.3	941	16.8	0.5	764	10.9	0.3	--	--
Liver / Intrahepatic Bile Duct	54	11.1	1.3	20	3.3	0.7	1,155	12.2	0.3	444	3.8	0.2	542	9.4	0.4	213	3.0	0.2	11.2	3.9
Pancreas	68	14.8	1.6	76	11.7	1.2	1,293	14.7	0.4	1,423	11.6	0.3	820	15.0	0.5	870	11.9	0.4	13.6	10.7
Larynx	27	5.9	1.0	8	1.3	0.4	658	7.1	0.2	181	1.6	0.1	408	7.2	0.3	114	1.7	0.1	6.0	1.3
Lung and Bronchus	290	64.4	3.3	325	53.1	2.6	6,810	77.3	0.8	6,478	54.8	0.6	4,601	84.3	1.1	4,508	64.2	0.8	75.2	52.3
Melanoma of the Skin	113	24.4	2.0	87	15.1	1.4	1,837	20.4	0.4	1,419	12.8	0.3	1,368	24.7	0.6	1,000	15.6	0.4	26.7	16.7
Female Breast	--	--	--	800	137.4	4.3	--	--	--	14,154	124.3	0.9	--	--	--	8,983	133.5	1.3	--	124.0
Cervix Uteri	--	--	--	40	7.3	1.0	--	--	--	909	8.5	0.2	--	--	--	441	7.3	0.3	--	8.1
Corpus Uterus and NOS	--	--	--	178	30.0	2.0	--	--	--	3,379	29.1	0.4	--	--	--	2,056	30.0	0.6	--	23.9
Ovary	--	--	--	83	14.1	1.4	--	--	--	1,534	13.3	0.3	--	--	--	958	14.0	0.4	--	12.8
Prostate	821	174.8	5.4	--	--	--	15,288	166.9	1.2	--	--	--	9,787	172.6	1.5	--	--	--	156.0	--
Testis	27	6.2	1.1	--	--	--	527	5.6	0.2	--	--	--	345	6.6	0.3	--	--	--	5.5	--
Urinary Bladder (incl. in situ)	185	41.6	2.7	72	11.3	1.2	3,652	42.5	0.6	1,331	11.0	0.3	2,622	49.1	0.9	926	12.9	0.4	37.5	9.2
Kidney and Renal Pelvis	100	21.5	1.9	57	9.5	1.1	1,992	21.7	0.4	1,207	10.4	0.3	1,307	23.2	0.6	788	11.6	0.4	20.0	10.2
Brain and Other Nervous System	38	8.1	1.2	29	5.2	0.9	740	8.1	0.3	600	5.5	0.2	479	8.7	0.4	373	5.9	0.3	7.7	5.4
Thyroid	40	8.4	1.2	112	21.6	1.8	654	6.9	0.2	2,079	19.8	0.4	411	7.2	0.3	1,239	21.0	0.5	5.6	16.3
Hodgkin Lymphoma	15	3.2	0.7	19	4.1	0.8	351	3.7	0.2	300	2.9	0.2	210	3.8	0.2	178	3.2	0.2	3.1	2.6
Non-Hodgkin	126	27.7	2.2	116	19.1	1.6	2,301	25.5	0.5	2,033	17.5	0.3	1,473	26.8	0.6	1,293	18.7	0.5	24.0	16.5
Multiple Myeloma	42	9.0	1.2	32	5.1	0.8	718	8.1	0.3	664	5.5	0.2	438	8.0	0.3	371	5.2	0.2	7.2	4.6
Leukemias	85	18.7	1.8	67	10.9	1.2	1,531	17.4	0.4	1,202	10.4	0.3	1,044	19.3	0.5	794	11.6	0.4	16.1	19.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 2. Average Annual Cancer Incidence Rates Among White and Black Males, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	White			Black			White			Black			White			Black			White	Black
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	2,208	564.1	10.6	323	649.1	33.2	42,636	583.8	2.5	6,957	600.6	6.7	31,005	611.3	3.1	2,115	661.7	13.5	543.6	626.1
Oral Cavity and Pharynx	56	13.9	1.6	7	12.1	4.3	1,129	14.9	0.4	184	14.5	1.0	821	15.5	0.5	51	14.2	1.8	16.1	15.6
Esophagus	27	6.9	1.2	4	8.9	4.0	673	9.1	0.3	98	8.6	0.8	518	10.1	0.4	31	10.3	1.8	8.1	8.6
Stomach	41	10.7	1.5	7	15.4	5.3	809	11.3	0.3	180	17.7	1.2	506	10.1	0.4	48	17.4	2.4	9.5	17.2
Colorectal	200	51.4	3.2	29	60.2	10.4	4,071	56.4	0.8	650	58.7	2.1	2,835	56.6	0.9	202	65.1	4.4	54.4	67.7
Colon excluding Rectum	140	36.3	2.7	21	44.1	8.9	2,836	39.7	0.7	477	43.9	1.9	1,970	39.7	0.8	150	49.6	3.9	--	--
Rectum & Rectosigmoid	60	15.1	1.7	8	16.1	5.4	1,235	16.8	0.4	173	14.8	1.0	865	16.9	0.5	52	15.5	2.0	--	--
Liver / Intrahepatic Bile Duct	40	9.9	1.4	9	18.0	5.4	786	10.4	0.3	211	16.6	1.0	456	8.7	0.4	62	17.4	2.1	9.6	15.1
Pancreas	60	15.2	1.7	7	15.4	5.1	1,093	15.1	0.4	155	14.0	1.0	759	15.0	0.5	50	16.9	2.2	13.5	17.1
Larynx	21	5.4	1.0	6	11.7	4.6	536	7.1	0.3	103	8.7	0.8	372	7.1	0.3	33	10.4	1.7	6.0	9.8
Lung and Bronchus	249	64.3	3.6	37	75.3	11.4	5,715	79.0	0.9	826	74.1	2.4	4,266	84.7	1.1	288	95.1	5.3	75.3	99.8
Melanoma of the Skin	107	27.4	2.3	1	1.7	1.5	1,743	23.9	0.5	14	1.3	0.3	1,326	26.3	0.6	4	1.0	0.5	30.9	1.2
Prostate	649	162.3	5.6	133	271.0	21.6	11,648	156.1	1.3	2,914	251.8	4.3	8,714	167.0	1.6	839	263.3	8.4	149.5	233.8
Testis	24	7.1	1.3	1	2.2	1.6	478	6.8	0.3	22	1.4	0.3	333	7.4	0.4	5	1.1	0.4	6.5	1.3
Urinary Bladder (incl. in situ)	170	44.1	3.0	10	22.9	6.5	3,357	47.1	0.7	181	17.8	1.2	2,535	51.1	0.9	58	21.0	2.6	40.6	21.6
Kidney and Renal Pelvis	87	22.0	2.1	11	19.2	5.3	1,689	22.8	0.5	219	17.4	1.1	1,212	23.5	0.6	75	20.9	2.3	20.5	23.3
Brain and Other Nervous System	33	8.6	1.3	4	7.2	3.2	639	8.8	0.3	62	4.5	0.5	455	9.2	0.4	17	4.0	0.9	8.4	4.6
Thyroid	36	9.0	1.3	2	3.2	2.2	555	7.4	0.3	44	3.4	0.5	381	7.5	0.3	15	4.1	1.0	5.9	3.2
Hodgkin Lymphoma	12	3.3	0.9	3	4.0	2.2	279	3.9	0.2	54	3.5	0.4	189	3.9	0.3	17	3.6	0.8	3.3	3.2
Non-Hodgkin	111	28.6	2.4	9	17.2	5.2	1,951	26.8	0.5	244	18.7	1.1	1,368	27.2	0.7	75	21.0	2.3	25.0	17.9
Multiple Myeloma	31	7.7	1.2	9	18.2	5.5	543	7.5	0.3	148	13.2	1.0	385	7.6	0.3	45	14.6	2.1	6.8	14.5
Leukemias	75	19.4	2.0	7	12.8	4.6	1,322	18.5	0.5	132	11.1	0.9	974	19.7	0.6	46	13.2	1.9	16.8	12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 3. Average Annual Cancer Incidence Rates Among White and Black Females, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	White			Black			White			Black			White			Black			White	Black
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	2,296	467.8	8.8	318	409.1	20.3	41,738	455.0	2.0	6,590	373.7	4.1	29,701	476.0	2.5	1,783	413.4	8.7	423.0	400.9
Oral Cavity and Pharynx	29	5.8	1.0	4	4.7	2.1	553	6.0	0.2	94	5.3	0.5	389	6.3	0.3	23	5.3	1.0	6.2	5.6
Esophagus	13	2.3	0.6	2	2.7	1.6	220	2.2	0.1	51	2.9	0.4	151	2.3	0.2	13	3.0	0.8	1.8	2.7
Stomach	31	6.0	1.0	8	10.5	3.3	532	5.5	0.2	165	9.8	0.7	302	4.6	0.2	40	9.8	1.4	4.6	8.5
Colorectal	221	41.6	2.5	39	50.5	7.2	4,158	42.2	0.6	785	45.4	1.4	2,907	43.4	0.7	200	48.6	3.1	40.2	51.2
Colon excluding Rectum	169	31.5	2.2	29	38.5	6.3	3,142	31.5	0.5	602	35.1	1.3	2,210	32.6	0.6	156	38.2	2.7	--	--
Rectum & Rectosigmoid	52	10.0	1.3	10	12.0	3.4	1,016	10.7	0.3	182	10.3	0.7	697	10.8	0.4	45	10.4	1.4	--	--
Liver / Intrahepatic Bile Duct	16	3.0	0.7	3	3.8	2.0	316	3.3	0.2	77	4.4	0.4	183	2.8	0.2	20	4.6	0.9	3.3	4.6
Pancreas	65	11.7	1.3	9	12.5	3.6	1,167	11.6	0.3	211	12.4	0.8	796	11.7	0.4	62	15.4	1.7	10.5	14.8
Larynx	6	1.2	0.4	2	2.0	1.4	147	1.6	0.1	31	1.7	0.3	105	1.7	0.1	9	2.0	0.6	1.3	1.9
Lung and Bronchus	285	55.3	2.9	35	46.5	7.0	5,589	59.0	0.7	707	40.7	1.4	4,256	66.0	0.9	211	50.7	3.1	54.6	54.7
Melanoma of the Skin	82	17.6	1.8	1	1.0	1.0	1,328	15.6	0.4	21	1.2	0.2	963	16.8	0.5	6	1.3	0.5	19.7	0.9
Female Breast	675	142.7	4.9	93	116.8	10.7	11,517	129.1	1.1	1,913	106.7	2.2	8,268	135.4	1.3	529	118.3	4.6	127.3	119.9
Cervix Uteri	27	6.4	1.1	10	12.5	3.5	599	7.5	0.3	225	12.5	0.7	375	7.1	0.3	50	10.9	1.4	8.0	10.0
Corpus Uterus and NOS	152	31.3	2.3	21	26.0	5.1	2,736	30.0	0.5	479	26.8	1.1	1,909	30.6	0.6	110	25.5	2.2	24.8	20.9
Ovary	73	15.1	1.6	8	9.6	3.1	1,284	14.2	0.4	169	9.5	0.6	900	14.5	0.4	40	9.2	1.3	13.5	10.0
Urinary Bladder (incl. in situ)	66	12.2	1.3	6	7.9	2.8	1,197	12.2	0.3	100	6.0	0.5	890	13.4	0.4	27	6.7	1.2	9.8	7.6
Kidney and Renal Pelvis	50	9.9	1.3	7	9.1	3.0	1,002	11.0	0.3	158	8.9	0.6	724	11.7	0.4	53	12.1	1.5	10.5	11.6
Brain and Other Nervous System	25	5.6	1.0	2	2.9	1.7	509	6.1	0.2	62	3.5	0.4	350	6.2	0.3	16	3.5	0.8	5.9	3.5
Thyroid	95	23.8	2.2	7	9.2	3.0	1,672	21.3	0.5	190	10.3	0.7	1,135	21.9	0.6	55	11.8	1.4	17.2	9.3
Hodgkin Lymphoma	16	4.6	1.0	2	2.1	1.5	246	3.3	0.2	42	2.3	0.3	163	3.3	0.2	12	2.4	0.6	2.8	2.4
Non-Hodgkin	102	20.1	1.8	10	12.9	3.6	1,741	18.7	0.4	212	11.9	0.7	1,218	19.2	0.5	54	12.2	1.5	17.3	12.3
Multiple Myeloma	21	4.0	0.8	10	13.3	3.8	458	4.7	0.2	178	10.3	0.7	312	4.7	0.2	51	12.4	1.5	4.1	10.2
Leukemias	58	11.4	1.4	7	9.3	3.1	1,023	11.1	0.3	120	6.8	0.6	738	11.8	0.4	36	8.1	1.2	10.2	7.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 4. Average Annual Cancer Incidence Rates Among Hispanic and Non-Hispanic Males, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States
	Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Hispanic
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate
All Invasive Malignant Tumors	2,448	582.1	10.4	193	520.2	38.2	47,940	592.2	2.4	4,237	474.1	7.0	32,857	617.5	3.0	931	461.6	15.2	407.3
Oral Cavity and Pharynx	60	14.0	1.6	5	11.5	5.4	1,277	15.1	0.4	134	14.0	1.2	865	15.6	0.5	23	10.1	2.1	9.0
Esophagus	30	7.1	1.1	2	7.1	4.9	731	9.0	0.3	63	7.7	0.9	544	10.1	0.4	12	7.2	2.0	5.2
Stomach	47	11.1	1.4	5	13.3	6.2	974	12.3	0.3	140	16.7	1.4	541	10.3	0.4	31	16.3	2.9	14.9
Colorectal	227	54.3	3.2	17	43.0	10.6	4,547	57.0	0.7	456	53.2	2.4	3,007	57.3	0.9	97	50.8	5.1	46.0
Colon excluding Rectum	163	39.2	2.7	10	26.0	8.5	3,191	40.4	0.6	303	36.6	2.0	2,101	40.5	0.8	62	33.3	4.3	--
Rectum & Rectosigmoid	64	15.1	1.7	8	16.9	6.3	1,355	16.6	0.4	153	16.6	1.3	906	16.9	0.5	36	17.4	2.9	--
Liver / Intrahepatic Bile Duct	45	10.3	1.4	9	19.1	6.3	938	11.2	0.3	217	22.2	1.4	503	9.1	0.4	39	17.9	2.8	16.5
Pancreas	64	15.0	1.7	4	12.6	6.2	1,197	14.9	0.4	96	11.5	1.1	798	15.1	0.5	22	12.0	2.5	11.4
Larynx	26	6.0	1.1	2	5.2	4.1	589	7.1	0.3	69	7.4	0.8	398	7.2	0.3	10	4.6	1.4	4.6
Lung and Bronchus	274	65.4	3.5	17	55.8	13.2	6,417	80.1	0.9	393	49.2	2.3	4,517	85.5	1.1	84	49.8	5.2	41.5
Melanoma of the Skin	110	26.7	2.3	2	4.0	2.6	1,799	22.3	0.5	38	4.1	0.7	1,355	25.6	0.6	13	5.4	1.6	4.8
Prostate	760	175.3	5.6	61	188.9	23.5	14,005	168.8	1.3	1,283	151.3	4.0	9,516	173.6	1.6	271	146.7	8.5	129.0
Testis	23	7.1	1.3	3	2.9	1.4	471	6.1	0.2	56	3.2	0.4	331	7.0	0.3	14	2.6	0.6	4.4
Urinary Bladder (incl. in situ)	177	42.7	2.8	8	26.6	9.3	3,493	44.5	0.7	160	21.0	1.6	2,582	49.9	0.9	40	24.2	3.7	20.0
Kidney and Renal Pelvis	93	22.1	2.0	7	19.0	7.3	1,842	22.4	0.5	150	15.7	1.2	1,268	23.4	0.6	39	17.1	2.8	19.2
Brain and Other Nervous System	34	8.3	1.3	4	5.8	2.8	657	8.2	0.3	83	7.1	0.8	457	8.8	0.4	22	6.7	1.6	6.0
Thyroid	37	9.2	1.3	3	4.4	2.5	606	7.3	0.3	47	4.0	0.6	398	7.5	0.3	14	4.6	1.3	4.0
Hodgkin Lymphoma	12	3.4	0.9	2	4.0	3.3	301	3.8	0.2	50	3.6	0.5	199	3.9	0.2	11	3.1	1.0	2.7
Non-Hodgkin	116	28.1	2.3	11	23.2	7.6	2,067	25.7	0.5	234	23.0	1.5	1,416	26.9	0.6	56	22.5	3.2	19.5
Multiple Myeloma	39	9.1	1.3	3	8.5	4.6	647	8.1	0.3	71	8.3	0.9	424	8.0	0.3	15	7.8	2.0	6.4
Leukemias	76	18.5	1.9	8	17.2	6.5	1,406	17.9	0.4	125	11.8	1.1	1,010	19.5	0.5	35	13.3	2.5	11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 5. Average Annual Cancer Incidence Rates Among Hispanic and Non-Hispanic Females, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States
	Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Hispanic
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate
All Invasive Malignant Tumors	2,524	467.8	8.4	185	337.2	23.5	46,693	452.5	1.9	4,134	325.9	4.5	31,183	474.2	2.4	918	342.8	10.6	324.4
Oral Cavity and Pharynx	31	5.7	0.9	4	8.0	3.8	629	6.1	0.2	67	5.4	0.6	408	6.2	0.3	15	6.1	1.5	3.9
Esophagus	15	2.5	0.6	1	1.9	1.9	262	2.4	0.1	19	1.7	0.3	163	2.3	0.2	3	1.4	0.7	1.2
Stomach	37	6.3	0.9	5	10.2	4.3	660	6.1	0.2	107	9.0	0.8	334	4.8	0.2	21	8.9	1.8	9.0
Colorectal	250	42.9	2.4	18	38.4	8.5	4,796	43.9	0.6	414	34.7	1.5	3,073	43.8	0.7	88	36.9	3.6	32.3
Colon excluding Rectum	191	32.5	2.1	13	28.6	7.4	3,622	32.8	0.5	300	25.5	1.3	2,337	33.0	0.6	61	26.2	3.1	--
Rectum & Rectosigmoid	59	10.4	1.2	5	9.8	4.2	1,174	11.0	0.3	114	9.1	0.8	737	10.8	0.4	27	10.7	1.9	--
Liver / Intrahepatic Bile Duct	17	3.1	0.7	3	5.9	3.4	360	3.4	0.2	84	7.1	0.7	199	2.9	0.2	13	5.9	1.5	6.4
Pancreas	72	11.8	1.2	4	10.2	4.6	1,317	11.8	0.3	106	9.3	0.8	847	11.9	0.4	23	10.9	2.1	10.4
Larynx	7	1.3	0.4	0	0.9	1.3	166	1.6	0.1	16	1.2	0.3	112	1.7	0.1	2	0.7	0.5	0.6
Lung and Bronchus	315	55.5	2.8	11	24.7	6.9	6,189	58.2	0.7	289	24.5	1.3	4,449	65.5	0.9	59	26.0	3.1	26.1
Melanoma of the Skin	84	16.7	1.7	2	4.4	2.8	1,383	14.3	0.3	36	2.8	0.4	989	16.3	0.5	11	3.9	1.1	4.8
Female Breast	744	142.6	4.7	56	93.2	11.7	12,999	129.0	1.0	1,155	88.5	2.3	8,721	135.4	1.3	262	94.3	5.4	92.1
Cervix Uteri	32	6.8	1.1	8	13.1	4.2	751	8.1	0.3	157	11.4	0.8	402	7.1	0.3	38	11.1	1.7	12.2
Corpus Uterus and NOS	167	30.8	2.1	11	19.2	5.2	3,105	30.0	0.5	275	21.2	1.1	2,005	30.4	0.6	51	18.5	2.4	18.9
Ovary	77	14.5	1.5	6	10.1	4.0	1,398	13.7	0.3	136	10.3	0.8	926	14.1	0.4	32	11.8	1.9	11.6
Urinary Bladder (incl. in situ)	70	11.9	1.3	2	4.1	3.0	1,258	11.5	0.3	73	6.4	0.7	911	13.1	0.4	14	6.4	1.5	5.4
Kidney and Renal Pelvis	54	9.7	1.2	4	6.3	3.1	1,105	10.7	0.3	102	8.0	0.7	765	11.7	0.4	23	8.6	1.7	10.7
Brain and Other Nervous System	26	5.2	0.9	3	4.1	2.1	536	5.7	0.2	65	4.6	0.5	358	6.0	0.3	15	4.3	1.1	4.6
Thyroid	99	22.6	2.1	13	17.0	4.4	1,857	20.6	0.4	221	15.1	0.9	1,172	21.2	0.6	68	19.0	2.1	15.0
Hodgkin Lymphoma	17	4.8	1.0	2	2.2	1.7	261	3.0	0.2	39	2.6	0.4	169	3.3	0.2	9	2.3	0.7	2.2
Non-Hodgkin	108	19.5	1.7	8	15.7	5.1	1,841	17.7	0.4	192	15.2	1.0	1,252	18.8	0.5	41	16.0	2.3	15.3
Multiple Myeloma	30	5.1	0.8	2	5.2	3.1	590	5.5	0.2	74	6.3	0.7	358	5.2	0.2	13	5.6	1.4	4.7
Leukemias	61	11.1	1.3	5	8.6	3.7	1,098	10.7	0.3	104	7.9	0.7	769	11.7	0.4	25	8.3	1.6	8.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 6. Average Annual Cancer Incidence Rates Among Males by Region, Westchester County, 2004-2008

	Westchester County			Northwest			Northeast			West Central			East Central			Southwest			Southeast		
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)
All Invasive Malignant Tumors	2,641	573.3	9.9	417	617.1	26.5	395	572.9	25.3	452	535.6	22.1	298	529.2	26.9	545	571.5	21.5	525	592.8	22.7
Oral Cavity and	65	13.6	1.5	11	14.3	3.8	9	13.2	3.8	10	11.7	3.2	8	12.7	4.0	16	16.2	3.6	11	12.4	3.3
Esophagus	32	7.0	1.1	7	10.3	3.4	4	6.1	2.7	4	5.5	2.3	3	5.4	2.6	8	8.3	2.6	6	6.2	2.3
Stomach	51	11.4	1.4	9	13.7	4.0	4	6.3	2.7	9	10.4	3.1	5	9.0	3.5	13	13.8	3.3	11	13.4	3.5
Colorectal	245	53.5	3.0	37	55.5	8.0	29	45.0	7.3	41	48.2	6.6	28	48.6	8.1	58	60.8	7.0	52	59.2	7.2
Colon excluding	173	38.3	2.6	28	42.6	7.1	20	30.3	6.0	30	35.4	5.7	20	35.6	7.0	38	40.0	5.7	38	43.2	6.2
Rectum &	72	15.3	1.6	9	12.9	3.7	9	14.7	4.2	11	12.9	3.3	8	13.1	4.2	20	20.8	4.1	14	16.0	3.7
Liver / Intrahepatic Bile Duct	54	11.1	1.3	11	15.3	4.1	5	6.8	2.6	7	7.9	2.6	4	7.6	3.2	15	15.9	3.6	11	11.8	3.1
Pancreas	68	14.8	1.6	10	14.2	4.0	11	16.2	4.3	15	17.9	4.1	10	17.9	4.9	9	10.0	2.8	13	14.5	3.5
Larynx	27	5.9	1.0	5	6.9	2.6	2	3.3	2.0	4	4.8	2.1	3	5.0	2.6	9	9.2	2.7	4	4.9	2.0
Lung and Bronchus	290	64.4	3.3	45	68.5	8.9	35	52.9	7.9	44	54.7	7.2	30	54.8	8.7	74	78.3	8.0	62	70.3	7.8
Melanoma of the Skin	113	24.4	2.0	15	22.1	5.0	21	29.8	5.7	23	26.7	4.9	18	32.3	6.6	17	17.6	3.8	18	21.0	4.3
Prostate	821	174.8	5.4	129	188.0	14.5	133	180.4	13.7	141	160.5	11.9	92	162.1	14.8	151	156.4	11.2	173	192.4	12.8
Testis	27	6.2	1.1	4	5.0	2.3	6	10.9	3.9	3	4.3	2.1	5	8.9	3.6	4	4.3	1.9	5	6.3	2.4
Urinary Bladder (incl. in situ)	185	41.6	2.7	31	49.9	7.8	30	45.2	7.3	30	37.5	6.0	20	36.4	7.1	40	41.9	5.8	34	39.3	5.9
Kidney and Renal	100	21.5	1.9	13	18.6	4.6	20	29.0	5.7	20	22.9	4.5	10	17.4	4.8	20	21.2	4.1	18	20.1	4.2
Brain and Other Nervous System	38	8.1	1.2	7	9.4	3.2	6	8.0	2.8	7	8.9	2.9	5	8.1	3.3	8	7.9	2.5	6	6.4	2.4
Thyroid	40	8.4	1.2	6	7.7	2.7	11	14.7	3.9	7	8.5	2.9	5	8.9	3.4	5	4.8	1.9	6	7.0	2.4
Hodgkin Lymphoma	15	3.2	0.7	3	3.8	2.0	2	2.2	1.5	2	2.6	1.6	2	4.2	2.5	3	3.3	1.7	3	3.4	1.7
Non-Hodgkin	126	27.7	2.2	23	33.0	6.1	20	29.4	5.8	26	31.1	5.3	14	26.4	6.1	22	23.9	4.4	21	23.7	4.6
Multiple Myeloma	42	9.0	1.2	6	8.4	3.0	7	10.8	3.5	6	7.2	2.5	3	5.0	2.6	11	11.6	3.1	9	9.7	2.9
Leukemias	85	18.7	1.8	13	19.5	4.8	13	19.5	4.8	16	19.6	4.2	10	16.9	4.8	17	17.8	3.8	16	18.5	4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Table 7. Average Annual Cancer Incidence Rates Among Females by Region, Westchester County, 2004-2008

	Westchester County			Northwest			Northeast			West Central			East Central			Southwest			Southeast		
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)
All Invasive Malignant Tumors	2,708	454.4	7.8	399	467.5	20.5	397	473.9	20.9	489	441.8	17.5	311	437.9	21.8	555	433.1	16.1	552	457.3	17.1
Oral Cavity and	35	5.8	0.9	5	5.9	2.3	5	5.6	2.3	4	3.5	1.6	4	6.0	2.6	8	6.3	1.9	9	7.1	2.1
Esophagus	15	2.4	0.5	4	4.4	2.0	1	1.4	1.1	2	1.8	1.1	2	2.1	1.5	3	2.2	1.1	4	2.7	1.3
Stomach	42	6.6	0.9	5	5.3	2.0	4	4.9	2.2	9	7.8	2.2	5	6.5	2.6	12	9.0	2.3	6	5.0	1.7
Colorectal	268	42.6	2.3	39	44.1	6.2	35	41.4	6.1	42	36.3	4.9	30	40.0	6.4	59	43.0	4.9	63	48.8	5.4
Colon excluding	204	32.2	2.0	31	35.6	5.6	26	30.8	5.3	31	27.0	4.2	22	29.9	5.5	45	32.4	4.2	48	36.5	4.6
Rectum &	64	10.4	1.2	8	8.5	2.7	9	10.5	3.1	11	9.3	2.5	7	10.1	3.3	14	10.5	2.4	15	12.4	2.8
Liver / Intrahepatic Bile Duct	20	3.3	0.7	2	2.5	1.5	3	3.6	1.8	2	2.1	1.2	2	3.1	1.8	5	4.2	1.6	4	3.6	1.5
Pancreas	76	11.7	1.2	9	10.0	2.9	7	7.9	2.6	16	13.1	2.9	12	15.3	3.9	16	11.0	2.4	16	12.0	2.6
Larynx	8	1.3	0.4	0	0.5	0.7	1	0.9	0.9	1	1.1	0.9	1	1.7	1.3	2	1.6	1.0	2	1.5	0.9
Lung and Bronchus	325	53.1	2.6	54	61.2	7.3	48	57.9	7.3	59	52.3	5.9	33	43.7	6.7	68	51.0	5.4	62	50.1	5.6
Melanoma of the Skin	87	15.1	1.4	12	15.3	3.8	15	18.4	4.1	19	17.5	3.5	12	17.2	4.4	13	10.4	2.5	15	13.4	3.0
Female Breast	800	137.4	4.3	118	139.5	11.3	127	149.6	11.6	153	141.8	10.0	91	133.6	12.2	146	118.4	8.6	163	139.2	9.6
Cervix Uteri	40	7.3	1.0	7	8.8	2.9	3	3.3	1.7	6	5.7	2.1	4	6.2	2.7	11	10.3	2.7	8	7.9	2.4
Corpus Uterus and	178	30.0	2.0	25	29.7	5.2	25	29.1	5.1	33	29.6	4.5	18	25.5	5.2	41	33.4	4.6	34	28.3	4.2
Ovary	83	14.1	1.4	12	13.8	3.6	14	16.8	3.9	15	13.4	3.0	10	14.1	4.0	17	14.1	3.0	15	12.8	2.9
Urinary Bladder (incl. in situ)	72	11.3	1.2	10	10.7	3.0	9	10.5	3.1	12	10.6	2.6	9	12.2	3.5	17	12.0	2.6	15	11.3	2.6
Kidney and Renal	57	9.5	1.1	9	10.9	3.1	10	11.8	3.3	10	8.4	2.4	5	6.9	2.7	12	9.5	2.4	11	8.9	2.4
Brain and Other Nervous System	29	5.2	0.9	4	5.2	2.3	4	5.7	2.4	4	4.4	1.8	4	5.6	2.5	6	4.7	1.7	6	5.7	2.0
Thyroid	112	21.6	1.8	17	22.1	4.8	19	25.4	5.1	23	23.7	4.3	15	25.2	5.6	17	15.6	3.3	20	19.4	3.8
Hodgkin Lymphoma	19	4.1	0.8	3	4.2	2.3	4	6.6	2.8	2	2.3	1.4	3	5.0	2.7	4	3.2	1.5	4	4.3	1.9
Non-Hodgkin	116	19.1	1.6	14	15.7	3.7	20	24.1	4.7	21	19.8	3.7	16	21.2	4.7	22	16.9	3.2	23	18.7	3.4
Multiple Myeloma	32	5.1	0.8	3	3.4	1.7	5	6.2	2.3	5	4.6	1.7	3	4.4	2.1	7	5.1	1.7	8	6.3	1.9
Leukemias	67	10.9	1.2	11	13	3.4	7	8.3	2.8	11	9.5	2.5	7	10.4	3.4	16	12.5	2.7	14	10.9	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Table 8. Trends in Average Annual Cancer Incidence Rates Among Males, Westchester County, New York State and New York State excluding New York City, 2004-2008

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
All Invasive Malignant Tumors																		
Rate	477.5	486.8	501.8	562.8	598.9	562.9	485.1	515.9	551.6	574.8	582.4	569.3	491.6	519.9	557.2	581.7	604.2	598.0
95% CI (+/-)	9.8	9.5	9.3	10.4	10.4	9.8	2.2	2.2	2.3	2.4	2.3	2.2	3.0	3.0	2.9	3.1	3.0	2.9
Oral Cavity and Pharynx																		
Rate	16.7	18.3	14.5	13.3	12.6	13.6	17.8	18.3	17.0	15.4	14.7	14.9	16.9	17.0	15.3	14.6	14.4	15.3
95% CI (+/-)	1.8	1.8	1.5	1.6	1.5	1.5	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5
Esophagus																		
Rate	8.0	7.8	7.1	8.1	7.5	7.0	8.5	8.3	8.5	8.6	8.4	8.8	7.4	7.3	7.8	8.4	8.9	10.0
95% CI (+/-)	1.2	1.2	1.1	1.2	1.2	1.1	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4
Stomach																		
Rate	19.5	16.0	15.9	15.4	13.8	11.4	18.3	17.3	16.6	15.7	14.1	12.7	16.0	15.6	14.6	13.4	12.2	10.5
95% CI (+/-)	2.0	1.8	1.7	1.8	1.6	1.4	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.5	0.5	0.4	0.4
Colorectal																		
Rate	84.4	80.8	69.5	71.8	68.8	53.5	82.3	83.7	74.0	73.0	69.1	56.7	82.7	85.0	75.8	73.8	70.5	57.1
95% CI (+/-)	4.1	3.9	3.5	3.8	3.6	3.0	0.9	0.9	0.8	0.9	0.8	0.7	1.2	1.2	1.1	1.1	1.0	0.9
Colon excluding Rectum																		
Rate	58.2	57.2	49.2	51.9	49.5	38.3	56.9	58.4	52.2	52.1	48.9	40.1	56.6	58.5	52.5	52.0	49.4	40.2
95% CI (+/-)	3.5	3.3	3.0	3.2	3.0	2.6	0.8	0.8	0.7	0.7	0.7	0.6	1.0	1.0	0.9	1.0	0.9	0.8
Rectum & Rectosigmoid																		
Rate	26.2	23.6	20.2	19.9	19.3	15.3	25.4	25.3	21.8	20.8	20.3	16.6	26.1	26.5	23.3	21.8	21.1	16.8
95% CI (+/-)	2.2	2.1	1.9	2.0	1.9	1.6	0.5	0.5	0.4	0.5	0.4	0.4	0.7	0.7	0.6	0.6	0.6	0.5
Liver / Intrahepatic bile duct																		
Rate	4.3	4.0	6.1	8.6	8.8	11.1	4.9	5.4	6.7	8.8	10.0	12.2	4.1	4.3	5.5	6.8	7.5	9.4
95% CI (+/-)	0.9	0.9	1.0	1.3	1.3	1.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Pancreas																		
Rate	15.7	15.8	14.1	15.9	14.9	14.8	16.0	14.7	14.5	14.6	14.3	14.7	15.8	14.4	14.5	14.7	14.4	15.0
95% CI (+/-)	1.8	1.7	1.6	1.8	1.7	1.6	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5
Larynx																		
Rate	10.5	10.4	9.3	7.7	7.4	5.9	11.3	11.1	10.5	8.9	7.8	7.1	11.1	10.7	9.7	8.4	7.7	7.2
95% CI (+/-)	1.4	1.3	1.2	1.2	1.1	1.0	0.3	0.3	0.3	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.3	0.3
Lung and Bronchus																		
Rate	88.7	89.2	84.2	79.4	73.2	64.4	96.6	98.8	96.4	91.0	83.6	77.3	101.4	103.8	101.2	96.3	90.7	84.3
95% CI (+/-)	4.0	4.0	3.8	3.9	3.7	3.3	1.0	1.0	0.9	1.0	0.9	0.8	1.3	1.3	1.2	1.3	1.2	1.1

(continued)

Table 8. Trends in Average Annual Cancer Incidence Rates Among Males, Westchester County, New York State and New York State excluding New York City, 2004-2008 *(continued)*

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
Melanoma of the Skin																		
Rate	9.6	12.1	11.3	14.4	20.5	24.4	7.8	9.6	9.7	12.1	15.1	20.4	8.9	10.9	11.3	13.9	17.9	24.7
95% CI (+/-)	1.3	1.5	1.4	1.7	1.9	2.0	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6
Prostate																		
Rate	80.9	88.9	119.1	158.3	191.1	174.8	81.9	92.5	132.2	158.2	176.3	166.9	83.6	95.6	139.4	159.9	180.0	172.6
95% CI (+/-)	4.3	4.2	4.6	5.5	5.8	5.4	1.0	1.0	1.1	1.3	1.3	1.2	1.3	1.3	1.5	1.6	1.6	1.5
Testis																		
Rate	3.6	4.7	4.1	5.1	5.9	6.2	3.5	4.1	4.4	4.7	5.1	5.6	4.1	4.9	5.1	5.9	6.1	6.6
95% CI (+/-)	0.8	0.8	0.8	1.0	1.0	1.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Urinary Bladder (incl. in situ)																		
Rate	38.9	37.1	35.3	39.9	45.4	41.6	38.8	39.3	38.2	40.5	42.1	42.5	40.8	42.2	41.2	44.4	48.0	49.1
95% CI (+/-)	2.8	2.6	2.5	2.8	2.9	2.7	0.6	0.6	0.6	0.7	0.6	0.6	0.9	0.8	0.8	0.9	0.9	0.9
Kidney and Renal																		
Rate	9.4	12.7	14.1	17.7	19.4	21.5	10.7	12.9	14.4	16.6	18.7	21.7	10.9	13.4	15.1	17.1	19.6	23.2
95% CI (+/-)	1.3	1.5	1.5	1.8	1.8	1.9	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.6
Brain and Other Nervous System																		
Rate	7.8	7.7	8.5	8.9	9.3	8.1	7.1	7.5	8.3	8.9	8.2	8.0	7.4	7.8	8.7	9.3	8.8	8.7
95% CI (+/-)	1.2	1.1	1.2	1.3	1.3	1.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
Thyroid																		
Rate	3.0	2.6	3.2	4.8	6.0	8.4	2.3	2.5	2.6	3.7	4.8	6.9	2.4	2.5	2.7	3.7	5.1	7.2
95% CI (+/-)	0.7	0.7	0.7	0.9	1.0	1.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3
Hodgkin Lymphoma																		
Rate	4.4	3.9	3.4	4.4	5.0	3.2	4.0	4.1	3.9	3.6	3.8	3.7	4.1	3.9	3.9	3.7	4.0	3.8
95% CI (+/-)	0.9	0.8	0.7	0.9	0.9	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Non-Hodgkin																		
Rate	14.8	17.9	20.5	24.7	26.4	27.7	14.2	18.5	22.9	25.5	24.3	25.5	14.5	17.7	20.9	23.9	24.6	26.8
95% CI (+/-)	1.7	1.8	1.9	2.2	2.2	2.2	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6
Multiple Myeloma																		
Rate	5.1	5.7	5.8	8.2	9.3	9.0	5.7	6.5	6.8	7.2	8.0	8.1	5.4	6.5	6.8	7.2	8.1	8.0
95% CI (+/-)	1.0	1.0	1.0	1.3	1.3	1.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3
Leukemias																		
Rate	16.8	14.8	16.4	19.2	20.6	18.7	16.2	16.1	16.3	17.0	17.8	17.4	17.4	17.1	17.1	18.3	19.6	19.3
95% CI (+/-)	1.8	1.7	1.7	1.9	2.0	1.8	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.5	0.5	0.6	0.6	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/statistics/cancer/registry/ Data as of November 2010.

Table 9. Trends in Average Annual Cancer Incidence Rates Among Females, Westchester County, New York State and New York State excluding New York City, 2004-2008

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
All Invasive Malignant Tumors																		
Rate	373.0	391.0	384.2	433.8	443.5	448.7	363.9	387.3	406.6	432.9	433.9	431.0	368.8	397.4	414.9	442.7	456.8	460.3
95% CI (+/-)	7.0	7.0	6.8	7.8	7.8	7.7	1.6	1.6	1.6	1.8	1.7	1.7	2.1	2.1	2.1	2.3	2.3	2.3
Oral Cavity and Pharynx																		
Rate	7.1	7.0	5.1	6.3	5.7	5.8	6.5	6.8	6.8	6.4	5.9	6.0	6.7	6.7	6.5	6.4	6.1	6.2
95% CI (+/-)	1.0	0.9	0.8	0.9	0.9	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Esophagus																		
Rate	3.1	2.9	2.7	2.5	2.6	2.4	2.7	2.7	2.8	2.7	2.4	2.3	2.2	2.2	2.4	2.4	2.3	2.3
95% CI (+/-)	0.6	0.6	0.6	0.6	0.6	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Stomach																		
Rate	9.3	8.0	7.2	7.9	6.2	6.6	9.2	8.3	7.7	7.6	6.8	6.4	7.9	6.8	6.1	5.8	5.3	4.9
95% CI (+/-)	1.1	1.0	0.9	1.0	0.9	0.9	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.2
Colorectal																		
Rate	60.0	53.3	47.1	50.6	46.9	42.6	58.9	57.8	52.0	52.6	50.6	43.0	60.3	59.7	53.2	52.3	51.8	43.6
95% CI (+/-)	2.7	2.5	2.3	2.6	2.5	2.3	0.6	0.6	0.6	0.6	0.6	0.5	0.8	0.8	0.7	0.8	0.8	0.7
Colon excluding Rectum																		
Rate	44.7	39.3	35.7	38.3	36.1	32.2	43.5	43.3	39.1	39.7	38.1	32.1	44.6	44.6	39.7	39.4	39.0	32.8
95% CI (+/-)	2.4	2.1	2.0	2.2	2.1	2.0	0.5	0.5	0.5	0.5	0.5	0.5	0.7	0.7	0.6	0.7	0.7	0.6
Rectum & Rectosigmoid																		
Rate	15.3	14.0	11.4	12.3	10.9	10.4	15.4	14.4	12.9	12.9	12.5	10.9	15.6	15.0	13.5	13.0	12.8	10.9
95% CI (+/-)	1.4	1.3	1.1	1.3	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.3
Liver / Intrahepatic Bile Duct																		
Rate	1.9	1.5	2.7	3.3	3.2	3.3	2.3	2.2	2.8	3.3	3.5	3.8	2.0	1.8	2.3	2.6	2.8	3.0
95% CI (+/-)	0.5	0.4	0.5	0.7	0.6	0.7	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
Pancreas																		
Rate	10.7	11.7	11.0	11.6	11.9	11.7	10.8	11.0	11.0	11.3	11.6	11.6	10.5	10.6	10.7	11.1	11.7	11.9
95% CI (+/-)	1.2	1.2	1.1	1.2	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4
Larynx																		
Rate	1.4	1.7	1.5	1.3	1.1	1.3	1.9	2.3	2.6	2.1	1.7	1.6	1.9	2.2	2.4	2.1	1.8	1.7
95% CI (+/-)	0.4	0.5	0.4	0.4	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1
Lung and Bronchus																		
Rate	33.2	39.9	45.0	51.3	52.4	53.1	30.3	39.4	47.5	52.7	53.9	54.8	31.5	42.4	51.5	58.1	61.5	64.2
95% CI (+/-)	2.0	2.2	2.3	2.7	2.6	2.6	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.7	0.8	0.8	0.8

(continued)

Table 9. Trends in Average Annual Cancer Incidence Rates Among Females, Westchester County, New York State and New York State excluding New York City, 2004-2008 *(continued)*

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
Melanoma of the Skin																		
Rate	7.3	8.2	6.7	8.4	9.8	15.1	6.0	6.9	6.0	7.2	9.5	12.8	6.6	8.0	7.1	8.5	11.1	15.6
95% CI (+/-)	1.0	1.1	0.9	1.1	1.2	1.4	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4
Female Breast																		
Rate	107.0	122.4	120.8	138.7	139.3	137.4	101.5	111.9	122.8	133.2	129.8	124.3	103.3	116.8	127.1	137.7	138.1	133.5
95% CI (+/-)	3.8	4.0	3.9	4.5	4.4	4.3	0.9	0.9	0.9	1.0	1.0	0.9	1.1	1.2	1.2	1.3	1.3	1.3
Cervix Uteri																		
Rate	10.9	9.1	9.3	10.4	7.6	7.3	13.3	11.7	11.7	11.7	9.5	8.5	11.6	10.0	10.0	9.8	7.9	7.3
95% CI (+/-)	1.2	1.1	1.1	1.3	1.1	1.0	0.3	0.3	0.3	0.3	0.3	0.2	0.4	0.4	0.3	0.4	0.3	0.3
Corpus Uterus and NOS																		
Rate	23.0	23.2	19.9	24.8	29.6	30.0	23.8	22.9	22.9	26.2	27.8	29.1	26.2	24.9	24.4	27.3	28.7	30.0
95% CI (+/-)	1.7	1.7	1.6	1.9	2.0	2.0	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.5	0.5	0.6	0.6	0.6
Ovary																		
Rate	17.1	16.7	17.7	17.4	16.8	14.1	16.2	16.7	16.7	16.7	15.0	13.3	17.0	17.3	17.5	17.2	15.9	14.0
95% CI (+/-)	1.5	1.5	1.5	1.6	1.5	1.4	0.3	0.3	0.3	0.4	0.3	0.3	0.5	0.5	0.4	0.5	0.4	0.4
Urinary Bladder-incl. in situ																		
Rate	10.6	10.8	11.1	12.2	13.4	11.3	9.9	10.3	10.5	11.2	11.3	11.0	10.2	10.9	11.3	12.2	12.9	12.9
95% CI (+/-)	1.2	1.1	1.1	1.3	1.3	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4
Kidney and Renal Pelvis																		
Rate	4.5	5.8	6.4	7.4	8.9	9.5	5.0	6.1	6.9	8.1	9.1	10.4	5.3	6.5	7.4	8.6	9.8	11.6
95% CI (+/-)	0.7	0.8	0.9	1.0	1.1	1.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Brain and Other Nervous System																		
Rate	4.5	5.9	5.8	7.4	6.7	5.2	4.8	5.4	5.8	6.4	6.2	5.5	4.9	5.9	6.0	6.5	6.6	5.9
95% CI (+/-)	0.8	0.9	0.9	1.1	1.0	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
Thyroid																		
Rate	4.5	5.2	5.7	9.6	15.9	21.6	4.6	5.3	6.0	8.8	13.1	19.8	4.6	5.3	6.1	9.2	14.5	21.0
95% CI (+/-)	0.8	0.8	0.9	1.2	1.6	1.8	0.2	0.2	0.2	0.3	0.3	0.4	0.2	0.3	0.3	0.4	0.4	0.5
Hodgkin Lymphoma																		
Rate	3.2	3.5	2.7	3.3	3.2	4.1	2.9	2.9	2.9	2.9	2.9	2.9	3.0	3.2	3.1	3.2	3.1	3.2
95% CI (+/-)	0.7	0.7	0.6	0.7	0.7	0.8	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Non-Hodgkin Lymphomas																		
Rate	10.5	12.1	14.1	16.3	18.9	19.1	10.4	12.3	14.2	16.6	17.2	17.5	10.5	12.1	14.4	16.7	18.1	18.7
95% CI (+/-)	1.2	1.2	1.3	1.5	1.6	1.6	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5
Multiple Myeloma																		
Rate	4.8	4.3	4.5	4.8	5.0	5.1	4.2	4.3	4.8	5.2	5.5	5.5	4.2	4.1	4.6	5.0	5.0	5.2
95% CI (+/-)	0.8	0.7	0.7	0.8	0.8	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Leukemias																		
Rate	10.2	10.5	8.3	10.4	10.1	10.9	9.6	9.6	9.9	10.2	10.7	10.4	10.1	9.9	10.1	10.6	11.4	11.6
95% CI (+/-)	1.2	1.2	1.0	1.2	1.2	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/statistics/cancer/registry/ Data as of November 2010.

Table 10: Childhood Cancer Incidence by Selected Counties and New York State, 2004-2008

Region/County	Average Annual Cases by Age Group				Combined Ages 0-19		
	Age 0-4	Age 5-9	Age 10-14	Age 15-19	Average Annual Cases	Rate	95% CI (+/-)
Westchester	12.4	10.6	8.6	16.4	48.0	18.6	2.4
Putnam	0.4	0.2	0.6	2.6	3.8	13.8	6.2
Rockland	5.0	1.4	4.2	7.4	18.0	19.6	4.1
Suffolk	23.2	15.0	12.4	28.2	78.8	18.9	1.9
Nassau	16.2	11.8	12.2	26.0	66.2	18.3	2.0
New York City	121.6	63.0	81.8	124.0	390.4	18.4	0.8
Bronx	21.4	13.6	17.4	23.8	76.2	17.4	1.8
Kings (Brooklyn)	42.8	20.2	28.8	42.6	134.4	18.9	1.4
(Manhattan)	20.8	9.6	10.4	20.2	61.0	20.2	2.3
Queens	29.4	16.8	19.0	28.4	93.6	17.1	1.6
Richmond (Staten Island)	7.2	2.8	6.2	9.0	25.2	19.8	3.5
New York State	281.2	152.8	181.8	324.6	940.4	18.3	0.5
NYC	159.2	89.4	100.0	200.2	548.8	18.3	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 cases per year are unstable and should be used with caution.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/

Data as of November 2010.

Table 11. Estimated Cancer Prevalence for Selected Cancer Sites by Selected County and Gender, 2008

	Males Diagnosed in Last 5 Years						
	All cancers	Colorectal		Lung		Prostate	
	Number	Number	%	Number	%	Number	%
Westchester	7,820	710	9.1	370	4.7	3,410	43.6
Putnam	820	70	8.5	40	4.9	330	40.2
Rockland	2,420	220	9.1	110	4.5	1,060	43.8
Suffolk	12,450	1,130	9.1	590	4.7	5,270	42.3
Nassau	11,910	1,110	9.3	570	4.8	5,130	43.1
New York City	57,340	5,200	9.1	2,630	4.6	26,360	46.0
Bronx	8,400	730	8.7	370	4.4	4,110	48.9
Kings (Brooklyn)	17,030	1,510	8.9	770	4.5	8,190	48.1
New York (Manhattan)	11,960	1,080	9.0	550	4.6	5,320	44.5
Queens	16,260	1,540	9.5	770	4.7	7,200	44.3
Richmond (Staten Island)	3,690	340	9.2	170	4.6	1,550	42.0
New York State	152,710	13,910	9.1	7,150	4.7	67,120	44.0
New York State	95,380	8,720	9.1	4,520	4.7	40,760	42.7

	Females Diagnosed in Last 5 Years						
	All cancers	Colorectal		Lung		Breast	
	Number	Number	%	Number	%	Number	%
Westchester	7,740	740	9.6	430	5.6	2,780	35.9
Putnam	760	60	7.9	40	5.3	270	35.5
Rockland	2,280	210	9.2	130	5.7	820	36.0
Suffolk	12,000	1,080	9.0	670	5.6	4,290	35.8
Nassau	11,560	1,110	9.6	660	5.7	4,150	35.9
New York City	59,420	5,890	9.9	3,120	5.3	21,350	35.9
Bronx	9,040	910	10.1	460	5.1	3,300	36.5
Kings (Brooklyn)	17,570	1,790	10.2	920	5.2	6,370	36.3
New York (Manhattan)	12,180	1,160	9.5	640	5.3	4,280	35.1
Queens	16,880	1,690	10.0	900	5.3	6,060	35.9
Richmond (Staten Island)	3,760	340	9.0	200	5.3	1,340	35.6
New York State	150,910	14,440	9.6	8,310	5.5	53,950	35.7
New York State	91,500	8,550	9.3	5,190	5.7	32,600	35.6

Table 11. Estimated Cancer Prevalence for Selected Cancer Sites by Selected County and Gender, 2008 *(continued)*

	Males Ever Diagnosed						
	All cancers	Colorectal		Lung		Prostate	
	Number	Number	%	Number	%	Number	%
Westchester	19,940	1,910	9.6	610	3.1	8,620	43.2
Putnam	2,010	180	9.0	60	3.0	780	38.8
Rockland	6,050	570	9.4	190	3.1	2,580	42.6
Suffolk	31,230	2,930	9.4	970	3.1	12,820	41.1
Nassau	30,770	3,010	9.8	960	3.1	13,200	42.9
New York City	141440	13420	9.5	4310	3.0	64290	45.5
Bronx	20,280	1,830	9.0	600	3.0	9,780	48.2
Kings (Brooklyn)	41,870	3,910	9.3	1,250	3.0	19,980	47.7
New York (Manhattan)	29,650	2,780	9.4	900	3.0	12,970	43.7
Queens	40,490	4,030	10.0	1,270	3.1	17,860	44.1
Richmond (Staten	9,140	870	9.5	290	3.2	3,700	40.5
New York State	384,150	36,510	9.5	11,840	3.1	166,110	43.2
New York State	242,720	23,100	9.5	7,530	3.1	101,820	41.9

	Females Ever Diagnosed						
	All cancers	Colorectal		Lung		Breast	
	Number	Number	%	Number	%	Number	%
Westchester	23,360	2,090	8.9	740	3.2	9,000	38.5
Putnam	2,230	160	7.2	70	3.1	850	38.1
Rockland	6,860	590	8.6	220	3.2	2,650	38.6
Suffolk	35,950	2,980	8.3	1,140	3.2	13,730	38.2
Nassau	35,190	3,130	8.9	1,140	3.2	13,590	38.6
New York City	172380	15850	9.2	5290	3.1	66670	38.7
Bronx	25,730	2,400	9.3	780	3.0	10,040	39.0
Kings (Brooklyn)	50,510	4,780	9.5	1,550	3.1	19,730	39.1
New York (Manhattan)	35,460	3,120	8.8	1,080	3.0	13,480	38.0
Queens	49,540	4,610	9.3	1,530	3.1	19,160	38.7
Richmond (Staten	11,170	930	8.3	350	3.1	4,260	38.1
New York State	450,780	39,960	8.9	14,260	3.2	173,470	38.5
New York State	278,390	24,120	8.7	8,970	3.2	106,800	38.4

Estimated number of residents alive as of January 1, 2007, diagnosed with cancer within the past 5 years or within the past 30 years, respectively.

Numbers are rounded to the nearest 10.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/

Data as of May 2011.

Table 12. Average Annual Cancer Mortality Rates by Sex, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	Males			Females			Males			Females			Males			Females			Male	Female
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	804	181.1	5.6	914	142.6	4.2	17,366	202.7	1.4	17,815	146.2	1.0	11,365	214.3	1.8	11,412	156.6	1.3	223.0	153.2
Oral Cavity and Pharynx	12	2.5	0.6	7	1.1	0.4	319	3.5	0.2	146	1.2	0.1	188	3.3	0.2	88	1.2	0.1	3.9	1.4
Esophagus	28	6.0	1.0	10	1.5	0.4	670	7.5	0.3	229	1.9	0.1	478	8.7	0.4	140	1.9	0.1	7.8	1.6
Stomach	24	5.3	1.0	24	3.6	0.7	538	6.3	0.2	409	3.3	0.1	277	5.2	0.3	195	2.6	0.2	5.2	2.7
Colorectal	75	17.3	1.8	95	14.1	1.3	1,694	20.0	0.4	1,812	14.3	0.3	1,042	19.9	0.5	1,101	14.3	0.4	20.7	14.5
Colon excluding Rectum	61	13.9	1.6	81	11.9	1.2	1,398	16.6	0.4	1,554	12.2	0.3	843	16.2	0.5	932	12.1	0.4	--	--
Rectum & Rectosigmoid	15	3.3	0.8	14	2.2	0.5	296	3.4	0.2	258	2.1	0.1	199	3.7	0.2	170	2.2	0.2	--	--
Liver / Intrahepatic Bile Duct	34	7.2	1.1	19	2.9	0.6	749	8.2	0.3	387	3.2	0.1	374	6.7	0.3	207	2.8	0.2	7.9	3.2
Pancreas	55	12.2	1.5	60	9.1	1.0	1,081	12.4	0.3	1,197	9.6	0.2	701	12.9	0.4	745	10.0	0.3	12.5	9.4
Larynx	7	1.5	0.5	2	0.3	0.2	203	2.3	0.1	54	0.4	0.1	112	2.0	0.2	34	0.5	0.1	2.2	0.5
Lung and Bronchus	206	46.2	2.8	209	33.1	2.0	4,893	56.3	0.7	4,346	36.2	0.5	3,344	62.1	1.0	3,070	42.9	0.7	67.4	40.1
Melanoma of the Skin	16	3.5	0.8	9	1.4	0.4	282	3.2	0.2	167	1.4	0.1	219	4.0	0.2	117	1.7	0.1	4.0	1.7
Female Breast	--	--	--	147	23.6	1.7	--	--	--	2,752	22.9	0.4	--	--	--	1,636	22.8	0.5	--	23.5
Cervix Uteri	--	--	--	12	2.0	0.5	--	--	--	274	2.4	0.1	--	--	--	133	2.0	0.2	--	2.4
Corpus Uterus and NOS	--	--	--	36	5.8	0.9	--	--	--	601	5.0	0.2	--	--	--	338	4.7	0.2	--	4.2
Ovary	--	--	--	49	7.9	1.0	--	--	--	999	8.3	0.2	--	--	--	650	9.1	0.3	--	8.4
Prostate	90	21.6	2.0	--	--	--	1,776	22.7	0.5	--	--	--	1,084	22.3	0.6	--	--	--	24.4	--
Testis	0	0.0	0.1	--	--	--	18	0.2	0.0	--	--	--	10	0.2	0.1	--	--	--	0.2	--
Urinary Bladder (incl. in situ)	29	6.7	1.1	16	2.4	0.5	624	7.7	0.3	301	2.3	0.1	432	8.6	0.4	197	2.5	0.2	7.7	2.2
Kidney and Renal Pelvis	21	4.6	0.9	12	1.9	0.5	440	5.1	0.2	269	2.2	0.1	311	5.8	0.3	183	2.5	0.2	5.9	2.7
Brain and Other Nervous System	24	5.2	0.9	17	2.9	0.6	424	4.6	0.2	327	2.8	0.1	295	5.3	0.3	219	3.2	0.2	5.2	3.5
Thyroid	2	0.4	0.3	3	0.4	0.2	44	0.5	0.1	61	0.5	0.1	26	0.5	0.1	30	0.4	0.1	0.5	0.5
Hodgkin Lymphoma	2	0.4	0.3	3	0.6	0.3	49	0.5	0.1	40	0.4	0.0	30	0.5	0.1	26	0.4	0.1	0.5	0.3
Non-Hodgkin	37	8.3	1.2	34	5.2	0.8	669	7.8	0.3	620	5.0	0.2	433	8.2	0.4	400	5.3	0.2	8.6	5.4
Multiple Myeloma	17	3.8	0.8	17	2.5	0.5	332	3.9	0.2	309	2.5	0.1	222	4.2	0.3	191	2.6	0.2	4.4	2.8
Leukemias	39	9.0	1.3	33	5.1	0.8	776	9.2	0.3	617	5.1	0.2	528	10.1	0.4	400	5.4	0.2	9.7	5.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 13. Average Annual Cancer Mortality Rates Among White and Black Males, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	White			Black			White			Black			White			Black			White	Black
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	686	179.0	6.0	97	212.7	20.0	14,419	203.5	1.5	2,228	215.8	4.3	10,482	213.6	1.8	710	249.6	8.9	220.0	295.3
Oral Cavity and Pharynx	10	2.5	0.7	1	2.2	1.6	238	3.2	0.2	61	5.1	0.6	168	3.2	0.2	17	5.2	1.2	3.7	6.0
Esophagus	23	5.9	1.1	4	7.8	3.7	579	7.9	0.3	73	6.6	0.7	449	8.8	0.4	24	8.3	1.6	7.9	8.5
Stomach	19	5.0	1.0	3	6.9	3.6	385	5.4	0.2	98	10	1.0	236	4.8	0.3	30	11.2	2.0	4.5	10.7
Colorectal	61	16.3	1.8	12	25.3	6.9	1,376	19.6	0.5	238	23.3	1.4	950	19.6	0.6	73	25.9	2.9	20.1	30.5
Colon excluding Rectum	49	13.1	1.6	9	20.3	6.2	1,132	16.2	0.4	201	19.8	1.3	768	15.9	0.5	61	21.8	2.6	--	--
Rectum & Rectosigmoid	12	3.2	0.8	2	4.9	3.1	244	3.4	0.2	37	3.5	0.5	182	3.7	0.2	12	4.1	1.1	--	--
Liver / Intrahepatic Bile Duct	24	6.0	1.1	6	11.5	4.5	528	7.1	0.3	128	10.5	0.9	319	6.3	0.3	34	9.9	1.6	7.2	11.5
Pancreas	47	12.1	1.6	6	12.2	4.7	912	12.7	0.4	125	11.7	1.0	651	13.0	0.5	37	13.0	2.0	12.4	15.6
Larynx	6	1.5	0.5	1	2.1	2.0	154	2.1	0.1	44	3.8	0.5	99	2.0	0.2	11	3.5	1.0	2.0	4.4
Lung and Bronchus	179	46.3	3.1	25	52.8	9.6	4,130	57.6	0.8	573	52.5	2.0	3,101	62.2	1.0	204	69.2	4.6	66.9	85.4
Melanoma of the Skin	16	4.0	0.9	0	0.0	0.0	275	3.8	0.2	4	0.4	0.2	217	4.3	0.3	1	0.2	0.2	4.6	0.5
Prostate	74	20.0	2.0	14	38.5	9.5	1,367	20.6	0.5	367	44.5	2.1	972	21.4	0.6	98	42.9	4.1	22.4	54.9
Testis	0	0.0	0.1	0	0.0	0.0	16	0.2	0.0	1	0.1	0.1	9	0.2	0.1	0	0.0	0.1	0.3	0.1
Urinary Bladder (incl. in situ)	28	7.4	1.2	1	1.7	1.7	573	8.4	0.3	40	4.5	0.7	418	8.9	0.4	12	5.0	1.4	8.0	5.5
Kidney and Renal Pelvis	18	4.8	1.0	2	3.9	2.5	381	5.3	0.2	46	4.1	0.6	290	5.8	0.3	17	5.3	1.2	6.0	6.0
Brain and Other Nervous System	23	5.7	1.1	1	2.7	2.3	379	5.2	0.2	30	2.3	0.4	282	5.6	0.3	8	2.1	0.7	5.6	3.1
Thyroid	1	0.4	0.3	0	0.6	0.9	36	0.5	0.1	5	0.5	0.2	24	0.5	0.1	2	0.7	0.4	0.5	0.4
Hodgkin Lymphoma	1	0.4	0.3	0	0.3	0.6	42	0.6	0.1	6	0.4	0.1	27	0.5	0.1	3	0.7	0.4	0.5	0.5
Non-Hodgkin	33	8.7	1.3	3	6.1	3.3	588	8.3	0.3	61	5.2	0.6	408	8.4	0.4	19	6.1	1.3	8.9	6.1
Multiple Myeloma	12	3.2	0.8	4	9.0	3.9	265	3.8	0.2	59	5.6	0.7	197	4.0	0.3	22	8.0	1.6	4.2	8.2
Leukemias	36	9.5	1.4	3	6.4	3.5	677	9.7	0.3	68	6.3	0.7	497	10.3	0.4	23	7.8	1.6	9.9	8.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 14. Average Annual Cancer Mortality Rates Among White and Black Females, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States	
	White			Black			White			Black			White			Black			White	Black
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	764	140.4	4.6	128	169.0	13.2	14,720	148.7	1.1	2,503	145.3	2.6	10,564	156.7	1.4	687	166.7	5.7	152.8	177.7
Oral Cavity and Pharynx	5	1.0	0.4	2	2.1	1.4	117	1.2	0.1	21	1.2	0.2	81	1.2	0.1	6	1.4	0.5	1.4	1.5
Esophagus	8	1.4	0.4	2	2.8	1.7	180	1.8	0.1	43	2.5	0.3	129	1.9	0.1	11	2.6	0.7	1.6	2.4
Stomach	18	3.1	0.7	6	7.4	2.8	287	2.8	0.2	88	5.3	0.5	167	2.4	0.2	21	5.5	1.1	2.3	5.0
Colorectal	79	13.6	1.4	13	17.3	4.2	1,463	13.9	0.3	280	16.5	0.9	1,012	14.1	0.4	73	18.4	1.9	14.0	20.4
Colon excluding Rectum	67	11.5	1.3	12	15.2	3.9	1,250	11.9	0.3	246	14.5	0.8	855	11.9	0.4	63	15.9	1.8	--	--
Rectum & Rectosigmoid	12	2.2	0.6	2	2.1	1.5	213	2.1	0.1	34	2.0	0.3	157	2.2	0.2	10	2.5	0.7	--	--
Liver / Intrahepatic Bile Duct	15	2.8	0.6	3	3.8	2.1	295	3.0	0.2	59	3.5	0.4	182	2.7	0.2	15	3.7	0.9	3.0	3.9
Pancreas	50	8.8	1.1	7	9.9	3.2	992	9.7	0.3	164	9.7	0.7	689	10	0.3	46	11.4	1.5	9.2	12.5
Larynx	2	0.3	0.2	0	0.2	0.5	41	0.4	0.1	12	0.7	0.2	31	0.5	0.1	3	0.6	0.3	0.4	1.7
Lung and Bronchus	179	33.4	2.2	25	34.0	6.0	3,746	38.6	0.6	487	28.3	1.1	2,889	43.8	0.7	151	36.7	2.7	41.2	38.8
Melanoma of the Skin	9	1.7	0.5	0	0.0	0.0	160	1.7	0.1	5	0.3	0.1	115	1.8	0.2	1	0.3	0.2	2.0	0.4
Female Breast	121	23.2	1.9	23	28.4	5.3	2,182	22.5	0.4	481	27.2	1.1	1,480	22.4	0.5	129	29.5	2.3	22.8	32.0
Cervix Uteri	8	1.7	0.5	3	4.0	2.0	184	2.1	0.1	75	4.2	0.4	114	1.9	0.2	16	3.6	0.8	2.2	4.3
Corpus Uterus and NOS	29	5.5	0.9	7	8.8	3.0	442	4.5	0.2	141	8.2	0.6	300	4.5	0.2	34	8.4	1.3	3.9	7.2
Ovary	43	8.3	1.1	5	7.5	2.8	855	8.9	0.3	108	6.2	0.5	612	9.3	0.3	26	6.5	1.1	8.8	7.0
Urinary Bladder (incl. in situ)	14	2.5	0.6	2	2.5	1.6	263	2.4	0.1	33	2.0	0.3	187	2.6	0.2	9	2.5	0.7	2.2	2.7
Kidney and Renal Pelvis	10	1.8	0.5	2	2.8	1.7	233	2.3	0.1	29	1.7	0.3	172	2.5	0.2	9	2.1	0.6	2.7	2.6
Brain and Other Nervous System	15	3.0	0.7	1	1.6	1.3	288	3.2	0.2	27	1.5	0.3	208	3.4	0.2	7	1.6	0.5	3.8	2.0
Thyroid	2	0.4	0.2	1	0.7	0.8	48	0.5	0.1	10	0.6	0.2	28	0.4	0.1	2	0.5	0.3	0.5	0.6
Hodgkin Lymphoma	3	0.6	0.3	0	0.3	0.5	34	0.4	0.1	4	0.2	0.1	25	0.4	0.1	1	0.2	0.2	0.3	0.3
Non-Hodgkin	30	5.4	0.9	3	3.6	1.9	542	5.3	0.2	60	3.4	0.4	380	5.4	0.2	14	3.3	0.8	5.6	3.8
Multiple Myeloma	12	2.1	0.5	4	5.8	2.5	229	2.3	0.1	72	4.3	0.4	168	2.4	0.2	20	5.2	1.0	2.6	5.6
Leukemias	28	5.1	0.9	4	5.7	2.4	538	5.4	0.2	62	3.6	0.4	376	5.5	0.3	21	5.1	1.0	5.5	4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 15. Average Annual Cancer Mortality Rates Among Hispanic and Non-Hispanic Males, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States
	Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Hispanic
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate
All Invasive Malignant Tumors	756	183.5	5.9	48	148.9	21.8	16,127	206.5	1.4	1,239	160.1	4.4	11,127	216.7	1.8	239	140.0	9.0	149.1
Oral Cavity and Pharynx	11	2.5	0.7	1	2.0	2.3	288	3.5	0.2	31	3.7	0.6	184	3.4	0.2	5	2.5	1.1	2.4
Esophagus	27	6.3	1.1	1	4.0	3.7	626	7.7	0.3	44	5.4	0.8	470	8.8	0.4	8	5.1	1.7	4.1
Stomach	22	5.2	1.0	2	5.3	4.2	470	6.0	0.2	69	9.0	1.0	262	5.1	0.3	14	8.5	2.2	7.7
Colorectal	71	17.5	1.8	4	13.2	6.5	1,568	20.3	0.5	126	16.8	1.4	1,019	20.1	0.6	22	12.5	2.6	15.5
Colon excluding Rectum	58	14.2	1.7	3	9.5	5.8	1,292	16.8	0.4	106	14.4	1.3	826	16.4	0.5	17	9.9	2.4	--
Rectum & Rectosigmoid	13	3.3	0.8	2	3.7	2.9	276	3.5	0.2	20	2.5	0.5	193	3.7	0.2	6	2.6	1.1	--
Liver / Intrahepatic Bile Duct	29	6.8	1.1	5	11.2	5.1	629	7.7	0.3	120	13.2	1.2	352	6.6	0.3	22	10.9	2.3	11.6
Pancreas	53	12.5	1.5	2	9.4	5.9	1,012	12.7	0.4	69	8.8	1.0	685	13.1	0.4	16	9.8	2.4	9.2
Larynx	6	1.4	0.5	1	4.0	4.0	182	2.2	0.1	21	2.5	0.5	109	2.0	0.2	3	2.1	1.2	1.8
Lung and Bronchus	196	47.2	3.0	10	36.6	11.0	4,636	58.5	0.8	257	33.8	2.0	3,296	63.1	1.0	48	29.8	4.1	31.9
Melanoma of the Skin	15	3.7	0.8	1	1.5	1.5	277	3.5	0.2	5	0.5	0.2	217	4.1	0.2	2	0.5	0.3	1.0
Prostate	86	21.8	2.1	4	15.9	7.7	1,643	22.7	0.5	133	22.9	1.8	1,064	22.4	0.6	19	15.0	3.2	18.5
Testis	0	0.0	0.1	0	0.0	0.0	15	0.2	0.0	3	0.2	0.1	10	0.2	0.1	0	0.1	0.1	0.3
Urinary Bladder (incl. in situ)	28	6.9	1.1	1	3.8	3.6	598	8.0	0.3	26	4.2	0.8	427	8.7	0.4	5	3.5	1.5	3.8
Kidney and Renal Pelvis	19	4.6	0.9	2	5.5	4.4	415	5.2	0.2	24	3.0	0.6	306	5.9	0.3	5	3.0	1.3	5.2
Brain and Other Nervous System	23	5.5	1.0	1	3.0	2.8	393	4.8	0.2	32	3.0	0.5	288	5.4	0.3	7	2.8	1.2	3.2
Thyroid	2	0.4	0.3	0	0.2	0.4	40	0.5	0.1	4	0.6	0.3	25	0.5	0.1	1	0.8	0.8	0.6
Hodgkin Lymphoma	1	0.4	0.3	0	0.9	1.8	42	0.5	0.1	7	0.7	0.2	29	0.6	0.1	1	0.6	0.6	0.5
Non-Hodgkin	34	8.4	1.3	2	5.8	4.0	611	7.9	0.3	58	6.7	0.9	422	8.3	0.4	12	5.2	1.6	6.3
Multiple Myeloma	16	3.9	0.8	1	1.9	2.5	304	3.9	0.2	28	3.9	0.7	215	4.2	0.3	7	4.2	1.6	3.3
Leukemias	37	9.1	1.3	3	5.8	4.0	721	9.4	0.3	54	6.1	0.8	515	10.2	0.4	12	6.3	1.9	6.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 16. Average Annual Cancer Mortality Rates Among Hispanic and Non-Hispanic Females, Westchester County, New York State and the United States, 2004-2008

	Westchester County						New York State						New York State excluding New York City						United States
	Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Non-Hispanic			Hispanic			Hispanic
	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Average Annual Cases	Rate	95% CI (+/-)	Rate
All Invasive Malignant Tumors	868	145.9	4.5	45	95.8	13.3	16,613	150.9	1.0	1,203	102.3	2.6	11,178	158.4	1.3	233	101.7	6.1	101.5
Oral Cavity and Pharynx	6	1.0	0.4	1	1.9	2.0	133	1.2	0.1	12	1.1	0.3	86	1.2	0.1	2	1.0	0.6	0.8
Esophagus	10	1.6	0.5	0	0.6	1.1	217	1.9	0.1	13	1.1	0.3	139	1.9	0.1	2	0.7	0.5	0.8
Stomach	23	3.6	0.7	1	2.6	2.1	353	3.1	0.1	55	4.7	0.6	186	2.5	0.2	10	3.8	1.1	4.5
Colorectal	90	14.2	1.3	5	10.6	4.5	1,676	14.5	0.3	137	12.1	0.9	1,078	14.4	0.4	23	10.7	2.0	10.3
Colon excluding Rectum	77	12.1	1.2	4	8.5	4.2	1,438	12.4	0.3	116	10.3	0.9	912	12.2	0.4	20	9.2	1.9	--
Rectum & Rectosigmoid	13	2.1	0.5	1	2.1	1.8	238	2.1	0.1	21	1.8	0.3	166	2.3	0.2	4	1.5	0.7	--
Liver / Intrahepatic Bile Duct	17	2.8	0.6	1	2.3	1.9	333	3.0	0.1	54	4.7	0.6	197	2.8	0.2	10	4.2	1.2	5.2
Pancreas	58	9.4	1.1	2	5.5	3.4	1,118	9.9	0.3	79	7.0	0.7	730	10.1	0.3	15	7.4	1.7	7.5
Larynx	2	0.3	0.2	0	0.3	0.6	49	0.5	0.1	4	0.4	0.2	33	0.5	0.1	1	0.5	0.5	0.2
Lung and Bronchus	203	34.6	2.2	6	12.7	4.8	4,176	38.5	0.5	170	14.7	1.0	3,039	43.9	0.7	31	14.5	2.4	14.3
Melanoma of the Skin	8	1.4	0.4	1	2.1	2.1	160	1.5	0.1	7	0.6	0.2	115	1.7	0.1	3	1.2	0.7	0.6
Female Breast	139	24.4	1.9	8	15.6	5.2	2,550	23.6	0.4	202	16.3	1.0	1,597	23.1	0.5	40	16.1	2.3	15.1
Cervix Uteri	10	2.0	0.6	1	2.5	1.9	233	2.3	0.1	41	3.1	0.4	127	2.0	0.2	6	2.1	0.8	3.1
Corpus Uterus and NOS	34	5.9	0.9	2	4.3	2.8	558	5.1	0.2	44	3.7	0.5	330	4.7	0.2	8	3.6	1.2	3.2
Ovary	47	8.2	1.1	2	5.2	3.2	930	8.6	0.3	68	5.7	0.6	636	9.2	0.3	14	5.7	1.4	5.9
Urinary Bladder (incl. in situ)	16	2.5	0.6	0	0.9	1.3	284	2.4	0.1	18	1.7	0.4	195	2.6	0.2	2	1.0	0.6	1.2
Kidney and Renal Pelvis	12	1.9	0.5	1	1.2	1.4	254	2.3	0.1	15	1.3	0.3	180	2.5	0.2	4	1.6	0.8	2.3
Brain and Other Nervous System	16	2.9	0.7	2	2.4	1.7	303	3.0	0.2	24	1.8	0.3	213	3.3	0.2	6	1.9	0.7	2.4
Thyroid	3	0.4	0.2	0	0.6	1.1	55	0.5	0.1	5	0.4	0.2	30	0.4	0.1	1	0.2	0.3	0.6
Hodgkin Lymphoma	3	0.6	0.3	0	0.8	1.2	33	0.3	0.1	6	0.5	0.2	25	0.4	0.1	1	0.4	0.4	0.3
Non-Hodgkin	32	5.3	0.8	2	3.0	2.2	575	5.1	0.2	45	3.9	0.5	392	5.4	0.2	8	3.6	1.2	4.3
Multiple Myeloma	16	2.5	0.6	1	2.0	2.1	282	2.5	0.1	27	2.4	0.4	185	2.6	0.2	6	2.7	1.0	2.4
Leukemias	32	5.3	0.9	1	2.5	2.0	571	5.1	0.2	46	3.7	0.5	391	5.5	0.2	9	3.8	1.2	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source for Westchester County and New York State data: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/cancer/registry/ Data as of November 2010.

Source for national data: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2004-2008 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, rural Georgia, California excluding SF/SJ-M/LA, Kentucky, Louisiana, and New Jersey).

Table 17. Trends in Average Annual Cancer Mortality Rates Among Males, Westchester County, New York State and New York State excluding New York City, 1976-2008

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
All Invasive Malignant Tumors																		
Rate	282.1	272.2	259.6	247.5	217.4	181.1	283.1	280.3	272.0	255.3	228.4	202.7	284.2	287.0	277.5	263.2	239.2	214.3
95% CI (+/-)	7.6	7.3	6.8	7.1	6.4	5.6	1.7	1.7	1.6	1.7	1.5	1.4	2.3	2.2	2.1	2.1	2.0	1.8
Oral Cavity and Pharynx																		
Rate	7.2	7.2	5.8	4.1	3.1	2.5	7.8	6.9	5.6	4.8	3.7	3.5	7.1	6.5	5.1	4.6	3.5	3.3
95% CI (+/-)	1.2	1.2	1.0	0.9	0.7	0.6	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.2
Esophagus																		
Rate	7.1	7.7	7.3	6.7	6.5	6.0	7.9	7.7	7.8	7.8	7.6	7.5	7.0	7.0	7.6	8.1	8.2	8.7
95% CI (+/-)	1.1	1.2	1.1	1.1	1.1	1.0	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4
Stomach																		
Rate	14.9	12.0	10.7	10.5	7.9	5.3	13.8	12.0	11.0	9.4	7.4	6.3	12.0	11.0	9.9	7.8	6.3	5.2
95% CI (+/-)	1.8	1.5	1.4	1.5	1.2	1.0	0.4	0.4	0.3	0.3	0.3	0.2	0.5	0.4	0.4	0.4	0.3	0.3
Colorectal																		
Rate	43.5	41.3	33.5	28.4	23.9	17.3	42.5	40.0	34.3	30.3	25.6	20.0	42.0	41.5	35.3	30.4	25.9	19.9
95% CI (+/-)	3.1	2.9	2.5	2.4	2.1	1.8	0.7	0.7	0.6	0.6	0.5	0.4	0.9	0.9	0.8	0.7	0.7	0.5
Colon excluding Rectum																		
Rate	34.4	34.9	29.1	24.1	21.0	13.9	34.0	33.6	29.4	25.9	21.6	16.6	33.2	34.3	29.9	25.5	21.4	16.2
95% CI (+/-)	2.7	2.7	2.3	2.2	2.0	1.6	0.6	0.6	0.5	0.5	0.5	0.4	0.8	0.8	0.7	0.7	0.6	0.5
Rectum & Rectosigmoid																		
Rate	9.2	6.4	4.4	4.2	2.9	3.3	8.5	6.5	4.9	4.4	4.1	3.4	8.8	7.3	5.4	4.9	4.5	3.7
95% CI (+/-)	1.4	1.1	0.9	0.9	0.7	0.8	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.4	0.3	0.3	0.3	0.2
Liver / Intrahepatic Bile Duct																		
Rate	3.2	4.3	5.2	6.3	6.6	7.2	4.7	5.5	6.4	6.9	7.2	8.2	3.4	4.0	4.8	5.6	5.8	6.7
95% CI (+/-)	0.8	0.9	0.9	1.1	1.1	1.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3
Pancreas																		
Rate	15.8	15.0	13.1	14.4	14.3	12.2	15.0	13.7	13.1	13.1	12.5	12.4	15.1	13.9	13.4	13.8	13.0	12.9
95% CI (+/-)	1.8	1.7	1.5	1.7	1.6	1.5	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.5	0.5	0.5	0.4
Larynx																		
Rate	4.4	3.4	3.8	2.5	1.8	1.5	4.3	3.8	3.7	3.3	2.7	2.3	4.0	3.4	3.2	2.8	2.4	2.0
95% CI (+/-)	0.9	0.8	0.8	0.7	0.6	0.5	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.2
Lung and Bronchus																		
Rate	76.6	75.6	71.4	65.7	55.4	46.2	81.3	82.0	80.7	73.7	64.4	56.3	85.3	87.7	85.5	78.8	70.2	62.1
95% CI (+/-)	3.8	3.7	3.5	3.6	3.2	2.8	0.9	0.9	0.9	0.9	0.8	0.7	1.2	1.2	1.1	1.1	1.0	1.0

(continued)

Table 17. Trends in Average Annual Cancer Mortality Rates Among Males, Westchester County, New York State and New York State excluding New York City, 1976-2008

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
Melanoma of the Skin																		
Rate	2.8	3.8	4.0	4.9	3.2	3.5	3.1	3.4	3.4	3.3	3.1	3.2	3.3	3.5	4.1	4.0	3.8	4.0
95% CI (+/-)	0.7	0.8	0.8	1.0	0.8	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2
Prostate																		
Rate	37.7	34.4	35.4	34.7	28.6	21.6	31.6	33.4	36.3	34.6	28.4	22.7	32.6	34.7	36.8	34.3	28.0	22.3
95% CI (+/-)	3.1	2.7	2.7	2.8	2.4	2.0	0.6	0.6	0.6	0.6	0.6	0.5	0.9	0.8	0.8	0.8	0.7	0.6
Testis																		
Rate	0.5 [1]	0.3 [1]	0.1 [1]	0.4 [1]	0.1 [1]	0.0 [1]	0.5	0.4	0.3	0.2	0.2	0.2	0.6	0.4	0.4	0.3	0.3	0.2
95% CI (+/-)	0.3	0.2	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Urinary Bladder (incl. in situ)																		
Rate	11.5	9.9	9.4	8.3	8.2	6.7	11.5	10.2	9.1	8.9	8.2	7.7	12.4	11.2	9.8	9.5	9.1	8.6
95% CI (+/-)	1.6	1.5	1.4	1.3	1.3	1.1	0.4	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.4	0.4	0.4	0.4
Kidney and Renal Pelvis																		
Rate	5.0	5.0	5.8	4.9	4.7	4.6	5.8	5.7	5.5	5.7	5.1	5.1	6.0	6.2	6.1	6.2	5.5	5.8
95% CI (+/-)	1.0	1.0	1.0	1.0	0.9	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Brain and Other Nervous System																		
Rate	6.0	5.4	5.5	6.1	4.9	5.2	5.2	5.1	5.0	5.0	4.6	4.6	5.3	5.1	5.5	5.7	5.1	5.3
95% CI (+/-)	1.0	1.0	0.9	1.1	0.9	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Thyroid																		
Rate	0.6 [1]	0.6 [1]	0.5 [1]	1.1	0.4 [1]	0.4 [1]	0.6	0.5	0.4	0.5	0.4	0.5	0.6	0.5	0.4	0.5	0.4	0.5
95% CI (+/-)	0.3	0.4	0.3	0.5	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hodgkin Lymphoma																		
Rate	2.3	1.4	1.3	0.8 [1]	0.6 [1]	0.4 [1]	1.6	1.3	1.1	0.7	0.6	0.5	1.6	1.3	1.0	0.7	0.5	0.5
95% CI (+/-)	0.7	0.5	0.5	0.4	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
Non-Hodgkin Lymphomas																		
Rate	7.6	9.2	11.3	11.5	10.0	8.3	7.7	9.1	10.2	10.6	9.3	7.8	8.0	9.3	10.4	11.1	9.7	8.2
95% CI (+/-)	1.2	1.3	1.4	1.5	1.4	1.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4
Multiple Myeloma																		
Rate	3.9	3.9	3.9	4.2	5.5	3.8	3.7	4.3	4.4	4.4	4.3	3.9	3.8	4.4	4.6	4.7	4.7	4.2
95% CI (+/-)	0.9	0.9	0.8	0.9	1.0	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Leukemias																		
Rate	11.3	9.7	10.4	11.7	11.8	9.0	10.8	10.4	9.9	10.0	9.4	9.2	11.3	11.0	10.5	10.9	10.4	10.1
95% CI (+/-)	1.5	1.3	1.4	1.5	1.5	1.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.4	0.4	0.4	0.4	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

[1] Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/statistics/cancer/registry/ Data as of November 2010.

Table 18. Trends in Average Annual Cancer Mortality Rates Among Females, Westchester County, New York State and New York State excluding New York City, 1976-2008

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
All Invasive Malignant Tumors																		
Rate	185.7	184.7	175.7	172.4	154.9	142.6	182.4	181.8	181.1	175.3	162.0	146.2	182.4	186.8	186.1	179.8	170.7	156.6
95% CI (+/-)	4.9	4.7	4.5	4.8	4.5	4.2	1.1	1.1	1.1	1.1	1.0	1.0	1.5	1.4	1.4	1.5	1.4	1.3
Oral Cavity and Pharynx																		
Rate	3.1	2.5	2.1	1.7	1.3	1.1	2.5	2.3	2.1	1.7	1.4	1.2	2.5	2.5	2.2	1.7	1.5	1.2
95% CI (+/-)	0.6	0.6	0.5	0.5	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1
Esophagus																		
Rate	2.6	2.3	2.2	2.1	2.1	1.5	2.4	2.2	2.2	2.2	2.0	1.9	1.9	1.9	2.0	2.1	2.1	1.9
95% CI (+/-)	0.6	0.5	0.5	0.5	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
Stomach																		
Rate	7.6	5.6	5.4	4.9	4.0	3.6	7.0	5.7	5.1	4.8	3.9	3.3	6.1	5.0	4.2	3.7	3.0	2.6
95% CI (+/-)	1.0	0.8	0.8	0.8	0.7	0.7	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.2
Colorectal																		
Rate	30.6	26.8	21.9	18.3	16.7	14.1	29.6	26.6	22.8	20.7	17.9	14.3	30.4	28.0	23.7	21.0	18.0	14.3
95% CI (+/-)	2.0	1.8	1.6	1.5	1.4	1.3	0.4	0.4	0.4	0.4	0.3	0.3	0.6	0.6	0.5	0.5	0.4	0.4
Colon excluding Rectum																		
Rate	25.5	22.6	19.3	16.4	14.8	11.9	25.0	22.9	19.9	18.1	15.4	12.2	25.4	23.9	20.6	18.2	15.3	12.1
95% CI (+/-)	1.8	1.6	1.5	1.4	1.3	1.2	0.4	0.4	0.3	0.4	0.3	0.3	0.5	0.5	0.5	0.5	0.4	0.4
Rectum & Rectosigmoid																		
Rate	5.1	4.2	2.6	1.9	1.9	2.2	4.7	3.7	2.9	2.6	2.4	2.1	5.0	4.1	3.2	2.8	2.6	2.2
95% CI (+/-)	0.8	0.7	0.5	0.5	0.5	0.5	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Liver / Intrahepatic Bile Duct																		
Rate	1.6	1.7	2.2	2.9	2.7	2.9	2.5	2.5	2.9	2.9	2.9	3.2	1.8	1.7	2.1	2.5	2.4	2.8
95% CI (+/-)	0.5	0.5	0.5	0.6	0.6	0.6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
Pancreas																		
Rate	10.7	11.2	10.5	10.6	9.9	9.1	10.2	9.9	9.8	10.0	9.9	9.6	10.0	10.0	10.0	10.1	10.4	10.0
95% CI (+/-)	1.2	1.1	1.1	1.2	1.1	1.0	0.3	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Larynx																		
Rate	0.6	0.7	0.5	0.6	0.4	0.3	0.7	0.7	0.8	0.7	0.5	0.4	0.6	0.7	0.7	0.7	0.5	0.5
95% CI (+/-)	0.3	0.3	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Lung and Bronchus																		
Rate	26.3	31.3	35.3	37.2	34.1	33.1	23.4	30.6	36.8	38.4	38.1	36.2	24.3	33.0	40.6	42.7	43.5	42.9
95% CI (+/-)	1.8	1.9	2.0	2.2	2.1	2.0	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.7	0.7	0.7	0.7
Melanoma of the Skin																		
Rate	2.2	2.1	1.5	2.0	1.6	1.4	1.7	1.8	1.6	1.6	1.6	1.4	1.8	2.0	1.9	1.8	1.9	1.7
95% CI (+/-)	0.5	0.5	0.4	0.5	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.1

(continued)

Table 18. Trends in Average Annual Cancer Mortality Rates Among Females, Westchester County, New York State and New York State excluding New York City, 1976-2008 *(continued)*

	Westchester County						New York State						New York City excluding New York State					
	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008	1976-1981	1982-1987	1998-1993	1994-1998	1999-2003	2004-2008
Female Breast																		
Rate	39.5	40.1	36.2	32.1	25.9	23.6	38.1	37.2	36.2	32.5	26.9	22.9	38.4	38.8	36.7	32.1	27.1	22.8
95% CI (+/-)	2.3	2.2	2.1	2.1	1.8	1.7	0.5	0.5	0.5	0.5	0.4	0.4	0.7	0.7	0.6	0.6	0.6	0.5
Cervix Uteri																		
Rate	4.2	2.7	2.6	2.7	2.0	2.0	4.9	3.7	3.4	3.2	2.8	2.4	4.6	3.5	3.0	2.7	2.3	2.0
95% CI (+/-)	0.8	0.6	0.6	0.6	0.5	0.5	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Corpus Uterus and NOS																		
Rate	5.1	4.7	4.5	4.8	4.9	5.8	5.5	4.9	4.7	4.9	4.8	5.0	5.3	4.9	4.6	4.5	4.4	4.7
95% CI (+/-)	0.8	0.7	0.7	0.8	0.8	0.9	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Ovary																		
Rate	9.9	10.3	11.0	10.5	10.1	7.9	10.5	10.0	10.2	9.5	8.9	8.3	11.2	10.7	10.7	10.0	9.6	9.1
95% CI (+/-)	1.1	1.1	1.1	1.2	1.2	1.0	0.3	0.3	0.3	0.3	0.2	0.2	0.4	0.3	0.3	0.3	0.3	0.3
Urinary Bladder (incl. in situ)																		
Rate	3.4	2.8	2.7	2.3	2.7	2.4	3.3	2.8	2.8	2.8	2.4	2.3	3.3	3.0	2.9	2.8	2.6	2.5
95% CI (+/-)	0.7	0.6	0.5	0.5	0.6	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Kidney and Renal Pelvis																		
Rate	2.3	2.9	2.3	2.4	2.2	1.9	2.5	2.7	2.6	2.6	2.3	2.2	2.8	3.0	2.9	2.9	2.6	2.5
95% CI (+/-)	0.5	0.6	0.5	0.6	0.5	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Brain and Other Nervous System																		
Rate	2.8	3.4	3.6	3.5	3.5	2.9	3.3	3.5	3.2	3.4	3.1	2.8	3.4	3.7	3.5	3.6	3.5	3.2
95% CI (+/-)	0.6	0.7	0.7	0.7	0.7	0.6	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Thyroid																		
Rate	0.9	0.6[1]	0.6[1]	0.7[1]	0.5[1]	0.4[1]	0.7	0.6	0.6	0.6	0.5	0.5	0.7	0.6	0.5	0.6	0.5	0.4
95% CI (+/-)	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hodgkin Lymphoma																		
Rate	0.8	0.8	0.5[1]	0.6[1]	0.5[1]	0.6[1]	1.0	0.7	0.6	0.5	0.4	0.4	1.0	0.8	0.6	0.5	0.5	0.4
95% CI (+/-)	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Non-Hodgkin Lymphomas																		
Rate	5.3	5.4	6.1	7.4	5.9	5.2	5.3	5.8	6.4	7.0	5.9	5.0	5.6	6.0	6.8	7.5	6.4	5.3
95% CI (+/-)	0.8	0.8	0.8	1.0	0.9	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2
Multiple Myeloma																		
Rate	3.0	3.0	3.2	3.1	2.5	2.5	2.7	2.9	2.9	3.2	2.9	2.5	2.6	2.9	2.9	3.2	2.8	2.6
95% CI (+/-)	0.6	0.6	0.6	0.6	0.6	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Leukemias																		
Rate	6.5	7.0	5.1	6.4	4.8	5.1	6.5	6.2	5.8	5.7	5.5	5.1	6.8	6.4	6.2	6.0	5.8	5.4
95% CI (+/-)	0.9	0.9	0.8	0.9	0.8	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

[1] Rates based on fewer than 4 deaths per year are unstable and should be used with caution.

Source: New York State Department of Health, New York State Cancer Registry http://www.health.state.ny.us/statistics/cancer/registry/ Data as of November 2010.

Appendices

A1. Data Sources

Data for this report was derived from the New York State Department of Health Cancer Registry and the National Cancer Institute, which processes and reports information on every resident diagnosed with cancer in New York. The New York State Cancer Registry is one of the oldest cancer registries in the country and has been collecting information on patients with cancer for more than 50 years. However, evaluation of the reporting patterns shows that 1976 is the first year that is considered complete enough to use for analysis of statewide cancer trends.

As required by Public Health Law 2401, the Cancer Registry receives reports from the hospitals where a person is diagnosed with a new tumor and/or treated for a tumor. Data on the anatomic site of the tumor, the stage at diagnosis, the cell type of the cancer and some treatment information are reported, along with information on the patient's demographic and socioeconomic characteristics, such as age, sex, race, ethnicity, residence, place of birth. Patients diagnosed with multiple types of cancer are reported for each separate tumor. Information on the date and cause of death of persons diagnosed with cancer are also collected, generally from the death certificates.

The Cancer Registry includes reports of all malignant cancers, except certain skin cancers, such as the basal cell and squamous cell cancers of the skin because they are rarely fatal and usually do not require hospitalization. The Cancer Registry also collects data on brain and nervous system tumors classified as benign or with uncertain behavior.

The incidence and mortality rates reported by the New York State Department of Health Cancer Registry are age-adjusted to the 2000 U.S. census standard population, with 95% confidence intervals. Five years of data (2004-2008) are combined because the number of cases and rates for single years can vary considerably.

Classification and diagnosis codes for cancers have changed over the years. In 2001, the behavior classification of some neoplasia changed with the introduction of the 3rd Edition of the International Classification of Diseases for Oncology (ICD-O-3). Thus, some cancers coded as malignant prior to 2001 (based on ICD-O-2) might be classified as borderline malignancy according to the ICD-O-3 and were not included in these statistics. Conversely, some conditions with borderline malignant behavior based on ICD-O-2 might be coded as malignant according to ICD-O-3 and reported. As a result, there are limitations to comparisons of cancer incidence over time due to these modifications.

The New York State Cancer Registry is a member of the North American Association of Central Cancer Registries (NAACCR). The National Cancer Institute also maintains a large cancer registry called the Surveillance, Epidemiology and End-Results (SEER) program.

More information can be found at http://www.health.state.ny.us/statistics/cancer/registry/.

A2. Westchester County Municipalities

Health Planning Region and Municipality[1]	Code[2]
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part)[2]	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part)[2]	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C


Health Planning Region and Municipality[1]	Code[2]
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part)[3]	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part)[3]	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

[1] For regional planning purposes, municipalities are grouped into six geographic health planning regions.

[2] A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

[3] The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

A3. Health Planning Regions and Municipality Map



Appendix F
Water Quality Report

City of White Plains Annual Drinking Water Quality Report 2011

(Public Water Supply ID #5903464)

Introduction

To comply with State regulations, the City of White Plains will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system had no maximum contaminant level violations last year. Last year, we conducted tests for over 170 contaminants. We detected 35 of those contaminants, and found none of those contaminants at a level higher than the state allows. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Joseph J. Nicoletti, Jr., P.E., Commissioner at 914-422-1220. We want you to be informed about your drinking water.

Where does our water come from?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminates. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water that must provide the same protection for public health.

During 2011 our system did not experience any restriction of our water source.

Source

One hundred (100%) of the water delivered by the City of White Plains is purchased from The New York City Water Board through County Water District No. 1. The raw water purchased from New York City (NYC) is drawn from the Kensico Reservoir, which is



an unfiltered surface water source. Kensico Reservoir delivers a high-quality water and has sufficient capacity to supply the City.

The City's three wells, that supply a total of approximately 150,000 to 200,000 gallons per day were removed from service in 2009. The Federal EPA recently enacted the Surface Water Treatment Rule (SWTR), which required us to conduct a study to determine if these wells were under the influence of nearby surface water and that was found to be the case with our wells. Although the water quality from these wells has been consistently high for many decades, the new regulations (stated under NYSDOH PWS 43 Technical Reference) now require us to filter this water. As we had already begun the process of rehabilitating our reservoir filtration plant, we are redesigning the unit to also incorporate the well supply. This will enable us to meet the latest Federal and New York State Regulations pertaining to both our alternate water supplies (Reservoirs and Wells) using a single filtration plant. We expect to resume using both the reservoirs and the wells in 2012, as they are currently out of service.

The City has an emergency interconnection to the Delaware Aqueduct (shaft 22). This connection is located in the City of Yonkers and water is distributed to the City of White Plains via the Kensico-Bronx Pipeline. This emergency connection can supply 100% of the city's total requirements.

During 2011 our system did not experience any restriction of our water source.

The New York State Department of Health (NYSDOH) has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk



2012 Water Main Flushing Schedule by Neighborhood

April:	Soundview Area, Old Mamaroneck Road Area, Gedney Farms, Colonial, Havilands Section and North Street Areas.
May to July:	Coralyn, Reynal, Hillair, Holbrooke, Richbell, Topland, North Street, Saxon Wood, Rosedale Areas.
September to October:	Battle Hill, Church Street Area and North Broadway Area, Fisher Hill Area, and the Central Business District.
November:	Prospect Park, Highland, Carhart, Westminster, Woodcrest Areas

Water Main Flushing is a necessary maintenance, scheduled once a year. Flushing is performed on normal workdays, between midnight and 4:00 am. Water pressure variations or discolored water conditions may occur. To avoid inconvenience, check the water before doing laundry and keep water in the refrigerator for drinking and cooking. Discolored water can also result from street construction or water main work being done in the area. Any disturbance to the water main, including the flushing of an open hydrant, can cause pipe sedimentation to shift, resulting in rusty brown colored water. The settling time will vary, dependent upon the size of your street's water main. It is recommended to run your cold water for a number of minutes to flush the line.



Call 422-1220 for more information.



It might resemble an alien space ship, but don't worry...this is actually a SolarBee, Hypolynetic Aerator, solar powered "agitator", which has recently been installed in City reservoirs to improve water quality.

posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become, contaminated. While nitrates (and other inorganic contaminants) were detected in our water, it should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants from natural sources. The presence of contaminants does not necessarily indicate that the water poses a health risk. See section "*Are there contaminants in our drinking water?*" for a list of the contaminants that have been detected, if any. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Source Water Assessment for Reservoirs

The source water assessment on the Reservoir #1 found no noteworthy risks to source water quality. The source water assessment for Reservoir #2 contains no discrete PCSs and none of the land cover contaminant prevalence ratings were above the low. However, because microbial contaminants in reservoirs are generally highly mobile, this drinking water intake has a susceptibility rating of "medium-high" for protozoa and enteric bacteria and viruses.

Furthermore reservoirs are normally susceptible to water quality problems caused by phosphorous addition from surface water runoff of fertilizers and soaps, but our reservoirs have a substantial buffer distance from residential development.

Source Water Assessment for Dug Wells

The source water assessment for the groundwater sources has rated the dug wells as having a "medium-very high" susceptibility to microbials, protozoa, nitrites, nitrates, industrial solvents, metals, petroleum products, herbicides, pesticides, and other industrial contaminants. These ratings are due primarily to the close proximity of permitted discharge facilities to the dug wells. This includes industrial/commercial facilities and the associated industrial activity in the assessment area. In addition, the wells draw from an unconfined aquifer of high hydraulic conductivity. While the source water assessment rates our wells as being susceptible to microbials, please note that our water is disinfected to ensure that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting us.

The NYSDOH has evaluated the susceptibility of water supplies statewide to potential contamination under the Source Water Assessment Program (SWAP), and their findings are summarized in the paragraph(s) below. It is important to stress that these assessments were created using available information and only estimate the potential for source water contamination. Elevated susceptibility ratings do not mean that source water contamination has or will occur. As your Public Water Supply (PWS), we provide treatment and regular monitoring to ensure the water delivered to consumers meets all applicable standards.

We obtain 100% of our raw water from the New York City water supply system drawn from the Kensico Reservoir. Before it enters the Kensico Reservoir, water either comes from the Catskill/Delaware watersheds east of the Hudson River and/or from the Croton watershed in Putnam and Westchester Counties.

The reservoirs in the Catskill/Delaware watersheds lie within a mountainous rural area. They are relatively deep with little development along their shorelines. The main water-quality concerns associated with land cover is agriculture, which can contribute microbial contaminants, pesticides, and algae-producing nutrients. There are also some potential contamination concerns associated with residential lands and associated wastewater discharges. There are also a number of other discrete facilities, such as landfills, chemical bulk storage, etc., that have the potential to impact local water quality, but large significant water quality problems associated with these facilities are unlikely, due to the size of the watershed and surveillance and management practices.

The New York City Department of Environmental Protection (DEP) implements a series of programs to evaluate and protect source water quality within these watersheds. Their efforts focus on three important program areas:

1) The enforcement of strengthened watershed rules and regulations;
2) The acquisition and protection of watershed lands;
3) The implementation partnership programs that target specific sources of pollution in the watersheds.

Due to these intensive efforts, the SWAP methodologies applied to the rest of the state were not applied for this PWS. Additional information on the water quality and protection efforts in these New York City watersheds can be found at the DEP's website www.nyc.gov/dep/watershed.

Treatment

All treatment of the water sources supplying the City of White Plains are treated in accordance with the requirements of the New York State Department of Health as follows:

Chlorination – Chlorine is added to insure a bacteriologically safe water.

Corrosion Control – Westchester County Water District No. 1 which supplies water to the City of White Plains constructed a corrosion control treatment facility to adjust ph and addition of ortho-phosphate. This treatment began operation in December 1995.

Fluoridation – Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at an optimal range from 0.8 to 1.2 mg/l (parts per million). The City of White Plains began fluoridation treatment of all water sources on October 1, 1972, as an additional public health measure.

To ensure that the fluoride supplement in your water provides optimal dental protection, the State Department of Health requires that we monitor fluoride levels on a daily basis. During 2011 monitoring showed fluoride at levels in the optimal range 100% of the time. None of the monitoring results showed fluoride at levels that approach 2.2 mg/l.

Filtration – Since August 5, 1999 The City of White Plains has utilized microfiltration for its surface water supply source consisting of two city owned reservoirs.

As previously noted, our microfiltration plant is being reconstructed to meet the latest regulations and incorporate the wells into the system.

Facts and Figures

The public water supply system of the City of White Plains serves the entire city, an area of approximately 9.8 square miles. The City's residential population is more than 56,000.

The water is distributed through approximately 160 miles of water mains to provide service to more than 10,000 metered accounts. The total water produced in fiscal year 2010-2011 was 3,566 million gallons. The daily average of water treated and pumped into the distribution system is 8.38 million gallons per day. Our highest single day was 15.6 million gallons. The amount of water delivered to customers was 3,058 million gallons. This leaves an unmetered total of 508 million gallons, some of which is used to flush mains and fight fires, as well as losses from water main breaks and water service line leaks before the meter.

The City has a progressive water structure wherein the unit rate escalates with increased usage. In 2011, water customers were charged at unit rates starting at $1.46 per 100 cubic feet of water, and the average family of four (4) had an annual bill of $169.00.

Are there contaminants in our drinking water?

As the State regulations require, we routinely test our drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrates, nitrites, lead and copper, volatile organic compounds, total trihalomethanes, and haloacetic radiological and synthetic organic compounds.

The table presented on pages 22-23 depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

Water is distributed through approximately 160 miles of water mains to provide service to more than 10,000 metered accounts.



Included as a supplement to this notice is a report of analytical testing results for contaminants required to be tested for by the United States Environmental Protection Agency and the New York State Department of Health. This supplement is available to consumers of the City of White Plains upon request.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's **Safe Drinking Water Hotline (800-426-4791) or the Westchester County Health Department at 914-813-5000.**

According to State regulations, the City of White Plains routinely monitors your drinking water for various contaminants. Your water is tested for inorganic contaminants, nitrates, lead and copper, volatile organic contaminants, synthetic organic contaminants, and total trihalomethanes. The contaminants detected in your drinking water are included in the Table of Detected Contaminants.

In addition, we monitored entry point samples for inorganic contaminants that were not detected. These include cyanide, ammonia, nitrites, antimony, arsenic, beryllium, mercury, lead, copper, thallium, selenium, cadmium, chromium, silver. Organic contaminants that were tested for and not detected in the source water include 3-Hydroxycarbofuran, Aldicarb, Aldicarb sulfone, Aldicarb sulfoxide, Carbaryl, Carbofuran, Methomyl, Oxamyl, Aldrin, Chlordane,

Table of Detected Contaminants

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Maximum)	Unit of Measurement	MCLG	Regulatory Limit (MCL,TT, or AL)	Likely Source of Contamination
Central Avenue Pumping Station Entry Point INORGANIC CHEMICALS & PHYSICAL CHARACTERISTICS							
Chlorides	no	6/2011	12.6	mg/l	n/a	MCL 250	naturally occurring or road salt
Manganese	no	6/2011	13.2	µg/l	n/a	MCL 300	naturally occurring or road salt
Nitrate	no	6/2011	0.222	mg/l	10	MCL 10	run-off from fertilizer used
Barium	no	6/2011	18.5	µg/l	2	MCL 2.00	erosion of natural deposits
Fluoride	no	1/2011	1.14	mg/l	n/a	MCL 2.2	erosion of natural deposits
Iron	no	6/2011	61	µg/l	n/a	MCL 300	naturally occurring
Zinc	no	6/2011	5.6	µg/l	n/a	MCL 5.0	naturally occurring
Sulfate	no	6/2011	5.76	mg/l	n/a	MCL 250	naturally occurring
Nickel	no	6/2011	0.54	µg/l	n/a	MCL	naturally occurring
Sodium	no	6/2011	9090	µg/l	n/a	–	naturally occurring
Turbidity	no	4/2011	1	ntu	n/a	MCL 5	soil run-off
Orchard Street Pumping Station Entry Point							
Chlorides	no	6/2011	12.1	mg/l	n/a	MCL 250	naturally occurring or road salt
Manganese	no	6/2011	23.6	µg/l	n/a	MCL 300	naturally occurring or road salt
Nitrate	no	6/2011	0.236	mg/l	10	MCL 10	naturally occurring or road salt
Barium	no	6/2011	20.3	µg/l	2	MCL 2.00	run off from fertilizer used
Fluoride	no	1/2011	1.17	mg/l	n/a	MCL 2.2	naturally occurring
Iron	no	6/2011	95	µg/l	n/a	MCL 300	erosion of natural deposits
Zinc	no	6/2011	2.5	µg/l	n/a	MCL 5.0	naturally occurring
Sulfate	no	6/2011	5.77	mg/l	n/a	MCL 250	erosion of natural deposits
Nickel	no	6/2011	0.82	µg/l	n/a	N/A	naturally occurring
Sodium	no	6/2011	9980	µg/l	n/a	–	naturally occurring
Turbidity	no	4/2011	1	ntu	n/a	MCL 5	soil run-off
*Gross Alpha Particle	no	n/a 10/04	3.92	pci/l	0	MCL 15	decay of natural deposits & manmade emissions
*Gross Beta Particle	no	n/a 10/04	4.38	pci/l	0	MCL 50	decay of natural deposits & manmade emissions

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Maximum)	Unit of Measurement	MCLG	Regulatory Limit (MCL,TT or AL)	Likely Source of Contamination
*Gross Alpha Particle	no	n/a 10/2004	3.92	pci/l	0	MCL 15	Decay of natural deposits & manmade emmissions
*Gross Beta Particle	no	n/a 10/2004	4.38	pci/l	0	MCL 50	Decay of natural deposits & manmade emmissions

* Gross Alpha and Gross Beta samples were monitored quarterly at Kensico Reservoir

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Maximum)	Unit of Measurement	MCLG	Regulatory Limit (MCL,TT, or AL)	Likely Source of Contamination
Distribution System							
Fluoride	No	1/2011	1.2	mg/l	n/a	MCL 2.2	Treatment
Orthophosphate Treatment	No	1/2011	>2.75	mg/l	n/a	n/a	n/a
Total Trihalomethanes (TTHM) [4]	No	Quarterly	12.43-48.3	µg/l	n/a	80	By-products of drinking water chlorination
Haloacetic Acids (HAA5)	No	Quarterly	13.1-69.0	µg/l	n/a	60	By-products of drinking water chlorination
Contaminants monitored under interim enhanced surface water treatment rule (Disinfection By-Products)							

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Maximum)	Unit of Measurement	MCLG	Regulatory Limit (MCL,TT, or AL)	Likely Source of Contamination
Distribution System Lead & Copper Analysis							
Lead [2]	No	6/11	2 (ND-5	µg/l	0	AL 15.0	corrosion of household plumbing systems
Copper [3]	No	6/11	("358 (53-404)"	µg/l	1300	AL 1300	corrosion of household plumbing systems
Kensico Supply Entry Point							
Turbidity [1] (highest single monthly value)	No	4/11	1.0	NTU	n/a	MCL=<1	Soil run off

Kensico Reservoir Gross Alpha, Beta Radium,226, Radium 228, and Uranium min					
	Alpha	Beta	Radium 226	Radium 228	Uranium
6/7/2004	-0.4+/-0.6	2.7+/-1.6	-0.05+/-0.07	3.1+/-5.0	0.500+/-1.41
9/7/2004	0.4+/-0.7	0.3+/-1.5	(0.03)+/-0.04	(0.4)+/-0.9	0.50+/-1.4
10/25/2004	0.0+/-0.6	2.1+/-1.4	(0.08)+/-012	1.3+/-0.81	0.50+/-1.41
The state considers 50 pci/l to be the level of concern for Beta Particles Sodium: Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.					

Contaminant	MCL
Combined Radium	5 pci/l
Uraniuim	30 pci/l

Dieldrin, Endrin, Heptachlor, Heptachlor Expoxide, Lindane, Methoxychlor, PCBs, Propachlor, Toxaphene, 2,3,7,8-TCDD (Dioxin), Diquat, Endothall, Glyphosate, 2,4,5,T, 2,4-D, Dalapon, Dicamba, Dinoseb, Pentachlorophenol, Picloram, Silvex, 1,2-Dibromo 3-chloropropane, 1,2-Dibromoethane, Butachlor, Metolachlor, Metribuzin, Alachlor, Atrazine, Benzo(a)pyrene, bis(2-Ethylhexyl) adipate, bis(2-Ethylhexyl) phthalate, Hexachlorobenzene, Hexachloro-cyclopentadiene, Simazine, 1,1,1,2-tetrachloroethane, 1,1,1-trichloro-ethane, 1,1,2,2-trichloroethane, 1,1,2-trichloroethane, 1,1-dichloro-ethane, 1,1-dichloroethene, 1,1-dichloropropene, 1,2,3-trichloro-benzene, 1,2,3-trichloropropane, 1,2,4-trichlorobenzene, 1,2,4-tri-methylbenzene, 1,2-dichlorobenzene, 1,2-dichloroethane, 1,2-dichloro-propane, 1,3,5-trimethylbenzene, 1,3-dichlorobenzene, 1,3-dichloro-propane, 1,4-dichlorobenzene, 2,2-dichloropropane, 2-butanone, 2-chlorotolune, 4-chlorotoluene, Benzene, Bromobenzene, Bromochloromethane, Bromomethane, Carbon Tetrachloride, Chlorobenzene, Chloroethane, Chloromethane, cis-1,2-dichloroethene, cis-1,2-dichloroethene, cis-1,3-dichloro-propene, Dibromomethane, Dichlorodifluoromethane, Ethylbenzene, Hexachlorobutadiene, Isopropylbenzene, Methy iso-butyl ketone, Methyl tert-butyl ether, Methylene Chloride, N-butylbenzene, N-propylbenzene, Naphthalene, O-Xylene, P & M-xylene, P-isopropyltoluene, SEC-butylenzene, Styrene, TERT-butylbenzene, Tetrachloroethene, Toluene, trans-1,2-dichloroethene, trans-1,3-dichloropropene, Trichloroethene, Trichlorofluoromethane, and Vinyl chloride. Radiological contaminants tested for and not detected in the source water include Strontium-90 and tritium. Unregulated Contaminants that were tested for and not found in the source water are Perchlorate, DCPA di-acid, 2,4-Dinitrotoluene, 2,6-Dinitrotoluene, 4,4-DDE, Acetochlor, EPTC, Molinate, Terbacil, and Nitrobenzene.

The results of the lead and copper testing performed fell below the action level threshold. Therefore, additional lead and copper testing is not required until June 2014.

Notes:

1-Turbidity is a measure of the cloudiness of the water. Our highest single turbidity measurement for the year occurred on 4/11 (1 NTU). State regulations require that turbidity must always be below 5 NTU. The regulations require that 95% of the turbidity samples collected have measurements below 0.5 NTU. Although April 2011 was the month when we had the fewest measurements meeting the treatment technique for turbidity, the levels recorded were within the acceptable range allowed and did not constitute a treatment technique violation.

2-The level presented represents the 90th percentile of the 30 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected in your water system. The action level for copper was not exceeded at any of the 30 sites tested. The copper values ranged from 53.0 ug/l to 404.0 ug/l. The 90th percentile was 358 ug/l; all samples passed. Copper results greater than 1300 ug/l = "Fail."

3-The level presented represents the 90th percentile of the 30 sites tested. The lead values ranged from < 2.0 ug/l to 5.0 ug/l. The 90th percentile was 2.0 ug/l; 35 samples passed with ZERO (0) failure. Lead results greater than 15 ug/l = "Fail."

4-This level represents the annual quarterly average calculated from data collected.

Definitions

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - pph).

Nanograms per liter (ng/l): Corresponds to one part of liquid to one trillion parts of liquid (parts per trillion - ppt).

Picograms per liter (pg/l): Corresponds to one part per of liquid to one quadrillion parts of liquid (parts per quadrillion - ppg).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

Millirems per year (mrem/yr): A measure of radiation absorbed by the body.

Million Fibers per Liter (MFL): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

Not Applicable: (n/a)

During 2011, our system was in compliance with all applicable State drinking water operating, monitoring, and reporting requirements.

What does this information mean?

As you can see by the table, our system had no violations. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below New York State requirements. Although the action level for lead was not exceeded, we are required to present the following information on lead in drinking water:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. White Plains is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available for the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

Is our water system meeting other rules that govern operations?

During 2011, our system was in compliance with all applicable State drinking water operating, monitoring, and reporting requirements.

Variances, Exemptions, Administrative or Judicial Orders

The Surface Water Treatment Rule (SWTR) required that all water suppliers drawing water from a surface water source provide filtration by June 29, 1993. After implementing a Watershed Protection Plan, the City of New York has been granted Filtration Avoidance. Early in 1997 the City of New York was granted a long-term exemption from the filtration requirement by the U.S. Environmental Protection Agency and the New York State Department of Health for the Catskill source south of Kensico and the Delaware source. The City was granted this exemption based on the exceptional quality of the raw water and the continued demonstration that the City can protect the water at its source. The SWTR requires that treatment for unfiltered surface water sources must achieve at least a 99.9% inactivation of Giardia Lamblia cycts and 99.99% inactivation of enteric viruses. In 1994, the City of White Plains completed the installation of improvements required to achieve the required contact time.

The City of White Plains was granted a Biofilm variance from the New York State Department of Health on May 26, 1994. The variance recognizes that the maximum contaminant level cannot be used to determine the public health significance of coliform bacteria being detected in the distribution system when biofilms, and not contaminated water, is in the system.

Information on Cryptosporidium

Cryptosporidium is a microbial pathogen found in surface water and ground water under the influence of surface water. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Ingestion of Cryptosporidium may cause Cryptosporidiosis, a gastrointestinal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome disease within a few weeks. However, immuno-compromised people are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their health care provider regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water. In 2011, the City of New York Department of Environmental Protection (which sells us 100% of our raw water) collected 52 routine samples at their Kensico Reservoir effluents and analyzed them for Cryptosporidium oocysts using Method 1623HV. Of the 52 routine samples, they report that 1 was positive for Cryptosporidium (0 to 3 oocysts/50L).

Information on Giardia

Giardia is a microbial pathogen present in varying concentrations in many surface waters and groundwater under the influence of surface water. Giardia is removed/inactivated through a combination of filtration and disinfection or by disinfection. The source water is disinfected prior to reaching our distribution system to remove/inactivate the Giardia cyst. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Giardia may cause giardiasis, an intestinal illness. People exposed to Giardia may experience mild or severe diarrhea, or in some instances no symptoms at all. Fever is rarely present. Occasionally, some individuals will have chronic diarrhea over several weeks or a month, with significant weight loss. Giardiasis can be tested with anti-parasitic medication. Individuals with weakened immune systems should consult with their health care providers about what steps would best reduce their risks of becoming infected with Giardiasis. Individuals who think that they may have been exposed to Giardiasis should contact their health care providers immediately. The Giardia parasite is passed in the feces of an infected person or animal and may contaminate water or food. Person-to-person transmission may also occur in day care centers or other settings where hand-washing practices are poor. In 2011, the City of New York Department of Environmental Protection (which sells us 100% of our raw water) collected 52 routine samples at Kensico Reservoir effluents and analyzed them for Giardia using Method 1623HV. Of the 52 routine samples, they report that 40 were positive for Giardia (0 to 6 cysts/50L).

Do I need to take special precautions?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer

undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly people, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia, and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791). Our system is one of many drinking water systems in New York that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at an optimal range from 0.8 to 1.2 mg/l (parts per million).

System Improvements

In 2011, we completed the following:

1 Installed new valves and hydrants at various locations citywide.

2 Continued with Annual Leak Survey citywide.

3 Installed security fencing along city-owned watershed property.

4 Completed New 12" ductile iron pipe on Paulding Street from Maple Avenue to Hiram Avenue.

5 Completed New 8" ductile iron pipe on Ralph Avenue from Coolidge Avenue to Prescott Avenue.

6 Installed New SolarBee Unit at Reservoir # 2 and control panels to the SCADA system at Orchard Street Pump Station.

7 Completed our annual Hydrant Flushing and Valve Maintenance Program Citywide

8 Completed Lead and Copper sampling.

In 2012, we are planning the following capital improvements:

1 Upgrade various pumps at the Orchard Street Pumping Station.

2 Reservoir Nos. 1 and 2 spillway improvements.

3 Start Phase 2 of the 30" ductile iron transmission main on Ferris Ave.

4 Replace large diameter valves at various locations.

5 Upgrade watershed security.

6 Replace/reconstruct miscellaneous water lines throughout the City.

7 Replacement of Filter Media for Micro Filtration Plant.

8 Install two new wells at the Orchard Street Pump Station.

9 Install new chemical tanks at the Orchard Street Pump Station.

Closing

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all our customers help us protect our water sources, which are the heart of our community and our way of life. Please call our office if you have questions.

Why Save Water

and How to Avoid Wasting It

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems, and water towers;
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water-use restrictions so that essential fire-fighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances, then check the meter after 15 minutes. If it moved, you have a leak.



City Of White Plains Phase II Stormwater Management Program

General Overview

Phase I of the U.S. Environmental Protection Agency's (EPA) stormwater program was established in 1990 under the Clean Water Act (CWA). Phase I was implemented by the State of New York through the use of State Pollutant Discharge Elimination System (SPDES) permit coverage to address the following three types of regulated stormwater discharges: (1) "medium" to "large" Municipal Separate Storm Sewer Systems (MS4s) generally serving populations of 100,000 or greater, (2) construction activity disturbing five (5) acres or greater, and (3) industrial activities.

The Stormwater Phase II Final Rule, published in December 1999, was the next step in EPA's effort to preserve, protect, and improve the Nation's water resources from polluted stormwater runoff. The regulations expand the Phase I program by requiring additional operators of regulated "small" MS4s in urbanized areas and operators of small construction sites (disturbing between one (1) and five (5) acres of land) to implement programs and practices to control polluted stormwater runoff. The City of White Plains has been utilizing most of this criteria since the mid-1980s.

Who is Covered Under the Phase II Regulations?

The term MS4 applies to any system designed or used for the collection and conveyance of stormwater. The regulations apply to systems owned and operated by municipalities, State Departments of Transportation, universities, local sewer districts, hospitals, military bases, and prisons. The term does not apply to combined sewer systems or systems that are part of a Publicly Owned Treatment Works (POTW).

"Small MS4s" are defined as any MS4 that is not covered under the Phase I Program. However, only a select subset of small MS4s, referred to as "regulated small" MS4s, require coverage under the NPDES Phase II Program. The Phase II regulations "automatically" cover two classes of stormwater discharges on a nationwide basis:

1. Operators of "small" MS4s located in "urbanized areas". In general, the Phase II Final Rule requires nationwide coverage of all operators of small MS4s that are located within the boundaries of the Bureau of the Census-defined "urbanized area" (US). Further, an operator outside of a UA may be designated for permit coverage if the permitting authority determines that its discharges cause, or have the potential to cause, an adverse impact on water quality. [1]

2. Operators of small construction activities that disturb equal to or greater than one (1) and less than five (5) acres of land.



These regulations are a continuation of the EPA's effort to preserve, protect, and improve the Nation's water resources from polluted stormwater runoff.

Phase II Small MS4 Program Requirements

Under the Phase II Stormwater Rule issued by the EPA, operators of "regulated small" MS4s were required to:

- Apply for NPDES permit coverage, no later than March 10, 2003.
- Develop a storm water management program (SWMP) that includes the six (6) minimum control measures.
- Implement the stormwater management program using appropriate storm water management controls, or best management practices (BMPs).
- Identify measurable goals for control measures.
- Develop an implementation schedule of activities.
- Define the entity(s) responsible for implementation.
- Monitor and evaluate the effectiveness of the program.

A Notice of Intent (NOI) served as the application for the general permit. The permittee complied with the permit requirements by submitting an NOI that describes the stormwater management program, including BMPs and measurable goals. Once a permit application was submitted and a permit was obtained, the conditions of the permit must be satisfied (i.e., development and implementation of a stormwater management program), and annual reports are required that summarize the status and effectiveness of the program.

[1] The Phase II regulations require permitting agencies to develop a set of designation criteria and apply them, at a minimum, to all small MS4s located outside of a UA that serve a jurisdiction with a population of at least 10,000 and a population density of at least 1,000 people/square mile.

Six (6) Minimum Control Measures

Stormwater management programs must specify BMPs for six (6) "minimum control measures." In 40 CFR 122.2, the EPA defines a BMP as "...schedules of activities, prohibition of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of "waters of the United States'." The six minimum control measures required in the Phase II storm water rule are as follows:

1. **Public Education and Outreach:** Public education program to distribute educational materials to the community. Municipalities are encouraged to work together with state government agencies and Phase I communities to develop an education/outreach program in a cost-effective manner.

2. **Public Participation/Involvement:** Examples of public participation/involvement include public hearings, citizen advisory groups, and working together with citizen volunteers.

3. **Illicit Discharge Detection and Elimination:** Development of system mapping identifying major conveyance systems, outfall locations and receiving waters. Phase II communities should prohibit illicit discharges to the MS4, and develop a plan to detect and address illicit discharges (including enforcement procedures).

4. **Construction Site Runoff Control:** Develop, implement, and enforce a program to reduce pollutants in storm water runoff from construction sites (>1 acre). Measures may include language modifications to existing ordinances or other regulatory mechanisms, and include provisions to address water quality impacts through the site plan review process as well as site inspection and enforcement.

5. **Post-Construction Runoff Control:** Develop, implement, and enforce a program that addresses storm water impacts associated with development and that discharges to their MS4. Impacts should be addressed through structural and nonstructural BMPs, and include adequate provisions for long-term maintenance and operation of the BMPs.

6. **Pollution Prevention/Good Housekeeping:** Develop and implement a cost-effective program to prevent or reduce pollutant loading from municipal operations.


The City's Department of Public Works (DPW) prepared the NOI and developed the Stormwater Management Program (SWMP). The NOI and SWMP were submitted to the State of New York on March 5, 2003. We received verification of receipt and completeness of the application on April 10, 2003. The SWMP is being progressively implemented and the City (DPW) assumed responsibility for the program in 2008.

Highlights of the Stormwater Management Program for this coming year include the following:

- Continued reporting and tracking systems for public concerns relative to stormwater issues.
- Sponsorship and participation in various environmental cleanup programs.
- Research, mapping, and identification of existing outfalls for stormwater discharges.
- Continued implementation of ordinances relative to existing sewer use as well as stormwater management and control.
- Stringent site review process and inspections relative to stormwater design issues.
- Monitoring of municipal maintenance practices, schedules, and inspection procedures, and disposal methods for waste materials.
- Mapping of storm shed boundaries surrounding the City of White Plains.
- Continued investigation of illicit discharge detection and elimination.

Copies of the NOI and SWMP are available for review at the Department of Public Works in City Hall as well as the White Plains Public Library. Copies of the plan can be made available upon request and payment for reproduction.

Compiled and edited by Tracey Muhlfeld,
Office of the Commissioner of Public Works,
DPW Water Bureau Staff, Joanne Zaferiou.
Stan Johnson, Superintendent





Appendix G
City Abstract

90 - 96 Westchester Avenue
90-102 WESTCHESTER AVE
White Plains, NY 10601

Inquiry Number: 3465400.4
December 03, 2012

The EDR-City Directory Image Report

Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2012 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

Year	*Target Street*	*Cross Street*	*Source*
2001	☑	☐	Cole Criss-Cross Directory
1997	☑	☐	Cole Criss-Cross Directory
1992	☑	☐	Cole Criss-Cross Directory
1987	☑	☐	Cole Criss-Cross Directory
1982	☑	☐	Cole Criss-Cross Directory
1976	☑	☐	Cole Criss-Cross Directory
1971	☑	☐	Cole Criss-Cross Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

90-102 WESTCHESTER AVE
White Plains, NY 10601

Year	*CD Image*	*Source*

80-102 WESTCHESTER AVE

2001	pg A1	Cole Criss-Cross Directory
1997	pg A2	Cole Criss-Cross Directory
1992	pg A3	Cole Criss-Cross Directory
1987	pg A4	Cole Criss-Cross Directory
1982	pg A5	Cole Criss-Cross Directory
1976	pg A6	Cole Criss-Cross Directory
1971	pg A7	Cole Criss-Cross Directory

FINDINGS


CROSS STREETS

No Cross Streets Identified

City Directory Images

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory


80-102 WESTCHESTER AVE 2001



★ Bnfcl Hmwnr Svc . . 97 ⊙ 948-5900
★ Bnfcl NY Inc Wht . . 93 ⊙ 948-5900
49 . . . . . NP
50 ★ White Plns Ch Dnr . 93 428-5700
59 . . . . . NP
60 ★ Advantech 95 736-7300
PAULDING ST INTS
BLOOMINGDALE RD INTS
70 ★ Chryslr Plymouth . . 96 946-2600
★ Jeep Egl Wstchstr . 96 ⊙ 946-2600
★ Wstchstr Chrysler . . 92 946-0824
★ Wstchstr Chrysler . . 93 ⊙ 946-2600
★ Wstchstr Chryslr . . 93 946-3544
★ Wstchstr Chrysler . . 96 285-9074
★ Wstchstr Chrysler . . 96 285-9075
80 ★ Ben Yngs Key Ford . 90 761-6655
★ Key Ford Wht Plns . 95 ⊙ 761-6655
★ Key Ford Wht Plns . 86 761-7742
★ Key Ford Wht Plns . 86 761-7760
90 ★ Copies Unlimited . . . 948-6726
94 ★ Abatinos Pz&Pasta . . ⌑ 686-0380
★ Denise&Orlnd Ntl . . . 96 949-6320
96 ★ Charles & Robert . . . 948-7400
★ Ninety Six Av CRP . . 80 997-0808
★ Robert C Hr Dsgnrs . . ⊙ 948-7400
★ Robert Hair Dsgnrs . . ⊙ 948-7400
★ Terio Denise 97 949-3375
★ Wstchstr Hr Dsgn . . . 94 ⊙ 948-7400
100 ★ Dnl Tchnlgs Inc 95 288-9749
★ Wrlss Cell&Paging . . ⌑ 946-2751
FRANKLIN AVE INTS
106 ★ Finn McCools 93 428-0109
★ Single Wing . . . . . 73 ⊙ 428-0109
125 ★ Abrcrmb&Fitch Co . . . 95 686-1406
★ Aldo Shoes 96 686-4087
★ Ann Taylor 97 644-8380
★ Armani Exchange . . . 96 683-6188
★ Art Src Intrntl 95 328-5035
★ Athletes Foot 95 328-3668
★ Au Bon Pain Inc . . . 95 682-3306
★ Ax Armani Exchange . 95 ⊙ 683-6188
★ B Dalton Bksllr 95 641-8013
★ Bailey Banks&Bddl . . 96 328-3636
★ Banana Republic . . . 95 644-8640
★ Barami Studio 95 328-2600
★ Bcbg 95 993-0353
★ Bebe Inc 95 686-2323
★ Benetton . . . . . ⌑ 684-0056
★ Bernini 95 686-1786
★ Blue Chip Cookies . . 95 644-8250
★ The Body Shop 95 641-8330
★ The Bombay Co 95 644-8747
★ Bose Corp 97 390-2673
★ Bostonian Shoe Str . . 95 641-8334
★ Brooks Bros 95 644-8616
★ Brookstone Co 95 949-4514
★ Cache 95 686-2707
★ Cajun Cafe & Grill . . 95 686-0068
★ Calendar Club . . . . . ⌑ 761-7015
★ Charles David 95 686-1920
★ Chicos Csl Clthng . . . 95 328-2628
★ City Limits Diner . . . 96 761-1111
★ The Coach Store . . . 95 644-8244
★ Coast 2 Coast 95 328-2039
★ Colorado Pen Co . . . 97 287-0393
★ Crabtree & Evelyn . . 95 948-5308
★ Cybersmith . . . . . ⌑ 684-0933
★ Cybersmith 96 686-3570
★ Dapy 95 683-3279
★ The Dscvry Chnnl . . . 95 641-8355
★ The Disney Store . . . 96 397-0526
★ Easy Spirit Shoes . . . 95 644-8668

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory


80-102 WESTCHESTER AVE 1997



47 William Margot .
49 George Turruellas . . . .
50★ White Plns Ch Dnr . .93
55 Apartments
Karen Sealy . . . . . ¤ 734-2151
5 Karen Sealy 94 734-4097
59 Frank O'Brien 93 739-6899
60★ Advntch Computing . . ¤ 736-7300
63 Zacchariah Rolle . . . . - 734-9201
70★ Wstchstr Chrysler . . .92 946-0824
★ Wstchstr Chrysler . . .93 946-2600
★ Wstchstr Chrysler . . .93 946-3544
73 Katherine Freitag . . . .93 • 734-1724
75 Apartments
7 Gabriel Gomes . . . . .91 • 736-9831
80★ Ben Yngs Key Ford . .90 761-6655
★ Key Ford Wht Plns . .85 ⊙ 761-6655
★ Key Ford Wht Plns . .86 761-7742
★ Key Ford Wht Plns . .86 761-6760
81 Apartments
9 Paul Randle . . . . . .91 • 737-5767
— PAULDING
90★ Copies Unlimited . . . 948-6726
94★ Bennys Pizza&Taco . . ¤ 686-9006
96★ Charles & Robert . . . 948-7400
★ J O Electronics 91 428-7916
★ Ninety Six Av CRP . .80 997-0808
★ Robert C Hr Dsgnrs . . ⊙ 948-7400
★ Robert Hair Dsgnrs . . ⊙ 948-7400
★ Wstchstr Hr Dsgn . . .94 ⊙ 948-7400
100★ D&D Travel&More . . . ¤ 288-9749
★ Dnl Tchnlgs Inc . . . ¤ ⊙ 288-9749
101★ Cervasio Thomas . . . ¤ 251-1644
106★ Finn McCools 93 428-0109
★ Single Wing . . . . .73 ⊙ 428-0109
125 Hut Sunglass . . . . . ¤ 328-3003
Hut Sunglass . . . . . ¤ 328-3020
Kids Talbots . . . . . ¤ 644-8280
Personal T That . . . . ¤ 682-2900
★ Abrcrmb&Fitch Co . . . ¤ 686-1406
★ Ann Taylor . . . . . ¤ 644-8380
★ Art Src Intrntl . . . . ¤ 328-5035
★ Athlete's Foot . . . . . ¤ 328-3668
★ Au Bon Pain . . . . . ¤ 682-5982
★ Au Bon Pain Inc . . . ¤ 682-3306
★ Ax Armani Exchange . ¤ 683-6188
★ B Dalton Bksllr . . . . ¤ 644-8013
★ Baby Guess Gss KDS . ¤ 448-9578
★ Banana Republic . . . ¤ 644-8640
★ Barami Studio . . . . . ¤ 328-2600
★ Bcbg . . . . . ¤ 993-0353
★ Bebe Inc . . . . . ¤ 686-2323
★ Bernini . . . . . ¤ 686-1786
★ Blue Chip Cookies . . ¤ 644-8250
★ The Body Shop . . . . - 644-8330
★ The Bombay Co . . . . ¤ 644-8747
★ Bostonian Shoe Str . . ¤ 644-8334
★ Brooks Bros . . . . . ¤ 644-8616
★ Brookstone Co . . . . ¤ 949-4514
★ Building Blcks Inc . . ¤ 328-2233
★ Cache . . . . . ¤ 686-2707
★ Cacique . . . . . ¤ 644-8045

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

80-102 WESTCHESTER AVE 1992



S Taylor 85 232-
Helen Thompson 64 948-
Rick Trager . . . . . – 682-
P D Victor 80 946-
Dzafter Vucetovic 89 428-
14 . . . . . NP

– WALLACE PL

28★ Wht Pln Florist 83 683-
30★ Argee Glass Co Inc . . 949-
★ Argee Realty Co . . . ⊙ 949-
36★ Patricks Pub 78 684-
37★ Dr Eric Keller 89 736-
38★ Bencharge Crdt 89 948-
★ Beneficial Hmwnrrs . . 88 ⊙ 948-
★ Beneficial NY Inc . . . 87 ⊙ 948-
40★ Denise&Orlando 86 949-
44★ Thrifty Rent–A–Car . . ⌑ 684-
★ Thrifty Truck Rntl . . ⌑ ⊙ 684-
50★ White Plains Diner . . 684-
★ White Plains Diner . . 86 684-
70★ White Plns Chr&Ply . . 79 946-
★ Whte Pln Chrysler . . 79 946-
★ Whte Pln Chrysler . . 79 946-
80★ B Younds Key Ford . . ⌑ 761-
★ Key Ford WHI Plns . . 86 761-
★ Key Ford WHI Plns . . 86 761-
★ Key Ford of WHI Pl . 85 ⊙ 761-


– PAULDING

90★ Copies Unlimited . . . 948-
94★ Saccones N Pizza . . . 88 948-
96★ C Robert Hr Dsgnrs . . 948-
★ Charles&Robert . . . . ⊙ 948-
★ 96 Westchester Ave . 80 997-
★ Robert C Hair Dsnr . . ⊙ 948-
★ Robert Hair Desgnr . . ⊙ 948-
★ Skylark Travel Inc . . 83 428-
100★ Tunemaster Records . . 78 948-
106★ Single Wing 73 428-
116★ Eastern Motor Sale . . 89 761-
★ Eastern Motor Sale . . 89 761-
130★ Basicomputer 89 997-
★ Entre Computer Cnt . . 83 ⊙ 997-
145★ Kaiser Health Pln . . . 86 682-
★ Kaiser Permanente . . 85 ⊙ 682-
★ Kaiser Prmnt Appts . . 86 682-
★ Kaiser Prmnt Dntst . . 87 682-
★ Kaiser Prmnt In MD . 86 682-
★ Kaiser Prmnt Prscr . . 86 682-
★ NW Engld Eye Care . . 89 9

– BLOOMINGDALE RD

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

80-102 WESTCHESTER AVE 1987



Mark Willis 83 683-1768
14 . . . . . NP
22★ Colletti&Laguidara . . .77 949-1800
WALLACE PL
28★ Wht Pln Florist 83 683-1766
30★ Argee Glass Co Inc . . 949-7721
★ Argee Realty Co . . . 949-7721
32★ J Pocker&Son Inc . . .77 946-2353
36★ Patricks Pub 78 684-8730
38★ Evas Decor&Uphlst . .82 949-2717
40★ Natals Salon 83 761-1155
44★ Gax Enterprises 81 428-3080
★ NCRS 72 428-3080
★ Natl Car Rental 72 428-3080
50★ White Plains Diner . . 684-8616
70★ White Plns Chr&Ply . .79 946-3544
★ Whte Pln Chrysler . .79 946-0824
★ Whte Pln Chrysler . .79 946-2600
80★ Key Ford of Whl Pl . ⌑ 761-6655
★ White Pln Ford Sls . .75 761-7742
★ White Pln Ford Sls . .75 761-6760
89★ Better Holmer Trvl . .79 948-0008
★ B Holmer Travel . . .79 948-0008
PAULDING
90★ Copies Unlimited . . . 948-6726
92★ E Rose Realty 84 997-6985
94★ The Lunch Box 684-9015
96★ C Robert Hr Dsgnrs . . 948-7400
★ Charles&Robert 948-7400
★ 96 Westchester Ave .80 997-0808
★ Robert Hair Desgnr . . 948-7400
★ Skylark Travel Inc . .83 428-1100
100★ Tunemaster Records . .78 948-3291
106★ Singlewing 73 428-0109
116★ All Spcl Car Sl&Ls . . ⌑ 761-2121
130★ Entre Computer Cnt . .83 997-7400
145★ Health Maint Orgzn . .77 682-0700
★ Kaiser Permanente . . ⌑ 682-0700
★ Kaiser Permanente . . ⌑ 682-0751
BLOOMINGDALE RD
154★ Post Billiards 78 946-9469
★ Post Bowling Acdmy . 946-8786
158★ The Bank of NY . . .76 899-6623
★ Better Busns Bur . . . 428-1230
★ Diabetes Assn 84 948-0035
★ Diabetes Informtn . . .84 948-0035
★ Launder Lounge 84 949-1177

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

80-102 WESTCHESTER AVE 1982



S Vanbraam 73 946-5641
P D Victor . . . . . .¤ 946-7847
14 . . . . . .NP

WALLACE PL

28★M Farago Uphlstr 949-2717
30★The Poodle Barber 761-9729
32★J Pocker&Son Inc 946-2353
34★Argee Glass Co Inc 949-7721
★Argee Realty Co 949-7721
36★Patricks Pub 946-9778
★Westchester&Putnam . . . .¤ 428-7228
38★Title Beauty Salon 949-3988
40★Fernandos Elite . . . . . .¤ 761-5858
44★NCRS 428-3080
★National Car Rentl 428-3080
50★White Plains Diner 761-9833
70★White Plns Chr&Ply 946-2600
80★White Pln Ford Sls 761-7742
★White Pln Ford Sls 761-6760
★Whi Plns Ford Sles 761-6655

PAULDING

90★Parkway Bus Mach 948-4228
92★Copies Unlimited 948-6726
94★The Lunch Box 948-9174
96★C Robert Hr Dsgnrs . . . 948-7400
★Charles&Robert 948-7400
★96 Westchester Ave . . . .¤ 997-0808
★Realty Group Entrp . . . .¤ 997-7111
★Robert Hair Desgnr 948-7400
100★Tunemaster Records 948-3291
106★Singlewing 428-0109
116★Andy Motors 948-3309
★Petagines Auto Bdy 946-3780
★Wchstr Auto Repr 948-9006
130★NBW Div Lin 1st Bk . . . 946-5599
145★Health Maint Orgzn 682-0700
★Wstchstr Cmnty Hlh 682-0700
★Wstchr Cty Hlh Pln 682-0751
★Wstchstr Cmnty Hlh 682-0720
★Wstchr Cty Hlh Pln 682-0723

BLOOMINGDALE RD

154★Post Billiards 946-9469
★Post Bowling Acdmy . . . 946-8786
158★The Bank of NY 899-6623
★Better Busns Bur 428-1230
★Senior Personnel 761-2150


S KENSICO AV

174★Kensico Autmtv Ctr . . . .¤ 948-8997
186★Colonial Garage 949-2778
★Colonial Garage 946-9842
200★Seaberghs Foods 948-6377
202★Januaries Cafe 946-6681

. 10604
210★J J Callahan Ins 948-6500
★Con Edison Wstchst . . . 997-6000

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory


80-102 WESTCHESTER AVE 1976



JOSEPH P QUIN SR
JEAN M RENAULT 0 7615
ETHEL A ROESELER 7611532
JACK SAPAKIE 6 9483495
RONALD SHER 4 4286465
*DR ELLIOT R SINGER 9460199
*DR M SINGH ¤6820159
K SMITH ¤9468411
MRS LYNN SNYDER 3 4288170
HARRY D SOMERS 3 9467653
JOSEPH STEVENS 3 9465288
DONALD STUART 6 9491641
R P THOMAS 7 7616396
HELEN THOMPSON 9482772
CHARLES TOMASINO 4 9464090
S VANBRAAM 3 WH65641
THERESA WHITEHEAD -7614755
CURT WOLFENSTINE WH81873
MRS M W ZUCKMAN 9462970
14 NP
•• WALLACE PL ••
28*M FARAGO UPHLSTR 9492717
30*THE POODLE BARBER 7619729
32*CENTRAL DISPLAY 9469393
34*ARGEE GLASS CO INC WH97721
*ARGEE REALTY CO WH97721
36*BELTONE HEARG AID 4287227
37*RODIER-ROONEY MTRS WH86700
38*TITLE BEAUTY SALON 9493988
40*CHRIS THE BARBER 4288632
44*NCRS 4283080
*NATIONAL CAR RENTL 4283080
50*WHITE PLAINS DINER 7619833
62*CHARGER LEASING 9498787
*WHITE PLAINS DODGE 9498787
*WHI PLNS DODGE INC 9498980
*WHI PLNS DODGE INC 9461207
70*ARLEPAT CORP WH83900
*R&R CAR&TRUCK LEAS WH83900
*RODIER-ROONEY MTRS WH83900
*RODIER-ROONEY MTRS WH88258
80*WHT PLNS FORD SLS ¤7616655
•• PAULDING ••
90*DORCY INTERNATIONL ¤4281010
*PARKWAY BUS MACH 9484228
92*COPIES UNLIMITED 9486726
94*THE LUNCH BOX 9489174
96*C ROBERT HR DSGNRS WH87400
*CHARLES&ROBERT WH87400
*ROBERT HAIR DESGNR WH87400
*ROBERT HAIR DESGNR WH87400
106*SINGLEWING 4280109
116*ANDY MOTORS WH83309
*FORMICA SVCE STA 9489641
*PETAGINES AUTO BDY 9463780
*WCHSTR AUTO REPR WH89006
•• BLOOMINGDALE ••
•• RD ••
154*POST BOWLING ACDMY WH68786
158*BETTER BUSNS BUR 4281230
*WILLIAM L BUTCHER 4284323
*COUNTY TRUST CO 9464000
*SENIOR PERSONNEL 7612150
*UNITED WAY WESTCST 4282050
*WHI PLNS CONCL COM 9487702
•• S KENSICO AV ••
174*KENWEST SVCE STA RO12327
186*COLONIAL GARAGE WH92778
200*FREEZER OWNERS 9486377
*SEABERGHS FREEZER 9486377
202*OHARES RESTRNT 9489774
*RICCARDOS RESTRNT 4286847
10604
210*J J CALLAHAN INS WH86500
*CON EDISON 6946024
*CON EDISON 6946000
220*GOTSCH&ASSOCS INS 9467670

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

80-102 WESTCHESTER AVE 1971



```
     DONALD STUART      6 9491641
     L SULLIVAN          -7617638
     CARLOS CALAO       4 RO14925
     WALTER REIFENBERG  6 9481271
     THOMAS F CLONEN      RO11532
    *JOSEPH J BROPHY AT   4280096
     IRVING COGEN         9467981
     R P THOMAS         7 7616396
     HELEN THOMPSON     4 9482772
     JAMES K BUNDY      2 7611968
  14 ARTHUR E MULLER       9486213
  28*M FARAGO UPHLSTR      9492717
  30*NATL BANK WCHSTR      9467800
    *HOLIDAY TYME KNNLS    7612833
    *THE POODLE BARBER     7619729
  32*NY DRESSED BEEF CO    9490647
  34*ARGEE GLASS CO INC    WH97721
    *ARGEE REALTY CO       WH97721
  36*BELTONE HEARNG AID    -4287227
  37*RODIER-ROONEY MTRS    WH86700
  38*L MONA HAIRSTYLST     9461200
    *L MONA HAIRSTYLIST    9489461
    *TREASURE TRESS INC    9461200
  40*CHRIS THE BARBER      4288632
  50*WHITE PLAINS DINER    7619833
  62*WHITE PLAINS DODGE    9498787
  70*ARLEPAT CORP          WH83900
    *RIDEWEL LEASING       7614877
    *OVERLAND LEASING      WH83900
    *R&R CAR&TRUCK LEAS    WH83900
    *RODIER-ROONEY MTRS    WH83900
    *RODIER-ROONEY MTRS    WH88258
  80*CARL B LARSEN JR      WH91113
    *LARSEN FORD INC       WH91113
  88*LARSEN FORD INC       WH61968
  92*COPEIS UNLIMITED      9486726
  94*THE LUNCH BOX         9489174
  96*CHARLES&ROBERT        WH87400
    *ROBERT HAIR DESGNR    WH87400
    *ROBERT HAIR DESGNR    WH87400
    *C ROBERT HR DSGNRS    WH87400
 102*MILLER PEARL ANTIQ    WH98155
 106*JACK TRACYS INC       9489598
     ARTHUR MILLER         -WH81911
 116*WCHSTR AUTO REPR      WH89006
    *FORMICAS SERV STA     9489641
    *ANGELOS AUTO BODY     9489221
 145*CON EDISON            5929010
 154*POST BOWLING ACDMY    WH68786
 158*COUNTY TRUST CO       9464000
    *COMPUTATION CNTR      9483973
    *BTTR BUS BUR WSTCH    4281230
    *SENIOR PERSONNEL      7612150
 174*KENWEST SVCE STA      RO12327
 186*COLONIAL GARAGE       WH92778
 200*FREEZER OWNERS        9486377
    *SEABERGHS FREEZER     9486377
 202*OHARES RESTRNT        9489774
    *RICCARDOS RESTRNT     4286
 210*R F BATAL INS         WH86
    *GULF STATES PAPER     4280
```