

February 9, 2023

Mr. Kyle Forster
New York State Department of Environmental Conservation
Section B, Remedial Bureau B
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7016

RE: Fourth Quarter 2022 Groundwater Monitoring and Remediation System Effluent Monitoring
136 Fuller Road BCP Site #C401055, Albany County, New York
LaBella Project # 2222575

Dear Mr. Forster:

On behalf of Redstone of Burlington, VT (Redstone), LaBella Associates DPC (LaBella) submits this 38th quarterly report since the Certificate of Completion was issued for the above-referenced Site. This report provides: 1) the monitoring results for the fourth quarter groundwater sampling event that was conducted on December 14, 2022, and 2) effluent monitoring data for the total fluids extraction (TFE) remediation system for the months of October, November, and December of 2022, and 3) total cumulative removal quantities for the compounds of concern. In addition, this letter documents emergency repair work that Redstone performed in December 2022.

- Quarterly groundwater sampling for the fourth quarter of 2022 (December) was performed consistent with the current NYSDEC-approved Site Management Plan (SMP). All accessible groundwater monitoring wells on-Site were gauged to determine depth to groundwater. This data was used to create a Site-wide groundwater contour map, attached as **Figure 1**. Groundwater samples were collected from quarterly monitoring well locations MW-10, MW-25, MW-27, MW-30, MW-32, and MW-33
 - The fourth quarter 2022 groundwater contour map continues to show a general flow to the south and southeast across the Site.
 - The analytical results summary tables for sampled wells as well as the other wells that are sampled annually, and the analytical laboratory report are attached. The analytical results show continued variability in total volatile organic compound (VOC) concentrations. As requested, the spatial distribution of total chlorinated volatile organic compounds (CVOCs) in groundwater reported across the Site for the December 2022 sampling event is shown on the attached **Figure 2**. Groundwater data for the June 2022 annual groundwater sampling event and the September 2022 quarterly event are also shown on **Figure 2**.
 - MW-30 and MW-32 analytical results demonstrate that the CVOC plume continues to be contained and captured within the active remediation area around recovery wells R-2 and R-11 in a small area beneath the northern interior portion of the building. Increasing concentrations of CVOCs observed in MW-30 through 2022 and MW-32 since 2020 suggest that the contaminants in this area are being drawn in and captured by adjacent recovery wells R-2 and R-11, respectively, and have provided important capture and control of this downgradient section of the plume since its installation in May of 2018. Additionally, total CVOCs in nearby downgradient monitoring wells MW-33 and MW-37 have been consistently low.
 - Total CVOC concentrations in monitoring wells MW-25 (24 ppb) and MW-27 (8 ppb) at the northern exterior side of the building remain very low. Historically, both wells were substantially impacted by CVOCs. Recovery wells (R-5, R-6, R-7, and R-8) near MW-25



and MW-27 remain operational and continue to help reduce and maintain low level concentrations in groundwater in this active remediation area. For reference, historical figures are also included for four prior years to show fluctuations in total CVOCs in groundwater over time (**Figures 3A through 3D**).

- Monthly TFE remediation system monitoring conducted during the fourth quarter 2022 was performed consistent with the SMP. Monthly effluent monitoring results for the TFE remediation system continue to show that the system is operating effectively and as designed, removing VOCs from the subsurface in the source areas and containing the plume in the active recovery areas around recovery wells R-2, R-5, R-6, R-7, R-8, and R-11.
 - Influent groundwater flow rates at the TFE system averaged 0.44 to 1.93 gallons per minute (gpm) during the fourth quarter 2022. Total effluent VOCs in water continue to be significantly less than the respective action levels. TFE system influent/effluent water monitoring data is summarized in **Table 1** (attached).
 - Observed monthly total VOC vapors extracted by the TFE system continue to be significantly increased since the second quarter 2022. This increase is likely due in part to decreases in groundwater levels occurring adjacent to recovery wells. Fluctuations of the groundwater table can influence the migration of contaminants through the unsaturated zone, and as the groundwater table falls the vapor contaminant concentrations may increase. Substantially higher vacuum levels throughout all the operating recovery wells following maintenance upgrades during the first and second quarters of 2022 have also increased vapor extraction by the TFE system. During the fourth quarter 2022, effluent air flow from the TFE system ranged from 140 to 165 cubic feet per minute (CFM) and observed VOCs via PID field screenings ranged from 1.6 to 7.2 part per million (ppm). Effluent VOC vapor concentrations continue to be significantly less than the respective action levels. TFE system influent/effluent vapor monitoring data is summarized in **Table 2** (attached).
 - Summary charts showing vapor phase effluent concentrations, VOC mass removal rates, and total cumulative mass removed are also attached. Approximately 1,273-pounds of VOCs have been removed by the TFE remediation system between March 2011 and December 21, 2022. Total mass removal calculations for the TFE system are summarized in the attached **Table 3**. The analytical laboratory reports for effluent TFE system samples collected during the fourth quarter 2022 are attached.
- Periodic checks of the Site's sub-slab depressurization system (SSDS) and components during the fourth quarter 2022 confirmed that the system is operating within design parameters. No maintenance of the SSDS was needed during the fourth quarter 2022.

In December 2022, emergency fire suppression system repairs were needed in the southwest portion of the Site near the active water supply tower and pump house for the fire suppression system. The NYSDEC was notified of this Site work on December 7, 2022. Per requirements of the SMP - Appendix A (Excavation Work Plan), a LaBella environmental professional provided contractor oversight during excavation activities by Luizzi Brothers of Albany, NY at the Site on December 8, 9, 12, 14, and 15, 2022. Due to potentially contaminated material being encountered during excavation work, Labella performed visual, olfactory, and soil screening via photoionization detector (PID) to screen all disturbed soil for VOCs during exploratory and repair excavation activities. Total depths of excavated areas did not exceed 5 feet below ground surface (ft. bgs) and groundwater was not encountered. Due to the absence of observed impacts including no visual or olfactory evidence of impacts or elevated PID measurements, soils were re-used as fill material for the same excavation where they originated.



If you have any questions, please contact Branson Fields at (518) 266-7355 or Arlette St. Romain at (518) 824-1928.

Sincerely,

Branson Fields
Environmental Scientist-LaBella Associates

Arlette St. Romain
Brownfields Program Manager, LaBella Associates

cc via email: Ms. Maureen Schuck, NYSDOH
Mr. Myles Frendel, Redstone

Mr. Andrew Filippi, Redstone
Ms. Kelly Statton, Redstone

Attachments:

FIGURES

Figure 1 - Groundwater Contour Map (December 2022)

Figure 2 - Total CVOCs in Groundwater December 2022 (with June and September 2022)

HISTORICAL CVOC DATA

Figure 3A- Total CVOCs in Groundwater June 2021 (with August and December 2021, and April 2022)

Figure 3B - Total CVOCs in Groundwater June 2020 (with August and December 2020, and March 2021)

Figure 3C- Total CVOCs in Groundwater June 2019 (with September and December 2019 and March and June 2020)

Figure 3D - Total CVOCs in Groundwater June 2018 (with September and December 2018 and March and June 2019)

Groundwater Analytical Results Summary Tables

TFE System Data Summary Tables:

Table 1 - TFE System Influent/Effluent Water Monitoring

Table 2 - TFE System Influent/Effluent Air Monitoring

Table 3 - TFE System Total Mass Removal Calculations

Chart showing vapor phase effluent


Chart showing VOC mass removal

Groundwater Monitoring: York Analytical Laboratory Report

TFE System Monitoring: Alpha Analytical Laboratory Analytical Reports

B:\Chazen\2022Projects\Redstone VT\2222575 - 136 Fuller Rd Ph I ESA\06_Drawings\Environmental\2222575_GW CONTOURS_4Q2022 (RHH REVISION).dwg

2/9/2023 3:46:50 PM



LaBella
Powered by partnership.


300 State Street, Suite 201
Rochester, NY 14614
585-454-6110
labellapc.com © 2022 LaBella Associates

It is a violation of New York Education Law Article 145 Sec. 7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way, if an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.

DRAWING NAME: GROUNDWATER CONTOUR MAP - December 14, 2022	PROJECT NAME: Fuller Road BCP (Site No. C401055) 136 Fuller Road, Albany, New York
--	---

ISSUED FOR: 4Q2022 Routine SMP Reporting		
DRAWN BY: RHH	DATE: 2/8/2023	PROJECT NO.: 2222575
DRAWING NUMBER: Figure 1		

Z:\2022Projects\Redstone VT\2222575 - 136 Fuller Rd Ph I ESA\06_Drawings\Environmental\2222575_PP_4Q2022.dwg
 1/16/2023 3:16:27 PM



LaBella
 Powered by partnership.

300 State Street, Suite 201
 Rochester, NY 14614
 585-454-6110
 labellapc.com © 2022 LaBella Associates

It is a violation of New York Education Law Article 145 Sec.7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered, the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.


DRAWING NAME:
 TOTAL CVOCs IN GROUNDWATER IN PARTS PER BILLION
 (December 14, 2022)

PROJECT NAME:
Fuller Road BCP (Site No. C401055)
 136 Fuller Road, Albany, New York

ISSUED FOR: 4Q2022 Routine SMP Reporting		
DRAWN BY: BWF	DATE: 01/09/2023	PROJECT NO.: 2222575
DRAWING NUMBER: FIGURE 2		


B:\CHAZEN\projects\90600-90699\90618_00_FullerRD\ENG\DWG\90618.00_PP_2022-April.dwg

6/1/2022 12:42:06 PM






<p>300 State Street, Suite 201 Rochester, NY 14614 585-454-6110 labellapc.com © 2022 LaBella Associates</p>	<p>It is a violation of New York Education Law Article 145 Sec. 2709, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way, if an item bearing the seal of an architect, engineer, or land surveyor is altered, the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.</p>		<p>ISSUED FOR: Routine Reporting</p>		
	<p>DRAWING NAME: TOTAL CVOCs IN GROUNDWATER IN PARTS PER BILLION (April 2022)</p>		<p>DRAWN BY: EJO</p>	<p>DATE: 06/01/2022</p>	<p>PROJECT NO.: CZ90618.00</p>
	<p>PROJECT NAME: Fuller Road BCP (Site No. C401055) 136 Fuller Road, Albany, New York</p>		<p>DRAWING NUMBER: 3A</p>		

Drawing Name: C:\temp\AcPublish_12164\90618.00_PPBB_2020--JUNE.dwg Date Printed: Jan 28, 2021, 12:09pm



LEGEND:

-  SHALLOW MONITORING WELL
-  DEEP MONITORING WELL
-  CONCENTRATION CONTOUR (PARTS PER BILLION)

MW-25
 5,089 ppb June 2020
 11,339 ppb August 2020
 49 ppb December 2020
 2,294 ppb March 2021

MW-27
 58,613 ppb June 2020
 113,430 ppb August 2020
 4,665 ppb December 2020
 342 ppb March 2021


MW-30
 3,229 ppb June 2020
 745 ppb August 2020
 2,292 ppb December 2020
 3,348 ppb March 2021

MW-10
 708 ppb June 2020
 423 ppb August 2020
 251 ppb December 2020
 210 ppb March 2021

MW-32
 890 ppb June 2020
 847 ppb August 2020
 1,060 ppb December 2020
 3,101 ppb March 2021

MW-33
 24 ppb June 2020
 17 ppb August 2020
 84 ppb December 2020
 56 ppb March 2021

MW-18 (annual)
 not accessible June 2020 annual event
 140 ppb March 2021



ALL RIGHTS RESERVED. COPY OR REPRODUCTION OF THIS PLAN OR ANY PORTION, THEREOF IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DESIGN ENGINEER, SURVEYOR, OR ARCHITECT.

CHAZEN ENGINEERING, LAND SURVEYING
 & **LANDSCAPE ARCHITECTURE CO., D.P.C.**

Office Locations:


Dutchess County Office: 21 Fox Street Poughkeepsie, New York 12601 Phone: (845) 454-3980	Capital District Office: 547 River Street Troy, New York 12180 Phone: (518) 273-0055	North Country Office: 375 Boy Road Queensbury, New York 12804 Phone: (518) 812-0513
--	--	---

TOTAL CVOCs IN GROUNDWATER IN PARTS PER BILLION (JUNE 2020)
136 FULLER ROAD

Updated in 2021 to show August and December 2020, and March 2021 Results

designed BWF	checked ASR
date 01/28/21	scale 1"=60'
project no. 90618.00	
sheet no. Figure 3B	

Drawing Name: Z:\projects\90600-90699\90618_00_FullerRD\ENG\DWG\90618_00_PP_2019-JUNE.dwg Date Printed: Mar 15, 2021, 2:23pm



ALL RIGHTS RESERVED. COPY OR REPRODUCTION OF THIS PLAN OR ANY PORTION, THEREOF IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DESIGN ENGINEER, SURVEYOR, OR ARCHITECT.

CHAZEN ENGINEERING, LAND SURVEYING

LANDSCAPE ARCHITECTURE CO., D.P.C.

Office Locations:


Dutchess County Office: 21 Fox Street Poughkeepsie, New York 12601 Phone: (845) 454-3980	Capital District Office: 547 River Street Troy, New York 12180 Phone: (518) 273-0055	North Country Office: 375 Boy Road Queensbury, New York 12804 Phone: (518) 812-0513
--	--	---

**TOTAL CVOCs IN GROUNDWATER
IN PARTS PER BILLION (JUNE 2019)
136 FULLER ROAD**

Updated in 2021 to show results from 2019
Q3, 2019 Q4, 2020 Q1, and 2020 Q2.

designed BWF	checked ASR
date 01/28/21	scale 1"=60'
project no. 90618.00	
sheet no. Figure 3C	

Drawing Name: Z:\projects\90600-90699\90618_00 FullerRD\ENG\DWG\90618_00_PP8_2018-JUNE.dwg Date Printed: Aug 28, 2018, 9:20am



LEGEND:

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- CONCENTRATION CONTOUR (PARTS PER BILLION)

MW-30
 1,080 ppb September 2018
 966 ppb December 2018
 1,059 ppb March 2019
 824 ppb June 2019

MW-25
 1,461 ppb September 2018
 89 ppb December 2018
 Not Analyzed, March 2019
 613 ppb June 2019

MW-27
 2,316 ppb September 2018
 10 ppb December 2018
 Not Analyzed, March 2019
 Not Analyzed, June 2019

MW-10
 Not Analyzed, September 2018
 466 ppb December 2018
 745 ppb March 2019
 193 ppb June 2019

MW-32
 333 ppb September 2018
 2,211 ppb December 2018
 5,772 ppb March 2019
 13,099 ppb June 2019

MW-33
 23 ppb September 2018
 100 ppb December 2018
 129 ppb March 2019
 76 ppb June 2019

ALL RIGHTS RESERVED. COPY OR REPRODUCTION OF THIS PLAN OR ANY PORTION, THEREOF IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DESIGN ENGINEER, SURVEYOR, OR ARCHITECT.

CHAZEN ENGINEERING, LAND SURVEYING
 & **LANDSCAPE ARCHITECTURE CO., D.P.C.**

Office Locations:

Dutchess County Office:
 21 Fox Street
 Poughkeepsie, New York 12601
 Phone: (845) 454-3980

Capital District Office:
 547 River Street
 Troy, New York 12180
 Phone: (518) 273-0055

North Country Office:
 375 Bay Road
 Queensbury, New York 12804
 Phone: (518) 812-0513

**TOTAL CVOCs IN GROUNDWATER
 IN PARTS PER BILLION (JUNE 2018)
 136 FULLER ROAD**

Updated in 2021 to show results from
 2018 Q3, 2018 Q4, 2019 Q1, 2019 Q2 .

designed SEM	checked WGO
date 06/13/18	scale 1"=60'
project no. 90618.00	
sheet no. FIG.3D	

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW10 FRMW-MW10-X15 (10-15')															
		7/19/2010	5/31/2011	7/21/2011	9/29/2011	12/14/2011	2/22/2012	4/30/2012	6/28/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014
		10G0579-15	11F0120-02	11G0750-02	11J0038-02	11L0632-02	12B0883-02	12E0113-04	12F0976-02	12I0945-04	12L0807-04	--	13F0453-06	13I0664-05	13K0803-05	14C0921-04	14F0651-05
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	670	260	65 J	300	280	8.2	180	190	45	7.8	260	180	84	1.1	0.66	
1,1,2,2-Tetrachloroethane	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,1,2-Trichloroethane	1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,1-Dichloroethane	5	310	47 J	17	97	55 J	0.86 J	37 J	44 J	23	2.8 J	95	67	23	ND< 0.5	ND< 0.5	
1,1-Dichloroethylene	5	87 J	31 J	14	50	ND< 250	ND< 5.0	ND< 50	34	12	1.4 J	62	45	16	ND< 0.5	ND< 0.5	
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,2,4-Trichlorobenzene	5	ND< 500	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
1,2-Dibromo-3-chloropropane	0.04	ND< 250	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
1,2-Dibromoethane	0.0006	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,2-Dichloroethane	0.6	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,2-Dichloropropane	1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
2-Butanone	50*	ND< 250	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
2-Hexanone	50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 500	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
Acetone	50*	ND< 270 J	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	6.2 B-Dil, J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2	ND< 2.0	
Benzene	1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Bromodichloromethane	50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Bromoform	50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Bromomethane	5	ND< 250 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Carbon disulfide	60*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Carbon tetrachloride	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Chlorobenzene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Chloroethane	5	ND< 250	3.2 J	1.3 J	2.2	ND< 250	ND< 5.0	ND< 50	1.6 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Chloroform	7	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	12	13	
Chloromethane	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
cis-1,2-Dichloroethylene	5	8,700	3,300	830	3,800	2,900	67	2,000	2,600	940	170	2,800	4,600	1,500 HT-01R	11	2.7	
cis-1,3-Dichloropropylene	0.4 ¹	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Dibromochloromethane	50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Dichlorodifluoromethane	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	2.5 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Ethyl Benzene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Isopropylbenzene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Methyl tert-butyl ether (MTBE)	10*	ND< 250	0.39 J	1.0 J	ND< 5.0	ND< 250	ND< 5.0	ND< 50	0.42 J	1.2 J	0.84 J	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Methylene chloride	5	ND< 430 J	ND< 10	ND< 10	2.8	ND< 500	ND< 10	4.2 B-Dil, J	ND< 10	3.0 J,B	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2	ND< 2.0	
o-Xylene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
p- & m- Xylenes	5	46 J	ND< 10	ND< 10	ND< 10	ND< 250	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1	ND< 1.0	
Styrene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Tetrachloroethylene	5	670	480	140 J	190	230 J	200	160	160 J	33 J	22	57	51	55	31	24	
Toluene	5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
trans-1,2-Dichloroethylene	5	ND< 250	17	3.5 J	10	ND< 250	ND< 5.0	ND< 50	10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	12	5.3	
trans-1,3-Dichloropropylene	0.4 ¹	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Trichloroethylene	5	440	110	26	55	130 J	71	73	120 J	15	3.8 J	29	19	16	2.4	1.9	
Trichlorofluoromethane (freon 11)	5	ND< 250	3.5 J	3.2 J	2.3	ND< 250	ND< 5.0	ND< 50	1.8 J	0.83 J	ND< 5.0	1.2 J	1 J	ND< 5	ND< 0.5	ND< 0.2	
Vinyl Chloride	2	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	1 J	0.87 J	ND< 5	ND< 0.5	ND< 0.5	
Total VOC concentration	NS	10,923	4,252	1,101	4,509	3,595	347	2,460	3,164	1,073	209	3,305.20	4,975.87	1,699.30	57.50	42.26	
Total CVOC concentration	NS	10,877	4,252	1,100	4,509	3,595	347	2,454	3,164	1,072	208	3,305.20	4,975.87	1,699.30	57.50	42.26	
Total Petro-VOC concentration	NS	46	0	1	0	0	0	0	0	1	1	0	0	0	0	0	
Other VOC concentration	NS	0	0	0	0	0	0	6.2	0	0	0	0	0	0	0	0	
Location of screen		Across water table (243' - 238' amsl)															

WELL DRY

na

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW10 'FRMW-MW10-X15 (10-15)'																
		9/16/2014	12/15/2014	3/10/2015	6/25/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016	9/29/2016	10/31/2016	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	
		14I0784-03	--	--	15F1052-11	--	--	16C0192-06	--	--	--	--	--	17F1193-07	17J0005-01	--	18C1190-06	
		238.64	<237.50	<237.50	238.57	<237.50	<237.50	238.58	<237.50	<238.20	<238.20	<238.20	<238.20	239.61	238.58	<238.20	238.48	
Analyte	ppb	ppb	--	--	ppb	--	--	--	--	--	--	--	--	ppb	ppb	--	ppb	
1,1,1-Trichloroethane	5	0.5			21			43						310	83		65	
1,1,2,2-Tetrachloroethane	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,1,2-Trichloroethane	1	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,1-Dichloroethane	5	ND< 0.5			6.3			20						140 J	36		64	
1,1-Dichloroethylene	5	ND< 0.5			5.7			15						280	67		57	
1,2,3-Trichlorobenzene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,2,4-Trichlorobenzene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,2-Dibromo-3-chloropropane	0.04	ND< 2			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,2-Dibromoethane	0.0006	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,2-Dichlorobenzene	3	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,2-Dichloroethane	0.6	ND< 0.5			ND< 0.5			0.36 J						ND< 80	ND< 0.40		2.7	
1,2-Dichloropropane	1	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,3-Dichlorobenzene	3	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
1,4-Dichlorobenzene	3	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
2-Butanone	50*	ND< 2			ND< 0.5			ND< 0.8						ND< 80	ND< 0.40		ND< 0.20	
2-Hexanone	50*	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Acetone	50*	ND< 2			ND< 2			ND< 1						660 J	2.2 J		ND< 1.0	
Benzene	1	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	0.44 JD		0.46 J	
Bromochloromethane	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Bromodichloromethane	50*	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Bromoform	50*	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Bromomethane	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Carbon disulfide	60*	ND< 0.5	WELL DRY	WELL DRY	ND< 0.5	WELL DRY	WELL DRY	0.34 J	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	ND< 80	ND< 0.40	WELL DRY	ND< 0.20	
Carbon tetrachloride	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Chlorobenzene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Chloroethane	5	ND< 0.5			0.32 J			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Chloroform	7	7.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		0.38 J	
Chloromethane	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
cis-1,2-Dichloroethylene	5	6.2			730			670						5,500	650		1,500	
cis-1,3-Dichloropropylene	0.4 ¹	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Cyclohexane	NS	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	0.74 J		ND< 0.2	
Dibromochloromethane	50*	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Dichlorodifluoromethane	5	ND< 0.5			ND< 0.5			0.62						ND< 80	1.7 D		0.77	
Ethyl Benzene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Isopropylbenzene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Methyl acetate	NS	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Methyl tert-butyl ether (MTBE)	10*	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	0.76 J		ND< 0.20	
Methylcyclohexane	NS	ND< 0.5			0.2 J			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Methylene chloride	5	1.1 J			ND< 2			ND< 1						ND< 400	ND< 2.0		ND< 1.0	
o-Xylene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
p- & m- Xylenes	5	ND< 1			ND< 1			ND< 0.5						ND< 200	ND< 1.0		ND< 0.5	
Styrene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Tetrachloroethylene	5	8.9			12			14						ND< 80	34 B		14	
Toluene	5	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
trans-1,2-Dichloroethylene	5	ND< 0.5			3.0			1.4						ND< 80	11		17	
trans-1,3-Dichloropropylene	0.4 ¹	ND< 0.5			ND< 0.5			ND< 0.2						ND< 80	ND< 0.40		ND< 0.20	
Trichloroethylene	5	1.3			5.0			3.7						ND< 80	14		12	
Trichlorofluoromethane (freon 11)	5	ND< 0.5			0.48 J			0.24 J						ND< 80	0.92 J		ND< 0.2	
Vinyl Chloride	2	ND< 0.5			3.5			1.3						ND< 80	3.5		ND< 0.2	
Total VOC concentration	NS	25.50			787.50			770						6890.00	905.26		1,733.31	
Total CVOC concentration	NS	25.50			787.30			770						6230.00	901.12		1,732.85	
Total Petro-VOC concentration	NS	0	na		0.00	na	na	0	na	na	na	na	na	0	1.20	na	0.46	
Other VOC concentration	NS	0			0			0						660	2.94		0	
Location of screen																		Across water table (243' - 238' amsl)

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW10 FRMW-MW10-X15 (10-15')														
		6/14/2018	9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020	8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021	
		--	--	18L0310-04	19C0144-04	19F0430-04	19I0905-01	19L0806-01	20C0746-04	20F0477-04	20H1134-01	20L0785-01	21C0753-01	21F0819-13	21J0004-01	
Analyte	ppb	238.18	238.48	239.50	240.10	240.43	239.40	239.80	239.99	240.00	238.99	239.08	239.28	239.46	239.60	
1,1,1-Trichloroethane	5			27	34	8.0	3.6	ND< 2.5	5.4	4.4	3.4 J	1.9	4.4	140	54	
1,1,2,2-Tetrachloroethane	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloro-1,2,2-trifluoroethane	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloroethane	1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	1.5	ND< 0.20	
1,1-Dichloroethane	5			17	14	3.3	2.6	ND< 2.5	2.7	5.0	4.7 J	3.1	4.2	31	17	
1,1-Dichloroethylene	5			9.9	26	3.9	1.3	ND< 2.5	1.7 ICV-E	2.6	ND< 2.5	ND< 0.20	2.3	31	9.3	
1,2,3-Trichlorobenzene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	
1,2,4-Trichlorobenzene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromo-3-chloropropane	0.04			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromoethane	0.0006			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichlorobenzene	3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichloroethane	0.6			ND< 0.20	0.58	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	0.50	ND< 0.20	
1,2-Dichloropropane	1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,3-Dichlorobenzene	3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	
1,4-Dichlorobenzene	3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	
2-Butanone	50*			ND< 0.20	ND< 0.20	ND< 0.20	28	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
2-Hexanone	50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Acetone	50*			ND< 1.00	ND< 1.00	ND< 1.00	ND< 1.00	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	1.7 J	ND< 1	ND< 1	ND< 1.0	
Benzene	1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.29 J	ND< 0.20	
Bromochloromethane	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromodichloromethane	50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromoform	50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromomethane	5	Insufficient flow and well volume	Insufficient flow and well volume	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Carbon disulfide	60*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Carbon tetrachloride	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chlorobenzene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroethane	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroform	7			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	0.27 J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloromethane	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.73	ND< 0.20	ND< 0.20	ND< 0.20	
cis-1,2-Dichloroethylene	5			390	620	160	120	14	140	670	390	220	100	1000	410	
cis-1,3-Dichloropropylene	0.4 ¹			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
Cyclohexane	NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	1.3	ND< 0.20	
Dibromochloromethane	50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
Dichlorodifluoromethane	5			0.730	0.68	0.36 J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	0.2 (CCVE, ICVE, QL 02, J)	0.48 J	ND< 0.20	
Ethyl Benzene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.37 J	ND< 0.20	
Isopropylbenzene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.38 J	ND< 0.20	
Methyl acetate	NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.20	
Methyl tert-butyl ether (MTBE)	10*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.27 J	0.33 J	0.33 J	0.32 J	
Methylcyclohexane	NS			ND< 0.2	0.59	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 5.0	na	ND< 0.2	4.4	ND< 0.20	
Methylene chloride	5			ND< 1.0	ND< 1.0	ND< 0.20	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	ND< 1	ND< 1	ND< 1	ND< 1.0	
o-Xylene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
p- & m- Xylenes	5			ND< 0.50	ND< 0.50	ND< 0.20	ND< 0.50	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.50	
Styrene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
Tetrachloroethylene	5			11	18	9	10	8.0	11	15	12	6.6	11	17	8.2	
Toluene	5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
trans-1,2-Dichloroethylene	5			1.8	4.80	1.3	1.1	ND< 2.5	0.65	5.2	ND< 2.5	1.9	1.5	21	4.5	
trans-1,3-Dichloropropylene	0.4 ¹			ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	
Trichloroethylene	5			8.4	25	5.9	7.6	3.6 J	2.7	4.1	13	13	13	10 CCV-E	6.8	
Trichlorofluoromethane (freon 11)	5			ND< 0.20	0.28 J	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.48 J	0.27 J	
Vinyl Chloride	2			0.390 J	1.40	0.49 J	2.4 CCV-E	ND< 2.5	0.64 ICV-E	1.6 QL-02	ND< 2.5	3.4	3.4	4.0	4.1	
Total VOC concentration	NS			466.22	745.33	192.25	176.60	25.6	166.06	707.9	423.1	252.6	209.8	1,267.0	514.49	
Total CVOC concentration	NS			466.22	744.74	192.25	148.60	25.6	166.06	707.9	423.1	250.6	209.5	1,260.0	514.17	
Total Petro-VOC concentration	NS			0	0	0	0	0	0	0	0	0	0.3	1.4	0.32	
Other VOC concentration	NS			0	1	0	28	0	0	0	0	2	0	6	0.00	
Location of screen				Across water table (243' - 238' amsl)												

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW10 FRMW-MW10-X15 (10-15')				
		12/16/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022
		21L1055-01	22D0076-01	22F0429-04	22I1220-01	22L0969-01
Analyte	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	11	4.3	4.4	3.3	3.9
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	4.6	2.2	3.7	3.3	5.4
1,1-Dichloroethylene	5	2.8	1.6	2.2	1.4	3.0
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 0.20	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.23 J
cis-1,2-Dichloroethylene	5	290	98	280	280	630
cis-1,3-Dichloropropylene	0.4 [†]	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 1.20	ND< 0.20	0.30 J	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 2.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	3.5	ND< 1.0
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	ND< 0.20	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	7.2	7.1	11	8.9	7.6
Toluene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	2.0	1.1	1.3	0.94	3.50
trans-1,3-Dichloropropylene	0.4 [†]	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	7.9	6.0	13	16	10
Trichlorofluoromethane (freon 11)	5	ND< 0.20	ND< 0.20	0.22 J	ND< 0.20	ND< 0.20
Vinyl Chloride	2	0.93	0.81	2.0	2.6	6.3
Total VOC concentration	NS	326.43	121.11	318.12	319.94	669.93
Total CVOC concentration	NS	326.43	121.11	317.82	319.94	669.93
Total Petro-VOC concentration	NS	0.00	0.00	0.30	0.00	0.00
Other VOC concentration	NS	0.00	0.00	0.00	0.00	0.00
Location of screen		Across water table (243' - 238' amsl)				

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW25 FRMW-MW25-X10 (5-10')															
		7/19/2010	5/31/2011	7/21/2011	9/29/2011	12/13/2011	2/22/2012	4/30/2012	6/27/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2014	6/25/2015	5/26/2016	9/29/2016	10/31/2016
		10G0579-07	11F0120-04	11G0750-04	11J0038-04	--	--	--	--	--	--	--	--	--	--	16I1131-04	16K0022-05
Lab Sample ID		245.63	240.08	240.09	241.86	239.43							243.62	241.7	242.02	242.73	242.85
Groundwater Elevation (ft.)																	
Analyte	ppb	ppb	ppb	ppb	ppb	--	--	--	--	--	--	--	--	--	ppb	ppb	
1,1,1-Trichloroethane	5	1,400	76	100	130										32	30	
1,1,2,2-Tetrachloroethane	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 120	ND< 5.0	ND< 50	68										ND< 0.20	ND< 0.20	
1,1,2-Trichloroethane	1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
1,1-Dichloroethane	5	340	70	76	160										130	150	
1,1-Dichloroethylene	5	na	na	na	na										36	55	
1,2,3-Trichlorobenzene	5	ND< 120	7.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
1,2,4-Trichlorobenzene	5	ND< 250	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20	
1,2-Dibromo-3-chloropropane	0.04	ND< 120	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20	
1,2-Dibromoethane	0.0006	na	na	na	na										ND< 0.20	ND< 0.20	
1,2-Dichlorobenzene	3	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
1,2-Dichloroethane	0.6	ND< 120	ND< 5.0	ND< 50	ND< 250										0.31 J	ND< 0.20	
1,2-Dichloropropane	1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
1,3-Dichlorobenzene	3	na	na	na	na										ND< 0.20	ND< 0.20	
1,4-Dichlorobenzene	3	NA	NA	NA	NA										ND< 0.20	ND< 0.20	
2-Butanone	50*	ND< 120	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20	
2-Hexanone	50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 250	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20	
Acetone	50*	ND< 160 J	ND< 10	ND< 100	5.6										8.7 CCV-E	7.3 CCV-E, Scal.F	
Benzene	5	na	na	na	na										0.5	0.57	
Bromochloromethane	1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Bromodichloromethane	50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Bromoform	50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Bromomethane	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	0.65 B	
Carbon disulfide	60*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	14	
Carbon tetrachloride	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Chlorobenzene	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Chloroethane	5	ND< 120	3.6 J	ND< 50	ND< 250										0.36 J	0.94	
Chloroform	7	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Chloromethane	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	3.6	
cis-1,2-Dichloroethylene	5	3,500	170	280	1,600										1900	2900	
cis-1,3-Dichloropropylene	NS	na	na	na	na										ND< 0.20	ND< 0.20	
Cyclohexane	0.4*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	0.23 J	
Dibromochloromethane	50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Dichlorodifluoromethane	5	62 J	290	130	2,100										150	160 CCV-E	
Ethyl Benzene	5	380	38	24 J	100										12	14	
Isopropylbenzene	NS	na	na	na	na										0.50	0.49 J	
Methyl acetate	5	ND< 120	4.2 J	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Methyl tert-butyl ether (MTBE)	NS	na	na	na	na										ND< 0.20	ND< 0.20	
Methylcyclohexane	10*	ND< 120	ND< 5.0	ND< 50	ND< 250										1.1	1.3	
Methylene chloride	5	ND< 230	ND< 10	16 J,B	3.7										ND< 1	ND< 1	
o-Xylene	5	490	21	14 J	86										6.8	9.0	
p- & m- Xylenes	5	2,000	89	51 J	320										30	31	
Styrene	5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Tetrachloroethylene	5	2,800	140	350	790										140	160	
Toluene	5	580	15	13 J	ND< 250										9.0	12	
trans-1,2-Dichloroethylene	5	ND< 120	ND< 5.0	ND< 50	ND< 250										33	100	
trans-1,3-Dichloropropylene	0.4*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20	
Trichloroethylene	5	810	16	18 J	85										120	140	
Trichlorofluoromethane (freon 11)	5	1,200	330	480	9800										180	160	
Vinyl Chloride	2	ND< 120	ND< 5.0	ND< 50	ND< 250										1.5	13	
Total VOC concentration	NS	13,562	1,269.8	1,552.0	15,248.3										2,791.8	3,963.1	
Total CVOC concentration	NS	10,112	1,102.6	1,450.0	14,736.7	na	na	na	na	na	na	na	na	na	2,723.2	3,872.5	
Total Petro-VOC concentration	NS	3450.0	167.2	102.0	506.0										58.80	67.06	
Other VOC concentration	NS	0	0	0	5.6										9.80	23.48	
Location of screen		On top of shallow clay (244' - 239' amsl)															

WELL DRY - NOT SAMPLED

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW25 FRMW-MW25-X10 (5-10')														
		12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/14/2018	9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020
		16L0074-04	17C1158-02	17F1193-10	17J0005-03	17L0427-01	18I190-03	18F0674-13	18I0297-04	18L0310-5	--	19F0430-08	19I0905-02	19L0806-02	20C0746-06	20F0477-07
Lab Sample ID		242.36	242.36	241.87	241.34	240.86	242.26	241.89	242.47	243.97	--	242.08	241.3	242.49	241.94	242.26
Groundwater Elevation (ft.)																
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	--	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	18	9.2	ND< 20	0.69	3.4	6.8	ND< 10	12	0.59		6.6	ND< 0.20	ND< 2.5	48	16
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	130	21	130	4.9	83	54	44	100	12		80	44	ND< 2.5	140	79
1,1-Dichloroethylene	5	35	4.2	63	2.6	3.5	12	ND< 10	18	1.6		7.9	0.44 J	ND< 2.5	39	ICV-E
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	0.26 J	ND< 0.2	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	2.3	1.9
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	1.60 ICV-E	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	1	ND< 10	1.6	ND< 0.20		0.40 J	0.44 J	ND< 2.5	ND< 0.20	ND< 0.20
Acetone	50*	6.4 CCV-E, Scg	3.1	ND< 100	4.9	ND< 1.0	2.1	ND< 50	ND< 2.0	ND< 1.00		ND< 1.0	2.3 CCV-E	ND< 5.0	ND< 1.0	ND< 1.0
Benzene	5	0.42 J	ND< 0.2	ND< 20	ND< 0.20	0.3 J	0.26 J	ND< 10	ND< 0.40	ND< 0.20		0.20 J	ND< 0.20	ND< 2.5	0.77	0.34 J
Bromochloromethane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	1.5 CCV-E, ICV-E
Carbon disulfide	60*	0.37 J	ND< 0.2	ND< 20	ND< 0.20	0.23 J	ND< 0.2	ND< 10	ND< 0.40	ND< 0.20		0.49 J	0.41 J	ND< 2.5	0.24 J	17
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chloroethane	5	0.85	ND< 0.20	ND< 20	1.4	2.5	1.7	ND< 10	2.5	ND< 0.20		0.88	1.3 CCV-E	ND< 2.5	0.84 ICV-E	ND< 0.20
Chloroform	7	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	4.3	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	2,300 VOA-HDSP	170	1,800	110	130	560	330	1,000	39		140	10	ND< 2.5	5,500	1,500
cis-1,3-Dichloropropylene	NS	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Cyclohexane	0.4*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	110	63	160	7.8	59	88	78 CCV-E	130	16		89	7.2 CCV-E	ND< 2.5	420	178 ICV-E, QL-02
Ethyl Benzene	5	10	0.5	ND< 20	ND< 0.20	4.2	1.2	ND< 10	4.8	0.43 J		1.5	0.22 J	ND< 2.5	4.8	ND< 0.20
Isopropylbenzene	NS	0.45 J	ND< 0.2	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	0.26 J	ND< 0.20
Methyl acetate	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	NS	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Methylcyclohexane	10*	1.3	ND< 0.2	ND< 20	ND< 0.20	0.74	ND< 0.2	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	0.46 J	0.30 J
Methylene chloride	5	ND< 1	ND< 1	ND< 100	ND< 1.0	ND< 1.0	ND< 1.0	ND< 50	ND< 0.40	ND< 1.00		ND< 1.0	ND< 1.0	ND< 2.5	ND< 1.0	ND< 1.0
o-Xylene	5	6.1	0.35 J	ND< 20	0.31 J	3.7	1.5	ND< 10	2.6	ND< 0.20		0.89	ND< 0.20	ND< 2.5	2.5	1.0
p- & m- Xylenes	5	29	1.8	ND< 50	0.81 J	8.9	3.5	ND< 25	15	ND< 0.50		4.3	0.50 J	ND< 5.0	8.1	0.50 J
Styrene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	110	15 SCAL-E	240	4.6	6.1	14	16 QL-02	35	2.5		19	1.2	ND< 2.5	260	100
Toluene	5	8.4	0.81	ND< 20	ND< 0.20	5.9	1.5	ND< 10	4.7	0.32 J		1.8	0.6	ND< 2.5	5.1	0.42 J
trans-1,2-Dichloroethylene	5	58	0.55	ND< 20	0.37 J	5.0	5.4	ND< 10	3.1	ND< 0.20		1.0	0.27 J	ND< 2.5	69	135
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Trichloroethylene	5	68	8.8	280	4.0	5.8	15	16 QL-02, J	44	6.2		23	1.8	ND< 2.5	150	82
Trichlorofluoromethane (freon 11)	5	110	84	120	2.0	22	58	42	88	8.9		240	4.9	ND< 2.5	2,100	870
Vinyl Chloride	2	11	0.84	ND< 20	13	20	31	18 CCV-E, J	24	2.5		5.6	2.8 CCV-E	ND< 2.5	3.3 ICV-E	26 QL-02
Total VOC concentration	NS	3,015.2	383.2	2,793.0	157.4	364.3	856.96	544.00	1489.60	90.04		622.56	78.33	0.00	8754.67	5110.06
Total CVOC concentration	NS	2,951.1	376.6	2,793.0	151.4	340.3	845.90	544.00	1460.90	89.29		612.98	73.91	0.00	8732.44	5089
Total Petro-VOC concentration	NS	54.37	3.46	0.00	1.12	23.00	7.96	0.00	27.10	0.75		8.69	1.27	0.00	21.53	2.26
Other VOC concentration	NS	9.67	3.10	0.00	4.90	0.97	3.10	0.00	1.60	0.00		0.89	3.15	0.00	0.70	18.80
Location																

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW25									
		FRMW-MW25-X10 (5-10')									
		8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021	12/15/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022
Lab Sample ID		20H1134-02	20L0785-02	21C0753-03	21F0819-14	21J0004-02	21L1055-02	22D0076-02	22F0429-08	22I1220-02	22L0969-02
Groundwater Elevation (ft.)		243.26	242.17	243.25	243.40	243.62	242.13	243.47	241.44	241.12	241.8
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 5.0	ND< 0.20	15	17	0.94	6.5	ND< 0.20	0.56	ND< 0.20	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 5.0	ND< 0.20	ND< 0.20	0.38 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	36	2.6	65	92	35	170	10	57	53	12
1,1-Dichloroethylene	5	5.5 J	ND< 0.20	0.8	17	4.0	29	1.3	5.4	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 5.0	ND< 0.20	0.37 J	0.50	ND< 0.20	ND< 0.20	ND< 0.20	0.42 J	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 10	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 5.0	1.3 J	2.1	1.2 CCV-E,J	1.8 J	ND< 1	ND< 1	2.3	ND< 1	ND< 1
Benzene	5	ND< 5.0	ND< 0.2	0.28 J	0.38 J	ND< 0.20	0.4 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	1	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.46 JB	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	2.1	6.5	1.6	2.7	5.0	3.0
Chloroform	7	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	11,000 E	32	995	790	270	340	10	62	3.7	3.7
cis-1,3-Dichloropropylene	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	0.4*	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	41	3.1	340	270	19	120	2	2.8	3.2	1.5
Ethyl Benzene	5	ND< 5.0	ND< 0.20	2.3	4.0	ND< 0.20	1.4	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	NS	ND< 5.0	ND< 0.20	ND< 0.20	0.26 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	5	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	10*	ND< 10	na	0.2 J	0.60	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 5.0	ND< 1	ND< 1	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	1.9 J	ND< 1.0
o-Xylene	5	ND< 5.0	ND< 0.20	1.1	1.7	ND< 0.20	0.75	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 5.0	ND< 0.20	0.9	9.2	ND< 0.50	0.51 J	ND< 0.20	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	27	3	900	110	4.2	25	0.71	2.7	3.7	ND< 0.20
Toluene	5	ND< 5.0	ND< 0.20	1.9	2.8	ND< 0.20	0.74	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 5.0	0.44 J	7.4	6.4	0.32 J	1.1	ND< 0.20	ND< 0.20	0.24 J	ND< 1.20
trans-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	29	1.8	43	67 Ca-E	6.8	58	1.4	6.0	3.1	1.5
Trichlorofluoromethane (freon 11)	5	140	2.7	700	310	18	62	ND< 0.20	7.0	ND< 0.20	0.55
Vinyl Chloride	2	60	3.6	45	40	3.8	3.0	0.48 J	0.97	2.7	1.3
Total VOC concentration	NS	11339	50.54	2306.85	1748.42	365.96	824.90	27.49	150.31	76.54	23.55
Total CVOC concentration	NS	11338.5	49.24	2293.57	1728.28	364.16	821.10	27.49	147.55	76.54	23.55
Total Petro-VOC concentration	NS	0.00	0.00	10.98	18.34	0.00	3.80	0.00	0.00	0.00	0.00
Other VOC concentration	NS	0.00	1.30	2.30	1.80	1.80	0.00	0.00	2.76	0.00	0.00
Location of screen	On top of shallow clay (244' - 239' amsl)										

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW27 FRMW-MW27-X10 (5-10')																
		07/16/10	05/31/11	07/21/11	09/29/11	12/13/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	06/12/14	09/16/14	
		10G0511-14	11F0120-05	11G0750-05	11J0038-05	--	--	--	--	--	--	--	--	--	--	14F0651-10	--	
		245.56	240.02	240.02	242.01	239.25	<239	<239	<239	<239	<239	<239	<239	<239	na	240.91	<239	
Analyte	ppb	ppb	ppb	ppb	ppb	--	--	--	--	--	--	--	--	--	--	ppb	--	
1,1,1-Trichloroethane	5	8,500 J	250	1700 J	2.7											500		
1,1,2,2-Tetrachloroethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,1,2-Trichloroethane	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,1-Dichloroethane	5	720 J	10 J	320	ND< 5.0											140		
1,1-Dichloroethylene	5	ND< 2,500	ND< 50	67	ND< 5.0											ND< 50		
1,2,3-Trichlorobenzene	5	na	na	na	na											ND< 50		
1,2,4-Trichlorobenzene	5	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50		
1,2-Dibromo-3-chloropropane	0.04	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50		
1,2-Dibromoethane	0.0006	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,2-Dichlorobenzene	3	na	na	na	na											ND< 50		
1,2-Dichloroethane	0.6	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,2-Dichloropropane	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
1,3-Dichlorobenzene	3	na	na	na	na											ND< 50		
1,4-Dichlorobenzene	3	na	na	na	na											ND< 50		
2-Butanone	50*	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50		
2-Hexanone	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 5,000	ND< 100	ND< 100	ND< 10											ND< 50		
Acetone	50*	ND< 5,000 J	ND< 10 B	ND< 10 B	3.7											160 CCV-E, J, B		
Benzene	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Bromochloromethane	5	na	na	na	na											ND< 50		
Bromodichloromethane	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Bromoform	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Bromomethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Carbon disulfide	60*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Carbon tetrachloride	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Chlorobenzene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Chloroethane	5	ND< 2,500	ND< 50	23 J	ND< 5.0											ND< 50		
Chloroform	7	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Chloromethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
cis-1,2-Dichloroethylene	5	1,200 J	21 J	280	19											300		
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Cyclohexane	NS	na	na	na	na											ND< 50		
Dibromochloromethane	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Dichlorodifluoromethane	5	ND< 2,500	ND< 50	94	ND< 5.0											76		
Ethyl Benzene	5	1,800 J	110	48 J	ND< 5.0											ND< 50		
Isopropylbenzene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Methyl acetate	NS	na	na	na	na											ND< 50		
Methyl tert-butyl ether (MTBE)	10*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Methylcyclohexane	NS	na	na	na	na											ND< 50		
Methylene chloride	5	ND< 2,500 J	ND< 10 B	ND< 10 B	3.1											ND< 200		
o-Xylene	5	2,300 J	180	100	ND< 5.0											58		
p- & m- Xylenes	5	7,100 J	650	280	1.6											ND< 100		
Styrene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Tetrachloroethylene	5	22,000 J	6,700	10,000	66											14,000		
Toluene	5	1,900 J	56	180	ND< 5.0											35 J		
trans-1,2-Dichloroethylene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Trichloroethylene	5	ND< 2,500	15 J	150	5.2											85		
Trichlorofluoromethane (freon 11)	5	880 J	34 J	ND< 2500	1.1											240		
Vinyl Chloride	2	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50		
Total VOC concentration	NS	46,400	8,026	13,242	102											15,594		
Total CVOC concentration	NS	33,300	7,030	12,634	97											15,341		
Total Petro-VOC concentration	NS	13100.0	996.0	608.0	1.6	na	na	na	na	na	na	na	na	na	na	93.0	na	
Other VOC concentration	NS	0	0	0	3.7											160.0		
Location of screen		On top of shallow clay (244' - 239' amsl)																

WELL DRY - NOT SAMPLED

Well column full of ice - not sampled

Well Dry - Not sampled

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW27 FRMW-MW27-X10 (5-10')															
		12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/14/2018
		14L0667-07	--	15F1052-12	15I0617-08	15L0018-08	16C0192-09	16E1165-14	16I1131-05	16K0022-04	16L0074-05	17C1158-01	17F1193-12	17J0005-03	17L0427-04	18C1190-02	18F0674-14
		240.90	--	241.53	240.68	240.86	242.13	241.75	242.70	242.84	242.43	243.50	241.89	241.24	240.79	242.21	241.93
Analyte	ppb	ppb	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	88		11	140	33	2.8	6.2	3.6	1.7	ND< 2	ND< 0.2	7.5	1.9	5.6	1.6	1.9 J
1,1,2,2-Tetrachloroethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,1,2-Trichloroethane	1	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,1-Dichloroethane	5	5.8		4.7	140 D	32	0.92	3.6	3	1.7	13	ND< 0.2	13	86	29	2.1	ND< 1.0
1,1-Dichloroethylene	5	2.3		1.5	46	11	0.22 J	0.82	0.49	ND< 0.20	ND< 2	ND< 0.2	5.6	4.2	2.1	0.46 J	ND< 1.0
1,2,3-Trichlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,2,4-Trichlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,2-Dibromoethane	0.0006	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,2-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,2-Dichloroethane	0.6	ND< 0.5		ND< 0.5	0.28 J	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	0.69	ND< 0.20	ND< 0.20	ND< 1.0
1,2-Dichloropropane	1	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,3-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
1,4-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
2-Butanone	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
2-Hexanone	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Acetone	50*	ND< 2		ND< 2	9.30 B	2.6	ND< 1	ND< 2	1.3 CCV-E,J	ND< 1	10 U	1.5 SCAL-E	21	8.5	ND< 1.0	1.5 J	ND< 5.0
Benzene	1	ND< 0.5		ND< 0.5	0.69	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Bromochloromethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Bromodichloromethane	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Bromoform	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Bromomethane	5	ND< 0.5		ND< 0.5	0.68 J	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Carbon disulfide	60*	0.21 J		ND< 0.5	0.83	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Carbon tetrachloride	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Chlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Chloroethane	5	ND< 0.5		ND< 0.5	1.20	0.3 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	5.6 CCV-E	ND< 0.2	ND< 2.0	2.4	ND< 0.20	ND< 0.20	ND< 1.0
Chloroform	7	ND< 0.5		ND< 0.5	0.21 J	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Chloromethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
cis-1,2-Dichloroethylene	5	73		64	500 D	120	2.2	10	15	9.2	42	0.54	110	86	390	7.7	26
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Cyclohexane	NS	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Dibromochloromethane	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Dichlorodifluoromethane	5	12		8.1	130	54	1.7	9.2	4.7	2.1	ND< 2	0.58	24	59	53	4.9	ND< 1.0
Ethyl Benzene	5	0.98		0.43 J	2.30	0.43 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	3.2	0.22	ND< 0.2	ND< 1.0
Isopropylbenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Methyl acetate	NS	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Methyl tert-butyl ether (MTBE)	10*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Methylcyclohexane	NS	ND< 0.5		ND< 0.5	ND< 0.2	0.27 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Methylene chloride	5	1.8 J,B		ND< 2	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1	ND< 1	ND< 10	ND< 1	ND< 10	ND< 1.00	ND< 1.0	ND< 1.0	ND< 5.0
o-Xylene	5	3.4		3.0	12	3.1	0.62	1.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	2.7 J	3.8	0.89	0.29 J	ND< 1.0
p- & m- Xylenes	5	3.4		0.51 J	3	0.51 J	0.63 J	ND< 1	ND< 0.5	ND< 0.50	ND< 5	ND< 0.5	ND< 5.0	5.2	0.64	ND< 0.5	ND< 2.5
Styrene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Tetrachloroethylene	5	1700		880	2400 D	2500 D	240 D	570	160 CCV-E	66 CCV-E, ICV-E	85 SCAL-E	49 SCAL-E	1,100	4.5 B	21	110	72 QL-02
Toluene	5	2.2		0.32 J	2.20	0.33 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	6.4	0.38	ND< 0.2	ND< 1.0
trans-1,2-Dichloroethylene	5	ND< 0.5		0.25 J	15	0.49 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	7.0	5.1	ND< 0.2	ND< 1.0
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.0
Trichloroethylene	5	22		27	270	130	2.2	7.0	6.1	2.1	19.0	0.78	54	3.5	54	8.9	4.0 QL-02
Trichlorofluoromethane (freon 11)	5	84		14	130	78	5.6	17	7.4	3.8	ND< 2	0.69	26	8.9	15	7.0	ND< 1.0
Vinyl Chloride	2	ND< 0.5		ND< 0.5	0.9	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	5.8	ND< 0.2	ND< 2.0	17	84	0.72	ND< 1.0
Total VOC concentration	NS	1,999		1,015	3,805	2,966	257	625	202	87	180	53.1	1,363.8	308.2	660.9	145.2	103.9

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW27 FRMW-MW27-X10 (5-10')												
		9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020	8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021
		18I0297-05	18L0310-06	--	--	19I0905-03	19L0806-03	20C0746-05	20F0477-08	20H1134-03	20L0785-03	21C0753-04	21F0819-12	21J0004-03
		242.4	243.86	--	--	241.18	242.36	241.84	242.24	243.24	242.04	243.35	243.58	
Analyte	ppb	ppb	ppb	--	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	4.2	ND< 0.20			94	ND< 2.5	5,200	2,000	1,200	61	7.5	0.65	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	5.5	ND< 0.20			11	ND< 2.5	1,200	540	560	63	8.1	0.68	ND< 0.20
1,1-Dichloroethylene	5	1.9	ND< 0.20			8.7	ND< 2.5	230	60	130	ND< 0.20	2.1	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.06	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 120	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.44 J	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	2.1 J	ND< 1.0			5.2 CCV-E	ND< 5.0	260 CCV-E, J	30	ND< 62	4.3	2.1	1.0 CCV-E, J	1.2 CCV-E, ICV-E, J
Benzene	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.1	ND< 62	0.26 J	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.6 CCV-E, ICV-E	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.40	ND< 0.20	Well Inaccessible - Not Sampled	Well Dry - Not Sampled	30	ND< 2.5	ND< 50	32	ND< 62	0.32 J	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.82 QL-02	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	3.5	ND< 63	0.49 J	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	4.5	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.34 J	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	2.4 CCV-E, QL-02	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	2,000	4.7			2,600	6.0	4,000	2,500	28,000 E	2,500	0.5	1.8	8.3
cis-1,3-Dichloropropylene	0.4+	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	22	0.45 J			24 CCV-E	ND< 2.5	3,100	1,200 ICV-E, QL-02	1,100 CCV-E	160	0.5	2.2	ND< 0.20
Ethyl Benzene	5	ND< 0.40	ND< 0.20			5.7	ND< 2.5	110 J	32	74 J	0.90	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.1	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 2	ND< 1.0			ND< 1.0	ND< 2.5	ND< 250	ND< 1.0	ND< 62	ND< 1	ND< 1	ND< 1	ND< 1.0
o-Xylene	5	1.7	ND< 0.20			14	ND< 2.5	260	110	170	3.2	0.51	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 1	ND< 0.50			19	ND< 5.0	350	91	170 CCV-E, J	2.7	ND< 0.50	ND< 0.20	ND< 0.20
Styrene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 250	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	110	2.7			110 CCV-E	46	40,000	46,000	41,000 E	540	100	15	8.0 ICV-E
Toluene	5	ND< 0.40	ND< 0.20			19	ND< 2.5	290	57	ND< 62	0.98	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	7.7	ND< 0.20			11	ND< 2.5	ND< 50	50	340	61	1.1	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4+	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	110	1.2			270	8.2	2,100	1,000 QL-01	39,000 E	1,000	1.5	14 ICV-E	2.9
Trichlorofluoromethane (freon 11)	5	17	0.270 J			52	ND< 2.5	13,000	4,400	2,100	270	0.5	3.2	0.38 J
Vinyl Chloride	2	33	1.100			52 CCV-E	ND< 2.5	ND< 50	47 QL-02	ND< 62	10	1.2	ND< 0.20	ND< 0.20
Total VOC concentration	NS	2,319.6	10.4			3,325.6	60.2	70,100	58,986	113,844	4,678	344.7	74.7	20.78
Total CVOC concentration	NS	2,315.8	10.4			3,232.7	60.2	68,830	58,613	113,430	4,665	342.1	73.7	19.58
Total Petro-VOC concentration	NS	1.7	0.0	na	na	57.7	0.0	1,010	303	414	8	0.5	0.0	0.00
Other VOC concentration	NS	2.1	0.0			35.2	0.0	260	70	0	5	2.1	1.0	1.20
Location of screen		On top of shallow clay (244' - 239' amsl)												

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW27 FRMW-MW27-X10 (5-10')				
		12/16/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022
		21L1055-03	22D0076-03	22F0429-09	22I1220-03	22L0969-03
		242.01	243.54	241.22	241.06	241.67
Analyte	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	3.3	ND< 0.20	1.5	0.65	1.65
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	3.8	ND< 0.20	8.5	6.9	ND< 0.20
1,1-Dichloroethylene	5	1.0	ND< 0.20	0.66	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	2.2	1.6 J
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 1.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 2.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 3.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 4.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 5.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 6.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 7.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 8.20	ND< 0.20	ND< 0.20	1.3	ND< 1.20
Chloroform	7	ND< 9.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 10.20	ND< 0.20	ND< 0.20	ND< 0.20	0.21 J
cis-1,2-Dichloroethylene	5	59	1.4	180	29	1.8
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	16	ND< 0.20	0.84	4.3	ND< 0.20
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	2.9	ND< 1.0
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	ND< 0.20	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	36	1.6	25	7.4	4.6
Toluene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	0.5	ND< 0.20	0.78	0.40 J	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	58	0.8	41	5.5	ND< 0.20
Trichlorofluoromethane (freon 11)	5	17	ND< 0.20	1.7	0.6	ND< 0.20
Vinyl Chloride	2	4.3	ND< 0.20	2.9	11	ND< 0.60
Total VOC concentration	NS	198.90	3.81	262.88	72.15	9.86
Total CVOC concentration	NS	198.90	3.81	262.88	69.95	8.26
Total Petro-VOC concentration	NS	0.00	0.00	0.00	0.00	0.00
Other VOC concentration	NS	0.00	0.00	0.00	2.20	1.60
Location of screen	On top of shallow clay (244' - 239' amsl)					

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW30 FRMW-MW30-X20 (10-20')															
		7/19/2010	05/31/11	07/21/11	09/29/11	12/14/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	06/12/14	09/16/14
		10G0579-10	11F0120-07	11G0750-07	11J0038-07	11L0632-05	12B0883-05	12E0113-10	12F0976-05	12I0945-10	12L0807-10	13C0516-09	13F0453-07	13I0664-06	13K0803-06	14F0651-12	14I0784-05
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	13,000 J	3,900	580 J	9,500	2,100	2,800	1,200	4,300	2,100	750	870	210	390	610	140	34
1,1,2,2-Tetrachloroethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	1.4 J	ND< 50	ND< 50	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	1.2 J	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
1,1,2-Trichloroethane	1	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	9.2 J	ND< 1000	ND< 500	ND< 500	ND< 120	5.1	1.9 J	2.7 J	ND< 50	ND< 50	0.34 J
1,1-Dichloroethane	5	2,300 J	1,400	460 J	970	940 J	2,500	2,900	6,000	3,800	1,900	2,900	1,200	2,300	1,000 HT-01R	1,200	380
1,1-Dichloroethylene	5	ND< 500	360	140	160	ND< 1000	950	420 J	1,700	1,200	600	1,100	520	630	1,000	290	54
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 1000	ND< 100	ND< 100	ND< 250	ND< 1000	ND< 100	ND< 1000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 10	ND< 100	ND< 50	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 500	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 1000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 10	ND< 100	ND< 50	ND< 2
1,2-Dibromoethane	0.0006	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
1,2-Dichloroethane	0.6	ND< 500	13 J	ND< 50	ND< 120	ND< 1000	27 J	ND< 1000	ND< 500	ND< 500	ND< 120	17	7.9	16	ND< 50	ND< 50	3.5
1,2-Dichloropropane	1	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
2-Butanone	50*	ND< 500	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 2000	ND< 1000	200 J	55 J	ND< 10	ND< 10	ND< 10	ND< 100	ND< 50	ND< 2
2-Hexanone	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	2.4 J,B	ND< 5	ND< 50	ND< 50	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 1000	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 2000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 10	ND< 100	ND< 50	ND< 0.5
Acetone	50*	ND< 1000 J	ND< 10 B	ND< 100	8.4	ND< 2000	210 B	14 B	6.5 J,B	690 J	ND< 250	870 J	76	ND< 500	ND< 100	240 CCV-E, B	ND< 2
Benzene	1	ND< 500	9.7 J	ND< 50	ND< 120	ND< 1000	18 J	ND< 1000	ND< 500	ND< 500	ND< 120	24	9.5	17	ND< 50	ND< 50	3.8
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
Bromodichloromethane	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Bromoform	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	21	1.9 J	ND< 5	ND< 50	ND< 50	ND< 0.5
Bromomethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Carbon disulfide	60*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	28	1.5 J	ND< 5	ND< 50	ND< 50	ND< 0.5
Carbon tetrachloride	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	83	25 J	4.4
Chlorobenzene	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	1.4 J	ND< 5	0.99 J	ND< 50	ND< 50	ND< 0.5
Chloroethane	5	250 J	410	310	110	ND< 1000	1,400	1,300	1,500	1,000	ND< 120	1,900	890	1,300	1,400	740	280
Chloroform	7	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	2.6 J	1.6 J	ND< 50	ND< 50	ND< 0.5
Chloromethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
cis-1,2-Dichloroethylene	5	2,600 J	3,700	880 J	1,800	4,600	15,000	16,000	20,000	22,000	21,000	22,000	9,900	15,000	9,400 HT-01R	6,300	1,300
cis-1,3-Dichloropropylene	0.4*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
Dibromochloromethane	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Dichlorodifluoromethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	26 J	ND< 1000	ND< 500	ND< 500	ND< 120	60	35	43	40 J	ND< 50	24
Ethyl Benzene	5	420 J	170	100	39	72 J	310	ND< 1000	320 J	220 J	140	170	84	220 J	180	48 J	18
Isopropylbenzene	5	ND< 500	9.1 J	5.7 J	ND< 120	ND< 1000	9.8 J	ND< 1000	ND< 500	ND< 500	ND< 120	5.3	2.8 J	4.4 J	ND< 50	ND< 50	1.2
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
Methyl tert-butyl ether (MTBE)	10*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5
Methylene chloride	5	ND< 660	1.2 B,J	13 B,J	4.2	ND< 2000	34 J,B	11 B	5.4 J,B	580 J	ND< 250	9.1 J	3.4 J	4.6 J	ND< 100	ND< 200	1.2 J
o-Xylene	5	810 J	620	250	49	130 J	780	360 J	800	600	350	360 J	180	280	450	150	29
p- & m- Xylenes	5	2,400 J	1,500	240 J	110	320 J	1,700	770 J	1,900	1,400	860	960 J	380	720	1100	280	14
Styrene	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Tetrachloroethylene	5	12,000 J	9,100	3,500	1400	2500	15,000	5,500	19,000	10,000	3,900	2,300	680	430	1300	280	76
Toluene	5	920 J	650	270	84	150 J	830	510 J	1,100	770	440	540	250	410	570	140	35
trans-1,2-Dichloroethylene	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	19 J	ND< 1000	ND< 500	ND< 500	ND< 120	160	5.9	12	ND< 50	ND< 50	4.9
trans-1,3-Dichloropropylene	0.4*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5
Trichloroethylene	5	320 J	990	360	110	540 J	2,600	560 J	1,400	680	210	280 J	490	630	1200	300	89
Trichlorofluoromethane (freon 11)	5	94 J	18 J	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	9.3	1.4 J	5.5 J	ND< 50	ND< 50	1.4
Vinyl Chloride	2	ND< 500	16 J	13 J	ND< 120	ND< 1000	200	320 J	120 J	150 J	310	1,200	1,500	2,000	1800	1100	480
Total VOC concentration	NS	32,264.0	22,867.0	7,121.7	14,344.6	11,352.0	44,423.0	29,865.0	58,151.9	45,390.0	30,515.0	35,791.4	16,436.2	24,329.2	20,133.0	11,233.0	2,838.6
Total CVOC concentration	NS	27,714.0	19,908.2	6,256.0	14,054.2	10,680.0	40,565.2	28,211.0	54,025.4	41,510.0	28,670.0	32,813.1	15,448.1	22,767.8	17,833.0	10,375.0	2,732.7
Total Petro-VOC concentration	NS	4,550.0	2,958.8	865.7	282.0	672.0	3,647.8	1,640.0	4,120.0	2,990.0	1,790.0	2,059.3	906.3	1,561.4	2,300.0	618.0	101.0
Other VOC concentration	NS	0.0	0.0	0.0	8.4	0.0	210.0	14.0	6.5	890.0	55.0	919.0	81.8	0.0	0.0	240.0	4.9
Location of screen		Just beneath water table (242.5' - 232.5' amsl)															

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW30 FRMW-MW30-X20 (10-20')															
		12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018
		14L0667-05	15C0563-08	15F1052-10	15I0617-05	15L0018-05	16C0192-05	16E1165-07	16I1131-03	16K0022-03	16L0074-03	17C1158-05	17F1193-09	17J0005-06	17L0427-03	18C1190-05	18F0674-06
Analyte	ppb	239.79	240.08	241.00	240.54	240.53	242.07	241.53	242.87	242.92	241.89	242.31	241.66	240.75	240.95	242.02	242.18
1,1,1-Trichloroethane	5	35	27.0	42	26	33	24	21	16	15	20	12	20	12	11	6.9	ND< 10
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,1-Dichloroethane	5	530	160	360	370 D	390	320 D	240	250	230	260	150	150	170	240	170	160
1,1-Dichloroethylene	5	61	20.0	63	61	66	61	55	41	44	38	36	49	52	27	22	15 J
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	260	ND< 0.20	ND< 0.20	ND< 10
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,2-Dichloroethane	0.6	ND< 0.5	2.5	2.1	2.1	1.3	ND< 0.2	1.5	1.3	ND< 0.20	ND< 1	0.86	ND< 4.0	ND< 2.0	1.2	1.1	ND< 10
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
2-Butanone	50*	ND< 0.5	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Acetone	50*	ND< 2	ND< 2	ND< 2	ND< 1	1.5 J	ND< 1	2.2 SCAL-E	ND< 1	ND< 1	ND< 5	1.1 SCAL-E	30 J	13 J	ND< 1.0	ND< 1.0	ND< 50
Benzene	1	4.2	3.1	3	3.2	2.6	2.1	2.5	2.1	1.9	1.8 J	1.4	ND< 4.0	ND< 2.0	1.5	1.6	ND< 10
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Carbon disulfide	60*	ND< 0.5	ND< 0.5	ND< 0.5	0.35 J	ND< 0.2	0.72	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Carbon tetrachloride	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Chloroethane	5	370	140	230	270 D	180	180 D	130	160	120	120 CCV-E	94	55	97	150	130	150
Chloroform	7	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.22 J	ND< 0.20	ND< 0.20	ND< 1	ND< 0.2	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	3.1	ND< 1	ND< 0.2	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
cis-1,2-Dichloroethylene	5	1600	1400	1200	1300 D	1200	1100 D	830	780	860	760	490	460	440	580	360	310
cis-1,3-Dichloropropylene	0.4*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Cyclohexane	NS	ND< 0.5	ND< 0.68	ND< 0.5	ND< 0.2	ND< 0.2	0.45 J	ND< 0.5	ND< 0.20	0.20 J	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	0.29 J	ND< 10
Dibromochloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Dichlorodifluoromethane	5	24	22 ICV-E	32	46	55	44 D	32	30	33	20	23	52	42	35	28	ND< 10
Ethyl Benzene	5	14	16.0	11	9.6	10	6.7	5.6	4.7	3.6	3.40	2.6	ND< 4.0	ND< 2.0	2.2	2.8	ND< 10
Isopropylbenzene	5	0.7	0.96	0.72	0.61	0.81	0.51	0.43 J	0.33 J	0.29 J	ND< 1	0.23 J	ND< 4.0	ND< 2.0	0.23 J	0.29 J	ND< 10
Methyl acetate	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Methyl tert-butyl ether (MTBE)	10*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Methylcyclohexane	NS	ND< 0.5	4.1	3.4	1.90	3.70	2.40	2.8	1.7	ND< 0.20	1.6 J	1.6	ND< 4.0	ND< 2.0	1.4	ND< 0.20	ND< 10
Methylene chloride	5	2.8 B	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 0.5	ND< 1	ND< 1	ND< 5	ND< 1.0	ND< 20	ND< 10	ND< 1.0	ND< 1.0	ND< 50
o-Xylene	5	24	14.00	14	13	12	10	8.9	8.6	6.7	6.4	5.0	ND< 4.0	2.9 J	3.7	5.2	ND< 10
p- & m- Xylenes	5	17	10.0	8.8	10	8.1	5.4	4.6	4.9	3.0	2.8 J	2.0	ND< 4.0	ND< 5.0	1.8	2.3	ND< 25
Styrene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Tetrachloroethylene	5	48	66 SCAL-E	100	110	120	92 D	73 CCV-E	44 CCV-E	59 CCV-E, ICV-E	85 SCAL-E	110 SCAL-E	130	75 B	43	32	21 QL-02, J
Toluene	5	32	22.00	18	23	15	11	13	12	8.2	7.8	6.8	ND< 4.0	5.0	4.4	5.9	ND< 10
trans-1,2-Dichloroethylene	5	2.3	3.40	12	49	12	15	6.6	12	10	1.4 J	11	ND< 4.0	ND< 2.0	5.6	2.6	ND< 10
trans-1,3-Dichloropropylene	0.4*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10
Trichloroethylene	5	61	89.0	170	280 D	540	420 D	320	260	270	400.0 D	240	470	410	420	380	320 QL-02
Trichlorofluoromethane (freon 11)	5	ND< 0.5	ND< 0.5	11	4.9	8.3	6.0	6.3	ND< 0.20	4.8	5.0 D	3.9	9.8 J	4.5 J	4.3	2.3	ND< 10
Vinyl Chloride	2	610	290.00	320	550 D	420	350 D	280	330	240 CCV-E	240	ND< 10	79	140	260	140	160 CCV-E
Total VOC concentration	NS	3,436.0	2,268.1	2,601.0	3,130.7	3,079.3	2,651.3	2,035.7	1,958.6	1,912.8	1,973.2	1,191.5	1,504.8	1,723.4	1,792.3	1,293.3	1,136.0
Total CVOC concentration	NS	3,344.1	2,197.9	2,542.1	3,069.0	3,025.6	2,612.0	1,995.6	1,924.3	1,888.9	1,949.4	1,170.8	1,474.8	1,702.5	1,777.1	1,274.9	1,136.0
Total Petro-VOC concentration	NS	91.9	66.1	55.5	59.4	48.5	35.7	35.0	32.6	23.7	22.2	18.0	0.0	7.9	13.8	18.1	0.0
Other VOC concentration	NS	0.0	4.1	3.4	2.3	5.2	3.6	5.0	1.7	0.2	1.6	2.7	30.0	13.0	1.4	0.3	0.0
Location of screen		Just beneath water table (242.5' - 232.5' amsl)															

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW30 FRMW-MW30-X20 (10-20')													
		9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/11/2020	8/27/2020	12/14/2020	3/12/2021	3/12/2021 (duplicate)	6/16/2021	9/29/2021
		1810297-03	18L0310-03	19C0144-03	19F0430-10	19I0905-04	19L0806-04	20C0746-03	20F0477-10	20H1134-04	20L0785-04	21C0753-05	21C0753-08	21F0819-10	21J0004-04
Analyte	ppb	242.34	243.95	244.02	239.28	240.57	242.62	242.23	242.46	243.46	242.49	243.55	243.55	243.72	243.80
1,1,1-Trichloroethane	5	3.8	5.7	11	7.9	54	160	25	18	7.6	6.1	8.7	8.9	7.5	9.0
1,1,2,2-Tetrachloroethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	0.63	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	1.6	ND< 0.20	ND< 0.20	1.5	ND< 0.20
1,1-Dichloroethane	5	160	150	160	82	290	130	210	250	250	180	200	200	170	170
1,1-Dichloroethylene	5	11	19	22	18	86	23	29 CCV-E	30	24	ND< 0.20	35	26	28	20
1,2,3-Trichlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	1	0.72 J	0.78 J	0.34 J	2.9	ND< 2.5	2.4	2.6	2.8 J	3.4	3.8	3.9	2.6	2.8
1,2-Dichloropropane	1	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	30	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 2.0	ND< 2.0	ND< 2.0	ND< 1.00	1.8 CCV-E,J	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	1.7 J	ND< 1	ND< 1	ND< 1	1.0 J
Benzene	1	1.4	1.1	1.3	0.46 J	2.8	ND< 2.5	1.7	1.9	ND< 2.5	2.7	2.6	2.8	2.1	2.0
Bromochloromethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.71	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	130	98	84	35	130 CCV-E	61	120 CCV-E	148	ND< 250	170	180	180	160	150
Chloroform	7	2.9	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.40	ND< 0.40	ND< 0.40	6.3	ND< 0.20	ND< 2.5	ND< 0.20	0.25 CCV-E, QL-02, J	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	1.8
cis-1,2-Dichloroethylene	5	280	360	410	220	1,700	790	1,300	1,700	NA	1,100	1,300	1,300	950	870
cis-1,3-Dichloropropylene	0.4*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.30 CCV-E, QL-02, J	ND< 2.5	na	0.81	0.84	0.56	0.55
Dibromochloromethane	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	25	18	20	30	5.8 CCV-E	13	7.6	10 QL-01	4.0 J	6.9 CCV-E	13 CCV-E	15 CCV-E	6.0	3.7
Ethyl Benzene	5	1.7	1.3	2	2.4	5.0	ND< 2.5	2.1	1.4	ND< 2.5	1.4	1.7	1.8	1.4	1.0
Isopropylbenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	0.46 J	1.8	ND< 2.5	0.65	0.64	ND< 2.5	0.44 J	0.53	0.55	0.53	0.37 J
Methyl acetate	NS	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	0.96 J	0.96 J	1.2	1.2	9.0	ND< 2.5	3.2	2.5	ND< 5.0	na	5.1	5.1	3.7	2.1
Methylene chloride	5	ND< 2.0	ND< 2.0	ND< 2.0	ND< 0.20	ND< 1.0	ND< 2.5	ND< 0.20	ND< 1.0	ND< 2.5	1.6 J	1.6 J, B	1.3 J, B	1.1 J	ND< 1.0
o-Xylene	5	3.9	2.8	3.7	1.4	7.1	5.6	5.6	5.8	3.9 J	6.8	6.2	6.5	5.9	4.9
p- & m- Xylenes	5	1.6 J	1.0 J	2.2	0.76 J	3.1	ND< 2.5	1.7	1.9	ND< 2.5	2.3	1.9	2.0	1.9	1.6
Styrene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
Tetrachloroethylene	5	15	25	44	71	210 CCV-E	220	240	260	ND< 250	110	210	200	210	100 CCV-E, JCV-E
Toluene	5	4.3	4.8	7.1	1.2	17	3.5 J	9.4	7.8	10	8.6	8.9	8.8	7.2	5.4
trans-1,2-Dichloroethylene	5	1.2	0.9 J	3.2	4.8	83	55	6.2	38	6.3	32	19	10	7.1	8.2
trans-1,3-Dichloropropylene	0.4*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
Trichloroethylene	5	310	200	240	260	250	130	130	120	ND< 250	130	150	200	140	100
Trichlorofluoromethane (freon 11)	5	ND< 0.40	ND< 0.40	3.1	1.8	ND< 0.20	6.3	ND< 0.20	0.53	ND< 2.5	0.35 J	ND< 0.2	ND< 0.2	ND< 0.2	0.37 J
Vinyl Chloride	2	140	89	61	87	250	120	340	660	450	550	600 CCV-E	620 CCV-E	650	440
Total VOC concentration	NS	1,123.8	978.3	1,076.6	832.0	3,109.9	1,717.4	2,434.6	3,252.4	758.6	2,315.9	3,318.8	3,377.4	2,383.9	1,894.79
Total CVOC concentration	NS	1,079.9	966.3	1,059.1	824.1	3,062.3	1,708.3	2,410.2	3,229.4	744.7	2,292.0	3,291.1	3,348.0	2,360.6	1,875.87
Total Petro-VOC concentration	NS	12.9	11.0	16.3	6.7	36.8	9.1	21.2	19.5	13.9	22.2	21.8	23.5	19.0	15.27
Other VOC concentration	NS	31.0	1.0	1.2	1.2	10.8	0.0	3.2	3.5	0.0	1.7	5.9	5.9	4.3	3.65
Location of screen		Just beneath water table (242.5' - 232.5' amsl)													

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW30 FRMW-MW30-X20 (10-20')				
		12/16/2021	4/1/2022	6/7/2022	9/22/2022	12/14/2022
		21L1055-04	22D0076-04	22F0429-11	22I1220-04	22L0969-04
		240.36	240.26	238.84	237.60	239.91
Analyte	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	16	6.3	92	260	970
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	0.24 J	3.6	ND< 0.20
1,1-Dichloroethane	5	10	27	56	890	440
1,1-Dichloroethylene	5	9.4	2.9	8.8	82	49
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	0.29 J	1.5	9.7	3.2
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 1	ND< 1	1.4 J	ND< 1	2.7 J
Benzene	1	0.70	ND< 0.20	0.850	7.2	2.8
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	0.52 B	1.3	ND< 0.20
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	1.2	0.62
Chloroethane	5	33	7.8	44	180	120
Chloroform	7	ND< 0.20	0.28 J	ND< 0.20	ND< 0.20	0.23 J
Chloromethane	5	0.24 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	45	140	460	7,500	5,100
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	1.5	0.36 J	ND< 0.20	24	24
Ethyl Benzene	5	3.8	1.8	7.4	39	11
Isopropylbenzene	5	0.59	0.34 J	0.41 J	1.7	0.94
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.20	0.25 J	1	3.5	2.7
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	3.5	ND< 1.0
o-Xylene	5	2.3	0.58	7.9	90	41
p- & m- Xylenes	5	1.7	ND< 0.50	7	68	56
Styrene	5	ND< 0.20	ND< 0.20	0.24 J	2.9	ND< 0.20
Tetrachloroethylene	5	44	38	21	570	3,400
Toluene	5	4.6	1.2	9.5	59	44
trans-1,2-Dichloroethylene	5	1.8	0.61	5.3	90	22
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	35	16	100	1,100	1,900
Trichlorofluoromethane (freon 11)	5	ND< 0.20	ND< 0.20	ND< 0.20	19	76
Vinyl Chloride	2	13	36	32 J	480	310
Total VOC concentration	NS	222.63	279.71	857.06	11,485.60	12,576.19
Total CVOC concentration	NS	208.94	275.54	820.84	11,213.00	12,415.05
Total Petro-VOC concentration	NS	13.69	3.92	33.30	267.80	155.74
Other VOC concentration	NS	0.00	0.25	2.92	4.80	5.40
Location of screen		Just beneath water table (242.5' - 232.5' amsl)				

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW32 FRMW-MW32-X25 (15-25')															
		7/19/2010	05/31/11	07/21/11	09/29/11	12/14/11	02/22/12	05/01/12	06/28/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	03/26/14	06/12/14
		10G0579-09	11F0120-08	11G0750-08	11J0038-08	11L0632-06	12B0883-06	12E0113-12	12F0976-06	12F0976-06	12F0976-06	12F0976-06	13C0516-11	13F0453-05	13I0664-04	13K0803-04	14C0921-05
		238.84	240.47	239.98	240.75	240.43	239.98	239.56	239.61	238.26	238.11	238.27	238.36	238.66	238.34	238.94	238.97
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	46	25	31	72	ND< 500	6.2	3.7 J	3.1 J	20	1.8 J	4.6 J	23	150	41	18	1.7 J
1,1,2,2-Tetrachloroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
1,1,2-Trichloroethane	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
1,1-Dichloroethane	5	11 J	32	43	11	ND< 500	2.6 J	0.88 J	ND< 5.0	12	ND< 5.0	3.1 J	4.1 J	2.1 J	ND< 5	29	ND< 2.5
1,1-Dichloroethylene	5	6.7 J	4.7 J	8.5	6.8	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	8.5	ND< 5.0	1.4 J	2.5 J	3.3 J	ND< 5	4.1	ND< 2.5
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
1,2,4-Trichlorobenzene	5	ND< 50	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 2.5
1,2-Dibromo-3-chloropropane	0.04	ND< 25	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 2.5
1,2-Dibromoethane	0.0006	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
1,2-Dichloroethane	0.6	ND< 25	ND< 5.0	0.76 J	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	0.45 J	ND< 2.5
1,2-Dichloropropane	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
2-Butanone	50*	ND< 25	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 2.5
2-Hexanone	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 50	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 2.5
Acetone	50*	ND< 25 J	ND< 10	ND< 10	5	ND< 1000	ND< 10	14 B	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2	7 CCV-E, J
Benzene	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
Bromodichloromethane	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Bromoform	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Bromomethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Carbon disulfide	60*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Carbon tetrachloride	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Chlorobenzene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Chloroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Chloroform	7	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
Chloromethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 2.5
cis-1,2-Dichloroethylene	5	92	190	100 J	130	ND< 500	9.2	9.1	8.3	250	14	27	28	7.1	18	85	8.6
cis-1,3-Dichloropropylene	0.4*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
Dibromochloromethane	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Dichlorodifluoromethane	5	ND< 25	ND< 5.0	5.7	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	0.31 J	ND< 2.5
Ethyl Benzene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Isopropylbenzene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
Methyl tert-butyl ether (MTBE)	10*	ND< 25	2.2 J	2 J	2.2	ND< 500	1.2 J	0.98 J	0.38 J	1.3 J	ND< 5.0	0.83 J	1.4 J	ND< 5.0	ND< 5	0.62	ND< 2.5
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5
Methylene chloride	5	ND< 43	ND< 10	ND< 10	2.8	ND< 1000	2.6 J,B	3.4 J,B	ND< 10	2.9 J	ND< 10	6.7 J	ND< 10	ND< 10	ND< 10	ND< 2	ND< 10
o-Xylene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
p- & m- Xylenes	5	ND< 50	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 10	0.63 J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1	ND< 5.0
Styrene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Tetrachloroethylene	5	670	1200	520	200	280 J	270	150	190	250	220	140	170	180	200 HT-01R	270	61
Toluene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
trans-1,2-Dichloroethylene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	0.3 J	ND< 2.5
trans-1,3-Dichloropropylene	0.4*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Trichloroethylene	5	36	92	120	41	ND< 500	18	8.6	5.3	30	2.7 J	3.0 J	9.1	3.0 J	5.1	64	5.0
Trichlorofluoromethane (freon 11)	5	6.4 J	7.1	8.3	8.3	ND< 500	6.4	5.1	4.7 J	4.9 J	3.0 J	3.3 J	5.9	5.5	4.3 J	3.3	1.2 J
Vinyl Chloride	2	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 2.5
Total VOC concentration	NS	868.10	1,553.00	839.26	479.10	280.00	316.20	195.76	212.41	579.60	241.50	189.93	244.00	351.00	268.40	475.08	84.50
Total CVOC concentration	NS	868.10	1,550.80	837.26	471.90	280.00	315.00	180.78	211.40	578.30	241.50	189.10	242.60	351.00	268.40	474.46	77.50
Total Petro-VOC concentration	NS	0.00	2.20	2.00	2.20	0.00	1.20	0.98	1.01	1.30	0.00	0.83	1.40	0.00	0.00		

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW32 FRMW-MW32-X25 (15-25')																	
		09/16/14	12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018	
		14I0784-06	14L0667-04	15OC563-06	15F1052-05	15I0617-04	15L0018-04	16C0192-04	16E1165-06	16I1131-02	16K0022-02	16L0074-02	17C1158-04	17F1193-03	17J0005-04	17L0427-02	18C1190-04	18F0674-03	
Sample Date		238.21	238.01	238.20	238.07	237.41	237.70	238.01	237.84	237.02	236.84	237.05	237.81	239.05	238.15	237.50	238.01	237.66	
Lab Sample ID																			
Groundwater Elevation (ft.)																			
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	74	72.0	26	13	30 D	92	460 D	960	1400	1200 CCV-E	610	490	1,900	630	940	1,200	180	
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	10 J	ND< 0.20	ND< 0.20	ND< 10	
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	0.49 J	0.37 J	0.74	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	0.63	ND< 10	
1,1-Dichloroethane	5	40	36	16	31	34 D	220	ND< 0.2	160	96	77	62 2	120	160	120	140	69	56	
1,1-Dichloroethylene	5	38	29.0	13	6.9	7.1 D	28	33	100	81	85	41 2	49 J	210	110	65	69	42	
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,2-Dibromo-3-chloropropane	0.04	ND< 2	ND< 0.5	ND< 2	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,2-Dichloroethane	0.6	1.6	ND< 0.5	0.54	ND< 0.5	0.58 JD	2	1.2	3.0	1.3	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	2.4	ND< 0.20	ND< 10	
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
2-Butanone	50*	ND< 2	ND< 0.5	ND< 2	ND< 0.5	ND< 0.4	ND< 0.2	55	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Acetone	50*	ND< 2	ND< 2	ND< 2	ND< 2	3.40 JBD	ND< 1	ND< 1	ND< 0.5	ND< 1	ND< 1	ND< SCAL-E	140 J	360 J	58	ND< 1.0	ND< 1.0	ND< 50	
Benzene	1	0.29 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	0.33 J	0.21 J	0.48 J	0.3 J	0.3 J	ND< 2	ND< 20	ND< 40	ND< 5.0	0.37 J	ND< 0.20	ND< 10	
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	0.40 JB	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Carbon disulfide	60*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	0.43 J	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Carbon tetrachloride	5	12	ND< 0.5	5.2	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Chloroethane	5	0.58	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	0.2 CCV-E	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Chloroform	7	0.72	2.2	ND<	ND< 0.5	ND< 0.4	0.29 J	ND< 0.2	0.41 J	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	0.25 J	ND< 0.20	ND< 10	
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
cis-1,2-Dichloroethylene	5	1300	1600	440	150	280 D	1400	910 D	1000	1200	1700	1,100	1,900	1,200	2,100	1,800	1,200	510	
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Cyclohexane	NS	ND< 0.5	ND< 0.5	0.36 J	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	0.52	ND< 0.20	ND< 10	
Dibromochloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Dichlorodifluoromethane	5	1.7	ND< 0.5	6.4 ICV-E	ND< 0.5	ND< 0.4	1.4	1.2	6.4	24	ND< 0.20	ND< 2	ND< 20	ND< 40	46	1.2	ND< 0.20	ND< 10	
Ethyl Benzene	5	0.31 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Isopropylbenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Methyl acetate	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Methyl tert-butyl ether (MTBE)	10*	0.63	ND< 0.5	ND< 0.5	0.86	1.60 D	1.50	0.95	1.2	1.4	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Methylcyclohexane	NS	2.2	3.7	1.3	ND< 0.5	ND< 0.4	0.57	0.47 J	0.51	0.76	0.30 J	ND< 2	ND< 20	ND< 40	ND< 5.0	1.3	ND< 0.20	ND< 10	
Methylene chloride	5	ND< 2	1.5 J,B	ND< 2	ND< 2	ND< 2	ND< 1	ND< 1	ND< 2	ND< 1	ND< 1	ND< 10	ND< 100	210 J	ND< 25	ND< 1.0	ND< 1.0	ND< 50	
o-Xylene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	2.0	1.3	ND< 2	ND< 20	ND< 40	ND< 5.0	0.45 J	ND< 0.20	ND< 10
p- & m- Xylenes	5	ND< 1	ND< 1.0	ND< 1	ND< 1	ND< 1	ND< 0.5	ND< 0.5	ND< 1	ND< 0.50	ND< 0.50	ND< 5	ND< 50	ND< 100	ND< 12	ND< 0.50	ND< 0.50	ND< 25	
Styrene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Tetrachloroethylene	5	280	260 SCAL-E	170	120	210 D	1000	640 D	2500	ND< 0.20	4,200 SCAL-E	3,400 SCAL-E	2,700	6,500	2,700 B	4,500	3,700	1,600 QL-02	
Toluene	5	0.5	ND< 0.50	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
trans-1,2-Dichloroethylene	5	6.3	4.70	2.3	0.62	2.30 D	19	21	42	52	92	3 J	ND< 20	ND< 40	ND< 5.0	45	23	ND< 10	
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10	
Trichloroethylene	5	100	76.0	52	13	65 D	370	150	130	71	63.0	40	86	170	88	150	130	98 QL-02	
Trichlorofluoromethane (freon 11)	5	3	2.1	2.2 ICV-E	2.8	2.8 D	3.6	7.0	6.3	7.6	10	4.4 J	ND< 20	ND< 40	7.0 J	3.6	5.1	ND< 10	
Vinyl Chloride	2	0.70	ND< 0.50	ND< 0.5	ND< 0.5	ND< 0.4	0.43 J	3.6	0.47 J	0.23 J	7.9	ND< 2	ND< 20	ND< 40	ND< 5.0	0.96	ND< 0.20	ND< 10	
Total VOC concentration	NS	1,862.53	2,087.20	726.70	338.18	636.78	3,139.61	2,284.43	4,911.51	2,937.59	7,437.43	5,2							

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW32 FRMW-MW32-X25 (15-25')												
		9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	12/17/2019	3/16/2020	6/11/2020	Duplicate 6/11/2020	8/27/2020	12/14/2020	Duplicate 12/15/2020
		18I0297-01	18L0310-02	19C0144-02	19F0430-12	19I0905-05	19L0806-05	19L0806-05	20C0746-02	20F0477-12	20F0477-15	20H1134-05	20L0785-05	20L0785-07
		238.12	238.95	239.57	239.89	239.02	239.04	239.04	239.29	239.50	239.50	239.50	238.70	238.70
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	13	130	200	2,100	220	24	24	5.3	44	45	32	56	51
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	5.9	120	60	320	65	14	14	2.1	18	18	71	30	28
1,1-Dichloroethylene	5	4.2	20.0	120	130	28	8.1	8.1	0.70 ICV-E	20	20	24	25	ND< 0.2
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na
1,2-Dichloroethane	0.6	ND< 0.20	1.5	5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	0.49 J	0.50	ND< 2.5	0.65	0.62
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	3.4	ND< 0.20	ND< 0.20	ND< 2.5	na	na
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 2.20	ND< 2.20	ND< 2.5	na	na
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Acetone	50*	ND< 1.0	ND< 1.00	ND< 1.00	ND< 1.00	ND< 1.00	ND< 5.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 2.5	1.2 J	1.6 J
Benzene	1	ND< 0.20	0.24 J	0.85	0.63	0.21 J	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.20
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	1.1	0.62	ND< 2.5	ND< 2.5	ND< 0.20	0.27 J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	0.30 J	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Chloroform	7	ND< 0.20	ND< 0.20	0.62	0.48 J	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	0.27 J	0.26 J
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	140	770	770	2,800	800	300	300	85	750	720	720	850	790
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.43 J	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	0.53 ICV-E, QL-02	0.53	ND< 2.5	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 0.20	0.89	4.2	40	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	0.48 J	0.41 J
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	0.36 J	0.44 J	0.81	0.93	0.45 J	ND< 2.5	ND< 2.5	0.38 J	0.40 J	0.42 J	ND< 2.5	0.38 J	0.43 J
Methylcyclohexane	NS	ND< 0.20	0.41 J	2.2	2.4	1.0	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 2.5	ND< 2.5	ND< 1.00	ND< 1.00	ND< 1.00	ND< 2.5	ND< 1	ND< 1
o-Xylene	5	ND< 0.20	ND< 0.20	0.76	2.8	1.0	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50	1.1	ND< 0.50	ND< 2.5	ND< 2.5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 2.5	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	150	1,000	4,500	7,500	2,900 CCV-E	130	130	39	37	37	ND< 250	48	44
Toluene	5	ND< 0.20	ND< 0.20	1.2	1.4	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	0.36 J	6.5	20	86	41	2.5 J	2.5 J	0.87	6.3	6.4	ND< 2.5	24	15
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Trichloroethylene	5	18	160	83	100	100	24	24	8.4	11	11	ND< 250	25	23
Trichlorofluoromethane (freon 11)	5	1.3	2	4.5	6.8	1.5	ND< 2.5	ND< 2.5	0.29 J	0.85	0.84	ND< 2.5	0.88	0.86
Vinyl Chloride	2	ND< 0.20	0.36 J	4.5	15	3.8	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20
Total VOC concentration	NS	333.12	2,212.34	5,777.64	13,108.94	4,163.01	502.60	502.60	145.44	890.84	859.69	847.00	1,061.86	955.18
Total CVOC concentration	NS	332.76	2,211.25	5,771.82	13,098.58	4,159.30	502.60	502.60	145.06	890.17	859.27	847.00	1,060.28	953.15
Total Petro-VOC concentration	NS	0.36	0.68	3.62	6.86	1.66	0.00	0.00	0.38	0.40	0.42	0.00	0.38	0.43
Other VOC concentration	NS	0.0	0.41	2.2	3.5	2.05	0.0	0.0	0.0	0.3	0.0	0.0	1.2	1.6
Location of screen		Just beneath water table (237.5' - 227.5' amsl)												

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW32 FRMW-MW32-X25 (15-25')							
		3/12/2021	6/16/2021	9/29/2021	12/16/2021	4/1/2022	6/7/2022	9/22/2022	12/14/2022
		21C0753-06	21F0819-06	21J0004-05	21L1055-05	22D0076-05	22F0429-13	22I1220-05	22L0969-05
		238.79	239.00	239.09	239.54	239.54	239.99	238.52	238.62
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	520	1,600	2,400	1,200	2,000	880	350	1,400
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	0.62	4.8	ND< 0.20	ND< 0.20	ND< 0.20	2.1	ND< 0.20	0.580
1,1-Dichloroethane	5	12	110	180	180	360	120	81	61
1,1-Dichloroethylene	5	15	140	80	74	150	39 J	30	69
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	0.43 J	0.38 J	ND< 0.20	ND< 0.20	4.6	4.8	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	1.0 J	ND< 1.00	ND< 1	ND< 1	ND< 1	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	ND< 0.20	0.42 J	0.21 J	0.46 J	ND< 0.20	1.1	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.56 B	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	0.59	0.39 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.24 J
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.42 J	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	ND< 0.20	0.44 J	0.23 J	ND< 0.20	0.57	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	3.0	ND< 0.20	ND< 0.20	ND< 0.20	0.24 J
cis-1,2-Dichloroethylene	5	520	680	270	2,300	4,700	2,800	550	160
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	0.42 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	0.33 ^{1, QL-02, CCV-E}	0.56	0.23 J	2.0	0.85	ND< 0.20	ND< 0.20	0.27 J
Ethyl Benzene	5	ND< 0.20	0.73	0.44 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	0.30 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.5
Methyl tert-butyl ether (MTBE)	10*	0.55	1.2	1.2	ND< 0.20	0.65	1.1	0.8	0.9
Methylcyclohexane	NS	0.29 J	5.1	1.2	1.1	1.2	7.3	1.6	1.9
Methylene chloride	5	ND< 1	ND< 1	ND< 1	ND< 1.0	ND< 1.0	ND< 1.0	2.1	ND< 1.0
o-Xylene	5	ND< 0.20	1.1	5.0	ND< 0.20	0.21 J	2.4	1.0	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	3.1	0.91 J	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	1,700	20,000	6,700 ^{CCV-E, IGV-E}	4,700	4,200	2,600	3,100	4,200
Toluene	5	ND< 0.20	6.6	2.2	1.3	0.91	2.6	0.24 J	0.20 J
trans-1,2-Dichloroethylene	5	1.2	1.2	1.9	38	57	20	1.9	0.63
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	15	140	94	170	49	52	100	74
Trichlorofluoromethane (freon 11)	5	2.8 ^{QL-02, CCV-E}	4.4	3.2	3.7	4.6	11	0.99	2.4
Vinyl Chloride	2	0.34 ^{J, CCV-E}	0.67	0.73	0.87	0.99	0.88	0.56	0.31 J
Total VOC concentration	NS	3,102.98	24,742.29	9,741.84	8,674.43	11,531.00	6,544.84	4,220.19	5,972.17
Total CVOC concentration	NS	3,100.72	24,713.84	9,730.68	8,671.57	11,528.03	6,529.78	4,216.55	5,968.67
Total Petro-VOC concentration	NS	0.55	23.35	9.96	1.76	1.77	7.20	2.04	1.60
Other VOC concentration	NS	1.7	5.1	1.20	1.10	1.20	7.86	1.60	1.90
Location of screen		Just beneath water table (237.5' - 227.5' amsl)							

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW33 FRMW-MW33-X25 (15-25')															
		7/19/2010	9/30/2011	12/14/2011	2/22/2012	5/1/2012	6/28/2012	9/25/2012	12/19/2012	3/18/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014	9/16/2014	12/15/2014
		10G0579-11	11J0038-16	11L0633-07	12B0883-13	12E0113-13	12F0976-14	12I0945-13	12L0807-13	13C0516-12	13F0453-04	13I0664-03	13K0803-03	14C0921-03	14F0651-15	14I0784-07	14L0667-03
		238.68	240.31	240.22	239.81	239.36	239.50	238.13	237.99	238.13	238.38	238.51	238.19	238.70	238.86	238.06	237.94
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	26	23	ND< 500	85	180	110 J	97	50	3.1 J	1.1 J	ND< 5	ND< 5	130	1,100	330	91
1,1,2,2-Tetrachloroethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,1,2-Trichloroethane	1	ND< 25	ND< 5.0	ND< 500	2.8 J	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	9.5	5.7
1,1-Dichloroethane	5	660	29	550	310	1,600	930	450	340	33	8.2	7.8	15	500	1,000	590	320
1,1-Dichloroethylene	5	28	21	ND< 500	120	190	100 J	84	48 J	6.6	1.6 J	1.5 J	3 J	110	320	ND< 0.5	85
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 50	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 25	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 50	ND< 2	ND< 0.5
1,2-Dibromoethane	0.0006	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	0.21 J	ND< 50	0.55	ND< 0.5
1,2-Dichloroethane	0.6	ND< 25	1.2 J	ND< 500	6.6	12 J	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	8	ND< 50	15	3.9
1,2-Dichloropropane	1	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	ND< J	ND< 50	ND< 0.5	ND< 0.5
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	0.34	ND< 50	ND< 0.5	ND< 0.5
2-Butanone	50*	ND< 25	ND< 10	ND< 500	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 50	ND< 2	ND< 0.5
2-Hexanone	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 25 J	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Acetone	50*	ND< 25	5.5 J,B	ND< 500	ND< 10	13 B	230 J,B	ND< 100	ND< 100	ND< 10	9.1 J,B	ND< 10	ND< 10	ND< 2	160 CCV-E, J, B	ND< 2	ND< 2
Benzene	1	ND< 25	0.92 J	ND< 500	2.0 J	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	2.3	ND< 50	3.4	1.4
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Bromodichloromethane	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Bromoform	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Bromomethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Carbon disulfide	60*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Carbon tetrachloride	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 100	ND< 0.5
Chlorobenzene	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	0.39 J	ND< 0.5
Chloroethane	5	ND< 25	1.5 J	ND< 500	3.6 J	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	2.1	ND< 50	5.5	1.2
Chloroform	7	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	0.87	ND< 50	1.6	ND< 0.5
Chloromethane	5	63	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
cis-1,2-Dichloroethylene	5	ND< 25	45	420 J	410	1,400	710	850	330	43	8.6	13	24	1,200	2,600	2000	620
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	2.2	ND< 50	ND< 0.5	ND< 0.5
Dibromochloromethane	50*	31	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Dichlorodifluoromethane	5	25	22	ND< 500	6.3	8.6 J	ND< 120	ND< 50	ND< 50	3.8 J	ND< 5	2.9 J	5.2	10	ND< 50	3.6	ND< 0.5
Ethyl Benzene	5	ND< 25	32	ND< 500	12	34 J	30 J	15 J	9.4 J	2.3 J	1.7 J	1.5 J	ND< 5	11	23 J	37	13
Isopropylbenzene	5	ND< 50	ND< 5.0	ND< 1000	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	1.3	ND< 50	4.1	1.8
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Methyl tert-butyl ether (MTBE)	10*	ND< 25	2.9 J	ND< 500	3.0 J	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	2.1	ND< 50	2.2	ND< 0.5
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	5.9	ND< 50	16	6.8
Methylene chloride	5	ND< 43	2.9 J,B	ND< 500	3.1 J,B	4.7 J,B	140 J,B	31 J,B	ND< 50	6.3 J	ND< 10	ND< 10	ND< 10	ND< 2	ND< 200	1.3 J	1.6 J
o-Xylene	5	4.8 J	2.2 J	ND< 500	3.2 J	12 J	ND< 120	17 J	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	6.1	ND< 50	16	6
p- & m- Xylenes	5	46 J	1.2 J	ND< 1000	8.0 J	71 J	79 J	42 J	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	8.6	ND< 100	22	5
Styrene	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Tetrachloroethylene	5	85	120	780	1,000	1,600	2,500	1,700	1,500	410	110	70	94 CCV-E	2,800	17,000	4300	4600
Toluene	5	7.1 J	0.95 J	ND< 500	4.8 J	13 J	ND< 120	22 J	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	6.8	ND< 50	13	3.6
trans-1,2-Dichloroethylene	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	5.6	ND< 0.5
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5
Trichloroethylene	5	12 J	27	80 J	200	410	260	40	110	25	9.6	8.7	11	160	470	260	290
Trichlorofluoromethane (freon 11)	5	72	66	ND< 500	22	38 J	29 J	32 J	28 J	12	9.4	8.6	8.3	15	ND< 50	12	15
Vinyl Chloride	2	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 50	ND< 5	ND< 5	ND< 5	ND< 5	2.2	ND< 50	3	1.2
Total VOC concentration	NS	1,059.9	404.3	1,830.0	2,202.4	5,586.3	5,118.0	3,380.0	2,415.4	545.1	159.3	114.0	160.5	4,985.0	22,673.0	7,651.7	6,072.2
Total CVOC concentration	NS	1,002	391	1,830	2,181	5,477	4,809	3,299	2,415	545	150	114	161	4,950	22,513	7,575	6,047.6
Total Petro-VOC concentration	NS	58	40	0	33	130	109	96	9	2	2	2	0	38	23	98	30.8
Other VOC concentration	NS	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0
Location of screen		Just beneath water table (237.5' - 227.5' amsl)															

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW33 FRMW-MW33-X25 (15-25')															
		3/17/2015	6/25/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016	9/29/2016	10/31/2016	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018	9/6/2018
		15C0563-05	15F1052-03	15I0617-03	15L0018-03	16C0192-03	16E1165-04	16I1131-01	16K0022-01	16L0074-01	17C1158-03	17F1193-02	17J0005-05	17L0427-01	18C1190-03	18F0674-01	18I0297-01
		238.08	237.95	237.33	237.58	237.90	237.73	236.95	236.76	236.97	237.73	238.97	238.06	237.43	237.93	239.99	238.06
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	9.5	8.0	9.5	6.7	5.6	5.2	7.9	5.4	4.5	0.59	1.4	0.51	1.9	0.6	0.5	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	54	29	26	19	ND< 0.2	67	48	40	53	140	130	44	34	28	24	6.7
1,1-Dichloroethylene	5	17 CCV-E	8.2	9.8	6.8	7.9	9.3	11	8.3	9.2	14	30	8.4	6.1	5	3.8	1
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	0.55	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 2	1.6 SCAL-E	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1	ND< 1	ND< 1	ND< 1	1.5 J	1.5 J	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	0.26 J	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.32 J	ND< 0.20	ND< 0.20	0.25 J	1.2	0.99	ND< 0.20	0.23 J	0.39 J	0.32 J	ND< 0.20
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.53	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	0.26 JB	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	0.24 SCAL-E,J	ND< 0.5	0.34 JB	ND< 0.2	0.26 J	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.32 J
Carbon tetrachloride	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.42 J
Chloroethane	5	ND< 0.5	ND< 0.5	0.21 J	ND< 0.2	0.41 J	0.85	0.94	0.40 J	0.60	1.6 CCV-E	2.2	0.95	0.69	0.34 J	0.31 J	ND< 0.20
Chloroform	7	ND< 0.5	ND< 0.5	0.22 J	1.8	0.42 J	ND< 0.5	ND< 0.20	ND< 0.20	0.42 J	0.50	1.2	ND< 0.20	0.64	0.25 J	0.32 J	2.10
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	130	36	23	22	25	29	31	23	24	33	31	10	13	10	8.1	3.4
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	0.69 0.5	0.28 J	ND< 0.2	ND< 0.2	0.25 J	ND< 0.5	ND< 0.20	0.25 J	0.28 J	0.32 J	0.29 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	7.7	7.7	7.6	8.1	10	4.3	10	11	8.7	5.4	8.1	2.4	3.6	2.3	2.6 CCV-E	ND< 0.20
Ethyl Benzene	5	1.9	1.5	1.7	2.5	6	1.0	6.1	10	10	0.57	0.25 J	ND< 0.20	0.25 J	0.74	ND< 0.20	ND< 0.20
Isopropylbenzene	5	0.6	0.28 J	0.21 J	ND< 0.2	0.46 J	0.39 J	0.65	0.60	0.61	0.57	0.73	0.62	0.35	0.34 J	0.55	ND< 0.20
Methyl acetate	NS	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	0.38 J	0.27 J	0.32 J	0.31 J	0.37 J	ND< 0.5	0.44 J	0.39 J	0.54	ND< 0.20	0.2 J	ND< 0.20	0.34 J	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	3.8	2	1	0.99	1.1	0.93	1.1	0.39 J	0.96	0.61	0.59	ND< 0.20	0.45 J	ND< 0.20	0.7 QL-02	ND< 0.20
Methylene chloride	5	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1	ND< 1.00	1 U	ND< 1	1.1 J	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
o-Xylene	5	0.42 J	0.38 J	0.4 J	0.55	0.22 J	ND< 0.5	1	0.77	0.58	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.5	ND< 1.0	ND< 0.5	ND< 0.5	7.8	ND< 1	0.51 J	0.55 J	0.59 J	ND< 0.5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	470	160 SCAL-E	130	130	130	92 CCV-E	84	99 CCV-E, ICV-E	79 ICV-E	41 SCAL-E	44	52 B	32	27	29 QL-02	7.2
Toluene	5	0.23 J	0.46 J	0.33 J	0.4 J	ND< 0.2	ND< 0.5	1.4	1.0	0.81	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 0.5	ND< 0.50	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	58	18.0	12	17	18	14	19	23	21	9.4	14	14	5.4	5.4	6.2 QL-02	2.1
Trichlorofluoromethane (freon 11)	5	26	33	75	47	44	33	64	76	46	ND< 0.20	5.5	2.9	11	3.8	2.4	ND< 0.20

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW33 FRMW-MW33-X25 (15-25')												
		12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/11/2020	8/27/2020	12/14/2020	3/12/2021	6/15/2021	12/16/2021	4/1/2022
		18L0310-01	19C0144-01	19F0430-13	19I0905-06	19L0806-07	20C0746-01	20F0477-13	20H1134-06	20L0785-06	21C0753-07	21F0819-05	21F0819-06	22D0076-06
		238.83	239.44	239.78	238.96	239.04	239.29	239.40	240.40	238.78	238.71	238.89	239.41	239.43
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	0.27 J	1.6	0.72	0.87	ND< 2.5	3.5	ND< 0.20	ND< 2.5	0.51	0.52	ND< 0.2	0.48 J	5.8
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,1-Dichloroethane	5	65	57	26	34	120	10	10	9.1	62	29	8.6	59	110
1,1-Dichloroethylene	5	4.1	5.9	4.1	4.5	7.8	0.61 ICV-E	0.77	ND< 2.5	2.2	2.3	0.97	2.9	16
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	0.27 J
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	0.30 J	ND< 2.5	0.30 SCAL-E, J	0.20 J	ND< 2.5	na	0.22 J	0.23 J	ND< 0.2	0.40 J
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	1.9 J	ND< 1	ND< 1	ND< 1	ND< 1
Benzene	1	0.35 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.24 J	0.30 J	ND< 0.2	0.30 J	1.1
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Carbon disulfide	60*	ND< 0.20	1.1	ND< 0.20	0.62	ND< 2.5	ND< 0.20	0.20 J	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	1.4
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Chloroethane	5	1.600	2.9	1.7 CCV-E	0.91	ND< 2.5	0.63 ICV-E	0.48 J	ND< 2.5	0.79	ND< 0.2	ND< 0.2	2.2	5.8
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
cis-1,2-Dichloroethylene	5	9.3	15	8.2	14	19	1.9	1.7	ND< 2.5	8.3	1.9	4.5	5.7	28
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	0.27 J	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	0.360 J
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Dichlorodifluoromethane	5	1.4	3.5	4.2	11 CCV-E, ICV-E	6.6	0.63 ICV-E	0.56 ICV-E, QL-02	ND< 2.5	1.2	1.7 ICV-E, QL-02, CCV-E	0.63	7.9	14
Ethyl Benzene	5	ND< 0.20	0.36 J	0.20 J	2.0	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	0.56
Isopropylbenzene	5	0.27 J	0.58	0.35 J	0.54	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	0.63
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	0.22 J	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Methylcyclohexane	NS	0.25 J	0.66	0.39 J	0.90	ND< 2.5	ND< 0.20	ND< 0.20	ND< 5.0	na	ND< 0.2	ND< 0.2	ND< 0.2	0.81
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 2.5	ND< 1.0	ND< 1.0	ND< 2.5	ND< 1	ND< 1	ND< 1	ND< 1	ND< 1
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	1.4
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 5.0	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Tetrachloroethylene	5	14	25	20	39 CCV-E	33	12	8.8	7.7	7.5	7.8	6.6	4.1	14
Toluene	5	ND< 0.20	0.53	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	0.35 J
trans-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Trichloroethylene	5	4.3	6.2	3.8	7.2	9.2	3.0	1.4	ND< 2.5	1.2	1.5	1.6 Cal-E	1.3	7.9
Trichlorofluoromethane (freon 11)	5	ND< 0.20	4.7	6.5	18	9.8	ND< 0.20	ND< 0.20	ND< 2.5	0.23 J	0.32 J, QL-02, CCV-E	ND< 0.2	0.95	50
Vinyl Chloride	2	0.310 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.22 J	0.22 J, CCV-E	ND< 0.2	0.46 J	1.0
Total VOC concentration	NS	101.15	125.03	76.16	134.33	205.40	32.57	24.11	16.80	86.29	56.68	23.13	85.29	259.78
Total CVOC concentration	NS	100.28	121.80	75.22	129.78	205.40	32.57	23.91	16.80	84.15	56.38	23.13	84.99	253.17
Total Petro-VOC concentration	NS	0.62	1.47	0.55	2.76	0.00	0.00	0.00	0.00	0.24	0.30	0.00	0.30	4.04
Other VOC concentration	NS	0.25	1.76	0.39	1.79	0.00	0.00	0.20	0.00	1.90	0.00	0.00	0.00	2.57
Location of screen		Just beneath water table (237.5' - 227.5' amsl)												

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW33		
		FRMW-MW33-X25 (15-25')		
		6/7/2022	9/22/2022	12/14/2022
		22F0429-14	22I1220-06	22L0969-06
		239.80	238.43	238.51
Analyte	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	2.7	3.0	5.4
1,1,1,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	83	70	83
1,1-Dichloroethylene	5	9.3	11	12
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	0.24 J	0.34 J
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	0.34 J	0.64	0.75
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	0.95	0.51	0.47 J
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	1.2
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	0.96 B	0.54	0.72
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	4.1	4.4	7.7
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	20	66	49
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	0.30 J	0.40 J	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	9.2	25	24
Ethyl Benzene	5	0.39 J	1.4	1.5
Isopropylbenzene	5	0.64	0.95	0.64
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	0.25 J
Methylcyclohexane	NS	0.67	0.78	0.84
Methylene chloride	5	ND< 1.0	2.1	ND< 1.0
o-Xylene	5	1.9	2.1	0.73
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	18	17	36
Toluene	5	ND< 0.20	0.33 J	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	5.8	10	15
Trichlorofluoromethane (freon 11)	5	25	50	65
Vinyl Chloride	2	ND< 0.20	0.72	0.99
Total VOC concentration	NS	183.25	267.11	305.53
Total CVOC concentration	NS	177.44	260.10	300.38
Total Petro-VOC concentration	NS	3.88	5.29	3.59
Other VOC concentration	NS	1.93	1.72	1.56
Location of screen		Just beneath water table (237.5' - 227.5' amsl)		

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW3 FRMW-MW3-X35 (30-35')																					
		7/16/2010	9/30/2011	12/13/2011	2/22/2012	4/30/2012	6/27/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014	9/16/2014	12/15/2014	3/17/2015	6/26/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016
		10G0579-04	11J0038-10	11L0633-01	12B0883-07	12E0113-01	12F0976-08	12I0945-01	12L0807-01	13C0516-01	13F0453-01	13I0664-01	13K0803-01	14C0921-01	14F0651-02	14I0784-01	14L0667-01	15C0563-01	15F1052-02	15I0617-01	15L0018-01	16C0192-01	16E1165-05
	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,1-Dichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.48 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	0.30 J	0.31 J	ND< 0.5	ND< 0.5	0.23 J	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	0.20 J, B	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10.0	ND< 10.0	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10.0	ND< 10.0	ND< 10	ND< 0.5	ND< 0.5	ND< 2	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.50	ND< 0.50	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,3-Dichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
1,4-Dichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
2-Butanone	50*	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10.0	ND< 10.0	ND< 10	ND< 0.5	ND< 0.5	ND< 2	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10 J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10.0	ND< 10.0	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Acetone	50*	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	7.3 J,B	ND< 10	ND< 10	ND< 2	ND< 2	ND< 2	ND< 2	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 2
Benzene	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	0.52 J	ND< 0.2	ND< 0.2	ND< 0.5
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Chloromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
cis-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
cis-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.50	ND< 0.50	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.2	ND< 0.2	ND< 0.5
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	ND 0.5	ND< 0.5	ND< 0.5	ND						

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW3					
		FRMW-MW29-X27 (27-32')					
		6/28/2017	6/14/2018	6/11/2019	6/10/2020	6/15/2021	6/6/2022
		17F1193-04	18F0674-09	19F0430-01	20F0477-01	21F0819-04	22F0429-01
		238.35	237.49	239.20	238.72	238.31	239.15
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.67	0.85
1,1-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 1.0	2.2	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.47 J,B
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	0.20 J	ND< 0.20	0.43 J	0.81
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	1.8 J
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50	4.7	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	11	12 QL-02	9.6	7.5	9.1	7.1
Toluene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	0.67	0.88 QL-02	1.2	0.82	1.4 Cal-E	1.4
Trichlorofluoromethane (freon 11)	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Vinyl Chloride	2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.26 J	ND< 0.20
Total VOC concentration	NS	11.7	15.1	11.0	13.1	12.0	12.4
Total CVOC concentration	NS	11.7	12.9	11.0	8.4	12.0	12.0
Total Petro-VOC concentration	NS	0.0	0.0	0.0	4.7	0.0	0.0
Other VOC concentration	NS	0.0	2.2	0.0	0.0	0.0	0.5
	Location of screen	Top of deep clay (219' - 214' amsl)					

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW7 FRMW-MW7-X18 (8-18')																	
		07/15/10	9/29/2011	12/13/2011	2/22/2012	4/30/2012	6/27/2012	9/25/2012	1/3/2013	3/14/2013	6/12/2014	6/25/2015	5/26/2016	6/28/2017	6/14/2018	6/11/2019	6/10/2020	6/15/2021	6/6/2022
		10G0511-04	11J0038-11	11L0633-02	12B0883-08	12E0113-02	12F0976-09	12I0945-02	13A0045-01	13C0516-01	14F0651-02	15F1052-04	16E1165-01	17F1193-01	18F0674-10	19F0430-02	20F0477-02	21F0819-02	22F0429-02
		238.10	239.55	239.20	238.88	238.50	238.70	237.41	237.20	237.45	238.08	237.39	237.07	238.31	237.59	239.04	238.60	238.26	239.01
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	9.8	110	75	27	14	17	15	3.0 J	2.0 J	6.0	340	24	15	14	7.9	5.6	2.6	11
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	0.94	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	16	170	160	60	33	27	17	6.2	4.0 J	4.6	670	30	17	56	87	ND< 0.20	11	160
1,1-Dichloroethylene	5	ND< 5.0	4.6 J	ND< 50	2.3 J	ND< 5.0	1.5 J	1.4 J	ND< 5.0	ND< 5.0	0.63	24	1.8	2.9	2.4 J	3.2	ND< 0.20	1.2	2.2
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 5.0	1.1 J	ND< 100	0.91 J	1.2 J	1.6 J	1.6 J	1.1 J	1.1 J	0.97 B	1.3	1.3	0.8	ND< 1.0	0.76	ND< 0.20	0.81	0.62
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	15	21	23	14	19	19	17	14	11
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	1.4	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	0.42 J	0.64	0.72	0.49 J	ND< 1.0	0.47 J	ND< 0.20	0.46 J	0.37 J
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	6.5	9.1	9.6	5.2	5.5	5.7	5.5	5.9	5.1
2-Butanone	50*	ND< 5.0	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10 J	ND< 10	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 5.0	4.9 B,J	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.0	ND< 2	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	0.41 J,B
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	4.3	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	0.37 J	0.48 J	ND< 5.0	ND< 5.0	0.28 J	2.7	1.4	0.73	ND< 1.0	0.50	1.1	0.33 J	0.35 J
Chloromethane	5	3.2 J	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	ND< 5.0	30	28 J	16	13	11	4.3 J	3.3 J	2.1 J	1.2	53	7.2	3	2.4 J	1.8	1.0	1.9	14
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	0.21 J
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	0.29 J	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 6.4	3.3 J,B	ND< 50	3.1 J,B	3.8 J,B	ND< 10	2.7 J,B	ND< 10	4.6 J	ND< 2.0	1.7 J	ND< 2.0	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
o-Xylene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	0.82	2.3	0.24 J	ND< 1.0	0.29 J	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 10	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1.0	ND< 1	ND< 1	ND< 0.50	ND< 2.5	ND< 0.5	4.7	ND< 0.50	ND< 0.50
Styrene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	21	38	48 J	47	27	25	22	18	14	12	30	87	38	52 QL-02	52	49	53	36
Toluene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	0.35 J	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	2.6 J	3.9 J	ND< 50	5.5	4.7 J	4.5 J	5.0	3.4 J	2.1 J	1.9	2.2	4.9	2.4	1.8 QL-02	1.9	2.2	2.3 Cal-E	1.7
Trichlorofluoromethane (freon 11)	5	ND< 5.0	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	3.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Vinyl Chloride	2	ND< 5.0	ND< 5.0																

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) (Screen Interval)	6 NYCRR Part 703.5	MW9																			
		FRMW-MW9-X12 (7-12')																			
		7/19/2010	5/31/2011	7/21/2011	9/29/2011	12/13/2011	2/22/2012	4/30/2012	6/28/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2014	6/25/2015	5/26/2016	6/28/2017	6/13/2018	6/11/2019	6/11/2020	6/16/2021	6/6/2022
Lab Sample ID	10G0579-14	--	--	--	--	--	--	--	--	--	--	14F0651-04	15F1052-08	16W1165-10	17F1193-06	18F0674-05	19F0430-03	20F0477-03	21F0819-09	22F0429-03	
Groundwater Elevation (ft.)	245.21	<240	<240	<240	<240	<240	<240	<240	<240	<240	<240	241.32	240.42	241.82	242.60	242.28	241.74	242.17	243.44	242.04	
Analyte	ppb	ppb	--	--	--	--	--	--	--	--	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	830										1.3	1.8	4.4	2.9	3.6	1.4	1.4	0.81	ND< 2.0	
1,1,2,2-Tetrachloroethane	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,1,2-Trichloroethane	1	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,1-Dichloroethane	5	900										70	81	110	110	100	97	61	71	26	
1,1-Dichloroethylene	5											4.0	6.4	23	34	18	13	7.1	9.9	ND< 2.0	
1,2,3-Trichlorobenzene	5	140										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2,4-Trichlorobenzene	5	ND< 100										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2-Dibromo-3-chloropropane	0.04	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2-Dibromoethane	0.0006	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2-Dichlorobenzene	3	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2-Dichloroethane	0.6	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,2-Dichloropropane	1	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,3-Dichlorobenzene	3	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
1,4-Dichlorobenzene	3	NA										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
2-Butanone	50*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	2.0 Cal-E	12	
2-Hexanone	50*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 100										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	0.33 J	7	
Acetone	50*	ND< 50 J										4.4 CCV-E	ND< 2	2.1	3.5	ND< 5.0	1.7	CCV-E, J	ND< 1.0	15 CCV-E	ND< 10
Benzene	5	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	0.36 J	ND< 0.20	0.20 J	ND< 2.0	
Bromochloromethane	1	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Bromodichloromethane	50*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Bromoform	50*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Bromomethane	5	ND< 50 J										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Carbon disulfide	60*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	0.20 J	0.22 J	13 B	
Carbon tetrachloride	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Chlorobenzene	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Chloroethane	5	8.1 J										ND< 1.0	ND< 0.5	ND< 0.5	0.48 J	ND< 1.0	1.4	0.84	1.1	ND< 2.0	
Chloroform	7	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Chloromethane	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
cis-1,2-Dichloroethylene	5	1,100										13	15	32	19	16	13	6.0	5.5	4.9 J	
cis-1,3-Dichloropropylene	NS	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Cyclohexane	0.4*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Dibromochloromethane	50*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Dichlorodifluoromethane	5	170										2.1	14	41	43	51 CCV-E	34	17	27	8	
Ethyl Benzene	5	580										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Isopropylbenzene	NS	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Methyl acetate	5	13 J										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Methyl tert-butyl ether (MTBE)	NS	na										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Methylcyclohexane	10*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Methylene chloride	5	ND< 52 J										ND< 52 J	ND< 2	ND< 0.5	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 10	
o-Xylene	5	760										ND< 1.0	ND< 0.5	0.25 J	0.46 J	ND< 1.0	0.33 J	ND< 0.20	ND< 0.20	ND< 2.0	
p- & m- Xylenes	5	2,500										ND< 1.0	ND< 1	ND< 1.0	ND< 0.50	ND< 2.5	ND< 0.5	ND< 0.50	ND< 0.50	ND< 5.0	
Styrene	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Tetrachloroethylene	5	510										0.84 J	0.56	1.7 CCV-E	3.0	3.0 QL-02	6.5	4.9	3.9	3.2 J	
Toluene	5	850										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
trans-1,2-Dichloroethylene	5	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
trans-1,3-Dichloropropylene	0.4*	ND< 50										ND< 1.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.0	
Trichloroethylene	5	330										ND< 1.0	0.34 J	0.90	2.4	1.4 QL-02, J	2.7	1.2	1.2 Cal-E	ND< 2.0	
Trichlorofluoromethane (freon 11)	5	2,200										0.8 J	ND< 0.5	14	7.7	12	4.8	2.3	1.4	ND< 2.0	
Vinyl Chloride	2	ND< 50										ND< 1.0	0.39 J	1.4	1.9	ND< 1.0	1.4	ND< 0.20	ND< 0.20	ND< 2.0	
Total VOC concentration	NS	10,891	--	--	--	--	--	--	--	--	--	96	119	231	228	205	178	124	140	74	
Total CVOC concentration	NS	6,188	--	--	--	--	--	--	--	--	--	92	119	228	224	205	175.2	124	122	42.1	
Total Petro-VOC concentration	NS	4,703	--	--	--	--	--	--	--	--	--	0	0	0	0	0	0	0	0	0	
Other VOC concentration	NS	0	--	--	--	--	--	--	--	--	--	4	0	2	4	0	2	0	18	32	
Location of screen																					Across water table on top of shallow clay

WELL DRY - NOT SAMPLED

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW13																		
		FRMW-MW13-X20 (10-20')																		
		7/19/2010 10G0579-08	9/30/2011 1110038-12	12/13/2011 1110633-03	2/22/2012 12B0883-09	4/30/2012 12E0113-05	6/27/2012 12F0976-10	9/25/2012 12I0945-05	12/19/2012 12L0807-05	3/14/2013 13C0516-04	6/12/2014 14F0651-06	6/25/2015 ---	5/26/2016 ---	9/29/2016 ---	6/28/2017 17F1193-13	6/14/2018 18F0674-07	6/11/2019 19F0430-05	6/10/2020 20F0477-05	6/15/2021 21F0819-03	6/6/2022 22F0429-05
		229.48	231.33	230.93	230.64	230.32	230.24	229.23	229.06	229.17	229.72	229.12	228.82	<228.70	229.77	229.32	230.51	230.41	230.01	231.09
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	0.99 J	0.96 J	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	0.96 J	1.0 J	ND< 5.0	ND< 2.5									
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,1-Dichloroethane	5	2.4 J	3.2 J	4.2 J	2.1 J	2.6 J	2.2 J	2.5 J	2.4 J	2.6 J	2.4 J									
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	ND< 2.5									
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5									
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5									
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 2.5									
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 2.5									
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 2.5									
2-Butanone	50*	ND< 5.0	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5									
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10 J	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5									
Acetone	50*	ND< 5.0	3.7 J,B	ND< 25	ND< 10	ND< 10	ND< 10	5.5 J	ND< 10	ND< 10	11 CCV-E									
Benzene	1	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	ND< 2.5									
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Chloroform	7	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Chloromethane	5	53 J	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
cis-1,2-Dichloroethylene	5	ND< 5.0	82	60	45	57	38	39	51	58	73									
cis-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 2.5									
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	ND< 2.5									
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 2.5									
Methylene chloride	5	ND< 5.0 J	3.4 J,B	ND< 25	2.9 J,B	3.3 J,B	7.0 J,B	ND< 10	ND< 10	4.5 J	ND< 10									
o-Xylene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
p- & m- Xylenes	5	ND< 10	ND< 10	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5									
Styrene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Tetrachloroethylene	5	34 J	52	56	63	61	36	37	48	34	24									
Toluene	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
trans-1,2-Dichloroethylene	5	1.4 J	1.4 J	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	0.73 J	ND< 5.0	ND< 5.0	1.4 J									
trans-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Trichloroethylene	5	2.7 J	14	9.4 J	12	13	9.0	12	13	11	12									
Trichlorofluoromethane (freon 11)	5	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Vinyl Chloride	2	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5									
Total VOC concentration	NS	94.5	160.7	129.6	125.0	136.9	97.7	92.2	115.4	110.1	123.8	na	na	na	130.3	105.7	112.1	76.3	59.2	83.2
Total CVOC concentration	NS	94.5	157.0	129.6	125.0	136.9	92.2	92.2	115.4	110.1	112.8	na	na	na	52.7	105.7	112.1	73.7	57.0	83.2
Total Petro-VOC concentration	NS	0	0	0	0	0	0	0	0	0	0	na	na	na	0	0	0	0	0	0
Other VOC concentration	NS	0	3.7	0	0	0	6	0	0	0	11	na	na	na	78	0	0	2.6	2.2	0
Location of screen		Across water table (238' - 228' amsl)																		

Not sampled due to insufficient water volume and plant root obstruction

Not sampled due to insufficient water volume

Well dry

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW18 FRMW-MW18-X19 (9-19')										
		07/15/10	09/30/11	12/13/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/14	06/25/15
		10G0511-02	11J0038-14	11L0633-05	12B0883-11	12E0113-07	12F0976-12	12I0945-07	12L0807-07	12C0516-06	14F0651-08	15F1052-09
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,1-Dichloroethane	5	6	8.8	10	7.4	5.4	4.7 J	7.2	7.9	10	23	30
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	1.2	2.1
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
2-Butanone	50*	ND< 10	ND< 10	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10 J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5
Acetone	50*	ND< 5.0	4.8 J,B	ND< 5.0	3.5 J,B	5.9 J,B	4.8 J	ND< 10	ND< 10	ND< 10	1.6 CCV-E, J, B	7.8 ICV-E, SCAL-E
Benzene	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Chloromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
cis-1,2-Dichloroethylene	5	ND< 5.0	18	20	16	9.4	8.3	17	12	11	16	27
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5
Methylene chloride	5	ND< 6.6	3.8 J,B	ND< 5.0	3.1 J,B	7.7 J,B	6.7 J,B	ND< 10	ND< 10	5.0 J	ND< 2.0	ND< 2
o-Xylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
p- & m- Xylenes	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1.0	ND< 1
Styrene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Tetrachloroethylene	5	4.8 J	6.5	5.2	5.4	7.7	8.1	8.8	7.2	5.4	5.8	4.9
Toluene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
trans-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.22 J	0.27 J
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Trichloroethylene	5	4 J	3.4 J	5.8	3.6 J	3.2 J	3.3 J	5.2	3.5 J	3.4 J	3.9	3.9
Trichlorofluoromethane (freon 11)	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Vinyl Chloride	2	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5
Total VOC concentration	NS	32.8	45.3	41.0	39.0	39.3	35.9	38.2	30.6	34.8	51.7	76.0
Total CVOC concentration	NS	32.8	40.5	41.0	35.5	33.4	31.1	38.2	30.6	34.8	50.1	68.2
Total Petro-VOC concentration	NS	0	0	0	0	0	0	0	0	0	0	0
Other VOC concentration	NS	0	4.8	0	3.5	5.9	4.8	0.0	0.0	0.0	1.6	7.8
Location of screen	Across water table (238.5' - 228.5' amsl)											

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW18 FRMW-MW18-X19 (9-19')							
		05/26/16	06/28/17	06/14/18	06/11/19	06/10/20	03/12/21	06/15/21	6/6/2022
		16E1165-08	---	18F0674-08	19F0430-06	---	21C0753-02	21F0819-01	22F0429-06
Lab Sample ID									
Groundwater Elevation (ft.)		232.79	---	233.32	235.96	---	233.79	233.84	234.31
Analyte	ppb	ppb	---	ppb	ppb	---	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	58		38	42		39	24	14
1,1-Dichloroethylene	5	4.8		5.6	6.7		6.4	6.4	3.1
1,2,3-Trichlorobenzene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.29 J		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	3.4 CCV-E, B		ND< 5.0	26 CCV-E		11	39 CCV-E	8.3
Benzene	1	ND< 0.5		ND< 1.0	ND< 2.0		0.20 J	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.5	Well silted in - not sampled.	ND< 1.0	ND< 2.0	Well silted in - not sampled.	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	1.8		ND< 1.0	ND< 2.0		ND< 0.20	0.42 J	ND< 0.20
Chloroform	7	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	46		50	85		55	80	51
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	0.80		ND< 1.0	ND< 2.0		0.25 CCV-E, ICV-E, QL-02, J	ND< 0.20	ND< 0.20
Ethyl Benzene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	0.35 J		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 2.0		ND< 5.0	ND< 10.0		ND< 1	ND< 1	ND< 1.0
o-Xylene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 1.0		ND< 2.5	ND< 5.0		ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	2.3		1.2 QL-02, J	ND< 2.0		0.83	0.79	1.2
Toluene	5	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	0.51		ND< 1.0	ND< 2.0		1.2	1.2	0.79
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.5		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	5.1		2.6 QL-02	3.6 J		4.1	4.2 Cal-E	2.2
Trichlorofluoromethane (freon 11)	5	0.24 J		ND< 1.0	ND< 2.0		ND< 0.20	ND< 0.20	ND< 0.20
Vinyl Chloride	2	0.52		ND< 1.0	ND< 2.0		2.6	2.6	4.2
Total VOC concentration	NS	124	0	97	163	0	152	159	85
Total CVOC concentration	NS	120	0	97	137.3	0	140	120	76.5
Total Petro-VOC concentration	NS	0	0	0	0	0	0	0	0
Other VOC concentration	NS	3	0	0	26	0	11	39	8
Location of screen				Across water table (238.5' - 228.5' amsl)					

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) (Screen Interval)	6 NYCRR Part 703.5	MW20																									
		FRMW-MW20-X18 (9.5-19.5')																									
		07/15/10	05/31/11	07/21/11	09/29/11	12/13/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/14	06/25/15	05/26/16	06/28/17	06/14/18	06/11/19	06/10/20	06/16/21	6/16/2021 (duplicate)	6/6/2022					
Sample Date Lab Sample ID Groundwater Elevation (ft.)																											
Analyte	ppb	240.28	242.31	241.48	242.65	242.29	241.74	241.22	241.17	239.47	239.40	239.91	240.21	239.31	239.27	240.61	239.66	241.35	240.94	240.41	240.41	241.5					
1,1,1-Trichloroethane	5	190	61	73	81	43	51	54	44 J	40	24	33	5.0	4.3 J	3.1	1.6	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,1,2,2-Tetrachloroethane	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,1,2-Trichloroethane	1	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,1-Dichloroethane	5	690	220	260	200	100	160	270	290	190	90	320	25	30	25	14	12	31	19	19	17	21					
1,1-Dichloroethylene	5	na	na	na	na	na	na	na	na	na	na	na	1.6 J	ND< 5	1.9	2.6	ND< 1.0	0.70	0.33	J	1.5	1.4	1.800				
1,2,3-Trichlorobenzene	5	25 J	9.8	19	14	10 J	11	14	13	17	12	11	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2,4-Trichlorobenzene	5	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2-Dibromo-3-chloropropane	0.04	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2-Dibromoethane	0.0006	na	na	na	na	na	na	na	na	na	na	na	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2-Dichlorobenzene	3	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2-Dichloroethane	0.6	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,2-Dichloropropane	1	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20					
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	8.3	6.1	12	1.2 J	ND< 5	1.2	0.92	ND< 1.0	0.61	0.29	J	0.49	J	0.44	J	0.570		
2-Butanone	50*	ND< 50	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5	ND< 5	5.8	7.6	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
2-Hexanone	50*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Acetone	50*	ND< 36 J	ND< 10	ND< 10	4.7	ND< 50	3.3 JB	ND< 10	ND< 10	ND< 10	ND< 10	9.7 J	9.2 CCV-E, J, B	ND< 20	3.3 SCAL-E	8.0	ND< 5.0	ND< 1.0	1.5	J	1.9	CCV-E, J	ND< 1	ND< 1.0			
Benzene	5	na	na	na	na	na	na	na	na	na	na	na	ND< 2.5	ND< 5	ND< 0.5	0.21 J	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Bromochloromethane	1	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Bromodichloromethane	50*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Bromoform	50*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Bromomethane	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	0.53	CCV-E, ICV-E	ND< 0.20	ND< 0.20	ND< 0.20				
Carbon disulfide	60*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.93 J	ND< 2.5	2.8 J	ND< 0.5	ND< 0.20	ND< 1.0	0.29	J	0.49	J	0.21	J	0.41	J	0.290	J
Carbon tetrachloride	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Chlorobenzene	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Chloroethane	5	ND< 50	1.3 J	2.5 J	1.3	ND< 25	8.2	3.4 J	6.4	9.5	5.3	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	10	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Chloroform	7	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Chloromethane	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
cis-1,2-Dichloroethylene	5	54	21	30	36	25	33	47	33	42	54	36	18	30	18	15	16	7.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
cis-1,3-Dichloropropylene	NS	na	na	na	na	na	na	na	na	na	na	na	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Cyclohexane	0.4*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	0.56	0.22 J	ND< 1.0	0.21	J	ND< 0.20	ND< 0.20	ND< 0.20	0.320	J			
Dibromochloromethane	50*	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Dichlorodifluoromethane	5	29 J	ND< 5.0	ND< 5.0	4.2	ND< 25	2.2 J	1.2 J	1.3 J	3.1 J	4.5 J	2.4 J	ND< 2.5	ND< 5	0.34 J	0.44 J	ND< 1.0	1.4	0.83	ICV-E, QL-02	3.5	5.0	3.800				
Ethyl Benzene	5	85	39	54	59	42	58	77	83	55	73	100	60	110	95	43	36	31	8.5	8.5	11	18	12				
Isopropylbenzene	NS	na	na	na	na	na	na	na	na	na	na	na	1.3 J	2.1 J	2.2	1.1	ND< 1.0	0.85	0.25	J	0.48	J	0.40	CCV-E, J	0.310	J	
Methyl acetate	5	ND< 50	1.3 J	2.1 J	1.8	ND< 25	1.6 J	2.1 J	2.2 J	2.5 J	1.2 J	2.6 J	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Methyl tert-butyl ether (MTBE)	NS	na	na	na	na	na	na	na	na	na	na	na	ND< 2.5	ND< 5	0.39 J	ND< 0.20	ND< 1.0	0.32	J	0.38	J	0.24	J	0.23	J	ND< 0.20	
Methylcyclohexane	10*	ND< 50	0.64 J	1.4 J	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.5	ND< 5	2.1	1.0	ND< 1.0	0.69	0.34	J	1.2	1.1	1.400				
Methylene chloride	5	ND< 63	ND< 10	ND< 10	3.2	ND< 50	2.7 J, B	8.3 J, B	ND< 10	ND< 10	ND< 10	5.6 J	5.6 J	ND< 6	ND< 1.00	ND< 5.0	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	1	J			
o-Xylene	5	160	79	89	73	32	58	100	52	70	59	27	61	44	29	34	18	18	1.0	1.0	1.0	1.0	1.0	2.300			
p- & m- Xylenes	5	500	280	330	340	280	340	370	410	280	280	470	150	320	270	120	100	100	21	10	10	10	10	7.900			
Styrene	5	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	1.7 J	ND< 2.5	ND< 5	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20				
Tetrachloroethylene	5	67	38	40 J	76	56	59	37	25	25	22	19	7.8														

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW29																	
		FRMW-MW29-X27 (27-32')																	
		07/16/10	7/16/2010	05/31/11	07/21/11	09/29/11	12/14/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	03/26/14	6/12/2014	
		10G0511-12	10G0511-15	11F0120-06	11G0750-06	11J0038-06	11L0632-04	12B0883-04	12E0113-09	12F0976-04	12I0945-09	12L10807-09	13C0516-08	13F0453-02	13I0664-08	13K0803-08	14C0921-07	14F0651-11	
Analyte	ppb	not accessible for interface probe																	
		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 2,500	ND< 2,500	200 J	ND< 5	56	ND< 2500	79	ND< 500	ND< 50	0.53 J	ND< 5.0	ND< 5.0	0.82 J	0.82 J	ND< 5	ND< 0.50	ND< 0.50	
1,1,2,2-Tetrachloroethane	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.50	ND< 0.50	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.50	ND< 0.50	
1,1,2-Trichloroethane	1	ND< 2,500	ND< 2,500	ND< 1000	18	ND< 120	ND< 2500	12 J	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.50	ND< 0.50	
1,1-Dichloroethane	5	6,400	9,300	5,900	ND< 5	7,200	6,300	3,900	910	330	140	190	160	730	41	55	9.5	21	
1,1-Dichloroethylene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	150	ND< 2500	220	ND< 500	ND< 50	5.6	3.5 J	2.1 J	11	0.83 J	ND< 5	ND< 0.5	0.41 J	
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,2,4-Trichlorobenzene	5	ND< 2,500	ND< 2,500	ND< 2000	ND< 10	ND< 250	ND< 5000	ND< 100	ND< 1000	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
1,2-Dibromo-3-chloropropane	0.04	ND< 2,500	ND< 2,500	ND< 2000	ND< 10	ND< 250	ND< 5000	ND< 100	ND< 1000	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	
1,2-Dibromoethane	0.0006	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,2-Dichloroethane	0.6	ND< 2,500	ND< 2,500	ND< 1000	20	ND< 120	ND< 2500	10 J	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,2-Dichloropropane	1	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
2-Butanone	50*	ND< 2,500	ND< 2,500	ND< 2000	9.3 J	ND< 250	ND< 5000	ND< 100	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	5.4	2.8 CCV-E	
2-Hexanone	50*	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 5,000	ND< 5,000	ND< 2000	ND< 10	ND< 250	ND< 5000	ND< 100	ND< 100	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	0.47 J	ND< 0.5	
Acetone	50*	ND< 5,000 J	ND< 5,000 J	3.4 B, J	ND< 10	8.8	ND< 5000	130 B	11 B	ND< 10 B	11 B	ND< 10	9.3 J	11 B	ND< 10	ND< 10	17 B	6.1 CCV-E	
Benzene	1	ND< 2,500	ND< 2,500	ND< 1000	6.1	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Bromodichloromethane	50*	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	0.46 J	ND< 0.5	
Bromoform	50*	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	6	ND< 0.5	
Bromomethane	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Carbon disulfide	60*	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	0.34 J	ND< 0.5	
Carbon tetrachloride	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Chlorobenzene	5	ND< 2,500	ND< 2,500	ND< 1000	2.3 J	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Chloroethane	5	ND< 2,500	ND< 2,500	ND< 1000	5.2	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	7.4	160	17	120	ND< 5.0	14	0.46 J	0.98	
Chloroform	7	ND< 2,500	ND< 2,500	ND< 1000	3.2 J	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	4	1.0	
Chloromethane	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
cis-1,2-Dichloroethylene	5	ND< 2,500	ND< 2,500	ND< 1000	10	ND< 120	ND< 2500	ND< 50	ND< 50	590	210	390	110	270	32	34	3.5	9.2	
cis-1,3-Dichloropropylene	0.4†	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Dibromochloromethane	50*	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Dichlorodifluoromethane	5	ND< 2,500	ND< 2,500	ND< 1000	23	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Ethyl Benzene	5	ND< 2,500	ND< 2,500	ND< 1000	11	ND< 120	ND< 2500	11 J	ND< 50	ND< 50	0.39 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Isopropylbenzene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Methyl tert-butyl ether (MTBE)	10*	ND< 2,500	ND< 2,500	ND< 1000	1.4 J	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	
Methylene chloride	5	ND< 1,800	ND< 2,500	3.7 B, J	4.1 B, J	4	ND< 5000	37 J, B	13 B	4.9 J, B	4.9 J, B	ND< 10	5.4 J	ND< 10	ND< 10	ND< 10	ND< 2	ND< 2.0	
o-Xylene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	65	ND< 2500	81	ND< 50	ND< 50	1.7 J	ND< 5.0	ND< 5.0	1.4 J	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
p- & m- Xylenes	5	ND< 5,000	ND< 2,500	ND< 2000	ND< 10	41	480 J	60 J	94 J	ND< 100	1.7 J	ND< 5.0	1.1 J	ND< 10	ND< 10	ND< 10	ND< 1	ND< 1.0	
Styrene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Tetrachloroethylene	5	23,000	38,000	19,000	18,000	22,000	25,000	13,000	5,300	890	210	110	120	340	6.6	7.0 CCV-E	13	14	
Toluene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	72	ND< 2500	86	ND< 50	ND< 50	1.4 J	ND< 5.0	ND< 5.0	1.8 J	ND< 5.0	ND< 5	0.24 J	0.20 J	
trans-1,2-Dichloroethylene	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	1.3 J	1.8 J	0.81 J	1.9 J	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
trans-1,3-Dichloropropylene	0.4†	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 50	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Trichloroethylene	5	520 J	780 J	440 J	ND< 5	700	460 J	940	100 J	150	68	51	34	75	6.3	5.8	3.3	11	
Trichlorofluoromethane (freon 11)	5	ND< 2,500	ND< 2,500	ND< 1000	ND< 5	ND< 120	ND< 2500	ND< 50	ND< 500	ND< 50	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5	ND< 0.5	ND< 0.5	
Vinyl Chloride	2	ND< 2,500	ND< 2,500	ND< 1000	34	ND< 120	ND< 2500	13 J	ND<										

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW29													
		FRMW-MW29-X27 (27-32')													
		09/16/14	12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	06/28/17	06/14/18	06/11/19	06/10/20	06/16/21	6/6/2022
		14I0784-04	14L0667-08	15C0563-03	15F1052-14	15I0617-07	15L0018-07	16C0192-08	16E1165-13	17F1193-11	18F0674-12	19F0430-08	20F0477-09	21F0819-11	22F0429-10
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	26	11	7.8	11	16	21	14	27	59	170	69	120	100	32
1,1-Dichloroethylene	5	0.37 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	0.28 J	0.50	1.6	ND< 1.0	0.29 J	ND< 0.20	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	1.3 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	1.900
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	0.34 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	0.31 J	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	1.3 J, B	ND< 2	ND< 2	ND< 2	ND< 1	ND< 1	14 CCV-E	ND< 2	2.0 J	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	6.900
Benzene	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.26 J	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	0.520
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	5.7	1.4	3.3	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	1.6
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.28 CCV-E, JCV-E, J	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	1.3	0.63	0.67	ND< 1.0	0.21 J	0.30 J	ND< 0.20	0.60 B
Carbon tetrachloride	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	7.4	ND< 0.5	ND< 0.5	3.6	5	4.9	0.66	2.3	4.4	18	6.3	1.1	11	2.2
Chloroform	7	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	0.47 J	0.32 J	ND< 0.20	ND< 1.0	0.38 J	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	1.8	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	6.4	2	1.3	2.6	1.4	1.8	2.0	6.6	5.8	2.4 J	1.1	0.42 J	1.4	1.4
cis-1,3-Dichloropropylene	0.4*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	0.38 J	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Ethyl Benzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.5	ND< 0.5	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	0.28 J	ND< 0.20	ND< 0.20
Methylcyclohexane	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 2	ND< 2	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.00
o-Xylene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.20 J	0.27 J	ND< 1.0	0.27 J	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 1	ND< 1	ND< 1	ND< 1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 1	ND< 0.50	ND< 2.5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	3.6	3.3	2.3	ND< 0.5	2.10	10	14	13 CCV-E, JCV-E	11	4.9 QL-02	5.6	1.1 QL-02	2.2	1.2
Toluene	5	0.7	0.44 J	ND< 0.5	0.37 J	0.31 J	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	3.1 QL-02	0.62	0.86	0.22 J	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	0.22 J	0.29 J	ND< 0.2	ND< 0.5	0.27 J	ND< 1.0	ND< 0.20	0.20 J	0.37 J	ND< 0.20
trans-1,3-Dichloropropylene	0.4*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	5.6	4.3	3.5	3.0	3.40	7.8	6.6	10	12	5.2 QL-02	2.1	0.60 QL-02	2.3	0.98
Trichlorofluoromethane (freon 11)	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Vinyl Chloride	2	3.2	0.88	0.88 0.5	1.50	1.30	1.6	0.66	3.5	7.7	6.3 CCV-E	11	4.0	10	0.74
Total VOC concentration	NS	56	22	16	22	29.7	47.4	60.1	68	108	210	97	148	127	50
Total CVOC concentration	NS	52.6	21.5	15.8	21.7	29.4	47.4	39.1	65	102	207	96	146	127	39
Total Petro-VOC concentration	NS	1	0	0	0	0.3	0.0	0.0	0	0	3	1	1	0	0
Other VOC concentration	NS	0	0	0	0	0.00	0.00	21.00	2	6	0	1	0	0	11
Location of screen		On top of deep clay (222' - 217' amsl)													

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW31																	
		FRMW-MW31-X22 (15-23')																	
		7/19/2010	9/30/2011	12/14/2011	2/22/2012	5/1/2012	6/28/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2014	6/25/2015	5/26/2016	6/28/2017	6/13/2018	6/11/2019	6/11/2020	6/15/2021	6/7/2022
10G0579-12	11J0038-15	11L0633-06	12B0883-12	12E0113-11	12F0976-13	12I0945-11	12L0807-11	12C0516-10	14F0651-13	15F1052-07	16E1165-09	17F1193-05	18F0674-04	19-F0430-11	20F0477-11	21F0819-08	22F0429-12		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	2.3 J	1.3 J	1.9 J	2.5 J	ND< 5.0	ND< 5.0	2.2 J	2.4 J	0.90 J	0.60 J	0.63	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1-Dichloroethane	5	61	8.4	77	38	20	16	54	22	14	18	8.1	4.2	3.3	3.0	0.29 J	0.66	ND< 0.20	
1,1-Dichloroethylene	5	4 J	ND< 5.0	3.1 J	2.3 J	ND< 5.0	1.6 J	1.4 J	1.9 J	0.98 J	1.1	0.69	0.55	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromo-3-chloropropane	0.04	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichloropropane	3	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,4-Dichlorobenzene	5	na	na	na	na	na	na	na	na	na	0.47 J	0.5	ND< 0.5	ND< 0.20	0.20 J	ND< 0.20	ND< 0.20	ND< 0.20	
2-Butanone	50*	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10 J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Acetone	50*	0.98 J	3.6 J,B	ND< 10	ND< 10	19 B	8.3 J,B	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 2	ND< 2	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	
Benzene	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.0	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromoform	50*	ND< 5.0 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	0.27 J	0.480 J,B	
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chlorobenzene	5	1.5 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.21 J	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloromethane	5	18	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
cis-1,2-Dichloroethylene	5	ND< 5.0	5.5	13	10	9.0	8.0	13	14	7.4	6.2	9.2	4.6	1.8	1.7	1.2	0.24 J	0.33 J	
cis-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Dibromochloromethane	50*	6.8	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Dichlorodifluoromethane	5	4.8 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Ethyl Benzene	5	ND< 5.0	ND< 5.0	0.56 J	1.1 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	3.8	0.96	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Isopropylbenzene	5	ND< 10	ND< 5.0	0.61 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.48 J	0.85	0.25 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	0.70	0.43 J	ND< 0.20	0.24 QL-02, J	ND< 0.20	ND< 0.20	ND< 0.20	
Methylene chloride	5	ND< 5.0 J	3.6 J,B	3.6 J,B	2.6 J,B	7.4 J,B	5.4 J,B	3.0 J,B	ND< 10	ND< 10	ND< 2.0	ND< 2	ND< 2.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	
o-Xylene	5	9.8	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.97 J	ND< 5.0	1.3	3.8	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
p- & m- Xylenes	5	19	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	0.88 J	ND< 10	ND< 10	1.5	1.5	ND< 1.0	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	
Styrene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Tetrachloroethylene	5	13	2.0 J	3.2 J	3.4 J	1.2 J	2.9 J	8.9	4.2 J	2.8 J	2.2	2.3	1.5 CCV-E	0.60	0.46 QL-02, J	0.26 J	ND< 1.20	1.8	
Toluene	5	8.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.6	1.0	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
trans-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
trans-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Trichloroethylene	5	1.9 J	0.88 J	2.3 J	2.4 J	1.2 J	3.1 J												

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW37				
		FRMW-MW37-X24 (15-25')				
		6/13/2018 18F0674-02 237.98	6/11/2019 19F0430-14 239.82	6/11/2020 20F0477-14 239.49	6/15/2021 21F0819-07 239.00	6/7/2022 22F0429-15 239.98
Analyte	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	0.49 J	0.49 J	0.42 J	0.97	0.60
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1-Dichloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.26 J
1,1-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	0.72	ND< 0.20
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	0.22 J	ND< 0.20
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	2.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.47 JB
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform	7	0.47 J	ND< 0.20	0.20 J	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene	5	0.56	0.83	0.44 J	0.74	1.6
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Dichlorodifluoromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	0.59	0.36 J	0.38 J	ND< 0.20	0.36 J
Methylcyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Tetrachloroethylene	5	4.9 QL-02	5.6	5.0	1.1	4.2
Toluene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Trichloroethylene	5	0.39 QL-02, J	0.41 J	0.45 J	0.52 Cal-E	0.310 J
Trichlorofluoromethane (freon 11)	5	1.9	0.98	1.4	0.43 J	1.0
Vinyl Chloride	2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Total VOC concentration	NS	11.50	8.67	9.29	16.60	8.80
Total CVOC concentration	NS	9	8.3	8.91	16.38	8.0
Total Petro-VOC concentration	NS	1	0	0.38	0.00	0
Other VOC concentration	NS	2	0	0	0	0
	Location of screen	Just beneath water table.				

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) (Screen Interval)	Sample Location 6 NYCRR Part 703.5	MW8			
		FRMW-MW8-X25 (15-25')			
		9/16/2015	11/30/2015	3/3/2016	5/26/2016
Sample Date	Lab Sample ID	1510617-06	1510018-06	16C0192-07	16E1165-11
Groundwater Elevation (ft.)		238.40	239.03	239.50	239.62
Analyte	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2,2-Tetrachloroethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,1,2-Trichloroethane	1	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,1-Dichloroethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,1-Dichloroethylene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2,3-Trichlorobenzene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dibromoethane	0.0006	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichlorobenzene	3	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichloroethane	0.6	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,2-Dichloropropane	1	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,3-Dichlorobenzene	3	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
1,4-Dichlorobenzene	3	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
2-Butanone	50*	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5
2-Hexanone	50*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Acetone	50*	ND< 1	ND< 1	ND< 1	1.2 SCAL-E,J
Benzene	1	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Bromochloromethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Bromodichloromethane	50*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Bromoform	50*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Bromomethane	5	0.54 J	ND< 0.2	ND< 0.2	ND< 0.5
Carbon disulfide	60*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Carbon tetrachloride	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Chlorobenzene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Chloroethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Chloroform	7	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Chloromethane	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
cis-1,2-Dichloroethylene	5	0.29 J	ND< 0.2	0.38 J	ND< 0.5
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Cyclohexane	NS	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Dibromochloromethane	50*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Dichlorodifluoromethane	5	0.32 J	ND< 0.2	0.5	ND< 0.5
Ethyl Benzene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Isopropylbenzene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Methyl acetate	NS	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Methyl tert-butyl ether (MTBE)	10*	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Methylcyclohexane	NS	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Methylene chloride	5	ND< 1	ND< 1	ND< 1	ND< 2
o-Xylene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
p- & m- Xylenes	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 1
Styrene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Tetrachloroethylene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Toluene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
trans-1,2-Dichloroethylene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Trichloroethylene	5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Trichlorofluoromethane (freon 11)	5	0.27 J	ND< 0.2	0.33 J	ND< 0.5
Vinyl Chloride	2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5
Total VOC concentration	NS	1.42	0.00	1.21	1.2
Total CVOC concentration	NS	0.88	0.00	1.21	0.0
Total Petro-VOC concentration	NS	0.00	0.00	0.00	0.0
Other VOC concentration	NS	0.54	0.00	0.00	1.2
	Location of screen	5+ feet beneath water table (234' - 224' amsl)			

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW17 FRMW-MW17- X18 (8-18')											
		07/15/10	09/30/11	12/13/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/14	06/25/15	05/26/16
		10G0511-03	11J0038-13	11L0633-04	12B0883-10	12E0113-05	12F0976-11	12I0945-06	12L0807-06	12C0516-05	14F0651-07	15F1052-06	16E1165-03
		238.16	239.61	239.32	238.93	238.55	238.75	237.48	237.25	237.51	238.14	237.35	237.12
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	1.5 J	1.1 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.36 J	ND< 5.0	ND< 5.0	0.43 J	0.89	2.9
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,1-Dichloroethane	5	0.84 J	ND< 5.0	0.77 J	ND< 5.0	ND< 5.0	ND< 5.0	0.57 J	ND< 5.0	ND< 5.0	0.51	0.91	1.9
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5
1,2-Dibromo-3-chloropropane	0.04	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	0.52	0.29 J
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
2-Butanone	50*	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 3.3 J	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 0.5
Acetone	50*	ND< 5.0	4.6 J,B	ND< 10	ND< 10	4.3 J,B	5.9 J	ND< 10	ND< 10	ND< 10	ND< 2.0	ND< 2	1.1 SCAL-E,J
Benzene	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	0.56
Chloromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
cis-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
cis-1,3-Dichloropropylene	0.4 [†]	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 0.5
Methylene chloride	5	ND< 6.6	3.4 J,B	ND< 5.0	2.7 J,B	3.1 J,B	7.9 J,B	2.4 J,B	ND< 5.0	4.5 J	ND< 2.0	ND< 2	ND< 2
o-Xylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
p- & m- Xylenes	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1.0	ND< 1	ND< 1
Styrene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
Tetrachloroethylene	5	4.2 J	5.8	4.9 J	5.0	4.7 J	2.7 J	3.6 J	2.2 J	1.9 J	2.1	2.5	3.6 CCV-E
Toluene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
trans-1,2-Dichloropropylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 0.5
trans-1,3-Dichloropropylene	0.4 [†]	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 5.0
Trichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.30 J	ND< 5.0	ND< 5.0	0.23 J	0.28 J	ND< 5.0
Trichlorofluoromethane (freon 11)	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 5.0
Vinyl Chloride	2	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 5.0
Total VOC concentration	NS	6.5	14.9	5.7	7.7	12.1	16.5	7.2	2.2	6.4	3.3	5.1	10.4
Total CVOOC concentration	NS	6.5	10.3	5.7	7.7	7.8	10.6	7.2	2.2	6.4	3.3	4.6	9.0
Total Petro-VOC concentration	NS	0	0	0	0	0	0	0	0	0	0	0	0.0
Other VOC concentration	NS	0	4.6	0	0	4	6	0	0	0	0	0	1.1
	Location of screen	Across water table (238' - 228' amsl)											

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location	6 NYCRR Part 703.5	MW34 FRMW-MW34- X25 (15-25')				
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval)		07/20/10	9/25/2012	12/20/2012	3/14/2013	3/29/2018
Sample Date		10G0743-01	12I0945-14	12L0807-14	13C0516-13	18C1190-07
Lab Sample ID		238.60	238.18	238.02	238.13	237.9
Groundwater Elevation	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.27 J
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,1-Dichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,2,3-Trichlorobenzene	5					ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.20
1,2,4-Trimethylbenzene	5	NA	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,2-Dichlorobenzene	5.0000					ND< 0.20
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	0.22 J
1,3-Dichlorobenzene	5					ND< 0.20
1,4-Dichlorobenzene	5					ND< 0.20
2-Butanone	50*	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.20
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.20
Acetone	50*	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1
Benzene	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Bromochloromethane	5					ND< 0.20
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Bromoform	50*	ND< 5.0 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Carbon disulfide	60*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Chloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Chloromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
cis-1,2-Dichloroethylene	5	ND< 5.0	1.4 J	ND< 5.0	ND< 5.0	0.46 J
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Cyclohexane	NS					ND< 0.20
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	1.2 J	0.88 J	ND< 0.20
Ethyl Benzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Isopropylbenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Methyl acetate	NS					ND< 0.20
Methyl tert-butyl ether (MTBE)	10*	3 J	3.2 J	4.2 J	3.0 J	ND< 0.20
Methylcyclohexane	NS					ND< 0.20
Methylene chloride	5	ND< 5.0	3.0 J,B	ND< 10	6.4 J	ND< 1.0
o-Xylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.60
p- & m- Xylenes	5	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Styrene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Tetrachloroethylene	5	3 J	3.4 J	1.6 J	1.6 J	1.7
Toluene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
trans-1,2-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
trans-1,3-Dichloropropylene	0.4 ⁺	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Trichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Vinyl Chloride	2	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.20
Total VOC concentration	NS	6	13.4	9.0	13.8	2.7
Total CVOC concentration	NS	3.0	10.2	4.8	10.8	2.7
Total Petro-VOC concentration	NS	3.0	3.2	4.2	3.0	0.0
Other VOC concentration	NS	0	0.0	0.0	0.0	0.0
Location of screen		(236.5' - 226.5' amsl)				

Groundwater Analytical Results Summary
 136 Fuller Road, Albany, New York - BCP Site # C40155
 LaBella Project # 2222575

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx depth to well bottom) (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW35 FRMW-MW35-X35 (25-35')																		
		7/29/2010	9/26/2012	12/20/2012	3/14/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014	9/16/2014	12/15/2014	3/17/2015	6/25/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016	9/29/2021	
		10G0906-02	1210945-15	12L0807-15	13C0516-14	13F0453-08	13I0664-02	13K0803-02	14C0921-02	14F0651-14	14I0784-08	14L0667-02	15C0563-04	15F1052-01	15I0617-02	15L0018-02	16C0192-02	16E1165-02	21I0004-06	
		238.61	238.28	237.85	238.02	237.34	237.46	237.28	238.3	238.81	---	237.81	238.02	237.95	237.30	237.52	237.87	237.75	239.03	
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,1,2-Trichloroethane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,1-Dichloroethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,1-Dichloroethylene	5	ND< 5.0	ND< 5.0	ND< 5.0	0.96 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2,4-Trichlorobenzene	5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.25 J	ND< 0.50	
1,2-Dichloroethane	0.6	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,2-Dichloropropane	1	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
2-Butanone	50*	ND< 5.0	ND< 10	ND< 10	ND< 10	2.3 J	ND< 10	ND< 10	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	0.42 J	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.50
2-Hexanone	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 9.5	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 0.5	ND< 0.5	1.8 J	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Acetone	50*	ND< 5.0	14	ND< 10	7.9 J	17	16	8.2 J, CCV-E	31 CCV-E, ICV-E	6.6 B	ND< 10	10	3.4 CCV-E	2.1	ND< 1	1.3 J	ND< 1	2.5 SCAL-E	1.1 ICV-E, J	
Benzene	1	ND< 5.0	1.4 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Bromochloromethane	5	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Bromodichloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Bromoform	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Bromomethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Carbon disulfide	60*	ND< 5.0	37	1.8 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	0.23 JB	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Carbon tetrachloride	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Chlorobenzene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Chloroethane	5	ND< 5.0	7.8	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Chloroform	7	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Chloromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
cis-1,2-Dichloroethylene	5	ND< 5.0	540 J	ND< 5.0	9.6	4.1 J	3.2 J	ND< 5.0	0.78	0.83	ND< 2.5	0.37 J	0.41 J	0.3 J	0.3 J	ND< 0.2	0.24 J	0.2 J	ND< 0.50	
cis-1,3-Dichloropropylene	0.4*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Cyclohexane	NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Dichlorodifluoromethane	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Ethyl Benzene	5	ND< 5.0	21	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Isopropylbenzene	5	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Methyl acetate	NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Methyl tert-butyl ether (MTBE)	10*	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Methylcyclohexane	NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	0.24 J	ND< 0.5	ND< 0.50	
Methylene chloride	5	ND< 5.9	3.7 J	ND< 5.0	6.3 J	ND< 10	ND< 10	ND< 10	ND< 2	ND< 2	ND< 10	1.3 J,B	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1.0	
o-Xylene	5	ND< 5.0	54	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
p- & m- Xylenes	5	ND< 10	130	ND< 10	ND< 10	ND< 10	ND< 10	ND< 10	ND< 1	ND< 1	ND< 5	ND< 1	ND< 1	ND< 1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 1	ND< 1.0	
Styrene	5	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.50	
Tetrachloroethylene	5	1.7 J	540	2.2 J	4.4 J	1.7 J	2.9 J	ND< 5	1.1	2										

NOTES:

All data are reported in micrograms per liter (ug/L) = parts per billion (ppb)

NS indicates that there is no listed standard for that analyte

NA indicate that the compound was not included on the list of analytes

Results which exceed 6 NYCRR Part 703.5 ambient groundwater standards and guidance values have been **bolded**

Bolded cells indicate values that are greater than the standard; Shaded cells indicate values that are greater than the standard and which were not identified as

* = Guidance Value

+ Applies to the sum of trans-1,3-Dichloropropene and cis-1,3-Dichloropropene

ND < = indicates the compound was not detected at or above the listed laboratory method reporting limit

B indicates the analyte is found in the associated analysis batch blank.

Italics indicate laboratory method reporting limit is greater than the groundwater quality standard

CCV-E indicates the value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

ICV-E indicates the value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).

HT-01R This flag indicates that the sample was initially analyzed within recommended hold time and that a re-run was performed outside of the hold time.

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

QL-02 indicates this LCS analyte is outside Laboratory Recovery limits due to the analyte behavior using the reference method. The reference method has certain limitations with respect to analytes of this nature.

SCAL-E The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).

TFE Remediation System Downtime Notes:

3/16/2020 - (TFE remediation system down 3/13 through 3/18/2020 due to power outages, resolved on 3/18/2020. Normal operation before and after this time period)

6/10/2020 - (System down periodically 6/8 through 6/11/2020 due to pump malfunction, diagnosed and resolved on 6/11/2020. Normal before and after that time period)

3/12/2021 - (TFE remediation system down on this date and down on and off prior 2 weeks due to vacuum sensor errors for the TFE remediation system. Sensor errors resolved on 3/17/2021, normal operation continued)

6/16/2021 - (TFE remediation system running on 6/1/2021 but down prior to 6/15/2021 due to vacuum sensor errors. Sensor errors resolved on 6/17/2021, normal operation continued)

Table 1
TFE System - Influent/Effluent Water Monitoring
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Where 453.59 grams total VOCs = 1 pound total VOCs

Date	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/2013	1/7/2014	4/29/2014
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st
Water Intake Flow Rate (Gal/min)	0.72	0.74	0.43	0.32	0.8	0.34	0.25	0.45	0.27	0.23	0.24	0.26	0.41	0.2	0.7	0.29	0.16	0.18	0.17	0.3	0.4
Water Intake Flow Rate (Gal/day)	1,037	1,066	619	461	1,152	490	360	648	389	331	346	374	590	288	1,008	418	230	259	245	432	576
Water Influent Total VOCs (ug/L)	486.2	671.1	484.1	1,022.0	610.9	154.69	74	86	315.1	75	20.8	10.0	21.3	21.9	21.1	78.4	64.2	125.2	112.95	647.23	127.71
Convert Total VOCs to g/L	0.0004862	0.0006711	0.0004841	0.001022	0.0006109	0.00015469	0.000074	0.000086	0.0003151	0.0000754	0.00002075	0.00001	0.0000213	0.0000219	0.0000211	0.00007842	0.00006421	0.00012519	0.00011295	0.00064723	0.00012771
Convert Total VOCs to g/gal	0.00184	0.00254	0.00183	0.00387	0.00231	0.00059	0.00028	0.00033	0.00119	0.00029	0.00008	0.00004	0.00008	0.00008	0.00008	0.00030	0.00024	0.00047	0.00043	0.00245	0.00048
Convert Total VOCs to g/day	1.91	2.71	1.13	1.78	2.66	0.29	0.1008	0.21	0.46	0.09	0.03	0.01	0.05	0.02	0.08	0.12	0.06	0.12	0.10	1.06	0.28
Convert Total VOCs to pounds/day	0.0042	0.0060	0.0025	0.0039	0.0059	0.0006	0.0002	0.0005	0.0010	0.0002	0.0001	0.0000	0.0001	0.0001	0.0002	0.0003	0.0001	0.0003	0.0002	0.0023	0.0006
Water Effluent Total VOCs (ug/L)	2.2	126	30.99	32.6	14.3	38.25	22.5	11.1	23.2	14.67	0	7.2	18.4	10	11	56.72	52.7	77.19	76.5	464.31	47.8
Water Effluent Total VOCs (mg/L)	0.0022	0.126	0.03099	0.0326	0.0143	0.03825	0.0225	0.0111	0.0232	0.01467	0	0.0072	0.0184	0.01	0.011	0.05672	0.0527	0.07719	0.0765	0.46431	0.0478
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	12AO397	12B0885	12D0015	12D0895	12E0957	12G0304	12H0617	12J0712	12K0799	12L0712	13B0330	13C0830	13E0185	13E0809	13F0662	SB74049	SB75465	SB77412	SB79396	SB82930	SB88499
Acetone Influent																					290
Acetone Effluent																					205

Date	5/21/2014	6/30/2014	7/24/2014	8/28/2014	9/17/2014	10/22/2014	11/18/2014	12/18/2014	2/5/2015	2/25/2015	3/19/2015	4/16/2015	5/27/2015	6/26/2015	7/20/2015	8/24/2015	9/30/2015	10/22/2015	11/24/2015	12/14/2015	1/29/2016
Month	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th	37th	38th	39th	40th	41st	42nd
Water Intake Flow Rate (Gal/min)	0.5	0.45	0.42	0.3	0.1	0.3	0.33	0.49	0.3	0.25	0.3	0.3	0.4	0.35	0.2	0.2	0.16	0.39	0.15	0.05	0.10
Water Intake Flow Rate (Gal/day)	720	648	605	432	144	432	475	706	432	360	432	432	576	504	288	288	230	562	216	72	144
Water Influent Total VOCs (ug/L)	103.75	183.94	21.43	139.90	100.80	124.70	144.40	162.00	171.70	136.20	211.70	159.40	175.1	84.6	122.40	107.20	139.9	30.9	105.0	91.0	No sample collected
Convert Total VOCs to g/L	0.00010375	0.00018394	0.00002143	0.0001399	0.0001008	0.0001247	0.0001444	0.000162	0.0001717	0.0001362	0.0002117	0.0001594	0.0001751	0.0000846	0.0001224	0.0001072	0.0001399	0.0000309	0.000105	0.000091	
Convert Total VOCs to g/gal	0.00039	0.00070	0.00008	0.00053	0.00038	0.00047	0.00055	0.00061	0.00065	0.00052	0.00080	0.00060	0.00066	0.00032	0.00046	0.00041	0.00053	0.00012	0.00040	0.00034	
Convert Total VOCs to g/day	0.28	0.45	0.05	0.23	0.05	0.20	0.26	0.43	0.28	0.19	0.35	0.26	0.38	0.16	0.13	0.12	0.12	0.07	0.09	0.02	
Convert Total VOCs to pounds/day	0.0006	0.0010	0.0001	0.0005	0.0001	0.0004	0.0006	0.0010	0.0006	0.0004	0.0008	0.0006	0.0008	0.0004	0.0003	0.0003	0.0003	0.0001	0.0002	0.00005	
Water Effluent Total VOCs (ug/L)	81.44	129.86	0.46	108.2	68.4	85.4	84.5	190.3	151.2	115	94.5	111.5	164.1	87.6	81.9	78.1	79.49	158.8	126.28	4.98	
Water Effluent Total VOCs (mg/L)	0.08144	0.12986	0.00046	0.1082	0.0684	0.0854	0.0845	0.1903	0.1512	0.115	0.0945	0.1115	0.1641	0.0876	0.0819	0.0781	0.07949	0.1588	0.12628	0.00498	
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	SB89843	SB92147	SB93627	SB95582	SB96637	SB98604	SB99964	SC01703	SC03107	SC03777	SC04582	SC06223	SC07980	SC09404	SC10337	SC110901	L1524595	L1527088	L1531077	L1532980	
Acetone Influent	ND	11.2	ND	4.8	ND	ND	5.4	4.5				6.5	ND	ND	8.4	ND	8.6	9.5	14	12	
Acetone Effluent	5.46	12.4	ND	ND	ND	ND	ND	4.3				ND	5.2	ND	ND	ND	3.6	12	14	2.4	

Date	2/8/2016	3/17/2016	4/15/2016	5/25/2016	6/21/2016	7/22/2016	8/19/2016	11/7/2016	12/15/2016	1/13/2017	3/7/2017	3/29/2017	4/28/2017	5/23/2017	6/21/2017	7/10/2017	8/24/2017	9/26/2017	10/27/2017	11/28/2017	12/20/2017
Month	43rd	44th	45th	46th	47th	48th	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th	61st	62nd	63rd
Water Intake Flow Rate (Gal/min)	0.08	0.07	0.07	0.08	0.09	0.01	0.03	0.52	0.21	0.54	0.70	0.73	0.12	0.55	1.15	0.96	0.66	0.41	0.49	0.53	0.29
Water Intake Flow Rate (Gal/day)	115	101	101	115	130	14	43	749	302	778	1,008	1,051	173	792	1,656	1,382	950	590	706	763	418
Water Influent Total VOCs (ug/L)	121.16	107.58	133	106	13.6	154	121	197	104	192	177	181	15.3	25.9	146.4	146	81	146	110.91	17.68	14.94
Convert Total VOCs to g/L	0.00012116	0.00010758	0.00013258	0.00010626	0.00001361	0.00015397	0.00012146	0.000197	0.000104	0.000192	0.00017705	0.00018087	0.0000153	0.0000259	0.0001464	0.000146	0.000081	0.000146	0.00011091	0.00001768	0.00001494
Convert Total VOCs to g/gal	0.00046	0.00041	0.00050	0.00040	0.00005	0.00058	0.00046	0.00075	0.00039	0.00073	0.00067	0.00068	0.00006	0.00010	0.00055	0.00031	0.00055	0.00042	0.00007	0.00006	
Convert Total VOCs to g/day	0.05	0.04	0.05	0.05	0.01	0.01	0.02	0.56	0.12	0.57	0.68	0.72	0.01	0.08	0.92	0.76	0.29	0.33	0.30	0.05	0.02
Convert Total VOCs to pounds/day	0.0001	0.0001	0.0001	0.0001	0.00001	0.00002	0.00004	0.0012	0.00026	0.00125	0.00149	0.00159	0.00002	0.00017	0.00202	0.00168	0.00064	0.00072	0.00065	0.00011	0.00005
Water Effluent Total VOCs (ug/L)	65.53	89.13	99	85	3.8	141	91	156	90	90	125	125	13.6	83.8	117	123	101	116	103.8	1.6	3.3
Water Effluent Total VOCs (mg/L)	0.066	0.089	0.099	0.085	0.004	0.141	0.091	0.156	0.090	0.090	0.125	0.125	0.014	0.084	0.117	0.123	0.101	0.116	0.104	0.002	0.003
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	L1603267	L1607820	L1611122	L1615834	L1618980	L1622297	L1623002	L1635988	L1640994	L1701302	L1707009	L1709490	L1713879	L1716786	L1721098	L1723321	L1729885	L1734324	L1739192	L1743449	L1747097
Acetone Influent	9.8	4.8		1.6	3	5.9	4.1	4.2	3.7	3.5	16	20	6.2	15	2.1	0	0	2.3	0	1.5	3
Acetone Effluent	5.1	4.7		1.6	3.5	8.1	6.9	4.3	nd	4.3	15	14	13	18	17	3.0	0	4.2	0	0	2.1

Table 1
TFE System - Influent/Effluent Water Monitoring
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project # 2222575

Where 453.59 grams total VOCs = 1 pound total VOCs

Date	1/25/2018	2/26/2018	3/15/2018	4/25/2018	6/29/2018	8/13/2018	9/20/2018	10/26/2018	11/29/2018	12/18/2018	1/16/2019	5/28/2019	6/21/2019	8/28/2019	9/27/2019	10/30/2019	11/29/2019	12/21/2019	1/24/2020	2/26/2020	3/25/2020
Month	64th	65th	66th	67th	68th	69th	70th	71st	72nd	73rd	74th	75th	76th	77th	78th	79th	80th	81st	82nd	83rd	84th
Water Intake Flow Rate (Gal/min)	0.39	0.54	0.50	0.32	1.31	0.11	1.21	2.04	0.58	0.18	0.06	0.06	0.33	0.1	0.97	1.07	0.9	0.91	0.97	0.96	0.85
Water Intake Flow Rate (Gal/day)	562	778	720	461	1,886	158	1,742	2,938	835	259	86	86	475	144	1,397	1,541	1,296	1,310	1,397	1,382	1,224
Water Influent Total VOCs (ug/L)	169	135	121	144	113	1057.9	23.36	216.28	28.39	154.56	130	22.4	39.06	550.41	713.33	333.75	277.22	206.52	162.79	158.72	175.52
Convert Total VOCs to g/L	0.000169	0.000135	0.000121	0.000144	0.000113	0.0010579	0.00002336	0.00021628	0.00002839	0.00015456	0.00013	0.0000224	0.00003906	0.00055041	0.00071333	0.00033375	0.00027722	0.00020652	0.00016279	0.00015872	0.00017552
Convert Total VOCs to g/gal	0.00064	0.00051	0.00046	0.00055	0.00043	0.00400	0.00009	0.00082	0.00011	0.00059	0.00049	0.00008	0.00015	0.00208	0.00270	0.00126	0.00105	0.00078	0.00062	0.00060	0.00066
Convert Total VOCs to g/day	0.36	0.40	0.33	0.25	0.81	0.63	0.15	2.40	0.09	0.15	0.04	0.01	0.07	0.30	3.77	1.95	1.36	1.02	0.86	0.83	0.81
Convert Total VOCs to pounds/day	0.00079	0.00088	0.00073	0.00055	0.00178	0.00140	0.00034	0.00530	0.00020	0.00033	0.00009	0.00002	0.00015	0.00066	0.00831	0.00429	0.00300	0.00226	0.00190	0.00183	0.00179
Water Effluent Total VOCs (ug/L)	89	106	93	145	94	369.15	75.91	157.17	95.84	89.91	86	12	15	246.79	563.2	325.92	267.49	225.05	167.94	154.24	160.42
Water Effluent Total VOCs (mg/L)	0.089	0.106	0.093	0.145	0.094	0.369	0.076	0.157	0.096	0.090	0.086	0.012	0.015	0.247	0.563	0.326	0.267	0.225	0.168	0.154	0.160
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	L1802725	L1806659	L1808842	L1814557	L1824901	L1831547	L1837649	L1843845	L1848801	L1852210	L1901994	L1922357	L1927473	L1939079	L1944854	L1951280	L1957591	L1961346	L2003460	L2008431	L2013277
Acetone Influent	3.5 J	4.0 J	3.2 J	2.8 J	2.5 J	4.2 J	4.2 J	6.7	4.9 J	4.4 J	3.4 J	13	14	5.1	4.5 J	4.4 J	6	4.8 J	2.6 J	3.6 J	14
Acetone Effluent	4.2 J	4.6 J	3.4 J	3.0 J	4.1 J	5.4	3.7 J	4.9 J	6.3	3.7 J	5.0	10	15	3.4 J	3.2 J	3.6 J	7.4	2.2 J	2.6 J	2.8 J	16

Date	4/24/2020	5/27/2020	6/22/2020	7/29/2020	8/26/2020	9/18/2020	10/3/2020	11/30/2020	12/15/2020	1/9/2021	2/9/2021	3/26/2021	5/5/2021	5/26/2021	6/25/2021	7/28/2021	8/28/2021	9/29/2021	10/29/2021	12/16/2021	1/12/2022
Month	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th	97th	98th	99th	100th	101st	102nd	103rd	104th	105th
Water Intake Flow Rate (Gal/min)	0.82	0.25	0.18	0.17	0.23	0.47	0.21	0.67	0.8	NA	0.01	0.06	0.26	0.18	0.07	0.29	0.29	0.30	0.63	1.21	0.04
Water Intake Flow Rate (Gal/day)	1,181	360	259	245	331	677	302	965	1,152	NA	14	86	374	259	101	418	418	432	907	1,742	58
Water Influent Total VOCs (ug/L)	179.42	163	118.42	111.84	383.86	226.21	206.24	144.68	161.42		0.86	198.66	222.05	154.01	205.81	95.44	101.52	197.96	34.56	195.1	285.22
Convert Total VOCs to g/L	0.00017942	0.000163	0.00011842	0.00011184	0.00038386	0.00022621	0.00020624	0.00014468	0.00016142		0.00000086	0.00019866	0.00022205	0.00015401	0.00020581	0.00009544	0.00010152	0.00019796	0.00003456	0.0001951	0.00028522
Convert Total VOCs to g/gal	0.00068	0.00062	0.00045	0.00042	0.00145	0.00086	0.00078	0.00055	0.00061		0.00000	0.00075	0.00084	0.00058	0.00078	0.00036	0.00038	0.00075	0.00013	0.00074	0.00108
Convert Total VOCs to g/day	0.80	0.22	0.12	0.10	0.48	0.58	0.24	0.53	0.70		0.00	0.06	0.31	0.15	0.08	0.15	0.16	0.32	0.12	1.29	0.06
Convert Total VOCs to pounds/day	0.00177	0.00049	0.00026	0.00023	0.00106	0.00128	0.00052	0.00116	0.00155		0.0000001	0.0001432	0.0006937	0.0003331	0.0001731	0.0003326	0.0003538	0.0007136	0.0002616	0.0028367	0.0001371
Water Effluent Total VOCs (ug/L)	172.7	128.1	97.85	74.21	303.67	170	84.88	111.47	104.04		0.18	212.6	180	161.79	212.6	78	78	200	3.1	11.73	280
Water Effluent Total VOCs (mg/L)	0.173	0.128	0.098	0.074	0.304	0.170	0.085	0.111	0.104		0.0002	0.2126	0.1800	0.1618	0.2126	0.0780	0.0780	0.2000	0.0031	0.0117	0.2800
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5		5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	L2017134	L2021774	L2026198	722920	L2034908	L2039264	L2048202	L2053496	L2053497		L2106128	L2115268	L2123240	L2128165	L2134587	L2140539	L2146032	L2152780	L2159586	L2165686	L2201798
Acetone Influent	5.4	20	3.2	ND	6.4	ND	5.1	ND	4.1	NA	ND	3.8 J	6	3.6 J	2.7	ND	1.9	ND	ND	ND	1.8
Acetone Effluent	ND	3.3	3.8	ND	2.4 J	ND	1.6	ND	2.6	NA	ND	2.6 J	ND	1.6	ND	ND	ND	ND	ND	ND	ND

Date	1/27/2022	3/2/2022	4/1/2022	4/30/2022	5/27/2022	6/30/2022	8/4/2022	9/13/2022	9/27/2022	10/28/2022	11/29/2022	12/21/2022
Month	106th	107th	108th	109th	110th	111th	112th	113th	114th	115th	116th	117th
Water Intake Flow Rate (Gal/min)	0.044	0.190	1.030	1.2	0.18	0.54	0.14	0.95	0.9	0.44	0.68	1.93
Water Intake Flow Rate (Gal/day)	63	274	1,483	1,728	259	778	202	1,368	1,296	634	982	2,774
Water Influent Total VOCs (ug/L)	426.04	171.03	250.35	235.57	150.3	192.1	127.15	166.9	221.06	218.2	183.6	140.4
Convert Total VOCs to g/L	0.00042604	0.00017103	0.00025035	0.00023557	0.0001503	0.0001921	0.00012715	0.0001669	0.00022106	0.0002182	0.0001836	0.0001404
Convert Total VOCs to g/gal	0.00161	0.00065	0.00095	0.00089	0.00057	0.00073	0.00048	0.00063	0.00084	0.00083	0.00069	0.00053
Convert Total VOCs to g/day	0.10	0.18	1.41	1.54	0.15	0.57	0.10	0.86	1.08	0.52	0.68	1.47
Convert Total VOCs to pounds/day	0.0002253	0.0003905	0.0030985	0.0033968	0.0003251	0.0012465	0.0002139	0.0019052	0.0023907	0.0011536	0.0015045	0.0032499
Water Effluent Total VOCs (ug/L)	370	160.19	218.53	205.4	131.1	181.3	111.72	134.86	165.13	201.42	166.36	120.02
Water Effluent Total VOCs (mg/L)	0.3700	0.1602	0.2185	0.2054	0.1311	0.1813	0.1117	0.1349	0.1651	0.2014	0.1664	0.1200
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	L2204508	L2210959	L2216979	L2223014	L2228193	L2235127	L2242144-02	L2249620	L2253279	L2260708	L2266794	L2271782
Acetone Influent	2.6	2.2	8	2.6	ND	ND	1.5	2.7	ND	ND	ND	ND
Acetone Effluent	ND	ND	3.6 J	2.6	ND	ND	ND	2	ND	ND	ND	ND

Table 2
TFE System - Influent/Effluent Air Monitoring
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project #2222575

DATE	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/13	1/7/14	4/29/14
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st
Air Discharge Flow (CFM)	540	640	600	580	520	640	760	460	520	505	360	420	410	435	425	430	380	360	360	405	400
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	74	143	118	120	165	82	45	45	21	20	15	6	12	11	10	10	10	7	10	16	1
Total VOCs (ug/m3)	21,957.0	20,939.0	6,677.0	29,558.9	34,030.2	29,026.9	23,110.0	8,803.1	1,431.0	18,422.6	2,551.0	2,057.0	2,166.5	1,769.9	1,032.2	1,345.6	995.6	1,823.2	357.9	22,896.8	4,879.7
Convert Total VOCs to g/m3	0.02196	0.02094	0.00668	0.02956	0.03403	0.02903	0.02311	0.00880	0.00143	0.01842	0.00255	0.00206	0.00217	0.00177	0.00103	0.00135	0.00100	0.00182	0.00036	0.02290	0.00488
Convert Total VOCs to g/CF	0.00062	0.00059	0.00019	0.00084	0.00096	0.00082	0.00065	0.00025	0.00004	0.00052	0.00007	0.00006	0.00006	0.00005	0.00003	0.00004	0.00003	0.00005	0.00001	0.00065	0.00014
Convert Total VOCs to g/hour	20.14	22.77	6.81	29.13	30.07	31.56	29.84	6.88	1.26	15.81	1.56	1.47	1.51	1.31	0.75	0.98	0.64	1.12	0.22	15.76	3.32
Convert Total VOCs to pounds/hour	0.0444	0.0502	0.0150	0.0642	0.0663	0.0696	0.0658	0.0152	0.0028	0.0348	0.0034	0.0032	0.0033	0.0029	0.0016	0.0022	0.0014	0.0025	0.0005	0.0347	0.0073
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	1.0659	1.2047	0.3601	1.5412	1.5908	1.6700	1.5789	0.3640	0.0669	0.8364	0.0826	0.0777	0.0799	0.0692	0.0394	0.0520	0.0340	0.0590	0.0116	0.8336	0.1755
Lab Report #	12A0397	12B0885	12D0015	12D0895	12E0957	12G0304	12H0617	12J0712	12K0799	12L0712	13B0330	13C0830	13E0185	13E0809	13F0662	SB74042	SB75470	SB77400	SB79403	SB83125	SB88501

DATE	5/21/14	6/30/14	7/24/14	8/28/14	9/17/14	10/22/14	11/18/14	12/18/14	2/5/15	2/25/15	3/19/15	4/16/15	5/27/15	6/26/15	7/20/15	8/24/15	9/30/15	10/22/15	11/24/15	12/14/15	1/29/16
Month	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th	37th	38th	39th	40th	41st	42nd
Air Discharge Flow (CFM)	390	405	380	420	350	640	340	330	320	320	325	350	330	350	340	300	310	315	320	325	325
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	1	1	1.5	1	5	5	5	5	9	7	8	10	9	10	9	11	10	9	9	9	10
Total VOCs (ug/m3)	6,552.0	8,954.1	6,293.8	9,626.6	7,461.8	9,557.1	12,184.4	1,162.1	5,436.8	6,801.8	7,551.5	4,263.4	3,438.1	5,142.21	4,511.4	5,643.6	21,894.7	9,012.99	5,084.43	3,817.48	
Convert Total VOCs to g/m3	0.00655	0.00895	0.00629	0.00963	0.00746	0.00956	0.01218	0.00116	0.00544	0.00680	0.00755	0.00426	0.00344	0.00514	0.00451	0.00564	0.02189	0.00901	0.00508	0.00382	
Convert Total VOCs to g/CF	0.00019	0.00025	0.00018	0.00027	0.00021	0.00027	0.00035	0.00003	0.00015	0.00019	0.00021	0.00012	0.00010	0.00015	0.00013	0.00016	0.00062	0.00026	0.00014	0.00011	No sample collected due to summa canister valve failure
Convert Total VOCs to g/hour	4.34	6.16	4.06	6.87	4.44	10.39	7.04	0.65	2.96	3.70	4.17	2.54	1.93	3.06	2.61	2.88	11.53	4.82	2.76	2.11	
Convert Total VOCs to pounds/hour	0.0096	0.0136	0.0090	0.0151	0.0098	0.0229	0.0155	0.0014	0.0065	0.0082	0.0092	0.0056	0.0042	0.0067	0.0057	0.0063	0.0254	0.0106	0.0061	0.0046	
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
Convert Total VOCs to pounds/day	0.2297	0.3260	0.2150	0.3635	0.2348	0.5499	0.3724	0.0345	0.1564	0.1957	0.2206	0.1341	0.1020	0.1618	0.1379	0.1522	0.6102	0.2552	0.1463	0.1115	
Lab Report #	SB89876	SB92245	SB93623	SB95601	SB96623	SB98612	SB99940	SC01717	SC03108	SC03776	SC04622	SC06229	SC07979	SC09384	SC10366	SC11898	L1524627	L1527054	L1531084	L1532962	

DATE	2/8/16	3/17/16	4/15/16	5/25/16	6/21/16	7/22/16	8/19/16	11/7/16	12/15/16	1/13/17	3/7/17	3/29/17	4/28/17	5/23/17	6/21/17	7/10/17	8/24/17	9/26/17	10/27/17	11/28/17
Month	43rd	44th	45th	46th	47th	48th	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th	61st	62nd
Air Discharge Flow (CFM)	340	360	305	320	320	310	320	300	320	320	330	330	310	350	330	340	320	345	335	350
Air Stack Discharge Concentration																				
Field Screening PID (ppm)	10	10	5	5	5	5	5	1.5	5	5.0	2.0	4.0	2.0	2.0	3.0	2.0	2.0	2.0	3.0	4.0
Total VOCs (ug/m3)	1,805.14	3,168.11	6,384	14,473	10,253	6,961	8,802	8,524	3,075	18,963	11,490	17,547	5,244	14,073	13,607	11,391	10,781	10,823	14,439	4,560
Convert Total VOCs to g/m3	0.00181	0.00317	0.00638	0.01447	0.01025	0.00696	0.00880	0.00852	0.00308	0.01896	0.01149	0.01755	0.00524	0.01407	0.01361	0.01139	0.01078	0.01082	0.01444	0.00456
Convert Total VOCs to g/CF	0.00005	0.00009	0.00018	0.00041	0.00029	0.00020	0.00025	0.00024	0.00009	0.00054	0.00033	0.00050	0.00015	0.00040	0.00039	0.00032	0.00031	0.00031	0.00041	0.00013
Convert Total VOCs to g/hour	1.04	1.94	3.31	7.87	5.57	3.67	4.79	3.31	1.67	10.31	6.44	9.84	2.76	8.37	7.63	6.58	5.86	6.34	8.22	2.71
Convert Total VOCs to pounds/hour	0.0023	0.0043	0.0073	0.0173	0.0123	0.0081	0.0106	0.0096	0.0037	0.0227	0.0142	0.0217	0.0061	0.0184	0.0168	0.0145	0.0129	0.0140	0.0181	0.0060
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	0.0552	0.1025	0.1750	0.4163	0.2949	0.1940	0.2532	0.2299	0.0885	0.5455	0.3409	0.5205	0.1461	0.4428	0.4037	0.3482	0.3101	0.3357	0.4348	0.1435
Lab Report #	L1532963	L1532964	L1611269	L1615893	L1619014	L1623002	L1626134	L1635986	L1641034	L1701348	L1707049	L1709449	L1713884	L1716739	L1721098	L1723322	L1729934	L1734408	L1739207	L1743448

Table 2
TFE System - Influent/Effluent Air Monitoring
136 Fuller Road, Albany, New York - BCP Site # C40155
LaBella Project #2222575

DATE	12/20/17	1/25/18	2/26/18	3/15/18	4/25/18	6/29/18	8/13/18	9/20/18	10/26/18	11/29/18	12/18/18	1/16/19	5/28/19	6/21/19	8/28/19	9/27/19	10/30/19	11/29/19	12/21/19
Month	63rd	64th	65th	66th	67th	68th	69th	70th	71st	72nd	73rd	74th	75th	76th	77th	78th	79th	80th	81st
Air Discharge Flow (CFM)	330	340	320	315	290	305	320	315	310	325	320	320	342	198	312	342	324	330	328
Air Stack Discharge Concentration																			
Field Screening PID (ppm)	2.0	2.0	2.0	3.0	2.0	1.5	2.0	2.0	3.0	2.0	4.0	2.5	0.5	0.5	2.0	2.5	4	2.5	3
Total VOCs (ug/m3)	3,143	5,482	13,260	3,143	5,550	10,200	76,404	5,979	12,618	14,225	7,899	8,621	575	894	28665	29275.7	18728.1	12257.4	19728.3
Convert Total VOCs to g/m3	0.00314	0.00548	0.01326	0.00314	0.00555	0.01020	0.07640	0.00598	0.01262	0.01422	0.00790	0.00862	0.00058	0.00089	0.02867	0.02928	0.01873	0.01226	0.01973
Convert Total VOCs to g/CF	0.00009	0.00016	0.00038	0.00009	0.00016	0.00029	0.00216	0.00017	0.00036	0.00040	0.00022	0.00024	0.00002	0.00003	0.00081	0.00083	0.00053	0.00035	0.00056
Convert Total VOCs to g/hour	1.76	3.17	7.21	1.68	2.73	5.29	41.54	3.20	6.65	7.85	4.29	4.69	0.33	0.30	15.20	17.01	10.31	6.87	10.99
Convert Total VOCs to pounds/hour	0.0039	0.0070	0.0159	0.0037	0.0060	0.0117	0.0916	0.0071	0.0147	0.0173	0.0095	0.0103	0.0007	0.0007	0.0335	0.0375	0.0227	0.0152	0.0242
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	0.0932	0.1676	0.3815	0.0890	0.1447	0.2797	2.1979	0.1693	0.3516	0.4156	0.2272	0.2480	0.0177	0.0159	0.8040	0.9001	0.5455	0.3636	0.5817
Lab Report #	L1747074	L1802728	L1806663	L1808876	L1814576	L1825074	L1831640	L1837773	L1843929	L1848910	L1852747	L1902045	L1922378	L1927295	L1939152	L1945128	L1951307	L1957600	L1961557

DATE	1/24/20	2/26/20	3/25/20	4/24/20	5/27/20	6/22/20	7/29/2020	8/26/2020	9/18/2020	11/3/2020	11/30/2020	12/15/2020	1/9/2021	2/9/2021	3/26/2021	5/5/2021	5/26/2021	6/25/2021	7/28/2021	8/28/2021	9/29/2021	
Month	82nd	83rd	84th	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th	97th	98th	99th	100th	101st	102nd	
Air Discharge Flow (CFM)	270	261	265	148	144	144	154	158	148	80	140	145	NA	130	126	126	128	126	153	150	154	
Air Stack Discharge Concentration																						
Field Screening PID (ppm)	6.4	5.3	5.5	6.5	6.0	1.2	0.95	1.2	1.5	4.1	3.2	2.5	System OFF. No Sample Collected.	1.2	0.5	1.5	2.0	1.2	1.6	1.8	0.850	
Total VOCs (ug/m3)	16,600	7,636	9,217	14,427	9,963	6,148	1,240	1,698	1,548	33,392	9,950	5,465		229	2813.95	4771.67	4415.46	4466.28	4976.6	5448.5	4498.84	
Convert Total VOCs to g/m3	0.01660	0.00764	0.00922	0.01443	0.00996	0.00615	0.00124	0.00170	0.00155	0.03339	0.00995	0.00547		0.00023	0.00281	0.00477	0.00442	0.00447	0.00498	0.00545	0.00450	
Convert Total VOCs to g/CF	0.00047	0.00022	0.00026	0.00041	0.00028	0.00017	0.00004	0.00005	0.00004	0.00095	0.00028	0.00015		0.00001	0.00008	0.00014	0.00013	0.00013	0.00013	0.00014	0.00015	0.00013
Convert Total VOCs to g/hour	7.61	3.39	4.15	3.63	2.44	1.50	0.32	0.46	0.39	4.54	2.37	1.35		0.05	0.60	1.02	0.96	0.96	1.29	1.39	1.18	
Convert Total VOCs to pounds/hour	0.0168	0.0075	0.0091	0.0080	0.0054	0.0033	0.0007	0.0010	0.0009	0.0100	0.0052	0.0030		0.0001	0.0013	0.0023	0.0021	0.0021	0.0029	0.0031	0.0026	
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES		YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	0.4029	0.1792	0.2196	0.1919	0.1290	0.0796	0.0172	0.0241	0.0206	0.2401	0.1252	0.0712		0.0027	0.0319	0.0540	0.0508	0.0506	0.0684	1.2100	0.0623	
Lab Report #	L2003509	L2008421	L2013278	L2017129	L2021892	L2026216	L2031205	L2034954	L2039287	L2048161	L2053071	L2053072		L2106096	L2115386	L2123252	L2128015	L2134581	L2140512	L2140513	L2152787	

DATE	10/29/21	12/16/21	1/12/22	1/27/22	3/2/22	4/1/22	4/30/22	5/27/22	6/30/22	8/4/22	9/13/22	9/27/22	10/28/22	11/29/22	12/21/22
Month	103rd	104th	105th	106th	107th	108th	109th	110th	111th	112th	113th	114th	115th	116th	117th
Air Discharge Flow (CFM)	126	132	147	140	150	158	160	158	175	162	162	162	140	165	150
Air Stack Discharge Concentration															
Field Screening PID (ppm)	1.5	1.5	0.9	0.52	4.20	6.50	5.2	5	4	7.3	8	8	1.6	7.2	6.7
Total VOCs (ug/m3)	4,242	7,060	2,278	1,697	3,260	5,518	4,869	4,546	1,218	10,414	7,357	10,169	7,021	10,286	10,075
Convert Total VOCs to g/m3	0.00424	0.00706	0.00228	0.00170	0.00326	0.00552	0.00487	0.00455	0.00122	0.01041	0.00736	0.01017	0.00702	0.01029	0.01008
Convert Total VOCs to g/CF	0.00012	0.00020	0.00006	0.00005	0.00009	0.00016	0.00014	0.00013	0.00003	0.00029	0.00021	0.00029	0.00020	0.00029	0.00029
Convert Total VOCs to g/hour	0.91	1.58	0.57	0.40	0.83	1.48	1.32	1.22	0.36	2.87	2.02	2.80	1.67	2.88	2.57
Convert Total VOCs to pounds/hour	0.0020	0.0035	0.0013	0.0009	0.0018	0.0033	0.0029	0.0027	0.0008	0.0063	0.0045	0.0062	0.0037	0.0064	0.0057
Air Effluent Action Level (pounds/h)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	0.0480	0.0838	0.0301	0.0214	0.0440	0.0784	0.0700	0.0646	0.0192	0.1517	0.1071	0.1481	0.0884	0.1526	0.1359
Lab Report #	L2159524	L2165607	L2201808	L2204520	L2210958	L2217120	L2223054	L2228289	L2235196	L2242472	L2249593	L2249594	L2260711	L2266777	L2271970

Table 3
TFE System - Total Mass Removal Calculations
136 Fuller Road, Albany New York - BCP Site # C40155
LaBella Project # 2222575

DATE	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th
Pounds Per Day												
Mass removed Liquid Phase	0.0042	0.00597	0.0025	0.0039	0.0059	0.0006	0.00022	0.00047	0.00102	0.00021	0.00006	0.00003
Mass removed Vapor Phase	1.0659	1.2047	0.3601	1.5412	1.5908	1.6700	1.5789	0.3640	0.0669	0.8364	0.0826	0.0777
TOTAL	1.070	1.2107	0.3626	1.5451	1.5967	1.6707	1.5791	0.3645	0.0679	0.8366	0.0826	0.0777

DATE	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/13	1/7/14	4/29/14	5/21/14	6/30/14	7/24/14
Month	13th	14th	15th	16th	17th	18th	19th	20th	21st	22nd	23rd	24th
Pounds Per Day												
Mass removed Liquid Phase	0.00010	0.00005	0.00018	0.00027	0.00012	0.00027	0.00023	0.00233	0.00061	0.00062	0.00099	0.00011
Mass removed Vapor Phase	0.0799	0.0692	0.0394	0.0520	0.0340	0.0590	0.0116	0.8336	0.1755	0.2297	0.3260	0.2150
TOTAL	0.0800	0.0693	0.0396	0.0523	0.0341	0.0593	0.0118	0.8360	0.1761	0.2303	0.3270	0.2151

DATE	8/28/14	9/17/14	10/22/14	11/18/14	12/18/14	2/5/15	2/25/15	3/19/15	4/16/15	5/27/15	6/26/15	7/20/15
Month	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th
Pounds Per Day												
Mass removed Liquid Phase	0.00050	0.00012	0.00045	0.00057	0.00095	0.00062	0.00041	0.00076	0.00057	0.00084	0.00036	0.00029
Mass removed Vapor Phase	0.3635	0.2348	0.5499	0.3724	0.0345	0.1564	0.1957	0.2206	0.1341	0.1020	0.1618	0.1379
TOTAL	0.3640	0.2349	0.5503	0.3730	0.0354	0.1570	0.1961	0.2214	0.1347	0.1028	0.1622	0.1382

DATE	8/24/15	9/30/15	10/22/15	11/24/15	12/14/15	1/29/16	2/8/16	3/17/16	4/15/16	5/25/16	6/21/16	7/22/16
Month	37th	38th	39th	40th	41st	42nd	43rd	44th	45th	46th	47th	48th
Pounds Per Day												
Mass removed Liquid Phase	0.00026	0.00027	0.00014	0.00019	0.00005	No data	0.00012	0.00009	0.00011	0.00010	0.00001	0.00002
Mass removed Vapor Phase	0.1522	0.6102	0.2552	0.1463	0.1115	No data	0.0552	0.1025	0.1750	0.4163	0.2949	0.1940
TOTAL	0.1525	0.6104	0.2554	0.1465	0.1116	No data	0.0553	0.1026	0.1752	0.4164	0.2950	0.1940

DATE	8/19/16	11/7/16	12/15/16	1/13/17	3/7/17	3/29/17	4/28/17	5/23/17	6/21/17	7/10/17	8/24/17	9/26/17
Month	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th
Pounds Per Day												
Mass removed Liquid Phase	0.00004	0.00123	0.00026	0.00125	0.00149	0.00159	0.00002	0.00017	0.00202	0.00168	0.00064	0.00072
Mass removed Vapor Phase	0.2532	0.2299	0.0885	0.5455	0.3409	0.5205	0.1461	0.4428	0.4037	0.3482	0.3101	0.3357
TOTAL	0.2533	0.2311	0.0887	0.5468	0.3424	0.5221	0.1462	0.4430	0.4057	0.3499	0.3108	0.3364

Table 3
TFE System - Total Mass Removal Calculations
136 Fuller Road, Albany New York - BCP Site # C40155
LaBella Project # 2222575

DATE	10/27/17	11/28/17	12/20/17	1/25/18	2/26/18	3/15/18	4/25/18	6/29/18	8/13/18	9/20/18	10/26/18	11/29/18
Month	61st	62nd	63rd	64th	65th	66th	67th	68th	69th	70th	71st	72nd
Pounds Per Day												
Mass removed Liquid Phase	0.00065	0.00011	0.00005	0.00079	0.00088	0.00073	0.00055	0.00178	0.00140	0.00034	0.00530	0.00020
Mass removed Vapor Phase	0.4348	0.1435	0.0932	0.1676	0.3815	0.0890	0.1447	0.2797	2.1979	0.1693	0.3516	0.4156
TOTAL	0.4355	0.1436	0.0933	0.1683	0.3823	0.0897	0.1452	0.2814	2.1993	0.1696	0.3569	0.4158

DATE	12/18/18	1/16/19	5/28/19	6/21/19	8/28/19	9/27/19	10/30/19	11/29/19	12/21/19	1/24/20	2/26/20	3/25/20
Month	73rd	74th	75th	76th	77th	78th	79th	80th	81st	82nd	83rd	84th
Pounds Per Day												
Mass removed Liquid Phase	0.00033	0.00009	0.00002	0.00015	0.00066	0.00831	0.00429	0.00300	0.00226	0.00190	0.00183	0.00179
Mass removed Vapor Phase	0.2272	0.2480	0.0177	0.0159	0.8040	0.9001	0.5455	0.3636	0.5817	0.4029	0.1792	0.2196
TOTAL	0.2276	0.2481	0.0177	0.0161	0.8047	0.9084	0.5498	0.3666	0.5840	0.4048	0.1810	0.2214


DATE	4/24/20	5/27/20	6/22/20	7/29/20	8/20/20	9/18/20	11/3/20	11/30/20	12/15/20	1/9/21	2/9/21	3/26/21
Month	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th
Pounds Per Day												
Mass removed Liquid Phase	0.00177	0.00049	0.00026	0.00023	0.00106	0.00128	0.00052	0.00116	0.00155	System OFF. No Sample Collected.	0.0000001	0.0001432
Mass removed Vapor Phase	0.1919	0.1290	0.0796	0.0172	0.0241	0.0206	0.2401	0.1252	0.0712		0.0027	0.0319
TOTAL	0.1937	0.1295	0.0798	0.0174	0.0252	0.0219	0.2407	0.1264	0.0728		0.0027	0.0320

DATE	5/5/21	5/26/21	6/25/21	7/28/21	8/28/21	9/29/21	10/29/21	12/16/21	1/12/22	1/13/22	3/2/22	4/1/22
Month	97th	98th	99th	100th	101st	102nd	103rd	104th	105th	106th	107th	108th
Pounds Per Day												
Mass removed Liquid Phase	0.00069	0.00033	0.00017	0.00033	0.00035	0.00071	0.00026	0.00284	0.00014	0.00023	0.00039	0.00310
Mass removed Vapor Phase	0.0540	0.0508	0.0506	0.0684	1.2100	0.0623	0.0480	0.0838	0.0301	0.0214	0.0440	0.0784
TOTAL	0.0547	0.0511	0.0508	0.0688	1.2104	0.0630	0.0483	0.0866	0.0302	0.0216	0.0444	0.0815


DATE	4/30/22	5/27/22	6/30/22	8/4/22	9/13/22	9/27/22	10/28/22	11/29/22	12/21/22
Month	109th	110th	111th	112th	113th	114th	115th	116th	117th
Pounds Per Day									
Mass removed Liquid Phase	0.00340	0.00033	0.00125	0.00021	0.00191	0.00239	0.00115	0.00150	0.00325
Mass removed Vapor Phase	0.0700	0.0646	0.0192	0.1517	0.1071	0.1481	0.0884	0.1526	0.1359
TOTAL	0.0734	0.0649	0.0204	0.1519	0.1090	0.1505	0.0895	0.1541	0.1391



Total VOCs in Air Stack Exhaust (ug/m3) December 2011 through December 2022



HVE/SVE System VOC Mass Removal
December 2011 through December 2022





Technical Report

prepared for:

LaBella Associates (Poughkeepsie)

21 Fox Street

Poughkeepsie NY, 12601

Attention: Branson Fields

Report Date: 12/28/2022

Client Project ID: 2222575 136 Fuller Road

York Project (SDG) No.: 22L0969

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615
(203) 325-1371

132-02 89th AVENUE
FAX (203) 357-0166

RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Report Date: 12/28/2022
Client Project ID: 2222575 136 Fuller Road
York Project (SDG) No.: 22L0969

LaBella Associates (Poughkeepsie)
21 Fox Street
Poughkeepsie NY, 12601
Attention: Branson Fields

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on December 16, 2022 and listed below. The project was identified as your project: **2222575 136 Fuller Road**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
22L0969-01	MW-10	Water	12/14/2022	12/16/2022
22L0969-02	MW-25	Water	12/14/2022	12/16/2022
22L0969-03	MW-27	Water	12/14/2022	12/16/2022
22L0969-04	MW-30	Water	12/14/2022	12/16/2022
22L0969-05	MW-32	Water	12/14/2022	12/16/2022
22L0969-06	MW-33	Water	12/14/2022	12/16/2022

General Notes for York Project (SDG) No.: 22L0969

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By: 

Date: 12/28/2022

Cassie L. Mosher
Laboratory Manager





Sample Information

Client Sample ID: MW-10

York Sample ID: 22L0969-01

York Project (SDG) No.
22L0969

Client Project ID
2222575 136 Fuller Road

Matrix
Water

Collection Date/Time
December 14, 2022 3:45 pm

Date Received
12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	3.9		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
75-34-3	1,1-Dichloroethane	5.4		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
75-35-4	1,1-Dichloroethylene	3.0		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC



Sample Information

Client Sample ID: MW-10

York Sample ID: 22L0969-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 3:45 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
74-87-3	Chloromethane	0.23	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
156-59-2	cis-1,2-Dichloroethylene	630		ug/L	5.0	12	25	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/23/2022 12:30	12/23/2022 23:49	OC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:14	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC
127-18-4	Tetrachloroethylene	7.6	CCVE, ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:14	OC



Sample Information

Client Sample ID: MW-10

York Sample ID: 22L0969-01

Table with 5 columns: York Project (SDG) No., Client Project ID, Matrix, Collection Date/Time, Date Received. Values: 22L0969, 2222575 136 Fuller Road, Water, December 14, 2022 3:45 pm, 12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Main data table with 13 columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Includes rows for Toluene, trans-1,2-Dichloroethylene, trans-1,3-Dichloropropylene, Trichloroethylene, Trichlorofluoromethane, Vinyl Chloride, Xylenes, Total, and Surrogate Recoveries.

Sample Information

Client Sample ID: MW-25

York Sample ID: 22L0969-02

Table with 5 columns: York Project (SDG) No., Client Project ID, Matrix, Collection Date/Time, Date Received. Values: 22L0969, 2222575 136 Fuller Road, Water, December 14, 2022 12:20 pm, 12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Main data table with 13 columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Includes rows for 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113), 1,1,2-Trichloroethane, 1,1-Dichloroethane, and 1,1-Dichloroethylene.



Sample Information

Client Sample ID: MW-25

York Sample ID: 22L0969-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:20 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-00-3	Chloroethane	3.0		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC



Sample Information

Client Sample ID: MW-25

York Sample ID: 22L0969-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:20 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
156-59-2	cis-1,2-Dichloroethylene	3.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-71-8	Dichlorodifluoromethane	1.5	ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 14:42	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
79-01-6	Trichloroethylene	1.5		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-69-4	Trichlorofluoromethane	0.55		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
75-01-4	Vinyl Chloride	1.3		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 14:42	OC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058	12/22/2022 09:00	12/22/2022 14:42	OC



Sample Information

Client Sample ID: MW-25

York Sample ID: 22L0969-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:20 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Includes surrogate recoveries for 17060-07-0, 2037-26-5, and 460-00-4.

Sample Information

Client Sample ID: MW-27

York Sample ID: 22L0969-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:50 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Lists various organic compounds and their results.



Sample Information

Client Sample ID: MW-27

York Sample ID: 22L0969-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:50 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
67-64-1	Acetone	1.6	J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
74-87-3	Chloromethane	0.21	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
156-59-2	cis-1,2-Dichloroethylene	1.8		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC



Sample Information

Client Sample ID: MW-27

York Sample ID: 22L0969-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 12:50 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:10	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
127-18-4	Tetrachloroethylene	4.6	CCVE, ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
79-01-6	Trichloroethylene	1.4		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:10	OC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058	12/22/2022 09:00	12/22/2022 15:10	OC
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	104 %	69-130								
2037-26-5	Surrogate: SURRE: Toluene-d8	98.5 %	81-117								
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	98.5 %	79-122								



Sample Information

Client Sample ID: MW-30

York Sample ID: 22L0969-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 1:35 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	970		ug/L	5.0	12	25	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/23/2022 12:30	12/24/2022 00:17	OC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
75-34-3	1,1-Dichloroethane	440		ug/L	5.0	12	25	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/23/2022 12:30	12/24/2022 00:17	OC
75-35-4	1,1-Dichloroethylene	49		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 15:38	OC
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
107-06-2	1,2-Dichloroethane	3.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 15:38	OC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
67-64-1	Acetone	2.7		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 15:38	OC
71-43-2	Benzene	2.8		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 15:38	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC



Sample Information

Client Sample ID: MW-30

York Sample ID: 22L0969-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 1:35 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
108-90-7	Chlorobenzene	0.62		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
75-00-3	Chloroethane	120		ug/L	5.0	12	25	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/23/2022 12:30	12/24/2022 00:17	OC
67-66-3	Chloroform	0.23	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
156-59-2	cis-1,2-Dichloroethylene	5100		ug/L	20	50	100	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/28/2022 09:00	12/28/2022 12:21	SA
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
75-71-8	Dichlorodifluoromethane	24	ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
100-41-4	Ethyl Benzene	11		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
98-82-8	Isopropylbenzene	0.94		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
108-87-2	Methylcyclohexane	2.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
95-47-6	o-Xylene	41		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
179601-23-1	p- & m- Xylenes	56		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 15:38	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 15:38	OC
127-18-4	Tetrachloroethylene	3400		ug/L	20	50	100	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/28/2022 09:00	12/28/2022 12:21	SA



Sample Information

Client Sample ID: MW-30

York Sample ID: 22L0969-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 1:35 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Includes rows for Toluene, trans-1,2-Dichloroethylene, trans-1,3-Dichloropropylene, Trichloroethylene, Trichlorofluoromethane, Vinyl Chloride, Xylenes, Total, and Surrogate Recoveries.

Sample Information

Client Sample ID: MW-32

York Sample ID: 22L0969-05

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 2:45 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Includes rows for 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113), 1,1,2-Trichloroethane, and 1,1-Dichloroethane.



Sample Information

Client Sample ID: MW-32

York Sample ID: 22L0969-05

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 2:45 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-35-4	1,1-Dichloroethylene	69		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:06	OC
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
108-90-7	Chlorobenzene	0.24	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC



Sample Information

Client Sample ID: MW-32

York Sample ID: 22L0969-05

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 2:45 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
74-87-3	Chloromethane	0.24	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
156-59-2	cis-1,2-Dichloroethylene	160		ug/L	5.0	12	25	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/23/2022 12:30	12/24/2022 00:45	OC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
75-71-8	Dichlorodifluoromethane	0.27	ICVE, J	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
79-20-9	Methyl acetate	0.50		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	0.90		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
108-87-2	Methylcyclohexane	1.9		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:06	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
127-18-4	Tetrachloroethylene	4200		ug/L	20	50	100	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/28/2022 09:00	12/28/2022 12:48	SA
108-88-3	Toluene	0.20	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
156-60-5	trans-1,2-Dichloroethylene	0.63		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
79-01-6	Trichloroethylene	74		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC
75-69-4	Trichlorofluoromethane	2.4		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:06	OC



Sample Information

Client Sample ID: MW-32

York Sample ID: 22L0969-05

<u>York Project (SDG) No.</u> 22L0969	<u>Client Project ID</u> 2222575 136 Fuller Road	<u>Matrix</u> Water	<u>Collection Date/Time</u> December 14, 2022 2:45 pm	<u>Date Received</u> 12/16/2022
--	---	------------------------	--	------------------------------------

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-01-4	Vinyl Chloride	0.31	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:06	OC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058	12/22/2022 09:00	12/22/2022 16:06	OC
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	107 %			69-130						
2037-26-5	Surrogate: SURRE: Toluene-d8	102 %			81-117						
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	96.9 %			79-122						

Sample Information

Client Sample ID: MW-33

York Sample ID: 22L0969-06

<u>York Project (SDG) No.</u> 22L0969	<u>Client Project ID</u> 2222575 136 Fuller Road	<u>Matrix</u> Water	<u>Collection Date/Time</u> December 14, 2022 3:20 pm	<u>Date Received</u> 12/16/2022
--	---	------------------------	--	------------------------------------

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	5.4		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
75-34-3	1,1-Dichloroethane	83		ug/L	2.0	5.0	10	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/23/2022 12:30	12/24/2022 01:13	OC
75-35-4	1,1-Dichloroethylene	12		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC



Sample Information

Client Sample ID: MW-33

York Sample ID: 22L0969-06

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 3:20 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
107-06-2	1,2-Dichloroethane	0.34	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
106-46-7	1,4-Dichlorobenzene	0.75		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
71-43-2	Benzene	0.47	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
75-27-4	Bromodichloromethane	1.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
75-15-0	Carbon disulfide	0.72		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
75-00-3	Chloroethane	7.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
156-59-2	cis-1,2-Dichloroethylene	49		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC



Sample Information

Client Sample ID: MW-33

York Sample ID: 22L0969-06

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

22L0969

2222575 136 Fuller Road

Water

December 14, 2022 3:20 pm

12/16/2022

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-71-8	Dichlorodifluoromethane	24	ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
100-41-4	Ethyl Benzene	1.5		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
98-82-8	Isopropylbenzene	0.64		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
1634-04-4	Methyl tert-butyl ether (MTBE)	0.25	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
108-87-2	Methylcyclohexane	0.84		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
95-47-6	o-Xylene	0.73		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP	12/22/2022 09:00	12/22/2022 16:35	OC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
127-18-4	Tetrachloroethylene	36	CCVE, ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PAI	12/22/2022 09:00	12/22/2022 16:35	OC
79-01-6	Trichloroethylene	15		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
75-69-4	Trichlorofluoromethane	65		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
75-01-4	Vinyl Chloride	0.99		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058,PA	12/22/2022 09:00	12/22/2022 16:35	OC
1330-20-7	Xylenes, Total	0.73	J	ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP,NELAC-NY12058	12/22/2022 09:00	12/22/2022 16:35	OC
Surrogate Recoveries		Result			Acceptance Range						
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	106 %			69-130						
2037-26-5	Surrogate: SURRE: Toluene-d8	98.9 %			81-117						
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	97.7 %			79-122						



Analytical Batch Summary

Batch ID: BL21345 **Preparation Method:** EPA 5030B **Prepared By:** SMA

YORK Sample ID	Client Sample ID	Preparation Date
22L0969-01	MW-10	12/22/22
22L0969-02	MW-25	12/22/22
22L0969-03	MW-27	12/22/22
22L0969-04	MW-30	12/22/22
22L0969-05	MW-32	12/22/22
22L0969-06	MW-33	12/22/22
BL21345-BLK1	Blank	12/22/22
BL21345-BS1	LCS	12/22/22
BL21345-BSD1	LCS Dup	12/22/22
BL21345-MS1	Matrix Spike	12/22/22
BL21345-MSD1	Matrix Spike Dup	12/22/22

Batch ID: BL21458 **Preparation Method:** EPA 5030B **Prepared By:** SMA

YORK Sample ID	Client Sample ID	Preparation Date
22L0969-01RE1	MW-10	12/23/22
22L0969-04RE1	MW-30	12/23/22
22L0969-05RE1	MW-32	12/23/22
22L0969-06RE1	MW-33	12/23/22
BL21458-BLK1	Blank	12/23/22
BL21458-BS1	LCS	12/23/22
BL21458-BSD1	LCS Dup	12/23/22

Batch ID: BL21613 **Preparation Method:** EPA 5030B **Prepared By:** SMA

YORK Sample ID	Client Sample ID	Preparation Date
22L0969-04RE2	MW-30	12/28/22
22L0969-05RE2	MW-32	12/28/22
BL21613-BLK1	Blank	12/28/22
BL21613-BS1	LCS	12/28/22
BL21613-BSD1	LCS Dup	12/28/22



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21345 - EPA 5030B

Blank (BL21345-BLK1)

Prepared & Analyzed: 12/22/2022

1,1,1-Trichloroethane	ND	0.50	ug/L								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,2,3-Trichlorobenzene	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2-Butanone	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Methyl-2-pentanone	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon disulfide	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Cyclohexane	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl acetate	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylcyclohexane	ND	0.50	"								
Methylene chloride	ND	2.0	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
Styrene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21345 - EPA 5030B											
Blank (BL21345-BLK1)											
Prepared & Analyzed: 12/22/2022											
Trichlorofluoromethane	ND	0.50	ug/L								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	10.6		"	10.0		106	69-130				
<i>Surrogate: SURR: Toluene-d8</i>	9.71		"	10.0		97.1	81-117				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	9.78		"	10.0		97.8	79-122				
LCS (BL21345-BS1)											
Prepared & Analyzed: 12/22/2022											
1,1,1-Trichloroethane	10		ug/L	10.0		100	78-136				
1,1,2,2-Tetrachloroethane	9.4		"	10.0		94.2	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.8		"	10.0		98.4	54-165				
1,1,2-Trichloroethane	8.9		"	10.0		88.6	82-123				
1,1-Dichloroethane	9.3		"	10.0		93.3	82-129				
1,1-Dichloroethylene	9.6		"	10.0		96.1	68-138				
1,2,3-Trichlorobenzene	8.0		"	10.0		79.8	76-136				
1,2,4-Trichlorobenzene	8.8		"	10.0		87.5	76-137				
1,2-Dibromo-3-chloropropane	8.5		"	10.0		85.2	45-147				
1,2-Dibromoethane	9.2		"	10.0		91.8	83-124				
1,2-Dichlorobenzene	9.0		"	10.0		89.7	79-123				
1,2-Dichloroethane	10		"	10.0		99.6	73-132				
1,2-Dichloropropane	9.0		"	10.0		89.8	78-126				
1,3-Dichlorobenzene	9.0		"	10.0		90.3	86-122				
1,4-Dichlorobenzene	9.0		"	10.0		89.5	85-124				
2-Butanone	9.4		"	10.0		93.7	49-152				
2-Hexanone	7.8		"	10.0		77.9	51-146				
4-Methyl-2-pentanone	8.4		"	10.0		84.5	57-145				
Acetone	6.0		"	10.0		60.5	14-150				
Benzene	9.9		"	10.0		99.4	85-126				
Bromochloromethane	9.5		"	10.0		95.4	77-128				
Bromodichloromethane	8.9		"	10.0		88.9	79-128				
Bromoform	9.2		"	10.0		92.5	78-133				
Bromomethane	11		"	10.0		110	43-168				
Carbon disulfide	9.9		"	10.0		99.2	68-146				
Carbon tetrachloride	10		"	10.0		101	77-141				
Chlorobenzene	9.8		"	10.0		97.6	88-120				
Chloroethane	10		"	10.0		101	65-136				
Chloroform	9.8		"	10.0		97.8	82-128				
Chloromethane	7.0		"	10.0		70.3	43-155				
cis-1,2-Dichloroethylene	9.7		"	10.0		97.3	83-129				
cis-1,3-Dichloropropylene	8.9		"	10.0		88.7	80-131				
Cyclohexane	8.7		"	10.0		87.2	63-149				
Dibromochloromethane	9.0		"	10.0		90.2	80-130				
Dichlorodifluoromethane	4.8		"	10.0		47.7	44-144				
Ethyl Benzene	9.2		"	10.0		91.5	80-131				
Isopropylbenzene	9.0		"	10.0		89.8	76-140				
Methyl acetate	8.2		"	10.0		81.7	51-139				
Methyl tert-butyl ether (MTBE)	9.4		"	10.0		93.5	76-135				
Methylcyclohexane	8.4		"	10.0		84.0	72-143				
Methylene chloride	9.6		"	10.0		96.1	55-137				
o-Xylene	9.1		"	10.0		90.7	78-130				



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21345 - EPA 5030B											
LCS (BL21345-BS1)											
Prepared & Analyzed: 12/22/2022											
p- & m- Xylenes	19		ug/L	20.0		93.7	77-133				
Styrene	9.5		"	10.0		94.9	67-132				
Tetrachloroethylene	5.1		"	10.0		51.2	82-131	Low Bias			
Toluene	9.1		"	10.0		91.0	80-127				
trans-1,2-Dichloroethylene	9.7		"	10.0		96.7	80-132				
trans-1,3-Dichloropropylene	8.8		"	10.0		87.5	78-131				
Trichloroethylene	8.4		"	10.0		84.3	82-128				
Trichlorofluoromethane	10		"	10.0		105	67-139				
Vinyl Chloride	8.6		"	10.0		86.1	58-145				
Surrogate: SURRE: 1,2-Dichloroethane-d4	10.3		"	10.0		103	69-130				
Surrogate: SURRE: Toluene-d8	9.63		"	10.0		96.3	81-117				
Surrogate: SURRE: p-Bromofluorobenzene	9.68		"	10.0		96.8	79-122				
LCS Dup (BL21345-BSD1)											
Prepared & Analyzed: 12/22/2022											
1,1,1-Trichloroethane	9.3		ug/L	10.0		93.1	78-136		7.35		30
1,1,2,2-Tetrachloroethane	9.5		"	10.0		95.2	76-129		1.06		30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.0		"	10.0		90.5	54-165		8.36		30
1,1,2-Trichloroethane	9.1		"	10.0		90.7	82-123		2.34		30
1,1-Dichloroethane	8.8		"	10.0		87.9	82-129		5.96		30
1,1-Dichloroethylene	8.9		"	10.0		89.2	68-138		7.45		30
1,2,3-Trichlorobenzene	8.1		"	10.0		81.0	76-136		1.49		30
1,2,4-Trichlorobenzene	8.8		"	10.0		87.8	76-137		0.342		30
1,2-Dibromo-3-chloropropane	8.7		"	10.0		87.3	45-147		2.43		30
1,2-Dibromoethane	9.3		"	10.0		92.8	83-124		1.08		30
1,2-Dichlorobenzene	8.8		"	10.0		87.6	79-123		2.37		30
1,2-Dichloroethane	9.8		"	10.0		97.7	73-132		1.93		30
1,2-Dichloropropane	8.8		"	10.0		88.3	78-126		1.68		30
1,3-Dichlorobenzene	8.7		"	10.0		86.6	86-122		4.18		30
1,4-Dichlorobenzene	8.6		"	10.0		86.1	85-124		3.87		30
2-Butanone	9.7		"	10.0		96.6	49-152		3.05		30
2-Hexanone	8.0		"	10.0		80.3	51-146		3.03		30
4-Methyl-2-pentanone	8.8		"	10.0		87.8	57-145		3.83		30
Acetone	6.1		"	10.0		60.7	14-150		0.330		30
Benzene	9.4		"	10.0		93.5	85-126		6.12		30
Bromochloromethane	9.3		"	10.0		92.6	77-128		2.98		30
Bromodichloromethane	8.6		"	10.0		86.4	79-128		2.85		30
Bromoform	9.4		"	10.0		94.3	78-133		1.93		30
Bromomethane	11		"	10.0		105	43-168		4.72		30
Carbon disulfide	9.0		"	10.0		90.4	68-146		9.28		30
Carbon tetrachloride	9.4		"	10.0		93.9	77-141		7.09		30
Chlorobenzene	9.5		"	10.0		94.6	88-120		3.12		30
Chloroethane	9.4		"	10.0		94.4	65-136		7.05		30
Chloroform	9.3		"	10.0		92.7	82-128		5.35		30
Chloromethane	6.5		"	10.0		64.8	43-155		8.14		30
cis-1,2-Dichloroethylene	9.2		"	10.0		91.5	83-129		6.14		30
cis-1,3-Dichloropropylene	8.7		"	10.0		87.1	80-131		1.82		30
Cyclohexane	8.1		"	10.0		81.0	63-149		7.37		30
Dibromochloromethane	9.1		"	10.0		90.6	80-130		0.442		30
Dichlorodifluoromethane	4.4		"	10.0		43.7	44-144	Low Bias	8.75		30
Ethyl Benzene	8.8		"	10.0		87.8	80-131		4.13		30



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21345 - EPA 5030B

LCS Dup (BL21345-BSD1)

Prepared & Analyzed: 12/22/2022

Isopropylbenzene	8.5		ug/L	10.0		84.9	76-140		5.61	30	
Methyl acetate	8.3		"	10.0		82.6	51-139		1.10	30	
Methyl tert-butyl ether (MTBE)	9.3		"	10.0		93.0	76-135		0.536	30	
Methylcyclohexane	8.0		"	10.0		79.6	72-143		5.38	30	
Methylene chloride	9.4		"	10.0		93.6	55-137		2.64	30	
o-Xylene	8.8		"	10.0		88.2	78-130		2.79	30	
p- & m- Xylenes	18		"	20.0		89.8	77-133		4.25	30	
Styrene	9.2		"	10.0		92.4	67-132		2.67	30	
Tetrachloroethylene	4.9		"	10.0		48.7	82-131	Low Bias	5.01	30	
Toluene	8.8		"	10.0		87.6	80-127		3.81	30	
trans-1,2-Dichloroethylene	9.0		"	10.0		90.3	80-132		6.84	30	
trans-1,3-Dichloropropylene	8.8		"	10.0		87.6	78-131		0.114	30	
Trichloroethylene	8.0		"	10.0		79.9	82-128	Low Bias	5.36	30	
Trichlorofluoromethane	9.6		"	10.0		96.3	67-139		8.26	30	
Vinyl Chloride	7.9		"	10.0		79.3	58-145		8.22	30	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.4		"	10.0		104	69-130				
Surrogate: SURR: Toluene-d8	9.66		"	10.0		96.6	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.57		"	10.0		95.7	79-122				

Matrix Spike (BL21345-MS1)

*Source sample: 22L0934-06 (Matrix Spike)

Prepared & Analyzed: 12/22/2022

1,1,1-Trichloroethane	14		ug/L	10.0	0.0	139	70-146				
1,1,2,2-Tetrachloroethane	13		"	10.0	0.0	130	74-121	High Bias			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12		"	10.0	0.0	121	21-217				
1,1,2-Trichloroethane	12		"	10.0	0.0	121	59-146				
1,1-Dichloroethane	13		"	10.0	0.0	127	54-146				
1,1-Dichloroethylene	13		"	10.0	0.0	132	44-165				
1,2,3-Trichlorobenzene	9.0		"	10.0	0.0	90.5	40-161				
1,2,4-Trichlorobenzene	9.4		"	10.0	0.0	94.5	41-161				
1,2-Dibromo-3-chloropropane	11		"	10.0	0.0	115	31-151				
1,2-Dibromoethane	13		"	10.0	0.0	126	75-125	High Bias			
1,2-Dichlorobenzene	11		"	10.0	0.0	113	63-122				
1,2-Dichloroethane	13		"	10.0	0.0	133	68-131	High Bias			
1,2-Dichloropropane	13		"	10.0	0.0	125	77-121	High Bias			
1,3-Dichlorobenzene	11		"	10.0	0.0	110	74-119				
1,4-Dichlorobenzene	11		"	10.0	0.0	108	70-124				
2-Butanone	13		"	10.0	0.0	126	10-193				
2-Hexanone	10		"	10.0	0.0	104	53-133				
4-Methyl-2-pentanone	11		"	10.0	0.0	115	38-150				
Acetone	7.9		"	10.0	0.0	79.3	13-149				
Benzene	13		"	10.0	0.0	134	38-155				
Bromochloromethane	13		"	10.0	0.0	128	75-121	High Bias			
Bromodichloromethane	12		"	10.0	0.0	123	70-129				
Bromoform	13		"	10.0	0.0	126	66-136				
Bromomethane	14		"	10.0	0.0	140	30-158				
Carbon disulfide	13		"	10.0	0.0	129	10-138				
Carbon tetrachloride	14		"	10.0	0.0	139	71-146				
Chlorobenzene	13		"	10.0	0.0	130	81-117	High Bias			
Chloroethane	14		"	10.0	0.0	140	51-145				
Chloroform	13		"	10.0	0.0	131	80-124	High Bias			
Chloromethane	9.8		"	10.0	0.0	97.5	16-163				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21345 - EPA 5030B											
Matrix Spike (BL21345-MS1)		*Source sample: 22L0934-06 (Matrix Spike)					Prepared & Analyzed: 12/22/2022				
cis-1,2-Dichloroethylene	13		ug/L	10.0	0.0	129	76-125	High Bias			
cis-1,3-Dichloropropylene	12		"	10.0	0.0	118	58-131				
Cyclohexane	11		"	10.0	0.0	115	70-130				
Dibromochloromethane	12		"	10.0	0.0	124	71-129				
Dichlorodifluoromethane	6.3		"	10.0	0.0	62.8	30-147				
Ethyl Benzene	12		"	10.0	0.0	122	72-128				
Isopropylbenzene	12		"	10.0	0.0	119	66-139				
Methyl acetate	10		"	10.0	0.0	100	10-200				
Methyl tert-butyl ether (MTBE)	12		"	10.0	0.0	123	75-128				
Methylcyclohexane	10		"	10.0	0.0	101	70-130				
Methylene chloride	12		"	10.0	0.0	120	57-128				
o-Xylene	12		"	10.0	0.0	121	69-126				
p- & m- Xylenes	24		"	20.0	0.0	122	67-130				
Styrene	12		"	10.0	0.0	124	69-125				
Tetrachloroethylene	6.6		"	10.0	0.0	66.5	64-139				
Toluene	12		"	10.0	0.0	125	76-123	High Bias			
trans-1,2-Dichloroethylene	13		"	10.0	0.0	130	79-131				
trans-1,3-Dichloropropylene	12		"	10.0	0.0	116	55-130				
Trichloroethylene	12		"	10.0	0.0	118	53-145				
Trichlorofluoromethane	15		"	10.0	0.0	145	61-142	High Bias			
Vinyl Chloride	12		"	10.0	0.0	122	31-165				
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.2</i>		<i>"</i>	<i>10.0</i>		<i>102</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.88</i>		<i>"</i>	<i>10.0</i>		<i>98.8</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.57</i>		<i>"</i>	<i>10.0</i>		<i>95.7</i>	<i>79-122</i>				
Matrix Spike Dup (BL21345-MSD1)		*Source sample: 22L0934-06 (Matrix Spike Dup)					Prepared & Analyzed: 12/22/2022				
1,1,1-Trichloroethane	13		ug/L	10.0	0.0	134	70-146		4.02	30	
1,1,2,2-Tetrachloroethane	13		"	10.0	0.0	128	74-121	High Bias	1.94	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12		"	10.0	0.0	118	21-217		2.26	30	
1,1,2-Trichloroethane	12		"	10.0	0.0	122	59-146		0.825	30	
1,1-Dichloroethane	12		"	10.0	0.0	121	54-146		4.68	30	
1,1-Dichloroethylene	13		"	10.0	0.0	127	44-165		4.08	30	
1,2,3-Trichlorobenzene	9.6		"	10.0	0.0	95.7	40-161		5.59	30	
1,2,4-Trichlorobenzene	10		"	10.0	0.0	99.5	41-161		5.15	30	
1,2-Dibromo-3-chloropropane	11		"	10.0	0.0	114	31-151		0.524	30	
1,2-Dibromoethane	12		"	10.0	0.0	124	75-125		2.16	30	
1,2-Dichlorobenzene	11		"	10.0	0.0	113	63-122		0.619	30	
1,2-Dichloroethane	13		"	10.0	0.0	130	68-131		2.74	30	
1,2-Dichloropropane	12		"	10.0	0.0	122	77-121	High Bias	2.99	30	
1,3-Dichlorobenzene	11		"	10.0	0.0	109	74-119		1.10	30	
1,4-Dichlorobenzene	11		"	10.0	0.0	108	70-124		0.463	30	
2-Butanone	12		"	10.0	0.0	124	10-193		1.84	30	
2-Hexanone	11		"	10.0	0.0	106	53-133		1.05	30	
4-Methyl-2-pentanone	11		"	10.0	0.0	115	38-150		0.00	30	
Acetone	7.9		"	10.0	0.0	78.6	13-149		0.887	30	
Benzene	13		"	10.0	0.0	128	38-155		4.35	30	
Bromochloromethane	12		"	10.0	0.0	122	75-121	High Bias	4.32	30	
Bromodichloromethane	12		"	10.0	0.0	119	70-129		3.22	30	
Bromoform	12		"	10.0	0.0	124	66-136		1.04	30	
Bromomethane	14		"	10.0	0.0	139	30-158		0.501	30	



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21345 - EPA 5030B											
Matrix Spike Dup (BL21345-MSD1)	*Source sample: 22L0934-06 (Matrix Spike Dup)						Prepared & Analyzed: 12/22/2022				
Carbon disulfide	12		ug/L	10.0	0.0	125	10-138		3.15	30	
Carbon tetrachloride	13		"	10.0	0.0	133	71-146		4.34	30	
Chlorobenzene	13		"	10.0	0.0	126	81-117	High Bias	2.81	30	
Chloroethane	13		"	10.0	0.0	133	51-145		5.11	30	
Chloroform	13		"	10.0	0.0	126	80-124	High Bias	3.72	30	
Chloromethane	9.2		"	10.0	0.0	91.5	16-163		6.35	30	
cis-1,2-Dichloroethylene	12		"	10.0	0.0	123	76-125		4.52	30	
cis-1,3-Dichloropropylene	11		"	10.0	0.0	115	58-131		3.09	30	
Cyclohexane	11		"	10.0	0.0	112	70-130		2.73	30	
Dibromochloromethane	12		"	10.0	0.0	121	71-129		2.29	30	
Dichlorodifluoromethane	6.0		"	10.0	0.0	60.2	30-147		4.23	30	
Ethyl Benzene	12		"	10.0	0.0	118	72-128		2.50	30	
Isopropylbenzene	12		"	10.0	0.0	116	66-139		2.98	30	
Methyl acetate	9.9		"	10.0	0.0	98.9	10-200		1.31	30	
Methyl tert-butyl ether (MTBE)	12		"	10.0	0.0	121	75-128		1.88	30	
Methylcyclohexane	10		"	10.0	0.0	102	70-130		1.38	30	
Methylene chloride	12		"	10.0	0.0	116	57-128		3.56	30	
o-Xylene	12		"	10.0	0.0	118	69-126		2.35	30	
p- & m- Xylenes	24		"	20.0	0.0	119	67-130		2.41	30	
Styrene	12		"	10.0	0.0	121	69-125		2.44	30	
Tetrachloroethylene	6.5		"	10.0	0.0	64.8	64-139		2.59	30	
Toluene	12		"	10.0	0.0	120	76-123		4.16	30	
trans-1,2-Dichloroethylene	12		"	10.0	0.0	124	79-131		5.21	30	
trans-1,3-Dichloropropylene	11		"	10.0	0.0	113	55-130		2.97	30	
Trichloroethylene	11		"	10.0	0.0	114	53-145		4.05	30	
Trichlorofluoromethane	14		"	10.0	0.0	138	61-142		5.31	30	
Vinyl Chloride	12		"	10.0	0.0	116	31-165		5.21	30	
<i>Surrogate: Surr: 1,2-Dichloroethane-d4</i>	<i>10.4</i>		<i>"</i>	<i>10.0</i>		<i>104</i>	<i>69-130</i>				
<i>Surrogate: Surr: Toluene-d8</i>	<i>9.91</i>		<i>"</i>	<i>10.0</i>		<i>99.1</i>	<i>81-117</i>				
<i>Surrogate: Surr: p-Bromofluorobenzene</i>	<i>9.56</i>		<i>"</i>	<i>10.0</i>		<i>95.6</i>	<i>79-122</i>				



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21458 - EPA 5030B

Blank (BL21458-BLK1)

Prepared & Analyzed: 12/23/2022

1,1,1-Trichloroethane	ND	0.50	ug/L								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,2,3-Trichlorobenzene	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2-Butanone	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Methyl-2-pentanone	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon disulfide	1.7	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Cyclohexane	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl acetate	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylcyclohexane	ND	0.50	"								
Methylene chloride	ND	2.0	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
Styrene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21458 - EPA 5030B											
Blank (BL21458-BLK1)											
											Prepared & Analyzed: 12/23/2022
Vinyl Chloride	ND	0.50	ug/L								
Xylenes, Total	ND	1.5	"								
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	10.4		"	10.0		104	69-130				
<i>Surrogate: SURR: Toluene-d8</i>	9.96		"	10.0		99.6	81-117				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	9.81		"	10.0		98.1	79-122				
LCS (BL21458-BS1)											
											Prepared & Analyzed: 12/23/2022
1,1,1-Trichloroethane	10		ug/L	10.0		99.5	78-136				
1,1,2,2-Tetrachloroethane	9.7		"	10.0		96.6	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10		"	10.0		101	54-165				
1,1,2-Trichloroethane	9.1		"	10.0		90.9	82-123				
1,1-Dichloroethane	9.0		"	10.0		90.0	82-129				
1,1-Dichloroethylene	9.7		"	10.0		96.6	68-138				
1,2,3-Trichlorobenzene	8.0		"	10.0		80.5	76-136				
1,2,4-Trichlorobenzene	8.9		"	10.0		88.8	76-137				
1,2-Dibromo-3-chloropropane	8.4		"	10.0		84.1	45-147				
1,2-Dibromoethane	9.2		"	10.0		92.2	83-124				
1,2-Dichlorobenzene	9.1		"	10.0		91.3	79-123				
1,2-Dichloroethane	9.6		"	10.0		95.9	73-132				
1,2-Dichloropropane	9.1		"	10.0		90.8	78-126				
1,3-Dichlorobenzene	9.2		"	10.0		91.7	86-122				
1,4-Dichlorobenzene	9.0		"	10.0		90.4	85-124				
2-Butanone	8.6		"	10.0		86.5	49-152				
2-Hexanone	7.5		"	10.0		75.4	51-146				
4-Methyl-2-pentanone	8.2		"	10.0		82.1	57-145				
Acetone	5.9		"	10.0		59.1	14-150				
Benzene	9.6		"	10.0		95.7	85-126				
Bromochloromethane	9.1		"	10.0		91.3	77-128				
Bromodichloromethane	8.9		"	10.0		88.9	79-128				
Bromoform	9.1		"	10.0		91.2	78-133				
Bromomethane	7.8		"	10.0		77.9	43-168				
Carbon disulfide	12		"	10.0		124	68-146				
Carbon tetrachloride	10		"	10.0		102	77-141				
Chlorobenzene	9.8		"	10.0		98.2	88-120				
Chloroethane	9.7		"	10.0		96.7	65-136				
Chloroform	9.4		"	10.0		94.2	82-128				
Chloromethane	6.3		"	10.0		63.4	43-155				
cis-1,2-Dichloroethylene	9.2		"	10.0		92.1	83-129				
cis-1,3-Dichloropropylene	8.6		"	10.0		86.1	80-131				
Cyclohexane	8.9		"	10.0		88.6	63-149				
Dibromochloromethane	9.0		"	10.0		89.5	80-130				
Dichlorodifluoromethane	4.9		"	10.0		48.9	44-144				
Ethyl Benzene	9.3		"	10.0		92.7	80-131				
Isopropylbenzene	9.4		"	10.0		93.6	76-140				
Methyl acetate	7.4		"	10.0		74.5	51-139				
Methyl tert-butyl ether (MTBE)	8.8		"	10.0		87.8	76-135				
Methylcyclohexane	8.8		"	10.0		87.7	72-143				
Methylene chloride	8.6		"	10.0		86.4	55-137				
o-Xylene	9.1		"	10.0		91.0	78-130				
p- & m- Xylenes	19		"	20.0		94.6	77-133				



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21458 - EPA 5030B

LCS (BL21458-BS1)

Prepared & Analyzed: 12/23/2022

Styrene	9.3		ug/L	10.0		93.1	67-132				
Tetrachloroethylene	5.3		"	10.0		53.4	82-131	Low Bias			
Toluene	9.3		"	10.0		92.7	80-127				
trans-1,2-Dichloroethylene	9.4		"	10.0		93.9	80-132				
trans-1,3-Dichloropropylene	8.5		"	10.0		84.6	78-131				
Trichloroethylene	8.6		"	10.0		86.5	82-128				
Trichlorofluoromethane	11		"	10.0		108	67-139				
Vinyl Chloride	8.4		"	10.0		83.8	58-145				
<i>Surrogate: Surr: 1,2-Dichloroethane-d4</i>	<i>10.2</i>		<i>"</i>	<i>10.0</i>		<i>102</i>	<i>69-130</i>				
<i>Surrogate: Surr: Toluene-d8</i>	<i>9.92</i>		<i>"</i>	<i>10.0</i>		<i>99.2</i>	<i>81-117</i>				
<i>Surrogate: Surr: p-Bromofluorobenzene</i>	<i>9.65</i>		<i>"</i>	<i>10.0</i>		<i>96.5</i>	<i>79-122</i>				

LCS Dup (BL21458-BSD1)

Prepared & Analyzed: 12/23/2022

1,1,1-Trichloroethane	9.5		ug/L	10.0		95.1	78-136		4.52	30	
1,1,2,2-Tetrachloroethane	9.8		"	10.0		98.1	76-129		1.54	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.6		"	10.0		95.7	54-165		5.69	30	
1,1,2-Trichloroethane	9.0		"	10.0		90.1	82-123		0.884	30	
1,1-Dichloroethane	8.7		"	10.0		86.9	82-129		3.50	30	
1,1-Dichloroethylene	9.1		"	10.0		90.8	68-138		6.19	30	
1,2,3-Trichlorobenzene	8.1		"	10.0		81.0	76-136		0.619	30	
1,2,4-Trichlorobenzene	8.7		"	10.0		87.1	76-137		1.93	30	
1,2-Dibromo-3-chloropropane	8.8		"	10.0		87.6	45-147		4.08	30	
1,2-Dibromoethane	9.4		"	10.0		93.8	83-124		1.72	30	
1,2-Dichlorobenzene	9.0		"	10.0		89.7	79-123		1.77	30	
1,2-Dichloroethane	9.7		"	10.0		96.6	73-132		0.727	30	
1,2-Dichloropropane	8.8		"	10.0		88.5	78-126		2.57	30	
1,3-Dichlorobenzene	8.9		"	10.0		88.9	86-122		3.10	30	
1,4-Dichlorobenzene	8.8		"	10.0		88.4	85-124		2.24	30	
2-Butanone	9.2		"	10.0		92.4	49-152		6.60	30	
2-Hexanone	7.9		"	10.0		78.8	51-146		4.41	30	
4-Methyl-2-pentanone	8.6		"	10.0		85.6	57-145		4.17	30	
Acetone	6.3		"	10.0		62.8	14-150		6.07	30	
Benzene	9.2		"	10.0		92.3	85-126		3.62	30	
Bromochloromethane	9.2		"	10.0		91.7	77-128		0.437	30	
Bromodichloromethane	8.8		"	10.0		87.5	79-128		1.59	30	
Bromoform	9.3		"	10.0		92.9	78-133		1.85	30	
Bromomethane	7.6		"	10.0		75.5	43-168		3.13	30	
Carbon disulfide	11		"	10.0		113	68-146		9.27	30	
Carbon tetrachloride	9.7		"	10.0		96.6	77-141		5.24	30	
Chlorobenzene	9.6		"	10.0		95.6	88-120		2.68	30	
Chloroethane	9.2		"	10.0		92.5	65-136		4.44	30	
Chloroform	9.2		"	10.0		91.7	82-128		2.69	30	
Chloromethane	6.0		"	10.0		60.1	43-155		5.34	30	
cis-1,2-Dichloroethylene	8.9		"	10.0		88.7	83-129		3.76	30	
cis-1,3-Dichloropropylene	8.4		"	10.0		84.4	80-131		1.99	30	
Cyclohexane	8.3		"	10.0		83.4	63-149		6.05	30	
Dibromochloromethane	9.0		"	10.0		89.6	80-130		0.112	30	
Dichlorodifluoromethane	4.6		"	10.0		46.1	44-144		5.89	30	
Ethyl Benzene	8.9		"	10.0		88.7	80-131		4.41	30	
Isopropylbenzene	8.9		"	10.0		88.9	76-140		5.15	30	



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21458 - EPA 5030B

LCS Dup (BL21458-BSD1)

Prepared & Analyzed: 12/23/2022

Methyl acetate	7.7		ug/L	10.0		76.7	51-139		2.91	30	
Methyl tert-butyl ether (MTBE)	9.0		"	10.0		90.4	76-135		2.92	30	
Methylcyclohexane	8.2		"	10.0		82.4	72-143		6.23	30	
Methylene chloride	8.6		"	10.0		85.8	55-137		0.697	30	
o-Xylene	8.8		"	10.0		88.3	78-130		3.01	30	
p- & m- Xylenes	18		"	20.0		90.8	77-133		4.05	30	
Styrene	9.2		"	10.0		91.7	67-132		1.52	30	
Tetrachloroethylene	5.0		"	10.0		50.4	82-131	Low Bias	5.78	30	
Toluene	8.9		"	10.0		88.8	80-127		4.30	30	
trans-1,2-Dichloroethylene	8.9		"	10.0		89.3	80-132		5.02	30	
trans-1,3-Dichloropropylene	8.5		"	10.0		85.1	78-131		0.589	30	
Trichloroethylene	8.2		"	10.0		81.8	82-128	Low Bias	5.59	30	
Trichlorofluoromethane	10		"	10.0		102	67-139		5.91	30	
Vinyl Chloride	7.9		"	10.0		79.1	58-145		5.77	30	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.4</i>		<i>"</i>	<i>10.0</i>		<i>104</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.84</i>		<i>"</i>	<i>10.0</i>		<i>98.4</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.53</i>		<i>"</i>	<i>10.0</i>		<i>95.3</i>	<i>79-122</i>				

Batch BL21613 - EPA 5030B

Blank (BL21613-BLK1)

Prepared & Analyzed: 12/28/2022

1,1,1-Trichloroethane	ND	0.50	ug/L								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,2,3-Trichlorobenzene	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2-Butanone	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Methyl-2-pentanone	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon disulfide	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21613 - EPA 5030B

Blank (BL21613-BLK1)

Prepared & Analyzed: 12/28/2022

cis-1,2-Dichloroethylene	ND	0.50	ug/L								
cis-1,3-Dichloropropylene	ND	0.50	"								
Cyclohexane	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl acetate	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylenecyclohexane	ND	0.50	"								
Methylene chloride	ND	2.0	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
Styrene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								

Surrogate: SURR: 1,2-Dichloroethane-d4	9.73		"	10.0		97.3	69-130				
Surrogate: SURR: Toluene-d8	9.21		"	10.0		92.1	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.28		"	10.0		92.8	79-122				

LCS (BL21613-BS1)

Prepared & Analyzed: 12/28/2022

1,1,1-Trichloroethane	10		ug/L	10.0		103	78-136				
1,1,2,2-Tetrachloroethane	8.7		"	10.0		87.3	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11		"	10.0		107	54-165				
1,1,2-Trichloroethane	8.3		"	10.0		83.4	82-123				
1,1-Dichloroethane	9.9		"	10.0		98.7	82-129				
1,1-Dichloroethylene	10		"	10.0		101	68-138				
1,2,3-Trichlorobenzene	7.3		"	10.0		73.2	76-136	Low Bias			
1,2,4-Trichlorobenzene	8.0		"	10.0		80.0	76-137				
1,2-Dibromo-3-chloropropane	4.5		"	10.0		45.1	45-147				
1,2-Dibromoethane	8.4		"	10.0		84.5	83-124				
1,2-Dichlorobenzene	8.8		"	10.0		88.5	79-123				
1,2-Dichloroethane	9.4		"	10.0		94.2	73-132				
1,2-Dichloropropane	9.2		"	10.0		91.5	78-126				
1,3-Dichlorobenzene	9.6		"	10.0		96.1	86-122				
1,4-Dichlorobenzene	9.6		"	10.0		95.5	85-124				
2-Butanone	8.4		"	10.0		83.9	49-152				
2-Hexanone	7.2		"	10.0		71.9	51-146				
4-Methyl-2-pentanone	6.1		"	10.0		61.0	57-145				
Acetone	4.7		"	10.0		46.7	14-150				
Benzene	11		"	10.0		107	85-126				
Bromochloromethane	10		"	10.0		105	77-128				
Bromodichloromethane	8.2		"	10.0		81.7	79-128				
Bromoform	8.5		"	10.0		84.8	78-133				



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21613 - EPA 5030B

LCS (BL21613-BS1)

Prepared & Analyzed: 12/28/2022

Bromomethane	7.0		ug/L	10.0		70.1	43-168				
Carbon disulfide	11		"	10.0		107	68-146				
Carbon tetrachloride	10		"	10.0		102	77-141				
Chlorobenzene	9.8		"	10.0		97.6	88-120				
Chloroethane	10		"	10.0		100	65-136				
Chloroform	10		"	10.0		102	82-128				
Chloromethane	7.2		"	10.0		71.7	43-155				
cis-1,2-Dichloroethylene	10		"	10.0		103	83-129				
cis-1,3-Dichloropropylene	8.2		"	10.0		81.6	80-131				
Cyclohexane	11		"	10.0		106	63-149				
Dibromochloromethane	8.1		"	10.0		80.7	80-130				
Dichlorodifluoromethane	3.4		"	10.0		33.5	44-144	Low Bias			
Ethyl Benzene	9.2		"	10.0		91.9	80-131				
Isopropylbenzene	10		"	10.0		101	76-140				
Methyl acetate	9.0		"	10.0		90.3	51-139				
Methyl tert-butyl ether (MTBE)	9.5		"	10.0		95.0	76-135				
Methylcyclohexane	9.2		"	10.0		92.1	72-143				
Methylene chloride	11		"	10.0		107	55-137				
o-Xylene	9.2		"	10.0		92.3	78-130				
p- & m- Xylenes	18		"	20.0		92.4	77-133				
Styrene	9.8		"	10.0		97.8	67-132				
Tetrachloroethylene	7.0		"	10.0		69.7	82-131	Low Bias			
Toluene	9.3		"	10.0		93.2	80-127				
trans-1,2-Dichloroethylene	10		"	10.0		99.9	80-132				
trans-1,3-Dichloropropylene	8.0		"	10.0		80.4	78-131				
Trichloroethylene	8.8		"	10.0		88.1	82-128				
Trichlorofluoromethane	9.2		"	10.0		91.6	67-139				
Vinyl Chloride	8.4		"	10.0		84.3	58-145				
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.51</i>		<i>"</i>	<i>10.0</i>		<i>95.1</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.48</i>		<i>"</i>	<i>10.0</i>		<i>94.8</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>10.6</i>		<i>"</i>	<i>10.0</i>		<i>106</i>	<i>79-122</i>				



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BL21613 - EPA 5030B											
LCS Dup (BL21613-BSD1)											
										Prepared & Analyzed: 12/28/2022	
1,1,1-Trichloroethane	10		ug/L	10.0		104	78-136		1.16	30	
1,1,2,2-Tetrachloroethane	9.7		"	10.0		97.3	76-129		10.8	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11		"	10.0		110	54-165		2.86	30	
1,1,2-Trichloroethane	9.3		"	10.0		92.9	82-123		10.8	30	
1,1-Dichloroethane	10		"	10.0		102	82-129		3.39	30	
1,1-Dichloroethylene	11		"	10.0		108	68-138		6.14	30	
1,2,3-Trichlorobenzene	8.2		"	10.0		82.0	76-136		11.3	30	
1,2,4-Trichlorobenzene	8.9		"	10.0		89.2	76-137		10.9	30	
1,2-Dibromo-3-chloropropane	8.3		"	10.0		82.9	45-147		59.1	30	Non-dir.
1,2-Dibromoethane	9.1		"	10.0		91.2	83-124		7.63	30	
1,2-Dichlorobenzene	9.0		"	10.0		89.9	79-123		1.57	30	
1,2-Dichloroethane	11		"	10.0		105	73-132		11.0	30	
1,2-Dichloropropane	9.2		"	10.0		91.9	78-126		0.436	30	
1,3-Dichlorobenzene	9.1		"	10.0		90.6	86-122		5.89	30	
1,4-Dichlorobenzene	9.1		"	10.0		90.9	85-124		4.94	30	
2-Butanone	9.6		"	10.0		96.5	49-152		14.0	30	
2-Hexanone	8.6		"	10.0		85.9	51-146		17.7	30	
4-Methyl-2-pentanone	7.4		"	10.0		73.9	57-145		19.1	30	
Acetone	6.1		"	10.0		61.1	14-150		26.7	30	
Benzene	11		"	10.0		110	85-126		2.40	30	
Bromochloromethane	11		"	10.0		114	77-128		8.48	30	
Bromodichloromethane	8.7		"	10.0		87.2	79-128		6.51	30	
Bromoform	9.5		"	10.0		94.7	78-133		11.0	30	
Bromomethane	7.4		"	10.0		74.2	43-168		5.68	30	
Carbon disulfide	10		"	10.0		104	68-146		3.33	30	
Carbon tetrachloride	10		"	10.0		101	77-141		0.691	30	
Chlorobenzene	9.9		"	10.0		98.8	88-120		1.22	30	
Chloroethane	9.8		"	10.0		98.3	65-136		2.11	30	
Chloroform	11		"	10.0		108	82-128		6.48	30	
Chloromethane	7.0		"	10.0		70.1	43-155		2.26	30	
cis-1,2-Dichloroethylene	10		"	10.0		104	83-129		1.16	30	
cis-1,3-Dichloropropylene	8.7		"	10.0		86.7	80-131		6.06	30	
Cyclohexane	11		"	10.0		106	63-149		0.189	30	
Dibromochloromethane	9.1		"	10.0		90.6	80-130		11.6	30	
Dichlorodifluoromethane	3.1		"	10.0		31.1	44-144	Low Bias	7.43	30	
Ethyl Benzene	9.3		"	10.0		92.6	80-131		0.759	30	
Isopropylbenzene	9.1		"	10.0		91.4	76-140		9.88	30	
Methyl acetate	11		"	10.0		108	51-139		17.9	30	
Methyl tert-butyl ether (MTBE)	11		"	10.0		111	76-135		15.4	30	
Methylcyclohexane	9.3		"	10.0		93.3	72-143		1.29	30	
Methylene chloride	12		"	10.0		118	55-137		9.92	30	
o-Xylene	9.3		"	10.0		92.9	78-130		0.648	30	
p- & m- Xylenes	18		"	20.0		92.0	77-133		0.434	30	
Styrene	9.9		"	10.0		99.2	67-132		1.42	30	
Tetrachloroethylene	7.0		"	10.0		69.5	82-131	Low Bias	0.287	30	
Toluene	9.3		"	10.0		92.6	80-127		0.646	30	
trans-1,2-Dichloroethylene	10		"	10.0		102	80-132		1.79	30	
trans-1,3-Dichloropropylene	8.8		"	10.0		88.4	78-131		9.48	30	
Trichloroethylene	8.7		"	10.0		86.6	82-128		1.72	30	
Trichlorofluoromethane	10		"	10.0		104	67-139		12.6	30	



Volatile Organic Compounds by GC/MS - Quality Control Data
York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BL21613 - EPA 5030B

LCS Dup (BL21613-BSD1)

Prepared & Analyzed: 12/28/2022

Vinyl Chloride	8.5		ug/L	10.0		84.7	58-145		0.473	30	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.2		"	10.0		102	69-130				
Surrogate: SURR: Toluene-d8	9.40		"	10.0		94.0	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.38		"	10.0		93.8	79-122				



Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
22L0969-01	MW-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
22L0969-02	MW-25	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
22L0969-03	MW-27	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
22L0969-04	MW-30	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
22L0969-05	MW-32	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
22L0969-06	MW-33	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



Sample and Data Qualifiers Relating to This Work Order

QR-04	The RPD exceeded control limits for the LCS/LCSD QC.
QM-05	The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data are acceptable.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
ICVE20	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 20% of expected value).
ICVE	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
CCVE	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.



If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.



York Analytical Laboratories, Inc.
 120 Research Drive
 Stratford, CT 06615
 clientservices@yorklab.com
 www.yorklab.com

Field Chain-of-Custody Record

YORK Project No.
 22L0969

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

Page 1 of 1

YOUR INFORMATION		Report To:		Invoice To:		YOUR Project Number		Turn-Around Time	
Company: LaBella Associates	Company: LaBella	Company: LaBella	Company: LaBella	Company: LaBella	Company: LaBella	YOUR Project Number: 2222575	YOUR Project Number: 2222575	RUSH - Next Day	<input checked="" type="checkbox"/>
Address: 7 Britan American Blvd Latham, NY 12110	Address: "	Address: "	Address: "	Address: "	Address: "	YOUR Project Name: 136 Fuller Road	YOUR Project Name: 136 Fuller Road	RUSH - Two Day	
Phone: 518-266-7355	Phone: "	Phone: "	Phone: "	Phone: "	Phone: "	YOUR PO#: 2222575	YOUR PO#: 2222575	RUSH - Three Day	
Contact: Branson Fields	Contact: "	Contact: "	Contact: "	Contact: "	Contact: "			RUSH - Four Day	
E-mail: bfields@labellapc.com	E-mail: "	E-mail: "	E-mail: "	E-mail: "	E-mail: "			Standard (5-7 Day)	<input checked="" type="checkbox"/>
Branson Fields Samples Collected by: (print your name above and sign below)		LaBella Samples From:		apke@labellapc.com Report / EDD Type (circle selections)		Standard Excel EDD YORK Reg. Comp.		Compared to the following Regulation(s): (please fill in) NYSDEC TOGS 11.1	
Matrix Codes S - soil / solid GW - groundwater DW - drinking water WW - wastewater O - Oil ; Other		Sample Matrix GW		Summary Report QA Report NY ASP A Package NY ASP B Package		CT RCP CT RCP DOA/DUE NJDEP Reduced Deliverables NJDKQP		Analysis Requested 8260 VOCs - TLL / som low level	
Sample Identification		Date/Time Sampled		Analysis Requested		Container Description			
MW-10		12/14/22 15:45		8260 VOCs - TLL / som low level		3x 40ml VOA			
MW-25		12:20							
MW-27		12:50							
MW-30		13:35							
MW-32		14:45							
MW-33		15:20							
Comments:									
Samples Relinquished by / Company Branson Fields / LaBella		Date/Time 12/15/22 16:15		Samples Relinquished by / Company Food Ex - Menards, NY		Date/Time 12/15/22 16:15		Preservation: (check all that apply) HCl <input type="checkbox"/> MeOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> ZnAc <input type="checkbox"/> Ascorbic Acid <input type="checkbox"/> Other: FE	
Samples Received by / Company Branson Fields / LaBella		Date/Time 12/15/22 16:15		Samples Received by / Company Food Ex - Menards, NY		Date/Time 12/15/22 16:15		Field Filtered Lab to Filter	
Samples Relinquished by / Company Branson Fields / LaBella		Date/Time 12/15/22 16:15		Samples Relinquished by / Company Food Ex - Menards, NY		Date/Time 12/15/22 16:15		Temp. Received at Lab 4.1	
Samples Received by / Company Branson Fields / LaBella		Date/Time 12/15/22 16:15		Samples Received by / Company Food Ex - Menards, NY		Date/Time 12/15/22 16:15		Degrees C	



ANALYTICAL REPORT

Lab Number:	L2260711
Client:	Earth Environmental 15 West Sky Lane Clifton Park, NY 12065
ATTN:	Kim Baines
Phone:	(518) 588-2104
Project Name:	136 FULLER RD
Project Number:	Not Specified
Report Date:	11/10/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2260711-01	STACK EFFLUENT	SOIL_VAPOR	ALBANY NY	10/28/22 16:30	10/28/22

Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on October 11, 2022. The canister certification results are provided as an addendum.

L2260711-01D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Christopher J. Anderson

Title: Technical Director/Representative

Date: 11/10/22

AIR

Project Name: 136 FULLER RD**Lab Number:** L2260711**Project Number:** Not Specified**Report Date:** 11/10/22**SAMPLE RESULTS**

Lab ID: L2260711-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY NY

Date Collected: 10/28/22 16:30
 Date Received: 10/28/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 11/10/22 05:00
 Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	3.63	2.00	--	17.9	9.89	--		10
Chloromethane	ND	2.00	--	ND	4.13	--		10
Freon-114	ND	2.00	--	ND	14.0	--		10
Vinyl chloride	7.88	2.00	--	20.1	5.11	--		10
1,3-Butadiene	ND	2.00	--	ND	4.42	--		10
Bromomethane	ND	2.00	--	ND	7.77	--		10
Chloroethane	4.61	2.00	--	12.2	5.28	--		10
Ethanol	ND	50.0	--	ND	94.2	--		10
Vinyl bromide	ND	2.00	--	ND	8.74	--		10
Acetone	ND	10.0	--	ND	23.8	--		10
Trichlorofluoromethane	14.7	2.00	--	82.6	11.2	--		10
Isopropanol	ND	5.00	--	ND	12.3	--		10
1,1-Dichloroethene	5.58	2.00	--	22.1	7.93	--		10
Tertiary butyl Alcohol	ND	5.00	--	ND	15.2	--		10
Methylene chloride	ND	5.00	--	ND	17.4	--		10
3-Chloropropene	ND	2.00	--	ND	6.26	--		10
Carbon disulfide	ND	2.00	--	ND	6.23	--		10
Freon-113	ND	2.00	--	ND	15.3	--		10
trans-1,2-Dichloroethene	ND	2.00	--	ND	7.93	--		10
1,1-Dichloroethane	34.2	2.00	--	138	8.09	--		10
Methyl tert butyl ether	ND	2.00	--	ND	7.21	--		10
2-Butanone	ND	5.00	--	ND	14.7	--		10
cis-1,2-Dichloroethene	310	2.00	--	1230	7.93	--		10



Project Name: 136 FULLER RD**Lab Number:** L2260711**Project Number:** Not Specified**Report Date:** 11/10/22**SAMPLE RESULTS**

Lab ID: L2260711-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY NY

Date Collected: 10/28/22 16:30
 Date Received: 10/28/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	5.00	--	ND	18.0	--		10
Chloroform	ND	2.00	--	ND	9.77	--		10
Tetrahydrofuran	ND	5.00	--	ND	14.7	--		10
1,2-Dichloroethane	ND	2.00	--	ND	8.09	--		10
n-Hexane	ND	2.00	--	ND	7.05	--		10
1,1,1-Trichloroethane	87.8	2.00	--	479	10.9	--		10
Benzene	ND	2.00	--	ND	6.39	--		10
Carbon tetrachloride	ND	2.00	--	ND	12.6	--		10
Cyclohexane	ND	2.00	--	ND	6.88	--		10
1,2-Dichloropropane	ND	2.00	--	ND	9.24	--		10
Bromodichloromethane	ND	2.00	--	ND	13.4	--		10
1,4-Dioxane	2.31	2.00	--	8.32	7.21	--		10
Trichloroethene	76.9	2.00	--	413	10.7	--		10
2,2,4-Trimethylpentane	ND	2.00	--	ND	9.34	--		10
Heptane	ND	2.00	--	ND	8.20	--		10
cis-1,3-Dichloropropene	ND	2.00	--	ND	9.08	--		10
4-Methyl-2-pentanone	ND	5.00	--	ND	20.5	--		10
trans-1,3-Dichloropropene	ND	2.00	--	ND	9.08	--		10
1,1,2-Trichloroethane	ND	2.00	--	ND	10.9	--		10
Toluene	2.18	2.00	--	8.22	7.54	--		10
2-Hexanone	ND	2.00	--	ND	8.20	--		10
Dibromochloromethane	ND	2.00	--	ND	17.0	--		10
1,2-Dibromoethane	ND	2.00	--	ND	15.4	--		10
Tetrachloroethene	675	2.00	--	4580	13.6	--		10
Chlorobenzene	ND	2.00	--	ND	9.21	--		10
Ethylbenzene	ND	2.00	--	ND	8.69	--		10



Project Name: 136 FULLER RD**Lab Number:** L2260711**Project Number:** Not Specified**Report Date:** 11/10/22**SAMPLE RESULTS**

Lab ID: L2260711-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY NY

Date Collected: 10/28/22 16:30
 Date Received: 10/28/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	ND	4.00	--	ND	17.4	--		10
Bromoform	ND	2.00	--	ND	20.7	--		10
Styrene	ND	2.00	--	ND	8.52	--		10
1,1,2,2-Tetrachloroethane	ND	2.00	--	ND	13.7	--		10
o-Xylene	2.28	2.00	--	9.90	8.69	--		10
4-Ethyltoluene	ND	2.00	--	ND	9.83	--		10
1,3,5-Trimethylbenzene	ND	2.00	--	ND	9.83	--		10
1,2,4-Trimethylbenzene	ND	2.00	--	ND	9.83	--		10
Benzyl chloride	ND	2.00	--	ND	10.4	--		10
1,3-Dichlorobenzene	ND	2.00	--	ND	12.0	--		10
1,4-Dichlorobenzene	ND	2.00	--	ND	12.0	--		10
1,2-Dichlorobenzene	ND	2.00	--	ND	12.0	--		10
1,2,4-Trichlorobenzene	ND	2.00	--	ND	14.8	--		10
Hexachlorobutadiene	ND	2.00	--	ND	21.3	--		10

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	94		60-140
Bromochloromethane	94		60-140
chlorobenzene-d5	92		60-140



Project Name: 136 FULLER RD

Lab Number: L2260711

Project Number: Not Specified

Report Date: 11/10/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/09/22 17:14

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1710248-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: 136 FULLER RD

Lab Number: L2260711

Project Number: Not Specified

Report Date: 11/10/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/09/22 17:14

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1710248-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: 136 FULLER RD

Lab Number: L2260711

Project Number: Not Specified

Report Date: 11/10/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/09/22 17:14

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1710248-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD

Project Number: Not Specified

Lab Number: L2260711

Report Date: 11/10/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1710248-3								
Dichlorodifluoromethane	96		-		70-130	-		
Chloromethane	79		-		70-130	-		
Freon-114	87		-		70-130	-		
Vinyl chloride	84		-		70-130	-		
1,3-Butadiene	82		-		70-130	-		
Bromomethane	88		-		70-130	-		
Chloroethane	87		-		70-130	-		
Ethanol	84		-		40-160	-		
Vinyl bromide	84		-		70-130	-		
Acetone	88		-		40-160	-		
Trichlorofluoromethane	102		-		70-130	-		
Isopropanol	82		-		40-160	-		
1,1-Dichloroethene	103		-		70-130	-		
Tertiary butyl Alcohol	85		-		70-130	-		
Methylene chloride	93		-		70-130	-		
3-Chloropropene	97		-		70-130	-		
Carbon disulfide	88		-		70-130	-		
Freon-113	97		-		70-130	-		
trans-1,2-Dichloroethene	97		-		70-130	-		
1,1-Dichloroethane	99		-		70-130	-		
Methyl tert butyl ether	90		-		70-130	-		
2-Butanone	90		-		70-130	-		
cis-1,2-Dichloroethene	102		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD

Lab Number: L2260711

Project Number: Not Specified

Report Date: 11/10/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1710248-3								
Ethyl Acetate	96		-		70-130	-		
Chloroform	107		-		70-130	-		
Tetrahydrofuran	90		-		70-130	-		
1,2-Dichloroethane	107		-		70-130	-		
n-Hexane	92		-		70-130	-		
1,1,1-Trichloroethane	101		-		70-130	-		
Benzene	85		-		70-130	-		
Carbon tetrachloride	109		-		70-130	-		
Cyclohexane	91		-		70-130	-		
1,2-Dichloropropane	92		-		70-130	-		
Bromodichloromethane	104		-		70-130	-		
1,4-Dioxane	92		-		70-130	-		
Trichloroethene	97		-		70-130	-		
2,2,4-Trimethylpentane	92		-		70-130	-		
Heptane	86		-		70-130	-		
cis-1,3-Dichloropropene	93		-		70-130	-		
4-Methyl-2-pentanone	88		-		70-130	-		
trans-1,3-Dichloropropene	80		-		70-130	-		
1,1,2-Trichloroethane	96		-		70-130	-		
Toluene	84		-		70-130	-		
2-Hexanone	80		-		70-130	-		
Dibromochloromethane	106		-		70-130	-		
1,2-Dibromoethane	90		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD

Project Number: Not Specified

Lab Number: L2260711

Report Date: 11/10/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1710248-3								
Tetrachloroethene	94		-		70-130	-		
Chlorobenzene	90		-		70-130	-		
Ethylbenzene	92		-		70-130	-		
p/m-Xylene	92		-		70-130	-		
Bromoform	108		-		70-130	-		
Styrene	88		-		70-130	-		
1,1,2,2-Tetrachloroethane	91		-		70-130	-		
o-Xylene	94		-		70-130	-		
4-Ethyltoluene	86		-		70-130	-		
1,3,5-Trimethylbenzene	87		-		70-130	-		
1,2,4-Trimethylbenzene	91		-		70-130	-		
Benzyl chloride	75		-		70-130	-		
1,3-Dichlorobenzene	90		-		70-130	-		
1,4-Dichlorobenzene	88		-		70-130	-		
1,2-Dichlorobenzene	94		-		70-130	-		
1,2,4-Trichlorobenzene	89		-		70-130	-		
Hexachlorobutadiene	94		-		70-130	-		

Project Name: 136 FULLER RD

Project Number:

Serial_No:11102216:23
Lab Number: L2260711

Report Date: 11/10/22

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2260711-01	STACK EFFLUENT	3508	1.0L Can	10/11/22	374072	L2255262-07	Pass	-28.8	-2.6	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 10/06/22 23:34
 Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	99		60-140
Bromochloromethane	99		60-140
chlorobenzene-d5	97		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 10/06/22 23:34
 Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2255262
Report Date: 11/10/22

Air Canister Certification Results

Lab ID: L2255262-07
 Client ID: CAN 3527 SHELF 5
 Sample Location:

Date Collected: 10/06/22 10:00
 Date Received: 10/06/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	99		60-140
bromochloromethane	98		60-140
chlorobenzene-d5	98		60-140



Project Name: 136 FULLER RD

Project Number: Not Specified

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Absent

Container Information**Container ID** **Container Type**

L2260711-01A Canister - 1 Liter

Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
NA	NA			Y	Absent		TO15-LL(30)

Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 136 FULLER RD
Project Number: Not Specified

Lab Number: L2260711
Report Date: 11/10/22

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpeneol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpeneol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

AIR ANALYSIS

PAGE 1 OF 1



CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: BARTH Environmental LLC
 Address: 15 West Sky Lane
Clifton Park NY 12065
 Phone: 518-588-2104
 Fax:
 Email: Kim.Baines@ENV.com

Project Information

Project Name: 136 Fuller Rd
 Project Location: Albany NY
 Project #:
 Project Manager: BAINES
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved!)

Date Due: Time:

Date Rec'd in Lab: 10/29/22

Report Information - Data Deliverables

FAX
 ADEx
 Criteria Checker:
(Default based on Regulatory Criteria Indicated)
 Other Formats:
 EMAIL (standard pdf report)
 Additional Deliverables:
 Report to: (if other than Project Manager)

ALPHA Job #: L2260711

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION					Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15 TO-15 SIM APH Fixed Gases Sulfides & Mercaptans by TO-15 Substr. Non-petroleum HCS	Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum							
60711-01	Stack Effluent	10/28/22	16:29	16:30-28		SG	KB	3500	56	X			

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time
	10/28/22 17:20		10/29/22 17:20
	10/25/22 17:20		10/29/22 06:40
	10/29/22 06:00		10/29/22 06:40
	10/29/2022		10/29/22 07:20



ANALYTICAL REPORT

Lab Number:	L2260708
Client:	Earth Environmental 15 West Sky Lane Clifton Park, NY 12065
ATTN:	Kim Baines
Phone:	(518) 588-2104
Project Name:	136 FULL ROAD
Project Number:	136 FULLER ROAD
Report Date:	11/11/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2260708-01	TFE INFLUENT	WATER	ALBANY,NY	10/28/22 16:15	10/28/22
L2260708-02	TFE EFFLUENT	WATER	ALBANY,NY	10/28/22 16:20	10/28/22

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L2260708-02: The collection date and time on the chain of custody was 28-OCT-22 16:20; however, the collection date/time on the container label was 28-OCT-22 15:20. At the client's request, the collection date/time is reported as 28-OCT-22 16:20.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Tiffani Morrissey - Tiffani Morrissey

Title: Technical Director/Representative

Date: 11/11/22

ORGANICS

VOLATILES

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

SAMPLE RESULTS

Lab ID: L2260708-01
 Client ID: TFE INFLUENT
 Sample Location: ALBANY, NY

Date Collected: 10/28/22 16:15
 Date Received: 10/28/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 11/08/22 19:34
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	2.0	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	20		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	1.9	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

SAMPLE RESULTS

Lab ID: L2260708-01
Client ID: TFE INFLUENT
Sample Location: ALBANY, NY

Date Collected: 10/28/22 16:15
Date Received: 10/28/22
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	19		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.9	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	170	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	103		70-130

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

SAMPLE RESULTS

Lab ID: L2260708-02
 Client ID: TFE EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 10/28/22 16:20
 Date Received: 10/28/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 11/08/22 19:53
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	3.6		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.52		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

SAMPLE RESULTS

Lab ID: L2260708-02
Client ID: TFE EFFLUENT
Sample Location: ALBANY, NY

Date Collected: 10/28/22 16:20
Date Received: 10/28/22
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	5.8		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	190	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	116		70-130
Dibromofluoromethane	107		70-130

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 11/08/22 19:14
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1709984-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 11/08/22 19:14
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1709984-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 11/08/22 19:14
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1709984-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	114		70-130
Dibromofluoromethane	108		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1709984-3 WG1709984-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	110		120		70-130	9		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	100		96		63-132	4		20
1,2-Dichloropropane	110		100		70-130	10		20
Dibromochloromethane	84		83		63-130	1		20
1,1,2-Trichloroethane	94		92		70-130	2		20
Tetrachloroethene	100		97		70-130	3		20
Chlorobenzene	100		100		75-130	0		20
Trichlorofluoromethane	84		84		62-150	0		20
1,2-Dichloroethane	94		93		70-130	1		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	92		93		67-130	1		20
trans-1,3-Dichloropropene	87		87		70-130	0		20
cis-1,3-Dichloropropene	94		94		70-130	0		20
Bromoform	74		74		54-136	0		20
1,1,2,2-Tetrachloroethane	90		90		67-130	0		20
Benzene	110		110		70-130	0		20
Toluene	110		110		70-130	0		20
Ethylbenzene	110		110		70-130	0		20
Chloromethane	120		120		64-130	0		20
Bromomethane	60		59		39-139	2		20
Vinyl chloride	110		110		55-140	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1709984-3 WG1709984-4								
Chloroethane	89		88		55-138	1		20
1,1-Dichloroethene	82		82		61-145	0		20
trans-1,2-Dichloroethene	110		100		70-130	10		20
Trichloroethene	100		100		70-130	0		20
1,2-Dichlorobenzene	98		98		70-130	0		20
1,3-Dichlorobenzene	99		98		70-130	1		20
1,4-Dichlorobenzene	100		99		70-130	1		20
Methyl tert butyl ether	91		92		63-130	1		20
p/m-Xylene	105		105		70-130	0		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	110		100		70-130	10		20
Styrene	100		100		70-130	0		20
Dichlorodifluoromethane	100		100		36-147	0		20
Acetone	100		100		58-148	0		20
Carbon disulfide	64		64		51-130	0		20
2-Butanone	100		110		63-138	10		20
4-Methyl-2-pentanone	93		91		59-130	2		20
2-Hexanone	110		100		57-130	10		20
Bromochloromethane	96		94		70-130	2		20
1,2-Dibromoethane	90		88		70-130	2		20
1,2-Dibromo-3-chloropropane	89		92		41-144	3		20
Isopropylbenzene	110		110		70-130	0		20
1,2,3-Trichlorobenzene	76		78		70-130	3		20

Lab Control Sample Analysis Batch Quality Control

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1709984-3 WG1709984-4								
1,2,4-Trichlorobenzene	79		78		70-130	1		20
Methyl Acetate	110		110		70-130	0		20
Cyclohexane	120		120		70-130	0		20
1,4-Dioxane	128		118		56-162	8		20
Freon-113	87		85		70-130	2		20
Methyl cyclohexane	100		99		70-130	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	94		93		70-130
Toluene-d8	104		104		70-130
4-Bromofluorobenzene	114		112		70-130
Dibromofluoromethane	94		93		70-130



Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708**Report Date:** 11/11/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2260708-01A	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)
L2260708-01B	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)
L2260708-01C	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)
L2260708-02A	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)
L2260708-02B	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)
L2260708-02C	Vial HCl preserved	A	NA		2.6	Y	Absent		NYTCL-8260-R2(14)

Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULL ROAD
Project Number: 136 FULLER ROAD

Lab Number: L2260708
Report Date: 11/11/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpeneol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpeneol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



ANALYTICAL REPORT

Lab Number:	L2266777
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER ROAD
Project Number:	2222575
Report Date:	12/12/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2266777-01	STACK EFFLUENT	SOIL_VAPOR	ALBANY, NY	11/29/22 15:02	11/29/22

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on November 29, 2022. The canister certification results are provided as an addendum.

L2266777-01D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 12/12/22

AIR

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266777-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 15:02
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 12/10/22 23:33
 Analyst: TJS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	6.12	4.03	--	30.3	19.9	--		20.13
Chloromethane	ND	4.03	--	ND	8.32	--		20.13
Freon-114	ND	4.03	--	ND	28.2	--		20.13
Vinyl chloride	14.1	4.03	--	36.0	10.3	--		20.13
1,3-Butadiene	ND	4.03	--	ND	8.92	--		20.13
Bromomethane	ND	4.03	--	ND	15.6	--		20.13
Chloroethane	7.13	4.03	--	18.8	10.6	--		20.13
Ethanol	ND	101	--	ND	190	--		20.13
Vinyl bromide	ND	4.03	--	ND	17.6	--		20.13
Acetone	ND	20.1	--	ND	47.7	--		20.13
Trichlorofluoromethane	24.3	4.03	--	137	22.6	--		20.13
Isopropanol	ND	10.1	--	ND	24.8	--		20.13
1,1-Dichloroethene	11.8	4.03	--	46.8	16.0	--		20.13
Tertiary butyl Alcohol	ND	10.1	--	ND	30.6	--		20.13
Methylene chloride	ND	10.1	--	ND	35.1	--		20.13
3-Chloropropene	ND	4.03	--	ND	12.6	--		20.13
Carbon disulfide	ND	4.03	--	ND	12.5	--		20.13
Freon-113	ND	4.03	--	ND	30.9	--		20.13
trans-1,2-Dichloroethene	ND	4.03	--	ND	16.0	--		20.13
1,1-Dichloroethane	56.6	4.03	--	229	16.3	--		20.13
Methyl tert butyl ether	ND	4.03	--	ND	14.5	--		20.13
2-Butanone	ND	10.1	--	ND	29.8	--		20.13
cis-1,2-Dichloroethene	481	4.03	--	1910	16.0	--		20.13



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266777-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 15:02
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	10.1	--	ND	36.4	--		20.13
Chloroform	ND	4.03	--	ND	19.7	--		20.13
Tetrahydrofuran	ND	10.1	--	ND	29.8	--		20.13
1,2-Dichloroethane	ND	4.03	--	ND	16.3	--		20.13
n-Hexane	ND	4.03	--	ND	14.2	--		20.13
1,1,1-Trichloroethane	187	4.03	--	1020	22.0	--		20.13
Benzene	ND	4.03	--	ND	12.9	--		20.13
Carbon tetrachloride	ND	4.03	--	ND	25.4	--		20.13
Cyclohexane	ND	4.03	--	ND	13.9	--		20.13
1,2-Dichloropropane	ND	4.03	--	ND	18.6	--		20.13
Bromodichloromethane	ND	4.03	--	ND	27.0	--		20.13
1,4-Dioxane	ND	4.03	--	ND	14.5	--		20.13
Trichloroethene	127	4.03	--	683	21.7	--		20.13
2,2,4-Trimethylpentane	ND	4.03	--	ND	18.8	--		20.13
Heptane	ND	4.03	--	ND	16.5	--		20.13
cis-1,3-Dichloropropene	ND	4.03	--	ND	18.3	--		20.13
4-Methyl-2-pentanone	ND	10.1	--	ND	41.4	--		20.13
trans-1,3-Dichloropropene	ND	4.03	--	ND	18.3	--		20.13
1,1,2-Trichloroethane	ND	4.03	--	ND	22.0	--		20.13
Toluene	5.44	4.03	--	20.5	15.2	--		20.13
2-Hexanone	ND	4.03	--	ND	16.5	--		20.13
Dibromochloromethane	ND	4.03	--	ND	34.3	--		20.13
1,2-Dibromoethane	ND	4.03	--	ND	31.0	--		20.13
Tetrachloroethene	904	4.03	--	6130	27.3	--		20.13
Chlorobenzene	ND	4.03	--	ND	18.6	--		20.13
Ethylbenzene	ND	4.03	--	ND	17.5	--		20.13



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266777-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 15:02
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	ND	8.05	--	ND	35.0	--		20.13
Bromoform	ND	4.03	--	ND	41.7	--		20.13
Styrene	ND	4.03	--	ND	17.2	--		20.13
1,1,2,2-Tetrachloroethane	ND	4.03	--	ND	27.7	--		20.13
o-Xylene	5.62	4.03	--	24.4	17.5	--		20.13
4-Ethyltoluene	ND	4.03	--	ND	19.8	--		20.13
1,3,5-Trimethylbenzene	ND	4.03	--	ND	19.8	--		20.13
1,2,4-Trimethylbenzene	ND	4.03	--	ND	19.8	--		20.13
Benzyl chloride	ND	4.03	--	ND	20.9	--		20.13
1,3-Dichlorobenzene	ND	4.03	--	ND	24.2	--		20.13
1,4-Dichlorobenzene	ND	4.03	--	ND	24.2	--		20.13
1,2-Dichlorobenzene	ND	4.03	--	ND	24.2	--		20.13
1,2,4-Trichlorobenzene	ND	4.03	--	ND	29.9	--		20.13
Hexachlorobutadiene	ND	4.03	--	ND	43.0	--		20.13

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	92		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	103		60-140



Project Name: 136 FULLER ROAD

Lab Number: L2266777

Project Number: 2222575

Report Date: 12/12/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/10/22 18:06

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1721803-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: 136 FULLER ROAD

Lab Number: L2266777

Project Number: 2222575

Report Date: 12/12/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/10/22 18:06

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1721803-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: 136 FULLER ROAD

Lab Number: L2266777

Project Number: 2222575

Report Date: 12/12/22

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 12/10/22 18:06

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1721803-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Lab Number: L2266777

Project Number: 222575

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1721803-3								
Dichlorodifluoromethane	100		-		70-130	-		
Chloromethane	88		-		70-130	-		
Freon-114	114		-		70-130	-		
Vinyl chloride	99		-		70-130	-		
1,3-Butadiene	96		-		70-130	-		
Bromomethane	106		-		70-130	-		
Chloroethane	90		-		70-130	-		
Ethanol	77		-		40-160	-		
Vinyl bromide	87		-		70-130	-		
Acetone	96		-		40-160	-		
Trichlorofluoromethane	99		-		70-130	-		
Isopropanol	78		-		40-160	-		
1,1-Dichloroethene	123		-		70-130	-		
Tertiary butyl Alcohol	112		-		70-130	-		
Methylene chloride	100		-		70-130	-		
3-Chloropropene	97		-		70-130	-		
Carbon disulfide	98		-		70-130	-		
Freon-113	105		-		70-130	-		
trans-1,2-Dichloroethene	102		-		70-130	-		
1,1-Dichloroethane	104		-		70-130	-		
Methyl tert butyl ether	108		-		70-130	-		
2-Butanone	89		-		70-130	-		
cis-1,2-Dichloroethene	112		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Lab Number: L2266777

Project Number: 2222575

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1721803-3								
Ethyl Acetate	100		-		70-130	-		
Chloroform	127		-		70-130	-		
Tetrahydrofuran	88		-		70-130	-		
1,2-Dichloroethane	125		-		70-130	-		
n-Hexane	105		-		70-130	-		
1,1,1-Trichloroethane	113		-		70-130	-		
Benzene	101		-		70-130	-		
Carbon tetrachloride	121		-		70-130	-		
Cyclohexane	107		-		70-130	-		
1,2-Dichloropropane	99		-		70-130	-		
Bromodichloromethane	117		-		70-130	-		
1,4-Dioxane	101		-		70-130	-		
Trichloroethene	101		-		70-130	-		
2,2,4-Trimethylpentane	108		-		70-130	-		
Heptane	88		-		70-130	-		
cis-1,3-Dichloropropene	114		-		70-130	-		
4-Methyl-2-pentanone	89		-		70-130	-		
trans-1,3-Dichloropropene	102		-		70-130	-		
1,1,2-Trichloroethane	102		-		70-130	-		
Toluene	89		-		70-130	-		
2-Hexanone	83		-		70-130	-		
Dibromochloromethane	96		-		70-130	-		
1,2-Dibromoethane	95		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2266777

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1721803-3								
Tetrachloroethene	90		-		70-130	-		
Chlorobenzene	94		-		70-130	-		
Ethylbenzene	96		-		70-130	-		
p/m-Xylene	99		-		70-130	-		
Bromoform	92		-		70-130	-		
Styrene	94		-		70-130	-		
1,1,2,2-Tetrachloroethane	100		-		70-130	-		
o-Xylene	97		-		70-130	-		
4-Ethyltoluene	88		-		70-130	-		
1,3,5-Trimethylbenzene	91		-		70-130	-		
1,2,4-Trimethylbenzene	88		-		70-130	-		
Benzyl chloride	84		-		70-130	-		
1,3-Dichlorobenzene	86		-		70-130	-		
1,4-Dichlorobenzene	82		-		70-130	-		
1,2-Dichlorobenzene	82		-		70-130	-		
1,2,4-Trichlorobenzene	93		-		70-130	-		
Hexachlorobutadiene	82		-		70-130	-		

Project Name: 136 FULLER ROAD

Project Number: 2222575

Lab Number: L2266777
Serial_No:12122215:34

Report Date: 12/12/22

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2266777-01	STACK EFFLUENT	3785	1.0L Can	11/29/22	374074	L2265779-02	Pass	-29.1	0.0	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 11/22/22 22:12
 Analyst: TJS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	97		60-140
Bromochloromethane	97		60-140
chlorobenzene-d5	93		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 11/22/22 22:12
 Analyst: TJS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	0.021	0.020	--	0.142	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2265779
Report Date: 12/12/22

Air Canister Certification Results

Lab ID: L2265779-02
 Client ID: CAN 2435 SHELF 11
 Sample Location:

Date Collected: 11/21/22 10:00
 Date Received: 11/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	98		60-140
chlorobenzene-d5	93		60-140



Project Name: 136 FULLER ROAD

Project Number: 2222575

Serial_No:12122215:34

Lab Number: L2266777

Report Date: 12/12/22

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler **Custody Seal**

NA Absent

Container Information

Container ID **Container Type**

L2266777-01A Canister - 2.7 Liter

Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
NA	NA			Y	Absent		TO15-LL(30)

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266777
Report Date: 12/12/22

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpeneol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpeneol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



AIR ANALYSIS

PAGE 1 OF 1

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: LaBella Associates
 Address: 4 British America Blvd
Latham, NY 12116
 Phone: 720-626-6362
 Fax:
 Email: bfields@labellapa.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Project Information

Project Name: 136 Fuller Road
 Project Location: Albany, NY
 Project #: 2222575
 Project Manager: Brayson Fields
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: _____ Time: _____

Date Rec'd in Lab: 11/30/22

Report Information - Data Deliverables

FAX
 ADEx
 Criteria Checker: _____
(Default based on Regulatory Criteria Indicated)
 Other Formats:
 EMAIL (standard pdf report)
 Additional Deliverables:
 Report to: (if different than Project Manager)

ALPHA Job #: 22266777

Billing Information

Same as Client info PO #: 2222575

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION						Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	ANALYSIS				Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum	TO-15						TO-15 SIM	APH <small>Subtract Non-petroleum HCs</small>	Fixed Gases <small>Sulfides & Mercaptans by TO-15</small>		
66777-01	Stack Effluent	11/29/22	15:01	15:02	-29	0	SV	BF	1L	3785	GRB 0072	X				PID = 7.2 ppm	

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
<u>Brayson Fields (LaBella)</u>	<u>11/29/22 16:16</u>	<u>Jimmy Long AAL</u>	<u>11/29/22 16:10</u>
<u>Jimmy Long</u>	<u>11/29/22 05:00</u>	<u>R. Manda</u>	<u>11/30/22 05:00</u>
<u>R. Manda</u>	<u>11/30/22 06:20</u>	<u>Jimmy Long</u>	<u>11/30/22 06:20</u>



ANALYTICAL REPORT

Lab Number:	L2266794
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER ROAD
Project Number:	2222575
Report Date:	12/12/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2266794-01	TFE INFLUENT	WATER	ALBANY, NY	11/29/22 14:15	11/29/22
L2266794-02	TFE EFFLUENT	WATER	ALBANY, NY	11/29/22 14:20	11/29/22

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Kelly O'Neill

Title: Technical Director/Representative

Date: 12/12/22

ORGANICS

VOLATILES

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266794-01
 Client ID: TFE INFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 14:15
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/05/22 10:25
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	2.0	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	25		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	2.4	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.9		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266794-01
 Client ID: TFE INFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 14:15
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	19		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.3	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	130	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	102		70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266794-02
 Client ID: TFE EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 11/29/22 14:20
 Date Received: 11/29/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/05/22 10:45
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	1.0	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	10		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	0.86	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.3		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

SAMPLE RESULTS

Lab ID: L2266794-02
Client ID: TFE EFFLUENT
Sample Location: ALBANY, NY

Date Collected: 11/29/22 14:20
Date Received: 11/29/22
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	11		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.2	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	140	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	104		70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/05/22 08:25
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1719945-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/05/22 08:25
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1719945-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/05/22 08:25
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1719945-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2266794

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1719945-3 WG1719945-4								
Methylene chloride	97		97		70-130	0		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	95		94		63-132	1		20
1,2-Dichloropropane	110		110		70-130	0		20
Dibromochloromethane	93		93		63-130	0		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	90		90		70-130	0		20
Chlorobenzene	99		99		75-130	0		20
Trichlorofluoromethane	100		110		62-150	10		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	98		95		67-130	3		20
Bromodichloromethane	99		100		67-130	1		20
trans-1,3-Dichloropropene	100		100		70-130	0		20
cis-1,3-Dichloropropene	98		98		70-130	0		20
Bromoform	80		82		54-136	2		20
1,1,2,2-Tetrachloroethane	110		110		67-130	0		20
Benzene	100		100		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	99		100		70-130	1		20
Chloromethane	100		100		64-130	0		20
Bromomethane	96		96		39-139	0		20
Vinyl chloride	120		120		55-140	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2266794

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1719945-3 WG1719945-4								
Chloroethane	180	Q	180	Q	55-138	0		20
1,1-Dichloroethene	110		110		61-145	0		20
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	95		96		70-130	1		20
1,2-Dichlorobenzene	92		94		70-130	2		20
1,3-Dichlorobenzene	93		95		70-130	2		20
1,4-Dichlorobenzene	96		95		70-130	1		20
Methyl tert butyl ether	90		92		63-130	2		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	100		95		70-130	5		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	95		95		70-130	0		20
Dichlorodifluoromethane	98		97		36-147	1		20
Acetone	110		97		58-148	13		20
Carbon disulfide	110		120		51-130	9		20
2-Butanone	96		96		63-138	0		20
4-Methyl-2-pentanone	96		95		59-130	1		20
2-Hexanone	91		94		57-130	3		20
Bromochloromethane	99		96		70-130	3		20
1,2-Dibromoethane	96		98		70-130	2		20
1,2-Dibromo-3-chloropropane	93		89		41-144	4		20
Isopropylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	90		91		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2266794

Report Date: 12/12/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1719945-3 WG1719945-4								
1,2,4-Trichlorobenzene	92		93		70-130	1		20
Methyl Acetate	97		92		70-130	5		20
Cyclohexane	110		110		70-130	0		20
1,4-Dioxane	100		98		56-162	2		20
Freon-113	110		110		70-130	0		20
Methyl cyclohexane	96		97		70-130	1		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	101		103		70-130
Toluene-d8	102		104		70-130
4-Bromofluorobenzene	100		97		70-130
Dibromofluoromethane	96		96		70-130

Project Name: 136 FULLER ROAD

Project Number: 2222575

Serial_No:12122216:05

Lab Number: L2266794

Report Date: 12/12/22

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2266794-01A	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)
L2266794-01B	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)
L2266794-01C	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)
L2266794-02A	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)
L2266794-02B	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)
L2266794-02C	Vial HCl preserved	A	NA		2.7	Y	Absent		NYTCL-8260-R2(14)

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2266794
Report Date: 12/12/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water


EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	Page 1	Date Rec'd in Lab 11/30/22	ALPHA Job # L2266794	
		of 1			
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3266	Project Information			
Project Name: 136 Fuller Road Project Location: Albany, NY Project # 2222575		Deliverables <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other		Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # 2222575	
Client Information		Regulatory Requirement		Disposal Site Information	
Client: LaBella Associates Address: 4 British American Blvd Latham, NY 12110 Phone: 720-626-0362 Fax: Email: bfields@labella.com		(Use Project name as Project #) <input type="checkbox"/> Project Manager: Branson Fields ALPHAQuote #: Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		Please identify below location of applicable disposal facilities: Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:	
These samples have been previously analyzed by Alpha <input checked="" type="checkbox"/> Other project specific requirements/comments:		ANALYSIS		Sample Filtration	
Please specify Metals or TAL		8260 VOLS		<input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)	
				T O T A L E N T R I E S	
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection	Sample Matrix	Sampler's Initials	Sample Specific Comments
		Date Time			
66794-01	TFE Influent	11/29/22 14:15	GW	BF	X
-02	TFE Effluent	11/29/22 14:20	GW	BF	X
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015	
		Container Type: 40ml VOA		Preservative: HCL	
Relinquished By: Branson Fields (LaBella) Jung Cury		Date/Time: 11/29/22 16:10 11/29/22 16:15		Received By: Jung Cury AAL [Signature]	
				Date/Time: 11/29/22 16:10 11/30/22 00:10	
Form No. 01-25 HC (rev. 30-Sept-2013)					

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)



ANALYTICAL REPORT

Lab Number:	L2271782
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER ROAD
Project Number:	2222575
Report Date:	01/05/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2271782-01	TFE INFLUENT	WATER	ALBANY, NY	12/21/22 09:45	12/21/22
L2271782-02	TFE EFFLUENT	WATER	ALBANY, NY	12/21/22 09:30	12/21/22

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  - Tiffani Morrissey

Title: Technical Director/Representative

Date: 01/05/23

ORGANICS

VOLATILES

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

SAMPLE RESULTS

Lab ID: L2271782-01
 Client ID: TFE INFLUENT
 Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:45
 Date Received: 12/21/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/28/22 22:58
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	1.8	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	15		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	1.6	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.3		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

SAMPLE RESULTS

Lab ID: L2271782-01
Client ID: TFE INFLUENT
Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:45
Date Received: 12/21/22
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	16		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.7	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	100	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	98		70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

SAMPLE RESULTS

Lab ID: L2271782-02
 Client ID: TFE EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:30
 Date Received: 12/21/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/28/22 22:32
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	1.0	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	6.9		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	0.72	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.2		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

SAMPLE RESULTS

Lab ID: L2271782-02
Client ID: TFE EFFLUENT
Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:30
Date Received: 12/21/22
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	9.6		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.6	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	98	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	100		70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/28/22 20:48
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1728909-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/28/22 20:48
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1728909-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/28/22 20:48
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG1728909-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	112		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Lab Number: L2271782

Project Number: 222575

Report Date: 01/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1728909-3 WG1728909-4								
Methylene chloride	86		100		70-130	15		20
1,1-Dichloroethane	91		100		70-130	9		20
Chloroform	99		100		70-130	1		20
Carbon tetrachloride	100		100		63-132	0		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	95		99		63-130	4		20
1,1,2-Trichloroethane	92		98		70-130	6		20
Tetrachloroethene	95		94		70-130	1		20
Chlorobenzene	93		92		75-130	1		20
Trichlorofluoromethane	86		91		62-150	6		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	92		97		70-130	5		20
cis-1,3-Dichloropropene	96		98		70-130	2		20
Bromoform	88		94		54-136	7		20
1,1,2,2-Tetrachloroethane	93		100		67-130	7		20
Benzene	95		95		70-130	0		20
Toluene	97		96		70-130	1		20
Ethylbenzene	96		95		70-130	1		20
Chloromethane	87		89		64-130	2		20
Bromomethane	33	Q	40		39-139	19		20
Vinyl chloride	94		96		55-140	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2271782

Report Date: 01/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1728909-3 WG1728909-4								
Chloroethane	92		94		55-138	2		20
1,1-Dichloroethene	77		88		61-145	13		20
trans-1,2-Dichloroethene	86		100		70-130	15		20
Trichloroethene	98		96		70-130	2		20
1,2-Dichlorobenzene	92		94		70-130	2		20
1,3-Dichlorobenzene	93		92		70-130	1		20
1,4-Dichlorobenzene	90		92		70-130	2		20
Methyl tert butyl ether	77		96		63-130	22	Q	20
p/m-Xylene	95		95		70-130	0		20
o-Xylene	90		90		70-130	0		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	80		80		70-130	0		20
Dichlorodifluoromethane	93		96		36-147	3		20
Acetone	84		100		58-148	17		20
Carbon disulfide	74		86		51-130	15		20
2-Butanone	96		110		63-138	14		20
4-Methyl-2-pentanone	82		88		59-130	7		20
2-Hexanone	85		96		57-130	12		20
Bromochloromethane	96		97		70-130	1		20
1,2-Dibromoethane	92		98		70-130	6		20
1,2-Dibromo-3-chloropropane	78		87		41-144	11		20
Isopropylbenzene	98		96		70-130	2		20
1,2,3-Trichlorobenzene	85		92		70-130	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD

Project Number: 222575

Lab Number: L2271782

Report Date: 01/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1728909-3 WG1728909-4								
1,2,4-Trichlorobenzene	89		92		70-130	3		20
Methyl Acetate	86		110		70-130	24	Q	20
Cyclohexane	100		100		70-130	0		20
1,4-Dioxane	64		82		56-162	25	Q	20
Freon-113	80		92		70-130	14		20
Methyl cyclohexane	98		94		70-130	4		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	99		102		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	108		108		70-130
Dibromofluoromethane	99		100		70-130

Project Name: 136 FULLER ROAD

Project Number: 2222575

Serial_No:01052312:57

Lab Number: L2271782

Report Date: 01/05/23

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2271782-01A	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)
L2271782-01B	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)
L2271782-01C	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)
L2271782-02A	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)
L2271782-02B	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)
L2271782-02C	Vial HCl preserved	A	NA		2.4	Y	Absent		NYTCL-8260-R2(14)

Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575

Lab Number: L2271782
Report Date: 01/05/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water


EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tenawanda, NY 14150: 275 Cooper Ave, Suite 105	Page 1 of 1	Date Rec'd in Lab: 12/22/22	ALPHA Job # L2271782							
		Project Information Project Name: 136 Fuhr Rd Project Location: Albany, NY Project #: 2222575 (Use Project name as Project #) <input checked="" type="checkbox"/>		Deliverables <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other	Billing Information <input checked="" type="checkbox"/> Same as Client Info PO # 2222575						
Client Information Client: Labelle Associates Address: 4 British American 1st Floor, NY 12110 Phone: 708-626-6342 Fax: Email: bfields@labellepc.com	Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:	Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWO Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:							
These samples have been previously analyzed by Alpha <input type="checkbox"/> Other project specific requirements/comments: Please specify Metals or TAL.		ANALYSIS		Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please Specify below)							
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials					Sample Specific Comments	
		Date	Time								
71782 01	TFE Influent	12/21/22	0945	bw	BF	7					
02	TFE Effluent	12/21/22	0930	bw	BF	X					
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₅ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type: 40ml VOA Preservative: HCL					Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)
Relinquished By: <i>Branisa Fields (Labelle)</i> <i>Branisa Fields</i>		Date/Time: 12/21/22 @ 11:25 12/21/22 11:39		Received By: <i>Jan Conley AP2</i>		Date/Time: 12/21/22 11:25 12/22/22 09:50					



ANALYTICAL REPORT

Lab Number:	L2271970
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER RD.
Project Number:	2222575
Report Date:	01/10/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2271970-01	STACK EFFLUENT	SOIL_VAPOR	ALBANY, NY	12/21/22 09:06	12/21/22

Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23


Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on December 14, 2022. The canister certification results are provided as an addendum.

L2271970-01D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 01/10/23

AIR

Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

SAMPLE RESULTS

Lab ID: L2271970-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:06
 Date Received: 12/21/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 01/07/23 06:38
 Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	3.78	3.39	--	18.7	16.8	--		16.95
Chloromethane	ND	3.39	--	ND	7.00	--		16.95
Freon-114	ND	3.39	--	ND	23.7	--		16.95
Vinyl chloride	15.1	3.39	--	38.6	8.67	--		16.95
1,3-Butadiene	ND	3.39	--	ND	7.50	--		16.95
Bromomethane	ND	3.39	--	ND	13.2	--		16.95
Chloroethane	7.93	3.39	--	20.9	8.95	--		16.95
Ethanol	ND	84.8	--	ND	160	--		16.95
Vinyl bromide	ND	3.39	--	ND	14.8	--		16.95
Acetone	ND	17.0	--	ND	40.4	--		16.95
Trichlorofluoromethane	21.2	3.39	--	119	19.1	--		16.95
Isopropanol	ND	8.48	--	ND	20.8	--		16.95
1,1-Dichloroethene	6.63	3.39	--	26.3	13.4	--		16.95
Tertiary butyl Alcohol	ND	8.48	--	ND	25.7	--		16.95
Methylene chloride	ND	8.48	--	ND	29.5	--		16.95
3-Chloropropene	ND	3.39	--	ND	10.6	--		16.95
Carbon disulfide	ND	3.39	--	ND	10.6	--		16.95
Freon-113	ND	3.39	--	ND	26.0	--		16.95
trans-1,2-Dichloroethene	ND	3.39	--	ND	13.4	--		16.95
1,1-Dichloroethane	70.8	3.39	--	287	13.7	--		16.95
Methyl tert butyl ether	ND	3.39	--	ND	12.2	--		16.95
2-Butanone	ND	8.48	--	ND	25.0	--		16.95
cis-1,2-Dichloroethene	490	3.39	--	1940	13.4	--		16.95



Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

SAMPLE RESULTS

Lab ID: L2271970-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:06
 Date Received: 12/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	8.48	--	ND	30.6	--		16.95
Chloroform	ND	3.39	--	ND	16.6	--		16.95
Tetrahydrofuran	ND	8.48	--	ND	25.0	--		16.95
1,2-Dichloroethane	ND	3.39	--	ND	13.7	--		16.95
n-Hexane	ND	3.39	--	ND	11.9	--		16.95
1,1,1-Trichloroethane	162	3.39	--	884	18.5	--		16.95
Benzene	ND	3.39	--	ND	10.8	--		16.95
Carbon tetrachloride	ND	3.39	--	ND	21.3	--		16.95
Cyclohexane	ND	3.39	--	ND	11.7	--		16.95
1,2-Dichloropropane	ND	3.39	--	ND	15.7	--		16.95
Bromodichloromethane	ND	3.39	--	ND	22.7	--		16.95
1,4-Dioxane	ND	3.39	--	ND	12.2	--		16.95
Trichloroethene	122	3.39	--	656	18.2	--		16.95
2,2,4-Trimethylpentane	ND	3.39	--	ND	15.8	--		16.95
Heptane	ND	3.39	--	ND	13.9	--		16.95
cis-1,3-Dichloropropene	ND	3.39	--	ND	15.4	--		16.95
4-Methyl-2-pentanone	ND	8.48	--	ND	34.8	--		16.95
trans-1,3-Dichloropropene	ND	3.39	--	ND	15.4	--		16.95
1,1,2-Trichloroethane	ND	3.39	--	ND	18.5	--		16.95
Toluene	4.58	3.39	--	17.3	12.8	--		16.95
2-Hexanone	ND	3.39	--	ND	13.9	--		16.95
Dibromochloromethane	ND	3.39	--	ND	28.9	--		16.95
1,2-Dibromoethane	ND	3.39	--	ND	26.1	--		16.95
Tetrachloroethene	892	3.39	--	6050	23.0	--		16.95
Chlorobenzene	ND	3.39	--	ND	15.6	--		16.95
Ethylbenzene	ND	3.39	--	ND	14.7	--		16.95



Project Name: 136 FULLER RD.**Lab Number:** L2271970**Project Number:** 2222575**Report Date:** 01/10/23**SAMPLE RESULTS**

Lab ID: L2271970-01 D
 Client ID: STACK EFFLUENT
 Sample Location: ALBANY, NY

Date Collected: 12/21/22 09:06
 Date Received: 12/21/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	ND	6.78	--	ND	29.4	--		16.95
Bromoform	ND	3.39	--	ND	35.1	--		16.95
Styrene	ND	3.39	--	ND	14.4	--		16.95
1,1,2,2-Tetrachloroethane	ND	3.39	--	ND	23.3	--		16.95
o-Xylene	4.05	3.39	--	17.6	14.7	--		16.95
4-Ethyltoluene	ND	3.39	--	ND	16.7	--		16.95
1,3,5-Trimethylbenzene	ND	3.39	--	ND	16.7	--		16.95
1,2,4-Trimethylbenzene	ND	3.39	--	ND	16.7	--		16.95
Benzyl chloride	ND	3.39	--	ND	17.6	--		16.95
1,3-Dichlorobenzene	ND	3.39	--	ND	20.4	--		16.95
1,4-Dichlorobenzene	ND	3.39	--	ND	20.4	--		16.95
1,2-Dichlorobenzene	ND	3.39	--	ND	20.4	--		16.95
1,2,4-Trichlorobenzene	ND	3.39	--	ND	25.2	--		16.95
Hexachlorobutadiene	ND	3.39	--	ND	36.2	--		16.95

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	97		60-140
Bromochloromethane	99		60-140
chlorobenzene-d5	96		60-140



Project Name: 136 FULLER RD.

Lab Number: L2271970

Project Number: 2222575

Report Date: 01/10/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 01/06/23 16:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1730835-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: 136 FULLER RD.

Lab Number: L2271970

Project Number: 2222575

Report Date: 01/10/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 01/06/23 16:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1730835-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: 136 FULLER RD.

Lab Number: L2271970

Project Number: 2222575

Report Date: 01/10/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 01/06/23 16:48

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1730835-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD.

Lab Number: L2271970

Project Number: 2222575

Report Date: 01/10/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1730835-3								
Dichlorodifluoromethane	107		-		70-130	-		
Chloromethane	96		-		70-130	-		
Freon-114	96		-		70-130	-		
Vinyl chloride	93		-		70-130	-		
1,3-Butadiene	87		-		70-130	-		
Bromomethane	99		-		70-130	-		
Chloroethane	92		-		70-130	-		
Ethanol	87		-		40-160	-		
Vinyl bromide	86		-		70-130	-		
Acetone	104		-		40-160	-		
Trichlorofluoromethane	108		-		70-130	-		
Isopropanol	103		-		40-160	-		
1,1-Dichloroethene	104		-		70-130	-		
Tertiary butyl Alcohol	97		-		70-130	-		
Methylene chloride	102		-		70-130	-		
3-Chloropropene	100		-		70-130	-		
Carbon disulfide	89		-		70-130	-		
Freon-113	107		-		70-130	-		
trans-1,2-Dichloroethene	92		-		70-130	-		
1,1-Dichloroethane	103		-		70-130	-		
Methyl tert butyl ether	97		-		70-130	-		
2-Butanone	102		-		70-130	-		
cis-1,2-Dichloroethene	104		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD.

Lab Number: L2271970

Project Number: 2222575

Report Date: 01/10/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1730835-3								
Ethyl Acetate	109		-		70-130	-		
Chloroform	108		-		70-130	-		
Tetrahydrofuran	99		-		70-130	-		
1,2-Dichloroethane	110		-		70-130	-		
n-Hexane	94		-		70-130	-		
1,1,1-Trichloroethane	118		-		70-130	-		
Benzene	98		-		70-130	-		
Carbon tetrachloride	120		-		70-130	-		
Cyclohexane	93		-		70-130	-		
1,2-Dichloropropane	107		-		70-130	-		
Bromodichloromethane	107		-		70-130	-		
1,4-Dioxane	113		-		70-130	-		
Trichloroethene	104		-		70-130	-		
2,2,4-Trimethylpentane	95		-		70-130	-		
Heptane	107		-		70-130	-		
cis-1,3-Dichloropropene	114		-		70-130	-		
4-Methyl-2-pentanone	113		-		70-130	-		
trans-1,3-Dichloropropene	102		-		70-130	-		
1,1,2-Trichloroethane	112		-		70-130	-		
Toluene	92		-		70-130	-		
2-Hexanone	102		-		70-130	-		
Dibromochloromethane	97		-		70-130	-		
1,2-Dibromoethane	101		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER RD.

Project Number: 222575

Lab Number: L2271970

Report Date: 01/10/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1730835-3								
Tetrachloroethene	96		-		70-130	-		
Chlorobenzene	97		-		70-130	-		
Ethylbenzene	101		-		70-130	-		
p/m-Xylene	102		-		70-130	-		
Bromoform	101		-		70-130	-		
Styrene	97		-		70-130	-		
1,1,2,2-Tetrachloroethane	106		-		70-130	-		
o-Xylene	104		-		70-130	-		
4-Ethyltoluene	90		-		70-130	-		
1,3,5-Trimethylbenzene	97		-		70-130	-		
1,2,4-Trimethylbenzene	101		-		70-130	-		
Benzyl chloride	102		-		70-130	-		
1,3-Dichlorobenzene	98		-		70-130	-		
1,4-Dichlorobenzene	95		-		70-130	-		
1,2-Dichlorobenzene	100		-		70-130	-		
1,2,4-Trichlorobenzene	108		-		70-130	-		
Hexachlorobutadiene	104		-		70-130	-		

Project Name: 136 FULLER RD.

Project Number: 2222575

Serial_No:01102308:39
Lab Number: L2271970

Report Date: 01/10/23

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2271970-01	STACK EFFLUENT	3795	1.0L Can	12/14/22	408660	L2269288-07	Pass	-30.0	1.9	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/11/22 22:31
 Analyst: TJS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	95		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	92		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/11/22 22:31
 Analyst: TJS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2269288
Report Date: 01/10/23

Air Canister Certification Results

Lab ID: L2269288-07
 Client ID: CAN 796 SHELF 17
 Sample Location:

Date Collected: 12/09/22 10:00
 Date Received: 12/09/22
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	96		60-140
chlorobenzene-d5	91		60-140



Project Name: 136 FULLER RD.**Lab Number:** L2271970**Project Number:** 2222575**Report Date:** 01/10/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

N/A Absent

Container Information**Container ID** **Container Type**

L2271970-01A Canister - 1 Liter

Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
N/A	NA			Y	Absent		TO15-LL(30)

Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 136 FULLER RD.
Project Number: 2222575

Lab Number: L2271970
Report Date: 01/10/23

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpeneol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpeneol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

