

July 17, 2024

Mr. Kyle Forster
New York State Department of Environmental Conservation
Section B, Remedial Bureau B
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, NY 12233-7016

RE: First Quarter 2024 Groundwater Monitoring and Remediation System Effluent Monitoring
136 Fuller Road BCP Site #C401055, Albany County, New York, 12250
LaBella Project # 2222575

Dear Mr. Forster:

On behalf of 136 Fuller Road LLC, c/o Redstone of Burlington, VT (Redstone), LaBella Associates DPC (LaBella) submits this 43rd quarterly report since the Certificate of Completion (COC) was issued on April 25, 2013, for the above-referenced Site. This report provides: 1) monitoring results for the first quarter groundwater sampling event conducted on March 19, 2024, 2) influent and effluent monitoring data for the total fluids extraction (TFE) remediation system for the months of January, February, and March 2024, 3) total cumulative removal quantities for the compounds of concern, and 4) an operation, maintenance, and repair summary of the TFE system during the first quarter of 2024.

- Quarterly groundwater sampling for the first quarter of 2024 was performed consistent with the current NYSDEC-approved Site Management Plan (SMP).
 - Accessible groundwater monitoring wells on-Site were gauged to determine depth to groundwater. This data was used to create a Site-wide groundwater contour map, attached as **Figure 1**. Groundwater samples were collected from quarterly monitoring well locations MW-10, MW-25, MW-27, MW-30, MW-32, and MW-33. First quarter 2024 groundwater field sampling data sheets are attached.
 - The first quarter 2024 groundwater contour map continues to show a general flow to the south and southeast across the Site. A groundwater table cone of depression, created by TFE recovery wells R-2 and R-11, is shown in the northern interior portion of the building.
 - Attached analytical results summary tables are for the quarterly sampled wells as well as the other annually sampled wells. The first quarter 2024 laboratory analytical report for groundwater samples is also attached. Groundwater analytical results indicate continued variability in total chlorinated volatile organic compounds (CVOC) concentrations. The spatial distribution of CVOCs in groundwater reported across the Site for the March 19, 2024, sampling event is shown on the attached **Figure 2**. Groundwater data for the June, September and December 2023 events are also shown on **Figure 2**.
 - Total CVOC concentrations reported at monitoring wells MW-10, MW-25, MW-27, and MW-33 remain consistent with concentrations reported over the past four quarterly sampling events. A significant decrease in CVOC concentrations were reported at monitoring wells MW-30 (319.43 ppb) and MW-32 (433.83 ppb), located adjacent to R-2 and R-11,



respectively. For reference, historical figures are also included for four prior years to show fluctuations in total CVOCs in groundwater over time (**Figures 3A through 3D**).

- During the first quarter 2024, the TFE remediation system was operational from January 1 through January 19, 2024. On January 20, 2024, the TFE remediation system shut down due to multiple malfunctions of the TFE control panel and alarm call-out. Following system shutdown, exhaust fans for the TFE system continued to operate resulting in extensive cold-weather related damage to equipment within the remediation system trailer. LaBella's assessment is that the cause of this shut down is due to system modifications made prior to October 2022, after which LaBella took over direct operation and maintenance of the system.
 - Between the week of February 5, 2024, and March 13, 2024, LaBella repaired or replaced damaged components within the system trailer including conveyance piping, transfer pumps, air stripper blower, and bag filter housing. LaBella also installed additional fan controls, thermostats and pump protections to prevent future damage during a system shut down in freezing temperatures. LaBella removed unnecessary and/or non-functional system communication wiring, electrical relays, switches, etc. from the exterior control panel and within trailer's interior to return the TFE remediation system to a properly functioning unit. Then LaBella cleared and reprogrammed the system's control program in an effort to prevent future issues like the January 20, 2024, shutdown event from occurring again.
 - TFE remediation system operation was restored on March 14, 2024.
- Due to system shut down, TFE monitoring conducted during the first quarter 2024 was limited to March 2024. March 2024 effluent monitoring results for the TFE remediation system demonstrated that the system is operating efficiently following operational restart on March 14, 2024, and effectively removing CVOCs from the subsurface in the source areas. A TFE field inspection form for March 2024 is attached.
 - Influent groundwater flow rates at the TFE system averaged 844 gallons per day (GPD) from January 1 through January 19, 2024, prior to remediation system shutdown on January 20, 2024. Following remediation system operational restart, the average influent flow rate increased to 1,179 GPD from March 14 through March 19, 2024. Total VOCs in the March water effluent sample were 0.069 milligrams per liter (mg/L), which is significantly less than the respective action level of 5 mg/L per day. TFE system influent/effluent water monitoring data is summarized in attached **Table 1**. The March 2024 laboratory analytical reports for TFE water samples are attached.
 - During the March sampling event, effluent air flow from the TFE system was 167 cubic feet per minute (CFM) and observed VOC concentrations via photoionization detector (PID) field screening was 1.3 parts per million (ppm). The total VOC concentration reported in the March effluent vapor sample was 3,344 micrograms per cubic meter (ug/m³) which is 0.0021 pounds per hour [lbs./hr.] and continues to be significantly less than the respective action level of 0.5 lbs./hr. TFE system influent/effluent vapor monitoring data is summarized in attached **Table 2**. A March 2024 laboratory analytical report for the TFE air sample is attached.
 - Summary charts showing vapor phase effluent concentrations, VOC mass removal rates, and total cumulative mass removed are also attached. Approximately 1,302 pounds of VOCs have been removed by the TFE remediation system between March 2011 and March 19, 2024. Total mass removal calculations for the TFE system are summarized in attached **Table 3**.



The combined results of first quarter 2024 groundwater sampling and March 2024 monthly TFE system monitoring indicate that the Site remedy per the NYSDEC-approved SMP is working effectively and ensuring compliance with all engineering controls (ECs) and institutional controls (ICs) required by the Environmental Easement for contamination that remains at the Site. Future monitoring is expected to show continued additional attenuation of remaining CVOC impacts in the subsurface.

If you have any questions, please contact Branson Fields at (518) 266-7355 or Arlette St. Romain at (518) 824-1928.

Sincerely,

Branson Fields
Environmental Scientist-LaBella Associates

Arlette St. Romain
Brownfields Program Manager, LaBella Associates

cc via email: Mr. Steven Scharf, NYSDEC
Ms. Maureen Schuck, NYSDOH
Mr. Myles Frendel, 136 Fuller Road LLC c/o Redstone
Mr. Andrew Filippi, 136 Fuller Road LLC c/o Redstone
Ms. Kelly Statton, 136 Fuller Road LLC c/o Redstone

Attachments:

FIGURES

- Figure 1 - Groundwater Contour Map (March 2024)
- Figure 2 - Total CVOCs in Groundwater March 2024 (with June, September and December 2023)
- Figure 3A- Total CVOCs in Groundwater June 2022 (with September and December 2022, and March 2023)
- Figure 3B - Total CVOCs in Groundwater June 2021 (with August and December 2021, and April 2022)
- Figure 3C – Total CVOCs in Groundwater June 2020 (with August and December 2020, and March 2021)
- Figure 3D- Total CVOCs in Groundwater June 2019 (with September and December 2019 and March 2020)

Groundwater Analytical Results Summary Tables

TFE System Data Summary Tables:

- Table 1 - TFE System Influent/Effluent Water Monitoring
- Table 2 - TFE System Influent/Effluent Air Monitoring
- Table 3 – TFE System Total Mass Removal Calculations
- Chart – Total VOCs in Air Stack Exhaust (December 2011 through March 2024)
- Chart – HVE/SVE System VOC Mass Removal (December 2011 through March 2024)

First Quarter 2024 Groundwater Sampling Field Data Sheets


TFE Field Inspection Form (March 2024)

Groundwater Monitoring: York Analytical Laboratory Report

TFE System Monitoring: Alpha Analytical Laboratory Reports

LEGEND:

-  SHALLOW MONITORING WELL
-  DEEP MONITORING WELL
-  Deep monitoring well groundwater elevations not used in construction of contours
-  WATER TABLE ELEVATION CONTOUR (FEET APPROX.)
-  RECOVERY WELL



LaBella
Powered by partnership.

300 State Street, Suite 201
Rochester, NY 14614
585-454-6110
labellapc.com

© 2022 LaBella Associates

It is a violation of New York Education Law Article 145 Sec 7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered, the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.


ISSUED FOR:
1Q2024 Routine SMP Reporting

DRAWING NAME:
GROUNDWATER CONTOUR MAP - MArch 19, 2024

DRAWN BY:
BWF
DATE:
6/28/2024
PROJECT NO.:
2222575.04

PROJECT NAME:
Fuller Road BCP (Site No. C401055)
136 Fuller Road, Albany, New York

DRAWING NUMBER:
Figure 1



It is a violation of New York Education Law Article 145 Sec.7209, for any person, unless acting under the direction of a licensed architect, professional engineer, or land surveyor, to alter an item in any way. If an item bearing the seal of an architect, engineer, or land surveyor is altered; the altering architect, engineer, or land surveyor shall affix to the item their seal and notation "altered by" followed by their signature and date of such alteration, and a specific description of the alteration.

 LaBella
Powered by partnership.

300 State Street, Suite 201
Rochester, NY 14614
585-454-6110
labelapc.com © 2022 LaBella Associates

ISSUED FOR:
1Q2024 Annual SMP Reporting


DRAWING NAME:
TOTAL CVOCs IN GROUNDWATER IN PARTS PER BILLION
(March 19, 2024) D

DRAWN BY: BWF DATE: 6/28/2024 PROJECT NO.: 2222575.0

PROJECT NAME: **Fuller Road BCP (Site No. C401055)** **D**

136 Fuller Road, Albany, New York

DRAWING NUMBER:
FIGURE 2


**LEGEND:**

SHALLOW MONITORING WELL




DEEP MONITORING WELL


CONCENTRATION CONTOUR (PARTS PER BILLION)



Update in 2023 to show September and December 2022, and March 2023 results.

**LEGEND:**

- Shallow Monitoring Well
- Deep Monitoring Well
- Concentration Contour (Parts per Billion) for June 2021 annual data



ALL RIGHTS RESERVED. COPY OR REPRODUCTION OF THIS PLAN OR ANY PORTION THEREOF IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DESIGN ENGINEER, SURVEYOR, OR ARCHITECT.

CHAZEN ENGINEERING, LAND SURVEYING

LANDSCAPE ARCHITECTURE CO., D.P.C.

Office Locations:

Dutchess County Office:
21 Fox Street
Poughkeepsie, New York 12601
Phone: (845) 454-3980

Capital District Office:
547 River Street
Troy, New York 12180
Phone: (518) 273-0055


North Country Office:
375 Bay Road
Queensbury, New York 12804
Phone: (518) 812-0513

TOTAL CVOCs IN GROUNDWATER IN PARTS PER BILLION (JUNE 2020) 136 FULLER ROAD

Updated in 2021 to show August and December 2020, and March 2021 Results

designed BWF	checked ASR
date 01/28/21	scale 1"=60'
project no. 90618.00	
sheet no.	

Figure 3C

**LEGEND:**

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- CONCENTRATION CONTOUR (PARTS PER BILLION)



ALL RIGHTS RESERVED. COPY OR REPRODUCTION OF THIS PLAN OR ANY PORTION THEREOF IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THE DESIGN ENGINEER, SURVEYOR, OR ARCHITECT.

CHAZEN ENGINEERING, LAND SURVEYING

LANDSCAPE ARCHITECTURE CO., D.P.C.

Office Locations:

Dutchess County Office:
21 Fox Street
Poughkeepsie, New York 12601
Phone: (845) 454-3980

Capital District Office:
547 River Street
Troy, New York 12180
Phone: (518) 273-0055

North Country Office:
375 Bay Road
Queensbury, New York 12804
Phone: (518) 812-0513

**TOTAL CVOCs IN GROUNDWATER
IN PARTS PER BILLION (JUNE 2019)
136 FULLER ROAD**

Updated in 2021 to show results from 2019 Q3, 2019 Q4, 2020 Q1, and 2020 Q2.

designed BWF	checked ASR
date 01/28/21	scale 1"=60'
project no. 90618.00	
sheet no.	

Figure 3D

Groundwater Analytical Results Summary
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project # 2222575

NOTES:

All data are reported in micrograms per liter (ug/L) = parts per billion (ppb)

NS indicates that there is no listed standard for that analyte

NA indicate that the compound was not included on the list of analytes

Results which exceed 6 NYCRR Part 703.5 ambient groundwater standards and guidance values have been **bolded**

Bolded cells indicate values that are greater than the standard; Shaded cells indicate values that are greater than the standard and which were not identified as

* = Guidance Value

+ Applies to the sum of trans-1,3-Dichloropropene and cis-1,3-Dichloropropene

ND < = indicates the compound was not detected at or above the listed laboratory method reporting limit

B indicates the analyte is found in the associated analysis batch blank.

Italics indicate laboratory method reporting limit is greater than the groundwater quality standard

CCV-E indicates the value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

ICV-E indicates the value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).

HT-01R This flag indicates that the sample was initially analyzed within recommended hold time and that a re-run was performed outside of the hold time.

D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated

E=result is estimated and cannot be accurately reported due to levels encountered or interferences

QL-02 indicates this LCS analyte is outside Laboratory Recovery limits due to the analyte behavior using the reference method. The reference method has certain limitations with respect to analytes of this nature.

SCAL-E The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).

TFE Remediation System Downtime Notes:

3/16/2020 - (TFE remediation system down 3/13 through 3/18/2020 due to power outages, resolved on 3/18/2020. Normal operation before and after this time period)

6/10/2020 - (System down periodically 6/8 through 6/11/2020 due to pump malfunction, diagnosed and resolved on 6/11/2020. Normal before and after that time period)

3/12/2021 - (TFE remediation system down on this date and down on and off prior 2 weeks due to vacuum sensor errors for the TFE remediation system. Sensor errors resolved on 3/17/2021, normal operation continued)

6/16/2021 - (TFE remediation system running on 6/1/2021 but down prior to 6/15/2021 due to vacuum sensor errors. Sensor errors resolved on 6/17/2021, normal operation continued)

Sample Location		6 NYCRR Part 703.5	MW10												FRMW-MW10-X15 (10-15')					
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well	ID# (approx. depth to well bottom) and (Screen Interval)		7/19/2010	5/31/2011	7/21/2011	9/29/2011	12/14/2011	2/22/2012	4/30/2012	6/28/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014		
Sample Date	10G0579-15		11F0120-02	11G0750-02	11J0038-02	11L0632-02	12B0883-02	12E0113-04	12F0976-02	12I0945-04	12L0807-04	--	13F0453-06	13I0664-05	13K0803-05	14C0921-04	14F0651-05			
Lab Sample ID	239.15		241.24	240.56	241.54	241.21	240.65	240.17	240.23	238.78	238.72	--	239.12	239.20	238.89	239.81	239.55			
Groundwater Elevation (ft.)	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	--	ppb	ppb	ppb	ppb	ppb			
Analyte		5	670	260	65 J	300	280	8.2	180	190	45	7.8	260	180	84	1.1	0.66			
1,1,1-Trichloroethane		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 0.5								
1,1,2,2-Tetrachloroethane		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 0.5								
1,1,2-Trichloro-1,2,2-trifluoroethane		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 0.5								
1,1,2-Trichloroethane		1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 5.0	ND< 0.5								
1,1-Dichloroethane		5	310	47 J	17	97	55 J	0.86 J	37 J	44 J	23	2.8 J	95	67	23	ND< 0.5	ND< 0.5			
1,1-Dichloroethylene		5	87 J	31 J	14	50	ND< 250	ND< 5.0	ND< 50	34	12	1.4 J	62	45	16	ND< 0.5	ND< 0.5			
1,2,3-Trichlorobenzene		5	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
1,2,4-Trichlorobenzene		5	ND< 500	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 0.5	ND< 0.5								
1,2-Dibromo-3-chloropropane		0.04	ND< 250	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 0.5	ND< 0.5								
1,2-Dibromoethane		0.0006	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
1,2-Dichlorobenzene		3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
1,2-Dichloroethane		0.6	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
1,2-Dichloropropane		1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
1,3-Dichlorobenzene		3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
1,4-Dichlorobenzene		3	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
2-Butanone		50*	ND< 250	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 0.5	ND< 0.5								
2-Hexanone		50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Methyl isobutyl ketone (4-Methyl-2-pentanone)		NS	ND< 500	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	ND< 100	ND< 10	ND< 0.5	ND< 0.5								
Acetone		50*	ND< 270 J	ND< 10	ND< 10	ND< 10	ND< 500	ND< 10	6.2 B-Dil, J,	ND< 10	ND< 2.0	ND< 0.5								
Benzene		1	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Bromochloromethane		5	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
Bromodichloromethane		50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Bromoform		50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Bromomethane		5	ND< 250 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Carbon disulfide		60*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Carbon tetrachloride		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Chlorobenzene		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Chloroethane		5	ND< 250	3.2 J	1.3 J	2.2	ND< 250	ND< 5.0	ND< 50	1.6 J	ND< 5.0	ND< 0.5	ND< 0.5							
Chloroform		7	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Chloromethane		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
cis-1,2-Dichloroethylene		5	8,700	3,300	830	3,800	2,900	67	2,000	2,600	940	170	2,800	4,600	1,500 HT-01R	11	2.7			
cis-1,3-Dichloropropylene		0.4*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Cyclohexane		NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
Dibromochloromethane		50*	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Dichlorodifluoromethane		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	2.5 J	ND< 5.0	ND< 0.5	ND< 0.5							
Ethyl Benzene		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Isopropylbenzene		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
Methyl acetate		NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
Methyl tert-butyl ether (MTBE)		10*	ND< 250	0.39 J	1.0 J	ND< 5.0	ND< 250	ND< 5.0	ND< 50	0.42 J	1.2 J	0.84 J	ND< 5.0	ND< 5.0	ND< 5.0	ND< 0.5	ND< 0.5			
Methylcyclohexane		NS	na	na	na	na	na	na	na	ND< 0.5	ND< 0.5									
Methylene chloride		5	ND< 430 J	ND< 10	ND< 10	2.8	ND< 500	ND< 10	4.2 B-Dil, J,	ND< 10	3.0 J,B	ND< 10	ND< 5.0	ND< 5.0	ND< 5.0	ND< 2.0	ND< 0.5			
o-Xylene		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50	ND< 5.0	ND< 0.5	ND< 0.5								
p- & m- Xylenes		5	46 J	ND< 10	ND< 10	ND< 10	ND< 250	ND< 10	ND< 100	ND< 10	ND< 1.0	ND< 0.5	ND< 0.5							
Styrene		5	ND< 250	ND< 5.0	ND< 5.0	ND< 5.0	ND< 250	ND< 5.0	ND< 50</td											

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW10																
		'FRMW-MW10-X15 (10-15')																
		9/16/2014	12/15/2014	3/10/2015	6/25/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016	9/29/2016	10/31/2016	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	
Sample Date Lab Sample ID Groundwater Elevation (ft.)	1410784-03 238.64	--	--	15F1052-11 238.57	--	16C0192-06 <237.50	--	--	--	--	--	--	17F1193-07 <238.20	17J0005-01 <238.20	--	--	18C1190-06 238.48	
Analyte	ppb	ppb	--	--	ppb	--	--	--	--	--	--	--	--	ppb	ppb	--	ppb	
1,1,1-Trichloroethane	5	0.5	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY	WELL DRY		
1,1,2,2-Tetrachloroethane	5	ND< 0.5																
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5																
1,1,2-Trichloroethane	1	ND< 0.5																
1,1-Dichloroethane	5	ND< 0.5																
1,1-Dichloroethylene	5	ND< 0.5																
1,2,3-Trichlorobenzene	5	ND< 0.5																
1,2,4-Trichlorobenzene	5	ND< 0.5																
1,2-Dibromo-3-chloropropane	0.04	ND< 2																
1,2-Dibromoethane	0.0006	ND< 0.5																
1,2-Dichlorobenzene	3	ND< 0.5																
1,2-Dichloroethane	0.6	ND< 0.5																
1,2-Dichloropropane	1	ND< 0.5																
1,3-Dichlorobenzene	3	ND< 0.5																
1,4-Dichlorobenzene	3	ND< 0.5																
2-Butanone	50*	ND< 2																
2-Hexanone	50*	ND< 0.5																
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5																
Acetone	50*	ND< 2																
Benzene	1	ND< 0.5																
Bromochloromethane	5	ND< 0.5																
Bromodichloromethane	50*	ND< 0.5																
Bromoform	50*	ND< 0.5																
Bromomethane	5	ND< 0.5																
Carbon disulfide	60*	ND< 0.5																
Carbon tetrachloride	5	ND< 0.5																
Chlorobenzene	5	ND< 0.5																
Chloroethane	5	ND< 0.5																
Chloroform	7	7.5																
Chloromethane	5	ND< 0.5																
cis-1,2-Dichloroethylene	5	6.2																
cis-1,3-Dichloropropylene	0.4*	ND< 0.5																
Cyclohexane	NS	ND< 0.5																
Dibromochloromethane	50*	ND< 0.5																
Dichlorodifluoromethane	5	ND< 0.5																
Ethyl Benzene	5	ND< 0.5																
Isopropylbenzene	5	ND< 0.5																
Methyl acetate	NS	ND< 0.5																
Methyl tert-butyl ether (MTBE)	10*	ND< 0.5																

Sample Location			MW10														
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well	6 NYCR Part	703.5	FRMW-MW10-X15 (10'-15')														
ID# (approx. depth to well bottom) and (Screen Interval)			6/14/2018	9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020	8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021	
Sample Date			--	--	18L0310-04	19C0144-04	19F0430-04	19I0905-01	19L0806-01	20C0746-04	20F0477-04	20H1134-01	20L0785-01	21C0753-01	21F0819-13	21J0004-01	
Lab Sample ID			238.18	238.48	239.50	240.10	240.43	239.40	239.80	239.99	240.00	238.99	239.08	239.28	239.46	239.60	
Groundwater Elevation (ft.)			ppb	--	--	ppb	ppb										
Analyte																	
1,1,1-Trichloroethane			5			27	34	8.0	3.6	ND< 2.5	6.4	4.4	3.4 J	1.9	4.4	140	54
1,1,2,2-Tetrachloroethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane			1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	1.5	ND< 0.20
1,1-Dichloroethane			5			17	14	3.3	2.6	ND< 2.5	2.7	5.0	4.7 J	3.1	4.2	31	17
1,1-Dichloroethylene			5			9.9	26	3.9	1.3	ND< 2.5	1.7 ICV-E	2.6	ND< 2.5	ND< 0.20	2.3	33	9.3
1,2,3-Trichlorobenzene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane			0.04			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane			0.0006			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene			3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane			0.6			ND< 0.20	0.58	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	0.50	ND< 0.20
1,2-Dichloropropane			1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene			3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene			3			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone			50*			ND< 0.20	ND< 0.20	28	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone			50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)			NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone			50*			ND< 1.00	ND< 1.00	ND< 1.00	ND< 1.00	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	1.7 J	ND< 1	ND< 1	ND< 1.0
Benzene			1			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.29 J	ND< 0.20	ND< 0.20
Bromochloromethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane			50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform			50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide			60*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroform			7			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.27 J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.73	ND< 0.20	ND< 0.20	ND< 0.20
cis-1,2-Dichloroethylene			5			390	620	160	120	14	140	670	390	220	170	1000	410
cis-1,3-Dichloropropylene			0.4*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
Cyclohexane			NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	1.3	ND< 0.20	ND< 0.20
Dibromochloromethane			50*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20	ND< 0.20
Dichlorodifluoromethane			5			0.730	0.68	0.36 J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	0.2 CCV-E, ICV-E, QL-02, J	0.48 J	ND< 0.20
Ethyl Benzene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.37 J	ND< 0.20	ND< 0.20
Isopropylbenzene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	0.38 J	ND< 0.20	ND< 0.20
Methyl acetate			NS			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.20	ND< 0.20
Methyl tert-butyl ether (MTBE)			10*			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.27 J	0.33 J	0.33 J	0.32 J	0.32 J
Methylcyclohexane			NS			ND< 0.2	0.59	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 5.0	na	ND< 0.2	4.4	ND< 0.20
Methylene chloride			5			ND< 1.0	ND< 1.0	ND< 0.20	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	ND< 1	ND< 1	ND< 1	ND< 1.0
o-Xylene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
p- & m- Xylenes			5			ND< 0.50	ND< 0.50	ND< 0.50	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.50	ND< 0.50
Styrene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
Tetrachloroethylene			5			11	18	9	10	8.0	11	15	12	6.6	11	17	8.2
Toluene			5			ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.20
trans-1,2-Dichloroethylene			5</														

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)		6 NYCRR Part 703.5	MW10 FRMW-MW10-X15 (10'-15')									
Sample Date	Lab Sample ID		12/16/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022	3/30/2023	6/21/2023	9/12/2023	12/20/2023	3/19/2024
Groundwater Elevation (ft.)	240.09		240.09	240.50	239.00	239.16	240.41	240.22	240.58	240.26	241.26	
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	11	4.3	4.4	3.3	3.9	9.4	25.0	4.0	1.24	11	
1,1,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.256	ND< 0.200	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.286	ND< 0.200	
1,1,2-Trichloroethylene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.249	ND< 0.200	
1,1-Dichloroethane	5	4.6	2.2	3.7	3.3	5.4	6.3	11.0	2.2	1.66	7.2	
1,1-Dichloroethylene	5	2.8	1.6	2.2	1.4	3.0	1.9	6.3	1.2	0.99	3.7	
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.222	ND< 0.200	
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.138	ND< 0.200	
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.432	ND< 0.200	
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.215	ND< 0.200	
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.270	ND< 0.200	
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.377	ND< 0.200	
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.327	ND< 0.200	
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.283	ND< 0.200	
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.311	ND< 0.200	
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.421	ND< 0.200	
2-Hexanone	50*	ND< 1.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.320	ND< 0.200	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.365	ND< 0.200	
Acetone	50*	ND< 0.20	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	1.9 J	1.4 J	ND< 1.0	ND< 1.34	ND< 1	
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.279	ND< 0.200	
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.354	ND< 0.200	
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.245	ND< 0.200	
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.163	ND< 0.200	
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.119	ND< 0.200	
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.362	ND< 0.200	
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.204	ND< 0.200	
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.284	ND< 0.200	
Chloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.448	ND< 0.200	
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.38 J	0.410	0.3 J	
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.23 J	0.35 J	ND< 0.20	ND< 0.372	ND< 0.200	
cis-1,2-Dichloroethylene	5	290	98	280	280	630	290	290	62	69.8	85	
cis-1,3-Dichloropropylene	0.4 ⁺	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.262	ND< 0.200	
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.491	ND< 0.200	
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.146	ND< 0.200	
Dichlorodifluoromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.451	ND< 0.200	
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.33 J	ND< 0.20	ND< 0.20	ND< 0.290	ND< 0.200	
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.405	ND< 0.200	
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.442	ND< 0.200	
Methyl tert-butyl ether (MTBE)	10*	ND< 1.20	ND< 0.20	0.30 J	ND< 0.20	ND< 0.20	0.34 J	ND< 0.20	ND< 0.20	ND< 0.244	ND< 0.200	
Methylycyclohexane	NS	ND< 2.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.477	ND< 0.200	
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	3.5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 0.397	ND< 1	
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.261	ND< 0.200	
p- & m- Xy												

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW25																		
		FRMW-MW25-X10 (5-10')																		
		7/19/2010	5/31/2011	7/21/2011	9/29/2011	12/13/2011	2/22/2012	4/30/2012	6/27/2012	9/25/2012	12/19/2012	3/14/2013	6/12/2014	6/25/2015	5/26/2016	9/29/2016	10/31/2016			
		10G0579-07	11F0120-04	11G0750-04	11J0038-04	--	--	--	--	--	--	--	--	--	--	--	16I1131-04	16K0022-05		
Lab Sample ID		245.63	240.08	240.09	241.86	239.43										243.62	241.7	242.02	242.73	242.85
Groundwater Elevation (ft.)		ppb	ppb	ppb	ppb	ppb	--	--	--	--	--	--	--	--	--	--	--	ppb	ppb	
Analyte		5	1,400	76	100	130												32	30	
1,1,1-Trichloroethane		5	ND< 120	ND< 5.0	ND< 50	ND< 250											ND< 0.20	ND< 0.20		
1,1,2,2-Tetrachloroethane		5	ND< 120	ND< 5.0	ND< 50	68											ND< 0.20	ND< 0.20		
1,1,2-Trichloro-1,2,2-trifluoroethane		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
1,1,2-Trichloroethane		1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
1,1-Dichloroethane		5	340	70	76	160										130	150			
1,1-Dichloroethylene		5	na	na	na	na										36	55			
1,2,3-Trichlorobenzene		5	ND< 120	7.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
1,2,4-Trichlorobenzene		5	ND< 250	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20			
1,2-Dibromo-3-chloropropane		0.04	ND< 120	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20			
1,2-Dibromoethane		0.0006	na	na	na	na										ND< 0.20	ND< 0.20			
1,2-Dichlorobenzene		3	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
1,2-Dichloroethane		0.6	ND< 120	ND< 5.0	ND< 50	ND< 250										0.31 J	ND< 0.20			
1,2-Dichloropropane		1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
1,3-Dichlorobenzene		3	na	na	na	na										ND< 0.20	ND< 0.20			
1,4-Dichlorobenzene		3	NA	NA	NA	NA										ND< 0.20	ND< 0.20			
2-Butanone		50*	ND< 120	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20			
2-Hexanone		50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Methyl isobutyl ketone (4-Methyl-2-pentanone)		NS	ND< 250	ND< 10	ND< 100	ND< 500										ND< 0.20	ND< 0.20			
Acetone		50*	ND< 160 J	ND< 10	ND< 100	5.6										8.7 CCV-E	7.3 CCV-E			
Benzene		5	na	na	na	na										0.5	0.57			
Bromochloromethane		1	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Bromodichloromethane		50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Bromoform		50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Bromomethane		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	0.65 B			
Carbon disulfide		60*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	14			
Carbon tetrachloride		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Chlorobenzene		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Chloroethylene		5	ND< 120	3.6 J	ND< 50	ND< 250										0.36 J	0.94			
Chloroform		7	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Chloromethane		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	3.6			
cis-1,2-Dichloroethylene		5	3,500	170	280	1,600										1900	2900			
cis-1,3-Dichloropropylene		NS	na	na	na	na										ND< 0.20	ND< 0.20			
Cyclohexane		0.4*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	0.23 J			
Dibromochloromethane		50*	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Dichlorodifluoromethane		5	62 J	290	130	2,100										150	160 CCV-E			
Ethyl Benzene		5	380	38	24 J	100										12	14			
Isopropylbenzene		NS	na	na	na	na										0.50	0.49 J			
Methyl acetate		5	ND< 120	4.2 J	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Methyl tert-butyl ether (MTBE)		NS	na	na	na	na										ND< 0.20	ND< 0.20			
Methylcyclohexane		10*	ND< 120	ND< 5.0	ND< 50	ND< 250										1.1	1.3			
Methylene chloride		5	ND< 230	ND< 10	16 J,B	3.7										ND< 1	ND< 1			
o-Xylene		5	490	21	14 J	86										6.8	9.0			
p- & m- Xylenes		5	2,000	89	51 J	320										30	31			
Styrene		5	ND< 120	ND< 5.0	ND< 50	ND< 250										ND< 0.20	ND< 0.20			
Tetrachloroethylene		5	2,800	140	350	790										140	160			
Toluene		5	580	15	13 J	ND< 250										9.0	12			
trans-1,2-Dichloroethylene		5	ND< 120	ND< 5.0	ND< 50	ND< 250														

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW25																
		FRMW-MW25-X10 (5-10')																
		12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/14/2018	9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020		
Lab Sample ID	16L0074-04	17C1158-02	17F1193-10	17J0005-03	17L0427-01	181190-03	18F0674-13	18I0297-04	18L0310-5	--	19F0430-08	19I0905-02	19L0806-02	20C0746-06	20F0477-07			
Groundwater Elevation (ft.)	242.36	242.36	241.87	241.34	240.86	242.26	241.89	242.47	243.97	--	242.08	241.3	242.49	241.94	242.26			
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	18	9.2	ND< 20	0.69	3.4	6.8	ND< 10	12	0.59		6.6	ND< 2.0	ND< 2.5	48	16		
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,1-Dichloroethane	5	130	21	130	4.9	83	54	44	100	12		80	44	ND< 2.5	140	79		
1,1-Dichloroethylene	5	35	4.2	63	2.6	3.5	12	ND< 10	18	1.6		7.9	0.44 J	ND< 2.5	39	ICV-E	15	
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2-Dichloroethane	0.6	0.26 J	ND< 0.2	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	1.60	ICV-E	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	1	ND< 10	1.6	ND< 0.20		0.40 J	ND< 2.5	ND< 0.20	ND< 0.20		
Acetone	50*	6.4	CCV-E, Sc	3.1	ND< 100	4.9	ND< 1.0	2.1	ND< 50	ND< 2.0	ND< 1.00		0.20 J	ND< 2.5	ND< 1.0	ND< 1.0		
Benzene	5	0.42 J	ND< 0.2	ND< 20	ND< 0.20	0.3 J	0.26 J	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	0.77	0.34 J			
Bromochloromethane	1	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Carbon disulfide	60*	0.37 J	ND< 0.2	ND< 20	ND< 0.20	0.23 J	ND< 0.2	ND< 10	ND< 0.40	ND< 0.20		0.49 J	0.41 J	ND< 2.5	0.24 J	17		
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		0.88	1.3 CCV-E	ND< 2.5	0.84 ICV-E	ND< 0.20		
Chloroethane	5	0.85	ND< 0.20	ND< 20	1.4	2.5	1.7	ND< 10	2.5	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Chloroform	7	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	4.3	ND< 0.20		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20			
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10	ND< 0.40	ND< 0.20		140	10	ND< 2.5	5,500	3,500		
cis chloroethylene	5	2,300	VOA-HDSP	170	1,800	110	130	560	330	1,000	39		ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20		
cis-1,3-Dichloropropylene	NS	ND< 0.20	ND< 0.20															

Sample Location		6 NYCR Part 703.5	MW25															
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW25-X10 (5'-10')															
Lab Sample ID	Groundwater Elevation (ft.)		8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021	12/15/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022	3/30/2023	6/21/2023	9/12/2023	12/20/2023	3/19/2024	
Analyte	ppb		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	ND< 5.0	ND< 0.20	15	17	0.94	6.5	ND< 0.20	0.56	ND< 0.20	ND< 0.20	ND< 0.20	1.3	ND< 0.20	ND< 0.266	0.33 J		
1,1,2,2-Tetrachloroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.256	ND< 0.200			
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.286	ND< 0.200			
1,1,2-Trichloroethane	1	ND< 5.0	ND< 0.20	ND< 0.20	0.38 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.249	ND< 0.200		
1,1-Dichloroethane	5	36	2.6	61	92	35	170	10	57	53	12	2	93	0.33 J	ND< 0.272	94		
1,1-Dichloroethylene	5	5.5 J	ND< 0.20	3.8	17	4.0	29	1.3	5.4	ND< 0.20	ND< 0.20	ND< 0.20	8.7	ND< 0.20	ND< 0.327	12		
1,2,3-Trichlorobenzene	5	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.222	ND< 0.200		
1,2,4-Trichlorobenzene	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.138	ND< 0.200		
1,2-Dibromo-3-chloropropane	0.04	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.432	ND< 0.200		
1,2-Dibromoethane	0.0006	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.215	ND< 0.200		
1,2-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.270	ND< 0.200	
1,2-Dichloroethane	0.6	ND< 5.0	ND< 0.20	0.37 J	0.50	ND< 0.20	ND< 0.20	ND< 0.20	0.42 J	ND< 0.20	ND< 0.20	ND< 0.20	0.3 J	ND< 0.20	ND< 0.377	ND< 0.250		
1,2-Dichloropropane	1	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.327	ND< 0.200		
1,3-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.283	ND< 0.200		
1,4-Dichlorobenzene	3	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.311	ND< 0.200		
2-Butanone	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.421	ND< 0.200		
2-Hexanone	50*	ND< 10	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.320	ND< 0.200		
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.365	ND< 0.200		
Acetone	50*	ND< 5.0	1.3 J	2.1	1.2 CCV-E,J	1.8 J	ND< 1	ND< 1	2.3	ND< 1	ND< 1	ND< 1	2.1	4.5	1.3 J	ND< 1.34	ND< 1	
Benzene	5	ND< 5.0	ND< 0.2	0.28 J	0.38 J	ND< 0.20	0.4 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.279	ND< 0.200		
Bromochloromethane	1	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.354	ND< 0.200		
Bromodichloromethane	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.245	ND< 0.200			
Bromoform	50*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.163	ND< 0.200		
Bromomethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.119	ND< 0.200		
Carbon disulfide	60*	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.362	ND< 0.200		
Carbon tetrachloride	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.204	ND< 0.200		
Chlorobenzene	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.284	ND< 0.200		
Chloroethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.448	6.4		
Chloroform	7	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.24	ND< 0.200		
Chloromethane	5	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.372	ND< 0.200		
cis-1,2-Dichloroethylene	5	11,000 E	32	900	790	270	340	10	62	3.7	3.7	0.58	29	0.93	0.32	54		
cis-1,3-Dichloropropylene	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.262	ND< 0.200			
Cyclohexane	0.4*	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.491	ND< 0.200		
Dibromochloromethane	50*	ND< 5.0	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.146	ND< 0.200		
Dichlorodifluoromethane	5	41	3.1	340	270	19	120	2	2.8	3.2	1.5	ND< 0.20	13	ND< 0.20	ND< 0.451	28		
Ethyl Benzene	5	ND< 5.0	ND< 0.20	2.3	4.0	ND< 0.20	1.4	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.290	ND< 0.200		
Isopropylbenzene	NS	ND< 5.0	ND< 0.20	ND< 0.20	0.26 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.405	ND< 0.200		
Methyl acetate	5	ND< 5.0	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.442	ND< 0.200		
Methyl tert-butyl ether (MTBE)	NS	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.												

On top of shallow clay (244' - 239' amsl)

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW27															
		FRMW-MW27-X10 (5'-10')															
Sample Date		07/16/10	05/31/11	07/21/11	09/29/11	12/13/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	06/12/14	09/16/14
Lab Sample ID		10G0511-14	11F0120-05	11G0750-05	11J0038-05	--	--	--	--	--	--	--	--	--	--	14F0651-10	--
Groundwater Elevation (ft.)		245.56	240.02	240.02	242.01	239.25	<239	<239	<239	<239	<239	<239	<239	<239	<239	240.91	<239
Analyte	ppb	ppb	ppb	ppb	ppb	--	--	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	5	8,500 J	250	1700 J	2.7											500	
1,1,2,2-Tetrachloroethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,1,2-Trichloroethane	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,1-Dichloroethane	5	720 J	10 J	320	ND< 5.0											140	
1,1-Dichloroethylene	5	ND< 2,500	ND< 50	67	ND< 5.0											ND< 50	
1,2,3-Trichlorobenzene	5	na	na	na	na											ND< 50	
1,2,4-Trichlorobenzene	5	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50	
1,2-Dibromo-3-chloropropane	0.04	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50	
1,2-Dibromoethane	0.0006	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,2-Dichlorobenzene	3	na	na	na	na											ND< 50	
1,2-Dichloroethane	0.6	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,2-Dichloropropane	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
1,3-Dichlorobenzene	3	na	na	na	na											ND< 50	
1,4-Dichlorobenzene	3	na	na	na	na											ND< 50	
2-Butanone	50*	ND< 2,500	ND< 100	ND< 100	ND< 10											ND< 50	
2-Hexanone	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 5,000	ND< 100	ND< 100	ND< 10											ND< 50	
Acetone	50*	ND< 5,000 J	ND< 10 B	ND< 10 B	3.7											160 CCV-E, J, B	
Benzene	1	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Bromochloromethane	5	na	na	na	na											ND< 50	
Bromodichloromethane	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Bromoform	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Bromomethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Carbon disulfide	60*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Carbon tetrachloride	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Chlorobenzene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Chloroethane	5	ND< 2,500	ND< 50	23 J	ND< 5.0											ND< 50	
Chloroform	7	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Chloromethane	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
cis-1,2-Dichloroethylene	5	1,200 J	21 J	280	19											300	
cis-1,3-Dichloropropylene	0.4*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Cyclohexane	NS	na	na	na	na											ND< 50	
Dibromochloromethane	50*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Dichlorodifluoromethane	5	ND< 2,500	ND< 50	94	ND< 5.0											76	
Ethyl Benzene	5	1,800 J	110	48 J	ND< 5.0											ND< 50	
Isopropylbenzene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Methyl acetate	NS	na	na	na	na											ND< 50	
Methyl tert-butyl ether (MTBE)	10*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Methylcyclohexane	NS	na	na	na	na											ND< 50	
Methylene chloride	5	ND< 2,500 J	ND< 10 B	ND< 10 B	3.1											ND< 200	
o-Xylene	5	2,300 J	180	100	ND< 5.0											58	
p- & m- Xylenes	5	7,100 J	650	280	1.6											ND< 100	
Styrene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Tetrachloroethylene	5	22,000 J	6,700	10,000	66											14,000	
Toluene	5	1,900 J	56	180	ND< 5.0											35 J	
trans-1,2-Dichloroethylene	5	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
trans-1,3-Dichloropropylene	0.4*	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Trichloroethylene	5	ND< 2,500	15 J	150	5.2											85	
Trichlorofluoromethane (freon 11)	5	880 J	34 J	ND< 2500	1.1											240	
Vinyl Chloride	2	ND< 2,500	ND< 50	ND< 50	ND< 5.0											ND< 50	
Total VOC concentration	NS	46,400	8,026	13,242	102											15,594	
Total CVOC concentration	NS	33,300	7,030	12,634	97				</								

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCRR Part 703.5	MW27																	
		FRMW-MW27-X10 (5'-10')																	
		12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/14/2018		
14L0667-07	--	15F1052-12	15I0617-08	15L0018-08	16C0192-09	16E1165-14	16I1131-05	16K0022-04	16L0074-05	17C1158-01	17F1193-12	17J0005-03	17L0427-04	18C1190-02	18F0674-14				
240.90	--	241.53	240.68	240.86	242.13	241.75	242.70	242.84	242.43	243.50	241.89	241.24	240.79	242.21	241.93				
Analyte	ppb	ppb	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	88		11	140	33	2.8	6.2	3.6	1.7	ND< 2	ND< 0.2	7.5	1.9	5.6	1.6	1.9 J		
1,1,2,2-Tetrachloroethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,1,2-Trichloroethane	1	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,1-Dichloroethane	5	5.8		4.7	140 D	32	0.92	3.6	3	1.7	13	ND< 0.2	13	86	29	2.1	ND< 1.0		
1,1-Dichloroethylene	5	2.3		1.5	46	11	0.22 J	0.82	0.49	ND< 0.20	ND< 2	ND< 0.2	5.6	4.2	2.1	0.46 J	ND< 1.0		
1,2,3-Trichlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2,4-Trichlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2-Dibromoethane	0.0006	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2-Dichloroethane	0.6	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,2-Dichloropropane	1	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,3-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
1,4-Dichlorobenzene	3	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
2-Butanone	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
2-Hexanone	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Acetone	50*	ND< 2		ND< 2	9.30 B	2.6	ND< 1	1.3 CCV-E,J	ND< 1	10 U	1.5 SCAL-E	21	8.5	ND< 1.0	1.5 J	ND< 5.0			
Benzene	1	ND< 0.5		ND< 0.5	0.69	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0			
Bromochloromethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Bromodichloromethane	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Bromoform	50*	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Bromomethane	5	ND< 0.5		ND< 0.5	0.68 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Carbon disulfide	60*	0.21 J		ND< 0.5	0.83	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Carbon tetrachloride	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Chlorobenzene	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Chloroethane	5	ND< 0.5		ND< 0.5	1.20	0.3 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0			
Chloroform	7	ND< 0.5		ND< 0.5	0.21 J	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
Chloromethane	5	ND< 0.5		ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 0.2	ND< 2.0	ND< 0.20	ND< 0.20	ND< 1.0				
cis-1,2-Dichloroethylene	5	73		64															

Sample Location			6 NYCRR Part 703.5	MW27												
Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)				FRMW-MW27-X10 (5'-10')												
Sample Date	9/6/2018	12/6/2018		3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/10/2020	8/27/2020	12/14/2020	3/12/2021	6/16/2021	9/29/2021		
Lab Sample ID	18I0297-05	18L0310-06		--	--	19I0905-03	19L0806-03	20C0746-05	20F0477-08	20H1134-03	20L0785-03	21C0753-04	21F0819-12	21J0004-03		
Groundwater Elevation (ft.)	242.4	243.86		--	--	241.18	242.36	241.84	242.24	243.24	242.04	243.27	243.35	243.58		
Analyte	ppb	ppb	ppb	--	--	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	4.2	ND< 0.20			94	ND< 2.5	5,200	2,000	1,200	61	7.6	0.65	ND< 0.20		
1,1,2-Tetrachloroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,1,2-Trichloroethane	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,1-Dichloroethane	5	5.5	ND< 0.20			11	ND< 2.5	1,200	540	560	63	9.1	0.68	ND< 0.20		
1,1-Dichloroethylene	5	1.9	ND< 0.20			8.7	ND< 2.5	230	68	130	ND< 0.20	2.1	ND< 0.20	ND< 0.20		
1,2,3-Trichlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
1,2,4-Trichlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,2-Dibromo-3-chloropropane	0.04	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,2-Dibromoethane	0.0006	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,2-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
1,2-Dichloroethane	0.6	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.86	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,2-Dichloropropane	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
1,3-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
1,4-Dichlorobenzene	3	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
2-Butanone	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
2-Hexanone	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 120	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.44 J	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Acetone	50*	2.1 J	ND< 1.0			5.2 CCV-E	ND< 5.0	260 CCV-E, J	36	ND< 62	4.3	2.1	1.0 CCV-E, J	1.2 CCV-E, ICV-E, J		
Benzene	1	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.1	ND< 62	0.26 J	ND< 0.20	ND< 0.20	ND< 0.20		
Bromochloromethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
Bromodichloromethane	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Bromoform	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Bromomethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.6 CCV-E, ICV-E	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Carbon disulfide	60*	ND< 0.40	ND< 0.20			30	ND< 2.5	ND< 50	32	ND< 62	0.32 J	ND< 0.20	ND< 0.20	ND< 0.20		
Carbon tetrachloride	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Chlorobenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.82 QL-02	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Chloroethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	3.5	ND< 63	0.49 J	ND< 0.20	ND< 0.20	ND< 0.20		
Chloroform	7	4.5	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	0.34 J	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Chloromethane	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	2,4 CCV-E,QL-02	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
cis-1,2-Dichloroethylene	5	2,000	4.7			2,600	6.0	4,000	2,500	28,000 E	2,500	94	18	8.3		
cis-1,3-Dichloropropylene	0.4*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Cyclohexane	NS	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	na	ND< 0.20	ND< 0.20	ND< 0.20		
Dibromochloromethane	50*	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	ND< 0.20	ND< 62	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20		
Dichlorodifluoromethane	5	22	0.45 J			24 CCV-E	ND< 2.5	3,100	1,200 ICV-E,QL-02	1,100 CCV-E	160	35 ICV-E,QL-02	2.2	ND< 0.20		
Ethyl Benzene	5	ND< 0.40	ND< 0.20			5.7	ND< 2.5	110 J	33	74 J	0.90	ND< 0.20	ND< 0.20	ND< 0.20		
Isopropylbenzene	5	ND< 0.40	ND< 0.20			ND< 0.20	ND< 2.5	ND< 50	1.1	ND< 62	ND< 0.20	ND< 0.20				

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCR Part 703.5	FRMW-MW27-X10 (5'-10')									
		12/16/2021	4/1/2022	6/6/2022	9/22/2022	12/14/2022	3/30/2023	6/21/2023	9/12/2023	12/20/2023	3/19/2024
		Lab Sample ID 21L1055-03	22D0076-03	22F0429-09	22I1220-03	22L0969-03	23D0011-03	23F1500-08	23I0834-03	23L1487-01	24C1318-03
		Groundwater Elevation (ft.) 242.01	243.54	241.22	241.06	241.67	241.52	240.54	240.87	241.66	241.95
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	3.3	ND< 0.20	1.5	0.65	1.65	330	130	0.68	ND< 0.266	0.23 J
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.256	ND< 0.200
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.286	ND< 0.200
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	130	ND< 11	ND< 0.20	ND< 0.249	ND< 0.200
1,1-Dichloroethane	5	3.8	ND< 0.20	8.5	6.9	ND< 0.20	190	330	1.3	ND< 0.272	1.7
1,1-Dichloroethylene	5	1.0	ND< 0.20	0.66	ND< 0.20	ND< 0.20	28	48	0.58	ND< 0.327	ND< 0.260
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.222	ND< 0.200
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.138	ND< 0.200
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.432	ND< 0.200
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.215	ND< 0.200
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.270	ND< 0.200
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.377	ND< 0.200
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.327	ND< 0.200
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.283	ND< 0.200
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.311	ND< 0.200
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.421	ND< 0.200
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.320	ND< 0.200
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.365	ND< 0.200
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	2.2	1.6 J	19	ND< 50	ND< 1.0	ND< 1.34	ND< 1
Benzene	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.279	ND< 0.200
Bromochloromethane	5	ND< 1.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.354	ND< 0.200
Bromodichloromethane	50*	ND< 2.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.245	ND< 0.200
Bromoform	50*	ND< 3.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.163	ND< 0.200
Bromomethane	5	ND< 4.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.119	ND< 0.200
Carbon disulfide	60*	ND< 5.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.362	ND< 0.200
Carbon tetrachloride	5	ND< 6.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.204	ND< 0.200
Chlorobenzene	5	ND< 7.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.284	ND< 0.200
Chloroethane	5	ND< 8.20	ND< 0.20	ND< 0.20	1.3	ND< 1.20	6	ND< 10	ND< 0.20	ND< 0.448	ND< 0.200
Chloroform	7	ND< 9.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.24	ND< 0.200
Chloromethane	5	ND< 10.20	ND< 0.20	ND< 0.20	ND< 0.20	0.21 J	ND< 2	ND< 10	ND< 0.20	ND< 0.372	ND< 0.200
cis-1,2-Dichloroethylene	5	59	1.4	180	29	1.8	1,100	2,300	150	1.69	31
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.262	ND< 0.200
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.491	ND< 0.200
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.146	ND< 0.200
Dichlorodifluoromethane	5	16	ND< 0.20	0.84	4.3	ND< 0.20	190	600	1.9	ND< 0.451	3.4
Ethyl Benzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	24	ND< 10	ND< 0.20	ND< 0.290	ND< 0.200
Isopropylbenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.405	ND< 0.200
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.442	ND< 0.200
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.244	ND< 0.200
Methylcyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 10	ND< 0.20	ND< 0.477	ND< 0.200
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	2.9	ND< 1.0	ND< 10.0	ND< 50	ND< 1.0	ND< 0.397	ND< 1
o-Xylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	57	ND< 10	ND< 0.20	ND< 0.261	ND< 0.200
p- & m- Xylenes	5	ND< 0.50	ND< 0.20	ND< 0.50	ND< 0.50	ND< 0.50	77	ND< 25	ND< 0.50	ND< 0.578	ND< 0.500
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.2							

Sample Location		6 NYCR Part 703.5	MW30																	
Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW30-X20 (10'-20')																	
Sample Date	Lab Sample ID		7/19/2010	05/31/11	07/21/11	09/29/11	12/14/11	02/22/12	04/30/12	06/27/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	06/12/14	09/16/14		
Groundwater Elevation (ft.)			10G0579-10	11F0120-07	11G0750-07	11J0038-07	11L0632-05	12B0883-05	12E0113-10	12F0976-05	12I0945-10	12L0807-10	13C0516-09	13F0453-07	13I0664-06	13K0803-06	14F0651-12	14I0784-05		
1,1,1-Trichloroethane	ppb	5	13,000 J	3,900	580 J	9,500	2,100	2,800	1,200	4,300	2,100	750	870	210	390	610	140	34		
1,1,2,2-Tetrachloroethane	ppb	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	1.4 J	ND< 50	ND< 50	ND< 0.5		
1,1,2-Trichloro-1,2,2-trifluoroethane	ppb	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	1.2 J	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5		
1,1,2-Trichloroethane	ppb	1	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	9.2 J	ND< 1000	ND< 500	ND< 500	ND< 120	5.1	1.9 J	2.7 J	ND< 50	ND< 50	0.34 J		
1,1-Dichloroethane	ppb	5	2,300 J	1,400	460 J	970	940 J	2,500	2,900	6,000	3,800	1,900	2,900	1,200	2,300	1,000 HT-01R	1,200	380		
1,1-Dichloroethylene	ppb	5	ND< 500	360	140	160	ND< 1000	950	420 J	1,700	1,200	600	1,100	520	630	1,000	290	54		
1,2,3-Trichlorobenzene	na	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
1,2,4-Trichlorobenzene	na	5	ND< 1000	ND< 100	ND< 100	ND< 250	ND< 1000	ND< 100	ND< 1000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 100	ND< 50	ND< 0.5			
1,2-Dibromo-3-chloropropane	0.04	ND< 500	ND< 100	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 1000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 100	ND< 50	ND< 2			
1,2-Dibromoethane	0.0006	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
1,2-Dichloroethane	0.6	ND< 500	13 J	ND< 50	ND< 120	ND< 1000	27 J	ND< 1000	ND< 500	ND< 500	ND< 120	17	7.9	16	ND< 50	ND< 50	3.5			
1,2-Dichloropropane	1	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
2-Butanone	50*	ND< 500	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 2000	ND< 1000	200 J	55 J	ND< 10	ND< 10	ND< 100	ND< 50	ND< 2				
2-Hexanone	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	2.4 JB	ND< 5	ND< 50	ND< 0.5				
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 1000	ND< 100	ND< 100	ND< 250	ND< 2000	ND< 100	ND< 2000	ND< 1000	ND< 1000	ND< 250	ND< 10	ND< 10	ND< 100	ND< 50	ND< 0.5				
Acetone	50*	ND< 1000 J	ND< 10 B	ND< 100	8.4	ND< 2000	210 B	14 B	6.5 J,B	690 J	ND< 250	870 J	76	ND< 500	ND< 100	240 CCV-E, B	ND< 2			
Benzene	1	ND< 500	9.7 J	ND< 50	ND< 120	ND< 1000	18 J	ND< 1000	ND< 500	ND< 500	ND< 120	24	9.5	17	ND< 50	ND< 50	3.8			
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
Bromodichloromethane	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
Bromoform	50*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	21	1.9 J	ND< 5	ND< 50	ND< 50	ND< 0.5			
Bromomethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
Carbon disulfide	60*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	28	1.5 J	ND< 5	ND< 50	ND< 50	ND< 0.5			
Carbon tetrachloride	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	83	25 J	4.4				
Chlorobenzene	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	1.4 J	ND< 5	0.99 J	ND< 50	ND< 50	ND< 0.5			
Chloroethane	5	250 J	410	310	110	ND< 1000	1,400	1,300	1,500	1,000	ND< 120	1,900	890	1,300	1,400	740	280			
Chloroform	7	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	2.6 J	1.6 J	ND< 50	ND< 50	ND< 0.5			
Chloromethane	5	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
cis-1,2-Dichloroethylene	5	2,600 J	3,700	880 J	1,800	4,600	15,000	16,000	20,000	22,000	21,000	22,000	9,900	15,000	9,400 HT-01R	6,300	1,300			
cis-1,3-Dichloropropylene	0.4*	ND< 500	ND< 50	ND< 50	ND< 120	ND< 1000	ND< 50	ND< 1000	ND< 500	ND< 500	ND< 120	ND< 5	ND< 5	ND< 50	ND< 50	ND< 0.5				
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5		
Dibromochloromethane	50*	ND																		

Sample Location		6 NYCCR Part 703.5	MW30																	
Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW30-X20 (10'-20')																	
Sample Date	Lab Sample ID		12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018		
Groundwater Elevation (ft.)			14L0667-05	15C0563-08	15F1052-10	15I0617-05	15L0018-05	16C0192-05	16E1165-07	16I1131-03	16K0022-03	16L0074-03	17C1158-05	17F1193-09	17J0005-06	17L0427-03	18C1190-05	18F0674-06		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	35	27.0	42	26	33	24	21	16	15	20	12	20	12	11	6.9	ND< 10			
1,1,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10			
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10			
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10			
1,1-Dichloroethane	5	530	160	360	370 D	390	320 D	240	250	230	260	150	150	170	240	170	160			
1,1-Dichloroethylene	5	61	20.0	63	61	66	61	55	41	44	38	36	49	52	27	22	15 J			
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	260	ND< 0.20	ND< 0.20	ND< 0.20	ND< 10			
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,2-Dichloroethane	0.6	ND< 0.5	2.5	2.1	2.1	1.3	ND< 0.2	1.5	1.3	ND< 0.20	ND< 1	0.86	ND< 4.0	ND< 2.0	1.2	1.1	ND< 10			
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
2-Butanone	50*	ND< 0.5	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.8	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10			
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Acetone	50*	ND< 2	ND< 2	ND< 2	ND< 1	1.5 J	ND< 1	2.2 SCAL-E	ND< 1	ND< 1	ND< 5	1.1 SCAL-E	30 J	13 J	ND< 1.0	ND< 1.0	ND< 50			
Benzene	1	4.2	3.1	3	3.2	2.6	2.1	2.5	2.1	1.9	1.8 J	1.4	ND< 4.0	ND< 2.0	1.5	1.6	ND< 10			
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Carbon disulfide	60*	ND< 0.5	ND< 0.5	ND< 0.5	0.35 J	ND< 0.2	0.72	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Carbon tetrachloride	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 1	ND< 0.20	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Chloroethane	5	370	140	230	270 D	180	180 D	130	160	120	120 CCV-E	94	55	97	150	130	150			
Chloroform	7	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	0.22 J	ND< 0.20	ND< 1	ND< 0.2	ND< 4.0	ND< 2.0	ND< 0.20	ND< 0.20	ND< 10				
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5												

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCRR Part 703.5	MW30													
		FRMW-MW30-X20 (10'-20')													
		9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/11/2020	8/27/2020	12/14/2020	3/12/2021	3/12/2021 (duplicate)	6/16/2021	9/29/2021
Sample Date Lab Sample ID Groundwater Elevation (ft.)		1810297-03	18L0310-03	19C0144-03	19F0430-10	19I0905-04	19L0806-04	20C0746-03	20F0477-10	20H1134-04	20L0785-04	21C0753-05	21C0753-08	21F0819-10	21J0004-04
		242.34	243.95	244.02	239.28	240.57	242.62	242.23	242.46	243.46	242.49	243.55	243.55	243.72	243.80
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	3.8	5.7	11	7.9	54	160	25	18	7.6	6.1	8.7	8.8	7.5	9.0
1,1,2-Tetrachloroethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,1,2-Trichloroethane	1	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	0.63	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	1.6	ND< 0.20	ND< 0.20	3.5	ND< 0.20
1,1-Dichloroethane	5	160	150	160	82	290	130	210	250	250	180	240	260	170	170
1,1-Dichloroethylene	5	11	19	22	18	86	23	29 CCV-E	30	24	ND< 0.20	35	39	28	20
1,2,3-Trichlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2,4-Trichlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromo-3-chloropropane	0.04	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dibromoethane	0.0006	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,2-Dichloroethane	0.6	1	0.72 J	0.78 J	0.34 J	2.9	ND< 2.5	2.4	2.6	2.8 J	3.4	3.8	3.9	2.6	2.8
1,2-Dichloropropane	1	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,3-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
1,4-Dichlorobenzene	3	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Butanone	50*	30	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
2-Hexanone	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Acetone	50*	ND< 2.0	ND< 2.0	ND< 2.0	ND< 1.00	1.8 CCV-E,J	ND< 5.0	ND< 1.0	ND< 1.0	ND< 2.5	1.7 J	ND< 1	ND< 1	ND< 1	1.0 J
Benzene	1	1.4	1.1	1.3	0.46 J	2.8	ND< 2.5	1.7	1.9	ND< 2.5	2.7	2.5	2.8	2.1	2.0
Bromochloromethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromodichloromethane	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromoform	50*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Bromomethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon disulfide	60*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.71	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Carbon tetrachloride	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chlorobenzene	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloroethane	5	130	98	84	35	130 CCV-E	61	120 CCV-E	140	ND< 250	170	150	150	160	150
Chloroform	7	2.9	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Chloromethane	5	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	0.25 CCV-E, QL-02,J	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	1.8
cis-1,2-Dichloroethylene	5	280	360	410	220	1,700	790	1,300	1,700	NA	1,100	1,500	1,500	950	870
cis-1,3-Dichloropropylene	0.4*	ND< 0.40	ND< 0.40	ND< 0.40	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20
Cyclohexane	NS	ND< 0.40	ND< 0.40												

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval) 6 NYCRR Part 703.5	MW30										
	FRMW-MW30-X20 (10'-20')										
	Sample Date Lab Sample ID Groundwater Elevation (ft.)	12/16/2021 21L1055-04	4/1/2022 22D0076-04	6/7/2022 22F0429-11	9/22/2022 22I1220-04	12/14/2022 22L0969-04	3/30/2023 23D0011-03	6/21/2023 23F1500-10	9/12/2023 23I0834-04	12/20/2023 23L1487-01	3/19/2024 24C1318-04
	Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	16	6.3	92	260	970	4.4	85	120	2,390	20
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.28	ND< 0.200
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	314	ND< 0.200
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	0.24 J	3.6	ND< 0.20	ND< 0.20	ND< 0.20	0.52	ND< 1.24	ND< 0.200
1,1-Dichloroethane	5	10	27	56	890	440	2.2	88	110	530	42
1,1-Dichloroethylene	5	9.4	2.9	8.8	82	49	0.24 J	11	8.2	70.6	7.2
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.11	ND< 0.200
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.690	ND< 0.200
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.16	ND< 0.200
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.08	ND< 0.200
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.35	ND< 0.200
1,2-Dichloroethane	0.6	ND< 0.20	0.29 J	1.5	9.7	3.2	ND< 0.20	0.7	ND< 0.20	ND< 1.88	ND< 0.200
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.64	ND< 0.200
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.42	ND< 0.200
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.56	ND< 0.200
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.10	ND< 0.200
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.60	ND< 0.200
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.82	ND< 0.200
Acetone	50*	ND< 1	ND< 1	1.4 J	ND< 1	2.7 J	1.6 J	ND< 1.0	ND< 1.0	13.8	ND< 1
Benzene	1	0.70	ND< 0.20	0.850	7.2	2.8	ND< 0.20	ND< 0.20	0.53	ND< 1.40	ND< 0.220
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.77	ND< 0.200
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.22	ND< 0.200
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.670 J	ND< 0.20	ND< 0.20	ND< 0.815	ND< 0.200
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.595	ND< 0.200
Carbon disulfide	60*	ND< 0.20	ND< 0.20	0.52 B	1.3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.81	ND< 0.200
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.02	ND< 0.200
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	1.2	0.62	ND< 0.20	ND< 0.20	ND< 1.42	ND< 0.200
Chloroethane	5	33	7.8	44	180	120	0.36 J	28	19	36	2.6
Chloroform	7	ND< 0.20	0.28 J	ND< 0.20	0.23 J	0.73	1.5	0.82	ND< 1.22	ND< 0.200	
Chloromethane	5	0.24 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.86	ND< 0.200
cis-1,2-Dichloroethylene	5	45	140	460	7,500	5,100	13	610	610	2,460	19
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.31	ND< 0.200
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.46	ND< 0.200
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.730	ND< 0.200
Dichlorodifluoromethane	5	1.5	0.36 J	ND< 0.20	24	24	24	4.8	1.6	52.4	10
Ethyl Benzene	5	3.8	1.8	7.4	39	11	11	1.9	0.55	24	1.3
Isopropylbenzene	5	0.59	0.34 J	0.41 J	1.7	0.94	ND< 0.20	0.26 J	ND< 0.20	ND< 2.02	ND< 0.200
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.21	ND< 0.200
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 1.22	ND< 0.200
Methylcyclohexane	NS	ND< 0.20	0.25 J	1	3.5	2.7	ND< 0.20	1.0	ND< 0.20	ND< 2.38	ND< 0.200
Methylene chloride	5	ND< 1.0	ND< 1.0	ND< 1.0	3.5	ND< 1.0	ND< 1.0	ND< 1.0	ND< 0.20	6.2	ND< 1
o-Xylene	5	2.3	0.58	7.9	90	41	ND< 0.20	10	5.8	134	4.3
p- & m- Xylenes	5	1.7	ND< 0.50	7	68	56	ND< 0.50	2.3	2.0	85.9	5
Styrene	5	ND< 0.20	ND< 0.20	0.24 J	2.9	ND< 0.20	ND< 0.20	0.20 J	4.10	ND< 0.200	
Tetrachloroethylene	5	44	38	21	570	3,400	62	310	310	14,100	140
Toluene	5	4.6	1.2	9.5	59	44	ND< 0.20	3.2	2.1	92.3	4.6
trans-1,2-Dichloroethylene	5	1.8	0.61	5.3	90	22	ND< 0.20	3	1.3	5.8	0.43

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCCR Part 703.5	MW32																	
		FRMW-MW32-X25 (15'-25')																	
		7/19/2010	05/31/11	07/21/11	09/29/11	12/14/11	02/22/12	05/01/12	06/28/12	09/25/12	12/19/12	03/14/13	06/12/13	09/17/13	11/19/13	03/26/14	06/12/14		
Sample Date Lab Sample ID		10G0579-09	11F0120-08	11G0750-08	11J0038-08	11L0632-06	12B0883-06	12E0113-12	12F0976-06	12F0976-06	12F0976-06	13C0516-11	13F0453-05	13I0664-04	13K0803-04	14C0921-05	14F0651-14		
Groundwater Elevation (ft.)		238.84	240.47	239.98	240.75	240.43	239.98	239.56	239.61	238.26	238.11	238.27	238.36	238.66	238.34	238.94	238.97		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	46	25	31	72	ND< 500	6.2	3.7 J	3.1 J	20	1.8 J	4.6 J	23	150	41	18	1.7 J		
1,1,2,2-Tetrachloroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 0.5	ND< 2.5							
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 0.5	ND< 2.5							
1,1,2-Trichloroethane	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 0.5	ND< 2.5							
1,1-Dichloroethane	5	11 J	32	43	11	ND< 500	2.6 J	0.88 J	ND< 5.0	12	ND< 5.0	3.1 J	4.1 J	2.1 J	ND< 5	29	ND< 2.5		
1,1-Dichloroethylene	5	6.7 J	4.7 J	8.5	6.8	ND< 500	ND< 5.0	ND< 5.0	ND< 5.0	8.5	ND< 5.0	1.4 J	2.5 J	3.3 J	ND< 5	4.1	ND< 2.5		
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5	
1,2,4-Trichlorobenzene	5	ND< 50	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 0.5	ND< 2.5										
1,2-Dibromo-3-chloropropane	0.04	ND< 25	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 0.5	ND< 2.5										
1,2-Dibromoethane	0.0006	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5	
1,2-Dichloroethane	0.6	ND< 25	ND< 5.0	0.76 J	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
1,2-Dichloropropane	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5	
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5	
2-Butanone	50*	ND< 25	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 0.5	ND< 2.5										
2-Hexanone	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 50	ND< 10	ND< 10	ND< 10	ND< 1000	ND< 10	ND< 0.5	ND< 2.5										
Acetone	50*	ND< 25 J	ND< 10	ND< 10	5	ND< 1000	ND< 10	14 B	ND< 10	ND< 2	7 CCV-E, J,								
Benzene	1	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 2.5	
Bromodichloromethane	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5									
Bromoform	50*	ND< 25	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5									
Bromomethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Carbon disulfide	60*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Carbon tetrachloride	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Chlorobenzene	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Chloroethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Chloroform	7	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Chloromethane	5	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
cis-1,2-Dichloroethylene	5	92	190	100 J	130	ND< 500	9.2	9.1	8.3	250	14	27	28	7.1	18	85	8.6		
cis-1,3-Dichloropropylene	0.4*	ND< 25	ND< 5.0	ND< 5.0	ND< 5.0	ND< 500	ND< 5.0	ND< 5	ND< 5	ND< 0.5	ND< 2.5								
Cyclohexane	NS																		

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCCR Part 703.5	MW32																		
		FRMW-MW32-X25 (15'-25')																		
		09/16/14	12/15/14	03/17/15	06/25/15	09/16/15	11/30/15	03/03/16	05/26/16	09/29/16	10/31/16	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018		
Sample Date Lab Sample ID		1410784-06	14L0667-04	150C563-06	15F1052-05	15I0617-04	15L0018-04	16C0192-04	16E1165-06	16I1131-02	16K0022-02	16L0074-02	17C1158-04	17F1193-03	17J0005-04	17L0427-02	18C1190-04	18F0674-03		
Groundwater Elevation (ft.)		238.21	238.01	238.20	238.07	237.41	237.70	238.01	237.84	237.02	236.84	237.05	237.81	239.05	238.15	237.50	238.01	237.66		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	74	72.0	26	13	30 D	92	460 D	960	1400	1200 CCV-E	610	490	1,900	630	940	1,200	180		
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 0.20	ND< 10			
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	10 J	ND< 0.20	ND< 0.20	ND< 10				
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	0.49 J	0.37 J	0.74	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	0.63	ND< 10			
1,1-Dichloroethane	5	40	36	16	31	34 D	220	ND< 0.2	160	96	77	62 2	120	160	120	140	69	56		
1,1-Dichloroethylene	5	38	29.0	13	6.9	7.1 D	28	33	100	81	85	41 2	49 J	210	110	65	69	42		
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	5.0	ND< 0.20	ND< 10					
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,2-Dibromo-3-chloropropane	0.04	ND< 2	ND< 0.5	ND< 2	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,2-Dichloroethane	0.6	1.6	ND< 0.5	0.54	ND< 0.5	0.58 JD	2	1.2	3.0	1.3	ND< 0.20	ND< 2	ND< 20	ND< 5.0	2.4	ND< 0.20	ND< 10			
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
2-Butanone	50*	ND< 2	ND< 0.5	ND< 2	ND< 0.5	ND< 0.4	ND< 0.2	55	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10				
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
Acetone	50*	ND< 2	ND< 2	ND< 2	ND< 2	3.40 JBD	ND< 1	ND< 0.5	ND< 1	ND< SCAL-E	140 J	360 J	58	ND< 1.0	ND< 1.0	ND< 50				
Benzene	1	0.29 J	ND< 0.5	ND< 0.5	ND< 0.4	0.33 J	0.21 J	0.48 J	0.3 J	0.3 J	ND< 2	ND< 20	ND< 40	ND< 5.0	0.37 J	ND< 0.20	ND< 10			
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10						
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	0.40 JB	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10				
Carbon disulfide	60*	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	0.43 J	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10				
Carbon tetrachloride	5	12	ND< 0.5	5.2	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10						
Chloroethane	5	0.58	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	0.2 CCV-E	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10				
Chloroform	7	0.72	2.2	ND< 0.5	ND< 0.5	ND< 0.4	0.29 J	ND< 0.2	0.41 J	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	0.25 J	ND< 0.20	ND< 10			
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.5	ND< 0.4	ND< 0.2	ND< 0.5	ND< 0.20	ND< 2	ND< 20	ND< 40	ND< 5.0	ND< 0.20	ND< 10					
cis-1,2-Dichloroethylene	5	1300	1600	440	150	280 D	1400	910 D	1000	1200	1700	1,100	1,900	1,200	2,100	1,800	1,2			

Sample Location		6 NYCRR Part 703.5	MW32														
Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW32-X25 (15'-25')														
Sample Date	Lab Sample ID		9/6/2018	12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	12/17/2019	3/16/2020	6/11/2020	Duplicate 6/11/2020	8/27/2020	12/14/2020	Duplicate 12/15/2020		
Groundwater Elevation (ft.)			1810297-01	18L0310-02	19C0144-02	19F0430-12	19L0905-05	19L0806-05	19L0806-05	20C0746-02	20F0477-12	20F0477-15	20H1134-05	20L0785-05	20L0785-07		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	
1,1,1-Trichloroethane	5	13	130	200	2,100	220	24	24	5.3	44	45	32	56	51			
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,1-Dichloroethane	5	5.9	120	60	320	65	14	14	2.1	18	18	71	30	28			
1,1-Dichloroethylene	5	4.2	20.0	120	130	28	8.1	8.1	0.70	ICV-E	20	20	24	25		ND< 0.2	
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na			
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na			
1,2-Dichloroethane	0.6	ND< 0.20	1.5	5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	0.49	J	0.50	ND< 2.5	0.65	0.62		
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na			
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na			
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 5.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Acetone	50*	ND< 1.0	ND< 1.00	ND< 1.00	ND< 1.00	ND< 1.00	ND< 5.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 2.5	1.2	J	1.6	J	
Benzene	1	ND< 0.20	0.24	J	0.85	0.63	0.21	J	ND< 2.5	ND< 2.5	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.20			
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	na	na			
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	1.1	0.62	ND< 2.5	ND< 2.5	ND< 0.20	0.27	J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.30	J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
Chloroform	7	ND< 0.20	ND< 0.20	0.62	0.48	J	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	0.27	J	0.26	J	
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	
cis-1,2-Dichloroethylene	5	140	770	770	2,800	800	300	300	85	750	720	720	850	790			
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 2.5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5</td					

Sample Location		6 NYCRR Part 703.5	MW32													
Sample ID: FRMW (Fuller Rd Monitoring Well)- Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW32-X25 (15'-25')													
Sample Date	3/12/2021		6/16/2021	9/29/2021	12/16/2021	4/1/2022	6/7/2022	9/22/2022	12/14/2022	3/30/2023	6/21/2023	9/12/2023	12/20/2023	3/19/2024		
Lab Sample ID	21C0753-06		21F0819-06	21J0004-05	21L1055-05	22D0076-05	22F0429-13	22I1220-05	22L0969-05	23D0011-05	23F1500-12	23I0834-05	23L1487-01	24C1318-05		
Groundwater Elevation (ft.)	238.79		239.00	239.09	239.54	239.54	239.99	238.52	238.62	239.87	239.87	240.03	239.57	240.62		
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb		
1,1,1-Trichloroethane	5	32	3,600	2,400	1,200	2,000	880	350	1,400	3,100	1,900	41	4,520	78		
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.256	ND< 0.200			
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.200				
1,1,2-Trichloroethane	1	0.62	4.8	ND< 0.20	ND< 0.20	ND< 0.20	2.1	ND< 0.20	0.580	ND< 2	ND< 0.20	ND< 0.20	ND< 0.249	ND< 0.200		
1,1-Dichloroethane	5	32	130	180	180	360	120	81	61	160	250	40	133	58		
1,1-Dichloroethylene	5	38	140	80	74	150	39 J	30	69	140	110	15	116	78		
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.222	ND< 0.200			
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.138	ND< 0.200			
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.432	ND< 0.200			
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.215	ND< 0.200			
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.270	ND< 0.200			
1,2-Dichloroethane	0.6	0.43 J	0.38 J	ND< 0.20	ND< 0.20	4.6	4.8	ND< 0.20	ND< 0.20	ND< 2	2.2	0.79	ND< 0.377	ND< 0.200		
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.327	ND< 0.200			
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.283	ND< 0.200			
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.311	ND< 0.200			
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.421	ND< 0.200			
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.320	ND< 0.200			
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.365	ND< 0.200			
Acetone	50*	1.0 J	ND< 1.00	ND< 1	ND< 1	ND< 1	ND< 1.0	ND< 1.0	ND< 10	ND< 1.0	ND< 1.0	ND< 1.34	ND< 1			
Benzene	1	ND< 0.20	0.42 J	0.21 J	0.46 J	ND< 0.20	1.1	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.279	ND< 0.200			
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.354	ND< 0.200			
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.245	ND< 0.200			
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.163	ND< 0.200			
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.119	ND< 0.200			
Carbon disulfide	60*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.56 B	ND< 0.20	ND< 2	ND< 0.20	ND< 0.362	ND< 0.200			
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.204	ND< 0.200			
Chlorobenzene	5	ND< 0.20	0.59	0.39 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	0.24 J	ND< 2	0.39 J	ND< 0.20	0.48		
Chloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.42 J	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.448	ND< 0.200			
Chloroform	7	ND< 0.20	0.44 J	0.23 J	ND< 0.20	0.57	ND< 0.20	ND< 0.20	ND< 2	0.49 J	ND< 0.20	0.45	ND< 0.200			
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	3.0	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.372	ND< 0.200			
cis-1,2-Dichloroethylene	5	ND< 0.20	680	270	2,300	4,700	2,800	550	160	2,200	3,100	340	1,510	12		
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.262	ND< 0.200			
Cyclohexane	NS	0.42 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	0.27 J	ND< 0.491	ND< 0.200				
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.146	ND< 0.200			
Dichlorodifluoromethane	5	0.33 J, QL-02, CCV-E, ICV-E	0.56	0.23 J	2.0	0.85	ND< 0.20	ND< 0.20	0.27 J	ND< 2	ND< 0.20	0.6	ND< 0.200			
Ethyl Benzene	5	ND< 0.20	0.73	0.44 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.290	0.43 J			
Isopropylbenzene	5	ND< 0.20	0.30 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	0.25 J	ND< 0.20	ND< 0.405	ND< 0.200			
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.5	ND< 2	ND< 0.20	ND< 0.442	ND< 0.200			
Methyl tert-butyl ether (MTBE)	10*	0.55	1.2	1.2	ND< 0.20	0.65	1.1	0.8	0.9	ND< 2	0.92	ND< 0.20	0.93	0.93 0.200		
Methylcyclohexane	NS	0.29 J	5.1	1.2	1.1	1.2	7.3	1.6	4.4	4.4 J	2.4	0.44 J	1.5	2.2		
Methylene chloride	5	ND< 1	ND< 1	ND< 1	ND< 1.0	ND< 1.0	ND< 1.0	2.1	ND< 1.0	ND< 10	ND< 1.0	ND< 1.0	ND< 0.397	ND< 1		
o-Xylene	5	ND< 0.20	11	5.0	ND< 0.20	0.21 J	2.4	1.0	ND< 0.20	7.2	3.5	ND< 0.20	2.73	6		
p- & m- Xylenes	5	ND< 0.50	3.1	0.91 J	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 5	ND< 0.50	ND< 0.50	ND< 0.578	ND< 0.500			
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.255	ND< 0.200			
Tetrachloroethylene	5	1,700	20,000	6,700 CCV-E, ICV-E	4,700	4,200	2,600	3,100	4,200	6,800	4,500	480	13,500	85		
Toluene	5	ND< 0.20	6.6	2.2	1.3	0.91	2.6	0.24 J	0.20 J	6	1.2	ND< 0.2	3.97	0.43 J		
trans-1,2-Dichloroethylene	5	1.2	12	1.9	38	57	20	1.9	0.63	4.7 J	28	1.4	ND< 0.279	ND< 1.300		
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2	ND< 0.20	ND< 0.20	ND< 0.229	ND< 0.200			
Trichloroethylene	5	35	140	94	170	49	52	100	74	230	91	44	121	110		
Trichlorofluoromethane (freon 11)	5	2.8 QL-02, CCV-E	4.4	3.2	3.7	4.6	11	0.99	2.4	2.0 J	4.4	0.71	3.48	2.2		
Vinyl Chloride	2	0.34 J, CCV-E	0.67	0.73	0.87	0.99	0.88	0.56	0.31 J	7.2 J	0.91	ND< 0.20	0.52	0.29		
Total VOC concentration	NS	3,102.98	24,742.29	9,741.84	8,674.43	11,531.00	6,544.84	4,220.19	5,974.67	12,661.50	9,995.66	963.61	19,918.14	433.83		
Total CVO concentration	NS	3,100.72	24,713.84													

Sample Location		6 NYCR Part 703.5	MW33																			
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW33-X25 (15-25')																			
Sample Date	Lab Sample ID		7/19/2010	9/30/2011	12/14/2011	2/22/2012	5/1/2012	6/28/2012	9/25/2012	12/19/2012	3/18/2013	6/12/2013	9/17/2013	11/19/2013	3/26/2014	6/12/2014	9/16/2014	12/15/2014				
Groundwater Elevation (ft.)			10G0579-11	11J0038-16	11L0633-07	12B0883-13	12E0113-13	12F0976-14	12I0945-13	12L0807-13	13C0516-12	13F0453-04	13I0664-03	13K0803-03	14C0921-03	14F0651-15	14I0784-07	14L0667-03				
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb		
1,1,1-Trichloroethane	5	26	23	ND< 500	85	180	110 J	97	50	3.1 J	1.1 J	ND< 5	ND< 5	130	1,100	330	330	91				
1,1,2,2-Tetrachloroethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
1,1,2-Trichloroethane	1	ND< 25	ND< 5.0	ND< 500	2.8 J	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 50	9.5	5.7								
1,1-Dichloroethane	5	660	29	550	310	1,600	930	450	340	33	8.2	7.8	15	500	1,000	590	590	320				
1,1-Dichloroethylene	5	28	21	ND< 500	120	190	100 J	84	48 J	6.6	1.6 J	1.5 J	3 J	110	320	ND< 0.5	ND< 0.5	85				
1,2,3-Trichlorobenzene	5	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5				
1,2,4-Trichlorobenzene	5	ND< 50	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5								
1,2-Dibromo-3-chloropropane	0.04	ND< 25	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 50	ND< 0.5	ND< 2	ND< 0.5								
1,2-Dibromoethane	0.0006	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
1,2-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	0.21 J	ND< 50	0.55	ND< 0.5				
1,2-Dichloroethane	0.6	ND< 25	1.2 J	ND< 500	6.6	12 J	ND< 120	ND< 50	ND< 5	8	ND< 50	15	3.9									
1,2-Dichloropropane	1	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
1,3-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 50			
1,4-Dichlorobenzene	3	na	na	na	na	na	na	na	na	na	na	na	na	na	0.34	ND< 50	ND< 0.5	ND< 0.5				
2-Butanone	50*	ND< 25	ND< 10	ND< 500	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 50	ND< 0.5	ND< 2	ND< 0.5								
2-Hexanone	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 25 J	ND< 10	ND< 1000	ND< 10	ND< 100	ND< 250	ND< 100	ND< 100	ND< 10	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5								
Acetone	50*	ND< 25	5.5 J,B	ND< 500	ND< 10	13 B	230 J,B	ND< 100	ND< 100	ND< 10	9.1 J,B	ND< 10	ND< 10	ND< 2	160 CCV-E, J, B	ND< 2						
Benzene	1	ND< 25	0.92 J	ND< 500	2.0 J	ND< 50	ND< 120	ND< 50	ND< 5	2.3	ND< 50	3.4	1.4									
Bromochloromethane	5	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5				
Bromodichloromethane	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Bromoform	50*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Bromomethane	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Carbon disulfide	60*	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Carbon tetrachloride	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Chlorobenzene	5	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Chloroethane	5	ND< 25	1.5 J	ND< 500	3.6 J	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	0.39 J	ND< 0.5									
Chloroform	7	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	1.6	ND< 0.5									
Chloromethane	5	63	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
cis-1,2-Dichloroethylene	5	ND< 25	45	420 J	410	1,400	710	850	330	43	8.6	13	24	1,200	2,600	2,000	620					
cis-1,3-Dichloropropylene	0.4+	ND< 25	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Cyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	2.2	ND< 50	ND< 0.5	ND< 0.5				
Dibromochloromethane	50*	31	ND< 5.0	ND< 500	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Dichlorodifluoromethane	5	25	22	ND< 500	6.3	8.6 J	ND< 120	ND< 50	ND< 50	3.8 J	ND< 5	2.9 J	5.2	10	ND< 50	3.6	ND< 0.5					
Ethyl Benzene	5	ND< 25	32	ND< 500	12	34 J	30 J	15 J	9.4 J	2.3 J	1.7 J	1.5 J	ND< 5	11	23 J	37	13					
Isopropylbenzene	5	ND< 50	ND< 5.0	ND< 1000	ND< 5.0	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Methyl acetate	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	na	ND< 0.5	ND< 50	ND< 0.5	ND< 0.5			
Methyl tert-butyl ether (MTBE)	10*	ND< 25	2.9 J	ND< 500	3.0 J	ND< 50	ND< 120	ND< 50	ND< 5	ND< 50	ND< 0.5	ND< 0.5	ND< 0.5									
Methylcyclohexane	NS	na	na	na	na	na	na	na	na	na	na	na	na	na	5.9	ND< 50	16	6.8				
Methylene chloride	5	ND< 43	2.9 J,B	ND< 500	3.1 J,B	4.7 J,B	140 J,B	31 J,B	ND< 50	6.3 J	ND< 10	ND< 10	ND< 2	ND< 200	1.3 J	1.6 J						
o-Xylene	5	4.8 J	2.2 J	ND< 500	3.2 J	12 J	ND< 120	17 J	ND< 50	ND< 5	6.1	ND< 50	16	6								
p- & m- Xylenes	5	46 J	1.2 J	ND< 1000	8.0 J	71 J	79 J	42 J	ND< 100	ND< 10	ND< 10	ND< 10	ND< 10	ND< 100	8.6	ND< 100	22	5		</td		

Sample Location		6 NYCRR Part 703.5	MW33																	
Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)			FRMW-MW33-X25 (15'-25')																	
Sample Date			3/17/2015	6/25/2015	9/16/2015	11/30/2015	3/3/2016	5/26/2016	9/29/2016	10/31/2016	12/1/2016	3/28/2017	6/28/2017	9/29/2017	12/11/2017	3/29/2018	6/13/2018	9/6/2018		
Lab Sample ID			15C0563-05	15F1052-03	15I0617-03	15L0018-03	16C0192-03	16E1165-04	16I1131-01	16K0022-01	16L0074-01	17C1158-03	17F1193-02	17J0005-05	17L0427-01	18C1190-03	18F0674-01	18I0297-01		
Groundwater Elevation (ft.)		238.08	237.95	237.33	237.58	237.90	237.73	236.95	236.76	236.97	237.73	238.97	238.06	237.43	237.93	239.99	238.06			
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb		
1,1,1-Trichloroethane	5	9.5	8.0	9.5	6.7	5.6	5.2	7.9	5.4	4.5	0.59	1.4	0.51	1.9	0.6	0.5	ND< 0.20			
1,1,2,2-Tetrachloroethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,1,2-Trichloroethane	1	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,1-Dichloroethane	5	54	29	26	19	ND< 0.2	67	48	40	53	140	130	44	34	28	24	6.7			
1,1-Dichloroethylene	5	17 CCV-E	8.2	9.8	6.8	7.9	9.3	11	8.3	9.2	14	30	8.4	6.1	5	3.8	1			
1,2,3-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,2,4-Trichlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,2-Dibromo-3-chloropropane	0.04	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20												
1,2-Dibromoethane	0.0006	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,2-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,2-Dichloroethane	0.6	0.55	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,2-Dichloropropane	1	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,3-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
1,4-Dichlorobenzene	3	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
2-Butanone	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
2-Hexanone	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Acetone	50*	ND< 2	1.6 SCAL-E	ND< 1	ND< 1	ND< 2	ND< 1	1.5 J	1.5 J	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0							
Benzene	1	0.26 J	ND< 0.5	ND< 0.2	ND< 0.2	0.32 J	ND< 0.20	ND< 0.20	0.25 J	1.2	0.99	ND< 0.20	0.23 J	0.39 J	0.32 J	ND< 0.20				
Bromochloromethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Bromodichloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Bromoform	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Bromomethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Carbon disulfide	60*	0.24 SCAL-E,J	ND< 0.5	0.34 JB	ND< 0.2	0.26 J	ND< 0.5	ND< 0.20												
Carbon tetrachloride	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Chlorobenzene	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Chloroethane	5	ND< 0.5	ND< 0.5	0.21 J	ND< 0.2	0.41 J	0.85	0.94	0.40 J	0.60	1.6 CCV-E	2.2	0.95	0.69	0.34 J	0.31 J	ND< 0.20			
Chloroform	7	ND< 0.5	ND< 0.5	0.22 J	1.8	0.42 J	ND< 0.5	ND< 0.20	0.42 J	0.50	1.2	ND< 0.20	0.64	0.25 J	0.32 J	2.10				
Chloromethane	5	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
cis-1,2-Dichloroethylene	5	130	36	23	22	25	29	31	23	24	33	31	10	13	10	8.1	3.4			
cis-1,3-Dichloropropylene	0.4+	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Cyclohexane	NS	0.69	0.5	0.28 J	ND< 0.2	0.25 J	ND< 0.5	ND< 0.20	0.25 J	0.28 J	0.32 J	0.29 J	ND< 0.20							
Dibromochloromethane	50*	ND< 0.5	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Dichlorodifluoromethane	5	7.7	7.7	7.6	8.1	10	4.3	10	11	8.7	5.4	8.1	2.4	3.6	2.3	2.6 CCV-E	ND< 0.20			
Ethyl Benzene	5	1.9	1.5	1.7	2.5	6	1.0	6.1	10	10	0.57	0.25 J	ND< 0.20	0.25 J	0.74	ND< 0.20	ND< 0.20			
Isopropylbenzene	5	0.6	0.28 J	0.21 J	ND< 0.2	0.46 J	0.39 J	0.65	0.60	0.61	0.57	0.73	0.62	0.35	0.34 J	0.55	ND< 0.20			
Methyl acetate	NS	ND< 2	ND< 0.5	ND< 0.2	ND< 0.2	ND< 0.5	ND< 0.20													
Methyl tert-butyl ether (MTBE)	10*	0.38 J	0.27 J	0.32 J	0.31 J	0.37 J	ND< 0.5	0.44 J	0.39 J	0.54	ND< 0.20	0.2 J	ND< 0.20	0.34 J	ND< 0.20	ND< 0.20	ND< 0.20			
Methylcyclohexane	NS	3.8	2	1	0.99	1.1	0.93	1.1	0.39 J	0.96	0.61	0.59	ND< 0.20	0.45 J	ND< 0.20	0.7 QL-02	ND< 0.20			
Methylene chloride	5	ND< 2	ND< 2	ND< 1	ND< 1	ND< 1	ND< 2	ND< 1	ND< 100	1 U	ND< 1	1.1 J	ND< 1.0							
o-Xylene	5	0.42 J	0.38 J	0.4 J	0.55	0.22 J	ND< 0.5	1	0.77	0.58	ND< 0.20									
p- & m- Xylenes	5	ND< 0.5	ND< 1.0	ND< 0.5	ND< 0.5</															

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval)	6 NYCCR Part 703.5	MW33												
		FRMW-MW33-X25 (15'-25')												
		12/6/2018	3/5/2019	6/11/2019	9/17/2019	12/17/2019	3/16/2020	6/11/2020	8/27/2020	12/14/2020	3/12/2021	6/15/2021	12/16/2021	4/1/2022
Sample Date Lab Sample ID Groundwater Elevation (ft.)		18L0310-01	19C0144-01	19F0430-13	19I0905-06	19L0806-07	20C0746-01	20F0477-13	20H1134-06	20L0785-06	21C0753-07	21F0819-05	21F0819-06	22D0076-06
		238.83	239.44	239.78	238.96	239.04	239.29	239.40	240.40	238.78	238.71	238.89	239.41	239.43
Analyte	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	0.27 J	1.6	0.72	0.87	ND< 2.5	3.5	ND< 0.20	ND< 2.5	0.51	0.52	ND< 0.2	0.48 J	5.8
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,1-Dichloroethane	5	65	57	26	34	120	10	10	9.1	62	23	8.6	59	110
1,1-Dichloroethylene	5	4.1	5.9	4.1	4.5	7.8	0.61 ICV-E	0.77	ND< 2.5	2.2	2.3	0.97	2.9	16
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,2-Dichloroethane	0.6	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	0.27 J
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
1,4-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	0.30 J	ND< 2.5	0.30 SCAL-E, J	0.20 J	ND< 2.5	na	0.22 J	0.23 J	ND< 0.2	0.40 J
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 5.0	ND< 1.0	ND< 1.0	ND< 5.0	1.9 J	ND< 1	ND< 1	ND< 1	ND< 1
Benzene	1	0.35 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	0.24 J	0.30 J	ND< 0.2	0.30 J	1.1
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Carbon disulfide	60*	ND< 0.20	1.1	ND< 0.20	0.62	ND< 2.5	ND< 0.20	0.20 J	ND< 2.5	ND< 0.2	ND< 0.2	ND< 0.2	ND< 0.2	1.4
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Chloroethane	5	1.600	2.9	1.7 CCV-E	0.91	ND< 2.5	0.63 ICV-E	0.48 J	ND< 2.5	0.79	ND< 0.2	ND< 0.2	2.2	5.8
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
cis-1,2-Dichloroethylene	5	9.3	15	8.2	14	19	1.9	1.7	ND< 2.5	8.3	13	4.5	5.7	28
cis-1,3-Dichloropropylene	0.4+	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Cyclohexane	NS	ND< 0.20	ND< 0.20	ND< 0.20	0.27 J	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	na	ND< 0.2	ND< 0.2	ND< 0.2	0.360 J
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.20	ND< 0.20	ND< 2.5	ND< 0.2				
Dichlorodifluoromethane	5	1.4	3.5	4.2	11 CCV-E, ICV-E	6.6	0.63 ICV-E	0.56 ICV-E, QL-02	ND< 2.5	1.2	1.7 ICV-E			

Sample Location Sample ID: FRMW (Fuller Rd Monitoring Well)-Well ID# (approx. depth to well bottom) and (Screen Interval) Sample Date Lab Sample ID Groundwater Elevation (ft.)	6 NYCR Part 703.5	MW33							
		FRMW-MW33-X25 (15'-25')							
		6/7/2022 22F0429-14 239.80	9/22/2022 22I1220-06 238.43	12/14/2022 22L0969-06 238.51	3/30/2023 23D0011-06 239.75	6/21/2023 23F1500-13 239.70	9/12/2023 23I0834-06 239.89	12/20/2023 23L1487-01 239.44	3/19/2024 24C1318-06 240.40
		ppb	ppb	ppb	ppb	ppb	ppb	ppb	ppb
1,1,1-Trichloroethane	5	2.7	3.0	5.4	1.9	0.93	1.90	1.32	0.24 J
1,1,2,2-Tetrachloroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.256	ND< 0.200
1,1,2-Trichloro-1,2,2-trifluoroethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	8.76	ND< 0.200
1,1,2-Trichloroethane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.249	ND< 0.200
1,1-Dichloroethane	5	83	70	83	52	80	86	22	10
1,1-Dichloroethylene	5	9.3	11	12	5	8.5	9.4	4.69	2.7
1,2,3-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.222	ND< 0.200
1,2,4-Trichlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.138	ND< 0.200
1,2-Dibromo-3-chloropropane	0.04	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.432	ND< 0.200
1,2-Dibromoethane	0.0006	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.215	ND< 0.200
1,2-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.270	ND< 0.200
1,2-Dichloroethane	0.6	ND< 0.20	0.24 J	0.34 J	0.34 J	ND< 0.20	ND< 0.20	ND< 0.377	ND< 0.200
1,2-Dichloropropane	1	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.327	ND< 0.200
1,3-Dichlorobenzene	3	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.283	ND< 0.200
1,4-Dichlorobenzene	3	0.34 J	0.64	0.75	0.68	0.54	0.63	0.450	0.24 J
2-Butanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.320	ND< 0.200
2-Hexanone	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.320	ND< 0.200
Methyl isobutyl ketone (4-Methyl-2-pentanone)	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.365	ND< 0.200
Acetone	50*	ND< 1.0	ND< 1.0	ND< 1.0	2.9	ND< 1.0	ND< 1.0	ND< 1.34	ND< 1
Benzene	1	0.95	0.51	0.47 J	ND< 0.20	0.8	0.76	ND< 0.279	ND< 0.200
Bromochloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.354	ND< 0.200
Bromodichloromethane	50*	ND< 0.20	ND< 0.20	1.2	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.245	ND< 0.200
Bromoform	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.163	ND< 0.200
Bromomethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.119	ND< 0.200
Carbon disulfide	60*	0.96 B	0.54	0.72	0.4 J	ND< 0.20	0.36 J	ND< 0.362	ND< 0.200
Carbon tetrachloride	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.204	ND< 0.200
Chlorobenzene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.284	ND< 0.200
Chloroethane	5	4.1	4.4	7.7	3	6.4	7.4	1.47	1.3
Chloroform	7	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	0.4 J	ND< 0.24	ND< 0.200
Chloromethane	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.372	ND< 0.200
cis-1,2-Dichloroethylene	5	20	66	49	21	20	27	12.6	19
cis-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.262	ND< 0.200
Cyclohexane	NS	0.30 J	0.40 J	ND< 0.20	0.28 J	0.26 J	0.40 J	ND< 0.491	ND< 0.200
Dibromochloromethane	50*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.146	ND< 0.200
Dichlorodifluoromethane	5	9.2	25	24	8.6	4.5	14	3.56	3.3
Ethyl Benzene	5	0.39 J	1.4	1.5	1.2	0.34 J	1.2	ND< 0.290	ND< 0.200
Isopropylbenzene	5	0.64	0.95	0.64	0.7	0.54	0.69	ND< 0.405	ND< 0.200
Methyl acetate	NS	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.442	ND< 0.200
Methyl tert-butyl ether (MTBE)	10*	ND< 0.20	ND< 0.20	0.25 J	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.244	ND< 0.200
Methylcyclohexane	NS	0.67	0.78	0.84	0.75	0.38 J	0.65	0.640	0.38 J
Methylene chloride	5	ND< 1.0	2.1	ND< 1.0	ND< 1.0	ND< 1.0	ND< 1.0	ND< 0.397	ND< 1
o-Xylene	5	1.9	2.1	0.73	0.39 J	ND< 0.20	0.96	ND< 0.261	ND< 0.200
p- & m- Xylenes	5	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.50	ND< 0.578	ND< 0.500
Styrene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.255	ND< 0.200
Tetrachloroethylene	5	18	17	36	30	18	24	19.2	13
Toluene	5	ND< 0.20	0.33 J	ND< 0.20	ND< 0.20	0.38 J	ND< 0.346	ND< 0.200	
trans-1,2-Dichloroethylene	5	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.279	ND< 0.200
trans-1,3-Dichloropropylene	0.4*	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.20	ND< 0.229	ND< 0.200
Trichloroethylene	5	5.8	10	15	10	5	11	5.80	3
Trichlorofluoromethane (freon 11)	5	25	50	65	14	ND< 0.20	18	8.76	3.7
Vinyl Chloride	2	ND< 0.20	0.72	0.99	0.58	0.58	ND< 0.20	ND< 0.469	ND< 0.280
Total VOC concentration	NS	183.25	267.11	305.53	153.52	146.77	205.13	89.25	56.86
Total CVOC concentration	NS	177.44	260.10	300.38	146.90	144.45	199.73	88.61	56.48
Total Petro-VOC concentration	NS	3.88	5.29	3.59	2.29	1.68	3.99	0.00	0.00
Other VOC concentration	NS	1.93	1.72	1.56	4.33	0.64	1.41	0.64	0.38

Location of screen

Just beneath water table (237.5' - 227.5' amsl)

Table 1
TFE System - Influent/Effluent Water Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project # 2222575

Date	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/2013	1/7/2014	4/29/2014
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st
Water Intake Flow Rate (Gal/min)	0.72	0.74	0.43	0.32	0.8	0.34	0.25	0.45	0.27	0.23	0.24	0.26	0.41	0.2	0.7	0.29	0.16	0.18	0.17	0.3	0.4
Water Intake Flow Rate (Gal/day)	1,037	1,066	619	461	1,152	490	360	648	389	331	346	374	590	288	1,008	418	230	259	245	432	576
Water Influent Total VOCs (ug/L)	486.2	671.1	484.1	1,022.0	610.9	154.69	74	86	315.1	75	20.8	10.0	21.3	21.9	21.1	78.4	64.2	125.2	112.95	647.23	127.71
Convert Total VOCs to g/L	0.0004862	0.0006711	0.0004841	0.001022	0.0006109	0.00015469	0.000074	0.000086	0.0003151	0.0000754	0.00002075	0.00001	0.0000213	0.0000219	0.0000211	0.00007842	0.00006421	0.00012519	0.00011295	0.00064723	0.00012771
Convert Total VOCs to g/gal	0.00184	0.00254	0.00183	0.00387	0.00231	0.00059	0.00028	0.00033	0.00119	0.00029	0.00008	0.00004	0.00008	0.00008	0.00008	0.00030	0.00024	0.00047	0.00043	0.00245	0.00048
Convert Total VOCs to g/day	1.91	2.71	1.13	1.78	2.66	0.29	0.1008	0.21	0.46	0.09	0.03	0.01	0.05	0.02	0.08	0.12	0.06	0.12	0.10	1.06	0.28
Convert Total VOCs to pounds/day	0.0042	0.0060	0.0025	0.0039	0.0059	0.0006	0.0002	0.0005	0.0010	0.0002	0.0001	0.0000	0.0001	0.0001	0.0002	0.0003	0.0001	0.0003	0.0002	0.0023	0.0006
Water Effluent Total VOCs (ug/L)	2.2	126	30.99	32.6	14.3	38.25	22.5	11.1	23.2	14.67	0	7.2	18.4	10	11	56.72	52.7	77.19	76.5	464.31	47.8
Water Effluent Total VOCs (mg/L)	0.0022	0.126	0.03099	0.0326	0.0143	0.03825	0.0225	0.0111	0.0232	0.01467	0	0.0072	0.0184	0.01	0.011	0.05672	0.0527	0.07719	0.0765	0.46431	0.0478
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	12AO397	12B0885	12D0015	12D0895	12E0957	12G0304	12H0617	12J0712	12K0799	12L0712	13B0330	13C0830	13E0185	13E0809	13F0662	SB74049	SB75465	SB77412	SB79396	SB82930	SB8499
Date	5/21/2014	6/30/2014	7/24/2014	8/28/2014	9/17/2014	10/22/2014	11/18/2014	12/18/2014	2/5/2015	2/25/2015	3/19/2015	4/16/2015	5/27/2015	6/26/2015	7/20/2015	8/24/2015	9/30/2015	10/22/2015	11/24/2015	12/14/2015	1/29/2016
Month	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th	37th	38th	39th	40th	41st	42nd
Water Intake Flow Rate (Gal/min)	0.5	0.45	0.42	0.3	0.1	0.3	0.33	0.49	0.3	0.25	0.3	0.3	0.4	0.35	0.2	0.2	0.16	0.39	0.15	0.05	0.10
Water Intake Flow Rate (Gal/day)	720	648	605	432	144	432	475	706	432	360	432	432	576	504	288	288	230	562	216	72	144
Water Influent Total VOCs (ug/L)	103.75	183.94	21.43	139.90	100.80	124.70	144.40	162.00	171.70	136.20	211.70	159.40	175.1	84.6	122.40	107.20	139.9	30.9	105.0	91.0	
Convert Total VOCs to g/L	0.00010375	0.00018394	0.00002143	0.0001399	0.0001008	0.0001247	0.0001444	0.000162	0.0001717	0.0001362	0.0002117	0.0001594	0.0001751	0.0000846	0.0001224	0.0001072	0.0001399	0.0000309	0.000105	0.000091	
Convert Total VOCs to g/gal	0.00039	0.00070	0.00008	0.00053	0.00038	0.00047	0.00055	0.00061	0.00065	0.00052	0.00080	0.00060	0.00066	0.00032	0.00046	0.00041	0.00053	0.00012	0.00040	0.00034	
Convert Total VOCs to g/day	0.28	0.45	0.05	0.23	0.05	0.20	0.26	0.43	0.28	0.19	0.35	0.26	0.38	0.16	0.13	0.12	0.07	0.09	0.02		
Convert Total VOCs to pounds/day	0.0006	0.0010	0.0001	0.0005	0.0001	0.0004	0.0006	0.0010	0.0006	0.0004	0.0008	0.0006	0.0008	0.0004	0.0003	0.0003	0.0001	0.0002	0.00005		
Water Effluent Total VOCs (ug/L)	81.44	129.86	0.46	108.2	68.4	85.4	84.5	190.3	151.2	115	94.5	111.5	164.1	87.6	81.9	78.1	79.49	158.8	126.28	4.98	
Water Effluent Total VOCs (mg/L)	0.08144	0.12986	0.00046	0.1082	0.0684	0.0854	0.0845	0.1903	0.1512	0.115	0.0945	0.1115	0.1641	0.0876	0.0819	0.0781	0.07949	0.1588	0.12628	0.00498	
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
Lab Report #	SB89843	SB92147	SB93627	SB95582	SB96637	SB98604	SB99964	SC01703	SC03107	SC03777	SC04582	SC06223	SC07980	SC09404	SC10337	SC110901	L1524595	L1527088	L1531077	L1532980	

Table 1
TFE System - Influent/Effluent Water Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project # 2222575

Date	2/8/2016	3/17/2016	4/15/2016	5/25/2016	6/21/2016	7/22/2016	8/19/2016	11/7/2016	12/15/2016	1/13/2017	3/7/2017	3/29/2017	4/28/2017	5/23/2017	6/21/2017	7/10/2017	8/24/2017	9/26/2017	10/27/2017	11/28/2017	12/20/2017
Month	43rd	44th	45th	46th	47th	48th	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th	61st	62nd	63rd
Water Intake Flow Rate (Gal/min)	0.08	0.07	0.07	0.08	0.09	0.01	0.03	0.52	0.21	0.54	0.70	0.73	0.12	0.55	1.15	0.96	0.66	0.41	0.49	0.53	0.29
Water Intake Flow Rate (Gal/day)	115	101	101	115	130	14	43	749	302	778	1,008	1,051	173	792	1,656	1,382	950	590	706	763	418
Water Influent Total VOCs (ug/L)	121.16	107.58	133	106	13.6	154	121	197	104	192	177	181	15.3	25.9	146.4	146	81	146	110.91	17.68	14.94
Convert Total VOCs to g/L	0.00012116	0.00010758	0.00013258	0.00010626	0.00001361	0.00015397	0.00012146	0.000197	0.000104	0.000192	0.00017705	0.00018087	0.0000153	0.0000259	0.0001464	0.000146	0.000081	0.000146	0.00011091	0.00001768	0.00001494
Convert Total VOCs to g/gal	0.00046	0.00041	0.00050	0.00040	0.00005	0.00058	0.00046	0.00075	0.00039	0.00073	0.00067	0.00068	0.00006	0.00010	0.00055	0.00055	0.00031	0.00055	0.00042	0.00007	0.0006
Convert Total VOCs to g/day	0.05	0.04	0.05	0.05	0.01	0.01	0.02	0.56	0.12	0.57	0.68	0.72	0.01	0.08	0.92	0.76	0.29	0.33	0.30	0.05	0.02
Convert Total VOCs to pounds/day	0.0001	0.0001	0.0001	0.0001	0.00001	0.00002	0.00004	0.0012	0.00026	0.00125	0.00149	0.00159	0.00002	0.00017	0.00202	0.00168	0.00064	0.00072	0.00065	0.00011	0.00005
Water Effluent Total VOCs (ug/L)	65.53	89.13	99	85	3.8	141	91	156	90	90	125	125	13.6	83.8	117	123	101	116	103.8	1.6	3.3
Water Effluent Total VOCs (mg/L)	0.066	0.089	0.099	0.085	0.004	0.141	0.091	0.156	0.090	0.090	0.125	0.125	0.014	0.084	0.117	0.123	0.101	0.116	0.104	0.002	0.003
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES						
Lab Report #	L1603267	L1607820	L1611122	L1615834	L1618980	L162297	L1623002	L1635988	L1640994	L1701302	L1707009	L1709490	L1713879	L1716786	L1721098	L1723321	L1729885	L1734324	L1739192	L1743449	L1747097

Date	1/25/2018	2/26/2018	3/15/2018	4/25/2018	6/29/2018	8/13/2018	9/20/2018	10/26/2018	11/29/2018	12/18/2018	1/16/2019	5/28/2019	6/21/2019	8/28/2019	9/27/2019	10/30/2019	11/29/2019	12/21/2019	1/24/2020	2/26/2020	3/25/2020
Month	64th	65th	66th	67th	68th	69th	70th	71st	72nd	73rd	74th	75th	76th	77th	78th	79th	80th	81st	82nd	83rd	84th
Water Intake Flow Rate (Gal/min)	0.39	0.54	0.50	0.32	1.31	0.11	1.21	2.04	0.58	0.18	0.06	0.06	0.33	0.1	0.97	1.07	0.9	0.91	0.97	0.96	0.85
Water Intake Flow Rate (Gal/day)	562	778	720	461	1,886	158	1,742	2,938	835	259	86	475	144	1,397	1,541	1,296	1,310	1,397	1,382	1,224	
Water Influent Total VOCs (ug/L)	169	135	121	144	113	1057.9	23.36	216.28	28.39	154.56	130	22.4	39.06	550.41	713.33	333.75	277.22	206.52	162.79	158.72	175.52
Convert Total VOCs to g/L	0.000169	0.000135	0.000121	0.000144	0.000113	0.0010579	0.00002336	0.00021628	0.00002839	0.00015456	0.00013	0.0000224	0.00003906	0.00055041	0.00071333	0.00033375	0.00027722	0.00020652	0.00016279	0.00015872	0.00017552
Convert Total VOCs to g/gal	0.00064	0.00051	0.00046	0.00055	0.00043	0.00400	0.00009	0.00082	0.00011	0.00059	0.00049	0.00008	0.00015	0.00208	0.00270	0.00126	0.00105	0.00078	0.00062	0.00060	0.00066
Convert Total VOCs to g/day	0.36	0.40	0.33	0.25	0.81	0.63	0.15	2.40	0.09	0.15	0.04	0.01	0.07	0.30	3.77	1.95	1.36	1.02	0.86	0.83	0.81
Convert Total VOCs to pounds/day	0.00079	0.00088	0.00073	0.00055	0.00178	0.00140	0.00034	0.00530	0.00020	0.00033	0.00009	0.00002	0.00015	0.00066	0.00831	0.00429	0.00300	0.00226	0.00190	0.00183	0.00179
Water Effluent Total VOCs (ug/L)	89	106	93	145	94	369.15	75.91	157.17	95.84	89.91	86	12	15	246.79	563.2	325.92	267.49	225.05	167.94	154.24	160.42
Water Effluent Total VOCs (mg/L)	0.089	0.106	0.093	0.145	0.094	0.369	0.076	0.157	0.096	0.090	0.086	0.012	0.015	0.247	0.563	0.326	0.267	0.225	0.168	0.154	0.160
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES						
Lab Report #	L1802725	L1806659	L1808842	L1814557	L1824901	L1831547	L1837649	L1843845	L1848801	L1852210	L1901994	L1922357	L1927473	L1939079	L1944854	L1951280	L1957591	L1961346	L2003460	L2008431	L2013277

Table 1
TFE System - Influent/Effluent Water Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project # 2222575

Date	4/24/2020	5/27/2020	6/22/2020	7/29/2020	8/26/2020	9/18/2020	10/3/2020	11/30/2020	12/15/2020	1/9/2021	2/9/2021	3/26/2021	5/5/2021	5/26/2021	6/25/2021	7/28/2021	8/28/2021	9/29/2021	10/29/2021	12/16/2021	1/12/2022
Month	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th	97th	98th	99th	100th	101st	102nd	103rd	104th	105th
Water Intake Flow Rate (Gal/min)	0.82	0.25	0.18	0.17	0.23	0.47	0.21	0.67	0.8	NA	0.01	0.06	0.26	0.18	0.07	0.29	0.29	0.30	0.63	1.21	0.04
Water Intake Flow Rate (Gal/day)	1,181	360	259	245	331	677	302	965	1,152	NA	14	86	374	259	101	418	418	432	907	1,742	58
Water Influent Total VOCs (ug/L)	179.42	163	118.42	111.84	383.86	226.21	206.24	144.68	161.42	System Off.	0.86	198.66	222.05	154.01	205.81	95.44	101.52	197.96	34.56	195.1	285.22
Convert Total VOCs to g/L	0.00017942	0.000163	0.00011842	0.0001184	0.00038386	0.00022621	0.00020624	0.00014468	0.00016142	No sample collected.	0.00000086	0.00019866	0.00022205	0.00015401	0.00020581	0.00009544	0.00010152	0.00019796	0.00003456	0.0001951	0.00028522
Convert Total VOCs to g/gal	0.00068	0.00062	0.00045	0.00042	0.00145	0.00086	0.00078	0.00055	0.00061		0.00000	0.00075	0.00084	0.00058	0.00078	0.00036	0.00038	0.00075	0.00013	0.00074	0.00108
Convert Total VOCs to g/day	0.80	0.22	0.12	0.10	0.48	0.58	0.24	0.53	0.70		0.00	0.06	0.31	0.15	0.08	0.15	0.16	0.32	0.12	1.29	0.06
Convert Total VOCs to pounds/day	0.00177	0.00049	0.00026	0.00023	0.00106	0.00052	0.00116	0.00155	System Off.	0.00000001	0.0001432	0.0006937	0.0003331	0.0001731	0.000326	0.0003538	0.0007136	0.0002616	0.0028367	0.0001371	
Water Effluent Total VOCs (ug/L)	172.7	128.1	97.85	74.21	303.67	170	84.88	111.47	104.04	No sample collected.	0.18	212.6	180	161.79	212.6	78	78	200	3.1	11.73	280
Water Effluent Total VOCs (mg/L)	0.173	0.128	0.098	0.074	0.304	0.170	0.085	0.111	0.104		0.0002	0.2126	0.1800	0.1618	0.2126	0.0780	0.0780	0.2000	0.0031	0.0117	0.2800
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5		5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES		YES										
Lab Report #	L2017134	L2021774	L2026198	722920	L2034908	L2039264	L2048202	L2053496	L2053497		L2106128	L2115268	L2123240	L2128165	L2134587	L2140539	L2146032	L2152780	L2159586	L2165686	L2201798

Date	1/27/2022	3/2/2022	4/1/2022	4/30/2022	5/27/2022	6/30/2022	8/4/2022	9/13/2022	9/27/2022	10/28/2022	11/29/2022	12/21/2022	1/19/2023	2/22/2023	3/30/2023	4/27/2023	5/25/2023	6/20/2023	7/20/2023	8/15/2023	9/18/2023
Month	106th	107th	108th	109th	110th	111th	112th	113th	114th	115th	116th	117th	118th	119th	120th	121st	122nd	123rd	124th	125th	126th
Water Intake Flow Rate (Gal/min)	0.044	0.190	1.030	1.2	0.18	0.54	0.14	0.95	0.9	0.44	0.68	1.93	1.41	0.71	1.01	1.73	0.75	0.27	0.68	1.01	0.63
Water Intake Flow Rate (Gal/day)	63	274	1,483	1,728	259	778	202	1,368	1,296	634	982	2,774	2,029	1,025	1,457	2,485	1,087	385	982	1,459	901
Water Influent Total VOCs (ug/L)	426.04	171.03	250.35	235.57	150.3	192.1	127.15	166.9	221.06	218.2	183.6	140.4	21.51	33	25.96	103.93	14.49	88.36	92.6	86.3	100.06
Convert Total VOCs to g/L	0.00042604	0.00017103	0.00025035	0.00023557	0.0001503	0.0001921	0.00012715	0.0001669	0.00022106	0.0002182	0.0001836	0.0001404	0.00002151	0.000033	0.00002596	0.00010393	0.00001449	0.00008836	0.0000926	0.0000863	0.00010006
Convert Total VOCs to g/gal	0.00161	0.00065	0.00095	0.00089	0.00057	0.00073	0.00048	0.00063	0.00084	0.00083	0.00069	0.00053	0.00008	0.00012	0.00010	0.00039	0.00005	0.00033	0.00035	0.00033	0.00038
Convert Total VOCs to g/day	0.10	0.18	1.41	1.54	0.15	0.57	0.10	0.86	1.08	0.52	0.68	1.47	0.17	0.13	0.14	0.98	0.06	0.13	0.34	0.48	0.34
Convert Total VOCs to pounds/day	0.0002253	0.0003905	0.0030985	0.0033968	0.0003251	0.0012465	0.0002139	0.0019052	0.0023907	0.0011536	0.0015045	0.0032499	0.0003642	0.0002821	0.0003155	0.0021552	0.0001314	0.0002835	0.0007589	0.0010508	0.0007522
Water Effluent Total VOCs (ug/L)	370	160.19	218.53	205.4	131.1	181.3	111.72	134.86	165.13	201.42	166.36	120.02	80.27	93.08	2.4	75	2.6	67.65	69.23	2.26	74.21
Water Effluent Total VOCs (mg/L)	0.3700	0.1602	0.2185	0.2054	0.1311	0.1813	0.1117	0.1349	0.1651	0.2014	0.1664	0.1200	0.0803	0.0931	0.0024	0.0750	0.0026	0.0677	0.0692	0.0023	0.0742
Water Effluent Action Level (mg/L)	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Is effluent less than Action level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Lab Report #	L2204508	L2210959	L2216979	L2223014	L2228193	L2235127	L2242144-02	L2249620	L2253279	L2260708	L2266794	L2271782	L2303275	L2309554	L2316740	L2323178	L2329269	L2335247	L2341788	L2347000	L2354757

Date	10/27/2023	12/1/2023	12/20/2023	1/16/2024	2/17/2024	3/19/2024

Table 2
TFE System - Influent/Effluent Air Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project #2222575

DATE	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/13	1/7/14	4/29/14
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	21st
Air Discharge Flow (CFM)	540	640	600	580	520	640	760	460	520	505	360	420	410	435	425	430	380	360	360	405	400
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	74	143	118	120	165	82	45	45	21	20	15	6	12	11	10	10	10	7	10	16	1
Total VOCs (ug/m3)	21,957.0	20,939.0	6,677.0	29,558.9	34,030.2	29,026.9	23,110.0	8,803.1	1,431.0	18,422.6	2,551.0	2,057.0	2,166.5	1,769.9	1,032.2	1,345.6	995.6	1,823.2	357.9	22,896.8	4,879.7
Convert Total VOCs to g/m3	0.02196	0.02094	0.00668	0.02956	0.03403	0.02903	0.02311	0.00880	0.00143	0.01842	0.00255	0.00206	0.00217	0.00177	0.00103	0.00135	0.00100	0.00182	0.00036	0.02290	0.00488
Convert Total VOCs to g/CF	0.00062	0.00059	0.00019	0.00084	0.00096	0.00082	0.00065	0.00025	0.00004	0.00052	0.00007	0.00006	0.00006	0.00005	0.00003	0.00004	0.00003	0.00005	0.00001	0.00065	0.00014
Convert Total VOCs to g/hour	20.14	22.77	6.81	29.13	30.07	31.56	29.84	6.88	1.26	15.81	1.56	1.47	1.51	1.31	0.75	0.98	0.64	1.12	0.22	15.76	3.32
Convert Total VOCs to pounds/hour	0.0444	0.0502	0.0150	0.0642	0.0663	0.0696	0.0658	0.0152	0.0028	0.0348	0.0034	0.0032	0.0033	0.0029	0.0016	0.0022	0.0014	0.0025	0.0005	0.0347	0.0073
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Convert Total VOCs to pounds/day	1.0659	1.2047	0.3601	1.5412	1.5908	1.6700	1.5789	0.3640	0.0669	0.8364	0.0826	0.0777	0.0799	0.0692	0.0394	0.0520	0.0340	0.0590	0.0116	0.8336	0.1755
Lab Report #	12AO397	12B0885	12D0015	12D0895	12E0957	12G0304	12H0617	12J0712	12K0799	12L0712	13B0330	13C0830	13E0185	13E0809	13F0662	SB74042	SB75470	SB77400	SB79403	SB83125	SB88501
DATE	5/21/14	6/30/14	7/24/14	8/28/14	9/17/14	10/22/14	11/18/14	12/18/14	2/5/15	2/25/15	3/19/15	4/16/15	5/27/15	6/26/15	7/20/15	8/24/15	9/30/15	10/22/15	11/24/15	12/14/15	1/29/16
Month	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th	37th	38th	39th	40th	41st	42nd
Air Discharge Flow (CFM)	390	405	380	420	350	640	340	330	320	320	325	350	330	350	340	300	310	315	320	325	325
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	1	1	1.5	1	5	5	5	9	7	8	10	9	10	9	11	10	9	9	9	9	10
Total VOCs (ug/m3)	6,552.0	8,954.1	6,293.8	9,626.6	7,461.8	9,557.1	12,184.4	1,162.1	5,436.8	6,801.8	7,551.5	4,263.4	3,438.1	5,142.21	4,511.4	5,643.6	21,894.7	9,012.99	5,084.43	3,817.48	
Convert Total VOCs to g/m3	0.00655	0.00895	0.00629	0.00963	0.00746	0.00956	0.01218	0.00116	0.00544	0.00680	0.00755	0.00426	0.00344	0.00514	0.00451	0.00564	0.02189	0.00901	0.00508	0.00382	
Convert Total VOCs to g/CF	0.00019	0.00025	0.00018	0.00027	0.00021	0.00027	0.00035	0.00003	0.00015	0.00019	0.00021	0.00012	0.00010	0.00015	0.00013	0.00016	0.00062	0.00026	0.00014	0.00011	
Convert Total VOCs to g/hour	4.34	6.16	4.06	6.87	4.44	10.39	7.04	0.65	2.96	3.70	4.17	2.54	1.93	3.06	2.61	2.88	11.53	4.82	2.76	2.11	
Convert Total VOCs to pounds/hour	0.0096	0.0136	0.0090	0.0151	0.0098	0.0229	0.0155	0.0014	0.0065	0.0082	0.0092	0.0056	0.0042	0.0067	0.0057	0.0063	0.0254	0.0106	0.0061	0.0046	
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
Convert Total VOCs to pounds/day	0.2297	0.3260	0.2150	0.3635	0.2348	0.5499	0.3724	0.0345	0.1564	0.1957	0.2206	0.1341	0.1020	0.1618	0.1379	0.1522	0.6102	0.2552	0.1463	0.1115	
Lab Report #	SB89876	SB92245	SB93623	SB95601	SB96623	SB98612	SB99940	SC01717	SC03108	SC03776	SC04622	SC06229	SC07979	SC09384	SC10366	SC11898	L1524627	L1527054	L1531084	L1532962	

Table 2
TFE System - Influent/Effluent Air Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project #2222575

DATE	2/8/16	3/17/16	4/15/16	5/25/16	6/21/16	7/22/16	8/19/16	11/7/16	12/15/16	1/13/17	3/7/17	3/29/17	4/28/17	5/23/17	6/21/17	7/10/17	8/24/17	9/26/17	10/27/17	11/28/17	12/20/17
Month	43rd	44th	45th	46th	47th	48th	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th	61st	62nd	63rd
Air Discharge Flow (CFM)	340	360	305	320	320	310	320	300	320	320	330	330	310	350	330	340	320	345	335	350	330
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	10	10	5	5	5	5	5	1.5	5	5.0	2.0	4.0	2.0	2.0	3.0	2.0	2.0	2.0	3.0	4.0	2.0
Total VOCs (ug/m3)	1,805.14	3,168.11	6,384	14,473	10,253	6,961	8,802	8,524	3,075	18,963	11,490	17,547	5,244	14,073	13,607	11,391	10,781	10,823	14,439	4,560	3,143
Convert Total VOCs to g/m3	0.00181	0.00317	0.00638	0.01447	0.01025	0.00696	0.00880	0.00852	0.00308	0.01896	0.01149	0.01755	0.00524	0.01407	0.01361	0.01139	0.01078	0.01082	0.01444	0.00456	0.00314
Convert Total VOCs to g/CF	0.00005	0.00009	0.00018	0.00041	0.00029	0.00020	0.00025	0.00024	0.00009	0.00054	0.00033	0.00050	0.00015	0.00040	0.00039	0.00032	0.00031	0.00031	0.00041	0.00013	0.00009
Convert Total VOCs to g/hour	1.04	1.94	3.31	7.87	5.57	3.67	4.79	4.34	1.67	10.31	6.44	9.84	2.76	8.37	7.63	6.58	5.86	6.34	8.22	2.71	1.76
Convert Total VOCs to pounds/hour	0.0023	0.0043	0.0073	0.0173	0.0123	0.0081	0.0106	0.0096	0.0037	0.0227	0.0142	0.0217	0.0061	0.0184	0.0168	0.0145	0.0129	0.0140	0.0181	0.0060	0.0039
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES																				
Convert Total VOCs to pounds/day	0.0552	0.1025	0.1750	0.4163	0.2949	0.1940	0.2532	0.2299	0.0885	0.5455	0.3409	0.5205	0.1461	0.4428	0.4037	0.3482	0.3101	0.3357	0.4348	0.1435	0.0932
Lab Report #	L1532963	L1532964	L1611269	L1615893	L1619014	L1623002	L1626134	L1635986	L1641034	L1701348	L1707049	L1709449	L1713884	L1716739	L1721098	L1723322	L1729934	L1734408	L1739207	L1743448	L1747074
DATE	1/25/18	2/26/18	3/15/18	4/25/18	6/29/18	8/13/18	9/20/18	10/26/18	11/29/18	12/18/18	1/16/19	5/28/19	6/21/19	8/28/19	9/27/19	10/30/19	11/29/19	12/21/19	1/24/20	2/26/20	3/25/20
Month	64th	65th	66th	67th	68th	69th	70th	71st	72nd	73rd	74th	75th	76th	77th	78th	79th	80th	81st	82nd	83rd	84th
Air Discharge Flow (CFM)	340	320	315	290	305	320	315	310	325	320	320	342	198	312	342	324	330	328	270	261	265
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	2.0	2.0	3.0	2.0	1.5	2.0	2.0	3.0	2.0	4.0	2.5	0.5	0.5	2.0	2.5	4	2.5	3	6.4	5.3	5.5
Total VOCs (ug/m3)	5,482	13,260	3,143	5,550	10,200	76,404	5,979	12,618	14,225	7,899	8,621	575	894	28665	29275.7	18728.1	12257.4	19728.3	16,600	7,636	9,217
Convert Total VOCs to g/m3	0.00548	0.01326	0.00314	0.00555	0.01020	0.07640	0.00598	0.01262	0.01422	0.00790	0.00862	0.00058	0.00089	0.02867	0.02928	0.01873	0.01226	0.01973	0.01660	0.00764	0.00922
Convert Total VOCs to g/CF	0.00016	0.00038	0.00009	0.00016	0.00029	0.00216	0.00017	0.00036	0.00040	0.00022	0.00024	0.00002	0.00003	0.00081	0.00083	0.00053	0.00035	0.00056	0.00047	0.00022	0.00026
Convert Total VOCs to g/hour	3.17	7.21	1.68	2.73	5.29	41.54	3.20	6.65	7.85	4.29	4.69	0.33	0.30	15.20	17.01	10.31	6.87	10.99	7.61	3.39	4.15
Convert Total VOCs to pounds/hour	0.0070	0.0159	0.0037	0.0060	0.0117	0.0916	0.0071	0.0147	0.0173	0.0095	0.0103	0.0007	0.0007	0.0335	0.0375	0.0227	0.0152	0.0242	0.0168	0.0075	0.0091
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES																				
Convert Total VOCs to pounds/day	0.1676	0.3815	0.0890	0.1447	0.2797	2.1979	0.1693	0.3516	0.4156	0.2272	0.2480	0.0177	0.0159	0.8040	0.9001	0.5455	0.3636	0.5817	0.4029	0.1792	0.2196
Lab Report #	L1802728	L1806663	L1808876	L1814576	L1825074	L1831640	L1837773	L1843929	L1848910	L1852747	L1902045	L1922378	L1927295	L1939152	L1945128	L1951307	L1957600	L1961557	L2003509	L2008421	L2013278

Table 2
TFE System - Influent/Effluent Air Monitoring
136 Fuller Road, Albany, New York - BCP Site # C401055
LaBella Project #2222575

DATE	4/24/20	5/27/20	6/22/20	7/29/2020	8/26/2020	9/18/2020	11/3/2020	11/30/2020	12/15/2020	1/9/2021	2/9/2021	3/26/2021	5/5/2021	5/26/2021	6/25/2021	7/28/2021	8/28/2021	9/29/2021	10/29/21	12/16/21	1/12/22
Month	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th	97th	98th	99th	100th	101st	102nd	103rd	104th	105th
Air Discharge Flow (CFM)	148	144	144	154	158	148	80	140	145	NA	130	126	126	128	126	153	150	154	126	132	147
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	6.5	6.0	1.2	0.95	1.2	1.5	4.1	3.2	2.5												
Total VOCs (ug/m3)	14,427	9,963	6,148	1,240	1,698	1,548	33,392	9,950	5,465												
Convert Total VOCs to g/m3	0.01443	0.00996	0.00615	0.00124	0.00170	0.00155	0.03339	0.00995	0.00547												
Convert Total VOCs to g/CF	0.00041	0.00028	0.00017	0.00004	0.00005	0.00004	0.00095	0.00028	0.00015												
Convert Total VOCs to g/hour	3.63	2.44	1.50	0.32	0.46	0.39	4.54	2.37	1.35												
Convert Total VOCs to pounds/hour	0.0080	0.0054	0.0033	0.0007	0.0010	0.0009	0.0100	0.0052	0.0030												
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5												
Is effluent less than Action Level?	YES	YES	YES	YES	YES	YES	YES	YES	YES												
Convert Total VOCs to pounds/day	0.1919	0.1290	0.0796	0.0172	0.0241	0.0206	0.2401	0.1252	0.0712												
Lab Report #	L2017129	L2021892	L2026216	L2031205	L2034954	L2039287	L2048161	L2053071	L2053072												

DATE	1/27/22	3/2/22	4/1/22	4/30/22	5/27/22	6/30/22	8/4/22	9/13/22	9/27/22	10/28/22	11/29/22	12/21/22	1/19/23	2/22/23	3/30/23	4/27/23	5/25/23	6/20/23	7/20/23	8/15/23	9/18/23
Month	106th	107th	108th	109th	110th	111th	112th	113th	114th	115th	116th	117th	118th	119th	120th	121st	122nd	123rd	124th	125th	126th
Air Discharge Flow (CFM)	140	150	158	160	158	175	162	162	162	140	165	150	135	155	175	159	168	171	145	149	159
Air Stack Discharge Concentration																					
Field Screening PID (ppm)	0.52	4.20	6.50	5.2	5	4	7.3	8	8	1.6	7.2	6.7	8.3	10.1	9.7	10.9	14.1	12.6	7.4	6.5	9.1
Total VOCs (ug/m3)	1,697	3,260	5,518	4,869	4,546	1,218	10,414	7,357	10,169	7,021	10,286	10,075	5,349	8,984	6,382	3,470	3,321	2,213	5,815	2,073	6,320
Convert Total VOCs to g/m3	0.00170	0.00326	0.00552	0.00487	0.00455	0.00122	0.01041	0.00736	0.01017	0.00702	0.01029	0.01008	0.00535	0.00898	0.00638	0.00347	0.0032	0.00221	0.00582	0.00207	0.00632
Convert Total VOCs to g/CF	0.00005	0.00009	0.00016	0.00014	0.00013	0.00003	0.00029	0.00021	0.00029	0.00020	0.00029	0.00029	0.00029	0.00015	0.00025	0.00018	0.00010	0.00009	0.00006	0.00016	0.00018
Convert Total VOCs to g/hour	0.40	0.83	1.48	1.32	1.22	0.36	2.87	2.02	2.80	1.67	2.88	2.57	1.23	2.37	1.90	0.94	0.95	0.64	1.43	0.52	1.71
Convert Total VOCs to pounds/hour	0.00099	0.0018	0.0033	0.0029	0.0027	0.0008	0.0063	0.0045	0.0062	0.0037	0.0064	0.0057	0.0027	0.0052	0.0042	0.0021	0.0014	0.0032	0.0012	0.0038	
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Is effluent less than Action Level?	YES																				
Convert Total VOCs to pounds/day	0.0214	0.0440	0.0784	0.0700	0.0646	0.0192	0.1517	0.1071	0.1481	0.0884	0.1526	0.1359	0.0649	0.1252	0.1004	0.0496	0.0502	0.0340	0.0758	0.0278	0.0903
Lab Report #	L2204520	L2210958	L2217120	L2223054	L2228289	L2235196	L2242472	L2249593	L2249594	L2260711	L2266777	L2271970	L2303297	L2309535	L2271973	L2323189	L2329272	L2335250	L2341817	L2346997	L2354896

DATE	10/27/23	12/1/23	12/20/23	1/16/24	2/17/24	3/19/24
Month	127th	128th	129th	130th	131st	132nd
Air Discharge Flow (CFM)	152	151	178	NA	NA	167
Air Stack Discharge Concentration						
Field Screening PID (ppm)	7.1	3.4	4.0			1.3
Total VOCs (ug/m3)	6,094	6,946	7,743			3,344
Convert Total VOCs to g/m3	0.00609	0.00695	0.00774			0.00334
Convert Total VOCs to g/CF	0.00017	0.00020	0.00022			System
Convert Total VOCs to g/hour	1.57	1.78	2.34			System OFF. No
Convert Total VOCs to pounds/hour	0.0035	0.0039	0.0052			Sample Collected.
Air Effluent Action Level (pounds/hr)	0.5	0.5	0.5			0.5
Is effluent less than Action Level?	YES	YES	YES			YES
Convert Total VOCs to pounds/day	0.0833	0.0944	0.1237			0.0502
Lab Report #	L2364043	L2371069	L2375341			L2414802

Notes:

CFM = cubic feet per minute

ppm = parts per billion

ug/m3 = micrograms per cubic meter

g/m3 = grams per cubic meter

g/CF = grams per cubic feet

g/hour = grams per hour

Table 3
TFE System - Total Mass Removal Calculations
136 Fuller Road, Abany New York - BCP Site # C401055
LaBella Project # 2222575

DATE	1/12/12	2/27/12	3/30/12	4/26/12	5/30/12	7/10/12	8/16/12	10/17/12	11/27/12	12/18/12	2/12/13	3/27/13
Month	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th
Pounds Per Day												
Mass removed Liquid Phase	0.0042	0.00597	0.0025	0.0039	0.0059	0.0006	0.00022	0.00047	0.00102	0.00021	0.00006	0.00003
Mass removed Vapor Phase	1.0659	1.2047	0.3601	1.5412	1.5908	1.6700	1.5789	0.3640	0.0669	0.8364	0.0826	0.0777
TOTAL	1.070	1.2107	0.3626	1.5451	1.5967	1.6707	1.5791	0.3645	0.0679	0.8366	0.0826	0.0777

DATE	5/1/13	5/21/13	6/18/13	7/29/13	8/20/13	9/24/13	10/29/13	1/7/14	4/29/14	5/21/14	6/30/14	7/24/14
Month	13th	14th	15th	16th	17th	18th	19th	20th	21st	22nd	23rd	24th
Pounds Per Day												
Mass removed Liquid Phase	0.000010	0.000005	0.000018	0.000027	0.000012	0.000027	0.000023	0.000233	0.000061	0.000062	0.000099	0.000011
Mass removed Vapor Phase	0.0799	0.0692	0.0394	0.0520	0.0340	0.0590	0.0116	0.8336	0.1755	0.2297	0.3260	0.2150
TOTAL	0.0800	0.0693	0.0396	0.0523	0.0341	0.0593	0.0118	0.8360	0.1761	0.2303	0.3270	0.2151

DATE	8/28/14	9/17/14	10/22/14	11/18/14	12/18/14	2/5/15	2/25/15	3/19/15	4/16/15	5/27/15	6/26/15	7/20/15
Month	25th	26th	27th	28th	29th	30th	31st	32nd	33rd	34th	35th	36th
Pounds Per Day												
Mass removed Liquid Phase	0.000050	0.000012	0.000045	0.000057	0.000095	0.000062	0.000041	0.000076	0.000057	0.000084	0.000036	0.000029
Mass removed Vapor Phase	0.3635	0.2348	0.5499	0.3724	0.0345	0.1564	0.1957	0.2206	0.1341	0.1020	0.1618	0.1379
TOTAL	0.3640	0.2349	0.5503	0.3730	0.0354	0.1570	0.1961	0.2214	0.1347	0.1028	0.1622	0.1382

DATE	8/24/15	9/30/15	10/22/15	11/24/15	12/14/15	1/29/16	2/8/16	3/17/16	4/15/16	5/25/16	6/21/16	7/22/16
Month	37th	38th	39th	40th	41st	42nd	43rd	44th	45th	46th	47th	48th
Pounds Per Day												
Mass removed Liquid Phase	0.000026	0.000027	0.000014	0.000019	0.000005	No data	0.000012	0.000009	0.000011	0.000010	0.000001	0.000002
Mass removed Vapor Phase	0.1522	0.6102	0.2552	0.1463	0.1115	No data	0.0552	0.1025	0.1750	0.4163	0.2949	0.1940
TOTAL	0.1525	0.6104	0.2554	0.1465	0.1116	No data	0.0553	0.1026	0.1752	0.4164	0.2950	0.1940

Table 3
TFE System - Total Mass Removal Calculations
136 Fuller Road, Abany New York - BCP Site # C401055
LaBella Project # 2222575

DATE	8/19/16	11/7/16	12/15/16	1/13/17	3/7/17	3/29/17	4/28/17	5/23/17	6/21/17	7/10/17	8/24/17	9/26/17
Month	49th	50th	51st	52nd	53rd	54th	55th	56th	57th	58th	59th	60th
Pounds Per Day												
Mass removed Liquid Phase	0.00004	0.00123	0.00026	0.00125	0.00149	0.00159	0.00002	0.00017	0.00202	0.00168	0.00064	0.00072
Mass removed Vapor Phase	0.2532	0.2299	0.0885	0.5455	0.3409	0.5205	0.1461	0.4428	0.4037	0.3482	0.3101	0.3357
TOTAL	0.2533	0.2311	0.0887	0.5468	0.3424	0.5221	0.1462	0.4430	0.4057	0.3499	0.3108	0.3364

DATE	10/27/17	11/28/17	12/20/17	1/25/18	2/26/18	3/15/18	4/25/18	6/29/18	8/13/18	9/20/18	10/26/18	11/29/18
Month	61st	62nd	63rd	64th	65th	66th	67th	68th	69th	70th	71st	72nd
Pounds Per Day												
Mass removed Liquid Phase	0.00065	0.00011	0.00005	0.00079	0.00088	0.00073	0.00055	0.00178	0.00140	0.00034	0.00530	0.00020
Mass removed Vapor Phase	0.4348	0.1435	0.0932	0.1676	0.3815	0.0890	0.1447	0.2797	2.1979	0.1693	0.3516	0.4156
TOTAL	0.4355	0.1436	0.0933	0.1683	0.3823	0.0897	0.1452	0.2814	2.1993	0.1696	0.3569	0.4158

DATE	12/18/18	1/16/19	5/28/19	6/21/19	8/28/19	9/27/19	10/30/19	11/29/19	12/21/19	1/24/20	2/26/20	3/25/20
Month	73rd	74th	75th	76th	77th	78th	79th	80th	81st	82nd	83rd	84th
Pounds Per Day												
Mass removed Liquid Phase	0.00033	0.00009	0.00002	0.00015	0.00066	0.00831	0.00429	0.00300	0.00226	0.00190	0.00183	0.00179
Mass removed Vapor Phase	0.2272	0.2480	0.0177	0.0159	0.8040	0.9001	0.5455	0.3636	0.5817	0.4029	0.1792	0.2196
TOTAL	0.2276	0.2481	0.0177	0.0161	0.8047	0.9084	0.5498	0.3666	0.5840	0.4048	0.1810	0.2214

DATE	4/24/20	5/27/20	6/22/20	7/29/20	8/20/20	9/18/20	11/3/20	11/30/20	12/15/20	1/9/21	2/9/21	3/26/21
Month	85th	86th	87th	88th	89th	90th	91st	92nd	93rd	94th	95th	96th
Pounds Per Day												
Mass removed Liquid Phase	0.00177	0.00049	0.00026	0.00023	0.00106	0.00128	0.00052	0.00116	0.00155	System OFF.	0.0000001	0.0001432
Mass removed Vapor Phase	0.1919	0.1290	0.0796	0.0172	0.0241	0.0206	0.2401	0.1252	0.0712	No Sample Collected.	0.0027	0.0319
TOTAL	0.1937	0.1295	0.0798	0.0174	0.0252	0.0219	0.2407	0.1264	0.0728		0.0027	0.0320

Table 3
TFE System - Total Mass Removal Calculations
136 Fuller Road, Abany New York - BCP Site # C401055
LaBella Project # 2222575

DATE	5/5/21	5/26/21	6/25/21	7/28/21	8/28/21	9/29/21	10/29/21	12/16/21	1/12/22	1/13/22	3/2/22	4/1/22
Month	97th	98th	99th	100th	101st	102nd	103rd	104th	105th	106th	107th	108th
Pounds Per Day												
Mass removed Liquid Phase	0.00069	0.00033	0.00017	0.00033	0.00035	0.00071	0.00026	0.00284	0.00014	0.00023	0.00039	0.00310
Mass removed Vapor Phase	0.0540	0.0508	0.0506	0.0684	1.2100	0.0623	0.0480	0.0838	0.0301	0.0214	0.0440	0.0784
TOTAL	0.0547	0.0511	0.0508	0.0688	1.2104	0.0630	0.0483	0.0866	0.0302	0.0216	0.0444	0.0815


DATE	4/30/22	5/27/22	6/30/22	8/4/22	9/13/22	9/27/22	10/28/22	11/29/22	12/21/22	1/19/23	2/22/23	3/30/23
Month	109th	110th	111th	112th	113th	114th	115th	116th	117th	118th	119th	120th
Pounds Per Day												
Mass removed Liquid Phase	0.00340	0.00033	0.00125	0.00021	0.00191	0.00239	0.00115	0.00150	0.00325	0.00036	0.00028	0.00032
Mass removed Vapor Phase	0.0700	0.0646	0.0192	0.1517	0.1071	0.1481	0.0884	0.1526	0.1359	0.0649	0.1252	0.1004
TOTAL	0.0734	0.0649	0.0204	0.1519	0.1090	0.1505	0.0895	0.1541	0.1391	0.0653	0.1255	0.1007

DATE	4/27/23	5/25/23	6/20/23	7/20/23	8/15/23	9/18/23	10/27/23	12/1/23	12/20/23	1/16/24	2/17/24	3/19/24
Month	121st	122nd	123rd	124th	125th	126th	127th	128th	129th	130th	131st	132nd
Pounds Per Day												
Mass removed Liquid Phase	0.00216	0.00013	0.00028	0.00076	0.00105	0.00073	0.0008680	0.00087	0.00078	System OFF.	System OFF.	0.0013507
Mass removed Vapor Phase	0.0496	0.0502	0.0340	0.0758	0.0278	0.0903	0.0833	0.0944	0.1237	No Sample	No Sample	0.0502005
TOTAL	0.0518	0.0503	0.0343	0.0766	0.0288	0.0911	0.0841	0.0952	0.1245	Collected.	Collected.	0.0516



Total VOCs in Air Stack Exhaust (ug/m3)


December 2011 through March 2024





HVE/SVE System VOC Mass Removal

December 2011 through March 2024





WELL I.D.: MW-10

Project Name: 136 Fuller Road, BCP Site No. C401055

Location: Albany, NY

Project No.: 2222575

Sampled By: BK

Date: 3/19/24

Weather: Sunny ~30°F / Indoors

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	11.42	Sample Name:	MW-10
Depth of Well:	14.60-ft.btoc	Length of Well Screen:	10-feet	Sample Analysis:	TLC VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	14.0-ft btoc	Purge Start & End time:	09 10 / 0944
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	0945

FIELD PARAMETER MEASUREMENT

Total ~~10~~ 2.0 Gallons Purged

OBSERVATIONS

Groundwater Color: Clear

Odors: No / slight chemical

Sheen: No

MS/MSD: If yes, which analysis:

Blind Duplicate: If yes, name:



WELL I.D.: MW-25

Project Name: 136 Fuller Road, BCP Site No. C401055

Location: Albany, NY

Project No.: 2222575

Sampled By: BK

Date: 3/19/24

Weather: Sunny ~30°F

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	6.88	Sample Name:	MW-25
Depth of Well:	9.3-ft. btoc	Length of Well Screen:	5-feet	Sample Analysis:	TCL VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	9-ft btoc	Purge Start & End time:	0800 / 0810
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	1440

FIELD PARAMETER MEASUREMENT

Time	Pump Rate	Static Water Level <0.3 ft	pH +/- 0.1	Temp °C <0.3	Conductivity (mS/cm) +/- 3%	Turbidity (NTU) < 50	Dissolved O ₂ (mg/l) 10%	Redox (mV) +/- 10 mV	Comments
0800		6.88	7.57	8.80	1.01	78.4	3.31	49	
0805		9.14	7.67	6.22	1.17	121	3.44	-30	
0810		9.21	7.68	6.49	1.16	106	3.58	-41	
0840									
1440	Sample	6.94							
Total	0.5	Gallons Purged							

OBSERVATIONS

Groundwater Color: Clear

MS/MSD: If yes, which analysis:

Odors: NO

Sheen: NO

Blind Duplicate: If yes, name:



WELL I.D.: MW-27

Project Name: 136 Fuller Road, BCP Site No. C401055

Location: Albany, NY

Project No.: 2222575

Sampled By: BK

Date: 3/19/24

Weather: Sunny in 30°F

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	6.75	Sample Name:	MW-27
Depth of Well:	9.51-ft. btoc	Length of Well Screen:	5-feet	Sample Analysis:	TCL VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	9-ft. btoc	Purge Start & End time:	0830 10835
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	1445

FIELD PARAMETER MEASUREMENT

Total 0.2 Gallons Purged

OBSERVATIONS

Groundwater Color: clear

MS/MSD: If yes, which analysis

| Odors: No

Sheen: spots

Blind Duplicate: If yes, name:



WELL I.D.: MW-30

Project Name: 136 Fuller Road, BCP Site No. C401055
Location: Albany, NY
Project No.: 2222575
Sampled By: BK
Date: 3/14/24
Weather: cloudy ~35°F) indoors

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	12.48	Sample Name:	MW-30
Depth of Well:	19.65-ft btoc	Length of Well Screen:	10-feet	Sample Analysis:	TCL VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	18.5-ft btoc	Purge Start & End time:	1310 / 1344
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	1345

FIELD PARAMETER MEASUREMENT

Total 1.75 Gallons Purged

OBSERVATIONS

Groundwater Color: Clear

MS/MSD: If yes, which analysis:

Odors: slight B.O

Sheen: no

Blind Duplicate: If yes, name:



WELL I.D.: MW-32

Project Name: 136 Fuller Road, BCP Site No. C401055

Location: Albany, NY

Project No.: 2222575

Sampled By: Bk

Date: 3/19/24

Weather: Cloudy ~ 35° F / Indoors

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	12.01	Sample Name:	MW-32
Depth of Well:	24.69-ft btoc	Length of Well Screen:	15-feet	Sample Analysis:	TCL VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	23-ft btoc	Purge Start & End time:	1225 / 1249
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	1250

FIELD PARAMETER MEASUREMENT

Total 1.25 Gallons Purged

OBSERVATIONS

Groundwater Color: clear
Odors: slight chemical

MS/MSD: If yes, which analysis:

Odors: ~~strange~~

Blind Duplicate: If yes, name:



WELL I.D.: MW-33

Project Name: 136 Fuller Road, BCP Site No. C401055

Location: Albany, NY

Project No.: 2222575

Sampled By: 3/14/24 BK

Date: 3/14/24

Weather: Scary ~30°F Indoors

WELL SAMPLING INFORMATION

Well Diameter:	1-inch	Static Water Level:	12.31	Sample Name:	MW-33
Depth of Well:	24.40-ft btoc	Length of Well Screen:	10-feet	Sample Analysis:	TCL VOCs (8260)
Measuring Point:	TOC (north)	Depth to Top of Pump:	23-ft btoc	Purge Start & End time:	1030 / 1114
Pump Type:	Peristaltic	Tubing Type:	1/4-inch dedicated	Sample Time:	1115

FIELD PARAMETER MEASUREMENT

Time	Pump Rate	Static Water Level <0.3 ft	pH +/- 0.1	Temp °C <0.3	Conductivity (mS/cm) +/- 3%	Turbidity (NTU) < 50	Dissolved O ₂ (mg/l) 10%	Redox (mV) +/- 10 mV	Comments
1035	0.05	12.35	10.45	14.85	1.64	68.3	0.00	-318	
1040		12.35	10.31	20.06	1.63	65.9	0.00	-294	
1045		12.35	10.12	20.12	1.62	85.7	0.00	-292	
1050		12.35	4.97	20.15	1.62	57.7	0.00	-286	
1055		12.35	9.81	20.14	1.60	34.2	0.00	-280	
1100		12.34	9.69	20.11	1.60	5.4	0.00	-275	
1105		12.34	9.63	20.10	1.60	5.5	0.00	-272	
1110		12.34	4.61	20.11	1.60	4.9	0.00	-271	
1115	sample								
Total	2.25	Gallons Purged							

OBSERVATIONS

Groundwater Color: clear

MS/MSD: If yes, which analysis:

Odors: slight chemical

Blind Duplicate: If yes, name:

Sheen: No

TFE Inspection Form
 136 Fuller Road, BCP No. C401055
 City of Albany, New York
 LaBella Project No. 2222575

Performed by: Branson Fields Date/ Time: 3/19/2024 11:00

TFE Trailer Components (Monthly)			
Output Status	Unit	Value	Notes/ Comments:
TFE Vacuum	in. Hg	-13.9	
Manifold Vacuum	in. Hg	-12.0	
Bleed Air Speed:	cfm	na	
Air Stripper Pressure	in H ₂ O	16.8	
Bag Filter Pressure	PSI	8.0	
Discharge Pressure	PSI	nm	replace gauge
Temperature	F	67.9	
Discharge Flow	GPM	8.9	
Total Gallons Pumped:	gal	5894	since 3/14/2024
TFE Air Speed	CFM	167	
TFE Exhaust (PID)	ppm	1.3	
Samples Collected?	yes	no	Date: 3/19/2024
Sample ID:	TFE Influent (Water)		TFE Effluent (Air)
	Influent_MAR-24		Effluent_MAR-24
General		Yes	No
Notes/Comments:			
TFE oil level ok?		X	
Is the system running normally?		X	
Is the electrical panel secure?		X	
Are stacks and vents cleared?		X	
Does effluent air have noticeable odor?			X
Visible damage to exterior conveyance piping?			X
Visible damage to interior conveyance piping?			X
Are SVE Pumps Operational? See control panel		X	
Additional Notes:			

Notes:

ft. btoc - feet below top of casing
 in. Hg - inches of mercury
 in. H₂O - inches of water
 PSI - pressure per square inch
 GPM - gallons per minute
 cfm - cubic feet per minute
 ppm - parts per million



Technical Report

prepared for:

LaBella Associates (Latham)
4 British American Boulevard
Latham NY, 12110
Attention: Branson Fields

Report Date: 03/29/2024

Client Project ID: 2222575 136 Fuller Road
York Project (SDG) No.: 24C1318

Stratford, CT Laboratory IDs:
NY:10854, NJ: CT005, PA: 68-0440, CT: PH-0723



Richmond Hill, NY Laboratory IDs:
NY:12058, NJ: NY037, CT: PH-0721, NH: 2097,
EPA: NY01600

120 RESEARCH DRIVE
www.YORKLAB.com

STRATFORD, CT 06615
(203) 325-1371

■
132-02 89th AVENUE
FAX (203) 357-0166

RICHMOND HILL, NY 11418
ClientServices@yorklab.com

Report Date: 03/29/2024
Client Project ID: 2222575 136 Fuller Road
York Project (SDG) No.: 24C1318

LaBella Associates (Latham)
4 British American Boulevard
Latham NY, 12110
Attention: Branson Fields

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 21, 2024 and listed below. The project was identified as your project: **2222575 136 Fuller Road**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
24C1318-01	MW-10	Ground Water	03/19/2024	03/21/2024
24C1318-02	MW-25	Ground Water	03/19/2024	03/21/2024
24C1318-03	MW-27	Ground Water	03/19/2024	03/21/2024
24C1318-04	MW-30	Ground Water	03/19/2024	03/21/2024
24C1318-05	MW-32	Ground Water	03/19/2024	03/21/2024
24C1318-06	MW-33	Ground Water	03/19/2024	03/21/2024
24C1318-07	Trip Blank	Water	03/19/2024	03/21/2024

General Notes for York Project (SDG) No.: 24C1318

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854, NJ Cert No. CT005, PA Cert No. 68-04440, CT Cert No. PH-0723; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058, NJ Cert No. NY037, CT Cert No. PH-0721, NH Cert No. 2097, EPA Cert No. NY01600.

Approved By:



Date: 03/29/2024

Cassie L. Mosher
Laboratory Manager





Sample Information

Client Sample ID: MW-10

York Sample ID: 24C1318-01

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 9:45 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	11		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
75-34-3	1,1-Dichloroethane	7.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
75-35-4	1,1-Dichloroethylene	3.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
87-61-6	1,2,3-Trichlorobenzene	ND	QL-02, CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC



Sample Information

Client Sample ID: MW-10

York Sample ID: 24C1318-01

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 9:45 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
67-66-3	Chloroform	0.30	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
156-59-2	cis-1,2-Dichloroethylene	85		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/28/2024 10:00	03/28/2024 14:37	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
110-82-7	Cyclohexane	ND	QL-02, ICVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
75-71-8	Dichlorodifluoromethane	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 16:10	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 16:10	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 16:10	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC
127-18-4	Tetrachloroethylene	8.6		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC



Sample Information

Client Sample ID: MW-10

York Sample ID: 24C1318-01

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 9:45 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst		
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
156-60-5	trans-1,2-Dichloroethylene	0.84		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
79-01-6	Trichloroethylene	4.6		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
75-01-4	Vinyl Chloride	1.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 16:10	AC		
Surrogate Recoveries		Result	Acceptance Range										
17060-07-0	Surrogate: Surr: 1,2-Dichloroethane-d4	118 %			69-130								
2037-26-5	Surrogate: Surr: Toluene-d8	101 %			81-117								
460-00-4	Surrogate: Surr: p-Bromoformobenzene	101 %			79-122								

Sample Information

Client Sample ID: MW-25

York Sample ID: 24C1318-02

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:40 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	0.33	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-34-3	1,1-Dichloroethane	94		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-35-4	1,1-Dichloroethylene	12		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC



Sample Information

Client Sample ID: MW-25

York Sample ID: 24C1318-02

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:40 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-61-6	1,2,3-Trichlorobenzene	ND	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
107-06-2	1,2-Dichloroethane	0.25	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
67-64-1	Acetone	ND	CCVE	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-00-3	Chloroethane	6.4	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC



Sample Information

Client Sample ID: MW-25

York Sample ID: 24C1318-02

York Project (SDG) No.

24C1318

Client Project ID
2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:40 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
156-59-2	cis-1,2-Dichloroethylene	54		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 17:00	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
75-71-8	Dichlorodifluoromethane	28	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:00	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 17:00	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 17:00	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
127-18-4	Tetrachloroethylene	3.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 17:00	AC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC
79-01-6	Trichloroethylene	15		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 17:00	AC
75-69-4	Trichlorofluoromethane	3.8		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 17:00	AC
75-01-4	Vinyl Chloride	4.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 17:00	AC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:00	AC



Sample Information

Client Sample ID: MW-25

York Sample ID: 24C1318-02

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:40 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
Surrogate Recoveries											
17060-07-0	Surrogate: SURN: 1,2-Dichloroethane-d4	118 %			69-130						
2037-26-5	Surrogate: SURN: Toluene-d8	101 %			81-117						
460-00-4	Surrogate: SURN: p-Bromofluorobenzene	97.5 %			79-122						

Sample Information

Client Sample ID: MW-27

York Sample ID: 24C1318-03

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:45 pm

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst	
71-55-6	1,1,1-Trichloroethane	0.23	J	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11			
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
75-34-3	1,1-Dichloroethane	1.7		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11			
75-35-4	1,1-Dichloroethylene	0.26	J	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11			
87-61-6	1,2,3-Trichlorobenzene	ND		CCVE, ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04			
120-82-1	1,2,4-Trichlorobenzene	ND		CCVE	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC
					Certifications:				NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04			
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 17:49	AC	
					Certifications:				CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			



Sample Information

Client Sample ID: MW-27

York Sample ID: 24C1318-03

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:45 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:49	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
156-59-2	cis-1,2-Dichloroethylene	31		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:49	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-71-8	Dichlorodifluoromethane	3.4	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:49	AC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC



Sample Information

Client Sample ID: MW-27

York Sample ID: 24C1318-03

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 2:45 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:49	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 17:49	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 17:49	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 17:49	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
127-18-4	Tetrachloroethylene	9.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
79-01-6	Trichloroethylene	15		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-69-4	Trichlorofluoromethane	2.0		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
75-01-4	Vinyl Chloride	3.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 17:49	AC

Surrogate Recoveries

	<u>Result</u>	<u>Acceptance Range</u>
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	123 %
2037-26-5	Surrogate: SURR: Toluene-d8	100 %
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	99.7 %



Sample Information

Client Sample ID: MW-30

York Sample ID: 24C1318-04

York Project (SDG) No.

24C1318

Client Project ID
2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 1:45 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	20		ug/L	0.20	0.50	1	EPA 8260C	03/28/2024 10:00	03/28/2024 15:02	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1			
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
75-34-3	1,1-Dichloroethane	42		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1			
75-35-4	1,1-Dichloroethylene	7.2		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1			
87-61-6	1,2,3-Trichlorobenzene	ND	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04			
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04			
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
71-43-2	Benzene	0.22	J	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1			
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04			
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
					Certifications:			CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12			



Sample Information

Client Sample ID: MW-30

York Sample ID: 24C1318-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24C1318	2222575 136 Fuller Road	Ground Water	March 19, 2024 1:45 pm	03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
75-00-3	Chloroethane	2.6	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
156-59-2	cis-1,2-Dichloroethylene	19		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/28/2024 10:00	03/28/2024 15:02	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 18:38	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
75-71-8	Dichlorodifluoromethane	10	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 18:38	AC
100-41-4	Ethyl Benzene	1.3		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 18:38	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 18:38	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
95-47-6	o-Xylene	4.3		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68	03/26/2024 11:00	03/26/2024 18:38	AC
179601-23-1	p- & m-Xylenes	5.0		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68	03/26/2024 11:00	03/26/2024 18:38	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC
127-18-4	Tetrachloroethylene	140		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/28/2024 10:00	03/28/2024 15:02	AC
108-88-3	Toluene	4.6		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 18:38	AC



Sample Information

Client Sample ID: MW-30

York Sample ID: 24C1318-04

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 1:45 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-60-5	trans-1,2-Dichloroethylene	0.43	J	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12		
79-01-6	Trichloroethylene	16		ug/L	0.20	0.50	1	EPA 8260C	03/28/2024 10:00	03/28/2024 15:02	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
75-69-4	Trichlorofluoromethane	17		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
75-01-4	Vinyl Chloride	30		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
1330-20-7	Xylenes, Total	9.4		ug/L	0.60	1.5	1	EPA 8260C	03/26/2024 11:00	03/26/2024 18:38	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	122 %			69-130						
2037-26-5	Surrogate: SURR: Toluene-d8	98.5 %			81-117						
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	101 %			79-122						

Sample Information

Client Sample ID: MW-32

York Sample ID: 24C1318-05

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 12:50 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	78		ug/L	0.20	0.50	1	EPA 8260C	03/28/2024 10:00	03/28/2024 15:27	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12		
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12		
75-34-3	1,1-Dichloroethane	58		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		
75-35-4	1,1-Dichloroethylene	78		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1:		



Sample Information

Client Sample ID: MW-32

York Sample ID: 24C1318-05

York Project (SDG) No.

24C1318

Client Project ID
2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 12:50 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-61-6	1,2,3-Trichlorobenzene	ND	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
108-90-7	Chlorobenzene	0.35	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC



Sample Information

Client Sample ID: MW-32

York Sample ID: 24C1318-05

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 12:50 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
156-59-2	cis-1,2-Dichloroethylene	12		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/28/2024 10:00	03/28/2024 15:27	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
75-71-8	Dichlorodifluoromethane	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
100-41-4	Ethyl Benzene	0.43	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 19:28	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
108-87-2	Methylcyclohexane	2.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-0-	03/26/2024 11:00	03/26/2024 19:28	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
95-47-6	o-Xylene	6.0		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68	03/26/2024 11:00	03/26/2024 19:28	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68	03/26/2024 11:00	03/26/2024 19:28	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
127-18-4	Tetrachloroethylene	85		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/28/2024 10:00	03/28/2024 16:43	AC
108-88-3	Toluene	0.43	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC
156-60-5	trans-1,2-Dichloroethylene	1.3		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 19:28	AC
79-01-6	Trichloroethylene	110		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC
75-69-4	Trichlorofluoromethane	2.2		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC
75-01-4	Vinyl Chloride	0.29	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 19:28	AC



Sample Information

Client Sample ID: MW-32

York Sample ID: 24C1318-05

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 12:50 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1330-20-7	Xylenes, Total	6.0		ug/L	0.60	1.5	1	EPA 8260C	03/26/2024 11:00	03/26/2024 19:28	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11											
Surrogate Recoveries											
Result Acceptance Range											
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	123 %			69-130						
2037-26-5	Surrogate: SURR: Toluene-d8	104 %			81-117						
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	107 %			79-122						

Sample Information

Client Sample ID: MW-33

York Sample ID: 24C1318-06

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 11:15 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	0.24	J	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11											
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
75-34-3	1,1-Dichloroethane	10		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11											
75-35-4	1,1-Dichloroethylene	2.7		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY11											
87-61-6	1,2,3-Trichlorobenzene	ND	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04											
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04											
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/26/2024 11:00	03/26/2024 20:17	AC
Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12											



Sample Information

Client Sample ID: MW-33

York Sample ID: 24C1318-06

York Project (SDG) No.

24C1318

Client Project ID
2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 11:15 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
106-46-7	1,4-Dichlorobenzene	0.24	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 20:17	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-00-3	Chloroethane	1.3	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
156-59-2	cis-1,2-Dichloroethylene	19		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 20:17	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-71-8	Dichlorodifluoromethane	3.3	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 20:17	AC



Sample Information

Client Sample ID: MW-33

York Sample ID: 24C1318-06

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Ground Water

Collection Date/Time

March 19, 2024 11:15 am

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 20:17	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
108-87-2	Methylecyclohexane	0.38	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 20:17	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 20:17	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 20:17	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
127-18-4	Tetrachloroethylene	13		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
79-01-6	Trichloroethylene	3.0		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-69-4	Trichlorofluoromethane	3.7		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
75-01-4	Vinyl Chloride	0.28	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 20:17	AC
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	122 %			69-130						
2037-26-5	<i>Surrogate: SURR: Toluene-d8</i>	99.5 %			81-117						
460-00-4	<i>Surrogate: SURR: p-Bromofluorobenzene</i>	96.6 %			79-122						



Sample Information

Client Sample ID: Trip Blank

York Sample ID: 24C1318-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24C1318	2222575 136 Fuller Road	Water	March 19, 2024 3:00 pm	03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
87-61-6	1,2,3-Trichlorobenzene	ND	CCVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
120-82-1	1,2,4-Trichlorobenzene	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
67-64-1	Acetone	1.0	J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY1	03/26/2024 11:00	03/26/2024 15:21	AC
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-25-2	Bromoform	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC



Sample Information

Client Sample ID: Trip Blank

York Sample ID: 24C1318-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24C1318	2222575 136 Fuller Road	Water	March 19, 2024 3:00 pm	03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Sample Prepared by Method: EPA 5030B

Log-in Notes:

Sample Notes:

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
110-82-7	Cyclohexane	ND	ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-71-8	Dichlorodifluoromethane	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP-CT005,NELAC-NY12058,PADEP-68-04	03/26/2024 11:00	03/26/2024 15:21	AC
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 15:21	AC
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68-	03/26/2024 11:00	03/26/2024 15:21	AC
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC



Sample Information

Client Sample ID: Trip Blank

York Sample ID: 24C1318-07

York Project (SDG) No.

24C1318

Client Project ID

2222575 136 Fuller Road

Matrix

Water

Collection Date/Time

March 19, 2024 3:00 pm

Date Received

03/21/2024

Volatile Organics, 8260 - TCL/SOM (low level)

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,NELAC-NY12	03/26/2024 11:00	03/26/2024 15:21	AC
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURN: 1,2-Dichloroethane-d4	102 %	69-130								
2037-26-5	Surrogate: SURN: Toluene-d8	107 %	81-117								
460-00-4	Surrogate: SURN: p-Bromofluorobenzene	114 %	79-122								



Analytical Batch Summary

Batch ID: BC40537

Preparation Method: EPA 5030B

Prepared By: AC

YORK Sample ID	Client Sample ID	Preparation Date
24C1318-01	MW-10	03/26/24
24C1318-02	MW-25	03/26/24
24C1318-03	MW-27	03/26/24
24C1318-04	MW-30	03/26/24
24C1318-05	MW-32	03/26/24
24C1318-06	MW-33	03/26/24
24C1318-07	Trip Blank	03/26/24
BC40537-BLK1	Blank	03/26/24
BC40537-BS1	LCS	03/26/24
BC40537-BSD1	LCS Dup	03/26/24

Batch ID: BC42078

Preparation Method: EPA 5030B

Prepared By: AC

YORK Sample ID	Client Sample ID	Preparation Date
24C1318-01RE1	MW-10	03/28/24
24C1318-04RE1	MW-30	03/28/24
24C1318-05RE1	MW-32	03/28/24
24C1318-05RE2	MW-32	03/28/24
BC42078-BLK1	Blank	03/28/24
BC42078-BS1	LCS	03/28/24
BC42078-BSD1	LCS Dup	03/28/24



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BC40537 - EPA 5030B

Blank (BC40537-BLK1)

Prepared & Analyzed: 03/26/2024

1,1,1-Trichloroethane	ND	0.50	ug/L
1,1,2,2-Tetrachloroethane	ND	0.50	"
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"
1,1,2-Trichloroethane	ND	0.50	"
1,1-Dichloroethane	ND	0.50	"
1,1-Dichloroethylene	ND	0.50	"
1,2,3-Trichlorobenzene	ND	0.50	"
1,2,4-Trichlorobenzene	ND	0.50	"
1,2-Dibromo-3-chloropropane	ND	0.50	"
1,2-Dibromoethane	ND	0.50	"
1,2-Dichlorobenzene	ND	0.50	"
1,2-Dichloroethane	ND	0.50	"
1,2-Dichloropropane	ND	0.50	"
1,3-Dichlorobenzene	ND	0.50	"
1,4-Dichlorobenzene	ND	0.50	"
2-Butanone	ND	0.50	"
2-Hexanone	ND	0.50	"
4-Methyl-2-pentanone	ND	0.50	"
Acetone	ND	2.0	"
Benzene	ND	0.50	"
Bromochloromethane	ND	0.50	"
Bromodichloromethane	ND	0.50	"
Bromoform	ND	0.50	"
Bromomethane	ND	0.50	"
Carbon disulfide	ND	0.50	"
Carbon tetrachloride	ND	0.50	"
Chlorobenzene	ND	0.50	"
Chloroethane	ND	0.50	"
Chloroform	ND	0.50	"
Chloromethane	ND	0.50	"
cis-1,2-Dichloroethylene	ND	0.50	"
cis-1,3-Dichloropropylene	ND	0.50	"
Cyclohexane	ND	0.50	"
Dibromochloromethane	ND	0.50	"
Dichlorodifluoromethane	ND	0.50	"
Ethyl Benzene	ND	0.50	"
Isopropylbenzene	ND	0.50	"
Methyl acetate	ND	0.50	"
Methyl tert-butyl ether (MTBE)	ND	0.50	"
Methylcyclohexane	ND	0.50	"
Methylene chloride	ND	2.0	"
o-Xylene	ND	0.50	"
p- & m- Xylenes	ND	1.0	"
Styrene	ND	0.50	"
Tetrachloroethylene	ND	0.50	"
Toluene	ND	0.50	"
trans-1,2-Dichloroethylene	ND	0.50	"
trans-1,3-Dichloropropylene	ND	0.50	"
Trichloroethylene	ND	0.50	"



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC40537 - EPA 5030B											
Blank (BC40537-BLK1)											
Prepared & Analyzed: 03/26/2024											
Trichlorofluoromethane	ND	0.50	ug/L								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: Surr: 1,2-Dichloroethane-d4	11.4	"	10.0		114	69-130					
Surrogate: Surr: Toluene-d8	10.2	"	10.0		102	81-117					
Surrogate: Surr: p-Bromofluorobenzene	11.2	"	10.0		112	79-122					
LCS (BC40537-BS1)											
Prepared & Analyzed: 03/26/2024											
1,1,1-Trichloroethane	10	ug/L	10.0		105	78-136					
1,1,2,2-Tetrachloroethane	9.6	"	10.0		95.8	76-129					
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.7	"	10.0		96.6	54-165					
1,1,2-Trichloroethane	9.0	"	10.0		90.2	82-123					
1,1-Dichloroethane	11	"	10.0		108	82-129					
1,1-Dichloroethylene	12	"	10.0		116	68-138					
1,2,3-Trichlorobenzene	7.0	"	10.0		70.3	76-136	Low Bias				
1,2,4-Trichlorobenzene	7.6	"	10.0		76.4	76-137					
1,2-Dibromo-3-chloropropane	9.6	"	10.0		96.0	45-147					
1,2-Dibromoethane	8.8	"	10.0		88.0	83-124					
1,2-Dichlorobenzene	9.4	"	10.0		94.2	79-123					
1,2-Dichloroethane	10	"	10.0		104	73-132					
1,2-Dichloropropane	11	"	10.0		114	78-126					
1,3-Dichlorobenzene	9.8	"	10.0		97.8	86-122					
1,4-Dichlorobenzene	9.5	"	10.0		94.8	85-124					
2-Butanone	7.9	"	10.0		78.9	49-152					
2-Hexanone	8.8	"	10.0		87.5	51-146					
4-Methyl-2-pentanone	8.3	"	10.0		83.0	57-145					
Acetone	8.8	"	10.0		88.3	14-150					
Benzene	10	"	10.0		101	85-126					
Bromochloromethane	11	"	10.0		107	77-128					
Bromodichloromethane	10	"	10.0		104	79-128					
Bromoform	7.1	"	10.0		71.1	78-133	Low Bias				
Bromomethane	9.9	"	10.0		99.4	43-168					
Carbon disulfide	10	"	10.0		104	68-146					
Carbon tetrachloride	11	"	10.0		107	77-141					
Chlorobenzene	10	"	10.0		102	88-120					
Chloroethane	15	"	10.0		147	65-136	High Bias				
Chloroform	10	"	10.0		101	82-128					
Chloromethane	13	"	10.0		128	43-155					
cis-1,2-Dichloroethylene	11	"	10.0		110	83-129					
cis-1,3-Dichloropropylene	10	"	10.0		102	80-131					
Cyclohexane	5.4	"	10.0		53.7	63-149	Low Bias				
Dibromochloromethane	9.1	"	10.0		90.7	80-130					
Dichlorodifluoromethane	7.4	"	10.0		73.8	44-144					
Ethyl Benzene	12	"	10.0		118	80-131					
Isopropylbenzene	12	"	10.0		120	76-140					
Methyl acetate	8.6	"	10.0		86.0	51-139					
Methyl tert-butyl ether (MTBE)	8.4	"	10.0		84.4	76-135					
Methylcyclohexane	11	"	10.0		108	72-143					
Methylene chloride	11	"	10.0		109	55-137					
o-Xylene	11	"	10.0		112	78-130					



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BC40537 - EPA 5030B

LCS (BC40537-BS1)							Prepared & Analyzed: 03/26/2024			
p- & m-Xylenes	24		ug/L	20.0	118	77-133				
Styrene	10		"	10.0	102	67-132				
Tetrachloroethylene	9.2		"	10.0	92.5	82-131				
Toluene	11		"	10.0	112	80-127				
trans-1,2-Dichloroethylene	11		"	10.0	111	80-132				
trans-1,3-Dichloropropylene	10		"	10.0	101	78-131				
Trichloroethylene	11		"	10.0	107	82-128				
Trichlorofluoromethane	11		"	10.0	114	67-139				
Vinyl Chloride	13		"	10.0	134	58-145				
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.94</i>		"	<i>10.0</i>	<i>99.4</i>	<i>69-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>10.6</i>		"	<i>10.0</i>	<i>106</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>11.1</i>		"	<i>10.0</i>	<i>111</i>	<i>79-122</i>				

LCS Dup (BC40537-BSD1)							Prepared & Analyzed: 03/26/2024			
1,1,1-Trichloroethane	10		ug/L	10.0	100	78-136		4.20	30	
1,1,2,2-Tetrachloroethane	11		"	10.0	106	76-129		10.6	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.3		"	10.0	93.0	54-165		3.80	30	
1,1,2-Trichloroethane	10		"	10.0	100	82-123		10.4	30	
1,1-Dichloroethane	10		"	10.0	105	82-129		2.92	30	
1,1-Dichloroethylene	11		"	10.0	111	68-138		3.61	30	
1,2,3-Trichlorobenzene	7.6		"	10.0	76.1	76-136		7.92	30	
1,2,4-Trichlorobenzene	7.9		"	10.0	78.7	76-137		2.97	30	
1,2-Dibromo-3-chloropropane	10		"	10.0	104	45-147		7.90	30	
1,2-Dibromoethane	9.8		"	10.0	98.5	83-124		11.3	30	
1,2-Dichlorobenzene	9.2		"	10.0	92.4	79-123		1.93	30	
1,2-Dichloroethane	11		"	10.0	115	73-132		9.60	30	
1,2-Dichloropropane	11		"	10.0	113	78-126		0.440	30	
1,3-Dichlorobenzene	9.3		"	10.0	92.8	86-122		5.25	30	
1,4-Dichlorobenzene	9.1		"	10.0	91.0	85-124		4.09	30	
2-Butanone	9.5		"	10.0	95.4	49-152		18.9	30	
2-Hexanone	12		"	10.0	115	51-146		27.2	30	
4-Methyl-2-pentanone	11		"	10.0	105	57-145		23.5	30	
Acetone	11		"	10.0	111	14-150		23.0	30	
Benzene	9.9		"	10.0	99.4	85-126		1.89	30	
Bromochloromethane	11		"	10.0	114	77-128		5.80	30	
Bromodichloromethane	11		"	10.0	106	79-128		2.47	30	
Bromoform	8.2		"	10.0	82.5	78-133		14.8	30	
Bromomethane	9.6		"	10.0	95.6	43-168		3.90	30	
Carbon disulfide	9.9		"	10.0	98.8	68-146		5.61	30	
Carbon tetrachloride	10		"	10.0	101	77-141		5.97	30	
Chlorobenzene	10		"	10.0	100	88-120		0.990	30	
Chloroethane	14		"	10.0	140	65-136	High Bias	5.02	30	
Chloroform	10		"	10.0	102	82-128		1.09	30	
Chloromethane	12		"	10.0	118	43-155		8.07	30	
cis-1,2-Dichloroethylene	11		"	10.0	109	83-129		1.55	30	
cis-1,3-Dichloropropylene	11		"	10.0	105	80-131		3.09	30	
Cyclohexane	5.2		"	10.0	51.6	63-149	Low Bias	3.99	30	
Dibromochloromethane	9.9		"	10.0	98.8	80-130		8.55	30	
Dichlorodifluoromethane	7.1		"	10.0	70.9	44-144		4.01	30	
Ethyl Benzene	11		"	10.0	112	80-131		4.53	30	



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BC40537 - EPA 5030B

LCS Dup (BC40537-BSD1)								Prepared & Analyzed: 03/26/2024			
Isopropylbenzene	11		ug/L	10.0	106	76-140			11.8	30	
Methyl acetate	11		"	10.0	108	51-139			23.0	30	
Methyl tert-butyl ether (MTBE)	10		"	10.0	100	76-135			17.2	30	
Methylcyclohexane	10		"	10.0	103	72-143			5.12	30	
Methylene chloride	11		"	10.0	111	55-137			1.99	30	
o-Xylene	11		"	10.0	111	78-130			1.34	30	
p- & m- Xylenes	22		"	20.0	112	77-133			4.39	30	
Styrene	10		"	10.0	103	67-132			1.07	30	
Tetrachloroethylene	8.7		"	10.0	87.2	82-131			5.90	30	
Toluene	11		"	10.0	106	80-127			5.12	30	
trans-1,2-Dichloroethylene	11		"	10.0	107	80-132			3.66	30	
trans-1,3-Dichloropropylene	11		"	10.0	109	78-131			7.24	30	
Trichloroethylene	10		"	10.0	101	82-128			6.35	30	
Trichlorofluoromethane	11		"	10.0	106	67-139			8.01	30	
Vinyl Chloride	13		"	10.0	126	58-145			6.63	30	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	10.9		"	10.0	109	69-130					
<i>Surrogate: SURR: Toluene-d8</i>	10.3		"	10.0	103	81-117					
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	10.7		"	10.0	107	79-122					

Batch BC42078 - EPA 5030B

Blank (BC42078-BLK1)								Prepared & Analyzed: 03/28/2024			
1,1,1-Trichloroethane	ND	0.50	ug/L								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,2,3-Trichlorobenzene	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2-Butanone	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Methyl-2-pentanone	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon disulfide	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BC42078 - EPA 5030B

Blank (BC42078-BLK1)

Prepared & Analyzed: 03/28/2024

Chloromethane	ND	0.50	ug/L								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Cyclohexane	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl acetate	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylcyclohexane	ND	0.50	"								
Methylene chloride	ND	2.0	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
Styrene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	10.6	"	10.0		106	69-130					
<i>Surrogate: SURR: Toluene-d8</i>	10.4	"	10.0		104	81-117					
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	11.3	"	10.0		113	79-122					

LCS (BC42078-BS1)

Prepared & Analyzed: 03/28/2024

1,1,1-Trichloroethane	9.9	ug/L	10.0	98.6	78-136	
1,1,2,2-Tetrachloroethane	9.1	"	10.0	91.4	76-129	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.2	"	10.0	92.0	54-165	
1,1,2-Trichloroethane	8.5	"	10.0	84.9	82-123	
1,1-Dichloroethane	10	"	10.0	102	82-129	
1,1-Dichloroethylene	11	"	10.0	110	68-138	
1,2,3-Trichlorobenzene	6.6	"	10.0	65.5	76-136	Low Bias
1,2,4-Trichlorobenzene	7.3	"	10.0	72.9	76-137	Low Bias
1,2-Dibromo-3-chloropropane	8.4	"	10.0	83.9	45-147	
1,2-Dibromoethane	8.3	"	10.0	83.1	83-124	
1,2-Dichlorobenzene	8.8	"	10.0	87.6	79-123	
1,2-Dichloroethane	10	"	10.0	99.6	73-132	
1,2-Dichloropropane	11	"	10.0	108	78-126	
1,3-Dichlorobenzene	9.3	"	10.0	92.7	86-122	
1,4-Dichlorobenzene	8.9	"	10.0	89.4	85-124	
2-Butanone	7.6	"	10.0	76.5	49-152	
2-Hexanone	8.5	"	10.0	85.4	51-146	
4-Methyl-2-pentanone	8.0	"	10.0	80.4	57-145	
Acetone	8.7	"	10.0	86.6	14-150	
Benzene	9.9	"	10.0	99.4	85-126	
Bromochloromethane	10	"	10.0	101	77-128	
Bromodichloromethane	9.4	"	10.0	94.1	79-128	



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC42078 - EPA 5030B											
LCS (BC42078-BS1)											
Prepared & Analyzed: 03/28/2024											
Bromoform	6.1		ug/L	10.0	61.2	78-133	Low Bias				
Bromomethane	8.5		"	10.0	84.6	43-168					
Carbon disulfide	9.4		"	10.0	93.6	68-146					
Carbon tetrachloride	9.7		"	10.0	96.6	77-141					
Chlorobenzene	9.7		"	10.0	96.9	88-120					
Chloroethane	14		"	10.0	143	65-136	High Bias				
Chloroform	9.7		"	10.0	97.0	82-128					
Chloromethane	12		"	10.0	116	43-155					
cis-1,2-Dichloroethylene	11		"	10.0	106	83-129					
cis-1,3-Dichloropropylene	9.6		"	10.0	95.5	80-131					
Cyclohexane	5.0		"	10.0	50.1	63-149	Low Bias				
Dibromochloromethane	8.2		"	10.0	81.5	80-130					
Dichlorodifluoromethane	6.1		"	10.0	60.7	44-144					
Ethyl Benzene	11		"	10.0	111	80-131					
Isopropylbenzene	11		"	10.0	113	76-140					
Methyl acetate	8.5		"	10.0	84.7	51-139					
Methyl tert-butyl ether (MTBE)	8.2		"	10.0	82.3	76-135					
Methylcyclohexane	10		"	10.0	100	72-143					
Methylene chloride	11		"	10.0	105	55-137					
o-Xylene	11		"	10.0	106	78-130					
p- & m- Xylenes	22		"	20.0	111	77-133					
Styrene	9.7		"	10.0	97.4	67-132					
Tetrachloroethylene	8.6		"	10.0	86.0	82-131					
Toluene	11		"	10.0	107	80-127					
trans-1,2-Dichloroethylene	11		"	10.0	108	80-132					
trans-1,3-Dichloropropylene	9.4		"	10.0	93.9	78-131					
Trichloroethylene	10		"	10.0	100	82-128					
Trichlorofluoromethane	10		"	10.0	102	67-139					
Vinyl Chloride	13		"	10.0	125	58-145					
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	9.47		"	10.0	94.7	69-130					
<i>Surrogate: SURR: Toluene-d8</i>	10.3		"	10.0	103	81-117					
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	11.1		"	10.0	111	79-122					



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BC42078 - EPA 5030B

LCS Dup (BC42078-BSD1)	Prepared & Analyzed: 03/28/2024									
1,1,1-Trichloroethane	9.5		ug/L	10.0	95.0	78-136			3.72	30
1,1,2,2-Tetrachloroethane	9.9		"	10.0	99.0	76-129			7.98	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	8.8		"	10.0	88.3	54-165			4.10	30
1,1,2-Trichloroethane	9.2		"	10.0	92.4	82-123			8.46	30
1,1-Dichloroethane	10		"	10.0	101	82-129			0.986	30
1,1-Dichloroethylene	11		"	10.0	106	68-138			3.81	30
1,2,3-Trichlorobenzene	7.2		"	10.0	71.8	76-136	Low Bias		9.18	30
1,2,4-Trichlorobenzene	7.6		"	10.0	76.1	76-137			4.30	30
1,2-Dibromo-3-chloropropane	9.2		"	10.0	92.4	45-147			9.64	30
1,2-Dibromoethane	9.1		"	10.0	90.7	83-124			8.75	30
1,2-Dichlorobenzene	8.8		"	10.0	88.4	79-123			0.909	30
1,2-Dichloroethane	11		"	10.0	107	73-132			7.54	30
1,2-Dichloropropane	11		"	10.0	108	78-126			0.0924	30
1,3-Dichlorobenzene	9.0		"	10.0	90.3	86-122			2.62	30
1,4-Dichlorobenzene	8.7		"	10.0	87.4	85-124			2.26	30
2-Butanone	9.0		"	10.0	90.2	49-152			16.4	30
2-Hexanone	10		"	10.0	105	51-146			20.3	30
4-Methyl-2-pentanone	9.9		"	10.0	99.1	57-145			20.8	30
Acetone	11		"	10.0	109	14-150			23.3	30
Benzene	9.8		"	10.0	97.8	85-126			1.62	30
Bromochloromethane	11		"	10.0	108	77-128			6.31	30
Bromodichloromethane	9.6		"	10.0	96.4	79-128			2.41	30
Bromoform	7.1		"	10.0	71.1	78-133	Low Bias		15.0	30
Bromomethane	8.3		"	10.0	82.8	43-168			2.15	30
Carbon disulfide	9.0		"	10.0	89.7	68-146			4.26	30
Carbon tetrachloride	9.3		"	10.0	93.3	77-141			3.48	30
Chlorobenzene	9.5		"	10.0	95.3	88-120			1.66	30
Chloroethane	14		"	10.0	138	65-136	High Bias		3.35	30
Chloroform	9.7		"	10.0	96.8	82-128			0.206	30
Chloromethane	11		"	10.0	108	43-155			6.34	30
cis-1,2-Dichloroethylene	10		"	10.0	104	83-129			1.43	30
cis-1,3-Dichloropropylene	9.8		"	10.0	98.3	80-131			2.89	30
Cyclohexane	4.8		"	10.0	48.2	63-149	Low Bias		3.87	30
Dibromochloromethane	8.7		"	10.0	86.7	80-130			6.18	30
Dichlorodifluoromethane	5.9		"	10.0	58.8	44-144			3.18	30
Ethyl Benzene	11		"	10.0	106	80-131			3.78	30
Isopropylbenzene	10		"	10.0	104	76-140			8.12	30
Methyl acetate	10		"	10.0	102	51-139			18.7	30
Methyl tert-butyl ether (MTBE)	9.4		"	10.0	94.5	76-135			13.8	30
Methylcyclohexane	9.5		"	10.0	94.9	72-143			5.43	30
Methylene chloride	11		"	10.0	106	55-137			0.664	30
o-Xylene	11		"	10.0	105	78-130			0.758	30
p- & m- Xylenes	22		"	20.0	108	77-133			2.98	30
Styrene	9.8		"	10.0	97.7	67-132			0.308	30
Tetrachloroethylene	8.3		"	10.0	83.2	82-131			3.31	30
Toluene	10		"	10.0	103	80-127			4.00	30
trans-1,2-Dichloroethylene	10		"	10.0	104	80-132			3.60	30
trans-1,3-Dichloropropylene	10		"	10.0	99.9	78-131			6.19	30
Trichloroethylene	9.6		"	10.0	96.4	82-128			3.97	30
Trichlorofluoromethane	9.8		"	10.0	97.7	67-139			4.70	30



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc. - Stratford

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	RPD Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	----------

Batch BC42078 - EPA 5030B

LCS Dup (BC42078-BSD1)

Prepared & Analyzed: 03/28/2024

Vinyl Chloride	12	ug/L	10.0		118	58-145			5.91	30	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	10.4	"	10.0		104	69-130					
<i>Surrogate: SURR: Toluene-d8</i>	10.3	"	10.0		103	81-117					
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	11.0	"	10.0		110	79-122					



Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
24C1318-01	MW-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-02	MW-25	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-03	MW-27	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-04	MW-30	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-05	MW-32	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-06	MW-33	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
24C1318-07	Trip Blank	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



Sample and Data Qualifiers Relating to This Work Order

QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.

J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.

ICVE The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).

CCVE The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

Definitions and Other Explanations

* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.

ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)

RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.

LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence . This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.

LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.

MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.

Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.

NR Not reported

RPD Relative Percent Difference

Wet The data has been reported on an as-received (wet weight) basis

Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.



Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

Corrective Action: Trip Blanks received but not listed on COC, added to end of WO.



ANALYTICAL REPORT

Lab Number:	L2414802
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER ROAD
Project Number:	2222575.04
Report Date:	03/29/24

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110), NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LA000299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #A24920).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2414802-01	EFFLUENT_MAR_24	SOIL_VAPOR	ALBANY, NY	03/19/24 11:55	03/19/24

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on January 17, 2024. The canister certification data is provided as an addendum.

L2414802-01D: The sample was re-analyzed on dilution in order to quantitate the results within the calibration range. The result(s) should be considered estimated, and are qualified with an E flag, for any compound(s) that exceeded the calibration range in the initial analysis. The re-analysis was performed only for the compound(s) that exceeded the calibration range.

L2414802-01D2: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Christopher J. Anderson

Title: Technical Director/Representative

Date: 03/29/24

AIR



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

SAMPLE RESULTS

Lab ID: L2414802-01 D
Client ID: EFFLUENT_MAR_24
Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:55
Date Received: 03/19/24
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 03/29/24 02:53
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	1.83	0.421	--	9.05	2.08	--		2.103
Chloromethane	0.576	0.421	--	1.19	0.869	--		2.103
Freon-114	ND	0.421	--	ND	2.94	--		2.103
Vinyl chloride	5.25	0.421	--	13.4	1.08	--		2.103
1,3-Butadiene	ND	0.421	--	ND	0.931	--		2.103
Bromomethane	ND	0.421	--	ND	1.63	--		2.103
Chloroethane	1.77	0.421	--	4.67	1.11	--		2.103
Ethanol	21.8	10.5	--	41.1	19.8	--		2.103
Vinyl bromide	ND	0.421	--	ND	1.84	--		2.103
Acetone	3.38	2.10	--	8.03	4.99	--		2.103
Trichlorofluoromethane	5.42	0.421	--	30.5	2.37	--		2.103
Isopropanol	ND	1.05	--	ND	2.58	--		2.103
1,1-Dichloroethene	2.06	0.421	--	8.17	1.67	--		2.103
Methylene chloride	ND	1.05	--	ND	3.65	--		2.103
3-Chloropropene	ND	0.421	--	ND	1.32	--		2.103
Carbon disulfide	ND	0.421	--	ND	1.31	--		2.103
Freon-113	ND	0.421	--	ND	3.23	--		2.103
trans-1,2-Dichloroethene	ND	0.421	--	ND	1.67	--		2.103
1,1-Dichloroethane	18.6	0.421	--	75.3	1.70	--		2.103
Methyl tert butyl ether	ND	0.421	--	ND	1.52	--		2.103
2-Butanone	ND	1.05	--	ND	3.10	--		2.103
cis-1,2-Dichloroethene	139	0.421	--	551	1.67	--		2.103
Ethyl Acetate	ND	1.05	--	ND	3.78	--		2.103



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

SAMPLE RESULTS

Lab ID: L2414802-01 D
Client ID: EFFLUENT_MAR_24
Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:55
Date Received: 03/19/24
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chloroform	ND	0.421	--	ND	2.06	--		2.103
Tetrahydrofuran	ND	1.05	--	ND	3.10	--		2.103
1,2-Dichloroethane	ND	0.421	--	ND	1.70	--		2.103
n-Hexane	ND	0.421	--	ND	1.48	--		2.103
1,1,1-Trichloroethane	49.3	0.421	--	269	2.30	--		2.103
Benzene	ND	0.421	--	ND	1.34	--		2.103
Carbon tetrachloride	ND	0.421	--	ND	2.65	--		2.103
Cyclohexane	ND	0.421	--	ND	1.45	--		2.103
1,2-Dichloropropane	ND	0.421	--	ND	1.95	--		2.103
Bromodichloromethane	ND	0.421	--	ND	2.82	--		2.103
1,4-Dioxane	0.778	0.421	--	2.80	1.52	--		2.103
Trichloroethene	53.6	0.421	--	288	2.26	--		2.103
2,2,4-Trimethylpentane	ND	0.421	--	ND	1.97	--		2.103
Heptane	ND	0.421	--	ND	1.73	--		2.103
cis-1,3-Dichloropropene	ND	0.421	--	ND	1.91	--		2.103
4-Methyl-2-pentanone	ND	1.05	--	ND	4.30	--		2.103
trans-1,3-Dichloropropene	ND	0.421	--	ND	1.91	--		2.103
1,1,2-Trichloroethane	ND	0.421	--	ND	2.30	--		2.103
Toluene	1.78	0.421	--	6.71	1.59	--		2.103
2-Hexanone	ND	0.421	--	ND	1.73	--		2.103
Dibromochloromethane	ND	0.421	--	ND	3.59	--		2.103
1,2-Dibromoethane	ND	0.421	--	ND	3.24	--		2.103
Tetrachloroethene	385	0.421	--	2610	2.85	--	E	2.103
Chlorobenzene	ND	0.421	--	ND	1.94	--		2.103
Ethylbenzene	0.517	0.421	--	2.25	1.83	--		2.103
p/m-Xylene	1.82	0.841	--	7.91	3.65	--		2.103



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

SAMPLE RESULTS

Lab ID: L2414802-01 D
Client ID: EFFLUENT_MAR_24
Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:55
Date Received: 03/19/24
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Bromoform	ND	0.421	--	ND	4.35	--		2.103
Styrene	ND	0.421	--	ND	1.79	--		2.103
1,1,2,2-Tetrachloroethane	ND	0.421	--	ND	2.89	--		2.103
o-Xylene	1.42	0.421	--	6.17	1.83	--		2.103
4-Ethyltoluene	ND	0.421	--	ND	2.07	--		2.103
1,3,5-Trimethylbenzene	ND	0.421	--	ND	2.07	--		2.103
1,2,4-Trimethylbenzene	ND	0.421	--	ND	2.07	--		2.103
Benzyl chloride	ND	0.421	--	ND	2.18	--		2.103
1,3-Dichlorobenzene	ND	0.421	--	ND	2.53	--		2.103
1,4-Dichlorobenzene	ND	0.421	--	ND	2.53	--		2.103
1,2-Dichlorobenzene	ND	0.421	--	ND	2.53	--		2.103
1,2,4-Trichlorobenzene	ND	0.421	--	ND	3.13	--		2.103
Naphthalene	ND	0.421	--	ND	2.21	--		2.103
Hexachlorobutadiene	ND	0.421	--	ND	4.49	--		2.103

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	85		60-140
Bromochloromethane	86		60-140
chlorobenzene-d5	85		60-140

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

SAMPLE RESULTS

Lab ID: L2414802-01 D2
Client ID: EFFLUENT_MAR_24
Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:55
Date Received: 03/19/24
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 03/29/24 07:12
Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tetrachloroethene	447	2.10	--	3030	14.2	--		10.51

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	82		60-140
Bromochloromethane	84		60-140
chlorobenzene-d5	80		60-140

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 03/28/24 15:22

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1902188-4							
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.200	--	ND	1.40	--	1
Vinyl chloride	ND	0.200	--	ND	0.511	--	1
1,3-Butadiene	ND	0.200	--	ND	0.442	--	1
Bromomethane	ND	0.200	--	ND	0.777	--	1
Chloroethane	ND	0.200	--	ND	0.528	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acetone	ND	1.00	--	ND	2.38	--	1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	1
Methylene chloride	ND	0.500	--	ND	1.74	--	1
3-Chloropropene	ND	0.200	--	ND	0.626	--	1
Carbon disulfide	ND	0.200	--	ND	0.623	--	1
Freon-113	ND	0.200	--	ND	1.53	--	1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	1
2-Butanone	ND	0.500	--	ND	1.47	--	1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	1
Ethyl Acetate	ND	0.500	--	ND	1.80	--	1
Chloroform	ND	0.200	--	ND	0.977	--	1



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 03/28/24 15:22

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1902188-4							
Tetrahydrofuran	ND	0.500	--	ND	1.47	--	1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	1
n-Hexane	ND	0.200	--	ND	0.705	--	1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	1
Benzene	ND	0.200	--	ND	0.639	--	1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--	1
Cyclohexane	ND	0.200	--	ND	0.688	--	1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	1
Bromodichloromethane	ND	0.200	--	ND	1.34	--	1
1,4-Dioxane	ND	0.200	--	ND	0.721	--	1
Trichloroethene	ND	0.200	--	ND	1.07	--	1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	1
Heptane	ND	0.200	--	ND	0.820	--	1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	1
Toluene	ND	0.200	--	ND	0.754	--	1
2-Hexanone	ND	0.200	--	ND	0.820	--	1
Dibromochloromethane	ND	0.200	--	ND	1.70	--	1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	1
Tetrachloroethene	ND	0.200	--	ND	1.36	--	1
Chlorobenzene	ND	0.200	--	ND	0.921	--	1
Ethylbenzene	ND	0.200	--	ND	0.869	--	1
p/m-Xylene	ND	0.400	--	ND	1.74	--	1



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 03/28/24 15:22

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1902188-4							
Bromoform	ND	0.200	--	ND	2.07	--	1
Styrene	ND	0.200	--	ND	0.852	--	1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	1
o-Xylene	ND	0.200	--	ND	0.869	--	1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--	1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	1
Benzyl chloride	ND	0.200	--	ND	1.04	--	1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	1
Naphthalene	ND	0.200	--	ND	1.05	--	1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	1



Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1902188-3								
Dichlorodifluoromethane	89		-		70-130	-		
Chloromethane	88		-		70-130	-		
Freon-114	99		-		70-130	-		
Vinyl chloride	85		-		70-130	-		
1,3-Butadiene	96		-		70-130	-		
Bromomethane	90		-		70-130	-		
Chloroethane	86		-		70-130	-		
Ethanol	85		-		40-160	-		
Vinyl bromide	85		-		70-130	-		
Acetone	85		-		40-160	-		
Trichlorofluoromethane	88		-		70-130	-		
Isopropanol	79		-		40-160	-		
1,1-Dichloroethene	89		-		70-130	-		
Tertiary butyl Alcohol	84		-		70-130	-		
Methylene chloride	97		-		70-130	-		
3-Chloropropene	98		-		70-130	-		
Carbon disulfide	97		-		70-130	-		
Freon-113	92		-		70-130	-		
trans-1,2-Dichloroethene	85		-		70-130	-		
1,1-Dichloroethane	88		-		70-130	-		
Methyl tert butyl ether	97		-		70-130	-		
2-Butanone	93		-		70-130	-		
cis-1,2-Dichloroethene	87		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1902188-3								
Ethyl Acetate	90		-		70-130	-		
Chloroform	91		-		70-130	-		
Tetrahydrofuran	94		-		70-130	-		
1,2-Dichloroethane	85		-		70-130	-		
n-Hexane	89		-		70-130	-		
1,1,1-Trichloroethane	91		-		70-130	-		
Benzene	96		-		70-130	-		
Carbon tetrachloride	94		-		70-130	-		
Cyclohexane	91		-		70-130	-		
1,2-Dichloropropane	92		-		70-130	-		
Bromodichloromethane	101		-		70-130	-		
1,4-Dioxane	91		-		70-130	-		
Trichloroethene	92		-		70-130	-		
2,2,4-Trimethylpentane	90		-		70-130	-		
Heptane	103		-		70-130	-		
cis-1,3-Dichloropropene	102		-		70-130	-		
4-Methyl-2-pentanone	104		-		70-130	-		
trans-1,3-Dichloropropene	101		-		70-130	-		
1,1,2-Trichloroethane	93		-		70-130	-		
Toluene	94		-		70-130	-		
2-Hexanone	111		-		70-130	-		
Dibromochloromethane	106		-		70-130	-		
1,2-Dibromoethane	106		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1902188-3								
Tetrachloroethene	99		-		70-130	-		
Chlorobenzene	102		-		70-130	-		
Ethylbenzene	96		-		70-130	-		
p/m-Xylene	98		-		70-130	-		
Bromoform	105		-		70-130	-		
Styrene	104		-		70-130	-		
1,1,2,2-Tetrachloroethane	98		-		70-130	-		
o-Xylene	99		-		70-130	-		
4-Ethyltoluene	100		-		70-130	-		
1,3,5-Trimethylbenzene	102		-		70-130	-		
1,2,4-Trimethylbenzene	101		-		70-130	-		
Benzyl chloride	84		-		70-130	-		
1,3-Dichlorobenzene	99		-		70-130	-		
1,4-Dichlorobenzene	96		-		70-130	-		
1,2-Dichlorobenzene	95		-		70-130	-		
1,2,4-Trichlorobenzene	87		-		70-130	-		
Naphthalene	88		-		70-130	-		
Hexachlorobutadiene	90		-		70-130	-		

Project Name: 136 FULLER ROAD

Serial_No:03292415:17

Project Number: 2222575.04

Lab Number: L2414802

Report Date: 03/29/24

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2414802-01	EFFLUENT_MAR_24	3684	1.0L Can	01/17/24	450579	L2402036-02	Pass	-29.5	0.0	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID:	L2402036-02	Date Collected:	01/11/24 15:00
Client ID:	CAN 4053 SHELF 8	Date Received:	01/11/24
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix:	Air
Anaytical Method:	48,TO-15
Analytical Date:	01/12/24 02:48
Analyst:	JMB

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air - Mansfield Lab							
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--	1
Propylene	ND	0.500	--	ND	0.861	--	1
Propane	ND	0.500	--	ND	0.902	--	1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	1
Chloromethane	ND	0.200	--	ND	0.413	--	1
Freon-114	ND	0.200	--	ND	1.40	--	1
Methanol	ND	5.00	--	ND	6.55	--	1
Vinyl chloride	ND	0.200	--	ND	0.511	--	1
1,3-Butadiene	ND	0.200	--	ND	0.442	--	1
Butane	ND	0.200	--	ND	0.475	--	1
Bromomethane	ND	0.200	--	ND	0.777	--	1
Chloroethane	ND	0.200	--	ND	0.528	--	1
Ethanol	ND	5.00	--	ND	9.42	--	1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--	1
Vinyl bromide	ND	0.200	--	ND	0.874	--	1
Acrolein	ND	0.500	--	ND	1.15	--	1
Acetone	ND	1.00	--	ND	2.38	--	1
Acetonitrile	ND	0.200	--	ND	0.336	--	1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	1
Isopropanol	ND	0.500	--	ND	1.23	--	1
Acrylonitrile	ND	0.500	--	ND	1.09	--	1
Pentane	ND	0.200	--	ND	0.590	--	1
Ethyl ether	ND	0.200	--	ND	0.606	--	1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Dilution Factor
	Results	RL	MDL	Results	RL	MDL	Qualifier
Volatile Organics in Air - Mansfield Lab							

Results	Qualifier	Units	RDL	Dilution Factor
---------	-----------	-------	-----	-----------------

Tentatively Identified Compounds

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	99		60-140
Bromochloromethane	98		60-140
chlorobenzene-d5	105		60-140

Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID:	L2402036-02	Date Collected:	01/11/24 15:00
Client ID:	CAN 4053 SHELF 8	Date Received:	01/11/24
Sample Location:		Field Prep:	Not Specified

Sample Depth:

Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 01/12/24 02:48
 Analyst: JMB

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
Dichlorodifluoromethane	ND	0.200	--	0.989	--		1
Chloromethane	ND	0.200	--	0.413	--		1
Freon-114	ND	0.050	--	0.349	--		1
Vinyl chloride	ND	0.020	--	0.051	--		1
1,3-Butadiene	ND	0.020	--	0.044	--		1
Bromomethane	ND	0.020	--	0.078	--		1
Chloroethane	ND	0.100	--	0.264	--		1
Acrolein	ND	0.050	--	0.115	--		1
Acetone	ND	1.00	--	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	0.281	--		1
Acrylonitrile	ND	0.500	--	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	0.079	--		1
Methylene chloride	ND	0.500	--	1.74	--		1
Freon-113	ND	0.050	--	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	0.721	--		1
2-Butanone	ND	0.500	--	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	0.079	--		1
Chloroform	ND	0.020	--	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	0.109	--		1
Benzene	ND	0.100	--	0.319	--		1
Carbon tetrachloride	ND	0.020	--	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--	1
Bromodichloromethane	ND	0.020	--	ND	0.134	--	1
1,4-Dioxane	ND	0.100	--	ND	0.360	--	1
Trichloroethene	ND	0.020	--	ND	0.107	--	1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--	1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--	1
Toluene	ND	0.100	--	ND	0.377	--	1
Dibromochloromethane	ND	0.020	--	ND	0.170	--	1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--	1
Tetrachloroethene	ND	0.020	--	ND	0.136	--	1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
Chlorobenzene	ND	0.100	--	ND	0.461	--	1
Ethylbenzene	ND	0.020	--	ND	0.087	--	1
p/m-Xylene	ND	0.040	--	ND	0.174	--	1
Bromoform	ND	0.020	--	ND	0.207	--	1
Styrene	ND	0.020	--	ND	0.085	--	1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--	1
o-Xylene	ND	0.020	--	ND	0.087	--	1
Isopropylbenzene	ND	0.200	--	ND	0.983	--	1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--	1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--	1
Benzyl chloride	ND	0.100	--	ND	0.518	--	1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1



Project Name: BATCH CANISTER CERTIFICATION

Lab Number: L2402036

Project Number: CANISTER QC BAT

Report Date: 03/29/24

Air Canister Certification Results

Lab ID: L2402036-02 Date Collected: 01/11/24 15:00
 Client ID: CAN 4053 SHELF 8 Date Received: 01/11/24
 Sample Location: Field Prep: Not Specified

Sample Depth:

Parameter	Results	ppbV		ug/m3		Qualifier	Dilution Factor
		RL	MDL	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab							
sec-Butylbenzene	ND	0.200	--	ND	1.10	--	1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--	1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--	1
n-Butylbenzene	ND	0.200	--	ND	1.10	--	1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Naphthalene	ND	0.050	--	ND	0.262	--	1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--	1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--	1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	100		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	106		60-140

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Serial_No:03292415:17
Lab Number: L2414802
Report Date: 03/29/24

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
NA	Absent

Container Information

Container ID	Container Type	<i>Initial</i>	<i>Final</i>	<i>Temp</i>	<i>Pres</i>	<i>Frozen</i>	<i>Analysis(*)</i>
		Cooler	pH	pH	deg C	Seal	Date/Time
L2414802-01A	Canister - 1 Liter	NA	NA		Y	Absent	TO15-LL(30)

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: Data Usability Report



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414802
Report Date: 03/29/24

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at its own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C**, **SM4500CN-CE**, **EPA 180.1**, **SM2130B**, **SM4500CI-D**, **SM2320B**, **SM2540C**, **SM4500H-B**, **SM4500NO2-B**

EPA 524.2: THMs and VOCs; **EPA 504.1**: EDB, DBCP.

Microbiology: **SM9215B**; **SM9223-P/A**, **SM9223B-Colilert-QT**,**SM9222D**.

Non-Potable Water

SM4500H,B, **EPA 120.1**, **SM2510B**, **SM2540C**, **SM2320B**, **SM4500CL-E**, **SM4500F-BC**, **SM4500NH3-BH**: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, **EPA 351.1**, **SM4500NO3-F**, **EPA 353.2**: Nitrate-N, **SM4500P-E**, **SM4500P-B**, **E**, **SM4500SO4-E**, **SM5220D**, **EPA 410.4**, **SM5210B**, **SM5310C**, **SM4500CL-D**, **EPA 1664**, **EPA 420.1**, **SM4500-CN-CE**, **SM2540D**, **EPA 300**: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: **SM9223B-Colilert-QT**; **Enterolert-QT**, **SM9221E**, **EPA 1600**, **EPA 1603**, **SM9222D**.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8**: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg. **EPA 522**, **EPA 537.1**.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



AIR A
CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: LaBelle Associates

Address: 4 British American
Loftman Rd. B2110

Phone: 730-626-6362

Fax:

Email: bfields@lakelodge.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: □

 AIR ANALYSIS CHAIN OF CUSTODY		PAGE <u>1</u> OF <u>1</u>	Date Rec'd in Lab: <u>3/22/24</u>	ALPHA Job #: <u>L2414802</u>
Client Information Client: <u>LaBelle Associates</u> Address: <u>4 British American Latham, NY 12110</u> Phone: <u>730-626-6362</u> Fax: Email: <u>bfields@labellape.com</u>		Project Information Project Name: <u>136 Fuller Road</u> Project Location: <u>Albany, NY</u> Project #: <u>2222575.04</u> Project Manager: <u>Brensenfield's</u> ALPHA Quote #:	Report Information - Data Deliverables <input type="checkbox"/> FAX <input type="checkbox"/> ADEX Criteria Checker: _____ <small>(Default based on Regulatory Criteria Indicated)</small> Other Formats: <input checked="" type="checkbox"/> EMAIL (standard pdf report) <input type="checkbox"/> Additional Deliverables: Report to: (if different than Project Manager)	Billing Information <input checked="" type="checkbox"/> Same as Client Info PO #: <u>2222575.04</u>
		Turn-Around Time <input checked="" type="checkbox"/> Standard <input type="checkbox"/> RUSH (only confirmed if pre-approved)		Regulatory Requirements/Report Limits State/Fed Program Res / Comm
		Date Due: _____ Time: _____		ANALYSIS
<input type="checkbox"/> These samples have been previously analyzed by Alpha				

All Columns Below Must Be Filled Out

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)

SV = Soil Vapor/Landfill Gas/SVE

Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions.
See reverse side.

• Relinquished By

Date/Time

Received By:

Date/Time:

John LaBellas Relinquished By:

Date/Time Received By
3/19/04 12:35 Chi Fann
3/19/04 12:42

Date/Time:
3/19/24 12:21



ANALYTICAL REPORT

Lab Number:	L2414819
Client:	LaBella Associates, P.C. 4 British American Boulevard Latham, NY 12110
ATTN:	Branson Fields
Phone:	(518) 266-7355
Project Name:	136 FULLER ROAD
Project Number:	2222575.04
Report Date:	03/26/24

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2414819-01	EFFLUENT_MAR-24	WATER	ALBANY, NY	03/19/24 11:45	03/19/24
L2414819-02	INFLUENT_MAR-24	WATER	ALBANY, NY	03/19/24 11:40	03/19/24

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L2414819-01: The collection date and time on the chain of custody was 19-MAR-24 11:40; however, the collection date/time on the container label was 19-MAR-24 11:45. At the client's request, the collection date/time is reported as 19-MAR-24 11:45.

L2414819-02: The collection date and time on the chain of custody was 19-MAR-24 11:45; however, the collection date/time on the container label was 19-MAR-24 11:40. At the client's request, the collection date/time is reported as 19-MAR-24 11:40.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Melissa Sturgis, Melissa Sturgis

Title: Technical Director/Representative

Date: 03/26/24

ORGANICS



VOLATILES



Project Name: 136 FULLER ROAD

Lab Number: L2414819

Project Number: 2222575.04

Report Date: 03/26/24

SAMPLE RESULTS

Lab ID: L2414819-01
 Client ID: EFFLUENT_MAR-24
 Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:45
 Date Received: 03/19/24
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 03/22/24 17:26
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.38	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: 136 FULLER ROAD

Lab Number: L2414819

Project Number: 2222575.04

Report Date: 03/26/24

SAMPLE RESULTS

Lab ID: L2414819-01
 Client ID: EFFLUENT_MAR-24
 Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:45
 Date Received: 03/19/24
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	69	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	118		70-130

Project Name: 136 FULLER ROAD

Lab Number: L2414819

Project Number: 2222575.04

Report Date: 03/26/24

SAMPLE RESULTS

Lab ID: L2414819-02
 Client ID: INFLUENT_MAR-24
 Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:40
 Date Received: 03/19/24
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 03/22/24 17:54
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	2.2	J	ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	23		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	2.4	J	ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.11	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	4.6		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: 136 FULLER ROAD

Lab Number: L2414819

Project Number: 2222575.04

Report Date: 03/26/24

SAMPLE RESULTS

Lab ID: L2414819-02
 Client ID: INFLUENT_MAR-24
 Sample Location: ALBANY, NY

Date Collected: 03/19/24 11:40
 Date Received: 03/19/24
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	24		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	81	J	ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	113		70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Method Blank Analysis **Batch Quality Control**

Analytical Method: 1,8260D
Analytical Date: 03/22/24 16:59
Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	01-02	Batch:	WG1900433-5		
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 03/22/24 16:59
Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02			Batch:	WG1900433-5	
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 03/22/24 16:59
Analyst: LAC

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02			Batch:	WG1900433-5	

Surrogate	%Recovery	Acceptance Criteria	
		Qualifier	
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	118		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1900433-3 WG1900433-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	99		97		70-130	2		20
Chloroform	98		98		70-130	0		20
Carbon tetrachloride	85		87		63-132	2		20
1,2-Dichloropropane	96		97		70-130	1		20
Dibromochloromethane	87		89		63-130	2		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	89		88		70-130	1		20
Chlorobenzene	100		100		75-130	0		20
Trichlorofluoromethane	98		98		62-150	0		20
1,2-Dichloroethane	97		98		70-130	1		20
1,1,1-Trichloroethane	92		93		67-130	1		20
Bromodichloromethane	91		97		67-130	6		20
trans-1,3-Dichloropropene	85		89		70-130	5		20
cis-1,3-Dichloropropene	91		94		70-130	3		20
Bromoform	76		78		54-136	3		20
1,1,2,2-Tetrachloroethane	98		98		67-130	0		20
Benzene	100		99		70-130	1		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	90		88		64-130	2		20
Bromomethane	140	Q	140	Q	39-139	0		20
Vinyl chloride	130		130		55-140	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1900433-3 WG1900433-4								
Chloroethane	170	Q	170	Q	55-138	0		20
1,1-Dichloroethene	94		98		61-145	4		20
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	100		100		70-130	0		20
1,2-Dichlorobenzene	98		98		70-130	0		20
1,3-Dichlorobenzene	98		100		70-130	2		20
1,4-Dichlorobenzene	99		100		70-130	1		20
Methyl tert butyl ether	90		91		63-130	1		20
p/m-Xylene	105		105		70-130	0		20
o-Xylene	105		105		70-130	0		20
cis-1,2-Dichloroethene	98		100		70-130	2		20
Styrene	105		105		70-130	0		20
Dichlorodifluoromethane	83		84		36-147	1		20
Acetone	87		82		58-148	6		20
Carbon disulfide	93		96		51-130	3		20
2-Butanone	78		79		63-138	1		20
4-Methyl-2-pentanone	84		82		59-130	2		20
2-Hexanone	77		76		57-130	1		20
Bromochloromethane	95		98		70-130	3		20
1,2-Dibromoethane	96		98		70-130	2		20
1,2-Dibromo-3-chloropropane	76		79		41-144	4		20
Isopropylbenzene	95		96		70-130	1		20
1,2,3-Trichlorobenzene	84		85		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Parameter	<i>LCS</i>	<i>LCSD</i>	%Recovery		<i>RPD</i>	<i>Qual</i>	<i>RPD</i>
	%Recovery	Qual	%Recovery	Qual			
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG1900433-3 WG1900433-4							
1,2,4-Trichlorobenzene	85		84		70-130	1	20
Methyl Acetate	83		83		70-130	0	20
Cyclohexane	86		86		70-130	0	20
1,4-Dioxane	82		92		56-162	11	20
Freon-113	95		96		70-130	1	20
Methyl cyclohexane	92		93		70-130	1	20

Surrogate	<i>LCS</i>	<i>LCSD</i>	Acceptance Criteria	
	%Recovery	Qual	%Recovery	Qual
1,2-Dichloroethane-d4	99		99	70-130
Toluene-d8	106		106	70-130
4-Bromofluorobenzene	95		96	70-130
Dibromofluoromethane	100		101	70-130

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Serial_No:03262409:53
Lab Number: L2414819
Report Date: 03/26/24

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2414819-01A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2414819-01B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2414819-01C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2414819-02A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2414819-02B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2414819-02C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)

Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

V - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Z - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: 136 FULLER ROAD
Project Number: 2222575.04

Lab Number: L2414819
Report Date: 03/26/24

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at its own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

