



349 Northern Blvd, Suite 3  
Albany, NY 12204  
Phone: 518.453.2203  
Fax: 518.453.2204  
[www.envirospeceng.com](http://www.envirospeceng.com)

April 3, 2024

Mr. Christopher Aucoin  
NYS Department of Environmental Conservation  
Division of Environmental Remediation  
625 Broad, 11<sup>th</sup> Floor  
Albany, NY 12233-7020

Re: South Island Apartments – 2024 Periodic Review Report  
Site No. C401074

To Whom It May Concern;

On behalf of South Island Apartments, LLC (SIA), Envirospec Engineering, PLLC (Envirospec) has prepared the enclosed 2024 Periodic Review Report for the South Island Apartments Site. The Institutional and Engineering Controls Certification Form is also enclosed.

Should you have any questions please feel free to contact me at 518-453-2203.

Sincerely,

*Gianna Aiezza*

Gianna M Aiezza, PE  
Principal Engineer  
Envirospec Engineering, PLLC

cc: Alita Guida, Couch White, LLP  
Douglas Macneal, NYSDEC  
Christopher O'Neill, NYSDEC



**Enclosure 2**  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



**Site No.** C401074

**Site Details**

**Box 1**

**Site Name** **South Island Apartments**

Site Address: 5-35 Starbuck Island Drive, Center Island Zip Code: 12183  
City/Town: Green Island  
County: Albany  
Site Acreage: 11.495

Reporting Period: March 04, 2023 to March 04, 2024

YES      NO

1. Is the information above correct?

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?

**If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.**

5. Is the site currently undergoing development?

**Box 2**

YES      NO

6. Is the current site use consistent with the use(s) listed below?    
Restricted-Residential, Commercial, and Industrial

7. Are all ICs in place and functioning as designed?

**See section 6.3.1 of PRR**

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

4/3/24

Signature of Owner, Remedial Party or Designated Representative

Date

**Box 2A**

YES      NO

8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?

**If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.**

9. Are the assumptions in the Qualitative Exposure Assessment still valid?  
(The Qualitative Exposure Assessment must be certified every five years)

**If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.**

**SITE NO. C401074****Box 3****Description of Institutional Controls**

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
<b>33.09-1-3</b>	South Island Apartments, LLC	Ground Water Use Restriction Soil Management Plan Landuse Restriction Monitoring Plan Site Management Plan O&M Plan IC/EC Plan
<p>a. Requires that the remedial party or site owner complete and submit a periodic certification of institutional and engineering controls in accordance with Part 375-1.8 (h)(3);</p> <p>b. Allows the use and development of the site for restricted residential use as defined by Part 375-1.8(g), although land use is subject to local zoning laws;</p> <p>c. Restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH; and</p> <p>d. Require compliance with the Department approved Site Management Plan.</p>		
<b>33.09-1-5</b>	South Island Apartments, LLC	Ground Water Use Restriction Soil Management Plan Landuse Restriction Site Management Plan IC/EC Plan
<p>O&amp;M Plan</p> <p>Monitoring Plan</p> <p>a. Requires that the remedial party or site owner complete and submit a periodic certification of institutional and engineering controls in accordance with Part 375-1.8 (h)(3);</p> <p>b. Allows the use and development of the site for restricted residential use as defined by Part 375-1.8(g), although land use is subject to local zoning laws;</p> <p>c. Restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH; and</p> <p>d. Require compliance with the Department approved Site Management Plan.</p>		
<b>33.09-1-6</b>	South Island Apartments, LLC	Monitoring Plan O&M Plan
<p>Ground Water Use Restriction Soil Management Plan Landuse Restriction Site Management Plan IC/EC Plan</p> <p>a. Requires that the remedial party or site owner complete and submit a periodic certification of institutional and engineering controls in accordance with Part 375-1.8 (h)(3);</p> <p>b. Allows the use and development of the site for restricted residential use as defined by Part 375-1.8(g), although land use is subject to local zoning laws;</p> <p>c. Restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH; and</p> <p>d. Require compliance with the Department approved Site Management Plan.</p>		

**Box 4**

#### **Description of Engineering Controls**

<u>Parcel</u>	<u>Engineering Control</u>
<b>33.09-1-3</b>	Vapor Mitigation Cover System
<p>a. A site cover is required to allow for restricted residential use of the site in areas where the upper two feet of exposed surface soil will exceed the applicable soil cleanup objectives (SCOs). The soil cover will be a minimum of two feet of soil placed over a demarcation layer, with the upper six inches of soil</p>	

**Parcel****Engineering Control**

of sufficient quality to maintain a vegetative layer. Soil cover material, including any fill material brought to the site, will meet the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d). Substitution of other materials and components may be allowed where such components already exist or are a component of the tangible property to be placed as part of site redevelopment. Such components may include, but are not necessarily limited to: pavement, concrete, paved surface parking areas, sidewalks, building foundations and building slabs.

b. Sub-slab depressurization systems were installed at all on-site buildings.

**33.09-1-5**

Cover System  
Vapor Mitigation

a. A site cover is required to allow for restricted residential use of the site in areas where the upper two feet of exposed surface soil will exceed the applicable soil cleanup objectives (SCOs). The soil cover will be a minimum of two feet of soil placed over a demarcation layer, with the upper six inches of soil of sufficient quality to maintain a vegetative layer. Soil cover material, including any fill material brought to the site, will meet the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d). Substitution of other materials and components may be allowed where such components already exist or are a component of the tangible property to be placed as part of site redevelopment. Such components may include, but are not necessarily limited to: pavement, concrete, paved surface parking areas, sidewalks, building foundations and building slabs.

b. Sub-slab depressurization systems were installed at all on-site buildings.

**33.09-1-6**

Vapor Mitigation  
Cover System

a. A site cover is required to allow for restricted residential use of the site in areas where the upper two feet of exposed surface soil will exceed the applicable soil cleanup objectives (SCOs). The soil cover will be a minimum of two feet of soil placed over a demarcation layer, with the upper six inches of soil of sufficient quality to maintain a vegetative layer. Soil cover material, including any fill material brought to the site, will meet the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d). Substitution of other materials and components may be allowed where such components already exist or are a component of the tangible property to be placed as part of site redevelopment. Such components may include, but are not necessarily limited to: pavement, concrete, paved surface parking areas, sidewalks, building foundations and building slabs.

b. Sub-slab depressurization systems were installed at all on-site buildings.

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

- a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;
- b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES      NO

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

- (a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;
- (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;
- (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;
- (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and
- (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES      NO

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

---

Signature of Owner, Remedial Party or Designated Representative

---

Date

**IC CERTIFICATIONS  
SITE NO. C401074**

**Box 6**

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Michael Alix at 857 1st Street, Watervliet, NY  
print name print business address

am certifying as Owner (Designated Representative) (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

  
Date

## EC CERTIFICATIONS

### Professional Engineer Signature

Box 7

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gianna Aiezza at 349 Northern Boulevard, Suite 3, Albany, NY 12204,  
print name print business address

am certifying as a Professional Engineer for the South Island Apartments, LLC  
(Owner or Remedial Party)



4/3/2024

Signature of Professional Engineer, for the Owner or  
Remedial Party, Rendering Certification

Stamp  
(Required for PE)

Date

---

**SOUTH ISLAND APARTMENTS  
5-35 Starbuck Island Drive, Center Island  
Green Island, New York  
NYSDEC Site: C401074**

## **PERIODIC REVIEW REPORT**

**April 2024**

**Prepared for:**

**South Island Apartments, LLC  
P.O. Box 22222  
Albany, NY 12201**

**Prepared by:**



**349 Northern Blvd. Suite 3  
Albany, NY 12204**

*Envirospec Engineering Project E17-1600*

## Table of Contents

1.0	South Island Apartments Site Certification .....	1
2.0	Executive Summary .....	2
3.0	Site Overview.....	2
3.1	Soil Remediation.....	3
3.2	Oil Extraction.....	3
4.0	Remedy Performance, Effectiveness, and Protectiveness .....	4
5.0	Institutional Controls and Engineering Controls .....	4
5.1	Institutional Control Systems.....	4
5.2	Engineering Controls .....	5
5.2.1	Cover.....	5
5.2.2	Sub-Slab Depressurization Systems .....	6
5.3	Effectiveness of Institutional Controls and Engineering Controls .....	6
6.0	Monitoring Plan .....	7
6.1	General.....	7
6.2	Site – wide Inspection.....	7
6.3	Remedial System Monitoring for SSD Systems .....	7
6.3.1	Corrective Action Workplan.....	8
6.4	LNAPL Monitoring .....	8
7.0	Operation and Maintenance Plan .....	8
7.1	Components .....	8
7.2	O&M Completed During Reporting Period.....	9
8.0	Conclusions and Recommendations .....	9

## Appendix A

Attachment 1	Site Location Map
Attachment 2	IC Boundaries
Attachment 3	Cover Thickness
Attachment 4	Grading Plan
Attachment 5	Utility Drawing
Attachment 6	Drainage Plan
Attachment 7	Monitoring Well Locations

## Appendix B

Attachment 1	Annual Inspection Report
Attachment 2	Manometer Readings
Attachment 3	MW-32 & MW-33 Well Gauging

## 1.0 South Island Apartments Site Certification

South Island Apartments Site, Site Number C401074  
Green Island, New York

Based on my review of the Periodic Review Report and my own observations and the observations of my staff while inspecting the site, I hereby certify on behalf of South Island Apartments, LLC (SIA) that the site is compliant with the Site Management Plan.

For each institutional and engineering control identified for the site, I certify that all of the following statements are true:

- a) The institutional control and/or engineering control employed at this site is unchanged from the date the control was put in place, or last approved by DER;
- b) Nothing has occurred that would impair the ability of such control to protect public health and the environment;
- c) Nothing has occurred that would constitute a violation or failure to comply with any Site Management Plan for this control; and
- d) Access to the site will continue to be provided to DER to evaluate the remedy, including access to evaluate the continued maintenance of this control.

To the best of my knowledge, the conclusions described in this certification are in accordance with the requirements of the Site Management Plan and generally accepted engineering practices and the information presented is accurate and complete. Changes to the site conditions, discovery of undisclosed information, or changes in activities at this site since the last inspection may render this certification invalid. This report has been prepared solely for the use of South Island Apartments, LLC at the South Island Apartments Site for compliance with NYSDEC required closure reporting protocols. Reliance by others is strictly prohibited. All assumptions, clarifications, observations, and representations stated in this report apply to this certification.



Signature

**081422, New York**

Professional Engineer Registration Number & State

**Gianna M. Aiezza**

Name

**Principal Engineer**

Title

**Envirospec Engineering, PLLC**

Company

**04/03/2024**

Date



## 2.0 Executive Summary

Envirospec Engineering, PLLC (Envirospec) has prepared this Periodic Review Report (PRR) on behalf of South Island Apartments LLC (SIA) for the South Island Apartments (Site), located in Green Island, NY. The Site was a former petroleum terminal with metals and SVOC contamination within soils, and groundwater, the presence of light non-aqueous phase liquid (LNAPL), and soil vapor consistent with prior site usage.

The Site was remediated by SIA under the New York State Department of Environmental Conservation's (NYSDEC) Brownfield Cleanup Program (BCP Site No. C401074). A Site Management Plan (SMP) was submitted to the NYSDEC in September 2021, and subsequently approved, which outlined long-term management of the Site. Since remaining residual soil and groundwater contamination are present at the Site, ICs/ECs have been implemented on the Site to protect public health and the environment for the applicable future use of the Site. Envirospec has performed required monitoring (sub-slab depressurization system (SSD system) manometer readings, LNAPL monitoring) during the reporting period of March 4, 2023 through March 4, 2024. The Site IC/ECs are in compliance with the SMP, and consistent with the Site's cleanup objectives.

## 3.0 Site Overview

The Site is located in eastern New York State in the Town of Green Island, Albany County, bounded to the east, south, and west by the Hudson River, and to the north by the Troy/Green Island Bridge and a residential property, as shown in Appendix A, Attachment 1. The property is located at 5-35 Starbuck Island Drive, directly west of the City of Troy, and approximately six (6) miles north of the City of Albany. The Site is situated on an approximately 8.9-acre parcel and is identified on the Albany 2016 Final Tax Map as 33.09 Block 1 Lot 3. Surrounding land uses include various commercial and residential uses. The Site is a former petroleum terminal. The terminal was demolished between 2008 and 2010.

Contamination at the site included the presence of metals and semi-volatile organic compounds (SVOCs) in shallow and intermediate-depth subsurface soils, metals, SVOCs, and VOCs in several groundwater samples, and LNAPL in wells located near the former petroleum terminal loading rack area. Soil vapor samples also indicated the presence of benzene, toluene, ethylbenzene, and xylenes (BTEX). All contamination found during SIA's 2018 Remedial investigation were consistent with the prior usage of the site as a petroleum terminal. Specific information on AECS and AOIs can be found in the Site SMP.

The site was remediated in accordance with the remedy selected by the NYSDEC in the Decision Document dated October 22, 2018. The factors considered during the selection of the remedy are those listed in 6 NYCRR Part 375-1.8. The following were the components of the selected remedy:

1. Construction and maintenance of a site cover system consisting of building foundations, asphalt pavement, concrete, or 2' of clean fill in open areas across the site and a cover system along the banks of the site consisting of rip-rap and a block wall along the eastern bank and retaining walls and rip-rap along the western bank to prevent human exposure to remaining contaminated soil/fill remaining at the site;
2. Installation of two (2) temporary monitoring wells on the site to monitor for the presence of remaining LNAPL.
3. Installation of vapor mitigation systems on each building as a proactive measure.
4. Execution and recording of an Environmental Easement to restrict land use and prevent future exposure to any contamination remaining at the site.
5. Development and implementation of a Site Management Plan for long term management of remaining contamination as required by the Environmental Easement, which includes plans for: (1) Institutional and Engineering Controls, (2) monitoring, (3) operation and maintenance and (4) reporting;
6. Periodic certification of the institutional and engineering controls listed above.

### **3.1     Soil Remediation**

Impacted soils and sediments were excavated and characterized for disposal in accordance with the approved Soils / Materials Management Plan (S/MMP). A total of 957.16 tons of impacted soils were disposed of at Waste Management's Green Ridge facility located at 4424 Peters Rd in Gansevoort, NY.

### **3.2     Oil Extraction**

Oil was encountered in temporary monitoring wells MW-32 and MW-33 during groundwater sampling activities. Based on those measurements, follow-up measurements were completed to determine the effect of the tide on the thickness of oil. Oil thickness generally ranged from 0 to 1-2 ft in MW-32 and MW-33, with the highest levels typically observed during low tide. Based on these observations, NYSDEC requested a round of vacuum extraction of oil from temporary monitoring wells MW-32 and MW-33 be completed. Oil was also extracted from an open excavation during the remediation phase.

Precision Environmental Services extracted 220 total gallons of oil from the two monitoring wells. Extraction was completed with the vac truck on June 30, 2020. Oil measurements during

subsequent groundwater monitoring rounds ranged from 0 to 0.3 ft in MW-32 and 0 to 0.75 ft in MW-33.

## 4.0 Remedy Performance, Effectiveness, and Protectiveness

The remedy for the Site was consistent with the Remedial Action Work Plan's remedial goals. The Institutional Controls (ICs) implemented for the site are protective of human health and the environment. The cover system, a component of the Engineering Controls (ECs) of the Site, prevents exposure of the remaining contamination to the rest of the Site. Sub-slab depressurization systems (SSD systems) were installed for all buildings on Site and are monitored monthly through the collection of monometer readings, to ensure the systems are operating in compliance with the SMP. The Site's ICs and ECs are discussed in further detail in Section 5.0 of this PRR.

## 5.0 Institutional Controls and Engineering Controls

Since remaining contamination exists at the site, Institutional Controls (ICs) and Engineering Controls (ECs) are required to protect human health and the environment. This IC/EC Plan describes the procedures for the implementation and management of all IC/ECs at the site. The IC/EC Plan is one component of the SMP and is subject to revision by the NYSDEC. This plan provides:

- A description of all IC/ECs on the site;
- The basic implementation and intended role of each IC/EC
- A description of the key components of the ICs set forth in the Environmental Easement;
- A description of the controls to be evaluated during each required inspection and periodic review
- A description of plans and procedures to be followed for implementation of IC/ECs, such as the implementation of the Excavation Work Plan (EWP) (as provided in Appendix G of the SMP) for the proper handling of remaining contamination that may be disturbed during maintenance or redevelopment work on the site; and
- Any other provisions necessary to identify or establish methods for implementing the IC/ECs required by the site remedy, as determined by the NYSDEC.

### 5.1 Institutional Control Systems

A series of ICs were required by the Decision Document (NYSDEC 2018) to: (1) implement, maintain and monitor Engineering Control systems; (2) prevent future exposure to remaining contamination; and, (3) limit the use and development of the site to restricted residential and commercial uses only. Adherence to these ICs on the site is required by the Environmental Easement and will be implemented under this SMP. ICs identified in the Environmental Easement may not be discontinued without an amendment to or extinguishment of the Environmental

Easement. The IC boundaries are shown on the figure in Appendix A, Attachment 2. These ICs, as outlined in the Decision Document (NYSDEC 2018), are:

- The property may be used for: restricted residential use;
- All ECs must be operated and maintained as specified in this SMP;
- All ECs must be inspected at a frequency and in a manner defined in the SMP.
- The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Albany County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department.
- Groundwater and other environmental or public health monitoring must be performed as defined in this SMP;
- Data and information pertinent to site management must be reported at the frequency and in a manner as defined in this SMP;
- All future activities that will disturb remaining contaminated material must be conducted in accordance with this SMP;
- Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in this SMP;
- Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical component of the remedy shall be performed as defined in this SMP;
- Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by the Environmental Easement.
- The potential for vapor intrusion must be evaluated for any buildings developed in the area within the IC boundaries noted on the metes and bounds survey, and any potential impacts that are identified must be monitored or mitigated; and
- Vegetable gardens and farming on the site are prohibited;

## **5.2 Engineering Controls**

### **5.2.1 Cover**

Exposure to remaining contamination at the site is prevented by a cover system placed over the site. The final cover system is comprised of a minimum of 24 inches of clean soil/or asphalt pavement, concrete-covered sidewalks, concrete building slabs and structures, and the concrete block wall and rip-rap systems along the banks of the Site. The rip-rap systems are 2' in depth. A demarcation layer was installed below the final cover system across the site. Cover system thickness and design, site grading, utility, and drainage drawings are attached in Appendix A, Attachments 3-6. Any activities that need to be completed beneath the cover system will be

completed in accordance with this SMP and the excavation work plan. Procedures for the inspection of this cover are provided in the Monitoring and Sampling Plan included in Section 6.0 of this PRR.

### **5.2.2 Sub-Slab Depressurization Systems**

Procedures for operating and maintaining the Sub-Slab Depressurization systems are documented in the Operation and Maintenance Plan (Section 7.0 of this PRR). As built drawings, signed and sealed by a professional engineer, are included in Appendix I – Operations and Maintenance Manual of the SMP.

The SSDS for Building 15, which is slab-on-grade construction, consists of three (3) suction points that are routed vertically up to the roof. Piping was installed below grade within gravel trenches as shown on the as-built drawing. The piping was covered with a vapor barrier prior to pouring the concrete foundation.

The mitigation systems for Buildings 20, 25, and 30 are described in the letters from McFarland Johnson, which are provided in Appendix I – Operations and Maintenance Manual of the SMP. These three (3) buildings have parking garages below grade. The ventilation systems required for the parking garages provide an additional level of redundant ventilation but are not considered an engineering control for the site.

Building 20 is equipped with eight (8) suction points. Building 25 is equipped with five (5) suction points. Building 30 is equipped with seven (7) suction points. The piping for the systems installed in Buildings 20, 25, and 30 was covered with a vapor barrier prior to paving in the parking garages.

The system for Building 10 was commissioned in two (2) phases, with the western side of the building completed first, followed by the eastern portion. The western section of the building is equipped with two (2) suction points. The system on the eastern side of the building is equipped with three (3) suction points and was commissioned prior to occupancy of the building. The western portion of the SSDS was sampled in May 2021, and again in February 2022 along with the initial sampling of the eastern portion of the building.

The SSD systems are monitored and performance evaluated monthly through monometer readings, indicating negative pressure throughout the system.

### **5.3 Effectiveness of Institutional Controls and Engineering Controls**

The ICs/ECs specified in the SMP are in place and operating in accordance with the approved

SMP. See Section 6.3 for discussion of the CE manometer.

## 6.0 Monitoring Plan

### 6.1 General

The Monitoring Plan describes the measures for evaluating the overall performance and effectiveness of the remedy. The Monitoring Plan may only be revised with the approval of the NYSDEC. If sampling is required in future, a Quality Assurance Project Plan will be developed and submitted for NYSDEC approval. Components of the Monitoring Plan include an annual Site-wide inspection, monthly SSD system manometer checks, and quarterly monitoring well gauging. A description of monitoring completed during the reporting period are provided in the following subsections by monitoring type.

### 6.2 Site – wide Inspection

An annual Site-wide inspection was performed on March 27, 2024. The completed annual inspection form can be seen in Appendix B, Attachment 1. The inspection assessed the following:

- Compliance with all ICs, including site usage;
- An evaluation of the condition and continued effectiveness of ECs;
- General site conditions at the time of the inspection;
- The site management activities being conducted including, where appropriate, health and safety inspections; and
- Confirm that site records are up to date.

The inspection determined and documented the following:

- The ECs continue to perform as designed;
- The controls continue to be protective of human health and the environment;
- Compliance with requirements of the SMP and the Environmental Easement;

There were no severe weather events or emergencies requiring inspection during the reporting period.

### 6.3 Remedial System Monitoring for SSD Systems

As required in the SMP, monitoring of the SSD systems was performed monthly through manometer readings, confirming negative pressure within the vertical pipe riser. Negative pressure

readings indicate the system is operating in compliance with the SMP, and that all components, including the risers and blowers are fully operational in accordance with the SMP.

Manometer “CE” in the commercial Building 10 was measured at +0.05 inches water during the January 2024 reading. There was utility work going on in the vicinity of the building during the site visit and manometer reading. Envirospec returned to the site on February 2, 2024, and the reading was zero. The subsequent reading in March was also zero. Envirospec confirmed normal operation of the blower and has been working with the property management to optimize the blower settings. It should be noted that the SSD system was an extra precaution and soil vapor results did not require installation of the system.

Manometer reading results for the reporting period are provided in Appendix B, Attachment 2.

#### **6.3.1 Corrective Action Workplan**

In the event vacuum is not restored at manometer “CE” through blower optimization, Envirospec will hire a professional SSDS contractor to perform an on-site inspection and determine the cause of the low vacuum reading. Any repairs will be conducted in compliance with the SMP, and all documentation will be certified and provided to NYSDEC following installation.

#### **6.4 LNAPL Monitoring**

The potential presence of LNAPL in wells MW-32 and MW-33 was monitored on a quarterly basis using an oil/water interface probe during the reporting period. Complete well gauging results are provided in Appendix B, Attachment 3. Well locations are provided in Appendix A, Attachment 7. Results were provided to NYSDEC, and the need for future actions will be evaluated in consultation with NYSDEC.

Based on quarterly well gauging results, Envirospec submitted a workplan for the removal of residual LNAPL located at MW-33 on July 21, 2023. Approved by the NYSDEC on August 3, 2023, Envirospec began the installation and replacement of oil-absorbent socks within MW-33 in August 2023.

## **7.0 Operation and Maintenance Plan**

### **7.1 Components**



The Operation and Maintenance Plan provides a brief description of the measures necessary to operate, monitor and maintain the mechanical components of the SSDS. The complete O&M Plan can be found in Section 5.0 of the SMP. The O&M Plan includes:

- Maintenance on SSD System blowers, manometers, and risers/piping on an as needed basis following inspections, or at the recommendation of the system design engineer and system manufacturer;
- System start-up testing in the event of significant downtime or significant changes are made to the system;

### **7.2 O&M Completed During Reporting Period**

Routine monitoring of the SSD system did not indicate any need for maintenance during the reporting period. There was no period of significant downtime or significant changes made to the system requiring startup testing. Monthly manometer checks indicated the system was fully operational and in compliance with the SMP and the Site's remedial goals.

## **8.0 Conclusions and Recommendations**

The Site is compliant with the SMP. The Site remedy and the SMP are effective in complying with cleanup objectives.

Monitoring of the SSDS systems in all buildings will continue through monthly manometer checks. Under the August 2023 approved workplan, Envirospec began the installation and replacement of oil-absorbent socks within MW-33. Envirospec will continue quarterly well gauging until approval for discontinuation has been granted by the NYSDEC.

## **APPENDIX A**

**Attachment 1    Site Location Map**

**Attachment 2    IC Boundaries**

**Attachment 3    Cover System Thickness**

**Attachment 4    Grading Plan**

**Attachment 5    Utility Drawings**

**Attachment 6    Drainage Plan**

**Attachment 7    Monitoring Well Locations**




# Attachment 1

## Site Location Map



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204



Scale: 1:3,000 ft

TITLE:

FIGURE 1 – SITE LOCATION MAP

LOCATION:

1 OSGOOD AVENUE/CENTER ISLAND  
GREEN ISLAND, NEW YORK

— Approximate Site Boundary

## **Attachment 2**

### **IC Boundaries**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204



# **Attachment 3**


## **Cover Thickness**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204



## NOTES:

- TOP OF CAP SURVEY PERFORMED ON DECEMBER 23, 2019, FEBRUARY 20, 2020, JULY 3, 2020 AND DECEMBER 11, 2020.
- SURVEY SUBJECT TO ANY SUBSURFACE CONDITIONS THAT MAY EXIST, IF ANY.
- ALL SUB-GRADE INFORMATION WAS PROVIDED BY PETER LUIZZI AND BROS CONTRACTING. NMB LAND SURVEYING PLLC PERFORMED NO FIELD CHECKS OR CONFIRMATION OF SUB-GRADE.



## LEGEND:

- █ SUB-GRADE IS HIGHER THAN FINAL GRADE
- █ 0 TO 1 FOOT OF COVER
- █ 1 TO 2 FEET OF COVER
- █ 2 TO 3 FEET OF COVER
- █ 3 TO 4 FEET OF COVER
- █ OVER 4 FEET OF COVER



## RECORD DRAWING

REV	DATE	DESCRIPTION	BY
		349 NORTHERN BLVD. ALBANY, NY 12204 P.518.453.2203 F.518.453.2204	envirospec ENGINEERING, PLLC

MAP REFERENCE:  
MAP ENTITLED "MAP OF SURVEY LANDS OF PRIME KORM, LLC, LANDS OF CENTER ISLAND CAR WASH, LLC TO BE CONVEYED TO SOUTH ISLAND APARTMENTS, LLC", DATED JUNE 15, 2017 AND PREPARED BY NMB LAND SURVEYING, PLLC.

NO.	DATE	REVISIONS DESCRIPTION	BY



CAP COVER ANALYSIS		STARBUCK ISLAND	
SURVEYED BY: NMB DRAWN BY: GJC	CHECKED BY: NMB JOB NO. NB17-001	VILLAGE OF GREEN ISLAND COUNTY OF ALBANY STATE OF NEW YORK	SCALE: 1"=50' SHEET 1 OF 1



## **Attachment 4**

### **Grading Plan**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

## LEGEND:

END SECTION  
DRAINAGE STRUCTURE  
CONTOUR LINE


## GENERAL NOTES:

- THE UNDERGROUND STRUCTURES AND UTILITIES SHOWN ON THESE AS-BUILT PLANS ARE BASED ON THE MAPPING PROVIDED BY NMB LAND SURVEYING PLLC, 20 TROY AVENUE, WYNANTSkill NY, 12198, RECEIVED VIA E-MAIL COMMUNICATION ON JUNE 4, 2021. MCFARLAND JOHNSON DOES NOT CERTIFY TO THE ACCURACY OF THEIR LOCATION AND/OR COMPLETENESS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION AND EXTENT OF ALL UNDERGROUND STRUCTURES AND UTILITIES PRIOR TO ANY DIGGING OR CONSTRUCTION ACTIVITIES IN THEIR VICINITY. THE CONTRACTOR SHALL HAVE ALL EXISTING UTILITIES FIELD STAKED BEFORE STARTING WORK BY CALLING 1-800-962-7962.
- SURVEY SHOWN WAS PREPARED FROM AN APRIL 2021 FIELD SURVEY.
- SURVEY SHOWN WAS PREPARED WITHOUT THE BENEFIT OF AN UP TO DATE ABSTRACT OF TITLE OR TITLE REPORT AND IS SUBJECT TO ANY STATEMENTS OF FACT THAT SUCH AN ABSTRACT OF TITLE OR TITLE REPORT MAY REVEAL.
- UNAUTHORIZED ADDITION OR ALTERATION TO THIS SURVEY MAP IS A VIOLATION OF ARTICLE 145, SECTION 7209, SUB-PARAGRAPH 2 OF THE NEW YORK STATE EDUCATION LAW.
- ONLY ORIGINAL COPIES OF THIS SURVEY MARKED WITH AN ORIGINAL LAND SURVEYOR'S STAMP AND SIGNATURE IN RED SHALL BE CONSIDERED TRUE AND VALID COPIES.
- SURVEY SUBJECT TO ANY SUBSURFACE CONDITIONS THAT MAY EXIST, IF ANY.
- PARCEL SUBJECT TO ANY SETBACKS, RESTRICTIONS, RIGHTS-OF-WAY (PUBLIC OR PRIVATE), EASEMENTS (PUBLIC OR PRIVATE), UTILITY EASEMENTS OF RECORD OR OTHERWISE THAT MAY AFFECT THE PREMISES SHOWN, IF ANY.
- UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE AND BASED ON UTILITY EVIDENCE VISIBLE AT GROUND SURFACE AND ARE SUBJECT TO FIELD VERIFICATION BY EXCAVATION. UTILITIES SHOWN DO NOT IMPLY TO CONSTITUTE OR REPRESENT ALL UTILITIES UPON OR ADJACENT TO THE SURVEYED AREA. OTHER UTILITIES MAY EXIST, IF ANY.
- VERTICAL DATUM USED FOR THIS SURVEY IS NAVD88.

## MAP REFERENCES:

- MAP ENTITLED "MAP OF SURVEY LANDS OF PRIME KDRM, LLC, LANDS OF CENTER ISLAND CAR WASH, LLC TO BE CONVEYED TO SOUTH ISLAND APARTMENTS, LLC", DATED JUNE 15, 2017 AND PREPARED BY NMB LAND SURVEYING, PLLC.
- MAP ENTITLED "MAP OF SURVEY STARBUCK ISLAND", DATED DECEMBER 14, 2019 AND PREPARED BY NMB LAND SURVEYING, PLLC.


ALL UNDERGROUND UTILITY INFORMATION IS APPROXIMATE  
AND FOR REFERENCE ONLY. LOCATIONS AND SIZING MUST BE  
FIELD VERIFIED PRIOR TO ANY WORK OR DISTURBANCE.



0 30 60 90 FT  
SCALE

AS-BUILT PLAN

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECT DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.




**McFarland Johnson**  
60 RAILROAD PLACE, SUITE 402  
SARATOGA SPRINGS, NY 12866

**SOUTH ISLAND APARTMENTS, LLC.**  
VILLAGE OF GREEN ISLAND, STATE OF NEW YORK  
**STARBUCK ISLAND REDEVELOPMENT**

**Grading Plan (1 of 2)**

SCALE: 1" = 30'	DESIGN: AJF
DRAWN: TCH	PROJECT: 18327.00
CHECKED: AJF	DATE: SEPT. 14, 2021

**GR-01**



**ALL UNDERGROUND UTILITY INFORMATION IS APPROXIMATE AND FOR REFERENCE ONLY. LOCATIONS AND SIZING MUST BE FIELD VERIFIED PRIOR TO ANY WORK OR DISTURBANCE.**


IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECT DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

**SOUTH ISLAND APARTMENTS, LLC.**

## **VILLAGE OF GREEN ISLAND, STATE OF NEW YORK**

---

Grading Plan (3 of 3)





# McFarland Johnson

60 RAILROAD PLACE, SUITE 402

60 RAILROAD PLACE, SUITE 402  
SARATOGA SPRINGS, NY 12866

SCALE: 1" = 30'	DESIGN: AJF	<b>GR-02</b>
DRAWN: TCH	PROJECT: 18327.00	
CHECKED: AJF	DATE: SEPT 14 2021	

# **Attachment 5**

## **Utility Drawing**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

## LEGEND:

LIGHT FIXTURE	■ ■ ■ / ■ ■ ■
END SECTION	□
UTILITY POLE	○
UNDERGROUND ELEC & COMM.	— UE&C —
SANITARY SEWER PIPING	— SA —
WATERMAIN PIPING	— W —
DRAINAGE PIPE	— ST —
FIRE HYDRANT	○
SANITARY SEWER MANHOLE	◎
SANITARY SEWER CLEANOUT	○
WATERMAIN GATE VALVE	×
DRAINAGE STRUCTURE	□
DRAINAGE END SECTION	□
UNDERGROUND ELECTRIC TRANSFORMER PAD	□


## GENERAL NOTES:


1. THE UNDERGROUND STRUCTURES AND UTILITIES SHOWN ON THESE AS-BUILT PLANS ARE BASED ON THE MAPPING PROVIDED BY NMB LAND SURVEYING PLLC, 20 TROY AVENUE, WYNANTSkill NY, 12198, RECEIVED VIA E-MAIL COMMUNICATION ON JUNE 4, 2021. MCFARLAND JOHNSON DOES NOT CERTIFY TO THE ACCURACY OF THEIR LOCATION AND/OR COMPLETENESS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION AND EXTENT OF ALL UNDERGROUND STRUCTURES AND UTILITIES PRIOR TO ANY DIGGING OR CONSTRUCTION ACTIVITIES IN THEIR VICINITY. THE CONTRACTOR SHALL HAVE ALL EXISTING UTILITIES FIELD STAKED BEFORE STARTING WORK BY CALLING 1-800-962-7962.
2. SURVEY SHOWN WAS PREPARED FROM AN APRIL 2021 FIELD SURVEY.
3. SURVEY SHOWN WAS PREPARED WITHOUT THE BENEFIT OF AN UP TO DATE ABSTRACT OF TITLE OR TITLE REPORT AND IS SUBJECT TO ANY STATEMENTS OF FACT THAT SUCH AN ABSTRACT OF TITLE OR TITLE REPORT MAY REVEAL.
4. UNAUTHORIZED ADDITION OR ALTERATION TO THIS SURVEY MAP IS A VIOLATION OF ARTICLE 145, SECTION 7209, SUB-PARAGRAPH 2 OF THE NEW YORK STATE EDUCATION LAW.
5. ONLY ORIGINAL COPIES OF THIS SURVEY MARKED WITH AN ORIGINAL LAND SURVEYOR'S STAMP AND SIGNATURE IN RED SHALL BE CONSIDERED TRUE AND VALID COPIES.
6. SURVEY SUBJECT TO ANY SUBSURFACE CONDITIONS THAT MAY EXIST, IF ANY.
7. PARCEL SUBJECT TO ANY SETBACKS, RESTRICTIONS, RIGHTS-OF-WAY (PUBLIC OR PRIVATE), EASEMENTS (PUBLIC OR PRIVATE), UTILITY EASEMENTS OF RECORD OR OTHERWISE THAT MAY AFFECT THE PREMISES SHOWN, IF ANY.
8. UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE AND BASED ON UTILITY EVIDENCE VISIBLE AT GROUND SURFACE AND ARE SUBJECT TO FIELD VERIFICATION BY EXCAVATION. UTILITIES SHOWN DO NOT IMPLY TO CONSTITUTE OR REPRESENT ALL UTILITIES UPON OR ADJACENT TO THE SURVEYED AREA. OTHER UTILITIES MAY EXIST, IF ANY.
9. VERTICAL DATUM USED FOR THIS SURVEY IS NAVD88.

## MAP REFERENCES:

1. MAP ENTITLED "MAP OF SURVEY LANDS OF PRIME KDRM, LLC, LANDS OF CENTER ISLAND CAR WASH, LLC TO BE CONVEYED TO SOUTH ISLAND APARTMENTS, LLC", DATED JUNE 15, 2017 AND PREPARED BY NMB LAND SURVEYING, PLLC.
2. MAP ENTITLED "MAP OF SURVEY STARBUCK ISLAND", DATED DECEMBER 14, 2019 AND PREPARED BY NMB LAND SURVEYING, PLLC.

ALL UNDERGROUND UTILITY INFORMATION IS APPROXIMATE AND FOR REFERENCE ONLY. LOCATIONS AND SIZING MUST BE FIELD VERIFIED PRIOR TO ANY WORK OR DISTURBANCE.





# **Attachment 6**

## **Drainage Plan**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

## STORM SEWER STRUCTURE TABLE

## STRUCTURE TABLE

STRUCTURE	RIM	INV(S) IN	INV OUT	TYPE	FRAME	NORTHING	EASTING
D-1	28.84			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7787.13	10098.64
D-2	28.73	23.11	23.00	48" DIAMETER MANHOLE; ITEM 604.4048	NO. 11; ITEM 655.1111	7852.29	9993.65
D-3	30.72			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7844.06	9874.38
D-4	30.73	20.74	20.64	60" DIAMETER MANHOLE; ITEM 604.4060	NO. 11; ITEM 655.1111	7847.51	9839.05
D-5	28.86			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7539.41	10001.72
D-7	29.00	21.68	21.58	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7748.69	9812.66
D-8	30.49	18.96	18.86	48" DIAMETER MANHOLE; ITEM 604.4048	NO. 11; ITEM 655.1111	7908.84	9720.46
D-9	20.74			24" DIAMETER PIPE OUTLET	N/A	7932.92	9674.55
D-10	27.68		20.35	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7598.49	9738.97
D-11	27.69	19.37	19.27	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7553.48	9719.64
D-12	25.79	21.86	19.15	19.05 NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7548.60	9730.99
D-13	25.77		21.97	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7539.86	9751.19
D-13 (1)	25.77			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7531.38	9766.84
D-13 (2)	25.77			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7568.92	9783.02
D-13 (2) (1)	25.77			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7628.79	9844.67
D-14	27.26	18.13	18.13	18.03 NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7378.79	9657.62
D-15	27.26	18.44	18.34	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7370.30	9677.28
D-16	26.93			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7354.22	9683.66
D-17	27.96	17.27	17.17	48" DIAMETER MANHOLE; ITEM 604.4048	NO. 11; ITEM 655.1111	7278.76	9600.69
D-18	27.26	17.43	17.33	72" DIAMETER MANHOLE; ITEM 604.4072	NO. 11; ITEM 655.1111	7269.75	9609.48
D-19	27.26			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7254.78	9625.82
D-20	27.83		18.43	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7283.85	9434.38
D-21	14.15	11.91		24" CMP RECTANGULAR END SECTION	N/A	7345.54	9402.19
D-22	27.02		20.00	NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	6939.69	9339.30
D-23	27.20			NYS DOT STRUCTURE TYPE S; ITEM 604.301911	NO. 11; ITEM 655.1111	7011.68	9299.02
D-24	18.72	15.30		18" CMP RECTANGULAR END SECTION	N/A	7021.95	9276.77
D-25	19.56			2' X 16' TRENCH DRAIN	???	6965.59	9408.01
D-27	19.56			2' X 16' TRENCH DRAIN	???	7310.23	9771.40
D-29	19.56		18.40	2' X 16' TRENCH DRAIN	???	7578.26	9593.12
D-30	15.89	14.70		12" CMP RECTANGULAR END SECTION	N/A	7610.46	9540.25
D-31	29.57	16.48	16.38	72" DIAMETER MANHOLE; ITEM 604.4072	NO. 11; ITEM 655.1111	7307.65	9463.87
D-32	30.56		25.50	48" DIAMETER MANHOLE; ITEM 604.4048	NO. 11; ITEM 655.1111	7857.30	10031.75



## STORM SEWER PIPE TABLE

PIPE TABLE						
NAME	SIZE	LENGTH	SLOPE	MATERIAL	FROM STRC	TO STRC
P-1	18"	121.29'	0.67%	SICPP		D-2
P-2	18"	117.49'	1.31%	SICPP	D-2	
P-3	18"	34.64'	1.81%	SICPP		D-4
P-4	12"	178.04'	0.57%	SICPP		
P-5	18"	124.12'	1.00%	SICPP		D-7
P-6	18"	102.29'	0.83%	SICPP	D-7	D-4
P-7	24"	133.51'	1.26%	SICPP	D-4	D-8
P-8	24"	52.06'	0.68%	SICPP	D-8	
P-9	12"	48.98'	2.00%	SICPP	D-10	D-11
P-10	12"	12.36'	1.00%	SICPP	D-11	D-12
P-11	12"	22.00'	0.50%	SICPP	D-13	D-12
P-11 (1)	12"	15.07'	0.73%	SICPP		
P-11 (2)	12"	36.86'	0.30%	SICPP		
P-12	24"	184.98'	0.50%	SICPP	D-12	D-14
P-13	12"	21.42'	1.00%	SICPP	D-15	D-14
P-14	12"	17.99'	1.00%	SICPP		D-15
P-15	24"	119.19'	0.50%	SICPP	D-14	D-18
P-16	12"	21.88'	1.97%	SICPP		D-18
P-17	24"	12.59'	0.50%	SICPP	D-18	D-17
P-18	24"	139.83'	0.49%	SICPP	D-17	D-31
P-19	24"	72.39'	6.17%	SICPP	D-31	D-21
P-20	18"	79.90'	2.75%	SICPP	D-22	
P-21	18"	26.31'	9.13%	SICPP		D-24
P-22	12"	39.75'	7.30%	SICPP		
P-23	12"	42.22'	6.87%	SICPP		
P-24	12"	61.91'	5.98%	SICPP	D-29	D-30
P-25	12"	37.89'	5.15%	SICPP	D-20	D-31
P-26	18"	225.35'	2.00%	SICPP	D-32	D-33

## GENERAL NOTES:

1. THE UNDERGROUND STRUCTURES AND UTILITIES SHOWN ON THESE AS-BUILT PLANS ARE BASED ON THE MAPPING PROVIDED BY NMB LAND SURVEYING PLLC, 20 TROY AVENUE, WYNANTSkill NY, 12198, RECEIVED VIA E-MAIL COMMUNICATION ON JUNE 4, 2021. MCFARLAND JOHNSON DOES NOT CERTIFY TO THE ACCURACY OF THEIR LOCATION AND/OR COMPLETENESS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFY THE LOCATION AND EXTENT OF ALL UNDERGROUND STRUCTURES AND UTILITIES PRIOR TO ANY DIGGING OR CONSTRUCTION ACTIVITIES IN THEIR VICINITY. THE CONTRACTOR SHALL HAVE ALL EXISTING UTILITIES FIELD STAKED BEFORE STARTING WORK BY CALLING 1-800-962-7962.
2. SURVEY SHOWN WAS PREPARED FROM AN APRIL 2021 FIELD SURVEY.
3. SURVEY SHOWN WAS PREPARED WITHOUT THE BENEFIT OF AN UP TO DATE ABSTRACT OF TITLE OR TITLE REPORT AND IS SUBJECT TO ANY STATEMENTS OF FACT THAT SUCH AN ABSTRACT OF TITLE OR TITLE REPORT MAY REVEAL.
4. UNAUTHORIZED ADDITION OR ALTERATION TO THIS SURVEY MAP IS A VIOLATION OF ARTICLE 145, SECTION 7202, SUB-PARAGRAPH 2 OF THE NEW YORK STATE EDUCATION LAW.
5. ONLY ORIGINAL COPIES OF THIS SURVEY MARKED WITH AN ORIGINAL LAND SURVEYOR'S STAMP AND SIGNATURE IN RED SHALL BE CONSIDERED TRUE AND VALID COPIES.
6. SURVEY SUBJECT TO ANY SUBSURFACE CONDITIONS THAT MAY EXIST, IF ANY.
7. PARCEL SUBJECT TO ANY SETBACKS, RESTRICTIONS, RIGHTS-OF-WAY (PUBLIC OR PRIVATE), EASEMENTS (PUBLIC OR PRIVATE), UTILITY EASEMENTS OF RECORD OR OTHERWISE THAT MAY AFFECT THE PREMISES SHOWN, IF ANY.
8. UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE AND BASED ON UTILITY EVIDENCE VISIBLE AT GROUND SURFACE AND ARE SUBJECT TO FIELD VERIFICATION BY EXCAVATION. UTILITIES SHOWN DO NOT IMPLY TO CONSTITUTE OR REPRESENT ALL UTILITIES UPON OR ADJACENT TO THE SURVEYED AREA. OTHER UTILITIES MAY EXIST, IF ANY.
9. VERTICAL DATUM USED FOR THIS SURVEY IS NAVD88.

ALL UNDERGROUND UTILITY INFORMATION IS APPROXIMATE AND FOR REFERENCE ONLY. LOCATIONS AND SIZING MUST BE FIELD VERIFIED PRIOR TO ANY WORK OR DISTURBANCE.



LEGEND:  
 CONTOUR LINE  
 END SECTION  
 DRAINAGE PIPE  
 DRAINAGE STRUCTURE

0 60 120 180 FT

AS-BUILT PLAN

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECT DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. IF AN ITEM BEARING THE STAMP OF A LICENSED PROFESSIONAL IS ALTERED, THE ALTERING ENGINEER, ARCHITECT, LANDSCAPE ARCHITECT, OR LAND SURVEYOR SHALL STAMP THE DOCUMENT AND INCLUDE THE NOTATION "ALTERED BY" FOLLOWED BY THEIR SIGNATURE, THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

SOUTH ISLAND APARTMENTS, LLC.  
 VILLAGE OF GREEN ISLAND, STATE OF NEW YORK  
 STARBUCK ISLAND REDEVELOPMENT

Drainage Plan

McFarland Johnson  
 60 RAILROAD PLACE, SUITE 402  
 SARATOGA SPRINGS, NY 12866

SCALE: 1" = 60' DESIGN: TCH  
 DRAWN: TCH PROJECT: 1832.00  
 CHECKED: AJF DATE: SEPT. 14, 2021  
 DR-01



McFarland Johnson

60 RAILROAD PLACE, SUITE 402  
 SARATOGA SPRINGS, NY 12866

# **Attachment 7**


## **Monitoring Well Locations**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

**LEGEND:**

- CONCRETE SIDEWALK
- STAMPED CONCRETE
- LIGHT-DUTY ASPHALT PAVEMENT
- HEAVY-DUTY ASPHALT PAVEMENT
- PROPOSED RIP RAP EROSION CONTROL
- MEAN HIGHER-HIGH WATER LEVEL
- PROPOSED RETAINING WALL
- PROPOSED PEDESTRIAN CROSSWALK
- PROPOSED SIGN
- NYS DEC PROPOSED GW WELL LOCATIONS



**NOTES:**

1. BASE MAP PROVIDED BY MCFARLAND JOHNSON. DRAWING TITLE: OVERALL SITE PLAN.  
DRAWING NO.: GP-01 REVISION 1 DATED 11/01/2018.
2. PROPOSED GROUND WATER WELL LOCATIONS ADDED FOR REFERENCE 10/6/2019.

## **APPENDIX B**

**Attachment 1      Annual Inspection Report**  
**Attachment 2      Manometer Readings**  
**Attachment 3      MW-3 & MW-33 Well Gauging**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

# **Attachment 1**

## **Annual Inspection Report**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204



349 Northern Blvd. Suite 3  
Albany, NY 12204  
Phone: 518.453.2203  
Fax: 518.689.4800

Date: 3/27/2024

Time: 10:30 – 11:00

Weather Overcast Temperature High 47

Low 41

## Site Inspection Report

Client	South Island Apartments, LLC	Project No.	<b>E17-1600</b>
Location	5-35 Starbuck Island Drive, Green Island, NY	Inspected By:	<b>Joe Braun, Environmental Scientist</b>
NYSDEC Site:	C401074		

*Please note any deficiencies, issues, or actions taken at the bottom of the page or on continuation pages*

Site Security	Circle one	Comments/Action Required	
1. Are there any signs of vandalism or unauthorized entry (odd tire tracks, damage to buildings, strange debris [bottles, cans, etc])?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
<b>If so, notify South Island Apartments, LLC immediately</b>			
<b>Wells</b>			
4. Are wells MW-32 and MW-33 intact?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
5. Are the wells covered (with lid or cap)?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
6. Are the wells bolted closed?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
<b>Site Maintenance</b>			
7. Is there any garbage or debris? If so, please remove/discard.	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
8. Is there visible dust?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
9. Does the grass need to be mowed?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
10. Do any areas need to be weeded or shrub cleared?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
11. Are there any bald spots in grassy areas?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
12. Are the roads, paths, and parking lots clear?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
13. Do any areas (site roads, paths, or parking lots) need to be plowed?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
14. Are there any sink holes throughout the site?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
15. Any odors onsite?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
<b>Soil Cover</b>			
17. Is the cover system intact (areas of grass, pavement, concrete-sidewalks)?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
18. If there are any issues observed with the cover system, describe below	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA		
<b>Sub-Slab Depressurization System (SSDS)</b>			
19. Are all manometers displaying negative pressure in all buildings?	Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA	Commercial building	
<b>If not, notify South Island Apartments, LLC immediately</b>			
		manometer "CE" reading 0.	
		Envirospec coordinating with	
		management on blower	
		settings.	

Signature of Inspector: *Joe Braun*

*Include General Site Observations and Follow-Up Actions on the Reverse*



349 Northern Blvd. Suite 3  
Albany, NY 12204  
Phone: 518.453.2203  
Fax: 518.689.4800

Date: **03/27/2023**  
Time: **10:30 – 11:00**

# Site Inspection Report

## *Continuation Page(s)*

Page 2 of 2

Client | South Island Apartments, LLC

Project No. **E17-1600**

Location 5-35 Starbuck Island Drive, Green Island, NY

Joe Braun

NYSDEC Site:	C401074
-----------------	---------

Inspected By: ***Environmental Scientist***

### **General Site Observations:**

JB onsite at 9:50

JB performing SSD system manometer checks for all buildings

JB Performing annual inspection at 10:30. General notes:

- Monitoring wells closed and in good condition
- No site conditions requiring maintenance onsite
- Cover system intact
- All manometers displaying negative pressure readings

JB onsite at 11:00

**Follow-up:** Indicate actions required, person(s) contacted, and dates for completion

**Signature of Inspector:** *Joe Braun*

## **Attachment 2**

### **Manometer Readings**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

Building Number	Date of Inspection: January 24, 2024		Date of Inspection: February 26, 2024		Date of Inspection: March 27, 2024	
	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
15 North	-0.4	Y	-0.4	Y	-0.45	Y
15 Middle	-0.15	Y	-0.2	Y	-0.15	Y
15 South	-0.4	Y	-0.4	Y	-0.4	Y
25A	-2.5	Y	-2.5	Y	-2.45	Y
25B	-2.4	Y	-2.4	Y	-2.4	Y
25C	-4.3	Y	-4.3	Y	-4.3	Y
25D	-4.5	Y	-4.5	Y	-4.5	Y
25E	-3.3	Y	-3.3	Y	-3.3	Y
30A	-1.5	Y	-1.55	Y	-1.5	Y
30B	-1.55	Y	-1.55	Y	-1.55	Y
30C	-1.8	Y	-1.8	Y	-1.8	Y
30D	-1.75	Y	-1.75	Y	-1.75	Y
30E	-1.7	Y	-1.7	Y	-1.7	Y
30F	-1.9	Y	-2.4	Y	-2.4	Y
30G	-2.15	Y	-2.15	Y	-2.15	Y
20A	-0.75	Y	-0.75	Y	-0.75	Y
20B	-1.7	Y	-1.65	Y	-1.7	Y
20C	-1.65	Y	-1.6	Y	-1.6	Y
20D	-1.3	Y	-1.3	Y	-1.3	Y
20E	-2.3	Y	-2.3	Y	-2.3	Y
20F	-1.5	Y	-1.45	Y	-1.5	Y
20G	-1.7	Y	-1.7	Y	-1.7	Y
20H	-1.15	Y	-1.15	Y	-1.1	Y
CA	-1	Y	-1	Y	-1	Y
CB	-1	Y	-1	Y	-1.05	Y
CC	-0.75	Y	-0.75	Y	-0.8	Y
CD	-1.05	Y	-1.05	Y	-1	Y
CE	0.05	Y	0	Y	0	Y

Building Number	Date of Inspection: January 19, 2023		Date of Inspection: February 27, 2023	
	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
15 North	-0.45	Y	-0.45	Y
15 Middle	-0.2	Y	-0.2	Y
15 South	-0.45	Y	-0.45	Y
25A	-2.5	Y	-2.5	Y
25B	-2.4	Y	-2.35	Y
25C	-4.25	Y	-4.3	Y
25D	-4.5	Y	-4.5	Y
25E	-3.35	Y	-3.35	Y
30A	-1.5	Y	-1.5	Y
30B	-1.55	Y	-1.5	Y
30C	-1.75	Y	-1.75	Y
30D	-1.7	Y	-1.7	Y
30E	-1.65	Y	-1.65	Y
30F	-2.35	Y	-2.35	Y
30G	-2.15	Y	-2.1	Y
20A	-0.75	Y	-0.7	Y
20B	-1.65	Y	-1.65	Y
20C	-1.6	Y	-1.6	Y
20D	-1.3	Y	-1.3	Y
20E	-2.3	Y	-2.3	Y
20F	-1.5	Y	-1.5	Y
20G	-1.7	Y	-1.7	Y
20H	-1.65	Y	-1.2	Y
CA	-1	Y	-1	Y
CB	-1	Y	-1	Y
CC	-0.75	Y	-0.75	Y
CD	-1.05	Y	-1.05	Y
CE	-0.05	Y	-0.1	Y

Date of Inspection: March 16, 2023		Date of Inspection: April 18, 2023	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.45	Y	-0.45	Y
-0.25	Y	-0.2	Y
-0.45	Y	-0.45	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.4	Y
-4.25	Y	-4.2	Y
-4.5	Y	-4.45	Y
-3.3	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.6	Y	-1.6	Y
-2.3	Y	-2.25	Y
-2.1	Y	-2.1	Y
-0.7	Y	-0.65	Y
-1.6	Y	-1.6	Y
-1.6	Y	-1.6	Y
-1.3	Y	-1.25	Y
-2.3	Y	-2.3	Y
-1.45	Y	-1.45	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.6	Y
-1	Y	-1	Y
-1	Y	-1.05	Y
-0.8	Y	-0.8	Y
-1	Y	-1.05	Y
-0.05	Y	-0.1	Y

Date of Inspection: May 23, 2023		Date of Inspection: June 14, 2023	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.45	Y	-0.4	Y
-0.2	Y	-0.2	Y
-0.4	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.4	Y	-2.35	Y
-4.25	Y	-4.2	Y
-4.5	Y	-4.4	Y
-3.3	Y	-3.3	Y
-1.55	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.65	Y	-1.6	Y
-2.3	Y	-2.25	Y
-2.1	Y	-2.1	Y
-0.75	Y	-0.7	Y
-1.65	Y	-1.6	Y
-1.6	Y	-1.55	Y
-1.3	Y	-1.25	Y
-2.3	Y	-2.3	Y
-1.45	Y	-1.4	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.1	Y
-1.05	Y	-1.05	Y
-1.1	Y	-1.05	Y
-0.8	Y	-0.8	Y
-1.1	Y	-1.1	Y
-0.05	Y	-0.2	Y

Date of Inspection: July 13, 2023		Date of Inspection: August 18, 2023	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.45	Y	-0.45	Y
-0.2	Y	-0.15	Y
-0.4	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.4	Y	-2.4	Y
-4.2	Y	-4.15	Y
-4.45	Y	-4.4	Y
-3.3	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.55	Y
-1.75	Y	-1.7	Y
-1.7	Y	-1.7	Y
-1.65	Y	-1.65	Y
-2.3	Y	-2.25	Y
-2.1	Y	-2.1	Y
-0.7	Y	-0.7	Y
-1.6	Y	-1.6	Y
-1.5	Y	-1.5	Y
-1.25	Y	-1.25	Y
-2.3	Y	-2.3	Y
-1.4	Y	-1.4	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.1	Y
-1	Y	-1.1	Y
-1.05	Y	-1.05	Y
-0.8	Y	-0.8	Y
-1.1	Y	-1.05	Y
-0.3	Y	-0.3	Y

Date of Inspection: September 22, 2023		Date of Inspection: October 18, 2023	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.45	Y	-0.4	Y
-0.2	Y	-0.15	Y
-0.4	Y	-0.4	Y
-2.25	Y	-2.5	Y
-2.4	Y	-2.35	Y
-4.3	Y	-4.2	Y
-4.5	Y	-4.35	Y
-3.35	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.55	Y	-1.5	Y
-1.8	Y	-1.75	Y
-1.75	Y	-1.7	Y
-1.7	Y	-1.65	Y
-2.35	Y	-2.3	Y
-2.15	Y	-2.1	Y
-0.7	Y	-0.7	Y
-1.65	Y	-1.65	Y
-1.6	Y	-1.6	Y
-1.3	Y	-1.25	Y
-2.35	Y	-2.3	Y
-1.5	Y	-1.45	Y
-1.7	Y	-1.7	Y
-1.15	Y	-1.1	Y
-1.1	Y	-1	Y
-1.1	Y	-1.05	Y
-0.85	Y	-0.8	Y
-1.1	Y	-1.05	Y
-0.15	Y	-0.2	Y

Date of Inspection: November 17, 2023		Date of Inspection: December 19, 2023	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.4	Y	-0.45	Y
-0.15	Y	-0.15	Y
-0.4	Y	-0.4	Y
-2.5	Y	-2.7	Y
-2.4	Y	-2.5	Y
-4.25	Y	-4.3	Y
-4.5	Y	-4.5	Y
-3.35	Y	-3.4	Y
-1.55	Y	-1.55	Y
-1.55	Y	-1.55	Y
-1.8	Y	-1.8	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-2.35	Y	-2.4	Y
-2.15	Y	-2.15	Y
-0.75	Y	-0.75	Y
-1.65	Y	-1.65	Y
-1.6	Y	-1.6	Y
-1.3	Y	-1.3	Y
-2.3	Y	-2.3	Y
-1.45	Y	-1.5	Y
-1.7	Y	-1.7	Y
-1.15	Y	-1.15	Y
-1	Y	-1	Y
-1.05	Y	-1	Y
-0.75	Y	-0.75	Y
-1.05	Y	-1.1	Y
-0.15	Y	-0.05	Y

Building Number	Date of Inspection: January 14, 2022		Date of Inspection: February 23, 2022	
	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
15 North	-0.45	Y	-0.5	Y
15 Middle	-0.2	Y	-0.2	Y
15 South	-0.4	Y	-0.45	Y
25A	-2.5	Y	-2.5	Y
25B	-2.35	Y	-2.35	Y
25C	-4.2	Y	-4.2	Y
25D	-4.5	Y	-4.4	Y
25E	-3.3	Y	-3.3	Y
30A	-1.5	Y	-1.5	Y
30B	-1.5	Y	-1.5	Y
30C	-1.75	Y	-1.75	Y
30D	-1.2	Y	-1.75	Y
30E	-1.1	Y	-1.6	Y
30F	-2.3	Y	-2.25	Y
30G	-2.3	Y	-2.1	Y
20A	-1.45	Y	-1.4	Y
20B	-1.7	Y	-1.7	Y
20C	-1.6	Y	-1.5	Y
20D	-1.25	Y	-1.25	Y
20E	-2.3	Y	-2.3	Y
20F	-1.4	Y	-1.4	Y
20G	-1.65	Y	-1.6	Y
20H	-1.1	Y	-1.1	Y
CA	-1	Y	-1	Y
CB	-1.1	Y	-1.05	Y
CC	-0.7	Y	-0.8	Y
CD	-1	Y	-1.1	Y
CE	-0.35	Y	-0.3	Y

Date of Inspection: March 15, 2022		Date of Inspection: April 13, 2022	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.45	Y	-0.45	Y
-0.2	Y	-0.2	Y
-0.45	Y	-0.45	Y
-2.5	Y	-2.55	Y
-2.35	Y	-2.35	Y
-4.25	Y	-4.25	Y
-4.5	Y	-4.5	Y
-3.3	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.6	Y	-1.6	Y
-2.3	Y	-2.3	Y
-2.1	Y	-2.1	Y
-1.45	Y	-1.45	Y
-1.6	Y	-1.6	Y
-1.55	Y	-1.55	Y
-1.35	Y	-1.25	Y
-2.25	Y	-2.25	Y
-1.4	Y	-1.35	Y
-1.65	Y	-1.65	Y
-1.15	Y	-1.1	Y
-1	Y	-1	Y
-1	Y	-1	Y
-0.7	Y	-0.7	Y
-1	Y	-1	Y
-0.3	Y	-0.2	Y

<i>Date of Inspection: May 12, 2022</i>		<i>Date of Inspection: June 22, 2022</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.45	Y	-0.45	Y
-0.2	Y	-0.2	Y
-0.45	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.35	Y
-4.2	Y	-4.2	Y
-4.5	Y	-4.5	Y
-3.3	Y	-3.3	Y
-1.45	Y	-1.45	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.6	Y	-1.6	Y
-2.25	Y	-2.3	Y
-2.5	Y	-2.1	Y
-1.45	Y	-0.7	Y
-1.6	Y	-1.6	Y
-1.5	Y	-1.55	Y
-1.25	Y	-1.25	Y
-2.25	Y	-2.3	Y
-1.35	Y	-1.4	Y
-1.6	Y	-1.65	Y
-1.1	Y	-1.15	Y
-1.05	Y	-1.05	Y
-1.1	Y	-1.05	Y
-0.75	Y	-0.75	Y
-1.1	Y	-1.1	Y
-0.2	Y	-0.3	Y

<i>Date of Inspection: July 20, 2022</i>		<i>Date of Inspection: August 24, 2022</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.4	Y	-0.45	Y
-0.2	Y	-0.2	Y
-0.4	Y	-0.45	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.4	Y
-4.15	Y	-4.15	Y
-4.4	Y	-4.4	Y
-3.3	Y	-3.25	Y
-1.45	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.7	Y	-1.75	Y
-1.65	Y	-1.7	Y
-1.6	Y	-1.65	Y
-2.2	Y	-2.25	Y
-2.05	Y	-2	Y
-0.65	Y	-0.65	Y
-1.55	Y	-1.6	Y
-1.5	Y	-1.5	Y
-1.25	Y	-1.25	Y
-2.25	Y	-2.35	Y
-1.35	Y	-1.4	Y
-1.6	Y	-1.65	Y
-1.1	Y	-1.15	Y
-1.1	Y	-1.05	Y
-1.05	Y	-1.1	Y
-0.8	Y	-0.85	Y
-1.1	Y	-1.1	Y
-0.5	Y	-0.4	Y

<i>Date of Inspection: September 16, 2022</i>		<i>Date of Inspection: October 17, 2022</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.45	Y	-0.45	Y
-0.2	Y	-0.25	Y
-0.4	Y	-0.45	Y
-2.5	Y	-2.55	Y
-2.4	Y	-2.4	Y
-4.25	Y	-4.25	Y
-4.5	Y	-4.5	Y
-3.35	Y	-3.35	Y
-1.5	Y	-1.55	Y
-1.55	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.65	Y	-1.6	Y
-2.25	Y	-2.3	Y
-2.1	Y	-2.15	Y
-0.7	Y	-0.7	Y
-1.6	Y	-1.6	Y
-1.55	Y	-1.6	Y
-1.25	Y	-1.25	Y
-2.3	Y	-2.3	Y
-1.4	Y	-1.4	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.15	Y
-1	Y	-1	Y
-1.05	Y	-1.05	Y
-0.85	Y	-0.8	Y
-1.1	Y	-1.05	Y
-0.3	Y	-0.35	Y

<i>Date of Inspection: November 10, 2022</i>		<i>Date of Inspection: December 22, 2022</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.45	Y	-0.45	Y
-0.25	Y	-0.25	Y
-0.45	Y	-0.5	Y
-2.5	Y	-2.55	Y
-2.35	Y	-2.4	Y
-4.3	Y	-4.3	Y
-4.5	Y	-4.5	Y
-3.35	Y	-3.35	Y
-1.5	Y	-1.55	Y
-1.5	Y	-1.6	Y
-1.75	Y	-1.8	Y
-1.7	Y	-1.75	Y
-1.65	Y	-1.65	Y
-2.3	Y	-2.35	Y
-2.15	Y	-2.15	Y
-0.75	Y	-0.75	Y
-1.65	Y	-1.65	Y
-1.6	Y	-1.65	Y
-1.3	Y	-1.25	Y
-2.35	Y	-2.4	Y
-1.45	Y	-1.5	Y
-1.7	Y	-1.65	Y
-1.15	Y	-1.15	Y
-1	Y	-1	Y
-1.05	Y	-1	Y
-0.8	Y	-0.75	Y
-1.05	Y	-1.05	Y
-0.2	Y	-0.15	Y

Building Number	Date of Inspection: January 28, 2021		Date of Inspection: February 22, 2021	
	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
15 North	-0.45	Y	-0.4	Y
15 Middle	-0.2	Y	-0.25	Y
15 South	-0.4	Y	-0.4	Y
25A	-2.5	Y	-2.45	Y
25B	-2.35	Y	-2.35	Y
25C	-4.15	Y	-4.1	Y
25D	-4.5	Y	-4.5	Y
25E	-3.2	Y	-3.25	Y
30A	-1.5	Y	-1.5	Y
30B	-1.5	Y	-1.5	Y
30C	-1.75	Y	-1.75	Y
30D	-1.7	Y	-1.65	Y
30E	-1.5	Y	-1.5	Y
30F	-2.3	Y	-2.3	Y
30G	-2.1	Y	-2.1	Y
20A	-1.4	Y	-1.4	Y
20B	-1.6	Y	-1.5	Y
20C	-1.5	Y	-1.5	Y
20D	-1.2	Y	-1.2	Y
20E	-2.2	Y	-2.25	Y
20F	-1.4	Y	-1.35	Y
20G	-1.7	Y	-1.65	Y
20H	-1	Y	-1.05	Y
CA	NA	NA	NA	NA
CB	NA	NA	NA	NA
CC	NA	NA	NA	NA
CD	NA	NA	NA	NA
CE	NA	NA	NA	NA

Date of Inspection: March 25, 2021		Date of Inspection: April 14, 2021	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.4	Y	-0.4	Y
-0.25	Y	-0.2	Y
-0.45	Y	-0.45	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.35	Y
-4.15	Y	-4.1	Y
-4.45	Y	-4.35	Y
-3.25	Y	-3.25	Y
-1.45	Y	-1.45	Y
-1.5	Y	-1.45	Y
-1.75	Y	-1.7	Y
-1.65	Y	-1.6	Y
-1.5	Y	-1.45	Y
-2.25	Y	-2.2	Y
-2.1	Y	-2	Y
-1.4	Y	-1.35	Y
-1.5	Y	-1.45	Y
-1.45	Y	-1.45	Y
-1.15	Y	-1.1	Y
-2.15	Y	-2.15	Y
-1.3	Y	-1.3	Y
-1.6	Y	-1.55	Y
-1	Y	-1	Y
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA

Date of Inspection: May 14, 2021		Date of Inspection: June 29, 2021	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.4	Y	-0.4	Y
-0.2	Y	-0.2	Y
-0.5	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.3	Y
-4.1	Y	-4.1	Y
-4.4	Y	-4.4	Y
-3.25	Y	-3.25	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.7	Y	-1.7	Y
-1.65	Y	-1.65	Y
-1.5	Y	-1.55	Y
-2.25	Y	-2.2	Y
-2.05	Y	-2.1	Y
-1.35	Y	-1.4	Y
-1.45	Y	-1.55	Y
-1.5	Y	-1.5	Y
-1.1	Y	-1.15	Y
-2.2	Y	-2.2	Y
-1.3	Y	-1.35	Y
-1.6	Y	-1.6	Y
-1	Y	-1.05	Y
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA

Date of Inspection: July 20, 2021		Date of Inspection: August 12, 2021	
Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)	Manometer Reading	Are visible system components (e.g. vent pipe, fan) intact? (Y/N)
-0.4	Y	-0.4	Y
-0.2	Y	-0.2	Y
-0.4	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.4	Y	-2.4	Y
-4.2	Y	-4.1	Y
-4.4	Y	-4.4	Y
-3.25	Y	-3.25	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.7	Y
-1.7	Y	-1.7	Y
-1.55	Y	-1.5	Y
-2.2	Y	-2.2	Y
-2.1	Y	-2	Y
-1.4	Y	-1.4	Y
-1.55	Y	-1.5	Y
-1.5	Y	-1.4	Y
-1.15	Y	-1.15	Y
-2.2	Y	-2.2	Y
-1.3	Y	-1.3	Y
-1.6	Y	-1.6	Y
-1.1	Y	-1.1	Y
-1.1	Y	-1.1	Y
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA

<i>Date of Inspection: September</i>		<i>Date of Inspection: October</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.4	Y	-0.45	Y
-0.2	Y	-0.2	Y
-0.4	Y	-0.45	Y
-2.5	Y	-2.5	Y
-2.4	Y	-2.3	Y
-4.2	Y	-4.2	Y
-4.5	Y	-4.5	Y
-3.3	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.75	Y	-1.75	Y
-1.7	Y	-1.7	Y
-1.6	Y	-1.6	Y
-2.2	Y	-2.25	Y
-2.1	Y	-2.1	Y
-1.4	Y	-1.4	Y
-1.55	Y	-1.55	Y
-1.5	Y	-1.5	Y
-1.25	Y	-1.2	Y
-2.25	Y	-2.25	Y
-1.3	Y	-1.35	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.1	Y
-1.1	Y	-1.1	Y
-1.1	Y	-1.1	Y
NA	NA	NA	NA
NA	NA	NA	NA
NA	NA	NA	NA

<i>Date of Inspection: November</i>		<i>Date of Inspection: December</i>	
<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>	<b>Manometer Reading</b>	<b>Are visible system components (e.g. vent pipe, fan) intact? (Y/N)</b>
-0.5	Y	-0.5	Y
-0.2	Y	-0.2	Y
-0.4	Y	-0.4	Y
-2.5	Y	-2.5	Y
-2.35	Y	-2.3	Y
-4.2	Y	-4.2	Y
-4.5	Y	-4.5	Y
-3.3	Y	-3.3	Y
-1.5	Y	-1.5	Y
-1.5	Y	-1.5	Y
-1.7	Y	-1.7	Y
-1.7	Y	-1.7	Y
-1.6	Y	-1.6	Y
-2.25	Y	-2.3	Y
-2.1	Y	-2.1	Y
-1.4	Y	-1.45	Y
-1.6	Y	-1.6	Y
-1.5	Y	-1.5	Y
-1.2	Y	-1.25	Y
-2.25	Y	-2.25	Y
-1.4	Y	-1.4	Y
-1.65	Y	-1.65	Y
-1.1	Y	-1.1	Y
-1	Y	-1.05	Y
-1.05	Y	-1.05	Y
-0.8	Y	-0.8	Y
-1.1	Y	-1.1	Y
NA	NA	-0.4	Y

## Attachment 3

### **MW-32 & MW-33 Well Gauging**



349 Northern Blvd. Suite 3 • Albany, NY 12204 • Phone: 518.453.2203 • Fax: 518.453.2204

**Gereen Island Monitoring Well - LNAPL Guaging - MW-32**

Date	Time	Depth to oil (ft bgs)	Depth to water (ft bgs)	Oil thickness (ft)	Notes
1/16/2020	9:50 AM	25.9	26	0.1	Prior to well purge High Tide: 7:24 AM
2/5/2020	12:14 PM	ND	27.25	0	High Tide: 11:25 AM
2/25/2020	11:00 AM	28.23	28.55	0.32	High Tide: 6:16 AM Low Tide: 12:52 PM
3/2/2020	8:48 AM	ND	26.87	0	High Tide: 10:35 PM
3/4/2020	8:50 AM	ND	26.7	0	Low Tide: 6:47 AM High Tide: 12:32 PM
3/5/2020	12:25 PM	ND	26.05	0	Low Tide: 7:42 AM High Tide: 1:30 PM
3/6/2020	8:55 AM	27.77	29.1	1.33	Low Tide: 8:36 AM High Tide: 2:25 PM
3/9/2020	9:15 AM	27.21	27.5	0.29	High Tide: 5:37 AM Low Tide: 12:10 PM
3/10/2020	8:53 AM	26.52	27	0.48	High Tide: 6:25 AM
3/10/2020	12:20 PM	28.27	28.64	0.37	Low Tide: 1:01 PM
3/11/2020	9:15 AM	27.4	27.41	0.01	High Tide: 7:14 AM
3/11/2020	1:55 PM	28.05	28.6	0.55	Low Tide: 1:52 PM
3/12/2020	9:40 AM	ND	26.1	0	High Tide: 8:03 AM
3/12/2020	2:40 PM	27.6	28.2	0.6	Low Tide: 2:44 PM
3/13/2020	9:05 AM	ND	24.9	0	High Tide: 8:52 AM
12/14/2021	1:37 PM	-	-	1.5	High Tide: 13:14
12/15/2021	8:20 AM	-	-	2	Low Tide: 8:18
4/13/2022	9:27 AM	26.9	28.10	1.20	Low Tide
4/13/2022	3:03 PM	24.8	24.85	0.05	High Tide
4/19/2022	2:34 PM	26.28	27.25	0.97	Low Tide
4/20/2022	7:19 AM	24	24.02	0.02	High Tide
4/20/2022	3:26 PM	26.17	26.67	0.50	Low Tide
9/7/2022	9:30 AM	ND	-	0.00	High Tide
9/7/2022	2:45 PM	26.61	26.66	0.05	Low Tide
12/21/2022	8:55 AM	ND	28.84	0.00	Low Tide
12/21/2022	2:18 PM	26.53	26.56	0.03	High Tide
3/16/2023	6:57 AM	ND	-	0.00	Low Tide
3/16/2023	12:08 PM	26.47	26.49	0.03	High Tide
6/1/2023	3:23 PM	27.43	27.44	0.01	High Tide
6/2/2023	10:58 AM	28.99	29.01	0.02	Low Tide
9/19/2023	2:18 PM	27.19	27.32	0.13	Low tide
9/20/2023	7:52 AM	27.26	27.36	0.10	High tide
12/19/2023	9:43 AM	17.30	17.68	0.38	High tide
12/19/2023	4:31 PM	17.75	18.01	0.26	Low tide
3/13/2024	7:20 AM	23.98	24.40	0.42	High tide
3/13/2024	3:05 PM	25.19	25.62	0.43	Low tide

**Gereen Island Monitoring Well - LNAPL Guaging - MW-33**

Date	Time	Depth to oil (ft bgs)	Depth to water (ft bgs)	Oil thickness (ft)	Notes
1/16/2020	8:40 AM	25.80	26.20	0.40	Prior to well purge High Tide: 7:24 AM
2/5/2020	12:25 PM	27.01	27.11	0.10	High Tide: 11:25 AM
2/5/2020	2:46 PM	27.01	27.11	0.10	High tide: 12:12 PM
2/25/2020	11:15 AM	28.54	30.45	1.91	Low Tide: 12:52 PM
2/25/2020	11:22 AM	28.60	30.60	2.00	Low Tide: 12:52 PM
2/25/2020	12:00 PM	29.60	31.80	2.20	Low Tide: 12:52 PM
2/26/2020	9:00 AM	27.20	28.10	0.90	High Tide: 6:54 AM
2/26/2020	1:15 PM	29.00	31.10	2.10	Low Tide: 1:36 PM
2/27/2020	12:10 PM	27.75	29.20	1.45	Low Tide: 2:21 PM
2/28/2020	8:50 AM	26.45	26.46	0.01	High Tide: 8:11 AM
2/28/2020	2:15 PM	27.60	29.70	2.10	Low Tide: 3:09 PM
3/2/2020	9:00 AM	ND	26.62	0.00	High Tide: 10:35 PM
3/4/2020	8:40 AM	26.75	26.80	0.05	Low Tide: 6:47 AM High Tide: 12:32 PM
3/5/2020	8:30 AM	27.10	31.30	4.20	Low Tide: 7:42 AM
3/5/2020	12:10 PM	ND	25.90	0.00	High Tide: 1:30 PM
3/6/2020	9:12 AM	27.81	30.98	3.17	Low Tide: 8:36 AM High Tide: 2:25 PM
3/9/2020	9:20 AM	27.36	29.98	2.62	High Tide: 5:37 AM Low Tide: 12:10 PM
3/10/2020	9:03 AM	26.93	28.59	1.66	High Tide: 6:25 AM
3/10/2020	12:28 PM	28.49	31.63	3.14	Low Tide: 1:01 PM
3/11/2020	9:05 AM	26.10	26.80	0.70	High Tide: 7:14 AM
3/11/2020	1:45 PM	28.15	31.20	3.05	Low Tide: 1:52 PM
3/12/2020	9:30 AM	25.75	26.10	0.35	High Tide: 8:03 AM
3/12/2020	2:50 PM	27.70	31.10	3.40	Low Tide: 2:44 PM
3/13/2020	9:15 AM	24.80	25.40	0.60	High Tide: 8:52 AM
12/14/2021	1:14 PM	ND	27.08	0.00	High Tide: 13:14
12/15/2021	8:18 AM	ND	29.00	0.00	Low Tide: 8:18
2/24/2022	9:50 AM	25.53	25.72	0.19	High Tide: 10:02 AM
2/24/2022	6:01 PM	26.58	27.07	0.49	Low Tide: 6:01 PM
4/13/2022	9:34 AM	26.55	30.55	4.00	Low Tide: 9:30 AM
4/13/2022	2:55 PM	24.55	26.50	1.95	High Tide: 3:00 PM
4/19/2022	2:26 PM	25.90	27.15	1.25	Low Tide
4/20/2022	7:25 AM	ND	23.85	0.00	High Tide
4/20/2022	3:20 PM	25.85	27.55	1.70	Low Tide
9/7/2022	9:25 AM	29.15	29.25	0.10	Low tide
9/7/2022	2:40 PM	26.46	26.55	0.09	High tide
12/21/2022	8:47 AM	28.83	30.37	1.54	Low tide
12/21/2022	2:11 PM	26.33	26.90	0.57	High tide
3/16/2023	6:50 AM	28.40	29.06	0.66	Low tide
3/16/2023	12:00 PM	26.22	26.85	0.63	High tide
6/1/2023	3:16 PM	27.59	27.60	0.01	High Tide
6/2/2023	11:03 AM	ND	29.01	0.00	Low Tide
9/19/2023	2:14 PM	ND	28.52	0.00	Low tide
9/20/2023	7:45 AM	ND	27.45	0.00	High tide
12/19/2023	9:50 AM	ND	27.77	0.00	High tide
12/19/2023	4:38 PM	ND	28.30	0.00	Low tide
3/13/2024	7:25 AM	ND	24.00	0.00	High tide
3/13/2024	2:50 PM	ND	26.72	0.00	Low tide