



September 16, 2022

Anthony Bollasina, P.G.
Assistant Geologist - Bureau D, Section D
New York State Department of Environmental Conservation
625 Broadway, 12th Floor
Albany, NY 12204

**RE: Weekly Progress Report (Week 18: September 5 - 9, 2022)
EJ Victory Building – 59 Lester Avenue, Johnson City, Broome County, New York
NYSDEC Site Number: C704060**

Dear Mr. Bollasina:

On behalf of EJ Victory Building, LLC, NEU-VELLE, LLC (NEU-VELLE) has prepared this Weekly Progress Update to summarize the work performed from September 5 - 9, 2022 at the EJ Victory Building project located at 59 Lester Avenue in the Village of Johnson City, New York (New York State Department of Environmental Conservation [NYSDEC] Brownfield Cleanup Program [BCP] Site #C704060).

SCOPE OF WORK

No excavation/remediation work occurred on Monday September 5 (Labor Day) or Friday September 9.

GENERAL PROTOCOLS

Whenever potentially-contaminated soil was being handled (excavated, staged, backfilled, etc.), NEU-VELLE observed the activities, noted any staining, odors, or sheens, screened soils for volatile vapors with a photo-ionization detector (PID), and conducted air monitoring for volatile vapors and particulates at locations upwind and downwind of the Work Area in accordance with the project's Community Air Monitoring Program (CAMP). Real-time air monitoring results were reported using telemetry technology coupled with instrument-supported (EnviroNet) software. Real-time alerts were programmed to notify NEU-VELLE personnel (via text message) when action levels were exceeded.

WORK ZONE #1 – HELEN DRIVE EXCAVATIONS

The activities that occurred along Helen Drive (on the south side of the Site) consisted of excavations associated with the installation of water lines, sanitary sewer lines, storm sewer lines, electrical conduit, and light poles; and grading / leveling for upcoming parking lot and roadway construction.

WORK ZONE #2 – AVENUE C EXCAVATIONS

No remediation / excavation activities occurred along Avenue C (on the north side of the Site) during the reporting period.

OBSERVATIONS

The following observations were noted during the reporting period:

- Wind strength and direction was variable. NEU-VELLE attempted to accurately place the upwind and downwind air monitoring stations, and frequently re-assessed the prevailing wind direction. However, the presence of the large subject building was conducive to swirling winds, and winds sometimes blew in the opposite direction for short periods of time.
- Construction activities unrelated to remediation (movement of large motorized lifts, forklifts, bobcats, etc., dumping of materials within dumpsters, etc.) created visible dust for short periods of time. This dust primarily consisted of fine powder created by the heavy equipment pulverizing stone on the asphalt roadways, and was exacerbated by sunny conditions, winds, and low humidity. Areas within the remediation work zone were wetted by use of a garden hose, as needed.
- No CAMP air monitoring alerts were triggered during the reporting period. None of the alerts were associated with remediation activities.
- On September 8, an existing monitoring well was encountered during the installation of a water line. The well riser was not disturbed, but the curb box had to be temporarily removed. The curb box was replaced over the riser after the excavation was complete. On-site wells will be properly abandoned in the coming weeks.

UPCOMING WORK


It is anticipated that excavations associated with the installation of water lines and electrical conduit will occur during the following week, along with asphalt removal and grading/leveling activities in the roadways and parking lots.

CLOSING


If you have any questions or comments pertaining to this report, please call me at (315) 345-1649 or e-mail me at rmckenna@neu-velle.com.

Sincerely,

NEU-VELLE, LLC



Richard D. "Rico" McKenna
Senior Project Manager



Albert G. Lyons, Jr., P.E.
Principal

Appendix A – Site Photographs
Appendix B – Daily Site Logs
Appendix C – CAMP Monitoring Logs
Appendix D – CAMP Data

APPENDIX A

SITE PHOTOGRAPHS

Photo Log - EJ Victory Remediation - Week 18



2022-09-06 09:27 42.1155611 N , 75.9529111 W
Installation of electric conduit along Helen Drive near Avenue B, looking north



2022-09-06 14:16 42.1157806 N , 75.9532250 W
Installation of electric conduit along Helen Drive near Avenue B, looking east



2022-09-07 13:10 42.1152611 N , 75.9515917 W
Installation of drainage lines along Helen Drive between Avenues A and B, looking north



2022-09-08 11:51 42.1147472 N , 75.9515222 W
Monitoring well near water line excavation by eastern end of building. Curb box temporarily removed but well riser was not disturbed.

Photo Log - EJ Victory Remediation - Week 18



2022-09-08 11:52 42.1152444 N , 75.9507222 W
Water line excavation by eastern end of building.



2022-09-08 11:52 42.1152694 N , 75.9507222 W
Installation of water line near east end of building. Note that the structures/elbows are not part of the installation.



2022-09-08 11:52 42.1152722 N , 75.9507139 W
Installation of water line near eastern end of building



2022-09-08 13:28 42.1152167 N , 75.9508444 W

APPENDIX B
DAILY SITE LOGS

Project No. 2022067.03 Date: 9-6-22
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704060
 Project Manager: Al Lyons, P.E. (585) 313-9683 Completed By: BD
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; Joe Carter (315) 956-4805; Brian Donnelly (607) 343-0630

Field Tasks Performed: Run Electric lines & Under Drains


General Contractor	Lechase	Don Beckley, Project Manager (607) 220-3050 Mike Passalugo, Superintendent (607) 343-3903	Emergency: 911 Police: (607) 729-9321 Hospital: (607) 763-6000
Excavation Contractor	Pritchard	Jeff Frost (607) 768-3582	
Other			

Env. Agency Present? Y N Name / Affiliation / Contact Info:

Other Visitors to Site:

TIME	DESCRIPTION / OBSERVATIONS	PID READING (if applicable)	
		OPEN AIR	HEADSPACE
7:00	Arrive on site Met to Determine work zone		
7:30	Set out and started CAMPS in parking lot		
7:55	Excavation starts for putting in Elec. conduct through parking lot and across Helen Dr toward North End of Victory Bldg	0.0	0.0
8:30	Start Excavating for Drainage line across Helen Dr an parallel to the Victory Bldg	0.0	0.0
11:40	Drain line in complete with Backfill		
12:15	Lunch		
12:45	Work conti with Elec. lines.		
1:00	Start on Drain line next section along Bldg	0.0	0.0
3:15	All work completed for Today CAMPS off and packing up		

Site Sketch & Notes (show north arrow, work area, excavation extents, sample locations, observations, etc.)



Other Relevant Forms (Boring Log, etc.): CAMP log

Weather/Site Conditions, Limiting Factors/Conditions, etc.: Cloudy light Rain 62-76°
win 2 N light

Project No. 2022067.03 Date: 9-7-22
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704060
 Project Manager: Al Lyons, P.E. (585) 313-9683 Completed By: BD
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; Joe Carter (315) 956-4805; Brian Donnelly (607) 343-0630


Field Tasks Performed: Drain lines front of Bldg / Remove Blacktop

General Contractor	Lechase	Don Beckley, Project Manager (607) 220-3050 Mike Passalugo, Superintendent (607) 343-3903	Emergency: 911 Police: (607) 729-9321 Hospital: (607) 763-6000
Excavation Contractor	Pritchard	Jeff Frost (607) 768-3582	
Other			

Env. Agency Present? Y N Name / Affiliation / Contact Info:

Other Visitors to Site:

TIME	DESCRIPTION / OBSERVATIONS	PID READING (if applicable)	
		OPEN AIR	HEADSPACE
7:00	Arrive Met for Determining Work Zone		
7:30	Set out and Startup CAMPS		
7:45	Start work excavating for Drain line in Front of Bldg about at Ave A.	0.0	0.0
8:00	Start Removing Remaining Blacktop from Helen Dr South End	0.0	0.0
9:40	Start on 2 nd Drain Line in next Area	0.0	0.0
12:00	Work Through Lunch		
1:55	2 nd Drain Line Completed		
2:0	Started excavation for another Drain line in the 3 rd section		
3:10	Work stopped on Drain for today		
3:15	Work complete on the Removal of Blacktop Shut Down and Packed up CAMPS		



Other Relevant Forms (Boring Log, etc.): CAMP log Cloudy w/ Rain Showers
 Weather/Site Conditions, Limiting Factors/Conditions, etc.: Temp 62-68°
 Wind N light - 10 mph

Project No. 2022067.03 Date: 7/8/22
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704060
 Project Manager: Al Lyons, P.E. (585) 313-9683 Completed By:
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; Joe Carter (315) 956-4805; Brian Donnelly (607) 343-0630


Field Tasks Performed: Water Line Connection on East Side of EJ from Helen Drive

General Contractor	Lechase	Don Beckley, Project Manager (607) 220-3050 Mike Passalugo, Superintendent (607) 343-3903	Emergency: 911 Police: (607) 729-9321 Hospital: (607) 763-6000
Excavation Contractor	Pritchard	Jeff Frost (607) 768-3582	
Other			

Env. Agency Present? Y N Name / Affiliation / Contact Info:

Other Visitors to Site:

TIME	DESCRIPTION / OBSERVATIONS	PID READING (if applicable)	
		OPEN AIR	HEADSPACE
8:00	On-site, determining work area Running connection to main from EJ near east tower		
9:00	Excavation begins, working North from Helen Drive	0.0ppm	
10:30	Encountered concrete block from installed electrical conduit, working around for excavation	0.0ppm	
12:00	Soils bear no gross contamination (no characteristics) Break for lunch, noticed disabled well cap near tower in work area		
1:00	Resume work		
1:45	Excavation complete, tear down CAMP		



Other Relevant Forms (Boring Log, etc.): CAMP log

Weather/Site Conditions, Limiting Factors/Conditions, etc.: Cloudy, 61°F to 77°F

APPENDIX C

CAMP MONITORING LOGS

CAMP MONITORING LOG

Work Zone #1


NV Project No. 2022067.03 Date: 9-6-22
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704060
 Project Manager: Al Lyons, P.E. (585) 313-9683 Completed By: BD
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; Joe Carter (315) 956-4805; Brian Donnelly (607) 343-0630

Construction Activities: Parking lot work

EQUIPMENT	MAKE	MODEL	SERIAL / ID #	
			UPWIND	DOWNWIND
DUST MONITOR	TSI	DustTrak II	FA02340	FA02505
PID	Honeywell	MiniRae 3000	FA01434	FA01603
COMMUNICATOR	Netronix	Thiarnis 1000	FA02823	FA02691

Prevailing Wind Direction: N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW NW NNW

TIME	ACTIVITY DESCRIPTION / OBSERVATIONS / RESPONSE	DUST READING		PID READING	
		Action Level = 0.100 mg/m ³ Stop Work Level = 0.150 mg/m ³		Action Level = 5 ppm Stop Work Level = 25 ppm	
		UPWIND	DOWNWIND	UPWIND	DOWNWIND
7:00	Arrived on site				
7:30	Set out + started CAMPS				
8:00	check Metens ok				
1:00	check on computer ok				
3:15	Shut Down and Pack up				



Comments (Weather, Limiting Factors/Conditions, etc.): Clouds light Rain 62-76°
wind N light

NV Project No: 2022067.03 Date: 9-7-22
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704060
 Project Manager: Al Lyons, P.E. (505) 313-9683 Completed By: R.R.
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; Joe Carter (315) 956-4805; Brian Donnelly (607) 343-0630


Construction Activities: Drain Lines + Blacktop Removal

EQUIPMENT	MAKE	MODEL	SERIAL / ID #	
			UPWIND	DOWNWIND
DUST MONITOR	TSI	DustTrak II	FA02340	FA02505
PID	Honeywell	MiniRae 3000	FA01434	FA01603
COMMUNICATOR	Netronix	Thiamis 1000	FA02823	FA02691

Prevailing Wind Direction: N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW NW NNW

TIME	ACTIVITY DESCRIPTION / OBSERVATIONS / RESPONSE	DUST READING		PID READING	
		Action Level = 0.100 mg/m ³ Stop Work Level = 0.180 mg/m ³		Action Level = 5 ppm Stop Work Level = 25 ppm	
		UPWIND	DOWNWIND	UPWIND	DOWNWIND
7:00	Arrive on Site				
7:30	Set up + Start CAMPs				
7:45	work started				
8:00	check Meters OK				
11:20	check on Computer				
2:00	checked compute				
3:15	Shut Down + Packed up				

Site Sketch & Notes (show north arrow, work area, wind direction, and monitoring stations)



Comments (Weather, Limiting Factors/Conditions, etc.): Cloudy w/ Rain Showers Through AM
 Temp 62-68° Wind N light - 10 mph

NV Project No. 2022067.03 Date: 9/8/12
 Project Name: EJ Victory - Remedial Oversight/CAMP Client: EJ Victory Building, LLC / Paulus (315) 416-9566
 Site Location: 59 Lester Ave, Johnson City, NY Agency Site ID (BCP, etc.) BCP#: C704080
 Project Manager: Al Lyons, P.E. (585) 313-9683 Completed By:
 Other NEU-VELLE Rep(s): Rich McKenna (315) 345-1649; [Joe Carter (315) 956-4805]; Brian Donnelly (607) 343-0630

Construction Activities: *Water Line Connection on East Side of EJ from Helen Drive*

EQUIPMENT	MAKE	MODEL	SERIAL / ID #	
			UPWIND	DOWNWIND
DUST MONITOR	TSI	DustTrak II	FA02340	FA02505
PID	Honeywell	MiniRae 3000	FA01434	FA01603
COMMUNICATOR	Netronix	Thermis 1000	FA02823	FA02691

Prevailing Wind Direction: N NNE NE ENE E ESE SE SSE S SSW SW WSW W WNW NW NNW

TIME	ACTIVITY DESCRIPTION / OBSERVATIONS / RESPONSE	DUST READING		PID READING	
		Action Level = 0.300 mg/m ³ Stop Work Level = 0.180 mg/m ³		Action Level = 5 ppm Stop Work Level = 25 ppm	
		UPWIND	DOWNWIND	UPWIND	DOWNWIND
8:00	Onsite				
9:00	Work begins, set up CAMPS				
10:30	Work continues				
12:00	Lunch				
1:00	Resume work				
1:45	Examiner complete for Dem Camp				

Site Sketch & Notes (show north arrow, work area, wind direction, and monitoring stations)



Comments (Weather, Limiting Factors/Conditions, etc.): *Cloudy, 61°F to 77°F*

APPENDIX D

CAMP DATA

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 7:33			0	0		0
9/6/2022 7:34	0.008		-0.008	0		0
9/6/2022 7:35	0.009		-0.009	0		0
9/6/2022 7:36	0.0097		-0.0097	0		0
9/6/2022 7:37	0.01		-0.01	0		0
9/6/2022 7:38	0.0102		-0.0102	0		0
9/6/2022 7:39	0.0102		-0.0102	0		0
9/6/2022 7:40	0.0103		-0.0103	0		0
9/6/2022 7:41	0.0104		-0.0104	0		0
9/6/2022 7:42	0.0104		-0.0104	0		0
9/6/2022 7:43	0.0105		-0.0105	0		0
9/6/2022 7:44	0.0105		-0.0105	0		0
9/6/2022 7:45	0.0106		-0.0106	0		0
9/6/2022 7:46	0.0106		-0.0106	0		0
9/6/2022 7:47	0.0106		-0.0106	0		0
9/6/2022 7:48	0.0105		-0.0105	0	0	0
9/6/2022 7:49	0.0107	0.011	0.0003	0	0	0
9/6/2022 7:50	0.0107	0.011	0.0003	0	0	0
9/6/2022 7:51	0.0106	0.011	0.0004	0	0	0
9/6/2022 7:52	0.0105	0.011	0.0005	0	0	0
9/6/2022 7:53	0.0105	0.011	0.0005	0	0	0
9/6/2022 7:54	0.0105	0.0112	0.0007	0	0	0
9/6/2022 7:55	0.0103	0.0113	0.001	0	0	0
9/6/2022 7:56	0.0102	0.0112	0.001	0	0	0
9/6/2022 7:57	0.0101	0.0112	0.0011	0	0	0
9/6/2022 7:58	0.01	0.0112	0.0012	0	0	0
9/6/2022 7:59	0.0099	0.0112	0.0013	0	0	0
9/6/2022 8:00	0.0099	0.0112	0.0013	0	0	0
9/6/2022 8:01	0.0098	0.0112	0.0014	0	0	0
9/6/2022 8:02	0.0097	0.0111	0.0014	0	0	0
9/6/2022 8:03	0.0095	0.0113	0.0018	0	0	0
9/6/2022 8:04	0.0095	0.0113	0.0018	0	0	0
9/6/2022 8:05	0.0094	0.0113	0.0019	0	0	0
9/6/2022 8:06	0.0093	0.0115	0.0022	0	0	0
9/6/2022 8:07	0.0091	0.0116	0.0025	0	0	0
9/6/2022 8:08	0.0091	0.0117	0.0026	0	0	0
9/6/2022 8:09	0.0089	0.0117	0.0028	0	0	0
9/6/2022 8:10	0.0089	0.0117	0.0028	0	0	0
9/6/2022 8:11	0.0089	0.0117	0.0028	0	0	0
9/6/2022 8:12	0.0089	0.0119	0.003	0	0	0
9/6/2022 8:13	0.0087	0.0121	0.0034	0	0	0
9/6/2022 8:14	0.0086	0.0121	0.0035	0	0	0
9/6/2022 8:15	0.0085	0.012	0.0035	0	0	0
9/6/2022 8:16	0.0083	0.0119	0.0036	0	0	0
9/6/2022 8:17	0.0081	0.012	0.0039	0	0	0
9/6/2022 8:18	0.008	0.0119	0.0039	0	0	0
9/6/2022 8:19	0.0078	0.0119	0.0041	0	0	0
9/6/2022 8:20	0.0076	0.012	0.0044	0	0	0
9/6/2022 8:21	0.0075	0.0119	0.0044	0	0	0
9/6/2022 8:22	0.0073	0.0119	0.0046	0	0	0
9/6/2022 8:23	0.0072	0.0119	0.0047	0	0	0
9/6/2022 8:24	0.007	0.0119	0.0049	0	0	0
9/6/2022 8:25	0.0068	0.0118	0.005	0	0	0
9/6/2022 8:26	0.0065	0.0117	0.0052	0	0	0
9/6/2022 8:27	0.0063	0.0115	0.0052	0	0	0
9/6/2022 8:28	0.0061	0.0114	0.0053	0	0	0
9/6/2022 8:29	0.0059	0.0114	0.0055	0	0	0
9/6/2022 8:30	0.0057	0.0115	0.0058	0	0	0
9/6/2022 8:31	0.0055	0.0115	0.006	0	0	0
9/6/2022 8:32	0.0053	0.0115	0.0062	0	0	0
9/6/2022 8:33	0.0053	0.0114	0.0061	0	0	0
9/6/2022 8:34	0.0051	0.0113	0.0062	0	0	0
9/6/2022 8:35	0.0049	0.0111	0.0062	0	0	0
9/6/2022 8:36	0.0047	0.0108	0.0061	0	0	0
9/6/2022 8:37	0.0046	0.0105	0.0059	0	0	0
9/6/2022 8:38	0.0043	0.0103	0.006	0	0	0
9/6/2022 8:39	0.0042	0.0101	0.0059	0	0	0
9/6/2022 8:40	0.0041	0.0099	0.0058	0	0	0
9/6/2022 8:41	0.004	0.0097	0.0057	0	0	0
9/6/2022 8:42	0.0039	0.0095	0.0056	0	0	0
9/6/2022 8:43	0.0037	0.0093	0.0056	0	0	0
9/6/2022 8:44	0.0036	0.0093	0.0057	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 8:45	0.0035	0.0094	0.0059	0	0	0
9/6/2022 8:46	0.0034	0.0093	0.0059	0	0	0
9/6/2022 8:47	0.0033	0.0095	0.0062	0	0	0
9/6/2022 8:48	0.0034	0.0097	0.0063	0	0	0
9/6/2022 8:49	0.0035	0.0099	0.0064	0	0	0
9/6/2022 8:50	0.0036	0.0102	0.0066	0	0	0
9/6/2022 8:51	0.0038	0.0105	0.0067	0	0	0
9/6/2022 8:52	0.0039	0.0107	0.0068	0	0	0
9/6/2022 8:53	0.0041	0.011	0.0069	0	0	0
9/6/2022 8:54	0.0043	0.0113	0.007	0	0	0
9/6/2022 8:55	0.0045	0.0116	0.0071	0	0	0
9/6/2022 8:56	0.0047	0.0119	0.0072	0	0	0
9/6/2022 8:57	0.0049	0.0122	0.0073	0	0	0
9/6/2022 8:58	0.005	0.0126	0.0076	0	0	0
9/6/2022 8:59	0.0052	0.0138	0.0086	0	0	0
9/6/2022 9:00	0.0053	0.0138	0.0085	0	0	0
9/6/2022 9:01	0.0055	0.0139	0.0084	0	0	0
9/6/2022 9:02	0.0056	0.0137	0.0081	0	0	0
9/6/2022 9:03	0.0054	0.0135	0.0081	0	0	0
9/6/2022 9:04	0.0052	0.0133	0.0081	0	0	0
9/6/2022 9:05	0.0051	0.013	0.0079	0	0	0
9/6/2022 9:06	0.0049	0.0128	0.0079	0	0	0
9/6/2022 9:07	0.0047	0.0127	0.008	0	0	0
9/6/2022 9:08	0.0045	0.0125	0.008	0	0	0
9/6/2022 9:09	0.0042	0.0123	0.0081	0	0	0
9/6/2022 9:10	0.0039	0.0119	0.008	0	0	0
9/6/2022 9:11	0.0036	0.0117	0.0081	0	0	0
9/6/2022 9:12	0.0033	0.0115	0.0082	0	0	0
9/6/2022 9:13	0.0031	0.0111	0.008	0	0	0
9/6/2022 9:14	0.0029	0.01	0.0071	0	0	0
9/6/2022 9:15	0.0027	0.0097	0.007	0	0	0
9/6/2022 9:16	0.0025	0.0097	0.0072	0	0	0
9/6/2022 9:17	0.0023	0.0099	0.0076	0	0	0
9/6/2022 9:18	0.0022	0.01	0.0078	0	0	0
9/6/2022 9:19	0.0021	0.01	0.0079	0	0	0
9/6/2022 9:20	0.002	0.01	0.008	0	0	0
9/6/2022 9:21	0.0019	0.0099	0.008	0	0	0
9/6/2022 9:22	0.0019	0.0099	0.008	0	0	0
9/6/2022 9:23	0.0017	0.01	0.0083	0	0	0
9/6/2022 9:24	0.0017	0.0101	0.0084	0	0	0
9/6/2022 9:25	0.0017	0.0101	0.0084	0	0	0
9/6/2022 9:26	0.0017	0.0102	0.0085	0	0	0
9/6/2022 9:27	0.0018	0.0106	0.0088	0	0	0
9/6/2022 9:28	0.0019	0.0107	0.0088	0	0	0
9/6/2022 9:29	0.0019	0.0108	0.0089	0	0	0
9/6/2022 9:30	0.002	0.0111	0.0091	0	0	0
9/6/2022 9:31	0.002	0.0112	0.0092	0	0	0
9/6/2022 9:32	0.002	0.011	0.009	0	0	0
9/6/2022 9:33	0.002	0.0109	0.0089	0	0	0
9/6/2022 9:34	0.0021	0.0109	0.0088	0	0	0
9/6/2022 9:35	0.0022	0.0109	0.0087	0	0	0
9/6/2022 9:36	0.0022	0.011	0.0088	0	0	0
9/6/2022 9:37	0.0021	0.0111	0.009	0	0	0
9/6/2022 9:38	0.0022	0.011	0.0088	0	0	0
9/6/2022 9:39	0.0023	0.0109	0.0086	0	0	0
9/6/2022 9:40	0.0023	0.011	0.0087	0	0	0
9/6/2022 9:41	0.0024	0.0109	0.0085	0	0	0
9/6/2022 9:42	0.0024	0.0104	0.008	0	0	0
9/6/2022 9:43	0.0023	0.0102	0.0079	0	0	0
9/6/2022 9:44	0.0023	0.0099	0.0076	0	0	0
9/6/2022 9:45	0.0022	0.0096	0.0074	0	0	0
9/6/2022 9:46	0.0021	0.0093	0.0072	0	0	0
9/6/2022 9:47	0.002	0.0091	0.0071	0	0	0
9/6/2022 9:48	0.0019	0.0089	0.007	0	0	0
9/6/2022 9:49	0.0018	0.0089	0.0071	0	0	0
9/6/2022 9:50	0.0017	0.0089	0.0072	0	0	0
9/6/2022 9:51	0.0017	0.0088	0.0071	0	0	0
9/6/2022 9:52	0.0016	0.0088	0.0072	0	0	0
9/6/2022 9:53	0.0015	0.0087	0.0072	0	0	0
9/6/2022 9:54	0.0014	0.0086	0.0072	0	0	0
9/6/2022 9:55	0.0013	0.0085	0.0072	0	0	0
9/6/2022 9:56	0.001	0.0085	0.0075	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 9:57	0.0008	0.0086	0.0078	0	0	0
9/6/2022 9:58	0.0007	0.0087	0.008	0	0	0
9/6/2022 9:59	0.0005	0.0087	0.0082	0	0	0
9/6/2022 10:00	0.0013	0.0088	0.0075	0	0	0
9/6/2022 10:01	0.0017	0.0088	0.0071	0	0	0
9/6/2022 10:02	0.0018	0.0089	0.0071	0	0	0
9/6/2022 10:03	0.0019	0.0092	0.0073	0	0	0
9/6/2022 10:04	0.0019	0.0094	0.0075	0	0	0
9/6/2022 10:05	0.0019	0.0095	0.0076	0	0	0
9/6/2022 10:06	0.0019	0.0095	0.0076	0	0	0
9/6/2022 10:07	0.0019	0.0095	0.0076	0	0	0
9/6/2022 10:08	0.002	0.0097	0.0077	0	0	0
9/6/2022 10:09	0.0021	0.0098	0.0077	0	0	0
9/6/2022 10:10	0.0023	0.0099	0.0076	0	0	0
9/6/2022 10:11	0.0024	0.0098	0.0074	0	0	0
9/6/2022 10:12	0.0025	0.0098	0.0073	0	0	0
9/6/2022 10:13	0.0027	0.0098	0.0071	0	0	0
9/6/2022 10:14	0.0029	0.0098	0.0069	0	0	0
9/6/2022 10:15	0.0021	0.0098	0.0077	0	0	0
9/6/2022 10:16	0.0017	0.0097	0.008	0	0	0
9/6/2022 10:17	0.0021	0.0097	0.0076	0	0	0
9/6/2022 10:18	0.0021	0.0094	0.0073	0	0	0
9/6/2022 10:19	0.0021	0.0092	0.0071	0	0	0
9/6/2022 10:20	0.0023	0.009	0.0067	0	0	0
9/6/2022 10:21	0.0023	0.0089	0.0066	0	0	0
9/6/2022 10:22	0.0023	0.0087	0.0064	0	0	0
9/6/2022 10:23	0.0023	0.0086	0.0063	0	0	0
9/6/2022 10:24	0.0023	0.0086	0.0063	0	0	0
9/6/2022 10:25	0.0021	0.0086	0.0065	0	0	0
9/6/2022 10:26	0.0021	0.0087	0.0066	0	0	0
9/6/2022 10:27	0.0021	0.0087	0.0066	0	0	0
9/6/2022 10:28	0.002	0.0087	0.0067	0	0	0
9/6/2022 10:29	0.0019	0.0087	0.0068	0	0	0
9/6/2022 10:30	0.0017	0.0087	0.007	0	0	0
9/6/2022 10:31	0.0017	0.0087	0.007	0	0	0
9/6/2022 10:32	0.0012	0.0087	0.0075	0	0	0
9/6/2022 10:33	0.0011	0.0096	0.0085	0	0	0
9/6/2022 10:34	0.0011	0.0102	0.0091	0	0	0
9/6/2022 10:35	0.0009	0.0107	0.0098	0	0	0
9/6/2022 10:36	0.0009	0.0107	0.0098	0	0	0
9/6/2022 10:37	0.0008	0.0107	0.0099	0	0	0
9/6/2022 10:38	0.0007	0.0107	0.01	0	0	0
9/6/2022 10:39	0.0007	0.0106	0.0099	0	0	0
9/6/2022 10:40	0.0007	0.0105	0.0098	0	0	0
9/6/2022 10:41	0.0005	0.0105	0.01	0	0	0
9/6/2022 10:42	0.0005	0.0104	0.0099	0	0	0
9/6/2022 10:43	0.0004	0.0103	0.0099	0	0	0
9/6/2022 10:44	0.0004	0.0103	0.0099	0	0	0
9/6/2022 10:45	0.0018	0.0104	0.0086	0	0	0
9/6/2022 10:46	0.0029	0.0104	0.0075	0	0	0
9/6/2022 10:47	0.0033	0.0104	0.0071	0	0	0
9/6/2022 10:48	0.0034	0.0095	0.0061	0	0	0
9/6/2022 10:49	0.0034	0.0089	0.0055	0	0	0
9/6/2022 10:50	0.0034	0.0085	0.0051	0	0	0
9/6/2022 10:51	0.0034	0.0085	0.0051	0	0	0
9/6/2022 10:52	0.0035	0.0086	0.0051	0	0	0
9/6/2022 10:53	0.0036	0.0087	0.0051	0	0	0
9/6/2022 10:54	0.0036	0.0087	0.0051	0	0	0
9/6/2022 10:55	0.0037	0.0088	0.0051	0	0	0
9/6/2022 10:56	0.0038	0.0089	0.0051	0	0	0
9/6/2022 10:57	0.0039	0.009	0.0051	0	0	0
9/6/2022 10:58	0.0041	0.0092	0.0051	0	0	0
9/6/2022 10:59	0.0041	0.0095	0.0054	0	0	0
9/6/2022 11:00	0.0027	0.0094	0.0067	0	0	0
9/6/2022 11:01	0.0017	0.0094	0.0077	0	0	0
9/6/2022 11:02	0.0014	0.0094	0.008	0	0	0
9/6/2022 11:03	0.0013	0.0095	0.0082	0	0	0
9/6/2022 11:04	0.0013	0.0095	0.0082	0	0	0
9/6/2022 11:05	0.0013	0.0095	0.0082	0	0	0
9/6/2022 11:06	0.0013	0.0095	0.0082	0	0	0
9/6/2022 11:07	0.0013	0.0095	0.0082	0	0	0
9/6/2022 11:08	0.0011	0.0095	0.0084	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 11:09	0.0011	0.0095	0.0084	0	0	0
9/6/2022 11:10	0.0011	0.0098	0.0087	0	0	0
9/6/2022 11:11	0.001	0.0101	0.0091	0	0	0
9/6/2022 11:12	0.0009	0.0102	0.0093	0	0	0
9/6/2022 11:13	0.0007	0.0101	0.0094	0	0	0
9/6/2022 11:14	0.0007	0.0098	0.0091	0	0	0
9/6/2022 11:15	0.0006	0.0097	0.0091	0	0	0
9/6/2022 11:16	0.0005	0.0097	0.0092	0	0	0
9/6/2022 11:17	0.0005	0.0098	0.0093	0	0	0
9/6/2022 11:18	0.0004	0.0098	0.0094	0	0	0
9/6/2022 11:19	0.0003	0.0097	0.0094	0	0	0
9/6/2022 11:20	0.0003	0.0097	0.0094	0	0	0
9/6/2022 11:21	0.0002	0.0097	0.0095	0	0	0
9/6/2022 11:22	0.0002	0.0097	0.0095	0	0	0
9/6/2022 11:23	0.0003	0.0097	0.0094	0	0	0
9/6/2022 11:24	0.0003	0.0097	0.0094	0	0	0
9/6/2022 11:25	0.0002	0.0094	0.0092	0	0	0
9/6/2022 11:26	0.0002	0.0092	0.009	0	0	0
9/6/2022 11:27	0.0003	0.0091	0.0088	0	0	0
9/6/2022 11:28	0.0003	0.0092	0.0089	0	0	0
9/6/2022 11:29	0.0004	0.0093	0.0089	0	0	0
9/6/2022 11:30	0.0005	0.0094	0.0089	0	0	0
9/6/2022 11:31	0.0006	0.0095	0.0089	0	0	0
9/6/2022 11:32	0.0007	0.0095	0.0088	0	0	0
9/6/2022 11:33	0.0008	0.0096	0.0088	0	0	0
9/6/2022 11:34	0.0011	0.0102	0.0091	0	0	0
9/6/2022 11:35	0.0013	0.0104	0.0091	0	0	0
9/6/2022 11:36	0.0015	0.0106	0.0091	0	0	0
9/6/2022 11:37	0.0015	0.0107	0.0092	0	0	0
9/6/2022 11:38	0.0017	0.0107	0.009	0	0	0
9/6/2022 11:39	0.0017	0.0109	0.0092	0	0	0
9/6/2022 11:40	0.0019	0.0111	0.0092	0	0	0
9/6/2022 11:41	0.0021	0.0111	0.009	0	0	0
9/6/2022 11:42	0.0022	0.0111	0.0089	0	0	0
9/6/2022 11:43	0.0024	0.011	0.0086	0	0	0
9/6/2022 11:44	0.0026	0.0109	0.0083	0	0	0
9/6/2022 11:45	0.0027	0.0109	0.0082	0	0	0
9/6/2022 11:46	0.0029	0.011	0.0081	0	0	0
9/6/2022 11:47	0.0031	0.0109	0.0078	0	0	0
9/6/2022 11:48	0.0032	0.011	0.0078	0	0	0
9/6/2022 11:49	0.0031	0.0112	0.0081	0	0	0
9/6/2022 11:50	0.0029	0.0113	0.0084	0	0	0
9/6/2022 11:51	0.003	0.0115	0.0085	0	0	0
9/6/2022 11:52	0.0031	0.0116	0.0085	0	0	0
9/6/2022 11:53	0.0031	0.0117	0.0086	0	0	0
9/6/2022 11:54	0.0031	0.0116	0.0085	0	0	0
9/6/2022 11:55	0.0031	0.0115	0.0084	0	0	0
9/6/2022 11:56	0.0031	0.0113	0.0082	0	0	0
9/6/2022 11:57	0.0029	0.0113	0.0084	0	0	0
9/6/2022 11:58	0.0027	0.0114	0.0087	0	0	0
9/6/2022 11:59	0.0026	0.0114	0.0088	0	0	0
9/6/2022 12:00	0.0025	0.0114	0.0089	0	0	0
9/6/2022 12:01	0.0025	0.0113	0.0088	0	0	0
9/6/2022 12:02	0.0024	0.0113	0.0089	0	0	0
9/6/2022 12:03	0.0023	0.0113	0.009	0	0	0
9/6/2022 12:04	0.0023	0.0106	0.0083	0	0	0
9/6/2022 12:05	0.0023	0.0104	0.0081	0	0	0
9/6/2022 12:06	0.0023	0.0101	0.0078	0	0	0
9/6/2022 12:07	0.0023	0.01	0.0077	0	0	0
9/6/2022 12:08	0.0023	0.01	0.0077	0	0	0
9/6/2022 12:09	0.0023	0.0101	0.0078	0	0	0
9/6/2022 12:10	0.0024	0.0102	0.0078	0	0	0
9/6/2022 12:11	0.0024	0.0103	0.0079	0	0	0
9/6/2022 12:12	0.0025	0.0104	0.0079	0	0	0
9/6/2022 12:13	0.0026	0.0104	0.0078	0	0	0
9/6/2022 12:14	0.0027	0.0105	0.0078	0	0	0
9/6/2022 12:15	0.0027	0.0105	0.0078	0	0	0
9/6/2022 12:16	0.0027	0.0105	0.0078	0	0	0
9/6/2022 12:17	0.0025	0.0105	0.008	0	0	0
9/6/2022 12:18	0.0025	0.0105	0.008	0	0	0
9/6/2022 12:19	0.0025	0.0105	0.008	0	0	0
9/6/2022 12:20	0.0025	0.0104	0.0079	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 12:21	0.0025	0.0104	0.0079	0	0	0
9/6/2022 12:22	0.0023	0.0104	0.0081	0	0	0
9/6/2022 12:23	0.0022	0.0103	0.0081	0	0	0
9/6/2022 12:24	0.0021	0.0102	0.0081	0	0	0
9/6/2022 12:25	0.0019	0.0102	0.0083	0	0	0
9/6/2022 12:26	0.0019	0.0101	0.0082	0	0	0
9/6/2022 12:27	0.0018	0.0101	0.0083	0	0	0
9/6/2022 12:28	0.0017	0.0101	0.0084	0	0	0
9/6/2022 12:29	0.0016	0.0101	0.0085	0	0	0
9/6/2022 12:30	0.0015	0.0101	0.0086	0	0	0
9/6/2022 12:31	0.0014	0.0101	0.0087	0	0	0
9/6/2022 12:32	0.0014	0.0101	0.0087	0	0	0
9/6/2022 12:33	0.0014	0.0102	0.0088	0	0	0
9/6/2022 12:34	0.0013	0.0102	0.0089	0	0	0
9/6/2022 12:35	0.0013	0.0102	0.0089	0	0	0
9/6/2022 12:36	0.0012	0.0101	0.0089	0	0	0
9/6/2022 12:37	0.0012	0.0101	0.0089	0	0	0
9/6/2022 12:38	0.0012	0.0101	0.0089	0	0	0
9/6/2022 12:39	0.0011	0.01	0.0089	0	0	0
9/6/2022 12:40	0.0011	0.0099	0.0088	0	0	0
9/6/2022 12:41	0.0011	0.0098	0.0087	0	0	0
9/6/2022 12:42	0.0011	0.0097	0.0086	0	0	0
9/6/2022 12:43	0.0011	0.0097	0.0086	0	0	0
9/6/2022 12:44	0.0009	0.0096	0.0087	0	0	0
9/6/2022 12:45	0.0009	0.0095	0.0086	0	0	0
9/6/2022 12:46	0.0009	0.0095	0.0086	0	0	0
9/6/2022 12:47	0.0008	0.0095	0.0087	0	0	0
9/6/2022 12:48	0.0007	0.0095	0.0088	0	0	0
9/6/2022 12:49	0.0007	0.0094	0.0087	0	0	0
9/6/2022 12:50	0.0009	0.0093	0.0084	0	0	0
9/6/2022 12:51	0.001	0.0097	0.0087	0	0	0
9/6/2022 12:52	0.0013	0.0101	0.0088	0	0	0
9/6/2022 12:53	0.0013	0.0103	0.009	0	0	0
9/6/2022 12:54	0.0015	0.0103	0.0088	0	0	0
9/6/2022 12:55	0.0015	0.0104	0.0089	0	0	0
9/6/2022 12:56	0.0015	0.0105	0.009	0	0	0
9/6/2022 12:57	0.0014	0.0105	0.0091	0	0	0
9/6/2022 12:58	0.0013	0.0105	0.0092	0	0	0
9/6/2022 12:59	0.0013	0.0106	0.0093	0	0	0
9/6/2022 13:00	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:01	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:02	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:03	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:04	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:05	0.0011	0.0107	0.0096	0	0	0
9/6/2022 13:06	0.001	0.0106	0.0096	0	0	0
9/6/2022 13:07	0.0007	0.0104	0.0097	0	0	0
9/6/2022 13:08	0.0006	0.0105	0.0099	0	0	0
9/6/2022 13:09	0.0005	0.0107	0.0102	0	0	0
9/6/2022 13:10	0.0004	0.0107	0.0103	0	0	0
9/6/2022 13:11	0.0004	0.0108	0.0104	0	0	0
9/6/2022 13:12	0.0004	0.0109	0.0105	0	0	0
9/6/2022 13:13	0.0005	0.0109	0.0104	0	0	0
9/6/2022 13:14	0.0005	0.0109	0.0104	0	0	0
9/6/2022 13:15	0.0005	0.0219	0.0214	0	0	0
9/6/2022 13:16	0.0005	0.0219	0.0214	0	0	0
9/6/2022 13:17	0.0005	0.0221	0.0216	0	0	0
9/6/2022 13:18	0.0005	0.0221	0.0216	0	0	0
9/6/2022 13:19	0.0006	0.0221	0.0215	0	0	0
9/6/2022 13:20	0.0006	0.022	0.0214	0	0	0
9/6/2022 13:21	0.0005	0.0219	0.0214	0	0	0
9/6/2022 13:22	0.0005	0.0217	0.0212	0	0	0
9/6/2022 13:23	0.0005	0.0213	0.0208	0	0	0
9/6/2022 13:24	0.0005	0.0211	0.0206	0	0	0
9/6/2022 13:25	0.0005	0.0209	0.0204	0	0	0
9/6/2022 13:26	0.0005	0.0207	0.0202	0	0	0
9/6/2022 13:27	0.0005	0.0207	0.0202	0	0	0
9/6/2022 13:28	0.0004	0.0205	0.0201	0	0	0
9/6/2022 13:29	0.0004	0.0204	0.02	0	0	0
9/6/2022 13:30	0.0003	0.0092	0.0089	0	0	0
9/6/2022 13:31	0.0003	0.0091	0.0088	0	0	0
9/6/2022 13:32	0.0003	0.0087	0.0084	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 13:33	0.0003	0.0088	0.0085	0	0	0
9/6/2022 13:34	0.0001	0.0089	0.0088	0	0	0
9/6/2022 13:35	0	0.009	0.009	0	0	0
9/6/2022 13:36	0	0.009	0.009	0	0	0
9/6/2022 13:37	0.0001	0.009	0.0089	0	0	0
9/6/2022 13:38	0.0001	0.0091	0.009	0	0	0
9/6/2022 13:39	0.0001	0.0091	0.009	0	0	0
9/6/2022 13:40	0.0001	0.0092	0.0091	0	0	0
9/6/2022 13:41	0.0003	0.0094	0.0091	0	0	0
9/6/2022 13:42	0.0003	0.0095	0.0092	0	0	0
9/6/2022 13:43	0.0003	0.0096	0.0093	0	0	0
9/6/2022 13:44	0.0005	0.0097	0.0092	0	0	0
9/6/2022 13:45	0.0007	0.0098	0.0091	0	0	0
9/6/2022 13:46	0.0011	0.0103	0.0092	0	0	0
9/6/2022 13:47	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:48	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:49	0.0013	0.0105	0.0092	0	0	0
9/6/2022 13:50	0.0019	0.0104	0.0085	0	0	0
9/6/2022 13:51	0.0021	0.0103	0.0082	0	0	0
9/6/2022 13:52	0.002	0.0103	0.0083	0	0	0
9/6/2022 13:53	0.002	0.0103	0.0083	0	0	0
9/6/2022 13:54	0.002	0.0103	0.0083	0	0	0
9/6/2022 13:55	0.002	0.0103	0.0083	0	0	0
9/6/2022 13:56	0.0019	0.0102	0.0083	0	0	0
9/6/2022 13:57	0.002	0.0102	0.0082	0	0	0
9/6/2022 13:58	0.002	0.0102	0.0082	0	0	0
9/6/2022 13:59	0.0019	0.0103	0.0084	0	0	0
9/6/2022 14:00	0.0017	0.0105	0.0088	0	0	0
9/6/2022 14:01	0.0014	0.0101	0.0087	0	0	0
9/6/2022 14:02	0.0013	0.0101	0.0088	0	0	0
9/6/2022 14:03	0.0014	0.0103	0.0089	0	0	0
9/6/2022 14:04	0.0015	0.0103	0.0088	0	0	0
9/6/2022 14:05	0.0011	0.0101	0.009	0	0	0
9/6/2022 14:06	0.001	0.0101	0.0091	0	0	0
9/6/2022 14:07	0.0012	0.0101	0.0089	0	0	0
9/6/2022 14:08	0.0013	0.01	0.0087	0	0	0
9/6/2022 14:09	0.0014	0.0099	0.0085	0	0	0
9/6/2022 14:10	0.0017	0.0099	0.0082	0	0	0
9/6/2022 14:11	0.0018	0.0098	0.008	0	0	0
9/6/2022 14:12	0.0019	0.0097	0.0078	0	0	0
9/6/2022 14:13	0.0019	0.0097	0.0078	0	0	0
9/6/2022 14:14	0.0019	0.0095	0.0076	0	0	0
9/6/2022 14:15	0.0019	0.0095	0.0076	0	0	0
9/6/2022 14:16	0.0021	0.0096	0.0075	0	0	0
9/6/2022 14:17	0.0022	0.0095	0.0073	0	0	0
9/6/2022 14:18	0.0022	0.0115	0.0093	0	0	0
9/6/2022 14:19	0.0023	0.0132	0.0109	0	0	0
9/6/2022 14:20	0.0025	0.0149	0.0124	0	0	0
9/6/2022 14:21	0.0027	0.0153	0.0126	0	0	0
9/6/2022 14:22	0.0027	0.0157	0.013	0	0	0
9/6/2022 14:23	0.0028	0.0161	0.0133	0	0	0
9/6/2022 14:24	0.0031	0.0164	0.0133	0	0	0
9/6/2022 14:25	0.0031	0.0171	0.014	0	0	0
9/6/2022 14:26	0.0034	0.0181	0.0147	0	0	0
9/6/2022 14:27	0.0039	0.0234	0.0195	0	0	0
9/6/2022 14:28	0.0051	0.0287	0.0236	0	0	0
9/6/2022 14:29	0.0069	0.0323	0.0254	0	0	0
9/6/2022 14:30	0.0084	0.0344	0.026	0	0	0
9/6/2022 14:31	0.0092	0.0359	0.0267	0	0	0
9/6/2022 14:32	0.0097	0.0369	0.0272	0	0	0
9/6/2022 14:33	0.01	0.036	0.026	0	0	0
9/6/2022 14:34	0.01	0.0352	0.0252	0	0	0
9/6/2022 14:35	0.0099	0.0344	0.0245	0	0	0
9/6/2022 14:36	0.01	0.0347	0.0247	0	0	0
9/6/2022 14:37	0.0101	0.0357	0.0256	0	0	0
9/6/2022 14:38	0.0101	0.0358	0.0257	0	0	0
9/6/2022 14:39	0.0099	0.036	0.0261	0	0	0
9/6/2022 14:40	0.0098	0.036	0.0262	0	0	0
9/6/2022 14:41	0.0095	0.0359	0.0264	0	0	0
9/6/2022 14:42	0.0089	0.0311	0.0222	0	0	0
9/6/2022 14:43	0.0077	0.0263	0.0186	0	0	0
9/6/2022 14:44	0.0058	0.0241	0.0183	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/6/2022 14:45	0.0043	0.0229	0.0186	0	0	0
9/6/2022 14:46	0.0034	0.0217	0.0183	0	0	0
9/6/2022 14:47	0.0029	0.0207	0.0178	0	0	0
9/6/2022 14:48	0.0028	0.0197	0.0169	0	0	0
9/6/2022 14:49	0.0027	0.0189	0.0162	0	0	0
9/6/2022 14:50	0.0027	0.0183	0.0156	0	0	0
9/6/2022 14:51	0.0024	0.0179	0.0155	0	0	0
9/6/2022 14:52	0.0023	0.0167	0.0144	0	0	0
9/6/2022 14:53	0.0021	0.0165	0.0144	0	0	0
9/6/2022 14:54	0.0019	0.0161	0.0142	0	0	0
9/6/2022 14:55	0.0018	0.0155	0.0137	0	0	0
9/6/2022 14:56	0.0018	0.0147	0.0129	0	0	0
9/6/2022 14:57	0.0018	0.0141	0.0123	0	0	0
9/6/2022 14:58	0.0018	0.0136	0.0118	0	0	0
9/6/2022 14:59	0.0019	0.0122	0.0103	0	0	0
9/6/2022 15:00	0.002	0.0111	0.0091	0	0	0
9/6/2022 15:01	0.0019	0.0106	0.0087	0	0	0
9/6/2022 15:02	0.0019	0.0104	0.0085	0	0	0
9/6/2022 15:03	0.0017	0.0102	0.0085	0	0	0
9/6/2022 15:04	0.0018	0.0099	0.0081	0	0	0
9/6/2022 15:05	0.0019	0.0096	0.0077	0	0	0
9/6/2022 15:06	0.0022	0.0093	0.0071	0	0	0
9/6/2022 15:07	0.0022	0.009	0.0068	0	0	0
9/6/2022 15:08	0.0025	0.0087	0.0062	0	0	0
9/6/2022 15:09	0.0025	0.0086	0.0061	0	0	0
9/6/2022 15:10	0.0026	0.0083	0.0057	0	0	0
9/6/2022 15:11	0.0027	0.0082	0.0055	0	0	0
9/6/2022 15:12		0.0081	0.0081		0	0
9/6/2022 15:13		0.008	0.008		0	0
9/6/2022 15:14		0.0081	0.0081		0	0
9/6/2022 15:15		0.0081	0.0081		0	0
9/6/2022 15:16		0.0083	0.0083		0	0
9/6/2022 15:17		0.0083	0.0083		0	0
9/6/2022 15:18		0.0083	0.0083		0	0
9/7/2022 7:46	0.004		-0.004	0		0
9/7/2022 7:47	0.0025		-0.0025	0		0
9/7/2022 7:48	0.0027		-0.0027	0		0
9/7/2022 7:49	0.0033		-0.0033	0		0
9/7/2022 7:50	0.0032		-0.0032	0		0
9/7/2022 7:51	0.003		-0.003	0		0
9/7/2022 7:52	0.0029		-0.0029	0		0
9/7/2022 7:53	0.0029		-0.0029	0		0
9/7/2022 7:54	0.0029		-0.0029	0		0
9/7/2022 7:55	0.0028		-0.0028	0		0
9/7/2022 7:56	0.0027	0.003	0.0003	0	0	0
9/7/2022 7:57	0.0027	0.003	0.0003	0	0	0
9/7/2022 7:58	0.0026	0.003	0.0004	0	0	0
9/7/2022 7:59	0.0026	0.003	0.0004	0	0	0
9/7/2022 8:00	0.0025	0.0032	0.0007	0	0	0
9/7/2022 8:01	0.0025	0.0033	0.0008	0	0	0
9/7/2022 8:02	0.0026	0.0034	0.0008	0	0	0
9/7/2022 8:03	0.0026	0.0035	0.0009	0	0	0
9/7/2022 8:04	0.0025	0.0036	0.0011	0	0	0
9/7/2022 8:05	0.0025	0.0037	0.0012	0	0	0
9/7/2022 8:06	0.0025	0.0039	0.0014	0	0	0
9/7/2022 8:07	0.0026	0.004	0.0014	0	0	0
9/7/2022 8:08	0.0027	0.0042	0.0015	0	0	0
9/7/2022 8:09	0.0027	0.0044	0.0017	0	0	0
9/7/2022 8:10	0.0029	0.0044	0.0015	0	0	0
9/7/2022 8:11	0.0031	0.0046	0.0015	0	0	0
9/7/2022 8:12	0.0033	0.0049	0.0016	0	0	0
9/7/2022 8:13	0.0034	0.005	0.0016	0	0	0
9/7/2022 8:14	0.0037	0.0051	0.0014	0	0	0
9/7/2022 8:15	0.0043	0.0052	0.0009	0	0	0
9/7/2022 8:16	0.0045	0.0053	0.0008	0	0	0
9/7/2022 8:17	0.0049	0.0053	0.0004	0	0	0
9/7/2022 8:18	0.0055	0.0055	0	0	0	0
9/7/2022 8:19	0.0059	0.0056	-0.0003	0	0	0
9/7/2022 8:20	0.0068	0.0057	-0.0011	0	0	0
9/7/2022 8:21	0.0072	0.0057	-0.0015	0	0	0
9/7/2022 8:22	0.0075	0.0059	-0.0016	0	0	0
9/7/2022 8:23	0.0079	0.0059	-0.002	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 8:24	0.0081	0.0061	-0.002	0	0	0
9/7/2022 8:25	0.0083	0.0063	-0.002	0	0	0
9/7/2022 8:26	0.0086	0.0063	-0.0023	0	0	0
9/7/2022 8:27	0.0089	0.0063	-0.0026	0	0	0
9/7/2022 8:28	0.0093	0.0065	-0.0028	0	0	0
9/7/2022 8:29	0.0095	0.0066	-0.0029	0	0	0
9/7/2022 8:30	0.0095	0.0067	-0.0028	0	0	0
9/7/2022 8:31	0.0101	0.0069	-0.0032	0	0	0
9/7/2022 8:32	0.0105	0.0071	-0.0034	0	0	0
9/7/2022 8:33	0.0104	0.0071	-0.0033	0	0	0
9/7/2022 8:34	0.01	0.0072	-0.0028	0	0	0
9/7/2022 8:35	0.0091	0.0073	-0.0018	0	0	0
9/7/2022 8:36	0.0088	0.0075	-0.0013	0	0	0
9/7/2022 8:37	0.0085	0.0075	-0.001	0	0	0
9/7/2022 8:38	0.0082	0.0076	-0.0006	0	0	0
9/7/2022 8:39	0.0081	0.0076	-0.0005	0	0	0
9/7/2022 8:40	0.0079	0.0076	-0.0003	0	0	0
9/7/2022 8:41	0.0073	0.0077	0.0004	0	0	0
9/7/2022 8:42	0.0067	0.0077	0.001	0	0	0
9/7/2022 8:43	0.006	0.0076	0.0016	0	0	0
9/7/2022 8:44	0.0053	0.0075	0.0022	0	0	0
9/7/2022 8:45	0.0047	0.0075	0.0028	0	0	0
9/7/2022 8:46	0.0038	0.0075	0.0037	0	0	0
9/7/2022 8:47	0.0028	0.0075	0.0047	0	0	0
9/7/2022 8:48	0.0023	0.0077	0.0054	0	0	0
9/7/2022 8:49	0.002	0.0077	0.0057	0	0	0
9/7/2022 8:50	0.002	0.0079	0.0059	0	0	0
9/7/2022 8:51	0.0271	0.008	-0.0191	0	0	0
9/7/2022 8:52	0.0269	0.0083	-0.0186	0	0	0
9/7/2022 8:53	0.0266	0.0084	-0.0182	0	0	0
9/7/2022 8:54	0.0263	0.0087	-0.0176	0	0	0
9/7/2022 8:55	0.0261	0.0096	-0.0165	0	0	0
9/7/2022 8:56	0.0262	0.0101	-0.0161	0	0	0
9/7/2022 8:57	0.0262	0.0107	-0.0155	0	0	0
9/7/2022 8:58	0.0262	0.0113	-0.0149	0	0	0
9/7/2022 8:59	0.0262	0.0122	-0.014	0	0	0
9/7/2022 9:00	0.0261	0.0129	-0.0132	0	0	0
9/7/2022 9:01	0.0261	0.0141	-0.012	0	0	0
9/7/2022 9:02	0.026	0.0148	-0.0112	0	0	0
9/7/2022 9:03	0.0259	0.0151	-0.0108	0	0	0
9/7/2022 9:04	0.026	0.0153	-0.0107	0	0	0
9/7/2022 9:05	0.0259	0.0153	-0.0106	0	0	0
9/7/2022 9:06	0.0005	0.0151	0.0146	0	0	0
9/7/2022 9:07	0.0004	0.0147	0.0143	0	0	0
9/7/2022 9:08	0.0004	0.0144	0.014	0	0	0
9/7/2022 9:09	0.0003	0.014	0.0137	0	0	0
9/7/2022 9:10	0.0003	0.0129	0.0126	0	0	0
9/7/2022 9:11	0.0002	0.0123	0.0121	0	0	0
9/7/2022 9:12	0.0002	0.0118	0.0116	0	0	0
9/7/2022 9:13	0.0003	0.0113	0.011	0	0	0
9/7/2022 9:14	0.0003	0.0106	0.0103	0	0	0
9/7/2022 9:15	0.0004	0.0099	0.0095	0	0	0
9/7/2022 9:16	0.0004	0.0087	0.0083	0	0	0
9/7/2022 9:17	0.0004	0.0077	0.0073	0	0	0
9/7/2022 9:18	0.0004	0.0071	0.0067	0	0	0
9/7/2022 9:19	0.0003	0.0068	0.0065	0	0	0
9/7/2022 9:20	0.0003	0.0064	0.0061	0	0	0
9/7/2022 9:21	0.0003	0.0063	0.006	0	0	0
9/7/2022 9:22	0.0003	0.0062	0.0059	0	0	0
9/7/2022 9:23	0.0003	0.0063	0.006	0	0	0
9/7/2022 9:24	0.0003	0.0064	0.0061	0	0	0
9/7/2022 9:25	0.0003	0.0066	0.0063	0	0	0
9/7/2022 9:26	0.0003	0.0066	0.0063	0	0	0
9/7/2022 9:27	0.0002	0.0067	0.0065	0	0	0
9/7/2022 9:28	0.0001	0.0065	0.0064	0	0	0
9/7/2022 9:29	0.0001	0.0065	0.0064	0	0	0
9/7/2022 9:30	0	0.0065	0.0065	0	0	0
9/7/2022 9:31	0	0.0065	0.0065	0	0	0
9/7/2022 9:32	0	0.0065	0.0065	0	0	0
9/7/2022 9:33	0	0.0065	0.0065	0	0	0
9/7/2022 9:34	0	0.0064	0.0064	0	0	0
9/7/2022 9:35	0	0.0065	0.0065	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 9:36	0	0.0064	0.0064	0	0	0
9/7/2022 9:37	0	0.0063	0.0063	0	0	0
9/7/2022 9:38	0	0.0061	0.0061	0	0	0
9/7/2022 9:39	0	0.006	0.006	0	0	0
9/7/2022 9:40	0	0.0057	0.0057	0	0	0
9/7/2022 9:41	0	0.0056	0.0056	0	0	0
9/7/2022 9:42	0	0.0054	0.0054	0	0	0
9/7/2022 9:43	0	0.0053	0.0053	0	0	0
9/7/2022 9:44	0	0.0051	0.0051	0	0	0
9/7/2022 9:45	0	0.005	0.005	0	0	0
9/7/2022 9:46	0	0.005	0.005	0	0	0
9/7/2022 9:47	0	0.005	0.005	0	0	0
9/7/2022 9:48	0	0.0051	0.0051	0	0	0
9/7/2022 9:49	0	0.0051	0.0051	0	0	0
9/7/2022 9:50	0	0.0052	0.0052	0	0	0
9/7/2022 9:51	0.0001	0.0053	0.0052	0	0	0
9/7/2022 9:52	0.0001	0.0053	0.0052	0	0	0
9/7/2022 9:53	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:54	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:55	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:56	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:57	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:58	0.0001	0.0061	0.006	0	0	0
9/7/2022 9:59	0.0001	0.0064	0.0063	0	0	0
9/7/2022 10:00	0.0003	0.0064	0.0061	0	0	0
9/7/2022 10:01	0.0004	0.0063	0.0059	0	0	0
9/7/2022 10:02	0.0005	0.0066	0.0061	0	0	0
9/7/2022 10:03	0.0005	0.0067	0.0062	0	0	0
9/7/2022 10:04	0.0005	0.0067	0.0062	0	0	0
9/7/2022 10:05	0.0005	0.0067	0.0062	0	0	0
9/7/2022 10:06	0.0004	0.0069	0.0065	0	0	0
9/7/2022 10:07	0.0004	0.0071	0.0067	0	0	0
9/7/2022 10:08	0.0004	0.0065	0.0061	0	0	0
9/7/2022 10:09	0.0004	0.0067	0.0063	0	0	0
9/7/2022 10:10	0.0004	0.0068	0.0064	0	0	0
9/7/2022 10:11	0.0004	0.0069	0.0065	0	0	0
9/7/2022 10:12	0.0004	0.0069	0.0065	0	0	0
9/7/2022 10:13	0.0004	0.0068	0.0064	0	0	0
9/7/2022 10:14	0.0006	0.0065	0.0059	0	0	0
9/7/2022 10:15	0.0005	0.0066	0.0061	0	0	0
9/7/2022 10:16	0.0003	0.0068	0.0065	0	0	0
9/7/2022 10:17	0.0008	0.0066	0.0058	0	0	0
9/7/2022 10:18	0.0656	0.0064	-0.0592	0	0	0
9/7/2022 10:19	0.0706	0.0069	-0.0637	0	0	0
9/7/2022 10:20	0.0706	0.0087	-0.0619	0	0	0
9/7/2022 10:21	0.0706	0.0102	-0.0604	0	0	0
9/7/2022 10:22	0.0706	0.0109	-0.0597	0	0	0
9/7/2022 10:23	0.0706	0.0107	-0.0599	0	0	0
9/7/2022 10:24	0.0706	0.0107	-0.0599	0	0	0
9/7/2022 10:25	0.0707	0.011	-0.0597	0	0	0
9/7/2022 10:26	0.0707	0.0118	-0.0589	0	0	0
9/7/2022 10:27	0.0707	0.0125	-0.0582	0	0	0
9/7/2022 10:28	0.0707	0.0131	-0.0576	0	0	0
9/7/2022 10:29	0.0705	0.0134	-0.0571	0	0	0
9/7/2022 10:30	0.0704	0.0135	-0.0569	0	0	0
9/7/2022 10:31	0.0704	0.0135	-0.0569	0	0	0
9/7/2022 10:32	0.0699	0.0134	-0.0565	0	0	0
9/7/2022 10:33	0.0051	0.0135	0.0084	0	0	0
9/7/2022 10:34	0.0001	0.0129	0.0128	0	0	0
9/7/2022 10:35	0.0001	0.0112	0.0111	0	0	0
9/7/2022 10:36	0.0001	0.0097	0.0096	0	0	0
9/7/2022 10:37	0.0001	0.0093	0.0092	0	0	0
9/7/2022 10:38	0.0001	0.0093	0.0092	0	0	0
9/7/2022 10:39	0.0001	0.0093	0.0092	0	0	0
9/7/2022 10:40	0	0.0091	0.0091	0	0	0
9/7/2022 10:41	0	0.0082	0.0082	0	0	0
9/7/2022 10:42	0	0.0076	0.0076	0	0	0
9/7/2022 10:43	0	0.0075	0.0075	0	0	0
9/7/2022 10:44	0	0.0073	0.0073	0	0	0
9/7/2022 10:45	0	0.0073	0.0073	0	0	0
9/7/2022 10:46	0	0.0072	0.0072	0	0	0
9/7/2022 10:47	0	0.0072	0.0072	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 10:48	0	0.0073	0.0073	0	0	0
9/7/2022 10:49	0	0.0078	0.0078	0	0	0
9/7/2022 10:50	0	0.0078	0.0078	0	0	0
9/7/2022 10:51	0	0.0077	0.0077	0	0	0
9/7/2022 10:52	0	0.0073	0.0073	0	0	0
9/7/2022 10:53	0	0.0073	0.0073	0	0	0
9/7/2022 10:54	0	0.0071	0.0071	0	0	0
9/7/2022 10:55	0	0.0071	0.0071	0	0	0
9/7/2022 10:56	0	0.0072	0.0072	0	0	0
9/7/2022 10:57	0	0.0073	0.0073	0	0	0
9/7/2022 10:58	0	0.0072	0.0072	0	0	0
9/7/2022 10:59	0	0.0073	0.0073	0	0	0
9/7/2022 11:00	0	0.0075	0.0075	0	0	0
9/7/2022 11:01	0	0.008	0.008	0	0	0
9/7/2022 11:02	0	0.0082	0.0082	0	0	0
9/7/2022 11:03	0	0.0081	0.0081	0	0	0
9/7/2022 11:04	0	0.0077	0.0077	0	0	0
9/7/2022 11:05	0	0.0076	0.0076	0	0	0
9/7/2022 11:06	0	0.0077	0.0077	0	0	0
9/7/2022 11:07	0	0.0077	0.0077	0	0	0
9/7/2022 11:08	0	0.0077	0.0077	0	0	0
9/7/2022 11:09	0	0.0079	0.0079	0	0	0
9/7/2022 11:10	0	0.008	0.008	0	0	0
9/7/2022 11:11	0	0.008	0.008	0	0	0
9/7/2022 11:12	0	0.008	0.008	0	0	0
9/7/2022 11:13	0	0.0078	0.0078	0	0	0
9/7/2022 11:14	0	0.0077	0.0077	0	0	0
9/7/2022 11:15	0	0.0075	0.0075	0	0	0
9/7/2022 11:16	0	0.0069	0.0069	0	0	0
9/7/2022 11:17	0	0.0068	0.0068	0	0	0
9/7/2022 11:18	0	0.0068	0.0068	0	0	0
9/7/2022 11:19	0	0.0067	0.0067	0	0	0
9/7/2022 11:20	0	0.0066	0.0066	0	0	0
9/7/2022 11:21	0	0.0065	0.0065	0	0	0
9/7/2022 11:22	0	0.0064	0.0064	0	0	0
9/7/2022 11:23	0	0.0062	0.0062	0	0	0
9/7/2022 11:24	0	0.006	0.006	0	0	0
9/7/2022 11:25	0	0.0059	0.0059	0	0	0
9/7/2022 11:26	0	0.0057	0.0057	0	0	0
9/7/2022 11:27	0	0.0055	0.0055	0	0	0
9/7/2022 11:28	0	0.0053	0.0053	0	0	0
9/7/2022 11:29	0	0.0052	0.0052	0	0	0
9/7/2022 11:30	0	0.0051	0.0051	0	0	0
9/7/2022 11:31	0	0.005	0.005	0	0	0
9/7/2022 11:32	0	0.0049	0.0049	0	0	0
9/7/2022 11:33	0	0.0049	0.0049	0	0	0
9/7/2022 11:34	0	0.0051	0.0051	0	0	0
9/7/2022 11:35	0	0.0051	0.0051	0	0	0
9/7/2022 11:36	0.0001	0.0052	0.0051	0	0	0
9/7/2022 11:37	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:38	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:39	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:40	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:41	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:42	0.0001	0.0051	0.005	0	0	0
9/7/2022 11:43	0.0001	0.0052	0.0051	0	0	0
9/7/2022 11:44	0.0001	0.0053	0.0052	0	0	0
9/7/2022 11:45	0.0002	0.0055	0.0053	0	0	0
9/7/2022 11:46	0.0002	0.0055	0.0053	0	0	0
9/7/2022 11:47	0.0002	0.0055	0.0053	0	0	0
9/7/2022 11:48	0.0002	0.0055	0.0053	0	0	0
9/7/2022 11:49	0.0002	0.0053	0.0051	0	0	0
9/7/2022 11:50	0.0002	0.0053	0.0051	0	0	0
9/7/2022 11:51	0.0001	0.0053	0.0052	0	0	0
9/7/2022 11:52	0.0001	0.0054	0.0053	0	0	0
9/7/2022 11:53	0.0001	0.0055	0.0054	0	0	0
9/7/2022 11:54	0.0002	0.0057	0.0055	0	0	0
9/7/2022 11:55	0.0003	0.0057	0.0054	0	0	0
9/7/2022 11:56	0.0003	0.0073	0.007	0	0	0
9/7/2022 11:57	0.0007	0.0079	0.0072	0	0	0
9/7/2022 11:58	0.0008	0.0081	0.0073	0	0	0
9/7/2022 11:59	0.0008	0.0082	0.0074	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 12:00	0.0007	0.0083	0.0076	0	0	0
9/7/2022 12:01	0.0007	0.0084	0.0077	0	0	0
9/7/2022 12:02	0.0007	0.0085	0.0078	0	0	0
9/7/2022 12:03	0.0007	0.0085	0.0078	0	0	0
9/7/2022 12:04	0.0007	0.0087	0.008	0	0	0
9/7/2022 12:05	0.0007	0.0087	0.008	0	0	0
9/7/2022 12:06	0.0007	0.0087	0.008	0	0	0
9/7/2022 12:07	0.0007	0.0089	0.0082	0	0	0
9/7/2022 12:08	0.0007	0.0091	0.0084	0	0	0
9/7/2022 12:09	0.0007	0.0091	0.0084	0	0	0
9/7/2022 12:10	0.0007	0.0092	0.0085	0	0	0
9/7/2022 12:11	0.0011	0.0077	0.0066	0	0	0
9/7/2022 12:12	0.0007	0.0073	0.0066	0	0	0
9/7/2022 12:13	0.0005	0.0071	0.0066	0	0	0
9/7/2022 12:14	0.0008	0.0069	0.0061	0	0	0
9/7/2022 12:15	0.0009	0.0069	0.006	0	0	0
9/7/2022 12:16	0.001	0.0069	0.0059	0	0	0
9/7/2022 12:17	0.001	0.007	0.006	0	0	0
9/7/2022 12:18	0.001	0.0072	0.0062	0	0	0
9/7/2022 12:19	0.001	0.0072	0.0062	0	0	0
9/7/2022 12:20	0.001	0.0072	0.0062	0	0	0
9/7/2022 12:21	0.001	0.0071	0.0061	0	0	0
9/7/2022 12:22	0.001	0.007	0.006	0	0	0
9/7/2022 12:23	0.001	0.0067	0.0057	0	0	0
9/7/2022 12:24	0.0009	0.0066	0.0057	0	0	0
9/7/2022 12:25	0.0009	0.0066	0.0057	0	0	0
9/7/2022 12:26	0.0005	0.0066	0.0061	0	0	0
9/7/2022 12:27	0.0005	0.0064	0.0059	0	0	0
9/7/2022 12:28	0.0005	0.0065	0.006	0	0	0
9/7/2022 12:29	0.0002	0.0065	0.0063	0	0	0
9/7/2022 12:30	0.0001	0.0063	0.0062	0	0	0
9/7/2022 12:31	0	0.0063	0.0063	0	0	0
9/7/2022 12:32	0	0.0061	0.0061	0	0	0
9/7/2022 12:33	0.0003	0.0059	0.0056	0	0	0
9/7/2022 12:34	0.0006	0.0059	0.0053	0	0	0
9/7/2022 12:35	0.0006	0.0059	0.0053	0	0	0
9/7/2022 12:36	0.0006	0.0061	0.0055	0	0	0
9/7/2022 12:37	0.0007	0.0061	0.0054	0	0	0
9/7/2022 12:38	0.0007	0.0061	0.0054	0	0	0
9/7/2022 12:39	0.0008	0.0061	0.0053	0	0	0
9/7/2022 12:40	0.005	0.0061	0.0011	0	0	0
9/7/2022 12:41	0.0073	0.0061	-0.0012	0	0	0
9/7/2022 12:42	0.0073	0.0061	-0.0012	0	0	0
9/7/2022 12:43	0.0073	0.0061	-0.0012	0	0	0
9/7/2022 12:44	0.0073	0.0063	-0.001	0	0	0
9/7/2022 12:45	0.0073	0.0065	-0.0008	0	0	0
9/7/2022 12:46	0.0073	0.0065	-0.0008	0	0	0
9/7/2022 12:47	0.0073	0.0066	-0.0007	0	0	0
9/7/2022 12:48	0.007	0.0067	-0.0003	0	0	0
9/7/2022 12:49	0.0067	0.0067	0	0	0	0
9/7/2022 12:50	0.0067	0.0067	0	0	0	0
9/7/2022 12:51	0.0067	0.0067	0	0	0	0
9/7/2022 12:52	0.0067	0.0067	0	0	0	0
9/7/2022 12:53	0.0067	0.0068	1E-04	0	0	0
9/7/2022 12:54	0.007	0.0068	-0.0002	0	0	0
9/7/2022 12:55	0.003	0.0069	0.0039	0	0	0
9/7/2022 12:56	0.0007	0.0069	0.0062	0	0	0
9/7/2022 12:57	0.0007	0.007	0.0063	0	0	0
9/7/2022 12:58	0.0007	0.0069	0.0062	0	0	0
9/7/2022 12:59	0.0007	0.0068	0.0061	0	0	0
9/7/2022 13:00	0.0007	0.0067	0.006	0	0	0
9/7/2022 13:01	0.0007	0.0067	0.006	0	0	0
9/7/2022 13:02	0.0009	0.0067	0.0058	0	0	0
9/7/2022 13:03	0.0009	0.0067	0.0058	0	0	0
9/7/2022 13:04	0.0009	0.0067	0.0058	0	0	0
9/7/2022 13:05	0.0009	0.0075	0.0066	0	0	0
9/7/2022 13:06	0.0009	0.0079	0.007	0	0	0
9/7/2022 13:07	0.0011	0.0085	0.0074	0	0	0
9/7/2022 13:08	0.0012	0.0097	0.0085	0	0	0
9/7/2022 13:09	0.0033	0.0101	0.0068	0.0001	0	-0.0001
9/7/2022 13:10	0.0031	0.0101	0.007	0.0001	0	-0.0001
9/7/2022 13:11	0.0031	0.0103	0.0072	0.0001	0	-0.0001

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 13:12	0.0031	0.0103	0.0072	0.0001	0	-0.0001
9/7/2022 13:13	0.0031	0.0106	0.0075	0.0001	0	-0.0001
9/7/2022 13:14	0.0031	0.0113	0.0082	0.0001	0	-0.0001
9/7/2022 13:15	0.0031	0.0119	0.0088	0.0001	0	-0.0001
9/7/2022 13:16	0.0031	0.0121	0.009	0.0001	0	-0.0001
9/7/2022 13:17	0.0029	0.0122	0.0093	0.0001	0	-0.0001
9/7/2022 13:18	0.0029	0.0122	0.0093	0.0001	0	-0.0001
9/7/2022 13:19	0.003	0.0122	0.0092	0.0002	0	-0.0002
9/7/2022 13:20	0.0118	0.0115	-0.0003	0.0002	0	-0.0002
9/7/2022 13:21	0.0187	0.0113	-0.0074	0.0002	0	-0.0002
9/7/2022 13:22	0.0185	0.0108	-0.0077	0.0002	0	-0.0002
9/7/2022 13:23	0.0187	0.0095	-0.0092	0.0004	0	-0.0004
9/7/2022 13:24	0.0304	0.0092	-0.0212	0.0359	0	-0.0359
9/7/2022 13:25	0.0653	0.0091	-0.0562	0.0359	0	-0.0359
9/7/2022 13:26	0.0666	0.009	-0.0576	0.0359	0	-0.0359
9/7/2022 13:27	0.0667	0.0089	-0.0578	0.0359	0	-0.0359
9/7/2022 13:28	0.0667	0.0088	-0.0579	0.0359	0	-0.0359
9/7/2022 13:29	0.0667	0.0083	-0.0584	0.0359	0	-0.0359
9/7/2022 13:30	0.0674	0.0077	-0.0597	0.0359	0	-0.0359
9/7/2022 13:31	0.0675	0.0073	-0.0602	0.0359	0	-0.0359
9/7/2022 13:32	0.0675	0.0071	-0.0604	0.0359	0	-0.0359
9/7/2022 13:33	0.0674	0.007	-0.0604	0.0359	0	-0.0359
9/7/2022 13:34	0.0673	0.0068	-0.0605	0.0357	0	-0.0357
9/7/2022 13:35	0.0585	0.0066	-0.0519	0.0357	0	-0.0357
9/7/2022 13:36	0.0516	0.0063	-0.0453	0.0357	0	-0.0357
9/7/2022 13:37	0.0515	0.0063	-0.0452	0.0357	0	-0.0357
9/7/2022 13:38	0.0513	0.0064	-0.0449	0.0355	0	-0.0355
9/7/2022 13:39	0.0371	0.0063	-0.0308	0	0	0
9/7/2022 13:40	0.0022	0.0064	0.0042	0	0	0
9/7/2022 13:41	0.0009	0.0063	0.0054	0	0	0
9/7/2022 13:42	0.0008	0.0065	0.0057	0	0	0
9/7/2022 13:43	0.0008	0.0063	0.0055	0	0	0
9/7/2022 13:44	0.0008	0.0063	0.0055	0	0	0
9/7/2022 13:45	0.0001	0.0063	0.0062	0	0	0
9/7/2022 13:46	0	0.0063	0.0063	0	0	0
9/7/2022 13:47	0	0.0064	0.0064	0	0	0
9/7/2022 13:48	0	0.0065	0.0065	0	0	0
9/7/2022 13:49	0.0001	0.0065	0.0064	0	0	0
9/7/2022 13:50	0.0001	0.0065	0.0064	0	0	0
9/7/2022 13:51	0.0001	0.0067	0.0066	0	0	0
9/7/2022 13:52	0.0002	0.0066	0.0064	0	0	0
9/7/2022 13:53	0.0002	0.0065	0.0063	0	0	0
9/7/2022 13:54	0.0002	0.0068	0.0066	0	0	0
9/7/2022 13:55	0.0002	0.0069	0.0067	0	0	0
9/7/2022 13:56	0.0003	0.007	0.0067	0	0	0
9/7/2022 13:57	0.0003	0.007	0.0067	0	0	0
9/7/2022 13:58	0.0003	0.0071	0.0068	0	0	0
9/7/2022 13:59	0.0004	0.0073	0.0069	0	0	0
9/7/2022 14:00	0.0004	0.0075	0.0071	0	0	0
9/7/2022 14:01	0.0005	0.0077	0.0072	0	0	0
9/7/2022 14:02	0.0017	0.0078	0.0061	0	0	0
9/7/2022 14:03	0.0023	0.0079	0.0056	0	0	0
9/7/2022 14:04	0.0023	0.008	0.0057	0	0	0
9/7/2022 14:05	0.0023	0.0082	0.0059	0	0	0
9/7/2022 14:06	0.0023	0.0081	0.0058	0	0	0
9/7/2022 14:07	0.0024	0.0081	0.0057	0	0	0
9/7/2022 14:08	0.0042	0.0081	0.0039	0	0	0
9/7/2022 14:09	0.0047	0.0079	0.0032	0	0	0
9/7/2022 14:10	0.0051	0.0076	0.0025	0	0	0
9/7/2022 14:11	0.0057	0.0075	0.0018	0	0	0
9/7/2022 14:12	0.0057	0.0073	0.0016	0	0	0
9/7/2022 14:13	0.0057	0.0072	0.0015	0	0	0
9/7/2022 14:14	0.0058	0.007	0.0012	0	0	0
9/7/2022 14:15	0.0059	0.0067	0.0008	0	0	0
9/7/2022 14:16	0.0058	0.0065	0.0007	0	0	0
9/7/2022 14:17	0.0047	0.0065	0.0018	0	0	0
9/7/2022 14:18	0.0041	0.0065	0.0024	0	0	0
9/7/2022 14:19	0.004	0.0064	0.0024	0	0	0
9/7/2022 14:20	0.0045	0.0063	0.0018	0	0	0
9/7/2022 14:21	0.0053	0.0065	0.0012	0	0	0
9/7/2022 14:22	0.0051	0.0065	0.0014	0	0	0
9/7/2022 14:23	0.0033	0.0067	0.0034	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/7/2022 14:24	0.0028	0.0069	0.0041	0	0	0
9/7/2022 14:25	0.0025	0.007	0.0045	0	0	0
9/7/2022 14:26	0.0018	0.0071	0.0053	0	0	0
9/7/2022 14:27	0.0017	0.0072	0.0055	0	0	0
9/7/2022 14:28	0.0017	0.0074	0.0057	0	0	0
9/7/2022 14:29	0.0015	0.0076	0.0061	0	0	0
9/7/2022 14:30	0.0015	0.0078	0.0063	0	0	0
9/7/2022 14:31	0.0014	0.0081	0.0067	0	0	0
9/7/2022 14:32	0.0014	0.0081	0.0067	0	0	0
9/7/2022 14:33	0.0014	0.0082	0.0068	0	0	0
9/7/2022 14:34	0.0014	0.0083	0.0069	0	0	0
9/7/2022 14:35	0.0008	0.0083	0.0075	0	0	0
9/7/2022 14:36	0.0001	0.0083	0.0082	0	0	0
9/7/2022 14:37	0.0001	0.0083	0.0082	0	0	0
9/7/2022 14:38	0.0001	0.0083	0.0082	0	0	0
9/7/2022 14:39	0	0.0081	0.0081	0	0	0
9/7/2022 14:40	0	0.0081	0.0081	0	0	0
9/7/2022 14:41	0	0.0081	0.0081	0	0	0
9/7/2022 14:42	0	0.0079	0.0079	0	0	0
9/7/2022 14:43	0	0.0078	0.0078	0	0	0
9/7/2022 14:44	0	0.0077	0.0077	0	0	0
9/7/2022 14:45	0	0.0076	0.0076	0	0	0
9/7/2022 14:46	0	0.0074	0.0074	0	0	0
9/7/2022 14:47	0	0.0073	0.0073	0	0	0
9/7/2022 14:48	0	0.0073	0.0073	0	0	0
9/7/2022 14:49	0	0.0073	0.0073	0	0	0
9/7/2022 14:50	0	0.0073	0.0073	0	0	0
9/7/2022 14:51	0	0.0073	0.0073	0	0	0
9/7/2022 14:52	0	0.0075	0.0075	0	0	0
9/7/2022 14:53	0	0.0075	0.0075	0	0	0
9/7/2022 14:54	0	0.0075	0.0075	0	0	0
9/7/2022 14:55	0.0001	0.0076	0.0075	0	0	0
9/7/2022 14:56	0.0001	0.0076	0.0075	0	0	0
9/7/2022 14:57	0.0001	0.0078	0.0077	0	0	0
9/7/2022 14:58	0.0001	0.0079	0.0078	0	0	0
9/7/2022 14:59	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:00	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:01	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:02	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:03	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:04	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:05	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:06	0.0001	0.0079	0.0078	0	0	0
9/7/2022 15:07	0.0001	0.0077	0.0076	0	0	0
9/7/2022 15:08	0.0001	0.0077	0.0076	0	0	0
9/7/2022 15:09	0.0001	0.0076	0.0075	0	0	0
9/7/2022 15:10	0	0.0075	0.0075	0	0	0
9/7/2022 15:11	0	0.0076	0.0076	0	0	0
9/7/2022 15:12	0	0.0075	0.0075	0	0	0
9/7/2022 15:13	0	0.0075	0.0075	0	0	0
9/7/2022 15:14	0	0.0074	0.0074	0	0	0
9/7/2022 15:15		0.0074	0.0074	0	0	0
9/7/2022 15:16		0.0073	0.0073	0	0	0
9/7/2022 15:17		0.0073	0.0073	0	0	0
9/7/2022 15:18		0.0073	0.0073	0	0	0
9/7/2022 15:19		0.0072	0.0072	0	0	0
9/7/2022 15:20		0.0072	0.0072	0	0	0
9/8/2022 8:23	0.009		-0.009	0		0
9/8/2022 8:24	0.014		-0.014	0		0
9/8/2022 8:25	0.0163		-0.0163	0		0
9/8/2022 8:26	0.0175		-0.0175	0		0
9/8/2022 8:27	0.018		-0.018	0		0
9/8/2022 8:28	0.0183		-0.0183	0		0
9/8/2022 8:29	0.0186		-0.0186	0		0
9/8/2022 8:30	0.0189		-0.0189	0		0
9/8/2022 8:31	0.0191		-0.0191	0		0
9/8/2022 8:32	0.0193	0.022	0.0027	0	0	0
9/8/2022 8:33	0.0195	0.022	0.0025	0	0	0
9/8/2022 8:34	0.0197	0.0217	0.002	0	0	0
9/8/2022 8:35	0.0198	0.0215	0.0017	0	0	0
9/8/2022 8:36	0.0199	0.0214	0.0015	0	0	0
9/8/2022 8:37	0.0199	0.0215	0.0016	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/8/2022 8:38	0.0206	0.0213	0.0007	0	0	0
9/8/2022 8:39	0.0207	0.0211	0.0004	0	0	0
9/8/2022 8:40	0.0206	0.0211	0.0005	0	0	0
9/8/2022 8:41	0.0206	0.0211	0.0005	0	0	0
9/8/2022 8:42	0.0206	0.0211	0.0005	0	0	0
9/8/2022 8:43	0.0207	0.0211	0.0004	0	0	0
9/8/2022 8:44	0.0208	0.0211	0.0003	0	0	0
9/8/2022 8:45	0.0209	0.0211	0.0002	0	0	0
9/8/2022 8:46	0.0209	0.0211	0.0002	0	0	0
9/8/2022 8:47	0.0207	0.021	0.0003	0	0	0
9/8/2022 8:48	0.0205	0.0209	0.0004	0	0	0
9/8/2022 8:49	0.0203	0.0207	0.0004	0	0	0
9/8/2022 8:50	0.0201	0.0206	0.0005	0	0	0
9/8/2022 8:51	0.0199	0.0205	0.0006	0	0	0
9/8/2022 8:52	0.0197	0.0203	0.0006	0	0	0
9/8/2022 8:53	0.0194	0.0202	0.0008	0	0	0
9/8/2022 8:54	0.0191	0.02	0.0009	0	0	0
9/8/2022 8:55	0.0189	0.0198	0.0009	0	0	0
9/8/2022 8:56	0.0187	0.0196	0.0009	0	0	0
9/8/2022 8:57	0.0184	0.0197	0.0013	0	0	0
9/8/2022 8:58	0.0181	0.0198	0.0017	0	0	0
9/8/2022 8:59	0.0177	0.0196	0.0019	0	0	0
9/8/2022 9:00	0.0172	0.0193	0.0021	0	0	0
9/8/2022 9:01	0.0169	0.0191	0.0022	0	0	0
9/8/2022 9:02	0.0167	0.019	0.0023	0	0	0
9/8/2022 9:03	0.0166	0.0189	0.0023	0	0	0
9/8/2022 9:04	0.0164	0.0188	0.0024	0	0	0
9/8/2022 9:05	0.0163	0.0188	0.0025	0	0	0
9/8/2022 9:06	0.0163	0.0187	0.0024	0	0	0
9/8/2022 9:07	0.0163	0.0187	0.0024	0	0	0
9/8/2022 9:08	0.0163	0.0189	0.0026	0	0	0
9/8/2022 9:09	0.0161	0.0191	0.003	0	0	0
9/8/2022 9:10	0.016	0.0191	0.0031	0	0	0
9/8/2022 9:11	0.0158	0.0191	0.0033	0	0	0
9/8/2022 9:12	0.016	0.0187	0.0027	0	0	0
9/8/2022 9:13	0.0164	0.0185	0.0021	0	0	0
9/8/2022 9:14	0.0163	0.0185	0.0022	0	0	0
9/8/2022 9:15	0.0161	0.0185	0.0024	0	0	0
9/8/2022 9:16	0.0159	0.0184	0.0025	0	0	0
9/8/2022 9:17	0.0157	0.0183	0.0026	0	0	0
9/8/2022 9:18	0.0157	0.0182	0.0025	0	0	0
9/8/2022 9:19	0.0155	0.0181	0.0026	0	0	0
9/8/2022 9:20	0.0152	0.018	0.0028	0	0	0
9/8/2022 9:21	0.0149	0.0179	0.003	0	0	0
9/8/2022 9:22	0.0145	0.0177	0.0032	0	0	0
9/8/2022 9:23	0.0142	0.0174	0.0032	0	0	0
9/8/2022 9:24	0.0141	0.0171	0.003	0	0	0
9/8/2022 9:25	0.0139	0.017	0.0031	0	0	0
9/8/2022 9:26	0.0137	0.0169	0.0032	0	0	0
9/8/2022 9:27	0.0133	0.0167	0.0034	0	0	0
9/8/2022 9:28	0.013	0.0165	0.0035	0	0	0
9/8/2022 9:29	0.0131	0.0163	0.0032	0	0	0
9/8/2022 9:30	0.013	0.0163	0.0033	0	0	0
9/8/2022 9:31	0.0129	0.0163	0.0034	0	0	0
9/8/2022 9:32	0.0126	0.0163	0.0037	0	0	0
9/8/2022 9:33	0.0122	0.0161	0.0039	0	0	0
9/8/2022 9:34	0.0121	0.0161	0.004	0	0	0
9/8/2022 9:35	0.0118	0.0159	0.0041	0	0	0
9/8/2022 9:36	0.0117	0.0157	0.004	0	0	0
9/8/2022 9:37	0.0115	0.0155	0.004	0	0	0
9/8/2022 9:38	0.0117	0.0153	0.0036	0	0	0
9/8/2022 9:39	0.0117	0.0152	0.0035	0	0	0
9/8/2022 9:40	0.0117	0.0151	0.0034	0	0	0
9/8/2022 9:41	0.0116	0.0149	0.0033	0	0	0
9/8/2022 9:42	0.0113	0.0148	0.0035	0	0	0
9/8/2022 9:43	0.0107	0.0146	0.0039	0	0	0
9/8/2022 9:44	0.0101	0.0145	0.0044	0	0	0
9/8/2022 9:45	0.0099	0.0142	0.0043	0	0	0
9/8/2022 9:46	0.0097	0.0141	0.0044	0	0	0
9/8/2022 9:47	0.0097	0.014	0.0043	0	0	0
9/8/2022 9:48	0.0095	0.0139	0.0044	0	0	0
9/8/2022 9:49	0.0095	0.0139	0.0044	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/8/2022 9:50	0.0095	0.0138	0.0043	0	0	0
9/8/2022 9:51	0.0094	0.0139	0.0045	0	0	0
9/8/2022 9:52	0.0095	0.0139	0.0044	0	0	0
9/8/2022 9:53	0.0091	0.0141	0.005	0	0	0
9/8/2022 9:54	0.0089	0.014	0.0051	0	0	0
9/8/2022 9:55	0.0086	0.0139	0.0053	0	0	0
9/8/2022 9:56	0.0085	0.0139	0.0054	0	0	0
9/8/2022 9:57	0.0084	0.0138	0.0054	0	0	0
9/8/2022 9:58	0.0083	0.0137	0.0054	0	0	0
9/8/2022 9:59	0.0083	0.0137	0.0054	0	0	0
9/8/2022 10:00	0.0085	0.0136	0.0051	0	0	0
9/8/2022 10:01	0.0087	0.0137	0.005	0	0	0
9/8/2022 10:02	0.0087	0.0137	0.005	0	0	0
9/8/2022 10:03	0.0088	0.0137	0.0049	0	0	0
9/8/2022 10:04	0.0087	0.0137	0.005	0	0	0
9/8/2022 10:05	0.0088	0.0142	0.0054	0	0	0
9/8/2022 10:06	0.0089	0.0147	0.0058	0	0	0
9/8/2022 10:07	0.0091	0.0149	0.0058	0	0	0
9/8/2022 10:08	0.0093	0.0151	0.0058	0	0	0
9/8/2022 10:09	0.0094	0.0155	0.0061	0	0	0
9/8/2022 10:10	0.0103	0.0156	0.0053	0	0	0
9/8/2022 10:11	0.0108	0.0157	0.0049	0	0	0
9/8/2022 10:12	0.0111	0.016	0.0049	0	0	0
9/8/2022 10:13	0.0112	0.0162	0.005	0	0	0
9/8/2022 10:14	0.0112	0.0163	0.0051	0	0	0
9/8/2022 10:15	0.0111	0.0165	0.0054	0	0	0
9/8/2022 10:16	0.0109	0.0166	0.0057	0	0	0
9/8/2022 10:17	0.0111	0.0168	0.0057	0	0	0
9/8/2022 10:18	0.0111	0.0169	0.0058	0	0	0
9/8/2022 10:19	0.0112	0.017	0.0058	0	0	0
9/8/2022 10:20	0.0111	0.0165	0.0054	0	0	0
9/8/2022 10:21	0.0109	0.0161	0.0052	0	0	0
9/8/2022 10:22	0.0107	0.016	0.0053	0	0	0
9/8/2022 10:23	0.0106	0.0158	0.0052	0	0	0
9/8/2022 10:24	0.0103	0.0155	0.0052	0	0	0
9/8/2022 10:25	0.0093	0.0155	0.0062	0	0	0
9/8/2022 10:26	0.0089	0.0153	0.0064	0	0	0
9/8/2022 10:27	0.0093	0.0151	0.0058	0	0	0
9/8/2022 10:28	0.0094	0.015	0.0056	0	0	0
9/8/2022 10:29	0.0095	0.0149	0.0054	0	0	0
9/8/2022 10:30	0.0094	0.0148	0.0054	0	0	0
9/8/2022 10:31	0.0095	0.0146	0.0051	0	0	0
9/8/2022 10:32	0.0098	0.0148	0.005	0	0	0
9/8/2022 10:33	0.01	0.0155	0.0055	0	0	0
9/8/2022 10:34	0.0101	0.0157	0.0056	0	0	0
9/8/2022 10:35	0.0102	0.0159	0.0057	0	0	0
9/8/2022 10:36	0.0103	0.0158	0.0055	0	0	0
9/8/2022 10:37	0.0103	0.0156	0.0053	0	0	0
9/8/2022 10:38	0.0103	0.0155	0.0052	0	0	0
9/8/2022 10:39	0.0104	0.0154	0.005	0	0	0
9/8/2022 10:40	0.0106	0.0153	0.0047	0	0	0
9/8/2022 10:41	0.0105	0.0154	0.0049	0	0	0
9/8/2022 10:42	0.0099	0.0155	0.0056	0	0	0
9/8/2022 10:43	0.0097	0.0155	0.0058	0	0	0
9/8/2022 10:44	0.0096	0.0156	0.006	0	0	0
9/8/2022 10:45	0.0097	0.0157	0.006	0	0	0
9/8/2022 10:46	0.0097	0.0156	0.0059	0	0	0
9/8/2022 10:47	0.0095	0.0152	0.0057	0	0	0
9/8/2022 10:48	0.0097	0.0145	0.0048	0	0	0
9/8/2022 10:49	0.0095	0.0141	0.0046	0	0	0
9/8/2022 10:50	0.0093	0.0139	0.0046	0	0	0
9/8/2022 10:51	0.0092	0.0139	0.0047	0	0	0
9/8/2022 10:52	0.009	0.0139	0.0049	0	0	0
9/8/2022 10:53	0.0089	0.014	0.0051	0	0	0
9/8/2022 10:54	0.0089	0.0141	0.0052	0	0	0
9/8/2022 10:55	0.0089	0.0142	0.0053	0	0	0
9/8/2022 10:56	0.0091	0.0142	0.0051	0	0	0
9/8/2022 10:57	0.0093	0.0143	0.005	0	0	0
9/8/2022 10:58	0.0093	0.0144	0.0051	0	0	0
9/8/2022 10:59	0.0093	0.0144	0.0051	0	0	0
9/8/2022 11:00	0.0093	0.0145	0.0052	0	0	0
9/8/2022 11:01	0.0092	0.0146	0.0054	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/8/2022 11:02	0.0087	0.0147	0.006	0	0	0
9/8/2022 11:03	0.0082	0.0146	0.0064	0	0	0
9/8/2022 11:04	0.0083	0.0147	0.0064	0	0	0
9/8/2022 11:05	0.0083	0.0148	0.0065	0	0	0
9/8/2022 11:06	0.0083	0.0149	0.0066	0	0	0
9/8/2022 11:07	0.0083	0.0149	0.0066	0	0	0
9/8/2022 11:08	0.0084	0.0149	0.0065	0	0	0
9/8/2022 11:09	0.0084	0.015	0.0066	0	0	0
9/8/2022 11:10	0.0083	0.015	0.0067	0	0	0
9/8/2022 11:11	0.0081	0.0151	0.007	0	0	0
9/8/2022 11:12	0.0081	0.0149	0.0068	0	0	0
9/8/2022 11:13	0.0082	0.0149	0.0067	0	0	0
9/8/2022 11:14	0.0083	0.0148	0.0065	0	0	0
9/8/2022 11:15	0.0083	0.0147	0.0064	0	0	0
9/8/2022 11:16	0.0084	0.0145	0.0061	0	0	0
9/8/2022 11:17	0.0085	0.0144	0.0059	0	0	0
9/8/2022 11:18	0.0087	0.0143	0.0056	0	0	0
9/8/2022 11:19	0.0088	0.0141	0.0053	0	0	0
9/8/2022 11:20	0.0088	0.0138	0.005	0	0	0
9/8/2022 11:21	0.0087	0.0135	0.0048	0	0	0
9/8/2022 11:22	0.0085	0.0131	0.0046	0	0	0
9/8/2022 11:23	0.0083	0.0128	0.0045	0	0	0
9/8/2022 11:24	0.0081	0.0125	0.0044	0	0	0
9/8/2022 11:25	0.0079	0.0122	0.0043	0	0	0
9/8/2022 11:26	0.0076	0.0119	0.0043	0	0	0
9/8/2022 11:27	0.0075	0.0117	0.0042	0	0	0
9/8/2022 11:28	0.0077	0.0115	0.0038	0	0	0
9/8/2022 11:29	0.0075	0.0112	0.0037	0	0	0
9/8/2022 11:30	0.0073	0.011	0.0037	0	0	0
9/8/2022 11:31	0.0069	0.0109	0.004	0	0	0
9/8/2022 11:32	0.0069	0.0107	0.0038	0	0	0
9/8/2022 11:33	0.0063	0.0106	0.0043	0	0	0
9/8/2022 11:34	0.006	0.0105	0.0045	0	0	0
9/8/2022 11:35	0.0057	0.0106	0.0049	0	0	0
9/8/2022 11:36	0.0058	0.0107	0.0049	0	0	0
9/8/2022 11:37	0.0058	0.0107	0.0049	0	0	0
9/8/2022 11:38	0.0058	0.0108	0.005	0	0	0
9/8/2022 11:39	0.0059	0.0109	0.005	0	0	0
9/8/2022 11:40	0.006	0.011	0.005	0	0	0
9/8/2022 11:41	0.0061	0.0111	0.005	0	0	0
9/8/2022 11:42	0.0061	0.0111	0.005	0	0	0
9/8/2022 11:43	0.0055	0.0112	0.0057	0	0	0
9/8/2022 11:44	0.0059	0.0113	0.0054	0	0	0
9/8/2022 11:45	0.0059	0.0114	0.0055	0	0	0
9/8/2022 11:46	0.006	0.0114	0.0054	0	0	0
9/8/2022 11:47	0.006	0.0114	0.0054	0	0	0
9/8/2022 11:48	0.0059	0.0113	0.0054	0	0	0
9/8/2022 11:49	0.0059	0.0112	0.0053	0	0	0
9/8/2022 11:50	0.0059	0.011	0.0051	0	0	0
9/8/2022 11:51	0.0055	0.0109	0.0054	0	0	0
9/8/2022 11:52	0.0053	0.0109	0.0056	0	0	0
9/8/2022 11:53	0.0051	0.011	0.0059	0	0	0
9/8/2022 11:54	0.0049	0.0111	0.0062	0	0	0
9/8/2022 11:55	0.0047	0.011	0.0063	0	0	0
9/8/2022 11:56	0.0046	0.0109	0.0063	0	0	0
9/8/2022 11:57	0.0044	0.0108	0.0064	0	0	0
9/8/2022 11:58	0.0043	0.0107	0.0064	0	0	0
9/8/2022 11:59	0.0037	0.0106	0.0069	0	0	0
9/8/2022 12:00	0.0035	0.0106	0.0071	0	0	0
9/8/2022 12:01	0.0033	0.0107	0.0074	0	0	0
9/8/2022 12:02	0.0031	0.0109	0.0078	0	0	0
9/8/2022 12:03	0.0032	0.0111	0.0079	0	0	0
9/8/2022 12:04	0.0033	0.0113	0.008	0	0	0
9/8/2022 12:05	0.0035	0.0115	0.008	0	0	0
9/8/2022 12:06	0.0037	0.0116	0.0079	0	0	0
9/8/2022 12:07	0.0039	0.0118	0.0079	0	0	0
9/8/2022 12:08	0.0039	0.0117	0.0078	0	0	0
9/8/2022 12:09	0.004	0.0114	0.0074	0	0	0
9/8/2022 12:10	0.0041	0.0114	0.0073	0	0	0
9/8/2022 12:11	0.0041	0.0115	0.0074	0	0	0
9/8/2022 12:12	0.0042	0.0115	0.0073	0	0	0
9/8/2022 12:13	0.0043	0.0117	0.0074	0	0	0

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/8/2022 12:14	0.0044	0.0117	0.0073	0	0	0
9/8/2022 12:15	0.0046	0.0116	0.007	0	0	0
9/8/2022 12:16	0.0052	0.0115	0.0063	0.0026	0	-0.0026
9/8/2022 12:17	0.0057	0.0113	0.0056	0.0054	0	-0.0054
9/8/2022 12:18	0.0063	0.0112	0.0049	0.0079	0	-0.0079
9/8/2022 12:19	0.0067	0.0111	0.0044	0.0097	0	-0.0097
9/8/2022 12:20	0.0069	0.0111	0.0042	0.0114	0	-0.0114
9/8/2022 12:21	0.007	0.011	0.004	0.0128	0	-0.0128
9/8/2022 12:22	0.0071	0.0109	0.0038	0.0137	0	-0.0137
9/8/2022 12:23	0.0073	0.0109	0.0036	0.0137	0	-0.0137
9/8/2022 12:24	0.0073	0.0111	0.0038	0.0139	0	-0.0139
9/8/2022 12:25	0.0075	0.0113	0.0038	0.0149	0	-0.0149
9/8/2022 12:26	0.0077	0.0115	0.0038	0.0165	0	-0.0165
9/8/2022 12:27	0.0079	0.0115	0.0036	0.0187	0	-0.0187
9/8/2022 12:28	0.0083	0.0115	0.0032	0.0207	0	-0.0207
9/8/2022 12:29	0.0086	0.0115	0.0029	0.0229	0	-0.0229
9/8/2022 12:30	0.0088	0.0116	0.0028	0.0236	0	-0.0236
9/8/2022 12:31	0.0083	0.0116	0.0033	0.0213	0	-0.0213
9/8/2022 12:32	0.0078	0.0117	0.0039	0.0204	0	-0.0204
9/8/2022 12:33	0.0076	0.0117	0.0041	0.0193	0	-0.0193
9/8/2022 12:34	0.0079	0.0118	0.0039	0.0189	0	-0.0189
9/8/2022 12:35	0.0081	0.0119	0.0038	0.0197	0	-0.0197
9/8/2022 12:36	0.0097	0.0121	0.0024	0.0198	0	-0.0198
9/8/2022 12:37	0.0107	0.0123	0.0016	0.0211	0	-0.0211
9/8/2022 12:38	0.0116	0.0127	0.0011	0.0219	0	-0.0219
9/8/2022 12:39	0.0124	0.0129	0.0005	0.0237	0	-0.0237
9/8/2022 12:40	0.0128	0.0129	1E-04	0.0235	0	-0.0235
9/8/2022 12:41	0.0136	0.0133	-0.0003	0.0234	0	-0.0234
9/8/2022 12:42	0.0148	0.0135	-0.0013	0.0228	0	-0.0228
9/8/2022 12:43	0.0158	0.0137	-0.0021	0.0225	0	-0.0225
9/8/2022 12:44	0.0164	0.0141	-0.0023	0.0224	0	-0.0224
9/8/2022 12:45	0.0172	0.0145	-0.0027	0.0237	0	-0.0237
9/8/2022 12:46	0.0179	0.0147	-0.0032	0.0249	0	-0.0249
9/8/2022 12:47	0.0185	0.0149	-0.0036	0.0252	0	-0.0252
9/8/2022 12:48	0.0189	0.0151	-0.0038	0.0255	0	-0.0255
9/8/2022 12:49	0.0191	0.0151	-0.004	0.026	0	-0.026
9/8/2022 12:50	0.0192	0.0151	-0.0041	0.0242	0	-0.0242
9/8/2022 12:51	0.0178	0.015	-0.0028	0.0234	0	-0.0234
9/8/2022 12:52	0.0171	0.0147	-0.0024	0.0212	0	-0.0212
9/8/2022 12:53	0.0165	0.0144	-0.0021	0.0204	0	-0.0204
9/8/2022 12:54	0.0157	0.0141	-0.0016	0.0185	0	-0.0185
9/8/2022 12:55	0.0153	0.014	-0.0013	0.0177	0	-0.0177
9/8/2022 12:56	0.0145	0.0135	-0.001	0.0161	0	-0.0161
9/8/2022 12:57	0.0133	0.0132	-1E-04	0.0145	0	-0.0145
9/8/2022 12:58	0.012	0.0141	0.0021	0.0129	0	-0.0129
9/8/2022 12:59	0.0113	0.0139	0.0026	0.0108	0	-0.0108
9/8/2022 13:00	0.0103	0.0135	0.0032	0.0087	0	-0.0087
9/8/2022 13:01	0.0098	0.0133	0.0035	0.0073	0	-0.0073
9/8/2022 13:02	0.0093	0.0131	0.0038	0.0051	0	-0.0051
9/8/2022 13:03	0.0087	0.0131	0.0044	0.0034	0	-0.0034
9/8/2022 13:04	0.0083	0.0137	0.0054	0.0015	0	-0.0015
9/8/2022 13:05	0.0081	0.014	0.0059	0.0007	0	-0.0007
9/8/2022 13:06	0.0083	0.0142	0.0059	0.0002	0	-0.0002
9/8/2022 13:07	0.0083	0.0142	0.0059	0.0002	0	-0.0002
9/8/2022 13:08	0.0083	0.0142	0.0059	0.0005	0	-0.0005
9/8/2022 13:09	0.0084	0.0141	0.0057	0.0008	0	-0.0008
9/8/2022 13:10	0.0087	0.0141	0.0054	0.0013	0	-0.0013
9/8/2022 13:11	0.0089	0.0139	0.005	0.0015	0	-0.0015
9/8/2022 13:12	0.0089	0.0139	0.005	0.0017	0	-0.0017
9/8/2022 13:13	0.0089	0.0126	0.0037	0.0033	0	-0.0033
9/8/2022 13:14	0.0087	0.0125	0.0038	0.0045	0	-0.0045
9/8/2022 13:15	0.0085	0.0124	0.0039	0.0073	0	-0.0073
9/8/2022 13:16	0.0085	0.0123	0.0038	0.009	0	-0.009
9/8/2022 13:17	0.0083	0.0121	0.0038	0.0104	0	-0.0104
9/8/2022 13:18	0.008	0.0117	0.0037	0.0117	0	-0.0117
9/8/2022 13:19	0.0076	0.0109	0.0033	0.0129	0	-0.0129
9/8/2022 13:20	0.0071	0.0104	0.0033	0.0132	0	-0.0132
9/8/2022 13:21	0.0065	0.0101	0.0036	0.0131	0	-0.0131
9/8/2022 13:22	0.0061	0.01	0.0039	0.0132	0	-0.0132
9/8/2022 13:23	0.0058	0.0099	0.0041	0.0129	0	-0.0129
9/8/2022 13:24	0.0057	0.0099	0.0042	0.013	0	-0.013
9/8/2022 13:25	0.0055	0.0098	0.0043	0.0131	0	-0.0131

Timestamp	Mass Conc. Total mg/m ³ AVG 15m (mg/m ³)			VOC ppm AVG 15m (ppm)		
	#1 UW	#1 DW	DIFFERENCE (DW-UW)	#1 UW	#1 DW	DIFFERENCE (DW-UW)
9/8/2022 13:26	0.0058	0.01	0.0042	0.0136	0	-0.0136
9/8/2022 13:27	0.0063	0.0101	0.0038	0.0135	0	-0.0135
9/8/2022 13:28	0.0064	0.0102	0.0038	0.0118	0	-0.0118
9/8/2022 13:29	0.0065	0.0102	0.0037	0.0113	0.0003	-0.011
9/8/2022 13:30	0.0071	0.0102	0.0031	0.0093	0.0003	-0.009
9/8/2022 13:31	0.0077	0.0101	0.0024	0.0087	0.0003	-0.0084
9/8/2022 13:32	0.0083	0.0102	0.0019	0.0085	0.0003	-0.0082
9/8/2022 13:33	0.0086	0.0102	0.0016	0.0084	0.0003	-0.0081
9/8/2022 13:34	0.0087	0.0101	0.0014	0.0089	0.0003	-0.0086
9/8/2022 13:35	0.0087	0.0101	0.0014	0.0103	0.0003	-0.01
9/8/2022 13:36	0.0087	0.0101	0.0014	0.0108	0.0003	-0.0105
9/8/2022 13:37	0.0089	0.0101	0.0012	0.0125	0.0003	-0.0122
9/8/2022 13:38	0.0087	0.01	0.0013	0.0124	0.0003	-0.0121
9/8/2022 13:39	0.0101	0.01	-1E-04	0.012	0.0003	-0.0117
9/8/2022 13:40	0.011	0.01	-0.001	0.0114	0.0003	-0.0111
9/8/2022 13:41	0.011	0.01	-0.001	0.0107	0.0003	-0.0104
9/8/2022 13:42	0.0105	0.0102	-0.0003	0.0107	0.0003	-0.0104
9/8/2022 13:43	0.0105	0.0101	-0.0004	0.0107	0.0003	-0.0104
9/8/2022 13:44	0.0105	0.0101	-0.0004	0.01	0	-0.01
9/8/2022 13:45	0.0101	0.01	-1E-04	0.0093	0	-0.0093
9/8/2022 13:46	0.0096	0.01	0.0004	0.0085	0	-0.0085
9/8/2022 13:47	0.0089	0.0099	0.001	0.0073	0	-0.0073
9/8/2022 13:48	0.0084	0.01	0.0016	0.0061	0	-0.0061
9/8/2022 13:49	0.0087	0.0103	0.0016	0.0045	0	-0.0045
9/8/2022 13:50	0.0093	0.0105	0.0012	0.0037	0	-0.0037
9/8/2022 13:51	0.0094	0.0107	0.0013	0.0031	0	-0.0031
9/8/2022 13:52		0.0106	0.0106		0	0
9/8/2022 13:53		0.0107	0.0107		0	0
9/8/2022 13:54		0.0106	0.0106		0	0
9/8/2022 13:55		0.0107	0.0107		0	0
9/8/2022 13:56		0.0104	0.0104		0	0
9/8/2022 13:57		0.01	0.01		0	0
9/8/2022 13:58		0.01	0.01		0	0
9/8/2022 13:59		0.0101	0.0101		0	0
9/8/2022 14:00		0.0101	0.0101		0	0
9/8/2022 14:01		0.0101	0.0101		0	0