

S&W Redevelopment

of North America, LLC

430 East Genesee Street

Suite 401

Syracuse, NY 13202

tel. (315) 422-4949

fax. (315) 422-2124

web. www.swredev.com

April 19, 2006

APR 21 2006

Mr. John Piston
NYS Department of Environmental Conservation
615 Erie Boulevard West
Syracuse, NY 13204-2400

Re: Pass & Seymour
Brownfield Program
Indoor/Sub-slab Air Sampling Results

Dear Mr. Piston:

Enclosed are laboratory analysis results for the air samples taken at the Pass & Seymour office building on March 4, 2006. A total of eight (8) air samples were collected, including three (3) indoor air samples, one (1) outdoor air sample, and four (4) sub-slab air samples. All of the samples were analyzed for volatile organic compounds (VOCs) by USEPA method TO-15.

The following sample identification summary is provided:

Sample I.D.	Description
Summa 154 - Outdoor	Outdoor air sample taken on top of picnic table, north side of office building (upwind)
Summa 141 - Model Shop A	Indoor air sample collected on bench top in Model Shop area
Summa 299 - Lab A	Indoor air sample collected on bench top in electronics laboratory
Summa 305 - Office A	Indoor air sample collected from top of water cooler in office area
Summa 054 - Fire Pump	Sub-slab sample collected in rear of boiler room, adjacent to fire pump station
Summa 422- Model Shop	Sub-slab sample collected in model shop room
Summa 418 - Office	Sub-slab sample collected in area adjacent to office space/cubicles
Summa 088 - Lab	Sub-slab sample collected in electronics laboratory

Preliminary evaluation of the laboratory results indicates that the level of VOCs in the three indoor air samples (Summa 141, 299, 305) are well below current OSHA standards governing occupational exposure. In addition, only one compound (trichloroethene) was detected above proposed New York State Department of Health (NYSDOH) indoor air guidelines, in the Model Shop indoor air sample (Summa 141). The detected concentration of trichloroethene in this indoor air sample was $6 \mu\text{g}/\text{m}^3$, which is marginally higher than the proposed NYSDOH guideline of $5 \mu\text{g}/\text{m}^3$.



Stearns & Wheler
Companies

Connecticut Maryland Massachusetts New Hampshire New York North Carolina Virginia

Mr. John Piston
NYSDEC

April 19, 2006
Page 2

The sub-slab air sampling results will be evaluated along with the results of other sampled media (i.e. soil and groundwater) in the Remedial Investigation (RI) Report, following completion of the RI.

If you have any questions or would like to discuss the enclosed results, please call David Stoner at (315) 422-4949.

Very truly yours,

S&W Redevelopment of North America, LLC



Daniel P. Ours
Senior Project Manager

cc: James Burke, NYSDEC (encl)
Mary Jane Peachey, NYSDEC (encl)
Philip DeCicca, Pass & Seymour (encl)
Doreen Simmons, Hancock & Estabrook (encl)





Lancaster Laboratories Sample No. AQ 4722492

SUMMA 054 - (Fire Pump) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:51 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W RdvM of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

054FP SDG#: PSY01-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	N.D.	9.9	ug/m3	10
07203	Chlorodifluoromethane	75-45-6	N.D.	35.	ug/m3	10
07204	Freon 114	76-14-2	N.D.	14.	ug/m3	10
07205	Chloromethane	74-87-3	N.D.	4.1	ug/m3	10
07206	Vinyl Chloride	75-01-4	N.D.	5.1	ug/m3	10
07207	1,3-Butadiene	106-99-0	N.D.	22.	ug/m3	10
07208	Bromomethane	74-83-9	N.D.	7.8	ug/m3	10
07209	Chloroethane	75-00-3	N.D.	5.3	ug/m3	10
07210	Dichlorofluoromethane	75-43-4	N.D.	8.4	ug/m3	10
07212	Trichlorofluoromethane	75-69-4	N.D.	11.	ug/m3	10
07213	Pentane	109-66-0	47.	5.9	ug/m3	10
07215	1,1-Dichloroethene	75-35-4	N.D.	7.9	ug/m3	10
07216	Freon 113	76-13-1	N.D.	38.	ug/m3	10
07217	Acetone	67-64-1	170.	24.	ug/m3	10
07219	Carbon Disulfide	75-15-0	71.	16.	ug/m3	10
07221	3-Chloropropene	107-05-1	N.D.	6.3	ug/m3	10
07222	Methylene Chloride	75-09-2	63.	17.	ug/m3	10
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	7.9	ug/m3	10
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	7.2	ug/m3	10
07226	Hexane	110-54-3	53.	7.0	ug/m3	10
07227	1,1-Dichloroethane	75-34-3	N.D.	8.1	ug/m3	10
07230	cis-1,2-Dichloroethene	156-59-2	12.	7.9	ug/m3	10
07231	2-Butanone	78-93-3	N.D.	15.	ug/m3	10
07234	Chloroform	67-66-3	N.D.	9.8	ug/m3	10
07235	1,1,1-Trichloroethane	71-55-6	11.	11.	ug/m3	10
07236	Carbon Tetrachloride	56-23-5	N.D.	13.	ug/m3	10
07237	1,2-Dichloroethane	107-06-2	N.D.	8.1	ug/m3	10
07238	Benzene	71-43-2	11.	6.4	ug/m3	10
07239	Isooctane	540-84-1	64.	9.3	ug/m3	10
07240	Heptane	142-82-5	92.	8.2	ug/m3	10
07241	Trichloroethene	79-01-6	1,500.	110.	ug/m3	100
07243	1,2-Dichloropropane	78-87-5	N.D.	9.2	ug/m3	10
07245	Dibromomethane	74-95-3	N.D.	14.	ug/m3	10
07247	Bromodichloromethane	75-27-4	N.D.	13.	ug/m3	10
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	9.1	ug/m3	10

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2581



Lancaster Laboratories Sample No. AQ 4722492

SUMMA 054 - (Fire Pump) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:51 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

054FP SDG#: PSY01-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received	Units	Dilution Factor
				Method Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	20.	ug/m3	10
07250	Toluene	108-88-3	120.	7.5	ug/m3	10
07251	Octane	111-65-9	96.	9.3	ug/m3	10
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	9.1	ug/m3	10
07254	1,1,2-Trichloroethane	79-00-5	N.D.	11.	ug/m3	10
07255	Tetrachloroethene	127-18-4	N.D.	14.	ug/m3	10
07256	2-Hexanone	591-78-6	N.D.	20.	ug/m3	10
07257	Dibromochloromethane	124-48-1	N.D.	17.	ug/m3	10
07258	1,2-Dibromoethane	106-93-4	N.D.	15.	ug/m3	10
07259	Chlorobenzene	108-90-7	N.D.	9.2	ug/m3	10
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	14.	ug/m3	10
07261	Ethylbenzene	100-41-4	40.	8.7	ug/m3	10
07262	m/p-Xylene	1330-20-7	66.	8.7	ug/m3	10
07263	o-Xylene	95-47-6	30.	8.7	ug/m3	10
07264	Styrene	100-42-5	12.	8.5	ug/m3	10
07265	Bromoform	75-25-2	N.D.	21.	ug/m3	10
07266	Cumene	98-82-8	N.D.	9.8	ug/m3	10
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	14.	ug/m3	10
07268	1,2,3-Trichloropropane	96-18-4	N.D.	12.	ug/m3	10
07269	Bromobenzene	108-86-1	N.D.	13.	ug/m3	10
07270	4-Ethyltoluene	622-96-8	N.D.	9.8	ug/m3	10
07271	1,3,5-Trimethylbenzene	108-67-8	22.	9.8	ug/m3	10
07273	1,2,4-Trimethylbenzene	95-63-6	30.	9.8	ug/m3	10
07274	1,3-Dichlorobenzene	541-73-1	N.D.	30.	ug/m3	10
07275	1,4-Dichlorobenzene	106-46-7	N.D.	30.	ug/m3	10
07277	1,2-Dichlorobenzene	95-50-1	N.D.	30.	ug/m3	10
07278	Hexachloroethane	67-72-1	N.D.	19.	ug/m3	10

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/23/2006 23:14	Douglas Graham	100

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2360 Fax: 717-656-2681



Page 3 of 3

Lancaster Laboratories Sample No. AQ 4722492

SUMMA 054 - (Fire Pump) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:51 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20

S&W Rdm of North America, LLC

Reported: 04/06/2006 at 11:00

430 East Genesee Street

Discard: 04/21/2006

Suite 401

Syracuse NY 13202

054FP SDG#: PSY01-01

05298 VOCs in air by TO-15 scan EPA TO-15

1 03/23/2006 23:52 Douglas Graham

10

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

2216 Rev. 3/10/03



Lancaster Laboratories Sample No. AQ 4722493

SUMMA 422 - (Model Shop) Air Sample
Pass & Seymour - NY


Collected: 03/04/2006 10:03 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

422MS SDG#: PSY01-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	N.D.	20.	ug/m3	20
07203	Chlorodifluoromethane	75-45-6	N.D.	71.	ug/m3	20
07204	Freon 114	76-14-2	N.D.	28.	ug/m3	20
07205	Chloromethane	74-87-3	N.D.	8.3	ug/m3	20
07206	Vinyl Chloride	75-01-4	N.D.	10.	ug/m3	20
07207	1,3-Butadiene	106-99-0	N.D.	44.	ug/m3	20
07208	Bromomethane	74-83-9	N.D.	16.	ug/m3	20
07209	Chloroethane	75-00-3	N.D.	11.	ug/m3	20
07210	Dichlorofluoromethane	75-43-4	N.D.	17.	ug/m3	20
07212	Trichlorofluoromethane	75-69-4	N.D.	22.	ug/m3	20
07213	Pentane	109-66-0	40.	12.	ug/m3	20
07215	1,1-Dichloroethene	75-35-4	N.D.	16.	ug/m3	20
07216	Freon 113	76-13-1	N.D.	77.	ug/m3	20
07217	Acetone	67-64-1	390.	48.	ug/m3	20
07219	Carbon Disulfide	75-15-0	200.	31.	ug/m3	20
07221	3-Chloropropene	107-05-1	N.D.	13.	ug/m3	20
07222	Methylene Chloride	75-09-2	160.	35.	ug/m3	20
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	16.	ug/m3	20
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	14.	ug/m3	20
07226	Hexane	110-54-3	66.	14.	ug/m3	20
07227	1,1-Dichloroethane	75-34-3	N.D.	16.	ug/m3	20
07230	cis-1,2-Dichloroethene	156-59-2	64.	16.	ug/m3	20
07231	2-Butanone	78-93-3	N.D.	29.	ug/m3	20
07234	Chloroform	67-66-3	60.	20.	ug/m3	20
07235	1,1,1-Trichloroethane	71-55-6	N.D.	22.	ug/m3	20
07236	Carbon Tetrachloride	56-23-5	N.D.	25.	ug/m3	20
07237	1,2-Dichloroethane	107-06-2	N.D.	16.	ug/m3	20
07238	Benzene	71-43-2	N.D.	13.	ug/m3	20
07239	Isooctane	540-84-1	N.D.	19.	ug/m3	20
07240	Heptane	142-82-5	N.D.	16.	ug/m3	20
07241	Trichloroethene	79-01-6	5,200.	210.	ug/m3	200
07243	1,2-Dichloropropane	78-87-5	N.D.	18.	ug/m3	20
07245	Dibromomethane	74-95-3	N.D.	28.	ug/m3	20
07247	Bromodichloromethane	75-27-4	N.D.	27.	ug/m3	20
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	18.	ug/m3	20

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722493

SUMMA 422 - (Model Shop) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:03 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

422MS SDG#: PSY01-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	41.	ug/m3	20
07250	Toluene	108-88-3	230.	15.	ug/m3	20
07251	Octane	111-65-9	21.	19.	ug/m3	20
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	18.	ug/m3	20
07254	1,1,2-Trichloroethane	79-00-5	N.D.	22.	ug/m3	20
07255	Tetrachloroethene	127-18-4	120.	27.	ug/m3	20
07256	2-Hexanone	591-78-6	N.D.	41.	ug/m3	20
07257	Dibromochloromethane	124-48-1	N.D.	34.	ug/m3	20
07258	1,2-Dibromoethane	106-93-4	N.D.	31.	ug/m3	20
07259	Chlorobenzene	108-90-7	N.D.	18.	ug/m3	20
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	27.	ug/m3	20
07261	Ethylbenzene	100-41-4	30.	17.	ug/m3	20
07262	m/p-Xylene	1330-20-7	81.	17.	ug/m3	20
07263	o-Xylene	95-47-6	23.	17.	ug/m3	20
07264	Styrene	100-42-5	N.D.	17.	ug/m3	20
07265	Bromoform	75-25-2	N.D.	41.	ug/m3	20
07266	Cumene	98-82-8	N.D.	20.	ug/m3	20
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	27.	ug/m3	20
07268	1,2,3-Trichloropropane	96-18-4	N.D.	24.	ug/m3	20
07269	Bromobenzene	108-86-1	N.D.	26.	ug/m3	20
07270	4-Ethyltoluene	622-96-8	N.D.	20.	ug/m3	20
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	20.	ug/m3	20
07273	1,2,4-Trimethylbenzene	95-63-6	24.	20.	ug/m3	20
07274	1,3-Dichlorobenzene	541-73-1	N.D.	60.	ug/m3	20
07275	1,4-Dichlorobenzene	106-46-7	N.D.	60.	ug/m3	20
07277	1,2-Dichlorobenzene	95-50-1	N.D.	60.	ug/m3	20
07278	Hexachloroethane	67-72-1	N.D.	39.	ug/m3	20

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 12:17	Jeffrey B Smith	200

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722493

SUMMA 422 - (Model Shop) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:03 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006

S&W Rdvm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

422MS SDG#: PSY01-02
05298 VOCs in air by TO-15 scan EPA TO-15

1 03/24/2006 12:55 Jeffrey B Smith 20



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722494

SUMMA 418 - (Office) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:26 by DFO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202418
4190F SDG#: PSY01-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	5.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	N.D.	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	6.0	1.1	ug/m3	1
07213	Pentane	109-66-0	12.	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	45.	2.4	ug/m3	1
07219	Carbon Disulfide	75-15-0	32.	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	14.	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	2.0	0.72	ug/m3	1
07226	Hexane	110-54-3	8.0	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	1
07231	2-Butanone	78-93-3	5.0	1.5	ug/m3	1
07234	Chloroform	67-66-3	7.0	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	2.0	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	2.0	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	7.0	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	2,500.	21.	ug/m3	20
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17603-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722494

SUMMA 418 - (Office) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:26 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202418
190F SDG#: PSY01-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	9.0	0.75	ug/m3	1
07251	Octane	111-65-9	7.0	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	8.0	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	5.0	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	18.	0.87	ug/m3	1
07263	o-Xylene	95-47-6	5.0	0.87	ug/m3	1
07264	Styrene	100-42-5	8.0	0.85	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	22.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	5.0	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	4.0	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	7.0	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 14:11	Jeffrey B Smith	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Page 3 of 3

Lancaster Laboratories Sample No. AQ 4722494

SUMMA 418 - (Office) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:26 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdvm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 132024190F SDG#: PSY01-03
05298 VOCs in air by TO-15 scan EPA TO-15

1 03/27/2006 20:02 Jeffrey B Smith

20

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722495

SUMMA 088 - (Lab) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:39 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006S&W Rdyv of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

088LB SDG#: PSY01-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	3.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	0.80	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	0.70	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	3.0	1.1	ug/m3	1
07213	Pentane	109-66-0	22.	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	160.	24.	ug/m3	10
07219	Carbon Disulfide	75-15-0	3.0	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	5.0	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	1
07226	Hexane	110-54-3	12.	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	0.90	0.79	ug/m3	1
07231	2-Butanone	78-93-3	20.	1.5	ug/m3	1
07234	Chloroform	67-66-3	3.0	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	N.D.	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	48.	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	15.	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	140.	11.	ug/m3	10
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722495

SUMMA 088 - (Lab) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:39

by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20

Reported: 04/06/2006 at 11:00

Discard: 04/21/2006

S&W RdvM of North America, LLC

430 East Genesee Street

Suite 401

Syracuse NY 13202

088LB SDG#: PSY01-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	20.	0.75	ug/m3	1
07251	Octane	111-65-9	27.	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	3.0	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	8.0	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	30.	0.87	ug/m3	1
07263	o-Xylene	95-47-6	8.0	0.87	ug/m3	1
07264	Styrene	100-42-5	14.	0.85	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	11.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	7.0	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	8.0	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	13.	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 14:49	Jeffrey B. Smith	10

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Page 3 of 3

Lancaster Laboratories Sample No. AQ 4722495

SUMMA 088 - (Lab) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 10:39 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:00
Discard: 04/21/2006

S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

088LB SDG#: PSY01-04
05298 VOCs in air by TO-15 scan EPA TO-15

1 03/24/2006 15:27 Jeffrey B Smith 1



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722496

SUMMA 154 - (Outdoor) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:10 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

1540T SDG#: PSY01-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	3.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	1.0	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	N.D.	1.1	ug/m3	1
07213	Pentane	109-66-0	N.D.	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	4.0	2.4	ug/m3	1
07219	Carbon Disulfide	75-15-0	N.D.	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	N.D.	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	1
07226	Hexane	110-54-3	N.D.	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	1
07231	2-Butanone	78-93-3	N.D.	1.5	ug/m3	1
07234	Chloroform	67-66-3	N.D.	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	N.D.	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	N.D.	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	N.D.	1.1	ug/m3	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No.: AQ 4722496

SUMMA 154 - (Outdoor) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:10 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

1540T SDG#: PSY01-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method Detection Limit	Units	
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	N.D.	0.75	ug/m3	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	N.D.	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	N.D.	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	0.90	0.87	ug/m3	1
07263	o-Xylene	95-47-6	N.D.	0.87	ug/m3	1
07264	Styrene	100-42-5	N.D.	0.85	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	N.D.	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 16:43	Douglas Graham	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17603-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722496

SUMMA 154 - (Outdoor) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:10 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006

S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

1540T SDG#: PSY01-05



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722497

SUMMA 141 - (Model Shop A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:20 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20

Reported: 04/06/2006 at 11:01

Discard: 04/21/2006

S&W Rdvm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

141MS SDG#: PSY01-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	4.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	1.0	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	3.0	1.1	ug/m3	1
07213	Pentane	109-66-0	1.0	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	15.	2.4	ug/m3	1
07219	Carbon Disulfide	75-15-0	N.D.	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	N.D.	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	1
07226	Hexane	110-54-3	N.D.	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	1
07231	2-Butanone	78-93-3	N.D.	1.5	ug/m3	1
07234	Chloroform	67-66-3	N.D.	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	25.	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	0.70	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	6.0	1.1	ug/m3	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722497

SUMMA 141 - (Model Shop A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:20 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

141MS SDG#: PSY01-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	10.	0.75	ug/m3	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	2.0	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	N.D.	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	2.0	0.87	ug/m3	1
07263	o-Xylene	95-47-6	N.D.	0.87	ug/m3	1
07264	Styrene	100-42-5	N.D.	0.85	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	N.D.	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 17:59	Douglas Graham	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2687



Lancaster Laboratories Sample No. AQ 4722497

SUMMA 141 - (Model Shop A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:20 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006

S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

141MS SDG#: PSY01-06



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722498

SUMMA 299 - (Lab A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:24 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

299LA SDG#: PSY01-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	4.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	0.90	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	5.0	1.1	ug/m3	1
07213	Pentane	109-66-0	2.0	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	30.	2.4	ug/m3	1
07219	Carbon Disulfide	75-15-0	N.D.	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	N.D.	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	1
07226	Hexane	110-54-3	N.D.	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	1
07231	2-Butanone	78-93-3	6.0	1.5	ug/m3	1
07234	Chloroform	67-66-3	N.D.	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	4.0	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	0.90	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	4.0	1.1	ug/m3	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722498

SUMMA 299 - (Lab A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:24 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

299LA SDG#: PSY01-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	3.0	0.75	ug/m3	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	N.D.	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	N.D.	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	2.0	0.87	ug/m3	1
07263	o-Xylene	95-47-6	N.D.	0.87	ug/m3	1
07264	Styrene	100-42-5	N.D.	0.85	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	N.D.	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 19:15	Douglas Graham	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Page 3 of 3

Lancaster Laboratories Sample No. AQ 4722498

SUMMA 299 - (Lab A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:24 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006

S&W Rdm of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

299LA SDG#: PSY01-07



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681

2216 Rev. 3/10/03



Lancaster Laboratories Sample No. AQ 4722499

SUMMA 305 - (Office A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:26 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W Rdyv of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

3050A SDG#: PSY01-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05298	VOCs in air by TO-15 scan					
07202	Dichlorodifluoromethane	75-71-8	5.0	0.99	ug/m3	1
07203	Chlorodifluoromethane	75-45-6	N.D.	3.5	ug/m3	1
07204	Freon 114	76-14-2	N.D.	1.4	ug/m3	1
07205	Chloromethane	74-87-3	0.90	0.41	ug/m3	1
07206	Vinyl Chloride	75-01-4	N.D.	0.51	ug/m3	1
07207	1,3-Butadiene	106-99-0	N.D.	2.2	ug/m3	1
07208	Bromomethane	74-83-9	N.D.	0.78	ug/m3	1
07209	Chloroethane	75-00-3	N.D.	0.53	ug/m3	1
07210	Dichlorofluoromethane	75-43-4	N.D.	0.84	ug/m3	1
07212	Trichlorofluoromethane	75-69-4	4.0	1.1	ug/m3	1
07213	Pentane	109-66-0	5.0	0.59	ug/m3	1
07215	1,1-Dichloroethene	75-35-4	N.D.	0.79	ug/m3	1
07216	Freon 113	76-13-1	N.D.	3.8	ug/m3	1
07217	Acetone	67-64-1	33.	2.4	ug/m3	1
07219	Carbon Disulfide	75-15-0	N.D.	1.6	ug/m3	1
07221	3-Chloropropene	107-05-1	N.D.	0.63	ug/m3	1
07222	Methylene Chloride	75-09-2	N.D.	1.7	ug/m3	1
07224	trans-1,2-Dichloroethene	156-60-5	N.D.	0.79	ug/m3	1
07225	Methyl t-Butyl Ether	1634-04-4	N.D.	0.72	ug/m3	1
07226	Hexane	110-54-3	N.D.	0.70	ug/m3	1
07227	1,1-Dichloroethane	75-34-3	N.D.	0.81	ug/m3	1
07230	cis-1,2-Dichloroethene	156-59-2	N.D.	0.79	ug/m3	1
07231	2-Butanone	78-93-3	4.0	1.5	ug/m3	1
07234	Chloroform	67-66-3	N.D.	0.98	ug/m3	1
07235	1,1,1-Trichloroethane	71-55-6	3.0	1.1	ug/m3	1
07236	Carbon Tetrachloride	56-23-5	N.D.	1.3	ug/m3	1
07237	1,2-Dichloroethane	107-06-2	N.D.	0.81	ug/m3	1
07238	Benzene	71-43-2	0.70	0.64	ug/m3	1
07239	Isooctane	540-84-1	N.D.	0.93	ug/m3	1
07240	Heptane	142-82-5	N.D.	0.82	ug/m3	1
07241	Trichloroethene	79-01-6	4.0	1.1	ug/m3	1
07243	1,2-Dichloropropane	78-87-5	N.D.	0.92	ug/m3	1
07245	Dibromomethane	74-95-3	N.D.	1.4	ug/m3	1
07247	Bromodichloromethane	75-27-4	N.D.	1.3	ug/m3	1
07248	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.91	ug/m3	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax 717-656-2681



Lancaster Laboratories Sample No. AQ 4722499

SUMMA 305 - (Office A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:26 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006S&W RdvM of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

3050A SDG#: PSY01-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	Units	Dilution Factor
				Detection Limit		
07249	4-Methyl-2-Pentanone	108-10-1	N.D.	2.0	ug/m3	1
07250	Toluene	108-88-3	2.0	0.75	ug/m3	1
07251	Octane	111-65-9	N.D.	0.93	ug/m3	1
07252	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.91	ug/m3	1
07254	1,1,2-Trichloroethane	79-00-5	N.D.	1.1	ug/m3	1
07255	Tetrachloroethene	127-18-4	N.D.	1.4	ug/m3	1
07256	2-Hexanone	591-78-6	N.D.	2.0	ug/m3	1
07257	Dibromochloromethane	124-48-1	N.D.	1.7	ug/m3	1
07258	1,2-Dibromoethane	106-93-4	N.D.	1.5	ug/m3	1
07259	Chlorobenzene	108-90-7	N.D.	0.92	ug/m3	1
07260	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	1.4	ug/m3	1
07261	Ethylbenzene	100-41-4	N.D.	0.87	ug/m3	1
07262	m/p-Xylene	1330-20-7	2.0	0.87	ug/m3	1
07263	o-Xylene	95-47-6	N.D.	0.87	ug/m3	1
07264	Styrene	100-42-5	N.D.	0.95	ug/m3	1
07265	Bromoform	75-25-2	N.D.	2.1	ug/m3	1
07266	Cumene	98-82-8	N.D.	0.98	ug/m3	1
07267	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.4	ug/m3	1
07268	1,2,3-Trichloropropane	96-18-4	N.D.	1.2	ug/m3	1
07269	Bromobenzene	108-86-1	N.D.	1.3	ug/m3	1
07270	4-Ethyltoluene	622-96-8	N.D.	0.98	ug/m3	1
07271	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.98	ug/m3	1
07273	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.98	ug/m3	1
07274	1,3-Dichlorobenzene	541-73-1	N.D.	3.0	ug/m3	1
07275	1,4-Dichlorobenzene	106-46-7	N.D.	3.0	ug/m3	1
07277	1,2-Dichlorobenzene	95-50-1	N.D.	3.0	ug/m3	1
07278	Hexachloroethane	67-72-1	N.D.	1.9	ug/m3	1

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
05298	VOCs in air by TO-15 scan	EPA TO-15	1	03/24/2006 20:30	Douglas Graham	1

Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. AQ 4722499

SUMMA 305 - (Office A) Air Sample
Pass & Seymour - NY

Collected: 03/04/2006 09:26 by DPO

Account Number: 11640

Submitted: 03/07/2006 09:20
Reported: 04/06/2006 at 11:01
Discard: 04/21/2006

S&W RdvM of North America, LLC
430 East Genesee Street
Suite 401
Syracuse NY 13202

3050A SDG#: PSY01-08



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2581



Quality Control Summary

Client Name: S&W Rdvms of North America, LLC
Reported: 04/06/06 at 11:01 AM

Group Number: 980505

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C0608230A	Sample number(s): 4722492							
Dichlorodifluoromethane	N.D.	0.20	ppb(v)	95		65-145		
Chlorodifluoromethane	N.D.	1.0	ppb(v)					
Freon 114	N.D.	0.20	ppb(v)	97		71-138		
Chloromethane	N.D.	0.20	ppb(v)	87		66-133		
Vinyl Chloride	N.D.	0.20	ppb(v)	87		63-150		
1,3-Butadiene	N.D.	1.0	ppb(v)					
Bromomethane	N.D.	0.20	ppb(v)	96		44-157		
Chloroethane	N.D.	0.20	ppb(v)	96		61-153		
Dichlorofluoromethane	N.D.	0.20	ppb(v)					
Trichlorofluoromethane	N.D.	0.20	ppb(v)	96		71-145		
Pentane	N.D.	0.20	ppb(v)					
1,1-Dichloroethene	N.D.	0.20	ppb(v)	87		73-140		
Freon 113	N.D.	0.50	ppb(v)	107		68-158		
Acetone	N.D.	1.0	ppb(v)					
Carbon Disulfide	N.D.	0.50	ppb(v)					
3-Chloropropene	N.D.	0.50	ppb(v)					
Methylene Chloride	N.D.	0.50	ppb(v)	96		54-158		
trans-1,2-Dichloroethene	N.D.	0.20	ppb(v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb(v)					
Hexane	N.D.	0.20	ppb(v)					
1,1-Dichloroethane	N.D.	0.20	ppb(v)	97		70-140		
cis-1,2-Dichloroethene	N.D.	0.20	ppb(v)	98		62-139		
2-Butanone	N.D.	0.50	ppb(v)					
Chloroform	N.D.	0.20	ppb(v)	107		59-161		
1,1,1-Trichloroethane	N.D.	0.20	ppb(v)	107		74-153		
Carbon Tetrachloride	N.D.	0.20	ppb(v)	93		70-133		
1,2-Dichloroethane	N.D.	0.20	ppb(v)	109		68-156		
Benzene	N.D.	0.20	ppb(v)	94		69-148		
Isooctane	N.D.	0.20	ppb(v)					
Heptane	N.D.	0.20	ppb(v)					
Trichloroethene	N.D.	0.20	ppb(v)	98		68-135		
1,2-Dichloropropane	N.D.	0.20	ppb(v)	107		65-153		
Dibromomethane	N.D.	0.20	ppb(v)					
Bromodichloromethane	N.D.	0.20	ppb(v)					
cis-1,3-Dichloropropene	N.D.	0.20	ppb(v)	91		57-133		
4-Methyl-2-Pentanone	N.D.	0.50	ppb(v)					
Toluene	N.D.	0.20	ppb(v)	68		67-136		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17609-2425
717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: S&W Rdm of North America, LLC
Reported: 04/06/06 at 11:01 AM

Group Number: 980505

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RED	RED Max
Octane	N.D.	0.20	ppb (v)					
trans-1,3-Dichloropropene	N.D.	0.20	ppb (v)	76		62-144		
1,1,2-Trichloroethane	N.D.	0.20	ppb (v)	68		62-124		
Tetrachloroethene	N.D.	0.20	ppb (v)	68		53-132		
2-Hexanone	N.D.	0.50	ppb (v)					
Dibromochloromethane	N.D.	0.20	ppb (v)					
1,2-Dibromoethane	N.D.	0.20	ppb (v)	78		67-145		
Chlorobenzene	N.D.	0.20	ppb (v)	97		71-137		
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb (v)					
Ethylbenzene	N.D.	0.20	ppb (v)	87		63-140		
m/p-Xylene	N.D.	0.20	ppb (v)	83		64-143		
o-Xylene	N.D.	0.20	ppb (v)	87		69-154		
Styrene	N.D.	0.20	ppb (v)	97		64-163		
Bromoform	N.D.	0.20	ppb (v)					
Cumene	N.D.	0.20	ppb (v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb (v)	78		49-173		
1,2,3-Trichloropropane	N.D.	0.20	ppb (v)					
Bromobenzene	N.D.	0.20	ppb (v)					
4-Ethyltoluene	N.D.	0.20	ppb (v)					
1,3,5-Trimethylbenzene	N.D.	0.20	ppb (v)	78		74-134		
1,2,4-Trimethylbenzene	N.D.	0.20	ppb (v)	79		46-172		
1,3-Dichlorobenzene	N.D.	0.50	ppb (v)	79		60-157		
1,4-Dichlorobenzene	N.D.	0.50	ppb (v)	85		25-150		
1,2-Dichlorobenzene	N.D.	0.50	ppb (v)	89		50-177		
Hexachloroethane	N.D.	0.20	ppb (v)					
Batch number: C0608230B Sample number(s): 4722493-4722499								
Dichlorodifluoromethane	N.D.	0.20	ppb (v)	95		65-145		
Chlorodifluoromethane	N.D.	1.0	ppb (v)					
Freon 114	N.D.	0.20	ppb (v)	97		71-138		
Chloromethane	N.D.	0.20	ppb (v)	87		66-133		
Vinyl Chloride	N.D.	0.20	ppb (v)	87		63-150		
1,3-Butadiene	N.D.	1.0	ppb (v)					
Bromomethane	N.D.	0.20	ppb (v)	96		44-157		
Chloroethane	N.D.	0.20	ppb (v)	96		61-153		
Dichlorofluoromethane	N.D.	0.20	ppb (v)					
Trichlorofluoromethane	N.D.	0.20	ppb (v)	96		71-145		
Pentane	N.D.	0.20	ppb (v)					
1,1-Dichloroethene	N.D.	0.20	ppb (v)	87		73-140		
Freon 113	N.D.	0.50	ppb (v)	107		68-158		
Acetone	N.D.	1.0	ppb (v)					
Carbon Disulfide	N.D.	0.50	ppb (v)					
3-Chloropropene	N.D.	0.50	ppb (v)					
Methylene Chloride	N.D.	0.50	ppb (v)	96		54-158		
trans-1,2-Dichloroethene	N.D.	0.20	ppb (v)					
Methyl t-Butyl Ether	N.D.	0.20	ppb (v)					
Hexane	N.D.	0.20	ppb (v)					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2631



Quality Control Summary

Client Name: S&W Rdm of North America, LLC
Reported: 04/06/06 at 11:01 AM

Group Number: 980505

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
1,1-Dichloroethane	N.D.	0.20	ppb (v)	97		70-140		
cis-1,2-Dichloroethene	N.D.	0.20	ppb (v)	98		62-139		
2-Butanone	N.D.	0.50	ppb (v)					
Chloroform	N.D.	0.20	ppb (v)	107		59-161		
1,1,1-Trichloroethane	N.D.	0.20	ppb (v)	107		74-153		
Carbon Tetrachloride	N.D.	0.20	ppb (v)	93		70-133		
1,2-Dichloroethane	N.D.	0.20	ppb (v)	109		68-156		
Benzene	N.D.	0.20	ppb (v)	94		69-148		
Isooctane	N.D.	0.20	ppb (v)					
Heptane	N.D.	0.20	ppb (v)					
Trichloroethene	N.D.	0.20	ppb (v)	98		68-135		
1,2-Dichloropropane	N.D.	0.20	ppb (v)	107		65-153		
Dibromomethane	N.D.	0.20	ppb (v)					
Bromodichloromethane	N.D.	0.20	ppb (v)					
cis-1,3-Dichloropropene	N.D.	0.20	ppb (v)	91		57-133		
4-Methyl-2-Pentanone	N.D.	0.50	ppb (v)					
Toluene	N.D.	0.20	ppb (v)	68		67-136		
Octane	N.D.	0.20	ppb (v)					
trans-1,3-Dichloropropene	N.D.	0.20	ppb (v)	76		62-144		
1,1,2-Trichloroethane	N.D.	0.20	ppb (v)	68		62-124		
Tetrachloroethene	N.D.	0.20	ppb (v)	68		53-132		
2-Hexanone	N.D.	0.50	ppb (v)					
Dibromochloromethane	N.D.	0.20	ppb (v)					
1,2-Dibromoethane	N.D.	0.20	ppb (v)	78		67-145		
Chlorobenzene	N.D.	0.20	ppb (v)	97		71-137		
1,1,1,2-Tetrachloroethane	N.D.	0.20	ppb (v)					
Ethylbenzene	N.D.	0.20	ppb (v)	87		63-140		
m/p-Xylene	N.D.	0.20	ppb (v)	83		64-143		
o-Xylene	N.D.	0.20	ppb (v)	87		69-154		
Styrene	N.D.	0.20	ppb (v)	97		64-163		
Bromoform	N.D.	0.20	ppb (v)					
Cumene	N.D.	0.20	ppb (v)					
1,1,2,2-Tetrachloroethane	N.D.	0.20	ppb (v)	78		49-173		
1,2,3-Trichloropropane	N.D.	0.20	ppb (v)					
Bromobenzene	N.D.	0.20	ppb (v)					
4-Ethyltoluene	N.D.	0.20	ppb (v)					
1,3,5-Trimethylbenzene	N.D.	0.20	ppb (v)	78		74-134		
1,2,4-Trimethylbenzene	N.D.	0.20	ppb (v)	79		46-172		
1,3-Dichlorobenzene	N.D.	0.50	ppb (v)	79		60-157		
1,4-Dichlorobenzene	N.D.	0.50	ppb (v)	85		25-150		
1,2-Dichlorobenzene	N.D.	0.50	ppb (v)	89		50-177		
Hexachloroethane	N.D.	0.20	ppb (v)					

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Quality Control Summary

Client Name: S&W RdvM of North America, LLC
Reported: 04/06/06 at 11:01 AM

Group Number: 980505

*. Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681