


Interim Remedial Measures Report

(Volume 2 of 3)

**Midler City Industrial Park Site
Brownfield Cleanup
City of Syracuse
Onondaga County, New York
NYSDEC BROWNFIELD SITE # C734103**

Prepared for
Pioneer Midler Avenue, LLC

By



C&S Engineers, Inc.
499 Col. Eileen Collins Blvd.
Syracuse, New York 13212

October 2007

TABLE OF CONTENTS

1.0	Introduction.....	1
1.1	Purpose and Format of the Report	1
1.2	Summary of the Remedy	2
2.0	Summary Of Remedial Actions	3
2.1	Areas of Concern	3
2.2	Problems Encountered During Construction	4
2.3	Changes to the Design Documents	5
2.4	Volume and Concentrations of Materials Removed.....	5
2.5	Waste Disposal Listing	5
3.0	Applicable Remediation Standards.....	6
4.0	IRM Data Review	7
5.0	Site Restoration And Source Of Fill Materials	9
6.0	Summary Of Project Costs.....	9
7.0	“As-Built” Drawings.....	9
8.0	Waste Transport Manifests	10
9.0	Engineering Or Institutional Controls.....	10

TABLES

Table 1	Verification Sample Identifications and Depths
Table 2	Verification Sample Results
Table 3	Average CVOC Calculations
Table 4	IRM CVOC Reductions

FIGURES

Figure 1	Verification Sample Locations and Treatment Depths
Figure 2	Heater Well Layout and ISTD Enhancements
Figure 3	IRM Areas and Site Redevelopment Features

APPENDICES

Appendix A	Preliminary Reports
	A-1 IRM ISTD Contractor's Operations Report
	A-2 September 22, 2006 B-5 Area Data Report
	A-3 December 9, 2005 Total Organic Carbon Sampling Results
Appendix B	Regulatory Documentation (separate cover, Volume 2 of 3)
	B-1 Vapor Treatment
	B-2 Wastewater Discharge
	B-3 Community Air Monitoring Report
Appendix C	Waste Disposal Documentation (separate cover, Volume 2 of 3)
Appendix D	Data Usability Summary Reports (separate cover, Volume 3 of 3)

DRAFT

APPENDIX B – REGULATORY DOCUMENTATION

B-1 Vapor Treatment

B-2 Wastewater Discharge

B-3 Community Air Monitoring Report

B-1

Vapor Treatment

Midler BCP Site Air Testing Results

11/21/06					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	2,100	530	6.4	1.6	99.70%
Tetrachloroethene	260,000	37,000	850	120	99.67%
trans-1,2-Dichloroethene	92	23	0.44	0.1	99.52%
Trichloroethene	3,000	560	6.2	1.1	99.79%
Vinyl chloride	500	190	1.6	0.6	99.68%
Total CVOCs	265,692	38,303	865	123	99.67%

12/20/06					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	15,000	3,800	43	11.0	99.71%
Tetrachloroethene	1,100,000	160,000	900	130	99.92%
trans-1,2-Dichloroethene	300	73	0	0.0	100.00%
Trichloroethene	19,000	3,600	32	5.8	99.83%
Vinyl chloride	4,100	1,600	6.5	2.5	99.84%
Total CVOCs	1,138,400	169,073	982	149	99.91%

01/19/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	25,000	6,300	35	8.8	99.86%
Tetrachloroethene	460,000	66,000	860	120	99.81%
trans-1,2-Dichloroethene	1,100	280	0	0.0	100.00%
Trichloroethene	30,000	5,600	61	11	99.80%
Vinyl chloride	9,500	3,700	11	4.4	99.88%
Total CVOCs	525,600	81,880	967	144	99.82%

02/19/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	22,000	5,500	42	10.0	99.81%
Tetrachloroethene	1,100,000	160,000	2,600	380	99.76%
trans-1,2-Dichloroethene	1,400	360	0	0.0	100.00%
Trichloroethene	46,000	8,400	86	16	99.81%
Vinyl chloride	6,200	2,400	9.2	4.0	99.85%
Total CVOCs	1,175,600	176,660	2,737	410	99.77%

03/19/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	84,000	21,000	79	20	99.91%
Tetrachloroethene	3,600,000	530,000	3,700	530	99.90%
trans-1,2-Dichloroethene	2,300	580	12	3.0	99.48%
Trichloroethene	120,000	22,000	110	20	99.91%
Vinyl chloride	3,800	1,500	16	6.2	99.58%
Total CVOCs	3,810,100	575,080	3,917	579	99.90%

Midler BCP Site Air Testing Results

04/19/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	89,000	22,000	250	62	99.72%
Tetrachloroethene	9,500,000	1,400,000	19,000	2,800	99.80%
trans-1,2-Dichloroethene	1,400	340	0	0.0	100.00%
Trichloroethene	190,000	35,000	490	90	99.74%
Vinyl chloride	3,300	1,300	25	9.6	99.24%
Total CVOCs	9,783,700	1,458,640	19,765	2,962	99.80%

05/29/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	8,400	2,100	130	33	98.45%
Tetrachloroethene	880,000	130,000	13,000	1,900	98.52%
trans-1,2-Dichloroethene	700	170	0	0.0	100.00%
Trichloroethene	27,000	5,000	440	80	98.37%
Vinyl chloride	1,200	480	0	0.0	100.00%
Total CVOCs	917,300	137,750	13,570	2,013	98.52%


06/15/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	12,000	3,000	58	14	99.52%
Tetrachloroethene	1,200,000	180,000	4,400	640	99.63%
trans-1,2-Dichloroethene	520	130	0	0	100.00%
Trichloroethene	24,000	4,400	150	27	99.38%
Vinyl chloride	690	270	0	0	100.00%
Total CVOCs	1,237,210	187,800	4,608	681	99.63%

07/16/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	7,400	1,800	42	10	99.43%
Tetrachloroethene	990,000	140,000	6,500	940	99.34%
trans-1,2-Dichloroethene	200	50	5.9	1.5	97.05%
Trichloroethene	22,000	4,000	240	44	98.91%
Vinyl chloride	590	230.0	8.9	3.4	98.49%
Total CVOCs	1,020,190	146,080	6,797	999	99.33%

08/21/07					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	6,300	1,600	38	10	99.40%
Tetrachloroethene	260,000	37,000	4,000	580	98.46%
trans-1,2-Dichloroethene	800	200	0	0	100.00%
Trichloroethene	14,000	2,600	110	20	99.21%
Vinyl chloride	1,200	470	0	0	100.00%
Total CVOCs	282,300	41,870	4,148	610	98.53%

Midler BCP Site Air Testing Results

09/04/07 Carbon Only					
Parameter	Oxidizer Inlet		Stack / Outlet		Percent Destruction
	ug/m ³	ppb	ug/m ³	ppb	
cis-1,2-Dichloroethene	1,800	450	0	0	100.00%
Tetrachloroethene	49,000	7,100	240	35	99.51%
trans-1,2-Dichloroethene	200	51	0	0	100.00%
Trichloroethene	3,700	680	16	3	99.57%
Vinyl chloride	600	230	0	0	100.00%
Total CVOCs	55,300	8,511	256	38	99.54%



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
356 Broad St.

Fitchburg, MA 01420
ATTN: Mr Kent Parker

PO#: 1121KP


PROJECT #: 221579
RECEIVED: 11/21/2006 @ 17:20

Site Address:
621 S. MIDLER AVE.
SYRACUSE

CLIENT JOB NUMBER: 6-004

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 439781 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	STACK/OUTLET #428		DATE/TIME SAMPLED: 11/21/06 @ 15:30 ELAP#11830	
SAMPLE #: 439782 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	OXIDIZER INLET #242		DATE/TIME SAMPLED: 11/21/06 @ 15:30 ELAP#11830	

Sample Receipt Temperature Degrees C


David R. Hill
Laboratory Director

11/30/2006
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 30-Nov-06

CLIENT: Environmental Laboratory Services
Lab Order: C0611024
Project: 52350
Lab ID: C0611024-001A

Client Sample ID: 439781
Tag Number: 428,
Collection Date: 11/21/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	-1			"Hg		Analyst: 11/21/2006
1UG/M3 BY METHOD TO15						
				TO-15		Analyst: RJP
cis-1,2-Dichloroethene	1.6	0.15		ppbV	1	11/28/2006
Tetrachloroethylene	160	6.0	E	ppbV	40	11/28/2006
trans-1,2-Dichloroethene	0.1	0.15	J	ppbV	1	11/28/2006
Trichloroethene	1.1	0.15		ppbV	1	11/28/2006
Vinyl chloride	0.62	0.15		ppbV	1	11/28/2006
Surr: Bromofluorobenzene	111	70-130		%REC	1	11/28/2006
NOTES:						
E - Estimated value The amount exceeds the linear working range of the instrument. See metod TO-15 5ppb for final result.						
5PPB BY METHOD TO15						
				TO-15		Analyst: RJP
cis-1 2-Dichloroethene	ND	50		ppbV	10	11/29/2006
Tetrachloroethylene	120	50		ppbV	10	11/29/2006
trans-1,2-Dichloroethene	ND	50		ppbV	10	11/29/2006
Trichloroethene	ND	50		ppbV	10	11/29/2006
Vinyl chloride	ND	50		ppbV	10	11/29/2006
Surr: Bromofluorobenzene	88.3	91.3-70		%REC	10	11/29/2006

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC
Date: 30-Nov-06

CLIENT: Environmental Laboratory Services
Lab Order: C0611024
Project: 52350
Lab ID: C0611024-002A

Client Sample ID: 4397822
Tag Number: 242
Collection Date: 11/21/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	-1			"Hg		Analyst: 11/21/2006
1UG/M3 BY METHOD TO15						
				TO-15		Analyst: RJP
cis-1,2-Dichloroethene	690	6.0	E	ppbV	40	11/28/2006
Tetrachloroethylene	42000	6.0	E	ppbV	40	11/28/2006
trans-1,2-Dichloroethene	23	6.0		ppbV	40	11/28/2006
Trichloroethene	550	6.0	E	ppbV	40	11/28/2006
Vinyl chloride	250	6.0	E	ppbV	40	11/28/2006
Surr: Bromofluorobenzene	119	70-130		%REC	1	11/28/2006
NOTES:						
E - Estimated value The amount exceeds the linear working range of the instrument. See metod TO-15 5ppb for final result						
5PPB BY METHOD TO15						
				TO-15		Analyst: RJP
cis-1 2-Dichloroethene	530	50		ppbV	10	11/29/2006
Tetrachloroethylene	37000	1400		ppbV	270	11/29/2006
trans-1 2-Dichloroethene	20	50	J	ppbV	10	11/29/2006
Trichloroethene	560	50		ppbV	10	11/29/2006
Vinyl chloride	190	50		ppbV	10	11/29/2006
Surr: Bromofluorobenzene	87.6	91.3-108	S	%REC	270	11/29/2006
Surr: Bromofluorobenzene	90.1	70-130		%REC	10	11/29/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte. Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 30-Nov-06

CLIENT: Environmental Laboratory Services
Lab Order: C0611024
Project: 52350
Lab ID: C0611024-001A

Client Sample ID: 439781
Tag Number: 428,
Collection Date: 11/21/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
cis-1 2-Dichloroethene	6.4	0.60		ug/m3	1	11/28/2006
Tetrachloroethylene	1100	41	E	ug/m3	40	11/28/2006
trans-1 2-Dichloroethene	0.44	0.60	J	ug/m3	1	11/28/2006
Trichloroethene	6.2	0.82		ug/m3	1	11/28/2006
Vinyl chloride	1.6	0.39		ug/m3	1	11/28/2006

NOTES:

E - Estimated value. The amount exceeds the linear working range of the instrument. See method TO-15 5ppb for final result.

5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	ND	200		ug/m3	10	11/29/2006
Tetrachloroethylene	850	340		ug/m3	10	11/29/2006
trans-1 2-Dichloroethene	ND	200		ug/m3	10	11/29/2006
Trichloroethene	ND	270		ug/m3	10	11/29/2006
Vinyl chloride	ND	130		ug/m3	10	11/29/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC


Date: 30-Nov-06

CLIENT: Environmental Laboratory Services
Lab Order: C0611024
Project: 52350
Lab ID: C0611024-002A

Client Sample ID: 4397822
Tag Number: 242
Collection Date: 11/21/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	2800	24	E	ug/m3	40	11/28/2006
Tetrachloroethylene	280000	41	E	ug/m3	40	11/28/2006
trans-1,2-Dichloroethene	92	24		ug/m3	40	11/28/2006
Trichloroethene	3000	33	E	ug/m3	40	11/28/2006
Vinyl chloride	650	16	E	ug/m3	40	11/28/2006
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	2100	200		ug/m3	10	11/29/2006
Tetrachloroethylene	260000	9700		ug/m3	270	11/29/2006
trans-1,2-Dichloroethene	81	200	J	ug/m3	10	11/29/2006
Trichloroethene	3000	270		ug/m3	10	11/29/2006
Vinyl chloride	500	130		ug/m3	10	11/29/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		



Environmental
LABORATORY SERVICES
7220 Caswell Street, Hempock Air Park, North Syracuse, NY 13212
(315) 458-0025 FAX (315) 458-0525 (655) LAB TIME

22-1579

CHAIN OF CUSTODY RECORD
and Authorization for Analysis
K. Parker, T. Herrath, E. www.eels-lab.com

Billing Information: Telephone Quote No. TERR100306

Company 356 Broad St Job No. 6-004

Address Fitchburg MA 01420 P.O. No. 117115P

City, State, Zip Kent Parker Telephone No. 478-343-0300

Standard Turn Around Time is end of day, 10 Work Days after lab receipt. Surcharges may apply for Express Service.

Matrix Codes: AR - Air DW - Drinking Water FT - Filler GW - Ground Water OL - Oil PC - Paint Chips PR - Product SL - Sludge SD - Solid/Soil SW - Surface Water SB - Swab TP - Tape WP - Wipe WW - Waste Water

Time Required: ☒ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

Time Required: ☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☒ 5 Work Days ☐ Normal ☐ Other

E-mail Address 978-343-2727 Fax 978-343-2727
☒ E-mail Results ☐ Fax Results
Sample Receipt Temperature °C

Container Type/Preservative

Plastic / No Preservatives
Plastic / HNO₃
Plastic / H₂SO₄
Plastic / NaOH+Ascorbic Acid
Plastic / Zinc Acetate + NaOH
Plastic / Glass/Sodium Thiosulfate
Glass / No Preservative
Glass / H₂SO₄
VOA / HCL
Other: (specify)

Remarks/Special Instructions:

Analyses Required

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both


PO-154 PCE TCE CIS DCE
+ TCE DCE VPA
Chloride OSPR
Both

Syracuse Stack Sample Results / Sample Date 11/21/06

COC	Influent	Effluent	%
c-1,2-DCE	2100 ppbV	6.4 ppbV	99.70%
PCE	260,000 ppbV	850 ppbV	99.67%
t-1,2-DCE	92 ppbV	0.44 ppbV	99.52%
TCE	3000 ppbV	6.2 ppbV	99.79%
VC	500 ppbV	1.6 ppbV	99.68%

COC	Influent	Effluent	%
c-1,2-DCE	530 ug/m3	1.6 ug/m3	99.70%
PCE	37000 ug/m3	120 ug/m3	99.68%
t-1,2-DCE	23 ug/m3	0.1 ug/m3	99.57%
TCE	560 ug/m3	1.1 ug/m3	99.80%
VC	190 ug/m3	0.62 ug/m3	99.67%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

PO#: 1220KP


PROJECT #: 221905
RECEIVED: 12/21/2006 @ 08:55

Site Address:
621 S. MIDLER AVE.
SYRACUSE, NY 13202

CLIENT JOB NUMBER: 6-004

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 441346 Volatile - IO-15 <i>See Attached Report</i>	157-STACK			DATE/TIME SAMPLED: 12/20/06 @ 15:00 ELAP#11830	
SAMPLE #: 441347 Volatile - IO-15 <i>See Attached Report</i>	168-INLET			DATE/TIME SAMPLED: 12/20/06 @ 15:00 ELAP#11830	

Sample Receipt Temperature Degrees C


David R. Hill
Laboratory Director

12/29/2006
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 28-Dec-06

CLIENT: Environmental Laboratory Services
Lab Order: C0612021
Project: Recovery System
Lab ID: C0612021-002A

Client Sample ID: 441347
Tag Number: 168
Collection Date: 12/20/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15						Analyst: LL
cis-1 2-Dichloroethene	2300	1.5	E	ppbV	10	12/21/2006
Tetrachloroethylene	8200	1.5	E	ppbV	10	12/21/2006
trans-1,2-Dichloroethene	92	1.5	E	ppbV	10	12/21/2006
Trichloroethene	1300	1.5	E	ppbV	10	12/21/2006
Vinyl chloride	670	1.5	E	ppbV	10	12/21/2006
Surr: Bromofluorobenzene	169	70-130	S	%REC	10	12/21/2006
Surr: Bromofluorobenzene	473	70-130	S	%REC	1	12/21/2006

NOTES:

* Based on the chromatographic evidence, it appears that the contamination is from a fuel Surrogate reported in original analysis and dilutions

E - Estimated value The amount exceeds the linear working range of the instrument. See TO-15 for final results

5PPB BY METHOD TO15						Analyst: LL
cis-1 2-Dichloroethene	3800	1400		ppbV	270	12/26/2006
Tetrachloroethylene	160000	8100		ppbV	1620	12/26/2006
trans-1 2-Dichloroethene	73	5.0		ppbV	1	12/26/2006
Trichloroethene	3600	1400		ppbV	270	12/26/2006
Vinyl chloride	1600	100		ppbV	20	12/26/2006
Surr: Bromofluorobenzene	123	91 3-108	S	%REC	1	12/26/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

35147
221905

Centek Laboratories, LLC

Date: 28-Dec-06

CLIENT:	Environmental Laboratory Services	Client Sample ID:	441346
Lab Order:	C0612021	Tag Number:	157
Project:	Recovery System	Collection Date:	12/20/2006
Lab ID:	C0612021-001A	Matrix:	AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15				TO-15		Analyst: LL
cis-1,2-Dichloroethene	11	1.5		ppbV	10	12/21/2006
Tetrachloroethylene	180	1.5	E	ppbV	10	12/21/2006
trans-1,2-Dichloroethene	ND	0.15		ppbV	1	12/21/2006
Trichloroethene	5.8	1.5		ppbV	10	12/21/2006
Vinyl chloride	2.5	1.5		ppbV	10	12/21/2006
Surr: Bromofluorobenzene	127	70-130		%REC	1	12/21/2006

NOTES:

E - Estimated value The amount exceeds the linear working range of the instrument See TO-15 for final results.

5PPB BY METHOD TO15				TO-15		Analyst: LL
cis-1,2-Dichloroethene	4	5.0	J	ppbV	1	12/26/2006
Tetrachloroethylene	130	20		ppbV	4	12/26/2006
trans-1,2-Dichloroethene	ND	5.0		ppbV	1	12/26/2006
Trichloroethene	3	5.0	J	ppbV	1	12/26/2006
Vinyl chloride	3	5.0	J	ppbV	1	12/26/2006
Surr: Bromofluorobenzene	97.2	91.3-108		%REC	1	12/26/2006

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 28-Dec-06

CLIENT: Environmental Laboratory Services
Lab Order: C0612021
Project: Recovery System
Lab ID: C0612021-001A

Client Sample ID: 441346
Tag Number: 157
Collection Date: 12/20/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
				TO-15	Analyst: LL	
1UG/M3 BY METHOD TO15						
cis-1,2-Dichloroethene	43	6.0		ug/m3	10	12/21/2006
Tetrachloroethylene	1200	10	E	ug/m3	10	12/21/2006
trans-1 2-Dichloroethene	ND	0.60		ug/m3	1	12/21/2006
Trichloroethene	32	8.2		ug/m3	10	12/21/2006
Vinyl chloride	6.5	3.9		ug/m3	10	12/21/2006
				TO-15	Analyst: LL	
5PPB BY METHOD TO15						
cis-1 2-Dichloroethene	16	20	J	ug/m3	1	12/26/2006
Tetrachloroethylene	900	140		ug/m3	4	12/26/2006
trans-1 2-Dichloroethene	ND	20		ug/m3	1	12/26/2006
Trichloroethene	19	27	J	ug/m3	1	12/26/2006
Vinyl chloride	7.4	13	J	ug/m3	1	12/26/2006

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte. Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 28-Dec-06

CLIENT: Environmental Laboratory Services
Lab Order: C0612021
Project: Recovery System
Lab ID: C0612021-002A

Client Sample ID: 441347
Tag Number: 168
Collection Date: 12/20/2006
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: LL		
cis-1,2-Dichloroethene	9100	60	E	ug/m3	10	12/21/2006
Tetrachloroethylene	56000	10	E	ug/m3	10	12/21/2006
trans-1 2-Dichloroethene	370	60	E	ug/m3	10	12/21/2006
Trichloroethene	6900	82	E	ug/m3	10	12/21/2006
Vinyl chloride	1700	39	E	ug/m3	10	12/21/2006
NOTES:						
* Based on the chromatographic evidence, it appears that the contamination is from a fuel Surrogate reported in original analysis and dilutions						
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1,2-Dichloroethene	15000	5600		ug/m3	270	12/26/2006
Tetrachloroethylene	1100000	56000		ug/m3	1620	12/26/2006
trans-1 2-Dichloroethene	300	20		ug/m3	1	12/26/2006
Trichloroethene	19000	7600		ug/m3	270	12/26/2006
Vinyl chloride	4100	260		ug/m3	20	12/26/2006


Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Syracuse Stack Sample Results / Sample Date 12/20/06

COC	Influent	Effluent	% DRE
c-1,2-DCE	3800 ppbV	11 ppbV	99.71%
PCE	160,000 ppbV	130 ppbV	99.92%
t-1,2-DCE	73 ppbV	0 ppbV	100.00%
TCE	3600 ppbV	5.8 ppbV	99.84%
VC	1600 ppbV	2.5 ppbV	99.84%

COC	Influent	Effluent	% DRE
c-1,2-DCE	15000 ug/m3	43 ug/m3	99.71%
PCE	1100000 ug/m3	900 ug/m3	99.92%
t-1,2-DCE	300 ug/m3	0 ug/m3	100.00%
TCE	19000 ug/m3	32 ug/m3	99.83%
VC	4100 ug/m3	6.5 ug/m3	99.84%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified In:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

PO#: 0119KP


PROJECT #: 222172
RECEIVED: 01/19/2007 @ 16:45

Site Address:
621 S. MIDLER AVE.
SYRACUSE, NY 13202

CLIENT JOB NUMBER: 6-004

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 442888 Volatile - TO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	STACK /284		DATE/TIME SAMPLED: 01/19/07 @ 13:00 ELAP#11830	
SAMPLE #: 442889 Volatile - TO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	INLET/288		DATE/TIME SAMPLED: 01/19/07 @ 13:00 ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

01/29/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

35640

Centek Laboratories, LLC

Date: 29-Jan-07

CLIENT: Environmental Laboratory Services
Lab Order: C0701026
Project: Recovery System
Lab ID: C0701026-001A

Client Sample ID: 442888
Tag Number: 284
Collection Date: 1/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15				TO-15		Analyst: LL
cis-1,2-Dichloroethene	22	15	E	ppbV	10	1/22/2007
Tetrachloroethylene	150	15	E	ppbV	10	1/22/2007
trans-1,2-Dichloroethene	ND	0.15		ppbV	1	1/22/2007
Trichloroethene	11	15		ppbV	10	1/22/2007
Vinyl chloride	4.4	1.5		ppbV	10	1/22/2007
Surr: Bromofluorobenzene	108	70-130		%REC	1	1/22/2007

NOTES:

E - Estimated value. The amount exceeds the linear working range of the instrument. See TO-15 for final results.

5PPB BY METHOD TO15				TO-15		Analyst: LL
cis-1,2-Dichloroethene	8.8	5.0		ppbV	1	1/24/2007
Tetrachloroethylene	120	50		ppbV	10	1/24/2007
trans-1,2-Dichloroethene	ND	5.0		ppbV	1	1/24/2007
Trichloroethene	8.4	5.0		ppbV	1	1/24/2007
Vinyl chloride	4	5.0	J	ppbV	1	1/24/2007
Surr: Bromofluorobenzene	113	91.3-108	S	%REC	1	1/24/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte. Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 29-Jan-07

CLIENT: Environmental Laboratory Services
Lab Order: C0701026
Project: Recovery System
Lab ID: C0701026-001A

Client Sample ID: 442888
Tag Number: 284
Collection Date: 1/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15						Analyst: LL
cis-1,2-Dichloroethene	89	60	E	ug/m3	10	1/22/2007
Tetrachloroethylene	1000	10	E	ug/m3	10	1/22/2007
trans-1,2-Dichloroethene	ND	0.60		ug/m3	1	1/22/2007
Trichloroethene	61	8.2		ug/m3	10	1/22/2007
Vinyl chloride	11	3.9		ug/m3	10	1/22/2007
5PPB BY METHOD TO15						Analyst: LL
cis-1,2-Dichloroethene	35	20		ug/m3	1	1/24/2007
Tetrachloroethylene	860	340		ug/m3	10	1/24/2007
trans-1,2-Dichloroethene	ND	20		ug/m3	1	1/24/2007
Trichloroethene	46	27		ug/m3	1	1/24/2007
Vinyl chloride	11	13	J	ug/m3	1	1/24/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 29-Jan-07

CLIENT: Environmental Laboratory Services
Lab Order: C0701026
Project: Recovery System
Lab ID: C0701026-002A

Client Sample ID: 442889
Tag Number: 288
Collection Date: 1/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	4500	15	E	ppbV	10	1/22/2007
Tetrachloroethylene	5300	15	E	ppbV	10	1/22/2007
trans-1 2-Dichloroethene	240	15	E	ppbV	10	1/22/2007
Trichloroethene	2600	15	E	ppbV	10	1/22/2007
Vinyl chloride	1500	15	E	ppbV	10	1/22/2007
Surr: Bromofluorobenzene	191	70-130	S	%REC	10	1/22/2007
Surr: Bromofluorobenzene	1820	70-130	S	%REC	1	1/22/2007

NOTES:

* Based on the chromatographic evidence, it appears that the contamination is from a fuel
 Surrogate reported in original analysis and dilutions

E - Estimated value. The amount exceeds the linear working range of the instrument. See TO-15 for final results

5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	6300	400		ppbV	80	1/24/2007
Tetrachloroethylene	66000	13000		ppbV	2560	1/25/2007
trans-1 2-Dichloroethene	280	50		ppbV	10	1/24/2007
Trichloroethene	5600	400		ppbV	80	1/24/2007
Vinyl chloride	3700	400		ppbV	80	1/24/2007
Surr: Bromofluorobenzene	103	91.3-108		%REC	2560	1/25/2007
Surr: Bromofluorobenzene	114	91.3-108	S	%REC	10	1/24/2007
Surr: Bromofluorobenzene	116	91.3-108	S	%REC	80	1/24/2007
Surr: Bromofluorobenzene	150	91.3-108	S	%REC	1	1/24/2007

NOTES:

* Based on the chromatographic evidence, it appears that the contamination is from a fuel
 Surrogate reported in original analysis and dilutions.

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 29-Jan-07

CLIENT: Environmental Laboratory Services
Lab Order: C0701026
Project: Recovery System
Lab ID: C0701026-002A


Client Sample ID: 442889
Tag Number: 288
Collection Date: 1/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1UG/M3 BY METHOD TO15						Analyst: LL
cis-1,2-Dichloroethene	18000	60	E	ug/m3	10	1/22/2007
Tetrachloroethylene	37000	10	E	ug/m3	10	1/22/2007
trans-1,2-Dichloroethene	970	60	E	ug/m3	10	1/22/2007
Trichloroethene	14000	82	E	ug/m3	10	1/22/2007
Vinyl chloride	3900	39	E	ug/m3	10	1/22/2007
5PPB BY METHOD TO15						Analyst: LL
cis-1,2-Dichloroethene	25000	1600		ug/m3	80	1/24/2007
Tetrachloroethylene	460000	90000		ug/m3	2560	1/25/2007
trans-1,2-Dichloroethene	1100	200		ug/m3	10	1/24/2007
Trichloroethene	30000	2200		ug/m3	80	1/24/2007
Vinyl chloride	9500	1000		ug/m3	80	1/24/2007

NOTES:

* Based on the chromatographic evidence, it appears that the contamination is from a fuel Surrogate reported in original analysis and dilutions.

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		



Environmental
LABORATORY SERVICES
7280 Caswell Street, Hancock Air Park North Syracuse, NY 13212
(315) 458-0033 FAX (315) 458-0523 (866) LAB TIME

222172

CHAIN OF CUSTODY RECORD
and Authorization for Analysis
www.els-lab.com

Billing Information: Name: TerraTherm Company: 10 Stevens Rd Address: Fitchburg MA 01420 City, State, Zip: Fitchburg MA 01420		Quote No. T100306 Job No. 6004 PONo. 0119KP Telephone No. 978-343-0300			
Standard Turn Around Time is end of day, 10 Work Days after lab receipt. Suchcharges may apply for Express Service.		Matrix Codes: AR Air DW Drinking Water FT Filter GW Ground Water OL Oil PC Paint Chips PR Product SL Sludge SD Solid/Soil SW Surface Water SB Swab TP Tape WP Wipe WW Waste Water			
☐ Same Day ☐ 1 Work Day ☐ 2 Work Days ☐ 3 Work Days ☐ 4 Work Days ☐ 5 Work Days ☒ Normal ☐ Other		Sample(s) State of Origin: CT ☐ DE ☐ MA ☐ MD ☐ NH ☐ NJ ☐ NY ☒ PA ☐ RI ☐ VT ☐			
Time Required: _____		Number of Containers			
ELIS Use Only		Plastic / No Preservatives Plastic / HNO ₃ Plastic / H ₂ SO ₄ Plastic / NaOH+Ascorbic Acid Plastic / Zinc Acetate + NaOH Plastic / Glass/Sodium Thiosulfate Glass / No Preservative Glass / H ₂ SO ₄ VOA / HCL Other: (specify) SUMA			
Date	Time	Comp/Grab	Matrix	Sampling Location/Sample ID	Analyses Required
01/19	1:00		AR	Stack / 284	TO154 Pesticides
01/19	1:00		AR	Inlet / 288	DCEPCE Trans Vynal Chloride @ 5ppb
Relinquished by: _____ Date _____ Time _____ Received by: _____ Date _____ Time _____					
Relinquished by: Nick Rachance Date 01/19/07 Time 16:45 Received at Lab by: [Signature] Date 1/19/07 Time 16:45					
Sampler Signature: [Signature] White - LABORATORY Please return completed form and all sample containers to Environmental Laboratory Services.					

Syracuse Stack Sample Results / Sample Date 01/19/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	6300 ppbV	8.8 ppbV	99.86%
PCE	66,000 ppbV	120 ppbV	99.82%
t-1,2-DCE	280 ppbV	0 ppbV	100.00%
TCE	5600 ppbV	11 ppbV	99.80%
VC	3700 ppbV	4.4 ppbV	99.88%

COC	Influent	Effluent	% DRE
c-1,2-DCE	25000 ug/m3	35 ug/m3	99.86%
PCE	400000 ug/m3	860 ug/m3	99.79%
t-1,2-DCE	1100 ug/m3	0 ug/m3	100.00%
TCE	30000 ug/m3	61 ug/m3	99.80%
VC	9500 ug/m3	11 ug/m3	99.88%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified In:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

PROJECT #: 222416
RECEIVED: 02/19/2007 @ 15:00

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 444285 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	INLET/283		DATE/TIME SAMPLED: 02/19/07 @ 14:30 ELAP#11830	
SAMPLE #: 444286 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	STACK/163		DATE/TIME SAMPLED: 02/19/07 @ 14:30 ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

02/26/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 23-Feb-07

36080
222416

CLIENT: Environmental Laboratory Services
Lab Order: C0702031
Project: Recovery System
Lab ID: C0702031-001A

Client Sample ID: 444285
Tag Number: 283
Collection Date: 2/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS		FLD		Analyst:		
Vacuum Reading "Hg	-1			"Hg		2/19/2007
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1 2-Dichloroethene	5500	4000		ppbV	810	2/20/2007
Tetrachloroethylene	160000	12000		ppbV	2430	2/20/2007
trans-1 2-Dichloroethene	360	100		ppbV	20	2/20/2007
Trichloroethene	8400	4000		ppbV	810	2/20/2007
Vinyl chloride	2400	100		ppbV	20	2/20/2007
Surr: Bromofluorobenzene	104	91.3-108		%REC	1	2/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 23-Feb-07

CLIENT: Environmental Laboratory Services
Lab Order: C0702031
Project: Recovery System
Lab ID: C0702031-001A

Client Sample ID: 444285
Tag Number: 283
Collection Date: 2/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	22000	16000		ug/m3	810	2/20/2007
Tetrachloroethylene	1100000	83000		ug/m3	2430	2/20/2007
trans-1,2-Dichloroethene	1400	400		ug/m3	20	2/20/2007
Trichloroethene	46000	22000		ug/m3	810	2/20/2007
Vinyl chloride	6200	260		ug/m3	20	2/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC**Date: 23-Feb-07**

CLIENT: Environmental Laboratory Services
Lab Order: C0702031
Project: Recovery System
Lab ID: C0702031-002A

Client Sample ID: 44286
Tag Number: 163
Collection Date: 2/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS		FLD		Analyst:		
Vacuum Reading "Hg	-1			"Hg		2/19/2007
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	10	5.0		ppbV	1	2/20/2007
Tetrachloroethylene	380	50		ppbV	10	2/20/2007
trans-1,2-Dichloroethene	ND	5.0		ppbV	1	2/20/2007
Trichloroethene	16	5.0		ppbV	1	2/20/2007
Vinyl chloride	4	5.0	J	ppbV	1	2/20/2007
Surr: Bromofluorobenzene	96.0	91.3-108		%REC	1	2/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 23-Feb-07


CLIENT: Environmental Laboratory Services
Lab Order: C0702031
Project: Recovery System
Lab ID: C0702031-002A

Client Sample ID: 44286
Tag Number: 163
Collection Date: 2/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	42	20		ug/m3	1	2/20/2007
Tetrachloroethylene	2600	340		ug/m3	10	2/20/2007
trans-1 2-Dichloroethene	ND	20		ug/m3	1	2/20/2007
Trichloroethene	86	27		ug/m3	1	2/20/2007
Vinyl chloride	92	13	J	ug/m3	1	2/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte. Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit



Environmental
LABORATORY SERVICES
7280 Caswell Street, Hancock Air Park North Syracuse, NY 13212
(315) 459-8033 FAX (315) 459-0826 (866) LAB TIME

202414

CHAIN OF CUSTODY RECORD
and Authorization for Analysis
www.els-lab.com

Billing Information: Name Teleterm Quote No. _____ E-mail Address _____ Site Address: _____
Company Ken Parker Job No. _____ Fax _____
Address _____ P.O. No. _____ E-mail Results _____
City, State, Zip _____ Telephone No. _____ Fax Results _____

Standard Turn Around Time is end of day, 10 Work Days after lab receipt. Such charges may apply for Express Service.

Matrix Codes: AR - Air DW - Drinking Water FT - Filter GW - Ground Water OL - Oil PC - Paint Chips PR - Product SL - Sludge SD - Solid/Soil SW - Surface Water SB - Swab TP - Tape WP - Wipe WW - Waste Water

Sample(s) State of Origin: CT ☐ DE ☐ MA ☐ MD ☐ NH ☐ NJ ☐ NY ☒ PA ☐ RI ☐ VT ☐

Time Required: _____

ELS Use Only	Date	Time	Comp/Grab	Matrix	Sampling Location/Sample ID	Number of Containers	Container Type/Preservative	Remarks/Special Instructions:	Analyses Required
444285	02/19	2:30		AR	inlet/283	1	Plastic / No Preservatives		10-15
444286	02/19	2:30		AR	stack/163	1	Plastic / HNO ₃		3
							Plastic / H ₂ SO ₄		
							Plastic / NaOH+Ascorbic Acid		
							Plastic / Zinc Acetate + NaOH		
							Plastic / Glass/Sodium Thiosulfate		
							Glass / No Preservative		
							Glass / H ₂ SO ₄		
							VOA / HCL		
							Other: (specify) <u>SUM A</u>		

Relinquished by: Quintadame Date 2/19/07 Time 1500 Received by: _____ Date _____ Time _____
Relinquished by: _____ Date _____ Time _____ Received at Lab by: St. S. Reed Date 2/19/07 Time 1500
Sampler Signature: Quintadame White - LABORATORY Canary - ACCOMPANIES RESULTS
Please return completed form and all sample containers to Environmental Laboratory Services.

Syracuse Stack Sample Results / Sample Date 02/19/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	5500 ppbV	10 ppbV	99.82%
PCE	160,000 ppbV	380 ppbV	99.76%
t-1,2-DCE	360 ppbV	0 ppbV	100.00%
TCE	8400 ppbV	11 ppbV	99.87%
VC	2400 ppbV	4.4 ppbV	99.82%

COC	Influent	Effluent	% DRE
c-1,2-DCE	22000 ug/m3	42 ug/m3	99.81%
PCE	1100000 ug/m3	2600 ug/m3	99.76%
t-1,2-DCE	1400 ug/m3	0 ug/m3	100.00%
TCE	46000 ug/m3	86 ug/m3	99.81%
VC	6200 ug/m3	9.2 ug/m3	99.85%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

PROJECT #: 222699
RECEIVED: 03/19/2007 @ 17:00

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

CLIENT JOB NUMBER: 6-004

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 445805 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: STACK 88			DATE/TIME SAMPLED: 03/19/07 @ 15:00 ELAP#11830	
SAMPLE #: 445806 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: INLET 129			DATE/TIME SAMPLED: 03/19/07 @ 15:00 ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

03/26/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

36630

Centek Laboratories, LLC

Date: 26-Mar-07

CLIENT: Environmental Laboratory Services
Lab Order: C0703029
Project: Recovery System
Lab ID: C0703029-001A

Client Sample ID: 445805
Tag Number: 88
Collection Date: 3/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cls-1,2-Dichloroethene	20	5.0		ppbV	1	3/20/2007
Tetrachloroethylene	530	50		ppbV	10	3/20/2007
trans-1,2-Dichloroethene	3.0	5.0	J	ppbV	1	3/20/2007
Trichloroethene	20	5.0		ppbV	1	3/20/2007
Vinyl chloride	6.2	5.0		ppbV	1	3/20/2007
Surr: Bromofluorobenzene	119	70-130		%REC	1	3/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 26-Mar-07

CLIENT: Environmental Laboratory Services
Lab Order: C0703029
Project: Recovery System
Lab ID: C0703029-002A

Client Sample ID: 445806
Tag Number: 129
Collection Date: 3/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15				Analyst: LL
cls-1,2-Dichloroethene	21000	1600	J	ppbV	320	3/20/2007
Tetrachloroethylene	530000	26000		ppbV	5120	3/20/2007
trans-1,2-Dichloroethene	580	50		ppbV	10	3/20/2007
Trichloroethene	22000	1600		ppbV	320	3/20/2007
Vinyl chloride	1500	100		ppbV	20	3/20/2007
Surr: Bromofluorobenzene	122	70-130		%REC	20	3/20/2007
Surr: Bromofluorobenzene	102	70-130		%REC	5120	3/20/2007
Surr: Bromofluorobenzene	108	70-130		%REC	320	3/20/2007
Surr: Bromofluorobenzene	140	70-130	S	%REC	10	3/20/2007
Surr: Bromofluorobenzene	176	70-130	S	%REC	1	3/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC**Date:** 26-Mar-07

CLIENT: Environmental Laboratory Services
Lab Order: C0703029
Project: Recovery System
Lab ID: C0703029-001A

Client Sample ID: 445805
Tag Number: 88
Collection Date: 3/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1,2-Dichloroethene	79	20		ug/m3	1	3/20/2007
Tetrachloroethylene	3700	340		ug/m3	10	3/20/2007
trans-1 2-Dichloroethene	12	20	J	ug/m3	1	3/20/2007
Trichloroethene	110	27		ug/m3	1	3/20/2007
Vinyl chloride	16	13		ug/m3	1	3/20/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte. Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 26-Mar-07

CLIENT: Environmental Laboratory Services
Lab Order: C0703029
Project: Recovery System
Lab ID: C0703029-002A

Client Sample ID: 445806
Tag Number: 129
Collection Date: 3/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	84000	6400	J	ug/m3	320	3/20/2007
Tetrachloroethylene	3600000	180000		ug/m3	5120	3/20/2007
trans-1 2-Dichloroethene	2300	200		ug/m3	10	3/20/2007
Trichloroethene	120000	8700		ug/m3	320	3/20/2007
Vinyl chloride	3800	260		ug/m3	20	3/20/2007

NOTES:

* Based on the chromatographic evidence, it appears that the contamination is from a fuel.
Surrogate reported in original analysis and dilutions

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		



CHAIN OF CUSTODY RECORD
and Authorization for Analysis

72260 Caswell Street, Hancock Air Park North Syracuse, NY 13212
(315) 458-8033 FAX (315) 458-0526 (866) LAB TIME

(866) LAB TIME

202099

www.eis-lab.com

[illegible]

Syracuse Stack Sample Results / Sample Date 03/19/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	21000 ppbV	20 ppbV	99.90%
PCE	530,000 ppbV	530 ppbV	99.90%
t-1,2-DCE	580 ppbV	3 ppbV	99.48%
TCE	22000 ppbV	20 ppbV	99.91%
VC	1500 ppbV	6.2 ppbV	99.59%

COC	Influent	Effluent	% DRE
c-1,2-DCE	84000 ug/m3	79 ug/m3	99.91%
PCE	3600000 ug/m3	3700 ug/m3	99.90%
t-1,2-DCE	2300 ug/m3	12 ug/m3	99.48%
TCE	120000 ug/m3	110 ug/m3	99.91%
VC	3800 ug/m3	16 ug/m3	99.58%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

PO#: KP41907


PROJECT #: 223124
RECEIVED: 04/19/2007 @ 16:55

Site Address:
PIONEER

CLIENT JOB NUMBER: 6004

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 448142 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	STACK		DATE/TIME SAMPLED: 04/19/07 @ ELAP#11830	
SAMPLE #: 448143 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	INFLUENT		DATE/TIME SAMPLED: 04/19/07 @ ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

04/26/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

37218
223124

Centek Laboratories, LLC

Date: 25-Apr-07

CLIENT:	Environmental Laboratory Services	Client Sample ID:	448142
Lab Order:	C0704032	Tag Number:	8
Project:	Recovery System 223124	Collection Date:	4/19/2007
Lab ID:	C0704032-001A	Matrix:	AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	-1	FLD		"Hg		Analyst: 4/19/2007
5PPB BY METHOD TO15						
cis-1,2-Dichloroethene	62	5.0		ppbV	1	Analyst: RJP 4/20/2007
Tetrachloroethylene	2800	250		ppbV	50	4/20/2007
trans-1,2-Dichloroethene	ND	5.0		ppbV	1	4/20/2007
Trichloroethene	90	5.0		ppbV	1	4/20/2007
Vinyl chloride	96	5.0		ppbV	1	4/20/2007
Sum: Bromofluorobenzene	102	91.3-108		%REC	1	4/20/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

37218

Centek Laboratories, LLC

Date: 25-Apr-07

CLIENT: Environmental Laboratory Services
Lab Order: C0704032
Project: Recovery System 223124
Lab ID: C0704032-001A

Client Sample ID: 448142
Tag Number: 8
Collection Date: 4/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
6PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	250	20		ug/m3	1	4/20/2007
Tetrachloroethylene	19000	1700		ug/m3	50	4/20/2007
trans-1,2-Dichloroethene	ND	20		ug/m3	1	4/20/2007
Trichloroethene	490	27		ug/m3	1	4/20/2007
Vinyl chloride	25	13		ug/m3	1	4/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

37218

Centek Laboratories, LLC

Date: 25-Apr-07

CLIENT: Environmental Laboratory Services
Lab Order: C0704032
Project: Recovery System 223124
Lab ID: C0704032-002A

Client Sample ID: 448143
Tag Number: 2
Collection Date: 4/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	-1			"Hg		Analyst: 4/19/2007
5PPB BY METHOD TO15						
						Analyst: RJP
cis-1,2-Dichloroethene	22000	6000		ppbV	1200	4/20/2007
Tetrachloroethylene	1400000	81000		ppbV	16200	4/20/2007
trans-1,2-Dichloroethene	340	50		ppbV	1	4/20/2007
Trichloroethene	35000	6000		ppbV	1200	4/20/2007
Vinyl chloride	1300	100		ppbV	20	4/20/2007
Surr: Bromofluorobenzene	96.0	91.3-108		%REC	1	4/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

372/8

Centek Laboratories, LLC

Date: 25-Apr-07

CLIENT: Environmental Laboratory Services
Lab Order: C0704032
Project: Recovery System 223124
Lab ID: C0704032-002A

Client Sample ID: 448143
Tag Number: 2
Collection Date: 4/19/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	89000	24000		ug/m3	1200	4/20/2007
Tetrachloroethylene	9500000	560000		ug/m3	16200	4/20/2007
trans-1,2-Dichloroethene	1400	20		ug/m3	1	4/20/2007
Trichloroethene	190000	33000		ug/m3	1200	4/20/2007
Vinyl chloride	3300	260		ug/m3	20	4/20/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
FN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

773124

Centek Laboratories, LLC

Detection Limit	Report Level
5ppbv	Level I
1ug/M3	Level II
1ug/M3+TCE .25	Cat "B" Like

Company: TerraTherm

NAME:	
ADDRESS:	
PHONE:	
FAX:	
EMAIL:	
COMMENTS:	

Start/Stop

3:10 PM
3:10 PM

1000

2014

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

0
1
2
3
4

www.CentekLabs.com

Syracuse Stack Sample Results / Sample Date 04/19/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	22000 ppbV	62 ppbV	99.72%
PCE	1,400,000 ppbV	2800 ppbV	99.80%
t-1,2-DCE	340 ppbV	0 ppbV	100.00%
TCE	35000 ppbV	90 ppbV	99.74%
VC	1300 ppbV	9.6 ppbV	99.26%

COC	Influent	Effluent	% DRE
c-1,2-DCE	89000 ug/m3	250 ug/m3	99.72%
PCE	9500000 ug/m3	19000 ug/m3	99.80%
t-1,2-DCE	1400 ug/m3	0 ug/m3	100.00%
TCE	190000 ug/m3	490 ug/m3	99.74%
VC	3300 ug/m3	25 ug/m3	99.24%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr Ken Parker


PO#: 6-004

PROJECT #: 223602
RECEIVED: 05/29/2007 @ 09:40

Site Address:
MIDLER AVE

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 450594 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	CAN #35 INFLUENT		DATE/TIME SAMPLED: 05/29/07 @ ELAP#11830	
SAMPLE #: 450595 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	CAN #36 EFFLUENT		DATE/TIME SAMPLED: 05/29/07 @ ELAP#11830	

Sample Receipt Temperature Degrees C


David R. Hill
Laboratory Director

05/31/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

37868

Centek Laboratories, LLC

Date: 31-May-07

CLIENT: Environmental Laboratory Services
 Lab Order: C0705023
 Project: Recovery System
 Lab ID: C0705023-001A

Client Sample ID: 450594
 Tag Number: 35
 Collection Date: 5/29/2007
 Matrix: AIR

223602

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading Hg	0			"Hg		Analyst: 5/29/2007
5PPB BY METHOD TO15						
						Analyst: RJP
cis-1 2-Dichloroethene	2100	1600		ppbV	320	5/30/2007
Tetrachloroethylene	130000	6000		ppbV	1200	5/30/2007
trans-1 2-Dichloroethene	170	50		ppbV	10	5/30/2007
Trichloroethene	5000	1600		ppbV	320	5/30/2007
Vinyl chloride	480	50		ppbV	10	5/30/2007
Surr: Bromofluorobenzene	119	70-130		%REC	10	5/30/2007

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 JN Non-routine analyte Quantitation estimated
 S Spike Recovery outside accepted recovery limits

E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

37668

Centek Laboratories, LLC

Date: 31-May-07

CLIENT: Environmental Laboratory Services
Lab Order: C0705023
Project: Recovery System
Lab ID: C0705023-001A

Client Sample ID: 450594
Tag Number: 35
Collection Date: 5/29/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1 2-Dichloroethene	8400	6400		ug/m3	320	5/30/2007
Tetrachloroethylene	880000	41000		ug/m3	1200	5/30/2007
trans-1 2-Dichloroethene	700	200		ug/m3	10	5/30/2007
Trichloroethene	27000	8700		ug/m3	320	5/30/2007
Vinyl chloride	1200	130		ug/m3	10	5/30/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

37868

Centek Laboratories, LLC

Date: 31-May-07

CLIENT: Environmental Laboratory Services
 Lab Order: C0705023
 Project: Recovery System
 Lab ID: C0705023-002A

Client Sample ID: 450595
 Tag Number: 36
 Collection Date: 5/29/2007
 Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	0			"Hg		Analyst: 5/29/2007
5PPB BY METHOD TO15						
cis-1 2-Dichloroethene	33	50	J	ppbV	10	Analyst: RJP 5/30/2007
Tetrachloroethylene	1900	200		ppbV	40	5/30/2007
trans-1 2-Dichloroethene	ND	50		ppbV	10	5/30/2007
Trichloroethene	80	50		ppbV	10	5/30/2007
Vinyl chloride	ND	50		ppbV	10	5/30/2007
Surr: Bromofluorobenzene	110	91.3-108	S	%REC	40	5/30/2007
Surr: Bromofluorobenzene	108	70-130		%REC	10	5/30/2007

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 JN Non-routine analyte Quantitation estimated
 S Spike Recovery outside accepted recovery limits

E Value above quantitation range
 J Analyte detected at or below quantitation limits
 ND Not Detected at the Reporting Limit

37666

Centek Laboratories, LLC

Date: 31-May-07

CLIENT: Environmental Laboratory Services
Lab Order: C0705023
Project: Recovery System
Lab ID: C0705023-002A

Client Sample ID: 450595
Tag Number: 36
Collection Date: 5/29/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15				Analyst: RJP
cis-1 2-Dichloroethene	130	200	J	ug/m3	10	5/30/2007
Tetrachloroethylene	13000	1400		ug/m3	40	5/30/2007
trans-1 2-Dichloroethene	ND	200		ug/m3	10	5/30/2007
Trichloroethene	440	270		ug/m3	10	5/30/2007
Vinyl chloride	ND	130		ug/m3	10	5/30/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits


E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Syracuse Stack Sample Results / Sample Date 05/29/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	2100 ppbV	33 ppbV	98.43%
PCE	130,000 ppbV	1900 ppbV	98.54%
t-1,2-DCE	170 ppbV	0 ppbV	100.00%
TCE	5000 ppbV	80 ppbV	98.40%
VC	480 ppbV	0 ppbV	100.00%

COC	Influent	Effluent	% DRE
c-1,2-DCE	8400 ug/m3	130 ug/m3	98.45%
PCE	880000 ug/m3	13000 ug/m3	98.52%
t-1,2-DCE	700 ug/m3	0 ug/m3	100.00%
TCE	27000 ug/m3	440 ug/m3	98.37%
VC	1200 ug/m3	0 ug/m3	100.00%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report


TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Ken Parker

PROJECT #: 223878
RECEIVED: 06/15/2007 @ 13:40

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 451871 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	EFFLUENT 2		DATE/TIME SAMPLED: 06/15/07 @ ELAP#11830	
SAMPLE #: 451872 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	INFLUENT 32		DATE/TIME SAMPLED: 06/15/07 @ ELAP#11830	

Sample Receipt Temperature. Degrees C


David R. Hill
Laboratory Director

06/20/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 19-Jun-07

CLIENT: Environmental Laboratory Services
Lab Order: C0706015
Project: 52874
Lab ID: C0706015-001A

Client Sample ID: 451871
Tag Number: 2
Collection Date: 6/15/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	58	200	J	ug/m3	10	6/18/2007
Tetrachloroethylene	4400	340		ug/m3	10	6/18/2007
trans-1 2-Dichloroethene	ND	200		ug/m3	10	6/18/2007
Trichloroethene	150	270	J	ug/m3	10	6/18/2007
Vinyl chloride	ND	130		ug/m3	10	6/18/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Jun-07

CLIENT: Environmental Laboratory Services
Lab Order: C0706015
Project: 52874
Lab ID: C0706015-001A

Client Sample ID: 451871
Tag Number: 2
Collection Date: 6/15/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	14	50	J	ppbV	10	6/18/2007
Tetrachloroethylene	640	50		ppbV	10	6/18/2007
trans-1 2-Dichloroethene	ND	50		ppbV	10	6/18/2007
Trichloroethene	27	50	J	ppbV	10	6/18/2007
Vinyl chloride	ND	50		ppbV	10	6/18/2007
Surr: Bromofluorobenzene	94.8	70-130		%REC	10	6/18/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 19-Jun-07

CLIENT: Environmental Laboratory Services
Lab Order: C0706015
Project: 52874
Lab ID: C0706015-002A

Client Sample ID: 451872
Tag Number:
Collection Date: 6/15/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	12000	810		ug/m3	40	6/18/2007
Tetrachloroethylene	1200000	90000		ug/m3	2560	6/18/2007
trans-1 2-Dichloroethene	520	200		ug/m3	10	6/18/2007
Trichloroethene	24000	7100		ug/m3	256	6/18/2007
Vinyl chloride	690	130		ug/m3	10	6/18/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
N Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 19-Jun-07

CLIENT: Environmental Laboratory Services
Lab Order: C0706015
Project: 52874
Lab ID: C0706015-002A

Client Sample ID: 451872
Tag Number:
Collection Date: 6/15/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1 2-Dichloroethene	3000	200		ppbV	40	6/18/2007
Tetrachloroethylene	180000	13000		ppbV	2560	6/18/2007
trans-1 2-Dichloroethene	130	50		ppbV	10	6/18/2007
Trichloroethene	4400	1300		ppbV	256	6/18/2007
Vinyl chloride	270	50		ppbV	10	6/18/2007
Surr: Bromofluorobenzene	98.9	70-130		%REC	10	6/18/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
I Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

223676

Chain of Custody

Emergency: 315-416-2751 / 416-2752

Detection Limit	Report Level
5ppbv	Level I
1ug/M3	Level II
1ug/M3 +TCE .25	Cat "B" Like

Emergency: 315-416-2751 / 416-2752

☐ 1ug/M3 +TCE .25	☐ Cat "B" Like
--	---------------------------------------

Company:

Invoice:

Phone:

Fax:

Email:

1000

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

100

4518

623

--	--

[illegible]

[illegible]

1000

1553

[illegible]

1

1500

1001

--	--

Date/Time

[illegible]

15.50	
-------	--

04.51

13:40


www.CentekLabs.com

Syracuse Stack Sample Results / Sample Date 06/15/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	3000 ppbV	14 ppbV	99.53%
PCE	180,000 ppbV	640 ppbV	99.64%
t-1,2-DCE	130 ppbV	0 ppbV	100.00%
TCE	4400 ppbV	27 ppbV	99.39%
VC	270 ppbV	0 ppbV	100.00%

COC	Influent	Effluent	% DRE
c-1,2-DCE	12000 ug/m3	58 ug/m3	99.52%
PCE	1200000 ug/m3	4400 ug/m3	99.63%
t-1,2-DCE	520 ug/m3	0 ug/m3	100.00%
TCE	24000 ug/m3	150 ug/m3	99.38%
VC	690 ug/m3	0 ug/m3	100.00%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report


TERRATHERM
10 Stevens Rd

Fitchburg, MA 01420
ATTN: Mr. Kent Parker

PROJECT #: 224254
RECEIVED: 07/16/2007 @ 15:40

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 453662 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: #1 INLET			DATE/TIME SAMPLED: 07/16/07 @ ELAP#11830	
SAMPLE #: 453663 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: #70 EFFLUENT			DATE/TIME SAMPLED: 07/16/07 @ ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

07/23/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 23-Jul-07

CLIENT: Environmental Laboratory Services
Lab Order: C0707007
Project: Recovery System 53081
Lab ID: C0707007-001A

Client Sample ID: 453662
Tag Number: 1
Collection Date: 7/16/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cls-1,2-Dichloroethene	7400	810		ug/m3	40	7/18/2007
Tetrachloroethylene	990000	90000		ug/m3	2560	7/18/2007
trans-1,2-Dichloroethene	200	20		ug/m3	1	7/17/2007
Trichloroethene	22000	1100		ug/m3	40	7/18/2007
Vinyl chloride	590	130		ug/m3	10	7/17/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 23-Jul-07

CLIENT: Environmental Laboratory Services
Lab Order: C0707007
Project: Recovery System 53081
Lab ID: C0707007-002A

Client Sample ID: 453663
Tag Number: 70
Collection Date: 7/16/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1,2-Dichloroethene	42	20		ug/m3	1	7/17/2007
Tetrachloroethylene	6500	340		ug/m3	10	7/17/2007
trans-1,2-Dichloroethene	5.9	20	J	ug/m3	1	7/17/2007
Trichloroethene	240	27		ug/m3	1	7/17/2007
Vinyl chloride	8.9	13	J	ug/m3	1	7/17/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 23-Jul-07

CLIENT: Environmental Laboratory Services
Lab Order: C0707007
Project: Recovery System 53081
Lab ID: C0707007-001A

Client Sample ID: 453662
Tag Number: 1
Collection Date: 7/16/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SPPB BY METHOD TO15		TO-15		Analyst: LL		
cis-1,2-Dichloroethene	1800	200		ppbV	40	7/18/2007
Tetrachloroethylene	140000	13000		ppbV	2560	7/18/2007
trans-1,2-Dichloroethene	50	50		ppbV	1	7/17/2007
Trichloroethene	4000	200		ppbV	40	7/18/2007
Vinyl chloride	230	50		ppbV	10	7/17/2007
Surr: Bromofluorobenzene	125	70-130		%REC	1	7/17/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
IN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 23-Jul-07

CLIENT: Environmental Laboratory Services
Lab Order: C0707007
Project: Recovery System 53081
Lab ID: C0707007-002A

Client Sample ID: 453663
Tag Number: 70
Collection Date: 7/16/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: LL		
cls-1,2-Dichloroethene	10	50		ppbV	1	7/17/2007
Tetrachloroethylene	940	50		ppbV	10	7/17/2007
trans-1,2-Dichloroethene	15	50	J	ppbV	1	7/17/2007
Trichloroethene	44	50		ppbV	1	7/17/2007
Vinyl chloride	34	50	J	ppbV	1	7/17/2007
Surr: Bromofluorobenzene	924	70-130		%REC	1	7/17/2007


Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Syracuse Stack Sample Results / Sample Date 07/16/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	1800 ppbV	10 ppbV	99.44%
PCE	140,000 ppbV	940 ppbV	99.33%
t-1,2-DCE	50 ppbV	1.5 ppbV	97.00%
TCE	4000 ppbV	44 ppbV	98.90%
VC	230 ppbV	3.4 ppbV	98.52%
Total	146080	998.9	99.32%

COC	Influent	Effluent	% DRE
c-1,2-DCE	7400 ug/m3	20 ug/m3	99.73%
PCE	990000 ug/m3	340 ug/m3	99.97%
t-1,2-DCE	200 ug/m3	5.9 ug/m3	97.05%
TCE	22000 ug/m3	240 ug/m3	98.91%
VC	590 ug/m3	8.9 ug/m3	98.49%
Total	1020190	614.8	99.94%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in;
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report


TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Ken Parker

PROJECT #: 224803
RECEIVED: 08/21/2007 @ 10:55

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 456483 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: IN LET 31			DATE/TIME SAMPLED: 08/21/07 @ ELAP#11830	
SAMPLE #: 456484 Volatile - IO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID: STACK 75			DATE/TIME SAMPLED: 08/21/07 @ ELAP#11830	

Sample Receipt Temperature: Degrees C


David R. Hill
Laboratory Director

08/23/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 22-Aug-07

CLIENT: Environmental Laboratory Services
Lab Order: C0708022
Project: Recovery System
Lab ID: C0708022-001A

Client Sample ID: 456483
Tag Number: 31
Collection Date: 8/21/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS		FLD		Analyst:		
Vacuum Reading "Hg	-1			"Hg		8/21/2007
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	1600	100		ppbV	20	8/21/2007
Tetrachloroethylene	37000	1600		ppbV	320	8/21/2007
trans-1 2-Dichloroethene	200	100		ppbV	20	8/21/2007
Trichloroethene	2600	1600		ppbV	320	8/21/2007
Vinyl chloride	470	100		ppbV	20	8/21/2007
Surr: Bromofluorobenzene	92.5	70-130		%REC	20	8/21/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC**Date:** 22-Aug-07

CLIENT: Environmental Laboratory Services
Lab Order: C0708022
Project: Recovery System
Lab ID: C0708022-001A

Client Sample ID: 456483
Tag Number: 31
Collection Date: 8/21/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	8300	400		ug/m3	20	8/21/2007
Tetrachloroethylene	260000	11000		ug/m3	320	8/21/2007
trans-1,2-Dichloroethene	800	400		ug/m3	20	8/21/2007
Trichloroethene	14000	8700		ug/m3	320	8/21/2007
Vinyl chloride	1200	260		ug/m3	20	8/21/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 22-Aug-07

CLIENT: Environmental Laboratory Services
Lab Order: C0708022
Project: Recovery System
Lab ID: C0708022-002A

Client Sample ID: 456484
Tag Number: 75
Collection Date: 8/21/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS						
Vacuum Reading "Hg	-1			"Hg		Analyst: 8/21/2007
5PPB BY METHOD TO15						Analyst: RJP
cis-1,2-Dichloroethene	9.5	5.0		ppbV	1	8/21/2007
Tetrachloroethylene	580	100		ppbV	20	8/21/2007
trans-1,2-Dichloroethene	ND	5.0		ppbV	1	8/21/2007
Trichloroethene	20	5.0		ppbV	1	8/21/2007
Vinyl chloride	ND	5.0		ppbV	1	8/21/2007
Surr: Bromofluorobenzene	90.3	70-130		%REC	1	8/21/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 22-Aug-07

CLIENT: Environmental Laboratory Services
Lab Order: C0708022
Project: Recovery System
Lab ID: C0708022-002A

Client Sample ID: 456484
Tag Number: 75
Collection Date: 8/21/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15						
		TO-15				Analyst: RJP
cis-1 2-Dichloroethene	38	20		ug/m3	1	8/21/2007
Tetrachloroethylene	4000	690		ug/m3	20	8/21/2007
trans-1 2-Dichloroethene	ND	20		ug/m3	1	8/21/2007
Trichloroethene	110	27		ug/m3	1	8/21/2007
Vinyl chloride	ND	13		ug/m3	1	8/21/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits


E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Syracuse Stack Sample Results / Sample Date 08/21/07

COC	Influent	Effluent	% DRE
c-1,2-DCE	1600 ppbV	9.5 ppbV	99.41%
PCE	37,000 ppbV	580 ppbV	98.43%
t-1,2-DCE	200 ppbV	0 ppbV	100.00%
TCE	2600 ppbV	20 ppbV	99.23%
VC	470 ppbV	0 ppbV	100.00%
Totals	41870	609.5	98.54%

COC	Influent	Effluent	% DRE
c-1,2-DCE	6300 ug/m3	38 ug/m3	99.40%
PCE	260000 ug/m3	4000 ug/m3	98.46%
t-1,2-DCE	800 ug/m3	0 ug/m3	100.00%
TCE	14000 ug/m3	110 ug/m3	99.21%
VC	1200 ug/m3	0 ug/m3	100.00%
Totals	282300	4148	98.53%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

TERRATHERM
10 Stevens Rd.

Fitchburg, MA 01420
ATTN: Mr. Ken Parker

PROJECT #: 225019
RECEIVED: 09/05/2007 @ 13:49

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 457677 Volatile - TO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	STACK (12)		DATE/TIME SAMPLED: 09/04/07 @ 15:02 ELAP#11830	
SAMPLE #: 457678 Volatile - TO-15 <i>See Attached Report</i>	CLIENT SAMPLE ID:	CARBON INLET (35)		DATE/TIME SAMPLED: 09/04/07 @ 15:00 ELAP#11830	

Sample Receipt Temperature. *Degrees C*


David R. Hill
Laboratory Director

09/06/2007
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.

Centek Laboratories, LLC

Date: 06-Sep-07

CLIENT: Environmental Laboratory Services
Lab Order: C0709005
Project: Recovery System
Lab ID: C0709005-001A

Client Sample ID: 457677
Tag Number: 12
Collection Date: 9/4/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS		FLD				Analyst:
Vacuum Reading "Hg	-1			"Hg		9/4/2007
5PPB BY METHOD TO15		TO-15				Analyst: RJP
cis-1,2-Dichloroethene	ND	10		ppbV	2	9/4/2007
Tetrachloroethylene	35	10		ppbV	2	9/4/2007
trans-1,2-Dichloroethene	ND	10		ppbV	2	9/4/2007
Trichloroethene	30	10	J	ppbV	2	9/4/2007
Vinyl chloride	ND	10		ppbV	2	9/4/2007
Surr: Bromofluorobenzene	108	70-130		%REC	2	9/4/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 06-Sep-07

CLIENT: Environmental Laboratory Services
Lab Order: C0709005
Project: Recovery System
Lab ID: C0709005-002A

Client Sample ID: 457678
Tag Number: 35
Collection Date: 9/4/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
FIELD PARAMETERS		FLD				Analyst:
Vacuum Reading "Hg	-1			"Hg		9/4/2007
5PPB BY METHOD TO15		TO-15				Analyst: RJP
cis-1 2-Dichloroethene	450	40		ppbV	8	9/4/2007
Tetrachloroethylene	7100	800		ppbV	160	9/4/2007
trans-1 2-Dichloroethene	51	40		ppbV	8	9/4/2007
Trichloroethene	680	800	J	ppbV	160	9/4/2007
Vinyl chloride	230	40		ppbV	8	9/4/2007
Surr: Bromofluorobenzene	106	70-130		%REC	8	9/4/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Centek Laboratories, LLC

Date: 06-Sep-07

CLIENT: Environmental Laboratory Services
Lab Order: C0709005
Project: Recovery System
Lab ID: C0709005-001A

Client Sample ID: 457677
Tag Number: 12
Collection Date: 9/4/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	ND	40		ug/m3	2	9/4/2007
Tetrachloroethylene	240	69		ug/m3	2	9/4/2007
trans-1,2-Dichloroethene	ND	40		ug/m3	2	9/4/2007
Trichloroethene	16	55	J	ug/m3	2	9/4/2007
Vinyl chloride	ND	26		ug/m3	2	9/4/2007

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected at or below quantitation limits
	JN	Non-routine analyte Quantitation estimated	ND	Not Detected at the Reporting Limit
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 06-Sep-07

CLIENT: Environmental Laboratory Services
Lab Order: C0709005
Project: Recovery System
Lab ID: C0709005-002A

Client Sample ID: 457678
Tag Number: 35
Collection Date: 9/4/2007
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
5PPB BY METHOD TO15		TO-15		Analyst: RJP		
cis-1,2-Dichloroethene	1800	160		ug/m3	8	9/4/2007
Tetrachloroethylene	49000	5500		ug/m3	160	9/4/2007
trans-1,2-Dichloroethene	200	160		ug/m3	8	9/4/2007
Trichloroethene	3700	4400	J	ug/m3	160	9/4/2007
Vinyl chloride	600	100		ug/m3	8	9/4/2007

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
JN Non-routine analyte Quantitation estimated
S Spike Recovery outside accepted recovery limits

E Value above quantitation range
J Analyte detected at or below quantitation limits
ND Not Detected at the Reporting Limit

Syracuse Stack Sample Results / Sample Date 09/04/07


COC	Influent	Effluent	% DRE
c-1,2-DCE	450 ppbV	0 ppbV	100.00%
PCE	7,100 ppbV	35 ppbV	99.51%
t-1,2-DCE	51 ppbV	0 ppbV	100.00%
TCE	680 ppbV	3 ppbV	99.56%
VC	230 ppbV	0 ppbV	100.00%
Totals	8511	38	99.55%

COC	Influent	Effluent	% DRE
c-1,2-DCE	1800 ug/m3	0 ug/m3	100.00%
PCE	49000 ug/m3	240 ug/m3	99.51%
t-1,2-DCE	200 ug/m3	0 ug/m3	100.00%
TCE	3700 ug/m3	16 ug/m3	99.57%
VC	600 ug/m3	0 ug/m3	100.00%
Totals	55300	256	99.54%

* ug/m3 results corrected for standard temperature and pressure and adjusted to factor in molecular weight

B-2

Wastewater Discharge



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465557 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0900
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				11/08/06	RS	8.0 Degrees C
Sample Receipt Temperature				11/08/06	RS	Sample Rec.On Ice
Cadmium, Total (Cd)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	11/08/06	KB	11/09/06	KB	0.04 mg/L
Copper, Total (Cu)	EPA 200.7	11/08/06	KB	11/09/06	KB	0.03 mg/L
Lead, Total (Pb)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			11/08/06	MM	< 0.001 mg/L
Nickel, Total (Ni)	EPA 200.7	11/08/06	KB	11/09/06	KB	0.05 mg/L
Zinc, Total (Zn)	EPA 200.7	11/08/06	KB	11/09/06	KB	0.07 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465558 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0900
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	11/08/06		LRE	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465559 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0900
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	11/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	11/08/06		LRE	
Dichlorodifluoromethane	EPA 624	11/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	11/08/06		LRE	< 60 ug/L
Chloroform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	11/08/06		LRE	< 8.2 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 465559

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	11/08/06		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	11/08/06		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Toluene	EPA 624	11/08/06		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	11/08/06		LRE	590	ug/L
Dibromochloromethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	11/08/06		LRE	< 1.0	ug/L
o-Xylene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Bromoform	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465560 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0900
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				11/08/06	RS	8.0	Degrees C
Sample Receipt Temperature				11/08/06	RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	11/08/06	DG	11/08/06	BLD		
AROCLOR 1221	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465561 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 11/08/06 TIME SAMPLED- 0910
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				11/08/06		RS	8.0	Degrees C
Sample Receipt Temperature				11/08/06		RS	Sample Rec. On Ice	
Cadmium, Total (Cd)	EPA 200.7	11/08/06	KB	11/09/06		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	11/08/06	KB	11/09/06		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	11/08/06	KB	11/09/06		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	11/08/06	KB	11/09/06		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			11/08/06		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	11/08/06	KB	11/09/06		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	11/08/06	KB	11/09/06		KB	0.20	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465562 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 11/08/06 TIME SAMPLED- 0910
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	11/08/06		LRE	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465563 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy TIME SAMPLED- 0910
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	11/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	11/08/06		LRE	
Dichlorodifluoromethane	EPA 624	11/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	11/08/06		LRE	5.9 ug/L
Chloroform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 465563


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	11/08/06		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	11/08/06		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Toluene	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	11/08/06		LRE	< 1.0 ug/L
o-Xylene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromoform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465564 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 11/08/06 TIME SAMPLED- 0910
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature					RS	8.0 Degrees C
PCB'S IN WATER					BLD	
AROCLOR 1221	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	11/08/06	DG 11/08/06		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465565 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0920
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				11/08/06	RS	8.0	Degrees C
Sample Receipt Temperature				11/08/06	RS	Sample Rec.On Ice	
Cadmium, Total (Cd)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			11/08/06	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	11/08/06	KB	11/09/06	KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465566 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0920
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	11/08/06		LRE	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006


SAMPLE NUMBER- 465567 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0920
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	11/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	11/08/06		LRE	
Dichlorodifluoromethane	EPA 624	11/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 465567


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	11/08/06		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	11/08/06		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Toluene	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Tetrachloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	11/08/06		LRE	< 1.0 ug/L
o-Xylene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromoform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465568 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0920
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature					RS	8.0	Degrees C
Sample Receipt Temperature					RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	11/08/06	DG	11/08/06	BLD		
AROCLOR 1221	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	11/08/06	DG	11/08/06	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave. Syracuse
DATE: 11/09/2006

SAMPLE NUMBER- 465569 SAMPLE ID- Trip Blank
DATE SAMPLED- 11/08/06
DATE RECEIVED- 11/08/06 SAMPLER- Ben Murphy
TIME RECEIVED- 0950 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0800
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		11/08/06		RS	8.0 Degrees C
Sample Receipt Temperature		11/08/06		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	11/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	11/08/06		LRE	
Dichlorodifluoromethane	EPA 624	11/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	11/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	11/08/06		LRE	< 5.0 ug/L
Chloroform	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	11/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	11/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	11/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	11/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 465569


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	11/08/06		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	11/08/06		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Toluene	EPA 624	11/08/06		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	11/08/06		LRE	< 1.0	ug/L
o-Xylene	EPA 624	11/08/06		LRE	< 1.0	ug/L
Bromoform	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	11/08/06		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

October 19, 2006

Mr. Rory Woodmansee, Senior Engineer
C&S Engineers, Inc.
301 Plainfield Road, Suite 185
Syracuse, New York 13212

Phone (315) 455-2000
Fax (315) 413-0679

Re: Analytical Testing Services: Water Treatment System Samples
Midler Avenue Remediation Project: 621 South Midler Avenue
Syracuse, New York 13206

File: Prospective

Dear Mr. Woodmansee:

3 Samples per month (event (influent,
Between carbon & effluent). 1st sample set
(Oct. '06) is next day T.A.T., following month
are 5 day T.A.T.

Certified Environmental Services, Inc. (CES) is pleased to have the opportunity to provide this proposal for analytical testing services. It is understood that the scope-of-services outlined in our proposal will be provided for water samples to be collected by C&S Engineers, Inc. (C&S) personnel from a water treatment system associated with a remediation project located at 621 South Midler Avenue, City of Syracuse, Onondaga County, New York 13206, and submitted to CES's laboratory facility for analysis. It is further understood that the following water samples are anticipated to be collected and submitted for a period of approximately eight (8) months:

- a. Water Treatment System: Influent
- b. Water Treatment System: Between Carbon Filters
- c. Water Treatment System: Effluent

Water samples submitted to CES as part of the proposed project will be analyzed for the following standard Onondaga County Department of Water Environment Protection (OCDWEP) industrial pretreatment parameters:

- | | |
|--|---|
| ☐ Total Cadmium (Cd) | ☐ Total Lead (Pb) |
| ☐ Total Chromium (Cr) | ☐ Oil & Grease (O&G) |
| ☐ Total Copper (Cu) | ☐ pH |
| ☐ Total Nickel (Ni) | ☐ Total Toxic Organics (TTO's) |
| ☐ Total Zinc (Zn) | ☐ Polychlorinated Biphenyls (PCB's) |
| ☐ Total Mercury (Hg) | ☐ Methyl Tertiary Butyl Ether (MTBE) |

Table 1
Required Groundwater Analysis

Parameter	OCDWEP Daily Allowable Effluent Concentration Limitation
Total Cadmium (Cd) ¹	2.0 mg/l
Total Chromium (Cr) ¹	8.0 mg/l
Total Copper (Cu) ¹	5.0 mg/l
Total Nickel (Ni) ¹	5.0 mg/l
Total Zinc (Zn) ¹	5.0 mg/l
Total Mercury (Hg)	0.02 mg/l
Total Lead (Pb)	1.0 mg/l
Oil & Grease	150 mg/l
pH	5.5-10.5 Standard Units
Total Toxic Organics (TTO's) ²	0.1 mg/l
PCB's ³	0.5 µg/l
Methyl Tertiary Butyl Ether (MTBE)	Discharge limit included under TTO limit

2. An inspection of the project site by a representative of this Department shall be conducted prior to issuance of the discharge permit. At the time of the inspection a location for discharging the groundwater/wastewater to the sanitary sewer shall be discussed.
3. The Contractor shall remit a project permit fee of One Hundred Eighty-Five Dollars (\$185.00) to the Department along with the written request as outlined in item #1. A check or money order for the full amount shall be made out to Onondaga County Department of Water Environment Protection, attention Bonnie Karasinski, Fiscal Officer. Should the application be rejected, the permit discharge fee shall be returned to the Contractor.
4. A permit to discharge will be issued by this Department governing the acceptance of groundwater/wastewater from the project site. The permit shall be based upon the information required in items #1 and #2 above. The contractor can commence discharging upon receipt of the permit and adherence to the requirements outlined in the permit.

¹ Analysis for these parameters shall not be required should County personnel deem unnecessary based on best professional judgement.

² Total Toxic Organics is currently defined by the County, as Control Authority, to be the sum of the detectable concentrations of parameters detected by USEPA Method 624 (including Xylenes).

³ Polychlorinated biphenyl's (PCB's) are those parameters detected by USEPA Method 608.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468288 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 12/07/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie


SAMPLE MATRIX- WW
TIME SAMPLED- 1525
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature				12/06/06		RS	Sample Rec.On Ice
Cadmium, Total (Cd)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	12/07/06	KB	12/12/06		KB	0.08 mg/L
Copper, Total (Cu)	EPA 200.7	12/07/06	KB	12/12/06		KB	0.08 mg/L
LEAD, TOTAL (PB)	EPA 239.2	12/07/06	KB	12/13/06		KB	0.001 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			12/11/06		MM	0.007 mg/L
Nickel, Total (Ni)	EPA 200.7	12/07/06	KB	12/12/06		KB	0.07 mg/L
Zinc, Total (Zn)	EPA 200.7	12/07/06	KB	12/12/06		KB	0.09 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006


SAMPLE NUMBER- 468289 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 12/07/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1525
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	12/08/06		MM	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468290 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 12/07/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1525
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	12/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	12/08/06		LRE	
Dichlorodifluoromethane	EPA 624	12/08/06		LRE	< 10 ug/L
Chloromethane	EPA 624	12/08/06		LRE	< 25 ug/L
Vinyl Chloride	EPA 624	12/08/06		LRE	< 5.0 ug/L
Bromomethane	EPA 624	12/08/06		LRE	< 25 ug/L
Chloroethane	EPA 624	12/08/06		LRE	< 25 ug/L
Trichlorofluoromethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	12/08/06		LRE	< 5.0 ug/L
Methylene Chloride	EPA 624	12/08/06		LRE	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	12/08/06		LRE	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
2-Butanone (MEK)	EPA 624	12/08/06		LRE	< 25 ug/L
Chloroform	EPA 624	12/08/06		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	12/08/06		LRE	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Benzene	EPA 624	12/08/06		LRE	< 5.0 ug/L
Trichloroethene	EPA 624	12/08/06		LRE	5.3 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 468290

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	12/08/06		LRE	< 5.0	ug/L
Bromodichloromethane	EPA 624	12/08/06		LRE	< 5.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	12/08/06		LRE	< 25	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	12/08/06		LRE	< 25	ug/L
cis-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 5.0	ug/L
Toluene	EPA 624	12/08/06		LRE	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	12/08/06		LRE	< 5.0	ug/L
Tetrachloroethene	EPA 624	12/08/06		LRE	134	ug/L
Dibromochloromethane	EPA 624	12/08/06		LRE	< 5.0	ug/L
Chlorobenzene	EPA 624	12/08/06		LRE	< 5.0	ug/L
Ethylbenzene	EPA 624	12/08/06		LRE	< 5.0	ug/L
m & p-Xylene	EPA 624	12/08/06		LRE	< 5.0	ug/L
o-Xylene	EPA 624	12/08/06		LRE	< 5.0	ug/L
Bromoform	EPA 624	12/08/06		LRE	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	12/08/06		LRE	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	12/08/06		LRE	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	12/08/06		LRE	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	12/08/06		LRE	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468291 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 12/07/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1525
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				12/06/06		RS	15.0	Degrees C
Sample Receipt Temperature				12/06/06		RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	12/06/06	DG	12/07/06		BLD		
AROCLOR 1221	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006


SAMPLE NUMBER- 468292 SAMPLE ID- Water Treatment Between Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06 TIME SAMPLED- 1530
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie RECEIVED BY- RS
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				12/06/06	RS	15.0 Degrees C
Sample Receipt Temperature				12/06/06	RS	Sample Rec. On Ice
Cadmium, Total (Cd)	EPA 200.7	12/07/06	KB	12/12/06	KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	12/07/06	KB	12/12/06	KB	< 0.02 mg/L
Copper, Total (Cu)	EPA 200.7	12/07/06	KB	12/12/06	KB	< 0.02 mg/L
LEAD, TOTAL (PB)	EPA 239.2	12/07/06	KB	12/13/06	KB	< 0.001 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			12/11/06	MM	< 0.001 mg/L
Nickel, Total (Ni)	EPA 200.7	12/07/06	KB	12/12/06	KB	< 0.02 mg/L
Zinc, Total (Zn)	EPA 200.7	12/07/06	KB	12/12/06	KB	0.26 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468293 SAMPLE ID- Water Treatment Between Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06 TIME SAMPLED- 1530
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie RECEIVED BY- RS
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	12/08/06		MM	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468294 SAMPLE ID- Water Treatment Between Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06 TIME SAMPLED- 1530
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie RECEIVED BY- RS
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	12/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	12/08/06		LRE	
Dichlorodifluoromethane	EPA 624	12/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	12/08/06		LRE	< 1.0 ug/L
Chloroform	EPA 624	12/08/06		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**


1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 468294

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	12/08/06		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	12/08/06		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Toluene	EPA 624	12/08/06		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	12/08/06		LRE	< 1.0	ug/L
o-Xylene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Bromoform	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006


SAMPLE NUMBER- 468295 SAMPLE ID- Water Treatment Between Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06 TIME SAMPLED- 1530
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie RECEIVED BY- RS
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				12/06/06		RS	15.0	Degrees C
Sample Receipt Temperature				12/06/06		RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	12/06/06	DG	12/07/06		BLD		
AROCLOR 1221	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468296 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 12/06/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie


SAMPLE MATRIX- WW
TIME SAMPLED- 1545
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				12/06/06		RS	15.0	Degrees C
Sample Receipt Temperature				12/06/06		RS	Sample Rec.On Ice	
Cadmium, Total (Cd)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02	mg/L
LEAD, TOTAL (PB)	EPA 239.2	12/07/06	KB	12/13/06		KB	< 0.001	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			12/11/06		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	12/07/06	KB	12/12/06		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468297	SAMPLE ID- Water Treatment Effluent	SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06		TIME SAMPLED- 1545
DATE RECEIVED- 12/06/06	SAMPLER- Jennifer VanWie	RECEIVED BY- RS
TIME RECEIVED- 1620	DELIVERED BY- Jennifer VanWie	TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec.On Ice
Oil & Grease (LLE)	EPA 1664A	12/08/06		MM	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468298 SAMPLE ID- Water Treatment Effluent SAMPLE MATRIX- WW
DATE SAMPLED- 12/06/06 TIME SAMPLED- 1545
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie RECEIVED BY- RS
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	12/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	12/08/06		LRE	
Dichlorodifluoromethane	EPA 624	12/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	12/08/06		LRE	< 5.0 ug/L
Chloroform	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 468298

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	12/08/06		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	12/08/06		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Toluene	EPA 624	12/08/06		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	12/08/06		LRE	< 1.0 ug/L
o-Xylene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Bromoform	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468299 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 12/06/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie


SAMPLE MATRIX- WW
TIME SAMPLED- 1545
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature				12/06/06		RS	Sample Rec.On Ice
PCB'S IN WATER	EPA 8082	12/06/06	DG	12/07/06		BLD	
AROCLOR 1221	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	12/06/06	DG	12/07/06		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 12/13/2006

SAMPLE NUMBER- 468300 SAMPLE ID- Trip Blank
DATE SAMPLED- 12/06/06
DATE RECEIVED- 12/06/06 SAMPLER- Jennifer VanWie
TIME RECEIVED- 1620 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1600
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		12/06/06		RS	15.0 Degrees C
Sample Receipt Temperature		12/06/06		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	12/08/06		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	12/08/06		LRE	
Dichlorodifluoromethane	EPA 624	12/08/06		LRE	< 2.0 ug/L
Chloromethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
Bromomethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Chloroethane	EPA 624	12/08/06		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	12/08/06		LRE	< 5.0 ug/L
Chloroform	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	12/08/06		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	12/08/06		LRE	< 1.0 ug/L
Benzene	EPA 624	12/08/06		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	12/08/06		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 468300

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	12/08/06		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	12/08/06		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Toluene	EPA 624	12/08/06		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	12/08/06		LRE	< 1.0	ug/L
o-Xylene	EPA 624	12/08/06		LRE	< 1.0	ug/L
Bromoform	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	12/08/06		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

EMAIL RESULTS TO JSCHNEIDER@THEPIONEERCOMPANIES.COM

White - CES's Copy • Canary • Return to Client With Report • Pink - Clients Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470677 SAMPLE ID- Influent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	01/04/07	KB	01/05/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	01/04/07	KB	01/05/07	KB	0.09	mg/L
Copper, Total (Cu)	EPA 200.7	01/04/07	KB	01/05/07	KB	0.15	mg/L
Lead, Total (Pb)	EPA 200.7	01/04/07	KB	01/05/07	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1	01/04/07	KB	01/05/07	MM	0.0021	mg/L
Nickel, Total (Ni)	EPA 200.7	01/04/07	KB	01/05/07	KB	0.04	mg/L
Zinc, Total (Zn)	EPA 200.7	01/04/07	KB	01/05/07	KB	0.93	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470678 SAMPLE ID- Between Carbon Filters
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	01/04/07	KB	01/05/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.11	mg/L
Copper, Total (Cu)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.05	mg/L
Lead, Total (Pb)	EPA 200.7	01/04/07	KB	01/05/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			01/04/07		MM	0.0016	mg/L
Nickel, Total (Ni)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.07	mg/L
Zinc, Total (Zn)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.97	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470679 SAMPLE ID- Effluent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0950
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	01/04/07	KB	01/05/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.06	mg/L
Copper, Total (Cu)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.02	mg/L
Lead, Total (Pb)	EPA 200.7	01/04/07	KB	01/05/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			01/04/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	01/04/07	KB	01/05/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	01/04/07	KB	01/05/07		KB	0.43	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107


CHAIN OF C STUDY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

[illegible]



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007

SAMPLE NUMBER- 470680 SAMPLE ID- Influent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Oil & Grease (LLE)	EPA 1664A	01/05/07		MM	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007


SAMPLE NUMBER- 470681 SAMPLE ID- Between Carbon Filters
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Oil & Grease (LLE)	EPA 1664A	01/05/07		MM	< 5. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007

SAMPLE NUMBER- 470682 SAMPLE ID- Effluent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0950
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0	Degrees C
Oil & Grease (LLE)	EPA 1664A	01/05/07		MM	< 5.	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470683 SAMPLE ID- Influent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Methyl-t-Butyl Ether	EPA 624	01/03/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	01/03/07		LRE	
Dichlorodifluoromethane	EPA 624	01/03/07		LRE	< 20 ug/L
Chloromethane	EPA 624	01/03/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	01/03/07		LRE	< 10 ug/L
Bromomethane	EPA 624	01/03/07		LRE	< 50 ug/L
Chloroethane	EPA 624	01/03/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	01/03/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	01/03/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	01/03/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	01/03/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	01/03/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	01/03/07		LRE	< 10 ug/L
Chloroform	EPA 624	01/03/07		LRE	< 50 ug/L
1,1,1-Trichloroethane	EPA 624	01/03/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	01/03/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	01/03/07		LRE	< 10 ug/L
Benzene	EPA 624	01/03/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	01/03/07		LRE	< 10 ug/L
1,2-Dichloropropane	EPA 624	01/03/07		LRE	< 10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470683

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Bromodichloromethane	EPA 624	01/03/07		LRE	< 10	ug/L
2-Chloroethylvinyl Ether	EPA 624	01/03/07		LRE	< 50	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/03/07		LRE	< 50	ug/L
cis-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 10	ug/L
Toluene	EPA 624	01/03/07		LRE	< 10	ug/L
trans-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 10	ug/L
1,1,2-Trichloroethane	EPA 624	01/03/07		LRE	54	ug/L
Tetrachloroethene	EPA 624	01/03/07		LRE	< 10	ug/L
Dibromochloromethane	EPA 624	01/03/07		LRE	< 10	ug/L
Chlorobenzene	EPA 624	01/03/07		LRE	< 10	ug/L
Ethylbenzene	EPA 624	01/03/07		LRE	< 10	ug/L
m & p-Xylene	EPA 624	01/03/07		LRE	< 10	ug/L
o-Xylene	EPA 624	01/03/07		LRE	< 10	ug/L
Bromoform	EPA 624	01/03/07		LRE	< 10	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/03/07		LRE	< 10	ug/L
1,3-Dichlorobenzene	EPA 624	01/03/07		LRE	< 10	ug/L
1,4-Dichlorobenzene	EPA 624	01/03/07		LRE	< 10	ug/L
1,2-Dichlorobenzene	EPA 624	01/03/07		LRE	< 10	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Loone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470684 SAMPLE ID- Between Carbon Filters
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Methyl-t-Butyl Ether	EPA 624	01/03/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	01/03/07		LRE	
Dichlorodifluoromethane	EPA 624	01/03/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	01/03/07		LRE	1.2 ug/L
1,1,1-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Benzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	01/03/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470684

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Bromodichloromethane	EPA 624	01/03/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	01/03/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/03/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0	ug/L
Toluene	EPA 624	01/03/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	01/03/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	01/03/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	01/03/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	01/03/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	01/03/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	01/03/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	01/03/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/03/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470685 SAMPLE ID- Effluent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0950
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Methyl-t-Butyl Ether	EPA 624	01/03/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	01/03/07		LRE	
Dichlorodifluoromethane	EPA 624	01/03/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Benzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	01/03/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470685

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Bromodichloromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	01/03/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/03/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Toluene	EPA 624	01/03/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	01/03/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/05/2007

SAMPLE NUMBER- 470686 SAMPLE ID- Trip Blank
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0800
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		BLD	4.0 Degrees C
Methyl-t-Butyl Ether	EPA 624	01/03/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	01/03/07		LRE	
Dichlorodifluoromethane	EPA 624	01/03/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	01/03/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	01/03/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Benzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	01/03/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470686

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Bromodichloromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	01/03/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/03/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Toluene	EPA 624	01/03/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	01/03/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	01/03/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	01/03/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


Terms and Conditions on Reverse Side

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



CHAIN OF CUSTODY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO: 90226		Page 1 of 1	
Turn-Around Time: ☐ Standard ☒ 1 Week ☐ 72 Hours ☐ 48 Hours ☐ 24 Hours		PARAMETERS FOR ANALYSIS	
CLIENT NAME: Pioneer Midler Ave, LLC	PROJECT NUMBER/NAME: 621 So. Ho. Midler Ave	TOTAL NUMBER OF CONTAINERS	
ADDRESS: 250 South Clinton Street, 200	Syracuse, NY	TOTAL NUMBER OF CONTAINERS	
PHONE: 471-2181	Water Treatment Systems	TOTAL NUMBER OF CONTAINERS	
FAX: 471-1154	PURCHASE ORDER NO:	TOTAL NUMBER OF CONTAINERS	
CONTACT NAME: Ted Schneider	Signature: Ben Murphy	TOTAL NUMBER OF CONTAINERS	
Sampler's Name: Ben Murphy	Signature: Ben Murphy	TOTAL NUMBER OF CONTAINERS	
LAB USE ONLY	Collected Date	Time	Client ID/Sample Location
CES Sample Numbers	470683	1-3-07 09:30	Water Treatment - Influent
	470684	1-3-07 09:40	Water Treatment - Return Lagoon
	470685	1-3-07 09:50	Water Treatment - Effluent
	470686	1-3-07 08:00	Trip Blank
SPECIAL REMARKS: * Email Results to: jschneider@the.pioneer.companies.com *		TOTAL NUMBER OF CONTAINERS	

SAMPLES RELINQUISHED BY:		SAMPLES RECEIVED BY:	
NAME: Ben Murphy	DATE: 1-3-07	NAME:	DATE:
SIGNATURE: Ben Murphy	TIME: 10:40	SIGNATURE:	TIME:
NAME:	DATE:	NAME:	DATE:
SIGNATURE:	TIME:	SIGNATURE:	TIME:



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007

SAMPLE NUMBER- 470687 SAMPLE ID- Influent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature					BLD	4.0 Degrees C
PCB'S IN WATER	EPA 8082	01/05/07	LRE 01/06/07		BLD	
AROCLOR 1221	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007

SAMPLE NUMBER- 470688 SAMPLE ID- Between Carbon Filters
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature			01/03/07		BLD	4.0 Degrees C
PCB'S IN WATER	EPA 8082	01/05/07	LRE 01/06/07		BLD	
AROCLOR 1221	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 So. Midler-Water Treatment
DATE: 01/08/2007


SAMPLE NUMBER- 470689 SAMPLE ID- Effluent
DATE SAMPLED- 01/03/07
DATE RECEIVED- 01/03/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1040 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0950
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature						4.0	Degrees C
PCB'S IN WATER	EPA 8082	01/05/07	LRE 01/06/07		BLD		
AROCLOR 1221	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	01/05/07	LRE 01/06/07		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Patrick A. Leone, Jr.
Laboratory Director

The analytical results on this sample are representative of the sample as received by the Laboratory.

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

Fax: 315-478-2107

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

CLIENT NAME: Pioneer Miller Ave. LLC
ADDRESS: 250 South Clinton Street, 200
Syracuse, NY 13202
PHONE: 471-2181
FAX: 471-1154
CONTACT NAME: Ted Schneider

PROJECT NUMBER/NAME:
621 South Miller Ave
Syracuse, NY
Water Treatment Systems
PURCHASE ORDER NO:


Sampler's Name: Ben Murphy Signature: Ben Murphy

LAB USE ONLY	CES Sample Numbers	Collected		TYPE	MATRIX		CLIENT ID/SAMPLE LOCATION	TOTAL NUMBER OF CONTAINERS	PARAMETERS FOR ANALYSIS	Page 1 of 1
		Date	Time		Comp.	Grab				
470687		1-30-07	09:30	X	X	X	Water Treatment - Influent	6	Cd, Cr, Cu, Ni, Zn, Hg, Pb D:14 Gross TIO's + MTBE PCB's	
470688		1-30-07	09:40	X	X	X	Water Treatment - Behind Labra Filters	6	X	
470689		1-30-07	09:50	X	X	X	Water Treatment - Effluent	6	X	
		1-30-07	08:00	X	X	X	Trip Blank	1	X	

SPECIAL REMARKS: * Email results to: j.schneider@the.pioneer.companies.com

SAMPLES RELINQUISHED BY:		SAMPLES RECEIVED BY:	
NAME: Ben Murphy	DATE: 1-3-07	NAME:	DATE:
SIGNATURE: Ben Murphy	TIME: 10:40	SIGNATURE:	TIME:
NAME:	DATE:	NAME:	DATE:
SIGNATURE:	TIME:	SIGNATURE:	TIME:

Samples Received in Good Condition:
Yes ☒ No ☐
Temperature 40 °C



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473982 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Cadmium, Total (Cd)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	02/06/07	KB	02/06/07		KB	1.26 mg/L
Copper, Total (Cu)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.16 mg/L
LEAD, TOTAL (PB)	EPA 239.2	02/06/07	KB	02/09/07		KB	0.008 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			02/08/07		MM	0.015 mg/L
Nickel, Total (Ni)	EPA 200.7	02/06/07	KB	02/06/07		KB	2.49 mg/L
Zinc, Total (Zn)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.47 mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473983 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	02/07/07		KEC	< 5.0 mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007


SAMPLE NUMBER- 473984 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	02/06/07		LRE	< 13 ug/L
EPA 624 Volatiles	EPA 624	02/06/07		LRE	
Dichlorodifluoromethane	EPA 624	02/06/07		LRE	< 10 ug/L
Chloromethane	EPA 624	02/06/07		LRE	< 25 ug/L
Vinyl Chloride	EPA 624	02/06/07		LRE	< 5.0 ug/L
Bromomethane	EPA 624	02/06/07		LRE	< 25 ug/L
Chloroethane	EPA 624	02/06/07		LRE	< 25 ug/L
Trichlorofluoromethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	02/06/07		LRE	< 5.0 ug/L
Methylene Chloride	EPA 624	02/06/07		LRE	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
2-Butanone (MEK)	EPA 624	02/06/07		LRE	< 25 ug/L
Chloroform	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Benzene	EPA 624	02/06/07		LRE	< 5.0 ug/L
Trichloroethene	EPA 624	02/06/07		LRE	10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 473984

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	02/06/07		LRE	< 5.0	ug/L
Bromodichloromethane	EPA 624	02/06/07		LRE	< 5.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	02/06/07		LRE	< 25	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/06/07		LRE	< 25	ug/L
cis-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 5.0	ug/L
Toluene	EPA 624	02/06/07		LRE	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	02/06/07		LRE	< 5.0	ug/L
Tetrachloroethene	EPA 624	02/06/07		LRE	124	ug/L
Dibromochloromethane	EPA 624	02/06/07		LRE	< 5.0	ug/L
Chlorobenzene	EPA 624	02/06/07		LRE	< 5.0	ug/L
Ethylbenzene	EPA 624	02/06/07		LRE	< 5.0	ug/L
m & p-Xylene	EPA 624	02/06/07		LRE	< 5.0	ug/L
o-Xylene	EPA 624	02/06/07		LRE	< 5.0	ug/L
Bromoform	EPA 624	02/06/07		LRE	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/06/07		LRE	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	02/06/07		LRE	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	02/06/07		LRE	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	02/06/07		LRE	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473985 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				02/02/07	RS	22.8	Degrees C
Sample Receipt Temperature				02/02/07	RS		Sample Rec.On Ice
PCB'S IN WATER	EPA 8082	02/08/07	LRE	02/08/07	BLD		
AROCLOR 1221	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473986 SAMPLE ID- Water Treatment Btwn Filters SAMPLE MATRIX- WW
DATE SAMPLED- 02/02/07 TIME SAMPLED- 1010
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.14	mg/L
Copper, Total (Cu)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L
LEAD, TOTAL (PB)	EPA 239.2	02/06/07	KB	02/09/07		KB	< 0.001	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			02/06/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.10	mg/L
Zinc, Total (Zn)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473987 SAMPLE ID- Water Treatment Btwn Filters SAMPLE MATRIX- WW
DATE SAMPLED- 02/02/07 TIME SAMPLED- 1010
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	02/07/07		KEC	7.6 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473988 SAMPLE ID- Water Treatment Btwn Filters SAMPLE MATRIX- WW
DATE SAMPLED- 02/02/07 TIME SAMPLED- 1010
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	02/06/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	02/06/07		LRE	
Dichlorodifluoromethane	EPA 624	02/06/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Chloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/06/07		LRE	< 1.0 ug/L
Chloroform	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/06/07		LRE	2.4 ug/L
Carbon Tetrachloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 473988

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	02/06/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/06/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Toluene	EPA 624	02/06/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	02/06/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473989 SAMPLE ID- Water Treatment Btwn Filters SAMPLE MATRIX- WW
DATE SAMPLED- 02/02/07 TIME SAMPLED- 1010
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				02/02/07	RS	22.8	Degrees C
Sample Receipt Temperature				02/02/07	RS		Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	02/08/07	LRE	02/08/07	BLD		
AROCLOR 1221	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473990 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1005
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L
LEAD, TOTAL (PB)	EPA 239.2	02/06/07	KB	02/09/07		KB	< 0.001	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			02/06/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	02/06/07	KB	02/06/07		KB	0.03	mg/L
Zinc, Total (Zn)	EPA 200.7	02/06/07	KB	02/06/07		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473991 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1005
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	02/07/07		KBC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)
Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473992 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1005
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	02/06/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	02/06/07		LRE	
Dichlorodifluoromethane	EPA 624	02/06/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/06/07		LRE	< 1.0 ug/L
Chloroform	EPA 624	02/06/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 473992

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	02/06/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/06/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Toluene	EPA 624	02/06/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	02/06/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0 ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChone
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007

SAMPLE NUMBER- 473993 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1005
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				02/02/07	RS	22.8	Degrees C
Sample Receipt Temperature				02/02/07	RS	Sample	Rec.On Ice
PCB'S IN WATER							
AROCLOR 1221	EPA 8082	02/08/07	LRE	02/08/07	BLD		
AROCLOR 1232	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	02/08/07	LRE	02/08/07	BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 02/09/2007


SAMPLE NUMBER- 473994 SAMPLE ID- Trip Blank
DATE SAMPLED- 02/02/07
DATE RECEIVED- 02/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1330 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0800
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/02/07		RS	22.8 Degrees C
Sample Receipt Temperature		02/02/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	02/06/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	02/06/07		LRE	
Dichlorodifluoromethane	EPA 624	02/06/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	02/06/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/06/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	02/06/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/06/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/06/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/06/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 473994

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	02/06/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/06/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Toluene	EPA 624	02/06/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	02/06/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	02/06/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	02/06/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



CHAIN OF CUSTODY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO: 90858

Turn-Around Time:

- ☐ Standard
☒ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

CLIENT NAME: Pioneer Ave LLC
ADDRESS: 750 South Clinton St., 200
Syracuse, NY 13203
PHONE: 471-2181, 514-3740
FAX: 471-1154
CONTACT NAME: Jed Schneider
PURCHASE ORDER NO:

Sampler's Name: Booth

Signature: [Signature]

LAB USE ONLY

CES Sample Numbers	Collected		TYPE		MATRIX		CLIENT ID/SAMPLE LOCATION
	Date	Time	Comp.	Grab	Aqueous	Soil	
973982-985	2-2-07	10:15		X	X		Water Treatment - Influent
973986-989	2-2-07	10:10		X	X		Water Treatment - Between
		10:10					Carbon Filters
973990-993	2-2-07	10:05		X	X		Water Treatment - Effluent
973994	2-2-07	08:00					Trickling

CLIENT ID/SAMPLE LOCATION

Water Treatment - Influent

Water Treatment - Between

Carbon Filters

Water Treatment - Effluent

Trickling

SPECIAL REMARKS:

* Email results for Pioneer Ave LLC

SAMPLES RELINQUISHED BY:

NAME: [Signature]

SIGNATURE: [Signature]

DATE: 2-2-07

TIME: 12:45

SAMPLES RECEIVED BY:

NAME: [Signature]

SIGNATURE: [Signature]

DATE: 2-2-07

TIME: 13:00

SAMPLES RECEIVED IN GOOD CONDITION:

☐ Yes ☒ No

Temperature: 22.3 °C



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007


SAMPLE NUMBER- 476783 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1350
RECEIVED BY- RS
TYPE SAMPLE- Grab


Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Cadmium, Total (Cd)	EPA 200.7	03/05/07	KB	03/06/07		KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.70 mg/L
Copper, Total (Cu)	EPA 200.7	03/05/07	KB	03/06/07		KB	< 0.02 mg/L
LEAD, TOTAL (PB)	EPA 239.2	03/05/07	KB	03/06/07		KB	0.001 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			03/06/07		MM	< 0.001 mg/L
Nickel, Total (Ni)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.50 mg/L
Zinc, Total (Zn)	EPA 200.7	03/05/07	KB	03/06/07		KB	< 0.02 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476784 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1350
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	03/05/07		KEC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:



(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476785 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1350
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	03/05/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	03/05/07		LRE	
Dichlorodifluoromethane	EPA 624	03/05/07		LRE	< 10 ug/L
Chloromethane	EPA 624	03/05/07		LRE	< 25 ug/L
Vinyl Chloride	EPA 624	03/05/07		LRE	< 5.0 ug/L
Bromomethane	EPA 624	03/05/07		LRE	< 25 ug/L
Chloroethane	EPA 624	03/05/07		LRE	< 25 ug/L
Trichlorofluoromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	03/05/07		LRE	< 5.0 ug/L
Methylene Chloride	EPA 624	03/05/07		LRE	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
2-Butanone (MEK)	EPA 624	03/05/07		LRE	51 ug/L
Chloroform	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Benzene	EPA 624	03/05/07		LRE	< 5.0 ug/L
Trichloroethene	EPA 624	03/05/07		LRE	20 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**


1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 476785


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Bromodichloromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	03/05/07		LRE	< 25 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/05/07		LRE	< 25 ug/L
cis-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 5.0 ug/L
Toluene	EPA 624	03/05/07		LRE	< 5.0 ug/L
trans-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,1,2-Trichloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Tetrachloroethene	EPA 624	03/05/07		LRE	157 ug/L
Dibromochloromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chlorobenzene	EPA 624	03/05/07		LRE	< 5.0 ug/L
Ethylbenzene	EPA 624	03/05/07		LRE	< 5.0 ug/L
m & p-Xylene	EPA 624	03/05/07		LRE	< 5.0 ug/L
o-Xylene	EPA 624	03/05/07		LRE	< 5.0 ug/L
Bromoform	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,3-Dichlorobenzene	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,4-Dichlorobenzene	EPA 624	03/05/07		LRE	< 5.0 ug/L
1,2-Dichlorobenzene	EPA 624	03/05/07		LRE	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476786 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1350
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature						38.9	Degrees C
PH, FIELD					RS		
PCB'S IN WATER	EPA 150.1			03/02/07		8.39	std units
AROCLOR 1221	EPA 8082	03/02/07	LRE 03/05/07	1350	BM		
AROCLOR 1232	EPA 8082	03/02/07	LRE 03/05/07		BLD		
AROCLOR 1242/1016	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007


SAMPLE NUMBER- 476787 SAMPLE ID- Water Treatment Btwn Carbon
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy
SAMPLE MATRIX- WW
TIME SAMPLED- 1355
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	03/05/07	KB	03/06/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	03/05/07	KB	03/06/07		KB	1.53	mg/L
Copper, Total (Cu)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.06	mg/L
LEAD, TOTAL (PB)	EPA 239.2	03/05/07	KB	03/06/07		KB	< 0.001	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			03/06/07		MM	0.002	mg/L
Nickel, Total (Ni)	EPA 200.7	03/05/07	KB	03/06/07		KB	2.14	mg/L
Zinc, Total (Zn)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.06	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476788 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 03/02/07 TIME SAMPLED- 1355
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	03/05/07		KEC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476789 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 03/02/07 TIME SAMPLED- 1355
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	03/05/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	03/05/07		LRE	
Dichlorodifluoromethane	EPA 624	03/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/05/07		LRE	5.7 ug/L
Chloroform	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 476789

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	03/05/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/05/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/05/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476790 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- NW
DATE SAMPLED- 03/02/07 TIME SAMPLED- 1355
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				03/02/07	RS	38.9 Degrees C
Sample Receipt Temperature				03/02/07	RS	Sample Rec. On Ice
PCB'S IN WATER						
AROCLOR 1221	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	03/02/07	LRE 03/05/07		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476791 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1400
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	03/05/07	KB	03/06/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.60	mg/L
Copper, Total (Cu)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.02	mg/L
LEAD, TOTAL (PB)	EPA 239.2	03/05/07	KB	03/06/07		KB	< 0.001	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			03/06/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.80	mg/L
Zinc, Total (Zn)	EPA 200.7	03/05/07	KB	03/06/07		KB	0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476792 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1400
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	03/05/07		KEC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:



(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476793 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1400
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	03/05/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	03/05/07		LRE	
Dichlorodifluoromethane	EPA 624	03/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 476793

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	03/05/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/05/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/05/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476794 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1400
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				03/02/07	RS	38.9	Degrees C
Sample Receipt Temperature				03/02/07	RS		Sample Rec. On Ice
PCB'S IN WATER				03/05/07	BLD		
AROCLOR 1221	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	03/02/07	LRE	03/05/07	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 03/07/2007

SAMPLE NUMBER- 476795 SAMPLE ID- Trip Blank
DATE SAMPLED- 03/02/07
DATE RECEIVED- 03/02/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1450 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0800
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/02/07		RS	38.9 Degrees C
Sample Receipt Temperature		03/02/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	03/05/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	03/05/07		LRE	
Dichlorodifluoromethane	EPA 624	03/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/05/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 476795

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	03/05/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/05/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/05/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/05/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/05/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



CHAIN OF CUSTODY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO:

Turn-Around Time:

- ☐ Standard
☐ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

CLIENT NAME:

ADDRESS:

PHONE:

FAX:

CONTACT NAME:

PROJECT NUMBER/NAME:

PURCHASE ORDER NO:

Sampler's Name:

Signature:

LAB USE ONLY

CES Sample Numbers

Collected
Date Time

TYPE
Comp. Grab Aqueous Soil Other

CLIENT ID/SAMPLE LOCATION

TOTAL NUMBER OF CONTAINERS

PARAMETERS FOR ANALYSIS

Page 1 of 1

SPECIAL REMARKS:

TOTAL NUMBER OF CONTAINERS

SAMPLES RELINQUISHED BY:

NAME:
SIGNATURE:

DATE:
TIME:

SAMPLES RECEIVED BY:

NAME:
SIGNATURE:

DATE:
TIME:

Samples Received in Good Condition:
☐ Yes ☐ No

Temperature _____ °C

NAME:
SIGNATURE:

DATE:
TIME:

NAME:
SIGNATURE:

DATE:
TIME:



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480383 SAMPLE ID- Water Treatment Influent SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1130
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.86	mg/L
Copper, Total (Cu)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.10	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			04/04/07		MM	0.003	mg/L
Nickel, Total (Ni)	EPA 200.7	04/04/07	KB	04/05/07		KB	1.09	mg/L
Zinc, Total (Zn)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.13	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480384 SAMPLE ID- Water Treatment Influent SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1130
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

Sample Receipt Temperature
Sample Receipt Temperature
Oil & Grease (LLE)

METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
	04/03/07		RS	28.9	Degrees C
	04/03/07		RS	Sample Rec.	On Ice
EPA 1664A	04/09/07		KEC	< 5.0	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007


SAMPLE NUMBER- 480385 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1130
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		04/03/07		RS	28.9 Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	04/04/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	04/04/07		LRE	
Dichlorodifluoromethane	EPA 624	04/04/07		LRE	< 20 ug/L
Chloromethane	EPA 624	04/04/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	04/04/07		LRE	< 10 ug/L
Bromomethane	EPA 624	04/04/07		LRE	< 50 ug/L
Chloroethane	EPA 624	04/04/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	04/04/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	04/04/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	04/04/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	04/04/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	04/04/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	04/04/07		LRE	78 ug/L
Chloroform	EPA 624	04/04/07		LRE	< 10 ug/L
1,1,1-Trichloroethane	EPA 624	04/04/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	04/04/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	04/04/07		LRE	< 10 ug/L
Benzene	EPA 624	04/04/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	04/04/07		LRE	10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 480385

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	04/04/07		LRE	< 10	ug/L
Bromodichloromethane	EPA 624	04/04/07		LRE	< 10	ug/L
2-Chloroethylvinyl Ether	EPA 624	04/04/07		LRE	< 50	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	04/04/07		LRE	< 50	ug/L
cis-1,3-Dichloropropene	EPA 624	04/04/07		LRE	< 10	ug/L
Toluene	EPA 624	04/04/07		LRE	< 10	ug/L
trans-1,3-Dichloropropene	EPA 624	04/04/07		LRE	< 10	ug/L
1,1,2-Trichloroethane	EPA 624	04/04/07		LRE	< 10	ug/L
Tetrachloroethene	EPA 624	04/04/07		LRE	104	ug/L
Dibromochloromethane	EPA 624	04/04/07		LRE	< 10	ug/L
Chlorobenzene	EPA 624	04/04/07		LRE	< 10	ug/L
Ethylbenzene	EPA 624	04/04/07		LRE	< 10	ug/L
m & p-Xylene	EPA 624	04/04/07		LRE	< 10	ug/L
o-Xylene	EPA 624	04/04/07		LRE	< 10	ug/L
Bromoform	EPA 624	04/04/07		LRE	< 10	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	04/04/07		LRE	< 10	ug/L
1,3-Dichlorobenzene	EPA 624	04/04/07		LRE	< 10	ug/L
1,4-Dichlorobenzene	EPA 624	04/04/07		LRE	< 10	ug/L
1,2-Dichlorobenzene	EPA 624	04/04/07		LRE	< 10	ug/L

Note: Also present in EPA 624 analysis, Acetone at a concentration of approximately 580ppb.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480386 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1130
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature					RS	28.9	Degrees C
Sample Receipt Temperature					RS		Sample Rec.On Ice
PCB'S IN WATER	EPA 8082	04/05/07	LRE 04/06/07		BLD		
AROCLOR 1221	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	04/05/07	LRE 04/06/07		BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480387 SAMPLE ID- Water Treatment Btwn. Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1145
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.33	mg/L
Copper, Total (Cu)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.09	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			04/04/07		MM	0.002	mg/L
Nickel, Total (Ni)	EPA 200.7	04/04/07	KB	04/05/07		KB	1.32	mg/L
Zinc, Total (Zn)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.23	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480388 SAMPLE ID- Water Treatment Btwn. Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1145
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		04/03/07		RS	28.9	Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec. On Ice	
Oil & Grease (LLE)	EPA 1664A	04/09/07		KEC	< 5.0	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480389 SAMPLE ID- Water Treatment Btwn. Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1145
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		04/03/07		RS	28.9 Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	04/04/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	04/05/07		LRE	
Dichlorodifluoromethane	EPA 624	04/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	04/05/07		LRE	34 ug/L
Chloroform	EPA 624	04/05/07		LRE	1.3 ug/L
1,1,1-Trichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	04/05/07		LRE	1.5 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 480389

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	04/05/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	04/05/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Toluene	EPA 624	04/05/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	04/05/07		LRE	9.5 ug/L
Dibromochloromethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	04/05/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0 ug/L

Note: Also present in EPA 624 analysis, Acetone at a concentration of approximately 400ppb.


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480390 SAMPLE ID- Water Treatment Btwn. Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 04/03/07 TIME SAMPLED- 1145
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				04/03/07	RS	28.9 Degrees C
Sample Receipt Temperature				04/03/07	RS	Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	04/05/07	LRE	04/06/07	BLD	
AROCOR 1221	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L
AROCOR 1232	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L
AROCOR 1242/1016	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L
AROCOR 1248	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L
AROCOR 1254	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L
AROCOR 1260	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480391 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1201
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.04	mg/L
Copper, Total (Cu)	EPA 200.7	04/04/07	KB	04/05/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.58	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			04/04/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.96	mg/L
Zinc, Total (Zn)	EPA 200.7	04/04/07	KB	04/05/07		KB	0.54	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480392 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1201
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		04/03/07		RS	28.9 Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	04/09/07		KEC	< 5.0 mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007


SAMPLE NUMBER- 480393 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1201
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		04/03/07		RS	28.9 Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	04/04/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	04/05/07		LRE	
Dichlorodifluoromethane	EPA 624	04/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	04/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	04/05/07		LRE	27 ug/L
Chloroform	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	04/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	04/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	04/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	04/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 480393

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	04/05/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	04/05/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	04/05/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	04/05/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	04/05/07		LRE	< 1.0	ug/L
Toluene	EPA 624	04/05/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	04/05/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	04/05/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	04/05/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	04/05/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	04/05/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	04/05/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	04/05/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	04/05/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	04/05/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	04/05/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	04/05/07		LRE	< 1.0	ug/L

Note: Also present in EPA 624 analysis, Acetone at a concentration of approximately 50ppb.


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480394 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1201
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt	Temperature			04/03/07	RS	28.9	Degrees C
Sample Receipt	Temperature			04/03/07	RS		Sample Rec.On Ice
PCB'S IN WATER	EPA 8082	04/05/07	LRE	04/06/07	BLD		
AROCLOR 1221	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	04/05/07	LRE	04/06/07	BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 South Midler Ave.
DATE: 04/10/2007

SAMPLE NUMBER- 480395 SAMPLE ID- Trip Blank
DATE SAMPLED- 04/03/07
DATE RECEIVED- 04/03/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1300 DELIVERED BY- Jennifer VanWie


SAMPLE MATRIX- WA

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		04/03/07		RS	28.9	Degrees C
Sample Receipt Temperature		04/03/07		RS	Sample Rec. On Ice	
Methyl-t-Butyl Ether	EPA 624	04/04/07		LRE	< 2.5	ug/L
EPA 624 Volatiles	EPA 624	04/04/07		LRE		
Dichlorodifluoromethane	EPA 624	04/04/07		LRE	< 2.0	ug/L
Chloromethane	EPA 624	04/04/07		LRE	< 5.0	ug/L
Vinyl Chloride	EPA 624	04/04/07		LRE	< 1.0	ug/L
Bromomethane	EPA 624	04/04/07		LRE	< 5.0	ug/L
Chloroethane	EPA 624	04/04/07		LRE	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,1-Dichloroethene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Methylene Chloride	EPA 624	04/04/07		LRE	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,1-Dichloroethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
2-Butanone (MEK)	EPA 624	04/04/07		LRE	< 5.0	ug/L
Chloroform	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
Carbon Tetrachloride	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,2-Dichloroethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
Benzene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Trichloroethene	EPA 624	04/04/07		LRE	< 1.0	ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 480395

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	04/04/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	04/04/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	04/04/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Toluene	EPA 624	04/04/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	04/04/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	04/04/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	04/04/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	04/04/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	04/04/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

BATCH NO: 9707

Page 1 of 1

Turn-Around Time:
☐ Standard
☐ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

PARAMETERS FOR ANALYSIS

CLIENT NAME: Pratt & Whitney, LLC
ADDRESS: 750 South Clinton Street
Syracuse, NY 13202
PHONE: 470.2131 FAX: 470.2040
CONTACT NAME: Paul Schneider
PURCHASE ORDER NO: 171.1154

Sampler's Name: Jennifer Van Die - Dusen Signature: [Signature]

LAB USE ONLY	Collected	TYPE			MATRIX		CLIENT ID/SAMPLE LOCATION
	Date	Time	Comp.	Grab	Aqueous	Soil	
CES Sample Numbers							
470385-386	4-3-07	11:10	X	X	X		Water Treatment - Effluent
470387-388	4-3-07	11:15	X	X	X		Water Treatment - Between Carbon Filters
470391-394	4-3-07	12:27	X	X	X		Water Treatment - Effluent
470395	4-3-07		X	X	X		TRIP Blank

SPECIAL REMARKS:

* E-mail Results to: jschneider@prattwhitney.com

TOTAL NUMBER OF CONTAINERS

19

SAMPLES RELINQUISHED BY:

NAME: Jennifer Van Die DATE: 4-3-07
SIGNATURE: [Signature] TIME: 12:00

NAME: Paul Schneider DATE: 4-3-07
SIGNATURE: [Signature] TIME: 12:00

SAMPLES RECEIVED BY:


NAME: Paul Schneider DATE: 4-3-07
SIGNATURE: [Signature] TIME: 12:00

NAME: Paul Schneider DATE: 4-3-07
SIGNATURE: [Signature] TIME: 12:00

Samples Received in Good Condition:

☐ Yes ☐ No

Temperature: 20.0 °C



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483545 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	05/07/07	KB	05/07/07		KB	0.02	mg/L
Lead, Total (Pb)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			05/07/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483546 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	05/10/07		KEC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S.Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483547 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	05/07/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	05/07/07		LRE	
Dichlorodifluoromethane	EPA 624	05/07/07		LRE	< 20 ug/L
Chloromethane	EPA 624	05/07/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	05/07/07		LRE	< 10 ug/L
Bromomethane	EPA 624	05/07/07		LRE	< 50 ug/L
Chloroethane	EPA 624	05/07/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	05/07/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	05/07/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	05/07/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	05/07/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	05/07/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	05/07/07		LRE	64 ug/L
Chloroform	EPA 624	05/07/07		LRE	< 10 ug/L
1,1,1-Trichloroethane	EPA 624	05/07/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	05/07/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	05/07/07		LRE	< 10 ug/L
Benzene	EPA 624	05/07/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	05/07/07		LRE	48 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 483547

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	05/07/07		LRE	< 10 ug/L
Bromodichloromethane	EPA 624	05/07/07		LRE	< 10 ug/L
2-Chloroethylvinyl Ether	EPA 624	05/07/07		LRE	< 50 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	05/07/07		LRE	< 50 ug/L
cis-1,3-Dichloropropene	EPA 624	05/07/07		LRE	< 10 ug/L
Toluene	EPA 624	05/07/07		LRE	< 10 ug/L
trans-1,3-Dichloropropene	EPA 624	05/07/07		LRE	< 10 ug/L
1,1,2-Trichloroethane	EPA 624	05/07/07		LRE	< 10 ug/L
Tetrachloroethene	EPA 624	05/07/07		LRE	230 ug/L
Dibromochloromethane	EPA 624	05/07/07		LRE	< 10 ug/L
Chlorobenzene	EPA 624	05/07/07		LRE	< 10 ug/L
Ethylbenzene	EPA 624	05/07/07		LRE	< 10 ug/L
m & p-Xylene	EPA 624	05/07/07		LRE	< 10 ug/L
o-Xylene	EPA 624	05/07/07		LRE	< 10 ug/L
Bromoform	EPA 624	05/07/07		LRE	< 10 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	05/07/07		LRE	< 10 ug/L
1,3-Dichlorobenzene	EPA 624	05/07/07		LRE	< 10 ug/L
1,4-Dichlorobenzene	EPA 624	05/07/07		LRE	< 10 ug/L
1,2-Dichlorobenzene	EPA 624	05/07/07		LRE	< 10 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483548 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature			05/04/07		RS	34.2	Degrees C
Sample Receipt Temperature			05/04/07		RS		Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	05/04/07 LRE	05/08/07		BLD		
AROCLOR 1221	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	05/04/07 LRE	05/08/07		BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S.Midler Ave. Syracuse, NY
DATE: 05/10/2007


SAMPLE NUMBER- 483549 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 05/04/07 TIME SAMPLED- 1125
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			05/07/07	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	05/07/07	KB	05/07/07	KB	< 0.02	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483550 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 05/04/07 TIME SAMPLED- 1125
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	05/10/07		KEC	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483551 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 05/04/07 TIME SAMPLED- 1125
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	05/07/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	05/07/07		LRE	
Dichlorodifluoromethane	EPA 624	05/07/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	05/07/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	05/07/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	05/07/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	05/07/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	05/07/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	05/07/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	05/07/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	05/07/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	05/07/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	05/07/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	05/07/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	05/07/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	05/07/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	05/07/07		LRE	< 1.0 ug/L
Benzene	EPA 624	05/07/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	05/07/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 483551

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	05/07/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	05/07/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	05/07/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	05/07/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	05/07/07		LRE	< 1.0	ug/L
Toluene	EPA 624	05/07/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	05/07/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	05/07/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	05/07/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	05/07/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	05/07/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	05/07/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	05/07/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	05/07/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	05/07/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	05/07/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	05/07/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	05/07/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	05/07/07		LRE	< 1.0	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483552 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 05/04/07 TIME SAMPLED- 1125
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature			05/04/07		RS	34.2	Degrees C
Sample Receipt Temperature			05/04/07		RS	Sample	Rec. On Ice
PCB'S IN WATER	EPA 8082	05/04/07	LRE 05/08/07		BLD		
AROCLOR 1221	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483553 SAMPLE ID- Water Treatment Effluent SAMPLE MATRIX- WW
DATE SAMPLED- 05/04/07 TIME SAMPLED- 1130
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson RECEIVED BY- RS
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			05/07/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	05/07/07	KB	05/07/07		KB	< 0.02	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S.Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483554 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie


SAMPLE MATRIX- WW
TIME SAMPLED- 1130
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec.On Ice
Oil & Grease (LLE)	EPA 1664A	05/10/07		KEC	< 5.0 mg/L


NYSDOH LAB ID. NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S.Midler Ave. Syracuse, NY
DATE: 05/10/2007


SAMPLE NUMBER- 483555 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1130
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Sample Receipt Temperature		05/04/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	05/04/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	05/04/07		LRE	
Dichlorodifluoromethane	EPA 624	05/04/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	05/04/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Benzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 483555

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	05/04/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	05/04/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	05/04/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	05/04/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	05/04/07		LRE	< 1.0	ug/L
Toluene	EPA 624	05/04/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	05/04/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	05/04/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	05/04/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	05/04/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	05/04/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	05/04/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	05/04/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	05/04/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	05/04/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	05/04/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 05/10/2007

SAMPLE NUMBER- 483556 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WW
TIME SAMPLED- 1130
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature			05/04/07		RS	34.2 Degrees C	
Sample Receipt Temperature			05/04/07		RS	Sample Rec. On Ice	
PCB'S IN WATER	EPA 8082	05/04/07	LRE 05/08/07		BLD		
AROCLOR 1221	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	
AROCLOR 1232	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	
AROCLOR 1242/1016	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	
AROCLOR 1248	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	
AROCLOR 1254	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	
AROCLOR 1260	EPA 8082	05/04/07	LRE 05/08/07		BLD	< 0.065 ug/L	


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S.Midler Ave. Syracuse, NY
DATE: 05/10/2007


SAMPLE NUMBER- 483557 SAMPLE ID- Trip Blank
DATE SAMPLED- 05/04/07
DATE RECEIVED- 05/04/07 SAMPLER- Jennifer VanWie-Dobson
TIME RECEIVED- 1147 DELIVERED BY- Jennifer VanWie

SAMPLE MATRIX- WA
TIME SAMPLED- 1133
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		05/04/07		RS	34.2 Degrees C
Methyl-t-Butyl Ether	EPA 624	05/04/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	05/04/07		LRE	
Dichlorodifluoromethane	EPA 624	05/04/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	05/04/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	05/04/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Benzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	05/04/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 483557

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Bromodichloromethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	05/04/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	05/04/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Toluene	EPA 624	05/04/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	05/04/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	05/04/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	05/04/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

[illegible]

SAMPLES RELINQUISHED BY:		SAMPLES RECEIVED BY:		Samples Received in Good Condition: ☐ Yes ☐ No Temperature _____ °C
NAME: SIGNATURE:	DATE: TIME:	NAME: SIGNATURE:	DATE: TIME:	
NAME: SIGNATURE:	DATE: TIME:	NAME: SIGNATURE:	DATE: TIME:	



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488160 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1140
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	06/07/07	KB	06/08/07		KB	0.04	mg/L
Lead, Total (Pb)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			06/08/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488161 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1140
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Oil & Grease (LLE)	EPA 1664A	06/12/07		MM	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488162 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1140
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Methyl-t-Butyl Ether	EPA 624	06/11/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	06/11/07		LRE	
Dichlorodifluoromethane	EPA 624	06/11/07		LRE	< 20 ug/L
Chloromethane	EPA 624	06/11/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	06/11/07		LRE	< 10 ug/L
Bromomethane	EPA 624	06/11/07		LRE	< 50 ug/L
Chloroethane	EPA 624	06/11/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	06/11/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	06/11/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	06/11/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	06/11/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	06/11/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	06/11/07		LRE	170 ug/L
Chloroform	EPA 624	06/11/07		LRE	< 10 ug/L
1,1,1-Trichloroethane	EPA 624	06/11/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	06/11/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	06/11/07		LRE	< 10 ug/L
Benzene	EPA 624	06/11/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	06/11/07		LRE	< 10 ug/L
1,2-Dichloropropane	EPA 624	06/11/07		LRE	< 10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 488162

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Bromodichloromethane	EPA 624	06/11/07		LRE	< 10	ug/L
2-Chloroethylvinyl Ether	EPA 624	06/11/07		LRE	< 50	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/11/07		LRE	< 50	ug/L
cis-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 10	ug/L
Toluene	EPA 624	06/11/07		LRE	< 10	ug/L
trans-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 10	ug/L
1,1,2-Trichloroethane	EPA 624	06/11/07		LRE	< 10	ug/L
Tetrachloroethane	EPA 624	06/11/07		LRE	71	ug/L
Dibromochloromethane	EPA 624	06/11/07		LRE	< 10	ug/L
Chlorobenzene	EPA 624	06/11/07		LRE	< 10	ug/L
Ethylbenzene	EPA 624	06/11/07		LRE	< 10	ug/L
m & p-Xylene	EPA 624	06/11/07		LRE	< 10	ug/L
o-Xylene	EPA 624	06/11/07		LRE	< 10	ug/L
Bromoform	EPA 624	06/11/07		LRE	< 10	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/11/07		LRE	< 10	ug/L
1,3-Dichlorobenzene	EPA 624	06/11/07		LRE	< 10	ug/L
1,4-Dichlorobenzene	EPA 624	06/11/07		LRE	< 10	ug/L
1,2-Dichlorobenzene	EPA 624	06/11/07		LRE	< 10	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488163 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1140
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				06/07/07	RS	26.0 Degrees C
Sample Receipt Temperature				06/07/07	RS	Sample Rec.On Ice
PCB'S IN WATER						
AROCLOR 1221	EPA 8082	06/11/07	LRE 06/12/07		BLD	
AROCLOR 1232	EPA 8082	06/11/07	LRE 06/12/07		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	06/11/07	LRE 06/12/07		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	06/11/07	LRE 06/12/07		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	06/11/07	LRE 06/12/07		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	06/11/07	LRE 06/12/07		BLD	< 0.065 ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on reverse side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488164 SAMPLE ID- Water Treatment-Between
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1145
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			06/08/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	06/07/07	KB	06/08/07		KB	< 0.02	mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488165 SAMPLE ID- Water Treatment-Between
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1145
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Oil & Grease (LLE)	EPA 1664A	06/12/07		MM	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488166 SAMPLE ID- Water Treatment-Between
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1145
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Sample Receipt Temperature		06/07/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	06/11/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	06/11/07		LRE	
Dichlorodifluoromethane	EPA 624	06/11/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	06/11/07		LRE	19 ug/L
Chloroform	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Benzene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 488166

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	06/11/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/11/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Toluene	EPA 624	06/11/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488167 SAMPLE ID- Water Treatment-Between
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1145
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				06/07/07	RS	26.0	Degrees C
Sample Receipt Temperature				06/07/07	RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	06/11/07	LRE	06/12/07	BLD		
AROCLOR 1221	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488168 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 1150
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	06/07/07	KB	06/08/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	06/07/07	KB	06/08/07	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	06/07/07	KB	06/08/07	KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	06/07/07	KB	06/08/07	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			06/08/07	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	06/07/07	KB	06/08/07	KB	0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	06/07/07	KB	06/08/07	KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488169 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1150
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Sample Receipt Temperature		06/07/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	06/12/07		MM	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488170 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1150
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Sample Receipt Temperature		06/07/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	06/11/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	06/11/07		LRE	
Dichlorodifluoromethane	EPA 624	06/11/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	06/11/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Benzene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 488170

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	06/11/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/11/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Toluene	EPA 624	06/11/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488171 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1150
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				06/07/07	RS	26.0	Degrees C
Sample Receipt Temperature				06/07/07	RS	Sample Rec.On Ice	
PCB'S IN WATER	EPA 8082	06/11/07	LRE	06/12/07	BLD		
AROCLOR 1221	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	06/11/07	LRE	06/12/07	BLD	< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 06/13/2007

SAMPLE NUMBER- 488172 SAMPLE ID- Trip Blank
DATE SAMPLED- 06/07/07
DATE RECEIVED- 06/07/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1305 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/07/07		RS	26.0 Degrees C
Sample Receipt Temperature		06/07/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	06/11/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	06/11/07		LRE	
Dichlorodifluoromethane	EPA 624	06/11/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	06/11/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	06/11/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	06/11/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	06/11/07		LRE	< 1.0 ug/L
Benzene	EPA 624	06/11/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	06/11/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 488172

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	06/11/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/11/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Toluene	EPA 624	06/11/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	06/11/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/11/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

[illegible]

White • CES's Copy • Canary - Return to Client With Report • Pink • Clients Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492332 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- TB
TYPE SAMPLE- Grab


Page 1 of 1

ANALYSIS

	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	07/10/07	KB	07/11/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	07/10/07	KB	07/11/07	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	07/10/07	KB	07/11/07	KB	0.08	mg/L
Lead, Total (Pb)	EPA 200.7	07/10/07	KB	07/11/07	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			07/10/07	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	07/10/07	KB	07/11/07	KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	07/10/07	KB	07/11/07	KB	0.08	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492333 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS

METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
	07/09/07		RS	10.3 Degrees C
	07/09/07		RS	Sample Rec. On Ice
EPA 1664A	07/12/07		MM	< 5.0 mg/L

Sample Receipt Temperature
Sample Receipt Temperature
Oil & Grease (LLE)

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492334 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		07/09/07		RS	10.3 Degrees C
Sample Receipt Temperature		07/09/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	07/09/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	07/09/07		LRE	
Dichlorodifluoromethane	EPA 624	07/09/07		LRE	< 20 ug/L
Chloromethane	EPA 624	07/09/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	07/09/07		LRE	< 10 ug/L
Bromomethane	EPA 624	07/09/07		LRE	< 50 ug/L
Chloroethane	EPA 624	07/09/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	07/09/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	07/09/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	07/09/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	07/09/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	07/09/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	07/09/07		LRE	< 50 ug/L
Chloroform	EPA 624	07/09/07		LRE	< 10 ug/L
1,1,1-Trichloroethane	EPA 624	07/09/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	07/09/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	07/09/07		LRE	< 10 ug/L
Benzene	EPA 624	07/09/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	07/09/07		LRE	< 10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.


1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 492334

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	07/09/07		LRE	< 10 ug/L
Bromodichloromethane	EPA 624	07/09/07		LRE	< 10 ug/L
2-Chloroethylvinyl Ether	EPA 624	07/09/07		LRE	< 50 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	07/09/07		LRE	< 50 ug/L
cis-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 10 ug/L
Toluene	EPA 624	07/09/07		LRE	< 10 ug/L
trans-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 10 ug/L
1,1,2-Trichloroethane	EPA 624	07/09/07		LRE	< 10 ug/L
Tetrachloroethene	EPA 624	07/09/07		LRE	39 ug/L
Dibromochloromethane	EPA 624	07/09/07		LRE	< 10 ug/L
Chlorobenzene	EPA 624	07/09/07		LRE	< 10 ug/L
Ethylbenzene	EPA 624	07/09/07		LRE	< 10 ug/L
m & p-Xylene	EPA 624	07/09/07		LRE	< 10 ug/L
o-Xylene	EPA 624	07/09/07		LRE	< 10 ug/L
Bromoform	EPA 624	07/09/07		LRE	< 10 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	07/09/07		LRE	< 10 ug/L
1,3-Dichlorobenzene	EPA 624	07/09/07		LRE	< 10 ug/L
1,4-Dichlorobenzene	EPA 624	07/09/07		LRE	< 10 ug/L
1,2-Dichlorobenzene	EPA 624	07/09/07		LRE	< 10 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492335 SAMPLE ID- Water Treatment Influent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

Sample Receipt Temperature
Sample Receipt Temperature
PCB'S IN WATER
AROCOR 1221
AROCOR 1232
AROCOR 1242/1016
AROCOR 1248
AROCOR 1254
AROCOR 1260

METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
		07/09/07		RS	10.3	Degrees C
		07/09/07		RS	Sample	Rec. On Ice
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L
EPA 8082	07/11/07	LRE 07/13/07		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492336 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 07/09/07 TIME SAMPLED- 1110
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy RECEIVED BY- TB
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Cadmium, Total (Cd)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02 mg/L
Chromium, Total (Cr)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02 mg/L
Copper, Total (Cu)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.03 mg/L
Lead, Total (Pb)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02 mg/L
MERCURY, TOTAL (HG)	EPA 245.1			07/10/07		MM	< 0.001 mg/L
Nickel, Total (Ni)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02 mg/L
Zinc, Total (Zn)	EPA 200.7	07/10/07	KB	07/11/07		KB	0.82 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492337 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 07/09/07 TIME SAMPLED- 1110
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy RECEIVED BY- TB
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
	07/09/07		RS	10.3	Degrees C
	07/09/07		RS	Sample Rec.	On Ice
EPA 1664A	07/12/07		MM	< 5.0	mg/L

Sample Receipt Temperature
Sample Receipt Temperature
Oil & Grease (LLE)

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492338 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 07/09/07 TIME SAMPLED- 1110
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy RECEIVED BY- TB
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		07/09/07		RS	10.3 Degrees C
Sample Receipt Temperature		07/09/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	07/09/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	07/09/07		LRE	
Dichlorodifluoromethane	EPA 624	07/09/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	07/09/07		LRE	< 1.0 ug/L
Chloroform	EPA 624	07/09/07		LRE	15 ug/L
1,1,1-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
Benzene	EPA 624	07/09/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 492338

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	07/09/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	07/09/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Toluene	EPA 624	07/09/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492339 SAMPLE ID- Water Treatment Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 07/09/07 TIME SAMPLED- 1110
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy RECEIVED BY- TB
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		07/09/07		RS	10.3 Degrees C
Sample Receipt Temperature		07/09/07		RS	Sample Rec. On Ice
PCB'S IN WATER					
AROCLOR 1221	EPA 8082	07/11/07 LRE	07/13/07	BLD	
AROCLOR 1232	EPA 8082	07/11/07 LRE	07/13/07	BLD	< 0.5 ug/L
AROCLOR 1242/1016	EPA 8082	07/11/07 LRE	07/13/07	BLD	< 0.5 ug/L
AROCLOR 1248	EPA 8082	07/11/07 LRE	07/13/07	BLD	< 0.5 ug/L
AROCLOR 1254	EPA 8082	07/11/07 LRE	07/13/07	BLD	< 0.5 ug/L
AROCLOR 1260	EPA 8082	07/11/07 LRE	07/13/07	BLD	< 0.5 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492340 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			07/10/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	07/10/07	KB	07/11/07		KB	0.03	mg/L
Zinc, Total (Zn)	EPA 200.7	07/10/07	KB	07/11/07		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492341 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS

Sample Receipt Temperature
Sample Receipt Temperature
Oil & Grease (LLE)

METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
	07/09/07		RS	10.3	Degrees C
	07/09/07		RS	Sample Rec.	On Ice
EPA 1664A	07/12/07		MM	< 5.0	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492342 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		07/09/07		RS	10.3	Degrees C
Sample Receipt Temperature		07/09/07		RS		Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	07/09/07		LRE	< 2.5	ug/L
EPA 624 Volatiles	EPA 624	07/09/07		LRE		
Dichlorodifluoromethane	EPA 624	07/09/07		LRE	< 2.0	ug/L
Chloromethane	EPA 624	07/09/07		LRE	< 5.0	ug/L
Vinyl Chloride	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromomethane	EPA 624	07/09/07		LRE	< 5.0	ug/L
Chloroethane	EPA 624	07/09/07		LRE	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Methylene Chloride	EPA 624	07/09/07		LRE	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
2-Butanone (MEK)	EPA 624	07/09/07		LRE	< 5.0	ug/L
Chloroform	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Carbon Tetrachloride	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,2-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Benzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Trichloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 492342

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	07/09/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	07/09/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Toluene	EPA 624	07/09/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492343 SAMPLE ID- Water Treatment Effluent
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 1120
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				07/09/07		RS	10.3 Degrees C
Sample Receipt Temperature				07/09/07		RS	Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	07/11/07	LRE	07/13/07		BLD	
AROCLOR 1221	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L
AROCLOR 1232	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L
AROCLOR 1242/1016	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L
AROCLOR 1248	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L
AROCLOR 1254	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L
AROCLOR 1260	EPA 8082	07/11/07	LRE	07/13/07		BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 07/13/2007

SAMPLE NUMBER- 492344 SAMPLE ID- Trip Blank
DATE SAMPLED- 07/09/07
DATE RECEIVED- 07/09/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1215 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0800
RECEIVED BY- TB
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		07/09/07		RS	10.3 Degrees C
Sample Receipt Temperature		07/09/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	07/09/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	07/09/07		LRE	
Dichlorodifluoromethane	EPA 624	07/09/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	07/09/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	07/09/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	07/09/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	07/09/07		LRE	< 1.0 ug/L
Benzene	EPA 624	07/09/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	07/09/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 492344

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	07/09/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	07/09/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Toluene	EPA 624	07/09/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	07/09/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	07/09/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

BATCH NO: 944774		Page 1 of 1	
Turn-Around Time: ☐ Standard ☐ 1 Week ☐ 72 Hours ☐ 48 Hours ☐ 24 Hours		PARAMETERS FOR ANALYSIS	
PROJECT NUMBER/NAME: 621 South Miller Ave. Syracuse, NY 13202 Water Treatment Systems		TOTAL NUMBER OF CONTAINERS	
PURCHASE ORDER NO: 471-1154		TOTAL NUMBER OF CONTAINERS	
Sampler's Name: <u>Ben Murphy</u>		Signature: <u>Ben Murphy</u>	
LAB USE ONLY		CLIENT ID/SAMPLE LOCATION	
CES Sample Numbers	Collected Date Time	TYPE	MATRIX
		Comp.	Grab Aqueous Soil Other
7-9-07 11:00		X	X
7-9-07 11:10		X	X
7-9-07 11:20		X	X
7-9-07 23:00		X	X
SPECIAL REMARKS: * Email Results to: jacob@ces.com the proper samples can be		TOTAL NUMBER OF CONTAINERS	
SAMPLES RELINQUISHED BY:		SAMPLES RECEIVED BY:	
NAME: <u>Ben Murphy</u>	DATE: <u>7-9-07</u>	NAME: <u>Tom Boring</u>	DATE: <u>7-9-07</u>
SIGNATURE: <u>Ben Murphy</u>	TIME: <u>12:15</u>	SIGNATURE: <u>Tom Boring</u>	TIME: <u>12:15</u>
NAME: <u>Ben Murphy</u>	DATE: <u>7-9-07</u>	NAME: <u>Tom Boring</u>	DATE: <u>7-9-07</u>
SIGNATURE: <u>Ben Murphy</u>	TIME: <u>12:15</u>	SIGNATURE: <u>Tom Boring</u>	TIME: <u>12:15</u>
Temperature: <u>10.3°C</u>		Temperature: <u>10.3°C</u>	



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496476 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	08/09/07	KB	08/10/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	08/09/07	KB	08/10/07	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	08/09/07	KB	08/10/07	KB	0.06	mg/L
Lead, Total (Pb)	EPA 200.7	08/09/07	KB	08/10/07	KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			08/13/07	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	08/09/07	KB	08/10/07	KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	08/09/07	KB	08/10/07	KB	0.07	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496477 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy


SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	08/14/07		MM	5.1 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496478 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	08/14/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	08/14/07		LRE	
Dichlorodifluoromethane	EPA 624	08/14/07		LRE	< 20 ug/L
Chloromethane	EPA 624	08/14/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	08/14/07		LRE	< 10 ug/L
Bromomethane	EPA 624	08/14/07		LRE	< 50 ug/L
Chloroethane	EPA 624	08/14/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	08/14/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	08/14/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	08/14/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	08/14/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	08/14/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	08/14/07		LRE	140 ug/L
Chloroform	EPA 624	08/14/07		LRE	< 10 ug/L
1,1,1-Trichloroethane	EPA 624	08/14/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	08/14/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	08/14/07		LRE	< 10 ug/L
Benzene	EPA 624	08/14/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	08/14/07		LRE	< 10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 496478

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	08/14/07		LRE	< 10	ug/L
Bromodichloromethane	EPA 624	08/14/07		LRE	< 10	ug/L
2-Chloroethylvinyl Ether	EPA 624	08/14/07		LRE	< 50	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/14/07		LRE	< 50	ug/L
cis-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 10	ug/L
Toluene	EPA 624	08/14/07		LRE	< 10	ug/L
trans-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 10	ug/L
1,1,2-Trichloroethane	EPA 624	08/14/07		LRE	< 10	ug/L
Tetrachloroethene	EPA 624	08/14/07		LRE	< 20	ug/L
Dibromochloromethane	EPA 624	08/14/07		LRE	< 10	ug/L
Chlorobenzene	EPA 624	08/14/07		LRE	< 10	ug/L
Ethylbenzene	EPA 624	08/14/07		LRE	< 10	ug/L
m & p-Xylene	EPA 624	08/14/07		LRE	< 10	ug/L
o-Xylene	EPA 624	08/14/07		LRE	< 10	ug/L
Bromoform	EPA 624	08/14/07		LRE	< 10	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/14/07		LRE	< 10	ug/L
1,3-Dichlorobenzene	EPA 624	08/14/07		LRE	< 10	ug/L
1,4-Dichlorobenzene	EPA 624	08/14/07		LRE	< 10	ug/L
1,2-Dichlorobenzene	EPA 624	08/14/07		LRE	< 10	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496479 SAMPLE ID- Water Treatment-Influent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0930
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature			08/08/07		RS	18.6	Degrees C
Sample Receipt Temperature			08/08/07		RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	08/10/07 MD	08/13/07		BLD		
AROCLOR 1221	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L
AROCLOR 1232	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L
AROCLOR 1248	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L
AROCLOR 1254	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L
AROCLOR 1260	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.065	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496480 SAMPLE ID- Water Treatment-Btwn Carbor. SAMPLE MATRIX- WW
DATE SAMPLED- 08/08/07 TIME SAMPLED- 0935
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			08/13/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496481 SAMPLE ID- Water Treatment-Btwn Carbon SAMPLE MATRIX- WW
DATE SAMPLED- 08/08/07 TIME SAMPLED- 0935
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec.On Ice
Oil & Grease (LLE)	EPA 1664A	08/14/07		MM	< 5.0 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496482 SAMPLE ID- Water Treatment-Btwn Carton SAMPLE MATRIX- WW
DATE SAMPLED- 08/08/07 TIME SAMPLED- 0935
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	08/14/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	08/14/07		LRE	
Dichlorodifluoromethane	EPA 624	08/14/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	08/14/07		LRE	< 12 ug/L
Chloroform	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Benzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 496482

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	08/14/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/14/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Toluene	EPA 624	08/14/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	08/14/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496483 SAMPLE ID- Water Treatment-Btwn Carbon
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0935
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature			08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature			08/08/07		RS	Sample Rec.On Ice
PCB'S IN WATER	EPA 8082	08/10/07 MD	08/13/07		BLD	
AROCLOR 1221	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L
AROCLOR 1232	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L
AROCLOR 1242/1016	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L
AROCLOR 1248	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L
AROCLOR 1254	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L
AROCLOR 1260	EPA 8082	08/10/07 MD	08/13/07		BLD	< 0.5 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496484 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			08/13/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	08/09/07	KB	08/10/07		KB	< 0.02	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496485 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS

METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
	08/08/07		RS	18.6 Degrees C
	08/08/07		RS	Sample Rec. On Ice
EPA 1664A	08/14/07		MM	< 5.0 mg/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496486 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec.On Ice
Methyl-t-Butyl Ether	EPA 624	08/14/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	08/14/07		LRE	
Dichlorodifluoromethane	EPA 624	08/14/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	08/14/07		LRE	< 1.0 ug/L
Chloroform	EPA 624	08/14/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Benzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 496486

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	08/14/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/14/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Toluene	EPA 624	08/14/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	08/14/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	08/14/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara .. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496487 SAMPLE ID- Water Treatment-Effluent
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WW
TIME SAMPLED- 0940
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature				08/08/07	RS	18.6	Degrees C
Sample Receipt Temperature				08/08/07	RS	Sample	Rec.On Ice
PCB'S IN WATER	EPA 8082	08/10/07 MD	08/13/07	BLD			
AROCLOR 1221	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L
AROCLOR 1232	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L
AROCLOR 1242/1016	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L
AROCLOR 1248	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L
AROCLOR 1254	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L
AROCLOR 1260	EPA 8082	08/10/07 MD	08/13/07	BLD		< 0.065	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 08/15/2007

SAMPLE NUMBER- 496488 SAMPLE ID- Trip Blank
DATE SAMPLED- 08/08/07
DATE RECEIVED- 08/08/07 SAMPLER- Ben Murphy
TIME RECEIVED- 1100 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA
TIME SAMPLED- 0800
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		08/08/07		RS	18.6 Degrees C
Sample Receipt Temperature		08/08/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	08/14/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	08/14/07		LRE	
Dichlorodifluoromethane	EPA 624	08/14/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	08/14/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	08/14/07		LRE	< 1.0 ug/L
Chloroform	EPA 624	08/14/07		LRE	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Benzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 496488

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	08/14/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/14/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Toluene	EPA 624	08/14/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	08/14/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	08/14/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	08/14/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO: 30324

Turn-Around Time:

☐ Standard
☒ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

CLIENT NAME: PUMPERNICKALVE, LLC

ADDRESS: 250 S Clinton St., Suite 900

PHONE: 478-2161

FAX: 478-1154

CONTACT NAME: Ted Schneider

PURCHASE ORDER NO:

Sampler's Name: Ben Murphy Signature: [Signature]

PROJECT NUMBER/NAME:
621 S. Market Ave
Syracuse, NY
Water Treatment System - Brownhair

LAB USE ONLY	Collected		TYPE	MATRIX		CLIENT ID/SAMPLE LOCATION
	Date	Time		Aqueous	Soil	
CES Sample Numbers			Comp.	Grab	Other	
440-15-104	8/4/07	09:30	X	X		Water Treatment System - Brownhair
440-15-105	8/4/07	09:35	X	X		Water Treatment System - Brownhair
440-15-106	8/4/07	09:40	X	X		Water Treatment System - Brownhair
440-15-107	8/4/07	09:45	X	X		Topsoil
440-15-108	8/4/07	09:50				
440-15-109	8/4/07	09:55				
440-15-110	8/4/07	10:00				
440-15-111	8/4/07	10:05				
440-15-112	8/4/07	10:10				
440-15-113	8/4/07	10:15				
440-15-114	8/4/07	10:20				
440-15-115	8/4/07	10:25				
440-15-116	8/4/07	10:30				
440-15-117	8/4/07	10:35				
440-15-118	8/4/07	10:40				
440-15-119	8/4/07	10:45				
440-15-120	8/4/07	10:50				
440-15-121	8/4/07	10:55				
440-15-122	8/4/07	11:00				
440-15-123	8/4/07	11:05				
440-15-124	8/4/07	11:10				
440-15-125	8/4/07	11:15				
440-15-126	8/4/07	11:20				
440-15-127	8/4/07	11:25				
440-15-128	8/4/07	11:30				
440-15-129	8/4/07	11:35				
440-15-130	8/4/07	11:40				
440-15-131	8/4/07	11:45				
440-15-132	8/4/07	11:50				
440-15-133	8/4/07	11:55				
440-15-134	8/4/07	12:00				
440-15-135	8/4/07	12:05				
440-15-136	8/4/07	12:10				
440-15-137	8/4/07	12:15				
440-15-138	8/4/07	12:20				
440-15-139	8/4/07	12:25				
440-15-140	8/4/07	12:30				
440-15-141	8/4/07	12:35				
440-15-142	8/4/07	12:40				
440-15-143	8/4/07	12:45				
440-15-144	8/4/07	12:50				
440-15-145	8/4/07	12:55				
440-15-146	8/4/07	13:00				
440-15-147	8/4/07	13:05				
440-15-148	8/4/07	13:10				
440-15-149	8/4/07	13:15				
440-15-150	8/4/07	13:20				
440-15-151	8/4/07	13:25				
440-15-152	8/4/07	13:30				
440-15-153	8/4/07	13:35				
440-15-154	8/4/07	13:40				
440-15-155	8/4/07	13:45				
440-15-156	8/4/07	13:50				
440-15-157	8/4/07	13:55				
440-15-158	8/4/07	14:00				
440-15-159	8/4/07	14:05				

White - CES's Copy • Canary - Return to Client With Report • Pink - Clients Initial Copy



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500470 SAMPLE ID- Water Treatment System Inf. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	09/17/07	KB	09/18/07	KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	09/17/07	KB	09/18/07	KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	09/17/07	KB	09/18/07	KB	0.07	mg/L
Lead, Total (Pb)	EPA 200.7	09/17/07	KB	09/18/07	KB	0.04	mg/L
MERCURY, TOTAL (HG)	EPA 245.1	09/17/07	KB	09/18/07	MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	09/17/07	KB	09/18/07	KB	0.09	mg/L
Zinc, Total (Zn)	EPA 200.7	09/17/07	KB	09/18/07	KB	1.82	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500471 SAMPLE ID- Water Treatment System Inf. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	09/17/07	0730	MM	7.3 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500472 SAMPLE ID- Water Treatment System Inf. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	09/17/07		LRE	< 25 ug/L
EPA 624 Volatiles	EPA 624	09/17/07		LRE	
Dichlorodifluoromethane	EPA 624	09/17/07		LRE	< 20 ug/L
Chloromethane	EPA 624	09/17/07		LRE	< 50 ug/L
Vinyl Chloride	EPA 624	09/17/07		LRE	< 10 ug/L
Bromomethane	EPA 624	09/17/07		LRE	< 50 ug/L
Chloroethane	EPA 624	09/17/07		LRE	< 50 ug/L
Trichlorofluoromethane	EPA 624	09/17/07		LRE	< 10 ug/L
1,1-Dichloroethene	EPA 624	09/17/07		LRE	< 10 ug/L
Methylene Chloride	EPA 624	09/17/07		LRE	< 10 ug/L
trans-1,2-Dichloroethene	EPA 624	09/17/07		LRE	< 10 ug/L
1,1-Dichloroethane	EPA 624	09/17/07		LRE	< 10 ug/L
2-Butanone (MEK)	EPA 624	09/17/07		LRE	< 10 ug/L
Chloroform	EPA 624	09/17/07		LRE	110 ug/L
1,1,1-Trichloroethane	EPA 624	09/17/07		LRE	< 10 ug/L
Carbon Tetrachloride	EPA 624	09/17/07		LRE	< 10 ug/L
1,2-Dichloroethane	EPA 624	09/17/07		LRE	< 10 ug/L
Benzene	EPA 624	09/17/07		LRE	< 10 ug/L
Trichloroethene	EPA 624	09/17/07		LRE	< 10 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 500472

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	09/17/07		LRE	< 10	ug/L
Bromodichloromethane	EPA 624	09/17/07		LRE	< 10	ug/L
2-Chloroethylvinyl Ether	EPA 624	09/17/07		LRE	< 50	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/17/07		LRE	< 50	ug/L
cis-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 10	ug/L
Toluene	EPA 624	09/17/07		LRE	< 10	ug/L
trans-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 10	ug/L
1,1,2-Trichloroethane	EPA 624	09/17/07		LRE	< 10	ug/L
Tetrachloroethene	EPA 624	09/17/07		LRE	18	ug/L
Dibromochloromethane	EPA 624	09/17/07		LRE	< 10	ug/L
Chlorobenzene	EPA 624	09/17/07		LRE	< 10	ug/L
Ethylbenzene	EPA 624	09/17/07		LRE	< 10	ug/L
m & p-Xylene	EPA 624	09/17/07		LRE	< 10	ug/L
o-Xylene	EPA 624	09/17/07		LRE	< 10	ug/L
Bromoform	EPA 624	09/17/07		LRE	< 10	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/17/07		LRE	< 10	ug/L
1,3-Dichlorobenzene	EPA 624	09/17/07		LRE	< 10	ug/L
1,4-Dichlorobenzene	EPA 624	09/17/07		LRE	< 10	ug/L
1,2-Dichlorobenzene	EPA 624	09/17/07		LRE	< 10	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500473 SAMPLE ID- Water Treatment System Inf. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				09/14/07	RS	12.9 Degrees C
Sample Receipt Temperature				09/14/07	RS	Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	09/17/07	LRE	09/18/07	BLD	
AROCOR 1221	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L
AROCOR 1232	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L
AROCOR 1242/1016	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L
AROCOR 1248	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L
AROCOR 1254	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L
AROCOR 1260	EPA 8082	09/17/07	LRE	09/18/07	BLD	< 0.065 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider


PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500474 SAMPLE ID- Water Treatment System Btwn. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	09/17/07	KB	09/18/07		KB	0.03	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			09/18/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	09/17/07	KB	09/18/07		KB	0.15	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007


SAMPLE NUMBER- 500475 SAMPLE ID- Water Treatment System Btwn. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	09/17/07	0730	MM	7.8 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500476 SAMPLE ID- Water Treatment System Btwn. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	09/17/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	09/20/07		LRE	
Dichlorodifluoromethane	EPA 624	09/20/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	09/20/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	09/20/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	09/20/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	09/20/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	09/20/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	09/20/07		LRE	29 ug/L
Chloroform	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
Benzene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	09/20/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 500476

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	09/20/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	09/20/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/20/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Toluene	EPA 624	09/20/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	09/20/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	09/20/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	09/20/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	09/20/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	09/20/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500477 SAMPLE ID- Water Treatment System Btwn. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature			09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature			09/14/07		RS	Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	09/17/07	LRE 09/19/07		BLD	
AROCLOR 1221	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L
AROCLOR 1232	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L
AROCLOR 1242/1016	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L
AROCLOR 1248	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L
AROCLOR 1254	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L
AROCLOR 1260	EPA 8082	09/17/07	LRE 09/19/07		BLD	< 5.0 ug/L

Note: Elevated detection limits for PCB's due to sample matrix interference.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500478 SAMPLE ID- Water Treatment System Eff. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Cadmium, Total (Cd)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Chromium, Total (Cr)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Copper, Total (Cu)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Lead, Total (Pb)	EPA 200.7	09/17/07	KB	09/18/07		KB	0.02	mg/L
MERCURY, TOTAL (HG)	EPA 245.1			09/18/07		MM	< 0.001	mg/L
Nickel, Total (Ni)	EPA 200.7	09/17/07	KB	09/18/07		KB	< 0.02	mg/L
Zinc, Total (Zn)	EPA 200.7	09/17/07	KB	09/18/07		KB	0.09	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500479 SAMPLE ID- Water Treatment System Eff. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Oil & Grease (LLE)	EPA 1664A	09/17/07	0730	MM	6.7 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500480 SAMPLE ID- Water Treatment System Eff. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/14/07		RS	12.9 Degrees C
Sample Receipt Temperature		09/14/07		RS	Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	09/17/07		LRE	< 2.5 ug/L
EPA 624 Volatiles	EPA 624	09/17/07		LRE	
Dichlorodifluoromethane	EPA 624	09/17/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	09/17/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	09/17/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	09/17/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	09/17/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	09/17/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	09/17/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
Benzene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	09/17/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 500480

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,2-Dichloropropane	EPA 624	09/17/07		LRE	< 1.0	ug/L
Bromodichloromethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
2-Chloroethylvinyl Ether	EPA 624	09/17/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/17/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Toluene	EPA 624	09/17/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	09/17/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	09/17/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Clinton
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500481 SAMPLE ID- Water Treatment System Eff. SAMPLE MATRIX- WW
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy RECEIVED BY- RS
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature				09/14/07	RS	12.9 Degrees C
Sample Receipt Temperature				09/14/07	RS	Sample Rec. On Ice
PCB'S IN WATER	EPA 8082	09/17/07	LRE	09/20/07	BLD	
AROCLOR 1221	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L
AROCLOR 1232	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L
AROCLOR 1242/1016	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L
AROCLOR 1248	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L
AROCLOR 1254	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L
AROCLOR 1260	EPA 8082	09/17/07	LRE	09/20/07	BLD	< 5.0 ug/L

Note: Elevated detection limits for PCB's due to sample matrix interference.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Corrigan
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Pioneer Midler Avenue, LLC
250 South Clinton Street
Suite 200
Syracuse, NY 13202-
Attn: Mr. Jed Schneider

PROJECT NAME: 621 S. Midler Ave. Syracuse, NY
DATE: 09/20/2007

SAMPLE NUMBER- 500482 SAMPLE ID- Trip Blank
DATE SAMPLED- 09/13/07
DATE RECEIVED- 09/14/07 SAMPLER- Ben Murphy
TIME RECEIVED- 0735 DELIVERED BY- Ben Murphy

SAMPLE MATRIX- WA

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		09/14/07		RS	12.9	Degrees C
Sample Receipt Temperature		09/14/07		RS		Sample Rec. On Ice
Methyl-t-Butyl Ether	EPA 624	09/17/07		LRE	< 2.5	ug/L
EPA 624 Volatiles	EPA 624	09/17/07		LRE		
Dichlorodifluoromethane	EPA 624	09/17/07		LRE	< 2.0	ug/L
Chloromethane	EPA 624	09/17/07		LRE	< 5.0	ug/L
Vinyl Chloride	EPA 624	09/17/07		LRE	< 1.0	ug/L
Bromomethane	EPA 624	09/17/07		LRE	< 5.0	ug/L
Chloroethane	EPA 624	09/17/07		LRE	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,1-Dichloroethene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Methylene Chloride	EPA 624	09/17/07		LRE	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,1-Dichloroethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
2-Butanone (MEK)	EPA 624	09/17/07		LRE	< 5.0	ug/L
Chloroform	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
Carbon Tetrachloride	EPA 624	09/17/07		LRE	< 1.0	ug/L
1,2-Dichloroethane	EPA 624	09/17/07		LRE	< 1.0	ug/L
Benzene	EPA 624	09/17/07		LRE	< 1.0	ug/L
Trichloroethene	EPA 624	09/17/07		LRE	< 1.0	ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Complete
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 500482


ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,2-Dichloropropane	EPA 624	09/17/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
2-Chloroethylvinyl Ether	EPA 624	09/17/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/17/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Toluene	EPA 624	09/17/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	09/17/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	09/17/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	09/17/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	09/17/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



Page _____ of _____

Fax: 315-478-2107

PROJECT NUMBER/NAME:	1011 SUNDLER AVE
	SUNDLER LN
	WATER TREATMENT SYSTEM
PURCHASE ORDER NO:	6

LIBRARY OF THE
U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DENVER, COLORADO 80202

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--


					TOTAL NUMBER OF CONTAINERS	
9						

Samples Received in Good Condition:
☒ Yes ☐ No
 Temperature 22.8 °C

White - CES's Copy • Canary - Return to Client With Report • Pink - Clients Initial Copy

B-3

Community Air Monitoring Report



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

COMMUNITY AIR MONITORING CLOSURE REPORT

**Midler Avenue Brownfield Cleanup Program
NYSDEC Site #C734103
621 South Midler Avenue
Syracuse, New York**

PROJECT CONDUCTED:

July 17, 2006 - August 11, 2006
November 8, 2006 - October 3, 2007

PREPARED FOR:


Pioneer Midler Avenue, LLC
250 South Clinton Street, Suite 200
Syracuse, New York 13202

PREPARED BY:

Certified Environmental Services, Inc.
1401 Erie Boulevard East
Syracuse, New York 13210

(315) 478-2374

SUBMITTED: October 12, 2007



*Certified
Environmental
Services, Inc.*

TABLE OF CONTENTS

<u>TOPIC</u>	<u>SECTION</u>	<u>PAGE</u>
Project Overview	I	1
Air Monitoring During Construction	II	1
Air Monitoring During Operation & Site Monitoring	III	3

Appendix A

CAMP prepared by C&S Engineers, Inc. dated June 2006

Appendix B

CES's Sample Forms (VOC & Particulate) during Construction

Appendix C

CES's Sample Forms (VOC) during Treatment System Operation



Certified
Environmental
Services, Inc.

SECTION I - Project Overview

In accordance with a request made by Mr. Jed Schneider of Pioneer Midler Avenue, LLC, Certified Environmental Services, Incorporated (CES) provided environmental remediation monitoring services in conjunction with the activities completed for the former "Midler City" property located at 621 South Midler Avenue, City of Syracuse, Onondaga County, New York 13206. The site is a volunteer for the Midler Avenue Brownfield Cleanup Program and is identified as New York State Department of Environmental Conservation Site #C734103. The scope of services provided were intended to satisfy the monitoring requirements outlined in a Community Air Monitoring Plan (CAMP) prepared by C&S Engineers, Inc. (C&S) dated June 2006. A copy of the CAMP has been included as Appendix A. The completed monitoring was intended to provide a measure of protection for the downwind community and was not intended for use to establish levels for worker respiratory protection.

SECTION II - Air Monitoring During Construction


CES performed continuous monitoring during ground intrusive activities. Ground intrusive activities for the Pioneer Midler Interim Remedial Measures (IRM) are understood to include, but not necessarily be limited to, soil excavation and handling, trenching, and the installation of soil borings and monitoring wells. This portion of the project was completed between July 17, 2006 and August 11, 2006.

2.1 VOC Monitoring, Response Levels, and Actions

Volatile Organic Compounds (VOCs) were monitored at the downwind perimeter of the immediate work area. Upwind concentrations were measured at the start of each workday and hourly thereafter to establish/confirm background conditions. The ambient air at the downwind perimeter of the work area were monitored hourly for a minimum of five consecutive minutes. The monitoring work was performed using a hand-held photoionization detector (PID) instrument appropriate to measure the types of contaminants known to be present at the Midler site. The PID equipment was calibrated daily prior to commencing the day's activities.

If the ambient air concentration of total organic vapors at the downwind perimeter of the work area exceeded five parts per million (5 ppm) above background, work activities were temporarily halted and monitoring continued. If the total organic vapor level at the downwind perimeter of the work area readily decreases below 5 ppm over background, work activities can resume with continued monitoring. Please note that total organic vapor concentrations for the downwind samples did not exceed five parts per million above the upwind/background samples for the duration of the project.

If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than twenty-five (25) ppm, work activities



Certified
Environmental
Services, Inc.

were halted, corrective actions were taken to abate emissions, and monitoring continued. After these steps, work activities resumed provided that the total organic vapor level two-hundred feet (200') downwind of the work area perimeter (or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet) is below 5 ppm over background. Please note that total organic vapor levels at the downwind perimeter of the work area or exclusion zone were not at levels in excess of 5 ppm over background but less than twenty-five (25) ppm for the duration of the project.

If the organic vapor level was above 25 ppm at the perimeter of the work area, all work activities were to be shutdown. Please note that the organic vapor level was not above 25 ppm at the perimeter of the work area for the duration of the project.

2.2 Particulate Monitoring, Response Levels, and Actions

Particulate concentrations were monitored continuously at the upwind and downwind perimeters of the work area at temporary particulate monitoring stations. The particulate monitoring were performed using real-time monitoring equipment capable of measuring particulate matter less than ten (10) micrometers in size (PM-10) and capable of integrating over a period of fifteen (15) minutes (or less) for comparison to the airborne particulate action level. The equipment was equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration was visually assessed during all work activities.

If the downwind PM-10 particulate level was 100 micrograms per cubic meter (ug/m^3) greater than background (upwind perimeter) for the 15-minute period, or if airborne dust was observed leaving the work area, then dust suppression techniques were employed. Work could continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed $150 \text{ ug}/\text{m}^3$ above the upwind level and provided that no visible dust was migrating from the work area. Please note that the downwind PM-10 particulate level was not 100 micrograms per cubic meter (ug/m^3) greater than background (upwind perimeter) for the 15-minute period for the duration of the project. However, there were short periods of elevated readings related to the passing of trucks and heavy equipment in the immediate vicinity of the monitoring stations.

If, after implementation of dust suppression techniques, downwind PM-10 particulate levels were greater than $150 \text{ ug}/\text{m}^3$ above the upwind level, work was stopped and a re-evaluation of activities initiated. Work could resume provided that dust suppression measures and other controls were successful in reducing the downwind PM-10 particulate concentration to within $150 \text{ ug}/\text{m}^3$ of the upwind level and in preventing visible dust migration. Please note that the implementation of dust suppression techniques was not required for the duration of the project.

The completed monitoring logs for the construction portion of the remediation project has been included as Appendix B.



*Certified
Environmental
Services, Inc.*

SECTION III - Air Monitoring During Operation & Site Monitoring

Pioneer Midler Avenue LLC remediated the source areas utilizing in-situ thermal desorption (ISTD) and that in-situ thermal desorption which had been selected as the preferred technology for addressing the most significantly impacted CVOC source areas based on the shallow depth to groundwater and the generally deeper occurrences of CVOC impacts in those areas. Those conditions result in the majority of CVOC impacts being well below the water table. It is also understood that the proposed IRM approach includes potential excavation in some small areas. This will be implemented within shallow zones to remove either CVOC-impacted source materials or petroleum-impacted materials. Excavated materials could be disposed off-site or moved into a thermal heating zone for on-site treatment. The maximum depth for excavation will generally be no greater than eight to ten (8-10) feet, but excavation may be conducted within isolated deeper areas where zones of low hydraulic conductivity might allow deeper excavation without requiring excessive dewatering effort. Community air monitoring during excavation activities were conducted consistent with the methods set forth in Section II above (Air Monitoring During Construction).


Operation of the treatment system was performed by TerraTherm, Inc. of Fitchburg, Massachusetts and that the overall objective of the ISTD remediation was to reduce the concentrations of volatile COCs within the Target Treatment Zone (TTZ). To achieve the remedial objectives, the ISTD system operated from November 8, 2006 through October 3, 2007.

During operation of the ISTD system, VOCs were monitored a minimum of twice daily for a minimum period of five consecutive minutes at the downwind property line. Upwind concentrations were measured prior to the downwind monitoring to establish/confirm background conditions. Should a notable change in wind direction occur, the placement of the upwind and downwind monitoring locations were appropriately adjusted and the adjustments recorded. The monitoring was performed using a hand-held photoionization detector (PID) instrument appropriate to measure the types of contaminants known to be present at the Midler site.

Since no soil disturbance was required to take place during the treatment system operation, particulate monitoring was not be conducted.

Please note that the VOC response levels and actions described in Section 2.1 also applied to the VOC monitoring conducted during the operation of the treatment system. There were no ambient air concentration of total organic vapors at the downwind perimeter of the work area that exceeded five parts per million (5 ppm) above background during the duration of the project.

The completed monitoring logs for the treatment system operation portion of the remediation project has been included as Appendix C.



*Certified
Environmental
Services, Inc.*

Please refer to the following appendices for additional information and project documentation:

Appendix A

CAMP prepared by C&S Engineers, Inc. dated June 2006


Appendix B

CES's Sample Forms (VOC & Particulate) during Construction

Appendix C

CES's Sample Forms (VOC) during Treatment System Operation

Any questions regarding the information contained in this report should be directed to Nicole R. Copeland of Certified Environmental Services, Incorporated at (315) 478-2374.



Certified
Environmental
Services, Inc.

APPENDIX A

*CAMP prepared by C&S Engineers,
Inc. Dated June 2006*

Community Air Monitoring Plan

Midler Avenue Brownfield Cleanup Program


NYSDEC Site # C734103

Syracuse, Onondaga County, New York

Prepared for

Pioneer Midler Avenue, LLC

Prepared by



C&S Engineers, Inc.

**499 Colonel Eileen Collins Blvd.
Syracuse, New York 13212**

June 2006

Community Air Monitoring Plan Pioneer Midler Interim Remedial Measure

Introduction

This Community Air Monitoring Plan (CAMP) has been prepared for Pioneer Midler Avenue, LLC,¹ volunteer for the Midler Avenue Redevelopment Brownfield Cleanup Program (BCP) Project. This CAMP was developed consistent with the New York State Department of Health (NYSDOH) *Generic Community Air Monitoring Plan*.

A CAMP requires real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. This CAMP is not intended for use in establishing action levels for worker respiratory protection. Rather, its intent is to provide a measure of protection for the downwind community (i.e., off-site receptors including residences and businesses and on-site workers not directly involved with the subject work activities) from potential airborne contaminant releases as a direct result of investigative and remedial work activities. The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that work activities did not spread contamination off-site through the air.

Air Monitoring During Construction

Continuous monitoring will be performed for all ground intrusive activities. Ground intrusive activities for the Pioneer Midler IRM include soil excavation and handling, trenching, and the installation of soil borings and monitoring wells.

VOC Monitoring, Response Levels, and Actions

VOCs will be monitored at the downwind perimeter of the immediate work area. Upwind concentrations will be measured at the start of each workday and hourly thereafter to establish/confirm background conditions. The ambient air at the downwind perimeter of the work area (within 50 feet of the ground-intrusive activities) will be monitored hourly for a minimum of five consecutive minutes. The monitoring work will be performed using a hand-held photoionization diction (PID) instrument appropriate to measure the types of contaminants known to be present at the Midler site. The PID equipment will be calibrated daily prior to commencing the day's activities.

If the ambient air concentration of total organic vapors at the downwind perimeter of the work area exceeds five parts per million (ppm) above background, work activities will be temporarily halted and monitoring continued. If the total organic vapor level at the downwind perimeter of the work area readily decreases below five ppm over background, work activities can resume with continued monitoring.

If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of five ppm over background but less than 25 ppm, work activities will be halted, corrective actions will be taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the work area perimeter (or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet) is below five ppm over background.

If the organic vapor level is above 25 ppm at the perimeter of the work area, all work activities will be shutdown.

Particulate Monitoring, Response Levels, and Actions

Particulate concentrations will be monitored continuously at the upwind and downwind perimeters of the work area at temporary particulate monitoring stations. The particulate monitoring will be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment will be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration will be visually assessed during all work activities.

If the downwind PM-10 particulate level is 100 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) greater than background (upwind perimeter) for the 15-minute period, or if airborne dust is observed leaving the work area, then dust suppression techniques will be employed. Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed $150 \mu\text{g}/\text{m}^3$ above the upwind level and provided that no visible dust is migrating from the work area.

If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 $\mu\text{g}/\text{m}^3$ above the upwind level, work will be stopped and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 $\mu\text{g}/\text{m}^3$ of the upwind level and in preventing visible dust migration.

Air Monitoring During Operation and Site Monitoring

Pioneer Midler Avenue LLC will remediate the source areas utilizing in-situ thermal desorption (ISTD). In-situ thermal desorption has been selected as the preferred technology for addressing the most significantly impacted CVOC source areas based on the shallow depth to groundwater and the generally deeper occurrences of CVOC impacts in those areas. Those conditions result in the majority of CVOC impacts being well below the water table. The proposed IRM approach also includes potential excavation in some small areas. This will be implemented within shallow zones to remove either CVOC-impacted source materials or petroleum-impacted materials. Excavated materials could be disposed off-site or moved into a thermal heating zone for on-site treatment. The maximum depth for excavation will generally be no greater than eight to ten feet, but excavation may be conducted within isolated deeper areas where zones of low hydraulic conductivity might allow deeper excavation without requiring excessive dewatering effort. Community air monitoring during excavation activities will be conducted consistent with the methods set forth in "Air Monitoring During Construction", pages 2 and 3 of this Plan.

Operation of the treatment system will be performed by TerraTherm, Inc. of Fitchburg, Massachusetts. The overall objective of the ISTD remediation is to reduce the concentrations of volatile COCs within the Target Treatment Zone (TTZ). To achieve the remedial objectives, the ISTD system has been designed to operate for a total of 164 days; including 10 days of startup, 134 days of heating, and 20 days of polishing/cool down. At the end of the operating period, the average subsurface temperature within the TTZ is expected to be approximately 100°C. Many locations, especially unsaturated regions close to the heater wells, will be well above 100°C. Saturated portions of the subsurface are expected to attain 100°C. Small regions may be at lower temperatures, but still sufficiently remediated to meet the treatment standard.


The ISTD process utilizes conductive heating and vacuum to remediate soils contaminated with a wide range of organic compounds. Heat and vacuum are applied simultaneously to subsurface soils, either with an array of vertical heater/vacuum wells, or horizontally positioned

heaters under imposed vacuum. The electrically powered heating elements are operated at temperatures of up to 1,500°F.

Heat flows through the soil from the heating elements primarily by thermal conduction. As the soil is heated, volatile, semi-volatile and non-volatile organic contaminants in the soil are vaporized and/or destroyed by a number of mechanisms, including evaporation into the air stream; steam distillation; boiling; oxidation; and pyrolysis (chemical decomposition in the absence of oxygen). The vaporized water and contaminants, as well as some volatilized inorganic compounds, are drawn counter-current to the heat flow into the vacuum extraction wells ("heater-vacuum" wells). A portion of the contaminants are destroyed within the soil, before they reach the extraction wells and are conveyed to the surface. Contaminants that have not been destroyed within the soil are removed from the produced vapor stream with an Air Quality Control (AQC) system. The AQC system for this site will consist of a regenerative thermal oxidizer, a wet scrubber with a quench for acid gas cooling and neutralization, and extraction blowers. Vapor phase carbon adsorbers will be available to serve as backup in the event the oxidizer needs to be shut down for maintenance. The system will be operated with approval of the NYSDEC for air emissions. During operation, VOCs will be monitored a minimum of twice daily for a minimum period of five consecutive minutes at the downwind property line. Upwind concentrations will be measured prior to the downwind monitoring to establish/confirm background conditions. Should a notable change in wind direction occur, the placement of the upwind and downwind monitoring locations will be appropriately adjusted and the adjustments recorded. The monitoring will be performed using a hand-held photoionization diction (PID) instrument appropriate to measure the types of contaminants known to be present at the Midler site. The PID equipment will be calibrated daily prior to commencing the day's activities.


Since no soil disturbance will take place during the treatment system operation, particulate monitoring will not be conducted.

Periodic monitoring for VOCs will be required during non-intrusive activities such as the collection of groundwater samples from existing monitoring wells. Periodic monitoring during sample collection will consist of taking a reading upon arrival at a sample location, opening a well, and during well baling/purging.



All air monitoring records, including positions of monitoring equipment, periods when active VOC monitoring is taking place, and the levels measured will be recorded and will be available for State personnel to review.

F:\Project\C81 - Pioneer Midler Ave\C81.002 BCP\Remediation\Version 062106\CAMP
062106.doc



Certified
Environmental
Services, Inc.

APPENDIX B

*CES's Sample Forms (VOC &
Particulate) during Construction*



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

Sampler: <u>WAT PETIT</u>		Date: <u>7/17/06</u>		Activity: <u>SOIL REMOVAL FROM "HOT SPOT" @</u> <u>EAST END OF PROPERTY</u>	
Weather Conditions: <u>Clear, hot, humid</u> <u>wind from NW</u>					
Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
Initial 10 ¹⁸	Job trailer	6.2	East Access Rd	0.5	NO MORE REQ UNTIL SOIL IS DISTURBED
12 ³⁰	Job trailer	0.5	East Access Rd	0.6	NO ODOR, ↓
13 ³⁰	Job trailer	0.7	East Access Rd	0.5	↓
14 ³⁰	Job trailer	0.5	East Access Rd	0.2	↓
15 ³⁰	Job trailer	2.2	East Access Rd	1.1	Excavation halted @ 15 ⁰⁰

PID Calibrated by Nicole Copeland

CES

SITE LOG: MIDLER AVE BROWNFIELD CLEANUP/CAMP SITE

DATE: 9/17/00


SITE ARRIVAL: 8²⁰

SAMPLER: MS PETTIT

WEATHER CONDITIONS: HOT, BREEZE FROM NW, CLEAR, DRY

<u>TIME</u>	<u>PARTICULATE READINGS</u> *TIME WEIGHTED AVE, IN $\mu\text{g}/\text{m}^3$		<u>NOTES</u>
	UPWIND	DOWNWIND	
8 ³⁰	NA	NA	SITE PREP, MEET PIONEER/ PARAGON CREW MEMBERS
9 ³⁰	NA	NA	STRT SITE PREP, SET UP PART. METERS
10 ³⁰	35.4	19.6	SITE PREP, PART. METERS RUNNING, TAKE INITIAL VOC RDNGS (NOT REQ UNTIL SOIL DISTURBANCE BEGINS) DOWNWIND ALARM SET TO 140 $\mu\text{g}/\text{m}^3$ (2)
11 ³⁰	32.9	56.1	SITE PREP, LARGE STANDING POOL FILLED NEAR UPWIND STATION, TRUCKS (W/ FILL) PASSING BY DOWNWIND STATION REGULARLY. (3) EXCAVATION BEGINS @ NOON (12 ⁰⁰)
12 ³⁰	32.8	51.0	NO VISIBLE DUST, POOL STILL BEING FILLED, TRUCK STILL PASSING DOWN WIND STATION, EXCAVATION CONTINUED
13 ³⁰	33.1	40.1	POOL FILLED, TRUCKS NO LONGER PASSING DOWN WIND STATION REGULARLY, EXCAVATION CONTINUED, NO VISIBLE DUST, 2 nd digger added X/15
14 ³⁰	33.1	35.8	NO VISIBLE DUST
15 ³⁰	33.3	35.4	NO VISIBLE DUST - SPIKE CAUSED ALARM WHILE EQUIP WAS LEAVING SITE @ 8 15 ⁰⁰

July 17 2006 Pioneer Midler LLC Particulate Sampling



UPWIND

DataRAM

Tag Number 1

Number of logged points 334

Start time (hr:min:sec day/mon/yr) ... 09:57:25 17-Jul-06

Elapsed time (hr:min:sec) 05:34:00

Averaging Time (sec) 1

Logging period (hr:min:sec) 00:01:00

CalFactor (%) 100

StelConc (ug/m3) 0.0

STEL occurrence after start (hr:min:sec) 00:00:00

Overall AvgConc (ug/m3) 33.3

Overall MaxConc (ug/m3) 487.4 at Point#...23

Overall MinConc (ug/m3) 14.9 at Point#... 161

ug/m3

Point Label	"Min"	"Avg"	"Max"
7/17/2006 9:58	31.4	34.1	48.4
7/17/2006 9:59	27.6	34.1	67.3
7/17/2006 10:00	30.4	34.3	48.6
7/17/2006 10:01	30.9	33	37.1
7/17/2006 10:02	30.5	32.5	35.3
7/17/2006 10:03	30.4	33	45.5
7/17/2006 10:04	30.1	32.9	39.3
7/17/2006 10:05	30.1	32.2	37.4
7/17/2006 10:06	30.1	32.4	40.2
7/17/2006 10:07	29.3	32.5	35.5
7/17/2006 10:08	29.1	32.1	37
7/17/2006 10:09	30.1	32.6	40.9
7/17/2006 10:10	29.8	32.1	41
7/17/2006 10:11	29.8	31.8	40
7/17/2006 10:12	30	32.3	47.6
7/17/2006 10:13	29	32.9	47.3
7/17/2006 10:14	29.3	32.5	42.7
7/17/2006 10:15	29.3	32.1	42.5
7/17/2006 10:16	28.8	32.1	42.9
7/17/2006 10:17	29.3	31.9	37.5

DOWNWIND

DataRAM

Tag Number 1

Number of logged points 310

Start time (hr:min:sec day/mon/yr) ... 10:08:00 17-Jul-06

Elapsed time (hr:min:sec) 05:10:00

Averaging Time (sec) 10

Logging period (hr:min:sec) 00:01:00

CalFactor (%) 100

StelConc (ug/m3) 0.0

STEL occurrence after start (hr:min:sec) 00:00:00

Overall AvgConc (ug/m3) 38.9

Overall MaxConc (ug/m3) 7388.2 at Point#...41

Overall MinConc (ug/m3) 0.0 at Point#...56

ug/m3

Point Label	"Min"	"Avg"	"Max"
7/17/2006 10:09	12.7	15.9	46.9
7/17/2006 10:10	12.7	14.8	17.3
7/17/2006 10:11	11.1	15.6	20.5
7/17/2006 10:12	11.5	15	20
7/17/2006 10:13	9.7	16.6	29.2
7/17/2006 10:14	12.9	28.4	66.2
7/17/2006 10:15	13.3	21.4	38.4
7/17/2006 10:16	11.6	17.6	28.9
7/17/2006 10:17	10.8	12.6	14.1
7/17/2006 10:18	13.2	15.3	20.7
7/17/2006 10:19	11.3	17.1	24.1
7/17/2006 10:20	10.2	14.2	22
7/17/2006 10:21	5.4	13.5	26.2
7/17/2006 10:22	5.4	14.4	18.9
7/17/2006 10:23	9.8	13.7	19
7/17/2006 10:24	12.4	504	2896
7/17/2006 10:25	11	96.5	478.5
7/17/2006 10:26	9	12	14.8
7/17/2006 10:27	9	11.5	13.8
7/17/2006 10:28	11.8	13.7	17.1

7/17/2006 10:18	29.1	32.5	60.5	7/17/2006 10:29	11.6	12.9	14.8
7/17/2006 10:19	29.7	46.7	335.6	7/17/2006 10:30	9.4	11.5	14.1
7/17/2006 10:20	29.7	50	487.4	7/17/2006 10:31	10.3	12	15.2
7/17/2006 10:21	29.5	32.3	41.5	7/17/2006 10:32	9.2	11.6	15.2
7/17/2006 10:22	29.6	32.4	58.8	7/17/2006 10:33	10.2	10.8	12
7/17/2006 10:23	29.2	32.4	41.7	7/17/2006 10:34	9.3	12.9	25
7/17/2006 10:24	27.8	32.7	69	7/17/2006 10:35	9.2	10.4	12.3
7/17/2006 10:25	29.6	31.8	43.5	7/17/2006 10:36	8.7	10.8	13
7/17/2006 10:26	30.4	33.4	47.4	7/17/2006 10:37	9.7	12.5	16.3
7/17/2006 10:27	29.9	32.3	38.4	7/17/2006 10:38	8.9	13.4	18
7/17/2006 10:28	28.8	32	43.1	7/17/2006 10:39	9.3	11.1	15.7
7/17/2006 10:29	28.1	32	49.6	7/17/2006 10:40	9.3	11.3	14.3
7/17/2006 10:30	29.8	31.5	36.6	7/17/2006 10:41	8.3	10.6	13.4
7/17/2006 10:31	29.4	31.4	37.6	7/17/2006 10:42	9.1	10.6	13.4
7/17/2006 10:32	30	31.5	36.2	7/17/2006 10:43	9.3	12.1	14.1
7/17/2006 10:33	29.9	31.6	38	7/17/2006 10:44	8.8	12.4	18
7/17/2006 10:34	28.3	31.9	50.1	7/17/2006 10:45	8.8	11.4	14.5
7/17/2006 10:35	29	31.9	43.5	7/17/2006 10:46	8.9	10.9	13.1
7/17/2006 10:36	29.6	31.2	35.4	7/17/2006 10:47	9.7	12.7	18.9
7/17/2006 10:37	28.9	31.1	43	7/17/2006 10:48	9.6	11.5	13.4
7/17/2006 10:38	28.9	31.1	36	7/17/2006 10:49	9.2	1248.6	7388.2
7/17/2006 10:39	29.6	31.9	38.3	7/17/2006 10:50	10.9	15.9	25.9
7/17/2006 10:40	23.4	33	92.7	7/17/2006 10:51	9.3	12.1	15.7
7/17/2006 10:41	29	32	40.2	7/17/2006 10:52	8.2	150.2	841.2
7/17/2006 10:42	29.3	31.6	37.6	7/17/2006 10:53	8.1	10.8	15.2
7/17/2006 10:43	29.5	31.5	39.4	7/17/2006 10:54	9.9	11.3	12.2
7/17/2006 10:44	29.6	32.1	47.3	7/17/2006 10:55	9.5	12.8	17.1
7/17/2006 10:45	29.1	32.5	43.4	7/17/2006 10:56	8.6	153.2	1074.7
7/17/2006 10:46	28.8	35.1	99.3	7/17/2006 10:57	7.7	120.6	1074.7
7/17/2006 10:47	28.7	32.3	46.9	7/17/2006 10:58	7.3	9.7	11.6
7/17/2006 10:48	29.5	33.8	62.7	7/17/2006 10:59	9.5	12.8	16.7
7/17/2006 10:49	29.9	32	37.3	7/17/2006 11:00	8.2	10.8	12.8
7/17/2006 10:50	28.6	33.3	62.8	7/17/2006 11:01	10.4	12.8	15.8
7/17/2006 10:51	29.2	32.7	43.1	7/17/2006 11:02	10.6	15	22.3
7/17/2006 10:52	28.7	32	52.9	7/17/2006 11:03	11.2	19.3	23.5
7/17/2006 10:53	27.4	32.1	57.9	7/17/2006 11:04	0	46.9	187.7
7/17/2006 10:54	28.2	32.4	71.3	7/17/2006 11:05	0	11.2	13.2

7/17/2006 10:55	29.8	32.2	45.5	7/17/2006 11:06	8.4	39	180.2
7/17/2006 10:56	29	33.1	42.2	7/17/2006 11:07	10.1	11.9	16.3
7/17/2006 10:57	29	31.2	35.9	7/17/2006 11:08	6.2	9.9	16.3
7/17/2006 10:58	29.7	34.2	64.3	7/17/2006 11:09	0	18.4	60.5
7/17/2006 10:59	27.7	33.9	80.8	7/17/2006 11:10	0	11.7	15.1
7/17/2006 11:00	29.3	32.8	48	7/17/2006 11:11	9.3	12.9	17
7/17/2006 11:01	30.5	34.6	39.1	7/17/2006 11:12	12.1	386.1	2232.3
7/17/2006 11:02	29.9	32.6	44.5	7/17/2006 11:13	9.2	11.6	28.2
7/17/2006 11:03	28.2	33.3	52.1	7/17/2006 11:14	8	238.4	1357.8
7/17/2006 11:04	29.8	32.5	47.7	7/17/2006 11:15	14.6	57.2	125.3
7/17/2006 11:05	29	32.4	40.8	7/17/2006 11:16	10	216.6	1207.3
7/17/2006 11:06	29.4	32.8	52.4	7/17/2006 11:17	10	19.4	41.3
7/17/2006 11:07	29.9	32.2	46.1	7/17/2006 11:18	10.3	12.8	15.3
7/17/2006 11:08	29	31.8	39.4	7/17/2006 11:19	8.8	13.1	19.1
7/17/2006 11:09	29.6	31.7	46.7	7/17/2006 11:20	11.2	489.8	2154.8
7/17/2006 11:10	29.3	31.6	39.6	7/17/2006 11:21	8.9	11.7	15
7/17/2006 11:11	28.9	32	42.8	7/17/2006 11:22	8.9	10.3	11.1
7/17/2006 11:12	29.1	32.5	46.8	7/17/2006 11:23	8.4	24.7	69
7/17/2006 11:13	29.8	32.5	47.7	7/17/2006 11:24	7.7	10.3	13.1
7/17/2006 11:14	29.8	32	39.2	7/17/2006 11:25	10.2	591.7	3453.2
7/17/2006 11:15	29.6	31.6	39.7	7/17/2006 11:26	9.2	13.8	20.4
7/17/2006 11:16	29.7	31.2	38.1	7/17/2006 11:27	9.5	12.1	20.4
7/17/2006 11:17	29.4	31.8	42.5	7/17/2006 11:28	7.4	10.2	13.3
7/17/2006 11:18	29	33.6	71.5	7/17/2006 11:29	8.7	12.8	16.1
7/17/2006 11:19	29.9	32.4	37	7/17/2006 11:30	7.3	28.6	75.9
7/17/2006 11:20	29.6	31.4	35.7	7/17/2006 11:31	12.1	30.9	75.9
7/17/2006 11:21	29.8	31	35.6	7/17/2006 11:32	7.6	17.7	37.3
7/17/2006 11:22	30.2	37.4	83.4	7/17/2006 11:33	7.6	12.4	28.7
7/17/2006 11:23	29.2	31.6	45.4	7/17/2006 11:34	8.4	9.9	11.8
7/17/2006 11:24	29.3	31.9	36.8	7/17/2006 11:35	8.3	10	12.3
7/17/2006 11:25	30.4	33.5	42	7/17/2006 11:36	7.7	10.7	18.3
7/17/2006 11:26	29.2	33	41.3	7/17/2006 11:37	9.8	24	59.9
7/17/2006 11:27	29.7	31.8	39.1	7/17/2006 11:38	8.6	17	34
7/17/2006 11:28	29.2	32.3	42.7	7/17/2006 11:39	10.8	41	122.8
7/17/2006 11:29	29.7	32.3	39.6	7/17/2006 11:40	9	13.8	22.6
7/17/2006 11:30	26.5	32.1	58.1	7/17/2006 11:41	9.2	12.4	15.8
7/17/2006 11:31	30	32.4	40.4	7/17/2006 11:42	8.1	10.2	15.8

7/17/2006 11:32	29.3	31.7	42.5	7/17/2006 11:43	7.9	12.8	23.5
7/17/2006 11:33	29.5	36.1	81.7	7/17/2006 11:44	9.8	17.7	29.2
7/17/2006 11:34	29.6	31.7	37.2	7/17/2006 11:45	9.8	15.3	21.4
7/17/2006 11:35	29.3	31.9	41.1	7/17/2006 11:46	9.7	15.3	26.4
7/17/2006 11:36	30	31.9	38.3	7/17/2006 11:47	9.4	12.3	26.4
7/17/2006 11:37	29.3	31.3	36.6	7/17/2006 11:48	7.4	13.3	17.2
7/17/2006 11:38	29.2	32.1	37.7	7/17/2006 11:49	7.2	9.1	12
7/17/2006 11:39	29.4	31.8	44.4	7/17/2006 11:50	7.2	232.1	676.2
7/17/2006 11:40	29.4	31.5	40.8	7/17/2006 11:51	9.3	11.9	14.3
7/17/2006 11:41	29.7	32.2	41.5	7/17/2006 11:52	11.2	12.9	14.6
7/17/2006 11:42	28.9	37.8	71.1	7/17/2006 11:53	7.3	11	14.5
7/17/2006 11:43	30.1	32.3	42.2	7/17/2006 11:54	9.4	11.9	14.1
7/17/2006 11:44	30.1	32.2	43.9	7/17/2006 11:55	10.1	153.1	821.2
7/17/2006 11:45	30	32	44.1	7/17/2006 11:56	10.7	13.8	21.4
7/17/2006 11:46	29.4	32.8	46.3	7/17/2006 11:57	9.9	13.3	18
7/17/2006 11:47	29.2	31.9	36.2	7/17/2006 11:58	9.9	11.2	13
7/17/2006 11:48	29.1	33.9	94.7	7/17/2006 11:59	8.7	14.2	23.8
7/17/2006 11:49	29.7	32.3	40.4	7/17/2006 12:00	8.7	10.5	12.1
7/17/2006 11:50	30.3	31.9	37.3	7/17/2006 12:01	9.9	12.1	14.9
7/17/2006 11:51	29.1	32.5	45.2	7/17/2006 12:02	9.5	11.7	17.5
7/17/2006 11:52	29.5	32.1	42.7	7/17/2006 12:03	9.5	13.9	19.3
7/17/2006 11:53	29.8	31.8	34.2	7/17/2006 12:04	12	16.8	21.3
7/17/2006 11:54	29.8	32.4	40.8	7/17/2006 12:05	8.4	14.2	22.4
7/17/2006 11:55	29.8	33.4	41.2	7/17/2006 12:06	8.4	15	25.1
7/17/2006 11:56	30.3	32.7	37.7	7/17/2006 12:07	9.6	102.1	658.5
7/17/2006 11:57	29.7	32.6	40	7/17/2006 12:08	9.9	288.1	1441.1
7/17/2006 11:58	30.4	32	35.3	7/17/2006 12:09	7.9	11.5	15
7/17/2006 11:59	30.3	32.5	44.9	7/17/2006 12:10	7.9	15.1	18.8
7/17/2006 12:00	30.4	32.7	36.1	7/17/2006 12:11	9.2	14.1	19.8
7/17/2006 12:01	30	33.6	39.3	7/17/2006 12:12	8.7	11.5	13.8
7/17/2006 12:02	32.3	35.1	39.9	7/17/2006 12:13	8	10	14.4
7/17/2006 12:03	30.4	32.8	37.3	7/17/2006 12:14	0	11.1	15.6
7/17/2006 12:04	30.2	32.9	42.9	7/17/2006 12:15	9.9	27.6	70.4
7/17/2006 12:05	28.6	33	50.3	7/17/2006 12:16	13.2	49.7	127.5
7/17/2006 12:06	29.8	32.3	39.5	7/17/2006 12:17	9.5	15.7	30.5
7/17/2006 12:07	29.6	32.2	42.8	7/17/2006 12:18	9.6	12.7	17.9
7/17/2006 12:08	29.9	33	44.2	7/17/2006 12:19	11.2	153.6	636.3

7/17/2006 12:09	30.2	32.4	38.3	7/17/2006 12:20	10.3	32.7	636.3
7/17/2006 12:10	30.4	32	40.5	7/17/2006 12:21	12.1	26.5	56
7/17/2006 12:11	30.9	36.3	125.4	7/17/2006 12:22	10.5	20	56
7/17/2006 12:12	30.9	34.5	47.3	7/17/2006 12:23	8.4	14.8	21.8
7/17/2006 12:13	30.5	32.4	38.6	7/17/2006 12:24	9.2	13.2	16.2
7/17/2006 12:14	30.2	34.5	58.5	7/17/2006 12:25	9.2	10.9	16
7/17/2006 12:15	30.5	33.4	41.1	7/17/2006 12:26	9.7	12.7	19.4
7/17/2006 12:16	30.7	32.6	36.9	7/17/2006 12:27	9.6	12.6	18.3
7/17/2006 12:17	31	33	49	7/17/2006 12:28	9.3	10.8	13
7/17/2006 12:18	29.4	32.9	48.3	7/17/2006 12:29	9.3	13.7	18.1
7/17/2006 12:19	30.7	32.9	45.2	7/17/2006 12:30	10.8	28.8	52.5
7/17/2006 12:20	31.2	33.4	37.7	7/17/2006 12:31	9.2	10.8	13.9
7/17/2006 12:21	30.2	34.5	48.6	7/17/2006 12:32	8.5	10.1	13.9
7/17/2006 12:22	21.3	34.8	110.4	7/17/2006 12:33	10.2	15.2	22.5
7/17/2006 12:23	30.7	32.7	40.6	7/17/2006 12:34	8.2	11.9	21.6
7/17/2006 12:24	30.6	40	107.3	7/17/2006 12:35	9	10.1	12.2
7/17/2006 12:25	30.9	37.4	76	7/17/2006 12:36	8.5	11.3	13.1
7/17/2006 12:26	26	45.7	108.8	7/17/2006 12:37	9.5	16.1	26.5
7/17/2006 12:27	31.2	37	60.9	7/17/2006 12:38	7.9	10.4	26.5
7/17/2006 12:28	28.7	35.2	56.9	7/17/2006 12:39	9.2	18.9	35.1
7/17/2006 12:29	30.6	32.4	36.4	7/17/2006 12:40	22	46.3	70.2
7/17/2006 12:30	29.8	33.3	50.5	7/17/2006 12:41	11.7	27.3	70.2
7/17/2006 12:31	30.1	32.9	39.3	7/17/2006 12:42	15.1	23.4	37.5
7/17/2006 12:32	30.8	32.5	37.1	7/17/2006 12:43	37.5	117	147.6
7/17/2006 12:33	28.4	32.2	48.5	7/17/2006 12:44	21.1	43.1	96.2
7/17/2006 12:34	30.3	32.2	39.8	7/17/2006 12:45	9.6	11.8	21.1
7/17/2006 12:35	30.8	32.3	41.1	7/17/2006 12:46	8.3	9.5	11.3
7/17/2006 12:36	30.4	33.1	41.9	7/17/2006 12:47	8.3	10.9	13.4
7/17/2006 12:37	30.4	32.7	39.9	7/17/2006 12:48	10.2	18.1	30.8
7/17/2006 12:38	14.9	35.1	164.4	7/17/2006 12:49	10.6	12.6	18.1
7/17/2006 12:39	27	33.5	66.7	7/17/2006 12:50	10.7	11.8	13.2
7/17/2006 12:40	30.2	32.3	37.5	7/17/2006 12:51	10.4	40	85.9
7/17/2006 12:41	28.6	33	57.2	7/17/2006 12:52	9.3	12.7	15.1
7/17/2006 12:42	29.1	33.1	55.7	7/17/2006 12:53	9.4	16.3	25.1
7/17/2006 12:43	30.9	33	39.6	7/17/2006 12:54	11.2	23.6	37.6
7/17/2006 12:44	30.9	32.4	37.5	7/17/2006 12:55	10.2	33.8	141.2
7/17/2006 12:45	31.2	33.3	58.1	7/17/2006 12:56	8.9	24.1	141.2

7/17/2006 12:46	29.8	32.9	46.6	7/17/2006 12:57	11.2	19.4	29.1
7/17/2006 12:47	30.2	32.6	45	7/17/2006 12:58	11.3	15.2	20.1
7/17/2006 12:48	26.8	34.2	70.9	7/17/2006 12:59	11.6	16.4	23.8
7/17/2006 12:49	30.6	32.4	35.1	7/17/2006 13:00	10.2	13.3	17.6
7/17/2006 12:50	31	32.9	61.1	7/17/2006 13:01	9.3	11.7	15.6
7/17/2006 12:51	25.1	33.6	90.9	7/17/2006 13:02	10.2	15.8	24
7/17/2006 12:52	30.8	32.7	42.6	7/17/2006 13:03	9.2	12.3	24
7/17/2006 12:53	30.1	32.3	41.1	7/17/2006 13:04	10.5	11.9	13.5
7/17/2006 12:54	30.3	32.8	40	7/17/2006 13:05	10.2	14	21
7/17/2006 12:55	30.4	31.9	35	7/17/2006 13:06	9.8	18.1	43.2
7/17/2006 12:56	30.7	32.2	34.5	7/17/2006 13:07	8.5	11.8	43.2
7/17/2006 12:57	30.4	32.7	39	7/17/2006 13:08	5.3	11.8	16
7/17/2006 12:58	30.8	33.3	39.5	7/17/2006 13:09	9.4	15	24
7/17/2006 12:59	30.1	33.4	44.8	7/17/2006 13:10	9.6	12.3	24
7/17/2006 13:00	30.9	32.8	37.9	7/17/2006 13:11	7.8	15.7	23.9
7/17/2006 13:01	30.9	32.7	40.3	7/17/2006 13:12	9.3	24.3	62.3
7/17/2006 13:02	29.5	34.5	71.2	7/17/2006 13:13	9.8	11	15.5
7/17/2006 13:03	30.4	36.7	77.2	7/17/2006 13:14	9.6	13.3	27.2
7/17/2006 13:04	30.3	32.5	39.4	7/17/2006 13:15	10.4	13.9	27.2
7/17/2006 13:05	28.3	33.4	64	7/17/2006 13:16	8.6	12.6	15.4
7/17/2006 13:06	30.7	33.2	38.7	7/17/2006 13:17	10.1	16.2	33.6
7/17/2006 13:07	32.4	37.3	46.2	7/17/2006 13:18	8.4	11.9	16.8
7/17/2006 13:08	30.6	36.5	60.1	7/17/2006 13:19	6.5	10.2	12.5
7/17/2006 13:09	30.3	33.7	39.8	7/17/2006 13:20	8.9	11.3	13.9
7/17/2006 13:10	24.7	34.4	92.6	7/17/2006 13:21	9.5	16.7	27.3
7/17/2006 13:11	31	32.3	37.5	7/17/2006 13:22	9.5	12.6	16.2
7/17/2006 13:12	31.1	34	66.3	7/17/2006 13:23	8.1	10.6	14.6
7/17/2006 13:13	30.6	32.7	35.6	7/17/2006 13:24	8.1	14.8	28.7
7/17/2006 13:14	30.1	33.3	43.8	7/17/2006 13:25	10.7	17.9	24.6
7/17/2006 13:15	30.2	32.4	37.8	7/17/2006 13:26	11	15.4	19.6
7/17/2006 13:16	30.3	32.4	37.8	7/17/2006 13:27	9.4	14.8	19.5
7/17/2006 13:17	30.7	32.4	43.1	7/17/2006 13:28	8.1	11.2	19.5
7/17/2006 13:18	30.2	32.2	40.7	7/17/2006 13:29	8.2	12	14.5
7/17/2006 13:19	30.7	45.4	134.7	7/17/2006 13:30	10.3	17.3	39.2
7/17/2006 13:20	23	38.2	126.2	7/17/2006 13:31	12.2	19.8	25.3
7/17/2006 13:21	30.4	32.6	43.6	7/17/2006 13:32	9	14.8	27.6
7/17/2006 13:22	29.5	34.3	68.9	7/17/2006 13:33	10.7	27.3	82.1

7/17/2006 13:23	30.7	33.9	47.6	7/17/2006 13:34	10.7	60.3	124.9
7/17/2006 13:24	30.3	35.6	53.8	7/17/2006 13:35	9.2	14.7	81.6
7/17/2006 13:25	30.9	35.3	48	7/17/2006 13:36	9.7	13.2	21.4
7/17/2006 13:26	30.7	32.6	38.4	7/17/2006 13:37	8.6	19.9	37.5
7/17/2006 13:27	30.7	32.1	35.9	7/17/2006 13:38	7.4	15.1	25.1
7/17/2006 13:28	30.2	32.3	40.9	7/17/2006 13:39	9.5	88.6	382.4
7/17/2006 13:29	30.9	32.9	38.6	7/17/2006 13:40	8.8	11.3	14.1
7/17/2006 13:30	29.4	32.2	40.4	7/17/2006 13:41	7.2	16.5	35.5
7/17/2006 13:31	30.2	31.6	35.8	7/17/2006 13:42	7.7	9.8	18.6
7/17/2006 13:32	30.6	34.8	53.6	7/17/2006 13:43	6.7	10.1	14.4
7/17/2006 13:33	30.2	34.7	47	7/17/2006 13:44	7.7	12.5	18.3
7/17/2006 13:34	30.6	34.2	56.5	7/17/2006 13:45	10.3	15.2	19.1
7/17/2006 13:35	30.5	32.1	35	7/17/2006 13:46	6.8	18.6	37.4
7/17/2006 13:36	30.9	32.6	37.6	7/17/2006 13:47	5.4	9.1	13.2
7/17/2006 13:37	30.1	32.1	40.8	7/17/2006 13:48	5.9	10.8	15.1
7/17/2006 13:38	30.2	32.5	43.2	7/17/2006 13:49	7.4	11.3	17.1
7/17/2006 13:39	29.7	32.7	53.2	7/17/2006 13:50	11	14.2	18.2
7/17/2006 13:40	30.2	34.4	66.3	7/17/2006 13:51	8.6	14.8	19.4
7/17/2006 13:41	30.4	32.9	36.4	7/17/2006 13:52	9.4	14.7	20
7/17/2006 13:42	30.2	32.9	40.5	7/17/2006 13:53	4.6	10.5	17.6
7/17/2006 13:43	29.9	32.9	54.8	7/17/2006 13:54	5.2	8.4	14.2
7/17/2006 13:44	28.7	31.4	43.2	7/17/2006 13:55	4.9	16	29
7/17/2006 13:45	29.8	32.1	39.1	7/17/2006 13:56	9	15.2	24
7/17/2006 13:46	29.9	31.4	34.9	7/17/2006 13:57	7.1	10.3	14.6
7/17/2006 13:47	29.8	31.4	34	7/17/2006 13:58	7.7	12.5	16.2
7/17/2006 13:48	29.5	31.6	37.1	7/17/2006 13:59	8.3	13.3	19.2
7/17/2006 13:49	29.6	32.2	54	7/17/2006 14:00	11.2	17.4	23.6
7/17/2006 13:50	29.9	31.9	35.2	7/17/2006 14:01	8.7	14.3	23.6
7/17/2006 13:51	30.1	31.6	34.6	7/17/2006 14:02	7.3	10	15.4
7/17/2006 13:52	30	31.6	36.3	7/17/2006 14:03	9.4	10.4	12.9
7/17/2006 13:53	29.6	31.5	37.2	7/17/2006 14:04	6.9	12.1	15
7/17/2006 13:54	29.8	31.6	37	7/17/2006 14:05	7.8	10.8	15.8
7/17/2006 13:55	30	31.7	36.1	7/17/2006 14:06	6.7	9	11.2
7/17/2006 13:56	30.4	31.7	35.9	7/17/2006 14:07	7.7	12	22.3
7/17/2006 13:57	28.7	32.7	56.3	7/17/2006 14:08	5.4	8.1	11.5
7/17/2006 13:58	29.5	31.7	38.7	7/17/2006 14:09	7.5	12.1	21.8
7/17/2006 13:59	29.5	32.9	48.6	7/17/2006 14:10	6.9	9	14

7/17/2006 14:00	30.1	32.4	39.9	7/17/2006 14:11	5.4	8.9	18.7
7/17/2006 14:01	30.1	31.9	39.5	7/17/2006 14:12	7.1	11.9	21.1
7/17/2006 14:02	30.1	32.1	36.1	7/17/2006 14:13	10.1	14.4	25.6
7/17/2006 14:03	28.2	33.3	53.1	7/17/2006 14:14	7.5	15.3	19.5
7/17/2006 14:04	30.6	33.5	48.4	7/17/2006 14:15	7.7	11.9	20
7/17/2006 14:05	30.2	33.5	56	7/17/2006 14:16	7.6	12.5	17
7/17/2006 14:06	28.9	32.1	35.2	7/17/2006 14:17	10.7	15.9	25.8
7/17/2006 14:07	29.8	32.7	37.2	7/17/2006 14:18	9.1	10.9	13
7/17/2006 14:08	30.2	32.9	40.6	7/17/2006 14:19	9.1	25	37
7/17/2006 14:09	30.3	33.7	61.8	7/17/2006 14:20	7.7	13	23.2
7/17/2006 14:10	30.6	34.3	45.7	7/17/2006 14:21	9.7	16.4	29.8
7/17/2006 14:11	30.3	33	51.5	7/17/2006 14:22	7	11.8	17.2
7/17/2006 14:12	30.6	33.1	40.3	7/17/2006 14:23	8.2	14	18.9
7/17/2006 14:13	30.1	32.2	35.2	7/17/2006 14:24	7	13.3	19.2
7/17/2006 14:14	31	32.3	37.7	7/17/2006 14:25	8	10.7	14.4
7/17/2006 14:15	28.8	32.5	43.2	7/17/2006 14:26	9.2	13.5	22.1
7/17/2006 14:16	30	31.7	34.3	7/17/2006 14:27	5.4	9.6	17.9
7/17/2006 14:17	30.2	32.4	41.9	7/17/2006 14:28	5.4	12.5	21.9
7/17/2006 14:18	31	32.6	39.3	7/17/2006 14:29	7.1	20.1	31.7
7/17/2006 14:19	30.5	32.4	37.6	7/17/2006 14:30	5.9	9.8	17.3
7/17/2006 14:20	30.2	33	46.5	7/17/2006 14:31	4.4	10.7	17.3
7/17/2006 14:21	30.4	46.7	239.7	7/17/2006 14:32	4.4	41	201.5
7/17/2006 14:22	30.3	32.4	37.1	7/17/2006 14:33	7.2	10	12.4
7/17/2006 14:23	29.9	31.5	36.3	7/17/2006 14:34	7.7	11.7	19.5
7/17/2006 14:24	29.7	32.8	44.3	7/17/2006 14:35	9.8	15.4	25.1
7/17/2006 14:25	30	31.9	36.7	7/17/2006 14:36	7.1	9.3	13.6
7/17/2006 14:26	30.5	31.8	34.2	7/17/2006 14:37	6.3	9	15.5
7/17/2006 14:27	29.9	31.8	36.9	7/17/2006 14:38	7.7	9.7	12.2
7/17/2006 14:28	30.3	32.8	52.9	7/17/2006 14:39	7.9	9.6	12.9
7/17/2006 14:29	30.1	32.2	39.1	7/17/2006 14:40	6.2	9.4	16.1
7/17/2006 14:30	29.9	32.3	37.8	7/17/2006 14:41	6.2	15.8	39.1
7/17/2006 14:31	30.3	32.1	35.5	7/17/2006 14:42	8.3	10.3	17.1
7/17/2006 14:32	30.4	35.6	57.5	7/17/2006 14:43	8.3	12	17
7/17/2006 14:33	31.4	36.2	59.3	7/17/2006 14:44	5.4	8.6	11
7/17/2006 14:34	30.4	32.1	34.8	7/17/2006 14:45	10.2	106.5	179.4
7/17/2006 14:35	30.3	32.5	45.1	7/17/2006 14:46	11.2	95.5	304.9
7/17/2006 14:36	30.3	32	34.4	7/17/2006 14:47	7.2	65	304.9

7/17/2006 14:37	30.6	32.5	38.3		7/17/2006 14:48	7.2	9.5	11
7/17/2006 14:38	30.8	32.5	37.8		7/17/2006 14:49	6.9	14.4	22.7
7/17/2006 14:39	30.7	33.1	43.7		7/17/2006 14:50	15.2	54.5	110.4
7/17/2006 14:40	29.7	34.1	46.6		7/17/2006 14:51	9.2	11.7	17.1
7/17/2006 14:41	31.1	33.5	42.7		7/17/2006 14:52	8.6	10.7	17.1
7/17/2006 14:42	30.9	33.2	38.5		7/17/2006 14:53	10.3	19.2	32.5
7/17/2006 14:43	31	32.9	45.8		7/17/2006 14:54	9.7	18.3	32.5
7/17/2006 14:44	22.8	36.8	109.9		7/17/2006 14:55	9.7	1985.8	5908.2
7/17/2006 14:45	30	32.8	46.7		7/17/2006 14:56	11.9	28.1	61.7
7/17/2006 14:46	30.6	32.9	38.8		7/17/2006 14:57	12.3	21.5	34.9
7/17/2006 14:47	30.4	33.1	50.1		7/17/2006 14:58	9.2	12.5	19
7/17/2006 14:48	31.1	33.4	41.8		7/17/2006 14:59	11	26.9	77.5
7/17/2006 14:49	30.9	32.7	34.8		7/17/2006 15:00	10.3	27.4	54.4
7/17/2006 14:50	30.9	33.5	43.2		7/17/2006 15:01	9.2	11.2	13.2
7/17/2006 14:51	30	44.7	98.5		7/17/2006 15:02	10.7	15.2	18.5
7/17/2006 14:52	31.9	34.3	46.6		7/17/2006 15:03	11.1	13.4	15.6
7/17/2006 14:53	31.6	37	48.6		7/17/2006 15:04	15.6	19.6	24.2
7/17/2006 14:54	33.1	45.7	71.1		7/17/2006 15:05	10.7	14.7	22.6
7/17/2006 14:55	33.2	37.2	49.7		7/17/2006 15:06	8.6	10.1	18
7/17/2006 14:56	33.1	40.3	68.5		7/17/2006 15:07	8.7	14.5	23
7/17/2006 14:57	35.4	47	79.6		7/17/2006 15:08	10.6	14.8	20.6
7/17/2006 14:58	31.5	37.2	61.5		7/17/2006 15:09	12.4	15.7	20.5
7/17/2006 14:59	30.8	34.5	51.2		7/17/2006 15:10	10.4	16	28.3
7/17/2006 15:00	31.6	34.5	41.3		7/17/2006 15:11	10.1	19.7	53.5
7/17/2006 15:01	32.4	35.4	42.1		7/17/2006 15:12	7.8	14.6	20.1
7/17/2006 15:02	31.7	34.4	46		7/17/2006 15:13	7.5	20.3	67.5
7/17/2006 15:03	32	33.8	38.9		7/17/2006 15:14	7.2	19.4	57.2
7/17/2006 15:04	30.6	33.5	42.2		7/17/2006 15:15	10.8	19.6	36.8
7/17/2006 15:05	31.2	36.3	55.4		7/17/2006 15:16	8.5	21.3	36.5
7/17/2006 15:06	31.9	34.6	44		7/17/2006 15:17	8.8	12.5	18.2
7/17/2006 15:07	31.3	35.2	47.1		7/17/2006 15:18	8.3	23.3	56.9
7/17/2006 15:08	31.6	35.9	48.8					
7/17/2006 15:09	29.6	32.7	47.5					
7/17/2006 15:10	31.3	37.2	51.2					
7/17/2006 15:11	29.4	37.9	58.3					
7/17/2006 15:12	29.1	37.7	57.2					
7/17/2006 15:13	30.2	39.9	99.4					

7/17/2006 15:14	30.6	34.5	40.1
7/17/2006 15:15	25.3	35.7	90.9
7/17/2006 15:16	28.8	34.1	48.3
7/17/2006 15:17	29.4	33.3	40.9
7/17/2006 15:18	30.1	35.7	84.8
7/17/2006 15:19	26.6	32.4	64.6
7/17/2006 15:20	29.8	31.5	39.2
7/17/2006 15:21	28.9	30.6	34.3
7/17/2006 15:22	29.1	30.9	35.1
7/17/2006 15:23	29.1	30.6	34.4
7/17/2006 15:24	29.3	30.9	35.7
7/17/2006 15:25	28.9	34.9	82.2
7/17/2006 15:26	29.2	33.1	56.2
7/17/2006 15:27	29.5	33.6	44.9
7/17/2006 15:28	29.2	33	49.1
7/17/2006 15:29	29.6	34.3	50.7
7/17/2006 15:30	29.3	31.4	35.2
7/17/2006 15:31	29.2	37.1	83



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

Sampler: <u>MAATI PETIT</u>		Date: <u>7/18/06</u>		Activity: <u>SOIL REMOVAL FROM "HOT SPOT" @</u> <u>EAST END OF PROPERTY</u>	
Weather Conditions: <u>hot, dry, chance of</u> <u>heavy rain, wind from NW</u>					
Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
Initial 7:45	Job trailer	0.0	East Access Rd	0.0	meter calibrated by NICOLE COPELAND 7/17/06
8:45	Job trailer	0.0	East Access Rd	0.0	
9:45	Job trailer	0.0	East Access Rd	0.0	
10:45	Job trailer	0.0	East Access Rd	0.0	
11:45	Job trailer	0.0	East Access Rd	0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	
7:45		0.0		0.0	
8:45		0.0		0.0	
9:45		0.0		0.0	
10:45		0.0		0.0	
11:45		0.0		0.0	
12:45		0.0		0.0	
1:45		0.0		0.0	
2:45		0.0		0.0	
3:45		0.0		0.0	
4:45		0.0		0.0	
5:45		0.0		0.0	
6:45		0.0		0.0	

SITE LOG - MIDLER AVE BROWN FIELD CLEAN UP

CLIENT - PIONEER MIDLER LLC


PAGE 1

DATE: 7/18/06 SITE ARRIVAL: 7⁴⁵ SAMPLER: MS PETTIT

WEATHER CONDITIONS: HOT, BREEZE FROM NW, CLEAR, CHANCE OF RAIN

TIME	PARTICULATE RDNGS		NOTES
	UPWIND	DOWNWIND	
8 ⁰⁰	27.2	34.7	DOWN WIND METER MOVED TO WEST SIDE OF ACCESS ROAD, TO REDUCE EXPOSURE TO DUST FROM VEHICLES EXCAVATION BEGINS @ 7 ⁵⁰ , UPWIND SAMPLES BOTCHED, DOWNWIND CHECKED @ 8 ³⁰ IT WAS NOT RUNNING, STARTED OVER @ 8 ³⁰ PUMPS COVERED W/ POLY BAGS TO SHIELD AGAINST POTENTIAL RAIN FALL
9 ⁰⁰	25.4	13.6	METERS BOTH STILL RUNNING, NO VISIBLE DUST, PHASE PROJECT ON TRACK TO BE COMPLETED TODAY.
10 ⁰⁰	27.4	11.3	-
11 ⁰⁰	27.6	10.9	-
12 ⁰⁰	30.3	11.3	-
13 ⁰⁰	30.0	11.0	-
14 ⁰⁰	29.7	10.5	-
15 ⁰⁰	29.7	10.6	-

July 18 2006 Pioneer Midler LLC Particulate Sampling



DOWN WIND

DataRAM

Tag Number 1
Number of logged points..... 536
Start time (hr:min:sec day/mon/yr)... 07:48:16 18-Jul-06
Elapsed time (hr:min:sec)..... 08:56:00
Averaging Time (sec)..... 10
Logging period (hr:min:sec)..... 00:01:00
CalFactor (%)..... 100
StelConc (ug/m3)..... 0.0
STEL occurrence after start (hr:min:sec)..... 00:00:00
Overall AvgConc (ug/m3)..... 10.9
Overall MaxConc (ug/m3)..... 627.0 at Point#...196
Overall MinConc (ug/m3)..... 0.0 at Point#...280
ug/m3

*due to an equipment malfunction only downwind data is available for this date.

Point Label	"Min"	"Avg"	"Max"
7/18/2006 7:49	12.6	17.6	42.6
7/18/2006 7:50	14.2	19.8	44.7
7/18/2006 7:51	15.5	22.2	44.7
7/18/2006 7:52	11	12.6	15.5
7/18/2006 7:53	9.9	14.8	20.6
7/18/2006 7:54	9.4	10.5	11.6
7/18/2006 7:55	8.4	10.1	11.8
7/18/2006 7:56	7.8	11.4	21.9
7/18/2006 7:57	10.2	19.3	37.6
7/18/2006 7:58	10.4	12.1	22.7
7/18/2006 7:59	10.4	16.3	19.9
7/18/2006 8:00	10.5	11.8	15.2
7/18/2006 8:01	8.7	10.4	12.9
7/18/2006 8:02	8.7	10.8	14.2
7/18/2006 8:03	9.2	14.1	24.9
7/18/2006 8:04	8.4	14	24.9
7/18/2006 8:05	8.1	12.3	18.3
7/18/2006 8:06	6.2	8.6	10.7
7/18/2006 8:07	6.2	6.9	8.3
7/18/2006 8:08	8.1	10.2	14.7

7/18/2006 8:09	7.1	9.2	12.4
7/18/2006 8:10	6.9	25.6	53.9
7/18/2006 8:11	6.9	14.5	25.1
7/18/2006 8:12	7.1	12.2	25.1
7/18/2006 8:13	7.1	17.2	62
7/18/2006 8:14	12	31.5	62
7/18/2006 8:15	6.2	7.3	12
7/18/2006 8:16	6.2	7.8	10.3
7/18/2006 8:17	5.3	6.6	8.7
7/18/2006 8:18	4.9	5.9	7.5
7/18/2006 8:19	5.9	7.6	11.7
7/18/2006 8:20	5.9	13.8	38.6
7/18/2006 8:21	5.8	9	15
7/18/2006 8:22	5.1	7.4	15
7/18/2006 8:23	5.6	7.5	10.4
7/18/2006 8:24	5.3	6.4	7.8
7/18/2006 8:25	5.6	7.2	8.9
7/18/2006 8:26	5.6	7.1	8.9
7/18/2006 8:27	5.2	5.8	7.4
7/18/2006 8:28	5.6	8.2	13.4
7/18/2006 8:29	4.9	7.3	13.4
7/18/2006 8:30	6.5	13.2	25.2
7/18/2006 8:31	3.8	4.8	6.5
7/18/2006 8:32	3.8	4.4	5.5
7/18/2006 8:33	4.3	5	7.2
7/18/2006 8:34	5.3	7.9	11.4
7/18/2006 8:35	6.2	8.8	9.9
7/18/2006 8:36	5.5	9.7	15.4
7/18/2006 8:37	4.6	13	26.1
7/18/2006 8:38	4.7	8.7	20.8
7/18/2006 8:39	4.7	11	15.4
7/18/2006 8:40	4.3	6.2	7.5
7/18/2006 8:41	3.5	4.6	5.8
7/18/2006 8:42	3.5	7.1	9.9
7/18/2006 8:43	7.3	30.9	127.4
7/18/2006 8:44	15.6	192.8	497.9
7/18/2006 8:45	3.5	6.7	15.6

7/18/2006 8:46	3.4	6.8	12.9
7/18/2006 8:47	3	3.8	5.2
7/18/2006 8:48	4.2	5.3	7.9
7/18/2006 8:49	2.9	3.6	4.8
7/18/2006 8:50	3.2	5.1	9.3
7/18/2006 8:51	3.9	10.1	19.6
7/18/2006 8:52	5	11.5	24.7
7/18/2006 8:53	3.8	5.1	6.3
7/18/2006 8:54	3.2	6.6	23.9
7/18/2006 8:55	3.5	9.3	23.9
7/18/2006 8:56	2.8	5.1	11.6
7/18/2006 8:57	5.1	7.3	11.6
7/18/2006 8:58	4.3	5.2	6.6
7/18/2006 8:59	3.2	4.2	7.5
7/18/2006 9:00	2.6	7.8	14
7/18/2006 9:01	2.5	3.7	5
7/18/2006 9:02	2.8	5.2	6.7
7/18/2006 9:03	3	4.1	6.5
7/18/2006 9:04	3	4.4	6.9
7/18/2006 9:05	3.6	118.1	327.1
7/18/2006 9:06	3.8	16.1	31.6
7/18/2006 9:07	2.9	9	28.5
7/18/2006 9:08	3.5	29.9	69.1
7/18/2006 9:09	3.5	5.3	6.3
7/18/2006 9:10	4	6.7	10.5
7/18/2006 9:11	3.7	5	6.5
7/18/2006 9:12	4	5.7	7.7
7/18/2006 9:13	4	5.1	7.3
7/18/2006 9:14	4.6	7.4	12.6
7/18/2006 9:15	7.8	9.5	13.2
7/18/2006 9:16	4.6	12.1	21.4
7/18/2006 9:17	3.1	3.7	4.9
7/18/2006 9:18	3	4.4	6.2
7/18/2006 9:19	3.5	7.4	9.5
7/18/2006 9:20	4.6	28.3	49.3
7/18/2006 9:21	1.9	3.9	5.5
7/18/2006 9:22	1.9	5.3	6.7

7/18/2006 9:23	6.5	9	15.5
7/18/2006 9:24	3.2	5.4	15.5
7/18/2006 9:25	3.6	7.9	12.9
7/18/2006 9:26	4.2	6.5	9.4
7/18/2006 9:27	3.9	7.6	10.3
7/18/2006 9:28	4.4	6.2	8.5
7/18/2006 9:29	4	5	8.2
7/18/2006 9:30	3.9	5.3	7.9
7/18/2006 9:31	3	6.7	8.1
7/18/2006 9:32	4.4	6.7	8.7
7/18/2006 9:33	4	6.7	10.3
7/18/2006 9:34	3.3	5.9	7.3
7/18/2006 9:35	2.4	4.5	6.8
7/18/2006 9:36	3	5.2	7.7
7/18/2006 9:37	4.5	6.2	9.3
7/18/2006 9:38	3.3	5.1	7.3
7/18/2006 9:39	3.5	15.7	51
7/18/2006 9:40	6.2	8.6	11.9
7/18/2006 9:41	3.2	7.5	11.9
7/18/2006 9:42	3.4	5.2	7.4
7/18/2006 9:43	2.7	3.8	5.4
7/18/2006 9:44	1.9	2.5	3.6
7/18/2006 9:45	2.1	3.2	4.5
7/18/2006 9:46	3.3	6	9
7/18/2006 9:47	2.4	5	8.8
7/18/2006 9:48	2.4	2.9	3.9
7/18/2006 9:49	2.4	2.9	3.6
7/18/2006 9:50	2.2	3	3.8
7/18/2006 9:51	2	5.5	18.8
7/18/2006 9:52	4.4	9	19.5
7/18/2006 9:53	2.4	3.5	5
7/18/2006 9:54	2.6	8.6	19
7/18/2006 9:55	3	6.5	13.7
7/18/2006 9:56	3.8	5.1	8.1
7/18/2006 9:57	2.8	3.9	6.4
7/18/2006 9:58	2.9	4.1	7.2
7/18/2006 9:59	3.1	4.5	5.8

7/18/2006 10:00	3.1	7	10.9
7/18/2006 10:01	3.3	6.4	10.2
7/18/2006 10:02	3.5	5.3	10.2
7/18/2006 10:03	3.5	8.5	17.1
7/18/2006 10:04	4.6	9.1	11.8
7/18/2006 10:05	4.1	6.6	12.9
7/18/2006 10:06	3.7	5.7	7.4
7/18/2006 10:07	2.7	5	7.4
7/18/2006 10:08	3	3.7	5.6
7/18/2006 10:09	3.7	7.5	12
7/18/2006 10:10	5.5	7.1	12.6
7/18/2006 10:11	5.1	10.9	16.5
7/18/2006 10:12	3.4	7.8	17.9
7/18/2006 10:13	5.1	15.5	33.3
7/18/2006 10:14	4.2	7.7	12.8
7/18/2006 10:15	5.8	10.8	15.6
7/18/2006 10:16	4.1	9.1	16.5
7/18/2006 10:17	1.9	3.9	5
7/18/2006 10:18	2.4	4.9	7.8
7/18/2006 10:19	3.4	5.7	8.5
7/18/2006 10:20	2.5	17.6	35.6
7/18/2006 10:21	4	13.3	24.3
7/18/2006 10:22	2.1	5	7.7
7/18/2006 10:23	1.9	3.3	7.7
7/18/2006 10:24	2.8	18.9	79.2
7/18/2006 10:25	2.7	7	19
7/18/2006 10:26	2.4	5.3	10.2
7/18/2006 10:27	3.8	9.7	18
7/18/2006 10:28	2.7	3.9	5.7
7/18/2006 10:29	2.4	4.1	5.7
7/18/2006 10:30	1.9	2.9	4.6
7/18/2006 10:31	3	4.8	6
7/18/2006 10:32	1.3	2.6	5.4
7/18/2006 10:33	1.3	3.9	9.3
7/18/2006 10:34	3	4.4	9.3
7/18/2006 10:35	6.2	54.4	153.1
7/18/2006 10:36	5.6	34.5	153.1

7/18/2006 10:37	5.6	23.3	69
7/18/2006 10:38	3	6.9	37.9
7/18/2006 10:39	1.4	4.9	8.4
7/18/2006 10:40	1.4	4.4	7.3
7/18/2006 10:41	2.4	4.9	10.5
7/18/2006 10:42	2.4	4.6	6.3
7/18/2006 10:43	3.7	6.6	10.1
7/18/2006 10:44	4.8	38	152.9
7/18/2006 10:45	3.6	4.8	5.4
7/18/2006 10:46	2.5	3.7	5.1
7/18/2006 10:47	2.7	3.3	3.9
7/18/2006 10:48	3.1	5.5	11.3
7/18/2006 10:49	8.1	9.6	13.2
7/18/2006 10:50	4.5	9.7	20.4
7/18/2006 10:51	4.8	37.8	115.5
7/18/2006 10:52	3.5	22.3	63.1
7/18/2006 10:53	8.9	21.6	63.1
7/18/2006 10:54	6.5	27.6	56.5
7/18/2006 10:55	26.1	67.6	104.8
7/18/2006 10:56	12.9	20	32.6
7/18/2006 10:57	5	10.3	15
7/18/2006 10:58	3.5	7.2	13.9
7/18/2006 10:59	9.3	45.1	67.7
7/18/2006 11:00	7.4	11.3	21.7
7/18/2006 11:01	6.6	12.8	22.9
7/18/2006 11:02	4.6	6.9	8.7
7/18/2006 11:03	3.7	4.9	6.8
7/18/2006 11:04	4.8	156.9	627
7/18/2006 11:05	4.1	17.7	232.6
7/18/2006 11:06	4.1	6.2	9.9
7/18/2006 11:07	3.8	5.8	11
7/18/2006 11:08	4.5	5.3	6.2
7/18/2006 11:09	4.1	5.5	7.5
7/18/2006 11:10	4.1	5.4	7.2
7/18/2006 11:11	4	5.1	6.8
7/18/2006 11:12	4.2	5.2	6.8
7/18/2006 11:13	3.1	4.3	6.8

7/18/2006 11:14	3.5	5.9	12.1
7/18/2006 11:15	3.2	4.2	5.4
7/18/2006 11:16	4.5	7	11.9
7/18/2006 11:17	6.2	10.8	16.9
7/18/2006 11:18	5.6	8.4	12.3
7/18/2006 11:19	4.2	6.2	10.3
7/18/2006 11:20	4.2	13.2	26
7/18/2006 11:21	4.8	8.7	26
7/18/2006 11:22	4.6	7.1	10.1
7/18/2006 11:23	3.6	5.7	7.3
7/18/2006 11:24	3.5	5.2	9.6
7/18/2006 11:25	4.1	5.8	9.6
7/18/2006 11:26	3.3	4.9	8
7/18/2006 11:27	3.3	8.1	10.4
7/18/2006 11:28	4.9	6	9.5
7/18/2006 11:29	3.6	6.5	10.1
7/18/2006 11:30	4.6	12.6	25.2
7/18/2006 11:31	4.6	6	7.2
7/18/2006 11:32	2.4	4.2	6.7
7/18/2006 11:33	3.2	3.9	5.2
7/18/2006 11:34	3.6	5.2	7.1
7/18/2006 11:35	3.6	4.3	6.1
7/18/2006 11:36	3.6	6.2	7.8
7/18/2006 11:37	7.1	62.4	157.5
7/18/2006 11:38	4.3	21.2	157.5
7/18/2006 11:39	3.6	7.3	14.3
7/18/2006 11:40	5.4	7	9.4
7/18/2006 11:41	3.9	9.5	21.4
7/18/2006 11:42	2.8	10.5	35.5
7/18/2006 11:43	2.8	7.8	13
7/18/2006 11:44	3.3	5.3	9.7
7/18/2006 11:45	3.3	8	12.4
7/18/2006 11:46	2.4	5.4	11.8
7/18/2006 11:47	4.3	6.4	11.8
7/18/2006 11:48	4.8	6.5	9.6
7/18/2006 11:49	2.4	3.5	6.9
7/18/2006 11:50	1.9	3.3	6.9

7/18/2006 11:51	1.9	2.9	3.5
7/18/2006 11:52	2.4	3.4	4.2
7/18/2006 11:53	3.7	15.6	34.7
7/18/2006 11:54	2.8	6.2	21.2
7/18/2006 11:55	3.3	9.2	36.9
7/18/2006 11:56	1.1	15.7	64.6
7/18/2006 11:57	3.2	5.3	8.6
7/18/2006 11:58	3.9	5.5	8.1
7/18/2006 11:59	3.8	5.9	7.5
7/18/2006 12:00	3.9	4.6	6
7/18/2006 12:01	4	7.1	10.2
7/18/2006 12:02	2.3	4.2	6.7
7/18/2006 12:03	3.3	3.9	4.7
7/18/2006 12:04	2.3	4.6	7.1
7/18/2006 12:05	2.3	4.6	5.8
7/18/2006 12:06	2.6	5.3	8.3
7/18/2006 12:07	1.6	3	3.9
7/18/2006 12:08	2.9	4.1	6.2
7/18/2006 12:09	1.8	3.1	4.8
7/18/2006 12:10	2.1	2.9	4.8
7/18/2006 12:11	2.2	3.2	4.7
7/18/2006 12:12	2.2	3.5	4.8
7/18/2006 12:13	2.3	2.6	4
7/18/2006 12:14	1.7	2.3	3
7/18/2006 12:15	1.5	2.7	3.7
7/18/2006 12:16	1.7	4.4	10.1
7/18/2006 12:17	3	7.2	18.5
7/18/2006 12:18	1.8	3.3	7.5
7/18/2006 12:19	3.1	4	4.8
7/18/2006 12:20	1.8	14.6	31.9
7/18/2006 12:21	5.7	15.1	30.7
7/18/2006 12:22	2.6	10.4	30.7
7/18/2006 12:23	2.7	6.7	12.8
7/18/2006 12:24	2.6	32.6	80.3
7/18/2006 12:25	2.4	7.4	33.2
7/18/2006 12:26	0.7	7.2	24.8
7/18/2006 12:27	5.6	20.7	61

7/18/2006 12:28	0	1.8	6.1
7/18/2006 12:29	1.2	71.9	559.6
7/18/2006 12:30	1.1	37.6	559.6
7/18/2006 12:31	1.1	2	2.8
7/18/2006 12:32	1.7	22.3	63.3
7/18/2006 12:33	1.4	2.2	5.3
7/18/2006 12:34	2.9	4	5.3
7/18/2006 12:35	2.2	3.1	4.9
7/18/2006 12:36	2.2	54.6	168.8
7/18/2006 12:37	2.5	11.9	40.7
7/18/2006 12:38	1.7	13.5	43.3
7/18/2006 12:39	1.9	113.5	453.7
7/18/2006 12:40	6.1	15.2	52.4
7/18/2006 12:41	1.6	3.2	6.5
7/18/2006 12:42	2	5.4	10.3
7/18/2006 12:43	0	2.2	3.5
7/18/2006 12:44	0.1	1.5	3.4
7/18/2006 12:45	0.2	1.5	2.6
7/18/2006 12:46	0.5	1.7	2.9
7/18/2006 12:47	0.6	2.2	7.5
7/18/2006 12:48	0.4	1	2
7/18/2006 12:49	0	1.1	2.5
7/18/2006 12:50	0.7	3.2	18.3
7/18/2006 12:51	9.2	49.7	105.3
7/18/2006 12:52	0.5	3.3	10.3
7/18/2006 12:53	0.1	4.3	11.4
7/18/2006 12:54	0.2	3	9
7/18/2006 12:55	0.8	1.9	6.7
7/18/2006 12:56	1.2	3.4	10.1
7/18/2006 12:57	0	1.2	2.5
7/18/2006 12:58	0	0.5	1.9
7/18/2006 12:59	1.1	3.1	4.3
7/18/2006 13:00	1	1.8	4.3
7/18/2006 13:01	1.8	11.6	27.3
7/18/2006 13:02	2.6	4.8	8.3
7/18/2006 13:03	1.2	6.5	21
7/18/2006 13:04	0.8	3.1	5.4

7/18/2006 13:05	0.2	1.3	5.1
7/18/2006 13:06	0.8	1	1.7
7/18/2006 13:07	1	3.4	10.5
7/18/2006 13:08	1.5	2.8	3.9
7/18/2006 13:09	1.1	18.8	72.9
7/18/2006 13:10	1.5	56.4	109.5
7/18/2006 13:11	1.3	38.6	263.7
7/18/2006 13:12	13.1	85.7	263.7
7/18/2006 13:13	1	2.5	13.1
7/18/2006 13:14	1.5	3.5	7.3
7/18/2006 13:15	0.6	1.6	3.2
7/18/2006 13:16	0	0.5	1.7
7/18/2006 13:17	0	1.7	5.6
7/18/2006 13:18	0	7.5	25.8
7/18/2006 13:19	0	1.2	2.3
7/18/2006 13:20	0.6	3.6	10
7/18/2006 13:21	1.4	7.2	19.9
7/18/2006 13:22	1	3.1	5.2
7/18/2006 13:23	2.6	5.3	15.1
7/18/2006 13:24	0.7	1.3	2.7
7/18/2006 13:25	0.2	3.8	8.9
7/18/2006 13:26	0.1	1.1	3.1
7/18/2006 13:27	0	0.9	1.8
7/18/2006 13:28	0	1.7	3
7/18/2006 13:29	1.3	2.1	3.1
7/18/2006 13:30	0.5	2.3	3.9
7/18/2006 13:31	0	1.2	2.6
7/18/2006 13:32	0	0.5	1.7
7/18/2006 13:33	0	3.4	13.6
7/18/2006 13:34	0	0.8	2.3
7/18/2006 13:35	0	2	3.1
7/18/2006 13:36	0	3.7	14.9
7/18/2006 13:37	0.2	2.3	14.9
7/18/2006 13:38	0	0.5	1.3
7/18/2006 13:39	0.5	4.4	9
7/18/2006 13:40	0.2	1.5	4
7/18/2006 13:41	1	3.2	6.3

7/18/2006 13:42	0.6	2.1	4
7/18/2006 13:43	0	1	3.6
7/18/2006 13:44	0	2.1	4.1
7/18/2006 13:45	0	0.7	4.1
7/18/2006 13:46	0.4	0.8	1.6
7/18/2006 13:47	0.1	1	1.9
7/18/2006 13:48	0.1	1.7	2.6
7/18/2006 13:49	0.6	1.5	2.8
7/18/2006 13:50	1.6	10.4	49.7
7/18/2006 13:51	0.8	3.6	19.4
7/18/2006 13:52	2.6	10.1	19.4
7/18/2006 13:53	1.2	3.2	5.4
7/18/2006 13:54	1	3.2	5.4
7/18/2006 13:55	1	2.7	4.7
7/18/2006 13:56	1	3	4.3
7/18/2006 13:57	1.8	3.6	5.2
7/18/2006 13:58	2.4	3.2	5.1
7/18/2006 13:59	1.8	3.3	4.6
7/18/2006 14:00	2.4	3.1	3.4
7/18/2006 14:01	3.3	4.1	5.4
7/18/2006 14:02	2.2	4.9	8
7/18/2006 14:03	4.7	5.9	8
7/18/2006 14:04	4.4	5.8	7.9
7/18/2006 14:05	4.1	4.8	6.6
7/18/2006 14:06	3.6	6.6	13.5
7/18/2006 14:07	4.3	5.8	7.7
7/18/2006 14:08	4.3	38.8	153.1
7/18/2006 14:09	3.5	9.6	15.5
7/18/2006 14:10	3.9	6	15.5
7/18/2006 14:11	2.5	4.1	8.1
7/18/2006 14:12	2.7	3.9	4.8
7/18/2006 14:13	3.1	4.6	9.1
7/18/2006 14:14	2.4	3.2	4.8
7/18/2006 14:15	2.8	3.7	5.2
7/18/2006 14:16	2.8	4.1	5.3
7/18/2006 14:17	5	7.4	9.2
7/18/2006 14:18	9.1	24.9	40.7

7/18/2006 14:19	5.5	21.2	49.4
7/18/2006 14:20	5	5.8	7.2
7/18/2006 14:21	4.7	9.3	16.6
7/18/2006 14:22	5.3	8.9	16.6
7/18/2006 14:23	6.8	8.3	10.2
7/18/2006 14:24	4.8	5.7	8.1
7/18/2006 14:25	4.1	5.2	6.9
7/18/2006 14:26	4.7	6.2	8.1
7/18/2006 14:27	3.5	34.7	89.3
7/18/2006 14:28	4.8	19.9	64.1
7/18/2006 14:29	4.8	40.7	190
7/18/2006 14:30	4.5	9.5	27.5
7/18/2006 14:31	4.4	6.9	11.9
7/18/2006 14:32	4.5	5.7	7.7
7/18/2006 14:33	5.1	5.9	7.9
7/18/2006 14:34	5.2	5.7	6.9
7/18/2006 14:35	3.8	5.7	7.4
7/18/2006 14:36	6.1	9.3	15.9
7/18/2006 14:37	4.3	6.1	7
7/18/2006 14:38	4.3	5.4	6.3
7/18/2006 14:39	5.4	6.4	7.6
7/18/2006 14:40	6.4	65.4	198.4
7/18/2006 14:41	10.9	34.3	106.4
7/18/2006 14:42	6.5	39.8	115.2
7/18/2006 14:43	4.1	32.8	166
7/18/2006 14:44	4.7	5.5	7
7/18/2006 14:45	4.7	6.3	8.6
7/18/2006 14:46	4.5	5.4	5.9
7/18/2006 14:47	4.5	5.4	6.5
7/18/2006 14:48	4.9	5.8	7.3
7/18/2006 14:49	4.4	7.1	10.3
7/18/2006 14:50	5.2	7.3	11.8
7/18/2006 14:51	5.5	6.8	8.9
7/18/2006 14:52	5.2	7	13.1
7/18/2006 14:53	4.2	5.3	13.1
7/18/2006 14:54	4.7	5.4	6.8
7/18/2006 14:55	5.2	5.8	6.4

7/18/2006 14:56	4.5	8	19.1
7/18/2006 14:57	4.5	5.4	6.2
7/18/2006 14:58	3.4	9.6	21.3
7/18/2006 14:59	5.1	5.9	6.4
7/18/2006 15:00	4.2	7.3	12.4
7/18/2006 15:01	4.2	5.2	6.6
7/18/2006 15:02	5.2	6.3	8.7
7/18/2006 15:03	4.6	6.5	10.5
7/18/2006 15:04	4.2	5.1	6
7/18/2006 15:05	4.7	5.1	5.8
7/18/2006 15:06	4.7	47.6	181.3
7/18/2006 15:07	7	84.6	287.9
7/18/2006 15:08	4.7	5.3	7
7/18/2006 15:09	4.2	5.7	6.9
7/18/2006 15:10	3.8	6.4	8.9
7/18/2006 15:11	3.9	5.2	7.1
7/18/2006 15:12	4.2	6.1	8.7
7/18/2006 15:13	5.1	7.3	9
7/18/2006 15:14	4.1	7	10.2
7/18/2006 15:15	3.9	4.9	6.2
7/18/2006 15:16	4.1	4.9	5.5
7/18/2006 15:17	4	5.4	8.9
7/18/2006 15:18	4.4	6.6	8.9
7/18/2006 15:19	5	7.4	12.1
7/18/2006 15:20	5.1	7.2	10.2
7/18/2006 15:21	4.2	5.9	7.7
7/18/2006 15:22	5.1	5.5	6.4
7/18/2006 15:23	4	5.1	6.2
7/18/2006 15:24	4	4.7	6.2
7/18/2006 15:25	3.9	7.2	17.8
7/18/2006 15:26	4.5	6	8.6
7/18/2006 15:27	4	4.5	5.5
7/18/2006 15:28	4.3	5.6	6.5
7/18/2006 15:29	4.2	5	5.7
7/18/2006 15:30	3.8	5.4	7
7/18/2006 15:31	4.4	5.2	5.6
7/18/2006 15:32	4.1	4.6	5.1

7/18/2006 15:33	4.1	5.4	6.8
7/18/2006 15:34	4.6	5.3	6.5
7/18/2006 15:35	4.2	5.4	7.2
7/18/2006 15:36	4.3	5.3	6.2
7/18/2006 15:37	5	7.7	15.6
7/18/2006 15:38	4.6	13.1	23.9
7/18/2006 15:39	8.5	11.5	16.9
7/18/2006 15:40	8.3	16.7	29.6
7/18/2006 15:41	6	91.8	264.5
7/18/2006 15:42	5.7	10.4	21.2
7/18/2006 15:43	7.3	72.8	225.3
7/18/2006 15:44	5.8	7.9	10.3
7/18/2006 15:45	5.4	6.8	9.2
7/18/2006 15:46	6.6	15.8	41.2
7/18/2006 15:47	6	7.6	12.8
7/18/2006 15:48	6.6	11.6	14.6
7/18/2006 15:49	7.3	10.6	14.6
7/18/2006 15:50	5.4	9	12.9
7/18/2006 15:51	4.1	7.1	10.8
7/18/2006 15:52	4.6	5.8	7.6
7/18/2006 15:53	5	5.8	6.7
7/18/2006 15:54	5.6	6.5	7.9
7/18/2006 15:55	4.9	5.7	7.9
7/18/2006 15:56	5	51.3	173.3
7/18/2006 15:57	6.1	26.5	76.9
7/18/2006 15:58	5.4	9.5	19
7/18/2006 15:59	4.7	6.7	9.4
7/18/2006 16:00	5.5	6.4	7.4
7/18/2006 16:01	5.7	7.1	8.5
7/18/2006 16:02	4.9	6.6	8.3
7/18/2006 16:03	4.7	6.3	8.7
7/18/2006 16:04	6	10.3	20.3
7/18/2006 16:05	4.2	6.3	8
7/18/2006 16:06	4.5	6.9	11.7
7/18/2006 16:07	6.3	11.5	23.2
7/18/2006 16:08	4.6	12.7	21
7/18/2006 16:09	6.3	16	37

7/18/2006 16:10	5.2	8.6	37
7/18/2006 16:11	5.2	17.6	60.9
7/18/2006 16:12	4.7	11.5	28.1
7/18/2006 16:13	4.2	4.7	5.3
7/18/2006 16:14	4.9	5.7	6.3
7/18/2006 16:15	4.9	5.7	6.9
7/18/2006 16:16	3.5	4.5	5.5
7/18/2006 16:17	4.4	5.8	6.9
7/18/2006 16:18	6	14.6	28.6
7/18/2006 16:19	3.7	9	27.2
7/18/2006 16:20	5.1	108.3	241.3
7/18/2006 16:21	8.1	102.3	241.3
7/18/2006 16:22	8.1	15.7	20.2
7/18/2006 16:23	4.7	9.3	14
7/18/2006 16:24	4.9	10.4	20.4
7/18/2006 16:25	4.5	7.8	24
7/18/2006 16:26	7.4	13	24
7/18/2006 16:27	7.5	9.6	13.8
7/18/2006 16:28	5.4	7.7	13.1
7/18/2006 16:29	5.4	6.6	7.1
7/18/2006 16:30	5.7	7.3	10.7
7/18/2006 16:31	5.6	6.8	8.4
7/18/2006 16:32	4.8	5.9	7.2
7/18/2006 16:33	4.8	6	7.5
7/18/2006 16:34	5.3	20	124.5
7/18/2006 16:35	7.8	32.3	124.5
7/18/2006 16:36	5.4	6.8	13.4
7/18/2006 16:37	4.9	7.3	10
7/18/2006 16:38	7.3	12.5	19.4
7/18/2006 16:39	5.5	8.1	16.4
7/18/2006 16:40	5.4	8.4	16.4
7/18/2006 16:41	5.1	6.9	9.9
7/18/2006 16:42	5.1	10.3	14.5
7/18/2006 16:43	5.5	10.8	25.5
7/18/2006 16:44	5.3	10.7	26.7



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

Sampler: <u>WATTPETT</u>		Date: <u>7/19/06</u>		Activity: <u>"Exploratory Digs" and 7.11 of previous</u> <u>2 days work on Fe (all readings taken near</u> <u>and work in progress)</u>	
Weather Conditions: <u>HOT, DRY, CLEAR</u> <u>BREEZE FROM E/NE</u>					
Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
<u>Initial 8⁴⁵</u>	<u>EAST ACCESS Rd</u>	<u>0.00</u>	<u>Near H₂O Tank</u>	<u>0.0</u>	<u>Filling old site</u>
<u>9⁴⁵</u>		<u>0.0</u>	<u>↓</u>	<u>0.0</u>	<u>Filling old site</u>
<u>10⁴⁵</u>		<u>0.0</u>	<u>↓</u>	<u>0.0</u>	<u>Filling old site</u>
<u>11⁴⁵</u>		<u>0.0</u>	<u>Near Job Trailer</u>	<u>0.0</u>	<u>grading driveway</u>
<u>12⁴⁵</u>	<u>EAST ACCESS Rd</u>	<u>0.0</u>	<u>Near Job Trailer</u>	<u>0.0</u>	<u>grading driveway</u>
<u>13⁴⁵</u>	<u>EAST ACCESS Rd</u>	<u>0.0</u>	<u>W. of PAVED TRAILOR RD</u>	<u>0.0</u>	<u>grading driveway</u>
<u>14⁴⁵</u>	<u>EAST ACCESS Rd</u>	<u>0.0</u>	<u>W. of PAVED TRAILOR RD</u>	<u>0.0</u>	<u>grading driveway</u>

PID CALIBRATED BY M.S. PETTIT @ 17³⁰ 7/18/06

SITE LOG: MIDLER AVE BROWN FIELD CLEANUP

CLIENT: PIONEER MIDLER LLC

PAGE 1

DATE: 7/19/00


SITE ARRIVAL: 8³⁰

SAMPLER: MS PETTT

WEATHER CONDITIONS: HOT, SLIGHT BREEZE FROM NE, CLEAR SKIES

TIME	UPWIND	DOWNWIND	NOTES
9 ⁰⁰	NA	NA	PROBLEMS W/ SENSORS PRECLUDE READINGS, "SYSTEM FAULT - HIGH BACKGROUND"
10 ⁰⁰	NA 36.5	88.2 ^{BLUE}  NA	WIND SWITCHES TO FROM NW TO NE (UP+DOWN SWITCHED) SENSOR PROBLEMS CONTINUE, IN COMMUNICATION W/ PINE INC.
11 ⁰⁰	26.9	84.3 	DW sensor moved to far side of paved road, run tag 1 terminated, run tag 2 initiated. Both sensors moved, UPWIND ALARM UPWIND TO AVOID TRAFFIC, DOWNWIND TO AVOID WORK.
12 ⁰⁰	44.7	84.2 	Sensor cleaned according to pine instructions, did not seem to affect readings
13 ⁰⁰	36.2	82.5	grading driveway near trailer
14 ⁰⁰	52.9	87.6	grading driveway near trailer
15 ⁰⁰	45.6	94.2	grading driveway near trailer

July 19 2006 Pioneer Midler LLC Particulate Sampling



UPWIND**DataRAM**

Tag Number 1
Number of logged points..... 399
Start time (hr:min:sec day/mon/yr)... 08:47:37 19-Jul-06
Elapsed time (hr:min:sec)..... 06:39:00
Averaging Time (sec)..... 10
Logging period (hr:min:sec)..... 00:01:00
CalFactor (%)..... 100
StelConc (ug/m3)..... 0.0
STEL occurrence after start (hr:min:sec)..... 00:00:00
Overall AvgConc (ug/m3)..... 57.6
Overall MaxConc (ug/m3)..... 8132.3 at Point#...145
Overall MinConc (ug/m3)..... 0.0 at Point#...156
ug/m3

Point Label	"Min"	"Avg"	"Max"
7/19/2006 8:48	19.7	23.6	43.8
7/19/2006 8:49	19.8	22.1	24.8
7/19/2006 8:50	19.3	20.6	21.3
7/19/2006 8:51	18.6	24.7	35.1
7/19/2006 8:52	18.6	43.1	155
7/19/2006 8:53	18.9	28.3	48.4
7/19/2006 8:54	18	18.9	19.5
7/19/2006 8:55	16.3	18.8	23.3
7/19/2006 8:56	16.5	18.1	21.2
7/19/2006 8:57	14.7	19.5	24.9
7/19/2006 8:58	18	20.7	24.9
7/19/2006 8:59	15.2	17.7	22.8
7/19/2006 9:00	16.8	22.5	28.1
7/19/2006 9:01	17.4	19.1	21.3
7/19/2006 9:02	16.1	17.6	19.6
7/19/2006 9:03	15.3	18.8	23.9
7/19/2006 9:04	14.6	17.9	21.3
7/19/2006 9:05	13.2	16.5	18.5
7/19/2006 9:06	15.3	16.8	18.3
7/19/2006 9:07	13.8	16.9	18.7

DOWNWIND**DataRAM**

Tag Number 1
Number of logged points..... 150
Start time (hr:min:sec day/mon/yr)... 09:55:40 19-Jul-06
Elapsed time (hr:min:sec)..... 02:30:00
Averaging Time (sec)..... 10
Logging period (hr:min:sec)..... 00:01:00
CalFactor (%)..... 100
StelConc (ug/m3)..... 0.0
STEL occurrence after start (hr:min:sec)..... 00:00:00
Overall AvgConc (ug/m3)..... 78.0
Overall MaxConc (ug/m3)..... 3140.8 at Point#...78
Overall MinConc (ug/m3)..... 31.3 at Point#...1
ug/m3

Point Label	"Min"	"Avg"	"Max"
7/19/2006 9:56	31.3	88.1	101.5
7/19/2006 9:57	85.2	94.5	105.2
7/19/2006 9:58	82.8	87.6	105.6
7/19/2006 9:59	81.9	90.4	105.6
7/19/2006 10:00	81.2	84.3	92.7
7/19/2006 10:01	80	82.3	83.8
7/19/2006 10:02	80.1	89.7	135.4
7/19/2006 10:03	78.9	80	82.6
7/19/2006 10:04	80.6	84.6	88.6
7/19/2006 10:05	80.3	85.7	93.5
7/19/2006 10:06	80.3	99.1	116.8
7/19/2006 10:07	80.6	86.8	95.9
7/19/2006 10:08	80.1	97.2	127.9
7/19/2006 10:09	78.9	83.3	101.7
7/19/2006 10:10	77.8	82.7	87.8
7/19/2006 10:11	78.9	81	82.7
7/19/2006 10:12	77.2	80.9	90
7/19/2006 10:13	80.1	134.1	238.4
7/19/2006 10:14	77.4	83.3	95.5
7/19/2006 10:15	76	78.6	91.1

7/19/2006 9:08	14.7	16.2	19.4	7/19/2006 10:16	76.1	80.8	90.7
7/19/2006 9:09	14.2	15.7	16.9	7/19/2006 10:17	71.7	77.4	84.9
7/19/2006 9:10	14.4	16.2	19.3	7/19/2006 10:18	71.6	74.6	81
7/19/2006 9:11	15.8	53.5	104.3	7/19/2006 10:19	76.3	98.4	153.4
7/19/2006 9:12	15.8	233.7	3198.3	7/19/2006 10:20	71.9	79.8	91.7
7/19/2006 9:13	29.9	393.6	3198.3	7/19/2006 10:21	71.7	72.9	76.9
7/19/2006 9:14	15.2	23.1	33.7	7/19/2006 10:22	72	78.5	85.3
7/19/2006 9:15	15.3	16.7	18.4	7/19/2006 10:23	69.9	75.3	86.6
7/19/2006 9:16	16.5	32.3	76.3	7/19/2006 10:24	70.7	73.7	81.1
7/19/2006 9:17	14.3	23.9	52.6	7/19/2006 10:25	71.8	73.6	76.3
7/19/2006 9:18	13.6	15.6	19.4	7/19/2006 10:26	70	73.1	78.5
7/19/2006 9:19	14.3	21.5	29.2	7/19/2006 10:27	68.9	76.3	84.3
7/19/2006 9:20	13.4	640.8	3432.7	7/19/2006 10:28	74.8	80.5	113.1
7/19/2006 9:21	19.3	163.5	456.7	7/19/2006 10:29	70.5	83.4	113.1
7/19/2006 9:22	16.3	50.3	274	7/19/2006 10:30	79.1	95.3	114
7/19/2006 9:23	14.3	16.5	24.1	7/19/2006 10:31	75.2	109.4	190.6
7/19/2006 9:24	12.6	15.8	19.8	7/19/2006 10:32	71.5	76.4	86.5
7/19/2006 9:25	12.6	14.5	15.3	7/19/2006 10:33	72.1	77.8	86.5
7/19/2006 9:26	12.3	14.2	19.2	7/19/2006 10:34	67.3	78.7	93.4
7/19/2006 9:27	11.2	14	19.2	7/19/2006 10:35	71.2	76.6	86.3
7/19/2006 9:28	10.6	13	15.6	7/19/2006 10:36	69	70.4	74.4
7/19/2006 9:29	12.1	13.6	15.5	7/19/2006 10:37	70	76.3	116.5
7/19/2006 9:30	11.5	18.9	46.1	7/19/2006 10:38	71	82.1	116.5
7/19/2006 9:31	11.2	12.7	14.7	7/19/2006 10:39	70.1	74.9	82.6
7/19/2006 9:32	11.4	12.5	15.7	7/19/2006 10:40	69	72.9	76.3
7/19/2006 9:33	10.2	12.6	15.7	7/19/2006 10:41	66.8	69	71.9
7/19/2006 9:34	9.9	12	14.2	7/19/2006 10:42	64.1	68.3	71.8
7/19/2006 9:35	9.9	11.6	14.1	7/19/2006 10:43	66	68.9	75.3
7/19/2006 9:36	10.4	19.9	34	7/19/2006 10:44	66.4	69.1	71.7
7/19/2006 9:37	9.3	12.1	16.5	7/19/2006 10:45	67	68.2	69.7
7/19/2006 9:38	9.3	17.5	37.1	7/19/2006 10:46	67.1	69.5	71.5
7/19/2006 9:39	10.3	11.7	15.5	7/19/2006 10:47	67.1	68.8	74.4
7/19/2006 9:40	10.7	11.8	14.2	7/19/2006 10:48	65.2	68	74.4
7/19/2006 9:41	10.4	11.3	13.5	7/19/2006 10:49	64.9	68.8	86.2
7/19/2006 9:42	10.6	14.7	25.3	7/19/2006 10:50	64.8	70.7	86.2
7/19/2006 9:43	8.3	11	16.4	7/19/2006 10:51	72.5	95.2	122.2
7/19/2006 9:44	8.5	10.7	12.3	7/19/2006 10:52	63.2	68.8	81.2

7/19/2006 9:45	12	34.6	125.4	7/19/2006 10:53	62.2	74	125.5
7/19/2006 9:46	8.5	13.5	18.6	7/19/2006 10:54	62	66.8	81.3
7/19/2006 9:47	8.5	12	14.3	7/19/2006 10:55	62.9	66.6	74
7/19/2006 9:48	9.6	11.1	13.7	7/19/2006 10:56	61.7	63.8	67.7
7/19/2006 9:49	9.8	12.2	23	7/19/2006 10:57	62.4	64.1	67.7
7/19/2006 9:50	9.3	12.4	23	7/19/2006 10:58	55.2	62.9	67.6
7/19/2006 9:51	8.5	9.7	12.1	7/19/2006 10:59	62.7	103.8	412.7
7/19/2006 9:52	8.6	10.4	12	7/19/2006 11:00	74.8	154	412.7
7/19/2006 9:53	7.8	9.2	12.6	7/19/2006 11:01	62.9	66.5	77.8
7/19/2006 9:54	7.4	9.7	11.3	7/19/2006 11:02	62.9	66.2	68.3
7/19/2006 9:55	7.4	10.9	19.4	7/19/2006 11:03	63.5	65.7	67.5
7/19/2006 9:56	8.7	11.5	19.4	7/19/2006 11:04	62.6	65.2	72.5
7/19/2006 9:57	8.2	9.8	11.9	7/19/2006 11:05	63.2	68.6	75.8
7/19/2006 9:58	8.2	13.3	25.5	7/19/2006 11:06	61.3	64.3	67.8
7/19/2006 9:59	9	12.1	16.4	7/19/2006 11:07	62	63	65.9
7/19/2006 10:00	8.9	11.7	15.8	7/19/2006 11:08	62.1	64	66.5
7/19/2006 10:01	7.4	19.4	69	7/19/2006 11:09	61.4	63.6	67.3
7/19/2006 10:02	7.2	8.5	9.9	7/19/2006 11:10	61.4	90.9	149.3
7/19/2006 10:03	7.2	9	10.2	7/19/2006 11:11	63	72.4	94
7/19/2006 10:04	7.7	9.3	11.2	7/19/2006 11:12	62	163.5	654.8
7/19/2006 10:05	7.5	11.7	20.5	7/19/2006 11:13	62.2	721	3140.8
7/19/2006 10:06	8.2	10.8	14.7	7/19/2006 11:14	62.2	65.8	76.5
7/19/2006 10:07	7.6	11.2	15.3	7/19/2006 11:15	60.5	109.1	271.4
7/19/2006 10:08	8.3	10.3	11.8	7/19/2006 11:16	63.8	87.8	170.2
7/19/2006 10:09	7.4	10.3	12.6	7/19/2006 11:17	62.1	94.7	170.2
7/19/2006 10:10	8.4	11.8	21	7/19/2006 11:18	61.6	64.8	69.3
7/19/2006 10:11	9.3	21.5	38.1	7/19/2006 11:19	62.9	65.9	69.7
7/19/2006 10:12	9.3	18.9	38.2	7/19/2006 11:20	62.9	75.3	122.1
7/19/2006 10:13	9	12.2	26.4	7/19/2006 11:21	64.1	82.8	149.1
7/19/2006 10:14	6.9	8.9	10.6	7/19/2006 11:22	62.1	78.8	95.8
7/19/2006 10:15	7	9.5	15.6	7/19/2006 11:23	62.1	64.4	66.6
7/19/2006 10:16	5.4	9	10.7	7/19/2006 11:24	61.4	64.9	71.2
7/19/2006 10:17	5.3	7.7	11.8	7/19/2006 11:25	61.4	64.9	67.6
7/19/2006 10:18	6.1	6.7	8.1	7/19/2006 11:26	61	68.2	88.2
7/19/2006 10:19	6	9	14	7/19/2006 11:27	61.5	64.9	77.3
7/19/2006 10:20	5.4	8.5	11.2	7/19/2006 11:28	61.4	64.9	77.3
7/19/2006 10:21	5.4	8.4	12.1	7/19/2006 11:29	61	64.9	69.5

7/19/2006 10:22	5.5	6.7	8.7	7/19/2006 11:30	60.8	64.4	70.8
7/19/2006 10:23	4	5.6	9.1	7/19/2006 11:31	61.5	63.7	67.9
7/19/2006 10:24	4.4	6.7	10	7/19/2006 11:32	61.1	66.7	77.3
7/19/2006 10:25	5.9	7.7	11.7	7/19/2006 11:33	62.3	78	117.6
7/19/2006 10:26	5.2	7.1	10.3	7/19/2006 11:34	60.9	63.9	73.7
7/19/2006 10:27	5.2	10.7	20.5	7/19/2006 11:35	66	72.6	79.6
7/19/2006 10:28	5.3	8.9	16.5	7/19/2006 11:36	59.7	66.9	81.6
7/19/2006 10:29	5.1	14.4	38.4	7/19/2006 11:37	59.7	61.4	63
7/19/2006 10:30	5.6	9.8	13.7	7/19/2006 11:38	62.5	66.4	76
7/19/2006 10:31	4.8	6.8	8.9	7/19/2006 11:39	61.3	69.1	87.6
7/19/2006 10:32	4.8	7.9	16.3	7/19/2006 11:40	58.5	61	68.7
7/19/2006 10:33	6	7.3	10.4	7/19/2006 11:41	59.1	64.9	78
7/19/2006 10:34	5.2	6.4	8.8	7/19/2006 11:42	59.2	77.6	94.8
7/19/2006 10:35	6.5	10.5	23.4	7/19/2006 11:43	58.7	62.9	68
7/19/2006 10:36	8.2	14.4	23.4	7/19/2006 11:44	58.2	61.6	73.6
7/19/2006 10:37	5.6	8.7	13.9	7/19/2006 11:45	58.1	67	73.6
7/19/2006 10:38	5.3	14.7	38.9	7/19/2006 11:46	59.5	61.6	64.8
7/19/2006 10:39	5.4	10.6	24.6	7/19/2006 11:47	57.8	60.4	64.3
7/19/2006 10:40	2.5	5.8	8.5	7/19/2006 11:48	60.2	73	118.3
7/19/2006 10:41	4.2	10.3	33.1	7/19/2006 11:49	59.8	64.9	70.3
7/19/2006 10:42	3.3	6.7	9.6	7/19/2006 11:50	57.2	59.9	62.1
7/19/2006 10:43	4.3	6.5	10.8	7/19/2006 11:51	57.1	59.9	63.5
7/19/2006 10:44	5	6.7	15.3	7/19/2006 11:52	57.6	62.6	67.5
7/19/2006 10:45	3.5	7.3	15.3	7/19/2006 11:53	58.3	62.2	64.9
7/19/2006 10:46	3.5	6.8	9.2	7/19/2006 11:54	60.7	73.5	92.7
7/19/2006 10:47	4.6	10.9	29.8	7/19/2006 11:55	58.2	61.7	64.7
7/19/2006 10:48	2.3	6.9	13.8	7/19/2006 11:56	58.4	61	63
7/19/2006 10:49	7.8	208.4	2933.8	7/19/2006 11:57	58.8	60.6	64.6
7/19/2006 10:50	34.3	386.8	2933.8	7/19/2006 11:58	59.2	60.5	65.8
7/19/2006 10:51	2.7	20.5	46.3	7/19/2006 11:59	57.3	60	65.8
7/19/2006 10:52	1.9	5.5	18.9	7/19/2006 12:00	58.1	59.9	63.7
7/19/2006 10:53	1.1	4.1	7.1	7/19/2006 12:01	58	59.7	61
7/19/2006 10:54	1.1	2.9	4.9	7/19/2006 12:02	59.2	59.5	60.4
7/19/2006 10:55	1.3	3	6.5	7/19/2006 12:03	58.5	59.2	60.5
7/19/2006 10:56	0.4	4.1	8.8	7/19/2006 12:04	58.5	60	63.2
7/19/2006 10:57	0.4	5.1	13.3	7/19/2006 12:05	58.1	60	63.2
7/19/2006 10:58	0.8	3.4	7.3	7/19/2006 12:06	59.2	74.2	84.3

7/19/2006 10:59	4	2317.5	6883.3		7/19/2006 12:07	57.6	67	81.2
7/19/2006 11:00	1.7	13.7	49.1		7/19/2006 12:08	58.5	60.1	62.3
7/19/2006 11:01	1.3	4.3	6.5		7/19/2006 12:09	58.3	61	64.3
7/19/2006 11:02	1.1	3.8	9.2		7/19/2006 12:10	58.8	65.6	74.7
7/19/2006 11:03	3	383.4	1123.7		7/19/2006 12:11	58.4	61.9	64.6
7/19/2006 11:04	2.9	55.6	354.7		7/19/2006 12:12	57.7	64.3	88.3
7/19/2006 11:05	2	3	5.3		7/19/2006 12:13	57.5	60	71.7
7/19/2006 11:06	1.2	5.4	11.2		7/19/2006 12:14	58.3	61	71.7
7/19/2006 11:07	1.2	4.2	9.7		7/19/2006 12:15	58.2	66	148.4
7/19/2006 11:08	0.6	4.2	9.1		7/19/2006 12:16	60.4	97.3	156
7/19/2006 11:09	1.4	15.1	51.7		7/19/2006 12:17	58.7	61	65.9
7/19/2006 11:10	2.2	5.1	11		7/19/2006 12:18	59	63.4	67
7/19/2006 11:11	0.4	5.3	17.6		7/19/2006 12:19	61.3	63	67
7/19/2006 11:12	6.6	3352.4	8132.3		7/19/2006 12:20	61.7	69.2	80.8
7/19/2006 11:13	1.6	149.5	885.3		7/19/2006 12:21	58.8	64	76.5
7/19/2006 11:14	1.2	4.9	10.3		7/19/2006 12:22	58.4	60.3	65.6
7/19/2006 11:15	2.3	10.5	31.8		7/19/2006 12:23	59.7	64.4	73.8
7/19/2006 11:16	3.3	22.3	59.2		7/19/2006 12:24	59.7	61.7	67.2
7/19/2006 11:17	1.5	4.3	7.8		7/19/2006 12:25	58.7	66.3	95.2
7/19/2006 11:18	0.8	3.3	7.4		7/19/2006 12:32	76.3	86.1	105.7
7/19/2006 11:19	2.4	5.7	10.8		7/19/2006 12:33	74.2	99.2	128.2
7/19/2006 11:20	2.4	8.1	17.1		7/19/2006 12:34	74.4	84	107.9
7/19/2006 11:21	2	3.9	7.2		7/19/2006 12:35	72.7	91.6	156.9
7/19/2006 11:22	1.3	4.6	9.9		7/19/2006 12:36	72.3	74.2	79
7/19/2006 11:23	0	4	12.1		7/19/2006 12:37	70.8	72.6	76
7/19/2006 11:24	2.7	53.3	253		7/19/2006 12:38	71.2	118.4	202.2
7/19/2006 11:25	3.2	7.2	24.3		7/19/2006 12:39	76.2	87.4	173.7
7/19/2006 11:26	2.3	7.7	24.3		7/19/2006 12:40	70.4	74.1	77.3
7/19/2006 11:27	2.4	4.6	21.8		7/19/2006 12:41	70.4	72.1	74
7/19/2006 11:28	6.2	15	43.3		7/19/2006 12:42	69.8	71.2	73.8
7/19/2006 11:29	1.3	3.3	6.8		7/19/2006 12:43	69.8	72.8	76
7/19/2006 11:30	0	2.6	4.3		7/19/2006 12:44	68.7	72.6	76
7/19/2006 11:31	0.6	3.8	7.4		7/19/2006 12:45	70.7	74.3	79.7
7/19/2006 11:32	0.6	2.4	3.2		7/19/2006 12:46	70.8	75.4	91.7
7/19/2006 11:33	1.1	3.4	8.3		7/19/2006 12:47	71.1	72.6	74.6
7/19/2006 11:34	0.5	2.4	3.8		7/19/2006 12:48	71.4	76	81.3
7/19/2006 11:35	0.3	3	6.1		7/19/2006 12:49	70.9	76	85.9

7/19/2006 11:36	4.9	19.5	52.9	7/19/2006 12:50	66.8	72.5	77.2
7/19/2006 11:37	3.5	9.3	27.1	7/19/2006 12:51	70.3	73	75.8
7/19/2006 11:38	0	4.2	10.7	7/19/2006 12:52	72.7	75.3	83.6
7/19/2006 11:39	0	7.2	27.3	7/19/2006 12:53	72.1	75.8	82.4
7/19/2006 11:40	17.6	21.7	27.3	7/19/2006 12:54	73	79.1	94.8
7/19/2006 11:41	4.8	18.4	48.3	7/19/2006 12:55	71.3	74.1	76.7
7/19/2006 11:42	0	3	7.4	7/19/2006 12:56	72.3	78.9	85.7
7/19/2006 11:43	0.6	52.1	222.2	7/19/2006 12:57	72.1	73.5	76.1
7/19/2006 11:44	2.3	4.2	9.3	7/19/2006 12:58	71.6	75.2	78.8
7/19/2006 11:45	2.3	35.7	114.8	7/19/2006 12:59	72.4	86	131.6
7/19/2006 11:46	0	4.7	25.3	7/19/2006 13:00	71.9	73.8	76.6
7/19/2006 11:47	0	3	6.9	7/19/2006 13:01	72.1	73.4	76.8
7/19/2006 11:48	0.4	2.2	3.8	7/19/2006 13:02	72.1	77.1	86.6
7/19/2006 11:49	0.2	2.8	5.3	7/19/2006 13:03	72.6	74	81.3
7/19/2006 11:50	2	2.9	4.2	7/19/2006 13:04	73	75.2	78.6
7/19/2006 11:51	0.4	1.5	2.8	7/19/2006 13:05	72.7	75.6	77.7
7/19/2006 11:52	0.4	3.1	5.4	7/19/2006 13:06	72.3	73.4	76.9
7/19/2006 11:53	0	2.7	6.7	7/19/2006 13:07	72.6	74.7	78
7/19/2006 11:54	0	3.6	9.7	7/19/2006 13:08	72.5	76.1	82.4
7/19/2006 11:55	0	2.1	4.7	7/19/2006 13:09	72.5	76.2	79.4
7/19/2006 11:56	2.4	101.6	212.5	7/19/2006 13:10	72.8	77.7	93
7/19/2006 11:57	0	4.6	10.1	7/19/2006 13:11	73	76.9	88.8
7/19/2006 11:58	0	646.8	3141.7	7/19/2006 13:12	73.5	76	80
7/19/2006 11:59	2.9	43.5	322.1	7/19/2006 13:13	72.8	76.5	83
7/19/2006 12:00	5	21.1	55.2	7/19/2006 13:14	73.6	75.9	77.6
7/19/2006 12:01	6.7	13.6	28.7	7/19/2006 13:15	73.9	75.5	77.2
7/19/2006 12:02	4.9	13	23.2	7/19/2006 13:16	72.7	74.1	76.5
7/19/2006 12:03	4.9	24.1	40.3	7/19/2006 13:17	73.6	79	82.5
7/19/2006 12:04	5.3	16.2	40.3	7/19/2006 13:18	72.5	75.5	78.7
7/19/2006 12:05	3	7.8	16.2	7/19/2006 13:19	72.5	76	78.7
7/19/2006 12:06	0	5.5	14.2	7/19/2006 13:20	73	75.2	78.8
7/19/2006 12:07	0	8.4	46.3	7/19/2006 13:21	71.4	76.1	82.4
7/19/2006 12:08	2.9	15.7	46.3	7/19/2006 13:22	70.4	81.3	98.3
7/19/2006 12:09	0	14.9	40.6	7/19/2006 13:23	98.3	122.1	170.5
7/19/2006 12:10	1.6	3.5	10.2	7/19/2006 13:24	77.5	102.2	122.5
7/19/2006 12:11	0.8	2.3	3.4	7/19/2006 13:25	72.6	79.9	111
7/19/2006 12:12	0.3	14.2	56.8	7/19/2006 13:26	70.3	78.1	91

7/19/2006 12:13	1.5	5.9	11.2	7/19/2006 13:27	75.8	89.7	109.9
7/19/2006 12:14	0	2.2	6.6	7/19/2006 13:28	72.9	86.3	116.4
7/19/2006 12:15	0	2.9	6.8	7/19/2006 13:29	116.4	241.9	570.6
7/19/2006 12:16	0	2.1	5.8	7/19/2006 13:30	112.6	298.8	658.8
7/19/2006 12:17	0.5	3.2	5.2	7/19/2006 13:31	76.6	150.4	317
7/19/2006 12:18	0	4.5	17.9	7/19/2006 13:32	73.3	118.4	167.5
7/19/2006 12:19	0	1.6	3.7	7/19/2006 13:33	72.5	88.9	116
7/19/2006 12:20	0	1	4.7	7/19/2006 13:34	73.8	77.2	85.7
7/19/2006 12:21	0	1	2.7	7/19/2006 13:35	72.6	76.4	85.7
7/19/2006 12:22	0	0.6	2.2	7/19/2006 13:36	71.4	74.2	79.5
7/19/2006 12:23	0.1	1.4	3.5	7/19/2006 13:37	71.5	73.3	79.5
7/19/2006 12:24	0	2.1	4.8	7/19/2006 13:38	71.1	76.9	87.9
7/19/2006 12:25	0	3.2	13	7/19/2006 13:39	70	72.1	74.5
7/19/2006 12:26	3	16.1	42.9	7/19/2006 13:40	71.8	74	76.1
7/19/2006 12:27	0	2.2	4.7	7/19/2006 13:41	72.8	93.1	179.2
7/19/2006 12:28	0.3	5.6	56.1	7/19/2006 13:42	72.8	176.5	460.7
7/19/2006 12:29	1.9	12.6	56.1	7/19/2006 13:43	72.9	107.8	163.2
7/19/2006 12:30	1.3	5.1	10.9	7/19/2006 13:44	76.5	110.2	156.4
7/19/2006 12:31	0	2	9.6	7/19/2006 13:45	75	83	100.8
7/19/2006 12:32	0	1.5	5.9	7/19/2006 13:46	75	89.9	131.4
7/19/2006 12:33	0	1.7	5	7/19/2006 13:47	71.9	80.4	131.4
7/19/2006 12:34	0	5.1	16.2	7/19/2006 13:48	75.4	79.6	87.1
7/19/2006 12:35	2.3	16.3	66.4	7/19/2006 13:49	75.9	85.4	106.2
7/19/2006 12:36	4.8	27.5	66.4	7/19/2006 13:50	71.5	107.2	160.3
7/19/2006 12:37	0	4.2	12.6	7/19/2006 13:51	74.5	104.6	157
7/19/2006 12:38	0.5	3	9.2	7/19/2006 13:52	72.8	89.5	133.4
7/19/2006 12:39	0	4	11.5	7/19/2006 13:53	78.5	87.4	133.4
7/19/2006 12:40	1.1	4.2	11.5	7/19/2006 13:54	78.6	100.8	129.3
7/19/2006 12:41	0	2.5	5.1	7/19/2006 13:55	73	80.5	129.3
7/19/2006 12:42	0	0.8	2.4	7/19/2006 13:56	72.8	76.2	86.4
7/19/2006 12:43	0	1.1	2.9	7/19/2006 13:57	72	79.1	102.5
7/19/2006 12:44	0	1.4	2.6	7/19/2006 13:58	76	85.4	93.8
7/19/2006 12:45	0	6.2	30.8	7/19/2006 13:59	75.2	79.4	91
7/19/2006 12:46	12.3	24.8	38.3	7/19/2006 14:00	78.6	231.8	554.3
7/19/2006 12:47	0	6.7	25	7/19/2006 14:01	75.8	119.6	241.4
7/19/2006 12:48	1.1	3.9	12.2	7/19/2006 14:02	76.2	147.4	234.6
7/19/2006 12:49	0.5	12.2	45.3	7/19/2006 14:03	72.7	77.9	103.7

7/19/2006 12:50	2.3	10.7	30.9	7/19/2006 14:04	72.3	73.9	75.5
7/19/2006 12:51	1.5	25.3	55.2	7/19/2006 14:05	72.3	76	82.5
7/19/2006 12:52	1.5	33.4	230	7/19/2006 14:06	73.3	76	79.5
7/19/2006 12:53	4	197.9	466.2	7/19/2006 14:07	72.8	77.9	88.6
7/19/2006 12:54	2.1	9.4	18.3	7/19/2006 14:08	71.4	78	87
7/19/2006 12:55	0.3	2.5	5.2	7/19/2006 14:09	76.1	82.5	101.7
7/19/2006 12:56	0	2	4.5	7/19/2006 14:10	74.6	79.9	86.7
7/19/2006 12:57	1.5	7.8	21	7/19/2006 14:11	76.3	88.7	102.9
7/19/2006 12:58	2.7	22	41.5	7/19/2006 14:12	77.6	113	163.2
7/19/2006 12:59	1.5	4.2	11.6	7/19/2006 14:13	71.8	93.9	158.8
7/19/2006 13:00	0.7	2.4	5.5	7/19/2006 14:14	71.3	75.1	79.3
7/19/2006 13:01	0	1.7	3.7	7/19/2006 14:15	75.2	80.8	91.4
7/19/2006 13:02	0	2.5	7.2	7/19/2006 14:16	75.5	84.9	102.3
7/19/2006 13:03	0.5	4.5	9.5	7/19/2006 14:17	73.8	81.6	89.8
7/19/2006 13:04	0	2.2	7.2	7/19/2006 14:18	74.2	153.8	405.1
7/19/2006 13:05	0	2.5	4.6	7/19/2006 14:19	79.3	325	984.2
7/19/2006 13:06	0	1.9	3.9	7/19/2006 14:20	79.3	264.8	588.8
7/19/2006 13:07	2	3.6	5.3	7/19/2006 14:21	75.3	113.8	218.1
7/19/2006 13:08	0	0.9	3	7/19/2006 14:22	73.9	76.2	77.7
7/19/2006 13:09	0	0.6	2.4	7/19/2006 14:23	76.1	83.2	111.3
7/19/2006 13:10	0	24.8	82.4	7/19/2006 14:24	72.4	85.5	121.8
7/19/2006 13:11	3.9	23.4	104	7/19/2006 14:25	83.5	136.2	244
7/19/2006 13:12	2.8	8.5	14.4	7/19/2006 14:26	75.8	82.9	94
7/19/2006 13:13	2	4.2	17.2	7/19/2006 14:27	75.4	97.2	130
7/19/2006 13:14	0.3	9.4	21.1	7/19/2006 14:28	80.6	102.4	132.7
7/19/2006 13:15	0	4.3	11.6	7/19/2006 14:29	78.2	105.4	170.3
7/19/2006 13:16	4.8	10.6	14.9	7/19/2006 14:30	75.9	112	176.6
7/19/2006 13:17	1.6	3.9	7.2	7/19/2006 14:31	73.2	75.8	78.6
7/19/2006 13:18	1.1	5.2	10.9	7/19/2006 14:32	75.1	99.8	242.1
7/19/2006 13:19	3	24.2	32.4	7/19/2006 14:33	113.7	167.8	242.1
7/19/2006 13:20	1.5	12.7	29.2	7/19/2006 14:34	73.7	113.3	227.7
7/19/2006 13:21	3.5	11	19.2	7/19/2006 14:35	76	101.5	154.1
7/19/2006 13:22	0.4	4.3	8.8	7/19/2006 14:36	76.7	79	83.6
7/19/2006 13:23	2.2	3.3	8.2	7/19/2006 14:37	76.3	101.4	200.3
7/19/2006 13:24	0.4	5.3	20.6	7/19/2006 14:38	74.6	76.9	104.4
7/19/2006 13:25	2.3	13.2	26.5	7/19/2006 14:39	77.7	80.8	87.1
7/19/2006 13:26	2.4	32.7	134	7/19/2006 14:40	80.6	106.9	161.3

7/19/2006 13:27	0	7.2	41.6	7/19/2006 14:41	76.3	85	93.9
7/19/2006 13:28	1.2	34.1	158.4	7/19/2006 14:42	77.1	80.3	83.5
7/19/2006 13:29	0	5.2	24.7	7/19/2006 14:43	79.3	91.4	109
7/19/2006 13:30	0	2.3	5.6	7/19/2006 14:44	77.1	84.2	99.3
7/19/2006 13:31	0	2	4.2	7/19/2006 14:45	77.2	81.7	99.3
7/19/2006 13:32	0.3	2.3	4.7	7/19/2006 14:46	75.9	77.3	78.4
7/19/2006 13:33	0.6	4.1	7.9	7/19/2006 14:47	76.1	77.7	79.2
7/19/2006 13:34	0	1.4	3.4	7/19/2006 14:48	77.6	101.7	140.7
7/19/2006 13:35	0	1.6	4.1	7/19/2006 14:49	80.6	92.7	140.7
7/19/2006 13:36	1.7	4.2	11.2	7/19/2006 14:50	80.6	144.2	218.7
7/19/2006 13:37	5.5	21.8	54.4	7/19/2006 14:51	82	96.3	113.3
7/19/2006 13:38	0	5.5	14	7/19/2006 14:52	77.7	80.3	82.1
7/19/2006 13:39	0	3.4	6.9	7/19/2006 14:53	78.1	87.3	96.1
7/19/2006 13:40	0	35.6	103	7/19/2006 14:54	75.9	94.3	108.9
7/19/2006 13:41	3.7	65.6	156	7/19/2006 14:55	78.8	87.2	101.6
7/19/2006 13:42	1.2	43	189.4	7/19/2006 14:56	78.8	170.9	320.9
7/19/2006 13:43	3.2	43.6	189.4	7/19/2006 14:57	94.6	123	177.8
7/19/2006 13:44	1.3	7.8	18.9	7/19/2006 14:58	78	84.8	102.5
7/19/2006 13:45	0.6	5	18.9	7/19/2006 14:59	79.5	124.1	174.6
7/19/2006 13:46	0	2.4	4.5	7/19/2006 15:00	100.8	189.9	323.4
7/19/2006 13:47	0	6.2	15.8	7/19/2006 15:01	77.4	94.2	136.6
7/19/2006 13:48	3	5.6	6.8	7/19/2006 15:02	76.9	80.4	106.3
7/19/2006 13:49	0.5	86	776.7	7/19/2006 15:03	77.5	84.1	106.5
7/19/2006 13:50	1.6	96.6	776.7	7/19/2006 15:04	79.1	82.3	89.6
7/19/2006 13:51	1.3	5.3	28.3	7/19/2006 15:05	77.6	81.6	95.4
7/19/2006 13:52	28.3	2310.8	6899.3	7/19/2006 15:06	76.6	78	80.6
7/19/2006 13:53	2.2	53.5	163.2	7/19/2006 15:07	76.8	79.3	83.7
7/19/2006 13:54	2.1	5.6	10.6	7/19/2006 15:08	76.8	79.7	82.5
7/19/2006 13:55	0.6	2.4	4.7	7/19/2006 15:09	80.7	83.9	87.4
7/19/2006 13:56	1.3	4.2	11	7/19/2006 15:10	78.1	83.6	96.6
7/19/2006 13:57	1.6	5.2	17.4	7/19/2006 15:11	81.4	103.6	145
7/19/2006 13:58	0.9	3.8	8.3	7/19/2006 15:12	78.6	106.1	211.4
7/19/2006 13:59	2.3	4	8.3	7/19/2006 15:13	77.9	81.1	84.1
7/19/2006 14:00	2.4	88.1	232.5	7/19/2006 15:14	77.1	81.2	88.2
7/19/2006 14:01	4.5	17.8	37.7	7/19/2006 15:15	76.8	79.9	82.1
7/19/2006 14:02	6.5	19.9	63.4	7/19/2006 15:16	78.2	90.3	101.1
7/19/2006 14:03	6.5	32.7	73.8	7/19/2006 15:17	78.3	86	104.4

7/19/2006 14:04	0	2.8	6.5
7/19/2006 14:05	0	3.9	6
7/19/2006 14:06	0	1.9	9.1
7/19/2006 14:07	0	2.3	9.1
7/19/2006 14:08	0.2	2.7	6.2
7/19/2006 14:09	0	2	6.2
7/19/2006 14:10	0	3.7	11.4
7/19/2006 14:11	0	164	2060.7
7/19/2006 14:12	0.8	324.1	2060.7
7/19/2006 14:13	3.2	28.8	60.3
7/19/2006 14:14	0	19.8	57.5
7/19/2006 14:15	0	3.7	16.3
7/19/2006 14:16	0.7	4.9	11.5
7/19/2006 14:17	0	3	5.6
7/19/2006 14:18	3.2	367.6	1339.3
7/19/2006 14:19	1.4	27.7	209.9
7/19/2006 14:20	1.6	249.8	493.1
7/19/2006 14:21	2.6	16.8	58.6
7/19/2006 14:22	1.2	11.7	19.1
7/19/2006 14:23	0	3.6	8.9
7/19/2006 14:24	0.3	580.8	3376.1
7/19/2006 14:25	1.5	68.2	227.7
7/19/2006 14:26	0.5	92	1348
7/19/2006 14:27	3.5	167.8	1348
7/19/2006 14:28	1.8	3.4	5
7/19/2006 14:29	2	3.3	5.1
7/19/2006 14:30	2.3	7.8	16.7
7/19/2006 14:31	1.3	3.7	6.5
7/19/2006 14:32	2.2	11.8	39.4
7/19/2006 14:33	0	2.6	4.1
7/19/2006 14:34	0.6	214.7	1230.3
7/19/2006 14:35	0.7	22.6	117.8
7/19/2006 14:36	0	2.3	6.1
7/19/2006 14:37	0.2	2.2	6.2
7/19/2006 14:38	1.3	5.5	11.6
7/19/2006 14:39	1.1	1804.1	7717.3
7/19/2006 14:40	2.2	973	7717.3

7/19/2006 14:41	0.5	1.6	3.9
7/19/2006 14:42	1.7	133.6	589.2
7/19/2006 14:43	0	2.6	9.6
7/19/2006 14:44	0.1	10.4	35.7
7/19/2006 14:45	0	5	15
7/19/2006 14:46	0	2.5	7.2
7/19/2006 14:47	1.6	53.8	308.4
7/19/2006 14:48	0	33.7	308.4
7/19/2006 14:49	0	3.2	8.4
7/19/2006 14:50	0	50.7	273.6
7/19/2006 14:51	0	4.8	28.2
7/19/2006 14:52	0.2	3.9	10.5
7/19/2006 14:53	0	9.5	32.7
7/19/2006 14:54	0.1	2.5	6.4
7/19/2006 14:55	3.1	1996.8	5888.3
7/19/2006 14:56	17.4	141	408.2
7/19/2006 14:57	6.4	24.6	81.4
7/19/2006 14:58	0.4	25.9	90.4
7/19/2006 14:59	2.7	6.4	18.9
7/19/2006 15:00	1.4	28.6	76.2
7/19/2006 15:01	1.6	2.5	3.8
7/19/2006 15:02	0.6	2.2	3.7
7/19/2006 15:03	0	4.9	19
7/19/2006 15:04	0	1.1	3.9
7/19/2006 15:05	0	0.8	1.9
7/19/2006 15:06	0	5.8	22.2
7/19/2006 15:07	0	2.4	5.7
7/19/2006 15:08	0	0.2	2.3
7/19/2006 15:09	0	0.8	1.9
7/19/2006 15:10	0	2.5	4.8
7/19/2006 15:11	0	1	3.3
7/19/2006 15:12	0	2	6
7/19/2006 15:13	0	1.1	4.5
7/19/2006 15:14	0	1.5	3.1
7/19/2006 15:15	0	1.3	5.7
7/19/2006 15:16	0	1	6.1
7/19/2006 15:17	0	5.9	11

7/19/2006 15:18	0	0.7	2.1
7/19/2006 15:19	0	0.3	2.1
7/19/2006 15:20	0	1.2	4.1
7/19/2006 15:21	0	2.1	6.3
7/19/2006 15:22	0	0.1	0.8
7/19/2006 15:23	0	0.3	0.8
7/19/2006 15:24	0	0.4	3.6
7/19/2006 15:25	0	1.1	4
7/19/2006 15:26	0	21.8	304.6



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample

Feet

1401 Erie Boulevard East

Syracuse, New York 132

Ph (315) 478-2374 Fax (315) 478-2107

Sampler: WATKIN

Date: 8/2/06 Activity: Setting wells

Client: ADLER PROMISE LLC

Weather Conditions: HOT/HUMID/WINDY/DRY N.W.

Upwind Location: CAR-NEAR TRAILOR

Downwind Location: W. END, PIECE OF FOUNDATION

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
8:37	56.3	54.1	3 active drill sites, 3 rigs w/ H ₂ O (in case of alarm) ON SITE: 745
9:15	43.7	46.2	traffic: 2 drill rigs, 1 loader, no visible dust ONLY 2 SITES (D3-smallest and B1-nearest to trailer) are ACTIVE. DILLING IS BEING <u>CEASING</u> NEGLIGIBLE DUST (NONE VISIBLE) LOADER DELIVERING PIPES IS ALSO PRODUCING MINIMAL DUST
10:00	41.2	40.2	Setting #2 wells / hour
11:10	39.2	38.2	
12:10	39.7	38.2	DRILL CREW ON LUNCH
13:10	40.4	38.5	
14:10	40.9	39.1	THREAT OF T-STORM, covering monitors T-STORM @ 2:30 (14:30), wind direction changing RAPIDLY UNPREDICTABLY T-STORM CONTINUES
15:10	11.1	5.4	WORK CALLED @ 15:15
16:10			
17:10			
18:10			



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler:

Date:

Activity: setting wells @

B1 @ trial

Weather Conditions:

Hot / Humid / Wind From NW

PID Calibrated by: MPETIT

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
9:00	Wd Rd @ B1	0.0	E of Rd @ B1	0.0	drilling initiated
10:05	↓	0.0	↓	0.0	2 wells in
11:05	↓	0.0	↓	0.0	3 wells in
12:05	↓	0.0	↓	0.0	3 wells in (bench)
13:05	↓	0.0	↓	0.0	4 wells in
14:05	↓	0.0	↓	0.0	5 wells in - TSTORM @ 14:30, wind direction changing rapidly + upped safety
15:05	↓	0.0	↓	0.0	TSTORM HAS PASSED, lightning continues, samples taken from further away @ 50 ft
					work called @ 15:15



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: MATPENT

Date: 8/2/06

Activity: setting wells @ D3 (small)


Weather Conditions:

HOT / HUMID / WIND FROM N.W.

PID Calibrated by: MATPENT

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
9 ⁰⁵	w d rig @ D3	0.0	E of rig @ D3	0.0	drilling initiated
10 ⁰⁰	↓	0.0	↓	0.0	1 well in
11 ⁰⁰	↓	0.0	↓	0.0	2 wells in
12 ⁰⁰	↓	0.0	↓	0.0	3 wells in (clench)
13 ⁰⁰	↓	0.0	↓	0.0	4 wells in
14 ⁰⁰	↓	0.0	↓	0.0	4 wells in T-STORM @ 1430 wind direction changing rapidly & unpredictably
15 ⁰⁰	↓	0.0	↓	0.0	T-STORM PPT passed, lightning continues samples taken from ~50 ft away work called @ 15:15

Aug 2 2006 Pioneer Midler LLC Particulate Sampling



UPWIND

DataRAM

Tag Number 1

Number of logged points..... 83

Start time (hr:min:sec day/mon/yr)... 08:26:56 02-Aug-06

Elapsed time (hr:min:sec)..... 06:55:00

Averaging Time (sec)..... 10

Logging period (hr:min:sec)..... 00:05:00

CalFactor (%)..... 100

StelConc (ug/m3)..... 0.0

STEL occurrence after start (hr:min:sec)..... 00:00:00

Overall AvgConc (ug/m3)..... 40.6

Overall MaxConc (ug/m3)..... 220.1 at Point#...71

Overall MinConc (ug/m3)..... 7.8 at Point#...78
ug/m3

Point Label	"Min"	"Avg"	"Max"
8/2/2006 8:31	18.4	58.7	62.5
8/2/2006 8:36	49.7	53.9	65
8/2/2006 8:41	46.5	50	60.8
8/2/2006 8:46	43	45.5	49.8
8/2/2006 8:51	41	43.6	47.1
8/2/2006 8:56	37.1	41.5	51.3
8/2/2006 9:01	36.9	39.1	42.3
8/2/2006 9:06	36.1	38.8	51
8/2/2006 9:11	34.9	37.5	39.6
8/2/2006 9:16	35.9	38.8	44.8
8/2/2006 9:21	35.2	37.1	40.7
8/2/2006 9:26	35.8	38.7	43.8
8/2/2006 9:31	35.5	39.2	44.8
8/2/2006 9:36	34.3	36.9	41.4
8/2/2006 9:41	34.2	37.3	43.7
8/2/2006 9:46	33.9	36.3	40.3
8/2/2006 9:51	34.2	35.3	38.9
8/2/2006 9:56	33.5	35.4	39.8
8/2/2006 10:01	33.4	35.5	38.1
8/2/2006 10:06	34.5	37.3	59.9
8/2/2006 10:11	33.4	36.9	44.3
8/2/2006 10:16	33.3	34.9	39.3
8/2/2006 10:21	33.2	35.4	39.3
8/2/2006 10:26	33.2	36	41.6
8/2/2006 10:31	34.3	37	42.2
8/2/2006 10:36	33.1	35.9	40.4
8/2/2006 10:41	33.6	36.5	42.4
8/2/2006 10:46	33.2	35.7	41.5
8/2/2006 10:51	34.4	36.2	38.4
8/2/2006 10:56	33	36.4	42.6
8/2/2006 11:01	32.2	34.4	38.4
8/2/2006 11:06	34.7	37.2	42.8
8/2/2006 11:11	34.8	36.6	39.3
8/2/2006 11:16	36.6	39.1	43.7
8/2/2006 11:21	38.3	40.8	44.3

DOWNWIND

DataRAM

Tag Number 1

Number of logged points.....

Start time (hr:min:sec day/m

Elapsed time (hr:min:sec).....

Averaging Time (sec).....

Logging period (hr:min:sec)..

CalFactor (%)..... 10

StelConc (ug/m3).....

STEL occurrence after start (

Overall AvgConc (ug/m3).....

Overall MaxConc (ug/m3).....

Overall MinConc (ug/m3).....
ug/m3

Point Label	"Min"
8/2/2016 8:37	51.2
8/2/2016 8:42	47.5
8/2/2016 8:47	42.8
8/2/2016 8:52	40.6
8/2/2016 8:57	37.4
8/2/2016 9:02	35.5
8/2/2016 9:07	32.5
8/2/2016 9:12	32.6
8/2/2016 9:17	31.7
8/2/2016 9:22	31.5
8/2/2016 9:27	29.5
8/2/2016 9:32	29.5
8/2/2016 9:37	28.1
8/2/2016 9:42	28.7
8/2/2016 9:47	27.8
8/2/2016 9:52	27.8
8/2/2016 9:57	27.5
8/2/2016 10:02	28.3
8/2/2016 10:07	27.8
8/2/2016 10:12	27.7
8/2/2016 10:17	27.2
8/2/2016 10:22	27.9
8/2/2016 10:27	27.1
8/2/2016 10:32	26.7
8/2/2016 10:37	28.5
8/2/2016 10:42	26.8
8/2/2016 10:47	25
8/2/2016 10:52	28.1
8/2/2016 10:57	26.1
8/2/2016 11:02	24.2
8/2/2016 11:07	27.1
8/2/2016 11:12	23.7
8/2/2016 11:17	31
8/2/2016 11:22	32
8/2/2016 11:27	31.3

8/2/2006 11:26	39	41.4	45.5
8/2/2006 11:31	40.1	43.4	47.5
8/2/2006 11:36	40.5	43.2	46.6
8/2/2006 11:41	40.9	42.8	45.4
8/2/2006 11:46	40.3	42.9	47.1
8/2/2006 11:51	40.6	42.6	44.7
8/2/2006 11:56	41.3	42.9	45.4
8/2/2006 12:01	39.8	42.5	45.4
8/2/2006 12:06	41.7	44	48.4
8/2/2006 12:11	42.2	44.3	48.7
8/2/2006 12:16	42	44.6	50
8/2/2006 12:21	41.7	44	48.1
8/2/2006 12:26	41	43.2	45.9
8/2/2006 12:31	40.2	43.1	47
8/2/2006 12:36	40.6	42.4	45.1
8/2/2006 12:41	40.4	42.4	44.6
8/2/2006 12:46	40.5	43.4	53.6
8/2/2006 12:51	39.7	43.6	47.8
8/2/2006 12:56	40.2	42.8	46
8/2/2006 13:01	36.1	39.8	43.8
8/2/2006 13:06	40.6	44	48.2
8/2/2006 13:11	37.6	41.8	48.2
8/2/2006 13:16	37.4	41.2	46.1
8/2/2006 13:21	40	43.2	46.5
8/2/2006 13:26	40.8	44.5	48.5
8/2/2006 13:31	42.2	45	49.9
8/2/2006 13:36	38.5	43.5	46.9
8/2/2006 13:41	43.7	45.9	48.4
8/2/2006 13:46	40.7	44.1	48
8/2/2006 13:51	40.3	44.2	49.1
8/2/2006 13:56	39.5	42.3	45.9
8/2/2006 14:01	40.9	44	48.8
8/2/2006 14:06	41.8	48.3	73.5
8/2/2006 14:11	38.2	45.2	89.6
8/2/2006 14:16	37.3	50.6	152.3
8/2/2006 14:21	39.4	53.6	220.1
8/2/2006 14:26	30.2	42.2	51.7
8/2/2006 14:31	18.2	33.5	168.1
8/2/2006 14:36	31	66.4	157.1
8/2/2006 14:41	17.8	30.8	51.6
8/2/2006 14:46	15.8	34.7	176.4
8/2/2006 14:51	11.5	15.4	23.8
8/2/2006 14:56	7.8	12.5	19.8
8/2/2006 15:01	15.8	25	35.4
8/2/2006 15:06	33.6	37.1	43.9
8/2/2006 15:11	37.1	45.1	53.4
8/2/2006 15:16	41.4	45.5	50.5
8/2/2006 15:21	35.4	40.8	48.9

8/2/2016 11:32	33
8/2/2016 11:37	34
8/2/2016 11:42	33.1
8/2/2016 11:47	32
8/2/2016 11:52	32
8/2/2016 11:57	32.3
8/2/2016 12:02	33.9
8/2/2016 12:07	33.9
8/2/2016 12:12	34.7
8/2/2016 12:17	35
8/2/2016 12:22	31.6
8/2/2016 12:27	32.9
8/2/2016 12:32	32.6
8/2/2016 12:37	33.1
8/2/2016 12:42	31.6
8/2/2016 12:47	33.2
8/2/2016 12:52	33.3
8/2/2016 12:57	32.4
8/2/2016 13:02	31
8/2/2016 13:07	33.1
8/2/2016 13:12	32.2
8/2/2016 13:17	32
8/2/2016 13:22	34.3
8/2/2016 13:27	36
8/2/2016 13:32	33.7
8/2/2016 13:37	34.1
8/2/2016 13:42	36
8/2/2016 13:47	35.1
8/2/2016 13:52	33.4
8/2/2016 13:57	33
8/2/2016 14:02	34.3
8/2/2016 14:07	31.1
8/2/2016 14:12	29.5
8/2/2016 14:17	26.2
8/2/2016 14:22	27.2
8/2/2016 14:27	12.5
8/2/2016 14:32	5.8
8/2/2016 14:37	24.6
8/2/2016 14:42	10.5
8/2/2016 14:47	7.1
8/2/2016 14:52	2.5
8/2/2016 14:57	1.5
8/2/2016 15:02	9.8
8/2/2016 15:07	21.3
8/2/2016 15:12	26.8
8/2/2016 15:17	26.9

.... 81
ion/yr)... 08:32:22 02-Aug-16
..... 06:45:00
.. 10
.... 00:05:00
00
0.0
(hr:min:sec)..... 00:00:00
..... 39.3
..... 1215.8 at Point#...75
.... 1.5 at Point#...77

"Avg"	"Max"
60.2	80.2
59.3	94.3
47.6	53.7
45.8	50.6
47.5	73.4
39.8	64.1
43	98.2
37.3	61.4
36.8	55.8
35.9	52.4
35.5	42.2
35.1	49.6
33.9	41.9
34.6	47.6
33.4	68.5
34.6	100.4
32	36.4
32.5	45.4
34.3	47.4
36.9	70.1
32	57.4
32.1	57.7
40.7	137.6
34	69.3
36.6	75.8
33.7	47
36	66
38.6	111
32	42.5
32.9	73.9
37.4	64.4
32.8	43
38.4	65.4
43.8	158.4
36.1	52.4

39	48.8
37.5	50.7
37.8	47.4
38	57.4
39.5	51.2
39.6	67.5
39.2	77.7
42.5	61.2
39.8	53.5
41.2	57.7
37.8	48.9
42.1	99.3
40.1	71.3
39.4	98.7
37.1	51.6
40.7	57
37.7	46.2
44.7	122
38.8	76.6
38.9	61.4
39.3	65.8
39.3	62.1
41.3	62.9
40.9	52.3
48.5	129.1
43.5	76.1
41.1	49.4
43.8	92.4
62	283.9
44.3	64.6
45	83.8
38.7	56.7
96.2	315.6
51.2	217.7
30.2	34.8
33.6	169.1
16	57.3
55.6	106.2
47.5	643.7
90.9	1215.8
5.2	13.5
5.5	12.8
18.3	24.5
26.5	37.3
29.9	33.5
29.9	38.2



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <u>Math Pettit</u>	Date: <u>8/3/06</u>	Activity: <u>setting wells D3 (small)</u> <u>for 15TD</u>
Weather Conditions: <u>warm, potential rain,</u> <u>wind from west, humid</u>		
PID Calibrated by: <u>Math Pettit</u>		

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ⁴⁰	East of Rig @ West D3	0.0	East of Rig @ D3	0.0	-
7 ⁴⁰	WEST OF RIG @ D3	0.0	EAST OF RIG @ D3	0.0	
8 ⁴⁰	↓	0.0	↓	0.0	
9 ⁴⁰	↓	0.0	↓	0.0	
10 ⁴⁰	↓	0.0	↓	0.0	
11 ⁴⁰	↓	0.0	↓	0.0	
12 ⁴⁰	↓	0.0	↓	0.0	
13 ⁴⁰	↓	0.0	↓	0.0	
14 ⁴⁰	↓	0.0	↓	0.0	
15 ⁵⁰	↓	0.0	↓	0.0	



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East

Syracuse, New York 13204

Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <i>Math Pottel</i>	Date: <i>8/8/00</i>	Activity: <i>Setting wells (B1) for 15TD</i>
Weather Conditions: <i>warm, potential rain, wind from west, humid</i>		
PID Calibrated by: <i>Math Pottel</i>		

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
<i>6³⁵</i>	<i>WEST OF RIG @ B1</i>	<i>0.0</i>	<i>EAST OF RIG @ D3</i>	<i>0.0</i>	<i>-</i>
<i>7³⁵</i>	<i>WEST OF RIG @ B1</i>	<i>0.0</i>	<i>EAST OF RIG @ D3</i>	<i>0.0</i>	<i>-</i>
<i>8³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>9³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>10³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>11³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>12³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>13³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>14³⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
<i>15⁴⁵</i>	<i>↓</i>	<i>0.0</i>	<i>↓</i>	<i>0.0</i>	
	<i>↓</i>		<i>↓</i>		



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample


Form

1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: WATER WADLER LLC Date: 8/3/06 Activity: setting wells, B1 + D3 Upwind Location: car @ tra 67
Client: WATER WADLER LLC Weather Conditions: windy, overcast, 40-60°F Downwind Location: freeway off of road

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
<u>6³⁰</u>	<u>30.4</u>	<u>29.0</u>	<u>on site @ 6⁰⁰, monitoring up @ 6³⁰</u>
<u>7³⁰</u>	<u>25.5</u>	<u>25.3</u>	<u>2 workers on site (4-dripping, 3-tetrafin, 1-GS)</u>
<u>8³⁰</u>	<u>22.9</u>	<u>23.0</u>	
<u>9³⁰</u>	<u>22.7</u>	<u>23.2</u>	
<u>10³⁰</u>	<u>21.8</u>	<u>22.1</u>	
<u>11³⁰</u>	<u>20.9</u>	<u>21.1</u>	<u>LUNCH</u>
<u>12³⁰</u>	<u>20.2</u>	<u>20.1</u>	
<u>13³⁰</u>	<u>19.2</u>	<u>18.9</u>	
<u>14³⁰</u>	<u>17.2</u>	<u>17.8</u>	
<u>15⁴⁰</u>	<u>17.1</u>	<u>16.8</u>	

Aug 3 2006 Pioneer Midler LLC Particulate Monitoring



UPWIND

DataRAM

Tag Number 1
 Number of logged points 120
 Start time (hr:min:sec day/mon/yr) ... 06:04:07 03-Aug-16
 Elapsed time (hr:min:sec) 10:00:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 17.1
 Overall MaxConc (ug/m3) 79.3 at Point#...67
 Overall MinConc (ug/m3) 4.6 at Point#...101
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/3/2016 6:09	24	29.5	53.3
8/3/2016 6:14	26	31.3	40.8
8/3/2016 6:19	26.8	31.5	44.2
8/3/2016 6:24	25.6	30.3	56.8
8/3/2016 6:29	23.6	29.4	48.7
8/3/2016 6:34	23.6	28.5	37.4
8/3/2016 6:39	21.1	26	37.5
8/3/2016 6:44	22.7	25.3	33.2
8/3/2016 6:49	20.3	24.3	40.1
8/3/2016 6:54	20.8	24.6	40.1
8/3/2016 6:59	21.4	24.3	31.5
8/3/2016 7:04	11.9	22.7	27.5
8/3/2016 7:09	20.9	23.8	27.9
8/3/2016 7:14	17.1	22.9	32.6
8/3/2016 7:19	18.8	21.8	25.2
8/3/2016 7:24	17.2	21.9	37.5
8/3/2016 7:29	18.6	20.7	25.4
8/3/2016 7:34	16.9	20.2	31.9
8/3/2016 7:39	16.5	20	25.5
8/3/2016 7:44	16.7	20.4	28.5

DOWNWIND

DataRAM

Tag Number 1
 Number of logged points 120
 Start time (hr:min:sec day/mon/yr) ... 06:09:24 03-Aug-06
 Elapsed time (hr:min:sec) 10:00:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 16.7
 Overall MaxConc (ug/m3) 127.5 at Point#...70
 Overall MinConc (ug/m3) 0.0 at Point#...1
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/3/2006 6:14	0	28.6	46
8/3/2006 6:19	26.2	30.1	40.1
8/3/2006 6:24	26.1	30	38
8/3/2006 6:29	26.3	29.7	36.6
8/3/2006 6:34	24.1	27.2	34
8/3/2006 6:39	23.3	25.8	28.5
8/3/2006 6:44	22.8	26.7	34.1
8/3/2006 6:49	21.4	25.2	31.5
8/3/2006 6:54	20.9	23.6	27.6
8/3/2006 6:59	21.7	25.1	34.7
8/3/2006 7:04	19.2	24.7	31.6
8/3/2006 7:09	21	24.6	30.2
8/3/2006 7:14	20.8	25	37.9
8/3/2006 7:19	20.9	23.5	33.2
8/3/2006 7:24	18.7	23.6	34.4
8/3/2006 7:29	17	21.2	29.6
8/3/2006 7:34	17.5	20.8	29.2
8/3/2006 7:39	17	20.9	29.1
8/3/2006 7:44	17.8	21.2	34.9
8/3/2006 7:49	14.9	19.3	24.6

8/3/2016 7:49	16.1	19	23.5	8/3/2006 7:54	16.8	20.3	28.5
8/3/2016 7:54	16.3	19.7	25.1	8/3/2006 7:59	17.4	20.4	26.1
8/3/2016 7:59	16.7	21.4	32.5	8/3/2006 8:04	17	21	27.4
8/3/2016 8:04	16.8	19.9	30.9	8/3/2006 8:09	16.6	21.6	35.1
8/3/2016 8:09	16.7	19.6	23.4	8/3/2006 8:14	17	19.8	24.9
8/3/2016 8:14	15.2	19.1	27.3	8/3/2006 8:19	15.8	20	25.5
8/3/2016 8:19	15.8	18.8	24.6	8/3/2006 8:24	16.1	20.5	30.4
8/3/2016 8:24	16.5	20.1	24	8/3/2006 8:29	18	20.8	26.1
8/3/2016 8:29	16.5	20.2	23.9	8/3/2006 8:34	17.6	22.7	41
8/3/2016 8:34	17	20.8	28.3	8/3/2006 8:39	16.5	20	27.4
8/3/2016 8:39	16.5	19.9	26.8	8/3/2006 8:44	15.9	20.9	25.4
8/3/2016 8:44	17.1	20.2	24.8	8/3/2006 8:49	17.2	19.5	22.5
8/3/2016 8:49	17	19.7	27.2	8/3/2006 8:54	16.2	19.9	26
8/3/2016 8:54	16.9	20	29	8/3/2006 8:59	17.8	20.5	25.9
8/3/2016 8:59	18.4	22.3	29.9	8/3/2006 9:04	17	21.7	31
8/3/2016 9:04	16.9	20.8	26.8	8/3/2006 9:09	16.8	22.1	60.3
8/3/2016 9:09	17.7	20.2	25.8	8/3/2006 9:14	18.2	21	27.5
8/3/2016 9:14	17.6	21.1	25.1	8/3/2006 9:19	19.2	21.4	25.6
8/3/2016 9:19	17.5	21.5	27.5	8/3/2006 9:24	16.8	21.8	29.6
8/3/2016 9:24	17.8	22	33	8/3/2006 9:29	17.1	22.8	30.5
8/3/2016 9:29	17.8	21.4	26.2	8/3/2006 9:34	19.8	23.4	28.5
8/3/2016 9:34	18.8	23	31.7	8/3/2006 9:39	21.7	25.8	42.4
8/3/2016 9:39	19.1	23	36.4	8/3/2006 9:44	21.9	25.9	34.9
8/3/2016 9:44	19.2	23.3	29.4	8/3/2006 9:49	22.1	27.5	32.6
8/3/2016 9:49	21.3	25.2	35	8/3/2006 9:54	23.4	27	32
8/3/2016 9:54	20	23.8	36.2	8/3/2006 9:59	21.1	25.5	34.1
8/3/2016 9:59	18.7	23.2	38.9	8/3/2006 10:04	18.9	22.8	29.6
8/3/2016 10:04	17.3	20.4	26.7	8/3/2006 10:09	15.9	20.6	29.7
8/3/2016 10:09	14.9	17.8	22.8	8/3/2006 10:14	14.9	18.3	22.3
8/3/2016 10:14	13	16.9	22.8	8/3/2006 10:19	14.1	17.1	23.6
8/3/2016 10:19	12	17	24.2	8/3/2006 10:24	12.1	16.1	29.8
8/3/2016 10:24	12.9	16.8	36.4	8/3/2006 10:29	11.7	15.3	22.5
8/3/2016 10:29	12.1	16	23.5	8/3/2006 10:34	12	14.7	22.5
8/3/2016 10:34	12	14.7	27.1	8/3/2006 10:39	8.6	14.1	20.7
8/3/2016 10:39	11.6	13.8	17.8	8/3/2006 10:44	10.1	15.7	33.3
8/3/2016 10:44	11.7	14.3	21.7	8/3/2006 10:49	10	14.7	25.4
8/3/2016 10:49	10.8	13.6	16.9	8/3/2006 10:54	11.2	13.4	17.9

8/3/2016 10:54	10.3	15.7	25.3	8/3/2006 10:59	12	15	25
8/3/2016 10:59	11.6	16.6	25.3	8/3/2006 11:04	11.9	16.5	37
8/3/2016 11:04	11.2	16.2	29.3	8/3/2006 11:09	12.1	15.9	23.4
8/3/2016 11:09	13.5	19.5	49.1	8/3/2006 11:14	11.6	17.1	36.5
8/3/2016 11:14	12.6	18.3	35.1	8/3/2006 11:19	11.3	16.9	26.8
8/3/2016 11:19	9.8	15	30.1	8/3/2006 11:24	9	12.5	16.2
8/3/2016 11:24	10	14.5	52	8/3/2006 11:29	10.6	13.1	18.7
8/3/2016 11:29	5.6	15	29.4	8/3/2006 11:34	9.9	15	44.9
8/3/2016 11:34	10.5	15.3	25.6	8/3/2006 11:39	11.1	19.5	30.6
8/3/2016 11:39	11.8	22.8	79.3	8/3/2006 11:44	10.5	15.9	33
8/3/2016 11:44	9.8	22	37	8/3/2006 11:49	11.1	17.9	35.5
8/3/2016 11:49	11.6	18.1	33.8	8/3/2006 11:54	10	14.9	21.9
8/3/2016 11:54	10.9	18	33.1	8/3/2006 11:59	10.6	21.7	127.5
8/3/2016 11:59	11.3	20.6	58.3	8/3/2006 12:04	10	17.6	33.1
8/3/2016 12:04	11.1	17.9	43.9	8/3/2006 12:09	10.3	14.5	24.9
8/3/2016 12:09	10.4	14.9	22.7	8/3/2006 12:14	11.3	15.7	34.4
8/3/2016 12:14	12.3	16	26	8/3/2006 12:19	12.3	15.5	20.8
8/3/2016 12:19	12.6	16.1	24.1	8/3/2006 12:24	10.7	15.5	40
8/3/2016 12:24	12.4	15.8	24.6	8/3/2006 12:29	10.1	13.5	26.1
8/3/2016 12:29	12.1	15.2	33.6	8/3/2006 12:34	10.2	14.2	26
8/3/2016 12:34	11.8	14.9	20.7	8/3/2006 12:39	8.9	13.4	21.3
8/3/2016 12:39	11.4	14.9	20.8	8/3/2006 12:44	9.3	12.5	16.1
8/3/2016 12:44	10.8	14.4	20.3	8/3/2006 12:49	8.7	12.6	20.8
8/3/2016 12:49	10.4	14.3	26.1	8/3/2006 12:54	9.4	16.3	56.2
8/3/2016 12:54	10.3	14.2	21.7	8/3/2006 12:59	7.6	11.4	27.9
8/3/2016 12:59	10.9	14.7	30.1	8/3/2006 13:04	6.3	13.8	25.6
8/3/2016 13:04	9	12	20.5	8/3/2006 13:09	8	12.3	32.3
8/3/2016 13:09	8.6	12.2	23.1	8/3/2006 13:14	8	11	19.8
8/3/2016 13:14	9.4	13.6	18	8/3/2006 13:19	8.3	12.3	20
8/3/2016 13:19	11	13.3	21.5	8/3/2006 13:24	5.3	12.3	50.7
8/3/2016 13:24	10.1	12.8	16.1	8/3/2006 13:29	6.2	10.7	15.6
8/3/2016 13:29	8.9	12.3	16.6	8/3/2006 13:34	4.9	10.5	30.5
8/3/2016 13:34	6.1	9.4	13.4	8/3/2006 13:39	4.5	7.7	16.4
8/3/2016 13:39	7.2	9.6	16.9	8/3/2006 13:44	5	9.6	20.8
8/3/2016 13:44	6.9	9.7	13.7	8/3/2006 13:49	5.3	7.9	11.9
8/3/2016 13:49	6.9	9	12.7	8/3/2006 13:54	5.3	8.4	36.1
8/3/2016 13:54	6.9	9.5	17.6	8/3/2006 13:59	4.2	7.3	24.3

8/3/2016 13:59	5.3	8.8	14.6	8/3/2006 14:04	3.3	6	9.2
8/3/2016 14:04	6.7	8.6	12.9	8/3/2006 14:09	3.7	6.9	11.5
8/3/2016 14:09	5.6	10.1	23.4	8/3/2006 14:14	5.9	8.4	11.9
8/3/2016 14:14	7.1	9.5	13.1	8/3/2006 14:19	6.1	8.2	12.2
8/3/2016 14:19	6.1	9.5	13.1	8/3/2006 14:24	4.7	7.2	12.4
8/3/2016 14:24	5.8	8.8	11.7	8/3/2006 14:29	4	7.2	16.5
8/3/2016 14:29	4.6	7.8	10.1	8/3/2006 14:34	5	7.4	13.5
8/3/2016 14:34	6.9	8.7	13.4	8/3/2006 14:39	5	8	16.9
8/3/2016 14:39	6.1	8.8	13	8/3/2006 14:44	6.3	8.3	12.8
8/3/2016 14:44	6.4	8.9	15.9	8/3/2006 14:49	5.1	8	21.2
8/3/2016 14:49	6.1	8.5	12.4	8/3/2006 14:54	5.2	8.5	15.1
8/3/2016 14:54	7.1	9.2	17.6	8/3/2006 14:59	6.1	8.2	11.2
8/3/2016 14:59	7.6	9.6	13.1	8/3/2006 15:04	5.7	10.3	34.9
8/3/2016 15:04	7	10.8	14.5	8/3/2006 15:09	6.8	9.2	18.5
8/3/2016 15:09	7	10.3	24.8	8/3/2006 15:14	7.8	9.5	14.2
8/3/2016 15:14	7.8	10.6	16.3	8/3/2006 15:19	7.4	10.1	15.7
8/3/2016 15:19	8.5	10.6	14.2	8/3/2006 15:24	7.2	9.9	17.6
8/3/2016 15:24	9.9	11.2	13.1	8/3/2006 15:29	8	10.6	13.3
8/3/2016 15:29	9.1	12.1	15.6	8/3/2006 15:34	8.2	10.5	13.2
8/3/2016 15:34	9.3	12	17.9	8/3/2006 15:39	8.9	12.1	22.2
8/3/2016 15:39	10.5	13.3	18.5	8/3/2006 15:44	9.9	13.2	30.2
8/3/2016 15:44	11.3	13.6	17.2	8/3/2006 15:49	9.3	13.8	64.8
8/3/2016 15:49	10.8	13.5	20.9	8/3/2006 15:54	8.6	11.2	14.8
8/3/2016 15:54	9.8	11.9	15.5	8/3/2006 15:59	8.6	12.7	24.5
8/3/2016 15:59	9.8	11.7	16.7	8/3/2006 16:04	9.8	13.1	22.9
8/3/2016 16:04	10.6	13.5	27	8/3/2006 16:09	10.3	13.2	17.5



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample

Form

1401 Erie Boulevard East
Syracuse, New York 132'
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: WATPENT Date: 7/4/02 Activity: Setting Wells B1 & D3 Upwind Location: Barrel near station
Client: POWER MOLDER LLC Weather Conditions: COOL, HUMID WIND FROM WSW Downwind Location: foundation for @ East end

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
6 ¹⁵	7.9	9.6	onsite @ 545' Glen requests PID readings of airer w/ 1 Sft of exposed dirt (to be recorded here)
7 ¹⁵	26.7	18.9	B1 = 0.0 D3 = 0.0
8 ¹⁵	19.0	21.1	B1 = 0.0 D3 = 0.0
9 ¹⁵	20.0	20.3	communication w/ drill crew indicates B3 drilling may begin today
10 ¹⁵	18.6	18.8	B1 = 0.0 D3 = 0.0
11 ¹⁵	16.9	17.4	B1 = 0.0 D3 = 0.0
12 ¹⁵	15.1	15.9	B1 = 0.0 D3 = 0.0 - pad wells all set @ 11 ²⁰
12 ⁵⁰	14.0	14.9	B3 = 0.0 D3 = 0.0 - drilling for first well @ 12 ⁵⁵
13 ⁵⁰	12.7	13.7	D3 = 0.0 D3 = 0.0 - pad wells all set @ 11 ²⁰
14 ⁵⁰	12.0	13.5	B1 = 0.0 D3 = 0.0
15 ⁵⁰	11.5	13.1	B3 = 0.0 D3 = 0.0



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: NATPENT

Date: 6/1/00

Weather Conditions: Cool, Humid, Wind from
N.W. (Gradually warming)

Activity: SETTING DRILLS in B1

PID Calibrated by: M. P. H. J.

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ¹⁰	WEST OF RIG WEST OF RIG	0.0	EAST OF RIG	0.0	
7 ¹⁰	WEST OF RIG	0.0	EAST OF RIG	0.0	
8 ¹⁰	WEST OF RIG	0.0	EAST OF RIG	0.0	
8¹⁰ 9 ¹⁰	↓	0.0	↓	0.0	
10 ¹⁰	↓	0.0	↓	0.0	
11 ¹⁰	↓	0.0	↓	0.0	
12 ¹⁰	↓	0.0	↓	0.0	
13 ⁰⁰	↓	0.0	↓	0.0	
14 ⁰⁰	↓	0.0	↓	0.0	Sim sample to Tom
15 ⁰⁰	↓	0.0	↓	0.0	
16 ⁰⁰	↓	0.0	↓	0.0	



Certified
Environmental
Services, Inc.

VOC San e Form

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <u>WATT PERRY</u>	Date: <u>8/4/00</u>	Activity: <u>Setting Wells in B3</u>
Weather Conditions: <u>WARM, HUMID WINDS FROM N.W.</u>		
PID Calibrated by: <u>W. PERRY</u>		

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
12 ²⁰	WEST OF RIG ↓	0.0	EAST OF RIG ↓	0.0	drilling began @ noon
13 ⁰⁵	↓	0.0	↓	0.0	
14 ⁰⁵	↓	0.0	↓	0.0	Sim samples to Tom
15 ⁰⁵	↓	0.0	↓	0.0	
16 ⁰⁵	↓	0.0	↓	0.0	

—



Certified
Environmental
Services, Inc.

VOC San e Form

1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 476-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: MATHEW

Date: 8/1/06


Activity: SETTING WELLS D3

Weather Conditions: COOL, HUMID, WIND FROM WEST (Gradually warming over the day)

PID Calibrated by: W. B. B. B.

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ⁰⁵	WEST OF RIG	0.0	EAST OF RIG	0.0	
7 ⁰⁵	WEST OF RIG	0.0	EAST OF RIG	0.0	
8 ⁰⁵	WEST OF RIG	0.0	EAST OF RIG	0.0	
9 ⁰⁵	↓	0.0	↓	0.0	
10 ⁰⁵	↓	0.0	↓	0.0	
11 ⁰⁵	↓	0.0	↓	0.0	
12 ⁰⁵	WEST BOUNDARY OF PAD	0.0	EAST BOUNDARY OF PAD	0.0	Active drilling stopped @ 11:30, all wells set for D3
12 ⁵⁵	↓	0.0	↓	0.0	
13 ⁵⁵	↓	0.0	↓	0.0	Air sampler to Tom
14 ⁵⁵	↓	0.0	↓	0.0	
15 ⁵⁵	↓	0.0	↓	0.0	

Aug 4 2006 PioneerMidler LLC Particulate Sampling



UPWIND

DataRAM

Tag Number 1
 Number of logged points 115
 Start time (hr:min:sec day/mon/yr) ... 06:11:22 04-Aug-16
 Elapsed time (hr:min:sec) 09:35:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 11.5
 Overall MaxConc (ug/m3) 65.1 at Point#...12
 Overall MinConc (ug/m3) 1.6 at Point#...71
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/4/2016 6:16	7.7	11.9	20.3
8/4/2016 6:21	8.6	13	28
8/4/2016 6:26	9.9	13.1	21
8/4/2016 6:31	11.9	13.8	19.5
8/4/2016 6:36	11.9	15.1	25.7
8/4/2016 6:41	13.1	15.8	21.7
8/4/2016 6:46	12.3	16	22.7
8/4/2016 6:51	14.5	17.8	34.8
8/4/2016 6:56	15.2	19	28.5
8/4/2016 7:01	16.7	21.6	31.7
8/4/2016 7:06	20.7	25.4	35.7
8/4/2016 7:11	22.6	28.6	65.1
8/4/2016 7:16	22.6	26.7	33.1
8/4/2016 7:21	22.8	27	31.8
8/4/2016 7:26	22.9	27.3	34.1
8/4/2016 7:31	23.2	27.6	36.1
8/4/2016 7:36	21.6	26.4	31.9
8/4/2016 7:41	17.8	23.5	32.3
8/4/2016 7:46	18.2	21.8	27.5
8/4/2016 7:51	17.6	20.1	25.4

DOWNWIND

DataRAM

Tag Number 1
 Number of logged points 112
 Start time (hr:min:sec day/mon/yr) ... 06:17:20 04-Aug-06
 Elapsed time (hr:min:sec) 09:20:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 13.1
 Overall MaxConc (ug/m3) 69.9 at Point#...51
 Overall MinConc (ug/m3) 0.0 at Point#...1
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/4/2006 6:22	0	12.5	15.8
8/4/2006 6:27	11.4	13.8	17
8/4/2006 6:32	12.8	14.6	19.5
8/4/2006 6:37	12.8	15.6	18.4
8/4/2006 6:42	13.7	17	21.8
8/4/2006 6:47	16	18.7	25.8
8/4/2006 6:52	16.7	19.6	28.9
8/4/2006 6:57	17.6	22.2	29.1
8/4/2006 7:02	18	21.6	28.1
8/4/2006 7:07	23	26.4	33.7
8/4/2006 7:12	22.9	25.3	29.3
8/4/2006 7:17	23.5	29.6	44.5
8/4/2006 7:22	22.3	26.4	36.7
8/4/2006 7:27	22.1	24.7	39
8/4/2006 7:32	21	25.4	32.1
8/4/2006 7:37	20.9	24.7	33.6
8/4/2006 7:42	19.9	23.5	29.6
8/4/2006 7:47	19.4	22.1	26.2
8/4/2006 7:52	17.1	20.7	26
8/4/2006 7:57	18	19.7	26.9

8/4/2016 7:56	17.2	21	24.6		8/4/2006 8:02	17.7	20.6	34.3
8/4/2016 8:01	17.6	19.8	24.9		8/4/2006 8:07	16.6	19.8	30.6
8/4/2016 8:06	16.8	19.2	23.3		8/4/2006 8:12	17	20.6	34.8
8/4/2016 8:11	15.9	19.1	22		8/4/2006 8:17	17.2	20.4	34.8
8/4/2016 8:16	16.3	20.5	26.8		8/4/2006 8:22	14.9	19.9	26
8/4/2016 8:21	16.1	18.9	22.7		8/4/2006 8:27	17.4	20.2	27.3
8/4/2016 8:26	16.6	19.5	26		8/4/2006 8:32	17.7	20.5	27.9
8/4/2016 8:31	16	19.7	28		8/4/2006 8:37	17.6	19.6	23.2
8/4/2016 8:36	16.5	19.6	24.2		8/4/2006 8:42	16	18.2	20.9
8/4/2016 8:41	15	19.6	28.5		8/4/2006 8:47	13.8	16.7	21
8/4/2016 8:46	13.9	17.3	24.9		8/4/2006 8:52	13.1	16.3	21
8/4/2016 8:51	13.3	16.8	25.6		8/4/2006 8:57	12.9	17	23.3
8/4/2016 8:56	12.6	16.5	28.1		8/4/2006 9:02	12.8	16.2	22.2
8/4/2016 9:01	12.7	16.1	22.6		8/4/2006 9:07	13.1	15.3	23.7
8/4/2016 9:06	12.6	15	20.4		8/4/2006 9:12	11	14.8	24.1
8/4/2016 9:11	11	15.2	20.6		8/4/2006 9:17	11	13.9	21.8
8/4/2016 9:16	11.9	15.6	32.9		8/4/2006 9:22	10	13.6	24.3
8/4/2016 9:21	8.6	14.2	22.1		8/4/2006 9:27	9.6	12.8	19.2
8/4/2016 9:26	9.5	12.9	18.2		8/4/2006 9:32	9.6	14	20.6
8/4/2016 9:31	9.7	12.4	21.3		8/4/2006 9:37	8.4	13.4	44.6
8/4/2016 9:36	8.8	12.3	17.8		8/4/2006 9:42	8.7	12.8	19.6
8/4/2016 9:41	8.7	12.6	21.1		8/4/2006 9:47	9.6	13.2	22.6
8/4/2016 9:46	8.3	12.7	20.6		8/4/2006 9:52	9.7	13.3	25.9
8/4/2016 9:51	9.2	13.1	25.1		8/4/2006 9:57	9.7	12.5	16.3
8/4/2016 9:56	7.7	11.5	17.6		8/4/2006 10:02	10	12.9	21.4
8/4/2016 10:01	8.8	10.4	17.7		8/4/2006 10:07	9	12	16
8/4/2016 10:06	7.8	10.7	15.8		8/4/2006 10:12	9.2	12.2	18.5
8/4/2016 10:11	7	11.2	23.4		8/4/2006 10:17	9.6	12.8	17.8
8/4/2016 10:16	8	10.5	14.9		8/4/2006 10:22	10.6	12.5	16
8/4/2016 10:21	7.8	11.6	34.5		8/4/2006 10:27	10.1	12.9	18.5
8/4/2016 10:26	8.6	11.9	19.9		8/4/2006 10:32	9.5	14.2	69.9
8/4/2016 10:31	8.8	11.2	16.7		8/4/2006 10:37	9.9	13.3	16.6
8/4/2016 10:36	7.8	11.3	26.7		8/4/2006 10:42	8.3	11.9	17.1
8/4/2016 10:41	6.3	10.2	17.5		8/4/2006 10:47	9.1	11.2	15.6
8/4/2016 10:46	6.3	9.6	27.2		8/4/2006 10:52	8.2	11.1	16.7
8/4/2016 10:51	6	9.5	13.4		8/4/2006 10:57	8.5	11.8	25
8/4/2016 10:56	6.4	9.5	13.6		8/4/2006 11:02	6.1	10.9	20.2

8/4/2016 11:01	5.3	9.4	21.3	8/4/2006 11:07	7.5	10	14.1
8/4/2016 11:06	5.2	8.5	19.1	8/4/2006 11:12	7	9.9	26.7
8/4/2016 11:11	4.9	7.8	16.7	8/4/2006 11:17	5.8	8.7	15.1
8/4/2016 11:16	4.8	7.1	9.6	8/4/2006 11:22	6.9	9.3	16
8/4/2016 11:21	4.1	6.7	14	8/4/2006 11:27	7.1	9.8	16.9
8/4/2016 11:26	4.8	7.7	13	8/4/2006 11:32	6.3	9.4	14.9
8/4/2016 11:31	4.9	7.3	10.9	8/4/2006 11:37	5.8	8.2	11.1
8/4/2016 11:36	4	6	10.2	8/4/2006 11:42	5.8	8.4	11.8
8/4/2016 11:41	2.9	6.3	9.6	8/4/2006 11:47	7	9.3	18.7
8/4/2016 11:46	4.3	6.9	10.6	8/4/2006 11:52	7.1	8.9	12.5
8/4/2016 11:51	3.3	6.6	10.8	8/4/2006 11:57	7.1	10	17.6
8/4/2016 11:56	3	6.7	15.3	8/4/2006 12:02	4	8.5	15.6
8/4/2016 12:01	4.5	6.3	10.7	8/4/2006 12:07	5.3	8.3	17.1
8/4/2016 12:06	1.6	6.3	9.9	8/4/2006 12:12	4.4	8.5	11.5
8/4/2016 12:11	4.5	6.4	8.4	8/4/2006 12:17	6.8	9.1	17.3
8/4/2016 12:16	4.3	6.3	11.3	8/4/2006 12:22	6.4	8.6	12
8/4/2016 12:21	4.4	6.2	8.9	8/4/2006 12:27	7.1	9	12.3
8/4/2016 12:26	4.5	6.3	14	8/4/2006 12:32	5.7	8.4	15.2
8/4/2016 12:31	2.8	5.8	10.8	8/4/2006 12:37	4.5	8	12.2
8/4/2016 12:36	2.4	5.6	11.1	8/4/2006 12:42	5.1	8.1	13.6
8/4/2016 12:41	3	6	19.4	8/4/2006 12:47	5.4	7.7	19.3
8/4/2016 12:46	2	5.3	11.4	8/4/2006 12:52	4	7.6	21.3
8/4/2016 12:51	3.8	5.2	8.3	8/4/2006 12:57	6.1	8.4	13.7
8/4/2016 12:56	3.6	5.8	10.5	8/4/2006 13:02	4.5	7.3	11.3
8/4/2016 13:01	3.4	5.5	9.5	8/4/2006 13:07	5.2	8.2	13.7
8/4/2016 13:06	3.2	5.5	10.5	8/4/2006 13:12	6.3	9.2	14.7
8/4/2016 13:11	2.9	5.9	8.9	8/4/2006 13:17	5.5	7.8	11.9
8/4/2016 13:16	2.8	4.7	12.4	8/4/2006 13:22	5.6	7.4	10
8/4/2016 13:21	2.8	4.7	9.5	8/4/2006 13:27	4.7	7.3	15.1
8/4/2016 13:26	2.3	4.4	6.9	8/4/2006 13:32	3.7	7.9	40.5
8/4/2016 13:31	2.9	4.7	10.1	8/4/2006 13:37	4.4	6.8	11.6
8/4/2016 13:36	1.9	4	9.1	8/4/2006 13:42	2.2	5.7	9.8
8/4/2016 13:41	1.9	3.2	5.9	8/4/2006 13:47	2.2	6.1	11.1
8/4/2016 13:46	1.6	4.3	7.8	8/4/2006 13:52	2.5	7.3	13.3
8/4/2016 13:51	2.3	4.3	6.5	8/4/2006 13:57	4.9	7	13.4
8/4/2016 13:56	2.9	4.9	7.9	8/4/2006 14:02	4.9	8.2	20
8/4/2016 14:01	2.9	4.8	7.5	8/4/2006 14:07	4.6	7.8	48

8/4/2016 14:06	2.8	4.9	7.1	8/4/2006 14:12	5.6	8.5	48
8/4/2016 14:11	3.9	5.4	8.9	8/4/2006 14:17	5.7	10	21.5
8/4/2016 14:16	3.7	6	10.9	8/4/2006 14:22	6.1	8.2	13
8/4/2016 14:21	3.9	6	8.7	8/4/2006 14:27	7.4	9.7	25.8
8/4/2016 14:26	4.7	7.2	10.2	8/4/2006 14:32	7.9	11.2	24
8/4/2016 14:31	6.3	9.5	16.8	8/4/2006 14:37	9.2	11.4	15.5
8/4/2016 14:36	6	9.8	14.1	8/4/2006 14:42	10.2	11.9	16.8
8/4/2016 14:41	8.8	10.3	13.5	8/4/2006 14:47	11.3	13	17.3
8/4/2016 14:46	8.6	11.2	16	8/4/2006 14:52	11.2	15.1	30.5
8/4/2016 14:51	9.2	11.2	16.9	8/4/2006 14:57	11.3	14.8	42.3
8/4/2016 14:56	7.9	11.5	15.2	8/4/2006 15:02	10.5	13.2	18.4
8/4/2016 15:01	8.5	11	16.5	8/4/2006 15:07	10	12.1	18.8
8/4/2016 15:06	6.4	8.9	13.7	8/4/2006 15:12	8.3	11.1	14.9
8/4/2016 15:11	4.8	7.8	13.3	8/4/2006 15:17	7.2	9.3	17.9
8/4/2016 15:16	4.3	6.4	8.7	8/4/2006 15:22	6.1	8.8	16.8
8/4/2016 15:21	3.6	5.9	8.5	8/4/2006 15:27	5.2	7.9	11.8
8/4/2016 15:26	2.9	4.9	7.1	8/4/2006 15:32	5.3	7.7	15.5
8/4/2016 15:31	3.8	5.8	11.8	8/4/2006 15:37	5.9	7.5	15.5
8/4/2016 15:36	3.1	5.7	14.3				
8/4/2016 15:41	2.6	4.5	6.6				
8/4/2016 15:46	2.9	4.9	7.7				



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample

Form

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: Nicole Gollard

Date: 2/5/06 Activity: drilling/installing wells B3+B7 Upwind Location: down near trailer

Client: Pinner Middle LLC

Weather Conditions: ~80°F, mostly sunny & slight wind from W. Downwind Location: foundation block east of area

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
06:35	11.3	9.1	
07:09	13.2	13.7	Reset meters to log every 5 minutes
08:12	8.7	8.6	
09:10	3.7	3.0	
10:13	3.0	0.8	
11:20	0.0	1.5	
12:35	0.0	0.0	
13:30	0.0	0.0	
14:40	0.0	0.0	



Certified
Environmental
Services, Inc.

VOC Sampling Form

1401 Erie Boulevard East
Syracuse, New York 13210


Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <u>Nicole Copeland</u>	Date: <u>8/5/06</u>	Activity: <u>drilling / installing wells in Area B-3 + B-1</u>
Weather Conditions: <u>N 80° 50F, slight wind from N.W. - mostly sunny</u>		PID Calibrated by: <u>Mr. Ed</u>

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
06:45	West of drill rigs	0.0	East of drill rigs	0.0	
07:15		0.0		0.0	
08:15		0.0		0.0	
09:15		0.0		0.0	
10:15		0.0		0.0	
11:20		0.0		0.0	
12:40		0.0		0.0	
13:30		0.0		0.0	
14:40		0.0		0.0	

Aug 5 2006 Pioneer Midler LLC Particulate Sampling



DataRAM

Tag Number 2
 Number of logged points 42
 Start time (hr:min:sec day/mon/yr) ... 06:26:37 05-Aug-16
 Elapsed time (hr:min:sec) 00:42:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:01:00
 CalFactor (%) 100
 StelConc (ug/m3) 17.8
 STEL occurrence after start (hr:min:sec) 00:22:03
 Overall AvgConc (ug/m3) 15.5
 Overall MaxConc (ug/m3) 52.4 at Point#...1
 Overall MinConc (ug/m3) 5.7 at Point#...6
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/5/2016 6:27	11.2	19.4	52.4
8/5/2016 6:28	10.8	13.1	15.5
8/5/2016 6:29	11.2	13.9	15.2
8/5/2016 6:30	11.2	13.5	16.3
8/5/2016 6:31	10.7	13.7	23.1
8/5/2016 6:32	5.7	11.8	17.5
8/5/2016 6:33	9.4	14.3	23.1
8/5/2016 6:34	11.1	14.7	23.1
8/5/2016 6:35	11.8	13.9	17.7
8/5/2016 6:36	11.6	14.7	22.6
8/5/2016 6:37	14.3	19	23.2
8/5/2016 6:38	12.7	15.8	17.3
8/5/2016 6:39	7.1	12.1	14.6
8/5/2016 6:40	13.2	17.5	32.6
8/5/2016 6:41	15.3	20.9	32.6
8/5/2016 6:42	14.3	24	40.2
8/5/2016 6:43	16.3	19.6	25.3
8/5/2016 6:44	12.3	18	29.7
8/5/2016 6:45	12.1	24.1	51.1
8/5/2016 6:46	14.8	19.4	29.9
8/5/2016 6:47	13	15.9	22

DataRAM

Tag Number 2
 Number of logged points 37
 Start time (hr:min:sec day/mon/yr) ... 06:38:28 05-Aug-06
 Elapsed time (hr:min:sec) 00:37:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:01:00
 CalFactor (%) 100
 StelConc (ug/m3) 16.2
 STEL occurrence after start (hr:min:sec) 00:15:03
 Overall AvgConc (ug/m3) 14.6
 Overall MaxConc (ug/m3) 43.7 at Point#...1
 Overall MinConc (ug/m3) 9.2 at Point#...28
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/5/2006 6:39	10	17.2	43.7
8/5/2006 6:40	10.6	12.3	13.8
8/5/2006 6:41	10.6	15.8	20.7
8/5/2006 6:42	12.6	16.3	20.3
8/5/2006 6:43	14.2	16.2	19
8/5/2006 6:44	14.7	18.6	19.9
8/5/2006 6:45	14.7	17.1	22.8
8/5/2006 6:46	14.4	17.3	22.4
8/5/2006 6:47	12.2	15.9	19
8/5/2006 6:48	12.2	17	20.5
8/5/2006 6:49	14.5	17.3	20.4
8/5/2006 6:50	10.8	16	23
8/5/2006 6:51	12.8	14.9	18.1
8/5/2006 6:52	12.5	15.3	19
8/5/2006 6:53	11.8	14.5	19
8/5/2006 6:54	9.7	13	15.1
8/5/2006 6:55	9.7	13.7	18.4
8/5/2006 6:56	11.1	14.4	18
8/5/2006 6:57	11.1	14.8	18
8/5/2006 6:58	11.5	14.4	17.9
8/5/2006 6:59	12.6	14.8	17.9

8/5/2016 6:48	11.8	16.6	27.1		8/5/2006 7:00	10.4	13.8	16.9
8/5/2016 6:49	12.5	14.4	17.2		8/5/2006 7:01	11.9	14.2	18.7
8/5/2016 6:50	12.8	14	15.7		8/5/2006 7:02	11.5	14.5	19
8/5/2016 6:51	10.8	13.3	15		8/5/2006 7:03	13.3	16.6	26
8/5/2016 6:52	12.5	14	15.8		8/5/2006 7:04	12.5	15.5	19.4
8/5/2016 6:53	14	15.3	17.5		8/5/2006 7:05	12.4	15.4	22
8/5/2016 6:54	13.4	16.3	25.6		8/5/2006 7:06	9.2	12.9	15.3
8/5/2016 6:55	11.5	13.5	18.9		8/5/2006 7:07	11.2	12.2	14.5
8/5/2016 6:56	14.1	17	18.9		8/5/2006 7:08	9.9	11.4	12.3
8/5/2016 6:57	10.8	12.7	19.4		8/5/2006 7:09	9.9	11.1	13.3
8/5/2016 6:58	11.1	14	31.3		8/5/2006 7:10	9.8	12	16.8
8/5/2016 6:59	12.2	16.4	31.3		8/5/2006 7:11	10.9	13.9	18.3
8/5/2016 7:00	12.2	15.6	17.6		8/5/2006 7:12	10.8	12.2	17.2
8/5/2016 7:01	13.9	15.6	18.4		8/5/2006 7:13	10.2	13	17.2
8/5/2016 7:02	9.1	16.7	19.6		8/5/2006 7:14	10.2	12.3	14.9
8/5/2016 7:03	9.1	13.5	22.1		8/5/2006 7:15	11.3	13.9	22.2
8/5/2016 7:04	11.1	14.1	19.7		8/5/2006 7:21	9.7	13	21.9
8/5/2016 7:05	10.4	12.4	14.3		8/5/2006 7:26	9.5	12.6	16.4
8/5/2016 7:06	10.2	12.2	14.1		8/5/2006 7:31	8.7	12.7	23.5
8/5/2016 7:07	11	12.8	14		8/5/2006 7:36	8.6	12	18.2
8/5/2016 7:08	9.2	11.4	12.7		8/5/2006 7:41	7.9	11.7	20.8
8/5/2016 7:14	10.5	13.4	20.9		8/5/2006 7:46	8.5	10.7	17.6
8/5/2016 7:19	10.2	12.7	19		8/5/2006 7:51	7.8	11.5	17
8/5/2016 7:24	9.3	12.3	19.5		8/5/2006 7:56	6.6	10.4	16
8/5/2016 7:29	0	11.9	18.2		8/5/2006 8:01	7.3	11	19.7
8/5/2016 7:34	8.5	12.3	20.3		8/5/2006 8:06	8.6	13.1	19.2
8/5/2016 7:39	8.5	11.9	23.3		8/5/2006 8:11	6.5	10.2	16.7
8/5/2016 7:44	8.2	11.9	18.1		8/5/2006 8:16	6.1	9.8	35
8/5/2016 7:49	7.8	12.3	27.2		8/5/2006 8:21	6.5	9.2	21.5
8/5/2016 7:54	7.6	11.7	37.8		8/5/2006 8:26	6	8.5	13.4
8/5/2016 7:59	7.8	13.3	30.2		8/5/2006 8:31	5	7	11.6
8/5/2016 8:04	6.8	14.4	30.5		8/5/2006 8:36	5.1	8.2	30.6
8/5/2016 8:09	5.4	8.9	14.2		8/5/2006 8:41	5.8	7.6	10.4
8/5/2016 8:14	6.2	9.8	20		8/5/2006 8:46	4.3	7.5	11.2
8/5/2016 8:19	5.7	9.3	18.7		8/5/2006 8:51	4	6.3	11.7
8/5/2016 8:24	5.9	8.1	11.5		8/5/2006 8:56	3.6	6.1	8.8
8/5/2016 8:29	4	7.7	18.4		8/5/2006 9:01	3.4	6	13.1

8/5/2016 8:34	4.1	6.4	11.7	8/5/2006 9:06	3.1	5	9.2
8/5/2016 8:39	2.9	6.4	20.3	8/5/2006 9:11	3.3	5.4	8.7
8/5/2016 8:44	3.6	6.7	13	8/5/2006 9:16	3	5.9	14.2
8/5/2016 8:49	4	6.1	15.2	8/5/2006 9:21	3	5.3	9.3
8/5/2016 8:54	3.1	5.2	8.9	8/5/2006 9:26	3	5.2	9.1
8/5/2016 8:59	2	4.4	7.7	8/5/2006 9:31	2.1	4.6	9
8/5/2016 9:04	2.3	5	22.5	8/5/2006 9:36	2.4	4.5	7.6
8/5/2016 9:09	2.5	4.6	8.7	8/5/2006 9:41	1.5	4.7	15.1
8/5/2016 9:14	1.6	5.5	38	8/5/2006 9:46	2.2	4.4	7.4
8/5/2016 9:19	2	4.3	11.6	8/5/2006 9:51	2.4	4.5	8.3
8/5/2016 9:24	1.7	3.2	6.6	8/5/2006 9:56	2.4	4.8	8.3
8/5/2016 9:29	1.4	3	5.9	8/5/2006 10:01	1.6	4.5	8.2
8/5/2016 9:34	1.3	3.6	12	8/5/2006 10:06	1.2	3.9	10.7
8/5/2016 9:39	1.1	3.2	17.2	8/5/2006 10:11	1.2	3.4	17.5
8/5/2016 9:44	0.7	3.3	9	8/5/2006 10:16	1.2	3.3	7.5
8/5/2016 9:49	0.1	3.5	17.8	8/5/2006 10:21	1.3	3.9	11.7
8/5/2016 9:54	0.7	3.3	11.4	8/5/2006 10:26	0	2.5	9.9
8/5/2016 9:59	0.6	2.9	6.9	8/5/2006 10:31	0	2.1	6.3
8/5/2016 10:04	0.9	3.6	28.4	8/5/2006 10:36	0	2.2	4.8
8/5/2016 10:09	0.2	2	4.7	8/5/2006 10:41	0	1.2	2.8
8/5/2016 10:14	0.1	1.8	7.5	8/5/2006 10:46	0	1.4	4.9
8/5/2016 10:19	0	3.1	30.1	8/5/2006 10:51	0	1.8	11
8/5/2016 10:24	0	0.6	15.8	8/5/2006 10:56	0	0.8	3.5
8/5/2016 10:29	0	0.5	7.1	8/5/2006 11:01	0	0.9	3.2
8/5/2016 10:34	0	1.2	9.7	8/5/2006 11:06	0	0.9	2
8/5/2016 10:39	0	0.4	5.7	8/5/2006 11:11	0	0.8	2.2
8/5/2016 10:44	0	0.6	5.9	8/5/2006 11:16	0	1.1	3.2
8/5/2016 10:49	0	0	1.4	8/5/2006 11:21	0	1.2	5.5
8/5/2016 10:54	0	0.1	3.1	8/5/2006 11:26	0	1.1	4.2
8/5/2016 10:59	0	0.2	4.4	8/5/2006 11:31	0	1	3.2
8/5/2016 11:04	0	0.2	2.5	8/5/2006 11:36	0	1.2	7.4
8/5/2016 11:09	0	0.4	5.1	8/5/2006 11:41	0	1.1	3.9
8/5/2016 11:14	0	0.1	2.6	8/5/2006 11:46	0	0.8	2.9
8/5/2016 11:19	0	1	21.4	8/5/2006 11:51	0	1.2	14.4
8/5/2016 11:24	0	0.6	10.5	8/5/2006 11:56	0	1.1	4
8/5/2016 11:29	0	0.1	2.3	8/5/2006 12:01	0	0.8	4.6
8/5/2016 11:34	0	0.2	3.8	8/5/2006 12:06	0	0.5	3.1

8/5/2016 11:39	0	0.5	7.8		8/5/2006 12:11	0	0.5	2.9
8/5/2016 11:44	0	0.3	7.4		8/5/2006 12:16	0	0.4	4.6
8/5/2016 11:49	0	0.3	10		8/5/2006 12:21	0	0.3	3.9
8/5/2016 11:54	0	0	1.2		8/5/2006 12:26	0	0.1	1.1
8/5/2016 11:59	0	0.1	2.5		8/5/2006 12:31	0	0.6	4.6
8/5/2016 12:04	0	0.3	4		8/5/2006 12:36	0	0.6	6.3
8/5/2016 12:09	0	0.3	10		8/5/2006 12:41	0	0.2	1.5
8/5/2016 12:14	0	0	0.1		8/5/2006 12:46	0	0.3	2.7
8/5/2016 12:19	0	0	0.2		8/5/2006 12:51	0	0.5	6.2
8/5/2016 12:24	0	3.5	49.5		8/5/2006 12:56	0	0.3	2.3
8/5/2016 12:29	0	0	0.1		8/5/2006 13:01	0	0.3	2.5
8/5/2016 12:34	0	0.2	2.9		8/5/2006 13:06	0	0.2	1.8
8/5/2016 12:39	0	0.1	1.4		8/5/2006 13:11	0	0.3	2.9
8/5/2016 12:44	0	0.1	3		8/5/2006 13:16	0	0.2	1.7
8/5/2016 12:49	0	0	2.3		8/5/2006 13:21	0	0.3	6.1
8/5/2016 12:54	0	0.4	9.7		8/5/2006 13:26	0	0.3	3.5
8/5/2016 12:59	0	0.2	7.8		8/5/2006 13:31	0	11.1	64.8
8/5/2016 13:04	0	0.5	24		8/5/2006 13:36	0	2.6	22.4
8/5/2016 13:09	0	0.2	24		8/5/2006 13:41	0	0.2	2.5
8/5/2016 13:14	0	0	0		8/5/2006 13:46	0	1.4	34.2
8/5/2016 13:19	0	0	1.1		8/5/2006 13:51	0	0.4	6.9
8/5/2016 13:24	0	0	0		8/5/2006 13:56	0	0.4	6.9
8/5/2016 13:29	0	12.3	73		8/5/2006 14:01	0	0.1	1.7
8/5/2016 13:34	0	17.9	86.2		8/5/2006 14:06	0	0.4	6.4
8/5/2016 13:39	0	0.2	7.1		8/5/2006 14:11	0	0.4	5.6
8/5/2016 13:44	0	2	15.9		8/5/2006 14:16	0	0.7	9.5
8/5/2016 13:49	0	0.8	24.7		8/5/2006 14:21	0	0.3	4.7
8/5/2016 13:54	0	2.1	58.1		8/5/2006 14:26	0	0.3	3.8
8/5/2016 13:59	0	0.3	8.7		8/5/2006 14:31	0	0.5	3.8
8/5/2016 14:04	0	0.5	4.2		8/5/2006 14:36	0	0.9	10.4
8/5/2016 14:09	0	0.2	7.7		8/5/2006 14:41	0	1.2	25.6
8/5/2016 14:14	0	0.9	13		8/5/2006 14:46	0	0.4	3
8/5/2016 14:19	0	0	0		8/5/2006 14:51	0	0.3	2.5
8/5/2016 14:24	0	0	0.3					
8/5/2016 14:29	0	0	0					
8/5/2016 14:34	0	0	3.1					
8/5/2016 14:39	0	1.1	21.6					



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample

Form

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: MAATPETTIT

Date: 8/7/06 Activity: Testing Wells

Client: Pioneer Wastewater LLC

Weather Conditions: Warm Humidified E-Zone West

Upwind Location: West end near trail per

Downwind Location: East end on foundation / rag

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
<u>6⁰⁰</u>	<u>35.6</u>	<u>39.9</u>	<u>UNDETECT 6⁰⁰; two dips on B3, one rig on B1</u> <u>B1=0.0</u> <u>B3=0.0</u> <u>B1=0.0</u>
<u>7¹⁵</u>	<u>45.4</u>	<u>43.7</u>	<u>B3a=0.0 (white + brown rig - southern portion of pad)</u> <u>B3b=0.0 (white + green rig - northern portion of pad)</u> <u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u> <u>B1=0.0</u>
<u>8¹⁵</u>	<u>41.3</u>	<u>39.5</u>	<u>B3a=0.0</u> <u>B3b=0.0</u> <u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>9¹⁸</u>	<u>39.6</u>	<u>37.4</u>	<u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>10²⁸</u>	<u>37.2</u>	<u>35.7</u>	<u>B1=0.0 → B1 RIG DOWN</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>11³³</u>	<u>35.8</u>	<u>33.8</u>	<u>B1=0.0 → B1 RIG DOWN</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>12⁴⁰</u>	<u>34.5</u>	<u>32.9</u>	<u>B1=0.0 → B1 RIG DOWN</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>13⁰⁰</u>	<u>34.3</u>	<u>33.2</u>	<u>B1=0.0 → B1 RIG REPLACED</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>14²⁰</u>	<u>34.3</u>	<u>33.1</u>	<u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>15²⁰</u>	<u>34.2</u>	<u>33.3</u>	<u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u>
<u>15⁵³</u>	<u>34.5</u>	<u>33.6</u>	<u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u> <u>B1=0.0</u> <u>B3a=0.0</u> <u>B3b=0.0</u>



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: WATERPIT

Date: 8/2/06

Activity: Setting wells @ B3

Weather Conditions: WARM HUMID LIGHT
WIND FROM WEST (POSS T-SHORMS)

PID Calibrated by: M. BAKER

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ²⁰	East of Rig ~20ft	0.0	West of Rig ~20ft	0.0	
7 ¹⁰	↓	0.0	↓	0.0	
8 ¹²	↓	0.0	↓	0.0	
9 ⁰²	↓	0.0	↓	0.0	
10 ²⁰	↓	0.0	↓	0.0	
11¹⁵	↓	0.0	↓	0.0	
12 ¹⁵	↓	0.0	↓	0.0	
13 ¹⁵	↓	0.0	↓	0.0	
14 ¹⁵	↓	0.0	↓	0.0	
15 ¹⁵	↓	0.0	↓	0.0	
16 ⁰⁰	↓	0.0	↓	0.0	



Certified
Environmental
Services, Inc.

VOC San e Form

1401 Erie Boulevard East

Syracuse, New York 1321

Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: MATPENT

Date: 7/26

Activity: Setting Wells @ B1


Weather Conditions: warm, humid

brightwind from west (post storm)

PID Calibrated by: M. P. Smith

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ¹⁵	East of Rig ↓ ~20ft	0.0	West of Rig ↓ ~20ft	0.0	
7 ²⁰	↓	0.0	↓	0.0	
8 ¹⁵	↓	0.0	↓	0.0	
9 ¹⁵	↓	0.0	↓	0.0	
10 ⁴⁰	↓	0.0	↓	0.0	Rig down
11 ²⁵	↓	0.0	↓	0.0	
12 ²⁵	↓	0.0	↓	0.0	
13 ²⁵	↓	0.0	↓	0.0	RIG REPLACED
14 ²⁵	↓	0.0	↓	0.0	
15 ²⁵	↓	0.0	↓	0.0	
16 ⁰⁵	↓	0.0	↓	0.0	

Aug 7 2006 Pioneer Midler LLC Particulate Sampling



DataRAM

Tag Number 4
 Number of logged points..... 116
 Start time (hr:min:sec day/mon/yr)... 06:06:07 07-Aug-16
 Elapsed time (hr:min:sec)..... 09:40:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 34.4
 Overall MaxConc (ug/m3)..... 172.2 at Point#...4
 Overall MinConc (ug/m3)..... 20.9 at Point#...71
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/7/2016 6:11	33.7	39.2	51.7
8/7/2016 6:16	35.4	40.6	47
8/7/2016 6:21	36.4	43.4	54.4
8/7/2016 6:26	38.7	50.8	172.2
8/7/2016 6:31	38.4	46.2	61.4
8/7/2016 6:36	40.8	46.3	55.3
8/7/2016 6:41	40.2	45.8	60.4
8/7/2016 6:46	40.2	46.9	61
8/7/2016 6:51	38.4	45.7	63.2
8/7/2016 6:56	35.5	43.5	48.4
8/7/2016 7:01	39.4	45.8	57
8/7/2016 7:06	37.4	43.9	55.8
8/7/2016 7:11	39.8	49	72
8/7/2016 7:16	37.9	52.2	79.6
8/7/2016 7:21	34.4	42.6	60.5
8/7/2016 7:26	34.4	49.2	94.8
8/7/2016 7:31	34.8	45.3	57.7
8/7/2016 7:36	33.1	39.7	55.5
8/7/2016 7:41	33.7	37.7	48.9
8/7/2016 7:46	32.3	37.2	50.9
8/7/2016 7:51	30.3	36.3	45.9

DataRAM

Tag Number 4
 Number of logged points..... 116
 Start time (hr:min:sec day/mon/yr)... 06:11:47 07-Aug-06
 Elapsed time (hr:min:sec)..... 09:40:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 33.6
 Overall MaxConc (ug/m3)..... 168.9 at Point#...18
 Overall MinConc (ug/m3)..... 19.2 at Point#...70
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/7/2006 6:16	34	42.5	54.9
8/7/2006 6:21	37.7	42.4	53.7
8/7/2006 6:26	39.3	47	68.8
8/7/2006 6:31	40.7	48.4	57
8/7/2006 6:36	40	47	63
8/7/2006 6:41	40.3	45.2	52.8
8/7/2006 6:46	39.1	43.8	51.7
8/7/2006 6:51	36.2	44.6	64.6
8/7/2006 6:56	36.2	44.6	57.9
8/7/2006 7:01	39.5	44	58.3
8/7/2006 7:06	36.4	42.8	55.9
8/7/2006 7:11	35.5	45.1	58.6
8/7/2006 7:16	37.5	44.3	54.2
8/7/2006 7:21	35.1	41.3	61.9
8/7/2006 7:26	33.9	38.3	46.4
8/7/2006 7:31	35.9	44	57.2
8/7/2006 7:36	33.1	44.3	112.8
8/7/2006 7:41	32.6	41.9	168.9
8/7/2006 7:46	30.8	35	48.5
8/7/2006 7:51	31.6	35.2	41.7
8/7/2006 7:56	30.8	36.4	107.5

8/7/2016 7:56	32.2	36.6	43.9	8/7/2006 8:01	29.5	33	52.7
8/7/2016 8:01	32	35.2	48.9	8/7/2006 8:06	28.7	31.2	35.1
8/7/2016 8:06	31.8	35.1	46	8/7/2006 8:11	28.9	32	48.7
8/7/2016 8:11	31.7	34.6	41.5	8/7/2006 8:16	27.8	31.4	56.2
8/7/2016 8:16	31	34.5	47.7	8/7/2006 8:21	28.9	32.1	46
8/7/2016 8:21	29	34.6	44.2	8/7/2006 8:26	27.8	31.2	42.1
8/7/2016 8:26	30.3	32.9	39.6	8/7/2006 8:31	26.9	31	56.3
8/7/2016 8:31	28.7	33.3	52.2	8/7/2006 8:36	27.7	30.5	38
8/7/2016 8:36	29.7	32.8	39.9	8/7/2006 8:41	25.8	30.6	47
8/7/2016 8:41	29.2	33.4	39.9	8/7/2006 8:46	26.9	29.9	33.8
8/7/2016 8:46	28.5	32.8	48.7	8/7/2006 8:51	24.9	32.1	68.2
8/7/2016 8:51	27.2	33	50.8	8/7/2006 8:56	25.4	28.9	49.2
8/7/2016 8:56	28.1	31.7	37.5	8/7/2006 9:01	25.1	29.1	41.5
8/7/2016 9:01	26	31.7	38	8/7/2006 9:06	24.3	29.1	42.9
8/7/2016 9:06	26.4	34.7	67.2	8/7/2006 9:11	25	30.6	60.1
8/7/2016 9:11	26.8	31.7	41.7	8/7/2006 9:16	23.1	28.8	39.6
8/7/2016 9:16	27.2	30.7	39.8	8/7/2006 9:21	23	28.4	44.1
8/7/2016 9:21	26.5	30.2	37.6	8/7/2006 9:26	22.6	27.5	38.8
8/7/2016 9:26	27.1	31.1	38.3	8/7/2006 9:31	24.2	27.8	38.8
8/7/2016 9:31	24.5	31.4	54.4	8/7/2006 9:36	22.4	28.6	70.4
8/7/2016 9:36	25.6	30.1	36.3	8/7/2006 9:41	23	27.6	42.7
8/7/2016 9:41	24.8	31.8	48.2	8/7/2006 9:46	23.3	28.9	38.2
8/7/2016 9:46	25	30.4	42.2	8/7/2006 9:51	23	27	50.7
8/7/2016 9:51	25.6	28.9	37.5	8/7/2006 9:56	22.2	29.6	42.6
8/7/2016 9:56	23.4	31	101.1	8/7/2006 10:01	22	27.5	62.5
8/7/2016 10:01	22.5	28.9	34.9	8/7/2006 10:06	21.7	28.7	71.7
8/7/2016 10:06	23.1	29.5	38.2	8/7/2006 10:11	21.5	27.6	45.5
8/7/2016 10:11	24.2	27.6	39.6	8/7/2006 10:16	22.9	27.5	38.3
8/7/2016 10:16	24.7	29.5	39	8/7/2006 10:21	24.6	28.8	37.2
8/7/2016 10:21	24.8	29.1	46.8	8/7/2006 10:26	25.5	28.7	33.1
8/7/2016 10:26	26	30.1	37.4	8/7/2006 10:31	24.3	28.1	35.8
8/7/2016 10:31	24.6	28.9	37.9	8/7/2006 10:36	23.8	28.1	36.7
8/7/2016 10:36	25.8	30.2	47.9	8/7/2006 10:41	24.2	28	44.3
8/7/2016 10:41	26	30.5	47.9	8/7/2006 10:46	24.2	29.3	50.1
8/7/2016 10:46	26.1	31.4	37.7	8/7/2006 10:51	23.7	28.3	44.1
8/7/2016 10:51	25.9	29.9	60.7	8/7/2006 10:56	23.1	27.1	40.7
8/7/2016 10:56	25.3	28.6	34	8/7/2006 11:01	22.3	27.2	40.6

8/7/2016 11:01	26	29.4	48.3	8/7/2006 11:06	24.9	31.2	49.3
8/7/2016 11:06	26.4	31	43.9	8/7/2006 11:11	23.8	30	47.5
8/7/2016 11:11	24.8	30	38	8/7/2006 11:16	25.3	29.7	37.8
8/7/2016 11:16	25.3	29.5	39.4	8/7/2006 11:21	23.6	26.4	31.6
8/7/2016 11:21	24.9	28.4	35.4	8/7/2006 11:26	22.2	32.1	75.5
8/7/2016 11:26	24.7	28.2	36.5	8/7/2006 11:31	21.9	26	31.4
8/7/2016 11:31	24.3	27.9	38.4	8/7/2006 11:36	22.8	28.6	54
8/7/2016 11:36	24.4	28.8	36.7	8/7/2006 11:41	22.9	25.9	33.6
8/7/2016 11:41	24.2	28.5	35	8/7/2006 11:46	22	27.5	40.3
8/7/2016 11:46	24	27.6	34.1	8/7/2006 11:51	23.1	27.6	35.3
8/7/2016 11:51	24.5	29.5	43.1	8/7/2006 11:56	22.3	28.8	41.6
8/7/2016 11:56	22.6	28.6	42.4	8/7/2006 12:01	19.2	25.4	47.7
8/7/2016 12:01	20.9	26	33.4	8/7/2006 12:06	19.2	25.4	35.8
8/7/2016 12:06	23.1	27.5	33.6	8/7/2006 12:11	21.7	26.4	37.2
8/7/2016 12:11	23.6	27.6	35.8	8/7/2006 12:16	23.6	29	39.2
8/7/2016 12:16	24.8	29.4	46.7	8/7/2006 12:21	24.8	31.4	57.7
8/7/2016 12:21	24.7	29.4	35.8	8/7/2006 12:26	23.9	33.6	46.4
8/7/2016 12:26	27.4	32.9	48.3	8/7/2006 12:31	26.9	34.6	67.3
8/7/2016 12:31	26.2	31.3	37.9	8/7/2006 12:36	25.2	29.9	43.5
8/7/2016 12:36	26.7	31	61.5	8/7/2006 12:41	25.3	32.1	50.7
8/7/2016 12:41	28.2	31.7	44.7	8/7/2006 12:46	26.8	33.5	50.8
8/7/2016 12:46	27.2	32.5	48.4	8/7/2006 12:51	27.4	33.4	46.9
8/7/2016 12:51	27.8	33.2	43.5	8/7/2006 12:56	28.7	34	52
8/7/2016 12:56	29.6	34.8	54.5	8/7/2006 13:01	29.9	33.5	44.1
8/7/2016 13:01	27.4	34.1	45	8/7/2006 13:06	26.2	31.5	38.6
8/7/2016 13:06	30.2	33.5	40.3	8/7/2006 13:11	28.1	43.3	131.3
8/7/2016 13:11	29.6	37.7	66.1	8/7/2006 13:16	26.8	36.3	64.2
8/7/2016 13:16	28.1	39.2	54.7	8/7/2006 13:21	28.8	34.9	51.3
8/7/2016 13:21	31.5	38.7	76.1	8/7/2006 13:26	29.5	38	57.5
8/7/2016 13:26	31.6	35.7	49	8/7/2006 13:31	28.5	35.1	58.6
8/7/2016 13:31	31	34.9	41.6	8/7/2006 13:36	28	31.4	36.6
8/7/2016 13:36	29	32.5	42.5	8/7/2006 13:41	27.2	30.7	36
8/7/2016 13:41	27	31.6	36.6	8/7/2006 13:46	27.3	31.3	44.7
8/7/2016 13:46	29.3	35.2	55.2	8/7/2006 13:51	28.3	33.8	46.4
8/7/2016 13:51	28.3	32.3	39.6	8/7/2006 13:56	27.1	33.4	64.2
8/7/2016 13:56	28.8	32.9	44.5	8/7/2006 14:01	27	39.9	141.8
8/7/2016 14:01	29.1	35.1	61.6	8/7/2006 14:06	26.2	30.4	42.1

8/7/2016 14:06	28.1	31.8	44.1	8/7/2006 14:11	25.9	31.9	59.9
8/7/2016 14:11	26.8	31.3	35.3	8/7/2006 14:16	29.2	33.8	53
8/7/2016 14:16	29.5	34.5	54	8/7/2006 14:21	28.3	33.6	60.7
8/7/2016 14:21	29.4	33	36.3	8/7/2006 14:26	27.3	34.1	51.9
8/7/2016 14:26	27.7	33.6	50.6	8/7/2006 14:31	27.1	32.9	45.9
8/7/2016 14:31	28.8	32.1	38.9	8/7/2006 14:36	26.8	34.3	61.5
8/7/2016 14:36	27.3	32.8	40	8/7/2006 14:41	26.9	31.3	61.5
8/7/2016 14:41	27.7	32	40	8/7/2006 14:46	27.1	34.5	88.5
8/7/2016 14:46	27.2	31.6	45.9	8/7/2006 14:51	26.4	31.9	45.7
8/7/2016 14:51	25.9	31.2	42.1	8/7/2006 14:56	27.9	34.3	49.8
8/7/2016 14:56	25.5	31.4	39.3	8/7/2006 15:01	28.7	37.3	74.5
8/7/2016 15:01	28.6	34	43.6	8/7/2006 15:06	27.8	37.7	60.6
8/7/2016 15:06	30.1	34.9	51	8/7/2006 15:11	23.7	38.3	98.2
8/7/2016 15:11	28.2	35.5	44.9	8/7/2006 15:16	31.1	36.8	46.9
8/7/2016 15:16	31.2	34.9	42.6	8/7/2006 15:21	29.6	36.4	75.8
8/7/2016 15:21	30.8	37.1	46.1	8/7/2006 15:26	32.9	38.8	73
8/7/2016 15:26	30.4	36.1	43.2	8/7/2006 15:31	32.1	36.4	49.5
8/7/2016 15:31	30.4	40.2	91	8/7/2006 15:36	30.6	36.8	48.5
8/7/2016 15:36	34	40.5	48.3	8/7/2006 15:41	33.2	39.1	49.7
8/7/2016 15:41	36.8	41.6	50.9	8/7/2006 15:46	34	39.9	50.7
8/7/2016 15:46	34.6	41.7	54	8/7/2006 15:51	34.9	41.8	56.4

CAMP Site Log/Particulate Sample

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Form

Sampler: AAATP447 Date: 8/8/06 Activity: Sealing well B1 + B3 Upwind Location: Berkeley Ga. 702
 Client: _____ Weather Conditions: J Downwind Location: Foundation near W of site

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
6 ⁰⁰	4.8	3.7	ONSITE 25-45 WORK BEGINS 6:15
7 ⁰⁰	5.9	6.8	
8 ⁰⁰	BATTERY MALFUNCTION (28-38)	7.4	→ battery drained, no readings displayed
9 ⁰⁰	4.2	7.1	→ OLD MONITOR REPLACED PLUGGED IN
10 ⁰⁰	3.5	6.5	
11 ⁰⁰	2.7	6.1	
12 ⁰⁰	1.9	5.3	
13 ⁰⁰	1.4	4.9	
14 ⁰⁰	0.9	4.4	
15 ⁰⁰	0.7	4.1	
16 ⁰⁰	.4	3.9	



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <u>MATTHEW</u>	Date: <u>8/8/06</u>	Activity: <u>Setting wells B1</u>
Weather Conditions: <u>SUNNY, 79-53, light breeze</u>		
From <u>NW</u>		
PID Calibrated by: <u>MLH</u>		

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
<u>6⁰⁵</u>	<u>West of Rig</u>	<u>0.0</u>	<u>East of Rig</u>	<u>0.0</u>	
<u>7⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>8⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>9⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>10⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>11⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>12⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>13⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>14⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>15⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	
<u>16⁰⁵</u>		<u>0.0</u>		<u>0.0</u>	



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 13204
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: MAT PGM

Date: 8/8/00

Activity: Setting wells B3


Weather Conditions: sunny, 74-53, light breeze

From NW.

PID Calibrated by: ~~MB~~

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ¹⁰	East of Rig	0.0	East of Rig	0.0	2 rigs on pad B3
7 ¹⁰	↓	0.0	↓	0.0	
8 ¹⁰	↓	0.0	↓	0.0	
9 ¹⁰	↓	0.0	↓	0.0	
10 ¹⁰	↓	0.0	↓	0.0	
11 ¹⁰	↓	0.0	↓	0.0	
12 ¹⁰	↓	0.0	↓	0.0	
13 ¹⁰	↓	0.0	↓	0.0	
14 ¹⁰	↓	0.0	↓	0.0	
15 ¹⁰	↓	0.0	↓	0.0	
16 ¹⁰	↓	0.0	↓	0.0	

Aug 8 2006 Pioneer Midler LLC Particulate Sampling



DataRAM

Tag Number 5
 Number of logged points 22
 Start time (hr:min:sec day/mon/yr) ... 06:00:06 08-Aug-16
 Elapsed time (hr:min:sec) 01:50:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 7.2
 Overall MaxConc (ug/m3) 53.0 at Point#...1
 Overall MinConc (ug/m3) 2.5 at Point#...1
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/8/2016 6:05	2.5	6.2	53
8/8/2016 6:10	3.2	6	14.4
8/8/2016 6:15	3.8	5.7	10.8
8/8/2016 6:20	3.9	7.2	15.2
8/8/2016 6:25	4.5	6.6	11.3
8/8/2016 6:30	4.6	6.8	12.5
8/8/2016 6:35	3.2	6.7	14
8/8/2016 6:40	5.1	7.4	12.5
8/8/2016 6:45	5.4	6.7	11
8/8/2016 6:50	5.2	7.7	13.2
8/8/2016 6:55	5.4	8	21.8
8/8/2016 7:00	5.4	8.1	13.8
8/8/2016 7:05	5.5	8.1	16.7
8/8/2016 7:10	5.5	7.8	10.7
8/8/2016 7:15	6.3	8.1	14
8/8/2016 7:20	5.6	8.1	11.6
8/8/2016 7:25	5.2	7.2	11.3
8/8/2016 7:30	5.6	7.5	13.1
8/8/2016 7:35	4.8	6.9	16.5
8/8/2016 7:40	4.7	7.8	32.3
8/8/2016 7:45	4.7	7.5	16.4

DataRAM


Tag Number 5
 Number of logged points 118
 Start time (hr:min:sec day/mon/yr) ... 06:04:08 08-Aug-06
 Elapsed time (hr:min:sec) 09:50:00
 Averaging Time (sec) 10
 Logging period (hr:min:sec) 00:05:00
 CalFactor (%) 100
 StelConc (ug/m3) 0.0
 STEL occurrence after start (hr:min:sec) 00:00:00
 Overall AvgConc (ug/m3) 3.9
 Overall MaxConc (ug/m3) 86.7 at Point#...82
 Overall MinConc (ug/m3) 0.0 at Point#...52
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/8/2006 6:09	4	6.6	44.7
8/8/2006 6:14	4	6.8	30
8/8/2006 6:19	4.4	8.1	31.2
8/8/2006 6:24	5.4	7.2	11.8
8/8/2006 6:29	5.3	9.6	15.3
8/8/2006 6:34	4.4	8.3	16
8/8/2006 6:39	5.5	7.7	14.2
8/8/2006 6:44	5.3	7.6	10.1
8/8/2006 6:49	6.4	8.8	15.4
8/8/2006 6:54	6.6	8.8	15.3
8/8/2006 6:59	5.5	8.4	22
8/8/2006 7:04	5.8	8.9	25.7
8/8/2006 7:09	7	8.8	13.7
8/8/2006 7:14	6.6	9	16.3
8/8/2006 7:19	5.7	8.7	15
8/8/2006 7:24	6.3	8.6	15.5
8/8/2006 7:29	5.4	7.8	14.6
8/8/2006 7:34	4.8	7.3	12.2
8/8/2006 7:39	4.6	7.6	13.5
8/8/2006 7:44	4.6	8	22.6
8/8/2006 7:49	4.5	7	16.1

8/8/2016 7:50	5.3	6.7	10.4	8/8/2006 7:54	4.2	6.7	10.8
8/8/2016 8:43	0	4.5	6.7	8/8/2006 7:59	4	6.2	11.5
8/8/2016 8:48	3.4	4.9	12.1	8/8/2006 8:04	4.4	6.5	11.8
8/8/2016 8:53	1.8	4.3	6.5	8/8/2006 8:09	4.2	5.4	7.5
8/8/2016 8:58	1.7	3.5	5.9	8/8/2006 8:14	3.4	6.1	25.5
8/8/2016 9:03	2.3	4	9.1	8/8/2006 8:19	1.3	6.4	26
8/8/2016 9:08	2	3.8	7	8/8/2006 8:24	3.9	5.7	9.7
8/8/2016 9:13	1.7	4.4	16.4	8/8/2006 8:29	3	5.3	8.6
8/8/2016 9:18	0.2	3.4	13.6	8/8/2006 8:34	3	5.2	9.7
8/8/2016 9:23	2.1	3.9	13.6	8/8/2006 8:39	4.4	6.2	10.4
8/8/2016 9:28	1.3	3.1	5.7	8/8/2006 8:44	4.2	5.8	10
8/8/2016 9:33	1.1	3.2	6.8	8/8/2006 8:49	3.5	5.6	8.5
8/8/2016 9:38	1.1	2.6	4.5	8/8/2006 8:54	2.6	5.2	11.2
8/8/2016 9:43	1.1	2.3	5.3	8/8/2006 8:59	2.9	5.5	10.4
8/8/2016 9:48	0.6	2.2	5.1	8/8/2006 9:04	2.7	5.7	11.7
8/8/2016 9:53	0	1.9	5.7	8/8/2006 9:09	2.2	5.4	11.7
8/8/2016 9:58	0	1	4	8/8/2006 9:14	1.5	3.6	8.8
8/8/2016 10:03	0	1.7	9.1	8/8/2006 9:19	2.4	4.6	12.3
8/8/2016 10:08	0	1.7	6	8/8/2006 9:24	2.4	4.4	11.4
8/8/2016 10:13	0.1	1.9	6.8	8/8/2006 9:29	2.1	4.3	8.5
8/8/2016 10:18	0	1.4	4	8/8/2006 9:34	2.7	4.8	7.6
8/8/2016 10:23	0	1.5	7.2	8/8/2006 9:39	3.3	5	8.7
8/8/2016 10:28	0	1.3	6.2	8/8/2006 9:44	2.9	4.5	6.9
8/8/2016 10:33	0	2	10.5	8/8/2006 9:49	2.6	4.1	10.5
8/8/2016 10:38	0	1.7	12.9	8/8/2006 9:54	1.9	4.8	31.2
8/8/2016 10:43	0	1.5	4.7	8/8/2006 9:59	2.4	4.3	12.5
8/8/2016 10:48	0	1.7	11.6	8/8/2006 10:04	1.7	4.6	13.3
8/8/2016 10:53	0.3	1.3	6.7	8/8/2006 10:09	1.7	3.5	7.5
8/8/2016 10:58	0	1.5	7.2	8/8/2006 10:14	1.9	6.6	64.7
8/8/2016 11:03	0	1.6	6.4	8/8/2006 10:19	0.6	2.7	8
8/8/2016 11:08	0	2.5	22.2	8/8/2006 10:24	0	2.8	8
8/8/2016 11:13	0	1	3.1	8/8/2006 10:29	1.4	3.4	9.1
8/8/2016 11:18	0	1.3	8.2	8/8/2006 10:34	0.7	3.1	8.2
8/8/2016 11:23	0	0.8	5.2	8/8/2006 10:39	1.6	3.8	7.5
8/8/2016 11:28	0	0.8	3.2	8/8/2006 10:44	2.2	4.6	21.1
8/8/2016 11:33	0	0.4	3.2	8/8/2006 10:49	2.2	4.7	11.5
8/8/2016 11:38	0	1.1	13	8/8/2006 10:54	1.4	4.4	16.1

8/8/2016 11:43	0	0.4	4.4	8/8/2006 10:59	1.3	3.3	6.6
8/8/2016 11:48	0	0.2	4.3	8/8/2006 11:04	1.3	2.7	6.6
8/8/2016 11:53	0	0.6	10.9	8/8/2006 11:09	0.4	2.7	9.5
8/8/2016 11:58	0	0.1	1.3	8/8/2006 11:14	0.4	2.3	4.4
8/8/2016 12:03	0	0	1.4	8/8/2006 11:19	0	2.5	8.3
8/8/2016 12:08	0	0.1	1.7	8/8/2006 11:24	0.6	2.2	7.1
8/8/2016 12:13	0	0	1.1	8/8/2006 11:29	0	1.5	4.1
8/8/2016 12:18	0	0.3	4.7	8/8/2006 11:34	0	1.3	3.1
8/8/2016 12:23	0	0	1	8/8/2006 11:39	0	1.6	4.6
8/8/2016 12:28	0	0.2	2.9	8/8/2006 11:44	0	1.4	10.5
8/8/2016 12:33	0	0.1	1.2	8/8/2006 11:49	0	1.8	22.8
8/8/2016 12:38	0	0.1	1.7	8/8/2006 11:54	0	1.9	18.1
8/8/2016 12:43	0	0.6	9.3	8/8/2006 11:59	0	2.1	18.9
8/8/2016 12:48	0	0.6	12.7	8/8/2006 12:04	0	1.4	10.2
8/8/2016 12:53	0	0.4	5	8/8/2006 12:09	0	5.8	66.6
8/8/2016 12:58	0	0.1	3.6	8/8/2006 12:14	0	2.2	51.4
8/8/2016 13:03	0	0.1	1.8	8/8/2006 12:19	0	1.5	16.2
8/8/2016 13:08	0	0	0.6	8/8/2006 12:24	0	1	7.9
8/8/2016 13:13	0	0.3	3.3	8/8/2006 12:29	0	1.8	9.3
8/8/2016 13:18	0	0.3	5	8/8/2006 12:34	0	1.2	8.2
8/8/2016 13:23	0	0	1.4	8/8/2006 12:39	0	1.7	7.9
8/8/2016 13:28	0	0	0.4	8/8/2006 12:44	0.3	2.7	17.9
8/8/2016 13:33	0	0.1	1.5	8/8/2006 12:49	0	1.5	7.1
8/8/2016 13:38	0	0.1	2	8/8/2006 12:54	0	5.1	86.7
8/8/2016 13:43	0	0.4	4.9	8/8/2006 12:59	0	0.9	4.9
8/8/2016 13:48	0	0.7	16.6	8/8/2006 13:04	0	4.3	50.1
8/8/2016 13:53	0	0.2	5.6	8/8/2006 13:09	0	0.8	2.1
8/8/2016 13:58	0	0	1.1	8/8/2006 13:14	0	1.3	7
8/8/2016 14:03	0	0	1.7	8/8/2006 13:19	0	0.9	4.3
8/8/2016 14:08	0	0.2	4.2	8/8/2006 13:24	0	0.6	6.9
8/8/2016 14:13	0	0.3	3.3	8/8/2006 13:29	0	1.8	26.6
8/8/2016 14:18	0	0	0.3	8/8/2006 13:34	0	2.1	30.5
8/8/2016 14:23	0	0.4	10	8/8/2006 13:39	0	3.8	63
8/8/2016 14:28	0	0	0.4	8/8/2006 13:44	0	1.2	4.6
8/8/2016 14:33	0	0	2.9	8/8/2006 13:49	0	0.8	4.3
8/8/2016 14:38	0	0.3	6.7	8/8/2006 13:54	0	0.8	4
8/8/2016 14:43	0	0	0.9	8/8/2006 13:59	0	1.2	5

8/8/2016 14:48	0	0.2	3.7	8/8/2006 14:04	0	0.9	3.3
8/8/2016 14:53	0	0.2	3.3	8/8/2006 14:09	0	2.1	21.8
8/8/2016 14:58	0	0.3	3.9	8/8/2006 14:14	0	2.4	21.8
8/8/2016 15:03	0	0	1.3	8/8/2006 14:19	0	1.2	5.1
8/8/2016 15:08	0	0.3	3.3	8/8/2006 14:24	0	1.3	8.4
8/8/2016 15:13	0	0.1	2.4	8/8/2006 14:29	0	3.3	30.2
8/8/2016 15:18	0	0.1	3	8/8/2006 14:34	0	1.8	11.3
8/8/2016 15:23	0	0.6	8.6	8/8/2006 14:39	0	1.5	4.7
8/8/2016 15:28	0	0.4	5.9	8/8/2006 14:44	0	1.7	6.1
8/8/2016 15:33	0	0.3	4.1	8/8/2006 14:49	0	1.5	9.2
8/8/2016 15:38	0	0.3	3.2	8/8/2006 14:54	0	1.3	5.3
8/8/2016 15:43	0	0.4	7.4	8/8/2006 14:59	0	3.5	32.6
8/8/2016 15:48	0	0.1	3.8	8/8/2006 15:04	0	2.3	18.2
				8/8/2006 15:09	0	1	6.1
				8/8/2006 15:14	0	1.4	6.4
				8/8/2006 15:19	0	1.6	6
				8/8/2006 15:24	0	2	11.3
				8/8/2006 15:29	0	2.1	18.6
				8/8/2006 15:34	0	2.6	31.4
				8/8/2006 15:39	0.3	1.8	6.8
				8/8/2006 15:44	0	2.1	14.9
				8/8/2006 15:49	0	3.6	26.7
				8/8/2006 15:54	0	2.1	9



1401 Erie Boulevard East
Syracuse, New York 13202
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: Wesley Adam Date: 8/9/06 Activity: Drilling Wells on B1 + B3 Upwind Location: drum near trailer
 Client: Midler Pioneer LLC Weather Conditions: Cool, Sunny, wind from NW West Downwind Location: foundation block east of

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
6:25	9.4	17.0	
7:25	9.1	15.8	
8:25	10.7	13.0	
9:15	1.6	10.3	
10:30	0.0	2.04	
11:20	2.7	13.5	
12:10	0.0	0.3	
13:40			
1:40	0.0	0.0	
4:40	0.0	0.0	
15:40			
3:40	8.0	0.9	



Certified
Environmental
Services, Inc.

VOC sample Form

1401 Erie Boulevard East

Syracuse, New York 132

Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: Wesley Adam

Date: 8/9/06

Activity: Setting Wells (B1)

Weather Conditions: cool, sunny, wind from west

PID Calibrated by: *Wesley Adam*

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ³⁰	West of Rig.	0.0	East of Rig	0.0	
7 ³⁰		0.0		0.0	
8 ³⁰		0.0		0.0	
9 ²⁰		0.0		0.0	
10:00 10:00		0.0		0.0	
11:25		0.0		0.0	
12:10		0.0		0.0	
1:40 (13:40)		0.0		0.0	
2:40 (14:40)		0.0		0.0	
3:40 (15:40)		0.0		0.0	



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: Wesley Adam

Date: 8/9/06


Activity: Setting Wells (B3)

Weather Conditions: cool, sunny, wind from west

PID Calibrated by: Nicole Copeland

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
7:30	West of Rig	0.0	East of Rig	0.0	Dripping began @ 7:15
8:30		0.0		0.0	
9:20		0.0		0.0	
10:20 10:30		0.0		0.0	
11:25		0.0		0.0	
12:10		0.0		0.0	
12:40		0.0		0.0	
1:40		0.0		0.0	
14:40		0.0		0.0	
2:40		0.0		0.0	
15:40		0.0		0.0	
3:40		0.0		0.0	

Aug 9 2006 Pioneer Midler LLC Particulate Sampling



UPWIND

DataRAM

Tag Number 1
 Number of logged points..... 118
 Start time (hr:min:sec day/mon/yr)... 05:57:18 09-Aug-16
 Elapsed time (hr:min:sec)..... 09:50:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 5.2
 Overall MaxConc (ug/m3)..... 111.4 at Point#...21
 Overall MinConc (ug/m3)..... 0.0 at Point#...38
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/9/2016 6:02	3.6	7.8	27
8/9/2016 6:07	4	9.5	30
8/9/2016 6:12	5.7	10.4	21.1
8/9/2016 6:17	6.9	11.1	22.4
8/9/2016 6:22	7.8	20.7	35.9
8/9/2016 6:27	8.7	16.4	36.4
8/9/2016 6:32	8.5	16.2	26.7
8/9/2016 6:37	8.7	13.1	27.5
8/9/2016 6:42	9.8	15	27.2
8/9/2016 6:47	9	15.8	44.5
8/9/2016 6:52	9.5	14.5	48.4
8/9/2016 6:57	10.7	15.2	21.2
8/9/2016 7:02	9.9	15.3	32.2
8/9/2016 7:07	9.3	13.2	27.4
8/9/2016 7:12	8.2	11.3	14.5
8/9/2016 7:17	10	16.7	48.5
8/9/2016 7:22	8.6	13.9	34
8/9/2016 7:27	8.9	20.2	51.5
8/9/2016 7:32	9.2	15.9	40
8/9/2016 7:37	8.7	27.9	81.2

DOWNWIND

DataRAM

Tag Number 1
 Number of logged points..... 118
 Start time (hr:min:sec day/mon/yr)... 06:09:01 09-Aug-06
 Elapsed time (hr:min:sec)..... 09:50:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 4.4
 Overall MaxConc (ug/m3)..... 154.4 at Point#...5
 Overall MinConc (ug/m3)..... 0.0 at Point#...33
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/9/2006 6:14	4	13.4	73.9
8/9/2006 6:19	4.2	8.1	21.5
8/9/2006 6:24	4.3	9.5	23.6
8/9/2006 6:29	6.4	13.2	29.7
8/9/2006 6:34	8.2	26.6	154.4
8/9/2006 6:39	6.4	17.1	81
8/9/2006 6:44	8.4	10.8	16.9
8/9/2006 6:49	8.4	14.3	36.3
8/9/2006 6:54	8.7	18.4	32.1
8/9/2006 6:59	7.4	13.8	34.4
8/9/2006 7:04	7	10.9	21.1
8/9/2006 7:09	6.7	9.7	15.4
8/9/2006 7:14	6.6	22.9	95.9
8/9/2006 7:19	7	11.4	28.7
8/9/2006 7:24	4.9	11	21.3
8/9/2006 7:29	6.5	19	53.5
8/9/2006 7:34	4.5	10.2	25.7
8/9/2006 7:39	7.5	16.3	35.2
8/9/2006 7:44	7.1	12.2	27.3
8/9/2006 7:49	6.9	11.5	22.7

8/9/2016 7:42	9.6	26	111.4	8/9/2006 7:54	10.7	27.6	142.1
8/9/2016 7:47	9.5	15.4	31.1	8/9/2006 7:59	8.8	21.1	60.9
8/9/2016 7:52	9.5	16.9	57.2	8/9/2006 8:04	8.7	15.2	42.4
8/9/2016 7:57	8.7	21.2	64.4	8/9/2006 8:09	7.9	13.2	29.1
8/9/2016 8:02	8.6	18.3	35.8	8/9/2006 8:14	6.8	10	19
8/9/2016 8:07	9.1	14.7	22.8	8/9/2006 8:19	6	10.2	18.4
8/9/2016 8:12	9.3	15.8	37.4	8/9/2006 8:24	4.1	9.5	21.8
8/9/2016 8:17	2.2	12.4	20.1	8/9/2006 8:29	3.5	8.8	18.4
8/9/2016 8:22	7.6	13.1	28.1	8/9/2006 8:34	2.8	6.8	14.8
8/9/2016 8:27	4	10.6	20.3	8/9/2006 8:39	1.5	5.1	13.2
8/9/2016 8:32	5.5	8.9	21.6	8/9/2006 8:44	0.6	3.8	7.3
8/9/2016 8:37	2.2	7.4	15.5	8/9/2006 8:49	1.3	4.4	17.4
8/9/2016 8:42	2.1	4.8	9.1	8/9/2006 8:54	0	5.3	19.8
8/9/2016 8:47	2.3	5.6	13.6	8/9/2006 8:59	0	4.1	12.8
8/9/2016 8:52	1.2	4.8	16.1	8/9/2006 9:04	0	3.4	24.9
8/9/2016 8:57	1.1	4.3	24.3	8/9/2006 9:09	0	2.2	11.2
8/9/2016 9:02	1.3	4	9.7	8/9/2006 9:14	0	2.9	32.4
8/9/2016 9:07	0	3.6	22.2	8/9/2006 9:19	0	1.7	9.1
8/9/2016 9:12	0.8	3.8	22.2	8/9/2006 9:24	0	2.4	13.1
8/9/2016 9:17	1	4.5	11.3	8/9/2006 9:29	0	3.7	15.7
8/9/2016 9:22	0.5	3.9	9.1	8/9/2006 9:34	0	1.8	10.4
8/9/2016 9:27	0.5	3.4	24.5	8/9/2006 9:39	0	2.3	13.1
8/9/2016 9:32	0.2	3.5	24.5	8/9/2006 9:44	0.3	3.1	11.5
8/9/2016 9:37	0	4.6	25.4	8/9/2006 9:49	0	5.1	13.3
8/9/2016 9:42	0.2	3.7	11.1	8/9/2006 9:54	0	3.2	11.8
8/9/2016 9:47	0.4	5.5	25.4	8/9/2006 9:59	0	3.2	24.5
8/9/2016 9:52	0.3	2.4	9.3	8/9/2006 10:04	0	2.5	12.4
8/9/2016 9:57	0.5	4.7	38	8/9/2006 10:09	0	2.2	11.4
8/9/2016 10:02	0	2.7	20.6	8/9/2006 10:14	0	1.1	9.4
8/9/2016 10:07	0	2.1	9.8	8/9/2006 10:19	0	2.3	11.4
8/9/2016 10:12	0	3.8	16.8	8/9/2006 10:24	0	1	10.4
8/9/2016 10:17	0	3.3	19.9	8/9/2006 10:29	0	1.2	9.1
8/9/2016 10:22	0	0.9	7.1	8/9/2006 10:34	0	1.5	7.8
8/9/2016 10:27	0	1.3	10	8/9/2006 10:39	0	1.9	13.3
8/9/2016 10:32	0	2.8	9.8	8/9/2006 10:44	0	1.3	26.4
8/9/2016 10:37	0	1.6	10.7	8/9/2006 10:49	0	0.2	2.7
8/9/2016 10:42	0	0.9	4.2	8/9/2006 10:54	0	0.3	5

8/9/2016 10:47	0	0.4	3.2	8/9/2006 10:59	0	1.8	38.4
8/9/2016 10:52	0	0.6	4.5	8/9/2006 11:04	0	1.4	18.8
8/9/2016 10:57	0	0.7	7.1	8/9/2006 11:09	0	0.3	2.8
8/9/2016 11:02	0	0.7	11.4	8/9/2006 11:14	0	1.6	19.2
8/9/2016 11:07	0	0.7	4.2	8/9/2006 11:19	0	1.3	7.4
8/9/2016 11:12	0	2.2	35.1	8/9/2006 11:24	0	1.6	22.6
8/9/2016 11:17	0	2	14.8	8/9/2006 11:29	0	7.4	70.9
8/9/2016 11:22	0	0.2	1.7	8/9/2006 11:34	0	6.4	57.3
8/9/2016 11:27	0	11	74.5	8/9/2006 11:39	0	0.6	11.7
8/9/2016 11:32	0	3.9	24.9	8/9/2006 11:44	0	0.5	6.3
8/9/2016 11:37	0	1.4	18.8	8/9/2006 11:49	0	0.2	2.9
8/9/2016 11:42	0	0.6	9	8/9/2006 11:54	0	1	10.8
8/9/2016 11:47	0	0.7	8.3	8/9/2006 11:59	0	0.6	9.5
8/9/2016 11:52	0	0.7	6.1	8/9/2006 12:04	0	1.2	23.4
8/9/2016 11:57	0	0.8	16.1	8/9/2006 12:09	0	0.1	4.6
8/9/2016 12:02	0	0.3	4.2	8/9/2006 12:14	0	0.8	25.1
8/9/2016 12:07	0	0.9	10.6	8/9/2006 12:19	0	0.2	3.2
8/9/2016 12:12	0	0.5	4.2	8/9/2006 12:24	0	0	1.4
8/9/2016 12:17	0	0.4	4.7	8/9/2006 12:29	0	2.6	19.5
8/9/2016 12:22	0	0.8	10.1	8/9/2006 12:34	0	0.3	6.1
8/9/2016 12:27	0	1	13.3	8/9/2006 12:39	0	0	1.4
8/9/2016 12:32	0	0.5	7.6	8/9/2006 12:44	0	0.7	8.3
8/9/2016 12:37	0	0	1.3	8/9/2006 12:49	0	2	11.2
8/9/2016 12:42	0	0.3	3.7	8/9/2006 12:54	0	1.1	11.1
8/9/2016 12:47	0	1.8	9.6	8/9/2006 12:59	0	0.2	4.2
8/9/2016 12:52	0	0.2	4.7	8/9/2006 13:04	0	0.2	3.9
8/9/2016 12:57	0	0.1	2.4	8/9/2006 13:09	0	0.1	2.2
8/9/2016 13:02	0	0.2	5.4	8/9/2006 13:14	0	1.8	12.8
8/9/2016 13:07	0	0	0.7	8/9/2006 13:19	0	1	7.2
8/9/2016 13:12	0	2.8	16.3	8/9/2006 13:24	0	0.5	11.7
8/9/2016 13:17	0	1.8	19.3	8/9/2006 13:29	0	0	2
8/9/2016 13:22	0	0.2	7.5	8/9/2006 13:34	0	0.5	8.9
8/9/2016 13:27	0	0	2.1	8/9/2006 13:39	0	0.3	3.7
8/9/2016 13:32	0	0.1	4	8/9/2006 13:44	0	0.3	3.9
8/9/2016 13:37	0	0	1.1	8/9/2006 13:49	0	0.2	8.6
8/9/2016 13:42	0	0.3	5.3	8/9/2006 13:54	0	0.2	6.2
8/9/2016 13:47	0	0	0.1	8/9/2006 13:59	0	0.7	8.8



Certified
Environmental
Services, Inc.

CAMP Site Log/Particulate Sample Form

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: MAINTENANCE Date: 8/10/06 Activity: SETTING WELLS B1 + B3 Upwind Location: BARKER STATION
Client: Pioneer M. Allen LLC Weather Conditions: light wind from west, cool clear Downwind Location: EMERSON FRAG @ EAST END

Time	Upwind (ug/m ³)	Downwind (ug/m ³)	Notes
5 ⁵⁷	31.5	11.4	ON SITE @ 5:45 B1 = 0.0 B3 = 0.0
7 ⁴	28.7	15.3	B1 = 0.0 B3 = 0.0
8 ⁰⁵	24.3	19.7	B1 = 0.0 Glen Anderson leaves site, new TerraTherm cap is B3 = 0.0 Gregory Crisp
9 ⁰²	24.0	20.1	B1 = 0.0 B3 = 0.0
10 ⁰²	18.0	11.4	B1 = 0.0 B3 = 0.0
11 ⁰²	17.2	9.6	B1 = 0.0 B3 = 0.0
11 ⁵²	16.6	13.6	B1 = 0.0 B3 = 0.0
13 ⁰⁵	14.4	12.1	B1 = 0.0 B3 = 0.0
14 ⁰⁵	14.1	11.6	B1 = 0.0 B3 = 0.0
15 ⁰⁶	13.2	10.7	B1 = 0.0 B3 = 0.0
16 ⁰⁵	12.3	10.3	B1 = 0.0 B3 = 0.0

OF
SITE



Certified
Environmental
Services, Inc.

VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: MATT PATTI Date: 8/10/06 Activity: SETTING WELLS - B1

Weather Conditions:

light wind from west, cool + dry

PID Calibrated by: W. B. H. S.

Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ⁰³	WEST OF RIG	0.0	EAST OF RIG	0.0	
7 ⁰⁵	↓	0.0	↓	0.0	
8 ¹⁰	↓	0.0	↓	0.0	
9 ⁰⁷	↓	0.0	↓	0.0	
10 ⁰⁵	↓	0.0	↓	0.0	
11 ⁰⁵	↓	0.0	↓	0.0	
11 ⁵⁵	↓	0.0	↓	0.0	
13 ⁰⁷	↓	0.0	↓	0.0	
14 ⁰⁷	↓	0.0	↓	0.0	
15 ⁰⁷	↓	0.0	↓	0.0	
16 ⁰⁷	↓	0.0	↓	0.0	



Certified
Environmental
Services, Inc.


VOC Sample Form

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: <u>WATER</u>		Date: <u>7/10/06</u>		Activity: <u>SETTING WELLS (BS)</u>	
Weather Conditions: <u>light wind from west, cool, dry</u>		PID Calibrated by: <u>MPH</u>			
Time	Upwind sample location	Reading (ppm)	Downwind sample location	Reading (ppm)	Notes
6 ⁰⁷	WEST OF RIGS	0.0	EAST OF RIGS	0.0	
7 ⁰⁷	↓	0.0	↓	0.0	
8 ¹⁵	↓	0.0	↓	0.0	
9 ¹²	↓	0.0	↓	0.0	
10 ¹⁵	↓	0.0	↓	0.0	
11 ¹⁰	↓	0.0	↓	0.0	
12 ⁰⁰	↓	0.0	↓	0.0	
13 ¹⁰	↓	0.0	↓	0.0	
14 ¹⁰	↓	0.0	↓	0.0	
15 ¹⁰	↓	0.0	↓	0.0	
16 ¹⁰	↓	0.0	↓	0.0	

Aug 10 2006 Pioneer Midler LLC Particulate Sampling



UPWIND

DataRAM

Tag Number 2
 Number of logged points..... 118
 Start time (hr:min:sec day/mon/yr)... 06:01:42 10-Aug-16
 Elapsed time (hr:min:sec)..... 09:50:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 12.3
 Overall MaxConc (ug/m3)..... 841.8 at Point#...3
 Overall MinConc (ug/m3)..... 0.0 at Point#...1
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/10/2016 6:06	0	32.7	351.6
8/10/2016 6:11	13	23.2	89.1
8/10/2016 6:16	7.8	75.2	841.8
8/10/2016 6:21	8.5	13.2	36.5
8/10/2016 6:26	8.7	12.5	22.4
8/10/2016 6:31	9.3	15.4	43.9
8/10/2016 6:36	9.8	15.7	26.2
8/10/2016 6:41	10.8	16.3	28.9
8/10/2016 6:46	11.5	26	95.4
8/10/2016 6:51	13.1	17	25.1
8/10/2016 6:56	15.8	21.6	63
8/10/2016 7:01	17.7	22.7	33.5
8/10/2016 7:06	18.1	22.1	31.2
8/10/2016 7:11	15.4	20.5	45.1
8/10/2016 7:16	15.4	22.2	46.2
8/10/2016 7:21	15	22.6	41.8
8/10/2016 7:26	16.1	23.4	40.2
8/10/2016 7:31	15.1	26.7	107.8
8/10/2016 7:36	13.6	20.4	30.7
8/10/2016 7:41	16.7	33.4	71.6

DOWNWIND

DataRAM


Tag Number 2
 Number of logged points..... 118
 Start time (hr:min:sec day/mon/yr)... 06:04:51 10-Aug-06
 Elapsed time (hr:min:sec)..... 09:50:00
 Averaging Time (sec)..... 10
 Logging period (hr:min:sec)..... 00:05:00
 CalFactor (%)..... 100
 StelConc (ug/m3)..... 0.0
 STEL occurrence after start (hr:min:sec)..... 00:00:00
 Overall AvgConc (ug/m3)..... 10.2
 Overall MaxConc (ug/m3)..... 234.6 at Point#...32
 Overall MinConc (ug/m3)..... 0.0 at Point#...1
 ug/m3

Point Label	"Min"	"Avg"	"Max"
8/10/2006 6:09	0	13.2	26.7
8/10/2006 6:14	7.1	12	20.9
8/10/2006 6:19	7.8	10.6	22.7
8/10/2006 6:24	8.7	11.7	19
8/10/2006 6:29	9.3	11.9	16.2
8/10/2006 6:34	10.3	13.1	18.6
8/10/2006 6:39	11.4	14.2	19.2
8/10/2006 6:44	11.1	25.9	58.4
8/10/2006 6:49	12.7	15.8	27.5
8/10/2006 6:54	13.4	22.4	48.5
8/10/2006 6:59	15.6	28.6	80.9
8/10/2006 7:04	16.7	23.5	60.5
8/10/2006 7:09	16.1	20.2	26.6
8/10/2006 7:14	15.4	20.2	27.1
8/10/2006 7:19	12.9	20.2	28.2
8/10/2006 7:24	14.3	19.9	33
8/10/2006 7:29	14.6	19.3	28
8/10/2006 7:34	15.3	19	32.8
8/10/2006 7:39	13.7	29.8	65
8/10/2006 7:44	13.1	21.9	54.8

8/10/2016 7:46	14.8	23	65.9	8/10/2006 7:49	17.6	28.6	42.4
8/10/2016 7:51	15.2	25	48	8/10/2006 7:54	16.1	29.8	89.6
8/10/2016 7:56	17	27.9	65.4	8/10/2006 7:59	16.4	22.1	32.4
8/10/2016 8:01	15.5	22.3	35.5	8/10/2006 8:04	14.3	21.7	37.8
8/10/2016 8:06	13	21.9	95.9	8/10/2006 8:09	16.4	22.6	33.2
8/10/2016 8:11	14	20.5	35.2	8/10/2006 8:14	14.2	18.2	25.5
8/10/2016 8:16	13.3	26.5	83.5	8/10/2006 8:19	13.1	19.6	32.8
8/10/2016 8:21	14.4	24.4	103.3	8/10/2006 8:24	12	15.9	23.4
8/10/2016 8:26	9.5	29.1	86.9	8/10/2006 8:29	12.6	18.7	46.8
8/10/2016 8:31	6.4	27.1	96.2	8/10/2006 8:34	13.2	19.2	31.5
8/10/2016 8:36	13.1	21.6	71.6	8/10/2006 8:39	13.2	18.6	29
8/10/2016 8:41	13.2	20.9	29.2	8/10/2006 8:44	12.5	35.5	234.6
8/10/2016 8:46	13.4	25.5	50.7	8/10/2006 8:49	10.2	30.1	113
8/10/2016 8:51	13.1	22.1	62.5	8/10/2006 8:54	10	16.5	30.4
8/10/2016 8:56	8.4	14.2	23.1	8/10/2006 8:59	8.7	16.3	28.8
8/10/2016 9:01	6.8	15.5	48.3	8/10/2006 9:04	6.2	10	15.8
8/10/2016 9:06	7	12.4	38.5	8/10/2006 9:09	6.6	9.1	20.9
8/10/2016 9:11	6.3	11.1	28.8	8/10/2006 9:14	6.4	8.6	13.5
8/10/2016 9:16	0	11.4	37	8/10/2006 9:19	5.1	8.6	14.6
8/10/2016 9:21	5	9.6	17.7	8/10/2006 9:24	3.8	8.3	21.5
8/10/2016 9:26	5.3	12.2	20.1	8/10/2006 9:29	5.9	9	15.9
8/10/2016 9:31	5.3	10.8	32	8/10/2006 9:34	5.7	9.7	15.7
8/10/2016 9:36	2.6	9.7	14.9	8/10/2006 9:39	6.4	10.5	17
8/10/2016 9:41	7.1	13.2	32.9	8/10/2006 9:44	6.7	10.7	15.5
8/10/2016 9:46	7.5	11.2	17.2	8/10/2006 9:49	7.5	12.1	20.2
8/10/2016 9:51	9	14.8	32.6	8/10/2006 9:54	8.6	12.5	19.1
8/10/2016 9:56	5.8	14	28.2	8/10/2006 9:59	8.6	12.4	17.5
8/10/2016 10:01	4.9	12.2	35.3	8/10/2006 10:04	4.5	9.5	22
8/10/2016 10:06	4.3	9.2	18.5	8/10/2006 10:09	3.5	6.5	14.8
8/10/2016 10:11	3.5	6.8	13.9	8/10/2006 10:14	3.1	5.8	10.2
8/10/2016 10:16	2.9	6.5	22.5	8/10/2006 10:19	3.3	6.1	12.4
8/10/2016 10:21	2.9	7.2	21.4	8/10/2006 10:24	4	6.3	12.9
8/10/2016 10:26	3.8	8.3	40.2	8/10/2006 10:29	3.7	7	19.9
8/10/2016 10:31	2.3	6.4	14.7	8/10/2006 10:34	3.4	5.4	8.4
8/10/2016 10:36	2.6	6.5	16.4	8/10/2006 10:39	3.5	6.3	12.4
8/10/2016 10:41	2.7	6.7	26.5	8/10/2006 10:44	3.2	5.8	16.4
8/10/2016 10:46	1.9	7.6	23.3	8/10/2006 10:49	1.5	4.2	9.3

8/10/2016 10:51	2.1	7.5	25.2	8/10/2006 10:54	2	5.3	11.8
8/10/2016 10:56	2.3	4.8	21.1	8/10/2006 10:59	1.1	4	9.9
8/10/2016 11:01	2.5	5.3	11.6	8/10/2006 11:04	1.5	3.5	6.8
8/10/2016 11:06	2.4	6.3	22.7	8/10/2006 11:09	1.6	4.1	17.5
8/10/2016 11:11	2.4	5.8	11.8	8/10/2006 11:14	2.4	4.1	6.6
8/10/2016 11:16	2.9	8.6	47.9	8/10/2006 11:19	2.5	4.6	10
8/10/2016 11:21	2.7	6.5	23	8/10/2006 11:24	2.2	4.5	9.5
8/10/2016 11:26	3.1	9.5	77.8	8/10/2006 11:29	3.4	5.9	12.4
8/10/2016 11:31	1.3	5.6	17.1	8/10/2006 11:34	2.4	4.6	7.3
8/10/2016 11:36	2	5.9	13	8/10/2006 11:39	2.3	5	8.6
8/10/2016 11:41	2.2	5.2	16.7	8/10/2006 11:44	1.5	4.6	8.2
8/10/2016 11:46	1.9	5.8	16.7	8/10/2006 11:49	2.4	4.2	8.9
8/10/2016 11:51	1.9	5.4	11.2	8/10/2006 11:54	1.3	4.4	7.8
8/10/2016 11:56	2.5	9.9	34.1	8/10/2006 11:59	2.4	5.1	12.4
8/10/2016 12:01	2.4	6.3	15.9	8/10/2006 12:04	2.3	4.3	7.1
8/10/2016 12:06	2.5	5.7	16.7	8/10/2006 12:09	1.3	4.3	8.5
8/10/2016 12:11	1.7	5.7	16.2	8/10/2006 12:14	1.8	4.8	9.2
8/10/2016 12:16	2.4	7.6	42.4	8/10/2006 12:19	3.6	7.1	27.1
8/10/2016 12:21	3.1	6.6	19.4	8/10/2006 12:24	2.9	5.6	10
8/10/2016 12:26	2.8	6.1	11.2	8/10/2006 12:29	3.3	5.5	10
8/10/2016 12:31	3	7.5	19.4	8/10/2006 12:34	3.3	6	10.3
8/10/2016 12:36	3.5	6.2	23.6	8/10/2006 12:39	3.2	5.6	8.4
8/10/2016 12:41	2.8	6.3	18.2	8/10/2006 12:44	0	6.5	14.4
8/10/2016 12:46	4.3	10.9	33	8/10/2006 12:49	0	6.2	14.5
8/10/2016 12:51	3.5	6.4	14.7	8/10/2006 12:54	4.1	9.5	98.1
8/10/2016 12:56	4.1	6.4	13.3	8/10/2006 12:59	2.8	6.2	26
8/10/2016 13:01	3.6	7.6	24.9	8/10/2006 13:04	2.6	5.7	27.2
8/10/2016 13:06	4.1	6.3	10.2	8/10/2006 13:09	2.6	5.8	12.6
8/10/2016 13:11	3.4	8	41.2	8/10/2006 13:14	3.2	5.1	7.9
8/10/2016 13:16	2.2	6.7	26.9	8/10/2006 13:19	2.5	4.6	7.4
8/10/2016 13:21	4.9	10.2	24.2	8/10/2006 13:24	3.8	6.5	12.5
8/10/2016 13:26	3.4	7	15.6	8/10/2006 13:29	2.6	5.1	11.4
8/10/2016 13:31	2.9	6.4	15.9	8/10/2006 13:34	2.8	5.6	16.5
8/10/2016 13:36	3.6	10.7	28.3	8/10/2006 13:39	3.6	6.2	16.5
8/10/2016 13:41	3.7	8.6	21.3	8/10/2006 13:44	3	5.3	10.4
8/10/2016 13:46	3.7	7.4	19	8/10/2006 13:49	3.2	6.4	33.6
8/10/2016 13:51	1.8	6.2	17.4	8/10/2006 13:54	2.1	4.4	9.4

8/10/2016 13:56	2.5	5.8	11.1	8/10/2006 13:59	1.6	4.2	8.2
8/10/2016 14:01	2	5.6	15.7	8/10/2006 14:04	0.5	4.1	8.6
8/10/2016 14:06	1.8	5.7	10.2	8/10/2006 14:09	1.5	4.6	17.4
8/10/2016 14:11	2.5	5.3	17.5	8/10/2006 14:14	1.5	3.7	6.5
8/10/2016 14:16	2.8	5.3	9.7	8/10/2006 14:19	1.9	4.3	14.2
8/10/2016 14:21	2.4	6.9	16.8	8/10/2006 14:24	1.2	4.8	9.5
8/10/2016 14:26	1.6	4.9	14.3	8/10/2006 14:29	1.8	4.1	11.5
8/10/2016 14:31	1.9	4.3	7.6	8/10/2006 14:34	2.3	4.2	10.4
8/10/2016 14:36	2.3	7.1	82.5	8/10/2006 14:39	2.4	4.7	9.2
8/10/2016 14:41	2.3	4.5	13.4	8/10/2006 14:44	2.2	3.6	5.4
8/10/2016 14:46	2.7	5.8	9.5	8/10/2006 14:49	2.5	4.6	9.4
8/10/2016 14:51	2.7	7.4	37.7	8/10/2006 14:54	2.1	5	7.6
8/10/2016 14:56	2.7	7.8	21.9	8/10/2006 14:59	2.8	7.1	22.4
8/10/2016 15:01	3.1	7.1	38.8	8/10/2006 15:04	1	4.8	9.5
8/10/2016 15:06	2.3	5.2	12.7	8/10/2006 15:09	2.1	4.8	9.3
8/10/2016 15:11	2.3	4.9	11.8	8/10/2006 15:14	3.6	6.6	16.2
8/10/2016 15:16	3.5	5.3	7.9	8/10/2006 15:19	2.6	5.2	10.3
8/10/2016 15:21	3.1	6.3	16.6	8/10/2006 15:24	3.2	5.9	12.8
8/10/2016 15:26	3.5	5.7	13.5	8/10/2006 15:29	2.6	5.9	11.8
8/10/2016 15:31	3.8	5.6	9.6	8/10/2006 15:34	3.5	6.7	32.2
8/10/2016 15:36	3.5	6.6	23.9	8/10/2006 15:39	3.6	6.9	28.3
8/10/2016 15:41	3.1	5.6	15.3	8/10/2006 15:44	3.2	6.5	16.1
8/10/2016 15:46	3.9	6.2	10.8	8/10/2006 15:49	4.1	6.3	9.6
8/10/2016 15:51	4.6	6.3	9.4	8/10/2006 15:54	5	7.9	16.8




Form

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Sampler: WATER PUMP Date: 8/1/06 Activity: Settings wells on B3 Upwind Location: band near tractor
 Client: PIONEER MID-LEVEL LLC Weather Conditions: cool dry, light wind from west Downwind Location: fuel tank fragment @ East end

[illegible]



VOC Sa. le Form

**1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107**

Community Air Monitoring Plan - Client: Pioneer Midler LLC

Sampler: WATTPETT

Date: 3/11/20


Activity: Settings wells on B3

Weather Conditions: cool, dry, wind from west (light)

PID Calibrated by: MCST

[illegible]

AUG 11 2006 Pioneer Midler LC Particulate Sampling



UPWIND

DataRAM

Tag Number 3

Number of logged points..... 39

Start time (hr:min:sec day/mon/yr)... 06:10:59 11-Aug-16

Elapsed time (hr:min:sec)..... 03:15:00

Averaging Time (sec)..... 10

Logging period (hr:min:sec)..... 00:05:00

CalFactor (%)..... 100

StelConc (ug/m3)..... 0.0

STEL occurrence after start (hr:min:sec)..... 00:00:00

Overall AvgConc (ug/m3)..... 9.7

Overall MaxConc (ug/m3)..... 51.0 at Point#...1

Overall MinConc (ug/m3)..... 3.4 at Point#...39
ug/m3

Point Label	"Min"	"Avg"	"Max"
8/11/2016 6:15	4.7	11.5	51
8/11/2016 6:20	7.3	13.8	27.1
8/11/2016 6:25	8	12.7	25.5
8/11/2016 6:30	7.2	11.7	27.2
8/11/2016 6:35	6.7	10.1	22.9
8/11/2016 6:40	7.3	14.3	39.9
8/11/2016 6:45	6.8	11.3	26.3
8/11/2016 6:50	7.2	10.7	18.8
8/11/2016 6:55	8.1	12.7	22.2
8/11/2016 7:00	8.2	11.5	22.4
8/11/2016 7:05	8.1	11.8	19.9
8/11/2016 7:10	8.2	10.4	14.5
8/11/2016 7:15	7.9	11	15.4
8/11/2016 7:20	7.8	10.4	13.6
8/11/2016 7:25	7.9	10.8	15.9
8/11/2016 7:30	7.9	10.8	20.9
8/11/2016 7:35	7.6	10.1	14.7
8/11/2016 7:40	7.1	10	20.1
8/11/2016 7:45	7.1	11.7	31.3
8/11/2016 7:50	7	9.1	13
8/11/2016 7:55	7.6	10.6	30.5
8/11/2016 8:00	6.8	9.7	19.2
8/11/2016 8:05	7	9.1	16.7
8/11/2016 8:10	6.8	9	15.1
8/11/2016 8:15	7	8.9	15.7
8/11/2016 8:20	6.9	9.5	13.3
8/11/2016 8:25	6.3	9	16.4
8/11/2016 8:30	6.3	9.3	22.6
8/11/2016 8:35	6.7	8.2	14.1
8/11/2016 8:40	5.7	8.7	16.8
8/11/2016 8:45	5.7	7.6	11.5
8/11/2016 8:50	6.1	7.3	11.4
8/11/2016 8:55	5	7.4	16.3
8/11/2016 9:00	4.9	6.7	10.1
8/11/2016 9:05	4.5	6.9	10.7

DOWNWIND

DataRAM

Tag Number

Number of logged points.....

Start time (hr:min:sec day/mon/yr)...

Elapsed time (hr:min:sec).....

Averaging Time (sec).....

Logging period (hr:min:sec).....

CalFactor (%).....

StelConc (ug/m3).....

STEL occurrence after start (hr:min:sec).....

Overall AvgConc (ug/m3).....

Overall MaxConc (ug/m3).....

Overall MinConc (ug/m3).....
ug/r

Point Label
8/11/2006 6:18
8/11/2006 6:23
8/11/2006 6:28
8/11/2006 6:33
8/11/2006 6:38
8/11/2006 6:43
8/11/2006 6:48
8/11/2006 6:53
8/11/2006 6:58
8/11/2006 7:03
8/11/2006 7:08
8/11/2006 7:13
8/11/2006 7:18
8/11/2006 7:23
8/11/2006 7:28
8/11/2006 7:33
8/11/2006 7:38
8/11/2006 7:43
8/11/2006 7:48
8/11/2006 7:53
8/11/2006 7:58
8/11/2006 8:03
8/11/2006 8:08
8/11/2006 8:13
8/11/2006 8:18
8/11/2006 8:23
8/11/2006 8:28
8/11/2006 8:33
8/11/2006 8:38
8/11/2006 8:43
8/11/2006 8:48
8/11/2006 8:53
8/11/2006 8:58
8/11/2006 9:03
8/11/2006 9:08

—	8/11/2016 9:10	4.2	6.9	19.6
	8/11/2016 9:15	3.9	7.1	17.9
	8/11/2016 9:20	4.7	6.9	14.2
	8/11/2016 9:25	3.4	6.7	25.1




8/11/2006 9:13
8/11/2006 9:18
8/11/2006 9:23
8/11/2006 9:28

..... 3
 1 points..... 39
 :sec day/mon/yr)... 06:13:37 11-Aug-06
 min:sec)..... 03:15:00
 sec)..... 10
 hr:min:sec)..... 00:05:00
 100
 l..... 0.0
 : after start (hr:min:sec)..... 00:00:00
 (ug/m3)..... 8.8
 (ug/m3)..... 95.5 at Point#...1
 (ug/m3)..... 3.5 at Point#...38
 m3

"Min"	"Avg"	"Max"
4.7	12.5	95.5
5.6	10.8	20.8
7.3	13	27.4
7	9.4	16.9
7.9	9.6	14.2
8.3	11.3	18.5
8.3	10.9	16.7
8.1	10.7	18.4
8.1	10.7	15.4
8.3	10.8	16.2
7.6	9.9	12.3
8.1	9.6	12.2
8.1	9.7	13.3
8	10.6	16.8
7.5	9.9	13.9
7.3	9.1	12.5
6	8.6	10
7.2	8.8	11.4
7.1	8.9	11.2
6.3	8.5	14.6
6.2	8.5	10.6
3.9	9.5	44.6
4.6	8.4	23.4
6.2	8.7	13
6.4	8.5	22.1
6.1	7.6	11.6
5.4	7.5	10.9
5.3	7.1	9.2
5.6	7.6	10.7
6	8.2	11.9
5.2	6.9	11.1
4.2	6.9	13
4.7	7.3	15.4
5.4	7.1	16.5
4.3	6.5	10.6

—	4.1	6.1	9.6
	4.2	5.9	8.6
	3.5	6.5	11
	4.3	6.9	25.7



Certified
Environmental
Services, Inc.

APPENDIX C

*CES's Sample Forms (VOC) during
Treatment System Operation*


ISTD Sample Log

Community Air Monitoring Plan - Maier Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
11/8/06	09:25	Pioneer Sign	0.0	09:40	Fitzsimmons Sign	0.0	P.M. overcast Temp. 58° wind, 3-5 mph W
	16:10	Pioneer Sign	0.0	16:30	East Prop. line	0.0	
Weather conditions: Cloudy, Cold, 0.5 mph Wind ~ 40° West wind							
11-9-06	11:40	Pioneer Sign	0.0	11:55	Fitzsimmons Sign	0.0	P.M. 6.0 c-54 60° 5.8 mph wind out of the West
	14:05	Pioneer Sign	0.0	14:25-14:30	Fitzsimmons	0.0	
Weather conditions: Sunny, Day 0-5 mph Winds West Wind ~ 58° F							
11-10-06	08:00	Pioneer Sign	0.0	08:20	East Property line	0.0	
	16:15	Pioneer Sign	0.0	16:30	NE Property line area	0.0	
Weather conditions: ^{A.M.} Overcast Temp. 44° Wind: 12-15 mph West P.M. Partly Sunny Temp. 54° 5.8 mph WSW							
11-11-06	10:45	Pioneer Sign	0.0	11:00	NE Property corner	0.0	
	19:00	"	0.0	19:15	"	0.0	
Weather conditions: ^{A.M.} Warm, Overcast Light Rain, Wind from SW ^{P.M.} Cold raining low wind gusts							
11/12/06	9:00	Pioneer Sign	0.5	9:15	NE Prop corner	0.5	
	23:23	Pioneer Sign	0.5	23:28	NE Prop corner	0.1	
Weather conditions: ^{P.M.} Cold over light wind from W NO SICA change							
Weather conditions:							
Weather conditions:							
Weather conditions:							



1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
11/13/06	8:02	Pioneer Sign	0.0	8:12	Fitzsimmons Sign	0.0	
	16:10	SE corner of site	0.0	16:30	NW corner of site	0.0	
Weather conditions: AM very slight wind (10), cool, hazy							
11/14/06	9:00	Pioneer Sign	0.0	9:13	Fitzsimmons Sign	0.0	
	14:16	NW corner of Pioneer Sign	0.0	14:38	SE corner	0.0	
Weather conditions: AM light rain, wind from West							
11/15/06	10:06	Pioneer Sign	0.0	10:15	Fitzsimmons Sign	0.0	
	14:40	NW corner	0.0	14:55	SE corner	0.0	
Weather conditions: AM cloudy, slight drizzle							
11/16/06	10:37	Pioneer Sign	0.0	10:45	Fitzsimmons Sign	0.0	
	3:00	NW corner	0.0	3:15	SE corner	0.0	
Weather conditions: AM cloudy with westerly breeze							
11/17/06	7:45	Pioneer Sign	0.0	7:50	Fitzsimmons Sign	0.0	
	3:02	Pioneer Sign	0.0	3:15	Fitzsimmons Sign	0.0	
Weather conditions: AM partly cloudy; Easterly breeze							
11/18/06	08:45	Pioneer Sign	0.0	09:00	Fitzsimmons Sign	0.0	
	16:40	Pioneer Sign	0.0	16:55	Fitzsimmons Sign	0.0	
Weather conditions: AM light rain Temp 50° Wind 8-10 WSW							
11/19/06	08:50	Pioneer Sign	0.0	09:15	Fitzsimmons Sign	0.0	
	13:33	Fitzsimmons	0.0	13:45	Pioneer	0.0	
Weather conditions: AM cloudy cold with Sough wind							
					wind 05 mph WSW		



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
11-20-00	08:42	Pioneer Sign	0.0	08:56	Fitzsimmons Sign	0.5	
	13:42	Pioneer Sign	0.0	13:50	Fitzsimmons Sign	0.4	
Weather conditions: AM Cold, light snow		N. breeze		PM Windy, mostly cloudy		Sampler: J. H. H. J.	
11-21-00	09:59	Pioneer Sign	0.0	10:12	Fitzsimmons Sign	0.1	
	14:12	Pioneer Sign	0.0	14:26	Fitzsimmons Sign	0.4	
Weather conditions: AM Cold ~34°F, Clouds		N. Breeze		PM Sunny ~35°F, Windy		Sampler: J. H. H. J.	
11-22-00	11:23	Pioneer Sign	0.0	11:30	Fitzsimmons Sign	0.3	
	15:31	Fitzsimmons Sign	0.0	15:24	Pioneer Sign	0.0	
Weather conditions: AM Cold Sunny ~33°F		North Wind 25 mph		PM Sunny ~40°F, South Wind 4-8 mph		Sampler: J. H. H. J.	
11-23-00	05:15	Pioneer Sign	0.0	05:30	Fitzsimmons	0.2	
	09:00	NW corner	0.0	09:15	Fitzsimmons	0.0	
Weather conditions: AM Cold, dark NW wind				PM Cold, frosty NW wind		Sampler: J. H. H. J.	
11-24-00	11:15	NW corner	0.2	11:30	Fitzsimmons	0.2	
	14:30	Pioneer Sign	0.2	14:45	Fitzsimmons	0.1	
Weather conditions: AM NW wind warm (45) sunny				PM West wind (light) sunny		Sampler: J. H. H. J.	
11-25-00	15:25	SE corner	0.1	15:30	NW corner	0.1	
	22:30	SE corner	0.0	22:45	NW corner	0.1	
Weather conditions: AM SE wind, sunny, warmer				PM no sig Δ		Sampler: J. H. H. J.	
11-26-00	9:48	SE corner	0.2	10:00	NW corner	0.2	
	12:12	SE corner	0.1	17:25	NW corner	0.2	
Weather conditions: AM Very light wind, cloudy, cool				PM no sig Δ		Sampler: J. H. H. J.	

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
11/7/06	08:50	Pioneer Sign	0.1	08:40	Fitz Simmons sign	0.1	Little Wind
	15:10	Pioneer Sign	0.0	15:50	Fitzsimmons Sign	0.2	
Weather conditions: AM Cold Cloudy ~59°F North wind 0-2 mph PM Cold Cloudy ~53°F North wind 10-20 mph Sampler: Ben Murphy							
11/8/06	08:50	Pioneer Sign	0.1	09:00	Fitzsimmons Sign	0.2	ADM: Foggy
	15:50	Pioneer Sign	0.1	16:00	Fitz Sign Max Sign	0.1	PM: Wind Swirled
Weather conditions: AM Cool ~50° cloudy North wind 0-5 mph PM Cool, ~45° North wind 3-7 mph Sampler: Ben Murphy							
11/29/06	10:35	Pioneer Sign	0.1	10:50	Fitzsimmons	0.1	
Weather conditions: AM Mild 59° cloudy N. wind 0-5 mph PM							
11/30/06	9:40	Pioneer Sign	0.1	9:50	Red Robin Sign	0.1	
	3:15	Pioneer Sign	0.0	3:30	Fitzsimmons	0.2	
Weather conditions: AM Wind 54/10-15 mph ~60°F Sunny PM cloudy 67° 15 mph W Sampler: Jennifer Gause / Ben Murphy							
12-1-06	9:05	Pioneer Sign	0.1	9:20	Fitzsimmons	0.0	PM fairly windy
	15:20	Pioneer Sign	0.0	15:30	Fitzsimmons	0.0	
Weather conditions: AM Cold Rainy 15 mph wind NW 40° F PM Cold Rainy NW 20 mph Winds Sampler: Ben Murphy							
12/10/06	9:20	Pioneer Sign	0.0	9:30	Fitzsimmons	0.0	
	2:05	Pioneer Sign	0.0	2:25	Fitzsimmons	0.2	
Weather conditions: AM Sampler: Marshall H B							
12/10/06	1:30	Pioneer Sign	0.0	1:30	Fitzsimmons	0.0	
	2:05	Pioneer Sign	0.2	2:30	Fitzsimmons	0.3	
Weather conditions: AM Cool sunny light wind ~10 mph W Sampler: Marshall H B							



**1401 Erie Boulevard East
Syracuse, New York 13210**

Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
12.4	9:35	Pioneer Sign	0.1	9:45	Fitzsimmons	0.1	
	9:50	Pioneer Sign	0.1	14:10	Fitzsimmons	0.2	
Weather conditions: AM cold 10 mph SW wind 28°							
12.5	10:15	Pioneer	0.0	10:25	Fitzsimmons	0.1	
	15:45	Pioneer Sign	0.0	15:55	line fence	0.1	
Weather conditions: AM cold 5 mph SW wind 28°							
12.6	10:20	Pioneer Sign	0.1	10:35	Fitzsimmons	0.2	
	8:00	Pioneer	0.1	3:15	Fitzsimmons	0.2	
Weather conditions: AM cold light breeze SW cloudy							
12.7	9:00	Pioneer	0.0	9:20	Fitzsimmons	0.1	
	15:45	Pioneer	0.0	16:05	Fitzsimmons	0.0	
Weather conditions: AM cold cloudy 5 mph wind west							
12.8	9:10	Pioneer	0.1	9:30	Fitzsimmons	0.1	
	3:00	Pioneer	0.1	3:20	Fitzsimmons	0.2	
Weather conditions: AM sunny 13° slight breeze WSW							
12/9 SAT.	0930	Pioneer Sign	0.0	0945	Fitzsimmons	0.0	
	1600	Pioneer Sign	0.0	1545	Fitzsimmons	0.0	
Weather conditions: AM overcast Temp. 27° Wind 10-12 WNW							
12/10 Sun.	0915	Pioneer Sign	0.0	0935	Fitzsimmons	0.0	
	1550	Pioneer Sign	0.0	1605	Fitzsimmons Sign	0.0	
Weather conditions: AM Sunny Temp. 38° Wind 8-10 mph WSW							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
12.11	10:11	Pioneer	0.0	10:20	Fitzsimmons	0.1	
	2:30	Pioneer	0.0	2:45	Fitzsimmons	0.0	
Weather conditions: AM cloudy spikes 39°							
12.12	10:42	Pioneer	0.0	11:00	Fitzsimmons	0.1	
	4:30	Pioneer	0.0	4:45	Fitzsimmons	0.1	
Weather conditions: AM Sunny 42°							
12.13	11:10	Pioneer	0.0	11:20	Fitzsimmons	0.1	
	4:40	Pioneer	0.0	4:30	Fitzsimmons	0.1	
Weather conditions: AM NICE! 50 Sunny 10 mph							
12.14	10:20	Pioneer	0.0	10:35	Fitzsimmons	0.0	
	15:27	Pioneer	0.0	15:40	Fitzsimmons	0.1	
Weather conditions: AM Snow 51° light breeze SW							
12.15	10:45	Pioneer	0.2	11:00	Red Robin Sign	0.1	
	8:15	Pioneer	0.0	15:30	Fitzsimmons	0.1	
Weather conditions: AM Partly Cloudy SW 5-10 48°F							
12/16 SAT	09:30	Pioneer Sign	0.0	09:45	SW corner Fitzsimmons sign	0.0	
	16:00	Pioneer Sign	0.0	16:15	SW corner of site	0.0	
Weather conditions: AM overcast Temp. 41° Wind: 8-10 WNW							
12/17 Sun	08:30	Pioneer Sign	0.0	08:45	SW corner of site	0.0	
	14:15	Pioneer Sign	0.0	14:30	SW corner Fitzsimmons sign	0.0	
Weather conditions: AM overcast Temp 45° Wind 5-8 NW							
8-10 WNW							

High Gate Blocked by heavy
equipment. Drive to back of lot
and PE road
No other personnel there to
sign in

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
11/16	14:15	@ Pioneer sign	0.0	14:35	Stemmons sign	0.0	Acetate in field pending, only 1 taken
Weather conditions: DRY, SUNNY, WIND FROM WEST SW							
11/16	08:15	@ Pioneer sign	0.0	08:30	NE prop corner	0.0	
	14:45	@ Pioneer sign	0.0	14:55	NE prop. corner		
Weather conditions: DRY, COOL, SUNNY, wind from WSW (in AM) - none in wind @ P.M.							
11/16	7:40	@ Pioneer sign	0.0	7:50	NE prop line	0.0	
	14:55	"	0.1	15:15	"	0.0	
Weather conditions: Part Cloud, cold, windy (from SW)							
11/16	08:30	Pioneer sign	0.0	08:45	NE Property line	0.0	introduced mylar to Greg (TerraTherm)
	14:00	Pioneer sign	0.0	14:10	NE Property line	0.0	@ Taylor
Weather conditions: OVERCAST Temp. 40° Wind: 10-12 mph W							
11/15/06	09:00	Pioneer sign	0.0	09:15	NE Property line	0.0	
	14:45	Pioneer sign	40° 0.0	15:00	NE Property line	0.0	
Weather conditions: OVERCAST Temp. 47° Wind: 5-8 mph WSW							
11/16/06	07:30	Center of West prop. line	0.0	07:45	E Prop. line center	0.0	
	16:20	"	0.0	16:35	"	0.0	
Weather conditions: COOL, AVE wind from west							
11/17/06	08:45	East 1/2E section line	0.0	09:05	W/NW section line	0.0	wind swirling around all day - direct changing continuously
	16:15	Pioneer sign	0.0	16:30	NE Prop. corner	0.0	
Weather conditions: PM OVERCAST Temp. 48° Wind: 10-12 mph E-SE							
OVERCAST Temp. 57° Wind: 12-15 mph WSW							

ISTD Sample Log

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
12/18	10:00	Pioneer Fitzsimmons	0.0	10:15	Fitzsimmons	0.1	TRAILOR LOCKED A.M + P.M could not sign T.T.
	3:00	Pioneer	0.0	3:35	Fitzsimmons	0.1	
Weather conditions: AM cloudy 48° breezy E 5 mph							
12/19	1000	Pioneer Sign	0.0	1020	Fitzsimmons Sign	0.0	
	1600	Pioneer Sign	0.0	1615	Fitzsimmons Sign	0.0	
Weather conditions: AM Overcast/light snow Temp 35° Wind 13-15 West							
12/20	11:20	Pioneer Sign	0.1	11:40	Fitzsimmons Sign	0.1	
	15:55	Pioneer Sign	0.1	16:15	Fitzsimmons Sign	0.1	
Weather conditions: AM Overcast Sunny Cold 30°F West wind 10-15							
12/21	10:35	Pioneer Sign	0.2	10:50	Fitzsimmons Sign	0.2	
	15:00	Pioneer Sign	0.1	15:15	Fitzsimmons Sign	0.1	
Weather conditions: AM Sunny ~ 30°F West Wind 5-8 mph							
12/22	0915	*Fitzsimmons Sign	0.0	0930	*Pioneer Sign	0.0	* Wind from the East @ AM. Reading
	1415	Mid point of South Fenceline on dirt road between RR + fence	0.0	1430	Red Robin Sign adj. to 690	0.0	* Wind coming from the SW @ PM ready
Weather conditions: AM Light Rain Temp. 38° Wind 8-10 mph East							
12/23	1100	Fitzsimmons Sign	0.1	1115	Pioneer Sign	0.1	
	2100	" "	0.2	2115	" "	0.1	
Weather conditions: AM Rainy, light wind from NE ~ 45°F							
12/24	730	Fitz Sign	0.1	745	Pioneer	0.1	
	1700		0.1	1715	" "	0.1	
Weather conditions: AM Cool, West. No							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13214
Ph (315) 478-2374 Fax (315) 2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
12/26	1730	Sherman	0.3	1740	NW corner	0.2	Merry Xmas
	2015	"	0.2	2040	"	0.2	
Weather conditions: AM Cold, Rain ~ 35 F							
12/27	1015	SE corner	0.0	1028	NW corner	0.1	
	13:45	Pioneer Sign	0.0	14:05	Fitzsimmons sign	0.0	
Weather conditions: AM Cool w/ light wind from East							
12/27	0915	Pioneer Sign	0.0	0930	Fitzsimmons/SW corner	0.0	A.M. Trailer sign-up PEC working @ site
	1515	East of Pioneer Sign	0.0	1530	SW corner (near rear gate)	0.0	
Weather conditions: AM Snow Temp 30° Wind 10-12 mph WNW							
12/28	09:30	Pioneer	0.0	10:00	Fitzsimmons	0.0	
	1500	Pioneer Sign	0.0	1527	Fitzsimmons	0.0	
Weather conditions: AM 36° Wind 10 mph							
12/29	1040	Pioneer Sign	0.0	1055	Fitzsimmons	0.0	
	1430	Pioneer Sign	0.0	1440	Fitzsimmons	0.0	
Weather conditions: AM Sunny 33° 5 mph N breeze							
12/30	05:47	Pioneer	0.0	06:00	NW corner	0.0	Signed in trailer
	17:01	Pioneer	0.0	17:13	NW corner	0.0	
Weather conditions: AM Cold 31°							
12/31	05:40	Pioneer Sign	0.0	05:55	NW corner	0.0	TRAILER LOCKED
	1231	Pioneer Sign	0.0	1241	NW corner	0.0	
Weather conditions: AM Dark 07-14 31° 5 mph NW							

NW
breeze

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

[illegible]

ISTD Sample Log

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
10/28	8:39	Fitzsimmons	0.1	8:57	Plover Sign	0.1	
10/28	13:10	Fitzsimmons	0.0	13:25	Plover Sign	0.0	
Weather conditions: AM Cloudy light wind ESE							
11/10	5:54	Plover Sign	0.0	9:05	Fitzsimmons	0.0	
11/10	13:23	"	0.1	13:37	Fitzsimmons	0.0	
Weather conditions: AM Cloudy, no wind SW, mid 30's							
11/10/07	9:28	Plover Sign	0.1	9:38	Fitzsimmons	0.0	
	13:05	"	0.1	13:15	"	0.1	
Weather conditions: AM 30's snow, light wind from west							
11/11/07	11:00	Entry	0.1	11:15	Fitzsimmons	0.1	
	16:00	Entrance gate	0.1	16:10	Fitzsimmons sign	0.1	
Weather conditions: AM Cloudy, 30 NW - MPH							
11/21/07	10:45	Entry	0.1	11:00	Fitzsimmons	0.1	
	15:30	Entry	0.1	15:44	Fitzsimmons	0.1	
Weather conditions: AM 41 SW 10-12 mph							
11/30/07	11:42	NK corner	0.1	11:48	entry	0.0	
	14:53	NK corner	0.0	15:02	entry	0.0	
Weather conditions: AM (68) (40') NW wind 5-10 mph							
11/11/07	12:45	NK corner	0.4	12:52	entry	0.3	
	13:14	"	3.2	13:21	"	0.2	
Weather conditions: AM 23' NE wind very light							

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

[illegible]



ISTD Sample Log

**1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107**

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
1-23-07	10:52	Fitzsimmons	0.1	11:02	Airway	0.1	
	12:35	"	0.0	14:42	"	0.1	
Weather conditions: AM cold D-Sunth E wind light snow							
1-23-07	10:50	SW Corner	0.1	11:00	Fitzsimmons	0.1	
	15:40	SW Corner	0.1	15:50	Fitzsimmons	0.1	
Weather conditions: AM Cold 35 mph West Wind Cloudy 30°F							
1-24-07	11:20	NW Corner	0.2	11:30	SE Corner	0.1	
	16:40	Main Entrance	0.1	16:48	Above Fitzsimmons Sign	0.2	
Weather conditions: AM Light Snow 5-8 mph NW Wind ~27°F							
1-24-07	10:10	NW Corner	0.2	10:19	SE Corner	0.2	Wind chill >10°
	16:40	ENTRY	0.2	16:50	SE Corner	0.2	
Weather conditions: AM Sunny 41°F 5-8 mph NW Wind							
1-26-07	08:49	ENTRY	0.0	09:01	SE CORNER	0.1	1 DID NOT SIGN in A.M. & 4:45
	11:35	ENTRY	0.1	11:50	SE CORNER	0.1	-5 wind chill
Weather conditions: AM CND light snow 0°							
1-27-07	05:42	ENTRY	0.1	05:55	SE CORNER	0.1	very slippery
	14:00	ENTRY	0.0	14:10	SE Corner	0.0	
Weather conditions: AM 13° freezing snow.							
5-1-07	11:15	Main Ave Entrance	0.0	11:30	SW Corner (reentry)	0.0	no sign in trailer located
1-28-07	17:00	"	0.0	17:15	"	0.0	
Weather conditions: AM overcast Temp 18° Wind: 5-8 mph NNE							
PM overcast Temp 20° 8-10 mph N.E. Sample: J. Van Wie							



**1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107**

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
12/10	8:23	access Rd	0.2	8:36	SW corner	0.2	No sign in @ AM
	18:40	access Rd	0.1	18:53	SW corner	0.0	
Weather conditions: AM ~20°F, wind (light) from WNW							
1/10/07	11:48	Fitzsimmons	0.3	11:57	access Rd	0.2	
	15:30	" "	0.2	15:46	" "	0.2	
Weather conditions: AM light rain, ~30° overcast							
13/07	6:30	access Rd	0.4	6:42	Fitzsimmons	0.5	1st time in for 2nd AM
	16:15	access Rd	0.2	16:23	" "	0.2	
Weather conditions: AM rain, ~20° wind from WNW							
21/07	8:10	access Rd	0.2	8:17	Fitzsimmons	0.3	
	17:45	access Rd	0.1	17:55	Fitzsimmons	0.1	
Weather conditions: AM ~20° overcast							
2-2-07	9:40	access Rd	0.2	9:50	Fitzsimmons	0.1	
	15:40	access Rd	0.0	15:48	Fitzsimmons	0.0	
Weather conditions: AM ~25°F Cloudy 3-5 mph							
SAT. 2/3/07	0750	Midler Ave Entrance	0.0	10:10	Fitzsimmons-NE corner	0.0	No one @ Toward to sign in
	1615	Midler Ave. Entrance	0.0	16:30	" "	0.0	
Weather conditions: AM Sunny Temp 20° Wind 15-20 mph WSW							
Sun. 2/4/07	1115	Midler Ave. Entrance	0.0	11:30	Fitzsimmons sign WSW	0.0	No sign in, trailer locked
	1700	Midler Ave Entrance	0.0	1715	SW corner of site	0.0	
Weather conditions: AM Partly Sunny Temp 12° Wind 12-15 mph W							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
2/5/07	8:45	Access Rd.	0.0	8:53	Fitzsimmons sign	0.1	
	16:55	Access Rd.	0.1	17:05	Fitzsimmons sign	0.2	
Weather conditions: 9:5°F 15-20 mph Cloudy West Wind							
2/6/07	09:45	Midler Ave entrance	0.0	10:00	Fitzsimmons sign	0.0	
	16:30	Midler Ave exit	0.0	16:45	Fitzsimmons sign	0.0	
Weather conditions: AM Sunny Temp 60° Wind 15-20 mph -17° Wind Chill							
2/7/07	09:35	Access Rd.	0.1	9:30	Fitzsimmons	0.0	
	14:40	Access Rd.	0.1	14:50	Fitzsimmons	0.1	
Weather conditions: AM Cloudy 20°F Wind 10-15 mph West							
2/9/07	08:30	Midler Ave entrance	0.0	08:45	Fitzsimmons sign	0.0	
	17:35	Fitzsimmons	0.0	17:05	Access Road	0.1	
Weather conditions: AM Light Snow Temp 19° Wind 15-20 mph West							
2/9/07	11:50	Midler Ave entrance	0.1	12:00	Access Rd. Entry	0.1	
	17:45	Midler Ave entrance	0.1	17:55	Fitzsimmons sign	0.1	
Weather conditions: AM 12°F Windy - Lake Effect							
Sat 2-10-07	10:45	Midler Ave entrance	0.0	11:00	Fitzsimmons - SE corner	0.0	
	16:15	"	0.0	16:30	Fitzsimmons - SE corner	0.0	
Weather conditions: AM Sunny Temp 19° Wind 20 mph SWW							
Sun 2-11-07	11:00	Midler Ave entrance	0.0	11:15	Fitzsimmons - SE corner	0.0	
	16:30	"	0.0	16:45	Fitzsimmons - SE corner	0.0	
Weather conditions: AM Partly Sunny Temp 23° Wind 10-12 mph WNW							

WSW



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
2-12-07	1500	Midler Ave Entry	0.1	1500	Entrance from Tracks	0.1	
	1830	"	0.0	1837	"	0.1	
Weather conditions: AM Wind Speed N-20° overcast							
2-13-07	09:35	Midler Ave Entry	0.1	09:45	Fitzsimmons	0.0	
	1650	Fitzsimmons Sign	0.0	1805	Midler Ave Entrance	0.0	
Weather conditions: AM Cold 10° West wind 10-15 mph overcast							
2-14-07	1130	Fitzsimmons Sign	0.0	1105	Midler Ave area	0.0	
	1540	Fitzsimmons - SE corner	0.0	1605	" " entrance	0.0	
Weather conditions: AM Heavy Snow Temp. 12° Wind 12-15 mph East							
2-15-07	0900	Midler Ave entrance	0.0	0915	Fitzsimmons/SW corner	0.0	
	1345	Midler Ave entrance	0.0	1400	Fitzsimmons Sign	0.0	
Weather conditions: AM Snow Temp 8° Wind 15-20 mph West NW							
2-16-07	0815	Midler Ave. entrance	0.0	0840	SW corner	0.0	
	1500	" "	0.0	1515	" "	0.0	
Weather conditions: AM Snow Temp 10° Wind 20-25 WNW							
2-17-07	0830	Midler Ave entrance	0.0	0815	Fitzsimmons/SE corner	0.0	
	1345	Fitzsimmons SE corner	0.0	1400	Fitzsimmons Sign	0.0	
Weather conditions: AM Sunny Temp 18° Wind 10-20 mph WSW							
2-18-07 Sun.	0930	Midler Ave entrance	0.0	0945	Fitzsimmons/SW corner	0.0	
	1530	Midler Ave	0.0	1545	SW corner/access Road	0.0	
Weather conditions: AM Sunny/light Snow Temp 10° Wind 12-15 WNW							

NNW




1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
2-19-07	1000	Midler Ave Ent.	0.0	1015	Fitzsimmons/SE corner	0.0	Paragon clearing right downys @ site at snow (Finally)
	1635	"	0.0	1650	"	0.0	
Weather conditions: AM Sunny Temp 3° Wind: 3-5 mph WSW							
2-20-07	0915	Midler Ave Entrance	0.0	0930	Fitzsimmons Sign	1.1	Roads cleared of snow - open access
	1620	Fitzsimmons Fitzsimmons Sign	0.1	1630	Midler Ave ent.	0.1	
Weather conditions: AM overcast Temp 29° Wind: 3-10 mph W							
2-21-07	1110	Midler Ent	0.1	1129	SE corner	0.1	
	1650	Midler Entry	0.1	1701	SE corner	0.1	
Weather conditions: AM 33° sunny calm							
2-22-07	10:41	Midler Entry	0.2	10:42	SE corner	0.1	
	1640	Midler Entry	0.1	1655	SE corner	0.1	
Weather conditions: AM 38° 3 mph							
2-23-07	07:20	Midler Entry	0.2	07:40	SE corner	0.1	Gate locked in AM
	1600	Midler Entry	0.2	1615	SE corner	0.1	signed in P.M
Weather conditions: AM 18° cloudy 5 mph (N)							
2-24-07	05:47	Midler Entry	0.1	06:07	SE corner	0.1	cloudy no snow in air
	1635	Midler Entry	0.1	1650	SE corner	0.1	
Weather conditions: AM 13° mostly clear 3-10 mph							
2-25-07	0930	SE corner of site	0.0	0930	Midler Ave entrance	0.0	no sign 7/9 Trailer loaded
	1615	Fitzsimmons Sign	0.0	1615	Midler Ave entrance	0.0	
Weather conditions: AM Partly Sunny Temp 20° Wind: 8-10 mph							

8-10 ENE



1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
2-26-01	11:39	Midler Entry	0.1	11:52	S/E of 2nd	0.1	Slippery packed ice snow
	17:19	Midler Entry	0.1	17:23	S/E of 2nd	0.0	
Weather conditions: AM (cloudy 5 mph S/E slight snow)							
	PM 5:15			PM 5:15	SW corner	0.0	Slippery packed ice/snow
2-27-01	15:43	Midler Entry	0.1	15:49	S/E of 2nd	0.1	
	16:23	Midler Entry	0.1	16:40	S/E of 2nd	0.1	
Weather conditions: AM 28° NW 5 mph cloudy							
2-28-01	10:42	Midler Entry	0.0	10:55	S/E of 2nd	0.1	Slippery Everywhere ACCESS ROAD paved
	17:00	Midler Entry	0.1	17:20	S/E of 2nd	0.1	
Weather conditions: AM cloudy 32° 7 mph West							
3-1-01	06:17	Midler Entry	0.1	06:30	S/E of 2nd	0.1	GETTING lighter out car more mud in entry way than ke by
	16:20	Midler Entry	0.1	16:30	S/E of 2nd	0.1	
Weather conditions: AM 13° cold SE breeze 3-5 mph rise							
3-2-01	10:50	Access Road	0.0	11:00	Fitzsimmons	0.0	
	13:30	Access Road	0.1	13:40	Fitzsimmons	0.2	
Weather conditions: AM 35° Rain/Snow 6-8 mph West Wind							
SAT 3-3-01	10:00	Midler Ave. entrance	0.0	10:15	Fitzsimmons SE corner	0.0	Slippery @ trailer conditions less wet/mud
	16:15	"	0.0	16:30	Fitzsimmons SE corner	0.0	
Weather conditions: AM Sunny Temp 36° Wind 15-18 mph WSW							
SUN 3-4-01	11:00	Midler Ave.	0.0	11:15	SW corner site	0.0	
	16:15	Midler Ave. entrance	0.0	16:30	Fitzsimmons SE corner	0.0	
Weather conditions: AM Snow Temp 28° Wind 12-15 mph NW							
				PM Snow Temp 30° Wind 12-15 mph NW			Slippery Everywhere

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
3-5-07	10:09	Miller Entry	0.1	10:15	S/E	0.1	1/2 way AM sampling partly cloudy turned into white dust.
	15:15	Miller Entry	0.1	15:30	S/E	0.1	
Weather conditions: AM Partly cloudy with 25° West Wind 25 mph							
3-6-07	09:10	Miller	0.1	09:20	S/E corner	0.1	
	16:20	"	0.1	16:30	S/E corner	0.3	
Weather conditions: AM Partly Cloudy Wind 20-25 mph West							
3-7-07	8:15	S/E corner	0.1	8:25	Miller Entry West	0.1	
	16:40	Miller Entry	0.1	16:50	S/E corner	0.2	
Weather conditions: AM 10:30 East Wind 5-8 mph							
3-8-07	8:10	Miller Entry	0.1	8:20	S/E corner	0.1	
	16:45	North End	0.1	16:55	South End	0.3	
Weather conditions: AM 12:00 West Wind 5-8 mph Snowy							
3-9-07	8:15	S/E corner	0.1	8:25	Miller Entry	0.1	
	15:45	S/E corner	0.2	15:55	Miller Entry	0.1	
Weather conditions: AM 12:30 East Wind 2-4 mph 5 min							
3-10-07	11:37	Miller Entry	0.1	11:40	N. End	0.1	mixed ice
	17:50	Miller Entry	0.1	17:59	S. End	0.1	saw N.E. - did not sign in
Weather conditions: AM 12:30 38-40 mph South							
3-11-07	09:15	Miller Ave entrance	0.0	09:30	Fitz Simpson St Sign	0.0	discussed size generation of dust @ monitoring
	16:00	Miller Ave.	0.0	16:15	S.E. corner	0.0	size
Weather conditions: AM Partly Sunny Temp 28° Wind 5-8 mph W							



ISTD Sample Log


**1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107**

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
3-12-07	9:00	Midler Ave	0.1	9:15	S/E Corner	0.1	
	17:15	Midler Ave	0.1	17:25	S/E Corner	0.1	
Weather conditions: AM ~26°F North East Wind 3-5 mph							
3-13-07	11:50	S/E Corner	0.1	12:00	Midler Ave	0.1	
	15:25	Midler Ave	0.1	15:35	Fitzsimmons St	0.1	
Weather conditions: AM ~48°F North West Wind 3-5 mph Sunny							
3-14-07	11:40	Midler Ave. Entrance	0.1	11:50	Fitzsimmons	0.1	
	14:40	Midler Entry	0.1	14:53	Fitz	0.2	
Weather conditions: AM Sunny ~55°F West Wind 4-5 mph							
3-15-07	09:15	Midler Ave.	0.0	09:25	Fitzsimmons	0.0	
	11:30	Midler Ave.	0.0	11:40	S/E Corner	0.0	
Weather conditions: AM ~28°F Sunny West Wind 3-5 mph							
3-16-07	09:45	N/E Corner	0.1	09:55	Midler Ave	0.0	
	16:10	Fitzsimmons	0.0	16:20	Midler Ave.	0.1	
Weather conditions: AM ~28°F Cloudy N/E Wind 6-8 mph							
3-17-07	05:45	Midler Entry	0.0	05:56	S/E CORNER	0.1	
	12:42	Midler Entry	0.1	12:57	S/E CORNER	0.1	
Weather conditions: AM 19°F Snow 5-7 mph							
3-18-07	1000	Midler Ave.	0.0	10:15	SE Corner	0.0	
	1600	Midler Ave.	0.0	16:15	SE Corner	0.0	
Weather conditions: AM Sunny Temp. 20° Wind: 15-25 mph NW							



1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

[illegible]



Certified
Environmental
Services, Inc.


ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
mm. 3-26-07	0845	Fitzsimmons Sign	0.0	0900	Midler Ave	0.0	0.0 0.0
	1330	SW corner	0.0	1345	NW corner of site	0.0	
Weather conditions: AM Rain Temp 46° Wind 3-5 mph East							
3-27-07	06:15	Midler Entry	0.1	06:23	Fitzsimmons	0.1	
	16:45	Midler Entry	0.0	16:55	Fitz	0.0	
Weather conditions: AM Foggy 51° drizzle 3 mph SE							
3-28	05:46	Midler Entry	0.0	05:53	Fitzsimmons	0.1	Sampler: J. Van Wie / Dobson
	16:29	Midler Entry					
Weather conditions: AM Sunny 41° No wind							
3-29	06:06	Midler Entry	0.0	06:14	Fitz	0.0	
	16:22	Midler Entry		16:39	Fitz	0.0	
Weather conditions: AM 30° N-5 mph							
3-30	05:47	Midler Entry	0.0	05:57	Fitz	0.0	
	16:14	Midler Entry	0	16:30	Fitz	0.0	
Weather conditions: AM 87° light frost NO wind							
3-31	05:40	Midler Entry	0.1	05:48	SW corner	0.0	
	15:03	Midler Entry	0.0	15:16	SW corner	0.0	
Weather conditions: AM 30° Breeze from NW							
4-1-07	0945	Southern Fence line	0.0	1000	North side of site (fence)	0.0	
	1600	SE corner of site	0.0	1615	Broadway Pickle Parking lot	0.0	
Weather conditions: AM 014° EAST Temp 39° Wind 5 mph S							
							SE




**1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107**

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
4.2.01	11:50 14:45	Midler Entry Midler	0.1 0.1	11:57 14:55	Fitzsimmons Fitzsimmons	0.1 0.2	DO NOT SIGN IN AM blackout by equipment Signed in PM
Weather conditions: AM Strong wind overcast 15 mph NW 50°							
4.3.01	11:30 14:40	Midler Entry Midler Entry	0.0 0.0	11:40 14:57	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM 10 mph W Sunny 54°							
4.4.01	11:21 17:10	Midler Entry Midler Entry	0.1 0.0	11:37 17:25	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM Rainy cloudy 40-10 mph SE							
4.5.01	10:40 14:40	Midler Entry Midler Entry	0.0 0.0	10:58 14:58	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM Cold 15-20 mph west 18°							
4.6.01	10:47 15:55	Midler Entry Midler Entry	0.1 0.1	11:15 16:15	Fitz Fitz	0.1 0.1	
Weather conditions: AM Fluorides cloudy 60° way 4 mph 12°							
4.7.01	08:30 16:30	Midler Ave "	0.0 0.0	08:45 16:45	Sulawesi Sulawesi	0.0 0.0	
Weather conditions: AM Overcast Temp. 30° Wind 8-10 mph NW							
Easter 4.8.01	09:45 17:30	Midler Ave. Est. Midler Ave	0.0 0.0	10:00 17:45	Fitzsimmons Fitz. / sw corner	0.0 0.0	
Weather conditions: AM Snow Temp 29° Wind 10-12 West							
PM Snow Temp 32° Wind 12-15 mph							



ISTD Sample Log

**1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107**

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
4-9-07	09:30	Miller Ave. Ent.	0.0	09:45	Fitzsimmons	0.0	
	14:35	Miller Ave. Ent.	0.1	14:45	Fitzsimmons	0.1	
Weather conditions: AM Snow ~ 27°F 12-14 mph West wind							
4-10-07	11:00	Miller Entry	0.0	11:20	Fitzsimmons	0.1	light spray of snow when for in 30 seconds
	15:03	Miller Entry	0.0	15:30	Fitzsimmons	0.1	
Weather conditions: AM Cloudy Overcast NW ~ 15 mph AS							
4-11-07	11:15	Miller Entry	0.0	11:30	Fitzsimmons	0.0	No precipitation
	14:30	Miller Entry	0.3	15:00	Fitzsimmons	0.1	
Weather conditions: AM 34° SE ~ 5 NPH Sunny							
4-12-07	09:15	Fitzsimmons/SE corner	0.0	09:30	Miller Ave (Bridge)	0.0	
	15:40	SE corner/South Perimeter Rd.	0.0	15:55	Miller Ave/Brooklyn Park lot	0.0	
Weather conditions: AM Rain Temp 42° Wind 10-12 mph SE							
4-13-07	11:03	Miller Entry	0.1	11:15	SE corner	0.0	
	11:33	Miller Entry	0.0	11:48	SE corner	0.2	
Weather conditions: AM ~ 15 mph drizzle 38° wind chill 21°							
4-14-07	15:46	Miller Entry	0.1	16:07	SE corner	0.0	
	16:49	Miller Entry	0.0	17:05	SE corner	0.0	
Weather conditions: AM 36° Dark NE ~ 5 mph							
4-15-07	10:00	SE corner of site	0.0	10:15	Miller Ave	0.0	
	17:15	SE corner of site	0.0	17:30	Miller Ave/Brooklyn Park lot	0.0	
Weather conditions: AM Snow Temp 35° Wind 10-12 SSE							
				PM Rain/Snow Temp 35° Wind 10-12 SE			



ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
4-16-07	0800	Fitzsimmons Sign	0.0	0815	Midler Ave Entry	0.0	Spring storm 6.48" snow in morning
	1530	Midler Ave	0.0	1545	SE corner of site	0.0	
Weather conditions: AM Snow Temp. 36° Wind 15-20 mph East							
4-17-07	0915	Midler Ave.	0.0	0925	SE corner of site	0.1	
	1600	W. End of lot	0.0	1615	S. End of lot	0.2	
Weather conditions: AM Cloudy 40° Wind 10-12 mph NW							
4-18-07	950	Midler Ave Entrance	0.1	951000	Fitzsimmons Sign	0.1	
	1537	Midler Ave Entrance	0.0	1545	Fitzsimmons Sign	0.1	
Weather conditions: AM Sunny 40° (Partly Cloudy) calm							
4-19-07	1038	Midler Entry	0.1	1049	Fitz sign	0.1	Real Sun!
	1433	Midler Entry	0.1	1647	Fitz sign	0.1	NO REC.P.
Weather conditions: AM Sunny 46° calm							
4-20	0836	Midler Entry	0.1	0843	Fitzsimmons	0.1	
	1921	Midler Entry	0.1	1930	Fitzsimmons	0.0	
Weather conditions: AM Sun 48° ~ 2-5 mph E							
4-21-07	0547	Midler Entry	0.0	0558	Fitzsimmons	0.0	
	1650	Midler Entry	0.1	1659	Fitzsimmons	0.0	
Weather conditions: AM 36° calm							
4-22-07	0830	Midler entry	0.0	0815	Fitzsimmons/Midler	0.0	
	1850	Midler entry	0.0	1905	"	0.0	
Weather conditions: AM Sunny Temp. 60° Wind 5-8 mph SW							




ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
4-23-07	11:09	Middle Entry	0.0	11:17	Fitzsimmons	0.0	
	16:15	Middle Entry	0.0	16:30	Fitzsimmons	0.0	
Weather conditions: AM ~ 10 mph NW & SW!!							
	PM ~ 15 mph NW wind 85°						Sampler: J. Van Lue - Dobson
4-24-07	11:04	Middle Entry	0.1	11:15	Fitzsimmons	0.0	
	14:53	Middle Entry	0.0	15:05	Fitzsimmons	0.0	
Weather conditions: AM ~ 5 mph SE @ 46° → NW							
	PM ~ 5 mph SE 54° Sunny						Sampler: J. Van Lue - Dobson
4/25/07	11:03 AM	Middle Ave Entrance	0.1	11:12	Fitzsimmons	0.1	
	15:15	Middle Ave Entrance	0.1	15:52	Fitzsimmons	0.2	
Weather conditions: AM Overcast 52°							
	PM Wind NNE 5 mph - Rain 45°						Sampler: E. Ligon-Dunn
4/26/07	11:30	Middle Entry	0.0	11:46	Fitzsimmons	0.0	
	16:20	Middle Entrance	0.0	16:30	Fitzsimmons	0.0	
Weather conditions: AM 250°F Partly Cloudy 5 mph NW							
	PM 46°F Clear 20 mph W Wind Sample						Sampler: Sean P. Miller / E. Ligon
4-27-07	09:05	Fitzsimmons	0.0	09:15	Middle Ave.	0.0	
	17:35	Fitzsimmons		17:45	Middle Ave	0.0	PM - Wind was SW
Weather conditions: AM ~ 50°F Cloudy/Rain 3-5 mph NE Wind							
	PM ~ 60°F Rainy 2-3 mph NE Wind						Sampler: J. Van Lue
4-28	10:42	Middle Entry	0.0	11:00	Fitz	0.0	
	14:53	Middle Entry	0.1	15:11	Fitz	0.0	
Weather conditions: AM drizzle overcast 53° ~ 10 mph W							
	PM 56° ~ 3-5 mph N drizzle						Sampler: J. Van Lue - Dobson
4-29	09:32	Middle Entry	0.1	09:46	Fitzsimmons	0.0	
	16:20	Middle Entry	0.0	16:57	Fitzsimmons	0.0	
Weather conditions: AM Overcast drizzle ~ 5 mph NW							
	PM Sunny 62° ~ 10 mph N						Sampler: J. Van Lue - Dobson



1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

**NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID**

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
4-30	11:00 15:30	Midler Entry Midler Entry	0.0 0.0	11:16 15:43	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM W-15 mph Sunny 60°							
5-1	11:06 19:40	Midler Entry Midler Entry	0.0 0.0	11:00 19:59	Fitzsimmons Fitzsimmons	0.0 0.0	5 mph W
Weather conditions: AM Sunny 58°							
5-2-07	11:52 15:12	Midler Entry Midler Entry	0.0 0.0	12:01 15:30	Fitzsimmons Fitzsimmons	0.0 0.1	
Weather conditions: AM 53° Sunny 25-8 mph N							
5-3-07	08:57 11:00	Midler Entry Midler Entry	0.1 0.1	09:02 11:00	Fitzsimmons Fitzsimmons	2.0 0.1	
Weather conditions: AM 42° Sunny W-2-5 mph							
5-4-07	10:55 16:25	Midler Entry Midler Entry	0.0 0.0	11:15 16:40	Fitzsimmons Fitzsimmons	0.1 0.0	
Weather conditions: AM Sunny 58° W-15 mph							
5-5-07	09:41 12:49	Midler Entry Midler Entry	0.0 0.1	09:57 12:59	Fitzsimmons Fitzsimmons	0.0 0.1	
Weather conditions: AM 59° Sunny Windy 10-15							
5-6-07	08:30 18:00	Midler Entry "	0.0 0.0	08:45 18:15	Fitzsimmons sign "	0.0 0.0	
Weather conditions: AM 48° Sunny Wind 10-12 mph W							
Weather conditions: AM 48° Sunny Wind 10-12 mph W							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
5-7-07	11:24	Midler Entry	0.0	11:40	Fitzsimmons	0.0	
	16:20	Midler Entry	0.0	16:38	Fitzsimmons	0.0	
Weather conditions: AM		NE ~ 5 Sun. 41°		PM Sunny 70°		Sampler: J. Van Wie-Dobson	
5-8-07	8:50	Midler Entry	0.0	9:10	Fitzsimmons	0.0	
	17:20	Midler Entry	0.0	17:35	Fitzsimmons	0.0	
Weather conditions: AM		Sunny 45° N ~ S		PM 81° Sunny		Sampler: J. Van Wie-Dobson	
5-9-07	8:45	Midler Entry	0.2	10:01	Fitzsimmons	0.0	
	14:30	Midler Entry	0.0	14:45	Fitzsimmons	0.0	
Weather conditions: AM		Sun 62° calm		PM Sun 81°		Sampler: J. Van Wie-Dobson	
5-10-07	09:00	Midler Entry	0.1	09:15	Fitzsimmons	0.0	
	16:30	Midler Entry	0.1	16:47	Fitz	0.0	
Weather conditions: AM		Cloudy humid 78°		PM Humid overcast 83°		Sampler: J. Van Wie-Dobson	
5-11-07	09:30	Midler Entry	0.2	09:50	Fitz	0.1	
	14:20	Midler Entry	0.1	14:35	Fitz	0.1	
Weather conditions: AM		calm 63° Part Cloudy		PM		Sampler: J. Van Wie-Dobson	
5-12-07	08:59	Midler Entry	0.0	09:15	Fitzsimmons	0.0	
	13:00	Midler Entry	0.0	13:15	Fitzsimmons	0.0	
Weather conditions: AM		55° Sunny Palm		PM 67° Sunny light breeze NW		Sampler: J. Van Wie-Dobson	
5-13-07	08:30	Midler Entry	0.0	08:15	Fitzsimmons	0.0	Mom's Day
	10:30	SE corner	0.0	10:45	Midler Ave / Picnic lot	0.0	
Weather conditions: AM		Sunny Temp 45° Wind 12-15 mph West		PM Sunny Temp 58° Wind 5-8 mph ESE		Sampler: J. Van Wie-Dobson	



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
5-14-07	1125	Midler Entry	0.0	1140	Fitzsimmons	D.D	
	1545	Midler entry	0.0	1600	Fitzsimmons/SE corner	0.0	
Weather conditions: AM 103° calm sunny							
5-15-07	07:45	Midler Entry	0.0	09:55	Fitzsimmons	0.0	
	15:55	Midler Entry	0.0	1640	Fitzsimmons/SE corner	0.2	
Weather conditions: AM 60°F Cloudy wind 2-3 mph							
5/16/07	0945	Midler Entry	0.0	1000	NE corner Bullhead	0.0	
	1645	" "	0.0	1700	SE corner A site	0.0	
Weather conditions: AM Rain Temp 58° Wind 8-10 mph SW							
5-17-07	0924	Midler Entry	0.1	09:40	Fitzsimmons	D.D	PM - now cloudy w 5 mphs wind from North
	1423	Midler Entry	0.1	1440	Fitzsimmons	0.0	
Weather conditions: AM Sunny Chilly 47° Wind N							
5-18-07	07:25	Midler Ave	0.0	07:35	Fitzsimmons	0.0	
	0940	Midler Ave	0.1	14:20	Fitzsimmons	0.1	
Weather conditions: AM Partly Sunny 39°F Wind 5-9 mph NW							
5-19-07	09:31	Midler Entry	0.0	0944	Fitz	0.0	
	1329	Midler Entry	0.0	1340	Fitzsimmons	D.D	
Weather conditions: AM 54° Sun Chilly N ~ 3 mph							
5-20-07	0930	midler entry	0.0	0945	Fitzsimmons/SE corner	0.0	
	1615	Midler Ave/ ^{Bullhead} Park	0.0	1630	SE corner	0.0	
Weather conditions: AM overcast 54° 8-10 mph WNW							
Weather conditions: AM overcast 60° 10-12 mph NW							

Sampler: J. Bullock / K. R. Kane

Sampler: Ben Murphy / J. VanLuike


Sampler: K. R. Kane

Sampler: J. Bullock / K. R. Kane

Sampler: Ben Murphy / J. VanLuike

Sampler: J. Bullock / K. R. Kane

Sampler: K. R. Kane




**1401 Erie Boulevard East
Syracuse, New York 13
Ph (315) 478-2374 Fax (315) 478-2107**

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID


[illegible]



**1401 Erie Boulevard East
Syracuse, New York 13'**
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
5/29/07	1000	Midler Entry	0.0	1015	Fitzsimmons	0.0	
	1745	Midler Ave	0.0	1800	SE corner SE corner	0.0	
Weather conditions: AM overcast Temp. 60° Wind: 12-15 wsw							
5-89-07	1129	Midler Entry	0.2	1145	Fitzsimmons	0.1	
	1440	Midler Entry	0.1	1452	Fitzsimmons	0.0	
Weather conditions: AM N ~5 mph Sunny 65°							
5-30-07	1058	Midler Entry	0.1	1117	Fitzsimmons	0.0	
	1454	Midler Entry	0.2	1514	Fitzsimmons	0.1	
Weather conditions: AM Calm 68° Sunny							
5-31-07	1050	Midler Ave	0.2	1115	Fitzsimmons	0.1	
	1609	Midler Entry	0.2	1620	Fitzsimmons wind	0.0	
Weather conditions: AM Calm Humid 84° Hazy Sun							
6-1-07	0945	Midler Entry	0.0	1000	Fitzsimmons/NE corner	0.3	
	1545	Midler Ave.	0.0	1600	SE corner/Fitzsimmons	0.2	
Weather conditions: AM Sunny/Hazy Temp. 82° Wind: 8-10 wsw							
6-2-07	0905	Midler Entry	0.1	0920	Fitzsimmons WNW	0.1	
	1315	Midler Entry	0.0	1340	Fitzsimmons	0.1	
Weather conditions: AM Hazy 76° ~5 mph W breeze							
6-3-07	0900	Midler Entry	0.0	0915	NE corner of site	0.2	
	1615	South Fenceline	0.0	1630	North Fenceline	0.0	
Weather conditions: AM Sunny/Hazy 78° Wind: 3-5 sw							
				PM	Rain 84° 10-12 S		




1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
6-4	10:58 1431	Miller Entry Miller Entry	0.1 0.2	1120 1450	Fitzsimmons Fitzsimmons	0.1 0.2	heavy rain sm top
Weather conditions: AM 65° ~ 5-10 mph SE wind rain							
6-5-07	08:30 1748	Miller Entry Miller Entry	0.0 0.1	08:45 1754	Fitzsimmons East Parking Area	0.2 0.1	
Weather conditions: AM ~ 58°F cloudy ~ 3-5 mph SW wind							
6-6	10:17 1456	Miller Entry Miller Entry	0.0 0.0	10:35 1513	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM NW ~ 10 mph 50°							
6-7	11:10 1530	Miller Entry Miller entrance	0.0 0.0	11:25 1545	Fitzsimmons NE Corner (salvage building)	0.1 0.0	
Weather conditions: AM ~ 60°F Sunny ~ 6-8 mph NW							
6-8	12:30 1620	Miller Entry Miller Entry	0.0 0.0	12:40 1630	Fitzsimmons N/E Corner	0.0 0.2	
Weather conditions: AM ~ 90°F Sunny ~ 5-7 mph NW							
6-9	09:10 1330	Miller Entry Miller Entry	0.0 0.0	09:25 1340	Fitzsimmons Fitzsimmons	0.0 0.0	
Weather conditions: AM 51° partly cloudy ~ 5 mph NW wind							
6-10	900 1530	SE corner of site Fitzsimmons	0.0 0.0	915 1545	NW corner of site Miller Entry	0.0 0.0	
Weather conditions: AM Sunny Temp 70° Wind 8-10 SE							



1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID


[illegible]



1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-07

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
6/18/07	0915	Fitzsimmons Sig 4	0.0	0930	Midler Ave	0.0	
	1615	SE corner	0.0	1630	NW corner of PPD	0.2	
Weather conditions: AM Sunny Temp 73° Wind: 3-5 mph East							
6-19-07	0910	Midler Entry	0.2	0920	Fitzsimmons	0.0	PM - Blind
	1500	Midler Entry	0.1	1510	Fitzsimmons	0.0	was Swirling
Weather conditions: AM 82° Sunny 4-6 mph West Wind							
6/20/07	1000	NW corner of site	0.0	1015	SE corner site	0.3	
	1415	↓	0.0	1430	↓	0.0	
Weather conditions: AM Partly Sunny 67° Wind: 12-15 NW							
6/21/07	1100	Midler entrance	0.0	1115	Fitzsimmons / East end	0.0	Hello Summer!!
	1545	NW corner of site	0.0	1600	Fitzsimmons / SE corner	0.0	☺
Weather conditions: AM Partly Sunny Temp 67° Wind: 12-15 W							
6/22/07	1155	Midler NW corner site	0.1	1145	Midler entrance	0.2	Winds gusting from west, changed direction during sampling (PM)
	1705	North of Trailers	0.0	1656	Midler Entrance	0.0	AM - Moisture / 1/2 hr. Durm
Weather conditions: AM Overcast Temp ~ 65° Wind: NW gusts							
6/23/07	0726	Midler NW corner	0.1	0721	Fitz / SE Corner	0.1	
	1534	Just East of NW corner	0.0	1528	Just West of SE Corner	0.0	
Weather conditions: AM Clear Sunny 56° Wind: WNW-5							
6/24/07	0712	Midler / West Center	0.1	0706	Fitz / East center	0.1	
	1525	Just East of NW corner	0.1	1520	Just West of SE Corner	0.1	
Weather conditions: AM Overcast Gray 57° Wind: W-7							
Weather conditions: AM Mostly Sunny 83° Wind: W-11							
							Sampler: Sandy J. Allen



**1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107**

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

[illegible]


ISTD Sample Log

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
7-2-07	09:10	Middle Entry	0.1	09:20	Fitzsimmons	0.0	
	15:40	Middle Entry	0.0	15:50	Fitzsimmons	0.0	
Weather conditions: AM 26°F Cloudy 7-9 mph NW Winds							
7-5-07	09:15	Middle entry	0.0	09:30	Fitzsimmons	0.2	
	1500	NW corner	0.0	1515	SE corner of site	0.3	
Weather conditions: AM Sunny Temp 70° Wind: Strong West							
7-4-07	0830	Middle entry	0.0	0845	Fitzsimmons	0.0	
	1715	SE Corner of site	0.0	1730	NW Area of site	0.1	
Weather conditions: AM Overcast Temp 64 Wind: 10-12 W							
7-5-07	0900	Middle Entrance	0.1	0928	Fitzsimmons Sign	0.3	
	1452	North of Miller Enk.	0.2	1500	Fitzsimmons Sign	0.1	
Weather conditions: AM Overcast P. Sunny ~70° Wind from West ~1 mph / mile							
7/6/07	1058	North-Center	0.2	1049	South-Center	0.1	
	1528	North of Tenthredin Trailer (Center of lot)	0.1	1535	S. of T.F. Trailer Near Tracks	0.2	
Weather conditions: AM Mostly Sunny 72°, WNW -10							
7/6/07	1005	West-center	0.2	0950	East-Center	0.2	
	1649	West-center	0.2	1643	East-Fitzsimmons	0.1	
Weather conditions: AM Mostly Sunny 71° W 12-15							
7/08/07	0920	West center	0.2	0915	East-Fitzsimmons	0.2	
	1412	SW corner <i>Sandy</i>	0.1	1419	N.W. corner	0.1	
Weather conditions: AM Sunny 76° W-9							
				PM Cloudy 86° SW-10 Sampler: Sandy J. Allen			



**1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107**

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

[illegible]



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
7-10-07	09:10	Midler Entry	0.0	09:20	FitzSimmons	0.0	
	16:00	Midler Entry	0.0	06:10	FitzSimmons	0.0	
Weather conditions: AM ~ 74°F, 0-11 mph West							
7-17-07	10:20	Midler Entry	0.1	10:29	E of stack	0.1	
	15:00	Midler South	0.2	15:07	N of FitzSimmons	0.1	See diag above of location
Weather conditions: AM Clear sunny, ~ 75°F, West wind 2-3 mph							
7-18-07	09:20	Midler Entry	0.0	09:30	FitzSimmons	0.0	
	15:40	South of TerraTherm Trailer	0.4	15:40	N of AR Mack Trailer	0.3	
Weather conditions: AM ~ 72°F, Cloudy 3-4 mph West							
7-19-07	10:10	NE corner	0.1	10:18	S.W. corner	0.1	
	15:40	Midler Ave. Side	0.5	15:50	FitzSimmons	0.0 Yellow Mini Rac	opening on Green Mini Rac 2.20 D.W. on Green Mini Rac 0.5
Weather conditions: AM Cloudy, Lt. Rain, 76°F, ENE - 5 mph							
7-20-07	10:35	North West Corner	0.5	10:42	South East Corner	0.5	
	16:50	North West Corner	0.2	16:50	South East Corner	0.1	AM - Road work on Midler
Weather conditions: AM Cloudy, Rain, 70°F, Wind from N/W							
07/21/07	11:00	West Center	0.0	11:10	S.E. corner	0.0	
	15:28	North Center	0.0	15:23	South Center	0.0	
Weather conditions: AM Sunny 75°F WSW 12							
7/22/07	09:00	NE corner	0.0	09:15	Midler Entry	0.2	
	16:30	NE corner	0.0	16:45	Midler Entry	0.3	
Weather conditions: AM Sunny 65°F S-8 mph NE							
Running Side by Side, Test @ Office afterwards Green dust more sensitive.							

9:10



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
7/23/07	8:50	Midler Ave Entrance	0.1	8:50	Fitzsimmons Sign	0.2	AM - Switch V.P.W. + DW Locations - Gust while entry pending
	4:30pm	entrance of stack, near 690 + highway	0.2	4:45pm	due north of stack, mouth of RR track	0.2	
Weather conditions: AM Overcast slight wind from S ~ 7-14							
07/24/07	0840	S.W. corner	2.9	0848	N.E. corner	2.9	Sampler: MDS Turcotte
	1634	SW corner	0.9	1640	N.W. corner	0.9	
Weather conditions: AM Drizzel-Overcast, 71° SW 0.6							
7/25/07	9:30	154601st Trucks S. of Fitzsimmons Trailer	0.6	9:30	Trucks S. of TT Trailer	1.6	Wind Changing direction Road work on Midler.
	1543	West End (N. of HS Trailer)	2.4	1550	Fitzsimmons Sign	0.2	
Weather conditions: AM Mostly Sunny ~ 74° Wind from SE 4							
7/26/07	8:50	Near Tracks Center	1.5	8:58	N of A.P. Meck	0.5	TT = Terra Thermo HH = Hot, Humid 690 Traffic Backup AM
	1525	West of TT Trailer	0.5	1532	Fitzsimmons Sign	0.3	
Weather conditions: AM Sunny 75° ESE Wind 2-5 mph							
7/27/07	10:13 am	Midler gate	1.3	10:21 am	NW corner of site	0.8	Sampler: MDS Turcotte
	3:47pm	due S of stack, near 690 + highway	2.3	3:55pm	due N of stack S of fence	3.3	
Weather conditions: AM hazy, SW wind, 2-5 mph							
07/28/07	0720	NE corner	1.9	0725	SW corner	2.0	Sampler: Sandy J. Allen
	1412	West center	0.2	1418	East center	0.1	
Weather conditions: AM Partly Sunny 65° SE 4							
7/29/07	11:00 am	Center adjacent to tracks, outside fence	1.1	11:10	N corner of 690 inside fence	0.8	Strong odor downwind
	6:45pm	N center adj. to 690 station, inside fence	0.0	6:52	S corner adj. to N of tracks, inside fence	0.0	
Weather conditions: AM Partly Sunny 65° SE 4							

hazy, 80°F, variable S-SE
5-7 mph N wind



1401 Erie Boulevard East
Syracuse, New York 13210
Ph (315) 478-2374 Fax (315) 478-2107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York
VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
7/30/07	11:10	N Center side @ sign, S of fence	0.1	11:17	S center side @ pole, NW of fence & ditch	0.1	am - odor downwind
	18:00	N.W. corner	0.1	18:07	S.E. corner	0.0	pm - odor downwind + entr of S
Weather conditions: AM Sunny, Clear, 78°F N wind < 5 mph							
7/31/07	8:52	West end Middle	0.3	9:00	Fitzsimmons sign	0.1	
	3:41 pm	NW corner lost	0.5	4:03 pm	"	0.1	
Weather conditions: AM Sunny 75° Wind from West SW 4							
8/1/07	7:40 am	Fitzsimmons pole	0.3	7:45 am	E side of retention pond on W side of site	0.2	
	4:09 pm	E side of retention pond on W side on site	0.2	4:15 pm	Fitzsimmons sign	0.1	
Weather conditions: AM Sunny, 75°F, E wind < 5 mph							
8/2/07	11:58	Midler Entrance	0.3	12:05	Fitzsimmons sign	0.2	
	1446	Midler Entrance	0.0	1452	Fitzsimmons sign	0.1	
Weather conditions: AM Hot, Humid ~ 87° Wind from South West							
8/3/07	11:00	Midler Entrance	0.1	11:10	Fitzsimmons gate	0.2	
	18:50	Midler Entry	0.1	18:00	Fitzsimmons	0.1	
Weather conditions: AM ~ 90°F Hot + Humid wind west to east 2.5 mph							
08/04/07	0740	West Center	0.2	0745	East Center	0.1	
	1300	NW Corner	0.1	1305	SE Corner	0.0	
Weather conditions: AM Sunny 69° WSW 15							
8-5-07	1000	Fitzsimmons sign	0.0	1015	Midler Entry	0.0	
	1730	Fitzsimmons	0.0	1745	Midler entry	0.0	
Weather conditions: AM 75°F Wind west to east < 5 mph							
Weather conditions: AM 75°F Wind west to east < 5 mph							



1401 Erie Boulevard East
Syracuse, New York 132
Ph (315) 478-2374 Fax (315) 478-107

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
8-6-07	8:40 AM	West Center	1.8	8:49	East Center	1.7	
	1545	North West Corner	3.0	1552	South East Corner	1.7	
Weather conditions: AM 75°F Wind West to East 5 mph							
8-7-07	0910	South Fence Road	0.0	0930	North (middle) Side of Site	0.2	
	1630	Center West side	2.2	1637	East Simmons Sign	1.9	
Weather conditions: AM Overcast 78° Wind: 5-8 mph South							
8-8-07	0935	Midway Entry	1.8	0945	Fitzsimmons	2.6	
	1640	Midway Entry	2.0	1650	Fitzsimmons	0.7	
Weather conditions: AM Cloudy ~78°F Wind 12-15 mph							
8-9-07	8:35 AM	East center side of site	0.2	8:46	West center side of site	0.2	
	12:30 pm	Far east side of site	0.2	12:41	West side center	0.2	Miscellaneous
Weather conditions: AM Clear 77°F Wind East to West 5 mph							
8/10/07	12:25 pm	East End	0.1	12:15 pm	Main Entrance	0.2	
	1630	NE Corner	0.6	1635	SW Corner	0.6	
Weather conditions: AM Newcast ~80°F Wind West to East 5 mph							
8/11/07	0955	North Center	1.6	1000	South Center	1.6	
	1442	NW Corner	0.3	1448	West of SW corner	0.1	
Weather conditions: AM Sunny 69° NW-4							
8/12/07	1000	Midway Entry	0.0	1015	Fitzsimmons	0.2	
	1800	Midway Entry	0.0	1815	Fitzsimmons	0.2	
Weather conditions: AM Sunny 74° West @ 3-5 mph							



ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

[illegible]



**1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 478-2107**

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
8-20-07	07:45	Midler Entry	0.1	07:55	East End	0.2	
	05:50	East End	0.3	16:05	Midler Entry	0.2	
Weather conditions: AM Partly Cloudy ~ 60° 3-5 mph NW							
8/21/07	10:15	East End	0.4	10:25	Midler Entrance	0.3	
	3:25	SE corner	0.3	3:35	NW corner	0.3	
Weather conditions: AM NW Cast ~ 65° F - Wind East to West							
8-22-07	08:25	East End	0.3	08:35	Midler Entrance	0.7	
	1340	SE corner	0.4	1346	NW corner	0.5	
Weather conditions: AM ~ 61° F Cloudy wind 2-3 mph East							
8-23-07	09:00	Midler Entry	0.7	09:15	East End	1.6	
	17:20	East End	1.6	17:30	Midler Entry	1.9	
Weather conditions: AM ~ 68° F Cloudy Wind 5-8 mph NW							
8-24-07	10:10	Midler Entry	0.9	10:20	East End	2.1	
Weather conditions: AM ~ 62° F Sunny Wind High 4-6 mph							
8/25/07	1145	West Center	0.6	1150	East Center	0.5	
	1829	NW corner	0.2	1833	SE corner	0.1	
Weather conditions: AM Sunny 88° W-12-15							
8/26/07	0900	0.0	Midler entry	0915	East end	0.1	
	1815	Midler Entry	0.0	1830	" "	0.1	
Weather conditions: AM Light Rain Temp 60 Wind: 5-8 W							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 478-2107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
8/27	9:40	Scoutay telephone pole @ fence line	0.5	9:46	beneath Whiskey sign N side street	0.5	
	18:24	E-center yard parking lot	0.3	18:30	E side center retention pond	0.3	
Weather conditions: AM Partly cloudy 70°F SW wind 0-1 mph							
8/28	08:20	East End	0.1	08:30	Midler Entry	0.6	
	15:20	W side of auto @ telephone pole	0.5	15:24	E center of retention pond	0.5	
Weather conditions: AM ~ 74°F Sunny 3-5 mph East							
8-29	08:15	Midler Entry	0.2	08:25	East End	0.3	Head of auto - W most sign @ center, then 25' east 30' east
	15:02	South side of phone pole in center	0.2	15:10	East End	0.3	
Weather conditions: AM ~ 74°F Sunny Wind 2-3 mph West							
8/30	09:15	Midler Entry	0.0	09:30	East End	0.1	
	17:00	Authentic (park)	0.4	17:08	Ex Fitch memo	0.5	
Weather conditions: AM Sunny Temp 72° Wind 5-8 WNW							
8-31/07	08:00	Midler Entry	0.3	08:10	East End	0.6	
	16:50	Midler Entry	0.4	17:00	East End	0.5	
Weather conditions: AM Sunny ~ 70°F Wind 3-5 mph							
9/1/07	11:35	NW Corner	0.2	11:45	South Center	0.0	DUSTY!
	18:28	NW corner	0.0	18:34	South Center	0.0	
Weather conditions: AM Sunny 72° NW 8-10							
9/2/07	08:30	Midler entry	0.0	08:45	East end	0.1	
	18:15	↓	0.0	18:30	East/SE corner	0.0	
Weather conditions: AM Sunny Temp 61° Wind 3-5 West							
Weather conditions: AM Sunny Temp 80° and 5-8 west							



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 1321
Ph (315) 478-2374 Fax (315) 478-4107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
9/3/07	0800	Midler entry	0.0	0815	East side	0.0	Happy L. Hobbs Day!
	1815	Midler entry	0.0	1830	east side	0.1	
Weather conditions: AM Sunny Temp 62° Wind 3-5 west							
9-4-07	09:25	Midler entry	0.2	09:35	East side	0.3	Kendall Kendall
	16:40	Midler Entry	0.3	16:50	East side	0.5	
Weather conditions: AM Sunny ~60° Wind 2-4 mph West							
09/05/07	0800	East Center	0.2	0806	West Center	0.1	Sandy J. Allen
	1913	East Center	0.2	1917	West Center	0.2	
Weather conditions: AM Cloudy, 56° E-S							
09/06/07	0806	South Center	0.2	0812	North Center	0.3	Sandy J. Allen
	1629	South Center	0.2	1634	North Center	0.2	
Weather conditions: AM Mostly Sunny 63° S-S							
09/07/07	0748	SW corner	0.2	0754	NE Corner	1.2	lots of construction activity
	1425	SW corner	0.2	1430	NE Corner	0.2	
Weather conditions: AM Sunny, Hazy, Humid 74° SW-2							
09/08/07	1125	South & NW corner	0.2	1132	North of SE corner	3.9	Sandy J. Allen
	2035	West Center	0.5	2040	East Center	0.7	
Weather conditions: AM Partly Sunny 79° W-B							
9/9/07	0900	Midler entry	0.0	0915	East end	0.0	Sandy J. Allen
	1715	Midler Entry	0.0	1730	East end	0.0	
Weather conditions: AM Light Rain Temp 64° Wind calm 3 mph west							
PM Rain Temp 71 Wind: 3-5 mph west							

ISTD Sample Log

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

[illegible]



Certified
Environmental
Services, Inc.

ISTD Sample Log

1401 Erie Boulevard East
Syracuse, New York 13211
Ph (315) 478-2374 Fax (315) 4107

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
9/17/07	0830	East-Center	0.2	0836	West-Center	0.2	
	1628	NW Corner	0.4	1633	South-Center	0.2	
Weather conditions: AM Sunny 48° SE .8							
9/18/07	0714	East-Center	0.4	0719	West-Center	0.6	
	1555	Midler Entry	0.3	1605	East End	0.6	
Weather conditions: AM Sunny 48° E .4-6							
9-19-07	1120	Midler Entry	0.3	1130	East End	0.5	
	1555	Midler Entry	0.2	1610	East End	0.6	
Weather conditions: AM ~70°F Sunny West Wind 4-5 mph							
9-20-07	1210	Midler Entry	0.4	1220	East End	1.7	
	1610	Midler Entry	0.3	1620	East End	0.9	
Weather conditions: AM ~76°F Sunny West Wind 4-7 mph							
9-21-07	09130	Midler Entry	0.3	09120	East End	0.6	
	15140	Midler Entry	0.2	15150	East End	0.9	
Weather conditions: AM ~67°F Sunny West Wind 2-4 mph							
9/22/07	1100	West-Center	3.4	1110	East-Center	2.6	Exhaust stack appears to be dismounted
	1930	West-Center	0.2	1935	East-Center	0.2	
Weather conditions: AM Partly Sunny High Clouds 75° W-10							
9/23/07	0900	Midler Entry	0.0	0915	East-Center	0.1	
	1815	Midler Entry	0.0	1830	" "	0.2	
Weather conditions: AM Sunny Temp 62° Wind 3-5 mph W							
							West

Sandy J. Allen / Ben Murphy

Ben Murphy

Ben Murphy

Ben Murphy

Sandy J. Allen

Ken K. Rose

ISTD Sample Log

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
9/24/07	11:30	Midler Entry	0.1	11:40	East End	0.3	
	16:15	Midler Entry	0.2	16:30	East End	0.5	
Weather conditions: AM ~69°F Sunny West Wind 2-3 mph							
9/25/07	12:25	Midler Entry	0.5 ppm	12:15	East Center	0.7 ppm	
	15:20	Midler Entry	0.3	16:30	East End	0.4	
Weather conditions: AM Sunny ~85°F Wind to East ~5 mph							
9-26-07	8:15	Midler Entry	0.4	8:25	East End	0.7	
	17:15	Midler Entry	0.8	17:25	East End	1.8	
Weather conditions: AM 270°F Partly Sunny West 2-4 mph							
9/27/07	08:15	Midler Entry	0.2	08:30	East end	0.5	
	16:30	Midler Entry	0.1	16:45	East end	0.3	
Weather conditions: AM Overcast Temp 70° Wind: West 3-5							
9/28/07	08:50	Midler Entry	0.1	08:05	East/SE corner	0.0	
	16:30	"	0.0	16:45	East end	0.1	
Weather conditions: AM Overcast Temp 62° Wind 5-8 WNW							
9/29/07	10:40	NW corner	3.6	10:47	SE corner	3.4	
	17:15	NW corner	0.3	17:23	SE corner	0.2	
Weather conditions: AM Mostly Sunny 66° NW 6							
9/30/07	08:00	NW corner	0.1	08:15	SE corner	0.1	
	18:15	Midler Entry	0.0	18:30	East End/SE corner	0.1	
Weather conditions: AM Partly Cloudy Temp 58° 5-8 NW							

Community Air Monitoring Plan - Midler Ave Brownfield Cleanup Program

NYSDEC Site #C734103 - Syracuse, Onondaga County, New York

VOC Monitoring Utilizing a PID

Date	Time (5 min)	Upwind Location	Max Upwind Reading (ppm)	Time (5 min)	Downwind Location	Max Downwind Reading (ppm)	Notes
10/1/07	12:40	Midler Entry Drive	0.2	12:30	East End	0.3	
	16:40	Midler Entry	0.1	16:30	East End	0.3	
Weather conditions: AM Wind W to E ~ mph Sunny 70's							
10/2/07	08:45	SE corner site	0.1	09:00	NW corner of site	0.3	
	15:30	SE corner site	0.0	15:45	NW corner of site	0.2	
Weather conditions: AM Sunny 65° Wind 8-10 mph SE							
10-3-07	08:45	Midler Entry	0.3	08:55	East End	0.4	
	16:15	Midler Entry South of 3	0.0	16:30	NE area on E Perimeter	0.1	
Weather conditions: AM Sunny 68° 9-11 mph SE							
TH				END			
Weather conditions: AM							
				PM		Sampler:	
Weather conditions: AM							
				PM		Sampler:	
Weather conditions: AM							
				PM		Sampler:	
Weather conditions: AM							
				PM		Sampler:	
Weather conditions: AM							
				PM		Sampler:	

APPENDIX C

WASTE DISPOSAL DOCUMENTATION

PARAGON ENVIRONMENTAL CONSTRUCTION, INC.

8141 Route 11
Cicero, NY 13039

Phone: 315-699-0840
Fax: 315-699-0845
Cell: 382-6203
E-mail—peterm@paragonec.net

*Spent
Liquid Phase Carbon
generated by
TerraTherm*

To: Steve Vinci**From: Peter Markowski**

Fax: 455-9667**Date: October 12, 2007**

Phone:**Pages:**

Re:**Company:**

☐ **Urgent** ☒ **XX For Review** ☐ **Please Comment** ☐ **Please Reply**

Comments

**Steve: let me know if this doesn't come out well I will try to get another
copy**

Thanks

Peter

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NY R 0 6 0 1 1 3 6 8 8	2. Page 1 of 1	3. Emergency Response Phone (800) 424-9300	4. Manifest Tracking Number 002560981 JJK		
5. Generator's Name and Mailing Address PIONEER MIDLER AVE 621 S MIDLER AVE SYRACUSE NY 13226-3068		Generator's Site Address (if different than mailing address)					
Generator's Phone: (315) 698-0840		U.S. EPA ID Number NY 17 983792514					
6. Transporter 1 Company Name Pioneer Midler Truck Service		U.S. EPA ID Number					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address CWM CHEMICAL SERVICES, L.L.C. 1680 BALMER RD. MODEL CITY NY 14107		U.S. EPA ID Number NY D 0 4 9 8 3 6 6 7 9					
Facility's Phone: (716) 754-8251							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes	
X	1. RQ. HAZARDOUS WASTE, LIQUID, N.O.S., NA3082, (TRICHLOROETHYLENE, TETRACHLOROETHYLENE), RQ. D004 NY295505	2	DM	800	P	D004 D008	D005 D039 B
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information 1. NY295505 - SPENT CARBON FROM ONSITE TREATMENT							
15. GENERATOR/SIGNER'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Signer's Printed/Typed Name Tom Williams		Signature [Signature]				Month Day Year 06/05/07	
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit Date leaving U.S.							
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Signature Month Day Year Transporter 2 Printed/Typed Name Signature Month Day Year							
18. Discrepancy 18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection Manifest Reference Number 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: 18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1. 4141 2. 3. 4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a Printed/Typed Name Signature Month Day Year							

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

GENERATOR'S INITIAL COPY