



Enclosure 2

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form

	Site Details	Box 1	
Si	te No. C734104		
Sit	te Name Oil City/Carousel Center - Phase 1		
Cit	e Address: 306 Hiawatha Blvd. West Zip Code: 13204 y/Town: Syracuse unty: Onondaga e Acreage: 10.1		
Re	porting Period: December 02, 2011 to May 03, 2013 SEPTEMBER 2014 The August	301	3
		YES	NO
1.	Is the information above correct?		JEL
	If NO, include handwritten above or on a separate sheet.		
2.	Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?		×
3.	Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?		ß
4.	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?		₽
	If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5.	Is the site currently undergoing development?		烙
		Box 2	
		Box 2 YES	NO
6.	Is the current site use consistent with the use(s) listed below? Commercial and Industrial		NO
		YES	
7.	Commercial and Industrial	YES	

20 418	Box 2	A
	YES	NO
8. Has any new information revealed that assumptions made in the Qualitative Exposur Assessment regarding offsite contamination are no longer valid?	re 🗆	×
If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.		
 Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years) 	×	
If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.		
SITE NO. C734104	Вох	3
Description of Institutional Controls		
Parcel Owner Institutional Control		
Syracuse Industrial Dev. Agency (SIDA) Ground Water Use Re Soil Management Plan Monitoring Plan Site Management Plan O&M Plan IC/EC Plan	n	
 Prohibition of groundwater use Prohibition on vegetable gardens on surface of the site Use must be maintained as commercial or industrial Compliance with Soil Managment Plan 		
	Вох	4
Description of Engineering Controls		
Parcel Engineering Control		
11402-05.7 (partial)		
Vapor Mitigation Cover System		
- Soil Cover and SSDS Inspection, Monitoring & Maintenance - Soil Vapor Monitoring		

_	_
Box	5
DOX	J

1.	I certify by checking "YES" below that:					
 a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification; 						
	b) to the best of my knowledge and belief, the work and conclusions described in are in accordance with the requirements of the site remedial program, and general					
	engineering practices; and the information presented is accurate and compete.	YES	NO			
		X				
2.	 If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true: 					
(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged sinc the date that the Control was put in-place, or was last approved by the Department;						
(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;						
	(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;					
(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and						
	Management Plan for this Control; and					
	(e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the	r the sit ie docu	e, the			
	(e) if a financial assurance mechanism is required by the oversight document for	r the sit ie docu YES	e, the			
	(e) if a financial assurance mechanism is required by the oversight document for	e docu	e, the ment.			
	(e) if a financial assurance mechanism is required by the oversight document for	e docu YES	e, the ment. NO			
А	(e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the lightest section of the lightest section (e) if the content of the lightest section (e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the lightest section (e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the light section (e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the light section (e) is a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the light section (e) is a financial assurance mechanism remains valid and sufficient for its intended purpose established in the light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains and light section (e) is a financial assurance mechanism remains	YES	e, the ment. NO			
0-	(e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in the life of th	YES	e, the ment. NO			

IC CERTIFICATIONS SITE NO. C734104

Rendering Certification

IC/EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Paul Adel at Spectra Engineering Pc
print name print business address

(Owner or Remedial Party)

Signature of Qualified Environmental Professional, for the Owner or Remedial Party, Rendering Certification 10/15/15 Date