

PERIODIC REVIEW REPORT AND CERTIFICATION FOR APRIL 2023 – APRIL 2025

OIL CITY/CAROUSEL CENTER - PHASE I SITE (#C734104) DESTINY USA, SYRACUSE, NEW YORK

Prepared for:

New York State Department of Environmental Conservation Region 7



Image Source: NYS Office of ITS, GIS Program Office, Central Zone Orthoimagery, November 2022

Prepared by:

JMT of New York, Inc. 19 British American Boulevard Latham, New York 12110

Project No.: 20-01949-005

Date: May 2025



PERIODIC REVIEW REPORT AND CERTIFICATION FOR REPORTING PERIOD APRIL 2023 – APRIL 2025 OIL CITY/CAROUSEL CENTER – PHASE I (#C734104) DESTINY USA, SYRACUSE, NEW YORK

TABLE OF CONTENTS

1.0	INTI	RODUCTION AND DESCRIPTION OF REMEDIAL PROGRAM1
	1.1	INTRODUCTION
2.0	GEN	ERAL SITE DESCRIPTION
3.0	DES	CRIPTION OF SELECTED REMEDY
	3.1	ENGINEERING CONTROLS
	3.2	INSTITUTIONAL CONTROLS
4.0	SUM MON	IMARY OF COMPLETED 2023-2025 SITE ACTIVITIES AND NITORING7
	4.1	System Maintenance7
	4.2	System Monitoring7
	4.3	CORRECTIVE ACTION PLAN REVIEW
5.0	IDE	NTIFICATION, ASSESSMENT, AND CERTIFICATION OF ALL ECS/ICS8
	5.1	REMEDY COMPLIANCE85.1.1Engineering Controls5.1.2Institutional Controls
	5.2	System Effectiveness9
	5.3	OBSERVATIONS AND CONCLUSION10
	5.4	RECOMMENDATIONS10
	5.5	Remedy Effectiveness10



FIGURES

- FIGURE 1 SITE LOCATION MAP
- FIGURE 2 PHASE I SITE PLAN
- FIGURE 3 HYDRAULIC CONTROLS
- FIGURE 4 Engineering Controls

APPENDICES

- APPENDIX A SYSTEM MAINTENANCE AND MONITORING RECORDS
- APPENDIX B INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM AND MANAGEMENT RESPONSIBILITY & CERTIFICATION FORM

1.0 INTRODUCTION AND DESCRIPTION OF REMEDIAL PROGRAM

1.1 INTRODUCTION

This is the eighth Periodic Review Report (PRR) and Certification which is required as an element of the remedial program for the Oil City/Carousel Center - Phase I Site (#C734104), (hereinafter referred to as the "Phase I Site," or "the Expansion") pursuant to the Brownfield Cleanup Agreement (execution date June 28, 2005) under the New York State (NYS) Brownfield Cleanup Program (BCP) administered by New York State Department of Environmental Conservation (NYSDEC). A Certificate of Completion (COC) was signed on December 2, 2011.

1.1.1 General

Destiny USA Holdings, LLC (Destiny), the remedial party, has remediated a 10.3 acre property located in Onondaga County, Syracuse, New York (the "Phase I Site") to address subsurface soil, groundwater and vapor contamination present within the Phase I Site boundaries. The site location of the 10.3 acre area subject to this report is provided in Figure 1.

After completion of the remedial work, which included source removal of approximately 80,000 cubic yards of contaminated soil (see Phase I RWP), some residual contamination remained at depths well below finished grade. A Phase I Site Management Plan (Phase I SMP) was prepared to manage the residual material at the Phase I Site. All BCP reports associated with the Phase I Site can be viewed by contacting the NYSDEC or its successor agency managing environmental issues in New York State.

1.1.2 Purpose

This report represents the eighth Periodic Review and Certification Report for the Destiny USA Phase I Site. Phase I Periodic Review and Certification Reports have been prepared by JMT of New York (JMT), formerly Spectra, on behalf of Destiny, in accordance with the requirements set forth in the Phase I SMP. The reports have been prepared pursuant to Section 6.0 "Inspections, Reporting and Certifications" presented in the Phase I "Site Management Plan and Operations and Maintenance Plan" dated August 2009 (revised May 2021) and addresses the operation and maintenance of the Institutional Controls (ICs) and Engineering Controls (ECs) that are in place on the Phase I Site. A detailed description of all ECs and ICs was provided in the initial PRR report. A Corrective Action Plan was prepared in January 2021 and incorporated into the SMP. The purpose of the Corrective Action Plan is to ensure that all compliance measures are properly implemented, ensure that applicable compliance criteria are met, ensure that recordkeeping is consistent and in compliance with the SMP, and ensure that deviations from compliance are properly documented and corrected. Following the submittal of the 2023 PRR, the NYSDEC



agreed in a letter dated July 13, 2023 that the periodic reports, the NYSDEC agreed that the frequency of Periodic Reviews would be increased from annually to every two (2) years.

Per the SMP; the site owner or remedial party must submit to NYSDEC a written statement that certifies, under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP.

This report and supporting data cover the period of April 2023 to April 2025 to document compliance with the requirements set forth in the SMP and applicable regulatory requirements.

Information contained in this report was provided by facility staff and includes the following:

- Identification, assessment, and certification of all ECs/ICs required by the remedy for the site;
- Results of the required site inspections and severe-condition inspections, if applicable;
- All applicable inspection forms and other records generated for the site during the reporting period in electronic format (Appendix A); and
- A summary of monitoring data and/or information generated during the reporting period with comments and conclusions.

This periodic site evaluation also assesses the following:

- The compliance of the remedy with the requirements of the site-specific Remedial Action Work Plan (RAWP), Record of Decision (ROD) or Decision Document;
- The operation and the effectiveness of all treatment units, etc., including identification of any needed repairs or modifications;
- Any new conclusions or observations regarding site contamination based on inspections or data generated by the Monitoring Plan for the media being monitored;
- Recommendations regarding any necessary changes to the remedy and/or Monitoring Plan;
- The overall performance and effectiveness of the remedy; and
- Any observations, conclusions, or recommendations.

The EC/IC certification form is attached in Appendix B.

2.0 GENERAL SITE DESCRIPTION

The overall Destiny Site consists of approximately 152 acres at the southeast end of Onondaga Lake (a Class C water body). It is generally bounded by Onondaga Lake and Conrail tracks to the northwest; Interstate 81 (I-81) to the north and northeast; Bear Street on the south and southeast; and the New York State Barge Canal to the south and southwest. See Figures 1 and 2.

The Phase I Site is located in the southeast portion of the lands generally referred to as the Carousel Center site, between the existing Carousel Center building and West Hiawatha Boulevard. The Phase I Site consists of the area under the expansion area footprint as shown on Figure 2 "Site Plan." The remedy described in the Phase I RWP has been completed and is subject to the ongoing operation and maintenance requirements set forth in the Phase I Site Management/Operations and Maintenance Plan ("Phase I SMP"). Prior to the work described in the Final Engineering Report, the Phase I Site consisted of surface parking lots and associated driveway areas. Prior to 1990, a portion of each of the following uses was located in the area of the Phase I Site: Marley Scrap Yard, Buckeye Petroleum Tank Farm, and the Amerada Hess Petroleum Tank Farm.

Current land uses surrounding the Destiny Site consist generally of business districts and mixed residential property to the north and east. Vacant land abuts the property to the south-southeast. The Onondaga County Metropolitan Sewage Treatment Plant is located across the Barge Canal to the south-southwest.

3.0 DESCRIPTION OF SELECTED REMEDY

The remedy selected for the Phase I Site was – Excavation, Vapor Barrier with Vapor Control and Capping. See Phase I RWP, §2.0, Alternative 4.

The selected remedy was chosen because it met the criteria established in the BCP program, including the protection of public health and the environment (including groundwater, drinking water, surface water, air, indoor air and sensitive populations) and was consistent with remedies approved and implemented at other NYSDEC-approved BCP sites with similar contamination and proposing a similar use. The selected remedy included both institutional and engineering controls, which are described below. The remedy is appropriately protective to allow the Phase I Site to be used for restricted-residential (other than single family houses), commercial, or industrial purposes.

3.1 ENGINEERING CONTROLS

Soil Cover

Exposure to residual soil contamination at the Phase I Site is prevented by a four-inch layer of clean sand, a vapor barrier, and a 15-inch-thick concrete slab on grade.



Procedures for the inspection and maintenance of this cover are provided in the Monitoring Plan included in Section 4 of the Phase I SMP.

Vapor Control and Vapor Barrier System

The vapor control pipe network uses two-inch diameter slotted schedule 40 PVC pipe, which has been installed under the floor slab. Parallel laterals are laid no more than 40 feet apart on center. Perforations for the piping are 0.020-inch wide circumferential slots. The slotted pipe is wrapped with filter fabric. All ends are capped with piping connections and end caps glued with PVC cement to prevent separation. The piping network is divided into six sections (galleries) with each gallery covering approximately 75,000 sq. ft. of floor area.

Two-inch diameter schedule 40 PVC solid pipe was installed to connect each gallery to an in-line axial fan. The fans extract air from the sub-slab environment and exhaust on the roof of the expansion. Each independent gallery of the sub-slab pipe network was originally de-pressurized by an in-line axial fan in the solid gallery riser pipe, located on the second level. In April and May, 2012 the six fans were replaced by three regenerative blowers located in three separate weather enclosures on the roof. The vapor control system exhaust is vented above the building roofline. This system is similar to the sub-slab depressurizing systems employed in radon-affected areas.

The riser location for each gallery is shown on the vapor control system construction drawings provided in the Final Engineering Report and in the 2012 Periodic Review Report.

The pressure in the vapor control galleries is maintained lower than the ambient pressure in the occupied spaces of the expansion. This ensures that vapors emanating from soil beneath the building move towards the pipe gallery, to be captured and vented safely outside of occupied space. The system produces a vacuum on the collection gallery risers in the range of two to three inches of water ("IWG").

Vapor Barrier

A vapor barrier was installed that extends from the façade of the original building to the perimeter of the Phase I Expansion area to establish a continuous sealed vapor barrier beneath the concrete slab floor.

During piping installation, the vapor barrier material was used to create an apron (minimum 24 inch wide) around each riser stub. Each riser stub was sealed to the apron and to the ground sheet with butyl mastic tape in concentric rings around the riser pipe. A minimum four-inch wide air-tight seal was created.



Adjacent sheets of vapor barrier material were overlapped by a minimum of 18 inches and sealed with a continuous strip of butyl mastic double sided tape, with a minimum four-inch wide seal to create an air tight joint.

The vapor barrier extends at least 12 inches onto the top of each concrete pile cap or grade beam. The vapor barrier is adhered to concrete with butyl mastic double sided tape with a minimum fourinch wide air-tight seal.

Conduit bundles extending through the concrete slab are wrapped together with the vapor barrier extending a minimum of four inches above top of concrete slab. The open portion of the vapor barrier has been sealed with foam or silicon joint compound to create an air-tight plug.

The vapor barrier was loosely laid between pile caps to prevent membrane tension. The vapor barrier contains a minimum 18-inch wide tension relief fold between the pile caps. The longitudinal lap seal between side-by-side sheets may not fall within the tension relief fold. The tension relief fold may cross lap seal at ends of sheets.

Prior to pouring the floor slab, the vapor barrier was inspected for the integrity of joints and membrane material, and for proper tension relief construction. Membrane tension was relieved by splicing additional sheet material, using the lap seal requirements above (See Figure 4).

Procedures for operating and maintaining the vapor control system are documented in the Operation and Maintenance Plan (Section 4 of the Phase I SMP). Procedures for monitoring the system are included in the Monitoring Plan (Section 3 of the Phase I SMP). The Monitoring Plan also addresses severe condition inspections in the event that a severe condition, which may affect controls at the site, occurs.

Groundwater Controls

The selected remedy does not include engineering controls for groundwater contamination at the Phase I Site. Removal of contaminated soil has a beneficial effect on groundwater conditions by eliminating sources. The concrete slab covering the Phase I Site functions as a cap that prevents infiltration of precipitation that might otherwise come in contact with residual contaminated soil. These controls will restrict dermal contact, inhalation and ingestion of water. In addition, the institutional controls discussed below, restrict the use of groundwater on the Phase I Site for any purpose unless it is first treated in a manner deemed acceptable to the NYSDEC to render such groundwater safe for the purpose for which it will be used. These measures preclude the need for any groundwater treatment on the Phase I Site.

Notwithstanding these protections, in the event contaminated groundwater leaves the Phase I Site, it is captured and appropriately treated by an existing groundwater control and treatment facility located downgradient of the Phase I Site (See Figure 3). These controls include:

- a. A groundwater collection trench located down gradient of the Phase I Site collects and treats potentially migrating contaminants before they could migrate to locations off of the Carousel Center;
- b. A slurry wall around Carousel Center which is designed to limit groundwater flow across the Phase I Site; and
- c. The existing Carousel Center foundation wells, which continuously pump and treat the Phase I Site groundwater through an on-site wastewater collection and treatment system prior to discharge through a NYSDEC SPDES permitted outfall. The foundation pumping system is designed to create a hydraulic gradient towards the foundation well intake which further limits any threat of offsite migration of contaminants through groundwater.

Each of these facilities are operated pursuant to requirements established by and under the supervision of NYSDEC.

In addition, because of capping and lining of features at and adjacent to the Phase I Site, the community is not exposed to groundwater. Water for the Phase I Site is supplied by an existing municipal water supply system.

3.2 INSTITUTIONAL CONTROLS

The selected remedy also includes institutional controls for the Phase I Site. The institutional controls provide the necessary non-physical protections and provide notice to properly limit potential human or environmental exposure to contaminants.

The institutional controls for the Phase I Site include establishment of an environmental easement that requires:

- Compliance by the Grantor and the Grantor's successors and assigns with all elements of the NYSDEC-approved Site Management Plan/Operation, Maintenance and Monitoring Plan (which outlines the required activities, such as, inspection, monitoring, certification, operation, maintenance and repair);
- b. Prohibition of groundwater use for potable or non-potable uses is prohibited on the Phase I Site without first undergoing a NYSDEC and/or NYSDOH approved treatment;
- c. That all proposed ground-intrusive activities on the Phase I Site be conducted in accordance with the NYSDEC-approved Site Management Plan; and

d. A prohibition on any vegetable gardens on the surface of Phase I Site as per NYCRR Part 375-1.8(g)(2)(ii).

Institutional Controls identified in the Environmental Easement may not be discontinued without an amendment to or extinguishment of the Environmental Easement.

Site restrictions that apply to the Phase I Site are:

- The property may not be used for a higher level of use, such as unrestricted residential (i.e. single family houses), without additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- Ensure appropriate future use and that future property owners are aware of the existing conditions on the Phase I Site;
- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the Phase I SMP;
- Include the required notifications prior to commencement of any ground-intrusive activities that may encounter contaminated materials. Notification of NYSDEC and any on-site workers will be required prior to excavating soil;
- The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use; and
- Include notice of and information relating to a soil management plan, identifying requirements in the event of excavation, which will be included as part of the operations and maintenance monitoring plan (OM&M).

4.0 SUMMARY OF COMPLETED 2023-2025 SITE ACTIVITIES AND MONITORING

4.1 System Maintenance

System maintenance, including motor replacements for each of the vacuum pumps/blows, filter cleaning/replacement, and condensation drain checks, is completed on scheduled basis. On March 29, 2024, the filters and motors in all three blowers were replaced to ensure that the systems remained in good working order.

4.2 System Monitoring

Consistent with the Site Management Plan, the pressure monitoring system is monitored on a weekly basis by Destiny USA. All monitoring, maintenance, and system reports will be maintained by Destiny USA and submitted to the certifying engineer for inclusion in the Periodic Review



Report. Appendix A contains system monitoring reports and documentation of maintenance events for the period of April 2023 to April 2025.

4.3 CORRECTIVE ACTION PLAN REVIEW

Pursuant to the Corrective Action Plan, Facility Management conducts a periodic review of the Plan and compliance measures taken during the reporting period to evaluate the effectiveness of the plan and to determine if changes to the Plan are needed. The review is documented and certified on the Management Responsibility and Certification Form. The Facility Manager conducted the review and completed the certification. The certification is attached in Appendix B.

5.0 IDENTIFICATION, ASSESSMENT, AND CERTIFICATION OF ALL ECS/ICS

5.1 **REMEDY COMPLIANCE**

Compliance is established by application of the engineering and institutional controls described in the Site Management Plan. The engineering controls must be inspected, monitored, certified, operated and maintained. Institutional controls put restrictions on certain current site activities and future site use and management.

5.1.1 Engineering Controls

Engineering controls to prevent exposure to residual soil contamination consist of a four inch layer of clean sand, vapor collection galleries, a vapor barrier, and a 15-inch thick concrete slab on grade, and vapor control system. Observations during construction verified that the sand layer was in place, the vapor collection pipe network was constructed according to engineering specifications, the vapor barrier extended from the façade of the existing building to the perimeter of the Phase I Expansion area providing a continuous sealed vapor barrier, the concrete floor of the building was built to engineering specifications, the specified vent fans were installed on each vapor collection gallery, and the risers are vented above the building roofline.

There are no operational or maintenance activities associated with the impermeable membrane. Three vacuum units are located on the roof, each providing suction on two galleries. Each vacuum unit is equipped with a regenerative blower. Maintenance of the regenerative blowers will continue at manufacturer recommended intervals, in accordance with the SMP.

The SMP specifies the schedule for monitoring the pressure in the system. The pressure in the vapor control galleries is maintained below the ambient pressure in the occupied spaces of the expansion, ensuring that vapors emanating from soil beneath the building move towards the pipe



gallery are captured and vented safely outside of the occupied space. The system produces a vacuum in the collection galleries in the range of two to three inches of water ("IWG").

5.1.2 Institutional Controls

The institutional controls consist of the implementation of provisions incorporated in an approved environmental easement, which includes restrictions on certain site activities that present and future site owners must observe. The environmental easement provisions have been implemented as follows:

- The current owner is implementing all elements of the Site Management Plan/Operation, Maintenance and Monitoring Plan;
- The impervious cap has been implemented with construction of the vapor barrier (sand layer, membrane and concrete floor) in accordance with engineering specifications;
- The soil vapor mitigation system has been constructed in accordance with engineering specifications, and is being operated, monitored, maintained, in accordance with the Site Management Plan;
- Groundwater is not being used for potable or non-potable uses on the Phase I Site;
- Ground-intrusive activities on the Phase I Site have been conducted in accordance with the Site Management Plan. Notifications are made to NYSDEC and on-site workers prior to commencement of these activities;
- There are no vegetable gardens on the surface of Phase I Site;
- The use of the property has not changed; and
- The property remains under the control as the owner of record during the remediation, therefore, the restrictions on future use that must be observed by future owners are not applicable for this reporting period.

5.2 SYSTEM EFFECTIVENESS

The roof top vacuum systems are maintaining a vacuum on each collection gallery to ensure that vapors originating below the expansion area floor will not enter the occupied spaces in the expansion. Monitoring and recordkeeping have been conducted in accordance with the SMP and the Corrective Action Plan. The Facility Manager has completed the Management Responsibility and Certification for the Corrective Action Plan.



5.3 **OBSERVATIONS AND CONCLUSION**

The vapor control system equipment was inspected by a Professional Engineer on March 27, 2025. At the time of the inspection, all of the vacuum pumps were functioning correctly, and all gallery pressures were in the correct range.

As of this report date, the vapor control system is fully operational.

5.4 **Recommendations**

At the time of this reporting, there are no modifications needed to the vapor control system.

The operation and monitoring routine should be continued in accordance with the SMP and Corrective Action Plan. Future reports will be prepared as required by regulation and/or agreement. Facility personnel will report to the facility manager upon discovery of equipment malfunctions or low-pressure readings and prepare corrective action reports in accordance with the Corrective Action Plan added to the Site Management Plan (revised May 2021) to document resolution of any departures from normal operation of the system.

Any future interior renovations or improvements that affect the integrity of the vapor barrier will be conducted in accordance with the SMP.

5.5 **REMEDY EFFECTIVENESS**

The performance and effectiveness of the remedy is consistent with the objectives of the remedial work plans, the record of decision, and the provisions of the Site Management Plan. The engineering and institutional controls have provided adequate protection of public health during this reporting period. No additional modification of the controls, including the operation, maintenance, inspection and monitoring procedures currently in place, are needed at this time to provide continued future protection of public health.



FIGURES

- FIGURE 1 SITE LOCATION MAP
- FIGURE 2 PHASE I SITE PLAN
- FIGURE 3 HYDRAULIC CONTROLS
- FIGURE 4 ENGINEERING CONTROLS











APPENDIX A

SYSTEM MAINTENANCE AND MONITORING RECORDS



ZONE 1 PRESSURE LOGS GALLERIES A AND B HEAT PUMP ROOM 303

	Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
4/1/2023							
4/2/2023							
4/3/2023							
4/4/2023							
4/5/2023							
4/6/2023							
4/7/2023							
4/8/2023							
4/9/2023							
4/10/2023							
4/11/2023							
4/12/2023							
4/13/2023							
4/14/2023							
4/15/2023							
4/16/1900							
4/17/2023							
4/18/2023							
4/19/2023							
4/20/2023							
4/21/2023							
4/22/2023							
4/23/2023		3.2	3.4	3.6	246940		
4/24/2023					2100		
4/25/2023							
4/26/2023							
4/27/2023							
4/28/2023							
4/29/2023							
4/30/2023							

CONTROL PANEL ZONE: 1 (Heat Pump Room 303)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
5/1/2023					
5/2/2023					
5/3/2023					
5/4/2023					
5/5/2023					
5/6/2024					
5/7/2023					
5/8/2023					
5/9/2023		· · · · · · · · · · · · · · · · · · ·			
5/10/2023					
5/11/2023					
5/12/2023					
5/13/2023					
5/14/2023					
5/15/2023					
5/16/2023	0				
5/17/2023					
5/18/2023					
5/19/2023					
5/20/2023					0.00
5/21/2023		3.2	3.4	3.6	346473
5/22/2023					
5/23/2023					
5/24/2023					
5/25/2023					
5/26/2023					
5/27/2023					
5/28/2023					
5/29/2023					
5/30/2023					
5/31/2023					

CONTROL PANEL ZONE: 1 (Heat Pump Room 303) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System Re	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
6/1/2023					
6/2/2023					
6/3/2023					
6/4/2023					
6/5/2023					
6/6/2023					
6/7/2023					
6/8/2023					
6/9/2023					
6/10/2023					
6/11/2023					
6/12/2023					
6/13/2023					
6/14/2023					-
6/15/2023					
6/16/2023			l		
6/17/2023					
6/18/2023					
6/19/2023					
6/20/2023					10001
6/21/2023		3.2	3.4	3.4	347004
6/22/2023					Sector Trans. A
6/23/2023					
6/24/2023					
6/25/2023					
6/26/2023					
6/27/2023					
6/28/2023					
6/29/2023					
6/30/2023					

		Vapor Co	ntrol System R	eadings	T
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
7/1/2023					
7/2/2023					
7/3/2023					
7/4/2023					
7/5/2023					
7/6/2023					
7/7/2023					
7/8/2023					
7/9/2023					
7/10/2023					
7/11/2023					
7/12/2023					
7/13/2023					
7/14/2023					
7/15/2023					
7/16/2023					
7/17/2023					
7/18/2023					
7/19/2023					5150110
7/20/2023		3.2	3.4	3.6	301042
7/21/2023					
7/22/2023					
7/23/2023					
7/24/2023					
7/25/2023					
7/26/2023					
7/27/2023					
7/28/2023					
7/29/2023					
7/30/2023					
7/31/2023					

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
8/1/2023					
8/2/2023					
8/3/2023					
8/4/2023					
8/5/2023					
8/6/2023					
8/7/2023					
8/8/2023					
8/9/2023					
8/10/2023					
8/11/2023					
8/12/2023					
8/13/2023					
8/14/2023					
8/15/2023					
8/16/2023					
8/17/2023					
8/18/2023					
8/19/2023					
8/20/2023					
8/21/2023	ma	3.2	3.4	3,6	347075
8/22/2023					17 X
8/23/2023					
8/24/2023					
8/25/2023					
8/26/2023					
8/27/2023					
8/28/2023					
8/29/2023					
8/30/2023					
8/31/2023					

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

1

CONTROL PANEL ZONE: 1 (Heat Pump Room 303) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings							
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
9/1/2023							
9/2/2023							
9/3/2023							
9/4/2023							
9/5/2023							
9/6/2023							
9/7/2023							
9/8/2023							
9/9/2023							
9/10/2023							
9/11/2023							
9/12/2023							
9/13/2023							
9/14/2023							
9/15/2023							
9/16/2023							
9/17/2023							
9/18/2023							
9/19/2023		2		0			
9/20/2023	int	3.8	30	4.0	347370		
9/21/2023	1	04044	276 J	8			
9/22/2023							
9/23/2023							
9/24/2023							
9/25/2023							
9/26/2023							
9/27/2023							
9/28/2023							
9/29/2023				e .			
9/30/2023							

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
10/1/2023						
10/2/2023						
10/3/2023						
10/4/2023						
10/5/2023						
10/6/2023						
10/7/2023						
10/8/2023						
10/9/2023						
10/10/2023						
10/11/2023						
10/12/2023						
10/13/2023						
10/14/2023						
10/15/2023			2			
10/16/2023						
10/17/2023						
10/18/2023						
10/19/2023						
10/20/2023					·	
10/21/2023						
10/22/2023						
10/23/2023	<u></u>					
10/24/2023	YYY7	3.6	3,2	3.5	348636	
10/25/2023						
10/26/2023						
10/27/2023						
10/28/2023						
10/29/2023						
10/30/2023						
10/31/2023						

CONTROL PANEL ZONE: 1 (Heat Pump Room 303)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
11/1/2023					
11/2/2023					
11/3/2023					
11/4/2023					
11/5/2023					
11/6/2023					
11/7/2023					
11/8/2023					
11/9/2023					
11/10/2023					
11/11/2023					
11/12/2023					
11/13/2023					
11/14/2023					
11/15/2023					
11/16/2023					
11/17/2023					0
11/18/2023		3.6	3.2	3.5	34866
11/19/2023					
11/20/2023			1		
11/21/2023					
11/22/2023					
11/23/2023					
11/24/2023					
11/25/2023					
11/26/2023					
11/27/2023					
11/28/2023					
11/29/2023					
11/30/2023					

Vapor Control System Readings							
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
12/1/2023							
12/2/2023							
12/3/2023							
12/4/2023							
12/5/2023							
12/6/2023							
12/7/2023							
12/8/2023							
12/9/2023							
12/10/2023							
12/11/2023							
12/12/2023							
12/13/2023	mt	3.6	3,2	3.5	348833		
12/14/2023			(7)				
12/15/2023							
12/16/2023							
12/17/2023							
12/18/2023							
12/19/2023							
12/20/2023							
12/21/2023							
12/22/2023							
12/23/2023							
12/24/2023							
12/25/2023							
12/26/2023							
12/27/2023							
12/28/2023							
12/29/2023							
12/30/2023							
12/31/2023							

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
1/1/2024					
1/2/2024					
1/3/2024					
1/4/2024					
1/5/2024					
1/6/2024					
1/7/2023					
1/8/2024					
1/9/2024					
1/10/2024					
1/11/2024					
1/12/2024					
1/13/2024					
1/14/2024					
1/15/2024	2,2	んひ	2,4	2.2	350229
1/16/2024					
1/17/2024					
1/18/2024					
1/19/2024					
1/20/2024					
1/21/2024			4		
1/22/2024					
1/23/2024					
1/24/2024					
1/25/2024					
1/26/2024					
1/27/2024					
1/28/2024					
1/29/2024					
1/30/2024					
1/31/2024					

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
2/1/2024						
2/2/2024						
2/3/2024						
2/4/2024						
2/5/2024						
2/6/2024						
2/7/2024						
2/8/2024						
2/9/2024						
2/10/2024						
2/11/2024			I			
2/12/2024						
2/13/2024						
2/14/2024						
2/15/2024	my	3.2	3,4	3.4	350576	
2/16/2024			1			
2/17/2024						
2/18/2024						
2/19/2024						
2/20/2024						
2/21/2024						
2/22/2024						
2/23/2024				1		
2/24/2024						
2/25/2024						
2/26/2024						
2/27/2024						
2/28/2024						
2/29/2024						

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION. .

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
3/1/2024						
3/2/2024						
3/3/2024						
3/4/2024						
3/5/2024						
3/6/2024						
3/7/2024						
3/8/2024						
3/9/2024						
3/10/2024						
3/11/2024						
3/12/2024						
3/13/2024						
3/14/2024						
3/15/2024						
3/16/2024						
3/17/2024						
3/18/2024						
3/19/2024	WS	2.4	2.4	2.2	350841	
3/20/2024		1. a	13			
3/21/2024						
3/22/2024						
3/23/2024						
3/24/2024						
3/25/2024						
3/26/2024						
3/27/2024						
3/28/2024						
3/29/2024						
3/30/2024						
3/31/2024						

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2024					
4/2/2024					
4/3/2024					
4/4/2024					
4/5/2024					
4/6/2024					
4/7/2024					
4/8/2024					
4/9/2024					
4/10/2024					
4/11/2024					
4/12/2024					
4/13/2024					
4/14/2024					
4/15/2024					
4/16/1900	my	2.4	2,4	2.2	350624
4/17/2024	- A -			1997 - 19	
4/18/2024					
4/19/2024					
4/20/2024					
4/21/2024					
4/22/2024					
4/23/2024					
4/24/2024					
4/25/2024					
4/26/2024					
4/27/2024					
4/28/2024					
4/29/2024					
4/30/2024					

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
5/1/2024						
5/2/2024						
5/3/2024						
5/4/2024						
5/5/2024						
5/6/2024						
5/7/2024						
5/8/2024						
5/9/2024						
5/10/2024						
5/11/2024						
5/12/2024						
5/13/2024						
5/14/2024						
5/15/2024	mit	3.1	2.8	3.1	352283	
5/16/1900	· ·					
5/17/2024						
5/18/2024						
5/19/2024						
5/20/2024						
5/21/2024						
5/22/2024						
5/23/2024						
5/24/2024						
5/25/2024						
5/26/2024						
5/27/2024						
5/28/2024						
5/29/2024						
5/30/2024						
5/31/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
6/1/2024						
6/2/2024						
6/3/2024						
6/4/2024						
6/5/2024						
6/6/2024						
6/7/2024						
6/8/2024						
6/9/2024						
6/10/2024						
6/11/2024						
6/12/2024						
6/13/2024						
6/14/2024						
6/15/2024						
6/16/2024						
6/17/2024						
6/18/2024						
6/19/2024	my-	30	3.0	30	352285	
6/20/2024						
6/21/2024						
6/22/2024						
6/23/2024						
6/24/2024						
6/25/2024						
6/26/2024						
6/27/2024						
6/28/2024						
6/29/2024						
6/30/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
7/1/2024						
7/2/2024						
7/3/2024						
7/4/2024						
7/5/2024						
7/6/2024						
7/7/2024						
7/8/2024						
7/9/2024						
7/10/2024						
7/11/2024						
7/12/2024						
7/13/2024						
7/14/2024	mat	3.0	3,0	3,0	352 488	
7/15/2024						
7/16/2024						
7/17/2024						
7/18/2024						
7/19/2024						
7/20/2024						
7/21/2024						
7/22/2024						
7/23/2024						
7/24/2024						
7/25/2024						
7/26/2024						
7/27/2024						
7/28/2024						
7/29/2024						
7/30/2024						
7/31/2024		1				
Vapor Control System Readings						
-------------------------------	----------	-----------	-----------	----------	--------------------	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
8/1/2024						
8/2/2024						
8/3/2024						
8/4/2024						
8/5/2024						
8/6/2024						
8/7/2024						
8/8/2024						
8/9/2024						
8/10/2024				1 1		
8/11/2024						
8/12/2024						
8/13/2024						
8/14/2024	mt	5+	5+	5.0	22861	
8/15/2024	~					
8/16/2024						
8/17/2024						
8/18/2024						
8/19/2024						
8/20/2024						
8/21/2024						
8/22/2024						
8/23/2024					/ *	
8/24/2024						
8/25/2024						
8/26/2024	·					
8/27/2024						
8/28/2024						
8/29/2024						
8/30/2024						
8/31/2024						

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
9/1/2024					
9/2/2024					
9/3/2024					
9/4/2024					
9/5/2024					
9/6/2024					
9/7/2024					*
9/8/2024					
9/9/2024				<u>.</u>	
9/10/2024					
9/11/2024					
9/12/2024					
9/13/2024	1				
9/14/2024					
9/15/2024					
9/16/2024					
9/17/2024					
9/18/2024	mt	3.0	3.0	3.0	353201
9/19/2024					
9/20/2024					
9/21/2024					
9/22/2024					
9/23/2024					
9/24/2024					
9/25/2024					
9/26/2024					
9/27/2024					
9/28/2024					
9/29/2024					
9/30/2024					

CONTROL PANEL ZONE: 1 (Heat Pump Room 303) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
10/1/2024					
10/2/2024					
10/3/2024					
10/4/2024					
10/5/2024					
10/6/2024					
10/7/2024					
10/8/2024					
10/9/2024					
10/10/2024					
10/11/2024					
10/12/2024					
10/13/2024					
10/14/2024					
10/15/2024		1.11.11.11.11.11.11.11.11.11.11.11.11.1			20122
10/16/2024		51	51	5.0	dd 21
10/17/2024					
10/18/2024				·	
10/19/2024					
10/20/2024					
10/21/2024	· · · · · · · · · · · · · · · · · · ·				
10/22/2024					
10/23/2024					
10/24/2024					
10/25/2024					
10/26/2024					
10/27/2024					
10/28/2024					
10/29/2024					
10/30/2024					
10/31/2024					

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
11/1/2024					
11/2/2024					
11/3/2024					
11/4/2024					
11/5/2024					
11/6/2024					
11/7/2024					
11/8/2024				Ē	
11/9/2024					
11/10/2024					
11/11/2024					
11/12/2024					
11/13/2024					
11/14/2024					
11/15/2024					
11/16/2024					
11/17/2024					
11/18/2024					
11/19/2024					
11/20/2024	mt	3.0	3,0	3.0	354201
11/21/2024				-	•
11/22/2024					
11/23/2024					
11/24/2024					
11/25/2024					
11/26/2024					
11/27/2024					
11/28/2024			8. 		
11/29/2024					
11/30/2024					

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
11/1/2024						
11/2/2024						
11/3/2024						
11/4/2024		· · · · · · · · · · · · · · · · · · ·				
11/5/2024						
11/6/2024		C.				
12/1/2024						
12/2/2024						
12/3/2024						
12/4/2024						
12/5/2024						
12/6/2024						
12/7/2024						
12/8/2024						
12/9/2024						
12/10/2024	-	_				
12/11/2024	mit	3,0	3,0	3.0	354629	
12/12/2024						
12/13/2024						
12/14/2024	6					
12/15/2024		_				
12/16/2024						
12/17/2024						
12/18/2024						
12/19/2024						
12/20/2024						
12/21/2024						
12/22/2024						
12/23/2024		10				
12/24/2024						
12/25/2024						
12/26/2024						
12/27/2024						
12/28/2024						
12/29/2024						
12/30/2024						
12/31/2024				ă.		

Date Initials Gallery A Gallery B Manifold Flow Meter Reading $1/1/2025$ $1/2/2025$ $1/3/2025$ $1/4/2025$. . <t< th=""><th colspan="6">Vapor Control System Readings</th></t<>	Vapor Control System Readings					
1/1/2025	Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
1/2/2025	1/1/2025					
1/3/2025	1/2/2025					
1/4/2025	1/3/2025					
1/5/2025	1/4/2025					
1/6/2025	1/5/2025					
1/7/2025	1/6/2025					
1/8/2025	1/7/2025					
1/9/2025	1/8/2025					
1/10/2025	1/9/2025					
1/11/2025	1/10/2025		1			
1/12/2025	1/11/2025					
1/13/2025	1/12/2025					
1/14/2025	1/13/2025					
1/15/2025	1/14/2025					
1/16/2025 Image: marked state	1/15/2025					
1/17/2025 Image: square	1/16/2025					
1/18/2025	1/17/2025					
1/19/2025 Image: square	1/18/2025					
1/20/2025 Image: square	1/19/2025					
1/21/2025 Image: square	1/20/2025					
1/22/2025 Image: style="text-align: center;">Image: style="text-align: center;">Image: style="text-align: style="text-align: center;">Image: style="text-align: style="text-align: center;">Image: style="text-align: style="text-align: style="text-align: center;">Image: style="text-align: style: style="text-align: style="text-align: style="text-ali	1/21/2025					
1/23/2025 1/24/2025 1/2 1/24/2025 3.0 3.0 3.0 1/25/2025 3.0 3.0 3.0 1/26/2025 3.0 3.0 3.0 1/27/2025 3.0 3.0 3.0 1/28/2025 3.0 3.0 3.0 1/29/2025 3.0 3.0 3.0 1/30/2025 3.0 3.0 3.0	1/22/2025					
1/24/2025 MA 3.0 3.0 3.0 3.0 3.0 3.54940 1/25/2025 1/26/2025 1	1/23/2025					
1/25/2025 1/26/2025 1/26/2025 1/27/2025 1/28/2025 1/29/2025 1/29/2025 1/29/2025	1/24/2025	mt	3.0	3.0	3.0	354940
1/26/2025 Image: Constraint of the second secon	1/25/2025					
1/27/2025 1/28/2025 1/29/2025 1/29/2025 1/30/2025 1/29/2025	1/26/2025					
1/28/2025	1/27/2025					
1/29/2025 1/30/2025	1/28/2025					
1/30/2025	1/29/2025					
	1/30/2025					
1/31/2025	1/31/2025					

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
2/1/2025					
2/2/2025					
2/3/2025					
2/4/2025					
2/5/2025					
2/6/2025					
2/7/2025					
2/8/2025					
2/9/2025					
2/10/2025					REE IO
2/11/2025	mt	3.0	30	30	355/24
2/12/2025		11 Factor			1.50
2/13/2025					
2/14/2025					
2/15/2025					
2/16/2025					
2/17/2025					
2/18/2025					
2/19/2025					
2/20/2025					
2/21/2025					
2/22/2025					
2/23/2025					
2/24/2025					
2/25/2025					
2/26/2025					
2/27/2025					
2/28/2025					

Vapor Control	System Re	eadings			
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
3/1/2025					
3/2/2025					
3/3/2025					
3/4/2025					
3/5/2025					
3/6/2025					
3/7/2025					
3/8/2025					
3/9/2025	\sim			~ ~	353943
3/10/2025	wy	22	23	2,3	
3/11/2025					
3/12/2025					
3/13/2025					
3/14/2025					
3/15/2025	2				
3/16/2025					
3/17/2025					
3/10/2023					
3/20/2025					
3/21/2025					
3/22/2025					
3/23/2025					
3/24/2025					
3/25/2025					
3/26/2025					
3/27/2025					
3/28/2025					
3/29/2025					
3/30/2025					
3/31/2025					

CONTROL PANEL ZONE: 1 (Heat Pump Rop 303

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control	System Rea	ldings			
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2025					
4/2/2025					
4/3/2025					
4/4/2025					
4/5/2025					
4/6/2025					
4/7/2025					
4/8/2025					
4/9/2025					
4/10/2025					
4/11/2025					
4/12/2025					
4/13/2025					
4/14/2025					
4/15/2025	my	2.4	2.6	2.6	353899
4/16/2025		1			
4/17/2025					
4/18/2025					
4/19/2025					
4/20/2025					
4/21/2025					
4/22/2025					
4/23/2025					
4/24/2025					
4/25/2025					
4/26/2025					
4/27/2025					
4/28/2025					
4/29/2025					
4/30/2025					
4					



ZONE 2 PRESSURE LOGS GALLERIES C AND D HEAT PUMP ROOM 310

		Vapor Co	ntrol System R	leadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2023					
4/2/2023					
4/3/2023					
4/4/2023					
4/5/2023					
4/6/2023					
4/7/2023					
4/8/2023					
4/9/2023					
4/10/2023					
4/11/2023					
4/12/2023					
4/13/2023					
4/14/2023					
4/15/2023					
4/16/2023					
4/17/2023	1				
4/18/2023					
4/19/2023					
4/20/2023					
4/21/2023					
4/22/2023					
4/23/2023		2.0	2.2	2.2	6
4/24/2023		201 1000		Contraction of the	
4/25/2023					
4/26/2023					
4/27/2023					
4/28/2023					
4/29/2023					
4/30/2023					

CONTROL PANEL ZONE: 2 (Heat Pump Room 310)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
5/1/2023					
5/2/2023					
5/3/2023					
5/4/2023					
5/5/2023					
5/6/2024					
5/7/2023					
5/8/2023					
5/9/2023					
5/10/2023			1		
5/11/2023					
5/12/2023					
5/13/2023					
5/14/2023					
5/15/2023					
5/16/2023					
5/17/2023					
5/18/2023					
5/19/2023					
5/20/2023					
5/21/2023		2.0	2.2	2,2	(0)
5/22/2023					
5/23/2023					
5/24/2023					
5/25/2023					
5/26/2023					
5/27/2023					
5/28/2023					
5/29/2023					
5/30/2023					
5/31/2023					

		Vapor Co	ntrol System Re	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
6/1/2023					
6/2/2023					
6/3/2023					
6/4/2023					
6/5/2023					
6/6/2023					
6/7/2023					
6/8/2023					
6/9/2023					
6/10/2023					
6/11/2023					
6/12/2023					
6/13/2023					
6/14/2023					
6/15/2023					
6/16/2023					
6/17/2023					
6/18/2023					
6/19/2023					-
6/20/2023				0.2	1
6/21/2023		2.0	2.2	'd.d	101
6/22/2023					
6/23/2023					
6/24/2023					
6/25/2023					
6/26/2023					
6/27/2023					
6/28/2023					
6/29/2023			_		
6/30/2023					

CONTROL PANEL ZONE: 2 (Heat Pump Room 310)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System Re	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
7/1/2023					
7/2/2023					
7/3/2023					
7/4/2023					
7/5/2023					
7/6/2023					
7/7/2023					
7/8/2023					
7/9/2023					
7/10/2023					
7/11/2023					
7/12/2023					
7/13/2023					
7/14/2023					
7/15/2023					
7/16/2023					
7/17/2023					
7/18/2023					
7/19/2023					
7/20/2023		2.0	2.2	2.2	61
7/21/2023			CP - La site		
7/22/2023	· · · · · · · · · · · · · · · · · · ·				
7/23/2023					
7/24/2023		-			
7/25/2023					
7/26/2023					
7/27/2023					
7/28/2023					
7/29/2023					
7/30/2023					
7/31/2023					

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
8/1/2023						
8/2/2023						
8/3/2023						
8/4/2023						
8/5/2023						
8/762023						
8/7/2023						
8/8/2023						
8/9/2023						
8/10/2023						
8/11/2023						
8/12/2023						
8/13/2023						
8/14/2023						
8/15/2023						
8/16/2023						
8/17/2023						
8/18/2023						
8/19/2023						
8/20/2023						
8/21/2023	my	20	23		6	
8/22/2023						
8/23/2023						
8/24/2023						
8/25/2023						
8/26/2023						
8/27/2023						
8/28/2023				1		
8/29/2023						
8/30/2023						
8/51/2023						

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

 \cap

CONTROL PANEL ZONE: 2 (Heat Pump Room 310)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
9/1/2023					
9/2/2023					
9/3/2023					
9/4/2023					
9/5/2023					
9/6/2023					
9/7/2023					
9/8/2023					
9/9/2023					
9/10/2023					
9/11/2023	2				
9/12/2023					
9/13/2023					
9/14/2023					
9/15/2023					
9/16/2023					
9/17/2023					
9/18/2023					
9/19/2023					
9/20/2023	mp	23	24	2.y	67
9/21/2023					
9/22/2023					
9/23/2023					
9/24/2023					
9/25/2023					
9/26/2023					
9/27/2023					
9/28/2023					
9/29/2023					
9/30/2023					

	Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
10/1/2023							
10/2/2023							
10/3/2023							
10/4/2023							
10/5/2023							
10/6/2023							
10/7/2023							
10/8/2023							
10/9/2023							
10/10/2023							
10/11/2023							
10/12/2023							
10/13/2023							
10/14/2023							
10/15/2023							
10/16/2023							
10/17/2023							
10/18/2023							
10/19/2023							
10/20/2023							
10/21/2023							
10/22/2023							
10/23/2023							
10/24/2023	mt	<i>∂.∂</i>	2,3	23	67		
10/25/2023	10 A				đ		
10/26/2023							
10/27/2023							
10/28/2023							
10/29/2023							
10/30/2023							
10/31/2023							

CONTROL PANEL ZONE: 2 (Heat Pump Room 310) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
11/1/2023					
11/2/2023					
11/3/2023					
11/4/2023					
11/5/2023					
11/6/2023					
11/7/2023					
11/8/2023					
11/9/2023					
11/10/2023					
11/11/2023					
11/12/2023					
11/13/2023					
11/14/2023					
11/15/2023					
11/16/2023					
11/17/2023					
11/18/2023		2.2	23	2,3	67
11/19/2023					
11/20/2023					
11/21/2023					
11/22/2023					
11/23/2023					
11/24/2023					
11/25/2023					
11/26/2023					
11/27/2023					
11/28/2023					
11/29/2023					
11/30/2023					

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION. 1

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
12/1/2023					
12/2/2023					
12/3/2023					
12/4/2023					
12/5/2023					
12/6/2023					
12/7/2023					
12/8/2023					
12/9/2023					
12/10/2023					
12/11/2023					
12/12/2023				0.0	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
12/13/2023	mt	るえ	2.3	23	67
12/14/2023					
12/15/2023					
12/16/2023					
12/17/2023					
12/18/2023					
12/19/2023					
12/20/2023					
12/21/2023					
12/22/2023					
12/23/2023					
12/24/2023		-			
12/25/2023					
12/26/2023					
12/27/2023					
12/28/2023					
12/29/2023					
12/30/2023					
12/31/2023					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
1/1/2024					
1/2/2024					
1/3/2024					
1/4/2023					
1/5/2024					
1/6/2024					
1/7/2024					
1/8/2024					
1/9/2024					
1/10/2024					
1/11/2024					
1/12/2024					
1/13/2024					
1/14/2024					0.57
1/15/2024	mt	20	2.0	2,0	67
1/16/2024					
1/17/2024					
1/18/2024					
1/19/2024					
1/20/2024					
1/21/2024					
1/22/2024					
1/23/2024					
1/24/2024					
1/25/2024					
1/26/2024					
1/27/2024					
1/28/2024					
1/29/2024					
1/30/2024					
1/31/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
2/1/2024					
2/2/2024					
2/3/2024					
2/4/2024					
2/5/2024					
2/6/2024					
2/7/2024					
2/8/2024					
2/9/2024					
2/10/2024					
2/11/2024					
2/12/2024					
2/13/2024					
2/14/2024				1	
2/15/2024	mit	2,2	D,Y	2,6	67
2/16/2024			, , , , , , , , , , , , , , , , , , ,		
2/17/2024					
2/18/2024					
2/19/2024					
2/20/2024					
2/21/2024					
2/22/2024					
2/23/2024					
2/24/2024					
2/25/2024					
2/26/2024					
2/27/2024					
2/28/2024					
2/29/2024					
2/30/2024					
2/31/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
3/1/2024					
3/2/2024					
3/3/2024					
3/4/2024					
3/5/2024					
3/6/2024					
3/7/2024					
3/8/2024					
3/9/2024					
3/10/2024					
3/11/2024					
3/12/2024					
3/13/2024					
3/14/2024					
3/15/2024					
3/16/2024					
3/17/2024					
3/18/2024	0				
3/19/2024	WX	2.4	2.4	2.4	999999705
3/20/2024					
3/21/2024					
3/22/2024					
3/23/2024					
3/24/2024					
3/25/2024					
3/26/2024					
3/27/2024					
3/28/2024				6	
3/29/2024					
3/30/2024					
3/31/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2024					
4/2/2024					
4/3/2024					
4/4/2024					
4/5/2024					
4/6/2024					
4/7/2024					
4/8/2024					
4/9/2024					
4/10/2024					
4/11/2024					
4/12/2024					
4/13/2024					
4/14/2024					
4/15/2024	0				<u> </u>
4/16/2024	mt	2.2	2.4	2.6	67
4/17/2024	63			Y.	
4/18/2024					
4/19/2024					
4/20/2024					
4/21/2024					
4/22/2024					
4/23/2024				÷	
4/24/2024					
4/25/2024					
4/26/2024					
4/27/2024					
4/28/2024					
4/29/2024					
4/30/2024					

	Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
5/1/2024						
5/2/2024						
5/3/2024						
5/4/2024						
5/5/2024						
5/6/2024						
5/7/2024						
5/8/2024						
5/9/2024						
5/10/2024						
5/11/2024						
5/12/2024						
5/13/2024						
5/14/2024	22					
5/15/2024	M7	2.0	2.0	20	67	
5/16/1900						
5/17/2024				1		
5/18/2024			·			
5/19/2024						
5/20/2024						
5/21/2024						
5/22/2024						
5/23/2024						
5/24/2024						
5/25/2024						
5/26/2024						
5/27/2024						
5/28/2024						
5/29/2024						
5/30/2024						
5/31/2024						

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
6/1/2024					
6/2/2024					
6/3/2024					
6/4/2024					
6/5/2024					
6/6/2024					
6/7/2024					
6/8/2024					
6/9/2024					
6/10/2024					
6/11/2024					
6/12/2024					
6/13/2024					
6/14/2024					
6/15/2024					
6/16/2024					
6/17/2024					
6/18/2024					() Then
6/19/2024	mit	2.0	22	aid	67
6/20/2024					
6/21/2024					
6/22/2024					
6/23/2024					
6/24/2024				· · · · · · · · · · · · · · · · · · ·	
6/25/2024					
6/26/2024					
6/27/2024					
6/28/2024					
6/29/2024					
6/30/2024					

		Vapor Co	ntrol System R	Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading				
7/1/2024									
7/2/2024				4					
7/3/2024									
7/4/2024									
7/5/2024									
7/6/2024				-					
7/7/2024									
7/8/2024									
7/9/2024									
7/10/2024									
7/11/2024									
7/12/2024									
7/13/2024									
7/14/2024	MA	20	a.a	aid	67				
7/15/2024									
7/16/2024									
7/17/2024									
7/18/2024									
7/19/2024									
7/20/2024									
7/21/2024									
7/22/2024									
7/23/2024									
7/24/2024									
7/25/2024									
7/26/2024									
7/27/2024									
7/28/2024									
7/29/2024									
7/30/2024									
7/31/2024									

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

-

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
8/1/2024					
8/2/2024					
8/3/2024					
8/4/2024				-	
8/5/2024			J		
8/6/2024					
8/7/2024					
8/8/2024					
8/9/2024					
8/10/2024					
8/11/2024					
8/12/2024					
8/13/2024	N. 7				
8/14/2024	mit	2.0	2.2	2,2	67
8/15/2024					
8/16/2024					
8/17/2024					
8/18/2024					
8/19/2024		I			
8/20/2024					
8/21/2024					
8/22/2024					
8/23/2024	1				
8/24/2024					
8/25/2024					
8/26/2024					
8/27/2024					
8/28/2024					
8/29/2024					
8/30/2024					
8/31/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
9/1/2024					
9/2/2024					
9/3/2024					
9/4/2024					
9/5/2024					
9/6/2024					
9/7/2024					
9/8/2024					
9/9/2024					
9/10/2024			1		
9/11/2024					
9/12/2024	1				
9/13/2024					
9/14/2024					
9/15/2024					
9/16/2024					
9/17/2024					
9/18/2024	m	2.0	2,2	22	67
9/19/2024					
9/20/2024					
9/21/2024					
9/22/2024					
9/23/2024					
9/24/2024					
9/25/2024					
9/26/2024					
9/27/2024					
9/28/2024					
9/29/2024					
9/30/2024					

CONTROL PANEL ZONE: 2 (Heat Pump Room 310)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
10/1/2024					
10/2/2024					
10/3/2024					
10/4/2024					· · · · · · · · · · · · · · · · · · ·
10/5/2024					
10/6/2024					
10/7/2024					
10/8/2024					
10/9/2024					
10/10/2024					
10/11/2024					
10/12/2024					
10/13/2024					
10/14/2024					
10/15/2024					1-1
10/16/2024		2.0	did	2.2	61
10/17/2024		100			
10/18/2024					
10/19/2024					
10/20/2024					
10/21/2024					
10/22/2024					
10/23/2024					
10/24/2024					
10/25/2024					
10/26/2024					
10/27/2024					
10/28/2024					
10/29/2024					
10/30/2024					
10/31/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
11/1/2024					
11/2/2024					
11/3/2024					
11/4/2024					
11/5/2024					
11/6/2024					
11/7/2024					
11/8/2024					
11/9/2024					
11/10/2024					
11/11/2024					
11/12/2024					
11/13/2024					
11/14/2024					
11/15/2024					
11/16/2024					
11/17/2024					
11/18/2024					
11/19/2024					100
11/20/2024	mit	2.0	aiz	2.2	67
11/21/2024					
11/22/2024					
11/23/2024					
11/24/2024					
11/25/2024					
11/26/2024					
11/27/2024					
11/28/2024					
11/29/2024					
11/30/2024					

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
12/1/2024					
12/2/2024					
12/3/2024					
12/4/2024					
12/5/2024					
12/6/2024					
12/7/2024					
12/8/2024					
12/9/2024					
12/10/2024					
12/11/2024	m	20	2,2	2,2	67
12/12/2024					
12/13/2024					
12/14/2024					
12/15/2024					
12/16/2024					
12/17/2024					
12/18/2024					
12/19/2024					
12/20/2024					
12/21/2024				· · · · · · · · · · · · · · · · · · ·	
12/22/2024					
12/23/2024					
12/24/2024					
12/25/2024					
12/26/2024					
12/27/2024					
12/28/2024					
12/29/2024					
12/30/2024					
12/31/2024					

	Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
1/1/2025			· · · · · · · · · · · · · · · · · · ·			
1/2/2025						
1/3/2025						
1/4/2025						
1/5/2025						
1/6/2025						
1/7/2025						
1/8/2025						
1/9/2025						
1/10/2025						
1/11/2025						
1/12/2025						
1/13/2025						
1/14/2025						
1/15/2025						
1/16/2025						
1/17/2025						
1/18/2025						
1/19/2025						
1/20/2025						
1/21/2025						
1/22/2025						
1/23/2025						
1/24/2025	mt	2.0	2.2	2.2	67	
1/25/2025	1					
1/26/2025						
1/27/2025						
1/28/2025						
1/29/2025						
1/30/2025						
1/31/2025						

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
2/1/2025					
2/2/2025					
2/3/2025					
2/4/2025					
2/5/2025					
2/6/2025					
2/7/2025					
2/8/2025					
2/9/2025					
2/10/2025					
2/11/2025	not	2.0	22	2.2	67
2/12/2025					
2/13/2025					
2/14/2025					
2/15/2025					
2/16/2025					
2/17/2025					
2/18/2025					
2/19/2025					
2/20/2025					
2/21/2025					
2/22/2025					
2/23/2025					
2/24/2025					
2/25/2025					
2/26/2025					
2/27/2025					
2/28/2025					

CONTROL PANEL ZONE: 2 (Heat Pump Room 310

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
3/1/2025					
3/2/2025					
3/3/2025					
3/4/2025					
3/5/2025					
3/6/2025					
3/7/2025					
3/8/2025				. 7	24904
3/9/2025		13	2.4	2.3	
3/10/2025	WS	A.~~			
3/11/2025					
3/12/2025					
3/13/2025					
3/14/2025					
3/15/2025					
3/16/2025					
3/1//2025					
3/18/2025					
3/19/2025					
3/20/2025					
3/21/2025					
3/22/2025					
3/23/2025					
3/24/2025					
3/23/2023				36	
3/20/2023					
3/28/2023					
3/29/2023					
3/30/2025					
3/31/2025					
5, 51, 2025					

CONTROL PANEL ZONE: 2 (Heat Pump Room 310)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control	System Rea	dings			
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2025					
4/2/2025					
4/3/2025					
4/4/2025					
4/5/2025					
4/6/2025					
4/7/2025					
4/8/2025					
4/9/2025					
4/10/2025					
4/11/2025					
4/12/2025					
4/13/2025					
4/14/2025					
4/15/2025	1004	22	2.2	2,2	99999973
4/16/2025					
4/17/2025					
4/18/2025					
4/19/2025					
4/20/2025					
4/21/2025					
4/22/2025					
4/23/2025					
4/24/2025					
4/25/2025					
4/26/2025					
4/27/2025					
4/28/2025					
4/29/2025					
4/30/2025					
3/31/2025					
IN THE EVENT	OF A 'ZERO	GAGE READIN	IG, OR OTHER	INDICATION OF I	BLOWER
MALFUNCTIO	N, CONTACT	MANAGEMEN	IT IMMEDIATE	LY, DOCUMENT	REASON
FOR ZERO REA	DING/BLOV	VER MALFUNC	TION AND DO	CUMENT CORREC	CTIVE
ACTION.					

.



ZONE 3 PRESSURE LOGS GALLERIES E AND F HEAT PUMP ROOM 318
Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
4/1/2023						
4/2/2023						
4/3/2023						
4/4/2023						
4/5/2023						
4/6/2023						
4/7/2023						
4/8/2023						
4/9/2023						
4/10/2023						
4/11/2023						
4/12/2023						
4/13/2023						
4/14/2023						
4/15/2023						
4/16/2023						
4/17/2023						
4/18/2023						
4/19/2023						
4/20/2023						
4/21/2023						
4/22/2023						
4/23/2023		5.2	5.2	5,2	20388	
4/24/2023						
4/25/2023						
4/26/2023						
4/27/2023						
4/28/2023						
4/29/2023						
4/30/2023						

CONTROL PANEL ZONE: 3 (Heat Pump Room 318)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

		Vapor Co	ntrol System R	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
5/1/2023					
5/2/2023					
5/3/2023					
5/4/2023					
5/5/2023					
5/6/2024					
5/7/2023					
5/8/2023					
5/9/2023					
5/10/2023					
5/11/2023					
5/12/2023					
5/13/2023					
5/14/2023					
5/15/2023					
5/16/2023					
5/17/2023					
5/18/2023					
5/19/2023					
5/20/2023					
5/21/2023		5.2	5.2	5,2	20405
5/22/2023					
5/23/2023					
5/24/2023					
5/25/2023					
5/26/2023					
5/27/2023					
5/28/2023					
5/29/2023					
5/30/2023					
5/31/2023					

		Vapor Co	ntrol System Re	eadings	
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
6/1/2023					
6/2/2023					
6/3/2023					
6/4/2023					
6/5/2023					
6/6/2023					
6/7/2023					
6/8/2023					
6/9/2023					
6/10/2023					
6/11/2023					
6/12/2023					
6/13/2023					
6/14/2023					
6/15/2023					
6/16/2023					
6/17/2023					
6/18/2023					
6/19/2023					
6/20/2023				100	201/22
6/21/2023		5.2	5.2	5.2	auraa
6/22/2023			. 19 7		
6/23/2023					
6/24/2023					
6/25/2023					
6/26/2023					
6/27/2023					
6/28/2023					
6/29/2023					
6/30/2023					

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

ŝ.,

CONTROL PANEL ZONE: 3 (Heat Pump Room 318)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
7/1/2023						
7/2/2023						
7/3/2023						
7/4/2023						
7/5/2023						
7/6/2023						
7/7/2023	2					
7/8/2023						
7/9/2023		1				
7/10/2023						
7/11/2023						
7/12/2023						
7/13/2023						
7/14/2023						
7/15/2023						
7/16/2023						
7/17/2023						
7/18/2023						
7/19/2023						
7/20/2023		5.2	5.2	5,2	204 39	
7/21/2023						
7/22/2023						
7/23/2023						
7/24/2023						
7/25/2023						
7/26/2023						
7/27/2023						
7/28/2023						
7/29/2023						
7/30/2023						
7/31/2023						

	Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
8/1/2023							
8/2/2023							
8/3/2023							
8/4/2023							
8/5/2023							
8/6/2023							
8/7/2023							
8/8/2023		l					
8/9/2023							
8/10/2023							
8/11/2023							
8/12/2023							
8/13/2023							
8/14/2023							
8/15/2023							
8/16/2023							
8/17/2023							
8/18/2023							
8/192023							
8/20/2023							
8/21/2023	mit	5.2	5.2	5.2	20456		
8/22/2023							
8/23/2023							
8/24/2023							
8/25/2023							
8/26/2023							
8/27/2023							
8/28/2023							
8/29/2023							
8/30/2023							
8/31/2023							

CONTROL PANEL ZONE: 3 (Heat Pump Room **318** Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
9/1/2023					
9/2/2023					
9/3/2023		×			
9/4/2023					
9/5/2023		×			
9/6/2023					
9/7/2023					
9/8/2023					
9/9/2023					
9/10/2023					
9/11/2023					
9/12/2023					
9/13/2023					
9/14/2023					
9/15/2023					
9/16/2023					
9/17/2023					
9/18/2023					
9/19/2023				<u> </u>	
9/20/2023	nat	54	5+	6	20434
9/21/2023					1
9/22/2023					
9/23/2023					
9/24/2023					
9/25/2023		7			
9/26/2023					
9/27/2023					
9/28/2023					
9/29/2023					
9/30/2023					

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
10/1/2023						
10/2/2023						
10/3/2023						
10/4/2023						
10/5/2023						
10/6/2023						
10/7/2023						
10/8/2023						
10/9/2023						
10/10/2023						
10/11/2023						
10/12/2023						
10/13/2023						
10/14/2023						
10/15/2023						
10/16/2023						
10/17/2023			u			
10/18/2023						
10/19/2023						
10/20/2023						
10/21/2023						
10/22/2023						
10/23/2023						
10/24/2023	mit	466	4.5	4,3	20444	
10/25/2023			. 201		241.0	
10/26/2023						
10/27/2023						
10/28/2023						
10/29/2023						
10/30/2023						
10/31/2023		-				

CONTROL PANEL ZONE: 3 (Heat Pump Room 318)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
11/1/2023						
11/2/2023						
11/3/2023						
11/4/2023						
11/5/2023						
11/6/2023						
11/7/2023						
11/8/2023						
11/9/2023						
11/10/2023						
11/11/2023						
11/12/2023						
11/13/2023						
11/14/2023						
11/15/2023						
11/16/2023						
11/17/2023		1	-	1		
11/18/2023		4.6	4.5	4,3	204104	
11/19/2023		t				
11/20/2023						
11/21/2023				· · · · · · · · · · · · · · · · · · ·		
11/22/2023						
11/23/2023						
11/24/2023						
11/25/2023						
11/26/2023						
11/27/2023						
11/28/2023						
11/29/2023						
11/30/2023						

CONTROL PANEL ZONE: 2 (Heat Pump Room 28) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
12/1/2023					
12/2/2023					
12/3/2023					
12/4/2023					
12/5/2023					
12/6/2023					
12/7/2023					
12/8/2023					
12/9/2023					
12/10/2023					
12/11/2023					
12/12/2023					
12/13/2023	1077	4.6	4,5	<u> 4,3 </u>	20491
12/14/2023					
12/15/2023					
12/16/2023					
12/17/2023					
12/18/2023					
12/19/2023					
12/20/2023					
12/21/2023				£	
12/22/2023					
12/23/2023					U
12/24/2023	*				
12/25/2023					
12/26/2023					
12/27/2023					
12/28/2023					
12/29/2023					
12/30/2023					
12/31/2023					

CONTROL PANEL ZONE: 3 (Heat Pump Room 318) Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
1/1/2024						
1/2/2024						
1/3/2024						
1/4/2024						
1/5/2024						
1/6/2024						
1/7/2024						
1/8/2024						
1/9/2024						
1/10/2024						
1/11/2024						
1/12/2024						
1/13/2024						
1/14/2024						
1/15/2024	my	2,2	aia	2.1	21674	
1/16/2024					,	
1/17/2024						
1/18/2024						
1/19/2024						
1/20/2024						
1/21/2024						
1/22/2024						
1/23/2024						
1/24/2024						
1/25/2024						
1/26/2024						
1/27/2024						
1/28/2024						
1/29/2024						
1/30/2024						
1/31/2024						

Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
2/1/2024					
2/2/2024					
2/3/2024					
2/4/2024					
2/5/2024					
2/6/2024					
2/7/2024					
2/8/2024					
2/9/2024					
2/10/2024					
2/11/2024					
2/12/2024					
2/13/2024					
2/14/2024					
2/15/2024	MY	2.4	2.4	22	21674
2/16/2024					· · · · · · · · · · · · · · · · · · ·
2/17/2024					
2/18/2024					
2/19/2024					
2/20/2024					
2/21/2024					
2/22/2024					
2/23/2024					
2/24/2024					
2/25/2024					
2/26/2024					
2/27/2024	· .				
2/28/2024					
2/29/2024					
2/30/2024					
2/31/2024					

CONTROL PANEL ZONE: 3 (Heat Pump Room 318)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings							
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading		
3/1/2024							
3/2/2024							
3/3/2024							
3/4/2024							
3/5/2024							
3/6/2024							
3/7/2024							
3/8/2024							
3/9/2024							
3/10/2024							
3/11/2024							
3/12/2024							
3/13/2024							
3/14/2024							
3/15/2024							
3/16/2024							
3/17/2024							
3/18/2024							
3/19/2024							
3/20/2024	In	3-75	3.75	4.00	22353		
3/21/2024							
3/22/2024							
3/23/2024							
3/24/2024							
3/25/2024							
3/26/2024							
3/27/2024							
3/28/2024							
3/29/2024							
3/30/2024							
3/31/2024							

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
4/1/2024						
4/2/2024						
4/3/2024						
4/4/2024						
4/5/2024						
4/6/2024						
4/7/2024						
4/8/2024						
4/9/2024						
4/10/2024						
4/11/2024						
4/12/2024						
4/13/2024						
4/14/2024						
4/15/2024						
4/16/2024	M7	22	2.2	2.4	21724	
4/17/2024				v		
4/18/2024						
4/19/2024						
4/20/2024						
4/21/2024						
4/22/2024						
4/23/2024						
4/24/2024						
4/25/2024						
4/26/2024						
4/27/2024						
4/28/2024						
4/29/2024						
4/30/2024						

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

2

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
5/1/2024						
5/2/2024						
5/3/2024						
5/4/2024						
5/5/2024						
5/6/2024						
5/7/2024						
5/8/2024						
5/9/2024						
5/10/2024						
5/11/2024						
5/12/2024						
5/13/2024						
5/14/2024						
5/15/2024	mit	4.6	45	4,4	08857	
5/16/1900		· · · · · · · · · · · · · · · · · · ·				
5/17/2024						
5/18/2024						
5/19/2024						
5/20/2024						
5/21/2024						
5/22/2024						
5/23/2024						
5/24/2024						
5/25/2024						
5/26/2024						
5/27/2024						
5/28/2024						
5/29/2024						
5/30/2024						
5/31/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
6/1/2024						
6/2/2024						
6/3/2024						
6/4/2024						
6/5/2024						
6/6/2024						
6/7/2024						
6/8/2024						
6/9/2024						
6/10/2024						
6/11/2024						
6/12/2024						
6/13/2024						
6/14/2024						
6/15/2024						
6/16/2024						
6/17/2024						
6/18/2024						
6/19/2024	mit	5+	5+	5.0	22872	
6/20/2024						
6/21/2024						
6/22/2024						
6/23/2024						
6/24/2024						
6/25/2024						
6/26/2024						
6/27/2024						
6/28/2024						
6/29/2024						
6/30/2024						

	Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
7/1/2024						
7/2/2024						
7/3/2024						
7/4/2024						
7/5/2024						
7/6/2024						
7/7/2024						
7/8/2024						
7/9/2024						
7/10/2024					`	
7/11/2024						
7/12/2024						
7/13/2024						
7/14/2024	(1)H	51	5†	5.0	22844	
7/15/2024					,	
7/16/2024						
7/17/2024						
7/18/2024						
7/19/2024						
7/20/2024						
7/21/2024						
7/22/2024						
7/23/2024						
7/24/2024						
7/25/2024						
7/26/2024						
7/27/2024						
7/28/2024						
7/29/2024						
7/30/2024						
7/31/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
8/1/2024						
8/2/2024						
8/3/2024						
8/4/2024						
8/5/2024						
8/6/2024						
8/7/2024						
8/8/2024						
8/9/2024						
8/10/2024						
8/11/2024						
8/12/2024						
8/13/2024	~					
8/14/2024	NA	3,0	30	3,0	35252	
8/15/2024					<u>\</u>	
8/16/2024						
8/17/2024						
8/18/2024						
8/19/2024						
8/20/2024	·					
8/21/2024						
8/22/2024						
8/23/2024						
8/24/2024						
8/25/2024						
8/26/2024						
8/27/2024						
8/28/2024						
8/29/2024						
8/30/2024						
8/31/2024						

IN THE EVENT OF A 'ZERO' GAGE READING, OR OTHER INDICATION OF BLOWER MALFUNCTION, CONTACT MANAGEMENT IMMEDIATELY, DOCUMENT REASON FOR ZERO READING/BLOWER MALFUNCTION AND DOCUMENT CORRECTIVE ACTION.

~

	Vapor Control System Readings					
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
9/1/2024						
9/2/2024						
9/3/2024						
9/4/2024						
9/5/2024						
9/6/2024						
9/7/2024						
9/8/2024						
9/9/2024						
9/10/2024						
9/11/2024						
9/12/2024						
9/13/2024						
9/14/2024						
9/15/2024						
9/16/2024						
9/17/2024						
9/18/2024	my	51	ST	5.0	<u>a 29 20</u>	
9/19/2024						
9/20/2024						
9/21/2024						
9/22/2024						
9/23/2024						
9/24/2024						
9/25/2024						
9/26/2024						
9/27/2024						
9/28/2024						
9/29/2024						
9/30/2024						

CONTROL PANEL ZONE: 3 (Heat Pump Room 318)

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
10/1/2024						
10/2/2024						
10/3/2024						
10/4/2024						
10/5/2024						
10/6/2024						
10/7/2024						
10/8/2024						
10/9/2024						
10/10/2024						
10/11/2024						
10/12/2024						
10/13/2024						
10/14/2024						
10/15/2024		3.0	3.0	3.0	353234	
10/16/2024		5				
10/17/2024						
10/18/2024						
10/19/2024						
10/20/2024						
10/21/2024						
10/22/2024						
10/23/2024						
10/24/2024						
10/25/2024						
10/26/2024						
10/27/2024						
10/28/2024						
10/29/2024						
10/30/2024						
10/31/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
11/1/2024						
11/2/2024						
11/3/2024						
11/4/2024						
11/5/2024						
11/6/2024						
11/7/2024						
11/8/2024						
11/9/2024						
11/10/2024						
11/11/2024						
11/12/2024						
11/13/2024						
11/14/2024						
11/15/2024						
11/16/2024						
11/17/2024						
11/18/2024						
11/19/2024						
11/20/2024	202-	_5+	5+	5.0	23206	
11/21/2024						
11/22/2024						
11/23/2024						
11/24/2024						
11/25/2024						
11/26/2024						
11/27/2024						
11/28/2024						
11/29/2024						
11/30/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
12/1/2024				L		
12/2/2024						
12/3/2024						
12/4/2024						
12/5/2024						
12/6/2024						
12/7/2024						
12/8/2024						
12/9/2024						
12/10/2024			-			
12/11/2024	mt	51	5+	50	23409	
12/12/2024					11	
12/13/2024	1					
12/14/2024						
12/15/2024						
12/16/2024						
12/17/2024						
12/18/2024						
12/19/2024						
12/20/2024						
12/21/2024						
12/22/2024						
12/23/2024						
12/24/2024						
12/25/2024						
12/26/2024						
12/27/2024						
12/28/2024						
12/29/2024						
12/30/2024						
12/31/2024						

Vapor Control System Readings						
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading	
1/1/2025						
1/2/2025						
1/3/2025						
1/4/2025						
1/5/2025						
1/6/2025						
1/7/2025						
1/8/2025						
1/9/2025						
1/10/2025						
1/11/2025						
1/12/2025						
1/13/2025						
1/14/2025						
1/15/2025						
1/16/2025						
1/17/2025						
1/18/2025						
1/19/2025						
1/20/2025						
1/21/2025						
1/22/2025						
1/23/2025						
1/24/2025	m7	5+	5+	5.0	23542	
1/25/2025						
1/26/2025						
1/27/2025						
1/28/2025						
1/29/2025					<	
1/30/2025						
1/31/2025						

	Vapor Control System Readings							
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading			
2/1/2025								
2/2/2025								
2/3/2025								
2/4/2025								
2/5/2025								
2/6/2025								
2/7/2025								
2/8/2025								
2/9/2025								
2/10/2025								
2/11/2025	m	51	5+	.5.0	23420			
2/12/2025								
2/13/2025								
2/14/2025								
2/15/2025								
2/16/2025								
2/17/2025								
2/18/2025								
2/19/2025								
2/20/2025								
2/21/2025								
2/22/2025								
2/23/2025								
2/24/2025								
2/25/2025			1					
2/26/2025			1					
2/27/2025								
2/28/2025								

CONTROL PANEL ZONE: 3 (Heat Pump Roor 318

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control	System Re	adings			
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
3/1/2025					
3/2/2025					
3/3/2025					
3/4/2025					
3/5/2025					
3/6/2025					
3/7/2025					
3/8/2025					
3/9/2025			1 7	2 11	449099 715
3/10/2025	ws	24	h * C	2.4	7919111
3/11/2025					
3/12/2025					
3/13/2025					
3/14/2025					
3/15/2025					
3/16/2025					
3/17/2025					
3/18/2025					
3/19/2025					
3/20/2025					
3/21/2025					
3/22/2025					
3/23/2025					
3/24/2025					
3/25/2025					
3/20/2025					
3/2//2025					
3/28/2025					
3/23/2023					
3/30/2023					
3/31/2023					

CONTROL PANEL ZONE: 3 (Heat Pump Room 318

Minimum Frequency: ONCE PER MONTH

Otherwise: As often as necessary to avoid condensate accumulation

Vapor Control	System Rea	dings			
Date	Initials	Gallery A	Gallery B	Manifold	Flow Meter Reading
4/1/2025					
4/2/2025					
4/3/2025					
4/4/2025					
4/5/2025					
4/6/2025					
4/7/2025					
4/8/2025	-				
4/9/2025					
4/10/2025					
4/11/2025					
4/12/2025					
4/13/2025					
4/14/2025					
4/15/2025	mit	3.8	3.6	4.2	25449
4/16/2025				1	
4/17/2025					
4/18/2025					
4/19/2025					
4/20/2025					
4/21/2025					
4/22/2025					
4/23/2025					
4/24/2025					
4/25/2025					
4/26/2025					
4/27/2025					
4/28/2025					
4/29/2025					
4/30/2025					



EQUIPMENT MAINTENANCE RECORDS

JOB INVOICE NO. 10968

O'CONNOR-LANE MECHANICAL, INC.

200 Terminal Road E.			
Liverpool, NY 13088			
(315) 478-3322	(315) 478-1148		

TO: DESTINY USA/CAROUSEL CENTER 9090 DESTINY USA DRIVE ACCOUNTS PAYABLE - 4TH FLOOR SYRACUSE, NY 13204 PHONE NUMBER INVOICE DATE 4/30/2024

EMAIL	accountspayable@destinyusa.com		
JOB NAME/NUMBER	107.511		
IOB LOCATION	VAPOR MITIGATION SYSTEM		
IOB PHONE	STARTING DATE		
	SFTM-caro0406-2024-9		

	MATERIAL			UNIT PRICE	AMOUNT
MATERIALS & EQUIPME	INT AS QUOTED:				1,000.00 0.00 0.00 0.00
	and the second s			FS.	\$ 1,000,00
OTHER CHARGES	AMOUNT	LABOR	HOURS	RATE	AMOUNT
		LABOR - AS QU	OTED		4156.00 0.00 0.00 0.00 0.00
TOTAL OTHERS	5 .			TOTALLABOR	\$ 4 156 00
TOTAL OTTILIS	DESCRIP		Contraction of the local diversion of the local diversion of the local diversion of the local diversion of the	TOTAL BABON	4,150.00
LEAR AT VICTORIA'S SECRET. INVES	APR 3 0 2024	AMP ON TRAP!	CR SBARRO'S PIZZAT	EAKING.	
NET 10TH	ATE COMPLETED 3/29/	2024	TOTAL MATERIALS	\$	1,000.00
WORK ORDERED BY			TOTAL LABOR SUBTOTAL	\$	4,156.00
AUTHORIZED SIGNATURE	Contraction of the second	- And the second second	TAX	\$	412.48
I hereby acknowledge th	e satisfactory completion of the above descri	ribed work		\$	5,568.48

O'CONNOR-LANE MECHANICAL, INC.

200 TERMINAL ROAD EAST LIVERPOOL, NY 13088

315-478-3322 315-478-1148 FAX

-dollars (\$ 5,568.40)

PROPOSAL

|--|

PROPOSAL SUBMITTED TO	ATTENTION	PHONE
Carousel Center	Jeannie Dadd	
STREET 9090 Carousel Center Dr.	JOB NAME 2024 Vapor M	itigration System PM
CITY, STATE & ZIP Syracuse, NY 13204	JOB LOCATION 9090 Carouse	l Center Dr.

WE PROPOSE TO FURNISH MATERIAL AND LABOR IN ACCORDANCE WITH SPECIFICATIONS BELOW, FOR THE SUM OF:

Five thousand five hundred sixty eight & 40/100-----

TERMS OF PAYMENT:

NET 10 DAYS. 1.5% INTEREST CHARGED PER MONTH ON LATE PAYMENTS OF INVOICED AMOUNTS.

ALL MATERIAL IS GUARANTEED TO BE AS SPECIFIED. ALL WORK TO BE COMPLETED IN A WORKMAN LIKE MANNER ACCORDING TO STANDARD PRACTICES. ANY ALTERATION OR DEVIATION FROM SPECIFICATIONS BELOW INVOLVING EXTRA COSTS WILL BE EXECUTED ONLY UPON WRITTEN ORDERS, AND WILL BECOME AN EXTRA CHARGE OVER AND ABOVE THE ESTIMATE

AUTHORIZED SIGNATURE

athy Cappar elli, Asst, Office Manager

SCOPE OF WORK: 2024 Vapor Mitigration System PM:

1. Install customer supplied electric motors on three vacuum pump/blowers.

2. Clean filters.

3. Check condensation drains.

Check performance of vacuum pump on guages after re-installing.

Quote: \$1718.67 per pump x 3 pumps = \$5,156.00 plus NYS Sales Tax.

ACCEPTANCE OF PROPOSAL -- THE ABOVE PRICES, SPECIFICATIONS AND CONDITIONS ARE SATISFACTORY AND ARE HERBY ACCEPTED. YOU ARE AUTHORIZED TO DO THE WORK AS SPECIFIED. PAYMENT WILL BE MADE AS OUTLINED ABOVE.

AUTHORIZED SIGNATURE



CORRECTIVE ACTION REPORTS



NONE DURING THIS REPORTING PERIOD



APPENDIX B



INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM



Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Site Management Periodic Review Report Notice Institutional and Engineering Controls Certification Form



			Site Details	Box 1					
Sit	te No.	C734104							
Sit	Site Name Oil City/Carousel Center - Phase 1								
Sit Cit Co Sit	te Address: ty/Town: Sy bunty: Onono te Acreage:	306 Hiawatha Blvd. West yracuse daga 10.130	Zip Code: 13204						
Re	eporting Peri	od: April 08, 2023 to April 08	3, 2025						
				VES	NO				
4					NO				
1.	is the infor	mation above correct?		X	1				
	If NO, inclu	ude handwritten above or on	a separate sheet.						
2.	Has some tax map ar	or all of the site property bee nendment during this Report	en sold, subdivided, merged, or undergone ting Period?	a	x	,9.)			
3.	Has there (see 6NYC	been any change of use at th CRR 375-1.11(d))?	ne site during this Reporting Period	D.	x				
4.	Have any for or at the	federal, state, and/or local pe e property during this Report	ermits (e.g., building, discharge) been issue ing Period?	d	X				
	lf you ans that docu	wered YES to questions 2 t mentation has been previo	thru 4, include documentation or eviden usly submitted with this certification for	ce m.	Sa.				
5.	Is the site	currently undergoing develop	oment?		X				
				Box 2					
				YES	NO				
6.	Is the curre	ent site use consistent with th al and Industrial	ne use(s) listed below?	X	۵				
7.	Are all ICs	in place and functioning as c	designed?	R E					
	IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.								
AC	A Corrective Measures Work Plan must be submitted along with this form to address these issues.								
	,(mo	ا دای	125					
Sig	nature of Ow	ner, Remedial Party or Design	nated Representative Date						

				Box 2	A
-		the second deal accurations made in the	Qualitative Exposure	YES	N
8.	Has any new inform Assessment regard	nation revealed that assumptions made in the ling offsite contamination are no longer valid?		E1	X
	If you answered Y that documentation	ES to question 8, include documentation on has been previously submitted with this	or evidence s certification form.		
9.	Are the assumption (The Qualitative Ex	ns in the Qualitative Exposure Assessment sti posure Assessment must be certified every f	ill valid? ive years)	X	Ē
	If you answered N updated Qualitativ	IO to question 9, the Periodic Review Repo ve Exposure Assessment based on the ne	ort must include an w assumptions.		
SITE	NO. C734104			Bo	x 3
	Description of Inst	itutional Controls	3		
Parce		Owner	Institutional Contr	ol	
1140)2-05.8 (partial)	Syracuse industrial Devel Agency (SIDA	Ground Water Us Soil Management Monitoring Plan Site Management O&M Plan IC/EC Plan	e Restric Plan Plan	tior
- Proł - Pro - Use - Cor	nibition of groundwat hibition on vegetable must be maintained npliance with Soil M	er use e gardens on surface of the site d as commercial or industrial anagment Plan		Во	x 4
	Description of Eng	ineering Controls			
Parce		Engineering Control			

<u> </u>			Box 5		
	Periodic Review Report (PRR) Certification Statements				
1.	l certify by checking "YES" below that:				
	 a) the Periodic Review report and all attachments were prepared under the direct reviewed by, the party making the Engineering Control certification; 	ion of,	and		
b) to the best of my knowledge and belief, the work and conclusions described in this certiarter are in accordance with the requirements of the site remedial program, and generally accept					
	engineering practices; and the information presented is accurate and compete.	YES	NO		
		x			
2.	For each Engineering control listed in Box 4, I certify by checking "YES" below that all o following statements are true:	f the			
	(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Depa since the date that the Control was put in-place.	artmen	t;		
	(b) nothing has occurred that would impair the ability of such Control, to protect p the environment;	bublic h	ealth and		
	 (c) access to the site will continue to be provided to the Department, to evaluate remedy, including access to evaluate the continued maintenance of this Control; 	the			
	(d) nothing has occurred that would constitute a violation or failure to comply with Site Management Plan for this Control; and	n the			
	(e) if a financial assurance mechanism is required by the oversight document for mechanism remains valid and sufficient for its intended purpose established in th	the site e docu	e, the ment.		
		YES	NO		
		X	C.		
	IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.				
	A Corrective Measures Work Plan must be submitted along with this form to address the submitted along with this form to address the $5/2/25$	iese iss	sues.		
	Signature of Owner, Remedial Party or Designated Representative Date				

IC CERTIFICATIONS SITE NO. C734104	Box 6
SITE OWNER OR DESIGNATED REPRESENTATIVE S I certify that all information and statements in Boxes 1,2, and 3 are true. statement made herein is punishable as a Class "A" misdemeanor, pursu Penal Law.	SIGNATURE I understand that a false uant to Section 210.45 of the
David m. AitKenat 306 Hiawetha print name print business addr	Boulevard Strace NY ess 13200/
am certifying as <u>Authorized</u> Representative	(Owner or Remedial Party)
for the Site named in the Site Details Section of this form. Signature of Owner, Remedial Party, or Designated Representative Rendering Certification	5/2/25 Date
EC CERTIFICATIONS	
--	
Box 7 Professional Engineer Signature	
l certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.	
I Janet Tallman at 19 British American Blud. W. Latham, NY. print name print business address	
am certifying as a Professional Engineer for theOwner or Remedial Party)	
Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification	



MANAGEMENT RESPONSIBILITY AND CERTIFICATION FORMS

DESTINY VAPOR CONTROL SYSTEM

MANAGEMENT RESPONSIBILITY AND CERTIFICATION

Monthly

- Confirm gauge readings are recorded
- Transmit gauge readings to the Certifying Environmental

Engineer Certification Period

- Arrange vacuum pump maintenance according to manufacturer's recommended schedule
- Transmit Management Certification to the Certifying Environmental Engineer

As Needed

- Ensure Corrective Actions are resolved and documentation filed
- Transmit Corrective Action reports for each occurrence to the Certifying Environmental Engineer

Certification	(Check all that apply)	
Gauge readings have been recorded in accordance with the Site Management Plan		
Corrective A	Actions Reports are not needed at the time	
Vacuum Pur	np maintenance has been completed	
Backup vac	uum pump and gauges are on site and in operable condition	
Pressure Monitoring Logs, Corrective Action Reports and Pump Maintenance documentation is on file in the Facility Management Office		
The Correct effectivene	tive Action Plan and Compliance Measures have been reviewed for ss. Revisions have been made and the SMP has been updated are not needed at this time.	
Mahag	sement Signature Date	
\bigcirc		

DESTINY VAPOR CONTROL SYSTEM

MANAGEMENT RESPONSIBILITY AND ANNUAL CERTIFICATION

Monthly

Confirm gauge readings are recorded

Transmit gauge readings to the Certifying Envrionmental Enginner

Annually

- Arrange vacuum pump maintenance according to manufacturer's recommended schedule
- Transmit Annual Management Certification to the Certifying Environmental Engineer

As Needed

- Ensure Corrective Actions are resolved and documentation filed
- Transmit Corrective Action reports for each occurrence to the Certifying Environmental Engineer

Annual Certification (Check all that apply)

Gauge readings have been recorded in accordance with the Site Management Plan

Corrective Actions Reports have been addressed

Vacuum Pump maintenance has been completed

Backup vacuum pump and gauges are on site and in operable condition

Pressure Monitoring Logs, Corrective Action Reports and Pump Maintenance documentation is on file in the Facility Management Office

The Corrective Action Plan and Compliance Measures have been reviewed for effectiveness. Revisions have been made and the SMP has been updated rare not needed at this time.

Management Signature / Date

3/20/2024