700 Out Parcel, LLC ONONDAGA COUNTY, NEW YORK

Final Engineering Report

NYSDEC Site Number: C734111

Prepared for:

700 Out Parcel, LLC 505 East Fayette Street Syracuse, New York 13210

Prepared by:

Strategic Environmental, LLC PO Box 400 2705 NYS Route 370 Cato, New York 13033 (315) 626-4007

and

Asbestos & Environmental Consulting Corporation 6308 Fly Road East Syracuse, New York 13057 (315) 432-9400

CERTIFICATIONS

I, Henry Nevin Bradford, III, am currently a registered professional engineer licensed by the State of New York, I had primary direct responsibility for implementation of the remedial program activities, and I certify that the Remedial Action Work Plan was implemented and that all construction activities were completed in substantial conformance with the Department-approved Remedial Action Work Plan.

I certify that the data submitted to the Department with this Final Engineering Report demonstrates that the remediation requirements set forth in the Remedial Action Work Plan and in all applicable statutes and regulations have been or will be achieved in accordance with the time frames, if any, established in for the remedy.

I certify that all use restrictions, Institutional Controls, Engineering Controls, and/or any operation and maintenance requirements applicable to the Site are contained in an environmental easement created and recorded pursuant ECL 71-3605 and that all affected local governments, as defined in ECL 71-3603, have been notified that such easement has been recorded.

I certify that a Site Management Plan has been submitted for the continual and proper operation, maintenance, and monitoring of all Engineering Controls employed at the Site, including the proper maintenance of all remaining monitoring wells, and that such plan has been approved by Department.

I certify that all documents generated in support of this report have been submitted in accordance with the DER's electronic submission protocols and have been accepted by the Department.

I certify that all data generated in support of this report have been submitted in accordance with the Department's electronic data deliverable and have been accepted by the Department.

I certify that all information and statements in this certification form are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law. I, Henry Nevin Bradford, of Strategic Environmental, LLC, am certifying as Owner's Designated Site Representative for the site.

Signature

October 18, 2017
Date

086008

NYS Engineering License #

TABLE OF CONTENTS

	II
TABLE OF CONTENTS	III
LIST OF TABLES	IV
LIST OF FIGURES	IV
LIST OF APPENDICES	V
FINAL ENGINEERING REPORT	1
1.0 BACKGROUND AND SITE DESCRIPTION	1
2.0 SUMMARY OF SITE REMEDY	2
2.1 REMEDIAL ACTION OBJECTIVES	2
2.1.1 Groundwater RAOs	2
2.2 DESCRIPTION OF SELECTED REMEDY	3
3.0 INTERIM REMEDIAL MEASURES, OPERABLE UNITS AND REM	IEDIAL
CONTRACTS	5
3.1 INTERIM REMEDIAL MEASURES	5
3.1 INTERIM REMEDIAL MEASURES	
	5
3.2 OPERABLE UNITS	5
3.2 OPERABLE UNITS	5 5
3.2 OPERABLE UNITS	5 6 6
3.2 OPERABLE UNITS 3.3 REMEDIAL CONTRACTS 4.0 DESCRIPTION OF REMEDIAL ACTIONS 4.1 GOVERNING DOCUMENTS 4.1.1 Site Specific Health & Safety Plan (HASP)	
3.2 OPERABLE UNITS 3.3 REMEDIAL CONTRACTS 4.0 DESCRIPTION OF REMEDIAL ACTIONS 4.1 GOVERNING DOCUMENTS 4.1.1 Site Specific Health & Safety Plan (HASP) 4.1.2 Quality Assurance Project Plan (QAPP)	5

4.3 CONTAMINATED MATERIALS REMOVAL	8
4.4 IMPORTED BACKFILL	8
4.5 CONTAMINATION REMAINING AT THE SITE	8
4.6 COVER SYSTEM	9
4.7 OTHER ENGINEERING CONTROLS	10
4.8 INSTITUTIONAL CONTROLS	10
4.9 DEVIATIONS FROM THE REMEDIAL ACTION WORK PLAN	11
LIST OF TABLES	
1 – Summary of Remaining Metals Contamination in Soils	9
LIST OF FIGURES	
1 – Site Location and Boundaries	
2 - Groundwater Monitoring Well Network and Flow	
3 – Remedial Investigation Soil Contamination Summary	
4 – Remedial Investigation Groundwater Contamination Summary	
5 – Extents of Remaining Shallow Soil Contamination Above Unrestricted Levels	
6 – Extents of Remaining Deep Soil Contamination Above Unrestricted Levels	
7 – Extents of Remaining Soil Contamination Above Commercial Use RSCOs	
8 – Extent of Contaminants in Groundwater (Baseline Post-Remediation Groundwater	Quality)
9 – As-Built Drawing: Location of Cover System	

LIST OF APPENDICES

- A Survey Map, Metes and Bounds
- B Digital Copy of the FER (CD)
- C 2008 IRM Waste Disposal Documentation
 - Work Plan
 - Disposal Facility Approval Form
 - Tabulated Load Summaries
 - Summary Report (includes CAMP data and Waste Manifests)

D – 2012 IRM Waste Disposal Documentation

- Work Plan
- Waste Profile Form
- Summary Report (includes CAMP data and Waste Manifests)
- E Imported Materials Documentation
- F Project Photo Log
 - Cover System
 - Groundwater Monitoring Wells
- G Demarcation Barrier Specification Sheet
- H Environmental Easement

FINAL ENGINEERING REPORT

1.0 BACKGROUND AND SITE DESCRIPTION

700 Out Parcel, LLC entered into a Brownfield Cleanup Agreement (BCA) with the New York State Department of Environmental Conservation (NYSDEC) as a Volunteer (as defined in New York State Environmental Conservation Law, section 27-1405(1)(b)) on October 31, 2007, to investigate and remediate a 0.44-acre property located in Syracuse, New York. The property was remediated to commercial use.

The site is located in the County of Onondaga, New York and is identified as 701 and 709 East Water Street, Tax Map Identification numbers 030.-14-01.0 (Parcel No. 1) and 030.-14-02.0 (Parcel No. 2). The site is situated on approximately 0.44-acres. The Site is bordered to the north by Erie Boulevard East, to the east by a commercial facility, to the south by East Water Street, and to the west by Almond Street (see Figure 1). The boundaries of the site are fully described in Appendix A: Survey Map, Metes and Bounds.

An electronic copy of this FER with all supporting documentation is included as Appendix B.

2.0 SUMMARY OF SITE REMEDY

2.1 REMEDIAL ACTION OBJECTIVES

Based on the results of the Remedial Investigation, the following Remedial Action Objectives (RAOs) were identified for this site.

2.1.1 Groundwater RAOs

RAOs for Public Health Protection

- Prevent ingestion of groundwater containing contaminant levels exceeding drinking water standards.
- Prevent contact with, or inhalation of, volatiles emanating from contaminated groundwater.

RAOs for Environmental Protection

- Restore ground water aquifer, to the extent practicable, to pre-disposal/prerelease conditions.
- Remove the source of ground water contamination (performed prior to the execution of the BCA).

2.1.2 Soil RAOs

RAOs for Public Health Protection

- Prevent ingestion/direct contact with contaminated soil.
- Prevent inhalation of, or exposure to, contaminants volatilizing from contaminated soil.

RAOs for Environmental Protection

 Prevent migration of contaminants that would result in groundwater or surface water contamination.

2.1.3 Soil Vapor RAOs

RAOs for Public Health Protection

 Mitigate impacts to public health resulting from potential soil vapor intrusion into Site buildings.

2.2 DESCRIPTION OF SELECTED REMEDY

The site was remediated in accordance with the remedy selected by the NYSDEC in the Decision Document dated February 2016.

The factors considered during the selection of the remedy are those listed in 6NYCRR 375-1.8.

The site was remediated in accordance with the NYSDEC-approved Interim Remedial Measure Work Plan dated April 2008 (see Section 3.1) and Remedial Action Work Plan dated August 2015.

The following are the components of the selected remedy:

- Construction and maintenance of a cover system consisting of a one-foot layer of crusher run gravel on top of an orange fabric demarcation barrier to prevent human exposure to remaining contaminated soil/fill remaining at the site;
- 2. Groundwater contamination will be addressed with monitored natural attenuation (MNA). Since utilities and access issues prevent wells from being installed in adjacent sidewalks, streets, or properties, four (4) of the existing monitoring wells will be sampled: MW-5 (upgradient at northern property border), MW-8 (downgradient nearest former tanks), MW-9 (downgradient, further from former tanks), and MW-7 (to monitor for potential vapor intrusion issues east of the site). During the installation of the cover system, the risers of these wells were raised, and flush-mounted curb boxes were installed at the new grade. As described in the Site Management Plan (SMP) developed for the site, the wells will be sampled on a quarterly basis for 3 years, then an annual basis for an additional 2 years. The sampling frequency may be modified with the approval NYSDEC.
- 3. Execution and recording of an Environmental Easement to restrict land use and prevent future exposure to any contamination remaining at the site.

4. Development and implementation of a Site Management Plan for long term management of remaining contamination as required by the Environmental Easement, which includes plans for: (1) Institutional and Engineering Controls, (2) monitoring, (3) operation and maintenance, and (4) reporting;

Remedial activities were completed at the site in November 2016.

Periodic certification of the institutional and engineering controls will be performed on an annual basis.

3.0 INTERIM REMEDIAL MEASURES, OPERABLE UNITS AND REMEDIAL CONTRACTS

Below is a summary of work performed as Interim Remedial Measures (IRMs), operable units, or remedial construction contracts separate from the Remedial Action.

3.1 INTERIM REMEDIAL MEASURES

Prior to entry in the BCA, seven USTs were removed from the Site in 2006. The removals generated 1,699.76 ton of petroleum-contaminated soil that was staged on-site.

In 2007, the project was accepted into the BCP.

In accordance with a NYSDEC-approved Interim Remedial Measure Work Plan dated March 3, 2008, the staged soils associated with the UST removals were removed from the site and disposed at Seneca Meadows landfill by Riccelli Enterprises, Inc. (Riccelli) on May 14-16, 2008. The loading operations were observed by Beardsley Design Associates Architecture, Engineering, Landscape Architecture, P.C. (BDA).

The March 2008 Work Plan, a May 27, 2008 IRM summary report (including CAMP results and non-hazardous solid waste manifests), a summary sheet of the loads disposed at the landfill (supplied by Riccelli), and the approval form from the Seneca Meadows landfill are presented in Appendix C.

During the course of the Remedial Investigation, contaminated soils were generated and staged on-site. In accordance with a NYSDEC-approved Soil Pile Removal Work Plan dated June 27, 2012, the staged soils associated with the Remedial Investigation were removed from the site and disposed at the City of Auburn landfill by Riccelli on August 30, 2012. The loading operations were observed by BDA.

The June 2012 Work Plan, a September 24, 2012 Soil Pile Removal summary report (including CAMP results and non-hazardous solid waste manifests), and a waste profile form submitted to the City of Auburn landfill are presented in Appendix D.

The information and certifications made in the aforementioned summary reports were relied upon to prepare this report and certify that the remediation requirements for the site have been met.

3.2 OPERABLE UNITS

Not applicable to this project.

3.3 REMEDIAL CONTRACTS

Not applicable to this project.

4.0 DESCRIPTION OF REMEDIAL ACTIONS

Remedial activities completed at the Site were conducted in accordance with the NYSDEC-approved Remedial Action Work Plan (RAWP) for the 700 Outparcel site (August 2015). All deviations from the RAWP are noted in Section 4.9.

4.1 GOVERNING DOCUMENTS

4.1.1 Site Specific Health & Safety Plan (HASP)

A Site-Specific Health and Safety Plan was developed and submitted as Section 7.0 of the Remedial Action Work Plan. The Health and Safety Plan (HASP) was complied with for all remedial and invasive work performed at the Site.

All remedial work performed under this Remedial Action was performed in full compliance with governmental requirements, including Site and worker safety requirements mandated by Federal OSHA.

4.1.2 Quality Assurance Project Plan (QAPP)

The QAPP was included as Section 8.0 of the Remedial Action Work Plan (RAWP) approved by the NYSDEC. The QAPP describes the specific policies, objectives, organization, functional activities and quality assurance/ quality control activities designed to achieve the project data quality objectives.

4.2 REMEDIAL PROGRAM ELEMENTS

4.2.1 Contractors and Consultants

- The Contractor responsible for loading, transporting, placing, and grading the gravel cover, and installing the demarcation barrier was Montroy Development, LLC (Montroy).
- NYEG Drilling, LLC (NYEG) extended the well risers and installed new curb boxes.
- The Engineer of Record responsible for inspection of the work was H. Nevin Bradford, P.E. of Strategic Environmental, LLC.

4.2.2 Site Preparation

A pre-construction meeting was held with the Owner, Engineer, and Contractor on November 1, 2016.

The Request to Import/Reuse Fill or Soil form (see Appendix E) was completed on November 3, 2016 and sent to the NYSDEC project manager. Other non-agency permits were not required for the remediation project.

The demarcation fabric was delivered on November 8, 2016.

Montroy mobilized to the site on November 10, 2016. Site preparation activities were limited to removing a small section of damaged chain link fencing along the eastern property border. New fencing was installed in this location after the cover system was installed.

NYEG extended the well risers and installed new curb boxes on November 16, 2016.

SEQRA and all substantive compliance requirements for attainment of applicable natural resource or other permits did not apply the Remedial Action.

Due to the expedited start of construction, and the short time frame, a NYSDEC-approved project sign was not able to be designed, approved, printed, and erected at the project entrance.

4.2.3 General Site Controls

Site security was easily tracked due to chain link fencing surrounding the site, with only one chain-gated entry point. No unapproved personnel visited the site.

Erosion and sedimentation controls were not necessary due to the small size of the project area, the material placed (gravel), and short duration of construction activities.

The majority of the site was already covered with asphalt in varying conditions, and gravel. Furthermore, the dump trucks, bulldozer, and rollers were restricted to traveling on virgin gravel that had been placed during this Remedial Action, removing the need for equipment decontamination.

No problems were encountered.

4.2.4 Nuisance Controls

Since contaminated materials were not disturbed during the placement of the cover system, several nuisances were avoided by default.

Minimal dust was generated during the dumping and grading of the virgin gravel, and no odors were generated. Wetting during the placing and grading of gravel was deemed unnecessary.

The limited number of trucks used were primarily routed along interstates, state routes, and 4-lane highways.

No complaints were received.

4.2.5 CAMP results

Since contaminated materials were not disturbed during the placement of the cover system, CAMP monitoring was not warranted.

4.2.6 Reporting

Due to the short duration of the remedial action (two days), daily and monthly reports were not warranted.

The digital photo log is included in electronic format in Appendix F.

4.3 CONTAMINATED MATERIALS REMOVAL

No contaminated soils were removed during the Remedial Action.

4.4 IMPORTED BACKFILL

No backfill was imported to the site. However, material was imported to the site as a component of a cover system. The details regarding this material are presented in Section 4.6.

4.5 CONTAMINATION REMAINING AT THE SITE

Since no contaminated soil was removed during the Remedial Action, the contamination identified during the Remedial Investigation will remain beneath the gravel cover. The orange demarcation barrier that segregates the cover material from the underlying contaminated soil is found at a minimum of one foot below surface grade, except at the fence line and lot entrance for slope stability purposes (see Figure 9).

Table 1 (below) summarizes the results of all soil samples exhibiting concentrations of metals that remain at the site after the completion of the Remedial Actions that exceed the Track 1 (unrestricted) SCOs and the Track 4 (restricted) Commercial Use RSCOs. Summary tables for VOCs and SVOCs are embedded within attached Figure 3.

Table 1 – Summary of Remaining Metals Contamination in Soils

Metal	Commercial RSCO	Unresticted SCO	TP-1 (9-10)	TP-1 FD (9-10)	TP-3 (8-10)	TP-5 (2-4)	TP-6 (4-5)	TP-9 (2-4)	TP-10 (2-4)	TP-11 (6-8)	TP-12 (11-13)	TP-14 (2-3)	TP-15 (11-13)	MW-2 (8-12)
Arsenic	16	13	-	-		-	38	21	-	-	-		-	14
Barium	400	350	-	-	-	-	-	660	-	-	-	-	-	-
Copper	270	50	-	-	-	160	120	98	190	-	52	59	-	-
Lead	1,000	63	91 J	81 J	-	300 J	950 J	260 J	710 J	-	200 J	140 J	-	-
Mercury	2.8	0.18	-	0.2	-	0.57	0.7	0.48	1.4	-	-	0.22	0.26	-
Nickel	310	30	-	-	-	-	-	-	-	31	-	-	-	-
Zinc	10,000	109	-	-	110	200	620	180	180	-	270	-	-	-

Notes:

All concentrations in milligrams per kilogram (mg/kg or approximate parts per million - ppm)

SCO/RSCO - Unrestricted/Restricted Soil Cleanup Objective per 6 NYCRR 375

Bold - Compound concentration exceeds Commercial Use RSCO

The extents of soils remaining at the Site that exhibit concentrations of metals, VOCs, and SVOCs that exceed the applicable SCOs and RSCOs are shown on attached Figures 5, 6, and 7.

The existing network of groundwater monitoring wells is shown on Figure 2. Summary tables for concentrations of VOCs, SVOCs, and metals in groundwater are embedded within attached Figure 4. The extent of groundwater at the Site that exhibits concentrations of metals, VOCs, and SVOCs that exceed the applicable groundwater standards is shown on attached Figure 8.

Since contaminated soil, groundwater, and possibly soil vapor remains beneath the site after completion of the Remedial Action, Institutional and Engineering Controls are required to protect human health and the environment. These Engineering and Institutional Controls (ECs/ICs) are described in the following sections. Long-term management of these EC/ICs and residual contamination will be performed under the Site Management Plan (SMP) approved by the NYSDEC.

4.6 COVER SYSTEM

Exposure to remaining contamination in soil/fill at the site is prevented by a cover system placed over the site. This cover system is comprised of a minimum of 12 inches of gravel over an orange demarcation barrier (US 65HVO Warning Barrier manufactured by US Fabrics).

Approximately 1,125 tons of virgin gravel was imported from Kinsella Quarries in Jamesville, New York. No other fill material was imported from other sources. Montroy transported, placed, graded, and compacted the cover material (virgin gravel) on November 10 and 11, 2016.

J - Estimated concentration below the limits of quantitation

[&]quot;-" - Compound not detected or detected below Unrestricted SCO

Figure 9 shows the as-built cross sections for the cover used on the site, and the location of the cover. An Excavation Work Plan, which outlines the procedures required in the event the cover system and/or underlying residual contamination are disturbed, is provided in Appendix A of the SMP (under separate cover).

The Request to Import/Reuse Fill or Soil form is presented as Appendix E. The specification sheet for the demarcation barrier is presented as Appendix G.

4.7 OTHER ENGINEERING CONTROLS

The remedy for the site did not require the construction of any other engineering control systems.

However, if future development includes construction of an occupied building, a sub-slab depressurization system will be installed to mitigate possible soil vapor intrusion into occupied buildings.

At that time, an Operation and Maintenance Plan that describes the measures necessary to operate, monitor and maintain the mechanical components of the remedy would be prepared, and the SMP would be revised accordingly. The Operation and Maintenance Plan would:

- Include the steps necessary to allow individuals unfamiliar with the site to operate and maintain the sub-slab depressurization system;
- Include an operation and maintenance contingency plan that would be updated
 periodically to reflect changes in site conditions or the manner in which the subslab depressurization system is operated and maintained.

4.8 INSTITUTIONAL CONTROLS

The site remedy requires that an environmental easement be placed on the property to (1) implement, maintain and monitor the Engineering Controls; (2) prevent future exposure to remaining contamination by controlling disturbances of the subsurface contamination; and, (3) limit the use and development of the site to commercial uses only.


The environmental easement for the site was executed by the Department on April 25, 2016, and filed with the Onondaga County Clerk on May 3, 2016. The County Recording Identifier number for this filing is DB-5370P-911. A copy of the recorded easement is provided in Appendix H (proof of filing is the stamp on the right margin of the first page).


4.9 DEVIATIONS FROM THE REMEDIAL ACTION WORK PLAN

The original remedy in the RAWP included the excavation and removal of a limited (to-be-determined) amount of soil associated with the proposed construction of a building (for footers, utilities, etc.). However, design of the building and site improvements was not completed, due to possible eminent domain issues related to the reconstruction of Interstate 81. Any excavation activities that occur in the future will be performed in accordance with the SMP developed for the site.

FIGURES

- 1 Site Location and Boundaries
- 2 Groundwater Monitoring Well Network and Flow
- 3 Remedial Investigation Soil Contamination Summary
- 4 Remedial Investigation Groundwater Contamination Summary
- 5 Extents of Remaining Shallow Soil Contamination Above Unrestricted Levels
- 6 Extents of Remaining Deep Soil Contamination Above Unrestricted Levels
- 7 Extents of Remaining Soil Contamination Above Commercial Use RSCOs
- 8 Extent of Contaminants in Groundwater (Baseline Post-Remediation Groundwater Quality)
- 9 As-Built Drawing: Location of Cover System







NOTES:

- FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.
 FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.






, , ,	13-029 Y 2016	SITE LOCATION AND BOUNDARIES	FIGURE
DRAWN BY:	HS RM	701-709 EAST WATER STREET SYRACUSE, NEW YORK	1

THE INFORMATION INCLUDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED PROM A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE UITHOUT NOTICE. ARCC MAKES NO REPRESENTATIONS OR MARRANTIES, DEPRESS OR IPPLIED, AS TO ACCURACY, COMPLETINESS, THELNESS, OR RIGHTS TO THE MED OF SUCH INFORMATION, THIS DOCUMENT IS NOT INTENDED FOR USE AS LAND BURKEY PRODUCT NOR IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT, THE USE OR MISURE OF THE INFORMATION CONTINUED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE PARTY USING OR MISUSING THE INFORMATION.



Erie Boulevard East



LEGEND:

- GROUNDWATER CONTOURS




DIRECTION OF GROUNDWATER FLOW BASED ON JANUARY 19, 2012 WATER LEVEL READINGS

MONITORING WELL

NOTES:

- FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.
 FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.





PROJECT NO. 13-029 JULY 2016 DRAWN BY: CHECKED BY: RM

GROUNDWATER MONITORING WELL NETWORK AND FLOW


> 701-709 EAST WATER STREET SYRACUSE, NEW YORK

FIGURE


2

THE INFORMATION INCLUDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE WITHOUT NOTICE. ARCC MAKES NO REPRESENTATIONS OR WARRANTES, DOMESSING OF PRINCIPLES, OF THE LIBE, OF A OLCURACY, COMPILETINESS, THE LIBESS, OR RIGHTS TO THE LIBE OF SUCH INFORMATION, THIS DOCUMENT IS NOT INTENDED FOR USE AS LAND SURVEY PRODUCT NOR IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT, THE USE OR MISUSE OF THE INFORMATION CONTINUED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE PARTY USING OR MISUSING THE INFORMATION.

Sample ID and Depth (ft)	PID Headspace Analysi (ppm)	s Parameter	Unrestricted SCO (ug/kg)	Commercial SCO (ug/kg)	Detected Concentration (ug/kg)
TP-1 (9-10)	0.0	Benzo(k)fluoranthene	800	56,000	2,400
TP-1 (9-10) FD	0.0	Benzo(k)fluoranthene	800	56,000	2,600
TP-2 (12-13)	341	Xylene (total) Benzo(a)anthracene	260 1,000	500,000 5,600	430 1,000
TP-3 (8-10)	50.8	No Exceedances	1,000	3,000	1,000
TP-4 (8-9)	2420	Xylene (total)	260	500,000	540
TP-4 (8-9) FD	2420	Xylene (total)	260	500,000	460
TP-5 (2-4)		Benzo(a)anthracene Benzo(a)pyrene	1,000	5,600 1,000	1,600 1,300
	0.0	Benzo(b)fluoranthene	1,000	5,600	1,700
	75.77	Chrysene	1,000	56,000	1,500
		Dibenz(a,h)anthracene	330	560	460
TP-5 (10-12) TP-6 (4-5)	1111	No Exceedances Acenaphthene	20,000	500,000	30,000
11-0 (4-3)		Benzo(a)anthracene	1,000	5,600	210,000
		Benzo(a)pyrene	1,000	1,000	180,000
		Benzo(b)fluoranthene	1,000	5,600	250,000
8		Benzo(g,h,i)perylene Benzo(k)fluoranthene	100,000	500,000 56,000	110,000 76,000
	0.0	Chrysene	1,000	56,000	210.000
		Fluoranthene	100,000	500,000	430,000
		Fluorene	30,000	500,000	34,000
		Indeno(1,2,3-cd)pyrene Naphthalene	500 12,000	5,600 500,000	70,000 16,000
		Phenanthrene	100.000	500,000	430.000
	122233	Pyrene	100,000	500,000	440,000
TP-6 (12-13)	2789	No Exceedances	_		_
TP-7 (8-9) TP-7 (11-12)	0.0 779	No Exceedances Xviene (total)	260	500,000	280
TP-8 (10-12)	185	No Exceedances		_	200
TP-9 (2-4)	- 1048/AU	Benzo(a)anthracene	1,000	5,600	2,900
9		Benzo(a)pyrene	1,000	1,000	4,000
	0.0	Benzo(b)fluoranthene Benzo(k)fluoranthene	1,000	5,600 56,000	5,200 1,700
(*		Chrysene	1,000	56,000	2,900
		Indeno(1,2,3-cd)pyrene	500	5,600	1,500
TP-9 (10-12)	284	No Exceedances	- 100	-	_
TP-10 (2-4)		Acetone Benzo(a)anthracene	50 1,000	500,000 5,600	160 31,000
		Benzo(a)pyrene	1,000	1,000	26,000
(8	0.0	Benzo(b)fluoranthene	1,000	5,600	31,000
	0.0	Benzo(k)fluoranthene	800	56,000	12,000
		Chrysene Dibenz(a,h)anthracene	1,000 330	56,000 560	28,000 2,800
8		Indeno(1,2,3-cd)pyrene	500	5,600	8,400
TP-10 (11-13.5)	248	No Exceedances	-	- 1	
TP-11 (6-8)	27.8	No Exceedances		-	*
TP-11 (10-12) TP-12 (11-13)	805	No Exceedances Benzo(a)anthracene	1,000	5,600	2,400
11-12(11-13)		Benzo(a)pyrene	1,000	1,000	2,500
		Benzo(b)fluoranthene	1,000	5,600	3,100
	983	Benzo(k)fluoranthene	800	56,000	1,300
		Chrysene Dibenz(a,h)anthracene	1,000	56,000 560	2,200 800
		Indeno(1,2,3-cd)pyrene	500	5,600	740
TP-13 (11-13)	8.3	No Exceedances	=		
TP-14 (2-3)		Acetone Benzo(a)anthracene	1,000	500,000 5,600	330 4,700
2		Benzo(a)pyrene	1,000	1,000	5,600
	10.2	Benzo(b)fluoranthene	1,000	5,600	7,900
		Benzo(k)fluoranthene	800	56,000	1,800
		Chrysene Indeno(1,2,3-cd)pyrene	1,000 500	56,000 5,600	4,200 1,400
TP-14 (11-13)		Benzo(a)anthracene	1,000	5,600	3,700
		Benzo(a)pyrene	1,000	1,000	4,700
	107	Benzo(b)fluoranthene	1,000	5,600	6,700
	50,000	Benzo(k)fluoranthene Chrysene	800 1,000	56,000 56,000	1,600 3,400
		Indeno(1,2,3-cd)pyrene	500	5,600	1,300
TP-15 (11-13)	0.0	No Exceedances		-	
TP-16 (6-8)	0.0	No Exceedances	200	<u> </u>	(111) 1031:
TP-16 (11-13) TP-17 (6-8)	0.0 0.0	No Exceedances No Exceedances		_	_
TP-17 (11-13)	0.0	No Exceedances		-	## ## ## ## ## ## ## ## ## ## ## ## ##
MW-1 (16-20)	0.6	No Exceedances		- 1	=
SB-1 (12-14) CMW-1	2444	Xylenes (total) No Exceedances	260	500,000	290
(12-16)	1798	NO EXCOGRANCES	_	11-	-
MW-2 (8-12)	1098	No Exceedances	-	- 1	*
5B-2 (8-12)	429	No Exceedances	-	-	H.
CMW-2 (12-14.5)	0.1	No Exceedances	-	-	_
MVV-3 (8-12)	58.1	No Exceedances	-	-	=
SB-3 (8-12)	59.4	No Exceedances	-		144
CSB/CM/V-3	480	Xylenes (total)	260	500,000	420
(4-8) CSB-4 (12-13.8)	0.0	No Exceedances	_	_	-
MVV-4 (4-8)	1012	Acetone	50	500,000	120
SB-4 (8-12)	839	No Exceedances	-	-	
MW-5 (8-12)	1360	No Exceedances	-		 EE
MVV-5 (8-12) FD	1360	Acetone	50	500,000	55
SB-5 (12-14.7)	1300	No Exceedances	-	2-	_
MW-6 (8-12)	12.5	Benzo(b)fluoranthene	1,000	5,600	5,600
SB-6 (8-12)	52.4	No Exceedances		n-	<u>-</u>
MW-7 (8-12) SB-7 (8-12)	0.0 5.5	No Exceedances No Exceedances	_	_	
MV-8 (8-12)	V.C-900400X	1,2,4-Trimethylbenzene	3,600	190,000	12,000
	1298	Xylene (total)	260	500,000	2,500
MW-9 (8-12)	1.4	Acetone	50	500,000	73



Sample Date	Sample ID	Parameter	TOGS 1.1.1 (ug/l)	Detected Concentration (ug/l)
2/27/2009	MW-1	No Exceedances		
3/4/2009	CMW-1	Benzene	. 1	15.2
3/4/2009	CMVV-1 FD	Benzene	1	14.3
		Benzene	1	214
		Ethylbenzene	5	69.2
2/27/2009	MW-2	Isopropylbenzene	5	75.8
		Toluene	5	35.9
		Xylene	5	287
3/4/2009	CMW-2	No Exceedances		
2/27/2009	MW-3	No Exceedances		55
	MW-4	Isopropylbenzene	5	12.3
	15/144-4	n-Propylbenzene	5	11.4
	MW-4 FD	Isopropylbenzene	5	12.5
	WW-4 FD	n-Propylbenzene	5	11.4
	MW-5	No Exceedances	HT.	
	MW-6	No Exceedances		
	MW-7	No Exceedances	-	HA.
		1,2,4-Trimethylbenzene	5	628
		1,3,5-Trimethylbenzene	5	176
		Benzene	1	49.4
		Ethylbenzene	5	404
		Isopropylbenzene	5	54
	MW-8	n-Butylbenzene	5	11.6
1/19/2012	101 64-0	n-Propylbenzene	5	99.4
11 15/2012		Napthalene	10	111
		p-isopropyltoluen e	5	5.6
		sec-Butylbenzene	5	8
		Toluene	5	109
		Xylene	5	689
Î		Benzene	1	3.62
		Ethylbenzene	5	21.7
		Isopropylbenzene	5	25.6
		n-Butylbenzene	5	10.6
	MW-9	n-Propylbenzene	5	49.7
		Napthalene	10	29.5
		p-isopropyltoluen e	5	7.54
		sec-Butylbenzene	5	7.38
		Xylene	5	25.1







LEGEND:

TOTAL VOCs (ug/l)

TOTAL SVOCs (ug/l)


MW-# - MONITORING WELL LOCATION

NOTES:

- BOLD FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE TOGS 1.1.1 GROUNDWATER STANDARDS.
- 2. TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE BASED ON OCTOBER 17, 2012 SURVEY CONDUCTED BY R.J. LIGHTON SR. LAND SURVEYING.

 3. FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF
- FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.
- FOR ANY OTHER PURPOSE.

 4. FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.



ASbestos & Environmental Consulting Corporation

6308 Fly Road East Syracuse, NY 13057

PROJECT NO. 13-029

REMEDIAL INVESTIGATION GROUNDWATER CONTAMINATION SUMMARY

PROJECT NO. 13-029

REMEDIAL INVESTIGATION GROUNDWATER CONTAMINATION SUMMARY


DRAWN: JULY 2016

DRAWN BY: H5

101-109 EAST WATER STREET
SYRACUSE, NEW YORK

THE INFORMATION INCLUDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED PROFIT A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE UITHOUT NOTICE. ARCC MAKES NO REPRESENTATIONS OR MARRANTES, EXPRESS OR IMPLIED, AS TO ACCURACY, COMPILETINESS, THE INESS, OR RIGHTS TO THE USE OF SUCH INFORMATION. THIS DOCUMENT IS NOT INTENDED FOR USE AS LAND BURKEY PRODUCT NOR IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT. THE USE OR MISURE OF THE INFORMATION CONTINUED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE PARTY USING OR MISUSING THE INFORMATION.





LEGEND:

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

★ TP-# - TEST PIT LOCATION

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

SB-# - SOIL BORING LOCATION

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)


TOTAL SVOCs (ug/kg)

/-# - MONITORING WELL LOCATION

NOTES

- ITALICS FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE UNRESTRICTED USE SOIL CLEANUP OBJECTIVES.
- BOLD FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE COMMERCIAL USE SOIL CLEANUP OBJECTIVES.
- TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE BASED ON OCTOBER 17, 2012 SURVEY CONDUCTED BY R.J. LIGHTON SR. - LAND SURVEYING.
- FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.
- FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.
- 6. "SHALLOW" SOILS ARE DEFINED AS SOILS UP TO 5' BELOW THE SOIL COVER DEMARCATION BARRIER.

- SHALLOW SOIL SAMPLE EXHIBITING SVOC CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs
- = SHALLOW SOIL SAMPLE EXHIBITING VOC CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs
- SHALLOW SOIL SAMPLE EXHIBITING METALS CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs



Asbestos & Environmental Consulting Corporation

6308 Fly Road East Syracuse, NY 13057

DRAWN BY:

CHECKED BY:


EXTENTS OF REMAINING SHALLOW SOIL CONTAMINATION ABOVE UNRESTRICTED LEVELS

101-109 EAST WATER STREET SYRACUSE, NEW YORK

THE INFORMATION INCLUDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED PROOF A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE UNITABLE WITHOUT NOTICE ARCO HAVES ON REPRESENTATIONS OR UNREASHIES, DIFFERS OR IMPLIED, AS TO ACCURACY, COMPLETINESS, THE LINESS, OR REGISTS TO THE USE OF SUCH INFORMATION. THIS DOCUMENT IS NOT INTENDED FOR USE AS A LAND SURVEY PRODUCT NOW IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT. THE USE OR HISUSE OF THE INFORMATION CONTAINED ON THE SOUR PROPRIATION.

5

FIGURE





(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

∡ TP−# − TEST PIT LOCATION

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

SB-# - SOIL BORING LOCATION


(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

MW-# - MONITORING WELL LOCATION

NOTES

- ITALICS FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE UNRESTRICTED USE SOIL CLEANUP OBJECTIVES.
- BOLD FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE COMMERCIAL USE SOIL CLEANUP OBJECTIVES.
- 3. TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE BASED ON OCTOBER 17, 2012 SURVEY CONDUCTED BY R.J. LIGHTON SR. LAND SURVEYING.
- FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.
- FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.
- 6. "DEEP" SOILS ARE DEFINED AS SOILS GREATER THAN 5' BELOW THE SOIL COVER DEMARCATION BARRIER.
- = IMPLIED EXTENTS OF DEEP SVOC CONTAMINATION
- = IMPLIED EXTENTS OF DEEP VOC CONTAMINATION
- = IMPLIED EXTENTS OF DEEP METALS CONTAMINATION
- DEEP SOIL SAMPLE EXHIBITING SVOC CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs
- DEEP SOIL SAMPLE EXHIBITING VOC CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs
- DEEP SOIL SAMPLE EXHIBITING METALS CONCENTRATIONS ABOVE UNRESTRICTED USE SCOs



Asbestos & Environmental Consulting Corporation

6308 Fly Road East Syracuse, NY 13057

PROJECT NO.

DRAWN BY:

CHECKED BY:

13-029 EXTENTS OF REMAINING DEEP SOIL CONTAMINATION ABOVE UNRESTRICTED LEVELS
JULy 2016


101-109 EAST WATER STREET SYRACUSE, NEW YORK

THE INFORMATION INCLIDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED PROFILE AVRIETY OF SOURCES AND IS SUBJECT TO CHANGE UNHAUGH MOTICE. ALCC MAKES NO REPRESENTATIONS OF MARRANTIES, DEVIRESS OR IMPLIED, AS TO ACCURACY, COMPILETENESS, TITEL INSIS, OR RIGHTS TO THE USE OF SUCH INFORMATION. THIS DOCUMENT IS NOT INTENDED FOR USE AS A LAND SURVEY FOUNDATION OF IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DECUMENT, THE USE OR HISINGE OF THE INFORMATION CONTAINED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE PRAYET LIBITS OR HISINGES OF INDENDED AND INTENDED.

6

FIGURE





LEGEND:

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

TP-# - TEST PIT LOCATION

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

SB-# - SOIL BORING LOCATION

(SAMPLE DEPTH FT) TOTAL VOCs (ug/kg)

TOTAL SVOCs (ug/kg)

MW-# - MONITORING WELL LOCATION


NOTES:

- ITALICS FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE UNRESTRICTED USE SOIL CLEANUP OBJECTIVES.
- 2. BOLD FONT INDICATES A PARAMETER(S) WAS DETECTED ABOVE COMMERCIAL USE SOIL CLEANUP OBJECTIVES.
- TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE BASED ON OCTOBER 17, 2012 SURVEY CONDUCTED BY R.J. LIGHTON SR. - LAND SURVEYING.
- 4. FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.

 5. FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN
- ASSOCIATES, JANUARY 2013.

 6 "SHALLOW" SOILS ARE DEFINED AS SOILS UP TO 5' BELOW THE
- "SHALLOW" SOILS ARE DEFINED AS SOILS UP TO 5' BELOW THE SOIL COVER DEMARCATION BARRIER.
- "DEEP" SOILS ARE DEFINED AS SOILS GREATER THAN 5' BELOW THE SOIL COVER DEMARCATION BARRIER.
- IMPLIED (UNDEFINED) EXTENTS OF SHALLOW (<5' bgs) SVOC CONTAMINATION</p>
- = IMPLIED EXTENTS OF DEEP (>5' bgs) SVOC CONTAMINATION
- = IMPLIED EXTENTS OF SHALLOW (<5' bgs)
 METALS CONTAMINATION
- SHALLOW SOIL SAMPLE EXHIBITING SVOC CONCENTRATIONS ABOVE COMMERCIAL USE RSCOs
- DEEP SOIL SAMPLE EXHIBITING SVOC CONCENTRATIONS ABOVE COMMERCIAL USE RSCOs
- SHALLOW SOIL SAMPLE EXHIBITING METALS CONCENTRATIONS ABOVE COMMERCIAL USE RSCOS

FIGURE





EXTENTS OF REMAINING SOIL CONTAMINATION ABOVE COMMERCIAL USE RSCOs

13-029


JULY 2016

101-109 EAST WATER STREET SYRACUSE, NEW YORK

THE INFORMATION INCLIDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED PROFIT A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE UNITALITY OF THE VARIETY OF SOURCES AND IS SUBJECT TO CHANGE UNITALITY OF THE VARIANTIES, DEPRESS OR IMPLIED, AS TO ACCURACY, COMPILETINESS, THE INFORMATION THIS DOCUMENT IS NOT INTENDED FOR USE AS A LAND SURVEY PRODUCT NOR IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT. THE USE OR HISUSE OF THE INFORMATION CONTAINED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE INFORMATION.



Erie Boulevard East



LEGEND:

TOTAL VOCs (ug/l)


TOTAL SVOCs (ug/l)

MW-# - MONITORING WELL LOCATION

NOTES:

- BOLD FONT INDICATES A PARAMETER(S) WAS DETECTED ABOV TOG 1.1.1 GROUNDWATER STANDARDS.
 TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE
- TEST PIT, SOIL BORING, AND MONITORING WELL LOCATIONS ARE BASED ON OCTOBER 17, 2012 SURVEY CONDUCTED BY R.J. LIGHTON SR. - LAND SURVEYING.
- LIGHTON SR. LAND SURVEYING.

 FIGURE PREPARED TO SHOW GENERAL ARRANGEMENT OF PROPERTY FOR REMEDIAL INVESTIGATION REPORT. DO NOT USE FOR ANY OTHER PURPOSE.
- FIGURE MODIFIED FROM SCAN OF FIGURE BY BEARDSLEY DESIGN ASSOCIATES, JANUARY 2013.
- = IMPLIED EXTENT OF VOC CONTAMINATION
- ■■■ = IMPLIED (UNDEFINED) EXTENT OF METALS CONTAMINATION
- = VOCs IN GROUNDWATER
- = METALS IN GROUNDWATER



Asbestos & Environmental Consulting Corporation

6308 Fly Road East Syracuse, NY 13057

PROJECT NO. 13-029

DRAWN: JULY 2016

DRAWN BY: H5

CHECKED BY: RM


EXTENTS OF CONTAMINANTS IN GROUNDWATER


101-109 EAST WATER STREET SYRACUSE, NEW YORK

THE INFORMATION INCLUDED ON THIS GRAPHIC REPRESENTATION HAS BEEN COMPILED FROM A VARIETY OF SOURCES AND IS SUBJECT TO CHANGE WITHOUT NOTICE. ARCC MAKES NO REPRESENTATIONS OR WARRANTIES, DYPRESS OR PHYLLED, AS TO ACCURACY, COMPILETINESS, THE LINESS, OR RIGHTS TO THE USE OF SUCH INFORMATION. THIS DOCUMENT IS NOT INTENDED A FOR USE AS I AMPO BURKEY PRODUCT NOR IS IT DESIGNED OR INTENDED AS A CONSTRUCTION DESIGN DOCUMENT. THE USE OR MISUSE OF THE INFORMATION CONTINUED ON THIS GRAPHIC REPRESENTATION IS AT THE SOLE RISK OF THE PARTY USING OR MISUSING THE INFORMATION.

8

FIGURE





J.R.L. LAND SURVEYING, PLLC

Serving all of New York State

James R. Lighton, LLS

37 First St Camillus, NY 13031

PH: (315) 632-2744 Fax: (315) 320-4298



All that tract or parcel of land situate in the City of Syracuse, County of Onondaga and State of New York being part of Block 261 of said City and also being part of the former Erie Canal Lands and being more particularly bounded and described as follows:

Beginning at the intersection of the easterly line of Almond Street and the southerly line Erie Boulevard East;

Thence S. 89-31'-20" E., along the southerly line of Erie Boulevard East, a distance of 237.96 feet to a point therein;

Thence S. 00-29'-10" W., a distance of 18.8 feet to a point in the blue line of the former Erie Canal;


Thence N. 89-31'-20" W., along said blue line, a distance of 1.33 feet to a point;


Thence S. 00-20'-00" W., a distance of 61.62 feet to the northerly line of East Water Street;

Thence N. 89-30'-50" W., along the northerly of East Water Street, a distance of 236.58 feet to the easterly line of Almond Street;

Thence N. 00-20'-00" E., along the easterly line of Almond Street, a distance of 80.39 feet to the point and place of beginning.

The hereinbefore described parcel of land contains 19,048.1 square feet (0.44 acres) more or less and is subject to any and all easements, restrictions and/or rights of way of record and is "subject to an environmental easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the New York Environmental Conservation Law. The engineering and institutional controls for this Easement are set forth in more detail in the Site Management Plan (SMP). A copy of the SMP must be obtained by any party with an interest in the property. The SMP can be obtained from NYS Department of Environmental Conservation, Division of Remediation, Site Control Section, 625 Broadway, Albany, NY.12233 or derweb@dec.ny.gov".





APPENDIX C

2008 IRM Waste Disposal Documentation

- Work Plan
- Disposal Facility Approval Form
- Tabulated Load Summaries
- Summary Report (includes CAMP data and Waste Manifests)

Architecture, Engineering & Landscape Architecture, P.C.

431 East Fayette Street Syracuse, New York 13202 Phone: 315-472-6980 Fax: 315-472-3523 E-mail: bda@beardsley.com www.beardsley.com Richard C. Elliott, P.E. John W. Drury, P.E. Raymond N. Cudney, P.E. Steven F. Moolin, R.A. Mark A. Rebich, P.E.

March 3, 2008

Mr. Christopher F. Mannes Environmental Engineer I NYSDEC – Region 7 Division of Environmental Remediation 615 Erie Boulevard West Syracuse, New York 13204-2400

RE:

Interim Remedial Work Plan Soil Pile Removal 700 Outparcel Syracuse, New York BDA #08921

Dear Mr. Mannes:

In accordance with our recent discussions and on behalf of 700 Out Parcel, LLC, BDA has prepared this Interim Remedial Work Plan in order to remove petroleum-contaminated staged soils at the 700 Outparcel in the City of Syracuse, New York.

PURPOSE

The purpose of the Interim Remedial Measure is to properly remove and dispose of petroleum-contaminated soils currently staged at the subject site. Removal and disposal of these soils are necessary for the following reasons:

- 1. The presence of the staged soil pile is visually detrimental to the surrounding properties.
- 2. Vapors emanating from the pile may be negatively impacting local air quality.
- 3. Removal of the soil pile will allow better access to the site during the planned Remedial Investigation.
- 4. The contaminants within the soil pile will be properly managed at a regulated landfill.

HISTORY

A 1997 Phase I Environmental Site Assessment (ESA) identified the subject property as a gasoline filling station from 1949 to 1964, and revealed five underground storage tanks (USTs) at the site. A 2002 Limited Phase II ESA identified contaminated backfill material and native soils in the vicinity of the four gasoline USTs. In addition, petroleum-impacted soils were discovered in the vicinity of the 550-gallon UST.

In 2006 and 2007, seven USTs were decommissioned and removed from the site. These USTs included four 1,000-gallon gasoline USTs, one 4,200-gallon gasoline UST, and two 550-gallon USTs (one fuel oil and one waste oil). Between 1,200 and 1,800 tons of gasoline-impacted soil was excavated and stockpiled from these areas pending transport and disposal to a sanitary landfill. Mr. Richard Brazell of NYSDEC Region 7 has granted 700 Out Parcel, LLC an openended extension for disposal of the stockpile pending further investigation and remedial actions at the subject property.

Samples of the staged soils were collected and analyzed for disposal purposes. The laboratory analysis did not reveal any hazardous contaminant concentrations or characteristics (see Attachment A).



WORK PLAN

Over a one week period, Riccelli Trucking will load the staged soil, transport in properly permitted trucks, and dispose at the Ontario County Landfill. It is anticipated that work will begin within one week of approval of this Interim Remedial Work Plan, weather permitting.

Dust will be visually monitored by contractor personnel during the loading operations. If it is determined that excessive dust is being created during these operations, the contractor will wet the soils to the extent feasible.

Contractor personnel will check for odors at the border of the subject property periodically through the day. If odors are detected, the contractor will wet exposed soils and cover with poly sheeting to the extent feasible. The contractor will cover the staged soils with poly sheeting at the end of each day.

The transport trucks will typically be parked on asphalt while on-site. If the trucks need to park on the clean backfill previously imported, spread, and compacted on-site, the tires will be examined for mud/dirt by contractor personnel before they are allowed to drive off-site. If mud/dirt is observed on the tires, they will be cleaned by contractor personnel with a high-pressure water nozzle.

BDA will perform two site visits per day to check on progress and determine if the contractor is abiding by the terms of the IRM.

Upon completion of the project, BDA will prepare a letter-report will be prepared describing the daily activities and observations. The report will include disposal documentation as an attachment.

If you should have any questions or if we can provide additional information, please feel free to contact our office at your convenience.

Very truly yours,

BEARDSLEY DESIGN ASSOCIATES

Richard D. McKenna Environmental Engineer

Attachments

cc:

Mr. Gregory A. Townsend, P.E. – NYSDEC, Region 7 Richard E. Jones – NYSDOH, CNY Regional Office Mr. Brian St. Laurent – 700 Out Parcel, LLC

Mr. Norman Swanson - 700 Out Parcel, LLC

ATTACHMENT A

LABORATORY ANALYSIS REPORT – STAGED SOIL FOR DISPOSAL PURPOSES

1401 Erie Blvd. East Syracuse, NY 13210 Phone 315-478-2374 Fax 315-478-2107

REPORT OF ANALYSES

Seabird Environmental, Inc. 436 County Route 51 Mexico, NY 13114-Attn: Mr. Steve Mahana

PROJECT NAME: 701-709 East Water St.

DATE: 01/08/2007

SAMPLE ID- PCS-1/Staged Soil Pile

SAMPLE MATRIX- SO

SAMPLE NUMBER- 470316 SAMPLE ID- PCS-1/Staged Soi DATE SAMPLED- 12/28/06 DATE RECEIVED- 12/28/06 SAMPLER- Steve Mahana TIME RECEIVED- 1140 DELIVERED BY- Steve Mahana

TIME SAMPLED- 1125 RECEIVED BY- RS TYPE SAMPLE- Composite

Page 1 of 3

ANALYSIS	METHOD	SAMPLE PRE	P ANALYSI BY DATE	S TIME	вч	RESULT	UNITS
Sample Receipt Temperature TCLP Extraction ZERO HEADSPACE EXTRACTION FLASHPOINT pH in Water (At 25 Degrees C)	40CFR 1311 40CFR 1311 SW846 1010 SW846 9045 EPA 160.3		12/28/0 12/28/0 12/28/0 12/29/0 12/29/0 12/29/0	6 6 6 1530 6 10 3 0	RS DG DG RRB MM MM	Complete Complete > 176	Degrees C Degrees F std units
Percent Solids TCLP Metals Arsenic, TCLP Barium, TCLP Barium, TCLP Cadmium, TCLP Chromium, TCLP Lead, TCLP Selenium, TCLP Selenium, TCLP MERCURY, TCLP MERCURY, TCLP (HG) PCB's in Sediment Aroclor 1221 Aroclor 1232 Aroclor 1242/1016 Aroclor 1248	SW846-6010 SW846-6010 SW846-6010 SW846-6010 SW846-6010 SW846-6010 SW846-6010 EPA 245.1	12/29/06 M 12/29/06 M 12/29/06 M 12/29/06 M 12/29/06 M 12/29/06 M 12/29/06 M 12/29/06 L 12/29/06 L 12/29/06 L 12/29/06 L 12/29/06 L 12/29/06 L 12/29/06 L	M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/02/0 M 01/04/0 RE 01/04/0 RE 01/04/0 RE 01/04/0	7 7 7 7 7 7 7 7 7 7	MM KB KB KB KB KB KB KB KB BLD BLD BLD BLD BLD BLD BLD	< 0.50 < 10.0 < 0.10 < 0.50 < 0.50 < 0.50 < 0.50 < 0.55 < 0.5 < 0.5	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/Kg mg/Kg mg/Kg mg/Kg

1401 Erie Blvd. East Syracuse, NY 13210 Phone 315-478-2374 Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 470316

Aroclor 1260 EPA 8082 12/29/06 LRE 01/04/07 BLD < 0.5 mg/Kg TCLP VOLATILES EPA 8260 12/29/06 LRE BENZENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L CARBON TETRACHLORIDE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L CHLOROBENZENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
TCLP VOLATILES EPA 8260 12/29/06 LRE BENZENE. TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
BENZENE. TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
CARBON TETRACHLORIDE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
CHLOROBENZENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
CHLOROFORM, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
1,2-DICHLOROETHANE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L 1,1-DICHLOROETHENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
TETRACHLOROETHENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L TRICHLOROETHENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
VINYL CHLORIDE, TCLP EPA 8260 12/29/06 LRE < 0.20 mg/L
1,4-DICHLOROBENZENE, TCLP EPA 8260 12/29/06 LRE < 0.050 mg/L
SEMI-VOLATILES, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC
NITROBENZENE, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
PYRIDINE. TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
CRESOLS (TOTAL), TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
2.4-DINITROTOLUENE, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
HEXACHLOROBENZENE, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
HEXACHLOROBUTADIENE, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
HEXACHLOROETHANE, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
PENTACHLOROPHENOL, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
2,4,5-TRICHLOROPHENOL, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
2,4,6-TRICHLOROPHENOL, TCLP EPA 8270 12/29/06 DG 12/31/06 KEC < 0.10 mg/L
TĆLP PESTICIDES EPA 8081 12/29/06 LRE 01/04/07 BLD CHLORDANE, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.02 mg/L
CHLORDANE, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.02 mg/L
ENDRIN, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.005 mg/L
HEPTACHLOR, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.005 mg/L HEPTACHLOR EPOXIDE, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.005 mg/L
LINDANE, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.005 mg/L METHOXYCHLOR, TCLP EPA 8081 12/29/06 LRE 01/04/07 BLD < 0.02 mg/L

1401 Erie Blvd. East Syracuse, NY 13210 Phone 315-478-2374 Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 470316

ANALYSIS	METHOD	SAMPLE PREP DATE BY	ANALYSIS DATE	TIME BY	RESULT UNITS
TOXAPHENE, TCLP TCLP HERBICIDES 2,4-D, TCLP 2,4,5-TP (SILVEX), TCLP	EPA 8081 EPA 8151 EPA 8151 EPA 8151	12/29/06 LRE	01/04/07 01/05/07 01/05/07 01/05/07	BLD	< 0.02 mg/L < 0.01 mg/L < 0.01 mg/L

**pH analyzed over hold time.

NYSDOH LAB ID NO. 11246

APPROVED BY

Patrick A. Leone, Jr. Laboratory Director

on Reverse Side)

CHAIN OF CI TODY RECORD

Certified Environmental Services, Inc. 1401 Erie Blvd. East Syracuse, NY 13210

Fax: 315-478-2107

Phone: 315-478-2374

ပ္ပဲ	BATCH NO:	701S7	Page / of /
	Turn-Around Time:	ne:	 PARAMETERS FOR ANALYSIS
	■ Standard		
	☐ 1 Week		
	☐ 72 Hours		
	☐ 48 Hours		
	☐ 24 Hours		

D Z4 Hours	AME:		7.17	ATI	NO.	, N	ינויג	1 38	571	1153 123 123 125 175 175 175 175 175 175 175 175 175 17	d N S N	PCS-1 / STAGED SOIL PILE 2 x x x x x x x					2. TOTAL NUMBER OF CONTAINERS
	PROJECT	192	SYR AL USE		0	FUHCHASI	Cionaturo:	oighaidhe.			ਹ	PCS-1					
	7								χ		11O			 			
	H								MATRIX	snoər	0S	X			 		
	ME		7			4	~	ς .	ш	 	ลอ 			 			
	1000	21	41151			HAY	4.1	2	TYPE	.qт		X			 		
	E_{NU}	PT	1 10			MM	TVVV	N 1		8	Time						
	3120	LAITY	A A	20	5 7	STEVE MAHANA	4) >		Collected		138					
	NAME: SEA	ADDRESS: 436 COUNTY RT 51	MEXIC	PHONE: 343 - 7520	342-01	CONTACT NAME: 57	\ \	lers Name.	AB USE ONLY		CES Sample Numbers Date	21:11 8zhi					SPECIAL REMARKS:

White - CES's Copy . Canary - Return to Client With Report . Pink - Clients Initial Copy

Samples Received in Good Condition: ☐ Yes ☐ No

ပွ

SiB

Temperature_

DATE: 12/28/06 TIME: 1140

SAMPLES RECEIVED BY:

NAME: STEVE MAHANA DATE: 12/11/06
SIGNATURE: LT. M. L. L. TIME: (1:40

DATE: TIME:

NAME: SIGNATURE:

DATE: TIME:

NAME: SIGNATURE:

NAME;

SENECA MEADOWS LANDFILL INDUSTRIAL WASTE APPROVAL

GENERATO	R'S NAME:	700 OUT	PARCEL,	LLC	
ADDRESS:	505 E FAYETTE	STREET CITY	: SYRAC	USE ST: NY	ZIP: 13202
CONTACT:	NORMAN SWANS	ON	TITLE:	PRESIDENT	
PHONE:	315-471-7400		FAX	315-471-7464	
EPAID#:			STATE	D #:	

FACILITY GENERATING WASTE

ADDRESS:	701-709 E, WATER STREET	CITY: SYRACUSE ST: NY ZIP; 13	202
CONTACT:	BRIAN ST. LAURENT	TITLE: VP	
PHONE:	316-471-7400	FAX: 315-471-7484	

AUTHORIZED HAULER

NAME:	RICCELLI ENTER	PRISES	NYS	DEC P	ERMI	T#:	7A-402	
ADDRESS:	PO BOX 8418	CITY: SYR	ACUSE	ST:	NY	ZIP:	13217	-

CONDITIONS

HOURS OF ACCEPTANCE:	7 AM- 3 PM	FILE #:	3205
APPROVAL EXPIRES:	06/30	roa son	
DESCRIPTION OF WASTE:	CONT. SOIL	(>20% SO	LIDS - NO FREE LIQUIDS)

NORMAN E. SJANSON SIGNATURE: PRESIDENT DATE: 5-13-08

FOR OFFICE/SCALE HOUSE USE ONLY

APPROVAL NUMBER: 08-060	FILE NO. 3265
NAME: ANN SPRAGUE	DATE: May 13, 2008
TITLE: SPECIAL WASTE COORDINATOR	SIGNATURE: A. SPERGIE
CUST: 15 RIC HAULER: 8867 DEC WA	ASTE CODE: N-618 SMI CMDTY: BCS01

	Load by Master Order
	# 1117878 D
Zaro venue.)ate Range
5	1/1/

Load	Load by Master Order		r	#	# 1117878	78		Date Range: 1/1/2008 12/31/20	1/1/2008	12/31/20
Date	Driver Number	Master Order	Ticket	Tractor		Description	Company	Hours	Total Weight	Unit of Measure
5/14/2008	444444	1117878	E1636910	50	SOIL		WOOSYR01	0	20.09	TON
5/14/2008	999999	1117878	E1636927	301	SOIL		WOOSYR01	0	21.02	NOT
5/14/2008	000608	1117878	E1636929	96	SOIL		WOOSYR01	0	19.7	NOT
5/14/2008	000658	1117878	E1636930	99	SOIL		WOOSYR01	0	20.98	TON
5/14/2008	001364	1117878	E1636931	90	SOIL		WOOSYR01	0	21.16	NOT
5/14/2008	999999	1117878	E1636976	58	SOIL		WOOSYR01	0	19.91	NOT
5/14/2008	999999	1117878	E1636977	302	SOIL		WOOSYR01	0	24.89	NOT
5/14/2008	000120	1117878	E1636985	46	SOIL		WOOSYR01	0	20.09	NOT
5/14/2008	444444	1117878	E1637027	50	SOIL		WOOSYR01	0	24.12	NOT
5/14/2008	999999	1117878	E1637046	301	SOIL		WOOSYR01	0	23.9	NOT
5/14/2008	000608	1117878	E1637049	96	SOIL		WOOSYR01	0	21.1	NOT
5/14/2008	000658	1117878	E1637051	99	SOIL		WOOSYR01	0	24.33	NOT
5/14/2008	001364	1117878	E1637052	90	SOIL		WOOSYR01	0	20.21	NOT
5/14/2008	999999	1117878	E1637089	58	SOIL		WOOSYR01	0	21.99	NOT
5/14/2008 999999	999999	1117878	E1637091	302	SOIL		WOOSYR01	0	23.68	TON

Date	Driver Number	Master Order	Ticket	Tractor		Description	Company	Hours	Total Weight	Unit of Measure
5/14/2008	000120	1117878	E1637104	46	SOIL		WOOSYR01	0	22.6	TON
5/14/2008	444444	1117878	E1637141	50	SOIL		WOOSYR01	0	23.05	TON
5/14/2008	999999	1117878	E1637165	301	SOIL		WOOSYR01	0	24.8	TON
5/14/2008	000608	1117878	E1637166	96	SOIL		WOOSYR01	0	23.41	TON
5/14/2008	000658	1117878	E1637180	99	SOIL		WOOSYR01	0	24.4	TON
5/14/2008	001364	1117878	E1637181	90	SOIL		WOOSYR01	0	21.61	TON
5/14/2008	000509	1117878	E1637184	97	SOIL		WOOSYR01	0	20.55	TON
5/14/2008	999999	1117878	E1637196	58	SOIL		WOOSYR01	0	23.83	TON
5/14/2008	999999	1117878	E1637198	302	SOIL		WOOSYR01	0	24.07	TON
5/14/2008	000120	1117878	E1637202	46	SOIL		WOOSYR01	0	22.31	TON
5/14/2008	000464	1117878	E1637232	51	SOIL		WOOSYR01	0	24.74	TON
									582,54	
5/15/2008	999999	1117878	E1637363	302	SOIL		WOOSYR01	0	22.81	TON
5/15/2008	444444	1117878	E1637365	50	SOIL		WOOSYR01	0	21.48	TON
5/15/2008	000658	1117878	E1637369	99	SOIL		WOOSYR01	0	22.05	TON
5/15/2008	000608	1117878	E1637444	96	SOIL		WOOSYR01	0	18.37	NOT
5/15/2008 000509	000509	1117878	E1637465	97	SOIL		WOOSYR01	0	19.42	TON

Date	Driver Number	Master Order	Ticket	Tractor		Description	Company	Hours	Total Weight	Unit of Measure
5/15/2008	000586	1117878	E1637467	45	SOIL		WOOSYR01	0	22.27	NOT
5/15/2008	000862	1117878	E1637469	71	SOIL		WOOSYR01	0	21.03	NOT
5/15/2008	999999	1117878	E1637483	58	SOIL		WOOSYR01	0	22.34	TON
5/15/2008	333333	1117878	E1637497	301	SOIL		WOOSYR01	0	22.11	TON
5/15/2008	444444	1117878	E1637519	50	SOIL		WOOSYR01	0	20.72	NOT
5/15/2008	999999	1117878	E1637523	302	SOIL		WOOSYR01	0	20.75	NOT
5/15/2008	000658	1117878	E1637528	99	SOIL		WOOSYR01	0	22.82	NOT
5/15/2008	000608	1117878	E1637555	96	SOIL		WOOSYR01	0	22.12	NOT
5/15/2008	999999	1117878	E1637587	58	SOIL		WOOSYR01	0	21.8	NOT
5/15/2008	000509	1117878	E1637601	97	SOIL		WOOSYR01	0	23.78	NOT
5/15/2008	000586	1117878	E1637602	45	SOIL		WOOSYR01	0	23.21	NOT
5/15/2008	333333	1117878	E1637603	301	SOIL		WOOSYR01	0	23.21	TON
5/15/2008	000862	1117878	E1637619	71	SOIL		WOOSYR01	0	22.6	TON
5/15/2008	444444	1117878	E1637633	50	SOIL		WOOSYR01	0	23.94	TON
5/15/2008	999999	1117878	E1637636	302	SOIL		WOOSYR01	0	22.37	TON
5/15/2008	000658	1117878	E1637651	99	SOIL		WOOSYR01	0	22.19	NOT
5/15/2008	000608	1117878	E1637682	96	SOIL		WOOSYR01	0	22.14	TON

Date	5/15/2008	5/15/2008	5/15/2008	5/15/2008	5/15/2008		5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008	5/16/2008 133333
Driver Number	999999	333333	000586	000509	000862		444444	999999	133333	000658	000862	000586	000509	000872	444444	999999	133333
Master Order	1117878	1117878	1117878	1117878	1117878		1117878	1117878	1117878	1117878	1117878	1117878	1117878	1117878	1117878	1117878	1117878
Ticket	E1637718	E1637719	E1637809	E1637810	E1637814		E1637934	E1637936	E1637942	E1637943	E1637974	E1637975	E1637976	E1637978	E1638044	E1638049	E1638056
Tractor	58	301	45	97	71		50	302	96	99	71	45	97	38	50	302	96
	SOIL	SOIL	SOIL	SOIL	SOIL		SOIL										
Description																	
Company	WOOSYR01	WOOSYR01	WOOSYR01	WOOSYR01	WOOSYR01		WOOSYR01										
Hours	0	0	0	0	0		0	0	0	0	0	8 .5	0	0	0	0	0
Total Weight	21.98	22.72	22.5	21.24	21.18	593.15	22.37	22,44	20.5	20.29	19.81	20.65	22.9	20.28	24.19	23.89	25.59
Unit of Measure	TON	TON	TON	NOT	TON		TON	NOT	TON	TON	TON						

Tons	1699.76	Total Weight	Total							
	524.07									
NOT	21.86	0	WOOSYR01		SOIL	97	E1638225	1117878	000509	5/16/2008 000509
NOT	21.65	8.5	WOOSYR01		SOIL	71	E1638223	1117878	000862	5/16/2008
NOT	24.64	0	WOOSYR01		SOIL	45	E1638215	1117878	000586	5/16/2008
TON	24.82	0	WOOSYR01		SOIL	99	E1638169	1117878	000658	5/16/2008
NOT	23.04	0	WOOSYR01		SOIL	96	E1638161	1117878	133333	5/16/2008
TON	22.27	0	WOOSYR01		SOIL	302	E1638156	1117878	999999	5/16/2008
TON	25.2	0	WOOSYR01		SOIL	50	E1638154	1117878	444444	5/16/2008 444444
TON	25.13	0	WOOSYR01		SOIL	38	E1638109	1117878	000872	5/16/2008 000872
TON	24.63	0	WOOSYR01		SOIL	97	E1638104	1117878	000509	5/16/2008 000509
TON	21.76	0	WOOSYR01		SOIL	71	E1638103	1117878	000862	5/16/2008 000862
TON	23.77	0	WOOSYR01		SOIL	45	E1638098	1117878	000586	5/16/2008
TON	22.39	0	WOOSYR01		SOIL	99	E1638058	1117878	000658	5/16/2008
Unit of Measure	Total Weight	Hours	Company	Description		Tractor	Ticket	Master Order	Driver Number	Date

Architecture, Engineering & Landscape Architecture, P.C.

May 27, 2008

Mr. Brian St. Laurent Woodbine Group 505 East Fayette Street Syracuse, New York 13202 431 East Fayette Street Syracuse, New York 13202 Phone: 315-472-6980 Fax: 315-472-3523 E-mail: bda@beardsley.com www.beardsley.com Richard C. Elliott, P.E. John W. Drury, P.E. Raymond N. Cudney, P.E. Steven F. Moolin, R.A. Mark A. Rebich, P.E.

RE:

Interim Remedial Measure

Soil Pile Removal 700 Outparcel

City of Syracuse, New York

BDA #08926.000

Dear Mr. St. Laurent:

In accordance with the Interim Remedial Work Plan dated April 23, 2008, Beardsley Design Associates (BDA) was on site as a representative for Woodbine Group during the soil pile removal. BDA's scope of services included oversight of the soil removal by Ricelli Enterprises (Ricelli) that included the collection of non hazardous waste shipping manifests and the confirmation of Ricelli's adherence to requirements of the work plan. BDA also performed on-site air monitoring for VOCs and particulates as specified in the Community Air Monitoring Plan (CAMP).

Soil Removal

Soil removal was completed by Ricelli on May 14, 15, and 16, 2008, utilizing a fleet of 10-wheeled dump trucks to transport the soil to the Seneca Meadows Landfill for disposal. Ricelli utilized a John Deere model 892ELC track-mounted excavator to excavate soil from the pile and load the dump trucks. Poly sheeting was placed over the ground surface in a designated loading area at the east end of the pile to retain and recover indiscriminant soils released during the loading operation. The asphalt-paved entrance off of East Water Street was also swept regularly to minimize tracking of soil off site onto East Water Street.

Ricelli hauled 26 truckloads of soil to Seneca Meadows Landfill on May 14, and an additional 27 loads and 23 loads on May 15 and 16, respectively. The Non-Hazardous Solid Waste Manifests for these loads are attached.

Air Monitoring

Real-time air monitoring was performed on each haul date during the hours of operation. Two weather-protected monitoring stations were set up on each date: one at a location determined to be upwind of the loading operation, and a second station determined to be at a downwind location. Monitoring for volatile organic compounds (VOCs) was performed using a Minirae 2000 photo-ionization detector (PID). This was stationed primarily at the downwind monitoring location. Particulate concentrations were measured using two Model 8520 DUSTTRAKTM aerosol monitors, one placed at an upwind location and another at a downwind location. Monitor placement locations were adjusted during each day as needed to obtain the most reliable upwind and downwind readings.



Real-time readings of VOCs and particulates were obtained by the Minirae and DUSTTRAK monitors that digitally calculated and recorded running averages of 15 minutes or less and stored the data in memory for later retrieval. The monitors were visually checked on a regular basis throughout each day, and a field log was also maintained of the recorded data statistics for the duration of the soil pile removal. Computer-downloaded data logs and copies of the field logs are attached.

One of the DUSTTRAK monitors apparently malfunctioned during download, and some of the data recorded by the monitor was lost. Statistical data from this monitor was also recorded in the field log during the project, which is included with this report.

Monitoring determined that downwind VOC and particulate levels remained within the acceptable limits established by the CAMP during the soil removal. The VOC action level was briefly exceeded at the start of monitoring on May 15 at the downwind location near the northeast corner of the site. However, this was immediately interpreted to be the result of wet conditions due to rainfall that morning. A moisture filter was installed on the PID and no further anomalies were recorded at this monitoring location. Relatively high particulate levels were recorded at one of the monitoring locations on the morning of May 15. However, this was the upwind monitoring location and a significant wind was coming from the west. The downwind monitor was recording levels below the prescribed action level and no corrective action was necessary. The cause of this anomaly was undetermined, but may have been related to wind coupled with dust on city streets during a period of high traffic volume.

If you should have any questions regarding the information presented in this report, please feel free to contact our office at your convenience.

Very truly yours,

BEARDSLEY DESIGN ASSOCIATES


Douglas F. Hurlbut Senior Designer

Richard D. McKenna Project Engineer

Attachments

FIELD NOTES

Sport 7:16 0. 23-0.29 mg/03 #03186 7:30 0,023 7:43 0.032-0.078 8:02 0.043-0.048 (downing) 8:32 0.002-0101 8 4 0,040-0.053 850 0.043-0,117 9:17 0.031-0.055 moved instrument 9:38 9.49 0.034-0.42 10:09 0022-0.032 10:28 0.02\$ - 0.032 * Steets: average . 0.000 mm 0,019 max 0,463 3: 11 clay 10:51 . 0.031-0.035 av. 0.149 mm 0,019 Aux 0,484 3:35 clapsed fine



Recelle Tricks 5/4/0 Prick 80st 9:00 Truck 9 9:47 DT-1 SW downwind 11:30 0,084-0,035 AV 01048 mm 0,019 nox 0, 484 4:14 depend Sample 2 Start 01039-0:037 - mondagange to NW corner Auray 0,062 0.037 12 min 41 Sec 0,47/ & Semple & Start 11:46 12:14 6.04\$ -0.051 12:15 ar 0,047 mar 0,397 elapent 19:06 Sample 3 12:15 pm 12:30 av. 6,038 Sample 3 19:51 15:00 elapsed sample 4 av. 0,034 15:16 elapsed mm 0,019 mos 8-153

2 By 5/14 Continued opens 0.029-0.030 7v.0022 mm 12,004 Mxx 0,221 class 11:23 moved garge to SE corner reget - Sample #3 11:41 11:41 AM 12:32 Av 0.022 Sample #3 mm 0,009 51:55 max 0,150 Semple #4 1.4840,03 PMMLO OID C5 26 clapses Max 063 moved to S. com unuind 0.046 19:09 elaps 0.007 max 0,979 6.009 min 37:30 4 0.026 18:00 played time Min 0. 009 Max 0,745


5/14 200 Outparcel Cont. 5/14/108 DT-1 NW - moved to Nicenter Pib Sample 5 % 1:52 0.0 -0.8 min 0,063 1:58 0.0 - 1.3 po) 0.081 0.197 avo, or 2:25 0.0-08 Sungle # TDT-1 Confo Sample 6 175 pm AV 0,054 AVOIDT min 0,022 12:25 elapse Am 6.019 max 0.271 12:23 clapsed May 0-2174 Sample 1:44 pm AV. 0.041. mn 0.020 24:50 Mux 0-162 Sample 6 4 1:56. 0,075 AV 2:20 16 and 0:013 phiso plays 1-13 6,273 mays from Sample 7 27/3 N. 0-079 Mr. 6:020 17:23 elapsed Fine Mr. 1942

700 Outparcel 5/ \$708 - Book grand reading 5: Sui Dattrak 0.065 + 0.075 Corner PID 0.0 - 0.3 NE DT 6.58 0064 + 0.05 Corner PID 0.0 - 0.075 Corner DT 7:00 0.063 - 0.040 NE-DE 0.054 Sample 9 Corner DT 7:00 0.063 - 0.040 Sample 10		5/15
Bock grand readings: 312 DotTrak 0.065 +0.079 7:18 4 0.15 Sangle II corner PID 0.0-0.3 NE DU 0.0-0.30 7:18 1 0.013 may 0.020 NE DU 6.58 0.064 408 7:128 1 0.056 573.26 Corner PID 0.0-6.075 7:43 1 0.065 7.32.6 Corner PID 0.0-6.075 7:43 1 0.064 0.065 1 0.065	700 Octomed 5/15/08	STA NE #10415 DT2
Sul Datrate 6.065-0.075 7:18 th 0.18 Sample 11 corner PID 0.0-0.3 mm 0.243 9:59 Av 0.03 c B NW DV 0.0-0.5 0.130 7.28 M 0.065 7.32.26 Corner PID 0.0-0.4 mm 0.056 Sample 12 SE DT 7:07 0.068-0.017 7.43 Av 0.064 0.046 Moss NE-SE Corner DJ 7:00 0.063-0.070 7:43 Av 0.064 0.046 Moss NE-SE Corner DJ 7:00 0.063-0.070 500 0.059 0.024 Av Corner DJ 7:00 0.063-0.070 500 0.059 0.024 Av Sample 9 0.024 Av Sample 9 0.024 Av South May 12 Sample 10 7:03 0.016 min 0.054 0.032 0.024 Av South May 12 Sample 10 7:03		-7:53 Start
Some PID 0.0-0.3 mm 6093 3:59 AV 903 C M	- Back grand readings.	
20 DT 0.08 0.130 7.28 M 0.065 7.32.26 NE DT 6:58 0064 4.88 7.28 M 0.065 7.32.26 Corner PID 6:58 0067 4.88 7.22 M 0.065 32.22 AV Corner PID 6:58 0067 7.43 M 0.064 9.37: 4025 AV Corner PID 6:00-6.075 7.43 M 0.064 0.066 Max NE -DE 100 0.063 - 0.040 7.43 M 0.064 0.066 Max NE -DE 100 0.063 - 0.040 7.39.32 0.013 min PID 0.00-0.6 Sample 9 0.014 Max 8:05 Max 0.060 7 1:03 PID 8:05 Max 0.060 7 1:03 Sample 10 7:07 0.016 min Sample 10 1:22 7.0016 Max Sample 10 1:22 7.0016 Max Size No.054 0.055 8.0616 max Size No.055 Max 0.060 7 1:03 Sample 10 1:22 7.0616 Max Size No.055 Max 0.060 7 1:03 No.056 Max 0.065 Max 0.066 Max 0.0616 Max No.057 Max 0.067 Max 0.0616 Max 0.061	00-0,3	min 0.093 9:59 NV 0.03 i B
NE DJ 6:58 0064 48 7:28 NV 0:065 733:26 Corner PID 000 0.4 SE DJ 7:07 0:06 -00 L7 Corner PID 0:0-0.075 7:43 NV 0:064 0:019 min NE-SDE 0.0-0.075 7:43 NV 0:064 0:019 min NE-SDE 0.0-0.063 -0.070 7:43 NV 0:060 7:03 0.013 min PID 0:0-0.6 Sample 9 0:046 Men Sample 9 0:046 Men 12 Sample 10 0:054 0:32: G.022 AV T 0:064 0:016 min Sample 10 0:046 Men 12 Sample 10 1:03 Sample 10 0:046 Men 12 Sample 10 1:03 Sample 10 0:047 Min 0:043	0.0860015	-27me
Corner PID 0.0 -0.4 SE DT 7:07 0.06\$ -0.017 Corner PID 0.0 - 6.075 Corner PID 0.0 - 6.075 T19:43 AV 0.064 0.019 mm NE -50 E Corner DT 7:00 0.063 - 0.040 PID 0.0 -0.6 Sample 9 0.013 min 8:05 AV 0.060 T1:03 PID 50:01 AV Sample 10 Sample 10	corner pt 0.00 p 0.130	ا ا ا المحالم
SE DT 7-27 0.06%-0067 Corner PID 0.0-6.075 7:43 AV 0.064 0.0-6.075 7:43 AV 0.064 0.0-646 Moss NE-DE corner DT 7:00 0.063-0.070 Sample 9 0.046 Moss 1 8:05 Moss 0.060 7:03 12 Sample 10 Moss 0.043 Moss 0.043 Moss 0.043 Moss 0.043 Moss 0.043 Moss 0.043	Comer BID OB 12.4	mus 0.056 Bample 12
Corner 11 0.00 0.00 7:43 AV 0.064 0.016 Max NE-SCE 100 0.063 - 0.070 100 0.058 37.31 T corner DT 7:00 0.063 - 0.070 100 0.058 37.31 T 0.013 min 9:05 100 0.00 Max 0.000 100 100 100 100 100 100 100 100 1	CE DI 7:07 0.06 15-0067	1 1 1 19/6/43 1 7/3/3 4025 11 1
Corner DJ 7:00 0.063-0.040 A PID 0.0-0-6 Sample 9 Rios Min 0.060 T 1:03 Rios Min 0.054 10:32; 0.022 Av T 0.061 0.011 min Sample 10 Sample 10 Size Ava.054 Ava.054 Ava.054 May 0.043 May 0.043 May 0.043 May 0.043	Corner	1,43 10 0.00 0 016 Max
9 P,D 0.0-0-6 Sample 9 Nov 0.060 7/2 Nov 0.060 7/2 Nov 0.060 12 Sample 10 Sample 10 Sample 10 Sample 10 Sample 10 Moved for the South Move 0.043 Move 0.043 Move 0.043	NE-SOE	ma 0.058 37.31 T
Sample 9 Sample 9 Ocayle May 12 8:03 Rv 0.060 7 1:03 12 mass 0.054 20:32: G.022 Av = 0.066 0.016 min Sample 10 Sample 10 Size Ava.054 ** moved for the Sorth min 0.043 mass 0.043		
12 8:03 min 0:054 20:32: 6:022 Ar 20:054 20:32: 6:022 Ar 20:066 0:066 min 20:53 8:046 mox 1:32 7 8:043 Move of 0:043	9 9,0 0.0 0.5	Sample 9 0.046 May
Sample 10 Size AV 0.057 Amend forther Soft		8:03 100 1 1 1
Sample 10 20:53 8.046 most 1:52 7 8:26 AVO.054 ** Moved further Sorth 100 100 100 100 100 100 100 100 100 10		max 0:03 (0:32; 0:022 Av
Size Ava. 057 ** Amoved further South		20:53 8.046 mas
	12	Sample 10 1.32 7
May 0.070 May 0.070 Mayor boat Lifty Lythor South fact center		
Lyther South Control		Mars 0 - 6 70
Lither South & anst center)		T 21.47 Mayed to a little
		Lither Brith (anst center)

5/15/08	PID Nite DOH
STA SQU Upwind DT/	7:29 morshre Filter on
- 7:07 Start Sample 1	7:30 55 1.4-3.9 pm
	7:31 0.0 -0.7 779
1273 011 30	7:41 0.0-0.8
mm 0.093	8:03 9:0-0.8
12 00 olgosil T 19:26	8'-27 0.0 - 0.8
	8:59 0.0 - 0.9
7:39 AV 0.160 Sample 12 Min 0:139 9119 NO.025	9,20
May 0,183 - MMG-019	10:02 0.0 -1.1
Tigory land	10:3, 0.0-0.8
Sangle 8 719:54	10,50 0,0-0,8
7.54 9:38 N 0:083 -N 0:157 9:00:053	11:09 0.0-09
1 have 0 159	11:37 0.0-0.9
	12:45 6.0-0,9
1 mar 0, 173 - 122 cs T 15: V7 -> moved instrument	- 12:29 00-1.0
12 To west center	17:53 0.0-0.8
Sample 9 yours	1,50 0.0-0.4
2:23 6,15 5 Sample 12 conti	2:01 6.1-9.4
0,126	3:04 0.0-0.6
1890	3:04 0.0-0.6
Sample 10 may 0. 254 Sample 10 7 42:03	
27:44 Mr 8.040 may 0.234 Sample 10 442:03	
8:51 AV 0:102	
mod o vol	
7 34.33	

DTZ 5/15/08 trin East downward Cont. Station Wast Sample 15 Sample 12 cont 1:14AV 0,032 more to north center 60:51 MO.021 NO.054 12251 O. OLE AV mis Ocal mm 0-011 min 0.036 6.035 min max 1242 EX-46:50 mox 0.046 MAX 6. 098 6.077 MAN elapsed 1 elapsed 7 30,40 ET 29:00 Sample 15 11:09 AV 0.021 N:49 AV 6-057 1:12 0.0°CS AV mm 6,01 0.027 AV Avin 6.03% 0.011 0-032 min min max B 147 Max 0,062 0-364 chapsed 7 49:48 O. 142 Max Max 23:40 11.07 AV6.059 1:53 0.531 min Oro 36 4.37 NO.019 0.010 MY 0,223 0,052 Ano :013 0.726 0.032 dapsed T 1:08 Mary MX0.074 40.49 MOX 28,00 Sample 11.36 AV 0.039 12: 26 AVD. 018 0,02 21/20,082 AV /2 200 AV min 6.038 min 6.012 min 0,010 Mile max 6.249 15/ Max max0,090 1,21 MAT elapsed +28:00 58:35 ET ET 1:16 Somple 14 12:22 NO. 059 22 0. 193 more to SE corners: 04 0-010 6,029 12;54 6.038 AV AV 0.017 Mm0,036 0.008 Mill my 01244 min 0.012 max 6.364 elapsed 7 1:15 51.28 mar 1,42 ET 27:58

The second secon		
5/16/08 ×01most no u	and SI16	#2 Upwine
Station East# -dawn	- C + - + 3181	Meet Can
DT 2 dt 10 475 St 1803 t		West Center
- Sample 18 6 SGAM	Sample 18	
N 0.023	7:19 A 0.062 mm 0.056	9:58 0.660 AV
mm 6.077	n A Mad	0.035 min
77:52	# 61T	FJ 2:00
Sample 19 7:06/Upnin	2 Shop 7-35 AV 0.066	Harming Sheft
7:30 0.031 AV 9:29 0;	mr 0 02/3	5 1 00
	025 Max 0,167	
6,442 may	7:53 NO 071	0.032 min
14:46 125 1	132 0.033	0,129 max
7:56 0.021 AV 9:52 0	1,024 6,528	40,49 57
9 5.011 min -	1 1918 1	11:05 0.045 AV
, o, year may a.	732 Sample 19	6.024 min
	21 8:19 6.074	1:05 ET
12 Sample 20 Sample	0.037	
8.17 0.032 AV W.37 0,	010 21:06	12:18 0,017 0,043
the state of the s	078 9:14 6:062	2.008-6.021
20739 27 345	120 0005	0 / 20 6.701
	,017	2:19
9:13 0:027 AV	1.008	Sample 21
0,012-min	12 9:30 6:06D	12:53 6:637 AV 0.022 min
9:13 0:027 AV 11:06 0 0:012-Min 0 0:732 man	(1)	0. 194 max
1.10	1 777	35144 ET



DUSTTRACK 8520 MONITORING DATA

Instrument		Data Properties		
Model	Dust Trak	Start Date	05/14/2008	
Meter S/N	85261312	Start Time	11:40:53	
	Pine#10415	Stop Date	05/14/2008	
		Stop Time	12:30:53	
		Total Time	0:00:50:00	
		Logging Interval	300 seconds	

		Test Data	<u> </u>
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	11:45:53	0.025
2	05/14/2008	11:50:53	0.024
3	05/14/2008	11:55:53	0.032
4	05/14/2008	12:00:53	0.022
5	05/14/2008	12:05:53	0.022
6	05/14/2008	12:10:53	0.017
7	05/14/2008	12:15:53	0.015
8	05/14/2008	12:20:53	0.020
9	05/14/2008	12:25:53	0.020
10	05/14/2008	12:30:53	0.019

Instr	Instrument		Data Properties		
Model	Dust Trak	Start Date	05/14/2008		
Meter S/N	85261312	Start Time	12:33:02		
		Stop Date	05/14/2008		
		Stop Time	12:48:02		
		Total Time	0:00:15:00		
		Logging Interval	300 seconds		

		Test Data	
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	12:38:02	0.018
2	05/14/2008	12:43:02	0.021
3	05/14/2008	12:48:02	0.024

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	85261312	Start Time	12:48:44
		Stop Date	05/14/2008
		Stop Time	13:03:44
		Total Time	0:00:15:00
		Logging Interval	300 seconds

		Test Data	
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	12:53:44	0.025
2	05/14/2008	12:58:44	0.068
3	05/14/2008	13:03:44	0.056

Instr	Instrument Data Pro		Instrument Data Properties		erties
Model	Dust Trak	Start Date	05/14/2008		
Meter S/N	85261312	Start Time	13:08:06		
		Stop Date	05/14/2008		
		Stop Time	13:43:06		
		Total Time	0:00:35:00		
		Logging Interval	300 seconds		

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	13:13:06	0.110
2	05/14/2008	13:18:06	0.028
3	05/14/2008	13:23:06	0.041
4	05/14/2008	13:28:06	0.032
5	05/14/2008	13:33:06	0.015
6	05/14/2008	13:38:06	0.021
7	05/14/2008	13:43:06	0.014

TrackPro Report Page 1 of 1

Test 007

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	85261312	Start Time	13:46:23
		Stop Date	05/14/2008
		Stop Time	14:01:23
		Total Time	0:00:15:00
		Logging Interval	300 seconds

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	13:51:23	0.024
2	05/14/2008	13:56:23	0.050
3	05/14/2008	14:01:23	0.015

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	23016	Start Time	07:17:24
	Pine# 03186	Stop Date	05/14/2008
		Stop Time	11:17:24
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Statistics				
	Aerosol			
Ave	0.049 mg/m^3			
Max	0.068 mg/m^3			
Max Date	05/14/2008			
Max Time	08:47:24			
Min	0.033 mg/m^3			
Min Date	05/14/2008			
Min Time	10:17:24			
TWA (8 hr)	0.025			
TWA Start Date	05/14/2008			
TWA Start Time	07:17:24			
TWA End Time	11:17:24			

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	07:32:24	0.038
2	05/14/2008	07:47:24	0.055
3	05/14/2008	08:02:24	0.055
4	05/14/2008	08:17:24	0.056
5	05/14/2008	08:32:24	0.055
6	05/14/2008	08:47:24	0.068
7	05/14/2008	09:02:24	0.066
8	05/14/2008	09:17:24	0.039
9	05/14/2008	09:32:24	0.049
10	05/14/2008	09:47:24	0.057
11	05/14/2008	10:02:24	0.039
12	05/14/2008	10:17:24	0.033
13	05/14/2008	10:32:24	0.037
14	05/14/2008	10:47:24	0.048
15	05/14/2008	11:02:24	0.041
16	05/14/2008	11:17:24	0.050

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	23016	Start Time	11:45:26
		Stop Date	05/14/2008
		Stop Time	12:00:26
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statistics		
	Aerosol	
Ave	0.049 mg/m^3	
Max	0.049 mg/m^3	
Max Date	05/14/2008	
Max Time	12:00:26	
Min	0.049 mg/m^3	
Min Date	05/14/2008	
Min Time	12:00:26	
TWA (8 hr)	0.002	
TWA Start Date	05/14/2008	
TWA Start Time	11:45:26	
TWA End Time	12:00:26	

		Test Data	
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	12:00:26	0.049

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	23016	Start Time	12:14:56
		Stop Date	05/14/2008
		Stop Time	12:29:56
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statis	Statistics			
	Aerosol			
Ave	0.038 mg/m^3			
Max	0.038 mg/m^3			
Max Date	05/14/2008			
Max Time	12:29:56			
Min	0.038 mg/m^3			
Min Date	05/14/2008			
Min Time	12:29:56			
TWA (8 hr)	0.001			
TWA Start Date	05/14/2008			
TWA Start Time	12:14:56			
TWA End Time	12:29:56			

		Test Data	
Sample	Date	Time	Aerosol mg/m^3
1	05/14/2008	12:29:56	0.038

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	23016	Start Time	12:30:09
		Stop Date	05/14/2008
		Stop Time	12:45:09
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statistics			
	Aerosol		
Ave	0.034 mg/m^3		
Max	0.034 mg/m^3		
Max Date	05/14/2008		
Max Time	12:45:09		
Min	0.034 mg/m^3		
Min Date	05/14/2008		
Min Time	12:45:09		
TWA (8 hr)	0.001		
TWA Start Date	05/14/2008		
TWA Start Time	12:30:09		
TWA End Time	12:45:09		

Test Data				
Sample Date Time Aerosol mg/m^3				
1	05/14/2008	12:45:09	0.034	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N	23016	Start Time	13:14:51
		Stop Date	05/14/2008
		Stop Time	13:29:51
		Total Time	0:00:15:00
······································		Logging Interval	900 seconds

Statis	Statistics			
	Aerosol			
Ave	0.043 mg/m^3			
Max	0.043 mg/m^3			
Max Date	05/14/2008			
Max Time	13:29:51			
Min	0.043 mg/m^3			
Min Date	05/14/2008			
Min Time	13:29:51			
TWA (8 hr)	0.001			
TWA Start Date	05/14/2008			
TWA Start Time	13:14:51			
TWA End Time	13:29:51			

	Test Data				
Sample	Date	Time	Aerosol mg/m^3		
1	05/14/2008	13:29:51	0.043		

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/14/2008
Meter S/N 23016	Start Time	13:56:22	
	Stop Date	05/14/2008	
	:	Stop Time	14:11:22
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.056 mg/m^3
Max	0.056 mg/m^3
Max Date	05/14/2008
Max Time	14:11:22
Min	0.056 mg/m^3
Min Date	05/14/2008
Min Time	14:11:22
TWA (8 hr)	0.002
TWA Start Date	05/14/2008
TWA Start Time	13:56:22
TWA End Time	14:11:22

Test Data				
Sample				
1	05/14/2008	14:11:22	0.056	

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	07:19:21
	Stop Date	05/15/2008	
		Stop Time	07:34:21
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statistics			
	Aerosol		
Ave	0.163 mg/m^3		
Max	0.163 mg/m^3		
Max Date	05/15/2008		
Max Time	07:34:21		
Min	0.163 mg/m^3		
Min Date	05/15/2008		
Min Time	07:34:21		
TWA (8 hr)	0.005		
TWA Start Date	05/15/2008		
TWA Start Time	07:19:21		
TWA End Time	07:34:21		

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	07:34:21	0.163	

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	07:38:58
		Stop Date	05/15/2008
		Stop Time	07:53:58
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.157 mg/m^3
Max	0.157 mg/m^3
Max Date	05/15/2008
Max Time	07:53:58
Min	0.157 mg/m^3
Min Date	05/15/2008
Min Time	07:53:58
TWA (8 hr)	0.005
TWA Start Date	05/15/2008
TWA Start Time	07:38:58
TWA End Time	07:53:58

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	07:53:58	0.157	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	07:54:29
		Stop Date	05/15/2008
		Stop Time	08:09:29
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statistics			
	Aerosol		
Ave	0.161 mg/m^3		
Max	0.161 mg/m^3		
Max Date	05/15/2008		
Max Time	08:09:29		
Min	0.161 mg/m^3		
Min Date	05/15/2008		
Min Time	08:09:29		
TWA (8 hr)	0.005		
TWA Start Date	05/15/2008		
TWA Start Time	07:54:29		
TWA End Time	08:09:29		

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/15/2008	08:09:29	0.161

instrument		Data Properties	
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	08:22:28
		Stop Date	05/15/2008
:		Stop Time	08:52:28
		Total Time	0:00:30:00
		Logging Interval	900 seconds

Statistics			
	Aerosol		
Ave	0.111 mg/m^3		
Max	0.121 mg/m^3		
Max Date	05/15/2008		
Max Time	08:37:28		
Min	0.102 mg/m^3		
Min Date	05/15/2008		
Min Time	08:52:28		
TWA (8 hr)	0.007		
TWA Start Date	05/15/2008		
TWA Start Time	08:22:28		
TWA End Time	08:52:28		

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/15/2008	08:37:28	0.121
2	05/15/2008	08:52:28	0.102

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	08:57:15
		Stop Date	05/15/2008
		Stop Time	09:12:15
		Total Time	0:00:15:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.075 mg/m^3
Max	0.075 mg/m^3
Max Date	05/15/2008
Max Time	09:12:15
Min	0.075 mg/m^3
Min Date	05/15/2008
Min Time	09:12:15
TWA (8 hr)	0.002
TWA Start Date	05/15/2008
TWA Start Time	08:57:15
TWA End Time	09:12:15

Test Data			
Sample	Date	Time	Aerosol mg/m^3
1	05/15/2008	09:12:15	0.075

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	09:16:54
		Stop Date	05/15/2008
		Stop Time	09:46:54
		Total Time	0:00:30:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.082 mg/m^3
Max	0.083 mg/m^3
Max Date	05/15/2008
Max Time	09:31:54
Min	0.081 mg/m^3
Min Date	05/15/2008
Min Time	09:46:54
TWA (8 hr)	0.005
TWA Start Date	05/15/2008
TWA Start Time	09:16:54
TWA End Time	09:46:54

	Test Data			
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	09:31:54	0.083	
2	05/15/2008	09:46:54	0.081	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	09:59:10
		Stop Date	05/15/2008
		Stop Time	10:59:10
		Total Time	0:01:00:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.059 mg/m^3
Max	0.065 mg/m^3
Max Date	05/15/2008
Max Time	10:59:10
Min	0.053 mg/m^3
Min Date	05/15/2008
Min Time	10:29:10
TWA (8 hr)	0.007
TWA Start Date	05/15/2008
TWA Start Time	09:59:10
TWA End Time	10:59:10

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	10:14:10	0.056	
2	05/15/2008	10:29:10	0.053	
3	05/15/2008	10:44:10	0.061	
4	05/15/2008	10:59:10	0.065	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	11:07:25
		Stop Date	05/15/2008
<u> </u>		Stop Time	12:22:25
		Total Time	0:01:15:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.059 mg/m^3
Max	0.070 mg/m^3
Max Date	05/15/2008
Max Time	12:07:25
Min	0.050 mg/m^3
Min Date	05/15/2008
Min Time	11:52:25
TWA (8 hr)	0.009
TWA Start Date	05/15/2008
TWA Start Time	11:07:25
TWA End Time	12:22:25

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	11:22:25	0.064	
2	05/15/2008	11:37:25	0.052	
3	05/15/2008	11:52:25	0.050	
4	05/15/2008	12:07:25	0.070	
5	05/15/2008	12:22:25	0.058	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	12:22:45
		Stop Date	05/15/2008
		Stop Time	13:07:45
		Total Time	0:00:45:00
		Logging Interval	900 seconds

Statistics				
	Aerosol			
Ave	0.046 mg/m^3			
Max	0.047 mg/m^3			
Max Date	05/15/2008			
Max Time	12:37:45			
Min	0.045 mg/m^3			
Min Date	05/15/2008			
Min Time	12:52:45			
TWA (8 hr)	0.004			
TWA Start Date	05/15/2008			
TWA Start Time	12:22:45			
TWA End Time	13:07:45			

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	12:37:45	0.047	
2	05/15/2008	12:52:45	0.045	
3	05/15/2008	13:07:45	0.046	

Instr	ument	Data Prop	erties
Model	Dust Trak	Start Date	05/15/2008
Meter S/N	23016	Start Time	13:11:21
		Stop Date	05/15/2008
		Stop Time	13:56:21
		Total Time	0:00:45:00
		Logging Interval	900 seconds

Statistics			
	Aerosol		
Ave	0.049 mg/m^3		
Max	0.054 mg/m^3		
Max Date	05/15/2008		
Max Time	13:26:21		
Min	0.045 mg/m^3		
Min Date	05/15/2008		
Min Time	13:56:21		
TWA (8 hr)	0.005		
TWA Start Date	05/15/2008		
TWA Start Time	13:11:21		
TWA End Time	13:56:21		

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	13:26:21	0.054	
2	05/15/2008	13:41:21	0.047	
3	05/15/2008	13:56:21	0.045	

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/15/2008
Meter S/N 23016	23016	Start Time	14:10:09
		Stop Date	05/15/2008
		Stop Time	14:55:09
		Total Time	0:00:45:00
		Logging Interval	900 seconds

Statistics				
	Aerosol			
Ave	0.043 mg/m^3			
Max	0.046 mg/m^3			
Max Date	05/15/2008			
Max Time	14:55:09			
Min	0.041 mg/m^3			
Min Date	05/15/2008			
Min Time	14:25:09			
TWA (8 hr)	0.004			
TWA Start Date	05/15/2008			
TWA Start Time	14:10:09			
TWA End Time	14:55:09			

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/15/2008	14:25:09	0.041	
2	05/15/2008	14:40:09	0.042	
3	05/15/2008	14:55:09	0.046	

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/16/2008
Meter S/N	23016	Start Time	07:19:37
		Stop Date	05/16/2008
		Stop Time	07:49:37
		Total Time	0:00:30:00
		Logging Interval	900 seconds

Statis	tics
	Aerosol
Ave	0.072 mg/m^3
Max	0.078 mg/m^3
Max Date	05/16/2008
Max Time	07:49:37
Min	0.067 mg/m^3
Min Date	05/16/2008
Min Time	07:34:37
TWA (8 hr)	0.005
TWA Start Date	05/16/2008
TWA Start Time	07:19:37
TWA End Time	07:49:37

	Test Data				
Sample	Date	Time	Aerosol mg/m^3		
1	05/16/2008	07:34:37	0.067		
2	05/16/2008	07:49:37	0.078		

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/16/2008
Meter S/N	23016	Start Time	07:58:13
		Stop Date	05/16/2008
		Stop Time	09:58:13
		Total Time	0:02:00:00
		Logging Interval	900 seconds

Statistics					
	Aerosol				
Ave	0.060 mg/m^3				
Max	0.079 mg/m^3				
Max Date	05/16/2008				
Max Time	08:13:13				
Min	0.047 mg/m^3				
Min Date	05/16/2008				
Min Time	09:28:13				
TWA (8 hr)	0.015				
TWA Start Date	05/16/2008				
TWA Start Time	07:58:13				
TWA End Time	09:58:13				

Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/16/2008	08:13:13	0.079	
2	05/16/2008	08:28:13	0.065	
3	05/16/2008	08:43:13	0.062	
4	05/16/2008	08:58:13	0.051	
5	05/16/2008	09:13:13	0.060	
6	05/16/2008	09:28:13	0.047	
7	05/16/2008	09:43:13	0.048	
8	05/16/2008	09:58:13	0.068	

Instrument		Data Properties	
Model	Dust Trak	Start Date	05/16/2008
Meter S/N	23016	Start Time	09:58:29
		Stop Date	05/16/2008
		Stop Time	12:13:29
		Total Time	0:02:15:00
		Logging Interval	900 seconds

Statistics					
	Aerosol				
Ave	0.043 mg/m^3				
Max	0.053 mg/m^3				
Max Date	05/16/2008				
Max Time	10:13:29				
Min	0.031 mg/m^3				
Min Date	05/16/2008				
Min Time	11:58:29				
TWA (8 hr)	0.012				
TWA Start Date	05/16/2008				
TWA Start Time	09:58:29				
TWA End Time	12:13:29				


Test Data					
Sample	Date	Time	Aerosol mg/m^3		
1	05/16/2008	10:13:29	0.053		
2	05/16/2008	10:28:29	0.047		
3	05/16/2008	10:43:29	0.042		
4	05/16/2008	10:58:29	0.041		
5	05/16/2008	11:13:29	0.045		
6	05/16/2008	11:28:29	0.046		
7	05/16/2008	11:43:29	0.035		
8	05/16/2008	11:58:29	0.031		
9	05/16/2008	12:13:29	0.047		


instrument		Data Properties	
Model	Dust Trak	Start Date	05/16/2008
Meter S/N	23016	Start Time	12:18:21
		Stop Date	05/16/2008
		Stop Time	13:48:21
		Total Time	0:01:30:00
		Logging Interval	900 seconds


Statistics					
	Aerosol				
Ave	0.039 mg/m^3				
Max	0.050 mg/m^3				
Max Date	05/16/2008				
Max Time	13:33:21				
Min	0.030 mg/m^3				
Min Date	05/16/2008				
Min Time	12:48:21				
TWA (8 hr)	0.007				
TWA Start Date	05/16/2008				
TWA Start Time	12:18:21				
TWA End Time	13:48:21				


Test Data				
Sample	Date	Time	Aerosol mg/m^3	
1	05/16/2008	12:33:21	0.040	
2	05/16/2008	12:48:21	0.030	
3	05/16/2008	13:03:21	0.037	
4	05/16/2008	13:18:21	0.034	
5	05/16/2008	13:33:21	0.050	
6	05/16/2008	13:48:21	0.040	

MINIRAE 2000 MONITORING DATA









Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013458

User ID: 00000001 Site ID: 00000399
Data Points: 326 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

=======================================	:======================================		
Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0

	TOTH DEVELS				
Line#	Date	Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	 05/14/2008	====== 09:02		0.1	0.6
2	05/14/2008	09:03		0.2	0.6 0.7
3	05/14/2008	09:04		0.2	0.7
4	05/14/2008	09:05		0.2 0.2 0.3	0.8
5	05/14/2008	09:06		0.3	0.8
6	05/14/2008	09:07		0.2	0.7
7	05/14/2008	09:08		0.2	1.0
8	05/14/2008	09:09		0.3	1.4
9					1.0
10	05/14/2008	09:11		0.2	0.9
11	05/14/2008	09:12		0.2 0.2	0.7
12	05/14/2008	09:13		0.2	0.9
13	05/14/2008	N9-14		0.3	0.9
14	05/14/2008	09:15		0.2	0.8
15	05/14/2008	09:16		0.2	0.8
16	05/14/2008	09:17		0.2	0.8
17	05/14/2008	09:18		0.3	1.1
18	05/14/2008	09:19		0.2 0.2	0.8
19	05/14/2008	09:20		0.2	0.8
20	05/14/2008	09:21		0.2	0.9
21	05/14/2008	09:22		0.1	0.8
22	05/14/2008	09:23		0.1	0.8
23	05/14/2008	09:24		0.2	0.8
24	05/14/2008	09:25		0.2	0.9
25	05/14/2008	09:26		0.2 0.2	0.9
26	05/14/2008	09:27		0.2	0.8
27	05/14/2008	09:28		0.2	0.9
28	05/14/2008	09:29		0.3	0.9
29	05/14/2008	09:30		0.2	0.7
30	05/14/2008	09:31		0.2	0.9
31	05/14/2008	09:32		0.2	0.8
32	05/14/2008	09:33		0.1	0.8
33 34					0.8 0.9
35	05/14/2008	09:35		0.2 0.2	0.9
35 36	05/14/2008	09:30		0.2	0.8
37	05/14/2000	09:37		0.2	0.8
38	05/14/2006	09:30		0.2	0.9
39	05/14/2008	09:33		0.2	0.8
40	05/14/2008	09.41		0.2	0.9
41	05/14/2008	09.42		0.2	0.8
42	05/14/2008			0.2	0.9
43	05/14/2008			0.2	0.9
44	05/14/2008			0.2	0.9
45	05/14/2008			0.2	0.9
46	05/14/2008			0.3	0.8
47	05/14/2008			0.2	0.8
48	05/14/2008			0.1	0.8
49	05/14/2008			0.3	0.9
50	05/14/2008			0.2	0.7
51	05/14/2008			0.2	0.9
52	05/14/2008		= = = =	0.2	0.9
53	05/14/2008			0.3	0.9
5 4	05/14/2008			0.2	0.9
55	05/14/2008			0.2	0.8
56	05/14/2008			0.2	0.8
57	05/14/2008			0.3	0.8
58	05/14/2008			0.2	0.8
	,,				<u> </u>

59	05/14/2008	10:00		0.3	0.8
60	05/14/2008	10:01		0.2	0.9
61	05/14/2008	10:02		0.2	0.8
					0.9
62	05/14/2008	10:03		0.2	
63	05/14/2008	10:04		0.2	0.8
					0.7
64	05/14/2008	10:05		0.2	
65	05/14/2008	10.06		0.3	0.8
66	05/14/2008	10:07		0.2	0.8
67	05/14/2008	10.00		0.2	0.7
68	05/14/2008	10:09		0.2	0.9
	05/14/2008			0.2	0.9
69					
70	05/14/2008	10:11		0.1	0.6
				0.2	0.8
71	05/14/2008	10:12			
72	05/14/2008	10:13		0.2	0.9
				0.2	0.8
73	05/14/2008	10:14			
74	05/14/2008	10:15		0.2	0.8
75	05/14/2008	10:16		0.2	0.9
76	05/14/2008	10.17		0.1	0.9
77	05/14/2008	10:18		0.3	0.8
78	05/14/2008	10.19		0.2	0.7
79	05/14/2008	10:20		0.2	0.8
0.0	•			0.2	0.9
80	05/14/2008				
81	05/14/2008	10:22		0.2	0.9
					^ 7
82	05/14/2008	10:23		0.2	0.7
83	05/14/2008	10.24		0.2	0.8
84	05/14/2008	10:25		0.1	0.8
85	05/14/2008	10.26		0.2	0.8
86	05/14/2008	10:27		0.2	0.8
87	05/14/2008			0.2	0.8
88	05/14/2008	10:29		0.2	0.8
89	05/14/2008			0.2	0.8
90	05/14/2008	10:31		0.3	0.8
				0.2	0.9
91	05/14/2008				
92	05/14/2008	10:33		0.2	0.9
				0.2	0.8
93	05/14/2008				
94	05/14/2008	10:35		0.2	0.8
95	05/14/2008	10:36		0.3	0.8
96	05/14/2008	10.37		0.2	0.9
97	05/14/2008	10:38		0.2	0.9
98	05/14/2008	10.39		0.2	0.9
99	05/14/2008	10:40		0.1	0.7
100	05/14/2008	10.41		0.2	0.8
101	05/14/2008	10:42		0.2	0.8
102	05/14/2008	10.43		0.2	0.8
103	05/14/2008	10:44		0.1	0.8
104	05/14/2008			0.3	1.8
105	05/14/2008	10:46		0.2	0.8
				0.2	0.8
106	05/14/2008				
107	05/14/2008	10:48		0.2	0.8
108	05/14/2008			0.2	0.8
109	05/14/2008	10:50		0.2	0.7
				0.2	0.7
110	05/14/2008				
111	05/14/2008	10:52		0.1	0.8
	05/14/2008			0.2	0.8
112					
113	05/14/2008	10:54		0.2	0.8
	, ,				
114	05/14/2008			0.2	0.9
115	05/14/2008	10:56		0.2	0.8
116	05/14/2008	TO:2/		0.1	0.7
117	05/14/2008	10:58		0.1	0.7
118	05/14/2008			0.2	0.9
119	05/14/2008			0.2	0.8
120	05/14/2008	11:01		0.1	0.8
121	05/14/2008			0.2	0.7
122	05/14/2008	11:03		0.2	0.8
123	05/14/2008			0.2	0.8
					
124	05/14/2008	11:05		0.2	0.8
				0.1	0.8
125	05/14/2008				
126	05/14/2008	11:07		0.1	0.8
				0.2	0.7
127	05/14/2008	TT:00		V.2	V.,

				• •	
128	05/14/2008			0.2	0.8
129	05/14/2008	11:10		0.2	0.8
130	05/14/2008	11:11		0.1	0.8
131	05/14/2008			0.2	0.7
				0.2	0.8
132	05/14/2008				
133	05/14/2008			0.2	0.8
134	05/14/2008	11:15		0.1	0.7
135	05/14/2008	11:16		0.1	0.8
136	05/14/2008			0.2	0.8
					0.9
137	05/14/2008			0.2	
138	05/14/2008	11:19		0.2	0.8
139	05/14/2008	11:20		0.2	0.7
140	05/14/2008			0.1	0.7
	05/14/2008			0.1	0.8
141					
142	05/14/2008	11:23		0.1	0.8
143	05/14/2008	11:24		0.2	0.8
144	05/14/2008			0.2	0.9
145	05/14/2008			0.2	0.9
146	05/14/2008			0.2	0.8
147	05/14/2008	11:28		0.1	0.7
148	05/14/2008	11:29		0.2	0.8
149	05/14/2008			0.2	0.7
				0.2	0.8
150	05/14/2008				
151	05/14/2008			0.2	0.9
152	05/14/2008	11:33		0.2	0.8
153	05/14/2008	11:34		0.2	0.8
154	05/14/2008			0.2	0.8
					0.8
155	05/14/2008			0.2	
156	05/14/2008	11:37		0.2	0.8
157	05/14/2008	11:38		0.2	0.8
158	05/14/2008			0.2	0.8
	05/14/2008			0.1	0.5
159					
160	05/14/2008			0.6	4.0
161	05/14/2008	11:42		0.2	1.2
162	05/14/2008	11:43		0.2	0.9
163	05/14/2008			0.2	0.7
				0.3	1.0
164	05/14/2008				
165	05/14/2008			0.2	1.1
166	05/14/2008	11:47		0.1	0.7
167	05/14/2008			0.1	0.8
168	05/14/2008			0.2	0.8
					0.8
169	05/14/2008			0.1	
170	05/14/2008	11:51		0.2	1.4
171	05/14/2008	11:52		0.1	0.9
172	05/14/2008			0.1	0.9
	05/14/2008			0.1	0.8
173					
174	05/14/2008			0.1	0.8
175	05/14/2008	11:56		0.1	0.7
176	05/14/2008	11:57		0.1	0.7
177	05/14/2008			0.1	0.8
				0.1	0.7
178	05/14/2008		====		
179	05/14/2008	12:00		0.1	0.7
180	05/14/2008	12:01		0.1	0.7
181	05/14/2008			0.1	0.7
	05/14/2008			0.1	0.8
182					
183	05/14/2008			0.1	0.8
184	05/14/2008	12:05		0.2	1.1
185	05/14/2008	12:06		0.1	0.9
186	05/14/2008			0.1	0.8
				0.1	0.9
187	05/14/2008				
188	05/14/2008	12:09		0.1	0.9
189	05/14/2008	12:10		0.1	0.6
190	05/14/2008			0.1	0.8
	05/14/2008			0.1	0.8
191					
192	05/14/2008			0.1	0.6
193	05/14/2008	12:14		0.2	0.9
194	05/14/2008			0.1	0.8
195	05/14/2008			0.2	0.8
				0.1	0.8
196	05/14/2008	12:1/		3.1	0.0

197	05/14/2008	12.18		0.1	0.8
198	05/14/2008	12:19		0.1	0.7
199	05/14/2008	12.20		0.2	0.8
200	05/14/2008	12:21		0.2	1.1
201	05/14/2008			0.1	0.8
201					
202	05/14/2008	12:23		0.2	0.9
	•			0 1	0 0
203	05/14/2008	12:24		0.1	0.9
204	05/14/2008	12.25		0.1	0.8
	•				
205	05/14/2008	12:26		0.1	0.6
200	05/14/2008			0.1	0.8
206					
207	05/14/2008	12:28		0.1	0.8
				0.1	0.9
208	05/14/2008	12:29			
209	05/14/2008	12.30		0.1	0.8
210	05/14/2008	12:31		0.1	0.7
211	05/14/2008	12.32		0.1	0.8
212	05/14/2008	12:33		0.1	0.8
				0.1	0.8
213	05/14/2008				
214	05/14/2008	12:35		0.0	0.7
					0.7
215	05/14/2008	12:36		0.0	0.7
216	05/14/2008	12:37		0.0	0.4
217	05/14/2008	12:38		0.0	0.6
218	05/14/2008	12.30		0.0	0.7
219	05/14/2008	12:40		0.0	0.1
	, ,			0 0	0.1
220	05/14/2008	12:41		0.0	0.1
221	05/14/2008	12:42		0.0	0.0
222	05/14/2008	12:43		0.0	0.0
223	05/14/2008	12.44		0.0	0.0
224	05/14/2008	12:45		0.0	0.0
				0.0	Λ Λ
225	05/14/2008	12:46		0.0	0.0
226	05/14/2008	12:47		0.0	0.0
227	05/14/2008	12:48		0.0	0.0
228	05/14/2008	12.49		0.0	0.0
229	05/14/2008	12:50		0.0	0.0
				0.0	0.0
230	05/14/2008	17:21		0.0	0.0
231	05/14/2008	12:52		0.0	0.0
232	05/14/2008	12:53		0.0	0.0
233	05/14/2008	12.54		0.0	0.0
234	05/14/2008	12:55		0.0	0.4
				0.0	0.2
235	05/14/2008	17:00			
236	05/14/2008	12:57		0.1	0.8
					0 0
237	05/14/2008	12:58		0.1	0.8
238	05/14/2008	12.59		0.6	2.3
239	05/14/2008	13:00		0.3	1.7
240	05/14/2008	12.01		0.3	1.4
241	05/14/2008	13:02		0.4	1.4
242	05/14/2008			1.1	3.4
242					
243	05/14/2008	13:04		0.9	4.6
					4 0
244	05/14/2008			1.4	4.0
245	05/14/2008	13:06		0.6	2.1
246	05/14/2008			0.2	1.0
247	05/14/2008	13:08		0.4	3.4
248	05/14/2008			0.5	4.0
249	05/14/2008			1.8	9.1
250	05/14/2008	13:11		0.6	2.1
	05/14/2008			0.4	1.4
251					
252	05/14/2008	13:13		0.1	0.7
	, .				
253	05/14/2008			1.0	4.9
254	05/14/2008	13:15		0.6	3.0
255	05/14/2008	13:16		0.1	0.7
				0.2	1.2
256	05/14/2008				
257	05/14/2008	13:18		0.2	1.0
258	05/14/2008	T3:TA		0.4	1.3
259	05/14/2008			0.3	1.2
	0 = / 1 / 1 / 2 / 0 / 0	13:21		0.4	1.4
260	05/14/2008				
				n 3	'
261	05/14/2008	13:22		0.3	1.2
261	05/14/2008	13:22		0.3	0.9
261 262	05/14/2008 05/14/2008	13:22 13:23		0.2	0.9
261 262 263	05/14/2008 05/14/2008 05/14/2008	13:22 13:23 13:24		0.2 0.3	0.9
261 262 263	05/14/2008 05/14/2008 05/14/2008	13:22 13:23 13:24		0.2 0.3	0.9
261 262	05/14/2008 05/14/2008	13:22 13:23 13:24 13:25		0.2	0.9

266	05/14/2008	13.27		0.3	0.9
				0.2	0.8
267	05/14/2008				
268	05/14/2008	13:29		0.3	1.1
269	05/14/2008	13:30		0.3	1.2
270	05/14/2008			0.2	0.8
271	05/14/2008	13:32		0.2	0.9
272	05/14/2008	13:33		0.3	1.0
273	05/14/2008			0.3	1.0
				0.3	1.1
274	05/14/2008				
275	05/14/2008			0.2	1.0
276	05/14/2008	13:37		0.3	1.0
277	05/14/2008			0.2	1.0
				0.2	0.9
278	05/14/2008				
279	05/14/2008	13:40		0.3	1.1
280	05/14/2008	13:41		0.2	0.7
				0.2	0.9
281	05/14/2008		·		
282	05/14/2008	13:43		0.2	1.2
283	05/14/2008	13:44		0.3	1.3
284	05/14/2008			0.3	1.1
				0.2	1.0
285	05/14/2008		- 		
286	05/14/2008	13:47		0.2	1.0
287	05/14/2008	13:48		0.2	1.0
288	05/14/2008			0.2	0.9
				0.3	1.2
289	05/14/2008				
290	05/14/2008	13:51		0.3	0.9
291	05/14/2008	13:52		0.2	1.0
292	05/14/2008			0.2	0.8
				0.2	0.8
293	05/14/2008				
294	05/14/2008			0.2	1.0
295	05/14/2008	13:56		0.2	1.1
296	05/14/2008	13:57		0.3	1.0
297	05/14/2008			0.2	1.0
				0.3	1.1
298	05/14/2008				
299	05/14/2008	14:00		0.4	1.3
300	05/14/2008	14:01		0.3	1.1
301	05/14/2008			0.4	1.1
	05/14/2008			0.2	1.1
302				0.3	0.8
303	05/14/2008				
304	05/14/2008	14:05		0.2	1.0
305	05/14/2008	14:06		0.2	0.9
306	05/14/2008	14.07		0.3	1.1
307	05/14/2008			0.2	1.2
308	05/14/2008	14:09		0.2	1.2
309	05/14/2008	14:10		0.2	0.8
310	05/14/2008			0.2	0.8
311	05/14/2008			0.2	1.0
312	05/14/2008	14:13		0.2	0.8
313	05/14/2008			0.4	1.2
314	05/14/2008			0.3	1.6
				0.3	1.0
315	05/14/2008				
316	05/14/2008	14:17		0.4	1.5
317	05/14/2008	14:18		0.3	1.3
	05/14/2008			0.5	1.5
318					
319	05/14/2008			0.2	1.0
320	05/14/2008	14:21		0.2	0.8
321	05/14/2008			0.1	1.0
				0.1	0.7
322	05/14/2008				
323	05/14/2008			0.2	1.1
324	05/14/2008	14:25		0.2	0.9
325	05/14/2008			0.1	0.8
	, .			0.1	0.8
326	05/14/2008	17.2/			0

Serial Number: 013458 Instrument: MiniRAE 2000 (PGM7600)

User ID: 00000001 Site ID: 00000400
Data Points: 373 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Measurement Type: Min(ppm) Avg(ppm) Max(ppm) High Alarm Levels: 100.0 100.0 100.0

Low A	larm Levels	: :	50.0	50.0	50.0	
Line#	Date	Time	Min(ppm)	Avg(ppm)	Max(ppm)	
1	======== 05/15/2008	======= 06:59		0.0	 0.5	
2	05/15/2008	07:00		0.1	0.6	
3	05/15/2008 05/15/2008	07:01		0.0	0.5	
4	05/15/2008	07:02		0.1	0.5	
5	05/15/2008	07:03		0.0	0.5	
6	05/15/2008	07:04		0.0	0.6	
7	05/15/2008	07:05		0.0	0.5	
8	05/15/2008	07:06		0.0	0.6	
9	05/15/2008	07:07		0.0	0.5	
10	05/15/2008 05/15/2008	07:08		0.1	0.7	
11	05/15/2008	07:09		0.1	0.6	
12	05/15/2008	07:10		1.7	5.5	
13	05/15/2008			6.8	12.0	
14	05/15/2008	07.12		13.9	17.6	
15	05/15/2008	07:13		12.9	16.4	
16	05/15/2008	07:14		12.7	14.9	
17	05/15/2008	07:15		9.5	11.5	
18	05/15/2008 05/15/2008	07:16		9.7	14.0	
19	05/15/2008	07:17		9.2	12.6	
20	05/15/2008	07:18		12.9	19.1	
21	05/15/2008	07:19		15.0	17.6	
22	05/15/2008			12.6	17.0	
23	05/15/2008	07:21		11.9	14.4	
24	05/15/2008	07:22		12.1	15.8	
25	05/15/2008	07:23		13.2	18.6	
26	05/15/2008	07:24		15.2	18.6	
27	05/15/2008	07:25		14.5	17.5	
28	05/15/2008	07.26		11.5	15.1	
29	05/15/2008	07:27		8.4	12.5	
30	05/15/2008	07:28		7.2	9.7	
31	05/15/2008	07:29		12.3	16.7	
32	05/15/2008			16.0	17.3	
33	05/15/2008	07.31		10.0	17.2	
34	05/15/2008			6.3	9.3	
35	05/15/2008			2.2	4.3	
36	05/15/2008	07.33		0.1	0.7	
37	/ /			0.1	0.8	
38	05/15/2008 05/15/2008 05/15/2008	07.35		0.1	0.7	
39	05/15/2008	07.30		0.2	0.8	
	05/15/2008			0.2	0.8	
40 41	05/15/2008			0.1	0.3	
42	05/15/2008			0.2	0.7	
43	05/15/2008			0.1	0.3	
	05/15/2008			0.1	0.7	
44			-	0.2		
45	05/15/2008				0.8	
46	05/15/2008			0.2	0.7	•
47	05/15/2008			0.1	0.8	
48	05/15/2008			0.2	0.8	
49	05/15/2008			0.1	0.8	
50	05/15/2008			0.2	0.9	
51	05/15/2008			0.2	0.8	
52	05/15/2008			0.2	0.8	
53	05/15/2008			0.2	0.7	
54	05/15/2008			0.2	0.7	
55	05/15/2008			0.2	0.8	
56	05/15/2008		-	0.2	0.8	
57	05/15/2008			0.2	0.8	
58	05/15/2008	07:56		0.2	0.8	

59	05/15/2008	07:57		0.2	0.9
60	05/15/2008	07:58		0.2	0.8
61	05/15/2008			0.2	0.9
62	05/15/2008	08:00		0.2	0.8
63	05/15/2008			0.2	0.8
64	05/15/2008	08:02	101. AM. AM. AM. AM.	0.2	0.8
65	05/15/2008	08.03		0.2	0.9
66	05/15/2008	08:04		0.2	0.8
67	05/15/2008	08:05		0.2	0.9
. 68	05/15/2008			0.3	1.0
69	05/15/2008	08:07		0.2	0.9
					0.9
70	05/15/2008			0.2	
71	05/15/2008	08:09		0.2	0.8
72	05/15/2008	00.10		0.2	0.9
73	05/15/2008	08:11		0.2	0.9
74	05/15/2008	08-12		0.2	0.9
75	05/15/2008			0.2	0.8
76	05/15/2008	08:14		0.2	0.7
77	05/15/2008			0.2	0.8
78	05/15/2008	08:16		0.3	0.9
79	05/15/2008	08-17		0.3	1.1
80	05/15/2008	08:18		0.3	1.1
81	05/15/2008	08:19		0.3	0.9
82	05/15/2008			0.2	1.0
83	05/15/2008	08:21		0.2	0.9
				0.2	0.9
84	05/15/2008				
85	05/15/2008	08:23		0.2	0.8
86	05/15/2008			0.2	0.9
87	05/15/2008	08:25		0.2	0.9
88	05/15/2008	08:26		0.2	1.1
89	05/15/2008			0.2	08
90	05/15/2008	08:28		0.2	0.9
91.	05/15/2008			0.2	0.9
92	05/15/2008	08:30		0.2	0.8
93	05/15/2008			0.3	0.8
94	05/15/2008	08:32		0.2	0.8
95	05/15/2008	08:33		0.2	0.9
96	05/15/2008			0.2	0.9
97.	05/15/2008	08:35		0.2	0.8
98	05/15/2008			0.2	0.9
99	05/15/2008	08:37		0.2	0.9
100	05/15/2008			0.2	1.0
101	05/15/2008	08:39		0.2	1.0
102	05/15/2008	08:40		0.2	0.9
				0.3	
103	05/15/2008				1.0
104	05/15/2008	08:42		0.3	0.9
105	05/15/2008			0.3	1.0
					
106	05/15/2008	08:44		0.3	1.4
107	05/15/2008	08-45		0.3	1.1
108	05/15/2008			0.2	0.9
109	05/15/2008	08:47		0.2	0.9
				0.2	0.8
110	05/15/2008				
111	05/15/2008	08:49		0.3	1.2
112	05/15/2008	08:50		0.3	0.9
113	05/15/2008	08:51		0.3	1.0
114	05/15/2008	08:52		0.2	0.9
115	05/15/2008			0.3	0.9
116	05/15/2008	08:54		0.3	1.1
117	05/15/2008			0.2	0.8
			· 		
118	05/15/2008	08:56		0.2	0.8
119	05/15/2008			0.3	1.0
120	05/15/2008	08:58	-	0.2	0.9
	05/15/2000				1 0
121		08:59		0.2	1 . U
121	05/15/2008			0.2	1.0
122	05/15/2008 05/15/2008	09:00		0.2	0.9
122	05/15/2008 05/15/2008	09:00			
122 123	05/15/2008 05/15/2008 05/15/2008	09:00 09:01		0.2 0.3	0.9 1.4
122 123 124	05/15/2008 05/15/2008 05/15/2008 05/15/2008	09:00 09:01 09:02		0.2 0.3 0.3	0.9 1.4 1.2
122 123	05/15/2008 05/15/2008 05/15/2008	09:00 09:01 09:02		0.2 0.3	0.9 1.4
122 123 124 125	05/15/2008 05/15/2008 05/15/2008 05/15/2008 05/15/2008	09:00 09:01 09:02 09:03		0.2 0.3 0.3 0.2	0.9 1.4 1.2 0.9
122 123 124 125 126	05/15/2008 05/15/2008 05/15/2008 05/15/2008 05/15/2008 05/15/2008	09:00 09:01 09:02 09:03 09:04		0.2 0.3 0.3 0.2 0.4	0.9 1.4 1.2 0.9 1.4
122 123 124 125	05/15/2008 05/15/2008 05/15/2008 05/15/2008 05/15/2008	09:00 09:01 09:02 09:03 09:04		0.2 0.3 0.3 0.2	0.9 1.4 1.2 0.9

128	05/15/2008	09:06		0.3	1.0
129	05/15/2008			0.3	1.0
130				0.3	0.9
-	05/15/2008				
131	05/15/2008			0.2	1.0
132	05/15/2008	09:10		0.3	0.9
133	05/15/2008	09:11		0.2	0.9
134	05/15/2008			0.5	1.8
135	05/15/2008			0.3	0.9
					
136	05/15/2008			0.5	2.0
137	05/15/2008	09:15		1.1	3.5
138	05/15/2008	09:16		0.8	4.8
139	05/15/2008	09:17		1.8	4.3
140	05/15/2008			1.2	2.9
				0.5	$\frac{1.4}{1.4}$
141	05/15/2008				
142	05/15/2008			1.2	4.1
143	05/15/2008	09:21		1.6	4.8
144	05/15/2008	09:22		0.9	2.0
145	05/15/2008			0.6	1.5
146	05/15/2008			0.3	1.0
147	05/15/2008			0.3	1.0
148	05/15/2008			0.3	1.1
149	05/15/2008	09:27		0.3	1.0
150	05/15/2008			0.2	0.9
151	05/15/2008			0.3	1.0
				0.3	1.0
152	05/15/2008				
153	05/15/2008			0.3	1.0
154	05/15/2008	09:32		0.3	1.0
155	05/15/2008	09:33		0.3	1.0
156	05/15/2008			0.3	0.9
157	05/15/2008			0.3	1.0
158	05/15/2008			0.3	1.0
159	05/15/2008	09:37		0.3	1.0
160	05/15/2008	09:38		0.3	0.9
161	05/15/2008			0.3	1.0
162	05/15/2008			0.3	1.1
				0.4	1.3
163	05/15/2008				
164	05/15/2008			0.3	1.0
165	05/15/2008	09:43		0.4	1.0
166	05/15/2008	09:44		0.3	1.0
167	05/15/2008			0.3	1.0
168	05/15/2008			0.3	1.1
				0.3	1.0
169	05/15/2008				
170				0.3	1.0
171	05/15/2008		_ _	0.4	1.2
172	05/15/2008	09:50		0.3	1.0
173	05/15/2008	09:51		0.7	1.8
174	05/15/2008			0.3	1.0
				0.4	1.2
175	05/15/2008				
176	05/15/2008			0.4	1.2
177	05/15/2008	09:55		1.1	4.3
178	05/15/2008	09:56		1.6	4.4
179	05/15/2008			0.7	3.5
	05/15/2008			0.3	1.0
180					1.1
181	05/15/2008			0.4	
182	05/15/2008			0.3	1.1
183	05/15/2008	10:01		0.3	1.2
184	05/15/2008			0.4	1.2
185	05/15/2008			0.3	0.9
186	05/15/2008			0.3	1.0
187	05/15/2008		~-~- 	0.3	1.1
188	05/15/2008	10:06		0.4	1.2
189	05/15/2008			0.4	1.2
	05/15/2008			0.4	1.0
190	•				
191	05/15/2008			0.3	1.1
192	05/15/2008	10:10		0.3	1.1
193	05/15/2008	10:11		0.3	1.0
194	05/15/2008			0.3	1.0
195	05/15/2008			0.3	0.9
	05/15/2008			0.3	0.9
196	05/15/2008	±V.14		0.5	0.5

				• •	1 0
197	05/15/2008	10:15		0.3	1.2
198	05/15/2008	10.16		0.3	1.0
					1.0
199	05/15/2008	10:17		0.3	
200	05/15/2008	10:18		0.3	1.0
				0.3	1.0
201	05/15/2008				
202	05/15/2008	10:20		0.3	1.0
				0.4	1.2
203	05/15/2008				
204	05/15/2008	10:22		0.4	1.2
				0.3	1.0
205	05/15/2008				
206	05/15/2008	10:24		0.3	1.0
207	05/15/2008			0.3	1.0
208	05/15/2008	10:26		0.3	1.1
209	05/15/2008	10.27		0.3	1.0
210	05/15/2008	10:28		0.3	1.0
211	05/15/2008	10.29		0.3	1.1
212	05/15/2008	10:30		0.3	1.0
213	05/15/2008	10.31		0.3	0.9
214	05/15/2008	10:32		0.3	1.0
215	05/15/2008	10:33		0.3	1.0
				0.3	0.9
216	05/15/2008				
217	05/15/2008	10:35		0.3	0.9
				0.3	1.2
218	05/15/2008				
219	05/15/2008	10:37		0.3	1.0
	05/15/2008			0.4	1.4
220					
221	05/15/2008	10:39		0.3	1.1
	05/15/2008			0.3	1.1
222					
223	05/15/2008	10:41		0.3	1.0
224	05/15/2008			0.3	1.0
225	05/15/2008	10:43		0.3	1.2
226	05/15/2008	10.44		0.3	1.0
227	05/15/2008	10:45		0.3	1.4
228	05/15/2008	10:46		0.8	2.3
				0.5	1.5
229	05/15/2008				
230	05/15/2008	10:48		0.5	1.8
231	05/15/2008			1.4	4.3
232	05/15/2008	10:50		0.8	3.0.
233	05/15/2008	10:51		0.3	1.1
				0.5	1.3
234	05/15/2008				
235	05/15/2008	10:53		0.3	11.0
236				0.5	1.4.
	05/15/2008				
237	05/15/2008	10:55		0.2	1.0
238	05/15/2008	10.56		0.3	1.1
				0.4	1.2
239	05/15/2008	10:57			
240	05/15/2008	10:58		0.3	1.0
	•			0.3	1.0
241	05/15/2008				
242	05/15/2008	11:00		0.3	1.0
				0.3	1.0
243	05/15/2008				
244	05/15/2008	11:02		0.3	1.1
245	05/15/2008			0.3	1.0
246	05/15/2008	11:04		0.4	1.3
247	05/15/2008	11.05		0.4	1.0
					1.3
248	05/15/2008	11:06		0.5	
249	05/15/2008	11:07		0.4	1.1
				0.3	1.3
250	05/15/2008				
251	05/15/2008	11:09		0.4	1.2
				0.4	1.2
252	05/15/2008				
253	05/15/2008	11:11		0.4	1.1
254	05/15/2008			0.3	0.9
	• •				
255	05/15/2008			0.4	1.0
256	05/15/2008			0.3	1.1
					1.0
257	05/15/2008			0.3	
258	05/15/2008	11:16		0.4	1.0
				0.4	0.9
259	05/15/2008				
260	05/15/2008	11:18		0.2	1.0
	05/15/2008			0.4	1.0
261					
262	05/15/2008	11:20		0.7	1.6
263	05/15/2008		-	0.5	1.8
264	05/15/2008			0.5	1.6
265	05/15/2008	11:23	·	0.9	2.6
	, , -				

				• -	a
266	05/15/2008	11:24		0.5	1.6
267	05/15/2008	11:25		0.3	1.0
268	05/15/2008			0.5	2.8
269	05/15/2008			0.3	1.1
				0.3	1.0
270	05/15/2008				
271	05/15/2008	11:29		0.4	1.0
272	05/15/2008	11:30		0.4	1.5
273	05/15/2008			0.3	1.0
	05/15/2008			0.4	1.1
274					
275	05/15/2008			0.4	1.2
276	05/15/2008	11:34		0.4	1.1
277	05/15/2008	11:35	-	0.6	4.0
278	05/15/2008			0.5	1.9
279	05/15/2008			0.5	1.2
				0.4	1.1
280	05/15/2008				
281	05/15/2008			0.5	1.1
282	05/15/2008	11:40		0.3	1.0
283	05/15/2008	11:41		0.5	1.5
284	05/15/2008			0.5	1.8
285	05/15/2008			0.5	1.2
				0.4	1.0
286	05/15/2008				
287	05/15/2008			0.4	1.1
288	05/15/2008	11:46		0.4	1.0
289	05/15/2008	11:47		0.4	1.0
290	05/15/2008			0.6	1.3
				0.5	1.5
291	05/15/2008				
292	05/15/2008			0.4	1.0
293	05/15/2008	11:51		0.4	1.1
294	05/15/2008	11:52		0.4	1.0
295	05/15/2008			0.3	1.1
296	05/15/2008			0.3	1.1
297	05/15/2008			0.3	1.0
298	05/15/2008	11:56		0.3	1.0
299	05/15/2008	11:57		0.3	1.0
300	05/15/2008			0.3	1.1
301	05/15/2008			0.4	1.1
				0.4	1.1
302	05/15/2008				
303	05/15/2008			0.4	1.1
304	05/15/2008	12:02		0.4	1.3
305	05/15/2008	12:03		0.3	1.0
306	05/15/2008			0.4	1.1
307	05/15/2008			0.4	1.1
					1.0
308	05/15/2008		-	0.3	
309	05/15/2008			0.3	1.0
310	05/15/2008	12:08		0.4	1.3
311	05/15/2008	12:09	-	0.7	2.7
312	05/15/2008			0.5	1.4
	05/15/2008			0.4	1.1
313					1.1
314	05/15/2008			0.4	
315	05/15/2008	12:13		0.3	1.0
316	05/15/2008	12:14		0.3	1.0
317	05/15/2008	12:15		0.4	1.0
318	05/15/2008			0.4	1.1
				0.4	1.0
319	05/15/2008				
320	05/15/2008			0.3	1.0
321	05/15/2008	12:19		0.4	1.1
322	05/15/2008	12:20		0.4	1.1
323	05/15/2008			0.4	1.1
324	05/15/2008			0.4	1.1
					1.1
325	05/15/2008			0.4	
326	05/15/2008			0.4	1.1
327	05/15/2008	12:25		0.4	1.1
328	05/15/2008			0.3	1.1
329	05/15/2008			0.3	1.0
				0.3	1.1
330	05/15/2008				
331	05/15/2008			0.6	2.1
332	05/15/2008	12:30		0.9	4.4
333	05/15/2008	12:31		1.2	3.8
334	05/15/2008	12:32		0.4	1.1

225	05/15/2008	10.22	 1.5	4.4
335 336	05/15/2008		 1.4	3.5
337	05/15/2008		 0.6	1.3
338	05/15/2008		 0.5	1.3
339	05/15/2008		 0.5	1.8
340	05/15/2008		 0.6	1.3
341	05/15/2008		 0.3	1.1
342	05/15/2008		 0.6	1.6
343	05/15/2008		 0.5	1.4
343	05/15/2008		 0.4	1.1
344	05/15/2008		 0.4	1.0
345	05/15/2008		 0.4	1.1
347	05/15/2008		 0.4	1.0
348	05/15/2008		 0.4	1.2
349	05/15/2008		 0.4	1.1
350	05/15/2008		 0.5	1.3
351	05/15/2008		 0.4	1.1
352	05/15/2008		 0.4	1.1
353	05/15/2008		 0.4	1.1
354	05/15/2008		 0.4	1.4
355	05/15/2008		 0.6	2.0
356	05/15/2008		 0.4	1.1
357	05/15/2008		 0.4	1.1
358	05/15/2008		 0.4	1.1
359	05/15/2008		 0.4	1.1
360	05/15/2008		 0.3	1.3
361	05/15/2008		 0.3	1.1
362	05/15/2008		 0.4	1.2
363	05/15/2008		 0.4	1.1
364	05/15/2008		 0.4	1.4
365	05/15/2008		 0.4	1.3
366	05/15/2008		 0.5	1.7
367	05/15/2008		 0.3	1.5
368	05/15/2008	13:06	 0.0	0.0
369	05/15/2008	13:07	 0.0	0.0
370	05/15/2008		 0.0	0.0
371	05/15/2008	13:09	 0.0	0.0
372	05/15/2008		 0.0	0.0
373	05/15/2008	13:11	 0.0	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013458
User ID: 00000001 Site ID: 00000401
Data Points: 72 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0

TOTAL A	larm Levels		50.0	50.0	50.0	
Line#	Date	Time	Min(ppm)	Avg (ppm)	Max(ppm)	
1	05/15/2008	13:56		0.0	0.0	
2	05/15/2008	13:57		0.0	0.4	
3	05/15/2008	13:58		0.1	0.6	
4	N5/15/2008	13.59		0.5	1.6	
5	05/15/2008	14:00		0.2	1.0	
6	05/15/2008	14:01		0.1	0.5	
7	05/15/2000	14.02		0.2	1.3	
8	05/15/2008	14:03		0.3	1.2	
9	05/15/2008	14:04		0.5	4.4	
10	05/15/2008	14:05		0.6	3.7	
11	- 05 /15 /2008	14.06		0.4	1.6	
12	05/15/2008	14:07		0.4	0.9	
13	05/15/2008	14:08		0.1	0.6	
14	05/15/2008 05/15/2008	14:09		0.1	1.1	
15	05/15/2008			0.6	1.9	
16	05/15/2008			0.6	2.0	
17	05/15/2008			0.5	1.7	
	05/15/2008	14.12		0.2	0.6	
18	05/15/2008	14:13		0.1	0.5	
19	05/15/2008	14:14		0.1	0.6	
20				0.1	0.5	
21	05/15/2008	14:16				
22	05/15/2008	14:17		0.2	0.7	
23	05/15/2008	14:18		0.2	0.7	
24				0.2	0.9	
25	05/15/2008	14:20		0.2	0.6	
26	05/15/2008	14:21		0.1	0.7	
27	00, 20, 200			0.2	1.1	
28	05/15/2008	14:23		0.3	1.1	
29	05/15/2008	14:24		0.2	0.8	
30	05/15/2008	14:25		0.2	0.7	
31	05/15/2008	14:26		0.2	0.7	
32	05/15/2008	14:27		0.1	0.6	
33	05/15/2008			0.1	0.6	
34	05/15/2008			0.2	0.6	
35	05/15/2008	14.30		0.1	0.7	
36	05/15/2008	14:31		0.3	0.8	
37	05/15/2008	14:32		0.2	0.7	
38	05/15/2000	14.33			0.6	
39	05/15/2008			0.1	0.6	
40	05/15/2008			0.2	0.6	
41	05/15/2008			0.1	0.6	
42	05/15/2008			0.1	0.7	
	05/15/2008			0.2	0.7	
43	05/15/2008			0.2	0.7	
44				0.1	0.5	
45	05/15/2008			0.2	0.8	
46	05/15/2008					
47	05/15/2008			0.2	0.8	
48	05/15/2008			0.2	0.6	
49	05/15/2008			0.1	0.5	
50	05/15/2008			0.2	0.7	
51	05/15/2008		- - -	0.1	0.6	
52	05/15/2008	14:47		0.2	0.7	
53	05/15/2008			0.2	0.7	
54	05/15/2008			0.1	0.7	
55	05/15/2008			0.2	0.7	
56	05/15/2008			0.2	0.8	
57	05/15/2008			0.2	0.7	
58	05/15/2008			0.2	0.6	
٥٦	00/10/2000	در. عب		- · -		

59	05/15/2008	14:54		0.2	0.7
60	05/15/2008	14:55		0.3	0.9
61	05/15/2008	14:56		0.2	0.7
62	05/15/2008	14:57		0.2	0.7
63	05/15/2008	14:58		0.2	0.8
64	05/15/2008	14:59		0.2	0.7
65	05/15/2008	15:00		0.2	0.7
66	05/15/2008			0.2	0.7
67	05/15/2008			0.2	0.5
68	05/15/2008			0.1	0.6
69	05/15/2008		-	0.2	0.7
70	05/15/2008			0.2	0.6
71	05/15/2008			0.1	0.7
72	05/15/2008			0.2	0.6
	,,				

Serial Number: 013458 Instrument: MiniRAE 2000 (PGM7600)

User ID: 00000001 Site ID: 00000402
Data Points: 419 Gas Name: Isobutylene Sample Period: 60 sec Last Calibration Time: 05/09/2008 09:12
 Measurement Type:
 Min(ppm)
 Avg(ppm)
 Max(ppm)

 High Alarm Levels:
 100.0
 100.0
 100.0

 Low Alarm Levels:
 50.0
 50.0
 50.0
 Line# Date Time Min(ppm) Avg(ppm) Max(ppm) 52 05/16/20 53 05/16/2008 07:55 54 05/16/2008 07:54 55 05/16/2008 07:55 56 05/16/2008 07:56 77 05/16/2008 07:57

_ _ _ _

0.1

0.8

59	05/16/2008			0.1	0.8
60	05/16/2008	08:00		0.1	0.8
61	05/16/2008			0.1	0.8
62	05/16/2008	08:02		0.1	0.7
63	05/16/2008	08:03		0.2	0.9
64	05/16/2008			0.2	0.8
65	05/16/2008	08:05		0.1	0.7
66	05/16/2008	08:06		0.1	0.7
67	05/16/2008			0.1	0.8
68	05/16/2008	08:08		0.1	1.0
69	05/16/2008	08:09		0.2	0.8
70	05/16/2008			0.1	0.5
	•				
71	05/16/2008			0.1	0.8
72	05/16/2008	08:12		0.1	0.8
73	05/16/2008			0.1	0.8
74	05/16/2008			0.2	0.7
75	05/16/2008	08:15		0.3	1.2
76	05/16/2008			0.2	0.8
77	05/16/2008			0.2	0.8
78	05/16/2008	08:18		0.1	0.8
79	05/16/2008	08:19		0.1	0.8
	05/16/2008			0.1	0.8
80					
81	05/16/2008	08:21		0.1	0.8
82	05/16/2008	08:22		0.1	0.8
83	05/16/2008			0.1	0.7
				0.2	0.9
84	05/16/2008				
85	05/16/2008	08:25		0.1	0.9
86	05/16/2008	08:26		0.1	0.8
87	05/16/2008			0.2	1.1
				0.1	0.8
88	05/16/2008				
89	05/16/2008			0.2	0.9
90	05/16/2008	08:30		0.1	0.8
91	05/16/2008			0.2	0.9
92	05/16/2008			0.2	0.9
93	05/16/2008			0.1	0.7
94	05/16/2008	08:34		0.1	0.8
95	05/16/2008	08:35		0.1	0.9
96	05/16/2008			0.1	0.7
				0.2	1.2
97	05/16/2008				
98	05/16/2008	08:38		0.1	0.8
99	05/16/2008	08:39		0.2	0.8
100	05/16/2008			0.2	0.8
101	05/16/2008	08:41		0.1	0.8
102	05/16/2008	08:42		0.2	0.9
103	05/16/2008		age was not the the	0.1	0.8
				0.1	0.9
104	05/16/2008				
105	05/16/2008	08:45		0.2	0.8
106	05/16/2008	08:46		0.2	0.8
107	05/16/2008			0.2	0.9
108	05/16/2008			0.1	0.9
109	05/16/2008	08:49		0.1	0.9
110	05/16/2008	08:50		0.2	0.9
				0.2	1.0
111	05/16/2008				
112	05/16/2008	08:52		0.2	0.8
113	05/16/2008	08:53		0.2	0.9
114	05/16/2008			0.2	0.9
				0.2	0.9
115	05/16/2008				
116	05/16/2008			0.2	0.9
117	05/16/2008	08:57		0.2	0.9
118	05/16/2008			0.2	0.8
				0.2	0.8
119	05/16/2008		= = = = =		
120	05/16/2008			0.2	0.9
121	05/16/2008	09:01		0.2	0.8
122	05/16/2008			0.2	0.8
				0.3	1.0
123	05/16/2008				
124	05/16/2008			0.2	0.8
125	05/16/2008	09:05		0.2	1.0
126	05/16/2008			0.1	0.8
127	05/16/2008			0.2	0.9
14/	33, 10, 2008	33.3,		- · -	٠.,

128	05/16/2008	09:08	- w	0.2	0.8
129	05/16/2008			0.2	1.0
130	05/16/2008			0.1	0.9
131	05/16/2008			0.2	0.8
132	05/16/2008			0.2	0.9
133	05/16/2008			0.3	0.9
134	05/16/2008			0.2	1.0
135	05/16/2008			0.2	1.0
136	05/16/2008			0.3	1.4
137	05/16/2008			0.2	1.0
138	05/16/2008			0.2	0.9
139	05/16/2008			0.2	1.0
140	05/16/2008			0.3	1.0
141	05/16/2008			0.2	1.0
142	05/16/2008			0.3	0.9
143	05/16/2008			0.2	0.9
144	05/16/2008			0.2	0.9
145	05/16/2008			0.2	0.8
146	05/16/2008			0.2	0.9
147	05/16/2008			0.2	0.9
	05/16/2008			0.2	0.9
148	05/16/2008			0.2	0.9
149	05/16/2008			0.3	1.0
150				0.3	
151	05/16/2008				1.1
152	05/16/2008			0.2	0.9
153	05/16/2008			0.3	0.9
154	05/16/2008			0.2	0.9
155	05/16/2008			0.2	1.0
156	05/16/2008			0.3	1.4
157	05/16/2008			0.5	1.7
158	05/16/2008			1.4	9.7
159	05/16/2008		~	0.5	1.8
160	05/16/2008			0.2	0.9
161	05/16/2008			0.2	1.0
162	05/16/2008			0.3	1.0
163	05/16/2008			0.3	1.0
164	05/16/2008		-	0.3	1.1
165	05/16/2008			0.3	1.0
166	05/16/2008			0.2	0.9
167	05/16/2008			0.3	1.3
168	05/16/2008			0.7	2.4
169	05/16/2008			0.4	1.4
170	05/16/2008			0.2	0.9
171	05/16/2008			0.4	1.4
172	05/16/2008			0.3	1.0
173	05/16/2008			0.3	1.2
174	05/16/2008			0.3	1.5
175	05/16/2008			0.4	1.2
176	05/16/2008			0.5	1.6
177	05/16/2008			0.6	3.5
178	05/16/2008			2.8	7.4
179	05/16/2008			1.2	4.3
180	05/16/2008			2.3	6.5
181	05/16/2008	10:01		1.0	3.5
182	05/16/2008	10:02		0.4	1.2
183	05/16/2008	10:03		0.4	1.5
184	05/16/2008	10:04		0.4	1.3
185	05/16/2008			0.3	1.2
186	05/16/2008			0.4	1.3
187	05/16/2008			0.4	1.4
188	05/16/2008			0.3	1.0
189	05/16/2008			0.3	1.2
190	05/16/2008			0.4	1.4
191	05/16/2008			0.2	1.0
192	05/16/2008			0.4	1.0
193	05/16/2008			0.4	1.3
194	05/16/2008			0.3	1.0
195	05/16/2008			0.4	1.8
196	05/16/2008			0.4	1.4
エクロ	05/10/2008	10.10		V. I	1.4

197	05/16/2008	10:17		0.2	1.1
	05/16/2008			0.2	1.0
198					
199	05/16/2008	10:19		0.4	1.1
200	05/16/2008			0.3	1.1
201	05/16/2008	10:21		0.3	1.1
202	05/16/2008	10.22		0.3	1.0
203	05/16/2008	10:23		0.3	1.1
204	05/16/2008	10.24		0.3	1.1
205	05/16/2008	10:25	- w	0.2	0.9
206	05/16/2008	10.26		0.3	1.0
207	05/16/2008	10:27		0.3	1.0
208	05/16/2008	10:28		0.3	1.0
					1.1
209	05/16/2008			0.3	
210	05/16/2008	10:30		0.3	1.0
				0.3	1.0
211	05/16/2008				
212	05/16/2008	10:32		0.3	1.0
				0.3	0.9
213	05/16/2008				
214	05/16/2008	10:34		0.3	1.4
215	05/16/2008			0.3	1.0
216	05/16/2008	10:36		0.3	1.0
217	05/16/2008	10-37		0.3	1.0
218	05/16/2008			0.4	1.3
219	05/16/2008	10:39		0.3	0.9
220	05/16/2008			0.2	0.9
221	05/16/2008	10:41		0.3	1.0
				0.3	
222	05/16/2008	10:42			1.0
223	05/16/2008	10:43		0.3	1.0
	, .			0.3	1.3
224	05/16/2008				
225	05/16/2008	10:45		0.4	1.6
226	05/16/2008			0.3	0.9
227	05/16/2008	10:47		0.3	0.9
228	05/16/2008	10.48		0.2	1.1
229	05/16/2008			0.3	1.0
230	05/16/2008	10:50		0.3	1.0
				0.3	1.0
231	05/16/2008				
232	05/16/2008	10:52		0.3	1.0
233	05/16/2008	10.53		0.3	1.0
234	05/16/2008	10:54		0.3	1.0
235	05/16/2008	10.55		0.4	1.3
236	05/16/2008			1.0	4.3
237	05/16/2008	10:57		0.9	5.3
				0.2	1.0
238	05/16/2008				
239	05/16/2008	10:59		0.2	1.0
240	05/16/2008			0.3	1.0
241	05/16/2008	11:01		0.3	1.0
242	05/16/2008	11:02		1.1	4.0
243	05/16/2008	11:03		0.4	1.3
244	05/16/2008	11:04		0.3	1.0
				0.5	1.7
245	05/16/2008				
246	05/16/2008	11:06		0.2	1.0
247	05/16/2008	11.07		0.2	1.1
	. , .				
248	05/16/2008	11:08		0.3	1.0
249	05/16/2008	11:09		0.3	1.3
					1.2
250	05/16/2008	11:10		0.4	
251	05/16/2008	11:11	_	0.4	1.1
	05/16/2008			0.5	1.5
252					
253	05/16/2008	11:13		0.3	1.1
254	05/16/2008			0.4	1.1
255	05/16/2008	11:15		0.4	1.3
256	05/16/2008			0.3	1.1
257	05/16/2008			0.3	1.2
258	05/16/2008	11:18		0.3	1.2
				0.3	1.0
259	05/16/2008				
260	05/16/2008	11:20		0.3	1.0
	05/16/2008			0.3	1.0
261					
262	05/16/2008	11:22		0.2	1.0
263	05/16/2008			0.2	1.0
				0.3	
264	05/16/2008				1.0
265	05/16/2008	11:25		0.4	1.1
-	•				

266	05/16/2008	11.26		0.3	1.1
				0.4	1.0
267	05/16/2008				
268	05/16/2008			0.3	1.1
269	05/16/2008	11:29		0.2	1.0
270	05/16/2008	11:30		0.3	1.0
271	05/16/2008			0.4	1.4
				0.3	1.1
272	05/16/2008				
273	05/16/2008	11:33		0.3	1.1
274	05/16/2008	11:34		0.3	1.0
275	05/16/2008			0.3	1.0
					1.1
276	05/16/2008	11:36		0.2	
277	05/16/2008	11:37		0.2	1.0
278	05/16/2008	11:38		0.3	1.2
279	05/16/2008			0.3	1.0
					1.1
280	05/16/2008			0.3	
281	05/16/2008	11:41		0.3	1.1
282	05/16/2008	11:42		0.3	1.1
	05/16/2008			0.2	1.1
283					
284	05/16/2008			0.2	1.0
285	05/16/2008	11:45		0.2	1.0
286	05/16/2008	11:46		0.3	1.0
	05/16/2008			0.3	1.1
287					
288	05/16/2008			0.3	1.2
289	05/16/2008	11:49		0.3	1.0
290	05/16/2008			0.2	1.1
				0.3	1.0
291	05/16/2008				1.1
292	05/16/2008			0.3	
293	05/16/2008	11:53		0.3	1.1
294	05/16/2008			0.3	1.0
				0.2	0.9
295	05/16/2008				
296	05/16/2008	11:56		0.3	1.0
297	05/16/2008	11:57		0.3	1.1
298	05/16/2008			0.3	1.0
				0.3	1.1
299	05/16/2008				1.0
300	05/16/2008			0.3	
301	05/16/2008	12:01		0.3	1.1
302	05/16/2008	12:02		0.3	1.1
303	05/16/2008			0.2	1.0
					1.0
304	05/16/2008			0.3	
305	05/16/2008	12:05		0.2	1.0
306	05/16/2008	12:06		0.2	0.9
307	05/16/2008			0.3	1.2
				0.3	1.0
308					
309	05/16/2008	12:09		0.3	1.2
310	05/16/2008	12:10		0.3	1.1
311	05/16/2008			0.2	1.1
				1.2	4.1
312	05/16/2008				
313	05/16/2008	12:13		0.6	2.0
314	05/16/2008	12:14		0.4	2.4
315	05/16/2008			0.4	1.2
				0.4	1.4
316	05/16/2008				
317	05/16/2008	12:17		0.4	1.3
318	05/16/2008	12:18		0.2	1.0
319	05/16/2008			0.3	1.1
				0.3	1.0
320	05/16/2008				
321	05/16/2008	12:21		0.2	1.1
322	05/16/2008	12:22		0.2	1.1
323	05/16/2008			0.5	2.7
				0.3	1.1
324	05/16/2008				
325	05/16/2008	12:25		0.4	1.1
326	05/16/2008			0.4	1.6
327	05/16/2008			0.4	2.9
					1.2
328	05/16/2008			0.2	
329	05/16/2008	12:29		0.2	1.0
330	05/16/2008			0.3	1.0
331	05/16/2008			0.3	1.1
				0.2	0.9
332	05/16/2008				
333	05/16/2008			0.3	0.9
334	05/16/2008	12:34		0.2	1.0

					1 0
335	05/16/2008	12:35		0.3	1.0
336	05/16/2008	12:36		0.2	1.0
				0.3	1.1
337	05/16/2008				
338	05/16/2008	12:38		0.2	1.1
339	05/16/2008			0.3	1.1
340	05/16/2008	12:40		0.2	0.9
341	05/16/2008	12.41		0.2	0.9
342	05/16/2008	12:42		0.3	1.2
343	05/16/2008	12:43		0.3	1.1
					1.0
344	05/16/2008	12:44		0.2	
345	05/16/2008	12:45		0.3	1.0
				0.2	1.0
346	05/16/2008	12:46			
347	05/16/2008	12:47		0.2	1.0
				0.2	1.1
348	05/16/2008				
349	05/16/2008	12:49		0.3	1.0
				0.2	1.0
350	05/16/2008				
351	05/16/2008	12:51		0.3	1.1
	05/16/2008			0.2	1.0
352			-		
353	05/16/2008	12:53		0.4	1.4
354	05/16/2008			0.4	1.1
355	05/16/2008	12:55		0.3	1.4
356	05/16/2008	12.56		0.2	0.9
357	05/16/2008	12:57		0.2	1.1
358	05/16/2008	12.58		0.3	1.8
359	05/16/2008	12:59		0.2	1.0
360	05/16/2008	13.00		0.2	1.0
361	05/16/2008	13:01		0.3	1.0
362	05/16/2008	13:02		0.2	0.9
				0.2	1.0
363	05/16/2008	13:03			
364	05/16/2008	13:04		0.3	1.0
				0.2	1.0
365	05/16/2008				
366	05/16/2008	13:06		0.3	1.0
				0.2	1.0
367	05/16/2008				
368	05/16/2008	13:08		0.2	0.9
369	05/16/2008			0.2	0.8
370	05/16/2008	13:10		0.3	0.9
371	05/16/2008	13.11		0.2	0.9
372	05/16/2008	13:12		0.2	0.9
373	05/16/2008	12.13		0.2	0.9
374	05/16/2008	13:14		0.3	1.0
375	05/16/2008	13:15		0.2	0.9
	, .			0.3	0.9
376	05/16/2008				
377	05/16/2008	13:17		0.2	1.0
				0.2	1.1
378	05/16/2008				
379	05/16/2008	13:19		0.2	1.0
380	05/16/2008			0.2	0.9
381	05/16/2008	13:21		0.3	1.0
382	05/16/2008	13.22		0.3	1.0
					1.0
383	05/16/2008	⊥3:∠3		0.3	
384	05/16/2008	13:24		0.3	0.9
				0.3	1.0
385	05/16/2008	13:25	_ 		
386	05/16/2008	13:26		0.2	1.0
				0.2	0.8
387	05/16/2008				
388	05/16/2008	13:28	·	0.2	1.1
	05/16/2008			0.3	0.9
389					
390	05/16/2008	13:30		0.3	0.9
391	05/16/2008	13.31		0.3	0.9
392	05/16/2008	13:32		0.3	1.0
393	05/16/2008			0.2	1.0
394	05/16/2008	13:34		0.7	3.4
395	05/16/2008	13:35		0.2	1.0
					0.9
396	05/16/2008			0.2	
397	05/16/2008	13:37		0.2	0.9
				0.2	0.9
398	05/16/2008				
399	05/16/2008	13:39		0.2	0.8
				0.1	0.8
400	05/16/2008				
401	05/16/2008	13:41	-	0.2	1.0
402	05/16/2008			0.2	0.8
403	05/16/2008	13:43	-	0.2	0.9

404	05/16/2008	13:44		0.2	0.8
405	05/16/2008	13:45		0.3	1.0
406	05/16/2008	13:46		0.3	0.9
407	05/16/2008	13:47		0.2	0.9
408	05/16/2008	13:48	= = 	0.2	0.9
409	05/16/2008	13:49		0.2	0.9
410	05/16/2008	13:50		0.2	0.9
411	05/16/2008	13:51		0.2	0.9
412	05/16/2008	13:52		0.2	1.0
413	05/16/2008	13:53		0.2	0.9
414	05/16/2008	13:54		0.2	1.0
415	05/16/2008	13:55		0.2	0.9
416	05/16/2008	13:56		0.2	0.9
417	05/16/2008	13:57		0.2	0.8
418	05/16/2008	13:58		0.2	0.9
419	05/16/2008	13:59		0.2	0.9

34

User ID: 00000001 Site ID: 00000399
Data Points: 326 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Start At: 05/14/2008 09:02 End At: 05/14/2008 14:27

=======================================	== ===== =============================	======================================		===
Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)	
High Alarm Levels:	100.0	100.0	100.0	

50.0 50.0 50.0 Low Alarm Levels: 25.0 25.0 25.0 STEL Alarm Levels: 10.0 10.0 10.0 TWA Alarm Levels:

Measurement Type: Min(ppm) Avg(ppm) Max(ppm) 1.8 Peak Data Value: ____ 0.0 0.0 Min Data Value: ----TWA Data Value: 0.1 0.6 0.2 AVG Data Value: 0.9 _ _ _ _

User ID: 00000001 Site ID: 00000400
Data Points: 373 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Start At: 05/15/2008 06:59 End At: 05/15/2008 13:11

measurement Type:	Min(bbm)	Avg(ppm)	Max(ppm)	
High Alarm Levels:	100.0	100.0	100.0	
Low Alarm Levels:	50.0	50.0	50.0	
STEL Alarm Levels:	25.0	25.0	25.0	
TWA Alarm Levels:	10.0	10.0	10.0	
			.======================================	==

Measurement Type: Min(ppm) Avg(ppm) Max(ppm) 16.0 Peak Data Value: ----19.1 ____ 0.0 Min Data Value: 0.0 TWA Data Value: ____ 0.8 1.6 1.0 AVG Data Value: ____ 2.0

User ID: 00000001 Site ID: 00000401
Data Points: 72 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Start At: 05/15/2008 13:56 End At: 05/15/2008 15:07

Measurement Type:	Min(ppm)	Avg (ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0
STEL Alarm Levels:	25.0	25.0	25.0
TWA Alarm Levels:	10.0	10.0	10.0
		=======================================	=======================================
Measurement Type:	Min(ppm)	======================================	======================================
Measurement Type: Peak Data Value:	Min(ppm)	======================================	======================================
	Min(ppm) 		-11
Peak Data Value:	Min(ppm) 	0.6	4.4

User ID: 00000001 Site ID: 00000402
Data Points: 419 Gas Name: Isobutylene Sample Period: 60 sec

Last Calibration Time: 05/09/2008 09:12

Start At: 05/16/2008 07:01	End At: 05/16/20	08 13:59	
Measurement Type: High Alarm Levels: Low Alarm Levels: STEL Alarm Levels:	Min(ppm) 100.0 50.0 25.0	Avg (ppm) 100.0 50.0 25.0	Max(ppm) 100.0 50.0 25.0
TWA Alarm Levels:	10.0	10.0	10.0
Measurement Type: Peak Data Value: Min Data Value: TWA Data Value: AVG Data Value:	Min(ppm)	Avg (ppm) 2.8 0.0 0.2 0.3	Max(ppm) 9.7 0.1 0.9 1.1

SHIPPING MANIFESTS



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#1~7:30 Am 23023

Gold Copy- Shipper

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTE	ER .		DATE	TIME	IN	/ OUT
RICCELLI P.O. BOX	ENTERPRISES INC.	and the second of the second o	141/08			
TRUCK#	50	TRAILE	ER# \$			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		SHIPPER 700	ONT	arcei Lette	11, 12C
PHONE#	(315) 433-5115		·	· .	· · · · · · · · · · · · · · · · · · ·	
NO. PIECES	ARTICLES OR D	DESCRI	PTION			WEIGHT
27.76	Cont. Soil		•	WEIGHT IN		
			BIL	EIGHT OU	НТ	20.09 Am
SHIPPER SIGNA DRIVER SIGNA		arrana	_PRINT NAME	Derigh		and by form
SPECIAL INSTR	RUCTIONS:		and the second s			
DESTINATION:				i i i i i i i i i i i i i i i i i i i		
		1				
FOR APPROVA CONSIGNEE PI CONSIGNEE SI (NO INITIA RECEIVED ABOVE MATERIAL IN	RINT NAME	wast matt toxic radio	te or waste of ter, rubbish, tra c sludge and of	containing ash, debr ther wast e, highly fl	g anima is, ashe e materi lammab	mean only solid and vegetable is and metal non- lals which is not a le explosive toxic

Pink Copy - Land Fill

Yellow Copy- Driver

White Copy - Riccelli



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23021

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTE	R	DATE	TIME	IN	/ OUT
RICCELLI P.O. BOX	ENTERPRISES INC.	5/4/00			
TRUCK#		TRAILER#			
301					
			· .		· · · · · · · · · · · · · · · · · · ·
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	alli En	TYP	-5 -2 5
PHONE #	(315) 433-5115			.,	<u> </u>
NO. PIECES	ARTICLES OR I	DESCRIPTION			WEIGHT
au marin makinggi pani	Son Dispose		WEIGHT IN		
1		BI	LLED WEIGH	Г	
SHIPPER SIGNA	ATURE	PRINT NAME _	Derg	Hur	161 BUA
DRIVER SIGNA	TURE	PRINT NAME _	Robert	. Jane	GORTINI
SPECIAL INSTR	Wallet Dian				
100) MRRGE IRM	** \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		<u> </u>	
DESTINATION:	4-1 40-1			·	

FOR APPROVA	-
CONSIGNEE PF	RINT NAME
CONSIGNEE SI (NO INITIA	GN HERE
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE
CONDITION	

Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal nontoxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23002

TRANSPORTE	R		DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217				
TRUCK#	description of the second of t		TRAILER#		
P.O. BOX SYRACUS	ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115		SHIPPER	Land of the second	
NO. PIECES		TICLES OR D	ESCRIPTION		WEIGHT
	Continuente	Dirt	WE	EIGHT IN IGHT OUT ED WEIGHT	
SHIPPER SIGNA	Section 1	L34	PRINT NAMEPRINT NAME		Dilcox
SPECIAL INSTR	Bine	DUP	700 Out Perce	(IUM	
DESTINATION:	Scheca Wlead	ows			
		·			
FOR APPROVA CONSIGNEE PI CONSIGNEE SI (NO INITIA RECEIVED ABOVE MATERIAL IN GOOD	RINT NAME	AM DA	Solid waste being waste or waste comatter, rubbish, trastoxic sludge and oth radioactive volatile, or hazardous nature	ontaining anir sh, debris, asl er waste mat highly flamma	mal and vegetable hes and metal non-



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTER	DATE	TIME II	N / OUT
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	5-11-08		
TRUCK#	TRAILER#		
CONSIGNÉE) \	SHIPPER		
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217 PHONE # (315) 433-5115	PICCE		
	DECEDION .		WEIGHT
NO. PIECES ARTICLES OR D	JESCRIP HON		VVLIGITI
	WE	EIGHT IN	
	BILLI	ED WEIGHT	
SHIPPER SIGNATURE DRIVER SIGNATURE	PRINT NAME PRINT NAME	LIAM T	Williams.
SPECIAL INSTRUCTIONS:	700 001	PARLFI	5 171
MOOD VILLE GROUP	· NDTF	A S	
DESTINATION:			
SENFED MEDDOUS		. 4	
FOR APPROVAL: CONSIGNEE PRINT NAME CONSIGNEE SIGN HERE (NO INITIALS) RECEIVED ABOVE MATERIAL IN GOOD CONDITION BY TIME FOR APPROVAL: AM AM AM AM AM AM AM AM AM A	waste or waste co matter, rubbish, tras toxic sludge and oth radioactive volatile, or hazardous nature	ontaining a sh, debris, er waste m highly flam	I to mean only solid nimal and vegetable ashes and metal non- naterials which is not a mable explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

25009

NON-HAZARDOUS SOLID WASTE MANIFEST

TOANSDORT	- D	DATE	TIME IN	/ OUT
TRANSPORTE		- DAIL	111011	, 55,
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-14-09		
TDUOK #	<u> </u>	TRAILER #	<u></u>	
TRUCK#	90	TIVALEIV#		
	*	Louispes		
CONSIGNEE		SHIPPER		* · ·
P.O. BOX	·			
SYRACUS	SE, NY 13217			· · · · · · · · · · · · · · · · · · ·
PHONE #	(315) 433-5115			.*
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
		w	EIGHT IN	
		WE	IGHT OUT	
1	CONT DIVT	BILL	ED WEIGHT	
				20/00
SHIPPER SIGNA	TURE	PRINT NAME	12/4/63	Hurlburg-
ORIVER SIGNA	TURE Charles Klebr	PRINT NAME	charle	s 151 mls
SPECIAL INSTR	UCTIONS:			· .
	WOODBINE -	700 Outporca	LIKM	
DESTINATION:				
:	Sentea Mead	9 <i>6</i> 3		
FOR APPROVA	· · · · · · · · · · · · · · · · · · ·	Solid waste heing	interpreted t	o mean only solid

FOR APPROVA	L:				į	
CONSIGNEE PR	RINT NAME				on the second	
CONSIGNEE SI						
(NO INITIA			- Anna Carlot	State Same		N. Control
RECEIVED ABOVE	FIRM	DATE	- Japan	17	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
MATERIAL IN GOOD	/		- safara		==	AM PM
CONDITION	BY		<u></u>	-	=	

Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal nontoxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23126

	•			
TRANSPORTE	R	DATE	TIME IN	OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-14-08		
TRUCK#	58	TRAILER#		
P.O. BOX SYRACUS	ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115	SHIPPER	·*:	
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
	My Sort Diffeel Wood bine 700 Ortpan	,	WEIGHT IN WEIGHT OUT	
SHIPPER SIGNA	= 1. 4. TH	PRINT NAMEPRINT NAME_	Doug Hus KeiN	Dagar
SPECIAL INSTR		72		**************************************
DESTINATION:			1	
FOR APPROVA CONSIGNEE P CONSIGNEE S (NO INITIA RECEIVED ABOVE MATERIAL IN GOOD CONDITION	RINT NAME	waste or waste matter, rubbish, toxic sludge and radioactive volat or hazardous nat	 containing an trash, debris, a other waste ma ile, highly flamn 	to mean only solid imal and vegetable shes and metal non- iterials which is not a nable explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23010

TRANSPORTER		DATE	TIME	JN ,	/ OUT
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217		S-14-08	12.2	1 4 M	7:30 AM
TRUCK#	TRAIL	ER#			
CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217		SHIPPER			
PHONE # (315) 433-5115 NO. PIECES ARTIC	LES OR DESCR	UDTION	<u> </u>		WEIGHT
Woodbine Son 700 Outpured	L Departure	W BILI	VEIGHT IN EIGHT OL LED WEIG	JT	
SHIPPER SIGNATURE DRIVER SIGNATURE		_PRINT NAME	Don	The state of the s	. 1bit Barmanl
SPECIAL INSTRUCTIONS:	00 C280	al Iom			
DESTINATION:					
FOR APPROVAL: CONSIGNEE PRINT NAME CONSIGNEE SIGN HERE (NO INITIALS) RECEIVED ABOVE MATERIAL IN GOOD CONDITION BY TIME Solid waste being interpreted to mean only so waste or waste containing animal and vegeta matter, rubbish, trash, debris, ashes and metal not toxic sludge and other waste materials which is not radioactive volatile, highly flammable explosive to or hazardous nature as listed.					al and vegetable es and metal non- ials which is not a



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410


Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049 #8

20789

ı	AOIA-I IAZAINDOGO O	OFID ANIO!		
TRANSPORT	E R	DATE	TIME IN	/ OUT
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	14.06		
TRUCK#		TRAILER#		
	46			
CONSIGNEE		SHIPPER	·	
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	hoteed	In make	
	· (315) 433-5115			
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
•.	S. A. Branch, and	W	EIGHT IN	
	Turkey of the first of the second	, ve	EIGHT OUT	
		BILL	ED WEIGHT	
SHIPPER SIGNA	ATURE ATURE	PRINT NAME		Marthet
DRIVER SIGNA	TURE	PRINT NAME	1/2 m//	EE PE
SPECIAL INSTI	RUCTIONS:	59 RM - la	med him	Nicone -
DESTINATION:				
	3	·		
FOR APPROVA	AL:	Solid waste being	interpreted	to mean only solid nimal and vegetable
CONSIGNEE P	į.	∃ matter rubbish tra	ish debris a	shes and metal non-
CONSIGNEE S (NO INITI	ALS)	⊣ radioactive volatile	, highly flamn	aterials which is not a nable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AND	l .	e as listed.	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



			I	, OUT		
TRANSPORTE	ER	DATE	TIME IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/11/08				
TRUCK#		TRAILER#	anggamistered in a			
CONSIGNEE		SHIPPER				
	ENTERPRISES INC.		and flo	weelf, lle		
P.O. BOX SYRACUS	6418 SE, NY 13217	505	FRAH	in the good		
			ž			
	(315) 433-5115	NEGO PIETION	·	WEIGHT		
NO. PIECES	ARTICLES OR D	DESCRIPTION		WEIGHT		
	Carried Sand	w	EIGHT IN			
		. WE	IGHT OUT			
		RILL	ED WEIGHT			
	·	1	LD WEIGHT			
		5-	·			
SHIPPER SIGNA	TURE //	PRINT NAME	Digle a	Hallefo		
DRIVER SIGNA	TURE	PRINT NAME	Phone.	Justine of Samuel		
SPECIAL INSTR	RUCTIONS:					
Wood him Group 700 Octpaned IRM						
DESTINATION:						
	·					
FOR APPROVA	L;	Solid waste being	interpreted	to mean only solid		
CONSIGNEE PRINT NAME waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-						
(NO INITIA	GN HERE	d toxic sludge and oth	ner waste ma	aterials which is not a nable explosive toxic		
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATE AM	or hazardous nature	as listed.			



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049 400

23018

TRANSPORTE	ER	DATE	TIME, IN	ı / OUT				
RICCELLI P.O. BOX	ENTERPRISES INC.	and the second of the second o						
TRUCK#	301	TRAILER#						
P.O. BOX SYRACUS	SE, NY 13217	SHIPPER	Ricelli					
	(315) 433-5115	NEO ODIDITION		WEIGHT				
NO. PIECES	ARTICLES OR I	JE2CKIP HON		WEIGHT				
	Oon Jopenac	, (WEIGHT IN WEIGHT OUT BILLED WEIGHT					
	SHIPPER SIGNATUREPRINT NAMEPRINT NAME							
SPECIAL INSTR	The second of th							
700	surficel than							
DESTINATION:								
1	RINT NAME	waste or wa matter, rubbi toxic sludge a radioactive vo or hazardous	aste containing an sh, trash, debris, a and other waste m	to mean only solid nimal and vegetable ashes and metal nonaterials which is not a mable explosive toxic				



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23001

The state of the s	14-08		·		
	D.#				
TRAILE	:r\ #				
	SHIPPER				
					
ES OR DESCRI	PTION			WEIGHT	
The second secon	w	EIGHT IN			
9 -	WE	IGHT OUT			
	BILL	ED WEIGH	т		
The second of th	PRINT NAME	<u> Jazz Ja</u>	S. F.	1. 1h from	
<u> </u>	_PRINT NAME	Tesse		604	
TO COMP	100 - W	Pariel	- annual superior	eni	
S					
	l wasta b=!	intornati	74 +c	mean only colld	
wast	te or waste co	ontaining	anima	ıl and vegetable	
consignee Print Name matter, rubbish, trash, debris, ashes and meta toxic sludge and other waste materials which is					
radio or ha	pactive volatile, azardous nature	nighly fla as listed.	mmab	le explosive toxic	
The second secon	ES OR DESCRI	ES OR DESCRIPTION WE BILL PRINT NAME PRINT NAME PRINT NAME AND	SHIPPER SHIPPER WEIGHT IN WEIGHT OUT BILLED WEIGH PRINT NAME PRINT NAME PRINT NAME PRINT NAME AMD AND AND AND AND AND AND AND AND AND AN	SHIPPER SHIPPER SHIPPER WEIGHT IN WEIGHT OUT BILLED WEIGHT PRINT NAME PRINT NAME PRINT NAME AMD Solid waste being interpreted to waste or waste containing anima matter, rubbish, trash, debris, ashe toxic sludge and other waste materi radioactive volatile, highly flammable or hazardous nature as listed.	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTE	ER	DATE	TIME IN	I / OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5=14:0,		
TRUCK#	99	TRAILER#		
	* /			
CONSIGNEE		SHIPPER	4 1 8	
RICCELLI P.O. BOX	ENTERPRISES INC.	0/5	FLLT	
	SE, NY 13217	g.		
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR E	ESCRIPTION		WEIGHT
			WEIGHT IN	
	5014		WEIGHT OUT	
1		В	ILLED WEIGHT	
SHIPPER SIGNA	TURE 12 / Agran	PRINT NAME _	Duglas	Hirthet
DRIVER SIGNA	TURE	PRINT NAME	zek ^{or}	
F .			· :	
SPECIAL INSTR	OP WAR GROVES	100 OUT PAN	CEL 10 8	/
DESTINATION:				
	OF MERDOUS		:	
		1		
FOR APPROVA	-	Solid waste bei	ng interpreted	to mean only solid nimal and vegetable
CONSIGNEE PRINT NAME waste of waste containing animal and vegete matter, rubbish, trash, debris, ashes and metal reconsignee sign here toxic sludge and other waste materials which is n				
(NO INITIA	LS)	radioactive volat	ile, highly flamı	mable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AM BYTIME PM	or hazardous nat	ure as listed.	
COMPLICA	1171L	L		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#13 10:35

22733

TRANSPORTE	ER ,	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-14-08		
TRUCK#	90	TRAILER#		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER		ui.
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR D	DESCRIPTION		WEIGHT
/	5011	W	EIGHT IN	
		WE	IGHT OUT	
	•	RII I	ED WEIGHT	
		5,22		
SHIPPER SIGNA	TURE Mag	PRINT NAME	Design	s this hart
DRIVER SIGNA	TURE THE TANK	PRINT NAME	havles	24/ebs
SPECIAL INSTR	RUCTIONS:			
	Wood Bine -	you out p	Part Let	118 m
DESTINATION:				
	Senece mean	04.7.S		***
				· · · · · ·
FOR APPROVA	L;	Solid waste being	interpreted	to mean only solid
	RINT NAME	matter, rubbish, tras	sh, debris, as	imal and vegetable shes and metal non-
CONSIGNEE SI (NO INITIA	GN HEREALS)	toxic sludge and oth	er waste mat	terials which is not a nable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATE AM	or hazárdous nature		er lable explosive toxic
CONDITION	8Y TIME PIVI	i		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23130

		т—		1	
TRANSPORTE	ER	- /	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5	14/08		
TRUCK#	70	TRAILE	R#		
5					
CONSIGNEE	· · · · · · · · · · · · · · · · · · ·		SHIPPER		
	ENTERPRISES INC.				:
P.O. BOX	**			eq.	
	SE, NY 13217		Advent	A part of the part	
PHONE #	(315) 433-5115				
NO. PIECES	ARTICLES OR I	DESCRI	PTION		WEIGHT
		grand of the same	W	EIGHT IN	
	SAC BANGOS.	Sec. Market			
	· ·		WE	IGHT OUT	
			BILL	ED WEIGHT	
		Andrew Control of the State of	a mare PA Y No.	······································	
SHIPPER SIGNA	TURE AND TOTAL		PRINT NAME	Joseph Jo	a Mariana
	· ·			a same	
DRIVER SIGNAT	TURE		PRINT NAME		<u></u>
SPECIAL INSTR					
700	adjusted IRM				
DESTINATION:					
				×	
FOR APPROVAL	L:	Solid	waste being	interpreted	to mean only solid
	RINT NAME	¹ matte	er. rubbish. tra	sh, debris, as	imal and vegetable shes and metal non-
consignee sign here toxic sludge and other waste materials which is n radioactive volatile, highly flammable explosive t					terials which is not a
RECEIVED ABOVE	FIRM DATE AM	- orbo	active volatile, zardous nature	as listed.	ianie exhinaive invin
MATERIAL IN GOOD	PM PM	1			74



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#15-

23011

TRANSPORTE	R		DATE	TIME	IN .	OUT
RICCELLI P.O. BOX	ENTERPRISES INC.	Secretary was	12.08	The state of the s	SAM	
TRUCK#	02	TRAILE	ER#	A		
P.O. BOX SYRACUS	ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115		SHIPPER	Marina.		
NO. PIECES	ARTICLES OR E	DESCRI	PTION			WEIGHT
	Wand BINE Gro		/00 V	WEIGHT IN VEIGHT OU' LLED WEIG	Т	
SHIPPER SIGNA DRIVER SIGNA		The same of the sa	_PRINT NAME _PRINT NAME) : Map	e 1	BAUMAN
SPECIAL INSTR	RUCTIONS:					
	RINT NAME	wast matt toxic radio	te or waste er, rubbish, t sludge and o	containing rash, debr other waste e, highly fl	g anima is, ashe: e materia ammabl	mean only solid I and vegetable s and metal non- als which is not a e explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



20788

NON-HAZARDOUS SOLID WASTE MANIFEST

	TON TIMEMIND COCC						
TRANSPORT	ER	DATE		TIME	IN	/ OUT	
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	The standard of the standard o	e e e e e e e e e e e e e e e e e e e	Parameter programme and an analysis of the second			
TRUCK#	46	TRAILER#					
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	₹ <i>}}1</i> ,97,57	2 - 2, 7			
PHONE #	(315) 433-5115						
NO. PIECES	ARTICLES OR I	DESCRIPTION				WEIGHT	
)	EIGHT IN	r		
			BILLI	ED WEIGI	нт		
SHIPPER SIGNA DRIVER SIGNA	- 4 /2 - 2/m	PRINT NA		May 1	<u> </u>	Ly Grapes	
SPECIAL INSTR	RUCTIONS:						
7	ob Olyman Thin						
DESTINATION:	mers Merdens						
		T					
FOR APPROVA CONSIGNEE PR CONSIGNEE SI (NO INITIA	Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal nontoxic sludge and other waste materials which is not a						
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM — DATE — AM BY TIME PM	radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.					



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#17 12:25 M 23025

	<u> </u>					
TRANSPORTE	R	DATE	TIME IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	Shilos				
TRUCK#	50	TRAILER#	Control of the second of the s			
P.O. BOX SYRACUS	SE, NY 13217		a midding			
	(315) 433-5115			WEIGHT		
NO. PIECES	ARTICLES OR I	DESCRIPTION	SCRIPTION WEIGHT IN			
		ВІ	WEIGHT OUT	· .		
SHIPPER SIGNATUREPRINT NAMEPRINT NAME						
SPECIAL INSTR	Washing Lugar	a The hadys	-25 , L. T.Z.			
	RINT NAME	waste or waste matter, rubbish, toxic sludge and radioactive volation or hazardous nature.	containing an trash, debris, a other waste ma le, highly flamn	to mean only solid imal and vegetable shes and metal non-terials which is not a nable explosive toxic		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

of the state

23020

TRANSPORTE	R		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	The state of the s				
TRUCK#		TRAILE	ER#			

CONSIGNEE			SHIPPER			
RICCELLI	ENTERPRISES INC.					
P.O. BOX	6418		, A. C. (1980)			:
SYRACUS	SE, NY 13217			K.		
PHONE #	(315) 433-5115					
NO. PIECES		ES OR DESCR	IPTION			WEIGHT
NO.TIEGES				. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
-	•		,	WEIGHT.IN	l	
			w	/EIGHT OU	т	
- 194 miles	XIIV				-	
			BIL	LED WEIG	HT	
A to the						14
C. UBBER GIONA	TUDE I Ame III	and the state of t	PRINT NAME		The state of the s	They was
SHIPPER SIGNA	ATORE	The state of the s	_1 (A)(A) (A)(A)(C)(B)(A)			
DRIVER SIGNA	THE	and the state of t	PRINT NAME	(Wast	- (4)	wessel
DRIVER SIGNA	TORE	and the second second			1	
SPECIAL INSTR	RUCTIONS:	•				
100						
	Mo Let 3	Mal .	IENX			
DESTINATION:						
باسر ا	A					
American de la companya della companya de la companya de la companya della compan	maca Moderns	÷				
FOR APPROVA	L:	Soli	d waste being	g interpre	eted to	mean only solid
CONSIGNEE P	RINT NAME	was	te or waste ter rubbish tr	containing	g anim	al and vegetable es and metal non-
CONSIGNEE S	IGN HERE	toxic	c sludge and o	ther wast	e matei	rials which is not a
(NO INITI/	FIRM DATE	orb	oactive volatile azardous natu	e, highly f	Iammal 4	ole explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	PY TIME	□ AM OF IT	azaruvus natui	1 G 03 113 16(d.	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

12:58

22340

TRANSPORTE	ER .		DATE	TIME	IN	/ OUT
RICCELLI P.O. BOX	ENTERPRISES INC.	Barre San Control	14-08			
TRUCK#		TRAILE	R#			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		SHIPPER			
PHONE #	(315) 433-5115			or the section of		
NO. PIECES	ARTICLES	OR DESCRI	PTION			WEIGHT
	Contaminated Off	e de la companya de l	V	WEIGHT IN VEIGHT OU LLED WEIG	T .	·
SHIPPER SIGNA	ATURE	The state of the s	PRINT NAME _	- The second second	and the second	The state of the s
DRIVER SIGNA	TURE WILLEY		PRINT NAME	<u> </u>	<u>il</u>	
SPECIAL INSTR	RUCTIONS: WOODSINE G.	t Carfil	700 0	Sut fl	reel	IRM
DESTINATION:	Seneco Mendous					
CONSIGNEE PI CONSIGNEE SI (NO INITIA	L:	wast matte toxic radio	e or waste er, rubbish, to sludge and co active volatil	containing rash, debr other wast e, highly f	g anim is, ash e mate lammal	mean only solid al and vegetable es and metal non-rials which is not a ble explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE BY TIME	□ AM Orha □ PM	zardous natu	ıre as listed	d. 	- -



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

22747

labbam

TRANSPORTE	TD.		DATE	TIME	IN	/ OUT			
TRANSPORTE	:R			294."					
RICCELLI	ENTERPRISES INC.	g:	10-08	er" \$					
P.O. BOX		5	11112	5-1					
	SE, NY 13217		5/14/08						
TRUCK#	4 × 2	TRAILE	R#						
and a second									
	/								
CONSIGNEE			SHIPPER						
RICCELLI	ENTERPRISES INC.		·		,				
P.O. BOX			77100		A STATE OF THE STA				
SYRACUS	SE, NY 13217	MICCELL							
PHONE #	(315) 433-5115								
NO. PIECES	ARTICLES OR I	DESCRI	PTION			WEIGHT			
	, where the		W	EIGHT IN	1				
<u></u>	A STATE OF THE STA		\a(\mathcal{\tau})	1017 01		·			
1			WE	IGHT OL	'				
			BILL	ED WEIG	НТ				
SHIPPER SIGNA	ATURE	Marine Carlotte	_PRINT NAME	Augusta .	1/wx	Hat !			
Orm / Erroron			11.	1 17 osta	12611	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
DRIVER SIGNA	TURE 1111 11 11 11 11 11 11 11 11 11 11 11		_PRINT NAME	(1) f (4)					
SPECIAL INSTR	RUCTIONS:								
			ann de e	. (N/).	r Pad	chi 187			
i.	NAJOSD VINE 15	1641		· (2.00)					
DESTINATION:									
	Small Mondons								
	The state of the s								
FOR APPROVA		Soli	d waste being	interpr ontainin	eted to a anima	mean only solid al and vegetable			
	RINT NAME	⊟ mati	ter rubbish tra	sh deb	ris, ashe	es and metal non- I			
CONSIGNEE S (NO INITI	IGN HEREALS)	- toxid	sludge and oth	her was:	te mater	ials which is not a ble explosive toxic			
RECEIVED.	FIRM DATE	⊢ orb	azardous nature	as liste	d.	AC CAPICONO TOATO			
ABOVE MATERIAL IN GOOD CONDITION	BY TIMEPI	M -							



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Pheips, NY 14532 (315) 548-4049

1:08 Dry

22733

TRANSPORTE	ER .	DATE	TIME	IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-14-08					
TRUCK#	90	TRAILER #					
P.O. BOX SYRACUS	I ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115	SHIPPER					
NO. PIECES	ARTICLES OR E	DESCRIPTION			WEIGHT		
	501	W	/EIGHT IN EIGHT OU .ED WEIG				
SHIPPER SIGNATURE PRINT NAME PRINT NAME PRINT NAME							
DRIVER SIGNA					, ,		
SPECIAL INSTR	Seneca mea	00 <i>0</i> 3					
DESTINATION:	Synn & Mandage						
		1					
	RINT NAME	1	ontaining sh, debri ner waste highly fla	anima s, ashe materi ammab	al and vegetable es and metal non- ials which is not a		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

1:48

23129

NON-HAZARDOUS SOLID WASTE MANIFEST

		_						
TRANSPORT	ER		DATE	TIME	IN	/ OUT		
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217		1. D.					
TRUCK#		TRAILE	R#	<u> </u>		•		
1		•				•		
CONSIGNEE			SHIPPER					
P.O. BOX SYRACU:	SE, NY 13217		Wordb	na In Sing State and				
	(315) 433-5115				<u> </u>			
NO. PIECES	ARTICLES OR E	DESCRI	PION	4 tem		WEIGHT		
	·		W	EIGHT IN				
		WEIGHT OUT						
	·		***	.0111 00	·			
			BILLI	ED WEIG	нт			
			v*					
SHIPPER SIGNA	ATURE / / / / /	The State of the S	PRINT NAME	2.44	G. M.	June		
		ž.		John Jan	. 4			
DRIVER SIGNA	TURE		PRINT NAME	1				
SPECIAL INSTE	RUCTIONS:			***************************************				
	700 Odpared IK							
DESTINATION:	Same a Mendong							
FOR APPROVA	L:					mean only solid		
CONSIGNEE PI	RINT NAME	waste	e or waste co	ntaining	anima	l and vegetable s and metal non-		
CONSIGNEE SI (NO INITIA	IGN HERE	toxic	sludge and oth	er waste	e materia	als which is not a		
RECEIVED ABOVE	FIRM DATE	orha:	active volatile, zardous nature	nighly fl as listed	ammabl I.	e explosive toxic		
MATERIAL IN GOOD CONDITION	BY TIME PM	1						



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

1:50 PM

23017

NON-HAZARDOUS SOLID WASTE MANIFEST

TDANODODI	-n	DATE	1-	 ГІМЕ	IN	/ OUT
TRANSPORTI	=K	DATE		IIIVIE	IIN	/ 001
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-14-08		2:00	PW	·
TRUCK#	302	TRAILER#		(1		
			<i>\$</i>			
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	(lood)	BINC		
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES OR D	ESCRIPTION				WEIGHT
SHIPPER SIGNA	Woodsine Group 7		WEIG	GHT IN SHT OUT O WEIGH		for several constants
DRIVER SIGNA	TURE	PRINT NAM	ME) (10 a C		AJMAN JR
SPECIAL INSTR	RUCTIONS:					
DESTINATION:	Senera Mentous					:
	RINT NAME	waste or was matter, rubbisl toxic sludge ar	ste con h, trash nd othe latile, hi	taining , debris, r waste r ighly flar	animal ashes nateria	mean only solid and vegetable and metal non- als which is not a e explosive toxic

□РМ



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

20787

P	ION-HAZAKU	003 30	FID AAVO	I E I I I I	-41411 E			
TRANSPORTE	≣R		DATE	TIME	IN_	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		5/14/10					
TRUCK#	46	TR	TRAILER #					
P.O. BOX SYRACUS	SE, NY 13217		SHIPPER	5000	, E			
PHONE #	: (315) 433-5115 	RTICLES OR DES	CRIPTION			WEIGHT		
NO. PIECES		(HOLLO ON DEC	v.	WEIGHT I	υτ			
SHIPPER SIGNADRIVER SIGNA			PRINT NAMEPRINT NAME	1	lythe	According to the second		
SPECIAL INSTI	RUCTIONS:	. ·						
DESTINATION:			. 77 (·		
FOR APPROVA	AL:		Solid waste beir	ng interp	reted to	mean only solid		
	FIRM — DATE — DATE — TIME		waste or waste containing animal and version matter, rubbish, trash, debris, ashes and me toxic sludge and other waste materials which radioactive volatile, highly flammable explosi or hazardous nature as listed.					



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049 11242

	OIT-IIALAINDOOG O					
TRANSPORTE	R		DATE	TIME	IN.	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		7/1/			
TRUCK#		TRAILE	R#			
		·	OUIDDED		·	
P.O. BOX SYRACUS	SE, NY 13217		SHIPPER	9 E		
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES OR I	DESCRI	PTION	· · · · · · · · · · · · · · · · · · ·		WEIGHT
		August of the second of the se	, WE	EIGHT IN EIGHT OU' ED WEIGI	<u> </u>	
SHIPPER SIGNA DRIVER SIGNAT	The state of the s		PRINT NAME	ioy /	(A)	4. J
SPECIAL INSTR	UCTIONS:	***				
	To Oppose The					
DESTINATION:						
	V Company					
		T		• •	1 - 1 1	
1	<u> </u>	Solid	t waste being e or waste o	interpre ontaining	ted to I anima	mean only solid al and vegetable
	RINT NAME		er rubbish tra	sh. debri	s, ashe	s and metal non-
(NO INITIA RECEIVED ABOVE	EIDM DATE	radio	sludge and oth pactive volatile, azardous nature	highly fl	ammab	ials which is not a le explosive toxic
MATERIAL IN GOOD CONDITION	BY TIME PN	VI J.				



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

14701

ID MARCTE MARIEEST

L	ION-HAZARDOUS	JULIU Y	TAMOII	T IAI	VASS F			
TRANSPORTE	ER .	DA		TIME	IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-11		Action 1				
TRUCK#	5.1	TRAILER#		1				
P.O. BOX SYRACU	SE, NY 13217	SHIF	PPER	. 118 9	caecup	· · · · · · · · · · · · · · · · · · ·		
	(315) 433-5115	R DESCRIPTIO	 N			WEIGHT		
NO. PIECES	1011TSn. 1	N DEGORAL TIO	WEIGHT IN					
			WE	EIGHT OU	IT .			
*			BILL	ED WEIG	БНТ <u> </u>			
SHIPPER SIGNA			IT NAME					
SPECIAL INST	RUCTIONS:							
	700 outpared IRM					·		
DESTINATION:	the state of the state of					·		
		1						
1 .	PRINT NAME	waste o matter, r toxic slu- radioacti	r waste oubbish, tradige and ot to ve volatile	containin ish, debi her wasi , highly i	g anima ris, ashe te mater flammab	mean only solid al and vegetable is and metal nonials which is not a ble explosive toxic		
MATERIAL IN GOOD CONDITION	BYTIME	AM OTHAZAN						



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#1

23028

		T	1	
TRANSPORTE	≣R	DATE	TIME IN	I OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/15/68		7:07 Am
TRUCK#	50	TRAILER #	and the same	
				+
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER (1	1000 101 00472 = 4,5041	ne redite
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR	DESCRIPTION	*	WEIGHT
į.	Land Soll		/EIGHT IN	
		BILL	ED WEIGHT	Est. 22 ton
SHIPPER SIGNA	ATURE 1	PRINT NAME	Dy h	Ly Mar James Land
DRIVER SIGNA	TÜRE	PRINT NAME	A the said	0.
SPECIAL INSTR	Word Kins			
ĺ	Serve a Meadous			
<u></u>				
FOR APPROVA	L:			to mean only solid
CONSIGNEE P	RINT NAME	⊥ waste or waste c L matter rubbish tra	ontaining ai sh. debris. a	nimal and vegetable ashes and metal non-
CONSIGNEE S (NO INITIA	IGN HEREALS)		her waste m	aterials which is not a mable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AN	or hazardous nature	e as listed.	THADIC CAPICSIVE LOAIC



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#2

20012

TRANSPORTI	ER .		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	de la company Species de la company de la company	5.05	7.10	fi co	7:1z
TRUCK#	502	TRAILE	(R#			
P.O. BOX SYRACUS	ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115		SHIPPER	Par M		
NO. PIECES	ARTICLES OR D	ESCRI	 PTION			WEIGHT
	700 Olymond IK	W.	WE	EIGHT IN IGHT OU' ED WEIGI		· · · · · · · · · · · · · · · · · · ·
SHIPPER SIGNA			PRINT NAME	341 Sm		hat Livenis
SPECIAL INSTR	RUCTIONS:					
DESTINATION:	Some Mandon	V E V Sund				
FOR APPROVA CONSIGNEE PR CONSIGNEE SI (NO INITIA RECEIVED ABOVE MATERIAL IN GOOD CONDITION	RINT NAMEGN HERE	waste matte toxic radio	e or waste co er, rubbish, tras sludge and oth	ntaining h, debri er waste highly fla	animal s, ashes materia ammabl	mean only solid I and vegetable s and metal non- als which is not a e explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Pheips, NY 14532 (315) 548-4049

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTE	ER		DATE	TIME	IN	/ OUT
RICCELLI P.O. BOX	ENTERPRISES INC.	e garan	15.05			
TRUCK#	79	TRAILE	ER#			
	<u> </u>		1	<u>.</u>		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		SHIPPER	F		
PHONE #	(315) 433-5115				· · · · · ·	
NO. PIECES	ARTICLES OF	R DESCRI	PTION			WEIGHT
	CAT The second of the second o		WE	EIGHT IN	JT	
SHIPPER SIGNATURE PRINT NAME PRINT NAME PRINT NAME						
SPECIAL INSTRUCTIONS: VIOLO VINE 150085 700001 FURCES IRV						
DESTINATION:	GRHECE MERDI	CUS				
	RINT NAME	was mati toxio radio	te or waste c ter, rubbish, tra c sludge and otl	ontaining sh, debi her wast highly f	g anima ris, ashe e materi lammab	mean only solid Il and vegetable s and metal non- als which is not a le explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

714 7:23 22341

TDANCOODT	- D		DATE	TIME	IN	/ OUT
TRANSPORTE	:K	مندورون				
DICCELLI	ENTERPRISES INC.	15-1	508			·
P.O. BOX						
	5E, NY 13217					
STRACOC	JL, NT 10217				<u> </u>	
TRUCK#		TRAILER	₹#			
across de la companya						
		<u> </u>				
CONSIGNEE		T	SHIPPER	-		
	ENTERPRISEO INO			<i>e f</i>		
	ENTERPRISES INC.		Jack 6 12 20	MARINE		
P.O. BOX						
SYRACUS	SE, NY 13217					
DUONE #	(215) 422 5115					
	(315) 433-5115				···· ·· · · · · · · · · · · · · · · ·	MEIOUT
NO. PIECES	ARTICLES OR I	DESCRIF	PTION	<u> </u>		WEIGHT
			W	EIGHT IN		
	Carlamonated Sail		**		<u> </u>	
			WE	IGHT OU	Г	
r.						
			BILL	ED WEIGI	HT	<u></u>
	and the second s			andrea &	2)	1 2
SHIPPER SIGNA	TURE A 1 2 A 1		PRINT NAME <u></u>	Burn de	14/1	the phononesia
			ige.	and the second of the second	** **	
DRIVER SIGNA	TUDE		PRINT NAME	300		Jilony
DRIVER SIGNA	IURE					
SPECIAL INSTR	RUCTIONS:		Mor Out	9	e esta	rom
	RUCTIONS: Wood bine Grow		Service Contract	1 41 6		
		9				
DESTINATION:	Seneca Wealows					
	Parace most on?					
				₩		
		1				,
FOR APPROVA	L:	Solid	waste being	interpre	ted to	mean only solid
CONSIGNEE P	RINT NAME	waste	e or waste co	ontaining sh. dabri	i anim e aeh	al and vegetable es and metal non-
CONSIGNEE SI	IGN HERE	- toxic	รเนอยเอเเ, และ sludge and oth	ner waste	e mate	rials which is not a
(NO INITIA		→ radio	active volatile,	highly fl	ammal	ble explosive toxic
RECEIVED ABOVE MATERIAL IN	FIRM DATE AN	- orbo	zardous nature	as listed		
GOOD CONDITION	BY TIME PA		•			



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

45

15151

NON-HAZARDOUS SOLID WASTE MANIFEST

-							
TRANSPORTE	ER		DATE	TIME	IN	/ OUT	
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217		on the state of th	7/15/18	- model a satisfacion programmer		8:11	
TRUCK#		TRAILER#					
CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217			SHIPPER Light Anna				
PHONE # (315) 433-5115							
NO. PIECES ARTICLES OR DESCRIPTION						WEIGHT	
and the state of the		:		EIGHT IN			
7-			BILL	ED WEIG	нт	-	
SHIPPER SIGNATURE PRINT NAME PRINT NAME							
DRIVER SIGNATURE On the second print NAME PRINT NAME							
SPECIAL INSTRUCTIONS:							
DESTINATION:							
		T					
· 1			Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable				
CONSIGNEE PRINT NAME CONSIGNEE SIGN HERE (NO INITIALS) RECEIVED ABOVE MATERIAL IN GOOD CONDITION BY TIME PM			matter, rubbish, trash, debris, ashes and metal non-toxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.				



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



13046

I ID WASTE MANIFEST

1	IUN-HAZAKDU		LID ANYO	1415	71.411 =	
TRANSPORTE	ER .		DATE	TIME	<u>IN</u>	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	J	5-15-09			85.4
TRUCK #	145		AILER#			
						· · · · · · · · · · · · · · · · · · ·
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	j.	SHIPPER			VOUŽ
PHONE #	(315) 433-5115					
NO. PIECES		LES OR DES	CRIPTION			WEIGHT
	DICT - CKG			WEIGHT II	Τt	
SHIPPER SIGNA	Committee of the second se	1	PRINT NAME_			And the second s
SPECIAL INST	RUCTIONS:					
	700 Objecte	676	77	,		
DESTINATION:	NECS MEAN					
CONSIGNEE F	AL:		vaste or waste natter, rubbish, oxic sludge and	containir trash, deb other was ile, highly	ng anima ris, ashe te mater flammat	mean only solid al and vegetable es and metal non- ials which is not a ble explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

15157

#7

TRANSPORTE	R	DATE	TIME I	IN / OUT	
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	3/15/16			
TRUCK#		TRAILER#			
P.O. BOX SYRACUS	SE, NY 13217	SHIPPER	Ding	Grauf	
PHONE #	(315) 433-5115 ARTICLES OR E	DESCRIPTION		WEIGHT	
NO. PILOLO	Contampald S	26)	WEIGHT IN		
		BIL	LED WEIGHT		
SHIPPER SIGNA DRIVER SIGNA	F. M. Million	PRINT NAMEPRINT NAME	Trust. Eight	in 1km t: 1km	
	RUCTIONS:	<u> </u>			
ATTIVIATION:	ra Headows L	an JEII			
	DATE AN	1	containing a ash, debris, ther waste n e, highly flan	animal and veget ashes and metal naterials which is r	able non- not a



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049





					1		
TRANSPORTE	ER		DA	TE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	·					Jan Jan Janasan
TRUCK#			TRAILER#		I		
CONSIGNEE			SHIE	PER			:
RICCELLI P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217				J.		
PHONE #	(315) 433-5115						
NO. PIECES		ARTICLES OR D	ESCRIPTIO	٧			WEIGHT
	, «CAL)			W	EIGHT IN		
į.			J.	WE	IGHT OUT	·	
L. A.		A Joseph	English Control	BILLI	ED WEIGH	4T	
erg Portugal Portugal Portugal							
SHIPPER SIGNA	TURE		PRIÑ	T NAME	27% 2007	de st	
DRIVER SIGNAT	rure		PRIN	T NAME			<u> </u>
SPECIAL INSTR	UCTIONS:			Lui	27		
DESTINATION:		ett er er er	, + - 4.				
	DIALT NARAT		Solid was waste or	ste being waste co	interpret	ed to n animal	nean only solid and vegetable
CONSIGNEE SI	RINT NAME		matter, ru	bbish, tras	sh, debris	s, ashes	and metal non- als which is not a
(NO INITIA RECEIVED ABOVE	.LS) DATE		radioactiv	e volatile,	highly fla	ımmable	e explosive toxic
MATERIAL IN GOOD	DATE -	☐ AM	or nazaro	ous nature	as listed.		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#8

23019

DATE	TIME IN / OUT
DATE	THUE IN 7 COT
The state of the s	
TRAILER#	ن. د
SHIDDED	
·	alli (Ni
CLES OR DESCRIPTION	WEIGHT
-1975A7	VEIGHT IN EIGHT OUT LED WEIGHT
PRINT NAME	Dry Hurthur
PRINT NAME	
w.\$	
waste or waste c matter, rubbish, tra toxic sludge and otl	interpreted to mean only solid containing animal and vegetable ash, debris, ashes and metal non- her waste materials which is not a , highly flammable explosive toxic e as listed.
	Solid waste being waste or waste or matter, rubbish, tratoxic sludge and oil radioactive volatile or hazardous nature.



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#10

23026

TRANSPORT	≣R		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	- C	1/5/65			912-for
TRUCK#		TRAILE	ER#	Samuel Samuel Samuel		
CONSIGNEE			SHIPPER			
RICCELLI	ENTERPRISES INC.			SELL VILL	a y fra	
P.O. BOX			TOO ON	gar of State	er still	L.C.
	SE, NY 13217		many of the state		er e	
01101001	JE, 141 10217		The state of the	44. y 20 1	and the second	\$ 4,
PHONE #	(315) 433-5115			ŕ		
NO. PIECES	ARTICLES OR D	ESCRI	PTION			WEIGHT
p ^d de d'	Comment Sant		W	EIGHT IN		
			WE	IGHT OU	r 📗	
			BILLI	ED WEIG	нт	
	4.		صعبون -			
SHIPPER SIGNA	TURE ///	AND THE PERSON NAMED IN COLUMN TWO	PRINT NAME	7	421	Lyde
	And the second s			Jan		
DRIVER SIGNA	TURE		PRINT NAME	There is a		•
SPECIAL INSTR	RUCTIONS:					
	between the first one					
DESTINATION:						
	The region of the are there to					
FOR APPROVA	L:	Solid	l waste being	interpret	ted to	mean only solid
CONSIGNEE PF	RINT NAME	wast	e or waste co	ontaining	anima	I and vegetable s and metal non-
CONSIGNEE SI (NO INITIA	GN HERELS)	toxic	sludge and oth	er waste	materi	als which is not a
RECEIVED ABOVE MATERIAL IN	FIRM ——— DATE ———— AM		zardous nature			le explosive toxic
GOOD CONDITION	BYTIMEPM					



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#11

23013

TRANSPORT	ER		DATE	TIME	IN	/ OUT	
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	5	5-08	9138) pri	,	
TRUCK#	302	TRAILE	R#				
			/				
CONSIGNEE	LENTEDDDIOEO INO		SHIPPER				
P.O. BOX	I ENTERPRISES INC.				المعاشرين		
	SE, NY 13217			Carlo Carlo	,:		
	,						
PHONE #	(315) 433-5115						
NO. PIECES	ARTICLES OR D	DESCRI	PTION			WEIGHT	
			W	EIGHT IN			
	_ 1 1 1	Comment of the same					
	700 OUTBLE! 3		WE.	IGHT OUT			
				ED WEIGH	т		
SHIPPER SIGNA	ATURE / / / /	Markey Server	PRINT NAME	204 h	lurl	bet	
DRIVER SIGNA	TURE 2	n,===	PRINT NAME		- 4	3 Komadii	
SPECIAL INSTE	PHOTIONS:						
SECONE INSTI	COOTIONS.						
DESTINATION							
DESTINATION: Seneca Meadows							
		,					
FOR APPROVA	L:	Solid	waste being	interpret	ed to r	mean only solid	
CONSIGNEE PI	RINT NAME	waste	e or waste co	ntaining	animal	and vegetable and metal non-	
CONSIGNEE SI (NO INITIA	GN HEREALS)	toxic	sludge and oth	er waste	materia	als which is not a	
RECEIVED ABOVE MATERIAL IN	FIRM DATE	orbo	active volatile, zardous nature		mmable	e explosive toxic	
MATERIAL IN GOOD	I AMI						



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

TDANGDORT	-D	DATE	TIME IN	/ OUT
TRANSPORTE	:R	DATE		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-15-07	j.	
TRUCK#	70	TRAILER#		
g.e.e.				
CONSIGNEE		SHIPPER	· · · · · ·	
RICCELLI P.O. BOX SYRACUS	SE, NY 13217	Ried E North		
	(315) 433-5115			
NO. PIECES	ARTICLES OR E	DESCRIPTION		WEIGHT
	CONTRACTOR	WE	EIGHT IN EIGHT OUT	
	CANADA AND AND AND AND AND AND AND AND AN	•		
SHIPPER SIGNA	TURE	PRINT NAME	Dyn Hur	May 1
DRIVER SIGNAT	TURE	PRINT NAME	elergi ket 30	1.11
SPECIAL INSTR	RUCTIONS:			
180	2 WNE 12 POURE 2	er out is get	70.8	
DESTINATION:				
	1 5 3 1 5 C B N 15 2 18 1			
				1 17 1
FOR APPROVAL		Solid waste being waste or waste or	ınterpreted t ontaining aniı	o mean only solid i mal and vegetable
	RINT NAME	matter, rubbish, tras	sh, debris, as	hes and metal non-
CONSIGNEE SI (NO INITIA	GN HERE LS)	toxic sludge and other	ner waste mat highly flamm	erials which is not a able explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DAYE AM BY TIME PM	or hazardous nature	as listed.	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

13

·		T 54TE	TIME IN	/ OUT
TRANSPORTE	ER .	DATE	TIME IN	/ 001
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-15-08		147 Than
TRUCK#		TRAILER#		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	Break	
PHONE #	(315) 433-5115			WEIGHT
NO. PIECES	ARTICLES OR	DESCRIPTION		WEIGHT
	Comment Si		VEIGHT IN EIGHT OUT	
		BILI	LED WEIGHT	
SHIPPER SIGNA	TURE_	PRINT NAME	1294	Ly My James 1
DRIVER SIGNA	TURE	PRINT NAME	<u> Jasse Li</u>	Aller V
SPECIAL INSTI	RUCTIONS: WOOD BINE OF	ing The	Out An	cl Ily
DESTINATION:	Senera Mepado			
FOR APPROVA	AL:	Solid waste being	g interpreted	to mean only solid
CONSIGNEE P	RINT NAME	waste or waste of matter, rubbish, tra	containing an ash, debris, as	imal and vegetable shes and metal non-
(NO INITI		—I tovic cludge and ∩	ther waste ma e, highly flamn	terials which is not a nable explosive toxic
ABOVE MATERIAL IN GOOD CONDITION		ornazardous natur	e as nsteu.	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



23132

TRANSPORTE	ER		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217					11:16
TRUCK#	<u> </u>	TRAILE	R#			
P.O. BOX SYRACUS	SE, NY 13217		SHIPPER	herx		
	(315) 433-5115					WEIGHT
NO. PIECES	ARI	ICLES OR DESCRI	. WI	EIGHT IN IGHT OUT	т	WEIGHT
				ha a		
SHIPPER SIGNA DRIVER SIGNA		<u> </u>	PRINT NAME			
SPECIAL INSTR	The Contract of		TRM .			
DESTINATION: Schera Mendons						
FOR APPROVA CONSIGNEE PI CONSIGNEE SI (NO INITIA RECEIVED ABOVE MATERIAL IN GOOD	RINT NAME	wast matte toxic radio	e or waste co er, rubbish, tras sludge and oth	ontaining sh, debris er waste highly fla	anima ashe; materia	mean only solid I and vegetable s and metal non- als which is not a e explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#15

15152

		DATE	TIME IN	/ OUT
TRANSPORTE	R	DATE	TIME IN	/ 001
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	2/5/2		11:19
TRUCK#		TRAILER #		
CONSIGNEE		SHIPPER		
P.O. BOX	ENTERPRISES INC. 6418 6E, NY 13217	Curadhy	·	
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
	*	w	EIGHT IN	······································
	The second of the second		Ì	
		WE	IGHT OUT	
		BILL	ED WEIGHT	
SHIPPER SIGNA	TURE 1 1 1	PRINT NAME	Day Hus	c Haylan
DRIVER SIGNAT	rure <u>in the second of the sec</u>	PRINT NAME	<u> </u>	
SPECIAL INSTR			••	A-10-17-4
	760 Outraved IKM			
DESTINATION:				
	and the state of t			

FOR APPROVA	L:	Solid waste being	interpreted	to mean only solid
	RINT NAME	∃ matter, rubbish, tras	sh. debris, as	mal and vegetable shes and metal non-
CONSIGNEE SI (NO INITIA	GN HERE		ner waste ma	terials which is not a
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATE	or hazardous nature	as listed.	nable explosive toxic
CONDITION	BYTIMEP	"		



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

10153

#16

NON-HAZARDOUS SOLID WASTE MANIFEST

ZD.1.1.0 E.0.D.T.T.			DATE	TIME	IN	/ OUT
TRANSPORTER	₹		5/112	1		
P.O. BOX 6	ENTERPRISES INC. 418 E, NY 13217	A Company	15 - SX			11.24
TRUCK#	115	TRAILE	₹#			
	10					
CONCIONET			SHIPPER			
P.O. BOX 6	ENTERPRISES INC. 6418 E, NY 13217	.g··		908 /*	Agen Samen Samen Samen	GROV
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES C		TION			WEIGHT
1	DIPT OS. OF		V	VEIGHT IN		
,	CONTRACTORED		W	EIGHT OU	т Г	
	The state of the s		•		·	A
			BIL	LED WEIG	HT	
SHIPPER SIGNA	TIPE () Oleman	The second secon	PRINT NAME	1 1 2 1 2 1	freelige of the second	1 hay form
DRIVER SIGNAT	and the		PRINT NAME			1.00
SPECIAL INSTR	UCTIONS:	111-				
	700 Outpured	IRM				
DESTINATION:	SENECH ME	- ADZW	C.			
FOR APPROVAL		Solic	l waste being	interpre	eted to	mean only solid
CONSIGNEE PE	RINT NAME	wast	e or waste o er rubbish fra	containing ash, debr	g anim is. ash	al and vegetable es and metal non-
CONSIGNEE SI (NO INITIA	GN HERE	—— toxic	sludge and o	ther wast	e mate	rials which is not a ble explosive toxic

RECEIVED ABOVE MATERIAL IN

GOOD CONDITION AM PM

or hazardous nature as listed.



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

ダノフ

13135

NON-HAZARDOUS SOLID WASTE MANIFEST

		DATE	TIME IN	, OUT
TRANSPORTE	R	DATE	TIME IN	I / OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/15/08	1.15	11.24
TRUCK#	may b	TRAILER #		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	bine	Graya
PHONE #	(315) 433-5115			,
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
	Contaminated	W E	EIGHT IN	
		BILL	ED WEIGHT	
SHIPPER SIGNA	I I An A	PRINT NAME PRINT NAME	Sepole	11/2000 11/2000
SPECIAL INSTR	RUCTIONS:			
	100 Outporch IRM			
DESTINATION:	Seneca Headows 4	Londfill		·
FOR APPROVA	AL:	Solid waste being	interpreted	to mean only solid
CONSIGNEE P	RINT NAME	🗍 matter, rubbish, tra	sh, debris, a	nimal and vegetable ashes and metal non-
CONSIGNEE S (NO INITIA	IGN HERE ALS)	⊣ toxic sludge and otł	her waste m	aterials which is not a mable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AN PN	or hazardous nature	e as listed.	mable explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#18

24932

TRANSPORTE	R		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	\$				11:37
TRUCK#		TRAILE	R#			
CONSIGNEE			SHIPPER			
RICCELLI P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217			e de la companya de l		the State Commission of the Co
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES OR I	DESCRI	PTION			WEIGHT
			WE	EIGHT IN IGHT OU ED WEIG		
SHIPPER SIGNA		and the second of the second o	PRINT NAME	And the	le de	t was the
SPECIAL INSTR			, p. 10			
SPECIAL INSTR	RUCTIONS:	Dear	Andrew .			
,	O GH FRONT	KN	Note have			
DESTINATION:	Sontra Madrus					
FOR ADDROVA	r.	Solid	1 wasto boing	interpro	ted to	mean only solid
FOR APPROVA	RINT NAME	wast	e or waste c	ontainind	anima	al and vegetable
	IGN HERE	matt toxio radio or ha	er, rubbish, tra sludge and oth	sh, debr ner waste highly fl	is, ashe e materi ammab	es and metal non- ials which is not a le explosive toxic



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

4/19

23327

		<u> </u>		-
TRANSPORTE	≣R	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/15/68		12:08
TRUCK#	50	TRAILER#	·	
P.O. BOX SYRACUS	SE, NY 13217	SHIPPER 70cs Gen 50cs	poolbers species pools	116 4. 34.
	(315) 433-5115			· .
NO. PIECES	ARTICLES OR E	DESCRIPTION		WEIGHT
J.A.	La Cours of Laws !	wi	EIGHT IN	
		WE	IGHT OUT	
		BILLI	ED WEIGHT	
				194 22 Lan
SHIPPER SIGNA	TURE The state of	PRINT NAME	<u> </u>	a 1 h z glanni
DRIVER SIGNA	TURE	PRINT NAME	J. Jan	
SPECIAL INSTR	RUCTIONS:			
	projetherm			
DESTINATION:	Strong Production 5			
	- 14 - 14 - 14 - 14 - 14 - 14 - 14 - 14			
FOR APPROVAL	L:	Solid waste being		
	RINT NAME	waste or waste co matter, rubbish, tras		
(NO INITIA	GN HERELS)	toxic sludge and oth	er waste mat	
RECEIVED ABOVE MATERIAL IN GOOD	FIRM — DATE — AM	or hazardous nature		CADIO ONPICOTIVO LONIO



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

23014

#Z0

TRANSPORTE	≣R		DATE	TIME	IN .	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		5-08	2.0%	; Pm	printed a state of the
TRUCK#	302	TRAILE	ER#			·
CONSIGNEE			SHIPPER			
RICCELLI P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217		y bed	Bus	manual larks 1977 - 1978 -	
	(315) 433-5115					ACMIDING
NO. PIECES	ARTICLES OR D	ESCRI	PTION			WEIGHT
	700 outpacel	garant residence of the second		EIGHT IN IGHT OUT		
	The Control of the Co			ED WEIGH	іт	
÷						
SHIPPER SIGNA	TURE	2	PRINT NAME	Math.	Jan I Jag	se st
DRIVER SIGNA	TURE	- And a second	PRINT NAME) Ushin	e Î	Sama
SPECIAL INSTR	UCTIONS:					
DESTINATION:			-			
	Seneca Mendo	A) Sugar				
		1				
FOR APPROVA	L:	Solid	waste being	interprete	ed to r	mean only solid
	RINT NAME	matte	er, rubbish, tras	h, debris	s, ashes	and vegetable and metal non-
CONSIGNEE SI (NO INITIA	GN HERE LS)	toxic	sludge and other	er waste	materia	als which is not a e explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AM BY TIME PM	or ha	zardous nature	as listed.	iiiiiabit	C CAPIOSIVE LOXIC



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#21

22336

NON-HAZARDOUS SOLID WASTE MANIFEST

TDANOBORT	-	DATE	TIME	IN	/ OUT
TRANSPORTE	<u>=</u> r	DAIL	11141		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-15-0			12:20
TRUCK#		TRAILER#			
	A STATE OF THE STA		S		
CONSIGNEE		SHIPPER	· · · · · · · · · · · · · · · · · · ·		
P.O. BOX SYRACUS	SE, NY 13217				
NO. PIECES	(315) 433-5115 ARTICLES OR E) ESCRIPTION		1	WEIGHT
		BI	WEIGHT IN WEIGHT OUT	IT	
SHIPPER SIGNA	TURE A LAURAN A LAURE		- 	<u> </u>	<u> </u>
SPECIAL INSTR	RUCTIONS:	000 700	04 7		46 117 ps
DESTINATION:					
	SENELL PERM	04015		:s	
FOR APPROVA	L:	Solid waste beir	ng interpret	ed to	mean only solid

FOR APPROVA	L:		
CONSIGNEE P	RINT NAME.		
CONSIGNEE SI (NO INITIA			
RECEIVED ABOVE MATERIAL IN GOOD	FIRM	DATE —	АМ
CONDITION	BY	TIME	PM

Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal nontoxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#22

24334

TRANSPORTE	ER .	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-15-08		
TRUCK#		TRAILER#		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER		
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
*.	Contaminated Sol	w WE	EIGHT IN	
				
		BILL	ED WEIGHT	
SHIPPER SIGNA		PRINT NAMEPRINT NAME		
SPECIAL INSTR	RUCTIONS:	o The Cul	Arol.	and the second s
DESTINATION:	senece Meadows			
FOR APPROVA		Solid waste being waste or waste or	interpreted ontaining an	to mean only solid imal and vegetable
CONSIGNEE P		∃ matter, rubbish, tra	sh, debris, a	shes and metal non-
(NO INITI)		radioactive volatile,	highly flamn	aterials which is not a nable explosive toxic
ABOVE MATERIAL IN GOOD CONDITION	BY TIME PN	1		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

23

20101

TRANSPORT	ER .		DATE	TIME	IN	/ OUT	
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	\$	5-07	er o		1:40	
TRUCK#	5 7	TRAILI	ER#	The second state of the second	mes, y	1	
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217		Mondi	Birl			
PHONE #	(315) 433-5115						
NO. PIECES	ARTICL	ES OR DESCRI	PTION			WEIGHT	
	Soil Dis	posaL		EIGHT IN			
SHIPPER SIGNATURE PRINT NAME PRINT NAME PRINT NAME							
CDECIAL INCTO	/						
SPECIAL INSTR	700 Outparcel	C FRM					
DESTINATION:	Serry	Me	Advis				
FOR APPROVAL						mean only solid	
	RINT NAME	wast matt	e or waste co er, rubbish, tra	ontaining sh, debris	anıma s, ashe:	I and vegetable s and metal non-	
(NO INITIA	GN HERE LS)	toxic	sludge and oth	ner waste	materia	als which is not a e explosive toxic	
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATE		zardous nature			o onplosive tonic	



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

24

24331

	WIN III WEALTH COURT					
TRANSPORT	ER .		DATE	TIME	IN	/ OUT
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	4 4				1:42
TRUCK#	301	TRAILE	ER#			·
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217		SHIPPER	The part of the pa	general general section of the secti	
PHONE #	(315) 433-5115				· · · · · · · · · · · · · · · · · · ·	
NO. PIECES	ARTICLES OR I	DESCRI	PTION			WEIGHT
		Agent and a second a second and	WE	EIGHT IN		
SHIPPER SIGNA	Source of the state of the stat	and the second second second second	PRINT NAME	<u> </u>	<u>orth</u> = 63	Jacobs I
SPECIAL INSTR	1700 Mar Parent TR					
505 45555			1	:_1		maan anki aalid
	RINT NAME	wast matt toxic radio	e or waste co er, rubbish, tras sludge and oth	ontaining sh, debri er waste highly fl	anima s, ashe: materia ammabl	mean only solid I and vegetable s and metal non- als which is not a e explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



09393

TRANSPORTER		DATE	TIME	<u>IN /</u>	OUT
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217			; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		
TRUCK#	TRAIL	ER#)		
		- A	 		
		SHIPPER			
CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217		SHIPER ST	ere a la companya de		
PHONE # (315) 433-5115	3			e Markita	
NO. PIECES AR	TICLES OR DESCR	RIPTION			WEIGHT
		WE	EIGHT IN EIGHT OUT	г	
SHIPPER SIGNATURE	get en gegenere en	PRINT NAME	<u> </u>	2000	
SPECIAL INSTRUCTIONS:					
DESTINATION:	<i>i</i>				
FOR APPROVAL: CONSIGNEE PRINT NAME CONSIGNEE SIGN HERE (NO INITIALS) RECEIVED ABOVE ABOVE MATERIAL IN GOOD CONDITION BY TIME	wa: ma tox rad	id waste being ste or waste or ter, rubbish, tra ic sludge and ot ioactive volatile nazardous nature	ontaining ish, debris her waste , highly fla	animal , ashes : material mmable	and vegetable and metal non- s which is not a



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

26

15154

H *6	OMINENTED	1			
TRANSPORTE	R	DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 3418 SE, NY 13217	5-15-04			Desert of the
TRUCK#	. 45	TRAILER #			·
P.O. BOX SYRACUS	SE, NY 13217	SHIPPER (J) O	n Bac	a) the	GR 047
PHONE #	(315) 433-5115				MERCHE
NO. PIECES	ARTICLES OR I				WEIGHT
	COMPANIATES	in the second	VEIGHT IN EIGHT OUT		
	**	BILI	_ED WEIGH	IT	
SHIPPER SIGNA	the transfer	PRINT NAME	1) <u></u>	A frag	1/12- - (16-
SPECIAL INST	RUCTIONS:				
	700 Organd I				
DESTINATION:	5215013	MEANA	<i>)</i>		
			, , , , , , , , , , , , , , , , , , ,		
CONSIGNEE F	FIRM DATE	Solid waste being waste or waste or matter, rubbish, trates toxic sludge and or radioactive volatile or hazardous nature.	containing ash, debri ther waste e, highly fla	anima s, ashe mater ammal	al and vegetable es and metal non- rials which is not a
CONDITION	BYTIME				



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

15156

NON-HAZARDOUS SOLID WASTE MANIFEST

		DATE	TIME	-IN	/ OUT		
TRANSPORTE	R	DATE	TIME	IN	7 001		
P.O. BOX	ENTERPRISES INC. 6418 6E, NY 13217	5/3/6	6 5	105	2:08		
TRUCK#		TRAILER#					
		SHIPPER			<u> </u>		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	•	Akod bu				
PHONE #	(315) 433-5115		<u>-</u>				
NO. PIECES	ARTICLES OR I	DESCRIPTION			WEIGHT		
e and a second	Contamination	15, 1	WEIGHT WEIGHT BILLED W	ОИТ			
SHIPPER SIGNATURE PRINT NAME PRINT NAME PRINT NAME							
SPECIAL INSTR	RUCTIONS:		···				
	760 Objected Jan						
DESTINATION:	eneca Hadawi	5					
ļ	RINT NAME	waste or w matter, rubb toxic sludge	aste contai ish, trash, d and other w ⁄olatile, high	ning anim ebris, ash aste mate Ily flamma	mean only solid lal and vegetable es and metal non-rials which is not a ble explosive toxic		
GOOD CONDITION	BYTIMEP	М					



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



24940

		,	
TRANSPORT	≣R .	DATE TIME IN	/ OUT
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	5-14-16-5-	
TRUCK#		TRAILER#	
CONSIGNEE		SHIPPER	•
	ENTERPRISES INC.		the state of the s
P.O. BOX		gran Marijan	
SYRACUS	SE, NY 13217		Market Control
PHONE #	(315) 433-5115		
NO. PIECES	ARTICLES OR D	DESCRIPTION	WEIGHT
		MEIGHTIN	
A Profession Control	Lange of San San	WEIGHT IN	
		WEIGHT OUT	
		BILLED WEIGHT	
		BILLED WEIGHT	
- '			L. J.
SHIPPER SIGNA	TURE	PRINT NAME	
DRIVER SIGNA	TURE	PRINT NAME	•
SPECIAL INSTR	RUCTIONS:		
DESTINATION:	The second second of the second second		
·		T _	
FOR APPROVA		Solid waste being interpreted waste or waste containing an	
	RINT NAME	matter, rubbish, trash, debris, a	shes and metal non-
CONSIGNEE SI (NO INITIA	GN HERE LLS)	toxic sludge and other waste ma radioactive volatile, highly flamn	iterials which is not a
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATEAM	- or bazardoue natura se lietad	TABLE CAPICSIVE LOAIG



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#2

23015

<u> </u>		DATE		, OUT		
TRANSPORT	ER	DATE	TIME IN	/ OUT		
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	5-14-08	7.00 47	7215		
TRUCK#	302	TRAILER#		,		
		,				
CONSIGNEE		SHIPPER				
RICCELLI	I ENTERPRISES INC.					
P.O. BOX		Section 1	The Cart			
SYRACUS	SE, NY 13217	WAA!				
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES OR D	DESCRIPTION		WEIGHT		
		18/	EIGHT IN			
		441				
	700 OUTPHE	WE	IGHT OUT			
			ED WEIGHT			
		DIELI	LD IILIOIII			
SHIPPER SIGNA	TURE /	PRINT NAME	24/1/1	a Harrison		
DRIVER SIGNA	TURE	PRINT NAME		Bormon		
SPECIAL INSTR	RUCTIONS		· · · · · · · · · · · · · · · · · · ·			
	poliforal IRA	7				
DESTINATION:						
Decree Marines						
FOR APPROVA	<u> </u>	Solid waste being				
CONSIGNEE PR	RINT NAME	waste or waste co matter, rubbish, tras				
CONSIGNEE SI (NO INITIA	GN HERELS)	toxic sludge and oth	er waste mat	terials which is not a		
RECEIVED ABOVE MATERIAL IN	FIRM DATE AM	radioactive volatile, lor hazardous nature		anie exhinaise inxin		
GOOD	PM					



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#3

24937

TRANSPORTE	ER	DATE	TIME IN	/ OUT
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217			7:29
TRUCK#		TRAILER#		
		OLUBBER		
P.O. BOX SYRACU	SE, NY 13217	SHIPPER		
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR D	ESCRIPTION		WEIGHT
	Continuated Soil		EIGHT IN	
-		BILL	ED WEIGHT	
CUIDDED CIONI	NUMBER ()	PRINT NAME	2 4.	y Hadring Control
SHIPPER SIGNA		PRINT NAME		had to again
SPECIAL INSTR	RUCTIONS:	no-put	Arcel.	
DESTINATION:	Sereca Meadais			
FOR APPROVA	\L:	Solid waste being	interpreted	to mean only solid
CONSIGNEE P	RINT NAME	matter, rubbish, tra	sh, debris, as	imal and vegetable shes and metal non-
(NO INITI	FIRM DATE	toxic sludge and other radioactive volatile,	ner waste ma highly flamn	terials which is not a nable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	AM PM			



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049 #4

12753

TRANSPORT	ER		DATE	TIME IN	/ OUT
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	A	-16-01		S. C. San
TRUCK#	9	TRAILE	ER#		
	4		Γ		•
P.O. BOX SYRACU	SE, NY 13217		SHIPPER A Just.	516 1 L	
	² (315) 433-5115				
NO, PIECES	ARTICLES OR I	DESCRI	PTION		WEIGHT
	CONT SOIL		WE	EIGHT IN GHT OUT	
SHIPPER SIGNA	Tille I offen		PRINT NAME	143.00	Chapter 1
SPECIAL INSTE	NUCTIONS:) <u> </u>	oo out	WAREEL	124
DESTINATION:	SENECK MERS	T. John	a Live		
		T		· · · · · · · · · · · · · · · · · · ·	
FOR APPROVA					o mean only solid
	RINT NAME	matte	e or waste co er, rubbish, tras	ntannny ann h, debris, as	mal and vegetable hes and metal non-
consignee sign Here toxic sludge and other waste materials which is no radioactive volatile, highly flammable explosive to					
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AN BY TIME PM	orha	zardous nature		abic explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



15133

NON-HAZARDOUS SOLID WASTE MANIFEST

TRANSPORTE	ER	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	516 08		8:08
TRUCK#		TRAILER#		
		z** .		
P.O. BOX SYRACUS	ENTERPRISES INC. 6418 SE, NY 13217 (315) 433-5115	SHIPPER (2/000) (0/17) (0/17)	3415 500	
NO. PIECES	ARTICLES OR I	DESCRIPTION		WEIGHT
70000	COMMONANTES	w COGO	EIGHT IN IGHT OUT ED WEIGHT	WEIGHT.
SHIPPER SIGNA		PRINT NAMEPRINT NAME	Des 11	150
	V 8 4 2 2			
SPECIAL INSTR	700 Ostrares	IRM		
DESTINATION:	SENECH MEN	DOW S		
	RINT NAME	waste or waste comatter, rubbish, trastoxic sludge and other radioactive volatile, or hazardous nature	ontaining ani sh, debris, as ler waste ma highly flamm	to mean only solid imal and vegetable shes and metal non-terials which is not a nable explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



15162

TRANSPORTE	R	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 6E, NY 13217	5/14/08	8 00	Serving
TRUCK#		TRAILER#		
CONSIGNEE		SHIPPER		
RICCELLI P.O. BOX SYRACUS	SE, NY 13217	N)		c lovoup
	(315) 433-5115 ARTICLES OR	DESCRIPTION		WEIGHT
NO. PIECES	ARTICLES OR	DESCRIPTION		WEIGHT.
	Contaminal	<u> </u>	WEIGHT IN VEIGHT OUT LLED WEIGHT	
SHIPPER SIGNADRIVER SIGNA	A. Amil	PRINT NAMEPRINT NAME	Dag Ho Gene t	John Janus J. Ho.
SPECIAL INSTR	RUCTIONS:			
	700 at paral IR	V)		·
DESTINATION:	necci Headows	Landf		
İ	RINT NAME	waste or waste matter, rubbish, toxic sludge and or toxic sludge a	containing an rash, debris, as other waste ma e, highly flamn	to mean only solid imal and vegetable shes and metal non-terials which is not a nable explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



15167

В.	ON-HAZAINDOGG G				
TRANSPORTE	:R	DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217				8.74
TRUCK#		TRAILER #			
CONSIGNEE		SHIPPER			<u>.</u>
P.O. BOX	ENTERPRISES INC. 6418 3E, NY 13217		en de la constante de la const	ar y ve	
PHONE #	(315) 433-5115				WEIGHT
NO. PIECES	ARTICLES OR I	DESCRIPTION			WEIGHT
, colored to		W	VEIGHT IN	JT	
SHIPPER SIGNA		PRINT NAME	ok"		
SPECIAL INSTI	70 Outrocal IRM				
DESTINATION:					
1	PRINT NAME	waste or waste of matter, rubbish, tratexic sludge and of radioactive volatile or hazardous nature.	containir ash, deb ther was e, highly	ng anim ris, ash ite mate flamma	mean only solid nal and vegetable les and metal non- erials which is not a able explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#8

15069

NON-HAZARDOUS SOLID WASTE MANIFEST

•					
TRANSPORTE	R	DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 6E, NY 13217	5/11/08			3 14
TRUCK#	region.	TRAILER #			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	The said	Contract of the second	
PHONE #	(315) 433-5115				94.
NO. PIECES	ARTICLES OR	DESCRIPTION			WEIGHT
	Comment of Soft	· .	WEIGHT IN WEIGHT OU	T	
SHIPPER SIGNA	ATURE	PRINT NAME	And the second		<u> </u>
DRIVER SIGNA	TURE	PRINT NAME	May he	<u> </u>	Constant Constant
SPECIAL INSTR	RUCTIONS:				
	100 betyrned IR	other?			
DESTINATION:			···		
Jan 1	on Michael Landell				
CONSIGNEE P	PRINT NAME SIGN HERE ALS) FIRM DATE BY TIME	waste or waste matter, rubbish, toxic sludge and radioactive vola or hazardous na	e containing trash, debr I other wast tile, highly f	g anim ris, ashe e matei lammat	mean only solid al and vegetable es and metal non- rials which is not a ole explosive toxic

Yellow Coy- Driver



Rochester 6800 W. Henrietla Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



24939

TRANSPORTE	ER .	DATE	TIME IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/4/58		9.43		
TRUCK#	And the second of the second o	TRAILER#				
CONSIGNEE	·	SHIPPER				
RICCELLI	ENTERPRISES INC.					
P.O. BOX			or type of	ret de		
SYRACUS	SE, NY 13217	Service Control	re di juli	i 5 4.		
PHONE#	(315) 433-5115					
NO. PIECES	ARTICLES OR D	ESCRIPTION		WEIGHT		
y de de la companya d	Compression South Control	w	EIGHT IN	**************************************		
		WE	IGHT OUT			
		Rii i	.ED WEIGHT			
		DiLL				
				the set of the second		
SHIPPER SIGNA	TURE / And / Add	PRINT NAME	Zuthell	to de la		
			a proposition of the second			
DRIVER SIGNA	TURE	PRINT NAME				
SPECIAL INSTR	DUCTIONS					
SPECIAL INSTR	ROCHONS.					
				!		
DECTUUTION.	<u> </u>					
DESTINATION:			•			
	Some state of the second second					
			-			
FOR APPROVA	L;	Solid waste being	interpreted	to mean only solid		
CONSIGNEE PRINT NAME waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-						
	GN HERE	toxic sludge and oth	ner waste ma	terials which is not a		
(NO INITIA RECEIVED		radioactive volatile,	highly flamm	nable explosive toxic		
ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AM		e as listed.			



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#10

24827

			, 00:		
TRANSPORTER	DATE	TIME IN	/ OUT		
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	5-16-08	9145 8	N 19-17		
TRUCK#	TRAILER#				
	į.				
CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	SHIPPER	Same Same	474		
PHONE # (315) 433-5115	. ↑ . •				
NO. PIECES ARTICLES OR D	DESCRIPTION		WEIGHT		
700 000 000	IOM WE	EIGHT IN			
	BILL	ED WEIGHT			
SHIPPER SIGNATURE DRIVER SIGNATURE	PRINT NAMEPRINT NAME	Dight Dight	Barmad		
SPECIAL INSTRUCTIONS:		-	1		
DESTINATION:					
			18.4		
FOR APPROVAL: CONSIGNEE PRINT NAME CONSIGNEE SIGN HERE (NO INITIALS) RECEIVED ABOVE MATERIAL IN GOOD AND DATE	matter, rubbish, tra- toxic sludge and oth radioactive volatile,	ontaining anii sh, debris, as ier waste mat highly flamm	o mean only solid mal and vegetable hes and metal non- erials which is not a able explosive toxic		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#11

24336

TIME IN	OUT
	9.87
<u></u>	
	·
ad har	
	WEIGHT
WEIGHT IN WEIGHT OUT	
BILLED WEIGHT	·
AME <u> </u>	14 / Bresighaman
AME JOSSO I	Mex
10-01 A	rol IRA
raste containing a pish, trash, debris, a and other waste m	to mean only solid nimal and vegetable ashes and metal non-aterials which is not a mable explosive toxic
	WEIGHT IN WEIGHT OUT BILLED WEIGHT AME being interpreted aste containing a ish, trash, debris, a and other waste m volatile, highly flam



Rochester 6800 W. Henrietta Road Rush, NY 14543. (585) 344-8410

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

22748

#12

TRANSPORTE	iR ;	37	DATE	TIME	IN	/ OUT	
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		16-04			9.35	
TRUCK#	<u> </u>	TRAILE	ER#				
			SHIPPER				
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		B/CC	for find	(/		
PHONE #	(315) 433-5115						
NO. PIECES	ARTICLES OR D	DESCRI	PTION			WEIGHT	
	1047 5016			EIGHT IN IGHT OU			
	·.		BILLI	ED WEIG	нт		
SHIPPER SIGNA	TURE	State Control of the	PRINT NAME	Some A	Land Sa	The first market was a second	
DRIVER SIGNAT	gradient and the control of the cont	;÷	PRINT NAME	111111	1 1020	CERMS -	
SPECIAL INSTR	SPECIAL INSTRUCTIONS: JOB OF PARCEL 121						
DESTINATION: JEHECHHEROUMS							
FOR APPROVAL	<u>:</u>	Solid	l waste being	interpre	ted to	mean only solid	
CONSIGNEE PF		waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal non-					
CONSIGNEE SI (NO INITIA	GN HERE LS)	toxic	sludge and oth	er waste	e materi	als which is not a le explosive toxic	
RECEIVED ABOVE MATERIAL IN GOOD	FIRM DATE AM	orbo	zardous nature	as listed	[.	.o onproving tomo	



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

15134

140	IVIIAZAIND		LID AAMO	1 km 171/-	41.411	LUI
TRANSPORTER			DATE	TIME	IN	/ OUT
RICCELLI ENT P.O. BOX 6418 SYRACUSE, N			5-16-08		W	10:55
TRUCK#	. 45	Т	RAILER#			
			#-577			
P.O. BOX 6418 SYRACUSE, N	NY 13217			DBINE IC.		? <i>03</i> (?
PHONE # (315	<u></u>	DTIOLES OF DE	CODIDTION			WEIGHT
NO. PIECES		RTICLES OR DE				WEIGHT
<i>j</i> (3)	C STAIRMINE YVICE		(-0/00 - 1	WEIGHT II WEIGHT OU		
			В	ILLED WEIG	ЭНТ	
SHIPPER SIGNATURI		Marin	PRINT NAME _	- Jackson Jackson		y Philms
DRIVER SIGNATURE			PRINT NAME _	10111	felic	
SPECIAL INSTRUCT	IONS: 100 ONTY SENECA					
				4-		
CONSIGNEE SIGN I (NO INITIALS) RECEIVED ABOVE MATERIAL IN GOOD	NAME	AM PM	waste or waste matter, rubbish, toxic sludge and	containing trash, deb other was ile, highly	ig anim ris, ash te mate flammal	mean only solid al and vegetable es and metal non-rials which is not a ble explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#14

15163

9.	4014-11727110000 0				76.48 B		
TRANSPORTE	ER .		DATE	TIME	IN	/ OUT	
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217		5	16/06	10,5	and the second	11:00	
TRUCK#		TRAILER#					
CONSIGNEE RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217			SHIPPER Who of bine Goods				
PHONE #	(315) 433-5115				lą,		
NO. PIECES	ARTICLES OR D	ESCRI	PTION			WEIGHT	
The state of the s	Contaminated So;	Ab to the control of	WE	EIGHT IN IGHT OU' ED WEIG	Т		
SHIPPER SIGNATURE PRINT NAME PRINT NAME PRINT NAME							
SPECIAL INSTRUCTIONS:							
DESTINATION:							
Solid waste being interpreted to mean only solid waste or waste containing animal and vegetable matter, rubbish, trash, debris, ashes and metal nontoxic sludge and other waste materials which is not a radioactive volatile, highly flammable explosive toxic or hazardous nature as listed.							



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



15165

TRANSPORTE	-R	DATE	TIME I	N / (OUT
RICCELLI P.O. BOX	ENTERPRISES INC.			- 11	- 12
TRUCK#	The second secon	TRAILER#			
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER			
PHONE #	(315) 433-5115				
NO. PIECES	ARTICLES OR D	ESCRIPTION		WE	IGHT
Salar Markey and Salar		≪ WE	EIGHT IN IGHT OUT ED WEIGHT		
SHIPPER SIGNA	TURE	PRINT NAME	Day Ma	go f Anglisan	
DRIVER SIGNA	TURE	PRINT NAME	· P		
SPECIAL INSTE	RUCTIONS:	TRM			
DESTINATION:					
CONSIGNEE PI	L: RINT NAME GN HERE ALS) FIRM ————————————————————————————————————	Solid waste being waste or waste comatter, rubbish, trastoxic sludge and oth radioactive volatile, or hazardous nature	ntaining a h, debris, er waste m highly flam	nimal and ashes and r aterials whi	vegetable netal non- ch is not a



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049



15067

NON-HAZARDOUS SOLID WASTE MANIFEST

				,		
TRANSPORTE	ER		DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5,	14/08	1012	0	11106
TRUCK#	5	TRAILE	R#			
CONCIONEE			SHIPPER			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		\$1000	Buch	Ç.	7
PHONE #	(315) 433-5115					
NO. PIECES	ARTICLES OR I	DESCRI	PTION			WEIGHT
in the state of th	Contra me Section		W	VEIGHT IN EIGHT OU LED WEIG	Т .	
SHIPPER SIGNA	ATURE		PRINT NAME		der l	() () () () () () () () () ()
DRIVER SIGNA	TURE		PRINT NAME	11 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	. /*	
SPECIAL INSTR	RUCTIONS:		· · · ·			
DESTINATION:	and the state of the					
CONSIGNEE P	RINT NAMEIGN HEREALS)	wast matt toxic radio	te or waste c er, rubbish, tra s sludge and ot	containing sh, debr her wast , highly f	g anima is, ashe e mater lammab	mean only solid al and vegetable es and metal nonials which is not a ole explosive toxic

□ РМ



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#17

24930

*-						
TRANSPORTE	R		DATE	TIME	N	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 BE, NY 13217		5/16/68			12:10
TRUCK#	50		TRAILER #	n market and an area		
			SHIPPER			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217			20th Booking	de filosofies.	a manganan dan kanan br>Silah dan kanan dan
PHONE #	(315) 433-5115				 	
NO. PIECES	Δ	RTICLES OR D	ESCRIPTION	· · · · · · · · · · · · · · · · · · ·		WEIGHT
gadar	The state of the s	25 /		EIGHT IN		
				ED WEIGHT	•	
			·		e de la companya de	
SHIPPER SIGNA	TURE		PRINT NAME	<u> </u>	the flow	r/han from
DRIVER SIGNA	TURE		PRINT NAME	The state of	and the second	
SPECIAL INSTR	RUCTIONS:					
	700 00	freel				
DESTINATION:	To get having men or day and a self	and the second of the				
FOR APPROVA	L:		Solid waste being waste or waste co	ontaining a	anima	ıl and vegetable
-	GN HEREALS)		matter, rubbish, tra- toxic sludge and oth radioactive volatile, or hazardous nature	ner waste r highly flan	nateri	als which is not a
ABOVE MATERIAL IN GOOD CONDITION	BY TIME	☐ AM ☐ PM	or nazardous nature	: สร แรเยน.		



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#19

20016

TRANSPORTE	ER .	DATE	TIME	IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-16-08	12.15	A territory	10:17
TRUCK#	3,52	TRAILER#			
		1			
CONSIGNEE		SHIPPER			
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217		Bull		
PHONE #	(315) 433-5115				
NO. PIECES	ARTICLES OR I	DESCRIPTION			WEIGHT
		W	EIGHT IN		
	700 OUT DAVIE	IAN WE	IGHT OUT		
		RHII	ED WEIGHT		
SHIPPER SIGNA	TURE 1 1	PRINT NAME	3 Hort		ger ^{Stort}
DRIVER SIGNA	TURE	PRINT NAME) min	¥.	Booman)
SPECIAL INSTF	RUCTIONS:				
DESTINATION:	Jenera Maadows	na de			N.
FOR APPROVA	L:	Solid waste being waste or waste co	ontaining a	animal	l and vegetable
	GN HERE	matter, rubbish, tras toxic sludge and oth radioactive volatile,	er waste n	nateria	als which is not a
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AND	or hazardous nature	as listed.	midol	o oxplosivo toxio



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#19

24035

			<u> </u>	
TRANSPORTE	ER	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5 10-05		12:20
TRUCK#		TRAILER#		
196		SHIPPER		
P.O. BOX	I ENTERPRISES INC. 6418 SE, NY 13217	Mand hi	or and the second	
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR D	DESCRIPTION		WEIGHT
	Contracted Soil	W	/EIGHT IN	
		WE	EIGHT OUT	
			ED WEIGHT	
		BiLl	_ED WEIGHT	
SHIPPER SIGNA	ATURE 1	PRINT NAME	Dry Ha	allocations and
DRIVER SIGNA	TURE JULIANA	PRINT NAME		
SPECIAL INSTR	RUCTIONS!	10-00	* Arcl	IW
DESTINATION:	Seres Medica			
	·			
FOR APPROVA		Solid waste being	interpreted	to mean only solid imal and vegetable
	RINT NAME	∃ matter, rubbish, tra	ash, debris, as	shes and metal non-
CONSIGNEE S (NO INITI	IGN HEREALS)	 toxic sludge and ot radioactive volatile 	her waste ma . highly flamm	terials which is not a nable explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AN	or hazardous natur	e as listed.	



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

#20

12754

			I	
TRANSPORTE	ER .	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5-16-0		12 24
TRUCK#	79	TRAILER#		
**				
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER	EH.	
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR D	DESCRIPTION		WEIGHT
	CCN7 5616	WE	EIGHT IN IGHT OUT ED WEIGHT	
SHIPPER SIGNA	a Barbara Alexander	PRINT NAME	1	7 13 () 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SPECIAL INSTR	PLICTIONS			<u> </u>
OF EGIAL INGT	NO 62 VINE 75	OUY FAG	PEFL	184
DESTINATION:	VENERA NEADE	U.S.		
FOR APPROVA	L:	Solid waste being	interpreted t	o mean only solid
CONSIGNEE PI	RINT NAME	│ matter. rubbish. tras	sh, debrīs, as	mal and vegetable hes and metal non-
(NO INITIA RECEIVED	DATE	toxic sludge and oth radioactive volatile,	ier waste mat highly flamm	erials which is not a able explosive toxic
ABOVE MATERIAL IN GOOD	AM PM		do notou.	



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Pheips, NY 14532 (315) 548-4049

李21

1113

NON-HAZARDOUS SOLID WASTE MANIFEST

	DATE	TIME IN	/ OUT
TRANSPORTER	DALL	1114	, , , , , , , , , , , , , , , , , , , ,
RICCELLI ENTERPRISES INC. P.O. BOX 6418 SYRACUSE, NY 13217	5-16-08		1. 2.4
TRUCK#	TRAILER#		
CONSIGNEE	SHIPPER	was a second	series of the series of
RICCELLI ENTERPRISES INC.		2418C	
P.O. BOX 6418	(°).		
SYRACUSE, NY 13217		:	
PHONE # (315) 433-5115			
	R DESCRIPTION		WEIGHT
1 CONTANIATED .	month of	WEIGHT IN	
DIE.			
	vv	EIGHT OUT	
	BIL	LED WEIGHT	
SHIPPER SIGNATURE	PRINT NAME	2.40	or I by I have
Control of y	Sept.	and a second	
DRIVER SIGNATURE	PRINT NAME	iom rein	
SPECIAL INSTRUCTIONS:			
900 Octyon sal 2	FM		. '
DESTINATION:	MEADINS		
FOR APPROVAL:			mean only solid
CONSIGNEE PRINT NAME	waste or waste	containing anim	nal and vegetable les and metal non-
CONSIGNEE SIGN HERE(NO INITIALS)	toxic sludge and o	ther waste mate	erials which is not a lible explosive toxic
RECEIVED ABOVE FIRM DATE MATERIAL IN	or hazardous natur		DIO ONPIOCITO TOMO
GOOD GONDITION BY TIME] PM		



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550

Geneva 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

15164

NON-HAZARDOUS SOLID WASTE MANIFEST

		- de 19	·	
TRANSPORTE	R	DATE	TIME IN	/ OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	5/14	13	1.46
TRUCK#		TRAILER#		
		CUIDDED	and the second s	
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	SHIPPER 1000 d		Group
PHONE #	(315) 433-5115			
NO. PIECES	ARTICLES OR E	DESCRIPTION		WEIGHT
Committee on the committee of the commit	Contaminated.	\$4 we	EIGHT IN EIGHT OUT LED WEIGHT	
SHIPPER SIGNA	- The start	PRINT NAME	Daples Capie,	Hiller
SPECIAL INSTR	RUCTIONS:			
	THE OFFICE OF THE			
DESTINATION:	mesa Meadows	Landil		
		T		- Carlo, 48 Tr.
1	RINT NAME	waste or waste c matter, rubbish, tra toxic sludge and ot radioactive volatile, or hazardous nature	ontaining an sh, debris, as her waste ma , highly flamm	to mean only solid imal and vegetable shes and metal non-terials which is not a nable explosive toxic



Rochester 2226 North Road Scottsville, NY 14546 (585) 538-6550 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

15166

#23

		DATE		TIME	IN	/ OUT
TRANSPORTE	К	DATE	3.1.27.27.27	INVIL	11 1	, , , , , , , , , , , , , , , , , , , ,
P.O. BOX 6	ENTERPRISES INC. 6418 E, NY 13217	and the second		Education -		1:12
TRUCK#		TRAILER#		•	~~~	
CONSIGNEE		SHIPPER	₹			
RICCELLI	ENTERPRISES INC.			•		ya
P.O. BOX (- 1/1/		* §1111 **	
SYRACUS	SE, NY 13217		6, J.			
PHONE #	(315) 433-5115				- Amerika Si Si	>·
NO. PIECES	ARTICLES OR [DESCRIPTION		· · · · · · · · · · · · · · · · · · ·		WEIGHT
			\A\	EIGHT IN		
			•			
*			WE	IGHT OU	Т [
			BILL	ED WEIG	нт	
			DILL	LD WEIG	''' ├-	Long.
SHIPPER SIGNA	TURE	PRINT N	AME	And the State of t	h A	La famour
DRIVER SIGNAT	URE	PRINT N	4ME <u>- </u>	ř.		<u> </u>
SPECIAL INSTR	UCTIONS:					
	700 Offerd IRM					·
DESTINATION:			1.0	****		
				***		2.1
FOR APPROVAL		Solid waste	being	interpre	ted to	mean only solid
CONSIGNEE PF	RINT NAME	waste or w	aste c	ontaining	g anima	al and vegetable es and metal non-
	GN HERE	 toxic sludge 	and otl	her wast	e mater	ials which is not a le explosive toxic
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AN PN	or hazardou:				NO OXPIOSIVO TOXIO

APPENDIX D

2012 IRM Waste Disposal Documentation

- Work Plan
- Waste Profile Form
- Summary Report (includes CAMP data and Waste Manifests)

Architecture, Engineering & Landscape Architecture, P.C.

5789 Widewaters Parkway Dewitt, New York 13214 Phone: 315-472-6980 Fax: 315-472-3523

E-mail: bda@beardsley.com

www.beardsley.com

Richard C. Elliott, P.E., LEED® AP Raymond N. Cudney, P.E., LEED® AP Steven F. Moolin, R.A., LEED® AP Mark A. Rebich, P.E., LEED® AP Barry Halperin, RA

June 27, 2012

Mr. Christopher F. Mannes, P.E Environmental Engineer II NYSDEC - Region 7 Division of Environmental Remediation 615 Erie Boulevard West Syracuse, New York 13204

> RE: Soil Pile Removal Work Plan

> > 700 Outparcel Syracuse, New York BDA #08921

BCP#: C734111

Dear Mr. Mannes:

In accordance with our recent discussions and on behalf of 700 Out Parcel, LLC, BDA has prepared this Soil Pile Removal Work Plan in order to remove petroleum-contaminated staged soils at the 700 Outparcel property in the City of Syracuse, New York.

PURPOSE

The purpose of this Soil Pile Removal Work Plan is to properly remove and dispose of petroleumcontaminated soils currently staged at the subject property as a result of on and off-site remedial investigations. Removal and disposal of these soils are necessary for the following reasons:

- 1. The presence of the staged soil pile is visually detrimental to the surrounding properties.
- 2. Vapors emanating from the piles could negatively impact local air quality.
- 3. The contaminants within the soil piles are required to be properly managed at a regulated landfill.


HISTORY

The subject property is known to have petroleum impacts, which were released to the subsurface from leaking underground storage tanks (USTs) and associated distribution lines of a former gasoline service station that operated at the site during the period of 1949-1964.

As part of a BCP remedial investigation, BDA advanced a total of seventeen onsite test-pits in August 2011 to determine the extent of on-site contamination. Analytical results of samples collected as part of the remedial investigation revealed the presence of petroleum-related contaminants and nuisance characteristics in subsurface soils on the subject property and along East Water Street.

WORK PLAN

A properly licensed contractor chosen by 700 Out Parcel, LLC and will load the staged soil, transport in properly permitted trucks, and dispose at an approved landfill. The Contractor will be responsible for the collection of staged soil samples to be analyzed by toxicity characteristic leaching procedure (TCLP) for disposal purposes. After laboratory analysis results have been received, an appropriate regulated landfill will be selected for disposal of the impacted soil.





In an effort to minimize dispersion and transportation of contamination off-site which could potentially result in public exposure, a truck-loading area will be designated at the site. Plastic sheeting will be placed over the ground surface on either side of the loading area to contain and recover any indiscriminate soils that may be released during the loading operations. Just prior to completing the soil removal efforts, the loading area and adjacent plastic will be scraped and loaded onto the last truck load.

Truck tires will be examined for mud/soil by the contractor's personnel before they are allowed to drive off-site. If mud/soil is observed on the tires, the contractor's personnel will clean the tires with a high-pressure water nozzle.

BDA personnel will be continuously on-site to check on progress and determine if the contractor is abiding by the terms of the work plan.

COMMUNITY AIR MONITORING PLAN

A Community Air Monitoring Plan (CAMP) will be implemented at the site during the soil pile removal and will follow the NYSDOH's Generic Community Air Monitoring Plan.

REPORTING

Upon completion of the project, BDA will prepare a letter-report describing all activities and observations. The report attachments will include disposal documentation, field notes, and air monitoring readings.

If you should have any questions or if we can provide additional information, please feel free to contact our office at your convenience.

Very truly yours,

BEARDSLEY DESIGN ASSOCIATES

Douglas E. Porter, E.I.T Environmental Engineer

ouglas E Por

Raymond N. Cudney, P.E.

Principal

cc: Mr. Richard E. Jones - NYSDOH, CNY Regional Office

Mr. Brian St. Laurent – 700 Out Parcel, LLC

Mr. Norman Swanson - 700 Out Parcel, LLC

New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 7

615 Erie Boulevard West, Syracuse, New York 13204-2400

Phone: (315) 426-7551 • Fax: (315) 426-7499

Website: www.dec.ny.gov



June 28, 2011

Mr. Norman Swanson Woodbine Group 505 East Fayette Street Syracuse, New York 13202

Re:

700 Out Parcel, LLC

Soil Pile Removal Work Plan-dated June 27, 2012

BCP Site No. C734111

Dear Mr. Swanson:

The New York State Departments of Health (DOH) and Environmental Conservation (DEC) have reviewed the referenced proposed work plan and find it satisfactory. Please notify the Departments at least 10 days prior to conducting the soil removal efforts.

If you have any questions or wish to discuss this matter further, please contact me at (315) 426-7515.

Sincerely

Christopher F. Mannes III, P.E. Environmental Engineer II

Cc:

Harry Warner, P.E. - RHWE NYSDEC Richard Brazell, P.E. - RSE NYSDEC Richard Jones, - NYSDOH

Richard McKenna- BDA

Christopher Mannes - Re: 700 Outparcel Property- C734111

From: "Richard E. Jones" <rej05@health.state.ny.us>

To: <cfmannes@gw.dec.state.ny.us>

Date: 6/19/2012 9:06 AM

Subject: Re: 700 Outparcel Property- C734111

I have reviewed the "Soil Pile Removal Workplan" for the 700 Outparcel Property and offer the following comment:

-To save time, the workplan could simply reference the New York State Department of Health's "Generic Community Air Monitoring Plan". The CAMP prepared for this workplan is in general compliance with the generic plan.



City of Auburn Department of Municipal Utilities Division of Solid Waste

Petroleum Contaminated Soil (PCS) Acceptance Protocol

Please note that effective July 8, 2002, a revised PCS profile sheet will be utilized. Also make note of the change to only fax or contact Michael Talbot, Sanitation Supervisor.

The receipt of PCS at our site for use as alternative daily cover material or as landfill waste is permitted with explicit written approval from the New York State Department Environmental Conservation (NYSDEC), provided the PCS is managed in Accordance with Part 360 and transported in accordance with Part 364.

Prior to accepting PCS at our landfill, the following criteria must be met:

- A toxicity characteristic test. (TCLP) must be performed for the soils intended in being delivered to our site. The TCLP needs to be site specific and determined to be nonhazardous.
- The PCS Profile Form must be filled out completely for each load delivered to the site.
- The deliveries must be made with the approval of the Supervisor of Solid Waste. Deliveries
 will be scheduled as not to result in the excessive stockpiling of PCS.
- Payments must be kept current.

TCLP Limit Schedule and PCS Profile sheets are attached.

Upon completion of the PCS Profile please fax a copy of the analytical results along with the profile to the following location only.

City of Auburn Attn: Michael Talbot Fax: 315-252-5330 Phone: 315-252-2496

55 P52:10 23 21112 CIT

CITY OF AUBURN DEPARTMENT OF MUNICIPAL UTILITIES PETROLEUM CONTAMINATED SOIL TESTING PROTOCOL

Physical Characteristics

Corrosivity (pH) = Greater than 2 Std. Units and Less Than 12.5 Std. Units Ignitability (Flashpoint) = 60°C or 140°F Maximum % Solids = 20% Minimum

TCLP Laboratory Analysis (40 CFR 261)

Maximum Concentration of Contaminants for Toxicity Characteristic (mg/L)

Arsenic	5.0
Barium	100.0
Benzene	0.5
Cadmium	1.0
Carbon tetrachloride	0.5
Chlordane	0.03
Chlorobenzene	100.0
Chloroform	6.0
Chromium	5.0
o-Cresol	200.0
m-Cresol	200.0
p-Cresol	200.0
Cresol	200.0
2,4-D	10.0
1,4-Dichlorobenzene	7.5
1,2-Dichloroethane	0,5
1,1-Dichloroethylene	0.7
2,4-Dinitrotoluene	0.13
Endrin	0.02
Heptachlor (and its hydroxide)	0.008


Hexachlorobenzene	0.13
Hexachlorobutadiene	0.5
Hexachloroethane	3.0
Lead	5.0
Lindane	0.4
Mercury	0.2
Methoxychlor	10.0
Methyl ethyl ketone	200.0
Nitrobenzene	2.0
Pentachlorophenol	100.0
Pyridine	5.0
Selenium	1.0
Silver	5.0
Tetrachloroethylene	0.7
Toxaphene	0.5
Trichloroethylene	0.5
2,4,5-Trichlorophenol	400.0
2,4,6-Trichlorophenol	2.0
2,4,5-TP (Silvex)	1.0
Vinyl Chloride	0.2

Total PCB Analysis:

- PCB's should be analyzed as "total" per EPA Method 8082 or equivalent.

Additional Testing Protocols (If Necessary):

 Sampling and testing protocols may be modified or increased at any time by the City of Auburn depending on the origin or nature of the material.



City of Auburn Department of Municipal Utilities

Petroleum Contaminated Soil Profile This form is for disposal of non-hazardous petroleum-contaminated soil only

General Information Flashpoint >60° C % Solids 87 Physical Characteristics: DEC Spill # 0111549 and 0610014 Odor: Mild None Strong Trailer Dump X Other Transportation: Roll-off * Explain: Tons Approximate Amount: 50 - 60Is the Soil (select one) X Stockpiled To be excavated To be generated Source of Contaminated Soil Business Name: 700 Out Parcel, LLC State: NY Zip: 13210 Address: 701-709 East Water Street, Syracuse Owner (if different): State: NY Zip: 13202 Address: 505 East Fayette St., Syracuse Vice President, Real Estate Development Contact Person: Mr. Brian St. Laurent Title: Fax: (315) 479-8830 Telephone: (315) 471-7400 Ext. 18 Contamination Profile Type of Contamination Fuel Oil Diesel Gasoline Waste Oil Kerosene Other Process that generated the soll: Subsurface Test Pit Investigation due to spill at former automobile filling station. Does the source area generate or store any Hazardous Materials? TCLP Lab data attached (See Attached List for Requirements)?

(DAEK)



5 P94-10 23 7mm

Billing / Contractor Information:				
Contractor's Name: Riccelli Enterprises, Inc.				
Mailing Address: 6131 East Taft Rd., PO Box 64	18 _{City:} North Syracuse _{State:} NY _{Zip:} 13217			
Contact Person: Michael Relf	Title: Sr. Vice President			
Telephone: (315) 433-5115	Fax: (315) 433-1920			
EPA ID #: NYR000059246	State ID #: 7A-402			
Authorized Hauler / Primary				
Name: Riccelli Enterprises, Inc.	NYS Permit#: 7A-402			
Mailing Address: Same as above.	City: State; Zip:			
Contact Person: Same as above.	Title:			
Telephone:	Fax:			
Is Hauler registered where the waste is coming from?	YES NO			
Does Hauler have a current NYSDEC 364 Permit?	YESNO			
Authorized Hauler / Secondary				
Name:	NYS Permit #.			
Mailing Address:	City: State: Zip:			
Contact Person;	Title:			
Telephone:	Fax:			
Certification	n to the City of Auburn			
I / We hereby certify that all of the information that we have attachment is accurate and is representative of the disposed. I / We hereby certify that the material is not hazardous a therefore be disposed of at the City of Aubum Landfill in	osal material. and does not contain any hazardous materials and may			
Name: BRIAN ST. LAURENT, UP	Signature B8/23/2012 Date: 08/23/2012			
Company: 700 OUTPAREEL, LUC	Date: 08/23/2012			
Please do r	not write, below this line			
City of Auburn Department of Solid Waste approval:	Date:			

35 P35:10 23 2012

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 239-4413 * Buffalo (716) 972-0371

Rochester (866) 437-0255 * New Jersey (908) 581-4285

Mr. Sam Chiodo Riccelli Enterprises, Inc. 6131 E. Taft Rd. North Syracuse, NY 13212 (315) 433-5115

Wednesday, August 22, 2012

Order No.: U1208319

RE: Analytical Report:

700 E. Water St.

Dear Mr. Sam Chiodo:

Upstate Laboratories, Inc. received 1 sample(s) on 8/10/2012 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. The NYS DOH requires that all samples received by the laboratory must have a Collection Date and Time, and a Relinquished By signature. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

ATS (kmh)
Anthony J. Scala
President/CEO

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

NY Lab ID 10170

NJ Lab ID NY750

PA Lab ID 68-01096

355 Pa 6-18 1119

Upstate Laboratories, Inc.

CLIENT:		Notice and the second second					ite: 22-Au	0 17	
		Riccelli Enterprises,	Inc.		C	lient Sample l			
Lab Order:		U1208319				Collection Da	ite: 8/10/2	2012 2:55:00 PM	
Project:		700 E. Water St.							
Lab ID:		U1208319-001				Matr	ix: SOIL		
Analyses			Result	Limit	Qual	Units	DF	Date Analyzed	

PESTICIDES	TC:	LP LEACHED BY EP.	A 1311/8081A		Lat	Code: 1311_	P	Analyst: SA	В
		nel: TCLP Pest by EPA		Code: 131		Prep Date: 8/1			
Chlordane	10.7	man fam. I sarak mala	ND	0.00050	5 W	mg/L	1	8/21/2012	4
Endrin			ND	0.00050	Q	mg/L	1	8/21/2012	
gamma-BHC			ND	0.00050	Q	mg/L	1	8/21/2012	
Heptachlor			ND	0.00050	Q	mg/L	1	8/21/2012	
Heptachior e	enoxid	A	ND	0.00050	Q	mg/L	1	8/21/2012	
Methoxychlo	CO. 1000 10		ND	0.0050	Q	mg/L	4	8/21/2012	
A reality of the territories and the collection of	,,				u	The second secon	1		
Toxaphene			ND	0.050		mg/L	13.	8/21/2012	
CB'S/SOII	/61 11	DGE) BY EPA 8082			l al	b Code: 8082	e	Analyst: SA	B
		on PCB by EPA 3550B	Pren Code: 355	O PCB Pro		8/14/2012 9:23		rep By: DMH]	1
Aroclor 1016		OILL OP DY EL A 0000D	ND	0.095	,p Date	mg/Kg-dry	1	B/15/2012	
Aroclor 1221			ND	0.095		mg/Kg-dry	1	8/15/2012	
Araclor 1232			ND	0.095			1	8/15/2012	
						mg/Kg-dry	4		
Aroclor 1242			ND	0.095		mg/Kg-dry		8/15/2012	
Araclor 1248			ND	0.095		mg/Kg-dry	1	8/15/2012	
Aroclor 1254			ND	0.095		mg/Kg-dry	1	8/15/2012	
Aroclor 1260	0		ND	0.095		mg/Kg-dry	1	8/15/2012	
MEDGUDY	TO! !	ALEAGUED DV EDA	4044/04F 0		1.2	b Coder and	110	Ameliana At	101
		LEACHED BY EPA				b Code: 1311_		Analyst: AL	-00
are more or					T				
	Prep I	by EPA 1311/245.2 Pre						ep By: ARO]	
[Hg TCLP Mercury	Prep		ep Code: 1311_H ND	GPR Prep 0,0004	Date: 8 Q	/15/2012 10:31:4 mg/L	42 AM Pre 1	8/17/2012 3:17:18 PI	M
Mercury		oy EPA 1311/245.2 Pre	ND		Q	mg/L	1	8/17/2012 3:17:18 PI	
Mercury CP METAL:	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7	0,0004	Q La	mg/L b Code: 1311_	1 _M	8/17/2012 3:17:18 Pi Analyst: Mi	
Mercury CP METAL:	s, TC	oy EPA 1311/245.2 Pre	ND A 1311/200.7	0,0004	Q La	mg/L b Code: 1311_ c: 8/15/2012 9:4	1 _M	8/17/2012 3:17:18 PI	RA
Mercury CP METAL: [AqPrep To	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7 Prep Code: 13	0.0004 11_MPR F	Q La rep Dat Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L	1 _M	8/17/2012 3:17:18 Pi Analyst: Mi Prep By: ARO] 8/21/2012 4:17:44 Pi	RA M
Mercury CP METAL: [AqPrep To Arsenic Barium	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7 Prep Code: 13 ND 0.97	0,0004 11_MPR F 0.50 0.30	Q La rep Dal Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L	1 _M 1:00 AM 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M
Mercury CP METAL: [AqPrep To Arsenic Barium Cadmium	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND	0,0004 11_MPR F 0.50 0.30 0,005	Q La rep Dat Q Q Q	mg/L b Code: 1311_ te: 8/15/2012 9:4 mg/L mg/L mg/L	1 _M 1:00 AM 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND ND	0,0004 11_MPR F 0.50 0.30 0,005	La rep Dal Q Q Q Q	mg/L b Code: 1311_ te: 8/15/2012 9:4 mg/L mg/L mg/L mg/L	1 M 1:00 AM 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead	s, TC	ey EPA 1311/245.2 Pro	ND PA 1311/200.7 Prep Code: 13 ND 0.97 ND ND ND 0.15	0,0004 11_MPR F 0.50 0.30 0,005 0,050	Q La rep Dal Q Q Q Q	mg/L b Code: 1311_ te: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L	M 1:00 AM 1 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium	s, TC	ey EPA 1311/245.2 Pro	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND ND	0,0004 11_MPR F 0.50 0.30 0,005	La rep Dal Q Q Q Q	mg/L b Code: 1311_ te: 8/15/2012 9:4 mg/L mg/L mg/L mg/L	1 M 1:00 AM 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium	s, TC	ey EPA 1311/245.2 Pro	ND PA 1311/200.7 Prep Code: 13 ND 0.97 ND ND ND 0.15 ND	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10	Q La rep Dal Q Q Q Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	M 1:00 AM 1 1 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI 8/21/2012 4:17:44 PI	RA M M M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI	S, TO	ELP LEACHED BY EF Metals: ICP by EPA 1311	ND Prep Code: 13 ND 0.97 ND ND 0.15 ND ND	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10 0,50	La rep Dat Q Q Q Q Q Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	1 M 1:00 AM 1 1 1 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE	RA M M M M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium Silver TCLP SEMII [AqPrep S	S, TC CLP M VOLA	ELP LEACHED BY EP Retals: ICP by EPA 1311 ATILES BY EPA 8270 nnel: TCLP SEMI by EP	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND ND 0.15 ND ND ND ND ND ND ND ND ND N	0,0004 11_MPR F 0.50 0.30 0,005 0,10 0,50 0.050	La rep Dat Q Q Q Q Q Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	1 M 1:00 AM 1 1 1 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE	RA M M M M M M
Mercury ICP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium Silver	S, TC CLP M VOLA	ELP LEACHED BY EP Retals: ICP by EPA 1311 ATILES BY EPA 8270 nnel: TCLP SEMI by EP	ND Prep Code: 13 ND 0.97 ND ND 0.15 ND ND	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10 0,50	La rep Dat Q Q Q Q Q Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	1 M 1:00 AM 1 1 1 1 1 1	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE	RA M M M M M M
Mercury CP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI: [AqPrep S (3+4)-Methy	S, TC CLP M VOL	ATILES BY EPA 8270	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND ND 0.15 ND ND ND ND ND ND ND ND ND N	0,0004 11_MPR F 0.50 0.30 0,005 0,10 0,50 0.050	La rep Dat Q Q Q Q Q Q Q Q	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L b Code: 1311_ ep Date: 8/16/20 mg/L	M 1:00 AM 1 1 1 1 1 1 1 1 1 1 1 1 1	8/17/2012 3:17:18 Pi Analyst: Mi Prep By: ARO] 8/21/2012 4:17:44 Pi 8/21/2012 4:17:45 Pi Analyst: LE	RA M M M M M
Mercury CP METAL: [AqPrep To Arsenlo Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI: [AqPrep S (3+4)-Methy	VOLA VOLA By:	ELP LEACHED BY EF Metals: ICP by EPA 1311 ATILES BY EPA 8270 nnel: TCLP SEMI by EP ol	ND Prep Code: 13 ND 0.97 ND ND 0.15 ND	0,0004 11_MPR F 0.50 0.30 0,005 0,10 0,50 0.050 de: 1311_BF 0.050	La La Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	M 1:00 AM 1 1 1 1 1 1 1 1 1 1 2 12 10:47:20	8/17/2012 3:17:18 PI Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE	RA M M M M M
Mercury CP METAL: [AqPrep To Arsenic Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI: [AqPrep S (3+4)-Methy	VOLA WOLA By:	ATILES BY EPA 8270 nnol: TCLP SEMI by EP Accreditation not offered	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND ND 0.15 ND ND ND ND ND D A3510 Prep Cor ND	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10 0.50 0.050 de: 1311_BF 0.050	La La Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L mg/L b Code: 1311_ pp Date: 8/16/20 mg/L ite: 8/2	M 1:00 AM 1 1 1 1 1 1 1 1 1 1 1 1 2 12 10:47:20	Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE AM Prep By: DMH] 8/17/2012 11:01:00 /	RA M M M M M
Mercury CP METAL: [AqPrep To Arsenlo Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI: [AqPrep S (3+4)-Methy	VOLA By:	ATILES BY EPA 8270 nnel: TCLP SEMI by EP Accreditation not offered Value exceeds Maximum	ND A 1311/200.7 Prep Code: 13 ND 0.97 ND 0.15 ND ND 0.15 ND ND D A3510 Prep Coron D by NYS DOH for the Contaminant Value	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10 0.50 0.050 de: 1311_BF 0.050	La La Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	mg/L b Code: 1311_ te: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L mg/L b Code: 1311_ tep Date: 8/16/20 mg/L te: 8/2 * Low Leve B Analyte d	M 1:00 AM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI 8/21/2012 1:01:00 /	RA M M M M M M M
Mercury CP METAL: [AqPrep To Arsenlo Barium Cadmium Chromium Lead Selenium Silver TCLP SEMI: [AqPrep S (3+4)-Methy	VOLA WOLA By:	ATILES BY EPA 8270 nnol: TCLP SEMI by EP Accreditation not offered	ND PA 1311/200.7 Prep Code: 13 ND 0.97 ND ND 0.15 ND ND ND D A3510 Prep Code ND by NYS DOH for the Contaminant Valurange	0,0004 11_MPR F 0.50 0.30 0,005 0,050 0,10 0.50 0.050 de: 1311_BF 0.050	La La Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	mg/L b Code: 1311_ e: 8/15/2012 9:4 mg/L mg/L mg/L mg/L mg/L b Code: 1311_ ep Date: 8/16/20 mg/L te: 8/2 * Low Leve B Analyte d H Holding ti	M 1:00 AM 1 1 1 1 1 1 1 1 1 1 2 1 2/12 1 etected in the intes for prep	Analyst: MI Prep By: ARO] 8/21/2012 4:17:44 PI Analyst: LE AM Prep By: DMH] 8/17/2012 11:01:00 /	RA M M M M M M M

55 P9 7-10 23 2M

Upstate Laboratories, Inc.

	Report			Date:	22-1	ug-12
CLIENT:	Riccelli Enterprises, Inc.			Client Sample ID:	B-1	
Lab Order:	U1208319			Collection Date:	8/10/	2012 2:55:00 PM
Project:	700 B. Water St.					
Lab ID:	U1208319-001			Matrix:	SOIL	
Analyses		Result	Limit (Qual Units	DF	Date Analyzed
TCLP SEMIVO	LATILES BY EPA 8270D			Lab Code: 1311_B		Analyst: LD
	Funnel: TCLP SEMI by EPA3510	Prep Cod	e: 1311_BPR		0:47:20	
2,4,5-Triahlorop	phenol	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
2,4,6-Trichlorop	phenol	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
2,4-Dinitrotolue	ne	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
2-Methylphenol	K. A	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Hexachloroben	zene	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Hexachlorobuta	adlene	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Hexachloroetha	ane	ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Nitrobenzene		ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Pentachlorophe	enol	ND	0.10	mg/L	1	8/17/2012 11:01:00 AM
			Death to be be been	5/11/4		D// T/DD40 44 04 00 44
Pyridine		ND	0.050	mg/L	1	8/17/2012 11:01:00 AM
Pyridine VOLATILES, T [TCLP Rotation	CLP LEACHED; BY EPA ME on for Volatiles by EPA 1311 Pr	THOD 826	60B 11_VR Prej	Lab Code: 1311_V Date: 8/14/2012 3:07:55	PM F	Analyst: EMZ Prep By: ARO]
Pyridine VOLATILES, T [TCLP Rotation 1,1-Dichloroeth	on for Volatiles by EPA 1311 Propens	THOD 826 ep Code: 13 ND	60B 611_VR Prej 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L	PM F	Analyst: EM2 Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,	on for Volatiles by EPA 1311 Pr nene nane	THOD 826 ep Code: 13 ND ND	50B 11_VR Prej 0.030 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L mg/L	PM F	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorobe	on for Volatiles by EPA 1311 Pr nene nane	ETHOD 826 ep Code: 13 ND ND ND ND	50B 111_VR Prej 0.030 0.030 0.030	Lab Code: 1311_V b Date: 8/14/2012 3:07:55 mg/L mg/L mg/L	PM F	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation of the content of the	on for Volatiles by EPA 1311 Pr nene nane	THOD 826 ep Code: 13 ND ND ND ND	50B 111_VR Prej 0.030 0.030 0.030 0.10	Lab Code: 1311_V o Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L	PM F 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene	on for Volatiles by EPA 1311 Pr dene dane dazene	ETHOD 826 ep Code; 13 ND ND ND ND ND	50B 511_VR Prej 0.030 0.030 0.030 0.10 0.030	Lab Code: 1311_V o Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach	on for Volatiles by EPA 1311 Pr nene nane nzene loride	ETHOD 826 ep Code: 13 ND ND ND ND ND ND	60B 611_VR Prej 0.030 0.030 0.030 0.10 0.030 0.030	Lab Code: 1311_V o Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach Chlorobenzene	on for Volatiles by EPA 1311 Pr nene nane nzene loride	ep Code: 13 ND ND ND ND ND ND ND ND	60B 611_VR Prej 0.030 0.030 0.030 0.10 0.030 0.030 0.030	Lab Code: 1311_V o Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach Chloroform	on for Volatiles by EPA 1311 Pr nene nane nzene loride	ETHOD 826 ep Code: 13 ND ND ND ND ND ND ND ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V 5 Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach Chloroform Tetrachloroeth	on for Volatiles by EPA 1311 Pr nene nane nzene loride e	ep Code: 13 ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Analyst: EM2 Prep By: ARO] 8/17/2012 12:09:00 AM
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach Chloroform	on for Volatiles by EPA 1311 Pr nene nane nzene loride e	ETHOD 826 ep Code: 13 ND ND ND ND ND ND ND ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V 5 Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichlorober 2-Butanone Benzene Carbon tetrach Chloroform Tetrachloroeth Trichloroethen Vinyl chloride	on for Volatiles by EPA 1311 Pr nene nane nzene loride e	ep Code: 13 ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichloroeth 1,4-Dichloroeth 2-Butanone Benzene Carbon tetrach Chloroform Tetrachloroeth Trichloroethen Vinyl chloride	on for Volatiles by EPA 1311 Pr nene nane nzene loride e ene	ep Code: 13 ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1 1 1 1 1	Analyst: EMZ Prep By: ARO] 8/17/2012 12:09:00 AN
VOLATILES, T [TCLP Rotation 1,1-Dichloroeth 1,2-Dichlorobeth 2-Butanone Benzene Carbon tetrach Chloroform Tetrachloroeth Trichloroeth Vinyl chloride IGNITABILITY Ignitability	on for Volatiles by EPA 1311 Pr nene nane nzene loride e ene	ETHOD 826 ep Code: 13 ND	0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030 0.030	Lab Code: 1311_V Date: 8/14/2012 3:07:55 mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L	PM F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Analyst: EM2 Prep By: ARO] 8/17/2012 12:09:00 AN

By:	KMA	Date:	8/22/12	Page 2 of 3	
#	Accreditation not offered by NYS DOH for this parameter		Low Level		
R) W	Value exceeds Maximum Contaminant Value	В	Analyte detected in the associated	Method Blank	
H	Value above quantitation range	H	Holding times for preparation or a	malysis exceeded	
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Lin	nit	
Q	Outlying QC recoveries were associated with this parameter	S	Spike Recovery outside accepted recovery limits		
	#	Accreditation not offered by NYS DOH for this parameter Value exceeds Maximum Contaminant Value Value above quantitation range J Analyte detected below quantitation limits	Accreditation not offered by NYS DOH for this parameter Value exceeds Maximum Contaminant Value B Value above quantitation range H Analyte detected below quantitation limits ND	Accreditation not offered by NYS DOH for this parameter * Low Level Value exceeds Maximum Contaminant Value B Analyte detected in the associated Value above quantitation range H Holding times for preparation or a Analyte detected below quantitation limits ND Not Detected at the Reporting Lim	

Upstate Laboratories, Inc.

Analytical Report

Riccelli Enterprises, Inc.

Lab Order:

U1208319

Client Sample ID: B-1

CLIENT: Project:

Lab ID:

700 E. Water St. U1208319-001

Collection Date: 8/10/2012 2:55:00 PM

Matrix: SOIL

Date: 22-Aug-12

of3

Analyses Result Limit Qual Units DF Date Analyzed PERCENT MOISTURE BY ASTM D2216 Lab Code: PMOIST Analyst: NKA Percent Moisture 13.0 0.0100 wt% 1 8/13/2012 SOLIDS, PERCENT Lab Code: PSOLID Analyst: NKA Percent Solids 0.010 8/13/2012 87

Approved	By:	KMA	Date:	8/22/12	Page 3
Qualifiers:	#	Accreditation not offered by NYS DOH for this parameter	8	Low Level	
	非米	Value exceeds Maximum Contaminant Value	В	Analyte detected in the associated M	ethod Blank
	E	Value above quantitation range	H	Holding times for preparation or ana	lysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit	
	Q	Outlying QC recoveries were associated with this parameter	S	Spike Recovery outside accepted rec	overy limits

6034 Corporate Drive . E. Syracuse, NY 13057-1017 Upstate Laboratories, Inc.

Chain Of Custody Record

Client O		Client Proje	Client Project # / Project Name	Name		No.	-					_	-		Special Turnaround
へいるアノ		7,	700 E. Water	さい		o,	-	=					_		Time
	Phone #	Site Location	Site Location (city/state)			Con-	_	_				_	-		(Lab Notification
WIKE REG 425	8115	700	SAZIBMIZOS	ER SI	SVR.	tain-	-					_	-	-	required
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only	ers 1)	2)	<u>ω</u>	4	5)	9	7	8) 9)	10)	o) Remarks
R-1 "	8/10/12	SSHI	Soil	Cras	1	- ×	^		-				-		
						44.90						-		-	
							-								
	1					- n.()						-		-	
						Early d	_					-	-	-	
						22.00						_	-	-	
						2535								-	
						778.71						-	-	-	
						27165							-		
						34.063							-	-	
parameter and method			sample bottle:	type	size pres.	Sampled by: (Please Print)	by: (Pleas	Prin	ರ	4) C	LI Internal Use Only
" (TCLP VA) T	JONES 971.	١.	לכת				D	2017	9	8	2	2		15 E S	UE Sampled
To a	1000	1/2	to the same	Alla		Company:	Š	de	Ele.	, v	N	to	3		CC Loopin
	4 1		% schid			Relinquished by: (Signature)	shed	by: (S	gnati		學	_	Time	교	Received by: (Signature)
pro	1	-	3-12-12			de	1	7	26	X	13/2		1610		
5)						Relinquished by: (Signature)	shed	by: (S	gnati		Date	=	Time	He.	Received by: (Signature)
6)												_			÷
7)						Relinquished by: (Signature)	shed	by: (S	gnati		Date	크	Time	교	Received by: (Signature)
8)														-	
9)	9					Relinquished by: (Signature)	shed	by: (S	gnatı	re)	© Date	-	Time	, R	Rec'd for Lab by: (Signature)
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.	nan reference	min who will	shared columns	in the unper	right-hand comer						10	_	-	-	1/menson

Syracuse

Rochester

Albany

Buffalo

Binghamton

Fair Lawn (NJ)

5 Pa 10-10 23 2012

Upstate Laboratories, Inc.

Sample Receipt Checklist

Client Name RICCELLI ENTERPRISES Work Order Numbe U1208319			Date and Tir Received by			8/10/2012
Checklist completed by Signature	8/10 Date		Reviewed by	KMA		8/10/12_
Matrix:	Carrier name	Client				
Shipping container/cooler in good condition?		Yes 🗆	No 🗆	Not Presen	V	
Custody seals intact on shippping container/co	ooler?	Yes 🗌	No 🗆	Not Presen	V	
Custody seals intact on sample bottles?		Yes 🗌	No 🗆	Not Presen	V	
Chain of custody present?		Yes 🔽	No 🗆			
Chain of custody signed when relinquished an	d received?	Yes 🔽	No 🖂			
Chain of custody agrees with sample labels?		Yes 🔽	No 🗆			
Samples in proper container/bottle?		Yes 🗸	No 🗆			
Sample containers intact?		Yes 🗹	No 🗆			
Sufficient sample volume for indicated test?		Yes 🔽	No 🗆			
All samples received within holding time?		Yes 🔽	No 🗆			
Container/Temp Blank temperature in complia	nce? 24.1	Yes 🗆	No 🗹			
Ice present in cooler		Yes 🗆	No 🗹	Ice Melted	1	N/A or Unknown
Water - VOA vials have zero headspace?	No VOA vials sub	mitted 🔽	Yes 🗆	No 🗆		
Water - pH acceptable upon receipt?	1000	Yes 🔽	No 🗆			
	Adjusted?		Checked b			
Any No and/or NA (not applicable) response n	nust be detailed in the	comments se	oction be			
Client contacted	Date contacted:		Per	son contacted		
Contacted by:	Regarding					
Comments:						
				_		
Corrective Action						
					-	
					-	



Architecture, Engineering & Landscape Architecture, P.C.

5789 Widewaters Parkway Dewitt, New York 13214 Phone: 315-472-6980 Fax: 315-472-3523

E-mail: bda@beardsley.com www.beardsley.com

Richard C. Elliott, P.E., LEED® AP
Raymond N. Cudney, P.E., LEED® AP
Steven F. Moolin, R.A., LEED® AP
Mark A. Rebich, P.E., LEED® AP

Barry Halperin, RA

September 24, 2012

Mr. Brian St. Laurent 700 Out Parcel, LLC 505 East Fayette Street Syracuse, New York 13202

RE: Soil Pile Removal

700 Outparcel – C734111 Syracuse, New York BDA#:08921

Dear Mr. St. Laurent:

Beardsley Design Associates was onsite as a representative for 700 Out Parcel, LLC during the soil pile removal to oversee adherence to the requirements of the June 27, 2012 Soil Pile Removal Work Plan.

The soil pile removal was completed by Riccelli Enterprises, Inc. (Reccelli) on August 30, 2012, utilizing 10-wheeled dump trucks to transport the impacted soil to the City of Auburn Landfill for disposal. Riccelli abided by all requirements of the Soil Pile Removal Work Plan and hauled a total of two loads (approximately 32 tons) of impacted soil to the landfill. The Non-Hazardous Solid Waste Manifests are attached.

Monitoring was performed for volatile organic compounds and particulate concentrations at upwind and downwind locations in accordance with the New York State Department of Health's (NYSDOH) Generic Community Air Monitoring Plan.

Real-time readings of volatile organic compounds and particulates were obtained by monitors that digitally calculated and recorded running averages of 15 minutes or less and stored the data for later retrieval. The monitors were visually checked on a regular basis throughout the soil pile removal and a field log was maintained of the data statistics. Data logs and copies of the field notes are attached.

Monitoring determined that volatile organic compounds and particulate levels remained within the acceptable limits established by the NYSDOH's Generic Community Air Monitoring Plan during the soil pile removal.

If you should have any questions regarding the information presented in this letter, please feel free to contact our office at your convenience.

Sincerely,

BEARDSLEY DESIGN ASSOCIATES

Douglas E. Porter, E.I.T Environmental Engineer

Ray N. Cudney, P.E., LEED AP

Principal

cc. Mr. Christopher F. Mannes, P.E. – NYSDEC





Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049 1947B 50996

TRANSPORTE	ER	1 1/23 h	DATE	TIME	IN	/ OUT		
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	1483	30VD>		1006	, 311		
TRUCK#	311.	TRAILI	ER#					
CONSIGNEE			SHIPPER					
	ENTERPRISES INC.		4	uood b	ine G	Troup		
P.O. BOX	6418() SE, NY 13217		1	00 E, L				
	(315) 433-5115		Syracuse N.Y.					
NO. PIECES		OR DESCR	<u>l</u> IPTIQN∖			WEIGHT		
	**		,	WEIGHT				
***	contaminated SON		bern/	WEIGHT O	UT	AMERICAN AND AND AND AND AND AND AND AND AND A		
	S I HIMICA S			BILLED WEI	GHT			
		1/3	,			<u> </u>		
SHIPPER SIGNATURE REPORTED FOR TOO PRINT NAME DOUGLOS & POT FEE								
DRIVER SIGNA	INGONIAL IN	$\frac{1}{2}$	PRINT NAME	0 1	CON			
SPECIAL INSTR	RUCTIONS:							
,	1,) /**>	of the state of th		
					No.	% .		
DESTINATION:								
	1. 1. 1. 1. 1. 1.	Fill	and the same of th	•				
	HUDURA IUAA	rill	* i e e e e e e e e e e e e e e e e e e					
FOR APPROVA	L;					mean only solid		
CONSIGNEE PR	RINT NAME	was	te or wast	e containir	ng anima	l and vegetable s and metal non-		
CONSIGNEE SI (NO INITIA	GN HERE	——— toxid	c sludge and	d other was	te materi	als which is not a		
RECEIVED ABOVE MATERIAL IN	FIRM DATE		oactive vola azardous na			le explosive toxic		
GOOD CONDITION	BY TIME	PM						

MB

ity of Auburn Solid Waste 11 North Division Street

uburn, NY 13021

hone: (315)255-4123 Fax: (315)255-5330

Truck: 10798PC

Customer: 05085/RICCELLI (CONTRACT License: RICCELLI

Truck Type: DUMP TRUCK

Ticket: 591162

Date: 8/30/2012

Time: 10:35:03 - 10:36:13

Scale

Gross: 76080 lb In Manual W

Tare: 29500 lb

P.T.

Met: 46580 1b

truck 311

Grid: @i/LANDFILL

Comment:

Tigin Materials & Services Quantity Unit Rate/Unit Amount

3/OUTSIDE OF COUNTY 100% of CS09/CONTAMINATED SO 23.29 ton \$25.00/Ton \$582.25

Driver: Deputy Weighmaster:

KT



Rochester 6800 W. Henrietta Road Rush, NY 14543 (585) 344-8410 **Geneva** 1210 Gifford Road Phelps, NY 14532 (315) 548-4049

50998

-***		
TRANSPORTE	ER ,	DATE TIME IN / OUT
P.O. BOX	ENTERPRISES INC. 6418 SE, NY 13217	8/30/12
TRUCK#		TRAILER #
v.	118	
CONSIGNEE	LENTERPRISES INC	SHIPPER
P.O. BOX	I ENTERPRISES INC. 6418	Wood bine Group
1	SE, NY 13217	700 E. Wet St
PHONE#	£ (315) 433-5115	54 rocuse NY
NO. PIECES	ARTICLES OR	
C. Section of the Control of the Con	CONTAMINATED SOIL	WEIGHT IN WEIGHT OUT BILLED WEIGHT
	•	
SHIPPER SIGNA	ATURE Douglas outer	70000+PorrelLLC PRINTNAME Douglas EPorter
DRIVER SIGNA	TURE CHELLE SAND	PRINT NAME EDDIE LUGO
SPECIAL INSTR	RUCTIÓNS:	
	Auburn L	e. 2 F. 11
DESTINATION:		
	·	
FOR APPROVA	L:	Solid waste being interpreted to mean only solid
1	RINT NAME	waste or waste containing animal and vegetable
CONSIGNEE S (NO INITIA	IGN HERE	matter, rubbish, trash, debris, ashes and metal non- toxic sludge and other waste materials which is not a
RECEIVED ABOVE MATERIAL IN GOOD CONDITION	FIRM DATE AI BYTIME PI	

City of Auburn Solid Waste 311 North Division Street

Auburn, NY 13021 Phone: (315)255-4123 Fax: (315)255-5330

Truck: 11421PC

Customer: 05085/RICCELLI (CONTRACT License: 48

Truck Type: DUMP TRUCK

Ticket: 591172 Date: 8/30/2012

Time: 10:40:20 - 11:11:03

Scale

Gross: 86820 lb In Manual W


Tare: 28860 lb Out Manual W

Net: 57960 1b

Grid: 01/LANDFILL

Comment: 48

Origin	Materials & Services	Quantity Unit	Rate/Unit	HMOUNT
@2/CAYUGA COUNTY	100% of CS09/CONTAMINAT	ED 80 28.98 ton	\$25 . 00/Top	\$724.50
			Total Amounts	\$724.50
Driver:	Deputy b	Weighmaster:		age to considerate
9		KT		₹



Weather: Mid 50's to low 70's Slight breeze SUNNY

onsite at 7:15 AM

- Set up monitors

- Started Monitors at 7: 30AM

Reccelli onsite at 7:45 AM

with-Caterpillar 9306 - Front end loader

- Truck# 48 Plate # 1078 PC

- Truck # 311 Plate # 11421 PC

- Set up poly loading area and Started Soil Pile Removal @ 2 8:00 Am

- Removed Staged Soil Diles From Test Pits:

- TP-2, TP-3, TP-4, TP-5, TP-6, TP-7, TP-8, TP-9 TP-10, TP-11, TP-12

- Reccelli left site a + 79:30 AM.

	Baike	cound	Down	wind
Time	VOC	Particle	VOC	Particle
7:30	0.0	0.006	0.0	0.008
7:45	0.0	0.008	0.0	0.012
4:10	0.0	0.007	0.0	0.010
4:25	0.0	0.030	0.0	0.009
4: 40	0.0	0.014	0.0	0.013
6:52	0.0	0.008	0.0	0.013
9:06	0.0	0.007	0.0	0.013
9:20	0.0	0.011	0.0	0.019
9:35	0.0	0.006	0.0	0.040



Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011360

User ID: 00000001 Site ID: 00000002
Data Points: 8 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/27/2012 11:41

Measurement Type: Min(ppm) Avg(ppm) Max(ppm) High Alarm Levels: 100.0 100.0 100.0 Low Alarm Levels: 50.0 50.0 50.0

					THE PARTY AND TH
Line#	Date	Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	08/30/2012	04:25	0.0	0.0	0.0
2	08/30/2012	04:40	0.0	0.0	0.0
3	08/30/2012	04:55	0.0	0.0	0.0
4	08/30/2012	05:10	0.0	0.0	0.0
5	08/30/2012	05:25	0.0	0.0	0.0
6	08/30/2012	05:40	0.0	0.0	0.0
7	08/30/2012	05:55	0.0	0.0	0.0
8	08/30/2012	06:10	0.0	0.0	0.0

Background

Instrument: MiniRAE 2000 (PGM7600)

User ID: 00000001 Site ID: 00000002
Data Points: 8 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 08/27/2012 14:45

Serial Number: 011751

Measurement Type: Min(ppm) Avg(ppm) Max(ppm) High Alarm Levels: 100.0 100.0 100.0 Low Alarm Levels: 50.0 50.0 50.0

	Tall nevers	•			30.0	
Line	† Date	Time	Min(ppm)	Avg(ppm)	Max(ppm)	Annual An
1	08/30/2012	07:33	0.0	0.0	0.0	
2	08/30/2012	07:48	0.0	0.0	0.0	
3	08/30/2012	08:03	0.0	0.0	0.0	
4	08/30/2012	08:18	0.0	0.0	0.0	
5	08/30/2012	08:33	0.0	0.0	0.0	
6	08/30/2012	08:48	0.0	0.0	0.0	
7	08/30/2012	09:03	0.0	0.0	0.0	
8	08/30/2012	09:18	0.0	0.0	0.0	

Downwind

08/30/2012 08/30/2012 07:25:24 08 09:25:24 08 00:02:00:00 001 Current Test: Start Time: Total Time: Stop Time:

900 seconds Logging Interval:

85203271 Aerosol Serial Number: Sensor:

08/14/2012 1.000 Cal. Factor: Cal. Date:


Aerosol mg/m^3 Channel: (Units)

0.011 TWA (8 hr): Average:

0.009 07:55:24 08/30/2012 0.003 Minimum: Time Date

0.013 Maximum: Time Date

08/30/2012 09:10:24



-Downwind

08/30/2012 08/30/2012 07:35:18 08, 09:35:18 08, 00:02:00:00 Start Time: Stop Time: Total Time:

001

Current Test:

900 seconds Logging Interval:

22621 Aerosol Serial Number: Sensor:

06/08/2011 1.000 Cal. Factor: Cal. Date:

Aerosol Channel: (Units)

mg/m^3


0.010 0.002 TWA (8 hr): Average:


0.007 07:50:18 08/30/2012 Minimum: Time Date

08/30/2012 0.014 Maximum: Time Date

TrakPro v3.41, Test: Test001, Date: 08/30/2012 07:35:18
Serial Number: 22621
Cal. Date: Aerosol
 06/08/2011

Aerosol mg/m^3	0.007 0.007 0.008 0.014 0.0010
Time hh:mm:ss	08
Date MM/dd/yyyy	08/30/2012 08/30/2012 08/30/2012 08/30/2012 08/30/2012 08/30/2012 08/30/2012







NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION



Request to Import/Reuse Fill or Soil

This form is based on the information required by DER-10, Section 5.4(e). Use of this form is not a substitute for reading the applicable Technical Guidance document.

SECTION 1 – SITE BACKGROUND	
The allowable site use is: Commercial or Industrial Use	
Have Ecological Resources been identified? no	
Is this soil originating from the site? no	
How many cubic yards of soil will be imported/reused? 500-800	
If greater than 1000 cubic yards will be imported, enter volume to be imported:	
SECTION 2 – MATERIAL OTHER THAN SOIL	
s the material to be imported gravel, rock or stone? yes	
Does it contain less than 10%, by weight, material that would pass a size 80 sieve? yes	
s this virgin material from a permitted mine or quarry? yes	
s this material recycled concrete or brick from a DEC registered processing facility? no]
SECTION 3 - SAMPLING	
Provide a brief description of the number and type of samples collected in the space below:	
Not applicable. Meets the requirements of DER-10 Section 5.5 (other material). No chemical testing necessity	ssary.
Example Text: 5 discrete samples were collected and analyzed for VOCs. 2 composite samples were collected and analyzed for VOCs, Inorganics & PCBs/Pesticides.	
the material meets requirements of DER-10 section 5.5 (other material), no chemical testing needed.	

Revised August 2014 Pg 1 of 3

SECTION 3 CONT'D - SAMPLING
Provide a brief written summary of the sampling results or attach evaluation tables (compare to DER-10, Appendix 5):
Not applicable.
Example Text: Arsenic was detected up to 17 ppm in 1 (of 5) samples; the allowable level is 16 ppm. If Ecological Resources have been identified use the "If Ecological Resources are Present" column in Appendix 5.
SECTION 4 – SOURCE OF FILL
Name of person providing fill and relationship to the source: Dave Montroy - Montroy Development, LLC; contractor (no relationship to source)
Location where fill was obtained:
Kinsella Quarries; 4800 Solvay Road Extension, Jamesville, NY 13078
Identification of any state or local approvals as a fill source:
n/a; source a virgin gravel quarry
If no approvals are available, provide a brief history of the use of the property that is the fill source:
Provide a list of supporting documentation included with this request:

The information provided on this form is accurate and complete.

Signature

11/03/2016

Date

Norman E. Swanson

Print Name

700 Out Parcel, LLC

Firm

APPENDIX F

Project Photo Log

- Cover System
- Groundwater Monitoring Wells









Page 1 of 16









Page 2 of 16









Page 3 of 16









Page 4 of 16









Page 5 of 16









Page 6 of 16









Page 7 of 16









Page 8 of 16










Page 9 of 16









Page 10 of 16









Page 11 of 16









Page 12 of 16









Page 13 of 16









Page 14 of 16









Page 15 of 16





700 Outparcel - Monitoring Well Curb Boxes NYSDEC Site Number: C734111











Page 1 of 1







US 65HVO Warning Barrier

US 65HVO ORANGE Warning Barrier is a woven, polypropylene 24 x 8 plain weave geotextile consisting of natural fibers in one direction and orange in the other. US 65HVO resists ultraviolet and biological deterioration, rotting, naturally encountered basics and acids. Polypropylene is stable within a pH range of 2 to 13. It is available (at additional cost) with "Danger - Do Not Dig" printed in English & Spanish in 8" high letters every 8 foot of material. This product is designed to be buried as a warning barrier. US 65HVO Orange Warning Barrier meets the following TYPICAL values except where noted:


Property	Test Method	English	Metric
Weight	ASTM D-3776	2.6 oz/sy	88 g/sm
Tensile Strength (M.A.R.V.)	ASTM D-4632	150 x 65 lbs	668 x 289 N
Elongation @ Break	ASTM D-4632	15 x 10 %	15 x 10 %
Apparent Opening Size	ASTM D-4751	40 US Sieve	0.425 mm
Water Flow Rate	ASTM D-4491	20 g/min/sf	815 l/min/sm
UV Resistance @ 200 Hours	ASTM D-4355	70%	70%

Roll Size	Roll Diameter	Area	Weight
12.5' x 360'	9.0 in	500 sys	96 lbs

This information is provided for reference only and is not intended as a warranty or guarantee. US Fabrics assumes no liability in connection with the use of this information (1/2016).

US Fabrics, Inc. | 3904 Virginia Avenue | Cincinnati, OH 45227

Phone: (800) 518-2290 | Fax: (513) 217-4420 | email: info@usfabrics.com



ENVIRONMENTAL EASEMENT GRANTED PURSUANT TO ARTICLE 71, TITLE 36 OF THE NEW YORK STATE ENVIRONMENTAL CONSERVATION LAW

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to encourage the remediation of abandoned and likely contaminated properties ("sites") that threaten the health and vitality of the communities they burden while at the same time ensuring the protection of public health and the environment; and

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to establish within the Department a statutory environmental remediation program that includes the use of Environmental Easements as an enforceable means of ensuring the performance of operation, maintenance, and/or monitoring requirements and the restriction of future uses of the land, when an environmental remediation project leaves residual contamination at levels that have been determined to be safe for a specific use, but not all uses, or which includes engineered structures that must be maintained or protected against damage to perform properly and be effective, or which requires groundwater use or soil management restrictions; and

WHEREAS, the Legislature of the State of New York has declared that Environmental Easement shall mean an interest in real property, created under and subject to the provisions of Article 71, Title 36 of the New York State Environmental Conservation Law ("ECL") which contains a use restriction and/or a prohibition on the use of land in a manner inconsistent with engineering controls which are intended to ensure the long term effectiveness of a site remedial program or eliminate potential exposure pathways to hazardous waste or petroleum; and

WHEREAS, Grantor, is the owner of real property located at the address of 701-709 East Water Street in the City of Syracuse, County of Onondaga and State of New York, known and designated on the tax map of the County Clerk of Onondaga as tax map parcel numbers: Section 030 Block 14 Lots 1.0 and 2.0, being the same as that property conveyed to Grantor by deed dated April 2, 2007 and recorded in the Onondaga County Clerk's Office in Liber and Page 4989/151. The property subject to this Environmental Easement (the "Controlled Property") comprises approximately 0.440 +/- acres, and is hereinafter more fully described in the Land Title Survey dated July 31, 2015 prepared by James R. Lighton, LLS of J.R.L. Land Surveying, PLLC, which will be attached to the Site Management Plan. The Controlled Property description is set forth in and attached hereto as Schedule A; and

WHEREAS, the Department accepts this Environmental Easement in order to ensure the protection of public health and the environment and to achieve the requirements for remediation established for the Controlled Property until such time as this Environmental Easement is

extinguished pursuant to ECL Article 71, Title 36; and

NOW THEREFORE, in consideration of the mutual covenants contained herein and the terms and conditions of Brownfield Cleanup Agreement Index Number: B7-0743-07-05, Grantor conveys to Grantee a permanent Environmental Easement pursuant to ECL Article 71, Title 36 in, on, over, under, and upon the Controlled Property as more fully described herein ("Environmental Easement").

- 1. <u>Purposes</u>. Grantor and Grantee acknowledge that the Purposes of this Environmental Easement are: to convey to Grantee real property rights and interests that will run with the land in perpetuity in order to provide an effective and enforceable means of encouraging the reuse and redevelopment of this Controlled Property at a level that has been determined to be safe for a specific use while ensuring the performance of operation, maintenance, and/or monitoring requirements; and to ensure the restriction of future uses of the land that are inconsistent with the above-stated purpose.
- 2. <u>Institutional and Engineering Controls</u>. The controls and requirements listed in the Department approved Site Management Plan ("SMP") including any and all Department approved amendments to the SMP are incorporated into and made part of this Environmental Easement. These controls and requirements apply to the use of the Controlled Property, run with the land, are binding on the Grantor and the Grantor's successors and assigns, and are enforceable in law or equity against any owner of the Controlled Property, any lessees and any person using the Controlled Property.
 - A. (1) The Controlled Property may be used for:

Commercial as described in 6 NYCRR Part 375-1.8(g)(2)(iii) and Industrial as described in 6 NYCRR Part 375-1.8(g)(2)(iv)

- (2) All Engineering Controls must be operated and maintained as specified in the Site Management Plan (SMP);
- (3) All Engineering Controls must be inspected at a frequency and in a manner defined in the SMP;
- (4) The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Onondaga County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department;
- (5) Groundwater and other environmental or public health monitoring must be performed as defined in the SMP;
- (6) Data and information pertinent to Site Management of the Controlled Property must be reported at the frequency and in a manner defined in the SMP;
- (7) All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the SMP;

- (8) Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP;
- (9) Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical components of the remedy shall be performed as defined in the SMP;
- (10) Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by this Environmental Easement.
- B. The Controlled Property shall not be used for Residential or Restricted Residential purposes as defined in 6NYCRR 375-1.8(g)(2)(i) and (ii), and the above-stated engineering controls may not be discontinued without an amendment or extinguishment of this Environmental Easement.
- C. The SMP describes obligations that the Grantor assumes on behalf of Grantor, its successors and assigns. The Grantor's assumption of the obligations contained in the SMP which may include sampling, monitoring, and/or operating a treatment system, and providing certified reports to the NYSDEC, is and remains a fundamental element of the Department's determination that the Controlled Property is safe for a specific use, but not all uses. The SMP may be modified in accordance with the Department's statutory and regulatory authority. The Grantor and all successors and assigns, assume the burden of complying with the SMP and obtaining an up-to-date version of the SMP from:

Site Control Section
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, New York 12233
Phone: (518) 402-9553

- D. Grantor must provide all persons who acquire any interest in the Controlled Property a true and complete copy of the SMP that the Department approves for the Controlled Property and all Department-approved amendments to that SMP.
- E. Grantor covenants and agrees that until such time as the Environmental Easement is extinguished in accordance with the requirements of ECL Article 71, Title 36 of the ECL, the property deed and all subsequent instruments of conveyance relating to the Controlled Property shall state in at least fifteen-point bold-faced type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation

Law.

- F. Grantor covenants and agrees that this Environmental Easement shall be incorporated in full or by reference in any leases, licenses, or other instruments granting a right to use the Controlled Property.
- G. Grantor covenants and agrees that it shall, at such time as NYSDEC may require, submit to NYSDEC a written statement by an expert the NYSDEC may find acceptable certifying under penalty of perjury, in such form and manner as the Department may require, that:

(1) the inspection of the site to confirm the effectiveness of the institutional and engineering controls required by the remedial program was performed under the direction of the individual set forth at 6 NYCRR Part 375-1.8(h)(3).

- (2) the institutional controls and/or engineering controls employed at such site:
 - (i) are in-place;
- (ii) are unchanged from the previous certification, or that any identified changes to the controls employed were approved by the NYSDEC and that all controls are in the Department-approved format; and
- (iii) that nothing has occurred that would impair the ability of such control to protect the public health and environment;
- (3) the owner will continue to allow access to such real property to evaluate the continued maintenance of such controls;
- (4) nothing has occurred that would constitute a violation or failure to comply with any site management plan for such controls;
- (5) the report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;
- (6) to the best of his/her knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and
 - (7) the information presented is accurate and complete.
- 3. <u>Right to Enter and Inspect</u>. Grantee, its agents, employees, or other representatives of the State may enter and inspect the Controlled Property in a reasonable manner and at reasonable times to assure compliance with the above-stated restrictions.
- 4. <u>Reserved Grantor's Rights</u>. Grantor reserves for itself, its assigns, representatives, and successors in interest with respect to the Property, all rights as fee owner of the Property, including:
- A. Use of the Controlled Property for all purposes not inconsistent with, or limited by the terms of this Environmental Easement;
- B. The right to give, sell, assign, or otherwise transfer part or all of the underlying fee interest to the Controlled Property, subject and subordinate to this Environmental Easement;

5. <u>Enforcement</u>

A. This Environmental Easement is enforceable in law or equity in perpetuity by Grantor, Grantee, or any affected local government, as defined in ECL Section 71-3603, against

the owner of the Property, any lessees, and any person using the land. Enforcement shall not be defeated because of any subsequent adverse possession, laches, estoppel, or waiver. It is not a defense in any action to enforce this Environmental Easement that: it is not appurtenant to an interest in real property; it is not of a character that has been recognized traditionally at common law; it imposes a negative burden; it imposes affirmative obligations upon the owner of any interest in the burdened property; the benefit does not touch or concern real property; there is no privity of estate or of contract; or it imposes an unreasonable restraint on alienation.

- B. If any person violates this Environmental Easement, the Grantee may revoke the Certificate of Completion with respect to the Controlled Property.
- C. Grantee shall notify Grantor of a breach or suspected breach of any of the terms of this Environmental Easement. Such notice shall set forth how Grantor can cure such breach or suspected breach and give Grantor a reasonable amount of time from the date of receipt of notice in which to cure. At the expiration of such period of time to cure, or any extensions granted by Grantee, the Grantee shall notify Grantor of any failure to adequately cure the breach or suspected breach, and Grantee may take any other appropriate action reasonably necessary to remedy any breach of this Environmental Easement, including the commencement of any proceedings in accordance with applicable law.
- D. The failure of Grantee to enforce any of the terms contained herein shall not be deemed a waiver of any such term nor bar any enforcement rights.
- 6. <u>Notice</u>. Whenever notice to the Grantee (other than the annual certification) or approval from the Grantee is required, the Party providing such notice or seeking such approval shall identify the Controlled Property by referencing the following information:

County, NYSDEC Site Number, NYSDEC Brownfield Cleanup Agreement, State Assistance Contract or Order Number, and the County tax map number or the Liber and Page or computerized system identification number.

Parties shall address correspondence to:

Site Number: C734111

Office of General Counsel

NYSDEC 625 Broadway

Albany New York 12233-5500

With a copy to:

Site Control Section

Division of Environmental Remediation

NYSDEC 625 Broadway Albany, NY 12233

All notices and correspondence shall be delivered by hand, by registered mail or by Certified mail and return receipt requested. The Parties may provide for other means of receiving and communicating notices and responses to requests for approval.

7. Recordation. Grantor shall record this instrument, within thirty (30) days of execution of this instrument by the Commissioner or her/his authorized representative in the office of the

recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

- 8. <u>Amendment</u>. Any amendment to this Environmental Easement may only be executed by the Commissioner of the New York State Department of Environmental Conservation or the Commissioner's Designee, and filed with the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.
- 9. <u>Extinguishment.</u> This Environmental Easement may be extinguished only by a release by the Commissioner of the New York State Department of Environmental Conservation, or the Commissioner's Designee, and filed with the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.
- 10. <u>Joint Obligation</u>. If there are two or more parties identified as Grantor herein, the obligations imposed by this instrument upon them shall be joint and several.

Remainder of Page Intentionally Left Blank

IN WITNESS WHEREOF, Grantor has caused this instrument to be signed in its name.

700 Out Parcel, LLC:
Ву:
Print Name: NORMAN E. SWANGON
Title: MEMBER Date: 4-18-16

Grantor's Acknowledgment

STATE OF NEW YORK COUNTY OF ONEW DAGA) ss:

On the 18th day of April, in the year 20 16, before me, the undersigned, personally appeared Norman E. Swantor, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

Notary Public - State of New York

CINDY L. POLLARD

Notary Public, State of New York

Qualified in Onondaga County Reg.# 01P06047284
Commission Expires B | ZB | IB

THIS ENVIRONMENTAL EASEMENT IS HEREBY ACCEPTED BY THE PEOPLE OF THE STATE OF NEW YORK, Acting By and Through the Department of Environmental Conservation as Designee of the Commissioner,

By:

Robert W. Schick, Director
Division of Environmental Remediation

Grantee's Acknowledgment

COUNTY OF ALBANY)

STATE OF NEW YORK

On the ______ day of ______, in the year 20/\(\tilde{\tiiiitilee{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{

Notary Public - State of New York

NATRICK EUGENE FOSTER
NOTARY PUBLIC, STATE OF NEW YORK
QUALIFIED IN KINGS COUNTY
NO. 02F06278032
COMMISSION EXPIRES 03/18/20 17

SCHEDULE "A" PROPERTY DESCRIPTION

NYSDEC Brownfield Site No.: C734111

All that tract or parcel of land situate in the City of Syracuse, County of Onondaga, and State of New York being part of Block 261 of said City and also being part of the former Erie Canal Lands and being more particularly bounded and described as follows:

Beginning at the Intersection of the easterly line of Almond Street and the southerly line of Erie Boulevard East;

Thence S, 89°-31'-20" E., along the southerly line of Erie Boulevard East, a distance of 237.96 feet to a point therein;

Thence S. 00°-29'-10" W., a distance of 18.8 feet to a point in the blue line of the former Erie Canal;

Thence N. 89°-31'-20" W., along said blue line, a distance of 1.33 feet to a point;

Thence S. 00°-20'-00" W., a distance of 61.62 feet to a point in the northerly line of East Water Street;

Thence N. 89°-30'-50" W., along the northerly line of East Water Street, a distance of 236.58 feet to the easterly line of Almond Street;

Thence N. 00°-20'-00" E., along the easterly line of Almond Street, a distance of 80.39 feet to the point and place of beginning.

The hereinbefore described parcel of land contains 19.048.1 square feet (0.44 acres) more or less and is subject to and together with any and all easements, restrictions and/or rights of way of record.