



Stantec Consulting Services Inc.
61 Commercial Street, Suite 100
Rochester NY 14614-1009
Tel: (585) 475-1440
Fax: (585) 272-1814

February 21, 2014
File: 190500014

Attention: Mr. Todd Caffoe, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation
6274 East Avon-Lima Road
Avon NY 14414-9519

Reference: Periodic Review Reports
Ward Street Site, BCA Site No.: C828117
8-28 Ward Street Site, BCA Site No.: C828136
Rochester, New York

Dear Todd:

On behalf of Germanow-Simon Corporation (Germanow-Simon), Stantec Consulting Services, Inc. (Stantec) has prepared this Periodic Review Report and completed the Institutional and Engineering Control Certification (IC/EC) Forms for the period September 15, 2012 to November 15, 2013 for Germanow-Simon to fulfill its obligation as a volunteer under the Brownfield Cleanup Agreement (BCA) for its properties known as the Ward Street Site (BCA Site #C828117) and the 8-28 Ward Street Site (BCA Site #C828136). These adjacent sites are located on Ward Street in the City of Rochester, Monroe County, New York.

Similar to the prior PRR, we noted what appears to be an error in the IC/EC Form for the Ward Street Site. The Description of Engineering Control Details (Box 4) indicates that a SSDS is to be operated on all six parcels that comprise the Site after the MVPE system is shutdown. Our understanding of the requirements set forth in the Environmental Easement and the related plans for this Site calls for the SSDS to be operated in the Building B Annex only, which is Parcel 160.62-01-032. To that end we have edited the IC/EC Forms to reflect the modifications we believe are appropriate.

Please do not hesitate to call should you have any questions or require further information.

Regards,

STANTEC CONSULTING SERVICES INC.

Michael P. Storonsky
Managing Senior Associate
Tel: (585) 413-5266
mike.storonsky@stantec.com

Peter Nielsen, P.E.
Senior Environmental Engineer
Tel: (585) 413-5280
peter.nielsen@stantec.com

Attachment: Periodic Review Report – Ward Street Site No. C828117 and No. C282136 (February 2014)

c. John Dole (Germanow-Simon)

u:\1405205\docs\pr reports and forms\2014.02.21\letter.c828117.c828136.2014-02-21.prr_icec.docx

**PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO.
C828117
and
8-28 WARD STREET SITE - NO.
C828136**

WARD STREET AT ST. PAUL STREET
ROCHESTER, NEW YORK



Prepared for:
New York State Department of
Environmental Conservation
6274 East Avon-Lima Road
Avon, New York 14414

Prepared on behalf of:
Germanow-Simon Corporation
408 St. Paul Street
Rochester, New York 14601

Prepared by:
Stantec Consulting Services Inc.
61 Commercial Street, Suite 100
Rochester, New York 14614

February 21, 2014

**PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136**

Table of Contents

1.0	INTRODUCTION AND OVERVIEW	1
1.1	SUMMARY OF SITE CONTAMINATION AND REMEDIAL HISTORY	1
1.2	SITE MANAGEMENT REQUIREMENTS.....	2
1.3	EFFECTIVENESS OF THE REMEDIAL PROGRAM	3
1.4	COMPLIANCE.....	4
1.5	RECOMMENDATIONS	4
2.0	REMEDY PERFORMANCE, EFFECTIVENESS, AND PROTECTIVENESS	5
3.0	COMPLIANCE WITH IC/EC REQUIREMENTS AND THE OM&M PLAN	6
4.0	OVERALL CONCLUSIONS AND RECOMMENDATIONS	7

TABLES

- 1 – Summary of VOCs in Groundwater – September 2011 to October 2013
- 2 – Summary of Field Parameters in Groundwater – September 2011 to October 2013
- 3 – Changes in VOC Concentrations over Time

FIGURES

- 1 – Site Location Map
- 2 – Well Locations
- 3-1 to 3-14 – Graphs of VOC Concentrations over Time
- 4 – Proposed Boring Locations

APPENDICES

- A – IC/EC Certification Forms
- B – NYSDEC Correspondence
- C – Enhanced Reductive Dechlorination Supplemental Injection Program Summary Report

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

1.0 Introduction and Overview

Stantec Consulting Services Inc. (Stantec) has prepared this Periodic Review Report (PRR) and the attached Institutional Control/Engineering Control (IC/EC) forms (see Appendix A) to summarize Site Management (SM) activities at the contiguous Ward Street and 8-28 Ward Street Brownfield Cleanup Program sites (the Sites) for the period September 15, 2012 to November 15, 2013.

The PRR was prepared on behalf of Germanow-Simon Corporation (Germanow-Simon), the owner of the Sites, to fulfill the PRR requirements of the Brownfield Cleanup Program (BCP) of the New York State Department of Environmental Conservation (NYSDEC, the Department). The Ward Street Site is identified by NYSDEC as BCP Site No. C828117. The 8-28 Ward Street Site is identified as BCP Site No. C828136.

The Sites are located in the City of Rochester, Monroe County, New York along the north side of Ward Street between the intersection of Ward Street with St. Paul Street on the southwest and Emmett Street on the northeast. A map showing the locations of the Sites is presented on Figure 1.

1.1 SUMMARY OF SITE CONTAMINATION AND REMEDIAL HISTORY

Germanow-Simon and the Department agreed to pursue a program of environmental investigation and cleanup activities at the Sites to address past releases of industrial and dry-cleaning solvents and petroleum products that resulted in subsurface contamination by volatile organic compounds (VOCs). The BCP activities led to the implementation of a Multi-Phase Vacuum Extraction (MPVE) cleanup system for the Sites. MPVE is a contaminant remediation technology that uses a vacuum pump and extraction wells to remove VOCs from subsurface soils, soil vapor and groundwater. The layout of the MPVE system is shown on Figure 2 (Well Locations).

Construction, initiation and commissioning of MPVE at the Ward Street Site were completed in October 2006. The 8-28 Ward Street Site component of the MPVE system was added in October 2008. Pursuant to NYSDEC approval, the MPVE system was shut down on February 22, 2011 and has not been restarted since that time. At that time, the previously installed sub-slab depressurization (SSD) system beneath the Building B Annex Area was turned on (as it had been during previous sampling or MPVE maintenance related shut-down periods). Pursuant to the NYSDEC-approved Remedial Program Supplement, Enhanced Reductive Dechlorination Work Plan, dated March 2011 (Stantec, 2011) and NYSDEC's November 14, 2011 approval letters (see Appendix B), an in-situ bioremediation polishing program was conducted in November/December 2011. Pursuant to the Proposed Supplemental Injection Program correspondence dated October 2012, and NYSDEC's November 6, 2012 approval letter, a supplemental in-situ bioremediation polishing program was conducted in November 2012. Further details on the November 2012 injection program are presented in Stantec's December 21, 2012 Enhanced Reductive Dechlorination Supplemental Injection Program Summary Report (see Appendix C).

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

Because groundwater in the former Lilac Laundry area was found to meet the Department's groundwater quality standards (refer to Ward Street Site Semi-Annual Progress Report #8, Ward Street Site (Site #C828117) and 8-28 Ward Street Site (Site #C828136), Rochester, New York. Stantec, February 2011), and in preparation for site improvements, as per NYSDEC approval, in October 2011, the following wells were decommissioned at the Ward Street Site: MW-3, MW-5, MW-9, MW-9R, MW-20, MW-21, MW-32, MW-213, MW-214, MW-215, MW-216, MW-217, MW-218, and MW-219. In addition, since no significant groundwater impacts were present on the 8-28 Ward Street Site, and in preparation for site improvements, per NYSDEC approval, in October 2011, the following wells were decommissioned at the 8-28 Ward Street Site: GQ1/MW1, GQ2/MW2, GQ4/MW4, GQ8/MW5, MW-19, MW-45, MW-46, MW-46R, and MW-47.

1.2 SITE MANAGEMENT REQUIREMENTS

Site Management activities were implemented in accordance with the Department-approved Site Management Plans (SMPs) for each site. The SMPs for the Sites include the following required Institutional and Engineering Controls (ICECs):

- Use of the Sites for commercial and industrial purposes is allowed as long as the following long-term controls are employed:
 - The MPVE system is operated in accordance with a Department-approved Operation, Maintenance & Monitoring (OM&M) plan until remedial requirements are achieved to the satisfaction of the Department.
 - A sub-slab depressurization (SSD) system constructed in conjunction with the MPVE system is operated continuously in the Building B Annex Area to mitigate the potential for soil vapor intrusion (SVI) when the MPVE system is shut down.
 - Impervious surfaces covering specific areas of the Sites (building floor slabs and parking lot pavements) are maintained.
 - NYSDEC approval must be obtained in advance for activities which breach impervious surfaces or disturb soils in those same areas of the Sites, and those activities must be performed in accordance with the SMPs.
 - NYSDEC approval must be obtained in advance for use for any purpose of groundwater at the Sites.
- The Sites may not be used for purposes with a higher level of use than the commercial and industrial purposes described above.
- An environmental easement granted to the Department must be maintained on the property deed and any subsequent instrument of land conveyance, lease, license, or other instruments granting rights of use of the Sites.

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

- Annually (or as otherwise directed by the Department), Germanow-Simon must certify to the Department as to the continued presence and effectiveness of the controls described above.

The MPVE system OM&M Plan for the Sites specifies a program of maintenance activities, provides for monthly system performance monitoring and periodic groundwater monitoring, and annual indoor/outdoor air testing. Indoor air testing is conducted in the Building B Annex and Building B along with outdoor testing to obtain background conditions. The OM&M Plan specifies periodic reporting on OM&M activities, monitoring results and remedial progress. However, pursuant to NYSDEC approval, the MPVE system was shut down on February 22, 2011 and has not been restarted since that time. Therefore, OM&M activities related to the MPVE system have not been required since it was shut down in February 2011. On February 22, 2011, the SSDS was turned on and has operated continuously since that time.

Due to building expansion/renovation and site improvement activities at the Sites during the previous reporting period (September 15, 2011 to September 15, 2012), the SMPs for both Sites were revised. Revised versions of these documents were submitted to the NYSDEC during the last reporting period.

1.3 EFFECTIVENESS OF THE REMEDIAL PROGRAM

During the reporting period covered by this PRR, the latest groundwater sampling event conducted in October 2013 reported that VOC reduction continued to proceed very well when compared with the prior round of groundwater sampling (refer to Ward Street ERD Groundwater Monitoring Progress Report, Ward Street Site (Site #C828117) and 8-28 Ward Street Site (Site #C828136), Rochester, New York. Stantec, December 23 2013). The October 2013 results indicated that one of the parent compounds, Tetrachloroethylene (PCE) were below laboratory reporting levels in all of the 13 wells sampled, and the other, Trichloroethylene (TCE), was below laboratory reporting levels in 11 of the 13 wells sampled. When the baseline groundwater concentrations collected prior to the commencement of remedial measures are compared to the results from the most recent sampling event, very significant decreases have been achieved. Most notable has been the decrease observed at MW-200 where total VOCs have decreased four orders of magnitude from 204,100 µg/L to 10 µg/L. The changes in groundwater concentrations for the constituents of concern, PCE, TCE, cis-1,2-dichloroethelene (DCE), trans-1,2-DCE, and vinyl chloride (VC), that have been achieved during the remedial program are summarized in Table 1 and presented in Figures 3-1 to 3-14.

Progress monitoring of the 13 target monitoring well locations, during the current reporting period, indicates that the required anaerobic (DO < 2.0 mg/L) and reducing (negative ORP) conditions have been maintained within the subsurface treatment area of the Site. Dissolved oxygen levels remained below 0.9 mg/L for all wells during the four quarterly sampling events, with most recent results averaging approximately 0.2 mg/L. Corresponding ORP levels have remained negative at levels < -50 millivolts (mV) for all wells, with 11 of the 13 wells sampled averaging levels < -180 mV. The optimal geochemical chemical conditions created by the supplemental injections have helped maintain elevated populations of dehalococoides bacteria, necessary for complete destruction of the VOCs of concern at the Site.

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

Levels of TOC have shown a steady decrease as the supplemental sodium lactate applied to the treatment area in November 2012 has been consumed by bacteria responsible for the ERD process. Moderate increases in concentrations of dissolved metals (arsenic, manganese, and iron) were apparent in a few monitoring locations. However, the data collected to date continues to indicate that mobilization of metals, from the soil and bedrock into groundwater, remains localized to the treatment area and is not likely to be an issue at the Site. Table 2 summarizes the monitoring results for TOC, sodium, conductivity, and geochemistry parameters recorded to date for the ERD application at the site.

The other IC/ECs required under the SM program remained in place and were effective.

1.4 COMPLIANCE

Compliance with the SMPs for both Sites was maintained throughout the reporting period. As a result of the building expansion/renovation and site improvements at the Sites during the previous reporting period (September 15, 2011 through September 15, 2012), the SMPs for both Sites have been revised. Revised versions of these documents were submitted to the NYSDEC during the last reporting period.

1.5 RECOMMENDATIONS

Based on the significant reductions in dissolved-phase VOC concentrations observed since the commencement of remedial measures, and the continued success of the ERD process, it is proposed to discontinue the ERD groundwater treatment program and decommission the MPVE system. As per the Site Management Plans for the two sites, eight Geoprobe borings are proposed to be conducted at the Ward Street Site and two borings will be performed at the 8-28 Ward Street Site at the locations shown on Figure 4. Given that several parking lots were paved in 2012, it is proposed to locate the borings in areas that have not been recently paved. One sample from each boring exhibiting the highest PID readings, or the most significant odor, staining, or sheens, will be selected for VOC analysis using EPA method 8260 with ASP Category B deliverables. A DUSR will be performed on the results.

Assuming the soil samples demonstrate acceptable contaminant concentrations, it is proposed to reduce the number of wells that are monitored, the analytes that are monitored, and the frequency of monitoring. At this time, it is proposed to reduce the groundwater monitoring program to four boundary wells, MW-16, MW-16R, MW-23, and MW-23R, one interior well, MW-105, and one exterior well, MW-207R. It is proposed to limit the laboratory analysis to VOCs by EPA Method 8260 and TOC by EPA Method 5310. Field parameters will include temperature, pH, specific conductivity, dissolved oxygen, and oxidation reduction potential. An annual monitoring event is proposed to be performed during 2014. The sampling results will be reviewed to confirm contaminant degradation is continuing to progress. If results continue to be favorable, a biannual sampling event would be proposed to be conducted in 2016. At that time, it would be proposed to either discontinue sampling if the results continue to be favorable, or conduct another sampling event five years thereafter. Decommissioning of wells not involved with future sampling programs will be performed in accordance with NYSDEC CP-43.

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

The other components of the proposed groundwater monitoring program will be conducted in accordance with the Final Engineering Reports and Site Management Plans for the Ward Street and 8-28 Ward Street sites, and the Department's approval of these documents.

No change to the currently approved frequency of PRRs (currently annual) is recommended at this time. As noted in Sections 1.2 and 1.4, the SMPs for both Sites have been revised. It is recommended that the requirements specified within the updated SMPs continue to be fulfilled.

2.0 Remedy Performance, Effectiveness, and Protectiveness

During the reporting period covered by the previous PRR, the groundwater sampling event conducted in September 2012 reported that VOC reduction continued to proceed very well within the treatment area. Despite this progress, however, it was recommended that a supplemental sodium lactate injection would be beneficial. This recommendation was based upon the fact that TOC levels in groundwater had generally decreased to lower levels and the fact that some wells had not shown contaminant reduction to the degree desired.

Per NYSDEC's November 6, 2012 approval letter (refer to Appendix B), Stantec conducted a supplemental sodium lactate injection program in targeted wells in November 2012. Further details on the November 2012 injection programs are found in Stantec's December 21, 2012 Enhanced Reductive Dechlorination Supplemental Injection Program Summary Report (see Appendix C).

As noted in Section 1.3, during the reporting period covered by this PRR, the latest groundwater sampling event conducted in October 2013 reported that VOC reduction continued to proceed very well within the treatment area.

As noted in Section 1.5, based on the significant reductions in dissolved-phase VOC concentrations observed since the commencement of remedial measures, and the continued success of the ERD process, it is proposed to discontinue the ERD groundwater treatment program and decommission the MPVE system.

At this time, it is proposed to reduce the groundwater monitoring program to four boundary wells, MW-16, MW-16R, MW-23, and MW-23R, one interior well, MW-105, and one exterior well, MW-207R. It is proposed to limit the laboratory analysis to VOCs by EPA Method 8260 and TOC by EPA Method 5310. Field parameters will include temperature, pH, specific conductivity, dissolved oxygen, and oxidation reduction potential. An annual monitoring event is proposed to be performed during 2014. The sampling results will be reviewed to confirm contaminant degradation is continuing to progress. If results continue to be favorable, a biannual sampling event would be proposed to be conducted in 2016. At that time, it would be proposed to either discontinue sampling if the results continue to be favorable, or conduct another sampling event five years thereafter. Decommissioning of wells not involved with future sampling programs will be performed in accordance with NYSDEC CP-43.

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

Annual indoor and outdoor air sampling was performed at the Sites on February 22, 2013. Results were submitted to the Department in the following report: Annual Indoor/Outdoor Air Sampling Results (February 22, 2013), Ward Street Site (Site #C828117), Index #B8-0566-99-10, Rochester, New York. Stantec, April 24, 2013). As documented in that report, the sampling results indicate that the SSD system, which has been operating continuously since February 22, 2011 when the MPVE system was shut down, continues to successfully mitigate potential soil vapor intrusion in the Building B Annex.

3.0 Compliance with IC/EC Requirements and the OM&M Plan

During the reporting period, compliance with required Institutional and Engineering Controls has been maintained.

- Use of the Sites has been limited to the industrial manufacturing and support activities conducted by the Germanow-Simon Corporation and its affiliated enterprises.
- In accordance with NYSDEC approval, the MPVE system was operated until February 22, 2011, at which time it was shutdown indefinitely.
- A sub-slab depressurization (SSD) system constructed in conjunction with the MPVE system has been operated continuously in the Building B Annex Area to mitigate the potential for soil vapor intrusion (SVI) when the MPVE system is shut down. As noted above, on February 22, 2011, the SSDS was turned on and has operated continuously since that time.
- No groundwater use has occurred at the Sites.
- An environmental easement granted to the Department has been maintained on the property deed and any subsequent instrument of land conveyance, lease, license, or other instruments granting rights of use of the Sites. (At the request of the NYSDEC, the separate environmental easement mapping for the two sites was combined into a single Environmental Easement map dated August 1, 2012.

Forms certifying to the Department the continued presence and effectiveness of the controls described above are presented in Appendix A.

The MPVE system OM&M Plan for the Sites specifies a program of maintenance activities, provides for monthly system performance monitoring and periodic groundwater monitoring, and annual indoor/outdoor air testing. (Indoor air testing is conducted in the Building B Annex and Building B along with outdoor testing to obtain background conditions). The OM&M plan specifies periodic reporting on OM&M activities, monitoring results and remedial progress. However, pursuant to NYSDEC approval, the MPVE system was shut down on February 22, 2011 and has not been restarted since that time. Therefore, OM&M activities related to the MPVE system have not been required since it was shut down at that time.

PERIODIC REVIEW REPORT
WARD STREET SITE – SITE NO. C828117
AND
8-28 WARD STREET SITE - NO. C828136

Groundwater monitoring results and remedial progress during the reporting period have been reported to the NYSDEC regularly.

Annual indoor and outdoor air sampling performed at the Sites on February 22, 2013 was submitted to the Department in the following report: Annual Indoor/Outdoor Air Sampling Results (February 22, 2013), Ward Street Site (Site #C828117), Index #B8-0566-99-10, Rochester, New York. Stantec, April 24, 2013. As documented in that report, the sampling results indicate that the SSD system, which has been operating continuously since February 22, 2011 when the MPVE system was shut down, continues to successfully mitigate potential SVI at the Building B Annex.

4.0 Overall Conclusions and Recommendations

As noted in Sections 1.3 and 2.0, during the reporting period covered by this PRR (September 15, 2012 – November 15, 2013 for both the Ward Street Site (Site No. C828117) and the 8-28 Ward Street Site (Site No. C828136)), the latest groundwater sampling event conducted in October 2013 reported that VOC reduction continued to proceed very well.

As noted in Section 2.0, based on the significant reductions in dissolved-phase VOC concentrations observed since the commencement of remedial measures, and the continued success of the ERD process, it is proposed to discontinue the ERD groundwater treatment program and decommission the MPVE system.

At this time, it is proposed to reduce the groundwater monitoring program to four boundary wells, MW-16, MW-16R, MW-23, and MW-23R, one interior well, MW-105, and one exterior well, MW-207R. It is proposed to limit the laboratory analysis to VOCs by EPA Method 8260 and TOC by EPA Method 5310. Field parameters will include temperature, pH, specific conductivity, dissolved oxygen, and oxidation reduction potential. An annual monitoring event is proposed to be performed during 2014. The sampling results will be reviewed to confirm contaminant degradation is continuing to progress. If results continue to be favorable, a biannual sampling event would be proposed to be conducted in 2016. At that time, it would be proposed to either discontinue sampling if the results continue to be favorable, or conduct another sampling event five years thereafter. Decommissioning of wells not involved with future sampling programs will be performed in accordance with NYSDEC CP-43.

Tables

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	On-Site Area 1: Building B Annex												
			MW15												
Sample ID	Units	TOGS	22-Aug-06	18-Jan-07	19-Apr-07	18-Jul-07	18-Oct-07	24-Jan-08	23-Jul-08	18-Mar-09	28-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	5-Jan-12
Sampling Company	Laboratory	Laboratory Work Order	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW	WSR-MW-15-GW
Laboratory Sample ID	Sample Type		8427	1603	4744	8395	12582	1832	8658	3522	10864	3515	11561	14081	12:0069-04
Volatile Organic Compounds (continued)															
Trichlorotrifluoroethane (Freon 113)	µg/L	5 ^{-A}	-	-	-	-	-	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5 ^{-A}	-	-	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trimethylbenzene, 1,3,5-	µg/L	5 ^{-A}	-	-	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Vinyl Acetate	µg/L	n/v	-	5.00 U	-	-	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	2 ^A	2.00 U	2.00 U	3.12 ^A	2.04 ^A	2.00 U	2.61 ^A	3.88 ^A	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, m & p-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylenes, Total	µg/L	5 ^{-A}	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	20.0	14.0	27.0	22.4	25.6	39.81	25.08	20.9	15.5	22.3	22.5	ND	ND
General Chemistry															
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	357 ^A	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	0.010 U	0.010 U
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	0.100 U	0.100 U
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	0.060	0.459 ^A
Methane	mg/L	n/v	-	-	-	-	-	1 U	-	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	2.50	-	-	-	-	-	-	-
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	191 ^A	181 ^A
Sulfate	mg/L	250 ^A	-	-	-	-	-	501 ^A	-	-	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	18.7	15.2

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		On-Site Area 1: Building B Annex																					
Sample Location		MW22																					
Sample Date		22-Aug-06	19-Jan-07	19-Apr-07	18-Jul-07	19-Oct-07	24-Jan-08	23-Jul-08	19-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	4-Jan-12	4-Jan-12	2-Feb-12	29-Feb-12	4-Jun-12	22-Jan-13	12-Apr-13	2-Jul-13	9-Oct-13	
Sample ID		WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-DUP-GW-13	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	WSR-MW-22-GW	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		P06-2523	P07-0326	P07-1294	P07-2505	P07-3838	P08-0380	P08-2574	P09-0988	P09-3543	P10-0857	P10-3551	P11-4090	P12-0041	P12-0041	12:0443	12:0868	12:2335	13:0329	131283	132471	133926	
Laboratory Sample ID		8421	1666	4751	8403	12589	1840	8655	3566	10929	3525	11569	14079	12:0041-03	12:0041-04	12:0443-03	12:0868-04	12:2335-02	130329-06	131283-03	132471-05	133926-02	
Sample Type	Units	TOGS													Field Duplicate								
Volatile Organic Compounds (continued)																							
Trichlorotrifluoroethane (Freon 113)	µg/L	5-- ^A	-	-	-	-	-	100 U	20.0 U	100 U	100 U	100 U	100 U	2.00 U	2.00 U	5.00 U	4.00 U	2.00 U	2.0 U	2.00 U	2.00 U	2.00 U	
Trimethylbenzene, 1,2,4-	µg/L	5-- ^A	-	100 U	100 U	50.0 U	250 U	250 U	50.0 U	250 U	250 U	250 U	250 U	5.00 U	5.00 U	12.5 U	4.00 U	2.00 U	-	-	-	-	
Trimethylbenzene, 1,3,5-	µg/L	5-- ^A	-	100 U	100 U	50.0 U	250 U	250 U	50.0 U	250 U	250 U	250 U	250 U	5.00 U	5.00 U	12.5 U	4.00 U	2.00 U	-	-	-	-	
Vinyl Acetate	µg/L	n/v	-	250 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vinyl chloride	µg/L	2 ^A	476 ^A	100 U	100 U	100 U	100 U	100 U	24.1 ^A	100 U	100 U	100 U	100 U	303 ^A	16.2 ^A	16.0 ^A	73.3 ^A	241 ^A	40.9 ^A	31 ^A	2.27 ^A	3.49 ^A	26.5 ^A
Xylene, m & p-	µg/L	5-- ^A	40.0 U	100 U	100 U	100 U	100 U	100 U	20.0 U	100 U	100 U	100 U	100 U	2.00 U	2.00 U	5.00 U	4.00 U	2.00 U	2.0 U	2.00 U	2.00 U	2.00 U	
Xylene, o-	µg/L	5-- ^A	40.0 U	100 U	100 U	100 U	100 U	100 U	20.0 U	100 U	100 U	100 U	100 U	2.00 U	2.00 U	5.00 U	4.00 U	2.00 U	2.0 U	2.00 U	2.00 U	2.00 U	
Xylenes, Total	µg/L	5-- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total VOC	µg/L	n/v	19694.9	2838.0	2292.0	1454.0	1121.5	1260	776	1666.9	1399	1518	1352	1693	656.12	639.88	352.17	838.1	115.36	464.1	268.83	218.93	55.06
General Chemistry																							
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chloride	mg/L	250 ^A	-	-	-	-	912 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	0.013	0.010 U	0.010 U	0.040 ^A	0.139 ^A	0.071 ^A	-	0.0100 U	-	-	
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	23.6 ^A	1.23 ^A	1.45 ^A	4.41 ^A	0.100 U	0.584 ^A	-	0.136	-	-	
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	1.35 ^A	1.00 ^A	1.02 ^A	0.527 ^A	0.222	0.343 ^A	-	0.135	-	-	
Methane	mg/L	n/v	-	-	-	-	1 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	0.500 U	0.500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	543 ^A	843 ^A	825 ^A	690 ^A	532 ^A	471 ^A	1100 ^A	991 ^A	967 ^A	634 ^A	
Sulfate	mg/L	250 ^A	-	-	-	-	383 ^A	351 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	60.2	687	697	255	172	195	1000	681	430	160	

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Area 1: Building B Annex																					
									MW22R																					
Units	TOGS	22-Aug-06	22-Aug-06	19-Jan-07	19-Apr-07	18-Jul-07	18-Oct-07	24-Jan-08	23-Jul-08	20-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	4-Jan-12	2-Feb-12	29-Feb-12	4-Jun-12	22-Jan-13	12-Apr-13	2-Jul-13	8-Oct-13								
		WSR-MW-22R-GW	WSR-MW-Dup-GW	WSR-MW-22R-GW-2	WSR-MW-22R-GW-3	WSR-MW-22R-GW-4	WSR-MW-22R-GW-5	WSR-MW-22R-GW-6	WSR-MW-22R-GW-7	WSR-MW-22R-GW-8	WSR-MW-22R-GW-9	WSR-MW-22R-GW-10	WSR-MW-22R-GW-11	WSR-MW-22R-GW-12	WSR-MW-22R-GW-13	WSR-MW-22R-GW-14	WSR-MW-22R-GW-15	WSR-MW-22R-GW-16	WSR-MW-22R-GW	WSR-MW-22R-GW	WSR-MW-22R-GW	WSR-MW-22R-GW								
		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC								
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH								
		P06-2523	P06-2523	P07-0326	P07-1294	P07-2505	P07-3837	P08-0380	P08-2574	P09-1012	P09-3543	P10-0857	P10-3551	P11-4090	P12-0041	12:0443	12:0868	12:2335	13:0329	131283	132471	133927								
		8423	8424	1665	4745	8400	12584	1839	8665	3607	10930	3523	11568	14080	12:0041-05	12:0443-04	12:0868-03	12:2335-03	130329-07	131283-02	132471-06	133927-05								
Volatile Organic Compounds (continued)																														
Trichlorotrifluoroethane (Freon 113)	µg/L	5 ^{-A}	-	-	-	-	-	-	100 U	10.0 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	2.00 U	2.00 U	2.0 U	20.0 U	2.00 U	2.00 U								
Trimethylbenzene, 1,2,4-	µg/L	5 ^{-A}	-	-	100 U	250 U	250 U	250 U	250 U	25.0 U	250 U	250 U	25.0 U	250 U	25.0 U	25.0 U	2.00 U	2.00 U	-	-	-	-								
Trimethylbenzene, 1,3,5-	µg/L	5 ^{-A}	-	-	100 U	250 U	250 U	250 U	250 U	25.0 U	250 U	250 U	25.0 U	250 U	25.0 U	25.0 U	2.00 U	2.00 U	-	-	-	-								
Vinyl Acetate	µg/L	n/v	-	250 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Vinyl chloride	µg/L	2 ^A	40.9 ^A	34.3 ^A	100 U	100 U	100 U	100 U	100 U	26.9 ^A	100 U	100 U	40.6 ^A	133 ^A	14.6 ^A	354 ^A	49.8 ^A	52.2 ^A	37 ^A	24.9 ^A	26.3 ^A	24.5 ^A								
Xylene, m & p-	µg/L	5 ^{-A}	20.0 U	20.0 U	100 U	100 U	100 U	100 U	100 U	10.0 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	2.00 U	2.00 U	2.0 U	20.0 U	2.00 U	2.00 U								
Xylene, o-	µg/L	5 ^{-A}	20.0 U	20.0 U	100 U	100 U	100 U	100 U	100 U	10.0 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	2.00 U	2.00 U	2.0 U	20.0 U	2.00 U	2.00 U								
Xylenes, Total	µg/L	5 ^{-A}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Total VOC	µg/L	n/v	2711.9	2573.3	2411.0	1210.0	1784.0	793.0	818	1378	1508.7	1250	1059	1678	1016	607.3	1683.3	256	177.36	232.7	326.9	280.3	231.99							
General Chemistry																														
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Chloride	mg/L	250 ^A	-	-	-	-	-	806 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	-	0.0100 U	-	-								
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	3.14 ^A	0.100 U	0.159	0.225	2.32 ^A	-	0.256	-	-								
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	0.096	0.127	0.097	0.099	0.125	-	0.106	-	-								
Methane	mg/L	n/v	-	-	-	-	-	1 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	0.500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	425 ^A	548 ^A	497 ^A	496 ^A	434 ^A	1300 ^A	900 ^A	875 ^A	890 ^A								
Sulfate	mg/L	250 ^A	-	-	-	-	-	373 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	9.2	322	39.6	17.3	68.8	1400	667	370	168								

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	On-Site Area 1: Building B Annex																				
			MW105																				
Sample ID	Sample Date	22-Aug-06	19-Jan-07	19-Apr-07	18-Jul-07	18-Oct-07	25-Jan-08	23-Jul-08	20-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	28-Sep-11	4-Jan-12	2-Feb-12	29-Feb-12	4-Jun-12	4-Sep-12	22-Jan-13	11-Apr-13	2-Jul-13	8-Oct-13	
Sampling Company	Sample ID	WSR-MW-105-GW	WSR-MW-105-GW-2	WSR-MW-105-GW-3	WSR-MW-105-GW-4	WSR-MW-105-GW-5	WSR-MW-105-GW-6	WSR-MW-105-GW-7	WSR-MW-105-GW-8	WSR-MW-105-GW-9	WSR-MW-105-GW-10	WSR-MW-105-GW-11	WSR-MW-105-GW-12	WSR-MW-105-GW-13	WSR-MW-105-GW-14	WSR-MW-105-GW-15	WSR-MW-105-GW-16	WSR-MW-105-GW-17	WSR-MW-105-GW	WSR-MW-105-GW	WSR-MW-105-GW	WSR-MW-105-GW	
Laboratory	Laboratory Work Order	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Sample ID	Laboratory Sample ID	P06-2523	P07-0326	P07-1294	P07-2505	P07-3837	P08-0399	P08-2574	P09-1012	P09-3543	P10-0857	P10-3551	P11-4106	P12-0041	12:0443	12:0868	12:2335	12:3644	13:0329	13:1259	13:2471	13:3927	
Sample Type	Units	TOGS																					
Volatile Organic Compounds (continued)																							
Trichlorotrifluoroethane (Freon 113)	µg/L	5 ^{-A}	-	-	-	-	-	100 U	10.0 U	100 U	10.0 U	10.0 U	10.0 U	10.0 U	5.00 U	4.00 U	2.00 U	-	10 U	2.00 U	2.00 U	2.00 U	
Trimethylbenzene, 1,2,4-	µg/L	5 ^{-A}	-	-	100 U	250 U	250 U	250 U	250 U	250 U	25.0 U	25.0 U	25.0 U	25.0 U	12.5 U	4.00 U	2.00 U	-	-	-	-	-	
Trimethylbenzene, 1,3,5-	µg/L	5 ^{-A}	-	-	100 U	250 U	250 U	250 U	250 U	250 U	25.0 U	25.0 U	25.0 U	25.0 U	12.5 U	4.00 U	2.00 U	-	-	-	-	-	
Vinyl Acetate	µg/L	n/v	-	250 U	-	-	-	-	-	-	-	-	-	-	-	-	-	10.0 U	-	-	-	-	
Vinyl chloride	µg/L	2 ^A	20.0 U	100 U	100 U	100 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	10.0 U	10.0 U	5.00 U	4.00 U	2.00 U	4.00 U	10 U	23.6 ^A	18.8 ^A	78.3 ^A	
Xylene, m & p-	µg/L	5 ^{-A}	20.0 U	100 U	100 U	100 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	10.0 U	10.0 U	5.00 U	4.00 U	2.00 U	4.00 U	10 U	2.00 U	2.00 U	2.00 U	
Xylene, o-	µg/L	5 ^{-A}	20.0 U	100 U	100 U	100 U	100 U	100 U	10.0 U	100 U	10.0 U	10.0 U	10.0 U	10.0 U	5.00 U	4.00 U	2.00 U	4.00 U	10 U	2.00 U	2.00 U	2.00 U	
Xylenes, Total	µg/L	5 ^{-A}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total VOC	µg/L	n/v	1145.2	1744.0	1407.0	1627.0	1852.0	2158	2300	1760	1357	1447	1855	1269	534	709.11	479.92	285.11	494.59	670	345.1	209.1	442.1
General Chemistry																							
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	-	-	0.0194	-	-	
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	0.100 U	0.100 U	0.100 U	0.100 U	0.100 U	-	-	3.91 L ^A	-	-	
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	0.092	0.021	0.033	0.041	0.015 U	-	-	0.0860 L	-	-	
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	318 ^A	346 ^A	352 ^A	342 ^A	356 ^A	361 ^A	1100 ^A	302 ^A	456 ^A	422 ^A
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	3.2	3	3.2	2.9	3.3	3.2	1200	164	12.0	4.70

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	On-Site Area 1: Building B Annex																						
		MW200																						
Sample Date		22-Aug-06	19-Jan-07	19-Jan-07	19-Apr-07	19-Jul-07	19-Oct-07	19-Oct-07	24-Jan-08	24-Jan-08	23-Jul-08	20-Mar-09	29-Sep-09	3-Mar-10	24-Mar-10	24-May-10	23-Jun-10	30-Aug-10	22-Sep-10	22-Nov-10	16-Dec-10	28-Sep-11	3-Feb-12	
Sample ID		WSR-MW-200-GW	WSR-Dup-GW-2	WSR-MW-200-GW-2	WSR-MW-200-GW-3	WSR-MW-200-GW-4	WSR-MW-200-GW-5	WSR-MW-DUP-GW-5	WSR-MW-200-GW-6	WSR-MW-DUP-GW-6	WSR-MW-200-GW-7	WSR-MW-200-GW-8	WSR-MW-200-GW-9	WSR-MW-200-GW-10	WSR-MW-200-GW-11	WSR-MW-200-GW-12	WSR-MW-200-GW-13	WSR-MW-200-GW-14	WSR-MW-200-GW-15	WSR-MW-200-GW-16	WSR-MW-200-GW-17	WSR-MW-200-GW-18	WSR-MW-200-GW-19	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		P06-2523	P07-0326	P07-0326	P07-1294	P07-2535	P07-3838	P07-3838	P08-0380	P08-0380	P08-2574	P09-1012	P09-3543	P10-0866	P10-1166	P10-2103	P10-2557	P10-3536	P10-3875	P10-4794	P10-5110	P11-4106	12:0472	
Laboratory Sample ID		8426	1668	1667	4742	8588	12590	12592	1841	1842	8657	3610	10931	3550	4434	7241	8535	11517	12556	15185	16004	14154	12:0472-02	
Sample Type	Units	TOGS	Field Duplicate					Field Duplicate		Field Duplicate														
Volatile Organic Compounds (continued)																								
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	-	-	-	-	-	-	-	-	1000 U	100 U	500 U	40 U	100 U	100 U	100 U	100 U	100 U	100 U	200 U	10.0 U	20.0 U	
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	-	-	500 U	1000 U	1000 U	500 U	1250 U	500 U	2500 U	250 U	1250 U	100 U	250 U	250 U	250 U	250 U	100 U	100 U	200 U	25.0 U	20.0 U	
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	-	-	500 U	1000 U	1000 U	500 U	1250 U	500 U	2500 U	250 U	1250 U	100 U	250 U	250 U	250 U	250 U	100 U	100 U	200 U	25.0 U	20.0 U	
Vinyl Acetate	µg/L	n/v	-	2500 U	2500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vinyl chloride	µg/L	2 ^A	1000 U	1000 U	1000 U	500 U	400 U	400 U	200 U	500 U	200 U	1000 U	100 U	500 U	40 U	100 U	100 U	100 U	100 U	100 U	100 U	200 U	10.0 U	44.7 ^A
Xylene, m & p-	µg/L	5- ^A	1000 U	1000 U	1000 U	500 U	400 U	400 U	200 U	500 U	200 U	1000 U	100 U	500 U	40 U	100 U	100 U	100 U	100 U	100 U	100 U	200 U	10.0 U	20.0 U
Xylene, o-	µg/L	5- ^A	1000 U	1000 U	1000 U	500 U	400 U	400 U	200 U	500 U	200 U	1000 U	100 U	500 U	40 U	100 U	100 U	100 U	100 U	100 U	100 U	200 U	10.0 U	20.0 U
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total VOC	µg/L	n/v	205480.0	71900.0	81700.0	40390.0	31740.0	18420.0	21920.0	12930	15870	7310	7073	5163	4490.6	5046	4557	5700	4400	5940	4590	3870	2234	1964.7
General Chemistry																								
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	400	-	-	-	-	-	-	-	-	-	-	-	-	
Chloride	mg/L	250 ^A	-	-	-	-	-	-	393 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.049 ^A	
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.88 ^A	
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.76 ^A	
Methane	mg/L	n/v	-	-	-	-	-	-	1 U	-	-	-	-	-	1 U	1 U	1 U	1 U	1 U	0.0013	0.019	-	-	
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	0.500 U	-	18.4 ^A	-	-	-	5.14	2.26	3.08	1.46	1.87	0.58	1.4	-	-	
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773 ^A	
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	164	-	288 ^A	-	-	-	246	235	196	169	166	246	188	-	-	
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	575	

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Area 1: Building B Annex																					
									MW200										MW200R											
Units	TOGS	3-Feb-12	1-Mar-12	6-Jun-12	22-Jan-13	22-Jan-13	10-Apr-13	2-Jul-13	8-Oct-13	19-Jul-07	19-Oct-07	25-Jan-08	23-Jul-08	19-Mar-09	29-Sep-09	29-Sep-09	3-Mar-10	24-Mar-10	24-May-10	23-Jun-10	30-Aug-10	22-Sep-10								
		WSR-MW-DUP-GW-19	WSR-MW-200-GW-20	WSR-MW-200-GW-21	WSR-MW-200-GW	WSR-MW-DUP-GW	WSR-MW-200-GW	WSR-MW-200-GW	WSR-MW-200-GW	WSR-MW-200R-GW-4	WSR-MW-200R-GW-5	WSR-MW-200R-GW-6	WSR-MW-200R-GW-7	WSR-MW-200R-GW-8	WSR-MW-200R-GW-9	WSR-MW-200R-GW-9	WSR-MW-200R-GW-10	WSR-MW-200R-GW-11	WSR-MW-200R-GW-12	WSR-MW-200R-GW-13	WSR-MW-200R-GW-14	WSR-MW-200R-GW-15								
		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC								
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH								
		12:0472	12:0906	12:2392	13:0329	13:0329	131242	132471	133927	P07-2535	P07-3838	P08-0399	P08-2574	P09-0988	P09-3543	P09-3543	P10-0866	P10-1166	P10-2103	P10-2557	P10-3536	P10-3875								
		12:0472-03	12:0906-02	12:2392-02	130329-02	130329-03	131242-05	132471-04	133927-03	8589	12591	1884	8664	3563	10927	10928	3549	4435	7242	8536	11518	12557								
		Field Duplicate				Field Duplicate										Field Duplicate														
Volatile Organic Compounds (continued)																														
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	20.0 U	20.0 U	2.00 U	2.0 U	2.0 U	2.00 U	2.00 U	-	-	-	20.0 U	20.0 U	100 U	100 U	20 U	10 U	20.0 U	20.0 U	100 U	100 U								
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	20.0 U	20.0 U	2.00 U	-	-	-	-	25.0 U	25.0 U	12.5 U	50.0 U	50.0 U	250 U	250 U	50 U	25 U	50.0 U	50.0 U	250 U	100 U								
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	20.0 U	20.0 U	2.00 U	-	-	-	-	25.0 U	25.0 U	12.5 U	50.0 U	50.0 U	250 U	250 U	50 U	25 U	50.0 U	50.0 U	250 U	100 U								
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Vinyl chloride	µg/L	2 ^A	45.6 ^A	1650 ^A	11.5 ^A	2.4 ^A	2.3 ^A	2.00 U	3.02 ^A	1.96 J	13.1 ^A	30.0 ^A	17.2 ^A	64.4 ^A	20.2 ^A	101 ^A	126 ^A	34.6 ^A	17.9 ^A	20.0 U	22.1 ^A	100 U								
Xylene, m & p-	µg/L	5- ^A	20.0 U	20.0 U	2.00 U	2.0 U	2.0 U	2.00 U	2.00 U	10.0 U	10.0 U	5.00 U	20.0 U	20.0 U	100 U	100 U	20 U	10 U	20.0 U	20.0 U	100 U	100 U								
Xylene, o-	µg/L	5- ^A	20.0 U	20.0 U	2.00 U	2.0 U	2.0 U	2.00 U	2.00 U	10.0 U	10.0 U	5.00 U	20.0 U	20.0 U	100 U	100 U	20 U	10 U	20.0 U	20.0 U	100 U	100 U								
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Total VOC	µg/L	n/v	2175.6	2126	71	44.1	46.2	5.84	10.66	19.96	1019.0	353.8	450.7	522.2	1183.8	2067	1952	475.7	852.4	2814	1759.9	1007								
General Chemistry																														
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Arsenic	mg/L	0.025 ^A	0.05 ^A	0.054 ^A	0.025	-	-	0.0350 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Iron	mg/L	0.3 ^A	2.19 ^A	4.81 ^A	1.55 ^A	-	-	3.14 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Manganese	mg/L	0.3 ^A	2.57 ^A	1.32 ^A	0.527 ^A	-	-	0.390 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	1 U								
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.54	0.03	0.02	0.50 U	0.50 U								
Sodium	mg/L	20 ^A	757 ^A	755 ^A	525 ^A	930 ^A	940 ^A	375 ^A	563 ^A	538 ^A	-	-	-	-	-	-	-	-	-	-	-	-								
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	382 ^A	100	205	184	166								
Total Organic Carbon	mg/L	n/v	590	626	142	450	470	91.2	78.0	38.1	-	-	-	-	-	-	-	-	-	-	-	-								

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		On-Site Area 1: Building B Annex																			
Sample Location		MW200R											MW206R								
Sample Date		22-Nov-10	16-Dec-10	28-Sep-11	3-Feb-12	29-Feb-12	4-Jun-12	22-Jan-13	10-Apr-13	10-Apr-13	2-Jul-13	8-Oct-13	22-Aug-06	18-Jan-07	19-Apr-07	18-Jul-07	17-Oct-07	24-Jan-08	23-Jul-08	19-Mar-09	
Sample ID		WSR-MW-200R-GW-16	WSR-MW-200R-GW-17	WSR-MW-200R-GW-18	WSR-MW-200R-GW-19	WSR-MW-200R-GW-20	WSR-MW-200R-GW-21	WSR-MW-200R-GW	WSR-MW-200R-GW	WSR-MW-DUP-GW	WSR-MW-200R-GW	WSR-MW-200R-GW	WSR-MW-206R-GW	WSR-MW-206R-GW-2	WSR-MW-206R-GW-3	WSR-MW-206R-GW-4	WSR-MW-206R-GW-5	WSR-MW-206R-GW-6	WSR-MW-206R-GW-7	WSR-MW-206R-GW-8	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		P10-4794	P10-5110	P11-4106	12:0472	12:0868	12:2335	13:0329	131242	131242	132471	133927	P06-2523	P07-0306	P07-1294	P07-2505	P07-3815	P08-0380	P08-2574	P09-0988	
Laboratory Sample ID		15186	16005	14153	12:0472-04	12:0868-05	12:2335-04	130329-04	131242-04	131242-06	132471-03	133927-04	8428	1600	4746	8398	12504	1834	8660	3564	
Sample Type	Units	TOGS								Field Duplicate											
Volatile Organic Compounds (continued)																					
Trichlorotrifluoroethane (Freon 113)	µg/L	5.. ^A	100 U	200 U	50.0 U	100 U	20.0 U	2.00 U	10 U	2.00 U	2.00 U	2.00 U	10.0 U	-	-	-	-	-	20.0 U	20.0 U	
Trimethylbenzene, 1,2,4-	µg/L	5.. ^A	100 U	200 U	125 U	100 U	20.0 U	2.00 U	-	-	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U	50.0 U	
Trimethylbenzene, 1,3,5-	µg/L	5.. ^A	100 U	200 U	125 U	100 U	20.0 U	2.00 U	-	-	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U	50.0 U	
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	50.0 U	-	-	-	-	-	-	
Vinyl chloride	µg/L	2 ^A	100 U	200 U	50.0 U	2560 ^A	1050 ^A	106 ^A	380 ^A	81.5 ^A	94.7 ^A	58.9 ^A	481 ^A	49.2 ^A	129 ^A	158 ^A	151 ^A	135 ^A	116 ^A	160 ^A	
Xylene, m & p-	µg/L	5.. ^A	100 U	200 U	50.0 U	100 U	20.0 U	2.00 U	10 U	2.00 U	2.00 U	2.00 U	10.0 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	100 U	20.0 U	
Xylene, o-	µg/L	5.. ^A	100 U	200 U	50.0 U	100 U	20.0 U	2.00 U	10 U	2.00 U	2.00 U	2.00 U	10.0 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	100 U	20.0 U	
Xylenes, Total	µg/L	5.. ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total VOC	µg/L	n/v	3033	2370	7402	3481	1494.4	277.2	604	261.57	288.71	145.74	555.2	2886.9	1499.5	1153.0	1080.3	949.8	965	655	
General Chemistry																					
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arsenic	mg/L	0.025 ^A	-	-	0.051 ^A	0.017	0.031 ^A	-	0.0100 U	-	-	-	-	-	-	-	-	-	-	-	
Iron	mg/L	0.3 ^A	-	-	17 ^A	2.34 ^A	0.100 U	-	0.611 L ^A	-	-	-	-	-	-	-	-	-	-	-	
Manganese	mg/L	0.3 ^A	-	-	0.289	0.177	0.155	-	0.207 L	-	-	-	-	-	-	-	-	-	-	-	
Methane	mg/L	n/v	0.0037	0.016	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nitrate (as N)	mg/L	10 ^A	0.05 U	1.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sodium	mg/L	20 ^A	-	-	593 ^A	562 ^A	551 ^A	850 ^A	370 ^A	-	-	-	415 ^A	407 ^A	-	-	-	-	-	-	
Sulfate	mg/L	250 ^A	114	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total Organic Carbon	mg/L	n/v	-	-	-	430	175	314	1000	559	-	50.0	8.30	-	-	-	-	-	-	-	

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		On-Site Area 1: Building B Annex																						
Sample Location		MW206R										MW207R												
Sample Date		28-Sep-09	2-Mar-10	2-Mar-10	31-Aug-10	31-Aug-10	27-Sep-11	27-Sep-11	6-Sep-12	23-Aug-06	18-Jan-07	18-Apr-07	18-Jul-07	18-Oct-07	24-Jan-08	23-Jul-08	20-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	27-Sep-11	6-Feb-12	
Sample ID		WSR-MW-206R-GW-9	WSR-MW-206R-GW-10	WSR-MW-DUP-GW-10	WSR-MW-206R-GW-11	WSR-MW-DUP-GW-11	WSR-MW-206R-GW-12	WSR-MW-Dup-GW-12	WSR-MW-206R-GW	WSR-MW-207R-GW	WSR-MW-207R-GW-2	WSR-MW-207R-GW-3	WSR-MW-207R-GW-4	WSR-MW-207R-GW-5	WSR-MW-207R-GW-6	WSR-MW-207R-GW-7	WSR-MW-207R-GW-8	WSR-MW-207R-GW-9	WSR-MW-207R-GW-10	WSR-MW-207R-GW-11	WSR-MW-207R-GW-12	WSR-MW-Dup-GW-13	WSR-MW-207R-GW-13	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		P09-3524	P10-0857	P10-0857	P10-3551	P10-3551	P11-4089	P11-4089	12:3694	P06-2546	P07-0306	P07-1284	P07-2505	P07-3837	P08-0380	P08-2574	P09-1012	P09-3543	P10-0857	P10-3551	P11-4089	P11-4089	12:0488	
Laboratory Sample ID		10866	3517	3518	11563	11564	14073	14073	12:3694-03	8484	11564	1602	4715	8402	12586	1838	8661	3606	10925	3519	11565	14074	14075	
Sample Type	Units	TOGS		Field Duplicate		Field Duplicate		Field Duplicate														Field Duplicate		
Volatile Organic Compounds (continued)																								
Trichlorotrifluoroethane (Freon 113)	µg/L	5.. ^A	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	40.0 U	-	-	-	-	-	-	100 U	20.0 U	10.0 U	20.0 U	10.0 U	10.0 U	10.0 U	20.0 U	20.0 U	
Trimethylbenzene, 1,2,4-	µg/L	5.. ^A	25.0 U	25.0 U	25.0 U	25.0 U	25.0 U	100 U	-	-	-	20.0 U	250 U	250 U	50.0 U	250 U	50.0 U	25.0 U	50.0 U	25.0 U	25.0 U	25.0 U	20.0 U	20.0 U
Trimethylbenzene, 1,3,5-	µg/L	5.. ^A	25.0 U	25.0 U	25.0 U	25.0 U	25.0 U	100 U	-	-	-	20.0 U	250 U	250 U	50.0 U	250 U	50.0 U	25.0 U	50.0 U	25.0 U	25.0 U	25.0 U	20.0 U	20.0 U
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	25.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	2 ^A	146 ^A	187 ^A	180 ^A	205 ^A	175 ^A	475 ^A	88.4 ^A	117 ^A	190 ^A	130 ^A	241 ^A	315 ^A	107 ^A	300 ^A	335 ^A	110 ^A	237 ^A	171 ^A	203 ^A	213 ^A	1010 ^A	
Xylene, m & p-	µg/L	5.. ^A	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	40.0 U	10.0 U	2.00 U	100 U	20.0 U	100 U	100 U	20.0 U	100 U	20.0 U	10.0 U	20.0 U	10.0 U	10.0 U	10.0 U	20.0 U	20.0 U
Xylene, o-	µg/L	5.. ^A	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	40.0 U	10.0 U	2.00 U	100 U	20.0 U	100 U	100 U	20.0 U	100 U	20.0 U	10.0 U	20.0 U	10.0 U	10.0 U	10.0 U	20.0 U	20.0 U
Xylenes, Total	µg/L	5.. ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	604.3	622.37	598.58	589.9	628.4	1031.6	1166	125.5	4331.1	2240.0	1830.2	1821.0	1685.0	1217	1350	1580.5	1021.5	1288.8	929	1447.7	1462.3	2340
General Chemistry																								
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.010 U
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.100 U
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.045
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sodium	mg/L	20 ^A	-	-	-	-	-	-	505 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	543 ^A
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	76.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.5

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Area 1: Building B Annex																		
									MW207R									MW208									MW208R
Units	TOGS	2-Mar-12 WSR-MW-207R- GW-14	6-Jun-12 WSR-MW-207R- GW-15	6-Sep-12 WSR-MW-207R- GW-16	24-Jan-13 WSR-MW-207R- GW	12-Apr-13 WSR-MW-207R- GW	5-Jul-13 WSR-MW-207R- GW	10-Oct-13 WSR-MW-207R- GW	27-Sep-11 WSR-MW-208- GW-1	3-Feb-12 WSR-MW-208- GW-2	1-Mar-12 WSR-MW-208- GW-3	6-Jun-12 WSR-MW-208- GW-4	5-Sep-12 WSR-MW-208- GW-5	23-Jan-13 WSR-MW-208- GW	11-Apr-13 WSR-MW-208- GW	3-Jul-13 WSR-MW-208- GW	3-Jul-13 WSR-MW-Dup- GW	9-Oct-13 WSR-MW-208- GW	27-Sep-11 WSR-MW-208R- GW-1	5-Sep-12 WSR-MW-208R- GW-5							
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH						
		12:0936	12:2392	12:3694	13:0365	131283	132505	133925	P11-4089	12:0472	12:0906	12:2392	12:3668	13:0353	131259	132490	132490	133926	P11-4089	12:3668							
		12:0936-03	12:2392-03	12:3694-02	130365-02	131283-04	132505-04	133925-06	14077	12:0472-05	12:0906-04	12:2392-04	12:3668-02	130353-02	131259-03	132490-03	132490-04	133926-03	14078	12:3668-03							
Volatile Organic Compounds (continued)																											
Trichlorotrifluoroethane (Freon 113)	µg/L	5.. ^A	20.0 U	10.0 U	-	10 U	10.0 U	40.0 U	40.0 U	50.0 U	100 U	100 U	50.0 U	-	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	20.0 U	-						
Trimethylbenzene, 1,2,4-	µg/L	5.. ^A	20.0 U	10.0 U	-	-	-	-	-	125 U	100 U	100 U	50.0 U	-	-	-	-	-	-	50.0 U	-						
Trimethylbenzene, 1,3,5-	µg/L	5.. ^A	20.0 U	10.0 U	-	-	-	-	-	125 U	100 U	100 U	50.0 U	-	-	-	-	-	-	50.0 U	-						
Vinyl Acetate	µg/L	n/v	-	-	25.0 U	-	-	-	-	-	-	-	-	50.0 U	-	-	-	-	-	-	5.00 U						
Vinyl chloride	µg/L	2 ^A	936 ^A	627 ^A	184 ^A	1000 ^A	327 ^A	1850 ^A	451 ^A	50.0 U	100 U	100 U	644 ^A	2160 ^A	33 ^A	2.00 U	2.08 ^A	2.00 U	95.0 ^A	361 ^A	105 ^A						
Xylene, m & p-	µg/L	5.. ^A	20.0 U	10.0 U	10.0 U	10 U	10.0 U	40.0 U	40.0 U	50.0 U	100 U	100 U	50.0 U	20.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	20.0 U	2.00 U						
Xylene, o-	µg/L	5.. ^A	20.0 U	10.0 U	10.0 U	10 U	10.0 U	40.0 U	40.0 U	50.0 U	100 U	100 U	50.0 U	20.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	20.0 U	2.00 U						
Xylenes, Total	µg/L	5.. ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Total VOC	µg/L	n/v	2416	1072.9	308.4	1738	638	2043	451	3869	4740	2138	2164.8	4168.6	108.2	2.48	4.46	2.67	125.48	1782	202.97						
General Chemistry																											
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Arsenic	mg/L	0.025 ^A	0.014	0.010 U	-	-	0.0100 U	-	-	0.024	0.010 U	0.010 U	-	-	-	0.0255 ^A	-	-	-	-	-						
Iron	mg/L	0.3 ^A	0.100 U	0.100 U	-	-	0.100 U	-	-	5.66 ^A	1.50 ^A	0.306 ^A	-	-	-	0.477 L ^A	-	-	-	-	-						
Manganese	mg/L	0.3 ^A	0.145	0.057	-	-	0.0207	-	-	0.119	0.202	0.224	-	-	-	0.138 L	-	-	-	-	-						
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Nitrate (as N)	mg/L	10. ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Sodium	mg/L	20 ^A	439 ^A	538 ^A	531 ^A	840 ^A	493 ^A	485 ^A	402 ^A	-	262 ^A	264 ^A	242 ^A	353 ^A	570 ^A	191 ^A	306 ^A	-	285 ^A	-	523 ^A						
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Total Organic Carbon	mg/L	n/v	8.7	9.4	1.7	530	131	28.0	18.4	-	9.9	10.2	6.7	9.8	300	47.6	14.0	-	13.0	-	73.9						

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Area 1: Building B Annex																						
									MW209									MW212R							MW212R						
Units	TOGS	4-Jan-12	2-Feb-12	1-Mar-12	6-Jun-12	23-Jan-13	10-Apr-13	3-Jul-13	9-Oct-13	23-Aug-06	18-Jan-07	18-Apr-07	18-Jul-07	17-Oct-07	24-Jan-08	23-Jul-08	19-Mar-09	28-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	5-Jan-12									
		WSR-MW-209-GW-1	WSR-MW-209-GW-2	WSR-MW-209-GW-3	WSR-MW-209-GW-4	WSR-MW-209-GW	WSR-MW-209-GW	WSR-MW-209-GW	WSR-MW-209-GW/MSD	WSR-MW-212R-GW	WSR-MW-212R-GW-2	WSR-MW-212R-GW-3	WSR-MW-212R-GW-4	WSR-MW-212R-GW-5	WSR-MW-212R-GW-6	WSR-MW-212R-GW-7	WSR-MW-212R-GW-8	WSR-MW-212R-GW-9	WSR-MW-212R-GW-10	WSR-MW-212R-GW-11	WSR-MW-212R-GW-12	WSR-MW-212R-GW-13									
		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC									
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH									
		P12-0041	12:0443	12:0906	12:2392	13:0353	131242	132490	133926	P06-2546	P07-0306	P07-1284	P07-2505	P07-3815	P08-0380	P08-2574	P09-0988	P09-3524	P10-0857	P10-3551	P11-4090	P12-0069									
		12:0041-06	12:0443-05	12:0906-03	12:2392-05	13:0353-03	131242-07	132490-02	133926-06	8483	1601	4713	8397	12505	1833	8659	3565	10867	3516	11562	14082	12:0069-03									
Volatile Organic Compounds (continued)																															
Trichlorotrifluoroethane (Freon 113)	µg/L	5-- ^A	5.00 U	20.0 U	5.00 U	2.00 U	2.0 U	2.00 U	2.00 U	-	-	-	-	-	-	20.0 U	20.0 U	10.0 U	10.0 U	10.0 U	10.0 U	50.0 U									
Trimethylbenzene, 1,2,4-	µg/L	5-- ^A	12.5 U	50.0 U	5.00 U	2.00 U	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U	50.0 U	50.0 U	25.0 U	25.0 U	25.0 U	25.0 U	125 U									
Trimethylbenzene, 1,3,5-	µg/L	5-- ^A	12.5 U	50.0 U	5.00 U	2.00 U	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U	50.0 U	50.0 U	25.0 U	25.0 U	25.0 U	25.0 U	125 U									
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	50.0 U	-	-	-	-	-	-	-	-	-	-	-									
Vinyl chloride	µg/L	2 ^A	5.00 U	190 ^A	233 ^A	47.2 ^A	43 ^A	2.00 U	2.81 ^A	1.58 NJ	110 ^A	239 ^A	100 U	161 ^A	125 ^A	100 U	142 ^A	109 ^A	80.5 ^A	100 ^A	71.1 ^A	123 ^A									
Xylene, m & p-	µg/L	5-- ^A	5.00 U	20.0 U	5.00 U	2.00 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	100 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	10.0 U	10.0 U	10.0 U	50.0 U									
Xylene, o-	µg/L	5-- ^A	5.00 U	20.0 U	5.00 U	2.00 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	100 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	10.0 U	10.0 U	10.0 U	50.0 U									
Xylenes, Total	µg/L	5-- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Total VOC	µg/L	n/v	446.48	1302	553.28	99.78	88.2	55.29	5.76	17.73	3331.0	1626.7	949.0	1206.7	852.9	626	711	669.6	571.7	606	581.5	3300									
General Chemistry																															
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Arsenic	mg/L	0.025 ^A	0.026 ^A	0.08 ^A	0.024	0.021	-	0.0152	-	-	-	-	-	-	-	-	-	-	-	-	0.010 U	0.026 ^A									
Iron	mg/L	0.3 ^A	28.1 M ^A	21.7 ^A	7.78 ^A	2.32 ^A	-	4.99 L ^A	-	-	-	-	-	-	-	-	-	-	-	-	1.54 ^A	0.100 U									
Manganese	mg/L	0.3 ^A	1.98 M ^A	0.743 ^A	0.547 ^A	0.373 ^A	-	0.214 L	-	-	-	-	-	-	-	-	-	-	-	-	0.058	0.224									
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Sodium	mg/L	20 ^A	1260 ^A	1300 ^A	1080 ^A	657 ^A	1200 ^A	442 ^A	587 ^A	494 ^A	-	-	-	-	-	-	-	-	-	-	343 ^A	653 ^A									
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
Total Organic Carbon	mg/L	n/v	652	1940	288.0	21.2	850	585	44.0	33.0	-	-	-	-	-	-	-	-	-	-	7.0	263									

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest Sample Location	Units	On-Site Area 1: Building B Annex								On-Site Area 2: MW-9 / Lilac Laundry Area										
		MW212R								MW9										
Sample Date		6-Feb-12	2-Mar-12	5-Jun-12	24-Jan-13	12-Apr-13	5-Jul-13	10-Oct-13	24-Aug-06	19-Jan-07	18-Apr-07	18-Jul-07	18-Oct-07	23-Jan-08	22-Jul-08	19-Mar-09	28-Sep-09	1-Mar-10	31-Aug-10	
Sample ID		WSR-MW-212R-GW-14	WSR-MW-212R-GW-15	WSR-MW-212R-GW-16	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-9-GW	WSR-MW-9-GW-2	WSR-MW-9-GW-3	WSR-MW-9-GW-4	WSR-MW-9-GW-5	WSR-MW-9-GW-6	WSR-MW-9-GW-7	WSR-MW-9-GW-8	WSR-MW-9-GW-9	WSR-MW-9-GW-10	WSR-MW-9-GW-11	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		12:0488	12:0936	12:2364	13:0365	131283	132505	133925	P06-2573	P07-0326	P07-1284	P07-2505	P07-3837	P08-0373	P08-2556	P09-0988	P09-3524	P10-0834	P10-3551	
Laboratory Sample ID		12:0488-05	12:0936-04	12:2364-07	130365-03	131283-05	132505-05	133925-05	8612	1663	4714	8396	12581	1805	8622	3561	10862	3440	11567	
Sample Type		TOGS																		
Volatile Organic Compounds (continued)																				
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	10.0 U	50.0 U	20.0 U	20 U	2.00 U	10.0 U	10.0 U	-	-	-	-	-	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	10.0 U	50.0 U	20.0 U	-	-	-	-	3930.0 E ^A	92.4 ^A	83.5 ^A	34.4 ^A	37.4 ^A	27.2 ^A	5.00 U	27.4 ^A	5.00 U	5.00 U	5.00 U
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	10.0 U	50.0 U	20.0 U	-	-	-	-	376.0 ^A	31.3 ^A	31.7 ^A	12.5 U	12.5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	5.00 U	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	2 ^A	752 ^A	532 ^A	48.6 ^A	410 ^A	67.9 ^A	127 ^A	10.0 U	20.0 U	2.00 U	2.00 U	5.00 U	5.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, m & p-	µg/L	5- ^A	10.0 U	50.0 U	20.0 U	20 U	2.00 U	10.0 U	10.0 U	117 ^A	2.19	2.51	5.00 U	5.00 U	3.09	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5- ^A	10.0 U	50.0 U	20.0 U	20 U	2.00 U	10.0 U	10.0 U	107 ^A	5.71 ^A	4.25	5.00 U	5.00 U	5.51 ^A	2.00 U	2.55	2.00 U	2.00 U	2.00 U
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	1347.7	1185	70.2	827	139.98	162	17.8	5300.9	326.2	193.3	454.3	449.88	38.93	25.3	29.95	ND	ND	ND
General Chemistry																				
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	650	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	160	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	0.010 U	0.021	0.010 U	-	0.0100 U	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron	mg/L	0.3 ^A	0.100 U	0.100 U	0.100 U	-	0.100 U	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	mg/L	0.3 ^A	0.047	0.089	0.042	-	0.0349	-	-	-	-	-	-	-	-	-	-	-	-	-
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	1 U	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	0.03	0.02	-	-	-	-	-
Sodium	mg/L	20 ^A	587 ^A	613 ^A	387 ^A	960 ^A	503 ^A	444 ^A	445 ^A	-	-	-	-	-	-	-	-	-	-	-
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	372 ^A	257 ^A	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	12.1	23.0	3.3	850	108	22.0	18.1	-	-	-	-	-	-	-	-	-	-	-

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Area 2: MW-9 / Lilac Laundry Area												
									MW32					MW218							
Units	TOGS	24-Aug-06	19-Jan-07	18-Apr-07	18-Jul-07	18-Oct-07	23-Jan-08	23-Jul-08	18-Mar-09	23-Aug-06	19-Jan-07	18-Apr-07	18-Jul-07	17-Oct-07	23-Jan-08	22-Jul-08	19-Mar-09	28-Sep-09	1-Mar-10	30-Aug-10	
		WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-32-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	WSR-MW-218-GW	
		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
		P06-2573	P07-0326	P07-1284	P07-2505	P07-3837	P08-0373	P08-2574	P09-0972	P06-2546	P07-0326	P07-1284	P07-2505	P07-3815	P08-0373	P08-2556	P09-0988	P09-3524	P10-0834	P10-3536	
		8611	1661	4716	8393	12580	1804	8656	3521	8488	1662	4717	8394	12503	1806	8621	3560	10863	3439	11521	
Volatile Organic Compounds (continued)																					
Trichlorotrifluoroethane (Freon 113)	µg/L	5 ^{-A}	-	-	-	-	-	2.00 U	2.00 U	-	-	-	-	-	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trimethylbenzene, 1,2,4-	µg/L	5 ^{-A}	-	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	2.00 U	2.00 U	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	
Trimethylbenzene, 1,3,5-	µg/L	5 ^{-A}	-	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	2.00 U	2.00 U	2.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	
Vinyl Acetate	µg/L	n/v	-	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vinyl chloride	µg/L	2 ^A	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	13.8 ^A	8.92 ^A	8.37 ^A	2.00 U	6.97 ^A	9.00 ^A	2.00 U	3.10 ^A	2.00 U	2.44 ^A	2.00 U	
Xylene, m & p-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Xylene, o-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Xylenes, Total	µg/L	5 ^{-A}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total VOC	µg/L	n/v	ND	ND	ND	0.8	ND	ND	ND	22.1	8.9	8.4	ND	7.0	11.44	63.42	3.1	ND	4.60	2.58	
General Chemistry																					
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	560	-	-	-	-	
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	950 ^A	-	-	-	-	-	
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	1 U	-	-	-	-	-	
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	0.12	0.26	-	-	-	-	
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	540 ^A	663 ^A	-	-	-	-	
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest		Off-Site Area 1: MW-16/ Ward Street																						
Sample Location		MW16																						
Sample Date		23-Aug-06	18-Jan-07	19-Apr-07	19-Apr-07	19-Jul-07	19-Oct-07	24-Jan-08	24-Jul-08	20-Mar-09	29-Sep-09	2-Mar-10	24-Mar-10	24-May-10	23-Jun-10	30-Aug-10	22-Sep-10	22-Nov-10	16-Dec-10	27-Sep-11	3-Feb-12	2-Mar-12	5-Jun-12	
Sample ID		WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-Dup-GW-3	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW		
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC		
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH		
Laboratory Work Order		P06-2546	P07-0306	P07-1294	P07-1294	P07-2535	P07-3838	P08-0380	P08-2596	P09-1012	P09-3543	P10-0857	P10-1166	P10-2103	P10-2557	P10-3536	P10-3875	P10-4794	P10-5110	P11-4090	12:0472	12:0936	12:2364	
Laboratory Sample ID		8485	1605	4747	4750	8587	12588	1836	8730	3613	10935	3521	4433	7239	8533	11520	12554	15183	16002	14083	12:0472-06	12:0936-02	12:2364-06	
Sample Type	Units	TOGS			Field Duplicate																			
Volatile Organic Compounds (continued)																								
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	-	-	-	-	-	-	100 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U	100 U	200 U	100 U	100 U	100 U	100 U		
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	-	-	100 U	100 U	500 U	500 U	250 U	250 U	125 U	250 U	250 U	250 U	125 U	250 U	100 U	100 U	200 U	250 U	100 U	100 U		
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	-	-	100 U	100 U	500 U	500 U	250 U	250 U	125 U	250 U	250 U	250 U	125 U	250 U	100 U	100 U	200 U	250 U	100 U	100 U		
Vinyl Acetate	µg/L	n/v	-	500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Vinyl chloride	µg/L	2 ^A	200 U	200 U	100 U	100 U	200 U	100 U	100 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U	100 U	100 U	200 U	100 U	100 U	183 ^A		
Xylene, m & p-	µg/L	5- ^A	200 U	200 U	100 U	100 U	200 U	100 U	100 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U	100 U	100 U	200 U	100 U	100 U	100 U		
Xylene, o-	µg/L	5- ^A	200 U	200 U	100 U	100 U	200 U	100 U	100 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U	100 U	100 U	200 U	100 U	100 U	100 U		
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total VOC	µg/L	n/v	21610.0	14440.0	16305.0	15475.0	18830.0	14646.0	8344	11520	5659.1	2535	3194.8	3546.1	5322	5298.7	4687	7161	8066	4140	5320	8600		
General Chemistry																								
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chloride	mg/L	250 ^A	-	-	-	-	-	945 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.010 U	0.048 ^A	0.013		
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.42 ^A	20.8 ^A	2.35 ^A		
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.294	0.117	0.155		
Methane	mg/L	n/v	-	-	-	-	-	1 U	-	-	-	-	1 U	1 U	1 U	1 U	1 U	0.03	0.033	-	-	-		
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	0.500 U	-	-	-	-	0.55	0.02 U	0.02 U	0.65	0.70	0.07	1.0 U	-	-	-		
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1270 ^A	1250 ^A	407 ^A		
Sulfate	mg/L	250 ^A	-	-	-	-	-	210	-	-	-	-	214	221	214	184	200	224	218	-	-	-		
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	122	8.5		

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Area of Interest		Off-Site Area 1: MW-16/ Ward Street																				
Sample Location		MW16R																				
Sample Date		5-Sep-12	23-Jan-13	11-Apr-13	3-Jul-13	9-Oct-13	23-Aug-06	18-Jan-07	19-Apr-07	19-Jul-07	19-Jul-07	18-Oct-07	24-Jan-08	24-Jul-08	20-Mar-09	20-Mar-09	29-Sep-09	2-Mar-10	24-Mar-10	24-May-10	23-Jun-10	30-Aug-10
Sample ID		WSR-MW-16-GW-22	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16R-GW	WSR-MW-16R-GW-2	WSR-MW-16R-GW-3	WSR-MW-16R-GW-4	WSR-MW-Dup-GW-4	WSR-MW-16R-GW-5	WSR-MW-16R-GW-6	WSR-MW-16R-GW-7	WSR-MW-16R-GW-8	WSR-MW-DUP-GW-8	WSR-MW-16R-GW-9	WSR-MW-16R-GW-10	WSR-MW-16R-GW-11	WSR-MW-16R-GW-12	WSR-MW-16R-GW-13	WSR-MW-16R-GW-14
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH
Laboratory Work Order		12:3668	13:0353	131259	132490	133926	P06-2546	P07-0306	P07-1294	P07-2535	P07-2535	P07-3837	P08-0380	P08-2596	P09-1012	P09-1012	P09-3543	P10-0857	P10-1166	P10-2103	P10-2557	P10-3536
Laboratory Sample ID		12:3668-05	130353-05	131259-05	132490-06	133926-05	8486	1606	4748	8585	Field Duplicate	12587	1837	8729	3611	Field Duplicate	10933	3522	4432	7240	8534	11519
Sample Type	Units	TOGS																				
Volatile Organic Compounds (continued)																						
Trichlorotrifluoroethane (Freon 113)	µg/L	5-- ^A	-	2.0 U	2.00 U	2.00 U	-	-	-	-	-	-	-	50.0 U	50.0 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U
Trimethylbenzene, 1,2,4-	µg/L	5-- ^A	-	-	-	-	-	-	100 U	250 U	250 U	250 U	250 U	125 U	125 U	125 U	250 U	125 U	250 U	250 U	125 U	250 U
Trimethylbenzene, 1,3,5-	µg/L	5-- ^A	-	-	-	-	-	-	100 U	250 U	250 U	250 U	250 U	125 U	125 U	125 U	250 U	125 U	250 U	250 U	125 U	250 U
Vinyl Acetate	µg/L	n/v	250 U	-	-	-	-	500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	2 ^A	879 ^A	13 ^A	81.8 ^A	6.65 ^A	200 U	200 U	100 U	100 U	100 U	100 U	100 U	50.0 U	50.0 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U
Xylene, m & p-	µg/L	5-- ^A	100 U	2.0 U	2.00 U	2.00 U	200 U	200 U	100 U	100 U	100 U	100 U	100 U	50.0 U	50.0 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U
Xylene, o-	µg/L	5-- ^A	100 U	2.0 U	2.00 U	2.00 U	200 U	200 U	100 U	100 U	100 U	100 U	100 U	50.0 U	50.0 U	50.0 U	100 U	50.0 U	100 U	100 U	50.0 U	100 U
Xylenes, Total	µg/L	5-- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	1651	54.3	129.7	20.93	5800.0	8480.0	10630.0	8470.0	7520.0	3568.0	5000	7330	8630	6375	4455	4550	4570	5260	5430	5390
General Chemistry																						
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	708 ^A	-	-	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	-	-	0.0432 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron	mg/L	0.3 ^A	-	-	16.9 L ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	mg/L	0.3 ^A	-	-	0.218 L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	1 U	-	-	-	-	-	1 U	1 U	1 U	1 U
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	0.500 U	-	-	-	-	-	0.5 U	0.02 U	0.02 U	0.50 U
Sodium	mg/L	20 ^A	2290 ^A	2000 ^A	1160 ^A	2040 ^A	2410 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	307 ^A	-	-	-	-	-	-	431 ^A	295 ^A	373 ^A
Total Organic Carbon	mg/L	n/v	20.5	750	144	92.0	41.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		Off-Site Area 1: MW-16/ Ward Street																					
Sample Location		MW16R										MW211R											
Sample Date		22-Sep-10	22-Nov-10	16-Dec-10	28-Sep-11	5-Jan-12	3-Feb-12	1-Mar-12	1-Mar-12	5-Jun-12	5-Sep-12	23-Jan-13	11-Apr-13	3-Jul-13	9-Oct-13	23-Aug-06	18-Jan-07	19-Apr-07	18-Jul-07	18-Oct-07	24-Jan-08		
Sample ID		WSR-MW-16R-GW-15	WSR-MW-16R-GW-16	WSR-MW-16R-GW-17	WSR-MW-16R-GW-18	WSR-MW-16R-GW-19	WSR-MW-16R-GW-20	WSR-MW-16R-GW-21	WSR-MW-DUP-GW-21	WSR-MW-16R-GW-22	WSR-MW-16R-GW-23	WSR-MW-16R-GW	WSR-MW-16R-GW	WSR-MW-16R-GW	WSR-MW-211R-GW	WSR-MW-211R-GW-2	WSR-MW-211R-GW-3	WSR-MW-211R-GW-4	WSR-MW-211R-GW-5	WSR-MW-211R-GW-6			
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC			
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH			
Laboratory Work Order		P10-3875	P10-4794	P10-5110	P11-4106	P12-0069	12:0472	12:0906	12:0906	12:2364	12:3668	13:0353	131259	132490	133926	P06-2546	P07-0306	P07-1294	P07-2505	P07-3837	P08-0380		
Laboratory Sample ID		12555	15184	16003	14149	12:0069-02	12:0472-07	12:0906-05	12:0906-06	12:2364-05	12:3668-04	130353-04	131259-04	132490-05	133926-04	8487	1604	4749	8399	12583	1835		
Sample Type	Units	TOGS							Field Duplicate														
Volatile Organic Compounds (continued)																							
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	100 U	50.0 U	200 U	10.0 U	5.00 U	100 U	20.0 U	20.0 U	100 U	-	50 U	20.0 U	20.0 U	20.0 U	-	-	-	-	-		
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	100 U	50.0 U	200 U	25.0 U	12.5 U	100 U	20.0 U	20.0 U	100 U	-	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U		
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	100 U	50.0 U	200 U	25.0 U	12.5 U	100 U	20.0 U	20.0 U	100 U	-	-	-	-	-	-	100 U	50.0 U	50.0 U	250 U		
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	250 U	-	-	-	-	-	50.0 U	-	-	-	-		
Vinyl chloride	µg/L	2 ^A	100 U	50.0 U	200 U	23.3 ^A	5.00 U	717 ^A	997 ^A	1030 ^A	1060 ^A	790 ^A	1100 ^A	558 ^A	1040 ^A	33.1 ^A	28.1 ^A	58.2 ^A	100 U	63.9 ^A	31.4 ^A	100 U	
Xylene, m & p-	µg/L	5- ^A	100 U	50.0 U	200 U	10.0 U	5.00 U	100 U	50.0 U	20.0 U	100 U	100 U	50 U	20.0 U	20.0 U	20.0 U	2.00 U	50.0 U	20.0 U	100 U	20.0 U	20.0 U	100 U
Xylene, o-	µg/L	5- ^A	100 U	50.0 U	200 U	10.0 U	5.00 U	100 U	20.0 U	20.0 U	100 U	100 U	50 U	20.0 U	20.0 U	20.0 U	2.00 U	20.0 U	100 U	20.0 U	20.0 U	100 U	
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total VOC	µg/L	n/v	5070	7202.1	3256	2666.9	466.1	4527	3322.4	3454.4	3690	2200	2100	1566	1704	110.8	1095.9	1278.2	1194.0	2261.2	1705.4	1860	
General Chemistry																							
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Arsenic	mg/L	0.025 ^A	-	-	-	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	-	-	0.0100 U	-	-	-	-	-	-	-		
Iron	mg/L	0.3 ^A	-	-	-	1.81 ^A	0.100 U	0.381 ^A	1.00 ^A	1.05 ^A	2.68 ^A	-	-	0.144 L	-	-	-	-	-	-	-		
Manganese	mg/L	0.3 ^A	-	-	-	0.068	0.015 U	0.072	0.287	0.242	0.109	-	-	0.146 L	-	-	-	-	-	-	-		
Methane	mg/L	n/v	1 U	0.049	0.031	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nitrate (as N)	mg/L	10 ^A	0.50 U	0.05 U	1.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sodium	mg/L	20 ^A	-	-	-	461 ^A	675 ^A	1070 ^A	590 ^A	598 ^A	659 ^A	758 ^A	820 ^A	340 ^A	575 ^A	476 ^A	-	-	-	-	-		
Sulfate	mg/L	250 ^A	392 ^A	137	347 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total Organic Carbon	mg/L	n/v	-	-	-	4.3	4.4	5.7	3.9	5.7	4.2	16.2	230	49.6	42.0	11.0	-	-	-	-	-		

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	Off-Site Area 1: MW-16/ Ward Street										8-28 Ward St												
		MW211R										MW23												
Sample Date		23-Jul-08	23-Jul-08	20-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	27-Sep-11	6-Sep-12	17-Oct-07	16-Oct-08	19-Mar-09	29-Sep-09	2-Mar-10	31-Aug-10	28-Sep-11	5-Jan-12	6-Feb-12	2-Mar-12	5-Jun-12	5-Jun-12	6-Sep-12	24-Jan-13	
Sample ID		WSR-MW-211R-GW-7	WSR-MW-Dup-GW-7	WSR-MW-211R-GW-8	WSR-MW-211R-GW-9	WSR-MW-211R-GW-10	WSR-MW-211R-GW-11	WSR-MW-211R-GW-12	WSR-MW-211R-GW	828-MW-23-GW	828-MW-23-GW-2	828-MW-23-GW-3	828-MW-23-GW-4	828-MW-23-GW-5	828-MW-23-GW-6	WSR-MW-23-GW-7	828-MW-23-GW-8	828-MW-23-GW-9	828-MW-23-GW-10	828-MW-23-GW-11	828-MW-DUP-GW-11	828-MW-23-GW-12	828-MW-23-GW	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	TALAM	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		P08-2574	P08-2574	P09-1012	P09-3543	P10-0857	P10-3551	P11-4089	12:3694	A07C076	P08-4056	P09-0988	P09-3543	P10-0857	P10-3551	P11-4106	P12-0069	12:0488	12:0936	12:2364	12:2364	12:3694	13:0365	
Laboratory Sample ID		8662	8663	3608	10926	3520	11566	14076	12:3694-04	A7C07610	12305	3567	10924	3514	11560	14150	12:0069-06	12:0488-02	12:0936-05	12:2364-02	12:2364-03	12:3694-05	130365-05	
Sample Type	Units	TOGS	Field Duplicate																		Field Duplicate			
Volatile Organic Compounds (continued)																								
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	10.0 U	-	-	10.0 U	200 U	2.00 U	4.00 U	2.00 U	20.0 U	100 U	100 U	100 U	200 U	200 U	-	200 U
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	50.0 U	50.0 U	50.0 U	250 U	50.0 U	50.0 U	25.0 U	-	-	25.0 U	500 U	5.00 U	10.0 U	5.00 U	50.0 U	250 U	100 U	100 U	200 U	200 U	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	50.0 U	50.0 U	50.0 U	250 U	50.0 U	50.0 U	25.0 U	-	-	25.0 U	500 U	5.00 U	10.0 U	5.00 U	50.0 U	250 U	100 U	100 U	200 U	200 U	-	-
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	500 U	-
Vinyl chloride	µg/L	2 ^A	77.2 ^A	74.9 ^A	53.9 ^A	100 U	119 ^A	54.9 ^A	11.3 ^A	6.60 ^A	80 U	10.0 U	200 U	2.00 U	4.00 U	2.00 U	20.0 U	100 U	100 U	100 U	1090 ^A	1130 ^A	1110 ^A	970 ^A
Xylene, m & p-	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	10.0 U	2.00 U	-	10.0 U	200 U	2.00 U	4.00 U	2.00 U	20.0 U	100 U	100 U	100 U	200 U	200 U	200 U	200 U
Xylene, o-	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	100 U	20.0 U	20.0 U	10.0 U	2.00 U	-	10.0 U	200 U	2.00 U	4.00 U	2.00 U	20.0 U	100 U	100 U	100 U	200 U	200 U	200 U	200 U
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	240 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	2229.3	2222.8	1752.9	1670	1977.6	1555.3	486.9	132.72	916	839.5	10200	68.02	367	65.34	2276.4	4010	7037	11007	7922	8049	5050	9870
General Chemistry																								
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.010 U	0.010 U	0.018	0.014	0.021	0.021	-	-
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.100 U	111 ^A	23.3 ^A	12.5 ^A	15.7 ^A	15.5 ^A	-	-
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.226	4.07 ^A	0.161	0.523 ^A	0.165	0.189	-	-
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sodium	mg/L	20 ^A	-	-	-	-	-	-	991 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	929	-	-	-	-	-	-	-	3.7	1880	118	68.4	6.0	6.0	64.3	560

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		8-28 Ward St																			
Sample Location		MW23				MW23R															
Sample Date		10-Apr-13	5-Jul-13	10-Oct-13	10-Oct-13	17-Oct-07	16-Oct-08	19-Mar-09	28-Sep-09	2-Mar-10	31-Aug-10	28-Sep-11	5-Jan-12	6-Feb-12	2-Mar-12	5-Jun-12	6-Sep-12	24-Jan-13	10-Apr-13	5-Jul-13	10-Oct-13
Sample ID		828-MW-23-GW	828-MW-23-GW	828-MW-23-GW	828-MW-DUP-GW	828-MW-23R-GW	828-MW-23R-GW-2	WSR-MW-23R-GW-3	828-MW-23R-GW-4	828-MW-23R-GW-5	828-MW-23R-GW-6	WSR-MW-23R-GW-7	828-MW-23R-GW-8	828-MW-23R-GW-9	828-MW-23R-GW-10	828-MW-23R-GW-11	828-MW-23R-GW-12	828-MW-23R-GW	828-MW-23R-GW	828-MW-23R-GW	
Sampling Company		STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
Laboratory		PARAROCH	PARAROCH	PARAROCH	PARAROCH	TALAM	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
Laboratory Work Order		131242	132505	133925	133925	A07C076	P08-4056	P09-0988	P09-3524	P10-0857	P10-3551	P11-4106	P12-0069	12:0488	12:0936	12:2364	12:3694	13:0365	131242	132505	
Laboratory Sample ID		131242-02	132505-03	133925-02	133925-03	A7C07607	12306	3562	10865	3513	11559	14151	12:0069-05	12:0488-03	12:0936-06	12:2364-04	12:3694-06	130365-04	131242-03	132505-02	
Sample Type	Units	TOGS			Field Duplicate																
Volatile Organic Compounds (continued)																					
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	20.0 U	-	4.00 U	20.0 U	2.00 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	-	2.0 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	-	-	-	-	-	10.0 U	50.0 U	5.00 U	25.0 U	5.00 U	5.00 U	5.00 U	2.00 U	2.00 U	2.00 U	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	-	-	-	-	-	10.0 U	50.0 U	5.00 U	25.0 U	5.00 U	5.00 U	5.00 U	2.00 U	2.00 U	2.00 U	-	-	-	-
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.00 U	-	-	-	-
Vinyl chloride	µg/L	2 ^A	154 ^A	636 ^A	241 J ^A	399 J ^A	10 U	4.00 U	20.0 U	2.00 U	10.0 U	2.00 U	2.21 ^A	2.00 U	2.00 U	2.00 U	5.95 ^A	3.46 ^A	2.0 U	2.00 U	2.00 U
Xylene, m & p-	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	20.0 U	-	4.00 U	20.0 U	2.00 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5- ^A	20.0 U	20.0 U	20.0 U	20.0 U	-	4.00 U	20.0 U	2.00 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylenes, Total	µg/L	5- ^A	-	-	-	-	30 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	396	1498	327.8	541	717	425.3	2105	145	1209.3	175.27	66.01	82.4	29.3	13.1	38.55	39.36	135.8	86.53	92.81
General Chemistry																					
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	440	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	0.0217	-	-	-	-	-	-	-	-	-	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	-	-	0.0100 U	-
Iron	mg/L	0.3 ^A	13.2 L ^A	-	-	-	-	-	-	-	-	-	0.819 ^A	3.04 ^A	7.52 ^A	3.08 ^A	4.21 ^A	-	-	3.08 L ^A	-
Manganese	mg/L	0.3 ^A	0.445 L ^A	-	-	-	-	-	-	-	-	-	0.040	0.129	0.053	0.081 M	0.034	-	-	0.0702 L	-
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	0.500 U	-	-	-	-	-	-	-	-	-	-	-	-	-
Sodium	mg/L	20 ^A	1000 ^A	924 ^A	997 ^A	-	-	-	-	-	-	-	417 ^A	392 ^A	751 ^A	766 ^A	458 ^A	568 ^A	1200 ^A	529 ^A	913 ^A
Sulfate	mg/L	250 ^A	-	-	-	-	-	343 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	165	23.0	8.50	-	-	-	-	-	-	-	3.6	38.4	33.0	31.1	4.0	58.6	670	368	86.0

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	Sample Date	QA/QC																							
			Trip Blank																							
Sample ID	Units	TOGS	18-Jan-07	19-Apr-07	19-Jul-07	17-Oct-07	19-Oct-07	22-Jul-08	17-Oct-08	18-Mar-09	28-Sep-09	1-Mar-10	31-Aug-10	4-Jan-12	5-Jan-12	2-Feb-12	3-Feb-12	6-Feb-12	29-Feb-12	1-Mar-12	2-Mar-12	4-Jun-12	5-Jun-12	6-Jun-12		
Trichlorotrifluoroethane (Freon 113)	µg/L	5 ^{-A}	-	-	-	-	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U		
Trimethylbenzene, 1,2,4-	µg/L	5 ^{-A}	2.00 U	2.00 U	5.00 U	-	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U		
Trimethylbenzene, 1,3,5-	µg/L	5 ^{-A}	2.00 U	2.00 U	5.00 U	-	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U		
Vinyl Acetate	µg/L	n/v	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Vinyl chloride	µg/L	2 ^A	2.00 U	2.00 U	2.00 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U		
Xylene, m & p-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U		
Xylene, o-	µg/L	5 ^{-A}	2.00 U	2.00 U	2.00 U	-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U		
Xylenes, Total	µg/L	5 ^{-A}	-	-	-	30 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total VOC	µg/L	n/v	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	25.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
General Chemistry																										
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

See last page for notes.

Table 1
 Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest Sample Location	Units	TOGS	QA/QC														
			4-Sep-12	5-Sep-12	6-Sep-12	22-Jan-13	23-Jan-13	24-Jan-13	10-Apr-13	11-Apr-13	12-Apr-13	2-Jul-13	3-Jul-13	5-Jul-13	8-Oct-13	9-Oct-13	10-Oct-13
Sample Date			Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sample ID			Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Sampling Company			STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC
Laboratory			PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH
Laboratory Work Order			12:3644	12:3668	12:3694	13:0329	13:0353	13:0365	131242	131259	131283	132471	132490	132505	133927	133926	133925
Laboratory Sample ID			12:3644-01	12:3668-01	12:3694-01	130329-01	130353-01	130365-01	131242-01	131259-01	131283-01	132471-01	132490-01	132505-01	133927-01	133926-01	133925-01
Sample Type			Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Volatile Organic Compounds (continued)																	
Trichlorotrifluoroethane (Freon 113)	µg/L	5- ^A	-	-	-	2.0 U	2.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	5.00 U	5.00 U	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	2 ^A	2.00 U	2.00 U	2.00 U	2.0 U	2.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, m & p-	µg/L	5- ^A	2.00 U	2.00 U	2.00 U	2.0 U	2.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5- ^A	2.00 U	2.00 U	2.00 U	2.0 U	2.0 U	2.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylenes, Total	µg/L	5- ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total VOC	µg/L	n/v	28.1	ND	ND	ND	ND	ND	13.3	ND	ND	ND	ND	ND	ND	ND	
General Chemistry																	
Alkalinity, Total (as CaCO3)	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloride	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic	mg/L	0.025 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	mg/L	0.3 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methane	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nitrate (as N)	mg/L	10 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sodium	mg/L	20 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulfate	mg/L	250 ^A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See last page for notes.

Table 1
Summary of Volatile Organic Compounds in Groundwater – September 2011 to October 2013
GERMANOW-SIMON CORPORATION
PERIODIC REVIEW REPORT, WARD STREET SITE
ROCHESTER, NY

Notes:

- TOGS NYSDEC TOGS 1.1.1 (Reissued June 1998 with errata in January 1999 and addenda in April 2000 and June 2004)
- ^A TOGS 1.1.1 - Table 1 - Ambient Water Quality Standards and Guidance Values, Division of Water, Technical and Operational Guidance Series (TOGS 1.1.1); Standards
- ^B TOGS 1.1.1 - Table 1 - Ambient Water Quality Standards and Guidance Values, Division of Water, Technical and Operational Guidance Series (TOGS 1.1.1); Guidance
- 6.5^A** Concentration exceeds the indicated standard.
- 15.2 Concentration was detected but did not exceed applicable standards.
- 0.50 U** Laboratory reportable detection limit exceeded standard.
- 0.03 U The analyte was not detected above the laboratory reportable detection limit.
- n/v No standard/guideline value.
- Parameter not analyzed / not available.
- ^A The standard for Iron and Manganese is 500 ug/L, which applies to the sum of these substances. As individual standards, the standard is 300 ug/L.
- The principal organic contaminant standard for groundwater of 5 ug/L (described elsewhere in the TOGS table) applies to this substance.
- * Indicates analysis is not within the quality control limits.
- _p Applies to the sum of cis- and trans-1,3-dichloropropene.
- _s Topsoil: surface A, L, F, H and O horizons on the control area, or the equivalent surface soil where these horizons are not present.
- B Indicates analyte was found in associated blank, as well as in the sample.
- BN Surrogate recoveries were outside of limits. Re-analysis was performed, but it was outside of holding times, so initial analysis is reported.
- E Result exceeded calibration range.
- J Indicates estimated value.
- L Detection limit adjustment for sample matrix effects.
- M Denotes matrix spike recoveries outside QC limits. Matrix bias indicated.
- N Indicates presumptive evidence of a compound. Identification of tentatively identified compound is based on a mass spectral library search.
- NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

Table 2
 Summary of Field Parameters in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	On-Site Area 1: Building B Annex																														
		MW15						MW22						MW22R						MW105												
Sample Date	Sample ID	27-Sep-11 WSR-MW-15- GW-12	5-Jan-12 WSR-MW-15- GW-13	27-Sep-11 WSR-MW-22- GW-12	4-Jan-12 WSR-MW-22- GW-13	2-Feb-12 WSR-MW-22- GW-14	29-Feb-12 WSR-MW-22- GW-15	4-Jun-12 WSR-MW-22- GW-16	22-Jan-13 WSR-MW-22- GW	12-Apr-13 WSR-MW-22- GW	2-Jul-13 WSR-MW-22- GW	9-Oct-13 WSR-MW-22- GW	27-Sep-11 WSR-MW-22R GW-12	4-Jan-12 WSR-MW-22R GW-13	2-Feb-12 WSR-MW-22R GW-14	29-Feb-12 WSR-MW-22R GW-15	4-Jun-12 WSR-MW-22R GW-16	22-Jan-13 WSR-MW-22R GW	12-Apr-13 WSR-MW-22R GW	2-Jul-13 WSR-MW-22R GW	8-Oct-13 WSR-MW-22R GW	28-Sep-11 WSR-MW-105 GW-12	4-Jan-12 WSR-MW-105 GW-13	2-Feb-12 WSR-MW-105 GW-14	29-Feb-12 WSR-MW-105 GW-15	4-Jun-12 WSR-MW-105 GW-16	4-Sep-12 WSR-MW-105 GW-17	22-Jan-13 WSR-MW-105 GW	11-Apr-13 WSR-MW-105 GW	2-Jul-13 WSR-MW-105 GW	8-Oct-13 WSR-MW-105 GW	
Sampling Company	Units	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC
Field Parameters																																
Color (Visual)	none	0	clear	0	clear w/ black flecks	gray	clear w/ black flecks	clear	dark	Black in color	very slightly cloudy	black precipitate	0	dark	clear w/ black flecks	clear w/ black flecks	clear w/ black flecks	dark	Little black precipitate	Clear with black precipitate	clear with black specks	clear	clear	clear	clear	clear	cloudy	clear	Black precipitate	clear with some brown precipitate	clear	
Conductivity, Field	mS/cm	3.13	3.33	5.86	5.96	0.517	4.69	0.520	5.80	5.51	5.04	5.19	3.64	4.19	0.420	4.13	0.446	6.10	5.40	5.11	4.55	2.50	2.72	0.267	2.36	0.318	2.60	4.66	2.71	2.55	2.76	
Dissolved Oxygen, Field	mg/L	0	0.00	0.0	0.31	0.00	0.00	0.78	0.19	0.34	0.10	0.14	7.13	0.35	0.00	0.00	0.60	0.28	0.25	0.07	0.07	0.00	0.53	0.00	0.25	0.97	0.53	0.17	0.79	0.32	0.21	
Odor	none	0	no odor	0	odor	odor	odor (sulfur?)	sulfur smell	sulfur	Sulfur odor	sulfur odor	sulfur odor	0	sulfur smell	odor sulfur?	odor (sulfur?)	sulfur odor	sulfur odor	Strong sulfur odor	strong sulfur odor	sulfur odor	none	no odor	no odor	no odor	sulfur odor	no odor	sulfur odor	Strong sulfur odor	none	none	
Oxidation Reduction Potential	mV	95	-208	-187	-482	-533	-374	-321	-335.0	-338.5	-337.7	-133.4	-65	-462	-349	-354	-450	-308.1	-291.8	-339.5	-272.8	111	227	297	235	-132	195.3	-199.2	-219.6	-152.6	-70.2	
pH, Field	S.U.	6.88	7.22	7.00	6.96	7.06	7.40	6.83	6.71	10.25	7.16	7.16	6.57	6.98	7.01	7.09	6.72	6.66	10.10	6.92	7.12	6.87	7.25	7.28	7.33	7.09	7.16	6.90	7.37	8.47	7.26	
Temperature, Field	deg C	20.92	13.36	19.55	20.57	18.73	19.82	18.4	18.1	18.2	19.2	19.3	19.01	19.87	17.74	18.71	18.4	17.7	17.7	18.7	18.4	20.46	20.49	19.22	20.43	19.4	21.3	18.9	18.7	19.6	19.4	
Turbidity, Field	NTU	2.8	2.58	20	1.45	2.69	7.95	2.87	5.46	4.73	8.25	6.40	7.3	1.78	0.71	1.21	6.16	5.61	6.34	14.8	7.42	58.5	31.3	3.44	9.75	4.41	17.6	4.99	4.36	5.56	3.56	
Volume Purged	gal	0.7	1.0	0.6	1.0 ~	2.7	0.4	1.0	1.4	3.0	1.0	1.3	1.4	1.0 ~	1.0	3.2	1.0	2.2	2.0	1.8	2.0	0.6	3 ~	3.5 ~	2.0	1.0	1.1	2.7	1.3	1.35	1.0	

See last page for Notes

Table 2
 Summary of Field Parameters in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	On-Site Area 1: Building B Annex (continued)																																	
		MW200								MW200R								MW201								MW206R									
Sample Date	Sample ID	Units	28-Sep-11 WSR-MW-200 GW-18	1-Mar-12 WSR-MW-200 GW-20	6-Jun-12 WSR-MW-200 GW-21	22-Jan-13 WSR-MW-200 GW	10-Apr-13 WSR-MW-200 GW	2-Jul-13 WSR-MW-200 GW	8-Oct-13 WSR-MW-200 GW	28-Sep-11 WSR-MW-200R-GW-18	3-Feb-12 WSR-MW-200R-GW-19	29-Feb-12 WSR-MW-200R-GW-20	4-Jun-12 WSR-MW-200R-GW-21	22-Jan-13 WSR-MW-200R-GW	10-Apr-13 WSR-MW-200R-GW	2-Jul-13 WSR-MW-200R-GW	8-Oct-13 WSR-MW-200R-GW	4-Sep-12 WSR-MW-201 GW	4-Sep-12 WSR-MW-202 GW	28-Sep-11 WSR-MW-203 GW-1	28-Sep-11 WSR-MW-203R-GW-1	4-Sep-12 WSR-MW-204 GW	28-Sep-11 WSR-MW-205 GW-1	28-Sep-11 WSR-MW-205R-GW-1	27-Sep-11 WSR-MW-206R-GW-12	6-Sep-12 WSR-MW-206R-GW	27-Sep-11 WSR-MW-207R-GW-12	6-Feb-12 WSR-MW-207R-GW-13	2-Mar-12 WSR-MW-207R-GW-14	6-Jun-12 WSR-MW-207R-GW-15	6-Sep-12 WSR-MW-207R-GW-16	24-Jan-13 WSR-MW-207R-GW	12-Apr-13 WSR-MW-207R-GW	5-Jul-13 WSR-MW-207R-GW	10-Oct-13 WSR-MW-207R-GW
Field Parameters																																			
Color (Visual)	none	clear	clear w/ black flecks	clear w/ black flecks	slightly black	Slightly yellow tint	clear with black precipitate	clear with black precipitate	clear	black	clear w/ black flecks	clear	black	Black precipitate	clear with black precipitate	clear with black precipitate	clear w/ black flecks	clear	clear	clear	clear	clear w/ black flecks	clear	clear	clear	clear w/ black flecks	clear	clear w/ black flecks	clear w/ black flecks	clear	clear w/ black flecks	murky w/ black flecks	Black precipitate	clear with black precipitate	clear with black particulates
Conductivity, Field	mS/cm	2.23	4.00	0.286	3.92	3.49	3.24	3.23	3.13	0.434	3.99	0.447	4.49	3.45	3.08	3.23	2.48	3.58	5.7	0.86	4.71	0.55	0.60	0.43	4.18	0.50	0.541	4.32	0.490	4.59	49.93	3.85	4.00	3.57	
Dissolved Oxygen, Field	mg/L	0.00	0.00	0.72	0.05	0.29	0.06	0.11	0.00	0.00	0.08	0.77	0.06	0.27	0.06	0.25	0.06	0.07	0.9	0.4	0.14	0.4	0.4	0.4	0.62	0.7	0.00	0.00	0.62	0.41	0.36	0.74	0.15	0.14	
Odor	none	none	stale odor	no odor	sulfur odor	Sulfur odor	sulfur odor	sulfur odor	none	odor	no odor	sulfur odor	sulfur odor	Stale well odor	stale, then sulfur	sulfur odor	sulfur	sulfur	none	none	stale well odor	none	no	slight odor	sulfur	sulfur odor	odor	sulfur odor	strong sulfur odor	sulfur	sulfur odor	odor	strong sulfur odor	strong sulfur odor	
Oxidation Reduction Potential	mV	87	-210	-336	-300.4	-233.3	-109.4	-51.0	-103	-485	-398	-377	-266.6	-292.2	-321.4	-260.3	-223.9	-324.3	91	-122	-96.9	-130	-78	-138	-344.5	-134	-345	-374	-358	-301.6	-351.9	-346.1	-349.2	-288.8	
pH, Field	S.U.	6.78	7.23	7.17	7.21	7.17	7.00	7.07	6.81	6.85	7.02	6.79	6.62	7.02	9.80	7.00	7.38	7.47	7.19	7.18	6.95	7.28	6.98	6.87	6.98	6.93	6.73	7.22	6.68	6.87	6.77	8.04	6.78	6.93	
Temperature, Field	deg C	20.85	20.79	19.9	19.5	19.2	20.2	19.9	19.94	18.62	19.78	19.0	18.7	18.3	19.2	19.0	22.1	21.6	15.6	18.7	19.0	21.7	18.8	18.2	18.1	20.6	17.9	14.27	13.28	15.9	20.1	14.0	11.7	18.7	18.6
Turbidity, Field	NTU	5.01	6.40	2.12	10.43	8.19	7.13	11.67	4.66	7.35	6.36	-0.72	6.78	10.39	7.86	5.21	11.29	2.38	10.40	73.1	12.4	27.7	12.4	3.65	3.12	4.21	-0.29	5.79	0.70	3.92	1.72	2.31	3.53	3.66	
Volume Purged	gal	0.7	0.5	0.7	3.3	0.8	0.8	1.2	0.5	2.2	2.1	0.6	2.3	0.8	1.4	2.3	1.0	0.9	2.7	1.2	0.9	0.7	1.3	0.9	1.3	1.5	1.1	0.5	1.3	1.2	3.6	1.6	2.0	1.5	

Table 2
 Summary of Field Parameters in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest	Sample Location	On-Site Area 1: Building B Annex (continued)																																
		MW208										MW208R		MW209								MW210	MW210R	MW211R		MW16								
		27-Sep-11	3-Feb-12	1-Mar-12	6-Jun-12	5-Sep-12	23-Jan-13	11-Apr-13	2-Jul-13	9-Oct-13	27-Sep-11	5-Sep-12	4-Jan-12	2-Feb-12	1-Mar-12	6-Jun-12	23-Jan-13	10-Apr-13	3-Jul-13	9-Oct-13	28-Sep-11	28-Sep-11	27-Sep-11	6-Sep-12	27-Sep-11	3-Feb-12	2-Mar-12	5-Jun-12	5-Sep-12	23-Jan-13	11-Apr-13	3-Jul-13	9-Oct-13	
Units	WSR-MW-208-GW-1	WSR-MW-208-GW-2	WSR-MW-208-GW-3	WSR-MW-208-GW-4	WSR-MW-208-GW-5	WSR-MW-208-GW	WSR-MW-208-GW	WSR-MW-208-GW	WSR-MW-208R-GW-1	WSR-MW-208R-GW-5	WSR-MW-209-GW-1	WSR-MW-209-GW-2	WSR-MW-209-GW-3	WSR-MW-209-GW-4	WSR-MW-209-GW	WSR-MW-209-GW	WSR-MW-209-GW	WSR-MW-209-GW	WSR-MW-210-GW-1	WSR-MW-210R-GW-1	WSR-MW-211R-GW-12	WSR-MW-211R-GW	WSR-MW-16-GW-18	WSR-MW-16-GW-19	WSR-MW-16-GW-20	WSR-MW-16-GW-21	WSR-MW-16-GW-22	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW	WSR-MW-16-GW			
Field Parameters																																		
Color (Visual)	none	clear	clear w/ black flecks	cloudy	clear	clear	dark	Black precipitate - yellow tint	clear with black precipitate	clear with black specks	clear	black flecks	clear	slightly cloudy	clear w/ black flecks	clear	dark	Black particles suspended in solution	clear with black precipitate	clear with black precipitate	clear	clear	clear	clear w/ black flecks	sludged	clear	slightly cloudy	clear	clear	clear	clear with black precipitate	clear with black precipitate	clear with black specks	
Conductivity, Field	mS/cm	0.32	0.208	1.80	1235	2.73	2.75	2.04	1.47	2.45	0.32	3.73	7.05	0.671	6.25	0.477	5.02	4.46	3.98	4.00	0.35	0.83	0.73	4.50	6.72	0.762	2.33	0.843	10.52	7.63	10.63	9.73	10.13	
Dissolved Oxygen, Field	mg/L	1.2	0.00	0.07	1.16	0.42	0.26	0.55	0.18	0.15	4.6	0.15	0.00	0.00	0.00	0.75	0.31	0.37	0.17	0.11	2.2	0.4	2.4	0.68	0	0.0	0.00	1.09	0.40	0.51	0.8	0.19	0.10	
Odor	none	no	odor	stale odor	trash odor	no odor	sulfur odor	Sulfur odor	slight sulfur odor	sulfur odor	no	sulfur	sulfur smell	no odor	stale odor	odor (sulfur)	sewage odor	Stinky well odor, slight sulfur odor	sulfur odor	sulfur odor	no	sulfur odor	no	no odor	0	no odor	no odor	no odor	sulfur	sewage odor	Sulfur odor	slight sulfur odor	sulfur odor	sulfur odor
Oxidation Reduction Potential	mV	-0	-256	-150	-122	-74.1	-241.3	-274.8	-282.8	-181.7	-97	-330.7	-210	-240	-235	-389	-186.3	-304.8	-364.8	-207.7	120	-96	-137	-302.5	-107	-259	-181	-291	-319.5	-208.0	-361.2	-207.6	-188.0	
pH, Field	S.U.	7.45	7.28	7.46	7.20	7.18	7.08	7.29	7.35	7.13	7.36	7.11	7.22	7.24	7.23	7.13	6.90	7.04	7.38	7.05	7.43	7.00	12.11	7.94	6.82	7.13	7.52	7.20	7.26	7.06	7.10	7.13	7.33	
Temperature, Field	deg C	18.6	16.69	17.45	16.8	14.2	16.6	15.4	18.7	18.7	18.1	14.2	19.09	17.31	18.29	17.7	17.1	16.6	18.6	19.1	17.8	17.3	18.8	21.9	16.29	11.68	11.23	19.6	21.7	8.7	8.3	18.1	19.3	
Turbidity, Field	NTU	40.6	18.1	15	12.4	12.20	3.64	3.8	4.01	9.23	21.1	2.15	8.77	14.0	23	4.38	12.3	7.87	3.79	2.93	111	9.28	9.48	9.53	30	11.1	17.6	37.0	7.11	1.01	4.55	8.59	11.4	
Volume Purged	gal	1.7	0.7	1.4	0.7	1.8	3.5	1.6	1.8	1.2	0.8	1.4	1.0	1.0	0.5	0.8	1.4	1.4	1.6	1.0	0.7	1.4	0.9	1.4	0.9	3.0	1.9	0.5	1.1	2.8	3.3	1.3	0.8	

Table 2
 Summary of Field Parameters in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		Off-Site Area 1: MW-16/ Ward Street																												
Sample Location		MW16R								MW212R								8-28 Ward St MW23												
Sample Date		28-Sep-11	5-Jan-12	3-Feb-12	1-Mar-12	5-Jun-12	5-Sep-12	23-Jan-13	11-Apr-13	27-Sep-11	5-Jan-12	6-Feb-12	2-Mar-12	5-Jun-12	24-Jan-13	12-Apr-13	5-Jul-13	10-Oct-13	28-Sep-11	5-Jan-12	6-Feb-12	2-Mar-12	5-Jun-12	6-Sep-12	24-Jan-13	10-Apr-13	5-Jul-13	10-Oct-13		
Sample ID		WSR-MW-16R-GW-18	WSR-MW-16R-GW-19	WSR-MW-16R-GW-20	WSR-MW-16R-GW-21	WSR-MW-16R-GW-22	WSR-MW-16R-GW-23	WSR-MW-16R-GW	WSR-MW-16R-GW	WSR-MW-212R-GW-12	WSR-MW-212R-GW-13	WSR-MW-212R-GW-14	WSR-MW-212R-GW-15	WSR-MW-212R-GW-16	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-212R-GW	WSR-MW-23-GW-7	828-MW-23-GW-8	828-MW-23-GW-9	828-MW-23-GW-10	828-MW-23-GW-11	828-MW-23-GW-12	828-MW-23-GW	828-MW-23-GW	828-MW-23-GW	828-MW-23-GW		
Sampling Company	Units	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC		
Field Parameters																														
Color (Visual)	none	clear	clear	clear	clear w/ black flecks	clear	clear	murky	Slightly clouded	clear with black precipitate	clear with black precipitate	0	clear	clear w/ black flecks	clear w/ black flecks	clear w/ black flecks	murky	Black w/ black precipitate	clear with black precipitate	clear with black precipitate	clear	clear	clear w/ black flecks	clear w/ black flecks	clear, no black flecks	clear/black pieces	clear w/ black flecks	Black precipitate	clear with black precipitate	clear with black precipitate
Conductivity, Field	mS/cm	4.31	3.75	0.782	4.90	0.629	5.19	5.32	4.06	4.40	2.67	2.99	5.46	0.581	5.68	0.383	5.05	3.40	3.72	3.75	7.37	7.12	0.596	6.06	0.828	6.62	4.66	4.38	3.48	5.96
Dissolved Oxygen, Field	mg/L	1.12	2.63	0.00	0.00	1.00	0.16	0.90	0.76	0.25	0.14	0.00	0.00	0.00	0.00	1.08	0.38	0.60	0.14	0.12	0.00	2.61	0.00	0.00	0.42	0.16	0.35	0.22	0.11	0.13
Odor	none	none	no odor	no odor	stale odor	no odor	sulfur	sulfur	Sulfur odor	slight sulfur odor	sulfur odor	0	slight sulfur odor	odor	sulfur odor	odor (sulfur?)	sulfur odor	Sulfur odor	sulfur odor	strong sulfur odor	none	no odor	no odor	no odor	no odor	no odor	sewage odor	No odor	slight sulfur odor	sulfur odor
Oxidation Reduction Potential	mV	-62	104	-247	-196	-247	-328.6	-346.8	-313.9	-354.5	-264.3	-72	-342	-363	-379	-395	-343.7	-326.6	-365.3	-326.0	31	-135	-187	-238	-211	-147.1	-232.0	-149.2	-271.7	-149.3
pH, Field	S.U.	6.56	7.53	6.84	7.04	6.53	6.96	6.76	7.04	6.90	6.58	6.61	6.97	6.76	7.14	6.61	6.76	8.30	6.81	6.94	6.66	6.73	7.09	7.57	6.71	7.04	7.09	7.13	6.44	6.93
Temperature, Field	deg C	17.78	7.26	12.28	10.95	18.3	20.9	11.1	8.3	19.0	19.7	20.00	12.25	14.76	14.43	11.1	19.3	18.0	14.63	11.85	6.47	12.18	13.8	21.0	11.0	9.8	18.1	15.3	18.1	15.3
Turbidity, Field	NTU	37	44.3	12.7	29	15.0	11.48	3.97	13.9	12.50	6.42	0.35	7.53	0.06	9.58	-0.89	3.35	1.62	8.98	3.47	45	12.2	9.78	24	1.35	9.14	3.72	9.72	9.23	3.66
Volume Purged	gal	1.0	0.6	2.7	2.1	0.8	1.9	1.2	2.8	2.0	1.1	0.5	0.75	1.2	0.3	0.9	1.7	2.0	2.2	1.7	2.1	1.6	0.5	0.6	2.5	1.6	0.9	1.0	1.1	1.2

Table 2
 Summary of Field Parameters in Groundwater – September 2011 to October 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Area of Interest		8-28 Ward St (continued)									
Sample Location		MW23R									
Sample Date		28-Sep-11	5-Jan-12	6-Feb-12	2-Mar-12	5-Jun-12	6-Sep-12	24-Jan-13	10-Apr-13	5-Jul-13	10-Oct-13
Sample ID		WSR-MW-23R-GW-7	828-MW-23R-GW-8	828-MW-23R-GW-9	828-MW-23R-GW-10	828-MW-23R-GW-11	828-MW-23R-GW-12	828-MW-23R-GW	828-MW-23R-GW	828-MW-23R-GW	828-MW-23R-GW
Sampling Company	Units	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC
Field Parameters											
Color (Visual)	none	clear	clear w/ black flecks	clear w/ black flecks	clear w/ black flecks	clear w/ black flecks	black	murky	0	clear with black precipitate	clear with black precipitate
Conductivity, Field	mS/cm	3.44	4.24	0.671	7.03	0.635	4.74	6.34	6.52	6.45	5.28
Dissolved Oxygen, Field	mg/L	0.00	0.00	0.00	0.00	0.57	0.24	0.33	0.11	0.11	0.41
Odor	none	none	no odor	odor	sulfur odor	no odor	sulfur	slight sulfur odor	0	strong sulfur odor	strong sulfur odor
Oxidation Reduction Potential	mV	-23	-168	-262	-317	-211	-375.3	-438.3	-358.9	-408.0	-347.1
pH, Field	S.U.	6.63	7.38	6.71	6.86	6.59	7.02	6.65	6.67	6.79	6.97
Temperature, Field	deg C	22.26	12.61	11.12	12.97	16.1	19.7	11.5	10.8	17.5	15.5
Turbidity, Field	NTU	3.3	6.24	1.04	11.3	3.27	0.92	1.60	1.25	0.82	3.84
Volume Purged	gal	0.7	1.3	1.7	2.2	1.1	1.4	1.5	2.3	2.3	0.9

Notes:
 deg C degrees Celsius
 gal gallons
 mg/l milligrams per liter
 mS/cm milliSiemens per centimeter
 mV millivolts
 NTU nephelometric turbidity unit
 S.U. standard units

Table 3
 Comparison of Constituents of Concern in Groundwater Samples- 2006 to 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Well	MW-16			MW-16R		
	8/23/06	10/9/13	% Change	10/23/06	10/9/13	% Change
Chlorinated VOCs						
PCE (ug/L)	14,800	< 2.00	-100.0	2,780	< 20.0	-99.3
TCE (ug/L)	2,950	< 2.00	-99.9	1,450	< 20.0	-98.6
cis-1,2-DCE (ug/L)	3,860	2.89	-99.9	1,570	77.7	-95.1
trans-1/2-DCE (ug/L)	< 200	13.3	-93.4	< 200	< 20.0	-90.0
VC (ug/L)	< 200	3.52	-98.2	< 200	33.1	-83.5

Well	MW-200			MW-200R		
	8/22/06	10/8/13	% Change	7/19/07	10/8/13	% Change
Chlorinated VOCs						
PCE (ug/L)	< 1,000	< 2.00	-99.8	< 10.0	< 10.0	0.0
TCE (ug/L)	166,000	4.75	-100.0	486	< 10.0	-97.9
cis-1,2-DCE (ug/L)	38100	3.15	-100.0	488	28.1	-94.2
trans-1/2-DCE (ug/L)	< 1,000	2.16	-99.8	31.9	46.1	44.5
VC (ug/L)	< 1,000	< 2.00	-99.8	13.1	481	3571.8

Notes:

J Indicates estimated value.

Table 3
 Comparison of Constituents of Concern in Groundwater Samples- 2006 to 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Well	MW-22			MW-22R			MW-23		
	8/22/06	10/9/13	% Change	8/22/06	10/8/13	% Change	10/17/07	10/10/13	% Change
Chlorinated VOCs									
PCE (ug/L)	3,010	< 2.00	-99.9	110	< 2.00	-98.2	810	< 20.0	-97.5
TCE (ug/L)	7,360	4.01	-99.9	969	< 2.00	-99.8	40	< 20.0	-50.0
cis-1,2-DCE (ug/L)	8,680	5.09	-99.9	1,480	12.7	-99.1	66	86.8	31.5
trans-1/2-DCE (ug/L)	144	2.82	-98.0	112	15.3	-86.3	< 80	< 20.0	-75.0
VC (ug/L)	476	26.5	-94.4	40.9	24.5	-40.1	< 80	241	201.3

Well	MW-207R			MW-208			MW-209		
	8/23/06	10/10/13	% Change	9/27/11	10/9/13	% Change	1/4/12	10/9/13	% Change
Chlorinated VOCs									
PCE (ug/L)	230	< 40.0	-82.6	3,010	< 2.00	-99.9	26.9	< 2.00	-92.6
TCE (ug/L)	829	< 40.0	-95.2	276	2.03	-99.3	32.3	< 2.00	-93.8
cis-1,2-DCE (ug/L)	3,050	< 40.0	-98.7	583	11.1	-98.1	325	2.51	-99.2
trans-1/2-DCE (ug/L)	93.5	< 40.0	-57.2	< 50.0	6.44	-87.1	< 5.0	3.32	-33.6
VC (ug/L)	117	451	285.5	< 50.0	95.0	90.0	< 5.0	1.58 J	-68.4

Notes:

J Indicates estimated value.

Table 3
 Comparison of Constituents of Concern in Groundwater Samples– 2006 to 2013
 GERMANOW-SIMON CORPORATION
 PERIODIC REVIEW REPORT, WARD STREET SITE
 ROCHESTER, NY

Well	MW-23R			MW-105		
	10/17/07	10/10/13	% Change	8/22/06	10/8/13	% Change
Chlorinated VOCs						
PCE (ug/L)	72	< 2.00	-97.2	86.1	< 2.00	-97.7
TCE (ug/L)	41	< 2.00	-95.1	992	16.8	-98.3
cis-1,2-DCE (ug/L)	13.8	9.16	-33.6	67.1	151	125.0
trans-1/2-DCE (ug/L)	< 4.00	< 2.00	-50.0	< 20.0	196	880.0
VC (ug/L)	< 4.00	4.79	19.8	< 20.0	78.3	291.5

Well	MW-211R			MW-212R		
	8/23/06	9/6/12	% Change	8/23/06	10/10/13	% Change
Chlorinated VOCs						
PCE (ug/L)	139	2.20	-98.4	36.1	< 10.0	-72.3
TCE (ug/L)	211	38.8	-81.6	398	< 10.0	-97.5
cis-1,2-DCE (ug/L)	675	9.27	-98.6	2,650	< 10.0	-99.6
trans-1/2-DCE (ug/L)	15.5	2.35	-84.8	128	17.8	-86.1
VC (ug/L)	28.1	6.60	-76.5	110	26.5	-75.9

Notes:

J Indicates estimated value.

Figures

Almira



Geographic Information Systems

Document Path: U:\1405205\docs\ERD\Figures\June 2013\Fig 1 Site Location Map.mxd


Stantec Consulting
61 Commercial Street
Rochester, NY 14614
Phone 585.475.1440 Fax 585.272.1814
www.stantec.com
Copyright 2013

Figure 1 - Site Location Map

Ward Street Sites
Rochester, NY



Stantec



Legend

Monitoring and Extraction Wells

Well Type

- Extraction Well
- Monitoring Well
- As-Built Trenching Limits
- Existing MPVE System
- 8-28 Ward Street Site Property Line
- Ward Street Site Property Line
- Decommissioned Well as of 10/14/2011
- Extraction Well - Injected into as of 11/28/2012
- Extraction Well - Injected into as of 12/2/2011 and 11/28/2012
- Extraction Well - Injected into as of 12/2/2011




Figure 2 - Well Locations
Ward Street Sites
Rochester, NY

FIGURE 3-1: Dissolved-Phase VOC Concentrations versus Time - MW-16




FIGURE 3-2: Dissolved-Phase VOC Concentrations versus Time - MW-16R




FIGURE 3-3: Dissolved-Phase VOC Concentrations versus Time - MW-22




FIGURE 3-4: Dissolved-Phase VOC Concentrations versus Time - MW-22R




FIGURE 3-5: Dissolved-Phase VOC Concentrations versus Time - MW-23




FIGURE 3-6: Dissolved-Phase VOC Concentrations versus Time - MW-23R




FIGURE 3-7: Dissolved-Phase VOC Concentrations versus Time - MW-105




FIGURE 3-8: Dissolved-Phase VOC Concentrations versus Time - MW-200




FIGURE 3-9: Dissolved-Phase VOC Concentrations versus Time - MW-200R




FIGURE 3-10: Dissolved-Phase VOC Concentrations versus Time - MW-207R




FIGURE 3-11: Dissolved-Phase VOC Concentrations versus Time - MW-208




FIGURE 3-12: Dissolved-Phase VOC Concentrations versus Time - MW-209




FIGURE 3-13: Dissolved-Phase VOC Concentrations versus Time - MW-211R





FIGURE 3-14: Dissolved-Phase VOC Concentrations versus Time - MW-212R





Appendix A

New York State Department of Environmental Conservation

Division of Environmental Remediation, 11th Floor

625 Broadway, Albany, New York 12233

Phone: (518) 402-9553 Fax: (518) 402-9577

Website: www.dec.ny.gov



Joe Martens
Commissioner

1/13/2014

Andrew Germanow
Germanow - Simon Corp.
408 St. Paul Street (P.O. Box 101)
Rochester, NY 14603-1091

Re: Reminder Notice: Site Management Periodic Review Report and IC/EC Certification Submittal

Site Name: Ward Street Site

Site No.: C828117

Site Address: Corner of Ward St. & St. Paul St.
Rochester, NY 14603

Dear Andrew Germanow:

This letter serves as a reminder that sites in active Site Management (SM) require the submittal of a periodic progress report. This report, referred to as the Periodic Review Report (PRR), must document the implementation of, and compliance with, site specific SM requirements. Section 6.3(b) of DER-10 *Technical Guidance for Site Investigation and Remediation* (available online at <http://www.dec.ny.gov/regulations/67386.html>) provides guidance regarding the information that must be included in the PRR. Further, if the site is comprised of multiple parcels, then you as the Certifying Party must arrange to submit one PRR for all parcels that comprise the site. The PRR must be received by the Department no later than **February 21, 2014**. Guidance on the content of a PRR is enclosed.

Site Management is defined in regulation (6 NYCRR 375-1.2(at)) and in Chapter 6 of DER-10. Depending on when the remedial program for your site was completed, SM may be governed by multiple documents (e.g., Operation, Maintenance, and Monitoring Plan; Soil Management Plan) or one comprehensive Site Management Plan.

A Site Management Plan (SMP) may contain one or all of the following elements, as applicable to the site: a plan to maintain institutional controls and/or engineering controls ("IC/EC Plan"); a plan for monitoring the performance and effectiveness of the selected remedy ("Monitoring Plan"); and/or a plan for the operation and maintenance of the selected remedy ("O&M Plan"). Additionally, the technical requirements for SM are stated in the decision document (e.g., Record of Decision) and, in some cases, the legal agreement directing the remediation of the site (e.g., order on consent, voluntary agreement, etc.).

When you submit the PRR (by the due date above), include the enclosed forms documenting that all SM requirements are being met. The Institutional Controls (ICs) portion of the form (Box 6) must be signed by you or your designated representative. The Engineering Controls (ECs) portion of the form (Box 7) must be signed by a Professional Engineer (PE). If you cannot certify that all SM requirements are being met, you must submit a Corrective Measures Work Plan that identifies the actions to be taken to restore compliance. The work plan must include a schedule to be approved by the Department. The Periodic Review process will not be considered complete until all necessary corrective measures are completed and all required controls are certified. Instructions for completing the certifications are enclosed.

All site-related documents and data, including the PRR, are to be submitted in electronic format to the Department of Environmental Conservation. The Department will not approve the PRR unless all documents and data generated in support of that report have been submitted in accordance with the electronic submissions protocol. In addition, the certification forms are required to be submitted in both paper and electronic formats.

Information on the format of the data submissions can be found at:

<http://www.dec.ny.gov/regulations/2586.html>

The signed certification forms should be sent to Todd Caffoe, Project Manager, at the following address:

New York State Department of Environmental Conservation
6274 East Avon-Lima Road
Avon, NY 14414

Phone number: 585-226-5350. E-mail: tmcaffoe@gw.dec.state.ny.us

The contact information above is also provided so that you may notify the project manager about upcoming inspections, or for any other questions or concerns that may arise in regard to the site.

Enclosures

PRR General Guidance
Certification Form Instructions
Certification Forms

ec: w/ enclosures

Todd Caffoe, Project Manager
Bart Putzig, Hazardous Waste Remediation Engineer, Region 8

Enclosure 1

Certification Instructions

I. Verification of Site Details (Box 1 and Box 2):

Answer the three questions in the Verification of Site Details Section. The Owner and/or Qualified Environmental Professional (QEP) may include handwritten changes and/or other supporting documentation, as necessary.

II. Certification of Institutional Controls/ Engineering Controls (IC/ECs)(Boxes 3, 4, and 5)

1.1.1. Review the listed IC/ECs, confirming that all existing controls are listed, and that all existing controls are still applicable. If there is a control that is no longer applicable the Owner / Remedial Party should petition the Department separately to request approval to remove the control.

2. In Box 5, complete certifications for all Plan components, as applicable, by checking the corresponding checkbox.

3. If you cannot certify "YES" for each Control listed in Box 3 & Box 4, sign and date the form in Box 5. Attach supporting documentation that explains why the Certification cannot be rendered, as well as a plan of proposed corrective measures, and an associated schedule for completing the corrective measures. Note that this Certification form must be submitted even if an IC or EC cannot be certified; however, the certification process will not be considered complete until corrective action is completed.

If the Department concurs with the explanation, the proposed corrective measures, and the proposed schedule, a letter authorizing the implementation of those corrective measures will be issued by the Department's Project Manager. Once the corrective measures are complete, a new Periodic Review Report (with IC/EC Certification) must be submitted within 45 days to the Department. If the Department has any questions or concerns regarding the PRR and/or completion of the IC/EC Certification, the Project Manager will contact you.

III. IC/EC Certification by Signature (Box 6 and Box 7):



If you certified "YES" for each Control, please complete and sign the IC/EC Certifications page as follows:

- For the Institutional Controls on the use of the property, the certification statement in Box 6 shall be completed and may be made by the property owner or designated representative.
- For the Engineering Controls, the certification statement in Box 7 must be completed by a Professional Engineer or Qualified Environmental Professional, as noted on the form.



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



	Site Details	Box 1	
Site No.	C828117		
Site Name Ward Street Site			
Site Address: Corner of Ward St. & St. Paul St. Zip Code: 14603			
City/Town: Rochester			
County: Monroe			
Site Acreage: 1.9			
Reporting Period: September 15, 2012 to November 15, 2013			
		YES	NO
1.	Is the information above correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If NO, include handwritten above or on a separate sheet.		
2.	Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3.	Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4.	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5.	Is the site currently undergoing development?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Box 2	
		YES	NO
6.	Is the current site use consistent with the use(s) listed below? Commercial and Industrial	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.	Are all ICs/ECs in place and functioning as designed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.			
A Corrective Measures Work Plan must be submitted along with this form to address these issues.			
 _____ Signature of Owner, Remedial Party or Designated Representative		 _____ Date	

Box 2A

8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?

YES NO

If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.

9. Are the assumptions in the Qualitative Exposure Assessment still valid?
(The Qualitative Exposure Assessment must be certified every five years)

If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.

SITE NO. C828117

Box 3

Description of Institutional Controls

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
106.62-01-028	Germanow-Simon Corporation	Ground Water Use Restriction Soil Management Plan Landuse Restriction Site Management Plan O&M Plan Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PA) Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006
106.62-01-029	Germanow-Simon Corporation	Site Management Plan O&M Plan Ground Water Use Restriction Soil Management Plan Landuse Restriction Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PA) Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006
106.62-01-030	Germanow-Simon Corporation	Ground Water Use Restriction Soil Management Plan Landuse Restriction Site Management Plan O&M Plan Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PA) Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006
106.62-01-031	Germanow-Simon Corporation	Site Management Plan O&M Plan Ground Water Use Restriction Soil Management Plan Landuse Restriction Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PA) Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006
106.62-01-032	Germanow-Simon Corporation	Site Management Plan O&M Plan Ground Water Use Restriction Soil Management Plan Landuse Restriction Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PA) Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006
		Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt

and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006

106.62-01-21

Germanow-Simon Corporation

Site Management Plan
O&M Plan
Ground Water Use Restriction
Soil Management Plan
Landuse Restriction

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. Any on-site soil excavation shall comply with the approved Soil Management Plan; and maintain Environmental Easement Agreement made on December 19, 2006

Box 4

Description of Engineering Controls

Parcel

Engineering Control

106.62-01-028

Vapor Mitigation
Cover System

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PN)

106.62-01-029

Cover System
Vapor Mitigation

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PN)

106.62-01-030

Vapor Mitigation
Cover System

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PN)

106.62-01-031

Vapor Mitigation
Cover System

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PN)

106.62-01-032

Vapor Mitigation
Cover System

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. Operate a sub-slab depressurization system after shutdown of the MPVE system. Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial.

106.62-01-21

Vapor Mitigation
Cover System

Operate a multiphase extraction system until cleanup goals are achieved or DEC approves shutdown. ~~Operate a sub-slab depressurization system after shutdown of the MPVE system.~~ Maintain asphalt and concrete surfaces in the area of contamination. Restrict site usage to commercial or industrial. (PN)

Per NYSDEC approval, the MPVE system was shut down on February 22, 2011 and has not been restarted since that time. At that time, the previously installed sub-slab depressurization system beneath the Building B Annex Area was turned on. Per NYSDEC approval, Stantec has implemented an enhanced reductive dechlorination program at the site.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) If a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.



Signature of Owner, Remedial Party or Designated Representative

2/19/14
Date

IC CERTIFICATIONS
SITE NO. C828117

Box 6


SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Andy Germanow at Germanow-Simon Corp.
408 St. Paul Street
Rochester, NY 14605
print name print business address

am certifying as owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.


Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

2/19/14
Date

IC/EC CERTIFICATIONS

Box 7


Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Peter Nielsen at Stantec Consulting Services, Inc. 61 Commercial St., Suite 100 Rochester, NY 14614
print name print business address

I am certifying as a Professional Engineer for the owner (Owner or Remedial Party)

[Handwritten Signature]
Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification



2/20/14
Date

Enclosure 3
Periodic Review Report (PRR) General Guidance

- I. Executive Summary: (1/2-page or less)
 - A. Provide a brief summary of site, nature and extent of contamination, and remedial history.
 - B. Effectiveness of the Remedial Program - Provide overall conclusions regarding;
 - 1. progress made during the reporting period toward meeting the remedial objectives for the site
 - 2. the ultimate ability of the remedial program to achieve the remedial objectives for the site.
 - C. Compliance
 - 1. Identify any areas of non-compliance regarding the major elements of the Site Management Plan (SMP, i.e., the Institutional/Engineering Control (IC/EC) Plan, the Monitoring Plan, and the Operation & Maintenance (O&M) Plan).
 - 2. Propose steps to be taken and a schedule to correct any areas of non-compliance.
 - D. Recommendations
 - 1. recommend whether any changes to the SMP are needed
 - 2. recommend any changes to the frequency for submittal of PRRs (increase, decrease)
 - 3. recommend whether the requirements for discontinuing site management have been met.

- II. Site Overview (one page or less)
 - A. Describe the site location, boundaries (figure), significant features, surrounding area, and the nature and extent of contamination prior to site remediation.
 - B. Describe the chronology of the main features of the remedial program for the site, the components of the selected remedy, cleanup goals, site closure criteria, and any significant changes to the selected remedy that have been made since remedy selection.

- III. Evaluate Remedy Performance, Effectiveness, and Protectiveness
Using tables, graphs, charts and bulleted text to the extent practicable, describe the effectiveness of the remedy in achieving the remedial goals for the site. Base findings, recommendations, and conclusions on objective data. Evaluations and should be presented simply and concisely.

- IV. IC/EC Plan Compliance Report (if applicable)
 - A. IC/EC Requirements and Compliance
 - 1. Describe each control, its objective, and how performance of the control is evaluated.
 - 2. Summarize the status of each goal (whether it is fully in place and its effectiveness).
 - 3. Corrective Measures: describe steps proposed to address any deficiencies in ICECs.
 - 4. Conclusions and recommendations for changes.
 - B. IC/EC Certification
 - 1. The certification must be complete (even if there are IC/EC deficiencies), and certified by the appropriate party as set forth in a Department-approved certification form(s).

- V. Monitoring Plan Compliance Report (if applicable)
 - A. Components of the Monitoring Plan (tabular presentations preferred) - Describe the requirements of the monitoring plan by media (i.e., soil, groundwater, sediment, etc.) and by any remedial technologies being used at the site.
 - B. Summary of Monitoring Completed During Reporting Period - Describe the monitoring tasks actually completed during this PRR reporting period. Tables and/or figures should be used to show all data.
 - C. Comparisons with Remedial Objectives - Compare the results of all monitoring with the remedial objectives for the site. Include trend analyses where possible.
 - D. Monitoring Deficiencies - Describe any ways in which monitoring did not fully comply with the monitoring plan.
 - E. Conclusions and Recommendations for Changes - Provide overall conclusions regarding the monitoring completed and the resulting evaluations regarding remedial effectiveness.

- VI. Operation & Maintenance (O&M) Plan Compliance Report (if applicable)
 - A. Components of O&M Plan - Describe the requirements of the O&M plan including required activities, frequencies, recordkeeping, etc.
 - B. Summary of O&M Completed During Reporting Period - Describe the O&M tasks actually completed during this PRR reporting period.
 - C. Evaluation of Remedial Systems - Based upon the results of the O&M activities completed, evaluated

the ability of each component of the remedy subject to O&M requirements to perform as designed/expected.

- D. O&M Deficiencies - Identify any deficiencies in complying with the O&M plan during this PRR reporting period.
- E. Conclusions and Recommendations for Improvements - Provide an overall conclusion regarding O&M for the site and identify any suggested improvements requiring changes in the O&M Plan.

VII. Overall PRR Conclusions and Recommendations

- A. Compliance with SMP - For each component of the SMP (i.e., IC/EC, monitoring, O&M), summarize;
 - 1. whether all requirements of each plan were met during the reporting period
 - 2. any requirements not met
 - 3. proposed plans and a schedule for coming into full compliance.
- B. Performance and Effectiveness of the Remedy - Based upon your evaluation of the components of the SMP, form conclusions about the performance of each component and the ability of the remedy to achieve the remedial objectives for the site.
- C. Future PRR Submittals
 - 1. Recommend, with supporting justification, whether the frequency of the submittal of PRRs should be changed (either increased or decreased).
 - 2. If the requirements for site closure have been achieved, contact the Departments Project Manager for the site to determine what, if any, additional documentation is needed to support a decision to discontinue site management.

VIII. Additional Guidance

Additional guidance regarding the preparation and submittal of an acceptable PRR can be obtained from the Departments Project Manager for the site.

New York State Department of Environmental Conservation
Division of Environmental Remediation, 11th Floor
625 Broadway, Albany, New York 12233
Phone: (518) 402-9553 Fax: (518) 402-9577
Website: www.dec.ny.gov



1/13/2014

Andrew Germanow
President
Germanow-Simon Corporation
408 St. Paul Street
Rochester, NY 14603-1061

Re: Reminder Notice: Site Management Periodic Review Report and IC/EC Certification Submittal

Site Name: 8-28 Ward Street
Site No.: C828136
Site Address: 8-28 Ward Street
Rochester, NY 14603-1061

Dear Andrew Germanow:

This letter serves as a reminder that sites in active Site Management (SM) require the submittal of a periodic progress report. This report, referred to as the Periodic Review Report (PRR), must document the implementation of, and compliance with, site specific SM requirements. Section 6.3(b) of DER-10 *Technical Guidance for Site Investigation and Remediation* (available online at <http://www.dec.ny.gov/regulations/67386.html>) provides guidance regarding the information that must be included in the PRR. Further, if the site is comprised of multiple parcels, then you as the Certifying Party must arrange to submit one PRR for all parcels that comprise the site. The PRR must be received by the Department no later than **February 21, 2014**. Guidance on the content of a PRR is enclosed.

Site Management is defined in regulation (6 NYCRR 375-1.2(at)) and in Chapter 6 of DER-10. Depending on when the remedial program for your site was completed, SM may be governed by multiple documents (e.g., Operation, Maintenance, and Monitoring Plan; Soil Management Plan) or one comprehensive Site Management Plan.

A Site Management Plan (SMP) may contain one or all of the following elements, as applicable to the site: a plan to maintain institutional controls and/or engineering controls ("IC/EC Plan"); a plan for monitoring the performance and effectiveness of the selected remedy ("Monitoring Plan"); and/or a plan for the operation and maintenance of the selected remedy ("O&M Plan"). Additionally, the technical requirements for SM are stated in the decision document (e.g., Record of Decision) and, in some cases, the legal agreement directing the remediation of the site (e.g., order on consent, voluntary agreement, etc.).

When you submit the PRR (by the due date above), include the enclosed forms documenting that all SM requirements are being met. The Institutional Controls (ICs) portion of the form (Box 6) must be signed by you or your designated representative. The Engineering Controls (ECs) portion of the form (Box 7) must be signed by a Professional Engineer (PE). If you cannot certify that all SM requirements are being met, you must submit a Corrective Measures Work Plan that identifies the actions to be taken to restore compliance. The work plan must include a schedule to be approved by the Department. The Periodic Review process will not be considered complete until all necessary corrective measures are completed and all required controls are certified. Instructions for completing the certifications are enclosed.

All site-related documents and data, including the PRR, are to be submitted in electronic format to the Department of Environmental Conservation. The Department will not approve the PRR unless all documents and data generated in support of that report have been submitted in accordance with the electronic submissions protocol. In addition, the certification forms are required to be submitted in both paper and electronic formats.

Information on the format of the data submissions can be found at:
<http://www.dec.ny.gov/regulations/2586.html>

The signed certification forms should be sent to Todd Caffoe, Project Manager, at the following address:

New York State Department of Environmental Conservation
6274 East Avon-Lima Road
Avon, NY 14414

Phone number: 585-226-5350. E-mail: tmcaffoe@gw.dec.state.ny.us

The contact information above is also provided so that you may notify the project manager about upcoming inspections, or for any other questions or concerns that may arise in regard to the site.

Enclosures

PRR General Guidance
Certification Form Instructions
Certification Forms

ec: w/ enclosures

Todd Caffoe, Project Manager
Bart Putzig, Hazardous Waste Remediation Engineer, Region 8

Enclosure 1

Certification Instructions

I. Verification of Site Details (Box 1 and Box 2):

Answer the three questions in the Verification of Site Details Section. The Owner and/or Qualified Environmental Professional (QEP) may include handwritten changes and/or other supporting documentation, as necessary.

II. Certification of Institutional Controls/ Engineering Controls (IC/ECs)(Boxes 3, 4, and 5)

1.1.1. Review the listed IC/ECs, confirming that all existing controls are listed, and that all existing controls are still applicable. If there is a control that is no longer applicable the Owner / Remedial Party should petition the Department separately to request approval to remove the control.

2. In Box 5, complete certifications for all Plan components, as applicable, by checking the corresponding checkbox.

3. If you cannot certify "YES" for each Control listed in Box 3 & Box 4, sign and date the form in Box 5. Attach supporting documentation that explains why the **Certification** cannot be rendered, as well as a plan of proposed corrective measures, and an associated schedule for completing the corrective measures. Note that this **Certification** form must be submitted even if an IC or EC cannot be certified; however, the certification process will not be considered complete until corrective action is completed.

If the Department concurs with the explanation, the proposed corrective measures, and the proposed schedule, a letter authorizing the implementation of those corrective measures will be issued by the Department's Project Manager. Once the corrective measures are complete, a new Periodic Review Report (with IC/EC Certification) must be submitted within 45 days to the Department. If the Department has any questions or concerns regarding the PRR and/or completion of the IC/EC Certification, the Project Manager will contact you.

III. IC/EC Certification by Signature (Box 6 and Box 7):


If you certified "YES" for each Control, please complete and sign the IC/EC Certifications page as follows:

- For the Institutional Controls on the use of the property, the certification statement in Box 6 shall be completed and may be made by the property owner or designated representative.
- For the Engineering Controls, the certification statement in Box 7 must be completed by a Professional Engineer or Qualified Environmental Professional, as noted on the form.



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



	Site Details	Box 1
Site No. C828136		
Site Name 8-28 Ward Street		
Site Address: 8-28 Ward Street Zip Code: 14603-1061		
City/Town: Rochester		
County: Monroe		
Site Acreage: 1.2		
Reporting Period: September 15, 2012 to November 15, 2013		
		YES NO
1. Is the information above correct?		<input checked="" type="checkbox"/> <input type="checkbox"/>
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?		<input type="checkbox"/> <input checked="" type="checkbox"/>
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?		<input type="checkbox"/> <input checked="" type="checkbox"/>
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?		<input type="checkbox"/> <input checked="" type="checkbox"/>
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?		<input type="checkbox"/> <input checked="" type="checkbox"/>
		Box 2
		YES NO
6. Is the current site use consistent with the use(s) listed below? Commercial and Industrial		<input checked="" type="checkbox"/> <input type="checkbox"/>
7. Are all ICs/ECs in place and functioning as designed?		<input checked="" type="checkbox"/> <input type="checkbox"/>
IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.		
A Corrective Measures Work Plan must be submitted along with this form to address these issues.		
 Signature of Owner, Remedial Party or Designated Representative		2/19/14 Date

		Box 2A	
	YES	NO	
8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.			
9. Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.			

SITE NO. C828136		Box 3
Description of Institutional Controls		
<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
106.63-1-16	Germanow-Simon Corporation	Ground Water Use Restriction Soil Management Plan Landuse Restriction
Site Management Plan		
A multi-phase vacuum extraction system ("MPVE") shall be operated beneath on-site and beneath off-site within the right-of-way for Ward Street; <i>However, per NYSDEC approval, the MPVE system was shut down on February 22, 2011 and has not been restarted since that time.</i>		
Groundwater use is prohibited;		
A Site Management Plan (SMP) must be implemented;		
Soils shall be managed in accordance with the SMP;		
Existing surface and near surface soils, asphalt-paved surfaces, concrete-paved surfaces, and any existing buildings act as a cover system and must be maintained;		
The potential for vapor intrusion for any new buildings must be evaluated and mitigated as necessary;		
Periodic review is required to certify all controls are in place.		

		Box 4
Description of Engineering Controls		
<u>Parcel</u>	<u>Engineering Control</u>	
106.63-1-16	Vapor Mitigation Cover System	

Per NYSDEC approval, Stantec has implemented an enhanced reductive dechlorination program at the site.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.



Signature of Owner, Remedial Party or Designated Representative

2/19/14
Date

IC CERTIFICATIONS
SITE NO. C828136

Box 6


SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Andy Germanow at Germanow-Simon Corp.
403 St. Paul Street
print name print business address
Rochester, NY 14605

am certifying as owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.


Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

2/19/14
Date

IC/EC CERTIFICATIONS



Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Peter Nielsen at stantec consulting services, inc.
print name 61 commercial St., Suite 100
print business address Rochester, NY 14614

I am certifying as a Professional Engineer for the owner (Owner or Remedial Party)



Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification

2/20/14
Date

Enclosure 3
Periodic Review Report (PRR) General Guidance

- I. Executive Summary: (1/2-page or less)
 - A. Provide a brief summary of site, nature and extent of contamination, and remedial history.
 - B. Effectiveness of the Remedial Program - Provide overall conclusions regarding;
 1. progress made during the reporting period toward meeting the remedial objectives for the site
 2. the ultimate ability of the remedial program to achieve the remedial objectives for the site.
 - C. Compliance
 1. Identify any areas of non-compliance regarding the major elements of the Site Management Plan (SMP, i.e., the Institutional/Engineering Control (IC/EC) Plan, the Monitoring Plan, and the Operation & Maintenance (O&M) Plan).
 2. Propose steps to be taken and a schedule to correct any areas of non-compliance.
 - D. Recommendations
 1. recommend whether any changes to the SMP are needed
 2. recommend any changes to the frequency for submittal of PRRs (increase, decrease)
 3. recommend whether the requirements for discontinuing site management have been met.

- II. Site Overview (one page or less)
 - A. Describe the site location, boundaries (figure), significant features, surrounding area, and the nature and extent of contamination prior to site remediation.
 - B. Describe the chronology of the main features of the remedial program for the site, the components of the selected remedy, cleanup goals, site closure criteria, and any significant changes to the selected remedy that have been made since remedy selection.

- III. Evaluate Remedy Performance, Effectiveness, and Protectiveness
Using tables, graphs, charts and bulleted text to the extent practicable, describe the effectiveness of the remedy in achieving the remedial goals for the site. Base findings, recommendations, and conclusions on objective data. Evaluations and should be presented simply and concisely.

- IV. IC/EC Plan Compliance Report (if applicable)
 - A. IC/EC Requirements and Compliance
 1. Describe each control, its objective, and how performance of the control is evaluated.
 2. Summarize the status of each goal (whether it is fully in place and its effectiveness).
 3. Corrective Measures: describe steps proposed to address any deficiencies in ICECs.
 4. Conclusions and recommendations for changes.
 - B. IC/EC Certification
 1. The certification must be complete (even if there are IC/EC deficiencies), and certified by the appropriate party as set forth in a Department-approved certification form(s).

- V. Monitoring Plan Compliance Report (if applicable)
 - A. Components of the Monitoring Plan (tabular presentations preferred) - Describe the requirements of the monitoring plan by media (i.e., soil, groundwater, sediment, etc.) and by any remedial technologies being used at the site.
 - B. Summary of Monitoring Completed During Reporting Period - Describe the monitoring tasks actually completed during this PRR reporting period. Tables and/or figures should be used to show all data.
 - C. Comparisons with Remedial Objectives - Compare the results of all monitoring with the remedial objectives for the site. Include trend analyses where possible.
 - D. Monitoring Deficiencies - Describe any ways in which monitoring did not fully comply with the monitoring plan.
 - E. Conclusions and Recommendations for Changes - Provide overall conclusions regarding the monitoring completed and the resulting evaluations regarding remedial effectiveness.

- VI. Operation & Maintenance (O&M) Plan Compliance Report (if applicable)
 - A. Components of O&M Plan - Describe the requirements of the O&M plan including required activities, frequencies, recordkeeping, etc.
 - B. Summary of O&M Completed During Reporting Period - Describe the O&M tasks actually completed during this PRR reporting period.
 - C. Evaluation of Remedial Systems - Based upon the results of the O&M activities completed, evaluated the ability of each component of the remedy subject to O&M requirements to perform as

- designed/expected.
- D. O&M Deficiencies - Identify any deficiencies in complying with the O&M plan during this PRR reporting period.
 - E. Conclusions and Recommendations for Improvements - Provide an overall conclusion regarding O&M for the site and identify any suggested improvements requiring changes in the O&M Plan.

VII. Overall PRR Conclusions and Recommendations

- A. Compliance with SMP - For each component of the SMP (i.e., IC/EC, monitoring, O&M), summarize;
 - 1. whether all requirements of each plan were met during the reporting period
 - 2. any requirements not met
 - 3. proposed plans and a schedule for coming into full compliance.
- B. Performance and Effectiveness of the Remedy - Based upon your evaluation of the components of the SMP, form conclusions about the performance of each component and the ability of the remedy to achieve the remedial objectives for the site.
- C. Future PRR Submittals
 - 1. Recommend, with supporting justification, whether the frequency of the submittal of PRRs should be changed (either increased or decreased).
 - 2. If the requirements for site closure have been achieved, contact the Departments Project Manager for the site to determine what, if any, additional documentation is needed to support a decision to discontinue site management.

VIII. Additional Guidance

Additional guidance regarding the preparation and submittal of an acceptable PRR can be obtained from the Departments Project Manager for the site.

Appendix B

New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 8

6274 East Avon-Lima Road, Avon, New York 14414-9519

Phone: (585) 226-5353 • Fax: (585) 226-8139

Website: www.dec.ny.gov



Joe Martens
Commissioner

November 14, 2011

Andrew Germanow
President
Germanow-Simon Corporation
408 St. Paul Street, P.O. Box 1091
Rochester, New York 14603-1091

**RE: Remedial Work Plan Supplement Enhanced Reductive Dechlorination (March 2011)
Ward Street Sites C828117 and C828136
Rochester(C), Monroe(C)**

Dear Mr. Germanow:

The New York State Department of Environmental Conservation (the Department) and the New York State Department of Health (NYSDOH) have reviewed the referenced work plan. The November 7, 2011 e-mail from Mike Storonsky of Stantec Consulting Services, Inc. adequately addresses my concerns with the work plan. The work plan is hereby approved.

Please keep me advised of the work schedule. Thank you for your continued cooperation.

Sincerely,

Todd M. Caffoe, P.E.
Division of Environmental Remediation
Email: tmcaffoe@gw.dec.state.ny.us

cc: B. Putzig
D. McNaughton
J. Charles
M. Storonsky
M. Gregor

New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 8

6274 East Avon-Lima Road, Avon, New York 14414-9519

Phone: (585) 226-5353 • Fax: (585) 226-8139

Website: www.dec.ny.gov



Joe Martens
Commissioner

November 6, 2012

Andrew Germanow
President
Germanow-Simon Corporation
408 St. Paul Street, P.O. Box 1091
Rochester, New York 14603-1091

**RE: Enhanced Reductive Dechlorination (ERD)
Proposed Supplemental Injection Program (October 2012)
Ward Street Sites C828117 and C828136
Rochester(C), Monroe(C)**


Dear Mr. Germanow:

The New York State Department of Environmental Conservation (the Department) and the New York State Department of Health (NYSDOH) have reviewed the proposed supplemental groundwater injection plan received from Mike Storonsky of Stantec. Under the provisions of the approved ERD Workplan, supplemental sodium lactate injections are proposed at the following locations:

1. Along the north and east sides of the Building B Annex, wells MW-105, 200, 200R, 201, 202, 203R, 205, 205R, 210 and 210R;
2. Within the interior and along the south side of the Building B Annex, wells MW-22, 22R, 208, 208R and 209;
3. Within the small parking lot to the west of the Building B Annex, wells MW-207R and 212R; and
4. Within the Ward Street right-of way, wells MW-16, 16R, 23 and 23R.

Based upon our review, the supplemental injection program is hereby approved. Thank you for your continued cooperation. If you have any questions, please contact me at 226-5350 or the e-mail address below.

Sincerely,



Todd M. Caffoe, P.E.
Division of Environmental Remediation
Email: tmcaffoe@gw.dec.state.ny.us

ec: B. Putzig
D. McNaughton
J. Charles
M. Storonsky

Storonsky, Mike

From: Todd Caffoe <tmcaffoe@gw.dec.state.ny.us>
Sent: Friday, October 11, 2013 2:48 PM
To: Storonsky, Mike
Cc: Bart Putzig
Subject: Ward Street sites c828136 and c828117

Mike,
I have reviewed the September 2013 Progress Report.

I agree that it is time to conduct a sampling round with category B deliverables. Contaminant levels have significantly decreased over time since remediation was started at this site using MPVE. The Enhanced Reductive Dechlorination (ERD) injection have further reduced contaminant levels.

Please prepare a report with these analyses and recommendations for further actions. It would be helpful to present VOCs in groundwater vs. time for key wells starting with pre-remediation conditions (please make the graphs a little larger for clarity). Including the pre-remediation concentrations will show the remarkable decreases in groundwater contamination and the overall effectiveness of the remedial program at these sites.

If the Category B sample results confirm the current trends, then it will be acceptable to decommission the MPVE system. I do not agree that no further groundwater monitoring shall take place at this time. Long term groundwater monitoring (at reduced frequency and parameters) are still appropriate at these sites. Additionally, continued operation of the sub-slab depressurization system is required until it is demonstrated that the potential for indoor air contamination is no longer a threat.

We appreciate all of the efforts that Germanow-Simon has made to remediate these sites. Thanks to you and Andy Germanow for all of your hard work and cooperation over the many years of investigation and remediation.
-Todd

Todd M. Caffoe, P.E.
Environmental Engineer 2
NYSDEC - Region 8
6274 East Avon-Lima Road
Avon, New York 14414

email: tmcaffoe@gw.dec.state.ny.us
voice: (585)226-5350

Appendix C

**Ward Street Sites – Second Round of Sodium Lactate (20,000mg/l) Injection Summary as of
11/27/12 (AM)**


Injection Well	Start Date	Stop Date	Target Gallons	Injected Gallons	% Complete
MW-16	11/9/12	11/27/12	750	427	57
MW-16R	11/9/12	11/12/12	375	477	127
MW-22	11/16/12	11/26/12	750	1,239	165
MW-22R	11/15/12	11/15/12	375	391	104
MW-23	11/9/12	11/27/12	750	215	29
MW-23R	11/9/12	11/27/12	375	1,293	345
MW-105	11/21/12	11/21/12	150	15	10
MW-200	11/14/12	11/15/12	750	772	103
MW-200R	11/14/12	11/14/12	375	376	100
MW-201	11/19/12	11/21/12	750	752	100
MW-202	11/15/12	11/16/12	750	753	100
MW-203	11/13/12	11/15/12	11/15/12	776	
MW-203R	11/13/12		375	5	1
MW-204	11/27/12			125	
MW-204R	11/27/12				
MW-205	11/13/12	11/14/12	750	755	101
MW-205R	11/16/12		375	10	3
MW-207	11/27/12				
MW-207R	11/9/12	11/12/12	375	386	103
MW-208	11/19/12	11/20/12	750	1,017	136
MW-208R	11/20/12	11/21/12	375	408	109
MW-209	11/19/12	11/21/12	750	1,270	169
MW-210	11/13/12	11/21/12	750	1,062	142
MW-210R	11/13/12		375	14	4
MW-212R	11/12/12	11/13/12	375	386	103

TOTAL 12,529

Key:

Wells added to program due to difficulties injecting elsewhere.

This map may contain data from a variety of sources. This map is not intended to replace a survey by a Licensed Surveyor. Stantec does not certify the accuracy of the data. This map is for reference only and should not be used for construction.



Legend

Monitoring and Extraction Wells


Well Type

- Extraction Well
- Monitoring Well
- As-Built Trenching Limits
- Existing MPVE System
- 8-28 Ward Street Site Property Line
- Ward Street Site Property Line
- Extraction Well – Injected into as of 12/2/2011



Geographic Information Systems

Stantec Consulting
 61 Commercial Street
 Rochester, NY 14614
 Phone 585.475.1440 Fax 585.272.1814
 www.stantec.com
 Copyright 2012



Cartographic Design By: Andrew Less

U:\1405205\docs\ERD\Figures

Figure 2 - Well Locations
 Ward Street Sites
 Rochester, NY