


APPENDICES



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: _____
INSPECTOR: _____
WITNESSES: _____

EMERGENCY CONTACT:
PAUL MAZIERSKI
716.278.5496

Maintenance
Performed
(Check)

Item

Performed by:

Remarks

_____	1) Fence		
_____	<input checked="" type="checkbox"/> a) Locks/Gates	<u>C. Simon</u>	locks & locks ok good
_____	<input checked="" type="checkbox"/> b) Breaches		NO Breaches
_____	<input checked="" type="checkbox"/> c) Condition of Slatted Fencing		Small section of
_____	<input checked="" type="checkbox"/> d) Vegetative Overgrowth		Slatted Fence needs to be secured vegetation @ 2 1/2 feet
_____	2) Site Status		
_____	<input checked="" type="checkbox"/> a) Debris		4 TIRE on site
_____	<input checked="" type="checkbox"/> b) Surface Staining		Storm Drains clear
_____	<input checked="" type="checkbox"/> c) Storm Drains		
_____	c) Monitoring Wells		
_____	d) Light Poles		
_____	e) Pavement Condition		
_____	3) Other		

REQUIRED MAINTENANCE ACTIVITIES: 2 sections of Barbwire mount need replacement
1 fence post needs replacement on ARGO side of property

Work Performed by:

Cliff Simon
Cliff Simon

Date Work Performed

2-Jun-08
Date



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 6-9-08
INSPECTOR: [Signature]
WITNESSES: _____

EMERGENCY CONTACT:
PAUL MAZIERSKI
716.278.5496

Maintenance
Performed
(Check)

CS 1) Fence

a) Locks/Gates -- Remarks: locks and gates OK good and secure.

b) Breaches -- Remarks: NO Breaches located.

c) Slatted Fencing Condition -- Remarks: check good still need to secure small section with Tech screws.

d) Vegetative Overgrowth -- Remarks: north east section of lot has trees over hanging need to remove sumack's need removing

CS 2) Site Status

a) Debris -- Remarks: light post-tires - need removing

b) Surface Staining -- Remarks: no surface staining

c) Storm Drains -- Remarks: Storm Drain Semi Clear (complete Area) need debris stick weeds leaves excat removed.


d) Monitoring Wells -- Remarks: need to know location of wells.

e) Light Poles -- Remarks: All down in need of Repair

f) Pavement Condition -- Remarks: weeds lot down pavement visible.

CS 3) Other -- Remarks: Fence pole section still need Repair ? i pole needs Replacement.

REQUIRED MAINTENANCE ACTIVITIES: Remove some material from south east section and items by gate.



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 6/31/08

INSPECTOR: Cliff Simon

WITNESSES:

EMERGENCY CONTACT:

PAUL MAZIERSKI

716-278-5496

**Maintenance
Performed
(Check)**

Item


- X 1) **Fence**
- a) **Locks/Gate-** Remarks: Check ok
 - b) **Breaches –** Remarks: Section in need of repair under quote
 - c) **Slatted Fencing Condition:** Remarks: Check ok
 - d) **Vegetative Overgrowth–** Remarks: Met with Landscaper & Shown area of need
- X 2) **Site Status**
- a) **Debris –** Remarks: Property in need of complete pick up-broken glass, tires, and broken toys
 - b) **Surface Staining –** Remarks: Check ok
 - c) **Storm Drains –** Remarks: Far gate in need of clean out
 - d) **Monitoring Wells –** Remarks: N/A
 - e) **Light Poles –** Remarks: Down-in need of removal
 - f) **Pavement Condition –** Remarks: Check ok
- _____ 3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:

High Falls Business Center • Suite 103 • 250 Mill Street • Rochester, New York 14614

Office (585) 777-4003 • Cell (585) 749-4441 • Fax (585) 777-4108

www.sebakerco.com



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE
SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 7/7/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**


- a) **Locks/Gate-** Remarks: Locks & Gates check good
- b) **Breaches –** Remarks: Top Section in need of repair under quote
- c) **Slatted Fencing Condition:** Remarks: Check ok
- d) **Vegetative Overgrowth–** Remarks: Cut down and piled in parking lot except Sumac growth in corner

X 2) **Site Status**

- a) **Debris –** Remarks: Fireworks carton-pick up and stack
- b) **Surface Staining –** Remarks: N/A
- c) **Storm Drains –** Remarks: clean out by far gate
- d) **Monitoring Wells –** Remarks: N/A
- e) **Light Poles –** Remarks: Down-& Check by Jessica Frank
- f) **Pavement Condition –** Remarks: Check ok

 3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE
SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 7/14/08
INSPECTOR: Cliff Simon
WITNESSES:


EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: Locks & Gates check in good condition
 - b) **Breaches –** Remarks: No Breaches found at this time
 - c) **Slatted Fencing Condition:** Remarks: Check ok some grafitti center section area
 - d) **Vegetative Overgrowth–** Remarks: Stone Water landscaping in process in removing over hanging trees. Area clear of tall weeds.
- X 2) **Site Status**
- a) **Debris –** Remarks: Tree limbs/Tires
 - b) **Surface Staining –** Remarks: N/A
 - c) **Storm Drains –** Remarks: semi clear at far gate and parking lot
 - d) **Monitoring Wells –** Remarks: Check ok
 - e) **Light Poles –** Remarks: Down-& Need removal
 - f) **Pavement Condition –** Remarks: Check ok for age of lot
- ___ 3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 7/21/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: Locks & Gates check in good condition
 - b) **Breaches –** Remarks: No Breaches found
 - c) **Slatted Fencing Condition:** Remarks: Now more visible- some graffiti
 - d) **Vegetative Overgrowth–** Remarks: All vegetation cut back away from fencing.
- X 2) **Site Status**
- a) **Debris –** Remarks: Debris being handled by Stonewater Landscaping
 - b) **Surface Staining –** Remarks: N/A
 - c) **Storm Drains –** Remarks: far fence gate area semi clear
 - d) **Monitoring Wells –** Remarks: Check ok at gates
 - e) **Light Poles –** Remarks: Down-& piled for removal
 - f) **Pavement Condition –** Remarks: Check ok
- ___ 3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 8/13/08
INSPECTOR: Cliff Simon
WITNESSES:


EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

Maintenance Performed (Check)

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: All gates check good and secure lock has been changed out at main gate
 - b) **Breaches** – Remarks: No Breaches found
 - c) **Slatted Fencing Condition:** Remarks: Condition fair all fencing clear of overgrowth
 - d) **Vegetative Overgrowth-** Remarks: Property in need of mowing-Growth at 1 foot
- X 2) **Site Status**
- a) **Debris** – All debris has been removed
 - b) **Surface Staining** – Remarks: N/A
 - c) **Storm Drains** – Remarks: Check fair for gate needs grating cleared
 - d) **Monitoring Wells** – Remarks: found monitoring well, check good, secured
 - e) **Light Poles** – Remarks: Some light poles still remaining down and piled for removal
 - f) **Pavement Condition** – Remarks: Check Fair
- 3) **Other** – Remarks: Met with Soil Monitoring Crew – Don & Rebecka

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 8/18/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1)

Fence

- a) **Locks/Gate-** Remarks: All gates check good and secure lock has been changed out at main gate
- b) **Breaches** – Remarks: No Breaches found
- c) **Slatted Fencing Condition:** Remarks: Slatted Fencing Fair Condition
- d) **Vegetative Overgrowth-** Remarks: Weeds at 1 foot high inside fences

X 2)

Site Status

- a) **Debris** – All debris has been removed
- b) **Surface Staining** – Remarks: N/A
- c) **Storm Drains** – Remarks: Clear storm drain to gate, all others check good
- d) **Monitoring Wells** – Remarks: 1 secured , others still in process of installation
- e) **Light Poles** – Remarks: Down and piled for removal
- f) **Pavement Condition** – Remarks: Check Fair

 3)

Other – Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 8/25/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

Maintenance Performed (Check)

Item

- X 1) Fence
- a) Locks/Gate- Remarks: locks and gate check good and secure
 - b) Breaches – Remarks: No Breaches found
 - c) Slatted Fencing Condition: Remarks: Check, Fair condition
 - d) Vegetative Overgrowth– Remarks: Weeds inside property check 1 ½” high outside fencing check good, all cut back
- X 2) Site Status
- a) Debris – Site check clear of debris , random branch
 - b) Surface Staining – Remarks: surface staining check fair, none found
 - c) Storm Drains – Remarks: Storm drains-fair condition
 - d) Monitoring Wells – Remarks: check in good condition new wells still being serviced
 - e) Light Poles – Remarks: still in need of removal
 - f) Pavement Condition – Remarks: Fair condition for age
- X 3) Other – Remarks: Upstate Fence completed needed repairs to chain link fence and rewire barbed barrier

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 10/20/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1)

Fence

- a) **Locks/Gate-** Remarks: locks and gates check good and secure
- b) **Breaches –** Remarks: No Breaches found
- c) **Slatted Fencing Condition:** Remarks: secured
- d) **Vegetative Overgrowth–** Remarks: N/A

X 2)

Site Status

- a) **Debris –** One Tire near Fence Line
- b) **Surface Staining –** Remarks: N/A
- c) **Storm Drains –** Remarks: Semi clear and functioning
- d) **Monitoring Wells –** Remarks: secured
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: Fair condition

3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 10/27/08
INSPECTOR: Cliff Simon
WITNESSES:


EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: locks and gates check good and secure
 - b) **Breaches –** Remarks: Breaches repaired by New York State Fence
 - c) **Slatted Fencing Condition:** Remarks: slatted fence secured
 - d) **Vegetative Overgrowth–** Remarks: N/A
- X 2) **Site Status**
- a) **Debris –** One Tire near Fence Line
 - b) **Surface Staining –** Remarks: N/A
 - c) **Storm Drains –** Remarks: Semi clear and functioning
 - d) **Monitoring Wells –** Remarks: check good and secured
 - e) **Light Poles –** Remarks: N/A
 - f) **Pavement Condition –** Remarks: Fair condition
- 3) **Other –** Remarks:

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 11/12/08
INSPECTOR: Cliff Simon
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: locks and gates check good
 - b) **Breaches –** Remarks: No breaches located at this time fence condition solid and secured in all perimeters
 - c) **Slatted Fencing Condition:** Remarks: slatted fence area check good and standing secured
 - d) **Vegetative Overgrowth–** Remarks: There is no overgrowth anywhere
- X 2) **Site Status**
- a) **Debris –** Debris is very minimal -2 or 3 small branches with passive leaves build up at North gate
 - b) **Surface Staining –** Remarks: No surface staining found at this time
 - c) **Storm Drains –** Remarks: Storm drains at the north gate have leaves covering at this time
 - d) **Monitoring Wells –** Remarks: All monitoring wells are sound and secure – no signs of tampering
 - e) **Light Poles –** Remarks: The last remnant will be removed-section will require more than one person to move
 - f) **Pavement Condition –** Remarks: Remains in Fair condition with small debris shard of glass-stones, nuts & bolts and stands of wire.
- 3) **Other –** Remarks: Working on getting a camera to take pictures of all the repairs that were done. We'll send once we get those pictures

REQUIRED MAINTENANCE ACTIVITIES:



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE
SITE INSPECTION & MAINTENANCE CHECKLIST

DATE: 11/25/08
INSPECTOR: Cliff Simon
WITNESSES: Ty Hookway

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

- X 1) **Fence**
- a) **Locks/Gate-** Remarks: All locks and gates check secured
 - b) **Breaches –** Remarks: No breaches found in all perimeters
 - c) **Slatted Fencing Condition:** Remarks: slatted fence secured and in good condition
 - d) **Vegetative Overgrowth–** Remarks: No growth of Vegetation
- X 2) **Site Status**
- a) **Debris –** Sports balls in North East section return over fencing
 - b) **Surface Staining –** Remarks: None found.
 - c) **Storm Drains –** Remarks: semi clear and functioning
 - d) **Monitoring Wells –** Remarks: All monitoring wells check secured – no signs of tampering
 - e) **Light Poles –** Remarks: Remains will be moved as soon as possible
 - f) **Pavement Condition –** Remarks: fair.
- 3) **Other –** Digital Pictures taken during visit - site inspection. Awaiting Processing for download.

REQUIRED MAINTENANCE ACTIVITIES:

Appendix B

City of Rochester Survey Drawings

SBL 090-40-01-42.2
 Now Or Formerly
 New York Central Lines, LLC
 REFERENCE LIBER 9214 OF DEEDS, PAGE 520

PROJECT BENCHMARK - 1
 ELEVATION = 506.37'
 DIH/CIRCLE IN NW COR CONC
 BASE LIGHT POLE NO 61

No. 666 Driving Park Avenue
 SBL 090-80-01-8.1
 Now Or Formerly
 E.I. Du Pont De Nemours & Co.
 DEED REFERENCES:
 LIBER 2249 OF DEEDS, PAGE 212
 LIBER 3417 OF DEEDS, PAGE 279
 LIBER 3332 OF DEEDS, PAGE 295
 LIBER 6646 OF DEEDS, PAGE 315
 AREA =
 9.920 +/- ACRES

- LEGEND:**
- 501 — CONTOUR (1.0' INTERVAL)
 - CONTOUR (0.25' INTERVAL)
 - WLP WOODEN LIGHT POLE
 - M.L.P. METAL LIGHT POLE
 - F.L.P. FIBERGLASS LIGHT POLE
 - W.U.P. WOODEN UTILITY POLE
 - SHRUB
 - SHRUBROW
 - DECIDUOUS TREE & SIZE
 - DECIDUOUS TREE LINE
 - CB RECTANGULAR CATCH BASIN
 - CB ROUND CATCH BASIN
 - HYDRANT
 - WV WATER VALVE
 - Meter WATER METER
 - SEWER MANHOLE
 - TELEPHONE MANHOLE
 - ELECTRIC HANDHOLE
 - CITY HANDHOLE
 - COUNTY HANDHOLE
 - Monitoring Well MONITORING WELL
 - HANDICAP RAMP
 - CHAIN LINK FENCE
 - RAILROAD TRACK
 - SCARP

NOTE:
 SEE SHEET 2(2) FOR NOTES,
 REFERENCES, SITE LOCATION, ETC.

DRAWING ALTERATION:
 THE FOLLOWING IS AN EXCERPT FROM THE NEW YORK EDUCATION LAW ARTICLE 145 SECTION 7209 AND APPLIES TO THIS DRAWING. IT IS A VIOLATION OF THIS FOR ANY PERSON UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR TO ALTER AN ITEM IN ANY WAY IF AN ITEM BEARING THE SEAL OF AN ENGINEER OR LAND SURVEYOR IS ALTERED THE ALTERING ENGINEER OR LAND SURVEYOR SHALL AFFIX TO THE ITEM HIS SEAL AND THE NOTATION "ALTERED BY FOLLOWED BY HIS SIGNATURE AND THE DATE OF SUCH ALTERATION AND A SPECIFIC DESCRIPTION OF THE ALTERATION."

I HEREBY CERTIFY THAT THIS MAP WAS PREPARED ON MARCH 7, 2008 FROM THE NOTES OF AN INSTRUMENT SURVEY COMPLETED FEBRUARY 6, 2008 IN CONJUNCTION WITH THE NOTES AND REFERENCES LISTED HEREON.
 NO ABSTRACT OF TITLE WAS PROVIDED FOR REVIEW. THEREFORE THIS SURVEY IS SUBJECT TO ANY EASEMENTS OR ENCUMBRANCES THAT AN UPDATED ABSTRACT OF TITLE MAY SHOW.
 By: Jacek M. Szymanski, N.Y.S.P.L.S. No. 50014
 Date: City Surveyor, City of Rochester, New York





Department of Environmental Services
 Bureau of Engineering Services
 Office of Maps & Surveys
 City of Rochester, New York
 FIELD CREW: A. Place, A. Smith, J. Treuthart & M. Mott
 PROJECT SURVEYORS: Michael R. Mott, P.L.S.; Jacek M. Szymanski, P.L.S.

PROJECT TITLE
INSTRUMENT SURVEY and TOPOGRAPHIC MAP of 666 DRIVING PARK AVENUE, BEING PART OF TOWN LOTS 33, 34, 35 & 36 of 20,000 ACRE TRACT TOWNSHIP 1, SHORT RANGE, PHELPS & GORHAM PURCHASE CITY OF ROCHESTER, COUNTY OF MONROE STATE OF NEW YORK

NO.	REVISIONS	DATE	BY	DRAWN BY
				Andrew J. Place
			CHECKED	Jacek M. Szymanski, P.L.S.
			SCALE	1" = 30 FT.
			DATE	March 7, 2008
			NOTES	FB 1895 PG 24
			SECTION, BLOCK, LOT	SBL 90-80-1-3.1
			PROJECT NO.	2007-013

DRAWING TITLE
INSTRUMENT SURVEY and TOPOGRAPHIC MAP of 666 DRIVING PARK AVENUE

DRAWING NO.
 1
 2





PARK AVENUE (66' WIDE)

LAKE VIEW PARK (100' WIDE)


ARGO (60' WIDE)

PAVED AREA

MATCH LINE (SEE SHEET 2 OF 2)



LOCATION SKETCH
CITY OF ROCHESTER
(NOT TO SCALE)



LEGEND:

501	CONTOUR (1.0' INTERVAL)
.....	CONTOUR (0.25' INTERVAL)
WLP	WOODEN LIGHT POLE
MLP	METAL LIGHT POLE
FLP	FIBERGLASS LIGHT POLE
WUP	WOODEN UTILITY POLE
SHRUB	SHRUB
SHRUBROW	SHRUBROW
DECIDUOUS TREE & SIZE	DECIDUOUS TREE & SIZE
DECIDUOUS TREE LINE	DECIDUOUS TREE LINE
CB	RECTANGULAR CATCH BASIN
CB	ROUND CATCH BASIN
HYD	HYDRANT
WV	WATER VALVE
WM	WATER METER
SM	SEWER MANHOLE
TM	TELEPHONE MANHOLE
EH	ELECTRIC HANDHOLE
CH	CITY HANDHOLE
CM	COUNTY HANDHOLE
MW	MONITORING WELL
HR	HANDICAP RAMP
CLF	CHAIN LINK FENCE
RT	RAILROAD TRACK
SC	SCARP

NOTES & REFERENCES:

- ONLY COPIES FROM THE ORIGINAL OF THIS SURVEY MARKED WITH AN ORIGINAL OF THE LAND SURVEYOR'S EMBOSSED SEAL SHALL BE CONSIDERED TO BE VALID TRUE COPIES.
- THIS SURVEY IS PREPARED IN ACCORDANCE WITH THE EXISTING CODE OF PRACTICE FOR LAND SURVEYS ADOPTED BY THE NEW YORK STATE ASSOCIATION OF PROFESSIONAL LAND SURVEYORS AND WITH THE STANDARDS JOINTLY ADOPTED BY THE GENESSEE VALLEY LAND SURVEYORS ASSOCIATION AND THE MONROE COUNTY BAR ASSOCIATION.
- CITY OF ROCHESTER SURVEY MAPPING, DISTRICT 11, MAPS 17, 18, 25-27, & 30-41
- CITY OF ROCHESTER ASSESSMENT MAPPING (SBL NO. 090.64, 090.72, 090.73, 090.80 et al.)
- NO BUILDING OR RE-GRADING IS TO COMMENCE ON THIS SITE WITHOUT AN APPROVED SITE AND GRADING PLAN, APPROVED BY THE CITY ENGINEER, BEING SUBMITTED TO THE CITY OF ROCHESTER AND PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. THIS PLAN MUST BE COMPLETED BY A PROFESSIONAL ENGINEER OR LAND SURVEYOR PRIOR TO ANY BUILDING OR GRADING OF THE EXISTING OR NATURAL DRAINAGE ON THIS SITE.
- DEED CHAINS FROM MAPS & SURVEYS OFFICE ON MICROFICHE, BY SBL SHOWN.
- SUBDIVISIONS AND MAPS:
 - 1) GOULD'S SUBDIVISION LIBER 36 OF MAPS, PAGE 10
 - 2) MAP OF ROCHESTER DRIVING PARK TRACT LIBER 15 OF MAPS, PAGE 33 AMENDED MAP (OF SAME) LIBER 19 OF MAPS, PAGE 8
 - 3) RESUB. OF PART OF ROCHESTER DRIVING PARK TRACT & PART OF GOULD'S SUBDIVISION, 666 DRIVING PARK AVENUE/18-26 ARGO PARK LIBER 224 OF MAPS, PAGE 45
- CITY OF ROCHESTER MAPS & SURVEYS JOB NO. 95-056, 01-025, 06-031, & 07-013
- UNDERGROUND UTILITIES SHOWN HEREON WERE PLOTTED FROM FIELD LOCATION OF UTILITY SURFACE EVIDENCE ONLY. THE LOCATION OF ALL UNDERGROUND UTILITIES SHOULD BE STAKED OUT BY THE RESPECTIVE UTILITY COMPANY PRIOR TO ANY CONSTRUCTION OR EXCAVATION. CRITICAL UTILITY LOCATIONS MUST BE VERIFIED BY EXCAVATION.
- INDENTURE OF EASEMENT BETWEEN THE NEW YORK CENTRAL RAILROAD COMPANY AND THE DEFENDER PHOTO SUPPLY COMPANY, INC. DATED APRIL 21, 1944 AND RECORDED IN THE MONROE COUNTY CLERK'S OFFICE IN LIBER 2183 OF DEEDS, PAGE 33
- AGREEMENT AND RIGHT OF WAY TO ROCHESTER RAILWAY AND LIGHT COMPANY LIBER 799 OF DEEDS, PAGE 552 ET. AL.

HORIZONTAL CONTROL:

THE HORIZONTAL DATUM SHOWN HEREON IS REFERENCED TO THE NEW YORK STATE PLANE COORDINATE SYSTEM, NAD 1983 TRANSVERSE MERCATOR PROJECTION, WESTERN ZONE, THROUGH CONTROL TIES TO THE FOLLOWING MONUMENTATION AND CITY JOB NOS. 06-031 & 07-013:

- "KODAK" TOWER (NO. 106690115) - N 1153155.993 E 1405400.552
- "BAUSCH & LOMB" TOWER (NO. 121320114) - N 1151006.739 E 1409112.815
- MCGS MONUMENT "MT. READ NORTH BASE" (NO. 090380105) - N 1155385.1928 E 1394477.339
- NYGS 665-5R MONUMENT (NO. 104150102) - N 1154449.2089 E 1387921.5468
- NYGS 665-6R MONUMENT (NO. 104150103) - N 1154348.7641 E 1389102.4088
- USC&GS MONUMENT "WREN" (NO. 105240203) - N 1159833.281 E 1398093.680
- USC&GS MONUMENT "SIMMONS" (NO. 105260101) - N 1159872.625 E 1400072.453

VERTICAL CONTROL:

THE VERTICAL DATUM SHOWN HEREON IS REFERENCED TO THE ROCHESTER CITY DATUM THROUGH CONTROL TIES TO THE FOLLOWING MONUMENTS:

- USC&GS "WREN" (NO. 105240203) NE. COR. WREN ST. AND LEXINGTON AVE. ELEVATION = 504.870'
- RTS MONUMENT NO. 0906040101, WEST END OF AUGUSTINE ST. ON SOUTH SIDE. ELEVATION = 483.278'

DRAWING ALTERATION:
THE FOLLOWING IS AN EXCERPT FROM THE NEW YORK EDUCATION LAW ARTICLE 145 SECTION 7209 AND APPLIES TO THIS DRAWING:
IT IS A VIOLATION OF THIS FOR ANY PERSON UNLESS HE IS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER OR LAND SURVEYOR TO ALTER AN ITEM IN ANY WAY IF AN ITEM BEARING THE SEAL OF AN ENGINEER OR LAND SURVEYOR IS ALTERED THE ALTERING ENGINEER OR LAND SURVEYOR SHALL AFFIX TO THE ITEM HIS SEAL AND THE NOTATION "ALTERED BY FOLLOWED BY HIS SIGNATURE AND THE DATE OF SUCH ALTERATION AND A SPECIFIC DESCRIPTION OF THE ALTERATION."

I HEREBY CERTIFY THAT THIS MAP WAS PREPARED ON MARCH 7, 2008 FROM THE NOTES OF AN INSTRUMENT SURVEY COMPLETED FEBRUARY 6, 2008 IN CONJUNCTION WITH THE NOTES AND REFERENCES LISTED HEREON.
NO ABSTRACT OF TITLE WAS PROVIDED FOR REVIEW, THEREFORE THIS SURVEY IS SUBJECT TO ANY EASEMENTS OR ENCUMBRANCES THAT AN UPDATED ABSTRACT OF TITLE MAY SHOW.

By: Jacek M. Szymanski Date: N.Y.S.P.L.S. NO. 50014
City Surveyor, City of Rochester, New York

-THE PERIMETER AND TIES TO CONTROL MONUMENTS WERE ACCOMPLISHED USING PROCEDURES NECESSARY TO ACHIEVE AN ACCURACY OF ONE PART IN TEN THOUSAND (1/10000) OR BETTER.
-COORDINATES SHOWN HEREON ARE AT GRID, DISTANCES ARE AT GROUND.
-COMBINED FACTOR (SEA LEVEL & SCALE FACTOR) = 0.99998719
-GROUND DISTANCES X COMBINED FACTOR = GRID DISTANCE.



Department of Environmental Services
Bureau of Engineering Services
City of Mops & Surveys
City of Rochester, New York

PROJECT TITLE
INSTRUMENT SURVEY and TOPOGRAPHIC MAP of 666 DRIVING PARK AVENUE, BEING PART OF TOWN LOTS 33, 34, 35 & 36 of 20,000 ACRE TRACT TOWNSHIP 1, SHORT RANGE, PHELPS & GORHAM PURCHASE CITY OF ROCHESTER, COUNTY OF MONROE STATE OF NEW YORK

NO.	REVISIONS	DATE	BY	DRAWN BY
	CHECKED			Andrew J. Place
	JACEK M. SZYMANSKI, P.L.S.			
	SCALE			1" = 30 FT.
	DATE	March 7, 2008		
	NOTES	FB 1895 PG 24		
	SECTION, BLOCK, LOT	SBL 90.80-1-3.1		
	PROJECT NO.	2007-013		

DRAWING TITLE
INSTRUMENT SURVEY and TOPOGRAPHIC MAP of 666 DRIVING PARK AVENUE

DRAWING NO.
2

Appendix C

Previous Investigation Results

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restric. Resid.	Prot. Of GW	A-5A	A-6A	B-1A	B-5A	B-6A	C-5A	D-1A	D-2A	D-3A	D-4A	D-5A	E-1A	E-2A
			6	6.5	5	7	5	7.5	6.5	5.5	4	3	4	6.5	6
			9.7	9.6	7.9	11.8	9.7	9	7.5	6.5	5.5	4	5	7.7	7
ACENAPHTHENE	100000	98000	<47	<47	<44	<47	150. J	45. J	74. J	<240	110. J	<44	<44	<45	<46
ACENAPHTHYLENE	100000	107000	<47	<47	<44	<47	<45	<45	<52	<240	<44	<44	<44	<45	<46
ANTHRACENE	100000	1000000	8.6	<0.71	2.8 J	0.77 J	6	6.6	7.3	45	9.1	1.1 J	2.3 J	1.8 J	1.4 J
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	3.9 J	<1.2	7 J	<1.2	11	20	25	110	11	2.5 J	5.9 J	3.1 J	1.9 J
BENZO(A)PYRENE ⁽¹⁾	1000	22000	3.8 J	<2.4	8.9 J	<2.3	11. J	23	<2.6	120	12. J	3.1 J	6.4 J	3.1 J	2.4 J
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	4.0 J	<3.5	8.8 J	<3.5	9.5 J	22	29	88	13. J	4.5 J	7.6 J	<15	3.7 J
BENZO(G,H,I)PERYLENE	100000	1000000	8.3 J	<3.5	18	4.3 J	16	39	66	140	20	5.3 J	9.8 J	8.9 J	6.0 J
BENZO(K)FLUORANTHENE	3900	1700	1.9 J	<1.2	4.0 J	<1.2	5.1 J	11	17	54	6.6 J	1.8 J	3.1 J	2.2 J	<1.1
CHRYSENE ⁽¹⁾	3900	1000	4.4 J	<2.4	6.8 J	<2.3	12. J	24	28	98	17	6.0 J	13. J	<22	4.8 J
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	<1.2	<1.2	2.7 J	<1.2	1.7 J	3.1 J	<1.3	15 J	2.2 J	<1.1	<1.1	<1.1	<1.1
FLUORANTHENE	100000	1000000	13	<1.2	20	2.8 J	27	52	63	290	49	9.9	14	6.7	5.3 J
FLUORENE	100000	386000	<4.7	<4.7	<4.4	<4.7	<4.5	<4.5	26. J	26. J	17. J	<4.4	<4.4	<4.5	<4.6
INDENO(1,2,3-CD)PYRENE	500	8200	4.1 J	<3.5	9.9 J	<3.5	9.3 J	22	39	96	10. J	<3.3	5.4 J	4.1 J	<3.4
NAPHTHALENE	100000	12000	<55	<55	<52	<55	<53	<53	<61	<270	<51	<51	<52	<53	<54
M-CRESOL	100	330													
O-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100	330													
PENTACHLOROPHENOL	6700	800	---	---	---	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE	100000	1000000	6.9 J	2 J	14. J	2.9 J	21	29	46	160	34	9.2 J	12. J	9.8 J	7.8 J
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
PYRENE	100000	1000000	56	<3.5	24. J	6.2 J	34	62	71	290	40	10. J	16. J	11. J	5 J

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restrict. Resid.	Prot. Of GW	E-4A	F-1A	F-2C	F-3A	F-4A	G-1A	G-3A	G-4A	G-5A	G-6A	H-4A	H-5A
			4.8	6	6.5	6.5	5	8	6.5	6.5	6.2	5.2	6.2	5.2
			5.3	6.2	7.9	7.8	7	8.2	7	7.2	6.9	6	7.3	6.2
ACENAPHTHENE	100000	98000	68. J	51. J	67. J	<45	14000	<47	67. J	<43	240. J	<44	<42	<43
ACENAPHTHYLENE	100000	107000	<43	<45	<45	<45	49. J	<47	<44	<43	<43	<44	<42	<43
ANTHRACENE	100000	1000000	1.0 J	0.87 J	0.73 J	0.93 J	54	<0.7	<0.66	0.74 J	11	<0.65	0.68 J	<0.65
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	<1.1	<1.1	1.7 J	<1.1	88	<1.2	<1.1	<1.1 J	28	1.9 J	<1.1	<1.1
BENZO(A)PYRENE ⁽¹⁾	1000	22000	<2.1	<2.2	<2.3	<2.3	100	<2.3	<2.2	<2.1	31	<2.2	<2.1	<2.2
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	3.3 J	<3.4	5.4 J	4.8 J	110	<3.5	<3.3	5 J	26	<3.3	4.2 J	<3.2
BENZO(G,H,I)PERYLENE	100000	1000000	3.3 J	<3.4	5.8 J	5.2 J	210	4.8 J	3.9 J	4.5 J	36	4.5 J	3.5 J	<3.2
BENZO(K)FLUORANTHENE	3900	1700	<1.1	<1.1	<1.1	<1.1	59	<1.2	<1.1	<1.1	14	<1.1	<1.1	<1.1
CHRYSENE ⁽¹⁾	3900	1000	13. J	<2.2	12. J	<23	110	3.1 J	6.4 J	16	36	4.9 J	<16	4.6 J
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	<1.1	<1.1	<1.1	<1.1	19	<1.2	<1.1	<1.1	5.4	<1.1	<1.1	<1.1
FLUORANTHENE	100000	1000000	1.8 J	3.8 J	3.9 J	3.2 J	280	<1.2	1.6 J	1.9 J	65	3.9 J	2.4 J	<1.1
FLUORENE	100000	386000	4.8 J	<4.5	<4.5	<4.5	5.3 J	<4.7	<4.4	<4.3	5.3 J	<4.4	<4.2	<4.3
INDENO(1,2,3-CD)PYRENE	500	8200	<3.2	<3.4	<3.4	<3.4	110	<3.5	<3.3	<3.2	24	<3.3	<3.2	<3.2
NAPHTHALENE	100000	12000	<50	<53	<53	<53	58. J	<55	<51	<50	<51	<51	<50	<51
M-CRESOL	100	330												
O-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100	330												
PENTACHLOROPHENOL	6700	800	---	---	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE	100000	1000000	11. J	3.7 J	6.2 J	5.1 J	110	2.8 J	3.8 J	8.6 J	44	3.9 J	6.2 J	3.8 J
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
PYRENE	100000	1000000	<3.2	4.5 J	8.0 J	7.8 J	310	<3.5	<3.3	<3.2	77	5.3 J	5.1 J	<3.2

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restrict. Resid.	Prot. Of GW	H-6A	I-1A	I-5A	I-6B	J-1A	J-4A	J-5A	K-5A	K-6A	L-3A	L-5A	M-4A	
			4.8	6.2	4.2	5.5	5.5	4.6	3	2	2	3	3	3	3
			6	7.5	6	6.1	6.5	6.1	4.5	6	2.8	5.5	4.5	6	
ACENAPHTHENE	100000	98000	56. J	<44	59. J	<43	<46	82. J	<43	<52	52 J	78 J	71 J	76 J	
ACENAPHTHYLENE	100000	107000	<43	<44	<45	<43	<46	<44	<43	<52	<43	<45	<44	<43	
ANTHRACENE	100000	1000000	2.2 J	<0.66	2.3 J	<0.64	0.97 J	74	4.5 J	3.3 J	8.2	9.2	8.9	11	
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	5.8 J	<1.1	4.9 J	<1.1	2.4 J	96	7.2 J	4.1 J	23	24	17	21	
BENZO(A)PYRENE ⁽¹⁾	1000	22000	3.9 J	<2.2	4.3 J	<2.1	2.6 J	100	6.0 J	4.5 J	31	25	16	20	
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	7.1 J	3.3 J	5.3 J	<3.2	<3.5	73	6.4 J	4.1 J	30	22	15	18	
BENZO(G,H,I)PERYLENE	100000	1000000	5.0 J	<3.3	6.6 J	<3.2	4.2 J	110	7.3 J	6.5 J	51	37	23	27	
BENZO(K)FLUORANTHENE	3900	1700	2.6 J	<1.1	2.5 J	<1.1	<1.2	44	3.5 J	1.9 J	15	12	8.3	10	
CHRYSENE ⁽¹⁾	3900	1000	12. J	7.5 J	5.9 J	4.7 J	2.4 J	100	11. J	4.6 J	31	25	18	21	
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	<1.1	<1.1	<1.1	<1.1	<1.2	23	<1.1	<1.7	4.9 J	6.4	3.4 J	4.1 J	
FLUORANTHENE	100000	1000000	14	1.8 J	12	<1.1	6.2	240	16	11	63	51	42	50	
FLUORENE	100000	386000	<4.3	<4.4	<4.5	<4.3	<4.6	78	<4.3	<5.2	<4.3	4.6 J	8.9 J	8.7 J	
INDENO(1,2,3-CD)PYRENE	500	8200	<3.2	<3.3	4.0 J	<3.2	<3.5	74	5.3 J	5.4 J	28	25	17	18	
NAPHTHALENE	100000	12000	<50	<52	<52	<50	<55	79. J	<50	<60	<50	<52	<51	<50	
M-CRESOL	100	330													
O-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	
P-CRESOL	100	330													
PENTACHLOROPHENOL	6700	800	---	---	---	---	---	---	---	---	---	---	---	---	
PHENANTHRENE	100000	1000000	14	6.4 J	10. J	4.8 J	4.5 J	270	19	12 J	35	30	34	41	
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	
PYRENE	100000	1000000	15. J	4.1 J	13. J	<3.2	6.9 J	300	22. J	11 J	68	59	37	46	

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restrict. Resid.	Prot. Of GW	M-5A	M-6A	SB-1	SB-2	SB-2A	SB-3		SB-4	SB-5	SB-6	SB-7
			3	1.5	4	2	5	0	2	0	2	2	2
			8	4.5	6	4	6	2	4	2	4	4	4
ACENAPHTHENE	100000	98000	53 J	54 J	340. J	<39	<43	<37	<45	<38	<38	<40	<41
ACENAPHTHYLENE	100000	107000	<44	<43	<37	<39	<43	250. J	<45	<38	<38	<40	<41
ANTHRACENE	100000	1000000	6.3	11	930	64. J	0.72 J	210. J	<45	<38	<38	<40	<41
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	12	26	1200	130. J	<1.1	760	<45	53. J	<38	<40	<41
BENZO(A)PYRENE ⁽¹⁾	1000	22000	16	30	980	120 J	<2.2	590	<45	57. J	<38	<40	<41
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	15 J	27	1200	160. J	<3.3	790	<45	75. J	<38	<40	<41
BENZO(G,H,I)PERYLENE	100000	1000000	31	43	560	73. J	5.3 J	430	<45	<38	<38	<40	<41
BENZO(K)FLUORANTHENE	3900	1700	7.5	14	540	74. J	<1.1	350. J	<45	<38	<38	<40	<41
CHRYSENE ⁽¹⁾	3900	1000	15	30	1100	140. J	3.7 J	810	<45	60. J	<38	<40	<41
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	7	12	200 J	<39	<1.1	140. J	<45	<38	<38	<40	<41
FLUORANTHENE	100000	1000000	30	61	2600	270. J	2.7 J	1300	<45	130. J	75. J	<40	<41
FLUORENE	100000	386000	<4.4	<4.3	470	<39	<4.3	78. J	<45	<38	<38	<40	<41
INDENO(1,2,3-CD)PYRENE	500	8200	18	26	650	80. J	<3.3	460	<45	<38	<38	<40	<41
NAPHTHALENE	100000	12000	<51	<51	220. J	<39	<51	49. J	<45	<38	<38	<40	<41
M-CRESOL	100	330											
O-CRESOL	100000	330	---	---	<37	<39	---	<37	<45	<38	<38	<40	<41
P-CRESOL	100	330											
PENTACHLOROPHENOL	6700	800	---	---	<190	<200	---	<190	<230	<200	<190	<210	<210
PHENANTHRENE	100000	1000000	26	46	3300	260. J	4.2 J	1200	<45	69. J	64. J	<40	<41
PHENOL ⁽¹⁾	100000	330	---	---	<74	<79	---	<74	<92	<78	<77	<81	<83
PYRENE	100000	1000000	38	68	2400	280. J	4.2 J	1500	<45	120. J	61. J	<40	<41

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restrict. Resid.	Prot. Of GW	SB-8	SB-9	SB-16A	SB-16B	SB-17	SB-18	SB-19	SB-20	SB-21A	SB-21B	SB-22	SB-23
			2	2	9	6	5.5	0.5	6	4	5	5	2.2	3
			4	4	15.2	8	8	8	9	6	9	7	5	4.5
ACENAPHTHENE	100000	98000	<39	<37	64 J	<330	62 J	<48	54 J	<53	<47	<57	<46	49 J
ACENAPHTHYLENE	100000	107000	<39	<37	<45	<50	<47	<48	<47	<53	<47	<57	<46	<47
ANTHRACENE	100000	1000000	<39	<37	8.3	5 J	3.9 J	2.5 J	0.83 J	43	<0.71	<0.86	<0.69	<0.7
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	<39	120. J	13	7.6 J	6.1 J	7.1 J	<1.6	62	7 J	<1.9	<1.5	1.6 J
BENZO(A)PYRENE ⁽¹⁾	1000	22000	<39	150 J	9.2 J	7.2 J	6.2 J	8.4 J	<2.4	75	9 J	<2.9	<2.3	2.7 J
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	<39	220. J	10 J	5.9 J	6.4 J	7.3 J	<3.2	64	10 J	4.2 J	<3	3.5 J
BENZO(G,H,I)PERYLENE	100000	1000000	<39	91. J	12 J	9.2 J	11 J	14 J	6 J	120	18	9.6 J	4.4 J	6.7 J
BENZO(K)FLUORANTHENE	3900	1700	<39	93. J	5 J	3.4 J	3.5 J	4.1 J	<1.6	34	5.1 J	<1.9	<1.5	<1.6
CHRYSENE ⁽¹⁾	3900	1000	<39	180. J	16	8 J	7.8 J	8.2 J	3.1 J	70	9.9 J	<2.9	<2.3	5.8 J
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	<39	<37	<1.5	<1.7	2.1 J	1.9 J	<1.6	9.5	1.6 J	<1.9	<1.5	1.7 J
FLUORANTHENE	100000	1000000	<39	330. J	48	21	23	20	4.6 J	140	23 J	6.7 J	2.4 J	8.5
FLUORENE	100000	386000	<39	<37	<30	<5	5.8 J	<4.8	<4.7	27 J	<4.7	<5.7	<4.6	<4.7
INDENO(1,2,3-CD)PYRENE	500	8200	<39	110. J	5 J	5.2 J	8.8 J	9.6 J	3.2 J	68	10 J	14 J	<3	7.1 J
NAPHTHALENE	100000	12000	<39	<37	<53	<58	<55	<56	<55	<62	<55	<67	<53	<54
M-CRESOL	100	330												
O-CRESOL	100000	330	<39	<37	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100	330												
PENTACHLOROPHENOL	6700	800	<200	<190	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE	100000	1000000	<39	170. J	11 J	20	10 J	11 J	4 J	77	9.3 J	2.8 J	3.5 J	7.7 J
PHENOL ⁽¹⁾	100000	330	<79	<75	---	---	---	---	---	---	---	---	---	---
PYRENE	100000	1000000	<39	300. J	47	19 J	22 J	20 J	6.4 J	160	25 J	7.4 J	4.3 J	8.9 J

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C1
Native Soil Sample SVOC Concentrations vs. 375-6.8(a) and (b)
Rochester Driving Park

Boring Top (ft) Bottom (ft)	Restric. Resid.	Prot. Of GW	SB-24	SB-25	SB-26
			5.5	6	5
			7.5	8	7
ACENAPHTHENE	100000	98000	<45	120 J	<46
ACENAPHTHYLENE	100000	107000	<45	<49	<46
ANTHRACENE	100000	1000000	31	15	3.2 J
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	39	35	14
BENZO(A)PYRENE ⁽¹⁾	1000	22000	40	35	14 J
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	31	29	13 J
BENZO(G,H,I)PERYLENE	100000	1000000	52	45	20
BENZO(K)FLUORANTHENE	3900	1700	17	16	6.4 J
CHRYSENE ⁽¹⁾	3900	1000	36	35	15 J
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	4.2 J	5.5 J	2 J
FLUORANTHENE	100000	1000000	110	80	29
FLUORENE	100000	386000	16 J	8.9 J	9.1 J
INDENO(1,2,3-CD)PYRENE	500	8200	33	30	12 J
NAPHTHALENE	100000	12000	<52	<57	<54
M-CRESOL	100	330			
O-CRESOL	100000	330	---	---	---
P-CRESOL	100	330			
PENTACHLOROPHENOL	6700	800	---	---	---
PHENANTHRENE	100000	1000000	110	55	14 J
PHENOL ⁽¹⁾	100000	330	---	---	---
PYRENE	100000	1000000	110	80	33

All units are ug/kg.

J: Estimated Concentration

<#: Not Detected at Stated Detection Limit

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	A-1B			C-1A	C-6B		D-6A	E-3A		E-5A	E-5B		
			0.5	3.5	7.5	3	0.5	2.5	5	7	8	1	1	3.5	6
			3.5	7.5	11.3	4	2.5	4.5	6.7	8	9	8.5	3.5	6	8.5
ACENAPHTHENE ⁽¹⁾	100000	98000	2500 J	<470	<440	49 J	20000	6500 J	14000	4600	63000	27000	28000	21000	36000
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<2400	<470	<440	<46	<2200	<2300	520. J	---	<220	2300 J	<2300	<2200	2900 J
ANTHRACENE ⁽¹⁾	100000	1000000	110 J	<7	20 J	1.1 J	9800	2300	4900	1100	81	12000	10000	9400	19000
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	230 J	28 J	59 J	<1.2	18000	4000	5900	120 J	70	23000	26000	18000	22000
BENZO(A)PYRENE ⁽¹⁾	1000	22000	200 J	37 J	75 J	<2.3	18000	3900	5200	76 J	75	20000	22000	14000	15000
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	160 J	35 J	66 J	<3.5	13000	2800	4000	97 J	69 J	16000	17000	11000	12000
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	240 J	65 J	120 J	<3.5	21000	4700	5400	<39	98	19000	23000	14000	12000
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	96 J	19 J	37 J	<1.2	8300	1800	2400	<39	34 J	9700	11000	6900	7600
CHRYSENE ⁽¹⁾	3900	1000	220 J	31 J	67 J	<12	17000	3600	5400	150 J	75	22000	23000	16000	20000
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	<80	<16	<15	<1.2	2900	660	960	<39	8.6 J	3200	3500	2400	2800
FLUORANTHENE ⁽¹⁾	100000	1000000	620	62 J	170	<1.2	44000	9700	15000	590	200	60000	66000	45000	59000
FLUORENE ⁽¹⁾	100000	386000	<240	<47	<44	<4.6	4300	1200 J	3200	4500	140	6300	4900	5600	15000
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	<160	50 J	74 J	<3.5	14000	3600	4100	<39	58 J	14000	16000	9600	9100
NAPHTHALENE ⁽¹⁾	100000	12000	<2800	<540	<520	<54	2600 J	<2700	3100 J	<39	<250	5000	3300 J	3500 J	8700 J
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE ⁽¹⁾	100000	1000000	500 J	34 J	100 J	3.6 J	33000	8200	17000	9500	160	46000	42000	35000	69000
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---
PYRENE ⁽¹⁾	100000	1000000	520 J	76 J	170 J	<3.5	45000	9500	16000	490	<330	66000	54000	39000	51000

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	E-6B		F-3B	F-5B			F-6A	G-2B		H-1B	
			1	4	7.5	1	3	6	7	0.5	3.5	0.5	3.5
			4	7	9	3	6	9.7	10.1	3.5	7	3.5	6.7
ACENAPHTHENE ⁽¹⁾	100000	98000	4900 J	2600 J	17000 J	9300 J	47000	71000	570 J	5000 J	5100 J	2500 J	<2500
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<2200	200 J	<4400	<2200	<2500	3400 J	<220	<2300	<2300	<2400	<2500
ANTHRACENE ⁽¹⁾	100000	1000000	1500	1500 J	7600	4100 J	22000	40000	230	1100	1200	230 J	98 J
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	*2600	2300 J	13000	6900	37000	58000	430	3500	3000	1200	340 J
BENZO(A)PYRENE ⁽¹⁾	1000	22000	*2300	2100 J	9900	7000	27000	41000	420	3300	2900	1400	450 J
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	*1700	1600 J	8500	5000	22000	33000	330	2900	2300	1000	320 J
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	2000	2300 J	8900	7700	27000	38000	450	4100	3400	1800	660 J
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	1100	1000 J	5300	3100	14000	21000	200	1700	1400	590	190 J
CHRYSENE ⁽¹⁾	3900	1000	*2400	2200 J	11000	6300	34000	51000	380	3500	3000	1300	380 J
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	*260 J	350 J	800	1000	4000	6800	64	430	360	130 J	<84
FLUORANTHENE ⁽¹⁾	100000	1000000	6700	5900 J	37000	17000	98000	150000	970	8500	7200	2800	640
FLUORENE ⁽¹⁾	100000	386000	820 J	710 J	2200 J	2100	10000	21000	120 J	440 J	730 J	<240	<250
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	1500	1600 J	5000	5400	19000	27000	320	2800	2600	970	370 J
NAPHTHALENE ⁽¹⁾	100000	12000	<2500	550 J	<5100	<2600	6000 J	11000 J	<250	<2700	<2700	<2800	<2900
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE ⁽¹⁾	100000	1000000	5500	5100 J	30000	14000	82000	140000	740	4700	4300	1200	390 J
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---
PYRENE ⁽¹⁾	100000	1000000	6600	5300 J	30000	16000	90000	140000	1100	7700	6600	2900	620 J

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	H-2B		H-3B		I-2B	I-3B		I-4A	I-4B	
			0.5	3.5	0.5	3.5	0.5	0.5	3.5	5.2	0.5	3.5
			3.5	6.7	3.5	6.7	3.5	3.5	6.8	6.6	3.5	6.6
ACENAPHTHENE ⁽¹⁾	100000	98000	7600 J	6600 J	<8400 R	<850	<9000	<19000	1000 J	280 J	<45000	<2500
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<2500	<2100	<8400 R	<850	<9000	<19000	<930 J	<47	<45000	<2500
ANTHRACENE ⁽¹⁾	100000	1000000	2100	2500	<130 R	<13	2700	2400 J	210	11	33000	1100
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	6900	4300	<280 R	53 J	7100	7300	670	21	42000	1300
BENZO(A)PYRENE ⁽¹⁾	1000	22000	6300	4000	<420	77 J	7900	8100	770	22	40000	1200
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	4900	3100	<560	69 J	5700	6300 J	590	16	27000	850
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	7600	4700	<560 R	130 J	9900	11000	990	22	41000	1200
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	2900	1900	<280	36 J	3300	3600	340	9.7	17000	530
CHRYSENE ⁽¹⁾	3900	1000	6600	4200	<420 R	52 J	6200	6900	660	21	35000	1100
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	660	790	<280 R	<28	1200	1300 J	110 J	4.3 J	9500	260 J
FLUORANTHENE ⁽¹⁾	100000	1000000	16000	11000	<280 R	130	15000	16000	1500	49	97000	3100
FLUORENE ⁽¹⁾	100000	386000	680 J	1900	<840 R	<85	1700 J	2700 J	150 J	7.5 J	32000	1300 J
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	5000	2900	<560 R	82 J	6600	7200	590	15 J	31000	870
NAPHTHALENE ⁽¹⁾	100000	12000	<2900	<2500	<9800 R	<990	<10000	<22000	<1100 J	<56	<52000	<2900
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE ⁽¹⁾	100000	1000000	8300	9800	<280 R	57 J	8600	9900	960	37	110000	3700
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---
PYRENE ⁽¹⁾	100000	1000000	14000	9400	<700 R	140 J	17000	16000	1700	58	*100000	3300

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	J-2B		J-3B		J-6B	K-1A	K-1B		K-3A			K-5A
			0.5	3	0.5	2.5	0	0	0.5	2.5	0.2	3.2	6.2	0
			3	5.5	2.5	5.1	3.5	6	2.5	4.5	3.2	6.2	9.2	0.6
ACENAPHTHENE ⁽¹⁾	100000	98000	<44000	5400 J	35000 J	13000 J	<840	2300 J	<2100	4000 J	<47000	<46000	73000 J	<460
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<44000	<2100	<18000	<8900	<840	<440	<2100	<2200	<47000	<46000	<46000	<460
ANTHRACENE ⁽¹⁾	100000	1000000	25000 J	3300	9400	4900	62 J	710 J	220 J	1000	9100	9700	33000	200
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	43000 J	6800	16000	11000	210	2100 J	980	2700	20000	18000	62000	350
BENZO(A)PYRENE ⁽¹⁾	1000	22000	42000	6600	15000	12000	260 J	2200 J	*1200	2300	20000	19000	62000	370
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	31000	5100	11000	8700	210 J	1800 J	910	1900	15000 J	14000 J	47000	290
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	49000	7900	17000	15000	350	2900 J	1600	2300	24000	22000	71000	480
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	19000	3100	6900	5200	120 J	1100 J	530	1100	9200	8300	28000	170
CHRYSENE ⁽¹⁾	3900	1000	40000	6300	15000	10000	200 J	2200 J	1100	2700	18000	16000	56000	330
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	6600	960	2700	1800	66 J	330 J	160 J	320	2800 J	3500 J	14000	75
FLUORANTHENE ⁽¹⁾	100000	1000000	110000	16000	45000	25000	510	4900 J	2200	7300	47000	39000	140000	840
FLUORENE ⁽¹⁾	100000	386000	14000 J	1700	4400 J	2000 J	<84	170 J	<210	560 J	4700 J	<4600	17000 J	95 J
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	31000	5200	14000	10000	270 J	2100 J	950	1500	16000	16000	50000	320
NAPHTHALENE ⁽¹⁾	100000	12000	<52000	<2500	<20000	<10000	<980	<520	<2500	<2600	<54000	<54000	<53000	<540
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	---	---	---	---	---	---
PHENANTHRENE ⁽¹⁾	100000	1000000	93000 J	13000	36000	17000	280 J	2700 J	1000	5300	35000	31000	100000	660
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	---	---	---	---	---
PYRENE ⁽¹⁾	100000	1000000	110000	17000	43000	27000	550 J	5200 J	2100	6200	47000	43000	150000	830

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	L-4A			L-6A	M-1A	M-3A	SB-01	SB-02	SB-07	SB-08	SB-09	SB-16A	SB-16B	
			0.5	4	8	1.5	0.5	0.5	2	0	0	0	0	0.5	0.5	3
			4	8	10.2	2.4	5.2	5	4	2	2	2	2	8	3	5
ACENAPHTHENE ⁽¹⁾	100000	98000	14000	120000	32000	<42	18000 J	26000	21000	2900	<350	<36	<39	32000	7700 J	69000
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<440	<440	<490	<42	<440	<450	<980	52 J	<350	<36	<39	<2300	<2300	85000
ANTHRACENE ⁽¹⁾	100000	1000000	7100	78000	14000	4.6 J	7500 J	8200	46000	5800	940 J	43 J	<39	18000 J	3100	120000
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	11000	80000	16000	6.6 J	13000 J	16000	73000	13000	4300	130 J	<39	20000 J	5500	89000
BENZO(A)PYRENE ⁽¹⁾	1000	22000	8600	55000	12000	5.9 J	10000 J	14000	56000	11000	4700	150 J	<39	13000	4800	57000
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	7300	48000	10000	7.1 J	8600 J	12000	70000	15000	6300	210 J	<39	12000	4000	44000
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	9200	54000	12000	8.7 J	10000 J	16000	35000	6600	3100 J	130 J	<39	14000 J	5200	46000
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	4600	31000	6300	3.5 J	5300 J	7400	29000	6000	2500 J	76 J	<39	7200	2400	28000
CHRYSENE ⁽¹⁾	3900	1000	9700	69000	14000	9.1 J	12000 J	14000	67000	12000	5000	150 J	<39	19000 J	5300	77000
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	1800	12000	2800	4 J	2000 J	2900	12000	2100	970 J	<36	<39	2100 J	680	12000
FLUORANTHENE ⁽¹⁾	100000	1000000	28000	220000	42000	18	36000 J	39000	150000	25000	11000	260 J	48. J	80000 J	14000	290000
FLUORENE ⁽¹⁾	100000	386000	3600	56000	12000	<4.2	2700 J	5300	21000	2800	400 J	<36	<39	4900 J	2300	170000
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	7300	47000	9300	7.5 J	7900	13000	40000	7500	3500 J	130 J	<39	9700 J	3400	36000 J
NAPHTHALENE ⁽¹⁾	100000	12000	<520	<520	4100	<49	<520 J	<530	8400 J	640	<350	<36	<39	4000 J	<2700	300000
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---	---
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	<980	72 J	<350	<36	<39	---	---	---
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	---	---
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	<4900	<200	<1800	<190	<200	---	---	---
PHENANTHRENE ⁽¹⁾	100000	1000000	20000	240000	45000	23	25000 J	28000	170000	23000	7000	160 J	<39	19000 J	11000	460000
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	<2000	440	<720	<73	<78	---	---	---
PYRENE ⁽¹⁾	100000	1000000	24000	190000	36000	19 J	31000 J	35000	140000	23000	11000	270 J	42 J	74000 J	15000	240000

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C2
Fill Sample SVOC Concentrations vs. 375-6.8(b)
Rochester Driving Park

results converted to PPB from PPM

Boring Top (ft) Bottom (ft)	Rest. Resid	Prot. Of GW	SB-17	SB-18	SB-19	SB-20	SB-24	SB-25	SB-26	TP-01A	TP-02A	TP-02B	TP-03		
			0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	4	4	4	0	2
			4.5	4	4	3	4	4	4	4	5	5	5	2	4
ACENAPHTHENE ⁽¹⁾	100000	98000	4100 J	7800 J	<2700	3100 J	67000	28000 J	60000	99 J	3700 J	<37	2300 J	9400 J	
ACENAPHTHYLENE ⁽¹⁾	100000	107000	<2300	<2600	<2700	<930	<9700	<9700	<3900	<39	<380	<37	<360	<960	
ANTHRACENE ⁽¹⁾	100000	1000000	1700	3400	820	1400	42000	11000	26000	220 J	7400	<37	3600 J	17000	
BENZO(A)ANTHRACENE ⁽¹⁾	1000	1000	2400	3000	1400	3000	50000	26000	58000	870	19000	<37	7600	30000	
BENZO(A)PYRENE ⁽¹⁾	1000	22000	2700	2200	1400	3200	52000	27000	15000	830	17000	<37	7000	28000	
BENZO(B)FLUORANTHENE ⁽¹⁾	1000	1700	1900	1900	1000	2200	33000	18000	37000	1000	22000	<37	9300	34000	
BENZO(G,H,I)PERYLENE ⁽¹⁾	100000	1000000	3400	1800	1300	3200	55000	26000	52000	660	12000	<37	4700	18000	
BENZO(K)FLUORANTHENE ⁽¹⁾	3900	1700	1100	1100	610	1300	21000	12000	24000	450	9100	<37	3400 J	14000	
CHRYSENE ⁽¹⁾	3900	1000	2200	2900	1400	2500	43000	23000	51000	920	19000	<37	7400	29000	
DIBENZO(A,H)ANTHRACENE ⁽¹⁾	330	1000000	440	240 J	240 J	440	6400	6600	8500	220 J	4100	<37	1500 J	5100 J	
FLUORANTHENE ⁽¹⁾	100000	1000000	6300	11000	3800	6600	140000	63000	140000	1500	36000	<37	15000	70000	
FLUORENE ⁽¹⁾	100000	386000	1500 J	3500	520 J	560 J	20000	5300 J	13000	70 J	3600 J	<37	1900 J	8200 J	
INDENO(1,2,3-CD)PYRENE ⁽¹⁾	500	8200	2300	1300	930	2300	650	23000	38000	720	13000	<37	5300	20000	
NAPHTHALENE ⁽¹⁾	100000	12000	3100 J	<3100	<3200	<1100	<11000	<11000	<4500	<39	890 J	<37	560 J	1700 J	
M-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	
O-CRESOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	<39	<380	<37	<360	<960	
P-CRESOL	100000	330	---	---	---	---	---	---	---	---	---	---	---	---	
PENTACHLOROPHENOL ⁽¹⁾	6700	800	---	---	---	---	---	---	---	<200	<2000	<190	<1900	<4800	
PHENANTHRENE ⁽¹⁾	100000	1000000	6600	14000	2800	5100	140000	40000	90000	860	31000	<37	13000	68000	
PHENOL ⁽¹⁾	100000	330	---	---	---	---	---	---	---	<80	<780	<76	<730	<2000	
PYRENE ⁽¹⁾	100000	1000000	7100	11000	4300	6900	140000	60000	130000	1600	36000	<37	15000	64000	

All units are ug/kg.

J: Estimated Concentration

R: Rejected, Data not used for evaluation

<#: Not Detected at stated detection limit

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	A-1B			C-1A	C-6B		D-1A	D-6A	E-3A	E-5A	E-5B			E-6B	
			9/12/03			11/4/02	9/11/03		11/4/02	11/4/02	11/5/02	11/5/02	9/12/03			9/11/03	
			0.5	3.5	7.5	3	0.5	2.5	1	5	8	1	1	3.5	6	8.5	1
			3.5	7.5	11.3	4	2.5	4.5	6	6.7	9	8.5	3.5	6	8.5	4	7
ARSENIC	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	0.422 J	0.0979 J	0.201 J	0.36	0.116 J	<0.0615	213 J	0.34	4.1	1.6	6.43	1.05	2.88	1.74	0.143 J
CHROMIUM ⁽¹⁾	180*	NS	14.1	6.13	9.07	8 J	18.7 J	32.1 J	15.6	18.1 J	9.7 J	18.7 J	15.8	23.8	27.6	13.6 J	13.1 J
CHROMIUM, HEX	110	NS	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
COPPER ⁽¹⁾	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LEAD	400	450	15.3 J	3.19 J	8.11 J	21.4	9.65 J	7.85 J	128 J	8.3	33	44.9	50.9 J	33.5 J	167 J	52.3 J	20.6 J
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.0369 J	<0.0032	0.0062 J	<0.012 J	0.0247 U	<0.0031	0.082 J	0.024 U	0.032 U	0.09 J	0.0513 J	0.0633 J	0.44	0.0842 J	0.0375 U
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SILVER	180	8.3	9.42 J	0.305 J	<0.166	0.14 J	0.831 J	<0.854	317 J	0.93 J	29.8	20.8	34.3 J	5.89 J	5.25 J	26.5	12.7
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

-- Not Sampled for constituent

All units are mg/kg. * CHROMIUM, TRIVALENT

J: Estimated Concentration

U: Result considered ND

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	F-3B	F-5B			F-6A	G-2B			G-5A	H-1A		H-2B		H-3B		H-5A	
			11/5/02	9/12/03			11/5/02	9/12/03			11/6/02	9/12/03		9/12/03		9/12/03		11/6/02	
			7.5	1	3	6	7	0.5	3.5	0.5	0.5	3.5	0.5	3.5	0.5	3.5	0.5	3.5	0.5
			9	3	6	9.7	10.1	3.5	7	6	3.5	6.7	3.5	6.7	3.5	6.7	3.5	6.7	5
ARSENIC	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
CADMIUM ⁽¹⁾	4.3	7.5	0.38	1.09	0.997	2.86	0.36	1.77	0.738	11.9 J	2.39	0.687	0.347 J	0.419 J	0.143 U	0.19 U	2.3 J		
CHROMIUM ⁽¹⁾	180 [†]	NS	10 J	19.6	18.9	15.8	11.9 J	21.9	9.43	12.3	16.8	16.3	14.9	12.8	5.14	5.73	20		
CHROMIUM, HEX	110	NS	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
COPPER ⁽¹⁾	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LEAD	400	450	11.8	42.5 J	22.4 J	23.7 J	9.5	35.4 J	11.2 J	16.9 J	90.4 J	193 J	31.8 J	663 J	3.98 J	13	26 J		
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
MERCURY ⁽¹⁾	0.81	0.73	0.054 U	0.0675 J	0.0317 J	0.0474 J	0.016 U	0.212	0.0299 J	0.025 J	0.172	0.0401 J	0.0781 J	0.0796 J	<0.0029	<0.0029	0.19		
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SILVER	180	8.3	0.94 J	195 J	35.4 J	14 J	1.8	15 J	2.71 J	78	27.1 J	28.1 J	4.97 J	9.43 J	<0.152	0.222 U	132		
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

-- Not Sampled for constituent
All units are mg/kg. † CHROMIUM, TRIVALE
J: Estimated Concentration
U: Result considered ND
Shade: result > screening criteria
(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION																			
Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	I-2B	I-3B		I-4A	I-4B		J-2B		J-3B		J-6B	K-1A	K-1B		K-3A		
			9/12/03	9/12/03		11/7/02	9/12/03		9/12/03		9/12/03		9/12/03	9/8/03	9/15/03		9/12/03		
			0.5	0.5	3.5	5.2	0.5	3.5	0.5	3	0.5	2.5	0	0	0.5	2.5	0.2	3.2	6.2
			3.5	3.5	6.8	6.6	3.5	6.6	3	5.5	2.5	5.1	3.5	6	2.5	4.5	3.2	6.2	9.2
ARSENIC	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	1.14	136	8.69	<0.11	0.386 U	0.331 U	0.856	1.22	0.814	0.986	0.27 U	<0.0581	<0.0562	4.09	1.06	1.27	0.485 J
CHROMIUM ⁽¹⁾	180*	NS	19.8	23	15.7	13.8 J	8.98	14.3	10.4 J	13.2	11.3	21.6	5.26	13.8 J	9.05 J	32.5 J	21.8	27	21.4
CHROMIUM, HEX	110	NS	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
COPPER ⁽¹⁾	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LEAD	400	450	39.4	36	17.9	11.7	23	18	20.1	13.9	44.2	37.8	23 J	147	16.1 J	359 J	38.6	44.5	29.6
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.114	0.217	0.0491 J	<0.012	0.0277 J	0.0439 J	0.0222 J	0.0255 J	0.0443 J	0.0899 J	0.0047 J	0.0651 J	0.0351 J	0.161 J	0.124	0.0832 J	0.0992 J
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SILVER	180	8.3	22.9	139	8.31	<0.12	2.87	0.559 U	9.49 J	4.72	6.69	4.9	1.42	2.02 J	2.8	4.27	22.9	11.1	2.23
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

-- Not Sampled for constituent
All units are mg/kg. * CHROMIUM, TRIVALE
J: Estimated Concentration
U: Result considered ND
Shade: result > screening criteria
(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	K-5A	L-4A			L-6A	M-1A	M-3A	RMP-2	RMP-6	RMP-8	RMP-9	RMP-10	RMP-11	RMP-14A
			9/9/03	9/9/03			9/9/03	9/9/03	9/9/03	10/3/96	10/3/96	10/4/96	10/4/96	10/4/96	10/3/96	
			0	0.5	4	8	1.5	0.5	0.5	8	4	3	3	5	2	3
Bottom (ft)	Rest. Resid	P. of GW	0.6	4	8	10.2	2.4	5.2	5	10	6	5	5	7	4	5
ARSENIC	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	0.267 J	0.255 J	0.506 J	1.28	0.0761 J	0.773	0.506 J	56.5	0.31 J	0.22 J	0.38 J	0.73 J	0.32 J	0.8 J
CHROMIUM ⁽¹⁾	180*	NS	10.2 J	10.6 J	16.8 J	13.2 J	6.45 J	37.7 J	16.2 J	---	---	---	---	---	---	---
CHROMIUM, HEX	110	NS	---	---	---	---	---	---	---	---	---	---	---	---	---	---
COPPER ⁽¹⁾	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LEAD	400	450	14.4	30.3	19.5	19.5	12.9	350	27	43	27	18.1	17.8	21	5	41
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.031 J	0.227 J	0.191 J	0.152 J	0.0081 J	0.0976 J	0.251 J	0.12	0.035 J	<0.028	<0.029	0.13	<0.03	0.105 J
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---
SILVER	180	8.3	5.47	1.33	0.991	0.765	0.293 J	15.3	2.54	135	14.6	1.9	1	3.11	0.174 J	1.41
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---

-- Not Sampled for constituent

All units are mg/kg. * CHROMIUM, TRIVALE

J: Estimated Concentration

U: Result considered ND

Shade: result > screening criteria

(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	SB-1	SB-2	SB-7	SB-8	SB-9	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16A	SB-16B		SB-17	SB-18
			10/2/01	10/2/01	10/2/01	10/2/01	10/1/01	11/8/02	11/8/02	11/8/02	11/8/02	11/8/02	9/10/03	9/15/03		9/10/03	9/10/03
			2	0	0	0	0	0.7	0.5	1	0.5	0.5	0.5	0.5	3	3	0.5
			4	2	2	2	2	5	4.5	4	4	4	8	3	5	4.5	4
ARSENIC	16	16	5.3	4.2	3.2	2.9	5.3	---	---	---	---	---	---	---	---	---	---
BARIUM	400	820	164	134	19.5	22.4	50.9	---	---	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	1.3	0.47	0.25 J	0.23 J	0.65	---	---	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	0.61	299	0.22	0.9	0.3	<0.11	3.9	<0.12	<0.1	11	<0.0615	<0.0619	<0.0629	<0.0624	<0.0715
CHROMIUM ⁽¹⁾	180*	NS	9.7	53	6.3	5.8	14.8	13.8 J	16.2 J	16 J	9.5 J	20.3 J	10.1 J	12.3 J	12.8 J	10.3 J	11.6 J
CHROMIUM, HEX	110	NS	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
COPPER ⁽¹⁾	270	1720	16.2	29.4	15.3	7.9	17.3	---	---	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LEAD	400	450	58.8	36.3	7.1	6.1	13.7	19.9	27.7	18.5	18.7	53.2	38.1	48.2 J	125 J	34	60.9
MANGANESE	2000	2000	730	604	271	264	309	---	---	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.044 J	0.19	0.0032 J	<0.0026	0.1 J	0.043 J	0.057 J	0.051 J	0.018 J	0.078 J	0.0454 J	0.0669 J	0.0904 J	0.174	0.0896 J
NICKEL ⁽¹⁾	310	130	13.2	10.6	6	6.8	15.5	---	---	---	---	---	---	---	---	---	---
SELENIUM	180	4	0.35 J	<0.1	<0.092	<0.095	0.11 J	---	---	---	---	---	---	---	---	---	---
SILVER	180	8.3	8	334	3.4	8.5	1.3	56 J	67.8 J	0.21 U	0.65 J	29.1 J	1.09	3.99	3.36	2.03	0.956
ZINC ⁽¹⁾	10000	2480	48.3	115	45.4	19.8	41.1	---	---	---	---	---	---	---	---	---	---

-- Not Sampled for constituent
All units are mg/kg. * CHROMIUM, TRIVALE
J: Estimated Concentration
U: Result considered ND
Shade: result > screening criteria
(1): At least one result > screening criteria

Appendix C3
Fill Sample Metal Concentrations vs. 375-6.8(b)
Rochester Driving Park

PARTS PER MILLION

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	SB-19	SB-20	SB-24	SB-25	SB-26	TP-01A	TP-01B	TP-02A	TP-02B	TP-03		TP-04	TP-05		TP-06	
			9/10/03	9/10/03	9/11/03	9/11/03	9/11/03	10/3/01	10/3/01	10/3/01	10/3/01	10/3/01		10/3/01	10/3/01		10/4/01	
			0.5	0.5	0.5	0.5	0.5	4	4	4	4	0	2	5	2	4	3	4
			4	3	4.5	4	4	5	5	5	5	2	4	6	3	5	4	5
ARSENIC	16	16	---	---	---	---	---	---	---	3.7	3.2	3.6	3.4	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	68.7	34.2	97	121	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	0.39	0.39	0.33	0.32 J	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	<0.0723	<0.0616	0.492 J	0.339 J	0.612	<0.066	<0.067	0.64	0.15 J	0.074 J	0.34	<0.056	3.1	<0.064	<0.065	<0.067
CHROMIUM ⁽¹⁾	180*	NS	13.8 J	14.4	15.6	13.8	24.3	12.4	14.7	35.9	9.4	10.4	11.2	---	---	---	---	---
CHROMIUM, HEX	110	NS	---	---	---	---	---	1.13 J	<0.48	---	---	---	---	---	---	---	---	---
COPPER ⁽¹⁾	270	1720	---	---	---	---	---	---	---	18.2	14.5	22	14.4	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LEAD	400	450	112	26.2	364	8.73	44.2	30	22.2	37.9	12.9	42.5	66.7	6.9	20.2	24	10.9	11.1
MANGANESE	2000	2000	---	---	---	---	---	---	---	379	367	376	349	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.111 J	0.0482J	0.104 J	0.378	0.073 J	0.054 J	0.017 J	0.068 J	0.036 J	0.22	0.35	0.034 J	0.059 J	0.011 J	0.034 J	0.013 J
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	9	8.5	10.1	10.1	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	0.53 J	0.29 J	<0.095	0.68 J	---	---	---	---	---
SILVER	180	8.3	2.96	1.8	4.32	1.7	3.25	0.89	0.18 J	22	7	17	12	0.49	77.2	0.41 J	0.22 J	0.54
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	155	48.6	122	194	---	---	---	---	---

-- Not Sampled for constituent
All units are mg/kg. * CHROMIUM, TRIVALE
J: Estimated Concentration
U: Result considered ND
Shade: result > screening criteria
(1): At least one result > screening criteria

**Appendix C4
Native Soil Sample Metals Results vs. 375-6.8(b)
Rochester Driving Park**

exceedances noted by color

PPM

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	A-5A	A-6A	B-1A	B-5A	B-6A	C-1A	C-5A	D-1A	D-2A	D-3A	D-4A	D-5A	E-1A	E-2A	E-4A	F-1A	
			11/11/02	11/11/02	11/11/02	11/11/02	11/11/02	11/4/02	11/11/02	11/14/02	11/4/02	11/4/02	11/4/02	11/4/02	11/4/02	11/7/02	11/4/02	11/5/02	11/5/02
			6	6.5	5	7	5	7	7.5	6.5	5.5	4	3	4	4	6.5	6	4.8	6
			9.7	9.6	7.9	11.8	9.7	8	9	7.5	6.5	5.5	4 <td>5</td> <td>7.7</td> <td>7</td> <td>5.3</td> <td>6.2</td>	5	7.7	7	5.3	6.2	
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
CADMIUM ⁽¹⁾	4.3	7.5	<0.1	<0.11	<0.098	<0.11	<0.1	0.36	<0.1	1590	0.59	0.72	0.32	0.4	<0.099	0.2 J	0.19 J	0.22 J	
CHROMIUM ⁽¹⁾	180 ⁺	NS	7.8 J	7.7 J	9.4 J	8.4 J	8.7 J	8	7.5 J	48.5 J	7.8 J	8.2 J	7.3 J	7.9 J	8.1 J	8.8 J	8.2 J	9 J	
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
COPPER	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LEAD	400	450	11.8	10.2	16.3	11.1	13.5	21.4	19.1	120	20.3	19.6	18.7	18.5	19.6	18.9	22.7	17.9	
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
MERCURY ⁽¹⁾	0.81	0.73	<0.012 J	<0.012	<0.011 J	<0.012 J	<0.012 J	<0.012	<0.011 J	0.052 U	<0.012 J	<0.011 J	<0.011 J	<0.011 J	<0.011	<0.012 J	<0.011 J	<0.011 J	
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SILVER	180	8.3	0.26 U	0.27 J	0.45 U	0.24 U	0.26 U	0.14 J	0.33 U	408	3.2	8.2	0.84 J	0.18 J	<0.11	0.18 J	<0.11 J	<0.11 J	
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	H-5A	H-6A	I-1A	I-5A	I-6B	J-1A	J-4A	J-5A	K-5A	K-6A	L-3A	L-5A	M-4A	M-5A	M-6A	RMP-1	
			11/6/02	11/6/02	11/7/02	11/7/02	11/11/02	11/7/02	11/7/02	11/7/02	11/7/02	9/9/02	9/9/03	9/9/03	9/9/03	9/9/03	9/9/03	9/9/03	10/3/96
			5.2	4.8	6.2	4.2	5.5	5.5	4.6	3	2	2	2	3	3	3	3	1.5	4
			6.2	6	7.5	6	6.1	6.5	6.1	4.5	6	2.8	5.5	4.5	6	5	4.5	6	
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BARIUM	400	820	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
CADMIUM ⁽¹⁾	4.3	7.5	<0.096	<0.095	<0.097	<0.099	<0.097	<0.1	<0.098	<0.093	0.0835 J	<0.0576	0.124 J	<0.0589	0.119 J	0.138 J	0.108 J	0.27 J	
CHROMIUM ⁽¹⁾	180 ⁺	NS	6.4	6.4	7.3 J	7.9 J	7.5 J	8.8 J	6.5 J	6.2 J	20.1 J	7.78 J	8.89 J	8.09 J	9.26 J	9.5 J	10.3 J	---	
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
COPPER	270	1720	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LEAD	400	450	15.3 J	14.3 J	15	11.2	16.1	9.7	15.1	14.2	22.4	11.5	10.6	11.3	10.2	12.3	13.3	13.6	
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
MERCURY ⁽¹⁾	0.81	0.73	<0.011 J	<0.011 J	<0.011	0.02 U	<0.011 J	<0.012	<0.011	<0.011	0.0139 J	0.0064 J	0.0069 J	0.0191 J	<0.0029	0.0085 J	0.0301 J	<0.028	
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SELENIUM	180	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
SILVER	180	8.3	<0.11	<0.1	<0.11	0.19 U	0.21 U	<0.11	<0.11	<0.1	0.252 J	0.168 J	0.207 J	0.189 J	0.188 J	0.255 J	0.58	0.37	
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

All results are mg/kg.

J: Estimated Concentration

* Trivalent Chromium

- - Not Sampled for constituent

(1): At least one result > Screening Criteria

Appendix C4
Native Soil Sample Metals Results vs. 375-6.8(b)
Rochester Driving Park

exceedances noted by color

PPM

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	F-2A	F-3A	F-4A	G-1A	G-3A	G-4A	G-5A	G-6A	H-4A
			11/7/02	11/7/02	11/8/02	11/5/02	11/6/02	11/6/02	11/6/02	11/6/02	11/6/02
			6.5	6.5	5	8	6.5	6.5	6.2	5.2	6.2
			7.9	7.8	7	8.2	7	7.2	6.9	6	7.3
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	<0.1	<0.1	0.12 J	0.39	<0.098	<0.097	<0.098	<0.099	<0.095
CHROMIUM ⁽¹⁾	180 ⁺	NS	7.7 J	8.1 J	6.6 J	10.2 J	7.1	7.3	7.1	7	5.8
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---	---
COPPER	270	1720	---	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---
LEAD	400	450	18.9	20.5	11.2	16.9	43.1 J	12.2 J	12.7 J	16.4 J	15.6 J
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	<0.011	<0.012	<0.011 J	0.017 U	<0.011 J	<0.011 J	<0.011 J	0.094 J	<0.011 J
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	---	---
SILVER	180	8.3	0.21 U	<0.11	2.1 J	0.18 J	<0.11	<0.11	0.24 J	24.5	<0.1
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	---

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	RMP-3	RMP-4	RMP-5	RMP-7	RMP-12	RMP-13	RMP-14B	RMP-15	SB-1
			10/2/96	10/3/96	10/2/96	10/3/96	10/3/96	10/3/96	9/10/03	10/3/96	10/2/01
			4	6	4	5	3	3	6	2	4
			6	8	6	7	5	5	8	4	6
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---	---	---	3.3
BARIUM	400	820	---	---	---	---	---	---	---	---	18.7
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---	0.32 J
CADMIUM ⁽¹⁾	4.3	7.5	0.58 J	0.27 J	5.3	1.69 J	0.24 J	0.26 J	<0.0616	0.19 J	0.18 J
CHROMIUM ⁽¹⁾	180 ⁺	NS	---	---	---	---	---	---	7.01 J	---	7.6
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---	7.1
COPPER	270	1720	---	---	---	---	---	---	---	---	7.1
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	7.1
LEAD	400	450	14.1	25	17	17.3	17	12	12.1	14.9	7
MANGANESE	2000	2000	---	---	---	---	---	---	---	---	437
MERCURY ⁽¹⁾	0.81	0.73	<0.032	<0.033	<0.03	<0.031	<0.032	0.088 J	0.005 U	<0.034	<0.0027
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---	8.3
SELENIUM	180	4	---	---	---	---	---	---	---	---	<0.19
SILVER	180	8.3	0.65	1.12	0.96	59.7	0.048 J	0.135 J	0.334 J	<0.04	<0.15
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---	9.3

All results are mg/kg.

J: Estimated Concentration

* Trivalent Chromium

-- Not Sampled for constituent

Appendix C4 Native Soil Sample Metals Results vs. 375-6.8(b) Rochester Driving Park

exceedances noted by color

PPM

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	SB-2A	SB-2	SB-3		SB-4	SB-5	SB-6	SB-7	SB-8	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-16A	
			11/8/02	10/2/01	10/2/01		10/1/01	10/1/01	10/1/01	10/2/01	10/2/01	10/1/01	10/1/01	11/8/02	11/8/02	11/8/02	11/8/02	11/8/02	9/10/03
			5	2	0	2	0	2	2	2	2	2	2	4	5.5	4.9	5	4.5	9
			6	4	2	4	2	4	4	4	4	4	6	6.5	5.9	6	5	15.2	
ARSENIC ⁽¹⁾	16	16	---	3.4	4.3	6.7	5.2	3.3	6.8	5	5.2	8.2	---	---	---	---	---	---	
BARIUM	400	820	---	21.6	47.3	255	26.1	21.1	48	79.4	49.9	27.3	---	---	---	---	---	---	
BERYLLIUM ⁽¹⁾	72	47	---	0.36	0.33	0.94	0.47	0.38	0.67	0.67	0.6	0.54	---	---	---	---	---	---	
CADMIUM ⁽¹⁾	4.3	7.5	78.1	716	0.58	0.82	0.24	0.22 J	0.33	0.38	0.57	0.28	0.25	<0.095	3.1	<0.093	<0.096	<0.0608	
CHROMIUM ⁽¹⁾	180 ⁺	NS	14.8 J	144	11.1	18.8	9.4	9	15.9	17.2	13.9	9.6	---	8.8 J	7.5 J	7.3 J	8.1 J	6.68 J	
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
COPPER	270	1720	---	17.8	14.6	10.7	11.6	11.2	15.3	9.3	10.4	11	---	---	---	---	---	---	
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LEAD	400	450	16.3	4.6	56.1	15.1	16.9	6.3	11.4	13.2	9.8	11.9	13	21.6	25.3	14.3	11.7	16.6	
MANGANESE	2000	2000	---	349	353	2330	407	390	596	674	468	326	---	---	---	---	---	---	
MERCURY ⁽¹⁾	0.81	0.73	<0.011 J	0.02 J	0.02 J	0.079 J	0.013 J	0.0068 J	0.046 J	0.028 J	0.016 J	0.005 J	0.02 J	<0.011 J	<0.011 J	0.012 J	<0.011 J	<0.003	
NICKEL ⁽¹⁾	310	130	---	11.8	8.3	15.4	11.3	10.8	15.4	13.2	19.7	12.4	---	---	---	---	---	---	
SELENIUM	180	4	---	<0.1	<0.096	0.17 J	<0.2	<0.2	0.17 J	0.13 J	<0.1	<0.098	---	---	---	---	---	---	
SILVER	180	8.3	12.6 J	224	10.8	1.1	<0.16	<0.16	0.19 J	0.24 J	1.7	0.81	<0.17	2.5 J	13.6 J	0.18 U	0.58 J	0.449 J	
ZINC ⁽¹⁾	10000	2480	---	28.5	26.1	83	14.3	14.7	53.1	47.1	46.4	11.9	---	---	---	---	---	---	

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	SB-23	SB-24	SB-25	SB-26	TP-4	TP-7
			9/11/03	9/11/03	9/11/03	9/11/03	10/3/01	10/4/01
			3	5.5	6	5	7	4
			4.5	7.5	8	7	8	5
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	<0.0617	<0.0605	<0.0649	<0.0614	<0.064	<0.064
CHROMIUM ⁽¹⁾	180 ⁺	NS	13.7 J	8.9 J	10.3 J	10.4 J	---	---
CHROMIUM, HEX	110	19	---	---	---	---	---	---
COPPER	270	1720	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---
LEAD	400	450	9.89 J	16.5 J	15.8 J	13.6 J	21.3	14
MANGANESE	2000	2000	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	0.0066 U	0.0031 U	<0.0035	<0.0032	0.037 J	0.2
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---
SILVER	180	8.3	<0.171	<0.168	<0.901	<0.171	4.7	<0.16
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---

All results are mg/kg.

0

(1): At least one result > Screening Criteria

J: Estimated Concentration

0

⁺ Trivalent Chromium

-- Not Sampled for constituent

**Appendix C4
Native Soil Sample Metals Results vs. 375-6.8(b)
Rochester Driving Park**

exceedances noted by color

PPM

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW	SB-16B	SB-17	SB-18	SB-19	SB-20	SB-21A	SB-21B	SB-22
			9/15/03	9/10/03	9/10/03	9/10/03	9/10/03	9/10/03	9/11/03	9/10/03
			6	5.5	5.5	6	4	5	5	2.2
			8	8	8	9	6	9	7	5
ARSENIC ⁽¹⁾	16	16	---	---	---	---	---	---	---	---
BARIUM	400	820	---	---	---	---	---	---	---	---
BERYLLIUM ⁽¹⁾	72	47	---	---	---	---	---	---	---	---
CADMIUM ⁽¹⁾	4.3	7.5	<0.0663	<0.0619	<0.0627	<0.0626	0.406 J	<0.0635	<0.0765	<0.0617
CHROMIUM ⁽¹⁾	180 ⁺	NS	9.05 J	6.47 J	7.06 J	7.7 J	14.7 J	8.85 J	10.7 J	7.12 J
CHROMIUM, HEX	110	19	---	---	---	---	---	---	---	---
COPPER	270	1720	---	---	---	---	---	---	---	---
TOTAL CYANIDE	27	40	---	---	---	---	---	---	---	---
LEAD	400	450	13.3 J	13.8	12.1	12.7	25.6 J	13.7	9.9 J	14.8
MANGANESE	2000	2000	---	---	---	---	---	---	---	---
MERCURY ⁽¹⁾	0.81	0.73	<0.0033 J	0.0053 U	<0.0034	<0.0033	0.0413 U	0.0077 U	<0.0038	<0.0032
NICKEL ⁽¹⁾	310	130	---	---	---	---	---	---	---	---
SELENIUM	180	4	---	---	---	---	---	---	---	---
SILVER	180	8.3	<0.184 J	0.383 J	0.352 J	0.213 J	10.1	0.371 J	2.08	0.39 J
ZINC ⁽¹⁾	10000	2480	---	---	---	---	---	---	---	---

Boring Date Top (ft) Bottom (ft)	Rest. Resid	P. of GW
ARSENIC ⁽¹⁾	16	16
BARIUM	400	820
BERYLLIUM ⁽¹⁾	72	47
CADMIUM ⁽¹⁾	4.3	7.5
CHROMIUM ⁽¹⁾	180 ⁺	NS
CHROMIUM, HEX	110	19
COPPER	270	1720
TOTAL CYANIDE	27	40
LEAD	400	450
MANGANESE	2000	2000
MERCURY ⁽¹⁾	0.81	0.73
NICKEL ⁽¹⁾	310	130
SELENIUM	180	4
SILVER	180	8.3
ZINC ⁽¹⁾	10000	2480

All results are mg/kg.

J: Estimated Concentration

+ Trivalent Chromium

-- Not Sampled for constituent

Appendix C5
Summary of VOC Analytical Results
Rochester Driving Park
Compared to Part 375-6.8(a) and (b)

	Date Top (ft) Bottom (ft) Duplicate #	Rest. Resid	prot. Of GW	A-5	E-3A	RMP-12	RMP-13	RMP-14	RMP-15	SB-1	SB-1	SB-2
				11/11/02	11/5/02	10/3/96	10/3/96	10/3/96	10/3/96	10/2/01	10/2/01	10/2/01
				6	7	3	3	3	2	2	4	0
				9.7	8	5	5	5	4	4	6	2
				1	1	1	1	1	1	1	1	1
1,1,1-TRICHLOROETHANE	100	0.68	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
1,1-DICHLOROETHANE	26	0.27	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
1,1-DICHLOROETHENE	100	0.33	--	--	<0.002	<0.003	<0.003	<0.002	<0.002	<0.001 U	<0.001 U	<0.001 U
1,2,4-TRIMETHYLBENZENE	52	3.6	<0.0047 U	0.99	--	--	--	--	--	--	--	--
1,2-DICHLOROETHENE	100	1.1	--	--	--	--	--	--	--	<0.98 U	<0.037 U	<0.04 U
1,2-DICHLOROETHANE	3.1	0.02	--	--	<0.002	<0.003	<0.003	<0.002	<0.002	<0.001 U	<0.001 U	<0.001 U
1,3,5-TRIMETHYLBENZENE	52	8.4	<0.0047 U	1.1	--	--	--	--	--	--	--	--
1,3-DICHLOROETHENE	49	2.4	--	--	--	--	--	--	--	<0.98 U	<0.037 U	<0.04 U
1,4-DICHLOROETHENE	13	1.8	--	--	--	--	--	--	--	<0.98 U	<0.037 U	<0.04 U
ACETONE	100	0.05	--	--	0.008 J	0.057	0.14	0.04	0.011 J	<0.008 U	<0.008 U	0.018 J
BENZENE	4.8	0.06	<0.0047 U	<0.024 U	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
CARBON TETRACHLORIDE	2.4	0.76	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
CHLOROETHENE	100	1.1	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
CHLOROFORM	49	0.37	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
CIS-1,2 DICHLOROETHENE	100	0.25	--	--	<0.002	<0.003	<0.003	<0.002	<0.002	<0.001 U	<0.001 U	<0.001 U
ETHYLBENZENE	41	1	<0.0047 U	0.16	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
METHYL ETHYL KETONE	100	0.12	--	--	<0.008	0.023	0.078	<0.009	<0.009	<0.005 U	<0.004 U	<0.005 U
METHYL TERTIARY BUTYL ETHER	100	0.93	<0.0047 U	<0.024 U	--	--	--	--	--	--	--	--
METHYLENE CHLORIDE	100	0.05	--	--	0.033	0.051	0.08	0.023	<0.002 U	<0.002 U	<0.002 U	0.002 J
N-PROPYLBENZENE	100	3.9	<0.0047 U	1.2	--	--	--	--	--	--	--	--
SEC-BUTYLBENZENE	100	11	0.011 J	3	--	--	--	--	--	--	--	--
TERT-BUTYLBENZENE	100	5.9	<0.0047 U	1.8	--	--	--	--	--	--	--	--
TETRACHLOROETHYLENE	19	1.3	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
TOLUENE	100	0.7	<0.0047 U	0.027 J	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	0.003 J
TRANS-1,2-DICHLOROETHENE	100	0.19	--	--	<0.002	<0.003	<0.003	<0.002	<0.002	<0.001 U	<0.001 U	<0.001 U
TRICHLOROETHENE	21	0.47	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
VINYL CHLORIDE	0.9	0.02	--	--	<0.002	<0.003	<0.003	<0.002	<0.002	<0.001 U	<0.001 U	<0.001 U
XYLENES	100	1.6	--	--	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001 U	<0.001 U	<0.001 U
1,4-DIOXANE	13	0.1	--	--	--	--	--	--	--	--	--	--
BUTYLBENZENE	100	12	--	--	--	--	--	--	--	--	--	--
HEXACHLOROETHYLENE	1.2	3.2	--	--	--	--	--	--	--	--	--	--

All Results in mg/kg

-- indicates compound not sampled

Appendix C5
 Summary of VOC Analytical Results
 Rochester Driving Park
 Compared to Part 375-6.8(a) and (b)

	Date Top (ft) Bottom (ft) Duplicate #	Rest. Resid	prot. Of GW	SB-2	SB-3	SB3	SB-4	SB-5	SB-6	SB-8	SB-8
				10/2/01	10/2/01	10/2/01	10/1/01	10/1/01	10/1/01	10/2/01	10/2/01
1,1,1-TRICHLOROETHANE		100	0.68	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
1,1-DICHLOROETHANE		26	0.27	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
1,1-DICHLOROETHENE		100	0.33	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
1,2,4-TRIMETHYLBENZENE		52	3.6	--	--	--	--	--	--	--	--
1,2-DICHLOROENZENE		100	1.1	<0.039 U	<0.037 U	<0.045 U	<0.038 U	<0.038 U	<0.04 U	<0.036 U	<0.039 U
1,2-DICHLOROETHANE		3.1	0.02	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
1,3,5-TRIMETHYLBENZENE		52	8.4	--	--	--	--	--	--	--	--
1,3-DICHLOROENZENE		49	2.4	<0.039 U	<0.037 U	<0.045 U	<0.038 U	<0.038 U	<0.04 U	<0.036 U	<0.039 U
1,4-DICHLOROENZENE		13	1.8	<0.039 U	<0.037 U	<0.045 U	<0.038 U	<0.038 U	<0.04 U	<0.036 U	<0.039 U
ACETONE		100	0.05	0.01 J	0.021 J	0.026 J	0.052	0.028	0.028	<0.008 U	0.033
BENZENE		4.8	0.06	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
CARBON TETRACHLORIDE		2.4	0.76	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
CHLOROENZENE		100	1.1	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
CHLOROFORM		49	0.37	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
CIS-1,2 DICHLOROETHENE		100	0.25	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
ETHYLBENZENE		41	1	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
METHYL ETHYL KETONE		100	0.12	<0.005 U	<0.004 U	<0.005 U	<0.005 U	<0.005 U	<0.005 U	<0.004 U	<0.005 U
METHYL TERTIARY BUTYL ETHER		100	0.93	--	--	--	--	--	--	--	--
METHYLENE CHLORIDE		100	0.05	<0.002 U	<0.002 U	<0.003 U	<0.002 U	<0.002 U	<0.002 U	<0.002 U	<0.002 U
N-PROPYLBENZENE		100	3.9	--	--	--	--	--	--	--	--
SEC-BUTYLBENZENE		100	11	--	--	--	--	--	--	--	--
TERT-BUTYLBENZENE		100	5.9	--	--	--	--	--	--	--	--
TETRACHLOROETHYLENE		19	1.3	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
TOLUENE		100	0.7	0.004 J	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
TRANS-1,2-DICHLOROETHENE		100	0.19	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
TRICHLOROETHENE		21	0.47	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
VINYL CHLORIDE		0.9	0.02	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
XYLENES		100	1.6	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U	<0.001 U
1,4-DIOXANE		13	0.1	--	--	--	--	--	--	--	--
BUTYLBENZENE		100	12	--	--	--	--	--	--	--	--
HEXACHLOROENZENE		1.2	3.2	--	--	--	--	--	--	--	--

All Results in mg/kg
 -- indicates compound not sampled

Appendix C6
Summary of Analytical Results for MW-01
DuPont 666 Driving Park Site
Sample date September 17, 2003

Analyte	Screening Criteria	Result (ug/l)
Metals		
Aluminum, Dissolved	None	ND (41.3)
Mercury	0.7	ND (0.16)
Aluminum	None	ND (41.3)
Calcium	None	106000
Iron	300	261
Magnesium	35000	33100
Potassium	None	5660
Sodium	20000	127000
Thallium	0.5	9.2 J
Arsenic	25	ND (4.9)
Selenium	10	ND (4.7)
Antimony	3	ND (8.5)
Barium	1000	54.5
Beryllium	3	ND (0.34)
Cadmium	5	ND (0.87)
Chromium	50	ND (2.2)
Cobalt	5	ND (1.6)
Copper	200	3.7 J
Lead	25	ND (9.3)
Manganese	300	53.9
Nickel	100	ND (3.8)
Silver	50	ND (1.8)
Vanadium	14	ND (1.7)
Zinc	2000	11.2 J
Total Cyanide	200	ND (4.0)
Pesticides/PCBs		
Endrin Ketone	5	ND (0.0038)
Alpha Chlordane	0.05	ND (0.0019)
Gamma Chlordane	0.05	ND (0.0019)
Alpha BHC	None	ND (0.0019)
Beta BHC	None	ND (0.011)
Gamma BHC - Lindane	None	ND (0.0019)
Delta BHC	None	ND (0.0029)
Heptachlor	0.04	ND (0.0019)
Aldrin	0.002	ND (0.0019)
Heptachlor Epoxide	0.03	ND (0.0019)
p,p-DDE	0.2	ND (0.0038)
p,p-DDD	0.3	ND (0.0038)
p,p-DDT	0.2	ND (0.0038)
Dieldrin	0.004	ND (0.0038)
Endrin	None	ND (0.0038)
Toxaphene	0.06	ND (0.29)
Endosulfan II	0.009	ND (0.0048)
Endosulfan I	0.009	ND (0.0038)
Endosulfan Sulfate	0.009	ND (0.0086)
Endrin Aldehyde	5	ND (0.019)
PCB-1016	0.09	ND (0.19)
PCB-1221	0.09	ND (0.38)
PCB-1232	0.09	ND (0.095)
PCB-1242	0.09	ND (0.19)
PCB-1248	0.09	ND (0.29)
PCB-1254	0.09	ND (0.19)
PCB-1260	0.09	ND (0.29)
Methoxychlor	35	ND (0.057)

* - NYSDEC Standards/Guidance Values: TOGS (1.1.1), 1998

Bold and Shaded Values Exceeds Corresponding Criteria

J = Estimated Value

ND = Non detect at stated reporting limit

Appendix C6
Summary of Analytical Results for MW-01
DuPont 666 Driving Park Site
Sample date September 17, 2003

Analyte	Screening Criteria	Result (ug/l)
SVOC's		
4-Chloroaniline	5	ND (1.0)
Dibenzofuran	5	ND (1.0)
2-Methylnaphthalene	4.7	ND (1.0)
2-Nitroaniline	5	ND (1.0)
3-Nitroaniline	5	ND (1.0)
4-Nitroaniline	5	ND (1.0)
2,4,5-Trichlorophenol	5	ND (1.0)
2-Chlorophenol	5	ND (1.0)
Phenol	1	ND (1.0)
2-Nitrophenol	5	ND (1.0)
2,4-Dimethylphenol	50	ND (1.0)
2,4-Dichlorophenol	5	ND (1.0)
4-Chloro-3-methylphenol	5	ND (1.0)
2,4,6-Trichlorophenol	5	ND (1.0)
2,4-Dinitrophenol	10	ND (20)
4-Nitrophenol	5	ND (10)
4,6-Dinitro-2-methylphenol	5	ND (5)
Pentachlorophenol	1	ND (3)
bis(2-Chloroethyl)ether	5	ND (1.0)
1,3-Dichlorobenzene	3	ND (1.0)
1,4-Dichlorobenzene	3	ND (1.0)
1,2-Dichlorobenzene	3	ND (1.0)
Hexachloroethane	5	ND (1.0)
N-Nitroso-di-n-propylamine	5	ND (1.0)
Nitrobenzene	0.4	ND (1.0)
Isophorone	50	ND (1.0)
bis(2-Chloroethoxy)methane	5	ND (1.0)
1,2,4-Trichlorobenzene	5	ND (1.0)
Naphthalene	10	ND (1.0)
Hexachlorobutadiene	0.5	ND (1.0)
Hexachlorocyclopentadiene	5	ND (5.0)
2-Chloronaphthalene	10	ND (1.0)
Acenaphthylene	None	ND (1.0)
Dimethylphthalate	5	ND (2.0)
2,6-Dinitrotoluene	5	ND (1.0)
Acenaphthene	20	ND (1.0)
2,4-Dinitrotoluene	5	ND (1.0)
Fluorene	50	ND (1.0)
4-Chlorophenyl-phenylether	5	ND (1.0)
Diethylphthalate	5	ND (2.0)
N-Nitrosodiphenylamine	50	ND (2.0)
4-Bromophenyl-phenylether	5	ND (1.0)
Hexachlorobenzene	0.04	ND (1.0)
Phenanthrene	50	ND (1.0)
Anthracene	50	ND (1.0)
Di-n-butylphthalate	50	ND (2.0)
Fluoranthene	50	ND (1.0)
Pyrene	50	ND (1.0)
Butylbenzylphthalate	5	ND (2.0)
Benzo(a)anthracene	0.002	ND (1.0)
Chrysene	0.002	ND (1.0)
3,3'-Dichlorobenzidine	5	ND (1.0)
bis(2-Ethylhexyl)phthalate	5	ND (2.0)
Di-n-octylphthalate	5	ND (2.0)

* - NYSDEC Standards/Guidance Values: TOGS (1.1.1), 1998

Bold and Shaded Values Exceeds Corresponding Criteria

J = Estimated Value

ND = Non detect at stated reporting limit

Appendix C6
Summary of Analytical Results for MW-01
DuPont 666 Driving Park Site
Sample date September 17, 2003

Analyte	Screening Criteria	Result (ug/l)
SVOC's (continued)		
Benzo(b)fluoranthene	0.002	ND (1.0)
Benzo(k)fluoranthene	0.002	ND (1.0)
Benzo(a)pyrene	Non Detect	ND (1.0)
Indeno(1,2,3-cd)pyrene	0.002	ND (1.0)
Dibenz(a,h)anthracene	None	ND (1.0)
Benzo(g,h,i)perylene	None	ND (1.0)
2-Methylphenol	5	ND (1.0)
2,2'-oxybis(1-Chloropropane)	5	ND (1.0)
4-Methylphenol	5	ND (2.0)
Carbazole	None	ND (1.0)
VOCs		
Chloromethane	5	ND (1.0)
Vinyl Chloride	2	ND (1.0)
Bromomethane	5	ND (1.0)
Chloroethane	5	ND (1.0)
1,1-Dichloroethene	5	ND (0.8)
Methylene Chloride	5	ND (2.0)
trans-1,2-Dichloroethene	5	ND (0.8)
1,1-Dichloroethane	5	ND (1.0)
cis-1,2-Dichloroethene	5	1.0 J
Chloroform	7	ND (0.8)
1,1,1-Trichloroethane	5	1.0 J
Carbon Tetrachloride	5	ND (1.0)
Benzene	1	ND (0.5)
1,2-Dichloroethane	0.6	ND (1.0)
Trichloroethene	5	ND (1.0)
1,2-Dichloropropane	1	ND (1.0)
Bromodichloromethane	50	ND (1.0)
Toluene	5	ND (0.7)
1,1,2-Trichloroethane	1	ND (0.8)
Tetrachloroethene	5	ND (0.8)
Dibromochloromethane	50	ND (1.0)
Chlorobenzene	5	ND (0.8)
Ethylbenzene	5	ND (0.8)
Styrene	5	ND (1.0)
Bromoform	50	ND (1.0)
1,1,2,2-Tetrachloroethane	5	ND (1.0)
Acetone	50	ND (6.0)
Carbon Disulfide	None	ND (1.0)
2-Butanone	50	ND (3.0)
trans-1,3-Dichloropropene	0.4	ND (1.0)
cis-1,3-Dichloropropene	0.4	ND (1.0)
4-Methyl-2-pentanone	None	ND (3.0)
2-Hexanone	50	ND (3.0)
Xylene (Total)	5	ND (0.8)

* - NYSDEC Standards/Guidance Values: TOGS (1.1.1), 1998

Bold and Shaded Values Exceeds Corresponding Criteria

J = Estimated Value

ND = Non detect at stated reporting limit

Appendix C7
Dissolved Metals Analytical Results for MW-01
DuPont 666 Driving Park Site
Sample Date September 17, 2003

Dissolved Metal	Screening Criteria	Result (ug/l)
ALUMINUM	NA	ND (41.3)
ANTIMONY	3	ND (8.5)
ARSENIC	25	ND (4.9)
BARIUM	1000	53.7
BERYLLIUM	3	ND (0.34)
CADMIUM	5	ND (0.87)
CALCIUM	None	105000
CHROMIUM	50	ND (2.2)
COBALT	5	ND (1.6)
COPPER	200	ND (2.1)
IRON	300	265
LEAD	25	ND (9.3)
MAGNESIUM	35000	33000
MANGANESE	300	51.8
MERCURY	200	ND (0.16)
NICKEL	100	ND (3.8)
POTASSIUM	None	5780
SELENIUM	10	ND (4.7)
SILVER	50	ND (1.8)
SODIUM	20000	135000
THALLIUM	0.5	ND (8.9)
VANADIUM	14	ND (1.7)
ZINC	2000	11.2 J

* - NYSDEC Standards/Guidance Values: TOGS (1.1.1), 1998

Bold and Shaded Values Exceeds Corresponding Criteria

J = Estimated Value

ND = Non detect at stated reporting limit

Appendix D

Data Usability Summary Report (on CD only)

Table D1
Tentatively Identified and Unknown Compounds
Remedial Investigation Report
666 Driving Park Avenue

LabAnalyte	Units	BGS-01	BGS-02	B-N-01	B-N-01	B-N-01	B-N-02	B-N-02	B-N-03	B-N-04	B-N-05	B-N-05	B-N-06	B-N-07	B-S-01	B-S-01	B-S-01	B-S-01	B-S-01	B-S-01
		7/18/08 0 0.1 FS	7/18/08 0 0.1 FS	8/12/08 2 4 FS	8/12/08 6 7 DUP	8/12/08 6 7 FS	8/12/08 2 4 FS	8/12/08 5 6 FS	8/12/08 2 3 FS	8/13/08 4 5 FS	8/13/08 1 3 FS	8/13/08 5 6 FS	8/13/08 3 4 FS	8/13/08 2 3 FS	8/13/08 1 3 DUP	8/13/08 1 3 FS	8/13/08 4 5 FS	8/14/08 1 3 DUP	8/14/08 1 3 FS	8/14/08 4 5 FS
2-PENTANONE, 4-HYDROXY-	MG/KG			3.6 J	3.4 J		2 J													
2-PENTANONE, 4-HYDROXY-4-MET	MG/KG	26 J	22 J	230 J	210 J	190 J	190 J	200 J	190 J	140 J	110 J	110 J	92 J	150 J	170 J	150 J	85 J			
3-BUTEN-2-ONE, 3-METHYL-	MG/KG									2.1 J		1.5 J								
3-PENTEN-2-ONE, 4-METHYL-	MG/KG					0.34 J			0.33 J											
9,10-ANTHRACENEDIONE	MG/KG																			
BENZO[E]PYRENE	MG/KG	5.3 J																		
CYCLIC OCTAATOMIC SULFUR	MG/KG			4.4 J																
CYCLOHEXANE	MG/KG		0.029 J	0.02 J	0.012 J	0.014 J			0.019 J	0.01 J	0.021 J	0.006 J			0.034 J	0.041 J				
CYCLOHEXANE, METHYL-	MG/KG		0.037 J	0.026 J	0.028 J	0.029 J		0.036 J	0.054 J	0.028 J	0.032 J	0.023 J			0.042 J	0.056 J			0.37 J	
CYCLOPENTA(DEF)PHENANTHRENON	MG/KG																			
DIMETHYL SULFIDE	MG/KG				0.011 J	0.008 J														
DOCOSANE	MG/KG												0.32 J							
HEXANAL	MG/KG	0.019 J	0.04 J																	
HEXANE	MG/KG		0.043 J	0.024 J	0.027 J	0.03 J		0.038 J	0.048 J	0.027 J	0.02 J	0.025 J			0.032 J	0.041 J				
NAPHTHALENE	MG/KG							0.077 J												
NAPHTHALENE, 1-METHYL-	MG/KG																			
NAPHTHALENE, 2-METHYL-	MG/KG																			
OCTANE	MG/KG				0.013 J	0.014 J		0.022 J	0.032 J	0.012 J	0.01 J	0.015 J					0.036 J			
PENTANAL	MG/KG																			
PENTANE	MG/KG	0.01 J	0.066 J	0.041 J	0.038 J	0.042 J		0.049 J	0.06 J	0.037 J	0.036 J	0.033 J			0.074 J	0.063 J				
PERYLENE	MG/KG	1.8 J																		
TRIAMTERENE	MG/KG														1.3 J					
TRICHLOROMONOFLUOROMETHANE	MG/KG																			
UNKNOWN	MG/KG					0.26 J		2.5 J	0.21 J				0.26 J				0.29 J			
UNKNOWN	MG/KG	1.4 J	0.85 J						0.22 J		5 J			0.73 J	1.7 J					
UNKNOWN	MG/KG	2 J	1.3 J		1 J	2.8 J	1.4 J	0.81 J		0.79 J	0.95 J	0.35 J	0.52 J	0.22 J	2.4 J	1.3 J	0.38 J			
UNKNOWN	MG/KG		1.1 J	0.81 J	0.74 J		2.1 J		2.9 J		1.7 J	5.2 J	1.1 J		2.8 J	2.3 J	0.94 J			
UNKNOWN	MG/KG		3.3 J	0.8 J	0.89 J	0.75 J	1.6 J			0.79 J	0.96 J	1.3 J								
UNKNOWN	MG/KG		1.4 J	1.4 J	0.78 J		1.3 J	0.56 J	0.8 J	0.21 J	0.89 J	1.9 J		0.16 J		1.2 J			0.26 J	
UNKNOWN	MG/KG	0.87 J		1.2 J	1.6 J	0.26 J	1.1 J	0.39 J	0.21 J	0.26 J	0.85 J	1.2 J			3.1 J	1.1 J				
UNKNOWN	MG/KG	1 J		0.72 J	0.83 J	0.61 J	1.2 J	0.45 J	0.29 J	0.19 J	1 J	0.99 J			1 J	2.7 J			0.38 J	
UNKNOWN	MG/KG	9.3 J		1.1 J	1.1 J	0.2 J		0.43 J		0.18 J	1.1 J	0.85 J							0.26 J	
UNKNOWN	MG/KG	30 J		1.2 J	1.1 J	0.28 J	1.6 J	0.45 J	0.025 J	0.24 J	0.01 J	0.85 J			1.3 J	0.025 J			0.22 J	
UNKNOWN	MG/KG			0.85 J	1.4 J	0.2 J	1.7 J	0.83 J		0.79 J	0.83 J				1 J					
UNKNOWN	MG/KG			1.8 J	1.9 J	0.41 J	1.3 J	0.56 J		0.78 J	1 J				1.4 J					
UNKNOWN	MG/KG	1.6 J		0.76 J	0.96 J	0.66 J	1.7 J	0.46 J		2 J					3.3 J					
UNKNOWN	MG/KG	2 J		1.2 J	2 J	0.27 J	1.2 J	0.84 J		1.3 J					1.8 J					
UNKNOWN	MG/KG	2.4 J		1.7 J	0.85 J	0.41 J	1.3 J	0.38 J	0.22 J	1.2 J					1.1 J					
UNKNOWN	MG/KG			1 J	1.8 J	0.35 J	1.3 J	0.53 J	0.23 J	0.81 J					1.4 J					
UNKNOWN	MG/KG			1.3 J	0.84 J	0.34 J	1.6 J	0.8 J	0.24 J	0.72 J					1.2 J					
UNKNOWN	MG/KG			1 J	1.3 J	0.2 J	2 J	0.47 J		0.59 J					1.6 J					
UNKNOWN	MG/KG			0.82 J	1.4 J	0.25 J	1.1 J	0.37 J	0.21 J	1.1 J										
UNKNOWN	MG/KG			0.82 J	1.4 J	0.21 J	1.1 J	0.47 J												
UNKNOWN ALICYCLIC	MG/KG																		0.27 J	
UNKNOWN ALICYCLIC	MG/KG																		0.53 J	
UNKNOWN ALICYCLIC	MG/KG																		0.96 J	
UNKNOWN ALICYCLIC	MG/KG																		0.26 J	
UNKNOWN ALICYCLIC	MG/KG																		0.23 J	
UNKNOWN ALICYCLIC	MG/KG														0.015 J					
UNKNOWN ALKANE	MG/KG		0.02 J	0.02 J	0.018 J	0.021 J		0.02 J	0.015 J	0.02 J	0.014 J	0.015 J			0.031 J	0.026 J				
UNKNOWN ALKANE	MG/KG		0.064 J	0.052 J	0.037 J	0.042 J		0.048 J	0.065 J	0.037 J	0.046 J	0.034 J			0.093 J	0.077 J				
UNKNOWN ALKANE	MG/KG		0.09 J	0.053 J	0.049 J	0.05 J		0.062 J	0.074 J	0.05 J	0.061 J	0.044 J			0.097 J	0.081 J				
UNKNOWN ALKANE	MG/KG							0.39 J		0.84 J					0.19 J					

J= Detected between the MDL and PQL, should be considered an estimate
 Bold= Detected above MDL

Table D1
Tentatively Identified and Unknown Compounds
Remedial Investigation Report
666 Driving Park Avenue

LabAnalyte	Units	BGS-01	BGS-02	B-N-01	B-N-01	B-N-01	B-N-02	B-N-02	B-N-03	B-N-04	B-N-05	B-N-05	B-N-06	B-N-07	B-S-01	B-S-01	B-S-01	B-S-01	B-S-01	B-S-01
		7/18/08 0 0.1 FS	7/18/08 0 0.1 FS	8/12/08 2 4 FS	8/12/08 6 7 DUP	8/12/08 6 7 FS	8/12/08 2 4 FS	8/12/08 5 6 FS	8/12/08 2 3 FS	8/13/08 4 5 FS	8/13/08 1 3 FS	8/13/08 5 6 FS	8/13/08 3 4 FS	8/13/08 2 3 FS	8/13/08 1 3 DUP	8/13/08 1 3 FS	8/13/08 4 5 FS	8/14/08 1 3 DUP	8/14/08 1 3 FS	8/14/08 1 3 FS
UNKNOWN ALKANE	MG/KG		0.019 J	0.009 J				0.035 J	0.017 J	0.01 J	0.011 J	0.008 J	0.24 J	0.18 J	0.048 J	1.7 J	0.27 J			
UNKNOWN ALKANE	MG/KG				0.01 J	0.01 J		0.013 J					0.21 J		0.014 J		0.28 J			
UNKNOWN ALKANE	MG/KG		1.6 J							0.008 J		0.008 J	0.25 J			0.015 J	0.34 J			
UNKNOWN ALKANE	MG/KG		0.01 J										0.29 J				0.33 J			
UNKNOWN ALKANE	MG/KG						1.5 J		0.2 J				0.34 J				0.29 J			
UNKNOWN ALKANE	MG/KG								0.41 J				0.35 J				0.19 J			
UNKNOWN ALKANE	MG/KG								0.41 J				0.44 J				0.17 J			
UNKNOWN ALKANE	MG/KG								0.51 J				0.41 J							
UNKNOWN ALKANE	MG/KG								0.47 J				0.46 J							
UNKNOWN ALKANE	MG/KG								0.69 J											
UNKNOWN ALKANE	MG/KG																			
UNKNOWN ALKANE	MG/KG								0.68 J											
UNKNOWN ALKANE	MG/KG								0.31 J											
UNKNOWN AROMATIC	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG	0.87 J																		
UNKNOWN PAH	MG/KG	0.85 J																		
UNKNOWN PAH	MG/KG	1.3 J																		
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG	2.6 J																		
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN PAH	MG/KG																			
UNKNOWN SILOXANE	MG/KG							0.018 J									0.005 J			
UNKNOWN SILOXANE	MG/KG							0.024 J												
UNKNOWN SILOXANE	MG/KG	0.022 J																		
UNKNOWN SILOXANE	MG/KG																			
UNKNOWN SILOXANE	MG/KG																			
UNKNOWN SILOXANE	MG/KG																			
UNKNOWN SILOXANE	MG/KG																			
UNKNOWN SILOXANE	MG/KG																			
UNKNOWN SILOXANE	MG/KG					0.01 J														
UNKNOWN SILOXANE	MG/KG					0.011 J														

J= Detected between the MDL and PQL, should be considered an estimate
Bold= Detected above MDL

Table D1
Tentatively Identified and Unknown Compounds
Remedial Investigation Report
666 Driving Park Avenue

LabAnalyte	Units	B-S-02	B-S-03	B-S-03	B-S-04	B-S-05	B-S-05	B-S-06	B-S-06	CB-01	CB-02	CB-03	MW-02	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-09	MW-09		
		8/13/08 1 3	8/14/08 1 3	8/14/08 5 6	8/13/08 2 4	8/14/08 1 3	8/14/08 4 5	8/14/08 1 3	8/14/08 4 6	8/14/08 1 3	8/14/08 4 6	7/18/08 0 0	7/18/08 0 0	7/18/08 0 0	8/19/08 1 3	8/19/08 1 3	8/13/08 2 4	8/15/08 1 2	8/15/08 2 4	8/19/08 0.5 2.5	8/15/08 2 4	8/14/08 1 3	8/14/08 5 7
		FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	DUP	FS	FS	FS	FS	FS	FS	FS	FS	FS	
UNKNOWN ALKANE	MG/KG	0.014 J				0.009 J	0.012 J		0.014 J									0.02 J		0.2 J	0.039 J	0.014 J	0.018 J
UNKNOWN ALKANE	MG/KG						0.16 J											0.007 J			0.93 J		
UNKNOWN ALKANE	MG/KG					1.5 J	0.17 J		0.18 J									0.18 J			0.23 J		0.15 J
UNKNOWN ALKANE	MG/KG	0.009 J					0.009 J		0.01 J												0.22 J		0.012 J
UNKNOWN ALKANE	MG/KG							0.22 J													0.15 J		0.17 J
UNKNOWN ALKANE	MG/KG																				0.32 J		0.17 J
UNKNOWN ALKANE	MG/KG																				0.25 J		0.16 J
UNKNOWN ALKANE	MG/KG																				0.22 J		0.17 J
UNKNOWN ALKANE	MG/KG							0.26 J													0.45 J		0.16 J
UNKNOWN ALKANE	MG/KG									3.1 J											0.29 J		0.17 J
UNKNOWN ALKANE	MG/KG							0.25 J															0.17 J
UNKNOWN ALKANE	MG/KG							0.16 J															0.16 J
UNKNOWN ALKANE	MG/KG							0.3 J															
UNKNOWN ALKANE	MG/KG																						
UNKNOWN AROMATIC	MG/KG				0.58 J																		
UNKNOWN PAH	MG/KG											6.2 J											
UNKNOWN PAH	MG/KG									1.8 J		3.7 J			0.28 J								
UNKNOWN PAH	MG/KG									2.7 J	1.8 J				0.41 J								
UNKNOWN PAH	MG/KG												16 J	0.27 J									
UNKNOWN PAH	MG/KG										1.8 J	3.8 J											
UNKNOWN PAH	MG/KG										1.8 J	3.1 J	0.41 J	0.28 J									
UNKNOWN PAH	MG/KG										1.2 J		0.36 J										
UNKNOWN PAH	MG/KG										1.2 J	1.8 J											
UNKNOWN PAH	MG/KG											3.7 J											
UNKNOWN PAH	MG/KG										1.9 J		0.21 J										
UNKNOWN PAH	MG/KG									1.9 J	1.7 J			0.32 J									
UNKNOWN PAH	MG/KG													1.7 J									
UNKNOWN PAH	MG/KG											33 J											
UNKNOWN PAH	MG/KG												2.2 J										
UNKNOWN PAH	MG/KG													2.9 J	2 J								
UNKNOWN PAH	MG/KG									2 J			1.9 J	1.7 J									
UNKNOWN PAH	MG/KG										2.1 J	37 J		2 J									
UNKNOWN PAH	MG/KG										1.9 J	47 J		2 J									
UNKNOWN SILOXANE	MG/KG																	0.008 J					
UNKNOWN SILOXANE	MG/KG																	0.013 J					
UNKNOWN SILOXANE	MG/KG			0.008 J																		0.011 J	
UNKNOWN SILOXANE	MG/KG																					0.017 J	
UNKNOWN SILOXANE	MG/KG												0.009 J										
UNKNOWN SILOXANE	MG/KG												0.008 J										
UNKNOWN SILOXANE	MG/KG							0.01 J															
UNKNOWN SILOXANE	MG/KG																				0.017 J		
UNKNOWN SILOXANE	MG/KG																				0.022 J		