

January 5, 2015

Todd M. Caffoe, P.E.
Environmental Engineer 2
New York State Department of Environmental Conservation – Region 8
6274 East Avon-Lima Road
Avon, New York 14414

RE: **October through December 2014 Quarterly Progress Report**
Index # B8-0735-07-01
DuPont Rochester Driving Park Site (#C828142)

Dear Mr. Caffoe:

On behalf of DuPont's Corporate Remediation Group (CRG), Parsons is pleased to provide this quarterly progress report summarizing project activities for October through December 2014 pursuant to the requirements of the Brownfield Site Cleanup Agreement for the 666 Driving Park Site located in the City of Rochester, NY.

Site inspections, as requested by New York State Department of Environmental Conservation (NYSDEC), began on June 2, 2008 and continue to be conducted weekly on behalf of DuPont to assess site conditions and maintain the site as needed. Reports from the 13 weekly inspections completed during October, November and December 2014 are attached.

Contact me at (315) 552-9674 or Jacob Tambe of DuPont at (302) 999-2518 with any questions.

Sincerely,

PARSONS



David B. Babcock, P.E.
Project Manager

Attachment: Site Inspection Reports (13)

cc: Bart Putzig, NYSDEC
Julia Kenney, NYSDOH
Joseph Biondolillo, Mark Gregor, City of Rochester
Jeff Danzinger, Day Environmental
John Frazer, Monroe County Health Dept.
Steve Rahaim, Bert Heilman, Maryann Nicholson, DuPont
Jacob Tambe, DuPont CRG
Mary Cedeno, CRG Projects Database/Project No. 507463
Parsons File: 446896 – correspondence sent



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 10/07/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 10/14/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

_____.

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 10/21/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 10/28/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

Maintenance Performed (Check)

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 11/04/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 11/10/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

_____.

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 11/18/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 11/25/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 12/05/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

Maintenance Performed (Check)

Item

X 1) Fence

- a) Locks/Gate- Remarks: locks and gates check secure
- b) Breaches – Remarks: none
- c) Slatted Fencing Condition: Remarks: check secure
- d) Vegetative Overgrowth– Remarks : none

X 2) Site Status

- a) Debris – Remarks: OK
- b) Surface Staining – Remarks –no surface staining –
- c) Storm Drains – Remarks: clear and functioning
- d) Monitoring Wells – Remarks: check secure
- e) Light Poles – Remarks: N/A
- f) Pavement Condition – Remarks: fair

X 3) Other

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 12/09/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

_____.

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 12/15/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

_____.

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 12/23/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

_____.

X 3) **Other** _____.

REQUIRED MAINTENANCE ACTIVITIES: _____



S.E. BAKER & COMPANY

Integrated Services For Real Estate Management, Brokerage & Acquisitions

666 ROCHESTER DRIVING PARK SITE SITE INSPECTION & MAINTENANCE CHECKLIST

DATE 12/29/14
INSPECTOR: W. Shattuck
WITNESSES:

EMERGENCY CONTACT:
PAUL MAZIERSKI
716-278-5496

**Maintenance
Performed
(Check)**

Item

X 1) **Fence**

- a) **Locks/Gate-** Remarks: locks and gates check secure
- b) **Breaches –** Remarks: none
- c) **Slatted Fencing Condition:** Remarks: check secure
- d) **Vegetative Overgrowth–** Remarks : none

X 2) **Site Status**

- a) **Debris –** Remarks: OK
- b) **Surface Staining –** Remarks –no surface staining –
- c) **Storm Drains –** Remarks: clear and functioning
- d) **Monitoring Wells –** Remarks: check secure
- e) **Light Poles –** Remarks: N/A
- f) **Pavement Condition –** Remarks: fair

X 3) **Other** _____

REQUIRED MAINTENANCE ACTIVITIES: _____