

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation, Region 8

6274 East Avon-Lima Road, Avon, NY 14414-9516

P: (585) 226-5353 | F: (585) 226-8139

www.dec.ny.gov

March 21, 2022

Joseph M. Loboizzo II
690 Portland Avenue Company
1000 Runabout Lane
Apt. 304
Webster, New York 14580

Re: Construction Completion Report
Recovery Well & Sump
Former JML Optical Site
Site No. C828151
Rochester (C), Monroe (C)

Dear Mr. Loboizzo:

The New York State Department of Environmental Conservation (the Department), in conjunction with the New York State Department of Health (NYSDOH), have completed a review of the Interim Remedial Measure (IRM) Construction Completion Report (CCR) Sump Cleanup & LNAPL Recovery dated February 2021 for the Former JML Optical Inc. Brownfield Cleanup Program site (BCP Site) located at 678-690 Portland Avenue in the City of Rochester, Monroe County. The CCR is conditionally approved with the following modifications and clarifications.

1. The CCR repeatedly compares the Site's soil analytical results to restricted residential soil cleanup objective (SCOs). The Department understands that the Site is attempting to achieve Track 4 restricted commercial use. If Track 4 restricted residential is the proposed use for the Site then additional existing soil cover sampling will need to be completed to determine if the existing soil material in the 0-2 foot interval meets the restricted residential soil cleanup objectives for all constituents.
2. The supplemental information submitted in an e-mail dated August 13, 2021 is considered part of the conditionally approved CCR. See attached.
3. Table 1 on Page 6 indicates that there was a slight petroleum odor at 12 feet. A review of the soil boring log presents no documentation as to any odors observed. For future submittals to the State, the text and the supporting documentation must be consistent.
4. Section 5; Discussions and Conclusions; Page 12 & 13: There is a reference to "Restricted Use SCOs". The Department understands that the reference is restricted commercial SCOs and protection of groundwater SCOs where applicable.
5. The Department understands that Figures 3 and 4 are in Appendix B of the CCR and not in the Figures section of the CCR.
6. The Department understands that the recovery well was installed to a depth of 8 feet as shown on the schematic in Appendix B not 9 feet as indicated in the text of the CCR.



Department of
Environmental
Conservation

The Sump Cleanout and LNAPL Recovery CCR will be incorporated into the Site's Remedial Investigation Report.

Within fifteen (15) days of the date of this letter, the Applicant must elect in writing (electronic notification is acceptable) one of the following options:

- Option A: Accept the modified report;
- Option B: Invoke dispute resolution as set forth in 6 NYCRR Part 35-1.5(b)(2); or
- Option C: Terminate the Brownfield Cleanup Agreement in accordance with 6 NYCRR Part 375-3.5.

If the Applicant chooses to accept Option A then this letter becomes part of the approved 2021 Construction Completion Report Sump Cleanout & LNAPL Recovery. Also, if Option A is chosen then a copy of the approved 2021 Construction Completion Report Sump Cleanout & LNAPL Recovery with this letter attached must be placed in the document repository within 1 week of accepting Option A. Please provide notification to the Department that the 2021 Construction Completion Report Sump Cleanout & LNAPL Recovery and a copy of this letter attached have been placed in the document repository (electronic notification is acceptable).

The Department seeks to resolve the outstanding differences in a mutually agreeable manner, which addresses the requirements of the Brownfield Cleanup Agreement and associated work plans. If your technical team have any questions, concerns, or need further assistance with the Site, please feel free to contact me at 585-226-5354 or via e-mail at charlotte.theobald@dec.ny.gov. If your legal team have any questions, concerns, or need further assistance with the Site, please feel free to contact Mr. Dudley Loew at 585-226-5368 or via e-mail at dudley.loew@dec.ny.gov.

Sincerely,



Charlotte B. Theobald
Assistant Engineer

ec:

Pete Morton (Ravi)
Lynn Zicari (Ravi)
Nancy Van Dussen (Ravi)
Linda Shaw (Knauf Shaw)
Rev. Wright (Community Mutual, Inc.)
Justin Deming (NYS. Dept. of Health – Albany)
Eamonn O'Neil (NYS Dept. of Health - Albany)
Jacquelyn Nealon (NYS. Dept. of Health – Albany)
Scarlett McLaughlin (NYS. Dept. of Health – Albany)
Mirza Bogovic (Monroe County Health Department)
Dudley Loew (NYSDEC)
David Pratt (NYSDEC)
Todd Caffoe (NYSDEC)

From: [Lynn Zicari](#)
To: [Theobald, Charlotte B \(DEC\)](#); [Peter Morton](#); [Nancy Van Dussen](#)
Subject: RE: C828151 Former JML Optical - CCR for Recovery Well and Sump
Date: Friday, August 13, 2021 2:00:22 PM
Attachments: [690StoneTicket.pdf](#)
[Former JML Optical C828151 waste manifest - hazardous waste disposal.pdf](#)

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Charlotte,

The Stone ticket for the Imported gravel and the waste manifest for the hazardous waste removal are attached. I was able to darken the waste manifest a bit . I think this is the best image I can get with what I have to work with. Take a look and let me know if this works for you.

Lynn

From: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Sent: Thursday, August 12, 2021 12:06 PM
To: Peter Morton <pmorton@ravieng.com>; Lynn Zicari <lzicari@ravieng.com>; Nancy Van Dussen <nvandussen@ravieng.com>
Cc: Caffoe, Todd (DEC) <todd.caffoe@dec.ny.gov>
Subject: C828151 Former JML Optical - CCR for Recovery Well and Sump

Good Afternoon,

I have completed my review of the February 2021 version of the CCR. I have 2 items that need to be addressed.

1. There is no documentation provided in Appendix G for the import of 1A gravel. Only #1 crushed stone provided. Please provide me with the import documentation for the 1A gravel.
2. The waste manifest provided in Appendix F for Cycle Chemical, Inc. is extremely blurry and I can not read it. Please rescan the manifest and submit it to me.

Once I have those 2 items electronically, I will insert them into the version of the CCR that the State has and proceed forward with the review process.

Best Regards,

Charlotte



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9252	WALWORTH 315-524-2771	BROCKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order:

P.O.:

Product:

00002	CR-1"	3.06 TON	18.00
-------	-------	----------	-------

Deliver To 690 Portland ave

Tax Status	TX	Haul Code	IX
2605		Zone	
		Units	

Vehicle Loads	Daily Total
---------------	-------------

Vehicle: 11TR TREC #11

2 5.46

Received:

J. C. B.

Ticket No.:

COPY 1

227857

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06

Price	55.08
Freight	0.00
Tax	4.40
Total:	59.48
Grand Total:	107.44
Today:	3.06 Loads: 1
Todate:	10.99

Weighmaster: Amber Q. 602856

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, HAULING PRODUCT FROM OUR FACILITY TO COMPLY WITH HIGHWAY LOAD LIMIT LAWS. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9252	WALWORTH 315-524-2771	BROCKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order: 0

P.O.:

Product:

00002	CR-1"	3.06 TON	18.00
-------	-------	----------	-------

Deliver To 690 Portland ave

Tax Status	TX	Haul Code	IX
2605		Zone	
		Units	

Vehicle Loads	Daily Total
---------------	-------------

Vehicle: 11TR TREC #11

2 5.46

Received:

J. C. B.

Ticket No.:

COPY 2

227857

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06

Price	55.08
Freight	0.00
Tax	4.40
Total:	59.48
Grand Total:	107.44
Today:	3.06 Loads: 1
Todate:	10.99

Weighmaster: Amber Q. 602858

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, HAULING PRODUCT FROM OUR FACILITY TO COMPLY WITH HIGHWAY LOAD LIMIT LAWS. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9252	WALWORTH 315-524-2771	BROCKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order: 0

P.O.:

Product:

00002	CR-1"	3.06 TON	18.00
-------	-------	----------	-------

Deliver To 690 Portland ave

Tax Status	TX	Haul Code	IX
2605		Zone	
		Units	

Vehicle Loads	Daily Total
---------------	-------------

Vehicle: 11TR TREC #11

2 5.46

Received:

J. C. B.

Ticket No.:

COPY 3

227857

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06

Price	55.08
Freight	0.00
Tax	4.40
Total:	59.48
Grand Total:	107.44
Today:	3.06 Loads: 1
Todate:	10.99

Weighmaster: Amber Q. 602858

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, HAULING PRODUCT FROM OUR FACILITY TO COMPLY WITH HIGHWAY LOAD LIMIT LAWS. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved, OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYD058845036	2. Page 1 of 1	3. Emergency Response Phone 800-807-7455	4. Manifest Tracking Number 007931840 JJK	
5. Generator's Name and Mailing Address 660 PORTLAND AVE., INC. 660 PORTLAND AVENUE ROCHESTER NY 14621						
Generator's Phone: _____						
6. Transporter 1 Company Name SUN ENVIRONMENTAL CORP.					U.S. EPA ID Number NYR000178958	
7. Transporter 2 Company Name					U.S. EPA ID Number	
8. Designated Facility Name and Site Address CYCLE CHEM. INC. 550 INDUSTRIAL DR. LEWISBURG PA 17339					U.S. EPA ID Number PADO087998822	
Facility's Phone: 717-833-4700						
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.
	1.	X RQ NA3077, HAZARDOUS WASTE SOLID, NOS(BARIUM, LEAD, TRICHLOROETHYLENE) 9, POH FRG # 171	0 0 2 DM		00000	P
	2.					
	3.					
	4.					
13. Waste Codes D005 D008 D040						
14. Special Handling Instructions and Additional Information JOB # TREC.1017-1659 TREC ENVIRONMENTAL P.O.# R38467 1. SUN074-RO870-A (55 GAL. / HANDLING CODE B / SIGNED PROFILE & LDR ATTACHED)						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offeror's Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____						
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____						
Transporter 2 Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____						
18. Discrepancy						
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number: _____						
18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone: _____						
18c. Signature of Alternate Facility (or Generator) Month: _____ Day: _____ Year: _____						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. _____ 2. _____ 3. _____ 4. _____						
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a						
Printed/Typed Name: _____ Signature: _____ Month: _____ Day: _____ Year: _____						

Former JML Optical, Inc.
690 Portland Avenue
ROCHESTER, NEW YORK

Interim Remedial Measure Construction Completion Report Sump Cleanup and LNAPL Recovery

NYSDEC Site Number: C828151

Prepared for:

690 Portland Avenue Company

Prepared by:

Ravi Engineering & Land Surveying, P.C.
2110 South Clinton Avenue
Rochester, New York 14618

MARCH 2017
REVISED FEBRUARY 2021

I, Nancy Styles Van Dussen, certify that I am currently a NYS registered professional engineer. I had primary direct responsibility for the implementation of the subject construction program and I certify that the Remedial Work Plan was implemented and that all construction activities were completed in substantial conformance with the DER-approved Remedial Work Plan.

Nancy S. Van Dussen
Signed

February 3, 2021
Dated



The above statement is to the best of my knowledge, information and belief.

Contents

CONTENTS	III
1 BACKGROUND AND SITE DESCRIPTION	1
1.1 Site Location and Description	1
1.2 Site Operational History	1
1.3 Previous Environmental Work	2
1.4 Remedial Investigation Report (RIR), Clough Harbor Associates (CHA), May 2011	3
1.5 Interim Remedial Measures	3
2 IRM SUMP CLEANOUT	5
2.1 Description of Work Performed	5
2.2 Soil Samples	6
2.3 Soil Results	6
2.4 Sump Construction	7
2.5 Data Usability Summary Report	8
2.6 Air Monitoring and Nuisance Controls	8
2.7 Equipment Decontamination	8
2.8 Waste Management	9
3 IRM RECOVERY WELL	9
3.1 Description of Work Performed	9
3.2 Well Construction Activities	9
3.3 Imported Backfill	10
3.4 LNAPL Recovery	10
3.5 CAMP Monitoring and Nuisance controls	10
3.6 Staging of Excavated Soils	11
3.7 Equipment Decontamination	11
3.8 Waste Removal	11
4 DEVIATIONS FROM THE WORK PLAN	12
5 DISCUSSION AND CONCLUSIONS	12

1 Background and Site Description

Ravi Engineering and Land Surveying, P.C. (RE&LS) is submitting this Interim Remedial Measure (IRM) Construction Completion Report (CCR) to document remedial action implemented on December 14, 2016 and December 15, 2016 at the Former JML Optical, Inc. (the “Site”), in the City of Rochester, New York in accordance with DER-10 Section 5.8(b).

1.1 Site Location and Description

690 Portland Avenue Company entered into a Brownfield Cleanup Agreement (BCA), with the New York State Department of Environmental Conservation (NYSDEC) in December 2008 to investigate and remediate an approximately 1.565-acre property located in the City of Rochester, New York. Interim Remedial Measures (IRMs) were performed to address conditions identified during our Remedial Investigation (RI).

The site is bounded by Ilex Place and a residential property located at 702 Portland Avenue property to the north, a residential property located at 674 Portland Avenue to the south, a parking lot located at 76 Fernwood Avenue to the south, several residential properties located at 702, 708, 714 & 720 Portland Avenue properties to the east, a parking lot located at 29 Ilex Place to the west, and the Former Vogt Manufacturing Site located at 100 Fernwood Avenue to the west (Figure 1).

The Site is almost entirely covered with buildings or paved surfaces, except for a mowed grass area along the Portland Avenue entrance to the Site, and a strip of grass along the eastern Site boundary (rear side of building). ILEX Optical constructed the first buildings on the Site in the 1920s; the south addition to the building was constructed circa 1970.

The on-site buildings are currently unoccupied. The Site is located within a New York State “En-Zone” pursuant to Tax Law § 21(b)(6). There are no known easements on the Site, and there are currently no environmental permits associated with the Site.

The Site and neighboring properties are currently located in an industrial (M-1) zoning district with one exception; 76 Fernwood Avenue, the adjacent property to the south, is zoned Low Density Residential (R-1).

1.2 Site Operational History

The Site was undeveloped until the 1920s when ILEX Optical constructed the original portion of the building for lens manufacturing operations. 690 Portland Avenue Company purchased the property in December of 1979, and JML Optical, Inc. operated at the Site until they relocated operations to the Town of Pittsford, New York in November 2005. The Site has remained vacant since 2005.

1.3 Previous Environmental Work

Phase I ESA, Labella Associates, P. C. (Labella), February 2005

Labella identified several recognized environmental conditions (RECs) as a result of this Phase I ESA;

- An open NYSDEC spill file (spill no. 9870600) was identified, which was associated with subsurface petroleum contamination identified during the removal of a 5,000-gallon No. 2 fuel oil underground storage tank (UST) from the Site. While contaminated soils were reportedly excavated and disposed of offsite, no analytical data had been provided to the NYSDEC to confirm that the release had been addressed to an extent deemed acceptable to the NYSDEC.
- Historical research indicated that the Site had a long history of chlorinated solvent use, particularly trichloroethene (TCE), in association with the manufacturing of specialty optical lenses.
- The on-site building once had a number of individual floor drains and trench drains, and a sump of unknown origin was identified in the storage area of the main manufacturing building.

Phase II ESA-Preliminary Site Characterization (PSC), Labella Associates, P.C., June 2005

Labella performed a Phase II Investigation in June of 2005 to investigate the RECs that they had previously identified. Soil samples collected in the vicinity of the sump were identified as having elevated levels of TCE above the 6 NYCRR Part 375 Unrestricted Soil Cleanup Objectives (SCO). A groundwater sample collected from existing well MW-3, which was installed in the historic tank pit exhibited levels of chlorinated- and petroleum-related volatile organic compounds (VOC) and semivolatile organic compounds (SVOC) above New York State Part 703 groundwater standards. Two floor drains inside the maintenance shop were determined to discharge to the sump; the discharge location of the sump could not be determined. Labella concluded that the sump was the source of solvent-related soil and groundwater impairment.

Phase II Supplemental Site Characterization (SSC), Labella Associates, P.C., June 2006

Laboratory results of soil samples that Labella collected in the vicinity of the sump indicated that no VOC or SVOC concentrations above Part 375 Unrestricted SCOs were present in soils. They stated that the contamination associated with the former 5,000-gallon UST was limited to petroleum compounds.

Laboratory results of groundwater samples collected in the vicinity of the sump and the former UST indicated that several chlorinated-solvent compounds were present at levels exceeding Part 703 groundwater standards; however, the concentrations were significantly lower in the sample collected from the former UST area. The results of the former UST sample also indicated that several petroleum-related VOCs and SVOCs were present above Part 703 groundwater standards.

1.4 Remedial Investigation Report (RIR), Clough Harbor Associates (CHA), May 2011

CHA performed a remedial investigation between 2010 and 2011. In their RIR, they identified the following environmental media as sources of contaminants of concern at the Site:

- Subsurface soils located in proximity to the sump, the former UST, degreaser areas, and along the southern side of the main building are sources of VOCs, SVOCs and metals.
- Groundwater throughout the Site is a source of chlorinated VOCs; however, the highest levels are present in the former sump area and degreaser areas.
- Sub-slab vapor samples indicate that soil vapor is contaminated with several chlorinated compounds in concentrations that exceed New York State Department of Health (NYSDOH) Matrix Specific Sub-Slab concentrations.

1.5 Interim Remedial Measures

Remedial Action Objectives

The remedial action objective (RAO) of this IRM was to remove the on-site source of ground water contamination. Sediments with hazardous concentrations of VOCs were removed from an on-site sump, and an LNAPL recovery well was installed to remove LNAPL accumulation from the top of groundwater in the vicinity of an historic UST.

The Protection of Groundwater SCOs apply for the following compounds: trichloroethene, cis-1, 2-dichloroethene, trans-1, 2-dichloroethene, and vinyl chloride. All other analytes are compared to Restricted Residential SCOs.

Remedial Action Implementation Compliance

- Remedial activities were conducted in accordance with the September 2016 *Interim Remedial Measure Work Plan; Former JML Optical Facility* prepared by RE&LS and the conditions set forth by the NYSDEC in their November 14, 2016 IRMWP approval letter (Appendix A).
- Continuous Air Monitoring Plan (CAMP) monitoring was performed during the recovery well installation activities and during the loadout of the staged soils. VOC vapors were monitored in the indoor work zone and at the perimeter of the building during the sump cleanout.
- Samples were analyzed by Paradigm Environmental Services Inc. (Paradigm); Paradigm is an accredited NYSDOH Environmental Laboratory Accreditation Program (ELAP) laboratory. The samples were analyzed under Analytical Services Protocol (ASP) Category B laboratory data deliverables. A Data Usability Summary Report was prepared by KR Applin & Associates.

Sump Area Background

On March 30, 2016, RE&LS collected a water sample from the residual water in the sump with a bailer and submitted it to Paradigm for Target Compound List (TCL) VOC analysis by United States Environmental Protection Agency (USEPA) Method 8260. The results indicated a concentration of 64,900 µg/L TCE. The sump sediments were subsequently sampled on April 27, 2016 and submitted for laboratory analysis of TCL and Toxicity Characteristic Leaching Procedure (TCLP) VOCs. VOC analysis identified a concentration of 404 mg/Kg toluene and 18,400 mg/Kg TCE. The TCLP Extract analysis indicated 59,300 µg/L of TCE, well above the regulatory limit of 500 µg/L.

Recovery Well Area Background

As part of our groundwater sampling event on May 12, 2016, RE&LS attempted to sample an existing monitoring well in the vicinity of an historic fuel oil tank. Approximately 12 inches of LNAPL was measured on top of the groundwater. A sample of the product was collected and submitted to the laboratory for TCL VOCs, and Total Petroleum Hydrocarbon (TPH) fingerprinting by NYSDOH Method 310.13. The LNAPL was identified as “medium weight petroleum hydrocarbon (PHC) #4 fuel oil.”

Health and Safety Plan (HASP)

The RE&LS site-specific HASP was updated to reflect the nature of the field work to be performed under the IRMWP. The Contaminants of Concern (COC) for the Site are VOCs, primarily TCE, cis-1,2-dichloroethene, trans-1, 2-dichloroethene, vinyl chloride, and heavier hydrocarbons in the form of medium weight petroleum hydrocarbons. TREC performed the work in a manner that is compliant with its corporate HASP and all governing Occupational Safety and Health Administration (OSHA) regulations.

Based on the hazardous nature of the sump sediments, removal and containerization of the sump media was performed by the contractor while wearing Level C respiratory protection. While all on-site personnel had OSHA 40-hour HAZWOPER training, only those with appropriate respiratory protection were working inside the building while sump sediments were being removed and containerized.

Remedial work performed under this IRM was in compliance with governmental requirements, including Site and worker safety requirements mandated by Federal OSHA. The Health and Safety Plan (HASP) was complied with for remedial and invasive work performed at the Site.

2 IRM Sump Cleanout

2.1 Description of Work Performed

The remedial action objective of the sump cleanout was the source removal of hazardous concentrations of VOCs. Air monitoring and vapor mitigation was required during remedial activities as a protective measure for neighboring residents, and Level C personal protective equipment (PPE) was worn during this phase of the IRM. Sump cleanout activities were performed on December 14, 2016.

A temporary air ventilation and filtration system was installed in the building and exhausted to the exterior of the building before any work was performed. Sediments were then manually removed from the sump and containerized in two 55-gallon drums. During sediment removal, vapors were treated with activated charcoal before they were released to the environment. Photoionizing detectors (PIDs) placed in the immediate work area and at the filtration system exhaust were used to evaluate the efficacy of the filtration system; no VOCs were detected at the filtration system exhaust. After gross removal of sediments, residual material was removed by vacuuming and powerwashing; the sump materials were containerized with the rinseate for disposal.

Upon completion of the sump cleanout, four soil borings were installed in the vicinity of the sump. Confirmatory samples were collected to document the concentrations of residual VOCs around the sump.

2.2 Soil Samples

Sub-slab soil samples were collected by Geoprobe direct push sampling; the borings were screened using a PID and inspected for evidence of visual and olfactory impairment. A headspace reading was completed on each 4-ft. boring interval.

A total of four borings were completed from a distance of 3 to 5 ft. from the outer rim of the sump. Borings were completed to a depth of 3.5 to 7.5 below the bottom of the sump (approximately 8 to 12 ft. bgs.). A decision as to the number, location, and depth of the borings was made in the field in consultation with NYSDEC Field Inspector Robert Long.

One soil sample from each boring was selected from the interval with the highest PID reading and was submitted for laboratory analysis for TCL VOCs by USEPA Method 8260 plus Tentatively Identified Compounds (TICs).

Soil boring logs are provided in Appendix C.

2.3 Soil Results

In general, soils did not exhibit any staining; however, boring BH-1 exhibited slight petroleum odors, as well as the highest PID reading at a depth of 12 ft. bgs.; PID readings ranged from 1.8 to 32.0 ppm (Table 1). Bedrock refusal was encountered at 12.7 ft. beneath ground surface (bgs.).

Field observations are indicated in Table 1.

Table 1: Soil Boring Notes

Soil Boring ID	PID Readings			Sample collection depth	Boring distance from sump	Analytical Method	Notes
	0'-4'	4'-8'	8'-12'				
BH-1 (north of sump)	12 ppm @ 4'	8.4 ppm @ 5'	32.0 ppm @ 12'	12'	5'	8260 TCL +TICs	Slight petroleum odor at 12'
BH-2 (west of sump)	2.9 ppm @ 2'	5 ppm @ 4'	NA	4'-4.5	3'	8261 TCL +TICs	No odors or staining
BH-3 (south of sump)	8.4 ppm @ 4'	5.6 ppm @ 6.5'	NA	4'	4'	8262 TCL +TICs	No odors or staining
BH-4 (east of sump)	1.8 ppm @ 4'	3.4 ppm @ 5'	NA	5'	3.7'	8263 TCL +TICs	No odors or staining

VOCs were detected by laboratory analysis in all four samples. Exceedances of the Protection of Groundwater SCO were reported in two samples: the concentration of cis-1,2-dichloroethene and TCE were above SCOs in sample IRM-SS-2. TCE was above the SCO in IRM-SS-3. No TICs or petroleum-related VOCs were detected in these two samples. VOCs and TICs were detected in samples IRM-SS-1 and IRM-SS-4; however, these results were below the applicable SCOs (Table 2).

VOC detections are depicted on Figure 2. Analytical Results are provided in Appendix D.

Table 2: Sump Sample Results – VOC Detections

Sample date 12/15/2016	Sample ID				6 NYCRR Part 375-6.8 Protection of Groundwater SCOs	6 NYCRR Part 375-6.8 Restricted Use SCOs: Restricted Residential Use
Sample Depth (ft.bgs)	12'	4'	4'	5'		
Volatiles by 8260	IRM-SS-1	IRM-SS-2	IRM-SS-3	IRM-SS-4		
1,2-Dichlorobenzene	0.00803	0.0197	<0.0359	<0.00451	1.1	100
1,4-Dichlorobenzene	0.00215J	<0.0167	<0.0359	<0.00451	1.8	13
Acetone	<0.0196	<0.0835	<0.179	0.0221J	0.05	100
cis-1,2-Dichloroethene	0.00227J	0.999	0.112	0.0914	0.25	100
Ethylbenzene	0.00216J	<0.0167	<0.0359	<0.00451	1	41
m,p-Xylene	0.00723	<0.0167	<0.0359	0.00559	1.6	100
o-Xylene	0.00259J	<0.0167	<0.0359	0.00276J	1.6	100
Styrene	0.00693J	<0.0417	<0.0896	<0.0113	NS	NS
Tetrachloroethene	0.0955	0.0733	0.0890	0.00539	1.3	19
Toluene	0.00317J	<0.0167	<0.0359	<0.00451	0.7	100
trans-1,2-Dichloroethene	<0.00393	0.0297	<0.0359	0.0321	0.19	100
Trichloroethene	0.158	1.080	0.739	0.0914	0.47	21
Unknown Aromatic	0.0762	<0.0417	<0.0896	0.0533	NS	NS
Total Reported TICS	0.0762	<0.0417	<0.0896	0.0533	NS	NS

Notes: Results are shown in mg/kg

NA - not applicable

NS - no associated standard

Bold type indicates a detection of the associated compound

Gray shading indicates an exceedance of the Protection of Groundwater SCO.

J = Result estimated between the quantitation limit and half the quantitation limit

2.4 Sump Construction

After cleanout, the sump was inspected to document its construction and condition, as well as its dimensions and the number, orientation, and location of openings, cracks, gaps or breaks. The sump was determined to be approximately 2.1 feet (ft.) in diameter and 4.4 ft. deep. It is constructed of two cylindrical concrete columns stacked vertically, with a grouted seam in between the two columns. The grout and columns appeared to be undamaged; no holes or

cracks or missing grout were identified. Two pipes breaching the sump wall were noted.

Figure 3 depicts sump construction details; photos are provided in Appendix B.

2.5 Data Usability Summary Report

All TCE results were flagged by the laboratory with a “Z” due to suspected storage cross contamination. Regarding these samples, Paradigm notified RE&LS that the samples were stored concurrently with another sample that contained very high levels of TCE. Their 12/30/16 letter regarding the matter (included with the analytical data in Appendix D) stated “Although the evidence is purely circumstantial, it is possible that the TCE results reported herein stem from cross contamination during storage.” The TCE concentration in the four samples ranges from 0.091 to 1.08 mg/Kg, with the highest concentrations identified in sample IRM SS-2, which was collected approximately 3 feet to the west of the sump. Figure 1B of Labella’s PSC indicates that their boring B7 was installed within a few feet west of the sump. The concentration of TCE from a sample collected from boring B7 in 2005 was reported to be 3.12 mg/Kg, which is consistent with our data. There is no reason to assume that the data is not valid or should be considered suspect.

All results for 1, 4-Dioxane were rejected. All other results (98%) are considered usable. The DUSR is included in Appendix E.

2.6 Air Monitoring and Nuisance Controls

VOC vapors were monitored in the work zone and at the perimeter of the building during the sump cleanout. The vapors from the sump were collected and treated with granulated activated charcoal to mitigate any potential exposure impacts to the surrounding area and adjacent residences and properties.

A handheld PID was used to monitor VOC levels at the perimeter of the building and the air filtration system exhaust during the sump cleanout. While a second PID placed in the immediate work area indicated high levels of VOCs above the Short Term Exposure Limit (STEL), the 15 minute time weighted average (TWA) at the perimeter of the building and at the filtration system exhaust was 0.0 ppm.

PID readings were also collected during the installation of soil borings and sample collection. There were no elevated ambient VOC levels above 5 ppm.

2.7 Equipment Decontamination

After gross removal of sump sediments, the sump was vacuumed for fine material removal. Approximately 2 gallons of rinsate water was generated to power wash the sump and wash hand tools. The vacuumed sediments and the rinseate were drummed for disposal. Geoprobe equipment was washed with Alconox and rinsed with clean water in between soil borings.

2.8 Waste Management

Two 55-gallon drums of TCE-containing sediments were manually removed from the sump. Hazardous levels of TCE (18,400 mg/Kg) were confirmed by laboratory analysis prior to IRM work activities. Toluene (404 mg/Kg) was also reported.

The drummed waste was stored inside the main building pending assignment of the USEPA generator identification number for disposal. Handler ID No. NYD059645036 was assigned and the waste was transported to Cycle Chemical, Inc. in Lewisberry PA by Sun Environmental Corporation on May 22, 2017 (Appendix F).

3 IRM Recovery Well

3.1 Description of Work Performed

An LNAPL recovery well was installed on December 15, 2017 to remove LNAPL accumulation from the top of groundwater in the vicinity of the historic UST and boiler house, approximately 2.7 feet from existing monitoring well MW-3. Prior to the installation of the well, a utility stake out was performed by Dig Safely New York. No underground utilities interfered with IRMWP field activities. Approximately 7 tons of soils were excavated and temporarily staged on site prior to off-site disposal. The well was installed to a depth of 9 feet bgs and backfilled with NYSDEC pre-approved materials.

A 4-inch diameter pipe was encountered at a depth of 4 ft. bgs. during remedial activities. RE&LS did not attempt to investigate the origin of the pipe; however, the pipe appeared to run in an east/west direction and may have connected the historic UST to the boiler.

3.2 Well Construction Activities

The recovery well was constructed of 12-inch diameter high density polyethylene (HDPE) pipe that was fashioned into a well screen with lateral saw cuts to allow the LNAPL to permeate the pipe. The pipe was placed vertically into the pit and packed with 1A gravel from the bottom of the pit to one foot above the water table to allow the LNAPL to accumulate. A layer of geotextile fabric was placed on top of the gravel and up the side of the excavation walls. The pit was restored to ground surface with #1 crushed stone. The well was subsequently finished with a curb box that was grouted in place.

Well construction details are depicted on Figure 4.

3.3 Imported Backfill

Approximately 1 yard each of “1A” gravel from the Dolomite Group (Palmyra plant), and “#1” crushed stone from the Dolomite Group (Brockport plant) were imported to the Site for backfilling the recovery well. Documentation from the Dolomite Group indicates that the crushed stone and gravel met the specifications indicated in the Division of Environmental Remediation *Technical Guidance for Site Investigation and Remediation* (DER-10) for imported soils. All imported material was approved by the NYSDEC prior to importation to the Site in an email dated December 13, 2016.

The bill of lading, sieve analysis and approval documentation are provided in Appendix G.

3.4 LNAPL Recovery

The well was checked weekly for four weeks following installation to determine the rate of LNAPL accumulation. No significant amount of accumulation was measured. Due to the lack of recovery, the well was then checked less frequently. LNAPL was not observed during subsequent inspections in July 2017 or May 2018 (Table 3).

Table 3: Extraction Well Measurements

Date	Depth of Water (ft. bgs)	Depth of LNAPL
12/15/16	None	None
12/22/16	3.5	sheen
1/3/17	4.1	sheen
1/12/17	4.55	sheen
7/12/17	Not measured	None
5/30/18	Not measured	None

3.5 CAMP Monitoring and Nuisance controls

Community Air Monitoring Plan (CAMP) monitoring was performed during the installation of the recovery well. The monitors were placed in enclosures equipped with telemetry systems that alert users (via cell phone) when levels exceed a programmable limit. The systems were programmed to alert users whenever particulate and VOCs exceed the fifteen minute TWA response levels indicated in Appendix 1A of DER 10. The response level for particulates is 0.100 mg/m³ above the background reading; for VOCs it is 5 ppm above background readings.

The two enclosures were located on each end of the narrow corridor between the main building and northwest perimeter of the Site. All measured particulate and VOC levels were below response limits:

- For the recovery well installation, the fifteen minute TWA for particulate matter ranged from 0.003 to 0.004 mg/m³ for both monitoring locations. The fifteen minute TWA for VOCs ranged from 0.006 to 0.3 mg/m³ for both monitoring locations.
- For the load out of the soil stockpile, particulates ranged from 0.001 to 0.024 mg/m³ for both monitoring locations. No VOCs were detected.

Raw CAMP data are provided in Appendix H.

3.6 Staging of Excavated Soils

Excavated soils were staged on 12 milliliter (mL) polyethylene plastic sheeting next to the recovery well. The soils were free of staining and odors from ground surface to approximately 4 ft. bgs., and stained black from 4 to 8 ft. bgs. A small amount of LNAPL-saturated soil was encountered at 8 ft. bgs. near the southwest corner of the excavation. Once excavation and decontamination activities were complete, the stockpile was covered with a second layer of 12 mL polyethylene sheeting and anchored to prevent wind and precipitation erosion.

3.7 Equipment Decontamination

After completion of the recovery well construction, soils were removed from the excavator bucket using a brush and added to the staged soil pile. The soil pile was characterized for waste disposal and covered with 12 mL polyethylene plastic sheeting.

3.8 Waste Removal

The soil stockpile was sampled for waste characterization on December 28, 2016 for disposal. Cross contamination at the lab indicated a false positive result for TCE; therefore, the stockpile was resampled on January 3, 2017. Disposal of the stockpile was delayed due to confusion regarding the two sets of samples; the cross-contaminated results were inadvertently submitted with the waste profile and subsequently rejected by Waste Management, Inc. The re-sample results, which indicated that the stockpile was not hazardous, were submitted on January 31, 2017 and the soil stockpile was disposed of at Waste Management's Mill Seat Landfill on February 7, 2017.

In the event that LNAPL accumulates in the well in the future, it will be drummed and stored in a secure environment pending off-site disposal at a permitted facility in accordance with all applicable local, state, and federal regulations. Storage is not to exceed 90 days. When enough LNAPL is recovered, it will be disposed of at Industrial Oil Tank Service Corporation in Oriskany, New York (or the equivalent).

Waste Management profile sheets and manifests are included in in Appendix F.

4 Deviations from the Work Plan

RE&LS collected a groundwater sample from the recovery well on February 7, 2017 using low-flow methodologies and submitted it to Paradigm for TCL VOCs and TICs. TCE was the only compound that exceeded the NYS groundwater standard (Table 4).

Table 4: Recovery Well Sample Results - VOC Detections

Compound	Sample ID RW1-02072017	TOGs 1.1.1 Groundwater Standard or Guidance Value
cis-1, 2 - DCE	1.46 J	5
o-Xylene	1.32 J	5
Trichloroethene	15.0	5
Total Reported TICs	226	NS

Notes: Results are shown in µg/kg

NS - No associated standard

Gray shading indicates an exceedance of the NYS groundwater standard.

J= Result estimated between the quantitation limit and half the quantitation limit

Data Usability Summary Report

The sample was analyzed and the results were reported for 106 analytes. Even though some results were flagged with a "J" as estimated, all results (100 %) are considered usable.

5 Discussion and Conclusions

TCE and cis-1, 2-dichloroethene concentrations exceeding Protection of Groundwater SCOs remain in soil in the vicinity of the sump; however, while the highest concentrations of these compounds are well below Restricted Use SCOs, the Site is classified by the State as a “significant threat site.” Therefore, the State will select the remedy to be implemented to address the contamination.

Sump Construction Details

Neither Labella nor CHA were able to determine the discharge location of the sump in their floor drain investigations. Labella’s Supplemental Site Characterization (SSC) report indicated that one of the sump pipes is the confluence of two floor drains from the maintenance shop, and the other is a discharge pipe. Figure 6 of the CHA RIR indicates that two of the building floor drains discharge to the sump, but there is no sump discharge pipe depicted. Our investigation of the sump indicates that one of the pipes is equipped with a corroded metal fitting that may have at one time been connected to a pump.

Photographs of the sump are provided in Appendix B. CHA’s Figure 6 is provided in Appendix I.

Recovery Well

No LNAPL accumulation has occurred to date. The Department will be consulted to determine the frequency of future well inspections to check for LNAPL going forward.

Groundwater results from the recovery well indicate that groundwater is minimally impacted north of the boiler house. The only other compound detected in the groundwater sample was o-xylene. Table 5 indicates a downward trend of TCE and cis-1,2-dichloroethene concentrations in MW-3, indicating a reduction of these compounds by natural attenuation in the vicinity of the recovery well.

Table 5: MW-3 Groundwater Detections from 2005 to 2017

Volatiles by 8260	Location ID				TOGS 1.1.1 Groundwater Standard
	Labella MW-3	Labella MW-3	CHA MW-3	RE&LS RW-1	
Sample Date	3/23/2005	2/8/2006	8/3/2010	2/7/2017	
1,1-Dichloroethene	<20.0	<2.00	0.53J	<2.00	5
1,2-Dichlorobenzene	<20.0	<2.00	<1	<2.00	3
1,4-Dichlorobenzene	<20.0	<2.00	<1	<2.00	3
Acetone	<100	<10.0	6.8J	<10.0	50
cis-1,2-Dichloroethene	78.9	68.3	94	1.46 J	5
Ethylbenzene	<20.0	<2.00	<1	<2.00	5
Isopropylbenzene	--	2.14	--	<2.00	5
m,p-Xylene	<20.0	<2.00	<1	<2.00	5
Methylcyclohexane	--	--	<1	<2.00	NS
o-Xylene	<20.0	<2.00	<1	1.32 J	5
Trichloroethene	45.8	70.8	23	15.0	5
Vinyl chloride	<20.0	8.46	13	<2.00	2

Results are shown in ug/L

-- Not analyzed for these parameters

Bold indicates a detection of the associated parameter.

Grey shading indicates an exceedance of the associated standard.

J= Result estimated between the quantitation limit and half the quantitation limit

LIST OF FIGURES

Figure 1: Site Location Map

Figure 2: IRM Feature Locations and VOC Detections

Figure 3: Sump Construction Detail

Figure 4: Well Construction Details

LIST OF APPENDICES

Appendix A: Governing Documents

Appendix B: Sump Photographs

Appendix C: Boring Logs

Appendix D: Analytical Data

Appendix E: Data Usability Summary Reports


Appendix F: Waste Manifests

Appendix G: Imported Materials Documentation

Appendix H: Air Monitoring Data

Appendix I: Historical Existing Floor Drain Locations

Figures



MAP SOURCE:
USGS 2013 7.5 Quadrangle Map

**RAVI ENGINEERING
& LAND SURVEYING, P.C.**
2110 S. CLINTON AVENUE, SUITE 1
ROCHESTER, NEW YORK 14618
TL: (585) 223-3660 FX (585) 223-4250

Former JML Optical BCP #C828151
690 Portland Avenue
Rochester, NY 14621

FIGURE 1- SITE LOCATION MAP

PROJECT NO. 45-14-003-OP	DATE: January 2017
SCALE: NTS	DRAWING NO: Figure 1


IRM Recovery Well Groundwater Detections - Volatiles				
Sample Date 2/7/17		Sample ID		
Volatiles by 8260		Togs 1.1.1 Groundwater Standard		
		RW-1		
cis-1,2-Dichloroethene	1.46 J	5 µg/L		
o-xylene	1.32 J	5 µg/L		
Trichloroethene	15	5 µg/L		
Total Reported TICs	226	NA		

IRM Confirmatory Soil Sample Detections- Volatiles			
Sample Date 12/15/16	Sample ID	6 NYCRR Part 375 Protection of Groundwater SCOs	6 NYCRR Part 375 Restricted Use SCOs: Restricted Residential Use
Volatiles by 8260			
	IRM-SS-1		
1,2-Dichlorobenzene	0.00803	1.1	100
1,4-Dichlorobenzene	0.00215J	1.8	13
Acetone	<0.0196	0.05	100
cis-1,2-Dichloroethene	0.00227J	0.25	100
Ethylbenzene	0.00216J	1	41
m,p-Xylene	0.00723	1.6	100
o-Xylene	0.00259J	1.6	100
Styrene	0.00693J	NS	NS
Tetrachloroethene	0.0955	1.3	19
Toluene	0.00317J	0.7	100
trans-1,2-Dichloroethene	<0.00393	0.19	100
Trichloroethene	0.158	0.47	21
Unknown Aromatic	0.0762	NS	NS
Total Reported TICs	0.0762	NS	NS


IRM Confirmatory Soil Sample Detections - Volatiles			
Sample Date 12/15/16	Sample ID	6 NYCRR Part 375 Protection of Groundwater SCOs	6 NYCRR Part 375 Restricted Use SCOs: Restricted Residential Use
Volatiles by 8260			
	IRM-SS-4		
1,2-Dichlorobenzene	<0.00451	1.1	100
1,4-Dichlorobenzene	<0.00451	1.8	13
Acetone	0.0221J	0.05	100
cis-1,2-Dichloroethene	0.0914	0.25	100
Ethylbenzene	<0.00451	1	41
m,p-Xylene	0.00559	1.6	100
o-Xylene	0.00276J	1.6	100
Styrene	<0.0113	NS	NS
Tetrachloroethene	0.00539	1.3	19
Toluene	<0.00451	0.7	100
trans-1,2-Dichloroethene	0.0321	0.19	100
Trichloroethene	0.0914	0.47	21
Unknown Aromatic	0.0533	NS	NS
Total Reported TICs	0.0533	NS	NS

IRM Confirmatory Soil Sample Detections - Volatiles			
Sample Date 12/15/16	Sample ID	6 NYCRR Part 375 Protection of Groundwater SCOs	6 NYCRR Part 375 Restricted Use SCOs: Restricted Residential Use
Volatiles by 8260			
	IRM-SS-3		
1,2-Dichlorobenzene	<0.0359	1.1	100
1,4-Dichlorobenzene	<0.0359	1.8	13
Acetone	<0.179	0.05	100
cis-1,2-Dichloroethene	0.112	0.25	100
Ethylbenzene	<0.0359	1	41
m,p-Xylene	<0.0359	1.6	100
o-Xylene	<0.0359	1.6	100
Styrene	<0.0896	NS	NS
Tetrachloroethene	0.0890	1.3	19
Toluene	<0.0359	0.7	100
trans-1,2-Dichloroethene	<0.0359	0.19	100
Trichloroethene	0.739	0.47	21
Unknown Aromatic	<0.0896	NS	NS
Total Reported TICs	<0.0896	NS	NS

IRM Confirmatory Soil Sample Detections - Volatiles			
Sample Date 12/15/16	Sample ID	6 NYCRR Part 375 Protection of Groundwater SCOs	6 NYCRR Part 375 Restricted Use SCOs: Restricted Residential Use
Volatiles by 8260			
	IRM-SS-2		
1,2-Dichlorobenzene	0.0197	1.1	100
1,4-Dichlorobenzene	<0.0167	1.8	13
Acetone	<0.0835	0.05	100
cis-1,2-Dichloroethene	0.999	0.25	100
Ethylbenzene	<0.0167	1	41
m,p-Xylene	<0.0167	1.6	100
o-Xylene	<0.0167	1.6	100
Styrene	<0.0417	NS	NS
Tetrachloroethene	0.0733	1.3	19
Toluene	<0.0167	0.7	100
trans-1,2-Dichloroethene	0.0297	0.19	100
Trichloroethene	1.080	0.47	21
Unknown Aromatic	<0.0417	NS	NS
Total Reported TICs	<0.0417	NS	NS



Notes: Results are shown in mg/kg
NS - no associated standard
Bold type indicates a detection of the associated compound
1.080 box indicates an exceedance of the Protection of Groundwater SCO
J= Result estimated between the quantitation limit and half the quantitation limit
15 indicates an exceedance of the associated groundwater standard



RAVI ENGINEERING & LAND SURVEYING, P.C.

2110 SOUTH CLINTON AVENUE, SUITE 1
ROCHESTER, NEW YORK 14618

TL: (585) 223-3660 FX: (585) 697-1764

PROJECT MANAGER:

P.M.

MAPPING BY:

L.Z.

MAP SCALE:

1" = 50'

PROJECT NAME:

FORMER JML OPTICAL, INC.
690 PORTLAND AVENUE, ROCHESTER, NEW YORK
BROWNFIELD CLEANUP PROGRAM
NYSDEC SITE #C828151

PROJECT NO:

45-14-003-P

DATE:

JUNE 2018

DRAWING NO:

FIGURE 2

TITLE:

IRM FEATURE LOCATIONS AND VOC DETECTIONS

APPENDIX A

Governing Documents


Interim Remedial Measure Work Plan

Former JML Optical Facility
678-690 Portland Avenue
City of Rochester, New York

BCP ID No. C828151

Prepared for:
690 Portland Avenue Company

Prepared by:



2110 South Clinton Road
Rochester, New York 14618

I Nancy S. Van Dussen, P.E. am currently a NYS registered professional engineer and that this Report (Interim Remedial Measure Work Plan) was prepared in accordance with applicable statutes and regulations, and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

Nancy S. Van Dussen, P.E.
Signature

9-2-16
Date

Project Number: 45-13-002-0B

September 2016

1.0 INTRODUCTION

The 690 Portland Avenue Company has entered into a Brownfield Cleanup Agreement (BCA) through the New York State Department of Environmental Conservation's (NYSDEC) Brownfield Cleanup Program (BCP), it is listed as BCP ID No. C828151. The property is located at 690 Portland Avenue in Rochester, New York; it is identified as the former *JML Optical Facility* (the "Site," Figure 1).

Ravi Engineering & Land Surveying, P.C. (RE&LS) is submitting this Work Plan (WP) for the proposed Interim Remedial Measures to be conducted to address conditions identified during our Remedial Investigation (RI). The WP presents the activities and work to be completed by RE&LS and our selected Contractor in support of completing this IRM. The following sections of the WP include a background summary of the Site, a brief scope of work for the IRM, and descriptions of the roles and responsibilities of the parties involved in the work.

The Site is the former JML Optical Site located at 690 Portland Avenue in the City of Rochester, New York. It is an approximately 1.565-acre parcel that is the former JML buildings, paved surfaces, and a mowed grass area along the Portland Avenue entrance to the Site and a strip of grass along the eastern property boundary. The building is currently unoccupied.

The Site and neighboring properties are located in an Industrial (M-1) zoning district. It is serviced by public sewer and water, as are the surrounding properties.

2.0 INTERIM REMEDIAL MEASURE

An Interim Remedial Measure (IRM) is a cleanup activity that may be performed when a source of contamination or exposure pathway (the way in which a person may contact contamination) can be effectively addressed without extensive investigation and evaluation.

Per NYSDEC Division of Environmental Remediation (DER) 10, an IRM can be performed to contain and/or stabilize sources of contamination to reduce/eliminate exposure pathways. IRMs may include the removal of source areas and installation of non-aqueous phase liquid (NAPL) recovery systems. An IRM construction completion report (CCR) will be prepared upon completion of the proposed IRM discussed below.

The IRM will be conducted in two phases:

1. Trichloroethylene (TCE)-impacted soils will be removed from the sub-slab sump-like structure beneath a metal manhole cover in the north-central portion of the building; the soils will be disposed of as a hazardous waste.
2. Light non-aqueous phase liquid (LNAPL) will be removed from the top of the groundwater table from the area that a 5,000-gallon underground storage tank (UST) was removed in 1999; the LNAPL will be containerized and disposed of in compliance with applicable regulations.

The areas to be addressed by the IRM are indicated on Figure 2.

3.0 SCOPE OF WORK

The IRM will include an access control component to deter unauthorized Site access and reduce potential public exposure to accessible contaminant source areas, and other on-site contamination while work is being performed. The work areas are located inside the Site boundary.

Our selected contractor is TREC Environmental Inc. (TREC). They will supply all labor and furnish all materials, supplies, tools, and equipment required to complete the work.

TREC will address the IRMs in the following manner:

Sump

The structure described as a “sump” is beneath a metal manhole cover in the building slab; it appears to be comprised of a circular clay tile box with a bottom. It is partially filled with sediment that is proposed for removal as part of this IRM.

RE&LS characterized the sump sediment with a “grab” sample on April 27, 2016. Paradigm Environmental Services, Inc. (Paradigm) identified the following volatile organic compounds (VOCs) at the concentrations reported below (Attachment 1):

Toluene 404,000 µg/Kg (micrograms per kilogram, or parts per billion, ppb)

TCE 18,400,000 µg/Kg

This work will be conducted in conformance with the RE&LS and TREC Health and Safety Plans (HASP) included in Attachment 1.

1. After removing the metal manhole cover over the sump, TREC will use a negative air blower to ventilate the sump; an 18-inch diameter hose will draw vapors from the sump for discharge outside of the building; the discharge point will be above the roofline to prevent discharge into the ambient breathing zone around the building. As this will be a solitary discharge, no treatment of the vapors is proposed.
2. Prior to disturbing sump soils, TREC personnel will don Level C personal protective equipment (PPE); half-faced air-purifying respirators will be employed.
3. TREC will manually shovel the sump soils into a 55-gallon drum(s); the drummed soils will be sampled for waste disposal characterization.
4. After TREC has manually removed the soils from the sump, they will pressure wash the crotch to remove residuals; the rinsate waters will be vacuumed out and containerized for disposal.
5. Tools that come into contact with impacted soils will be washed with Alconox and rinsed with potable water; rinsate will be drummed.

Confirmatory Samples

After the sump has been cleaned, RE&LS will collect confirmatory samples at the north, south, east, and west sides of the sump. TREC will drill sub-slab borings by Geoprobe to a depth several feet deeper than the bottom of the sump. Soils will be screened for organic vapors. RE&LS will collect one confirmatory soil sample from each boring (4 total) for laboratory analysis for volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) Method 8260 in conformance with New York Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) protocols with a Category B deliverable. These results will be submitted for third party data usability validation (DUSR).

LNAPL

On May 12, 2016, RE&LS attempted to sample Labella Associate's MW-3 that was installed north of the boiler house in the vicinity of the fuel oil tank that was removed in 1999. We measured approximately 12 inches of LNAPL on top of the groundwater. Paradigm characterized the LNAPL as "pure product" identified as "medium weight PHC (petroleum hydrocarbon) as Fuel Oil #4" (data attached).

1. TREC will install an extraction well with an excavator to recover the LNAPL; the pit will be dug approximately 5 feet into the saturated zone to recover floating product.
2. A pit will be dug with a backhoe to the depth at which the LNAPL is encountered.
3. The LNAPL recovery well will be constructed with a 12-inch diameter high density polyethylene (HDPE) pipe that will be fashioned into a well screen with saw cuts to allow the LNAPL to permeate the pipe; it will be placed vertically into the LNAPL and groundwater in the pit and packed with "pea gravel" to allow the LNAPL to accumulate.
4. The recovery well be backfilled with washed peastone and completed with a one-foot PVC standpipe with a plastic cover.
5. After the HDPE pipe is installed, TREC will use a drum vacuum or vacuum truck to recover the LNAPL.
6. When enough LNAPL is recovered, it will be disposed of at Industrial Oil Tank Service Corporation in Oriskany, New York (or the equivalent).
7. Soils removed during the recovery well excavation will be staged on polyethylene and sampled for laboratory analysis as required for landfill approval.
8. Upon completion, the excavator bucket will be pressure-washed and any tools that come into contact with impacted soils will be washed with Alconox; rinsate waters will be drummed.
9. TREC will return to the Site periodically to recover LNAPL until it appears that the oil is no longer accumulating in the sump. RE&LS will consult with NYSDEC to determine when the LNAPL recovery portion of the IRM is completed.

HEALTH & SAFETY

The RE&LS and TREC Health and Safety Plans (HASPs) are included in Attachment 2. TREC will perform the work in a manner that is compliant with its corporate HASP and all governing Occupational Safety and Health Administration (OSHA) regulations. If required, TREC will develop a site-specific HASP to direct work with and around the contaminants of concern (COCs). The COCs for the Site are volatile organic compounds, primarily TCE, and heavier hydrocarbons in the form of medium weight petroleum hydrocarbons.

COMMUNITY AIR MONITORING PROGRAM (CAMP)

This CAMP will be implemented during the excavation and removal of soils during installation of the LNAPL recovery well. The purpose of the CAMP is to provide a measure of protection for the downwind community, more specifically off-site receptors including residents and workers, from potential airborne contaminant releases as a result of remedial work activities performed at the Site.

- Particulate monitoring will be conducted during ground intrusive activities at the Site in accordance with the Fugitive Dust and Particulate Monitoring from DER-10 Technical Guidance for Site Investigation and Remediation (Attachment 3). Particulate air monitoring will be conducted with a TSI DustTrak (or a similar device). It will continually record emissions (calculating 15-minute running average concentrations) generated during field activities. The dust monitoring devices will be checked and the results will be recorded periodically throughout the day of intrusive activities to assess emissions and the need for corrective action. If the downwind particulate level is 100 micrograms per cubic meter (ug/m^3) greater than background (upwind perimeter) for the 15-minute period, or if airborne dust is observed leaving the work area, then dust suppression techniques will be employed.
- Volatile organic compound (VOC) air monitoring will be conducted in conjunction with the dust monitoring program. VOC air monitoring will be conducted using a RAE Systems MiniRAE 2000 photoionization detector (PID). VOCs will be monitored and recorded at the downwind perimeter of the immediate work area. If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities must be temporarily halted and monitoring continued until VOCs return to background levels.

The PID will be calibrated prior to daily field activities according to manufacturer's instructions and standard industrial hygiene practices.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation, Region 8
6274 East Avon-Lima Road, Avon, NY 14414-9516
P: (585) 226-5353 | F: (585) 226-8139
www.dec.ny.gov

November 14, 2016

Joseph M. Loboizzo II
690 Portland Avenue Company
135 Orchard Park Boulevard
Rochester, New York 14609-3352

Re: Interim Remedial Measure Work Plan
Former JML Optical Site
Site No. C828151
Rochester (C), Monroe (C)

Dear Mr. Loboizzo:

The New York State Department of Environmental Conservation (the Department) and the New York State Department of Health (NYSDOH) have reviewed the revised Interim Remedial Measure Work Plan (IRMWP) dated September 2016 for the Former JML Optical Inc. Brownfield Cleanup Program site (BCP Site) located at 678-690 Portland Avenue in the City of Rochester, Monroe County.

The revised IRMWP still does not provide the necessary details as requested in the Department's August 18, 2016 disapproval letter regarding the proposed sump/manhole and LNAPL recovery well activities. In order to facilitate the Site moving forward through the remedial investigation phase of the BCP and based on the information presented in the revised IRMWP, the Department is conditionally approving the IRMWP with the following modifications and clarifications.

1. The Department understands that Dig Safe notification and stake out or an equivalent will be conducted at the Site prior to any ground intrusive activities.
2. The Department understands that IRM derived waste material generated with the managed in accordance with DER-10 Section 3.3(e). All IRM derived waste generated will be characterized, containerized, and disposed off-site at permitted facilities in accordance with all applicable local, state, and federal regulations.
3. The Department understands that all individuals will have OSHA 40 Hr. HAZWOPER training and will have current 8 Hr. refresher certification. The training documentation/certificates will be made available upon request.
4. Sump/Manhole Cleanout:
 - The IRMWP proposes the use of an 18-inch diameter hose drawing out and discharging the vapors outside the building. The vapors from the sump/manhole cleanout will be treated with granulated activated charcoal prior to discharge to the environmental to mitigate any potential exposure impacts to the surrounding and adjacent residences and properties.

- The revised IRMWP indicates that soil borings will be completed on the north, south, east, and west sides of the sump/manhole. There is no indication as to the distance from the sump/manhole the soil borings will be completed. Based on the condition and the number of openings in the sump/manhole, a field decision with consultation with the Department will be made as to the location, distance from the sump/manhole, and the number of borings to be completed.
- As indicated in the revised IRMWP the soil borings will be completed several feet (assuming approx. 3 feet) below the bottom of the sump/manhole. If there is still evidence of impacts (e.g., staining, odor, elevated PID readings) then the soils will be completed until there is no evidence of impacts or refusal whichever comes first. All soil boring intervals will be screened with a PID. A headspace will be completed on each boring interval. Soil samples submitted for laboratory analysis will be collected from each boring and from the interval with the highest PID reading. If no elevated PID readings then the interval above the water table will be selected for laboratory analysis. Soil boring logs will be generated documenting the boring.
- Soil samples submitted for laboratory analysis will be analyzed for TCL VOCs plus TICs.
- Documentation of the condition of the sump/manhole will be conducted once it is cleaned out and pressure washed. Documentation will include but not be limited to photographs, material of construction, depth and diameter of the sump/manhole, the number of openings and orientation, location of the openings with respect to ground surface, and any cracks/gaps/breaks in the sump/manhole.
- The drums containing the material from the sump/manhole will be staged in a secure location. The drums will be dated and labeled in accordance with the regulations. It should be noted that the material removed would be considered a listed hazardous waste and must be disposed within 90 days of generation. All material generated as part of the sump/manhole activities including the cuttings from the soil borings will be containerized, characterized, and disposed off-site at a permitted landfill facility in accordance with all applicable local, State, and Federal regulations.

5. LNAPL Recovery Well Installation:

- The revised IRMWP does not provide any details on the location of the recovery well with respect to MW-3. The Department understands that the recovery well will be located on the Site within the area outlined on Figure 2 of the IRMWP no more than 5 feet from MW-3. The revised IRMWP does not provide any specific details on the size of the pit to be excavated for the LNAPL recovery well. The Department understands that the recovery well pit will be of sufficient size for the effective collection of the LNAPL within the recovery well.
- The IRMWP indicates that the recovery well pit will be dug to the depth at which LNAPL is encountered. The Department understands that the depth of the recovery pit will take into account any seasonal groundwater fluctuations at the Site.

- All soil/fill material excavated during the recovery pit excavation will be staged on a minimum of 12 mil poly sheeting or directly placed in a roll-off. The soil/fill material staged on the site will be covered with a minimum of 12 mil poly sheeting and anchored at all times to prevent wind and precipitation erosion. If the soil/fill material is saturated then the soil/fill material staging area must be designed to collect the free liquids generated from the excavated soil/fill material. The staged soil/fill material will be characterized and disposed off-site at a permitted landfill facility in accordance with all applicable local, State, and Federal regulations. The staged soil/fill material must be disposed off-site within 30 days of waste characterization.
- All trucks transporting the staged soil/fill material will be decontaminated prior to leaving the Site such that no soil/fill material is deposited on the local streets and roadways. Decontamination can include truck washing, brushing off the truck, etc. If the soil/fill material is saturated (i.e., producing free liquid) then the trucks must be lined.
- The Department understands that the recovery well pit will be backfilled with washed pea stone to a depth of 1 foot above the water table. The recovery well pit will then be restored to ground surface and will consist of placement of geotextile over the pea stone surface with overlap placed up the sides of the excavation walls with the placement of stone fill material to match the ground surface. The geotextile material will prevent the infiltration of fines into the collection area but will allow for the infiltration of precipitation. The stone fill material must meet DER-10 Section 5.4(e)5. The sieve analysis for the pea stone and the stone fill material must be submitted to the Department for review and approval prior to importation of the material to the Site. The Request to Reuse form must be submitted to the Department with all of the supporting documentation for the backfill material to be imported to the Site. See attached.
- The thickness of the LNAPL in the recovery well will be checked 1x per week for the first three (3) weeks after installation has been completed to determine if LNAPL is accumulating within the recovery well. If significant layer of LNAPL is detected within the recovery well then the LNAPL will be collected, drummed, and stored on-site. The frequency of inspections and reclamation of the LNAPL will be contingent upon the results/volume of the initial inspections. Frequency of reclamation may need to be increased or decreased. The Department will be notified of any changes in the frequency of inspections and reclamation. All field data associated with the inspection and reclamation activities will be recorded in the field log book.
- All liquids generated during the installation of the recovery well pit will be containerized, characterized, and disposed off-site in accordance with all local, State, and Federal regulations as well as in accordance with DER-10.
- All material generated as part of the decontamination activities will be containerized, characterized, and disposed off-site in accordance with all applicable local, State, and Federal regulations as well as in accordance with DER-10.

- Community Air Monitoring (CAMP) will be conducted for all intrusive activities as well as during loading out of any stage soil/fill material.
 - The Department understands that the recovery well will be finished in a manner consistent with acceptable engineering practice and will be secure with a lock. The Department also understands that the recovery well will be of suitable diameter to facilitate the recovery of the LNAPL via vacuum drum or vacuum truck.
 - It must be noted that trichloroethene has been detected in the groundwater of MW-3; therefore, the LNAPL collected could contain TCE and would be considered a listed hazardous waste unless waste characterization analytical results indicates otherwise.
 - The drums of collected LNAPL will be stored in a secure environment and will be disposed off-site at a permitted facility in accordance with all applicable local, State, and Federal regulations. The drums will be dated and labeled in accordance with the all applicable local, State, and Federal regulations. The storage of the drums on the Site cannot exceed 90 days.
6. All analytical data generated as part of the IRMWP will be submitted to the Department and the data usability summary reports (DUSRs) will be developed in accordance with DER-10 Section 2.2(a), (b), and (c) as well as DER-10 Appendix 2B.
 7. An USEPA RCRA Identification number will need to be assigned to the cleanup site if one has not been already assigned.
 8. The Health and Safety Plan (HASP) submitted to the Department is dated March 2015 and details fieldwork activities occurring in April 2015. A HASP should be updated if new site information, data is available, and new potential hazards. The HASP also references appendices which were not provided in the submittal to the Department. All future submittals must be complete and include all the appropriate appendices. The HASP indicates that the proposed level of PPE is Level D. This would be appropriate level for the installation of the recovery well pit but is not an appropriate level of PPE for the sump/manhole activities.
 9. If a confined space entry is conducted all appropriate precautions be taken, appropriate worker safety monitoring must be conducted, and rescue equipment must be in place for immediate use. Any individual(s) conducting a confined space entry must have all necessary certifications and training and the documentation must be made available upon request.
 10. A Construction Completion Report detailing the activities associated with the IRMWP will be submitted to the Department within 90 days after the completion of the fieldwork activities. The CCR will be developed in accordance with DER-10 Section 5.8. This will include, but not limited to, all manifests and disposal records, summary data tables, photograph log of fieldwork activities, CAMP monitoring data, boring logs, etc.
 11. As per the Brownfield Cleanup Agreement and 6 NYCRR Part 375-1.6(4) the Department must be notified at least 7 days in advance of fieldwork activities so that Department oversight of the fieldwork activities can be conducted.

12. The Department understands that within 3 weeks after the date of this approval letter the fieldwork activities will begin.

Within fifteen (15) days of the date of this letter and prior to any fieldwork activities associated with the Interim Remedial Measures Work Plan, the Applicant must elect in writing (electronic notification is acceptable) one of the following options:

- Option A: Accept the modified work plan;
- Option B: Invoke dispute resolution as set forth in 6 NYCRR Part 35-1.5(b)(2); or
- Option C: Terminate the Brownfield Cleanup Agreement in accordance with 6 NYCRR Part 375-3.5.

If the Applicant chooses to accept Option A then this letter becomes part of the approved Interim Remedial Measure Work Plan. Also, if Option A is chosen then a copy of the approved Interim Remedial Measures (IRM) Work Plan along with this letter attached must be placed in the document repository within 1 week of accepting Option A and prior to all fieldwork activities associated with the Interim Remedial Measure Work Plan. Please provide notification to the Department that the Interim Remedial Measure Work Plan and a copy of this letter have been placed in the document repository (electronic notification is acceptable).

The Department seeks to resolve the outstanding differences in a mutually agreeable manner, which addresses the requirements of the Brownfield Cleanup Agreement and associated work plans. If you have any questions, concerns, or need further assistance with the Site, please feel free to contact me at 585-226-5354 or via e-mail at charlotte.theobald@dec.ny.gov.

Sincerely,

Charlotte B. Theobald
Environmental Engineer 1

ec:

Pete Morton (Ravi)
Linda Shaw (Knauf Shaw)
Rev. Wright (Community Mutual, Inc.)
Justin Deming (NYS. Dept. of Health – Albany)
Eamonn O'Neil (NYS Dept. of Health - Albany)
Wade Silkworth (Monroe County Health Department)
Dudley Loew (NYSDEC)
Bernette Schilling (NYSDEC)
Todd Caffoe (NYSDEC)



**NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION**



Request to Import/Reuse Fill or Soil

This form is based on the information required by DER-10, Section 5.4(e). Use of this form is not a substitute for reading the applicable Technical Guidance document.

SECTION 1 – SITE BACKGROUND

The allowable site use is:

Have Ecological Resources been identified?

Is this soil originating from the site?

How many cubic yards of soil will be imported/reused?

If greater than 1000 cubic yards will be imported, enter volume to be imported:

SECTION 2 – MATERIAL OTHER THAN SOIL

Is the material to be imported gravel, rock or stone?

Does it contain less than 10%, by weight, material that would pass a size 80 sieve?

Is this virgin material from a permitted mine or quarry?

Is this material recycled concrete or brick from a DEC registered processing facility?

SECTION 3 - SAMPLING

Provide a brief description of the number and type of samples collected in the space below:

Example Text: 5 discrete samples were collected and analyzed for VOCs. 2 composite samples were collected and analyzed for SVOCs, Inorganics & PCBs/Pesticides.

If the material meets requirements of DER-10 section 5.5 (other material), no chemical testing needed.

SECTION 3 CONT'D - SAMPLING

Provide a brief written summary of the sampling results or attach evaluation tables (compare to DER-10, Appendix 5):

Example Text: Arsenic was detected up to 17 ppm in 1 (of 5) samples; the allowable level is 16 ppm.

If Ecological Resources have been identified use the "If Ecological Resources are Present" column in Appendix 5.

SECTION 4 – SOURCE OF FILL

Name of person providing fill and relationship to the source:

Location where fill was obtained:

Identification of any state or local approvals as a fill source:

If no approvals are available, provide a brief history of the use of the property that is the fill source:

Provide a list of supporting documentation included with this request:

The information provided on this form is accurate and complete.

Signature


Date

Print Name


Firm

APPENDIX B




Sump Schematics & Sump Photographs



 2110 SOUTH CLINTON AVENUE, SUITE 1 ROCHESTER, NEW YORK 14618 TL: (585) 223-3660 FX (585) 223-4250	SUMP CONSTRUCTION DETAIL NYSDEC BCP Site #C828151 690 PORTLAND AVENUE ROCHESTER, NY 14621		PROJECT NO: 45-14-003-0P	DATE: 12-19-2016
	PLAN & SIDE VIEW		SCALE: N.T.S.	DRAWING NO: Figure 3



LEGEND

-  **GEOTEXTILE FABRIC**
-  **#1 CRUSHED STONE**
-  **#1A GRAVEL**

Ravi Engineering & Land Surveying, P.C.

2110 S. Clinton Ave., Suite 1
Rochester, New York 14618
585-223-3660 p
585-697-1764 f

PROJECT MANAGER:
P.M.

DRAWN BY:
L.Z.

MAP SCALE:
N.T.S.

PROJECT NAME:
FORMER JML OPTICAL, INC.
690 PORTLAND AVENUE, ROCHESTER, NEW YORK
BROWNFIELD CLEANUP PROGRAM
NYSDEC SITE #C828151

TITLE:
WELL CONSTRUCTION DETAILS

PROJECT NO:
45-14-003-0B
DATE:
MARCH 2017

DRAWING NO:
FIGURE 4



Sump prior to sediment removal



Sump after sediment removal



Close up of pipe at southeast perimeter of sump



Birds eye view of feature at northwest perimeter of sump



Side view of feature at northwest perimeter



Closeup of grouted seam between two stacked concrete columns



Excavation of recovery well pit



Stained soils in recover well pit



Staging of excavated soils



Covered excavation soils



1A gravel used as recovery well backfill




The finished recovery well





Measuring LNAPL accumulation


APPENDIX C

Boring Logs

<div></div>						PROJECT		BORING BH-1 (Sample IRM-SS1-20161215)			
						690 Portland Avenue IRM		SHEET 1 OF 4 JOB #: 45-14-003-0B CHKD. BY: N/A			
CONTRACTOR: TREC Environmental, Inc.						BORING LOCATION: North of Sump ~5 ft.					
DRILLER:						GROUND SURFACE ELEVATION: N/A DATUM: N/A					
RELS Personnel:: Lynn Z/Alexa B						DATE: 12/15/16					
TYPE OF DRILL RIG: Geoprobe CASING SIZE AND TY NA OVERBURDEN SAMPLING METHOD Macrocore ROCK DRILLING METHOD NA						WATER LEVEL DATA					
						DATE	TIME	WATER	CASING	REMARKS	
DEPTH	SAMPLE DATA					SAMPLE DESCRIPTION					PID
	BLOW /6"	NO.	DEPTH (FT.)	N-VALUE /RQD(%)	RECOVERY (%)						
1						0-6" concrete					4 ft. headspace 12.0
2						6"-2' reddish brown sandy silt; dry 2'-4' reddish brown sandy gravel; moist					
3											
4											
5						4'-4'2" Earthy brown sandy silt with gravel; moist 4'2"-4'10" Reddish brown silty clay					
6						4'10"-8' brown/gray brown sandy clay					5 ft. headspace 8.4
7											
8											
9						8-9'6" fine to medium brown sand; wet					
10						9'6"-10'6" brown sandy clay; dry					
11						10'6"-10'9" yellow brown hard silt; dry 10'9"-10'11" rock layer					12 ft. headspace 32.0
12						10'11"-12' yellow brown sandy silt with gravel					
13						12'-12.7 very wet sandy clay					
14						***Sample taken at 12 feet Refusal at 12.7 feet due to bedrock					
15											
16											
17											
18											
19											
20											
<div>LEGEND</div> <div>S- SPLIT SPOON SOIL SAMPLE</div> <div>U- UNDISTURBED SOIL SAMPLE</div> <div>C- ROCK CORE SAMPLE</div>											
<div>GENERAL NOTES:</div> <div>1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.</div> <div>2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.</div>											
BORING #											

<div></div>						PROJECT		BORING		BH-2 (Sample IRM-SS02-20161215)	
						690 Portland Avenue IRM		SHEET 1 OF 4		45-14-003-0B	
CONTRACTOR: TREC Environmental, Inc.						BORING LOCATION: West of Sump ~3 ft.					
DRILLER:						GROUND SURFACE ELEVATION: N/A				DATUM: N/A	
RELS Personnel:: Lynn Z/Alexa B.						DATE: 12/15/16					
TYPE OF DRILL RIG: Geoprobe CASING SIZE AND TYPE: NA OVERBURDEN SAMPLING METHOI Macrocore ROCK DRILLING METHOI NA						WATER LEVEL DATA					
						DATE	TIME	WATER		CASING	REMARKS
DEPTH	SAMPLE DATA					SAMPLE DESCRIPTION					PID
	BLOW /6"	NO.	DEPTH (FT.)	N-VALUE /RQD(%)	RECOVERY (%)						
	1					0-6" concrete 6"-3'6" reddish brown silt					2 ft. headspace 2.9
	2										
	3										
	4										
	5					4'-4'2" reddish brown silt with gravel 4'2"-5'2" moist reddish brown clay 5'2"-6'6" moist brown clay 6'6"-8' dry yellow brown silt					4 ft. headspace 5
	6										
	7										
	8										
	9					****Sampling ~4-4 1/2 feet					
	10										
	11										
	12										
	13										
	14										
	15										
	16										
	17										
	18										
	19										
20											
<div>LEGEND</div> <div>S- SPLIT SPOON SOIL SAMPLE</div> <div>U- UNDISTURBED SOIL SAMPLE</div> <div>C- ROCK CORE SAMPLE</div>											
<div>GENERAL NOTES:</div> <div>1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.</div> <div>2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.</div>											BORING #

		PROJECT		BORING BH-3 (Sample IRM-SS03-20161215)			
		690 Portland Avenue IRM		SHEET 1 OF 4 JOB #: 45-14-003-0B CHKD. BY: N/A			
CONTRACTOR: TREC Environmental, Inc.		BORING LOCATION: South of Sump ~4 ft.					
DRILLER:		GROUND SURFACE ELEVATION: N/A		DATUM: N/A			
RELS Personnel:: Lynn Z/Alexa B.		Date: 12/15/16					
TYPE OF DRILL RIG: Geoprobe CASING SIZE AND TYPE: NA OVERBURDEN SAMPLING METHOD: Macrocore ROCK DRILLING METHOD: NA		WATER LEVEL DATA					
		DATE	TIME	WATER	CASING	REMARKS	
DEPTH T H	SAMPLE DATA					SAMPLE DESCRIPTION	PID
	BLOW /6"	NO.	DEPTH (FT.)	N-VALUE /RQD(%)	RECOVERY (%)		
	1					0-6" concrete	4 ft headspace 8.4
	2						
	3					6"-1'6" fine brown sand; dry 1'6"-2' red sandy gravel 2'-4' brown silty sand with gravel	
	4						
	5					4'-4'2" black brown moist clay 4'2"-4'4" brown silty clay with gravel 4'4"-5'5" black brown clay with some gravel 5'5"-6'4" wet brown clay 6'4"-8' yellow brown silt with some clay	6.5 ft headspace 5.6
	6						
	7						
	8						
9					****Sample take at 4 feet		
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
<u>LEGEND</u> S- SPLIT SPOON SOIL SAMPLE U- UNDISTURBED SOIL SAMPLE C- ROCK CORE SAMPLE							
GENERAL NOTES: 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.							
BORING #							

<div></div>						PROJECT 690 Portland Avenue IRM		BORING BH-4 (Sample IRM-SS04-20161215) SHEET 1 OF 4 JOB #: 45-14-003-0B CHKD. BY: N/A			
CONTRACTOR: TREC Environmental, Inc.						BORING LOCATION: East of Sump ~3.7 ft.					
DRILLER:						GROUND SURFACE ELEVATION: N/A				DATUM: N/A	
RELS Personnel:: Lynn Z/Alexa B.						Date: 12/15/16					
TYPE OF DRILL RIG: Geoprobe CASING SIZE AND TYPE: NA OVERBURDEN SAMPLING METHOD: Macrocore ROCK DRILLING METHOD NA						WATER LEVEL DATA					
						DATE	TIME	WATER	CASING	REMARKS	
DEPTH	SAMPLE DATA					SAMPLE DESCRIPTION					PID
	BLOW /6"	NO.	DEPTH (FT.)	N-VALUE /RQD(%)	RECOVERY (%)						
	1					0-6" concrete					4 ft. headspace 1.8
	2										
	3										
	4										
	5					4'-4'2" gravelly silty sand; dry 4'2"-6' hard gravelly silty clay; dry					5 ft. headspace 3.4
	6										
	7										
	8										
	9					****Sample at 5 feet					
	10										
	11										
	12										
	13										
	14										
	15										
	16										
	17										
	18										
	19										
20											
<u>LEGEND</u> S- SPLIT SPOON SOIL SAMPLE U- UNDISTURBED SOIL SAMPLE C- ROCK CORE SAMPLE											
GENERAL NOTES: 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.											
BORING #											

APPENDIX D

Analytical Data



PARADIGM
ENVIRONMENTAL SERVICES, INC.

LAB PROJECT NARRATIVE

CLIENT: Ravi Engineering & Land Surveying, P.C.

PROJECT REFERENCE: 690 Portland Ave IRM

LAB PROJECT NUMBER: 165435

DATE: 12/30/2016

You recently received a report that documents positive detections for trichloroethene (TCE) in select samples. At the time of analysis, instrumental run QC indicated that all parameters were compliant and in control. It has since been determined that your samples were stored concurrent with another sample that contained very high levels of TCE. Although the evidence is purely circumstantial, it is possible that the TCE results reported herein stem from cross contamination during storage.

A handwritten signature in black ink, which appears to read "Matthew Miller".

Matthew Miller
Operations Manager

179 Lake Avenue

Rochester, NY 14608

OFFICE: 585.647.2530

FAX: 585.647.3311



mmiller@paradigmenv.com
www.paradigmenv.com



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Matrix: Soil

Date Sampled: 12/15/2016

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1,2,2-Tetrachloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1,2-Trichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1-Dichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1-Dichloroethene	< 3.93	ug/Kg		12/22/2016 13:36
1,2,3-Trichlorobenzene	< 9.82	ug/Kg		12/22/2016 13:36
1,2,4-Trichlorobenzene	< 9.82	ug/Kg		12/22/2016 13:36
1,2-Dibromo-3-Chloropropane	< 19.6	ug/Kg		12/22/2016 13:36
1,2-Dibromoethane	< 3.93	ug/Kg		12/22/2016 13:36
1,2-Dichlorobenzene	8.03	ug/Kg		12/22/2016 13:36
1,2-Dichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,2-Dichloropropane	< 3.93	ug/Kg		12/22/2016 13:36
1,3-Dichlorobenzene	< 3.93	ug/Kg		12/22/2016 13:36
1,4-Dichlorobenzene	2.15	ug/Kg	J	12/22/2016 13:36
1,4-dioxane	< 39.3	ug/Kg		12/22/2016 13:36
2-Butanone	< 19.6	ug/Kg		12/22/2016 13:36
2-Hexanone	< 9.82	ug/Kg		12/22/2016 13:36
4-Methyl-2-pentanone	< 9.82	ug/Kg		12/22/2016 13:36
Acetone	< 19.6	ug/Kg		12/22/2016 13:36
Benzene	< 3.93	ug/Kg		12/22/2016 13:36
Bromochloromethane	< 9.82	ug/Kg		12/22/2016 13:36
Bromodichloromethane	< 3.93	ug/Kg		12/22/2016 13:36
Bromoform	< 9.82	ug/Kg		12/22/2016 13:36
Bromomethane	< 3.93	ug/Kg		12/22/2016 13:36
Carbon disulfide	< 3.93	ug/Kg		12/22/2016 13:36
Carbon Tetrachloride	< 3.93	ug/Kg		12/22/2016 13:36
Chlorobenzene	< 3.93	ug/Kg		12/22/2016 13:36

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier:	IRM-SS01-20161215		Date Sampled:	12/15/2016	
Lab Sample ID:	165435-01		Date Received:	12/15/2016	
Matrix:	Soil				
Chloroethane	< 3.93	ug/Kg		12/22/2016	13:36
Chloroform	< 3.93	ug/Kg		12/22/2016	13:36
Chloromethane	< 3.93	ug/Kg		12/22/2016	13:36
cis-1,2-Dichloroethene	2.27	ug/Kg	J	12/22/2016	13:36
cis-1,3-Dichloropropene	< 3.93	ug/Kg		12/22/2016	13:36
Cyclohexane	< 19.6	ug/Kg		12/22/2016	13:36
Dibromochloromethane	< 3.93	ug/Kg		12/22/2016	13:36
Dichlorodifluoromethane	< 3.93	ug/Kg		12/22/2016	13:36
Ethylbenzene	2.16	ug/Kg	J	12/22/2016	13:36
Freon 113	< 3.93	ug/Kg		12/22/2016	13:36
Isopropylbenzene	< 3.93	ug/Kg		12/22/2016	13:36
m,p-Xylene	7.23	ug/Kg		12/22/2016	13:36
Methyl acetate	< 3.93	ug/Kg		12/22/2016	13:36
Methyl tert-butyl Ether	< 3.93	ug/Kg		12/22/2016	13:36
Methylcyclohexane	< 3.93	ug/Kg		12/22/2016	13:36
Methylene chloride	< 9.82	ug/Kg		12/22/2016	13:36
o-Xylene	2.59	ug/Kg	J	12/22/2016	13:36
Styrene	6.93	ug/Kg	J	12/22/2016	13:36
Tetrachloroethene	95.5	ug/Kg		12/22/2016	13:36
Toluene	3.17	ug/Kg	J	12/22/2016	13:36
trans-1,2-Dichloroethene	< 3.93	ug/Kg		12/22/2016	13:36
trans-1,3-Dichloropropene	< 3.93	ug/Kg		12/22/2016	13:36
Trichloroethene	158	ug/Kg		12/22/2016	13:36
Trichlorofluoromethane	< 3.93	ug/Kg		12/22/2016	13:36
Vinyl chloride	< 3.93	ug/Kg		12/22/2016	13:36

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	106	82 - 124		12/22/2016 13:36
4-Bromofluorobenzene	92.1	80.5 - 116		12/22/2016 13:36
Pentafluorobenzene	96.5	88.7 - 112		12/22/2016 13:36
Toluene-D8	94.7	79.1 - 120		12/22/2016 13:36

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37958.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1,2,2-Tetrachloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1,2-Trichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1-Dichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1-Dichloroethene	< 16.7	ug/Kg		12/22/2016 14:00
1,2,3-Trichlorobenzene	< 41.7	ug/Kg		12/22/2016 14:00
1,2,4-Trichlorobenzene	< 41.7	ug/Kg		12/22/2016 14:00
1,2-Dibromo-3-Chloropropane	< 83.5	ug/Kg		12/22/2016 14:00
1,2-Dibromoethane	< 16.7	ug/Kg		12/22/2016 14:00
1,2-Dichlorobenzene	19.7	ug/Kg		12/22/2016 14:00
1,2-Dichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,2-Dichloropropane	< 16.7	ug/Kg		12/22/2016 14:00
1,3-Dichlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00
1,4-Dichlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00
1,4-dioxane	< 16.7	ug/Kg		12/22/2016 14:00
2-Butanone	< 83.5	ug/Kg		12/22/2016 14:00
2-Hexanone	< 41.7	ug/Kg		12/22/2016 14:00
4-Methyl-2-pentanone	< 41.7	ug/Kg		12/22/2016 14:00
Acetone	< 83.5	ug/Kg		12/22/2016 14:00
Benzene	< 16.7	ug/Kg		12/22/2016 14:00
Bromochloromethane	< 41.7	ug/Kg		12/22/2016 14:00
Bromodichloromethane	< 16.7	ug/Kg		12/22/2016 14:00
Bromoform	< 41.7	ug/Kg		12/22/2016 14:00
Bromomethane	< 16.7	ug/Kg		12/22/2016 14:00
Carbon disulfide	< 16.7	ug/Kg		12/22/2016 14:00
Carbon Tetrachloride	< 16.7	ug/Kg		12/22/2016 14:00
Chlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier:	IRM-SS02-20161215			Date Sampled:	12/15/2016
Lab Sample ID:	165435-02			Date Received:	12/15/2016
Matrix:	Soil				
Chloroethane	< 16.7	ug/Kg		12/22/2016	14:00
Chloroform	< 16.7	ug/Kg		12/22/2016	14:00
Chloromethane	< 16.7	ug/Kg		12/22/2016	14:00
cis-1,2-Dichloroethene	999	ug/Kg		12/22/2016	14:00
cis-1,3-Dichloropropene	< 16.7	ug/Kg		12/22/2016	14:00
Cyclohexane	< 83.5	ug/Kg		12/22/2016	14:00
Dibromochloromethane	< 16.7	ug/Kg		12/22/2016	14:00
Dichlorodifluoromethane	< 16.7	ug/Kg		12/22/2016	14:00
Ethylbenzene	< 16.7	ug/Kg		12/22/2016	14:00
Freon 113	< 16.7	ug/Kg		12/22/2016	14:00
Isopropylbenzene	< 16.7	ug/Kg		12/22/2016	14:00
m,p-Xylene	< 16.7	ug/Kg		12/22/2016	14:00
Methyl acetate	< 16.7	ug/Kg		12/22/2016	14:00
Methyl tert-butyl Ether	< 16.7	ug/Kg		12/22/2016	14:00
Methylcyclohexane	< 16.7	ug/Kg		12/22/2016	14:00
Methylene chloride	< 41.7	ug/Kg		12/22/2016	14:00
o-Xylene	< 16.7	ug/Kg		12/22/2016	14:00
Styrene	< 41.7	ug/Kg		12/22/2016	14:00
Tetrachloroethene	73.3	ug/Kg		12/22/2016	14:00
Toluene	< 16.7	ug/Kg		12/22/2016	14:00
trans-1,2-Dichloroethene	29.7	ug/Kg		12/22/2016	14:00
trans-1,3-Dichloropropene	< 16.7	ug/Kg		12/22/2016	14:00
Trichloroethene	1080	ug/Kg		12/22/2016	14:00
Trichlorofluoromethane	< 16.7	ug/Kg		12/22/2016	14:00
Vinyl chloride	< 16.7	ug/Kg		12/22/2016	14:00

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	103	82 - 124		12/22/2016 14:00
4-Bromofluorobenzene	97.8	80.5 - 116		12/22/2016 14:00
Pentafluorobenzene	102	88.7 - 112		12/22/2016 14:00
Toluene-D8	97.0	79.1 - 120		12/22/2016 14:00

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37959.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1,2,2-Tetrachloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1,2-Trichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1-Dichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1-Dichloroethene	< 35.9	ug/Kg		12/22/2016 14:24
1,2,3-Trichlorobenzene	< 89.6	ug/Kg		12/22/2016 14:24
1,2,4-Trichlorobenzene	< 89.6	ug/Kg		12/22/2016 14:24
1,2-Dibromo-3-Chloropropane	< 179	ug/Kg		12/22/2016 14:24
1,2-Dibromoethane	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichloropropane	< 35.9	ug/Kg		12/22/2016 14:24
1,3-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,4-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,4-dioxane	< 359	ug/Kg		12/22/2016 14:24
2-Butanone	< 179	ug/Kg		12/22/2016 14:24
2-Hexanone	< 89.6	ug/Kg		12/22/2016 14:24
4-Methyl-2-pentanone	< 89.6	ug/Kg		12/22/2016 14:24
Acetone	< 179	ug/Kg		12/22/2016 14:24
Benzene	< 35.9	ug/Kg		12/22/2016 14:24
Bromochloromethane	< 89.6	ug/Kg		12/22/2016 14:24
Bromodichloromethane	< 35.9	ug/Kg		12/22/2016 14:24
Bromoform	< 89.6	ug/Kg		12/22/2016 14:24
Bromomethane	< 35.9	ug/Kg		12/22/2016 14:24
Carbon disulfide	< 35.9	ug/Kg		12/22/2016 14:24
Carbon Tetrachloride	< 35.9	ug/Kg		12/22/2016 14:24
Chlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier:	IRM-SS03-20161215			
Lab Sample ID:	165435-03		Date Sampled:	12/15/2016
Matrix:	Soil		Date Received:	12/15/2016
Chloroethane	< 35.9	ug/Kg	12/22/2016	14:24
Chloroform	< 35.9	ug/Kg	12/22/2016	14:24
Chloromethane	< 35.9	ug/Kg	12/22/2016	14:24
cis-1,2-Dichloroethene	112	ug/Kg	12/22/2016	14:24
cis-1,3-Dichloropropene	< 35.9	ug/Kg	12/22/2016	14:24
Cyclohexane	< 179	ug/Kg	12/22/2016	14:24
Dibromochloromethane	< 35.9	ug/Kg	12/22/2016	14:24
Dichlorodifluoromethane	< 35.9	ug/Kg	12/22/2016	14:24
Ethylbenzene	< 35.9	ug/Kg	12/22/2016	14:24
Freon 113	< 35.9	ug/Kg	12/22/2016	14:24
Isopropylbenzene	< 35.9	ug/Kg	12/22/2016	14:24
m,p-Xylene	< 35.9	ug/Kg	12/22/2016	14:24
Methyl acetate	< 35.9	ug/Kg	12/22/2016	14:24
Methyl tert-butyl Ether	< 35.9	ug/Kg	12/22/2016	14:24
Methylcyclohexane	< 35.9	ug/Kg	12/22/2016	14:24
Methylene chloride	< 89.6	ug/Kg	12/22/2016	14:24
o-Xylene	< 35.9	ug/Kg	12/22/2016	14:24
Styrene	< 89.6	ug/Kg	12/22/2016	14:24
Tetrachloroethene	89.0	ug/Kg	12/22/2016	14:24
Toluene	< 35.9	ug/Kg	12/22/2016	14:24
trans-1,2-Dichloroethene	< 35.9	ug/Kg	12/22/2016	14:24
trans-1,3-Dichloropropene	< 35.9	ug/Kg	12/22/2016	14:24
Trichloroethene	739	ug/Kg	12/22/2016	14:24
Trichlorofluoromethane	< 35.9	ug/Kg	12/22/2016	14:24
Vinyl chloride	< 35.9	ug/Kg	12/22/2016	14:24

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	110	82 - 124		12/22/2016 14:24
4-Bromofluorobenzene	101	80.5 - 116		12/22/2016 14:24
Pentafluorobenzene	104	88.7 - 112		12/22/2016 14:24
Toluene-D8	101	79.1 - 120		12/22/2016 14:24

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37960.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1,2,2-Tetrachloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1,2-Trichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1-Dichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1-Dichloroethene	< 4.51	ug/Kg		12/22/2016 14:48
1,2,3-Trichlorobenzene	< 11.3	ug/Kg		12/22/2016 14:48
1,2,4-Trichlorobenzene	< 11.3	ug/Kg		12/22/2016 14:48
1,2-Dibromo-3-Chloropropane	< 22.6	ug/Kg		12/22/2016 14:48
1,2-Dibromoethane	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichloropropane	< 4.51	ug/Kg		12/22/2016 14:48
1,3-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,4-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,4-dioxane	< 45.1	ug/Kg		12/22/2016 14:48
2-Butanone	< 22.6	ug/Kg		12/22/2016 14:48
2-Hexanone	< 11.3	ug/Kg		12/22/2016 14:48
4-Methyl-2-pentanone	< 11.3	ug/Kg		12/22/2016 14:48
Acetone	22.1	ug/Kg	J	12/22/2016 14:48
Benzene	< 4.51	ug/Kg		12/22/2016 14:48
Bromochloromethane	< 11.3	ug/Kg		12/22/2016 14:48
Bromodichloromethane	< 4.51	ug/Kg		12/22/2016 14:48
Bromoform	< 11.3	ug/Kg		12/22/2016 14:48
Bromomethane	< 4.51	ug/Kg		12/22/2016 14:48
Carbon disulfide	< 4.51	ug/Kg		12/22/2016 14:48
Carbon Tetrachloride	< 4.51	ug/Kg		12/22/2016 14:48
Chlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier:	IRM-SS04-20161215		Date Sampled:	12/15/2016	
Lab Sample ID:	165435-04		Date Received:	12/15/2016	
Matrix:	Soil				
Chloroethane	< 4.51	ug/Kg		12/22/2016	14:48
Chloroform	< 4.51	ug/Kg		12/22/2016	14:48
Chloromethane	< 4.51	ug/Kg		12/22/2016	14:48
cis-1,2-Dichloroethene	91.4	ug/Kg		12/22/2016	14:48
cis-1,3-Dichloropropene	< 4.51	ug/Kg		12/22/2016	14:48
Cyclohexane	< 22.6	ug/Kg		12/22/2016	14:48
Dibromochloromethane	< 4.51	ug/Kg		12/22/2016	14:48
Dichlorodifluoromethane	< 4.51	ug/Kg		12/22/2016	14:48
Ethylbenzene	< 4.51	ug/Kg		12/22/2016	14:48
Freon 113	< 4.51	ug/Kg		12/22/2016	14:48
Isopropylbenzene	< 4.51	ug/Kg		12/22/2016	14:48
m,p-Xylene	5.59	ug/Kg		12/22/2016	14:48
Methyl acetate	< 4.51	ug/Kg		12/22/2016	14:48
Methyl tert-butyl Ether	< 4.51	ug/Kg		12/22/2016	14:48
Methylcyclohexane	< 4.51	ug/Kg		12/22/2016	14:48
Methylene chloride	< 11.3	ug/Kg		12/22/2016	14:48
o-Xylene	2.76	ug/Kg	J	12/22/2016	14:48
Styrene	< 11.3	ug/Kg		12/22/2016	14:48
Tetrachloroethene	5.39	ug/Kg		12/22/2016	14:48
Toluene	< 4.51	ug/Kg		12/22/2016	14:48
trans-1,2-Dichloroethene	32.1	ug/Kg		12/22/2016	14:48
trans-1,3-Dichloropropene	< 4.51	ug/Kg		12/22/2016	14:48
Trichloroethene	91.4	ug/Kg		12/22/2016	14:48
Trichlorofluoromethane	< 4.51	ug/Kg		12/22/2016	14:48
Vinyl chloride	< 4.51	ug/Kg		12/22/2016	14:48

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	109	82 - 124		12/22/2016 14:48
4-Bromofluorobenzene	99.3	80.5 - 116		12/22/2016 14:48
Pentafluorobenzene	102	88.7 - 112		12/22/2016 14:48
Toluene-D8	98.2	79.1 - 120		12/22/2016 14:48

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37961.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown aromatic	76.2	ug/Kg		12/22/2016
Total Reported TICS	76.2	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
None Found	< 41.7	ug/Kg		12/22/2016
Total Reported TICS	< 41.7	ug/Kg		12/22/2016
Method Reference(s):	EPA 8260C			
	EPA 5035A - L			

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
None Found	< 89.6	ug/Kg		12/22/2016
Total Reported TICS	< 89.6	ug/Kg		12/22/2016
Method Reference(s):	EPA 8260C			
	EPA 5035A - L			

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown aromatic	53.3	ug/Kg		12/22/2016
Total Reported TICS	53.3	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



Analytical Report Appendix

The reported results relate only to the samples as they have been received by the laboratory.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Low level Volatiles blank reports for soil/solid matrix are based on a nominal 5 gram weight. Sample results and reporting limits are based on actual weight, which may be more or less than 5 grams.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Aliquots separated for certain tests, such as TCLP, are indicated on the Chain of Custody and final reports with an "A" suffix.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of analyte-specific, frequently used data flags and their meaning:

"<" = Analyzed for but not detected at or above the quantitation limit.

"E" = Result has been estimated, calibration limit exceeded.

"Z" = See case narrative.

"D" = Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.

"J" = Result estimated between the quantitation limit and half the quantitation limit.

"L" = Laboratory Control Sample recovery outside accepted QC limits.

"P" = Concentration differs by more than 40% between the primary and secondary analytical columns.
"NC" = Not calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added. Applicable to sample surrogates or MS if sample dilution is 10x or higher.

"" = Indicates any recoveries outside associated acceptance windows. Surrogate outliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.*

"(1)" = Indicates data from primary column used for QC calculation.

"A" = denotes a parameter for which ELAP does not offer approval as part of their laboratory certification program.

"F" = denotes a parameter for which Paradigm does not carry certification, the results for which should therefore only be used where ELAP certification is not required, such as personal exposure assessment.

GENERAL TERMS AND CONDITIONS

LABORATORY SERVICES

These Terms and Conditions embody the whole agreement of the parties in the absence of a signed and executed contract between the Laboratory (LAB) and Client. They shall supersede all previous communications, representations, or agreements, either verbal or written, between the parties. The LAB specifically rejects all additional, inconsistent, or conflicting terms, whether printed or otherwise set forth in any purchase order or other communication from the Client to the LAB. The invalidity or unenforceability in whole or in part of any provision, term, or condition hereof shall not affect in any way the validity or enforceability of the remainder of the Terms and Conditions. No waiver by LAB of any provision, term, or condition hereof or of any breach by or obligation of the Client hereunder shall constitute a waiver of such provision, term, or condition on any other occasion or a waiver of any other breach by or obligation of the Client. This agreement shall be administered and interpreted under the laws of the state which services are procured.

Warranty.

Recognizing that the nature of many samples is unknown and that some may contain potentially hazardous components, LAB warrants only that it will perform testing services, obtain findings, and prepare reports in accordance with generally accepted analytical laboratory principles and practices at the time of performance of services. LAB makes no other warranty, express or implied.

Scope and Compensation.

LAB agrees to perform the services described in the chain of custody to which these terms and conditions are attached. Unless the parties agree in writing to the contrary, the duties of LAB shall not be construed to exceed the services specifically described. LAB will use LAB default method for all tests unless specified otherwise on the Work Order.

Payment terms are net 30 days from the date of invoice. All overdue payments are subject to an interest charge of one and one-half percent (1-1/2%) per month or a portion thereof. Client shall also be responsible for costs of collection, including payment of reasonable attorney fees if such expense is incurred. The prices, unless stated, do not include any sale, use or other taxes. Such taxes will be added to invoice prices when required.

Prices.

Compensation for services performed will be based on the current Lab Analytical Fee Schedule or on quotations agreed to in writing by the parties. Turnaround time based charges are determined from the time of resolution of all work order questions. Testimony, court appearances or data compilation for legal action will be charged separately. Evaluation and reporting of initial screening runs may incur additional fees.

Limitations of Liability.

In the event of any error, omission, or other professional negligence, the sole and exclusive responsibility of LAB shall be to re-perform the deficient work at its own expense and LAB shall have no other liability whatsoever. All claims shall be deemed waived unless made in writing and received by LAB within ninety (90) days following completion of services.

LAB shall have no liability, obligation, or responsibility of any kind for losses, costs, expenses, or other damages (including but not limited to any special, direct, incidental or consequential damages) with respect to LAB's services or results.

All results provided by LAB are strictly for the use of its clients and LAB is in no way responsible for the use of such results by clients or third parties. All reports should be considered in their entirety, and LAB is not responsible for the separation, detachment, or other use of any portion of these reports. Client may not assign the lab report without the written consent of the LAB.

Client covenants and agrees, at its/his/her sole expense, to indemnify, protect, defend, and save harmless the LAB from and against any and all damages, losses, liabilities, obligations, penalties, claims, litigation, demands, defenses, judgments, suits, actions, proceedings, costs, disbursements and/or expenses (including, without limitation attorneys' and experts' fees and disbursements) of any kind whatsoever which may at any time be imposed upon, incurred by or asserted or awarded against client relating to, resulting from or arising out of (a) the breach of this agreement by this client, (b) the negligence of the client in handling, delivering or disclosing any hazardous substance, (c) the violation of the Client of any applicable law, (d) non-compliance by the Client with any environmental permit or (e) a material misrepresentation in disclosing the materials to be tested.

Hazard Disclosure.

Client represents and warrants that any sample delivered to LAB will be preceded or accompanied by complete written disclosure of the presence of any hazardous substances known or suspected by Client. Client further warrants that any sample containing any hazardous substance that is to be delivered to LAB will be packaged, labeled, transported, and delivered properly and in accordance with applicable laws.

Sample Handling.

Prior to LAB's acceptance of any sample (or after any revocation of acceptance), the entire risk of loss or of damage to such sample remains with Client. Samples are accepted when receipt is acknowledged on chain of custody documentation. In no event will LAB have any responsibility for the action or inaction of any carrier shipping or delivering any sample to or from LAB premises. Client authorizes LAB to proceed with the analysis of samples as received by the laboratory, recognizing that any samples not in compliance with all current DOH-ELAP-NELAP requirements for containers, preservation or holding time will be noted as such on the final report.

Disposal of hazardous waste samples is the responsibility of the Client. If the Client does not wish such samples returned, LAB may add storage and disposal fees to the final invoice. Maximum storage time for samples is 30 days after completion of analysis unless modified by applicable state or federal laws. Client will be required to give the LAB written instructions concerning disposal of these samples.

LAB reserves the absolute right, exercisable at any time, to refuse to receive delivery of, refuse to accept, or revoke acceptance of any sample, which, in the sole judgment of LAB (a) is of unsuitable volume, (b) may be or become unsuitable for or may pose a risk in handling, transport, or processing for any health, safety, environmental or other reason whether or not due to the presence in the sample of any hazardous substance, and whether or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample unsuitable for analysis.

Legal Responsibility.

LAB is solely responsible for performance of this contract, and no affiliated company, director, officer, employee, or agent shall have any legal responsibility hereunder, whether in contract or tort including negligence.

Assignment.

LAB may assign its performance obligations under this contract to other parties, as it deems necessary. LAB shall disclose to Client any assignee (subcontractor) by ELAP ID # on the submitted final report.

Force Majeure.

LAB shall have no responsibility or liability to the Client for any failure or delay in performance by LAB, which results in whole or in part from any cause or circumstance beyond the reasonable control of LAB. Such causes and circumstances shall include, but not limited to, acts of God, acts or orders of any government authority, strikes or other labor disputes, natural disasters, accidents, wars, civil disturbances, difficulties or delays in transportation, mail or delivery services, inability to obtain sufficient services or supplies from LAB's usual suppliers, or any other cause beyond LAB's reasonable control.

Law.

This contract shall be continued under the laws of the State of New York without regard to its conflicts of laws provision.


PARADIGM
ENVIRONMENTAL SERVICES, INC.
CHAIN OF CUSTODY

1 of 2

PROJECT REFERENCE 690 Port land Ave Irem		REPORT TO:				INVOICE TO:				LAB PROJECT ID					
		CLIENT: <u>RAVI</u>				CLIENT:				165435					
		ADDRESS:				ADDRESS:				Quotation #:					
		CITY: STATE: ZIP				CITY: STATE: ZIP:				Email: <u>Amerton@ravigenq.com</u> <u>l2icani@ravigenq.com</u> <u>Abarben@ravigenq.com</u>					
		PHONE: <u>506-6475</u>				PHONE:									
ATTN: <u>Lynn Zicari</u>				ATTN:											
Matrix Codes: AQ - Aqueous Liquid WA - Water DW - Drinking Water SO - Soil SD - Solid WP - Wipe OL - Oil NQ - Non-Aqueous Liquid WG - Groundwater WW - Wastewater SL - Sludge PT - Paint CK - Caulk AR - Air															
REQUESTED ANALYSIS															
DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX	CONTAINER ORS	REL VOC	+ TIC'S	GC/MS	GC/MS	GC/MS	GC/MS	GC/MS	REMARKS	PARADIGM LAB SAMPLE NUMBER
12/15/16			X	Irem-SS01-20161215	So	1	X								01
			X	Irem-SS02-20161215			X								02
			X	Irem-SS03-20161215			X								03
			X	Irem-SS04-20161215			X								04

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard 5 day	<input checked="" type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Batch QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input type="checkbox"/>	Category B	<input checked="" type="checkbox"/>
Rush 1 day	<input type="checkbox"/>		
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
please indicate date needed:		please indicate package needed:	

Sampled By Lynn Zicari Date/Time 12/15/16
 Relinquished By Lynn Zicari Date/Time 12/15/16 16:15
 Received By Jane & Dalia Date/Time 12/15/16 16:15
 Received @ Lab By JR Date/Time 12/15/16 16:31

Total Cost:

P.I.F.

4°Ciced 12/15/16 16:25

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).

Custody Seal N/A. Samples delivered by client, 12/15/16

See additional page for sample conditions.



Chain of Custody Supplement

Client: Ravi Engineering Completed by: Glen Pezzulo
 Lab Project ID: 165435 Date: 12/15/16

Sample Condition Requirements Per NELAC/BLAP 210/241/242/243/244

Condition	Yes	No	N/A
Container Type	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5035	<input type="checkbox"/>
Comments			
Transferred to method-compliant container	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Headspace (<1 mL)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Preservation	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Chlorine Absent (<0.10 ppm per test strip)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments	4°C.iced		
Sufficient Sample Quantity	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			



Lab Project ID: 170440

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1,2,2-Tetrachloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1,2-Trichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1-Dichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1-Dichloroethene	< 2.00	ug/L		2/9/2017 18:06
1,2,3-Trichlorobenzene	< 5.00	ug/L		2/9/2017 18:06
1,2,4-Trichlorobenzene	< 5.00	ug/L		2/9/2017 18:06
1,2-Dibromo-3-Chloropropane	< 10.0	ug/L		2/9/2017 18:06
1,2-Dibromoethane	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichloropropane	< 2.00	ug/L		2/9/2017 18:06
1,3-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,4-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,4-dioxane	< 20.0	ug/L		2/9/2017 18:06
2-Butanone	< 10.0	ug/L		2/9/2017 18:06
2-Hexanone	< 5.00	ug/L		2/9/2017 18:06
4-Methyl-2-pentanone	< 5.00	ug/L		2/9/2017 18:06
Acetone	< 10.0	ug/L		2/9/2017 18:06
Benzene	< 1.00	ug/L		2/9/2017 18:06
Bromochloromethane	< 5.00	ug/L		2/9/2017 18:06
Bromodichloromethane	< 2.00	ug/L		2/9/2017 18:06
Bromoform	< 5.00	ug/L		2/9/2017 18:06
Bromomethane	< 2.00	ug/L		2/9/2017 18:06
Carbon disulfide	< 2.00	ug/L		2/9/2017 18:06
Carbon Tetrachloride	< 2.00	ug/L		2/9/2017 18:06
Chlorobenzene	< 2.00	ug/L		2/9/2017 18:06

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier:	RW1_02072017				
Lab Sample ID:	170440-01			Date Sampled:	2/7/2017
Matrix:	Groundwater			Date Received:	2/7/2017
Chloroethane	< 2.00	ug/L			2/9/2017 18:06
Chloroform	< 2.00	ug/L			2/9/2017 18:06
Chloromethane	< 2.00	ug/L			2/9/2017 18:06
cis-1,2-Dichloroethene	1.46	ug/L	J		2/9/2017 18:06
cis-1,3-Dichloropropene	< 2.00	ug/L			2/9/2017 18:06
Cyclohexane	< 10.0	ug/L			2/9/2017 18:06
Dibromochloromethane	< 2.00	ug/L			2/9/2017 18:06
Dichlorodifluoromethane	< 2.00	ug/L			2/9/2017 18:06
Ethylbenzene	< 2.00	ug/L			2/9/2017 18:06
Freon 113	< 2.00	ug/L			2/9/2017 18:06
Isopropylbenzene	< 2.00	ug/L			2/9/2017 18:06
m,p-Xylene	< 2.00	ug/L			2/9/2017 18:06
Methyl acetate	< 2.00	ug/L			2/9/2017 18:06
Methyl tert-butyl Ether	< 2.00	ug/L			2/9/2017 18:06
Methylcyclohexane	< 2.00	ug/L			2/9/2017 18:06
Methylene chloride	< 5.00	ug/L			2/9/2017 18:06
o-Xylene	1.32	ug/L	J		2/9/2017 18:06
Styrene	< 5.00	ug/L			2/9/2017 18:06
Tetrachloroethene	< 2.00	ug/L			2/9/2017 18:06
Toluene	< 2.00	ug/L			2/9/2017 18:06
trans-1,2-Dichloroethene	< 2.00	ug/L			2/9/2017 18:06
trans-1,3-Dichloropropene	< 2.00	ug/L			2/9/2017 18:06
Trichloroethene	15.0	ug/L			2/9/2017 18:06
Trichlorofluoromethane	< 2.00	ug/L			2/9/2017 18:06
Vinyl chloride	< 2.00	ug/L			2/9/2017 18:06

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	104	81.2 - 120		2/9/2017 18:06
4-Bromofluorobenzene	87.3	82.4 - 112		2/9/2017 18:06
Pentafluorobenzene	90.3	90.2 - 112		2/9/2017 18:06
Toluene-D8	93.8	89.9 - 109		2/9/2017 18:06

Method Reference(s): EPA 8260C

EPA 5030C

Data File: x39041.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Date Sampled: 2/7/2017

Matrix: Water

Date Received: 2/7/2017

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1,2,2-Tetrachloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1,2-Trichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1-Dichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1-Dichloroethene	< 2.00	ug/L		2/9/2017 16:07
1,2,3-Trichlorobenzene	< 5.00	ug/L		2/9/2017 16:07
1,2,4-Trichlorobenzene	< 5.00	ug/L		2/9/2017 16:07
1,2-Dibromo-3-Chloropropane	< 10.0	ug/L		2/9/2017 16:07
1,2-Dibromoethane	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichloropropane	< 2.00	ug/L		2/9/2017 16:07
1,3-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,4-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,4-dioxane	< 20.0	ug/L		2/9/2017 16:07
2-Butanone	< 10.0	ug/L		2/9/2017 16:07
2-Hexanone	< 5.00	ug/L		2/9/2017 16:07
4-Methyl-2-pentanone	< 5.00	ug/L		2/9/2017 16:07
Acetone	< 10.0	ug/L		2/9/2017 16:07
Benzene	< 1.00	ug/L		2/9/2017 16:07
Bromochloromethane	< 5.00	ug/L		2/9/2017 16:07
Bromodichloromethane	< 2.00	ug/L		2/9/2017 16:07
Bromoform	< 5.00	ug/L		2/9/2017 16:07
Bromomethane	< 2.00	ug/L		2/9/2017 16:07
Carbon disulfide	< 2.00	ug/L		2/9/2017 16:07
Carbon Tetrachloride	< 2.00	ug/L		2/9/2017 16:07
Chlorobenzene	< 2.00	ug/L		2/9/2017 16:07

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier:	Trip Blank		Date Sampled:	2/7/2017	
Lab Sample ID:	170440-02		Date Received:	2/7/2017	
Matrix:	Water				
Chloroethane	< 2.00	ug/L		2/9/2017	16:07
Chloroform	< 2.00	ug/L		2/9/2017	16:07
Chloromethane	< 2.00	ug/L		2/9/2017	16:07
cis-1,2-Dichloroethene	< 2.00	ug/L		2/9/2017	16:07
cis-1,3-Dichloropropene	< 2.00	ug/L		2/9/2017	16:07
Cyclohexane	< 10.0	ug/L		2/9/2017	16:07
Dibromochloromethane	< 2.00	ug/L		2/9/2017	16:07
Dichlorodifluoromethane	< 2.00	ug/L		2/9/2017	16:07
Ethylbenzene	< 2.00	ug/L		2/9/2017	16:07
Freon 113	< 2.00	ug/L		2/9/2017	16:07
Isopropylbenzene	< 2.00	ug/L		2/9/2017	16:07
m,p-Xylene	< 2.00	ug/L		2/9/2017	16:07
Methyl acetate	< 2.00	ug/L		2/9/2017	16:07
Methyl tert-butyl Ether	< 2.00	ug/L		2/9/2017	16:07
Methylcyclohexane	< 2.00	ug/L		2/9/2017	16:07
Methylene chloride	< 5.00	ug/L		2/9/2017	16:07
o-Xylene	< 2.00	ug/L		2/9/2017	16:07
Styrene	< 5.00	ug/L		2/9/2017	16:07
Tetrachloroethene	< 2.00	ug/L		2/9/2017	16:07
Toluene	< 2.00	ug/L		2/9/2017	16:07
trans-1,2-Dichloroethene	< 2.00	ug/L		2/9/2017	16:07
trans-1,3-Dichloropropene	< 2.00	ug/L		2/9/2017	16:07
Trichloroethene	< 2.00	ug/L		2/9/2017	16:07
Trichlorofluoromethane	< 2.00	ug/L		2/9/2017	16:07
Vinyl chloride	< 2.00	ug/L		2/9/2017	16:07

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Date Sampled: 2/7/2017

Matrix: Water

Date Received: 2/7/2017

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	106	81.2 - 120		2/9/2017	16:07
4-Bromofluorobenzene	85.7	82.4 - 112		2/9/2017	16:07
Pentafluorobenzene	87.8	90.2 - 112	*	2/9/2017	16:07
Toluene-D8	92.5	89.9 - 109		2/9/2017	16:07

Method Reference(s): EPA 8260C

EPA 5030C

Data File: x39036.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown Siloxane	11.9	ug/L		2/9/2017
1,2,4-Trimethylbenzene	7.93	ug/L		2/9/2017
Unknown Aromatic	11.5	ug/L		2/9/2017
Unknown Aromatic	11.0	ug/L		2/9/2017
Unknown Aromatic	6.70	ug/L		2/9/2017
Unknown Aromatic	8.23	ug/L		2/9/2017
Unknown Aromatic	5.30	ug/L		2/9/2017
Unknown Aromatic	10.1	ug/L		2/9/2017
Unknown Aromatic	7.14	ug/L		2/9/2017
Unknown Aromatic	26.6	ug/L		2/9/2017
Unknown Aromatic	5.08	ug/L		2/9/2017
Unknown Aromatic	7.51	ug/L		2/9/2017
Naphthalene	14.2	ug/L		2/9/2017
Unknown Benzothiophene	7.22	ug/L		2/9/2017
Unknown Aromatic	7.13	ug/L		2/9/2017
Unknown Aromatic	10.6	ug/L		2/9/2017
Unknown	7.69	ug/L		2/9/2017
Unknown Benzothiophene	7.37	ug/L		2/9/2017
n-methylnaphthalene	21.7	ug/L		2/9/2017
n-methylnaphthalene	31.1	ug/L		2/9/2017
Total Reported TICS	226	ug/L		2/9/2017

Method Reference(s): EPA 8260C
EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Matrix: Water

Date Sampled: 2/7/2017

Date Received: 2/7/2017

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown	13.0	ug/L		2/9/2017
Total Reported TICS	13.0	ug/L		2/9/2017
Method Reference(s):	EPA 8260C			
	EPA 5030C			

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



Analytical Report Appendix

The reported results relate only to the samples as they have been received by the laboratory.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Low level Volatiles blank reports for soil/solid matrix are based on a nominal 5 gram weight. Sample results and reporting limits are based on actual weight, which may be more or less than 5 grams.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Aliquots separated for certain tests, such as TCLP, are indicated on the Chain of Custody and final reports with an "A" suffix.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of analyte-specific, frequently used data flags and their meaning:

"<" = Analyzed for but not detected at or above the quantitation limit.

"E" = Result has been estimated, calibration limit exceeded.

"Z" = See case narrative.

"D" = Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.

"J" = Result estimated between the quantitation limit and half the quantitation limit.

"L" = Laboratory Control Sample recovery outside accepted QC limits.

"P" = Concentration differs by more than 40% between the primary and secondary analytical columns.
"NC" = Not calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added. Applicable to sample surrogates or MS if sample dilution is 10x or higher.

"" = Indicates any recoveries outside associated acceptance windows. Surrogate outliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.*

"(1)" = Indicates data from primary column used for QC calculation.

"A" = denotes a parameter for which ELAP does not offer approval as part of their laboratory certification program.

"F" = denotes a parameter for which Paradigm does not carry certification, the results for which should therefore only be used where ELAP certification is not required, such as personal exposure assessment.

GENERAL TERMS AND CONDITIONS

LABORATORY SERVICES

These Terms and Conditions embody the whole agreement of the parties in the absence of a signed and executed contract between the Laboratory (LAB) and Client. They shall supersede all previous communications, representations, or agreements, either verbal or written, between the parties. The LAB specifically rejects all additional, inconsistent, or conflicting terms, whether printed or otherwise set forth in any purchase order or other communication from the Client to the LAB. The invalidity or unenforceability in whole or in part of any provision, term, or condition hereof shall not affect in any way the validity or enforceability of the remainder of the Terms and Conditions. No waiver by LAB of any provision, term, or condition hereof or of any breach by or obligation of the Client hereunder shall constitute a waiver of such provision, term, or condition on any other occasion or a waiver of any other breach by or obligation of the Client. This agreement shall be administered and interpreted under the laws of the state which services are procured.

Warranty.

Recognizing that the nature of many samples is unknown and that some may contain potentially hazardous components, LAB warrants only that it will perform testing services, obtain findings, and prepare reports in accordance with generally accepted analytical laboratory principles and practices at the time of performance of services. LAB makes no other warranty, express or implied.

Scope and Compensation.

LAB agrees to perform the services described in the chain of custody to which these terms and conditions are attached. Unless the parties agree in writing to the contrary, the duties of LAB shall not be construed to exceed the services specifically described. LAB will use LAB default method for all tests unless specified otherwise on the Work Order.

Payment terms are net 30 days from the date of invoice. All overdue payments are subject to an interest charge of one and one-half percent (1-1/2%) per month or a portion thereof. Client shall also be responsible for costs of collection, including payment of reasonable attorney fees if such expense is incurred. The prices, unless stated, do not include any sale, use or other taxes. Such taxes will be added to invoice prices when required.

Prices.

Compensation for services performed will be based on the current Lab Analytical Fee Schedule or on quotations agreed to in writing by the parties. Turnaround time based charges are determined from the time of resolution of all work order questions. Testimony, court appearances or data compilation for legal action will be charged separately. Evaluation and reporting of initial screening runs may incur additional fees.

Limitations of Liability.

In the event of any error, omission, or other professional negligence, the sole and exclusive responsibility of LAB shall be to re-perform the deficient work at its own expense and LAB shall have no other liability whatsoever. All claims shall be deemed waived unless made in writing and received by LAB within ninety (90) days following completion of services.

LAB shall have no liability, obligation, or responsibility of any kind for losses, costs, expenses, or other damages (including but not limited to any special, direct, incidental or consequential damages) with respect to LAB's services or results.

All results provided by LAB are strictly for the use of its clients and LAB is in no way responsible for the use of such results by clients or third parties. All reports should be considered in their entirety, and LAB is not responsible for the separation, detachment, or other use of any portion of these reports. Client may not assign the lab report without the written consent of the LAB.

Client covenants and agrees, at its/his/her sole expense, to indemnify, protect, defend, and save harmless the LAB from and against any and all damages, losses, liabilities, obligations, penalties, claims, litigation, demands, defenses, judgments, suits, actions, proceedings, costs, disbursements and/or expenses (including, without limitation attorneys' and experts' fees and disbursements) of any kind whatsoever which may at any time be imposed upon, incurred by or asserted or awarded against client relating to, resulting from or arising out of (a) the breach of this agreement by this client, (b) the negligence of the client in handling, delivering or disclosing any hazardous substance, (c) the violation of the Client of any applicable law, (d) non-compliance by the Client with any environmental permit or (e) a material misrepresentation in disclosing the materials to be tested.

Hazard Disclosure.

Client represents and warrants that any sample delivered to LAB will be preceded or accompanied by complete written disclosure of the presence of any hazardous substances known or suspected by Client. Client further warrants that any sample containing any hazardous substance that is to be delivered to LAB will be packaged, labeled, transported, and delivered properly and in accordance with applicable laws.

Sample Handling.

Prior to LAB's acceptance of any sample (or after any revocation of acceptance), the entire risk of loss or of damage to such sample remains with Client. Samples are accepted when receipt is acknowledged on chain of custody documentation. In no event will LAB have any responsibility for the action or inaction of any carrier shipping or delivering any sample to or from LAB premises. Client authorizes LAB to proceed with the analysis of samples as received by the laboratory, recognizing that any samples not in compliance with all current DOH-ELAP-NELAP requirements for containers, preservation or holding time will be noted as such on the final report.

Disposal of hazardous waste samples is the responsibility of the Client. If the Client does not wish such samples returned, LAB may add storage and disposal fees to the final invoice. Maximum storage time for samples is 30 days after completion of analysis unless modified by applicable state or federal laws. Client will be required to give the LAB written instructions concerning disposal of these samples.

LAB reserves the absolute right, exercisable at any time, to refuse to receive delivery of, refuse to accept, or revoke acceptance of any sample, which, in the sole judgment of LAB (a) is of unsuitable volume, (b) may be or become unsuitable for or may pose a risk in handling, transport, or processing for any health, safety, environmental or other reason whether or not due to the presence in the sample of any hazardous substance, and whether or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample unsuitable for analysis.

Legal Responsibility.

LAB is solely responsible for performance of this contract, and no affiliated company, director, officer, employee, or agent shall have any legal responsibility hereunder, whether in contract or tort including negligence.

Assignment.

LAB may assign its performance obligations under this contract to other parties, as it deems necessary. LAB shall disclose to Client any assignee (subcontractor) by ELAP ID # on the submitted final report.

Force Majeure.

LAB shall have no responsibility or liability to the Client for any failure or delay in performance by LAB, which results in whole or in part from any cause or circumstance beyond the reasonable control of LAB. Such causes and circumstances shall include, but not limited to, acts of God, acts or orders of any government authority, strikes or other labor disputes, natural disasters, accidents, wars, civil disturbances, difficulties or delays in transportation, mail or delivery services, inability to obtain sufficient services or supplies from LAB's usual suppliers, or any other cause beyond LAB's reasonable control.

Law.

This contract shall be continued under the laws of the State of New York without regard to its conflicts of laws provision.



PARADIGM
ENVIRONMENTAL SERVICES, INC.

CHAIN OF CUSTODY

1 of 2

REPORT TO:		INVOICE TO:	
CLIENT: RAVI	CLIENT: RAVI	LAB PROJECT ID 170440	
ADDRESS:	ADDRESS:	Quotation #:	
CITY: STATE: ZIP:	CITY: STATE: ZIP:	Email:	
PHONE:	PHONE:		
ATTN:	ATTN: Lynn Zicari [zicari@ravigeng.com]		
PROJECT REFERENCE 690 Portland		Matrix Codes: AQ - Aqueous Liquid WA - Water DW - Drinking Water SO - Soil SD - Solid WP - Wipe OL - Oil NQ - Non-Aqueous Liquid WG - Groundwater WW - Wastewater SL - Sludge PT - Paint CK - Caulk AR - Air	

DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX	CONTAINER NUMBER	REMARKS	PARADIGM LAB SAMPLE NUMBER
2/7/17	2:15		X	RW1-02072017	WG	1	X X	7
2/7/17	2:15		X	RW1-02072017	WG	1	X X	01
				Trip Blank	WA	1		02
				CPLZ pp 2-7-17				
				one sample + Trip BK				
				Closed SDG				

Turnaround Time	Report Supplements			
Availability contingent upon lab approval; additional fees may apply.				
Standard 5 day <input checked="" type="checkbox"/>	None Required <input type="checkbox"/>	None Required <input type="checkbox"/>		
10 day <input type="checkbox"/>	Batch QC <input type="checkbox"/>	Basic EDD <input type="checkbox"/>		
Rush 3 day <input type="checkbox"/>	Category A <input type="checkbox"/>	NYSDEC EDD <input checked="" type="checkbox"/>		
Rush 2 day <input type="checkbox"/>	Category B <input checked="" type="checkbox"/>			
Rush 1 day <input type="checkbox"/>				
Other <input type="checkbox"/>	Other <input type="checkbox"/>	Other EDD <input type="checkbox"/>		
<small>please indicate date needed:</small>	<small>please indicate package needed:</small>	<small>please indicate EDD needed:</small>		

Dave Delprung 2/7/17
 Sampled By Date/Time
Alex Barber 2/7/17 2:40
 Relinquished By Date/Time
Jane Goelora 2/7/17 1440
 Received By Date/Time
2/7/17 16:09
 Received @ Lab By Date/Time
5°C 2/7/17 14:41

Total Cost:

P.I.F.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).
 Custody Seal N/A, Samples delivered by client, GP 2/7/17
 See additional page for sample conditions.



Chain of Custody Supplement

2 of 2

Client:

Ravi Engineering

Completed by:

Glenn Pezzulo

Lab Project ID:

170440

Date:

2/7/17

Sample Condition Requirements

Per NELAC/ELAP 210/241/242/243/244

Condition	NELAC compliance with the sample condition requirements upon receipt		
	Yes	No	N/A
Container Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Transferred to method-compliant container	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Headspace (<1 mL)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Preservation	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Chlorine Absent (<0.10 ppm per test strip)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Comments			
Holding Time	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			
Temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments	5°C 2/7/17 14:41		
Sufficient Sample Quantity	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Comments			

APPENDIX E

Data Usability Summary Reports

DATA USABILITY SUMMARY REPORT (DUSR)

**690 Portland Ave IRM
Rochester, NY
NYSDEC BCP # C 828151**

SDG: 5435-01
4 Soil Samples

Prepared for:

**Ravi Engineering & Land Surveying, P.C.
2110 South Clinton Ave
Rochester, NY 14618**

March 2017



Table of Contents

	<u>Page No.</u>
REVIEWER'S NARRATIVE	
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 SAMPLE AND ANALYSIS SUMMARY	2
4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA	2
5.0 DATA VALIDATION QUALIFIERS	3
6.0 RESULTS OF THE DATA REVIEW	4
7.0 TOTAL USABLE DATA	4

APPENDIX A	Validated Analytical Results
APPENDIX B	Laboratory QC Documentation
APPENDIX C	Validator Qualifications

Tables

Table 4-1	Data Validation Guidance Documents
Table 4-2	Quality Control Criteria for Validating Laboratory Analytical Data

Summaries of Validated Results

Table 6-1	VOCs
-----------	------

REVIEWER'S NARRATIVE
SDG 5435-01

The data associated with this Sample Delivery Group (SDG) 5435-01, analyzed by Paradigm Environmental Services, Inc. Rochester, NY have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 2/7/17
Michael K. Perry
Chemist

1.0 SUMMARY

SITE: 690 Portland Ave. IRM
Rochester, NY

SAMPLING DATE: December 15, 2016

SAMPLE TYPE: 4 soil samples

LABORATORY: Paradigm Environmental Services, Inc.
Rochester, NY

SDG No.: 5435-01

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for four soil samples collected on December 15, 2016. These samples were analyzed for volatile organic compounds.

All laboratory analyses were performed by Paradigm Environmental Services, Inc., Rochester, NY and analyzed as SDG 5435-01. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents used for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results are listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1**DATA VALIDATION GUIDANCE DOCUMENTS**

Analyte Type	Validation Guidance
VOCs	USEPA, 2008, Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry; SW-846 Method 8260B; SOP # HW-24, Rev. 2. USEPA, 2008, Statement of Work for Organic Analysis of Low/Medium Concentration of Volatile Organic Compounds SOM01.2; SOP HW-33, Rev. 2.
SVOCs	USEPA, 2007, Statement of Work for Organic Analysis of Low/Medium Concentration of Semivolatile Organic Compounds SOM01.2; SOP HW-35, Rev. 1.
Pesticides/PCBs	USEPA, 2006, CLP Organics Data Review and Preliminary Review (CLP/SOW OLMO 4.3); SOP # HW-6, Rev. 14, Part C.
Metals	USEPA, 2006, Validation of Metals for the Contract Laboratory Program (CLP) based on SOW ILMO 5.3 (SOP Revision 13), SOP # HW-2, Rev. 13.
Gen Chemistry	NYSDEC, 2005, Analytical Services Protocols (ASP)
VOCs (Ambient air)	USEPA, 2006, Validating Air Samples, Volatile Organic Analysis of Ambient Air in Canister by Method TO-15; SOP # HW-31, Rev. 4.

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

VOCs	SVOCs	Pesticides/PCBs	Metals	Gen Chemistry	Method TO-15
Completeness of Pkg Sample Condition Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Analyte ID Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates	Completeness of Pkg Sample Condition Holding Time Canister Certification Lab Control Sample Instrument Tuning Blanks Initial Calibration & System Performance Daily Calibration Field Duplicate

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- UJ** The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is *approximate* and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- N** The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".
- JN** The analyte is considered to be "presumptively present." The associated numerical value represents its *approximate* concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated using red ink. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Tables 6-1. The table list the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

Note: The laboratory has flagged all Trichloroethene results with a “Z” due to suspected storage cross contamination. Since the laboratory did not include any storage, holding or trip blanks in the report, there is no way to confirm this contamination. However, there is no reason not to assume the laboratory concern is not valid and the data should be considered suspect.

7.0 TOTAL USABLE DATA

For SDG 5435-01, four samples were analyzed and results were reported for 212 analytes. Four results were rejected. Even though some results were flagged with a “J” as estimated, all other results (98 %) are considered usable. See the summary table for the analyses that have been rejected and the associated QC reasons.

Table 6-1 VOCs

SAMPLES AFFECTED	ANALYTES	ACTION	QC VIOLATION	COMMENTS
All samples	2-Butanone	none	Initial calibration RRF < 0.05	Based on the new low responders rule from SOM2.1, the RRF <0.01 is used
All samples	1,4-Dioxane	R	Initial calibration RRF < 0.005 (0.004)	Based on the new low responders rule from SOM2.1, the RRF <0.005 is used

ACRONYMS

BSP	Blank Spike
CCAL	Continuing Calibration
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRDL	Contract Required Detection Limit
CRQL	Contract Required Quantitation Limit
%D	Percent Difference
ICAL	Initial Calibration
ICB	Initial Calibration Blank
IS	Internal Standard
LCS	Laboratory Control Sample
MS/MSD	Matrix Spike/Matrix Spike Duplicate
QA	Quality Assurance
QC	Quality Control
%R	Percent recovery
RPD	Relative Percent Difference
%RSD	Percent Relative Standard Deviation
TAL	Target Analyte List (metals)
TCL	Target Compound List (organics)

Appendix A

Validated Analytical Results

LAB PROJECT NARRATIVE: 165435
PROJECT NAME: 690 Portland Ave IRM
SDG: 5435-01
CLIENT: Ravi Engineering & Land Surveying, P.C.

Four soil samples were collected by the client on 12/15/2016 and received at the Paradigm laboratory on the same day. Container and holding times were acceptable at time of receipt; the samples were received at 4° Centigrade and were on ice. The samples were submitted with the Chains-of-Custody requesting the TCL list for VOCs plus TICs. The analysis was performed using EPA SW-846 Methods and the associated holding times.

The items noted in this case narrative address compliance with the referenced methods, NYSDOH ELAP rules, and any project specific data quality requirements. These may be different from the usability criteria referenced in any "Functional Guidelines" or other data review standards used by data validators.

GENERAL NOTES

The initial and continuing calibration reports are only evaluated for compounds that are on the sample summary report.

Regarding results on QC summary forms versus included raw data, due to calculations made at the instrument where many significant figures may be used, there may be slight discrepancies between the summary report result and that recorded on the raw data. This does not affect data usability.

Regarding initial calibrations, it should be noted that the Quantitation Report concentrations supplied for the initial calibration reflect the calibration prior to updating. The response factors and areas are correct.

Regarding Quantitation Reports, it should be noted that the "#" symbol that appears on some of the Quantitation Reports is a software artifact and should be disregarded.

VOLATILES

Soil samples were not sampled per EPA method 5035A compliance rules. Thus, an extra note has been added to all VOC reports.

All hits for Trichloroethene(TCE) have been flagged with a "Z" due to suspected storage cross contamination from a sample that was high in TCE from another sampling event at this site. A project memo to this effect was also included with the Summary Report sent previously.

Holding times were met for all samples.

The surrogate recoveries for the samples and the QC samples were within QC limits.

Site specific QC was not requested on this SDG. The Laboratory Control Sample recovered within acceptance limits.

The method blank was free from contamination within the reportable ranges.

The instrument tunes passed all criteria.

The internal standards areas and retention times were within acceptance limits for the samples and the associated QC.

All data for the initial calibration was within acceptance limits. Compounds flagged with an "*" on the summary table have been calibrated using a non-average Response Factor calibration curve. The supporting curves are located after the initial calibration table.

All continuing calibration data was within acceptance limits.

(signed) M. Hill for:
Bruce Hoogesteger- President

(date) 2/8/17



CHAIN OF CUSTODY

[illegible]

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard 5 day	<input checked="" type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Batch QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input type="checkbox"/>	Category B	<input checked="" type="checkbox"/>
Rush 1 day	<input type="checkbox"/>		
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
please indicate date needed:		please indicate package needed:	

Lynn Ziemer 12/15/16
 Sampled By Date/Time
 Lynn Ziemer 12/15/16 16:15
 Relinquished By Date/Time
 John J. D'Alora 12/15/16 16:15
 Received By Date/Time
 JZ 12/15/16 16:31
 Received @ Lab By Date/Time
 4°Ciced 12/15/16 16:25
 By signing this form, client agrees to Paradigm Terms and Conditions (reverse).
 Custody Seal N/A, Samples delivered by client, on 12/15/16
 See additional page for sample conditions.



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1,2,2-Tetrachloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1,2-Trichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1-Dichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,1-Dichloroethene	< 3.93	ug/Kg		12/22/2016 13:36
1,2,3-Trichlorobenzene	< 9.82	ug/Kg		12/22/2016 13:36
1,2,4-Trichlorobenzene	< 9.82	ug/Kg		12/22/2016 13:36
1,2-Dibromo-3-Chloropropane	< 19.6	ug/Kg		12/22/2016 13:36
1,2-Dibromoethane	< 3.93	ug/Kg		12/22/2016 13:36
1,2-Dichlorobenzene	8.03	ug/Kg		12/22/2016 13:36
1,2-Dichloroethane	< 3.93	ug/Kg		12/22/2016 13:36
1,2-Dichloropropane	< 3.93	ug/Kg		12/22/2016 13:36
1,3-Dichlorobenzene	< 3.93	ug/Kg		12/22/2016 13:36
1,4-Dichlorobenzene	2.15	ug/Kg	J	12/22/2016 13:36
1,4-dioxane	< 39.3 R	ug/Kg		12/22/2016 13:36
2-Butanone	< 19.6	ug/Kg		12/22/2016 13:36
2-Hexanone	< 9.82	ug/Kg		12/22/2016 13:36
4-Methyl-2-pentanone	< 9.82	ug/Kg		12/22/2016 13:36
Acetone	< 19.6	ug/Kg		12/22/2016 13:36
Benzene	< 3.93	ug/Kg		12/22/2016 13:36
Bromochloromethane	< 9.82	ug/Kg		12/22/2016 13:36
Bromodichloromethane	< 3.93	ug/Kg		12/22/2016 13:36
Bromoform	< 9.82	ug/Kg		12/22/2016 13:36
Bromomethane	< 3.93	ug/Kg		12/22/2016 13:36
Carbon disulfide	< 3.93	ug/Kg		12/22/2016 13:36
Carbon Tetrachloride	< 3.93	ug/Kg		12/22/2016 13:36
Chlorobenzene	< 3.93	ug/Kg		12/22/2016 13:36

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

MP 3/6/17



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Chloroethane	< 3.93	ug/Kg		12/22/2016 13:36
Chloroform	< 3.93	ug/Kg		12/22/2016 13:36
Chloromethane	< 3.93	ug/Kg		12/22/2016 13:36
cis-1,2-Dichloroethene	2.27	ug/Kg	J	12/22/2016 13:36
cis-1,3-Dichloropropene	< 3.93	ug/Kg		12/22/2016 13:36
Cyclohexane	< 19.6	ug/Kg		12/22/2016 13:36
Dibromochloromethane	< 3.93	ug/Kg		12/22/2016 13:36
Dichlorodifluoromethane	< 3.93	ug/Kg		12/22/2016 13:36
Ethylbenzene	2.16	ug/Kg	J	12/22/2016 13:36
Freon 113	< 3.93	ug/Kg		12/22/2016 13:36
Isopropylbenzene	< 3.93	ug/Kg		12/22/2016 13:36
m,p-Xylene	7.23	ug/Kg		12/22/2016 13:36
Methyl acetate	< 3.93	ug/Kg		12/22/2016 13:36
Methyl tert-butyl Ether	< 3.93	ug/Kg		12/22/2016 13:36
Methylcyclohexane	< 3.93	ug/Kg		12/22/2016 13:36
Methylene chloride	< 9.82	ug/Kg		12/22/2016 13:36
o-Xylene	2.59	ug/Kg	J	12/22/2016 13:36
Styrene	6.93	ug/Kg	J	12/22/2016 13:36
Tetrachloroethene	95.5	ug/Kg		12/22/2016 13:36
Toluene	3.17	ug/Kg	J	12/22/2016 13:36
trans-1,2-Dichloroethene	< 3.93	ug/Kg		12/22/2016 13:36
trans-1,3-Dichloropropene	< 3.93	ug/Kg		12/22/2016 13:36
Trichloroethene	158	ug/Kg		12/22/2016 13:36
Trichlorofluoromethane	< 3.93	ug/Kg		12/22/2016 13:36
Vinyl chloride	< 3.93	ug/Kg		12/22/2016 13:36

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Limits</u>	<u>Outliers</u>	<u>Date Analyzed</u>
1,2-Dichloroethane-d4	106	82 - 124		12/22/2016 13:36
4-Bromofluorobenzene	92.1	80.5 - 116		12/22/2016 13:36
Pentafluorobenzene	96.5	88.7 - 112		12/22/2016 13:36
Toluene-D8	94.7	79.1 - 120		12/22/2016 13:36

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37958.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS01-20161215

Lab Sample ID: 165435-01

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown aromatic	76.2 J	ug/Kg		12/22/2016
Total Reported TICS	76.2	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

mvp 3/6/17



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1,2,2-Tetrachloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1,2-Trichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1-Dichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,1-Dichloroethene	< 16.7	ug/Kg		12/22/2016 14:00
1,2,3-Trichlorobenzene	< 41.7	ug/Kg		12/22/2016 14:00
1,2,4-Trichlorobenzene	< 41.7	ug/Kg		12/22/2016 14:00
1,2-Dibromo-3-Chloropropane	< 83.5	ug/Kg		12/22/2016 14:00
1,2-Dibromoethane	< 16.7	ug/Kg		12/22/2016 14:00
1,2-Dichlorobenzene	19.7	ug/Kg		12/22/2016 14:00
1,2-Dichloroethane	< 16.7	ug/Kg		12/22/2016 14:00
1,2-Dichloropropane	< 16.7	ug/Kg		12/22/2016 14:00
1,3-Dichlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00
1,4-Dichlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00
1,4-dioxane	< 16.7 R	ug/Kg		12/22/2016 14:00
2-Butanone	< 83.5	ug/Kg		12/22/2016 14:00
2-Hexanone	< 41.7	ug/Kg		12/22/2016 14:00
4-Methyl-2-pentanone	< 41.7	ug/Kg		12/22/2016 14:00
Acetone	< 83.5	ug/Kg		12/22/2016 14:00
Benzene	< 16.7	ug/Kg		12/22/2016 14:00
Bromochloromethane	< 41.7	ug/Kg		12/22/2016 14:00
Bromodichloromethane	< 16.7	ug/Kg		12/22/2016 14:00
Bromoform	< 41.7	ug/Kg		12/22/2016 14:00
Bromomethane	< 16.7	ug/Kg		12/22/2016 14:00
Carbon disulfide	< 16.7	ug/Kg		12/22/2016 14:00
Carbon Tetrachloride	< 16.7	ug/Kg		12/22/2016 14:00
Chlorobenzene	< 16.7	ug/Kg		12/22/2016 14:00

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

mex 3/6/17



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Chloroethane	< 16.7	ug/Kg	12/22/2016 14:00
Chloroform	< 16.7	ug/Kg	12/22/2016 14:00
Chloromethane	< 16.7	ug/Kg	12/22/2016 14:00
cis-1,2-Dichloroethene	999	ug/Kg	12/22/2016 14:00
cis-1,3-Dichloropropene	< 16.7	ug/Kg	12/22/2016 14:00
Cyclohexane	< 83.5	ug/Kg	12/22/2016 14:00
Dibromochloromethane	< 16.7	ug/Kg	12/22/2016 14:00
Dichlorodifluoromethane	< 16.7	ug/Kg	12/22/2016 14:00
Ethylbenzene	< 16.7	ug/Kg	12/22/2016 14:00
Freon 113	< 16.7	ug/Kg	12/22/2016 14:00
Isopropylbenzene	< 16.7	ug/Kg	12/22/2016 14:00
m,p-Xylene	< 16.7	ug/Kg	12/22/2016 14:00
Methyl acetate	< 16.7	ug/Kg	12/22/2016 14:00
Methyl tert-butyl Ether	< 16.7	ug/Kg	12/22/2016 14:00
Methylcyclohexane	< 16.7	ug/Kg	12/22/2016 14:00
Methylene chloride	< 41.7	ug/Kg	12/22/2016 14:00
o-Xylene	< 16.7	ug/Kg	12/22/2016 14:00
Styrene	< 41.7	ug/Kg	12/22/2016 14:00
Tetrachloroethene	73.3	ug/Kg	12/22/2016 14:00
Toluene	< 16.7	ug/Kg	12/22/2016 14:00
trans-1,2-Dichloroethene	29.7	ug/Kg	12/22/2016 14:00
trans-1,3-Dichloropropene	< 16.7	ug/Kg	12/22/2016 14:00
Trichloroethene	1080	ug/Kg	12/22/2016 14:00
Trichlorofluoromethane	< 16.7	ug/Kg	12/22/2016 14:00
Vinyl chloride	< 16.7	ug/Kg	12/22/2016 14:00

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Limits</u>	<u>Outliers</u>	<u>Date Analyzed</u>
1,2-Dichloroethane-d4	103	82 - 124		12/22/2016 14:00
4-Bromofluorobenzene	97.8	80.5 - 116		12/22/2016 14:00
Pentafluorobenzene	102	88.7 - 112		12/22/2016 14:00
Toluene-D8	97.0	79.1 - 120		12/22/2016 14:00

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37959.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS02-20161215

Lab Sample ID: 165435-02

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
None Found	< 41.7	ug/Kg		12/22/2016
Total Reported TICS	< 41.7	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1,2,2-Tetrachloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1,2-Trichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1-Dichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,1-Dichloroethene	< 35.9	ug/Kg		12/22/2016 14:24
1,2,3-Trichlorobenzene	< 89.6	ug/Kg		12/22/2016 14:24
1,2,4-Trichlorobenzene	< 89.6	ug/Kg		12/22/2016 14:24
1,2-Dibromo-3-Chloropropane	< 179	ug/Kg		12/22/2016 14:24
1,2-Dibromoethane	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichloroethane	< 35.9	ug/Kg		12/22/2016 14:24
1,2-Dichloropropane	< 35.9	ug/Kg		12/22/2016 14:24
1,3-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,4-Dichlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24
1,4-dioxane	< 35.9 <i>pc</i>	ug/Kg		12/22/2016 14:24
2-Butanone	< 179	ug/Kg		12/22/2016 14:24
2-Hexanone	< 89.6	ug/Kg		12/22/2016 14:24
4-Methyl-2-pentanone	< 89.6	ug/Kg		12/22/2016 14:24
Acetone	< 179	ug/Kg		12/22/2016 14:24
Benzene	< 35.9	ug/Kg		12/22/2016 14:24
Bromochloromethane	< 89.6	ug/Kg		12/22/2016 14:24
Bromodichloromethane	< 35.9	ug/Kg		12/22/2016 14:24
Bromoform	< 89.6	ug/Kg		12/22/2016 14:24
Bromomethane	< 35.9	ug/Kg		12/22/2016 14:24
Carbon disulfide	< 35.9	ug/Kg		12/22/2016 14:24
Carbon Tetrachloride	< 35.9	ug/Kg		12/22/2016 14:24
Chlorobenzene	< 35.9	ug/Kg		12/22/2016 14:24

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

WFP 3/6/17



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Chloroethane	< 35.9	ug/Kg	12/22/2016 14:24
Chloroform	< 35.9	ug/Kg	12/22/2016 14:24
Chloromethane	< 35.9	ug/Kg	12/22/2016 14:24
cis-1,2-Dichloroethene	112	ug/Kg	12/22/2016 14:24
cis-1,3-Dichloropropene	< 35.9	ug/Kg	12/22/2016 14:24
Cyclohexane	< 179	ug/Kg	12/22/2016 14:24
Dibromochloromethane	< 35.9	ug/Kg	12/22/2016 14:24
Dichlorodifluoromethane	< 35.9	ug/Kg	12/22/2016 14:24
Ethylbenzene	< 35.9	ug/Kg	12/22/2016 14:24
Freon 113	< 35.9	ug/Kg	12/22/2016 14:24
Isopropylbenzene	< 35.9	ug/Kg	12/22/2016 14:24
m,p-Xylene	< 35.9	ug/Kg	12/22/2016 14:24
Methyl acetate	< 35.9	ug/Kg	12/22/2016 14:24
Methyl tert-butyl Ether	< 35.9	ug/Kg	12/22/2016 14:24
Methylcyclohexane	< 35.9	ug/Kg	12/22/2016 14:24
Methylene chloride	< 89.6	ug/Kg	12/22/2016 14:24
o-Xylene	< 35.9	ug/Kg	12/22/2016 14:24
Styrene	< 89.6	ug/Kg	12/22/2016 14:24
Tetrachloroethene	89.0	ug/Kg	12/22/2016 14:24
Toluene	< 35.9	ug/Kg	12/22/2016 14:24
trans-1,2-Dichloroethene	< 35.9	ug/Kg	12/22/2016 14:24
trans-1,3-Dichloropropene	< 35.9	ug/Kg	12/22/2016 14:24
Trichloroethene	739	ug/Kg	12/22/2016 14:24
Trichlorofluoromethane	< 35.9	ug/Kg	12/22/2016 14:24
Vinyl chloride	< 35.9	ug/Kg	12/22/2016 14:24

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Limits</u>	<u>Outliers</u>	<u>Date Analyzed</u>
1,2-Dichloroethane-d4	110	82 - 124		12/22/2016 14:24
4-Bromofluorobenzene	101	80.5 - 116		12/22/2016 14:24
Pentafluorobenzene	104	88.7 - 112		12/22/2016 14:24
Toluene-D8	101	79.1 - 120		12/22/2016 14:24

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37960.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS03-20161215

Lab Sample ID: 165435-03

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
None Found	< 89.6	ug/Kg		12/22/2016
Total Reported TICS	< 89.6	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: **Ravi Engineering & Land Surveying, P.C.**

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1,2,2-Tetrachloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1,2-Trichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1-Dichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,1-Dichloroethene	< 4.51	ug/Kg		12/22/2016 14:48
1,2,3-Trichlorobenzene	< 11.3	ug/Kg		12/22/2016 14:48
1,2,4-Trichlorobenzene	< 11.3	ug/Kg		12/22/2016 14:48
1,2-Dibromo-3-Chloropropane	< 22.6	ug/Kg		12/22/2016 14:48
1,2-Dibromoethane	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichloroethane	< 4.51	ug/Kg		12/22/2016 14:48
1,2-Dichloropropane	< 4.51	ug/Kg		12/22/2016 14:48
1,3-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,4-Dichlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48
1,4-dioxane	< 4.51 R	ug/Kg		12/22/2016 14:48
2-Butanone	< 22.6	ug/Kg		12/22/2016 14:48
2-Hexanone	< 11.3	ug/Kg		12/22/2016 14:48
4-Methyl-2-pentanone	< 11.3	ug/Kg		12/22/2016 14:48
Acetone	22.1	ug/Kg	J	12/22/2016 14:48
Benzene	< 4.51	ug/Kg		12/22/2016 14:48
Bromochloromethane	< 11.3	ug/Kg		12/22/2016 14:48
Bromodichloromethane	< 4.51	ug/Kg		12/22/2016 14:48
Bromoform	< 11.3	ug/Kg		12/22/2016 14:48
Bromomethane	< 4.51	ug/Kg		12/22/2016 14:48
Carbon disulfide	< 4.51	ug/Kg		12/22/2016 14:48
Carbon Tetrachloride	< 4.51	ug/Kg		12/22/2016 14:48
Chlorobenzene	< 4.51	ug/Kg		12/22/2016 14:48

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

mxf 3/6/17



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Chloroethane	< 4.51	ug/Kg	12/22/2016 14:48
Chloroform	< 4.51	ug/Kg	12/22/2016 14:48
Chloromethane	< 4.51	ug/Kg	12/22/2016 14:48
cis-1,2-Dichloroethene	91.4	ug/Kg	12/22/2016 14:48
cis-1,3-Dichloropropene	< 4.51	ug/Kg	12/22/2016 14:48
Cyclohexane	< 22.6	ug/Kg	12/22/2016 14:48
Dibromochloromethane	< 4.51	ug/Kg	12/22/2016 14:48
Dichlorodifluoromethane	< 4.51	ug/Kg	12/22/2016 14:48
Ethylbenzene	< 4.51	ug/Kg	12/22/2016 14:48
Freon 113	< 4.51	ug/Kg	12/22/2016 14:48
Isopropylbenzene	< 4.51	ug/Kg	12/22/2016 14:48
m,p-Xylene	5.59	ug/Kg	12/22/2016 14:48
Methyl acetate	< 4.51	ug/Kg	12/22/2016 14:48
Methyl tert-butyl Ether	< 4.51	ug/Kg	12/22/2016 14:48
Methylcyclohexane	< 4.51	ug/Kg	12/22/2016 14:48
Methylene chloride	< 11.3	ug/Kg	12/22/2016 14:48
o-Xylene	2.76	ug/Kg	12/22/2016 14:48
Styrene	< 11.3	ug/Kg	12/22/2016 14:48
Tetrachloroethene	5.39	ug/Kg	12/22/2016 14:48
Toluene	< 4.51	ug/Kg	12/22/2016 14:48
trans-1,2-Dichloroethene	32.1	ug/Kg	12/22/2016 14:48
trans-1,3-Dichloropropene	< 4.51	ug/Kg	12/22/2016 14:48
Trichloroethene	91.4	ug/Kg	12/22/2016 14:48
Trichlorofluoromethane	< 4.51	ug/Kg	12/22/2016 14:48
Vinyl chloride	< 4.51	ug/Kg	12/22/2016 14:48

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

<u>Surrogate</u>	<u>Percent Recovery</u>	<u>Limits</u>	<u>Outliers</u>	<u>Date Analyzed</u>
1,2-Dichloroethane-d4	109	82 - 124		12/22/2016 14:48
4-Bromofluorobenzene	99.3	80.5 - 116		12/22/2016 14:48
Pentafluorobenzene	102	88.7 - 112		12/22/2016 14:48
Toluene-D8	98.2	79.1 - 120		12/22/2016 14:48

Method Reference(s): EPA 8260C
EPA 5035A - L
Data File: x37961.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016



PARADIGM

ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 165435

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland Ave IRM

Sample Identifier: IRM-SS04-20161215

Lab Sample ID: 165435-04

Date Sampled: 12/15/2016

Matrix: Soil

Date Received: 12/15/2016

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown aromatic	53.3	ug/Kg		12/22/2016
Total Reported TICS	53.3	ug/Kg		12/22/2016

Method Reference(s): EPA 8260C
EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Thursday, December 22, 2016

Appendix B

Laboratory QC Documentation

Method Path : C:\msdchem\1\METHODS\
 Method File : 161222.M
 Title : 8260/624 Analysis
 Last Update : Thu Dec 22 12:48:23 2016
 Response Via : Initial Calibration

12/22

Calibration Files

1 =x37948.D 2 =x37949.D 3 =x37950.D 4 =x37951.D 5 =x37952.D 6 =x37953.D 7 =x37954.D

Compound	1	2	3	4	5	6	7	Avg	%RSD
-----ISTD-----									
1) I Fluorobenzene									
2) P Dichlorodifluo...	0.305	0.344	0.313	0.318	0.302	0.293	0.274	0.307	7.17
3) P Chloromethane	0.319	0.321	0.282	0.280	0.269	0.284	0.260	0.288	8.17
4) P Vinyl chloride	0.300	0.302	0.293	0.291	0.277	0.298	0.284	0.292	3.08
5) P Bromomethane	0.238	0.233	0.208	0.198	0.189	0.190	0.156	0.202	13.83
6) P Chloroethane	0.164	0.166	0.168	0.162	0.156	0.155	0.143	0.159	5.43
7) P Trichlorofluor...	0.602	0.723	0.681	0.668	0.637	0.637	0.578	0.647	7.57
8) Ethyl ether	0.206	0.204	0.199	0.197	0.191	0.195	0.185	0.197	3.59
9) P Freon 113	0.278	0.291	0.281	0.270	0.257	0.264	0.243	0.269	5.99
10) P 1,1-Dichloroet...	0.494	0.492	0.486	0.474	0.445	0.453	0.415	0.466	6.29
11) P Acetone	0.230	0.139	0.101	0.102	0.094	0.093	0.085	0.120	42.67*
12) Isopropyl Alcohol	0.015	0.018	0.016	0.016	0.015	0.016	0.015	0.016	5.91
13) P Carbon disulfide	0.661	0.734	0.705	0.687	0.671	0.715	0.668	0.692	3.97
14) P Methyl acetate	0.189	0.151	0.151	0.148	0.143	0.150	0.138	0.153	10.86
15) P Methylene chlo...	0.257	0.273	0.257	0.242	0.237	0.248	0.233	0.250	5.45
16) Acrylonitrile	0.108	0.088	0.081	0.077	0.074	0.080	0.072	0.083	14.63
17) tert-Butyl Alc...	0.035	0.035	0.037	0.036	0.036	0.037	0.035	0.036	2.70
18) P Methyl tert-bu...	0.864	0.955	0.931	0.926	0.886	0.892	0.828	0.898	4.84
19) P trans-1,2-Dich...	0.418	0.459	0.438	0.430	0.398	0.413	0.376	0.419	6.48
20) P 1,1-Dichloroet...	0.541	0.643	0.548	0.541	0.580	0.523	0.491	0.552	8.72
21) Vinyl acetate	0.443	0.552	0.461	0.494	0.513	0.430	0.441	0.476	9.45
22) 2,2-Dichloropr...	0.697	0.739	0.735	0.705	0.674	0.665	0.605	0.688	6.71
23) P 2-Butanone		0.032	0.037	0.037	0.036	0.033	0.032	0.035#	7.05
24) P cis-1,2-Dichlo...	0.313	0.359	0.331	0.317	0.305	0.307	0.285	0.317	7.34
25) Bromochloromet...	0.113	0.141	0.135	0.133	0.128	0.128	0.119	0.128	7.30
26) P Chloroform	0.691	0.728	0.702	0.701	0.657	0.645	0.598	0.674	6.55
27) S Pentafluoroben...	0.576	0.565	0.564	0.545	0.534	0.512	0.519	0.545	4.50
28) Tetrahydrofuran	0.063	0.078	0.077	0.072	0.069	0.068	0.062	0.070	9.02
29) P 1,1,1-Trichlor...	0.660	0.726	0.729	0.708	0.671	0.665	0.610	0.681	6.26
30) P Cyclohexane	0.544	0.575	0.546	0.518	0.514	0.450	0.482	0.519	8.11
31) S 1,2-Dichloroet...	0.389	0.408	0.419	0.414	0.398	0.377	0.366	0.396	4.99
32) P Carbon Tetrach...	0.545	0.624	0.627	0.626	0.592	0.585	0.531	0.590	6.66
33) P Benzene	1.324	1.373	1.255	1.231	1.157	1.160	1.080	1.226	8.32
34) P 1,2-Dichloroet...	0.528	0.650	0.622	0.622	0.596	0.577	0.523	0.588	8.24
35) P Trichloroethene	0.292	0.332	0.336	0.322	0.304	0.307	0.288	0.312	6.00
36) tert-Butyl Ace...	0.246	0.296	0.318	0.313	0.308	0.310	0.295	0.298	8.17
37) P Methylcyclohexane	0.559	0.614	0.572	0.558	0.524	0.529	0.494	0.550	7.02
38) 1,4-Dioxane		0.002	0.003	0.004	0.004	0.004	0.004	0.004	24.21*

Initial Calibration Summary
Table

77

R_F < 0.005 (R_{all})

Evaluate Continuing Calibration Report

105

Data File: C:\msdchem\1\DATA\161221\X37951.D

DataAcq Meth: 8260RUN.M

Acq On : 22 Dec 2016 10:51 am

Sample : 50ppb ICAL Std

Misc :

ALS Vial : 7 Sample Multiplier: 1

Operator: M. Miller

Inst : Instrument #1

12/22

Quant Time: Dec 22 13:06:52 2016

Quant Method : C:\msdchem\1\METHODS\161222.M

Quant Title : 8260/624 Analysis

QLast Update : Thu Dec 22 12:48:23 2016

Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Fluorobenzene	1.000	1.000	0.0	100	0.00
2 P	Dichlorodifluoromethane	0.307	0.318	-3.6	100	0.00
3 P	Chloromethane	0.288	0.280	2.8	100	0.00
4 P	Vinyl chloride	0.292	0.291	0.3	100	0.00
5 P	Bromomethane	0.202	0.198	2.0	100	0.00
6 P	Chloroethane	0.159	0.162	-1.9	100	0.00
7 P	Trichlorofluoromethane	0.647	0.668	-3.2	100	0.00
8	Ethyl ether	0.197	0.197	0.0	100	0.00
9 P	Freon 113	0.269	0.270	-0.4	100	0.00
10 P	1,1-Dichloroethene	0.466	0.474	-1.7	100	0.00
11 P	Acetone	0.120	0.102	15.0	100	0.00
12	Isopropyl Alcohol	0.016	0.016	0.0	100	0.00
13 P	Carbon disulfide	0.692	0.687	0.7	100	0.00
14 P	Methyl acetate	0.153	0.148	3.3	100	0.00
15 P	Methylene chloride	0.250	0.242	3.2	100	0.00
16	Acrylonitrile	0.083	0.077	7.2	100	0.00
17	tert-Butyl Alcohol	0.036	0.036	0.0	100	0.00
18 P	Methyl tert-butyl Ether	0.898	0.926	-3.1	100	0.00
19 P	trans-1,2-Dichloroethene	0.419	0.430	-2.6	100	0.00
20 P	1,1-Dichloroethane	0.552	0.541	2.0	100	0.00
21	Vinyl acetate	0.476	0.494	-3.8	100	0.00
22	2,2-Dichloropropane	0.688	0.705	-2.5	100	0.00
23 P	2-Butanone	0.035	0.037#	-5.7	100	0.00
24 P	cis-1,2-Dichloroethene	0.317	0.317	0.0	100	0.00
25	Bromochloromethane	0.128	0.133	-3.9	100	0.00
26 P	Chloroform	0.674	0.701	-4.0	100	0.00
27 S	Pentafluorobenzene	0.545	0.545	0.0	100	0.00
28	Tetrahydrofuran	0.070	0.072	-2.9	100	0.00
29 P	1,1,1-Trichloroethane	0.681	0.708	-4.0	100	0.00
30 P	Cyclohexane	0.519	0.518	0.2	100	0.00
31 S	1,2-Dichloroethane-d4	0.396	0.414	-4.5	100	0.00
32 P	Carbon Tetrachloride	0.590	0.626	-6.1	100	0.00
33 P	Benzene	1.226	1.231	-0.4	100	0.00
34 P	1,2-Dichloroethane	0.588	0.622	-5.8	100	0.00
35 P	Trichloroethene	0.312	0.322	-3.2	100	0.00
36	tert-Butyl Acetate	0.298	0.313	-5.0	100	0.00
37 P	Methylcyclohexane	0.550	0.558	-1.5	100	0.00
38	1,4-Dioxane	0.004	0.003	25.0#	100	0.00
39 UN	Ethyl acetate	0.000	0.000	0.0	100	0.00
40 P	1,2-Dichloropropane	0.303	0.306	-1.0	100	0.00
41 UN	Isobutyl alcohol	0.000	0.000	0.0	100	0.00
42	Dibromomethane	0.202	0.211	-4.5	100	0.00
43 P	Bromodichloromethane	0.512	0.555	-8.4	100	0.00
44	2-Chloroethyl vinyl Ether	0.160	0.167	-4.4	100	0.00
45 UN	Isopropyl acetate	0.000	0.000	0.0	100	0.00
46	1,1-Dichloropropene	0.501	0.514	-2.6	100	0.00
47 P	cis-1,3-Dichloropropene	0.550	0.576	-4.7	100	0.00

Appendix C

Validator Qualifications

KENNETH R. APPLIN

Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY
Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

DATA USABILITY SUMMARY REPORT (DUSR)

**690 Portland Ave.
Rochester, NY
NYSDEC BCP # C 828151**

SDG: 0440-01

1 Water Sample

Prepared for:

**Ravi Engineering & Land Surveying, P.C.
2110 South Clinton Ave
Rochester, NY 14618**

May 2017



Environmental Data Usability 10028 Deer Park Dr. Dansville, NY 14437 585.991.9156

Table of Contents

	<u>Page No.</u>
REVIEWER'S NARRATIVE	
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 SAMPLE AND ANALYSIS SUMMARY	2
4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA	2
5.0 DATA VALIDATION QUALIFIERS	3
6.0 RESULTS OF THE DATA REVIEW	4
7.0 TOTAL USABLE DATA	4

APPENDIX A	Validated Analytical Results
APPENDIX B	Laboratory QC Documentation
APPENDIX C	Validator Qualifications

Tables

Table 4-1	Data Validation Guidance Documents
Table 4-2	Quality Control Criteria for Validating Laboratory Analytical Data

Summaries of Validated Results

Table 6-1	VOCs
-----------	------

REVIEWER'S NARRATIVE
SDG 0440-01

The data associated with this Sample Delivery Group (SDG) 0440-01, analyzed by Paradigm Environmental Services, Inc. Rochester, NY have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 5/14/17
Michael K. Perry
Chemist

1.0 SUMMARY

SITE: 690 Portland Ave.
Rochester, NY

SAMPLING DATE: February 07, 2017

SAMPLE TYPE: 1 water sample and one trip blank

LABORATORY: Paradigm Environmental Services, Inc.
Rochester, NY

SDG No.: 0440-01

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for, one water sample and a trip blank collected on February 07, 2017. These samples were analyzed for the volatile organic compounds.

All laboratory analyses were performed by Paradigm Environmental Services, Inc., Rochester, NY and analyzed as SDG 0440-01. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents used for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results are listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1**DATA VALIDATION GUIDANCE DOCUMENTS**

Analyte Type	Validation Guidance
VOCs	USEPA, 2008, Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry; SW-846 Method 8260B; SOP # HW-24, Rev. 2. USEPA, 2008, Statement of Work for Organic Analysis of Low/Medium Concentration of Volatile Organic Compounds SOM01.2; SOP HW-33, Rev. 2.
SVOCs	USEPA, 2007, Statement of Work for Organic Analysis of Low/Medium Concentration of Semivolatile Organic Compounds SOM01.2; SOP HW-35, Rev. 1.
Pesticides/PCBs	USEPA, 2006, CLP Organics Data Review and Preliminary Review (CLP/SOW OLMO 4.3); SOP # HW-6, Rev. 14, Part C.
Metals	USEPA, 2006, Validation of Metals for the Contract Laboratory Program (CLP) based on SOW ILMO 5.3 (SOP Revision 13), SOP # HW-2, Rev. 13.
Gen Chemistry	NYSDEC, 2005, Analytical Services Protocols (ASP)
VOCs (Ambient air)	USEPA, 2006, Validating Air Samples, Volatile Organic Analysis of Ambient Air in Canister by Method TO-15; SOP # HW-31, Rev. 4.

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

VOCs	SVOCs	Pesticides/PCBs	Metals	Gen Chemistry	Method TO-15
Completeness of Pkg Sample Condition Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Analyte ID Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Condition Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates	Completeness of Pkg Sample Condition Holding Time Canister Certification Lab Control Sample Instrument Tuning Blanks Initial Calibration & System Performance Daily Calibration Field Duplicate

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- UJ** The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is *approximate* and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- N** The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".
- JN** The analyte is considered to be "presumptively present." The associated numerical value represents its *approximate* concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated using red ink. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Tables 6-1. The table list the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG 0440-01, two samples were analyzed and results were reported for 106 analytes. Even though some results were flagged with a "J" as estimated, all results (100 %) are considered usable. See the summary table for any associated QC issues.

Table 6-1 VOCs

SAMPLES AFFECTED	ANALYTES	ACTION	QC VIOLATION	COMMENTS
Trip Blank	All Analyses	J detects/UJ non-detects	Surr. PFB < QC limit	Results are estimated
All samples	Freon 113 Acetone Cyclohexane Methylcyclohexane	J detects/UJ non-detects	CCV > 20 %	Results are estimated

ACRONYMS

BSP	Blank Spike
CCAL	Continuing Calibration
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRDL	Contract Required Detection Limit
CRQL	Contract Required Quantitation Limit
%D	Percent Difference
ICAL	Initial Calibration
ICB	Initial Calibration Blank
IS	Internal Standard
LCS	Laboratory Control Sample
MS/MSD	Matrix Spike/Matrix Spike Duplicate
QA	Quality Assurance
QC	Quality Control
%R	Percent recovery
RPD	Relative Percent Difference
RRF	Relative Response Factor
%RSD	Percent Relative Standard Deviation
TAL	Target Analyte List (metals)
TCL	Target Compound List (organics)

Appendix A

Validated Analytical Results

LAB PROJECT NARRATIVE: 170440
PROJECT NAME: 690 Portland
SDG: 0440-01
CLIENT: Ravi Engineering & Land Surveying, P.C.

~~Two~~^{One} Groundwater samples and one Trip Blank were collected by the client on 02/07/2017 and received at the Paradigm laboratory on 02/07/2017. Container and holding times were acceptable at time of receipt; the samples were received at 5° Centigrade and were on ice. The samples were submitted for the TCL list for VOCs plus TICs. All analyses were performed using EPA SW-846 Methods and the associated holding times.

The items noted in this case narrative address compliance with the referenced methods, NYSDOH ELAP rules, and any project specific data quality requirements. These may be different from the usability criteria referenced in any "Functional Guidelines" or other data review standards used by data validators.

GENERAL NOTES

The initial and continuing calibration reports are only evaluated for compounds that are on the sample summary report.

Regarding results on QC summary forms versus included raw data, due to calculations made at the instrument where many significant figures may be used, there may be slight discrepancies between the summary report result and that recorded on the raw data. This does not affect data usability.

Regarding initial calibrations, it should be noted that the Quantitation Report concentrations supplied for the initial calibration reflect the calibration prior to updating. The response factors and areas are correct.

Regarding Quantitation Reports, it should be noted that the "#" symbol that appears on some of the Quantitation Reports is a software artifact and should be disregarded.

VOLATILES

Holding times were met for all samples.

The surrogate recoveries for the samples and QC samples were within QC limits, except Pentafluorobenzene was out low for the Trip Blank. This outlier has been flagged with an "*" on the QC Summary form and sample report accordingly.

Site specific QC was not requested on this SDG. The Laboratory Control Sample recovered within acceptance limits.

The method blank was free from contamination within the reportable ranges.

The instrument tunes passed all criteria.

The internal standards areas and retention times were within acceptance limits for the samples and the associated QC.

All data for the initial calibration was within acceptance limits. Compounds flagged with an "*" on the summary table have been calibrated using a non-average Response Factor calibration curve. The supporting curves are located after the initial calibration table.

All continuing calibration data was within acceptance limits, except Methyl Acetate was out high. The high outlier was acceptable for Non-Detects. All samples associated with this outlier were Non-Detect for this compound.

(signed)



Bruce Hoogesteger- President

(date)

5/3/2017

[illegible]

CHAIN OF CUSTODY

1 of 2

67



REPORT TO:		INVOICE TO:							
CLIENT: KAVI	CLIENT: KAVI	LAB PROJECT ID: 170440							
ADDRESS:	ADDRESS:	Quotation #:							
CITY: STATE: ZIP:	CITY: STATE: ZIP:	Email:							
PHONE:	PHONE:								
PROJECT REFERENCE: 690 Portland		ATTN: Lynn Zicari l.zicari@paradigm.com							
Matrix Codes:		AQ - Aqueous Liquid WA - Water DW - Drinking Water SO - Soil SD - Solid WP - Wipe OL - Oil NQ - Non-Aqueous Liquid WG - Groundwater WW - Wastewater SL - Sludge PT - Paint CK - Cork AR - Air							
REQUESTED ANALYSIS									
DATE COLLECTED	TIME COLLECTED	CONTAINER TYPE	GRAB	SAMPLE IDENTIFIER	MATRIX	ANALYSIS	REMARKS	PARADIGM LAB SAMPLE NUMBER	
2/7/17	2:15		X	RW1-02072017	WG	1		01	
2/7/17	2:15		X	RW1-02072017	WG	1		02	
				Trip Blank	WA	1			
				CPL12 2-7-17					
				one sample + Trip Blank					
				Closed S.D.G.					

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard 5 day	<input checked="" type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Basic QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input type="checkbox"/>	Category B	<input checked="" type="checkbox"/>
Rush 1 day	<input type="checkbox"/>	Other	<input type="checkbox"/>
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
Please indicate date needed:		Please indicate package needed:	

Dave DeYoung 2/7/17
 Sampled By Date/Time
 Alexa Barber 2/7/17 2:40
 Relinquished By Date/Time
 Jone Goeloch 2/7/17 1440
 Received By Date/Time
 2/7/17 16:09
 Received @ Lab By Date/Time
 5°C 2/7/17 14:41
 By signing this form, client agrees to Paradigm Terms and Conditions (reverse).
 Custody Sent via Samples delivered by client, 6P 2/7/17
 See additional page for sample conditions.

Total Cost:

P.I.F.


PARADIGM
 ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440
Client: Ravi Engineering & Land Surveying, P.C.
Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1,2,2-Tetrachloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1,2-Trichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1-Dichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,1-Dichloroethene	< 2.00	ug/L		2/9/2017 18:06
1,2,3-Trichlorobenzene	< 5.00	ug/L		2/9/2017 18:06
1,2,4-Trichlorobenzene	< 5.00	ug/L		2/9/2017 18:06
1,2-Dibromo-3-Chloropropane	< 10.0	ug/L		2/9/2017 18:06
1,2-Dibromoethane	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichloroethane	< 2.00	ug/L		2/9/2017 18:06
1,2-Dichloropropane	< 2.00	ug/L		2/9/2017 18:06
1,3-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,4-Dichlorobenzene	< 2.00	ug/L		2/9/2017 18:06
1,4-dioxane	< 20.0	ug/L		2/9/2017 18:06
2-Butanone	< 10.0	ug/L		2/9/2017 18:06
2-Hexanone	< 5.00	ug/L		2/9/2017 18:06
4-Methyl-2-pentanone	< 5.00	ug/L		2/9/2017 18:06
Acetone	< 10.0	ug/L		2/9/2017 18:06
Benzene	< 1.00	ug/L		2/9/2017 18:06
Bromochloromethane	< 5.00	ug/L		2/9/2017 18:06
Bromodichloromethane	< 2.00	ug/L		2/9/2017 18:06
Bromoform	< 5.00	ug/L		2/9/2017 18:06
Bromomethane	< 2.00	ug/L		2/9/2017 18:06
Carbon disulfide	< 2.00	ug/L		2/9/2017 18:06
Carbon Tetrachloride	< 2.00	ug/L		2/9/2017 18:06
Chlorobenzene	< 2.00	ug/L		2/9/2017 18:06

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

WEP 5/14/17



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier:	RW1_02072017		Date Sampled:	2/7/2017	
Lab Sample ID:	170440-01		Date Received:	2/7/2017	
Matrix:	Groundwater				
Chloroethane	< 2.00	ug/L		2/9/2017	18:06
Chloroform	< 2.00	ug/L		2/9/2017	18:06
Chloromethane	< 2.00	ug/L		2/9/2017	18:06
cis-1,2-Dichloroethene	1.46	ug/L	J	2/9/2017	18:06
cis-1,3-Dichloropropene	< 2.00	ug/L		2/9/2017	18:06
Cyclohexane	< 10.0	ug/L		2/9/2017	18:06
Dibromochloromethane	< 2.00	ug/L		2/9/2017	18:06
Dichlorodifluoromethane	< 2.00	ug/L		2/9/2017	18:06
Ethylbenzene	< 2.00	ug/L		2/9/2017	18:06
Freon 113	< 2.00	ug/L		2/9/2017	18:06
Isopropylbenzene	< 2.00	ug/L		2/9/2017	18:06
m,p-Xylene	< 2.00	ug/L		2/9/2017	18:06
Methyl acetate	< 2.00	ug/L		2/9/2017	18:06
Methyl tert-butyl Ether	< 2.00	ug/L		2/9/2017	18:06
Methylcyclohexane	< 2.00	ug/L		2/9/2017	18:06
Methylene chloride	< 5.00	ug/L		2/9/2017	18:06
o-Xylene	1.32	ug/L	J	2/9/2017	18:06
Styrene	< 5.00	ug/L		2/9/2017	18:06
Tetrachloroethene	< 2.00	ug/L		2/9/2017	18:06
Toluene	< 2.00	ug/L		2/9/2017	18:06
trans-1,2-Dichloroethene	< 2.00	ug/L		2/9/2017	18:06
trans-1,3-Dichloropropene	< 2.00	ug/L		2/9/2017	18:06
Trichloroethene	15.0	ug/L		2/9/2017	18:06
Trichlorofluoromethane	< 2.00	ug/L		2/9/2017	18:06
Vinyl chloride	< 2.00	ug/L		2/9/2017	18:06

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

mwp 5/14/17



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
1,2-Dichloroethane-d4	104	81.2 - 120		2/9/2017 18:06
4-Bromofluorobenzene	87.3	82.4 - 112		2/9/2017 18:06
Pentafluorobenzene	90.3	90.2 - 112		2/9/2017 18:06
Toluene-D8	93.8	89.9 - 109		2/9/2017 18:06

Method Reference(s): EPA 8260C

EPA 5030C

Data File: x39041.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: RW1_02072017

Lab Sample ID: 170440-01

Date Sampled: 2/7/2017

Matrix: Groundwater

Date Received: 2/7/2017

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown Siloxane	11.9	ug/L		2/9/2017
1,2,4-Trimethylbenzene	7.93 JN	ug/L		2/9/2017
Unknown Aromatic	11.5 J	ug/L		2/9/2017
Unknown Aromatic	11.0	ug/L		2/9/2017
Unknown Aromatic	6.70	ug/L		2/9/2017
Unknown Aromatic	8.23	ug/L		2/9/2017
Unknown Aromatic	5.30	ug/L		2/9/2017
Unknown Aromatic	10.1	ug/L		2/9/2017
Unknown Aromatic	7.14	ug/L		2/9/2017
Unknown Aromatic	26.6	ug/L		2/9/2017
Unknown Aromatic	5.08	ug/L		2/9/2017
Unknown Aromatic	7.51 ✓	ug/L		2/9/2017
Naphthalene	14.2 JN	ug/L		2/9/2017
Unknown Benzothiophene	7.22 J	ug/L		2/9/2017
Unknown Aromatic	7.13	ug/L		2/9/2017
Unknown Aromatic	10.6	ug/L		2/9/2017
Unknown	7.69	ug/L		2/9/2017
Unknown Benzothiophene	7.37	ug/L		2/9/2017
n-methylnaphthalene	21.7	ug/L		2/9/2017
n-methylnaphthalene	31.1 ✓	ug/L		2/9/2017
Total Reported TICS	226	ug/L		2/9/2017

Method Reference(s): EPA 8260C
EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

WCP 3/14/17



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Matrix: Water

Date Sampled: 2/7/2017

Date Received: 2/7/2017

Volatile Organics

Analyte	Result	Units	Qualifier	Date Analyzed
1,1,1-Trichloroethane	< 2.00 \checkmark	ug/L		2/9/2017 16:07
1,1,2,2-Tetrachloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1,2-Trichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1-Dichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,1-Dichloroethene	< 2.00	ug/L		2/9/2017 16:07
1,2,3-Trichlorobenzene	< 5.00	ug/L		2/9/2017 16:07
1,2,4-Trichlorobenzene	< 5.00	ug/L		2/9/2017 16:07
1,2-Dibromo-3-Chloropropane	< 10.0	ug/L		2/9/2017 16:07
1,2-Dibromoethane	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichloroethane	< 2.00	ug/L		2/9/2017 16:07
1,2-Dichloropropane	< 2.00	ug/L		2/9/2017 16:07
1,3-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,4-Dichlorobenzene	< 2.00	ug/L		2/9/2017 16:07
1,4-dioxane	< 20.0	ug/L		2/9/2017 16:07
2-Butanone	< 10.0	ug/L		2/9/2017 16:07
2-Hexanone	< 5.00	ug/L		2/9/2017 16:07
4-Methyl-2-pentanone	< 5.00	ug/L		2/9/2017 16:07
Acetone	< 10.0	ug/L		2/9/2017 16:07
Benzene	< 1.00	ug/L		2/9/2017 16:07
Bromochloromethane	< 5.00	ug/L		2/9/2017 16:07
Bromodichloromethane	< 2.00	ug/L		2/9/2017 16:07
Bromoform	< 5.00	ug/L		2/9/2017 16:07
Bromomethane	< 2.00	ug/L		2/9/2017 16:07
Carbon disulfide	< 2.00	ug/L		2/9/2017 16:07
Carbon Tetrachloride	< 2.00	ug/L		2/9/2017 16:07
Chlorobenzene	< 2.00 \checkmark	ug/L		2/9/2017 16:07

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

WMP 3/14/17


PARADIGM
 ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440
Client: Ravi Engineering & Land Surveying, P.C.
Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Date Sampled: 2/7/2017

Matrix: Water

Date Received: 2/7/2017

Chloroethane	< 2.00	ug/L	2/9/2017 16:07
Chloroform	< 2.00	ug/L	2/9/2017 16:07
Chloromethane	< 2.00	ug/L	2/9/2017 16:07
cis-1,2-Dichloroethene	< 2.00	ug/L	2/9/2017 16:07
cis-1,3-Dichloropropene	< 2.00	ug/L	2/9/2017 16:07
Cyclohexane	< 10.0	ug/L	2/9/2017 16:07
Dibromochloromethane	< 2.00	ug/L	2/9/2017 16:07
Dichlorodifluoromethane	< 2.00	ug/L	2/9/2017 16:07
Ethylbenzene	< 2.00	ug/L	2/9/2017 16:07
Freon 113	< 2.00	ug/L	2/9/2017 16:07
Isopropylbenzene	< 2.00	ug/L	2/9/2017 16:07
m,p-Xylene	< 2.00	ug/L	2/9/2017 16:07
Methyl acetate	< 2.00	ug/L	2/9/2017 16:07
Methyl tert-butyl Ether	< 2.00	ug/L	2/9/2017 16:07
Methylcyclohexane	< 2.00	ug/L	2/9/2017 16:07
Methylene chloride	< 5.00	ug/L	2/9/2017 16:07
o-Xylene	< 2.00	ug/L	2/9/2017 16:07
Styrene	< 5.00	ug/L	2/9/2017 16:07
Tetrachloroethene	< 2.00	ug/L	2/9/2017 16:07
Toluene	< 2.00	ug/L	2/9/2017 16:07
trans-1,2-Dichloroethene	< 2.00	ug/L	2/9/2017 16:07
trans-1,3-Dichloropropene	< 2.00	ug/L	2/9/2017 16:07
Trichloroethene	< 2.00	ug/L	2/9/2017 16:07
Trichlorofluoromethane	< 2.00	ug/L	2/9/2017 16:07
Vinyl chloride	< 2.00	ug/L	2/9/2017 16:07

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

mnp/14/17



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Date Sampled: 2/7/2017

Matrix: Water

Date Received: 2/7/2017

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	106	81.2 - 120		2/9/2017	16:07
4-Bromofluorobenzene	85.7	82.4 - 112		2/9/2017	16:07
Pentafluorobenzene	87.8	90.2 - 112	*	2/9/2017	16:07
Toluene-D8	92.5	89.9 - 109		2/9/2017	16:07

Method Reference(s): EPA 8260C

EPA 5030C

Data File: x39036.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

AKPS/14/17



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 170440

Client: Ravi Engineering & Land Surveying, P.C.

Project Reference: 690 Portland

Sample Identifier: Trip Blank

Lab Sample ID: 170440-02

Date Sampled: 2/7/2017

Matrix: Water

Date Received: 2/7/2017

Volatile Tentatively Identified Compounds

<u>Tentatively Identified Compound</u>	<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	<u>Date Analyzed</u>
Unknown	13.0 J	ug/L		2/9/2017
Total Reported TICS	13.0	ug/L		2/9/2017

Method Reference(s): EPA 8260C
EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Monday, February 13, 2017

WKP 5/14/17

Appendix B

Laboratory QC Documentation

2D
VOLATILE SURROGATE RECOVERY

Lab Name: Paradigm Environmental Services
 Lab Project #: 170440
 QC Batch Number #: voaw020917

Client Name: Ravi Engineering & Land Surveying, P.C.

Client Project #: N/A

Client Project Name: 690 Portland

SDG #: 0440-01

SAMPLE NO.	S1 PFB	S2 1,2-DCAd4	S3 Td8	S4 4-BFB	TOT OUT
01 Blk1	91.7	107	94.2	85.4	0
02 LCS1	95.8	101	100	101	0
03 170440-01 RW1_02072017	90.3	104	93.8	87.3	0
04 170440-02 Trip Blank	87.8 *	106	92.5	85.7	1
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					

QC LIMITS %

S1 (PFB) = Pentafluorobenzene

(90.2 - 112)

S2 (1,2-DCAd4) = 1,2-Dichloroethane-d4

(81.2 - 120)

S3 (Td8) = Toluene-d8

(89.9 - 109)

S4 (4-BFB) = 4-Bromofluorobenzene

(82.4 - 112)

Notes: * Values outside of current required QC limits

D Surrogate diluted out

Evaluate Continuing Calibration Report

100

Data File: C:\msdchem\1\DATA\170209\X39024.D

DataAcq Meth: 8260RUN.M

Acq On : 9 Feb 2017 11:17 am

Sample : 50ppb mega CC

Misc :

ALS Vial : 4 Sample Multiplier: 1

Operator: Bill Brew

Inst : Instrument #1

Quant Time: Feb 09 11:38:42 2017

Quant Method : C:\msdchem\1\METHODS\170208.M

Quant Title : 8260/624 Analysis

QLast Update : Wed Feb 08 17:30:10 2017

Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev (min)
1 I	Fluorobenzene	1.000	1.000	0.0	101	0.00
2 P	Dichlorodifluoromethane	0.199	0.214	-7.5	91	0.00
3 P	Chloromethane	0.344	0.334	2.9	97	0.00
4 P	Vinyl chloride	0.324	0.347	-7.1	100	0.00
5 P	Bromomethane	0.242	0.234	3.3	104	0.00
6 P	Chloroethane	0.195	0.225	-15.4	105	0.00
7 P	Trichlorofluoromethane	0.392	0.470	-19.9	102	0.00
8	Ethyl ether	0.255	0.255	0.0	100	0.00
9 P	Freon 113	0.218	0.277	-27.1#	101	0.00
10 P	1,1-Dichloroethene	0.385	0.416	-8.1	99	0.00
11 P	Acetone	0.155	0.099#	-36.1#	93	0.00
12	Isopropyl Alcohol	0.020	0.018	10.0	96	0.00
13 P	Carbon disulfide	0.769	0.914	-18.9	118	0.00
14 P	Methyl acetate	0.192	0.173	9.9	128	0.00
15 P	Methylene chloride	0.285	0.276	3.2	94	0.00
16	Acrylonitrile	0.102	0.087	14.7	86	0.00
17	tert-Butyl Alcohol	0.035	0.027	-22.9#	77	0.00
18 P	Methyl tert-butyl Ether	0.717	0.666	7.1	97	0.00
19 P	trans-1,2-Dichloroethene	0.342	0.337	1.5	106	0.00
20 P	1,1-Dichloroethane	0.535	0.510	4.7	104	0.00
21	Vinyl acetate	0.483	0.455	5.8	96	0.00
22	2,2-Dichloropropane	0.395	0.405	-2.5	104	0.00
23 P	2-Butanone	0.042	0.039#	7.1	94	0.00
24 P	cis-1,2-Dichloroethene	0.340	0.327	3.8	100	0.00
25	Bromochloromethane	0.155	0.151	2.6	101	0.00
26 P	Chloroform	0.544	0.534	1.8	102	0.00
27 S	Pentafluorobenzene	0.501	0.486	3.0	98	0.00
28	Tetrahydrofuran	0.079	0.072	8.9	94	0.00
29 P	1,1,1-Trichloroethane	0.426	0.442	-3.8	103	0.00
30 P	Cyclohexane	0.341	0.443	-29.9#	105	0.00
31 S	1,2-Dichloroethane-d4	0.256	0.254	0.8	100	0.00
32 P	Carbon Tetrachloride	0.337	0.365	-8.3	103	0.00
33 P	Benzene	1.229	1.221	0.7	103	0.00
34 P	1,2-Dichloroethane	0.395	0.376	4.8	99	0.00
35 P	Trichloroethene	0.316	0.305	3.5	101	0.00
36	tert-Butyl Acetate	0.132	0.116	12.1	95	0.00
37 P	Methylcyclohexane	0.391	0.510	-30.4#	107	0.00
38	1,4-Dioxane	0.005	0.004	20.0	89	0.01
39 UN	Ethyl acetate	0.000	0.000	0.0	0#	0.00
40 P	1,2-Dichloropropane	0.299	0.298	0.3	102	0.00
41 UN	Isobutyl alcohol	0.000	0.000	0.0	0#	0.00
42	Dibromomethane	0.197	0.191	3.0	99	0.00
43 P	Bromodichloromethane	0.380	0.379	0.3	99	0.00
44	2-Chloroethyl vinyl Ether	0.161	0.149	7.5	92	0.00
45 UN	Isopropyl acetate	0.000	0.000	0.0	0#	0.00
46	1,1-Dichloropropene	0.383	0.400	-4.4	104	0.00
47 P	cis-1,3-Dichloropropene	0.455	0.463	-1.8	99	0.00

2/9/17 BB

-NT

Appendix C

Validator Qualifications

KENNETH R. APPLIN
Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY

Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

APPENDIX F

Waste Manifests



Requested Facility: Mill Seat LF ☐ Unsure Profile Number: 117414NY
☐ Multiple Generator Locations (Attach Locations) ☐ Request Certificate of Disposal ☐ Renewal? Original Profile Number: _____

A. GENERATOR INFORMATION (MATERIAL ORIGIN)

1. Generator Name: 690 Portland Ave Inc.
2. Site Address: 690 Portland Ave
(City, State, ZIP) Rochester NY 14621
3. County: Monroe
4. Contact Name: Keith Hambley
5. Email: khambley@trecenv.com
6. Phone: (585) 594-5545 7. Fax: _____
8. Generator EPA ID: _____ ☒ N/A
9. State ID: _____ ☒ N/A

C. MATERIAL INFORMATION

1. Common Name: Non Hazardous Soil
Describe Process Generating Material: ☐ See Attached
Excavation of petroleum impacted soil area.
2. Material Composition and Contaminants: ☐ See Attached

1. Soil	100 %
2.	
3.	
4.	

Total comp. must be equal to or greater than 100% ≥100%

3. State Waste Codes: _____ ☒ N/A
4. Color: Brown
5. Physical State at 70°F: ☒ Solid ☐ Liquid ☐ Other: _____
6. Free Liquid Range Percentage: _____ to _____ ☒ N/A
7. pH: _____ to _____ ☒ N/A
8. Strong Odor: ☐ Yes ☒ No Describe: _____
9. Flash Point: ☐ <140°F ☐ 140°-199°F ☒ ≥200° ☒ N/A

E. ANALYTICAL AND OTHER REPRESENTATIVE INFORMATION

1. Analytical attached ☒ Yes
Please identify applicable samples and/or lab reports:
170010
2. Other information attached (such as MSDS)? ☐ Yes

G. GENERATOR CERTIFICATION (PLEASE READ AND CERTIFY BY SIGNATURE)

By signing this EZ Profile™ form, I hereby certify that all information submitted in this and all attached documents contain true and accurate descriptions of this material, and that all relevant information necessary for proper material characterization and to identify known and suspected hazards has been provided. Any analytical data attached was derived from a sample that is representative as defined in 40 CFR 261 - Appendix 1 or by using an equivalent method. All changes occurring in the character of the material (i.e., changes in the process or new analytical) will be identified by the Generator and be disclosed to Waste Management prior to providing the material to Waste Management.

If I am an agent signing on behalf of the Generator, I have confirmed with the Generator that information contained in this Profile is accurate and complete.

Name (Print): Keith Hambley Date: 01/31/2017

Title: President

Company: TREC Environmental Inc.

B. BILLING INFORMATION☐ SAME AS GENERATOR

1. Billing Name: TREC Environmental Inc.
2. Billing Address: 1018 Washington St
(City, State, ZIP) Spencerport NY 14559
3. Contact Name: Keith Hambley
4. Email: khambley@trecenv.com
5. Phone: (585) 594-5545 6. Fax: (585) 594-5675
7. WM Hauled? ☐ Yes ☒ No
8. P.O. Number: _____
9. Payment Method: ☒ Credit Account ☐ Cash ☐ Credit Card

D. REGULATORY INFORMATION

1. EPA Hazardous Waste? ☐ Yes* ☒ No
Code: _____
2. State Hazardous Waste? ☐ Yes ☒ No
Code: _____
3. Is this material non-hazardous due to Treatment, Delisting, or an Exclusion? ☐ Yes* ☒ No
4. Contains Underlying Hazardous Constituents? ☐ Yes* ☒ No
5. From an industry regulated under Benzene NESHAP? ☐ Yes* ☒ No
6. Facility remediation subject to 40 CFR 63 GGGGG? ☐ Yes* ☒ No
7. CERCLA or State-mandated clean-up? ☐ Yes* ☒ No
8. NRC or State-regulated radioactive or NORM waste? ☐ Yes* ☒ No
*If Yes, see Addendum (page 2) for additional questions and space.
9. Contains PCBs? → If Yes, answer a, b and c. ☐ Yes ☒ No
a. Regulated by 40 CFR 7617 ☐ Yes ☐ No
b. Remediation under 40 CFR 761.61 (a)? ☐ Yes ☐ No
c. Were PCB imported into the US? ☐ Yes ☐ No
10. Regulated and/or Untreated Medical/Infectious Waste? ☐ Yes ☒ No
11. Contains Asbestos? ☐ Yes ☒ No
→ If Yes: ☐ Non-Friable ☐ Non-Friable - Regulated ☐ Friable

F. SHIPPING AND DOT INFORMATION

1. ☒ One-Time Event ☐ Repeat Event/Ongoing Business
2. Estimated Quantity/Unit of Measure: 15
☒ Tons ☐ Yards ☐ Drums ☐ Gallons ☐ Other: _____
3. Container Type and Size: DT
4. USDOT Proper Shipping Name: ☒ N/A

Certification Signature

GENERATOR
 INT'L
 TRANSPORTER
 DESIGNATED FACILITY

NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number		2. Page 1 of		3. Emergency Response Phone 385594 5545		4. Waste Tracking Number	
5. Generator's Name and Mailing Address 690 Portland Ave, INC, 690 Portland Ave Rochester, NY 14621									
6. Transporter 1 Company Name TRC Environmental, Inc. SA-849									
7. Transporter 2 Company Name									
8. Designated Facility Name and Site Address M. H. Scott LE 303 Brews Road Bergen, NY 14416									
9. Waste Shipping Name and Description 1. NON HAZARDOUS SOLID									
		10. Containers		11. Total Quantity		12. Unit Wt./Vol.			
		No. Type							
				DT		15		T	
13. Special Handling Instructions and Additional Information Profile Number 117414 NY									
14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.									
Generator's/Offor's Printed/Typed Name AGENT OF LAD PARTIAL ARE THE DINE DRYING				Signature 		Month 2		Day 7	
15. International Shipments <input type="checkbox"/> Import to U.S.		<input type="checkbox"/> Export from U.S.		Port of entry/exit Date leaving U.S.		Year 17			
16. Transporter Acknowledgment of Receipt of Materials									
Transporter 1 Printed/Typed Name KURT C. Ballenstein				Signature 		Month 2		Day 7	
Transporter 2 Printed/Typed Name				Signature		Month		Day	
17. Discrepancy									
17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
17b. Alternate Facility (or Generator) Manifest Reference Number:									
Facility's Phone:									
17c. Signature of Alternate Facility (or Generator)									
18. Designated Facility Owner or Operator Certification of receipt of materials covered by the manifest except as noted in item 17a									
Printed/Typed Name 				Signature 		Month 2		Day 7	
Year 17									



Will. East Landfill
343 Dean Rd.
Bergen, NY, 14414
Ph: (505) 954-3000

Original
Ticket# 804363

Customer Name THE ENVIRONMENTAL-117414NY H Garrier THE TRAC ENVIRONMENTAL
Ticket Date 02/07/2017 Vehicle# 11 Volume
Payment Type Credit Account Container
Manual Ticket# Driver
Hauling Ticket# Check#
Route Billing # 0001905
State Waste Code Gen EPA 10
Manifest #
Destination Erie NY
ID
Profile 117414NY (NON HAZARDOUS SOIL)
Generator 100-5300PORTLAND AVE 500 PORTLAND AVE.

	Time	Scale	Operator	Inbound	Gross	25500 lb
In	02/07/2017 11:57:17	Scale1	bnave		Tare	12500 lb
Out	02/07/2017 12:15:00	Scale2	Wing5		Net	14000 lb
					Tons	7.02

Comments This vehicle was over the legal weight limit.

Product	LDX	Rty	UOM	Rate	Tax	Amount	Dr (1)
1 Cank Soil RCQ-Tons 100		7.02	Tons				NON
2 EWF-P-Standard Env 100			%				NON
3 RCQ-P-Regulatory C 100			%				NON
4 LPS4-LANDFILL FINE 100			%				NON

Total Tax
Total Ticket

Driver's Signature _____



EPA Form 3700-22 (Rev. 3-05) Previous editions are obsolete.

GENERATOR'S INITIAL COPY

APPENDIX G

Imported Materials Documentation



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9292	WALWORTH 315-524-2771	BROOKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

Ticket No.:
COPY 1

227857

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order:

P.O.:

Product: 00002 CR-1" 3.06 TON 18.00

Deliver To 690 Portland ave

Tax Status TX Haul Code IX
2605 Zone Units

Vehicle: 11TR

TREC #11

2

5.46

Received: *[Signature]*

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06
Price	55.08	
Freight	0.00	
Tax	4.40	
Total:	59.48	
Grand Total:	107.44	
Today:	3.06	Loads: 1
Todate:	10.99	

Weighmaster: Amber Q. 602858

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, Hauling product from our facility to comply with highway load limit laws. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9292	WALWORTH 315-524-2771	BROOKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

Ticket No.:
COPY 2

227857

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order: 0

P.O.:

Product: 00002 CR-1" 3.06 TON 18.00

Deliver To 690 Portland ave

Tax Status TX Haul Code IX
2605 Zone Units

Vehicle: 11TR

TREC #11

2

5.46

Received: *[Signature]*

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06
Price	55.08	
Freight	0.00	
Tax	4.40	
Total:	59.48	
Grand Total:	107.44	
Today:	3.06	Loads: 1
Todate:	10.99	

Weighmaster: Amber Q. 602858

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, Hauling product from our facility to comply with highway load limit laws. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES 585-235-9292	WALWORTH 315-524-2771	BROOKPORT 585-637-6834
MANCHESTER 315-462-2752	PALMYRA 315-331-2360	HOWARD 607-566-3422
MENDON 585-624-2430	LEROY 585-768-7295	BATH 607-776-4460
PENFIELD 585-586-2567	OGDEN 585-352-0460	

Ticket No.:
COPY 3

227857

12/15/2016 12:44:56PM

Stone - Gates Main

Customer: 910730

TREC ENVIRONMENTAL INC.

Order: 0

P.O.:

Product: 00002 CR-1" 3.06 TON 18.00

Deliver To 690 Portland ave

Tax Status TX Haul Code IX
2605 Zone Units

Vehicle: 11TR

TREC #11

2

5.46

Received: *[Signature]*

	Pounds	Tons
Gross	18,280	9.14
Tare	12,160	6.08
Net	6,120	3.06
Price	55.08	
Freight	0.00	
Tax	4.40	
Total:	59.48	
Grand Total:	107.44	
Today:	3.06	Loads: 1
Todate:	10.99	

Weighmaster: Amber Q. 602858

IT IS THE RESPONSIBILITY OF EACH CUSTOMER AND EACH DRIVER, Hauling product from our facility to comply with highway load limit laws. TAX EXEMPTIONS, TAX JURISDICTIONS, AND SPECIAL TAX HANDLING NOT INCORPORATED INTO A SPECIFIC QUOTE OR REPORTED AT TIME OF TICKETING WILL BE THE CUSTOMER'S RESPONSIBILITY TO RESOLVE WITH THE TAXING JURISDICTIONS. PRICING ISSUES MUST BE REPORTED WITHIN 15 DAYS OF INVOICE DATE. CORRECTED INVOICES REMAIN DUE ON ORIGINAL DUE DATE. INCORPORATION OF THIS MATERIAL INTO A PROJECT SHALL BE CONSIDERED ACCEPTANCE BY THE CUSTOMER.



**NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION**



Request to Import/Reuse Fill or Soil

This form is based on the information required by DER-10, Section 5.4(e). Use of this form is not a substitute for reading the applicable Technical Guidance document.

SECTION 1 – SITE BACKGROUND

The allowable site use is:

Have Ecological Resources been identified?

Is this soil originating from the site?

How many cubic yards of soil will be imported/reused?

If greater than 1000 cubic yards will be imported, enter volume to be imported:

SECTION 2 – MATERIAL OTHER THAN SOIL

Is the material to be imported gravel, rock or stone?

Does it contain less than 10%, by weight, material that would pass a size 80 sieve?

Is this virgin material from a permitted mine or quarry?

Is this material recycled concrete or brick from a DEC registered processing facility?

SECTION 3 - SAMPLING

Provide a brief description of the number and type of samples collected in the space below:

Example Text: 5 discrete samples were collected and analyzed for VOCs. 2 composite samples were collected and analyzed for SVOCs, Inorganics & PCBs/Pesticides.

If the material meets requirements of DER-10 section 5.5 (other material), no chemical testing needed.

SECTION 3 CONT'D - SAMPLING

Provide a brief written summary of the sampling results or attach evaluation tables (compare to DER-10, Appendix 5):

Example Text: Arsenic was detected up to 17 ppm in 1 (of 5) samples; the allowable level is 16 ppm.

If Ecological Resources have been identified use the "If Ecological Resources are Present" column in Appendix 5.

SECTION 4 – SOURCE OF FILL

Name of person providing fill and relationship to the source:

Location where fill was obtained:

Identification of any state or local approvals as a fill source:

If no approvals are available, provide a brief history of the use of the property that is the fill source:

Provide a list of supporting documentation included with this request:

The information provided on this form is accurate and complete.

Signature

Date

Print Name

Firm

THE DOLOMITE GROUP

DOLOMITE PRODUCTS COMPANY, INC
 MANITOU CONSTRUCTION COMPANY
 ROCHESTER ASPHALT MATERIALS
 IROQUOIS ROCK PRODUCTS
 NORTHRUP MATERIALS



1150 Penfield Rd.
 Rochester, NY 14625
 Phone: 585-381-7010
 Fax : 585-381-0208

DATE: 12/13/2016

PAGE: 1 of 2

FAX:

TO: Paul Willey

OF: Trec Environmental

EMAIL: pwilley@trecenv.com

PROJECT: 690 Portland Ave.

DOLOMITE PALMYRA PLANT

NYS DOT Source #: 4-86G
 Current NYS DOT Test #: 13AG48C

This is to certify that the Crushed Gravel and Gravel to be used on the above referenced project will be produced in accordance with the most current New York State Department of Transportation's, "Standard Specifications" and Addenda. All stone properties conform to sections 703.0201, 203, 304, 605 and 620 of the Specification. Specific values are listed below.

PROPERTY	VALUE	SPEC.
Mag. Sulfate Loss	12	18 max.
LA Abrasion Loss	25	35 max.
Flat and Elongated Pieces - 3:1	5	30 max.
5:1	0	10 max.
Crushed Particles	100	n.a.
Deleterious Materials	0	2 max.

TYPICAL GRADATIONS (All Values are % passing)						
SIEVE SIZE	TYPE 1 FILL	NYS DOT 703.06	1A GRAVEL	#1 GRAVEL	#2 GRAVEL Washed	#1 and #2 MIXTURE
4" (100 mm)						
2" (50)	100					
1 1/2" (37.5)					100	
1" (25)	100	100		100	98	100
1/2" (12.5)			100	91	9	40
1/4" (6.3)	65	100	90	6		2
1/8"			4			
#40 (0.425)	18					
#50 (0.300)		10.5				
#100 (.150)		2.7				
#200 (0.075)	4.2		.6	.5	0.7	0.3
Typical Item Numbers	203.07 Item 4	703.06 Cushion sand		605.0901 703.02	703.02	605.1001

BULK SPECIFIC GRAVITY SSD: 2.70
 APPARENT SPECIFIC GRAVITY: 2.758
 ABSORPTION: 1.4

Signed By: Lila L. Smith Lila L. Smith - Sales Representative

THE DOLOMITE GROUP

DOLOMITE PRODUCTS COMPANY, INC
 MANITOU CONSTRUCTION COMPANY
 ROCHESTER ASPHALT MATERIALS
 IROQUOIS ROCK PRODUCTS
 NORTHRUP MATERIALS

**MATERIAL SUBMITTAL**

1150 Penfield Road
 Rochester, N.Y. 14625
 Phone: (585) 381-7010
 Fax : (585) 381-0208

DATE: 12/13/2016
 PAGE: 2 of 2

TO: Paul Willey
 OF: TREC Environmental Inc.
 FAX or E-MAIL: pwilley@trecenv.com

PROJECT: 690 Portland Ave.

CRUSHED STONE:

Brockport Plant

NYSDOT Source #: 4-5R
 Current NYSDOT Test #: 13AR58

This is to certify that the Crushed Stone to be used on the above referenced project will be produced in accordance with the most current New York State Department of Transportation's, "Standard Specifications" and Addenda. All stone properties conform to sections 703.0201, 203, 304, 605 and 620 of the Specification. Specific values are listed below.

PROPERTY	VALUE	SPEC.
Mag. Sulfate Loss	16	18 max.
LA Abrasion Loss	19	35 max.
Flat and Elongated Pieces - 3:1	10	30 max.
5:1	0	10 max.
Crushed Particles	100	n.a.
Deleterious Materials	0	2 max.

TYPICAL GRADATIONS (All Values are % Passing)						
SIEVE SIZE	CRUSHER RUN #2	CRUSHER RUN #1	#1 STONE	#2 STONE	#1 STONE WASHED	Road/ Bedding Sand
4" (100 mm)						
3" (75)						
2" (50)	100					
1 1/2" (37.5)	100			100		
1" (25)	82	100	100	94	100	
1/2" (12.5)	54		93	11	90.22	100
1/4" (6.3)	36	57	12	1	3.1	99.5
#40 (0.425)	11	18			(#10) 1.8	16.3
#200 (0.075)	7.6	6.5	0.8	0.2	(#20) 1.75	1.1
Typical Item Numbers	203.____ 304.12____				605.0901	

LIGHT STONE FILL		
SIZE	VALUE	SPEC
Lighter Than 100 Lbs.	100	90 - 100
Larger Than 6"	55	50 - 100
Smaller Than 1/2"	8	0 - 10

Notes:

- 1) Proctor Density typically runs 138 +/- 2 pcf at 6-8% Moisture. (For Crusher Run products only)
- 2) Medium and Heavy Stone Fill Items are selected at time of purchase to satisfy project requirements.

Signed By: Lila L. Smith

Lila L. Smith

Sales Representative

THE DOLOMITE GROUP

DOLOMITE PRODUCTS COMPANY, INC
 MANITOU CONSTRUCTION COMPANY, INC
 ROCHESTER ASPHALT MATERIALS
 IROQUOIS ROCK PRODUCTS
 NORTHRUP MATERIALS

**MATERIAL SUBMITTAL**

1150 Penfield Road
 Rochester, N.Y. 14625
 Phone: (585) 381-7010
 Fax : (585) 381-0208

DATE: 12/13/2016
 PAGE: 1

TO: Paul Willey
 OF: Trec Environmental Inc.
 FAX or E-MAIL: pwilley@trecenv.com

PROJECT: 690 Portland Ave.

CRUSHED STONE:

Brockport Plant

NYSDOT Source #: 4-5R
 Current NYSDOT Test #: 13AR58

This is to certify that the Crushed Stone to be used on the above referenced project will be produced in accordance with the most current New York State Department of Transportation's, "Standard Specifications" and Addenda. All stone properties conform to sections 703.0201, 203, 304, 605 and 620 of the Specification. Specific values are listed below.

PROPERTY	VALUE	SPEC.
Mag. Sulfate Loss	16	18 max.
LA Abrasion Loss	19	35 max.
Flat and Elongated Pieces - 3:1 5:1	10	30 max.
	0	10 max.
Crushed Particles	100	n.a.
Deleterious Materials	0	2 max.

TYPICAL GRADATIONS (All Values are % Passing)						
SIEVE SIZE	CRUSHER RUN #2	CRUSHER RUN #1	#1 STONE	#2 STONE	#1 STONE WASHED	#1A WASHED
4" (100 mm)						
3" (75)						
2" (50)	100					
1 1/2" (37.5)	100			100		
1" (25)	82	100	100	94	100	
1/2" (12.5)	54		93	11	90.22	100
1/4" (6.3)	36	57	12	1	3.1	91.3
#40 (0.425)	11	18			(#10) 1.8	(#10) 5.5
# 80 (0.180)	8	9				
#200 (0.075)	7.6	6.5	0.8	0.2	(#20) 1.75	(#20) 1.5
Typical Item Numbers	203.____ 304.12____				605.0901	605.1001

LIGHT STONE FILL

SIZE	VALUE	SPEC
Lighter Than 100 Lbs.	100	90 - 100
Larger Than 6"	55	50 - 100
Smaller Than 1/2"	8	0 - 10

Notes:

- 1) Proctor Density typically runs 138 +/- 2 pcf at 6-8% Moisture. (For Crusher Run products only)
- 2) Medium and Heavy Stone Fill Items are selected at time of purchase to satisfy project requirements.

Signed By: Lila L. Smith Sales Representative

Lynn Zicari

From: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Sent: Tuesday, December 13, 2016 3:47 PM
To: Lynn Zicari
Cc: Peter Morton
Subject: RE: Gradation with 80 sieve

Based the latest submittal for sieve analysis crusher #1 and #2 is approved for import.

From: Lynn Zicari [<mailto:lzicari@ravieng.com>]
Sent: Tuesday, December 13, 2016 3:43 PM
To: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Cc: Peter Morton <pmorton@ravieng.com>
Subject: Fwd: Gradation with 80 sieve

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Attached is the #80 sieve documentation. I am out of the office, so if there are any issues please call me. (585) 506-6975.

Thanks,

Lynn

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: Paul Willey <pwilley@trecenv.com>
Date: 12/13/16 15:21 (GMT-05:00)
To: Lynn Zicari <lzicari@ravieng.com>
Subject: Fwd: Gradation with 80 sieve

Lynn,
Please let me know ASAP if I need to provide more information.
Thanks,
Paul

Paul,

Here you go-if you need anything else, give me a call.

Lila L. Smith

The Dolomite Group

[\(585\)943-7935](tel:(585)943-7935) - cell

[\(585\)637-6834](tel:(585)637-6834) - office

[\(585\)637-4475](tel:(585)637-4475) - fax

lsmith@dolomitegroup.com

Lynn Zicari

From: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Sent: Tuesday, December 13, 2016 2:20 PM
To: Lynn Zicari
Subject: RE: 690 Portland Avenue Imported stone/gravel documentation

Lynn:

The 1A Gravel meets Department specs and is approved.

But I need the 80 sieve analysis for the Crusher Run #1. With the specs provided I can't tell if it will pass the 80 sieve analysis.

Charlotte

From: Lynn Zicari [<mailto:lzicari@ravieng.com>]
Sent: Tuesday, December 13, 2016 2:07 PM
To: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Subject: RE: 690 Portland Avenue Imported stone/gravel documentation

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

The #1A is the pea gravel for around the pipe and the #1 crushed stone is to complete the pit to the surface

From: Theobald, Charlotte B (DEC) [<mailto:charlotte.theobald@dec.ny.gov>]
Sent: Tuesday, December 13, 2016 11:02 AM
To: Lynn Zicari
Subject: RE: 690 Portland Avenue Imported stone/gravel documentation

Which fill materials are you looking to import to the site?

From: Lynn Zicari [<mailto:lzicari@ravieng.com>]
Sent: Tuesday, December 13, 2016 10:46 AM
To: Theobald, Charlotte B (DEC) <charlotte.theobald@dec.ny.gov>
Subject: 690 Portland Avenue Imported stone/gravel documentation

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Charlotte,

Attached is the sieve analysis from Trek.

Lynn Zicari

Environmental Scientist

Ravi Engineering & Land Surveying, P.C.

2110 South Clinton Avenue, Suite 1 | Rochester, New York 14618

Office: (585) 223-3660 ext. 344 | Fax: (585) 697-1764 | Direct Line: (585) 697-2071 | Cell: (585) 506-6975

lzicari@ravieng.com | www.ravieng.com

APPENDIX H

Air Monitoring Data

690 Portlandt Avenue CAMP DATA - Upwind Location - 15 December 2016

Timestamp (GMT-5)	Batt. Voltage (V)	Current (mA)	Mass Conc. Total (mg/m ³)	Memory (%)	Sensor Batt. (%)	TWA (mg/m ³)	Latitude	Longitude
12/15/2016 15:26	12.37	67.05					43.1791	-77.588
12/15/2016 15:25	12.35	69.12					43.179	-77.5881
12/15/2016 15:24	12.15	68.22	0.01				0.004 43.1788	-77.5883
12/15/2016 15:23	12.15	83.2	0.015	100	0	0.004	43.1788	-77.5883
12/15/2016 15:22	12.15	80.36	0.016	100	0	0.004	43.1788	-77.5883
12/15/2016 15:21	12.15	66.15	0.007	100	0	0.004	43.1788	-77.5883
12/15/2016 15:20	12.15	72.09	0.007	100	0	0.004	43.1788	-77.5883
12/15/2016 15:19	12.15	70.8	0.007	100	0	0.004	43.1788	-77.5883
12/15/2016 15:18	12.14	93.28	0.007	100	0	0.004	43.1789	-77.5883
12/15/2016 15:17	12.15	67.96	0.007	100	0	0.004	43.1789	-77.5883
12/15/2016 15:16	12.16	67.7	0.007	100	0	0.004	43.1789	-77.5883
12/15/2016 15:15	12.17	66.41	0.007	100	0	0.004	43.1789	-77.5883
12/15/2016 15:14			0.007	100	0	0.004		
12/15/2016 15:11	12.14	72.74					43.1788	-77.5884
12/15/2016 15:10	12.15	66.02	0.007	100	0	0.003	43.1788	-77.5884
12/15/2016 15:09	12.16	66.28	0.007	100	0	0.003	43.1788	-77.5884
12/15/2016 15:08	12.17	67.57	0.006	100	0	0.003	43.1788	-77.5884
12/15/2016 15:07	12.15	65.5	0.007	100	0	0.003	43.1788	-77.5884
12/15/2016 15:06	12.15	71.45	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 15:05	12.14	88.63	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 15:04	12.15	74.16	0.007	100	0	0.003	43.1788	-77.5884
12/15/2016 15:03	12.15	70.41	0.007	100	0	0.003	43.1788	-77.5884
12/15/2016 15:02	12.17	65.89	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 15:01	12.16	82.17	0.01	100	0	0.003	43.1788	-77.5883
12/15/2016 15:00	12.16	70.16	0.008	100	0	0.003	43.1789	-77.5883
12/15/2016 14:59	12.16	75.06	0.015	100	0	0.003	43.1789	-77.5883
12/15/2016 14:58	12.15	69.38	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:57	12.16	67.96	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:56	12.15	83.72	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:55	12.16	68.22	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:54	12.17	71.71	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:53	12.17	70.03	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 14:52	12.16	83.2	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 14:51	12.17	64.73	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:50	12.17	74.03	0.032	100	0	0.003	43.1788	-77.5883
12/15/2016 14:49	12.18	63.82	0.025	100	0	0.003	43.1788	-77.5883
12/15/2016 14:48	12.17	68.86	0.009	100	0	0.003	43.1789	-77.5882
12/15/2016 14:47	12.16	83.85	0.007	100	0	0.003	43.1789	-77.5883
12/15/2016 14:46	12.17	70.8	0.007	100	0	0.003	43.1788	-77.5883
12/15/2016 14:45	12.17	67.05	0.009	100	0	0.003	43.1788	-77.5883
12/15/2016 14:44	12.17	66.93	0.023	100	0	0.003	43.1788	-77.5883
12/15/2016 14:43	12.17	82.43	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:42	12.15	75.45	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:41	12.17	71.06	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:40	12.19	70.41	0.011	100	0	0.003	43.1788	-77.5883
12/15/2016 14:39	12.19	62.66	0.011	100	0	0.003	43.1789	-77.5883
12/15/2016 14:38	12.2	85.27	0.018	100	0	0.003	43.1789	-77.5883
12/15/2016 14:37	12.17	66.02	0.046	100	0	0.003	43.1788	-77.5883
12/15/2016 14:36	12.17	66.28	0.022	100	0	0.003	43.1788	-77.5883
12/15/2016 14:35	12.17	65.37	0.008	100	0	0.003	43.1788	-77.5884
12/15/2016 14:34	12.17	94.32	0.011	100	0	0.003	43.1788	-77.5883
12/15/2016 14:33	12.17	68.48	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:32	12.18	64.6	0.009	100	0	0.003	43.1788	-77.5883
12/15/2016 14:31	12.17	74.55	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:30	12.17	73	0.012	100	0	0.003	43.1788	-77.5883
12/15/2016 14:29	12.17	81.14	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:28	12.18	65.37	0.008	100	0	0.003	43.1788	-77.5883
12/15/2016 14:27	12.17	68.48	0.008	100	0	0.003	43.1788	-77.5882
12/15/2016 14:26	12.18	66.54	0.009	100	0	0.003	43.1788	-77.5882
12/15/2016 14:25	12.19	66.93	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:24	12.2	67.83	0.012	100	0	0.002	43.1788	-77.5883
12/15/2016 14:23	12.18	71.45	0.022	100	0	0.002	43.1788	-77.5883

12/15/2016 14:22	12.18	72.74	0.017	100	0	0.002	43.1788	-77.5883
12/15/2016 14:21	12.17	66.67	0.008	100	0	0.002	43.1788	-77.5883
12/15/2016 14:20	12.18	67.18	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:19	12.18	63.57	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:18	12.17	79.2	0.01	100	0	0.002	43.1788	-77.5883
12/15/2016 14:17	12.2	70.93	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:16	12.17	70.16	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:15	12.18	64.47	0.008	100	0	0.002	43.1788	-77.5882
12/15/2016 14:14	12.18	66.02	0.007	100	0	0.002	43.1788	-77.5882
12/15/2016 14:13	12.17	69.51	0.009	100	0	0.002	43.1788	-77.5883
12/15/2016 14:12	12.17	73.26	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:11	12.17	83.98	0.006	100	0	0.002	43.1788	-77.5883
12/15/2016 14:10	12.19	67.05	0.006	100	0	0.002	43.1788	-77.5883
12/15/2016 14:09	12.18	68.09	0.006	100	0	0.002	43.1788	-77.5883
12/15/2016 14:08	12.18	67.44	0.006	100	0	0.002	43.1788	-77.5883
12/15/2016 14:07	12.17	94.83	0.008	100	0	0.002	43.1788	-77.5883
12/15/2016 14:06	12.18	64.47	0.01	100	0	0.002	43.1788	-77.5883
12/15/2016 14:05	12.16	84.5	0.007	100	0	0.002	43.1788	-77.5884
12/15/2016 14:04	12.19	72.22	0.007	100	0	0.002	43.1787	-77.5884
12/15/2016 14:03	12.19	63.31	0.006	100	0	0.002	43.1788	-77.5884
12/15/2016 14:02	12.17	66.41	0.01	100	0	0.002	43.1788	-77.5884
12/15/2016 14:01	12.19	66.02	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 14:00	12.19	66.41	0.007	100	0	0.002	43.1788	-77.5884
12/15/2016 13:59	12.18	73.26	0.008	100	0	0.002	43.1788	-77.5884
12/15/2016 13:58	12.17	101.42	0.007	100	0	0.002	43.1788	-77.5884
12/15/2016 13:57	12.19	66.54	0.01	100	0	0.002	43.1787	-77.5884
12/15/2016 13:56	12.16	74.16	0.01	100	0	0.002	43.1788	-77.5883
12/15/2016 13:55	12.19	72.09	0.011	100	0	0.002	43.1788	-77.5883
12/15/2016 13:54	12.18	71.19	0.017	100	0	0.002	43.1788	-77.5883
12/15/2016 13:53	12.19	65.89	0.023	100	0	0.002	43.1788	-77.5883
12/15/2016 13:52	12.21	74.94	0.018	100	0	0.002	43.1788	-77.5883
12/15/2016 13:51	12.19	65.37	0.017	100	0	0.002	43.1788	-77.5883
12/15/2016 13:50	12.19	66.28	0.014	100	0	0.002	43.1788	-77.5883
12/15/2016 13:48	12.18	90.57	0.007	100	0	0.002	43.1789	-77.5883
12/15/2016 13:47	12.2	80.36	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 13:46	12.19	85.4	0.009	100	0	0.002	43.1788	-77.5883
12/15/2016 13:45	12.18	69.12	0.008	100	0	0.002	43.1788	-77.5883
12/15/2016 13:44	12.19	69.51	0.007	100	0	0.002	43.1788	-77.5883
12/15/2016 13:43	12.17	92.12	0.016	100	0	0.002	43.1788	-77.5883
12/15/2016 13:42	12.17	85.27	0.009	100	0	0.002	43.1789	-77.5883
12/15/2016 13:41	12.18	77.26	0.049	100	0	0.001	43.1788	-77.5883
12/15/2016 13:40	12.19	69.77	0.007	100	0	0.001	43.1789	-77.5883
12/15/2016 13:39	12.17	72.61	0.007	100	0	0.001	43.1789	-77.5883
12/15/2016 13:38	12.17	84.24	0.007	100	0	0.001	43.1789	-77.5883
12/15/2016 13:37	12.19	90.7	0.008	100	0	0.001	43.1788	-77.5883
12/15/2016 13:36	12.18	72.22	0.021	100	0	0.001	43.1788	-77.5883
12/15/2016 13:35	12.17	90.18	0.021	100	0	0.001	43.1788	-77.5883
12/15/2016 13:34	12.17	66.8	0.011	100	0	0.001	43.1788	-77.5883
12/15/2016 13:33	12.18	74.29	0.008	100	0	0.001	43.1789	-77.5883
12/15/2016 13:32	12.16	72.61	0.009	100	0	0.001	43.1789	-77.5883
12/15/2016 13:31	12.17	88.24	0.008	100	0	0.001	43.1789	-77.5883
12/15/2016 13:30	12.19	67.7	0.02	100	0	0.001	43.1789	-77.5883
12/15/2016 13:29	12.17	94.19	0.014	100	0	0.001	43.1789	-77.5883
12/15/2016 13:28	12.17	82.82	0.008	100	0	0.001	43.1789	-77.5883
12/15/2016 13:27	12.17	71.96	0.009	100	0	0.001	43.1789	-77.5883
12/15/2016 13:26	12.17	69.12	0.008	100	0	0.001	43.1788	-77.5883
12/15/2016 13:25	12.17	70.67	0.008	100	0	0.001	43.1789	-77.5883
12/15/2016 13:24	12.17	66.67	0.008	100	0	0.001	43.1789	-77.5883
12/15/2016 13:21	12.2	86.69	0.03	100	0	0.001	43.1789	-77.5883
12/15/2016 13:20	12.17	72.48	0.022	100	0	0.001	43.1789	-77.5883
12/15/2016 13:19	12.17	72.61	0.015	100	0	0.001	43.1789	-77.5883
12/15/2016 13:18	12.16	87.08	0.007	100	0	0.001	43.1789	-77.5883
12/15/2016 13:17	12.17	69.9	0.008	100	0	0.001	43.1789	-77.5882
12/15/2016 13:16	12.18	69.77	0.01	100	0	0.001	43.1789	-77.5883
12/15/2016 13:15	12.15	75.32	0.029	100	0	0.001	43.1789	-77.5883
12/15/2016 13:14	12.17	80.36	0.009	100	0	0.001	43.1789	-77.5883
12/15/2016 13:13	12.17	73.77	0.013	100	0	0.001	43.1789	-77.5883
12/15/2016 13:12	12.15	76.49	0.025	100	0	0.001	43.1789	-77.5883

12/15/2016 13:11	12.17	74.42	0.016	100	0	0	43.1789	-77.5883
12/15/2016 13:10	12.17	72.74	0.016	100	0	0	43.1789	-77.5883
12/15/2016 13:09	12.15	78.42	0.017	100	0	0	43.1789	-77.5883
12/15/2016 13:08	12.16	69.9	0.016	100	0	0	43.1789	-77.5883
12/15/2016 13:07	12.15	69.38	0.017	100	0	0	43.1789	-77.5883
12/15/2016 13:06	12.16	76.1	0.041	100	0	0	43.1789	-77.5883
12/15/2016 13:05	12.16	63.18	0.009	100	0	0	43.1789	-77.5883
12/15/2016 13:04	12.17	67.44	0.008	100	0	0	43.179	-77.5882
12/15/2016 13:03	12.15	71.71	0.008	100	0	0	43.1789	-77.5882
12/15/2016 13:02	12.16	65.63	0.007	100	0	0	43.1789	-77.5882
12/15/2016 13:01	12.13	74.29	0.012	100	0	0	43.1789	-77.5882
12/15/2016 13:00	12.14	73.26	0.007	100	0	0	43.1789	-77.5882
12/15/2016 12:59	12.15	72.61	0.01	100	0	0	43.1789	-77.5882
12/15/2016 12:58	12.15	71.06	0.007	100	0	0	43.1789	-77.5882
12/15/2016 12:57	12.15	66.93	0.009	100	0	0	43.1789	-77.5883
12/15/2016 12:55	12.14	64.47	0.007	100	0	0	43.1789	-77.5883
12/15/2016 12:54	12.13	93.41	0.007	100	0	0	43.1789	-77.5883
12/15/2016 12:53	12.17	69.64	0.008	100	0	0	43.1789	-77.5883
12/15/2016 12:52	12.13	66.67	0.009	100	0	0	43.1789	-77.5883
12/15/2016 12:51	12.11	87.47	0.008	100	0	0	43.1789	-77.5882
12/15/2016 12:50	12.14	70.8	0.007	100	0	0	43.1789	-77.5883
12/15/2016 12:49	12.12	69.12	0.008	100	0	0	43.1789	-77.5883
12/15/2016 12:48	12.11	81.78	0.009	100	0	0	43.1789	-77.5883
12/15/2016 12:47	12.12	70.16					43.1789	-77.5883
12/15/2016 12:46	12.14	85.66					43.1789	-77.5882
12/15/2016 12:45	12.12	61.5					43.1789	-77.5882
12/15/2016 12:44	12.11	69.64					43.1789	-77.5882
12/15/2016 12:43	12.11	68.09					43.1789	-77.5883
12/15/2016 12:42	12.09	96.64					43.1789	-77.5882
12/15/2016 12:41	12.11	67.44					43.1789	-77.5882
12/15/2016 12:40	12.1	69.12					43.1789	-77.5882
12/15/2016 12:39	12.15	71.71					43.1789	-77.5882
12/15/2016 12:38	12.15	88.24					43.1789	-77.5882
12/15/2016 12:37	12.2	76.74					43.1789	-77.5882

690 Portland Ave CAMP DATA - Downwind Location - 15 Dec 2016

Timestamp (GMT-5)	Batt. Voltage (V)	Current (mA)	Mass Conc. Total (mg/m ³)	Memory (%)	Sensor Batt. (%)	TWA (mg/m ³)
12/15/2016 15:04	11.84	66.15	0.01	100	No PM-10 exceedances	0.003
12/15/2016 15:03	11.97	62.53	0.008	100		0.003
12/15/2016 15:02	11.73	67.7	0.007	100		0.003
12/15/2016 15:01	11.99	75.45	0.008	100		0.003
12/15/2016 15:00	11.81	72.48	0.008	100	0	0.003
12/15/2016 14:59	11.75	77	0.008	100	0	0.003
12/15/2016 14:58	12.03	66.93	0.008	100	0	0.003
12/15/2016 14:57	11.74	59.04	0.008	100	0	0.003
12/15/2016 14:56	12.03	67.44	0.007	100	0	0.003
12/15/2016 14:55	11.78	73.51	0.008	100	0	0.003
12/15/2016 14:54	11.87	72.87	0.008	100	0	0.003
12/15/2016 14:53	11.84	154.78	0.007	100	0	0.003
12/15/2016 14:52	11.89	65.5	0.008	100	0	0.003
12/15/2016 14:51	11.83	63.31	0.008	100	0	0.003
12/15/2016 14:50	11.91	62.79	0.008	100	0	0.003
12/15/2016 14:49	11.91	65.89	0.014	100	0	0.003
12/15/2016 14:48	11.81	72.48	0.008	100	0	0.003
12/15/2016 14:47	11.84	67.18	0.008	100	0	0.003
12/15/2016 14:46	11.9	59.95	0.008	100	0	0.003
12/15/2016 14:45	11.9	68.09	0.008	100	0	0.003
12/15/2016 14:44	11.95	65.89	0.016	100	0	0.003
12/15/2016 14:43	11.9	60.08	0.019	100	0	0.003
12/15/2016 14:42	11.86	59.17	0.016	100	0	0.003
12/15/2016 14:41	11.8	66.67	0.009	100	0	0.003
12/15/2016 14:40	11.8	58.91	0.007	100	0	0.003
12/15/2016 14:39	11.83	64.47	0.008	100	0	0.003
12/15/2016 14:38	12.08	70.54	0.014	100	0	0.003
12/15/2016 14:37	11.86	64.86	0.015	100	0	0.002
12/15/2016 14:36	11.87	68.48	0.024	100	0	0.002
12/15/2016 14:35	11.84	73.9	0.014	100	0	0.002
12/15/2016 14:34	11.82	71.96	0.017	100	0	0.002
12/15/2016 14:33	12.04	60.08	0.011	100	0	0.002
12/15/2016 14:32	11.8	71.83	0.018	100	0	0.002
12/15/2016 14:31	12.07	63.05	0.015	100	0	0.002
12/15/2016 14:30	11.87	68.22	0.024	100	0	0.002
12/15/2016 14:29	12.04	63.95	0.012	100	0	0.002
12/15/2016 14:28	11.96	58.66	0.017	100	0	0.002
12/15/2016 14:27	12.07	59.69	0.028	100	0	0.002
12/15/2016 14:26	12.08	71.06	0.011	100	0	0.002
12/15/2016 14:25	11.81	74.68	0.019	100	0	0.002
12/15/2016 14:24	12.04	66.28	0.014	100	0	0.002
12/15/2016 14:23	12.06	59.43	0.035	100	0	0.001
12/15/2016 14:22	11.93	57.88	0.043	100	0	0.001
12/15/2016 14:21	11.89	68.73	0.023	100	0	0.001
12/15/2016 14:20	11.79	95.48	0.037	100	0	0.001
12/15/2016 14:19	11.82	72.35	0.014	100	0	0.001
12/15/2016 14:18	11.93	61.37	0.019	100	0	0.001
12/15/2016 14:17	11.95	64.99	0.011	100	0	0.001
12/15/2016 14:16	11.87	65.12	0.02	100	0	0.001
12/15/2016 14:15	12.06	61.63	0.024	100	0	0.001
12/15/2016 14:14	11.87	77.13	0.04	100	0	0.001
12/15/2016 14:13	12.04	66.67	0.025	100	0	0.001
12/15/2016 14:12	11.83	100.52	0.022	100	0	0.001
12/15/2016 14:11	12.07	74.55	0.024	100	0	0.001

12/15/2016 14:10	11.95	66.41	0.019	100	0	0.001
12/15/2016 14:09	12.04	74.16	0.015	100	0	0.001
12/15/2016 14:08	11.95	66.02	0.016	100	0	0.001
12/15/2016 14:07	11.9	83.85	0.018	100	0	0.001
12/15/2016 14:06	11.92	66.41	0.011	100	0	0.001
12/15/2016 14:05	11.79	84.11	0.009	100	0	0.001
12/15/2016 14:04	12.05	68.6	0.007	100	0	0.001
12/15/2016 14:03	11.89	68.48	0.008	100	0	0.001
12/15/2016 14:02	12.06	66.02	0.013	100	0	0.001
12/15/2016 14:01	11.78	70.93	0.011	100	0	0.001
12/15/2016 14:00	12.06	68.86	0.007	100	0	0.001
12/15/2016 13:59	11.82	59.82	0.008	100	0	0.001
12/15/2016 13:58	12.06	66.28	0.01	100	0	0.001
12/15/2016 13:57	11.84	82.56	0.012	100	0	0.001
12/15/2016 13:56	12.07	68.09	0.012	100	0	0.001
12/15/2016 13:55	11.8	64.34	0.017	100	0	0.001
12/15/2016 13:54	11.87	63.18	0.012	100	0	0.001
12/15/2016 13:53	11.98	68.99	0.009	100	0	0.001
12/15/2016 13:52	11.91	70.54	0.008	100	0	0.001
12/15/2016 13:51	11.93	66.02	0.008	100	0	0.001
12/15/2016 13:50	11.92	65.89	0.007	100	0	0.001
12/15/2016 13:49	11.92	62.02	0.006	100	0	0.001
12/15/2016 13:48	11.99	70.67	0.006	100	0	0.001
12/15/2016 13:47	11.84	95.61	0.006	100	0	0.001
12/15/2016 13:46	11.93	68.73	0.007	100	0	0.001
12/15/2016 13:45	11.93	61.5	0.007	100	0	0.001
12/15/2016 13:44	11.93	59.04	0.006	100	0	0.001
12/15/2016 13:43	12	60.08	0.006	100	0	0.001
12/15/2016 13:42	11.91	67.18	0.007	100	0	0.001
12/15/2016 13:41	11.95	70.16	0.007	100	0	0.001
12/15/2016 13:40	11.86	67.7	0.013	100	0	0.001
12/15/2016 13:39	11.92	58.79	0.006	100	0	0.001
12/15/2016 13:38	11.97	59.95	0.007	100	0	0.001
12/15/2016 13:37	11.93	56.07	0.006	100	0	0
12/15/2016 13:36	11.92	67.18	0.007	100	0	0
12/15/2016 13:35	11.95	76.62	0.007	100	0	0
12/15/2016 13:34	11.92	68.73	0.007	100	0	0
12/15/2016 13:33	11.94	62.4	0.007	100	0	0
12/15/2016 13:32	11.91	68.09	0.006	100	0	0
12/15/2016 13:31	11.93	62.02	0.006	100	0	0
12/15/2016 13:30	11.92	73.64	0.006	100	0	0
12/15/2016 13:29	11.97	70.8	0.007	100	0	0
12/15/2016 13:28	11.97	76.87	0.007	100	0	0
12/15/2016 13:27	11.89	83.2	0.006	100	0	0
12/15/2016 13:26	11.95	75.32	0.006	100	0	0
12/15/2016 13:25	11.92	71.06	0.006	100	0	0
12/15/2016 13:24	11.91	74.16	0.006	100	0	0
12/15/2016 13:23	11.92	71.06	0.006	100	0	0
12/15/2016 13:22	11.91	65.63	0.006	100	0	0
12/15/2016 13:21	11.86	71.96	0.005	100	0	0
12/15/2016 13:20	11.99	67.57	0.006	100	0	0
12/15/2016 13:19	11.87	67.96	0.006	100	0	0
12/15/2016 13:18	12	63.05	0.005	100	0	0
12/15/2016 13:17	11.89	63.7	0.008	100	0	0
12/15/2016 13:16	11.86	55.04	0.005	100	0	0
12/15/2016 13:15	11.92	70.67	0.005	100	0	0
12/15/2016 13:14	11.98	68.48	0.005	100	0	0
12/15/2016 13:13	11.91	74.55	0.005	100	0	0
12/15/2016 13:12	11.9	63.18	0.005	100	0	0

12/15/2016 13:11	11.9	64.34	0.005	100	0	0
12/15/2016 13:10	11.92	64.73	0.005	100	0	0
12/15/2016 13:09	11.99	71.58	0.005	100	0	0
12/15/2016 13:08	11.89	71.19	0.005	100	0	0
12/15/2016 13:07	11.98	63.05	0.005	100	0	0
12/15/2016 13:06	12.02	61.63	0.005	100	0	0
12/15/2016 13:05	11.76	74.42	0.004	100	0	0
12/15/2016 13:04	12.02	69.51	0.004	100	0	0
12/15/2016 13:03	12.03	65.37	0.004	100	0	0
12/15/2016 13:02	12.05	72.09	0.004	100	0	0
12/15/2016 13:01	11.73	64.99	0.004	100	0	0
12/15/2016 13:00	11.71	63.44	0.005	100	0	0
12/15/2016 12:59	11.96	66.02	0.004	100	0	0
12/15/2016 12:58	11.97	59.69	0.004	100	0	0
12/15/2016 12:57	12.04	64.08	0.004	100	0	0
12/15/2016 12:56	11.99	73.26	0.004	100	0	0
12/15/2016 12:55	11.82	69.9	0.004	100	0	0
12/15/2016 12:54	11.84	72.61	0.007	100	0	0
12/15/2016 12:53	11.86	73.13	0.012	100	0	0
12/15/2016 12:52	11.81	74.68	0.005	100	0	0
12/15/2016 12:51	11.87	74.16	0.004	100	0	0
12/15/2016 12:50	11.82	74.42	0.007	100	0	0
12/15/2016 12:49	11.89	70.93	0.004	100	0	0
12/15/2016 12:48	12.01	62.27	0.005	100	0	0
12/15/2016 12:47	11.99	64.47				
12/15/2016 12:46	12.01	64.34				
12/15/2016 12:45	11.98	66.15				
12/15/2016 12:44	12	62.4				
12/15/2016 12:43	11.94	65.25				
12/15/2016 12:42	11.97	68.22				
12/15/2016 12:41	12	71.45				
12/15/2016 12:40	12.06	62.27				
12/15/2016 12:39	12.08	66.54				
12/15/2016 12:38	12.17	71.71				
12/15/2016 12:37	12.12	72.35				
12/15/2016 12:36	12.13	84.24				

690 Portland Avenue - IRM Sump Cleanout PID Data

Test #1

Measurement Type:

Min(ppm)

Avg(ppm)

Max(ppm)

Alarm Type:

STEL

TWA

AVG

STEL

TWA

AVG

STEL

TWA

AVG

Alarm Levels:

25.0

10.0

25.0

10.0

25.0

10.0

Measurement Type:

Min(ppm)

Avg(ppm)

Max(ppm)

High Alarm Levels:

100.0

100.0

100.0

Low Alarm Levels:

50.0

50.0

50.0

Line#

Date Time

Min(ppm)

Avg(ppm)

Max(ppm)

1

12/14/2016 13:32

0.0

0.1

6.6

2

12/14/2016 13:37

0.0

5.4

49.2

3

12/14/2016 13:42

0.0

9.1

44.0

4

12/14/2016 13:47

0.0

3.0

28.5

5

12/14/2016 13:52

0.0

1.9

23.3

6

12/14/2016 13:57

0.0

0.3

12.5

7

12/14/2016 14:02

0.0

0.8

13.2

8

12/14/2016 14:07

0.0

0.9

11.3

9

12/14/2016 14:12

0.0

0.2

7.9

10

12/14/2016 14:17

0.0

0.4

6.6

11

12/14/2016 14:22

0.0

0.2

5.4

12

12/14/2016 14:27

0.0

0.5

5.3

13

12/14/2016 14:32

0.0

1.5

4.3

14

12/14/2016 14:37

0.0

1.1

4.2

15

12/14/2016 14:42

0.0

3.7

7.8

16

12/14/2016 14:47

0.0

2.8

6.1

17

12/14/2016 14:52

0.0

2.9

8.3

18

12/14/2016 14:57

0.0

3.1

6.4

19

12/14/2016 15:02

0.0

0.9

4.1

Test 1 IRM - Sump
cleanout data -
perimeter of
building
No TWA > 5ppm

Test#1

Measurement Type:

Min(ppm)

Avg(ppm)

Max(ppm)

Alarm Type:

STEL

TWA

AVG

STEL

TWA

AVG

STEL

TWA

AVG

Alarm Levels:

25.0

10.0

25.0

10.0

25.0

10.0

Min(ppm)

Avg(ppm)

Max(ppm)

Line#

Date Time

STEL

TWA

AVG

STEL

TWA

AVG

STEL

TWA

AVG

1

12/14/2016 13:32

0.0

0.0

0.0

0.0

0.0

0.1

2.2

0.1

6.6

2

12/14/2016 13:37

0.0

0.0

0.0

1.8

0.1

2.8

18.6

0.6

27.9

3

12/14/2016 13:42

0.0

0.0

0.0

4.9

0.2

4.9

33.35

1.0

33.3

4

12/14/2016 13:47

0.0

0.0

0.0

5.8

0.2

4.4

40.65

1.3

32.1

5

12/14/2016 13:52

0.0

0.0

0.0

4.7

0.2

3.9

31.95

1.6

30.3

6

12/14/2016 13:57

0.0

0.0

0.0

1.7

0.2

3.3

21.4

1.7

27.4

7

12/14/2016 14:02

0.0

0.0

0.0

1.0

0.2

2.9

16.3

1.8

25.3

8

12/14/2016 14:07

0.0

0.0

0.0

0.7

0.2

2.7

12.3

2.0

23.6

9

12/14/2016 14:12

0.0

0.0

0.0

0.6

0.2

2.4

10.8

2.0

21.8

10

12/14/2016 14:17

0.0

0.0

0.0

0.5

0.2

2.2

8.6

2.1

20.3

11

12/14/2016 14:22

0.0

0.0

0.0

0.3

0.2

2.0

6.6

2.2

19.0

12

12/14/2016 14:27

0.0

0.0

0.0

0.4

0.2

1.9

5.8

2.2

17.8

13

12/14/2016 14:32

0.0

0.0

0.0

0.7

0.3

1.9

5.0

2.3

16.8

14

12/14/2016 14:37

0.0

0.0

0.0

1.0

0.3

1.8

4.6

2.3

15.9

15

12/14/2016 14:42

0.0

0.0

0.0

2.1

0.3

1.9

5.4

2.4

15.3

16

12/14/2016 14:47

0.0

0.0

0.0

2.5

0.3

2.0

6.0

2.5

14.8

17

12/14/2016 14:52

0.0

0.0

0.0

3.1

0.4

2.0

7.4

2.5

14.4

18

12/14/2016 14:57

0.0

0.0

0.0

2.9

0.4

2.1

6.9

2.6

13.9

19

12/14/2016 15:02

0.0

0.0

0.0

2.3

0.4

2.0

6.3

2.7

13.4

CAMP PID DATA - IRM Recovery Well Installation

					Measurement Type: Min(ppm) Avg(ppm) Max(ppm)										
Test #2					Alarm Type: STEL TWA AVG STEL TWA AVG STEL TWA AVG										
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)					Alarm Levels: 25.0 10.0 25.0 10.0 25.0 10.0										
High Alarm Levels: 100.0 100.0 100.0															
Low Alarm Levels: 50.0 50.0 50.0															
=====					=====										
Line#	Date Time	Min(ppm)	Avg(ppm)	Max(ppm)	Line#	Date Time	STEL	TWA	AVG	STEL	TWA	AVG	STEL	TWA	AVG
=====					=====										
1	12/15/2016 12:34	0.0	0.0	0.0	1	12/15/2016 12:34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	12/15/2016 12:39	0.0	0.0	0.0	2	12/15/2016 12:39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	12/15/2016 12:44	0.0	0.0	0.0	3	12/15/2016 12:44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	12/15/2016 12:49	0.0	0.0	0.0	4	12/15/2016 12:49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	12/15/2016 12:54	0.0	0.0	0.0	5	12/15/2016 12:54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	12/15/2016 12:59	0.0	0.0	0.0	6	12/15/2016 12:59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	12/15/2016 13:04	0.0	0.0	0.0	7	12/15/2016 13:04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	12/15/2016 13:09	0.0	0.0	0.0	8	12/15/2016 13:09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	12/15/2016 13:14	0.0	0.0	0.0	9	12/15/2016 13:14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	12/15/2016 13:19	0.0	0.0	0.7	10	12/15/2016 13:19	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1
11	12/15/2016 13:24	0.0	0.0	0.6	11	12/15/2016 13:24	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1
=====					Measurement Type: Min(ppm) Avg(ppm) Max(ppm)										
Test #3					Alarm Type: STEL TWA AVG STEL TWA AVG STEL TWA AVG										
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)					Alarm Levels: 25.0 10.0 25.0 10.0 25.0 10.0										
High Alarm Levels: 100.0 100.0 100.0															
Low Alarm Levels: 50.0 50.0 50.0															
=====					=====										
Line#	Date Time	Min(ppm)	Avg(ppm)	Max(ppm)	Line#	Date Time	STEL	TWA	AVG	STEL	TWA	AVG	STEL	TWA	AVG
=====					=====										
1	12/15/2016 13:39	0.0	0.0	0.0	1	12/15/2016 13:39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	12/15/2016 13:44	0.0	0.0	0.0	2	12/15/2016 13:44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	12/15/2016 13:49	0.0	0.3	15.8	3	12/15/2016 13:49	0.0	0.0	0.0	0.1	0.0	0.1	5.3	0.2	5.3
4	12/15/2016 13:54	0.0	0.0	0.0	4	12/15/2016 13:54	0.0	0.0	0.0	0.1	0.0	0.1	5.3	0.2	4.0
5	12/15/2016 13:59	0.0	0.0	0.0	5	12/15/2016 13:59	0.0	0.0	0.0	0.1	0.0	0.1	5.3	0.2	3.2
6	12/15/2016 14:04	0.0	0.0	0.0	6	12/15/2016 14:04	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	2.6
7	12/15/2016 14:09	0.0	0.0	0.1	7	12/15/2016 14:09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3
8	12/15/2016 14:14	0.0	0.0	0.0	8	12/15/2016 14:14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0
9	12/15/2016 14:19	0.0	0.0	0.0	9	12/15/2016 14:19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8
10	12/15/2016 14:24	0.0	0.0	0.0	10	12/15/2016 14:24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6
11	12/15/2016 14:29	0.0	0.0	0.1	11	12/15/2016 14:29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.5
12	12/15/2016 14:34	0.0	0.0	0.0	12	12/15/2016 14:34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3
13	12/15/2016 14:39	0.0	0.0	0.0	13	12/15/2016 14:39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2
14	12/15/2016 14:44	0.0	0.0	0.0	14	12/15/2016 14:44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1
15	12/15/2016 14:49	0.0	0.0	0.0	15	12/15/2016 14:49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1
16	12/15/2016 14:54	0.0	0.0	0.0	16	12/15/2016 14:54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0
17	12/15/2016 14:59	0.0	0.0	0.0	17	12/15/2016 14:59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9
18	12/15/2016 15:04	0.0	0.0	0.0	18	12/15/2016 15:04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9
19	12/15/2016 15:09	0.0	0.0	0.0	19	12/15/2016 15:09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8
20	12/15/2016 15:14	0.0	0.0	0.0	20	12/15/2016 15:14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8
21	12/15/2016 15:19	0.0	0.0	0.0	21	12/15/2016 15:19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8
22	12/15/2016 15:24	0.0	0.0	0.0	22	12/15/2016 15:24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7

Test 2-3 IRM-recovery well
Installation 2/15/2016 - NO
TWA >5 ppm
Location: upwind of
excavation.

Test 2-3 IRM-recovery well
Installation 2/15/2016 - NO
TWA >5 ppm
Location: upwind of
excavation.

Test #1 Summary (Sump Cleanout) Perimeter of building

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0
STEL Alarm Levels:	25.0	25.0	25.0
TWA Alarm Levels:	10.0	10.0	10.0

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
Peak Data Value:	0.0	9.1	49.0
Min Data Value:	0.0	0.1	4.0
TWA Data Value:	0.0	0.4	2.0
AVG Data Value:	0.0	2.0	13.0

Test #2 Summary

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0
STEL Alarm Levels:	25.0	25.0	25.0
TWA Alarm Levels:	10.0	10.0	10.0

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
Peak Data Value:	0.0	0.0	0.0
Min Data Value:	0.0	0.0	0.0
TWA Data Value:	0.0	0.0	0.0
AVG Data Value:	0.0	0.0	0.0

Test #3 Summary (recovery well installation - hand held)

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0
STEL Alarm Levels:	25.0	25.0	25.0
TWA Alarm Levels:	10.0	10.0	10.0

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
Peak Data Value:	0.0	0.3	15.0
Min Data Value:	0.0	0.0	0.0
TWA Data Value:	0.0	0.0	0.0
AVG Data Value:	0.0	0.0	0.0

CAMP PID DATA - Recovery Well Installation - Downwind Location

1	12/15/2016 12:44	0.003	0.128	0.178	0.178	1	12/15/2016 12:44	0.006	0.178
2	12/15/2016 12:59	0.162	0.211	0.246	0.235	2	12/15/2016 12:59	0.013	0.235
3	12/15/2016 13:14	0.208	0.242	0.263	0.262	3	12/15/2016 13:14	0.021	0.262
4	12/15/2016 13:29	0.222	0.263	0.293	0.274	4	12/15/2016 13:29	0.03	0.274
5	12/15/2016 13:44	0.138	0.262	0.315	0.266	5	12/15/2016 13:44	0.038	0.266
6	12/15/2016 13:59	0.226	0.269	0.299	0.280	6	12/15/2016 13:59	0.047	0.28
7	12/15/2016 14:14	0.258	0.266	0.309	0.264	7	12/15/2016 14:14	0.055	0.264
8	12/15/2016 14:29	0.249	0.262	0.29	0.264	8	12/15/2016 14:29	0.063	0.264
9	12/15/2016 14:44	0.138	0.241	0.311	0.243	9	12/15/2016 14:44	0.071	0.243
10	12/15/2016 14:59	0.199	0.256	0.268	0.265	10	12/15/2016 14:59	0.079	0.265
11	12/15/2016 15:14	0.248	0.261	0.279	0.259	11	12/15/2016 15:14	0.087	0.259
Peak		0.258	0.269	0.315	0.280				
Min		0.003	0.128	0.178	0.178				
Average		0.186	0.242	0.277	0.254				

CAMP DATA -
No 15 minute
TWAs >5ppm

Timestamp (GMT-4)	Batt. Volta	Current (m	Mass Conc	Memory (%)	Sensor Bat	TWA (mg/l	Low (ppm)	Peak (ppm	STEL (ppm)	TWA (ppm	VOC (ppm)		
2/7/2017 9:37	12.41	105.17											
2/7/2017 9:37	12.41	105.17											
2/7/2017 9:38	12.41	68.22											
2/7/2017 9:38	12.41	68.22											
2/7/2017 9:39	12.42	65.5											
2/7/2017 9:39	12.42	65.5											
2/7/2017 9:40	12.41	71.19						0	0	0	0	0	
2/7/2017 9:40	12.41	71.19						0	0	0	0	0	
2/7/2017 9:41	12.41	67.05						0	0	0	0	0	
2/7/2017 9:41	12.41	67.05						0	0	0	0	0	
2/7/2017 9:42	12.42	70.54						0	0	0	0	0	
2/7/2017 9:42	12.42	70.54						0	0	0	0	0	
2/7/2017 9:43	12.42	65.12						0	0	0	0	0	
2/7/2017 9:43	12.42	65.12						0	0	0	0	0	
2/7/2017 9:44	12.39	106.2						0	0	0	0	0	
2/7/2017 9:44	12.39	106.2						0	0	0	0	0	
2/7/2017 9:45	12.41	63.31						0	0	0	0	0	
2/7/2017 9:45	12.41	63.31						0	0	0	0	0	
2/7/2017 9:46	12.41	67.18	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:46	12.41	67.18	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:47	12.41	68.86	0.017	100	0	0		0	0	0	0	0	
2/7/2017 9:47	12.41	68.86	0.017	100	0	0		0	0	0	0	0	
2/7/2017 9:48	12.42	64.73	0.017	100	0	0		0	0	0	0	0	
2/7/2017 9:48	12.42	64.73	0.017	100	0	0		0	0	0	0	0	
2/7/2017 9:49	12.4	110.08	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:49	12.4	110.08	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:50	12.41	65.63	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:50	12.41	65.63	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:51	12.39	71.32	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:51	12.39	71.32	0.018	100	0	0		0	0	0	0	0	
2/7/2017 9:52	12.4	69.25	0.018	100	0	0.001		0	0	0	0	0	
2/7/2017 9:52	12.4	69.25	0.018	100	0	0.001		0	0	0	0	0	
2/7/2017 9:53	12.39	67.44	0.017	100	0	0.001		0	0	0	0	0	
2/7/2017 9:53	12.39	67.44	0.017	100	0	0.001		0	0	0	0	0	
2/7/2017 9:54	12.37	68.22	0.023	100	0	0.001		0	0	0	0	0	
2/7/2017 9:54	12.37	68.22	0.023	100	0	0.001		0	0	0	0	0	
2/7/2017 9:55	12.38	66.67	0.051	100	0	0.001		0	0	0	0	0	
2/7/2017 9:55	12.38	66.67	0.051	100	0	0.001		0	0	0	0	0	
2/7/2017 9:56	12.37	74.29	0.025	100	0	0.001		0	0	0	0	0	
2/7/2017 9:56	12.37	74.29	0.025	100	0	0.001		0	0	0	0	0	
2/7/2017 9:57	12.35	72.74	0.031	100	0	0.001		0	0	0	0	0	
2/7/2017 9:57	12.35	72.74	0.031	100	0	0.001		0	0	0	0	0	
2/7/2017 9:58	12.35	68.48	0.02	100	0	0.001		0	0	0	0	0	
2/7/2017 9:58	12.35	68.48	0.02	100	0	0.001		0	0	0	0	0	
2/7/2017 9:59	12.33	72.61	0.029	100	0	0.001		0	0	0	0	0	
2/7/2017 9:59	12.33	72.61	0.029	100	0	0.001		0	0	0	0	0	
2/7/2017 10:00	12.32	75.19	0.026	100	0	0.001		0	0	0	0	0	
2/7/2017 10:00	12.32	75.19	0.026	100	0	0.001		0	0	0	0	0	
2/7/2017 10:01	12.31	68.09	0.023	100	0	0.001		0	0	0	0	0	
2/7/2017 10:01	12.31	68.09	0.023	100	0	0.001		0	0	0	0	0	
2/7/2017 10:02	12.28	78.81	0.025	100	0	0.001		0	0	0	0	0	
2/7/2017 10:02	12.28	78.81	0.025	100	0	0.001		0	0	0	0	0	
2/7/2017 10:03	12.28	71.58	0.019	100	0	0.001		0	0	0	0	0	
2/7/2017 10:03	12.28	71.58	0.019	100	0	0.001		0	0	0	0	0	
2/7/2017 10:04	12.28	70.41	0.029	100	0	0.001		0	0	0	0	0	
2/7/2017 10:04	12.28	70.41	0.029	100	0	0.001		0	0	0	0	0	
2/7/2017 10:05	12.26	71.06	0.022	100	0	0.001		0	0	0	0	0	
2/7/2017 10:05	12.26	71.06	0.022	100	0	0.001		0	0	0	0	0	
2/7/2017 10:06	12.25	75.45	0.026	100	0	0.001		0	0	0	0	0	
2/7/2017 10:06	12.25	75.45	0.026	100	0	0.001		0	0	0	0	0	
2/7/2017 10:07	12.25	62.53	0.023	100	0	0.001		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:07	12.25	62.53	0.023	100	0	0.001		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:08	12.24	65.76	0.024	100	0	0.001		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:08	12.24	65.76	0.024	100	0	0.001		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:09	12.24	62.53	0.021	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:09	12.24	62.53	0.021	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:10	12.23	70.41	0.019	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:10	12.23	70.41	0.019	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:11	12.24	63.57	0.027	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:11	12.24	63.57	0.027	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:12	12.23	68.09	0.021	100	0	0.002		0	0	0	0	0	43.1785 -77.5882
2/7/2017 10:12	12.23	68.09	0.021	100	0	0.002		0	0	0	0	0	43.1785 -77.5882

2/7/2017 10:13	12.22	65.89	0.026	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:13	12.22	65.89	0.026	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:14	12.23	86.95	0.028	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:14	12.23	86.95	0.028	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:15	12.24	63.44	0.026	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:15	12.24	63.44	0.026	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:16	12.23	63.95	0.032	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:16	12.23	63.95	0.032	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:17	12.24	59.43	0.021	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:17	12.24	59.43	0.021	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:18	12.24	65.12	0.019	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:18	12.24	65.12	0.019	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:19	12.24	66.02	0.019	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:19	12.24	66.02	0.019	100	0	0.002	0	0	0	0	0	43.1785	-77.5882
2/7/2017 10:20	12.24	63.44	0.025	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:20	12.24	63.44	0.025	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:21	12.24	62.53	0.035	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:21	12.24	62.53	0.035	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:22	12.24	64.6	0.029	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:22	12.24	64.6	0.029	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:23	12.24	65.5	0.028	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:23	12.24	65.5	0.028	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:24	12.24	64.21	0.026	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:24	12.24	64.21	0.026	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:25	12.24	65.76	0.029	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:25	12.24	65.76	0.029	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:26	12.25	62.02	0.028	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:26	12.25	62.02	0.028	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:27	12.24	79.72	0.02	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:27	12.24	79.72	0.02	100	0	0.002	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:28	12.26	58.27	0.026	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:28	12.26	58.27	0.026	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:29	12.25	62.66	0.034	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:29	12.25	62.66	0.034	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:30	12.26	63.18	0.02	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:30	12.26	63.18	0.02	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:31	12.25	99.74	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:31	12.25	99.74	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:32	12.26	65.12	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:32	12.26	65.12	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:33	12.26	65.12	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:33	12.26	65.12	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:34	12.25	65.5	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:34	12.25	65.5	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:35	12.27	63.95	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:35	12.27	63.95	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:36	12.26	60.98	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:36	12.26	60.98	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5882
2/7/2017 10:37	12.25	80.62	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:37	12.25	80.62	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:38	12.26	62.27	0.02	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:38	12.26	62.27	0.02	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:39	12.26	68.73	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:39	12.26	68.73	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:40	12.27	61.63	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:40	12.27	61.63	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:41	12.26	60.59	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:41	12.26	60.59	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:42	12.26	60.34	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:42	12.26	60.34	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:43	12.26	63.82	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:43	12.26	63.82	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:44	12.25	98.58	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:44	12.25	98.58	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:45	12.28	62.79	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:45	12.28	62.79	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:46	12.26	64.86	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:46	12.26	64.86	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:47	12.28	61.37	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:47	12.28	61.37	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:48	12.26	68.86	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:48	12.26	68.86	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:49	12.28	64.34	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884

2/7/2017 10:49	12.28	64.34	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:50	12.28	65.89	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:50	12.28	65.89	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:51	12.27	61.76	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:51	12.27	61.76	0.018	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:52	12.28	61.37	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:52	12.28	61.37	0.019	100	0	0.003	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:53	12.27	67.83	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:53	12.27	67.83	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:54	12.28	59.82	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:54	12.28	59.82	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:55	12.27	65.25	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:55	12.27	65.25	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:56	12.28	66.41	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:56	12.28	66.41	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:57	12.28	60.34	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:57	12.28	60.34	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:58	12.27	63.18	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:58	12.27	63.18	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:59	12.29	66.93	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 10:59	12.29	66.93	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:00	12.28	64.34	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:00	12.28	64.34	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:01	12.28	64.86	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:01	12.28	64.86	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:02	12.28	67.57	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:02	12.28	67.57	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:03	12.28	64.08	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:03	12.28	64.08	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:04	12.27	96.9	0.021	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:04	12.27	96.9	0.021	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:05	12.28	62.02	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:05	12.28	62.02	0.02	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:06	12.29	63.18	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:06	12.29	63.18	0.019	100	0	0.004	0	0.002	0	0	0	43.1785	-77.5884
2/7/2017 11:07	12.29	66.41	0.02	100	0	0.004	0	0.002	0	0	0		
2/7/2017 11:07	12.29	66.41	0.02	100	0	0.004	0	0.002	0	0	0		
2/7/2017 11:08	12.28	66.93	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:08	12.28	66.93	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:09	12.28	63.82	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:09	12.28	63.82	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:10	12.28	67.57	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:10	12.28	67.57	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:11	12.28	66.93	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:11	12.28	66.93	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:12	12.28	61.76	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:12	12.28	61.76	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:13	12.28	68.35	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:13	12.28	68.35	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:14	12.28	61.11	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:14	12.28	61.11	0.019	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:15	12.27	60.85	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:15	12.27	60.85	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:16	12.27	62.66	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:16	12.27	62.66	0.02	100	0	0.004	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:17	12.28	63.18	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:17	12.28	63.18	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:18	12.28	62.92	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:18	12.28	62.92	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:19	12.28	62.79	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:19	12.28	62.79	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:20	12.28	98.84	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:20	12.28	98.84	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:21	12.27	61.89	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:21	12.27	61.89	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:22	12.28	64.34	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:22	12.28	64.34	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:23	12.27	64.47	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:23	12.27	64.47	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:24	12.28	69.64	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:24	12.28	69.64	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:25	12.27	63.31	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:25	12.27	63.31	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883

2/7/2017 11:26	12.28	66.02	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:26	12.28	66.02	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:27	12.28	59.43	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:27	12.28	59.43	0.02	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:28	12.28	66.02	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:28	12.28	66.02	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:29	12.3	64.86	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:29	12.3	64.86	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:30	12.28	65.12	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:30	12.28	65.12	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:31	12.28	62.4	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:31	12.28	62.4	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:32	12.28	71.58	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:32	12.28	71.58	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:33	12.28	64.73	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:33	12.28	64.73	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:34	12.28	66.41	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:34	12.28	66.41	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:35	12.28	63.18	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:35	12.28	63.18	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:36	12.26	103.36	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:36	12.26	103.36	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:37	12.28	64.34	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:37	12.28	64.34	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5883
2/7/2017 11:38	12.27	63.44	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:38	12.27	63.44	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:39	12.28	62.4	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:39	12.28	62.4	0.022	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:40	12.28	62.14	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:40	12.28	62.14	0.021	100	0	0.005	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:41	12.28	67.05	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:41	12.28	67.05	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:42	12.27	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:42	12.27	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:43	12.28	63.7	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:43	12.28	63.7	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:44	12.26	102.07	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:44	12.26	102.07	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:45	12.28	59.43	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:45	12.28	59.43	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:46	12.26	64.21	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:46	12.26	64.21	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:47	12.26	62.4	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:47	12.26	62.4	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:48	12.28	61.11	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:48	12.28	61.11	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:49	12.26	65.5	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:49	12.26	65.5	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:50	12.27	59.69	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:50	12.27	59.69	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:51	12.28	67.31	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:51	12.28	67.31	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:52	12.28	66.15	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:52	12.28	66.15	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:53	12.28	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:53	12.28	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:54	12.26	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:54	12.26	64.6	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:55	12.26	62.02	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:55	12.26	62.02	0.021	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:56	12.28	63.57	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:56	12.28	63.57	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:57	12.28	65.76	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:57	12.28	65.76	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:58	12.28	65.12	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:58	12.28	65.12	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:59	12.27	62.02	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 11:59	12.27	62.02	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:00	12.26	62.27	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:00	12.26	62.27	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:01	12.27	64.86	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:01	12.27	64.86	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:02	12.28	63.57	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882

2/7/2017 12:02	12.28	63.57	0.022	100	0	0.006	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:03	12.26	65.37	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:03	12.26	65.37	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:04	12.28	64.73	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:04	12.28	64.73	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:05	12.26	103.23	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:05	12.26	103.23	0.022	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:06	12.27	66.67	0.023	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:06	12.27	66.67	0.023	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:07	12.26	62.53	0.023	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:07	12.26	62.53	0.023	100	0	0.007	0	0.002	0	0	0	43.1786	-77.5882
2/7/2017 12:08	12.27	65.5	0.022	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:08	12.27	65.5	0.022	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:09	12.26	60.98	0.022	100	0	0.007	0	0.002	0	0	0	43.1784	-77.5882
2/7/2017 12:09	12.26	60.98	0.022	100	0	0.007	0	0.002	0	0	0	43.1784	-77.5882
2/7/2017 12:13	12.28	76.49	0.026	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:13	12.28	76.49	0.026	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:14	12.26	67.31	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:14	12.26	67.31	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:15	12.26	60.98	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:15	12.26	60.98	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:16	12.26	68.73	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:16	12.26	68.73	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:17	12.26	71.71	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:17	12.26	71.71	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:18	12.26	70.93	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:18	12.26	70.93	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:19	12.26	65.5	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:19	12.26	65.5	0.023	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:20	12.28	70.16	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:20	12.28	70.16	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:21	12.26	67.83	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:21	12.26	67.83	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:22	12.27	71.32	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:22	12.27	71.32	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:23	12.26	76.62	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:23	12.26	76.62	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:24	12.26	71.83	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:24	12.26	71.83	0.024	100	0	0.007	0	0.002	0	0	0		
2/7/2017 12:25	12.26	69.77	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:25	12.26	69.77	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:26	12.27	69.51	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:26	12.27	69.51	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:27	12.27	70.16	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:27	12.27	70.16	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:28	12.25	71.96	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:28	12.25	71.96	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:29	12.26	71.96	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:29	12.26	71.96	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:30	12.26	69.25	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:30	12.26	69.25	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:31	12.25	109.43	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:31	12.25	109.43	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:32	12.25	104.52	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:32	12.25	104.52	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:33	12.27	70.67	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:33	12.27	70.67	0.025	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:34	12.26	65.37	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:34	12.26	65.37	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:35	12.26	72.22	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:35	12.26	72.22	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:36	12.25	69.12	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:36	12.25	69.12	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:37	12.26	64.21	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:37	12.26	64.21	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:38	12.26	74.29	0.027	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:38	12.26	74.29	0.027	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:39	12.25	70.41	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:39	12.25	70.41	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:40	12.25	76.49	0.027	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:40	12.25	76.49	0.027	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:41	12.26	70.16	0.026	100	0	0.008	0	0.002	0	0	0		
2/7/2017 12:41	12.26	70.16	0.026	100	0	0.008	0	0.002	0	0	0		

2/7/2017 13:18	12.23	61.37	0.033	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:19	12.24	64.99	0.033	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:19	12.24	64.99	0.033	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:20	12.22	95.87	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:20	12.22	95.87	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:21	12.22	64.08	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:21	12.22	64.08	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:22	12.24	62.92	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:22	12.24	62.92	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:23	12.23	65.5	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:23	12.23	65.5	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:24	12.24	69.77	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:24	12.24	69.77	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:25	12.23	63.82	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:25	12.23	63.82	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:26	12.22	65.89	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:26	12.22	65.89	0.034	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:27	12.22	63.95	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:27	12.22	63.95	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:28	12.22	98.71	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:28	12.22	98.71	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:29	12.22	64.6	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:29	12.22	64.6	0.035	100	0	0.011	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:30	12.23	67.31	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:30	12.23	67.31	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:31	12.22	63.95	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:31	12.22	63.95	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:32	12.22	71.45	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:32	12.22	71.45	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:33	12.22	65.76	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:33	12.22	65.76	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:34	12.22	65.37	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:34	12.22	65.37	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:35	12.22	64.47	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:35	12.22	64.47	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:36	12.23	64.73	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:36	12.23	64.73	0.036	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:37	12.22	57.11	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:37	12.22	57.11	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:38	12.22	59.69	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:38	12.22	59.69	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:39	12.23	60.85	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:39	12.23	60.85	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:40	12.21	100.65	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:40	12.21	100.65	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:41	12.22	65.12	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:41	12.22	65.12	0.037	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:42	12.22	70.03	0.038	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:42	12.22	70.03	0.038	100	0	0.012	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:43	12.21	63.44	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:43	12.21	63.44	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5884
2/7/2017 13:44	12.21	64.99	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:44	12.21	64.99	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:45	12.22	68.73	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:45	12.22	68.73	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:46	12.22	66.93	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:46	12.22	66.93	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:47	12.21	59.56	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:47	12.21	59.56	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:48	12.2	99.35	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:48	12.2	99.35	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:49	12.21	65.25	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:49	12.21	65.25	0.038	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:50	12.2	66.93	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:50	12.2	66.93	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:51	12.21	64.99	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:51	12.21	64.99	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:52	12.22	58.53	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:52	12.22	58.53	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:53	12.2	65.89	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:53	12.2	65.89	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:54	12.22	63.31	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:54	12.22	63.31	0.039	100	0	0.013	0	0.002	0	0	0	43.1784	-77.5883

2/7/2017 13:55	12.22	64.47	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:55	12.22	64.47	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:56	12.2	104.78	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:56	12.2	104.78	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:57	12.2	64.99	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:57	12.2	64.99	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:58	12.22	58.14	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:58	12.22	58.14	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:59	12.21	61.5	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 13:59	12.21	61.5	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:00	12.2	62.27	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:00	12.2	62.27	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:01	12.2	62.66	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:01	12.2	62.66	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:02	12.2	64.21	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:02	12.2	64.21	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:03	12.2	61.24	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:03	12.2	61.24	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:04	12.2	77.39	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:04	12.2	77.39	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:05	12.2	67.31	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:05	12.2	67.31	0.04	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:06	12.2	63.7	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:06	12.2	63.7	0.041	100	0	0.014	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:08	12.21	58.66	0.041	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:08	12.21	58.66	0.041	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:09	12.2	62.66	0.042	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:09	12.2	62.66	0.042	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:10	12.2	63.7	0.042	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:10	12.2	63.7	0.042	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:11	12.2	67.57	0.043	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:11	12.2	67.57	0.043	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:12	12.2	58.66	0.043	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:12	12.2	58.66	0.043	100	0	0.015	0	0.002	0	0	0	43.1784	-77.5883
2/7/2017 14:13	12.19	86.31	0.043	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:13	12.19	86.31	0.043	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:14	12.2	71.83	0.044	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:14	12.2	71.83	0.044	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:15	12.2	70.67	0.043	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:15	12.2	70.67	0.043	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:16	12.19	69.12	0.044	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:16	12.19	69.12	0.044	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:17	12.19	66.15	0.045	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:17	12.19	66.15	0.045	100	0	0.015	0	0.002	0	0	0		
2/7/2017 14:18	12.19	62.79	0.044	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:18	12.19	62.79	0.044	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:19	12.18	104.65	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:19	12.18	104.65	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:20	12.19	72.35	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:20	12.19	72.35	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:21	12.19	70.67	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:21	12.19	70.67	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:22	12.2	69.77	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:22	12.2	69.77	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:23	12.2	70.16	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:23	12.2	70.16	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:24	12.19	69.51	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:24	12.19	69.51	0.045	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:25	12.18	70.93	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:25	12.18	70.93	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:26	12.19	69.9	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:26	12.19	69.9	0.046	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:27	12.18	74.42	0.047	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:27	12.18	74.42	0.047	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:28	12.18	68.22	0.047	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:28	12.18	68.22	0.047	100	0	0.016	0	0.002	0	0	0		
2/7/2017 14:29	12.19	73.39	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:29	12.19	73.39	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:30	12.19	72.22	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:30	12.19	72.22	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:31	12.18	63.18	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:31	12.18	63.18	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:32	12.19	70.93	0.048	100	0	0.017	0	0.002	0	0	0		

2/7/2017 14:32	12.19	70.93	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:33	12.19	72.35	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:33	12.19	72.35	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:34	12.17	72.35	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:34	12.17	72.35	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:35	12.18	71.58	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:35	12.18	71.58	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:36	12.19	69.9	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:36	12.19	69.9	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:37	12.19	70.93	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:37	12.19	70.93	0.047	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:38	12.17	71.06	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:38	12.17	71.06	0.048	100	0	0.017	0	0.002	0	0	0		
2/7/2017 14:39	12.18	71.06	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:39	12.18	71.06	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:40	12.17	76.23	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:40	12.17	76.23	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:41	12.18	66.93	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:41	12.18	66.93	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:42	12.17	72.87	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:42	12.17	72.87	0.048	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:43	12.17	78.42	0.047	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:43	12.17	78.42	0.047	100	0	0.018	0	0.002	0	0	0		
2/7/2017 14:44	12.17	65.89	0.048	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:44	12.17	65.89	0.048	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:45	12.17	61.63	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:45	12.17	61.63	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:46	12.16	64.21	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:46	12.16	64.21	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:47	12.16	63.57	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:47	12.16	63.57	0.047	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:48	12.18	64.21	0.046	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:48	12.18	64.21	0.046	100	0	0.018	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:49	12.17	63.82	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:49	12.17	63.82	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:50	12.17	61.24	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:50	12.17	61.24	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:51	12.17	65.5	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:51	12.17	65.5	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:52	12.18	65.63	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:52	12.18	65.63	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:53	12.17	62.92	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:53	12.17	62.92	0.046	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:54	12.17	59.56	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:54	12.17	59.56	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:55	12.17	64.73	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:55	12.17	64.73	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:56	12.16	63.44	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:56	12.16	63.44	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:57	12.17	63.18	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:57	12.17	63.18	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:58	12.16	59.43	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:58	12.16	59.43	0.045	100	0	0.019	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:59	12.17	64.21	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 14:59	12.17	64.21	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:00	12.16	62.4	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:00	12.16	62.4	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:01	12.15	62.79	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:01	12.15	62.79	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:02	12.15	59.69	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:02	12.15	59.69	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:03	12.16	60.72	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:03	12.16	60.72	0.045	100	0	0.02	0	0.002	0	0	0	43.1785	-77.5883
2/7/2017 15:04	12.2	67.96	0.046	100	0	0.02						43.1785	-77.5883
2/7/2017 15:04	12.2	67.96	0.046	100	0	0.02						43.1785	-77.5883
2/7/2017 15:06	12.35	64.34										43.1785	-77.5883
2/7/2017 15:06	12.35	64.34										43.1785	-77.5883
2/7/2017 15:07	12.35	59.56										43.1785	-77.5883
2/7/2017 15:07	12.35	59.56										43.1785	-77.5883
2/7/2017 15:09	12.35	64.34										43.1785	-77.5883
2/7/2017 15:09	12.35	64.34										43.1785	-77.5883
2/7/2017 15:10	12.36	63.18										43.1785	-77.5883
2/7/2017 15:10	12.36	63.18										43.1785	-77.5883

2/7/2017 15:11	12.35	62.66		
2/7/2017 15:11	12.35	62.66		
2/7/2017 15:13	12.35	64.86		
2/7/2017 15:13	12.35	64.86		
2/7/2017 15:14	12.34	99.35	43.1799	-77.5875
2/7/2017 15:14	12.34	99.35	43.1799	-77.5875
2/7/2017 15:16	12.34	64.86	43.1799	-77.5875
2/7/2017 15:16	12.34	64.86	43.1799	-77.5875
2/7/2017 15:17	12.35	62.27	43.1799	-77.5875
2/7/2017 15:17	12.35	62.27	43.1799	-77.5875
2/7/2017 15:18	12.34	61.89	43.1799	-77.5875
2/7/2017 15:18	12.34	61.89	43.1799	-77.5875
2/7/2017 15:20	12.35	62.79	43.1799	-77.5875
2/7/2017 15:20	12.35	62.79	43.1799	-77.5875
2/7/2017 15:21	12.35	64.21	43.1799	-77.5875
2/7/2017 15:21	12.35	64.21	43.1799	-77.5875
2/7/2017 15:23	12.35	63.57	43.1799	-77.5875
2/7/2017 15:23	12.35	63.57	43.1799	-77.5875
2/7/2017 15:24	12.35	64.08	43.1799	-77.5875
2/7/2017 15:24	12.35	64.08	43.1799	-77.5875

Timestamp (GMT-5)	Batt. Voltage (V)	Current (mA)	Mass Conc. Total (mg/m ³)	Memory (%)	Sensor Batt. (%)	TWA (mg/m ³)	Peak (ppm)	STEL (ppm)	TWA (ppm)	VOC (ppm)		
2/7/2017 8:40	12.22	83.72									43.1788	-77.5883
2/7/2017 8:41	12.23	64.86									43.1788	-77.5883
2/7/2017 8:45	12.25	76.74									43.1789	-77.5882
2/7/2017 8:46	12.27	62.66	0.019	100	0	0					43.1789	-77.5882
2/7/2017 8:47	12.26	63.57	0.019	100	0	0					43.1789	-77.5882
2/7/2017 8:48	12.25	73	0.018	100	0	0					43.1789	-77.5882
2/7/2017 8:49	12.26	67.7	0.017	100	0	0					43.1789	-77.5883
2/7/2017 8:50	12.26	69.77	0.018	100	0	0					43.1789	-77.5883
2/7/2017 8:51	12.26	66.67	0.019	100	0	0					43.1789	-77.5883
2/7/2017 8:52	12.27	63.7	0.022	100	0	0					43.1789	-77.5883
2/7/2017 8:53	12.25	90.96	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 8:54	12.25	84.88	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 8:55	12.27	81.91	0.021	100	0	0.001					43.1789	-77.5883
2/7/2017 8:56	12.26	72.22	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 8:57	12.28	82.56	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 8:58	12.26	71.06	0.019	100	0	0.001					43.179	-77.5883
2/7/2017 8:59	12.27	65.89	0.019	100	0	0.001					43.179	-77.5883
2/7/2017 9:00	12.27	72.35	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 9:01	12.26	83.85	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 9:02	12.28	62.4	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 9:03	12.28	62.27	0.017	100	0	0.001					43.1789	-77.5883
2/7/2017 9:04	12.26	79.85	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 9:05	12.28	86.18	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 9:06	12.29	64.08	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 9:07	12.28	68.6	0.018	100	0	0.001					43.1789	-77.5884
2/7/2017 9:08	12.28	71.45	0.017	100	0	0.001					43.1789	-77.5884
2/7/2017 9:09	12.28	76.1	0.018	100	0	0.001					43.1789	-77.5884
2/7/2017 9:10	12.26	76.49	0.018	100	0	0.001					43.1789	-77.5884
2/7/2017 9:11	12.26	74.03	0.018	100	0	0.001					43.1789	-77.5883
2/7/2017 9:12	12.26	85.27	0.019	100	0	0.001					43.1788	-77.5883
2/7/2017 9:13	12.27	68.6	0.019	100	0	0.001					43.1788	-77.5883
2/7/2017 9:14	12.26	93.15	0.019	100	0	0.001					43.1789	-77.5883
2/7/2017 9:15	12.27	66.54	0.022	100	0	0.001					43.1789	-77.5883
2/7/2017 9:16	12.27	65.5	0.018	100	0	0.001					43.1789	-77.5882
2/7/2017 9:17	12.28	72.48	0.018	100	0	0.002					43.1789	-77.5882
2/7/2017 9:18	12.27	63.18	0.018	100	0	0.002					43.1789	-77.5882
2/7/2017 9:19	12.27	64.08	0.021	100	0	0.002					43.1789	-77.5882
2/7/2017 9:20	12.26	63.44	0.019	100	0	0.002					43.1789	-77.5882
2/7/2017 9:21	12.27	65.89	0.022	100	0	0.002					43.1788	-77.5883
2/7/2017 9:22	12.28	75.45	0.02	100	0	0.002					43.1789	-77.5883
2/7/2017 9:23	12.28	72.35	0.019	100	0	0.002					43.1789	-77.5883
2/7/2017 9:24	12.26	64.6	0.022	100	0	0.002					43.1789	-77.5883
2/7/2017 9:25	12.28	67.18	0.023	100	0	0.002					43.1789	-77.5883
2/7/2017 9:26	12.26	69.64	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:27	12.28	69.77	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:28	12.26	65.12	0.02	100	0	0.002					43.1789	-77.5883
2/7/2017 9:29	12.27	66.02	0.019	100	0	0.002					43.1789	-77.5883
2/7/2017 9:30	12.28	74.68	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:31	12.27	65.25	0.018	100	0	0.002					43.1789	-77.5882
2/7/2017 9:32	12.26	78.55	0.017	100	0	0.002					43.1789	-77.5883
2/7/2017 9:33	12.26	69.38	0.019	100	0	0.002					43.1789	-77.5883
2/7/2017 9:34	12.27	68.48	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:35	12.26	67.57	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:36	12.26	69.38	0.02	100	0	0.002					43.1789	-77.5883
2/7/2017 9:37	12.26	81.65	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:38	12.28	82.3	0.018	100	0	0.002					43.1789	-77.5883
2/7/2017 9:39	12.26	87.73									43.1789	-77.5883
2/7/2017 9:40	12.25	80.88	0.016	100	0	0.002					43.1789	-77.5883
2/7/2017 9:41	12.27	71.19	0.017	100	0	0.002					43.1788	-77.5884
2/7/2017 9:42	12.26	66.15	0.016	100	0	0.003					43.1788	-77.5884
2/7/2017 9:43	12.25	66.02	0.016	100	0	0.003					43.1788	-77.5884
2/7/2017 9:44	12.26	82.69	0.016	100	0	0.003					43.1788	-77.5884
2/7/2017 9:45	12.28	65.25	0.017	100	0	0.003					43.1789	-77.5883
2/7/2017 9:46	12.27	65.12	0.017	100	0	0.003					43.1789	-77.5883
2/7/2017 9:47	12.28	68.6	0.018	100	0	0.003					43.1789	-77.5883
2/7/2017 9:48	12.27	73.64	0.017	100	0	0.003					43.1789	-77.5883
2/7/2017 9:49	12.28	63.95	0.017	100	0	0.003					43.1789	-77.5883
2/7/2017 9:50	12.26	66.41	0.017	100	0	0.003					43.1789	-77.5883
2/7/2017 9:51	12.28	65.89	0.018	100	0	0.003					43.1789	-77.5884
2/7/2017 9:52	12.28	66.41	0.019	100	0	0.003					43.1789	-77.5884
2/7/2017 9:53	12.27	66.15	0.018	100	0	0.003					43.1788	-77.5884
2/7/2017 9:54	12.27	68.73	0.018	100	0	0.003					43.1788	-77.5884
2/7/2017 9:55	12.27	65.12	0.017	100	0	0.003					43.1788	-77.5884
2/7/2017 9:56	12.26	66.28	0.018	100	0	0.003					43.1789	-77.5883
2/7/2017 9:57	12.28	71.45	0.018	100	0	0.003					43.1789	-77.5884
2/7/2017 9:58	12.26	77.26	0.017	100	0	0.003					43.1789	-77.5884
2/7/2017 9:59	12.26	67.18	0.019	100	0	0.003					43.1789	-77.5884
2/7/2017 10:00	12.27	65.5	0.02	100	0	0.003					43.1788	-77.5884

2/7/2017 10:01	12.27	81.65	0.019	100	0	0.003	43.1788	-77.5884
2/7/2017 10:02	12.27	65.12	0.019	100	0	0.003	43.1788	-77.5884
2/7/2017 10:03	12.28	70.16	0.019	100	0	0.003	43.1788	-77.5884
2/7/2017 10:04	12.28	70.41	0.019	100	0	0.003	43.1788	-77.5884
2/7/2017 10:06	12.27	68.6	0.018	100	0	0.003	43.1788	-77.5884
2/7/2017 10:07	12.27	78.42	0.018	100	0	0.003	43.1788	-77.5884
2/7/2017 10:08	12.27	68.48	0.019	100	0	0.003	43.1788	-77.5884
2/7/2017 10:09	12.27	80.75	0.02	100	0	0.004	43.1788	-77.5884
2/7/2017 10:10	12.28	69.12	0.019	100	0	0.004	43.1788	-77.5885
2/7/2017 10:11	12.27	74.03	0.018	100	0	0.004	43.1788	-77.5885
2/7/2017 10:12	12.27	63.82	0.018	100	0	0.004	43.1788	-77.5883
2/7/2017 10:13	12.28	69.64	0.02	100	0	0.004	43.1788	-77.5883
2/7/2017 10:14	12.28	66.8	0.022	100	0	0.004	43.1788	-77.5883
2/7/2017 10:15	12.26	66.28	0.024	100	0	0.004	43.1788	-77.5883
2/7/2017 10:16	12.28	67.96	0.026	100	0	0.004	43.1788	-77.5883
2/7/2017 10:17	12.28	62.27	0.021	100	0	0.004	43.1788	-77.5883
2/7/2017 10:18	12.28	64.47	0.018	100	0	0.004	43.1788	-77.5884
2/7/2017 10:19	12.26	64.99	0.018	100	0	0.004	43.1788	-77.5883
2/7/2017 10:20	12.28	66.93	0.019	100	0	0.004	43.1788	-77.5883
2/7/2017 10:21	12.27	70.54	0.02	100	0	0.004	43.1788	-77.5882
2/7/2017 10:22	12.28	68.99	0.021	100	0	0.004	43.1788	-77.5882
2/7/2017 10:23	12.26	68.35	0.021	100	0	0.004	43.1788	-77.5883
2/7/2017 10:24	12.26	67.44	0.02	100	0	0.004	43.1789	-77.5883
2/7/2017 10:25	12.28	69.77	0.019	100	0	0.004	43.1789	-77.5883
2/7/2017 10:26	12.28	70.03	0.019	100	0	0.004	43.1789	-77.5883
2/7/2017 10:27	12.26	75.32	0.02	100	0	0.004	43.1789	-77.5883
2/7/2017 10:28	12.28	66.02	0.02	100	0	0.004	43.1789	-77.5883
2/7/2017 10:29	12.28	67.31	0.019	100	0	0.004	43.1789	-77.5883
2/7/2017 10:30	12.28	74.42	0.019	100	0	0.004	43.1789	-77.5883
2/7/2017 10:31	12.27	72.87	0.019	100	0	0.004	43.1789	-77.5883
2/7/2017 10:32	12.28	68.22	0.021	100	0	0.004	43.1789	-77.5883
2/7/2017 10:33	12.28	70.41	0.023	100	0	0.005	43.1789	-77.5883
2/7/2017 10:34	12.26	71.32	0.022	100	0	0.005	43.1788	-77.5883
2/7/2017 10:35	12.26	83.72	0.022	100	0	0.005	43.1788	-77.5883
2/7/2017 10:36	12.26	86.05	0.022	100	0	0.005	43.1788	-77.5883
2/7/2017 10:37	12.26	70.03	0.026	100	0	0.005	43.1788	-77.5883
2/7/2017 10:38	12.27	66.67	0.023	100	0	0.005	43.1788	-77.5883
2/7/2017 10:39	12.28	68.35	0.02	100	0	0.005	43.1788	-77.5883
2/7/2017 10:40	12.26	72.74	0.02	100	0	0.005	43.1788	-77.5883
2/7/2017 10:41	12.28	65.76	0.019	100	0	0.005	43.1787	-77.5883
2/7/2017 10:42	12.26	64.86	0.019	100	0	0.005	43.1787	-77.5883
2/7/2017 10:43	12.26	80.1	0.02	100	0	0.005	43.1787	-77.5883
2/7/2017 10:44	12.27	98.32	0.019	100	0	0.005	43.1788	-77.5883
2/7/2017 10:45	12.26	67.57	0.02	100	0	0.005	43.1788	-77.5883
2/7/2017 10:46	12.27	66.28	0.021	100	0	0.005	43.1787	-77.5883
2/7/2017 10:47	12.26	65.89	0.02	100	0	0.005	43.1787	-77.5883
2/7/2017 10:48	12.27	65.37	0.021	100	0	0.005	43.1787	-77.5883
2/7/2017 10:49	12.26	80.49	0.021	100	0	0.005	43.1787	-77.5883
2/7/2017 10:50	12.26	66.8	0.02	100	0	0.005	43.1787	-77.5883
2/7/2017 10:51	12.26	69.38	0.02	100	0	0.005	43.1788	-77.5883
2/7/2017 10:52	12.25	67.18	0.02	100	0	0.005	43.1787	-77.5883
2/7/2017 10:53	12.28	68.73	0.02	100	0	0.005	43.1787	-77.5883
2/7/2017 10:54	12.25	70.28	0.021	100	0	0.005	43.1788	-77.5883
2/7/2017 10:55	12.26	78.17	0.023	100	0	0.005	43.1788	-77.5883
2/7/2017 10:56	12.27	84.24	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 10:57	12.26	64.47	0.022	100	0	0.006	43.1787	-77.5883
2/7/2017 10:58	12.26	77.65	0.022	100	0	0.006	43.1787	-77.5883
2/7/2017 10:59	12.25	59.95	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:00	12.27	70.03	0.021	100	0	0.006	43.1788	-77.5883
2/7/2017 11:01	12.27	67.05	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:02	12.26	77.52						
2/7/2017 11:03	12.27	62.14	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:04	12.3	71.06	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:05	12.26	76.87	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:06	12.25	80.49	0.021	100	0	0.006	43.1788	-77.5883
2/7/2017 11:07	12.27	69.64	0.022	100	0	0.006	43.1788	-77.5883
2/7/2017 11:08	12.27	80.62	0.024	100	0	0.006	43.1787	-77.5883
2/7/2017 11:09	12.26	70.03	0.032	100	0	0.006	43.1788	-77.5884
2/7/2017 11:10	12.25	106.85	0.026	100	0	0.006	43.1788	-77.5884
2/7/2017 11:11	12.25	69.64	0.027	100	0	0.006	43.1788	-77.5883
2/7/2017 11:12	12.26	87.73	0.027	100	0	0.006	43.1788	-77.5884
2/7/2017 11:13	12.25	68.09	0.026	100	0	0.006	43.1788	-77.5883
2/7/2017 11:14	12.26	73.51	0.026	100	0	0.006	43.1788	-77.5883
2/7/2017 11:15	12.27	70.03	0.024	100	0	0.006	43.1788	-77.5883
2/7/2017 11:16	12.26	70.93	0.025	100	0	0.007	43.1788	-77.5883
2/7/2017 11:17	12.26	77.26	0.024	100	0	0.007	43.1788	-77.5883
2/7/2017 11:18	12.27	75.71	0.024	100	0	0.007	43.1788	-77.5883
2/7/2017 11:19	12.26	74.16	0.023	100	0	0.007	43.1787	-77.5883
2/7/2017 11:20	12.27	65.63	0.023	100	0	0.007	43.1788	-77.5883
2/7/2017 11:21	12.28	65.12	0.024	100	0	0.007	43.1788	-77.5883
2/7/2017 11:22	12.24	65.76	0.026	100	0	0.007	43.1788	-77.5883

2/7/2017 11:23	12.26	85.4	0.025	100	0	0.007	43.1787	-77.5883
2/7/2017 11:24	12.28	73.13	0.026	100	0	0.007	43.1786	-77.5884
2/7/2017 11:25	12.26	76.74	0.026	100	0	0.007	43.1787	-77.5884
2/7/2017 11:26	12.26	78.55	0.024	100	0	0.007	43.1787	-77.5883
2/7/2017 11:27			0.025	100	0	0.007		
2/7/2017 11:28	12.26	67.57	0.025	100	0	0.007	43.1787	-77.5884
2/7/2017 11:29	12.25	81.01	0.025	100	0	0.007	43.1787	-77.5884
2/7/2017 11:30	12.25	64.08	0.025	100	0	0.007	43.1787	-77.5884
2/7/2017 11:31	12.25	72.48	0.026	100	0	0.007	43.1788	-77.5884
2/7/2017 11:32	12.26	71.83	0.025	100	0	0.007	43.1788	-77.5883
2/7/2017 11:33	12.27	73.13	0.026	100	0	0.007	43.1788	-77.5883
2/7/2017 11:34	12.25	70.67	0.026	100	0	0.007	43.1788	-77.5884
2/7/2017 11:35	12.24	82.95	0.027	100	0	0.008	43.1788	-77.5884
2/7/2017 11:36	12.25	68.99	0.027	100	0	0.008	43.1788	-77.5883
2/7/2017 11:37	12.25	66.54	0.027	100	0	0.008	43.1788	-77.5883
2/7/2017 11:38	12.26	63.31	0.027	100	0	0.008	43.1788	-77.5883
2/7/2017 11:39	12.24	104.78	0.027	100	0	0.008	43.1788	-77.5883
2/7/2017 11:40	12.24	71.06	0.027	100	0	0.008	43.1788	-77.5883
2/7/2017 11:41	12.25	72.09	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:42	12.24	70.67	0.028	100	0	0.008	43.1788	-77.5883
2/7/2017 11:43	12.25	73.51	0.028	100	0	0.008	43.1788	-77.5883
2/7/2017 11:44	12.25	64.99	0.028	100	0	0.008	43.1788	-77.5883
2/7/2017 11:45	12.25	83.72	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:46	12.26	77.39	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:47	12.25	73.13	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:48	12.24	72.35	0.03	100	0	0.008	43.1788	-77.5884
2/7/2017 11:49	12.25	64.08	0.03	100	0	0.008	43.1788	-77.5884
2/7/2017 11:50	12.24	75.71	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:51	12.26	66.67	0.029	100	0	0.008	43.1788	-77.5883
2/7/2017 11:52	12.26	81.91	0.029	100	0	0.009	43.1788	-77.5883
2/7/2017 11:53	12.24	66.41	0.031	100	0	0.009	43.1788	-77.5883
2/7/2017 11:57	12.24	82.43	0.031	100	0	0.009	43.1788	-77.5884
2/7/2017 11:58	12.25	61.89	0.031	100	0	0.009	43.1788	-77.5884
2/7/2017 11:59	12.25	68.6	0.031	100	0	0.009	43.1788	-77.5884
2/7/2017 12:00	12.22	70.8	0.03	100	0	0.009	43.1788	-77.5884
2/7/2017 12:01	12.24	72.61	0.031	100	0	0.009	43.1788	-77.5884
2/7/2017 12:02	12.24	70.16	0.033	100	0	0.009	43.1788	-77.5884
2/7/2017 12:03	12.24	78.81	0.035	100	0	0.009	43.1788	-77.5883
2/7/2017 12:04	12.23	87.21	0.033	100	0	0.009	43.1788	-77.5883
2/7/2017 12:05	12.26	73.77	0.033	100	0	0.009	43.1788	-77.5883
2/7/2017 12:06	12.24	81.01	0.032	100	0	0.009	43.1788	-77.5883
2/7/2017 12:07	12.24	69.51	0.033	100	0	0.009	43.1788	-77.5883
2/7/2017 12:08	12.24	75.58	0.035	100	0	0.01	43.1788	-77.5883
2/7/2017 12:09	12.24	69.25	0.036	100	0	0.01	43.1788	-77.5884
2/7/2017 12:10	12.24	70.93	0.036	100	0	0.01	43.1787	-77.5883
2/7/2017 12:11	12.23	80.62	0.035	100	0	0.01	43.1788	-77.5883
2/7/2017 12:12	12.24	75.06	0.034	100	0	0.01	43.1788	-77.5882
2/7/2017 12:13	12.24	65.63	0.035	100	0	0.01	43.1788	-77.5882
2/7/2017 12:14	12.22	75.71	0.035	100	0	0.01	43.1788	-77.5883
2/7/2017 12:15	12.22	65.76	0.035	100	0	0.01	43.1788	-77.5883
2/7/2017 12:16	12.22	64.86	0.035	100	0	0.01	43.1788	-77.5883
2/7/2017 12:17	12.22	69.64	0.036	100	0	0.01	43.1788	-77.5883
2/7/2017 12:18	12.23	70.54	0.036	100	0	0.01	43.1788	-77.5883
2/7/2017 12:19	12.24	74.03	0.036	100	0	0.01	43.1788	-77.5883
2/7/2017 12:20	12.24	76.87	0.036	100	0	0.01	43.1788	-77.5883
2/7/2017 12:21	12.22	69.51	0.037	100	0	0.011	43.1788	-77.5883
2/7/2017 12:22	12.22	65.12	0.038	100	0	0.011	43.1788	-77.5883
2/7/2017 12:23	12.24	70.28	0.037	100	0	0.011	43.1788	-77.5883
2/7/2017 12:24	12.22	68.48	0.037	100	0	0.011	43.1788	-77.5883
2/7/2017 12:25	12.23	79.46	0.037	100	0	0.011	43.1788	-77.5884
2/7/2017 12:26	12.23	63.7	0.042	100	0	0.011	43.1788	-77.5884
2/7/2017 12:27	12.22	61.76	0.044	100	0	0.011	43.1788	-77.5883
2/7/2017 12:28	12.24	64.34	0.039	100	0	0.011	43.1788	-77.5883
2/7/2017 12:29	12.23	64.47	0.043	100	0	0.011	43.1788	-77.5883
2/7/2017 12:30	12.22	65.12	0.042	100	0	0.011	43.1788	-77.5884
2/7/2017 12:31	12.22	67.83	0.039	100	0	0.011	43.1789	-77.5883
2/7/2017 12:32	12.22	62.53	0.039	100	0	0.011	43.1788	-77.5883
2/7/2017 12:33	12.25	67.05	0.04	100	0	0.012	43.1788	-77.5883
2/7/2017 12:34	12.24	64.6	0.039	100	0	0.012	43.1788	-77.5883
2/7/2017 12:35	12.22	67.96	0.039	100	0	0.012	43.1788	-77.5883
2/7/2017 12:36	12.22	71.19	0.04	100	0	0.012	43.1788	-77.5883
2/7/2017 12:37	12.22	79.72	0.04	100	0	0.012	43.1788	-77.5883
2/7/2017 12:38	12.23	69.77	0.041	100	0	0.012	43.1788	-77.5883
2/7/2017 12:39	12.21	91.21	0.041	100	0	0.012	43.1788	-77.5883
2/7/2017 12:40	12.22	63.31	0.041	100	0	0.012	43.1788	-77.5883
2/7/2017 12:41	12.22	68.99	0.041	100	0	0.012	43.1789	-77.5883
2/7/2017 12:42	12.21	75.97	0.041	100	0	0.012	43.1789	-77.5882
2/7/2017 12:43	12.22	106.33	0.042	100	0	0.012	43.1789	-77.5882
2/7/2017 12:44	12.22	66.02	0.041	100	0	0.012	43.1788	-77.5883
2/7/2017 12:45	12.2	68.73	0.042	100	0	0.013	43.1788	-77.5883
2/7/2017 12:46	12.22	81.01	0.042	100	0	0.013	43.1788	-77.5882


2/7/2017 12:47	12.21	98.45	0.042	100	0	0.013	43.1788	-77.5882
2/7/2017 12:48	12.22	65.89	0.042	100	0	0.013	43.1789	-77.5883
2/7/2017 12:49	12.22	74.42	0.042	100	0	0.013	43.1789	-77.5883
2/7/2017 12:53	12.22	74.29	0.044	100	0	0.013	43.1789	-77.5883
2/7/2017 12:54	12.22	66.28	0.044	100	0	0.013	43.1789	-77.5883
2/7/2017 12:55	12.21	74.03	0.045	100	0	0.013	43.1788	-77.5883
2/7/2017 12:56	12.22	67.57	0.044	100	0	0.014	43.1788	-77.5883
2/7/2017 12:57	12.22	67.83	0.045	100	0	0.014	43.1788	-77.5883
2/7/2017 12:58	12.22	73.39	0.046	100	0	0.014	43.1788	-77.5883
2/7/2017 12:59	12.2	65.89	0.046	100	0	0.014	43.1789	-77.5883
2/7/2017 13:00	12.21	70.8	0.045	100	0	0.014	43.1788	-77.5883
2/7/2017 13:01	12.2	84.11				0.014	43.1788	-77.5883
2/7/2017 13:02	12.22	68.73	0.045	100	0	0.014	43.1789	-77.5883
2/7/2017 13:03	12.2	66.15	0.045	100	0	0.014	43.1789	-77.5883
2/7/2017 13:04	12.19	65.12	0.045	100	0	0.014	43.1788	-77.5883
2/7/2017 13:05	12.2	62.53	0.045	100	0	0.014	43.1788	-77.5882
2/7/2017 13:06	12.2	65.63	0.046	100	0	0.014	43.1789	-77.5882
2/7/2017 13:07	12.19	85.79	0.046	100	0	0.015	43.1789	-77.5882
2/7/2017 13:08	12.21	66.02	0.046	100	0	0.015	43.1789	-77.5883
2/7/2017 13:09	12.19	65.37	0.047	100	0	0.015	43.1789	-77.5882
2/7/2017 13:10	12.21	77.78	0.047	100	0	0.015	43.1789	-77.5883
2/7/2017 13:11	12.19	69.12	0.047	100	0	0.015	43.1788	-77.5883
2/7/2017 13:12	12.22	65.76	0.047	100	0	0.015	43.1789	-77.5883
2/7/2017 13:13	12.19	66.15	0.048	100	0	0.015	43.1789	-77.5883
2/7/2017 13:14	12.2	73.39	0.048	100	0	0.015	43.1789	-77.5883
2/7/2017 13:15	12.19	86.43	0.049	100	0	0.015	43.1789	-77.5883
2/7/2017 13:16	12.2	73					43.1789	-77.5882
2/7/2017 13:19	12.2	72.87	0.051	100	0	0.016	43.1788	-77.5884
2/7/2017 13:20	12.18	74.81	0.05	100	0	0.016	43.1788	-77.5883
2/7/2017 13:21	12.2	65.25	0.05	100	0	0.016	43.1789	-77.5883
2/7/2017 13:22	12.2	80.1	0.05	100	0	0.016	43.1789	-77.5883
2/7/2017 13:23	12.2	73.77	0.051	100	0	0.016	43.1789	-77.5883
2/7/2017 13:24	12.2	80.62	0.051	100	0	0.016	43.1789	-77.5883
2/7/2017 13:25	12.2	67.44	0.052	100	0	0.016	43.1789	-77.5883
2/7/2017 13:26	12.2	69.25	0.052	100	0	0.016	43.1789	-77.5884
2/7/2017 13:27	12.2	66.28	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:28	12.21	66.93	0.053	100	0	0.017	43.1789	-77.5884
2/7/2017 13:29	12.19	72.87	0.053	100	0	0.017	43.1789	-77.5884
2/7/2017 13:30	12.2	67.31	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:31	12.2	68.48	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:32	12.19	66.41	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:33	12.2	65.76	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:34	12.18	63.31	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:35	12.2	66.93	0.053	100	0	0.017	43.1789	-77.5883
2/7/2017 13:36	12.18	68.73	0.054	100	0	0.018	43.1789	-77.5883
2/7/2017 13:37	12.19	67.31	0.054	100	0	0.018	43.1789	-77.5883
2/7/2017 13:38	12.19	72.22	0.054	100	0	0.018	43.1789	-77.5883
2/7/2017 13:39	12.18	68.35	0.054	100	0	0.018	43.1789	-77.5883
2/7/2017 13:40	12.19	65.37	0.054	100	0	0.018	43.1789	-77.5884
2/7/2017 13:41	12.18	70.67	0.053	100	0	0.018	43.1789	-77.5885
2/7/2017 13:42	12.19	65.63	0.054	100	0	0.018	43.1788	-77.5885
2/7/2017 13:43	12.19	93.28	0.054	100	0	0.018	43.1788	-77.5884
2/7/2017 13:44	12.19	68.22	0.053	100	0	0.018	43.1788	-77.5885
2/7/2017 13:45	12.17	70.93	0.052	100	0	0.019	43.1788	-77.5884
2/7/2017 13:46	12.19	67.57	0.053	100	0	0.019	43.1788	-77.5884
2/7/2017 13:47	12.17	73.77	0.053	100	0	0.019	43.1788	-77.5884
2/7/2017 13:48	12.18	81.14	0.052	100	0	0.019	43.1788	-77.5883
2/7/2017 13:49	12.19	78.04	0.052	100	0	0.019	43.1789	-77.5884
2/7/2017 13:50	12.17	59.95	0.052	100	0	0.019	43.1788	-77.5883
2/7/2017 13:51	12.18	79.46	0.052	100	0	0.019	43.1788	-77.5883
2/7/2017 13:52	12.16	78.81	0.051	100	0	0.019	43.1788	-77.5883
2/7/2017 13:53	12.17	74.55	0.051	100	0	0.019	43.1789	-77.5883
2/7/2017 13:54	12.18	71.06	0.051	100	0	0.02	43.1788	-77.5884
2/7/2017 13:55	12.17	64.99	0.051	100	0	0.02	43.1788	-77.5884
2/7/2017 13:56	12.16	67.05	0.051	100	0	0.02	43.1788	-77.5884
2/7/2017 13:57	12.17	75.19	0.05	100	0	0.02	43.1788	-77.5884
2/7/2017 13:58	12.17	66.67	0.05	100	0	0.02	43.1788	-77.5884
2/7/2017 13:59	12.17	66.67	0.051	100	0	0.02	43.1789	-77.5884
2/7/2017 14:00	12.19	65.76	0.051	100	0	0.02	43.1789	-77.5884
2/7/2017 14:01	12.17	76.1	0.05	100	0	0.02	43.1789	-77.5883
2/7/2017 14:02	12.16	69.9	0.05	100	0	0.02	43.1789	-77.5883
2/7/2017 14:03	12.18	68.86	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:04	12.17	68.22	0.05	100	0	0.021	43.1788	-77.5884
2/7/2017 14:05	12.17	70.16	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:06	12.17	66.67	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:07	12.17	64.47	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:08	12.17	74.42	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:09	12.16	85.4	0.05	100	0	0.021	43.1788	-77.5884
2/7/2017 14:10	12.17	70.16	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:11	12.17	66.67	0.05	100	0	0.021	43.1789	-77.5884
2/7/2017 14:12	12.17	65.25	0.05	100	0	0.021	43.1788	-77.5884

2/7/2017 14:14	12.17	70.16	0.05	100	0	0.022	43.1788	-77.5884
2/7/2017 14:15	12.16	69.12	0.049	100	0	0.022	43.1788	-77.5884
2/7/2017 14:16	12.15	64.47	0.049	100	0	0.022	43.1788	-77.5884
2/7/2017 14:17	12.16	63.95	0.05	100	0	0.022	43.1788	-77.5884
2/7/2017 14:18	12.15	66.02	0.05	100	0	0.022	43.1788	-77.5883
2/7/2017 14:19	12.15	74.55	0.05	100	0	0.022	43.1789	-77.5883
2/7/2017 14:20	12.13	89.41	0.05	100	0	0.022	43.1789	-77.5884
2/7/2017 14:21	12.15	64.73	0.05	100	0	0.022	43.1788	-77.5883
2/7/2017 14:22	12.16	65.5	0.049	100	0	0.022	43.1788	-77.5883
2/7/2017 14:23	12.15	70.8	0.049	100	0	0.023	43.1788	-77.5883
2/7/2017 14:24	12.16	66.54	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:25	12.13	100	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:26	12.14	67.31	0.049	100	0	0.023	43.1789	-77.5884
2/7/2017 14:27	12.15	73.51	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:28	12.16	69.77	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:29	12.15	79.33	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:30	12.14	67.7	0.049	100	0	0.023	43.1789	-77.5883
2/7/2017 14:31	12.15	73.13	0.048	100	0	0.023	43.1789	-77.5883
2/7/2017 14:32	12.12	67.44	0.049	100	0	0.024	43.1789	-77.5883
2/7/2017 14:33	12.15	67.7	0.049	100	0	0.024	43.1789	-77.5884
2/7/2017 14:34	12.13	79.07	0.049	100	0	0.024	43.1789	-77.5884
2/7/2017 14:35	12.15	67.57	0.048	100	0	0.024	43.1789	-77.5884
2/7/2017 14:36	12.15	62.53	0.048	100	0	0.024	43.1789	-77.5883
2/7/2017 14:37	12.16	73.9	0.048	100	0	0.024	43.1789	-77.5883
2/7/2017 14:38	12.15	81.01	0.048	99	0	0.024	43.1789	-77.5883
2/7/2017 14:39	12.13	75.32	0.048	99	0	0.024	43.1789	-77.5883
2/7/2017 14:40	12.15	68.86	0.047	99	0	0.024	43.1789	-77.5883
2/7/2017 14:41	12.14	65.89	0.047	99	0	0.024	43.1789	-77.5883

Appendix I


Historical Existing Floor Drain Locations

File: K:\17781\REPORTS\RI REPORT\ACAD\17781_FIGURE_A-B.DWG Saved: 2/14/2011 9:43:56 AM Plotted: 2/14/2011 9:45:54 AM User: Newell, Sarah



NOTE:
EXISTING SANITARY & STORM STRUCTURES,
SANITARY SEWER, AND FLOOR DRAINS ARE
SHOWN IN APPROXIMATE LOCATIONS, BASED
UPON A CHA FIELD VISIT ON 09/08/10

NO SCALE



441 South Salina Street • Syracuse, NY 13202-4712
Main: (315) 471-3920 • www.chacompanies.com

EXISTING FLOOR DRAIN LOCATIONS
REMEDIAL INVESTIGATION REPORT
FORMER JML OPTICAL, INC.
678-690 PORTLAND AVENUE
ROCHESTER, NY

PROJECT NO.
17781

DATE: 09/27/10

Figure 6