

March 24, 2017

Frank Sowers, P.E.
Environmental Engineer II, Division of Environmental Remediation
New York State Department of Environmental Conservation
6274 East Avon-Lima Road
Avon, New York 14414

Re: Status Report
3750 Monroe Avenue, Pittsford, New York
NYSDEC BCP Site #C828187
LaBella Project No. 213131

Dear Mr. Sowers:

LaBella Associates, D.P.C. ("LaBella") is pleased to submit this Status Report associated with the New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) Site (BCP ID No. C828187) located at 3750 Monroe Avenue, Town of Pittsford, Monroe County, hereinafter referred to as the "Site." This Status Report discusses activities completed since the start of the Remedial Investigation (RI) fieldwork in February 2017, as well as upcoming RI fieldwork activities.

RI Activities Completed

- Exterior soil borings & well installation
- Two (2) of seven (7) planned interior soil borings. One (1) of the seven (7) was moved to the exterior of the Site with NYSDEC approval. Building access has been denied by the tenants in the location of three (3) of the seven (7) initially planned to be completed. The final interior soil boring was planned for the Town Court space. This boring was initially attempted on March 4, 2017 but was unsuccessful due to a second concrete slab located several inches below the floor surface. The property owner is currently working with tenants to determine if access to the remaining investigation locations is feasible.
- Soil gas point installation & sampling
- Surface soil sampling
- Sediment & surface water sampling
- Groundwater sampling of new wells

Attached Figure 1 shows RI sample locations completed to date.

Upcoming RI Activities

- Interior soil boring in Town Court space. The property owner is currently coordinating with tenants to re-attempt to complete this boring (see above for more information).
- Concrete sampling within building; a work plan amendment for this sampling is currently under development.
- Bedrock well installation and sampling. Based on preliminary RI data, updated contour modeling of total volatile organic compounds (VOCs) in groundwater has been developed (see attached Figure 1). This updated modeling is similar to pre-RI modeling. The proposed bedrock well location is depicted in blue on Figure 1. The bedrock well installation is scheduled to begin Tuesday, April 4th.
- Comprehensive groundwater sampling
- Hydraulic conductivity testing

Laboratory Analytical Data Received

Preliminary data has been received from the laboratory for select RI activities. A list of data received as of the date of this report is below. Note that this data has not yet been validated.

- Subsurface soil data (attached Tables 1A through 1E)
- Surface soil data (attached Tables 2A through 2E)
- Sediment data (attached Tables 4A and 4B)
- Surface water data (attached Tables 5A through 5E)
- Groundwater data (attached Tables 3A through 3E)
- Soil gas data (laboratory analytical report attached)

Approved Activity Modifications (changes of work scope and/or schedule)

The location of one (1) interior soil boring was shifted to the eastern Site boundary (i.e., exterior of Site) based on limited interior access in this area.

Unresolved Delays Encountered or Anticipated

3750 Monroe Avenue Associates and LaBella are coordinating with building tenants to gain access to various locations in the Site building to complete the remaining interior investigation locations.

Activities Undertaken in Support of the Citizen Participation Plan

There were no activities undertaken in support of the Citizen Participation Plan since the start of RI fieldwork.

Frank Sowers, P.E.
NYSDEC
March 24, 2017
Page 3

If you have any questions, or require additional information, please do not hesitate to contact me at (585) 295-6648 or via email at jgillen@labellapc.com.

Sincerely,

LABELLA ASSOCIATES, D.P.C.





Jennifer M. Gillen
Project Geologist

Attachments

cc: Lewis Norry – 3750 Monroe Avenue Associates, LLC
Debbie Cervini – Norry Management Corporation
Bridget Boyd – NYSDOH (e-copy only)

J:\NORRY MANAGEMENT CORP\213131 - BCP APPLICATION 3750 MONROE AVE\REPORTS\MONTHLY PROGRESS REPORTS\MARCH 2017\2017_3_22_STATUS
UPDATE_BCP_C828187.DOCX

FIGURE 1 – TOTAL VOCs IN GROUNDWATER: CUMULATIVE DATA 2013-2017




**Remedial Investigation
Report**

**3750 Monroe Avenue
Pittsford, New York**

**3750 Monroe Avenue
Associates, LLC**

DRAFT

**Total VOCs in Groundwater
Cumulative Data 2013-2017**



0 50 100

1 inch = 40 feet
Intended to print on ARCH D

213131

FIGURE 1

LABORATORY ANALYTICAL SUMMARY TABLES (PRELIMINARY DATA)

Table 1a - Page 1 of 2
Summary of Volatile Organic Compounds in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	RIGP-1-01302017		RIGP-2-01302017		RIGP-3-01302017		RIGP-4-02102017		RIGP-5-01242017		RIGP-6-01242017		RIGP-6-01242017 DUP		RIGP-7-01242017 (0-10)		RIGP-8-01242017 (0.5-5.5)	
SAMPLING DATE				1/30/2017		1/30/2017		1/30/2017		2/10/2017		1/24/2017		1/24/2017		1/24/2017		1/24/2017		1/24/2017	
SAMPLE DEPTH (ft.)				14		17.8		17.5		16		17		30		30		6		5	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Volatile Organics by 8260/5035																					
Methylene chloride	500	0.05	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
1,1-Dichloroethane	240	0.27	mg/kg	0.0013	J	0.091	U	0.094	U	0.1	U	0.089	U	0.0012	U	0.0014	U	0.0014	U	0.00027	J
Chloroform	350	0.37	mg/kg	0.0014	U	0.091	U	0.094	U	0.1	U	0.026	J	0.0012	U	0.0014	U	0.0014	U	0.0014	U
Carbon tetrachloride	22	0.76	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
1,2-Dichloropropane	700 ⁽¹⁾	700 ⁽¹⁾	mg/kg	0.0032	U	0.21	U	0.22	U	0.24	U	0.21	U	0.0029	U	0.0032	U	0.0034	U	0.0032	U
Dibromochloromethane	10 ⁽¹⁾	10 ⁽¹⁾	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
1,1,2-Trichloroethane	NA	NA	mg/kg	0.0014	U	0.091	U	0.094	U	0.1	U	0.089	U	0.0012	U	0.0014	U	0.0014	U	0.0014	U
Tetrachloroethene	150	1.3	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.051	J	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Chlorobenzene	500	1.1	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Trichlorofluoromethane	NA	NA	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
1,2-Dichloroethane	30	0.02	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
1,1,1-Trichloroethane	500	0.68	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.00051	J
Bromodichloromethane	NA	NA	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
trans-1,3-Dichloropropene	NA	NA	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
cis-1,3-Dichloropropene	NA	NA	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Bromoform	NA	NA	mg/kg	0.0036	U	0.24	U	0.25	U	0.27	U	0.24	U	0.0033	U	0.0036	U	0.0038	U	0.0036	U
1,1,2,2-Tetrachloroethane	0.6 ⁽³⁾	0.6 ⁽³⁾	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Benzene	44	0.06	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Toluene	500	0.7	mg/kg	0.0014	U	0.091	U	0.094	U	0.021	J	0.089	U	0.0012	U	0.0014	U	0.0014	U	0.0014	U
Ethylbenzene	390	1	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
Chloromethane	NA	NA	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.026	J	0.0042	U	0.0045	U	0.0048	U	0.0045	U
Bromomethane	NA	NA	mg/kg	0.0018	U	0.021	J	0.12	U	0.14	U	0.12	U	0.0003	J	0.0018	U	0.0019	U	0.0018	U
Vinyl chloride	13	0.02	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
Chloroethane	NA	NA	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
1,1-Dichloroethene	500	0.33	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
trans-1,2-Dichloroethene	500	0.19	mg/kg	0.0037		0.091	U	0.094	U	0.1	U	0.012	J	0.0012	U	0.0014	U	0.0014	U	0.0014	U
Trichloroethene	200	0.47	mg/kg	0.029		2.9		2.3		2		0.83		0.00083	U	0.00091	U	0.00038	J	0.05	
1,2-Dichlorobenzene	500	1.1	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
1,3-Dichlorobenzene	280	2.4	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
1,4-Dichlorobenzene	130	1.8	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
Methyl tert butyl ether	500	0.93	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
p/m-Xylene	NA	NA	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
o-Xylene	NA	NA	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
Total Xylene	500	0.26	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
cis-1,2-Dichloroethene	500	0.25	mg/kg	0.019		0.018	J	0.062	U	0.02	J	0.01	J	0.00083	U	0.00091	U	0.00096	U	0.0012	
Styrene	300 ⁽¹⁾	300 ⁽¹⁾	mg/kg	0.0018	U	0.12	U	0.12	U	0.14	U	0.12	U	0.0017	U	0.0018	U	0.0019	U	0.0018	U
Dichlorodifluoromethane	NA	NA	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
Acetone	500	0.05	mg/kg	0.00095	J	0.61	U	0.62	U	0.69	U	0.083	J	0.0083	U	0.0091	U	0.0096	U	0.009	U
Carbon disulfide	2.7 ⁽³⁾	2.7 ⁽³⁾	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
2-Butanone	500	0.12	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
4-Methyl-2-pentanone	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
2-Hexanone	NA	NA	mg/kg	0.009	U	0.61	U	0.62	U	0.69	U	0.59	U	0.0083	U	0.0091	U	0.0096	U	0.009	U
Bromochloromethane	NA	NA	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
1,2-Dibromoethane	NA	NA	mg/kg	0.0036	U	0.24	U	0.25	U	0.27	U	0.24	U	0.0033	U	0.0036	U	0.0038	U	0.0036	U
1,2-Dibromo-3-chloropropane	NA	NA	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
Isopropylbenzene	NA	NA	mg/kg	0.0009	U	0.061	U	0.062	U	0.069	U	0.059	U	0.00083	U	0.00091	U	0.00096	U	0.0009	U
1,2,3-Trichlorobenzene	20 ⁽¹⁾	20 ⁽¹⁾	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
1,2,4-Trichlorobenzene	3.4 ⁽³⁾	3.4 ⁽³⁾	mg/kg	0.0045	U	0.3	U	0.31	U	0.34	U	0.3	U	0.0042	U	0.0045	U	0.0048	U	0.0045	U
Methyl Acetate	NA	NA	mg/kg	0.018	U	1.2	U	1.2	U	1.4	U	1.2	U	0.017	U	0.018	U	0.019	U	0.018	U
Cyclohexane	NA	NA	mg/kg	0.018	U	1.2	U	1.2	U	1.4	U	1.2	U	0.00017	J	0.018	U	0.019	U	0.018	U
1,4-Dioxane	130	0.1	mg/kg	0.09	U	6.1	U	6.2	U	2.7	U	5.9	U	0.083	U	0.091	U	0.096	U	0.09	U
Freon-113	NA	NA	mg/kg	0.018	U	1.2	U	1.2	U	1.4	U	1.2	U	0.017	U	0.018	U	0.019	U	0.018	U
Methyl cyclohexane	NA	NA	mg/kg	0.0036	U	0.24	U	0.25	U	0.021	J	0.24	U	0.00022	J	0.0036	U	0.0038	U	0.0036	U

Notes:
VOC analysis via USEPA Method 8260. Samples collected via USEPA Method 5035.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
NA - Not applicable/not listed
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
Data is PRELIMINARY and has not been validated.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
⁴Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 1a - Page 2 of 2
Summary of Volatile Organic Compounds in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375	NYCRR Part 375	Units	RIGP-9-01252017		RIGP-9-01252017 DUP		RIGP-10-01252017		RIGP-11-01252017		RIGP-12-01252017		RIGP-13-01272017		RIGP-14-01302017		RIGP-15 01312017 2'		RIGP-16 02012017 6'		RIGP-16 02012017 9'	
SAMPLING DATE	6.8(b) Commercial Use SCOs	6.8(a) Unrestricted Use SCOs		1/25/2017		1/25/2017		1/25/2017		1/25/2017		1/25/2017		1/27/2017		1/30/2017		1/31/2017		2/1/2017		2/1/2017	
SAMPLE DEPTH (ft.)				23.5		23.5		14.9		10.8		14		16.5		17		2		6		9	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual		
Volatile Organics by 8260/5035																							
Methylene chloride	500	0.05	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0083	U	0.65	U	0.72	U	0.68	U
1,1-Dichloroethane	240	0.27	mg/kg	0.001	U	0.0011	U	0.087	U	0.17	U	0.096	U	0.0012	J	0.0013	U	0.098	U	0.11	U	0.1	U
Chloroform	350	0.37	mg/kg	0.001	U	0.0011	U	0.087	U	0.17	U	0.096	U	0.0013	U	0.0012	U	0.026	J	0.11	U	0.032	J
Carbon tetrachloride	22	0.76	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
1,2-Dichloropropane	700 ⁽¹⁾	700 ⁽¹⁾	mg/kg	0.0024	U	0.0026	U	0.2	U	0.39	U	0.22	U	0.0031	U	0.0029	U	0.23	U	0.25	U	0.24	U
Dibromochloromethane	10 ⁽¹⁾	10 ⁽¹⁾	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
1,1,2-Trichloroethane	NA	NA	mg/kg	0.001	U	0.0011	U	0.087	U	0.17	U	0.096	U	0.0013	U	0.0012	U	0.098	U	0.11	U	0.1	U
Tetrachloroethene	150	1.3	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Chlorobenzene	500	1.1	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Trichlorofluoromethane	NA	NA	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
1,2-Dichloroethane	30	0.02	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
1,1,1-Trichloroethane	500	0.68	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Bromodichloromethane	NA	NA	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
trans-1,3-Dichloropropene	NA	NA	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
cis-1,3-Dichloropropene	NA	NA	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Bromoform	NA	NA	mg/kg	0.0027	U	0.003	U	0.23	U	0.45	U	0.26	U	0.0036	U	0.0033	U	0.26	U	0.29	U	0.27	U
1,1,2,2-Tetrachloroethane	0.6 ⁽³⁾	0.6 ⁽³⁾	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Benzene	44	0.06	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
Toluene	500	0.7	mg/kg	0.001	U	0.0011	U	0.087	U	0.17	U	0.096	U	0.00049	J	0.00079	J	0.098	U	0.11	U	0.1	U
Ethylbenzene	390	1	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.00015	J	0.00025	J	0.065	U	0.072	U	0.068	U
Chloromethane	NA	NA	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
Bromomethane	NA	NA	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.025	J	0.026	J	0.14	U
Vinyl chloride	13	0.02	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.13	U	0.14	U	0.14	U
Chloroethane	NA	NA	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.13	U	0.14	U	0.14	U
1,1-Dichloroethene	500	0.33	mg/kg	0.00068	U	0.00075	U	0.058	U	0.033	J	0.064	U	0.0024	U	0.00083	U	0.065	U	0.072	U	0.068	U
trans-1,2-Dichloroethene	500	0.19	mg/kg	0.001	U	0.0011	U	0.087	U	0.17	U	0.056	J	0.0062	U	0.0019	U	0.098	U	0.11	U	0.1	U
Trichloroethene	200	0.47	mg/kg	0.00068	U	0.00075	U	2.7	U	12	U	1.9	U	0.0058	U	0.016	U	2.3	U	0.68	U	0.72	U
1,2-Dichlorobenzene	500	1.1	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
1,3-Dichlorobenzene	280	2.4	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
1,4-Dichlorobenzene	130	1.8	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
Methyl tert butyl ether	500	0.93	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.13	U	0.14	U	0.14	U
p/m-Xylene	NA	NA	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.00038	J	0.00051	J	0.13	U	0.14	U	0.14	U
o-Xylene	NA	NA	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.13	U	0.14	U	0.14	U
Total Xylene	500	0.26	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.00038	J	0.00051	J	0.13	U	0.14	U	0.14	U
cis-1,2-Dichloroethene	500	0.25	mg/kg	0.00068	U	0.00075	U	0.044	J	0.25	U	0.044	J	0.0044	U	0.0006	J	0.018	J	2.5	U	2.5	U
Styrene	300 ⁽¹⁾	300 ⁽¹⁾	mg/kg	0.0014	U	0.0015	U	0.12	U	0.22	U	0.13	U	0.0018	U	0.0016	U	0.13	U	0.14	U	0.14	U
Dichlorodifluoromethane	NA	NA	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0083	U	0.65	U	0.72	U	0.68	U
Acetone	500	0.05	mg/kg	0.0015	J	0.0075	U	0.58	U	1.1	U	0.64	U	0.043	U	0.013	U	0.65	U	0.72	U	0.68	U
Carbon disulfide	2.7 ⁽³⁾	2.7 ⁽³⁾	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0027	J	0.65	U	0.72	U	0.68	U
2-Butanone	500	0.12	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0083	U	0.65	U	0.72	U	0.68	U
4-Methyl-2-pentanone	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0083	U	0.65	U	0.72	U	0.68	U
2-Hexanone	NA	NA	mg/kg	0.0068	U	0.0075	U	0.58	U	1.1	U	0.64	U	0.009	U	0.0083	U	0.65	U	0.72	U	0.68	U
Bromochloromethane	NA	NA	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
1,2-Dibromoethane	NA	NA	mg/kg	0.0027	U	0.003	U	0.23	U	0.45	U	0.26	U	0.0036	U	0.0033	U	0.26	U	0.29	U	0.27	U
1,2-Dibromo-3-chloropropane	NA	NA	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.0041	U	0.33	U	0.36	U	0.34	U
Isopropylbenzene	NA	NA	mg/kg	0.00068	U	0.00075	U	0.058	U	0.11	U	0.064	U	0.0009	U	0.00083	U	0.065	U	0.072	U	0.068	U
1,2,3-Trichlorobenzene	20 ⁽¹⁾	20 ⁽¹⁾	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.00033	J	0.33	U	0.36	U	0.34	U
1,2,4-Trichlorobenzene	3.4 ⁽³⁾	3.4 ⁽³⁾	mg/kg	0.0034	U	0.0038	U	0.29	U	0.56	U	0.32	U	0.0045	U	0.00022	J	0.33	U	0.36	U	0.34	U
Methyl Acetate	NA	NA	mg/kg	0.014	U	0.015	U	1.2	U	2.2	U	1.3	U	0.018	U	0.016	U	1.3	U	1.4	U	1.4	U
Cyclohexane	NA	NA	mg/kg	0.014	U	0.015	U	1.2	U	2.2	U	1.3	U	0.018	U	0.016	U	1.3	U	1.4	U	1.4	U
1,4-Dioxane	130	0.1	mg/kg	0.068	U	0.075	U	5.8	U	11	U	6.4	U	0.09	U	0.083	U	6.5	U	7.2	U	6.8	U
Freon-113	NA	NA	mg/kg	0.014	U	0.015	U	1.2	U	2.2	U	1.3	U	0.018	U	0.016	U	1.3	U	1.4	U	1.4	U
Methyl cyclohexane	NA	NA	mg/kg	0.0027	U	0.003	U	0.23	U	0.45	U	0.26	U	1.018	U	0.0033	U	0.26	U	0.29	U	0.27	U

Notes:
VOC analysis via USEPA Method 8260. Samples collected via USEPA Method 5035.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
NA - Not applicable/not listed
U - Not detected at the reported detection limit for the sample.
J - Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
Data is PRELIMINARY and has not been validated.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 1b
Summary of Semi-Volatile Organic Compounds in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	SAMPLE DATE	SAMPLE DEPTH (ft.)	CasNum	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	RIGP-3-01192017		RIGP-7-01242017 (0-10)		RIGP-8-01242017 (0.5-5.5)		RIGP-13-01272017		RIGP-15 01312017 2'-3'		RIGP-16 02012017 8'-10'	
							1/19/2017		1/24/2017		1/24/2017		1/27/2017		1/31/2017		2/1/2017	
							8-12		0-10		0.5-5.5		10-12		2-3		8-10	
							Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Semivolatile Organics by GC/MS																		
Acenaphthene	83-32-9		500		20	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Hexachlorobenzene	118-74-1		6		0.33	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Bis(2-chloroethyl)ether	111-44-4		NA		NA	mg/kg	0.18	U	0.19	U	0.18	U	0.18	U	0.18	U	0.18	U
2-Chloronaphthalene	91-58-7		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
3,3'-Dichlorobenzidine	91-94-1		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2,4-Dinitrotoluene	121-14-2		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2,6-Dinitrotoluene	606-20-2		1.0 ⁽³⁾		1.0 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Fluoranthene	206-44-0		500		100	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
4-Chlorophenyl phenyl ether	7005-72-3		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
4-Bromophenyl phenyl ether	101-55-3		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Bis(2-chloroisopropyl)ether	108-60-1		NA		NA	mg/kg	0.24	U	0.26	U	0.24	U	0.24	U	0.24	U	0.25	U
Bis(2-chloroethoxy)methane	111-91-1		NA		NA	mg/kg	0.21	U	0.23	U	0.22	U	0.22	U	0.21	U	0.22	U
Hexachlorobutadiene	87-68-3		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Hexachlorocyclopentadiene	77-47-4		NA		NA	mg/kg	0.56	U	0.61	U	0.58	U	0.57	U	0.57	U	0.59	U
Hexachloroethane	67-72-1		NA		NA	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Isophorone	78-59-1		NA		NA	mg/kg	0.18	U	0.19	U	0.18	U	0.18	U	0.18	U	0.18	U
Naphthalene	91-20-3		500		12	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Nitrobenzene	98-95-3		0.17 ⁽³⁾		0.17 ⁽³⁾	mg/kg	0.18	U	0.19	U	0.18	U	0.18	U	0.18	U	0.18	U
NDPA/DPA	86-30-6		NA		NA	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
n-Nitrosodi-n-propylamine	621-64-7		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Bis(2-ethylhexyl)phthalate	117-81-7		50 ⁽²⁾		50 ⁽²⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Butyl benzyl phthalate	85-68-7		100 ⁽²⁾		100 ⁽²⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Di-n-butylphthalate	84-74-2		0.014 ⁽¹⁾		0.014 ⁽¹⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Di-n-octylphthalate	117-84-0		100 ⁽²⁾		100 ⁽²⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Diethyl phthalate	84-66-2		7.1 ⁽³⁾		7.1 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Dimethyl phthalate	131-11-3		27 ⁽³⁾		27 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Benzo(a)anthracene	56-55-3		5.6		1	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Benzo(a)pyrene	50-32-8		1		1	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Benzo(b)fluoranthene	205-99-2		5.6		1	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Benzo(k)fluoranthene	207-08-9		56		0.8	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Chrysene	218-01-9		56		1	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Acenaphthylene	208-96-8		500		100	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Anthracene	120-12-7		500		100	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Benzo(ghi)perylene	191-24-2		500		100	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Fluorene	86-73-7		500		30	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Phenanthrene	85-01-8		500		100	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Dibenzo(a,h)anthracene	53-70-3		0.56		0.33	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Indeno(1,2,3-cd)pyrene	193-39-5		5.6		0.5	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Pyrene	129-00-0		500		100	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
Biphenyl	92-52-4		NA		NA	mg/kg	0.45	U	0.49	U	0.46	U	0.46	U	0.45	U	0.47	U
4-Chloroaniline	106-47-8		0.22 ⁽³⁾		0.22 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2-Nitroaniline	88-74-4		0.4 ⁽³⁾		0.4 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
3-Nitroaniline	99-09-2		0.5 ⁽³⁾		0.5 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
4-Nitroaniline	100-01-6		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Dibenzofuran	132-64-9		350		7	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2-Methylnaphthalene	91-57-6		0.41 ⁽²⁾		0.41 ⁽²⁾	mg/kg	0.24	U	0.26	U	0.24	U	0.24	U	0.24	U	0.25	U
1,2,4,5-Tetrachlorobenzene	95-94-3		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Acetophenone	98-86-2		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2,4,6-Trichlorophenol	88-06-2		0.17 ⁽¹⁾		0.17 ⁽¹⁾	mg/kg	0.12	U	0.13	U	0.12	U	0.12	U	0.12	U	0.12	U
p-Chloro-m-cresol	59-50-7		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2-Chlorophenol	95-57-8		0.8 ⁽¹⁾		0.8 ⁽¹⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2,4-Dichlorophenol	120-83-2		0.4 ⁽³⁾		0.4 ⁽³⁾	mg/kg	0.18	U	0.19	U	0.18	U	0.18	U	0.18	U	0.18	U
2,4-Dimethylphenol	105-67-9		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2-Nitrophenol	88-75-5		0.3 ⁽³⁾		0.3 ⁽³⁾	mg/kg	0.42	U	0.46	U	0.44	U	0.43	U	0.43	U	0.44	U
4-Nitrophenol	100-02-7		0.1 ⁽³⁾		0.1 ⁽³⁾	mg/kg	0.27	U	0.3	U	0.28	U	0.28	U	0.28	U	0.29	U
2,4-Dinitrophenol	51-28-5		0.2 ⁽³⁾		0.2 ⁽³⁾	mg/kg	0.94	U	1	U	0.98	U	0.96	U	0.95	U	0.98	U
4,6-Dinitro-o-cresol	534-52-1		NA		NA	mg/kg	0.51	U	0.56	U	0.53	U	0.52	U	0.52	U	0.53	U
Pentachlorophenol	87-86-5		6.7		0.8	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Phenol	108-95-2		500		0.33	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2-Methylphenol	95-48-7		500		0.33	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
3-Methylphenol/4-Methylphenol	108-39-4		500		0.33	mg/kg	0.28	U	0.31	U	0.29	U	0.29	U	0.29	U	0.3	U
2,4,5-Trichlorophenol	95-95-4		0.1 ⁽³⁾		0.1 ⁽³⁾	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Carbazole	86-74-8		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
Atrazine	1912-24-9		NA		NA	mg/kg	0.16	U	0.17	U	0.16	U	0.16	U	0.16	U	0.16	U
Benzaldehyde	100-52-7		NA		NA	mg/kg	0.26	U	0.28	U	0.27	U	0.26	U	0.26	U	0.27	U
Caprolactam	105-60-2		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U
2,3,4,6-Tetrachlorophenol	58-90-2		NA		NA	mg/kg	0.2	U	0.21	U	0.2	U	0.2	U	0.2	U	0.2	U

Notes:
SVOC analysis via USEPA Method 8270.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
U - Not detected at the reported detection limit for the sample.
J - Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 1c
Summary of Pesticides in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	RIGP-3-01192017		RIGP-7-01242017 (0-10)		RIGP-8-01242017 (0.5-5.5)		RIGP-15 01312017 2'-3'		RIGP-16 02012017 8'-10'	
SAMPLING DATE				1/19/2017		1/24/2017		1/24/2017		1/31/2017		2/1/2017	
SAMPLE DEPTH (ft.)				8-12		0-10		0.5-5.5		2-3		8-10	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Organochlorine Pesticides by GC													
Delta-BHC	500	0.04	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Lindane	9.2	0.1	mg/kg	0.000763	U	0.000866	U	0.000797	U	0.000799	U	0.000791	U
Alpha-BHC	3.4	0.02	mg/kg	0.000763	U	0.000866	U	0.000797	U	0.000799	U	0.000791	U
Beta-BHC	3	0.036	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Heptachlor	15	0.042	mg/kg	0.000916	U	0.00104	U	0.000956	U	0.000958	U	0.000949	U
Aldrin	0.68	0.005	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Heptachlor epoxide	0.077 ²	0.077 ²	mg/kg	0.00343	U	0.0039	U	0.00358	U	0.00359	U	0.00356	U
Endrin	89	0.014	mg/kg	0.000763	U	0.000866	U	0.000797	U	0.000799	U	0.000791	U
Endrin aldehyde	NA	NA	mg/kg	0.00229	U	0.0026	U	0.00239	U	0.0024	U	0.00237	U
Endrin ketone	NA	NA	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Dieldrin	1.4	0.005	mg/kg	0.00114	U	0.000666	J	0.0012	U	0.0012	U	0.00119	U
4,4'-DDE	62	0.0033	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
4,4'-DDD	92	0.0033	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
4,4'-DDT	47	0.0033	mg/kg	0.00343	U	0.0039	U	0.00358	U	0.00359	U	0.00356	U
Endosulfan I	200	2.4	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Endosulfan II	200	2.4	mg/kg	0.00183	U	0.00208	U	0.00191	U	0.00192	U	0.0019	U
Endosulfan sulfate	200	2.4	mg/kg	0.000763	U	0.000866	U	0.000797	U	0.000799	U	0.000791	U
Methoxychlor	1.2 ⁽¹⁾	1.2 ⁽¹⁾	mg/kg	0.00343	U	0.0039	U	0.00358	U	0.00359	U	0.00356	U
Toxaphene	NA	NA	mg/kg	0.0343	U	0.039	U	0.0358	U	0.0359	U	0.0356	U
cis-Chlordane	24	0.094	mg/kg	0.00229	U	0.0026	U	0.00239	U	0.0024	U	0.00237	U
trans-Chlordane	0.54 ⁽²⁾	0.54 ⁽²⁾	mg/kg	0.00229	U	0.0026	U	0.00239	U	0.00351		0.00237	U
Chlordane	NA	NA	mg/kg	0.0149	U	0.0169	U	0.0155	U	0.0156	U	0.0154	U

Notes:
Pesticide analysis via USEPA Method 8081.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 1d
Summary of Target Analyte List (TAL) Metals and Cyanide in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	RIGP-3-01192017		RIGP-7-01242017 (0-10)		RIGP-7-01242017 (10-12)		RIGP-8-01242017 (0.5-5.5)		RIGP-8-01242017 (5.5-7.5)		RIGP-11-01252017 (5-7)		RIGP-13-01272017		RIGP-14-01302017 (11-13)		RIGP-15 01312017 2'-3'		RIGP-16 02012017 8'-10'	
SAMPLING DATE				1/19/2017		1/24/2017		1/24/2017		1/24/2017		1/24/2017		1/25/2017		1/27/2017		1/30/2017		1/31/2017		2/1/2017	
SAMPLE DEPTH (ft.)				8-12		0-10		10-12		0.5-5.5		5.5-7.5		5-7		10-12		11-13		2-3		8-10	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Cyanide, Total	27	27	mg/kg	0.2	J	1.2	U	1.1	U	1.1	U	1.2	U	1.2	U	-	-	2.2	U	0.19	J	0.24	J
Aluminum, Total	10,000 ⁽¹⁾	10,000 ⁽¹⁾	mg/kg	2600		3100		2800		3600		3300		2900		3100		2800		3000		3500	
Antimony, Total	12 ⁽¹⁾	12 ⁽¹⁾	mg/kg	4.6	U	5	U	4.7	U	4.7	U	5	U	5	U	4.8	U	4.5	U	4.8	U	4.8	U
Arsenic, Total	16	13	mg/kg	2.1		1.4		1.4		2		1.4		1.3		3.4		1.6		1.3		1	
Barium, Total	400	350	mg/kg	37		23		14		21		23		15		15		41		11		15	
Beryllium, Total	590	7.2	mg/kg	0.1	J	0.05	J	0.04	J	0.08	J	0.06	J	0.05	J	0.05	J	0.05	J	0.04	J	0.06	J
Cadmium, Total	9.3	2.5	mg/kg	0.93	U	1	U	0.94	U	0.94	U	0.99	U	1	U	0.97	U	0.9	U	0.96	U	0.97	U
Calcium, Total	10,000 ⁽¹⁾	10,000 ⁽¹⁾	mg/kg	34000		36000		35000		32000		35000		29000		7300		58000		24000		12000	
Chromium, Total	1500	30	mg/kg	11		6.9		7.6		7.1		6.5		6		6.1		5.9		5		6.6	
Cobalt, Total	20 ⁽¹⁾	20 ⁽¹⁾	mg/kg	2.5		2.9		2.7		3.3		3.1		2.8		3		3		3		3.5	
Copper, Total	270	50	mg/kg	6.2		7.4		6.9		7.6		6.5		5.5		3.5		7.7		5.4		7.6	
Iron, Total	2,000 ⁽²⁾	2,000 ⁽²⁾	mg/kg	8300		8400		7900		9000		8700		8000		12000		8200		8300		10000	
Lead, Total	1000	63	mg/kg	1.5	J	2.5	J	2.2	J	3.3	J	2.5	J	2.2	J	3	J	7		2.2	J	2.4	J
Magnesium, Total	NA	NA	mg/kg	9000		9600		9900		8400		9100		8200		3000		27000		6100		4300	
Manganese, Total	10000	1600	mg/kg	230		270		240		270		280		230		79		280		240		280	
Mercury, Total	2.8	0.18	mg/kg	0.08	U	0.02	J	0.02	J	0.02	J	0.02	J	0.02	J	0.02	J	0.08	U	0.08	U	0.08	U
Nickel, Total	310	30	mg/kg	5.5		6		5.6		6.6		7		5.7		5		7.6		6.3		7.1	
Potassium, Total	NA	NA	mg/kg	320		320		270		330		340		290		350		430		260		280	
Selenium, Total	1500	3.9	mg/kg	1.8	U	2	U	1.9	U	1.9	U	2	U	2	U	1.9	U	1.8	U	1.9	U	1.9	U
Silver, Total	1500	2	mg/kg	0.93	U	1	U	0.94	U	0.94	U	0.99	U	1	U	0.97	U	0.9	U	0.96	U	0.97	U
Sodium, Total	NA	NA	mg/kg	600		100	J	100	J	100	J	100	J	95	J	220		160	J	130	J	150	J
Thallium, Total	5 ⁽¹⁾	5 ⁽¹⁾	mg/kg	1.8	U	2	U	1.9	U	1.9	U	2	U	2	U	1.9	U	1.8	U	1.9	U	1.9	U
Vanadium, Total	39 ⁽¹⁾	39 ⁽¹⁾	mg/kg	12		11		11		12		11		10		9.8		8.5		9.5		13	
Zinc, Total	10000	109	mg/kg	14		16		14		18		16		15		26		29		15		18	

Notes:
Metal analysis via USEPA Methods 6010, 7471.
Cyanide analysis via USEPA Method 9010B/9012A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
NA - Not applicable/not listed
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 1e
Summary of Polychlorinated Biphenyls (PCBs) and Total Organic Carbon (TOC) in Subsurface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	RIGP-3-01192017		RIGP-7-01242017 (0-10)		RIGP-8-01242017 (0.5-5.5)		RIGP-13-01272017		RIGP-14-01302017		RIGP-15 01312017 2'-3'		RIGP-16 02012017 8'-10'		RIGP-16 02012017 10'	
SAMPLING DATE				1/19/2017		1/24/2017		1/24/2017		1/27/2017		1/30/2017		1/31/2017		2/1/2017		2/1/2017	
SAMPLE DEPTH (ft.)				8-12		0-10		0.5-5.5		15-17		15-17		2-3		8-10		10	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Polychlorinated Biphenyls																			
Aroclor 1016	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1221	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1232	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1242	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1248	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1254	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1260	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1262	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Aroclor 1268	NA	NA	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
PCBs, Total	1	0.1	mg/kg	0.0382	U	0.0421	U	0.0405	U	-	-	-	-	0.0382	U	0.041	U	-	-
Total Organic Carbon																			
Total Organic Carbon	NA	NA	%	-	-	-	-	-	-	1.51		0.463		-	-	-	-	0.011	

Notes:
PCB analysis via USEPA Method 8082.
TOC analysis via USEPA Method 9060A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2a - Page 1 of 2
Summary of Volatile Organic Compounds in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017		SS-1 (2-12)-02032017		SS-2 (0-2)-02032017		SS-2 (2-12)-02032017		DUPLICATE-02032017		SS-3 (0-2)-02062017		SS-3 (2-12)-02062017		SS-4 (0-2)-02062017		SS-4 (2-12)-02062017		SS-5 (0-2)-02062017		SS-5 (2-12)-02062017	
SAMPLING DATE				2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017	
SAMPLE DEPTH (in.)				0-2"		2"-12"		0-2"		2"-12"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Volatile Organics by 8260/5035																									
Methylene chloride	500	0.05	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U	0.01	U	0.0086	U	0.011	U	0.0094	U
1,1-Dichloroethane	240	0.27	mg/kg	0.0017	U	0.0015	U	0.0019	U	0.0017	U	0.0014	U	0.0017	U	0.0014	U	0.0016	U	0.0013	U	0.0017	U	0.0014	U
Chloroform	350	0.37	mg/kg	0.0017	U	0.0015	U	0.0019	U	0.0017	U	0.0014	U	0.0017	U	0.0014	U	0.0016	U	0.0013	U	0.0017	U	0.0014	U
Carbon tetrachloride	22	0.76	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
1,2-Dichloropropane	700 ⁽¹⁾	700 ⁽¹⁾	mg/kg	0.004	U	0.0035	U	0.0045	U	0.0041	U	0.0033	U	0.0039	U	0.0032	U	0.0037	U	0.003	U	0.0039	U	0.0033	U
Dibromochloromethane	10 ⁽¹⁾	10 ⁽¹⁾	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
1,1,2-Trichloroethane	NA	NA	mg/kg	0.0017	U	0.0015	U	0.0019	U	0.0017	U	0.0014	U	0.0017	U	0.0014	U	0.0016	U	0.0013	U	0.0017	U	0.0014	U
Tetrachloroethene	150	1.3	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Chlorobenzene	500	1.1	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Trichlorofluoromethane	NA	NA	mg/kg	0.0057	U	0.005	U	0.0064	U	0.0058	U	0.0047	U	0.0055	U	0.0045	U	0.0052	U	0.0043	U	0.0056	U	0.0047	U
1,2-Dichloroethane	30	0.02	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
1,1,1-Trichloroethane	500	0.68	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Bromodichloromethane	NA	NA	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
trans-1,3-Dichloropropene	NA	NA	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
cis-1,3-Dichloropropene	NA	NA	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Bromoform	NA	NA	mg/kg	0.0046	U	0.004	U	0.0051	U	0.0046	U	0.0038	U	0.0044	U	0.0036	U	0.0042	U	0.0034	U	0.0045	U	0.0037	U
1,1,2,2-Tetrachloroethane	0.6 ⁽³⁾	0.6 ⁽³⁾	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Benzene	44	0.06	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
Toluene	500	0.7	mg/kg	0.0017	U	0.0015	U	0.0019	U	0.0017	U	0.0014	U	0.0017	U	0.0014	U	0.0016	U	0.0013	U	0.0017	U	0.0013	J
Ethylbenzene	390	1	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00045	J
Chloromethane	NA	NA	mg/kg	0.0057	U	0.005	U	0.0064	U	0.0058	U	0.0047	U	0.0055	U	0.0045	U	0.0052	U	0.0043	U	0.0056	U	0.0047	U
Bromomethane	NA	NA	mg/kg	0.00043	J	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
Vinyl chloride	13	0.02	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
Chloroethane	NA	NA	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
1,1-Dichloroethene	500	0.33	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00094	U
trans-1,2-Dichloroethene	500	0.19	mg/kg	0.0017	U	0.0015	U	0.0019	U	0.0017	U	0.0014	U	0.0017	U	0.0014	U	0.0016	U	0.0013	U	0.0017	U	0.0014	U
Trichloroethene	200	0.47	mg/kg	0.0011	U	0.00088	J	0.0011	J	0.00065	J	0.0005	J	0.00065	J	0.00036	J	0.00049	J	0.0011	U	0.00034	J	0.0021	U
1,2-Dichlorobenzene	500	1.1	mg/kg	0.0057	U	0.005	U	0.0064	U	0.0058	U	0.0047	U	0.0055	U	0.0045	U	0.0052	U	0.0043	U	0.0056	U	0.0047	U
1,3-Dichlorobenzene	280	2.4	mg/kg	0.0057	U	0.005	U	0.0064	U	0.0058	U	0.0047	U	0.0055	U	0.0045	U	0.0052	U	0.0043	U	0.0056	U	0.0047	U
1,4-Dichlorobenzene	130	1.8	mg/kg	0.0057	U	0.005	U	0.0064	U	0.0058	U	0.0047	U	0.0055	U	0.0045	U	0.0052	U	0.0043	U	0.0056	U	0.0047	U
Methyl tert butyl ether	500	0.93	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
p/m-Xylene	NA	NA	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.00097	J
o-Xylene	NA	NA	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
Total Xylene	500	0.26	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.00097	J
cis-1,2-Dichloroethene	500	0.25	mg/kg	0.0011	U	0.00099	U	0.0013	U	0.0012	U	0.00094	U	0.0011	U	0.0009	U	0.001	U	0.00086	U	0.0011	U	0.00033	J
Styrene	300 ⁽¹⁾	300 ⁽¹⁾	mg/kg	0.0023	U	0.002	U	0.0026	U	0.0023	U	0.0019	U	0.0022	U	0.0018	U	0.0021	U	0.0017	U	0.0022	U	0.0019	U
Dichlorodifluoromethane	NA	NA	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U	0.01	U	0.0086	U	0.011	U	0.0094	U
Acetone	500	0.05	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.0032	J	0.009	U	0.0025	J	0.0016	J	0.011	U	0.0052	J
Carbon disulfide	2.7 ⁽³⁾	2.7 ⁽³⁾	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U	0.01	U	0.0086	U	0.011	U	0.0094	U
2-Butanone	500	0.12	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U	0.01	U	0.0086	U	0.011	U	0.0094	U
4-Methyl-2-pentanone	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U	0.01	U	0.0086	U	0.011	U	0.0094	U
2-Hexanone	NA	NA	mg/kg	0.011	U	0.0099	U	0.013	U	0.012	U	0.0094	U	0.011	U	0.009	U								

Table 2a - Page 2 of 2
Summary of Volatile Organic Compounds in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-6 (0-2)-02062017		SS-6 (2-12)-02062017		SS-7 (0-2)-02062017		SS-7 (2-12)-02062017		SS-8 (0-2)-02062017		SS-8 (2-12)-02062017		SS-9 (0-2)-02062017		SS-9 (2-12)-02062017		SS-10 (0-2)-02072017		SS-10 (2-12)-02072017		SS-11 (0-2)-02072017		SS-11 (2-12)-02072017		DUPLICATE-02072017	
SAMPLING DATE				2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017	
SAMPLE DEPTH (in.)				0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Volatile Organics by 8260/5035																													
Methylene chloride	500	0.05	mg/kg	0.01	U	0.0091	U	0.01	U	0.0082	U	0.012	U	0.011	U	0.011	U	0.0093	U	0.01	U	0.016	U	0.012	U	0.0098	U	0.011	U
1,1-Dichloroethane	240	0.27	mg/kg	0.0015	U	0.0014	U	0.0015	U	0.0012	U	0.0018	U	0.0016	U	0.0017	U	0.0014	U	0.0015	U	0.0024	U	0.0017	U	0.0015	U	0.0017	U
Chloroform	350	0.37	mg/kg	0.0015	U	0.0014	U	0.0015	U	0.0012	U	0.0018	U	0.0016	U	0.0017	U	0.0014	U	0.0015	U	0.0024	U	0.0017	U	0.0015	U	0.0017	U
Carbon tetrachloride	22	0.76	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
1,2-Dichloropropane	700 ⁽¹⁾	700 ⁽¹⁾	mg/kg	0.0036	U	0.0032	U	0.0035	U	0.0029	U	0.0042	U	0.0038	U	0.0039	U	0.0032	U	0.0036	U	0.0055	U	0.004	U	0.0034	U	0.004	U
Dibromochloromethane	10 ⁽¹⁾	10 ⁽¹⁾	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
1,1,2-Trichloroethane	NA	NA	mg/kg	0.0015	U	0.0014	U	0.0015	U	0.0012	U	0.0018	U	0.0016	U	0.0017	U	0.0014	U	0.0015	U	0.0024	U	0.0017	U	0.0015	U	0.0017	U
Tetrachloroethene	150	1.3	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Chlorobenzene	500	1.1	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Trichlorofluoromethane	NA	NA	mg/kg	0.0051	U	0.0045	U	0.005	U	0.0041	U	0.0059	U	0.0054	U	0.0055	U	0.0046	U	0.0051	U	0.0079	U	0.0058	U	0.0049	U	0.0057	U
1,2-Dichloroethane	30	0.02	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
1,1,1-Trichloroethane	500	0.68	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Bromodichloromethane	NA	NA	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
trans-1,3-Dichloropropene	NA	NA	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
cis-1,3-Dichloropropene	NA	NA	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Bromoform	NA	NA	mg/kg	0.0041	U	0.0036	U	0.004	U	0.0033	U	0.0047	U	0.0043	U	0.0044	U	0.0037	U	0.0041	U	0.0063	U	0.0046	U	0.0039	U	0.0045	U
1,1,2,2-Tetrachloroethane	0.6 ⁽³⁾	0.6 ⁽³⁾	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Benzene	44	0.06	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Toluene	500	0.7	mg/kg	0.0015	U	0.0014	U	0.0015	U	0.0012	U	0.0018	U	0.0016	U	0.0017	U	0.00077	J	0.0015	U	0.0024	U	0.0017	U	0.0015	U	0.0017	U
Ethylbenzene	390	1	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0016	J
Chloromethane	NA	NA	mg/kg	0.0051	U	0.0045	U	0.005	U	0.0041	U	0.0059	U	0.0054	U	0.0055	U	0.0046	U	0.0051	U	0.0079	U	0.0058	U	0.0049	U	0.0057	U
Bromomethane	NA	NA	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
Vinyl chloride	13	0.02	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
Chloroethane	NA	NA	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
1,1-Dichloroethene	500	0.33	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
trans-1,2-Dichloroethene	500	0.19	mg/kg	0.0015	U	0.0014	U	0.0015	U	0.0012	U	0.0018	U	0.0016	U	0.0017	U	0.0014	U	0.0015	U	0.0024	U	0.0017	U	0.0015	U	0.0017	U
Trichloroethene	200	0.47	mg/kg	0.0035	J	0.00019	J	0.00032	J	0.00082	U	0.00017	J	0.00022	J	0.00014	J	0.00014	J	0.001	U	0.0014	J	0.0012	U	0.00098	U	0.0011	U
1,2-Dichlorobenzene	500	1.1	mg/kg	0.0051	U	0.0045	U	0.005	U	0.0041	U	0.0059	U	0.0054	U	0.0055	U	0.0046	U	0.0051	U	0.0079	U	0.0058	U	0.0049	U	0.0057	U
1,3-Dichlorobenzene	280	2.4	mg/kg	0.0051	U	0.0045	U	0.005	U	0.0041	U	0.0059	U	0.0054	U	0.0055	U	0.0046	U	0.0051	U	0.0079	U	0.0058	U	0.0049	U	0.0057	U
1,4-Dichlorobenzene	130	1.8	mg/kg	0.0051	U	0.0045	U	0.005	U	0.0041	U	0.0059	U	0.0054	U	0.0055	U	0.0046	U	0.0051	U	0.0079	U	0.0058	U	0.0049	U	0.0057	U
Methyl tert butyl ether	500	0.93	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
p/m-Xylene	NA	NA	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
o-Xylene	NA	NA	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
Total Xylene	500	0.26	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
cis-1,2-Dichloroethene	500	0.25	mg/kg	0.001	U	0.00091	U	0.001	U	0.00082	U	0.0012	U	0.0011	U	0.0011	U	0.00093	U	0.001	U	0.0016	U	0.0012	U	0.00098	U	0.0011	U
Styrene	300 ⁽¹⁾	300 ⁽¹⁾	mg/kg	0.002	U	0.0018	U	0.002	U	0.0016	U	0.0024	U	0.0022	U	0.0022	U	0.0018	U	0.002	U	0.0031	U	0.0023	U	0.002	U	0.0023	U
Dichlorodifluoromethane	NA	NA	mg/kg	0.01	U	0.0091	U	0.01	U	0.0082	U	0.012	U	0.011	U	0.011	U	0.0093	U	0.01	U	0.016	U	0.012	U	0.0098	U	0.011	U
Acetone	500	0.05	mg/kg	0.0028	J	0.0028	J	0.0023	J	0.0082	U	0.0047	J	0.0088	J	0.0022	J	0.0049	J	0.01	U	0.016	U	0.012	U	0.0011	J	0.012	U
Carbon disulfide	2.7 ⁽³⁾	2.7 ⁽³⁾	mg/kg	0.01	U	0.0091	U	0.01	U	0.0082	U	0.012	U	0.011	U	0.011	U	0.0093	U	0.01	U	0.016	U	0.012	U	0.0098	U	0.011	U
2-Butanone	500	0.12	mg/kg	0.01	U	0.0091	U	0.01	U	0.0082	U	0.012	U	0.011	U	0.011	U	0.0093	U	0.01	U	0.016	U	0.012	U	0.0098	U	0.011	U
4-Methyl-2-pentanone	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg																										

Table 2b - Page 1 of 2
Summary of Semi-Volatile Organic Compounds in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID		NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017		SS-1 (2-12)-02032017		SS-2 (0-2)-02032017		SS-2 (2-12)-02032017		DUPLICATE-02032017		SS-3 (0-2)-02062017		SS-3 (2-12)-02062017		SS-4 (0-2)-02062017		SS-4 (2-12)-02062017		SS-5 (0-2)-02062017		SS-5 (2-12)-02062017				
SAMPLING DATE					2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		
SAMPLE DEPTH (ft.)					0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"
	CasNum	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Semivolatile Organics by GC/MS																													
Acenaphthene	83-32-9	500	20	mg/kg	0.048	J	0.071	J	0.67		1.8		1.8		0.24		0.26		0.078	J	0.029	J	0.051	J	0.16	U			
Hexachlorobenzene	118-74-1	6	0.33	mg/kg	0.14	U	0.12	U	0.13	U	0.13	U	0.13	U	0.13	U	0.11	U	0.13	U	0.12	U	0.13	U	0.12	U			
Bis(2-chloroethyl)ether	111-44-4	NA	NA	mg/kg	0.21	U	0.17	U	0.2	U	0.2	U	0.19	U	0.19	U	0.17	U	0.19	U	0.18	U	0.2	U	0.18	U			
2-Chloronaphthalene	91-58-7	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
3,3'-Dichlorobenzidine	91-94-1	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
2,4-Dinitrotoluene	121-14-2	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
2,6-Dinitrotoluene	606-20-2	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Fluoranthene	206-44-0	500	100	mg/kg	0.81		0.86		6.9		16	D	18	D	2.4		2.3		1.4		0.71		1.5		0.59				
4-Chlorophenyl phenyl ether	7005-72-3	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
4-Bromophenyl phenyl ether	101-55-3	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Bis(2-chloroisopropyl)ether	108-60-1	NA	NA	mg/kg	0.28	U	0.23	U	0.26	U	0.27	U	0.25	U	0.25	U	0.22	U	0.26	U	0.24	U	0.26	U	0.24	U			
Bis(2-chloroethoxy)methane	111-91-1	NA	NA	mg/kg	0.26	U	0.21	U	0.24	U	0.24	U	0.23	U	0.23	U	0.2	U	0.23	U	0.21	U	0.23	U	0.22	U			
Hexachlorobutadiene	87-68-3	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Hexachlorocyclopentadiene	77-47-4	NA	NA	mg/kg	0.68	U	0.55	U	0.63	U	0.64	U	0.61	U	0.61	U	0.53	U	0.61	U	0.56	U	0.62	U	0.58	U			
Hexachloroethane	67-72-1	NA	NA	mg/kg	0.19	U	0.15	U	0.18	U	0.18	U	0.17	U	0.17	U	0.15	U	0.17	U	0.16	U	0.17	U	0.16	U			
Isophorone	78-59-1	NA	NA	mg/kg	0.21	U	0.17	U	0.2	U	0.2	U	0.19	U	0.19	U	0.17	U	0.19	U	0.18	U	0.2	U	0.18	U			
Naphthalene	91-20-3	500	12	mg/kg	0.24	U	0.024	J	0.14	J	0.53		0.46		0.068	J	0.056	J	0.21	U	0.2	U	0.22	U	0.2	U			
Nitrobenzene	98-95-3	0.17 ⁽³⁾	0.17 ⁽³⁾	mg/kg	0.21	U	0.17	U	0.2	U	0.2	U	0.19	U	0.19	U	0.17	U	0.19	U	0.18	U	0.2	U	0.18	U			
NDPA/DPA	86-30-6	NA	NA	mg/kg	0.19	U	0.15	U	0.18	U	0.18	U	0.17	U	0.17	U	0.15	U	0.17	U	0.16	U	0.17	U	0.16	U			
n-Nitrosodi-n-propylamine	621-64-7	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Bis(2-ethylhexyl)phthalate	117-81-7	50 ⁽²⁾	50 ⁽²⁾	mg/kg	0.24	U	0.089	J	0.22	U	0.22	U	0.21	U	0.27	U	0.18	U	0.16	J	0.2	U	0.22	U	0.2	U			
Butyl benzyl phthalate	85-68-7	100 ⁽²⁾	100 ⁽²⁾	mg/kg	0.24	U	0.056	J	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Di-n-butylphthalate	84-74-2	0.014 ⁽¹⁾	0.014 ⁽¹⁾	mg/kg	0.24	U	0.036	J	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.095	J	0.069	J	0.22	U	0.2	U			
Di-n-octylphthalate	117-84-0	100 ⁽²⁾	100 ⁽²⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Diethyl phthalate	84-66-2	7.1 ⁽³⁾	7.1 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Dimethyl phthalate	131-11-3	27 ⁽³⁾	27 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
Benzo(a)anthracene	56-55-3	5.6	1	mg/kg	0.32		0.35		2.6		6		6.3		1		0.9		0.58		0.28		0.62		0.25				
Benzo(a)pyrene	50-32-8	1	1	mg/kg	0.37		0.39		2.6		5.7		6.1		1		0.91		0.62		0.32		0.67		0.27				
Benzo(b)fluoranthene	205-99-2	5.6	1	mg/kg	0.53		0.54		3.7		7.7		11	D	1.5		1.2		0.87		0.41		0.87		0.36				
Benzo(k)fluoranthene	207-08-9	56	0.8	mg/kg	0.17		0.19		1.3		2.7		2.9		0.42		0.41		0.25		0.14		0.32		0.12				
Chrysene	218-01-9	56	1	mg/kg	0.41		0.41		3.1		6.5		7.1		1.1		1		0.65		0.31		0.67		0.27				
Acenaphthylene	208-96-8	500	100	mg/kg	0.19	U	0.15	U	0.042	J	0.076	J	0.087	J	0.17	U	0.15	U	0.17	U	0.16	U	0.17	U	0.16	U			
Anthracene	120-12-7	500	100	mg/kg	0.082	J	0.11	J	0.82		2.3		2.2		0.27		0.31		0.15		0.062	J	0.14		0.052	J			
Benzo(ghi)perylene	191-24-2	500	100	mg/kg	0.3		0.27		1.6		3.3		3.6		0.65		0.53		0.4		0.21		0.44		0.18				
Fluorene	86-73-7	500	30	mg/kg	0.036	J	0.055	J	0.43		1.2		1.2		0.15	J	0.17	J	0.068	J	0.022	J	0.04	J	0.2	U			
Phenanthrene	85-01-8	500	100	mg/kg	0.39		0.47		4.9		13	D	13	D	1.6		1.7		0.85		0.33		0.68		0.23				
Dibenzo(a,h)anthracene	53-70-3	0.56	0.33	mg/kg	0.06	J	0.059	J	0.4		0.86		0.98		0.15		0.14		0.091	J	0.04	J	0.094	J	0.038	J			
Indeno(1,2,3-cd)pyrene	193-39-5	5.6	0.5	mg/kg	0.28		0.28		1.8		3.8		4.1		0.71		0.62		0.44		0.23		0.5		0.2				
Pyrene	129-00-0	500	100	mg/kg	0.65		0.7		5.4		13	D	14	D	1.8		1.7		1.1		0.55		1.1		0.45				
Biphenyl	92-52-4	NA	NA	mg/kg	0.54	U	0.44	U	0.5	U	0.076	J	0.084	J	0.48	U	0.42	U	0.49	U	0.45	U	0.5	U	0.46	U			
4-Chloroaniline	106-47-8	0.22 ⁽³⁾	0.22 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
2-Nitroaniline	88-74-4	0.4 ⁽³⁾	0.4 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
3-Nitroaniline	99-09-2	0.5 ⁽³⁾	0.5 ⁽³⁾	mg/kg	0.24	U	0.19	U	0.22	U	0.22	U	0.21	U	0.21	U	0.18	U	0.21	U	0.2	U	0.22	U	0.2	U			
4-Nitroaniline	100-01-6	NA	NA	mg/kg	0.24	U	0.19	U	0.22	U	0.																		

Table 2b - Page 2 of 2
Summary of Semi-Volatile Organic Compounds in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID SAMPLING DATE SAMPLE DEPTH (ft.)		NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-6 (0-2)-02062017 2/6/2017 0-2"		SS-6 (2-12)-02062017 2/6/2017 2"-12"		SS-7 (0-2)-02062017 2/6/2017 0-2"		SS-7 (2-12)-02062017 2/6/2017 2"-12"		SS-8 (0-2)-02062017 2/6/2017 0-2"		SS-8 (2-12)-02062017 2/6/2017 2"-12"		SS-9 (0-2)-02062017 2/6/2017 0-2"		SS-9 (2-12)-02062017 2/6/2017 2"-12"		S-10 (0-2)-02072017 2/7/2017 0-2"		SS-10 (2-12)-02072017 2/7/2017 2"-12"		SS-11 (0-2)-02072017 2/7/2017 0-2"		SS-11 (2-12)-02072017 2/7/2017 2"-12"		DUPLICATE-02072017 2/7/2017 2"-12"			
		CasNum			Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Semivolatile Organics by GC/MS																																
Acenaphthene	83-32-9	500	20	mg/kg	0.46		0.78		1.7		0.9		0.072	J	0.029	J	0.12	J	0.13	J	0.053	J	0.13	J	0.029	J	0.022	J	0.17	U		
Hexachlorobenzene	118-74-1	6	0.33	mg/kg	0.13	U	0.12	U	0.63	U	0.11	U	0.14	U	0.12	U	0.13	U	0.12	U	0.14	U	0.12	U	0.14	U	0.13	U	0.13	U		
Bis(2-chloroethyl)ether	111-44-4	NA	NA	mg/kg	0.19	U	0.17	U	0.94	U	0.17	U	0.21	U	0.18	U	0.19	U	0.17	U	0.2	U	0.19	U	0.21	U	0.2	U	0.2	U		
2-Chloronaphthalene	91-58-7	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
3,3'-Dichlorobenzidine	91-94-1	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
2,4-Dinitrotoluene	121-14-2	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
2,6-Dinitrotoluene	606-20-2	1.0 ⁽³⁾	1.0 ⁽³⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Fluoranthene	206-44-0	500	100	mg/kg	4		5.2		12		6		1.6		0.84		2.4		1.4		3.1		6		2.5		1		0.11	J		
4-Chlorophenyl phenyl ether	7005-72-3	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
4-Bromophenyl phenyl ether	101-55-3	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Bis(2-chloroisopropyl)ether	108-60-1	NA	NA	mg/kg	0.26	U	0.23	U	1.2	U	0.23	U	0.28	U	0.24	U	0.26	U	0.23	U	0.27	U	0.25	U	0.28	U	0.26	U	0.26	U		
Bis(2-chloroethoxy)methane	111-91-1	NA	NA	mg/kg	0.23	U	0.21	U	1.1	U	0.2	U	0.25	U	0.21	U	0.23	U	0.21	U	0.25	U	0.22	U	0.25	U	0.23	U	0.23	U		
Hexachlorobutadiene	87-68-3	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Hexachlorocyclopentadiene	77-47-4	NA	NA	mg/kg	0.61	U	0.56	U	3	U	0.54	U	0.67	U	0.56	U	0.62	U	0.56	U	0.65	U	0.59	U	0.67	U	0.62	U	0.62	U		
Hexachloroethane	67-72-1	NA	NA	mg/kg	0.17	U	0.16	U	0.84	U	0.15	U	0.19	U	0.16	U	0.17	U	0.16	U	0.18	U	0.17	U	0.19	U	0.17	U	0.17	U		
Isophorone	78-59-1	NA	NA	mg/kg	0.19	U	0.17	U	0.94	U	0.17	U	0.21	U	0.18	U	0.19	U	0.17	U	0.2	U	0.19	U	0.21	U	0.2	U	0.2	U		
Naphthalene	91-20-3	500	12	mg/kg	0.091	J	0.24		0.63	J	0.17	J	0.23	U	0.2	U	0.22	U	0.026	J	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Nitrobenzene	98-95-3	0.17 ⁽³⁾	0.17 ⁽³⁾	mg/kg	0.19	U	0.17	U	0.94	U	0.17	U	0.21	U	0.18	U	0.19	U	0.17	U	0.2	U	0.19	U	0.21	U	0.2	U	0.2	U		
NDPA/DPA	86-30-6	NA	NA	mg/kg	0.17	U	0.16	U	0.84	U	0.15	U	0.19	U	0.16	U	0.17	U	0.16	U	0.18	U	0.17	U	0.19	U	0.17	U	0.17	U		
n-Nitrosodi-n-propylamine	621-64-7	NA	NA	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Bis(2-ethylhexyl)phthalate	117-81-7	50 ⁽²⁾	50 ⁽²⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.7		0.09	J	0.16	J	0.086	J	0.098	J	0.21	U	0.13	J	0.085	J	0.22	U		
Butyl benzyl phthalate	85-68-7	100 ⁽²⁾	100 ⁽²⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.18	J	0.42		0.11	J	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Di-n-butylphthalate	84-74-2	0.014 ⁽⁴⁾	0.014 ⁽⁴⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.044	J	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Di-n-octylphthalate	117-84-0	100 ⁽²⁾	100 ⁽²⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Diethyl phthalate	84-66-2	7.1 ⁽³⁾	7.1 ⁽³⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Dimethyl phthalate	131-11-3	27 ⁽³⁾	27 ⁽³⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
Benzo(a)anthracene	56-55-3	5.6	1	mg/kg	1.8		2.4		5.1		3		0.63		0.41		0.84		0.64		1.2		2.1		0.96		0.39		0.048	J		
Benzo(a)pyrene	50-32-8	1	1	mg/kg	1.7		2.2		4.9		3		0.69		0.4		0.92		0.64		1.4		2.3		1.2		0.41		0.054	J		
Benzo(b)fluoranthene	205-99-2	5.6	1	mg/kg	2.3		3		6.6		3.6		0.94		0.54		1.3		0.89		1.8		3.1		1.7		0.56		0.077	J		
Benzo(k)fluoranthene	207-08-9	56	0.8	mg/kg	0.74		0.84		1.8		1.1		0.32		0.2		0.44		0.32		0.63		1		0.6		0.2		0.13	U		
Chrysene	218-01-9	56	1	mg/kg	1.8		2.2		5.1		2.8		0.71		0.41		0.95		0.66		1.3		2.3		1.2		0.41		0.055	J		
Acenaphthylene	208-96-8	500	100	mg/kg	0.17	U	0.16	U	0.84	U	0.15	U	0.19	U	0.16	U	0.17	U	0.16	U	0.18	U	0.087	J	0.19	U	0.17	U	0.17	U		
Anthracene	120-12-7	500	100	mg/kg	0.69		1.1		2.3		1.2		0.15		0.079	J	0.23		0.16		0.26		0.54		0.14		0.1	J	0.13	U		
Benzo(g,h,i)perylene	131-24-2	500	100	mg/kg	0.99		1.2		2.7		1.5		0.48		0.25		0.64		0.41		0.41		1.7		0.81		0.27		0.042	J		
Fluorene	86-73-7	500	30	mg/kg	0.32		0.58		1.2		0.64		0.057	J	0.023	J	0.1	J	0.081	J	0.061	J	0.15	J	0.032	J	0.025	J	0.22	U		
Phenanthrene	85-01-8	500	100	mg/kg	2.8		4.2		9.6		4.7		0.8		0.37		1.5		0.87		1.4		2.6		0.82		0.51		0.039	J		
Dibenzo(a,h)anthracene	53-70-3	0.56	0.33	mg/kg	0.26		0.3		0.74		0.4		0.1	J	0.064	J	0.13		0.1	J	0.2		0.3		0.16		0.055	J	0.13	U		
Indeno(1,2,3-cd)pyrene	193-39-5	5.6	0.5	mg/kg	1.2		1.5		3.2		1.9		0.52		0.29		0.7		0.46		1.1		1.8		0.9		0.3		0.042	J		
Pyrene	129-00-0	500	100	mg/kg	3		3.9		9.1		4.7		1.2		0.7		1.9		1.2		2.5		4.8		2		0.81		0.09	J		
Biphenyl	92-52-4	NA	NA	mg/kg	0.49	U	0.44	U	2.4	U	0.43	U	0.53	U	0.45	U	0.49	U	0.44	U	0.52	U	0.47	U	0.54	U	0.5	U	0.49	U		
4-Chloroaniline	106-47-8	0.22 ⁽³⁾	0.22 ⁽³⁾	mg/kg	0.21	U	0.19	U	1	U	0.19	U	0.23	U	0.2	U	0.22	U	0.19	U	0.23	U	0.21	U	0.24	U	0.22	U	0.22	U		
2-Nitroaniline	88-74-4	0.4 ⁽³⁾	0.4 ⁽³⁾ </																													

Table 2c - Page 1 of 2
Summary of Pesticides in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017		SS-1 (2-12)-02032017		SS-2 (0-2)-02032017		SS-2 (2-12)-02032017		DUPLICATE-02032017		SS-3 (0-2)-02062017		SS-3 (2-12)-02062017		SS-4 (0-2)-02062017		SS-4 (2-12)-02062017		SS-5 (0-2)-02062017		SS-5 (2-12)-02062017			
SAMPLING DATE				2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017			
SAMPLE DEPTH (ft.)				0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Organochlorine Pesticides by GC																											
Delta-BHC	500	0.04	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00128	J	0.00205	U	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
Lindane	9.2	0.1	mg/kg	0.000912	U	0.000746	U	0.00085	U	0.000895	U	0.000856	U	0.000812	U	0.00074	U	0.000854	U	0.000782	U	0.00086	U	0.000776	U		
Alpha-BHC	3.4	0.02	mg/kg	0.000912	U	0.000746	U	0.00085	U	0.000895	U	0.000856	U	0.000812	U	0.00074	U	0.000854	U	0.000782	U	0.00086	U	0.000776	U		
Beta-BHC	3	0.036	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00215	U	0.00205	U	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
Heptachlor	15	0.042	mg/kg	0.00109	U	0.000895	U	0.00102	U	0.00107	U	0.00103	U	0.000974	U	0.000888	U	0.00102	U	0.000939	U	0.00103	U	0.000931	U		
Aldrin	0.68	0.005	mg/kg	0.00219	U	0.00179	U	0.00084	J	0.00215	U	0.00108	J	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.000774	J	0.000812	J		
Heptachlor epoxide	0.077 ²	0.077 ²	mg/kg	0.0041	U	0.00147	J	0.00382	U	0.00403	U	0.00294	J	0.00365	U	0.00333	U	0.00384	U	0.00352	U	0.00387	U	0.00349	U		
Endrin	89	0.014	mg/kg	0.000912	U	0.000746	U	0.00085	U	0.000895	U	0.000856	U	0.000812	U	0.00074	U	0.000854	U	0.000782	U	0.00086	U	0.000776	U		
Endrin aldehyde	NA	NA	mg/kg	0.00274	U	0.00224	U	0.00255	U	0.00268	U	0.00257	U	0.00244	U	0.00222	U	0.00256	U	0.00235	U	0.00258	U	0.00233	U		
Endrin ketone	NA	NA	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00215	U	0.00205	U	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
Dieldrin	1.4	0.005	mg/kg	0.0114		0.0278		0.0282		0.112		0.317	D	0.00899		0.0118	P	0.0196		0.0234		0.0287		0.0518			
4,4'-DDE	62	0.0033	mg/kg	0.00256	P	0.00286		0.00282		0.00622		0.00575		0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00378		0.0032			
4,4'-DDD	92	0.0033	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00215	U	0.00205	U	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
4,4'-DDT	47	0.0033	mg/kg	0.00318	J	0.00401	P	0.00544		0.00403	U	0.00385	U	0.00365	U	0.00333	U	0.00384	U	0.00352	U	0.00381	J	0.00364			
Endosulfan I	200	2.4	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00215	U	0.00205	U	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
Endosulfan II	200	2.4	mg/kg	0.00219	U	0.00179	U	0.00204	U	0.00254	PI	0.00212	PI	0.00195	U	0.00178	U	0.00205	U	0.00188	U	0.00206	U	0.00186	U		
Endosulfan sulfate	200	2.4	mg/kg	0.000912	U	0.000746	U	0.00085	U	0.000895	U	0.000856	U	0.000812	U	0.00074	U	0.000854	U	0.000782	U	0.00086	U	0.000776	U		
Methoxychlor	1.2 ⁽¹⁾	1.2 ⁽¹⁾	mg/kg	0.0041	U	0.00336	U	0.00382	U	0.00403	U	0.00385	U	0.00365	U	0.00333	U	0.00384	U	0.00352	U	0.00387	U	0.00349	U		
Toxaphene	NA	NA	mg/kg	0.041	U	0.0336	U	0.0382	U	0.0403	U	0.0385	U	0.0365	U	0.0333	U	0.0384	U	0.0352	U	0.0387	U	0.0349	U		
cis-Chlordane	24	0.094	mg/kg	0.00195	J	0.0054		0.00255	U	0.00268	U	0.00257	U	0.00244	U	0.00222	U	0.00256	U	0.00235	U	0.00258	U	0.00233	U		
trans-Chlordane	0.54 ⁽²⁾	0.54 ⁽²⁾	mg/kg	0.00209	J	0.00308	PI	0.00255	U	0.00268	U	0.00257	U	0.00244	U	0.00222	U	0.00256	U	0.00235	U	0.00258	U	0.00233	U		
Chlordane	NA	NA	mg/kg	0.0213		0.0294		0.0166	U	0.0174	U	0.0167	U	0.0158	U	0.0144	U	0.0166	U	0.0152	U	0.0168	U	0.0151	U		

Notes:
Pesticide analysis via USEPA Method 8081.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
U - Not detected at the reported detection limit for the sample.
J - Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown

²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown

³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2c - Page 2 of 2
Summary of Pesticides in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-6 (0-2)-02062017		SS-6 (2-12)-02062017		SS-7 (0-2)-02062017		SS-7 (2-12)-02062017		SS-8 (0-2)-02062017		SS-8 (2-12)-02062017		SS-9 (0-2)-02062017		SS-9 (2-12)-02062017		SS-10 (0-2)-02072017		SS-10 (2-12)-02072017		SS-11 (0-2)-02072017		SS-11 (2-12)-02072017		DUPLICATE-02072017			
SAMPLING DATE				2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017			
SAMPLE DEPTH (ft.)				0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Organochlorine Pesticides by GC																															
Delta-BHC	500	0.04	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00223	U	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
Lindane	9.2	0.1	mg/kg	0.00082	U	0.000763	U	0.000828	U	0.000735	U	0.000932	U	0.000766	U	0.000865	U	0.000759	U	0.000929	U	0.000814	U	0.000906	U	0.000854	U	0.000862	U		
Alpha-BHC	3.4	0.02	mg/kg	0.00082	U	0.000763	U	0.000828	U	0.000735	U	0.000932	U	0.000766	U	0.000865	U	0.000759	U	0.000929	U	0.000814	U	0.000906	U	0.000854	U	0.000862	U		
Beta-BHC	3	0.036	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00223	U	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
Heptachlor	15	0.042	mg/kg	0.000984	U	0.000916	U	0.000994	U	0.000882	U	0.00112	U	0.000919	U	0.00104	U	0.000911	U	0.00111	U	0.000977	U	0.00109	U	0.00102	U	0.00103	U		
Aldrin	0.68	0.005	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.000933	J	0.000731	J	0.00208	U	0.00182	U	0.00223	U	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
Heptachlor epoxide	0.077 ⁻²	0.077 ⁻²	mg/kg	0.00369	U	0.00344	U	0.00373	U	0.00331	U	0.0042	U	0.00345	U	0.00389	U	0.00342	U	0.00194	J	0.00366	U	0.00408	U	0.00384	U	0.00388	U		
Endrin	89	0.014	mg/kg	0.00082	U	0.000763	U	0.000828	U	0.000735	U	0.000932	U	0.000766	U	0.000865	U	0.000759	U	0.000929	U	0.000814	U	0.000906	U	0.000854	U	0.000862	U		
Endrin aldehyde	NA	NA	mg/kg	0.00246	U	0.00229	U	0.00412	U	0.00221	U	0.0028	U	0.0023	U	0.0026	U	0.00228	U	0.00279	U	0.00244	U	0.00272	U	0.00256	U	0.00258	U		
Endrin ketone	NA	NA	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00223	U	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
Dieldrin	1.4	0.005	mg/kg	0.0312		0.0232		0.0686		0.104		0.141		0.127		0.019		0.0495		0.00472	P	0.00248	P	0.00136	U	0.00128	U	0.00129	U		
4,4'-DDE	62	0.0033	mg/kg	0.00196	J	0.00183		0.00194	J	0.00176	U	0.00331		0.00184	U	0.00298		0.00184		0.00277	P	0.00192	J	0.00185	J	0.00205	U	0.00154	J		
4,4'-DDD	92	0.0033	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00141	J	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
4,4'-DDT	47	0.0033	mg/kg	0.00446		0.00299	J	0.00169	J	0.00331	U	0.00267	J	0.0015	J	0.00337	J	0.00216	J	0.00418	U	0.00366	U	0.00408	U	0.00384	U	0.00388	U		
Endosulfan I	200	2.4	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00223	U	0.00195	U	0.00217	U	0.00205	U	0.00207	U		
Endosulfan II	200	2.4	mg/kg	0.00197	U	0.00183	U	0.00199	U	0.00176	U	0.00224	U	0.00184	U	0.00208	U	0.00182	U	0.00223	U	0.000678	J	0.00217	U	0.00205	U	0.00207	U		
Endosulfan sulfate	200	2.4	mg/kg	0.00082	U	0.000763	U	0.000687	J	0.000735	U	0.000932	U	0.000766	U	0.000865	U	0.000759	U	0.000929	U	0.000814	U	0.000906	U	0.000854	U	0.000862	U		
Methoxychlor	1.2 ⁽¹⁾	1.2 ⁽¹⁾	mg/kg	0.00369	U	0.00344	U	0.00373	U	0.00331	U	0.0042	U	0.00345	U	0.00389	U	0.00342	U	0.00418	U	0.00366	U	0.00408	U	0.00384	U	0.00388	U		
Toxaphene	NA	NA	mg/kg	0.0369	U	0.0344	U	0.0373	U	0.0331	U	0.042	U	0.0345	U	0.0389	U	0.0342	U	0.0418	U	0.0366	U	0.0408	U	0.0384	U	0.0388	U		
cis-Chlordane	24	0.094	mg/kg	0.00246	U	0.00229	U	0.00248	U	0.00221	U	0.0028	U	0.0023	U	0.0026	U	0.00228	U	0.00279	U	0.00244	U	0.00272	U	0.00256	U	0.00258	U		
trans-Chlordane	0.54 ⁽²⁾	0.54 ⁽²⁾	mg/kg	0.00246	U	0.00229	U	0.00248	U	0.00221	U	0.0028	U	0.0023	U	0.0026	U	0.00228	U	0.00279	U	0.00244	U	0.00272	U	0.00256	U	0.00258	U		
Chlordane	NA	NA	mg/kg	0.016	U	0.0149	U	0.0162	U	0.0143	U	0.0182	U	0.0149	U	0.0169	U	0.0148	U	0.0181	U	0.0159	U	0.0177	U	0.0166	U	0.0168	U		

Notes:
Pesticide analysis via USEPA Method 8081.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2d - Page 1 of 2
Summary of Target Analyte List (TAL) Metals and Cyanide in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017	SS-1 (2-12)-02032017	SS-2 (0-2)-02032017	SS-2 (2-12)-02032017	DUPLICATE-02032017	SS-3 (0-2)-02062017	SS-3 (2-12)-02062017	SS-4 (0-2)-02062017	SS-4 (2-12)-02062017	SS-5 (0-2)-02062017	SS-5 (2-12)-02062017													
SAMPLING DATE				2/3/2017	2/3/2017	2/3/2017	2/3/2017	2/3/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017													
SAMPLE DEPTH (ft.)				0-2"	2"-12"	0-2"	2"-12"	2"-12"	0-2"	2"-12"	0-2"	2"-12"	0-2"	2"-12"	0-2"	2"-12"											
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual										
Cyanide, Total	27		27		mg/kg	1.3	U	1.1	U	0.46	J	1.1	J	0.22	J	0.28	J	1.1	U	0.26	J	1.2	U				
Aluminum, Total	10,000 ⁽¹⁾		10,000 ⁽¹⁾		mg/kg	5900		5200		5600		5800		4700		4200		6400		8700		6300		6700			
Antimony, Total	12 ⁽¹⁾		12 ⁽¹⁾		mg/kg	5.7	U	4.5	U	5.2	U	5.1	U	1	J	4.4	U	5.1	U	4.6	U	0.42	J	4.7	U		
Arsenic, Total	16		13		mg/kg	4.1		4.3		3.1		3.3		2.4		2.5		3.2		4		3		3.2			
Barium, Total	400		350		mg/kg	43		47		51		44		31		24		40		44		41		34			
Beryllium, Total	590		7.2		mg/kg	0.18	J	0.19	J	0.18	J	0.17	J	0.14	J	0.23	J	0.2	J	0.33	J	0.41	J	0.33	J		
Cadmium, Total	9.3		2.5		mg/kg	0.34	J	0.41	J	2		2.6		2.1		0.8	J	0.49	J	5		8		3.2			
Calcium, Total	10,000 ⁽¹⁾		10,000 ⁽¹⁾		mg/kg	20000		23000		12000		21000		23000		19000		30000		16000		11000		8200		13000	
Chromium, Total	1500		30		mg/kg	12		10		20		24		17		11		9.7		42		17		50		24	
Cobalt, Total	20 ⁽¹⁾		20 ⁽¹⁾		mg/kg	3.6		4.7		3.9		4.1		4.7		3.9		3.7		5.5		6.4		4.6		4.9	
Copper, Total	270		50		mg/kg	20		23		15		19		16		13		11		26		18		25		18	
Iron, Total	2,000 ⁽²⁾		2,000 ⁽²⁾		mg/kg	11000		11000		11000		12000		12000		10000		10000		13000		16000		12000		14000	
Lead, Total	1000		63		mg/kg	23		26		18		19		17		10		10		14		9.8		14		7.2	
Magnesium, Total	NA		NA		mg/kg	4500		11000		5500		7100		7600		6000		7700		5500		4100		3800		4500	
Manganese, Total	10000		1600		mg/kg	250		380		340		320		520		390		330		450		360		400		380	
Mercury, Total	2.8		0.18		mg/kg	0.08	J	0.08		0.07	J	0.12	J	0.08	J	0.03	J	0.02	J	0.04	J	0.04	J	0.04	J	0.03	J
Nickel, Total	310		30		mg/kg	8.4		9.2		13		15		14		10		8.9		30		20		32		18	
Potassium, Total	NA		NA		mg/kg	450		340		620		490		510		530		410		680		560		770		460	
Selenium, Total	1500		3.9		mg/kg	0.33	J	1.8	U	2.1	U	2.1	U	2	U	2	U	1.8	U	2	U	1.8	U	2	U	1.9	U
Silver, Total	1500		2		mg/kg	1.1	U	0.9	U	1	U	1	U	1	U	1	U	0.88	U	1	U	0.92	U	1	U	0.94	U
Sodium, Total	NA		NA		mg/kg	49	J	53	J	340		190	J	220		85	J	97	J	68	J	49	J	54	J	72	J
Thallium, Total	5 ⁽¹⁾		5 ⁽¹⁾		mg/kg	2.3	U	1.8	U	2.1	U	2.1	U	2	U	2	U	1.8	U	2	U	1.8	U	2	U	1.9	U
Vanadium, Total	39 ⁽¹⁾		39 ⁽¹⁾		mg/kg	14		12		13		14		14		13		12		16		18		15		17	
Zinc, Total	10000		109		mg/kg	55		57		52		49		44		38		31		55		46		53		35	

Notes:
Metal analysis via USEPA Methods 6010, 7471.
Cyanide analysis via USEPA Method 9010B/9012A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
NA - Not applicable/not listed
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2d - Page 2 of 2
Summary of Target Analyte List (TAL) Metals and Cyanide in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017	SS-1 (2-12)-02032017	SS-2 (0-2)-02032017	SS-2 (2-12)-02032017	DUPLICATE-02032017	SS-3 (0-2)-02062017	SS-3 (2-12)-02062017	SS-4 (0-2)-02062017	SS-4 (2-12)-02062017	SS-5 (0-2)-02062017	SS-5 (2-12)-02062017
SAMPLING DATE				2/3/2017	2/3/2017	2/3/2017	2/3/2017	2/3/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017	2/6/2017
SAMPLE DEPTH (ft.)				0-2"	2"-12"	0-2"	2"-12"	2"-12"	0-2"	2"-12"	0-2"	2"-12"	0-2"	2"-12"
				ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual	ResultsQual
Cyanide, Total	27	27	mg/kg	1.3U	1.1U	0.46J	1.1J	1.2U	0.29J	0.22J	0.28J	1.1U	0.26J	1.2U
Aluminum, Total	10,000 ⁽¹⁾	10,000 ⁽¹⁾	mg/kg	5900	5200	5600	5800	5100	4700	4200	6400	8700	6300	6700
Antimony, Total	12 ⁽¹⁾	12 ⁽¹⁾	mg/kg	5.7U	4.5U	5.2U	5.2U	5.1U	1J	4.4U	5.1U	4.6U	0.42J	4.7U
Arsenic, Total	16	13	mg/kg	4.1	4.3	3.1	3.3	3.7	2.4	2.5	3.2	4	3	3.2
Barium, Total	400	350	mg/kg	43	47	51	44	46	31	24	40	44	41	34
Beryllium, Total	590	7.2	mg/kg	0.18J	0.19J	0.18J	0.17J	0.14J	0.23J	0.2J	0.33J	0.41J	0.33J	0.31J
Cadmium, Total	9.3	2.5	mg/kg	0.34J	0.41J	2	2.6	2.1	0.8J	0.49J	5	1.1	8	3.2
Calcium, Total	10,000 ⁽¹⁾	10,000 ⁽¹⁾	mg/kg	20000	23000	12000	21000	23000	19000	30000	16000	11000	8200	13000
Chromium, Total	1500	30	mg/kg	12	10	20	24	17	11	9.7	42	17	50	24
Cobalt, Total	20 ⁽¹⁾	20 ⁽¹⁾	mg/kg	3.6	4.7	3.9	4.1	4.7	3.9	3.7	5.5	6.4	4.6	4.9
Copper, Total	270	50	mg/kg	20	23	15	19	16	13	11	26	18	25	18
Iron, Total	2,000 ⁽²⁾	2,000 ⁽²⁾	mg/kg	11000	11000	11000	12000	12000	10000	10000	13000	16000	12000	14000
Lead, Total	1000	63	mg/kg	23	26	18	19	17	10	10	14	9.8	14	7.2
Magnesium, Total	NA	NA	mg/kg	4500	11000	5500	7100	7600	6000	7700	5500	4100	3800	4500
Manganese, Total	10000	1600	mg/kg	250	380	340	320	520	390	330	450	360	400	380
Mercury, Total	2.8	0.18	mg/kg	0.08J	0.08	0.07J	0.12	0.08J	0.03J	0.02J	0.04J	0.04J	0.04J	0.03J
Nickel, Total	310	30	mg/kg	8.4	9.2	13	15	14	10	8.9	30	20	32	18
Potassium, Total	NA	NA	mg/kg	450	340	620	490	510	530	410	680	560	770	460
Selenium, Total	1500	3.9	mg/kg	0.33J	1.8U	2.1U	2.1U	2U	2U	1.8U	2U	1.8U	2U	1.9U
Silver, Total	1500	2	mg/kg	1.1U	0.9U	1U	1U	1U	1U	0.88U	1U	0.92U	1U	0.94U
Sodium, Total	NA	NA	mg/kg	49J	53J	340	190J	220	85J	97J	68J	49J	54J	72J
Thallium, Total	5 ⁽³⁾	5 ⁽¹⁾	mg/kg	2.3U	1.8U	2.1U	2.1U	2U	2U	1.8U	2U	1.8U	2U	1.9U
Vanadium, Total	39 ⁽¹⁾	39 ⁽¹⁾	mg/kg	14	12	13	14	14	13	12	16	18	15	17
Zinc, Total	10000	109	mg/kg	55	57	52	49	44	38	31	55	46	53	35

Notes:
Metal analysis via USEPA Methods 6010, 7471.
Cyanide analysis via USEPA Method 9010B/9012A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
NA - Not applicable/not listed
U - Not detected at the reported detection limit for the sample.
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2e - Page 1 of 2
Summary of Polychlorinated Biphenyls (PCBs) and Total Organic Carbon (TOC) in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-1 (0-2)-02032017		SS-1 (2-12)-02032017		SS-2 (0-2)-02032017		SS-2 (2-12)-02032017		DUPLICATE-02032017		SS-3 (0-2)-02062017		SS-3 (2-12)-02062017		SS-4 (0-2)-02062017		SS-4 (2-12)-02062017		SS-5 (0-2)-02062017		SS-5 (2-12)-02062017	
SAMPLING DATE				2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/3/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017	
SAMPLE DEPTH (ft.)				0-2"		2"-12"		0-2"		2"-12"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Polychlorinated Biphenyls																									
Aroclor 1016	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1221	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1232	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1242	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1248	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1254	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1260	NA	NA	mg/kg	0.0174	J	0.019	J	0.0421	U	0.0427	U	0.043	U	0.0138	J	0.0156	J	0.0302	J	0.0318	J	0.048		0.0367	J
Aroclor 1262	NA	NA	mg/kg	0.0475	U	0.039	U	0.0475		0.178		0.133		0.0415	U	0.037	U	0.0417	U	0.0386	U	0.0422	U	0.0393	U
Aroclor 1268	NA	NA	mg/kg	0.0475	U	0.039	U	0.0421	U	0.0427	U	0.043	U	0.00765	J	0.00664	J	0.0184	J	0.0361	J	0.023	J	0.0213	J
PCBs, Total	1	0.1	mg/kg	0.0174	J	0.019	J	0.0475		0.178		0.133		0.0215	J	0.0222	J	0.0486	J	0.0679	J	0.071	J	0.058	J
Total Organic Carbon																									
Total Organic Carbon	NA	NA	%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Notes:
PCB analysis via USEPA Method 8082.
TOC analysis via USEPA Method 9060A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
"-" indicates not analyzed.
NA - Not applicable/not listed
J -- Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 2e - Page 2 of 2
Summary of Polychlorinated Biphenyls (PCBs) and Total Organic Carbon (TOC) in Surface Soil Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

SAMPLE ID	NYCRR Part 375 6.8(b) Commercial Use SCOs	NYCRR Part 375 6.8(a) Unrestricted Use SCOs	Units	SS-6 (0-2)-02062017		SS-6 (2-12)-02062017		SS-7 (0-2)-02062017		SS-7 (2-12)-02062017		SS-8 (0-2)-02062017		SS-8 (2-12)-02062017		SS-9 (0-2)-02062017		SS-9 (2-12)-02062017		SS-10 (0-2)-02072017		SS-10 (2-12)-02072017		SS-11 (0-2)-02072017		SS-11 (2-12)-02072017		DUPLICATE-02072017			
SAMPLING DATE				2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/6/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017		2/7/2017			
SAMPLE DEPTH (ft.)				0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"		0-2"		2"-12"	
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Polychlorinated Biphenyls																															
Aroclor 1016	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1221	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1232	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1242	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1248	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1254	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1260	NA	NA	mg/kg	0.0427		0.0322	J	0.0405	U	0.0102	J	0.0125	J	0.0385	U	0.0274	J	0.0298	J	0.0362	J	0.013	J	0.0118	J	0.00915	J	0.0168	J		
Aroclor 1262	NA	NA	mg/kg	0.0413	U	0.0382	U	0.0405	U	0.0373	U	0.0457	U	0.0385	U	0.0416	U	0.038	U	0.0455	U	0.0412	U	0.0463	U	0.0427	U	0.0432	U		
Aroclor 1268	NA	NA	mg/kg	0.0202	J	0.018	J	0.0405	U	0.0082	J	0.0199	J	0.0385	U	0.017	J	0.0196	J	0.0455	U	0.0412	U	0.0102	J	0.0427	U	0.0432	U		
PCBs, Total	1	0.1	mg/kg	0.0629	J	0.0502	J	0.0405	U	0.0184	J	0.0324	J	0.0385	U	0.0444	J	0.0494	J	0.0362	J	0.013	J	0.022	J	0.00915	J	0.0168	J		
Total Organic Carbon																															
Total Organic Carbon	NA	NA	%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Notes:
PCB analysis via USEPA Method 8082.
TOC analysis via USEPA Method 9060A.
Grey shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs or indicated CP-51 SSCO.
Yellow shaded values are above NYCRR Part 375 6.8(a) Unrestricted Use SCOs and NYCRR Part 375 6.8(b) Commercial Use SCOs and NYCRR Part 375 6.8(a) Unrestricted Use SCOs.
"-" Indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.
¹Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Ecological Resources value shown
²Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Residential value shown
³Indicates no Part 375 value for indicated compound; NYSDEC CP-51 SSCO Protection of Groundwater value shown

Table 3A - Page 1 of 2
Summary of Volatile Organic Compounds in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	RIMW-2-03102017		RIMW-4-03092017		RIMW-9-03082017		RIMW-10-03092017		RIMW-11-03102017		RIMW-12-03132017		RIMW-13-03082017		RIMW-14-03082017		RIMW-15-01312017			
SAMPLING DATE				3/10/2017		3/9/2017		3/8/2017		3/9/2017		3/10/2017		3/13/2017		3/8/2017		3/8/2017		1/31/2017			
SCREENED INTERVAL (ft. bgs.)				12-22		10-20		8.5-18.5		20-22.5		22-24.5		10-20		17-27		8-18		NA			
SAMPLE INTAKE DEPTH (ft.)				17		17		15		21.25		24		15		20		16		NA			
				Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual		
Volatile Organics by GC/MS																							
	Methylene chloride	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,1-Dichloroethane	5	ug/l	120	U	50	U	18		46		1.8	J	250	U	2.5	U	10		50	U		
	Chloroform	7	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Carbon tetrachloride	5	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	1,2-Dichloropropane	1	ug/l	50	U	20	U	1	U	1	U	2.5	U	100	U	1	U	1	U	20	U		
	Dibromochloromethane	50	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	1,1,2-Trichloroethane	1	ug/l	75	U	30	U	1.5	U	1.5	U	3.8	U	150	U	1.5	U	1.5	U	30	U		
	Tetrachloroethene	5	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	Chlorobenzene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Trichlorofluoromethane	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,2-Dichloroethane	0.6	ug/l	25	U	10	U	0.14	J	0.14	J	1.2	U	50	U	0.5	U	0.38	J	10	U		
	1,1,1-Trichloroethane	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Bromodichloromethane	50	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	trans-1,3-Dichloropropene	0.4	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	cis-1,3-Dichloropropene	0.4	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	Bromoform	50	ug/l	100	U	40	U	2	U	2	U	5	U	200	U	2	U	2	U	40	U		
	1,1,2,2-Tetrachloroethane	5	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	Benzene	1	ug/l	25	U	10	U	0.5	U	0.5	U	1.2	U	50	U	0.5	U	0.5	U	10	U		
	Toluene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Ethylbenzene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Chloromethane	NA	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Bromomethane	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Vinyl chloride	2	ug/l	50	U	20	U	1	U	0.17	J	2.5	U	100	U	1	U	1	U	20	U		
	Chloroethane	5	ug/l	120	U	50	U	2.5	U	2.8	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,1-Dichloroethene	5	ug/l	13	J	10	U	0.5	U	7.6		2		59		0.5	U	1.7		11			
	trans-1,2-Dichloroethene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	640		2.5	U	2.5	U	50	U		
	Trichloroethene	5	ug/l	4300		1000		0.5	U	28		240		10000		1.6		1.5		1500			
	1,2-Dichlorobenzene	3	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,3-Dichlorobenzene	3	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,4-Dichlorobenzene	3	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Methyl tert butyl ether	10	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	p/m-Xylene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	o-Xylene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	cis-1,2-Dichloroethene	5	ug/l	87	J	31	J	2.5	U	3.1		18		420		2.5	U	5.4		23	J		
	Styrene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Dichlorodifluoromethane	5	ug/l	250	U	100	U	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	Acetone	50	ug/l	250	U	100	U	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	Carbon disulfide	60	ug/l	250	U	100	U	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	2-Butanone	50	ug/l	250	U	100	U	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	4-Methyl-2-pentanone	NA	ug/l	250	U	100	NA	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	2-Hexanone	50	ug/l	250	U	100	U	5	U	5	U	12	U	500	U	5	U	5	U	100	U		
	Bromochloromethane	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,2-Dibromoethane	0.0006	ug/l	100	U	40	U	2	U	2	U	5	U	200	U	2	U	2	U	40	U		
	1,2-Dibromo-3-chloropropane	0.04	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Isopropylbenzene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,2,3-Trichlorobenzene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	1,2,4-Trichlorobenzene	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Methyl Acetate	NA	ug/l	100	U	40	NA	2	U	2	U	5	U	200	U	2	U	2	U	40	U		
	Cyclohexane	NA	ug/l	500	U	200	U	10	U	10	U	25	U	1000	U	10	U	10	U	200	U		
	1,4-Dioxane	NA	ug/l	12000	U	5000	U	250	U	250	U	620	U	25000	U	250	U	250	U	5000	U		
	Freon-113	5	ug/l	120	U	50	U	2.5	U	2.5	U	6.2	U	250	U	2.5	U	2.5	U	50	U		
	Methyl cyclohexane	NA	ug/l	30	J	8	J	10	U	10	U	25	U	1000	U	10	U	10	U	200	U		

Notes:
VOC analysis via USEPA Method 8260.
Yellow shaded values are above NYSDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 3A - Page 2 of 2
Summary of Volatile Organic Compounds in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	RIMW-17-03092017		RIMW-18-03122017		RIMW-19-03102017		DUPLICATE-03122017 (RIMW-18)		TRIP BLANK-03082017		TRIP BLANK 1/27/2017		TRIP BLANK 1/31/2017		TRIP BLANK 2/6/2017	
SAMPLING DATE				3/9/2017		3/12/2017		3/10/2017		3/12/2017		3/8/2017		NA		NA		NA	
SCREENED INTERVAL (ft. bgs.)				10-20		9-19		10-20		9-19		NA		NA		NA		NA	
SAMPLE INTAKE DEPTH (ft.)				16.5		15		15		15		NA		NA		NA		NA	
		Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual		
Volatile Organics by GC/MS																			
	Methylene chloride	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,1-Dichloroethane	5	ug/l	49		100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Chloroform	7	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Carbon tetrachloride	5	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	1,2-Dichloropropane	1	ug/l	1	U	40	U	1	U	50	U	1	U	1	U	1	U	1	U
	Dibromochloromethane	50	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	1,1,2-Trichloroethane	1	ug/l	1.5	U	60	U	1.5	U	75	U	1.5	U	1.5	U	1.5	U	1.5	U
	Tetrachloroethene	5	ug/l	0.5	U	20	U	0.4	J	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	Chlorobenzene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Trichlorofluoromethane	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,2-Dichloroethane	0.6	ug/l	0.44	J	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	1,1,1-Trichloroethane	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Bromodichloromethane	50	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	trans-1,3-Dichloropropene	0.4	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	cis-1,3-Dichloropropene	0.4	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	Bromoform	50	ug/l	2	U	80	U	2	U	100	U	2	U	2	U	2	U	2	U
	1,1,2,2-Tetrachloroethane	5	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	Benzene	1	ug/l	0.5	U	20	U	0.5	U	25	U	0.5	U	0.5	U	0.5	U	0.5	U
	Toluene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Ethylbenzene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Chloromethane	NA	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Bromomethane	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Vinyl chloride	2	ug/l	0.39	J	40	U	1	U	50	U	1	U	1	U	1	U	1	U
	Chloroethane	5	ug/l	4.6		100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,1-Dichloroethene	5	ug/l	5.6		55		0.5	U	56		0.5	U	0.5	U	0.5	U	0.5	U
	trans-1,2-Dichloroethene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Trichloroethene	5	ug/l	87		3700		1.5		3600		0.5	U	0.5	U	0.5	U	0.5	U
	1,2-Dichlorobenzene	3	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,3-Dichlorobenzene	3	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,4-Dichlorobenzene	3	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Methyl tert butyl ether	10	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	p/m-Xylene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	o-Xylene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	cis-1,2-Dichloroethene	5	ug/l	21		140		2.5	U	140		2.5	U	2.5	U	2.5	U	2.5	U
	Styrene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Dichlorodifluoromethane	5	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	Acetone	50	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	Carbon disulfide	60	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	2-Butanone	50	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	4-Methyl-2-pentanone	NA	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	2-Hexanone	50	ug/l	5	U	200	U	5	U	250	U	5	U	5	U	5	U	5	U
	Bromochloromethane	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,2-Dibromoethane	0.0006	ug/l	2	U	80	U	2	U	100	U	2	U	2	U	2	U	2	U
	1,2-Dibromo-3-chloropropane	0.04	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Isopropylbenzene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,2,3-Trichlorobenzene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	1,2,4-Trichlorobenzene	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Methyl Acetate	NA	ug/l	2	U	80	U	2	U	100	U	2	U	2	U	2	U	2	U
	Cyclohexane	NA	ug/l	10	U	400	U	10	U	500	U	10	U	10	U	10	U	10	U
	1,4-Dioxane	NA	ug/l	250	U	10000	U	250	U	12000	U	250	U	250	U	250	U	250	U
	Freon-113	5	ug/l	2.5	U	100	U	2.5	U	120	U	2.5	U	2.5	U	2.5	U	2.5	U
	Methyl cyclohexane	NA	ug/l	0.66	J	400	U	10	U	500	U	10	U	10	U	10	U	10	U

Notes:
VOC analysis via USEPA Method 8260.
Yellow shaded values are above NYSDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 3B - Page 1 of 1
Summary of Semi-Volatile Organic Compounds in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	RIMW-2-03102017		RIMW-18-03122017		DUPLICATE-03122017	
SAMPLING DATE				3/10/2017		3/12/2017		3/12/2017	
SCREENED INTERVAL (ft. bgs.)				12-22		9-19		9-19	
SAMPLE INTAKE DEPTH (ft.)				17		15		15	
				Results	Qual	Results	Qual	Results	Qual
Semivolatile Organics by GC/MS									
	Bis(2-chloroethyl)ether	1	ug/l	2	U	2	U	2	U
	3,3'-Dichlorobenzidine	5	ug/l	5	U	5	U	5	U
	2,4-Dinitrotoluene	5	ug/l	5	U	5	U	5	U
	2,6-Dinitrotoluene	5	ug/l	5	U	5	U	5	U
	4-Chlorophenyl phenyl ether	NA	ug/l	2	U	2	U	2	U
	4-Bromophenyl phenyl ether	NA	ug/l	2	U	2	U	2	U
	Bis(2-chloroisopropyl)ether	5	ug/l	2	U	2	U	2	U
	Bis(2-chloroethoxy)methane	5	ug/l	5	U	5	U	5	U
	Hexachlorocyclopentadiene	5	ug/l	20	U	20	U	20	U
	Isophorone	50	ug/l	5	U	5	U	5	U
	Nitrobenzene	0.4	ug/l	2	U	2	U	2	U
	NDPA/DPA	50	ug/l	2	U	2	U	2	U
	n-Nitrosodi-n-propylamine	NA	ug/l	5	U	5	U	5	U
	Bis(2-ethylhexyl)phthalate	5	ug/l	3	U	3	U	3	U
	Butyl benzyl phthalate	50	ug/l	5	U	5	U	5	U
	Di-n-butylphthalate	50	ug/l	5	U	5	U	5	U
	Di-n-octylphthalate	50	ug/l	5	U	5	U	5	U
	Diethyl phthalate	50	ug/l	5	U	5	U	5	U
	Dimethyl phthalate	50	ug/l	5	U	5	U	5	U
	Biphenyl	NA	ug/l	2	U	2	U	2	U
	4-Chloroaniline	5	ug/l	5	U	5	U	5	U
	2-Nitroaniline	5	ug/l	5	U	5	U	5	U
	3-Nitroaniline	5	ug/l	5	U	5	U	5	U
	4-Nitroaniline	5	ug/l	5	U	5	U	5	U
	Dibenzofuran	NA	ug/l	2	U	2	U	2	U
	1,2,4,5-Tetrachlorobenzene	5	ug/l	10	U	10	U	10	U
	Acetophenone	NA	ug/l	5	U	5	U	5	U
	2,4,6-Trichlorophenol	NA	ug/l	5	U	5	U	5	U
	p-Chloro-m-cresol	NA	ug/l	2	U	2	U	2	U
	2-Chlorophenol	NA	ug/l	2	U	2	U	2	U
	2,4-Dichlorophenol	1	ug/l	5	U	5	U	5	U
	2,4-Dimethylphenol	50	ug/l	5	U	5	U	5	U
	2-Nitrophenol	NA	ug/l	10	U	10	U	10	U
	4-Nitrophenol	NA	ug/l	10	U	10	U	10	U
	2,4-Dinitrophenol	10	ug/l	20	U	20	U	20	U
	4,6-Dinitro-o-cresol	NA	ug/l	10	U	10	U	10	U
	Phenol	1	ug/l	5	U	5	U	5	U
	3-Methylphenol/4-Methylphenol	NA	ug/l	5	U	5	U	5	U
	2,4,5-Trichlorophenol	NA	ug/l	5	U	5	U	5	U
	Carbazole	NA	ug/l	2	U	2	U	2	U
	Atrazine	7.5	ug/l	10	U	10	U	10	U
	Benzaldehyde	NA	ug/l	5	U	5	U	5	U
	Caprolactam	NA	ug/l	10	U	10	U	10	U
	2,3,4,6-Tetrachlorophenol	NA	ug/l	5	U	5	U	5	U
Semivolatile Organics by GC/MS-SIM									
	Acenaphthene	20	ug/l	0.1	U	0.1	U	0.1	U
	2-Chloronaphthalene	10	ug/l	0.2	U	0.2	U	0.2	U
	Fluoranthene	50	ug/l	0.06	J	0.2	U	0.2	U
	Hexachlorobutadiene	0.5	ug/l	0.5	U	0.5	U	0.5	U
	Naphthalene	10	ug/l	0.2	U	0.2	U	0.2	U
	Benzo(a)anthracene	0.002	ug/l	0.2	U	0.2	U	0.2	U
	Benzo(a)pyrene	0	ug/l	0.2	U	0.2	U	0.2	U
	Benzo(b)fluoranthene	0.002	ug/l	0.2	U	0.2	U	0.2	U
	Benzo(k)fluoranthene	0.002	ug/l	0.2	U	0.2	U	0.2	U
	Chrysene	0.002	ug/l	0.2	U	0.2	U	0.2	U
	Acenaphthylene	NA	ug/l	0.2	U	0.2	U	0.2	U
	Anthracene	50	ug/l	0.2	U	0.2	U	0.2	U
	Benzo(ghi)perylene	NA	ug/l	0.2	U	0.2	U	0.2	U
	Fluorene	50	ug/l	0.2	U	0.2	U	0.2	U
	Phenanthrene	50	ug/l	0.04	J	0.2	U	0.2	U
	Dibenzo(a,h)anthracene	NA	ug/l	0.2	U	0.2	U	0.2	U
	Indeno(1,2,3-cd)pyrene	0.002	ug/l	0.2	U	0.2	U	0.2	U
	Pyrene	50	ug/l	0.04	J	0.2	U	0.2	U
	2-Methylnaphthalene	NA	ug/l	0.2	U	0.2	U	0.2	U
	Pentachlorophenol	1	ug/l	0.8	U	0.8	U	0.8	U
	Hexachlorobenzene	0.04	ug/l	0.8	U	0.8	U	0.8	U
	Hexachloroethane	5	ug/l	0.8	U	0.8	U	0.8	U

Notes:
SVOC analysis via USEPA Method 8270.
Yellow shaded values are above NYSDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 3C - Page 1 of 1
Summary of Pesticides in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values		Units		RIMW-2-03102017		RIMW-18-03122017		DUPLICATE-03122017	
SAMPLING DATE						3/10/2017		3/12/2017		3/12/2017	
SCREENED INTERVAL (ft. bgs.)						12-22		9-19		9-19	
SAMPLE INTAKE DEPTH (ft.)						17		15		15	
				Results	Qual	Results	Qual	Results	Qual		
Organochlorine Pesticides by GC											
	Delta-BHC	0.04	ug/l	0.02	U	0.02	U	0.02	U		
	Lindane	0.05	ug/l	0.02	U	0.02	U	0.02	U		
	Alpha-BHC	0.01	ug/l	0.02	U	0.02	U	0.02	U		
	Beta-BHC	0.04	ug/l	0.02	U	0.02	U	0.02	U		
	Heptachlor	0.04	ug/l	0.02	U	0.02	U	0.02	U		
	Aldrin	0	ug/l	0.02	U	0.02	U	0.02	U		
	Heptachlor epoxide	0.03	ug/l	0.02	U	0.02	U	0.011	J		
	Endrin	0	ug/l	0.04	U	0.04	U	0.04	U		
	Endrin aldehyde	5	ug/l	0.04	U	0.04	U	0.04	U		
	Endrin ketone	5	ug/l	0.04	U	0.04	U	0.04	U		
	Dieldrin	0.004	ug/l	0.04	U	0.008	J	0.01	J		
	4,4'-DDE	0.2	ug/l	0.04	U	0.04	U	0.04	U		
	4,4'-DDD	0.3	ug/l	0.04	U	0.04	U	0.04	U		
	4,4'-DDT	0.2	ug/l	0.04	U	0.04	U	0.04	U		
	Endosulfan I	NA	ug/l	0.02	U	0.02	U	0.02	U		
	Endosulfan II	NA	ug/l	0.04	U	0.04	U	0.04	U		
	Endosulfan sulfate	NA	ug/l	0.04	U	0.04	U	0.04	U		
	Methoxychlor	35	ug/l	0.2	U	0.2	U	0.2	U		
	Toxaphene	0.06	ug/l	0.2	U	0.2	U	0.2	U		
	cis-Chlordane	NA	ug/l	0.02	U	0.02	U	0.02	U		
	trans-Chlordane	NA	ug/l	0.02	U	0.02	U	0.02	U		
	Chlordane	0.05	ug/l	0.2	U	0.2	U	0.2	U		

Notes:
Pesticides analysis via USEPA Method 8081.
Yellow shaded values are above NY SDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values.
"- " indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 3D - Page 1 of 1
Summary of Metals in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	RIMW-2-03102017		RIMW-18-03122017		DUPLICATE-03122017	
SAMPLING DATE				3/10/2017		3/12/2017		3/12/2017	
SCREENED INTERVAL (ft. bgs.)				12-22		9-19		9-19	
SAMPLE INTAKE DEPTH (ft.)				17		15		15	
				Results	Qual	Results	Qual	Results	Qual
Total Metals									
	Aluminum, Total	NA	ug/l	17.2		42.4		43.8	
	Antimony, Total	3	ug/l	4	U	0.78	J	0.73	J
	Arsenic, Total	25	ug/l	1.12		0.62		0.5	
	Barium, Total	1000	ug/l	33.3		54.78		50.87	
	Beryllium, Total	3	ug/l	0.5	U	0.5	U	0.5	U
	Cadmium, Total	5	ug/l	0.2	U	0.11	J	0.11	J
	Calcium, Total	NA	ug/l	417000		129000		127000	
	Chromium, Total	50	ug/l	0.37	J	54.85		61.01	
	Cobalt, Total	NA	ug/l	1.31		1.24		1.11	
	Copper, Total	200	ug/l	0.51	J	4.08		4.23	
	Iron, Total	300	ug/l	1520		59.3		55.8	
	Lead, Total	25	ug/l	1	U	1	U	1	U
	Magnesium, Total	35000	ug/l	59800		25300		25400	
	Manganese, Total	300	ug/l	494.4		235.5		212.2	
	Mercury, Total	0.7	ug/l	0.2	U	0.2	U	0.2	U
	Nickel, Total	100	ug/l	4.29		4.3		4.12	
	Potassium, Total	NA	ug/l	4400		8600		8980	
	Selenium, Total	10	ug/l	5	U	5	U	5	U
	Silver, Total	50	ug/l	0.4	U	0.4	U	0.4	U
	Sodium, Total	20000	ug/l	78800		13500		13600	
	Thallium, Total	0.5	ug/l	0.5	U	0.5	U	0.5	U
	Vanadium, Total	NA	ug/l	5	U	5	U	5	U
	Zinc, Total	2000	ug/l	20.66		11.68		10.58	

Notes:
Metals analysis via USEPA Method 6010/7470/7471.
Yellow shaded values are above NY SDEC Technical & Operational Guidance Series (TOGS) 1.1.1.1 Ambient Water Quality Standards and Guidance Values.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 3E - Page 1 of 1
Summary of PCBs in Groundwater Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION	NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	RIMW-2-03102017		RIMW-18-03122017		DUPLICATE-03122017	
SAMPLING DATE			3/10/2017		3/12/2017		3/12/2017	
SCREENED INTERVAL (ft. bgs.)			12-22		9-19		9-19	
SAMPLE INTAKE DEPTH (ft.)			17		15		15	
			Results	Qual	Results	Qual	Results	Qual
Polychlorinated Biphenyls by GC								
Aroclor 1016	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1221	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1232	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1242	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1248	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1254	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1260	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1262	NA	ug/l	0.083	U	0.083	U	0.083	U
Aroclor 1268	NA	ug/l	0.083	U	0.083	U	0.083	U
PCBs, Total	0.09	ug/l	0.083	U	0.083	U	0.083	U

Notes:
PCBs analysis via USEPA Method 8082.
Yellow shaded values are above NY SDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values.
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 4A - Page 1 of 1
Summary of VOCs in Surface Water Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION	NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	SW-1-02182017		SW-2-02182017		SW-4-02182017		SW-3-02212017		DUPLICATE-02212017 (W)		TRIP BLANK-02102017	
SAMPLING DATE			2/18/2017		2/18/2017		2/18/2017		2/21/2017		2/21/2017		2/10/2017	
SAMPLE DEPTH			Surface Water		Surface Water		Surface Water		Surface Water		Surface Water		NA	
			Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
			Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Volatile Organics by GC/MS														
Methylene chloride	200	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,1-Dichloroethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Chloroform	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Carbon tetrachloride	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	NA	ug/l	1	U	1	U	1	U	1	U	1	U	1	U
Dibromochloromethane	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	NA	ug/l	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U
Tetrachloroethene	1	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	400	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Trichlorofluoromethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,2-Dichloroethane	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Bromodichloromethane	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
trans-1,3-Dichloropropene	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
cis-1,3-Dichloropropene	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	NA	ug/l	2	U	2	U	2	U	2	U	2	U	2	U
1,1,2,2-Tetrachloroethane	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzene	10	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Toluene	6000	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Ethylbenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Chloromethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Bromomethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Vinyl chloride	NA	ug/l	1	U	0.24	J	1.2		1.3		1.3		1	U
Chloroethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,1-Dichloroethene	NA	ug/l	0.5	U	0.5	U	0.26	J	0.36	J	0.3	J	0.5	U
trans-1,2-Dichloroethene	NA	ug/l	2.5	U	2.5	U	2.5	U	0.85	J	0.76	J	2.5	U
Trichloroethene	40	ug/l	4.9		1.2		12		32		26		0.5	U
1,2-Dichlorobenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,3-Dichlorobenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,4-Dichlorobenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Methyl tert butyl ether	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
p/m-Xylene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
o-Xylene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
cis-1,2-Dichloroethene	NA	ug/l	2.5	U	1.2	J	12		12		11		2.5	U
Styrene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Dichlorodifluoromethane	NA	ug/l	5	U	5	U	5	U	5	U	5	U	5	U
Acetone	NA	ug/l	2.5	J	1.8	J	5	U	5	U	1.5	J	5	U
Carbon disulfide	NA	ug/l	5	U	5	U	5	U	5	U	5	U	5	U
2-Butanone	NA	ug/l	5	U	5	U	5	U	5	U	5	U	5	U
4-Methyl-2-pentanone	NA	ug/l	5	U	5	U	5	U	5	U	5	U	5	U
2-Hexanone	NA	ug/l	5	U	5	U	5	U	5	U	5	U	5	U
Bromochloromethane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,2-Dibromoethane	NA	ug/l	2	U	2	U	2	U	2	U	2	U	2	U
1,2-Dibromo-3-chloropropane	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Isopropylbenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,2,3-Trichlorobenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,2,4-Trichlorobenzene	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Methyl Acetate	NA	ug/l	2	U	2	U	2	U	2	U	2	U	2	U
Cyclohexane	NA	ug/l	10	U	10	U	10	U	10	U	10	U	10	U
1,4-Dioxane	NA	ug/l	250	U	250	U	250	U	250	U	250	U	250	U
Freon-113	NA	ug/l	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Methyl cyclohexane	NA	ug/l	10	U	10	U	10	U	10	U	10	U	10	U

Notes:
VOCs analysis via USEPA Method 8260.
Yellow shaded values are above NYSDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values - Freshwater standards for protection of Human Fish Consumption
"- " indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 4B - Page 1 of 1
Summary of Metals in Surface Water Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION	NYSDEC TOGS 1.1.1 Ambient Groundwater Quality Standards and Guidance Values	Units	SW-1-02182017		SW-2-02182017		SW-4-02182017		SW-3-02212017		DUPLICATE-02212017 (W)	
SAMPLING DATE			2/18/2017		2/18/2017		2/18/2017		2/21/2017		2/21/2017	
SAMPLE DEPTH			Surface Water		Surface Water		Surface Water		Surface Water		Surface Water	
			Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Total Metals												
Aluminum, Total	NA	ug/l	104		11		9.34	J	25.7		25.1	
Antimony, Total	NA	ug/l	4	U	4	U	4	U	4	U	4	U
Arsenic, Total	NA	ug/l	0.41	J	0.4	J	0.57		0.66		0.69	
Barium, Total	NA	ug/l	72.75		46.97		81.95		77.91		77.98	
Beryllium, Total	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cadmium, Total	NA	ug/l	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U
Calcium, Total	NA	ug/l	275000		396000		398000		386000		386000	
Chromium, Total	NA	ug/l	0.67	J	0.33	J	0.41	J	0.32	J	0.49	J
Cobalt, Total	NA	ug/l	0.29	J	0.24	J	0.26	J	0.32	J	0.28	J
Copper, Total	NA	ug/l	2.1		1.09		0.8	J	1.43		1.36	
Iron, Total	NA	ug/l	571		245		525		453		449	
Lead, Total	NA	ug/l	0.77	J	1	U	1	U	0.5	J	0.46	J
Magnesium, Total	NA	ug/l	31200		34300		37800		38200		38200	
Manganese, Total	NA	ug/l	189.7		190.3		231.2		227.2		221.6	
Mercury, Total	0.0007	ug/l	0.2	U	0.2	U	0.2	U	0.2	U	0.2	U
Nickel, Total	NA	ug/l	0.9	J	0.56	J	0.64	J	0.86	J	0.9	J
Potassium, Total	NA	ug/l	5240		6980		7180		7140		7110	
Selenium, Total	NA	ug/l	5	U	5	U	5	U	5	U	5	U
Silver, Total	NA	ug/l	0.17	J	0.4	U	0.4	U	0.4	U	0.4	U
Sodium, Total	NA	ug/l	391000		113000		291000		259000		266000	
Thallium, Total	NA	ug/l	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vanadium, Total	NA	ug/l	5	U	5	U	5	U	5	U	5	U
Zinc, Total	NA	ug/l	4.97	J	9.35	J	12.44		12.47		12.64	

Notes:
VOCs analysis via USEPA Method 6010/7470/7471.
Yellow shaded values are above NY SDEC Technical & Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values - Freshwater standards for protection of Human Fish Consumption
"- " indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 5A - Page 1 of 1
Summary of VOCs in Sediment Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION SAMPLING DATE SAMPLE DEPTH (ft.)		NYSDEC Freshwater Sediment Guidance Values			Units	SED-1-02182017		SED-2-02182017		SED-4-02182017		SED-5-02182017		SED-3-02212017		DUPLICATE-02212017 (S)	
						2/18/2017		2/18/2017		2/18/2017		2/18/2017		2/21/2017		2/21/2017	
						0-1		0-1		0-1		0-1		0-1		0-1	
					Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	
Volatile Organics by 8260/5035																	
		NA	NA	NA	mg/kg	0.011	U	0.013	U	0.012	U	0.016	U	0.011	U	0.011	U
	1,1-Dichloroethane	NA	NA	NA	mg/kg	0.0016	U	0.0019	U	0.0015	J	0.0015	J	0.00012	J	0.00038	J
	Chloroform	NA	NA	NA	mg/kg	0.0016	U	0.0019	U	0.0018	U	0.0023	U	0.0016	U	0.0017	U
	Carbon tetrachloride	<1.07	1.07-9.6	>9.6	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	1,2-Dichloropropane	NA	NA	NA	mg/kg	0.0038	U	0.0045	U	0.0043	U	0.0054	U	0.0037	U	0.0039	U
	Dibromochloromethane	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	1,1,2-Trichloroethane	NA	NA	NA	mg/kg	0.0016	U	0.0019	U	0.0018	U	0.0023	U	0.0016	U	0.0017	U
	Tetrachloroethene	<16	16-57	>57	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.00059	J	0.0016	
	Chlorobenzene	<0.2	0.2-1.7	>1.7	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Trichlorofluoromethane	NA	NA	NA	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	1,2-Dichloroethane	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	1,1,1-Trichloroethane	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Bromodichloromethane	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	trans-1,3-Dichloropropene	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	cis-1,3-Dichloropropene	NA	NA	NA	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Bromoform	NA	NA	NA	mg/kg	0.0044	U	0.0052	U	0.0049	U	0.0062	U	0.0043	U	0.0045	U
	1,1,2,2-Tetrachloroethane	<2.8	2.8-5.4	>5.4	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Benzene	<0.53	0.53-1.9	>1.9	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Toluene	<0.93	0.93-4.5	>4.5	mg/kg	0.0016	U	0.00058	J	0.0018	U	0.00042	J	0.0016	U	0.0017	U
	Ethylbenzene	<0.43	0.43-3.7	>3.7	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	Chloromethane	NA	NA	NA	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	Bromomethane	NA	NA	NA	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	Vinyl chloride	NA	NA	NA	mg/kg	0.0022	U	0.0026	U	0.0084		0.034		0.00043	J	0.0022	
	Chloroethane	NA	NA	NA	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	1,1-Dichloroethene	<0.52	0.52-4.7	>4.7	mg/kg	0.0011	U	0.0013	U	0.0015		0.0016	U	0.0011	U	0.00076	J
	trans-1,2-Dichloroethene	<1.2	1.2-11	>11	mg/kg	0.0016	U	0.00031	J	0.0091		0.0004	J	0.0016	U	0.00031	J
	Trichloroethene	<1.8	1.8-8.6	>8.6	mg/kg	0.00097	J	0.00046	J	0.011		0.0038		0.087		0.22	
	1,2-Dichlorobenzene	<0.28	0.28-2.5	>2.5	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	1,3-Dichlorobenzene	<1.8	1.8-7.1	>7.1	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	1,4-Dichlorobenzene	<0.72	0.72-3.3	>3.3	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	Methyl tert butyl ether	NA	NA	NA	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	p/m-Xylene	<0.48	0.48-4.2	>4.2	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	o-Xylene	<0.82	0.82-7.2	>7.2	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	cis-1,2-Dichloroethene	NA	NA	NA	mg/kg	0.0011	U	0.0012	J	0.4	E	0.075		0.03		0.082	
	Styrene	NA	NA	NA	mg/kg	0.0022	U	0.0026	U	0.0025	U	0.0031	U	0.0021	U	0.0022	U
	Dichlorodifluoromethane	NA	NA	NA	mg/kg	0.011	U	0.013	U	0.012	U	0.016	U	0.011	U	0.011	U
	Acetone	NA	NA	NA	mg/kg	0.022		0.078		0.019		0.13		0.045		0.028	
	Carbon disulfide	NA	NA	NA	mg/kg	0.011	U	0.013	U	0.012	U	0.016	U	0.011	U	0.011	U
	2-Butanone	NA	NA	NA	mg/kg	0.00078	J	0.017		0.0016	J	0.033		0.0076	J	0.0052	J
	4-Methyl-2-pentanone	NA	NA	NA	mg/kg	0.011	U	0.013	U	0.012	U	0.016	U	0.011	U	0.011	U
	2-Hexanone	NA	NA	NA	mg/kg	0.011	U	0.013	U	0.012	U	0.016	U	0.011	U	0.011	U
	Bromochloromethane	NA	NA	NA	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	1,2-Dibromoethane	NA	NA	NA	mg/kg	0.0044	U	0.0052	U	0.0049	U	0.0062	U	0.0043	U	0.0045	U
	1,2-Dibromo-3-chloropropane	NA	NA	NA	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	Isopropylbenzene	<0.21	0.21-1.8	>1.8	mg/kg	0.0011	U	0.0013	U	0.0012	U	0.0016	U	0.0011	U	0.0011	U
	1,2,3-Trichlorobenzene	<0.23	0.23-2.8	>2.8	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.00023	J
	1,2,4-Trichlorobenzene	<35	35-55	>55	mg/kg	0.0054	U	0.0064	U	0.0062	U	0.0078	U	0.0054	U	0.0056	U
	Methyl Acetate	NA	NA	NA	mg/kg	0.022	U	0.026	U	0.025	U	0.031	U	0.021	U	0.022	U
	Cyclohexane	NA	NA	NA	mg/kg	0.022	U	0.026	U	0.025	U	0.031	U	0.021	U	0.022	U
	1,4-Dioxane	NA	NA	NA	mg/kg	0.044	U	0.052	U	0.049	U	0.062	U	0.043	U	0.045	U
	Freon-113	NA	NA	NA	mg/kg	0.022	U	0.026	U	0.025	U	0.031	U	0.021	U	0.022	U
	Methyl cyclohexane	NA	NA	NA	mg/kg	0.0044	U	0.0052	U	0.00022	J	0.00038	J	0.0043	U	0.0045	U
Volatile Organics by EPA 5035 High																	
	Methylene chloride	NA	NA	NA	mg/kg	-	-	-	-	0.85	U	1.1	U	-	-	-	-
	1,1-Dichloroethane	NA	NA	NA	mg/kg	-	-	-	-	0.13	U	0.16	U	-	-	-	-
	Chloroform	NA	NA	NA	mg/kg	-	-	-	-	0.13	U	0.16	U	-	-	-	-
	Carbon tetrachloride	<1.07	1.07-9.6	>9.6	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	1,2-Dichloropropane	NA	NA	NA	mg/kg	-	-	-	-	0.37	U	0.37	U	-	-	-	-
	Dibromochloromethane	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	1,1,2-Trichloroethane	NA	NA	NA	mg/kg	-	-	-	-	0.13	U	0.16	U	-	-	-	-
	Tetrachloroethene	<16	16-57	>57	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	Chlorobenzene	<0.2	0.2-1.7	>1.7	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	Trichlorofluoromethane	NA	NA	NA	mg/kg	-	-	-	-	0.42	U	0.53	U	-	-	-	-
	1,2-Dichloroethane	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	1,1,1-Trichloroethane	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	Bromodichloromethane	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	trans-1,3-Dichloropropene	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	cis-1,3-Dichloropropene	NA	NA	NA	mg/kg	-	-	-	-	0.085	U	0.11	U	-	-	-	-
	Bromoform</																

Table 5B - Page 1 of 1
Summary of SVOCs in Sediment Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC Freshwater			Units	SED-4-02182017	
SAMPLING DATE		Sediment Guidance Values				2/18/2017	
SAMPLE DEPTH (ft.)						0-1	
		Class A	Class B	Class C		Results	Qual
Semivolatile Organics by GC/MS							
	Acenaphthene	NA	NA	NA	mg/kg	0.39	
	Hexachlorobenzene	NA	NA	NA	mg/kg	0.15	U
	Bis(2-chloroethyl)ether	NA	NA	NA	mg/kg	0.22	U
	2-Chloronaphthalene	NA	NA	NA	mg/kg	0.24	U
	3,3'-Dichlorobenzidine	NA	NA	NA	mg/kg	0.24	U
	2,4-Dinitrotoluene	NA	NA	NA	mg/kg	0.24	U
	2,6-Dinitrotoluene	NA	NA	NA	mg/kg	0.24	U
	Fluoranthene	NA	NA	NA	mg/kg	7.3	
	4-Chlorophenyl phenyl ether	NA	NA	NA	mg/kg	0.24	U
	4-Bromophenyl phenyl ether	NA	NA	NA	mg/kg	0.24	U
	Bis(2-chloroisopropyl)ether	NA	NA	NA	mg/kg	0.29	U
	Bis(2-chloroethoxy)methane	NA	NA	NA	mg/kg	0.26	U
	Hexachlorobutadiene	<1.2	1.2-12	>12	mg/kg	0.24	U
	Hexachlorocyclopentadiene	<0.81	0.81-1.8	>1.8	mg/kg	0.7	U
	Hexachloroethane	NA	NA	NA	mg/kg	0.2	U
	Isophorone	NA	NA	NA	mg/kg	0.22	U
	Naphthalene	NA	NA	NA	mg/kg	0.045	J
	Nitrobenzene	NA	NA	NA	mg/kg	0.22	U
	NDPA/DPA	NA	NA	NA	mg/kg	0.2	U
	n-Nitrosodi-n-propylamine	NA	NA	NA	mg/kg	0.24	U
	Bis(2-ethylhexyl)phthalate	<360	>360	NA	mg/kg	0.24	U
	Butyl benzyl phthalate	NA	NA	NA	mg/kg	0.24	U
	Di-n-butylphthalate	NA	NA	NA	mg/kg	0.24	U
	Di-n-octylphthalate	NA	NA	NA	mg/kg	0.24	U
	Diethyl phthalate	NA	NA	NA	mg/kg	0.24	U
	Dimethyl phthalate	NA	NA	NA	mg/kg	0.24	U
	Benzo(a)anthracene	NA	NA	NA	mg/kg	3	
	Benzo(a)pyrene	NA	NA	NA	mg/kg	3.3	
	Benzo(b)fluoranthene	NA	NA	NA	mg/kg	4.4	
	Benzo(k)fluoranthene	NA	NA	NA	mg/kg	1.5	
	Chrysene	NA	NA	NA	mg/kg	3.2	
	Acenaphthylene	NA	NA	NA	mg/kg	0.046	J
	Anthracene	NA	NA	NA	mg/kg	0.92	
	Benzo(ghi)perylene	NA	NA	NA	mg/kg	2.1	
	Fluorene	NA	NA	NA	mg/kg	0.35	
	Phenanthrene	NA	NA	NA	mg/kg	4.2	
	Dibenzo(a,h)anthracene	NA	NA	NA	mg/kg	0.49	
	Indeno(1,2,3-cd)pyrene	NA	NA	NA	mg/kg	2.4	
	Pyrene	NA	NA	NA	mg/kg	6	
	Biphenyl	NA	NA	NA	mg/kg	0.56	U
	4-Chloroaniline	NA	NA	NA	mg/kg	0.24	U
	2-Nitroaniline	NA	NA	NA	mg/kg	0.24	U
	3-Nitroaniline	NA	NA	NA	mg/kg	0.24	U
	4-Nitroaniline	NA	NA	NA	mg/kg	0.24	U
	Dibenzofuran	NA	NA	NA	mg/kg	0.15	J
	2-Methylnaphthalene	NA	NA	NA	mg/kg	0.29	U
	1,2,4,5-Tetrachlorobenzene	<3.0	3.0-14	>14	mg/kg	0.24	U
	Acetophenone	NA	NA	NA	mg/kg	0.24	U
	2,4,6-Trichlorophenol	NA	NA	NA	mg/kg	0.15	U
	p-Chloro-m-cresol	NA	NA	NA	mg/kg	0.24	U
	2-Chlorophenol	NA	NA	NA	mg/kg	0.24	U
	2,4-Dichlorophenol	NA	NA	NA	mg/kg	0.22	U
	2,4-Dimethylphenol	NA	NA	NA	mg/kg	0.24	U
	2-Nitrophenol	NA	NA	NA	mg/kg	0.53	U
	4-Nitrophenol	NA	NA	NA	mg/kg	0.34	U
	2,4-Dinitrophenol	NA	NA	NA	mg/kg	1.2	U
	4,6-Dinitro-o-cresol	NA	NA	NA	mg/kg	0.64	U
	Pentachlorophenol	NA	NA	NA	mg/kg	0.2	U
	Phenol	NA	NA	NA	mg/kg	0.24	U
	2-Methylphenol	NA	NA	NA	mg/kg	0.24	U
	3-Methylphenol/4-Methylphenol	NA	NA	NA	mg/kg	0.35	U
	2,4,5-Trichlorophenol	NA	NA	NA	mg/kg	0.24	U
	Carbazole	NA	NA	NA	mg/kg	0.5	
	Atrazine	NA	NA	NA	mg/kg	0.2	U
	Benzaldehyde	NA	NA	NA	mg/kg	0.32	U
	Caprolactam	NA	NA	NA	mg/kg	0.24	U
	2,3,4,6-Tetrachlorophenol	NA	NA	NA	mg/kg	0.24	U
	Total PAH	<4	4-35	>35	mg/kg	40.291	

Notes:
SVOCs analysis via USEPA Method 8270.
Bold values are designated as Class B in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
Yellow shaded values are designated as Class C in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
All other values are designated as Class A in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards, Class A
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the se

Table 5C - Page 1 of 1
Summary of Pesticides in Sediment Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION	NYSDEC Freshwater Sediment Guidance Values			Units	SED-4-02182017	
SAMPLING DATE					2/18/2017	
SAMPLE DEPTH (ft.)					0-1	
	Class A	Class B	Class C		Results	Qual
Organochlorine Pesticides by GC						
Delta-BHC	NA	NA	NA	mg/kg	0.00234	U
Lindane	<0.047	0.047-0.078	>0.078	mg/kg	0.000974	U
Alpha-BHC	NA	NA	NA	mg/kg	0.000974	U
Beta-BHC	NA	NA	NA	mg/kg	0.00234	U
Heptachlor	<0.075	0.075-10	>10	mg/kg	0.00117	U
Aldrin	NA	NA	NA	mg/kg	0.00234	U
Heptachlor epoxide	<0.015	0.015-2.1	>2.1	mg/kg	0.00438	U
Endrin	<0.090	0.090-0.22	>0.22	mg/kg	0.000974	U
Endrin aldehyde	NA	NA	NA	mg/kg	0.00292	U
Endrin ketone	NA	NA	NA	mg/kg	0.00234	U
Dieldrin	<0.18	0.18-0.78	>0.78	mg/kg	0.00146	U
4,4'-DDE	NA	NA	NA	mg/kg	0.00456	
4,4'-DDD	NA	NA	NA	mg/kg	0.0113	
4,4'-DDT	<0.044	0.044-48	>48	mg/kg	0.00438	U
Endosulfan I	<0.001	0.001-0.02	>0.02	mg/kg	0.00234	U
Endosulfan II	<0.001	0.001-0.02	>0.02	mg/kg	0.00234	U
Endosulfan sulfate	<0.001	0.001-0.02	>0.02	mg/kg	0.000974	U
Methoxychlor	<0.059	>0.059		mg/kg	0.00438	U
Toxaphene	<0.006	0.006-0.25	>0.25	mg/kg	0.0438	U
cis-Chlordane	NA	NA	NA	mg/kg	0.00292	U
trans-Chlordane	NA	NA	NA	mg/kg	0.00292	U
Chlordane	<0.068	0.068-38	>38	mg/kg	0.019	U

Notes:
Pesticides analysis via USEPA Method 8081.
Bold values are designated as Class B in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
Yellow shaded values are designated as Class C in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
All other values are designated as Class A in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards, Class A
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the samp

Table 5D - Page 1 of 1
Summary of Metals in Sediment Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC Freshwater Sediment Guidance Values			Units	SED-1-02182017		SED-2-02182017		SED-4-02182017		SED-5-02182017		SED-3-02212017		DUPLICATE-02212017 (S)	
SAMPLING DATE						2/18/2017		2/18/2017		2/18/2017		2/18/2017		2/21/2017		2/21/2017	
SAMPLE DEPTH (ft.)						0-1		0-1		0-1		0-1		0-1		0-1	
		Class A	Class B	Class C		Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Total Metals																	
	Aluminum, Total	NA	NA	NA	mg/kg	2200		1900		2300		3200		1900		1800	
	Antimony, Total	NA	NA	NA	mg/kg	5.5	U	6.3	U	5.8	U	6.2	U	5.2	U	5.4	U
	Arsenic, Total	<10	10-33	>33	mg/kg	1.4		0.96	J	3.7		20		2.1		1.6	
	Barium, Total	NA	NA	NA	mg/kg	12		19		33		42		12		10	
	Beryllium, Total	NA	NA	NA	mg/kg	0.04	J	0.63	U	0.07	J	0.11	J	0.52	U	0.54	U
	Cadmium, Total	<1	1-5	>5	mg/kg	0.13	J	0.13	J	0.51	J	0.51	J	0.22	J	0.18	J
	Calcium, Total	NA	NA	NA	mg/kg	18000		22000		31000		15000		30000		35000	
	Chromium, Total	<43	43-110	>110	mg/kg	6.6		6.4		8.8		14		4.8		4.9	
	Cobalt, Total	NA	NA	NA	mg/kg	2.3		2.1	J	2.2	J	2.8		2	J	1.8	J
	Copper, Total	<32	32-150	>150	mg/kg	6.7		8.3		44		24		10		9	
	Iron, Total	NA	NA	NA	mg/kg	6800		7000		13000		12000		5800		5400	
	Lead, Total	<36	36-130	>130	mg/kg	7.2		7.2		38		50		14		11	
	Magnesium, Total	NA	NA	NA	mg/kg	4100		5300		11000		4300		11000		15000	
	Manganese, Total	NA	NA	NA	mg/kg	290		180		180		190		160		170	
	Mercury, Total	<0.2	0.2-1	>1	mg/kg	0.09	U	0.1	U	0.15		0.06	J	0.09	U	0.09	U
	Nickel, Total	<23	23-49	>49	mg/kg	4.5		4.4		5.3		6.1		4.5		3.9	
	Potassium, Total	NA	NA	NA	mg/kg	200	J	200	J	200	J	260	J	180	J	190	J
	Selenium, Total	NA	NA	NA	mg/kg	2.2	U	2.5	U	2.3	U	2.5	U	2.1	U	2.2	U
	Silver, Total	<1	1-2.2	>2.2	mg/kg	1.1	U	1.3	U	0.87	J	1.4		1	U	1.1	U
	Sodium, Total	NA	NA	NA	mg/kg	200	J	420		780		1100		170	J	190	J
	Thallium, Total	NA	NA	NA	mg/kg	2.2	U	2.5	U	2.3	U	2.5	U	2.1	U	2.2	U
	Vanadium, Total	NA	NA	NA	mg/kg	8.5		9.1		7.4		9		5.6		5.6	
	Zinc, Total	<120	120-460	>460	mg/kg	30		39		150		140		66		49	

Notes:
Metals analysis via USEPA Method 6010/7470/7471.
Bold values are designated as Class B in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
Yellow shaded values are designated as Class C in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
All other values are designated as Class A in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards, Class A
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

Table 5E - Page 1 of 1
Summary of PCBs and TOC in Sediment Samples
Remedial Investigation Report
NYSDEC BCP #C828187
3750 Monroe Avenue, Pittsford, New York
LaBella Project No. 213131

LOCATION		NYSDEC Freshwater Sediment Guidance Values				Units	SED-1-02182017		SED-2-02182017		SED-4-02182017		SED-5-02182017		SED-3-02212017		DUPLICATE-02212017 (S)	
SAMPLING DATE							2/18/2017		2/18/2017		2/18/2017		2/18/2017		2/21/2017		2/21/2017	
SAMPLE DEPTH (ft.)							0-1		0-1		0-1		0-1		0-1		0-1	
		Class A	Class B	Class C	Results		Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	
Polychlorinated Biphenyls by GC																		
	Aroclor 1016	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1221	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1232	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1242	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1248	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1254	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1260	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.318		0.0336	J	0.0129	J	0.00818	J	
	Aroclor 1262	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	Aroclor 1268	NA	NA	NA	mg/kg	0.0461	U	0.0515	U	0.0485	U	0.0527	U	0.0447	U	0.0467	U	
	PCBs, Total	<0.1	0.1-1.0	>1.0	mg/kg	0.0461	U	0.0515	U	0.318		0.0336	J	0.0129	J	0.00818	J	
Total Organic Carbon																		
	Total Organic Carbon	NA	NA	NA	%	0.33		0.977		1.02		3.28		0.767		0.799		

Notes:
PCB analysis via USEPA Method 8082.
TOC analysis via USEPA Method 9060A.
Bold values are designated as Class B in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
Yellow shaded values are designated as Class C in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards
All other values are designated as Class A in the NYSDEC Screening and Assessment of Contaminated Sediment June 24, 2014 Standards, Class A
"-" indicates not analyzed.
NA - Not applicable/not listed
J – Indicates that the constituent was positively identified; but the associated numerical value is the approximate concentration of the constituent in the sample.

SOIL GAS LABORATORY ANALYTICAL REPORT (PRELIMINARY DATA)

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-001A

Client Sample ID: SV-1-02022017
Tag Number: 563.260
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15				Analyst: RJP
1,1,1-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 10:31:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/10/2017 10:31:00 PM
1,1,2-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 10:31:00 PM
1,1-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 10:31:00 PM
1,1-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 10:31:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/10/2017 10:31:00 PM
1,2,4-Trimethylbenzene	< 0.74	0.74		ug/m3	1	2/10/2017 10:31:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/10/2017 10:31:00 PM
1,2-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 10:31:00 PM
1,2-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 10:31:00 PM
1,2-Dichloropropane	< 0.69	0.69		ug/m3	1	2/10/2017 10:31:00 PM
1,3,5-Trimethylbenzene	< 0.74	0.74		ug/m3	1	2/10/2017 10:31:00 PM
1,3-butadiene	< 0.33	0.33		ug/m3	1	2/10/2017 10:31:00 PM
1,3-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 10:31:00 PM
1,4-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 10:31:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/10/2017 10:31:00 PM
2,2,4-trimethylpentane	< 0.70	0.70		ug/m3	1	2/10/2017 10:31:00 PM
4-ethyltoluene	< 0.74	0.74		ug/m3	1	2/10/2017 10:31:00 PM
Acetone	32	7.1		ug/m3	10	2/11/2017 3:15:00 AM
Allyl chloride	< 0.47	0.47		ug/m3	1	2/10/2017 10:31:00 PM
Benzene	3.8	0.48		ug/m3	1	2/10/2017 10:31:00 PM
Benzyl chloride	< 0.86	0.86		ug/m3	1	2/10/2017 10:31:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/10/2017 10:31:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/10/2017 10:31:00 PM
Bromomethane	< 0.58	0.58		ug/m3	1	2/10/2017 10:31:00 PM
Carbon disulfide	31	4.7		ug/m3	10	2/11/2017 3:15:00 AM
Carbon tetrachloride	0.44	0.25		ug/m3	1	2/10/2017 10:31:00 PM
Chlorobenzene	< 0.69	0.69		ug/m3	1	2/10/2017 10:31:00 PM
Chloroethane	0.45	0.40		ug/m3	1	2/10/2017 10:31:00 PM
Chloroform	< 0.73	0.73		ug/m3	1	2/10/2017 10:31:00 PM
Chloromethane	2.5	0.31		ug/m3	1	2/10/2017 10:31:00 PM
cis-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 10:31:00 PM
cis-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 10:31:00 PM
Cyclohexane	81	48		ug/m3	90	2/14/2017 12:42:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/10/2017 10:31:00 PM
Ethyl acetate	< 0.54	0.54		ug/m3	1	2/10/2017 10:31:00 PM
Ethylbenzene	< 0.65	0.65		ug/m3	1	2/10/2017 10:31:00 PM
Freon 11	1.2	0.84		ug/m3	1	2/10/2017 10:31:00 PM
Freon 113	< 1.1	1.1		ug/m3	1	2/10/2017 10:31:00 PM
Freon 114	< 1.0	1.0		ug/m3	1	2/10/2017 10:31:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-001A

Client Sample ID: SV-1-02022017
Tag Number: 563.260
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
Freon 12	2.5	0.74		ug/m3	1	2/10/2017 10:31:00 PM
Heptane	23	6.1		ug/m3	10	2/11/2017 3:15:00 AM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/10/2017 10:31:00 PM
Hexane	49	5.3		ug/m3	10	2/11/2017 3:15:00 AM
Isopropyl alcohol	210	34		ug/m3	90	2/14/2017 12:42:00 PM
m&p-Xylene	< 1.3	1.3		ug/m3	1	2/10/2017 10:31:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/10/2017 10:31:00 PM
Methyl Ethyl Ketone	1.8	0.88		ug/m3	1	2/10/2017 10:31:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/10/2017 10:31:00 PM
Methyl tert-butyl ether	< 0.54	0.54		ug/m3	1	2/10/2017 10:31:00 PM
Methylene chloride	0.42	0.52	J	ug/m3	1	2/10/2017 10:31:00 PM
o-Xylene	< 0.65	0.65		ug/m3	1	2/10/2017 10:31:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/10/2017 10:31:00 PM
Styrene	< 0.64	0.64		ug/m3	1	2/10/2017 10:31:00 PM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/10/2017 10:31:00 PM
Tetrahydrofuran	< 0.44	0.44		ug/m3	1	2/10/2017 10:31:00 PM
Toluene	9.8	5.7		ug/m3	10	2/11/2017 3:15:00 AM
trans-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 10:31:00 PM
trans-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 10:31:00 PM
Trichloroethene	< 0.21	0.21		ug/m3	1	2/10/2017 10:31:00 PM
Vinyl acetate	< 0.53	0.53		ug/m3	1	2/10/2017 10:31:00 PM
Vinyl Bromide	< 0.66	0.66		ug/m3	1	2/10/2017 10:31:00 PM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/10/2017 10:31:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-002A

Client Sample ID: SV-2-02022017
Tag Number: 93.272
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
1,1,1-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 11:11:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/10/2017 11:11:00 PM
1,1,2-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 11:11:00 PM
1,1-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 11:11:00 PM
1,1-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:11:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/10/2017 11:11:00 PM
1,2,4-Trimethylbenzene	0.54	0.74	J	ug/m3	1	2/10/2017 11:11:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/10/2017 11:11:00 PM
1,2-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:11:00 PM
1,2-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 11:11:00 PM
1,2-Dichloropropane	< 0.69	0.69		ug/m3	1	2/10/2017 11:11:00 PM
1,3,5-Trimethylbenzene	< 0.74	0.74		ug/m3	1	2/10/2017 11:11:00 PM
1,3-butadiene	< 0.33	0.33		ug/m3	1	2/10/2017 11:11:00 PM
1,3-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:11:00 PM
1,4-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:11:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/10/2017 11:11:00 PM
2,2,4-trimethylpentane	2.4	0.70		ug/m3	1	2/10/2017 11:11:00 PM
4-ethyltoluene	< 0.74	0.74		ug/m3	1	2/10/2017 11:11:00 PM
Acetone	98	64		ug/m3	90	2/14/2017 1:20:00 PM
Allyl chloride	< 0.47	0.47		ug/m3	1	2/10/2017 11:11:00 PM
Benzene	1.8	0.48		ug/m3	1	2/10/2017 11:11:00 PM
Benzyl chloride	< 0.86	0.86		ug/m3	1	2/10/2017 11:11:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/10/2017 11:11:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/10/2017 11:11:00 PM
Bromomethane	< 0.58	0.58		ug/m3	1	2/10/2017 11:11:00 PM
Carbon disulfide	5.3	0.47		ug/m3	1	2/10/2017 11:11:00 PM
Carbon tetrachloride	0.50	0.25		ug/m3	1	2/10/2017 11:11:00 PM
Chlorobenzene	< 0.69	0.69		ug/m3	1	2/10/2017 11:11:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/10/2017 11:11:00 PM
Chloroform	0.73	0.73		ug/m3	1	2/10/2017 11:11:00 PM
Chloromethane	< 0.31	0.31		ug/m3	1	2/10/2017 11:11:00 PM
cis-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:11:00 PM
cis-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 11:11:00 PM
Cyclohexane	5.7	0.52		ug/m3	1	2/10/2017 11:11:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/10/2017 11:11:00 PM
Ethyl acetate	< 0.54	0.54		ug/m3	1	2/10/2017 11:11:00 PM
Ethylbenzene	1.1	0.65		ug/m3	1	2/10/2017 11:11:00 PM
Freon 11	1.2	0.84		ug/m3	1	2/10/2017 11:11:00 PM
Freon 113	< 1.1	1.1		ug/m3	1	2/10/2017 11:11:00 PM
Freon 114	< 1.0	1.0		ug/m3	1	2/10/2017 11:11:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-002A

Client Sample ID: SV-2-02022017
Tag Number: 93.272
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
Freon 12	2.5	0.74		ug/m3	1	2/10/2017 11:11:00 PM
Heptane	4.4	0.61		ug/m3	1	2/10/2017 11:11:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/10/2017 11:11:00 PM
Hexane	18	5.3		ug/m3	10	2/11/2017 3:52:00 AM
Isopropyl alcohol	200	34		ug/m3	90	2/14/2017 1:20:00 PM
m&p-Xylene	3.5	1.3		ug/m3	1	2/10/2017 11:11:00 PM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/10/2017 11:11:00 PM
Methyl Ethyl Ketone	4.2	0.88		ug/m3	1	2/10/2017 11:11:00 PM
Methyl Isobutyl Ketone	0.98	1.2	J	ug/m3	1	2/10/2017 11:11:00 PM
Methyl tert-butyl ether	< 0.54	0.54		ug/m3	1	2/10/2017 11:11:00 PM
Methylene chloride	0.66	0.52		ug/m3	1	2/10/2017 11:11:00 PM
o-Xylene	1.2	0.65		ug/m3	1	2/10/2017 11:11:00 PM
Propylene	< 0.26	0.26		ug/m3	1	2/10/2017 11:11:00 PM
Styrene	< 0.64	0.64		ug/m3	1	2/10/2017 11:11:00 PM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/10/2017 11:11:00 PM
Tetrahydrofuran	1.4	0.44		ug/m3	1	2/10/2017 11:11:00 PM
Toluene	7.6	0.57		ug/m3	1	2/10/2017 11:11:00 PM
trans-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:11:00 PM
trans-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 11:11:00 PM
Trichloroethene	< 0.21	0.21		ug/m3	1	2/10/2017 11:11:00 PM
Vinyl acetate	< 0.53	0.53		ug/m3	1	2/10/2017 11:11:00 PM
Vinyl Bromide	< 0.66	0.66		ug/m3	1	2/10/2017 11:11:00 PM
Vinyl chloride	0.79	0.10		ug/m3	1	2/10/2017 11:11:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-003A

Client Sample ID: SV-3-02022017
Tag Number: 192.269
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15		Analyst: RJP		
1,1,1-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 11:51:00 PM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/10/2017 11:51:00 PM
1,1,2-Trichloroethane	< 0.82	0.82		ug/m3	1	2/10/2017 11:51:00 PM
1,1-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 11:51:00 PM
1,1-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:51:00 PM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/10/2017 11:51:00 PM
1,2,4-Trimethylbenzene	4.2	0.74		ug/m3	1	2/10/2017 11:51:00 PM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/10/2017 11:51:00 PM
1,2-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:51:00 PM
1,2-Dichloroethane	< 0.61	0.61		ug/m3	1	2/10/2017 11:51:00 PM
1,2-Dichloropropane	< 0.69	0.69		ug/m3	1	2/10/2017 11:51:00 PM
1,3,5-Trimethylbenzene	1.1	0.74		ug/m3	1	2/10/2017 11:51:00 PM
1,3-butadiene	< 0.33	0.33		ug/m3	1	2/10/2017 11:51:00 PM
1,3-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:51:00 PM
1,4-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/10/2017 11:51:00 PM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/10/2017 11:51:00 PM
2,2,4-trimethylpentane	10	0.70		ug/m3	1	2/10/2017 11:51:00 PM
4-ethyltoluene	1.2	0.74		ug/m3	1	2/10/2017 11:51:00 PM
Acetone	47	7.1		ug/m3	10	2/11/2017 4:29:00 AM
Allyl chloride	< 0.47	0.47		ug/m3	1	2/10/2017 11:51:00 PM
Benzene	3.7	0.48		ug/m3	1	2/10/2017 11:51:00 PM
Benzyl chloride	< 0.86	0.86		ug/m3	1	2/10/2017 11:51:00 PM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/10/2017 11:51:00 PM
Bromoform	< 1.6	1.6		ug/m3	1	2/10/2017 11:51:00 PM
Bromomethane	< 0.58	0.58		ug/m3	1	2/10/2017 11:51:00 PM
Carbon disulfide	3.4	0.47		ug/m3	1	2/10/2017 11:51:00 PM
Carbon tetrachloride	0.57	0.25		ug/m3	1	2/10/2017 11:51:00 PM
Chlorobenzene	< 0.69	0.69		ug/m3	1	2/10/2017 11:51:00 PM
Chloroethane	< 0.40	0.40		ug/m3	1	2/10/2017 11:51:00 PM
Chloroform	3.1	0.73		ug/m3	1	2/10/2017 11:51:00 PM
Chloromethane	4.3	0.31		ug/m3	1	2/10/2017 11:51:00 PM
cis-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:51:00 PM
cis-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 11:51:00 PM
Cyclohexane	7.6	5.2		ug/m3	10	2/11/2017 4:29:00 AM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/10/2017 11:51:00 PM
Ethyl acetate	< 0.54	0.54		ug/m3	1	2/10/2017 11:51:00 PM
Ethylbenzene	12	6.5		ug/m3	10	2/11/2017 4:29:00 AM
Freon 11	1.3	0.84		ug/m3	1	2/10/2017 11:51:00 PM
Freon 113	< 1.1	1.1		ug/m3	1	2/10/2017 11:51:00 PM
Freon 114	< 1.0	1.0		ug/m3	1	2/10/2017 11:51:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-003A

Client Sample ID: SV-3-02022017
Tag Number: 192.269
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
Freon 12	2.7	0.74		ug/m3	1	2/10/2017 11:51:00 PM
Heptane	6.9	0.61		ug/m3	1	2/10/2017 11:51:00 PM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/10/2017 11:51:00 PM
Hexane	20	5.3		ug/m3	10	2/11/2017 4:29:00 AM
Isopropyl alcohol	87	7.4		ug/m3	20	2/11/2017 8:13:00 AM
m&p-Xylene	49	13		ug/m3	10	2/11/2017 4:29:00 AM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/10/2017 11:51:00 PM
Methyl Ethyl Ketone	2.8	0.88		ug/m3	1	2/10/2017 11:51:00 PM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/10/2017 11:51:00 PM
Methyl tert-butyl ether	< 0.54	0.54		ug/m3	1	2/10/2017 11:51:00 PM
Methylene chloride	0.80	0.52		ug/m3	1	2/10/2017 11:51:00 PM
o-Xylene	13	6.5		ug/m3	10	2/11/2017 4:29:00 AM
Propylene	< 0.26	0.26		ug/m3	1	2/10/2017 11:51:00 PM
Styrene	< 0.64	0.64		ug/m3	1	2/10/2017 11:51:00 PM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/10/2017 11:51:00 PM
Tetrahydrofuran	0.59	0.44		ug/m3	1	2/10/2017 11:51:00 PM
Toluene	9.0	5.7		ug/m3	10	2/11/2017 4:29:00 AM
trans-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/10/2017 11:51:00 PM
trans-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/10/2017 11:51:00 PM
Trichloroethene	< 0.21	0.21		ug/m3	1	2/10/2017 11:51:00 PM
Vinyl acetate	< 0.53	0.53		ug/m3	1	2/10/2017 11:51:00 PM
Vinyl Bromide	< 0.66	0.66		ug/m3	1	2/10/2017 11:51:00 PM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/10/2017 11:51:00 PM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-004A

Client Sample ID: SV-4-02022017
Tag Number: 1208.256
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15				Analyst: RJP
1,1,1-Trichloroethane	< 0.82	0.82		ug/m3	1	2/11/2017 1:10:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/11/2017 1:10:00 AM
1,1,2-Trichloroethane	< 0.82	0.82		ug/m3	1	2/11/2017 1:10:00 AM
1,1-Dichloroethane	< 0.61	0.61		ug/m3	1	2/11/2017 1:10:00 AM
1,1-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 1:10:00 AM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/11/2017 1:10:00 AM
1,2,4-Trimethylbenzene	1.9	0.74		ug/m3	1	2/11/2017 1:10:00 AM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/11/2017 1:10:00 AM
1,2-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 1:10:00 AM
1,2-Dichloroethane	< 0.61	0.61		ug/m3	1	2/11/2017 1:10:00 AM
1,2-Dichloropropane	< 0.69	0.69		ug/m3	1	2/11/2017 1:10:00 AM
1,3,5-Trimethylbenzene	0.79	0.74		ug/m3	1	2/11/2017 1:10:00 AM
1,3-butadiene	< 0.33	0.33		ug/m3	1	2/11/2017 1:10:00 AM
1,3-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 1:10:00 AM
1,4-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 1:10:00 AM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/11/2017 1:10:00 AM
2,2,4-trimethylpentane	1.9	0.70		ug/m3	1	2/11/2017 1:10:00 AM
4-ethyltoluene	0.69	0.74	J	ug/m3	1	2/11/2017 1:10:00 AM
Acetone	150	28		ug/m3	40	2/11/2017 9:27:00 AM
Allyl chloride	< 0.47	0.47		ug/m3	1	2/11/2017 1:10:00 AM
Benzene	3.2	0.48		ug/m3	1	2/11/2017 1:10:00 AM
Benzyl chloride	< 0.86	0.86		ug/m3	1	2/11/2017 1:10:00 AM
Bromodichloromethane	0.87	1.0	J	ug/m3	1	2/11/2017 1:10:00 AM
Bromoform	< 1.6	1.6		ug/m3	1	2/11/2017 1:10:00 AM
Bromomethane	< 0.58	0.58		ug/m3	1	2/11/2017 1:10:00 AM
Carbon disulfide	1.3	0.47		ug/m3	1	2/11/2017 1:10:00 AM
Carbon tetrachloride	0.44	0.25		ug/m3	1	2/11/2017 1:10:00 AM
Chlorobenzene	< 0.69	0.69		ug/m3	1	2/11/2017 1:10:00 AM
Chloroethane	< 0.40	0.40		ug/m3	1	2/11/2017 1:10:00 AM
Chloroform	4.1	0.73		ug/m3	1	2/11/2017 1:10:00 AM
Chloromethane	2.6	0.31		ug/m3	1	2/11/2017 1:10:00 AM
cis-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 1:10:00 AM
cis-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/11/2017 1:10:00 AM
Cyclohexane	1.5	0.52		ug/m3	1	2/11/2017 1:10:00 AM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/11/2017 1:10:00 AM
Ethyl acetate	< 0.54	0.54		ug/m3	1	2/11/2017 1:10:00 AM
Ethylbenzene	4.5	0.65		ug/m3	1	2/11/2017 1:10:00 AM
Freon 11	1.2	0.84		ug/m3	1	2/11/2017 1:10:00 AM
Freon 113	< 1.1	1.1		ug/m3	1	2/11/2017 1:10:00 AM
Freon 114	< 1.0	1.0		ug/m3	1	2/11/2017 1:10:00 AM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-004A

Client Sample ID: SV-4-02022017
Tag Number: 1208.256
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
Freon 12	2.4	0.74		ug/m3	1	2/11/2017 1:10:00 AM
Heptane	3.7	0.61		ug/m3	1	2/11/2017 1:10:00 AM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/11/2017 1:10:00 AM
Hexane	4.7	0.53		ug/m3	1	2/11/2017 1:10:00 AM
Isopropyl alcohol	3000	590		ug/m3	1620	2/14/2017 2:35:00 PM
m&p-Xylene	13	1.3		ug/m3	1	2/11/2017 1:10:00 AM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/11/2017 1:10:00 AM
Methyl Ethyl Ketone	1.8	0.88		ug/m3	1	2/11/2017 1:10:00 AM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/11/2017 1:10:00 AM
Methyl tert-butyl ether	1.9	0.54		ug/m3	1	2/11/2017 1:10:00 AM
Methylene chloride	0.94	0.52		ug/m3	1	2/11/2017 1:10:00 AM
o-Xylene	4.4	0.65		ug/m3	1	2/11/2017 1:10:00 AM
Propylene	< 0.26	0.26		ug/m3	1	2/11/2017 1:10:00 AM
Styrene	< 0.64	0.64		ug/m3	1	2/11/2017 1:10:00 AM
Tetrachloroethylene	2.2	1.0		ug/m3	1	2/11/2017 1:10:00 AM
Tetrahydrofuran	0.41	0.44	J	ug/m3	1	2/11/2017 1:10:00 AM
Toluene	17	5.7		ug/m3	10	2/11/2017 5:43:00 AM
trans-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 1:10:00 AM
trans-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/11/2017 1:10:00 AM
Trichloroethene	< 0.21	0.21		ug/m3	1	2/11/2017 1:10:00 AM
Vinyl acetate	< 0.53	0.53		ug/m3	1	2/11/2017 1:10:00 AM
Vinyl Bromide	< 0.66	0.66		ug/m3	1	2/11/2017 1:10:00 AM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/11/2017 1:10:00 AM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-005A

Client Sample ID: Dup-02022017
Tag Number: 569.260
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC		TO-15				Analyst: RJP
1,1,1-Trichloroethane	< 0.82	0.82		ug/m3	1	2/11/2017 12:30:00 AM
1,1,2,2-Tetrachloroethane	< 1.0	1.0		ug/m3	1	2/11/2017 12:30:00 AM
1,1,2-Trichloroethane	< 0.82	0.82		ug/m3	1	2/11/2017 12:30:00 AM
1,1-Dichloroethane	< 0.61	0.61		ug/m3	1	2/11/2017 12:30:00 AM
1,1-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 12:30:00 AM
1,2,4-Trichlorobenzene	< 1.1	1.1		ug/m3	1	2/11/2017 12:30:00 AM
1,2,4-Trimethylbenzene	< 0.74	0.74		ug/m3	1	2/11/2017 12:30:00 AM
1,2-Dibromoethane	< 1.2	1.2		ug/m3	1	2/11/2017 12:30:00 AM
1,2-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 12:30:00 AM
1,2-Dichloroethane	< 0.61	0.61		ug/m3	1	2/11/2017 12:30:00 AM
1,2-Dichloropropane	< 0.69	0.69		ug/m3	1	2/11/2017 12:30:00 AM
1,3,5-Trimethylbenzene	< 0.74	0.74		ug/m3	1	2/11/2017 12:30:00 AM
1,3-butadiene	< 0.33	0.33		ug/m3	1	2/11/2017 12:30:00 AM
1,3-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 12:30:00 AM
1,4-Dichlorobenzene	< 0.90	0.90		ug/m3	1	2/11/2017 12:30:00 AM
1,4-Dioxane	< 1.1	1.1		ug/m3	1	2/11/2017 12:30:00 AM
2,2,4-trimethylpentane	< 0.70	0.70		ug/m3	1	2/11/2017 12:30:00 AM
4-ethyltoluene	< 0.74	0.74		ug/m3	1	2/11/2017 12:30:00 AM
Acetone	29	7.1		ug/m3	10	2/11/2017 5:06:00 AM
Allyl chloride	< 0.47	0.47		ug/m3	1	2/11/2017 12:30:00 AM
Benzene	3.7	0.48		ug/m3	1	2/11/2017 12:30:00 AM
Benzyl chloride	< 0.86	0.86		ug/m3	1	2/11/2017 12:30:00 AM
Bromodichloromethane	< 1.0	1.0		ug/m3	1	2/11/2017 12:30:00 AM
Bromoform	< 1.6	1.6		ug/m3	1	2/11/2017 12:30:00 AM
Bromomethane	< 0.58	0.58		ug/m3	1	2/11/2017 12:30:00 AM
Carbon disulfide	27	4.7		ug/m3	10	2/11/2017 5:06:00 AM
Carbon tetrachloride	0.57	0.25		ug/m3	1	2/11/2017 12:30:00 AM
Chlorobenzene	< 0.69	0.69		ug/m3	1	2/11/2017 12:30:00 AM
Chloroethane	0.45	0.40		ug/m3	1	2/11/2017 12:30:00 AM
Chloroform	< 0.73	0.73		ug/m3	1	2/11/2017 12:30:00 AM
Chloromethane	3.8	0.31		ug/m3	1	2/11/2017 12:30:00 AM
cis-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 12:30:00 AM
cis-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/11/2017 12:30:00 AM
Cyclohexane	84	48		ug/m3	90	2/14/2017 1:57:00 PM
Dibromochloromethane	< 1.3	1.3		ug/m3	1	2/11/2017 12:30:00 AM
Ethyl acetate	< 0.54	0.54		ug/m3	1	2/11/2017 12:30:00 AM
Ethylbenzene	< 0.65	0.65		ug/m3	1	2/11/2017 12:30:00 AM
Freon 11	1.0	0.84		ug/m3	1	2/11/2017 12:30:00 AM
Freon 113	< 1.1	1.1		ug/m3	1	2/11/2017 12:30:00 AM
Freon 114	< 1.0	1.0		ug/m3	1	2/11/2017 12:30:00 AM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		

Centek Laboratories, LLC

Date: 16-Feb-17

CLIENT: LaBella Associates, P.C.
Lab Order: C1702025
Project: 3750 Monroe Ave
Lab ID: C1702025-005A

Client Sample ID: Dup-02022017
Tag Number: 569.260
Collection Date: 2/2/2017
Matrix: AIR

Analyses	Result	**Limit	Qual	Units	DF	Date Analyzed
1UG/M3 W/ 0.25UG/M3 CT-TCE-VC			TO-15			Analyst: RJP
Freon 12	2.4	0.74		ug/m3	1	2/11/2017 12:30:00 AM
Heptane	22	6.1		ug/m3	10	2/11/2017 5:06:00 AM
Hexachloro-1,3-butadiene	< 1.6	1.6		ug/m3	1	2/11/2017 12:30:00 AM
Hexane	42	5.3		ug/m3	10	2/11/2017 5:06:00 AM
Isopropyl alcohol	200	34		ug/m3	90	2/14/2017 1:57:00 PM
m&p-Xylene	< 1.3	1.3		ug/m3	1	2/11/2017 12:30:00 AM
Methyl Butyl Ketone	< 1.2	1.2		ug/m3	1	2/11/2017 12:30:00 AM
Methyl Ethyl Ketone	1.9	0.88		ug/m3	1	2/11/2017 12:30:00 AM
Methyl Isobutyl Ketone	< 1.2	1.2		ug/m3	1	2/11/2017 12:30:00 AM
Methyl tert-butyl ether	< 0.54	0.54		ug/m3	1	2/11/2017 12:30:00 AM
Methylene chloride	0.56	0.52		ug/m3	1	2/11/2017 12:30:00 AM
o-Xylene	< 0.65	0.65		ug/m3	1	2/11/2017 12:30:00 AM
Propylene	< 0.26	0.26		ug/m3	1	2/11/2017 12:30:00 AM
Styrene	< 0.64	0.64		ug/m3	1	2/11/2017 12:30:00 AM
Tetrachloroethylene	< 1.0	1.0		ug/m3	1	2/11/2017 12:30:00 AM
Tetrahydrofuran	< 0.44	0.44		ug/m3	1	2/11/2017 12:30:00 AM
Toluene	7.2	0.57		ug/m3	1	2/11/2017 12:30:00 AM
trans-1,2-Dichloroethene	< 0.59	0.59		ug/m3	1	2/11/2017 12:30:00 AM
trans-1,3-Dichloropropene	< 0.68	0.68		ug/m3	1	2/11/2017 12:30:00 AM
Trichloroethene	< 0.21	0.21		ug/m3	1	2/11/2017 12:30:00 AM
Vinyl acetate	< 0.53	0.53		ug/m3	1	2/11/2017 12:30:00 AM
Vinyl Bromide	< 0.66	0.66		ug/m3	1	2/11/2017 12:30:00 AM
Vinyl chloride	< 0.10	0.10		ug/m3	1	2/11/2017 12:30:00 AM

Qualifiers:	**	Quantitation Limit	.	Results reported are not blank corrected
	B	Analyte detected in the associated Method Blank	E	Estimated Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limit
	JN	Non-routine analyte. Quantitation estimated.	ND	Not Detected at the Limit of Detection
	S	Spike Recovery outside accepted recovery limits		