

Phase II Environmental Site Assessment

Location:

Getinge USA, Inc.
1777 East Henrietta Road
Henrietta, New York

Prepared for:

Buckingham Properties
259 Alexander Street
Rochester, NY 14607

LaBella Project No. 214260

April 1, 2014

Table of Contents

	Page
1.0 Introduction and Background	1
2.0 Objective and Scope of Work	2
3.0 Test Pit Investigation	2
4.0 Direct Push Soil Boring Study	3
4.1 Site Geology and Hydrology	3
4.2 PID Field Screening Results	3
5.0 Laboratory Analytical Results	5
5.1 Laboratory Analysis of Soil Samples	6
5.2 Laboratory Analysis of Groundwater Samples	7
6.0 Findings and Conclusions	7

Figures

Tables 3 Through 5

Appendix 1 – Field Logs

Appendix 2 – Laboratory Analytical Reports

1.0 Introduction and Background

LaBella Associates, D.P.C. (“LaBella”) was retained by Buckingham Properties to conduct a Phase II Environmental Site Assessment (ESA) at the property known as 1777 East Henrietta Road, located in the Town of Henrietta, Monroe County, New York and hereinafter referred to as the “Site” (see Figure 1).

The Site is approximately 34.90-acres in size and is currently developed with two (2) buildings utilized for manufacturing purposes. Based upon the preliminary findings of a Phase I ESA recently performed by LaBella for the Site, the following Recognized Environmental Conditions (RECs) have been identified in connection with the Site:

Impacts from Manufacturing and Industrial Wastewater Treatment

Based upon the review of previous environmental reports, historical site operations included electroplating and vapor degreasing operations utilizing chlorinated volatile organic compounds (CVOCs) and various heavy metals. Wastewater from the plating operations was reportedly conveyed to a wastewater treatment plant (WWTP) north of the Building 1. In addition, the Monroe County Environmental Management Council (MCEMC) lists an area in the vicinity of the wastewater treatment plant settling pond as the *Town of Henrietta Waste Disposal Site 027*. Treated effluent was reportedly directed via underground clay piping to an onsite detention pond located on the northeast corner of the Site. The results of previous studies identified the presence of trichloroethene (TCE) and cis-1,2-dichloroethene (DCE) in site groundwater proximate the former WWTP and the detention pond. The most recent sampling from 2013 indicated that concentrations of CVOCs in groundwater proximate the former WWTP have decreased versus historical high concentrations but remain above New York State Department of Environmental Conservation (NYSDEC) groundwater standards. Concentrations of CVOCs in groundwater proximate the detention pond remains elevated. The most recent report completed by Stantec in June 2013 concludes that concentrations diminish quickly down gradient of the detention pond.

Site Operations and Infrastructure

Portions of the facility where plating, degreasing, chemical storage, and waste storage operations were performed also represent potential areas of concern at the Site. Closed trench drains were also observed at the time of the Phase I ESA site visit, and these drains may have been associated with wastewater collection for plating and degreasing operations. In addition to the wastewater concern discussed above, it has been reported that similar wastewater effluent was historically conveyed to a previous generation wastewater pond located toward the southern limits of the Site.

On-Site Soil Disposal

An area of soil where industrial process waste was reportedly disposed of, was excavated from the southeast portion of the Site during construction work associated with I-390. This soil was reportedly relocated to the western portions of the Site. The potential for CVOC and metals impacts to soil and groundwater could be present within the fill that was relocated to the western portion of the Site.

Based upon the RECs described above and the historical use of the Site, LaBella was retained to assess on-site soil and groundwater conditions.

2.0 Objective and Scope of Work

The objective of the Phase II ESA was to conduct an evaluation of subsurface conditions and assess potential impacts from the historic use of the Site. To accomplish this objective, the following Scope of Work was performed, based upon the findings of the Phase I ESA and our discussions:

1. Prior to the initiation of subsurface work, an underground utility stake-out, via *Dig Safely New York*, was completed at the Site to locate utilities in the areas where the subsurface assessment would take place. In addition, Getinge provided available record drawings that depicted known private subsurface utilities at for the Site.
2. LaBella Associates D.P.C. retained the services of LaBella Environmental, LLC (LBA ENV) on February 27, 2014, to complete a test pit investigation on the western portion of the Site within the previously described fill area.
3. LaBella Associates D.P.C. retained the services of LBA ENV on March 6 and 8, 2014, to implement a direct-push (i.e., Geoprobe®) soil boring and sampling program at the Site. A total of eleven (11) soil borings, including four (4) interior borings, were completed in areas of the Site identified as containing RECs.
3. Soils from the borings were continuously assessed for visible impairment, olfactory indications of impairment, and/or indication of detectable volatile organic compounds (VOCs) with a handheld photoionization detector (PID). Positive indications from any of these screening methods are collectively referred to as “evidence of impairment.”
4. Seven (7) soil borings were converted into overburden groundwater monitoring wells. Seven (7) groundwater samples and nine (9) soil samples were collected and submitted under chain of custody procedures to a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) certified laboratory. An eighth groundwater sample was collected from existing well MW-01, which was installed by Stantec in 2013 in the vicinity of the detention pond on the northeastern portion of the property. Select groundwater and soil samples were analyzed for one or more of the following parameters:
 - United States Environmental Protection Agency (USEPA) Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Commissioner Policy 51 (CP-51) list VOCs using USEPA Method 8260; and
 - USEPA Target Analyte List (TAL) Metals using USEPA Methods 6010 and 7471.

3.0 Test Pit Investigation

The test pit investigation was completed in the western portion of the Site on February 27, 2014. The test pit investigation consisted of the excavation of ten (10) test pits to approximate depths of between 8 feet and 12 feet below the ground surface (BGS). The approximate test pit locations are shown on Figure 2, and copies of the test pit logs are included in Appendix 1.

4.0 Direct Push Soil Boring Study

4.1 Site Geology and Hydrology

A total of seven (7) soil borings were advanced on the exterior portion of the Site on March 6, 2014. An additional four (4) soil borings were advanced on the interior portion of the main Site building on March 8, 2014. The soil borings were designated LBA-GP-01 through LBA-GP-11. The soil borings were advanced utilizing a Geoprobe® Model 54-LT track-mounted direct-push sampling system. The direct-push soil borings were advanced to approximate depths of between 6 feet BGS and 24 feet BGS. Some of the soil borings encountered direct-push equipment “refusal” at approximate depths of between 6 feet BGS and 15 feet BGS. It is anticipated that the instances of direct-push equipment “refusal” were caused by a hard overburden formation rather than bedrock beneath the Site.

All soil cores were continuously assessed by a LaBella Environmental Geologist with a MiniRae 3000 model PID for evidence of impairment. No significant impacts were detected in the borings advanced on the exterior of the facility (LBA-GP-01 through LBA-GP-07). Elevated PID readings were identified in the borings advanced inside the facility (LBA-GP-08 through LBA-GP-11), with the most significant impacts found in proximity to the historical plating line (LBA-GP-08).

Soils encountered consisted generally of clayey silt and hard silty clay with varying amounts of fine sands and subangular/subrounded gravel. Soils were a mix of native constituents and fill, depending on the area probed. Groundwater was typically encountered between depths of approximately 7 feet and 13 feet BGS. The interior borings (LBA-GP-07, specifically) did not encounter groundwater after being advanced to a maximum depth of 24 feet BGS.

Seven (7) temporary overburden groundwater monitoring wells (designated as LBA-MW-01 through LBA-MW-07) were installed at the Site within respective soil boreholes LBA-GP-02, LBA-GP-03, LBA-GP-04, LBA-GP-05, LBA-GP-06, LBA-GP-08, and LBA-GP-11. The wells were completed with either 5 feet or 10 feet of 0.010-inch slotted screen below PVC risers, to total depths of between 11 feet and 24 feet BGS. The areas surrounding the wells were filled with quartz sand. Depths to groundwater varied with each well but were measured to range from approximately 7.28 feet BGS to 12.69 feet BGS prior to purging approximately three (3) well volumes and/or collecting groundwater samples. Based on the collective results of the previously completed site investigations groundwater flow is reported to be toward the northeast.

The approximate soil boring and monitoring well locations are shown on Figure 2. Copies of the Soil Boring Logs are included in Appendix 1.

4.2 PID Field Screening Results

Table 1, on the following page, summarizes PID readings obtained at various depth intervals from the soil borings. Table 1 also summarizes the overburden groundwater monitoring wells installed at the Site during this Phase II ESA.

Table 1
Soil Boring/Well Summary and Soil PID Readings

Soil Boring ID	Groundwater Monitoring Well ID	Well Construction Details	Sample Interval (feet BGS)											
			0-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24
LBA-GP-01	No Well Set	NA	0	0	0.1	0	0	0	0	--	--	--	--	--
LBA-GP-02	LBA-MW-01	Depth of 20 feet BGS with 10 feet of screen	0	0.1	0	0	0	0	0	0	0	0.1	--	--
LBA-GP-03	LBA-MW-02	Depth of 16 feet BGS with 10 feet of screen	0	0	0	0	0	0	0	0	--	--	--	--
LBA-GP-04	LBA-MW-03	Depth of 16 feet BGS with 10 feet of screen	0	0	0	0	0	0	0	0	--	--	--	--
LBA-GP-05	LBA-MW-04	Depth of 15 feet BGS with 10 feet of screen	0	0	0	0	0	0	0	0	--	--	--	--
LBA-GP-06	LBA-MW-05	Depth of 11 feet BGS with 5 feet of screen	0	0	0	0	0.1	0.1	--	--	--	--	--	--
LBA-GP-07	No Well Set	NA	0	0	0	0	0	--	--	--	--	--	--	--
LBA-GP-08	LBA-MW-06	Depth of 24 feet BGS with 10 feet of screen	250	350	480	640	720	3,200	350	--	4,100	13,000	1,650	3,500
LBA-GP-09	No Well Set	NA	67	117	108	--	--	--	--	--	--	--	--	--
LBA-GP-10	No Well Set	NA	0.7	2.2	0.8	1.3	0.7	--	--	--	--	--	--	--
LBA-GP-11	LBA-MW-07	Depth of 17 feet BGS with 10 feet of screen	0.7	124	34	14	0.7	0.2	0.2	--	--	--	--	--

Notes:

1. All PID readings were collected utilizing a Minirae 3000 photoionization detector and are expressed in parts per million (ppm).
2. PID screening in the field is performed as a method of determining general presence or absence of VOCs in soil, and to provide a basis for selecting samples for laboratory analysis. The readings obtained provide only an indication of the relative levels of VOC presence in the soil, and are not considered to be a direct quantization of actual soil VOC concentration.
3. "--" denotes boring not completed to above-listed depth or insufficient recovery occurred at specified depth.

5.0 Laboratory Analytical Results

This section discusses the laboratory analytical results associated with soil and groundwater samples collected from the Site and submitted for laboratory analysis. Table 2, on the following page, summarizes the soil and groundwater samples collected from the Site and submitted for analysis under standard chain of custody procedures.

Table 2
Summary of Soil and Groundwater Samples Collected and
Submitted for Laboratory Analysis

Sample ID	Soil Sample Depth	USEPA TCL & NYSDEC CP-51 VOCs	USEPA TAL Metals
TP #1	8' BGS	X	
TP #4	9' BGS	X	
TP #5	10' BGS	X	
LBA-GP-02	5' BGS	X	X
LBA-GP-05	9.5' BGS	X	
LBA-GP-07	1.5'-2' BGS	X	
LBA-GP-08	2'-4' BGS	X	X
	8' BGS	X	
	21' BGS	X	
LBA-GP-09	2'-4' BGS	X	
LBA-GP-10	0-2' BGS	X	X
LBA-GP-11	2'-4' BGS	X	
LBA-MW-02	Groundwater Samples	X	
LBA-MW-03		X	
LBA-MW-04		X	
LBA-MW-05		X	
LBA-MW-06		X	
LBA-MW-07		X	
Stantec MW-01		X	

Notes:

BGS = Below Ground Surface

USEPA TCL & NYSDEC CP-51 VOCs = United States Environmental Protection Agency (USEPA) Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Commissioner Policy 51 (CP-51) list volatile organic compounds (VOCs) using USEPA Method 8260

USEPA TAL Metals = USEPA Target Analyte List (TAL) Metals using USEPA Methods 6010 and 7471.

5.1 Laboratory Analysis of Soil Samples:

Between work completed at the Site on February 27, 2014 and March 8, 2014, twelve (12) soil samples were submitted for laboratory analysis by LaBella. Laboratory analytical data associated with soil samples submitted for analysis during this Phase II ESA are summarized in the attached Tables 3 and 4.

VOCs were not reported at concentrations above laboratory method detection limits in the soil samples collected from the February 27, 2014 test pit program.

As summarized in Table 3, Trichloroethene (a CVOC also known as “TCE”) was reported in soil samples collected from soil boring LBA-GP-08 through LBA-GP-11, which were advanced within the Main Site Building during this Phase II ESA. Most of the reported concentration of TCE were below the NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives (SCOs) for the Protection of Public Health under Industrial and Commercial Uses and for the Protection of Groundwater. However, the soil sample collected from a depth of approximately 21 feet BGS in LBA-GP-08, was reported to contain a concentration of TCE [8.8 parts per million (ppm)] that is above the NYCRR Part 375-6.8(b) Restricted Use SCO for the Protection of Groundwater (0.47 ppm) but below the NYCRR Part 375-6.8(b) Restricted Use SCOs for the Protection of Public Health under Industrial and Commercial Uses (400 ppm and 200 ppm, respectively).

A few additional VOCs were reported in soil samples submitted for laboratory analysis during this Phase II ESA (see Table 3), but all of the reported concentration of these VOCs were below their respective NYCRR Part 375-6.8(b) Restricted Use SCOs for the Protection of Public Health under Industrial and Commercial Uses and for the Protection of Groundwater.

Of the soil samples submitted for analysis of metals content (see Table 5), only the sample collected from a depth of approximately 2 to 4 feet BGS in LBA-GP-08, was reported to contain elevated concentration of the following metals: Chromium, Copper, and Nickel. In this soil sample:

- the reported concentration of Chromium (160 ppm) is above the NYCRR Part 375-6.8(b) Restricted Use SCO for the Protection of Groundwater (19 ppm) but below the NYCRR Part 375-6.8(b) Restricted Use SCOs for the Protection of Public Health under Industrial and Commercial Uses (6,800 ppm and 1,500 ppm, respectively);
- the reported concentration of Copper (670 ppm) is above the NYCRR Part 375-6.8(b) Restricted Use SCO for the Protection of Public Health under Commercial Use (270 ppm) but below the NYCRR Part 375-6.8(b) Restricted Use SCOs for the Protection of Public Health under Industrial Use (10,000 ppm) and for the Protection of Groundwater (1,720 ppm); and
- the reported concentration of Nickel (940 ppm) is above the NYCRR Part 375-6.8(b) Restricted Use SCO for the Protection of Public Health under Commercial Use (310 ppm) and for the Protection of Groundwater (130 ppm). but below the NYCRR Part 375-6.8(b) Restricted Use SCOs for the Protection of Public Health under Industrial Use (10,000 ppm)

5.2 Laboratory Analysis of Groundwater Samples:

As summarized in the attached Table 5, exceedences of NYS Part 703 Groundwater Standards were reported in groundwater samples collected from the following wells:

- LBA-MW-03;
- LBA-MW-04;
- LBA-MW-06; and
- the previously installed well, “Stantec MW-01”.

Most notable in the laboratory analytical results associated with groundwater samples was the reported concentration of TCE of 520,000 parts per billion (ppb) or 520 ppm in the sample collected from well LBA-MW-06. This concentration of TCE is several orders of magnitude above the NYS Part 703 Groundwater Standard for TCE (5 ppb). It should be noted that this is the same location as LaBella soil boring LBA-GP-08 that was reported to contain a concentration of TCE at 8.8 parts per million (ppm). This value is above the NYCRR Part 375-6.8(b) Restricted Use SCO for the Protection of Groundwater established at 0.47 ppm.

Note:

The groundwater sample collected from well LBA- MW-06 required a laboratory dilution factor of 5,000. As such, the laboratory’s Method Detection Limit for this sample is reported as 5,000 ppb. Although the analytical results reported reflect most compounds as “Below Detection Limits (BDL)”, actual concentrations of individual constituents of concern may still be present above the NYS Part 703 Groundwater Standards but at concentrations less than 5,000 ppb.

6.0 Findings and Recommendations

LaBella has conducted a Phase II ESA at the property known as 1777 East Henrietta Road, located in the Town of Henrietta, Monroe County, New York. This Phase II ESA consisted of the following:

- the excavation of ten (10) test pits on the western portion of the Site;
- the advancement of eleven (11) direct-push soil borings across the Site and inside the main Site Building;
- the installation of seven (7) overburden groundwater monitoring wells across the Site and inside the main Site Building; and
- the collection and laboratory analysis of soil and groundwater samples.

Site-Specific Analytical Results:

This investigation has revealed evidence of subsurface impacts to soil and groundwater at the Site at concentrations above applicable NYSDEC guidelines.

Reporting Obligations:

Based on the findings of this Phase II ESA, it is recommended that the Owner of the Site notify the NYSDEC of these findings.

Potential Human Health Exposure:

Based on the concentrations of CVOCs detected in localized groundwater under an occupied structure, it is recommended that engineering controls (e.g., a sub-slab mitigation system) be considered for current and future buildings at the Site.


Recommendation:

It is recommended that additional subsurface investigations be conducted to fully delineate the source and extent of the VOCs and metals discovered within the subsurface at the Site.

A copy of all information collected during this assessment, including maps, notes, analytical data and other material will be kept on file at the offices of LaBella Associates, D.P.C. This information is available upon request.

I:\BUCKINGHAM PROPERTIES\214260 - 1777 E HENRIETTA RD - PHASE II, ESA\REPORTS\RPT.2014.03.27.PHASE 2 ESA 1777 EHR.DP.DOCX

FIGURES



PROJECT/DRAWING NUMBER

214260

FIGURE 1

DRAWING TITLE

Site Location Map

ISSUED FOR	JMG
FINAL	DESIGNED BY
DATE: 03/19/2014	REVIEWED BY

PROJECT CLIENT

Phase II ESA

1777 East Henrietta Road
Henrietta, New York

ABELLA

Associates, D.P.C.

300 STATE STREET
ROCHESTER, NY 14614
P: (585) 454-6110
F: (585) 454-3066
www.labelapc.com
COPYRIGHT 2003

0 650 1,300 2,600 Feet

1 inch = 1,000 feet
INTENDED TO PRINT AS 11"X17"

N
W E
S



Legend

Completed Test Pit Location

Existing Soil Boring (1996/2013)

Property Boundary

LaBella Monitoring Well Location

LaBella Soil Boring Location

Current Retention Pond

Historical Retention Pond (Approx.)

Notes:

(1) LaBella investigation points were located using GPS technology or by measuring from existing Site features.

(2) Property boundary is approximate and was interpreted from Monroe County 2011 real property data.

(3) The location of the historical retention pond was determined based on historical aerial photographs.

(4) Existing boring/well locations obtained from previous mapping from Stantec and Environ.

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

PROJECT/DRAWING NUMBER

214260

FIGURE 2

DRAWING TITLE

Investigation Locations

ISSUED FOR

FINAL

DATE: 03/07/2014

DESIGNED BY

JMG

REVIEWED BY

PROJECT/CLIENT

Phase II ESA

1777 East Henrietta Road

Henrietta, New York

0

100

200

400

Feet

1 inch = 150 feet

INTENDED TO PRINT AS 11"X17".

300 STATE STREET

ROCHESTER, NY 14614

P: (585) 454-6110

F: (585) 454-3066

www.labellapc.com

COPYRIGHT 2003

N

E

S

W

Path: I:\Buckingham Properties\214260 - 1777 E Henrietta Rd - PHase II, ESA\Drawings\Maps\Fig 2 - Boring Locations.mxd

TABLES 3 THROUGH 5

Table 3
Phase II Environmental Site Assessment
1777 East Henrietta Road
Henrietta, New York

Summary of Volatile Organic Compounds (VOCs) in Soil Samples
Results in Milligrams per Kilogram (mg/kg) or Parts Per Million (ppm)

Sample ID	Soil Samples												NYCRR Part 375-6.8(a) Unrestricted Use Soil Cleanup Objectives	NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Public Health: Restricted	NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Groundwater
	TP #1	TP #4	TP #5	GP-02	GP-05	GP-07	GP-08	GP-08	GP-08	GP-09	GP-10	GP-11			
Depth	8'	9'	10'	5'	9.5'	1.5'-2'	2'-4'	8'	21'	2'-4'	0'-2'	2'-4'			
Sample Collection Date	2/27/14	2/27/14	2/27/14	3/6/14	3/6/14	3/6/14	3/8/14	3/8/14	3/8/14	3/8/14	3/8/14	3/8/14			
Volatile Organic Compounds															
Chloromethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA	NA	NA
Vinyl chloride	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.02	0.90	0.02
1,1-Dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.33	100	0.33
Acetone	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05	100	0.05
Carbon disulfide	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.7**	100*	2.7**
Methylene chloride	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05	100	0.05
Methyl acetate	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA	NA	NA
Methyl cyclohexane	BDL	BDL	BDL	BDL	BDL	0.008	BDL	BDL	BDL	BDL	BDL	BDL	NA	NA	NA
trans-1,2-dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.19	100	0.19
Methyl tert-butyl ether	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.93	100	0.93
1,1-Dichloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.27	26	0.27
2-Butanone	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.3**	100*	0.3**
cis-1,2-dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.009	BDL	BDL	BDL	0.25	100	0.25
Chloroform	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.37	49	0.37
Chloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA	NA	NA
1,2-Dichloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.02	3.1	0.02
Benzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.06	4.8	0.06
Trichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	0.32	0.14	8.8	0.02	0.011	0.014	0.47	21	0.47
Toluene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.7	100	0.7
1,1,2-Trichloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA	NA	NA
Tetrachloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	19	1.3
Ethylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1	41	1
m,p-Xylene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.26	100	1.6
o-Xylene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.26	100	1.6
Isopropylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.3**	100*	2.3**
n-Propylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9	100	3.9
1,3,5-Trimethylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.008	BDL	BDL	BDL	BDL	8.4	52	8.4
1,2,4-Trimethylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.019	BDL	BDL	BDL	BDL	3.6	52	3.6
tert-Butylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.9**	NA	5.9**
sec-Butylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11	100	11
4-Isopropyltoluene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10**	NA	10**
n-Butylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12	NA	NA
1,2-Dichlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.1	100	1.1
Naphthalene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12	100	12

Notes:
VOC analysis by United States Environmental Protection Agency (USEPA) Method SW846 8260.
Bold type indicates that the constituent was detected above NYCRR Part 375-6.8(A) Unrestricted Use Soil Cleanup Objectives
BDL - Indicates that the constituent was not detected above the laboratory's method detection limit

Table 4
Phase II Environmental Site Assessment
1777 East Henrietta Road
Henrietta, New York

Summary of Metals in Soil Samples
Results in Milligrams per Kilogram (mg/kg) or Parts Per Million (ppm)

Sample ID	Soil Samples			NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Public Health: Industrial	NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Public Health: Commercial	NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Groundwater
	GP-02	GP-08	GP-10			
Depth	5'	2'-4'	0'-2'			
Sample Collection Date	3/6/14	3/8/14	3/8/14			
Metals						
Arsenic	3.3	1.4	3.3	16	16	16
Barium	49	40	51	10,000	400	820
Beryllium	0.29	0.26	0.35	2,700	590	47
Cadmium	0.34	0.37	0.37	60	9.3	7.5
Chromium	9.0	160.0	9.7	6,800	1,500	19
Copper	11	670	12	10,000	270	1720
Lead	9.4	7.3	8.8	3,900	1,000	450
Manganese	450	350	360	10,000	10,000	2000
Mercury	BDL	BDL	BDL	5.7	3	0.73
Nickel	12	940	10	10,000	310	130
Selenium	BDL	BDL	BDL	6,800	1,500	4
Silver	BDL	BDL	BDL	6,800	1,500	8.3
Zinc	59	51	60	10,000	10,000	2480

Notes:

VOC analysis by United States Environmental Protection Agency (USEPA) Method SW846 8260.

Bold type indicates that the constituent was detected above NYCRR Part 375-6.8(A) Unrestricted Use Soil Cleanup Objectives

Highlighted indicates that the constituent was detected above the NYCRR Part 375-6.8(B) Restricted Use Soil Cleanup Objectives: Protection of Public Health: Restricted Residential

Italicized indicates that the constituent was detected above the NYCRR Part 375-6.8(b) Restricted Use Soil Cleanup Objectives: Protection of Groundwater

BDL - Indicates that the constituent was not detected above the laboratory's method detection limit

Table 5
Phase II Environmental Site Assessment
1777 East Henrietta Road
Henrietta, New York

Summary of Detected Volatile Organic
Compounds in Groundwater Samples
Results in Micrograms per Liter (ug/l) or parts per billion (ppb)

Sample ID	MW-02	MW-03	MW-04	MW-05	MW-06*	MW-07	STANTEC MW-01	NYSDEC Part 703 Groundwater Standards		
Sample Collection Date	3/7/2014	3/7/2014	3/7/2014	3/7/2014	3/8/2014	3/14/2014	3/8/2014			
Volatile Organic Compounds										
cis-1,2-dichloroethene	BDL	BDL	BDL		BDL	BDL	14	5		
trans-1,2-dichloroethene							1.3	5		
Trichloroethene					520,000		580	5		
Acetone	58			BDL		72		5		
o-Xylene	BDL	1.7	11					5		
m,p-Xylene		3.2	19					5		
1,2,4-Trimethylbenzene		5.7	42					5		
1,3,5-Trimethylbenzene		1.5	10					5		
Ethylbenzene		BDL			4.3				5	
Isopropylbenzene					2.0				5	
2-Butanone (MEK)					11				5	
n-Butylbenzene			BDL			2.0				5
sec-Butylbenzene						2.1				5
p-Isopropyltoluene						1.5				5
n-Propylbenzene						4.1				5
Naphthalene					11					10

Notes:

VOC analysis by United States Environmental Protection Agency (USEPA) Method SW846 8260B.

Bold and highlighted type indicates that the constituent was detected above NYSDEC Part 703 Groundwater Standards

BDL - Indicates that the constituent was not detected above the laboratory's method detection limit

*LaBella Sample MW-06 required a laboratory dilution factor of 5,000. As such, the Method Detection Limit for this sample is reported as 5,000 ug/L. Although the analytical results reported reflect most constituents Below Detection Limits (BDL), actual concentrations of individual constituents of concern may still be present above the NYSDEC Standards but at level less than 5,000 ug/L.

APPENDIX 1

Field Logs

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 1 SHEET 1 OF 1 JOB: CHKD BY:					
CONTRACTOR: Labella			TEST PIT LOCATION:			GROUND SURFACE ELEVATION NA			DATUM: NA		
OPERATOR:			START DATE: 2/27/14								
LABELLA REPRESENTATIVE: JFH											
TYPE OF EQUIPMENT:			John Deere Mini Excavator								
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION				PID FIELD SCREEN (PPM)	REMARKS			
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)									
0			FROST					0			
			F-C Gravel, FM Sand, T-Silt, moist				0				
2								2			
4								4			
							0				
6			F Gravel, very moist				0	6			
8	sample							8			
			F Gravel, T Clay, some silt								
10			BOTTOM					10			
12								12			
14								14			
16								16			
			DEPTH (FT)			NOTES:					
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect					
DATE	TIME	ELAPSED TIME				BGS = Below the Ground Surface					
NA	NA	NA	NA			NA = Not Applicable					
GENERAL NOTES											
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.											
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER											
TEST PIT: TP - 1											

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 2 SHEET 1 OF 1 JOB: CHKD BY:		
CONTRACTOR: Labella OPERATOR: LABELLA REPRESENTATIVE: JFH			TEST PIT LOCATION: GROUND SURFACE ELEVATION NA START DATE: 2/27/14			DATUM: NA		
TYPE OF EQUIPMENT: John Deere Mini Excavator								
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS			
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)						
0			Reworked Subsoil- Till like, trace boulders, moist	0	0			
2			silt, orangeburg tile, wet		2			
4			fm sand with trace clay and silt	0	4			
6			Virgin till, friable silt with trace fm gravel and trace clay, moist	0	6			
8			dense		8			
10					10			
12			BOTTOM		12			
14					14			
16					16			
WATER LEVEL DATA			DEPTH (FT)			NOTES:		
DATE	TIME	ELAPSED TIME	BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect BGS = Below the Ground Surface NA = Not Applicable		
NA	NA	NA	NA					
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER								
TEST PIT: TP - 2								

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 3 SHEET 1 OF 1 JOB: CHKD BY:		
CONTRACTOR: Labella			TEST PIT LOCATION:			DATUM: NA		
OPERATOR:			GROUND SURFACE ELEVATION NA					
LABELLA REPRESENTATIVE: JFH			START DATE: 2/27/14					
TYPE OF EQUIPMENT: John Deere Mini Excavator								
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION			PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)						
0			Reworked Till				0	
			Silt with trace f sand and trace f gravel, moist			0		
2							2	
4			soft horizon				4	
			FIRM (native)?			0		
6							6	
						0		
8			Silt with trace f sand and trace f gravel, moist				8	
			BOTTOM					
10							10	
12							12	
14							14	
16							16	
			DEPTH (FT)			NOTES:		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect		
DATE	TIME	ELAPSED TIME				BGS = Below the Ground Surface		
NA	NA	NA	NA			NA = Not Applicable		
GENERAL NOTES								
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.								
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER								
TEST PIT: TP - 3								

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 4 SHEET 1 OF 1 JOB: CHKD BY:		
CONTRACTOR: Labella			TEST PIT LOCATION:					
OPERATOR:			GROUND SURFACE ELEVATION NA			DATUM: NA		
LABELLA REPRESENTATIVE: JFH			START DATE: 2/27/14					
TYPE OF EQUIPMENT: John Deere Mini Excavator								
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION			PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)						
0			Reworked Till, moist			0	0	
2							2	
4							4	
			Native till, moist			0		
6						0	6	
8			Soft Horizon				8	
			Dense Horizon					
10			BOTTOM				10	
12							12	
14							14	
16							16	
			DEPTH (FT)			NOTES:		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect		
DATE	TIME	ELAPSED TIME				BGS = Below the Ground Surface		
NA	NA	NA	NA			NA = Not Applicable		
GENERAL NOTES								
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.								
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER								
TEST PIT: TP - 4								

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 5 SHEET 1 OF 1 JOB: CHKD BY:		
CONTRACTOR: Labella			TEST PIT LOCATION:					
OPERATOR:			GROUND SURFACE ELEVATION NA			DATUM: NA		
LABELLA REPRESENTATIVE: JFH			START DATE: 2/27/14					
TYPE OF EQUIPMENT: John Deere Mini Excavator								
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION			PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)						
0			Reworked subsoils, tills			0		
2			Angular stones (gravel)					
4						0		
6						0		
8								
10			Some organics					
12			BOTTOM					
14								
16								
			DEPTH (FT)			NOTES:		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect		
DATE	TIME	ELAPSED TIME				BGS = Below the Ground Surface		
NA	NA	NA				NA = Not Applicable		
GENERAL NOTES								
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.								
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER								
TEST PIT: TP - 5								



300 STATE STREET, ROCHESTER, NY
ENVIRONMENTAL ENGINEERING CONSULTANTS

PROJECT

Getinge
1777 E. Henrietta Rd
Henrietta, NY

TEST PIT: TP - 6

SHEET 1 OF 1

JOB:

CHKD BY:

CONTRACTOR: Labella

OPERATOR:

LABELLA REPRESENTATIVE:

JFH

TEST PIT LOCATION:

GROUND SURFACE ELEVATION NA

START DATE: 2/27/14

DATUM: NA

TYPE OF EQUIPMENT:

John Deere Mini Excavator

DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)			
0			Reworked Till, moist	0	
2					
4				0	
6			Friable Virgin till	0	
8			Soft Horizon		
10			Dense		
12			BOTTOM		
14					
16					

			DEPTH (FT)			NOTES: ND = Non Detect BGS = Below the Ground Surface NA = Not Applicable
WATER LEVEL DATA			BOTTOM OF	BOTTOM OF	GROUNDWATER	
DATE	TIME	ELAPSED TIME	CASING	TEST PIT	ENCOUNTERED	
NA	NA	NA	NA			

GENERAL NOTES

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER

TEST PIT: TP - 6



300 STATE STREET, ROCHESTER, NY
ENVIRONMENTAL ENGINEERING CONSULTANTS

PROJECT

Getinge
1777 E. Henrietta Rd
Henrietta, NY

TEST PIT: TP - 7

SHEET 1 OF 1

JOB:

CHKD BY:

CONTRACTOR: Labella

OPERATOR:

LABELLA REPRESENTATIVE:

JFH

TEST PIT LOCATION:

GROUND SURFACE ELEVATION NA

START DATE: 2/27/14

DATUM: NA

TYPE OF EQUIPMENT:

John Deere Mini Excavator

DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)			
0			Reworked till, Moist	0	
2					
4			Former top of grade		
			Fill- Reworked rebar	0	
6			Short transport, Boulder		
				0	
8			Dense till- Virgin		
10					
			BOTTOM		
12					
14					
16					

			DEPTH (FT)			NOTES: ND = Non Detect BGS = Below the Ground Surface NA = Not Applicable
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	
DATE	TIME	ELAPSED TIME				
NA	NA	NA				

GENERAL NOTES

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER

TEST PIT: TP - 7



300 STATE STREET, ROCHESTER, NY
ENVIRONMENTAL ENGINEERING CONSULTANTS

PROJECT

Geringe
1777 E. Henrietta Rd
Henrietta, NY

TEST PIT: TP - 8

SHEET 1 OF 1

JOB:

CHKD BY:

CONTRACTOR: Labella

OPERATOR:

LABELLA REPRESENTATIVE:

JFH

TEST PIT LOCATION:

GROUND SURFACE ELEVATION NA

START DATE: 2/27/14

DATUM: NA

TYPE OF EQUIPMENT:

John Deere Mini Excavator

DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)			
0			Reworked Till	0	
2					
4				0	
6			Dense Till	0	
8			Original Grade		
10					
12					
14					
16			BOTTOM		

			DEPTH (FT)			NOTES: ND = Non Detect BGS = Below the Ground Surface NA = Not Applicable
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	
DATE	TIME	ELAPSED TIME				
NA	NA	NA	NA			

GENERAL NOTES

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER

TEST PIT: TP - 8



300 STATE STREET, ROCHESTER, NY
ENVIRONMENTAL ENGINEERING CONSULTANTS

PROJECT

Getinge
1777 E. Henrietta Rd
Henrietta, NY

TEST PIT: TP - 9

SHEET 1 OF 1

JOB:

CHKD BY:

CONTRACTOR: Labella

OPERATOR:

LABELLA REPRESENTATIVE:

JFH

TEST PIT LOCATION:

GROUND SURFACE ELEVATION NA

START DATE: 2/27/14

DATUM: NA

TYPE OF EQUIPMENT:

John Deere Mini Excavator

DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)			
0			Reworked fill/ subsoil	0	
2					
4			Dense Till	0	
6			Loose Till	0	
8			Dense Till		
10			BOTTOM		
12					
14					
16					

			DEPTH (FT)			NOTES: ND = Non Detect BGS = Below the Ground Surface NA = Not Applicable
WATER LEVEL DATA			BOTTOM OF	BOTTOM OF	GROUNDWATER	
DATE	TIME	ELAPSED TIME	CASING	TEST PIT	ENCOUNTERED	
NA	NA	NA	NA			

GENERAL NOTES

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER

TEST PIT: TP - 9

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Getinge 1777 E. Henrietta Rd Henrietta, NY			TEST PIT: TP - 10 SHEET 1 OF 1 JOB: CHKD BY:		
CONTRACTOR: Labella			TEST PIT LOCATION:					
OPERATOR:			GROUND SURFACE ELEVATION NA			DATUM: NA		
LABELLA REPRESENTATIVE: JFH			START DATE: 2/27/14					
TYPE OF EQUIPMENT:			John Deere Mini Excavator					
DEPTH (FEET)	SAMPLE		VISUAL CLASSIFICATION			PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	STRATA CHANGE (FEET)						
0			Debris Area: Several test pits to determine depth and type of fill Dumped fill consisted of: Concrete Asphalt Mixed Soils The dumped material was above native soils and did not exhibit any visual olfactory or PID evidence of impairment.			0	0	
2							2	
4							4	
6							6	
8							8	
10							10	
12							12	
14							14	
16							16	
WATER LEVEL DATA			DEPTH (FT)			NOTES:		
DATE	TIME	ELAPSED TIME	BOTTOM OF CASING	BOTTOM OF TEST PIT	GROUNDWATER ENCOUNTERED	ND = Non Detect		
NA	NA	NA	NA			BGS = Below the Ground Surface		
						NA = Not Applicable		
GENERAL NOTES								
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.								
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER								
TEST PIT: TP - 10								

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-01	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-01 12'	0' - 4' / 48"	3"	Root zone, organic matter and vegetation	0		
				MF SILTY SAND, trace GRAVEL, grey, subrounded, moist, no odor	0		
2					0		
					0		
4			4' - 8' / 48"	MF SILTY SAND, trace GRAVEL, brown, subrounded, moist, no odor	0.1		
					0		
6					0		
					0		
8			8' - 11.5' / 42"	8.5'	F SILT, some CLAY, trace SA GRAVEL, grey-brown, moist, no odor		0
					0		
10		0					
		0					
12		11.5' - 14.5' / 48"	12.2'	MF SILT, some SAND, trace CLAY, grey, moist/wet, no odor	0		
				0			
14				0			
				0			
16				Refusal @ 14.5' BGS			
			DEPTH (FT)		NOTES:		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME					
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-01	

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-02	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 2 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
DEPTH (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-02 5'	0' - 4' / 44"	6"	Crushed asphalt	0		
2				MC SAND and FC SA GRAVEL, moist/dry, road sub-base, no odor	0		
		4	4' - 8' / 48"	4.7'	SANDY SILT, brown, trace F SR GRAVEL, moist, no odor		0
SANDY SILT, brown/grey, trace F SR GRAVEL, moist, no odor, dense					0		
6		12' - 16' / 48"	5.5'	SANDY SILT, grey, trace F SR GRAVEL, moist, no odor, not dense	0		
					0		
8		8' - 12' / 48"			0		
					0		
10					0		
					0		
12				0			
				0			
14				0			
				0			
16							
			DEPTH (FT)		NOTES:		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME					
GENERAL NOTES							
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.							
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.							
3) ABBREVIATIONS:							
and = 35 - 50% C = Coarse BGS = Below Ground Surface							
some = 20 - 35% M = Medium NA = Not Applicable							
little = 10 - 20% F = Fine SA = Subangular							
trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-02	


 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-02												
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 2 OF 2 JOB: 214260 CHKD BY:												
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA												
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:															
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS												
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE															
16	LBA-GP-02 18'	16' - 20' / 48"	17'	SANDY SILT, grey, trace F SR GRAVEL, moist, no odor, not dense	0													
18				SILTY SAND, some F SA GRAVEL, little CLAY, moist/wet, no odor	0													
20					0													
22					0.1													
24				Boring Concluded @ 20' BGS	0													
26																		
28																		
30																		
32																		
			DEPTH (FT)		NOTES: LBA-MW-01 Installed w/ 10' Screen													
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED											
DATE	TIME	ELAPSED TIME																
			20'		~17'													
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: <table border="0" style="width: 100%;"> <tr> <td>and = 35 - 50%</td> <td>C = Coarse</td> <td>BGS = Below Ground Surface</td> </tr> <tr> <td>some = 20 - 35%</td> <td>M = Medium</td> <td>NA = Not Applicable</td> </tr> <tr> <td>little = 10 - 20%</td> <td>F = Fine</td> <td>SA = Subangular</td> </tr> <tr> <td>trace = 1 - 10%</td> <td>VF = Very Fine</td> <td>SR = Subrounded</td> </tr> </table>							and = 35 - 50%	C = Coarse	BGS = Below Ground Surface	some = 20 - 35%	M = Medium	NA = Not Applicable	little = 10 - 20%	F = Fine	SA = Subangular	trace = 1 - 10%	VF = Very Fine	SR = Subrounded
and = 35 - 50%	C = Coarse	BGS = Below Ground Surface																
some = 20 - 35%	M = Medium	NA = Not Applicable																
little = 10 - 20%	F = Fine	SA = Subangular																
trace = 1 - 10%	VF = Very Fine	SR = Subrounded																
						BORING: LBA-GP-02												

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-02 (LBA-MW-01) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Jen Gillen, Steven Rife	

BORING LOCATION: Center of access road S of facility, historical retention pond	
GROUND SURFACE ELEVATION:	DATUM:
START DATE: 3/6/14	END DATE: 3/6/14

TYPE OF DRILL RIG: Geoprobe 54LT	
AUGER SIZE AND TYPE: N/A	
OVERBURDEN SAMPLING METHOD: Direct-Push	
ROCK DRILLING METHOD: N/A	

WATER LEVEL DATA				
DATE	TIME	WATER	CASING	REMARKS



NOTE: NOT TO SCALE
 ALL DIMENSIONS IN FEET UNLESS OTHERWISE INDICATED


GENERAL NOTES:
 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-03		
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:		
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA		
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:					
DEPTH (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS		
	SAMPLE NO. AND DEPTH	SAMPLE RUN/RECOVERY	STRATA CHANGE					
0	LBA-GP-03 9.5' - 10'	0' - 4' / 48"	2"	Grass, vegetation	0			
					SANDY SILT, trace F SA GRAVEL, brown, moist, no odor		0	
2							0	
							0	
4					0			
		4' - 8' / 48"	8.8' 10'	SANDY SILT, trace F to C SA GRAVEL, brown, moist, no odor	0			
6					0			
					0			
8					0			
		8' - 12' / 48"		SANDY SILT, trace F to C SA GRAVEL, brown, moist, no odor	0			
10		SANDY SILT, little CLAY, little F SR GRAVEL, brown-grey, moist, dense		0				
			0					
12			SANDY SILT, little CLAY, little F SR GRAVEL, brown-grey, moist/wet, dense	0				
	12' - 16' / 48"			0				
14				0				
16					0			
				Boring Concluded @ 16' BGS				
			DEPTH (FT)		NOTES: LBA-MW-02 Installed w/ 10' Screen			
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING				GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME						
			16'		~8.8'			
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded								
						BORING: LBA-GP-03		

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-03 (LBA-MW-02) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Jen Gillen, Steven Rife	

BORING LOCATION: W of facility on grass		GROUND SURFACE ELEVATION:		DATUM:
START DATE: 3/6/14		END DATE: 3/6/14		

TYPE OF DRILL RIG: Geoprobe 54LT		WATER LEVEL DATA				
AUGER SIZE AND TYPE: N/A		DATE	TIME	WATER	CASING	REMARKS
OVERBURDEN SAMPLING METHOD: Direct-Push						
ROCK DRILLING METHOD: N/A						



GENERAL NOTES:

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.


 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-04	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/RECOVERY	STRATA CHANGE				
0	LBA-GP-04 11'	0' - 4' / 48"	3"	Asphalt	0		
				MF SAND, little F SA GRAVEL, brown, moist	0		
2					0		
					0		
4				3'	SANDY SILT, little F SA GRAVEL, brown, moist		0
		4' - 8' / 14"	4'	SANDY SILT, little F SA GRAVEL, little CLAY, brown, moist/wet	0		
6					0		
					0		
8					0		
		8' - 12' / 36"			0		
10			11'	SANDY SILT, little CLAY, brown, moist, dense, no odor	0		
					0		
12			12'	SANDY SILT, little CLAY, brown, moist/wet, not dense, no odor	0		
					0		
14					0		
					0		
16				Boring Concluded @ 16' BGS	0		
			DEPTH (FT)		NOTES: Filled boring to 15' w/ SAND Installed LBA-MW-03 w/ 10' Screen		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME					
			16'	8'			
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-04	

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-04 (LBA-MW-03) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Jen Gillen, Steven Rife	

BORING LOCATION: N of facility main office entrance	
GROUND SURFACE ELEVATION:	DATUM:
START DATE: 3/6/14	END DATE: 3/6/14

TYPE OF DRILL RIG: Geoprobe 54LT	
AUGER SIZE AND TYPE: N/A	
OVERBURDEN SAMPLING METHOD: Direct-Push	
ROCK DRILLING METHOD: N/A	

WATER LEVEL DATA				
DATE	TIME	WATER	CASING	REMARKS




NOTE: NOT TO SCALE
 ALL DIMENSIONS IN FEET UNLESS OTHERWISE INDICATED

GENERAL NOTES:
 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-05	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-05 9.5'	0' - 4' / 48"	3"	Grass, vegetation MF SAND, little SILT, trace F SA GRAVEL, brown, moist, no odor			
2		4' - 8' / 46"	9.5'	CLAYEY SILT, trace F SAND, brown, moist, dense, no odor			
4							
6							
8	LBA-GP-05 15' - 15.2'	8' - 12' / 48"	12'	Refusal @ 15.2' BGS			
10		12' - 15.2' / 48"					
12							
14							
16							
WATER LEVEL DATA			DEPTH (FT)		NOTES: LBA- MW-04 Installed w/ 10' Screen		
DATE	TIME	ELAPSED TIME	BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
			15.2'	NA			
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-05	

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-05 (LBA-MW-04) SHEET 1 OF 1 JOB # 214260 CHKD. BY:			
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Jen Gillen, Steven Rife				
BORING LOCATION: NE of facility on grass, upgradient of current retention pond GROUND SURFACE ELEVATION: DATUM: START DATE: 3/6/14 END DATE: 3/6/14					
TYPE OF DRILL RIG: Geoprobe 54LT AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct-Push ROCK DRILLING METHOD: N/A	WATER LEVEL DATA				
	DATE	TIME	WATER	CASING	REMARKS




NOTE: NOT TO SCALE
ALL DIMENSIONS IN FEET UNLESS OTHERWISE INDICATED

GENERAL NOTES:
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-06	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-06 10.6' - 11'	0' - 4' / 48"		Grass, vegetation	0		
				SILTY SAND, little F SA+SR GRAVEL, brown, moist, no odor	0		
2					0		
4			4'		0		
		4' - 8' / 46"		SANDY SILT, trace MF SR GRAVEL, brown, moist, no odor	0		
6					0		
8		7.5'	SANDY SILT, trace MF SR GRAVEL, brown, wet/moist, no odor	0			
	8' - 11' / 36"			0.1			
10					0		
					0.1		
12				Refusal @ 11' BGS			
14							
16							
			DEPTH (FT)		NOTES: LBA- MW-05 Installed w/ 5' Screen		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME					
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-06	

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-06 (LBA-MW-05) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Jen Gillen, Steven Rife	
BORING LOCATION: Proximate to NW corner of satellite office building GROUND SURFACE ELEVATION: DATUM:		
START DATE: 3/6/14 END DATE: 3/6/14		
TYPE OF DRILL RIG: Geoprobe 54LT AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct-Push ROCK DRILLING METHOD: N/A		



GENERAL NOTES:

- 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
- 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-07		
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:		
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: J. Gillen, S. Rife			BORING LOCATION: GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA		
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:					
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS		
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE					
0	LBA-GP-07 1.5' - 2'	0' - 4' / 44"	4"	Asphalt	0			
				MF SAND, some F SA GRAVEL, brown, moist, no odor	0			
2			2'	SANDY SILT, little SR GRAVEL, brown, moist, no odor	0			
4					0			
6	4' - 8' / 48"	0						
8		0						
10	LBA-GP-07 10.5' - 10.8'	8' - 10.8' / 6"	8'	SANDY SILT, little SR GRAVEL, brown, moist, no odor, dense	0			
12					0			
14				Refusal @ 10.8' BGS			0	
16								
			DEPTH (FT)		NOTES:			
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED	
DATE	TIME	ELAPSED TIME	10.8'	NA				
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded								
							BORING: LBA-GP-07	

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-08	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 2 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: K. Miller			BORING LOCATION: Between column C11 and D11 GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0		0' - 4' / 30"		Concrete floor slab		Removed floor slab with core drill	
	LBA-GP-08 1' - 2'		8"	CLAYEY SILT, brown, and MF GRAVEL	185 - 250		
2	LBA-GP-08 2'		2'	GRAVELLY SAND, FILL, yellow-brown, CLAYEY SILT, grey-brown	300 - 350		
	LBA-GP-08 2' - 4'						
4	LBA-GP-08 4' - 5'	4' - 8' / 48"		Geoprobe jammed, dump sample	480		
6	LBA-GP-08 7' - 8'		6'	SILTY CLAY, little FC GRAVEL, brown, odors	650+		
8	LBA-GP-08 8'	8' - 12' / 48"		SILTY CLAY, little FC GRAVEL, odors, hard, moist, F sandy seam @ 8'	640	15,000 PID Spike	
10					720		
12		12' - 16' / 48"			3200		
14	LBA-GP-08 13.5'		13.5'	MC GRAVEL seam, little CLAY, odors	350	15,000 PID Spike	
16	LBA-GP-08 15'						
			DEPTH (FT)		NOTES: PID may be dirty or reacting to moisture		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME					
			23'	24'			NA
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-08	


LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-08	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 2 OF 2 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC			BORING LOCATION: Between column C11 and D11			TIME	TO
DRILLER: N. Wall			GROUND SURFACE ELEVATION: NA			DATUM:	NA
LABELLA REPRESENTATIVE: J. Gillen, S. Rife			START DATE: 3/6/14			END DATE: 3/6/14	
TYPE OF DRILL RIG: Geoprobe™			DRIVE SAMPLER TYPE: 4' Macro Core				
AUGER SIZE AND TYPE: N/A			INSIDE DIAMETER: ~1.8"				
OVERBURDEN SAMPLING METHOD: Direct Push			OTHER:				
DEPTH (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
16	LBA-GP-08 21'	16' - 20' / 48"		SILTY CLAY, trace F GRAVEL, brown-grey, hard, moist, odors	4,100		
18		20' - 24' / 48"			13,000		
20	LBA-GP-08 23'			Boring Concluded @ 24' BGS	1650		
22		3500					
24				150			
26							
28							
30							
32							
WATER LEVEL DATA			DEPTH (FT)		NOTES: LBA-MW-06 Installed w/ 10' Screen		
DATE	TIME	ELAPSED TIME	BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
			23'	24'			NA
GENERAL NOTES							
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.							
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.							
3) ABBREVIATIONS:							
and = 35 - 50% C = Coarse BGS = Below Ground Surface							
some = 20 - 35% M = Medium NA = Not Applicable							
little = 10 - 20% F = Fine SA = Subangular							
trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-08	

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-08 (LBA-MW-06) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Kyle Miller	

BORING LOCATION: Interior of facility, between columns C11 and D11	
GROUND SURFACE ELEVATION:	DATUM:
START DATE: 3/6/14	END DATE: 3/6/14

TYPE OF DRILL RIG: Geoprobe 54LT	
AUGER SIZE AND TYPE: N/A	
OVERBURDEN SAMPLING METHOD: Direct-Push	
ROCK DRILLING METHOD: N/A	

WATER LEVEL DATA				
DATE	TIME	WATER	CASING	REMARKS



NOTE: NOT TO SCALE
 ALL DIMENSIONS IN FEET UNLESS OTHERWISE INDICATED

GENERAL NOTES:
 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-09	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC			BORING LOCATION: Between columns C6 and D6			TIME	TO
DRILLER: N. Wall			GROUND SURFACE ELEVATION: NA			DATUM:	NA
LABELLA REPRESENTATIVE: K. Miller			START DATE: 3/6/14			END DATE: 3/6/14	
TYPE OF DRILL RIG: Geoprobe™			DRIVE SAMPLER TYPE: 4' Macro Core				
AUGER SIZE AND TYPE: N/A			INSIDE DIAMETER: ~1.8"				
OVERBURDEN SAMPLING METHOD: Direct Push			OTHER:				
DEPTH (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-09 0' - 2'	0' - 4' / 48"	8"	Concrete floor slab	67	Removed floor slab with core drill	
2				SILTY CLAY, little MC GRAVEL, red-brown, hard, no odor			
4							
6	LBA-GP-09 2' - 4'	4' - 6' / 24"			117		
8							
10	LBA-GP-09 6'			Refusal @ 6' BGS	108		
12							
14							
16							
			DEPTH (FT)		NOTES:		
WATER LEVEL DATA			BOTTOM OF	BOTTOM OF			GROUNDWATER
DATE	TIME	ELAPSED TIME	CASING	BORING			ENCOUNTERED
			NA	6'	NA		
GENERAL NOTES							
1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL.							
2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.							
3) ABBREVIATIONS:							
and = 35 - 50%							
some = 20 - 35%							
little = 10 - 20%							
trace = 1 - 10%							
C = Coarse							
M = Medium							
F = Fine							
VF = Very Fine							
BGS = Below Ground Surface							
NA = Not Applicable							
SA = Subangular							
SR = Subrounded							
					BORING: LBA-GP-09		

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-10												
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 1 JOB: 214260 CHKD BY:												
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: K. Miller			BORING LOCATION: Between columns G8 and G9 GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA												
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:															
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS												
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE															
0	LBA-GP-10 0' - 2'	0' - 4' / 44"	8"	Concrete floor slab	0.7	Removed floor slab with core drill 7' Geoprobe overpack - stopped sample												
				SILTY CLAY and MC GRAVEL, brown, no odors														
2							2.2											
4							0.8											
6		4' - 7' / 48"					1.3											
8	LBA-GP-10 9'	7' - 10' / 36"		SILTY CLAY, trace MC GRAVEL, brown, no odors, hard	0.7													
10					0.7													
12				Concluded boring @ 10' BGS														
14																		
16																		
			DEPTH (FT)		NOTES:													
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED											
DATE	TIME	ELAPSED TIME	NA	10'			NA											
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: <table border="0" style="width: 100%;"> <tr> <td>and = 35 - 50%</td> <td>C = Coarse</td> <td>BGS = Below Ground Surface</td> </tr> <tr> <td>some = 20 - 35%</td> <td>M = Medium</td> <td>NA = Not Applicable</td> </tr> <tr> <td>little = 10 - 20%</td> <td>F = Fine</td> <td>SA = Subangular</td> </tr> <tr> <td>trace = 1 - 10%</td> <td>VF = Very Fine</td> <td>SR = Subrounded</td> </tr> </table>							and = 35 - 50%	C = Coarse	BGS = Below Ground Surface	some = 20 - 35%	M = Medium	NA = Not Applicable	little = 10 - 20%	F = Fine	SA = Subangular	trace = 1 - 10%	VF = Very Fine	SR = Subrounded
and = 35 - 50%	C = Coarse	BGS = Below Ground Surface																
some = 20 - 35%	M = Medium	NA = Not Applicable																
little = 10 - 20%	F = Fine	SA = Subangular																
trace = 1 - 10%	VF = Very Fine	SR = Subrounded																
						BORING: LBA-GP-10												

 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-11	
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 1 OF 2 JOB: 214260 CHKD BY:	
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: K. Miller			BORING LOCATION: Near column C15 GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA	
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:				
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS	
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE				
0	LBA-GP-11 2' - 4'	0' - 4' / 46"	8"	Concrete floor slab	0.7	Removed floor slab with core drill	
				SILTY CLAY and MC GRAVEL, brown, no odors			
2							
4	LBA-GP-11 5'	4' - 8' / 48"		SILTY CLAY, trace MC GRAVEL, brown, no odors	124		
6							
8							
10	LBA-GP-11 12'	8' - 11' / 36"	11'	SILTY CLAY, trace MC GRAVEL, brown, no odors, hard	14	Overpack (11' - 14')	
				moist/wet (8' - 9')	0.7		
12							
14	LBA-GP-11 15'	11' - 14' / 48"		dry (9' - 11')	0.2		
16		14' - 17' / 36"		SILTY CLAY, MC GRAVEL, hard, no odor	0.2		
			DEPTH (FT)		NOTES: PID may be dirty and responding to moisture Installed well LBA-MW-07 w/ 10' Screen		
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED
DATE	TIME	ELAPSED TIME	NA	17'			NA
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: and = 35 - 50% C = Coarse BGS = Below Ground Surface some = 20 - 35% M = Medium NA = Not Applicable little = 10 - 20% F = Fine SA = Subangular trace = 1 - 10% VF = Very Fine SR = Subrounded							
						BORING: LBA-GP-11	


 300 STATE STREET, ROCHESTER, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			TEST BORING LOG			BORING: LBA-GP-11												
			Phase II Environmental Site Assessment Getinge, USA / Buckingham Properties 1777 E. Henrietta Rd, Rochester NY, 14623			SHEET 2 OF 2 JOB: 214260 CHKD BY:												
CONTRACTOR: LaBella Environmental, LLC DRILLER: N. Wall LABELLA REPRESENTATIVE: K. Miller			BORING LOCATION: Between columns C6 and D6 GROUND SURFACE ELEVATION: NA START DATE: 3/6/14 END DATE: 3/6/14			TIME TO DATUM: NA												
TYPE OF DRILL RIG: Geoprobe™ AUGER SIZE AND TYPE: N/A OVERBURDEN SAMPLING METHOD: Direct Push			DRIVE SAMPLER TYPE: 4' Macro Core INSIDE DIAMETER: ~1.8" OTHER:															
D E P T H (FT)	SAMPLE DATA			VISUAL CLASSIFICATION	PID FIELD SCREEN (PPM)	REMARKS												
	SAMPLE NO. AND DEPTH	SAMPLE RUN/ RECOVERY	STRATA CHANGE															
16		14' - 17' / 36"		SILTY CLAY, MC GRAVEL, grey-brown, moist/wet, soft, no odor	44													
18				Boring concluded @ 17' BGS														
20																		
22																		
24																		
26																		
28																		
30																		
32																		
WATER LEVEL DATA			DEPTH (FT)		NOTES:													
DATE	TIME	ELAPSED TIME	BOTTOM OF CASING	BOTTOM OF BORING			GROUNDWATER ENCOUNTERED											
			NA	NA														
GENERAL NOTES 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE. 3) ABBREVIATIONS: <table border="0" style="width: 100%;"> <tr> <td>and = 35 - 50%</td> <td>C = Coarse</td> <td>BGS = Below Ground Surface</td> </tr> <tr> <td>some = 20 - 35%</td> <td>M = Medium</td> <td>NA = Not Applicable</td> </tr> <tr> <td>little = 10 - 20%</td> <td>F = Fine</td> <td>SA = Subangular</td> </tr> <tr> <td>trace = 1 - 10%</td> <td>VF = Very Fine</td> <td>SR = Subrounded</td> </tr> </table>							and = 35 - 50%	C = Coarse	BGS = Below Ground Surface	some = 20 - 35%	M = Medium	NA = Not Applicable	little = 10 - 20%	F = Fine	SA = Subangular	trace = 1 - 10%	VF = Very Fine	SR = Subrounded
and = 35 - 50%	C = Coarse	BGS = Below Ground Surface																
some = 20 - 35%	M = Medium	NA = Not Applicable																
little = 10 - 20%	F = Fine	SA = Subangular																
trace = 1 - 10%	VF = Very Fine	SR = Subrounded																
						BORING: LBA-GP-11												

LABELLA Associates, P.C. 300 STATE STREET, ROCHESTER, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS	PROJECT Phase II Environmental Site Assessment Getinge Sourcing, USA 1777 E. Henrietta Rd, Rochester NY	BORING: LBA-GP-11 (LBA-MW-07) SHEET 1 OF 1 JOB # 214260 CHKD. BY:
	CONTRACTOR: Labella LLC DRILLER: Nick Wall LABELLA REPRESENTATIVE: Kyle Miller	

BORING LOCATION: Interior of facility, proximate to column C15	
GROUND SURFACE ELEVATION:	DATUM:
START DATE: 3/6/14	END DATE: 3/6/14

TYPE OF DRILL RIG: Geoprobe 54LT	
AUGER SIZE AND TYPE: N/A	
OVERBURDEN SAMPLING METHOD: Direct-Push	
ROCK DRILLING METHOD: N/A	

WATER LEVEL DATA				
DATE	TIME	WATER	CASING	REMARKS



NOTE: NOT TO SCALE
 ALL DIMENSIONS IN FEET UNLESS OTHERWISE INDICATED

GENERAL NOTES:
 1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL
 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER MAY OCCUR DUE TO OTHER FACTORS THAN THOSE PRESENT AT THE TIME MEASUREMENTS WERE MADE.

APPENDIX 2

Laboratory Analytical Reports

Pace Analytical e-Report

Report prepared for:
LABELLA ASSOCIATES PC
300 State Street
ROCHESTER, NY 14614
CONTACT: JON HEERKINS

Project ID: GETINGE
Sampling Date(s): February 27, 2014
Lab Report ID: 14030154
Client Service Contact: Chelsea Farmer (518) 346-4592 ext. 3843

Analysis Included:
VOCs by GCMS (CLP 4.3 + STARS List Solid)

Test results meet all National Environmental Laboratory Accreditation Conference (NELAC) requirements unless noted in the case narrative. The results contained within this document relate only to the samples included in this report. Pace Analytical is responsible only for the certified testing and is not directly responsible for the integrity of the sample before laboratory receipt. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Dan Pfalzer
Laboratory Director



Certifications: New York (EPA: NY00906, ELAP: 11078), New Jersey (NY026), Connecticut (PH-0337),
Massachusetts (M-NY906), Virginia (1884)

Pace Analytical Services, Inc. | 2190 Technology Drive | Schenectady, NY 12308
Phone: 518.346.4592 | internet: www.pacelabs.com

This page intentionally left blank.

Table of Contents

Section 1: CASE NARRATIVE	4
Section 2: QUALIFIERS	6
Section 3: SAMPLE CHAIN OF CUSTODY	8
Section 4: SAMPLE RECEIPT	10
Section 5: GC/MS Volatiles.....	12
Section 6: Quality Control Samples (Lab)	19

1

2

3

4

5

6

CASE NARRATIVE

March 14, 2014

CASE NARRATIVE

This data package (SDG ID: 14030154) consists of 3 soil samples received on 03/08/2014. The samples are from Project Name: GETINGE.

This sample delivery group consists of the following samples:

<u>Lab Sample ID</u>	<u>Client ID</u>	<u>Collection Date</u>
AR05268	TP#1 @ 8	02/27/2014
AR05269	TP#4 @ 9	02/27/2014
AR05270	TP#5 @ 10	02/27/2014

Sample Delivery and Receipt Conditions

- (1.) All samples were delivered to the laboratory via FEDEX delivery service on 03/08/2014.
- (2.) All samples were received at the laboratory intact and within holding times.
- (3.) All samples were received at the laboratory properly preserved with any exceptions listed below:
Solid samples for volatile organic analysis were not collected in accordance with Method 5035.

Volatile Organics Analysis

Analysis for Volatile Organics was performed by method SW-846 8260C. The following technical and administrative items were noted for the analysis:

- (1.) All solid samples for Volatile Organic Analysis were not collected by Pace Analytical and were collected in bulk containers and not in accordance with Method 5035/5035A. All results below 200 ppb should be considered as potentially biased low.
- (2.) Bromomethane, Chloroethane, and Chloromethane recovered below acceptable limits in the Continuing Calibration Verification. Low analytical bias may be indicated for these analytes.
- (3.) The percent recovery for Bromomethane, Chloroethane, and Chloromethane were below quality control limits for the laboratory control spike sample (LAB ID: AR04756L). Low analytical bias may be indicated for these analytes.

Respectfully submitted,



Chelsea L. Farmer
Project Manager

QUALIFIERS

Qualifier Definitions

Organic Laboratory Qualifiers

B - Denotes analyte observed in associated method blank or extraction blank. Analyte concentration should be considered as estimated.

D - Surrogate recovery not evaluated against control limits due to sample dilution.

E - Denotes analyte concentration exceeded calibration range of instrument. Sample could not be re-analyzed at secondary dilution due to insufficient sample amount, quick turn-around request, sample matrix interference or hold time excursion. Concentration result should be considered as estimated.

J - Denotes an estimated concentration. The concentration result is greater than or equal to the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).

P - Indicates relative percent difference (RPD) between primary and secondary gas chromatograph (GC) column analysis exceeds 40 % or indicates percent difference (PD) between primary and secondary gas chromatograph (GC) column analysis exceeds 25 %.

U - Denotes analyte not detected at concentration greater than the Practical Quantitation Limit (PQL). PQLs are adjusted for sample weight/volume and dilution factors.

Z - Chromatographic interference due to polychlorinated biphenyl (PCB) co-elution.

* - Value not within control limits.

Inorganic Laboratory Qualifiers

B - Denotes analyte observed in associated method blank or digestion blank. Analyte concentration should be considered as estimated.

E - Denotes analyte concentration exceeded calibration range of instrument. Sample could not be re-analyzed at secondary dilution due to insufficient sample amount, quick turn-around request, sample matrix interference or hold time excursion. Concentration result should be considered as estimated.

J - Denotes an estimated concentration. The concentration result is greater than or equal to the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).

U - Denotes analyte not detected at concentration greater than the Practical Quantitation Limit (PQL). PQLs are adjusted for sample weight/volume and dilution factors.

* - Value not within control limits.

SAMPLE CHAIN OF CUSTODY

<14030154P1>



140301541

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: LaBella Associates
Address: 300 State Street
Rochester, NY 14614
Email To: jheerkens@labellapc.com
Phone: 585-295-6202 Fax: 585-454-3066

Section B

Required Project Information:

Report To: Jon Heerkens
Copy To:
Purchase Order No.:
Project Name: Getinge
Project Number:

Section C

Invoice Information:

Attention: Jon Heerkens
Company Name: LaBella Associates
Address: 300 State Street, Suite 201
Pace Quote Reference:
Pace Project Manager: Jim Murphy
Pace Profile #:

Page: of

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER

SITE

☐ GA ☐ IL ☐ N ☐ VI ☐ NC

LOCATION

☐ OH ☐ SC ☐ WI ☐ OTHER_NY

Filtered (Y/N)

Requested

Analysis

Pace Project No.
Lab I.D.

ITEM #		Section D Required Client Information		Valid Matrix Codes MATRIX		CODE		COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Requested Analysis		6x200 TCL + STARS Residual Chlorine (1/1) Pace Project No Lab I.D.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		SAMPLE ID (A-Z, 0-9 / , -) Sample IDs MUST BE UNIQUE	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START		COMPOSITE END/GRAB		Unpreserved	H ₂ SO ₄	HNO ₃			HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Na ₂ SO ₄																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
					DATE	TIME	DATE	TIME																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1		TP#1 @ 8	SL	G	2/27/14					1	x								x																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Jon Heerkens	3/7/14	2:00	Jon Heerkens	3/7/14	2:00	N	N	N	N
	Jon Heerkens	3/7/14	18:00	Jon Heerkens	3/7/14	18:00	N	N	N	N
	Jon Heerkens	3/8/14	9:46	Jon Heerkens	3/8/14	9:46	N	N	N	N
							N	N	N	N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Jon Heerkens

SIGNATURE of SAMPLER: *Jon Heerkens*

DATE Signed
(MM / DD / YY):

2/27/14

Temp in °C

Received on Ice

Custody Sealed Cooler

Samples Intact

SAMPLE RECEIPT



SAMPLE RECEIPT REPORT

14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

CLIENT: LABELLA ASSOCIATES PC
PROJECT: GETINGE
LRF: 14030154
REPORT: ANALYTICAL REPORT
EDD: NO
LRF TAT: 1 WEEK

RECEIVED DATE: 03/08/2014 09:46
SHIPPED VIA: FEDEX
SHIPPING ID: 803649434887
NUMBER OF COOLERS: 1
CUSTODY SEAL INTACT: YES
COOLER STATUS: CHILLED
TEMPERATURE(S): 5.0 (IR) °C

SAMPLE SEALS INTACT: NA
SAMPLES PRESERVED PER METHOD GUIDANCE: NO
SAMPLES REC'D IN HOLDTIME: YES
DISPOSAL: BY LAB (45 DAYS)
COC DISCREPANCY: NO

COMMENTS:

SAMPLES WERE NOT COLLECTED PER METHOD 5035 GUIDANCE.

CLIENT ID (LAB ID)	TAT-DUE Date ⁴	DATE-TIME SAMPLED	MATRIX	METHOD	TEST DESCRIPTION	QC REQUEST
TP#1 @ 8 (AR05268)	1 WEEK 03-17-14	02/27/2014	Soil	SW-846 8260C	VOCs by GCMS (CLP 4.3 + STARS List St	
TP#4 @ 9 (AR05269)	1 WEEK 03-17-14	02/27/2014	Soil	SW-846 8260C	VOCs by GCMS (CLP 4.3 + STARS List St	
TP#5 @ 10 (AR05270)	1 WEEK 03-17-14	02/27/2014	Soil	SW-846 8260C	VOCs by GCMS (CLP 4.3 + STARS List St	

¹The pH preservation check of Oil and Grease (Method 1664) is performed as soon as possible after sample receipt and may not be included in this report.

²The pH preservation check of aqueous volatile samples is not performed until after the analysis of the sample to maintain zero headspace and is not included in this report.

³Samples received for pH analysis are not marked as a hold time exceedance here. SW-846 methods suggests analysis to be done within 15 minutes of sample collection. Because of transportation time it is not possible for the laboratory to perform the test in that time. Sample Certificates of Analysis reports are noted as such.

⁴Samples arriving at the laboratory after 4:00 pm are assigned a due date as if they arrived the following business day unless other arrangements have been made.

⁵All samples which require thermal preservation shall be considered acceptable when received greater than 6 degrees Celsius if they are collected on the same day as received and there is evidence that the chilling process has begun, such as arrival on ice. Control limits are between 0-6 Degrees Celsius. Control limits do not apply for metals analysis.

Reporting Parameters and Lists

SW-846 8260C - VOCs by GCMS (CLP 4.3 + STARS List Solid) -

1,1,1-Trichloroethane
1,1,2,2-Tetrachloroethane
1,1,2-Trichloro-1,2,2-trifluoroethane
1,1,2-Trichloroethane
1,1-Dichloroethane
1,1-Dichloroethene
1,2,4-Trichlorobenzene
1,2,4-Trimethylbenzene
1,2-Dibromo-3-chloropropane
1,2-Dibromoethane
1,2-Dichlorobenzene
1,2-Dichloroethane
1,2-Dichloropropane
1,3,5-Trimethylbenzene
1,3-Dichlorobenzene
1,4-Dichlorobenzene
2-Butanone
2-Hexanone
4-Isopropyltoluene
4-Methyl-2-pentanone
Acetone
Benzene
Bromodichloromethane
Bromoform
Bromomethane
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
Chloroethane
Chloroform

SW-846 8260C - VOCs by GCMS (CLP 4.3 + STARS List Solid) -

Chloromethane
cis-1,2-Dichloroethene
cis-1,3-Dichloropropene
Cyclohexane
Dibromochloromethane
Dichlorodifluoromethane
Ethylbenzene
Isopropylbenzene
m&p-Xylene
Methyl acetate
Methyl tert-butyl ether
Methylcyclohexane
Methylene chloride
Naphthalene
n-Butylbenzene
n-Propylbenzene
o-Xylene
sec-Butylbenzene
Styrene
tert-Butylbenzene
Tetrachloroethene
Toluene
Total Xylenes
trans-1,2-Dichloroethene
trans-1,3-Dichloropropene
Trichloroethene
Trichlorofluoromethane
Vinyl chloride

GC/MS Volatiles



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#1 @ 8
Lab Sample ID: 14030154-01 (AR05268)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 86.4 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-9	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 14:29	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:00	CAP	1.65 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
1,1,1-Trichloroethane	71-55-6	ND	7.00	1.00	U	MS08-1672-9
1,1,2,2-Tetrachloroethane	79-34-5	ND	7.00	1.00	U	MS08-1672-9
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	ND	7.00	1.00	U	MS08-1672-9
1,1,2-Trichloroethane	79-00-5	ND	7.00	1.00	U	MS08-1672-9
1,1-Dichloroethane	75-34-3	ND	7.00	1.00	U	MS08-1672-9
1,1-Dichloroethene	75-35-4	ND	7.00	1.00	U	MS08-1672-9
1,2,4-Trichlorobenzene	120-82-1	ND	7.00	1.00	U	MS08-1672-9
1,2,4-Trimethylbenzene	95-63-6	ND	7.00	1.00	U	MS08-1672-9
1,2-Dibromo-3-chloropropane	96-12-8	ND	7.00	1.00	U	MS08-1672-9
1,2-Dibromoethane	106-93-4	ND	7.00	1.00	U	MS08-1672-9
1,2-Dichlorobenzene	95-50-1	ND	7.00	1.00	U	MS08-1672-9
1,2-Dichloroethane	107-06-2	ND	7.00	1.00	U	MS08-1672-9
1,2-Dichloropropane	78-87-5	ND	7.00	1.00	U	MS08-1672-9
1,3,5-Trimethylbenzene	108-67-8	ND	7.00	1.00	U	MS08-1672-9
1,3-Dichlorobenzene	541-73-1	ND	7.00	1.00	U	MS08-1672-9
1,4-Dichlorobenzene	106-46-7	ND	7.00	1.00	U	MS08-1672-9
2-Butanone	78-93-3	ND	7.00	1.00	U	MS08-1672-9
2-Hexanone	591-78-6	ND	7.00	1.00	U	MS08-1672-9
4-Isopropyltoluene	99-87-6	ND	7.00	1.00	U	MS08-1672-9
4-Methyl-2-pentanone	108-10-1	ND	7.00	1.00	U	MS08-1672-9
Acetone	67-64-1	ND	35.0	1.00	U	MS08-1672-9
Benzene	71-43-2	ND	7.00	1.00	U	MS08-1672-9
Bromodichloromethane	75-27-4	ND	7.00	1.00	U	MS08-1672-9
Bromoform	75-25-2	ND	7.00	1.00	U	MS08-1672-9
Bromomethane	74-83-9	ND	7.00	1.00	U	MS08-1672-9
Carbon disulfide	75-15-0	ND	7.00	1.00	U	MS08-1672-9
Carbon tetrachloride	56-23-5	ND	7.00	1.00	U	MS08-1672-9
Chlorobenzene	108-90-7	ND	7.00	1.00	U	MS08-1672-9
Chloroethane	75-00-3	ND	7.00	1.00	U	MS08-1672-9
Chloroform	67-66-3	ND	7.00	1.00	U	MS08-1672-9
Chloromethane	74-87-3	ND	7.00	1.00	U	MS08-1672-9
cis-1,2-Dichloroethene	156-59-2	ND	7.00	1.00	U	MS08-1672-9
cis-1,3-Dichloropropene	10061-01-5	ND	7.00	1.00	U	MS08-1672-9
Cyclohexane	110-82-7	ND	7.00	1.00	U	MS08-1672-9
Dibromochloromethane	124-48-1	ND	7.00	1.00	U	MS08-1672-9
Dichlorodifluoromethane	75-71-8	ND	7.00	1.00	U	MS08-1672-9
Ethylbenzene	100-41-4	ND	7.00	1.00	U	MS08-1672-9
Isopropylbenzene	98-82-8	ND	7.00	1.00	U	MS08-1672-9
m&p-Xylene	136777-61-2	ND	7.00	1.00	U	MS08-1672-9
Methyl acetate	79-20-9	ND	7.00	1.00	U	MS08-1672-9
Methyl tert-butyl ether	1634-04-4	ND	7.00	1.00	U	MS08-1672-9
Methylcyclohexane	108-87-2	ND	7.00	1.00	U	MS08-1672-9
Methylene chloride	75-09-2	ND	35.0	1.00	U	MS08-1672-9
Naphthalene	91-20-3	ND	7.00	1.00	U	MS08-1672-9

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.

2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#1 @ 8
Lab Sample ID: 14030154-01 (AR05268)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 86.4 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-9	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 14:29	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:00	CAP	1.65 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
n-Butylbenzene	104-51-8	ND	7.00	1.00	U	MS08-1672-9
n-Propylbenzene	103-65-1	ND	7.00	1.00	U	MS08-1672-9
o-Xylene	95-47-6	ND	7.00	1.00	U	MS08-1672-9
sec-Butylbenzene	135-98-8	ND	7.00	1.00	U	MS08-1672-9
Styrene	100-42-5	ND	7.00	1.00	U	MS08-1672-9
tert-Butylbenzene	98-06-6	ND	7.00	1.00	U	MS08-1672-9
Tetrachloroethene	127-18-4	ND	7.00	1.00	U	MS08-1672-9
Toluene	108-88-3	ND	7.00	1.00	U	MS08-1672-9
Total Xylenes	1330-20-7	ND	7.00	1.00	U	MS08-1672-9
trans-1,2-Dichloroethene	156-60-5	ND	7.00	1.00	U	MS08-1672-9
trans-1,3-Dichloropropene	10061-02-6	ND	7.00	1.00	U	MS08-1672-9
Trichloroethene	79-01-6	ND	7.00	1.00	U	MS08-1672-9
Trichlorofluoromethane	75-69-4	ND	7.00	1.00	U	MS08-1672-9
Vinyl chloride	75-01-4	ND	7.00	1.00	U	MS08-1672-9

Surrogate	CAS No.	% Recovery	Limits (%)	Q ¹	File ID
Bromofluorobenzene	460-00-4	121	45.4-170		MS08-1672-9
Dibromofluoromethane	1868-53-7	108	79.3-122		MS08-1672-9
toluene-d8	2037-26-5	101	77.0-133		MS08-1672-9
1,2-Dichloroethane-d4	17060-07-0	104	80.9-116		MS08-1672-9

¹Qualifier column where '*' denotes value outside the control limits or 'D' denotes value was diluted out.

ND: Denotes analyte not detected at a concentration greater than the PQL.

PQL (Practical Quantitation Limit). Denotes lowest analyte concentration reportable for the sample.



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#4 @ 9
Lab Sample ID: 14030154-02 (AR05269)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 88.6 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-10	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 14:58	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:05	CAP	1.56 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
1,1,1-Trichloroethane	71-55-6	ND	7.24	1.00	U	MS08-1672-10
1,1,2,2-Tetrachloroethane	79-34-5	ND	7.24	1.00	U	MS08-1672-10
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	ND	7.24	1.00	U	MS08-1672-10
1,1,2-Trichloroethane	79-00-5	ND	7.24	1.00	U	MS08-1672-10
1,1-Dichloroethane	75-34-3	ND	7.24	1.00	U	MS08-1672-10
1,1-Dichloroethene	75-35-4	ND	7.24	1.00	U	MS08-1672-10
1,2,4-Trichlorobenzene	120-82-1	ND	7.24	1.00	U	MS08-1672-10
1,2,4-Trimethylbenzene	95-63-6	ND	7.24	1.00	U	MS08-1672-10
1,2-Dibromo-3-chloropropane	96-12-8	ND	7.24	1.00	U	MS08-1672-10
1,2-Dibromoethane	106-93-4	ND	7.24	1.00	U	MS08-1672-10
1,2-Dichlorobenzene	95-50-1	ND	7.24	1.00	U	MS08-1672-10
1,2-Dichloroethane	107-06-2	ND	7.24	1.00	U	MS08-1672-10
1,2-Dichloropropane	78-87-5	ND	7.24	1.00	U	MS08-1672-10
1,3,5-Trimethylbenzene	108-67-8	ND	7.24	1.00	U	MS08-1672-10
1,3-Dichlorobenzene	541-73-1	ND	7.24	1.00	U	MS08-1672-10
1,4-Dichlorobenzene	106-46-7	ND	7.24	1.00	U	MS08-1672-10
2-Butanone	78-93-3	ND	7.24	1.00	U	MS08-1672-10
2-Hexanone	591-78-6	ND	7.24	1.00	U	MS08-1672-10
4-Isopropyltoluene	99-87-6	ND	7.24	1.00	U	MS08-1672-10
4-Methyl-2-pentanone	108-10-1	ND	7.24	1.00	U	MS08-1672-10
Acetone	67-64-1	ND	36.2	1.00	U	MS08-1672-10
Benzene	71-43-2	ND	7.24	1.00	U	MS08-1672-10
Bromodichloromethane	75-27-4	ND	7.24	1.00	U	MS08-1672-10
Bromoform	75-25-2	ND	7.24	1.00	U	MS08-1672-10
Bromomethane	74-83-9	ND	7.24	1.00	U	MS08-1672-10
Carbon disulfide	75-15-0	ND	7.24	1.00	U	MS08-1672-10
Carbon tetrachloride	56-23-5	ND	7.24	1.00	U	MS08-1672-10
Chlorobenzene	108-90-7	ND	7.24	1.00	U	MS08-1672-10
Chloroethane	75-00-3	ND	7.24	1.00	U	MS08-1672-10
Chloroform	67-66-3	ND	7.24	1.00	U	MS08-1672-10
Chloromethane	74-87-3	ND	7.24	1.00	U	MS08-1672-10
cis-1,2-Dichloroethene	156-59-2	ND	7.24	1.00	U	MS08-1672-10
cis-1,3-Dichloropropene	10061-01-5	ND	7.24	1.00	U	MS08-1672-10
Cyclohexane	110-82-7	ND	7.24	1.00	U	MS08-1672-10
Dibromochloromethane	124-48-1	ND	7.24	1.00	U	MS08-1672-10
Dichlorodifluoromethane	75-71-8	ND	7.24	1.00	U	MS08-1672-10
Ethylbenzene	100-41-4	ND	7.24	1.00	U	MS08-1672-10
Isopropylbenzene	98-82-8	ND	7.24	1.00	U	MS08-1672-10
m&p-Xylene	136777-61-2	ND	7.24	1.00	U	MS08-1672-10
Methyl acetate	79-20-9	ND	7.24	1.00	U	MS08-1672-10
Methyl tert-butyl ether	1634-04-4	ND	7.24	1.00	U	MS08-1672-10
Methylcyclohexane	108-87-2	ND	7.24	1.00	U	MS08-1672-10
Methylene chloride	75-09-2	ND	36.2	1.00	U	MS08-1672-10
Naphthalene	91-20-3	ND	7.24	1.00	U	MS08-1672-10

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.

2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#4 @ 9
Lab Sample ID: 14030154-02 (AR05269)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 88.6 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-10	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 14:58	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:05	CAP	1.56 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
n-Butylbenzene	104-51-8	ND	7.24	1.00	U	MS08-1672-10
n-Propylbenzene	103-65-1	ND	7.24	1.00	U	MS08-1672-10
o-Xylene	95-47-6	ND	7.24	1.00	U	MS08-1672-10
sec-Butylbenzene	135-98-8	ND	7.24	1.00	U	MS08-1672-10
Styrene	100-42-5	ND	7.24	1.00	U	MS08-1672-10
tert-Butylbenzene	98-06-6	ND	7.24	1.00	U	MS08-1672-10
Tetrachloroethene	127-18-4	ND	7.24	1.00	U	MS08-1672-10
Toluene	108-88-3	ND	7.24	1.00	U	MS08-1672-10
Total Xylenes	1330-20-7	ND	7.24	1.00	U	MS08-1672-10
trans-1,2-Dichloroethene	156-60-5	ND	7.24	1.00	U	MS08-1672-10
trans-1,3-Dichloropropene	10061-02-6	ND	7.24	1.00	U	MS08-1672-10
Trichloroethene	79-01-6	ND	7.24	1.00	U	MS08-1672-10
Trichlorofluoromethane	75-69-4	ND	7.24	1.00	U	MS08-1672-10
Vinyl chloride	75-01-4	ND	7.24	1.00	U	MS08-1672-10

Surrogate	CAS No.	% Recovery	Limits (%)	Q ¹	File ID
Bromofluorobenzene	460-00-4	112	45.4-170		MS08-1672-10
Dibromofluoromethane	1868-53-7	110	79.3-122		MS08-1672-10
toluene-d8	2037-26-5	92.5	77.0-133		MS08-1672-10
1,2-Dichloroethane-d4	17060-07-0	108	80.9-116		MS08-1672-10

¹Qualifier column where '*' denotes value outside the control limits or 'D' denotes value was diluted out.

ND: Denotes analyte not detected at a concentration greater than the PQL.

PQL (Practical Quantitation Limit). Denotes lowest analyte concentration reportable for the sample.

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.

2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#5 @ 10
Lab Sample ID: 14030154-03 (AR05270)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 89.8 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-11	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 15:28	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:08	CAP	1.54 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
1,1,1-Trichloroethane	71-55-6	ND	7.21	1.00	U	MS08-1672-11
1,1,2,2-Tetrachloroethane	79-34-5	ND	7.21	1.00	U	MS08-1672-11
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	ND	7.21	1.00	U	MS08-1672-11
1,1,2-Trichloroethane	79-00-5	ND	7.21	1.00	U	MS08-1672-11
1,1-Dichloroethane	75-34-3	ND	7.21	1.00	U	MS08-1672-11
1,1-Dichloroethene	75-35-4	ND	7.21	1.00	U	MS08-1672-11
1,2,4-Trichlorobenzene	120-82-1	ND	7.21	1.00	U	MS08-1672-11
1,2,4-Trimethylbenzene	95-63-6	ND	7.21	1.00	U	MS08-1672-11
1,2-Dibromo-3-chloropropane	96-12-8	ND	7.21	1.00	U	MS08-1672-11
1,2-Dibromoethane	106-93-4	ND	7.21	1.00	U	MS08-1672-11
1,2-Dichlorobenzene	95-50-1	ND	7.21	1.00	U	MS08-1672-11
1,2-Dichloroethane	107-06-2	ND	7.21	1.00	U	MS08-1672-11
1,2-Dichloropropane	78-87-5	ND	7.21	1.00	U	MS08-1672-11
1,3,5-Trimethylbenzene	108-67-8	ND	7.21	1.00	U	MS08-1672-11
1,3-Dichlorobenzene	541-73-1	ND	7.21	1.00	U	MS08-1672-11
1,4-Dichlorobenzene	106-46-7	ND	7.21	1.00	U	MS08-1672-11
2-Butanone	78-93-3	ND	7.21	1.00	U	MS08-1672-11
2-Hexanone	591-78-6	ND	7.21	1.00	U	MS08-1672-11
4-Isopropyltoluene	99-87-6	ND	7.21	1.00	U	MS08-1672-11
4-Methyl-2-pentanone	108-10-1	ND	7.21	1.00	U	MS08-1672-11
Acetone	67-64-1	ND	36.0	1.00	U	MS08-1672-11
Benzene	71-43-2	ND	7.21	1.00	U	MS08-1672-11
Bromodichloromethane	75-27-4	ND	7.21	1.00	U	MS08-1672-11
Bromoform	75-25-2	ND	7.21	1.00	U	MS08-1672-11
Bromomethane	74-83-9	ND	7.21	1.00	U	MS08-1672-11
Carbon disulfide	75-15-0	ND	7.21	1.00	U	MS08-1672-11
Carbon tetrachloride	56-23-5	ND	7.21	1.00	U	MS08-1672-11
Chlorobenzene	108-90-7	ND	7.21	1.00	U	MS08-1672-11
Chloroethane	75-00-3	ND	7.21	1.00	U	MS08-1672-11
Chloroform	67-66-3	ND	7.21	1.00	U	MS08-1672-11
Chloromethane	74-87-3	ND	7.21	1.00	U	MS08-1672-11
cis-1,2-Dichloroethene	156-59-2	ND	7.21	1.00	U	MS08-1672-11
cis-1,3-Dichloropropene	10061-01-5	ND	7.21	1.00	U	MS08-1672-11
Cyclohexane	110-82-7	ND	7.21	1.00	U	MS08-1672-11
Dibromochloromethane	124-48-1	ND	7.21	1.00	U	MS08-1672-11
Dichlorodifluoromethane	75-71-8	ND	7.21	1.00	U	MS08-1672-11
Ethylbenzene	100-41-4	ND	7.21	1.00	U	MS08-1672-11
Isopropylbenzene	98-82-8	ND	7.21	1.00	U	MS08-1672-11
m&p-Xylene	136777-61-2	ND	7.21	1.00	U	MS08-1672-11
Methyl acetate	79-20-9	ND	7.21	1.00	U	MS08-1672-11
Methyl tert-butyl ether	1634-04-4	ND	7.21	1.00	U	MS08-1672-11
Methylcyclohexane	108-87-2	ND	7.21	1.00	U	MS08-1672-11
Methylene chloride	75-09-2	ND	36.0	1.00	U	MS08-1672-11
Naphthalene	91-20-3	ND	7.21	1.00	U	MS08-1672-11

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.

2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



Analytical Sample Results

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: TP#5 @ 10
Lab Sample ID: 14030154-03 (AR05270)

Collection Date: 02/27/2014
Sample Matrix: SOIL
Received Date: 03/08/2014 09:46
Percent Solid: 89.8 - Results are based on dry weight unless otherwise noted.

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-11	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 15:28	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 13:08	CAP	1.54 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
n-Butylbenzene	104-51-8	ND	7.21	1.00	U	MS08-1672-11
n-Propylbenzene	103-65-1	ND	7.21	1.00	U	MS08-1672-11
o-Xylene	95-47-6	ND	7.21	1.00	U	MS08-1672-11
sec-Butylbenzene	135-98-8	ND	7.21	1.00	U	MS08-1672-11
Styrene	100-42-5	ND	7.21	1.00	U	MS08-1672-11
tert-Butylbenzene	98-06-6	ND	7.21	1.00	U	MS08-1672-11
Tetrachloroethene	127-18-4	ND	7.21	1.00	U	MS08-1672-11
Toluene	108-88-3	ND	7.21	1.00	U	MS08-1672-11
Total Xylenes	1330-20-7	ND	7.21	1.00	U	MS08-1672-11
trans-1,2-Dichloroethene	156-60-5	ND	7.21	1.00	U	MS08-1672-11
trans-1,3-Dichloropropene	10061-02-6	ND	7.21	1.00	U	MS08-1672-11
Trichloroethene	79-01-6	ND	7.21	1.00	U	MS08-1672-11
Trichlorofluoromethane	75-69-4	ND	7.21	1.00	U	MS08-1672-11
Vinyl chloride	75-01-4	ND	7.21	1.00	U	MS08-1672-11

Surrogate	CAS No.	% Recovery	Limits (%)	Q ¹	File ID
Bromofluorobenzene	460-00-4	98.5	45.4-170		MS08-1672-11
Dibromofluoromethane	1868-53-7	110	79.3-122		MS08-1672-11
toluene-d8	2037-26-5	104	77.0-133		MS08-1672-11
1,2-Dichloroethane-d4	17060-07-0	105	80.9-116		MS08-1672-11

¹Qualifier column where ¹* denotes value outside the control limits or 'D' denotes value was diluted out.

ND: Denotes analyte not detected at a concentration greater than the PQL.

PQL (Practical Quantitation Limit). Denotes lowest analyte concentration reportable for the sample.

Quality Control Samples (Lab)



Quality Control Results Method Blank

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: Method Blank (AR04756B)
Lab Sample ID: VBLK-91

Collection Date: N/A
Sample Matrix: SOIL
Received Date: N/A
Percent Solid: N/A

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-6	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 12:12	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 09:40	CAP	4.64 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
1,1,1-Trichloroethane	71-55-6	ND	2.15	1.00	U	MS08-1672-6
1,1,2,2-Tetrachloroethane	79-34-5	ND	2.15	1.00	U	MS08-1672-6
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	ND	2.15	1.00	U	MS08-1672-6
1,1,2-Trichloroethane	79-00-5	ND	2.15	1.00	U	MS08-1672-6
1,1-Dichloroethane	75-34-3	ND	2.15	1.00	U	MS08-1672-6
1,1-Dichloroethene	75-35-4	ND	2.15	1.00	U	MS08-1672-6
1,2,4-Trichlorobenzene	120-82-1	ND	2.15	1.00	U	MS08-1672-6
1,2,4-Trimethylbenzene	95-63-6	ND	2.15	1.00	U	MS08-1672-6
1,2-Dibromo-3-chloropropane	96-12-8	ND	2.15	1.00	U	MS08-1672-6
1,2-Dibromoethane	106-93-4	ND	2.15	1.00	U	MS08-1672-6
1,2-Dichlorobenzene	95-50-1	ND	2.15	1.00	U	MS08-1672-6
1,2-Dichloroethane	107-06-2	ND	2.15	1.00	U	MS08-1672-6
1,2-Dichloropropane	78-87-5	ND	2.15	1.00	U	MS08-1672-6
1,3,5-Trimethylbenzene	108-67-8	ND	2.15	1.00	U	MS08-1672-6
1,3-Dichlorobenzene	541-73-1	ND	2.15	1.00	U	MS08-1672-6
1,4-Dichlorobenzene	106-46-7	ND	2.15	1.00	U	MS08-1672-6
2-Butanone	78-93-3	ND	2.15	1.00	U	MS08-1672-6
2-Hexanone	591-78-6	ND	2.15	1.00	U	MS08-1672-6
4-Isopropyltoluene	99-87-6	ND	2.15	1.00	U	MS08-1672-6
4-Methyl-2-pentanone	108-10-1	ND	2.15	1.00	U	MS08-1672-6
Acetone	67-64-1	ND	10.8	1.00	U	MS08-1672-6
Benzene	71-43-2	ND	2.15	1.00	U	MS08-1672-6
Bromodichloromethane	75-27-4	ND	2.15	1.00	U	MS08-1672-6
Bromoform	75-25-2	ND	2.15	1.00	U	MS08-1672-6
Bromomethane	74-83-9	ND	2.15	1.00	U	MS08-1672-6
Carbon disulfide	75-15-0	ND	2.15	1.00	U	MS08-1672-6
Carbon tetrachloride	56-23-5	ND	2.15	1.00	U	MS08-1672-6
Chlorobenzene	108-90-7	ND	2.15	1.00	U	MS08-1672-6
Chloroethane	75-00-3	ND	2.15	1.00	U	MS08-1672-6
Chloroform	67-66-3	ND	2.15	1.00	U	MS08-1672-6
Chloromethane	74-87-3	ND	2.15	1.00	U	MS08-1672-6
cis-1,2-Dichloroethene	156-59-2	ND	2.15	1.00	U	MS08-1672-6
cis-1,3-Dichloropropene	10061-01-5	ND	2.15	1.00	U	MS08-1672-6
Cyclohexane	110-82-7	ND	2.15	1.00	U	MS08-1672-6
Dibromochloromethane	124-48-1	ND	2.15	1.00	U	MS08-1672-6
Dichlorodifluoromethane	75-71-8	ND	2.15	1.00	U	MS08-1672-6
Ethylbenzene	100-41-4	ND	2.15	1.00	U	MS08-1672-6
Isopropylbenzene	98-82-8	ND	2.15	1.00	U	MS08-1672-6
m&p-Xylene	136777-61-2	ND	2.15	1.00	U	MS08-1672-6
Methyl acetate	79-20-9	ND	2.15	1.00	U	MS08-1672-6
Methyl tert-butyl ether	1634-04-4	ND	2.15	1.00	U	MS08-1672-6
Methylcyclohexane	108-87-2	ND	2.15	1.00	U	MS08-1672-6
Methylene chloride	75-09-2	ND	10.8	1.00	U	MS08-1672-6
Naphthalene	91-20-3	ND	2.15	1.00	U	MS08-1672-6

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.

2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



Quality Control Results Method Blank

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: Method Blank (AR04756B)
Lab Sample ID: VBLK-91

Collection Date: N/A
Sample Matrix: SOIL
Received Date: N/A
Percent Solid: N/A

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-6	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 12:12	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 09:40	CAP	4.64 g	10.0 mL	NA

Analyte	CAS No.	Result (ug/kg)	PQL	Dilution Factor	Flags	File ID
n-Butylbenzene	104-51-8	ND	2.15	1.00	U	MS08-1672-6
n-Propylbenzene	103-65-1	ND	2.15	1.00	U	MS08-1672-6
o-Xylene	95-47-6	ND	2.15	1.00	U	MS08-1672-6
sec-Butylbenzene	135-98-8	ND	2.15	1.00	U	MS08-1672-6
Styrene	100-42-5	ND	2.15	1.00	U	MS08-1672-6
tert-Butylbenzene	98-06-6	ND	2.15	1.00	U	MS08-1672-6
Tetrachloroethene	127-18-4	ND	2.15	1.00	U	MS08-1672-6
Toluene	108-88-3	ND	2.15	1.00	U	MS08-1672-6
Total Xylenes	1330-20-7	ND	2.15	1.00	U	MS08-1672-6
trans-1,2-Dichloroethene	156-60-5	ND	2.15	1.00	U	MS08-1672-6
trans-1,3-Dichloropropene	10061-02-6	ND	2.15	1.00	U	MS08-1672-6
Trichloroethene	79-01-6	ND	2.15	1.00	U	MS08-1672-6
Trichlorofluoromethane	75-69-4	ND	2.15	1.00	U	MS08-1672-6
Vinyl chloride	75-01-4	ND	2.15	1.00	U	MS08-1672-6

Surrogate	CAS No.	% Recovery	Limits (%)	Q ¹	File ID
Bromofluorobenzene	460-00-4	107	45.4-170		MS08-1672-6
Dibromofluoromethane	1868-53-7	115	79.3-122		MS08-1672-6
toluene-d8	2037-26-5	96.1	77.0-133		MS08-1672-6
1,2-Dichloroethane-d4	17060-07-0	109	80.9-116		MS08-1672-6

¹Qualifier column where ¹* denotes value outside the control limits or 'D' denotes value was diluted out.

ND: Denotes analyte not detected at a concentration greater than the PQL.

PQL (Practical Quantitation Limit). Denotes lowest analyte concentration reportable for the sample.



Quality Control Results Lab Control Sample (LCS)

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: Lab Control Sample (AR04756L)
Lab Sample ID: LCS-91

Collection Date: N/A
Sample Matrix: SOIL
Received Date: N/A
Percent Solid: N/A

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-4	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 10:44	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 09:41	CAP	4.89 g	10.0 mL	NA

Analyte Spiked	CAS No.	Added (ug/kg)	LCS (ug/kg)	LCS % Rec.	Q ¹	Limits (%)
1,1,1-Trichloroethane	71-55-6	81.9	89.1	109		70.0-130
1,1,2,2-Tetrachloroethane	79-34-5	81.9	80.3	98.1		70.0-130
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	81.9	90.8	111		70.0-130
1,1,2-Trichloroethane	79-00-5	81.9	76.8	93.8		70.0-130
1,1-Dichloroethane	75-34-3	81.9	81.5	99.6		70.0-130
1,1-Dichloroethene	75-35-4	81.9	88.0	108		70.0-130
1,2,4-Trichlorobenzene	120-82-1	81.9	82.3	100		70.0-130
1,2,4-Trimethylbenzene	95-63-6	81.9	79.5	97.1		70.0-130
1,2-Dibromo-3-chloropropane	96-12-8	81.9	79.3	96.9		70.0-130
1,2-Dibromoethane	106-93-4	81.9	83.1	102		70.0-130
1,2-Dichlorobenzene	95-50-1	81.9	80.0	97.7		70.0-130
1,2-Dichloroethane	107-06-2	81.9	82.4	101		70.0-130
1,2-Dichloropropane	78-87-5	81.9	79.1	96.6		70.0-130
1,3,5-Trimethylbenzene	108-67-8	81.9	80.6	98.5		70.0-130
1,3-Dichlorobenzene	541-73-1	81.9	80.9	98.8		70.0-130
1,4-Dichlorobenzene	106-46-7	81.9	92.7	113		70.0-130
2-Butanone	78-93-3	81.9	101	124		70.0-130
2-Hexanone	591-78-6	81.9	82.9	101		70.0-130
4-Isopropyltoluene	99-87-6	81.9	81.2	99.2		70.0-130
4-Methyl-2-pentanone	108-10-1	81.9	91.1	111		70.0-130
Acetone	67-64-1	81.9	92.6	113		70.0-130
Benzene	71-43-2	81.9	86.5	106		70.0-130
Bromodichloromethane	75-27-4	81.9	85.7	105		70.0-130
Bromoform	75-25-2	81.9	76.4	93.3		70.0-130
Bromomethane	74-83-9	81.9	14.8	18.1	*	70.0-130
Carbon disulfide	75-15-0	81.9	84.3	103		70.0-130
Carbon tetrachloride	56-23-5	81.9	87.2	107		70.0-130
Chlorobenzene	108-90-7	81.9	84.7	103		70.0-130
Chloroethane	75-00-3	81.9	54.5	66.5	*	70.0-130
Chloroform	67-66-3	81.9	83.7	102		70.0-130
Chloromethane	74-87-3	81.9	53.4	65.2	*	70.0-130
cis-1,2-Dichloroethene	156-59-2	81.9	82.7	101		70.0-130
cis-1,3-Dichloropropene	10061-01-5	81.9	86.0	105		70.0-130
Cyclohexane	110-82-7	81.9	91.2	111		70.0-130
Dibromochloromethane	124-48-1	81.9	85.7	105		70.0-130
Dichlorodifluoromethane	75-71-8	81.9	72.5	88.6		70.0-130
Ethylbenzene	100-41-4	81.9	82.9	101		70.0-130
Isopropylbenzene	98-82-8	81.9	79.8	97.4		70.0-130
m&p-Xylene	136777-61-2	164	156	95.5		70.0-130
Methyl acetate	79-20-9	81.9	86.9	106		70.0-130
Methyl tert-butyl ether	1634-04-4	81.9	85.3	104		70.0-130
Methylcyclohexane	108-87-2	81.9	87.4	107		70.0-130
Methylene chloride	75-09-2	81.9	81.3	99.3		70.0-130
Naphthalene	91-20-3	81.9	87.3	107		70.0-130
n-Butylbenzene	104-51-8	81.9	83.2	102		70.0-130
n-Propylbenzene	103-65-1	81.9	81.8	99.9		70.0-130
o-Xylene	95-47-6	81.9	83.8	102		70.0-130
sec-Butylbenzene	135-98-8	81.9	81.7	99.8		70.0-130
Styrene	100-42-5	81.9	82.1	100		70.0-130
tert-Butylbenzene	98-06-6	81.9	82.7	101		70.0-130
Tetrachloroethene	127-18-4	81.9	85.4	104		70.0-130
Toluene	108-88-3	81.9	82.2	100		70.0-130

This report may not be reproduced except in full, without the written approval of Pace Analytical Services, Inc.
2190 Technology Drive | Schenectady, NY 12308 | Phone 518.346.4592 | Fax 518.381.6055 | www.pacelabs.com



**Quality Control Results
Lab Control Sample (LCS)**

Job Number: 14030154

Pace Analytical Services, Inc.
2190 Technology Drive
Schenectady, NY 12308
Phone: 518.346.4592
Fax: 518.381.6055

Client: LABELLA ASSOCIATES PC
Project: GETINGE
Client Sample ID: Lab Control Sample (AR04756L)
Lab Sample ID: LCS-91

Collection Date: N/A
Sample Matrix: SOIL
Received Date: N/A
Percent Solid: N/A

	Batch ID	Method	Date	Analyst	Init Wt./Vol.	Final Vol.	Column
Analysis 1:	MS08-1672-4	EPA Method 8260C CLP OLM 4.3 + STARS	03/10/2014 10:44	CAP	NA	NA	Restek, Rtx-VMS, 30 m, 0.25 mm ID, 1.40 µm
Prep 1:	2246	EPA 5035A-L	03/10/2014 09:41	CAP	4.89 g	10.0 mL	NA

Analyte Spiked	CAS No.	Added (ug/kg)	LCS (ug/kg)	LCS % Rec.	Q ¹	Limits (%)
Total Xylenes	1330-20-7	246	240	97.8		70.0-130
trans-1,2-Dichloroethene	156-60-5	81.9	85.0	104		70.0-130
trans-1,3-Dichloropropene	10061-02-6	81.9	84.0	103		70.0-130
Trichloroethene	79-01-6	81.9	85.7	105		70.0-130
Trichlorofluoromethane	75-69-4	81.9	80.8	98.7		70.0-130
Vinyl chloride	75-01-4	81.9	72.7	88.8		70.0-130

¹Qualifier column where '*' denotes value outside the control limits. Note: RPD criteria does not apply if either the sample and duplicate sample are not detected.

Surrogate	CAS No.	% Recovery	Limits (%)	Q ¹	File ID
Bromofluorobenzene	460-00-4	106	45.4-170		MS08-1672-4
Dibromofluoromethane	1868-53-7	99.0	79.3-122		MS08-1672-4
toluene-d8	2037-26-5	101	77.0-133		MS08-1672-4
1,2-Dichloroethane-d4	17060-07-0	103	80.9-116		MS08-1672-4

¹Qualifier column where '*' denotes value outside the control limits or 'D' denotes value was diluted out.

ND: Denotes analyte not detected at a concentration greater than the PQL.

PQL (Practical Quantitation Limit). Denotes lowest analyte concentration reportable for the sample.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

Report Summary

Wednesday March 19, 2014

Report Number: L687269

Samples Received: 03/11/14

Client Project: 214260

Description:

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,
NC - ENV375/DW21704/BI0041, ND - R-140, NJ - TN002, NJ NELAP - TN002,
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364, EPA - TN002

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-01

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Total Solids	88.1		%		2540 G-201	03/13/14	1
Mercury	BDL	23.	ug/kg		7471	03/12/14	1
Aluminum	6400000	5700	ug/kg		6010B	03/17/14	1
Antimony	BDL	1100	ug/kg		6010B	03/17/14	1
Arsenic	1400	1100	ug/kg		6010B	03/17/14	1
Barium	40000	280	ug/kg		6010B	03/17/14	1
Beryllium	260	110	ug/kg		6010B	03/17/14	1
Cadmium	370	280	ug/kg		6010B	03/17/14	1
Calcium	82000000	140000	ug/kg		6010B	03/17/14	5
Chromium	160000	570	ug/kg		6010B	03/17/14	1
Cobalt	3400	570	ug/kg		6010B	03/17/14	1
Copper	670000	1100	ug/kg		6010B	03/17/14	1
Iron	11000000	5700	ug/kg		6010B	03/17/14	1
Lead	7300	280	ug/kg		6010B	03/17/14	1
Magnesium	25000000	5700	ug/kg		6010B	03/17/14	1
Manganese	350000	570	ug/kg		6010B	03/17/14	1
Nickel	940000	1100	ug/kg		6010B	03/17/14	1
Potassium	3000000	28000	ug/kg		6010B	03/17/14	1
Selenium	BDL	1100	ug/kg		6010B	03/17/14	1
Silver	BDL	570	ug/kg		6010B	03/17/14	1
Sodium	580000	28000	ug/kg		6010B	03/17/14	1
Thallium	BDL	5700	ug/kg	0	6010B	03/17/14	5
Vanadium	14000	570	ug/kg		6010B	03/17/14	1
Zinc	51000	1700	ug/kg		6010B	03/17/14	1
Volatile Organics							
Acetone	BDL	280	ug/kg		8260C	03/15/14	5
Benzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromochloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromodichloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromoform	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14	5
Carbon disulfide	BDL	5.7	ug/kg		8260C	03/15/14	5
Carbon tetrachloride	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorodibromomethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14	5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14	5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-01

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	57.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	57.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.7	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5
Styrene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,2,2-Tetrachloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Tetrachloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
Toluene	BDL	28.	ug/kg		8260C	03/15/14 5
1,2,3-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2,4-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,1-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,2-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Trichloroethene	320	5.7	ug/kg		8260C	03/15/14 5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1,2-Trichlorotrifluoroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Vinyl chloride	BDL	5.7	ug/kg		8260C	03/15/14 5
o-Xylene	BDL	5.7	ug/kg		8260C	03/15/14 5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14 5
n-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
sec-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-01

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
tert-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.7	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	96.2		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	98.2		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	92.0		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	92.7		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 8FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-02

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Total Solids	88.3		%		2540 G-201	03/13/14 1
Volatile Organics						
Acetone	BDL	280	ug/kg		8260C	03/15/14 5
Benzene	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromochloromethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromodichloromethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromoform	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14 5
Carbon disulfide	BDL	5.7	ug/kg		8260C	03/15/14 5
Carbon tetrachloride	BDL	5.7	ug/kg		8260C	03/15/14 5
Chlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
Chlorodibromomethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14 5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14 5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14 5
Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	57.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	57.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.7	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 8FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-02

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RD	Units	Qualifier	Method	Date	Dil.
Styrene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2,2-Tetrachloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Tetrachloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
Toluene	BDL	28.	ug/kg		8260C	03/15/14	5
1,2,3-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,1-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Trichloroethene	140	5.7	ug/kg		8260C	03/16/14	5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1,2-Trichlorotrifluoroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Vinyl chloride	BDL	5.7	ug/kg		8260C	03/15/14	5
o-Xylene	BDL	5.7	ug/kg		8260C	03/15/14	5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14	5
n-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
sec-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
tert-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.7	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	19.	5.7	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	7.7	5.7	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	97.2		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	96.0		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	91.4		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	102.		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 21FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-03

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Total Solids	89.0		%		2540 G-201	03/13/14 1
Volatile Organics						
Acetone	BDL	280	ug/kg		8260C	03/15/14 5
Benzene	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromochloromethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromodichloromethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromoform	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14 5
Carbon disulfide	BDL	5.6	ug/kg		8260C	03/15/14 5
Carbon tetrachloride	BDL	5.6	ug/kg		8260C	03/15/14 5
Chlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
Chlorodibromomethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14 5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14 5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14 5
Cyclohexane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	9.2	5.6	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	56.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	56.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	BDL	5.6	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.6	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-08 21FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-03

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Styrene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,2,2-Tetrachloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Tetrachloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
Toluene	BDL	28.	ug/kg		8260C	03/15/14 5
1,2,3-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2,4-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,1-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,2-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Trichloroethene	8800	220	ug/kg		8260C	03/16/14 200
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1,2-Trichlorotrifluoroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Vinyl chloride	BDL	5.6	ug/kg		8260C	03/15/14 5
o-Xylene	BDL	5.6	ug/kg		8260C	03/15/14 5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14 5
n-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
sec-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
tert-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
p-Isopropyltoluene	BDL	5.6	ug/kg		8260C	03/15/14 5
n-Propylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2,4-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,3,5-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
Surrogate Recovery						
Toluene-d8	107.		% Rec.		8260C	03/15/14 5
Dibromofluoromethane	96.8		% Rec.		8260C	03/15/14 5
a,a,a-Trifluorotoluene	102.		% Rec.		8260C	03/15/14 5
4-Bromofluorobenzene	92.7		% Rec.		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-09 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-04

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Total Solids	88.2		%		2540 G-201	03/13/14 1
Volatile Organics						
Acetone	BDL	280	ug/kg		8260C	03/15/14 5
Benzene	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromochloromethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromodichloromethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromoform	BDL	5.7	ug/kg		8260C	03/15/14 5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14 5
Carbon disulfide	BDL	5.7	ug/kg		8260C	03/15/14 5
Carbon tetrachloride	BDL	5.7	ug/kg		8260C	03/15/14 5
Chlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
Chlorodibromomethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14 5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14 5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14 5
Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.7	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	57.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	57.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	57.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.7	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-09 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-04

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Styrene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,2,2-Tetrachloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Tetrachloroethene	BDL	5.7	ug/kg		8260C	03/15/14 5
Toluene	BDL	28.	ug/kg		8260C	03/15/14 5
1,2,3-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2,4-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,1-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
1,1,2-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Trichloroethene	20.	5.7	ug/kg		8260C	03/15/14 5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1,2-Trichlorotrifluoroethane	BDL	5.7	ug/kg		8260C	03/15/14 5
Vinyl chloride	BDL	5.7	ug/kg		8260C	03/15/14 5
o-Xylene	BDL	5.7	ug/kg		8260C	03/15/14 5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14 5
n-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
sec-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
tert-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
p-Isopropyltoluene	BDL	5.7	ug/kg		8260C	03/15/14 5
n-Propylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,2,4-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
1,3,5-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14 5
Surrogate Recovery						
Toluene-d8	94.7		% Rec.		8260C	03/15/14 5
Dibromofluoromethane	98.4		% Rec.		8260C	03/15/14 5
a,a,a-Trifluorotoluene	91.6		% Rec.		8260C	03/15/14 5
4-Bromofluorobenzene	88.5		% Rec.		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-10 0-2FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-05

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Total Solids	91.7		%		2540 G-201	03/13/14	1
Mercury	BDL	22.	ug/kg		7471	03/12/14	1
Aluminum	7300000	5400	ug/kg		6010B	03/17/14	1
Antimony	BDL	1100	ug/kg		6010B	03/17/14	1
Arsenic	3300	1100	ug/kg		6010B	03/17/14	1
Barium	51000	270	ug/kg		6010B	03/17/14	1
Beryllium	350	110	ug/kg		6010B	03/17/14	1
Cadmium	370	270	ug/kg		6010B	03/17/14	1
Calcium	89000000	140000	ug/kg		6010B	03/17/14	5
Chromium	9700	540	ug/kg		6010B	03/17/14	1
Cobalt	4500	540	ug/kg		6010B	03/17/14	1
Copper	12000	1100	ug/kg		6010B	03/17/14	1
Iron	12000000	5400	ug/kg		6010B	03/17/14	1
Lead	8800	270	ug/kg		6010B	03/17/14	1
Magnesium	18000000	5400	ug/kg		6010B	03/17/14	1
Manganese	360000	540	ug/kg		6010B	03/17/14	1
Nickel	10000	1100	ug/kg		6010B	03/17/14	1
Potassium	2400000	27000	ug/kg		6010B	03/17/14	1
Selenium	BDL	1100	ug/kg		6010B	03/17/14	1
Silver	BDL	540	ug/kg		6010B	03/17/14	1
Sodium	210000	27000	ug/kg		6010B	03/17/14	1
Thallium	BDL	5400	ug/kg	0	6010B	03/17/14	5
Vanadium	14000	540	ug/kg		6010B	03/17/14	1
Zinc	60000	1600	ug/kg		6010B	03/17/14	1
Volatile Organics							
Acetone	BDL	270	ug/kg		8260C	03/15/14	5
Benzene	BDL	5.4	ug/kg		8260C	03/15/14	5
Bromochloromethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Bromodichloromethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Bromoform	BDL	5.4	ug/kg		8260C	03/15/14	5
Bromomethane	BDL	27.	ug/kg		8260C	03/15/14	5
Carbon disulfide	BDL	5.4	ug/kg		8260C	03/15/14	5
Carbon tetrachloride	BDL	5.4	ug/kg		8260C	03/15/14	5
Chlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
Chlorodibromomethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Chloroethane	BDL	27.	ug/kg		8260C	03/15/14	5
Chloroform	BDL	27.	ug/kg		8260C	03/15/14	5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-10 0-2FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-05

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Cyclohexane	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2-Dibromo-3-Chloropropane	BDL	27.	ug/kg		8260C	03/15/14	5
1,2-Dibromoethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Dichlorodifluoromethane	BDL	27.	ug/kg		8260C	03/15/14	5
1,1-Dichloroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2-Dichloroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2-Dichlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,3-Dichlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,4-Dichlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,1-Dichloroethene	BDL	5.4	ug/kg		8260C	03/15/14	5
cis-1,2-Dichloroethene	BDL	5.4	ug/kg		8260C	03/15/14	5
trans-1,2-Dichloroethene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2-Dichloropropane	BDL	5.4	ug/kg		8260C	03/15/14	5
cis-1,3-Dichloropropene	BDL	5.4	ug/kg		8260C	03/15/14	5
trans-1,3-Dichloropropene	BDL	5.4	ug/kg		8260C	03/15/14	5
Ethylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
2-Hexanone	BDL	54.	ug/kg		8260C	03/15/14	5
Isopropylbenzene	BDL	54.	ug/kg		8260C	03/15/14	5
2-Butanone (MEK)	BDL	54.	ug/kg		8260C	03/15/14	5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14	5
Methyl Cyclohexane	BDL	5.4	ug/kg		8260C	03/15/14	5
Methylene Chloride	BDL	27.	ug/kg		8260C	03/15/14	5
4-Methyl-2-pentanone (MIBK)	BDL	54.	ug/kg		8260C	03/15/14	5
Methyl tert-butyl ether	BDL	5.4	ug/kg		8260C	03/15/14	5
Naphthalene	BDL	27.	ug/kg		8260C	03/15/14	5
Styrene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,1,2,2-Tetrachloroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Tetrachloroethene	BDL	5.4	ug/kg		8260C	03/15/14	5
Toluene	BDL	27.	ug/kg		8260C	03/15/14	5
1,2,3-Trichlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2,4-Trichlorobenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,1,1-Trichloroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
1,1,2-Trichloroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Trichloroethene	11.	5.4	ug/kg		8260C	03/15/14	5
Trichlorofluoromethane	BDL	27.	ug/kg		8260C	03/15/14	5
1,1,2-Trichlorotrifluoroethane	BDL	5.4	ug/kg		8260C	03/15/14	5
Vinyl chloride	BDL	5.4	ug/kg		8260C	03/15/14	5
o-Xylene	BDL	5.4	ug/kg		8260C	03/15/14	5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14	5
n-Butylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
sec-Butylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-10 0-2FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-05

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
tert-Butylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.4	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.4	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	97.6		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	97.0		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	92.2		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	89.7		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-11 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-06

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Total Solids	88.0		%		2540 G-201	03/13/14	1
Volatile Organics							
Acetone	BDL	280	ug/kg		8260C	03/15/14	5
Benzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromochloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromodichloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromoform	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14	5
Carbon disulfide	BDL	5.7	ug/kg		8260C	03/15/14	5
Carbon tetrachloride	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorodibromomethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14	5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14	5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14	5
Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14	5
1,2-Dibromoethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,3-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,4-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
cis-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
trans-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichloropropane	BDL	5.7	ug/kg		8260C	03/15/14	5
cis-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14	5
trans-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14	5
Ethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
2-Hexanone	BDL	57.	ug/kg		8260C	03/15/14	5
Isopropylbenzene	BDL	57.	ug/kg		8260C	03/15/14	5
2-Butanone (MEK)	BDL	57.	ug/kg		8260C	03/15/14	5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14	5
Methyl Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14	5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14	5
4-Methyl-2-pentanone (MIBK)	BDL	57.	ug/kg		8260C	03/15/14	5
Methyl tert-butyl ether	BDL	5.7	ug/kg		8260C	03/15/14	5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-11 2-4FT

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-06

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RD	Units	Qualifier	Method	Date	Dil.
Styrene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2,2-Tetrachloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Tetrachloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
Toluene	BDL	28.	ug/kg		8260C	03/15/14	5
1,2,3-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,1-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Trichloroethene	14.	5.7	ug/kg		8260C	03/15/14	5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1,2-Trichlorotrifluoroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Vinyl chloride	BDL	5.7	ug/kg		8260C	03/15/14	5
o-Xylene	BDL	5.7	ug/kg		8260C	03/15/14	5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14	5
n-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
sec-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
tert-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.7	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	98.1		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	98.9		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	92.8		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	91.6		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-02 5FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-07

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Total Solids	89.6		%		2540 G-201	03/13/14	1
Mercury	BDL	22.	ug/kg		7471	03/12/14	1
Aluminum	6200000	5600	ug/kg		6010B	03/17/14	1
Antimony	BDL	1100	ug/kg		6010B	03/17/14	1
Arsenic	3300	1100	ug/kg		6010B	03/17/14	1
Barium	49000	280	ug/kg		6010B	03/17/14	1
Beryllium	290	110	ug/kg		6010B	03/17/14	1
Cadmium	340	280	ug/kg		6010B	03/17/14	1
Calcium	74000000	280000	ug/kg		6010B	03/17/14	10
Chromium	9000	560	ug/kg		6010B	03/17/14	1
Cobalt	5000	560	ug/kg		6010B	03/17/14	1
Copper	11000	1100	ug/kg		6010B	03/17/14	1
Iron	11000000	5600	ug/kg		6010B	03/17/14	1
Lead	9400	280	ug/kg		6010B	03/17/14	1
Magnesium	23000000	5600	ug/kg		6010B	03/17/14	1
Manganese	450000	560	ug/kg		6010B	03/17/14	1
Nickel	12000	1100	ug/kg		6010B	03/17/14	1
Potassium	1800000	28000	ug/kg		6010B	03/17/14	1
Selenium	BDL	1100	ug/kg		6010B	03/17/14	1
Silver	BDL	560	ug/kg		6010B	03/17/14	1
Sodium	500000	28000	ug/kg		6010B	03/17/14	1
Thallium	BDL	11000	ug/kg	0	6010B	03/17/14	10
Vanadium	13000	560	ug/kg		6010B	03/17/14	1
Zinc	59000	1700	ug/kg		6010B	03/17/14	1
Volatile Organics							
Acetone	BDL	280	ug/kg		8260C	03/15/14	5
Benzene	BDL	5.6	ug/kg		8260C	03/15/14	5
Bromochloromethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Bromodichloromethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Bromoform	BDL	5.6	ug/kg		8260C	03/15/14	5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14	5
Carbon disulfide	BDL	5.6	ug/kg		8260C	03/15/14	5
Carbon tetrachloride	BDL	5.6	ug/kg		8260C	03/15/14	5
Chlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
Chlorodibromomethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14	5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14	5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-02 5FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-07

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Cyclohexane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	56.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	56.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	BDL	5.6	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.6	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5
Styrene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,2,2-Tetrachloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Tetrachloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
Toluene	BDL	28.	ug/kg		8260C	03/15/14 5
1,2,3-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2,4-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,1-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1,2-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Trichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1,2-Trichlorotrifluoroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Vinyl chloride	BDL	5.6	ug/kg		8260C	03/15/14 5
o-Xylene	BDL	5.6	ug/kg		8260C	03/15/14 5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14 5
n-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
sec-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-02 5FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-07

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
tert-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.6	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	96.5		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	98.0		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	91.9		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	91.0		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-05 9.5FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-08

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date	Dil.
Total Solids	87.5		%		2540 G-201	03/13/14	1
Volatile Organics							
Acetone	BDL	280	ug/kg	J5	8260C	03/15/14	5
Benzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromochloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromodichloromethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromoform	BDL	5.7	ug/kg		8260C	03/15/14	5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14	5
Carbon disulfide	BDL	5.7	ug/kg		8260C	03/15/14	5
Carbon tetrachloride	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Chlorodibromomethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14	5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14	5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14	5
Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14	5
1,2-Dibromoethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,3-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,4-Dichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
cis-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
trans-1,2-Dichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2-Dichloropropane	BDL	5.7	ug/kg		8260C	03/15/14	5
cis-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14	5
trans-1,3-Dichloropropene	BDL	5.7	ug/kg		8260C	03/15/14	5
Ethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
2-Hexanone	BDL	57.	ug/kg		8260C	03/15/14	5
Isopropylbenzene	BDL	57.	ug/kg		8260C	03/15/14	5
2-Butanone (MEK)	BDL	57.	ug/kg		8260C	03/15/14	5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14	5
Methyl Cyclohexane	BDL	5.7	ug/kg		8260C	03/15/14	5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14	5
4-Methyl-2-pentanone (MIBK)	BDL	57.	ug/kg		8260C	03/15/14	5
Methyl tert-butyl ether	BDL	5.7	ug/kg		8260C	03/15/14	5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-05 9.5FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-08

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RD	Units	Qualifier	Method	Date	Dil.
Styrene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2,2-Tetrachloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Tetrachloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
Toluene	BDL	28.	ug/kg		8260C	03/15/14	5
1,2,3-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trichlorobenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,1-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
1,1,2-Trichloroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Trichloroethene	BDL	5.7	ug/kg		8260C	03/15/14	5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1,2-Trichlorotrifluoroethane	BDL	5.7	ug/kg		8260C	03/15/14	5
Vinyl chloride	BDL	5.7	ug/kg		8260C	03/15/14	5
o-Xylene	BDL	5.7	ug/kg		8260C	03/15/14	5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14	5
n-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
sec-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
tert-Butylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.7	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.7	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	93.0		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	97.0		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	92.7		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	91.3		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-07 1.5-2FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-09

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RDL	Units	Qualifier	Method	Date Dil.
Total Solids	88.4		%		2540 G-201	03/13/14 1
Volatile Organics						
Acetone	BDL	280	ug/kg		8260C	03/15/14 5
Benzene	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromochloromethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromodichloromethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromoform	BDL	5.6	ug/kg		8260C	03/15/14 5
Bromomethane	BDL	28.	ug/kg		8260C	03/15/14 5
Carbon disulfide	BDL	5.6	ug/kg		8260C	03/15/14 5
Carbon tetrachloride	BDL	5.6	ug/kg		8260C	03/15/14 5
Chlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
Chlorodibromomethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Chloroethane	BDL	28.	ug/kg		8260C	03/15/14 5
Chloroform	BDL	28.	ug/kg		8260C	03/15/14 5
Chloromethane	BDL	14.	ug/kg		8260C	03/15/14 5
Cyclohexane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dibromo-3-Chloropropane	BDL	28.	ug/kg		8260C	03/15/14 5
1,2-Dibromoethane	BDL	5.6	ug/kg		8260C	03/15/14 5
Dichlorodifluoromethane	BDL	28.	ug/kg		8260C	03/15/14 5
1,1-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloroethane	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,3-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,4-Dichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,1-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,2-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
trans-1,2-Dichloroethene	BDL	5.6	ug/kg		8260C	03/15/14 5
1,2-Dichloropropane	BDL	5.6	ug/kg		8260C	03/15/14 5
cis-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
trans-1,3-Dichloropropene	BDL	5.6	ug/kg		8260C	03/15/14 5
Ethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14 5
2-Hexanone	BDL	56.	ug/kg		8260C	03/15/14 5
Isopropylbenzene	BDL	56.	ug/kg		8260C	03/15/14 5
2-Butanone (MEK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl Acetate	BDL	110	ug/kg		8260C	03/15/14 5
Methyl Cyclohexane	8.2	5.6	ug/kg		8260C	03/15/14 5
Methylene Chloride	BDL	28.	ug/kg		8260C	03/15/14 5
4-Methyl-2-pentanone (MIBK)	BDL	56.	ug/kg		8260C	03/15/14 5
Methyl tert-butyl ether	BDL	5.6	ug/kg		8260C	03/15/14 5
Naphthalene	BDL	28.	ug/kg		8260C	03/15/14 5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : GP-07 1.5-2FT

Collected By : JG/SR
Collection Date : 03/06/14 00:00

ESC Sample # : L687269-09

Site ID : GETINGE

Project # : 214260

Parameter	Dry Result	RD	Units	Qualifier	Method	Date	Dil.
Styrene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,1,2,2-Tetrachloroethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Tetrachloroethene	BDL	5.6	ug/kg		8260C	03/15/14	5
Toluene	BDL	28.	ug/kg		8260C	03/15/14	5
1,2,3-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,2,4-Trichlorobenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,1,1-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14	5
1,1,2-Trichloroethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Trichloroethene	BDL	5.6	ug/kg		8260C	03/15/14	5
Trichlorofluoromethane	BDL	28.	ug/kg		8260C	03/15/14	5
1,1,2-Trichlorotrifluoroethane	BDL	5.6	ug/kg		8260C	03/15/14	5
Vinyl chloride	BDL	5.6	ug/kg		8260C	03/15/14	5
o-Xylene	BDL	5.6	ug/kg		8260C	03/15/14	5
m&p-Xylenes	BDL	11.	ug/kg		8260C	03/15/14	5
n-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
sec-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
tert-Butylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
p-Isopropyltoluene	BDL	5.6	ug/kg		8260C	03/15/14	5
n-Propylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,2,4-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
1,3,5-Trimethylbenzene	BDL	5.6	ug/kg		8260C	03/15/14	5
Surrogate Recovery							
Toluene-d8	93.9		% Rec.		8260C	03/15/14	5
Dibromofluoromethane	94.4		% Rec.		8260C	03/15/14	5
a,a,a-Trifluorotoluene	91.8		% Rec.		8260C	03/15/14	5
4-Bromofluorobenzene	95.5		% Rec.		8260C	03/15/14	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-02

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-10

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Volatile Organics						
Acetone	58.	50.	ug/l		8260C	03/18/14 1
Benzene	BDL	1.0	ug/l		8260C	03/16/14 1
Bromochloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromodichloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromoform	BDL	1.0	ug/l		8260C	03/16/14 1
Bromomethane	BDL	5.0	ug/l		8260C	03/16/14 1
Carbon disulfide	BDL	1.0	ug/l		8260C	03/16/14 1
Carbon tetrachloride	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorodibromomethane	BDL	1.0	ug/l		8260C	03/16/14 1
Chloroethane	BDL	5.0	ug/l		8260C	03/16/14 1
Chloroform	BDL	5.0	ug/l		8260C	03/16/14 1
Chloromethane	BDL	2.5	ug/l		8260C	03/16/14 1
Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dibromo-3-Chloropropane	BDL	5.0	ug/l		8260C	03/16/14 1
1,2-Dibromoethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,3-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,4-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Dichlorodifluoromethane	BDL	5.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloropropane	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
Ethylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Hexanone	BDL	10.	ug/l		8260C	03/16/14 1
Isopropylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Butanone (MEK)	BDL	10.	ug/l	J	8260C	03/18/14 1
Methyl Acetate	BDL	20.	ug/l		8260C	03/16/14 1
Methyl Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
Methylene Chloride	BDL	5.0	ug/l		8260C	03/16/14 1
4-Methyl-2-pentanone (MIBK)	BDL	10.	ug/l		8260C	03/16/14 1
Methyl tert-butyl ether	BDL	1.0	ug/l		8260C	03/16/14 1
Naphthalene	BDL	5.0	ug/l		8260C	03/16/14 1
Styrene	BDL	1.0	ug/l		8260C	03/16/14 1
1,1,2,2-Tetrachloroethane	BDL	1.0	ug/l		8260C	03/16/14 1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-02

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-10

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Tetrachloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Toluene	BDL	5.0	ug/l		8260C	03/16/14	1
1,2,3-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,1-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Trichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Trichlorofluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1,2-Trichlorotrifluoroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Vinyl chloride	BDL	1.0	ug/l		8260C	03/16/14	1
o-Xylene	BDL	1.0	ug/l		8260C	03/16/14	1
m&p-Xylenes	BDL	2.0	ug/l		8260C	03/16/14	1
n-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
sec-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
tert-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
p-Isopropyltoluene	BDL	1.0	ug/l		8260C	03/16/14	1
n-Propylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,3,5-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
Surrogate Recovery							
Toluene-d8	101.		% Rec.		8260C	03/16/14	1
Dibromofluoromethane	102.		% Rec.		8260C	03/16/14	1
a,a,a-Trifluorotoluene	103.		% Rec.		8260C	03/16/14	1
4-Bromofluorobenzene	104.		% Rec.		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-03

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-11

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Volatile Organics						
Acetone	BDL	50.	ug/l		8260C	03/18/14 1
Benzene	BDL	1.0	ug/l		8260C	03/16/14 1
Bromochloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromodichloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromoform	BDL	1.0	ug/l		8260C	03/16/14 1
Bromomethane	BDL	5.0	ug/l		8260C	03/16/14 1
Carbon disulfide	BDL	1.0	ug/l		8260C	03/16/14 1
Carbon tetrachloride	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorodibromomethane	BDL	1.0	ug/l		8260C	03/16/14 1
Chloroethane	BDL	5.0	ug/l		8260C	03/16/14 1
Chloroform	BDL	5.0	ug/l		8260C	03/16/14 1
Chloromethane	BDL	2.5	ug/l		8260C	03/16/14 1
Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dibromo-3-Chloropropane	BDL	5.0	ug/l		8260C	03/16/14 1
1,2-Dibromoethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,3-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,4-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Dichlorodifluoromethane	BDL	5.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloropropane	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
Ethylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Hexanone	BDL	10.	ug/l		8260C	03/16/14 1
Isopropylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Butanone (MEK)	BDL	10.	ug/l	J	8260C	03/18/14 1
Methyl Acetate	BDL	20.	ug/l		8260C	03/16/14 1
Methyl Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
Methylene Chloride	BDL	5.0	ug/l		8260C	03/16/14 1
4-Methyl-2-pentanone (MIBK)	BDL	10.	ug/l		8260C	03/16/14 1
Methyl tert-butyl ether	BDL	1.0	ug/l		8260C	03/16/14 1
Naphthalene	BDL	5.0	ug/l		8260C	03/16/14 1
Styrene	BDL	1.0	ug/l		8260C	03/16/14 1
1,1,2,2-Tetrachloroethane	BDL	1.0	ug/l		8260C	03/16/14 1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-03

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-11

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Tetrachloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Toluene	BDL	5.0	ug/l		8260C	03/16/14	1
1,2,3-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,1-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Trichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Trichlorofluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1,2-Trichlorotrifluoroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Vinyl chloride	BDL	1.0	ug/l		8260C	03/16/14	1
o-Xylene	1.7	1.0	ug/l		8260C	03/16/14	1
m&p-Xylenes	3.2	2.0	ug/l		8260C	03/16/14	1
n-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
sec-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
tert-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
p-Isopropyltoluene	BDL	1.0	ug/l		8260C	03/16/14	1
n-Propylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trimethylbenzene	5.7	1.0	ug/l		8260C	03/16/14	1
1,3,5-Trimethylbenzene	1.5	1.0	ug/l		8260C	03/16/14	1
Surrogate Recovery							
Toluene-d8	99.6		% Rec.		8260C	03/16/14	1
Dibromofluoromethane	98.0		% Rec.		8260C	03/16/14	1
a,a,a-Trifluorotoluene	102.		% Rec.		8260C	03/16/14	1
4-Bromofluorobenzene	104.		% Rec.		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-04

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-12

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Volatile Organics							
Acetone	BDL	50.	ug/l		8260C	03/18/14	1
Benzene	BDL	1.0	ug/l		8260C	03/16/14	1
Bromochloromethane	BDL	1.0	ug/l		8260C	03/16/14	1
Bromodichloromethane	BDL	1.0	ug/l		8260C	03/16/14	1
Bromoform	BDL	1.0	ug/l		8260C	03/16/14	1
Bromomethane	BDL	5.0	ug/l		8260C	03/16/14	1
Carbon disulfide	BDL	1.0	ug/l		8260C	03/16/14	1
Carbon tetrachloride	BDL	1.0	ug/l		8260C	03/16/14	1
Chlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
Chlorodibromomethane	BDL	1.0	ug/l		8260C	03/16/14	1
Chloroethane	BDL	5.0	ug/l		8260C	03/16/14	1
Chloroform	BDL	5.0	ug/l		8260C	03/16/14	1
Chloromethane	BDL	2.5	ug/l		8260C	03/16/14	1
Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14	1
1,2-Dibromo-3-Chloropropane	BDL	5.0	ug/l		8260C	03/16/14	1
1,2-Dibromoethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,2-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,3-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,4-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
Dichlorodifluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,2-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
cis-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
trans-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2-Dichloropropane	BDL	1.0	ug/l		8260C	03/16/14	1
cis-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14	1
trans-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14	1
Ethylbenzene	4.3	1.0	ug/l		8260C	03/16/14	1
2-Hexanone	BDL	10.	ug/l		8260C	03/16/14	1
Isopropylbenzene	2.0	1.0	ug/l		8260C	03/16/14	1
2-Butanone (MEK)	11.	10.	ug/l	J	8260C	03/18/14	1
Methyl Acetate	BDL	20.	ug/l		8260C	03/16/14	1
Methyl Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14	1
Methylene Chloride	BDL	5.0	ug/l		8260C	03/16/14	1
4-Methyl-2-pentanone (MIBK)	BDL	10.	ug/l		8260C	03/16/14	1
Methyl tert-butyl ether	BDL	1.0	ug/l		8260C	03/16/14	1
Naphthalene	11.	5.0	ug/l		8260C	03/16/14	1
Styrene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2,2-Tetrachloroethane	BDL	1.0	ug/l		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-04

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-12

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Tetrachloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Toluene	BDL	5.0	ug/l		8260C	03/16/14	1
1,2,3-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,1-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Trichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Trichlorofluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1,2-Trichlorotrifluoroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Vinyl chloride	BDL	1.0	ug/l		8260C	03/16/14	1
o-Xylene	11.	1.0	ug/l		8260C	03/16/14	1
m&p-Xylenes	19.	2.0	ug/l		8260C	03/16/14	1
n-Butylbenzene	2.0	1.0	ug/l		8260C	03/16/14	1
sec-Butylbenzene	2.1	1.0	ug/l		8260C	03/16/14	1
tert-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
p-Isopropyltoluene	1.5	1.0	ug/l		8260C	03/16/14	1
n-Propylbenzene	4.1	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trimethylbenzene	42.	1.0	ug/l		8260C	03/16/14	1
1,3,5-Trimethylbenzene	10.	1.0	ug/l		8260C	03/16/14	1
Surrogate Recovery							
Toluene-d8	100.		% Rec.		8260C	03/16/14	1
Dibromofluoromethane	102.		% Rec.		8260C	03/16/14	1
a,a,a-Trifluorotoluene	104.		% Rec.		8260C	03/16/14	1
4-Bromofluorobenzene	109.		% Rec.		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-05

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-13

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Volatile Organics						
Acetone	BDL	50.	ug/l		8260C	03/18/14 1
Benzene	BDL	1.0	ug/l		8260C	03/16/14 1
Bromochloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromodichloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromoform	BDL	1.0	ug/l		8260C	03/16/14 1
Bromomethane	BDL	5.0	ug/l		8260C	03/16/14 1
Carbon disulfide	BDL	1.0	ug/l		8260C	03/16/14 1
Carbon tetrachloride	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorodibromomethane	BDL	1.0	ug/l		8260C	03/16/14 1
Chloroethane	BDL	5.0	ug/l		8260C	03/16/14 1
Chloroform	BDL	5.0	ug/l		8260C	03/16/14 1
Chloromethane	BDL	2.5	ug/l		8260C	03/16/14 1
Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dibromo-3-Chloropropane	BDL	5.0	ug/l		8260C	03/16/14 1
1,2-Dibromoethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,3-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,4-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Dichlorodifluoromethane	BDL	5.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,2-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloropropane	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
Ethylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Hexanone	BDL	10.	ug/l		8260C	03/16/14 1
Isopropylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Butanone (MEK)	BDL	10.	ug/l	J	8260C	03/18/14 1
Methyl Acetate	BDL	20.	ug/l		8260C	03/16/14 1
Methyl Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
Methylene Chloride	BDL	5.0	ug/l		8260C	03/16/14 1
4-Methyl-2-pentanone (MIBK)	BDL	10.	ug/l		8260C	03/16/14 1
Methyl tert-butyl ether	BDL	1.0	ug/l		8260C	03/16/14 1
Naphthalene	BDL	5.0	ug/l		8260C	03/16/14 1
Styrene	BDL	1.0	ug/l		8260C	03/16/14 1
1,1,2,2-Tetrachloroethane	BDL	1.0	ug/l		8260C	03/16/14 1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-05

Collected By : JG/SR
Collection Date : 03/07/14 00:00

ESC Sample # : L687269-13

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Tetrachloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Toluene	BDL	5.0	ug/l		8260C	03/16/14	1
1,2,3-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,1-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Trichloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Trichlorofluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1,2-Trichlorotrifluoroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Vinyl chloride	BDL	1.0	ug/l		8260C	03/16/14	1
o-Xylene	BDL	1.0	ug/l		8260C	03/16/14	1
m&p-Xylenes	BDL	2.0	ug/l		8260C	03/16/14	1
n-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
sec-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
tert-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
p-Isopropyltoluene	BDL	1.0	ug/l		8260C	03/16/14	1
n-Propylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,3,5-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
Surrogate Recovery							
Toluene-d8	101.		% Rec.		8260C	03/16/14	1
Dibromofluoromethane	101.		% Rec.		8260C	03/16/14	1
a,a,a-Trifluorotoluene	103.		% Rec.		8260C	03/16/14	1
4-Bromofluorobenzene	104.		% Rec.		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-06

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-14

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Volatile Organics						
Acetone	BDL	250000	ug/l		8260C	03/18/14 5000
Benzene	BDL	5000	ug/l		8260C	03/18/14 5000
Bromochloromethane	BDL	5000	ug/l		8260C	03/18/14 5000
Bromodichloromethane	BDL	5000	ug/l		8260C	03/18/14 5000
Bromoform	BDL	5000	ug/l		8260C	03/18/14 5000
Bromomethane	BDL	25000	ug/l		8260C	03/18/14 5000
Carbon disulfide	BDL	5000	ug/l		8260C	03/18/14 5000
Carbon tetrachloride	BDL	5000	ug/l		8260C	03/18/14 5000
Chlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
Chlorodibromomethane	BDL	5000	ug/l		8260C	03/18/14 5000
Chloroethane	BDL	25000	ug/l		8260C	03/18/14 5000
Chloroform	BDL	25000	ug/l		8260C	03/18/14 5000
Chloromethane	BDL	12000	ug/l		8260C	03/18/14 5000
Cyclohexane	BDL	5000	ug/l		8260C	03/18/14 5000
1,2-Dibromo-3-Chloropropane	BDL	25000	ug/l		8260C	03/18/14 5000
1,2-Dibromoethane	BDL	5000	ug/l		8260C	03/18/14 5000
1,2-Dichlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,3-Dichlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,4-Dichlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
Dichlorodifluoromethane	BDL	25000	ug/l		8260C	03/18/14 5000
1,1-Dichloroethane	BDL	5000	ug/l		8260C	03/18/14 5000
1,2-Dichloroethane	BDL	5000	ug/l		8260C	03/18/14 5000
1,1-Dichloroethene	BDL	5000	ug/l		8260C	03/18/14 5000
cis-1,2-Dichloroethene	BDL	5000	ug/l		8260C	03/18/14 5000
trans-1,2-Dichloroethene	BDL	5000	ug/l		8260C	03/18/14 5000
1,2-Dichloropropane	BDL	5000	ug/l		8260C	03/18/14 5000
cis-1,3-Dichloropropene	BDL	5000	ug/l		8260C	03/18/14 5000
trans-1,3-Dichloropropene	BDL	5000	ug/l		8260C	03/18/14 5000
Ethylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
2-Hexanone	BDL	50000	ug/l		8260C	03/18/14 5000
Isopropylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
2-Butanone (MEK)	BDL	50000	ug/l		8260C	03/18/14 5000
Methyl Acetate	BDL	100000	ug/l		8260C	03/18/14 5000
Methyl Cyclohexane	BDL	5000	ug/l		8260C	03/18/14 5000
Methylene Chloride	BDL	25000	ug/l		8260C	03/18/14 5000
4-Methyl-2-pentanone (MIBK)	BDL	50000	ug/l		8260C	03/18/14 5000
Methyl tert-butyl ether	BDL	5000	ug/l		8260C	03/18/14 5000
Naphthalene	BDL	25000	ug/l		8260C	03/18/14 5000
Styrene	BDL	5000	ug/l		8260C	03/18/14 5000
1,1,2,2-Tetrachloroethane	BDL	5000	ug/l		8260C	03/18/14 5000

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910
L687269-14 (V8260TCLC) - Non-target compounds too high to run at a lower dilution.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : MW-06

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-14

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Tetrachloroethene	BDL	5000	ug/l		8260C	03/18/14 5000
Toluene	BDL	25000	ug/l		8260C	03/18/14 5000
1,2,3-Trichlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,2,4-Trichlorobenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,1,1-Trichloroethane	BDL	5000	ug/l		8260C	03/18/14 5000
1,1,2-Trichloroethane	BDL	5000	ug/l		8260C	03/18/14 5000
Trichloroethene	520000	5000	ug/l		8260C	03/18/14 5000
Trichlorofluoromethane	BDL	25000	ug/l		8260C	03/18/14 5000
1,1,2-Trichlorotrifluoroethane	BDL	5000	ug/l		8260C	03/18/14 5000
Vinyl chloride	BDL	5000	ug/l		8260C	03/18/14 5000
o-Xylene	BDL	5000	ug/l		8260C	03/18/14 5000
m&p-Xylenes	BDL	10000	ug/l		8260C	03/18/14 5000
n-Butylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
sec-Butylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
tert-Butylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
p-Isopropyltoluene	BDL	5000	ug/l		8260C	03/18/14 5000
n-Propylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,2,4-Trimethylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
1,3,5-Trimethylbenzene	BDL	5000	ug/l		8260C	03/18/14 5000
Surrogate Recovery						
Toluene-d8	93.7		% Rec.		8260C	03/18/14 5000
Dibromofluoromethane	103.		% Rec.		8260C	03/18/14 5000
a,a,a-Trifluorotoluene	89.6		% Rec.		8260C	03/18/14 5000
4-Bromofluorobenzene	90.6		% Rec.		8260C	03/18/14 5000

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40
L687269-14 (V8260TCLC) - Non-target compounds too high to run at a lower dilution.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : STANTEC MW-01

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-15

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date Dil.
Volatile Organics						
Acetone	BDL	500	ug/l		8260C	03/18/14 10
Benzene	BDL	1.0	ug/l		8260C	03/16/14 1
Bromochloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromodichloromethane	BDL	1.0	ug/l		8260C	03/16/14 1
Bromoform	BDL	1.0	ug/l		8260C	03/16/14 1
Bromomethane	BDL	5.0	ug/l		8260C	03/16/14 1
Carbon disulfide	BDL	1.0	ug/l		8260C	03/16/14 1
Carbon tetrachloride	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Chlorodibromomethane	BDL	1.0	ug/l		8260C	03/16/14 1
Chloroethane	BDL	5.0	ug/l		8260C	03/16/14 1
Chloroform	BDL	5.0	ug/l		8260C	03/16/14 1
Chloromethane	BDL	2.5	ug/l		8260C	03/16/14 1
Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dibromo-3-Chloropropane	BDL	5.0	ug/l		8260C	03/16/14 1
1,2-Dibromoethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,3-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
1,4-Dichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14 1
Dichlorodifluoromethane	BDL	5.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloroethane	BDL	1.0	ug/l		8260C	03/16/14 1
1,1-Dichloroethene	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,2-Dichloroethene	14.	1.0	ug/l		8260C	03/16/14 1
trans-1,2-Dichloroethene	1.3	1.0	ug/l		8260C	03/16/14 1
1,2-Dichloropropane	BDL	1.0	ug/l		8260C	03/16/14 1
cis-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
trans-1,3-Dichloropropene	BDL	1.0	ug/l		8260C	03/16/14 1
Ethylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Hexanone	BDL	10.	ug/l		8260C	03/16/14 1
Isopropylbenzene	BDL	1.0	ug/l		8260C	03/16/14 1
2-Butanone (MEK)	BDL	100	ug/l	J	8260C	03/18/14 10
Methyl Acetate	BDL	20.	ug/l		8260C	03/16/14 1
Methyl Cyclohexane	BDL	1.0	ug/l		8260C	03/16/14 1
Methylene Chloride	BDL	5.0	ug/l		8260C	03/16/14 1
4-Methyl-2-pentanone (MIBK)	BDL	10.	ug/l		8260C	03/16/14 1
Methyl tert-butyl ether	BDL	1.0	ug/l		8260C	03/16/14 1
Naphthalene	BDL	5.0	ug/l		8260C	03/16/14 1
Styrene	BDL	1.0	ug/l		8260C	03/16/14 1
1,1,2,2-Tetrachloroethane	BDL	1.0	ug/l		8260C	03/16/14 1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Dave Engert
LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

March 19, 2014

Date Received : March 11, 2014
Description :

Sample ID : STANTEC MW-01

Collected By : JG/SR
Collection Date : 03/08/14 00:00

ESC Sample # : L687269-15

Site ID : GETINGE

Project # : 214260

Parameter	Result	Det. Limit	Units	Qualifier	Method	Date	Dil.
Tetrachloroethene	BDL	1.0	ug/l		8260C	03/16/14	1
Toluene	BDL	5.0	ug/l		8260C	03/16/14	1
1,2,3-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trichlorobenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,1-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
1,1,2-Trichloroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Trichloroethene	580	10.	ug/l		8260C	03/18/14	10
Trichlorofluoromethane	BDL	5.0	ug/l		8260C	03/16/14	1
1,1,2-Trichlorotrifluoroethane	BDL	1.0	ug/l		8260C	03/16/14	1
Vinyl chloride	BDL	1.0	ug/l		8260C	03/16/14	1
o-Xylene	BDL	1.0	ug/l		8260C	03/16/14	1
m&p-Xylenes	BDL	2.0	ug/l		8260C	03/16/14	1
n-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
sec-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
tert-Butylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
p-Isopropyltoluene	BDL	1.0	ug/l		8260C	03/16/14	1
n-Propylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,2,4-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
1,3,5-Trimethylbenzene	BDL	1.0	ug/l		8260C	03/16/14	1
Surrogate Recovery							
Toluene-d8	97.4		% Rec.		8260C	03/16/14	1
Dibromofluoromethane	100.		% Rec.		8260C	03/16/14	1
a,a,a-Trifluorotoluene	98.9		% Rec.		8260C	03/16/14	1
4-Bromofluorobenzene	104.		% Rec.		8260C	03/16/14	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Laboratory Certification Numbers:

AIHA - 100789, AL - 40660, CA - I-2327, CT- PH-0197, FL - E87487, GA - 923, IN - C-TN-01
KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ -0612, MN - 047-999-395, NY - 11742, NJ - TN002, WI - 998093910

Note:

The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/19/14 17:39 Printed: 03/19/14 17:40

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L687269-01	WG710663	SAMP	Thallium	R2894233	0
L687269-05	WG710663	SAMP	Thallium	R2894233	0
L687269-07	WG710663	SAMP	Thallium	R2894233	0
L687269-08	WG710886	SAMP	Acetone	R2893907	J5
L687269-10	WG711342	SAMP	2-Butanone (MEK)	R2894521	J
L687269-11	WG711342	SAMP	2-Butanone (MEK)	R2894521	J
L687269-12	WG711342	SAMP	2-Butanone (MEK)	R2894521	J
L687269-13	WG711342	SAMP	2-Butanone (MEK)	R2894521	J
L687269-15	WG711342	SAMP	2-Butanone (MEK)	R2894521	J

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J	(EPA) - Estimated value below the lowest calibration point. Confidence correlates with concentration.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high
0	(ESC) Sample diluted due to matrix interferences that impaired the ability to make an accurate analytical determination. The detection limit is elevated in order to reflect the necessary dilution.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/19/14 at 17:40:18

TSR Signing Reports: 364
R5 - Desired TAT

Sample: L687269-01 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-02 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-03 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-04 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-05 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-06 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-07 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-08 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-09 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-10 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-11 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-12 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-13 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-14 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39
Sample: L687269-15 Account: LABRNY Received: 03/11/14 09:30 Due Date: 03/18/14 00:00 RPT Date: 03/19/14 17:39

LaBella Associates, P.C

Billing Information:

LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

Attn: Accounts Payable

Report to:

Steven Rife

Email to:

srife@labellapc.com

Project Description: Phase II ESA, 1777 E. Henrietta Rd

City/State Collected

Rochester NY

Phone: (585) 454-6110
FAX: (585) 454-3066

Client Project #:

214260

ESC Key:

Collected by: J. Gillen, S. Rife

Site/Facility ID#: Getinge

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day 200%

Next Day 100%

Two Day 50%

Three Day 25%

Date Results Needed:

Email? ☐ No ☒ Yes

FAX? ☒ No ☐ Yes

No.

of
Cntrs

TCL VOC

CP-51 VOC

TAL Metals

Analysis/Container/Preservative

Chain of Custody
Page 1 of 2

ESC
L-A-B S-C-I-E-N-C-E-S

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859

Phone: (615) 758-5858

Fax: (615) 758-5859

G210

CoCode (lab use only)

Template/Prelogin

Shipped Via:

Remarks/Contaminant

Sample # (lab only)

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	TCL VOC	CP-51 VOC	TAL Metals	Remarks/Contaminant	Sample # (lab only)
GP-08 2'-4'	Grab	SS		3/8/14		1	X	X	X	L687 269	-02
GP-08 8'	Grab	SS		3/8/14		1	X	X			-02
GP-08 21'	Grab	SS		3/8/14		1	X	X			-03
GP-09 2'-4'	Grab	SS		3/8/14		1	X	X			-04
GP-10 2'-4' 0'-2'	Grab	SS		3/8/14		1	X	X	X		-05
GP-11 2'-4'	Grab	SS		3/8/14		1	X	X			-06

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH Temp

Flow Other

Relinquished by: (Signature) <i>Steven Rife</i>	Date: 3/10	Time: 9pm	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☒ FedEx ☐ Courier ☐ UPS	Condition: 5 (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 3.7	Bottles Received: 21
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 3/11/14	Time: 0930
				CoC Seals Intact: ☐ Y ☐ N ☒ NA	pH Checked: NCF:

LaBella Associates, P.C

Billing Information:

LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

Attn: Accounts Payable

Report to:

Steven Rife

Email to:

srife@labellapc.com

Project Description: Phase II ESA, 1777 E. Henrietta Rd

City/State Collected

Rochester NY

Phone: (585) 454-6110
FAX: (585) 454-3066

Client Project #:

214260

ESC Key:

Collected by: J. Gillen, S. Rife

Site/Facility ID#: Getinge

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day.....200%
Next Day.....100%
Two Day.....50%
Three Day.....25%

Date Results Needed:

Email? ☐ No ☒ Yes

FAX? ☒ No ☐ Yes

No.

of

Cntrs

TCL VOC

CP-51 VOC

TAL Metals

Analysis/Container/Preservative

Chain of Custody
Page 2 of 2

ESC
L-A-B S-C-I-E-N-C-E-S

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859

Phone: (615) 758-5858

Fax: (615) 758-5859

CoCode (lab use only)

Template/Prelogin

Shipped Via:

Remarks/Contaminant

Sample # (lab only)

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	TCL VOC	CP-51 VOC	TAL Metals	Remarks/Contaminant	Sample # (lab only)
GP-02 5'	Grab	SS		3/6/14		1	X	X	X		
GP-05 9.5'	Grab	SS		3/6/14		1	X	X			
GP-07 1.5'-2'	Grab	SS		3/6/14		1	X	X			
MW-02	Grab	GW		3/7/14		2	X	X			
MW-03	Grab	GW		3/7/14		2	X	X		HCl preserv.	
MW-04	Grab	GW		3/7/14		2	X	X		"	
MW-05	Grab	GW		3/7/14		2	X	X		"	
MW-06	Grab	GW		3/8/14		2	X	X		"	
STANTEC MW-01	Grab	GW		3/8/14		2	X	X		"	

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH Temp

Flow Other

Relinquished by: (Signature)	Date: 3/10	Time: 9pm	Received by: (Signature)	Samples returned via: ☒ FedEx ☐ Courier ☐ UPS	Condition: 5 (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 3.7	Bottles Received: 21
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 3/11/14	Time: 0930
				CoC Seals Intact: ☐ Y ☒ N ☐ NA	pH Checked: NCF:

LaBella Associates, P.C

Billing Information:

LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

Attn: Accounts Payable

Report to:

Steven Rife

Email to:

srife@labellapc.com

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859

Phone: (615) 758-5858

Fax: (615) 758-5859

Project Description: Phase II ESA, 1777 E. Henrietta Rd

City/State Collected: Rochester, NY

Phone: (585) 454-6110
FAX: (585) 454-3066

Client Project #: 214260

ESC Key:

Collected by: S. Rife

Site/Facility ID#: Getinge

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day.....200%
Next Day.....100%
Two Day.....50%
Three Day.....25%

Date Results Needed:

Email? ☐ No ☒ Yes

FAX? ☒ No ☐ Yes

No.
of
Cntrs

TCL VOC

CP-51 VOC

CoCode (lab use only)

Template/Prelogin

Shipped Via:

Remarks/Contaminant

Sample # (lab only)

Sample ID

Comp/Grab

Matrix*

Depth

Date

Time

2

x

x

MW-07

Grab

GW

3/14/14

8:00 AM

L688332-01

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pH Temp

Remarks: * Shipping questions call (585) 216-7635 5781 0906 1730 Flow Other

Relinquished by: (Signature) * <i>[Signature]</i>	Date: 3/14/14	Time: P.M.	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☒ FedEx ☐ UPS ☐ Courier	Condition: <i>[Signature]</i> (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received by: (Signature) <i>[Signature]</i>	Temp: 34°	Bottles Received: VP x 2
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 3-15-14	Time: 0930
				CoC Seals Intact: ☐ Y ☐ N ☒ NA	pH Checked: NCF:

LaBella Associates, P.C

Billing Information:

LaBella Associates, P.C.
300 State Street, Suite 201
Rochester, NY 14614

Attn: Accounts Payable

Report to:

Steven Rife

Email to:

srife@labellapc.com

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859

Phone: (615) 758-5858

Fax: (615) 758-5859

Project Description: Phase II ESA, 1777 E. Henrietta Rd

City/State Collected: Rochester, NY

Phone: (585) 454-6110
FAX: (585) 454-3066

Client Project #: 214260

ESC Key:

Collected by: S. Rife

Site/Facility ID#: Getinge

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day.....200%
Next Day.....100%
Two Day.....50%
Three Day.....25%

Date Results Needed:

Email? ☐ No ☒ Yes

FAX? ☒ No ☐ Yes

No.
of
Cntrs

TCL VOC

CP-51 VOC

CoCode (lab use only)

Template/Prelogin

Shipped Via:

Remarks/Contaminant

Sample # (lab only)

Sample ID

Comp/Grab

Matrix*

Depth

Date

Time

2

x

x

MW-07

Grab

GW

3/14/14

8:00 AM

L688332-01

*Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pH Temp

Remarks: * Shipping questions call (585) 216-7635 5781 0906 1730 Flow Other

Relinquished by: (Signature) * <i>[Signature]</i>	Date: 3/14/14	Time: P.M.	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☒ FedEx ☐ UPS ☐ Courier	Condition: <i>[Signature]</i> (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received by: (Signature) <i>[Signature]</i>	Temp: 34°	Bottles Received: VP x 2
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 3-15-14	Time: 0930
				CoC Seals Intact: ☐ Y ☐ N ☒ NA	pH Checked: NCF: