



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

February 09, 2021

Danielle Carlin
Corning, Inc.
1 River Front Plaza
Mt-HQ-01-E08
Corning, NY 14831
TEL: (607) 974-6923

Work Order No: 200910085

PO#: 1007P-0000095439

RE: Downtown Wells

Dear Danielle Carlin:

Adirondack Environmental Services, Inc received 10 samples on 9/10/2020 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Monica Higdon
Laboratory Manager

ELAP#: 10709

Adirondack Environmental Services, Inc

CASE NARRATIVE

Corning, Inc.

Downtown Wells

Date: 09-Feb-21

Lab WorkOrder: 200910085

The sampling was performed in accordance with the AES field sampling procedures and/or the client specified sampling procedures. Sample containers were supplied by Adirondack Environmental Services.

This report has been revised to update the method on the COC. Analysis of volatiles was by EPA 524.2, not EPA 502.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:	ND : Not Detected at reporting limit	C: CCV below acceptable Limits
	J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
	B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
	X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
	H: Hold time exceeded	Z: Duplication outside acceptable limits
	N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
	N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #4
Collection Date: 9/8/2020 8:15:00 AM
Lab Sample ID: 200910085-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 1:50:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 1:50:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 1:50:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 1:50:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #4
Collection Date: 9/8/2020 8:15:00 AM
Lab Sample ID: 200910085-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 1:50:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 1:50:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.0	82.8-118		%REC	1	9/15/2020 1:50:00 PM
Surr: 4-Bromofluorobenzene	98.2	81.7-126		%REC	1	9/15/2020 1:50:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #1
Collection Date: 9/8/2020 8:24:00 AM
Lab Sample ID: 200910085-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 2:12:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 2:12:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 2:12:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 2:12:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #1
Collection Date: 9/8/2020 8:24:00 AM
Lab Sample ID: 200910085-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 2:12:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 2:12:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.1	82.8-118		%REC	1	9/15/2020 2:12:00 PM
Surr: 4-Bromofluorobenzene	96.0	81.7-126		%REC	1	9/15/2020 2:12:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
 Work Order: 200910085
 Reference: Downtown Wells /
 PO#: 1007P-0000095439

Client Sample ID: Well #2
 Collection Date: 9/8/2020 8:37:00 AM
 Lab Sample ID: 200910085-003
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 2:33:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 2:33:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 2:33:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 2:33:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #2
Collection Date: 9/8/2020 8:37:00 AM
Lab Sample ID: 200910085-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 2:33:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 2:33:00 PM
Surr: 1,2-Dichlorobenzene-d4	89.8	82.8-118		%REC	1	9/15/2020 2:33:00 PM
Surr: 4-Bromofluorobenzene	91.8	81.7-126		%REC	1	9/15/2020 2:33:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
 Work Order: 200910085
 Reference: Downtown Wells /
 PO#: 1007P-0000095439

Client Sample ID: Well #5
 Collection Date: 9/8/2020 8:51:00 AM
 Lab Sample ID: 200910085-004
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 2:54:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 2:54:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 2:54:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 2:54:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #5
Collection Date: 9/8/2020 8:51:00 AM
Lab Sample ID: 200910085-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 2:54:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 2:54:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.9	82.8-118		%REC	1	9/15/2020 2:54:00 PM
Surr: 4-Bromofluorobenzene	98.5	81.7-126		%REC	1	9/15/2020 2:54:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
 Work Order: 200910085
 Reference: Downtown Wells /
 PO#: 1007P-0000095439

Client Sample ID: Well #3
 Collection Date: 9/8/2020 9:05:00 AM
 Lab Sample ID: 200910085-005
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 3:15:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 3:15:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 3:15:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 3:15:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #3
Collection Date: 9/8/2020 9:05:00 AM
Lab Sample ID: 200910085-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 3:15:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 3:15:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.3	82.8-118		%REC	1	9/15/2020 3:15:00 PM
Surr: 4-Bromofluorobenzene	99.1	81.7-126		%REC	1	9/15/2020 3:15:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well#5A
Collection Date: 9/9/2020 8:03:00 AM
Lab Sample ID: 200910085-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2,3-Trichloropropane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Benzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Bromoform	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/16/2020 11:39:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Chloroethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Chloroform	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Chloromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/16/2020 11:39:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well#5A
Collection Date: 9/9/2020 8:03:00 AM
Lab Sample ID: 200910085-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/16/2020 11:39:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
o-Xylene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Styrene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Toluene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/16/2020 11:39:00 PM
Surr: 1,2-Dichlorobenzene-d4	93.4	82.8-118		%REC	1	9/16/2020 11:39:00 PM
Surr: 4-Bromofluorobenzene	101	81.7-126		%REC	1	9/16/2020 11:39:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #9A
Collection Date: 9/9/2020 8:20:00 AM
Lab Sample ID: 200910085-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 3:58:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 3:58:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 3:58:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 3:58:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #9A
Collection Date: 9/9/2020 8:20:00 AM
Lab Sample ID: 200910085-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 3:58:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 3:58:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.4	82.8-118		%REC	1	9/15/2020 3:58:00 PM
Surr: 4-Bromofluorobenzene	93.4	81.7-126		%REC	1	9/15/2020 3:58:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
 Work Order: 200910085
 Reference: Downtown Wells /
 PO#: 1007P-0000095439

Client Sample ID: Well #8A
 Collection Date: 9/9/2020 8:31:00 AM
 Lab Sample ID: 200910085-008
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 4:19:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 4:19:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2,4-Trimethylbenzene	0.7	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Benzene	0.5	0.5		µg/L	1	9/15/2020 4:19:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 4:19:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Ethylbenzene	3.1	0.5		µg/L	1	9/15/2020 4:19:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 4:19:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #8A
Collection Date: 9/9/2020 8:31:00 AM
Lab Sample ID: 200910085-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	0.6	0.5		µg/L	1	9/15/2020 4:19:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 4:19:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
o-Xylene	0.6	0.5		µg/L	1	9/15/2020 4:19:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
trans-1,2-Dichloroethene	0.6	0.5		µg/L	1	9/15/2020 4:19:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 4:19:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.9	82.8-118		%REC	1	9/15/2020 4:19:00 PM
Surr: 4-Bromofluorobenzene	96.5	81.7-126		%REC	1	9/15/2020 4:19:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
 Work Order: 200910085
 Reference: Downtown Wells /
 PO#: 1007P-0000095439

Client Sample ID: Well #6A
 Collection Date: 9/9/2020 8:51:00 AM
 Lab Sample ID: 200910085-009
 Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 4:40:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 4:40:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 4:40:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 4:40:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #6A
Collection Date: 9/9/2020 8:51:00 AM
Lab Sample ID: 200910085-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 4:40:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Toluene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 4:40:00 PM
Surr: 1,2-Dichlorobenzene-d4	87.6	82.8-118		%REC	1	9/15/2020 4:40:00 PM
Surr: 4-Bromofluorobenzene	101	81.7-126		%REC	1	9/15/2020 4:40:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #1 FB
Collection Date: 9/9/2020 9:37:00 AM
Lab Sample ID: 200910085-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
1,1,1,2-Tetrachloroethane	ND	0.5	S	µg/L	1	9/15/2020 5:01:00 PM
1,1,1-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,1,2,2-Tetrachloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,1,2-Trichloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,1-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,1-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,1-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2,3-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2,3-Trichloropropane	ND	0.5	S	µg/L	1	9/15/2020 5:01:00 PM
1,2,4-Trichlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2,4-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2-Dichloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,3,5-Trimethylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,3-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,3-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
1,4-Dichlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
2,2-Dichloropropane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
2-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
4-Chlorotoluene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
4-Isopropyltoluene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Benzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Bromobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Bromochloromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Bromodichloromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Bromoform	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Bromomethane	ND	0.5	S	µg/L	1	9/15/2020 5:01:00 PM
Carbon tetrachloride	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Chlorobenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Chloroethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Chloroform	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Chloromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
cis-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
cis-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Dibromochloromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Dibromomethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Dichlorodifluoromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Ethylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Hexachlorobutadiene	ND	0.5	S	µg/L	1	9/15/2020 5:01:00 PM

Adirondack Environmental Services, Inc

Date: 09-Feb-21

CLIENT: Corning, Inc.
Work Order: 200910085
Reference: Downtown Wells /
PO#: 1007P-0000095439

Client Sample ID: Well #1 FB
Collection Date: 9/9/2020 9:37:00 AM
Lab Sample ID: 200910085-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PURGEABLE ORGANIC COMPOUNDS - EPA 524.2						Analyst: SMD
Isopropylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
m,p-Xylene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	9/15/2020 5:01:00 PM
Methylene chloride	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
n-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
n-Propylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
o-Xylene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
sec-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Styrene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
tert-Butylbenzene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Tetrachloroethene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Toluene	17.1	0.5	X	µg/L	1	9/15/2020 5:01:00 PM
trans-1,2-Dichloroethene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
trans-1,3-Dichloropropene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Trichloroethene	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Trichlorofluoromethane	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Vinyl chloride	ND	0.5		µg/L	1	9/15/2020 5:01:00 PM
Surr: 1,2-Dichlorobenzene-d4	88.8	82.8-118		%REC	1	9/15/2020 5:01:00 PM
Surr: 4-Bromofluorobenzene	95.2	81.7-126		%REC	1	9/15/2020 5:01:00 PM



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

200910085

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <i>Coming, Inc.</i>		Address:							
Send Report to: <i>Danielle Corbin/Olivia Shurt</i>		Project Name (Location): <i>Downtown Wells</i>				Samplers Name: <i>K. Ambrose</i>			
Client Phone No:		PO #:				Samplers Signature: <i>[Signature]</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
001	Well #4	9/8/20	0815	A	GLO		X	2	EPA 502.2 mdh
002	Well #1		0824	A					524.2
003	Well #2		0837	A					
004	Well #5		0851	A					
005	Well #3		0905	A					
006	Well #5A	9/9/20	0803	A					
007	Well #9A		0820	A					
008	Well #8A		0831	A					
009	Well #6A		0851	A					
010	Well #1 FB		0937	A					
				A					
				P					
				A					
				P					
Shipment Arrived Via:		Special Instructions/Remarks:							
FedEx UPS Client ☒ AES Other: _____		HP Wells (#4, 1, 2, 5, 3) HQ Side Wells (#5A, #9A, 8A, 6A, 1FB)							
Turnaround Time Requested:									
☒ Normal									
Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>				Date		Time	
Relinquished by: (Signature)		Received by: (Signature)				Date		Time	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>[Signature]</i>				Date <i>9/10/20</i>		Time <i>5:00 PM</i>	
Sample Temperature Ambient ☒ Chilled Chilling Process begun		Properly Preserved ☒ Y ☐ N				Received Within Holding Times ☒ Y ☐ N			
Notes: <i>3°C</i>		Notes:				Notes:			



200910085



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.