



*Proactive by Design*



## **SEPTEMBER 2022 POST-INJECTION GROUNDWATER MONITORING REPORT**

**Former Signore Inc.  
55-57 Jefferson Street  
Ellicottville, New York 14731**

November 18, 2022  
File No. 21.0056367.67



**PREPARED FOR:**  
Iskalo Ellicottville Holdings LLC  
Williamsville, New York

**GZA GeoEnvironmental of New York**  
300 Pearl Street, Suite 700 | Buffalo, New York 14202  
716-685-2300

30 Offices Nationwide  
[www.gza.com](http://www.gza.com)

Copyright© 2022 GZA GeoEnvironmental, Inc.



Known for excellence.  
Built on trust.

GEOTECHNICAL  
ENVIRONMENTAL  
ECOLOGICAL  
WATER  
CONSTRUCTION  
MANAGEMENT

GZA GeoEnvironmental of NY  
300 Pearl Street  
Suite 700  
Buffalo, NY 14202  
T: 716.685.2300  
F: 716.248.1472  
www.gza.com



## VIA EMAIL

November 18, 2022  
File No. 21.0056367.67

Mr. David Chiazza  
Iskalo Ellicottville Holdings LLC  
Harbinger Square  
5166 Main Street  
Williamsville, New York 14221  
dchiazza@iskalo.com

Re: September 2022 Post-Injection Groundwater Monitoring Report  
Former Signore, Inc.  
55-57 Jefferson Street  
Ellicottville, New York 14731 (Site)  
NYSDEC Site No. C905034

Mr. Chiazza:

GZA GeoEnvironmental of New York (GZA) submits this post-injection groundwater monitoring report to Iskalo Ellicottville Holdings LLC (Client). The report presents the analytical results of sampling conducted at the above referenced Site on September 30, 2022. The monitoring is required by the New York State Department of Environmental Conservation (NYSDEC) as specified in the Decision Document for Brownfield Cleanup Program (BCP) Site Number C905034 (July 2015) and in accordance with the draft revised Site Management Plan (SMP) currently under review by NYSDEC. SMP revisions are anticipated to include annual monitoring for VOCs and cessation of sampling and analysis for monitored natural attenuation (MNA) parameters. This sampling event was conducted in accordance with the draft revised SMP.

The remedial injection program and first round of post-injection monitoring (August 2015) were described in the Final Engineering Report for the Site remedy (October 2015). Per the SMP, semi-annual post-injection groundwater monitoring was conducted until July 2017. Considering the established rate of chlorinated volatile organic compound (cVOC) reduction observed, NYSDEC approved modification of the SMP for annual post-injection monitoring in Fall 2017.

The September 2022 sampling event was the ninth round of post-injection monitoring conducted. This data report provides Site figures, well development forms, an analytical data summary table, graphs of pre- and post- injection concentrations of cVOCs in groundwater, and the laboratory data report for the seven wells sampled.

The body of data collected since remedial injections indicates reductive dichlorination has effectively decreased groundwater cVOC concentrations as intended; and that a slow and steady overall trend of cVOC reduction has been established. However, recent data indicates Site groundwater has returned to an oxidizing environment characteristic of that prior to treatment. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) concentrations in monitoring well SP-45 have increased over the last two annual sampling events.



The analytical results provide data for documentation of concentrations of cVOCs present in the on-Site groundwater. Groundwater cVOC concentrations measured at 86 months post-Organic Carbon Electron Donor Substrate (OCEDS) injection (September 2022) indicate the groundwater in the sampled monitoring wells/treatment area has returned to pre-treatment oxidizing conditions. While natural attenuation can occur in these conditions, it is most effective at low concentrations and for compounds having relatively few chlorines. Biotic degradation of the more chlorinated compounds, including PCE and TCE, is very slow and particularly ineffective at higher concentrations. In situations where reductive dechlorination has removed the parent compounds PCE and TCE, a change to oxidizing conditions can be beneficial for remediation of the daughter products cis-1,2-dichloroethene (DCE) and vinyl chloride (VC). However, if undissolved PCE and TCE remain, oxidative degradation may not be able to keep pace with their rate of dissolution.

Parent PCE and trichloroethene TCE concentrations have increased in monitoring well SP-45 in the two sampling events conducted since June 2019 (PCE at 17 µg/L, TCE at 4.6 µg/L). Concentrations increased in September 2021 (PCE at 130 µg/L, TCE at 26 µg/L) and September 2022 (PCE at 260 µg/L, TCE at 55 µg/L). SP-45 is located on the western portion of the OCEDS injection area (**Figure 3**).

One important exception to the trend of returning to an oxidizing environment is noted: results from the downgradient well EW-1.25R (**Figure 2**) show that reductive dichlorination is continuing to keep cVOC concentrations low. This well is located proximate to the southern BCP Site boundary.

As detailed above, proposed SMP revisions to the post-injection monitoring are anticipated to include cessation of sampling and analysis for MNA parameters and annual monitoring for VOCs. Post-injection sampling will continue annually pending NYSDEC approval of the revised SMP.

Should you have any questions or require additional information following your review, please contact Thomas Bohlen at 716-570-5983.

Sincerely,

GZA GEOENVIRONMENTAL OF NEW YORK

Thomas Bohlen, P.G.  
Project Manager

Jeremiah Duncan, Ph.D.  
Senior Chemist

Bart A. Klettke, P.E.  
Principal

cc: Megan Kuczka, NYSDEC





## ATTACHMENTS

FIGURE 1	MICROWELL GROUNDWATER ELEVATION CONTOUR PLAN
FIGURE 2	CHLORINATED VOLATILE ORGANIC COMPOUND CONCENTRATIONS – JUNE 2019 THROUGH SEPTEMBER 2022
FIGURE 3	LOCATION OF ORGANIC CARBON ELECTRON DONOR SUBSTRATE INJECTIONS
ATTACHMENT A	LIMITATIONS
ATTACHMENT B	WELL DEVELOPMENT FORMS
ATTACHMENT C	GROUNDWATER ANALYTICAL RESULTS SUMMARY
ATTACHMENT D	CONCENTRATIONS OF CVOC PARENT MATERIAL AND DAUGHTER PRODUCTS MEASURED IN GROUNDWATER
ATTACHMENT E	LABORATORY REPORT



## FIGURES




**LEGEND:**


- SP-37**  
1526.16 APPROXIMATE LOCATION AND DESIGNATION OF 1" MICROWELL. GROUNDWATER ELEVATION MEASURED ON SEPTEMBER 30, 2022.
- 1525.0** APPROXIMATE LOCATION AND ELEVATION OF GROUNDWATER CONTOUR LINE BASED ON MEASUREMENTS TAKEN ON SEPTEMBER 30, 2022
- \*** GROUNDWATER ELEVATION NOT CONSIDERED FOR CONTOURING


**NOTES:**

1. THE SIZE AND LOCATION OF EXISTING SITE FEATURES SHOULD BE CONSIDERED APPROXIMATE.



NO.	ISSUE/DESCRIPTION	BY	DATE
UNLESS SPECIFICALLY STATED BY WRITTEN AGREEMENT, THIS DRAWING IS THE SOLE PROPERTY OF GZA GEOENVIRONMENTAL, INC. (GZA). THE INFORMATION SHOWN ON THE DRAWING IS SOLELY FOR USE BY GZA'S CLIENT OR THE CLIENT'S DESIGNATED REPRESENTATIVE FOR THE SPECIFIC PROJECT AND LOCATION IDENTIFIED ON THE DRAWING. THE DRAWING SHALL NOT BE TRANSFERRED, REUSED, COPIED, OR ALTERED IN ANY MANNER FOR USE AT ANY OTHER LOCATION OR FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF GZA. ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING BY THE CLIENT OR OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZA, WILL BE AT THE USER'S SOLE RISK AND WITHOUT ANY RISK OR LIABILITY TO GZA.			
FORMER SIGNORE FACILITY 55-57 JEFFERSON STREET ELLCOTTVILLE, NEW YORK BROWNFIELD CLEANUP PROGRAM SITE NO. C905034			
<b>SEPT. 2022 POST-INJECTION GROUNDWATER MONITORING REPORT, MICROWELL GROUNDWATER ELEVATION CONTOUR PLAN</b>			
PREPARED BY: <b>GZA</b> GeoEnvironmental of NY Engineers and Scientists www.gza.com		PREPARED FOR: ISKALO ELLICOTTVILLE HOLDINGS, LLC	
PROJ MGR: TB	REVIEWED BY: BAK	CHECKED BY: BAK	FIGURE <b>1</b>
DESIGNED BY: TB	DRAWN BY: TAK	SCALE: 1" = 80'	
DATE: SEPTEMBER 2022	PROJECT NO. 21.0056367.67	REVISION NO.	







## **ATTACHMENT A**

### **LIMITATIONS**



## USE OF REPORT

1. GZA GeoEnvironmental, Inc. (GZA) prepared this report on behalf of, and for the exclusive use of our Client for the stated purpose(s) and location(s) identified in the Proposal for Services and/or Report. Use of this report, in whole or in part, at other locations, or for other purposes, may lead to inappropriate conclusions; and we do not accept any responsibility for the consequences of such use(s). Further, reliance by any party not expressly identified in the agreement, for any use, without our prior written permission, shall be at that party's sole risk, and without any liability to GZA.

## STANDARD OF CARE

2. GZA's findings and conclusions are based on the work conducted as part of the Scope of Services set forth in the Proposal for Services and/or Report and reflect our professional judgment. These findings and conclusions must be considered not as scientific or engineering certainties, but rather as our professional opinions concerning the limited data gathered during the course of our work. Conditions other than described in this report may be found at the subject location(s).
3. GZA's services were performed using the degree of skill and care ordinarily exercised by qualified professionals performing the same type of services, at the same time, under similar conditions, at the same or a similar property. No warranty, expressed or implied, is made. Specifically, GZA does not and cannot represent that the Site contains no hazardous material, oil, or other latent condition beyond that observed by GZA during its study. Additionally, GZA makes no warranty that any response action or recommended action will achieve all of its objectives or that the findings of this study will be upheld by a local, state or federal agency.
4. In conducting our work, GZA relied upon certain information made available by public agencies, Client and/or others. GZA did not attempt to independently verify the accuracy or completeness of that information. Inconsistencies in this information which we have noted, if any, are discussed in the Report.

## SUBSURFACE CONDITIONS

5. The generalized soil profile(s) provided in our Report are based on widely-spaced subsurface explorations and are intended only to convey trends in subsurface conditions. The boundaries between strata are approximate and idealized, and were based on our assessment of subsurface conditions. The composition of strata, and the transitions between strata, may be more variable and more complex than indicated. For more specific information on soil conditions at a specific location refer to the exploration logs. The nature and extent of variations between these explorations may not become evident until further exploration or construction. If variations or other latent conditions then become evident, it will be necessary to reevaluate the conclusions and recommendations of this report.
6. Water level readings have been made, as described in this Report, in and monitoring wells at the specified times and under the stated conditions. These data have been reviewed and interpretations have been made in this report. Fluctuations in the level of the groundwater however occur due to temporal or spatial variations in areal recharge rates, soil heterogeneities, the presence of subsurface utilities, and/or natural or artificially induced perturbations. The observed water table may be other than indicated in the Report.

## COMPLIANCE WITH CODES AND REGULATIONS

7. We used reasonable care in identifying and interpreting applicable codes and regulations necessary to execute our scope of work. These codes and regulations are subject to various, and possibly contradictory, interpretations. Interpretations and compliance with codes and regulations by other parties is beyond our control.



## **SCREENING AND ANALYTICAL TESTING**

8. GZA collected environmental samples at the locations identified in the Report. These samples were analyzed for the specific parameters identified in the report. Additional constituents, for which analyses were not conducted, may be present in soil, groundwater, surface water, sediment and/or air. Future Site activities and uses may result in a requirement for additional testing.
9. Our interpretation of field screening and laboratory data is presented in the Report. Unless otherwise noted, we relied upon the laboratory's QA/QC program to validate these data.
10. Variations in the types and concentrations of contaminants observed at a given location or time may occur due to release mechanisms, disposal practices, changes in flow paths, and/or the influence of various physical, chemical, biological or radiological processes. Subsequently observed concentrations may be other than indicated in the Report.

## **INTERPRETATION OF DATA**

11. Our opinions are based on available information as described in the Report, and on our professional judgment. Additional observations made over time, and/or space, may not support the opinions provided in the Report.

## **ADDITIONAL INFORMATION**

12. In the event that the Client or others authorized to use this report obtain additional information on environmental or hazardous waste issues at the Site not contained in this report, such information shall be brought to GZA's attention forthwith. GZA will evaluate such information and, on the basis of this evaluation, may modify the conclusions stated in this report.

## **ADDITIONAL SERVICES**

13. GZA recommends that we be retained to provide services during any future investigations, design, implementation activities, construction, and/or property development/ redevelopment at the Site. This will allow us the opportunity to: i) observe conditions and compliance with our design concepts and opinions; ii) allow for changes in the event that conditions are other than anticipated; iii) provide modifications to our design; and iv) assess the consequences of changes in technologies and/or regulations.



## **ATTACHMENT B**

### **WELL DEVELOPMENT FORMS**

### Historic Information

Installation Log Available (yes/no/attached)

Monitoring Well :	<b>EW-1.25</b>	Ground Surface Elevation:	1532.29	Riser/Screen Material:	Steel/Stainless Steel
Installation Date:	7/90	Protective Casing Elevation:	1532.29 ft.	Top of Screen Depth:	15 ft.
Installed By:	Empire Soils	Monitoring Point Elevation:	1531.96 ft.	Bottom of Screen Depth:	25 ft.
		Elevation Datum:			

Previous Field measurement Information Available (yes/no/attached)

Depth to Water (ft)	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature ( °C)	Turbidity (NTU)	Color
9.51	6.77	0.65	14.7	13.19	Clear

Notes:

### Sampling Information

pH	+/- 0.1	Sample ID: EW-1.25 - 093022
----	---------	-----------------------------

Conductivity +/- 3%	Sample Time: 1150
---------------------	-------------------

Temperature +/- 10%	# of Sample Containers: 3
---------------------	---------------------------

Turbidity	+/- 10%	Duplicate Sample ID: <u>      </u>
-----------	---------	------------------------------------

ORP	+/- 10mV	Sample Analysis: VOCs 8260
-----	----------	----------------------------

DO	+/- 10%	<del>MNA PARAMETERS</del>
----	---------	---------------------------

### Signs of Damage/Tampering

Locked (yes/no)

Well Cap (yes/no)

Surface Seal Intact (yes/no)

PID Measurement:

Odors: *none*

## Well Quality Data

[illegible]

### Historic Information

Installation Log Available (yes/no/attached)

Monitoring Well :	<b>SP-32</b>	Ground Surface Elevation:	Riser/Screen Material: PVC
Installation Date:	9/27/2012	Protective Casing Elevation:	Top of Screen Depth: 9 ft.
Installed By:	TREC	Monitoring Point Elevation: 1533.52	Bottom of Screen Depth: 19 ft.
		Elevation Datum:	

Previous Field measurement Information Available (yes/no/attached)

Depth to Water (ft)	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature (°C)	Turbidity (NTU)	Color
7.14	5.93	0.133	18.6	5.02	Clear

## Field Observations

Exterior Observations: Good Condition

Interior Observations Good Condition

### Signs of Damage/Tampering:

Locked (yes/no)	Well Cap (yes/no)	Surface Seal Intact (yes/no)	PID Measurement: —	Odors: none
-----------------	-------------------	------------------------------	--------------------	-------------

## Well Quality Data

[illegible]

**FORMER SIGNORE, INC. FACILITY  
WELL DEVELOPMENT FORM  
55-57 JEFFERSON STREET  
ELLICOTTVILLE, NEW YORK**

### Historic Information

Boring Log Available (yes/no/attached):

Installation Log Available (yes/no/attached)

## Summary

Monitoring Well :	<b>SP-37</b>	Ground Surface Elevation:		Riser/Screen Material: PVC
Installation Date:	9/27/2012	Protective Casing Elevation:		Top of Screen Depth: 9 ft.
Installed By:	TREC	Monitoring Point Elevation	1533.36	Bottom of Screen Depth: 19 ft.
		Elevation Datum:		

Previous Field measurement Information Available (yes/no/attached)

### Ranges of Previous Field Measurements

Depth to Water (ft)	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature (°C)	Turbidity (NTU)	Color
6.49	6.08	0.19	18.4	10.32	Clear

Notes:

### Field Observations

Exterior Observations: Good Condition

Interior Observations GOOD Condition

## Parameters +/-

pH	+/- 0.1	Sample ID: <u>SP-37-093022</u>
Conductivity	+/- 3%	Sample Time: <u>1040</u>
Temperature	+/- 10%	# of Sample Containers: <u>3</u>
Turbidity	+/- 10%	Duplicate Sample ID: <u>—</u>
ORP	+/- 10mV	Sample Analysis: VOCs 8260
DO	+/- 10%	<del>MNA PARAMETERS</del>

### Sampling Information

Signs of Damage/Tampering:

Locked (yes/no)	Well Cap (yes/no)	Surface Seal Intact (yes/no)	PID Measurement: —	Odors: none
-----------------	-------------------	------------------------------	--------------------	-------------

### Well Quality Data

[illegible]

**FORMER SIGNORE, INC. FACILITY  
WELL DEVELOPMENT FORM  
55-57 JEFFERSON STREET  
ELLICOTTVILLE, NEW YORK**

**Historic Information**

Boring Log Available (yes/no/attached):

Installation Log Available (yes/no/attached)

**Summary**

Monitoring Well:	<b>SP-38</b>	Ground Surface Elevation:	Riser/Screen Material:	PVC
Installation Date:	9/27/2012	Protective Casing Elevation:	Top of Screen Depth:	9 ft.
Installed By:	TREC	Monitoring Point Elevation:	Bottom of Screen Depth:	19 ft.
		Elevation Datum:		

Previous Field measurement Information Available (yes/no/attached)

**Ranges of Previous Field Measurements**

Depth to Water (ft)	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature (°C)	Turbidity (NTU)	Color
7.2	6.85	0.416	16.7	5.88	Clear

Notes:

Field Observations	Parameters +/-	Sampling Information
Exterior Observations: <u>Good Condition</u>	pH +/- 0.1	Sample ID: <u>SP-38-093022</u>
Interior Observations: <u>Good Condition</u>	Conductivity +/- 3%	Sample Time: <u>1315</u>
	Temperature +/- 10%	# of Sample Containers: <u>3</u>
	Turbidity +/- 10%	Duplicate Sample ID: <u>      </u>
	ORP +/- 10mV	Sample Analysis: VOCs 8260
	DO +/- 10%	<u>MNA PARAMETERS</u>
Signs of Damage/Tampering:		
Locked <u>(yes/no)</u>	Well Cap <u>(yes/no)</u>	Surface Seal Intact <u>(yes/no)</u>
		PID Measurement: <u>      </u>
		Odors: <u>None</u>

**Well Quality Data**

Date	Time	Depth to Water ft bgs	Cumulative Volume Purged	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature (°C)	Turbidity (NTU)	Color	Dissolved Oxygen	Oxygen Reduction Potential	Notes
9-30-22	1255	7.90	0	6.69	0.412	16.8	21.42	Clear	29.9	113.7	Depth of Water: <u>7.90</u>
	1300	7.90	0.1	6.70	0.407	16.6	11.31	Clear	29.5	112.4	Length of Water Column: <u>11.03</u>
	1305	7.91	0.2	6.76	0.398	16.5	8.25	Clear	27.7	110.5	Depth of Well: <u>18.93</u>
	1310	7.91	0.3	6.77	0.399	16.3	7.96	Clear	27.3	108.3	Sheen Observed: Y <u>(N)</u>
	1315	7.91	0.4	6.79	0.397	16.1	7.35	Clear	27.4	106.7	DNAPL Observed: Y <u>(N)</u>
											Did Well Go Dry: Y <u>(N)</u>
											Other:

67

### Historic Information

Installation Log Available (**yes**/no/attached)

SP-43

10/1/2012

TREC

Elevation Datum:

Bottom of Screen Depth: 20 ft.

Previous Field measurement Information Available (yes/no/attached)	
--	--

### Ranges of Previous Field Measurements

Ranges of Previous Field Measurements						Color
Depth to Water (ft)	pH (Standard Units)	Specific Conductance (uMhos/cm)	Temperature ( °C)	Turbidity (NTU)		Clear
7.89	6.12	0.183	20.5	4.72		

Notes:

### Field Observations

Good Condition

Good Condition

## Parameters +/-

DO	+/- 10%
----	---------

### Sampling Information

## MNA PARAMETERS

### Signs of Damage/Tampering:

Locked (yes/no)

Well Cap (yes/no)

Surface Seal Intact (yes/no) yes

PID Measurement:

Odors: none

## Well Quality Data

[illegible]



Boring Log Available (yes/no/attached):  
Installation Log Available (yes/no/attached)

Monitoring Well :	<b>TP-11</b>	Ground Surface Elevation:	Riser/Screen Material: PVC
Installation Date:		Protective Casing Elevation:	Top of Screen Depth:
Installed By:	Trec Environmental	Monitoring Point Elevation: 1532.98 ft.	Bottom of Screen Depth:
		Elevation Datum:	

### Ranges of Previous Field Measurements

Notes:

Locked (yes/no)	Well Cap (yes/no)	Surface Seal Intact (yes/no) <i>Y</i>	PID Measurement: <i>-</i>	Odors: <i>None</i>
-----------------	-------------------	---------------------------------------	---------------------------	--------------------

[illegible]



## **ATTACHMENT C**

### **GROUNDWATER ANALYTICAL RESULTS SUMMARY**

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	EW-1.25 6/25/2013	EW-1.25 10/16/2013	EW-1.25 6/10/2014	EW-1.25 6/4/2015	EW-1.25 8/21/2015	EW-1.25 10/21/2015	EW-1.25 6/15/2016	EW-1.25 10/25/2016	EW-1.25 7/13/2017	EW-1.25 6/21/2018	EW-1.25R 6/14/2019	EW-1.25R 9/17/2021	EW-1.25R 9/30/2022
		Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
Volatile Organic Compounds - EPA Method SW-846, 8260C (ug/L)														
Acetone	50	<	<	<	<	<	3.8 J	2.3 J	<	<	<	6.8	<	1.5 J
Benzene	1	<	<	<	<	<	<	<	<	<	<	0.18 J	<	<
Carbon disulfide	NV	<	<	<	<	<	<	<	<	1.8	<	<	<	<
Chloromethane	NV	0.77 J	<	<	<	<	<	<	<	<	<	0.88 J	<	<
1,1-Dichloroethane	5	4.1	4.1	2.9	3	2.6	4.2	2.9	3.9	3.0	<	1.1 J	1.2 J	<
1,1-Dichloroethene	5	<	<	<	0.25 J	0.19 J	0.36 J	0.24 J	0.48 J	0.39 J	<	<	<	<
Vinyl chloride	2	4.6	5	2.4	2.6	<	3.3	3.2	6.6	<	<	<	0.17 J	0.12 J
2-Butanone	50	<	<	<	<	<	<	<	<	<	<	<	<	<
cis-1,2-Dichloroethene	5	31	32	23	29	28	44	28	98	57	<	2.1 J	2.5	1.4 J
Toluene	5	<	<	<	<	<	<	<	<	<	<	<	<	<
1,1,1-Trichloroethane	5	<	<	<	<	0.82 J	<	<	0.7 J	<	<	<	<	<
Tetrachloroethene	5	3.3	3.8	3.6	<	1.4	1.8	3.1	<	<	<	<	<	<
Trichloroethene	5	51	59	41	47	42	58	47	0.27 J	35	<	<	<	<
trans-1,2-dichloroethene	5	<	<	<	<	<	<	<	0.79 J	<	<	<	<	<
Total VOCs		94.77	103.9	72.9	81.85	75.01	115.46	86.74	110.74	97.19		11.06	3.87	3.02
Field Parameters														
Temperature (Deg. C)	NV	13	13.5	10.4	9.1	13.1	13.4	12.4	13	14.9	12.1	9.8	14.1	13.4
Specific Conductance (mS/cm)	NV	0.7	0.68	0.7	0.757	0.67	0.68	0.653	0.612	0.65	0.629	0.633	0.641	0.564
Dissolved Oxygen (mg/L)	NV	0.05	0.18	0.06	0.17	0.12	0.22	0.29	0.23	0.13	0.65	0.18	17.1	3.1
Oxygen Reduction Potential (mv)	NV	-88.5	-99.3	-91.2	-130.5	-86.2	-91.6	161.4	-125.1	-169.9	-54.1	-140.1	-98.9	-96
pH (std. units)	NV	7.35	6.85		6.73	6.77	6.89	6.79	6.87	6.77	6.12	6.91	6.28	6.78
Turbidity (NTUs)	NV	9.12	3.31	11.71	7.7	14.2	10.7	20.1	11.87	13.13	21.5	69.11	9.82	8.14
Inorganics (ug/L)														
Iron	300	NS	1,000	14,000	14,000	11,500	11,900	27,300	10,500	<	27,000 M1	6,600 M1	28,400	NS
Manganese	300	NS	1,300	1,600	1,482	1,265	1,465	1,453	1,354	1,256	3,060	1,392	2,460	NS
Miscellaneous Water Quality Parameters														
Methane (ug/L)	NV	NS	1,000	170	237	218	190	244	130	130	NT	1,110	1,620	NS
Ethane (ug/L)	NV	NS	<	<	<	<	<	<	<	<	NT	6.85	<	NS
Ethene (ug/L)	NV	NS	1.7	<	<	0.535	<	0.558	0.55	0.55	NT	2.82	<	NS
Total Organic Carbon (mg/L)	NV	NS	<	<	2.07	2.47	1.92	2.26	1.56	1.84	21.0	7.97	11.60	NS
Chloride (mg/L)	250	NS	66 B	69	62	57	56	49	45	47	48.2 M1	14.1	16.0	NS
Nitrate (mg/L)	10	NS	<	<	0.015 J	0.020 J	<	<	0.029 J	<	<	<	0.12	NS
Nitrite (mg/L)	1	NS	<	<	NS	NS	NS	NS	NS	NS	<	NS	NS	NS
Sulfate (mg/L)	250	NS	7.6	7.4 B	12.8	10.3	10.5	10.2	11.7	8.86	<	10.3	4	NS

- Notes:
- Only compounds detected in one or more of the groundwater samples are presented in this table.
  - "<" indicates compound was not detected above the method detection limit.
  - Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
  - Criteria is a guidance value.
  - Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
  - mg/L = parts per million; ug/L = parts per billion
  - NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
  - NV = no value; NS = Not sampled; NT = Not tested.
  - Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
  - Shaded concentrations exceed Class GA criteria.

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	SP-32 10/3/2012		SP-32 10/17/2013		SP-32 6/10/2014		SP-32 6/4/2015		SP-32 8/21/2015		SP-32 10/22/2015		SP-32 6/15/2016		SP-32 10/25/2016		SP-32 7/12/2017		SP-32 6/21/2018		SP-32 6/14/2019		SP-32 9/16/2021		SP-32 9/30/2022		
			Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q	
Volatile Organic Compounds - EPA Method SW-8																												
Acetone	50	<		240	D	<		<		<		<		2.8	J	<		<		<		4.8	J	<		<		<
Benzene	1	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Carbon disulfide	NV	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Chloromethane	NV	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1-Dichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1-Dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Vinyl chloride	2	<		<		<		0.18	J	0.23	J	<		<		<		<		<		<		<		<		<
2-Butanone	50	<		45		<		<		<		<		<		<		<		<		<		<		<		<
cis-1,2-Dichloroethene	5	<		26		11		4.5		4.7		2.7		3.3		<		<		<		<		<		<		<
Toluene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1,1-Trichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Tetrachloroethene	5	2.1		<		<		0.25	J	0.46	J	0.62		0.44	J	0.42	J	0.32	J	<		0.2	J	0.25	J	0.2	J	
Trichloroethene	5	120		3.4		6.4		5.8		6.5		6.7		14		1.2		0.85		4.4		0.41	J	1.6		2.1		
trans-1,2-dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Total VOCs		122.1		314.4		17.4		10.73		11.89		10.02		20.54		1.62		1.17		4.4		0.43		1.85		2.3		
Field Parameters																												
Temperature (Deg. C)	NV	13.2		16.5		13.1		11.0		17.7		16.6		15.8		15.1		18.6		13.2		12.2		19.9		18.3		
Specific Conductance (mS/cm)	NV	0.418		0.65		0.392		0.326		0.272		0.223		0.232		0.181		0.133		0.144		0.122		0.167		0.167		
Dissolved Oxygen (mg/L)	NV	4.92		0.18		0.12		0.15		0.16		0.48		0.53		1.67		2.29		0.76		5.59		42.8		48.4		
Oxygen Reduction Potential (mv)	NV	50.3		-95.3		-21.9		104.4		57.7		169.9		236.7		153		41.9		181.2		150.8		215.3		93.1		
pH (std. units)	NV	7.23		6.45		6.48		6.28		6.34		6.25		6.22		6.0		5.9		5.96		6.30		6.05		6.40		
Turbidity (NTUs)	NV	35		6.76		4.95		0.6		7.15		4.42		7.6		4.96		5.02		2.8		17.51		5.36		7.52		
Inorganics (ug/L)																												
Iron	300	NS		3,480		16,000		339		246		206		541		66		<		<		NS		NS		NS		
Manganese	300	NS		24,600		19,000		6,468		8,331		2,897		2,668		1,144		12		<		NS		NS		NS		
Miscellaneous Water Quality Parameters																												
Methane (ug/L)	NV	NS		120		660		725		932		208		205		3.31		0.55	J	<		NS		NS		NS		
Ethane (ug/L)	NV	NS		<		<		0.659		0.841		<		<		<		<		<		NS		NS		NS		
Ethene (ug/L)	NV	NS		1.7		<		<		<		<		<		<		<		<		NS		NS		NS		
Total Organic Carbon (mg/L)	NV	NS		51		<		1.35		1.7		1.02		1.45		0.87		1.08		<		NS		NS		NS		
Chloride (mg/L)	250	NS		5	B	3.1		3.46		3.12		2.83		2.72		1.59		0.861		<		NS		NS		NS		
Nitrate (mg/L)	10	NS		<		<		1.92		0.93		4.2		3.9		4.8		1.4		<		NS		NS		NS		
Nitrite (mg/L)	1	NS		<		<		NS		NS		NS		NS		NS		NS		<		NS		NS		NS		
Sulfate (mg/L)	250	NS		4.9	J	14	B	14.6		16.8		16.1		16.3		14.4		13.8		15.9		NS		NS		NS		

Notes:

- Only compounds detected in one or more of the groundwater samples are presented in this table.
- "<" indicates compound was not detected above the method detection limit.
- Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
- Criteria is a guidance value.
- Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
- mg/L = parts per million; ug/L = parts per billion
- NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
- NV = no value; NS = Not sampled.
- Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
- Shaded concentrations exceed Class GA criteria.

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	SP-37 10/5/2012		SP-37 10/17/2013		SP-37 6/10/2014		SP-37 6/4/2015		SP-37 8/21/2015		SP-37 10/23/2015		SP-37 6/16/2016		SP-37 10/26/2016		SP-37 7/12/2017		SP-37 6/21/2018		SP-37 6/14/2019		SP-37 9/17/2021		SP-37 9/30/2022	
			Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q
Volatile Organic Compounds - EPA Method SW-8																											
Acetone	50	<		<		<		<		<		<		2.6	J	<		<		<		5.5		<		<	
Benzene	1	<		<		<		<		<		<		<		<		<		<		<		<		<	
Carbon disulfide	NV	<		<		<		<		<		<		<		<		<		<		<		<		<	
Chloromethane	NV	<		<		<		<		<		<		<		<		<		<		<		<		<	
1,1-Dichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<	
1,1-Dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<	
Vinyl chloride	2	<		<		<		<		<		0.21	J	0.42	J	<		<		<		<		<		<	
2-Butanone	50	<		<		<		<		<		<		<		<		<		<		<		<		<	
cis-1,2-Dichloroethene	5	1.8		7.3		0.99	J	3.4		9.9		9.4		6.7		12		2.7		1.9		3.6		6.8		6.6	
Toluene	5	<		<		<		<		<		<		<		<		<		<		<		<		<	
1,1,1-Trichloroethane	5	<		<		<		<		0.82	J	<		<		<		<		<		<		<		<	
Tetrachloroethene	5	9.6		24		13		18		15		26		14		17		12		13.2		10		15		7.3	
Trichloroethene	5	13		20		7.2		10		11		19		13		14		7.8		10.9		12		12		7.4	
trans-1,2-dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<	
Total VOCs		24.4		51.3		27.2		31.4		36.72		54.61		36.72		43		22.5		26		31.1		33.8		21.3	
Field Parameters																											
Temperature (Deg. C)	NV	13.5		17		11.9		10		17		15.3		13.3		14.2		18.4		12.1		11.9		18.8		18.9	
Specific Conductance (mS/cm)	NV	0.452		0.535		0.305		0.449		0.432		0.396		0.291		0.246		0.19		0.184		0.166		0.210		0.195	
Dissolved Oxygen (mg/L)	NV	0.28		0.2		0.58		0.68		0.07		0.13		0.29		0.55		0.86		2.53		3.05		44.2		26	
Oxygen Reduction Potential (mv)	NV	-122.4		74.8		107.7		117.6		16.1		82.8		306.5		130.2		6.7		180.1		151.5		213.1		143.7	
pH (std. units)	NV	6.6		6.39		6.28		6.12		6.28		6.3		6.03		5.99		6.08		5.94		6.25		5.86		6.21	
Turbidity (NTUs)	NV	2.5		9.35		12.5		1.4		5.27		2.3		5.93		5.02		10.37		0.9		6.12		9.26		6.82	
Inorganics (ug/L)																											
Iron	300	NS		61.7	B	900		81.4		409		66		85		56		<		<		NS		NS		NS	
Manganese	300	NS		336		150		1,021		6,015		2,035		1,137		1,445		73		<		NS		NS		NS	
Miscellaneous Water Quality Parameters																											
Methane (ug/L)	NV	NS		26		2.5		28		108		67.4		47.2		<		<		<		NS		NS		NS	
Ethane (ug/L)	NV	NS		<		<		<		<		<		<		<		<		<		NS		NS		NS	
Ethene (ug/L)	NV	NS		<		<		<		<		<		<		<		<		<		NS		NS		NS	
Total Organic Carbon (mg/L)	NV	NS		4	J	2.8	J	2.51		4.75		2.62		2.47		2.21		1.93		1.5	M1	NT		1.14		NS	
Chloride (mg/L)	250	NS		12	B	3.8		28.8		16.4		14.7		7.11		5.79		2.64		2.4		NS		NS		NS	
Nitrate (mg/L)	10	NS		4.8		5.2		2.98		0.04		0.27		1.40		3.20		1.30		0.79		NS		NS		NS	
Nitrite (mg/L)	1	NS		<		<		NS		NS		NS		NS		NS		NS		<		NS		NS		NS	
Sulfate (mg/L)	250	NS		36		24	B	23.3		18		21.1		18.3		21		14.3		13.9		9.78		10.6		NS	

Notes:

- Only compounds detected in one or more of the groundwater samples are presented in this table.
- "<" indicates compound was not detected above the method detection limit.
- Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
- Criteria is a guidance value.
- Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
- mg/L = parts per million; ug/L = parts per billion
- NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
- NV = no value; NS = Not sampled.
- Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
- Shaded concentrations exceed Class GA criteria.

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	SP-38 10/4/2012		SP-38 10/17/2013		SP-38 6/10/2014		SP-38 8/21/2015		SP-38 10/23/2015		SP-38 6/15/2016		SP-38 10/26/2016		SP-38 7/12/2017		SP-38 6/21/2018		SP-38 6/14/2019		SP-38 9/16/2021		SP-38 9/30/2022		
			Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q	
Volatile Organic Compounds - EPA Method SW-8																										
Acetone	50	<		<		<		<		<		1.6 J	<		<		<		<		<		<		<	
Benzene	1	<		<		<		<		<		<	<		<		<		<		<		<		<	
Carbon disulfide	NV	<		<		<		1.8 J		1.9		<	<		<		<		<		<		<		<	
Chloromethane	NV	<		<		<		<		<		<	<		<		<		<		<		<		<	
1,1-Dichloroethane	5	<		<		<		2 J		1.9 J		<	<		<		<		<		<		<		<	
1,1-Dichloroethene	5	<		<		<		<		<		<	<		<		<		<		<		<		<	
Vinyl chloride	2	<		<		<		<		22		0.39 J	4.0		4.2		<		<		<		1.4		0.08 J	
2-Butanone	50	<		<		<		26		2.1 J		<	<		<		<		<		<		<		<	
cis-1,2-Dichloroethene	5	<		1.5		1.2		46		0.82 J		<	<		<		<		<		<		2.2 J		<	
Toluene	5	<		<		<		<		1 J		<	<		<		<		<		<		<		<	
1,1,1-Trichloroethane	5	2.4		<		<		0.86 J		<		<	<		<		<		<		<		<		<	
Tetrachloroethene	5	5		<		5.2		0.22 J		0.37 J		0.28 J	0.48 J		0.2 J		<		<		<		0.4 J		0.81	
Trichloroethene	5	17		7.8		19		0.45 J		0.29 J		5.5 J	8.2		6.5		5.8		<		<		4.6		6	
trans-1,2-dichloroethene	5	<		<		<		<		<		<	<		<		<		<		<		<		<	
Total VOCs		24.4		9.3		25.4		77.33		30.38		7.77	12.68		10.9		5.8					8.6		6.89		
Field Parameters																										
Temperature (Deg. C)	NV	13.1		15.2		11.6		15.2		15.1		16.1		14.8		16.7		11.7		11.3		17.9		16.1		
Specific Conductance (mS/cm)	NV	0.437		0.412		0.437		1.03		0.69		0.419		0.443		0.416		0.404		0.398		0.446		0.397		
Dissolved Oxygen (mg/L)	NV	3.25		2.88		4.65		0.07		0.11		1.32		0.23		0.72		2.11		2.32		19.4		27.4		
Oxygen Reduction Potential (mv)	NV	31.7		103.5		136		-124.2		-172.7		241.8		-22.5		-79.6		150.8		125.2		156.6		106.7		
pH (std. units)	NV	6.81		6.72		6.72		7.1		7.39		6.59		6.75		6.85		6.56		6.89		6.7		6.79		
Turbidity (NTUs)	NV	27.4		2.12		19.2		12.3		2.12		6.39		7.69		5.88		21.5		180.22		42.28		7.35		
Inorganics (ug/L)																										
Iron	300	<		<		1,500		5,660		3,040		352		811		<		<		NS		NS		NS		
Manganese	300	5,100		41.1 B		180		24,820		12,680		2762		9031		1,827		23		NS		NS		NS		
Miscellaneous Water Quality Parameters																										
Methane (ug/L)	NV	<		20		1.1		807.0		636.0		3.9		13.7		10.1		4.4		NS		NS		NS		
Ethane (ug/L)	NV	NM		<		<		<		2.57		<		0.633		<		<		NS		NS		NS		
Ethene (ug/L)	NV	NM		<		<		3.45		4.56		<		2.04		0.652		<		NS		NS		NS		
Total Organic Carbon (mg/L)	NV	<		<		<		86.9		2.22		1.21		1.32		1.05		<		NS		NS		NS		
Chloride (mg/L)	250	31		40 B		34		29		27.1		36.1		27.7		22.6		32		NS		NS		NS		
Nitrate (mg/L)	10	4.7		1.4		3.3		0.0 J		<		0.6		0.24		0.24		0.37		NS		NS		NS		
Nitrite (mg/L)	1					<		<		NS		NS		NS		NS		<		NS		NS		NS		
Sulfate (mg/L)	250	23		11		13 B		0.063 J		5.99		11.5		16.1		13.8		11.7		NS		NS		NS		

- Notes:
1. Only compounds detected in one or more of the groundwater samples are presented in this table.
  2. "<" indicates compound was not detected above the method detection limit.
  3. Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
  4. Criteria is a guidance value.
  5. Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
  6. mg/L = parts per million; ug/L = parts per billion
  7. NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
  8. NV = no value; NS = Not sampled.
  9. Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
  10. Shaded concentrations exceed Class GA criteria.

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	SP-43 10/4/2012		SP-43 10/17/2013		SP-43 6/10/2014		SP-43 6/4/2015		SP-43 8/21/2015		SP-43 10/23/2015		SP-43 6/16/2016		SP-43 10/26/2016		SP-43 7/12/2017		SP-43 6/21/2018		SP-43 6/14/2019		SP-43 9/17/2021		SP-43 9/30/2022			
			Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		
Volatile Organic Compounds - EPA Method SW-8																													
Acetone	50	<		53		<		<		<		<		1.9 J		<		<		<		5.4		<		<			
Benzene	1	<		<		<		<		<		<		<		<		<		<		<		<		<			
Carbon disulfide	NV	<		1.3		<		<		<		<		<		<		<		<		<		<		<			
Chloromethane	NV	<		<		<		<		<		<		<		<		<		<		0.92 J		<		<			
1,1-Dichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<			
1,1-Dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<			
Vinyl chloride	2	<		<		<		<		0.48 J		6.6		<		<		<		<		<		<		<			
2-Butanone	50	<		84		<		<		21		<		<		<		<		<		<		<		<			
cis-1,2-Dichloroethene	5	<		5.4		3.9		1.1 J		9.4		9.2		4.6		2.1 J		<		<		<		0.95 J		<			
Toluene	5	<		<		<		<		<		84.0		<		<		<		<		<		<		<			
1,1,1-Trichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<			
Tetrachloroethene	5	93		24		14		14		10		17		7.7		11.0		6.9		7.4 CH		4.0		6.1		4.6			
Trichloroethene	5	5.2		2.6		<		0.72		2.20		8.30		0.71		0.70		0.24 J		<		0.58		0.60		0.43 J			
trans-1,2-dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<			
Total VOCs		98.2		170.3		17.9		15.82		43.08		125.10		14.91		13.80		7.14		7.40		9.40		7.65		5.03			
Field Parameters																													
Temperature (Deg. C)	NV	14.1		18.4		13		12.2		16.6		15.9		14.6		14.2		20.5		15.6		13.8		20.9		19.5			
Specific Conductance (mS/cm)	NV	0.445		0.513		0.304		0.773		0.66		0.68		0.237		0.224		0.183		0.151		0.127		0.149		0.146			
Dissolved Oxygen (mg/L)	NV	1.48		0.22		0.23		1.1		0.12		0.12		1.23		1.96		1.96		1.73		3.52		28.1		31.5			
Oxygen Reduction Potential (mv)	NV	44.2		-39.3		149		175.8		-15.1		-88.2		310.9		184.3		12.4		156.6		153.9		196.3		132.5			
pH (std. units)	NV	6.55		5.88		6.13		5.82		6.31		6.83		5.87		6.02		6.12		6.11		6.32		5.9		6.29			
Turbidity (NTUs)	NV	39.8		4.04		18		0.2		31.7		4.26		6.7		3.12		4.72		1.8		16.25		16.07		7.45			
Inorganics (ug/L)																													
Iron	300	NS		6,150		7,100		54		5,780		6,220		127		114		<		<		NS		NS		NS			
Manganese	300	NS		5,510		1,600		1,254		8,919		10,240		171.8		190.4		5.4		10.4		NS		NS		NS			
Miscellaneous Water Quality Parameters																													
Methane (ug/L)	NV	NS		16		12		0.756 J		2,490.000		6,520.000		0.612		<		0.619 J		<		NS		NS		NS			
Ethane (ug/L)	NV	NS		2.4		<		<		<		<		<		<		<		<		NS		NS		NS			
Ethene (ug/L)	NV	NS		3.7		<		<		<		2.13		<		<		<		<		NS		NS		NS			
Total Organic Carbon (mg/L)	NV	NS		80		<		1.84		28.8		3.62		2.09		1.91		1.58		1.1		NS		NS		NS			
Chloride (mg/L)	250	NS		6.3 B		2.2		136.0		62.2		40.0		12.2		9.6		4.1		2.6		NS		NS		NS			
Nitrate (mg/L)	10	NS		0.36		8.30		8.65		0.59		0.21		2.10		4.10		3.70		1.60		NS		NS		NS			
Nitrite (mg/L)	1	NS		<		0.042 J		NS		NS		NS		NS		NS		NS		<		NS		NS		NS			
Sulfate (mg/L)	250	NS		12		25 B		19.8		18.3		13.3		22		21.4		14.7		14.1		NS		NS		NS			

Notes:

1. Only compounds detected in one or more of the groundwater samples are presented in this table.
2. "<" indicates compound was not detected above the method detection limit.
3. Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
4. Criteria is a guidance value.
5. Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
6. mg/L = parts per million; ug/L = parts per billion
7. NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
8. NV = no value; NS = Not sampled.
9. Shaded concentrations exceed Class GA criteria.

Attachment C  
September 2022 Post-Injection Groundwater Analytical Results Summary  
Former Signore Facility  
Ellicottville, New York  
BCP Site No. C905034

Sample Location Sample Date	Class GA Criteria	SP-45 10/4/2012		SP-45 10/17/2013		SP-45 6/10/2014		SP-45 6/4/2015		SP-45 8/21/2015		SP-45 10/23/2015		SP-45 6/16/2016		SP-45 10/26/2016		SP-45 7/13/2017		SP-45 6/21/2018		SP-45 6/14/2019		SP-45 9/17/2021		SP-45 9/30/2022		
			Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q		Q	
Volatile Organic Compounds - EPA Method SW-8																												
Acetone	50	<		<		<		<		<		<		1.5	J	<		<		<		<		4.1		<		<
Benzene	1	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Carbon disulfide	NV	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Chloromethane	NV	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1-Dichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1-Dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Vinyl chloride	2	<		<		<		<		<		6.3		5.5		7.5		1.7		<		<		0.11	J	<		<
2-Butanone	50	<		<		<		<		<		<		<		<		<		<		<		<		<		<
cis-1,2-Dichloroethene	5	6.8		1.1		1.9		2.9		1.4	J	5.7		3.7		13		2.0	J	1.4		1.3	J	9.0		4.0	J	
Toluene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
1,1,1-Trichloroethane	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Tetrachloroethene	5	260	D	69		130		160		16		45		16		170		45		18.7		17		130		260		
Trichloroethene	5	13		3.6		6.4		8.5		1.5		7.5		7.2		53		10		5.4		4.6		26		55		
trans-1,2-dichloroethene	5	<		<		<		<		<		<		<		<		<		<		<		<		<		<
Total VOCs		283.0		73.7		138.3		171.4		18.9		171.4		33.9		243.5		58.7		25.5		27.0		165.1		319.0		
Field Parameters																												
Temperature (Deg. C)	NV	14.6		17.8		16.5		14		19.1		15.8		15.2		15.8		15.8		13.3		14		20.7		19.6		
Specific Conductance (mS/cm)	NV	0.543		0.363		0.391		0.584		0.6		0.62		0.503		0.442		0.442		0.391		0.336		0.410		0.341		
Dissolved Oxygen (mg/L)	NV	1.07		5.21		3.02		3.58		0.09		0.07		0.5		0.06		0.06		2.72		3.85		18.4		6.1		
Oxygen Reduction Potential (mv)	NV	-29.5		88.3		143.1		73.3		-62.7		-61.7		250.7		-8.7		-8.7		88.2		128.4		162.6		129.9		
pH (std. units)	NV	6.48		6.83		6.71		6.71		7.05		7.05		6.91		6.66		6.66		6.89		7.23		6.59		6.7		
Turbidity (NTUs)	NV	3.95		2.3		3.17		0.5		14.91		5.06		11.25		17.2		17.2		5.5		12.48		7.25		7.25		
Inorganics (ug/L)																												
Iron	300	NS		32.1	B	170	J	27.2	J	45	J	1,260		197		386		<		<		NS		NS		NS		
Manganese	300	NS		<		<		1.93		296.4		3,510		1447		1,340		240		332		NS		NS		NS		
Miscellaneous Water Quality Parameters																												
Methane (ug/L)	NV	NS		14		1.1		0.762	J	96.9		958		1500		3610		1760		8.1		NS		NS		NS		
Ethane (ug/L)	NV	NS		<		<		<		<		<		1.18		2.47		1.0		<		NS		NS		NS		
Ethene (ug/L)	NV	NS		<		<		<		<		1.08		2.59		3.36		0.77		<		NS		NS		NS		
Total Organic Carbon (mg/L)	NV	NS		<		<		1.64		3.93		1.86		1.69		1.49		1.23		<		1.06		0.945		NS		
Chloride (mg/L)	250	NS		5.1	B	4.2		35.0		9.4		17.3		15.4		12.6		3.2		6.8		NS		NS		NS		
Nitrate (mg/L)	10	NS		6		5.2		2.68		1.2		1.9		0.39		0.72		0.79		0.35		NS		NS		NS		
Nitrite (mg/L)	1	NS		<		<		NS		NS		NS		NS		NS		NS		<		NS		NS		NS		
Sulfate (mg/L)	250	NS		39		33	B	32.7		43.4		22.4		24		23.8		19.1		16.8		12.1		9.82		NS		

Notes:

- Only compounds detected in one or more of the groundwater samples are presented in this table.
- "<" indicates compound was not detected above the method detection limit.
- Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
- Criteria is a guidance value.
- Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
- mg/L = parts per million; ug/L = parts per billion
- NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
- NV = no value; NS = Not sampled.
- Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
- Shaded concentrations exceed Class GA criteria.

**Attachment C**  
**September 2022 Post-Injection Groundwater Analytical Results Summary**  
**Former Signore Facility**  
**Ellicottville, New York**  
**BCP Site No. C905034**

Sample Location Sample Date	Class GA Criteria	TP-11 6/3/2015		TP-11 10/22/2015		TP-11 6/16/2016		TP-11 10/25/2016		TP-11 7/12/2017		TP-11 6/20/2018		TP-11 6/13/2019		TP-11 9/17/2021		TP-11 9/30/2022	
			Q		Q		Q		Q		Q		Q		Q		Q		Q
Volatile Organic Compounds - EPA Method SW-8																			
Acetone	50	<		<		2	J	<		<		<		2.5	J	<		<	
Benzene	1	<		<		<		<		<		<		<		<		<	
Carbon disulfide	NV	<		<		<		<		<		<		<		<		<	
Chloromethane	NV	<		<		<		<		<		<		<		<		<	
1,1-Dichloroethane	5	<		<		<		<		<		<		<		<		<	
1,1-Dichloroethene	5	<		<		<		<		<		<		<		<		<	
Vinyl chloride	2	<		<		<		<		<		<		<		<		<	
2-Butanone	50	<		<		<		<		<		<		<		<		<	
cis-1,2-Dichloroethene	5	19		12		18		13		8.1		12.4		9.7		13		8.8	
Toluene	5	<		<		<		<		<		<		<		<		<	
1,1,1-Trichloroethane	5	<		<		<		<		<		<		<		<		<	
Tetrachloroethene	5	0.58		1.5		0.53		1.2		0.25	J	<		0.49	J	0.47	J	0.44	J
Trichloroethene	5	88		74		77		58		40		66.7		41		55		33	
trans-1,2-dichloroethene	5	<		<		<		<		<		<		<		<		<	
Total VOCs		107.58		87.50		97.53		72.20		48.35		79.10		53.69		68.47		42.24	
Field Parameters																			
Temperature (Deg. C)	NV	17.5		14.4		12.4		13.4		16.9		9.5		8.8		16.2		14.8	
Specific Conductance (mS/cm)	NV	0.37		0.535		0.493		0.504		0.393		0.464		0.447		0.558		0.518	
Dissolved Oxygen (mg/L)	NV	0.11		1.57		2.84		2.24		2.06		4.83		4.12		33.2		25.6	
Oxygen Reduction Potential (mv)	NV	-23.6		90.7		267.4		77.7		6.6		101.7		122		200.2		86.1	
pH (std. units)	NV	6.84		7.04		6.9		6.8		6.69		6.81		7.06		6.45		5.18	
Turbidity (NTUs)	NV	6.27		1.87		7.69		9.67		4.97		0.3		1.84		4.91		13.93	
Inorganics (ug/L)																			
Iron	300	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Manganese	300	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Miscellaneous Water Quality Parameters																			
Methane (ug/L)	NV	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Ethane (ug/L)	NV	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Ethene (ug/L)	NV	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Total Organic Carbon (mg/L)	NV	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Chloride (mg/L)	250	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Nitrate (mg/L)	10	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Nitrite (mg/L)	1	NS		NS		NS		NS		NS		NS		NS		NS		NS	
Sulfate (mg/L)	250	NS		NS		NS		NS		NS		NS		NS		NS		NS	


- Notes:
1. Only compounds detected in one or more of the groundwater samples are presented in this table.
  2. "<" indicates compound was not detected above the method detection limit.
  3. Analytical testing completed by TestAmerica, Alpha Analytical and Pace Analytical.
  4. Criteria is a guidance value.
  5. Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; \* - LCS or LCSD exceeds the control limits; D = value shown is result of dilution analysis; E = value above quantitation range.  
M1 = Matrix spike recover exceeded QC limits. Batch accepted based on laboratory LCS recovery. CH = continuing calibration for this compound is outside of laboratory acceptance limits; results may be biased high.
  6. mg/L = parts per million; ug/L = parts per billion
  7. NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
  8. NV = no value; NS = Not sampled.
  9. Sum of Nitrate/Nitrite Class GA Criteria = 10 mg/L (no exceedances)
  10. Shaded concentrations exceed Class GA criteria.




## **ATTACHMENT D**

CONCENTRATIONS OF CVOC PARENT MATERIAL AND DAUGHTER PRODUCTS IN  
GROUNDWATER


## Total cVOC Concentration in EW-1.25




## Total cVOC Concentration in SP-32




## Total cVOC Concentration in SP-37




## Total cVOC Concentration in SP-38




## Total cVOC Concentration in SP-43



## Total cVOC Concentration in SP-45



## Total cVOC Concentration in TP-11





**ATTACHMENT E**

LABORATORY REPORT



## ANALYTICAL REPORT

Lab Number:	L2254396
Client:	GZA GeoEnvironmental of New York 300 Pearl Street Suite 700 Buffalo, NY 14202
ATTN:	Thomas Bohlen
Phone:	(716) 844-7050
Project Name:	FORMER SIGNORE INC, FACILITY
Project Number:	21.0056367.67
Report Date:	10/14/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2254396-01	SP-37-093022	WATER	ELLCOTTVILLE, NY	09/30/22 10:40	10/03/22
L2254396-02	TP-11-093022	WATER	ELLCOTTVILLE, NY	09/30/22 11:20	10/03/22
L2254396-03	EW-125-093022	WATER	ELLCOTTVILLE, NY	09/30/22 11:50	10/03/22
L2254396-04	SP-32-093022	WATER	ELLCOTTVILLE, NY	09/30/22 12:35	10/03/22
L2254396-05	SP-38-093022	WATER	ELLCOTTVILLE, NY	09/30/22 13:15	10/03/22
L2254396-06	SP-43-093022	WATER	ELLCOTTVILLE, NY	09/30/22 14:00	10/03/22
L2254396-07	SP-45-093022	WATER	ELLCOTTVILLE, NY	09/30/22 14:40	10/03/22
L2254396-08	TRIP BLANK	WATER	ELLCOTTVILLE, NY	09/30/22 00:00	10/03/22

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: *Tiffani Morrissey* - Tiffani Morrissey

Title: Technical Director/Representative

Date: 10/14/22

# ORGANICS

# **VOLATILES**

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-01  
**Client ID:** SP-37-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 10:40  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 17:20  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	7.3		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	7.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-01  
**Client ID:** SP-37-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 10:40  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	6.6		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	95		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-02  
**Client ID:** TP-11-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 11:20  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 17:44  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.44	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	33		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-02  
**Client ID:** TP-11-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 11:20  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	8.8		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-03  
**Client ID:** EW-125-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 11:50  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 18:07  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.12	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-03  
**Client ID:** EW-125-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 11:50  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.4	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-04  
**Client ID:** SP-32-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 12:35  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 18:31  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.20	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.1		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-04  
**Client ID:** SP-32-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 12:35  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-05  
**Client ID:** SP-38-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 13:15  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 22:15  
**Analyst:** MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.81		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.08	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	6.0		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-05  
**Client ID:** SP-38-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 13:15  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	101		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-06  
**Client ID:** SP-43-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 14:00  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 22:36  
**Analyst:** MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	4.6		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.43	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-06  
**Client ID:** SP-43-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 14:00  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	102		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-07 D  
**Client ID:** SP-45-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 14:40  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 22:57  
**Analyst:** MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethane	ND		ug/l	6.2	1.8	2.5
Chloroform	ND		ug/l	6.2	1.8	2.5
Carbon tetrachloride	ND		ug/l	1.2	0.34	2.5
1,2-Dichloropropane	ND		ug/l	2.5	0.34	2.5
Dibromochloromethane	ND		ug/l	1.2	0.37	2.5
1,1,2-Trichloroethane	ND		ug/l	3.8	1.2	2.5
Tetrachloroethene	260		ug/l	1.2	0.45	2.5
Chlorobenzene	ND		ug/l	6.2	1.8	2.5
Trichlorofluoromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dichloroethane	ND		ug/l	1.2	0.33	2.5
1,1,1-Trichloroethane	ND		ug/l	6.2	1.8	2.5
Bromodichloromethane	ND		ug/l	1.2	0.48	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	0.41	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	0.36	2.5
Bromoform	ND		ug/l	5.0	1.6	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	0.42	2.5
Benzene	ND		ug/l	1.2	0.40	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Ethylbenzene	ND		ug/l	6.2	1.8	2.5
Chloromethane	ND		ug/l	6.2	1.8	2.5
Bromomethane	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	ND		ug/l	2.5	0.18	2.5
Chloroethane	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethene	ND		ug/l	1.2	0.42	2.5
trans-1,2-Dichloroethene	ND		ug/l	6.2	1.8	2.5
Trichloroethene	55		ug/l	1.2	0.44	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-07 D  
**Client ID:** SP-45-093022  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 14:40  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl tert butyl ether	ND		ug/l	6.2	1.8	2.5
p/m-Xylene	ND		ug/l	6.2	1.8	2.5
o-Xylene	ND		ug/l	6.2	1.8	2.5
cis-1,2-Dichloroethene	4.0	J	ug/l	6.2	1.8	2.5
Styrene	ND		ug/l	6.2	1.8	2.5
Dichlorodifluoromethane	ND		ug/l	12	2.5	2.5
Acetone	ND		ug/l	12	3.6	2.5
Carbon disulfide	ND		ug/l	12	2.5	2.5
2-Butanone	ND		ug/l	12	4.8	2.5
4-Methyl-2-pentanone	ND		ug/l	12	2.5	2.5
2-Hexanone	ND		ug/l	12	2.5	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dibromoethane	ND		ug/l	5.0	1.6	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	1.8	2.5
Isopropylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl Acetate	ND		ug/l	5.0	0.58	2.5
Cyclohexane	ND		ug/l	25	0.68	2.5
1,4-Dioxane	ND		ug/l	620	150	2.5
Freon-113	ND		ug/l	6.2	1.8	2.5
Methyl cyclohexane	ND		ug/l	25	0.99	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	94		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-08  
**Client ID:** TRIP BLANK  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 00:00  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/10/22 16:56  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**SAMPLE RESULTS**

**Lab ID:** L2254396-08  
**Client ID:** TRIP BLANK  
**Sample Location:** ELLICOTTVILLE, NY

**Date Collected:** 09/30/22 00:00  
**Date Received:** 10/03/22  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
 Analytical Date: 10/10/22 10:36  
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04,08 Batch: WG1697836-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 10/10/22 10:36  
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04,08 Batch: WG1697836-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/10/22 10:36  
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-04,08 Batch: WG1697836-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
 Analytical Date: 10/10/22 19:26  
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 05-07 Batch: WG1697928-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C  
 Analytical Date: 10/10/22 19:26  
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 05-07 Batch: WG1697928-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/10/22 19:26  
Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 05-07 Batch: WG1697928-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	99		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** FORMER SIGNORE INC, FACILITY

**Project Number:** 21.0056367.67

**Lab Number:** L2254396

**Report Date:** 10/14/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04,08 Batch: WG1697836-3 WG1697836-4								
Methylene chloride	96		96		70-130	0		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	96		98		63-132	2		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	92		94		63-130	2		20
1,1,2-Trichloroethane	98		100		70-130	2		20
Tetrachloroethene	100		100		70-130	0		20
Chlorobenzene	100		100		75-130	0		20
Trichlorofluoromethane	98		99		62-150	1		20
1,2-Dichloroethane	98		100		70-130	2		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	94		96		67-130	2		20
trans-1,3-Dichloropropene	96		96		70-130	0		20
cis-1,3-Dichloropropene	96		97		70-130	1		20
Bromoform	88		90		54-136	2		20
1,1,2,2-Tetrachloroethane	95		99		67-130	4		20
Benzene	100		100		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	78		81		64-130	4		20
Bromomethane	47		48		39-139	2		20
Vinyl chloride	100		99		55-140	1		20

# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** FORMER SIGNORE INC, FACILITY

**Lab Number:** L2254396

**Project Number:** 21.0056367.67

**Report Date:** 10/14/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04,08 Batch: WG1697836-3 WG1697836-4								
Chloroethane	110		110		55-138	0		20
1,1-Dichloroethene	98		100		61-145	2		20
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	91		93		70-130	2		20
1,2-Dichlorobenzene	98		100		70-130	2		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	99		99		70-130	0		20
Methyl tert butyl ether	93		96		63-130	3		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	100		100		70-130	0		20
Dichlorodifluoromethane	88		90		36-147	2		20
Acetone	89		82		58-148	8		20
Carbon disulfide	99		97		51-130	2		20
2-Butanone	84		90		63-138	7		20
4-Methyl-2-pentanone	92		96		59-130	4		20
2-Hexanone	87		93		57-130	7		20
Bromochloromethane	100		110		70-130	10		20
1,2-Dibromoethane	97		98		70-130	1		20
1,2-Dibromo-3-chloropropane	75		81		41-144	8		20
Isopropylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	80		91		70-130	13		20

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** FORMER SIGNORE INC, FACILITY**Lab Number:** L2254396**Project Number:** 21.0056367.67**Report Date:** 10/14/22

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-04,08 Batch: WG1697836-3 WG1697836-4								
1,2,4-Trichlorobenzene	89		95		70-130	7		20
Methyl Acetate	98		100		70-130	2		20
Cyclohexane	110		110		70-130	0		20
1,4-Dioxane	100		104		56-162	4		20
Freon-113	100		100		70-130	0		20
Methyl cyclohexane	100		100		70-130	0		20

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
1,2-Dichloroethane-d4	95		95		70-130
Toluene-d8	101		99		70-130
4-Bromofluorobenzene	101		98		70-130
Dibromofluoromethane	97		97		70-130

# **Lab Control Sample Analysis** **Batch Quality Control**

**Project Name:** FORMER SIGNORE INC, FACILITY

**Lab Number:** L2254396

**Project Number:** 21.0056367.67

**Report Date:** 10/14/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 05-07 Batch: WG1697928-3 WG1697928-4								
Methylene chloride	95		92		70-130	3		20
1,1-Dichloroethane	96		94		70-130	2		20
Chloroform	96		96		70-130	0		20
Carbon tetrachloride	100		97		63-132	3		20
1,2-Dichloropropane	93		92		70-130	1		20
Dibromochloromethane	92		91		63-130	1		20
1,1,2-Trichloroethane	96		96		70-130	0		20
Tetrachloroethene	100		99		70-130	1		20
Chlorobenzene	97		97		75-130	0		20
Trichlorofluoromethane	100		98		62-150	2		20
1,2-Dichloroethane	95		94		70-130	1		20
1,1,1-Trichloroethane	100		96		67-130	4		20
Bromodichloromethane	90		89		67-130	1		20
trans-1,3-Dichloropropene	86		85		70-130	1		20
cis-1,3-Dichloropropene	78		76		70-130	3		20
Bromoform	85		86		54-136	1		20
1,1,2,2-Tetrachloroethane	87		89		67-130	2		20
Benzene	94		94		70-130	0		20
Toluene	97		95		70-130	2		20
Ethylbenzene	96		95		70-130	1		20
Chloromethane	98		99		64-130	1		20
Bromomethane	89		91		39-139	2		20
Vinyl chloride	98		96		55-140	2		20

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 05-07 Batch: WG1697928-3 WG1697928-4								
Chloroethane	110		100		55-138	10		20
1,1-Dichloroethene	96		96		61-145	0		20
trans-1,2-Dichloroethene	94		92		70-130	2		20
Trichloroethene	99		97		70-130	2		20
1,2-Dichlorobenzene	96		95		70-130	1		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	98		97		70-130	1		20
Methyl tert butyl ether	87		90		63-130	3		20
p/m-Xylene	105		105		70-130	0		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	94		92		70-130	2		20
Styrene	110		110		70-130	0		20
Dichlorodifluoromethane	96		95		36-147	1		20
Acetone	72		67		58-148	7		20
Carbon disulfide	93		92		51-130	1		20
2-Butanone	72		75		63-138	4		20
4-Methyl-2-pentanone	75		80		59-130	6		20
2-Hexanone	79		80		57-130	1		20
Bromochloromethane	92		91		70-130	1		20
1,2-Dibromoethane	94		94		70-130	0		20
1,2-Dibromo-3-chloropropane	82		85		41-144	4		20
Isopropylbenzene	94		95		70-130	1		20
1,2,3-Trichlorobenzene	90		94		70-130	4		20

**Lab Control Sample Analysis****Batch Quality Control****Project Name:** FORMER SIGNORE INC, FACILITY**Lab Number:** L2254396**Project Number:** 21.0056367.67**Report Date:** 10/14/22

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 05-07 Batch: WG1697928-3 WG1697928-4								
1,2,4-Trichlorobenzene	87		89		70-130	2		20
Methyl Acetate	84		85		70-130	1		20
Cyclohexane	98		98		70-130	0		20
1,4-Dioxane	82		72		56-162	13		20
Freon-113	100		100		70-130	0		20
Methyl cyclohexane	95		94		70-130	1		20

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
1,2-Dichloroethane-d4	98		97		70-130
Toluene-d8	99		99		70-130
4-Bromofluorobenzene	97		96		70-130
Dibromofluoromethane	97		96		70-130

**Project Name:** FORMER SIGNORE INC, FACILITY**Lab Number:** L2254396**Project Number:** 21.0056367.67**Report Date:** 10/14/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

Cooler	Custody Seal
A	Absent

**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2254396-01A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-01B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-01C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-02A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-02B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-02C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-03A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-03B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-03C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-04A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-04B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-04C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-05A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-05B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-05C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-06A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-06B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-06C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-07A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-07B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-07C	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-08A	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)
L2254396-08B	Vial HCl preserved	A	NA		2.8	Y	Absent		NYTCL-8260-R2(14)

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

Serial\_No:10142220:29  
**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
---------------------	-----------------------	---------------	-----------------------	---------------------	-----------------------	-------------	-------------	-----------------------------	--------------------

**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenzo(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

**Report Format:** DU Report with 'J' Qualifiers



**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

**Data Qualifiers**

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



**Project Name:** FORMER SIGNORE INC, FACILITY  
**Project Number:** 21.0056367.67

**Lab Number:** L2254396  
**Report Date:** 10/14/22

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Alpha Analytical, Inc.**Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 19

Published Date: 4/2/2021 1:14:23 PM

Page 1 of 1

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility****EPA 624/624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625/625.1:** alpha-Terpineol**EPA 8260C/8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D/8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

[illegible]