Periodic Review Report

Tecumseh Phase III Business Park Sites III-2, III-3, III-4 & III-9 NYSDEC Site Nos. C915199B-D & I

2303 Hamburg Turnpike Lackawanna, New York

March 2020

0351-018-003

Prepared For:

Steel Sun 2 LLC

Prepared By:



PERIODIC REVIEW REPORT

TECUMSEH PHASE III BUSINESS PARK SITES III-2, III-3, III-4, & III-9 (BCP SITE Nos. C915199B, C915199C, C915199D & C915199I)

2303 HAMBURG TURNPIKE LACKAWANNA, NEW YORK

March 2020 B0351-018-004

Prepared for:

Steel Sun 2 LLC

Prepared By:



Benchmark Environmental Engineering & Science, PLLC 2558 Hamburg Turnpike, Suite 300 Buffalo, NY 14218 (716) 856-0599

PERIODIC REVIEW REPORT

Sites III-2, III-3, III-4, & III-9: C915199B, C915199C, C915199D, & C915199I Table of Contents

| 1.0 | INT | RODUCTION | 1 |
|--------------|------|--|----|
| | 1.1 | Site Background | 1 |
| | 1.2 | Remedial History | |
| | | 1.2.1 Phase III Business Park | |
| | | 1.2.2 Site III-2 | |
| | | 1.2.3 Site III-3 | |
| | | 1.2.4 Site III-4 | |
| | | 1.2.5 Site III-9 | |
| | | 1.2.6 Interim Remedial Measure and Preliminary Remedial Measures | |
| | 1.3 | Compliance | |
| | 1.4 | Recommendations | 7 |
| | | | |
| 2.0 | SITE | E OVERVIEW | 8 |
| | 2.1 | Final Remedial Measures | 8 |
| | | | |
| 3.0 | REM | MEDY PERFORMANCE | 10 |
| | | | |
| 4.0 | SITE | E MANAGEMENT PLAN | 11 |
| | 4.1 | Institutional and Engineering Control (IC/EC) Plan | 11 |
| | | 4.1.1 Institutional Controls | |
| | | 4.1.2 Engineering Controls | 12 |
| | 4.2 | Excavation Work Plan | 12 |
| | | 4.2.1 Site III-4 Cover Repair Work | 12 |
| | | 4.2.2 Import for Grounding Grids | |
| | 4.3 | Annual Inspection and Certification Program | 13 |
| | 4.4 | Operation, Monitoring and Maintenance Plan | |
| | | | |
| 5.0 | GRO | OUNDWATER MONITORING | 15 |
| | | | |
| 6.0 | CON | NCLUSIONS AND RECOMMENDATIONS | 17 |
| J.J | COI | TOLOGICI TO THE COMMENTATIONS | |
| 7.0 | Dre | CLARATION/LIMITATION | 10 |
| / . U | DEC | LAKATION/ LIMITATION | 18 |
| 0.0 | D | NEDEL COR. | 40 |
| 8.0 | KEF | ERENCES | 19 |



PERIODIC REVIEW REPORT

Sites III-2, III-3, III-4, & III-9: C915199B, C915199C, C915199D, & C915199I **Table of Contents**

LIST OF FIGURES

| Figure 1 | Regional Map |
|-----------|--|
| Figure 2 | Vicinity Map |
| Figure 3A | Remedial Actions on Sites III-2, III-3, & III-4 |
| Figure 3B | Remedial Actions on Site III-9 |
| Figure 4A | Site Wide Cover System for Sites III-2, III-3, & III-4 |
| Figure 4B | Site Wide Cover System for Site III-9 |
| | |

LIST OF TABLES

Table 1 Summary of Groundwater Analytical Results

| APPENDICIES | | | | | | | | | |
|-------------|--|--|--|--|--|--|--|--|--|
| Appendix A | Institutional & Engineering Controls Certification Forms | | | | | | | | |
| Appendix A1 | Site III-2 | | | | | | | | |
| Appendix A2 | Site III-3 | | | | | | | | |
| Appendix A3 | Site III-4 | | | | | | | | |
| Appendix A4 | Site III-9 | | | | | | | | |
| Appendix A5 | NYSDEC Site Nos. C915199B, D, and I Notice of Transfer | | | | | | | | |
| Appendix B | Site Photolog | | | | | | | | |
| Appendix C | Import Documentation | | | | | | | | |
| Appendix D | Groundwater Analytical Data | | | | | | | | |



0351-018-004 ;; 11

1.0 Introduction

Benchmark Environmental Engineering and Science, PLLC (Benchmark) has prepared this Periodic Review Report (PRR) to summarize the post-remedial status of New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) Site Nos. C915199B, C915199C, C915199D, and C915199I, located at 2303 Hamburg Turnpike in the City of Lackawanna, Erie County, New York.

This PRR has been prepared for the subject BCP Sites in accordance with NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation (Ref 1). Appendix A includes the Institutional and Engineering Control (IC/EC) Certification Forms completed based on the Site inspections performed on February 24, 2020.

This PRR and associated certifications have been completed on behalf of Steel Sun 2, LLC as a volunteer remedial party and COC recipient for all of the subject sites, as well as Tecumseh Redevelopment Inc. (Tecumseh) as owner of Site III-3 (C915199C), and 1951 Hamburg Turnpike LLC as owner of Site III-4 (C915199D). This PRR documents post-remedial activities covered by the Site Management Plan (Ref. 2). The post remedial period covered by this PRR is: March 15, 2019– March 15, 2020 for Sites III-2, III-3 and III-4, and October 16, 2018 – February 16, 2020 for Site III-9.

1.1 Site Background

In March 2007, Tecumseh entered into a Brownfield Cleanup Agreement (BCA) with NYSDEC to investigate and remediate an approximate 150-acre property located in Lackawanna, New York. The property, deemed the "Phase III Business Park," is located in the County of Erie, New York and encompasses tax parcel numbers 141.15-1-1 and 141.15-1-2, 141.15-1-3, 141.19-1-1, 150.07-1-2, and a portion of tax parcel number 141.11-1-50 per Erie County Tax Map records. The Phase III Business Park is bounded by Gateway Metroport Ship Canal and property owned by Gateway Trade Center to the north; the South Buffalo Railroad Company to the south; Phase II Business Park Site and the South Return Water Trench (SRWT) to the east; and other Tecumseh property to the west (see Figures 1 and 2).

The Phase III Business Park was originally deemed BCP Site No. C915199 and subsequently subdivided into smaller BCP sub-parcels to facilitate remediation and

BENCHMARK

redevelopment. On August 20, 2012, the original BCA for Site No. C915199 was amended to cover Site III-1, with separate BCAs issued and executed for the remaining nine BCP Site Nos. C915199B through C915199J (i.e., Sites III-2 through III-10).

The Sites were remediated to Track 4 restricted (commercial) use with site-specific soil cleanup objectives (SCOs) consistent with the approved Remedial Action Work Plan (Ref. 3). The final remedial measures included placement of acceptable cover material in areas not otherwise covered by asphalt roadway, pavement, and building foundations.

In May 2019, Tecumseh sold approximately 24.21 acres of land to Lackawanna Solar Land LLC, including Tecumseh Phase III Business Park, Sites III-2 (C915199B) and III-9 (C915199I), and sold Site III-4 (approx. 16.19 acres) of the Phase III Business Park to 1951 Hamburg Turnpike, LLC. These followed 60-day Notices of Transfer of Ownership submitted to the Department in November of 2018. In addition, Tecumseh leases a 3.80-acre portion of Tecumseh Phase III Business Park (Site III-3) to Lackawanna Solar Land LLC for use as a commercial scale photovoltaic solar farm.

A Notice of Transfer of Certificate of Completion was filed on September 6, 2019 for Tecumseh Phase III Business Park Sites III-2, III-3, III-4, and III-9. As indicated in a separate Notice for each Site, a sublease between Steel Sun 2 LLC (as lessee and solar facility operator) and Manufacturers and Traders Trust Company (as sublessee and owner of the solar facility) was filed in the Erie County Clerk's Office on August 22, 2019.

1.2 Remedial History

1.2.1 Phase III Business Park

The approximate 150-acre Phase III Business Park was formerly part of the Bethlehem Steel Corporation (BSC) Lackawanna Works and housed several facilities used in BSC's steel manufacturing processes. Specific processes and steel making facilities performed on or proximate to the subject BCP Sites included:

- Open hearth furnaces
- Basic oxygen furnace
- Mold warming and preparation



- Electrical substations
- Wastewater treatment

Remedial Investigation (RI) activities on the Phase III Business Park were initiated in August 2008, with additional activities undertaken in late 2009 through early 2010. Some supplemental investigation work was also completed in 2011 and 2012. In accordance with the May 2008 RI/AA Work Plan (Ref. 4), approximately 86 test pits were completed across the Phase III Business Park.

The RI identified several constituents of potential concern (COPCs) that were generally present across the Phase III Business Park, primarily in soils and, to a lesser extent, groundwater. These included polyaromatic hydrocarbons (PAHs), arsenic, lead, and mercury. Isolated areas of petroleum impact were also encountered. The Remedial Investigation/Alternatives Analysis (RI/AA) Report (Ref. 5) recommended remediation of "hotspot" slag/fill (characterized by more pronounced levels of COCs) and isolated groundwater/ saturated soil impacts (affecting only select sites in the Phase III Business Park), with cover placement as the final remedial measure under a Track 4 Cleanup approach. Additional requirements included development and adherence to a Site Management Plan (SMP) and filing of an Environmental Easement to restrict use of the Phase III Business Park property to commercial and industrial applications and place other limitations on post-redevelopment activities. Site groundwater is not used at the Site and the Environmental Easement restricts its use for either potable or non-potable purposes without treatment.

1.2.2 Site III-2

During the RI, 10 test pits (identified as BP3-TP-67 through TP-70; BP3-TP-76 through TP-78; and BP3A-TP-1 through TP-3) were excavated and one monitoring well (MWS-35A) was installed on Site III-2.

The nature and extent of metals contamination at the Site were found to be consistent with the former site use as a steel manufacturing facility. Soil/fill concentrations exceeded unrestricted and residential use SCOs. When compared to the commercial SCOs, arsenic, chromium, lead, manganese, and mercury were found to exceed. Seven semi-volatile organic compounds (SVOCs) (specifically PAHs) also exceeded commercial SCOs.



Groundwater sampling for SVOCs, volatile organic compounds (VOCs) and metals in January 2009 indicated that groundwater at the Site exceeded the NYSDEC Class GA Groundwater Quality Standards/Guidance Values (GWQS/GVs) for iron, phenol, and pH.

1.2.3 Site III-3

Two test pits (identified as BPA3-61 and BPA3-TP-62) were excavated on Site III-3 during the RI. The 0-2' interval within test pit BPA3-TP-62 was sampled per the RI Work Plan and found to contain concentrations of benzo(a)pyrene and arsenic slightly above the commercial SCOs. Sheen was observed on the water table in both test pits at approximately 7 feet below grade. In September 2011, test pit BPA3-TP-62 was excavated at the request of NYSDEC because of the observed sheen; no field evidence of sheen or migration to Smokes Creek was found.

Historic disposal of asbestos containing material (ACM) has been documented in a portion of the Site. It is reputed that the ACM was disposed in a 15-foot wide by 16-foot deep ingot buggy tunnel under the slab of the soaking pit building; however, surface sampling and test pit excavations during the RI failed to show widespread disposal.

1.2.4 Site III-4

During the RI, 11 test pits (identified as BP3-TP-71, BP3-TP-74, BP3-TP-75, and BP3A-TP-4 through BP3A-TP-11) were excavated and two monitoring wells (identified as MWS-31A and MWS-34A) were installed on Site III-4. Five additional test pits were completed to further delineate impacts observed in test pit BP3A-TP-8.

The nature and extent of metals contamination at the Site were found to be consistent with the former site use as a steel manufacturing facility. Soil/fill concentrations exceeded unrestricted and residential use SCOs. Arsenic and mercury were detected at concentrations above commercial SCOs. SVOCs exceeding commercial SCOs included benzo(a)pyrene in 3 of 6 samples and dibenz(a,h)anthracene in 1 of 6 samples.

Groundwater sampling for SVOCs, VOCs, and metals conducted in January 2010 indicated exceedances of GWQS/GVs for arsenic, chrysene, and pH in well MWS-31A and naphthalene and pH in well MWS-04.



1.2.5 Site III-9

During the RI, 14 test pits (identified as BP3-TP-4 through TP-9; BP3-TP-13; BP3-TP-83 through -86; and BP3A-TP-40, -42, and -43) and four supplemental test pits (identified as BP3-SUPP TP-3, -5, -6, and -8) were completed on Site III-9. Two monitoring wells (identified as MWN-56A and MWN-57A) were installed on the Site to assist in groundwater characterization. In addition, five delineation test pits were completed on Site III-9 to delineate impacts originating to the north at test pit BP3A-TP-44, which is located on Site III-10.

The nature and extent of metals contamination at the Site is consistent with the former site use as a steel manufacturing facility. Fill soil exceeds unrestricted and residential use SCOs. When compared to the commercial SCOs, arsenic, chromium, lead, and mercury were found to exceed. Seven SVOCs (PAHs) exceeded commercial SCOs.

Groundwater sampling for SVOCs, VOCs, and metals in January 2009 indicated groundwater at the Site did not exceed GWQS. Additional groundwater sampling in February 2016 indicated groundwater did not exceed GWQSs with the exception of slight pH exceedance in well MWN-56A. Site groundwater is not used at the Site and is restricted from use for either potable or non-potable purposes without treatment by an environmental easement.

1.2.6 Interim Remedial Measure and Preliminary Remedial Measures

No interim remedial measures (IRMs) were necessary on Sites III-2 and III-3. The remediation of Sites III-4 and III-9 included IRMs and other preliminary remedial measures prior to cover system placement as discussed below.

In July 2013, Tecumseh submitted to NYSDEC a combined IRM Work Plan for Phase III Business Park Sub-Parcels III-4, III-6 and III-10 (Ref. 6). In August 2013, Site III-4 underwent IRM activities in accordance with the approved IRM Work Plan. The IRM work performed on Site III-4 and documented in the Construction Completion Report (Ref. 7) included the following activities (see Figure 3A):

■ Excavating approximately 139 cubic yards (CY) of arsenic-impacted slag/fill surrounding Hotspot C (i.e., former Slabbing Mill Return Water Trench) with off-



0351-018-004 5

site disposal of 320.84 tons of material at the Chautauqua County Landfill (CCLF) in Ellery, NY.

- Excavating approximately 52 CY of arsenic-impacted slag/fill surrounding Hotspot E (i.e., test pit BP3A-TP-6) with off-site disposal of 215.67 tons of material at the CCLF in Ellery, NY.
- Collecting documentation samples from the floor and sidewalls of each hotspot excavation for comparison to the arsenic Site-Specific Action Level (SSAL) of 118 ppm. All detections for Hotspot C fell below the SSAL and no further excavation work was completed. For Hotspot E, the west and south sidewall sample results were above 118 ppm; therefore, additional material was removed. The re-sample results for these areas were below the arsenic SSAL of 118 ppm.
- Grading of the excavation sides was performed instead of importing backfill since Site redevelopment was pending and the excavations were shallow.

IRM and preliminary remedial work performed on Site III-9 is shown on Figure 3B, and included:

- Removal of former subsurface coke oven gas line piping and residuals completed in 2016. Approximately 761 feet of piping was cleaned, removed, and recycled off-site. Approximately 67 feet of piping was cleaned in place and capped. Piping work on Business Park III began February 29, 2016 and was completed March 2, 2016. The work was performed in accordance with an April 2014 Interim Remedial Measures (IRM) Work Plan (Ref. 8) and documented in a July 2016 Construction Completion Report (Ref. 9)
- Remediation of certain Areas of Concern (AOCs) on the adjacent Site III-10 extending onto Site III-9 in accordance with an approved addendum Remedial Design/Remedial Action Work Plan (RD/RAWP) for Site III-10 (Ref. 10). These activities, shown on Figure 3B, involved:
 - excavation of petroleum-impacted hotspot soil/fill (Hotspot "D") on Site III-10 extending onto Site III-9. The petroleum-impacted material was biotreated on Site III-9. To address the residual smear zone impacts (i.e., sheen), ORC Advanced® in pellet form was applied to the bottom of the excavation using an excavator bucket prior to backfilling with clean overburden slag/fill. Excavation and ORC Advanced® application was performed during the period of May-October 2016.
 - In-situ remediation of the saturated fill along the former Steel Winds II ROX (Site III-10), which extended onto Site III-9, by injecting an oxidation reagent (PersulfOx). The PersulfOx was injected between November 2 and 22, 2016.



On May 14-15, 2018, test pit TP-2 on Site III-10 was excavated to address residual impacts (elevated PID, sheen) within the smear zone (5 to 7 feet below ground surface; fbgs) and additional PersulfOx was added to the downgradient portion of the excavation.

These activities were documented in the August 2018 Final Engineering Report for Tecumseh Business Park III Site III-9 (Ref. 11)

Final remedial activities on Sites III-2, III-3, III-4 and III-9 are discussed in Section 2.1, below.

1.3 Compliance

At the time of the annual Site inspection (February 24, 2020), the Site was found to be compliant with the NYSDEC-approved SMP (Ref 2).

1.4 Recommendations

Recommendations discussed in Section 6.0 include:

- Discontinuance of groundwater monitoring on Site III-9 per the SMP.
- Modification of the annual certification reporting requirement for Sites III-2, III-3, III-4 and III-9 from annual to triennial (every three years), with all four sites having identical certification periods.



2.0 SITE OVERVIEW

All remediated properties within the Phase III Business Park are subject to a comprehensive, site wide SMP that identifies requirements for monitoring and maintenance of engineering and institutional controls and procedures for post-remedial excavation and related activities. Specific requirements affecting individual Sites within Phase III Business Park are included as appendices to the comprehensive plan. These appendices are prepared once a Phase III Business Park Site is remediated. Final remedial activities undertaken on each of the Sites covered by this PRR are described below.

2.1 Final Remedial Measures

Benchmark Environmental Engineering & Science, PLLC in association with TurnKey Environmental Restoration, LLC (Benchmark-TurnKey) was retained by Steel Sun 2 LLC (and 1951 Hamburg Turnpike, LLC for Site III-4) to serve as the design-builder and Engineer of Record for the BCP activities with oversight provided by the NYSDEC. Benchmark-TurnKey performed the remedial work on a design-build basis with assistance from Zoladz Construction Company, Inc., the designated remedial subcontractor, in accordance with a NYSDEC-approved Remedial Action Work Plan (Ref. 3). Final remedial measures completed at Sites III-2, III-3, III-4, and III-9 included:

- Clearing, grubbing, and moderately re-grading to prepare the area for cover.
- Placing a demarcation layer beneath the cover system
- Demolition of buildings and treatment equipment remaining at Water Quality Control Station (WQCS) #3 followed by backfilling to grade on Site III-9.
- Constructing and maintaining a cover system to prevent human exposure to remaining contaminated soil/fill. As shown on Figures 4A and 4B, the cover system consists of one foot of Beneficial Use Determination (BUD)-approved aggregate (NYSDEC BUD #555-9-15) as well as sand material from the Tonawanda Terminals Corporation Biotreatment Facility capable of supporting vegetation for areas not covered by asphalt roadways, existing building slabs, and existing active rail and stone bedding. On Site III-3, an additional foot of BUD-approved aggregate (2 feet total) was placed over the area of suspected buried ACM. On Site III-9, asphalt repairs were made as necessary where existing asphalt serves as final cover, and existing active railroad tracks with wooden ties and



stone ballast were left undisturbed as final cover along the western perimeter of the Site.

The remedial program was successful in achieving the remedial objectives for the Site. The Final Engineering Reports (FERs) for Site III-2, III-3, and III-4 were approved in December 2016 (Refs. 12 and 13) and the FER for Site III-9 was approved in October 2018 (Ref. 11). NYSDEC issued COCs for Sites III-2, III-3 and III-4 in December 2016 and for Site III-9 in October 2018.



3.0 REMEDY PERFORMANCE

A post-remedial site inspection involving a walk-over of the Sites covered by this PRR was performed on February 24, 2020 to visually observe and document the use of the Site for commercial/industrial use, confirm absence of Site groundwater use, inspect the integrity of the cover system, and verify conformance with other requirements under the SMP. The Site inspection confirmed that the controls are in-place and functioning as intended in accordance with the SMP.

Appendix A includes the completed IC/EC Certification forms, and Appendix B includes photographs taken during the inspection.



4.0 SITE MANAGEMENT PLAN

A Site-wide SMP was prepared for the Phase III Business Park in July 2015 and approved by NYSDEC. Parcel-specific SMP requirements for Sites III-2, III-3 and III-4 were added by addenda in October 2016 and are presented in SMP Appendices H-2, H-3 and H-4. Parcel-specific SMP requirements for Site III-9 were added by addenda in August 2018 and are presented in SMP Appendix H-9. Key components of the SMP are described below.

4.1 Institutional and Engineering Control (IC/EC) Plan

Since remaining contaminated soil/fill and groundwater exists beneath the Phase III Business Park, institutional and engineering controls are required to protect human health and the environment. The IC/EC Plan describes the procedures for the implementation and management of all IC/ECs on the Sites within the Phase III Business Park.

4.1.1 Institutional Controls

The following institutional controls apply to all Sites within the Phase III Business Park:

- The use and development of the property is restricted to commercial and industrial uses as defined by Part 375-1.8(g), although land use is subject to local zoning laws.
- Groundwater cannot be used as a source of potable or process water, without necessary water quality treatment as determined by the New York State Department of Health (NYSDOH) or County DOH.
- All Sites must comply with the NYSDEC-approved SMP.
- The remedial party or site owner must complete and submit to the NYSDEC a periodic certification of institutional and engineering controls in accordance with Part 375-1.8(h)(3.)
- There are no site-specific institutional control requirements except for the area of suspect buried ACM on Site III-3 where no enclosed structure or building that could provide temporary or permanent human occupancy is allowed.



4.1.2 Engineering Controls

Engineering controls covering Sites within the Phase III Business Park include:

- Cover System: The cover system, including building foundations, concrete sidewalks, concrete or asphalt driveways, parking areas, and landscaped vegetated areas, must be maintained in compliance with the SMP.
- Vapor Barrier (specific to Sites with buildings): A poly vapor barrier must be installed and remain in-place beneath building concrete floor slab.

At the time of the site inspection, the Sites covered by this PRR were compliant with IC/EC requirements.

4.2 Excavation Work Plan

An Excavation Work Plan (EWP) was included in the approved SMP for the Phase III Business Park. The EWP provides guidelines for the management of soil/fill material during any future intrusive actives. Any intrusive work that will penetrate the cover or cap, or encounter or disturb the remaining contamination, including any modifications or repairs to the existing cover system, must be performed in compliance with the EWP and must also be conducted in accordance with a site-specific Health and Safety Plan (HASP) and Community Air Monitoring Plan (CAMP) meeting the minimum requirements of the sample HASP and CAMP included with the SMP.

For Sites III-2, III-3, III-4, and III-9, no intrusive activities requiring management of on-site soil or fill material; placement of backfill materials or disturbance of the cover system occurred during the monitoring period with the exception of the activities described below.

4.2.1 Site III-4 Cover Repair Work

On April 15, 2019, Benchmark performed minor cover repair work for a small non-potable water line (industrial water) installed to service the building on the southern portion of Site III-4. This work was initiated during the prior reporting event and was discussed in the April 2019 PRR. Cover repairs included replacement of subgrade materials beneath the demarcation layer and replacement of previously removed clean oversize slag to restore the



1-foot clean cover layer. Benchmark personnel observed repair activities; due to significant rainfall during the repair work community air monitoring was not performed.

4.2.2 Import for Grounding Grids

In April of 2019, CIR Electrical imported approximately 10 tons of virgin washed 2-inch stone from New Enterprise Wherle Drive Pit for use around the grounding grids on the Steel Sun 2 Sites III-2, III-3, III-4, and III-9. No disturbances were made to the cover system during site activities. Imported material documentation is included in Appendix C.

No other materials were imported or exported from the Site during these activities.

4.3 Annual Inspection and Certification Program

The Annual Inspection and Certification Program outlines requirements for certifying and attesting that the IC/ECs employed on the Sites are unchanged from the original design and/or previous certification. The Annual Certification includes a site inspection and completion of the NYSDEC's IC/EC Certification Form. The Site inspection is intended to verify that the IC/ECs:

- Are in place and effective.
- Are performing as designed.
- That nothing has occurred that would impair the ability of the controls to protect the public health and environment.
- That nothing has occurred that would constitute a violation or failure to comply with any operation and maintenance plan for such controls.
- Access is available to the Site to evaluate continued maintenance of such controls.

Inspection of Sites III-2, III-3, III-4, and III-9 was conducted by Mr. Thomas Forbes, P.E. of Benchmark on February 24, 2020. Mr. Forbes is a licensed and registered NY State Professional Engineer and meets the requirements of a Qualified Environmental Professional (QEP) per 6NYCRR Part 375.12. At the time of the inspection, Sites III-2, III-3, III-4, and III-9 were unoccupied and in service as photovoltaic (solar) power generating facilities. No observable indication of intrusive activities was noted during the Site inspection.



Appendix A includes the completed Site Management PRR Notice – Institutional and Engineering Controls Certification Forms. Appendix B includes a PRR photo log.

4.4 Operation, Monitoring and Maintenance Plan

The remedy for Sites III-2, III-3, III-4, and III-9 does not rely on any mechanical systems such as sub-slab depressurization or soil vapor extraction, to protect public health and the environment. Therefore, an Operation and Maintenance Plan is not required.



5.0 GROUNDWATER MONITORING

Appendices H-2 and H-4 of the SMP, pertaining to Sites III-2, and III-4, required groundwater monitoring at wells MWS-04, MWS-31A, MWS-34A, MWS-35A on an annual basis for a period of approximately two years. Appendix H-9 of the SMP, pertaining to Site III-9, requires groundwater monitoring at wells MWN-56A and MWN-57A on an annual basis for a period of approximately two years, after which the need for continued monitoring or a revision to the monitoring program will be discussed with the NYSDEC. There are no wells on Site III-3.

Two years of monitoring were completed for Sites III-2 and III-4, and groundwater monitoring results from the November 2018 monitoring event were below their respective Class GA GWQS or non-detect with the exception of elevated pH at two of the monitoring locations. Discontinuation of groundwater monitoring for Sites III-2 and III-4 was approved by the NYSDEC July 2019.

Benchmark-TurnKey personnel performed two annual post-remedial groundwater monitoring events on Site III-9 (wells MWN-56A and MWN-57A) on November 5, 2018 and January 29, 2020. It was noted during the January 2020 event that that the riser at monitoring well MWN-56A was bent, but the well was able to be sampled via peristaltic pump.

Groundwater was analyzed for VOCs, SVOCs (base neutrals only), site-specific metals (i.e., arsenic, chromium, lead, and mercury), and field parameters (i.e., pH, temperature, specific conductance, turbidity, dissolved oxygen, and oxidation-reduction potential).

Appendix D includes the analytical data packages and field data sheets. Table 1 summarizes the post COC groundwater monitoring results completed in accordance with the SMP (November 2018, and January 2020), along with groundwater data collected in February 2016, November 2017 and January 2009 (i.e., during the RI), and provides a comparison to GWQS/GVs as well as historic data at upgradient well MW-12A. The majority of the November 2018 and January 2020 results were reported as non-detect, and all detections were reported at concentrations well below GWQS/GVs with the exception of slight pH excursions at wells MWN-56A and MWN-57A, and a few polyaromatic hydrocarbon (PAH) compounds at MWN-57A during the November 2018 event. However,



all reported PAH detections were within an order of magnitude of the standard and all were non-detect in the January 2020 sampling event.



6.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions and recommendations are as follows:

• At the time of the Site inspection, Sites III-2, III-3, III-4, and III-9 were in compliance with the SMP.

The following modifications are recommended for the Site:

- Discontinuance of groundwater monitoring on Site III-9 per the SMP. Two post-remedial monitoring events are complete and groundwater analytical results from the January 2020 monitoring event were below their respective Class GA GWQS or non-detect with the exception of slight pH excursions.
- Modification of the annual certification reporting requirement for Sites III-2, III-3, III-4 and III-9 from annual to triennial (every three years) based upon conformance with SMP requirements and the infrequent nature of disruptive activity on these sites. We further request that the all four sites have identical certification periods.

No other modifications of the SMP are recommended at this time.

17



7.0 DECLARATION/LIMITATION

This PRR has been prepared for the exclusive use of Steel Sun 2 LLC. The contents of this PRR are limited to information available at the time of the Site inspection. The findings herein may be relied upon only at the discretion of Steel Sun 2 LLC. Use of or reliance upon this PRR or its findings by any other person or entity is prohibited without written permission of Benchmark Environmental Engineering & Science, PLLC.



8.0 REFERENCES

- 1. New York State Department of Environmental Conservation. DER-10/ Technical Guidance for Site Investigation and Remediation. May 3, 2013.
- 2. TurnKey Environmental Restoration, LLC. Site Management Plan for Tecumseh Phase III Business Park. Revised July 2015.
- 3. Benchmark Environmental Engineering & Science, PLLC. Remedial Action Work Plan, Steel Sun 2 Site, Lackawanna, New York, BCP Site Nos. C915199B, C915199C, C915199D, & C915199I. August 2015.
- 4. TurnKey Environmental Restoration, LLC. Remedial Investigation/Alternatives Analysis Report (RI/AAR) Work Plan for Phase III Business Park Area, Lackawanna, New York. May 2008.
- 5. TurnKey Environmental Restoration, LLC. Remedial Investigation/Alternatives Analysis Report for Phase III Business Park, Lackawanna, New York. Revised July 2012.
- 6. TurnKey Environmental Restoration, LLC and Benchmark Environmental Engineering & Science, PLLC. Interim Remedial Measures (IRM) Work Plan, Phase III Business Park, Sub-Parcels III-4, III-6 and III-10, Lackawanna, New York, BCP Site Nos. 915199D, C915199F, and C915199J. July 2013.
- 7. TurnKey Environmental Restoration, LLC and Benchmark Environmental Engineering & Science, PLLC. Construction Completion Report, Metal-Impacted Hotspots, Business Park Sub-parcels III-4, III-6 & III-10, Lackawanna, New York, BCP Sites C915199D, C915199F & C915199J. January 2014.
- 8. TurnKey Environmental Restoration, LLC., in association with Benchmark Environmental Engineering & Science, PLLC Interim Remedial Measures (IRM) Work Plan for Former Coke Oven Gas Lines, Business Parks II & III Tecumseh Redevelopment Site, Lackawanna, New York. April 2014.
- 9. TurnKey Environmental Restoration, LLC in association with Benchmark Environmental Engineering & Science, PLLC. Construction Completion Report, BCP Business Parks II & III, Decommissioning of Former Coke Oven Gas Lines, Tecumseh Redevelopment Site, Lackawanna, New York. July 2016.
- 10. Benchmark Environmental Engineering & Science, PLLC. Addendum to May 2016 Remedial Design/Remedial Action Work Plan, Tecumseh Phase III-10 Business Park Site No. C915199J, Lackawanna, New York. April 2018.
- 11. Benchmark Environmental Engineering & Science, PLLC. Final Engineering Report, Tecumseh Phase III Business Park Sites III-9 Site No. C915199I, Lackawanna, New York. August 2018.



- 12. Benchmark Environmental Engineering & Science, PLLC. Final Engineering Report, Tecumseh Phase III Business Park Sites III-2 & III-3, NYSDEC Site Nos. C915199B/C915199C, Lackawanna, New York. November 2016.
- 13. Benchmark Environmental Engineering & Science, PLLC. Final Engineering Report, Tecumseh Phase III Business Park Site III-4, NYSDEC Site No. C915199D, Lackawanna, New York. November 2016.


20



FIGURES



FIGURE 1



PROPERTY OF BENCHMARK EES, PLLC. IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND AS SUCH IS SUBJECT TO RECALL AT ANY TIME. INFORMATION CONTAINED HEREON IS NOT TO BE DISCLOSED OR REPRODUCED IN ANY FORM FOR THE BENEFIT OF PARTIES OTHER THAN NECESSARY SUBCONTRACTORS & SUPPLIERS WITHOUT THE WRITTEN CONSENT OF BENCHMARK EES, PLLC.

BENCHMARK

₹**a**

JOB NO.: 0351-018-004

TECUMSEH PHASE III BUSINESS PARK SITES III-2, III-3, III-4, & III-9 LACKAWANNA, NY PERIODIC REVIEW REPORT PREPARED FOR STEEL SUN 2, LLC

FIGURE 3A

III-4 ∞ **III-3**, **III-2**, ဟ SITE FOR SYSTEM COVER WIDE Ш

BENCHMARK

JOB NO.: 0351-018-004

PERIODIC REVIEW REPORT TECUMSEH PHASE III BUSINESS SITES III-2, III-3, III-4, & III-9 LACKAWANNA, NY PARED FOR SUN 2, PREP STEEL

FIGURE 4A

TABLE





TABLE 1

SUMMARY OF GROUNDWATER ANALYTICAL RESULTS

PERIODIC REVIEW REPORT

Tecumseh Phase III Business Park: Site III-9 Lackawanna, New York

| Parameter ¹ | | N-56A 4/09 | MWN 2/24/ | | MWN 11/29 | | MWN 11/5/ | | MWN | I-56A 2020 | MWN 1/14 | | MWN 2/29/ | | MWN 11/30 | | | N-57A /2018 | MWN 1/29/ | | MW- | | MW- | -12A 3/16 | | -12A /2017 | GWQS ³ |
|--|----------------|---------------|--------------|------------|--------------|----------|--------------|-----------|------------------|---------------|--------------|----------|------------------------|-------|--------------|----------|-----------------|----------------|--------------|----------|----------|----------|----------|--------------|----------|---------------|-------------------|
| | 1/1 | 4/05 | 2/24/ | 2010 | 11/25 | 12011 | 11/3/ | 2010 | 1/23/ | | -III-9 | +/03 | 21231 | 2010 | 11/30 | 12011 | 11/3/ | 2010 | 1/25/ | 2020 | 3/1 | 700 | | adient | 11/23 | 72017 | |
| Field Measurements 4: | | | | | | | | | | | 0 | | | | | | | | | | | | opg. c | actionic . | | | |
| Sample No. | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | Initial | Final | |
| pH (units) | 8.14 | 8.13 | 8.71 | 8.76 | 7.00 | 7.08 | 8.94 | 8.91 | 7.2 | 8.94 | 7.25 | 7.31 | 7.23 | 7.30 | 7.48 | 7.50 | 7.17 | 7.29 | 6.03 | 6.87 | 9.69 | 9.46 | 8.84 | 8.89 | 8.27 | 8.36 | 6.5 - 8.5 |
| Temperature (°C) | 10.6 | 10.6 | 11.3 | 11.0 | 10.5 | 10.7 | 14.1 | 14.2 | 7.1 | 8.7 | 10.3 | 10.8 | 9.6 | 9.0 | 12.8 | 12.3 | 13.9 | 13.9 | 7.2 | 8.4 | 7.7 | 5.6 | 9.2 | 9.1 | 12.3 | 11.5 | NA |
| Sp. Conductance (mS) | 18610 | 18520 | 28440 | 28530 | 983.2 | 907.1 | 19650 | 19660 | 6302 | 15 | 4192 | 4010 | 5552 | 5589 | 6854 | 6713 | 9490 | 9490 | 6823 | 5864 | 507.2 | 482.7 | 385.2 | 394.3 | 457.7 | 466.8 | NA |
| Turbidity (NTU) | 11.2 | 8.1 | 1.65 | 1.81 | 6.72 | 4.20 | 3.68 | 2.59 | 11.20 | 0.71 | 34.1 | 22.8 | 35.2 | 11.3 | 5.6 | 6.1 | 15.7 | 11.9 | 94.9 | 16.9 | 15.7 | 21.4 | 16.4 | 8.88 | 9.9 | 46.8 | NA |
| DO (ppm) | 1.21 | 1.10 | 2.50 | 2.09 | 2.59 | 3.30 | 1.41 | 1.47 | 7.04 | 3.05 | 1.78 | 1.40 | 1.80 | 1.83 | 1.17 | 1.34 | 1.09 | 1.02 | 5.93 | 5.56 | | | 2.90 | 3.09 | 1.83 | 2.00 | NA |
| Eh (mV) | -182 | -173 | -67 | -70 | -132 | -144 | -206 | -205 | -36 | -144 | -105 | -109 | -109 | -112 | -183 | -182 | -179 | -178 | -41 | -56 | -79 | -79 | -50 | -38 | -155 | -158 | NA |
| Metals (mg/L): 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aluminum - Total | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Arsenic - Total | | ID | 0. | 1 O | N | - - | 0.00 | J39 J | | ID | N | ID | N 0. | | N | | 0.00 | J101 | N | | N 8 | | 0.0 | | ND | | 0.025 |
| Barium - Total Calcium - Total | | - | | - | | - | | _ | | | | | U. | .4 | - | | | - | | | 57, | | 0.0 | | | - | 1 |
| Chromium Hexavalent | | | | -)55 J | | | | _ | | | 1 | | N | D | | | _ | - | | | 57, | | N | | | | 0.05 |
| Chromium - Total | | ID | | ID | N | | N | | | ID | | ID | N | | 0.00 | - | 0.00 | | | D | N | | N | | | ID . | 0.05 |
| Copper - Total | | | | ID ID | IN - | | _ | - | | | - 1 | | 0.00 | | 0.00 | | | | | | N N | | N | | | | 0.05 |
| Iron - Total | | | | - | | | | | | | | | 0.00 | | | | | - | | <u> </u> | 24 | | - 18 | | | - | 0.2 |
| Lead - Total | N | ND. | N | ID | N | | N | D | N | ID | 0.0 | 054 | N | D | N | D | 0.00 | 0124 | N | D | N | | N | D | 0.015 | | 0.025 |
| Magnesium - Total | | | | - | | - | | - | | - | | - | - | | - | | | - | | | 2,2 | | - | | | - | 35* |
| Manganese - Total | | | 0 | .3 | | - | | - | | | - | | 1 | | - | - | | | | | 74 | | 1 | В | | - | 0.3 |
| Mercury | ١ | ND ND | | | N | ID | N | D | N | ID | N | ID | | ND ND | | N | ID | N | D | N | | N | | N | ID | 0.7 | |
| Nickel - Total | | | N | ID | | | | - | | | - | - | N | D | - | - | | | - | - | N | ID | N | ID | | - | 0.1 |
| Potassium - Total | | | - | - | | | - | | | - | - | - | - | - | - | | | - | - | 7,3 | | | | | - | | |
| Sodium - Total | Sodium - Total | | | - | | | | - | | - | | | - | | - | | | | | - | 44, | | | | | | 20 |
| Vanadium - Total | | | | - | - | | | - | | - | | | - | | | | | - | N | | | | | | | | |
| Zinc - Total | | | | ID | - | | | - | | | | _ | 0.002 | | - | | | | | | N | | N | | | - | 2* |
| Cyanide - Total | | | 0.0 |)58 | - | - | | - | | | | - | N | D | - | - | | | _ | | N | D | N | D | | - | 0.2 |
| Volatile Organic Compounds | (ug/L) |): | | ID. | | <u> </u> | | | | ID. | 1 . | | | | | <u> </u> | | ID. | | | _ | | | <u> </u> | | ID. | |
| Acetone 1,2,4-Trichlorobenzene | | | | ID | N | | N | | | ID | | | N N | | N | | | ID | | D | 3 | | N | | | ID | 50* 5 |
| Benzene | | 54 J | ND ND | | | ND ND | | | ND ND 0.045 J | | | ND ND | | ND ND | | | 1.9 J ND | | ND ND | | ND ND | | 1 | | | | |
| Carbon Disulfide | | | 0.8 | | N | | N | | | ID | 0.045 J | | ND ND | | ND ND | | ND ND | | ND ND | | | | ND | | ND ND | | |
| Methylene Chloride | | | ND ND | | ND ND | | | ND | | | 3 JB ND | | | ID ND | | | _ | | ND | | ND ND | | 5 | | | | |
| Methyl tert-butyl ether | N | 1D | ND | | ND ND | | | ND 0.15 J | | | ND ND | | | ND ND | | ND | | ND | | ND | | 10 | | | | | |
| Toluene | N | 1D | | ND | | ID | ND ND | | ID | ND | | | | ND ND | | ID | ND | | ND | | N | ID | N | ID | 5 | | |
| Xylenes, Total | N | ID. | N | ID | N | ID | N | D | N | ID | N | ID | N | D | 1.2 | | 0.7 | 72 J | N | D | N | ID | N | ID | N | ID | 5 |
| Semi-Volatile Organic Comp | ounds (| (ug/L): | | | | | | | | | | | | | | | | | | | | | | | | | · |
| 4-Nitroaniline | N | ND. | N | ID | N | ID | N | D | N | ID | N | ID | N | D | N | ID | N | ID | N | D | N | ID | N | ID | N | ID | |
| Acenaphthene | | ND ND | | | ND ND | | ND 1.6 J | | 1.6 J 1.7 J | | 1.4 1.2 J | | | ND | | ND | | ND | | 20 | | | | | | | |
| Acenaphthylene | ND | | | ID | N | | ND | | ND ND | | | ND | | ND | | 0.17 ND | | | | ND | | | ID | - | | | |
| Acetophenone | | ID. | | ID | N | | N | | | ID | | ID | ND | | ND | | ND ND | | ND | | ND | | | ID | | | |
| Anthracene | | 1D 1D | | O O | | ND ND | | ND ND | | | ND ND | | 0.08 J ND ND | | ND ND | | ND ND | | ND | | 50 | | | | | | |
| Benzaldehyde Benzo(a)anthracene | | ND ND | | 0 0 | N N | | | ND ND | | | ND ND | | ND ND | | ND ND | | 0.02 J | | ND ND | | ND ND | | ND ND | | ND | | 0.002* |
| | | ND | | ID ID | N N | | N N | | | | | | | | ND ND | | ND ND | | | ND ND | | ND ND | | ND ND | | 0.002* | |
| Benzo(a)pyrene Benzo(b)fluoranthene | | ND | | ID ID | N | | N | | ND ND | | | ND ND ND | | | 0.02 J ND | | | ND ND | | ND ND | | ND ND | | 0.002* | | | |
| Benzo(k)fluoranthene | | ND | | ID | | D D | N N | | | ID | | ID . | N | | N | | 0.0 | | N | | ND ND | | ND ND | | ND ND | | 0.002 |
| Benzo(ghi)perylene | | ND | ND ND | | | N. | | ND ND | | ND ND | | ND ND | | | ND ND | | ND ND | | | ND | | ND | | ND ND | | | |
| Bis(2-ethylhexyl) phthalate | | 1D | ND ND | | | | ND ND | | | ND | | N | | N | | | ID | ND | | ND | | ND | | ND | | 5 | |
| Carbazole | | 1D | ND ND | | | N | | | ID | ND | | N | | | ND ND | | | ND | | ND | | ND | | ND | | | |
| Chrysene | | 1D | | ID | N | | N | | | ID | N | | N | | N | | 0.0 | | ND | | ND | | ND | | ND | | 0.002 |
| Dibenzofuran | | | | ID | | ND ND | | | ND ND | | | ND ND | | ND ND | | | ND | | ND | | ND | | - | | | | |
| Diethyl phthalate | | ND ND ND | | | N | | | | | ID | ND | | ND | | ND | | ND | | ND | | ND | | ND | | 50* | | |
| Di-n-butyl phthalate | | 9 BJ | | 5 O | N | | N | | ND 0.4 BJ | | | | ND ND 0.43 J 0.47 J | | ND ND | | | ND | | ND | | ND ND | | 50* | | | |
| Fluoranthene Fluorene | | 1D | | ID ID | N N | | N N | | ND ND | | 0.68 J ND | | 0.4 | | 0.47 J ND | | 0.37 | | ND ND | | ND ND | | ND ND | | | ID ID | 50* 50* |
| Indeno(1,2,3-cd)pyrene | | ND | | ID ID | N N | | N N | | | ID | | ID ID | 0.3 N | | N N | | 0.1 J 0.01 J | | ND ND | | N N | | ND ND | | | | 0.002* |
| Naphthalene | | ND | | ID ID | N N | | N N | | | ID | 0.3 | | N N | | N N | | | .2 | | D | N N | | ND ND | | ND ND | | 10* |
| Phenanthrene | | ID | | ID | N | | N | | | ID | | 61 J | N | | N | | | 1 J | | D | N | | N | | | ID | 50* |
| | | | | - | | | | | | | - | | | | | | | _ | | - | | | | | | - | 1** |
| Phenol | | | - | - | - | - | - | - | | - | | - | - | - | - | - | | | - | | | | | - | | - | |

- Notes:

 1. Only those compounds detected above the method detection limit at a minimum of one sample location are reported in this table.

 3. NYSDEC Class "GA" Groundwater Quality Standards (GWQS) per 6NYCRR Part 703.

 4. Field measurements were collected immediately before and after groundwater sample collection.

 5. COPC metals include areasine, barruin, reprillytim, cadmium, ruit act incrimium, hoswarient chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc.

- Acronyms:

 J = Estimated Value
 B = Analyte was present in the blank.
 N) = Parameter was not detected above laboratory reporting limit and is reported herein as not detected (ND).
 NA = Not applicable.
 "" = The Guidance Value was used where a Standard has not been established.
 "" = The general standard of 1.0 ug/L for phenolic compounds was used.
 "" = LCS or LCSb is outside acceptance limits.

APPENDIX A

INSTITUTIONAL & ENGINEERING CONTROLS CERTIFICATION FORMS



APPENDIX A1

SITE III-2





Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Site Management Periodic Review Report Notice Institutional and Engineering Controls Certification Form



| Sit | te No. | Site Details e No. C915199B | | | | | | | | | |
|---|--|---|--------------|---------------------------|-----------|--------------|--------------|--|--|--|--|
| Sit | te Name Sit | | | | | | | | | | |
| Cit Co | e Address: :y/Town: La bunty:Erie e Acreage: | | Zip Code | e: 14218 | | | | | | | |
| Re | porting Perio | od: March 15, 2019 to March | n 15, 2020 | | | | | | | | |
| _ | The second secon | 2019, Tecumseh Redev a Solar Land, LLC. | elopmen | t sold Site III-2 to | | YES | NO | | | | |
| 1. | Is the infor | mation above correct? | | | | \checkmark | | | | | |
| | If NO, inclu | ide handwritten above or on | a separate | e sheet. | | | | | | | |
| ¥ _{2.} | Has some tax map ar | ergone a | \checkmark | | | | | | | | |
| 3. | Has there I (see 6NYC | | | \checkmark | | | | | | | |
| 4. | Have any f | n issued | | \checkmark | | | | | | | |
| | | wered YES to questions 2 to mentation has been previous | | | | | | | | | |
| 5. | Is the site of | currently undergoing develop | ment? | See Appendix A5 | | | \checkmark | | | | |
| | | | | | | | | | | | |
| | | | | | | Box 2 | | | | | |
| | | | | | | YES | NO | | | | |
| 6. | | ent site use consistent with thal and Industrial | ne use(s) li | sted below? | | \checkmark | | | | | |
| 7. | Are all ICs | ECs in place and functioning | g as desigr | ned? | | \checkmark | | | | | |
| IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. | | | | | | | | | | | |
| Α (| Corrective M | leasures Work Plan must be | submitted | d along with this form to | address t | these iss | ues. | | | | |
| Sig | gnature of Ow | vner, Remedial Party or Desig | nated Repr | esentative | Date | | | | | | |

| | | | Box 2A |
|---------|--|--|----------------|
| | | | YES NO |
| 8. | - | ion revealed that assumptions made in the Qualitative Exposure g offsite contamination are no longer valid? | |
| | - | to question 8, include documentation or evidence has been previously submitted with this certification form. | |
| 9. | • | n the Qualitative Exposure Assessment still valid? sure Assessment must be certified every five years) | |
| | | to question 9, the Periodic Review Report must include an Exposure Assessment based on the new assumptions. | |
| SITE | NO. C915199B | | Box 3 |
| ı | Description of Institut | ional Controls | |
| Parce | - | Owner Institutional Con | trol |
| | | Tecumseh Redevelopment Inc. Ground Water U | so Postriction |
| 150.0 | 07-1-2 | Lackawanna Solar Land, LLC Soil Managemer | |
| | | Landuse Restric | tion |
| | | Monitoring Plan Site Managemer IC/EC Plan | nt Plan |
| Institu | tional Control Descripti | on: | |
| Adhe | rence to Site Managem | nent Plan (SMP) | |
| Restr | iction to commercial re- | -use | |
| | bition of groundwater u ance for Departmental | | |
| | ires a Periodic Review | | |
| | | | Box 4 |
| ı | Description of Engine | ering Controls | |
| Parce | | Engineering Control | |
| | 1-1-50 150.07-1-2 | Course Cuelons | |
| Engin | eering Control Descript | Cover System ion: | |

Soil cover over 5 acres

| Box | 5 |
|-----|---|
|-----|---|

| | Periodic Review Report (PRR) Certification Statements |
|----|--|
| 1. | I certify by checking "YES" below that: |
| | a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification; |
| | b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete. YES NO |
| 2. | If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true: |
| | (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department; |
| | (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment; |
| | (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control; |
| | (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and |
| | (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document. |
| | YES NO |
| | |
| | IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. |
| | A Corrective Measures Work Plan must be submitted along with this form to address these issues. |
| | Signature of Owner, Remedial Party or Designated Representative Date |

IC CERTIFICATIONS SITE NO. C915199B

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false Penal Law.

statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Steel Sun 2 LLC, 400 Market Industrial Park, Suite 32 Wappingers Falls, NY 12590 Timothy M. Ryan print name print business address am certifying as Remedial Party (Owner or Remedial Party) for the Site named in the Site Details Section of this form. March 13, 2020 Signature of Owner, Remedial Party, or Designated Representative Date Rendering Certification

IC/EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Benchmark Environmental Engineering & Science, PLLC Thomas H. Forbes, P.E. 2558 Hamburg Turnpike, Buffalo, NY 14218 print business address print name am certifying as a Qualified Environmental Professional for the Remedial Party

(Owner or Remedial Party)

Signature of Qualified Environmental Professional, for the Owner or Remedial Party, Rendering Certification

Date

APPENDIX A2

SITE III-3





Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Site Management Periodic Review Report Notice



Institutional and Engineering Controls Certification Form

| Site | e No. | C915199C | | Site Details | | Box 1 | |
|---------------------|--|---|---------------|---|--|--------------|--------------|
| Site | e Name Si | ite III-3 Tecumsel | n Phase III | Business Park | | | |
| City Cor Site | y/Town: La unty: Erie e Acreage: | | Marc | Zip Code: 14218 ch 15, 2020 1, 2020 | | | |
| | | | | | | YES | NO |
| 1. | Is the info | rmation above co | rect? | | | \checkmark | |
| | If NO, incl | ude handwritten a | bove or on | a separate sheet. | | | |
| 2. | | or all of the site p mendment during | | | merged, or undergone a | | \checkmark |
| 3. | | been any change CRR 375-1.11(d)) | | ne site during this Re | eporting Period | | \checkmark |
| 4. | | federal, state, and ne property during | | | , discharge) been issued | | \checkmark |
| | | | | | umentation or evidence h this certification form | | |
| 5. | Is the site | currently undergo | ing develop | oment? | | | \checkmark |
| | | | | | | Box 2 | <u>.</u> |
| | | | | | | YES | NO |
| 6. | | ent site use consi ial and Industrial | stent with th | ne use(s) listed belo | w? | \checkmark | |
| 7. | Are all ICs | s/ECs in place and | l functionin | g as designed? | | \checkmark | |
| | IF T | | | | NO, sign and date below a | and | |
| A C | Corrective M | Measures Work Pl | an must be | submitted along w | ith this form to address t | hese is: | sues. |
| Sig | inature of O | wner Remedial Pa | rty or Desig | nated Representative | | | |

| | | | | Box 2A |
|----------------------------------|--|---|---|------------|
| 8. | _ | ion revealed that assumptions ma g offsite contamination are no long | • | YES NO □ ✓ |
| | | to question 8, include docume has been previously submitted | | |
| 9. | | n the Qualitative Exposure Asses sure Assessment must be certifie | | |
| | | to question 9, the Periodic Rev Exposure Assessment based o | | |
| SITE | NO. C915199C | | | Box 3 |
| ı | Description of Institut | ional Controls | | |
| Parce | <u>.l</u> | Owner | Institutional Contro | <u>ol</u> |
| 141.1 | 1-1-50 | Tecumseh Redevelopment Inc. | | |
| | | | Ground Water Use Soil Management Landuse Restrictio Monitoring Plan Site Management IC/EC Plan | Plan on |
| Institu | itional Control Descripti | on: | Building Use Rest | riction |
| Restr Prohi Build Allow | rence to Site Managementation to commercial restition of groundwater using prohibition on specionance for Departmental tires a Periodic Review | -use se fied portion of Controlled Propert access | y | |
| | | | | Box 4 |
| ı | Description of Engine | ering Controls | | |
| Parce | | Engineering Control | | |
| | 1-1-50 | Cover System | | |
| Engin | eering Control Desription | _ | | |

Soil cover over 5 acres

| Box | 5 |
|-----|---|
|-----|---|

| | Periodic Review Report (PRR) Certification Statements |
|----|--|
| 1. | I certify by checking "YES" below that: |
| | a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification; |
| | b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete. |
| | YES NO |
| | |
| 2. | If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true: |
| | (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department; |
| | (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment; |
| | (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control; |
| | (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and |
| | (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document. |
| | YES NO |
| | |
| | IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. |
| | A Corrective Measures Work Plan must be submitted along with this form to address these issues. |
| | |
| | Signature of Owner, Remedial Party or Designated Representative Date |
| | |

IC CERTIFICATIONS SITE NO. C915199C

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Steel Sun 2 LLC, 400 Market Street Industrial Park,

| Tonar Law. | Steel Sun 2 LLC, 400 Market Street Industrial Park | | |
|--|--|---------------------------|--|
| Timothy M. Ryan | Suite 32, Wappingers | Falls, NY 12590 | |
| print name | print business add | dress | |
| am certifying as Remedial Party | | (Owner or Remedial Party) | |
| for the Site named in the Site Details S | Section of this form. | | |
| the | | March 13, 2020 | |
| Signature of Owner, Remedial Party, of | or Designated Representative | Date | |
| Rendering Certification | | | |

IC/EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Benchmark Environmental Engineering & Science, PLLC at _____2558 Hamburg Turnpike, Buffalo, NY 14218 Thomas H. Forbes, P.E. print business address am certifying as a Professional Engineer for the Remedial Party

(Owner or Remedial Party)

Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification

APPENDIX A3

SITE III-4





Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION Site Management Periodic Review Report Notice Institutional and Engineering Controls Certification Form



| | Ci+ | e No. | C915199D | Site Detai | ls | | Box 1 | |
|--------|-------------|--|--|--------------|----------------------|------------------|--------------|--------------|
| | Site | e NO. | C313133D | | | | | |
| | Site | e Name Sit | e III-4 Tecumseh Phase III | Business | Park | | | |
| | City Cou | e Address: 2 y/Town: Lac unty:Erie e Acreage: | | Zip Code | : 14218 | | | |
| | Rep | porting Perio | od: March 15, 2019 to Marc | ch 15, 2020 | | | | |
| Γ | _ | • | 9, Tecumseh Redevelo urnpike, LLC. | pment so | ld Site III-4 to 1 | 951 | YES | NO |
| | 1. | Is the inform | mation above correct? | | | | \checkmark | |
| | | If NO, inclu | de handwritten above or on | ı a separate | sheet. | | | |
| Ψ | 2. | | or all of the site property be nendment during this Repor | | | or undergone a | √ | |
| | 3. | | peen any change of use at t RR 375-1.11(d))? | he site duri | ng this Reporting F | Period | | \checkmark |
| | 4. | | ederal, state, and/or local po e property during this Repor | | | ge) been issued | | \checkmark |
| | | | wered YES to questions 2 nentation has been previo | ously subm | itted with this ce | rtification form | | |
| | 5. | Is the site of | currently undergoing develo | pment? | See Appendix | A5 | | \checkmark |
| | | | | | | | | |
| | | | | | | | Box 2 | |
| | | | | | | | YES | NO |
| | 6. | | ent site use consistent with t al and Industrial | he use(s) li | sted below? | | \checkmark | |
| | 7. | Are all ICs/ | ECs in place and functionin | ig as desigr | ed? | | \checkmark | |
| | | IF TH | HE ANSWER TO EITHER QU DO NOT COMPLETE THE | | _ | | and | |
| | A C | Corrective M | easures Work Plan must be | e submitted | l along with this fo | orm to address t | hese iss | ues. |
| | Siai | nature of Ow | ner, Remedial Party or Desig | nated Repr | esentative | Date | | |

| | | | | Box 2 | A |
|-------------------------|---|--|--|--------------|--------------|
| | | | | YES | NO |
| 8. | Has any new information reveale Assessment regarding offsite con | d that assumptions made in the Qu tamination are no longer valid? | alitative Exposure | | \checkmark |
| | - | on 8, include documentation or every reviously submitted with this ce | | | |
| 9. | • | ative Exposure Assessment still va sment must be certified every five y | | \checkmark | |
| | | n 9, the Periodic Review Report n Assessment based on the new as | | | |
| SITE | NO. C915199D | | | Box | (3 |
| ı | Description of Institutional Cont | rols | | | |
| Parce | | | Institutional Contro | <u>l</u> | |
| | 19-1-1 | rg Turnpike, LLC | Ground Water Use Soil Management F Landuse Restriction Monitoring Plan Site Management F IC/EC Plan | Plan n | tion |
| Institu | tional Control Description: | | | | |
| Restr Prohi Allow | rence to Site Management Plan (S iction to commercial re-use bition of groundwater use ance for Departmental access ires a Periodic Review and Report | · | | | |
| | | | | Вох | (4 |
| ı | Description of Engineering Cont | rols | | | |
| Parce | | Engineering Control | | | |
| | 1-1-50 141.19-1-1 | | | | |
| Engin | eering Control Desription: | Cover System | | | |

Soil cover over 5 acres

| Box | 5 |
|-----|---|
|-----|---|

| | Periodic Review Report (PRR) Certification Statements |
|----|--|
| 1. | I certify by checking "YES" below that: |
| | a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification; |
| | b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete. |
| | YES NO |
| | |
| 2. | If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true: |
| | (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department; |
| | (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment; |
| | (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control; |
| | (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and |
| | (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document. |
| | YES NO |
| | |
| | IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. |
| | A Corrective Measures Work Plan must be submitted along with this form to address these issues. |
| | Cignature of Owner Demodial Darty or Designated Depresentative |
| | Signature of Owner, Remedial Party or Designated Representative Date |
| | |

IC CERTIFICATIONS SITE NO. C915199D

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law. Steel Sun 2 LLC, 400 Market Industrial Park, Suite 32 Wappingers Falls, NY 12590 Timothy M. Ryan print name print business address am certifying as Remedial Party (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party, or Designated Representative Rendering Certification

Date

March 13, 2020

IC/EC CERTIFICATIONS

Box 7

Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Benchmark Environmental Engineering & Science, PLLC Thomas H. Forbes, P.E. at 2558 Hamburg Turnpike, Buffalo, NY 14218 print name print business address am certifying as a for the Remedial Party

Signature of , for the Owner or Remedial Party, Rendering Certification

or Remedial Party)

APPENDIX A4

SITE III-9





Enclosure 2 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION **Site Management Periodic Review Report Notice**



Institutional and Engineering Controls Certification Form

| Sit | e No. | Site Details | | Box 1 |
|---|---|---------------------|--------------------------|------------------|
| | | Dunimana Davis | | |
| Sit | e Name Site III-9 Tecumseh Phase III | Business Park | | |
| Cit Co | e Address: 2303 Hamburg Turnpike y/Town: Lackawanna unty: Erie e Acreage: 13.970 | Zip Code: 1421 | 8 | |
| Re | porting Period: October 16, 2018 to Feb | oruary 16, 2020 | | |
| Ir | n May 2019, Tecumseh Redevelo olar Land, LLC. | | e III-9 to Lackawann | YES NO |
| 1. | Is the information above correct? | | | |
| | If NO, include handwritten above or on | a separate sheet | t. | |
| ¥ _{2.} | Has some or all of the site property because map amendment during this Report | | ed, merged, or undergone | e a |
| 3. | Has there been any change of use at the (see 6NYCRR 375-1.11(d))? | ne site during this | Reporting Period | |
| 4. | Have any federal, state, and/or local perfor or at the property during this Report | | ng, discharge) been issu | ed 🗸 |
| | If you answered YES to questions 2 that documentation has been previous | | | |
| 5. | Is the site currently undergoing develop | oment? See | Appendix A5 | |
| | | | | |
| | | | | Box 2 |
| | | | | YES NO |
| 6. | Is the current site use consistent with the Commercial and Industrial | ne use(s) listed be | elow? | |
| 7. | Are all ICs/ECs in place and functioning | g as designed? | | |
| IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. | | | | |
| A | Corrective Measures Work Plan must be | submitted along | with this form to addres | ss these issues. |
| | | | | |
| Sig | nature of Owner, Remedial Party or Desig | nated Representa | tive — Dat | e |

Box 2A YES NO 8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid? If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form. 9. Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years) If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions. **SITE NO. C9151991** Box 3 **Description of Institutional Controls** Parcel Owner Institutional Control 141.11-1-1.111 Tecumseh Redevlopment Inc. Ground Water Use Restriction Lackawanna Solar Land LLC Soil Management Plan 141.15-1-3 Landuse Restriction Monitoring Plan Site Management Plan IC/EC Plan Institutional Control Description: Adherence to Site Management Plan (SMP) Restriction to commercial re-use Prohibition of groundwater use Allowance for Departmental access Requires a Periodic Review and Report Box 4 **Description of Engineering Controls Engineering Control** Parcel 141.11-1-1.111 |141.15-1-3 Cover System Engineering Control Desription:

Beneficial Use Determination (BUD) cover over 5 acres

| Box | 5 |
|-----|---|
|-----|---|

| | Periodic Review Report (PRR) Certification Statements |
|----|--|
| 1. | I certify by checking "YES" below that: |
| | a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification; |
| | b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete. YES NO |
| | |
| 2. | If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true: |
| | (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department; |
| | (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment; |
| | (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control; |
| | (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and |
| | (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document. |
| | YES NO |
| | |
| | IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue. |
| | A Corrective Measures Work Plan must be submitted along with this form to address these issues. |
| | |
| | Signature of Owner, Remedial Party or Designated Representative Date |
| | |

IC CERTIFICATIONS SITE NO. C9151991

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

IC/EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is

punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law. Benchmark Environmental Engineering & Science, PLLC Thomas H. Forbes, P.E. 2558 Hamburg Turnpike, Buffalo, NY 14218 print business address Remedial Party am certifying as a Qualified Environmental Professional for the (Owner or Remedial Party) Signature of Qualified Environmental Professional, fo

the Owner or Remedial Party, Rendering Certification

APPENDIX A5

NYSDEC SITE NOS. C915199B, D, AND I NOTICE OF TRANSFER





June 10, 2019

Mr. Maurice F. Moore Engineering Geologist 2 New York State Department of Environmental Conservation Division of Environmental Remediation 270 Michigan Ave Buffalo, New York 14203-2915

Re: Tecumseh Phase III Business Park, Sites III-2, III-4 and III-9 NYSDEC Site Nos. C915199B, D, and I Notice of Transfer

Dear Mr. Moore:

On behalf of our clients, please find attached copies of filed Quit Claim Deeds for the above-referenced Sites. As indicated, Sites III-2 and III-9 were transferred to Lackawanna Solar Land, LLC and Site III-4 was transferred to 1951 Hamburg Turnpike, LLC on May 7, 2019. These follow 60-day Notices of Transfer of Ownership submitted to the Department in November of 2018.

Please contact us if you have any questions or require additional information.

Sincerely,

Benchmark Environmental Engineering & Science, PLLC

Thomas H. Forbes, P.E.

Principal Engineer

ec: Karen Draves (NYSDEC)

Michael Nisengard (Lippes Mathias)

Paul Curran Jim Falsetti Tim Ryan

Strong Advocates, Effective Solutions, Integrated Implementation

Recorded in Erie County May 8, 2019 LIBER 11344 Page 1538



Record and Return to: Sandra A. Nasca, Esq. The Knoer Group, PLLC 424 Main Street, Suite 1820 Buffalo, New York 14202

QUIT CLAIM DEED

| THIS INDENTURE is made effective as of | the $\mathcal{F}^{\underline{u}}$ | day of _ | May | , 2019 between |
|--|-----------------------------------|----------|-----|----------------|
| | | | () | |

TECUMSEH REDEVELOPMENT INC., a Delaware corporation, with an address of 4020 Kinross Lakes Parkway, Richfield, Ohio 44286 (the "Grantor"), and

1951 HAMBURG TURNPIKE, LLC, a New York limited liability company, with an address of c/o The Knoer Group, PLLC, 424 Main Street, Suite 1820, Buffalo, New York 14202 (the "Grantee").

WITNESSETH, that the Grantor, in consideration of One and 00/100 Dollar (\$1.00) and other valuable consideration paid by the Grantee, hereby remises, releases and quit-claims unto the Grantee, the successors and assigns of the Grantee forever,

ALL THAT TRACT OR PARCEL OF LAND, situated in the City of Lackawanna, County of Erie and State of New York and as more particularly described on Schedule A, attached hereto and made a part hereof (the "Premises").

BEING AND HEREBY intending to describe and convey a portion of the property conveyed to the Grantor from Bethlehem Steel Corporation by deed dated May 6, 2003 and recorded on May 22, 2003 in the Erie County Clerk's Office in Liber 11040 of Deeds at Page 8953, such portion of the property, and the Premises conveyed hereunder, being and hereby intending to be New York State Brownfield Cleanup Program Site No. C915199D.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any streets and roads abutting the Premises to the centerlines thereof.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any strips and gores, if any, located between the Premises and those premises owned by adjoining land owners.

BUT EXCLUDING THEREFROM AND RESERVING IN GRANTOR, and Grantor's successors and assigns, any and all subsurface oil, gas, and minerals below the surface of the Premises to the extent such oil, gas, and minerals can be extracted without using, occupying or disturbing the surface and without depriving the surface of subjacent or lateral support (the rights of subjacent and lateral support being expressly included in this conveyance).

THIS CONVEYANCE is made and accepted subject to covenants, easements and restrictions of record.

THIS CONVEYANCE is also made and accepted subject to that certain Declaration and

Reservation of Access Easement made by Grantor and recorded in the Erie County Clerk's Office on December 12, 2018 in Liber 11338 of Deeds at page 4778.

THIS CONVEYANCE is also made and accepted subject to the restriction that no wells for the extraction or use of water from beneath the surface of the Premises or any part thereof shall be installed, built, permitted or utilized on the Premises or any part thereof for any purpose whatsoever; provided, however, that the Grantor, Grantee and/or their respective affiliates, successors and assigns may install, use, operate and maintain monitoring wells and treatment wells, including the extraction and treatment of water therefrom, solely for the purpose of monitoring, treating or remediating such water.

THIS CONVEYANCE is made by Grantor expressly subject to, and Grantee accepts this conveyance expressly subject to, that certain Environmental Easement affecting the Premises as more particularly described in said Environmental Easement as New York State Brownfield Cleanup Program Site No. C915199D, said Environmental Easement held by the New York State Department of Environmental Conservation and recorded in the Erie County Clerk's Office on July 15, 2014 in Liber 11266 of Deeds at pages 5467 (the "Environmental Easement"), and Grantor and Grantee hereby covenant and agree that the Premises shall be utilized in accordance with the terms, conditions and requirements of the Environmental Easement.

GRANTEE HEREBY FURTHER COVENANTS that until such time as said Environmental Easement is extinguished in accordance with the requirements of New York State Environmental Conservation Law Article 71, Tile 36, this Indenture and all subsequent instruments of conveyance related to the Premises shall state in at least fifteen-point bold face type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation Law.

GRANTEE HEREBY FURTHER COVENANTS, warrants and represents that it shall keep the Premises in the New York State Brownfield Cleanup Program.

GRANTEE HEREBY FURTHER COVENANTS, acknowledges, affirms, represents and warrants that it shall be bound by all of the terms and conditions of, and shall be responsible to undertake, implement, assume and perform all obligations and responsibilities of, a subsequent property owner under the Environmental Easement and New York State Brownfield Cleanup Program, with such obligations and responsibilities including, without limitation, adherence with the pertinent site management plan and certificate of completion, including amendments thereto, if any (collectively, the "Environmental Obligations"). Grantee releases, indemnifies and holds Grantor harmless from and against any liabilities, claims, causes of action, costs (including but not limited to reasonable attorney and consultant fees), and any and fines and penalties arising from or related to Grantee's failure to perform or Grantee's nonperformance of the Environmental Obligations.

GRANTEE HEREBY FURTHER COVENANTS that Grantee is acquiring the Premises in its

current "as is" and "where is" physical condition and state of repair with all faults and without recourse against Grantor; and Grantee does hereby waive, and Grantor does hereby disclaim, all warranties of any type or kind whatsoever with respect to the Premises, including, by way of description but not limitation, those of fitness for a particular purpose, merchantability, tenantability, habitability and use. Without limiting the foregoing, Grantor shall not be liable to Grantee for any damage or loss (including, but not limited to, liabilities, costs and expenses) arising out of or in connection with this conveyance, whether in contract or in tort, or by reason of any local, state or federal laws or regulations (including, without limitation the Comprehensive Environmental Response, Compensation and Liability Act, 42 U.S. C. § 9601 et. seq., and all amendments thereto). Grantee further acknowledges and agrees that by acceptance of this Deed, Grantee hereby irrevocably releases and discharges Grantor from any and all claims, liability and obligations with respect to the Premises or condition of the Premises, including, without limitation: (a) any environmental matters pertaining to or affecting the Premises; (b) claims arising under the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended; (c) claims arising under the Resource Conservation and Recovery Act; and (d) claims arising under companion laws and state and federal common law. This release includes claims of which Grantee is presently unaware or which Grantee does not presently suspect to exist which, if known by Grantee, would materially affect Grantee's release of Grantor. Grantee further covenants and agrees not to sue Grantor relating to any condition of the Premises, including but not limited to anything related to the environmental condition of the Premises. In no event shall Grantor be liable for incidental or consequential damages, even if Grantor has been advised of the possibility of such damages.

GRANTEE HEREBY FURTHER COVENANTS that Grantee waives any claim for damages because of defects in or to the Premises or portions thereof, whether known or unknown.

Granter Hereby Further Covenants that Grantee waives the right to recover from Grantor and its directors, officers, employees and agents, any and all damages, losses, liabilities, costs or expenses whatsoever (including reasonable attorneys' fees), and claims therefore, whether direct or indirect, known or unknown, foreseen or unforeseen, which may arise on account of or in any way growing out of or connected with the physical condition of the Premises or any environmental condition affecting the Premises.

Grantee Hereby Further Covenants that Grantee hereby assumes liability for, and forever releases Grantor from, all claims arising from the ownership, use, possession or condition of the Premises, regardless of whether: (a) such claim is brought against Grantor or Grantee, (b) such claim arose from circumstances, events or actions before or after the delivery and acceptance of this Deed, (c) such circumstances, events, actions or claims are foreseeable or unforeseeable, known or unknown, contingent or otherwise (collectively, the "Assumed Liabilities"). Without limiting the foregoing, the Assumed Liabilities include: (i) all liability to any government or governmental agency relating to the environmental condition of the Premises, (ii) any liability for injury to any person, property or otherwise resulting from any pollution of the air, water or soil, and (ii) any liabilities under any federal, state or local law or regulation, including but not limited to the Comprehensive Environmental Response, Compensation and Liability Act and all amendments thereto.

GRANTEE HEREBY FURTHER COVENANTS that Grantee on behalf of itself and its affiliates, successors in interest, transferees, assigns and/or all future owners of the Premises, as applicable

and consistent with their respective interests in the Premises, shall incorporate the covenants contained in the Deed into any and all other deeds, conveyances or agreements transferring ownership, leasehold, sub-leasehold, license, or other operational interests in the Premises or any portion thereof.

THE TERMS, COVENANTS AND CONDITIONS contained in this deed shall run with the land, and bind all owners, occupiers and users of the Premises and any portion thereof, and their respective successors and assigns.

TO HAVE AND TO HOLD the Premises herein granted unto Grantee, the successors and assigns of Grantee, forever.

THIS CONVEYANCE is not all or substantially all of the assets of the Grantor, and this conveyance is made and executed in accordance with the duly adopted approvals, resolutions and consent of the Grantor.

THIS DEED is subject to the trust provisions of Section 13 of the Lien Law.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK; SIGNATURE PAGE FOLLOWS.]

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| TECUMSEH REDEVELOPMENT INC. | | | | |
|--|---|--|--|--|
| | By: Name: Keith Nagel Its: Vice President of Environmental Affairs & Real Estate | | | |
| STATE OF OHIO) COUNTY OF SUMMIT) | ss.: | | | |
| On the day day of March in the year 2019 before me, the undersigned, a Notary Public in and for said State, personally appeared Keith Nagel, personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument. **Notary Public** Justice** Notary Public** Notar | | | | |
| | By: | | | |
| | Name: Title: | | | |
| STATE OF NEW YORK COUNTY OF ERIE |)) ss.: | | | |
| subscribed to the within instruments or her capacity, and that by | in the year 2019 before me, the undersigned, a rate, personally appeared, personally known to asis of satisfactory evidence to be the individual whose name is ment and acknowledged to me that he or she executed the same in his or her signature on the instrument, the individual, or the person dual acted, executed the instrument. | | | |
| | Notary Public | | | |

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| | T | ECUMSEH REDEVELOPMENT INC. |
|---|--|--|
| | В | /: |
| | | ame: Keith Nagel |
| | Its | |
| | | Environmental Affairs & Real Estate |
| STATE OF OHIO |) | |
| COUNTY OF SUMMIT |) ss.: | |
| Notary Public in and for sa proved to me on the basis of to the within instrument an | id State, per of satisfactor d acknowled | in the year 2019 before me, the undersigned, a sonally appeared Keith Nagel, personally known to me or y evidence to be the individual whose name is subscribed ged to me that he executed the same in his capacity, and, the individual, or the person upon behalf of which the |
| individual acted, executed t | | |
| | | Notary Public |
| | | rodary I dolle |
| | | , |
| | 19 | 51 HAMBURG TURNPIKE, LLC |
| | Ву | . Alan |
| | Na | me: Midrael Lesations |
| | Ti | ile: Mente |
| C | | |
| STATE OF NEW YORK COUNTY OF ERIE |))s | n • |
| | , | |
| me or proved to me on the | e basis of sa | in the year 2019 before me, the undersigned, a onally appeared Michael Kesakwake, personally known to atisfactory evidence to be the individual whose name is |
| subscribed to the within ins his or her capacity, and that upon behalf of which the in- | by his or he | acknowledged to me that he or she executed the same in signature on the instrument, the individual, or the person d, executed the instrument. |
| | | Notary Public (|
| | | Notary Public <i>d</i> |

LOUISE M. SEYMOUR
Notary Public, State of New York
Reg. No. 01SE6228178
Qualified in Erie County
Commission Expires Sept. 13, 2022

SCHEDULE A

THE PREMISES

Tecumseh Business Park Parcel III-4 New York State Brownfield Cleanup Program Site Nos. C915199D

ALL THAT TRACT OR PARCEL OF LAND situate in the City of Lackawanna, County of Erie and State of New York, being part of Lot Number 17 of the Ogden Gore Tract, and Lot Number 23, Township 10, Range 8 of the Buffalo Creek Reservation, being BCP Site Number C915199D, as shown on a map of "Business Park Phase III", prepared by Wendel, June 2012, Project Number 411107, being more particularly bounded and described as follows:

COMMENCING at the intersection of the westerly highway boundary of the Hamburg Turnpike (also known as State Route No. 5) as appropriated by New York State Department of Public Works, Map No. 1, Parcel 1 and recorded in the Erie County Clerk's Office in Liber 5650 of Deeds at page 404 and the municipal boundary line between the City of Lackawanna (to the north) and the Town of Hamburg (to the south), said point also being on the northerly boundary of lands conveyed to the South Buffalo Railway Company by deed recorded in the Erie County Clerk's Office in Liber 10119 of Deeds at page 131;

thence along the northerly line of said South Buffalo Railway Company, N 86°-32'-54" W, a distance of 507.02 feet to an angle point in said line;

thence continuing along the northerly line of said South Buffalo Railway Company, N 56°-55'-40" W, a distance of 386.48 feet to the southeast corner of said Business Park Phase III, Parcel "A"; thence along the east line of said Business Park Phase III, Parcel "A", N 03°-25'-27" W, a distance of 1,284.41 feet to a point of curvature;

thence along a curve to the left having a radius of 518 feet, an arc length of 168.84 feet, a chord bearing N 12°-45'-43" W, at a distance of 168.10 feet, to a point of tangency;

thence along the northerly line of said Business Park Phase III the following 3 courses and distances:

- (1) thence S 80°-39'-39" W, a distance of 228.31 feet to a point;
- (2) thence N 64°-08'-06" W, a distance of 154.89 feet to a point; and
- (3) thence N 41°-49'-05" W, a distance of 258 feet to the principal point of beginning, also being a northeast corner of BCP Site Number C915199C;

thence along the northerly lines of said BCP Site Numbers C915199C and C915199B, S 71°-17′-28″ W, a distance of 1,191.45 feet to the northwest corner of BCP Site Number C915199B also being the westerly line of said Business Park Phase III, Parcel "A":

thence along the west and north line of said Business Park Phase III, Parcel "A", the following 8 courses and distances:

- (1) thence along a curve to the right having a radius of 512.16 feet, an arc length of 400.49 feet, a chord bearing N 02°-14'-11" E, at a distance of 390.36 feet, to a point of tangency;
- (2) N 25°-18'-46" E, a distance of 288.35 feet to a point of curvature;
- (3) thence along a curve to the left having a radius of 706.88 feet, an arc length of 515.80 feet, a chord bearing N 08°-08'-26" E, at a distance of 504.43 feet, to a point of tangency;
- (4) N 18°-37'-00" W, a distance of 107.01 feet to a point, said point also being the northwest corner of said Business Park Phase III, Parcel "A";
- (5) N 82°-08'-06" E, a distance of 87.56 feet to a point;
- (6) S 46°-24'-39" E, a distance of 578.56 feet to a point;
- (7) S 44°-24'-55" E, a distance of 252.36 feet to a point; and
- (8) S 41°-49'-05" E, a distance of 405.40 feet to the principal point of beginning.

Together with a temporary non-exclusive license to use certain access roads in accordance with and pursuant to Access License Agreement by and between Tecumseh Redevelopment Inc. and Buffalo and Erie County Industrial Land Development Corporation dated July 24, 2017 and recorded July 25, 2017 in the Erie County Clerk's Office on Liber 11316 of Deeds at page 2250.

Also together with a non-exclusive easement for ingress and egress over certain access roads in accordance with and pursuant to Declaration made by Tecumseh Redevelopment Inc. dated December 11, 2018 and recorded December 12, 2018 in Liber 11338 of Deeds at page 4778.

Containing 16.19 acres of land, more or less.

Recorded in Erie County
May 8, 2019
LIBER 11344 Page 1524

MAY 08 2019
ERIE COUNTY
ERIE COUNTY
CLAIM DEED

Record and Return to: Sandra A. Nasca, Esq. The Knoer Group, PLLC 424 Main Street, Suite 1820 Buffalo, New York 14202

THIS INDENTURE is made effective as of the Ata day of May, 2019 between

TECUMSEH REDEVELOPMENT INC., a Delaware corporation, with an address of 4020 Kinross Lakes Parkway, Richfield, Ohio 44286 (the "Grantor"), and

LACKAWANNA SOLAR LAND LLC, a New York limited liability company, with an address of 400 Market Industrial Park, Suite 32, Wappingers Falls, New York 12590 (the "Grantee").

WITNESSETH, that the Grantor, in consideration of One and 00/100 Dollar (\$1.00) and other valuable consideration paid by the Grantee, hereby remises, releases and quit-claims unto the Grantee, the successors and assigns of the Grantee forever,

ALL THAT TRACT OR PARCEL OF LAND, situated in the City of Lackawanna, County of Erie and State of New York and as more particularly described on Schedule A, attached hereto and made a part hereof (the "Premises").

BEING AND HEREBY intending to describe and convey a portion of the property conveyed to the Grantor from Bethlehem Steel Corporation by deed dated May 6, 2003 and recorded on May 22, 2003 in the Erie County Clerk's Office in Liber 11040 of Deeds at Page 8953, such portion of the property, and the Premises conveyed hereunder, being and hereby intending to be New York State Brownfield Cleanup Program Site No. C915199B.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any streets and roads abutting the Premises to the centerlines thereof.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any strips and gores, if any, located between the Premises and those premises owned by adjoining land owners.

BUT EXCLUDING THEREFROM AND RESERVING IN GRANTOR, and Grantor's successors and assigns, any and all subsurface oil, gas, and minerals below the surface of the Premises to the extent such oil, gas, and minerals can be extracted without using, occupying or disturbing the surface and without depriving the surface of subjacent or lateral support (the rights of subjacent and lateral support being expressly included in this conveyance).

THIS CONVEYANCE is made and accepted subject to covenants, easements and restrictions of record.

THIS CONVEYANCE is also made and accepted subject to that certain Declaration and Reservation of Access Easement made by Grantor and recorded in the Erie County Clerk's Office on December 12, 2018 in Liber 11338 of Deeds at page 4778.

THIS CONVEYANCE is also made and accepted subject to the restriction that no wells for the extraction or use of water from beneath the surface of the Premises or any part thereof shall be installed, built, permitted or utilized on the Premises or any part thereof for any purpose whatsoever; provided, however, that the Grantor, Grantee and/or their respective affiliates, successors and assigns may install, use, operate and maintain monitoring wells and treatment wells, including the extraction and treatment of water therefrom, solely for the purpose of monitoring, treating or remediating such water.

THIS CONVEYANCE is made by Grantor expressly subject to, and Grantee accepts this conveyance expressly subject to, that certain Environmental Easement affecting the Premises as more particularly described in said Environmental Easement as New York State Brownfield Cleanup Program Site No. C915199B, said Environmental Easement held by the New York State Department of Environmental Conservation and recorded in the Erie County Clerk's Office on July 15, 2014 in Liber 11266 of Deeds at pages 5467 (the "Environmental Easement"), and Grantor and Grantee hereby covenant and agree that the Premises shall be utilized in accordance with the terms, conditions and requirements of the Environmental Easement.

GRANTEE HEREBY FURTHER COVENANTS that until such time as said Environmental Easement is extinguished in accordance with the requirements of New York State Environmental Conservation Law Article 71, Tile 36, this Indenture and all subsequent instruments of conveyance related to the Premises shall state in at least fifteen-point bold face type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation Law.

GRANTEE HEREBY FURTHER COVENANTS, warrants and represents that it shall keep the Premises in the New York State Brownfield Cleanup Program.

GRANTEE HEREBY FURTHER COVENANTS, acknowledges, affirms, represents and warrants that it shall be bound by all of the terms and conditions of, and shall be responsible to undertake, implement, assume and perform all obligations and responsibilities of, a subsequent property owner under the Environmental Easement and New York State Brownfield Cleanup Program, with such obligations and responsibilities including, without limitation, adherence with the pertinent site management plan and certificate of completion, including amendments thereto, if any (collectively, the "Environmental Obligations"). Grantee releases, indemnifies and holds Grantor harmless from and against any liabilities, claims, causes of action, costs (including but not limited to reasonable attorney and consultant fees), and any and fines and penalties arising from or related to Grantee's failure to perform or Grantee's nonperformance of the Environmental Obligations.

GRANTEE HEREBY FURTHER COVENANTS that Grantee is acquiring the Premises in its current "as is" and "where is" physical condition and state of repair with all faults and without recourse against Grantor; and Grantee does hereby waive, and Grantor does hereby disclaim, all warranties of any type or kind whatsoever with respect to the Premises, including, by way of

description but not limitation, those of fitness for a particular purpose, merchantability, tenantability, habitability and use. Without limiting the foregoing, Grantor shall not be liable to Grantee for any damage or loss (including, but not limited to, liabilities, costs and expenses) arising out of or in connection with this conveyance, whether in contract or in tort, or by reason of any local, state or federal laws or regulations (including, without limitation the Comprehensive Environmental Response, Compensation and Liability Act, 42 U.S. C. § 9601 et. seq., and all amendments thereto). Grantee further acknowledges and agrees that by acceptance of this Deed, Grantee hereby irrevocably releases and discharges Grantor from any and all claims, liability and obligations with respect to the Premises or condition of the Premises, including, without limitation: (a) any environmental matters pertaining to or affecting the Premises; (b) claims arising under the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended; (c) claims arising under the Resource Conservation and Recovery Act; and (d) claims arising under companion laws and state and federal common law. This release includes claims of which Grantee is presently unaware or which Grantee does not presently suspect to exist which, if known by Grantee, would materially affect Grantee's release of Grantor. Grantee further covenants and agrees not to sue Grantor relating to any condition of the Premises, including but not limited to anything related to the environmental condition of the Premises. In no event shall Grantor be liable for incidental or consequential damages, even if Grantor has been advised of the possibility of such damages.

GRANTEE HEREBY FURTHER COVENANTS that Grantee waives any claim for damages because of defects in or to the Premises or portions thereof, whether known or unknown.

Granter Hereby Further Covenants that Grantee waives the right to recover from Grantor and its directors, officers, employees and agents, any and all damages, losses, liabilities, costs or expenses whatsoever (including reasonable attorneys' fees), and claims therefore, whether direct or indirect, known or unknown, foreseen or unforeseen, which may arise on account of or in any way growing out of or connected with the physical condition of the Premises or any environmental condition affecting the Premises.

Grantee Hereby Further Covenants that Grantee hereby assumes liability for, and forever releases Grantor from, all claims arising from the ownership, use, possession or condition of the Premises, regardless of whether: (a) such claim is brought against Grantor or Grantee, (b) such claim arose from circumstances, events or actions before or after the delivery and acceptance of this Deed, (c) such circumstances, events, actions or claims are foreseeable or unforeseeable, known or unknown, contingent or otherwise (collectively, the "Assumed Liabilities"). Without limiting the foregoing, the Assumed Liabilities include: (i) all liability to any government or governmental agency relating to the environmental condition of the Premises, (ii) any liability for injury to any person, property or otherwise resulting from any pollution of the air, water or soil, and (ii) any liabilities under any federal, state or local law or regulation, including but not limited to the Comprehensive Environmental Response, Compensation and Liability Act and all amendments thereto.

GRANTEE HERBY FURTHER COVENANTS that Grantee on behalf of itself and its affiliates, successors in interest, transferees, assigns and/or all future owners of the Premises, as applicable and consistent with their respective interests in the Premises, shall incorporate the covenants contained in the Deed into any and all other deeds, conveyances or agreements transferring ownership, leasehold, sub-leasehold, license, or other operational interests in the Premises or any

portion thereof.

THE TERMS, COVENANTS AND CONDITIONS contained in this deed shall run with the land, and bind all owners, occupiers and users of the Premises and any portion thereof, and their respective successors and assigns.

TO HAVE AND TO HOLD the Premises herein granted unto Grantee, the successors and assigns of Grantee, forever.

THIS CONVEYANCE is not all or substantially all of the assets of the Grantor, and this conveyance is made and executed in accordance with the duly adopted approvals, resolutions and consent of the Grantor.

THIS DEED is subject to the trust provisions of Section 13 of the Lien Law.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK; SIGNATURE PAGE FOLLOWS.]

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| and your libe above without. | | |
|--|---|----------|
| | TECUMSEH REDEVELOPMENT INC. | |
| | By: Mark Mark | |
| | Name: Keith Nagel | |
| | Its: Vice President of | |
| | Environmental Affairs & Real Estate | |
| STATE OF OHIO |) | |
| COUNTY OF SUMMIT |) ss.: | |
| proved to me on the basis of to the within instrument and that by his signature on the | in the year 2019 before me, the undersigned, a d State, personally appeared Keith Nagel, personally known to me or f satisfactory evidence to be the individual whose name is subscribed acknowledged to me that he executed the same in his capacity, and instrument, the individual, or the person upon behalf of which the | |
| individual acted, executed the | Notary Public Susan E Dick. * Commission appres November 6 | , do 12. |

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| | Tecu | MSEH REDEVELOPMENT INC. |
|--|--|---|
| | By: | |
| | • | : Keith Nagel |
| | Its: | Vice President of |
| | | Environmental Affairs & Real Estate |
| STATE OF OHIO COUNTY OF SUMMIT |)) ss.: | |
| proved to me on the basis of to the within instrument and | satisfactory evacknowledged instrument, th | in the year 2019 before me, the undersigned, a ally appeared Keith Nagel, personally known to me or vidence to be the individual whose name is subscribed to me that he executed the same in his capacity, and e individual, or the person upon behalf of which the |
| | | Notary Public |
| | By: Name Title: | AWANNA SOLAR LAND LLC AUL DECAN TAUL CURRAN MANAGOG DIRCCTORS |
| STATE OF NEW YORK COUNTY OF ERIE |)) ss.: | |
| to me or proved to me on the subscribed to the within instrhis or her capacity, and that | e basis of satis ument and ack by his or her the individual | in the year 2019 before me, the undersigned, a ally appeared Paul Curran, personally known afactory evidence to be the individual whose name is nowledged to me that he or she executed the same in a signature on the instrument, the individual, or the acted, executed the instrument. Wicia Scott Notary Public |

SCHEDULE A

THE PREMISES

Tecumseh Business Park Parcel III-2 New York State Brownfield Cleanup Program Site Nos. C915199B

ALL THAT TRACT OR PARCEL OF LAND situate in the City of Lackawanna, County of Erie and State of New York, being parts of Lots Numbers 16 and 17 of the Ogden Gore Tract, and Lot Number 23, Township 10, Range 8 of the Buffalo Creek Reservation, being BCP Site Number C915199B, as shown on a map of Business Park Phase III, prepared by Wendel, June 2012, Project Number 411107, being more particularly bounded and described as follows:

COMMENCING at the intersection of the westerly highway boundary of the Hamburg Turnpike (also known as State Route No. 5) as appropriated by New York State Department of Public Works, Map 1, Parcel 1 and as recorded in the Erie County Clerk's Office in Liber 5650 of Deeds at page 404, and the municipal boundary line between the City of Lackawanna (to the north) and the Town of Hamburg (to the south), said point also being on the northerly boundary of lands conveyed to the South Buffalo Railway Company by deed recorded in the Erie County Clerk's Office in Liber 10119 of Deeds at page 131;

thence along the northerly line of said South Buffalo Railway Company, N 86°-32'-54" W, a distance of 507.02 feet to an angle point in said line;

thence continuing along the northerly line of said South Buffalo Railway Company, N 56°-55'-40" W, a distance of 1,562.32 feet to the principal point of beginning;

thence continuing along the northerly line of said South Buffalo Railway Company, N 56°-55'-40" W, a distance of 658.99 feet to a point;

thence continuing along the northerly line of said South Buffalo Railway Company, S 65°-43'-40" W, a distance of 100.14 feet to the southwest corner of Business Park Phase III, Parcel "A";

thence along the west line of Business Park Phase III, Parcel "A", N 24°-58'-39" W, a distance of 310.20 feet to a point of curvature;

thence along a curve to the right having a radius of 679.12 feet, an arc length of 49.05 feet, a chord bearing of N 22°-54'-31" W, at a distance of 49.03 feet, to the southwest corner of Business Park Phase III, Parcel "A", BCP Site Number C915199D;

thence along the south line of said BCP Site Number C915199D, N 71°-17'-28" E, a distance of 250.81 feet to the northwesterly corner of BCP Site Number C915199C;

thence along the westerly line of BCP Site Number C915199C, S 18°-42'-32" E, a distance of 245.68 feet to the southwest corner of BCP Site Number C915199C; thence along the southerly line of BCP Site Number C915199C, N 71°-17'-28" E, a distance of 673.28 feet to a point;

thence along the easterly line of BCP Site Number C915199C, N 18°-42'-32" W, a distance of

215.72 feet to a point;

thence along the southerly line of BCP Site Number C915199C, N 71°-17'-28" E, a distance of 95.91 feet to a point of curvature;

thence along a curve to the right having a radius of 90 feet, an arc length of 141.37 feet, a chord bearing of S 63°-42'-32" E, at a distance of 127.28 feet, to a point of tangency;

thence S 18° -42'-32'' E, a distance of 179.35 feet to the northwest corner of BCP Site Number C915199;

thence along the west line of BCP Site Number C915199, S 26°-14'-11" W, a distance of 800 feet to the principal point of beginning.

Together with a temporary non-exclusive license to use certain access roads in accordance with and pursuant to Access License Agreement by and between Tecumseh Redevelopment Inc. and Buffalo and Erie County Industrial Land Development Corporation dated July 24, 2017 and recorded July 25, 2017 in the Erie County Clerk's Office on Liber 11316 of Deeds at page 2250.

Also together with a non-exclusive easement for ingress and egress over certain access roads in accordance with and pursuant to Declaration made by Tecumseh Redevelopment Inc. dated December 11, 2018 and recorded December 12, 2018 in Liber 11338 of Deeds at page 4778.

Containing 10.24 acres of land, more or less.

Recorded in Erie County May 8, 2019 LIBER 11344 Page 1556



Record and Return to: Sandra A. Nasca, Esq. The Knoer Group, PLLC 424 Main Street, Suite 1820 Buffalo, New York 14202

THIS INDENTURE is made effective as of the day of _______, 2019 between

TECUMSEH REDEVELOPMENT INC., a Delaware corporation, with an address of 4020 Kinross Lakes Parkway, Richfield, Ohio 44286 (the "Grantor"), and

LACKAWANNA SOLAR LAND LLC, a New York limited liability company, with an address of 400 Market Industrial Park, Suite 32, Wappingers Falls, New York 12590 (the "Grantee").

WITNESSETH, that the Grantor, in consideration of One and 00/100 Dollar (\$1.00) and other valuable consideration paid by the Grantee, hereby remises, releases and quit-claims unto the Grantee, the successors and assigns of the Grantee forever,

ALL THAT TRACT OR PARCEL OF LAND, situated in the City of Lackawanna, County of Erie and State of New York and as more particularly described on **Schedule A**, attached hereto and made a part hereof (the "*Premises*").

BEING AND HEREBY intending to describe and convey a portion of the property conveyed to the Grantor from Bethlehem Steel Corporation by deed dated May 6, 2003 and recorded on May 22, 2003 in the Erie County Clerk's Office in Liber 11040 of Deeds at Page 8953, such portion of the property, and the Premises conveyed hereunder, being and hereby intending to be New York State Brownfield Cleanup Program Site No. C915199I.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any streets and roads abutting the Premises to the centerlines thereof.

TOGETHER with all right, title and interest, if any, of the Grantor in and to any strips and gores, if any, located between the Premises and those premises owned by adjoining land owners.

BUT EXCLUDING THEREFROM AND RESERVING IN GRANTOR, and Grantor's successors and assigns, any and all subsurface oil, gas, and minerals below the surface of the Premises to the extent such oil, gas, and minerals can be extracted without using, occupying or disturbing the surface and without depriving the surface of subjacent or lateral support (the rights of subjacent and lateral support being expressly included in this conveyance).

THIS CONVEYANCE is made and accepted subject to covenants, easements and restrictions of record.

THIS CONVEYANCE is also made and accepted subject to that certain Declaration and Reservation of Access Easement made by Grantor and recorded in the Erie County Clerk's Office on December 12, 2018 in Liber 11338 of Deeds at page 4778 and that certain Declaration and

Reservation of Sewer Easement recorded with the Erie County Clerk's Office simultaneously herewith.

THIS CONVEYANCE is also made and accepted subject to the restriction that no wells for the extraction or use of water from beneath the surface of the Premises or any part thereof shall be installed, built, permitted or utilized on the Premises or any part thereof for any purpose whatsoever; provided, however, that the Grantor, Grantee and/or their respective affiliates, successors and assigns may install, use, operate and maintain monitoring wells and treatment wells, including the extraction and treatment of water therefrom, solely for the purpose of monitoring, treating or remediating such water.

THIS CONVEYANCE is made by Grantor expressly subject to, and Grantee accepts this conveyance expressly subject to, that certain Environmental Easement affecting the Premises as more particularly described in said Environmental Easement as New York State Brownfield Cleanup Program Site No. C915199I, said Environmental Easement held by the New York State Department of Environmental Conservation and recorded in the Erie County Clerk's Office on July 15, 2014 in Liber 11266 of Deeds at pages 5467 (the "Environmental Easement"), and Grantor and Grantee hereby covenant and agree that the Premises shall be utilized in accordance with the terms, conditions and requirements of the Environmental Easement.

GRANTEE HEREBY FURTHER COVENANTS that until such time as said Environmental Easement is extinguished in accordance with the requirements of New York State Environmental Conservation Law Article 71, Tile 36, this Indenture and all subsequent instruments of conveyance related to the Premises shall state in at least fifteen-point bold face type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation Law.

GRANTEE HEREBY FURTHER COVENANTS, warrants and represents that it shall keep the Premises in the New York State Brownfield Cleanup Program.

GRANTEE HEREBY FURTHER COVENANTS, acknowledges, affirms, represents and warrants that it shall be bound by all of the terms and conditions of, and shall be responsible to undertake, implement, assume and perform all obligations and responsibilities of, a subsequent property owner under the Environmental Easement and New York State Brownfield Cleanup Program, with such obligations and responsibilities including, without limitation, adherence with the pertinent site management plan and certificate of completion, including amendments thereto, if any (collectively, the "Environmental Obligations"). Grantee releases, indemnifies and holds Grantor harmless from and against any liabilities, claims, causes of action, costs (including but not limited to reasonable attorney and consultant fees), and any and fines and penalties arising from or related to Grantee's failure to perform or Grantee's nonperformance of the Environmental Obligations.

GRANTEE HEREBY FURTHER COVENANTS that Grantee is acquiring the Premises in its

current "as is" and "where is" physical condition and state of repair with all faults and without recourse against Grantor; and Grantee does hereby waive, and Grantor does hereby disclaim, all warranties of any type or kind whatsoever with respect to the Premises, including, by way of description but not limitation, those of fitness for a particular purpose, merchantability, tenantability, habitability and use. Without limiting the foregoing, Grantor shall not be liable to Grantee for any damage or loss (including, but not limited to, liabilities, costs and expenses) arising out of or in connection with this conveyance, whether in contract or in tort, or by reason of any local, state or federal laws or regulations (including, without limitation the Comprehensive Environmental Response, Compensation and Liability Act, 42 U.S. C. § 9601 et. seq., and all amendments thereto). Grantee further acknowledges and agrees that by acceptance of this Deed, Grantee hereby irrevocably releases and discharges Grantor from any and all claims, liability and obligations with respect to the Premises or condition of the Premises, including, without limitation: (a) any environmental matters pertaining to or affecting the Premises; (b) claims arising under the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended; (c) claims arising under the Resource Conservation and Recovery Act; and (d) claims arising under companion laws and state and federal common law. This release includes claims of which Grantee is presently unaware or which Grantee does not presently suspect to exist which, if known by Grantee, would materially affect Grantee's release of Grantor. Grantee further covenants and agrees not to sue Grantor relating to any condition of the Premises, including but not limited to anything related to the environmental condition of the Premises. In no event shall Grantor be liable for incidental or consequential damages, even if Grantor has been advised of the possibility of such damages.

GRANTEE HEREBY FURTHER COVENANTS that Grantee waives any claim for damages because of defects in or to the Premises or portions thereof, whether known or unknown.

Granter Hereby Further Covenants that Grantee waives the right to recover from Granter and its directors, officers, employees and agents, any and all damages, losses, liabilities, costs or expenses whatsoever (including reasonable attorneys' fees), and claims therefore, whether direct or indirect, known or unknown, foreseen or unforeseen, which may arise on account of or in any way growing out of or connected with the physical condition of the Premises or any environmental condition affecting the Premises.

Grantee Hereby Further Covenants that Grantee hereby assumes liability for, and forever releases Grantor from, all claims arising from the ownership, use, possession or condition of the Premises, regardless of whether: (a) such claim is brought against Grantor or Grantee, (b) such claim arose from circumstances, events or actions before or after the delivery and acceptance of this Deed, (c) such circumstances, events, actions or claims are foreseeable or unforeseeable, known or unknown, contingent or otherwise (collectively, the "Assumed Liabilities"). Without limiting the foregoing, the Assumed Liabilities include: (i) all liability to any government or governmental agency relating to the environmental condition of the Premises, (ii) any liability for injury to any person, property or otherwise resulting from any pollution of the air, water or soil, and (ii) any liabilities under any federal, state or local law or regulation, including but not limited to the Comprehensive Environmental Response, Compensation and Liability Act and all amendments thereto.

GRANTEE HEREBY FURTHER COVENANTS that Grantee on behalf of itself and its affiliates, successors in interest, transferees, assigns and/or all future owners of the Premises, as applicable

and consistent with their respective interests in the Premises, shall incorporate the covenants contained in the Deed into any and all other deeds, conveyances or agreements transferring ownership, leasehold, sub-leasehold, license, or other operational interests in the Premises or any portion thereof.

THE TERMS, COVENANTS AND CONDITIONS contained in this deed shall run with the land, and bind all owners, occupiers and users of the Premises and any portion thereof, and their respective successors and assigns.

TO HAVE AND TO HOLD the Premises herein granted unto Grantee, the successors and assigns of Grantee, forever.

THIS CONVEYANCE is not all or substantially all of the assets of the Grantor, and this conveyance is made and executed in accordance with the duly adopted approvals, resolutions and consent of the Grantor.

THIS DEED is subject to the trust provisions of Section 13 of the Lien Law.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK; SIGNATURE PAGE FOLLOWS.]

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| | TECUMSEH REDEVELOPMENT INC. |
|---|---|
| | By: Name: Keith Nagel V Its: Vice President of Environmental Affairs & Real Estate |
| STATE OF OHIO COUNTY OF SUMMIT |)) ss.: |
| Notary Public in and for said proved to me on the basis of to the within instrument and | Notary Public Susau E. Dick Commission expires : November 6, 2022 |
| | By: |
| | Name: Title: |
| STATE OF NEW YORK COUNTY OF ERIE |)) ss.: |
| subscribed to the within instr his or her capacity, and that b | in the year 2019 before me, the undersigned, a State, personally appeared, personally known to basis of satisfactory evidence to be the individual whose name is ument and acknowledged to me that he or she executed the same in y his or her signature on the instrument, the individual, or the person ividual acted, executed the instrument. |
| | Notary Public |

IN WITNESS WHEREOF, the Grantor and Grantee have executed this Deed as of the day and year first above written.

| | I ECUI | ASER REDEVELOFMENT INC. |
|---|---|--|
| | By: Name: Its: | Keith Nagel Vice President of Environmental Affairs & Real Estate |
| STATE OF OHIO) COUNTY OF SUMMIT) ss.: | | |
| Notary Public in and for said State proved to me on the basis of satisfito the within instrument and acknowledge. | , personal actory evolutions actory evolutions with the ment, the | in the year 2019 before me, the undersigned, a lly appeared Keith Nagel, personally known to me or idence to be the individual whose name is subscribed to me that he executed the same in his capacity, and individual, or the person upon behalf of which the |
| | | Notary Public |
| | By: Name: Title: | AWANNA SOLAR LAND LLC PAIL CIRCL MAJAGJE DELCTO |
| STATE OF NEW YORK COUNTY OF ERIE |)) ss.: | |
| to me or proved to me on the basi subscribed to the within instrumen | e, persona is of satis t and ack nis or her | in the year 2019 before me, the undersigned, a ally appeared <u>Paul Curran</u> , personally known factory evidence to be the individual whose name is nowledged to me that he or she executed the same in signature on the instrument, the individual, or the acted, executed the instrument. |

SCHEDULE A

THE PREMISES

Tecumseh Business Park Parcel III-9 New York State Brownfield Cleanup Program Site Nos. C915199I

٠.

ALL THAT TRACT OR PARCEL OF LAND situate in the City of Lackawanna, County of Erie and State of New York, being parts of Lots Numbers 18, 19 and 20 of the Ogden Gore Tract, being BCP Site Number C915199I, as shown on a map of "Business Park Phase III", prepared by Wendel, June 2012, Project Number 411107, being more particularly bounded and described as follows:

COMMENCING at the intersection of the westerly highway boundary of the Hamburg Turnpike (also known as State Route No. 5) as appropriated by New York State Department of Public Works, Map 1, Parcel 1 and as recorded in the Erie County Clerk's Office in Liber 5650 of Deeds at page 404, and the municipal boundary line between the City of Lackawanna (to the north) and the Town of Hamburg (to the south), said point also being a point on the northerly boundary of lands conveyed to the South Buffalo Railway Company by deed recorded in the Erie County Clerk's Office in Liber 10119 of Deeds at page 131;

thence N 22°-36'-14"W, a distance of 2,158.13 feet to a point, said point being the southeast corner of Business Park Phase III Parcel "B":

thence N 18°-20'-36"W, along the easterly line of Business Park Phase III, Parcel "B", a distance of 2,549.24 feet to the principal point of beginning, said principal point of beginning also being a northeasterly corner of BCP Site Number C915199G; running thence along the north line of BCP Site Number C915199G, S 71°-41'-32" W, a distance of 180.00 feet to a point;

thence N 48°-01'-09" W a distance of 180.00 feet to the southeasterly corner of BCP Site Number C915199H;

thence along the east line of BCP Site Number C915199H, N 18°-20'-36" W, a distance of 250.00 feet to the northeasterly corner of BCP Site Number C915199H;

thence along the north line of BCP Site Number C915199H, S 71°-41'-32" W, a distance of 1,024.00 feet to the northwest corner of said BCP Site Number C915199H, said point also being on an east line of BCP Site Number C915199J;

thence along said east line of BCP Site Number C915199J, the following 6 courses:

- (1) N 08°-35'-16" E, a distance of 55.15 feet to point;
- (2) N 03°-06'-09" E, a distance of 80.16 feet to point;
- (3) N 02°-18'-54" E, a distance of 54.59 feet to point;

- (4) N 06°-52'-20" E, a distance of 50.18 feet to point;
- (5) N 10°-26'-06" E, a distance of 115.41 feet to point; and
- (6) N 12°-29'-54" E, a distance of 90.89 feet to south line of BCP Site Number C915199J;

thence along said southerly line of BCP Site Number C915199J, N 71°-01'-10" E, a distance of 1,119.97 feet to the east line of Business Park Phase III, Parcel "B";

thence along the easterly line of Business Park Phase III, Parcel "B", S 18°-20'-36" E a distance of 826.96 feet to the principal point of beginning.

Together with a temporary non-exclusive license to use certain access roads in accordance with and pursuant to Access License Agreement by and between Tecumseh Redevelopment Inc. and Buffalo and Erie County Industrial Land Development Corporation dated July 24, 2017 and recorded July 25, 2017 in the Erie County Clerk's Office on Liber 11316 of Deeds at page 2250.

Also together with a non-exclusive easement for ingress and egress over certain access roads in accordance with and pursuant to Declaration made by Tecumseh Redevelopment Inc. dated December 11, 2018 and recorded December 12, 2018 in Liber 11338 of Deeds at page 4778.

Containing 13.97 acres of land, more or less.

APPENDIX B

SITE PHOTO LOG



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Field Activities

Photo 1: Import for Grounding Grids – Site III-2 and III-3

Photo 2: Import for Grounding Grids – Site III-2 and III-3 (looking south)

1

Site Inspection - February 24, 2020

Photo 3: Site III-4 – Slag cover looking east

Photo 4: Site III-4 – Slag cover looking east



0351-018-004

Photo 5:



Photo 6:



Photo 7:



Photo 8:



Photo 5: Site III-4 – Vegetative cover looking east

Photo 6: Site III-2 – Slag cover looking southeast

Photo 7: Roadway between Sites III-2/III-3 & Site III-4 – looking east

Photo 8: Drainage swale along Site III-4 southern boundary – looking east



Photo 9:



Photo 10:



Photo 11:



Photo 12:



Photo 9: Site III-4 – Vegetative cover on north side of Electrical Stores Building – looking west

Photo 10: Site III-4 – Inverter pads and solar panels – looking north/northwest

Photo 11: Site III-2/III-3 – Slag cover and solar panels – looking southeast

Photo 12: Drainage swale along Site III-4 southern boundary – looking west



Photo 13:



Photo 14:



Photo 15:



Photo 16:



Photo 13: Site III-3 – Vegetation along S-curve looking southeast

Photo 14: Site III-2 – looking west

 $Photo \ 15: \quad Site \ III-9-Slag \ cover \ and \ solar \ panels-looking \ southwest$

Photo 16: Site III-9 – Slag cover and solar panels – looking southwest



Photo 17:



Photo 18:



Photo 17: Site III-9 – Slag cover and inverter pads in the background – looking west

Photo 18: Site III-9 – Slag cover and solar panels – looking west



APPENDIX C

IMPORT DOCUMENTATION





NEW ENTERPRISE STONE & LIME CO., INC.

500 Como Park Boulevard • Buffalo NY 14227

Office: (716) 826-7310 Fax: (716) 826-1342 Dispatch: (716) 566-9690

April 15, 2019

Arnie Collier Iroquois Bar 155 Commerce Dr. Lackawanna, NY 14218

Re: Steel Sun, Lackawanna

Dear Arnie:

We certify the aggregates we supply on the subject project meet the New York State Department of Transportation Specification and Gradations as follows:

| Item #304.12 // -2" | Item #304.12 // -2" Crusher Run Type 2 Subbase | | | | | | | |
|---------------------|--|--|--|--|--|--|--|--|
| Sieve Size | Percent Passing | | | | | | | |
| 2" | 100 | | | | | | | |
| 1/4" | 25-60 | | | | | | | |
| No. 40 | 5-40 | | | | | | | |
| No. 200 | 0-10 | | | | | | | |

| Item #703.020 | 01 // #2 Crushed Stone |
|---------------|------------------------|
| Sieve Size | Percent Passing |
| 1 1/2" | 100 |
| 1" | 90-100 |
| 1/2" | 0-15 |

We certify the Bituminous Concrete will be produced to meet the New York State Department of Transportation Specifications and Gradations as required. Our New York State Source Number at our Wehrle Drive location is 5-3R.

We trust this meets with your approval.

Sincerely,

Robert Warrington Account Representative

R-IP.W.

BW: SW

From: Moore, Maurice (DEC) To: Tom H. Forbes

Subject: RE: Steel Sun 2 Import Request Date: Monday, April 15, 2019 3:25:41 PM

Attachments: image001.png

image002.png

Good afternoon Tom

If the material is indeed the washed stone it is acceptable without sampling.

I assume the last paragraph in the letter is a boilerplate and does not infer that the material coming to the site is recycled material.

Thanks, Maurice

Maurice F. Moore

Professional Geologist 1, Division of Environmental Remediation

New York State Department of Environmental Conservation

270 Michigan Avenue, Buffalo, NY 14203-2915

P: (716) 851-7220 | F: (716) 851-7258 | maurice.moore@dec.ny.gov

www.dec.nv.gov | | | | | |





From: Tom H. Forbes <TForbes@benchmarkturnkey.com>

Sent: Monday, April 15, 2019 3:17 PM

To: Moore, Maurice (DEC) <maurice.moore@dec.ny.gov>

Subject: Steel Sun 2 Import Request

ATTENTION: This email came from an external source. Do not open attachments or click on links from

Maurice,

CIR electrical is looking to import about 10 tons (total) of virgin washed 2" stone from the New Enterprise Wherle Drive Pit for use around the grounding grids on the Steel Sun 2 Sites. There was some debate as to whether it would be a run of crush or a washed number 2 stone, which is why they provided the gradation for both, but the washed stone is what CIR has confirmed and that material would meet the exemption criteria for testing (see the lower spec on the attached; it only goes to 1/4inch because fines are de-minimis). Can we import that to the site? If so I'll include this discussion in the 2020 PRR.

Thanks, Tom

Thomas H. Forbes, P.E.

Principal Engineer

tforbes@benchmarkturnkey.com

Benchmark Environmental Engineering & Science, PLLC TurnKey Environmental Restoration, LLC

https://protect2.fireeye.com/url?k=05bcc67e-599af2ca-05be3f4b-000babd9fe9f-fb2271f3d483a044&u=http://www.benchmarkturnkey.com/

2558 Hamburg Turnpike, Suite 300, Buffalo, NY 14218 *Phone*: (716) 856-0599, *Facsimile*: (716) 856-0583

Strong Advocates | Effective Solutions | Integrated Implementation

DISCLAIMERS:

<u>Confidentiality Notice:</u> The information contained in this message is intended only for the use of the addressee, and may be confidential and/or privileged. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

<u>Virus Warning:</u> While reasonable precautions have been taken to protect against viruses in this message, we accept no responsibility for any damages arising from the potential presence of such viruses.

<u>Contracts:</u> Nothing in this message shall be construed as legally binding upon Benchmark or TurnKey.

<u>Professional Opinions:</u> Views expressed in this message may only be relied upon as professional opinion if and when provided by principals of the Companies to authorized representatives of the organization with which we have an active client-engineer relationship and when directly pertaining to a binding contract scope of work.

DISCLAIMERS:

Confidentiality Notice: The information contained in this message is intended only for the use of the addressee, and may be confidential and/or privileged. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

<u>Virus Warning:</u> While reasonable precautions have been taken to protect against viruses in this message, we accept no responsibility for any damages arising from the potential presence of such viruses.

<u>Contracts:</u> Nothing in this message shall be construed as legally binding upon Benchmark or TurnKey.

<u>Professional Opinions:</u> Views expressed in this message may only be relied upon as professional opinion if and when provided by principals of the Companies to authorized representatives of the organization with which we have an active client-engineer relationship and when directly pertaining to a binding contract scope of work.

APPENDIX D

GROUNDWATER ANALYTICAL DATA





| Instrument | PROJECT INFORMATION: Project Name: See S. | Sen It Clum | 787 | M | | Date: 11/5/15 | 15/18 | | |
|--|---|-------------|------|------------------|-------------------------------------|---------------|--------------------------------|----------------------|---------------|
| UNITS TIME MAKE/MODEL SERIAL NUMBER CAL. BY UNITS TIME MAKE/MODEL SERIAL NUMBER CAL. BY Myron L Company 621375 CAL. BY 6243063 CAL. BY 6243063 CAL. BY 6243063 CAL. BY 6243063 CAL. BY 1710C062619 (Q) CAL. BY NTU CAMPACE 2020 CAL. BY 1710C062619 (Q) CAL. BY NTU CAMPACE 2020 CAL. BY 6243063 CAL. BY 6243063 CAL. BY C | 0351 | 12/2-1 | 500 | | | | | | |
| UNITS TIME MAKE/MODEL SERIAL NUMBER CAL. BY units 8:27 Whron L Company 6213516 CAL. BY 6243003 CAL. BY 6243003 CAL. BY 6243003 CAL. BY 6243003 CAL. BY 6223973 CAL. BY NTU Rech 2100P or 06120C020523 (P) CAL. BY 13120C030432 (Q) CAL. BY 13120C03 | Stell | . } | 2 Ge | L'y | | Instrumer | nt Source: | BM | Rental |
| units 8.27 | METER TYPE | UNITS | TIME | MAKE/MODEL | SERIAL NUMBER | CAL. BY | STANDARD | POST CAL. READING | SETTINGS |
| units_R_27 Ultra Meter 6P 621375 | | | | Myroo I company | 6213516 | 9 | 4.00 | 00.12 | 4 |
| NTU 08\$3 Hach 2100P or 06120C020523 (P) CN K. Turbidimeter 17110C062619 (Q) CN K. NTU LaMotte 2020 6523-1816 (La) CN K. Sog3) Wiron L Company 6243084 CN K. 6243003 CN K. 6243003 CN K. 6243003 CN K. 140200100319 CN K. 140200100319 CN K. 140200100319 CN K. | | units | 827 | Ultra Meter 6P | 6243084 U | N NO | 7.00 | 7.05 | _ |
| NTU 0833 | | | | | 6243003 | | 10.01 | 6.00 | 0/ |
| NTU 08\$33 2100Q 13120C030432 (Q) □ NTU LaMotte 2020 6523-1816 (La) □ C № € uS Myron L Company of E243084 □ □ C № € ppm MinRAE 2000 6213516 □ C № € ppm MinRAE 2000 6223973 □ C № € mg/m³ HACH Model HQ30d 100500041867 □ C № € uR/H LACH Model HQ30d 140200100319 □ C № € | * | | | | 06120C020523 (P) | | 10 NTU verification < 0.4 | 296 | ` |
| NTU LaMotte 2020 6523-1816 (La) uS mS Myron L Company 6213516 6243084 6243083 6223973 ppm MinRAE 2000 Ppm MinRAE 2000 100500041867 140200100319 uR/H uR/H | | ULL | 2833 | | 13120C030432 (Q) | メスン | 20 | | 7 |
| NTU LaMotte 2020 6523-1816 (La) US Wyron L Company 6213516 6243084 6243083 6223973 Ppm MinRAE 2000 NinRAE 2000 100500041867 140200100319 UR/H UR/H | | | | | | | 800 | | |
| uS | ☐ Turbidity meter | NTO | | LaMotte 2020 | | | 0.0 NTU 1.0 NTU 10.0 NTU | | |
| ppm MinRAE 2000 6223973 CN F 62 | | | 1000 | Myron L Company | 6213516 | | | | |
| ppm MinRAE 2000 080700023281 Ø ope ppm 3849 HACH Model HQ30d 100500041867 □ € N K 100% mg/m³ uR/H 140200100319 □ 2 2 uR/H backg backg backg | Sp. Cond. meter | | (5%0 | | 6212375 👿 6243003 🗆 6223973 🗀 | 72 | <u>//dc</u> ms@25°c | ८५५० | |
| ppm 849 HACH Model HQ30d 100500041867 ☐ € N W 100% mg/m³ | | 8 | | MisDAE 2000 | | | open air zero | | MIBK response |
| ppm | | IIIdd | | | | | ppm Iso. Gas | | factor = 1.0 |
| mg/m³ | No. | - | | FOCOL PROPERTY. | 080700023281 | | | | 87 |
| mg/m³ | | | 3549 | DACH Model nasod | 100500041867 | レスン | 100% Satuartion | 200) | 103.6% |
| mg/m³ uR/H | | | | | 140200100319 | | | | |
| uR/H | | mg/m³ | | | | | zero air | | |
| | | uR/H | İ | | | | background area | | |
| | ADDITIONAL REMARKS: |] | | | * 1 | | | | |
| (a) | PREPARED BY: | • | ~ | | DATE: WEller | | | | |

Equipment Calibration Log



GROUNDWATER FIELD FORM

Project Name: 5 I CLUM Date: Location: Project No.: 635/ -015-607 Field Team:

| Well No. MWS-31A | | | Diameter (inches): 211 | | | Sample Date / Time: 1455/18 | | | 1234 | |
|------------------------|---------------------------|-----------------------------|--------------------------|-------------------|------------|-----------------------------|--------------|-------------|----------------------|------|
| Product Depth (fbTOR): | | | Water Column (ft): 4,2 % | | | DTW when sampled: 1007 | | | | |
| DTW (static |) (fbTOR): | 0.00 | One Well Vo | olume (gal): | 0.69 | Purpose: | Development | ☐ Sample | Purge & Sample | |
| Total Depth | (fbTOR): | 1.25 | Total Volum | e Purged (gal): | 6.5 | Purge Meth | od: | Low F | loca | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor | |
| 1226 | o Initial | 0 | 10 10 | 14.8 | 513.3 | CMIT | 1.18 | -200 | very turbid, no | od |
| 1228 | 10.09 | 0.5 | 10.58 | 149 | 546.8 | 65.9 | 1.55 | -185 | turnid no od | 11 _ |
| 1230 | 2 10-09 | 2.0 | 10,104 | 15.0 | 548,4 | 22.9 | 1.44 | -1103 | wood, no od | |
| 1232 | 3 10.09 | 2.25 | 10.67 | 15.1 | 552.2 | 14.3 | 1.60 | -152 | clear no ode | |
| 1233 | 4 10.09 | 2.5 | iD. UP | 14.8 | 551.4 | 9.05 | 1.07 | -142 | clear, no od | DY |
| | 5 | | | | | | | | | |
| | 7 | | | | | | | | | |
| | 8 | | | | | | | | | |
| | 9 | | | | | | | | | |
| | 10 | | | | | | | | | |
| Sample I | nformation: | | | | | | | | | |
| 1234 | 81 10.09 | 2.75 | 10.69 | 14.8 | 592.0 | 8.97 | 1.24 | -137 | clear, no odo | 1 |
| 1738 | S2 10.00 | 4.00 | סרוחו | 151 | 554.0 | 15.4 | 1.29 | -134 | clear, no ola | |

| Well No | . MWS-3 | 35A | Diameter (in | ches): 1 | il | Sample Dat | e / Time: | MISLI | 8 1325 | |
|----------------------------|---------------------------|-----------------------------|---------------|-------------------|------------|--|--------------|-------------|---------------------------------------|--|
| Product Depth (fbTOR): | | | Water Colun | nn (ft): | 1121 | DTW when sampled: 10.70 | | | | |
| DTW (statio | | .62 | One Well Vo | lume (gal): | 1.83 | Purpose: Development Sample Purge & Sample | | | | |
| Total Depth (fbTOR): 20.88 | | | Total Volume | e Purged (gal): | 5.5 | Purge Method: | | | 100 | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor | |
| 1258 | o Initial | 0 | 001692 | 14.3 | 9.807 | 291 | 0.84 | -156 | turnid survage | |
| 1301 | 10.55 | 0.25 | 6.95 | 14.1 | 9,3,4 | 162 | 1.15 | - 147 | turbid, suttered | |
| 1302 | 2 10.53 | 0.5 | 7.03 | 14.8 | 340.3 | 139 | LLL | -147 | turnid sufund | |
| 1303 | 3 10.60 | 1.0 | 7.19 | 150 | 698.5 | 54.7 | 1.12 | - 158 | troid 301 fro to | |
| 1305 | 10.90 | 1.5 | 7.27 | 19.9 | 664.8 | 59.0 | 1.04 | -162 | touble sufer as | |
| 1308 | 5 10.87 | 2.0 | 7.44 | 14.9 | 606.6 | 44.6 | 1.00 | -171 | turbed surfer 20 | |
| 1310 | 6 10.67 | 2.53 | 7.62 | 14.9 | 569.9 | 36.1 | 1.12 | -182 | turbid sulfunder | |
| 1310 | 10.80 | 4.0 | 8.00 | 15.1 | 439.2 | 18.0 | 0.91 | ~215 | CLOCK, MOSINGA OC | |
| 1321 | · 1095 | 5.0 | 9.30 | 15.1 | 521.3 | 17. | 1.00 | -221 | coar, sultur oder | |
| VEED TO | TO CONCIDE | | | 11. | | | Tree You | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| | 10 | | | *: | | | | | | |
| Sample | Information: | X | | | | | | | | |
| 1325 | S1 10.70 | 5,5 | 8,47 | 15.0 | 516.4 | 19.5 | 0.93 | -228 | cloar, sultur allo | |

1329 5210.70 6.0 8.60 15.0 503.8 7.79 0,98 -228 coor, submitter Stabilization Criteria **REMARKS:** Volume Calculation Parameter Criteria ± 0.1 unit Diam. Vol. (g/ft) pН

Note: All water level measurements are in feet, distance from top of riser.

PREPARED BY:

2"

4"

6"

0.041

0.163

0.653

1.469

SC

Turbidity

DO

ORP

± 3%

± 10%

± 0.3 mg/L

± 10 mV

Groundwater Field Form GWFF - BM



GROUNDWATER FIELD FORM

Project Name: Steel Sty II GWM
Location: Project No.: 0351-018-wy Field Team: TVB

| Well No | MWS- | 64 | Diameter (i | nches): | 1 | Sample Da | te / Time: | 115/15 | Y lory | |
|------------------------|---------------------------|-----------------------------|--------------------|-------------------|------------|--------------------|--------------|-----------------|----------------------|--|
| Product Depth (fbTOR): | | | Water Column (ft): | | | | | | | |
| DTW (statio | | -26 | | /olume (gal): | 1.82 | Purpose: [| Development | 10 21 Sample | Purge & Sample | |
| Total Depth | (fbTOR): 20 | 2.48 | | ne Purged (gal): | Sous L | | | - | | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor | |
| 1001 | o Initial | 0 | 10.85 | 12.7 | 1057 | 1.80 | 2.02 | -112 | cearino alc | |
| 1053 | 1 9.99 | 0.6 | 6,90 | 12.7 | 1011 | 1.53 | 1,74 | -103 | fleur, no od an | |
| 1055 | 2 10.11 | 1.15 | 6.93 | 12.8 | 985.7 | 1.49 | 1.104 | -99 | Crear, no od | |
| 1037 | 3 (0.21 | 2.0 | 6.98 | 12.8 | 9623 | 1.00 | 1.28 | -91 | Ciecur, no ode | |
| | 5 | | | | | | | | | |
| | 6 | | | | | | | | | |
| | 7 | | | | | | | | | |
| | 8 | | | | | | | | | |
| | 9 | | | | | | | | | |
| | 10 | | | | | | | | | |
| Sample I | nformation: | Blind D | UP Coile | cted | | | | l | | |
| 1058 | s1 10.21 | 2.05 | 7.00 | 12.9 | 9326 | 1.98 | 1.91 | -85 | Clear ino odor | |
| 1100 | S2 1021 | 2.75 | 7.10 | 13.1 | 779.1 | 1178 | 1,10 | -73 | Crearinopday | |

| | o. MWS | -34A | Diameter (ir | nches): | 211 | Sample Dat | e / Time: | 115/18 | 1156 | | |
|-----------------|---------------------------|-----------------------------|---------------|-------------------|------------|--------------------|-------------------|-------------|-------------------|--|--|
| Product De | epth (fbTOR): | - 201 | Water Colu | mn (ft): | 9.97 | DTW when | DTW when sampled: | | | | |
| DTW (stat | ic) (fbTOR): | 1.31 | One Well V | olume (gal): | 1.62 | - | Development | | | | |
| Total Dept | h (fbTOR): 🔼 | .18 | Total Volum | e Purged (gal): | 2.25 | Purge Meth | | ow Flo | | | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor | | |
| 1143 | o Initial | 0 | 6.96 | 14.4 | 1092 | SICIOIS | 1.21 | -127 | turoid moo | | |
| 1149 | 11.81 | 0.75 | 6.96 | 14.7 | 1037 | 241 | 1.40 | -127 | twod nood | | |
| 1149 | 3 1 99 | 1.25 | 7.01 | 15.1 | 99411 | 208 | 164 | -120 | the roid in od | | |
| 1161 | 4 11 (2) | 1.8 | 7.12 | 15.4 | 1038 | 104:9 | 1,41 | -128 | turbid, no a | | |
| 1153 | 5 11.89 | 12 | 7.7.60 | 15.5 | 1051 | 13.9 | 111 | -134 | cleer, no odo | | |
| 1154 | 6 11.89 | 2.75 | 7.28 | 15,4 | 1073 | 8.83 | 1.29 | -130 | Clear, no oder | | |
| DISTRICT | 7 | | 10 | 131 | 1012 | 2,3- | 1.33 | 157 | coat ino cas | | |
| | В | | | | | | | | | | |
| | 9 | | | | | | | | | | |
| | 10 | | | | | | | | | | |
| Sample | nformation: | | | _, | | | | | | | |
| 1156 | 5111.89 | 3.0 | 7.31 | 15.5 | 1076 | 5.73 | 1.27 | -124 | cicar, no oder | | |
| 1200 | 52 11.83 | 4.0 | 7.33 | 15.2 | 1085 | 2.75 | 1,27 | | clear, no odor | | |

| REMARKS: | |
|----------------------------|---|
| | |
| | |
| Note: All water level meas | urements are in feet, distance from top of riser. |

Volume Calculation

Diam. Vol. (g/ft)

1" 0.041

2" 0.163

4" 0.653

6" 1.469

 Stabilization Criteria

 Parameter
 Criteria

 pH
 ± 0.1 unit

 SC
 ± 3%

 Turbidity
 ± 10%

 DO
 ± 0.3 mg/L

 ORP
 ± 10 mV

Groundwater Field Form GWFF - BM PREPARED BY:





GROUNDWATER FIELD FORM

Project Name: Start GWM

Location: Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-029)

Project No.: 035(-065-0

| Well No | . MWW- | 56A | Diameter (in | ches): 2 | | Sample Dat | te / Time: | 11151 | 12 238 | |
|------------------------|---------------------------|-----------------------------|---------------|-------------------|---------------|--------------------|--------------|-------------|----------------------|-----------|
| Product Depth (fbTOR): | | | Water Colur | | 3.71 | DTW when | sampled: | 8.88 | | 1 |
| DTW (statio | e) (fbTOR): | 5.87 | One Well Vo | olume (gal): | 2-23 | Purpose: | | | Purge & Sample | 1 |
| Total Depth | (fbTOR): 2 | 2.58 | Total Volum | e Purged (gal): | 2.5 | Purge Meth | od: | Lou | Flor | 1 |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (8u) MS | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor | |
| 0924 | o Initial | 0 | 7:83 | 13.9 | 19.73 | 138 | 7.24 | -157 | hibid, sufuri | dov |
| 10928 | 18.88 | | 1,17 | 140 | 19.54 | 17.1 | i.109 | -197 | ciear Suitur | 100 M 100 |
| 0930 | 2 (48 | 1.5 | 8.76 | 14.4 | 19.52 | 9 80 | 1.00 | -190 | clear, SIFUY | |
| 0933 | 3 4.85 | 2.0 | 8,78 | 14.0 | 19.69 | 6.00 | 1.102 | -203 | Clocursulfor | |
| | 5 | | | | | | | | | |
| | б | | Q. | | | | | | | |
| | 7 | | | | | | - | | | 1 |
| | 8 | | | | | | | | | 1 |
| | 9 | | | | | | | | | |
| | 10 | | | | | | | | | 1 |
| Sample | nformation: | MSIMS | SD collec | ted | | | | | | |
| 0938 | 81 4 45 | 2.5 | 8.94 | 14.1 | 19.165 | 3,68 | 1.41 | -206 | MOW SUHONDE | or |
| Baulo | 528 88 | 1.15 | 4.9 | 14.2 | 101/1010 | 1.59 | 1,47 | -205 | Moon, Suffer | OV |

| Well No | - MWM . | 57A | Diameter (in | ches): 1 | tt | Sample Dat | e / Time: 10 | 15/18 | 1024 |
|-------------|----------------------------|-----------------------------|---------------|-------------------|------------|--------------------|---------------|-------------|----------------------|
| Product De | pth (fbTOR): | | Water Colur | nn (ft): | 13.09 | DTW when | sampled: | 8.3 | 5. |
| DTW (statio | c) (fbTOR): | 8.15 | One Well Vo | olume (gal): | 213 | Purpose: |] Development | Sample | Purge & Sample |
| Total Depth | (fbTOR): | 1.34 | Total Volum | e Purged (gal): | 4.0 | Purge Meth | od: | Low | Flou |
| Time | ∛Vater Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor |
| 1002 | o Initial | 0 | 0.B2 | 13.1. | 10.39 | 34.8 | 1.26 | -179 | Clear, no ode |
| 1005 | 18.38 | 0.75 | 6.15 | 129 | 9.606 | 16.0 | 1.40 | -1460 | Clear, no od |
| (000 | 29,39 | 1.25 | 6,91 | 14.4 | 9.752 | 5,52 | 1.20 | -1105 | clear no ode |
| 1009 | 3 8 39 | 1.50 | 6.97 | 14.3 | 9,454 | 3.20 | 1.01 | -175 | Clour no ode |
| IOI | 1839 | 2.3 | 7.08 | 14.7. | 9.484 | 2,47 | 1.14 | -176 | rewins od |
| 1019 | 5 \$.35 | 3.0 | 7.19 | 14.1 | 9,430 | 1,97 | 1.02 | -171 | Clear, no do |
| 1018 | 6 5.35 | 3.25 | 9,16 | 14.2 | 9.395 | 1,97 | 1.14 | -174 | (lecy no odo |
| 1020 | 18.35 | 4.00 | 4.20 | 19.3 | 9,276 | 1.78 | 1,19 | -180 | Clearinpeal |
| | 8 | | | | | | | | |
| | 9 | | | | | | | | |
| | 10 | | | | | | | | |
| Sample | Information: | | | | | | | | |
| 1024 | \$1 \$139 | 4.5 | 7.17 | 13.9 | 9.490 | 15.7 | 1.09 | -179 | Charmodor |
| 1078 | S2 8.35 | 4.75 | 7.29 | 13.9 | 9.202 | 11.9 | 1.02 | -178 | Clearinodor |
| | | | | | | | | Stat | oilization Criteria |

| ume (am. | Calculation | Parameter | Г |
|--------------|-------------|----------------------|-----------------------------------|
| am | 1 | | |
| aiii. | Vot. (g/ft) | pН | |
| 1** | 0.041 | SC | |
| 2" | 0.163 | Turbidity | |
| 4" | 0.653 | DO | |
| 6" | 1.469 | ORP | |
| | 2 4" | 2" 0.163 4" 0.653 | 2" 0.163 Turbidity 4" 0.653 DO |

 Parameter
 Criteria

 pH
 ± 0.1 unit

 SC
 ± 3%

 Turbidity
 ± 10%

 DO
 ± 0.3 mg/L

 ORP
 ± 10 mV



ANALYTICAL REPORT

Lab Number: L1845226

Client: Benchmark & Turnkey Companies

2558 Hamburg Turnpike

Suite 300

Buffalo, NY 14218

ATTN: Tom Forbes
Phone: (716) 856-0599

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Report Date: 11/12/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226 **Report Date:** 11/12/18

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|--------------------|-----------------|--------|--------------------|----------------------|--------------|
| L1845226-01 | MWN-56A | WATER | LACKAWANNA, NY | 11/05/18 09:38 | 11/05/18 |
| L1845226-02 | MWN-57A | WATER | LACKAWANNA, NY | 11/05/18 10:24 | 11/05/18 |
| L1845226-03 | MWS-04 | WATER | LACKAWANNA, NY | 11/05/18 10:58 | 11/05/18 |
| L1845226-04 | BLIND DUP | WATER | LACKAWANNA, NY | 11/05/18 12:00 | 11/05/18 |
| L1845226-05 | MWS-31A | WATER | LACKAWANNA, NY | 11/05/18 12:34 | 11/05/18 |
| L1845226-06 | MWS-34A | WATER | LACKAWANNA, NY | 11/05/18 11:56 | 11/05/18 |
| L1845226-07 | MWS-35A | WATER | LACKAWANNA, NY | 11/05/18 13:25 | 11/05/18 |
| L1845226-08 | EQUIPMENT BLANK | WATER | LACKAWANNA, NY | 11/05/18 08:30 | 11/05/18 |
| L1845226-09 | TRIP BLANK | WATER | LACKAWANNA, NY | 11/05/18 00:00 | 11/05/18 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

| Please contact | Client Services at | 800-624-9220 with | any questions. |
|----------------|--------------------|-------------------|----------------|
| Please contact | Client Services at | 600-624-9220 With | any questions. |



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Title: Technical Director/Representative Date: 11/12/18

Melissa Cripps Melissa Cripps

ORGANICS



VOLATILES



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Lab ID: L1845226-01 Client ID: MWN-56A

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 11/09/18 13:03

Analyst: MKS

| Date Collected: | 11/05/18 09:38 |
|-----------------|----------------|
| Date Received: | 11/05/18 |
| Field Pren: | Not Specified |

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|----------------|-----------|-------|------|------|-----------------|--|
| Volatile Organics by GC/MS - W | estborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 | |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 | |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 | |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 | |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 | |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 | |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 | |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 | |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| | | | | | | | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-01 Date Collected: 11/05/18 09:38

Client ID: MWN-56A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westboroug | gh Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|-----------------------|------------|----------------------------------|--|
| 1,2-Dichloroethane-d4 | 97 | 70-130 | |
| Toluene-d8 | 100 | 70-130 | |
| 4-Bromofluorobenzene | 95 | 70-130 | |
| Dibromofluoromethane | 92 | 70-130 | |



L1845226

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

11/12/10

Report Date: 11/12/18

Lab Number:

Lab ID: L1845226-02

Client ID: MWN-57A

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 11/09/18 13:32

Analyst: MKS

| Date Collected: | 11/05/18 10:24 |
|-----------------|----------------|
| Date Received: | 11/05/18 |
| Field Prep: | Not Specified |

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|----------------|-----------|-------|------|------|-----------------|--|
| Volatile Organics by GC/MS - W | estborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 | |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 | |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 | |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 | |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 | |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 | |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 | |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 | |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| | | | | | | | |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number:

Report Date:

Lab ID: L1845226-02

Client ID: MWN-57A

Sample Location: LACKAWANNA, NY Date Collected: 11/05/18 10:24

Date Received: 11/05/18 Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | 0.72 | J | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|-----------------------|------------|----------------------------------|--|
| 1,2-Dichloroethane-d4 | 98 | 70-130 | |
| Toluene-d8 | 101 | 70-130 | |
| 4-Bromofluorobenzene | 95 | 70-130 | |
| Dibromofluoromethane | 91 | 70-130 | |



11/05/18 10:58

Not Specified

11/05/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

L1845226

Report Date: 11/12/18

Lab Number:

Date Collected:

Date Received:

Field Prep:

Lab ID: L1845226-03

Client ID: MWS-04

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water Analytical Method: 1,8260C

Analytical Date: 11/09/18 14:00

Analyst: MKS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|-----------------------------------|-------------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - West | borough Lab | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | 0.54 | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |



Project Name: Lab Number: STEEL SUN II 2018 L1845226

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 10:58 L1845226-03

Date Received: Client ID: MWS-04 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria | |
|-----------------------|------------|-----------|------------------------|--|
| 1,2-Dichloroethane-d4 | 95 | | 70-130 | |
| Toluene-d8 | 101 | | 70-130 | |
| 4-Bromofluorobenzene | 94 | | 70-130 | |
| Dibromofluoromethane | 90 | | 70-130 | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Lab ID: L1845226-04

Client ID: **BLIND DUP**

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water Analytical Method: 1,8260C Analytical Date: 11/09/18 14:29

Analyst: MKS

| Date Collected: | 11/05/18 12:00 |
|-----------------|----------------|
| Date Received: | 11/05/18 |
| Field Prep | Not Specified |

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|---------------------------------|---------------|-----------|-------|------|------|-----------------|--|
| Volatile Organics by GC/MS - We | stborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 | |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 | |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 | |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 | |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 | |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 | |
| Benzene | 0.82 | | ug/l | 0.50 | 0.16 | 1 | |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 | |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 | |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |



MDL

Dilution Factor

Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-04 Date Collected: 11/05/18 12:00

Client ID: BLIND DUP Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Qualifier

Units

RL

Result

Sample Depth:

Parameter

| i arameter | Nosun | Qualifici | Office | | | Dilation ractor | |
|------------------------------------|------------|-----------|--------|-----|------|-----------------|--|
| Volatile Organics by GC/MS - Westb | orough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 | |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 | |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 | |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 | |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 | |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 | |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 | |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 | |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 | |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 | |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 | |
| | | | | | | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|-----------------------|------------|----------------------------------|--|
| 1,2-Dichloroethane-d4 | 95 | 70-130 | |
| Toluene-d8 | 102 | 70-130 | |
| 4-Bromofluorobenzene | 94 | 70-130 | |
| Dibromofluoromethane | 90 | 70-130 | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Lab ID: Date Collected: 11/05/18 12:34 L1845226-05

Client ID: Date Received: 11/05/18 MWS-31A Field Prep: Sample Location: LACKAWANNA, NY Not Specified

Sample Depth:

Matrix: Water Analytical Method: 1,8260C Analytical Date: 11/09/18 14:58

Analyst: MKS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|----------------------------------|--------------|-----------|-------|------|------|-----------------|--|
| Volatile Organics by GC/MS - Wes | tborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 | |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 | |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 | |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 | |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 | |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 | |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 | |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 | |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| | | | | | | | |



Project Name: Lab Number: STEEL SUN II 2018 L1845226

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 12:34 L1845226-05

MWS-31A Date Received: Client ID: 11/05/18

Sample Location: Field Prep: LACKAWANNA, NY Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|-----------------------|------------|----------------------------------|
| 1,2-Dichloroethane-d4 | 94 | 70-130 |
| Toluene-d8 | 104 | 70-130 |
| 4-Bromofluorobenzene | 96 | 70-130 |
| Dibromofluoromethane | 91 | 70-130 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Lab ID: Date Collected: 11/05/18 11:56 L1845226-06

Client ID: Date Received: 11/05/18 MWS-34A Field Prep: Sample Location: LACKAWANNA, NY Not Specified

Sample Depth:

Matrix: Water Analytical Method: 1,8260C Analytical Date: 11/09/18 15:26

Analyst: MKS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough | Lab | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |



L1845226

Project Name: Lab Number: STEEL SUN II 2018

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 11:56 L1845226-06

MWS-34A Date Received: Client ID: 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|-----------------------|------------|----------------------------------|--|
| 1,2-Dichloroethane-d4 | 95 | 70-130 | |
| Toluene-d8 | 103 | 70-130 | |
| 4-Bromofluorobenzene | 95 | 70-130 | |
| Dibromofluoromethane | 92 | 70-130 | |



L1845226

11/05/18 13:25

Not Specified

11/05/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Report Date: 11/12/18

Lab Number:

Date Collected:

Date Received:

Field Prep:

Lab ID: L1845226-07

Client ID: MWS-35A

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water Analytical Method: 1,8260C

Analytical Date: 11/09/18 15:55

Analyst: MKS

| | | Qualifier | Units | RL | MDL | Dilution Factor |
|---|-------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westboroug | h Lab | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-07 Date Collected: 11/05/18 13:25

Client ID: MWS-35A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|------------------------|
| 1,2-Dichloroethane-d4 | 95 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 95 | | 70-130 |
| Dibromofluoromethane | 90 | | 70-130 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Lab ID: Date Collected: 11/05/18 08:30 L1845226-08

Client ID: Date Received: 11/05/18 **EQUIPMENT BLANK** Field Prep: Sample Location: LACKAWANNA, NY Not Specified

Sample Depth:

Matrix: Water Analytical Method: 1,8260C Analytical Date: 11/09/18 16:23

Analyst: MKS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|------------------------------------|------------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westb | orough Lab | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| | | | | | | |



Project Name: Lab Number: STEEL SUN II 2018 L1845226

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 08:30 L1845226-08

Date Received: Client ID: **EQUIPMENT BLANK** 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |
| | | | | | | |

| Surrogate | % Recovery | Accept Qualifier Crite | |
|-----------------------|------------|---------------------------|-----|
| 1,2-Dichloroethane-d4 | 95 | 70- | 130 |
| Toluene-d8 | 103 | 70- | 130 |
| 4-Bromofluorobenzene | 94 | 70- | 130 |
| Dibromofluoromethane | 90 | 70- | 130 |



11/05/18 00:00

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number: L1845226

Report Date: 11/12/18

Date Collected:

0/till 12 1(200

Lab ID: L1845226-09
Client ID: TRIP BLANK

Sample Location: LACKAWANNA, NY

Date Received: 11/05/18
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 11/09/18 16:52

Analyst: MKS

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|----------------------------------|--------------|-----------|-------|------|------|-----------------|--|
| Volatile Organics by GC/MS - Wes | tborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 | |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 | |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 | |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 | |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 | |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 | |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 | |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 | |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 | |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 | |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| | | | | | | | |



MDL

Dilution Factor

Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Qualifier

Units

RL

Lab ID: L1845226-09 Date Collected: 11/05/18 00:00

Client ID: TRIP BLANK Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Result

Sample Depth:

Parameter

| i arameter | Nosun | Qualifici | Office | | | Dilation ractor | |
|------------------------------------|------------|-----------|--------|-----|------|-----------------|--|
| Volatile Organics by GC/MS - Westb | orough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 | |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 | |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 | |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 | |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 | |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 | |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 | |
| Bromochloromethane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 | |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2,3-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 | |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 | |
| 1,4-Dioxane | ND | | ug/l | 250 | 61. | 1 | |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 | |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 | |
| | | | | | | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|-----------------------|------------|----------------------------------|--|
| 1,2-Dichloroethane-d4 | 96 | 70-130 | |
| Toluene-d8 | 102 | 70-130 | |
| 4-Bromofluorobenzene | 95 | 70-130 | |
| Dibromofluoromethane | 91 | 70-130 | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C Analytical Date: 11/09/18 09:15

Analyst: PD

| olatile Organics by GC/MS - | \A/ (I I I I | | | | |
|-----------------------------|-------------------|----------------|--------------|-------------|--|
| | · Westborough Lab | for sample(s): | 01-09 Batch: | WG1177983-5 | |
| Methylene chloride | ND | ug/l | 2.5 | 0.70 | |
| 1,1-Dichloroethane | ND | ug/l | 2.5 | 0.70 | |
| Chloroform | ND | ug/l | 2.5 | 0.70 | |
| Carbon tetrachloride | ND | ug/l | 0.50 | 0.13 | |
| 1,2-Dichloropropane | ND | ug/l | 1.0 | 0.14 | |
| Dibromochloromethane | ND | ug/l | 0.50 | 0.15 | |
| 1,1,2-Trichloroethane | ND | ug/l | 1.5 | 0.50 | |
| Tetrachloroethene | ND | ug/l | 0.50 | 0.18 | |
| Chlorobenzene | ND | ug/l | 2.5 | 0.70 | |
| Trichlorofluoromethane | ND | ug/l | 2.5 | 0.70 | |
| 1,2-Dichloroethane | ND | ug/l | 0.50 | 0.13 | |
| 1,1,1-Trichloroethane | ND | ug/l | 2.5 | 0.70 | |
| Bromodichloromethane | ND | ug/l | 0.50 | 0.19 | |
| trans-1,3-Dichloropropene | ND | ug/l | 0.50 | 0.16 | |
| cis-1,3-Dichloropropene | ND | ug/l | 0.50 | 0.14 | |
| Bromoform | ND | ug/l | 2.0 | 0.65 | |
| 1,1,2,2-Tetrachloroethane | ND | ug/l | 0.50 | 0.17 | |
| Benzene | ND | ug/l | 0.50 | 0.16 | |
| Toluene | ND | ug/l | 2.5 | 0.70 | |
| Ethylbenzene | ND | ug/l | 2.5 | 0.70 | |
| Chloromethane | ND | ug/l | 2.5 | 0.70 | |
| Bromomethane | ND | ug/l | 2.5 | 0.70 | |
| Vinyl chloride | ND | ug/l | 1.0 | 0.07 | |
| Chloroethane | ND | ug/l | 2.5 | 0.70 | |
| 1,1-Dichloroethene | ND | ug/l | 0.50 | 0.17 | |
| trans-1,2-Dichloroethene | ND | ug/l | 2.5 | 0.70 | |
| Trichloroethene | ND | ug/l | 0.50 | 0.18 | |
| 1,2-Dichlorobenzene | ND | ug/l | 2.5 | 0.70 | |
| 1,3-Dichlorobenzene | ND | ug/l | 2.5 | 0.70 | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C Analytical Date: 11/09/18 09:15

Analyst: PD

| Parameter | Result | Qualifier Units | RL | MDL | |
|----------------------------------|---------------|---------------------|----------|-------------|--|
| Volatile Organics by GC/MS - Wes | stborough Lab | for sample(s): 01-0 | 9 Batch: | WG1177983-5 | |
| 1,4-Dichlorobenzene | ND | ug/l | 2.5 | 0.70 | |
| Methyl tert butyl ether | ND | ug/l | 2.5 | 0.70 | |
| p/m-Xylene | ND | ug/l | 2.5 | 0.70 | |
| o-Xylene | ND | ug/l | 2.5 | 0.70 | |
| cis-1,2-Dichloroethene | ND | ug/l | 2.5 | 0.70 | |
| Styrene | ND | ug/l | 2.5 | 0.70 | |
| Dichlorodifluoromethane | ND | ug/l | 5.0 | 1.0 | |
| Acetone | ND | ug/l | 5.0 | 1.5 | |
| Carbon disulfide | ND | ug/l | 5.0 | 1.0 | |
| 2-Butanone | ND | ug/l | 5.0 | 1.9 | |
| 4-Methyl-2-pentanone | ND | ug/l | 5.0 | 1.0 | |
| 2-Hexanone | ND | ug/l | 5.0 | 1.0 | |
| Bromochloromethane | ND | ug/l | 2.5 | 0.70 | |
| 1,2-Dibromoethane | ND | ug/l | 2.0 | 0.65 | |
| 1,2-Dibromo-3-chloropropane | ND | ug/l | 2.5 | 0.70 | |
| Isopropylbenzene | ND | ug/l | 2.5 | 0.70 | |
| 1,2,3-Trichlorobenzene | ND | ug/l | 2.5 | 0.70 | |
| 1,2,4-Trichlorobenzene | ND | ug/l | 2.5 | 0.70 | |
| Methyl Acetate | ND | ug/l | 2.0 | 0.23 | |
| Cyclohexane | ND | ug/l | 10 | 0.27 | |
| 1,4-Dioxane | ND | ug/l | 250 | 61. | |
| Freon-113 | ND | ug/l | 2.5 | 0.70 | |
| Methyl cyclohexane | ND | ug/l | 10 | 0.40 | |
| | | | | | |



L1845226

Project Name: STEEL SUN II 2018

Project Number: Report Date: 0351-018-004 11/12/18

Lab Number:

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260C

Analytical Date: 11/09/18 09:15

Analyst: PD

| Parameter | Result | Qualifier | Units | RL | MDL |
|-----------------------------------|-------------|------------|-------------|--------|-------------|
| Volatile Organics by GC/MS - West | borough Lab | for sample | e(s): 01-09 | Batch: | WG1177983-5 |

| | | - | Acceptance | |
|-----------------------|-----------|-----------|------------|--|
| Surrogate | %Recovery | Qualifier | Criteria | |
| | | | | |
| 1,2-Dichloroethane-d4 | 92 | | 70-130 | |
| Toluene-d8 | 99 | | 70-130 | |
| 4-Bromofluorobenzene | 96 | | 70-130 | |
| Dibromofluoromethane | 92 | | 70-130 | |



Lab Control Sample Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|------------------------------|------------------------------|---------------|-------------------|-------------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - | Westborough Lab Associated s | ample(s): 01- | 09 Batch: ' | WG1177983-3 | WG1177983-4 | | | |
| Methylene chloride | 84 | | 83 | | 70-130 | 1 | | 20 |
| 1,1-Dichloroethane | 98 | | 97 | | 70-130 | 1 | | 20 |
| Chloroform | 84 | | 85 | | 70-130 | 1 | | 20 |
| Carbon tetrachloride | 84 | | 86 | | 63-132 | 2 | | 20 |
| 1,2-Dichloropropane | 100 | | 100 | | 70-130 | 0 | | 20 |
| Dibromochloromethane | 82 | | 81 | | 63-130 | 1 | | 20 |
| 1,1,2-Trichloroethane | 83 | | 83 | | 70-130 | 0 | | 20 |
| Tetrachloroethene | 88 | | 89 | | 70-130 | 1 | | 20 |
| Chlorobenzene | 86 | | 88 | | 75-130 | 2 | | 20 |
| Trichlorofluoromethane | 82 | | 84 | | 62-150 | 2 | | 20 |
| 1,2-Dichloroethane | 86 | | 84 | | 70-130 | 2 | | 20 |
| 1,1,1-Trichloroethane | 88 | | 88 | | 67-130 | 0 | | 20 |
| Bromodichloromethane | 84 | | 84 | | 67-130 | 0 | | 20 |
| trans-1,3-Dichloropropene | 75 | | 75 | | 70-130 | 0 | | 20 |
| cis-1,3-Dichloropropene | 84 | | 83 | | 70-130 | 1 | | 20 |
| Bromoform | 72 | | 72 | | 54-136 | 0 | | 20 |
| 1,1,2,2-Tetrachloroethane | 79 | | 76 | | 67-130 | 4 | | 20 |
| Benzene | 91 | | 91 | | 70-130 | 0 | | 20 |
| Toluene | 86 | | 87 | | 70-130 | 1 | | 20 |
| Ethylbenzene | 85 | | 87 | | 70-130 | 2 | | 20 |
| Chloromethane | 110 | | 110 | | 64-130 | 0 | | 20 |
| Bromomethane | 77 | | 75 | | 39-139 | 3 | | 20 |
| Vinyl chloride | 120 | | 120 | | 55-140 | 0 | | 20 |
| | | | | | | | | |



Lab Control Sample Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | | %Recovery Limits | RPD | RPD Qual Limits | |
|---|------------------|------------|-------------------|-------------|---------------------|-----|--------------------|--|
| olatile Organics by GC/MS - Westborough | h Lab Associated | sample(s): | 01-09 Batch: | WG1177983-3 | WG1177983-4 | | | |
| Chloroethane | 100 | | 100 | | 55-138 | 0 | 20 | |
| 1,1-Dichloroethene | 87 | | 86 | | 61-145 | 1 | 20 | |
| trans-1,2-Dichloroethene | 85 | | 87 | | 70-130 | 2 | 20 | |
| Trichloroethene | 88 | | 88 | | 70-130 | 0 | 20 | |
| 1,2-Dichlorobenzene | 85 | | 85 | | 70-130 | 0 | 20 | |
| 1,3-Dichlorobenzene | 85 | | 87 | | 70-130 | 2 | 20 | |
| 1,4-Dichlorobenzene | 84 | | 86 | | 70-130 | 2 | 20 | |
| Methyl tert butyl ether | 83 | | 80 | | 63-130 | 4 | 20 | |
| p/m-Xylene | 90 | | 90 | | 70-130 | 0 | 20 | |
| o-Xylene | 90 | | 95 | | 70-130 | 5 | 20 | |
| cis-1,2-Dichloroethene | 87 | | 89 | | 70-130 | 2 | 20 | |
| Styrene | 85 | | 85 | | 70-130 | 0 | 20 | |
| Dichlorodifluoromethane | 100 | | 100 | | 36-147 | 0 | 20 | |
| Acetone | 92 | | 85 | | 58-148 | 8 | 20 | |
| Carbon disulfide | 85 | | 86 | | 51-130 | 1 | 20 | |
| 2-Butanone | 87 | | 76 | | 63-138 | 13 | 20 | |
| 4-Methyl-2-pentanone | 100 | | 97 | | 59-130 | 3 | 20 | |
| 2-Hexanone | 80 | | 76 | | 57-130 | 5 | 20 | |
| Bromochloromethane | 96 | | 94 | | 70-130 | 2 | 20 | |
| 1,2-Dibromoethane | 85 | | 82 | | 70-130 | 4 | 20 | |
| 1,2-Dibromo-3-chloropropane | 68 | | 63 | | 41-144 | 8 | 20 | |
| Isopropylbenzene | 87 | | 91 | | 70-130 | 4 | 20 | |
| 1,2,3-Trichlorobenzene | 55 | Q | 57 | Q | 70-130 | 4 | 20 | |



Lab Control Sample Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date: 11/12/18

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | | %Recovery Limits | RPD | RPD Qual Limits | |
|--|------------------|------------|-------------------|-------------|---------------------|-----|--------------------|--|
| Volatile Organics by GC/MS - Westborough L | ab Associated | sample(s): | 01-09 Batch: | WG1177983-3 | WG1177983-4 | | | |
| 1,2,4-Trichlorobenzene | 68 | Q | 70 | | 70-130 | 3 | 20 | |
| Methyl Acetate | 99 | | 94 | | 70-130 | 5 | 20 | |
| Cyclohexane | 110 | | 110 | | 70-130 | 0 | 20 | |
| 1,4-Dioxane | 140 | | 128 | | 56-162 | 9 | 20 | |
| Freon-113 | 82 | | 83 | | 70-130 | 1 | 20 | |
| Methyl cyclohexane | 86 | | 88 | | 70-130 | 2 | 20 | |

| Surrogate | LCS %Recovery Qual | LCSD %Recovery Qual | Acceptance Criteria |
|-----------------------|-----------------------|------------------------|------------------------|
| 1,2-Dichloroethane-d4 | 98 | 92 | 70-130 |
| Toluene-d8 | 97 | 97 | 70-130 |
| 4-Bromofluorobenzene | 97 | 96 | 70-130 |
| Dibromofluoromethane | 94 | 93 | 70-130 |

Matrix Spike Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Qual Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|-------------|----------------|-----------------|-------------------|------------------|--------|--------------------|---------|---------|---------------|
| Volatile Organics by GC/MS - MWN-56A | - Westborough I | _ab Asso | ciated sample(| s): 01-09 QC | Batch ID: WG11779 | 983-6 WG117 | 7983-7 | QC Sample | : L1845 | 5226-01 | Client ID: |
| Methylene chloride | ND | 10 | 8.2 | 82 | 7.3 | 73 | | 70-130 | 12 | | 20 |
| 1,1-Dichloroethane | ND | 10 | 9.6 | 96 | 8.5 | 85 | | 70-130 | 12 | | 20 |
| Chloroform | ND | 10 | 8.3 | 83 | 7.4 | 74 | | 70-130 | 11 | | 20 |
| Carbon tetrachloride | ND | 10 | 9.2 | 92 | 7.6 | 76 | | 63-132 | 19 | | 20 |
| 1,2-Dichloropropane | ND | 10 | 10 | 100 | 8.9 | 89 | | 70-130 | 12 | | 20 |
| Dibromochloromethane | ND | 10 | 8.6 | 86 | 7.7 | 77 | | 63-130 | 11 | | 20 |
| 1,1,2-Trichloroethane | ND | 10 | 8.7 | 87 | 8.0 | 80 | | 70-130 | 8 | | 20 |
| Tetrachloroethene | ND | 10 | 10 | 100 | 8.2 | 82 | | 70-130 | 20 | | 20 |
| Chlorobenzene | ND | 10 | 9.3 | 93 | 8.1 | 81 | | 75-130 | 14 | | 20 |
| Trichlorofluoromethane | ND | 10 | 9.2 | 92 | 7.7 | 77 | | 62-150 | 18 | | 20 |
| 1,2-Dichloroethane | ND | 10 | 8.4 | 84 | 7.5 | 75 | | 70-130 | 11 | | 20 |
| 1,1,1-Trichloroethane | ND | 10 | 9.1 | 91 | 7.9 | 79 | | 67-130 | 14 | | 20 |
| Bromodichloromethane | ND | 10 | 8.2 | 82 | 7.2 | 72 | | 67-130 | 13 | | 20 |
| rans-1,3-Dichloropropene | ND | 10 | 7.5 | 75 | 6.6 | 66 | Q | 70-130 | 13 | | 20 |
| cis-1,3-Dichloropropene | ND | 10 | 7.7 | 77 | 6.8 | 68 | Q | 70-130 | 12 | | 20 |
| Bromoform | ND | 10 | 7.6 | 76 | 6.9 | 69 | | 54-136 | 10 | | 20 |
| 1,1,2,2-Tetrachloroethane | ND | 10 | 8.7 | 87 | 7.8 | 78 | | 67-130 | 11 | | 20 |
| Benzene | ND | 10 | 9.2 | 92 | 8.0 | 80 | | 70-130 | 14 | | 20 |
| Toluene | ND | 10 | 9.3 | 93 | 8.0 | 80 | | 70-130 | 15 | | 20 |
| Ethylbenzene | ND | 10 | 9.5 | 95 | 7.9 | 79 | | 70-130 | 18 | | 20 |
| Chloromethane | ND | 10 | 11 | 110 | 9.6 | 96 | | 64-130 | 14 | | 20 |
| Bromomethane | ND | 10 | 4.3 | 43 | 3.8 | 38 | Q | 39-139 | 12 | | 20 |
| √inyl chloride | ND | 10 | 12 | 120 | 11 | 110 | | 55-140 | 9 | | 20 |



Matrix Spike Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|-----------------------------|------------------|-------------|--------------|-----------------|-------------|--------------|------------------|--------|--------------------|----------|--------|---------------|
| Volatile Organics by GC/MS | 6 - Westborough | Lab Assoc | iated sample | (s): 01-09 QC | C Batch ID: | WG11779 | 983-6 WG117 | 7983-7 | QC Sample | e: L1845 | 226-01 | Client ID: |
| Chloroethane | ND | 10 | 10 | 100 | | 9.2 | 92 | | 55-138 | 8 | | 20 |
| 1,1-Dichloroethene | ND | 10 | 9.0 | 90 | | 7.7 | 77 | | 61-145 | 16 | | 20 |
| rans-1,2-Dichloroethene | ND | 10 | 8.6 | 86 | | 7.4 | 74 | | 70-130 | 15 | | 20 |
| Trichloroethene | ND | 10 | 8.7 | 87 | | 7.5 | 75 | | 70-130 | 15 | | 20 |
| 1,2-Dichlorobenzene | ND | 10 | 9.5 | 95 | | 8.2 | 82 | | 70-130 | 15 | | 20 |
| 1,3-Dichlorobenzene | ND | 10 | 9.5 | 95 | | 8.0 | 80 | | 70-130 | 17 | | 20 |
| 1,4-Dichlorobenzene | ND | 10 | 9.3 | 93 | | 7.9 | 79 | | 70-130 | 16 | | 20 |
| Methyl tert butyl ether | ND | 10 | 8.1 | 81 | | 7.4 | 74 | | 63-130 | 9 | | 20 |
| o/m-Xylene | ND | 20 | 20 | 100 | | 17 | 85 | | 70-130 | 16 | | 20 |
| o-Xylene | ND | 20 | 20 | 100 | | 17 | 85 | | 70-130 | 16 | | 20 |
| cis-1,2-Dichloroethene | ND | 10 | 8.5 | 85 | | 7.7 | 77 | | 70-130 | 10 | | 20 |
| Styrene | ND | 20 | 18 | 90 | | 15 | 75 | | 70-130 | 18 | | 20 |
| Dichlorodifluoromethane | ND | 10 | 11 | 110 | | 9.0 | 90 | | 36-147 | 20 | | 20 |
| Acetone | ND | 10 | 8.1 | 81 | | 8.2 | 82 | | 58-148 | 1 | | 20 |
| Carbon disulfide | ND | 10 | 8.8 | 88 | | 7.6 | 76 | | 51-130 | 15 | | 20 |
| 2-Butanone | ND | 10 | 7.6 | 76 | | 6.8 | 68 | | 63-138 | 11 | | 20 |
| 4-Methyl-2-pentanone | ND | 10 | 13 | 130 | | 11 | 110 | | 59-130 | 17 | | 20 |
| 2-Hexanone | ND | 10 | 10 | 100 | | 8.8 | 88 | | 57-130 | 13 | | 20 |
| Bromochloromethane | ND | 10 | 9.2 | 92 | | 8.1 | 81 | | 70-130 | 13 | | 20 |
| 1,2-Dibromoethane | ND | 10 | 8.7 | 87 | | 7.9 | 79 | | 70-130 | 10 | | 20 |
| 1,2-Dibromo-3-chloropropane | ND | 10 | 7.7 | 77 | | 6.6 | 66 | | 41-144 | 15 | | 20 |
| sopropylbenzene | ND | 10 | 10 | 100 | | 8.3 | 83 | | 70-130 | 19 | | 20 |
| 1,2,3-Trichlorobenzene | ND | 10 | 6.1 | 61 | Q | 5.7 | 57 | Q | 70-130 | 7 | | 20 |



Matrix Spike Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date: 11/12/18

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Qual | Recovery Limits | RPD | Qual | RPD Limits |
|------------------------------------|------------------|-------------|-----------------|-----------------|-------------|--------------|------------------|--------|--------------------|--------|---------|---------------|
| Volatile Organics by GC/MS MWN-56A | - Westborough I | _ab Assoc | ciated sample(s | s): 01-09 QC | C Batch ID: | WG11779 | 983-6 WG1177 | 7983-7 | QC Sample | : L184 | 5226-01 | Client ID: |
| 1,2,4-Trichlorobenzene | ND | 10 | 7.4 | 74 | | 6.6 | 66 | Q | 70-130 | 11 | | 20 |
| Methyl Acetate | ND | 10 | 9.0 | 90 | | 7.8 | 78 | | 70-130 | 14 | | 20 |
| Cyclohexane | ND | 10 | 12 | 120 | | 9.5J | 95 | | 70-130 | 23 | Q | 20 |
| 1,4-Dioxane | ND | 500 | 660 | 132 | | 620 | 124 | | 56-162 | 6 | | 20 |
| Freon-113 | ND | 10 | 8.9 | 89 | | 7.1 | 71 | | 70-130 | 23 | Q | 20 |
| Methyl cyclohexane | ND | 10 | 9.8J | 98 | | 7.4J | 74 | | 70-130 | 28 | Q | 20 |

| | MS | MSD | Acceptance |
|-----------------------|----------------------|----------------------|------------|
| Surrogate | % Recovery Qualifier | % Recovery Qualifier | Criteria |
| 1,2-Dichloroethane-d4 | 95 | 100 | 70-130 |
| 4-Bromofluorobenzene | 96 | 96 | 70-130 |
| Dibromofluoromethane | 93 | 93 | 70-130 |
| Toluene-d8 | 101 | 102 | 70-130 |



SEMIVOLATILES



L1845226

11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab Number:

Report Date:

Date Collected: 11/05/18 09:38 L1845226-01

Client ID: Date Received: 11/05/18 MWN-56A

Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Lab ID:

Extraction Method: EPA 3510C Matrix: Water **Extraction Date:** 11/07/18 17:21

Analytical Method: 1,8270D Analytical Date: 11/09/18 14:39

Analyst: SZ

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|-------------------------------------|----------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS - We | estborough Lab | | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 | |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 | |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 | |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 | |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 | |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 | |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 | |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 | |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 | |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 | |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 | |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 | |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 | |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 | |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 | |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 | |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 | |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 | |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 | |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 | |
| | | | | | | | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-01 Date Collected: 11/05/18 09:38

Client ID: MWN-56A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|-----------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - | Westborough Lab | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 |
| Carbazole | ND | | ug/l | 2.0 | 0.49 | 1 |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|----------------------|------------|----------------------------------|--|
| 2-Fluorophenol | 73 | 21-120 | |
| Phenol-d6 | 59 | 10-120 | |
| Nitrobenzene-d5 | 80 | 23-120 | |
| 2-Fluorobiphenyl | 81 | 15-120 | |
| 2,4,6-Tribromophenol | 71 | 10-120 | |
| 4-Terphenyl-d14 | 76 | 41-149 | |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

11/09/18 10:59

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 09:38

Lab Number:

Report Date:

Lab ID: L1845226-01 Client ID:

Date Received: 11/05/18 MWN-56A Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Extraction Method: EPA 3510C Matrix: Water

Extraction Date: 11/07/18 17:20 Analytical Method: 1,8270D-SIM Analytical Date:

Analyst: DV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|------------------------------------|--------------------|-----------|-------|------|------|-----------------|
| Semivolatile Organics by GC/MS-SIM | M - Westborough La | b | | | | |
| Acenaphthene | ND | | ug/l | 0.10 | 0.01 | 1 |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 |
| Fluoranthene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 |
| Naphthalene | ND | | ug/l | 0.10 | 0.05 | 1 |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Anthracene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Fluorene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Phenanthrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Pyrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| 2-Methylnaphthalene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 |
| | | | | | | |

Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-01 Date Collected: 11/05/18 09:38

Client ID: MWN-56A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 72 | 21-120 |
| Phenol-d6 | 59 | 10-120 |
| Nitrobenzene-d5 | 104 | 23-120 |
| 2-Fluorobiphenyl | 81 | 15-120 |
| 2,4,6-Tribromophenol | 93 | 10-120 |
| 4-Terphenyl-d14 | 79 | 41-149 |



L1845226

11/05/18 10:24

Not Specified

11/05/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

11,12,10

Report Date: 11/12/18

Lab Number:

Date Collected:

Date Received:

Field Prep:

Lab ID: L1845226-02 Client ID: MWN-57A

Sample Location: LACKAWANNA, NY

Sample Depth:

Matrix: Water Analytical Method: 1,8270D

Analytical Date: 11/09/18 16:04

Analyst: SZ

| Е | extraction | Method: | EPA 3510C |
|---|------------|---------|----------------|
| Е | xtraction | Date: | 11/07/18 17:21 |

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|----------------------------------|-----------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - | Westborough Lab | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-02 Date Collected: 11/05/18 10:24

Client ID: MWN-57A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 | |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 | |
| Carbazole | ND | | ua/l | 2.0 | 0.49 | 1 | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|----------------------|------------|----------------------------------|--|
| 2-Fluorophenol | 73 | 21-120 | |
| Phenol-d6 | 60 | 10-120 | |
| Nitrobenzene-d5 | 79 | 23-120 | |
| 2-Fluorobiphenyl | 78 | 15-120 | |
| 2,4,6-Tribromophenol | 79 | 10-120 | |
| 4-Terphenyl-d14 | 77 | 41-149 | |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 10:24

Lab Number:

Report Date:

Lab ID: L1845226-02

Client ID: MWN-57A

Date Received: 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Extraction Method: EPA 3510C Matrix: Water

Extraction Date: 11/07/18 17:20 Analytical Method: 1,8270D-SIM Analytical Date: 11/08/18 20:38

Analyst: CB

| Semivolatile Organics by GC/MS-SIM - Wes | thorough La | | | | | |
|---|-------------|----|------|------|------|---|
| Semivolatile Organics by GC/NIS-Silvi - Wes | tborough Le | ab | | | | |
| Acenaphthene | 1.4 | | ug/l | 0.10 | 0.01 | 1 |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 |
| Fluoranthene | 0.37 | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 |
| Naphthalene | 4.2 | | ug/l | 0.10 | 0.05 | 1 |
| Benzo(a)anthracene | 0.02 | J | ug/l | 0.10 | 0.02 | 1 |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Benzo(b)fluoranthene | 0.02 | J | ug/l | 0.10 | 0.01 | 1 |
| Benzo(k)fluoranthene | 0.01 | J | ug/l | 0.10 | 0.01 | 1 |
| Chrysene | 0.02 | J | ug/l | 0.10 | 0.01 | 1 |
| Acenaphthylene | 0.17 | | ug/l | 0.10 | 0.01 | 1 |
| Anthracene | 0.08 | J | ug/l | 0.10 | 0.01 | 1 |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Fluorene | 0.10 | J | ug/l | 0.10 | 0.01 | 1 |
| Phenanthrene | 0.10 | J | ug/l | 0.10 | 0.02 | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Indeno(1,2,3-cd)pyrene | 0.01 | J | ug/l | 0.10 | 0.01 | 1 |
| Pyrene | 0.25 | | ug/l | 0.10 | 0.02 | 1 |
| 2-Methylnaphthalene | 0.38 | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-02 Date Collected: 11/05/18 10:24

Client ID: MWN-57A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery Qu | Acceptance ualifier Criteria |
|----------------------|---------------|---------------------------------|
| 2-Fluorophenol | 71 | 21-120 |
| Phenol-d6 | 59 | 10-120 |
| Nitrobenzene-d5 | 104 | 23-120 |
| 2-Fluorobiphenyl | 77 | 15-120 |
| 2,4,6-Tribromophenol | 103 | 10-120 |
| 4-Terphenyl-d14 | 84 | 41-149 |
| | | |



Project Name: Lab Number: STEEL SUN II 2018 L1845226

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 10:58 L1845226-03

Client ID: Date Received: MWS-04 11/05/18

Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Extraction Method: EPA 3510C Matrix: Water **Extraction Date:** 11/07/18 17:21

Analytical Method: 1,8270D Analytical Date: 11/12/18 14:54

Analyst: ΕK

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|------------------------------------|-----------------|-----------|-------|-----|------|-----------------|---|
| Semivolatile Organics by GC/MS - V | Vestborough Lab | | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 | - |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 | |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 | |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 | |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 | |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 | |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 | |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 | |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 | |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 | |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 | |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 | |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 | |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 | |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 | |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 | |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 | |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 | |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 | |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 | |
| | | | | | | | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-03 Date Collected: 11/05/18 10:58

Client ID: MWS-04 Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Campic Location. Exortivities, 141

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 |
| Carbazole | 2.7 | | ug/l | 2.0 | 0.49 | 1 |

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 74 | 21-120 |
| Phenol-d6 | 57 | 10-120 |
| Nitrobenzene-d5 | 83 | 23-120 |
| 2-Fluorobiphenyl | 83 | 15-120 |
| 2,4,6-Tribromophenol | 73 | 10-120 |
| 4-Terphenyl-d14 | 76 | 41-149 |

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Lab ID: L1845226-03

Client ID: MWS-04

Sample Location: LACKAWANNA, NY Date Received: 11/05/18 Field Prep:

Lab Number:

Report Date:

Date Collected:

Not Specified

11/05/18 10:58

L1845226

11/12/18

Sample Depth:

Matrix: Water

Analytical Method: 1,8270D-SIM Analytical Date: 11/08/18 21:04

Analyst: CB Extraction Method: EPA 3510C **Extraction Date:** 11/07/18 17:20

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | | | |
|--|--------|-----------|-------|------|------|-----------------|--|--|--|
| Semivolatile Organics by GC/MS-SIM - Westborough Lab | | | | | | | | | |
| Acenaphthene | 0.09 | J | ug/l | 0.10 | 0.01 | 1 | | | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 | | | |
| Fluoranthene | ND | | ug/l | 0.10 | 0.02 | 1 | | | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 | | | |
| Naphthalene | 27 | | ug/l | 0.10 | 0.05 | 1 | | | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 | | | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | | | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Acenaphthylene | 0.34 | | ug/l | 0.10 | 0.01 | 1 | | | |
| Anthracene | 0.06 | J | ug/l | 0.10 | 0.01 | 1 | | | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Fluorene | 0.13 | | ug/l | 0.10 | 0.01 | 1 | | | |
| Phenanthrene | 0.05 | J | ug/l | 0.10 | 0.02 | 1 | | | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 | | | |
| Pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | | | |
| 2-Methylnaphthalene | 0.28 | | ug/l | 0.10 | 0.02 | 1 | | | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 | | | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 | | | |

Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-03 Date Collected: 11/05/18 10:58

Client ID: MWS-04 Date Received: 11/05/18 Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 72 | 21-120 |
| Phenol-d6 | 57 | 10-120 |
| Nitrobenzene-d5 | 107 | 23-120 |
| 2-Fluorobiphenyl | 75 | 15-120 |
| 2,4,6-Tribromophenol | 90 | 10-120 |
| 4-Terphenyl-d14 | 80 | 41-149 |
| | | |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

L1845226-04

LACKAWANNA, NY

BLIND DUP

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 12:00

Lab Number:

Report Date:

Date Received: 11/05/18 Field Prep:

Not Specified

Sample Depth:

Sample Location:

Lab ID:

Client ID:

Matrix: Water Analytical Method: 1,8270D Analytical Date: 11/09/18 16:59

Analyst: SZ Extraction Method: EPA 3510C **Extraction Date:** 11/08/18 00:40

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|----------------------------------|-----------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS - | Westborough Lab | | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 | |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 | |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 | |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 | |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 | |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 | |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 | |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 | |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 | |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 | |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 | |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 | |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 | |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 | |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 | |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 | |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 | |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 | |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 | |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 | |
| | | | | | | | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-04 Date Collected: 11/05/18 12:00

Client ID: BLIND DUP Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 | |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 | |
| Carbazole | 2.8 | | ua/l | 2.0 | 0.49 | 1 | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|----------------------|------------|----------------------------------|--|
| 2-Fluorophenol | 89 | 21-120 | |
| Phenol-d6 | 76 | 10-120 | |
| Nitrobenzene-d5 | 94 | 23-120 | |
| 2-Fluorobiphenyl | 91 | 15-120 | |
| 2,4,6-Tribromophenol | 92 | 10-120 | |
| 4-Terphenyl-d14 | 87 | 41-149 | |



L1845226

Project Name: STEEL SUN II 2018

L1845226-04

11/09/18 11:25

Project Number: 0351-018-004

SAMPLE RESULTS

Report Date: 11/12/18

Lab Number:

Date Collected: 11/05/18 12:00

Date Received: **BLIND DUP** 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Lab ID:

Client ID:

Extraction Method: EPA 3510C Matrix: Water

Extraction Date: 11/08/18 00:43 Analytical Method: 1,8270D-SIM Analytical Date:

Analyst: DV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--|---------------|-----------|-------|------|------|-----------------|--|
| Semivolatile Organics by GC/MS-SIM - V | estborough La | ab | | | | | |
| Acenaphthene | 0.14 | | ug/l | 0.10 | 0.01 | 1 | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 | |
| Fluoranthene | 0.04 | J | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 | |
| Naphthalene | 24 | | ug/l | 0.10 | 0.05 | 1 | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Acenaphthylene | 0.37 | | ug/l | 0.10 | 0.01 | 1 | |
| Anthracene | 0.07 | J | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Fluorene | 0.18 | | ug/l | 0.10 | 0.01 | 1 | |
| Phenanthrene | 0.09 | J | ug/l | 0.10 | 0.02 | 1 | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Pyrene | 0.03 | J | ug/l | 0.10 | 0.02 | 1 | |
| 2-Methylnaphthalene | 0.36 | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-04 Date Collected: 11/05/18 12:00

Client ID: BLIND DUP Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 83 | 21-120 |
| Phenol-d6 | 69 | 10-120 |
| Nitrobenzene-d5 | 117 | 23-120 |
| 2-Fluorobiphenyl | 84 | 15-120 |
| 2,4,6-Tribromophenol | 106 | 10-120 |
| 4-Terphenyl-d14 | 88 | 41-149 |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

L1845226-05

LACKAWANNA, NY

MWS-31A

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 12:34

Lab Number:

Report Date:

Date Received: 11/05/18

Field Prep: Not Specified

Sample Depth:

Sample Location:

Lab ID:

Client ID:

Matrix: Water Analytical Method: 1,8270D Analytical Date: 11/09/18 17:27

Analyst: SZ Extraction Method: EPA 3510C **Extraction Date:** 11/08/18 00:40

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--------------------------------------|---------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Wes | stborough Lab | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-05 Date Collected: 11/05/18 12:34

Client ID: MWS-31A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | | |
|--|--------|-----------|-------|-----|------|-----------------|--|--|
| Semivolatile Organics by GC/MS - Westborough Lab | | | | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 | | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 | | |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 | | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 | | |
| Carbazole | ND | | ug/l | 2.0 | 0.49 | 1 | | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 64 | 21-120 |
| Phenol-d6 | 60 | 10-120 |
| Nitrobenzene-d5 | 83 | 23-120 |
| 2-Fluorobiphenyl | 86 | 15-120 |
| 2,4,6-Tribromophenol | 68 | 10-120 |
| 4-Terphenyl-d14 | 80 | 41-149 |

Project Name: Lab Number: STEEL SUN II 2018 L1845226

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: Date Collected: 11/05/18 12:34 L1845226-05

Date Received: Client ID: MWS-31A 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Extraction Method: EPA 3510C Matrix: Water

Extraction Date: 11/08/18 00:43 Analytical Method: 1,8270D-SIM Analytical Date:

Analyst: DV

11/09/18 11:51

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------------|----------------|-----------|-------|------|------|-----------------|--|
| Semivolatile Organics by GC/MS-SIM - | Westborough La | ab | | | | | |
| Acenaphthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 | |
| Fluoranthene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 | |
| Naphthalene | ND | | ug/l | 0.10 | 0.05 | 1 | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Fluorene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Phenanthrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| 2-Methylnaphthalene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-05 Date Collected: 11/05/18 12:34

Client ID: MWS-31A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 68 | 21-120 |
| Phenol-d6 | 61 | 10-120 |
| Nitrobenzene-d5 | 114 | 23-120 |
| 2-Fluorobiphenyl | 81 | 15-120 |
| 2,4,6-Tribromophenol | 83 | 10-120 |
| 4-Terphenyl-d14 | 88 | 41-149 |



L1845226

Project Name: Lab Number: STEEL SUN II 2018

Project Number: Report Date: 0351-018-004 11/12/18

SAMPLE RESULTS

Date Collected: 11/05/18 11:56

Lab ID: L1845226-06 Date Received: Client ID: MWS-34A 11/05/18 Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Extraction Method: EPA 3510C Matrix: Water **Extraction Date:** 11/08/18 00:40 Analytical Method: 1,8270D

Analytical Date: 11/09/18 17:54

Analyst: SZ

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - Westl | orough Lab | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-06 Date Collected: 11/05/18 11:56

Client ID: MWS-34A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 | |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 | |
| Carbazole | ND | | ua/l | 2.0 | 0.49 | 1 | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria | |
|----------------------|------------|----------------------------------|--|
| 2-Fluorophenol | 80 | 21-120 | |
| Phenol-d6 | 70 | 10-120 | |
| Nitrobenzene-d5 | 86 | 23-120 | |
| 2-Fluorobiphenyl | 85 | 15-120 | |
| 2,4,6-Tribromophenol | 86 | 10-120 | |
| 4-Terphenyl-d14 | 73 | 41-149 | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-06 Date Collected: 11/05/18 11:56

Client ID: MWS-34A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Analytical Date:

Matrix: Water Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM Extraction Date: 11/08/18 00:43

Analyst: DV

11/09/18 12:18

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|---------------|-----------|-------|------|------|-----------------|
| Semivolatile Organics by GC/MS-SIM - W | estborough La | ab | | | | |
| | 0.00 | | | 0.40 | 0.04 | |
| Acenaphthene | 0.29 | | ug/l | 0.10 | 0.01 | 1 |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 |
| Fluoranthene | 0.10 | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 |
| Naphthalene | 0.09 | J | ug/l | 0.10 | 0.05 | 1 |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Anthracene | 0.48 | | ug/l | 0.10 | 0.01 | 1 |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Fluorene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Phenanthrene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 |
| Pyrene | 0.19 | | ug/l | 0.10 | 0.02 | 1 |
| 2-Methylnaphthalene | ND | | ug/l | 0.10 | 0.02 | 1 |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-06 Date Collected: 11/05/18 11:56

Client ID: MWS-34A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 80 | 21-120 |
| Phenol-d6 | 66 | 10-120 |
| Nitrobenzene-d5 | 111 | 23-120 |
| 2-Fluorobiphenyl | 80 | 15-120 |
| 2,4,6-Tribromophenol | 99 | 10-120 |
| 4-Terphenyl-d14 | 80 | 41-149 |
| | | |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 13:25

Lab Number:

Report Date:

Lab ID: L1845226-07

Client ID: MWS-35A Sample Location: LACKAWANNA, NY Date Received: 11/05/18 Field Prep: Not Specified

Sample Depth:

Matrix: Water Analytical Method: 1,8270D

Analytical Date: 11/09/18 18:22

Analyst: SZ Extraction Method: EPA 3510C **Extraction Date:** 11/08/18 00:40

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|----------------------------------|-----------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS - | Westborough Lab | | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 | |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 | |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 | |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 | |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 | |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 | |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 | |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 | |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 | |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 | |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 | |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 | |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 | |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 | |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 | |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 | |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 | |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 | |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 | |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 | |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 | |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 | |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 | |
| | | | | | | | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-07 Date Collected: 11/05/18 13:25

Client ID: MWS-35A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|--|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 | |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 | |
| Carbazole | ND | | ua/l | 2.0 | 0.49 | 1 | |

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 81 | 21-120 |
| Phenol-d6 | 70 | 10-120 |
| Nitrobenzene-d5 | 88 | 23-120 |
| 2-Fluorobiphenyl | 86 | 15-120 |
| 2,4,6-Tribromophenol | 79 | 10-120 |
| 4-Terphenyl-d14 | 82 | 41-149 |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 13:25

Lab Number:

Report Date:

L1845226-07 Date Received: Client ID: MWS-35A 11/05/18

Sample Location: Field Prep: LACKAWANNA, NY Not Specified

Sample Depth:

Lab ID:

Extraction Method: EPA 3510C Matrix: Water

Extraction Date: 11/08/18 00:43 Analytical Method: 1,8270D-SIM Analytical Date: 11/09/18 12:44

Analyst: DV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------------|----------------|-----------|-------|------|------|-----------------|--|
| Semivolatile Organics by GC/MS-SIM - | Westborough La | ab | | | | | |
| Acenaphthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 | |
| Fluoranthene | 0.05 | J | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 | |
| Naphthalene | ND | | ug/l | 0.10 | 0.05 | 1 | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Fluorene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Phenanthrene | 0.04 | J | ug/l | 0.10 | 0.02 | 1 | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Pyrene | 0.04 | J | ug/l | 0.10 | 0.02 | 1 | |
| 2-Methylnaphthalene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 | |

Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-07 Date Collected: 11/05/18 13:25

Client ID: MWS-35A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 79 | 21-120 |
| Phenol-d6 | 69 | 10-120 |
| Nitrobenzene-d5 | 115 | 23-120 |
| 2-Fluorobiphenyl | 81 | 15-120 |
| 2,4,6-Tribromophenol | 97 | 10-120 |
| 4-Terphenyl-d14 | 83 | 41-149 |



L1845226

11/12/18

Project Name: STEEL SUN II 2018

EQUIPMENT BLANK

LACKAWANNA, NY

L1845226-08

Project Number: 0351-018-004

SAMPLE RESULTS

Date Collected: 11/05/18 08:30

Lab Number:

Report Date:

Date Received: 11/05/18
Field Prep: Not Specified

Sample Depth:

Sample Location:

Lab ID:

Client ID:

Matrix: Water
Analytical Method: 1,8270D
Analytical Date: 11/12/18 15:22

Analyst: EK

Extraction Method: EPA 3510C
Extraction Date: 11/07/18 17:21

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|------------------------------------|----------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS - W | estborough Lab | | | | | |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | 0.50 | 1 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | 0.45 | 1 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | 0.40 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | 0.43 | 1 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | 1.6 | 1 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | 1.2 | 1 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | 0.93 | 1 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | 0.49 | 1 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | 0.38 | 1 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | 0.53 | 1 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | 0.50 | 1 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | 0.69 | 1 |
| Isophorone | ND | | ug/l | 5.0 | 1.2 | 1 |
| Nitrobenzene | ND | | ug/l | 2.0 | 0.77 | 1 |
| NDPA/DPA | ND | | ug/l | 2.0 | 0.42 | 1 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | 0.64 | 1 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | 1.5 | 1 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | 1.2 | 1 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | 0.39 | 1 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | 1.3 | 1 |
| Diethyl phthalate | ND | | ug/l | 5.0 | 0.38 | 1 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | 1.8 | 1 |
| Biphenyl | ND | | ug/l | 2.0 | 0.46 | 1 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | 1.1 | 1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | 0.50 | 1 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | 0.81 | 1 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | 0.80 | 1 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-08 Date Collected: 11/05/18 08:30

Client ID: EQUIPMENT BLANK Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--------------------------------|-------------------|-----------|-------|-----|------|-----------------|
| Semivolatile Organics by GC/MS | - Westborough Lab | | | | | |
| Dibenzofuran | ND | | ug/l | 2.0 | 0.50 | 1 |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | 0.44 | 1 |
| Acetophenone | ND | | ug/l | 5.0 | 0.53 | 1 |
| Benzyl Alcohol | ND | | ug/l | 2.0 | 0.59 | 1 |
| Carbazole | ND | | ua/l | 2.0 | 0.49 | 1 |

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 63 | 21-120 |
| Phenol-d6 | 53 | 10-120 |
| Nitrobenzene-d5 | 81 | 23-120 |
| 2-Fluorobiphenyl | 82 | 15-120 |
| 2,4,6-Tribromophenol | 40 | 10-120 |
| 4-Terphenyl-d14 | 73 | 41-149 |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-08 Date Collected: 11/05/18 08:30

Client ID: EQUIPMENT BLANK Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Matrix: Water Extraction Method: EPA 3510C

Analytical Method: 1,8270D-SIM Extraction Date: 11/07/18 17:20
Analytical Date: 11/09/18 13:09

Analyst: DV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | |
|--------------------------------------|----------------|-----------|-------|------|------|-----------------|--|
| Semivolatile Organics by GC/MS-SIM - | Westborough La | ab | | | | | |
| Acenaphthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | 1 | |
| Fluoranthene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | 1 | |
| Naphthalene | ND | | ug/l | 0.10 | 0.05 | 1 | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Fluorene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Phenanthrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | 1 | |
| Pyrene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| 2-Methylnaphthalene | ND | | ug/l | 0.10 | 0.02 | 1 | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | 1 | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | 1 | |



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 **Report Date:** 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-08 Date Collected: 11/05/18 08:30

Client ID: EQUIPMENT BLANK Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Parameter Result Qualifier Units RL MDL Dilution Factor

Semivolatile Organics by GC/MS-SIM - Westborough Lab

| Surrogate | % Recovery | Acceptance Qualifier Criteria |
|----------------------|------------|----------------------------------|
| 2-Fluorophenol | 57 | 21-120 |
| Phenol-d6 | 52 | 10-120 |
| Nitrobenzene-d5 | 104 | 23-120 |
| 2-Fluorobiphenyl | 73 | 15-120 |
| 2,4,6-Tribromophenol | 49 | 10-120 |
| 4-Terphenyl-d14 | 77 | 41-149 |
| | | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date:

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D Analytical Date: 11/09/18 09:07

Analyst: SZ

Extraction Method: EPA 3510C Extraction Date: 11/07/18 17:21

11/12/18

| arameter | Result | Qualifier | Units | RL | | MDL |
|--------------------------------|---------------|-----------|-----------|-------|--------|-------------|
| Semivolatile Organics by GC/MS | - Westborough | Lab for s | ample(s): | 01-08 | Batch: | WG1177084-1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 5.0 | | 0.50 |
| Bis(2-chloroethyl)ether | ND | | ug/l | 2.0 | | 0.50 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.0 | | 0.45 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.0 | | 0.40 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.0 | | 0.43 |
| 3,3'-Dichlorobenzidine | ND | | ug/l | 5.0 | | 1.6 |
| 2,4-Dinitrotoluene | ND | | ug/l | 5.0 | | 1.2 |
| 2,6-Dinitrotoluene | ND | | ug/l | 5.0 | | 0.93 |
| 4-Chlorophenyl phenyl ether | ND | | ug/l | 2.0 | | 0.49 |
| 4-Bromophenyl phenyl ether | ND | | ug/l | 2.0 | | 0.38 |
| Bis(2-chloroisopropyl)ether | ND | | ug/l | 2.0 | | 0.53 |
| Bis(2-chloroethoxy)methane | ND | | ug/l | 5.0 | | 0.50 |
| Hexachlorocyclopentadiene | ND | | ug/l | 20 | | 0.69 |
| Isophorone | ND | | ug/l | 5.0 | | 1.2 |
| Nitrobenzene | ND | | ug/l | 2.0 | | 0.77 |
| NDPA/DPA | ND | | ug/l | 2.0 | | 0.42 |
| n-Nitrosodi-n-propylamine | ND | | ug/l | 5.0 | | 0.64 |
| Bis(2-ethylhexyl)phthalate | ND | | ug/l | 3.0 | | 1.5 |
| Butyl benzyl phthalate | ND | | ug/l | 5.0 | | 1.2 |
| Di-n-butylphthalate | ND | | ug/l | 5.0 | | 0.39 |
| Di-n-octylphthalate | ND | | ug/l | 5.0 | | 1.3 |
| Diethyl phthalate | ND | | ug/l | 5.0 | | 0.38 |
| Dimethyl phthalate | ND | | ug/l | 5.0 | | 1.8 |
| Biphenyl | ND | | ug/l | 2.0 | | 0.46 |
| 4-Chloroaniline | ND | | ug/l | 5.0 | | 1.1 |
| 2-Nitroaniline | ND | | ug/l | 5.0 | | 0.50 |
| 3-Nitroaniline | ND | | ug/l | 5.0 | | 0.81 |
| 4-Nitroaniline | ND | | ug/l | 5.0 | | 0.80 |
| Dibenzofuran | ND | | ug/l | 2.0 | | 0.50 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

Method Blank Analysis Batch Quality Control

Analytical Method:

1,8270D

Analytical Date:

11/09/18 09:07

Analyst:

SZ

Extraction Method: EPA 3510C Extraction Date: 11/07/18 17:21

| Parameter | Result | Qualifier | Units | RL | | MDL | |
|--------------------------------|---------------|-----------|------------|-------|--------|-------------|--|
| Semivolatile Organics by GC/MS | - Westborough | Lab for s | sample(s): | 01-08 | Batch: | WG1177084-1 | |
| 1,2,4,5-Tetrachlorobenzene | ND | | ug/l | 10 | | 0.44 | |
| Acetophenone | ND | | ug/l | 5.0 | | 0.53 | |
| Benzyl Alcohol | ND | | ug/l | 2.0 | | 0.59 | |
| Carbazole | ND | | ug/l | 2.0 | | 0.49 | |

| | | Acceptance |
|----------------------|-----------|--------------------|
| Surrogate | %Recovery | Qualifier Criteria |
| 2-Fluorophenol | 62 | 21-120 |
| Phenol-d6 | 50 | 10-120 |
| Nitrobenzene-d5 | 67 | 23-120 |
| 2-Fluorobiphenyl | 67 | 15-120 |
| 2,4,6-Tribromophenol | 51 | 10-120 |
| 4-Terphenyl-d14 | 62 | 41-149 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date:

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM Analytical Date: 11/08/18 19:20

Analyst: CB

Extraction Method: EPA 3510C Extraction Date: 11/07/18 17:20

11/12/18

| Parameter | Result | Qualifier | Units | RL | MDL | |
|----------------------------------|-------------|-----------|--------------|----------|--------|-------------|
| Semivolatile Organics by GC/MS-S | IM - Westbo | rough Lab | for sample(s |): 01-08 | Batch: | WG1177086-1 |
| Acenaphthene | ND | | ug/l | 0.10 | 0.01 | |
| 2-Chloronaphthalene | ND | | ug/l | 0.20 | 0.02 | |
| Fluoranthene | ND | | ug/l | 0.10 | 0.02 | |
| Hexachlorobutadiene | ND | | ug/l | 0.50 | 0.05 | |
| Naphthalene | 0.05 | J | ug/l | 0.10 | 0.05 | |
| Benzo(a)anthracene | ND | | ug/l | 0.10 | 0.02 | |
| Benzo(a)pyrene | ND | | ug/l | 0.10 | 0.02 | |
| Benzo(b)fluoranthene | ND | | ug/l | 0.10 | 0.01 | |
| Benzo(k)fluoranthene | ND | | ug/l | 0.10 | 0.01 | |
| Chrysene | ND | | ug/l | 0.10 | 0.01 | |
| Acenaphthylene | ND | | ug/l | 0.10 | 0.01 | |
| Anthracene | ND | | ug/l | 0.10 | 0.01 | |
| Benzo(ghi)perylene | ND | | ug/l | 0.10 | 0.01 | |
| Fluorene | 0.02 | J | ug/l | 0.10 | 0.01 | |
| Phenanthrene | 0.06 | J | ug/l | 0.10 | 0.02 | |
| Dibenzo(a,h)anthracene | ND | | ug/l | 0.10 | 0.01 | |
| Indeno(1,2,3-cd)pyrene | ND | | ug/l | 0.10 | 0.01 | |
| Pyrene | ND | | ug/l | 0.10 | 0.02 | |
| 2-Methylnaphthalene | 0.03 | J | ug/l | 0.10 | 0.02 | |
| Hexachlorobenzene | ND | | ug/l | 0.80 | 0.01 | |
| Hexachloroethane | ND | | ug/l | 0.80 | 0.06 | |



L1845226

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004 Report Date: 11/12/18

Lab Number:

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8270D-SIM Analytical Date: 11/08/18 19:20

Analyst: СВ Extraction Method: EPA 3510C 11/07/18 17:20 Extraction Date:

| Parameter | Result | Qualifier | Units | RL | MDL | |
|----------------------------------|-------------|-----------|---------------|---------|-----------------|------|
| Semivolatile Organics by GC/MS-S | IM - Westbo | rough Lab | for sample(s) | : 01-08 | Batch: WG117708 | 36-1 |

| | | Acceptance | |
|----------------------|-----------|--------------------|--|
| Surrogate | %Recovery | Qualifier Criteria | |
| | | | |
| 2-Fluorophenol | 65 | 21-120 | |
| Phenol-d6 | 53 | 10-120 | |
| Nitrobenzene-d5 | 95 | 23-120 | |
| 2-Fluorobiphenyl | 66 | 15-120 | |
| 2,4,6-Tribromophenol | 74 | 10-120 | |
| 4-Terphenyl-d14 | 71 | 41-149 | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

| Parameter | LCS %Recovery | Qual | LCSD %Recover | ry | | Recovery Limits | RPD | Qual | RPD Limits | |
|--------------------------------|-------------------------|------------------|------------------|--------|------------|--------------------|------|------|---------------|--|
| Semivolatile Organics by GC/MS | - Westborough Lab Assoc | iated sample(s): | 01-08 E | Batch: | WG1177084- | 2 WG11770 | 84-3 | | | |
| 1,2,4-Trichlorobenzene | 76 | | 75 | | | 39-98 | 1 | | 30 | |
| Bis(2-chloroethyl)ether | 90 | | 87 | | | 40-140 | 3 | | 30 | |
| 1,2-Dichlorobenzene | 75 | | 75 | | | 40-140 | 0 | | 30 | |
| 1,3-Dichlorobenzene | 76 | | 74 | | | 40-140 | 3 | | 30 | |
| 1,4-Dichlorobenzene | 76 | | 75 | | | 36-97 | 1 | | 30 | |
| 3,3'-Dichlorobenzidine | 71 | | 64 | | | 40-140 | 10 | | 30 | |
| 2,4-Dinitrotoluene | 85 | | 76 | | | 48-143 | 11 | | 30 | |
| 2,6-Dinitrotoluene | 87 | | 78 | | | 40-140 | 11 | | 30 | |
| 4-Chlorophenyl phenyl ether | 84 | | 80 | | | 40-140 | 5 | | 30 | |
| 4-Bromophenyl phenyl ether | 81 | | 73 | | | 40-140 | 10 | | 30 | |
| Bis(2-chloroisopropyl)ether | 85 | | 85 | | | 40-140 | 0 | | 30 | |
| Bis(2-chloroethoxy)methane | 93 | | 88 | | | 40-140 | 6 | | 30 | |
| Hexachlorocyclopentadiene | 64 | | 63 | | | 40-140 | 2 | | 30 | |
| Isophorone | 88 | | 82 | | | 40-140 | 7 | | 30 | |
| Nitrobenzene | 81 | | 79 | | | 40-140 | 3 | | 30 | |
| NDPA/DPA | 87 | | 80 | | | 40-140 | 8 | | 30 | |
| n-Nitrosodi-n-propylamine | 91 | | 89 | | | 29-132 | 2 | | 30 | |
| Bis(2-ethylhexyl)phthalate | 98 | | 92 | | | 40-140 | 6 | | 30 | |
| Butyl benzyl phthalate | 86 | | 76 | | | 40-140 | 12 | | 30 | |
| Di-n-butylphthalate | 89 | | 82 | | | 40-140 | 8 | | 30 | |
| Di-n-octylphthalate | 92 | | 85 | | | 40-140 | 8 | | 30 | |
| Diethyl phthalate | 85 | | 77 | | | 40-140 | 10 | | 30 | |
| Dimethyl phthalate | 83 | | 74 | | | 40-140 | 11 | | 30 | |
| | | | | | | | | | | |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | %Recovery Qual Limits | RPD | RPD Qual Limits | |
|---|------------------|-----------------|-------------------|--------------------------|--------|--------------------|--|
| Semivolatile Organics by GC/MS - Westboro | ugh Lab Associ | ated sample(s): | 01-08 Batc | n: WG1177084-2 WG117 | 7084-3 | | |
| Biphenyl | 83 | | 78 | 40-140 | 6 | 30 | |
| 4-Chloroaniline | 54 | | 42 | 40-140 | 25 | 30 | |
| 2-Nitroaniline | 85 | | 75 | 52-143 | 13 | 30 | |
| 3-Nitroaniline | 76 | | 61 | 25-145 | 22 | 30 | |
| 4-Nitroaniline | 78 | | 66 | 51-143 | 17 | 30 | |
| Dibenzofuran | 87 | | 80 | 40-140 | 8 | 30 | |
| 1,2,4,5-Tetrachlorobenzene | 75 | | 71 | 2-134 | 5 | 30 | |
| Acetophenone | 82 | | 80 | 39-129 | 2 | 30 | |
| Benzyl Alcohol | 68 | | 63 | 26-116 | 8 | 30 | |
| Carbazole | 88 | | 80 | 55-144 | 10 | 30 | |

| Surrogate | LCS %Recovery Qual | LCSD %Recovery Qual | Acceptance Criteria |
|----------------------|-----------------------|------------------------|------------------------|
| 2-Fluorophenol | 71 | 68 | 21-120 |
| Phenol-d6 | 60 | 57 | 10-120 |
| Nitrobenzene-d5 | 78 | 78 | 23-120 |
| 2-Fluorobiphenyl | 82 | 76 | 15-120 |
| 2,4,6-Tribromophenol | 76 | 74 | 10-120 |
| 4-Terphenyl-d14 | 79 | 72 | 41-149 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

| Parameter | LCS %Recovery | | .CSD ecovery | Qua | %Recove I Limits | ry RPD | Qual | RPD Limits |
|--------------------------------------|-------------------|----------------------|-----------------|--------|---------------------|-------------|------|---------------|
| Semivolatile Organics by GC/MS-SIM - | Westborough Lab A | ssociated sample(s): | 01-08 | Batch: | WG1177086-2 | WG1177086-3 | | |
| Acenaphthene | 82 | | 83 | | 40-140 | 1 | | 40 |
| 2-Chloronaphthalene | 80 | | 80 | | 40-140 | 0 | | 40 |
| Fluoranthene | 88 | | 87 | | 40-140 | 1 | | 40 |
| Hexachlorobutadiene | 74 | | 75 | | 40-140 | 1 | | 40 |
| Naphthalene | 79 | | 78 | | 40-140 | 1 | | 40 |
| Benzo(a)anthracene | 95 | | 93 | | 40-140 | 2 | | 40 |
| Benzo(a)pyrene | 90 | | 88 | | 40-140 | 2 | | 40 |
| Benzo(b)fluoranthene | 93 | | 93 | | 40-140 | 0 | | 40 |
| Benzo(k)fluoranthene | 89 | | 87 | | 40-140 | 2 | | 40 |
| Chrysene | 79 | | 78 | | 40-140 | 1 | | 40 |
| Acenaphthylene | 84 | | 85 | | 40-140 | 1 | | 40 |
| Anthracene | 86 | | 86 | | 40-140 | 0 | | 40 |
| Benzo(ghi)perylene | 65 | | 63 | | 40-140 | 3 | | 40 |
| Fluorene | 86 | | 88 | | 40-140 | 2 | | 40 |
| Phenanthrene | 82 | | 82 | | 40-140 | 0 | | 40 |
| Dibenzo(a,h)anthracene | 68 | | 67 | | 40-140 | 1 | | 40 |
| Indeno(1,2,3-cd)pyrene | 76 | | 75 | | 40-140 | 1 | | 40 |
| Pyrene | 87 | | 87 | | 40-140 | 0 | | 40 |
| 2-Methylnaphthalene | 80 | | 81 | | 40-140 | 1 | | 40 |
| Hexachlorobenzene | 84 | | 84 | | 40-140 | 0 | | 40 |
| Hexachloroethane | 77 | | 77 | | 40-140 | 0 | | 40 |



Project Name: STEEL SUN II 2018

Lab Number:

L1845226

Project Number: 0351-018-004

Report Date:

11/12/18

LCS LCSD %Recovery RPD Parameter %Recovery Qual %Recovery Qual Limits RPD Qual Limits

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-08 Batch: WG1177086-2 WG1177086-3

| Surrogate | LCS %Recovery Qual | LCSD %Recovery Qual | Acceptance Criteria |
|----------------------|-----------------------|------------------------|------------------------|
| 2-Fluorophenol | 70 | 71 | 21-120 |
| Phenol-d6 | 58 | 60 | 10-120 |
| Nitrobenzene-d5 | 103 | 103 | 23-120 |
| 2-Fluorobiphenyl | 71 | 72 | 15-120 |
| 2,4,6-Tribromophenol | 78 | 80 | 10-120 |
| 4-Terphenyl-d14 | 76 | 76 | 41-149 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Qual Found | MSD %Recovery | Recovery Qual Limits | RPD | RPD Qual Limits |
|---|------------------|-------------|---------------|-----------------|-------------------|------------------|-------------------------|----------|--------------------|
| Semivolatile Organics by GC/ID: MWN-56A | MS - Westbor | ough Lab | Associated sa | mple(s): 01-08 | QC Batch ID: WG1 | 177084-4 WO | G1177084-5 QC Sa | ımple: I | _1845226-01 Client |
| 1,2,4-Trichlorobenzene | ND | 18.2 | 13 | 72 | 13 | 72 | 39-98 | 0 | 30 |
| Bis(2-chloroethyl)ether | ND | 18.2 | 15 | 83 | 15 | 83 | 40-140 | 0 | 30 |
| 1,2-Dichlorobenzene | ND | 18.2 | 13 | 72 | 13 | 72 | 40-140 | 0 | 30 |
| 1,3-Dichlorobenzene | ND | 18.2 | 13 | 72 | 13 | 72 | 40-140 | 0 | 30 |
| 1,4-Dichlorobenzene | ND | 18.2 | 13 | 72 | 13 | 72 | 36-97 | 0 | 30 |
| 3,3'-Dichlorobenzidine | ND | 18.2 | 8.0 | 44 | 6.7 | 37 | Q 40-140 | 18 | 30 |
| 2,4-Dinitrotoluene | ND | 18.2 | 14 | 77 | 13 | 72 | 48-143 | 7 | 30 |
| 2,6-Dinitrotoluene | ND | 18.2 | 15 | 83 | 14 | 77 | 40-140 | 7 | 30 |
| 4-Chlorophenyl phenyl ether | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| 4-Bromophenyl phenyl ether | ND | 18.2 | 14 | 77 | 13 | 72 | 40-140 | 7 | 30 |
| Bis(2-chloroisopropyl)ether | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| Bis(2-chloroethoxy)methane | ND | 18.2 | 15 | 83 | 15 | 83 | 40-140 | 0 | 30 |
| Hexachlorocyclopentadiene | ND | 18.2 | 11J | 61 | 11.J | 61 | 40-140 | 0 | 30 |
| sophorone | ND | 18.2 | 15 | 83 | 15 | 83 | 40-140 | 0 | 30 |
| Nitrobenzene | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| NDPA/DPA | ND | 18.2 | 15 | 83 | 14 | 77 | 40-140 | 7 | 30 |
| n-Nitrosodi-n-propylamine | ND | 18.2 | 15 | 83 | 16 | 88 | 29-132 | 6 | 30 |
| Bis(2-ethylhexyl)phthalate | ND | 18.2 | 18 | 99 | 18 | 99 | 40-140 | 0 | 30 |
| Butyl benzyl phthalate | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| Di-n-butylphthalate | ND | 18.2 | 15 | 83 | 15 | 83 | 40-140 | 0 | 30 |
| Di-n-octylphthalate | ND | 18.2 | 16 | 88 | 16 | 88 | 40-140 | 0 | 30 |
| Diethyl phthalate | ND | 18.2 | 15 | 83 | 14 | 77 | 40-140 | 7 | 30 |
| Dimethyl phthalate | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Qual Found | MSD %Recovery | Recovery Qual Limits | RPD | RPD Qual Limits |
|--|------------------|-------------|----------------|-----------------|-------------------|------------------|-------------------------|--------|--------------------|
| Semivolatile Organics by GOID: MWN-56A | C/MS - Westbore | ough Lab | Associated sam | nple(s): 01-08 | QC Batch ID: WG | 1177084-4 WO | G1177084-5 QC Sa | ample: | L1845226-01 Client |
| Biphenyl | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| 4-Chloroaniline | ND | 18.2 | 7.4 | 41 | 6.5 | 36 | Q 40-140 | 13 | 30 |
| 2-Nitroaniline | ND | 18.2 | 14 | 77 | 14 | 77 | 52-143 | 0 | 30 |
| 3-Nitroaniline | ND | 18.2 | 12 | 66 | 10 | 55 | 25-145 | 18 | 30 |
| 4-Nitroaniline | ND | 18.2 | 13 | 72 | 12 | 66 | 51-143 | 8 | 30 |
| Dibenzofuran | ND | 18.2 | 14 | 77 | 14 | 77 | 40-140 | 0 | 30 |
| 1,2,4,5-Tetrachlorobenzene | ND | 18.2 | 12 | 66 | 13 | 72 | 2-134 | 8 | 30 |
| Acetophenone | ND | 18.2 | 14 | 77 | 14 | 77 | 39-129 | 0 | 30 |
| Benzyl Alcohol | ND | 18.2 | 12 | 66 | 11 | 61 | 26-116 | 9 | 30 |
| Carbazole | ND | 18.2 | 14 | 77 | 14 | 77 | 55-144 | 0 | 30 |

| | MS | MSD | Acceptance |
|----------------------|----------------------|----------------------|------------|
| Surrogate | % Recovery Qualifier | % Recovery Qualifier | Criteria |
| 2,4,6-Tribromophenol | 72 | 65 | 10-120 |
| 2-Fluorobiphenyl | 73 | 76 | 15-120 |
| 2-Fluorophenol | 68 | 68 | 21-120 |
| 4-Terphenyl-d14 | 72 | 69 | 41-149 |
| Nitrobenzene-d5 | 73 | 74 | 23-120 |
| Phenol-d6 | 58 | 59 | 10-120 |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | MSD Qual Found | MSD %Recovery | Recovery Qual Limits | RPD | RPD Qual Limits |
|--|------------------|---------------|-------------|------------------|-------------------|------------------|-------------------------|--------|--------------------|
| Semivolatile Organics by G Client ID: MWN-56A | GC/MS-SIM - We | stborough Lab | Associate | ed sample(s): 01 | -08 QC Batch ID: | WG1177086-4 | WG1177086-5 C | QC Sam | ple: L1845226-01 |
| Acenaphthene | ND | 18.2 | 16 | 88 | 16 | 88 | 40-140 | 0 | 40 |
| 2-Chloronaphthalene | ND | 18.2 | 16 | 88 | 16 | 88 | 40-140 | 0 | 40 |
| Fluoranthene | ND | 18.2 | 18 | 99 | 16 | 88 | 40-140 | 12 | 40 |
| Hexachlorobutadiene | ND | 18.2 | 15 | 83 | 14 | 77 | 40-140 | 7 | 40 |
| Naphthalene | ND | 18.2 | 15 | 83 | 15 | 83 | 40-140 | 0 | 40 |
| Benzo(a)anthracene | ND | 18.2 | 19 | 100 | 18 | 99 | 40-140 | 5 | 40 |
| Benzo(a)pyrene | ND | 18.2 | 18 | 99 | 16 | 88 | 40-140 | 12 | 40 |
| Benzo(b)fluoranthene | ND | 18.2 | 18 | 99 | 16 | 88 | 40-140 | 12 | 40 |
| Benzo(k)fluoranthene | ND | 18.2 | 17 | 94 | 16 | 88 | 40-140 | 6 | 40 |
| Chrysene | ND | 18.2 | 16 | 88 | 15 | 83 | 40-140 | 6 | 40 |
| Acenaphthylene | ND | 18.2 | 17 | 94 | 16 | 88 | 40-140 | 6 | 40 |
| Anthracene | ND | 18.2 | 17 | 94 | 16 | 88 | 40-140 | 6 | 40 |
| Benzo(ghi)perylene | ND | 18.2 | 18 | 99 | 16 | 88 | 40-140 | 12 | 40 |
| Fluorene | ND | 18.2 | 17 | 94 | 16 | 88 | 40-140 | 6 | 40 |
| Phenanthrene | ND | 18.2 | 16 | 88 | 15 | 83 | 40-140 | 6 | 40 |
| Dibenzo(a,h)anthracene | ND | 18.2 | 18 | 99 | 17 | 94 | 40-140 | 6 | 40 |
| Indeno(1,2,3-cd)pyrene | ND | 18.2 | 20 | 110 | 18 | 99 | 40-140 | 11 | 40 |
| Pyrene | ND | 18.2 | 18 | 99 | 16 | 88 | 40-140 | 12 | 40 |
| 2-Methylnaphthalene | ND | 18.2 | 16 | 88 | 15 | 83 | 40-140 | 6 | 40 |
| Hexachlorobenzene | ND | 18.2 | 17 | 94 | 16 | 88 | 40-140 | 6 | 40 |
| Hexachloroethane | ND | 18.2 | 15 | 83 | 14 | 77 | 40-140 | 7 | 40 |



Project Name: STEEL SUN II 2018

0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

| | Native | MS | MS | MS | | MSD | MSD | | Recovery | • | | RPD |
|-----------|--------|-------|-------|-----------|------|-------|-----------|------|----------|-----|------|--------|
| Parameter | Sample | Added | Found | %Recovery | Qual | Found | %Recovery | Qual | Limits | RPD | Qual | Limits |

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-08 QC Batch ID: WG1177086-4 WG1177086-5 QC Sample: L1845226-01 Client ID: MWN-56A

Project Number:

| | MS | MSD | Acceptance |
|----------------------|----------------------|----------------------|------------|
| Surrogate | % Recovery Qualifier | % Recovery Qualifier | Criteria |
| 2,4,6-Tribromophenol | 85 | 81 | 10-120 |
| 2-Fluorobiphenyl | 79 | 77 | 15-120 |
| 2-Fluorophenol | 80 | 74 | 21-120 |
| 4-Terphenyl-d14 | 82 | 77 | 41-149 |
| Nitrobenzene-d5 | 105 | 100 | 23-120 |
| Phenol-d6 | 68 | 64 | 10-120 |



METALS



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

SAMPLE RESULTS

Date Collected: 11/05/18 09:38

Client ID: MWN-56A Date Received: 11/05/18
Sample Location: LACKAWANNA, NY Field Prep: Not Specified

Sample Depth:

Lab ID:

Matrix: Water

L1845226-01

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | sfield Lab | | | | | | | | | | |
| Arsenic, Total | 0.00039 | J | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 11/08/18 16:26 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | ND | | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 11/08/18 16:26 | EPA 3005A | 1,6020B | AM |
| Lead, Total | ND | | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:05 | 11/08/18 16:26 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 3 11/07/18 21:05 | EPA 7470A | 1,7470A | EA |



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

SAMPLE RESULTS

Lab ID:L1845226-02Date Collected:11/05/18 10:24Client ID:MWN-57ADate Received:11/05/18Sample Location:LACKAWANNA, NYField Prep:Not Specified

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|-----------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | field Lab | | | | | | | | | | |
| Arsenic, Total | 0.00101 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 11/08/18 17:25 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00029 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 11/08/18 17:25 | EPA 3005A | 1,6020B | AM |
| Lead, Total | 0.00124 | | mg/l | 0.00100 | 0.00034 | 1 | 11/07/18 18:05 | 11/08/18 17:25 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 11/07/18 21:16 | EPA 7470A | 1,7470A | EA |



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

SAMPLE RESULTS

Lab ID:L1845226-03Date Collected:11/05/18 10:58Client ID:MWS-04Date Received:11/05/18Sample Location:LACKAWANNA, NYField Prep:Not Specified

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | sfield Lab | | | | | | | | | | |
| Arsenic, Total | 0.01074 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 11/08/18 17:30 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00075 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 5 11/08/18 17:30 | EPA 3005A | 1,6020B | AM |
| Lead, Total | ND | | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:05 | 5 11/08/18 17:30 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 3 11/07/18 21:17 | EPA 7470A | 1,7470A | EA |



Project Name: Lab Number: STEEL SUN II 2018 L1845226 **Project Number:**

0351-018-004

Report Date: 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-04 Client ID: BLIND DUP Sample Location: LACKAWANNA, NY

Date Received: Field Prep:

Date Collected:

11/05/18 Not Specified

11/05/18 12:00

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|--------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Man | sfield Lab | | | | | | | | | | |
| Arsenic, Total | 0.01124 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:0 | 5 11/08/18 17:34 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00072 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:0 | 5 11/08/18 17:34 | EPA 3005A | 1,6020B | AM |
| Lead, Total | ND | | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:0 | 5 11/08/18 17:34 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 3 11/07/18 21:22 | EPA 7470A | 1,7470A | EA |



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

CAMPLE DECLUTO

SAMPLE RESULTS

Lab ID:L1845226-05Date Collected:11/05/18 12:34Client ID:MWS-31ADate Received:11/05/18Sample Location:LACKAWANNA, NYField Prep:Not Specified

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | sfield Lab | | | | | | | | | | |
| Arsenic, Total | 0.01850 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 5 11/08/18 17:39 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00040 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 5 11/08/18 17:39 | EPA 3005A | 1,6020B | AM |
| Lead, Total | 0.00068 | J | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:05 | 5 11/08/18 17:39 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 3 11/07/18 21:24 | EPA 7470A | 1,7470A | EA |



Project Name: Lab Number: STEEL SUN II 2018 L1845226 **Project Number:** 0351-018-004

Report Date: 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-06 MWS-34A Client ID:

Sample Location: LACKAWANNA, NY Date Collected: 11/05/18 11:56 Date Received: 11/05/18

Field Prep: Not Specified

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | sfield Lab | | | | | | | | | | |
| Arsenic, Total | 0.01402 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 5 11/08/18 18:11 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00053 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 5 11/08/18 18:11 | EPA 3005A | 1,6020B | AM |
| Lead, Total | ND | | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:05 | 5 11/08/18 18:11 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 3 11/07/18 21:26 | EPA 7470A | 1,7470A | EA |



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

SAMPLE RESULTS

Lab ID:L1845226-07Date Collected:11/05/18 13:25Client ID:MWS-35ADate Received:11/05/18Sample Location:LACKAWANNA, NYField Prep:Not Specified

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|---------------------|-----------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Mans | field Lab | | | | | | | | | | |
| Arsenic, Total | 0.00395 | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 11/08/18 18:16 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00050 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 11/08/18 18:16 | EPA 3005A | 1,6020B | AM |
| Lead, Total | 0.00071 | J | mg/l | 0.00100 | 0.00034 | 1 | 11/07/18 18:05 | 11/08/18 18:16 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 11/07/18 21:28 | EPA 7470A | 1,7470A | EA |



Project Name: Lab Number: STEEL SUN II 2018 L1845226 **Project Number: Report Date:** 0351-018-004 11/12/18

SAMPLE RESULTS

Lab ID: L1845226-08

Date Collected: 11/05/18 08:30 Client ID: **EQUIPMENT BLANK** Date Received: 11/05/18 Sample Location: Field Prep: Not Specified LACKAWANNA, NY

Sample Depth:

Matrix: Water

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Prep Method | Analytical Method | Analyst |
|--------------------|------------|-----------|-------|---------|---------|--------------------|------------------|------------------|----------------|----------------------|---------|
| Total Metals - Man | sfield Lab | | | | | | | | | | |
| Arsenic, Total | ND | | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:0 | 5 11/08/18 17:48 | EPA 3005A | 1,6020B | AM |
| Chromium, Total | 0.00033 | J | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:0 | 5 11/08/18 17:48 | EPA 3005A | 1,6020B | AM |
| Lead, Total | ND | | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:0 | 5 11/08/18 17:48 | EPA 3005A | 1,6020B | AM |
| Mercury, Total | ND | | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:4: | 3 11/07/18 21:29 | EPA 7470A | 1,7470A | EA |



Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number:

L1845226

Report Date:

11/12/18

Method Blank Analysis Batch Quality Control

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | | Analytical Method | |
|--------------------------|--------------------|---------|-----------|---------|--------------------|------------------|----------------|----------------------|----|
| Total Metals - Mansfield | Lab for sample(s): | 01-08 E | Batch: WO | G117654 | 10-1 | | | | |
| Mercury, Total | ND | mg/l | 0.00020 | 0.00006 | 1 | 11/06/18 14:43 | 11/07/18 21:02 | 1,7470A | EA |

Prep Information

Digestion Method: EPA 7470A

| Parameter | Result Qualifier | Units | RL | MDL | Dilution Factor | Date Prepared | Date Analyzed | Analytical Method | Analyst |
|----------------------|--------------------------|---------|-----------|---------|--------------------|------------------|------------------|----------------------|---------|
| Total Metals - Mansf | field Lab for sample(s): | 01-08 E | Batch: WC | 3117699 | 96-1 | | | | |
| Arsenic, Total | ND | mg/l | 0.00050 | 0.00016 | 1 | 11/07/18 18:05 | 11/08/18 16:17 | 1,6020B | AM |
| Chromium, Total | ND | mg/l | 0.00100 | 0.00017 | 1 | 11/07/18 18:05 | 11/08/18 16:17 | 1,6020B | AM |
| Lead, Total | ND | mg/l | 0.00100 | 0.00034 | . 1 | 11/07/18 18:05 | 11/08/18 16:17 | 1,6020B | AM |

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

| Parameter | LCS %Recover | y Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|-----------------|-------------|-------------------|------|---------------------|-----|------|------------|
| Total Metals - Mansfield Lab Associated sample | (s): 01-08 | Batch: WG11 | 76540-2 | | | | | |
| Mercury, Total | 96 | | - | | 80-120 | - | | |
| Total Metals - Mansfield Lab Associated sample | (s): 01-08 I | Batch: WG11 | 76996-2 | | | | | |
| Arsenic, Total | 106 | | - | | 80-120 | - | | |
| Chromium, Total | 97 | | - | | 80-120 | - | | |
| Lead, Total | 116 | | - | | 80-120 | - | | |

Matrix Spike Analysis Batch Quality Control

Project Name: STEEL SUN II 2018

Project Number:

0351-018-004

Lab Number: L1845226

Report Date: 11/12/18

| Parameter | Native Sample | MS Added | MS Found | MS %Recovery | Qual | MSD Found | MSD %Recovery | Recovery Qual Limits | RPD | RPD Qual Limits |
|-----------------------------|-------------------|---------------|-------------|-----------------|--------|--------------|------------------|-------------------------|--------|--------------------|
| Total Metals - Mansfield La | ab Associated sam | ple(s): 01-08 | QC Batc | h ID: WG117 | 6540-3 | WG1176540 | 0-4 QC Sam | ple: L1845226-01 | Client | ID: MWN-56A |
| Mercury, Total | ND | 0.005 | 0.00454 | 91 | | 0.00439 | 88 | 75-125 | 3 | 20 |
| Total Metals - Mansfield La | ab Associated sam | ple(s): 01-08 | QC Batc | h ID: WG117 | 6996-3 | WG1176996 | 6-4 QC Sam | ple: L1845226-01 | Client | ID: MWN-56A |
| Arsenic, Total | 0.00039J | 0.12 | 0.1321 | 110 | | 0.1257 | 105 | 75-125 | 5 | 20 |
| Chromium, Total | ND | 0.2 | 0.2003 | 100 | | 0.1898 | 95 | 75-125 | 5 | 20 |
| Lead, Total | ND | 0.51 | 0.5856 | 115 | | 0.5695 | 112 | 75-125 | 3 | 20 |

STEEL SUN II 2018 **Lab Number:** L1845226 **Project Number:** 0351-018-004

Report Date: 11/12/18

Sample Receipt and Container Information

YES Were project specific reporting limits specified?

Cooler Information

Project Name:

Custody Seal Cooler

Α Absent В Absent

| Container Info | ontainer Information ontainer ID Container Type | | Initial | Final | Temp | | | Frozen | |
|----------------|--|--------|---------|-------|-------|------|--------|-----------|--|
| Container ID | Container Type | Cooler | pН | pН | deg C | Pres | Seal | Date/Time | Analysis(*) |
| L1845226-01A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01A1 | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01A2 | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01B1 | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01B2 | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01C1 | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01C2 | Vial HCI preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-01D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-01D1 | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-01D2 | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Y | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-01E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-01E1 | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-01E2 | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-01F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-01F1 | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-01F2 | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-02A | Vial HCI preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-02B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-02C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |



Lab Number: L1845226

Report Date: 11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

| Container Info | ormation | | Initial | Final | Temp | | | Frozen | |
|----------------|------------------------------|--------|---------|-------|------|------|--------|-----------|--|
| Container ID | Container Type | Cooler | рН | pН | • | Pres | Seal | Date/Time | Analysis(*) |
| L1845226-02D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-02E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-02F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-03A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-03B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-03C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-03D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS-6020T(180),HG-T(28) |
| L1845226-03E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-03F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-04A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-04B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-04C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-04D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS-6020T(180),HG-T(28) |
| L1845226-04E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-04F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-05A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-05B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-05C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-05D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS-6020T(180),HG-T(28) |
| L1845226-05E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-05F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-06A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-06B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-06C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-06D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS-6020T(180),HG-T(28) |
| L1845226-06E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-06F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |



Lab Number: L1845226

Report Date: 11/12/18

Project Name: STEEL SUN II 2018

Project Number: 0351-018-004

| Container Info | rmation | | Initial | Final | Temp | | | Frozen | |
|----------------|------------------------------|--------|---------|-------|------|------|--------|-----------|--|
| Container ID | Container Type | Cooler | pН | рН | | Pres | Seal | Date/Time | Analysis(*) |
| L1845226-07A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-07B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-07C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-07D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-07E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-07F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-08A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-08B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-08C | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-08D | Plastic 250ml HNO3 preserved | Α | <2 | <2 | 2.6 | Υ | Absent | | CR-6020T(180),PB-6020T(180),AS- 6020T(180),HG-T(28) |
| L1845226-08E | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-08F | Amber 250ml unpreserved | Α | 7 | 7 | 2.6 | Υ | Absent | | NYTCL-8270-SIM-LVI(7),NYTCL-8270-LVI(7) |
| L1845226-09A | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| L1845226-09B | Vial HCl preserved | Α | NA | | 2.6 | Υ | Absent | | NYTCL-8260-R2(14) |
| | | | | | | | | | |



Project Name: Lab Number: STEEL SUN II 2018 L1845226 **Project Number:** 0351-018-004 **Report Date:** 11/12/18

GLOSSARY

Acronyms

EDL - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any

adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis

of PAHs using Solid-Phase Microextraction (SPME).

EMPC - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an

analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case

estimate of the concentration.

EPA - Environmental Protection Agency.

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of

analytes or a material containing known and verified amounts of analytes.

LCSD - Laboratory Control Sample Duplicate: Refer to LCS.

LFB - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of

analytes or a material containing known and verified amounts of analytes.

MDL - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any

adjustments from dilutions, concentrations or moisture content, where applicable.

- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for

MS

which an independent estimate of target analyte concentration is available.

MSD - Matrix Spike Sample Duplicate: Refer to MS.

NA Not Applicable.

NC - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's

reporting unit.

NDPA/DPA - N-Nitrosodiphenylamine/Diphenylamine.

NI - Not Ignitable.

NP - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

RL - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL

includes any adjustments from dilutions, concentrations or moisture content, where applicable.

RPD - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the

precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the

values; although the RPD value will be provided in the report.

SRM - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the

associated field samples.

STLP - Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEO - Toxic Equivalent: The measure of a sample is toxicity derived by multiplying each dioxin and furan by its corresponding TEF

and then summing the resulting values.

TIC - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

- The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Waterpreserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Report Format: DU Report with 'J' Qualifiers



Project Name: STEEL SUN II 2018 Lab Number: L1845226

Project Number: 0351-018-004 Report Date: 11/12/18

Data Qualifiers

- A Spectra identified as "Aldol Condensation Product".
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- Q The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R Analytical results are from sample re-analysis.
- RE Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



 Project Name:
 STEEL SUN II 2018
 Lab Number:
 L1845226

 Project Number:
 0351-018-004
 Report Date:
 11/12/18

REFERENCES

Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc. Facility: Company-wide

Department: Quality Assurance

Title: Certificate/Approval Program Summary

ID No.:17873 Revision 12

Page 1 of 1

Published Date: 10/9/2018 4:58:19 PM

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: lodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-

Tetramethylbenzene: 4-Ethyltoluene

EPA 8270D: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

EPA 6860: SCM: Perchlorate

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE,

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B

EPA 332: Perchlorate; EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan II, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), EPA 600/4-81-045: PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Pre-Qualtrax Document ID: 08-113 Document Type: Form

| Westborough, MA 01581 | NEW YORK CHAIN OF CUSTODY Mansfield, MA 02048 | Service Centers Mahwah, NJ 07430: 35 Whitney Albany, NY 12205: 14 Walker W Tonawanda, NY 14150: 275 Coo | lay | 95 | Page / of | | | Date I in L | .ab | 111 | 16/ | 18 | ALPHA Job# C1845226 Billing Information | |
|---|--|---|----------------|------------------------------|-----------------------|-----------------|----------|------------------------|----------------|-------|-----------------|-----------------------|---|----------------------------|
| 8 Walkup Dr. TEL: 508-896-9220 | 320 Forbes Blvd TEL: 508-822-9300 | The second second | elsun. | 11 20 | 018 | | To | ASP- | 4 | | ASP-E | 3 | Same as Client Info | - |
| FAX: 508-898-9193 | FAX: 508-822-3288 | Project Location: | ackan | | NY | | | EQuI: | (1 File) | | EQuis | (4 File) | PO# | |
| Client Information | | Project # 0351- | 018-0 | | | | 10 | Other | | | | | | |
| Client: Bowland | | | | | | | | Regulatory Requirement | | | | | Disposal Site Information | 5.3 |
| Address: 2558 H | entry Troupit | Project Manager: 10 | | ibes | | | 18 | NY TO | DESCRIPTION OF | | NY Par NY CP | | Please identify below location of applicable disposal facilities. | of |
| Cacture 101 | 14218 | ALPHAQuote #: | | STANDON SE | SERVICE SERVICE | NAME OF TAXABLE | | | stricted Us | - 1 | Other | -51 | Disposal Facility: | |
| | 18-8338 | Turn-Around Time Standard | | Due Date | | NAME OF STREET | | | restricted | _ | Other | | NJ NY | |
| Email: Tisener2 | Markette, i a | Rush (only if pre approved) |) 🗌 | # of Days: | ‡ | | | NYC S | ewer Disc | harge | | | Other: | |
| These samples have be | | | | | | | ANA | LYSIS | | | | | Sample Filtration | _ ; |
| Other project specific Please specify Metals | COPCME | tels Treulde | Total Ar, C | r, Pb, | Нэ | | VOCS | BINGOLY | c metals | | | | □ Done □ Lab to do Preservation □ Lab to do (Please Specify below) | t a l B o t |
| ALPHA Lab ID Sample ID | | | | ection | Sample | Sampler's | 121 | 2 | 00 | | | | | _ 1 |
| (Lab Use Only) | | | Date | Time | Matrix | Initials | ۲ | 7 | \overline{U} | _ | | | Sample Specific Comments | е |
| 45226 -01 | MWN-56A | (MslmsD) | 11/5/18 | 938 | water | TAB | 19 | 6 | 3 | _ | | | | 1/8 |
| -07 | MWN-57A | 18.5 | | 1024 | | 1 | 13 | 2 | 1 | | Ш | | | 6 |
| - 03 | MWS-04 | 1,6 | | 1658 | | | 3 | 2 | (| | | | | 6 |
| 04 | Blink Day | 2 | | 1200 | | | 3 | 2 | 1 | | | | | 6 |
| - 05 | mus-31A | | | 1234 | | | 3 | 2 | 1 | | | | | 6 |
| -06 | mws-34A | | | 1156 | | | 3 | 2 | 1 | | | | | 6 |
| - 07 | MWS-35/ | \ | | 1325 | | | 3 | 2 | (| | | | | 6 |
| -08 | Equipmit TS | slank | 1 | 830 | l d | 4 | 3 | 2 | 1 | | | | | 6 |
| - 09 | Tric Blank | _ | | | | | 12 | | | | | | | 2 |
| | | | | | | | | | | | | | | |
| A = None B = HCI C = HNO ₃ D = H ₂ SO ₄ | Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup | Westboro: Certification N Mansfield: Certification N | | | 101.00 | tainer Type | _ | A A | P C | | | | Please print clearly, legi and completely. Sample not be logged in and turnaround time clock w start until any ambiguitie | s can |
| F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ | C = Cube O = Other E = Encore D = BOD Bottle | Relinquished I | | Date/ 1 5 18 1 05 18 | Time 1438 17:00 | | Received | AA | | 11/6 | 5 | Time 16:25 0050 | resolved. BY EXECUTING THIS COC, THE CLIEN HAS READ AND AGRE TO BE BOUND BY ALP TERMS & CONDITIONS (See reverse side.) | NG T ES PHA'S |



GROUNDWATER FIELD FORM

Project Name: Telumsen Phose III Business Park Site 111-9 Date: 1/20/20 Location: Telumseh Project No.: Field Team: 06

| Well No | o. MWI | J-56A | Diameter (in | ches): 2 | ii . | Sample Dat | e / Time: | 1/29/20 | 0 1225 |
|---------------------|---------------------------|-----------------------------|---------------|------------------|------------|--------------------|--------------|-------------|----------------------|
| Product De | | | Water Colur | nn (ft): | 13.6 | DTW when | sampled: | 8.98 | |
| DTW (statio |) (fbTOR): 🎖 | ,9< | One Well Vo | olume (gal): | 22 | Purpose: | Development | ☐ Sample | Purge & Sample |
| Total Depth | (fbTOR): 2 | 2.52 | Total Volum | e Purged (gal): | 5.0 | Purge Meth | od: LOI | Nflow. | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appearance & Odor |
| 11206 | o Initial . | 0 | 7.20 | 7.1 | 4307 | 11.2 | 7.04 | -36 | no coder. |
| 124 | 18,98 | 0.25 | 7,28 | 9.4 | 13.29 | 8,90 | 3.16 | -98 | WW |
| 1206 | 2 8.93 | 0.5 | 7.86 | 9.7 | 15.05 | 2.87 | 3.66 | -123 | 1111 |
| 1208 | 8 P. C : | 0.75 | 3.26 | 7.5 | 15.16 | 1.62 | 2.94 | -129 | VIII |
| 1210 | 4 38.98 | 1.0 | 8.44 | 9.3 | 15.14 | 1:39 | 2,92 | -135 | XXI |
| 1215 | 5 8.98 | 1.75 | 8.72 | 9.3 | 15.10 | 0.93 | 3.23 | - 1 - | 117. |
| 1220 | 6 8 98° | 275 | 8.74 | 9.2 | 1506 | 2.58 | 3110 | -149 | xU7, |
| 1555 | 7 8.98 | 3.25 | 888 | 9.7 | 15,23 | 1113 | 4.00 | -148 | χ « b |
| | 9 | | | | | | | | |
| | 10 | | | | | | | | |
| Sample Information: | | | | | | | | A | |
| | s1 7, 98 | 375 | 8.91 | 10.0 | 15.08 | 08 | 3.50 | -149 | 1111 |
| 1230 | S2 7 98 | 510 | 7.94 | 8.7 | 15,06 | | 3.02 | -144 | (X1) |

| Well No | o. MWW . | 57A | Diameter (ii | nches): 2" | , | Sample Da | te / Time: | 1/29/20 | 1110 | |
|--------------|---------------------------|-----------------------------|---------------|-------------------|------------|--------------------|--------------|-------------|---------------|----------|
| Product De | pth (fbTOR): - | | Water Colu | mn (ft): | 2.8 | DTW when | sampled: | 8.45 | | |
| DTW (station | c) (fbTOR): | 2.24 | One Well V | olume (gal): | 2.0 | Purpose: | Development | | Purge | & Sample |
| Total Depth | (fbTOR): 21 | .18 | Total Volum | ne Purged (gal): | 3.00 | Purge Meth | od: La | wflow. | | |
| Time | Water Level (fbTOR) | Acc. Volume (gallons) | pH (units) | Temp. (deg. C) | SC (uS) | Turbidity (NTU) | DO (mg/L) | ORP (mV) | Appeara Od | |
| 1048 | o Initial | 40.25 | 6.03 | 7.2 | 6923 | 94.9 | 5.93 | -41 | SL Turb | d. nood |
| 1051 | 18.45 | 0.50 | 6.31 | 7.7 | 6953 | 92 9 | 6.07 | -5a | 11 11 | 11 11 |
| 1054 | 2 8.45 | 1.00 | 6.42 | 8.3 | 6532 | 420 | 7.47 | - 54 | 11 11 | - 11 13 |
| 10 56 | 3 8 45 | 1.25 | 6.50 | 7.6 | 6558 | 90.7 | 6.03 | -5a | 11 / | 11 1 |
| 1102 | 4 8 45 | 1.75 | 6.66 | 85 | 6285 | 31.4 | 5.41 | -54 | 11 11 | 11 11 |
| 1106 | 5 8 45 | 2.00 | 6.70 | 9.0 | 6140 | 30.0 | 5.23 | -57 | p = p | " 1 |
| 1108 | 6 8 45 | 2.50 | 6.73 | 9.5 | 6136 | 31.0 | 5.35 | - 59 | 91 11 | 11 1 |
| | 8 | | | | | | | | | |
| | 10 | | | | | | | | | |
| Sample | Information: | | | | | | | | | |
| 1110 | S1 8.45 | 9.75 | 6.78 | 8.9 | 6169 | 23.3 | 5.06 | -61 | Clear, no | odor |
| 1135 | S2 8 4 5 | 3.00 | 6.87 | 8.4 | 5864 | 169 | 5.56 | -56 | 11 11 | 11 |

REMARKS:

BD W MWN - 56A 960

MS MSP W MWN - 57A

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

| Diam. | Vol. (g/ft) |
| 1" | 0.041 |
| 2" | 0.163 |
| 4" | 0.653 |
| 6" | 1.469 |

 Stabilization Criteria

 Parameter
 Criteria

 pH
 ± 0.1 unit

 SC
 ± 3%

 Turbidity
 ± 10%

 DO
 ± 0.3 mg/L

 ORP
 ± 10 mV

PREPARED BY:

CCB

Environment Testing TestAmerica

ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo 10 Hazelwood Drive Amherst, NY 14228-2298 Tel: (716)691-2600

Laboratory Job ID: 480-165720-1

Client Project/Site: Benchmark - Steel Sun

For:

Turnkey Environmental Restoration, LLC 2558 Hamburg Turnpike Suite 300 Lackawanna, New York 14218

Attn: Lori Riker

Authorized for release by

Authorized for release by: 2/7/2020 10:37:03 AM

Joe Giacomazza, Project Management Assistant II joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management (716)504-9835

brian.fischer@testamericainc.com

.....LINKS

Review your project results through

Total Access

Have a Question?



Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

3

4

5

7

0

10

12

13

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Detection Summary | 6 |
| Client Sample Results | 7 |
| Surrogate Summary | 21 |
| QC Sample Results | 22 |
| QC Association Summary | 34 |
| Lab Chronicle | 36 |
| Certification Summary | 38 |
| Method Summary | 39 |
| Sample Summary | 40 |
| Chain of Custody | 41 |
| Receipt Checklists | 42 |

4

5

-

9

11

13

14

Definitions/Glossary

Client: Turnkey Environmental Restoration, LLC

Quality Control

Relative Error Ratio (Radiochemistry)

Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin)

Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points

Job ID: 480-165720-1 Project/Site: Benchmark - Steel Sun

Qualifiers

| GC/ | MS | Semi | VOA |
|-----|----|------|-----|
|-----|----|------|-----|

| Qualifier | Qualifier Description |
|-----------|--|
| * | LCS or LCSD is outside acceptance limits. |
| F1 | MS and/or MSD Recovery is outside acceptance limits. |
| F2 | MS/MSD RPD exceeds control limits |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| X | Surrogate is outside control limits |
| | |
| Glossary | |

QC

RER

RPD

TEF

TEQ

RL

| Glossary | |
|----------------|---|
| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| I QL | Tractical Quantitation Elinit |

Case Narrative

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Job ID: 480-165720-1

Laboratory: Eurofins TestAmerica, Buffalo

Narrative

Job Narrative 480-165720-1

Comments

No additional comments.

Receipt

The samples were received on 1/30/2020 12:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.8° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC/MS Semi VOA

Method 8270D: The continuing calibration verification (CCV) analyzed in batch 480-516289 was outside the method criteria for the following analyte(s): 2,4,6-Tribromophenol. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8270D: The laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 480-516031 and analytical batch 480-516289 recovered outside control limits for the following surrogate: 2,4,6-Tribromophenol. This surrogate is biased high and is not associated with any target analytes for the following affected samples: MWN-57A (480-165720-1), MWN-56A (480-165720-2) and BLIND DUP (480-165720-3). Therefore, the data has been reported.

Method 8270D: The laboratory control sample (LCS) for preparation batch 480-516031 and analytical batch 480-516289 recovered outside control limits for the following analytes: Carbazole. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8270D: Six surrogates are used for this analysis. The laboratory's SOP allows one acid and one base of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following samples contained an allowable number of surrogate compounds outside limits: MWN-57A (480-165720-1), MWN-57A (480-165720-1[MS]), MWN-56A (480-165720-2) and BLIND DUP (480-165720-3). These results have been reported and qualified.

Method 8270D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 480-516031 and analytical batch 480-516289 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8270D: The laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 480-516031 and analytical batch 480-516295 recovered outside control limits for the following surrogate: 2,4,6-Tribromophenol. This surrogate is biased high and no detections were found for associated analytes in the following affected samples: EQUIP BLANK (480-165720-4). Therefore, the data has been reported.

Method 8270D: The laboratory control sample (LCS) for preparation batch 480-516031 and analytical batch 480-516295 recovered outside control limits for the following analytes: Carbazole. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8270D: The continuing calibration verification (CCV) analyzed in batch 480-516295 was outside the method criteria for the following analyte(s): 2,4,6-Tribromophenol. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8270D: The continuing calibration verification (CCV) associated with batch 480-516295 recovered outside acceptance criteria, low biased, for 4-Chloroaniline. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported.

5

6

9

10

12

Case Narrative

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Job ID: 480-165720-1 (Continued)

Laboratory: Eurofins TestAmerica, Buffalo (Continued)

Method 8270D: The continuing calibration verification (CCV) associated with batch 480-516295 recovered above the upper control limit for Carbazole. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following sample is impacted: EQUIP BLANK (480-165720-4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

6

4

6

8

9

1 4

12

13

16

Detection Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

| Client Sample ID: MWN-57A | | | | | | Lab Sample ID: | 480-165720-1 |
|-------------------------------|--------|-----------|-----|------|------|------------------|--------------|
| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac D Method | Prep Type |
| Acenaphthene | 1.2 | J | 5.0 | 0.41 | ug/L | 1 8270D | Total/NA |
| Client Sample ID: MWN-56A | | | | | | Lab Sample ID: | 480-165720-2 |
| No Detections. | | | | | | | |
| Client Sample ID: BLIND DUP | | | | | | Lab Sample ID: | 480-165720-3 |
| No Detections. | | | | | | | |
| Client Sample ID: EQUIP BLANK | | | | | | Lab Sample ID: | 480-165720-4 |
| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac D Method | Prep Type |
| Caprolactam | 63 | | 5.0 | 2.2 | ug/L | 1 8270D | Total/NA |
| Client Sample ID: TRIP BLANK | | | | | | Lab Sample ID: | 480-165720-5 |

No Detections.

This Detection Summary does not include radiochemical test results.

Page 6 of 42

2/7/2020

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-1

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: MWN-57A Date Collected: 01/29/20 11:10

Date Received: 01/30/20 12:05

| Analyte | Result (| Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|----------|-----------|-----|------|--------------|---|----------|----------------|-------------------|
| 1,1,1-Trichloroethane | ND | | 1.0 | 0.82 | ug/L | | | 01/31/20 13:28 | |
| 1,1,2,2-Tetrachloroethane | ND | | 1.0 | 0.21 | ug/L | | | 01/31/20 13:28 | • |
| 1,1,2-Trichloroethane | ND | | 1.0 | 0.23 | ug/L | | | 01/31/20 13:28 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 1.0 | 0.31 | ug/L | | | 01/31/20 13:28 | |
| 1,1-Dichloroethane | ND | | 1.0 | 0.38 | ug/L | | | 01/31/20 13:28 | |
| 1,1-Dichloroethene | ND | | 1.0 | 0.29 | ug/L | | | 01/31/20 13:28 | |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | 0.41 | ug/L | | | 01/31/20 13:28 | · · · · · · · · · |
| 1,2-Dibromo-3-Chloropropane | ND | | 1.0 | 0.39 | ug/L | | | 01/31/20 13:28 | |
| 1,2-Dichlorobenzene | ND | | 1.0 | 0.79 | ug/L | | | 01/31/20 13:28 | |
| 1,2-Dichloroethane | ND | | 1.0 | 0.21 | ug/L | | | 01/31/20 13:28 | |
| 1,2-Dichloropropane | ND | | 1.0 | 0.72 | ug/L | | | 01/31/20 13:28 | |
| 1,3-Dichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| 1,4-Dichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| 2-Butanone (MEK) | ND | | 10 | | ug/L | | | 01/31/20 13:28 | |
| 2-Hexanone | ND | | 5.0 | | ug/L | | | 01/31/20 13:28 | |
| 4-Methyl-2-pentanone (MIBK) | ND | | 5.0 | | ug/L | | | 01/31/20 13:28 | |
| Acetone (MISIT) | ND | | 10 | | ug/L | | | 01/31/20 13:28 | |
| Benzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Bromodichloromethane | ND | | 1.0 | | ug/L ug/L | | | 01/31/20 13:28 | |
| Bromoform | ND | | 1.0 | | ug/L ug/L | | | 01/31/20 13:28 | |
| Bromomethane | ND | | 1.0 | | | | | 01/31/20 13:28 | |
| Carbon disulfide | | | | | ug/L | | | | |
| | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Carbon tetrachloride | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Chlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Dibromochloromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Chloroethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Chloroform | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Chloromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| cis-1,2-Dichloroethene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| cis-1,3-Dichloropropene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Cyclohexane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Dichlorodifluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Ethylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| 1,2-Dibromoethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Isopropylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Methyl acetate | ND | | 2.5 | | ug/L | | | 01/31/20 13:28 | |
| Methyl tert-butyl ether | ND | | 1.0 | 0.16 | ug/L | | | 01/31/20 13:28 | |
| Methylcyclohexane | ND | | 1.0 | 0.16 | ug/L | | | 01/31/20 13:28 | |
| Methylene Chloride | ND | | 1.0 | 0.44 | ug/L | | | 01/31/20 13:28 | |
| Styrene | ND | | 1.0 | 0.73 | ug/L | | | 01/31/20 13:28 | |
| Tetrachloroethene | ND | | 1.0 | 0.36 | ug/L | | | 01/31/20 13:28 | |
| Toluene | ND | | 1.0 | 0.51 | ug/L | | | 01/31/20 13:28 | |
| trans-1,2-Dichloroethene | ND | | 1.0 | 0.90 | ug/L | | | 01/31/20 13:28 | |
| trans-1,3-Dichloropropene | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Trichloroethene | ND | | 1.0 | 0.46 | ug/L | | | 01/31/20 13:28 | |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Vinyl chloride | ND | | 1.0 | | ug/L | | | 01/31/20 13:28 | |
| Xylenes, Total | ND | | 2.0 | | ug/L | | | 01/31/20 13:28 | |

Eurofins TestAmerica, Buffalo

2/7/2020

Page 7 of 42

3

5

7

9

11 12

1 0

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Client Sample ID: MWN-57A Lab Sample ID: 480-165720-1

Date Collected: 01/29/20 11:10

Matrix: Water

Date Received: 01/30/20 12:05

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 105 | 80 - 120 | | 01/31/20 13:28 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | 77 - 120 | | 01/31/20 13:28 | 1 |
| 4-Bromofluorobenzene (Surr) | 104 | 73 - 120 | | 01/31/20 13:28 | 1 |
| Dibromofluoromethane (Surr) | 104 | 75 - 123 | | 01/31/20 13:28 | 1 |

| Dibromondometriane (Surr) | 104 | 75 - 123 | | | | | 01/31/20 13.26 | |
|---------------------------------|---------------|----------|------|--------------|---|----------------|----------------|--------|
| Method: 8270D - Semivolatile Or | • • | • | | | | | | |
| Analyte | Result Qualif | | MDL | | D | Prepared | Analyzed | Dil Fa |
| 2,4-Dinitrotoluene | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 2,6-Dinitrotoluene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 2-Chloronaphthalene | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 2-Methylnaphthalene | ND | 5.0 | 0.60 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 2-Nitroaniline | ND F2 | 10 | 0.42 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 3,3'-Dichlorobenzidine | ND F2 | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 3-Nitroaniline | ND | 10 | 0.48 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 4-Bromophenyl phenyl ether | ND F2 | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 4-Chloroaniline | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 4-Chlorophenyl phenyl ether | ND F2 | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| 4-Nitroaniline | ND | 10 | 0.25 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Acenaphthene | 1.2 J | 5.0 | 0.41 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Acenaphthylene | ND | 5.0 | 0.38 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Acetophenone | ND | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Anthracene | ND | 5.0 | 0.28 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Atrazine | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzaldehyde | ND | 5.0 | 0.27 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzo(a)anthracene | ND | 5.0 | 0.36 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzo(a)pyrene | ND | 5.0 | 0.47 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzo(b)fluoranthene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzo(g,h,i)perylene | ND | 5.0 | 0.35 | - | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Benzo(k)fluoranthene | ND | 5.0 | 0.73 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Biphenyl | ND | 5.0 | 0.65 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| bis (2-chloroisopropyl) ether | ND | 5.0 | 0.52 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Bis(2-chloroethoxy)methane | ND | 5.0 | 0.35 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Bis(2-chloroethyl)ether | ND | 5.0 | 0.40 | - | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Bis(2-ethylhexyl) phthalate | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Butyl benzyl phthalate | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Caprolactam | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Carbazole | ND * | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Chrysene | ND | | 0.33 | | | 02/04/20 07:24 | | |
| • | | 5.0 | | | | | 02/05/20 16:58 | |
| Dibenz(a,h)anthracene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Dibenzofuran | ND | 10 | 0.51 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Diethyl phthalate | ND | 5.0 | 0.22 | - | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Dimethyl phthalate | ND | 5.0 | 0.36 | • | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Di-n-butyl phthalate | ND | 5.0 | 0.31 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Di-n-octyl phthalate | ND | 5.0 | 0.47 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Fluoranthene | ND | 5.0 | 0.40 | - | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Fluorene | ND | 5.0 | 0.36 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Hexachlorobenzene | ND F1 | 5.0 | 0.51 | | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Hexachlorobutadiene | ND | 5.0 | 0.68 | - | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Hexachlorocyclopentadiene | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |
| Hexachloroethane | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | |

Eurofins TestAmerica, Buffalo

Job ID: 480-165720-1

Page 8 of 42 2/7/2020

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Client Sample ID: MWN-57A

Lab Sample ID: 480-165720-1

Matrix: Water

Job ID: 480-165720-1

Date Collected: 01/29/20 11:10 Date Received: 01/30/20 12:05

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------|-----------|-----------|----------|------|------|---|----------------|----------------|---------|
| Indeno(1,2,3-cd)pyrene | ND | | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Isophorone | ND | | 5.0 | 0.43 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Naphthalene | ND | | 5.0 | 0.76 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Nitrobenzene | ND | | 5.0 | 0.29 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| N-Nitrosodi-n-propylamine | ND | | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| N-Nitrosodiphenylamine | ND | | 5.0 | 0.51 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Phenanthrene | ND | | 5.0 | 0.44 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Pyrene | ND | | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4,6-Tribromophenol | 140 | X | 41 - 120 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| 2-Fluorobiphenyl | 100 | | 48 - 120 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| 2-Fluorophenol | 69 | | 35 - 120 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Nitrobenzene-d5 | 100 | | 46 - 120 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Phenol-d5 | 52 | | 22 - 120 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| p-Terphenyl-d14 | 72 | | 60 - 148 | | | | 02/04/20 07:24 | 02/05/20 16:58 | 1 |
| Method: 6010C - Metals (ICP) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Arsenic | ND | | 0.015 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:26 | 1 |
| Chromium | ND | | 0.0040 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:26 | 1 |
| Lead | ND | | 0.010 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:26 | 1 |
| Method: 7470A - Mercury (CVAA) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Mercury | ND | | 0.00020 | | mg/L | | 01/31/20 11:47 | 01/31/20 14:22 | |

2

4

6

8

10

12

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-2

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: MWN-56A

Date Collected: 01/29/20 12:25 Date Received: 01/30/20 12:05

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fa |
|---------------------------------------|----------|-----------|-----|------|--------------|---|----------|----------------|--------|
| 1,1,1-Trichloroethane | ND | | 1.0 | 0.82 | ug/L | | | 01/31/20 13:51 | |
| 1,1,2,2-Tetrachloroethane | ND | | 1.0 | 0.21 | ug/L | | | 01/31/20 13:51 | |
| 1,1,2-Trichloroethane | ND | | 1.0 | 0.23 | ug/L | | | 01/31/20 13:51 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 1.0 | 0.31 | ug/L | | | 01/31/20 13:51 | |
| 1,1-Dichloroethane | ND | | 1.0 | 0.38 | ug/L | | | 01/31/20 13:51 | |
| 1,1-Dichloroethene | ND | | 1.0 | 0.29 | ug/L | | | 01/31/20 13:51 | |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,2-Dibromo-3-Chloropropane | ND | | 1.0 | 0.39 | ug/L | | | 01/31/20 13:51 | |
| 1,2-Dichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,2-Dichloroethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,2-Dichloropropane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,3-Dichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,4-Dichlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 2-Butanone (MEK) | ND ND | | 1.0 | | - | | | 01/31/20 13:51 | |
| 2-Butanone (MEK) | | | | | ug/L | | | | |
| | ND | | 5.0 | | ug/L | | | 01/31/20 13:51 | |
| 4-Methyl-2-pentanone (MIBK) | ND | | 5.0 | | ug/L | | | 01/31/20 13:51 | |
| Acetone | ND | | 10 | | • | | | 01/31/20 13:51 | |
| Benzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Bromodichloromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Bromoform | ND | | 1.0 | 0.26 | ug/L | | | 01/31/20 13:51 | |
| Bromomethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Carbon disulfide | ND | | 1.0 | 0.19 | ug/L | | | 01/31/20 13:51 | |
| Carbon tetrachloride | ND | | 1.0 | 0.27 | ug/L | | | 01/31/20 13:51 | |
| Chlorobenzene | ND | | 1.0 | 0.75 | ug/L | | | 01/31/20 13:51 | |
| Dibromochloromethane | ND | | 1.0 | 0.32 | ug/L | | | 01/31/20 13:51 | |
| Chloroethane | ND | | 1.0 | 0.32 | ug/L | | | 01/31/20 13:51 | |
| Chloroform | ND | | 1.0 | 0.34 | ug/L | | | 01/31/20 13:51 | |
| Chloromethane | ND | | 1.0 | 0.35 | ug/L | | | 01/31/20 13:51 | |
| cis-1,2-Dichloroethene | ND | | 1.0 | 0.81 | ug/L | | | 01/31/20 13:51 | |
| cis-1,3-Dichloropropene | ND | | 1.0 | 0.36 | ug/L | | | 01/31/20 13:51 | |
| Cyclohexane | ND | | 1.0 | 0.18 | ug/L | | | 01/31/20 13:51 | |
| Dichlorodifluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Ethylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| 1,2-Dibromoethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Isopropylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Methyl acetate | ND | | 2.5 | | ug/L | | | 01/31/20 13:51 | |
| Methyl tert-butyl ether | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Methylcyclohexane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Methylene Chloride | ND | | 1.0 | | ug/L ug/L | | | 01/31/20 13:51 | |
| | ND | | | | ug/L ug/L | | | | |
| Styrene | | | 1.0 | | _ | | | 01/31/20 13:51 | |
| Tetrachloroethene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Toluene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| trans-1,2-Dichloroethene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| trans-1,3-Dichloropropene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Trichloroethene | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 13:51 | |
| Vinyl chloride | ND | | 1.0 | 0.90 | ug/L | | | 01/31/20 13:51 | |
| Xylenes, Total | ND | | 2.0 | 0.66 | ug/L | | | 01/31/20 13:51 | |
| | | | | | | | | | |

2

3

5

8

10

12

14

15

2/7/2020

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-2

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: MWN-56A Date Collected: 01/29/20 12:25 Date Received: 01/30/20 12:05

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 105 | | 80 - 120 | | 01/31/20 13:51 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 102 | | 77 - 120 | | 01/31/20 13:51 | 1 |
| 4-Bromofluorobenzene (Surr) | 105 | | 73 - 120 | | 01/31/20 13:51 | 1 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 123 | | 01/31/20 13:51 | 1 |

| Analyte | Result Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fa |
|-------------------------------|------------------|-----|------|------|---|----------------|----------------|--------|
| 2,4-Dinitrotoluene | ND ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 2,6-Dinitrotoluene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 2-Chloronaphthalene | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 2-Methylnaphthalene | ND | 5.0 | 0.60 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 2-Nitroaniline | ND | 10 | 0.42 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 3,3'-Dichlorobenzidine | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 3-Nitroaniline | ND | 10 | 0.48 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 1-Bromophenyl phenyl ether | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 1-Chloroaniline | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 1-Chlorophenyl phenyl ether | ND | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| 4-Nitroaniline | ND | 10 | 0.25 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Acenaphthene | ND | 5.0 | 0.41 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Acenaphthylene | ND | 5.0 | 0.38 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Acetophenone | ND | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Anthracene | ND | 5.0 | 0.28 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Atrazine | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzaldehyde | ND | 5.0 | 0.27 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzo(a)anthracene | ND | 5.0 | 0.36 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzo(a)pyrene | ND | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzo(b)fluoranthene | ND | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzo(g,h,i)perylene | ND | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Benzo(k)fluoranthene | ND | 5.0 | 0.73 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Biphenyl | ND | 5.0 | 0.65 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| ois (2-chloroisopropyl) ether | ND | 5.0 | 0.52 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Bis(2-chloroethoxy)methane | ND | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Bis(2-chloroethyl)ether | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Bis(2-ethylhexyl) phthalate | ND | 5.0 | 2.2 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Butyl benzyl phthalate | ND | 5.0 | 1.0 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Caprolactam | ND | 5.0 | 2.2 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Carbazole | ND * | 5.0 | 0.30 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Chrysene | ND | 5.0 | 0.33 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Dibenz(a,h)anthracene | ND | 5.0 | 0.42 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Dibenzofuran | ND | 10 | 0.51 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Diethyl phthalate | ND | 5.0 | 0.22 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Dimethyl phthalate | ND | 5.0 | 0.36 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Di-n-butyl phthalate | ND | 5.0 | 0.31 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Di-n-octyl phthalate | ND | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Fluoranthene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Fluorene | ND | 5.0 | 0.36 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Hexachlorobenzene | ND | 5.0 | 0.51 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Hexachlorobutadiene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Hexachlorocyclopentadiene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |
| Hexachloroethane | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | |

Eurofins TestAmerica, Buffalo

2/7/2020

Page 11 of 42

5

4

6

R

9

11

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-2

01/31/20 11:47 01/31/20 14:27

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: MWN-56A Date Collected: 01/29/20 12:25 Date Received: 01/30/20 12:05

Mercury

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------|-----------|-----------|----------|------|------|-------------|----------------|----------------|---------|
| Indeno(1,2,3-cd)pyrene | ND | | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Isophorone | ND | | 5.0 | 0.43 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Naphthalene | ND | | 5.0 | 0.76 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Nitrobenzene | ND | | 5.0 | 0.29 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| N-Nitrosodi-n-propylamine | ND | | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| N-Nitrosodiphenylamine | ND | | 5.0 | 0.51 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Phenanthrene | ND | | 5.0 | 0.44 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Pyrene | ND | | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4,6-Tribromophenol | 137 | X | 41 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| 2-Fluorobiphenyl | 102 | | 48 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| 2-Fluorophenol | 71 | | 35 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Nitrobenzene-d5 | 100 | | 46 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Phenol-d5 | 52 | | 22 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| p-Terphenyl-d14 | 99 | | 60 - 148 | | | | 02/04/20 07:24 | 02/05/20 17:26 | 1 |
| Method: 6010C - Metals (ICP) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Arsenic | ND | | 0.015 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:45 | 1 |
| Chromium | ND | | 0.0040 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:45 | 1 |
| Lead | ND | | 0.010 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:45 | 1 |
| Method: 7470A - Mercury (CVAA) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |

0.00020

mg/L

ND

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-3

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: BLIND DUP

Date Collected: 01/29/20 09:00 Date Received: 01/30/20 12:05

| Method: 8260C - Volatile Organic (Analyte | Result Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|------------------|-----|------|------|---|----------|----------------|--------|
| 1,1,1-Trichloroethane | | 1.0 | 0.82 | ug/L | | | 01/31/20 14:14 | |
| 1,1,2,2-Tetrachloroethane | ND | 1.0 | 0.21 | ug/L | | | 01/31/20 14:14 | |
| 1,1,2-Trichloroethane | ND | 1.0 | 0.23 | ug/L | | | 01/31/20 14:14 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | 1.0 | 0.31 | ug/L | | | 01/31/20 14:14 | |
| 1,1-Dichloroethane | ND | 1.0 | 0.38 | ug/L | | | 01/31/20 14:14 | |
| 1,1-Dichloroethene | ND | 1.0 | 0.29 | ug/L | | | 01/31/20 14:14 | |
| 1,2,4-Trichlorobenzene | ND | 1.0 | 0.41 | ug/L | | | 01/31/20 14:14 | |
| 1,2-Dibromo-3-Chloropropane | ND | 1.0 | 0.39 | ug/L | | | 01/31/20 14:14 | |
| 1,2-Dichlorobenzene | ND | 1.0 | 0.79 | ug/L | | | 01/31/20 14:14 | |
| 1,2-Dichloroethane | ND | 1.0 | 0.21 | ug/L | | | 01/31/20 14:14 | |
| 1,2-Dichloropropane | ND | 1.0 | 0.72 | ug/L | | | 01/31/20 14:14 | |
| 1,3-Dichlorobenzene | ND | 1.0 | 0.78 | ug/L | | | 01/31/20 14:14 | |
| 1,4-Dichlorobenzene | ND | 1.0 | 0.84 | ug/L | | | 01/31/20 14:14 | |
| 2-Butanone (MEK) | ND | 10 | 1.3 | ug/L | | | 01/31/20 14:14 | |
| 2-Hexanone | ND | 5.0 | | ug/L | | | 01/31/20 14:14 | |
| 4-Methyl-2-pentanone (MIBK) | ND | 5.0 | 2.1 | ug/L | | | 01/31/20 14:14 | |
| Acetone | ND | 10 | 3.0 | ug/L | | | 01/31/20 14:14 | |
| Benzene | ND | 1.0 | 0.41 | ug/L | | | 01/31/20 14:14 | |
| Bromodichloromethane | ND | 1.0 | 0.39 | ug/L | | | 01/31/20 14:14 | |
| Bromoform | ND | 1.0 | 0.26 | ug/L | | | 01/31/20 14:14 | |
| Bromomethane | ND | 1.0 | 0.69 | ug/L | | | 01/31/20 14:14 | |
| Carbon disulfide | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Carbon tetrachloride | ND | 1.0 | 0.27 | ug/L | | | 01/31/20 14:14 | |
| Chlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Dibromochloromethane | ND | 1.0 | 0.32 | ug/L | | | 01/31/20 14:14 | |
| Chloroethane | ND | 1.0 | 0.32 | ug/L | | | 01/31/20 14:14 | |
| Chloroform | ND | 1.0 | 0.34 | ug/L | | | 01/31/20 14:14 | |
| Chloromethane | ND | 1.0 | 0.35 | ug/L | | | 01/31/20 14:14 | |
| cis-1,2-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| cis-1,3-Dichloropropene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Cyclohexane | ND | 1.0 | 0.18 | ug/L | | | 01/31/20 14:14 | |
| Dichlorodifluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Ethylbenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| 1,2-Dibromoethane | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Isopropylbenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Methyl acetate | ND | 2.5 | 1.3 | ug/L | | | 01/31/20 14:14 | |
| Methyl tert-butyl ether | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Methylcyclohexane | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Methylene Chloride | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Styrene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Tetrachloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Toluene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| trans-1,2-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| trans-1,3-Dichloropropene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Trichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Trichlorofluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Vinyl chloride | ND | 1.0 | | ug/L | | | 01/31/20 14:14 | |
| Xylenes, Total | ND | 2.0 | | ug/L | | | 01/31/20 14:14 | |

Eurofins TestAmerica, Buffalo

3

8

10

12

14

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-3

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: BLIND DUP

Date Collected: 01/29/20 09:00 Date Received: 01/30/20 12:05

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 106 | | 80 - 120 | | 01/31/20 14:14 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 104 | | 77 - 120 | | 01/31/20 14:14 | 1 |
| 4-Bromofluorobenzene (Surr) | 106 | | 73 - 120 | | 01/31/20 14:14 | 1 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 123 | | 01/31/20 14:14 | 1 |

| Dibiomonidoromethane (Surr) | 103 | 75 - 125 | | | | | 01/31/20 14.14 | |
|---------------------------------|------------------|----------|------|--------------|---|----------------|----------------|--------|
| Method: 8270D - Semivolatile Or | • • |) | | | | | | |
| Analyte | Result Qualifier | RL | MDL | | D | Prepared | Analyzed | Dil Fa |
| 2,4-Dinitrotoluene | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 2,6-Dinitrotoluene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 2-Chloronaphthalene | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 2-Methylnaphthalene | ND | 5.0 | 0.60 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 2-Nitroaniline | ND | 10 | 0.42 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 3,3'-Dichlorobenzidine | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 3-Nitroaniline | ND | 10 | 0.48 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 4-Bromophenyl phenyl ether | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 4-Chloroaniline | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 4-Chlorophenyl phenyl ether | ND | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| 4-Nitroaniline | ND | 10 | 0.25 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Acenaphthene | ND | 5.0 | 0.41 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Acenaphthylene | ND | 5.0 | 0.38 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Acetophenone | ND | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Anthracene | ND | 5.0 | 0.28 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Atrazine | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzaldehyde | ND | 5.0 | 0.27 | | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzo(a)anthracene | ND | 5.0 | 0.36 | | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzo(a)pyrene | ND | 5.0 | 0.47 | | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzo(b)fluoranthene | ND | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzo(g,h,i)perylene | ND | 5.0 | 0.35 | _ | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Benzo(k)fluoranthene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Biphenyl | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| bis (2-chloroisopropyl) ether | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Bis(2-chloroethoxy)methane | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Bis(2-chloroethyl)ether | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Bis(2-ethylhexyl) phthalate | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Butyl benzyl phthalate | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Caprolactam | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Carbazole | ND * | 5.0 | | _ | | 02/04/20 07:24 | 02/05/20 17:55 | |
| | | | | | | | | |
| Chrysene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Dibenz(a,h)anthracene | ND | 5.0 | 0.42 | • | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Dibenzofuran | ND | 10 | 0.51 | | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Diethyl phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Dimethyl phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Di-n-butyl phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Di-n-octyl phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Fluoranthene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Fluorene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Hexachlorobenzene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Hexachlorobutadiene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Hexachlorocyclopentadiene | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |
| Hexachloroethane | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | |

Eurofins TestAmerica, Buffalo

Page 14 of 42

9

Δ

5

7

0

10

11

13

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-3

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: BLIND DUP Date Collected: 01/29/20 09:00

Date Received: 01/30/20 12:05

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------|-----------|-----------|----------|------|------|---|----------------|----------------|---------|
| Indeno(1,2,3-cd)pyrene | ND | | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Isophorone | ND | | 5.0 | 0.43 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Naphthalene | ND | | 5.0 | 0.76 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Nitrobenzene | ND | | 5.0 | 0.29 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| N-Nitrosodi-n-propylamine | ND | | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| N-Nitrosodiphenylamine | ND | | 5.0 | 0.51 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Phenanthrene | ND | | 5.0 | 0.44 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Pyrene | ND | | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 2,4,6-Tribromophenol | 139 | X | 41 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| 2-Fluorobiphenyl | 95 | | 48 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| 2-Fluorophenol | 65 | | 35 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Nitrobenzene-d5 | 92 | | 46 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Phenol-d5 | 49 | | 22 - 120 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| p-Terphenyl-d14 | 96 | | 60 - 148 | | | | 02/04/20 07:24 | 02/05/20 17:55 | 1 |
| Method: 6010C - Metals (ICP) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Arsenic | ND | | 0.015 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:59 | 1 |
| Chromium | ND | | 0.0040 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:59 | 1 |
| Lead | ND | | 0.010 | | mg/L | | 01/31/20 07:57 | 01/31/20 14:59 | 1 |
| Method: 7470A - Mercury (CVAA) | | | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Mercury | ND | | 0.00020 | | mg/L | | 01/31/20 11:47 | 01/31/20 14:28 | |

9

7

8

10

12

13

14

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-4

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: EQUIP BLANK

Date Collected: 01/29/20 10:20 Date Received: 01/30/20 12:05

| Analyte | Result Qualifier | RL | | Unit | D | Prepared | Analyzed | Dil |
|--------------------------------------|------------------|------------|------|--------------|---|----------|----------------------------------|-----|
| ,1,1-Trichloroethane | ND - | 1.0 | 0.82 | ug/L | | | 01/31/20 14:37 | |
| ,1,2,2-Tetrachloroethane | ND | 1.0 | 0.21 | ug/L | | | 01/31/20 14:37 | |
| ,1,2-Trichloroethane | ND | 1.0 | 0.23 | ug/L | | | 01/31/20 14:37 | |
| ,1,2-Trichloro-1,2,2-trifluoroethane | ND | 1.0 | 0.31 | ug/L | | | 01/31/20 14:37 | |
| ,1-Dichloroethane | ND | 1.0 | 0.38 | ug/L | | | 01/31/20 14:37 | |
| ,1-Dichloroethene | ND | 1.0 | 0.29 | ug/L | | | 01/31/20 14:37 | |
| ,2,4-Trichlorobenzene | ND | 1.0 | 0.41 | ug/L | | | 01/31/20 14:37 | |
| ,2-Dibromo-3-Chloropropane | ND | 1.0 | 0.39 | ug/L | | | 01/31/20 14:37 | |
| ,2-Dichlorobenzene | ND | 1.0 | 0.79 | ug/L | | | 01/31/20 14:37 | |
| ,2-Dichloroethane | ND | 1.0 | 0.21 | ug/L | | | 01/31/20 14:37 | |
| ,2-Dichloropropane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ,3-Dichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ,4-Dichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| -Butanone (MEK) | ND | 10 | | ug/L | | | 01/31/20 14:37 | |
| -Hexanone | ND | 5.0 | | ug/L | | | 01/31/20 14:37 | |
| Methyl-2-pentanone (MIBK) | ND | 5.0 | | ug/L | | | 01/31/20 14:37 | |
| cetone | ND | 10 | | ug/L | | | 01/31/20 14:37 | |
| enzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| romodichloromethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| romoform | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| romomethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| arbon disulfide | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| arbon tetrachloride | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| hlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ibromochloromethane | ND | 1.0 | | ug/L ug/L | | | 01/31/20 14:37 | |
| hloroethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| hloroform | ND | 1.0 | | ug/L ug/L | | | 01/31/20 14:37 | |
| hloromethane | | | | ug/L ug/L | | | | |
| | ND ND | 1.0 1.0 | | ug/L ug/L | | | 01/31/20 14:37 01/31/20 14:37 | |
| s-1,2-Dichloroethene | ND ND | 1.0 | | | | | | |
| s-1,3-Dichloropropene | | | | ug/L | | | 01/31/20 14:37 | |
| yclohexane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ichlorodifluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| thylbenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| 2-Dibromoethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| opropylbenzene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ethyl acetate | ND | 2.5 | | ug/L | | | 01/31/20 14:37 | |
| ethyl tert-butyl ether | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| lethylcyclohexane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ethylene Chloride | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| tyrene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| etrachloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| oluene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ans-1,2-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| ans-1,3-Dichloropropene | ND | 1.0 | 0.37 | ug/L | | | 01/31/20 14:37 | |
| richloroethene | ND | 1.0 | 0.46 | ug/L | | | 01/31/20 14:37 | |
| richlorofluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 14:37 | |
| inyl chloride | ND | 1.0 | 0.90 | ug/L | | | 01/31/20 14:37 | |
| (ylenes, Total | ND | 2.0 | 0.66 | ug/L | | | 01/31/20 14:37 | |

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-4

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: EQUIP BLANK

Date Collected: 01/29/20 10:20 Date Received: 01/30/20 12:05

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 106 | | 80 - 120 | | 01/31/20 14:37 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 77 - 120 | | 01/31/20 14:37 | 1 |
| 4-Bromofluorobenzene (Surr) | 104 | | 73 - 120 | | 01/31/20 14:37 | 1 |
| Dibromofluoromethane (Surr) | 103 | | 75 - 123 | | 01/31/20 14:37 | 1 |

| Dibromondomethane (Surr) | 103 | 75 - 123 | | | | | 01/31/20 14.37 | |
|---------------------------------|------------------|----------|------|--------------|---|----------------|----------------|--------|
| Method: 8270D - Semivolatile Or | | | | | | | | |
| Analyte | Result Qualifier | RL | MDL | | D | Prepared | Analyzed | Dil Fa |
| 2,4-Dinitrotoluene | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 2,6-Dinitrotoluene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 2-Chloronaphthalene | ND | 5.0 | 0.46 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 2-Methylnaphthalene | ND | 5.0 | 0.60 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 2-Nitroaniline | ND | 10 | 0.42 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 3,3'-Dichlorobenzidine | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 3-Nitroaniline | ND | 10 | 0.48 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 4-Bromophenyl phenyl ether | ND | 5.0 | 0.45 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 4-Chloroaniline | ND | 5.0 | 0.59 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 4-Chlorophenyl phenyl ether | ND | 5.0 | 0.35 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| 4-Nitroaniline | ND | 10 | 0.25 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Acenaphthene | ND | 5.0 | 0.41 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Acenaphthylene | ND | 5.0 | 0.38 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Acetophenone | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Anthracene | ND | 5.0 | 0.28 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Atrazine | ND | 5.0 | 0.46 | . | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzaldehyde | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzo(a)anthracene | ND | 5.0 | 0.36 | - | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzo(a)pyrene | ND | 5.0 | 0.47 | | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzo(b)fluoranthene | ND | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzo(g,h,i)perylene | ND | 5.0 | 0.35 | - | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Benzo(k)fluoranthene | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Biphenyl | ND | 5.0 | | ug/L ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| • • | | | | | | | | |
| bis (2-chloroisopropyl) ether | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Bis(2-chloroethoxy)methane | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Bis(2-chloroethyl)ether | ND | 5.0 | 0.40 | | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Bis(2-ethylhexyl) phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Butyl benzyl phthalate | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Caprolactam | 63 | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Carbazole | ND * | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Chrysene | ND | 5.0 | 0.33 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Dibenz(a,h)anthracene | ND | 5.0 | 0.42 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Dibenzofuran | ND | 10 | 0.51 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Diethyl phthalate | ND | 5.0 | 0.22 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Dimethyl phthalate | ND | 5.0 | 0.36 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Di-n-butyl phthalate | ND | 5.0 | 0.31 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Di-n-octyl phthalate | ND | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Fluoranthene | ND | 5.0 | 0.40 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Fluorene | ND | 5.0 | 0.36 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Hexachlorobenzene | ND | 5.0 | 0.51 | | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Hexachlorobutadiene | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Hexachlorocyclopentadiene | ND | 5.0 | 0.59 | - | | 02/04/20 07:24 | 02/06/20 00:30 | |
| Hexachloroethane | ND | 5.0 | | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | |

Eurofins TestAmerica, Buffalo

Page 17 of 42

9

4

6

8

10

12

1 1

15

arrichea, barraio

2/7/2020

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-4

01/31/20 11:47

01/31/20 14:30

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: EQUIP BLANK

Date Collected: 01/29/20 10:20 Date Received: 01/30/20 12:05

Mercury

| rtoouit | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|---|----------|--|---|--|--|---|--|
| ND | | 5.0 | 0.47 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.43 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.76 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.29 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.54 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.51 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.44 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| ND | | 5.0 | 0.34 | ug/L | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| 115 | | 41 - 120 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| 97 | | 48 - 120 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| 67 | | 35 - 120 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| 97 | | 46 - 120 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| 49 | | 22 - 120 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| 91 | | 60 - 148 | | | | 02/04/20 07:24 | 02/06/20 00:30 | 1 |
| | | | | | | | | |
| Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| ND | | 0.015 | | mg/L | | 01/31/20 07:57 | 01/31/20 15:03 | 1 |
| ND | | 0.0040 | | mg/L | | 01/31/20 07:57 | 01/31/20 15:03 | 1 |
| ND | | 0.010 | | mg/L | | 01/31/20 07:57 | 01/31/20 15:03 | 1 |
| | ND ND ND ND ND ND ND ND ND 115 97 67 97 49 91 Result ND ND | ND | ND 5.0 **Recovery Qualifier Limits 97 48 - 120 67 35 - 120 97 46 - 120 49 22 - 120 91 60 - 148 Result Qualifier RL ND 0.015 ND 0.0040 | ND 5.0 0.43 ND 5.0 0.76 ND 5.0 0.29 ND 5.0 0.54 ND 5.0 0.51 ND 5.0 0.44 ND 5.0 0.34 **Recovery Qualifier Limits 41 - 120 97 48 - 120 67 35 - 120 97 46 - 120 49 22 - 120 91 60 - 148 Result Qualifier RL MDL ND 0.015 ND 0.0040 | ND 5.0 0.43 ug/L ND 5.0 0.76 ug/L ND 5.0 0.29 ug/L ND 5.0 0.54 ug/L ND 5.0 0.51 ug/L ND 5.0 0.44 ug/L ND 5.0 0.34 ug/L **Recovery Qualifier Limits 97 48 - 120 67 35 - 120 97 46 - 120 49 22 - 120 91 60 - 148 Result Qualifier RL MDL Unit ND 0.015 mg/L ND 0.0040 mg/L | ND 5.0 0.43 ug/L ND 5.0 0.76 ug/L ND 5.0 0.29 ug/L ND 5.0 0.54 ug/L ND 5.0 0.51 ug/L ND 5.0 0.44 ug/L ND 5.0 0.34 ug/L **Recovery Qualifier Limits 115 41 - 120 97 48 - 120 67 35 - 120 97 46 - 120 49 22 - 120 91 60 - 148 **Result* Qualifier RL MDL Unit D ND 0.015 mg/L ND 0.0040 mg/L | ND 5.0 0.43 ug/L 02/04/20 07:24 ND 5.0 0.76 ug/L 02/04/20 07:24 ND 5.0 0.29 ug/L 02/04/20 07:24 ND 5.0 0.54 ug/L 02/04/20 07:24 ND 5.0 0.51 ug/L 02/04/20 07:24 ND 5.0 0.44 ug/L 02/04/20 07:24 ND 5.0 0.34 ug/L 02/04/20 07:24 ND 5.0 0.34 ug/L 02/04/20 07:24 97 48 - 120 02/04/20 07:24 97 46 - 120 02/04/20 07:24 97 46 - 120 02/04/20 07:24 97 46 - 120 02/04/20 07:24 91 60 - 148 02/04/20 07:24 91 60 - 148 02/04/20 07:24 91 60 - 148 02/04/20 07:24 ND 0.015 mg/L 01/31/20 07:57 ND 0.0040 mg/L 01/31/20 07:57 | ND 5.0 0.43 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.76 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.29 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.54 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.51 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.51 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.44 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.34 ug/L 02/04/20 07:24 02/06/20 00:30 ND 5.0 0.34 ug/L 02/04/20 07:24 02/06/20 00:30 ND 48 - 120 02/04/20 07:24 02/06/20 00:30 Oz/04/20 07:25 0z/06/20 00:30 Oz/04/20 07:26 0z/06/20 00:30 Oz/ |

0.00020

mg/L

ND

9

Δ

6

8

10

11

13

14

Client Sample Results

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Lab Sample ID: 480-165720-5

Matrix: Water

Job ID: 480-165720-1

Client Sample ID: TRIP BLANK

Date Collected: 01/29/20 08:00 Date Received: 01/30/20 12:05

| Method: 8260C - Volatile Organic (Analyte | Result Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|------------------|-----|------|------|---|----------|----------------|---------------|
| 1,1,1-Trichloroethane | | 1.0 | 0.82 | ug/L | | | 01/31/20 15:00 | |
| 1,1,2,2-Tetrachloroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,1,2-Trichloroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | · · · · · · . |
| 1,1-Dichloroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,1-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,2-Dibromo-3-Chloropropane | ND | 1.0 | 0.39 | ug/L | | | 01/31/20 15:00 | |
| 1,2-Dichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,2-Dichloroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,2-Dichloropropane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,3-Dichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,4-Dichlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 2-Butanone (MEK) | ND | 10 | | ug/L | | | 01/31/20 15:00 | |
| 2-Hexanone | ND | 5.0 | | ug/L | | | 01/31/20 15:00 | |
| 4-Methyl-2-pentanone (MIBK) | ND | 5.0 | | ug/L | | | 01/31/20 15:00 | |
| Acetone | ND | 10 | | ug/L | | | 01/31/20 15:00 | |
| Benzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Bromodichloromethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Bromoform | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Bromomethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Carbon disulfide | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Carbon tetrachloride | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Chlorobenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Dibromochloromethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Chloroethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Chloroform | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Chloromethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| cis-1,2-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| cis-1,3-Dichloropropene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Cyclohexane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Dichlorodifluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Ethylbenzene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| 1,2-Dibromoethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Isopropylbenzene | ND | 1.0 | 0.79 | ug/L | | | 01/31/20 15:00 | |
| Methyl acetate | ND | 2.5 | | ug/L | | | 01/31/20 15:00 | |
| Methyl tert-butyl ether | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Methylcyclohexane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Methylene Chloride | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Styrene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Tetrachloroethene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Toluene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| trans-1,2-Dichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| trans-1,3-Dichloropropene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Trichloroethene | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Trichlorofluoromethane | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Vinyl chloride | ND | 1.0 | | ug/L | | | 01/31/20 15:00 | |
| Xylenes, Total | ND | 2.0 | | ug/L | | | 01/31/20 15:00 | |

Eurofins TestAmerica, Buffalo

2/7/2020

Page 19 of 42

6

5

8

10

12

Client Sample Results

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-165720-5

Matrix: Water

Job ID: 480-165720-1

Date Collected: 01/29/20 08:00 Date Received: 01/30/20 12:05

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------------------|---------------------|----------|----------|----------------|---------|
| Toluene-d8 (Surr) | 107 | 80 - 120 | | 01/31/20 15:00 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 101 | 77 - 120 | | 01/31/20 15:00 | 1 |
| 4-Bromofluorobenzene (Surr) | 104 | 73 - 120 | | 01/31/20 15:00 | 1 |
| Dibromofluoromethane (Surr) | 103 | 75 - 123 | | 01/31/20 15:00 | 1 |
| 4-Bromofluorobenzene (Surr) | 104 | 73 - 120 | | 01/31/20 15:00 | |

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water Prep Type: Total/NA

| | | | | Percent Sur | rogate Rec |
|------------------|--------------------|----------|----------|-------------|------------|
| | | TOL | DCA | BFB | DBFM |
| Lab Sample ID | Client Sample ID | (80-120) | (77-120) | (73-120) | (75-123) |
| 480-165720-1 | MWN-57A | 105 | 103 | 104 | 104 |
| 480-165720-1 MS | MWN-57A | 108 | 103 | 101 | 104 |
| 480-165720-1 MSD | MWN-57A | 106 | 101 | 102 | 104 |
| 480-165720-2 | MWN-56A | 105 | 102 | 105 | 103 |
| 480-165720-3 | BLIND DUP | 106 | 104 | 106 | 103 |
| 480-165720-4 | EQUIP BLANK | 106 | 103 | 104 | 103 |
| 480-165720-5 | TRIP BLANK | 107 | 101 | 104 | 103 |
| LCS 480-515681/5 | Lab Control Sample | 107 | 101 | 102 | 103 |
| MB 480-515681/7 | Method Blank | 107 | 103 | 105 | 104 |

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Water Prep Type: Total/NA

| | | Percent Surrogate Recovery (Acceptance Limits) | | | | | | | | |
|-------------------|--------------------|--|----------|----------|----------|----------|----------|--|--|--|
| | | TBP | FBP | 2FP | NBZ | PHL | TPHd14 | | | |
| Lab Sample ID | Client Sample ID | (41-120) | (48-120) | (35-120) | (46-120) | (22-120) | (60-148) | | | |
| 180-165720-1 | MWN-57A | 140 X | 100 | 69 | 100 | 52 | 72 | | | |
| 80-165720-1 MS | MWN-57A | 133 X | 93 | 65 | 88 | 52 | 73 | | | |
| 80-165720-1 MSD | MWN-57A | 120 | 92 | 69 | 89 | 53 | 68 | | | |
| 0-165720-2 | MWN-56A | 137 X | 102 | 71 | 100 | 52 | 99 | | | |
| 0-165720-3 | BLIND DUP | 139 X | 95 | 65 | 92 | 49 | 96 | | | |
| 0-165720-4 | EQUIP BLANK | 115 | 97 | 67 | 97 | 49 | 91 | | | |
| CS 480-516031/2-A | Lab Control Sample | 133 X | 99 | 74 | 95 | 60 | 107 | | | |
| 3 480-516031/1-A | Method Blank | 88 | 92 | 69 | 94 | 50 | 101 | | | |

Surrogate Legend

TBP = 2,4,6-Tribromophenol

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol

NBZ = Nitrobenzene-d5

PHL = Phenol-d5

TPHd14 = p-Terphenyl-d14

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-515681/7

Matrix: Water

Analysis Batch: 515681

C

| Client Samp | le ID: | Method | Blank |
|-------------|--------|---------|--------|
| 1 | Prep T | ype: To | tal/NA |

| | МВ | | | | | | | | |
|---------------------------------------|----|-----------|------------|------|--------------|---|----------|----------------|--------|
| Analyte | | Qualifier | RL | MDL | | D | Prepared | Analyzed | Dil Fa |
| 1,1,1-Trichloroethane | ND | | 1.0 | 0.82 | | | | 01/31/20 10:15 | |
| 1,1,2,2-Tetrachloroethane | ND | | 1.0 | 0.21 | ug/L | | | 01/31/20 10:15 | |
| 1,1,2-Trichloroethane | ND | | 1.0 | 0.23 | ug/L | | | 01/31/20 10:15 | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 1.0 | 0.31 | ug/L | | | 01/31/20 10:15 | |
| 1,1-Dichloroethane | ND | | 1.0 | 0.38 | ug/L | | | 01/31/20 10:15 | |
| 1,1-Dichloroethene | ND | | 1.0 | 0.29 | ug/L | | | 01/31/20 10:15 | |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | 0.41 | ug/L | | | 01/31/20 10:15 | |
| 1,2-Dibromo-3-Chloropropane | ND | | 1.0 | 0.39 | ug/L | | | 01/31/20 10:15 | |
| 1,2-Dichlorobenzene | ND | | 1.0 | 0.79 | ug/L | | | 01/31/20 10:15 | |
| 1,2-Dichloroethane | ND | | 1.0 | 0.21 | ug/L | | | 01/31/20 10:15 | |
| 1,2-Dichloropropane | ND | | 1.0 | 0.72 | ug/L | | | 01/31/20 10:15 | |
| 1,3-Dichlorobenzene | ND | | 1.0 | 0.78 | ug/L | | | 01/31/20 10:15 | |
| 1,4-Dichlorobenzene | ND | | 1.0 | 0.84 | ug/L | | | 01/31/20 10:15 | |
| 2-Butanone (MEK) | ND | | 10 | 1.3 | ug/L | | | 01/31/20 10:15 | |
| 2-Hexanone | ND | | 5.0 | 1.2 | ug/L | | | 01/31/20 10:15 | |
| 4-Methyl-2-pentanone (MIBK) | ND | | 5.0 | 2.1 | ug/L | | | 01/31/20 10:15 | |
| Acetone | ND | | 10 | | ug/L | | | 01/31/20 10:15 | |
| Benzene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Bromodichloromethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Bromoform | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Bromomethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Carbon disulfide | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Carbon tetrachloride | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Chlorobenzene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Dibromochloromethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Chloroethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Chloroform | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Chloromethane | ND | | | | | | | 01/31/20 10:15 | |
| cis-1,2-Dichloroethene | ND | | 1.0 1.0 | | ug/L ug/L | | | 01/31/20 10:15 | |
| | ND | | | | - | | | | |
| cis-1,3-Dichloropropene | | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Cyclohexane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Dichlorodifluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Ethylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| 1,2-Dibromoethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Isopropylbenzene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Methyl acetate | ND | | 2.5 | | ug/L | | | 01/31/20 10:15 | |
| Methyl tert-butyl ether | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Methylcyclohexane | ND | | 1.0 | 0.16 | | | | 01/31/20 10:15 | |
| Methylene Chloride | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Styrene | ND | | 1.0 | 0.73 | | | | 01/31/20 10:15 | |
| Tetrachloroethene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Toluene | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| trans-1,2-Dichloroethene | ND | | 1.0 | 0.90 | | | | 01/31/20 10:15 | |
| trans-1,3-Dichloropropene | ND | | 1.0 | 0.37 | ug/L | | | 01/31/20 10:15 | |
| Trichloroethene | ND | | 1.0 | 0.46 | ug/L | | | 01/31/20 10:15 | |
| Trichlorofluoromethane | ND | | 1.0 | | ug/L | | | 01/31/20 10:15 | |
| Vinyl chloride | ND | | 1.0 | 0.90 | ug/L | | | 01/31/20 10:15 | |
| Xylenes, Total | ND | | 2.0 | 0.66 | ug/L | | | 01/31/20 10:15 | |

Eurofins TestAmerica, Buffalo

Page 22 of 42

75 - 123

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

104

Lab Sample ID: MB 480-515681/7

Matrix: Water

Toluene-d8 (Surr)

Surrogate

Analysis Batch: 515681

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Dibromofluoromethane (Surr)

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB %Recovery Qualifier Dil Fac Limits Prepared Analyzed 80 - 120 01/31/20 10:15 107 103 77 - 120 01/31/20 10:15 105 73 - 120 01/31/20 10:15

Lab Sample ID: LCS 480-515681/5

Matrix: Water

Analysis Batch: 515681

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

01/31/20 10:15

| | Spike | LCS | LCS | | %Rec. |
|-------------------------------------|-------|--------|----------------|--------|---------------------|
| Analyte | Added | Result | Qualifier Unit | D %Rec | Limits |
| 1,1,1-Trichloroethane | 25.0 | 22.2 | ug/L | 89 | 73 - 126 |
| 1,1,2,2-Tetrachloroethane | 25.0 | 23.5 | ug/L | 94 | 76 - 120 |
| 1,1,2-Trichloroethane | 25.0 | 23.6 | ug/L | 94 | 76 - 122 |
| 1,1,2-Trichloro-1,2,2-trifluoroetha | 25.0 | 23.1 | ug/L | 92 | 61 - 148 |
| ne | | | | | |
| 1,1-Dichloroethane | 25.0 | 22.6 | ug/L | 90 | 77 - 120 |
| 1,1-Dichloroethene | 25.0 | 22.8 | ug/L | 91 | 66 - 127 |
| 1,2,4-Trichlorobenzene | 25.0 | 23.9 | ug/L | 96 | 79 - 122 |
| 1,2-Dibromo-3-Chloropropane | 25.0 | 21.9 | ug/L | 88 | 56 - 134 |
| 1,2-Dichlorobenzene | 25.0 | 23.0 | ug/L | 92 | 80 - 124 |
| 1,2-Dichloroethane | 25.0 | 21.2 | ug/L | 85 | 75 - 120 |
| 1,2-Dichloropropane | 25.0 | 22.9 | ug/L | 92 | 76 - 120 |
| 1,3-Dichlorobenzene | 25.0 | 22.8 | ug/L | 91 | 77 - 120 |
| 1,4-Dichlorobenzene | 25.0 | 22.7 | ug/L | 91 | 80 _ 120 |
| 2-Butanone (MEK) | 125 | 103 | ug/L | 82 | 57 - 140 |
| 2-Hexanone | 125 | 112 | ug/L | 90 | 65 - 127 |
| I-Methyl-2-pentanone (MIBK) | 125 | 111 | ug/L | 89 | 71 _ 125 |
| Acetone | 125 | 104 | ug/L | 83 | 56 - 142 |
| Benzene | 25.0 | 23.3 | ug/L | 93 | 71 - 124 |
| Bromodichloromethane | 25.0 | 22.2 | ug/L | 89 | 80 - 122 |
| Bromoform | 25.0 | 22.6 | ug/L | 90 | 61 - 132 |
| Bromomethane | 25.0 | 19.8 | ug/L | 79 | 55 ₋ 144 |
| Carbon disulfide | 25.0 | 23.4 | ug/L | 94 | 59 - 134 |
| Carbon tetrachloride | 25.0 | 21.8 | ug/L | 87 | 72 ₋ 134 |
| Chlorobenzene | 25.0 | 23.0 | ug/L | 92 | 80 - 120 |
| Dibromochloromethane | 25.0 | 22.8 | ug/L | 91 | 75 ₋ 125 |
| Chloroethane | 25.0 | 19.3 | ug/L | 77 | 69 - 136 |
| Chloroform | 25.0 | 21.5 | ug/L | 86 | 73 - 127 |
| Chloromethane | 25.0 | 19.9 | ug/L | 80 | 68 _ 124 |
| cis-1,2-Dichloroethene | 25.0 | 23.1 | ug/L | 92 | 74 - 124 |
| cis-1,3-Dichloropropene | 25.0 | 22.9 | ug/L | 92 | 74 - 124 |
| Cyclohexane | 25.0 | 22.4 | ug/L | 90 | 59 - 135 |
| Dichlorodifluoromethane | 25.0 | 20.0 | ug/L | 80 | 59 - 135 |
| Ethylbenzene | 25.0 | 22.7 | ug/L | 91 | 77 - 123 |
| 1,2-Dibromoethane | 25.0 | 23.0 | ug/L | 92 | 77 - 120 |
| sopropylbenzene | 25.0 | 23.0 | ug/L | 92 | 77 - 122 |
| Wethyl acetate | 50.0 | 41.3 | ug/L | 83 | 74 - 133 |
| Methyl tert-butyl ether | 25.0 | 22.7 | ug/L | 91 | 77 - 120 |
| Methylcyclohexane | 25.0 | 22.7 | ug/L ug/L | 92 | 68 ₋ 134 |

Eurofins TestAmerica, Buffalo

Page 23 of 42

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-515681/5

Matrix: Water

Analysis Batch: 515681

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Spike LCS LCS %Rec. Added Result Qualifier Unit %Rec Limits 25.0 Methylene Chloride 24.4 ug/L 98 75 - 124 Styrene 25.0 22.9 ug/L 91 80 - 120 Tetrachloroethene 25.0 23.2 ug/L 93 74 - 122 Toluene 25.0 23.2 ug/L 93 80 - 122 25.0 23.2 93 73 _ 127 trans-1,2-Dichloroethene ug/L trans-1,3-Dichloropropene 25.0 23.6 94 80 - 120 ug/L 91 74 - 123 Trichloroethene 25.0 22.7 ug/L Trichlorofluoromethane 25.0 20.1 ug/L 80 62 - 150Vinyl chloride 25.0 21.4 ug/L 65 - 133

LCS LCS %Recovery Qualifier Limits Surrogate Toluene-d8 (Surr) 107 80 - 120 1,2-Dichloroethane-d4 (Surr) 101 77 - 120 4-Bromofluorobenzene (Surr) 102 73 - 120 Dibromofluoromethane (Surr) 103 75 - 123

Lab Sample ID: 480-165720-1 MS

Matrix: Water

Client Sample ID: MWN-57A Prep Type: Total/NA

| Analysis Batch: 515681 | Sample | Sample | Spike | MS | MS | | | | %Rec. |
|-------------------------------------|--------|-----------|-------|------|-----------|------|---|------|---------------------|
| Analyte | • | Qualifier | Added | | Qualifier | Unit | D | %Rec | Limits |
| 1,1,1-Trichloroethane | ND | | 25.0 | 28.3 | | ug/L | | 113 | 73 - 126 |
| 1,1,2,2-Tetrachloroethane | ND | | 25.0 | 27.6 | | ug/L | | 110 | 76 ₋ 120 |
| 1,1,2-Trichloroethane | ND | | 25.0 | 27.5 | | ug/L | | 110 | 76 - 122 |
| 1,1,2-Trichloro-1,2,2-trifluoroetha | ND | | 25.0 | 29.8 | | ug/L | | 119 | 61 ₋ 148 |
| ne | | | | | | | | | |
| 1,1-Dichloroethane | ND | | 25.0 | 28.0 | | ug/L | | 112 | 77 _ 120 |
| 1,1-Dichloroethene | ND | | 25.0 | 29.5 | | ug/L | | 118 | 66 ₋ 127 |
| 1,2,4-Trichlorobenzene | ND | | 25.0 | 28.5 | | ug/L | | 114 | 79 ₋ 122 |
| 1,2-Dibromo-3-Chloropropane | ND | | 25.0 | 27.8 | | ug/L | | 111 | 56 - 134 |
| 1,2-Dichlorobenzene | ND | | 25.0 | 27.1 | | ug/L | | 108 | 80 - 124 |
| 1,2-Dichloroethane | ND | | 25.0 | 24.8 | | ug/L | | 99 | 75 ₋ 120 |
| 1,2-Dichloropropane | ND | | 25.0 | 27.9 | | ug/L | | 112 | 76 ₋ 120 |
| 1,3-Dichlorobenzene | ND | | 25.0 | 27.1 | | ug/L | | 108 | 77 ₋ 120 |
| 1,4-Dichlorobenzene | ND | | 25.0 | 26.7 | | ug/L | | 107 | 78 ₋ 124 |
| 2-Butanone (MEK) | ND | | 125 | 120 | | ug/L | | 96 | 57 - 140 |
| 2-Hexanone | ND | | 125 | 139 | | ug/L | | 111 | 65 _ 127 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 125 | 137 | | ug/L | | 109 | 71 - 125 |
| Acetone | ND | | 125 | 113 | | ug/L | | 90 | 56 ₋ 142 |
| Benzene | ND | | 25.0 | 29.1 | | ug/L | | 116 | 71 - 124 |
| Bromodichloromethane | ND | | 25.0 | 26.2 | | ug/L | | 105 | 80 - 122 |
| Bromoform | ND | | 25.0 | 24.7 | | ug/L | | 99 | 61 ₋ 132 |
| Bromomethane | ND | | 25.0 | 25.8 | | ug/L | | 103 | 55 ₋ 144 |
| Carbon disulfide | ND | | 25.0 | 30.0 | | ug/L | | 120 | 59 ₋ 134 |
| Carbon tetrachloride | ND | | 25.0 | 28.2 | | ug/L | | 113 | 72 ₋ 134 |
| Chlorobenzene | ND | | 25.0 | 27.7 | | ug/L | | 111 | 80 - 120 |
| Dibromochloromethane | ND | | 25.0 | 25.9 | | ug/L | | 104 | 75 ₋ 125 |
| Chloroethane | ND | | 25.0 | 26.3 | | ug/L | | 105 | 69 - 136 |
| Chloroform | ND | | 25.0 | 26.4 | | ug/L | | 106 | 73 ₋ 127 |

Eurofins TestAmerica, Buffalo

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-165720-1 MS

Matrix: Water

Analysis Batch: 515681

Client Sample ID: MWN-57A Prep Type: Total/NA

| | Sample | Sample | Spike | MS | MS | | | | %Rec. | |
|---------------------------|--------|-----------|-------|--------|-----------|------|---|------|---------------------|--|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Chloromethane | ND | | 25.0 | 25.7 | | ug/L | | 103 | 68 - 124 | |
| cis-1,2-Dichloroethene | ND | | 25.0 | 28.1 | | ug/L | | 113 | 74 - 124 | |
| cis-1,3-Dichloropropene | ND | | 25.0 | 25.7 | | ug/L | | 103 | 74 - 124 | |
| Cyclohexane | ND | | 25.0 | 29.3 | | ug/L | | 117 | 59 _ 135 | |
| Dichlorodifluoromethane | ND | | 25.0 | 27.4 | | ug/L | | 110 | 59 ₋ 135 | |
| Ethylbenzene | ND | | 25.0 | 27.7 | | ug/L | | 111 | 77 - 123 | |
| 1,2-Dibromoethane | ND | | 25.0 | 26.8 | | ug/L | | 107 | 77 - 120 | |
| Isopropylbenzene | ND | | 25.0 | 28.9 | | ug/L | | 115 | 77 _ 122 | |
| Methyl acetate | ND | | 50.0 | 46.9 | | ug/L | | 94 | 74 - 133 | |
| Methyl tert-butyl ether | ND | | 25.0 | 26.4 | | ug/L | | 106 | 77 _ 120 | |
| Methylcyclohexane | ND | | 25.0 | 29.5 | | ug/L | | 118 | 68 - 134 | |
| Methylene Chloride | ND | | 25.0 | 28.3 | | ug/L | | 113 | 75 - 124 | |
| Styrene | ND | | 25.0 | 24.8 | | ug/L | | 99 | 80 _ 120 | |
| Tetrachloroethene | ND | | 25.0 | 29.4 | | ug/L | | 117 | 74 - 122 | |
| Toluene | ND | | 25.0 | 28.6 | | ug/L | | 115 | 80 _ 122 | |
| trans-1,2-Dichloroethene | ND | | 25.0 | 29.1 | | ug/L | | 117 | 73 _ 127 | |
| trans-1,3-Dichloropropene | ND | | 25.0 | 25.8 | | ug/L | | 103 | 80 - 120 | |
| Trichloroethene | ND | | 25.0 | 28.4 | | ug/L | | 114 | 74 - 123 | |
| Trichlorofluoromethane | ND | | 25.0 | 27.9 | | ug/L | | 111 | 62 - 150 | |
| Vinyl chloride | ND | | 25.0 | 30.5 | | ug/L | | 122 | 65 - 133 | |
| | | | | | | | | | | |

MS MS

| Surrogate | %Recovery | Qualifier | Limits |
|------------------------------|-----------|-----------|----------|
| Toluene-d8 (Surr) | 108 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 77 - 120 |
| 4-Bromofluorobenzene (Surr) | 101 | | 73 - 120 |
| Dibromofluoromethane (Surr) | 104 | | 75 - 123 |

Lab Sample ID: 480-165720-1 MSD

Matrix: Water

Analysis Batch: 515681

| Client | Sample | ID: | MWN-57A |
|--------|--------|-----|------------|
| | Prep T | ype | : Total/NA |

| | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD |
|-------------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| 1,1,1-Trichloroethane | ND | | 25.0 | 26.1 | - | ug/L | | 105 | 73 - 126 | 8 | 15 |
| 1,1,2,2-Tetrachloroethane | ND | | 25.0 | 25.3 | | ug/L | | 101 | 76 - 120 | 9 | 15 |
| 1,1,2-Trichloroethane | ND | | 25.0 | 25.4 | | ug/L | | 102 | 76 - 122 | 8 | 15 |
| 1,1,2-Trichloro-1,2,2-trifluoroetha | ND | | 25.0 | 27.2 | | ug/L | | 109 | 61 - 148 | 9 | 20 |
| ne 1,1-Dichloroethane | ND | | 25.0 | 25.8 | | ug/L | | 103 | 77 - 120 | 8 | 20 |
| 1,1-Dichloroethene | ND | | 25.0 | 27.6 | | ug/L | | 110 | 66 - 127 | 7 | 16 |
| 1,2,4-Trichlorobenzene | ND | | 25.0 | 25.5 | | ug/L | | 102 | 79 - 122 | 11 | 20 |
| 1,2-Dibromo-3-Chloropropane | ND | | 25.0 | 24.6 | | ug/L | | 98 | 56 - 134 | 12 | 15 |
| 1,2-Dichlorobenzene | ND | | 25.0 | 24.8 | | ug/L | | 99 | 80 - 124 | 9 | 20 |
| 1,2-Dichloroethane | ND | | 25.0 | 22.4 | | ug/L | | 90 | 75 - 120 | 10 | 20 |
| 1,2-Dichloropropane | ND | | 25.0 | 25.7 | | ug/L | | 103 | 76 - 120 | 8 | 20 |
| 1,3-Dichlorobenzene | ND | | 25.0 | 25.1 | | ug/L | | 101 | 77 - 120 | 8 | 20 |
| 1,4-Dichlorobenzene | ND | | 25.0 | 24.6 | | ug/L | | 99 | 78 - 124 | 8 | 20 |
| 2-Butanone (MEK) | ND | | 125 | 114 | | ug/L | | 91 | 57 - 140 | 5 | 20 |
| 2-Hexanone | ND | | 125 | 130 | | ug/L | | 104 | 65 - 127 | 7 | 15 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 125 | 127 | | ug/L | | 102 | 71 _ 125 | 7 | 35 |

Eurofins TestAmerica, Buffalo

Page 25 of 42

2

3

5

Q

10

12

13

14

Job ID: 480-165720-1

Project/Site: Benchmark - Steel Sun

Client: Turnkey Environmental Restoration, LLC

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-165720-1 MSD

Matrix: Water

Analysis Batch: 515681

Client Sample ID: MWN-57A

Prep Type: Total/NA

| Analyte | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD |
|---------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-------|
| | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Acetone | ND | | 125 | 103 | | ug/L | | 83 | 56 - 142 | 8 | 15 |
| Benzene | ND | | 25.0 | 26.5 | | ug/L | | 106 | 71 - 124 | 9 | 13 |
| Bromodichloromethane | ND | | 25.0 | 23.9 | | ug/L | | 96 | 80 - 122 | 9 | 15 |
| Bromoform | ND | | 25.0 | 23.1 | | ug/L | | 92 | 61 - 132 | 7 | 15 |
| Bromomethane | ND | | 25.0 | 25.6 | | ug/L | | 102 | 55 - 144 | 1 | 15 |
| Carbon disulfide | ND | | 25.0 | 27.4 | | ug/L | | 110 | 59 - 134 | 9 | 15 |
| Carbon tetrachloride | ND | | 25.0 | 26.1 | | ug/L | | 104 | 72 - 134 | 8 | 15 |
| Chlorobenzene | ND | | 25.0 | 25.6 | | ug/L | | 102 | 80 - 120 | 8 | 25 |
| Dibromochloromethane | ND | | 25.0 | 24.1 | | ug/L | | 96 | 75 - 125 | 7 | 15 |
| Chloroethane | ND | | 25.0 | 24.1 | | ug/L | | 96 | 69 - 136 | 9 | 15 |
| Chloroform | ND | | 25.0 | 24.1 | | ug/L | | 96 | 73 - 127 | 9 | 20 |
| Chloromethane | ND | | 25.0 | 23.9 | | ug/L | | 96 | 68 - 124 | 7 | 15 |
| cis-1,2-Dichloroethene | ND | | 25.0 | 26.1 | | ug/L | | 104 | 74 - 124 | 8 | 15 |
| cis-1,3-Dichloropropene | ND | | 25.0 | 23.8 | | ug/L | | 95 | 74 - 124 | 8 | 15 |
| Cyclohexane | ND | | 25.0 | 27.3 | | ug/L | | 109 | 59 - 135 | 7 | 20 |
| Dichlorodifluoromethane | ND | | 25.0 | 25.0 | | ug/L | | 100 | 59 - 135 | 9 | 20 |
| Ethylbenzene | ND | | 25.0 | 25.9 | | ug/L | | 104 | 77 - 123 | 7 | 15 |
| 1,2-Dibromoethane | ND | | 25.0 | 24.7 | | ug/L | | 99 | 77 - 120 | 8 | 15 |
| Isopropylbenzene | ND | | 25.0 | 26.5 | | ug/L | | 106 | 77 - 122 | 8 | 20 |
| Methyl acetate | ND | | 50.0 | 43.0 | | ug/L | | 86 | 74 - 133 | 9 | 20 |
| Methyl tert-butyl ether | ND | | 25.0 | 24.7 | | ug/L | | 99 | 77 - 120 | 7 | 37 |
| Methylcyclohexane | ND | | 25.0 | 27.6 | | ug/L | | 111 | 68 - 134 | 7 | 20 |
| Methylene Chloride | ND | | 25.0 | 26.1 | | ug/L | | 104 | 75 - 124 | 8 | 15 |
| Styrene | ND | | 25.0 | 23.0 | | ug/L | | 92 | 80 - 120 | 8 | 20 |
| Tetrachloroethene | ND | | 25.0 | 26.8 | | ug/L | | 107 | 74 - 122 | 9 | 20 |
| Toluene | ND | | 25.0 | 26.2 | | ug/L | | 105 | 80 - 122 | 9 | 15 |
| trans-1,2-Dichloroethene | ND | | 25.0 | 26.9 | | ug/L | | 108 | 73 - 127 | 8 | 20 |
| trans-1,3-Dichloropropene | ND | | 25.0 | 23.6 | | ug/L | | 94 | 80 - 120 | 9 | 15 |
| Trichloroethene | ND | | 25.0 | 26.0 | | ug/L | | 104 | 74 - 123 | 9 | 16 |
| Trichlorofluoromethane | ND | | 25.0 | 25.4 | | ug/L | | 102 | 62 _ 150 | 9 | 20 |
| Vinyl chloride | ND | | 25.0 | 28.1 | | ug/L | | 112 | 65 - 133 | 8 | 15 |

MSD MSD

| Surrogate | %Recovery C | Qualifier | Limits |
|------------------------------|-------------|-----------|----------|
| Toluene-d8 (Surr) | 106 | | 80 - 120 |
| 1,2-Dichloroethane-d4 (Surr) | 101 | | 77 - 120 |
| 4-Bromofluorobenzene (Surr) | 102 | | 73 - 120 |
| Dibromofluoromethane (Surr) | 104 | | 75 - 123 |

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-516031/1-A

Matrix: Water

Analysis Batch: 516289

Client Sample ID: Method Blank Prep Type: Total/NA **Prep Batch: 516031**

2/7/2020

| _ | MB MB | | | | | • | |
|---------------------|------------------|-----|---------|--------|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | MDL U | Init D | Prepared | Analyzed | Dil Fac |
| 2,4-Dinitrotoluene | ND ND | 5.0 | 0.45 uç | g/L | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| 2,6-Dinitrotoluene | ND | 5.0 | 0.40 ug | g/L | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| 2-Chloronaphthalene | ND | 5.0 | 0.46 ug | g/L | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| 2-Methylnaphthalene | ND | 5.0 | 0.60 ug | g/L | 02/04/20 07:24 | 02/05/20 15:02 | 1 |

Eurofins TestAmerica, Buffalo

Page 26 of 42

RL

10

MDL Unit

0.42 ug/L

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

мв мв Result

ND

ND

ND

ND

ND

ND

ND

ND

ND

Qualifier

Lab Sample ID: MB 480-516031/1-A

Matrix: Water

2-Nitroaniline

Indeno(1,2,3-cd)pyrene

N-Nitrosodi-n-propylamine

N-Nitrosodiphenylamine

Isophorone

Naphthalene

Nitrobenzene

Phenanthrene

Pyrene

Analysis Batch: 516289

| Client | Sample | ID: I | Meth | od E | 3lan | k |
|--------|--------|-------|------|------|-------|---|
| | D.w. | T | | Tot | al/NL | ۸ |

Prepared

02/04/20 07:24

| Prep | Type: Total/NA |
|------|----------------|
| Prep | Batch: 516031 |

Analyzed

02/05/20 15:02

| 2 Millourinino | IND | 10 | U.TZ ug/L | 02/04/20 01.24 02/00/20 | 10.02 |
|-------------------------------|-----|-----|-----------|---------------------------|---------|
| 3,3'-Dichlorobenzidine | ND | 5.0 | 0.40 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| 3-Nitroaniline | ND | 10 | 0.48 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| 4-Bromophenyl phenyl ether | ND | 5.0 | 0.45 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| 4-Chloroaniline | ND | 5.0 | 0.59 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| 4-Chlorophenyl phenyl ether | ND | 5.0 | 0.35 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| 4-Nitroaniline | ND | 10 | 0.25 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Acenaphthene | ND | 5.0 | 0.41 ug/L | 02/04/20 07:24 | 15:02 1 |
| Acenaphthylene | ND | 5.0 | 0.38 ug/L | 02/04/20 07:24 | 15:02 1 |
| Acetophenone | ND | 5.0 | 0.54 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Anthracene | ND | 5.0 | 0.28 ug/L | 02/04/20 07:24 | 15:02 1 |
| Atrazine | ND | 5.0 | 0.46 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Benzaldehyde | ND | 5.0 | 0.27 ug/L | 02/04/20 07:24 | 15:02 1 |
| Benzo(a)anthracene | ND | 5.0 | 0.36 ug/L | 02/04/20 07:24 | 15:02 1 |
| Benzo(a)pyrene | ND | 5.0 | 0.47 ug/L | 02/04/20 07:24 | 15:02 1 |
| Benzo(b)fluoranthene | ND | 5.0 | 0.34 ug/L | 02/04/20 07:24 | 15:02 1 |
| Benzo(g,h,i)perylene | ND | 5.0 | 0.35 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Benzo(k)fluoranthene | ND | 5.0 | 0.73 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Biphenyl | ND | 5.0 | 0.65 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| bis (2-chloroisopropyl) ether | ND | 5.0 | 0.52 ug/L | 02/04/20 07:24 | 15:02 1 |
| Bis(2-chloroethoxy)methane | ND | 5.0 | 0.35 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Bis(2-chloroethyl)ether | ND | 5.0 | 0.40 ug/L | 02/04/20 07:24 | 15:02 1 |
| Bis(2-ethylhexyl) phthalate | ND | 5.0 | 2.2 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Butyl benzyl phthalate | ND | 5.0 | 1.0 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Caprolactam | ND | 5.0 | 2.2 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Carbazole | ND | 5.0 | 0.30 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Chrysene | ND | 5.0 | 0.33 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Dibenz(a,h)anthracene | ND | 5.0 | 0.42 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Dibenzofuran | ND | 10 | 0.51 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Diethyl phthalate | ND | 5.0 | 0.22 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Dimethyl phthalate | ND | 5.0 | 0.36 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Di-n-butyl phthalate | ND | 5.0 | 0.31 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Di-n-octyl phthalate | ND | 5.0 | 0.47 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Fluoranthene | ND | 5.0 | 0.40 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Fluorene | ND | 5.0 | 0.36 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Hexachlorobenzene | ND | 5.0 | 0.51 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Hexachlorobutadiene | ND | 5.0 | 0.68 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Hexachlorocyclopentadiene | ND | 5.0 | 0.59 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| Hexachloroethane | ND | 5.0 | 0.59 ug/L | 02/04/20 07:24 02/05/20 1 | 15:02 1 |
| | | | | | |

Eurofins TestAmerica, Buffalo

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/05/20 15:02

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

02/04/20 07:24

Page 27 of 42

5.0

5.0

5.0

5.0

5.0

5.0

5.0

5.0

0.47 ug/L

0.43 ug/L

0.76 ug/L

0.54 ug/L

0.34 ug/L

0.29 ug/L

0.51 ug/L

0.44 ug/L

Dil Fac

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-516031/1-A

Lab Sample ID: LCS 480-516031/2-A

Matrix: Water

Analysis Batch: 516289

Client Sample ID: Method Blank **Prep Type: Total/NA**

Prep Batch: 516031

| | MB | MB | | | | |
|----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
| 2,4,6-Tribromophenol | 88 | | 41 - 120 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| 2-Fluorobiphenyl | 92 | | 48 - 120 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| 2-Fluorophenol | 69 | | 35 - 120 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| Nitrobenzene-d5 | 94 | | 46 - 120 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| Phenol-d5 | 50 | | 22 - 120 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |
| p-Terphenyl-d14 | 101 | | 60 - 148 | 02/04/20 07:24 | 02/05/20 15:02 | 1 |

Client Sample ID: Lab Control Sample

Matrix: Water

Analysis Batch: 516289

Prep Type: Total/NA

Prep Batch: 516031

| Analysis Batch: 516289 | Spike | LCS | LCS | | | | Prep Batch: 51603 %Rec. |
|-------------------------------|-------|------|-----------|------|---|------|----------------------------|
| Analyte | Added | | Qualifier | Unit | D | %Rec | Limits |
| 2,4-Dinitrotoluene | 32.0 | 33.3 | | ug/L | | 104 | 69 - 120 |
| 2,6-Dinitrotoluene | 32.0 | 33.2 | | ug/L | | 104 | 68 - 120 |
| 2-Chloronaphthalene | 32.0 | 29.4 | | ug/L | | 92 | 58 - 120 |
| 2-Methylnaphthalene | 32.0 | 29.9 | | ug/L | | 93 | 59 - 120 |
| 2-Nitroaniline | 32.0 | 32.7 | | ug/L | | 102 | 54 ₋ 127 |
| 3,3'-Dichlorobenzidine | 64.0 | 64.9 | | ug/L | | 101 | 49 - 135 |
| 3-Nitroaniline | 32.0 | 28.7 | | ug/L | | 90 | 51 - 120 |
| 4-Bromophenyl phenyl ether | 32.0 | 34.1 | | ug/L | | 106 | 65 _ 120 |
| 4-Chloroaniline | 32.0 | 24.9 | | ug/L | | 78 | 30 _ 120 |
| 4-Chlorophenyl phenyl ether | 32.0 | 32.2 | | ug/L | | 100 | 62 _ 120 |
| 4-Nitroaniline | 32.0 | 34.8 | | ug/L | | 109 | 65 ₋ 120 |
| Acenaphthene | 32.0 | 31.1 | | ug/L | | 97 | 60 - 120 |
| Acenaphthylene | 32.0 | 31.9 | | ug/L | | 100 | 63 _ 120 |
| Acetophenone | 32.0 | 30.0 | | ug/L | | 94 | 45 - 120 |
| Anthracene | 32.0 | 33.3 | | ug/L | | 104 | 67 _ 120 |
| Atrazine | 64.0 | 78.2 | | ug/L | | 122 | 71 - 130 |
| Benzaldehyde | 64.0 | 56.0 | | ug/L | | 88 | 10 - 140 |
| Benzo(a)anthracene | 32.0 | 32.2 | | ug/L | | 101 | 70 ₋ 121 |
| Benzo(a)pyrene | 32.0 | 32.6 | | ug/L | | 102 | 60 - 123 |
| Benzo(b)fluoranthene | 32.0 | 33.2 | | ug/L | | 104 | 66 - 126 |
| Benzo(g,h,i)perylene | 32.0 | 32.9 | | ug/L | | 103 | 66 - 150 |
| Benzo(k)fluoranthene | 32.0 | 33.3 | | ug/L | | 104 | 65 - 124 |
| Biphenyl | 32.0 | 30.7 | | ug/L | | 96 | 59 - 120 |
| bis (2-chloroisopropyl) ether | 32.0 | 26.2 | | ug/L | | 82 | 21 - 136 |
| Bis(2-chloroethoxy)methane | 32.0 | 28.9 | | ug/L | | 90 | 50 - 128 |
| Bis(2-chloroethyl)ether | 32.0 | 26.5 | | ug/L | | 83 | 44 - 120 |
| Bis(2-ethylhexyl) phthalate | 32.0 | 33.3 | | ug/L | | 104 | 63 - 139 |
| Butyl benzyl phthalate | 32.0 | 33.6 | | ug/L | | 105 | 70 - 129 |
| Caprolactam | 64.0 | 25.8 | | ug/L | | 40 | 22 - 120 |
| Carbazole | 32.0 | 39.6 | * | ug/L | | 124 | 66 - 123 |
| Chrysene | 32.0 | 31.9 | | ug/L | | 100 | 69 - 120 |
| Dibenz(a,h)anthracene | 32.0 | 34.0 | | ug/L | | 106 | 65 ₋ 135 |
| Dibenzofuran | 32.0 | 31.7 | | ug/L | | 99 | 66 - 120 |
| Diethyl phthalate | 32.0 | 34.6 | | ug/L | | 108 | 59 - 127 |
| Dimethyl phthalate | 32.0 | 33.6 | | ug/L | | 105 | 68 - 120 |
| Di-n-butyl phthalate | 32.0 | 33.5 | | ug/L | | 105 | 69 - 131 |

Eurofins TestAmerica, Buffalo

Page 28 of 42

2/7/2020

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-516031/2-A

Matrix: Water

Analysis Batch: 516289

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 516031

| | Spike | LCS | LCS | | | | %Rec. | |
|---------------------------|-------|--------|-----------|------|---|------|---------------------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Di-n-octyl phthalate | 32.0 | 32.7 | | ug/L | | 102 | 63 - 140 | |
| Fluoranthene | 32.0 | 33.1 | | ug/L | | 104 | 69 - 126 | |
| Fluorene | 32.0 | 32.6 | | ug/L | | 102 | 66 - 120 | |
| Hexachlorobenzene | 32.0 | 34.2 | | ug/L | | 107 | 61 - 120 | |
| Hexachlorobutadiene | 32.0 | 26.7 | | ug/L | | 84 | 35 _ 120 | |
| Hexachlorocyclopentadiene | 32.0 | 25.8 | | ug/L | | 81 | 31 - 120 | |
| Hexachloroethane | 32.0 | 25.4 | | ug/L | | 79 | 43 - 120 | |
| Indeno(1,2,3-cd)pyrene | 32.0 | 33.8 | | ug/L | | 106 | 69 - 146 | |
| Isophorone | 32.0 | 30.8 | | ug/L | | 96 | 55 - 120 | |
| Naphthalene | 32.0 | 29.2 | | ug/L | | 91 | 57 ₋ 120 | |
| Nitrobenzene | 32.0 | 30.7 | | ug/L | | 96 | 53 - 123 | |
| N-Nitrosodi-n-propylamine | 32.0 | 30.2 | | ug/L | | 95 | 32 - 140 | |
| N-Nitrosodiphenylamine | 32.0 | 31.8 | | ug/L | | 99 | 61 - 120 | |
| Phenanthrene | 32.0 | 33.0 | | ug/L | | 103 | 68 - 120 | |
| Pyrene | 32.0 | 33.3 | | ug/L | | 104 | 70 - 125 | |
| | | | | | | | | |

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits | |
|----------------------|-----------|-----------|----------|--|
| 2,4,6-Tribromophenol | 133 | X | 41 - 120 | |
| 2-Fluorobiphenyl | 99 | | 48 - 120 | |
| 2-Fluorophenol | 74 | | 35 - 120 | |
| Nitrobenzene-d5 | 95 | | 46 - 120 | |
| Phenol-d5 | 60 | | 22 - 120 | |
| p-Terphenyl-d14 | 107 | | 60 - 148 | |

Lab Sample ID: 480-165720-1 MS

Matrix: Water

Analysis Batch: 516289

| Client Sampl | e ID: N | /IWN-57A |
|--------------|---------|----------|
| Prep | Type: | Total/NA |

Prep Batch: 516031

| Allalysis Batch. 510203 | Sample | Sample | Spike | MS | MS | | | | %Rec. | 10031 |
|-----------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| 2,4-Dinitrotoluene | ND | | 32.0 | 26.7 | | ug/L | | 84 | 54 - 138 | |
| 2,6-Dinitrotoluene | ND | | 32.0 | 26.1 | | ug/L | | 82 | 17 - 150 | |
| 2-Chloronaphthalene | ND | | 32.0 | 28.5 | | ug/L | | 89 | 52 - 124 | |
| 2-Methylnaphthalene | ND | | 32.0 | 29.5 | | ug/L | | 92 | 34 - 140 | |
| 2-Nitroaniline | ND | F2 | 32.0 | 32.4 | | ug/L | | 101 | 44 - 136 | |
| 3,3'-Dichlorobenzidine | ND | F2 | 64.0 | 26.7 | | ug/L | | 42 | 10 - 150 | |
| 3-Nitroaniline | ND | | 32.0 | 22.0 | | ug/L | | 69 | 32 - 150 | |
| 4-Bromophenyl phenyl ether | ND | F2 | 32.0 | 31.5 | | ug/L | | 99 | 63 - 126 | |
| 4-Chloroaniline | ND | | 32.0 | 15.2 | | ug/L | | 47 | 16 - 124 | |
| 4-Chlorophenyl phenyl ether | ND | F2 | 32.0 | 25.4 | | ug/L | | 79 | 61 - 120 | |
| 4-Nitroaniline | ND | | 32.0 | 30.9 | | ug/L | | 97 | 32 _ 150 | |
| Acenaphthene | 1.2 | J | 32.0 | 31.6 | | ug/L | | 95 | 48 - 120 | |
| Acenaphthylene | ND | | 32.0 | 31.2 | | ug/L | | 97 | 63 - 120 | |
| Acetophenone | ND | | 32.0 | 28.5 | | ug/L | | 89 | 53 - 120 | |
| Anthracene | ND | | 32.0 | 33.9 | | ug/L | | 106 | 65 - 122 | |
| Atrazine | ND | | 64.0 | 60.2 | | ug/L | | 94 | 50 - 150 | |
| Benzaldehyde | ND | | 64.0 | 46.8 | | ug/L | | 73 | 10 - 150 | |
| Benzo(a)anthracene | ND | | 32.0 | 33.1 | | ug/L | | 104 | 43 - 124 | |
| Benzo(a)pyrene | ND | | 32.0 | 30.4 | | ug/L | | 95 | 23 - 125 | |
| | | | | | | | | | | |

Eurofins TestAmerica, Buffalo

Page 29 of 42

9

3

5

7

0

10

1 4

14

Job ID: 480-165720-1

Project/Site: Benchmark - Steel Sun

Matrix: Water

Analysis Batch: 516289

Client: Turnkey Environmental Restoration, LLC

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-165720-1 MS

Client Sample ID: MWN-57A

Prep Type: Total/NA Prep Batch: 516031

| | Sample | Sample | Spike | MS | MS | | | | %Rec. | |
|-------------------------------|--------|-----------|-------|--------|-----------|------|---|------|---------------------|--|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzo(b)fluoranthene | ND | | 32.0 | 29.9 | | ug/L | | 94 | 27 - 127 | |
| Benzo(g,h,i)perylene | ND | | 32.0 | 30.9 | | ug/L | | 96 | 16 - 147 | |
| Benzo(k)fluoranthene | ND | | 32.0 | 34.0 | | ug/L | | 106 | 20 - 124 | |
| Biphenyl | ND | | 32.0 | 29.1 | | ug/L | | 91 | 57 - 120 | |
| bis (2-chloroisopropyl) ether | ND | | 32.0 | 24.0 | | ug/L | | 75 | 28 - 121 | |
| Bis(2-chloroethoxy)methane | ND | | 32.0 | 27.3 | | ug/L | | 85 | 44 - 128 | |
| Bis(2-chloroethyl)ether | ND | | 32.0 | 27.3 | | ug/L | | 85 | 45 - 120 | |
| Bis(2-ethylhexyl) phthalate | ND | | 32.0 | 33.5 | | ug/L | | 105 | 16 - 150 | |
| Butyl benzyl phthalate | ND | | 32.0 | 32.4 | | ug/L | | 101 | 51 - 140 | |
| Caprolactam | ND | | 64.0 | 21.9 | | ug/L | | 34 | 10 - 120 | |
| Carbazole | ND | * | 32.0 | 41.1 | | ug/L | | 128 | 16 - 148 | |
| Chrysene | ND | | 32.0 | 31.5 | | ug/L | | 98 | 44 - 122 | |
| Dibenz(a,h)anthracene | ND | | 32.0 | 31.2 | | ug/L | | 98 | 16 - 139 | |
| Dibenzofuran | ND | | 32.0 | 31.1 | | ug/L | | 97 | 60 - 120 | |
| Diethyl phthalate | ND | | 32.0 | 26.0 | | ug/L | | 81 | 53 - 133 | |
| Dimethyl phthalate | ND | | 32.0 | 24.2 | | ug/L | | 76 | 59 - 123 | |
| Di-n-butyl phthalate | ND | | 32.0 | 36.1 | | ug/L | | 113 | 65 - 129 | |
| Di-n-octyl phthalate | ND | | 32.0 | 32.9 | | ug/L | | 103 | 16 - 150 | |
| Fluoranthene | ND | | 32.0 | 34.9 | | ug/L | | 109 | 63 - 129 | |
| Fluorene | ND | | 32.0 | 26.7 | | ug/L | | 83 | 62 - 120 | |
| Hexachlorobenzene | ND | F1 | 32.0 | 36.1 | | ug/L | | 113 | 57 ₋ 121 | |
| Hexachlorobutadiene | ND | | 32.0 | 26.5 | | ug/L | | 83 | 37 - 120 | |
| Hexachlorocyclopentadiene | ND | | 32.0 | 25.6 | | ug/L | | 80 | 21 _ 120 | |
| Hexachloroethane | ND | | 32.0 | 24.3 | | ug/L | | 76 | 16 - 130 | |
| Indeno(1,2,3-cd)pyrene | ND | | 32.0 | 30.9 | | ug/L | | 97 | 16 - 140 | |
| | | | | | | | | | | |

32.0

32.0

32.0

32.0

32.0

32.0

32.0

29.5

27.9

28.7

28.4

32.0

35.9

31.8

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

92

87

90

89

100

112

99

48 - 133

45 - 120

45 - 123

49 - 120

39 - 138

65 - 122

58 - 128

| | MS | MS | |
|----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 2,4,6-Tribromophenol | 133 | X | 41 - 120 |
| 2-Fluorobiphenyl | 93 | | 48 - 120 |
| 2-Fluorophenol | 65 | | 35 _ 120 |
| Nitrobenzene-d5 | 88 | | 46 - 120 |
| Phenol-d5 | 52 | | 22 - 120 |
| p-Terphenyl-d14 | 73 | | 60 - 148 |

ND

ND

ND

ND

ND

ND

ND

Lab Sample ID: 480-165720-1 MSD

Matrix: Water

Isophorone

Naphthalene

Nitrobenzene

Phenanthrene

Pyrene

N-Nitrosodi-n-propylamine

N-Nitrosodiphenylamine

Analysis Batch: 516289

| Client | Sampi | e ID: N | /IWN-57A |
|--------|-------|---------|----------|
| | Pren | Type: | Total/NA |

Prep Type: Total/NA Prep Batch: 516031

| | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD |
|--------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| 2,4-Dinitrotoluene | ND | | 32.0 | 24.1 | | ug/L | | 75 | 54 - 138 | 10 | 20 |
| 2,6-Dinitrotoluene | ND | | 32.0 | 23.0 | | ug/L | | 72 | 17 - 150 | 13 | 15 |

Eurofins TestAmerica, Buffalo

Page 30 of 42

9

9

4

6

8

46

11

13

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-165720-1 MSD

Matrix: Water

Client Sample ID: MWN-57A **Prep Type: Total/NA**

| Analysis Batch: 516289 | | | | | | | | | Prep | Prep Batch: 5160 | | |
|------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|------------------|-------|--|
| | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD | |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit | |
| 2-Chloronaphthalene | ND | | 32.0 | 28.2 | | ug/L | | 88 | 52 - 124 | 1 | 21 | |

| Analysis Batch: 516289 | Camania | Cample | Cuilca | Men | MSD | | | | | 16031 RPD | |
|-------------------------------|----------|---------------------|----------------|------|-----------|--------------|---|------|----------------------|--------------|----------|
| Anglyto | • | Sample Qualifier | Spike Added | | Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | Limit |
| Analyte 2-Chloronaphthalene | ND NE | Qualifier | 32.0 | 28.2 | Qualifier | _ | | 88 | 52 ₋ 124 | 1 | 21 |
| | ND | | 32.0 | 29.5 | | ug/L ug/L | | 92 | 34 - 140 | | |
| 2-Methylnaphthalene | ND ND | F2 | | | EO | - | | | 34 - 140 44 - 136 | | 21 15 |
| 2-Nitroaniline | | F2 F2 | 32.0 | 23.4 | | ug/L | | 73 | 44 - 136 10 - 150 | 32 | |
| 3,3'-Dichlorobenzidine | | г2 | 64.0 | 16.8 | | ug/L | | 26 | | 46 | 25 |
| 3-Nitroaniline | ND | F2 | 32.0 | 20.2 | F2 | ug/L | | 63 | 32 - 150 | 8 | 19 |
| 4-Bromophenyl phenyl ether | | F2 | 32.0 | 38.5 | ΓZ | ug/L | | 120 | 63 - 126 | 20 | 15 |
| 4-Chloroaniline | ND | | 32.0 | 13.4 | | ug/L | | 42 | 16 - 124 | 12 | 22 |
| 4-Chlorophenyl phenyl ether | | F2 | 32.0 | 30.2 | FZ | ug/L | | 94 | 61 - 120 | 17 | 16 |
| 4-Nitroaniline | ND | | 32.0 | 30.1 | | ug/L | | 94 | 32 - 150 | 3 | 24 |
| Acenaphthene | 1.2 | J | 32.0 | 31.3 | | ug/L | | 94 | 48 - 120 | | 24 |
| Acenaphthylene | ND | | 32.0 | 30.3 | | ug/L | | 95 | 63 - 120 | 3 | 18 |
| Action | ND | | 32.0 | 29.6 | | ug/L | | 92 | 53 - 120 | 4 | 20 |
| Anthracene | ND | | 32.0 | 30.9 | | ug/L | | 97 | 65 - 122 | 9 | 15 |
| Atrazine | ND | | 64.0 | 61.0 | | ug/L | | 95 | 50 - 150 | 1 | 20 |
| Benzaldehyde | ND | | 64.0 | 48.7 | | ug/L | | 76 | 10 - 150 | 4 | 20 |
| Benzo(a)anthracene | ND | | 32.0 | 30.1 | | ug/L | | 94 | 43 - 124 | 10 | 15 |
| Benzo(a)pyrene | ND | | 32.0 | 28.9 | | ug/L | | 90 | 23 - 125 | 5 | 15 |
| Benzo(b)fluoranthene | ND | | 32.0 | 29.4 | | ug/L | | 92 | 27 - 127 | 2 | 15 |
| Benzo(g,h,i)perylene | ND | | 32.0 | 29.9 | | ug/L | | 93 | 16 - 147 | 3 | 15 |
| Benzo(k)fluoranthene | ND | | 32.0 | 30.1 | | ug/L | | 94 | 20 - 124 | 12 | 22 |
| Biphenyl | ND | | 32.0 | 29.3 | | ug/L | | 91 | 57 ₋ 120 | 0 | 20 |
| bis (2-chloroisopropyl) ether | ND | | 32.0 | 24.2 | | ug/L | | 76 | 28 - 121 | | 24 |
| Bis(2-chloroethoxy)methane | ND | | 32.0 | 27.2 | | ug/L | | 85 | 44 - 128 | 0 | 17 |
| Bis(2-chloroethyl)ether | ND | | 32.0 | 28.0 | | ug/L | | 88 | 45 - 120 | 3 | 21 |
| Bis(2-ethylhexyl) phthalate | ND | | 32.0 | 31.7 | | ug/L | | 99 | 16 - 150 | 6 | 15 |
| Butyl benzyl phthalate | ND | | 32.0 | 31.2 | | ug/L | | 97 | 51 - 140 | 4 | 16 |
| Caprolactam | ND | | 64.0 | 22.4 | | ug/L | | 35 | 10 - 120 | 2 | 20 |
| Carbazole | ND | * | 32.0 | 39.6 | | ug/L | | 124 | 16 - 148 | 4 | 20 |
| Chrysene | ND | | 32.0 | 30.0 | | ug/L | | 94 | 44 - 122 | 5 | 15 |
| Dibenz(a,h)anthracene | ND | | 32.0 | 31.0 | | ug/L | | 97 | 16 - 139 | 1 | 15 |
| Dibenzofuran | ND | | 32.0 | 30.2 | | ug/L | | 94 | 60 - 120 | 3 | 15 |
| Diethyl phthalate | ND | | 32.0 | 25.2 | | ug/L | | 79 | 53 - 133 | 3 | 15 |
| Dimethyl phthalate | ND | | 32.0 | 21.8 | | ug/L | | 68 | 59 - 123 | 11 | 15 |
| Di-n-butyl phthalate | ND | | 32.0 | 34.7 | | ug/L | | 109 | 65 - 129 | 4 | 15 |
| Di-n-octyl phthalate | ND | | 32.0 | 32.0 | | ug/L | | 100 | 16 - 150 | 3 | 16 |
| Fluoranthene | ND | | 32.0 | 32.8 | | ug/L | | 103 | 63 - 129 | 6 | 15 |
| Fluorene | ND | | 32.0 | 30.8 | | ug/L | | 96 | 62 - 120 | 14 | 15 |
| Hexachlorobenzene | ND | F1 | 32.0 | 39.3 | F1 | ug/L | | 123 | 57 ₋ 121 | 9 | 15 |
| Hexachlorobutadiene | ND | | 32.0 | 27.8 | | ug/L | | 87 | 37 - 120 | 5 | 44 |
| Hexachlorocyclopentadiene | ND | | 32.0 | 25.8 | | ug/L | | 81 | 21 - 120 | 1 | 49 |
| Hexachloroethane | ND | | 32.0 | 24.9 | | ug/L | | 78 | 16 - 130 | 2 | 46 |
| Indeno(1,2,3-cd)pyrene | ND | | 32.0 | 29.7 | | ug/L | | 93 | 16 - 140 | 4 | 15 |
| Isophorone | ND | | 32.0 | 29.4 | | ug/L | | 92 | 48 - 133 | 0 | 17 |
| Naphthalene | ND | | 32.0 | 28.8 | | ug/L | | 90 | 45 - 120 | 3 | 29 |
| Nitrobenzene | ND | | 32.0 | 29.1 | | ug/L | | 91 | 45 - 123 | 1 | 24 |
| N-Nitrosodi-n-propylamine | ND | | 32.0 | 28.8 | | ug/L | | 90 | 49 - 120 | 1 | 31 |
| N-Nitrosodiphenylamine | ND | | 32.0 | 28.7 | | ug/L | | 90 | 39 _ 138 | 11 | 15 |
| Phenanthrene | ND | | 32.0 | 34.0 | | ug/L | | 106 | 65 - 122 | 5 | 15 |
| Pyrene | ND | | 32.0 | 30.2 | | ug/L | | 94 | 58 - 128 | 5 | 19 |

Eurofins TestAmerica, Buffalo

2/7/2020

Page 31 of 42

Job ID: 480-165720-1

Client Sample ID: Method Blank

Project/Site: Benchmark - Steel Sun

Client: Turnkey Environmental Restoration, LLC

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

| | MSD | MSD | |
|----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 2,4,6-Tribromophenol | 120 | | 41 - 120 |
| 2-Fluorobiphenyl | 92 | | 48 - 120 |
| 2-Fluorophenol | 69 | | 35 - 120 |
| Nitrobenzene-d5 | 89 | | 46 - 120 |
| Phenol-d5 | 53 | | 22 - 120 |
| p-Terphenyl-d14 | 68 | | 60 - 148 |

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 480-515674/1-A

Matrix: Water

Analysis Batch: 515930

| | Prep Type: Total/NA |
|-------|---------------------|
| | Prep Batch: 515674 |
| MB MB | |

| | IVID | WID. | | | | | | |
|----------|--------|-----------|-------|--------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL MD | L Unit | D | Prepared | Analyzed | Dil Fac |
| Arsenic | ND | | 0.015 | mg/L | _ | 01/31/20 07:57 | 01/31/20 13:31 | 1 |
| Chromium | ND | 0. | 0040 | mg/L | | 01/31/20 07:57 | 01/31/20 13:31 | 1 |
| Lead | ND | (| 0.010 | mg/L | | 01/31/20 07:57 | 01/31/20 13:31 | 1 |

Lab Sample ID: LCS 480-515674/2-A **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA **Prep Batch: 515674**

Analysis Batch: 515930

Spike LCS LCS %Rec. Analyte Added Result Qualifier Unit %Rec Limits Arsenic 0.200 0.207 mg/L 103 80 - 120 Chromium 0.200 0.205 mg/L 102 80 - 120 0.200 0.200 80 - 120 Lead mg/L 100

Lab Sample ID: 480-165720-1 MS Client Sample ID: MWN-57A

| Lub Campio 15. 400 100720 1 mo | Choire Campio IB: MATTER OF A |
|--------------------------------|-------------------------------|
| Matrix: Water | Prep Type: Total/NA |
| Analysis Batch: 515930 | Prep Batch: 515674 |

| _ | Sample | Sample | Spike | MS | MS | | | | %Rec. |
|----------|--------|-----------|-------|--------|-----------|------|---|------|----------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits |
| Arsenic | ND | | 0.200 | 0.218 | | mg/L | | 109 | 75 - 125 |
| Chromium | ND | | 0.200 | 0.203 | | mg/L | | 101 | 75 - 125 |
| Lead | ND | | 0.200 | 0.209 | | mg/L | | 102 | 75 - 125 |

Lab Sample ID: 480-165720-1 MSD Client Sample ID: MWN-57A Prep Type: Total/NA

Matrix: Water

| Analysis Batch: 515930 | | | | | | Batch: 5 | n: 5156/4 | | | | |
|------------------------|--------|-----------|-------|--------|-----------|----------|-----------|------|---------------------|-----|-------|
| | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Arsenic | ND | | 0.200 | 0.221 | | mg/L | _ | 111 | 75 - 125 | 2 | 20 |
| Chromium | ND | | 0.200 | 0.206 | | mg/L | | 103 | 75 - 125 | 2 | 20 |
| Lead | ND | | 0.200 | 0.214 | | mg/L | | 105 | 75 ₋ 125 | 3 | 20 |

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 480-515751/1-A Client Sample ID: Method Blank

Matrix: Water Analysis Ratch: 515803

| Analysis Batch: 515803 | | | | | | | | Prep Batch: | 515751 |
|------------------------|--------|-----------|---------|-----|------|---|----------------|----------------|---------|
| | MB | MB | | | | | | | |
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Mercury | ND | | 0.00020 | | mg/L | | 01/31/20 11:47 | 01/31/20 14:19 | 1 |

Eurofins TestAmerica, Buffalo

Page 32 of 42 2/7/2020

Prep Type: Total/NA

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Method: 7470A - Mercury (CVAA)

Mercury

| Lab Sample ID: LCS 480-515751/2-A | | | | | Client | Sample | ID: Lab Control Sample |
|-----------------------------------|-------|--------|-----------|------|--------|--------|------------------------|
| Matrix: Water | | | | | | | Prep Type: Total/NA |
| Analysis Batch: 515803 | | | | | | | Prep Batch: 515751 |
| | Spike | LCS | LCS | | | | %Rec. |
| Analyto | Addad | Posult | Qualifier | Unit | D | % Boo | Limite |

0.00667

0.00758

mg/L

| Lab Sample ID: 480-165720-1 MS Matrix: Water Analysis Batch: 515803 | | | | | | | Clie | Prep | e ID: MWN-57A Type: Total/NA Batch: 515751 | |
|---|--------|-----------|---------|---------|-----------|------|------|------|--|--|
| | Sample | Sample | Spike | MS | MS | | | | %Rec. | |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Mercury | ND | | 0.00667 | 0.00728 | | mg/L | | 109 | 80 - 120 | |

| Lab Sample ID: 480-165720-1 M | 2D | | | | | | | Cile | ent Sample | ; ID: MIAA | N-5/A |
|-------------------------------|--------|-----------|---------|---------|-----------|------|---|------|------------|------------|--------|
| Matrix: Water | | | | | | | | | Prep 1 | Type: To | tal/NA |
| Analysis Batch: 515803 | | | | | | | | | Prep | Batch: 5 | 15751 |
| | Sample | Sample | Spike | MSD | MSD | | | | %Rec. | | RPD |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Mercury | ND | | 0.00667 | 0.00733 | | ma/l | | 110 | 80 - 120 | | 20 |

Job ID: 480-165720-1

80 - 120

4

6

8

9

1 U

10

13

14

QC Association Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

GC/MS VOA

Analysis Batch: 515681

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 8260C | |
| 480-165720-2 | MWN-56A | Total/NA | Water | 8260C | |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 8260C | |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 8260C | |
| 480-165720-5 | TRIP BLANK | Total/NA | Water | 8260C | |
| MB 480-515681/7 | Method Blank | Total/NA | Water | 8260C | |
| LCS 480-515681/5 | Lab Control Sample | Total/NA | Water | 8260C | |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 8260C | |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 8260C | |

GC/MS Semi VOA

Prep Batch: 516031

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batcl |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 3510C | _ |
| 480-165720-2 | MWN-56A | Total/NA | Water | 3510C | |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 3510C | |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 3510C | |
| MB 480-516031/1-A | Method Blank | Total/NA | Water | 3510C | |
| LCS 480-516031/2-A | Lab Control Sample | Total/NA | Water | 3510C | |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 3510C | |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 3510C | |

Analysis Batch: 516289

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 8270D | 516031 |
| 480-165720-2 | MWN-56A | Total/NA | Water | 8270D | 516031 |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 8270D | 516031 |
| MB 480-516031/1-A | Method Blank | Total/NA | Water | 8270D | 516031 |
| LCS 480-516031/2-A | Lab Control Sample | Total/NA | Water | 8270D | 516031 |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 8270D | 516031 |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 8270D | 516031 |

Analysis Batch: 516295

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 8270D | 516031 |

Metals

Prep Batch: 515674

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 3005A | |
| 480-165720-2 | MWN-56A | Total/NA | Water | 3005A | |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 3005A | |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 3005A | |
| MB 480-515674/1-A | Method Blank | Total/NA | Water | 3005A | |
| LCS 480-515674/2-A | Lab Control Sample | Total/NA | Water | 3005A | |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 3005A | |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 3005A | |

Eurofins TestAmerica, Buffalo

Page 34 of 42

QC Association Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Metals

Prep Batch: 515751

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 7470A | _ |
| 480-165720-2 | MWN-56A | Total/NA | Water | 7470A | |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 7470A | |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 7470A | |
| MB 480-515751/1-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 480-515751/2-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 7470A | |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 7470A | |

Analysis Batch: 515803

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 7470A | 515751 |
| 480-165720-2 | MWN-56A | Total/NA | Water | 7470A | 515751 |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 7470A | 515751 |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 7470A | 515751 |
| MB 480-515751/1-A | Method Blank | Total/NA | Water | 7470A | 515751 |
| LCS 480-515751/2-A | Lab Control Sample | Total/NA | Water | 7470A | 515751 |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 7470A | 515751 |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 7470A | 515751 |

Analysis Batch: 515930

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 480-165720-1 | MWN-57A | Total/NA | Water | 6010C | 515674 |
| 480-165720-2 | MWN-56A | Total/NA | Water | 6010C | 515674 |
| 480-165720-3 | BLIND DUP | Total/NA | Water | 6010C | 515674 |
| 480-165720-4 | EQUIP BLANK | Total/NA | Water | 6010C | 515674 |
| MB 480-515674/1-A | Method Blank | Total/NA | Water | 6010C | 515674 |
| LCS 480-515674/2-A | Lab Control Sample | Total/NA | Water | 6010C | 515674 |
| 480-165720-1 MS | MWN-57A | Total/NA | Water | 6010C | 515674 |
| 480-165720-1 MSD | MWN-57A | Total/NA | Water | 6010C | 515674 |

4

O

7

9

10

11

13

14

Project/Site: Benchmark - Steel Sun

Client Sample ID: MWN-57A

Date Collected: 01/29/20 11:10 Date Received: 01/30/20 12:05 Lab Sample ID: 480-165720-1

Matrix: Water

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8260C | | 1 | 515681 | 01/31/20 13:28 | OMI | TAL BUF |
| Total/NA | Prep | 3510C | | | 516031 | 02/04/20 07:24 | SMP | TAL BUF |
| Total/NA | Analysis | 8270D | | 1 | 516289 | 02/05/20 16:58 | JMM | TAL BUF |
| Total/NA | Prep | 3005A | | | 515674 | 01/31/20 07:57 | EMB | TAL BUF |
| Total/NA | Analysis | 6010C | | 1 | 515930 | 01/31/20 14:26 | LMH | TAL BUF |
| Total/NA | Prep | 7470A | | | 515751 | 01/31/20 11:47 | BMB | TAL BUF |
| Total/NA | Analysis | 7470A | | 1 | 515803 | 01/31/20 14:22 | BMB | TAL BUF |

Client Sample ID: MWN-56A

Date Collected: 01/29/20 12:25

Date Received: 01/30/20 12:05

Lab Sample ID: 480-165720-2

Matrix: Water

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8260C | | 1 | 515681 | 01/31/20 13:51 | OMI | TAL BUF |
| Total/NA | Prep | 3510C | | | 516031 | 02/04/20 07:24 | SMP | TAL BUF |
| Total/NA | Analysis | 8270D | | 1 | 516289 | 02/05/20 17:26 | JMM | TAL BUF |
| Total/NA | Prep | 3005A | | | 515674 | 01/31/20 07:57 | EMB | TAL BUF |
| Total/NA | Analysis | 6010C | | 1 | 515930 | 01/31/20 14:45 | LMH | TAL BUF |
| Total/NA | Prep | 7470A | | | 515751 | 01/31/20 11:47 | BMB | TAL BUF |
| Total/NA | Analysis | 7470A | | 1 | 515803 | 01/31/20 14:27 | BMB | TAL BUF |

Client Sample ID: BLIND DUP

Date Collected: 01/29/20 09:00

Date Received: 01/30/20 12:05

| Lab | Sam | ple | ID: | 480-1 | 65720-3 |
|-----|-----|-----|-----|-------|---------|
| _~~ | | P | | | |

Matrix: Water

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8260C | | 1 | 515681 | 01/31/20 14:14 | OMI | TAL BUF |
| Total/NA | Prep | 3510C | | | 516031 | 02/04/20 07:24 | SMP | TAL BUF |
| Total/NA | Analysis | 8270D | | 1 | 516289 | 02/05/20 17:55 | JMM | TAL BUF |
| Total/NA | Prep | 3005A | | | 515674 | 01/31/20 07:57 | EMB | TAL BUF |
| Total/NA | Analysis | 6010C | | 1 | 515930 | 01/31/20 14:59 | LMH | TAL BUF |
| Total/NA | Prep | 7470A | | | 515751 | 01/31/20 11:47 | BMB | TAL BUF |
| Total/NA | Analysis | 7470A | | 1 | 515803 | 01/31/20 14:28 | BMB | TAL BUF |

Client Sample ID: EQUIP BLANK

Date Collected: 01/29/20 10:20

Date Received: 01/30/20 12:05

| Lab | Samp | le ID: | 480-1 | 65720-4 |
|-----|------|--------|-------|---------|
|-----|------|--------|-------|---------|

Matrix: Water

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8260C | | | 515681 | 01/31/20 14:37 | OMI | TAL BUF |
| Total/NA | Prep | 3510C | | | 516031 | 02/04/20 07:24 | SMP | TAL BUF |
| Total/NA | Analysis | 8270D | | 1 | 516295 | 02/06/20 00:30 | JMM | TAL BUF |
| Total/NA | Prep | 3005A | | | 515674 | 01/31/20 07:57 | EMB | TAL BUF |
| Total/NA | Analysis | 6010C | | 1 | 515930 | 01/31/20 15:03 | LMH | TAL BUF |

Page 36 of 42

Lab Chronicle

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Client Sample ID: EQUIP BLANK

Date Collected: 01/29/20 10:20 Date Received: 01/30/20 12:05 Lab Sample ID: 480-165720-4

Matrix: Water

Job ID: 480-165720-1

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 7470A | | | 515751 | 01/31/20 11:47 | BMB | TAL BUF |
| Total/NA | Analysis | 7470A | | 1 | 515803 | 01/31/20 14:30 | BMB | TAL BUF |

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-165720-5

Matrix: Water

Date Collected: 01/29/20 08:00 Date Received: 01/30/20 12:05

| | Batch | Batch | | Dilution | Batch | Prepared | | |
|-----------|----------|--------|-----|----------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8260C | | 1 | 515681 | 01/31/20 15:00 | OMI | TAL BUF |

Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

6

0

10

13

Accreditation/Certification Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

Laboratory: Eurofins TestAmerica, Buffalo

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|----------------|---------------------|-----------------------|------------------------|
| Arkansas DEQ | State | 88-0686 | 07-06-20 |
| California | State | 2931 | 04-01-20 * |
| Connecticut | State | PH-0568 | 09-30-20 |
| Florida | NELAP | E87672 | 06-30-20 |
| Georgia | State | 10026 (NY) | 03-31-20 * |
| Georgia (DW) | State | 956 | 03-31-20 * |
| Illinois | NELAP | 200003 | 09-30-19 * |
| lowa | State | 374 | 02-28-21 |
| Kentucky (DW) | State | 90029 | 12-31-20 * |
| Kentucky (UST) | State | 30 | 03-31-20 * |
| Kentucky (WW) | State | KY90029 | 12-31-20 |
| Louisiana | NELAP | 02031 | 06-30-20 |
| Maine | State | NY00044 | 12-04-20 |
| Maryland | State | 294 | 03-31-20 * |
| Massachusetts | State | M-NY044 | 06-30-20 |
| Michigan | State | 9937 | 03-31-20 * |
| Minnesota | NELAP | 1524384 | 12-31-20 |
| New Hampshire | NELAP | 2337 | 11-17-19 * |
| New Jersey | NELAP | NY455 | 06-30-20 |
| New York | NELAP | 10026 | 04-01-20 * |
| North Dakota | State | R-176 | 03-31-20 * |
| Oklahoma | State | 9421 | 09-01-20 |
| Oregon | NELAP | NY200003 | 06-10-20 |
| Pennsylvania | NELAP | 68-00281 | 07-31-20 |
| Rhode Island | State | LAO00328 | 12-30-20 * |
| Tennessee | State | 02970 | 03-31-20 * |
| Гехаѕ | NELAP | T104704412-18-10 | 08-01-20 |
| USDA | US Federal Programs | P330-18-00039 | 02-06-21 |
| Virginia | NELAP | 460185 | 09-14-20 |
| Washington | State | C784 | 02-10-20 * |
| Wisconsin | State | 998310390 | 08-31-20 |

4

5

7

10

11

14

^{*} Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

| Method | Method Description | Protocol | Laboratory |
|--------|--|----------|------------|
| 8260C | Volatile Organic Compounds by GC/MS | SW846 | TAL BUF |
| 8270D | Semivolatile Organic Compounds (GC/MS) | SW846 | TAL BUF |
| 6010C | Metals (ICP) | SW846 | TAL BUF |
| 7470A | Mercury (CVAA) | SW846 | TAL BUF |
| 3005A | Preparation, Total Metals | SW846 | TAL BUF |
| 3510C | Liquid-Liquid Extraction (Separatory Funnel) | SW846 | TAL BUF |
| 5030C | Purge and Trap | SW846 | TAL BUF |
| 7470A | Preparation, Mercury | SW846 | TAL BUF |

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

3

4

O

_

10

11

12

14

Sample Summary

Client: Turnkey Environmental Restoration, LLC

Project/Site: Benchmark - Steel Sun

Job ID: 480-165720-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------|--------|----------------|----------------|
| 480-165720-1 | MWN-57A | Water | 01/29/20 11:10 | 01/30/20 12:05 |
| 480-165720-2 | MWN-56A | Water | 01/29/20 12:25 | 01/30/20 12:05 |
| 480-165720-3 | BLIND DUP | Water | 01/29/20 09:00 | 01/30/20 12:05 |
| 480-165720-4 | EQUIP BLANK | Water | 01/29/20 10:20 | 01/30/20 12:05 |
| 480-165720-5 | TRIP BLANK | Water | 01/29/20 08:00 | 01/30/20 12:05 |

3

4

5

6

8

3

11

13

14

Chain of Custody Record

Eurofins TestAmerica, Buffalo

10 Hazelwood Drive Amherst, NY 14228-2298 Phone: 716-691-2600 Fax: 716-691-7991

eurofins Environment Testing TestAmerica

| 11 C C C C C C C C C | Client Information | Sample | 1 | BUKOWSKI | | Lab PM: Fischer, Brian J | 7. | | Carrier | Carrier Tracking No(s): | COC No: | COC No. 480-141214-24684.1 |
|--|--|-------------------------|-------------|---------------------------------------|---|-----------------------------|-------------|--------------------------------|----------------|-------------------------|---------------------------|-------------------------------|
| Fig. 8 Countrol, PLLC | Client Contact Mr. Tom Forbes | Phone-716- | | 299 | | n fischer | Dtestam | ericaine com | | | Page 1 o | 11 |
| The Date Recented Charter The Required Charter The C | Company Donothmort East Eng & Crience DI C | | 1 | | | | | Analys | is Reminest | Pe | Job #: | |
| Note Particular Sample Date Date Sample Date Date Sample Date Date Sample Date Da | Address. 2558 Hamburg Turnpike Suite 300 | Due Date Request | :pa | | | NEW YEAR | | | | | Preserva | 10 |
| Purchase Order not required Purc | City: Lackawanna | TAT Requested (d | ays): | | | 300 | _ | | | | B - NaOH C - Zn Ace | |
| Purpase Order not required 10 km | State, Zip. NY, 14218 | Stan | Claud | | | | | | _ | | D - Nitric A E - NaHSC | |
| 120 20 10 10 10 10 10 10 | Phone: | Po #: Purchase Order | not require | P | | (0 | | _ | _ | _ | G - Amchi H - Ascorb | |
| 120 70 110 100 | Email: Iforbes@benchmarkturnkey.com | WO#: | | | | | V only | | _ | | | |
| 24 20 11 0 25 25 25 25 25 25 25 | Project Name: Benchmark - Steel Sun 2 w/QC | Project #. 48017019 | | | | | 8 - AOV | 2.40 | | | | Z - other (specify) |
| Sample Date Time Carpol Institute and | Site: | SSOW#: | | | | | TCL S | I OF W | | | | |
| 1 20 20 11 10 20 20 20 | Samulo Identification | Sample Date | Sample | Sample Type (C=comp, G=grab) | Matrix (Wewster, Sesolid, Owestefoll, BT=Tissue, Aralir | Field Filtered | | 8560C - TCL lis | | | | ecial Instructions/Note: |
| 1 29 20 11 11 11 11 11 11 11 | | | X | Preserva | tion Code: | X | 1 | A | | | | |
| 110 Water X X X X X X X X X | MWN-57A | 1/29/20 | - | C | Water | | X | 7 | | | 1200 | |
| 11 10 Water X X X | MWN-56A | | 1225 | - | Water | | XX | × | | | 180 | |
| Dup Water X | MS | | 0111 | | Water | _ | 17 | × | | | | |
| 1020 Water X X X | MSD | | 1110 | | Water | | XX | × | | | | |
| ation 1020 Water X X X | Blind Dup | | 900 | | Water | | XX | × | | | 田田 | |
| ation mmable Skin Intiant Debison B K Unknown Radiological Sample Disposal (A fee may be assessed if samples are retained tonger than 1. Special Instructions/QC Requirements: Page 1820 Page 18 Page 1820 Page 182 | Equip Blank | | 1020 | | Water | | X | × | | | | |
| ation meable Skin firitant Poison B Winknown Padiological Sample Disposal (A fee may be assessed if samples are retained longer than 1 Archive For Special Instructions/OC Requirements: Date: Time: Time: Time: Time: Date Time: Da | Trip Blank | → | | > | NAHO | | | X | | | | |
| ation mmable Skin Intiant Poison B W Unknown Radiological III. IV. Other (specify) Date: ate: Da | | | | | | | | | | | CETTO Chain of | Custody |
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 in mable Skin trritant Poison B Unknown Radiological Special Instructions/QC Requirements: Special Instructions/QC Requirements: Image: Date: | | | | | | | | | | 1-04 | | |
| Time: Date: Time: Time: Time: Method of Shipment DateTime: Dat | ant | ☐ Poison B ★ Unkr | | Radiological | | Sam | Return | osal (A fee m To Client | ay be assess | ed if samples are | retained longer | r than 1 month) Months |
| Time: Time: Time: Time: Time: Date/Time: Da | Deliverable Requested: I, II, III, IV, Other (specify) | | | | | pade | nasu instru | icions/ac red | ı | | | |
| Date Time Date | Empty Kit Relinquished by: | | Date: | | | 100 | | | M | ethod of Shipment | | |
| Date/Time: | Relinquished by: | _ | 134 | | DMTE | œ | eceived b | Jan Ja | E | 41 | 5 | 17 |
| Cooler Temperature(s) "C and Other Remarks: | A PORT | | 12 | | Company | 2 | eceived b | 1 | | Date/Time: | 0 (1) | Company |
| | | | | | | | cooler Tem | perature(s) ^o C and | Other Remarks: | 1 | | - |
| | - | | | | | | | | | | | |

Login Sample Receipt Checklist

Client: Turnkey Environmental Restoration, LLC Job Number: 480-165720-1

Login Number: 165720 List Source: Eurofins TestAmerica, Buffalo

List Number: 1

Creator: Yeager, Brian A

| ordatori rougor, Britairi | | | |
|--|--------|---------|--|
| Question | Answer | Comment | |
| Radioactivity either was not measured or, if measured, is at or below background | True | | |
| The cooler's custody seal, if present, is intact. | True | | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | | |
| Samples were received on ice. | True | | |
| Cooler Temperature is acceptable. | True | | |
| Cooler Temperature is recorded. | True | | |
| COC is present. | True | | |
| COC is filled out in ink and legible. | True | | |
| COC is filled out with all pertinent information. | True | | |
| Is the Field Sampler's name present on COC? | True | | |
| There are no discrepancies between the sample IDs on the containers and the COC. | True | | |
| Samples are received within Holding Time (Excluding tests with immediate HTs) | True | | |
| Sample containers have legible labels. | True | | |
| Containers are not broken or leaking. | True | | |
| Sample collection date/times are provided. | True | | |
| Appropriate sample containers are used. | True | | |
| Sample bottles are completely filled. | True | | |
| Sample Preservation Verified | True | | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | | |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter. | True | | |
| If necessary, staff have been informed of any short hold time or quick TAT needs | True | | |
| Multiphasic samples are not present. | True | | |
| Samples do not require splitting or compositing. | True | | |
| Sampling Company provided. | True | ETAB | |
| Samples received within 48 hours of sampling. | True | | |
| Samples requiring field filtration have been filtered in the field. | True | | |
| Chlorine Residual checked. | N/A | | |

4

J

7

9

12

13