

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 972-0371

Rochester (866) 437-0255 * New Jersey (908) 581-4285

Mr. Eugene Melnyk
NYSDEC - Region 9
270 Michigan Ave.
Buffalo, NY 14203

Tuesday, June 28, 2011

RE: Analytical Report:
275 Franklin Street, Site #C915208A

Order No.: U1106201

Dear Mr. Eugene Melnyk:

Upstate Laboratories, Inc. received 10 sample(s) on 6/9/2011 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

AJS (PFF)
Anthony J. Scala
President/CEO

CC:

Enclosures: ASP-B Pkg (on disk), report

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-001

Client Sample ID: MW-21D
 Collection Date: 6/7/2011 12:15:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/15/2011 5:28:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Freon-113	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Chloromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Bromomethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Chloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Acetone	ND	10		µg/L	1	6/15/2011 5:28:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
2-Butanone	ND	10		µg/L	1	6/15/2011 5:28:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Chloroform	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Benzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM

Approved By: PFF

Date: 6-28-11

Page 1 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-001

Client Sample ID: MW-21D
 Collection Date: 6/7/2011 12:15:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/15/2011 5:28:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Toluene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
2-Hexanone	ND	10		µg/L	1	6/15/2011 5:28:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
o-Xylene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Styrene	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
Bromoform	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/15/2011 5:28:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 2 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-002

Client Sample ID: MW-22D
 Collection Date: 6/7/2011 12:20:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/15/2011 7:24:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Freon-113	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Chloromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Bromomethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Chloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Acetone	ND	10		µg/L	1	6/15/2011 7:24:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
2-Butanone	ND	10		µg/L	1	6/15/2011 7:24:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Chloroform	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Benzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM

Approved By: PFF

Date: 6-28-11

Page 3 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-22D
Lab Order: U1106201 **Collection Date:** 6/7/2011 12:20:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-002 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/15/2011 7:24:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Toluene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
2-Hexanone	ND	10		µg/L	1	6/15/2011 7:24:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
o-Xylene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Styrene	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
Bromoform	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/15/2011 7:24:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 4 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-003

Client Sample ID: MW-23D
 Collection Date: 6/7/2011 12:25:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/15/2011 8:03:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Freon-113	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Chloromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Bromomethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Chloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Acetone	ND	10		µg/L	1	6/15/2011 8:03:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
2-Butanone	ND	10		µg/L	1	6/15/2011 8:03:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Chloroform	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Benzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM

Approved By: PFF

Date: 6-28-11

Page 5 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-23D
Lab Order: U1106201 **Collection Date:** 6/7/2011 12:25:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-003 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/15/2011 8:03:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Toluene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
2-Hexanone	ND	10		µg/L	1	6/15/2011 8:03:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
o-Xylene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Styrene	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
Bromoform	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/15/2011 8:03:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 6 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 Client Sample ID: MW-21S
 Lab Order: U1106201 Collection Date: 6/7/2011 12:30:00 PM
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-004 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/15/2011 8:41:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Freon-113	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Chloromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Bromomethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Chloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Acetone	ND	10		µg/L	1	6/15/2011 8:41:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
2-Butanone	ND	10		µg/L	1	6/15/2011 8:41:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Chloroform	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Benzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM

Approved By: PFF

Date: 6-28-11

Page 7 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-004

Client Sample ID: MW-21S
 Collection Date: 6/7/2011 12:30:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/15/2011 8:41:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Toluene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
2-Hexanone	ND	10		µg/L	1	6/15/2011 8:41:00 PM
Tetrachloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
o-Xylene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Styrene	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
Bromoform	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/15/2011 8:41:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 8 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 Client Sample ID: MW-22S
 Lab Order: U1106201 Collection Date: 6/7/2011 12:35:00 PM
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-005 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/16/2011 3:28:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Freon-113	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Chloromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Bromomethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Chloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Acetone	ND	10		µg/L	1	6/16/2011 3:28:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
2-Butanone	ND	10		µg/L	1	6/16/2011 3:28:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Chloroform	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Benzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM

Approved By: PFF

Date: 6-28-11

Page 9 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-005

Client Sample ID: MW-22S
 Collection Date: 6/7/2011 12:35:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/16/2011 3:28:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Toluene	2	5.0	J	µg/L	1	6/16/2011 3:28:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
2-Hexanone	ND	10		µg/L	1	6/16/2011 3:28:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
o-Xylene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Styrene	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
Bromoform	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/16/2011 3:28:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 10 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-23S
Lab Order: U1106201 **Collection Date:** 6/7/2011 12:40:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-006 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2,4-Trimethylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2-Dibromoethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,3,5-Trimethylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,4-Dioxane	ND	1000		µg/L	10	6/20/2011 7:44:00 PM
Bromochloromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Cyclohexane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Dichlorodifluoromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Freon-113	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Isopropylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Methyl Acetate	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Methyl tert-butyl ether	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Methylcyclohexane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
n-Butylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
n-Propylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
sec-Butylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
tert-Butylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Trichlorofluoromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Chloromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Vinyl chloride	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Bromomethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Chloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Acetone	ND	100		µg/L	10	6/20/2011 7:44:00 PM
1,1-Dichloroethene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Carbon disulfide	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Methylene chloride	ND	50		µg/L	10	6/20/2011 7:44:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,1-Dichloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
2-Butanone	ND	100		µg/L	10	6/20/2011 7:44:00 PM
cis-1,2-Dichloroethene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Chloroform	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Carbon tetrachloride	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Benzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM

Approved By: PFF

Date: 6-28-11

Page 11 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-23S
Lab Order: U1106201 **Collection Date:** 6/7/2011 12:40:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-006 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Trichloroethene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,2-Dichloropropane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Bromodichloromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	6/20/2011 7:44:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Toluene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
2-Hexanone	ND	100		µg/L	10	6/20/2011 7:44:00 PM
Tetrachloroethene	650	50		µg/L	10	6/20/2011 7:44:00 PM
Dibromochloromethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Chlorobenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Ethylbenzene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
m,p-Xylene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
o-Xylene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Styrene	ND	50		µg/L	10	6/20/2011 7:44:00 PM
Bromoform	ND	50		µg/L	10	6/20/2011 7:44:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	10	6/20/2011 7:44:00 PM

NOTES:

The reporting limits were raised due to the high concentration of target compounds.
 TICS: No compounds were detected.

Approved By: PFF Date: 6-28-11 Page 12 of 20

- | | | | |
|----|--|----|--|
| # | Accreditation not offered by NYS DOH for this parameter | * | Low Level |
| ** | Value exceeds Maximum Contaminant Value | B | Analyte detected in the associated Method Blank |
| E | Value above quantitation range | H | Holding times for preparation or analysis exceeded |
| J | Analyte detected below quantitation limits | ND | Not Detected at the Reporting Limit |
| Q | Outlying QC recoveries were associated with this parameter | S | Spike Recovery outside accepted recovery limits |

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-007

Client Sample ID: MW-24D
 Collection Date: 6/7/2011 1:35:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/20/2011 3:06:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Freon-113	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Chloromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Bromomethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Chloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Acetone	ND	10		µg/L	1	6/20/2011 3:06:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
2-Butanone	ND	10		µg/L	1	6/20/2011 3:06:00 PM
cis-1,2-Dichloroethene	11	5.0		µg/L	1	6/20/2011 3:06:00 PM
Chloroform	5.2	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Benzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM

Approved By: PFF

Date: 6-28-11

Page 13 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-24D
Lab Order: U1106201 **Collection Date:** 6/7/2011 1:35:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-007 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/20/2011 3:06:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Toluene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
2-Hexanone	ND	10		µg/L	1	6/20/2011 3:06:00 PM
Tetrachloroethene	3	5.0	J	µg/L	1	6/20/2011 3:06:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
o-Xylene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Styrene	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
Bromoform	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/20/2011 3:06:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 14 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** MW-24S
Lab Order: U1106201 **Collection Date:** 6/7/2011 1:45:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-008 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2,4-Trimethylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2-Dibromoethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,3,5-Trimethylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,4-Dioxane	ND	1000		µg/L	10	6/20/2011 8:22:00 PM
Bromochloromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Cyclohexane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Dichlorodifluoromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Freon-113	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Isopropylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Methyl Acetate	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Methyl tert-butyl ether	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Methylcyclohexane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
n-Butylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
n-Propylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
sec-Butylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
tert-Butylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Trichlorofluoromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Chloromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Vinyl chloride	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Bromomethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Chloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Acetone	ND	100		µg/L	10	6/20/2011 8:22:00 PM
1,1-Dichloroethene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Carbon disulfide	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Methylene chloride	ND	50		µg/L	10	6/20/2011 8:22:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,1-Dichloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
2-Butanone	ND	100		µg/L	10	6/20/2011 8:22:00 PM
cis-1,2-Dichloroethene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Chloroform	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Carbon tetrachloride	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Benzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM

Approved By: PFF **Date:** 6-28-11 Page 15 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter * Low Level
 ** Value exceeds Maximum Contaminant Value B Analyte detected in the associated Method Blank
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits ND Not Detected at the Reporting Limit
 Q Outlying QC recoveries were associated with this parameter S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT:	NYSDEC - Region 9	Client Sample ID:	MW-24S
Lab Order:	U1106201	Collection Date:	6/7/2011 1:45:00 PM
Project:	275 Franklin Street, Site #C915208A		
Lab ID:	U1106201-008	Matrix:	GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Trichloroethene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,2-Dichloropropane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Bromodichloromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
4-Methyl-2-pentanone	ND	100		µg/L	10	6/20/2011 8:22:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Toluene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
2-Hexanone	ND	100		µg/L	10	6/20/2011 8:22:00 PM
Tetrachloroethene	1300	50		µg/L	10	6/20/2011 8:22:00 PM
Dibromochloromethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Chlorobenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Ethylbenzene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
m,p-Xylene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
o-Xylene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Styrene	ND	50		µg/L	10	6/20/2011 8:22:00 PM
Bromoform	ND	50		µg/L	10	6/20/2011 8:22:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	10	6/20/2011 8:22:00 PM

NOTES:

The reporting limits were raised due to the high concentration of target compounds.
 TICS: No compounds were detected.

Approved By: PFF Date: 6-28-11 Page 16 of 20

- | | | | |
|--------------------|--|----|--|
| Qualifiers: | # Accreditation not offered by NYS DOH for this parameter | * | Low Level |
| | ** Value exceeds Maximum Contaminant Value | B | Analyte detected in the associated Method Blank |
| | E Value above quantitation range | H | Holding times for preparation or analysis exceeded |
| | J Analyte detected below quantitation limits | ND | Not Detected at the Reporting Limit |
| | Q Outlying QC recoveries were associated with this parameter | S | Spike Recovery outside accepted recovery limits |

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9 **Client Sample ID:** Holding Blank
Lab Order: U1106201 **Collection Date:** 6/9/2011 3:55:00 PM
Project: 275 Franklin Street, Site #C915208A
Lab ID: U1106201-009 **Matrix:** GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/20/2011 1:48:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Freon-113	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Chloromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Bromomethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Chloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Acetone	ND	10		µg/L	1	6/20/2011 1:48:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
2-Butanone	ND	10		µg/L	1	6/20/2011 1:48:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Chloroform	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Benzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM

Approved By: PFF

Date: 6-28-11

Page 17 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-009

Client Sample ID: Holding Blank
 Collection Date: 6/9/2011 3:55:00 PM
 Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/20/2011 1:48:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Toluene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
2-Hexanone	ND	10		µg/L	1	6/20/2011 1:48:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
o-Xylene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Styrene	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
Bromoform	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/20/2011 1:48:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 18 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-010

Client Sample ID: ULI Trip Blank
 Collection Date: 6/7/2011

Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/20/2011 2:27:00 PM
Bromochloromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Cyclohexane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Freon-113	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Methyl Acetate	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Chloromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Vinyl chloride	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Bromomethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Chloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Acetone	ND	10		µg/L	1	6/20/2011 2:27:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Carbon disulfide	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Methylene chloride	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
2-Butanone	ND	10		µg/L	1	6/20/2011 2:27:00 PM
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Chloroform	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,1,1-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Benzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM

Approved By: PFF

Date: 6-28-11

Page 19 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 28-Jun-11

CLIENT: NYSDEC - Region 9
 Lab Order: U1106201
 Project: 275 Franklin Street, Site #C915208A
 Lab ID: U1106201-010

Client Sample ID: ULI Trip Blank
 Collection Date: 6/7/2011

Matrix: GROUNDWATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP TCL VOLATILES IN WATER BY METHOD 8260		8260ASP05_W		Analyst: LEF		
1,2-Dichloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Trichloroethene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	6/20/2011 2:27:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Toluene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
2-Hexanone	ND	10		µg/L	1	6/20/2011 2:27:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Chlorobenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Ethylbenzene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
m,p-Xylene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
o-Xylene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Styrene	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
Bromoform	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	6/20/2011 2:27:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: PFF

Date: 6-28-11

Page 20 of 20

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
 ** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 Q Outlying QC recoveries were associated with this parameter

* Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 S Spike Recovery outside accepted recovery limits

USSTATE LABS - NYSD&C Contract

Report to: NYSD&C Region 9
 Address: 270 Middlesex Ave
Roseland NY 11423
 Contact: David Synowski/Peace Mgmt
 Phone: 212-851-7220
 Fax: 212-851-7226

Invoice to: State Co.
 Address: Albany, NY
 Contact: _____
 Phone: _____
 Fax: _____

Sampler's Name: David Synowski
 Project No.: 111M2201
 Project Name: 275 Franklin
 Identifying Marks of Sample(s): C915708A
 No./Type of Containers: _____

Matrix	Date	Time	Identifying Marks of Sample(s)	VOA	A/G 1 Lt.	250 ml	P/O
--------	------	------	--------------------------------	-----	-----------	--------	-----

GM	6/14/25		MM-21D +MS/MSD	✓			
GM	1	1220	MM-22D	✓			
GM	1	1225	MM-23D	✓			
GM	1	1230	MM-21S	✓			
GM	1	1235	MM-22S	✓			
GM	1	1240	MM-23S	✓			
GM	✓	1335	MM-24D	✓			
GM	✓	1345	MM-24S	✓			
GM	✓	1345	MM-24S	✓			
GM	✓	1345	MM-24S	✓			

Relinquished by: (Signature) _____ Date: 6/27/11 Time: 0530 hrs
 Received by: (Signature) _____ Date: 6/27/11 Time: 1330

Relinquished by: (Signature) _____ Date: 6/27/11 Time: 1330
 Received by: (Signature) _____ Date: 6/27/11 Time: 1330

Matrix	WW - Wastewater	W - Water	S - Soil	L - Liquid	A - Air bag	C - Charcoal Tube	SL - Sludge	O - Oil
Container	VOA - 40 ml vial	A/G - Amber / Or Glass 1 Liter	250 ml - Glass wide mouth	P/O - Plastic or other				

Client's delivery of samples constitutes acceptance of Severn Trent Laboratories terms and conditions contained in the Price Schedule.

STL Cannot accept verbal changes. Please Fax written changes to (802) 660-1919

Lab Use Only
 Due Date: _____
 Temp. of coolers when received (C°): _____
 1 2 3 4 5
 Custody Seal N / Y
 Intact N / Y
 Screened For Radioactivity

ANALYSIS REQUESTED
 2200 VOA
 2005 TCL

Ull Computer Input Form

ASP-B

Lab/Sample ID (Lab Use Only)
 ← TMS/MSD

SAMPLE 009 = [HOLDING BLANK]
 SAMPLE 010 = [ULT TRIP BLANK]