PERIODIC REVIEW REPORT
for the

NOCO #S41 SITE
(SITE NO. C915211)

BUFFALO, NEW YORK

December 2011 0226-001-300

Prepared for:

1055 Genesee Street, LLC

Prepared By:

TurnKey Environmental Restoration, LLC
2558 Hamburg Turnpike, Suite 300
Buffalo, NY 14218
(716)856-0599

PERIODIC REVIEW REPORT
NOCO #S41 Site
Table of Contents

1.0 INTRODUCTION 1
- 1.1 Background 1
- 1.2 Site Information 2
- 1.3 Remedial History 2
- 1.4 Compliance 2
- 1.5 Recommendations 2

2.0 SITE OVERVIEW 4
- 2.1 Post-Remedial Redevelopment Activities 4

3.0 SITE MANAGEMENT PLAN 5
- 3.1 Institutional Control Plan 5
  - *3.1.1 Excavation Work Plan 5*
  - *3.1.2 Site Land Use 5*
- 3.2 Long-Term Groundwater Monitoring (LTGWM) Plan 6
- 3.3 Annual Inspection and Certification Program 6
- 3.4 Engineering and Institutional Control Requirements and Compliance 7
  - *3.4.1 Institutional Controls 7*

4.0 CONCLUSIONS AND RECOMMENDATIONS 8

5.0 DECLARATION/LIMITATION 9

PERIODIC REVIEW REPORT
NOCO #S41 Site
Table of Contents

FIGURES

Figure 1	Site Location and Vicinity Map
Figure 2	Site Plan – (Pre-Redevelopment)
As Built Survey	Survey of: 1055 & 1067 Genesee Street, City of Buffalo (Millard, MacKay & Delles, LLP)

APPENDICIES

Appendix A	Institutional and Engineering Controls Certification Form
Appendix B	Brownfield Cleanup Program Transfer Documents
Appendix C	Site Photograph Log
Appendix D	Construction Closeout Report
Appendix E	Groundwater Monitoring Reports

1.0 INTRODUCTION

TurnKey Environmental Restoration, LLC (TurnKey), has prepared this Periodic Review Report (PRR), on behalf of 1055 Genesee Street, LLC, to summarize the post-remedial status of the New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) NOCO #S41 Site (Site) (C915211).

This PRR has been prepared in accordance with the NYSDEC DER-10 *Technical Guidance for Site Investigation and Remediation* (May 2010) and the NYSDEC's Institutional and Engineering Controls (IC/EC) Certification Form has been completed for the Site (see Appendix A).

This PRR and the associated inspections form have been completed for the post-remedial activities at the Site for the December 24, 2009 to October 28, 2011 reporting period.

1.1 Background

1055 Genesee Street, LLC purchased the Site from NOCO Express Properties, LLC (NOCO) in April 2011, and subsequently redeveloped the subject property and the adjoining 1067 Genesee Street parcels as a single commercial redevelopment. This document and the requirements of the SMP are only related to activities which were completed on the 1055 Genesee Street parcel.

1055 Genesee Street, LLC submitted a Notice of Change of Use to the Department, dated January 12, 2011, which was acknowledged by the Department on January 24, 2011. A Notice of Transfer of Certificate of Completion (COC), documenting that NOCO provided the required documents to 1055 Genesee Street, LLC was completed on April 7, 2011, and filed with the Erie County Clerk's Office on the same day. Copies of the notification and transfer documents are included in Appendix B.

A Notification Addendum to the Excavation Work Plan was submitted to the NYSDEC in March of 2011 outlining the details of the redevelopment activities, in accordance with the approved Site Management Plan (SMP), dated December 2009.

1.2 Site Information

The site is located in the City of Buffalo, County of Erie, New York and is identified as 1055 Genesee Street (SBL# 100.76-5-1) on the Erie County Tax Map. The site is an approximately 0.73-acre parcel located at the corner of Genesee Street and Fillmore Avenue (see Figure 1). The site was used as a gasoline service station from approximately 1950 until 2007.

1.3 Remedial History

Environmental remediation of the Site was undertaken by the previous owner, NOCO, which executed a Brownfield Cleanup Agreement (BCA) with the NYSDEC in July 2007. A Remedial Investigation/Alternatives Analysis Report/Interim Remedial Measures (RI/AAR/IRM) Work Plan was approved by the Department in November 2007, and the RI/IRM activities were completed at the Site in June 2009. Based on the Alternatives Analysis (AA) evaluation, it was concluded that the IRM, together with implementation of a SMP, satisfied the remedial action objectives and is protective of human health and the environment, and was selected as the final remedial approach for the NOCO #S41 Site. The NYSDEC issued a COC for the Site on December 24, 2009.

1.4 Compliance

At the time of the Site inspection, the Site was fully compliant with the Department's approved SMP.

1.5 Recommendations

Based on the post-remedial results for the Site, TurnKey makes the following recommendations for the Site.

- Based on the data from the five rounds of completed groundwater monitoring (see Appendix E), with water supplied to Site by a municipal water authority, and with the recently completed redevelopment of the Site which further limits any potential exposure route, TurnKey respectively requests that groundwater monitoring be discontinued for the Site.

- Modify Box 3 of the IC/EC form to identify the Site Owner as 1055 Genesee Street, LLC

- Update the SMP by including the current as-built survey and modifying the groundwater monitoring plan based the Department's determination whether groundwater monitoring may be discontinued.

Beyond those changes described above, no modifications to the current SMP are recommended at this time.

2.0 SITE OVERVIEW

The site was remediated in accordance with the NYSDEC-approved RI/AAR/IRM Work Plan dated November 2007. Remedial activities were completed in June 2009. The following is a summary of the Remedial Actions performed at the site:

- Removal of three underground storage tanks (USTs), including associated dispensing units and underground product piping. Extraction and off-site disposal of residual product/water mixture from the USTs and associated piping.
- Excavation of petroleum-impacted soil/fill followed by off-site transportation and disposal at a commercial landfill.
- Extraction and treatment of groundwater from the excavation during remediation activities.
- Placement and compaction of backfill.

The FER and SMP for the Site were approved by the NYSDEC in December 2009. The COC was issued for the Site on December 24, 2009.

2.1 Post-Remedial Redevelopment Activities

1055 Genesee Street, LLC completed the redevelopment of the brownfield site with the construction of an approximate 10,000-sq-ft commercial-retail store and associated parking areas. Redevelopment activities including demolition of the former building, excavation for new building footers, utility corridors, and parking lot catch basins, and construction of the new building and parking lot were completed between April and September 2011. A TurnKey qualified environmental professional (QEP) provided oversight during intrusive activities. Details of the redevelopment are presented in the Construction Closeout Report, included in Appendix D.

3.0 SITE MANAGEMENT PLAN

The NOCO #S41 Site's post-remedial Site Management Plan (SMP) was approved by the NYSDEC in December 2009. The SMP provides a detailed description of all procedures required to manage remaining contamination at the Site after completion of the Remedial Action, including: (1) implementation and management of all Institutional Controls; (2) groundwater monitoring; and, (3) performance of periodic inspections, certification of results, and submittal of Periodic Review Reports.

A brief description of these SMP components is presented below.

3.1 Institutional Control Plan

As a requirement of the SMP a series of Institutional Controls are required to (1) prevent future exposure to remaining contamination by controlling disturbances of the subsurface contamination; and, (2) limit the use and development of the Site to commercial use or less restricted uses (i.e., industrial).

3.1.1 Excavation Work Plan

The Excavation Work Plan, which is included within the approved-SMP for the Site, provides guidelines for the management of soil and fill material during any future intrusive activities.

1055 Genesee Street, LLC prepared a Notification Addendum to the Excavation Work Plan and submitted to NYSDEC in March 2011. The notification addendum outlined the planned redevelopment and areas where intrusive activities could potentially encounter remaining contamination on-Site, the planned disposal facilities and planned backfill sources.

A TurnKey qualified environmental professional (QEP) provided oversight during intrusive activities.

As detailed in the Construction Closeout Report, included in Appendix D, the Site's Excavation Work Plan was followed during redevelopment activities.

3.1.2 Site Land Use

The Site is currently utilized as a commercial retail operation, and is in compliance with the Site's land use criteria (commercial use).

3.2 Long-Term Groundwater Monitoring (LTGWM) Plan

As a requirement of the SMPs, long-term groundwater monitoring is being performed at the Site. Semi-annual groundwater monitoring was conducted during this reporting period in May and October 2010, and September 2011.

As detailed in the November 2011 LTGWM report, methyl tert-butyl ether (MTBE) is the only volatile constituent detected on-Site above the GWQS, in two up-gradient wells (BCP MW-3 and BCP MW-6); recent monitoring results show a continued decreasing trend in concentration. It should be noted that analytical results for BCP MW-2, the southernmost down-gradient well on-Site has been consistently below detection limits (ND) since 2008.

The semi-annual groundwater monitoring reports for this reporting period are included in Appendix E.

3.3 Annual Inspection and Certification Program

The Annual Inspection and Certification Program outlines the requirements for the Site, to certify and attest that the institutional controls and/or engineering controls employed at the Site are unchanged from the previous certification. The Annual Certification will primarily consist of an annual Site Inspection to complete the auto-generated NYSDEC Institutional and Engineering Controls (IC/EC) Certification Form. The site inspection will verify that the IC/ECs:

- Are in place and effective.
- Are performing as designed.
- That nothing has occurred that would impair the ability of the controls to protect the public health and environment.
- That nothing has occurred that would constitute a violation or failure to comply with any operation and maintenance plan for such controls.
- Access is available to the Site to evaluate continued maintenance of such controls.

A Site Inspection of the property was conducted by a TurnKey Qualified Environmental Professional (QEP) on September 14, 2011. At the time of the inspection,

the property was being redeveloped as a commercial retail operation (Dollar General), with surface parking, paved walkways and landscaped areas. The Site is on municipal water supply, and no observable use of groundwater was noted during the site inspection.

The completed Site Management Periodic Review Report Notice – Institutional and Engineering Controls Certification Form is included in Appendix A. A photolog of the site inspection is included in Appendix B.

3.4 Engineering and Institutional Control Requirements and Compliance

As detailed in the Environmental Easements, several Institutional Controls (ICs) need to be maintained as a requirement of the BCA for the Site.

3.4.1 Institutional Controls

- Groundwater-Use Restriction – the use of groundwater for potable and non-potable purposes is prohibited;
- Land-Use Restriction: The controlled property may be used for commercial use; and,
- Implementation of the SMP.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions and recommendations are as follows:

- At the time of the site inspection, the Site was in compliance with the Site Management Plan.

The following modifications are recommended for the Site.

- Based on the results of the completed groundwater monitoring, and knowing that the Site and surrounding vicinity is supplied by the municipal water authority, and with the recently completed redevelopment of the Site which further limits any potential exposure route, TurnKey respectively requests that groundwater monitoring be discontinued for the Site.

- Update Box 3 of the IC/EC form to reflect the change in ownership to 1055Genesee Street, LLC

- Update the SMP by including the current as-built survey and modifying the groundwater monitoring plan based the Department's determination whether groundwater monitoring may be discontinued.


5.0 DECLARATION/LIMITATION

TurnKey Environmental Restoration, LLC in association with Benchmark Environmental Engineering and Science, PLLC, personnel conducted the annual site inspections for Brownfield Cleanup Program Site No. C915211, located in Buffalo, New York, according to generally accepted practices. This report complied with the scope of work provided to 1055 Genesee Street, LLC by TurnKey Environmental Restoration, LLC.

This report has been prepared for the exclusive use of 1055 Genesee Street, LLC. The contents of this report are limited to information available at the time of the site inspection. The findings herein may be relied upon only at the discretion of 1055 Genesee Street, LLC. Use of or reliance upon this report or its findings by any other person or entity is prohibited without written permission of TurnKey Environmental Restoration, LLC.

FIGURES

FIGURE 1



TurnKey Environmental Restoration, LLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0635

PROJECT NO.: 0226-001-300

DATE: NOVEMBER 2011

DRAFTED BY: NTM

SITE LOCATION AND VICINITY MAP

CONSTRUCTION CLOSEOUT REPORT

1055 GENESEE STREET SITE

BUFFALO, NEW YORK

PREPARED FOR

1055 GENESEE STREET, LLC

FIGURE 2



Base Image per Bing Map — BCP Boundary Approximate — Not to Scale

TurnKey Environmental Restoration, LLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0635

PROJECT NO.: 0226-001-300

DATE: NOVEMBER 2011

DRAFTED BY: NTM

SITE PLAN (PRE-REDEVELOPMENT)


CONSTRUCTION CLOSEOUT REPORT

1055 GENESEE STREET SITE

BUFFALO, NEW YORK

PREPARED FOR

1055 GENESEE STREET, LLC



INSTRUMENT(S) UTILIZED IN DETERMINING LOCATION OF BOUNDARY LINES: Liber 10566 Deeds Page 433, Liber 10239 Deeds Page 252, Liber 7144 Deeds Page 153

THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A CURRENT ABSTRACT OF TITLE AND IS SUBJECT TO ANY STATE OF FACTS THAT MAY BE REVEALED IN SAID ABSTRACT.

NOTE: PROPERTY CORNER MONUMENTS WERE NOT PLACED AS PART OF THIS SURVEY.

THIS SURVEY MAP WAS PREPARED IN ACCORDANCE WITH THE CURRENT STANDARDS FOR LAND SURVEYS ADOPTED BY THE BAR ASSOCIATION OF ERIE COUNTY AT THE REQUEST OF Creative Construction Services, Inc.

FRANCIS C. DELLES NYSPLS No. 050477

©COPYRIGHT 2011 BY:

Millard, MacKay & Delles
LAND SURVEYORS, LLP
150 AERO DRIVE
BUFFALO, NEW YORK 14225
PHONE (716) 631–5140 ~ FAX 631–3811

AMEND:
SURVEY DATE: 11–9–11
©DRAWING DATE: 11–11–11
SCALE: 1" = 20'

"ALL RIGHTS RESERVED"

AS BUILT SURVEY

PART OF LOT 5 SECTION ____ TOWNSHIP 11 RANGE 8 OF THE:
Holland Land Company's SURVEY – Erie COUNTY, N.Y.

THIS MAP VOID UNLESS EMBOSSED WITH NEW YORK STATE LICENSED LAND SURVEYOR'S SEAL. ALTERING ANY ITEM ON THIS MAP IS A VIOLATION OF THE LAW EXCEPT AS PROVIDED IN SECTION 7209, PART 2, OF THE NEW YORK STATE EDUCATION LAW.

SURVEY OF: 1055 & 1067 Genesee Street, City of Buffalo

SBL No. 100.76–5–1&2

APPENDIX A

INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM

Enclosure 2

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form

Site Details **Box 1**

Site No. C915211

Site Name NOCO #S41

Site Address: 1055 Genesee Street Zip Code: 14212
City/Town: Buffalo
County: Erie
Site Acreage: 0.7

Reporting Period: December 24, 2009 to October 28, 2011

	YES	NO
1. Is the information above correct?	X	☐
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	X	☐
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	X	☐
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	X	☐
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	☐	X

Box 2

	YES	NO
6. Is the current site use consistent with the use(s) listed below? Commercial and Industrial	X	☐
7. Are all ICs/ECs in place and functioning as designed?	X	☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative Date

Box 2A

	YES	NO
8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?	☐	☒

If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.

9. Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years)	☒	☐

If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.

SITE NO. C915211 **Box 3**

Description of Institutional Controls

Parcel	Owner	Institutional Control
100.76-5-1	NOCO Express Properties, LLC	Ground Water Use Restriction IC/EC Plan Landuse Restriction Monitoring Plan Site Management Plan Soil Management Plan

Box 4

Description of Engineering Controls

None Required

Engineering Control Details for Site No. C915211

Parcel: 100.76-5-1

No engineering controls. IC include EE, SMP, gw monitoring, and periodic certification.

Box 5

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

   a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

   b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES	NO
☒	☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

   (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

   (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

   (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

   (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

   (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES	NO
☒	☐

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. C915211

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I RUSSELL KUTE at 700 PARKSIDE AV, BUFFALO NY 14216
print name print business address

am certifying as OWNER (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party, or Designated Representative Rendering Certification

11/14/2011
Date

APPENDIX B

BCP TRANSFER DOCUMENTS

New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Technical Support, 11th Floor
625 Broadway, Albany, New York 12233-7020
Phone: (518) 402-9543 • **Fax:** (518) 402-9577
Website: www.dec.ny.gov

January 24, 2011

Mr. Craig A. Slater
Partner
Harter Secrest & Emery LLP
Twelve Fountain Plaza, Suite 400
Buffalo, NY 14202-2293

Re: NOCO #S41
C915211

Dear Mr. Slater:

We are in receipt of your January 12, 2011 correspondence notifying us of a Change of Use and Notice of COC transfer.

In response to item #5 of your letter, please find attached the Notice of COC Transfer form. Within 30 days of transfer (closing), the new Certificate holder is required to file the completed form and obtain proof of filing from the county recording office. Further information is detailed on our website at: http://www.dec.ny.gov/chemical/54736.html

Within 30 days of receiving proof of filing, the Certificate holder must submit the completed "Notice of Transfer of Certificate of Completion" form and proof of filing back to my attention at the same address that you sent your January 12 letter.

DEC will not issue a new Certification of Completion.

Sincerely,

Kelly A. Lewandowski, P.E.

Kelly A. Lewandowski, P.E.
Chief, Site Control Section

Attachment

Ec: B. Murray
M. Doster
D. Szymanski

HSE
Harter Secrest & Emery LLP
ATTORNEYS AND COUNSELORS
WWW.HSELAW.COM

APR 13 2011

April 12, 2011

CERTIFIED MAIL/RETURN RECEIPT REQUESTED

Chief, Site Control
NYS Department of Environmental Conservation
Department of Environmental Enforcement
625 Broadway
Albany, New York 12233-5500

Re: BCP Site No. C915211
1055 Genesee Street, Buffalo, N.Y. (Erie County)
NOCO Express Properties, LLC. to 1055 Genesee Street, LLC
Notice of Transfer of Title (Change of Use)

Dear Sirs:

On January 12, 2011, pursuant to the provisions of ECL §27-1425(2) and 6 NYCRR §375-1.11(d), our office forwarded to you a 60 day Notice of Intent to Transfer relative to proposed transfer of title of the above-entitled property from NOCO Express Properties LLC ("NOCO"), the seller, to our client, 1055 Genesee Street, LLC, ("1055"). Please be advised that this sale transaction closed on April 7, 2011 and that the Notice of Transfer of the Certificate of Completion was filed with the Erie County Clerk's Office at that time. A copy of the filed Notice of Transfer is enclosed and forwarded to you in accordance with the provisions of ECL §27-1419(5) and 6 NYCRR §375-1.9(f). Consistent with those provisions, we would request the Department to issue a new Certificate of Completion in the name of 1055 Genesee Street, LLC (although the provisions state that the COC is "deemed issued" to the successor, 1055, upon filing).

Thank you for your anticipated cooperation. Please contact us with any questions or if you required anything further.

Very truly yours,

Harter Secrest & Emery LLP

Craig A. Slater
Partner
DIRECT DIAL: (716) 845-4223
E-MAIL: CSLATER@HSELAW.COM

CAS:jp

cc: D. Szymanski (DEC-Region 9)
D. Pawlik (1055)
M. Lesakowski (Benchmark)

TWELVE FOUNTAIN PLAZA, SUITE 400 BUFFALO, NY 14202-2293 PHONE: 716.853.1616 FAX: 716.853.1617
ROCHESTER, NEW YORK • BUFFALO, NEW YORK • ALBANY, NEW YORK • NAPLES, FLORIDA

NOTICE OF TRANSFER OF CERTIFICATE OF COMPLETION
Brownfield Cleanup Program
Pursuant to 6 NYCRR Part 375-1.9(f)
NOCO #S41 Site ID No. C915211
1055 Genesee Street, Buffalo, New York (Erie County)

PLEASE TAKE NOTICE, that pursuant to Article 27, title 14 of the Environmental Conservation Law and 6 NYCRR 375-1.9(f), NOCO Express Properties, LLC. hereby transfer(s) the Certificate of Completion (COC) issued by the Department of Environmental Conservation on December 30, 2009 for the site described below. Such COC was issued upon satisfaction of the Commissioner, following review by the Department of the final engineering report and data submitted pursuant to the Brownfield Cleanup Agreement, as well as any other relevant information regarding the Site, that the remediation requirements set forth in ECL Article 27, title 14 had been or would be achieved in accordance with the time frame, if any, established in the remedial work plan.

PLEASE TAKE NOTICE, that NOCO #S41 (site) is located at 1055 Genesee Street, Buffalo, New York (Erie County). The Site is bearing DEC site number: C915211 and is more fully described on Schedule A attached hereto ("Site"). The Tax Map Identification Number for the site is: 100.76-5-1.

PLEASE TAKE NOTICE, that a Notice of Certificate of Completion for the Site was filed in the Erie County Clerk's Office on January 11, 2010 in Liber 11176 of Deeds at Page 3231.

PLEASE TAKE NOTICE, that on March 29, 2011, NOCO Express Properties, LLC conveyed title to the Site to 1055 Genesee Street, LLC by Deed recorded in Liber _____ of Deeds at Page _____ in the Erie County Clerk's Office.

PLEASE TAKE NOTICE, NOCO Express Properties, LLC hereby transfers the Certificate to the following new property owner(s) as provided for pursuant to Article 27, title 14 of the Environmental Conservation Law and 6 NYCRR 375-1.9(f):

1055 Genesee Street, LLC
210 Summer Street
Buffalo, New York 14222
Contact: David E. Pawlik
Phone: (716) 882-1226
EIN:

Attorneys for 1055 Genesee Street, LLC
Harter, Secrest & Emery, LLP
Attn: Craig A. Slater, Esq.
Twelve Fountain Plaza – Suite 400
Buffalo, New York 14202

660855_1

FILED
APR 7 2011
ERIE COUNTY
CLERK'S OFFICE

Ph: (716) 853-1616.

PLEASE TAKE FURTHER NOTICE, that if there is an environmental easement for this site, that 1055 Genesee Street, LLC recognize(s) and agree(s) to implement the Department-approved Site Management Plan, and any amendments thereto, and to fully comply with all restrictions and affirmative obligations contained therein as well as in the Environmental Easement for the Site.

WHEREFORE, the undersigned have signed this Notice of Transfer of Certificate of Completion as of this 5th of ~~March~~ April, 2011.

NOCO Express Properties, LLC

By: Michael F. Newman, Manager

Sworn to before me this
29th of March, 2011

Alan J. Laurita
Notary Public

ALAN J. LAURITA 4518542
Notary Public, State of New York
Qualified in Chautauqua County
My Commission Expires June 30, 2014

1055 Genesee Street, LLC

By: David E. Pawlik, Manager

Sworn to before me this
5th of ~~March~~ April, 2011.

Craig A. Slater
Notary Public

CRAIG A. SLATER
Notary Public, State of New York
Qualified in Erie County
Commission Expires October 31, 2014

660855_1

APPENDIX C

SITE PHOTOGRAPH LOG

SITE PHOTOGRAPHS

Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 1: Pre-redevelopment – Site Conditions (former building)

Photo 2: Pre-redevelopment – Site Conditions (former building)

Photo 3: Example of post development parking lot and building (looking southeast)

Photo 4: Example of post-development monitoring flush-mount road box

SITE PHOTOGRAPHS

Photo 5:



Photo 6:



Photo 7:



Photo 8:



Photo 5: Post-development site conditions (southern portion of Site (looking southeast)

Photo 6: Post-development site conditions along Fillmore Avenue (looking north)

Photo 7: Post-development site conditions (corner of Genesee St. and Fillmore Ave.)

Photo 8: Example of interior of building

APPENDIX D

CONSTRUCTION CLOSEOUT REPORT, WHICH INCLUDES:

- *DISPOSAL RECORDS*
- *BACKFILL DOCUMENTATION*
- *INSPECTION LOGS*
- *CAMP DATA*
- *PERMITS*

CONSTRUCTION CLOSEOUT REPORT
for

1055 GENESEE STREET SITE
(SITE NO. C915211)

BUFFALO, NEW YORK

November 2011 0226-001-300

Prepared for:

1055 Genesee Street, LLC

Prepared By:

TurnKey Environmental Restoration, LLC
2558 Hamburg Turnpike, Suite 300
Buffalo, NY 14218
(716)856-0599

CONSTRUCTION CLOSEOUT REPORT

1055 Genesee Street Site

Table of Contents

1.0 INTRODUCTION 1

1.1 Site Background 1

1.2 Site Remedial History 1

2.0 REDEVELOPMENT ACTIVITIES 3

2.1 Notification Addendum to the Excavation Work Plan 3

2.2.1 Utility Clearance 3

2.2.2 City of Buffalo Permits 3

2.2.3 Waste Characterization 4

2.3.1 Building Demolition 4

2.3.2 Building and Utility Excavations 4

2.3.3 Site Grading 4

2.3.4 Disposal 5

2.3.5 Backfill Material 5

2.4 Monitoring Well Removal and Modification 5

2.5 Community Air Monitoring Program 6

3.0 SUMMARY AND CONCLUSIONS 7

CONSTRUCTION CLOSEOUT REPORT

1055 Genesee Street Site

Table of Contents

FIGURES

Figure 1	Site Location and Vicinity Map
Figure 2	Site Plan – (Pre-Redevelopment)
As Built Survey	Survey of: 1055 & 1067 Genesee Street, City of Buffalo (Millard, MacKay & Delles, LLP)

APPENDICIES

Appendix A	Site Photolog
Appendix B	City of Buffalo – Building Permits
Appendix C	Disposal Documents
Appendix D	Backfill Documents
Appendix E	Community Air Monitoring Plan

1.0 INTRODUCTION

TurnKey Environmental Restoration, LLC (TurnKey), has prepared this Construction Closeout Report (CCR), on behalf of 1055 Genesee Street, LLC, to summarize the post-remedial redevelopment activities at the New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) NOCO #S41 Site (Site) (C915211).

This Construction Closeout Report (CCR) has been prepared in accordance with the NYSDEC DER-10 (May 2010) and the approved Site Management Plan (SMP), dated December 2009.

1.1 Site Background

The Site is located in the City of Buffalo, County of Erie, New York and is identified as 1055 Genesee Street (SBL# 100.76-5-1) on the Erie County Tax Map. The site is an approximately 0.73-acre parcel located at the corner of Genesee Street and Fillmore Avenue (see Figure 1). The site was used as a gasoline service station from approximately 1950 until 2007.

1055 Genesee Street, LLC purchased the Site from NOCO Express Properties, LLC (NOCO) in April 2011, and subsequently redeveloped the subject property and the adjoining 1067 Genesee Street parcels as a single commercial redevelopment. This document and the requirements of the SMP are only related to activities which were completed on the 1055 Genesee Street parcel.

Prior to the initiation of redevelopment activities, a Notification Addendum to the Excavation Work Plan was submitted to the NYSDEC in March of 2011 outlining the details of the redevelopment activities in accordance with Excavation Work Plan (Appendix A of the approved SMP).

1.2 Site Remedial History

Environmental remediation of the Site was undertaken by the previous owner, NOCO, which executed a Brownfield Cleanup Agreement (BCA) with the NYSDEC in July 2007. A Remedial Investigation/Alternatives Analysis Report/Interim Remedial Measures (RI/AAR/IRM) Work Plan was approved by the Department in November 2007, and the

RI/IRM activities were completed at the Site in June 2009. Based on the Alternatives Analysis (AA) evaluation, it was concluded that the IRM, together with implementation of a SMP, satisfied the remedial action objectives and is protective of human health and the environment, and was selected as the final remedial approach for the NOCO #S41 Site.

The following is a summary of the Remedial Actions performed at the site:

- Removal of three underground storage tanks (USTs), including associated dispensing units and underground product piping. Extraction and off-site disposal of residual product/water mixture from the USTs and associated piping.
- Excavation of petroleum-impacted soil/fill followed by off-site transportation and disposal at a commercial landfill.
- Extraction and treatment of groundwater from the excavation during remediation activities.
- Placement and compaction of backfill.

The FER and SMP for the Site were approved by the NYSDEC in December 2009. The COC was issued for the Site on December 24, 2009.

2.0 REDEVELOPMENT ACTIVITIES

1055 Genesee Street, LLC completed the redevelopment of the brownfield site with the construction of an approximate 10,000-sq-ft commercial-retail store and associated parking areas. Redevelopment activities including demolition of the former building, excavation for new building footers, utility corridors, and parking lot catch basins, and construction of the new building and parking lot were completed between April and September 2011. A TurnKey qualified environmental professional (QEP) provided oversight during intrusive activities. A photolog of the redevelopment activities is included in Appendix A.

2.1 Notification Addendum to the Excavation Work Plan

Prior to the initiation of redevelopment activities, 1055 Genesee Street, LLC prepared a Notification Addendum (dated March 2011), in accordance with the approved SMP, and submitted to the NYSDEC. The notification addendum outlined the excavation activities and areas where intrusive activities could potentially encounter remaining contamination on-Site, the planned disposal facilities, and planned backfill material sources.

2.2 Site Preparation

2.2.1 Utility Clearance

Dig Safely New York (Call 811) was contacted by the site contractor(s) in advance of the work and informed of the intent to perform excavation work at the Site. Utility mark-outs were evident along Genesee Street and Fillmore Avenue sidewalks prior to intrusive activities.

2.2.2 City of Buffalo Permits

The site redevelopment contractors acquired the necessary City of Buffalo demolition, building and utility permits prior to initiation of the associated phase of the redevelopment. Copies of the permits are included within Appendix B.

2.2.3 Waste Characterization

Prior to intrusive activities, waste disposal facility (Modern Landfill) characterization samples were collected and sampled for Toxicity Characteristic Leaching Procedure (TCLP) volatile organic compounds (VOCs), TCLP semi-volatile organic compounds (SVOCs), TCLP Metals, ignitability, corrosivity, and reactivity to allow for disposal application approval by the landfill. Waste characterization analytical results are included in the disposal application, included in Appendix C.

2.3 Construction Activities

2.3.1 Building Demolition

Prior to intrusive redevelopment activities, the former convenience store building was demolished by Empire Building Diagnostics, Inc. (EBD). C&D debris was disposed at Waste Management (WM) Depew; brick and concrete was recycled by EBD at Southport Rail and Transfer, located in Blasdell NY; and scrap metals were recycled at Metalico, located in Buffalo NY. Disposal documents are included in Appendix C.

2.3.2 Building and Utility Excavations

As detailed in the architectural drawings (previously provide as part of the Notification Addendum), building footer and catch basin excavations were completed to depths ranging between 48" to 60" below post redevelopment surface grade. Excess material which was not reused due to geotechnical concerns was transported off-site for disposal at Modern Landfill, Model City, NY.

2.3.3 Site Grading

As detailed in the Grading Plan (previously provided as part of the Notification Addendum), overburden surface soil/fill was removed across the site to allow for placement and compaction of sub-base material prior to planned final grade. Any overburden material not suitable for on-Site reuse was transported off-site for disposal at Modern Landfill, Model City, New York.

2.3.4 Disposal

Approximately 2,861.08 tons of subgrade excess soil/fill was excavated and disposed off-site at Modern Landfill, located in Model City, New York. Disposal summaries are included in Appendix C.

2.3.5 Backfill Material

Approximately 2,471.57-tons of approved 2" run-of-crush (ROC), from the Buffalo Crushed Stone (BCS) Wehrle Plant, were placed across the Site for building foundation, and subgrade backfill.

Approximately 306.72-tons of clean 1" rounds were used as subgrade pipe bedding material around potable water service, sanitary sewer and storm water sewer lines.

Both the 1" rounds and 2" ROC backfill material were appropriate for use without chemical testing, in accordance with NYSDEC DER-10 backfill requirements. Backfill sieves analyses and tonnage reports are provided electronically in Appendix D.

2.4 Monitoring Well Removal and Modification

Based on the location of the new building, BCP MW-1 and BCP MW-7 were removed during redevelopment activities. Approximately six (6) to seven (7) feet of overburden material, based on the pre-redevelopment surface elevation, was removed during excavation of the new building foundations. The extent of excavation allowed for complete removal of the upper riser of the wells. A combination of plugging the well with concrete during foundation pouring, and casing removal (pulling) of the upper riser was utilized for well decommissioning. The former BCP MW-1 and BCP MW-7 are covered by the new building footers and/or slab, eliminating any potential migration pathway.

Existing monitoring wells, including BCP MW-2, BCP MW-3, BCP MW-4, BCP MW-5 and BCP MW-6, required modification of the upper riser to allow for the post-redevelopment final surface grade of the Site. New road box covers were installed at each remaining well location during completion of the parking lot and walkway areas. Details of the well modification are included in the groundwater monitoring report, provided separately.

2.5 Community Air Monitoring Program

Real-time community air monitoring was performed during intrusive activities at the Site. Air monitoring equipment was set up at one downwind location each day intrusive activities were being conducted at the Site, with exception due to weather conditions (i.e., precipitation). Air monitoring was conducted on April 25th, April 27th, April 29th, May 12th, May 13th, and May 18th, 2011.

All monitoring results conformed to the community air monitoring perimeter particulate requirement (i.e., <100 $\mu g/m^3$) and the organic vapor requirement (i.e., <5 ppm).

Copies of CAMP monitoring reports are provided in electronic format in Appendix E.

3.0 SUMMARY AND CONCLUSIONS

Based on the information presented above, we offer following summary and conclusions:

- Redevelopment activities were completed in accordance with the approved Excavation Work Plan (Appendix A of the SMP) between April and September 2011;

- Approximately 2,861.087-tons of excess overburden soil/fill was excavated and transported off-site for disposal at Modern Landfill in Model City, New York


- Approximately 2,778.23-tons of approved backfill material was placed on-Site including, approximately 2,471.51 tons of 2" ROC from Buffalo Crushed Stone Wehrle, and approximately 306.72-tons of clean No. 1's from LaFarge Freedom plant.

- No Corrective Measures were required during redevelopment activities; and,

- All existing Institutional Controls (ICs) were in compliance at the completion of the redevelopment activities.

FIGURES

FIGURE 1



TurnKey Environmental Restoration, LLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0635

PROJECT NO.: 0226-001-300

DATE: NOVEMBER 2011

DRAFTED BY: NTM

SITE LOCATION AND VICINITY MAP

CONSTRUCTION CLOSEOUT REPORT

1055 GENESEE STREET SITE

BUFFALO, NEW YORK

PREPARED FOR

1055 GENESEE STREET, LLC

FIGURE 2



Base Image per Bing Map — BCP Boundary Approximate — Not to Scale

TurnKey Environmental Restoration, LLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0635

PROJECT NO.: 0226-001-300

DATE: NOVEMBER 2011

DRAFTED BY: NTM

SITE PLAN (PRE-REDEVELOPMENT)


CONSTRUCTION CLOSEOUT REPORT

1055 GENESEE STREET SITE

BUFFALO, NEW YORK

PREPARED FOR

1055 GENESEE STREET, LLC



INSTRUMENT(S) UTILIZED IN DETERMINING LOCATION OF BOUNDARY LINES: Liber 10566 Deeds Page 433, Liber 10239 Deeds Page 252, Liber 7144 Deeds Page 153

THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A CURRENT ABSTRACT OF TITLE AND IS SUBJECT TO ANY STATE OF FACTS THAT MAY BE REVEALED IN SAID ABSTRACT.

NOTE: PROPERTY CORNER MONUMENTS WERE NOT PLACED AS PART OF THIS SURVEY.

THIS SURVEY MAP WAS PREPARED IN ACCORDANCE WITH THE CURRENT STANDARDS FOR LAND SURVEYS ADOPTED BY THE BAR ASSOCIATION OF ERIE COUNTY AT THE REQUEST OF Creative Construction Services, Inc.

FRANCIS C. DELLES NYSPLS No. 050477

©COPYRIGHT 2011 BY:

Millard, MacKay & Delles
LAND SURVEYORS, LLP
150 AERO DRIVE
BUFFALO, NEW YORK 14225
PHONE (716) 631–5140 ~ FAX 631–3811

AMEND:
SURVEY DATE: 11–9–11
©DRAWING DATE: 11–11–11
SCALE: 1" = 20'

"ALL RIGHTS RESERVED"

AS BUILT SURVEY

PART OF LOT 5 SECTION ____ TOWNSHIP 11 RANGE 8 OF THE: Holland Land Company's SURVEY – Erie COUNTY, N.Y.

THIS MAP VOID UNLESS EMBOSSED WITH NEW YORK STATE LICENSED LAND SURVEYOR'S SEAL. ALTERING ANY ITEM ON THIS MAP IS A VIOLATION OF THE LAW EXCEPT AS PROVIDED IN SECTION 7209, PART 2, OF THE NEW YORK STATE EDUCATION LAW.

SURVEY OF: 1055 & 1067 Genesee Street, City of Buffalo

SBL No. 100.76–5–1&2

APPENDIX A

SITE PHOTOLOG

SITE PHOTOGRAPHS

Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 1: Pre-redevelopment – Site Conditions (former building)

Photo 2: Pre-redevelopment – Site Conditions (former building)

Photo 3: Site preparation – post former building demolition

Photo 4: Site preparation activities (looking south)

SITE PHOTOGRAPHS

Photo 5:



Photo 6:



Photo 7:



Photo 8:



Photo 5: Site preparation – excavation (looking northwest)

Photo 6: Site preparation – excavation in vicinity of BCP MW-4. Note depth of excavation (looking south)

Photo 7: Example of monitoring wells highlighted for protection during development activities.

Photo 8: Example of community air monitoring station during intrusive activities (looking north)

SITE PHOTOGRAPHS

Photo 9:



Photo 10:



Photo 11:



Photo 12:



Photo 9: Stockpiling overburden material in accordance with the Site Management Plan prior to loading and off-site disposal

Photo 10: Example of covered soil/fill stockpile (looking east)

Photo 11: New building floor excavation (looking north)

Photo 12: Loading of overburden soil/fill for off-site disposal (looking east)

SITE PHOTOGRAPHS

Photo 13:



Photo 14:



Photo 15:



Photo 16:



Photo 13: Excavation of new building footers along eastern property boundary (looking south)

Photo 14: Example of footers for new building along eastern property boundary (looking north)

Photo 15: Site preparation (looking west)

Photo 16: preparation for placement of parking lot storm water catch basin

SITE PHOTOGRAPHS

Photo 17:



Photo 18:



Photo 19:



Photo 20:



Photo 17: Placement of storm water catch basin (looking north)

Photo 18: Example of foundation wall along eastern property boundary (looing south)

Photo 19: Example of post development parking lot and building (looking southeast)

Photo 20: Example of post-development monitoring flush-mount road box

SITE PHOTOGRAPHS

Photo 21:



Photo 22:



Photo 23:



Photo 24:



Photo 21: Post-development site conditions (southern portion of Site (looking southeast)

Photo 22: Post-development site conditions along Fillmore Avenue (looking north)

Photo 23: Post-development site conditions (corner of Genesee St. and Fillmore Ave.)

Photo 24: Example of interior of building

APPENDIX B

CITY OF BUFFALO – BUILDING PERMITS

Byron W. Brown, Mayor

BUILDING PERMIT

Department of Permit & Inspection Services

. . . . Building a Better Buffalo

Application Type: GC

Please contact the Inspector at (716)851-4102 or at the number listed below prior to starting any work.

Application/Permit No.: **161004**

Location: **1055 GENESEE**

Owner:

Issue Date: 3/2/2011

Issued By: KRUGD

Fee(s): $ 1,163.38

License No.: 552755

License Type: HIM

Value: $800,000.00

Plans: No

Contractor: CREATIVE STRUCTURE SERVICES IN

SBL No.: 1007600005001000

Land Use: 486 - MINIMART

Census Track: 27.01

Inspector: Dave Wischnewski (716)851-4102

Description of Work: Z.B.A. APPROVAL REQ. CITY WIDE SITE PLAN APPROVAL REQ. ERECT A 1 STY. MASONRY STORE WITH PARKING AND SIGNAGE. PLANS REQ.

MAR RECEIVED CITY TREASURER'S OFFICE

James Comerford Jr.

Commissioner, Dept of Economic Development

Thank you for investing in the City of Buffalo

AND AS SHOWN ON APPLICATION NUMBERED ABOVE. WHICH APPLICATION IS MADE PART OF THIS PERMIT.
*** ALL GENERAL CONTRACTORS AND SUB-CONTRACTORS MUST CARRY A CITY LICENSE ***
THIS PERMIT IS VOID IF FOUND TO BE ISSUED IN VIOLATION OF ANY LAW OR ORDINANCE AND CONDITIONS STATED ABOVE.

THIS PERMIT MUST BE DISPLAYED WHERE IT IS VISIBLE FROM THE STREET

Signature of Contact/Contractor _____ Date: 3/2/2011

Apply for your next Building Permit Online at
http://www.city-buffalo.com

CURB CUT PERMIT

Byron W. Brown, Mayor

Department of Permits and Inspection Services

. . . . Building a Better Buffalo

Application Type: CURB CUT PERMIT

Location: **1055 GENESEE**

Owner: NOCO MOTOR FUELS INC
700 GRAND ISLAND BLVD
TONAWANDA, NY 14151-0086

Contractor: CREATIVE STRUCTURE SERVICES IN

Application/Permit No.: **165379**

SBL No.: 1007600005001000

Census Track: 27.01

Target Area: No

RECEIVED CITY TREASURER'S OFFICE

Issue Date: 3/9/2011

Issued By: KCRITHARIS

Fee: $ 100.00

License No.: 552755

License Type: HIM

Value: 0.00

Plans: No

Description of Work:
ON FILLMORE, EAST SIDE OF STREET, BEGINNING APPROXIMATELY 100 FEET NORTH OF THE SOUTH END OF THE PROPERTY LINE, EXTENDING 50 FEET NORTH THEREFROM. **NOTE: EXISTING CURB CUT TO BE WIDENED**

Permission is hereby granted to CREATIVE STRUCTURE SERVICES IN to Cut Curb at 1055 GENESEE

Front: Grade: Width: 50 Distant: from face to curb to nearest edge of walk.

AND AS SHOWN ON APPLICATION NUMBERED ABOVE. WHICH APPLICATION IS MADE PART OF THIS PERMIT.
*** ALL GENERAL CONTRACTORS AND SUB-CONTRACTORS MUST CARRY A CITY LICENSE ***
THIS PERMIT IS VOID IF FOUND TO BE ISSUED IN VIOLATION OF ANY LAW OR ORDINANCE AND CONDITIONS STATED ABOVE.

Chapter IV, Section 17 and 41 of the City Ordinance
CURB TO BE CUT WITH HAND TOOLS - NOT SLEDGED OR BROKEN - LEAVE 1 1/2" CUTTER AFTER CUTTING,
CURB BROKEN IN CUTTING MUST BE REPLACED WITH NEW CURB.

THIS PERMIT MUST BE DISPLAYED WHERE IT IS VISIBLE FROM THE STREET

INSPECTOR	DATE	DESCRIPTION OF INSPECTION	
MURPM	03/09/2011	9817042	CURB - CURB CUT POST INSPECTION

Signature of Contact/Contractor_____ Date: 3/9/2011

Apply for your next Building Permit Online at
http://www.city-buffalo.com

Byron W. Brown, Mayor

DEMOLITION PERMIT

Department of Permit & Inspection Services

. . . . Building a Better Buffalo

Please contact the Inspector at (716)851-4914 or (716)851-4070 or at the number listed below prior to starting any work.

Application/Permit No.: 164386

Location: 1055 GENESEE

Owner: NOCO MOTOR FUELS INC
700 GRAND ISLAND BLVD
TONAWANDA, NY 14151-0086

Contractor: EMPIRE BUILDING DIAG

SBL No.: 1007600005001000

Land Use: 486 - MINIMART

Census Track: 27.01

Issue Date: 4/18/2011

Issued By: DIGEF

Fee(s): $ 525.00

License No.: 517408

License Type: DM1

Value: $0.00

Plans: No

Inspector: Larry Schiavone (716)851-4914 or Bill Manuszewski (716)851-4070 or Mike Schieber (716)851-4070

Description of Work: Demo to code a 1 story masonry gas station. FUTURE LAND USE VACANT.

CONTRACTOR MUST CONTACT INSPECTOR FOR BASEMENT INSPECTIONS AND FINAL INSPECTIONS BY CALLING 716-851-4914 OR 716-851-4070

APR
CITY TREASURER'S OFFICE

James Comerford Jr.

Commissioner, Dept of Economic Development

Thank you for investing in the City of Buffalo

AND AS SHOWN ON APPLICATION NUMBERED ABOVE. WHICH APPLICATION IS MADE PART OF THIS PERMIT.
*** ALL GENERAL CONTRACTORS AND SUB-CONTRACTORS MUST CARRY A CITY LICENSE ***
THIS PERMIT IS VOID IF FOUND TO BE ISSUED IN VIOLATION OF ANY LAW OR ORDINANCE AND CONDITIONS STATED ABOVE.

THIS PERMIT MUST BE DISPLAYED WHERE IT IS VISIBLE FROM THE STREET

Signature of Contact/Contractor _____ Date: 4/18/2011

Apply for your next Building Permit Online at
http://www.city-buffalo.com

CITY OF BUFFALO

Certificate of Occupancy

Certificate No.: **199596**

In accordance with the appropriate laws of the State of New York and/or the Ordinances of the City of Buffalo the structure(s) located at **1055 GENESEE** Buffalo, New York, having been inspected and found to conform substantially to applicable laws, ordinances, rules or regulations, said structure(s) is hereby certified for occupancy. This certificate is issued subject to the limitation herein specified and is valid until revoked unless automatically voided by the conditions set forth on the reverse side of this certificate.

James Comerford

Commissioner of Permit and Inspection Services

Date Issued: **10/18/2011**

Total Occupancy: **MERCANTILE STORE**

No. Units: **1** No. Stories: **1** No. Rooms: **N/A** Building Type: **2B**

Construction: **Masonry** Class: **M**

Zoning District: **C-2** Smoke Detectors: **Y** Carbon Monoxide Detectors: **N**

Application Codes:

Permit No: **161004** Permit Date: **03/02/2011** Receipt No: **N/A**

Inspector: **Wischnewski, David** Date Inspected: **9/22/2011**

Building Usage:

Story	Use
Basement:	**N/A**
1st Floor:	**Merchandise display area/office/bathroom**

SEE REVERSE SIDE

APPENDIX C

WASTE DISPOSAL DOCUMENTS

INVOICE

LONG KONGE CONSTRUCTION

295 MAIN ST., SUITE 801

BUFFALO, NY 14203

Phone: 716.828.0008 • Cell: 716.912.2504 • Fax: 716.828.0007

No. 193

INVOICE DATE 27 April 2011

ORDER NO. _____

SOLD TO:
Empire Building Discount
Main St
Depew N.Y

SHIP TO:
Fillmore Genesee
Ferry - Grider

DATE	INV.#	TRUCK #	DESCRIPTION	QTY	RATE	AMOUNT
			Fillmore Genesee			
19 April	955	25	Pea Gravel 3/8 Rock	8	75.-	600.-
					"	
20 April	960	25	" " "	3	75.-	225.-
21 April	961	25	" " "	7½	75.-	562.50

095

King Konge Construction LLC

295 Main St Suite 801
Buffalo, NY 14203
Phone: 716.828.0008 • Cell: 716.912.2504 • Fax: 716.828.0007

JOB#

CUSTOMER: Erie Blacktop Inc
DATE: 4/19/11
LOAD LOCATION: Lancaster Limestone
DUMP LOCATION: Lockport

JOB START: 8:00
JOB FINISH: 3:30
TRAVEL TIME: ½ hr
☐ LUNCH ☒ NO LUNCH
TOTAL

HIRED TRUCK CO.
TRUCK # & DRIVER: 2
☒ DUMP TRUCK SERVICE

MATERIAL HAULED: Brick & Concrete

LD#	TICKET #	WEIGHT	WAIT TIME ON JOB IN - OUT	REMARKS (specify: on "hold" at plant, tolls, dump location, etc.)
1			-	
2			-	
3			-	
4			-	
5			-	
6			-	
7			-	
8			-	
9			-	
10			-	
11			-	
12			-	
13			-	
14			-	
	MILEAGE START			MILEAGE END

OUR RESPONSIBLITY ENDS AT THE CURB

CUSTOMER'S SIGNATURE:

DRIVER	TIME IN	TIME OUT	FUEL GAL.	AMT.
	7:30			

0961

King Konge Construction LLC
295 Main St Suite 801
Buffalo, NY 14203

Phone: 716.828.0008 • Cell: 716.912.2504 • Fax: 716.828.0007

JOB#

CUSTOMER: Sabrina Gibbs Bray | DATE: 4/21/11

LOAD LOCATION: Hanover + Hillsboro | DUMP LOCATION: Tonawanda

JOB START: 7:00
JOB FINISH: 6:00
TRAVEL TIME: ½ hr
☐ LUNCH ☒ NO LUNCH

TOTAL

HIRED TRUCK CO.
TRUCK # & DRIVER: 25
☒ DUMP TRUCK SERVICE

MATERIAL HAULED: Concrete

LD#	TICKET #	WEIGHT	WAIT TIME ON JOB IN - OUT	REMARKS (specify: on "hold" at plant, tolls, dump location, etc.)
1			-	
2	Breakdown		3 hrs	
3			-	
4			-	
5			-	
6			-	
7			-	
8			-	
9			-	
10			-	
11			-	
12			-	
13			-	
14			-	
	MILEAGE START			MILEAGE END

OUR RESPONSIBLITY ENDS AT THE CURB

CUSTOMER'S SIGNATURE:

DRIVER	TIME IN	TIME OUT	FUEL GAL.	AMT.
Tom	7:00			

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036239
ENTERED

Service Record

W.11

Customer EBD		Phone
Service Location 1055 Genesee St		Description of Material I Beams
Box Number-Pickup 2025	Box Number-Delivery	Authorized/Ordered By
Date 4-21-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☒ **Delivery** ☐ **Rotate** ☐ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
Disposal Company		Dispatch Number D-28243-2

Driver Notes and Special Instructions

Drop Loaded Can
In Depew Yard
211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036238

ENTERED

Service Record

Customer EBD		Phone Will
Service Location 1055 Genesee st		Description of Material Concrete
Box Number-Pickup 4001	Box Number-Delivery	Authorized/Ordered By
Date 4-21-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☒ **Delivery** ☐ **Rotate** ☐ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
Disposal Company		Dispatch Number D-282434

Driver Notes and Special Instructions

Dumpit at Lake Ave

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036233

ENTERED

Service Record

W.11

Customer EBD		Phone
Service Location 1055 Geneseest 211065		Description of Material Sheet Steel
Box Number-Pickup 4001	Box Number-Delivery	Authorized/Ordered By
Date 4-21-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time 11:46 AM	Tonnage 66404LB	Scale Ticket Number 875647
Disposal Company Metalico Buffalo		Dispatch Number D-28243

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036215

ENTERED

Service Record

Will

Customer EBD		Phone
Service Location 1055 Genesee		Description of Material C+D
Box Number-Pickup 4002	Box Number-Delivery	Authorized/Ordered By
Date ~~1055 Genesee~~		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time 2:34 Pm	Tonnage 11.17	Scale Ticket Number 502750
Disposal Company WM Depew		Dispatch Number D-28225

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

WASTE MANAGEMENT

Depew TS
3327 Walden Ave
Depew, NY, 14043

Original
Ticket# 502758
Ph: (716) 651-0450

Customer Name EMPTREBUILDINGDIAGNOSTICS EMP
Ticket Date 04/19/2011
Payment Type Credit Account
Manual Ticket#
Route
Hauling Ticket#
Destination
PO#

Carrier EBD EMPIRE BUILDING DIAGNOSTICS
Vehicle# 1
Container
Driver
Check#
Billing# 0000D2E4
Grid

Volume

	Time	Scale	Operator	Inbound		
In	04/19/2011 14:34:00	Scale 1	Sandy		Gross	50800 lb
Out	04/19/2011 14:48:59	Scale 1	Sandy		Tare	33600 lb
					Net	22340 lb
					Tons	11.17

Comments:

	Product	LDX	Qty	UOM	Rate	Tax	Amount	Origin
1	CDTC-C&D TONS-CLEAN	100	11.17	Tons				ERI
2	FUEL-Fuel Surcharge - Tr	100		%				ERI
3	Pceny-Env Fee - Current	100		%				ERI

203WM

Driver's Signature

Total Tax
Total Ticket

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036214

ENTERED

W:11

Service Record

Customer EBD		Phone
Service Location 1055 Genesee St		Description of Material Scrap
Box Number-Pickup	Box Number-Delivery 4001	Authorized/Ordered By
Date 4-19-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☒ **Rotate** ☐ **Transport** ☐

Site Arrival Time 8:00 AM	Tonnage	Scale Ticket Number
Disposal Company		Dispatch Number D-28222

Driver Notes and Special Instructions

Picked up MT can from Lake Ave

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036701

ENTERED

Service Record

Joe

Customer EBD	Phone
Service Location 1055 ~~Seneca~~ Genesee	Description of Material Hard fill
Box Number-Pickup 2020 / Box Number-Delivery 2020	Authorized/Ordered By
Date 4-20-18	Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time 4.00 P.M	Tonnage	Scale Ticket Number
Disposal Company Lakeave		Dispatch Number D-28235-6

Driver Notes and Special Instructions

4 loads
21L.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036226

ENTERED

Service Record

Customer EBD	Phone
Service Location 1055 Genesee st	Description of Material Concrete
Box Number-Pickup 2025 / Box Number-Delivery	Authorized/Ordered By
Date 4-20-11	Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
Disposal Company Lake Ave		Dispatch Number D-28235-4

Driver Notes and Special Instructions

3 Loads Hard Fill

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036217

ENTERED

Service Record

Customer EBD		Phone Will
Service Location 1055 Genesee		Description of Material ?
Box Number-Pickup	Box Number-Delivery 4017	Authorized/Ordered By
Date 4-20-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☒ **Rotate** ☐ **Transport** ☐

Site Arrival Time [redacted]	Tonnage [redacted]	Scale Ticket Number [redacted]
Disposal Company [redacted]		Dispatch Number D-28235-2

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036360

ENTERED

Service Record

T.H.

Customer	Phone
EBD	
Service Location	**Description of Material**
1055 Genesee St.	
Box Number-Pickup / **Box Number-Delivery**	**Authorized/Ordered By**
2025	
Date	**Payment** ☐ On Account ☐ COD ☐ Pre-Paid
4-20-11	

Pickup ☐ **Delivery** ☒ **Rotate** ☐ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
Disposal Company		**Dispatch Number**
		D-28235-1

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036359

ENTERED

Service Record

Customer: EBD.	Phone:
Service Location: 1055 Genesee St.	Description of Material: ~~Hard~~ Fill
Box Number-Pickup: 2025 / Box Number-Delivery: 2025	Authorized/Ordered By:
Date: 4-2011	Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
4:00 P.M.		
Disposal Company		**Dispatch Number**
LAKE Ave.		D-28235

Driver Notes and Special Instructions

211.027

(4) Loads

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036225

ENTERED

Service Record

Will

Customer: EBD	Phone:
Service Location: 1055 Genesee	Description of Material: C&D
Box Number-Pickup: 4017 / Box Number-Delivery:	Authorized/Ordered By:
Date: 4-20-11	Payment: ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time: 3:45	Tonnage: 6.88	Scale Ticket Number: 502935
Disposal Company: WM Depew		Dispatch Number: D-28230-1

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature _____ Date _____

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036218

ENTERED

Service Record

Customer	EBD	Phone	
Service Location	1055 Genesee st.	Description of Material	C+D
Box Number-Pickup	4002	Box Number-Delivery	Authorized/Ordered By
Date	4-20-11	Payment	☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
7:27 AM	11.55	0653293
Disposal Company		**Dispatch Number**
Modern East Side Transfer		D-28235-3

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature

Date

WASTE MANAGEMENT

Depew TS
3327 Walden Ave
Depew, NY, 14043

Original
Ticket# 5002035
Ph: (716) 681-8400

Customer Name EMPIREBUILDINGDIAGNOSTICS EMP
Ticket Date 04/30/2011
Payment Type Credit Account
Manual Ticket#
Route
Hauling Ticket#
Destination
PO#

Carrier EBD EMPIRE BUILDING DIAGNOSTICS
Vehicle# 1
Container
Driver
Check#
Billing# 0000002a
Gold

Value

	Time	Scale	Operator	Inbound	Gross	[illegible] lb
In	04/30/2011 15:45:18	Scale 1	Sandy		Tare	[illegible] lb
Out	04/30/2011 15:57:07	Scale 1	Sandy		Net	[illegible] lb
					Tons	[illegible]

Comments

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 CRTC-C&D TONS-CLEAN	100	6.80	Tons				ERI
2 FUEL-Fuel Surcharge - Tons	100		%				ERI
3 Promo-Env Fee - Current	100		$				ERI

Inbound Tare
Total Cubic

203WM Driver's Signature

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036218

ENTERED

Service Record

Customer: EBD	Phone:
Service Location: 1055 Genesee st.	Description of Material: C+D
Box Number-Pickup: 4002 / Box Number-Delivery:	Authorized/Ordered By:
Date: 4-20-11	Payment: ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☐ **Rotate** ☒ **Transport** ☐

Site Arrival Time: 727 Am	Tonnage: 11.55	Scale Ticket Number: 0653293
Disposal Company: Modern East Side Transfer		Dispatch Number: D-28235-3

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature

Date

EAST SIDE TRANSFER STATION

See indemnification on reverse side

GENERATO 502 000 TICKET: 0653293 DATE 4/20/2011

MODERN DISPOSAL
4745 MODEL CITY ROAD
MODEL CITY NY 14107

TIME IN: 7:27:16 AM
TIME OUT: 7:27:32 AM
VEHICLE NO: EBD140
VEHICLE: 40YD ROLL OFF
DIST ROUTE NO:
DISTRICT NO: 64
ROUTE: EMPIRE BUILDING DIAGNOSTICS
LOCATION: MAIN BAYS

WASTE TYPE: 001-100 REFUSE HOUSEHOLD WASTE

GROSS TARE: 56360
TARE/PUTGHD LBS: 33660
NET POUNDS: 23100
NET TONS: 11.55

BY SIGNING THIS TICKET I AGREE TO ALL TERMS AND CONDITIONS
ON REVERSE SIDE.

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036305

ENTERED

Service Record

T H.

Customer	Phone
EBD.	
Service Location	**Description of Material**
1055 Genesee St.	"A" Box
Box Number-Pickup / **Box Number-Delivery**	**Authorized/Ordered By**
30123	
Date	**Payment** ☐ On Account ☐ COD ☐ Pre-Paid
4-11-11	

Pickup [X] **Delivery** [ ] **Rotate** [ ] **Transport** [ ]

Site Arrival Time	Tonnage	Scale Ticket Number
11:45 A.M.		
Disposal Company		**Dispatch Number**
EBD yd.		D-28144

Driver Notes and Special Instructions

21.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature

Date

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 035933

ENTERED

Service Record

T.H.

Customer	Phone
EBD	
Service Location	**Description of Material**
1055 Genesee St.	
Box Number-Pickup / **Box Number-Delivery**	**Authorized/Ordered By**
30123	
Date	**Payment** ☐ On Account ☐ COD ☐ Pre-Paid
4-7-11	

Pickup ☐ **Delivery** ☒ **Rotate** ☐ **Transport** ☐

Site Arrival Time	Tonnage	Scale Ticket Number
7:40 A.M.		
Disposal Company		**Dispatch Number**
		028125

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature

Date

Empire Building Diagnostics, Inc.
Waste Transportation Division
PO Box 412, Depew, NY 14043
Phone: 716-685-4588

№ 036208

ENTERED

Will

Service Record

Customer EBD		Phone
Service Location 1055 Genesee		Description of Material
Box Number-Pickup	Box Number-Delivery 4002	Authorized/Ordered By
Date 4-18-11		Payment ☐ On Account ☐ COD ☐ Pre-Paid

Pickup ☐ **Delivery** ☒ **Rotate** ☐ **Transport** ☐

Site Arrival Time 5:00 Pm	Tonnage	Scale Ticket Number
Disposal Company		Dispatch Number D-28222

Driver Notes and Special Instructions

211.027

Customer Responsibilities-

The undersigned expressly warrants that all waste material is classified as construction and demolition waste and that there are no hazardous or dangerous materials, including but not limited to flammable, radioactive, volatile, corrosive, biomedical, infectious as defined by federal, state, county and municipal regulations. Additionally the customer acknowledges that Empire Building Diagnostics, Inc. is not responsible for any damage caused to roads, drives, walks, lawns, or other areas resulting from delivery and/or pickup of this material.

Payment for services rendered is to be paid within 30 days from the date of service. Any overdue account will incur a 1 1/2% monthly charge. If Empire Building Diagnostics, Inc., Waste Management Division, has to hire an attorney for collection enforcement of this debt, the customer is responsible to pay for any and all court costs, disbursements, out-of-pocket expenses and attorneys' fees incurred by Empire Building Diagnostics, Inc., Waste Management Division.

Customer Signature

Date

Facility name: Southport Rail & Transfer, LLC

Facility address:	250 Lake Avenue Blasdell, NY 14219
Phone:	(716)822-1414

Affiliations

Owner:	Michael Young	Address:	Southport Rail & Transfer, LLC 5165 Broadway, Suite 240 Depew, NY 14043
Owner type:	Private	Phone:	(716)683-8340
Contact:		Address:	
		Phone:	

Activities

C&D processing - registered 15W51

Active:	Yes	Regulatory status:	Registration
NYUTM East:	186173	NYUTM North:	4745238
Accuracy method:	4.2 - Utilization of GIS and existing spatial data		
Authorization number(s):	Registration : 15W51		
Issued date:	02/04/2010		
Expiration date:			
Waste type(s):			

GENERATOR WASTE CHARACTERIZATION REPORT

INSTRUCTIONS: The following form is required for disposal of nonhazardous industrial/commercial wastes at Modern Landfill. Please complete all sections of this report. Send completed report along with the analytical, chain of custody and the Application for Disposal of an Industrial Waste Stream (47-19-7) to this office. A separate form is required for each waste stream.

GENERATOR INFORMATION:
Generator Name: 1055 Genesee Street, LLC
Generating Facility Address: 1055 Genesee Street, Buffalo, NY
Technical Contact: Russell Kyte Phone: (716) 785-9234
Alternate Contact: David Pawlik Phone: (716) 785-9235

INVOICING INFORMATION:
Contracting Firm: CSS Construction
Contact: Russell Kyte Phone: 882-1226

Do you have an existing account with Modern Landfill? [ ] Yes [X] No

Billing Address: 700 Parkside - Suite 100, Buffalo New York 14216

TRANSPORTER INFORMATION:
Hauler Name: _____ NYSDEC Permit No. _____
Contact Person: _____ Phone No. _____

Is Modern Landfill currently on your Transporter Permit: [X] Yes [ ] No

If no, please enclose a Part C Application to cover this waste stream.

WASTE INFORMATION:
Common name of waste: Soil / Fill
Description of process generating this waste: Spoils from site redevelopment activities at cleaned up BCP Site (C915216)

Is this waste hazardous under US EPA Guidelines & 6NYCRR Part 371 (d)? [ ] Yes [X] No

Indicate the category which best describes this waste stream:

[ ] Industrial Waste
[ ] Household Waste
[ ] Commercial Solid Waste
[X] Construction & Demolition Debris
[ ] Other (Please Specify) _____
Soil / Fill

PHYSICAL CHARACTERISTICS OF WASTE

The waste is at least 20% solid and contains no free liquid	YES [X]	NO [ ]
The Flashpoint of the waste is >140°f	YES [X]	NO [ ]
The pH level of the waste is between 2.0 and 12.5	YES [X]	NO [ ]
Is the waste reactive (Cyanide/Sulfide)?	YES [ ]	NO [X]
Is the waste free of PCBs	YES [X]	NO [ ]
Color:	Odor: [ ] Strong [ ] Mild [X] None	

TCLP TESTING AND CERTIFICATION

Metals

Constituent	Nonhazardous Limit (mg/l)	Present	Not Present
Arsenic	5.0		X
Barium	100.0	1.6	
Cadmium	1.0	0.002	
Chromium	5.0		
Lead	5.0		
Mercury	0.2		
Selenium	1.0		
Silver	5.0		

Herbicides / Pesticides

Constituent	Nonhazardous Limit (mg/l)	Present	Not Present
2,4-D	10.0		
2,4,5-TP silvex	1.0		
Endrin	0.02		
Lindane	0.4		
Methoxychlor	10.0		
Toxaphene	0.5		
Chlordane	0.03		
Heptachlor	0.008		

Acid Extractables

Constituent	Nonhazardous Limit (mg/l)	Present	Not Present
O-Creosol	200.0		
M-Creosol	200.0		
P-Creosol	200.0		
Pentachlorophenol	100.0		
2,4,5-Trichlorophenol	400.0		
2,4,6-Trichlorophenol	2.0		

Base Neutrals Extractables

Constituent	Nonhazardous Limit (mg/l)	Present	Not Present
1,4-Dichlorobenzene	7.5		
2,4-Dinitrotoluen	0.13		
Hexachlorobenzene	0.13		
Hexachlorobutadiene	0.5		
Hexachloroethane	3		
Nitrobenzene	2		
Pyridine	5		

Volatile Organics

Constituent	Nonhazardous Limit (mg/l)	Present	Not Present
1,1-Dichloroethylene	0.7		
Methyl Ethyl Ketone	200.0		
Tetrachloroethylene	0.7		
Vinyl Chloride	0.2		
Benzene	0.5		
Carbon Tetrachloride	0.5		
Chlorobenzene	100.0		
Chloroform	6.0		
Trichloroethylene	0.5		
1,2-Dichloroethane	0.5		

CERTIFICATION

I certify that all information contained within this Generator Waste Characterization Report, including all attached information, is complete and actual and is an accurate representation of known or suspected hazards described herein.

Signature: _____

Printed Name: DAVID E. PAWLIK

Title: VICE PRESIDENT

Company: CSS CONSTRUCTION

Date: 3-17-11

47-19-7 (10/86) - Text 12
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID AND HAZARDSOU WASTE • BUREAU OF HAZARDOUS WASTE OPERATIONS
50 WOLF ROAD, ALBANY, NEW YORK 12233-4017

FOR STATE USE ONLY		
SITE NO.	APPLICATION NO.	DATE RECEIVED
DEPARTMENT ACTION ☐ Approved ☐ Disapproved		DATE

APPLICATION FOR TREATMENT OR DISPOSAL OF AN INDUSTRIAL WASTE STREAM

SEE APPLICATION INSTRUCTIONS ON REVERSE SIDE

1. NAME OF PROJECT/FACILITY	2. COUNTY	3. SITE NUMBER
MODERN LANDFILL, INC.	NIAGARA	32N30
4. NAME OF OWNER	5. ADDRESS (Street, City, State, Zip Code)	6. TELEPHONE NO.
RICHARD WASHUTA	4746 Model City Road, Model City, NY 14107	(716) 754-8226
6. NAME OF OPERATOR	8. ADDRESS (Street, City, State, Zip Code)	9. TELEPHONE NO.
RICHARD WASHUTA	Pletcher & Harold Road, Model City, NY 14107	(716) 754-8226

10. METHOD OF TREATMENT OR DISPOSAL

SANITARY LANDFILL - D90

11. COMPANY GENERATING WASTE	12. ADDRESS OF FACILITY GENERATING WASTE (Street, City, State, Zip Code)
1055 Genesee Street, LLC	1055 Genesee Street, Buffalo, New York

13. REPRESENTATIVE OF WASTE GENERATOR	14. MAILING ADDRESS OF REPRESENTATIVE	15. TELEPHONE NO.
	700 Parkside Ave, Suite 100, Buffalo, NY 14216	716-882-1226

16. DESCRIPTION OF PROCESS PRODUCING WASTE

Soil/fill spoils from site redevelopment of a cleaned up Brownfield Cleanup Program (BCP) Site (C915216).

17. EXPECTED ANNUAL WASTE PRODUCTION
1000 Tons/Year _____ Gallons/Year

18. WASTE HAULED IN
☐ Drums ☐ Bulk Tank ☐ Roll-Off Container ☒ Other Dump Trucks

19. WASTE COMPOSITION
19A. Average Percent Solids ~100

19b. Physical State
☐ Liquid ☐ Slurry ☐ Sludge ☒ Solid ☐ Contained Gas

19c. pH Range NA to _____

19d. COMPONENTS	CONDENTRATION (Dry Weight) Upper	Lower	Typical	UNIT (Check One) Wt. %	ppm
1) Soil / FIll			100	☒	☐
2)				☐	☐
3)				☐	☐
4)				☐	☐

20. IS AN ANALYSIS OF WASTE ATTACHED?	21. WAS A TCLP TEST CONDUCTED ON THE WASTE?	22. MATERIAL IS:
☒ Yes ☐ No	☒ Yes ☐ No If "yes", attach results	☐ Hazardous ☒ Non-Hazardous

23. DETAIL ALL HAZARD AND NUISANCE PROBLEMS ASSOCIATED WITH THE WASTES. List necessary safety, handling, treatment and disposal precautions.

NA

24. WHERE WAS MATERIAL DISPOSED OF PREVIOUSLY?
NA

25. NAME OF WASTE TRANSPORTER	26. ADDRESS (Street, City, State, Zip Code)	27. NYSDEC PERMIT No.	28. TELEPHONE NO>
Modern Disposal			

29. CERTIFICATION

I hereby affirm under penalty of perjury that information provided on this form and attached statements and exhibits is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

a. SIGNATURE AND TITLE OF REPRESENTATIVE OF WASTE GENERATOR	DATE
b. SIGNATURE AND TITLE OF REPRESENTATIVE OF TREATMENT OR DISPOSAL FACILITY	DATE

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

TestAmerica Job ID: 480-1938-1
Client Project/Site: Turnkey - 1055 Genesee site

For:
Turnkey Environmental Restoration, LLC
2558 Hamburg Turnpike
Suite 300
Lackawanna, New York 14218

Attn: Project Manager Michael Lesakowski

Authorized for release by:
03/07/2011 10:33:41 AM

Brian Fischer
Project Manager II
brian.fischer@testamericainc.com

Results relate only to the items tested and the sample(s) as received by the laboratory. The test results in this report meet all 2003 NELAC requirements for accredited parameters, exceptions are noted in this report. Pursuant to NELAC, this report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

Table of Contents

Cover Page 1
Table of Contents 2
Definitions 3
Case Narrative 4
Detection Summary 5
Client Sample Results 6
Surrogate Summary 8
QC Sample Results 10
QC Association 16
Chronicle 19
Certification Summary 20
Method Summary 21
Sample Summary 22
Chain of Custody 23
Sample Receipt Checklist 24

Qualifier Definition/Glossary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.

Glossary

Glossary	Glossary Description
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.

Job ID: 480-1938-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-1938-1

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
Method(s) 8260B: The following sample(s) was diluted due to the nature of the TCLP sample matrix: (480-1938-1 MS), (480-1938-1 MSD), (LB 480-6433/1-A), 1055 Genessee Waste Comp 1 (480-1938-1). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

GC/MS Semi VOA
Method(s) 8270C: For method 8270 the compounds 3-methylphenol and 4-methylphenol are isomers which can not be separated chromatagraphically, therefore results are a summation of both 3 and 4 methylphenol. There is no impact on the data.

No other analytical or quality issues were noted.

Metals
Method(s) 6010B: The analyte barium was detected in the TCLP Extractor Blank LB 480-6434/1-C at a concentration above the TestAmerica Laboratories standard quantitation limit. Sample 1055 Genessee Waste Comp 1 (480-1938-1) associated with the blank was evaluated and determined to be at least five times less than the TCLP Regulatory Limit. The sample data was therefore accepted and no corrective action was performed.

No other analytical or quality issues were noted.

General Chemistry
No analytical or quality issues were noted.

Organic Prep
No analytical or quality issues were noted.

Detection Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Client Sample ID: 1055 Genessee Waste Comp 1

Lab Sample ID: 480-1938-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	1.6	B	0.0020		mg/L	1		6010B	TCLP
Cadmium	0.0020		0.0010		mg/L	1		6010B	TCLP

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Flashpoint	>176.0		50.0		Degrees F	1		1010	Total/NA
pH	7.73		0.100		SU	1		9045C	Total/NA

Client Sample ID: 1055 Genessee Waste Comp 1

Lab Sample ID: 480-1938-1

Date Collected: 02/22/11 13:30

Matrix: Solid

Date Received: 02/24/11 12:40

Method: 8260B - TCLP Volatiles - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.010	0.0029	mg/L			02/26/11 02:26	10
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			02/26/11 02:26	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			02/26/11 02:26	10
Benzene	ND		0.010	0.0041	mg/L			02/26/11 02:26	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			02/26/11 02:26	10
Chlorobenzene	ND		0.010	0.0075	mg/L			02/26/11 02:26	10
Chloroform	ND		0.010	0.0034	mg/L			02/26/11 02:26	10
Tetrachloroethene	ND		0.010	0.0036	mg/L			02/26/11 02:26	10
Trichloroethene	ND		0.010	0.0046	mg/L			02/26/11 02:26	10
Vinyl chloride	ND		0.010	0.0090	mg/L			02/26/11 02:26	10

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*66 - 137*		*02/26/11 02:26*	*10*
4-Bromofluorobenzene (Surr)	*97*		*73 - 120*		*02/26/11 02:26*	*10*
Toluene-d8 (Surr)	*93*		*71 - 126*		*02/26/11 02:26*	*10*

Method: 8270C - TCLP Semivolatiles - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.010	0.00046	mg/L		02/25/11 18:17	02/28/11 09:48	1
2,4,5-Trichlorophenol	ND		0.0050	0.00048	mg/L		02/25/11 18:17	02/28/11 09:48	1
2,4,6-Trichlorophenol	ND		0.0050	0.00061	mg/L		02/25/11 18:17	02/28/11 09:48	1
2,4-Dinitrotoluene	ND		0.0050	0.00045	mg/L		02/25/11 18:17	02/28/11 09:48	1
2-Methylphenol	ND		0.0050	0.00040	mg/L		02/25/11 18:17	02/28/11 09:48	1
3-Methylphenol	ND		0.010	0.00040	mg/L		02/25/11 18:17	02/28/11 09:48	1
4-Methylphenol	ND		0.010	0.00036	mg/L		02/25/11 18:17	02/28/11 09:48	1
Hexachlorobenzene	ND		0.0050	0.00051	mg/L		02/25/11 18:17	02/28/11 09:48	1
Hexachlorobutadiene	ND		0.0050	0.00068	mg/L		02/25/11 18:17	02/28/11 09:48	1
Hexachloroethane	ND		0.0050	0.00059	mg/L		02/25/11 18:17	02/28/11 09:48	1
Nitrobenzene	ND		0.0050	0.00029	mg/L		02/25/11 18:17	02/28/11 09:48	1
Pentachlorophenol	ND		0.010	0.0022	mg/L		02/25/11 18:17	02/28/11 09:48	1
Pyridine	ND		0.025	0.00041	mg/L		02/25/11 18:17	02/28/11 09:48	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol	*105*		*52 - 132*	*02/25/11 18:17*	*02/28/11 09:48*	*1*
2-Fluorobiphenyl	*89*		*48 - 120*	*02/25/11 18:17*	*02/28/11 09:48*	*1*
2-Fluorophenol	*45*		*20 - 120*	*02/25/11 18:17*	*02/28/11 09:48*	*1*
Nitrobenzene-d5	*85*		*46 - 120*	*02/25/11 18:17*	*02/28/11 09:48*	*1*
Phenol-d5	*32*		*16 - 120*	*02/25/11 18:17*	*02/28/11 09:48*	*1*
p-Terphenyl-d14	*108*		*24 - 136*	*02/25/11 18:17*	*02/28/11 09:48*	*1*

Method: 6010B - TCLP RCRA Metals - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010		mg/L		02/28/11 07:40	02/28/11 18:43	1
Barium	**1.6**	**B**	0.0020		mg/L		02/28/11 07:40	02/28/11 18:43	1
Cadmium	**0.0020**		0.0010		mg/L		02/28/11 07:40	02/28/11 18:43	1
Chromium	ND		0.0040		mg/L		02/28/11 07:40	02/28/11 18:43	1
Lead	ND		0.0050		mg/L		02/28/11 07:40	02/28/11 18:43	1
Selenium	ND		0.015		mg/L		02/28/11 07:40	02/28/11 18:43	1
Silver	ND		0.0030		mg/L		02/28/11 07:40	02/28/11 18:43	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Client Sample ID: 1055 Genessee Waste Comp 1
Lab Sample ID: 480-1938-1
Date Collected: 02/22/11 13:30
Matrix: Solid
Date Received: 02/24/11 12:40

Method: 7470A - TCLP Mercury - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020		mg/L		02/28/11 07:39	02/28/11 13:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Reactive	ND		10.0		mg/Kg		02/25/11 17:32	02/25/11 17:35	1
Sulfide, Reactive	ND		10.0		mg/Kg		02/25/11 17:38	02/25/11 17:40	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	**>176.0**		50.0		Degrees F			02/25/11 14:30	1
pH	**7.73**		0.100		SU			02/28/11 18:50	1

Surrogate Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Method: 8260B - TCLP Volatiles

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		12DCE	BFB	TOL
Lab Sample ID	Client Sample ID	(66-137)	(73-120)	(71-126)
LCS 480-6554/4	LCS 480-6554/4	104	100	91

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260B - TCLP Volatiles

Matrix: Solid — **Prep Type: TCLP**

		Percent Surrogate Recovery (Acceptance Limits)		
		12DCE	BFB	TOL
Lab Sample ID	Client Sample ID	(66-137)	(73-120)	(71-126)
480-1938-1	1055 Genessee Waste Comp 1	108	97	93
480-1938-1 MS	1055 Genessee Waste Comp 1	106	106	94
480-1938-1 MSD	1055 Genessee Waste Comp 1	105	110	99
LB 480-6433/1-A MB	LB 480-6433/1-A	119	111	100

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270C - TCLP Semivolatiles

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPH
Lab Sample ID	Client Sample ID	(52-132)	(48-120)	(20-120)	(46-120)	(16-120)	(24-136)
LCS 480-6549/2-A	LCS 480-6549/2-A	103	89	50	91	34	111
LCSD 480-6549/3-A	LCSD 480-6549/3-A	98	89	47	88	32	100
MB 480-6549/1-A	MB 480-6549/1-A	95	82	46	83	32	106

Surrogate Legend

TBP = 2,4,6-Tribromophenol
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol
NBZ = Nitrobenzene-d5
PHL = Phenol-d5
TPH = p-Terphenyl-d14

Method: 8270C - TCLP Semivolatiles

Matrix: Solid — **Prep Type: TCLP**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPH
Lab Sample ID	Client Sample ID	(52-132)	(48-120)	(20-120)	(46-120)	(16-120)	(24-136)
480-1938-1	1055 Genessee Waste Comp 1	105	89	45	85	32	108
LB 480-6434/1-B MB	LB 480-6434/1-B	115	81	42	75	31	115

Surrogate Legend

TBP = 2,4,6-Tribromophenol
FBP = 2-Fluorobiphenyl

Surrogate Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

2FP = 2-Fluorophenol
NBZ = Nitrobenzene-d5
PHL = Phenol-d5
TPH = p-Terphenyl-d14

Method: 8260B - TCLP Volatiles

Lab Sample ID: LCS 480-6554/4
Matrix: Solid
Analysis Batch: 6554

Client Sample ID: LCS 480-6554/4
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethene	0.0250	0.0231		mg/L		92	65 - 138
1,2-Dichloroethane	0.0250	0.0264		mg/L		105	75 - 127
Benzene	0.0250	0.0234		mg/L		94	71 - 124
Chlorobenzene	0.0250	0.0221		mg/L		88	72 - 120
Tetrachloroethene	0.0250	0.0254		mg/L		102	74 - 122
Trichloroethene	0.0250	0.0243		mg/L		97	74 - 123

Surrogate	*LCS % Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*104*		*66 - 137*
4-Bromofluorobenzene (Surr)	*100*		*73 - 120*
Toluene-d8 (Surr)	*91*		*71 - 126*

Lab Sample ID: LB 480-6433/1-A MB
Matrix: Solid
Analysis Batch: 6554

Client Sample ID: LB 480-6433/1-A
Prep Type: TCLP

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	ND		0.010	0.0029	mg/L			02/26/11 00:18	10
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			02/26/11 00:18	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			02/26/11 00:18	10
Benzene	ND		0.010	0.0041	mg/L			02/26/11 00:18	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			02/26/11 00:18	10
Chlorobenzene	ND		0.010	0.0075	mg/L			02/26/11 00:18	10
Chloroform	ND		0.010	0.0034	mg/L			02/26/11 00:18	10
Tetrachloroethene	ND		0.010	0.0036	mg/L			02/26/11 00:18	10
Trichloroethene	ND		0.010	0.0046	mg/L			02/26/11 00:18	10
Vinyl chloride	ND		0.010	0.0090	mg/L			02/26/11 00:18	10

Surrogate	*LB % Recovery*	*LB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*119*		*66 - 137*		*02/26/11 00:18*	*10*
4-Bromofluorobenzene (Surr)	*111*		*73 - 120*		*02/26/11 00:18*	*10*
Toluene-d8 (Surr)	*100*		*71 - 126*		*02/26/11 00:18*	*10*

Lab Sample ID: 480-1938-1 MS
Matrix: Solid
Analysis Batch: 6554

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: TCLP

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethene	ND		0.250	0.236		mg/L		94	65 - 138
1,2-Dichloroethane	ND		0.250	0.270		mg/L		108	75 - 127
Benzene	ND		0.250	0.241		mg/L		96	71 - 124
Chlorobenzene	ND		0.250	0.226		mg/L		91	72 - 120
Tetrachloroethene	ND		0.250	0.253		mg/L		101	74 - 122
Trichloroethene	ND		0.250	0.249		mg/L		99	74 - 123

Surrogate	*MS % Recovery*	*MS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*106*		*66 - 137*
4-Bromofluorobenzene (Surr)	*106*		*73 - 120*

Method: 8260B - TCLP Volatiles (Continued)

Lab Sample ID: 480-1938-1 MS
Matrix: Solid
Analysis Batch: 6554

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: TCLP

Surrogate	MS % Recovery	MS Qualifier	Limits
Toluene-d8 (Surr)	*94*		*71 - 126*

Lab Sample ID: 480-1938-1 MSD
Matrix: Solid
Analysis Batch: 6554

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: TCLP

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene	ND		0.250	0.250		mg/L		100	65 - 138	6	16
1,2-Dichloroethane	ND		0.250	0.278		mg/L		111	75 - 127	3	20
Benzene	ND		0.250	0.244		mg/L		98	71 - 124	1	13
Chlorobenzene	ND		0.250	0.231		mg/L		92	72 - 120	2	25
Tetrachloroethene	ND		0.250	0.268		mg/L		107	74 - 122	6	20
Trichloroethene	ND		0.250	0.257		mg/L		103	74 - 123	3	16

Surrogate	MSD % Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	*105*		*66 - 137*
4-Bromofluorobenzene (Surr)	*110*		*73 - 120*
Toluene-d8 (Surr)	*99*		*71 - 126*

Method: 8270C - TCLP Semivolatiles

Lab Sample ID: MB 480-6549/1-A
Matrix: Solid
Analysis Batch: 6614

Client Sample ID: MB 480-6549/1-A
Prep Type: Total/NA
Prep Batch: 6549

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.0025	0.00012	mg/L		02/25/11 18:17	02/28/11 08:36	1
2,4,5-Trichlorophenol	ND		0.0012	0.00012	mg/L		02/25/11 18:17	02/28/11 08:36	1
2,4,6-Trichlorophenol	ND		0.0012	0.00015	mg/L		02/25/11 18:17	02/28/11 08:36	1
2,4-Dinitrotoluene	ND		0.0012	0.00011	mg/L		02/25/11 18:17	02/28/11 08:36	1
2-Methylphenol	ND		0.0012	0.00010	mg/L		02/25/11 18:17	02/28/11 08:36	1
3-Methylphenol	ND		0.0025	0.00010	mg/L		02/25/11 18:17	02/28/11 08:36	1
4-Methylphenol	ND		0.0025	0.000090	mg/L		02/25/11 18:17	02/28/11 08:36	1
Hexachlorobenzene	ND		0.0012	0.00013	mg/L		02/25/11 18:17	02/28/11 08:36	1
Hexachlorobutadiene	ND		0.0012	0.00017	mg/L		02/25/11 18:17	02/28/11 08:36	1
Hexachloroethane	ND		0.0012	0.00015	mg/L		02/25/11 18:17	02/28/11 08:36	1
Nitrobenzene	ND		0.0012	0.000072	mg/L		02/25/11 18:17	02/28/11 08:36	1
Pentachlorophenol	ND		0.0025	0.00055	mg/L		02/25/11 18:17	02/28/11 08:36	1
Pyridine	ND		0.0062	0.00010	mg/L		02/25/11 18:17	02/28/11 08:36	1

Surrogate	MB % Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol	*95*		*52 - 132*	*02/25/11 18:17*	*02/28/11 08:36*	*1*
2-Fluorobiphenyl	*82*		*48 - 120*	*02/25/11 18:17*	*02/28/11 08:36*	*1*
2-Fluorophenol	*46*		*20 - 120*	*02/25/11 18:17*	*02/28/11 08:36*	*1*
Nitrobenzene-d5	*83*		*46 - 120*	*02/25/11 18:17*	*02/28/11 08:36*	*1*
Phenol-d5	*32*		*16 - 120*	*02/25/11 18:17*	*02/28/11 08:36*	*1*
p-Terphenyl-d14	*106*		*24 - 136*	*02/25/11 18:17*	*02/28/11 08:36*	*1*

Method: 8270C - TCLP Semivolatiles (Continued)

Lab Sample ID: LCS 480-6549/2-A
Matrix: Solid
Analysis Batch: 6614

Client Sample ID: LCS 480-6549/2-A
Prep Type: Total/NA
Prep Batch: 6549

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
1,4-Dichlorobenzene	0.100	0.0740		mg/L		74	32 - 120
2,4-Dinitrotoluene	0.100	0.102		mg/L		102	59 - 125
Hexachloroethane	0.100	0.0742		mg/L		74	25 - 120
Pentachlorophenol	0.100	0.0801		mg/L		80	39 - 136

Surrogate	*LCS % Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol	*103*		*52 - 132*
2-Fluorobiphenyl	*89*		*48 - 120*
2-Fluorophenol	*50*		*20 - 120*
Nitrobenzene-d5	*91*		*46 - 120*
Phenol-d5	*34*		*16 - 120*
p-Terphenyl-d14	*111*		*24 - 136*

Lab Sample ID: LCSD 480-6549/3-A
Matrix: Solid
Analysis Batch: 6614

Client Sample ID: LCSD 480-6549/3-A
Prep Type: Total/NA
Prep Batch: 6549

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
1,4-Dichlorobenzene	0.100	0.0779		mg/L		78	32 - 120	5	36
2,4-Dinitrotoluene	0.100	0.0971		mg/L		97	59 - 125	5	20
Hexachloroethane	0.100	0.0776		mg/L		78	25 - 120	4	46
Pentachlorophenol	0.100	0.0744		mg/L		74	39 - 136	7	37

Surrogate	*LCSD % Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol	*98*		*52 - 132*
2-Fluorobiphenyl	*89*		*48 - 120*
2-Fluorophenol	*47*		*20 - 120*
Nitrobenzene-d5	*88*		*46 - 120*
Phenol-d5	*32*		*16 - 120*
p-Terphenyl-d14	*100*		*24 - 136*

Lab Sample ID: LB 480-6434/1-B MB
Matrix: Solid
Analysis Batch: 6614

Client Sample ID: LB 480-6434/1-B
Prep Type: TCLP
Prep Batch: 6549

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.010	0.00046	mg/L		02/25/11 18:17	02/28/11 11:23	1
2,4,5-Trichlorophenol	ND		0.0050	0.00048	mg/L		02/25/11 18:17	02/28/11 11:23	1
2,4,6-Trichlorophenol	ND		0.0050	0.00061	mg/L		02/25/11 18:17	02/28/11 11:23	1
2,4-Dinitrotoluene	ND		0.0050	0.00045	mg/L		02/25/11 18:17	02/28/11 11:23	1
2-Methylphenol	ND		0.0050	0.00040	mg/L		02/25/11 18:17	02/28/11 11:23	1
3-Methylphenol	ND		0.010	0.00040	mg/L		02/25/11 18:17	02/28/11 11:23	1
4-Methylphenol	ND		0.010	0.00036	mg/L		02/25/11 18:17	02/28/11 11:23	1
Hexachlorobenzene	ND		0.0050	0.00051	mg/L		02/25/11 18:17	02/28/11 11:23	1
Hexachlorobutadiene	ND		0.0050	0.00068	mg/L		02/25/11 18:17	02/28/11 11:23	1
Hexachloroethane	ND		0.0050	0.00059	mg/L		02/25/11 18:17	02/28/11 11:23	1
Nitrobenzene	ND		0.0050	0.00029	mg/L		02/25/11 18:17	02/28/11 11:23	1
Pentachlorophenol	ND		0.010	0.0022	mg/L		02/25/11 18:17	02/28/11 11:23	1
Pyridine	ND		0.025	0.00041	mg/L		02/25/11 18:17	02/28/11 11:23	1

Method: 8270C - TCLP Semivolatiles (Continued)

Lab Sample ID: LB 480-6434/1-B MB
Matrix: Solid
Analysis Batch: 6614

Client Sample ID: LB 480-6434/1-B
Prep Type: TCLP
Prep Batch: 6549

Surrogate	LB % Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol	115		52 - 132	02/25/11 18:17	02/28/11 11:23	1
2-Fluorobiphenyl	81		48 - 120	02/25/11 18:17	02/28/11 11:23	1
2-Fluorophenol	42		20 - 120	02/25/11 18:17	02/28/11 11:23	1
Nitrobenzene-d5	75		46 - 120	02/25/11 18:17	02/28/11 11:23	1
Phenol-d5	31		16 - 120	02/25/11 18:17	02/28/11 11:23	1
p-Terphenyl-d14	115		24 - 136	02/25/11 18:17	02/28/11 11:23	1

Method: 6010B - TCLP RCRA Metals

Lab Sample ID: MB 480-6597/2-A
Matrix: Solid
Analysis Batch: 6737

Client Sample ID: MB 480-6597/2-A
Prep Type: Total/NA
Prep Batch: 6597

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010		mg/L		02/28/11 07:40	02/28/11 18:17	1
Barium	ND		0.0020		mg/L		02/28/11 07:40	02/28/11 18:17	1
Cadmium	ND		0.0010		mg/L		02/28/11 07:40	02/28/11 18:17	1
Chromium	ND		0.0040		mg/L		02/28/11 07:40	02/28/11 18:17	1
Lead	ND		0.0050		mg/L		02/28/11 07:40	02/28/11 18:17	1
Selenium	ND		0.015		mg/L		02/28/11 07:40	02/28/11 18:17	1
Silver	ND		0.0030		mg/L		02/28/11 07:40	02/28/11 18:17	1

Lab Sample ID: LCS 480-6597/3-A
Matrix: Solid
Analysis Batch: 6737

Client Sample ID: LCS 480-6597/3-A
Prep Type: Total/NA
Prep Batch: 6597

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Arsenic	1.00	1.05		mg/L		105	80 - 120
Barium	1.00	1.04		mg/L		104	80 - 120
Cadmium	1.00	1.00		mg/L		100	80 - 120
Chromium	1.00	0.955		mg/L		95	80 - 120
Lead	1.00	0.994		mg/L		99	80 - 120
Selenium	1.00	1.04		mg/L		104	80 - 120
Silver	1.00	0.995		mg/L		99	80 - 120

Lab Sample ID: LB 480-6434/1-C MB
Matrix: Solid
Analysis Batch: 6737

Client Sample ID: LB 480-6434/1-C
Prep Type: TCLP
Prep Batch: 6597

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.010		mg/L		02/28/11 07:40	02/28/11 18:15	1
Barium	0.101		0.0020		mg/L		02/28/11 07:40	02/28/11 18:15	1
Cadmium	ND		0.0010		mg/L		02/28/11 07:40	02/28/11 18:15	1
Chromium	0.00568		0.0040		mg/L		02/28/11 07:40	02/28/11 18:15	1
Lead	ND		0.0050		mg/L		02/28/11 07:40	02/28/11 18:15	1
Selenium	ND		0.015		mg/L		02/28/11 07:40	02/28/11 18:15	1
Silver	ND		0.0030		mg/L		02/28/11 07:40	02/28/11 18:15	1

Method: 7470A - TCLP Mercury

Lab Sample ID: MB 480-6615/1-A
Matrix: Solid
Analysis Batch: 6701

Client Sample ID: MB 480-6615/1-A
Prep Type: Total/NA
Prep Batch: 6615

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020		mg/L		02/28/11 07:39	02/28/11 13:02	1

Lab Sample ID: LCS 480-6615/3-A
Matrix: Solid
Analysis Batch: 6701

Client Sample ID: LCS 480-6615/3-A
Prep Type: Total/NA
Prep Batch: 6615

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Mercury	0.00668	0.00710		mg/L		106	80 - 120

Lab Sample ID: LB 480-6434/1-D MB
Matrix: Solid
Analysis Batch: 6701

Client Sample ID: LB 480-6434/1-D
Prep Type: TCLP
Prep Batch: 6615

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020		mg/L		02/28/11 07:39	02/28/11 13:03	1

Method: 1010 - Ignitability, Pensky-Martens Closed-Cup Method

Lab Sample ID: 480-1938-1 DU
Matrix: Solid
Analysis Batch: 6555

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Flashpoint	>176.0		>176.0		Degrees F		NC	

Method: 9012 - Cyanide, Reactive

Lab Sample ID: MB 480-6532/3-A
Matrix: Solid
Analysis Batch: 6534

Client Sample ID: MB 480-6532/3-A
Prep Type: Total/NA
Prep Batch: 6532

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Reactive	ND		10.0		mg/Kg		02/25/11 17:32	02/25/11 17:35	1

Lab Sample ID: LCS 480-6532/4-A
Matrix: Solid
Analysis Batch: 6534

Client Sample ID: LCS 480-6532/4-A
Prep Type: Total/NA
Prep Batch: 6532

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Cyanide, Reactive	1000	678.5		mg/Kg		68	10 - 100

Lab Sample ID: 480-1938-1 DU
Matrix: Solid
Analysis Batch: 6534

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: Total/NA
Prep Batch: 6532

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cyanide, Reactive	ND		ND		mg/Kg		NC	20

Method: 9034 - Sulfide, Reactive

Lab Sample ID: MB 480-6536/3-A
Matrix: Solid
Analysis Batch: 6538

Client Sample ID: MB 480-6536/3-A
Prep Type: Total/NA
Prep Batch: 6536

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide, Reactive	ND		10.0		mg/Kg		02/25/11 17:38	02/25/11 17:40	1

Lab Sample ID: LCS 480-6536/4-A
Matrix: Solid
Analysis Batch: 6538

Client Sample ID: LCS 480-6536/4-A
Prep Type: Total/NA
Prep Batch: 6536

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits		
Sulfide, Reactive			1000	140.4		mg/Kg		14	10 - 100		

Lab Sample ID: 480-1938-1 DU
Matrix: Solid
Analysis Batch: 6538

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: Total/NA
Prep Batch: 6536

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Sulfide, Reactive	ND			ND		mg/Kg				NC	20

Method: 9045C - pH

Lab Sample ID: 480-1938-1 DU
Matrix: Solid
Analysis Batch: 6728

Client Sample ID: 1055 Genessee Waste Comp 1
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
pH	7.73			7.740		SU				0.1	5

GC/MS VOA

Leach Batch: 6433

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6433/1-A MB	LB 480-6433/1-A	TCLP	Solid	1311	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	1311	
480-1938-1 MS	1055 Genessee Waste Comp 1	TCLP	Solid	1311	
480-1938-1 MSD	1055 Genessee Waste Comp 1	TCLP	Solid	1311	

Analysis Batch: 6554

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	8260B	
LCS 480-6554/4	LCS 480-6554/4	Total/NA	Solid	8260B	
480-1938-1 MS	1055 Genessee Waste Comp 1	TCLP	Solid	8260B	
480-1938-1 MSD	1055 Genessee Waste Comp 1	TCLP	Solid	8260B	
LB 480-6433/1-A MB	LB 480-6433/1-A	TCLP	Solid	8260B	

GC/MS Semi VOA

Leach Batch: 6434

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6434/1-B MB	LB 480-6434/1-B	TCLP	Solid	1311	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	1311	

Prep Batch: 6549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6549/1-A	MB 480-6549/1-A	Total/NA	Solid	3510C	
LCS 480-6549/2-A	LCS 480-6549/2-A	Total/NA	Solid	3510C	
LCSD 480-6549/3-A	LCSD 480-6549/3-A	Total/NA	Solid	3510C	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	3510C	6434
LB 480-6434/1-B MB	LB 480-6434/1-B	TCLP	Solid	3510C	6434

Analysis Batch: 6614

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6434/1-B MB	LB 480-6434/1-B	TCLP	Solid	8270C	6549
MB 480-6549/1-A	MB 480-6549/1-A	Total/NA	Solid	8270C	6549
LCS 480-6549/2-A	LCS 480-6549/2-A	Total/NA	Solid	8270C	6549
LCSD 480-6549/3-A	LCSD 480-6549/3-A	Total/NA	Solid	8270C	6549
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	8270C	6549

Metals

Leach Batch: 6434

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6434/1-D MB	LB 480-6434/1-D	TCLP	Solid	1311	
LB 480-6434/1-C MB	LB 480-6434/1-C	TCLP	Solid	1311	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	1311	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	1311	

Prep Batch: 6597

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6434/1-C MB	LB 480-6434/1-C	TCLP	Solid	3010A	6434
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	3010A	6434
MB 480-6597/2-A	MB 480-6597/2-A	Total/NA	Solid	3010A	
LCS 480-6597/3-A	LCS 480-6597/3-A	Total/NA	Solid	3010A	

Metals (Continued)

Prep Batch: 6615

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6615/1-A	MB 480-6615/1-A	Total/NA	Solid	7470A	
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	7470A	6434
LB 480-6434/1-D MB	LB 480-6434/1-D	TCLP	Solid	7470A	6434
LCS 480-6615/3-A	LCS 480-6615/3-A	Total/NA	Solid	7470A	

Analysis Batch: 6701

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	7470A	6615
MB 480-6615/1-A	MB 480-6615/1-A	Total/NA	Solid	7470A	6615
LB 480-6434/1-D MB	LB 480-6434/1-D	TCLP	Solid	7470A	6615
LCS 480-6615/3-A	LCS 480-6615/3-A	Total/NA	Solid	7470A	6615

Analysis Batch: 6737

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 480-6434/1-C MB	LB 480-6434/1-C	TCLP	Solid	6010B	6597
MB 480-6597/2-A	MB 480-6597/2-A	Total/NA	Solid	6010B	6597
LCS 480-6597/3-A	LCS 480-6597/3-A	Total/NA	Solid	6010B	6597
480-1938-1	1055 Genessee Waste Comp 1	TCLP	Solid	6010B	6597

General Chemistry

Prep Batch: 6532

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6532/3-A	MB 480-6532/3-A	Total/NA	Solid	7.3.3	
LCS 480-6532/4-A	LCS 480-6532/4-A	Total/NA	Solid	7.3.3	
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	7.3.3	
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	7.3.3	

Analysis Batch: 6534

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6532/3-A	MB 480-6532/3-A	Total/NA	Solid	9012	6532
LCS 480-6532/4-A	LCS 480-6532/4-A	Total/NA	Solid	9012	6532
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	9012	6532
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	9012	6532

Prep Batch: 6536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6536/3-A	MB 480-6536/3-A	Total/NA	Solid	7.3.4	
LCS 480-6536/4-A	LCS 480-6536/4-A	Total/NA	Solid	7.3.4	
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	7.3.4	
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	7.3.4	

Analysis Batch: 6538

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-6536/3-A	MB 480-6536/3-A	Total/NA	Solid	9034	6536
LCS 480-6536/4-A	LCS 480-6536/4-A	Total/NA	Solid	9034	6536
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	9034	6536
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	9034	6536

Analysis Batch: 6555

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 480-6555/1	LCS 480-6555/1	Total/NA	Solid	1010	

General Chemistry (Continued)

Analysis Batch: 6555 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	1010	
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	1010	

Analysis Batch: 6728

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 480-6728/4	LCS 480-6728/4	Total/NA	Solid	9045C	
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	9045C	
480-1938-1 DU	1055 Genessee Waste Comp 1	Total/NA	Solid	9045C	

Analysis Batch: 6738

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-1938-1	1055 Genessee Waste Comp 1	Total/NA	Solid	Moisture	

Lab Chronicle

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Client Sample ID: 1055 Genessee Waste Comp 1
Date Collected: 02/22/11 13:30
Date Received: 02/24/11 12:40

Lab Sample ID: 480-1938-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
TCLP	Leach	1311			6433	02/25/11 01:37	LT	TestAmerica Buffalo
TCLP	Analysis	8260B		10	6554	02/26/11 02:26	JS	TestAmerica Buffalo
TCLP	Leach	1311			6434	02/25/11 01:41	LT	TestAmerica Buffalo
TCLP	Prep	3510C			6549	02/25/11 18:17	JEB	TestAmerica Buffalo
TCLP	Analysis	8270C		1	6614	02/28/11 09:48	MP	TestAmerica Buffalo
TCLP	Leach	1311			6434	02/25/11 01:41	LT	TestAmerica Buffalo
TCLP	Prep	7470A			6615	02/28/11 07:39	JRK	TestAmerica Buffalo
TCLP	Analysis	7470A		1	6701	02/28/11 13:18	JRK	TestAmerica Buffalo
TCLP	Prep	3010A			6597	02/28/11 07:40	MM	TestAmerica Buffalo
TCLP	Analysis	6010B		1	6737	02/28/11 18:43	MM	TestAmerica Buffalo
Total/NA	Prep	7.3.3			6532	02/25/11 17:32	JN	TestAmerica Buffalo
Total/NA	Analysis	9012		1	6534	02/25/11 17:35	JN	TestAmerica Buffalo
Total/NA	Prep	7.3.4			6536	02/25/11 17:38	JN	TestAmerica Buffalo
Total/NA	Analysis	9034		1	6538	02/25/11 17:40	JN	TestAmerica Buffalo
Total/NA	Analysis	1010		1	6555	02/25/11 14:30	RL	TestAmerica Buffalo
Total/NA	Analysis	9045C		1	6728	02/28/11 18:50	RL	TestAmerica Buffalo
Total/NA	Analysis	Moisture		1	6738	02/28/11 19:13	AS	TestAmerica Buffalo

Certification Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Laboratory	Authority	Program	EPA Region	Certification ID	* Expiration Date
TestAmerica Buffalo		USDA		P330-08-00242	11/25/11
TestAmerica Buffalo	Arkansas	State Program	6	88-0686	07/06/11
TestAmerica Buffalo	California	NELAC	9	1169CA	09/30/11
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568	09/30/12
TestAmerica Buffalo	Florida	NELAC	4	E87672	06/30/11
TestAmerica Buffalo	Georgia	Georgia EPD	4	N/A	03/31/11
TestAmerica Buffalo	Georgia	State Program	4	956	04/01/10
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003	09/30/11
TestAmerica Buffalo	Iowa	State Program	7	374	03/01/11
TestAmerica Buffalo	Kansas	NELAC	7	E-10187	01/31/12
TestAmerica Buffalo	Kentucky	Kentucky UST	4	30	04/12/12
TestAmerica Buffalo	Kentucky	State Program	4	90029	12/31/11
TestAmerica Buffalo	Louisiana	NELAC	6	02031	06/30/11
TestAmerica Buffalo	Maine	State Program	1	NY0044	12/04/12
TestAmerica Buffalo	Maryland	State Program	3	294	03/31/11
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044	06/30/11
TestAmerica Buffalo	Michigan	State Program	5	9937	04/01/11
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337	12/31/11
TestAmerica Buffalo	New Hampshire	NELAC	1	68-00281	11/17/11
TestAmerica Buffalo	New Hampshire	NELAC	1	2337	09/11/11
TestAmerica Buffalo	New Jersey	NELAC	2	NY455	06/30/11
TestAmerica Buffalo	New York	NELAC	2	10026	04/01/11
TestAmerica Buffalo	North Dakota	State Program	8	R-176	03/31/11
TestAmerica Buffalo	Oklahoma	State Program	6	9421	09/30/11
TestAmerica Buffalo	Oregon	NELAC	10	NY200003	06/10/11
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281	07/31/11
TestAmerica Buffalo	Tennessee	State Program	4	TN02970	03/31/11
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX	07/31/11
TestAmerica Buffalo	Virginia	State Program	3	278	06/30/11
TestAmerica Buffalo	Washington	State Program	10	C1677	02/10/12
TestAmerica Buffalo	West Virginia	West Virginia DEP	3	252	09/30/11
TestAmerica Buffalo	Wisconsin	State Program	5	998310390	08/31/11

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.
* Any expired certifications in this list are currently pending renewal and are considered valid.

Method Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Method	Method Description	Protocol	Laboratory
8260B	TCLP Volatiles	SW846	TAL BUF
8270C	TCLP Semivolatiles	SW846	TAL BUF
6010B	TCLP RCRA Metals	SW846	TAL BUF
7470A	TCLP Mercury	SW846	TAL BUF
1010	Ignitability, Pensky-Martens Closed-Cup Method	SW846	TAL BUF
9012	Cyanide, Reactive	SW846	TAL BUF
9034	Sulfide, Reactive	SW846	TAL BUF
9045C	pH	SW846	TAL BUF
Moisture	Percent Moisture	EPA	TAL BUF

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee site

TestAmerica Job ID: 480-1938-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-1938-1	1055 Genessee Waste Comp 1	Solid	02/22/11 13:30	02/24/11 12:40

Chain of Custody Record

Temperature on Receipt .....

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client: Turnkey	Project Manager: Mike Lesakowski	Date: 2-22-11	Chain of Custody Number: 190729
Address: 2558 Hamburg Turnpike Suite 300	Telephone Number (Area Code)/Fax Number: (716) 856-0599 / (716) 856-0583	Lab Number:	Page 1 of 1
City: Buffalo	State: NY	Zip Code: 14218	Site Contact: Paul W Werthner	Lab Contact: B Fischer
Project Name and Location (State): 1055 Genesee St LLC	Carrier/Waybill Number:	Analysis (Attach list if more space is needed)
Contract/Purchase Order/Quote No.: 0226-001-300		

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed	Solid	Containers & Preservatives: Unpres	HNO3	HNO3/I	HCl	NaOH	ZnAc/NaOH	TCLP VOCs	TCLP SVOCs	TCLP Metals	I.C. #2	Special Instructions/ Conditions of Receipt
1055 Genesee Waste Char Comp 1	2-22-11	1330				X	X						1	1	1	1	
1055 Genesee Waste Char Comp 2	2-22-11	1330				X	X						1	1	1	1	Hold Comp #2

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal
☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other

QC Requirements (Specify)

1. Relinquished By: Paul W Werthner	Date: 2-22-11	Time: 1500	1. Received By:	Date: 2-24-11	Time: 11:40 am
2. Relinquished By:	Date: 02-24-11	Time: 12:40	2. Received By:	Date: 2-24-11	Time: 1240
3. Relinquished By:	Date:	Time:	3. Received By:	Date:	Time:

Comments: 1.3°C

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Login Sample Receipt Checklist

Client: Turnkey Environmental Restoration, LLC

Job Number: 480-1938-1

Login Number: 1938
List Number: 1
Creator: Wienke, Robert

List Source: TestAmerica Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

APPENDIX D

BACKFILL DOCUMENTS

CME Associates, Inc.

LABORATORY TEST REPORT

Client:	Buffalo Crushed Stone, Williamsville, NY	**Page**	1 of 2	**Date:**	02/08/11
Project:	Various Projects			**Report No.:**	16314S-01-0111

On January 28, 2011 our representative Mr. Ken Koleff, picked up a sample taken from a stockpile.

Sample Identification as follows:

Sample No.:	Location:
BL 2338	On-Site Stockpile – Buffalo Crushed Stone, Wehrle Pit

MECHANICAL ANALYSIS (ASTM C-136, C-117)

Sieve Size	Percent Passing by Weight Sample BL 2338
2"	100
1"	92
½"	58
¼"	40
No. 4	33
No. 10	20
No. 40	9
No. 200 (wash)	5

BURMISTER CLASSIFICATION & UNIFIED DESIGNATION

Classification: Grey 2" Minus Run-of-Crush Limestone

LABORATORY MOISTURE-DENSITY RELATIONSHIP ASTM D-1557

100% Maximum Dry Density	=	135.7	**pcf**
Optimum Moisture Content	=	7.7	**%**

The Laboratory Moisture Density Curve is attached.

Feel free to contact this office should you have any questions.

Respectfully Submitted,

CME ASSOCIATES, INC.

Ernest W. Kihl
Laboratory Supervisor

Reviewed By:

CME ASSOCIATES, INC.

Norman Jurek, EIT
Staff Engineer

LAFARGE

April 12, 2011

Christopher Tobin
400 Hinman Rd.
Lockport, NY 14094
716-289-7970(cell)
716-433-4930 (fax)

Att: Nate Munley
Fax:856-0583
Re:Ingalls Site Development D.E.C.

To whom it may concern:

This is to certify that the material being supplied to the above project conforms to the outlined NYSDOT requirements for Section 703-02 Coarse Aggregate.

Our NYSDOT source is 5-30G and our most recent test number is 09AF135.

Location: Freedom Source #: 5-30G
Material Type: Crushed 1's

Sieve Size	Weight	% Retained	% Passing	Specification
1 1/2"	0.0	0.0	100.0	
1"	0.0	0.0	100.0	100
3/4"	0.0	0.0	100.0	
1/2"	165.8	3.9	96.1	90-100
3/8"	2188.8	51.5	44.6	
1/4	1538.5	36.2	8.4	0-15
#4	25.5	0.6	7.8	
#8	259.3	6.1	1.7	
#16	25.5	0.6	1.1	
#80	17.0	0.4	0.7	
pan	29.8	0.7		
Total	4250			

Sincerely,

Christopher Tobin
Quality Control Technician

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 195879 05/18/2011 8:30

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote : 570530
VARIOUS LOCALES IN WNY
Delv Ins 1 : 2011 WNY VARIOUS
Delv Ins 1 : DOLLAR GENERAL
Cust Job # :
P.O. # : 5-30G
Order # : Delivery N

Truck : ING28 License : 37937TR
Zone Id : N31 Max GVW : 107000 lb
Hired Id : OWN CUSTOMER OWNED

Product :	AG7434 ROUND 1 Imperial		Metric	
Gross :	107000	lb MAN WT	48535	kg
Stored Tare :	35020	lb MAN WT	15885	kg
Net :	71980	lb	32650	kg
Qty :	35.99	TN	32.65	TM
Loads :	1			
Acc. Qty :	35.99	TN	32.64	TM

DOLLAR GENERAL
2
65

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: _____

*NOTE: US scales weighed in lb/CA scales weighed in kg

Plant : 30049
Ticket : 195879
Net : 35.99 TN
Truck : ING28
Tare : 35020 lb

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 195879 05/18/2011 11:42

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote : 570530
VARIOUS LOCALES IN WNY
Delv Ins 1 : 2011 WNY VARIOUS
Delv Ins 1 :
Cust Job # :
P.O. # : 5-30G
Order # : 391 Delivery N

Truck : ING28 License : 3793J7A
Zone Id : N31 Max GVW : 107000 lb
Hired Id : OWN CUSTOMER OWNED

Product :	AG7434 ROUND 1 Imperial		Metric	
Gross :	105580	lb MAN WT	47891	kg
Stored Tare :	34860	lb MAN WT	15812	kg
Net :	70720	lb	32078	kg
Qty :	35.36	TN	32.08	TM
Loads :	2			
Acc. Qty :	71.29	TN	64.66	TM

DOLLAR GENERAL
2
65

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: _____

*NOTE: US scales weighed in lb/CA scales weighed in kg

Plant : 30049
Ticket : 195781
Net : 35.93 TN
Truck : ING28
Tare : 34860 lb

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 195578 05/11/2011 8:18

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote :
Delv Ins 1 : DOLLAR GENERAL
Delv Ins 1 :
Cust Job # :
P.O. # : 5-30G
Order # : Delivery N

Truck : ING28 License : 37937TR
Zone Id : Max GVW : 107000 lb
Hired Id : OWN CUSTOMER OWNED

Product :	AG7434 1" ROUND Imperial		Metric	
Gross :	104280	lb MAN WT	47301	Kg
Stored Tare :	34860	lb MAN WT	15812	Kg
Net :	69420	lb	31488	Kg
Qty :	34.71	TN	31.49	TM
Loads :	1			
Acc. Qty :	34.71	TN	31.46	TM

DOLLAR GENERAL
2
65

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: _____

*NOTE: US scales weighed in lb/CA scales weighed in Kg

Plant : 30049
Ticket : 195578
Net : 34.71 TN
Truck : ING28
Tare : 34860 lb

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 195752
05/16/2011
8:20

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote : 570530
VARIOUS LOCALES IN WNY
Delv Ins 1 : 2011 WNY VARIOUS
Delv Ins 1 :
Cust Job # :
P.O. # : 5-306
Order # : Delivery N

Truck : ING28 License : 37937TR
Zone Id : M31 Max GVW : 107000 lb
Hired Id : OWN CUSTOMER OWNED

Product : AG7434 ROUND 1

	Imperial		Metric	
Gross :	106720	lb MAN WT	48406	kg
Stored Tare :	34860	lb MAN WT	15812	kg
Net :	71860	lb	32595	kg
Qty :	35.93	TN	32.60	TM
Loads :	1			
Acc. Qty :	35.93	TN	32.59	TM

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: _____

*NOTE: US scales weighed in lb/CA scales weighed in kg

Plant : 30049
Ticket : 195752
Net : 35.93 TN
Truck : ING28
Tare : 34860 lb

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 198877 07/20/2011 8:56

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote : 557476
VARIOUS LOCALES IN WNY
Delv Ins 1 : 1055 GENESEE STREET
Delv Ins 1 :
Cust Job # :
P.O. # : 5-30G
Order # : 841 Delivery N

Truck : HUB382 License : 12178PC
Zone Id : E47 Max GVW : 107000 lb
Hired Id : HUB HUBER & HUBER

Product : AG1469 CRUSHED 1

	Imperial		Metric	
Gross :	105680	lb MAN WT	47936	kg
Stored Tare :	33380	lb MAN WT	15141	kg
Net :	72300	lb	32795	kg
Qty :	36.15	TN	32.80	TM
Loads :	2			
Acc. Qty :	71.68	TN	65.01	TM

DOLLAR GEN
65
2

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: _____

*NOTE: US scales weighed in lb/CA scales weighed in kg

Plant : 30049
Ticket : 198877
Net : 36.15 TN
Truck : HUB382
Tare : 33380 lb

Lafarge
30049

FREEDOM AGGREGATE PLANT
10432 DELEVAN-ELTON ROAD

716-353-4633
716-505-5354

Ticket : 198876 07/20/2011 8:54

Customer : 3288784 INGALLS SITE DEVELOPMENT INC
Quote : 557476
VARIOUS LOCALES IN WNY
Delv Ins 1 : 1055 GENESEE STREET
Delv Ins 1 :
Cust Job # :
P.O. # : 5-30G
Order # : Delivery N

Truck : HUB378 License : 49382PA
Zone Id : E47 Max GVW : 107000 lb
Hired Id : HUB HUBER & HUBER

Product : AG1469 CRUSHED 1

	Imperial		Metric	
Gross :	104700	lb MAN WT	47491	kg
Stored Tare :	33640	lb MAN WT	15259	kg
Net :	71060	lb	32232	kg
Qty :	35.53	TN	32.23	TM
Loads :	1			
Acc. Qty :	35.53	TN	32.23	TM

DOLLAR GEN
65
2

Weighmaster : KTINGUE
Received and
Accepted Material _____ Driver: DJHJR

*NOTE: US scales weighed in lb/CA scales weighed in kg

Plant : 30049
Ticket : 198876
Net : 35.53 TN
Truck : HUB378
Tare : 33640 lb

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200621	0101A0081572	1	A	04/25/2011	09:53 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
222 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75932AC	3	0075932AC		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
71,440		GROSS	2,500.00				
25,780		TARE	TODAY 22.84	LOADS 1	HAUL		
45,660		NET	TO DATE 22.84	LOADS 1	ADD'L CHARGES		
22.84		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING TIME NEEDS. 23-0101A0081572

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEIRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104230621	0101A0911693	1	A	04/25/2011	11:02 AM

SOLD TO
TINGLES SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	007593946	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,520		GROSS	4,500.00				
25,780		TARE	TODAY 46.21	LOADS 2	HAUL		
46,740		NET	TO DATE 46.21	LOADS 2	ADD'L CHARGES		
23.37		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR TIMBERING LINE NEEDS. 23-0101A0911693

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
13042#0021	#101A#81759	1	A	04/26/2013	07:42 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER #19539
PHONE 716-675-7931
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	#75939AC		#

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,609		GROSS	2,500.00				
25,780		TARE	TODAY 23.91	LOADS 1	HAUL		
47,820		NET	TO DATE 79.12	LOADS 3	ADD'L CHARGES		
23.91		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J PARKER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 23 #101A#81759

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0081777	1	A	04/26/2011	09:10 AM

SOLD TO TINSALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1955 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
UL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	0075939AC	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 73,280	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 47.66	LOADS 2	HAUL		
47,500			NET	TO DATE 93.87	LOADS 4	ADD'L CHARGES		
23.75			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 23-0101A0081777

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 NEHRLE QUARRY Phone: 716-366-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0181819	1	A	04/26/2011	10:14 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019339
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FL
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	0075939AC	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,660		GROSS	2,500.00				
25,780		TARE	TODAY 71.10	LOADS 3	HAUL		
46,880		NET	TO DATE 117.31	LOADS 5	ADD'L CHARGES		
23.44		IN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING TIME NEEDS. 23-0101A0181819

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1109200021	0102A052606	1	A	09/26/2011	11:25 AM

SOLD TO ENGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
CT - 502	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593YAL	3	00121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
71,950		GROSS	2,500.60				
25,780		TARE	TODAY 94.19	LOADS 4	HAUL		
46,180		NET	TO DATE 140.40	LOADS 6	ADD'L CHARGES		
23.09		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 25-0102A052606

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 HEINLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
11042000021	01016A01889	1	M	04/26/2011	01:60 PM

SOLD TO
INGALLS SITE DEVELOPMENT C
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7851
PO

SHIP TO ~~DOLLAR GENERAL~~ M. Martin
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,200		GROSS	2,500.00				
25,780		TARE	TODAY 117.40	LOADS 5	HAUL		
46,420		NET	TO DATE 163.61	LOADS 7	ADD'L CHARGES		
23.21		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

5 m.v. 20 stone

PLEASE CONTACT US FOR YOUR "SPRING TIME NEEDS. 23-01016A01889

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MEHRLE QUARRY Phone: 716-566-9675

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102403528822	2	A	04/28/2011	07:42 AM

SOLD TO INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012532
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
104,500		GROSS	2,500.00				
34,840		TARE	TODAY 34.03	LOADS 1	HAUL		
69,660		NET	TO DATE 198.44	LOADS 8	ADD'L CHARGES		
34.83		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 1401Q

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR SPRING TIME NEEDS. 25-0102403528822

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A032992	2	A	04/29/2011	09:10 AM

SOLD TO INGALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 013539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1033 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FF 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1033 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75937MC	3	00121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
67,630		GROSS	2,500.00				
25,780		TARE	TODAY 21.44	LOADS 1	HAUL		
42,800		NET	TO DATE 219.88	LOADS 9	ADD'L CHARGES		
21.44		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS." 25-0102A032992

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420021	0102A033005	2	A	04/29/2011	10:14 AM

SOLD TO INGALLS SITE DEVELOPMENT C
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019552
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
2 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593VAC	5	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
70,960		GROSS	2,500.00				
25,780		TARE	TODAY 44.13	LOADS 2	HAUL		
45,380		NET	TO DATE 242.57	LOADS 10	ADD'L CHARGES		
22.69		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FUSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR
GENERAL

2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 25-0102A033005

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9433

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0102A033025	2	A	04/29/2011	11:28 AM

SOLD TO ENGALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
CA-3502	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
COUNTY: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593PHC	5	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 49,180		METRIC WEIGHT	GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 69.33	LOADS 3	HAUL		
48,400			NET	TO DATE 266.77	LOADS 11	ADD'L CHARGES		
24.20			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S. ROSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
33
2

PLEASE CONTACT US FOR YOUR "SPRING TIME NEEDS. 23-0102A033025

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MERRILL QUARRY Phone: 716-566-9685

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1004200021	0102A033049	2	A	04/29/2011	12:52 PM

SOLD TO: INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO: DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
2 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS: County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593YAL	3	00127	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
70,960		GROSS	2,500.00				
25,780		TARE	TODAY 90.72	LOADS 4	HAUL		
45,180		NET	TO DATE 289.36	LOADS 12	ADD'L CHARGES		
22.59		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY: MARK S FOSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 25-0102A033049

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-2653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0191A0832650	1	A	04/29/2011	01:53 PM

SOLD TO
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00T21	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
70,700		GROSS	2,300.00				
25,780		TARE	TODAY 115.38	LOADS 5	HAUL		
44,920		NET	TO DATE 511.62	LOADS 15	ADD'L CHARGES		
22.46		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS. 23-0191A0832650

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110426000021	0101A0082686	1	A	04/27/2011	02:52 PM

SOLD TO
INGALLS SITE DEVELOPMENT (
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 3002	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
75,800		GROSS	2,500.00				
25,780		TARE	TODAY 137.39	LOADS 6	HAUL		
48,020		NET	TO DATE 335.83	LOADS 14	ADD'L CHARGES		
24.01		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

PLEASE CONTACT US FOR YOUR "SPRING LIME NEEDS." 23-0101A0082686

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-7633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0082882	1	A	05/02/2011	07:47 AM

SOLD TO: INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019532
PHONE 716-675-7051
PO

SHIP TO: DOLLAR GENERAL
1055 GENESEE STREET, NEAR PI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128		9

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,580		GROSS	2,500.00				
34,840		TARE	TODAY 35.37	LOADS 1	HAUL		
70,740		NET	TO DATE 371.20	LOADS 15	ADD'L CHARGES		
35.37		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY: FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101A0082882

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L104200021	0102003S119	2	M	05/02/2011	09:06 AM

SOLD TO ENGALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 103,840		METRIC WEIGHT	GROSS	ORDERED 2,500.00		MATERIAL		
34,840			TARE	TODAY 49.87	LOADS 2	HAUL		
49,000			NET	TO DATE 405.70	LOADS 16	ADD'L CHARGES		
54.50			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FORE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
33

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102003S119

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0853514	2	A	05/03/2011	12:05 PM

SOLD TO INSALLS SITE DEVELOPMENT 1 297 MEYER ROAD WEST SENECA, NY 14224	CUSTOMER 019532 PHONE 716-675-7051 PO
SHIP TO DOLLAR GENERAL 1055 GENESEE STREET, NEAR FL BUFFALO, NY	QUOTE STATE ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593960	3	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
74,860		GROSS	2,500.00				
25,780		TARE	TODAY 24.54	LOADS 1	HAUL		
49,080		NET	TO DATE 430.24	LOADS 17	ADD'L CHARGES		
24.54		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
33

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25 0101A0853514

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A083797	1	A	05/05/2011	10:48 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1 - 3/2	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593960	3	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
69,320		GROSS	2,500.00				
25,780		TARE	TODAY 21.77	LOADS 1	HAUL		
43,540		NET	TO DATE 452.01	LOADS 18	ADD'L CHARGES		
21.77		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140976

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101A083797

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110430000021	0191A0835225	1	M	05/09/2011	05:36 PM

SOLD TO
INGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1.1 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	0612	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,200		GROSS	2,500.00				
25,780		TARE	TODAY 44.98	LOADS 2	HAUL		
46,420		NET	TO DATE 475.22	LOADS 19	ADD'L CHARGES		
23.21		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140976

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0191A0835225

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
LL0420@021	@101A@83961	1	A	05/06/2011	07:18 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER @19589
PHONE 716-675-7951
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL -- 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
73939AC	3	@@121		9

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
68,800		GROSS	2,500.00				
25,760		TARE	TODAY 21.55	LOADS 1	HAUL		
43,040		NET	TO DATE 496.72	LOADS 20	ADD'L CHARGES		
21.55		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER I@@76

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 23-@101A@83961

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110426002	0101A083995	1	A	05/06/2011	08:25 AM

SOLD TO UGALLS STR DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
25939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						DILLABLE		
US WEIGHT 74,480	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,740			TARE	TODAY 45.90	LOADS 2	HAUL		
48,740			NET	TO DATE 521.12	LOADS 21	ADD'L CHARGES		
24.35			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140676 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 23-0101A083995

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0884934	1	A	05/06/2011	09:41 AM

SOLD TO
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 013559
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,760		GROSS	2,500.00				
25,780		TARE	TODAY 69.89	LOADS 3	HAUL		
47,980		NET	TO DATE 545.13	LOADS 22	ADD'L CHARGES		
23.99		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140776

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0884934

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9658

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L1042000021	01QLA0834057	1	A	05/06/2011	10:34 AM

SOLD TO INGALLS SITE DEVELOPMENT I
227 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75935960	3	00121	N/A	9

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,220		GROSS	2,500.00				
25,780		TARE	TODAY 93.41	LOADS 4	HAUL		
47,440		NET	TO DATE 568.83	LOADS 23	ADD'L CHARGES		
23.72		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140976 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01QLA0834057

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0834085	1	A	05/04/2011	11:30 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 01959
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FL
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST.
JOB:
ITEM:

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
759.59AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,140	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 116.79	LOADS 5	HAUL		
46,360			NET	TO DATE 592.01	LOADS 24	ADD'L CHARGES		
23.18			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 14004
TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE
JOB ARRIVAL TIME
JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0834085

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MERRILL QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A033772	2	A	05/06/2011	12:43 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FT - 302	2" CRUSHED RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	00123	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED				
70,060		GROSS	2,500.00		MATERIAL		
25,780		TARE	TODAY 138.98	LOADS 6	HAUL		
44,280		NET	TO DATE 614.13	LOADS 25	ADD'L CHARGES		
22.14		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S ROSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A033772

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200621	0101600841142	1	A	05/06/2011	01:52 PM

SOLD TO ENGELS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FJ
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
25939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,080	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 162.08	LOADS 7	HAUL		
46,300			NET	TO DATE 657.30	LOADS 26	ADD'L CHARGES		
23.15			IN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101600841142

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-366-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1100426000221	610160084173	1	A	05/06/2011	05:04 PM

SOLD TO ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD ,
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,240		GROSS	2,500.00				
25,780		TARE	TODAY 185.31	LOADS 8	HAUL		
46,460		NET	TO DATE 669.53	LOADS 27	ADD'L CHARGES		
23.23		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 48076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-610160084173

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 SEARLE QUARRY Phone: 716-366-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200621	01810384257	1	A	05/09/2011	08:09 AM

SOLD TO INGALLS SITE DEVELOPMENT I
227 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LI - 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	4	00128		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,360		GROSS	2,500.00				
54,840		TARE	TODAY 55.27	LOADS 1	HAUL		
50,520		NET	TO DATE 495.80	LOADS 20	ADD'L CHARGES		
55.27		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140776 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-01810384257

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002L	0102A033854	2	A	05/09/2011	09:27 AM

SOLD TO: TNGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO: DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FI - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS: County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	4	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 105,820	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
34,840			TARE	TODAY 70.66	LOADS 2	HAUL		
70,780			NET	TO DATE 751.19	LOADS 29	ADD'L CHARGES		
35.39			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY: MARK S FOSE 14107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A033854

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 NEHRLE QUARRY Phone: 716-566-2633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104260021	010100834298	1	A	05/09/2011	10:30 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7851
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,560		GROSS	2,500.00				
34,840		TARE	TODAY 106.02	LOADS 3	HAUL		
70,720		NET	TO DATE 166.55	LOADS 30	ADD'L CHARGES		
35.36		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 146074 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-010100834298

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L10420002L	0102A033891	2	A	05/09/2013	11:45 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FT - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,860		GROSS	2,500.00				
54,840		TARE	TODAY 141.03	LOADS 4	HAUL		
70,020		NET	TO DATE 901.56	LOADS 31	ADD'L CHARGES		
35.01		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A033891

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEBBLE QUARRY Phone: 716-366-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1160260021	0101A0084372	1	A	05/09/2011	01:19 PM

SOLD TO ENGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 912539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1005 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1005 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00028	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
103,860		GROSS	2,500.00				
54,840		TARE	TODAY 175.54	LOADS 5	HAUL		
49,020		NET	TO DATE 836.07	LOADS 32	ADD'L CHARGES		
54.51		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140026 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 25-0101A0084372

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 NEBBLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0824402	1	A	05/09/2011	02:25 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 0125539
PHONE 716-625-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
104,740		GROSS	2,500.00				
54,840		TARE	TODAY 210.49	LOADS 6	HAUL		
49,900		NET	TO DATE 871.02	LOADS 53	ADD'L CHARGES		
54.95		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140976 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101A0824402

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-864-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1194206824	0101A0834428	1	A	05/09/2011	05:54 PM

SOLD TO INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 013539
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1955 GENESEE STREET, NEAR PT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 357	2" CRUSHED RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	99120	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
107,280		GROSS	2,560.00				
34,840		TARE	TODAY 246.96	LOADS 7	HAUL		
72,440		NET	TO DATE 997.49	LOADS 34	ADD'L CHARGES		
56.47		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 14007A

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
20

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23 0101A0834428

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MERRILL QUARRY Phone: 716-366-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1166426691	0101A0805.0	1	A	05/10/2011	10:48 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7811
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR P.I.
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	00121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,840		GROSS	2,560.00				
25,780		TARE	TODAY 23.53	LOADS 1	HAUL		
47,060		NET	TO DATE 931.02	LOADS 35	ADD'L CHARGES		
23.53		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J PARKER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
2
65

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-810A0005569

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200821	01Ø1A0806949	1	A	05/20/2011	08:55 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER Ø39539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 3Ø2	2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST.
JOB:
ITEM:

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	ØØI21		Ø

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED			
72,52Ø		GROSS	2,56Ø.ØØ		MATERIAL	
25,78Ø		TARE	TODAY 23.37	LOADS 1	HAUL	
46,74Ø		NET	TO DATE 954.39	LOADS 36	ADD'L CHARGES	
23.37		TN	ACCUMULATED CASH SALE		TAX	

WEIGHED BY: FRANKLIN J FARMER 148Ø76
TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE
JOB ARRIVAL TIME
JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01Ø1A0806949

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A086994	1	A	05/20/2011	10:09 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 392	2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST. | JOB | ITEM

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 71,080	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 46.02	LOADS 2	HAUL		
45,300			NET	TO DATE 272.04	LOADS 37	ADD'L CHARGES		
22.65			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 146076 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101A086994

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 DERBLE QUARRY Phone: 716-566-2638

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1194200021	0101A0827198	1	A	05/23/2011	07:44 AM

SOLD TO INGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1655 GENESEE STREET, NEAR FE
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 3G2	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1655 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	5	09121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 71,560	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 22.89	LOADS 1	HAUL		
45,780			NET	TO DATE 999.93	LOADS 58	ADD'L CHARGES		
22.89			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

33

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-0101A0827198

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200621	0101A0087229	1	A	05/23/2011	09:55 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019589
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
CL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	0121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,420		GROSS	2,500.00				
25,780		TARE	TODAY 46.21	LOADS 2	HAUL		
46,640		NET	TO DATE 1,023.25	LOADS 39	ADD'L CHARGES		
23.32		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

33

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-0101A0087229

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0872559	1	A	05/23/2011	10:00 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
71,580		GROSS	2,500.00				
25,780		TARE	TODAY 69.11	LOADS 3	HAUL		
45,800		NET	TO DATE 1,946.15	LOADS 40	ADD'L CHARGES		
22.90		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

33

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0872559

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0102A035505	2	A	05/23/2011	02:12 PM

SOLD TO ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FT - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593VAC	3	0012I	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,520		GROSS	2,500.00				
25,780		TARE	TODAY 92.98	LOADS 4	HAUL		
47,740		NET	TO DATE 1,070.02	LOADS 41	ADD'L CHARGES		
23.07		IN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

33

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A035505

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 DEHRLE QUARRY Phone: 716-566-9638

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420000021	01016087591	1	A	05/23/2011	03:05 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 015532
PHONE 716 675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7S939AC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED				
71,860		GROSS	2,500.00		MATERIAL		
25,700		TARE	TODAY 116.02	LOADS 5	HAUL		
46,080		NET	TO DATE 1,993.06	LOADS 42	ADD'L CHARGES		
23.04		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140026

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

33

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-01016087591

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 GENESEE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1164260021	01016087479	1	A	05/24/2011	09:18 AM

SOLD TO ENGALLS SITE DEVELOPMENT I
292 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7951
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1 - 392	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00T21	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 71,340	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 22.78	LOADS 1	HAUL		
45,560			NET	TO DATE 1,115.84	LOADS 43	ADD'L CHARGES		
22.78			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01016087479

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 BEHRLE QUARRY Phone: 716-366-2655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1194200021	0101A0975001	1	A	05/24/2011	10:27 AM

SOLD TO JASALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,160		GROSS	2,500.00				
25,780		TARE	TODAY 45.97	LOADS 2	HAUL		
44,380		NET	TO DATE 1,139.03	LOADS 44	ADD'L CHARGES		
23.19		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0975001

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104286621	01616852244	1	M	05/05/2011	8:53 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1955 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,500	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 23.36	LOADS 1	HAUL		
46,720			NET	TO DATE 1,162.39	LOADS 49	ADD'L CHARGES		
23.36			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 146676

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01014007646

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9433

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0102A035655	2	M	05/25/2011	08:56 AM

SOLD TO ENGELS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019532
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FR
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LT 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7595YAL	5	0012I	N/A	O

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,780	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 46.86	LOADS 2	HAUL		
47,000			NET	TO DATE 1,185.89	LOADS 48	ADD'L CHARGES		
23.50			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A035655

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MEDINA QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002L	0102A035666	1	A	05/25/2011	10:12 AM

SOLD TO INGALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FI 502	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593YAC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 73,740	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 20.84	LOADS 3	HAUL		
47,960			NET	TO DATE 1,209.87	LOADS 47	ADD'L CHARGES		
23.98			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARC S FUSE 14:07 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 25-0102A035666

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1164200621	01016A087754	1	A	05/25/2011	11:00 AM

SOLD TO
INGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7851
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593966	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 73,380	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 24.64	LOADS 4	HAUL		
47,600			NET	TO DATE 1,253.67	LOADS 48	ADD'L CHARGES		
23.80			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X (SIGN)

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01016A087754

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-366-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1184206623	0161A0827796	1	A	05/25/2013	12:28 PM

SOLD TO
ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7052
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7592396C	3	0021	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,940	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 118.22	LOADS 5	HAUL		
47,160			NET	TO DATE 1,257.25	LOADS 42	ADD'L CHARGES		
23.58			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
KENNETH J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0161A0827796

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200821	0101A0807861	1	A	05/25/2011	02:47 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 73,760	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 142.21	LOADS 6	HAUL		
47,980			NET	TO DATE 1,281.24	LOADS 59	ADD'L CHARGES		
23.99			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140026

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-0101A0807861

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1164200021	0161A0087885	1	A	05/25/2011	05:50 PM

SOLD TO INGALLS SITE DEVELOPMENT 1
227 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 0195.39
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1L - 3502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT	METRIC WEIGHT		GROSS	ORDERED		MATERIAL		
73,260				2,500.00				
25,780			TARE	TODAY 145.95	LOADS 7	HAUL		
47,480			NET	TO DATE 1,501.98	LOADS 51	ADD'L CHARGES		
23.74			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 145076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL

20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-0161A0087885

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A035737	2	A	05/26/2011	07:38 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
[illegible] 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	5	0012I		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,780		GROSS	2,500.00				
25,780		TARE	TODAY 24.00	LOADS 1	HAUL		
48,000		NET	TO DATE 1,528.98	LOADS 52	ADD'L CHARGES		
24.00		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSL 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X [signature]

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A035737

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WENRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200921	01016887959	1	A	05/26/2011	08:65 AM

SOLD TO
INGALLS SITE DEVELOPMENT (
292 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FL - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 102,660	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
54,040			TARE	TODAY 57.91	LOADS 2	HAUL		
47,820			NET	TO DATE 1,362.89	LOADS 53	ADD'L CHARGES		
33.91			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-01016887959

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L104200021	0102A055759	2	A	05/26/2011	08:50 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID: FT - 502
PRODUCT DESCRIPTION: 2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST.
JOB:
ITEM:

JOB REQUIRED NUMBERS: County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593YNC	3	00121	N/A	O

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 73,240	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 81.64	LOADS 3	HAUL		
47,460			NET	TO DATE 1,386.62	LOADS 54	ADD'L CHARGES		
23.73			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY: MARK S FOSE 14010Z
TOTAL THIS LOAD

INSPECTOR'S SIGNATURE
JOB ARRIVAL TIME
JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A055759

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110426006?1	0161A0BR0009	1	A	05/24/2011	09:43 AM

SOLD TO
ENGALLS SITE DEVELOPMENT C
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
13 -- 3?2	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00123	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,420		GROSS	2,500.00				
34,840		TARE	TODAY 116.93	LOADS 4	HAUL		
70,580		NET	TO DATE 1,421.91	LOADS 55	ADD'L CHARGES		
35.29		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0161A0BR0009

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1444208621	0161A0008016	1	A	05/04/2023	10:00 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019039
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
759759AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,880	METRIC WEIGHT		GROSS	ORDERED 2,580.00		MATERIAL		
25,780			TARE	TODAY 140.40	LOADS 5	HAUL		
47,100			NET	TO DATE 1,445.46	LOADS 56	ADD'L CHARGES		
23.55			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0008016

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A035803	2	A	05/26/2011	11:07 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019332
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FT 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75935ML	3	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
73,140		GROSS	2,500.00				
25,780		TARE	TODAY 164.16	LOADS 8	HAUL		
47,360		NET	TO DATE 1,469.14	LOADS 57	ADD'L CHARGES		
23.68		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S ROSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A035803

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104288621	01616088049	1	A	05/24/2011	11:13 AM

SOLD TO
INGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7951
PO

SHIP TO
DOLLAR GENERAL
1955 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00120	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 106,140	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
54,840			TARE	TODAY 199.81	LOADS 7	HAUL		
71,300			NET	TO DATE 1,564.72	LOADS 58	ADD'L CHARGES		
35.65			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 146926

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-01616088049

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110426002	0101A008073	1	A	05/26/2011	12:11 PM

SOLD TO
INGALLS SITE DEVELOPMENT L
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LI - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 74,340	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 224.09	LOADS 8	HAUL		
48,560			NET	TO DATE 1,529.07	LOADS 59	ADD'L CHARGES		
24.28			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 23-0101A008073

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1168366631	61616A000074	1	A	05/26/2016	12:16 PM

SOLD TO
ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1655 GENESEE STREET, NEAR FD
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1655 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT	METRIC WEIGHT		GROSS	ORDERED		MATERIAL		
108,180				2,500.00				
34,840			TARE	TODAY 269.76	LOADS 9	HAUL		
73,340			NET	TO DATE 1,565.74	LOADS 60	ADD'L CHARGES		
36.67			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 149076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-61616A000074

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002L	81016008101	1	A	05/26/2011	01:00 PM

SOLD TO ENGALLS SITE DEVELOPMENT C
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7951
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
759596AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 79,960	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 283.35	LOADS 10	HAUL		
45,180			NET	TO DATE 1,398.35	LOADS 61	ADD'L CHARGES		
22.59			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR
GEN

20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-01016008101

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110428000221	01010000311 0	1	A	05/26/2011	01:26 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1955 GENESEE STREET, NEAR FS
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 3002	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED				
102,180		GROSS	2,500.00		MATERIAL		
34,840		TARE	TODAY 317.02	LOADS 11	HAUL		
67,340		NET	TO DATE 1,623.00	LOADS 62	ADD'L CHARGES		
33.67		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar Gen

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-01010000311 0

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WHITE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L104200021	0102A0355844	2	A	05/26/2011	02:05 PM

SOLD TO ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FT - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7529MC	5	0012E	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						CHARGE		
US WEIGHT 25,500	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,760			TARE	TODAY 540.78	LOADS 12	HAUL		
47,520			NET	TO DATE 1,645.76	LOADS 63	ADD'L CHARGES		
25.76			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S HOSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A0355844

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104260021	0101A0080136	1	A	05/24/2011	02:54 PM

SOLD TO
ENGELLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
JJ - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,240		GROSS	2,500.00				
34,840		TARE	TODAY 375.98	LOADS 13	HAUL		
70,400		NET	TO DATE 1,680.96	LOADS 64	ADD'L CHARGES		
35.20		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0080136

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A035864	2	A	05/26/2011	03:00 PM

SOLD TO INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019359
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FL
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
2	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County's PRIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593780	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 71,420	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 598.80	LOADS 14	HAUL		
45,640			NET	TO DATE 1,703.78	LOADS 65	ADD'L CHARGES		
22.82			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S ROSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE JOB ARRIVAL TIME JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar Gen

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A035864

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-2655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
11042000021	0101A0881726	1	A	05/26/2011	03:46 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,520		GROSS	2,500.00				
34,840		TARE	TODAY 434.14	LOADS 15	HAUL		
70,680		NET	TO DATE 1,739.12	LOADS 66	ADD'L CHARGES		
35.34		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0101A0881726

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0083179	1	A	05/26/2011	04:00 PM

SOLD TO TRALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1955 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1955 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,240		GROSS	2,500.00				
25,780		TARE	TODAY 457.37	LOADS 16	HAUL		
46,460		NET	TO DATE 1,762.35	LOADS 67	ADD'L CHARGES		
25.25		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0101A0083179

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420000021	0161A0088233	1	A	05/27/2021	08:05 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 70,620	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 22.42	LOADS 1	HAUL		
44,840			NET	TO DATE 1,784.77	LOADS 68	ADD'L CHARGES		
22.42			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0161A0088233

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420000021	0101A0089278	1	A	05/27/2011	09:52 AM

SOLD TO ENGALLS STTE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7951
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
25939AC	3	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 69,420		METRIC WEIGHT	GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 44.24	LOADS 2	HAUL		
43,640			NET	TO DATE 1,806.59	LOADS 69	ADD'L CHARGES		
21.82			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23- 0101A0089278

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0101A0003II	1	A	05/27/2011	10:53 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019559
PHONE 716-675-7091
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,180	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 67.44	LOADS 3	HAUL		
46,400			NET	TO DATE 1,829.79	LOADS 79	ADD'L CHARGES		
23.20			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23 0101A0003II

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MERRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0102A035970	2	A	05/27/2011	12:19 PM

SOLD TO ENGELS SITE DEVELOPMENT (
227 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
2 502	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
COUNTY: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593786	5	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED			
47,380		GROSS	2,500.00	MATERIAL		
25,780		TARE	TODAY 21.13	LOADS 1	HAUL	
47,380		NET	TO DATE 1,853.48	LOADS 71	ADD'L CHARGES	
23.69		TN	ACCUMULATED CASH SALE		TAX	

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE JOB ARRIVAL TIME JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A035970

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 VEHICLE QUARRY Phone: 716-566-9655

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420021	0101A008371	1	A	05/27/2011	01:18 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 -- 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75959AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
74,660		GROSS	2,500.00				
25,780		TARE	TODAY 115.54	LOADS 5	HAUL		
48,820		NET	TO DATE 1,877.89	LOADS 73	ADD'L CHARGES		
24.41		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar Gen
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25 0101A008371

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
LT04200021	0102A035992	2	A	05/27/2011	02:16 PM

SOLD TO UNGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 017559
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LT - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS County: Erie Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593MC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 25,800	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 38.60	LOADS 2	HAUL		
46,520			NET	TO DATE 1,901.15	LOADS 75	ADD'L CHARGES		
23.24			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A035992

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
L104200021	0102A056005	1	A	05/27/2011	03:12 PM

SOLD TO INGALLS SITE DEVELOPMENT ?
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019589
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FC
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LT 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7593YMC	3	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ACCUMULATIVE QUANTITIES			
73,100		GROSS	ORDERED 2,500.00		MATERIAL	
25,780		TARE	TODAY 62.46	LOADS 2	HAUL	
47,320		NET	TO DATE 1,924.81	LOADS 74	ADD'L CHARGES	
25.66		TN	ACCUMULATED CASH SALE		TAX	

WEIGHED BY MARK S ROSE 14017 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A056005

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0101A0B8440	1	A	05/31/2011	02:39 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1I - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00I21		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT	METRIC WEIGHT		GROSS	ORDERED		MATERIAL		
73,520				2,500.00				
25,780			TARE	TODAY	LOADS	HAUL		
				23.87	1			
47,740			NET	TO DATE	LOADS	ADD'L CHARGES		
				1,940.48	75			
23.87			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

23-0101A0B8440

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 MEYER QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A036015	2	A	05/31/2011	08:50 AM

SOLD TO UNGALLS SITE DEVELOPMENT 1
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LL - 582	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County#: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75935NC	5	0012	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
73,540		GROSS	ORDERED 2,500.00		MATERIAL		
25,780		TARE	TODAY 47.75	LOADS 2	HAUL		
47,760		NET	TO DATE 1,972.56	LOADS 76	ADD'L CHARGES		
23.88		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S ROSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE JOB ARRIVAL TIME JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A036015

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110429#021	0101A0BB463	1	0	05/31/2011	09:45 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
FL - 392	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,880	METRIC WEIGHT		GROSS	ORDERED 2,300.00		MATERIAL		
25,780			TARE	TODAY 71.30	LOADS 3	HAUL		
47,100			NET	TO DATE 1,996.11	LOADS 77	ADD'L CHARGES		
23.55			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23 0101A0BB463

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A0B8478	1	A	05/31/2011	10:43 AM

SOLD TO INSALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-673-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	0010	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD: BILLABLE		
XX								
US WEIGHT 71,560		METRIC WEIGHT	GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 94.19	LOADS 4	HAUL		
45,780			NET	TO DATE 2,019.00	LOADS 78	ADD'L CHARGES		
22.89			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140074 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU! 23-0101A0B8478

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 GERKLE QUARRY Phone: 716-565-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420000021	0101A0880495	1	A	05/31/2011	11:54 AM

SOLD TO INGALLS SITE DEVELOPMENT I
227 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-825-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1J - 3502	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7595QAC	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,740		GROSS	2,500.00				
25,780		TARE	TODAY 117.67	LOADS 5	HAUL		
46,960		NET	TO DATE 2,042.40	LOADS 79	ADD'L CHARGES		
23.48		IN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

23-0101A0880495

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MENKLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002I	0102A036056	2	A	05/31/2011	12:55 PM

SOLD TO INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR PI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
PT 362	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS County's Circle: Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75935NL	5	0012I	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
X						BILLABLE		
US WEIGHT 51,750	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 141.76	LOADS 6	HAUL		
48,180			NET	TO DATE 2,066.57	LOADS 80	ADD'L CHARGES		
24.09			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN

20

2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23 0102A036056

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9639

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
LI04200021	0102A036048	2	A	05/31/2011	01:54 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
LI 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7393778C	5	0012L	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 25,700	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,700			TARE	TODAY 164.31	LOADS 7	HAUL		
45,100			NET	TO DATE 2,089.12	LOADS 81	ADD'L CHARGES		
22.55			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FUSE 140107 TOTAL THIS LOAD

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 25-0102A036048

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 25 WEHRLE QUARRY Phone: 716-566-9636

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	01010008554	1	A	05/31/2011	02:51 PM

SOLD TO: INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO: DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 392	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
75939AC	3	00T21	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 71,780	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
23,780			TARE	TODAY 187.31	LOADS 8	HAUL		
46,000			NET	TO DATE 2,112.12	LOADS 82	ADD'L CHARGES		
25.00			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU.

25-01010008554

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A056063	2	A	05/31/2011	05:51 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1" - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
7595/NL	5	00121	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,080	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,780			TARE	TODAY 210.46	LOADS 7	HAUL		
46,300			NET	TO DATE 2,135.27	LOADS 83	ADD'L CHARGES		
23.15			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S ROSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GEN
20
2

THANKS FOR THE OPPORTUNITY TO SERVE YOU. 23-0102A056063

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104286821	0101A0924677	1	A	02/26/2011	02:35 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7631
PO

SHIP TO DOLLAR GENERAL
1655 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1655 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	3	PT013	PARISO TRUCKING	106

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 70,030	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
26,000			TARE	TODAY 22.04	LOADS 1	HAUL		
44,030			NET	TO DATE 2,173.79	LOADS 86	ADD'L CHARGES		
22.04			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar General
65
2

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A0924677

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002J	0101A094713	1	A	07/26/2011	08:38 AM

SOLD TO
INSALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7551
PO

SHIP TO
DOLLAR GENERAL
1655 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1655 GENESEE ST.		

JOB REQUIRED NUMBERS
Countys ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
47650MB	5	00PL13	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 70,580	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
26,000			TARE	TODAY 44.33	LOADS 2	HAUL		
44,580			NET	TO DATE 2,196.68	LOADS 87	ADD'L CHARGES		
22.29			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140976

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Dollar Gen
65
2

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A094713

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9653

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
116420686321	01016894737	1	A	07/08/2024	09:35 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 012559
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
47650MB	3	00PL113	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
71,820		GROSS	2,500.00				
26,000		TARE	TODAY 67.24	LOADS 3	HAUL		
45,820		NET	TO DATE 2,218.99	LOADS 80	ADD'L CHARGES		
22.91		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140976

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
C5
2

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23 01016894737

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9635

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A096001	1	A	07/29/2011	06:51 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	4	FT206	PARISO TRUCKING	186

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
72,440		GROSS	2,500.00				
31,220		TARE	TODAY 20.61	LOADS 1	HAUL		
41,220		NET	TO DATE 2,262.70	LOADS 90	ADD'L CHARGES		
20.61		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A096001

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420021	0101A096022	1	A	07/29/2011	08:16 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FL
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts Contracts

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	4	PT206	PARISO TRUCKING	186

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72.160	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
51.220			TARE	TODAY 41.08	LOADS 2	HAUL		
20.940			NET	TO DATE 2,283.17	LOADS 91	ADD'L CHARGES		
20.47			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A096022

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 METALC QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104260021	0101A0960089	1	A	07/29/2011	10:48 AM

SOLD TO ENGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL,
1035 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 502	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1035 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
37894PA	3	PT208	PARISO TRUCKING	104

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 70,680	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,640			TARE	TODAY 63.60	LOADS 3	HAUL		
45,040			NET	TO DATE 2,305.69	LOADS 92	ADD'L CHARGES		
22.52			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 140076 TOTAL THIS LOAD ▶ /

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X Mike Ferrone

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A0960089

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A096736	1	M	08/03/2011	11:54 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7651
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE Districts: Contracts:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
N/A	6	00128		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES	PAYMENT METHOD
XX					BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
105,000		GROSS	2,500.00				
34,840		TARE	TODAY 35.00	LOADS 1	HAUL		
70,160		NET	TO DATE 2,340.77	LOADS 93	ADD'L CHARGES		
35.08		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DOLLAR GENERAL
20
2

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A096736

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0101A097552	1	A	08/09/2011	09:00 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 -- 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	3	00PL112		0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
69,460		GROSS	2,500.00				
25,600		TARE	TODAY 22.03	LOADS 1	HAUL		
44,060		NET	TO DATE 2,362.80	LOADS 94	ADD'L CHARGES		
22.03		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0101A097552

CUSTOMER

approaches permitting
ries in the event such
liability for damage to

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1164260621	01010097584	1	0	08/09/2011	10:08 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST.
JOB:
ITEM:

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	3	00PL112	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT
XX		

US WEIGHT	METRIC WEIGHT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD: BILLABLE		
71,500		GROSS	ORDERED 2,500.00		MATERIAL		
25,600		TARE	TODAY 44.98	LOADS 2	HAUL		
45,900		NET	TO DATE 2,385.75	LOADS 95	ADD'L CHARGES		
22.95		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY: FRANKLIN J FARMER 140076
TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE
JOB ARRIVAL TIME
JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X Cliff Kennedy

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-01010097584

CUSTOMER

approaches permitting
ies in the event such
ability for damage to

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 MEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1104200021	0102A040472	2	A	08/09/2011	11:22 AM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 302	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	3	00PLI12	N/A	0

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 87,620	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
25,600			TARE	TODAY 65.99	LOADS 3	HAUL		
42,020			NET	TO DATE 2,406.76	LOADS 96	ADD'L CHARGES		
21.01			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY MARK S FOSE 140107

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0102A040472

CUSTOMER

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
116426@@21	@1@1A@28453	1	A	08/15/2011	11:30 AM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER @19539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FI
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
11 - 3@2	2" CRUSHER RUN

JOB NAME / LOCATION: DOLLAR GENERAL 1055 GENESEE ST. — JOB — ITEM

JOB REQUIRED NUMBERS
County: ERIE District:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	4	PT2@6	PARISO TRUCKING	186

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						@ BILLABLE

US WEIGHT	METRIC WEIGHT		ORDERED		MATERIAL		
75,48@		GROSS	2,5@@,@@				
3@,72@		TARE	TODAY 22.48	LOADS 1	HAUL		
44,96@		NET	TO DATE 2,429.24	LOADS 97	ADD'L CHARGES		
22.48		TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY FRANKLIN J FARMER 14@@76 — TOTAL THIS LOAD

INSPECTOR'S SIGNATURE — JOB ARRIVAL TIME — JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DG
2@
Stone

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-@1@1A@28453

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110420002l	0102A040815	2	A	08/15/2011	12:33 PM

SOLD TO INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1" - 3/2	2" CRUSHER RUN

JOB NAME / LOCATION		JOB	ITEM
DOLLAR GENERAL	1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	4	PT206	PARISO TRUCKING	186

PICK UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD
XX						BILLABLE
US WEIGHT 74,000	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL
30,720			TARE	TODAY 44.12	LOADS 2	HAUL
43,280			NET	TO DATE 2,450.88	LOADS 98	ADD'L CHARGES
21.64			TN	ACCUMULATED CASH SALE		TAX

WEIGHED BY MARK S FOSE 140107 TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DG
20
Stone

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU. 23-0102A040815

OFFICE

BUFFALO CRUSHED STONE, INC.

Subsidiary of New Enterprise Stone & Lime Co., Inc.
2544 Clinton Street • P.O. Box 710
Buffalo, NY 14224
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT 23 WEHRLE QUARRY Phone: 716-566-9633

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
110426#021	0101A#98499	1	A	08/15/2011	01:37 PM

SOLD TO
INGALLS SITE DEVELOPMENT I
297 MEYER ROAD
WEST SENECA, NY 14224

CUSTOMER 019539
PHONE 716-675-7051
PO

SHIP TO
DOLLAR GENERAL
1055 GENESEE STREET, NEAR FT
BUFFALO, NY

QUOTE
STATE
ZONE

PRODUCT ID	PRODUCT DESCRIPTION
1L - 302	2" CRUSHER RUN

JOB NAME / LOCATION	JOB	ITEM
DOLLAR GENERAL 1055 GENESEE ST.		

JOB REQUIRED NUMBERS
County: ERIE District: Contract:

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
NA	4	FT206	PARISO TRUCKING	186

PICK-UP	FREIGHT PPD	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD		
XX						BILLABLE		
US WEIGHT 72,100	METRIC WEIGHT		GROSS	ORDERED 2,500.00		MATERIAL		
30,720			TARE	TODAY 64.81	LOADS 3	HAUL		
41,380			NET	TO DATE 2,471.57	LOADS 99	ADD'L CHARGES		
20.69			TN	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
FRANKLIN J FARMER 140076

TOTAL THIS LOAD ▶

INSPECTOR'S SIGNATURE	JOB ARRIVAL TIME	JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION
X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

DG
To
Stone

IT HAS BEEN A PLEASURE DOING BUSINESS WITH YOU! 23-0101A#98499

OFFICE

APPENDIX E

COMMUNITY AIR MONITORING PLAN DOCUMENTS

TurnKey Environmental Restoration, LLC

Community Air Monitoring Summary Report

1055 Genesee Street, Buffalo, New York

April 25 – May 18, 2011

Real Time Community Air Monitoring Work Performed:

Monitoring was completed on the following days:

- 4/25/11
- 4/27/11
- 4/29/11
- 5/12/11
- 5/13/11
- 5/18/11

Community Air Monitoring Program Results:

Daily logs for this monitoring period are attached. As indicated, all monitoring results conformed to the Community Air Monitoring perimeter particulate requirement (i.e., <100 ug/m^3) and the organic vapor requirement (i.e., <5 ppm), with no exceedances.

Notes/ Special Conditions:

- Air monitoring was not completed during days of precipitation
- Organic vapor monitoring via PID was only conducted during excavation related activities (utility and building foundation excavation). All other air monitoring related to surface grading.

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D549   "
"Device no. ", 1
"Tag Number ", 20
"Start Time ", 10:58:12
"Start Date ", 25-Apr-2011
"Log Period ", 00:15:00
"Number   ", 5
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 27.138570
"Max MASS @ ", 1 ,11:13:12 ,25-Apr-2011
"Avg MASS   ", 22.748740
"Max Diam   ", 0.465032
"Max Diam @ ", 1 ,11:13:12 ,25-Apr-2011
"Avg Diam   ", 0.430763
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	27.1,	15.4,	55,	0.4650	,11:13:12	,25-Apr-2011
2,	21.1,	15.7,	53,	0.4178	,11:28:12	,25-Apr-2011
3,	21.3,	15.9,	52,	0.4239	,11:43:12	,25-Apr-2011
4,	21.8,	16.0,	52,	0.4289	,11:58:12	,25-Apr-2011
5,	22.4,	15.9,	52,	0.4182	,12:13:12	,25-Apr-2011

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D549   "
"Device no. ", 1
"Tag Number ", 21
"Start Time ", 08:54:03
"Start Date ", 27-Apr-2011
"Log Period ", 00:15:00
"Number   ", 26
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 12.956560
"Max MASS @ ", 1 ,09:09:03 ,27-Apr-2011
"Avg MASS   ", 8.464185
"Max Diam   ", 0.540188
"Max Diam @ ", 12 ,11:54:03 ,27-Apr-2011
"Avg Diam   ", 0.411727
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	13.0,	17.7,	66,	0.4478	,09:09:03	,27-Apr-2011
2,	4.7,	20.9,	65,	0.3468	,09:24:03	,27-Apr-2011
3,	5.8,	23.4,	60,	0.4200	,09:39:03	,27-Apr-2011
4,	5.1,	25.3,	54,	0.3931	,09:54:03	,27-Apr-2011
5,	4.7,	27.0,	50,	0.4125	,10:09:03	,27-Apr-2011
6,	5.2,	27.6,	47,	0.4507	,10:24:03	,27-Apr-2011
7,	6.0,	27.1,	46,	0.4149	,10:39:03	,27-Apr-2011
8,	6.8,	26.6,	47,	0.4625	,10:54:03	,27-Apr-2011
9,	6.6,	27.0,	46,	0.4328	,11:09:03	,27-Apr-2011
10,	6.5,	27.9,	44,	0.4337	,11:24:03	,27-Apr-2011
11,	7.6,	28.1,	44,	0.4693	,11:39:03	,27-Apr-2011
12,	8.5,	29.1,	42,	0.5402	,11:54:03	,27-Apr-2011
13,	7.8,	29.7,	41,	0.4975	,12:09:03	,27-Apr-2011
14,	9.9,	29.9,	40,	0.4997	,12:24:03	,27-Apr-2011
15,	6.8,	29.6,	41,	0.4124	,12:39:03	,27-Apr-2011
16,	8.1,	29.5,	41,	0.4422	,12:54:03	,27-Apr-2011
17,	8.0,	29.5,	42,	0.3870	,13:09:03	,27-Apr-2011
18,	9.7,	29.2,	42,	0.3958	,13:24:03	,27-Apr-2011
19,	10.8,	28.8,	43,	0.3780	,13:39:03	,27-Apr-2011
20,	12.4,	28.3,	43,	0.3511	,13:54:03	,27-Apr-2011
21,	12.5,	28.4,	44,	0.3516	,14:09:03	,27-Apr-2011
22,	11.2,	28.7,	44,	0.3480	,14:24:03	,27-Apr-2011
23,	10.5,	28.9,	43,	0.3280	,14:39:03	,27-Apr-2011
24,	12.9,	29.1,	42,	0.3618	,14:54:03	,27-Apr-2011
25,	9.6,	29.2,	42,	0.3413	,15:09:03	,27-Apr-2011
26,	9.5,	29.5,	41,	0.3863	,15:24:03	,27-Apr-2011

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D549   "
"Device no. ", 1
"Tag Number ", 22
"Start Time ", 12:24:16
"Start Date ", 29-Apr-2011
"Log Period ", 00:15:00
"Number   ", 7
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 5.672154
"Max MASS @ ", 5 ,13:39:16 ,29-Apr-2011
"Avg MASS   ", 3.262320
"Max Diam   ", 0.458320
"Max Diam @ ", 5 ,13:39:16 ,29-Apr-2011
"Avg Diam   ", 0.369799
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	3.9,	14.4,	46,	0.3928	,12:39:16	,29-Apr-2011
2,	1.5,	11.9,	49,	0.3464	,12:54:16	,29-Apr-2011
3,	1.3,	10.0,	53,	0.3323	,13:09:16	,29-Apr-2011
4,	3.2,	8.8,	58,	0.3615	,13:24:16	,29-Apr-2011
5,	5.7,	8.2,	61,	0.4583	,13:39:16	,29-Apr-2011
6,	3.3,	8.1,	63,	0.3480	,13:54:16	,29-Apr-2011
7,	4.0,	7.7,	64,	0.3492	,14:09:16	,29-Apr-2011

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D549   "
"Device no. ", 1
"Tag Number ", 29
"Start Time ", 09:07:08
"Start Date ", 12-May-2011
"Log Period ", 00:15:00
"Number   ", 24
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 16.623480
"Max MASS @ ", 1 ,09:22:08 ,12-May-2011
"Avg MASS   ", 8.454773
"Max Diam   ", 0.500862
"Max Diam @ ", 1 ,09:22:08 ,12-May-2011
"Avg Diam   ", 0.350824
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	16.6,	23.6,	32,	0.5009	,09:22:08	,12-May-2011
2,	8.7,	23.8,	34,	0.4301	,09:37:08	,12-May-2011
3,	7.3,	24.5,	34,	0.3629	,09:52:08	,12-May-2011
4,	7.3,	25.4,	33,	0.4480	,10:07:08	,12-May-2011
5,	6.5,	25.8,	32,	0.3193	,10:22:08	,12-May-2011
6,	8.5,	26.3,	32,	0.3988	,10:37:08	,12-May-2011
7,	6.7,	27.0,	31,	0.3238	,10:52:08	,12-May-2011
8,	6.4,	26.9,	31,	0.3176	,11:07:08	,12-May-2011
9,	6.8,	26.7,	31,	0.3124	,11:22:08	,12-May-2011
10,	7.8,	27.7,	31,	0.3443	,11:37:08	,12-May-2011
11,	7.9,	28.7,	30,	0.3263	,11:52:08	,12-May-2011
12,	7.9,	29.7,	29,	0.3136	,12:07:08	,12-May-2011
13,	6.9,	31.0,	27,	0.3255	,12:22:08	,12-May-2011
14,	8.4,	32.0,	26,	0.3737	,12:37:08	,12-May-2011
15,	7.3,	32.1,	25,	0.3160	,12:52:08	,12-May-2011
16,	7.2,	32.9,	25,	0.3232	,13:07:08	,12-May-2011
17,	7.7,	33.2,	24,	0.3140	,13:22:08	,12-May-2011
18,	7.5,	33.1,	24,	0.3353	,13:37:08	,12-May-2011
19,	7.7,	32.7,	24,	0.3354	,13:52:08	,12-May-2011
20,	8.3,	31.6,	25,	0.3104	,14:07:08	,12-May-2011
21,	10.0,	30.2,	28,	0.3482	,14:22:08	,12-May-2011
22,	10.0,	29.1,	31,	0.3259	,14:37:08	,12-May-2011
23,	10.5,	28.2,	33,	0.3358	,14:52:08	,12-May-2011
24,	12.8,	27.4,	34,	0.3785	,15:07:08	,12-May-2011

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012790
User ID: 00000001 Site ID: 00000145
Data Points: 257 Gas Name: Isobutylene Sample Period: 120 sec
Last Calibration Time: 02/08/2011 08:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0

Line#	Date Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	05/12/2011 07:14	-----	0.0	0.0
2	05/12/2011 07:16	-----	0.0	0.0
3	05/12/2011 07:18	-----	0.0	0.0
4	05/12/2011 07:20	-----	0.0	0.0
5	05/12/2011 07:22	-----	0.0	0.0
6	05/12/2011 07:24	-----	0.0	0.0
7	05/12/2011 07:26	-----	0.0	0.0
8	05/12/2011 07:28	-----	0.0	0.0
9	05/12/2011 07:30	-----	0.0	0.0
10	05/12/2011 07:32	-----	0.0	0.0
11	05/12/2011 07:34	-----	0.0	0.0
12	05/12/2011 07:36	-----	0.0	0.0
13	05/12/2011 07:38	-----	0.0	0.0
14	05/12/2011 07:40	-----	0.0	0.0
15	05/12/2011 07:42	-----	0.0	0.0
16	05/12/2011 07:44	-----	0.0	0.0
17	05/12/2011 07:46	-----	0.0	0.0
18	05/12/2011 07:48	-----	0.0	0.0
19	05/12/2011 07:50	-----	0.0	0.0
20	05/12/2011 07:52	-----	0.0	0.0
21	05/12/2011 07:54	-----	0.0	0.0
22	05/12/2011 07:56	-----	0.0	0.0
23	05/12/2011 07:58	-----	0.0	0.0
24	05/12/2011 08:00	-----	0.0	0.0
25	05/12/2011 08:02	-----	0.0	0.0
26	05/12/2011 08:04	-----	0.0	0.0
27	05/12/2011 08:06	-----	0.0	0.0
28	05/12/2011 08:08	-----	0.0	0.0
29	05/12/2011 08:10	-----	0.0	0.0
30	05/12/2011 08:12	-----	0.0	0.0
31	05/12/2011 08:14	-----	0.0	0.0
32	05/12/2011 08:16	-----	0.0	0.0

33	05/12/2011 08:18	-----	0.0	0.0
34	05/12/2011 08:20	-----	0.0	0.0
35	05/12/2011 08:22	-----	0.0	0.0
36	05/12/2011 08:24	-----	0.0	0.0
37	05/12/2011 08:26	-----	0.0	0.0
38	05/12/2011 08:28	-----	0.0	0.0
39	05/12/2011 08:30	-----	0.0	0.0
40	05/12/2011 08:32	-----	0.0	0.0
41	05/12/2011 08:34	-----	0.0	0.0
42	05/12/2011 08:36	-----	0.0	0.0
43	05/12/2011 08:38	-----	0.0	0.0
44	05/12/2011 08:40	-----	0.0	0.0
45	05/12/2011 08:42	-----	0.0	0.0
46	05/12/2011 08:44	-----	0.0	0.0
47	05/12/2011 08:46	-----	0.0	0.0
48	05/12/2011 08:48	-----	0.0	0.0
49	05/12/2011 08:50	-----	0.0	0.0
50	05/12/2011 08:52	-----	0.0	0.0
51	05/12/2011 08:54	-----	0.0	0.0
52	05/12/2011 08:56	-----	0.0	0.0
53	05/12/2011 08:58	-----	0.0	0.0
54	05/12/2011 09:00	-----	0.0	0.0
55	05/12/2011 09:02	-----	0.0	0.0
56	05/12/2011 09:04	-----	0.0	0.0
57	05/12/2011 09:06	-----	0.0	0.0
58	05/12/2011 09:08	-----	0.0	0.0
59	05/12/2011 09:10	-----	0.0	0.0
60	05/12/2011 09:12	-----	0.0	0.0
61	05/12/2011 09:14	-----	0.0	0.0
62	05/12/2011 09:16	-----	0.0	0.0
63	05/12/2011 09:18	-----	0.0	0.0
64	05/12/2011 09:20	-----	0.0	0.0
65	05/12/2011 09:22	-----	0.0	0.0
66	05/12/2011 09:24	-----	0.0	0.0
67	05/12/2011 09:26	-----	0.0	0.0
68	05/12/2011 09:28	-----	0.0	0.0
69	05/12/2011 09:30	-----	0.0	0.0
70	05/12/2011 09:32	-----	0.0	0.0
71	05/12/2011 09:34	-----	0.0	0.0
72	05/12/2011 09:36	-----	0.0	0.0
73	05/12/2011 09:38	-----	0.0	0.0
74	05/12/2011 09:40	-----	0.0	0.0
75	05/12/2011 09:42	-----	0.0	0.0

76	05/12/2011 09:44	-----	0.0	0.0
77	05/12/2011 09:46	-----	0.0	0.0
78	05/12/2011 09:48	-----	0.0	0.0
79	05/12/2011 09:50	-----	0.0	0.0
80	05/12/2011 09:52	-----	0.0	0.0
81	05/12/2011 09:54	-----	0.0	0.0
82	05/12/2011 09:56	-----	0.0	0.0
83	05/12/2011 09:58	-----	0.0	0.0
84	05/12/2011 10:00	-----	0.0	0.0
85	05/12/2011 10:02	-----	0.0	0.0
86	05/12/2011 10:04	-----	0.0	0.0
87	05/12/2011 10:06	-----	0.0	0.0
88	05/12/2011 10:08	-----	0.0	0.0
89	05/12/2011 10:10	-----	0.0	0.0
90	05/12/2011 10:12	-----	0.0	0.0
91	05/12/2011 10:14	-----	0.0	0.0
92	05/12/2011 10:16	-----	0.0	0.0
93	05/12/2011 10:18	-----	0.0	0.0
94	05/12/2011 10:20	-----	0.0	0.0
95	05/12/2011 10:22	-----	0.0	0.0
96	05/12/2011 10:24	-----	0.0	0.0
97	05/12/2011 10:26	-----	0.0	0.0
98	05/12/2011 10:28	-----	0.0	0.0
99	05/12/2011 10:30	-----	0.0	0.0
100	05/12/2011 10:32	-----	0.0	0.0
101	05/12/2011 10:34	-----	0.0	0.0
102	05/12/2011 10:36	-----	0.0	0.0
103	05/12/2011 10:38	-----	0.0	0.0
104	05/12/2011 10:40	-----	0.0	0.0
105	05/12/2011 10:42	-----	0.0	0.0
106	05/12/2011 10:44	-----	0.0	0.0
107	05/12/2011 10:46	-----	0.0	0.0
108	05/12/2011 10:48	-----	0.0	0.0
109	05/12/2011 10:50	-----	0.0	0.0
110	05/12/2011 10:52	-----	0.0	0.0
111	05/12/2011 10:54	-----	0.0	0.0
112	05/12/2011 10:56	-----	0.0	0.0
113	05/12/2011 10:58	-----	0.0	0.0
114	05/12/2011 11:00	-----	0.0	0.0
115	05/12/2011 11:02	-----	0.0	0.0
116	05/12/2011 11:04	-----	0.0	0.0
117	05/12/2011 11:06	-----	0.0	0.0
118	05/12/2011 11:08	-----	0.0	0.0

119	05/12/2011 11:10	-----	0.0	0.0
120	05/12/2011 11:12	-----	0.0	0.0
121	05/12/2011 11:14	-----	0.0	0.0
122	05/12/2011 11:16	-----	0.0	0.0
123	05/12/2011 11:18	-----	0.0	0.0
124	05/12/2011 11:20	-----	0.0	0.0
125	05/12/2011 11:22	-----	0.0	0.0
126	05/12/2011 11:24	-----	0.0	0.0
127	05/12/2011 11:26	-----	0.0	0.0
128	05/12/2011 11:28	-----	0.0	0.0
129	05/12/2011 11:30	-----	0.0	0.0
130	05/12/2011 11:32	-----	0.0	0.0
131	05/12/2011 11:34	-----	0.0	0.0
132	05/12/2011 11:36	-----	0.0	0.0
133	05/12/2011 11:38	-----	0.0	0.0
134	05/12/2011 11:40	-----	0.0	0.0
135	05/12/2011 11:42	-----	0.0	0.0
136	05/12/2011 11:44	-----	0.0	0.0
137	05/12/2011 11:46	-----	0.0	0.0
138	05/12/2011 11:48	-----	0.0	0.0
139	05/12/2011 11:50	-----	0.0	0.0
140	05/12/2011 11:52	-----	0.0	0.0
141	05/12/2011 11:54	-----	0.0	0.0
142	05/12/2011 11:56	-----	0.0	0.0
143	05/12/2011 11:58	-----	0.0	0.0
144	05/12/2011 12:00	-----	0.0	0.0
145	05/12/2011 12:02	-----	0.0	0.0
146	05/12/2011 12:04	-----	0.0	0.0
147	05/12/2011 12:06	-----	0.0	0.0
148	05/12/2011 12:08	-----	0.0	0.0
149	05/12/2011 12:10	-----	0.0	0.0
150	05/12/2011 12:12	-----	0.0	0.0
151	05/12/2011 12:14	-----	0.0	0.0
152	05/12/2011 12:16	-----	0.0	0.0
153	05/12/2011 12:18	-----	0.0	0.0
154	05/12/2011 12:20	-----	0.0	0.0
155	05/12/2011 12:22	-----	0.0	0.0
156	05/12/2011 12:24	-----	0.0	0.0
157	05/12/2011 12:26	-----	0.0	0.0
158	05/12/2011 12:28	-----	0.0	0.0
159	05/12/2011 12:30	-----	0.0	0.0
160	05/12/2011 12:32	-----	0.0	0.0
161	05/12/2011 12:34	-----	0.0	0.0

162	05/12/2011 12:36	-----	0.0	0.0
163	05/12/2011 12:38	-----	0.0	0.0
164	05/12/2011 12:40	-----	0.0	0.0
165	05/12/2011 12:42	-----	0.0	0.0
166	05/12/2011 12:44	-----	0.0	0.0
167	05/12/2011 12:46	-----	0.0	0.0
168	05/12/2011 12:48	-----	0.0	0.0
169	05/12/2011 12:50	-----	0.0	0.0
170	05/12/2011 12:52	-----	0.0	0.0
171	05/12/2011 12:54	-----	0.0	0.0
172	05/12/2011 12:56	-----	0.0	0.0
173	05/12/2011 12:58	-----	0.0	0.0
174	05/12/2011 13:00	-----	0.0	0.0
175	05/12/2011 13:02	-----	0.0	0.0
176	05/12/2011 13:04	-----	0.0	0.0
177	05/12/2011 13:06	-----	0.0	0.0
178	05/12/2011 13:08	-----	0.0	0.0
179	05/12/2011 13:10	-----	0.0	0.0
180	05/12/2011 13:12	-----	0.0	0.0
181	05/12/2011 13:14	-----	0.0	0.0
182	05/12/2011 13:16	-----	0.0	0.0
183	05/12/2011 13:18	-----	0.0	0.0
184	05/12/2011 13:20	-----	0.0	0.0
185	05/12/2011 13:22	-----	0.0	0.0
186	05/12/2011 13:24	-----	0.0	0.0
187	05/12/2011 13:26	-----	0.0	0.0
188	05/12/2011 13:28	-----	0.0	0.0
189	05/12/2011 13:30	-----	0.0	0.0
190	05/12/2011 13:32	-----	0.0	0.0
191	05/12/2011 13:34	-----	0.0	0.0
192	05/12/2011 13:36	-----	0.0	0.0
193	05/12/2011 13:38	-----	0.0	0.0
194	05/12/2011 13:40	-----	0.0	0.0
195	05/12/2011 13:42	-----	0.0	0.0
196	05/12/2011 13:44	-----	0.0	0.0
197	05/12/2011 13:46	-----	0.0	0.0
198	05/12/2011 13:48	-----	0.0	0.0
199	05/12/2011 13:50	-----	0.0	0.0
200	05/12/2011 13:52	-----	0.0	0.0
201	05/12/2011 13:54	-----	0.0	0.0
202	05/12/2011 13:56	-----	0.0	0.0
203	05/12/2011 13:58	-----	0.0	0.0
204	05/12/2011 14:00	-----	0.0	0.0

205	05/12/2011 14:02	-----	0.0	0.0
206	05/12/2011 14:04	-----	0.0	0.0
207	05/12/2011 14:06	-----	0.0	0.0
208	05/12/2011 14:08	-----	0.0	0.0
209	05/12/2011 14:10	-----	0.0	0.0
210	05/12/2011 14:12	-----	0.0	0.0
211	05/12/2011 14:14	-----	0.0	0.0
212	05/12/2011 14:16	-----	0.0	0.0
213	05/12/2011 14:18	-----	0.0	0.0
214	05/12/2011 14:20	-----	0.0	0.0
215	05/12/2011 14:22	-----	0.0	0.0
216	05/12/2011 14:24	-----	0.0	0.0
217	05/12/2011 14:26	-----	0.0	0.0
218	05/12/2011 14:28	-----	0.0	0.0
219	05/12/2011 14:30	-----	0.0	0.0
220	05/12/2011 14:32	-----	0.0	0.0
221	05/12/2011 14:34	-----	0.0	0.0
222	05/12/2011 14:36	-----	0.0	0.0
223	05/12/2011 14:38	-----	0.0	0.0
224	05/12/2011 14:40	-----	0.0	0.0
225	05/12/2011 14:42	-----	0.0	0.0
226	05/12/2011 14:44	-----	0.0	0.0
227	05/12/2011 14:46	-----	0.0	0.0
228	05/12/2011 14:48	-----	0.0	0.0
229	05/12/2011 14:50	-----	0.0	0.0
230	05/12/2011 14:52	-----	0.0	0.0
231	05/12/2011 14:54	-----	0.0	0.0
232	05/12/2011 14:56	-----	0.0	0.0
233	05/12/2011 14:58	-----	0.0	0.0
234	05/12/2011 15:00	-----	0.0	0.0
235	05/12/2011 15:02	-----	0.0	0.0
236	05/12/2011 15:04	-----	0.0	0.0
237	05/12/2011 15:06	-----	0.0	0.0
238	05/12/2011 15:08	-----	0.0	0.0
239	05/12/2011 15:10	-----	0.0	0.0
240	05/12/2011 15:12	-----	0.0	0.0
241	05/12/2011 15:14	-----	0.0	0.0
242	05/12/2011 15:16	-----	0.0	0.0
243	05/12/2011 15:18	-----	0.0	0.0
244	05/12/2011 15:20	-----	0.0	0.0
245	05/12/2011 15:22	-----	0.0	0.0
246	05/12/2011 15:24	-----	0.0	0.0
247	05/12/2011 15:26	-----	0.0	0.0

248	05/12/2011 15:28	-----	0.0	0.0
249	05/12/2011 15:30	-----	0.0	0.0
250	05/12/2011 15:32	-----	0.0	0.0
251	05/12/2011 15:34	-----	0.0	0.0
252	05/12/2011 15:36	-----	0.0	0.0
253	05/12/2011 15:38	-----	0.0	0.0
254	05/12/2011 15:40	-----	0.0	0.0
255	05/12/2011 15:42	-----	0.0	0.0
256	05/12/2011 15:44	-----	0.0	0.0
257	05/12/2011 15:46	-----	0.0	0.0

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D331   "
"Device no. ", 1
"Tag Number ", 1
"Start Time ", 07:19:58
"Start Date ", 13-May-2011
"Log Period ", 00:15:00
"Number   ", 29
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 36.497760
"Max MASS @ ", 3 ,08:04:58 ,13-May-2011
"Avg MASS   ", 12.917720
"Max Diam   ", 1.164782
"Max Diam @ ", 3 ,08:04:58 ,13-May-2011
"Avg Diam   ", 0.458458
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	29.2,	19.5,	50,	0.7473	,07:34:58	,13-May-2011
2,	27.8,	20.7,	57,	0.8587	,07:49:58	,13-May-2011
3,	36.5,	22.4,	56,	1.1648	,08:04:58	,13-May-2011
4,	31.2,	23.7,	53,	0.9202	,08:19:58	,13-May-2011
5,	27.3,	25.0,	52,	0.8747	,08:34:58	,13-May-2011
6,	20.3,	26.7,	51,	0.7291	,08:49:58	,13-May-2011
7,	16.2,	28.0,	48,	0.5589	,09:04:58	,13-May-2011
8,	13.0,	29.0,	47,	0.4470	,09:19:58	,13-May-2011
9,	11.8,	29.5,	46,	0.3910	,09:34:58	,13-May-2011
10,	11.9,	29.1,	46,	0.4093	,09:49:58	,13-May-2011
11,	11.7,	29.2,	46,	0.4142	,10:04:58	,13-May-2011
12,	11.0,	29.9,	46,	0.3932	,10:19:58	,13-May-2011
13,	10.7,	30.3,	45,	0.3805	,10:34:58	,13-May-2011
14,	10.6,	30.8,	44,	0.4003	,10:49:58	,13-May-2011
15,	10.0,	31.3,	43,	0.3981	,11:04:58	,13-May-2011
16,	9.5,	31.6,	43,	0.3961	,11:19:58	,13-May-2011
17,	8.6,	32.7,	41,	0.3559	,11:34:58	,13-May-2011
18,	7.3,	34.5,	39,	0.2883	,11:49:58	,13-May-2011
19,	6.6,	35.9,	36,	0.2761	,12:04:58	,13-May-2011
20,	6.2,	36.8,	35,	0.2740	,12:19:58	,13-May-2011
21,	6.4,	37.7,	33,	0.2732	,12:34:58	,13-May-2011
22,	6.2,	38.0,	32,	0.2716	,12:49:58	,13-May-2011
23,	7.1,	38.1,	32,	0.3293	,13:04:58	,13-May-2011
24,	6.6,	38.1,	32,	0.2961	,13:19:58	,13-May-2011
25,	6.4,	39.1,	31,	0.2860	,13:34:58	,13-May-2011
26,	5.5,	39.3,	30,	0.2802	,13:49:58	,13-May-2011
27,	6.0,	39.1,	31,	0.2964	,14:04:58	,13-May-2011
28,	6.1,	39.6,	30,	0.2896	,14:19:58	,13-May-2011
29,	6.7,	39.1,	30,	0.2952	,14:34:58	,13-May-2011

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 012790
User ID: 00000001 Site ID: 00000146
Data Points: 223 Gas Name: Isobutylene Sample Period: 120 sec
Last Calibration Time: 02/08/2011 08:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0

Line#	Date Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	05/13/2011 08:04	-----	0.0	0.0
2	05/13/2011 08:06	-----	0.0	0.0
3	05/13/2011 08:08	-----	0.0	0.0
4	05/13/2011 08:10	-----	0.0	0.0
5	05/13/2011 08:12	-----	0.0	0.0
6	05/13/2011 08:14	-----	0.0	0.0
7	05/13/2011 08:16	-----	0.0	0.0
8	05/13/2011 08:18	-----	0.0	0.0
9	05/13/2011 08:20	-----	0.0	0.0
10	05/13/2011 08:22	-----	0.0	0.0
11	05/13/2011 08:24	-----	0.0	0.0
12	05/13/2011 08:26	-----	0.0	0.0
13	05/13/2011 08:28	-----	0.0	0.0
14	05/13/2011 08:30	-----	0.0	0.0
15	05/13/2011 08:32	-----	0.0	0.0
16	05/13/2011 08:34	-----	0.0	0.0
17	05/13/2011 08:36	-----	0.0	0.0
18	05/13/2011 08:38	-----	0.0	0.0
19	05/13/2011 08:40	-----	0.0	0.0
20	05/13/2011 08:42	-----	0.0	0.0
21	05/13/2011 08:44	-----	0.0	0.0
22	05/13/2011 08:46	-----	0.0	0.0
23	05/13/2011 08:48	-----	0.0	0.0
24	05/13/2011 08:50	-----	0.0	0.0
25	05/13/2011 08:52	-----	0.0	0.0
26	05/13/2011 08:54	-----	0.0	0.0
27	05/13/2011 08:56	-----	0.0	0.0
28	05/13/2011 08:58	-----	0.0	0.0
29	05/13/2011 09:00	-----	0.0	0.0
30	05/13/2011 09:02	-----	0.0	0.0
31	05/13/2011 09:04	-----	0.0	0.0
32	05/13/2011 09:06	-----	0.0	0.0

33	05/13/2011 09:08	-----	0.0	0.0
34	05/13/2011 09:10	-----	0.0	0.0
35	05/13/2011 09:12	-----	0.0	0.0
36	05/13/2011 09:14	-----	0.0	0.0
37	05/13/2011 09:16	-----	0.0	0.0
38	05/13/2011 09:18	-----	0.0	0.0
39	05/13/2011 09:20	-----	0.0	0.0
40	05/13/2011 09:22	-----	0.0	0.0
41	05/13/2011 09:24	-----	0.0	0.0
42	05/13/2011 09:26	-----	0.0	0.0
43	05/13/2011 09:28	-----	0.0	0.0
44	05/13/2011 09:30	-----	0.0	0.0
45	05/13/2011 09:32	-----	0.0	0.0
46	05/13/2011 09:34	-----	0.0	0.0
47	05/13/2011 09:36	-----	0.0	0.0
48	05/13/2011 09:38	-----	0.0	0.0
49	05/13/2011 09:40	-----	0.0	0.0
50	05/13/2011 09:42	-----	0.0	0.0
51	05/13/2011 09:44	-----	0.0	0.0
52	05/13/2011 09:46	-----	0.0	0.0
53	05/13/2011 09:48	-----	0.0	0.0
54	05/13/2011 09:50	-----	0.0	0.0
55	05/13/2011 09:52	-----	0.0	0.0
56	05/13/2011 09:54	-----	0.0	0.0
57	05/13/2011 09:56	-----	0.0	0.0
58	05/13/2011 09:58	-----	0.0	0.0
59	05/13/2011 10:00	-----	0.0	0.0
60	05/13/2011 10:02	-----	0.0	0.0
61	05/13/2011 10:04	-----	0.0	0.0
62	05/13/2011 10:06	-----	0.0	0.0
63	05/13/2011 10:08	-----	0.0	0.0
64	05/13/2011 10:10	-----	0.0	0.0
65	05/13/2011 10:12	-----	0.0	0.0
66	05/13/2011 10:14	-----	0.0	0.0
67	05/13/2011 10:16	-----	0.0	0.0
68	05/13/2011 10:18	-----	0.0	0.0
69	05/13/2011 10:20	-----	0.0	0.0
70	05/13/2011 10:22	-----	0.0	0.0
71	05/13/2011 10:24	-----	0.0	0.0
72	05/13/2011 10:26	-----	0.0	0.0
73	05/13/2011 10:28	-----	0.0	0.0
74	05/13/2011 10:30	-----	0.0	0.0
75	05/13/2011 10:32	-----	0.0	0.0

76	05/13/2011 10:34	-----	0.0	0.0
77	05/13/2011 10:36	-----	0.0	0.0
78	05/13/2011 10:38	-----	0.0	0.0
79	05/13/2011 10:40	-----	0.0	0.0
80	05/13/2011 10:42	-----	0.0	0.0
81	05/13/2011 10:44	-----	0.0	0.0
82	05/13/2011 10:46	-----	0.0	0.0
83	05/13/2011 10:48	-----	0.0	0.0
84	05/13/2011 10:50	-----	0.0	0.0
85	05/13/2011 10:52	-----	0.0	0.0
86	05/13/2011 10:54	-----	0.0	0.0
87	05/13/2011 10:56	-----	0.0	0.0
88	05/13/2011 10:58	-----	0.0	0.0
89	05/13/2011 11:00	-----	0.0	0.0
90	05/13/2011 11:02	-----	0.0	0.0
91	05/13/2011 11:04	-----	0.0	0.0
92	05/13/2011 11:06	-----	0.0	0.0
93	05/13/2011 11:08	-----	0.0	0.0
94	05/13/2011 11:10	-----	0.0	0.0
95	05/13/2011 11:12	-----	0.0	0.0
96	05/13/2011 11:14	-----	0.0	0.0
97	05/13/2011 11:16	-----	0.0	0.0
98	05/13/2011 11:18	-----	0.0	0.0
99	05/13/2011 11:20	-----	0.0	0.0
100	05/13/2011 11:22	-----	0.0	0.0
101	05/13/2011 11:24	-----	0.0	0.0
102	05/13/2011 11:26	-----	0.0	0.0
103	05/13/2011 11:28	-----	0.0	0.0
104	05/13/2011 11:30	-----	0.0	0.0
105	05/13/2011 11:32	-----	0.0	0.0
106	05/13/2011 11:34	-----	0.0	0.0
107	05/13/2011 11:36	-----	0.0	0.0
108	05/13/2011 11:38	-----	0.0	0.0
109	05/13/2011 11:40	-----	0.0	0.0
110	05/13/2011 11:42	-----	0.0	0.0
111	05/13/2011 11:44	-----	0.0	0.0
112	05/13/2011 11:46	-----	0.0	0.0
113	05/13/2011 11:48	-----	0.0	0.0
114	05/13/2011 11:50	-----	0.0	0.0
115	05/13/2011 11:52	-----	0.0	0.0
116	05/13/2011 11:54	-----	0.0	0.0
117	05/13/2011 11:56	-----	0.0	0.0
118	05/13/2011 11:58	-----	0.0	0.0

119	05/13/2011 12:00	-----	0.0	0.0
120	05/13/2011 12:02	-----	0.0	0.0
121	05/13/2011 12:04	-----	0.0	0.0
122	05/13/2011 12:06	-----	0.0	0.0
123	05/13/2011 12:08	-----	0.0	0.0
124	05/13/2011 12:10	-----	0.0	0.0
125	05/13/2011 12:12	-----	0.0	0.0
126	05/13/2011 12:14	-----	0.0	0.0
127	05/13/2011 12:16	-----	0.0	0.0
128	05/13/2011 12:18	-----	0.0	0.0
129	05/13/2011 12:20	-----	0.0	0.0
130	05/13/2011 12:22	-----	0.0	0.0
131	05/13/2011 12:24	-----	0.0	0.0
132	05/13/2011 12:26	-----	0.0	0.0
133	05/13/2011 12:28	-----	0.0	0.0
134	05/13/2011 12:30	-----	0.0	0.0
135	05/13/2011 12:32	-----	0.0	0.0
136	05/13/2011 12:34	-----	0.0	0.0
137	05/13/2011 12:36	-----	0.0	0.0
138	05/13/2011 12:38	-----	0.0	0.0
139	05/13/2011 12:40	-----	0.0	0.0
140	05/13/2011 12:42	-----	0.0	0.0
141	05/13/2011 12:44	-----	0.0	0.0
142	05/13/2011 12:46	-----	0.0	0.0
143	05/13/2011 12:48	-----	0.0	0.0
144	05/13/2011 12:50	-----	0.0	0.0
145	05/13/2011 12:52	-----	0.0	0.0
146	05/13/2011 12:54	-----	0.0	0.0
147	05/13/2011 12:56	-----	0.0	0.0
148	05/13/2011 12:58	-----	0.0	0.0
149	05/13/2011 13:00	-----	0.0	0.0
150	05/13/2011 13:02	-----	0.0	0.0
151	05/13/2011 13:04	-----	0.0	0.0
152	05/13/2011 13:06	-----	0.0	0.0
153	05/13/2011 13:08	-----	0.0	0.0
154	05/13/2011 13:10	-----	0.0	0.0
155	05/13/2011 13:12	-----	0.0	0.0
156	05/13/2011 13:14	-----	0.0	0.0
157	05/13/2011 13:16	-----	0.0	0.0
158	05/13/2011 13:18	-----	0.0	0.0
159	05/13/2011 13:20	-----	0.0	0.0
160	05/13/2011 13:22	-----	0.0	0.0
161	05/13/2011 13:24	-----	0.0	0.0

162	05/13/2011 13:26	-----	0.0	0.0
163	05/13/2011 13:28	-----	0.0	0.0
164	05/13/2011 13:30	-----	0.0	0.0
165	05/13/2011 13:32	-----	0.0	0.0
166	05/13/2011 13:34	-----	0.0	0.0
167	05/13/2011 13:36	-----	0.0	0.0
168	05/13/2011 13:38	-----	0.0	0.0
169	05/13/2011 13:40	-----	0.0	0.0
170	05/13/2011 13:42	-----	0.0	0.0
171	05/13/2011 13:44	-----	0.0	0.0
172	05/13/2011 13:46	-----	0.0	0.0
173	05/13/2011 13:48	-----	0.0	0.0
174	05/13/2011 13:50	-----	0.0	0.0
175	05/13/2011 13:52	-----	0.0	0.0
176	05/13/2011 13:54	-----	0.0	0.0
177	05/13/2011 13:56	-----	0.0	0.0
178	05/13/2011 13:58	-----	0.0	0.0
179	05/13/2011 14:00	-----	0.0	0.0
180	05/13/2011 14:02	-----	0.0	0.0
181	05/13/2011 14:04	-----	0.0	0.0
182	05/13/2011 14:06	-----	0.0	0.0
183	05/13/2011 14:08	-----	0.0	0.0
184	05/13/2011 14:10	-----	0.0	0.0
185	05/13/2011 14:12	-----	0.0	0.0
186	05/13/2011 14:14	-----	0.0	0.0
187	05/13/2011 14:16	-----	0.0	0.0
188	05/13/2011 14:18	-----	0.0	0.0
189	05/13/2011 14:20	-----	0.0	0.0
190	05/13/2011 14:22	-----	0.0	0.0
191	05/13/2011 14:24	-----	0.0	0.0
192	05/13/2011 14:26	-----	0.0	0.0
193	05/13/2011 14:28	-----	0.0	0.0
194	05/13/2011 14:30	-----	0.0	0.0
195	05/13/2011 14:32	-----	0.0	0.0
196	05/13/2011 14:34	-----	0.0	0.0
197	05/13/2011 14:36	-----	0.0	0.0
198	05/13/2011 14:38	-----	0.0	0.0
199	05/13/2011 14:40	-----	0.0	0.0
200	05/13/2011 14:42	-----	0.0	0.0
201	05/13/2011 14:44	-----	0.0	0.0
202	05/13/2011 14:46	-----	0.0	0.0
203	05/13/2011 14:48	-----	0.0	0.0
204	05/13/2011 14:50	-----	0.0	0.0

205	05/13/2011 14:52	-----	0.0	0.0
206	05/13/2011 14:54	-----	0.0	0.0
207	05/13/2011 14:56	-----	0.0	0.0
208	05/13/2011 14:58	-----	0.0	0.0
209	05/13/2011 15:00	-----	0.0	0.0
210	05/13/2011 15:02	-----	0.0	0.0
211	05/13/2011 15:04	-----	0.0	0.0
212	05/13/2011 15:06	-----	0.0	0.0
213	05/13/2011 15:08	-----	0.0	0.0
214	05/13/2011 15:10	-----	0.0	0.0
215	05/13/2011 15:12	-----	0.0	0.0
216	05/13/2011 15:14	-----	0.0	0.0
217	05/13/2011 15:16	-----	0.0	0.0
218	05/13/2011 15:18	-----	0.0	0.0
219	05/13/2011 15:20	-----	0.0	0.0
220	05/13/2011 15:22	-----	0.0	0.0
221	05/13/2011 15:24	-----	0.0	0.0
222	05/13/2011 15:26	-----	0.0	0.0
223	05/13/2011 15:28	-----	0.0	0.0

"Model Number", "DataRAM 4 ", 106
"Serial no. ", "D331   "
"Device no. ", 1
"Tag Number ", 2
"Start Time ", 10:15:13
"Start Date ", 18-May-2011
"Log Period ", 00:15:00
"Number   ", 13
"CalFactor   ", 1.000000
"Unit   ", 0
"Unit Name   ", "(MASS)ug/m3"
"SIZE_CORRECT", "DISABLED"
"TEMPUNITS   ", C
"Max MASS   ", 3.296330
"Max MASS @ ", 5 ,11:30:13 ,18-May-2011
"Avg MASS   ", 2.797934
"Max Diam   ", 0.898302
"Max Diam @ ", 4 ,11:15:13 ,18-May-2011
"Avg Diam   ", 0.556686
"ALARM   ", "DISABLED"
"ALARM_LEVEL ", 0.0
"AUTO_ZERO   ", "DISABLED"
"AZ INTERVAL ", 1
"Errors   ", 0000

record	"(MASS)ug/m3"	Temp	RHumidity	Diameter		
1,	2.8,	23.8,	48,	0.4213	,10:30:13	,18-May-2011
2,	2.7,	23.9,	53,	0.5138	,10:45:13	,18-May-2011
3,	3.1,	23.9,	54,	0.7297	,11:00:13	,18-May-2011
4,	3.3,	24.1,	55,	0.8983	,11:15:13	,18-May-2011
5,	3.3,	25.4,	54,	0.7510	,11:30:13	,18-May-2011
6,	3.0,	26.8,	51,	0.6298	,11:45:13	,18-May-2011
7,	2.6,	27.2,	49,	0.5207	,12:00:13	,18-May-2011
8,	3.0,	27.3,	48,	0.5485	,12:15:13	,18-May-2011
9,	2.6,	28.2,	46,	0.4686	,12:30:13	,18-May-2011
10,	2.4,	28.1,	44,	0.4638	,12:45:13	,18-May-2011
11,	2.4,	27.7,	44,	0.3992	,13:00:13	,18-May-2011
12,	2.4,	26.7,	45,	0.4338	,13:15:13	,18-May-2011
13,	2.7,	27.1,	46,	0.4584	,13:30:13	,18-May-2011

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 006938
User ID: 00000001 Site ID: 00000024
Data Points: 444 Gas Name: Isobutylene Sample Period: 60 sec
Last Calibration Time: 04/18/2011 05:23

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100.0	100.0	100.0
Low Alarm Levels:	50.0	50.0	50.0

Line#	Date Time	Min(ppm)	Avg(ppm)	Max(ppm)
1	05/18/2011 19:39	-----	0.0	0.0
2	05/18/2011 19:40	-----	0.0	0.0
3	05/18/2011 19:41	-----	0.0	0.0
4	05/18/2011 19:42	-----	0.0	0.0
5	05/18/2011 19:43	-----	0.0	0.0
6	05/18/2011 19:44	-----	0.0	0.0
7	05/18/2011 19:45	-----	0.0	0.0
8	05/18/2011 19:46	-----	0.0	0.0
9	05/18/2011 19:47	-----	0.0	0.0
10	05/18/2011 19:48	-----	0.9	10.8
11	05/18/2011 19:49	-----	0.0	1.1
12	05/18/2011 19:50	-----	0.5	4.5
13	05/18/2011 19:51	-----	1.6	7.8
14	05/18/2011 19:52	-----	0.0	1.0
15	05/18/2011 19:53	-----	0.0	0.0
16	05/18/2011 19:54	-----	0.0	0.1
17	05/18/2011 19:55	-----	0.0	0.0
18	05/18/2011 19:56	-----	0.0	0.0
19	05/18/2011 19:57	-----	0.0	0.0
20	05/18/2011 19:58	-----	0.0	0.0
21	05/18/2011 19:59	-----	0.0	0.0
22	05/18/2011 20:00	-----	0.0	0.0
23	05/18/2011 20:01	-----	0.0	0.0
24	05/18/2011 20:02	-----	0.0	0.0
25	05/18/2011 20:03	-----	0.0	0.0
26	05/18/2011 20:04	-----	0.0	0.0
27	05/18/2011 20:05	-----	0.0	0.0
28	05/18/2011 20:06	-----	0.0	0.0
29	05/18/2011 20:07	-----	0.0	0.0
30	05/18/2011 20:08	-----	0.0	0.0
31	05/18/2011 20:09	-----	0.0	0.0
32	05/18/2011 20:10	-----	0.0	0.0

33	05/18/2011 20:11	-----	0.0	0.0
34	05/18/2011 20:12	-----	0.0	0.0
35	05/18/2011 20:13	-----	0.0	0.0
36	05/18/2011 20:14	-----	0.0	0.0
37	05/18/2011 20:15	-----	0.0	0.0
38	05/18/2011 20:16	-----	0.0	0.0
39	05/18/2011 20:17	-----	0.0	0.0
40	05/18/2011 20:18	-----	0.0	0.0
41	05/18/2011 20:19	-----	0.0	0.0
42	05/18/2011 20:20	-----	0.0	0.0
43	05/18/2011 20:21	-----	0.0	0.0
44	05/18/2011 20:22	-----	0.0	0.0
45	05/18/2011 20:23	-----	0.0	0.0
46	05/18/2011 20:24	-----	0.0	0.0
47	05/18/2011 20:25	-----	0.0	0.0
48	05/18/2011 20:26	-----	0.0	0.0
49	05/18/2011 20:27	-----	0.0	0.0
50	05/18/2011 20:28	-----	0.0	0.0
51	05/18/2011 20:29	-----	0.0	0.0
52	05/18/2011 20:30	-----	0.0	0.0
53	05/18/2011 20:31	-----	0.0	0.0
54	05/18/2011 20:32	-----	0.0	0.0
55	05/18/2011 20:33	-----	0.0	0.0
56	05/18/2011 20:34	-----	0.0	0.0
57	05/18/2011 20:35	-----	0.0	0.0
58	05/18/2011 20:36	-----	0.0	0.0
59	05/18/2011 20:37	-----	0.0	0.0
60	05/18/2011 20:38	-----	0.0	0.0
61	05/18/2011 20:39	-----	0.0	0.0
62	05/18/2011 20:40	-----	0.0	0.0
63	05/18/2011 20:41	-----	0.0	0.0
64	05/18/2011 20:42	-----	0.0	0.0
65	05/18/2011 20:43	-----	0.0	0.7
66	05/18/2011 20:44	-----	0.0	0.0
67	05/18/2011 20:45	-----	0.0	0.0
68	05/18/2011 20:46	-----	0.0	0.0
69	05/18/2011 20:47	-----	0.0	0.0
70	05/18/2011 20:48	-----	0.0	0.0
71	05/18/2011 20:49	-----	0.0	0.0
72	05/18/2011 20:50	-----	0.0	0.0
73	05/18/2011 20:51	-----	0.0	0.0
74	05/18/2011 20:52	-----	0.0	0.0
75	05/18/2011 20:53	-----	0.0	0.0

76	05/18/2011 20:54	-----	0.0	0.0
77	05/18/2011 20:55	-----	0.0	0.0
78	05/18/2011 20:56	-----	0.0	0.0
79	05/18/2011 20:57	-----	0.0	0.0
80	05/18/2011 20:58	-----	0.0	0.0
81	05/18/2011 20:59	-----	0.0	0.0
82	05/18/2011 21:00	-----	0.0	0.0
83	05/18/2011 21:01	-----	0.0	0.0
84	05/18/2011 21:02	-----	0.0	0.0
85	05/18/2011 21:03	-----	0.0	0.0
86	05/18/2011 21:04	-----	0.0	0.0
87	05/18/2011 21:05	-----	0.0	0.0
88	05/18/2011 21:06	-----	0.0	0.0
89	05/18/2011 21:07	-----	0.0	0.0
90	05/18/2011 21:08	-----	0.0	0.0
91	05/18/2011 21:09	-----	0.0	0.0
92	05/18/2011 21:10	-----	0.0	0.0
93	05/18/2011 21:11	-----	0.0	0.0
94	05/18/2011 21:12	-----	0.0	0.0
95	05/18/2011 21:13	-----	0.0	0.0
96	05/18/2011 21:14	-----	0.0	0.0
97	05/18/2011 21:15	-----	0.0	0.0
98	05/18/2011 21:16	-----	0.0	0.0
99	05/18/2011 21:17	-----	0.0	0.0
100	05/18/2011 21:18	-----	0.0	0.0
101	05/18/2011 21:19	-----	0.0	0.0
102	05/18/2011 21:20	-----	0.0	0.0
103	05/18/2011 21:21	-----	0.0	0.0
104	05/18/2011 21:22	-----	0.0	0.0
105	05/18/2011 21:23	-----	0.0	0.0
106	05/18/2011 21:24	-----	0.0	0.0
107	05/18/2011 21:25	-----	0.0	0.0
108	05/18/2011 21:26	-----	0.0	0.0
109	05/18/2011 21:27	-----	0.0	0.0
110	05/18/2011 21:28	-----	0.0	0.0
111	05/18/2011 21:29	-----	0.0	0.0
112	05/18/2011 21:30	-----	0.0	0.0
113	05/18/2011 21:31	-----	0.0	0.0
114	05/18/2011 21:32	-----	0.0	0.0
115	05/18/2011 21:33	-----	0.0	0.0
116	05/18/2011 21:34	-----	0.0	0.0
117	05/18/2011 21:35	-----	0.0	0.0
118	05/18/2011 21:36	-----	0.0	0.0

119	05/18/2011 21:37	-----	0.0	0.0
120	05/18/2011 21:38	-----	0.0	0.0
121	05/18/2011 21:39	-----	0.0	0.0
122	05/18/2011 21:40	-----	0.0	0.0
123	05/18/2011 21:41	-----	0.0	0.0
124	05/18/2011 21:42	-----	0.0	0.0
125	05/18/2011 21:43	-----	0.0	0.0
126	05/18/2011 21:44	-----	0.0	0.0
127	05/18/2011 21:45	-----	0.0	0.0
128	05/18/2011 21:46	-----	0.0	0.0
129	05/18/2011 21:47	-----	0.0	0.0
130	05/18/2011 21:48	-----	0.0	0.8
131	05/18/2011 21:49	-----	0.0	0.0
132	05/18/2011 21:50	-----	0.2	6.7
133	05/18/2011 21:51	-----	0.0	0.0
134	05/18/2011 21:52	-----	0.0	0.0
135	05/18/2011 21:53	-----	0.0	0.0
136	05/18/2011 21:54	-----	0.0	1.1
137	05/18/2011 21:55	-----	0.0	0.0
138	05/18/2011 21:56	-----	0.0	0.0
139	05/18/2011 21:57	-----	0.0	0.0
140	05/18/2011 21:58	-----	0.0	0.0
141	05/18/2011 21:59	-----	0.0	0.0
142	05/18/2011 22:00	-----	0.0	0.0
143	05/18/2011 22:01	-----	0.0	0.0
144	05/18/2011 22:02	-----	0.0	0.0
145	05/18/2011 22:03	-----	0.0	0.0
146	05/18/2011 22:04	-----	0.0	0.0
147	05/18/2011 22:05	-----	0.0	0.0
148	05/18/2011 22:06	-----	0.0	0.0
149	05/18/2011 22:07	-----	0.0	0.0
150	05/18/2011 22:08	-----	0.0	0.0
151	05/18/2011 22:09	-----	0.0	0.0
152	05/18/2011 22:10	-----	0.0	0.0
153	05/18/2011 22:11	-----	0.0	0.0
154	05/18/2011 22:12	-----	0.0	0.0
155	05/18/2011 22:13	-----	0.0	0.0
156	05/18/2011 22:14	-----	0.0	0.0
157	05/18/2011 22:15	-----	0.0	0.0
158	05/18/2011 22:16	-----	0.0	0.0
159	05/18/2011 22:17	-----	0.0	0.0
160	05/18/2011 22:18	-----	0.0	0.0
161	05/18/2011 22:19	-----	0.0	0.0

162	05/18/2011 22:20	-----	0.0	0.0
163	05/18/2011 22:21	-----	0.0	0.0
164	05/18/2011 22:22	-----	0.0	0.0
165	05/18/2011 22:23	-----	0.0	0.0
166	05/18/2011 22:24	-----	0.0	0.0
167	05/18/2011 22:25	-----	0.0	0.0
168	05/18/2011 22:26	-----	0.0	0.0
169	05/18/2011 22:27	-----	0.0	0.0
170	05/18/2011 22:28	-----	0.0	0.0
171	05/18/2011 22:29	-----	0.0	0.0
172	05/18/2011 22:30	-----	0.0	0.0
173	05/18/2011 22:31	-----	0.0	0.0
174	05/18/2011 22:32	-----	0.0	0.0
175	05/18/2011 22:33	-----	0.0	0.0
176	05/18/2011 22:34	-----	0.0	0.0
177	05/18/2011 22:35	-----	0.0	0.0
178	05/18/2011 22:36	-----	0.0	0.0
179	05/18/2011 22:37	-----	0.0	0.0
180	05/18/2011 22:38	-----	0.0	0.0
181	05/18/2011 22:39	-----	0.0	0.0
182	05/18/2011 22:40	-----	0.0	0.0
183	05/18/2011 22:41	-----	0.0	0.0
184	05/18/2011 22:42	-----	0.0	0.0
185	05/18/2011 22:43	-----	0.0	0.0
186	05/18/2011 22:44	-----	0.0	0.0
187	05/18/2011 22:45	-----	0.0	0.0
188	05/18/2011 22:46	-----	0.0	0.0
189	05/18/2011 22:47	-----	0.0	0.0
190	05/18/2011 22:48	-----	0.0	0.0
191	05/18/2011 22:49	-----	0.0	0.0
192	05/18/2011 22:50	-----	0.0	0.0
193	05/18/2011 22:51	-----	0.0	0.0
194	05/18/2011 22:52	-----	0.0	0.0
195	05/18/2011 22:53	-----	0.0	1.3
196	05/18/2011 22:54	-----	0.0	0.0
197	05/18/2011 22:55	-----	0.0	0.0
198	05/18/2011 22:56	-----	0.0	0.0
199	05/18/2011 22:57	-----	0.0	0.0
200	05/18/2011 22:58	-----	0.0	0.0
201	05/18/2011 22:59	-----	0.0	0.0
202	05/18/2011 23:00	-----	0.0	0.0
203	05/18/2011 23:01	-----	0.0	0.0
204	05/18/2011 23:02	-----	0.0	0.0

205	05/18/2011 23:03	-----	0.0	0.0
206	05/18/2011 23:04	-----	0.0	0.0
207	05/18/2011 23:05	-----	0.0	0.0
208	05/18/2011 23:06	-----	0.0	0.0
209	05/18/2011 23:07	-----	0.0	0.0
210	05/18/2011 23:08	-----	0.0	0.0
211	05/18/2011 23:09	-----	0.0	0.0
212	05/18/2011 23:10	-----	0.0	0.0
213	05/18/2011 23:11	-----	0.0	0.0
214	05/18/2011 23:12	-----	0.0	0.0
215	05/18/2011 23:13	-----	0.0	0.0
216	05/18/2011 23:14	-----	0.0	0.0
217	05/18/2011 23:15	-----	0.0	0.0
218	05/18/2011 23:16	-----	0.0	0.0
219	05/18/2011 23:17	-----	0.0	0.0
220	05/18/2011 23:18	-----	0.0	0.0
221	05/18/2011 23:19	-----	0.0	0.0
222	05/18/2011 23:20	-----	0.0	0.0
223	05/18/2011 23:21	-----	0.0	0.0
224	05/18/2011 23:22	-----	0.0	0.0
225	05/18/2011 23:23	-----	0.0	0.0
226	05/18/2011 23:24	-----	0.0	0.0
227	05/18/2011 23:25	-----	0.0	0.0
228	05/18/2011 23:26	-----	0.0	0.0
229	05/18/2011 23:27	-----	0.0	0.0
230	05/18/2011 23:28	-----	0.0	0.0
231	05/18/2011 23:29	-----	0.0	0.0
232	05/18/2011 23:30	-----	0.0	0.0
233	05/18/2011 23:31	-----	0.0	0.0
234	05/18/2011 23:32	-----	0.0	0.0
235	05/18/2011 23:33	-----	0.0	0.0
236	05/18/2011 23:34	-----	0.0	0.0
237	05/18/2011 23:35	-----	0.0	0.0
238	05/18/2011 23:36	-----	0.0	0.0
239	05/18/2011 23:37	-----	0.0	0.0
240	05/18/2011 23:38	-----	0.0	0.0
241	05/18/2011 23:39	-----	0.0	0.0
242	05/18/2011 23:40	-----	0.0	0.0
243	05/18/2011 23:41	-----	0.0	0.0
244	05/18/2011 23:42	-----	0.0	0.0
245	05/18/2011 23:43	-----	0.0	0.0
246	05/18/2011 23:44	-----	0.0	0.0
247	05/18/2011 23:45	-----	0.0	0.0

248	05/18/2011 23:46	-----	0.0	0.0
249	05/18/2011 23:47	-----	0.0	0.0
250	05/18/2011 23:48	-----	0.0	0.0
251	05/18/2011 23:49	-----	0.0	0.0
252	05/18/2011 23:50	-----	0.0	0.0
253	05/18/2011 23:51	-----	0.0	0.0
254	05/18/2011 23:52	-----	0.0	0.0
255	05/18/2011 23:53	-----	0.0	0.0
256	05/18/2011 23:54	-----	0.0	0.0
257	05/18/2011 23:55	-----	0.0	0.0
258	05/18/2011 23:56	-----	0.0	0.0
259	05/18/2011 23:57	-----	0.0	0.0
260	05/18/2011 23:58	-----	0.0	0.0
261	05/18/2011 23:59	-----	0.0	0.0
262	05/19/2011 00:00	-----	0.0	0.0
263	05/19/2011 00:01	-----	0.0	0.0
264	05/19/2011 00:02	-----	0.0	0.0
265	05/19/2011 00:03	-----	0.0	0.0
266	05/19/2011 00:04	-----	0.0	0.0
267	05/19/2011 00:05	-----	0.0	0.0
268	05/19/2011 00:06	-----	0.0	0.0
269	05/19/2011 00:07	-----	0.0	0.0
270	05/19/2011 00:08	-----	0.0	0.0
271	05/19/2011 00:09	-----	0.0	0.0
272	05/19/2011 00:10	-----	0.0	0.0
273	05/19/2011 00:11	-----	0.0	0.0
274	05/19/2011 00:12	-----	0.0	0.0
275	05/19/2011 00:13	-----	0.0	0.0
276	05/19/2011 00:14	-----	0.0	0.0
277	05/19/2011 00:15	-----	0.0	0.0
278	05/19/2011 00:16	-----	0.0	0.0
279	05/19/2011 00:17	-----	0.0	0.0
280	05/19/2011 00:18	-----	0.0	0.0
281	05/19/2011 00:19	-----	0.0	0.0
282	05/19/2011 00:20	-----	0.0	0.0
283	05/19/2011 00:21	-----	0.0	0.0
284	05/19/2011 00:22	-----	0.0	0.0
285	05/19/2011 00:23	-----	0.0	0.0
286	05/19/2011 00:24	-----	0.0	0.0
287	05/19/2011 00:25	-----	0.0	0.0
288	05/19/2011 00:26	-----	0.0	0.0
289	05/19/2011 00:27	-----	0.0	0.0
290	05/19/2011 00:28	-----	0.0	0.0

291	05/19/2011 00:29	-----	0.0	0.0
292	05/19/2011 00:30	-----	0.0	0.0
293	05/19/2011 00:31	-----	0.0	0.0
294	05/19/2011 00:32	-----	0.0	0.0
295	05/19/2011 00:33	-----	0.0	0.0
296	05/19/2011 00:34	-----	0.0	0.0
297	05/19/2011 00:35	-----	0.0	0.0
298	05/19/2011 00:36	-----	0.0	0.0
299	05/19/2011 00:37	-----	0.0	0.0
300	05/19/2011 00:38	-----	0.0	0.0
301	05/19/2011 00:39	-----	0.0	0.0
302	05/19/2011 00:40	-----	0.0	0.0
303	05/19/2011 00:41	-----	0.0	0.0
304	05/19/2011 00:42	-----	0.0	0.0
305	05/19/2011 00:43	-----	0.0	0.0
306	05/19/2011 00:44	-----	0.0	0.0
307	05/19/2011 00:45	-----	0.0	0.0
308	05/19/2011 00:46	-----	0.0	0.0
309	05/19/2011 00:47	-----	0.0	0.0
310	05/19/2011 00:48	-----	0.0	0.0
311	05/19/2011 00:49	-----	0.0	0.0
312	05/19/2011 00:50	-----	0.0	0.0
313	05/19/2011 00:51	-----	0.0	0.0
314	05/19/2011 00:52	-----	0.0	0.0
315	05/19/2011 00:53	-----	0.0	0.0
316	05/19/2011 00:54	-----	0.0	0.0
317	05/19/2011 00:55	-----	0.0	0.0
318	05/19/2011 00:56	-----	0.0	0.0
319	05/19/2011 00:57	-----	0.0	0.0
320	05/19/2011 00:58	-----	0.0	0.0
321	05/19/2011 00:59	-----	0.0	0.0
322	05/19/2011 01:00	-----	0.0	0.0
323	05/19/2011 01:01	-----	0.0	0.0
324	05/19/2011 01:02	-----	0.0	0.0
325	05/19/2011 01:03	-----	0.0	0.0
326	05/19/2011 01:04	-----	0.0	0.0
327	05/19/2011 01:05	-----	0.0	0.0
328	05/19/2011 01:06	-----	0.0	0.0
329	05/19/2011 01:07	-----	0.0	0.0
330	05/19/2011 01:08	-----	0.0	0.0
331	05/19/2011 01:09	-----	0.0	0.0
332	05/19/2011 01:10	-----	0.0	0.0
333	05/19/2011 01:11	-----	0.0	0.0

334	05/19/2011 01:12	-----	0.0	0.0
335	05/19/2011 01:13	-----	0.0	0.0
336	05/19/2011 01:14	-----	0.0	0.0
337	05/19/2011 01:15	-----	0.0	0.0
338	05/19/2011 01:16	-----	0.0	0.0
339	05/19/2011 01:17	-----	0.0	0.0
340	05/19/2011 01:18	-----	0.0	0.0
341	05/19/2011 01:19	-----	0.0	0.0
342	05/19/2011 01:20	-----	0.0	0.0
343	05/19/2011 01:21	-----	0.0	0.0
344	05/19/2011 01:22	-----	0.0	0.0
345	05/19/2011 01:23	-----	0.0	0.0
346	05/19/2011 01:24	-----	0.0	0.0
347	05/19/2011 01:25	-----	0.0	0.0
348	05/19/2011 01:26	-----	0.0	0.0
349	05/19/2011 01:27	-----	0.0	0.0
350	05/19/2011 01:28	-----	0.0	0.0
351	05/19/2011 01:29	-----	0.0	0.0
352	05/19/2011 01:30	-----	0.0	0.0
353	05/19/2011 01:31	-----	0.0	0.0
354	05/19/2011 01:32	-----	0.0	0.0
355	05/19/2011 01:33	-----	0.0	0.0
356	05/19/2011 01:34	-----	0.0	0.0
357	05/19/2011 01:35	-----	0.0	0.0
358	05/19/2011 01:36	-----	0.0	0.0
359	05/19/2011 01:37	-----	0.0	0.0
360	05/19/2011 01:38	-----	0.0	0.0
361	05/19/2011 01:39	-----	0.0	0.0
362	05/19/2011 01:40	-----	0.0	0.0
363	05/19/2011 01:41	-----	0.0	0.0
364	05/19/2011 01:42	-----	0.0	0.0
365	05/19/2011 01:43	-----	0.0	0.0
366	05/19/2011 01:44	-----	0.0	0.0
367	05/19/2011 01:45	-----	0.0	0.0
368	05/19/2011 01:46	-----	0.0	0.0
369	05/19/2011 01:47	-----	0.0	0.0
370	05/19/2011 01:48	-----	0.0	0.0
371	05/19/2011 01:49	-----	0.0	0.0
372	05/19/2011 01:50	-----	0.0	0.0
373	05/19/2011 01:51	-----	0.0	0.0
374	05/19/2011 01:52	-----	0.0	0.0
375	05/19/2011 01:53	-----	0.0	0.0
376	05/19/2011 01:54	-----	0.0	0.0

377	05/19/2011 01:55	-----	0.0	0.0
378	05/19/2011 01:56	-----	0.0	0.0
379	05/19/2011 01:57	-----	0.0	0.0
380	05/19/2011 01:58	-----	0.0	0.0
381	05/19/2011 01:59	-----	0.0	0.0
382	05/19/2011 02:00	-----	0.0	0.0
383	05/19/2011 02:01	-----	0.0	0.0
384	05/19/2011 02:02	-----	0.0	0.0
385	05/19/2011 02:03	-----	0.0	0.0
386	05/19/2011 02:04	-----	0.0	0.0
387	05/19/2011 02:05	-----	0.0	0.0
388	05/19/2011 02:06	-----	0.0	0.0
389	05/19/2011 02:07	-----	0.0	0.0
390	05/19/2011 02:08	-----	0.0	0.0
391	05/19/2011 02:09	-----	0.0	0.0
392	05/19/2011 02:10	-----	0.0	0.0
393	05/19/2011 02:11	-----	0.0	0.0
394	05/19/2011 02:12	-----	0.0	0.0
395	05/19/2011 02:13	-----	0.0	0.0
396	05/19/2011 02:14	-----	0.0	0.0
397	05/19/2011 02:15	-----	0.0	0.0
398	05/19/2011 02:16	-----	0.0	0.0
399	05/19/2011 02:17	-----	0.0	0.0
400	05/19/2011 02:18	-----	0.0	0.0
401	05/19/2011 02:19	-----	0.0	0.0
402	05/19/2011 02:20	-----	0.0	0.0
403	05/19/2011 02:21	-----	0.0	0.0
404	05/19/2011 02:22	-----	0.0	0.0
405	05/19/2011 02:23	-----	0.0	0.0
406	05/19/2011 02:24	-----	0.0	0.0
407	05/19/2011 02:25	-----	0.0	0.0
408	05/19/2011 02:26	-----	0.0	0.0
409	05/19/2011 02:27	-----	0.0	0.0
410	05/19/2011 02:28	-----	0.0	0.0
411	05/19/2011 02:29	-----	0.0	0.0
412	05/19/2011 02:30	-----	0.0	0.0
413	05/19/2011 02:31	-----	0.0	0.0
414	05/19/2011 02:32	-----	0.0	0.0
415	05/19/2011 02:33	-----	0.0	0.0
416	05/19/2011 02:34	-----	0.0	0.0
417	05/19/2011 02:35	-----	0.0	0.0
418	05/19/2011 02:36	-----	0.0	0.0
419	05/19/2011 02:37	-----	0.0	0.0

420	05/19/2011 02:38	-----	0.0	0.0
421	05/19/2011 02:39	-----	0.0	0.0
422	05/19/2011 02:40	-----	0.0	0.0
423	05/19/2011 02:41	-----	0.0	0.0
424	05/19/2011 02:42	-----	0.0	0.0
425	05/19/2011 02:43	-----	0.0	0.0
426	05/19/2011 02:44	-----	0.0	0.0
427	05/19/2011 02:45	-----	0.0	0.0
428	05/19/2011 02:46	-----	0.0	0.0
429	05/19/2011 02:47	-----	0.0	0.0
430	05/19/2011 02:48	-----	0.0	0.0
431	05/19/2011 02:49	-----	0.0	0.0
432	05/19/2011 02:50	-----	0.0	0.0
433	05/19/2011 02:51	-----	0.0	0.0
434	05/19/2011 02:52	-----	0.0	0.0
435	05/19/2011 02:53	-----	0.0	0.0
436	05/19/2011 02:54	-----	0.0	0.0
437	05/19/2011 02:55	-----	0.0	0.0
438	05/19/2011 02:56	-----	0.0	0.0
439	05/19/2011 02:57	-----	0.0	0.0
440	05/19/2011 02:58	-----	0.0	0.0
441	05/19/2011 02:59	-----	0.0	0.0
442	05/19/2011 03:00	-----	0.0	0.0
443	05/19/2011 03:01	-----	0.0	0.0
444	05/19/2011 03:02	-----	0.0	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Nu
User ID: 00000001 Site ID: 00000024
Data Points: 444 Gas Name: Isobutylene Sample F
Last Calibration Time: 04/18/2011 05:23

Measurement Type:	Min(ppm)			Avg(ppm)			M
Alarm Type:	STEL	TWA	AVG	STEL	TWA	AVG	S
Alarm Levels:	25.0	5.0		25.0	5.0		25.0	5.0	

			Min(ppm)			Avg(ppm)			Max(ppm)	
Line#	Date	Time	STEL	TWA	AVG	STEL	TWA	AVG		
1	05/18/2011	19:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
2	05/18/2011	19:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
3	05/18/2011	19:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
4	05/18/2011	19:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
5	05/18/2011	19:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
6	05/18/2011	19:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
7	05/18/2011	19:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
8	05/18/2011	19:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
9	05/18/2011	19:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.0
10	05/18/2011	19:48	-----	-----	-----	0.1	0.0	0.1	0.7	0.0
11	05/18/2011	19:49	-----	-----	-----	0.1	0.0	0.1	0.8	0.0
12	05/18/2011	19:50	-----	-----	-----	0.1	0.0	0.1	1.1	0.0
13	05/18/2011	19:51	-----	-----	-----	0.2	0.0	0.2	1.6	0.1
14	05/18/2011	19:52	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
15	05/18/2011	19:53	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
16	05/18/2011	19:54	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
17	05/18/2011	19:55	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
18	05/18/2011	19:56	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
19	05/18/2011	19:57	-----	-----	-----	0.2	0.0	0.2	1.7	0.1
20	05/18/2011	19:58	-----	-----	-----	0.2	0.0	0.1	1.7	0.1
21	05/18/2011	19:59	-----	-----	-----	0.2	0.0	0.1	1.7	0.1
22	05/18/2011	20:00	-----	-----	-----	0.2	0.0	0.1	1.7	0.1
23	05/18/2011	20:01	-----	-----	-----	0.2	0.0	0.1	1.7	0.1
24	05/18/2011	20:02	-----	-----	-----	0.2	0.0	0.1	1.7	0.1
25	05/18/2011	20:03	-----	-----	-----	0.1	0.0	0.1	1.0	0.1
26	05/18/2011	20:04	-----	-----	-----	0.1	0.0	0.1	0.9	0.1
27	05/18/2011	20:05	-----	-----	-----	0.1	0.0	0.1	0.6	0.1
28	05/18/2011	20:06	-----	-----	-----	0.0	0.0	0.1	0.1	0.1
29	05/18/2011	20:07	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
30	05/18/2011	20:08	-----	-----	-----	0.0	0.0	0.1	0.0	0.1

31	05/18/2011 20:09	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
32	05/18/2011 20:10	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
33	05/18/2011 20:11	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
34	05/18/2011 20:12	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
35	05/18/2011 20:13	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
36	05/18/2011 20:14	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
37	05/18/2011 20:15	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
38	05/18/2011 20:16	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
39	05/18/2011 20:17	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
40	05/18/2011 20:18	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
41	05/18/2011 20:19	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
42	05/18/2011 20:20	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
43	05/18/2011 20:21	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
44	05/18/2011 20:22	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
45	05/18/2011 20:23	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
46	05/18/2011 20:24	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
47	05/18/2011 20:25	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
48	05/18/2011 20:26	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
49	05/18/2011 20:27	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
50	05/18/2011 20:28	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
51	05/18/2011 20:29	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
52	05/18/2011 20:30	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
53	05/18/2011 20:31	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
54	05/18/2011 20:32	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
55	05/18/2011 20:33	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
56	05/18/2011 20:34	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
57	05/18/2011 20:35	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
58	05/18/2011 20:36	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
59	05/18/2011 20:37	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
60	05/18/2011 20:38	-----	-----	-----	0.0	0.0	0.1	0.0	0.1
61	05/18/2011 20:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
62	05/18/2011 20:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
63	05/18/2011 20:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
64	05/18/2011 20:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
65	05/18/2011 20:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
66	05/18/2011 20:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
67	05/18/2011 20:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
68	05/18/2011 20:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
69	05/18/2011 20:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
70	05/18/2011 20:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
71	05/18/2011 20:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
72	05/18/2011 20:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
73	05/18/2011 20:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

74	05/18/2011 20:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
75	05/18/2011 20:53	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
76	05/18/2011 20:54	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
77	05/18/2011 20:55	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
78	05/18/2011 20:56	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
79	05/18/2011 20:57	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
80	05/18/2011 20:58	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
81	05/18/2011 20:59	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
82	05/18/2011 21:00	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
83	05/18/2011 21:01	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
84	05/18/2011 21:02	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
85	05/18/2011 21:03	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
86	05/18/2011 21:04	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
87	05/18/2011 21:05	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
88	05/18/2011 21:06	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
89	05/18/2011 21:07	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
90	05/18/2011 21:08	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
91	05/18/2011 21:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
92	05/18/2011 21:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
93	05/18/2011 21:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
94	05/18/2011 21:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
95	05/18/2011 21:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
96	05/18/2011 21:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
97	05/18/2011 21:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
98	05/18/2011 21:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
99	05/18/2011 21:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
100	05/18/2011 21:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
101	05/18/2011 21:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
102	05/18/2011 21:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
103	05/18/2011 21:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
104	05/18/2011 21:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
105	05/18/2011 21:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
106	05/18/2011 21:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
107	05/18/2011 21:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
108	05/18/2011 21:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
109	05/18/2011 21:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
110	05/18/2011 21:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
111	05/18/2011 21:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
112	05/18/2011 21:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
113	05/18/2011 21:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
114	05/18/2011 21:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
115	05/18/2011 21:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
116	05/18/2011 21:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

117	05/18/2011 21:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
118	05/18/2011 21:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
119	05/18/2011 21:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
120	05/18/2011 21:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
121	05/18/2011 21:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
122	05/18/2011 21:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
123	05/18/2011 21:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
124	05/18/2011 21:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
125	05/18/2011 21:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
126	05/18/2011 21:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
127	05/18/2011 21:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
128	05/18/2011 21:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
129	05/18/2011 21:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
130	05/18/2011 21:48	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
131	05/18/2011 21:49	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
132	05/18/2011 21:50	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
133	05/18/2011 21:51	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
134	05/18/2011 21:52	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
135	05/18/2011 21:53	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
136	05/18/2011 21:54	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
137	05/18/2011 21:55	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
138	05/18/2011 21:56	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
139	05/18/2011 21:57	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
140	05/18/2011 21:58	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
141	05/18/2011 21:59	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
142	05/18/2011 22:00	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
143	05/18/2011 22:01	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
144	05/18/2011 22:02	-----	-----	-----	0.0	0.0	0.0	0.6	0.1
145	05/18/2011 22:03	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
146	05/18/2011 22:04	-----	-----	-----	0.0	0.0	0.0	0.5	0.1
147	05/18/2011 22:05	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
148	05/18/2011 22:06	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
149	05/18/2011 22:07	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
150	05/18/2011 22:08	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
151	05/18/2011 22:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
152	05/18/2011 22:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
153	05/18/2011 22:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
154	05/18/2011 22:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
155	05/18/2011 22:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
156	05/18/2011 22:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
157	05/18/2011 22:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
158	05/18/2011 22:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
159	05/18/2011 22:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

160	05/18/2011	22:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
161	05/18/2011	22:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
162	05/18/2011	22:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
163	05/18/2011	22:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
164	05/18/2011	22:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
165	05/18/2011	22:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
166	05/18/2011	22:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
167	05/18/2011	22:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
168	05/18/2011	22:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
169	05/18/2011	22:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
170	05/18/2011	22:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
171	05/18/2011	22:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
172	05/18/2011	22:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
173	05/18/2011	22:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
174	05/18/2011	22:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
175	05/18/2011	22:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
176	05/18/2011	22:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
177	05/18/2011	22:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
178	05/18/2011	22:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
179	05/18/2011	22:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
180	05/18/2011	22:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
181	05/18/2011	22:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
182	05/18/2011	22:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
183	05/18/2011	22:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
184	05/18/2011	22:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
185	05/18/2011	22:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
186	05/18/2011	22:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
187	05/18/2011	22:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
188	05/18/2011	22:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
189	05/18/2011	22:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
190	05/18/2011	22:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
191	05/18/2011	22:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
192	05/18/2011	22:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
193	05/18/2011	22:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
194	05/18/2011	22:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
195	05/18/2011	22:53	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
196	05/18/2011	22:54	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
197	05/18/2011	22:55	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
198	05/18/2011	22:56	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
199	05/18/2011	22:57	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
200	05/18/2011	22:58	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
201	05/18/2011	22:59	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
202	05/18/2011	23:00	-----	-----	-----	0.0	0.0	0.0	0.1	0.1

203	05/18/2011	23:01	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
204	05/18/2011	23:02	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
205	05/18/2011	23:03	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
206	05/18/2011	23:04	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
207	05/18/2011	23:05	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
208	05/18/2011	23:06	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
209	05/18/2011	23:07	-----	-----	-----	0.0	0.0	0.0	0.1	0.1
210	05/18/2011	23:08	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
211	05/18/2011	23:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
212	05/18/2011	23:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
213	05/18/2011	23:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
214	05/18/2011	23:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
215	05/18/2011	23:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
216	05/18/2011	23:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
217	05/18/2011	23:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
218	05/18/2011	23:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
219	05/18/2011	23:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
220	05/18/2011	23:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
221	05/18/2011	23:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
222	05/18/2011	23:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
223	05/18/2011	23:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
224	05/18/2011	23:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
225	05/18/2011	23:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
226	05/18/2011	23:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
227	05/18/2011	23:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
228	05/18/2011	23:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
229	05/18/2011	23:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
230	05/18/2011	23:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
231	05/18/2011	23:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
232	05/18/2011	23:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
233	05/18/2011	23:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
234	05/18/2011	23:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
235	05/18/2011	23:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
236	05/18/2011	23:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
237	05/18/2011	23:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
238	05/18/2011	23:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
239	05/18/2011	23:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
240	05/18/2011	23:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
241	05/18/2011	23:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
242	05/18/2011	23:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
243	05/18/2011	23:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
244	05/18/2011	23:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
245	05/18/2011	23:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

246	05/18/2011 23:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
247	05/18/2011 23:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
248	05/18/2011 23:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
249	05/18/2011 23:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
250	05/18/2011 23:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
251	05/18/2011 23:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
252	05/18/2011 23:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
253	05/18/2011 23:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
254	05/18/2011 23:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
255	05/18/2011 23:53	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
256	05/18/2011 23:54	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
257	05/18/2011 23:55	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
258	05/18/2011 23:56	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
259	05/18/2011 23:57	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
260	05/18/2011 23:58	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
261	05/18/2011 23:59	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
262	05/19/2011 00:00	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
263	05/19/2011 00:01	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
264	05/19/2011 00:02	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
265	05/19/2011 00:03	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
266	05/19/2011 00:04	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
267	05/19/2011 00:05	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
268	05/19/2011 00:06	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
269	05/19/2011 00:07	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
270	05/19/2011 00:08	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
271	05/19/2011 00:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
272	05/19/2011 00:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
273	05/19/2011 00:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
274	05/19/2011 00:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
275	05/19/2011 00:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
276	05/19/2011 00:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
277	05/19/2011 00:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
278	05/19/2011 00:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
279	05/19/2011 00:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
280	05/19/2011 00:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
281	05/19/2011 00:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
282	05/19/2011 00:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
283	05/19/2011 00:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
284	05/19/2011 00:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
285	05/19/2011 00:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
286	05/19/2011 00:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
287	05/19/2011 00:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
288	05/19/2011 00:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

289	05/19/2011 00:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
290	05/19/2011 00:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
291	05/19/2011 00:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
292	05/19/2011 00:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
293	05/19/2011 00:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
294	05/19/2011 00:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
295	05/19/2011 00:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
296	05/19/2011 00:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
297	05/19/2011 00:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
298	05/19/2011 00:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
299	05/19/2011 00:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
300	05/19/2011 00:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
301	05/19/2011 00:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
302	05/19/2011 00:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
303	05/19/2011 00:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
304	05/19/2011 00:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
305	05/19/2011 00:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
306	05/19/2011 00:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
307	05/19/2011 00:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
308	05/19/2011 00:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
309	05/19/2011 00:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
310	05/19/2011 00:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
311	05/19/2011 00:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
312	05/19/2011 00:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
313	05/19/2011 00:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
314	05/19/2011 00:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
315	05/19/2011 00:53	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
316	05/19/2011 00:54	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
317	05/19/2011 00:55	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
318	05/19/2011 00:56	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
319	05/19/2011 00:57	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
320	05/19/2011 00:58	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
321	05/19/2011 00:59	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
322	05/19/2011 01:00	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
323	05/19/2011 01:01	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
324	05/19/2011 01:02	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
325	05/19/2011 01:03	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
326	05/19/2011 01:04	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
327	05/19/2011 01:05	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
328	05/19/2011 01:06	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
329	05/19/2011 01:07	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
330	05/19/2011 01:08	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
331	05/19/2011 01:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

332	05/19/2011	01:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
333	05/19/2011	01:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
334	05/19/2011	01:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
335	05/19/2011	01:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
336	05/19/2011	01:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
337	05/19/2011	01:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
338	05/19/2011	01:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
339	05/19/2011	01:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
340	05/19/2011	01:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
341	05/19/2011	01:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
342	05/19/2011	01:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
343	05/19/2011	01:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
344	05/19/2011	01:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
345	05/19/2011	01:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
346	05/19/2011	01:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
347	05/19/2011	01:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
348	05/19/2011	01:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
349	05/19/2011	01:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
350	05/19/2011	01:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
351	05/19/2011	01:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
352	05/19/2011	01:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
353	05/19/2011	01:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
354	05/19/2011	01:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
355	05/19/2011	01:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
356	05/19/2011	01:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
357	05/19/2011	01:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
358	05/19/2011	01:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
359	05/19/2011	01:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
360	05/19/2011	01:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
361	05/19/2011	01:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
362	05/19/2011	01:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
363	05/19/2011	01:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
364	05/19/2011	01:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
365	05/19/2011	01:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
366	05/19/2011	01:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
367	05/19/2011	01:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
368	05/19/2011	01:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
369	05/19/2011	01:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
370	05/19/2011	01:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
371	05/19/2011	01:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
372	05/19/2011	01:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
373	05/19/2011	01:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
374	05/19/2011	01:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

375	05/19/2011 01:53	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
376	05/19/2011 01:54	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
377	05/19/2011 01:55	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
378	05/19/2011 01:56	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
379	05/19/2011 01:57	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
380	05/19/2011 01:58	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
381	05/19/2011 01:59	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
382	05/19/2011 02:00	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
383	05/19/2011 02:01	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
384	05/19/2011 02:02	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
385	05/19/2011 02:03	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
386	05/19/2011 02:04	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
387	05/19/2011 02:05	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
388	05/19/2011 02:06	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
389	05/19/2011 02:07	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
390	05/19/2011 02:08	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
391	05/19/2011 02:09	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
392	05/19/2011 02:10	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
393	05/19/2011 02:11	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
394	05/19/2011 02:12	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
395	05/19/2011 02:13	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
396	05/19/2011 02:14	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
397	05/19/2011 02:15	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
398	05/19/2011 02:16	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
399	05/19/2011 02:17	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
400	05/19/2011 02:18	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
401	05/19/2011 02:19	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
402	05/19/2011 02:20	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
403	05/19/2011 02:21	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
404	05/19/2011 02:22	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
405	05/19/2011 02:23	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
406	05/19/2011 02:24	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
407	05/19/2011 02:25	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
408	05/19/2011 02:26	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
409	05/19/2011 02:27	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
410	05/19/2011 02:28	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
411	05/19/2011 02:29	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
412	05/19/2011 02:30	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
413	05/19/2011 02:31	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
414	05/19/2011 02:32	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
415	05/19/2011 02:33	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
416	05/19/2011 02:34	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
417	05/19/2011 02:35	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

418	05/19/2011 02:36	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
419	05/19/2011 02:37	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
420	05/19/2011 02:38	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
421	05/19/2011 02:39	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
422	05/19/2011 02:40	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
423	05/19/2011 02:41	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
424	05/19/2011 02:42	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
425	05/19/2011 02:43	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
426	05/19/2011 02:44	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
427	05/19/2011 02:45	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
428	05/19/2011 02:46	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
429	05/19/2011 02:47	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
430	05/19/2011 02:48	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
431	05/19/2011 02:49	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
432	05/19/2011 02:50	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
433	05/19/2011 02:51	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
434	05/19/2011 02:52	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
435	05/19/2011 02:53	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
436	05/19/2011 02:54	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
437	05/19/2011 02:55	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
438	05/19/2011 02:56	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
439	05/19/2011 02:57	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
440	05/19/2011 02:58	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
441	05/19/2011 02:59	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
442	05/19/2011 03:00	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
443	05/19/2011 03:01	-----	-----	-----	0.0	0.0	0.0	0.0	0.1
444	05/19/2011 03:02	-----	-----	-----	0.0	0.0	0.0	0.0	0.1

0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1
0.1

7600) Serial Number: 006938
 00000024
ıe: Isobutylene Sample Period: 60 sec
l 05:23
\t: 05/19/2011 03:02

ɔpm)	Avg(ppm)	Max(ppm)
ɔ	100.0	100.0
)	50.0	50.0
0	25.0	25.0
)	5.0	5.0

ɔpm)	Avg(ppm)	Max(ppm)
	1.6	10.8
	0.0	0.0
	0.0	0.1
	0.0	0.1

APPENDIX E

GROUNDWATER MONITORING REPORTS

Strong Advocates, Effective Solutions, Integrated Implementation

November 30, 2011

Mr. David Szymanski
NY State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Ave.
Buffalo, New York

Re: Groundwater Monitoring Report
NOCO #S41 Site (C915211)
1055 Genesee Street
Buffalo, New York

Dear Mr. Szymanski:

On behalf of our client, 1055 Genesee Street LLC, TurnKey Environmental Restoration, LLC (TurnKey), is herein transmitting the results from the recent groundwater monitoring event, in accordance with the Department's approved Site Management Plan (SMP) for the NOCO #S41 Site, located at 1055 Genesee Street, Buffalo, New York (see Figure 1). Analytical data has been entered into the NYSDEC's EQuIS system.

As you are aware, during this monitoring period 1055 Genesee Street, LLC completed the purchase and redevelopment of the Site for commercial use. As part of the redevelopment, BCP MW-1 and BCP MW-7 were removed due to the location of the new building. The sampling events completed, prior to removal in May and October of 2010 (details previously provided), showed no exceedances of the NYSDEC Class GA groundwater quality standards (GWQS), with the minor exception of methyl tert-butyl ether (MTBE) slightly elevated above the its GWQS in BCP MW-1 (11 ug/L vs. 10 ug/L GWQS). Well removal details are discussed in the Construction Closeout Report and Periodic Review Report (provided separately).

This groundwater monitoring event was performed on September 14th, 2011 and included the sampling and analysis of BCP MW-2, BCP MW-3, BCP MW-5, and BCP MW-6. BCP MW-4 was not able to be sampled due to an obstruction in the well at approximately 7 to 8 fbgs. Groundwater samples from each of the sampled wells were analyzed for Target Compound List (TCL) plus STARS list volatile organic compounds (VOCs). It should be noted that the initial sample results for BCP MW-3 were rejected due to a laboratory analytical quality control issue, and BCP MW-3 was resampled on November 18, 2011. Field parameters including pH, oxidation-reduction potential (ORP), temperature, turbidity, dissolved oxygen (DO), and specific conductance were also measured in each of the sampled monitoring wells. Table 1 summarizes the analytical results with comparison to GWQS. Field data sheets are presented in Attachment 1. The laboratory analytical data package is included in Attachment 2.

As shown on Table 1, the vast majority of constituents was reported by the laboratory as non-detect (ND) or estimated values below the GWQS. Only MTBE was detected above the GWQS in BCP MW-3 and BCP MW-6. BCP MW-3, located along the western property boundary, and BCP MW-6, located along the northern property boundary are both up-gradient wells, and the continued presence of MTBE, though decreasing, may be attributable to migration of MTBE onto the Site from an off-site source. Analytical results for BCP MW-2, the southernmost down-gradient well on-Site has been consistently below detection limits (ND) since 2008.

Groundwater elevations were collected in BCP MW-2 through BCP MW-6. Table 2 shows the relative groundwater elevations and Figure 1 includes an estimated groundwater isopotential map and flow direction. The groundwater flow is consistent with historic groundwater gauging data.

MTBE levels in the on-Site wells, and particularly BCP MW-3 and BCP MW-6, have showed continued decreasing trend in concentration during the groundwater monitoring events that have been completed to date. It is our opinion, based on the extent of source area removal during the BCP remedial action completed in 2009, and the continued natural biodegradation, residual contaminant concentration will continue to decrease.

Based on the data from the five rounds of completed groundwater monitoring, with water supplied to Site by a municipal water authority, and with the recently completed redevelopment of the Site which further limits any potential exposure route, TurnKey respectively requests that groundwater monitoring be discontinued for the Site.

Please contact us with any questions or comments.

Sincerely,
TurnKey Environmental Restoration, LLC

Nathan Munley
Project Scientist

Michael Lesakowski
Project Manager

Att.

c: D. Pawlik (1055 Genesee Street, LLC)
C. Slater (HSE)

file: 0226-001-300

TABLES


TABLE 1
GROUNDWATER ANALYTICAL DATA SUMMARY
SEPTEMBER 2011 SAMPLING EVENT
1055 GENESEE STREET
BUFFALO, NEW YORK

Parameter [1]	Class GA GWQS [2]	BCP MW-2					BCP MW-3					BCP MW-4					BCP MW-5					BCP MW-6				
		2/29/08	6/17/09	5/25/10	10/20/10	9/14/11	2/29/08	6/17/09	5/25/10	10/20/10	11/18/11[4]	2/29/08	6/17/09	5/25/10	10/20/10	9/14/11	2/29/08	6/17/09	5/25/10	10/20/10	9/14/11	2/29/08	6/17/09	5/25/10	10/20/10	9/14/11
Volatile Organic Compounds (VOCs) - ug/L																										
Acetone	**50**	ND	ND	ND	ND	ND	4 J	ND	ND	ND	15	ND	ND	ND	ND	NA	ND	ND	ND	ND	4.3 J	ND	ND	ND	ND	ND
Benzene	**1**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	18 NJ	ND	ND	ND	ND
2-Butanone (MEK)	**50**	ND	ND	ND	ND	ND	6	ND	ND	ND	28	ND	ND	ND	ND	NA	ND	ND	ND	ND	3.5 J	ND	ND	ND	ND	ND
Cyclohexane	**--**	ND	ND	ND	ND	ND	0.8 J	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	**5**	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	26	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene (Cumene)	**5**	ND	ND	ND	ND	ND	8	3.8	ND	ND	ND	9	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylcyclohexane	**--**	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert butyl ether (MTBE)	**10**	ND	ND	ND	ND	ND	11	130 D	90	57	72	ND	18	13	6.8	NA	6 J	3.2	2.9	1.5	2	370	210	220 D	92 D	94

Notes:
1. Only those parameters detected at a minimum of one sample location are presented in table; all other compounds reported as non-detect.
2. Regulatory limits are NYSDEC Class "GA" Groundwater Quality Standards (GWQS) as published in NYSDEC Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations (June 1998).
3. Monitoring wells BCP MW-1 and BCP MW-7 were removed, with prior approval of the Department, during redevelopment activities.
4. Analytical results from BCP MW-3 sampling event on Septmeber 14, 2011 were rejected due to laboratory quality control issues. Results presented are from resample of BCP MW-3 conducted November 18, 2011.

Definitions:
ND = Parameter not detected above laboratory detection limit.
"--" = No guidance value available.
J = Estimated value; result is less than the sample quantitation limit but greater than zero.
D = All compounds were identified in an analyisis at the secondary dilution factor.
= Result exceeds NYSDEC Class GA Groundwater Quality Standard.

FIGURES



TURNKEY ENVIRONMENTAL RESTORATION, LLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0635

PROJECT NO.: 0226-001-300

DATE: NOVEMBER 2011

DRAFTED BY: NTM/JGT

GROUNDWATER ISOPOTENTIAL MAP

GROUNDWATER MONITORING

NOCO #S 41 SITE
BCP SITE No. C915211
BUFFALO, NEW YORK

PREPARED FOR

1055 GENESEE STREET LLC

FIGURE 1

ATTACHMENT 1

FIELD DATA SHEETS

TurnKey Environmental Restoration, LLC

EQUIPMENT CALIBRATION LOG

PROJECT INFORMATION:

Project Name: **Long-Term Groundwater Monitoring**
Project No.: 0112-010-600
Client: 1055 Genesee Street, LLC

Date: 9-14-11

Instrument Source: ☒ BM ☐ Rental

METER TYPE	UNITS	TIME	MAKE/MODEL	SERIAL NUMBER	CAL. BY	STANDARD	POST CAL. READING	SETTINGS
☒ pH meter	units	0900	Myron L Company Ultra Meter 6P	606987 ☒ 6212375 ☐	[illegible]	4.00	3.98	4.00 ok
						7.00	6.99	7.00 ok
						10.01	10.00	10.01 ok
☒ Turbidity meter	NTU		Hach 2100P Turbidimeter	06120C02052 ☐ 07110C02640 ☒		< 0.4		
						20		
						100		
						800		
☒ Sp. Cond. meter	uS mS	0900	Myron L Company Ultra Meter 6P	606987 ☒ 6212375 ☐	[illegible]	1413 mS @ 25 °C	1413	1413 ok
☐ PID	ppm		MinRAE 2000			open air zero		MIBK response factor = 1.0
						____ ppm Iso. Gas		
☒ Dissolved Oxygen	ppm		HACH Model HQ30d		RLD	100% Satuartion	100% Sat.	100% Sat ok
☐ Particulate meter	mg/m^3					zero air		
☐ Oxygen	%					open air		
☐ Hydrogen sulfide	ppm					open air		
☐ Carbon monoxide	ppm					open air		
☐ LEL	%					open air		
☐ Radiation Meter	uR/H					background area		
☐								

ADDITIONAL REMARKS:

PREPARED BY: **DATE:**

GROUNDWATER FIELD FORM

Project Name: 1055 Genesee Street, LLC - LTGMW Date: 9/14/11

Location: Genesee & Filmore Streets Project No.: 0112-010-600 Field Team: RLO / MP

Well No. BCP-MW-2			Diameter (inches): 2			Sample Date / Time:			
Product Depth (fbTOR): 11.60			Water Column (ft):			DTW when sampled: ☐ Development ☐ Sample ☑ Purge & Sample			
DTW (static) (fbTOR): 6.85			One Well Volume (gal):			Purpose:			
Total Depth (fbTOR): ~~20.15~~ 19.38			Total Volume Purged (gal):			Purge Method: low flow via submersible pump w/ dedicated tubing			

Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial								
1134	1 12.34	~~2.50~~	2.28	15.4	1288	2.49	2.44	-32	cloudy
1135	2 12.40	.50	2.44	14.9	1284	136	2.45		cloudy
1136	3 12.48	.25	2.43	14.4	1291	79	2.88	153	cloudy
1138	4 12.21	1	2.44	14.1	1280	65	2.42	12	cloudy
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
1140	S1 12.88	1.25	2.42	14.2	1252	58	2.33	15	cloudy
1144	S2 12.53	2	2.43	14.4	1207	31 ☐ Development	2.04 ☐ Sample	16 ☑ Purge & Sample	clear

Well No. BCP-MW-3			Diameter (inches): 2			Sample Date / Time: 9/14/11			
Product Depth (fbTOR):			Water Column (ft):			DTW when sampled:			
DTW (static) (fbTOR): 6.85			One Well Volume (gal):			Purpose:			
Total Depth (fbTOR): ~~20.20~~ 19.23			Total Volume Purged (gal):			Purge Method: low flow via submersible pump w/ dedicated tubing			

Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial								
1057	1 9.3	.5	2.64	19.8	2248	117	1.48	~~-165~~	cloudy
1100	2 11.80	.50	2.62	19.7	2176	72	1.47	-161	cloudy
1103	3 13.19	1.25	2.48	18.2	2337	28	2.01	-138	clear
1105	4 13.69	3	2.45	17.3	1991	22.4	2.04	-144	clear
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
1109	S1 14.01	4	2.48	17.1	1890	15.5	2.06	-141	clear
1110	S2 14.46	5	2.47	17.2	2069	17.2	2.58	-136	clear

SAMPLE SUBMITTED

REMARKS:

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY:

GROUNDWATER FIELD FORM

Project Name: 1055 Genesee Street, LLC - LTGMW Date: 9-14-11

Location: Genesee & Filmore Streets Project No.: 0112-010-600 Field Team: LPP & RLD

Well No. BCP-MW-4 *

Diameter (inches): 2

Product Depth (fbTOR): —

Water Column (ft):

DTW (static) (fbTOR): 7.96

One Well Volume (gal):

Total Depth (fbTOR): 20.18

Total Volume Purged (gal):

Sample Date / Time:

☐ Development ☐ Sample ☑ Purge & Sample

DTW when sampled:

Purpose:

Purge Method: low flow via submersible pump w/ dedicated tubing

Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial						7.0		
	1								
	2								
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
	S1								
	S2								

☐ Development ☐ Sample ☑ Purge & Sample

Well No. BCP-MW-5

Diameter (inches): 2

Product Depth (fbTOR):

Water Column (ft):

DTW (static) (fbTOR): 7.96

One Well Volume (gal):

Total Depth (fbTOR): 20.08

Total Volume Purged (gal):

Sample Date / Time: 9/15/11

DTW when sampled:

Purpose:

Purge Method: low flow via submersible pump w/ dedicated tubing

Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial								
1006	1 8.20	0.25	7.10	17.6	2258	366	1.89	-110	TURBID
1009	2 9.10	1.40	7.11	16.9	2205	303	1.58	-122	" "
1014	3 9.85	.45	7.05	16.3	2218	226	1.86	-121	" "
1019	4 9.93	.50	7.07	16.4	2198	153	1.82	-115	" "
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
1017	S1 10.27	.75	7.06	17.6	2350	240	1.98	-101	" "
1023	S2 10.71	1.25	7.16	18.0	2472	42	2.07	-78	" "

REMARKS: RLWD Dup collected At MW-5

* observation in well @ 8' (MW-4)

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY: RLD/MP

GROUNDWATER FIELD FORM

Project Name: 1055 Genesee Street, LLC - LTGMW Date: 9/14/11

Location: Genesee & Filmore Streets Project No.: 0112-010-600 Field Team: RLO/MP

Well No. BCP-MW-6			Diameter (inches): 2			Sample Date / Time:			
Product Depth (fbTOR):			Water Column (ft):			☐ Development ☐ Sample ☑ Purge & Sample DTW when sampled:			
DTW (static) (fbTOR): 5.60			One Well Volume (gal):			Purpose:			
Total Depth (fbTOR): 20.25			Total Volume Purged (gal):			Purge Method: low flow via submersible pump w/ dedicated tubing			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
9:25	0 Initial	2.25	5.96	16.9	2012	>1000	0.3	-156	TURBID BROWN SLIGHT SULFUR ODOR
930	1 6.45	1	6.35	16.4	2144	"	0.27	-192	"
0932	2 7.02	1.5	~~7.08~~	17.7	2029	128	1.22	-218	" "
0935	3 7.04	2.25	6.90	17.6	2019	57	1.24	-224	LESS TURBID
	4 ~~8.20~~	~~3~~	~~7.03~~	~~18.2~~					
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
0939	S1 7.23	3	7.03	18.2	2130	26	1.11	-224	CLEAR
0943	S2 6.88	4	7.13	18.1	2182	19.9	1.14	-229	CLEAR

☐ Development ☐ Sample ☑ Purge & Sample

Well No.			Diameter (inches):			Sample Date / Time:			
Product Depth (fbTOR):			Water Column (ft):			DTW when sampled:			
DTW (static) (fbTOR):			One Well Volume (gal):			Purpose:			
Total Depth (fbTOR): 19.98			Total Volume Purged (gal):			Purge Method: low flow via submersible pump w/ dedicated tubing			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial								
	1								
	2								
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
	S1								
	S2								

REMARKS: MS/MSD Collected At mw-6

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY: RLO/MP

TURNKEY ENVIRONMENTAL RESTORATION, LLC

TABLE 2

GROUNDWATER ELEVATION MEASUREMENTS
(date)

Groundwater Monitoring Event
1055 Genesee Street, LLC
Buffalo, New York

TOTAL Depths	Monitoring Location	TOR Elevation	DTW	GWE	TOR to TOP OF CURB BOX
19.58	BCP-MW-2	99.16	11.60	99.16	.44'
19.23	BCP-MW-3	99.36	6.85	99.36	.41'
OBSTRUCTION in well at 20'	BCP-MW-4	100.16	8.00	100.16	.50'
19.53	BCP-MW-5	100.35	7.96	100.35	.44'
19.53	BCP-MW-6	99.63	5.60	99.63	.58' ~~From TOC to top of curb~~ TBox

Notes:
1. All wells were surveyed on 3/04/08 with site specific datum of 100 feet.
2. All elevations are measured in feet above mean sea level.
3. DTW = depth to water
4. GWE = calculated groundwater elevation
5. TOR = top of riser

* Need to measure distance from top of road box to TOR.

ATTACHMENT 2

LABORATORY ANALYTICAL DATA PACKAGE

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

TestAmerica Job ID: 480-9843-1
Client Project/Site: Turnkey - 1055 Genesee St.

For:
Turnkey Environmental Restoration, LLC
2558 Hamburg Turnpike
Suite 300
Lackawanna, New York 14218

Attn: Mr. Michael Lesakowski

Authorized for release by:
09/30/2011 03:14:37 PM

Brian Fischer
Project Manager II
brian.fischer@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

Results relate only to the items tested and the sample(s) as received by the laboratory. The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 5
Client Sample Results 6
Surrogate Summary 19
QC Sample Results 20
QC Association Summary 28
Lab Chronicle 29
Certification Summary 30
Method Summary 31
Sample Summary 32
Chain of Custody 33
Receipt Checklists 34

Definitions/Glossary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F	MS or MSD exceeds the control limits
E	Result exceeded calibration range.
F	RPD of the MS and MSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Job ID: 480-9843-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-9843-1

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
Method(s) 8260B: The following samples were diluted due to the abundance of target analytes: (480-9843-2 MS), (480-9843-2 MSD), BCP-MW-3 (480-9843-2). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 33185 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) precision for batch 33185 was outside control limits.

No other analytical or quality issues were noted.

Detection Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-2 — Lab Sample ID: 480-9843-1

No Detections

Client Sample ID: BCP-MW-3 — Lab Sample ID: 480-9843-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl tert-butyl ether	44		1.0	0.16	ug/L	1		8260B	Total/NA
2-Butanone (MEK) - DL	6500		200	26	ug/L	20		8260B	Total/NA
Acetone - DL	3600		200	60	ug/L	20		8260B	Total/NA
Methyl tert-butyl ether - DL	46		20	3.2	ug/L	20		8260B	Total/NA

Client Sample ID: BCP-MW-5 — Lab Sample ID: 480-9843-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	3.5	J	10	1.3	ug/L	1		8260B	Total/NA
Acetone	4.3	J	10	3.0	ug/L	1		8260B	Total/NA
Methyl tert-butyl ether	2.0		1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: BCP-MW-6 — Lab Sample ID: 480-9843-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl tert-butyl ether	94		1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: BLIND DUP — Lab Sample ID: 480-9843-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methyl tert-butyl ether	1.9		1.0	0.16	ug/L	1		8260B	Total/NA

Client Sample ID: TRIP BLANK — Lab Sample ID: 480-9843-8

No Detections

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-2
Date Collected: 09/14/11 11:40
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 16:57	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 16:57	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 16:57	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 16:57	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 16:57	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 16:57	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 16:57	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 16:57	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 16:57	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 16:57	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 16:57	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 16:57	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 16:57	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 16:57	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 16:57	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 16:57	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 16:57	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 16:57	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 16:57	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 16:57	1
Acetone	ND		10	3.0	ug/L			09/22/11 16:57	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 16:57	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 16:57	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 16:57	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 16:57	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 16:57	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 16:57	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 16:57	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 16:57	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 16:57	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 16:57	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 16:57	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 16:57	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 16:57	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 16:57	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 16:57	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 16:57	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 16:57	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 16:57	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 16:57	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			09/22/11 16:57	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 16:57	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 16:57	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 16:57	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 16:57	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 16:57	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 16:57	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 16:57	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 16:57	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 16:57	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-2
Date Collected: 09/14/11 11:40
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			09/22/11 16:57	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 16:57	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 16:57	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 16:57	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 16:57	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 16:57	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 16:57	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*117*		*66 - 137*		*09/22/11 16:57*	*1*
4-Bromofluorobenzene (Surr)	*109*		*73 - 120*		*09/22/11 16:57*	*1*
Toluene-d8 (Surr)	*119*		*71 - 126*		*09/22/11 16:57*	*1*

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-3
Date Collected: 09/14/11 11:08
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 17:19	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 17:19	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 17:19	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 17:19	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 17:19	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 17:19	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 17:19	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 17:19	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 17:19	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 17:19	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 17:19	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 17:19	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 17:19	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 17:19	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 17:19	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 17:19	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 17:19	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 17:19	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 17:19	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 17:19	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 17:19	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 17:19	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 17:19	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 17:19	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 17:19	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 17:19	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 17:19	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 17:19	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 17:19	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 17:19	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 17:19	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 17:19	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 17:19	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 17:19	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 17:19	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 17:19	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 17:19	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 17:19	1
Methyl tert-butyl ether	**44**		1.0	0.16	ug/L			09/22/11 17:19	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 17:19	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 17:19	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 17:19	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 17:19	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 17:19	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 17:19	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 17:19	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 17:19	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 17:19	1
Toluene	ND		1.0	0.51	ug/L			09/22/11 17:19	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 17:19	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-3
Date Collected: 09/14/11 11:08
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 17:19	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 17:19	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 17:19	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 17:19	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 17:19	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*		*09/22/11 17:19*	*1*
4-Bromofluorobenzene (Surr)	*107*		*73 - 120*		*09/22/11 17:19*	*1*
Toluene-d8 (Surr)	*116*		*71 - 126*		*09/22/11 17:19*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20	16	ug/L			09/23/11 04:54	20
1,1,2,2-Tetrachloroethane	ND		20	4.2	ug/L			09/23/11 04:54	20
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	6.2	ug/L			09/23/11 04:54	20
1,1,2-Trichloroethane	ND		20	4.6	ug/L			09/23/11 04:54	20
1,1-Dichloroethane	ND		20	7.6	ug/L			09/23/11 04:54	20
1,1-Dichloroethene	ND		20	5.8	ug/L			09/23/11 04:54	20
1,2,4-Trichlorobenzene	ND		20	8.2	ug/L			09/23/11 04:54	20
1,2,4-Trimethylbenzene	ND		20	15	ug/L			09/23/11 04:54	20
1,2-Dibromo-3-Chloropropane	ND		20	7.8	ug/L			09/23/11 04:54	20
1,2-Dibromoethane	ND		20	15	ug/L			09/23/11 04:54	20
1,2-Dichlorobenzene	ND		20	16	ug/L			09/23/11 04:54	20
1,2-Dichloroethane	ND		20	4.2	ug/L			09/23/11 04:54	20
1,2-Dichloropropane	ND		20	14	ug/L			09/23/11 04:54	20
1,3,5-Trimethylbenzene	ND		20	15	ug/L			09/23/11 04:54	20
1,3-Dichlorobenzene	ND		20	16	ug/L			09/23/11 04:54	20
1,4-Dichlorobenzene	ND		20	17	ug/L			09/23/11 04:54	20
2-Butanone (MEK)	**6500**		200	26	ug/L			09/23/11 04:54	20
2-Hexanone	ND		100	25	ug/L			09/23/11 04:54	20
4-Isopropyltoluene	ND		20	6.2	ug/L			09/23/11 04:54	20
4-Methyl-2-pentanone (MIBK)	ND		100	42	ug/L			09/23/11 04:54	20
Acetone	**3600**		200	60	ug/L			09/23/11 04:54	20
Benzene	ND		20	8.2	ug/L			09/23/11 04:54	20
Bromodichloromethane	ND		20	7.8	ug/L			09/23/11 04:54	20
Bromoform	ND		20	5.2	ug/L			09/23/11 04:54	20
Bromomethane	ND		20	14	ug/L			09/23/11 04:54	20
Carbon disulfide	ND		20	3.8	ug/L			09/23/11 04:54	20
Carbon tetrachloride	ND		20	5.4	ug/L			09/23/11 04:54	20
Chlorobenzene	ND		20	15	ug/L			09/23/11 04:54	20
Chloroethane	ND		20	6.4	ug/L			09/23/11 04:54	20
Chloroform	ND		20	6.8	ug/L			09/23/11 04:54	20
Chloromethane	ND		20	7.0	ug/L			09/23/11 04:54	20
cis-1,2-Dichloroethene	ND		20	16	ug/L			09/23/11 04:54	20
cis-1,3-Dichloropropene	ND		20	7.2	ug/L			09/23/11 04:54	20
Cyclohexane	ND		20	3.6	ug/L			09/23/11 04:54	20
Dibromochloromethane	ND		20	6.4	ug/L			09/23/11 04:54	20
Dichlorodifluoromethane	ND		20	14	ug/L			09/23/11 04:54	20
Ethylbenzene	ND		20	15	ug/L			09/23/11 04:54	20
Isopropylbenzene	ND		20	16	ug/L			09/23/11 04:54	20

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-3
Date Collected: 09/14/11 11:08
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-2
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		40	13	ug/L			09/23/11 04:54	20
Methyl acetate	ND		20	10	ug/L			09/23/11 04:54	20
Methyl tert-butyl ether	**46**		20	3.2	ug/L			09/23/11 04:54	20
Methylcyclohexane	ND		20	3.2	ug/L			09/23/11 04:54	20
Methylene Chloride	ND		20	8.8	ug/L			09/23/11 04:54	20
n-Butylbenzene	ND		20	13	ug/L			09/23/11 04:54	20
N-Propylbenzene	ND		20	14	ug/L			09/23/11 04:54	20
o-Xylene	ND		20	15	ug/L			09/23/11 04:54	20
sec-Butylbenzene	ND		20	15	ug/L			09/23/11 04:54	20
Styrene	ND		20	15	ug/L			09/23/11 04:54	20
tert-Butylbenzene	ND		20	16	ug/L			09/23/11 04:54	20
Tetrachloroethene	ND		20	7.2	ug/L			09/23/11 04:54	20
Toluene	ND		20	10	ug/L			09/23/11 04:54	20
trans-1,2-Dichloroethene	ND		20	18	ug/L			09/23/11 04:54	20
trans-1,3-Dichloropropene	ND		20	7.4	ug/L			09/23/11 04:54	20
Trichloroethene	ND		20	9.2	ug/L			09/23/11 04:54	20
Trichlorofluoromethane	ND		20	18	ug/L			09/23/11 04:54	20
Vinyl chloride	ND		20	18	ug/L			09/23/11 04:54	20
Xylenes, Total	ND		40	13	ug/L			09/23/11 04:54	20

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*		*09/23/11 04:54*	*20*
4-Bromofluorobenzene (Surr)	*107*		*73 - 120*		*09/23/11 04:54*	*20*
Toluene-d8 (Surr)	*116*		*71 - 126*		*09/23/11 04:54*	*20*

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-5
Date Collected: 09/14/11 10:17
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 17:41	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 17:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 17:41	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 17:41	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 17:41	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 17:41	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 17:41	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 17:41	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 17:41	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 17:41	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 17:41	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 17:41	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 17:41	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 17:41	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 17:41	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 17:41	1
2-Butanone (MEK)	**3.5**	**J**	10	1.3	ug/L			09/22/11 17:41	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 17:41	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 17:41	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 17:41	1
Acetone	**4.3**	**J**	10	3.0	ug/L			09/22/11 17:41	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 17:41	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 17:41	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 17:41	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 17:41	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 17:41	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 17:41	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 17:41	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 17:41	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 17:41	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 17:41	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 17:41	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 17:41	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 17:41	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 17:41	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 17:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 17:41	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 17:41	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 17:41	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 17:41	1
Methyl tert-butyl ether	**2.0**		1.0	0.16	ug/L			09/22/11 17:41	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 17:41	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 17:41	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 17:41	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 17:41	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 17:41	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 17:41	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 17:41	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 17:41	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 17:41	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-5
Date Collected: 09/14/11 10:17
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-3
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			09/22/11 17:41	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 17:41	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 17:41	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 17:41	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 17:41	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 17:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 17:41	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*		*09/22/11 17:41*	*1*
4-Bromofluorobenzene (Surr)	*106*		*73 - 120*		*09/22/11 17:41*	*1*
Toluene-d8 (Surr)	*118*		*71 - 126*		*09/22/11 17:41*	*1*

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-6
Date Collected: 09/14/11 09:39
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 18:03	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 18:03	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 18:03	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 18:03	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 18:03	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 18:03	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 18:03	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 18:03	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 18:03	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 18:03	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 18:03	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 18:03	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 18:03	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 18:03	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 18:03	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 18:03	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 18:03	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 18:03	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 18:03	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 18:03	1
Acetone	ND		10	3.0	ug/L			09/22/11 18:03	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 18:03	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 18:03	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 18:03	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 18:03	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 18:03	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 18:03	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 18:03	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 18:03	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 18:03	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 18:03	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 18:03	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 18:03	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 18:03	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 18:03	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 18:03	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 18:03	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 18:03	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 18:03	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 18:03	1
Methyl tert-butyl ether	**94**		1.0	0.16	ug/L			09/22/11 18:03	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 18:03	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 18:03	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 18:03	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 18:03	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 18:03	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 18:03	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 18:03	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 18:03	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 18:03	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-6
Date Collected: 09/14/11 09:39
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-4
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			09/22/11 18:03	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 18:03	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 18:03	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 18:03	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 18:03	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 18:03	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 18:03	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*121*		*66 - 137*		*09/22/11 18:03*	*1*
4-Bromofluorobenzene (Surr)	*110*		*73 - 120*		*09/22/11 18:03*	*1*
Toluene-d8 (Surr)	*121*		*71 - 126*		*09/22/11 18:03*	*1*

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BLIND DUP
Date Collected: 09/14/11 08:00
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-5
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 18:24	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 18:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 18:24	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 18:24	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 18:24	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 18:24	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 18:24	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 18:24	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 18:24	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 18:24	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 18:24	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 18:24	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 18:24	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 18:24	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 18:24	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 18:24	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 18:24	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 18:24	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 18:24	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 18:24	1
Acetone	ND		10	3.0	ug/L			09/22/11 18:24	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 18:24	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 18:24	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 18:24	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 18:24	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 18:24	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 18:24	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 18:24	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 18:24	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 18:24	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 18:24	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 18:24	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 18:24	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 18:24	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 18:24	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 18:24	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 18:24	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 18:24	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 18:24	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 18:24	1
Methyl tert-butyl ether	**1.9**		1.0	0.16	ug/L			09/22/11 18:24	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 18:24	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 18:24	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 18:24	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 18:24	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 18:24	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 18:24	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 18:24	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 18:24	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 18:24	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BLIND DUP
Date Collected: 09/14/11 08:00
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-5
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			09/22/11 18:24	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 18:24	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 18:24	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 18:24	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 18:24	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 18:24	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 18:24	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*119*		*66 - 137*		*09/22/11 18:24*	*1*
4-Bromofluorobenzene (Surr)	*109*		*73 - 120*		*09/22/11 18:24*	*1*
Toluene-d8 (Surr)	*120*		*71 - 126*		*09/22/11 18:24*	*1*

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: TRIP BLANK
Date Collected: 09/14/11 13:00
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 19:30	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 19:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 19:30	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 19:30	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 19:30	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 19:30	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 19:30	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 19:30	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 19:30	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 19:30	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 19:30	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 19:30	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 19:30	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 19:30	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 19:30	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 19:30	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 19:30	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 19:30	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 19:30	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 19:30	1
Acetone	ND		10	3.0	ug/L			09/22/11 19:30	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 19:30	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 19:30	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 19:30	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 19:30	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 19:30	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 19:30	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 19:30	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 19:30	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 19:30	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 19:30	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 19:30	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 19:30	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 19:30	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 19:30	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 19:30	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 19:30	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 19:30	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 19:30	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 19:30	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			09/22/11 19:30	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 19:30	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 19:30	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 19:30	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 19:30	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 19:30	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 19:30	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 19:30	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 19:30	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 19:30	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: TRIP BLANK
Date Collected: 09/14/11 13:00
Date Received: 09/15/11 13:50

Lab Sample ID: 480-9843-8
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			09/22/11 19:30	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 19:30	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 19:30	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 19:30	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 19:30	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 19:30	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 19:30	1

Surrogate	*% Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*118*		*66 - 137*		*09/22/11 19:30*	*1*
4-Bromofluorobenzene (Surr)	*108*		*73 - 120*		*09/22/11 19:30*	*1*
Toluene-d8 (Surr)	*120*		*71 - 126*		*09/22/11 19:30*	*1*

Surrogate Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
		12DCE	BFB	TOL						
Lab Sample ID	Client Sample ID	(66-137)	(73-120)	(71-126)						
480-9843-1	BCP-MW-2	117	109	119						
480-9843-2	BCP-MW-3	116	107	116						
480-9843-2 - DL	BCP-MW-3	116	107	116						
480-9843-2 MS	BCP-MW-3	115	110	118						
480-9843-2 MSD	BCP-MW-3	120	115	120						
480-9843-3	BCP-MW-5	116	106	118						
480-9843-4	BCP-MW-6	121	110	121						
480-9843-4 MS	BCP-MW-6	116	112	112						
480-9843-4 MSD	BCP-MW-6	116	112	112						
480-9843-5	BLIND DUP	119	109	120						
480-9843-8	TRIP BLANK	118	108	120						
LCS 480-32395/4	Lab Control Sample	114	107	118						
LCS 480-32514/4	Lab Control Sample	115	109	116						
LCS 480-33185/4	Lab Control Sample	113	113	115						
MB 480-32395/5	Method Blank	120	108	116						
MB 480-32514/5	Method Blank	116	108	116						
MB 480-33185/5	Method Blank	110	111	113						

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-32395/5
Matrix: Water
Analysis Batch: 32395

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 12:02	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 12:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 12:02	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 12:02	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 12:02	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 12:02	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 12:02	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 12:02	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 12:02	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 12:02	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 12:02	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 12:02	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 12:02	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 12:02	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 12:02	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 12:02	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 12:02	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 12:02	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 12:02	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 12:02	1
Acetone	ND		10	3.0	ug/L			09/22/11 12:02	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 12:02	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 12:02	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 12:02	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 12:02	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 12:02	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 12:02	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 12:02	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 12:02	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 12:02	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 12:02	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 12:02	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 12:02	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 12:02	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 12:02	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 12:02	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 12:02	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 12:02	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 12:02	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 12:02	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			09/22/11 12:02	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 12:02	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 12:02	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 12:02	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 12:02	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 12:02	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 12:02	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 12:02	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 12:02	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-32395/5
Matrix: Water
Analysis Batch: 32395

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 12:02	1
Toluene	ND		1.0	0.51	ug/L			09/22/11 12:02	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 12:02	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 12:02	1
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 12:02	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 12:02	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 12:02	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 12:02	1

Surrogate	*MB % Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*120*		*66 - 137*		*09/22/11 12:02*	*1*
4-Bromofluorobenzene (Surr)	*108*		*73 - 120*		*09/22/11 12:02*	*1*
Toluene-d8 (Surr)	*116*		*71 - 126*		*09/22/11 12:02*	*1*

Lab Sample ID: LCS 480-32395/4
Matrix: Water
Analysis Batch: 32395

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethane	25.0	24.7		ug/L		99	71 - 129
1,1-Dichloroethene	25.0	21.6		ug/L		86	65 - 138
1,2,4-Trimethylbenzene	25.0	25.1		ug/L		100	76 - 121
1,2-Dichlorobenzene	25.0	25.1		ug/L		100	77 - 120
1,2-Dichloroethane	25.0	25.4		ug/L		102	75 - 127
Benzene	25.0	24.9		ug/L		100	71 - 124
Chlorobenzene	25.0	25.5		ug/L		102	72 - 120
cis-1,2-Dichloroethene	25.0	24.1		ug/L		96	74 - 124
Ethylbenzene	25.0	25.7		ug/L		103	77 - 123
m,p-Xylene	50.0	52.2		ug/L		104	76 - 122
Methyl tert-butyl ether	25.0	23.7		ug/L		95	64 - 127
o-Xylene	25.0	26.0		ug/L		104	76 - 122
Tetrachloroethene	25.0	24.6		ug/L		98	74 - 122
Toluene	25.0	25.4		ug/L		102	70 - 122
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	73 - 127
Trichloroethene	25.0	24.3		ug/L		97	74 - 123

Surrogate	*LCS % Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*114*		*66 - 137*
4-Bromofluorobenzene (Surr)	*107*		*73 - 120*
Toluene-d8 (Surr)	*118*		*71 - 126*

Lab Sample ID: MB 480-32514/5
Matrix: Water
Analysis Batch: 32514

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/22/11 21:30	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/22/11 21:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/22/11 21:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-32514/5
Matrix: Water
Analysis Batch: 32514

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/22/11 21:30	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/22/11 21:30	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/22/11 21:30	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/22/11 21:30	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/22/11 21:30	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/22/11 21:30	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/22/11 21:30	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/22/11 21:30	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/22/11 21:30	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/22/11 21:30	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/22/11 21:30	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/22/11 21:30	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/22/11 21:30	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/22/11 21:30	1
2-Hexanone	ND		5.0	1.2	ug/L			09/22/11 21:30	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/22/11 21:30	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/22/11 21:30	1
Acetone	ND		10	3.0	ug/L			09/22/11 21:30	1
Benzene	ND		1.0	0.41	ug/L			09/22/11 21:30	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/22/11 21:30	1
Bromoform	ND		1.0	0.26	ug/L			09/22/11 21:30	1
Bromomethane	ND		1.0	0.69	ug/L			09/22/11 21:30	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/22/11 21:30	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/22/11 21:30	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/22/11 21:30	1
Chloroethane	ND		1.0	0.32	ug/L			09/22/11 21:30	1
Chloroform	ND		1.0	0.34	ug/L			09/22/11 21:30	1
Chloromethane	ND		1.0	0.35	ug/L			09/22/11 21:30	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/22/11 21:30	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/22/11 21:30	1
Cyclohexane	ND		1.0	0.18	ug/L			09/22/11 21:30	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/22/11 21:30	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/22/11 21:30	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/22/11 21:30	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/22/11 21:30	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/22/11 21:30	1
Methyl acetate	ND		1.0	0.50	ug/L			09/22/11 21:30	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			09/22/11 21:30	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/22/11 21:30	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/22/11 21:30	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/22/11 21:30	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/22/11 21:30	1
o-Xylene	ND		1.0	0.76	ug/L			09/22/11 21:30	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/22/11 21:30	1
Styrene	ND		1.0	0.73	ug/L			09/22/11 21:30	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/22/11 21:30	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/22/11 21:30	1
Toluene	ND		1.0	0.51	ug/L			09/22/11 21:30	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/22/11 21:30	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/22/11 21:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-32514/5
Matrix: Water
Analysis Batch: 32514

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	ND		1.0	0.46	ug/L			09/22/11 21:30	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/22/11 21:30	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/22/11 21:30	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/22/11 21:30	1

Surrogate	*MB % Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*		*09/22/11 21:30*	*1*
4-Bromofluorobenzene (Surr)	*108*		*73 - 120*		*09/22/11 21:30*	*1*
Toluene-d8 (Surr)	*116*		*71 - 126*		*09/22/11 21:30*	*1*

Lab Sample ID: LCS 480-32514/4
Matrix: Water
Analysis Batch: 32514

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethane	25.0	25.8		ug/L		103	71 - 129
1,1-Dichloroethene	25.0	23.3		ug/L		93	65 - 138
1,2,4-Trimethylbenzene	25.0	25.7		ug/L		103	76 - 121
1,2-Dichlorobenzene	25.0	25.7		ug/L		103	77 - 120
1,2-Dichloroethane	25.0	25.8		ug/L		103	75 - 127
Benzene	25.0	25.6		ug/L		102	71 - 124
Chlorobenzene	25.0	26.2		ug/L		105	72 - 120
cis-1,2-Dichloroethene	25.0	25.5		ug/L		102	74 - 124
Ethylbenzene	25.0	26.7		ug/L		107	77 - 123
m,p-Xylene	50.0	53.9		ug/L		108	76 - 122
Methyl tert-butyl ether	25.0	23.8		ug/L		95	64 - 127
o-Xylene	25.0	26.8		ug/L		107	76 - 122
Tetrachloroethene	25.0	25.3		ug/L		101	74 - 122
Toluene	25.0	25.8		ug/L		103	70 - 122
trans-1,2-Dichloroethene	25.0	26.0		ug/L		104	73 - 127
Trichloroethene	25.0	25.5		ug/L		102	74 - 123

Surrogate	*LCS % Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*115*		*66 - 137*
4-Bromofluorobenzene (Surr)	*109*		*73 - 120*
Toluene-d8 (Surr)	*116*		*71 - 126*

Lab Sample ID: 480-9843-2 MS
Matrix: Water
Analysis Batch: 32514

Client Sample ID: BCP-MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethane	ND		500	504		ug/L		101	71 - 129
1,1-Dichloroethene	ND		500	470		ug/L		94	65 - 138
1,2,4-Trimethylbenzene	ND		500	502		ug/L		100	76 - 121
1,2-Dichlorobenzene	ND		500	518		ug/L		104	77 - 120
1,2-Dichloroethane	ND		500	524		ug/L		105	75 - 127
Benzene	ND		500	504		ug/L		101	71 - 124
Chlorobenzene	ND		500	524		ug/L		105	72 - 120

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-9843-2 MS
Matrix: Water
Analysis Batch: 32514

Client Sample ID: BCP-MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
cis-1,2-Dichloroethene	ND		500	490		ug/L		98	74 - 124
Ethylbenzene	ND		500	524		ug/L		105	77 - 123
m,p-Xylene	ND		1000	1060		ug/L		106	76 - 122
Methyl tert-butyl ether	46		500	522		ug/L		95	64 - 127
o-Xylene	ND		500	528		ug/L		106	76 - 122
Tetrachloroethene	ND		500	502		ug/L		100	74 - 122
Toluene	ND		500	516		ug/L		103	70 - 122
trans-1,2-Dichloroethene	ND		500	512		ug/L		102	73 - 127
Trichloroethene	ND		500	504		ug/L		101	74 - 123

Surrogate	*MS % Recovery*	*MS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*115*		*66 - 137*
4-Bromofluorobenzene (Surr)	*110*		*73 - 120*
Toluene-d8 (Surr)	*118*		*71 - 126*

Lab Sample ID: 480-9843-2 MSD
Matrix: Water
Analysis Batch: 32514

Client Sample ID: BCP-MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
1,1-Dichloroethane	ND		500	502		ug/L		100	71 - 129	0	20
1,1-Dichloroethene	ND		500	466		ug/L		93	65 - 138	1	16
1,2,4-Trimethylbenzene	ND		500	496		ug/L		99	76 - 121	1	20
1,2-Dichlorobenzene	ND		500	506		ug/L		101	77 - 120	2	20
1,2-Dichloroethane	ND		500	522		ug/L		104	75 - 127	0	20
Benzene	ND		500	496		ug/L		99	71 - 124	2	13
Chlorobenzene	ND		500	516		ug/L		103	72 - 120	2	25
cis-1,2-Dichloroethene	ND		500	490		ug/L		98	74 - 124	0	15
Ethylbenzene	ND		500	518		ug/L		104	77 - 123	1	15
m,p-Xylene	ND		1000	1050		ug/L		105	76 - 122	1	16
Methyl tert-butyl ether	46		500	520		ug/L		95	64 - 127	0	37
o-Xylene	ND		500	528		ug/L		106	76 - 122	0	16
Tetrachloroethene	ND		500	486		ug/L		97	74 - 122	3	20
Toluene	ND		500	502		ug/L		100	70 - 122	3	15
trans-1,2-Dichloroethene	ND		500	510		ug/L		102	73 - 127	0	20
Trichloroethene	ND		500	492		ug/L		98	74 - 123	2	16

Surrogate	*MSD % Recovery*	*MSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*120*		*66 - 137*
4-Bromofluorobenzene (Surr)	*115*		*73 - 120*
Toluene-d8 (Surr)	*120*		*71 - 126*

Lab Sample ID: MB 480-33185/5
Matrix: Water
Analysis Batch: 33185

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			09/28/11 12:46	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			09/28/11 12:46	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-33185/5
Matrix: Water
Analysis Batch: 33185

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			09/28/11 12:46	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			09/28/11 12:46	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			09/28/11 12:46	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			09/28/11 12:46	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			09/28/11 12:46	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			09/28/11 12:46	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			09/28/11 12:46	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			09/28/11 12:46	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			09/28/11 12:46	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			09/28/11 12:46	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			09/28/11 12:46	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			09/28/11 12:46	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			09/28/11 12:46	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			09/28/11 12:46	1
2-Butanone (MEK)	ND		10	1.3	ug/L			09/28/11 12:46	1
2-Hexanone	ND		5.0	1.2	ug/L			09/28/11 12:46	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			09/28/11 12:46	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			09/28/11 12:46	1
Acetone	ND		10	3.0	ug/L			09/28/11 12:46	1
Benzene	ND		1.0	0.41	ug/L			09/28/11 12:46	1
Bromodichloromethane	ND		1.0	0.39	ug/L			09/28/11 12:46	1
Bromoform	ND		1.0	0.26	ug/L			09/28/11 12:46	1
Bromomethane	ND		1.0	0.69	ug/L			09/28/11 12:46	1
Carbon disulfide	ND		1.0	0.19	ug/L			09/28/11 12:46	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			09/28/11 12:46	1
Chlorobenzene	ND		1.0	0.75	ug/L			09/28/11 12:46	1
Chloroethane	ND		1.0	0.32	ug/L			09/28/11 12:46	1
Chloroform	ND		1.0	0.34	ug/L			09/28/11 12:46	1
Chloromethane	ND		1.0	0.35	ug/L			09/28/11 12:46	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			09/28/11 12:46	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			09/28/11 12:46	1
Cyclohexane	ND		1.0	0.18	ug/L			09/28/11 12:46	1
Dibromochloromethane	ND		1.0	0.32	ug/L			09/28/11 12:46	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			09/28/11 12:46	1
Ethylbenzene	ND		1.0	0.74	ug/L			09/28/11 12:46	1
Isopropylbenzene	ND		1.0	0.79	ug/L			09/28/11 12:46	1
m,p-Xylene	ND		2.0	0.66	ug/L			09/28/11 12:46	1
Methyl acetate	ND		1.0	0.50	ug/L			09/28/11 12:46	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			09/28/11 12:46	1
Methylcyclohexane	ND		1.0	0.16	ug/L			09/28/11 12:46	1
Methylene Chloride	ND		1.0	0.44	ug/L			09/28/11 12:46	1
n-Butylbenzene	ND		1.0	0.64	ug/L			09/28/11 12:46	1
N-Propylbenzene	ND		1.0	0.69	ug/L			09/28/11 12:46	1
o-Xylene	ND		1.0	0.76	ug/L			09/28/11 12:46	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			09/28/11 12:46	1
Styrene	ND		1.0	0.73	ug/L			09/28/11 12:46	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			09/28/11 12:46	1
Tetrachloroethene	ND		1.0	0.36	ug/L			09/28/11 12:46	1
Toluene	ND		1.0	0.51	ug/L			09/28/11 12:46	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			09/28/11 12:46	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-33185/5
Matrix: Water
Analysis Batch: 33185

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			09/28/11 12:46	1
Trichloroethene	ND		1.0	0.46	ug/L			09/28/11 12:46	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			09/28/11 12:46	1
Vinyl chloride	ND		1.0	0.90	ug/L			09/28/11 12:46	1
Xylenes, Total	ND		2.0	0.66	ug/L			09/28/11 12:46	1

Surrogate	*MB % Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*110*		*66 - 137*		*09/28/11 12:46*	*1*
4-Bromofluorobenzene (Surr)	*111*		*73 - 120*		*09/28/11 12:46*	*1*
Toluene-d8 (Surr)	*113*		*71 - 126*		*09/28/11 12:46*	*1*

Lab Sample ID: LCS 480-33185/4
Matrix: Water
Analysis Batch: 33185

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethane	25.0	24.7		ug/L		99	71 - 129
1,1-Dichloroethene	25.0	23.6		ug/L		94	65 - 138
1,2,4-Trimethylbenzene	25.0	26.2		ug/L		105	76 - 121
1,2-Dichlorobenzene	25.0	25.6		ug/L		102	77 - 120
1,2-Dichloroethane	25.0	26.0		ug/L		104	75 - 127
Benzene	25.0	24.7		ug/L		99	71 - 124
Chlorobenzene	25.0	25.3		ug/L		101	72 - 120
cis-1,2-Dichloroethene	25.0	25.3		ug/L		101	74 - 124
Ethylbenzene	25.0	26.0		ug/L		104	77 - 123
m,p-Xylene	50.0	50.2		ug/L		100	76 - 122
Methyl tert-butyl ether	25.0	27.0		ug/L		108	64 - 127
o-Xylene	25.0	24.8		ug/L		99	76 - 122
Tetrachloroethene	25.0	24.6		ug/L		98	74 - 122
Toluene	25.0	24.8		ug/L		99	70 - 122
trans-1,2-Dichloroethene	25.0	25.8		ug/L		103	73 - 127
Trichloroethene	25.0	24.9		ug/L		100	74 - 123

Surrogate	*LCS % Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*113*		*66 - 137*
4-Bromofluorobenzene (Surr)	*113*		*73 - 120*
Toluene-d8 (Surr)	*115*		*71 - 126*

Lab Sample ID: 480-9843-4 MS
Matrix: Water
Analysis Batch: 33185

Client Sample ID: BCP-MW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
1,1-Dichloroethane	ND		25.0	21.3		ug/L		85	71 - 129
1,1-Dichloroethene	ND		25.0	15.7	F	ug/L		63	65 - 138
1,2,4-Trimethylbenzene	ND		25.0	21.8		ug/L		87	76 - 121
1,2-Dichlorobenzene	ND		25.0	21.5		ug/L		86	77 - 120
1,2-Dichloroethane	ND		25.0	22.7		ug/L		91	75 - 127
Benzene	ND		25.0	20.5		ug/L		82	71 - 124

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-9843-4 MS
Matrix: Water
Analysis Batch: 33185

Client Sample ID: BCP-MW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	% Rec	% Rec. Limits
Chlorobenzene	ND		25.0	21.6		ug/L		86	72 - 120
cis-1,2-Dichloroethene	ND		25.0	20.4		ug/L		82	74 - 124
Ethylbenzene	ND		25.0	21.8		ug/L		87	77 - 123
m,p-Xylene	ND		50.0	42.4		ug/L		85	76 - 122
Methyl tert-butyl ether	94		25.0	118	E	ug/L		99	64 - 127
o-Xylene	ND		25.0	21.6		ug/L		86	76 - 122
Tetrachloroethene	ND		25.0	20.8		ug/L		83	74 - 122
Toluene	ND		25.0	20.8		ug/L		83	70 - 122
trans-1,2-Dichloroethene	ND		25.0	20.8		ug/L		83	73 - 127
Trichloroethene	ND		25.0	21.0		ug/L		84	74 - 123

Surrogate	*MS % Recovery*	*MS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*
4-Bromofluorobenzene (Surr)	*112*		*73 - 120*
Toluene-d8 (Surr)	*112*		*71 - 126*

Lab Sample ID: 480-9843-4 MSD
Matrix: Water
Analysis Batch: 33185

Client Sample ID: BCP-MW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
1,1-Dichloroethane	ND		25.0	25.0		ug/L		100	71 - 129	16	20
1,1-Dichloroethene	ND		25.0	19.0	F	ug/L		76	65 - 138	19	16
1,2,4-Trimethylbenzene	ND		25.0	25.6		ug/L		102	76 - 121	16	20
1,2-Dichlorobenzene	ND		25.0	25.0		ug/L		100	77 - 120	15	20
1,2-Dichloroethane	ND		25.0	26.2		ug/L		105	75 - 127	14	20
Benzene	ND		25.0	23.8	F	ug/L		95	71 - 124	15	13
Chlorobenzene	ND		25.0	25.3		ug/L		101	72 - 120	16	25
cis-1,2-Dichloroethene	ND		25.0	23.9	F	ug/L		96	74 - 124	16	15
Ethylbenzene	ND		25.0	25.9	F	ug/L		104	77 - 123	17	15
m,p-Xylene	ND		50.0	50.7	F	ug/L		101	76 - 122	18	16
Methyl tert-butyl ether	94		25.0	129	E F	ug/L		142	64 - 127	9	37
o-Xylene	ND		25.0	24.7		ug/L		99	76 - 122	13	16
Tetrachloroethene	ND		25.0	24.9		ug/L		100	74 - 122	18	20
Toluene	ND		25.0	24.8	F	ug/L		99	70 - 122	18	15
trans-1,2-Dichloroethene	ND		25.0	24.6		ug/L		98	73 - 127	17	20
Trichloroethene	ND		25.0	25.0	F	ug/L		100	74 - 123	17	16

Surrogate	*MSD % Recovery*	*MSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*116*		*66 - 137*
4-Bromofluorobenzene (Surr)	*112*		*73 - 120*
Toluene-d8 (Surr)	*112*		*71 - 126*

QC Association Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

GC/MS VOA

Analysis Batch: 32395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-9843-1	BCP-MW-2	Total/NA	Water	8260B	
480-9843-2	BCP-MW-3	Total/NA	Water	8260B	
480-9843-3	BCP-MW-5	Total/NA	Water	8260B	
480-9843-4	BCP-MW-6	Total/NA	Water	8260B	
480-9843-5	BLIND DUP	Total/NA	Water	8260B	
480-9843-8	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-32395/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-32395/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 32514

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-9843-2 - DL	BCP-MW-3	Total/NA	Water	8260B	
480-9843-2 MS	BCP-MW-3	Total/NA	Water	8260B	
480-9843-2 MSD	BCP-MW-3	Total/NA	Water	8260B	
LCS 480-32514/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-32514/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 33185

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-9843-4 MS	BCP-MW-6	Total/NA	Water	8260B	
480-9843-4 MSD	BCP-MW-6	Total/NA	Water	8260B	
LCS 480-33185/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-33185/5	Method Blank	Total/NA	Water	8260B	

Lab Chronicle

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Client Sample ID: BCP-MW-2
Lab Sample ID: 480-9843-1
Date Collected: 09/14/11 11:40
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 16:57	ND	TAL BUF

Client Sample ID: BCP-MW-3
Lab Sample ID: 480-9843-2
Date Collected: 09/14/11 11:08
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 17:19	ND	TAL BUF
Total/NA	Analysis	8260B	DL	20	32514	09/23/11 04:54	DC	TAL BUF

Client Sample ID: BCP-MW-5
Lab Sample ID: 480-9843-3
Date Collected: 09/14/11 10:17
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 17:41	ND	TAL BUF

Client Sample ID: BCP-MW-6
Lab Sample ID: 480-9843-4
Date Collected: 09/14/11 09:39
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 18:03	ND	TAL BUF

Client Sample ID: BLIND DUP
Lab Sample ID: 480-9843-5
Date Collected: 09/14/11 08:00
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 18:24	ND	TAL BUF

Client Sample ID: TRIP BLANK
Lab Sample ID: 480-9843-8
Date Collected: 09/14/11 13:00
Matrix: Water
Date Received: 09/15/11 13:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	32395	09/22/11 19:30	ND	TAL BUF

Laboratory References:
TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Buffalo	Arkansas	State Program	6	88-0686
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568
TestAmerica Buffalo	Florida	NELAC	4	E87672
TestAmerica Buffalo	Georgia	Georgia EPD	4	N/A
TestAmerica Buffalo	Georgia	State Program	4	956
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003
TestAmerica Buffalo	Iowa	State Program	7	374
TestAmerica Buffalo	Kansas	NELAC	7	E-10187
TestAmerica Buffalo	Kentucky	Kentucky UST	4	30
TestAmerica Buffalo	Kentucky	State Program	4	90029
TestAmerica Buffalo	Louisiana	NELAC	6	02031
TestAmerica Buffalo	Maine	State Program	1	NY0044
TestAmerica Buffalo	Maryland	State Program	3	294
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044
TestAmerica Buffalo	Michigan	State Program	5	9937
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337
TestAmerica Buffalo	New Hampshire	NELAC	1	68-00281
TestAmerica Buffalo	New Hampshire	NELAC	1	2337
TestAmerica Buffalo	New Jersey	NELAC	2	NY455
TestAmerica Buffalo	New York	NELAC	2	10026
TestAmerica Buffalo	North Dakota	State Program	8	R-176
TestAmerica Buffalo	Oklahoma	State Program	6	9421
TestAmerica Buffalo	Oregon	NELAC	10	NY200003
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281
TestAmerica Buffalo	Tennessee	State Program	4	TN02970
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX
TestAmerica Buffalo	USDA	USDA		P330-08-00242
TestAmerica Buffalo	Virginia	NELAC Secondary AB	3	460185
TestAmerica Buffalo	Virginia	State Program	3	278
TestAmerica Buffalo	Washington	State Program	10	C1677
TestAmerica Buffalo	Wisconsin	State Program	5	998310390

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-9843-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-9843-1	BCP-MW-2	Water	09/14/11 11:40	09/15/11 13:50
480-9843-2	BCP-MW-3	Water	09/14/11 11:08	09/15/11 13:50
480-9843-3	BCP-MW-5	Water	09/14/11 10:17	09/15/11 13:50
480-9843-4	BCP-MW-6	Water	09/14/11 09:39	09/15/11 13:50
480-9843-5	BLIND DUP	Water	09/14/11 08:00	09/15/11 13:50
480-9843-8	TRIP BLANK	Water	09/14/11 13:00	09/15/11 13:50

Chain of Custody Record

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☑

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client	Project Manager	Date	Chain of Custody Number
Benchmark Env Eng & Sci, PLLC	~~716-856-0599/716-856-0583~~ Mike Zoskowski	9/14/11	19926
Address	**Telephone Number (Area Code)/Fax Number**	**Lab Number**	**Page 1 of 1**
2558 Hamburg Turnpike	716-856-0599/0583		
City / **State** / **Zip Code**	**Site Contact**	**Lab Contact**	
Buffalo / NY / 14218		B. Fischer	
Project Name and Location (State)	**Carrier/Waybill Number**		
1055 Genesee Street			
Contract/Purchase Order/Quote No.			

Analysis (Attach list if more space is needed)

Special Instructions/ Conditions of Receipt

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/ NaOH	TCL VOCs 8260 + STARS
BCP-MW-2	9/14/11	1140		✓						✓			✓
BCP MW-3		1108		✓						✓			✓
BCP-MW-5		1017		✓						✓			✓
BCP-MW-6		0939		✓						✓			✓
BLMW Dup		0800		✓						✓			✓
MS (MW-6)		0939		✓						✓			✓
MSD (MW-6)		0939		✓						✓			✓
Trip BLANK		1300		✓						✓			✓

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☑ Disposal By Lab ☐ Archive For _____ Months
(A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other Standard

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By	9/14/11	1330	1. Received By	9-15-11	12:20
2. Relinquished By	09-15-11	13:50	2. Received By	9-15-11	1350
3. Relinquished By			3. Received By		

Comments

4.7°C

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

TestAmerica Job ID: 480-12935-1
Client Project/Site: Turnkey - 1055 Genesee St.
Revision: 1

For:
Turnkey Environmental Restoration, LLC
2558 Hamburg Turnpike
Suite 300
Lackawanna, New York 14218

Attn: Mr. Michael Lesakowski

Authorized for release by:
11/28/2011 1:00:51 PM

Brian Fischer
Project Manager II
brian.fischer@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 5
Client Sample Results 6
Surrogate Summary 8
QC Sample Results 9
QC Association Summary 11
Lab Chronicle 12
Certification Summary 13
Method Summary 14
Sample Summary 15
Chain of Custody 16
Receipt Checklists 17

Definitions/Glossary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Job ID: 480-12935-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-12935-1

Receipt
All samples were received in good condition within temperature requirements.

This report has been revised to correct the site name.

GC/MS VOA
No analytical or quality issues were noted.

Detection Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Client Sample ID: MW-3 **Lab Sample ID: 480-12935-1**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	28		10	1.3	ug/L	1		8260B	Total/NA
Acetone	15		10	3.0	ug/L	1		8260B	Total/NA
Methyl tert-butyl ether	72		1.0	0.16	ug/L	1		8260B	Total/NA

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Client Sample ID: MW-3
Date Collected: 11/18/11 10:00
Date Received: 11/18/11 10:45

Lab Sample ID: 480-12935-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/21/11 19:20	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/21/11 19:20	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/21/11 19:20	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/21/11 19:20	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/21/11 19:20	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/21/11 19:20	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/21/11 19:20	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			11/21/11 19:20	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/21/11 19:20	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/21/11 19:20	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/21/11 19:20	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/21/11 19:20	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/21/11 19:20	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			11/21/11 19:20	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/21/11 19:20	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/21/11 19:20	1
2-Butanone (MEK)	**28**		10	1.3	ug/L			11/21/11 19:20	1
2-Hexanone	ND		5.0	1.2	ug/L			11/21/11 19:20	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			11/21/11 19:20	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/21/11 19:20	1
Acetone	**15**		10	3.0	ug/L			11/21/11 19:20	1
Benzene	ND		1.0	0.41	ug/L			11/21/11 19:20	1
Bromodichloromethane	ND		1.0	0.39	ug/L			11/21/11 19:20	1
Bromoform	ND		1.0	0.26	ug/L			11/21/11 19:20	1
Bromomethane	ND		1.0	0.69	ug/L			11/21/11 19:20	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/21/11 19:20	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/21/11 19:20	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/21/11 19:20	1
Chloroethane	ND		1.0	0.32	ug/L			11/21/11 19:20	1
Chloroform	ND		1.0	0.34	ug/L			11/21/11 19:20	1
Chloromethane	ND		1.0	0.35	ug/L			11/21/11 19:20	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/21/11 19:20	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/21/11 19:20	1
Cyclohexane	ND		1.0	0.18	ug/L			11/21/11 19:20	1
Dibromochloromethane	ND		1.0	0.32	ug/L			11/21/11 19:20	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/21/11 19:20	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/21/11 19:20	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/21/11 19:20	1
m,p-Xylene	ND		2.0	0.66	ug/L			11/21/11 19:20	1
Methyl acetate	ND		1.0	0.50	ug/L			11/21/11 19:20	1
Methyl tert-butyl ether	**72**		1.0	0.16	ug/L			11/21/11 19:20	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/21/11 19:20	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/21/11 19:20	1
n-Butylbenzene	ND		1.0	0.64	ug/L			11/21/11 19:20	1
N-Propylbenzene	ND		1.0	0.69	ug/L			11/21/11 19:20	1
o-Xylene	ND		1.0	0.76	ug/L			11/21/11 19:20	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			11/21/11 19:20	1
Styrene	ND		1.0	0.73	ug/L			11/21/11 19:20	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			11/21/11 19:20	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/21/11 19:20	1

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Client Sample ID: MW-3
Date Collected: 11/18/11 10:00
Date Received: 11/18/11 10:45

Lab Sample ID: 480-12935-1
Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0	0.51	ug/L			11/21/11 19:20	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/21/11 19:20	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/21/11 19:20	1
Trichloroethene	ND		1.0	0.46	ug/L			11/21/11 19:20	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/21/11 19:20	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/21/11 19:20	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/21/11 19:20	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*66 - 137*		*11/21/11 19:20*	*1*
4-Bromofluorobenzene (Surr)	*90*		*73 - 120*		*11/21/11 19:20*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*		*11/21/11 19:20*	*1*

Surrogate Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)		
		12DCE	BFB	TOL
Lab Sample ID	Client Sample ID	(66-137)	(73-120)	(71-126)
480-12935-1	MW-3	99	90	95
LCS 480-41304/4	Lab Control Sample	94	88	97
MB 480-41304/5	Method Blank	97	89	96

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
TOL = Toluene-d8 (Surr)

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-41304/5
Matrix: Water
Analysis Batch: 41304

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/21/11 14:05	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/21/11 14:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/21/11 14:05	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/21/11 14:05	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/21/11 14:05	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/21/11 14:05	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/21/11 14:05	1
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L			11/21/11 14:05	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/21/11 14:05	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/21/11 14:05	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/21/11 14:05	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/21/11 14:05	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/21/11 14:05	1
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L			11/21/11 14:05	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/21/11 14:05	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/21/11 14:05	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/21/11 14:05	1
2-Hexanone	ND		5.0	1.2	ug/L			11/21/11 14:05	1
4-Isopropyltoluene	ND		1.0	0.31	ug/L			11/21/11 14:05	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/21/11 14:05	1
Acetone	ND		10	3.0	ug/L			11/21/11 14:05	1
Benzene	ND		1.0	0.41	ug/L			11/21/11 14:05	1
Bromodichloromethane	ND		1.0	0.39	ug/L			11/21/11 14:05	1
Bromoform	ND		1.0	0.26	ug/L			11/21/11 14:05	1
Bromomethane	ND		1.0	0.69	ug/L			11/21/11 14:05	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/21/11 14:05	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/21/11 14:05	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/21/11 14:05	1
Chloroethane	ND		1.0	0.32	ug/L			11/21/11 14:05	1
Chloroform	ND		1.0	0.34	ug/L			11/21/11 14:05	1
Chloromethane	ND		1.0	0.35	ug/L			11/21/11 14:05	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/21/11 14:05	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/21/11 14:05	1
Cyclohexane	ND		1.0	0.18	ug/L			11/21/11 14:05	1
Dibromochloromethane	ND		1.0	0.32	ug/L			11/21/11 14:05	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/21/11 14:05	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/21/11 14:05	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/21/11 14:05	1
m,p-Xylene	ND		2.0	0.66	ug/L			11/21/11 14:05	1
Methyl acetate	ND		1.0	0.50	ug/L			11/21/11 14:05	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/21/11 14:05	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/21/11 14:05	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/21/11 14:05	1
n-Butylbenzene	ND		1.0	0.64	ug/L			11/21/11 14:05	1
N-Propylbenzene	ND		1.0	0.69	ug/L			11/21/11 14:05	1
o-Xylene	ND		1.0	0.76	ug/L			11/21/11 14:05	1
sec-Butylbenzene	ND		1.0	0.75	ug/L			11/21/11 14:05	1
Styrene	ND		1.0	0.73	ug/L			11/21/11 14:05	1
tert-Butylbenzene	ND		1.0	0.81	ug/L			11/21/11 14:05	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-41304/5
Matrix: Water
Analysis Batch: 41304

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.36	ug/L			11/21/11 14:05	1
Toluene	ND		1.0	0.51	ug/L			11/21/11 14:05	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/21/11 14:05	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/21/11 14:05	1
Trichloroethene	ND		1.0	0.46	ug/L			11/21/11 14:05	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/21/11 14:05	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/21/11 14:05	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/21/11 14:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*97*		*66 - 137*		*11/21/11 14:05*	*1*
4-Bromofluorobenzene (Surr)	*89*		*73 - 120*		*11/21/11 14:05*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*		*11/21/11 14:05*	*1*

Lab Sample ID: LCS 480-41304/4
Matrix: Water
Analysis Batch: 41304

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethane	25.0	24.0		ug/L		96	71 - 129
1,1-Dichloroethene	25.0	21.4		ug/L		86	65 - 138
1,2,4-Trimethylbenzene	25.0	23.5		ug/L		94	76 - 121
1,2-Dichlorobenzene	25.0	23.2		ug/L		93	77 - 120
1,2-Dichloroethane	25.0	23.1		ug/L		92	75 - 127
Benzene	25.0	23.3		ug/L		93	71 - 124
Chlorobenzene	25.0	23.9		ug/L		96	72 - 120
cis-1,2-Dichloroethene	25.0	22.4		ug/L		90	74 - 124
Ethylbenzene	25.0	24.4		ug/L		98	77 - 123
m,p-Xylene	50.0	48.4		ug/L		97	76 - 122
Methyl tert-butyl ether	25.0	23.0		ug/L		92	64 - 127
o-Xylene	25.0	24.1		ug/L		96	76 - 122
Tetrachloroethene	25.0	24.2		ug/L		97	74 - 122
Toluene	25.0	24.1		ug/L		96	70 - 122
trans-1,2-Dichloroethene	25.0	23.4		ug/L		94	73 - 127
Trichloroethene	25.0	22.8		ug/L		91	74 - 123

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*94*		*66 - 137*
4-Bromofluorobenzene (Surr)	*88*		*73 - 120*
Toluene-d8 (Surr)	*97*		*71 - 126*

QC Association Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

GC/MS VOA

Analysis Batch: 41304

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-12935-1	MW-3	Total/NA	Water	8260B	
LCS 480-41304/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-41304/5	Method Blank	Total/NA	Water	8260B	

Lab Chronicle

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Client Sample ID: MW-3
Date Collected: 11/18/11 10:00
Date Received: 11/18/11 10:45

Lab Sample ID: 480-12935-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	41304	11/21/11 19:20	DC	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Buffalo	Arkansas	State Program	6	88-0686
TestAmerica Buffalo	California	NELAC	9	1169CA
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568
TestAmerica Buffalo	Florida	NELAC	4	E87672
TestAmerica Buffalo	Georgia	Georgia EPD	4	N/A
TestAmerica Buffalo	Georgia	State Program	4	956
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003
TestAmerica Buffalo	Iowa	State Program	7	374
TestAmerica Buffalo	Kansas	NELAC	7	E-10187
TestAmerica Buffalo	Kentucky	Kentucky UST	4	30
TestAmerica Buffalo	Kentucky	State Program	4	90029
TestAmerica Buffalo	Louisiana	NELAC	6	02031
TestAmerica Buffalo	Maine	State Program	1	NY0044
TestAmerica Buffalo	Maryland	State Program	3	294
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044
TestAmerica Buffalo	Michigan	State Program	5	9937
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337
TestAmerica Buffalo	New Hampshire	NELAC	1	2337
TestAmerica Buffalo	New Jersey	NELAC	2	NY455
TestAmerica Buffalo	New York	NELAC	2	10026
TestAmerica Buffalo	North Dakota	State Program	8	R-176
TestAmerica Buffalo	Oklahoma	State Program	6	9421
TestAmerica Buffalo	Oregon	NELAC	10	NY200003
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281
TestAmerica Buffalo	Tennessee	State Program	4	TN02970
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX
TestAmerica Buffalo	USDA	USDA		P330-08-00242
TestAmerica Buffalo	Virginia	NELAC Secondary AB	3	460185
TestAmerica Buffalo	Virginia	State Program	3	278
TestAmerica Buffalo	Washington	State Program	10	C1677
TestAmerica Buffalo	Wisconsin	State Program	5	998310390

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: Turnkey Environmental Restoration, LLC
Project/Site: Turnkey - 1055 Genesee St.

TestAmerica Job ID: 480-12935-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-12935-1	MW-3	Water	11/18/11 10:00	11/18/11 10:45

Chain of Custody Record

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client: Hanby Environmental	Project Manager: Mike Leadkowski	Date	Chain of Custody Number: 19236
Address: 2558 Hamburg Turnpike	Telephone Number (Area Code) / Fax Number: (716) 856-0635	Lab Number	Page: 1 of 1
City: Lackawanna / State: NY / Zip Code: 14218	Site Contact: T. Beckwith	Lab Contact: B. Fisher	Analysis (Attach list if more space is needed)
Project Name and Location (State):	Carrier/Waybill Number:		
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	TCL+STARS #2	Special Instructions/ Conditions of Receipt
MW-3	11/18/11	1600		X						X			3	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Other 72 hrs

QC Requirements (Specify)

1. Relinquished By: Thomas A Belt	Date: 11/18/11	Time: 1645	1. Received By:	Date: 11/18/11	Time: 1645
2. Relinquished By:	Date:	Time:	2. Received By:	Date:	Time:
3. Relinquished By:	Date:	Time:	3. Received By:	Date:	Time:

Comments: 5.4°C

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Analytical Report

Work Order: RTJ1695

Project Description

Benchmark - NOCO (1055 Genesee) site


For:

Mike Lesakowski

Benchmark Environmental & Engineering Science

2558 Hamburg Turnpike, Suite 300

Lackawanna, NY 14218



Brian Fischer

Project Manager

Brian.Fischer@testamericainc.com

Friday, October 29, 2010

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Persuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

TestAmerica Buffalo
Current Certifications

As of 08/16/2010

STATE	Program	Cert # / Lab ID
Arkansas	CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA,NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA,CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP,SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA	10026
North Dakota	CWA, RCRA	R-176
Oklahoma	CWA, RCRA	9421
Oregon*	CWA,RCRA	NY200003
Pennsylvania*	NELAP CWA,RCRA	68-00281
Tennessee	SDWA	02970
Texas*	NELAP CWA, RCRA	T104704412-08-TX
USDA	FOREIGN SOIL PERMIT	S-41579
Virginia	SDWA	278
Washington*	NELAP CWA,RCRA	C1677
Wisconsin	CWA, RCRA	998310390
West Virginia	CWA,RCRA	252

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

CASE NARRATIVE

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. field-pH), they were not analyzed immediately, but as soon as possible after laboratory receipt.

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

DATA QUALIFIERS AND DEFINITIONS

D03 Dilution required due to excessive foaming

J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

NR Any inclusion of NR indicates that the project specific requirements do not require reporting estimated values below the laboratory reporting limit.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-01 (BCP-MW-1 - Water)						**Sampled: 10/20/10 12:23**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**11**		1.0	0.16	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Sample ID: RTJ1695-03 (BCP-MW-3 - Water)						**Sampled: 10/20/10 11:55**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**57**		1.0	0.16	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Sample ID: RTJ1695-04 (BCP-MW-4 - Water)						**Sampled: 10/20/10 11:55**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**6.8**		1.0	0.16	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Sample ID: RTJ1695-07 (BCP-MW-5 - Water)						**Sampled: 10/20/10 11:09**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**1.5**		1.0	0.16	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Sample ID: RTJ1695-08 (BCP-MW-6 - Water)						**Sampled: 10/20/10 11:34**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**92**	D03	4.0	0.64	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Sample ID: RTJ1695-09 (BCP-MW-7 - Water)						**Sampled: 10/20/10 13:20**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Benzene	**0.83**	J	1.0	0.41	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**1.8**		1.0	0.16	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Sample ID: RTJ1695-10 (eq blank - Water)						**Sampled: 10/20/10 08:00**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methylene Chloride	**0.64**	J	1.0	0.44	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Sample ID: RTJ1695-11 (Blind Duplicate - Water)						**Sampled: 10/20/10 08:00**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**1.5**		1.0	0.16	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Sample Summary

Sample Identification	Lab Number	Client Matrix	Date/Time Sampled	Date/Time Received	Sample Qualifiers
BCP-MW-1	RTJ1695-01	Water	10/20/10 12:23	10/21/10 12:20	
BCP-MW-2	RTJ1695-02	Water	10/20/10 13:39	10/21/10 12:20	
BCP-MW-3	RTJ1695-03	Water	10/20/10 11:55	10/21/10 12:20	
BCP-MW-4	RTJ1695-04	Water	10/20/10 11:55	10/21/10 12:20	
BCP-MW-5	RTJ1695-07	Water	10/20/10 11:09	10/21/10 12:20	
BCP-MW-6	RTJ1695-08	Water	10/20/10 11:34	10/21/10 12:20	
BCP-MW-7	RTJ1695-09	Water	10/20/10 13:20	10/21/10 12:20	
eq blank	RTJ1695-10	Water	10/20/10 08:00	10/21/10 12:20	
Blind Duplicate	RTJ1695-11	Water	10/20/10 08:00	10/21/10 12:20	
TRIP BLANK	RTJ1695-12	Water	10/20/10	10/21/10 12:20	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Sample ID: RTJ1695-01 (BCP-MW-1 - Water) — **Sampled: 10/20/10 12:23** — **Recvd: 10/21/10 12:20**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**11**		1.0	0.16	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-01 (BCP-MW-1 - Water) - cont.						**Sampled: 10/20/10 12:23**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 00:59	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*97 %*		*Surr Limits: (66-137%)*				*10/29/10 00:59*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*99 %*		*Surr Limits: (73-120%)*				*10/29/10 00:59*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*105 %*		*Surr Limits: (71-126%)*				*10/29/10 00:59*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Sample ID: RTJ1695-02 (BCP-MW-2 - Water) — **Sampled: 10/20/10 13:39** — **Recvd: 10/21/10 12:20**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-02 (BCP-MW-2 - Water) - cont.						**Sampled: 10/20/10 13:39**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 01:22	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*97 %*		*Surr Limits: (66-137%)*				*10/29/10 01:22*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*97 %*		*Surr Limits: (73-120%)*				*10/29/10 01:22*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*105 %*		*Surr Limits: (71-126%)*				*10/29/10 01:22*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-03 (BCP-MW-3 - Water)						**Sampled: 10/20/10 11:55**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**57**		1.0	0.16	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-03 (BCP-MW-3 - Water) - cont.						**Sampled: 10/20/10 11:55**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 01:45	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*99 %*		*Surr Limits: (66-137%)*				*10/29/10 01:45*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*99 %*		*Surr Limits: (73-120%)*				*10/29/10 01:45*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*104 %*		*Surr Limits: (71-126%)*				*10/29/10 01:45*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Sample ID: RTJ1695-04 (BCP-MW-4 - Water) — **Sampled: 10/20/10 11:55** — **Recvd: 10/21/10 12:20**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**6.8**		1.0	0.16	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-04 (BCP-MW-4 - Water) - cont.						**Sampled: 10/20/10 11:55**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 02:08	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*99 %*		*Surr Limits: (66-137%)*				*10/29/10 02:08*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*99 %*		*Surr Limits: (73-120%)*				*10/29/10 02:08*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*106 %*		*Surr Limits: (71-126%)*				*10/29/10 02:08*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-07 (BCP-MW-5 - Water)						**Sampled: 10/20/10 11:09**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**1.5**		1.0	0.16	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-07 (BCP-MW-5 - Water) - cont.						**Sampled: 10/20/10 11:09**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 03:16	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*98 %*		*Surr Limits: (66-137%)*				*10/29/10 03:16*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*97 %*		*Surr Limits: (73-120%)*				*10/29/10 03:16*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*103 %*		*Surr Limits: (71-126%)*				*10/29/10 03:16*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-08 (BCP-MW-6 - Water)						**Sampled: 10/20/10 11:34**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
1,1,1-Trichloroethane	ND	D03	4.0	3.3	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND	D03	4.0	0.85	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND	D03	4.0	0.92	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	D03	4.0	1.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,1-Dichloroethane	ND	D03	4.0	1.5	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,1-Dichloroethene	ND	D03	4.0	1.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND	D03	4.0	1.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND	D03	4.0	3.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND	D03	4.0	1.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dibromoethane	ND	D03	4.0	2.9	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND	D03	4.0	3.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dichloroethane	ND	D03	4.0	0.86	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dichloropropane	ND	D03	4.0	2.9	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND	D03	4.0	3.1	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND	D03	4.0	3.1	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND	D03	4.0	3.4	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
2-Butanone	ND	D03	40	5.3	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
2-Hexanone	ND	D03	20	5.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
p-Cymene	ND	D03	4.0	1.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND	D03	20	8.4	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Acetone	ND	D03	40	12	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Benzene	ND	D03	4.0	1.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Bromodichloromethane	ND	D03	4.0	1.5	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Bromoform	ND	D03	4.0	1.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Bromomethane	ND	D03	4.0	2.8	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Carbon disulfide	ND	D03	4.0	0.78	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Carbon Tetrachloride	ND	D03	4.0	1.1	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Chlorobenzene	ND	D03	4.0	3.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Dibromochloromethane	ND	D03	4.0	1.3	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Chloroethane	ND	D03	4.0	1.3	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Chloroform	ND	D03	4.0	1.3	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Chloromethane	ND	D03	4.0	1.4	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND	D03	4.0	3.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND	D03	4.0	1.4	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Cyclohexane	ND	D03	4.0	0.72	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Dichlorodifluoromethane	ND	D03	4.0	2.7	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Ethylbenzene	ND	D03	4.0	3.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Isopropylbenzene	ND	D03	4.0	3.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Methyl Acetate	ND	D03	4.0	2.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**92**	D03	4.0	0.64	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Methylcyclohexane	ND	D03	4.0	0.64	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Methylene Chloride	ND	D03	4.0	1.8	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND	D03	8.0	2.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
n-Butylbenzene	ND	D03	4.0	2.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
n-Propylbenzene	ND	D03	4.0	2.8	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
o-Xylene	ND	D03	4.0	3.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
sec-Butylbenzene	ND	D03	4.0	3.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Styrene	ND	D03	4.0	2.9	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-08 (BCP-MW-6 - Water) - cont.						**Sampled: 10/20/10 11:34**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND	D03	4.0	3.2	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Tetrachloroethene	ND	D03	4.0	1.5	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Toluene	ND	D03	4.0	2.0	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND	D03	4.0	3.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND	D03	4.0	1.5	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Trichloroethene	ND	D03	4.0	1.8	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Trichlorofluoromethane	ND	D03	4.0	3.5	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Vinyl chloride	ND	D03	4.0	3.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
Xylenes, total	ND	D03	8.0	2.6	ug/L	4.00	10/29/10 03:39	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*98 %*	*D03*	*Surr Limits: (66-137%)*				*10/29/10 03:39*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*100 %*	*D03*	*Surr Limits: (73-120%)*				*10/29/10 03:39*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*105 %*	*D03*	*Surr Limits: (71-126%)*				*10/29/10 03:39*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-09 (BCP-MW-7 - Water)						**Sampled: 10/20/10 13:20**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Benzene	**0.83**	J	1.0	0.41	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**1.8**		1.0	0.16	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-09 (BCP-MW-7 - Water) - cont.						**Sampled: 10/20/10 13:20**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 04:03	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*100 %*		*Surr Limits: (66-137%)*				*10/29/10 04:03*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*97 %*		*Surr Limits: (73-120%)*				*10/29/10 04:03*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*104 %*		*Surr Limits: (71-126%)*				*10/29/10 04:03*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-10 (eq blank - Water)						**Sampled: 10/20/10 08:00**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B										
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Methylene Chloride	**0.64**	J	1.0	0.44	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-10 (eq blank - Water) - cont.						**Sampled: 10/20/10 08:00**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 04:25	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*99 %*		*Surr Limits: (66-137%)*				*10/29/10 04:25*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*99 %*		*Surr Limits: (73-120%)*				*10/29/10 04:25*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*108 %*		*Surr Limits: (71-126%)*				*10/29/10 04:25*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Sample ID: RTJ1695-11 (Blind Duplicate - Water) — **Sampled: 10/20/10 08:00** — **Recvd: 10/21/10 12:20**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	**1.5**		1.0	0.16	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-11 (Blind Duplicate - Water) - cont.						**Sampled: 10/20/10 08:00**		**Recvd: 10/21/10 12:20**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 04:48	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*98 %*		*Surr Limits: (66-137%)*				*10/29/10 04:48*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*99 %*		*Surr Limits: (73-120%)*				*10/29/10 04:48*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*105 %*		*Surr Limits: (71-126%)*				*10/29/10 04:48*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Sample ID: RTJ1695-12 (TRIP BLANK - Water) — **Sampled: 10/20/10** — **Recvd: 10/21/10 12:20**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Acetone	ND		10	3.0	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTJ1695-12 (TRIP BLANK - Water) - cont.						**Sampled: 10/20/10**			**Recvd: 10/21/10 12:20**	
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	10/29/10 05:12	CDC	10J2484	8260B
1,2-Dichloroethane-d4	*99 %*		*Surr Limits: (66-137%)*				*10/29/10 05:12*	*CDC*	*10J2484*	*8260B*
4-Bromofluorobenzene	*96 %*		*Surr Limits: (73-120%)*				*10/29/10 05:12*	*CDC*	*10J2484*	*8260B*
Toluene-d8	*105 %*		*Surr Limits: (71-126%)*				*10/29/10 05:12*	*CDC*	*10J2484*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracte	Units	Extract Volume	Units	Date Prepared	Lab Tech	Extraction Method
Volatile Organic Compounds by EPA 8260B									
8260B	10J2484	RTJ1695-01	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-02	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-03	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-04	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-07	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-08	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-09	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-10	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-11	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS
8260B	10J2484	RTJ1695-12	5.00	mL	5.00	mL	10/28/10 22:28	CDC	5030B MS

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 10/28/10 (Lab Number:10J2484-BLK1, Batch: 10J2484)											
1,1,1-Trichloroethane			1.0	0.82	ug/L	ND					
1,1,2,2-Tetrachloroethane			1.0	0.21	ug/L	ND					
1,1,2-Trichloroethane			1.0	0.23	ug/L	ND					
1,1,2-Trichloro-1,2,2-trifluoroethane			1.0	0.31	ug/L	ND					
1,1-Dichloroethane			1.0	0.38	ug/L	ND					
1,1-Dichloroethene			1.0	0.29	ug/L	ND					
1,2,4-Trichlorobenzene			1.0	0.41	ug/L	ND					
1,2,4-Trimethylbenzene			1.0	0.75	ug/L	ND					
1,2-Dibromo-3-chloropropane			1.0	0.39	ug/L	ND					
1,2-Dibromoethane			1.0	0.73	ug/L	ND					
1,2-Dichlorobenzene			1.0	0.79	ug/L	ND					
1,2-Dichloroethane			1.0	0.21	ug/L	ND					
1,2-Dichloropropane			1.0	0.72	ug/L	ND					
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND					
1,3-Dichlorobenzene			1.0	0.78	ug/L	ND					
1,4-Dichlorobenzene			1.0	0.84	ug/L	ND					
2-Butanone			10	1.3	ug/L	ND					
2-Hexanone			5.0	1.2	ug/L	ND					
p-Cymene			1.0	0.31	ug/L	ND					
4-Methyl-2-pentanone			5.0	2.1	ug/L	ND					
Acetone			10	3.0	ug/L	ND					
Benzene			1.0	0.41	ug/L	ND					
Bromodichloromethane			1.0	0.39	ug/L	ND					
Bromoform			1.0	0.26	ug/L	ND					
Bromomethane			1.0	0.69	ug/L	ND					
Carbon disulfide			1.0	0.19	ug/L	ND					
Carbon Tetrachloride			1.0	0.27	ug/L	ND					
Chlorobenzene			1.0	0.75	ug/L	ND					
Dibromochloromethane			1.0	0.32	ug/L	ND					
Chloroethane			1.0	0.32	ug/L	ND					
Chloroform			1.0	0.34	ug/L	ND					
Chloromethane			1.0	0.35	ug/L	ND					
cis-1,2-Dichloroethene			1.0	0.81	ug/L	ND					
cis-1,3-Dichloropropene			1.0	0.36	ug/L	ND					
Cyclohexane			1.0	0.18	ug/L	ND					
Dichlorodifluoromethane			1.0	0.68	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 10/28/10 (Lab Number:10J2484-BLK1, Batch: 10J2484)											
Ethylbenzene			1.0	0.74	ug/L	ND					
Isopropylbenzene			1.0	0.79	ug/L	ND					
Methyl Acetate			1.0	0.50	ug/L	ND					
Methyl-t-Butyl Ether (MTBE)			1.0	0.16	ug/L	ND					
Methylcyclohexane			1.0	0.16	ug/L	ND					
Methylene Chloride			1.0	0.44	ug/L	ND					
m-Xylene & p-Xylene			2.0	0.66	ug/L	ND					
n-Butylbenzene			1.0	0.64	ug/L	ND					
n-Propylbenzene			1.0	0.69	ug/L	ND					
o-Xylene			1.0	0.76	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND					
Styrene			1.0	0.73	ug/L	ND					
tert-Butylbenzene			1.0	0.81	ug/L	ND					
Tetrachloroethene			1.0	0.36	ug/L	ND					
Toluene			1.0	0.51	ug/L	ND					
trans-1,2-Dichloroethene			1.0	0.90	ug/L	ND					
trans-1,3-Dichloropropene			1.0	0.37	ug/L	ND					
Trichloroethene			1.0	0.46	ug/L	ND					
Trichlorofluoromethane			1.0	0.88	ug/L	ND					
Vinyl chloride			1.0	0.90	ug/L	ND					
Xylenes, total			2.0	0.66	ug/L	ND					
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*97*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*98*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*105*	*71-126*			
LCS Analyzed: 10/28/10 (Lab Number:10J2484-BS1, Batch: 10J2484)											
1,1,1-Trichloroethane			1.0	0.82	ug/L	ND		73-126			
1,1,2,2-Tetrachloroethane			1.0	0.21	ug/L	ND		70-126			
1,1,2-Trichloroethane			1.0	0.23	ug/L	ND		76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane			1.0	0.31	ug/L	ND		60-140			
1,1-Dichloroethane		25.0	1.0	0.38	ug/L	23.2	93	71-129			
1,1-Dichloroethene		25.0	1.0	0.29	ug/L	23.9	96	65-138			
1,2,4-Trichlorobenzene			1.0	0.41	ug/L	ND		70-122			
1,2,4-Trimethylbenzene		25.0	1.0	0.75	ug/L	24.2	97	76-121			
1,2-Dibromo-3-chloropropane			1.0	0.39	ug/L	ND		56-134			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 10/28/10 (Lab Number:10J2484-BS1, Batch: 10J2484)											
1,2-Dibromoethane			1.0	0.73	ug/L	ND		77-120			
1,2-Dichlorobenzene		25.0	1.0	0.79	ug/L	25.2	101	77-120			
1,2-Dichloroethane		25.0	1.0	0.21	ug/L	22.7	91	75-127			
1,2-Dichloropropane			1.0	0.72	ug/L	ND		76-120			
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND		77-121			
1,3-Dichlorobenzene			1.0	0.78	ug/L	ND		77-120			
1,4-Dichlorobenzene			1.0	0.84	ug/L	ND		75-120			
2-Butanone			10	1.3	ug/L	ND		57-140			
2-Hexanone			5.0	1.2	ug/L	ND		65-127			
p-Cymene			1.0	0.31	ug/L	ND		73-120			
4-Methyl-2-pentanone			5.0	2.1	ug/L	ND		71-125			
Acetone			10	3.0	ug/L	ND		56-142			
Benzene		25.0	1.0	0.41	ug/L	23.7	95	71-124			
Bromodichloromethane			1.0	0.39	ug/L	ND		80-122			
Bromoform			1.0	0.26	ug/L	ND		66-128			
Bromomethane			1.0	0.69	ug/L	ND		36-150			
Carbon disulfide			1.0	0.19	ug/L	ND		59-134			
Carbon Tetrachloride			1.0	0.27	ug/L	ND		72-134			
Chlorobenzene		25.0	1.0	0.75	ug/L	26.0	104	72-120			
Dibromochloromethane			1.0	0.32	ug/L	ND		75-125			
Chloroethane			1.0	0.32	ug/L	ND		69-136			
Chloroform			1.0	0.34	ug/L	ND		73-127			
Chloromethane			1.0	0.35	ug/L	ND		49-142			
cis-1,2-Dichloroethene		25.0	1.0	0.81	ug/L	23.3	93	74-124			
cis-1,3-Dichloropropene			1.0	0.36	ug/L	ND		74-124			
Cyclohexane			1.0	0.18	ug/L	ND		70-130			
Dichlorodifluoromethane			1.0	0.68	ug/L	ND		33-157			
Ethylbenzene		25.0	1.0	0.74	ug/L	25.0	100	77-123			
Isopropylbenzene			1.0	0.79	ug/L	ND		77-122			
Methyl Acetate			1.0	0.50	ug/L	ND		60-140			
Methyl-t-Butyl Ether (MTBE)		25.0	1.0	0.16	ug/L	18.6	75	64-127			
Methylcyclohexane			1.0	0.16	ug/L	ND		60-140			
Methylene Chloride			1.0	0.44	ug/L	ND		57-132			
m-Xylene & p-Xylene		50.0	2.0	0.66	ug/L	51.2	102	76-122			
n-Butylbenzene			1.0	0.64	ug/L	ND		71-128			
n-Propylbenzene			1.0	0.69	ug/L	ND		77-120			
o-Xylene		25.0	1.0	0.76	ug/L	25.1	101	76-122			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 10/28/10 (Lab Number:10J2484-BS1, Batch: 10J2484)											
sec-Butylbenzene			1.0	0.75	ug/L	ND		74-127			
Styrene			1.0	0.73	ug/L	ND		70-130			
tert-Butylbenzene			1.0	0.81	ug/L	ND		75-123			
Tetrachloroethene		25.0	1.0	0.36	ug/L	27.1	109	74-122			
Toluene		25.0	1.0	0.51	ug/L	24.5	98	70-122			
trans-1,2-Dichloroethene		25.0	1.0	0.90	ug/L	24.3	97	73-127			
trans-1,3-Dichloropropene			1.0	0.37	ug/L	ND		72-123			
Trichloroethene		25.0	1.0	0.46	ug/L	24.2	97	74-123			
Trichlorofluoromethane			1.0	0.88	ug/L	ND		62-152			
Vinyl chloride			1.0	0.90	ug/L	ND		65-133			
Xylenes, total		75.0	2.0	0.66	ug/L	76.3	102	76-122			
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*97*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*104*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*106*	*71-126*			
Matrix Spike Analyzed: 10/29/10 (Lab Number:10J2484-MS1, Batch: 10J2484)											
QC Source Sample: RTJ1695-04											
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	ND		73-126			
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	ND		70-126			
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	ND		76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	ND		60-140			
1,1-Dichloroethane	ND	25.0	1.0	0.38	ug/L	26.0	104	71-129			
1,1-Dichloroethene	ND	25.0	1.0	0.29	ug/L	26.2	105	65-138			
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	ND		70-122			
1,2,4-Trimethylbenzene	ND	25.0	1.0	0.75	ug/L	25.7	103	76-121			
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	ND		56-134			
1,2-Dibromoethane	ND		1.0	0.73	ug/L	ND		77-120			
1,2-Dichlorobenzene	ND	25.0	1.0	0.79	ug/L	26.7	107	77-120			
1,2-Dichloroethane	ND	25.0	1.0	0.21	ug/L	24.4	98	75-127			
1,2-Dichloropropane	ND		1.0	0.72	ug/L	ND		76-120			
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	ND		77-121			
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	ND		77-120			
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	ND		75-120			
2-Butanone	ND		10	1.3	ug/L	ND		57-140			
2-Hexanone	ND		5.0	1.2	ug/L	ND		65-127			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 10/29/10 (Lab Number:10J2484-MS1, Batch: 10J2484)											
QC Source Sample: RTJ1695-04											
p-Cymene	ND		1.0	0.31	ug/L	ND		73-120			
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	ND		71-125			
Acetone	ND		10	3.0	ug/L	ND		56-142			
Benzene	ND	25.0	1.0	0.41	ug/L	25.9	104	71-124			
Bromodichloromethane	ND		1.0	0.39	ug/L	ND		80-122			
Bromoform	ND		1.0	0.26	ug/L	ND		66-128			
Bromomethane	ND		1.0	0.69	ug/L	ND		36-150			
Carbon disulfide	ND		1.0	0.19	ug/L	ND		59-134			
Carbon Tetrachloride	ND		1.0	0.27	ug/L	ND		72-134			
Chlorobenzene	ND	25.0	1.0	0.75	ug/L	28.0	112	72-120			
Dibromochloromethane	ND		1.0	0.32	ug/L	ND		75-125			
Chloroethane	ND		1.0	0.32	ug/L	ND		69-136			
Chloroform	ND		1.0	0.34	ug/L	ND		73-127			
Chloromethane	ND		1.0	0.35	ug/L	ND		49-142			
cis-1,2-Dichloroethene	ND	25.0	1.0	0.81	ug/L	24.0	96	74-124			
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	ND		74-124			
Cyclohexane	ND		1.0	0.18	ug/L	ND		70-130			
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	ND		33-157			
Ethylbenzene	ND	25.0	1.0	0.74	ug/L	26.9	108	77-123			
Isopropylbenzene	ND		1.0	0.79	ug/L	ND		77-122			
Methyl Acetate	ND		1.0	0.50	ug/L	ND		60-140			
Methyl-t-Butyl Ether (MTBE)	6.83	25.0	1.0	0.16	ug/L	33.7	107	64-127			
Methylcyclohexane	ND		1.0	0.16	ug/L	ND		60-140			
Methylene Chloride	ND		1.0	0.44	ug/L	ND		57-132			
m-Xylene & p-Xylene	ND	50.0	2.0	0.66	ug/L	54.6	109	76-122			
n-Butylbenzene	ND		1.0	0.64	ug/L	ND		71-128			
n-Propylbenzene	ND		1.0	0.69	ug/L	ND		77-120			
o-Xylene	ND	25.0	1.0	0.76	ug/L	26.6	106	76-122			
sec-Butylbenzene	ND		1.0	0.75	ug/L	ND		74-127			
Styrene	ND		1.0	0.73	ug/L	ND		70-130			
tert-Butylbenzene	ND		1.0	0.81	ug/L	ND		75-123			
Tetrachloroethene	ND	25.0	1.0	0.36	ug/L	27.6	110	74-122			
Toluene	ND	25.0	1.0	0.51	ug/L	26.0	104	70-122			
trans-1,2-Dichloroethene	ND	25.0	1.0	0.90	ug/L	27.5	110	73-127			
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	ND		72-123			
Trichloroethene	ND	25.0	1.0	0.46	ug/L	26.5	106	74-123			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 10/29/10 (Lab Number:10J2484-MS1, Batch: 10J2484)											
QC Source Sample: RTJ1695-04											
Trichlorofluoromethane	ND		1.0	0.88	ug/L	ND		62-152			
Vinyl chloride	ND		1.0	0.90	ug/L	ND		65-133			
Xylenes, total	ND	75.0	2.0	0.66	ug/L	81.2	108	76-122			
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*97*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*103*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*104*	*71-126*			
Matrix Spike Dup Analyzed: 10/29/10 (Lab Number:10J2484-MSD1, Batch: 10J2484)											
QC Source Sample: RTJ1695-04											
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	ND		73-126		15	
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	ND		70-126		15	
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	ND		76-122		15	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	ND		60-140		20	
1,1-Dichloroethane	ND	25.0	1.0	0.38	ug/L	26.3	105	71-129	1	20	
1,1-Dichloroethene	ND	25.0	1.0	0.29	ug/L	26.0	104	65-138	0.8	16	
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	ND		70-122		20	
1,2,4-Trimethylbenzene	ND	25.0	1.0	0.75	ug/L	26.2	105	76-121	2	20	
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	ND		56-134		15	
1,2-Dibromoethane	ND		1.0	0.73	ug/L	ND		77-120		15	
1,2-Dichlorobenzene	ND	25.0	1.0	0.79	ug/L	27.5	110	77-120	3	20	
1,2-Dichloroethane	ND	25.0	1.0	0.21	ug/L	24.2	97	75-127	1	20	
1,2-Dichloropropane	ND		1.0	0.72	ug/L	ND		76-120		20	
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	ND		77-121		20	
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	ND		77-120		20	
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	ND		75-120		20	
2-Butanone	ND		10	1.3	ug/L	ND		57-140		20	
2-Hexanone	ND		5.0	1.2	ug/L	ND		65-127		15	
p-Cymene	ND		1.0	0.31	ug/L	ND		73-120		20	
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	ND		71-125		35	
Acetone	ND		10	3.0	ug/L	ND		56-142		15	
Benzene	ND	25.0	1.0	0.41	ug/L	26.5	106	71-124	2	13	
Bromodichloromethane	ND		1.0	0.39	ug/L	ND		80-122		15	
Bromoform	ND		1.0	0.26	ug/L	ND		66-128		15	
Bromomethane	ND		1.0	0.69	ug/L	ND		36-150		15	
Carbon disulfide	ND		1.0	0.19	ug/L	ND		59-134		15	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTJ1695

Project: Benchmark - NOCO (1055 Genesee) site
Project Number: TURN

Received: 10/21/10
Reported: 10/29/10 14:53

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Dup Analyzed: 10/29/10 (Lab Number:10J2484-MSD1, Batch: 10J2484)											
QC Source Sample: RTJ1695-04											
Carbon Tetrachloride	ND		1.0	0.27	ug/L	ND		72-134		15	
Chlorobenzene	ND	25.0	1.0	0.75	ug/L	28.4	114	72-120	1	25	
Dibromochloromethane	ND		1.0	0.32	ug/L	ND		75-125		15	
Chloroethane	ND		1.0	0.32	ug/L	ND		69-136		15	
Chloroform	ND		1.0	0.34	ug/L	ND		73-127		20	
Chloromethane	ND		1.0	0.35	ug/L	ND		49-142		15	
cis-1,2-Dichloroethene	ND	25.0	1.0	0.81	ug/L	24.7	99	74-124	3	15	
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	ND		74-124		15	
Cyclohexane	ND		1.0	0.18	ug/L	ND		70-130		20	
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	ND		33-157		20	
Ethylbenzene	ND	25.0	1.0	0.74	ug/L	27.3	109	77-123	2	15	
Isopropylbenzene	ND		1.0	0.79	ug/L	ND		77-122		20	
Methyl Acetate	ND		1.0	0.50	ug/L	ND		60-140		20	
Methyl-t-Butyl Ether (MTBE)	6.83	25.0	1.0	0.16	ug/L	29.5	91	64-127	13	37	
Methylcyclohexane	ND		1.0	0.16	ug/L	ND		60-140		20	
Methylene Chloride	ND		1.0	0.44	ug/L	ND		57-132		15	
m-Xylene & p-Xylene	ND	50.0	2.0	0.66	ug/L	55.0	110	76-122	0.7	16	
n-Butylbenzene	ND		1.0	0.64	ug/L	ND		71-128		15	
n-Propylbenzene	ND		1.0	0.69	ug/L	ND		77-120		15	
o-Xylene	ND	25.0	1.0	0.76	ug/L	26.7	107	76-122	0.3	16	
sec-Butylbenzene	ND		1.0	0.75	ug/L	19.6		74-127		15	
Styrene	ND		1.0	0.73	ug/L	ND		70-130		20	
tert-Butylbenzene	ND		1.0	0.81	ug/L	ND		75-123		15	
Tetrachloroethene	ND	25.0	1.0	0.36	ug/L	29.3	117	74-122	6	20	
Toluene	ND	25.0	1.0	0.51	ug/L	26.6	106	70-122	2	15	
trans-1,2-Dichloroethene	ND	25.0	1.0	0.90	ug/L	27.7	111	73-127	0.7	20	
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	ND		72-123		15	
Trichloroethene	ND	25.0	1.0	0.46	ug/L	27.0	108	74-123	2	16	
Trichlorofluoromethane	ND		1.0	0.88	ug/L	ND		62-152		20	
Vinyl chloride	ND		1.0	0.90	ug/L	ND		65-133		15	
Xylenes, total	ND	75.0	2.0	0.66	ug/L	81.6	109	76-122	0.6	16	
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*98*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*104*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*103*	*71-126*			

Chain of Custody Record

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client: Benchmark	Project Manager: Mike Lesakowski	Date: 10-20-10	Chain of Custody Number: 178138
Address: 2558 Hamburg Turnpike Suite B00	Telephone Number (Area Code)/Fax Number: (716) 856 0599 / (716) 856-0583	Lab Number:	Page 1 of 1
City: Buffalo State: NY Zip Code: 14218	Site Contact: Paul Wertheimer	Lab Contact: B Fischer	Analysis (Attach list if more space is needed)
Project Name and Location (State): 1055 Genesee GWM	Carrier/Waybill Number:		
Contract/Purchase Order/Quote No: 0112-010-600			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed	Soil	Containers & Preservatives: Unpres	H2SO4	HNO3	HCl	NaOH	ZnAc/ NaOH	TCL+Stars VOC(8260)	Special Instructions/ Conditions of Receipt
BCP-MW-1	10-20-10	12:25		X						3			X	A cooler was labeled NOCO orchard Park site but samples are from 1055 Genesee site
BCP MW-2		13 39		X						3			X	
BCP MW-3		11:55		X						3			X	
BCP-MW-4 MS/MSD		10 29		X						9			X	
BCP-MW-5		11.09		X						3			X	
BCP-MW-6		11:34		X						3			X	
BCP-MW-7		13 20		X						3			X	
EQ Blank		8 00		X						3			X	
Blind duplicate		8:00		X						3			X	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By: Paul Wertheimer			1. Received By:	10-21-10	11:00
2. Relinquished By:	10-21-10	12:20	2. Received By: BUFF	10-21-10	12:20
3. Relinquished By:			3. Received By:		

Comments

2.9°C

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

BENCHMARK
ENVIRONMENTAL
ENGINEERING &
SCIENCE, PLLC

August 6, 2010

Ms. William Murray
NY State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Ave.
Buffalo, New York

Re: Semi-Annual Groundwater Monitoring Event
S-41 Site (C915211)
1055 Genesee Street
Buffalo, New York

Dear Mr. Murray:

On behalf of our client, NOCO Express Properties, LLC (NOCO), Benchmark Environmental Engineering & Science, PLLC (Benchmark) is herein transmitting the results from the initial semi-annual groundwater monitoring event, in accordance with the Department's approved Site Management Plan (SMP) for the S-41 Site, located at 1055 Genesee Street, Buffalo, New York (see Figure 1).

This groundwater monitoring event was performed on May 24th, 2010 and included sampling and analysis of BCP-MW-1 through BCP-MW-7. Groundwater samples from each of the sampled wells were analyzed for Target Compound List (TCL) plus STARS list volatile organic compounds (VOCs). Field parameters including pH, oxidation-reduction potential (ORP), temperature, turbidity, and specific conductance were also measured in each of the sampled monitoring wells. Due to an equipment malfunction, dissolved oxygen (DO) readings were not collected, but will be collected in future sampling events. Table 1 summarizes the analytical and field results from the May 2010 groundwater monitoring event. Analytical results are compared to NYSDEC Class GA groundwater quality standards (GWQS) as listed in NYSDEC Division of Water Technical and Operational Guidance Series (TOGS) (1.1.1). Field data sheets are presented in Attachment 1. The analytical data package is included in Attachment 2.

As shown on Table 1, no VOCs were detected above the laboratory reporting limits and were reported as non-detect (ND) by the laboratory, with the exception of methyl tert butyl ether (MTBE). Elevated MTBE concentrations above GWQS were detected in BCP-MW-1, BCP-MW-3, BCP-MW-4 and BCP-MW-6.

2558 Hamburg Turnpike, Suite 300 | Buffalo, NY 14218
phone: (716) 856-0599 | fax: (716) 856-0583

Groundwater elevations were collected in BCP MW-1 through BCP MW-6. Table 2 shows the relative groundwater elevations and Figure 1 includes an estimated groundwater isopotential map and flow direction. The groundwater flow is generally consistent with historic groundwater gauging data.

Benchmark recommends continued monitoring in accordance with the approved Site Management Plan. The Second semi-annual groundwater sampling event for 2010 will be completed in September/October 2010. Please contact us with any questions or comments.

Sincerely,
Benchmark Environmental Engineering & Science, PLLC

Michael Lesakowski
Project Manager

Att.

c: M. Yount (NOCO)

file: 0112-010-600

TABLES

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

TABLE 1
GROUNDWATER ANALYTICAL DATA SUMMARY

NOCO #S-41 SITE
1055 GENESEE STREET
BUFFALO, NEW YORK

Parameter [1]	Class GA GWQS [2]	Sample Locations						
		BCP MW-1	BCP MW-2	BCP MW-3	BCP MW-4	BCP MW-5	BCP MW-6	BCP MW-7
Volatile Organic Compounds (VOCs) - ug/L								
Methyl tert butyl ether (MTBE)	**10**	**12**	ND	**90**	**13**	2.9	**220 D**	0.55 J

Notes:

1. Only those parameters detected at a minimum of one sample location are presented in table; all other compounds reported as non-detect.
2. Regulatory limits are NYSDEC Class “GA” Groundwater Quality Standards (GWQS) as published in NYSDEC Ambient Water Quality Standards and Guidance Values and C

Definitions:

ND = Parameter not detected above laboratory detection limit.
NA = Sample not analyzed for parameter.
"--" = No guidance value available.
J = Estimated value; result is less than the sample quantitation limit but greater than zero.
B = Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
D = All compounds were identified in an analyisis at the secondary dilution factor.
N = Indicates spike sample recovery is not within the quality control limits.
E = Indicates value estimated or not reported due to the presence of interferences.
BOLD = Result exceeds NYSDEC Class GA Groundwater Quality Standard.

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

TABLE 2

GROUNDWATER ELEVATION MEASUREMENTS

Semi-Annual Groundwater Monitoring


NOCO S-41 Site

Monitoring Location	Grade	Top of PVC Riser Elev.	Water Level from Top of Riser	Groundwater Elevation
BCP-MW-1	100.42	99.98	8.34	91.64
BCP-MW-2	99.38	99.16	12.04	87.12
BCP-MW-3	99.74	99.36	7.70	91.66
BCP-MW-4	100.77	100.16	7.96	92.20
BCP-MW-5	100.81	100.35	7.25	93.10
BCP-MW-6	99.98	99.63	5.47	94.16

Notes:

1. All wells were surveyed on 3/04/08 with site specific datum of 100 feet; MW-7 was installed post-survey
2. Data collected May 24, 2010
3. All elevations are feet above mean sea level

FIGURES



BENCHMARK
ENVIRONMENTAL
ENGINEERING &
SCIENCE, PLLC
2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 856-0599

PROJECT NO.: 0112-010-600

DATE: AUGUST 2010

DRAFTED BY: NTM

SITE PLAN and GROUNDWATER ISOPOTENTIAL MAP

SEMI-ANNUAL GROUNDWATER MONITORING

NOCO #S 41 SITE
BCP SITE No. C915211
BUFFALO, NEW YORK

PREPARED FOR

NOCO EXPRESS PROPERTIES, LLC

FIGURE 1

ATTACHMENT 1

FIELD DATA SHEETS
MAY 2010 SAMPLING EVENT

BENCHMARK

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

EQUIPMENT CALIBRATION LOG

PROJECT INFORMATION:

Project Name: Genesee + Fillmore

Project No.:

Client: NOCO

Date: 5/24/13

Instrument Source: ☐ BM ☐ Rental

METER TYPE	UNITS	TIME	MAKE/MODEL	SERIAL NUMBER	CAL. BY	STANDARD	POST CAL. READING	SETTINGS
☒ pH meter	units	1100	Myron L Company Ultra Meter 6P	606987 ☒ 6212375 ☐	TAB	4.00	4.10	4.0
						7.00	7.09	7.0
						10.01	10.0	10.0
☒ Turbidity meter	NTU	0900	Hach 2100P Turbidimeter	06120C020523 ☒ 07110C026405 ☐	TAB	< 0.4	0.2	0.1
						20	19.5	20
						100	95	100
						800	787	800
☒ Sp. Cond. meter	uS mS	0802	Myron L Company Ultra Meter 6P	606987 ☒ 6212375 ☐	TAB	1413 mS @ 25 °C	1413	1413
☐ PID	ppm		MinRAE 2000			open air zero ____ ppm Iso. Gas		MIBK response factor = 1.0
☐ Dissolved Oxygen	ppm		HACH Model HQ30d			100% Satuartion		
☐ Particulate meter	mg/m^3					zero air		
☐ Oxygen	%					open air		
☐ Hydrogen sulfide	ppm					open air		
☐ Carbon monoxide	ppm					open air		
☐ LEL	%					open air		
☐ Radiation Meter	uR/H					background area		
☐								

ADDITIONAL REMARKS:

PREPARED BY: TAB **DATE:** 5/24/13

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

GROUNDWATER FIELD FORM

Project Name: Nco Genesee + Filmore Date: 5-24-10

Location: Genesee + Filmore Project No.: Field Team: TAB/PWH

Well No. BCP-MW-4			Diameter (inches): 2"			Sample Date / Time: 5-24-10 753			
Product Depth (fbTOR): —			Water Column (ft): 20.08			DTW when sampled: 11.30			
DTW (static) (fbTOR): 7.96			One Well Volume (gal): 3.27			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 20.08			Total Volume Purged (gal): 1.5			Purge Method: low flow (Mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
9.48	0 Initial	2.25	7.22	17.8	1337	554		51	Turbid No odor
949	1 10.70	2.25	7.46	14.0	1354	241		32	"
950	2 10.70	.75	7.56	12.3	1363	160		25	"
951	3 10.75	.75	7.60	12.2	1373	127		13	"
952	4 11.02	1.0	7.62	12.1	1373	87.1		55	"
~~953~~	~~5 11~~								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
953	S1 11.3	1.5	7.33	13.4	1326	31.7		45	SL Turb. No odor
	S2								

Well No. BCP-MW-5			Diameter (inches): 2"			Sample Date / Time: 5-24-10 10:20			
Product Depth (fbTOR): —			Water Column (ft): 12.85			DTW when sampled: 9.82			
DTW (static) (fbTOR): 7.25			One Well Volume (gal): 2.11			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 20.23			Total Volume Purged (gal): .75			Purge Method: low flow (MINI monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
10:12	0 Initial	2.25	6.93	13.2	2294	342		-48	Turbid brown/ no/flow
10:14	1 9.21	.25	6.89	15.4	2327	290		-65	"
10:16	2 9.41	.40	6.88	15.3	2332	270		-70	"
10:18	3 9.70	.50	6.82	15.6	2361	234		-73	"
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
10:20	S1 9.82	.75	6.81	15.9	2334	186		-73	"
	S2								

REMARKS: BCP-MW-4

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY: Paul W Wahl

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

GROUNDWATER FIELD FORM

Project Name: Noco Genesee + Fillmore Date: 5-24-10
Location: Genesee + Fillmore Project No.: Field Team: TAB/PWL

Well No. BCP-MW-6			Diameter (inches): 2"			Sample Date / Time: 5-24-10 10:39			
Product Depth (fbTOR): —			Water Column (ft): 14.51			DTW when sampled: 6.71			
DTW (static) (fbTOR): 5.47			One Well Volume (gal): 2.36			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 19.98			Total Volume Purged (gal): .75			Purge Method: lowflow (mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
10:33	0 Initial	0.25	7.45	17.5	2622	479		-130	Turbid brown/sulfur odor
10:35	1 6.41	.25	7.45	15.7	2661	>1000		-144	"
10:37	2 6.71	.5	7.43	15.7	2667	662		-146	"
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
10:39	S1 6.81	.75	7.41	15.6	2680	271		-149	"
10:45	S2 6.21	.75	7.47	15.8	2589	>1000		-154	"

Well No. BCP-MW-3			Diameter (inches): 2"			Sample Date / Time: 5-24-10			
Product Depth (fbTOR): —			Water Column (ft): 12.48			DTW when sampled:			
DTW (static) (fbTOR): 7.70			One Well Volume (gal): 2.03			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 20.18			Total Volume Purged (gal):			Purge Method: lowflow (mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
11:05	0 Initial	0.25	7.09	18.6	2449	276		-125	Turbid brown/sulfur
11:07	1 10.21	.25	7.09	17.4	2450	137		-117	"
11:09	2 10.51	.75	7.09	16.1	2459	170		-122	"
	3 ~~10.59~~	~~1.0~~							
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
11:11	S1 10.59	1.0	7.05	15.4	2465	161		-110	"
	S2								

REMARKS: BCP-MW-6 → MS/MSD TAKEN

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY:

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

GROUNDWATER FIELD FORM

Project Name: Noco Genesee + Fillmore Date: 5-24-10

Location: Genesee + Fillmore Project No.: Field Team: TAB/PWW

Well No. MW-1			Diameter (inches): 2"			Sample Date / Time: 5-24-10 11:34			
Product Depth (fbTOR): —			Water Column (ft): 11.81			DTW when sampled: 9.65			
DTW (static) (fbTOR): 8.34			One Well Volume (gal): 1.93			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 20.15			Total Volume Purged (gal): .75			Purge Method: low flow (mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
11:26	0 Initial	1.25	6.91	18.0	4542	71000		-61	Turbid brown / No odor
11:28	1 9.00	.20	6.85	15.4	4601	>1000		-59	"
11:29	2 9.31	.25	6.85	15.6	4584	520		-48	"
11:31	3 9.86	1.5	6.85	15.0	4587	351		-40	"
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
11:34	S1 9.65	.75	6.84	15.6	4598	351		-34	"
	S2								

Well No. BCP-MW-7			Diameter (inches): 2"			Sample Date / Time: 5-24-10 11:56			
Product Depth (fbTOR): —			Water Column (ft): 14.38			DTW when sampled: 6.31			
DTW (static) (fbTOR): 4.66			One Well Volume (gal): 2.34			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 18.94			Total Volume Purged (gal): .65			Purge Method: low flow (mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
11:50	0 Initial	1.25	7.45	17.6	1248	63.0		-114	clear/sl/tur odor
11:52	1 6.05	.25	7.39	15.1	1232	30.9		-125	"
11:54	2 6.21	1.5	7.37	13.9	1236	27.3		-130	"
	3 ~~6.5~~								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
11:56	S1 6.31	~~.65~~	7.34	14.0	1239	26.7		-130	"
12:00	S2 6.34	.65	7.30	14.7	1219	22.9		-129	"

REMARKS: BCP-MW-7 Blind Dup taken

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY: Paul W Wahl

BENCHMARK ENVIRONMENTAL ENGINEERING & SCIENCE, PLLC

GROUNDWATER FIELD FORM

Project Name: Noco Genesee + Fi[redacted] Date: 5-24-10
Location: Genesee + Fillmore Project No.: Field Team: TAB/PW

Well No. BCP-MW-2			Diameter (inches): 2"			Sample Date / Time: 5-24-10			
Product Depth (fbTOR): —			Water Column (ft): 8.16			DTW when sampled:			
DTW (static) (fbTOR): 12.04			One Well Volume (gal): 1.33			Purpose: ☐ Development ☐ Sample ☒ Purge & Sample			
Total Depth (fbTOR): 20.20			Total Volume Purged (gal):			Purge Method: lowflow (mini monsoon)			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
12:14	0 Initial	4.25	6.93	18.5	1252	71000		-83	Turbid brown / No odor
12:16	1 12.34	.25	6.94	15.8	1263	"		-80	"
12:18	2 12.53	4.5	6.93	14.3	1284	"		-62	"
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
12:18	S1	.5	6.90	15.1	1274	600		-41	"
	S2								

Well No.			Diameter (inches):			Sample Date / Time:			
Product Depth (fbTOR):			Water Column (ft):			DTW when sampled:			
DTW (static) (fbTOR):			One Well Volume (gal):			Purpose: ☐ Development ☐ Sample ☐ Purge & Sample			
Total Depth (fbTOR):			Total Volume Purged (gal):			Purge Method:			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
	0 Initial								
	1								
	2								
	3								
	4								
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
	S1								
	S2								

REMARKS:

Note: All water level measurements are in feet, distance from top of riser.

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

PREPARED BY: Paul W Weathers

ATTACHMENT 2

LABORATORY ANALYTICAL DATA PACKAGE
MAY 2010 SAMPLING EVENT

Analytical Report

Work Order: RTE1242

Project Description

Benchmark - NOCO (Genesee & Fillmore)


For:

Mike Lesakowski

Benchmark Environmental & Engineering Science

2558 Hamburg Turnpike, Suite 300

Lackawanna, NY 14218



Brian Fischer

Project Manager

Brian.Fischer@testamericainc.com

Thursday, June 3, 2010

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Persuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

TestAmerica Buffalo
Current Certifications

As of 04/16/2010

STATE	Program	Cert # / Lab ID
Arkansas	*CWA, RCRA, SOIL*	*88-0686*
California*	*NELAP CWA, RCRA*	*01169CA*
Connecticut	*SDWA, CWA, RCRA, SOIL*	*PH-0568*
Florida*	*NELAP CWA, RCRA*	*E87672*
Georgia*	*SDWA,NELAP CWA, RCRA*	*956*
Illinois*	*NELAP SDWA, CWA, RCRA*	*200003*
Iowa	*SW/CS*	*374*
Kansas*	*NELAP SDWA, CWA, RCRA*	*E-10187*
Kentucky	*SDWA*	*90029*
Kentucky UST	*UST*	*30*
Louisiana*	*NELAP CWA, RCRA*	*2031*
Maine	*SDWA, CWA*	*NY0044*
Maryland	*SDWA*	*294*
Massachusetts	*SDWA, CWA*	*M-NY044*
Michigan	*SDWA*	*9937*
Minnesota	*SDWA,CWA, RCRA*	*036-999-337*
New Hampshire*	*NELAP SDWA, CWA*	*233701*
New Jersey*	*NELAP,SDWA, CWA, RCRA,*	*NY455*
New York*	*NELAP, AIR, SDWA, CWA, RCRA,CLP*	*10026*
North Dakota	*CWA, RCRA*	*R-176*
Oklahoma	*CWA, RCRA*	*9421*
Pennsylvania*	*NELAP CWA,RCRA*	*68-00281*
Tennessee	*SDWA*	*02970*
Texas*	*NELAP CWA, RCRA*	*T104704412-08-TX*
USDA	*FOREIGN SOIL PERMIT*	*S-41579*
Virginia	*SDWA*	*278*
Washington*	*NELAP CWA,RCRA*	*C1677*
Wisconsin	*CWA, RCRA*	*998310390*
West Virginia	*CWA,RCRA*	*252*

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

CASE NARRATIVE

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. field-pH), they were not analyzed immediately, but as soon as possible after laboratory receipt.

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

DATA QUALIFIERS AND DEFINITIONS

B	Analyte was detected in the associated Method Blank.
D08	Dilution required due to high concentration of target analyte(s)
E	Concentration exceeds the calibration range and therefore result is semi-quantitative.
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
L	Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
L7	This analyte has been designated as a poor performing compound for this method from laboratory precision and accuracy studies. The recovery limits that are listed for this analyte are to be used for advisory purposes only.
M11	The MS and/or MSD were above the acceptance limits.
M12	The MS and/or MSD were below the acceptance limits. See calibration verification (CCV)
R2	The RPD exceeded the acceptance limit.
NR	Any inclusion of NR indicates that the project specific requirements do not require reporting estimated values below the laboratory reporting limit.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-01 (BCP-MW-1 - Water)						**Sampled: 05/24/10 11:34**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**12**		1.0	0.16	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Sample ID: RTE1242-03 (BCP-MW-3 - Water)						**Sampled: 05/24/10 11:05**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**90**		1.0	0.16	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Sample ID: RTE1242-04 (BCP-MW-4 - Water)						**Sampled: 05/24/10 09:53**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**13**		1.0	0.16	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Sample ID: RTE1242-05 (BCP-MW-5 - Water)						**Sampled: 05/24/10 10:26**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**2.9**		1.0	0.16	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Sample ID: RTE1242-06RE1 (BCP-MW-6 - Water)						**Sampled: 05/24/10 10:39**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**220**	D08	5.0	0.80	ug/L	5.00	06/01/10 13:26	LH	10F0010	8260B
Sample ID: RTE1242-09 (BCP-MW-7 - Water)						**Sampled: 05/24/10 11:56**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**0.55**	J	1.0	0.16	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Sample Summary

Sample Identification	Lab Number	Client Matrix	Date/Time Sampled	Date/Time Received	Sample Qualifiers
BCP-MW-1	RTE1242-01	Water	05/24/10 11:34	05/25/10 12:55	
BCP-MW-2	RTE1242-02	Water	05/24/10 12:18	05/25/10 12:55	
BCP-MW-3	RTE1242-03	Water	05/24/10 11:05	05/25/10 12:55	
BCP-MW-4	RTE1242-04	Water	05/24/10 09:53	05/25/10 12:55	
BCP-MW-5	RTE1242-05	Water	05/24/10 10:26	05/25/10 12:55	
BCP-MW-6	RTE1242-06	Water	05/24/10 10:39	05/25/10 12:55	
BCP-MW-7	RTE1242-09	Water	05/24/10 11:56	05/25/10 12:55	
blind dup	RTE1242-10	Water	05/24/10 12:00	05/25/10 12:55	
EQB	RTE1242-11	Water	05/24/10 08:00	05/25/10 12:55	
TRIP BLANK	RTE1242-12	Water	05/24/10	05/25/10 12:55	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-01 (BCP-MW-1 - Water) **Sampled: 05/24/10 11:34** **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Methyl-t-Butyl Ether (MTBE)	**12**		1.0	0.16	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-01 (BCP-MW-1 - Water) - cont.						**Sampled: 05/24/10 11:34**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 17:24	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*90 %*		*Surr Limits: (66-137%)*				*05/29/10 17:24*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*92 %*		*Surr Limits: (73-120%)*				*05/29/10 17:24*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*97 %*		*Surr Limits: (71-126%)*				*05/29/10 17:24*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-02 (BCP-MW-2 - Water) — **Sampled: 05/24/10 12:18** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-02 (BCP-MW-2 - Water) - cont.						**Sampled: 05/24/10 12:18**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 17:49	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*92 %*		*Surr Limits: (66-137%)*				*05/29/10 17:49*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*96 %*		*Surr Limits: (73-120%)*				*05/29/10 17:49*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*93 %*		*Surr Limits: (71-126%)*				*05/29/10 17:49*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-03 (BCP-MW-3 - Water) — **Sampled: 05/24/10 11:05** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
2-Hexanone	ND	L	5.0	1.2	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Methyl-t-Butyl Ether (MTBE)	**90**		1.0	0.16	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-03 (BCP-MW-3 - Water) - cont.						**Sampled: 05/24/10 11:05**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 18:15	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*98 %*		*Surr Limits: (66-137%)*				*05/29/10 18:15*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*96 %*		*Surr Limits: (73-120%)*				*05/29/10 18:15*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*98 %*		*Surr Limits: (71-126%)*				*05/29/10 18:15*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-04 (BCP-MW-4 - Water) — **Sampled: 05/24/10 09:53** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
2-Hexanone	ND	L	5.0	1.2	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Methyl-t-Butyl Ether (MTBE)	**13**		1.0	0.16	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-04 (BCP-MW-4 - Water) - cont.						**Sampled: 05/24/10 09:53**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 18:40	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*90 %*		*Surr Limits: (66-137%)*				*05/29/10 18:40*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*91 %*		*Surr Limits: (73-120%)*				*05/29/10 18:40*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*94 %*		*Surr Limits: (71-126%)*				*05/29/10 18:40*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-05 (BCP-MW-5 - Water) — **Sampled: 05/24/10 10:26** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
2-Hexanone	ND	L	5.0	1.2	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Methyl-t-Butyl Ether (MTBE)	**2.9**		1.0	0.16	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-05 (BCP-MW-5 - Water) - cont.						**Sampled: 05/24/10 10:26**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 19:05	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*91 %*		*Surr Limits: (66-137%)*				*05/29/10 19:05*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*91 %*		*Surr Limits: (73-120%)*				*05/29/10 19:05*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*96 %*		*Surr Limits: (71-126%)*				*05/29/10 19:05*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-06 (BCP-MW-6 - Water) — **Sampled: 05/24/10 10:39** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
2-Hexanone	ND	L	5.0	1.2	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Acetone	ND		10	3.0	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-06 (BCP-MW-6 - Water) - cont.						**Sampled: 05/24/10 10:39**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
Toluene	ND		1.0	0.51	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	05/29/10 19:30	NMD	10E2451	8260B
1,2-Dichloroethane-d4	*95 %*		*Surr Limits: (66-137%)*				*05/29/10 19:30*	*NMD*	*10E2451*	*8260B*
4-Bromofluorobenzene	*92 %*		*Surr Limits: (73-120%)*				*05/29/10 19:30*	*NMD*	*10E2451*	*8260B*
Toluene-d8	*97 %*		*Surr Limits: (71-126%)*				*05/29/10 19:30*	*NMD*	*10E2451*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-06RE1 (BCP-MW-6 - Water)						**Sampled: 05/24/10 10:39**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B										
Methyl-t-Butyl Ether (MTBE)	**220**	D08	5.0	0.80	ug/L	5.00	06/01/10 13:26	LH	10F0010	8260B
1,2-Dichloroethane-d4	*99 %*	*D08*	*Surr Limits: (66-137%)*				*06/01/10 13:26*	*LH*	*10F0010*	*8260B*
4-Bromofluorobenzene	*94 %*	*D08*	*Surr Limits: (73-120%)*				*06/01/10 13:26*	*LH*	*10F0010*	*8260B*
Toluene-d8	*101 %*	*D08*	*Surr Limits: (71-126%)*				*06/01/10 13:26*	*LH*	*10F0010*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-09 (BCP-MW-7 - Water) — **Sampled: 05/24/10 11:56** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Acetone	ND		10	3.0	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Methyl-t-Butyl Ether (MTBE)	**0.55**	J	1.0	0.16	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-09 (BCP-MW-7 - Water) - cont.						**Sampled: 05/24/10 11:56**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/01/10 13:50	LH	10F0010	8260B
1,2-Dichloroethane-d4	*102 %*		*Surr Limits: (66-137%)*				*06/01/10 13:50*	*LH*	*10F0010*	*8260B*
4-Bromofluorobenzene	*86 %*		*Surr Limits: (73-120%)*				*06/01/10 13:50*	*LH*	*10F0010*	*8260B*
Toluene-d8	*93 %*		*Surr Limits: (71-126%)*				*06/01/10 13:50*	*LH*	*10F0010*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-10 (blind dup - Water) — **Sampled: 05/24/10 12:00** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Acetone	ND		10	3.0	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-10 (blind dup - Water) - cont.						**Sampled: 05/24/10 12:00**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/01/10 14:14	LH	10F0010	8260B
1,2-Dichloroethane-d4	*95 %*		*Surr Limits: (66-137%)*				*06/01/10 14:14*	*LH*	*10F0010*	*8260B*
4-Bromofluorobenzene	*90 %*		*Surr Limits: (73-120%)*				*06/01/10 14:14*	*LH*	*10F0010*	*8260B*
Toluene-d8	*91 %*		*Surr Limits: (71-126%)*				*06/01/10 14:14*	*LH*	*10F0010*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-11 (EQB - Water) — **Sampled: 05/24/10 08:00** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Acetone	ND		10	3.0	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-11 (EQB - Water) - cont.						**Sampled: 05/24/10 08:00**		**Recvd: 05/25/10 12:55**		
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/01/10 14:38	LH	10F0010	8260B
1,2-Dichloroethane-d4	*99 %*		*Surr Limits: (66-137%)*				*06/01/10 14:38*	*LH*	*10F0010*	*8260B*
4-Bromofluorobenzene	*90 %*		*Surr Limits: (73-120%)*				*06/01/10 14:38*	*LH*	*10F0010*	*8260B*
Toluene-d8	*96 %*		*Surr Limits: (71-126%)*				*06/01/10 14:38*	*LH*	*10F0010*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Sample ID: RTE1242-12 (TRIP BLANK - Water) — **Sampled: 05/24/10** — **Recvd: 05/25/10 12:55**

Volatile Organic Compounds by EPA 8260B

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,1-Dichloroethane	ND		1.0	0.38	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,1-Dichloroethene	ND		1.0	0.29	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dibromo-3-chloropropane	ND		1.0	0.39	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dibromoethane	ND		1.0	0.73	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dichloroethane	ND		1.0	0.21	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dichloropropane	ND		1.0	0.72	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
2-Butanone	ND		10	1.3	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
2-Hexanone	ND		5.0	1.2	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
4-Methyl-2-pentanone	ND		5.0	2.1	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Acetone	ND		10	3.0	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Bromodichloromethane	ND		1.0	0.39	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Bromoform	ND		1.0	0.26	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Bromomethane	ND		1.0	0.69	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Carbon disulfide	ND		1.0	0.19	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Carbon Tetrachloride	ND		1.0	0.27	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Chlorobenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Dibromochloromethane	ND		1.0	0.32	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Chloroethane	ND		1.0	0.32	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Chloroform	ND		1.0	0.34	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Chloromethane	ND		1.0	0.35	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Cyclohexane	ND		1.0	0.18	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Dichlorodifluoromethane	ND		1.0	0.68	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Methyl Acetate	ND		1.0	0.50	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Methylcyclohexane	ND		1.0	0.16	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Methylene Chloride	ND		1.0	0.44	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Styrene	ND		1.0	0.73	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1242-12 (TRIP BLANK - Water) - cont.						**Sampled: 05/24/10**			**Recvd: 05/25/10 12:55**	
Volatile Organic Compounds by EPA 8260B - cont.										
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Tetrachloroethene	ND		1.0	0.36	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Trichloroethene	ND		1.0	0.46	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Trichlorofluoromethane	ND		1.0	0.88	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Vinyl chloride	ND		1.0	0.90	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/01/10 15:02	LH	10F0010	8260B
1,2-Dichloroethane-d4	*96 %*		*Surr Limits: (66-137%)*				*06/01/10 15:02*	*LH*	*10F0010*	*8260B*
4-Bromofluorobenzene	*92 %*		*Surr Limits: (73-120%)*				*06/01/10 15:02*	*LH*	*10F0010*	*8260B*
Toluene-d8	*95 %*		*Surr Limits: (71-126%)*				*06/01/10 15:02*	*LH*	*10F0010*	*8260B*

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracte	Units	Extract Volume	Units	Date Prepared	Lab Tech	Extraction Method
Volatile Organic Compounds by EPA 8260B									
8260B	10E2451	RTE1242-01	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10E2451	RTE1242-02	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10E2451	RTE1242-03	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10E2451	RTE1242-04	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10E2451	RTE1242-05	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10E2451	RTE1242-06	5.00	mL	5.00	mL	05/29/10 14:35	NMD	5030B MS
8260B	10F0010	RTE1242-06RE´	5.00	mL	5.00	mL	06/01/10 12:01	TRB	5030B MS
8260B	10F0010	RTE1242-09	5.00	mL	5.00	mL	06/01/10 12:01	TRB	5030B MS
8260B	10F0010	RTE1242-10	5.00	mL	5.00	mL	06/01/10 12:01	TRB	5030B MS
8260B	10F0010	RTE1242-11	5.00	mL	5.00	mL	06/01/10 12:01	TRB	5030B MS
8260B	10F0010	RTE1242-12	5.00	mL	5.00	mL	06/01/10 12:01	TRB	5030B MS

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 05/29/10 (Lab Number:10E2451-BLK1, Batch: 10E2451)											
1,1,1-Trichloroethane			1.0	0.82	ug/L	ND					
1,1,2,2-Tetrachloroethane			1.0	0.21	ug/L	ND					
1,1,2-Trichloroethane			1.0	0.23	ug/L	ND					
1,1,2-Trichloro-1,2,2-trifluoroethane			1.0	0.31	ug/L	ND					
1,1-Dichloroethane			1.0	0.38	ug/L	ND					
1,1-Dichloroethene			1.0	0.29	ug/L	ND					
1,2,4-Trichlorobenzene			1.0	0.41	ug/L	ND					
1,2,4-Trimethylbenzene			1.0	0.75	ug/L	ND					
1,2-Dibromo-3-chloropropane			1.0	0.39	ug/L	ND					
1,2-Dibromoethane			1.0	0.73	ug/L	ND					
1,2-Dichlorobenzene			1.0	0.79	ug/L	ND					
1,2-Dichloroethane			1.0	0.21	ug/L	ND					
1,2-Dichloropropane			1.0	0.72	ug/L	ND					
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND					
1,3-Dichlorobenzene			1.0	0.78	ug/L	ND					
1,4-Dichlorobenzene			1.0	0.84	ug/L	ND					
2-Butanone			10	1.3	ug/L	ND					
2-Hexanone			5.0	1.2	ug/L	ND					
p-Cymene			1.0	0.31	ug/L	ND					
4-Methyl-2-pentanone			5.0	2.1	ug/L	ND					
Acetone			10	3.0	ug/L	ND					
Benzene			1.0	0.41	ug/L	ND					
Bromodichloromethane			1.0	0.39	ug/L	ND					
Bromoform			1.0	0.26	ug/L	ND					
Bromomethane			1.0	0.69	ug/L	ND					
Carbon disulfide			1.0	0.19	ug/L	ND					
Carbon Tetrachloride			1.0	0.27	ug/L	ND					
Chlorobenzene			1.0	0.75	ug/L	ND					
Dibromochloromethane			1.0	0.32	ug/L	ND					
Chloroethane			1.0	0.32	ug/L	ND					
Chloroform			1.0	0.34	ug/L	ND					
Chloromethane			1.0	0.35	ug/L	ND					
cis-1,2-Dichloroethene			1.0	0.81	ug/L	ND					
cis-1,3-Dichloropropene			1.0	0.36	ug/L	ND					
Cyclohexane			1.0	0.18	ug/L	ND					
Dichlorodifluoromethane			1.0	0.68	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 05/29/10 (Lab Number:10E2451-BLK1, Batch: 10E2451)											
Ethylbenzene			1.0	0.74	ug/L	ND					
Isopropylbenzene			1.0	0.79	ug/L	ND					
Methyl Acetate			1.0	0.50	ug/L	ND					
Methyl-t-Butyl Ether (MTBE)			1.0	0.16	ug/L	ND					
Methylcyclohexane			1.0	0.16	ug/L	ND					
Methylene Chloride			1.0	0.44	ug/L	ND					
m-Xylene & p-Xylene			2.0	0.66	ug/L	ND					
n-Butylbenzene			1.0	0.64	ug/L	ND					
n-Propylbenzene			1.0	0.69	ug/L	ND					
o-Xylene			1.0	0.76	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND					
Styrene			1.0	0.73	ug/L	ND					
tert-Butylbenzene			1.0	0.81	ug/L	ND					
Tetrachloroethene			1.0	0.36	ug/L	ND					
Toluene			1.0	0.51	ug/L	ND					
trans-1,2-Dichloroethene			1.0	0.90	ug/L	ND					
trans-1,3-Dichloropropene			1.0	0.37	ug/L	ND					
Trichloroethene			1.0	0.46	ug/L	ND					
Trichlorofluoromethane			1.0	0.88	ug/L	ND					
Vinyl chloride			1.0	0.90	ug/L	ND					
Xylenes, total			2.0	0.66	ug/L	ND					
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*94*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*92*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*97*	*71-126*			
LCS Analyzed: 05/29/10 (Lab Number:10E2451-BS1, Batch: 10E2451)											
1,1,1-Trichloroethane		25.0	1.0	0.82	ug/L	23.6	95	73-126			
1,1,2,2-Tetrachloroethane		25.0	1.0	0.21	ug/L	29.9	120	70-126			
1,1,2-Trichloroethane		25.0	1.0	0.23	ug/L	27.0	108	76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane		25.0	1.0	0.31	ug/L	23.8	95	60-140			
1,1-Dichloroethane		25.0	1.0	0.38	ug/L	23.7	95	71-129			
1,1-Dichloroethene		25.0	1.0	0.29	ug/L	23.1	92	65-138			
1,2,4-Trichlorobenzene		25.0	1.0	0.41	ug/L	24.7	99	70-122			
1,2,4-Trimethylbenzene		25.0	1.0	0.75	ug/L	24.2	97	76-121			
1,2-Dibromo-3-chloropropane		25.0	1.0	0.39	ug/L	33.7	135	56-134			L

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 05/29/10 (Lab Number:10E2451-BS1, Batch: 10E2451)											
1,2-Dibromoethane		25.0	1.0	0.73	ug/L	28.2	113	77-120			
1,2-Dichlorobenzene		25.0	1.0	0.79	ug/L	24.7	99	77-120			
1,2-Dichloroethane		25.0	1.0	0.21	ug/L	25.4	102	75-127			
1,2-Dichloropropane		25.0	1.0	0.72	ug/L	24.1	96	76-120			
1,3,5-Trimethylbenzene		25.0	1.0	0.77	ug/L	23.9	95	77-121			
1,3-Dichlorobenzene		25.0	1.0	0.78	ug/L	24.1	97	77-120			
1,4-Dichlorobenzene		25.0	1.0	0.84	ug/L	24.1	97	75-120			
2-Butanone		125	10	1.3	ug/L	179	143	57-140			L7
2-Hexanone		125	5.0	1.2	ug/L	172	137	65-127			L
p-Cymene		25.0	1.0	0.31	ug/L	24.4	98	73-120			
4-Methyl-2-pentanone		125	5.0	2.1	ug/L	166	132	71-125			L7
Acetone		125	10	3.0	ug/L	189	151	56-142			L7
Benzene		25.0	1.0	0.41	ug/L	24.4	98	71-124			
Bromodichloromethane		25.0	1.0	0.39	ug/L	24.5	98	80-122			
Bromoform		25.0	1.0	0.26	ug/L	28.1	112	66-128			
Bromomethane		25.0	1.0	0.69	ug/L	22.3	89	36-150			
Carbon disulfide		25.0	1.0	0.19	ug/L	22.5	90	59-134			
Carbon Tetrachloride		25.0	1.0	0.27	ug/L	23.8	95	72-134			
Chlorobenzene		25.0	1.0	0.75	ug/L	24.2	97	72-120			
Dibromochloromethane		25.0	1.0	0.32	ug/L	25.6	103	75-125			
Chloroethane		25.0	1.0	0.32	ug/L	23.2	93	69-136			
Chloroform		25.0	1.0	0.34	ug/L	23.9	96	73-127			
Chloromethane		25.0	1.0	0.35	ug/L	22.6	90	49-142			
cis-1,2-Dichloroethene		25.0	1.0	0.81	ug/L	23.9	96	74-124			
cis-1,3-Dichloropropene		25.0	1.0	0.36	ug/L	24.9	100	74-124			
Cyclohexane		25.0	1.0	0.18	ug/L	23.1	92	70-130			
Dichlorodifluoromethane		25.0	1.0	0.68	ug/L	25.7	103	33-157			
Ethylbenzene		25.0	1.0	0.74	ug/L	24.1	96	77-123			
Isopropylbenzene		25.0	1.0	0.79	ug/L	23.8	95	77-122			
Methyl Acetate		25.0	1.0	0.50	ug/L	33.0	132	60-140			
Methyl-t-Butyl Ether (MTBE)		25.0	1.0	0.16	ug/L	25.7	103	64-127			
Methylcyclohexane		25.0	1.0	0.16	ug/L	24.1	96	60-140			
Methylene Chloride		25.0	1.0	0.44	ug/L	27.3	109	57-132			
m-Xylene & p-Xylene		50.0	2.0	0.66	ug/L	48.4	97	76-122			
n-Butylbenzene		25.0	1.0	0.64	ug/L	24.7	99	71-128			
n-Propylbenzene		25.0	1.0	0.69	ug/L	24.5	98	77-120			
o-Xylene		25.0	1.0	0.76	ug/L	23.6	94	76-122			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 05/29/10 (Lab Number:10E2451-BS1, Batch: 10E2451)											
sec-Butylbenzene		25.0	1.0	0.75	ug/L	24.2	97	74-127			
Styrene		25.0	1.0	0.73	ug/L	24.5	98	70-130			
tert-Butylbenzene		25.0	1.0	0.81	ug/L	23.2	93	75-123			
Tetrachloroethene		25.0	1.0	0.36	ug/L	23.3	93	74-122			
Toluene		25.0	1.0	0.51	ug/L	23.9	96	70-122			
trans-1,2-Dichloroethene		25.0	1.0	0.90	ug/L	23.7	95	73-127			
trans-1,3-Dichloropropene		25.0	1.0	0.37	ug/L	25.9	103	72-123			
Trichloroethene		25.0	1.0	0.46	ug/L	24.5	98	74-123			
Trichlorofluoromethane		25.0	1.0	0.88	ug/L	24.0	96	62-152			
Vinyl chloride		25.0	1.0	0.90	ug/L	24.1	96	65-133			
Xylenes, total		75.0	2.0	0.66	ug/L	72.0	96	76-122			
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*94*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*93*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*95*	*71-126*			
Matrix Spike Analyzed: 05/29/10 (Lab Number:10E2451-MS1, Batch: 10E2451)											
QC Source Sample: RTE1242-06											
1,1,1-Trichloroethane	ND	25.0	1.0	0.82	ug/L	30.2	121	73-126			
1,1,2,2-Tetrachloroethane	ND	25.0	1.0	0.21	ug/L	32.2	129	70-126			M11
1,1,2-Trichloroethane	ND	25.0	1.0	0.23	ug/L	30.4	121	76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25.0	1.0	0.31	ug/L	29.2	117	60-140			
1,1-Dichloroethane	ND	25.0	1.0	0.38	ug/L	29.7	119	71-129			
1,1-Dichloroethene	ND	25.0	1.0	0.29	ug/L	29.2	117	65-138			
1,2,4-Trichlorobenzene	ND	25.0	1.0	0.41	ug/L	28.9	116	70-122			
1,2,4-Trimethylbenzene	ND	25.0	1.0	0.75	ug/L	29.4	117	76-121			
1,2-Dibromo-3-chloropropane	ND	25.0	1.0	0.39	ug/L	33.7	135	56-134			M11
1,2-Dibromoethane	ND	25.0	1.0	0.73	ug/L	31.5	126	77-120			M11
1,2-Dichlorobenzene	ND	25.0	1.0	0.79	ug/L	29.2	117	77-120			
1,2-Dichloroethane	ND	25.0	1.0	0.21	ug/L	29.3	117	75-127			
1,2-Dichloropropane	ND	25.0	1.0	0.72	ug/L	28.8	115	76-120			
1,3,5-Trimethylbenzene	ND	25.0	1.0	0.77	ug/L	29.6	118	77-121			
1,3-Dichlorobenzene	ND	25.0	1.0	0.78	ug/L	29.0	116	77-120			
1,4-Dichlorobenzene	ND	25.0	1.0	0.84	ug/L	28.7	115	75-120			
2-Butanone	ND	125	10	1.3	ug/L	177	141	57-140			M11
2-Hexanone	ND	125	5.0	1.2	ug/L	178	142	65-127			M11

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 05/29/10 (Lab Number:10E2451-MS1, Batch: 10E2451)											
QC Source Sample: RTE1242-06											
p-Cymene	ND	25.0	1.0	0.31	ug/L	30.2	121	73-120			M11
4-Methyl-2-pentanone	ND	125	5.0	2.1	ug/L	175	140	71-125			M11
Acetone	ND	125	10	3.0	ug/L	174	139	56-142			
Benzene	ND	25.0	1.0	0.41	ug/L	30.0	120	71-124			
Bromodichloromethane	ND	25.0	1.0	0.39	ug/L	29.0	116	80-122			
Bromoform	ND	25.0	1.0	0.26	ug/L	29.9	120	66-128			
Bromomethane	ND	25.0	1.0	0.69	ug/L	27.4	110	36-150			
Carbon disulfide	ND	25.0	1.0	0.19	ug/L	29.6	118	59-134			
Carbon Tetrachloride	ND	25.0	1.0	0.27	ug/L	30.2	121	72-134			
Chlorobenzene	ND	25.0	1.0	0.75	ug/L	29.4	117	72-120			
Dibromochloromethane	ND	25.0	1.0	0.32	ug/L	28.6	114	75-125			
Chloroethane	ND	25.0	1.0	0.32	ug/L	28.7	115	69-136			
Chloroform	ND	25.0	1.0	0.34	ug/L	29.1	116	73-127			
Chloromethane	ND	25.0	1.0	0.35	ug/L	27.7	111	49-142			
cis-1,2-Dichloroethene	ND	25.0	1.0	0.81	ug/L	29.6	118	74-124			
cis-1,3-Dichloropropene	ND	25.0	1.0	0.36	ug/L	26.9	108	74-124			
Cyclohexane	ND	25.0	1.0	0.18	ug/L	29.6	118	70-130			
Dichlorodifluoromethane	ND	25.0	1.0	0.68	ug/L	31.7	127	33-157			
Ethylbenzene	ND	25.0	1.0	0.74	ug/L	29.8	119	77-123			
Isopropylbenzene	ND	25.0	1.0	0.79	ug/L	29.8	119	77-122			
Methyl Acetate	ND	25.0	1.0	0.50	ug/L	31.4	125	60-140			
Methyl-t-Butyl Ether (MTBE)	248	25.0	1.0	0.16	ug/L	266	73	64-127			E
Methylcyclohexane	ND	25.0	1.0	0.16	ug/L	31.1	125	60-140			
Methylene Chloride	ND	25.0	1.0	0.44	ug/L	30.8	123	57-132			
m-Xylene & p-Xylene	ND	50.0	2.0	0.66	ug/L	60.8	122	76-122			
n-Butylbenzene	ND	25.0	1.0	0.64	ug/L	30.5	122	71-128			
n-Propylbenzene	ND	25.0	1.0	0.69	ug/L	28.1	113	77-120			
o-Xylene	ND	25.0	1.0	0.76	ug/L	29.6	119	76-122			
sec-Butylbenzene	ND	25.0	1.0	0.75	ug/L	30.2	121	74-127			
Styrene	ND	25.0	1.0	0.73	ug/L	28.9	116	70-130			
tert-Butylbenzene	ND	25.0	1.0	0.81	ug/L	29.0	116	75-123			
Tetrachloroethene	ND	25.0	1.0	0.36	ug/L	28.9	116	74-122			
Toluene	ND	25.0	1.0	0.51	ug/L	29.2	117	70-122			
trans-1,2-Dichloroethene	ND	25.0	1.0	0.90	ug/L	30.4	122	73-127			
trans-1,3-Dichloropropene	ND	25.0	1.0	0.37	ug/L	25.6	103	72-123			
Trichloroethene	ND	25.0	1.0	0.46	ug/L	30.1	121	74-123			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 05/29/10 (Lab Number:10E2451-MS1, Batch: 10E2451)											
QC Source Sample: RTE1242-06											
Trichlorofluoromethane	ND	25.0	1.0	0.88	ug/L	30.0	120	62-152			
Vinyl chloride	ND	25.0	1.0	0.90	ug/L	29.9	119	65-133			
Xylenes, total	ND	75.0	2.0	0.66	ug/L	90.4	121	76-122			
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*96*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*97*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*98*	*71-126*			
Matrix Spike Dup Analyzed: 05/29/10 (Lab Number:10E2451-MSD1, Batch: 10E2451)											
QC Source Sample: RTE1242-06											
1,1,1-Trichloroethane	ND	25.0	1.0	0.82	ug/L	28.0	112	73-126	7	15	
1,1,2,2-Tetrachloroethane	ND	25.0	1.0	0.21	ug/L	31.1	125	70-126	3	15	
1,1,2-Trichloroethane	ND	25.0	1.0	0.23	ug/L	28.4	114	76-122	6	15	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25.0	1.0	0.31	ug/L	27.5	110	60-140	6	20	
1,1-Dichloroethane	ND	25.0	1.0	0.38	ug/L	27.2	109	71-129	9	20	
1,1-Dichloroethene	ND	25.0	1.0	0.29	ug/L	27.4	109	65-138	6	16	
1,2,4-Trichlorobenzene	ND	25.0	1.0	0.41	ug/L	25.9	104	70-122	11	20	
1,2,4-Trimethylbenzene	ND	25.0	1.0	0.75	ug/L	26.8	107	76-121	9	20	
1,2-Dibromo-3-chloropropane	ND	25.0	1.0	0.39	ug/L	33.4	134	56-134	0.7	15	
1,2-Dibromoethane	ND	25.0	1.0	0.73	ug/L	29.1	116	77-120	8	15	
1,2-Dichlorobenzene	ND	25.0	1.0	0.79	ug/L	26.6	106	77-120	9	20	
1,2-Dichloroethane	ND	25.0	1.0	0.21	ug/L	26.9	107	75-127	9	20	
1,2-Dichloropropane	ND	25.0	1.0	0.72	ug/L	26.3	105	76-120	9	20	
1,3,5-Trimethylbenzene	ND	25.0	1.0	0.77	ug/L	27.0	108	77-121	9	20	
1,3-Dichlorobenzene	ND	25.0	1.0	0.78	ug/L	26.6	106	77-120	9	20	
1,4-Dichlorobenzene	ND	25.0	1.0	0.84	ug/L	26.5	106	75-120	8	20	
2-Butanone	ND	125	10	1.3	ug/L	181	145	57-140	2	20	M11
2-Hexanone	ND	125	5.0	1.2	ug/L	181	145	65-127	2	15	M11
p-Cymene	ND	25.0	1.0	0.31	ug/L	27.4	110	73-120	10	20	
4-Methyl-2-pentanone	ND	125	5.0	2.1	ug/L	175	140	71-125	0.4	35	M11
Acetone	ND	125	10	3.0	ug/L	183	147	56-142	5	15	M11
Benzene	ND	25.0	1.0	0.41	ug/L	27.6	110	71-124	8	13	
Bromodichloromethane	ND	25.0	1.0	0.39	ug/L	26.3	105	80-122	10	15	
Bromoform	ND	25.0	1.0	0.26	ug/L	27.8	111	66-128	7	15	
Bromomethane	ND	25.0	1.0	0.69	ug/L	26.1	104	36-150	5	15	
Carbon disulfide	ND	25.0	1.0	0.19	ug/L	27.5	110	59-134	7	15	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Dup Analyzed: 05/29/10 (Lab Number:10E2451-MSD1, Batch: 10E2451)											
QC Source Sample: RTE1242-06											
Carbon Tetrachloride	ND	25.0	1.0	0.27	ug/L	27.6	111	72-134	9	15	
Chlorobenzene	ND	25.0	1.0	0.75	ug/L	27.4	110	72-120	7	25	
Dibromochloromethane	ND	25.0	1.0	0.32	ug/L	27.0	108	75-125	6	15	
Chloroethane	ND	25.0	1.0	0.32	ug/L	27.6	110	69-136	4	15	
Chloroform	ND	25.0	1.0	0.34	ug/L	26.7	107	73-127	9	20	
Chloromethane	ND	25.0	1.0	0.35	ug/L	25.9	104	49-142	7	15	
cis-1,2-Dichloroethene	ND	25.0	1.0	0.81	ug/L	27.0	108	74-124	9	15	
cis-1,3-Dichloropropene	ND	25.0	1.0	0.36	ug/L	23.3	93	74-124	14	15	
Cyclohexane	ND	25.0	1.0	0.18	ug/L	27.7	111	70-130	7	20	
Dichlorodifluoromethane	ND	25.0	1.0	0.68	ug/L	30.0	120	33-157	6	20	
Ethylbenzene	ND	25.0	1.0	0.74	ug/L	27.7	111	77-123	7	15	
Isopropylbenzene	ND	25.0	1.0	0.79	ug/L	27.4	109	77-122	9	20	
Methyl Acetate	ND	25.0	1.0	0.50	ug/L	31.8	127	60-140	1	20	
Methyl-t-Butyl Ether (MTBE)	248	25.0	1.0	0.16	ug/L	259	45	64-127	3	37	M12,E
Methylcyclohexane	ND	25.0	1.0	0.16	ug/L	28.4	113	60-140	9	20	
Methylene Chloride	ND	25.0	1.0	0.44	ug/L	27.7	111	57-132	10	15	
m-Xylene & p-Xylene	ND	50.0	2.0	0.66	ug/L	56.0	112	76-122	8	16	
n-Butylbenzene	ND	25.0	1.0	0.64	ug/L	27.7	111	71-128	9	15	
n-Propylbenzene	ND	25.0	1.0	0.69	ug/L	26.0	104	77-120	8	15	
o-Xylene	ND	25.0	1.0	0.76	ug/L	27.2	109	76-122	9	16	
sec-Butylbenzene	ND	25.0	1.0	0.75	ug/L	27.7	111	74-127	8	15	
Styrene	ND	25.0	1.0	0.73	ug/L	26.8	107	70-130	8	20	
tert-Butylbenzene	ND	25.0	1.0	0.81	ug/L	26.9	108	75-123	8	15	
Tetrachloroethene	ND	25.0	1.0	0.36	ug/L	27.3	109	74-122	6	20	
Toluene	ND	25.0	1.0	0.51	ug/L	26.8	107	70-122	9	15	
trans-1,2-Dichloroethene	ND	25.0	1.0	0.90	ug/L	28.2	113	73-127	8	20	
trans-1,3-Dichloropropene	ND	25.0	1.0	0.37	ug/L	21.9	88	72-123	16	15	R2
Trichloroethene	ND	25.0	1.0	0.46	ug/L	27.9	111	74-123	8	16	
Trichlorofluoromethane	ND	25.0	1.0	0.88	ug/L	28.1	112	62-152	7	20	
Vinyl chloride	ND	25.0	1.0	0.90	ug/L	28.0	112	65-133	6	15	
Xylenes, total	ND	75.0	2.0	0.66	ug/L	83.3	111	76-122	8	16	
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*93*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*94*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*96*	*71-126*			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 06/01/10 (Lab Number:10F0010-BLK1, Batch: 10F0010)											
1,1,1-Trichloroethane			1.0	0.82	ug/L	ND					
1,1,2,2-Tetrachloroethane			1.0	0.21	ug/L	ND					
1,1,2-Trichloroethane			1.0	0.23	ug/L	ND					
1,1,2-Trichloro-1,2,2-trifluoroethane			1.0	0.31	ug/L	ND					
1,1-Dichloroethane			1.0	0.38	ug/L	ND					
1,1-Dichloroethene			1.0	0.29	ug/L	ND					
1,2,4-Trichlorobenzene			1.0	0.41	ug/L	ND					
1,2,4-Trimethylbenzene			1.0	0.75	ug/L	ND					
1,2-Dibromo-3-chloropropane			1.0	0.39	ug/L	ND					
1,2-Dibromoethane			1.0	0.73	ug/L	ND					
1,2-Dichlorobenzene			1.0	0.79	ug/L	ND					
1,2-Dichloroethane			1.0	0.21	ug/L	ND					
1,2-Dichloropropane			1.0	0.72	ug/L	ND					
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND					
1,3-Dichlorobenzene			1.0	0.78	ug/L	ND					
1,4-Dichlorobenzene			1.0	0.84	ug/L	ND					
2-Butanone			10	1.3	ug/L	ND					
2-Hexanone			5.0	1.2	ug/L	ND					
p-Cymene			1.0	0.31	ug/L	ND					
4-Methyl-2-pentanone			5.0	2.1	ug/L	ND					
Acetone			10	3.0	ug/L	ND					
Benzene			1.0	0.41	ug/L	ND					
Bromodichloromethane			1.0	0.39	ug/L	ND					
Bromoform			1.0	0.26	ug/L	ND					
Bromomethane			1.0	0.69	ug/L	ND					
Carbon disulfide			1.0	0.19	ug/L	ND					
Carbon Tetrachloride			1.0	0.27	ug/L	ND					
Chlorobenzene			1.0	0.75	ug/L	ND					
Dibromochloromethane			1.0	0.32	ug/L	ND					
Chloroethane			1.0	0.32	ug/L	ND					
Chloroform			1.0	0.34	ug/L	ND					
Chloromethane			1.0	0.35	ug/L	ND					
cis-1,2-Dichloroethene			1.0	0.81	ug/L	ND					
cis-1,3-Dichloropropene			1.0	0.36	ug/L	ND					
Cyclohexane			1.0	0.18	ug/L	ND					
Dichlorodifluoromethane			1.0	0.68	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 06/01/10 (Lab Number:10F0010-BLK1, Batch: 10F0010)											
Ethylbenzene			1.0	0.74	ug/L	ND					
Isopropylbenzene			1.0	0.79	ug/L	ND					
Methyl Acetate			1.0	0.50	ug/L	ND					
Methyl-t-Butyl Ether (MTBE)			1.0	0.16	ug/L	ND					
Methylcyclohexane			1.0	0.16	ug/L	ND					
Methylene Chloride			1.0	0.44	ug/L	0.59					J
m-Xylene & p-Xylene			2.0	0.66	ug/L	ND					
n-Butylbenzene			1.0	0.64	ug/L	ND					
n-Propylbenzene			1.0	0.69	ug/L	ND					
o-Xylene			1.0	0.76	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND					
Styrene			1.0	0.73	ug/L	ND					
tert-Butylbenzene			1.0	0.81	ug/L	ND					
Tetrachloroethene			1.0	0.36	ug/L	ND					
Toluene			1.0	0.51	ug/L	ND					
trans-1,2-Dichloroethene			1.0	0.90	ug/L	ND					
trans-1,3-Dichloropropene			1.0	0.37	ug/L	ND					
Trichloroethene			1.0	0.46	ug/L	ND					
Trichlorofluoromethane			1.0	0.88	ug/L	ND					
Vinyl chloride			1.0	0.90	ug/L	ND					
Xylenes, total			2.0	0.66	ug/L	ND					
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*94*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*91*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*96*	*71-126*			
LCS Analyzed: 06/01/10 (Lab Number:10F0010-BS1, Batch: 10F0010)											
1,1,1-Trichloroethane		25.0	1.0	0.82	ug/L	22.4	89	73-126			
1,1,2,2-Tetrachloroethane		25.0	1.0	0.21	ug/L	18.8	75	70-126			
1,1,2-Trichloroethane		25.0	1.0	0.23	ug/L	21.2	85	76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane		25.0	1.0	0.31	ug/L	24.0	96	60-140			
1,1-Dichloroethane		25.0	1.0	0.38	ug/L	23.0	92	71-129			
1,1-Dichloroethene		25.0	1.0	0.29	ug/L	21.6	86	65-138			
1,2,4-Trichlorobenzene		25.0	1.0	0.41	ug/L	21.9	87	70-122			
1,2,4-Trimethylbenzene		25.0	1.0	0.75	ug/L	20.8	83	76-121			
1,2-Dibromo-3-chloropropane		25.0	1.0	0.39	ug/L	18.2	73	56-134			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 06/01/10 (Lab Number:10F0010-BS1, Batch: 10F0010)											
1,2-Dibromoethane		25.0	1.0	0.73	ug/L	20.2	81	77-120			
1,2-Dichlorobenzene		25.0	1.0	0.79	ug/L	22.1	89	77-120			
1,2-Dichloroethane		25.0	1.0	0.21	ug/L	24.4	98	75-127			
1,2-Dichloropropane		25.0	1.0	0.72	ug/L	22.0	88	76-120			
1,3,5-Trimethylbenzene		25.0	1.0	0.77	ug/L	21.1	84	77-121			
1,3-Dichlorobenzene		25.0	1.0	0.78	ug/L	21.5	86	77-120			
1,4-Dichlorobenzene		25.0	1.0	0.84	ug/L	21.8	87	75-120			
2-Butanone		125	10	1.3	ug/L	114	91	57-140			
2-Hexanone		125	5.0	1.2	ug/L	108	87	65-127			
p-Cymene		25.0	1.0	0.31	ug/L	22.2	89	73-120			
4-Methyl-2-pentanone		125	5.0	2.1	ug/L	106	85	71-125			
Acetone		125	10	3.0	ug/L	124	99	56-142			
Benzene		25.0	1.0	0.41	ug/L	22.0	88	71-124			
Bromodichloromethane		25.0	1.0	0.39	ug/L	22.8	91	80-122			
Bromoform		25.0	1.0	0.26	ug/L	17.3	69	66-128			
Bromomethane		25.0	1.0	0.69	ug/L	23.7	95	36-150			
Carbon disulfide		25.0	1.0	0.19	ug/L	21.9	88	59-134			
Carbon Tetrachloride		25.0	1.0	0.27	ug/L	22.9	92	72-134			
Chlorobenzene		25.0	1.0	0.75	ug/L	21.5	86	72-120			
Dibromochloromethane		25.0	1.0	0.32	ug/L	21.6	87	75-125			
Chloroethane		25.0	1.0	0.32	ug/L	22.8	91	69-136			
Chloroform		25.0	1.0	0.34	ug/L	23.1	93	73-127			
Chloromethane		25.0	1.0	0.35	ug/L	19.6	78	49-142			
cis-1,2-Dichloroethene		25.0	1.0	0.81	ug/L	23.2	93	74-124			
cis-1,3-Dichloropropene		25.0	1.0	0.36	ug/L	22.0	88	74-124			
Cyclohexane		25.0	1.0	0.18	ug/L	25.0	100	70-130			
Dichlorodifluoromethane		25.0	1.0	0.68	ug/L	20.8	83	33-157			
Ethylbenzene		25.0	1.0	0.74	ug/L	21.6	86	77-123			
Isopropylbenzene		25.0	1.0	0.79	ug/L	21.1	84	77-122			
Methyl Acetate		25.0	1.0	0.50	ug/L	22.3	89	60-140			
Methyl-t-Butyl Ether (MTBE)		25.0	1.0	0.16	ug/L	23.0	92	64-127			
Methylcyclohexane		25.0	1.0	0.16	ug/L	24.4	97	60-140			
Methylene Chloride		25.0	1.0	0.44	ug/L	25.3	101	57-132			B
m-Xylene & p-Xylene		50.0	2.0	0.66	ug/L	44.1	88	76-122			
n-Butylbenzene		25.0	1.0	0.64	ug/L	21.4	86	71-128			
n-Propylbenzene		25.0	1.0	0.69	ug/L	20.2	81	77-120			
o-Xylene		25.0	1.0	0.76	ug/L	21.2	85	76-122			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
LCS Analyzed: 06/01/10 (Lab Number:10F0010-BS1, Batch: 10F0010)											
sec-Butylbenzene		25.0	1.0	0.75	ug/L	21.3	85	74-127			
Styrene		25.0	1.0	0.73	ug/L	22.6	90	70-130			
tert-Butylbenzene		25.0	1.0	0.81	ug/L	20.4	82	75-123			
Tetrachloroethene		25.0	1.0	0.36	ug/L	21.1	84	74-122			
Toluene		25.0	1.0	0.51	ug/L	21.0	84	70-122			
trans-1,2-Dichloroethene		25.0	1.0	0.90	ug/L	21.8	87	73-127			
trans-1,3-Dichloropropene		25.0	1.0	0.37	ug/L	20.8	83	72-123			
Trichloroethene		25.0	1.0	0.46	ug/L	22.4	90	74-123			
Trichlorofluoromethane		25.0	1.0	0.88	ug/L	22.5	90	62-152			
Vinyl chloride		25.0	1.0	0.90	ug/L	19.5	78	65-133			
Xylenes, total		75.0	2.0	0.66	ug/L	65.4	87	76-122			
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*97*	*66-137*			
Surrogate: 4-Bromofluorobenzene					*ug/L*		*92*	*73-120*			
Surrogate: Toluene-d8					*ug/L*		*93*	*71-126*			
Matrix Spike Analyzed: 06/01/10 (Lab Number:10F0010-MS1, Batch: 10F0010)											
QC Source Sample: RTE1242-06RE1											
1,1,1-Trichloroethane	ND		5.0	4.1	ug/L	ND		73-126			D08
1,1,2,2-Tetrachloroethane	ND		5.0	1.1	ug/L	ND		70-126			D08
1,1,2-Trichloroethane	ND		5.0	1.2	ug/L	ND		76-122			D08
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	1.5	ug/L	ND		60-140			D08
1,1-Dichloroethane	ND	125	5.0	1.9	ug/L	127	102	71-129			D08
1,1-Dichloroethene	ND	125	5.0	1.5	ug/L	127	102	65-138			D08
1,2,4-Trichlorobenzene	ND		5.0	2.0	ug/L	ND		70-122			D08
1,2,4-Trimethylbenzene	ND	125	5.0	3.8	ug/L	115	92	76-121			D08
1,2-Dibromo-3-chloropropane	ND		5.0	2.0	ug/L	ND		56-134			D08
1,2-Dibromoethane	ND		5.0	3.6	ug/L	ND		77-120			D08
1,2-Dichlorobenzene	ND	125	5.0	4.0	ug/L	125	100	77-120			D08
1,2-Dichloroethane	ND	125	5.0	1.1	ug/L	135	108	75-127			D08
1,2-Dichloropropane	ND		5.0	3.6	ug/L	ND		76-120			D08
1,3,5-Trimethylbenzene	ND		5.0	3.8	ug/L	ND		77-121			D08
1,3-Dichlorobenzene	ND		5.0	3.9	ug/L	ND		77-120			D08
1,4-Dichlorobenzene	ND		5.0	4.2	ug/L	ND		75-120			D08
2-Butanone	ND		50	6.6	ug/L	ND		57-140			D08
2-Hexanone	ND		25	6.2	ug/L	ND		65-127			D08

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 06/01/10 (Lab Number:10F0010-MS1, Batch: 10F0010)											
QC Source Sample: RTE1242-06RE1											
p-Cymene	ND		5.0	1.6	ug/L	ND		73-120			D08
4-Methyl-2-pentanone	ND		25	10	ug/L	ND		71-125			D08
Acetone	ND		50	15	ug/L	ND		56-142			D08
Benzene	ND	125	5.0	2.0	ug/L	122	98	71-124			D08
Bromodichloromethane	ND		5.0	1.9	ug/L	ND		80-122			D08
Bromoform	ND		5.0	1.3	ug/L	ND		66-128			D08
Bromomethane	ND		5.0	3.4	ug/L	ND		36-150			D08
Carbon disulfide	ND		5.0	0.97	ug/L	ND		59-134			D08
Carbon Tetrachloride	ND		5.0	1.3	ug/L	ND		72-134			D08
Chlorobenzene	ND	125	5.0	3.8	ug/L	120	96	72-120			D08
Dibromochloromethane	ND		5.0	1.6	ug/L	ND		75-125			D08
Chloroethane	ND		5.0	1.6	ug/L	ND		69-136			D08
Chloroform	ND		5.0	1.7	ug/L	ND		73-127			D08
Chloromethane	ND		5.0	1.7	ug/L	ND		49-142			D08
cis-1,2-Dichloroethene	ND	125	5.0	4.0	ug/L	125	100	74-124			D08
cis-1,3-Dichloropropene	ND		5.0	1.8	ug/L	ND		74-124			D08
Cyclohexane	ND		5.0	0.90	ug/L	ND		70-130			D08
Dichlorodifluoromethane	ND		5.0	3.4	ug/L	ND		33-157			D08
Ethylbenzene	ND	125	5.0	3.7	ug/L	124	99	77-123			D08
Isopropylbenzene	ND		5.0	4.0	ug/L	ND		77-122			D08
Methyl Acetate	ND		5.0	2.5	ug/L	ND		60-140			D08
Methyl-t-Butyl Ether (MTBE)	223	125	5.0	0.80	ug/L	339	93	64-127			D08
Methylcyclohexane	ND		5.0	0.80	ug/L	ND		60-140			D08
Methylene Chloride	5.20		5.0	2.2	ug/L	4.35		57-132			D08,J,B
m-Xylene & p-Xylene	ND	250	10	3.3	ug/L	252	101	76-122			D08
n-Butylbenzene	ND		5.0	3.2	ug/L	ND		71-128			D08
n-Propylbenzene	ND		5.0	3.4	ug/L	ND		77-120			D08
o-Xylene	ND	125	5.0	3.8	ug/L	123	98	76-122			D08
sec-Butylbenzene	ND		5.0	3.8	ug/L	ND		74-127			D08
Styrene	ND		5.0	3.6	ug/L	ND		70-130			D08
tert-Butylbenzene	ND		5.0	4.0	ug/L	ND		75-123			D08
Tetrachloroethene	ND	125	5.0	1.8	ug/L	125	100	74-122			D08
Toluene	ND	125	5.0	2.6	ug/L	116	93	70-122			D08
trans-1,2-Dichloroethene	ND	125	5.0	4.5	ug/L	116	93	73-127			D08
trans-1,3-Dichloropropene	ND		5.0	1.8	ug/L	ND		72-123			D08
Trichloroethene	ND	125	5.0	2.3	ug/L	119	95	74-123			D08

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Analyzed: 06/01/10 (Lab Number:10F0010-MS1, Batch: 10F0010)											
QC Source Sample: RTE1242-06RE1											
Trichlorofluoromethane	ND		5.0	4.4	ug/L	ND		62-152			D08
Vinyl chloride	ND		5.0	4.5	ug/L	ND		65-133			D08
Xylenes, total	ND	375	10	3.3	ug/L	374	100	76-122			D08
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*99*	*66-137*			*D08*
Surrogate: 4-Bromofluorobenzene					*ug/L*		*92*	*73-120*			*D08*
Surrogate: Toluene-d8					*ug/L*		*93*	*71-126*			*D08*
Matrix Spike Dup Analyzed: 06/01/10 (Lab Number:10F0010-MSD1, Batch: 10F0010)											
QC Source Sample: RTE1242-06RE1											
1,1,1-Trichloroethane	ND		5.0	4.1	ug/L	ND		73-126		15	D08
1,1,2,2-Tetrachloroethane	ND		5.0	1.1	ug/L	ND		70-126		15	D08
1,1,2-Trichloroethane	ND		5.0	1.2	ug/L	ND		76-122		15	D08
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	1.5	ug/L	ND		60-140		20	D08
1,1-Dichloroethane	ND	125	5.0	1.9	ug/L	129	103	71-129	1	20	D08
1,1-Dichloroethene	ND	125	5.0	1.5	ug/L	122	97	65-138	4	16	D08
1,2,4-Trichlorobenzene	ND		5.0	2.0	ug/L	ND		70-122		20	D08
1,2,4-Trimethylbenzene	ND	125	5.0	3.8	ug/L	118	95	76-121	3	20	D08
1,2-Dibromo-3-chloropropane	ND		5.0	2.0	ug/L	ND		56-134		15	D08
1,2-Dibromoethane	ND		5.0	3.6	ug/L	ND		77-120		15	D08
1,2-Dichlorobenzene	ND	125	5.0	4.0	ug/L	125	100	77-120	0.2	20	D08
1,2-Dichloroethane	ND	125	5.0	1.1	ug/L	140	112	75-127	4	20	D08
1,2-Dichloropropane	ND		5.0	3.6	ug/L	ND		76-120		20	D08
1,3,5-Trimethylbenzene	ND		5.0	3.8	ug/L	ND		77-121		20	D08
1,3-Dichlorobenzene	ND		5.0	3.9	ug/L	ND		77-120		20	D08
1,4-Dichlorobenzene	ND		5.0	4.2	ug/L	ND		75-120		20	D08
2-Butanone	ND		50	6.6	ug/L	ND		57-140		20	D08
2-Hexanone	ND		25	6.2	ug/L	ND		65-127		15	D08
p-Cymene	ND		5.0	1.6	ug/L	ND		73-120		20	D08
4-Methyl-2-pentanone	ND		25	10	ug/L	ND		71-125		35	D08
Acetone	ND		50	15	ug/L	ND		56-142		15	D08
Benzene	ND	125	5.0	2.0	ug/L	122	98	71-124	0.2	13	D08
Bromodichloromethane	ND		5.0	1.9	ug/L	ND		80-122		15	D08
Bromoform	ND		5.0	1.3	ug/L	ND		66-128		15	D08
Bromomethane	ND		5.0	3.4	ug/L	ND		36-150		15	D08
Carbon disulfide	ND		5.0	0.97	ug/L	ND		59-134		15	D08

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1242

Project: Benchmark - NOCO (Genesee & Fillmore)
Project Number: TURN

Received: 05/25/10
Reported: 06/03/10 14:09

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Matrix Spike Dup Analyzed: 06/01/10 (Lab Number:10F0010-MSD1, Batch: 10F0010)											
QC Source Sample: RTE1242-06RE1											
Carbon Tetrachloride	ND		5.0	1.3	ug/L	ND		72-134		15	D08
Chlorobenzene	ND	125	5.0	3.8	ug/L	123	98	72-120	2	25	D08
Dibromochloromethane	ND		5.0	1.6	ug/L	ND		75-125		15	D08
Chloroethane	ND		5.0	1.6	ug/L	ND		69-136		15	D08
Chloroform	ND		5.0	1.7	ug/L	ND		73-127		20	D08
Chloromethane	ND		5.0	1.7	ug/L	ND		49-142		15	D08
cis-1,2-Dichloroethene	ND	125	5.0	4.0	ug/L	115	92	74-124	9	15	D08
cis-1,3-Dichloropropene	ND		5.0	1.8	ug/L	ND		74-124		15	D08
Cyclohexane	ND		5.0	0.90	ug/L	ND		70-130		20	D08
Dichlorodifluoromethane	ND		5.0	3.4	ug/L	ND		33-157		20	D08
Ethylbenzene	ND	125	5.0	3.7	ug/L	125	100	77-123	1	15	D08
Isopropylbenzene	ND		5.0	4.0	ug/L	ND		77-122		20	D08
Methyl Acetate	ND		5.0	2.5	ug/L	ND		60-140		20	D08
Methyl-t-Butyl Ether (MTBE)	223	125	5.0	0.80	ug/L	336	90	64-127	0.8	37	D08
Methylcyclohexane	ND		5.0	0.80	ug/L	ND		60-140		20	D08
Methylene Chloride	5.20		5.0	2.2	ug/L	8.75		57-132	67	15	D08,B
m-Xylene & p-Xylene	ND	250	10	3.3	ug/L	247	99	76-122	2	16	D08
n-Butylbenzene	ND		5.0	3.2	ug/L	ND		71-128		15	D08
n-Propylbenzene	ND		5.0	3.4	ug/L	ND		77-120		15	D08
o-Xylene	ND	125	5.0	3.8	ug/L	128	103	76-122	4	16	D08
sec-Butylbenzene	ND		5.0	3.8	ug/L	ND		74-127		15	D08
Styrene	ND		5.0	3.6	ug/L	ND		70-130		20	D08
tert-Butylbenzene	ND		5.0	4.0	ug/L	ND		75-123		15	D08
Tetrachloroethene	ND	125	5.0	1.8	ug/L	124	99	74-122	0.9	20	D08
Toluene	ND	125	5.0	2.6	ug/L	119	95	70-122	3	15	D08
trans-1,2-Dichloroethene	ND	125	5.0	4.5	ug/L	117	94	73-127	1	20	D08
trans-1,3-Dichloropropene	ND		5.0	1.8	ug/L	ND		72-123		15	D08
Trichloroethene	ND	125	5.0	2.3	ug/L	119	95	74-123	0.4	16	D08
Trichlorofluoromethane	ND		5.0	4.4	ug/L	ND		62-152		20	D08
Vinyl chloride	ND		5.0	4.5	ug/L	ND		65-133		15	D08
Xylenes, total	ND	375	10	3.3	ug/L	375	100	76-122	0.2	16	D08
Surrogate: 1,2-Dichloroethane-d4					*ug/L*		*98*	*66-137*			*D08*
Surrogate: 4-Bromofluorobenzene					*ug/L*		*99*	*73-120*			*D08*
Surrogate: Toluene-d8					*ug/L*		*98*	*71-126*			*D08*

Chain of Custody Record

Temperature on Receipt -- ____

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

(AL-4124 (1007))

Client: Benchmark Eng	Project Manager: Mike Lesakowski	Date: 5/24/10	Chain of Custody Number: 086484
Address: 2558 Hamburg Turnpike	Telephone Number (Area Code)/Fax Number: (716) 856-0599	Lab Number	Page 1 of 1
City: Lackawanna / State: NY / Zip Code: 14218	Site Contact: T. Bedsaul	Lab Contact: B. Fisher	Analysis (Attach list if more space is needed)
Project Name and Location (State): NOCO Genesee + Fillmore	Carrier/Waybill Number		
Contract/Purchase Order/Quote No			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	TCL-STARS 8260	Special Instructions/ Conditions of Receipt
BCP-MW-1	5/24/10	1134		X						X			3	
BCP-MW-2		1218		X						X			3	
BCP-MW-3		1105		X						X			3	
BCP-MW-4		953		X						X			3	
BCP-MW-5		1026		X						X			3	
BCP-MW-6 (MS/MSD)		1039		X						X			9	
BCP-MW-7		1156		X						X			3	
Blind Dup		1200		X						X			3	
EQB		0900		X						X			3	
Trip Blank				X						X			1	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☐ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Other STD

QC Requirements (Specify)

	Date	Time		Date	Time
1. Relinquished By	5/24/10	1701	1. Received By	05-25-10	12:10
2. Relinquished By	05-25-10	12:55	2. Received By	5-25-10	12:55
3. Relinquished By			3. Received By		

Comments

4.8°C

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Login Sample Receipt Checklist

Client: Turnkey Environmental Restoration, LLC

Job Number: 480-12935-1

Login Number: 12935

List Source: TestAmerica Buffalo

List Number: 1

Creator: Kinecki, Kenneth

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	5.4 C
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: Turnkey Environmental Restoration, LLC

Job Number: 480-9843-1

Login Number: 9843

List Source: TestAmerica Buffalo

List Number: 1

Creator: Robitaille, Zach L

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	Benchmark
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	