INVENTUM ENGINEERING, PC

September 15, 2026

Megan Kuczka
Environmental Program Specialist 2
New York State Department of Environmental Conservation
700 Delaware Avenue
Buffalo, NY 14209

Re: SSD Corrective Measures Report
Site Name: Buffalo Color Corporation Site Area C
Site No.: C915231
Site Address: 229 Elk Street
Buffalo, New York 14210

Dear Ms. Kuczka:

On behalf of South Buffalo Development Corporation, LLC (SBD), Inventum Engineering, P.C. (Inventum) is pleased to submit this Sub-Slab Depressurization (SSD) System Corrective Measures Report for the former Buffalo Color Corporation (BCC) Area C Brownfield Cleanup Program Site (BCP Site No. C915231). The 6.03-acre Area C Site is located at 229 Elk Street in the City of Buffalo, County of Erie, New York and is one of five areas that comprised the former BCC. BCC produced dyes and organic chemicals until its bankruptcy in 2005.

Remedial activities conducted at the Site are documented in the December 2010 Area C Final Engineering Report (FER) and December 2010 Area C Site Management Plan (SMP)[1]. Additional remedial activities were conducted in accordance with the August 2019 redevelopment Remedial Action Work Plan (RAWP) to upgrade the existing remedial actions to meet the requirements for Restricted-Residential development. Included was the design, construction, and operation of a sub-slab depressurization (SSD) system, which has been in operation since building occupancy was approved in December 2020.

Background

Post-construction communication testing of the SSD was completed in October 2021 and January 2023. Indoor air sampling was conducted in March 2023, March 2024, February 2025, and December 2025.

The results of the December 2025 sub-slab and indoor air sampling program were reported to NYSDEC in the *SSD Corrective Measures Report* submitted on April 24, 2026. Co-located indoor air and sub-slab samples were collected at four (4) indoor locations (Area C-01, Area C-02, Area C-03, and Area C-04) and one (1) outdoor location (Area C-OA). Relevant tables and figures from the April 2026 report are included for reference in Attachment A.

[1] The FER and SMP are currently being revised to document additional remedial activities and institutional controls/engineering controls put in place since 2010 to allow for Restricted-Residential use. The FER/SMP revisions include an Operations and Maintenance Plan for the SSD system.

In an e-mail dated March 23, 2026, NYSDEC requested collection of an additional round of co-located sub-slab and indoor air samples prior to the end of the heating season (March 31, 2026). Inventum informed NYSDEC that samples could not be collected prior to the end of the heating season due to the lack of canisters available from the laboratory and that the earliest achievable date for the sampling was during the first week of April 2026. In an e-mail dated March 25, 2026, NYSDEC/NYSDOH confirmed that sampling outside of the heating season was acceptable assuming the building would still be heated. Inventum collected the co-located sub-slab and indoor air samples on April 2, 2026, and the building was heated the day before and the day of sampling[2]

The results of the April 2026 sub-slab and indoor air sampling are provided below.

Corrective Measures Results

Sample Collection

Indoor air and sub-slab samples were collected on April 2, 2026, in general accordance with the October 2006 NYSDOH guidance document *Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York*. The soil vapor sample collected from Test Port #3 (Area C-03) on April 2, 2026, was not analyzed due to a laboratory error. Inventum was notified by the laboratory that, following receipt, the sample was found to have gone to ambient pressure indicating that lab air leaked into the canister and diluted the sample. Inventum collected another sub-slab sample from Test Port #3 on April 22, 2026. An additional indoor air sample from Test Port #3 was not collected.

Co-located indoor air and sub-slab samples were collected at four (4) indoor locations (Area C-01, Area C-02, Area C-03, and Area C-04) and one (1) outdoor location (Area C-0A) as shown on Figure 1. One (1) 8-hour sample was collected at each sub-slab and indoor air sample location in a laboratory certified clean Summa® canister and submitted to Pace Analytical Laboratories of Buffalo, New York for VOC analysis using EPA method TO-15/TO-15 SIM.

The laboratory data report is provided as Attachment B and EQUiS files were submitted to NYSDEC on August 7, 2026. The analytical data package received a third-party data validation review by Vali-Data of WNY, LLC. A data usability summary report (DUSR) is provided in Attachment C. The data are acceptable for use. Several quality control samples were qualified as estimated due to target analytes outside quality control limits.

A helium leak detection test was conducted at each location prior to sampling to test for short circuiting between the sub-slab and the indoor air space at the test port sample location. The test ports in all areas passed without any modifications needed. The sample ports/tubbing volume were purged prior to sample collection

PID readings were taken at each sample location and around the sumps prior to sample collection. PID readings were 0 ppm in all areas. A sub-slab inspection was conducted to inspect

[2] The basement where the samples are collected is not conditioned space. Only the 1st and 2nd floors of the building are heated.

the condition of the slab in the sample areas. The slab showed no damage or staining in any of the areas. The basement exhaust/utility fans and dehumidifiers were not in operation during sample collection. All fans (Fantech Rn4EC-4) were operating during the sampling.

Samples were generally collected between 7:40 AM and 3:40 PM on April 2, 2026. The sub-slab sample from Test Port #3 was collected between 7:31 AM and 3:31 PM on April 22, 2026. The inlets of the indoor and outdoor air sample collection canisters were elevated approximately 3 feet above the basement surface. Sub-slab samples were collected from Test Port #5 (Area C-01), Test Port #4 (Area C-02), Test Port #3 (Area C-03), and Test Port #2 (Area C-04). Each location was screened with a PID prior to and after sample collection. There were no changes to the product inventory previously reported.

The outdoor sample (Area C-OA) was located on the northwest corner of the building. Outside weather conditions on April 2, 20226, between the hours of 7:00 AM and 4:00 PM included an average temperature of 40 degrees F, relative humidity of 92-percent, winds coming from the northeast at an average speed of 14 miles per hour (mph), and no precipitation. Outside weather conditions on April 22, 2026, between the hours of 7:00 AM and 4:00 PM included an average temperature of 59 degrees F, relative humidity of 76 percent, winds coming from the northwest at average speed of 8 mph, and no precipitation. The basement is unconditioned space, but the building heating supply for the upper floors was active during sampling. Basement temperatures were between 65- and 70-degrees F.

Area C-01 indoor air and sub-slab samples were collected in the southern central section of the basement below the unoccupied 2nd floor dwelling unit. There were no chemicals noted in the vicinity of the sample location and the area was clear of any construction materials. The area was being utilized for storage of freshly washed dishes and dry materials in plastic crates - similar conditions to the December 2025 sampling event. PID readings in the sample area prior to collection were non-detect.

Area C-02 indoor air and sub-slab samples were collected from the eastern portion of the basement. Some shut and sealed containers of latex paints, floor sealant, metal finishing enamel, Patch N' Plug, and Clean Sweep were still stored in the vicinity of sample Area C-02. Dry cleaned table clothes and sheets were also stored in the vicinity. PID readings in sample area prior to collection were non-detect.

Area C-03 indoor air and sub-slab samples were collected from the northeastern portion of the basement. Plastic folding tables, glassware, and decorations were stored around the sample location. No chemicals or paints were noted in the immediate vicinity of Area C-03. PID readings in the sample area prior to collection were non-detect.

Area C-04 indoor air and sub-slab samples were collected from the northern area of the basement adjacent to Fan #4. Sealed enamel paint cans, spray paints, and a propane tank were being temporarily stored nearby. Rich's Catering also stores a large quantity of alcohol adjacent to the sampling location. PID readings in the sample area prior to collection were non-detect.

Results

Carbon Tetrachloride and Tetrachloroethene (PCE) were detected in all four of the indoor air samples at concentration above their respective minimum guideline concentration in the NYSDOH guidance document (Table 1). n-Hexane was detected in the indoor air sample from Area C-02 above the respective minimum guideline concentration although the duplicate sample was below the minimum guideline concentration. None of the other matrix analytes were detected at concentrations above their respective minimum indoor air guideline concentration.

PCE was detected in all four sub-slab samples at concentrations below the minimum sub-slab guideline concentration. Benzene, Heptane, n-Hexane, o Xylene, p/m Xylene, and Toluene were also detected at concentrations below their respective minimum sub-slab guideline concentrations, but not at all locations.

A summary of the sampling results is provided in Table 1. Table 2 summarizes the recommended actions for each sample location against the six NYSDOH matrices (Matrix A through Matrix F). Those analytes detected in an indoor air sample (Carbon Tetrachloride and PCE) at concentrations above their respective minimum guideline concentration are further discussed below.

Carbon tetrachloride was detected in the outdoor air sample at a similar concentration (0.472 micrograms per cubic meter [µg/m^3]) to the four indoor air samples (0.44 µg/m^3 to 0.491 µg/m^3)[3]. Carbon tetrachloride was detected in the outdoor air sample above the NYSDOH indoor air guideline concentration (0.2 µg/m^3). These results are similar to past sampling (Figure 1, Attachment A) and should be considered indicative of background levels and the Matrix A recommendation for all locations is *No Further Action* (Table 2).

PCE concentrations in the indoor air samples (15.1 µg/m^3 to 25.2 µg/m^3) were similar in range to the sub-slab samples (10.3 µg/m^3 to 30.6 µg/m^3). PCE was also detected in the outdoor air sample (0.183 µg/m^3) consistent with past sampling events and indicating some potential background influence. The Matrix B recommendation for all areas is to *Identify Source(s) or Resample or Mitigate* (Table 2). As noted in previous reports, PCE has not been detected in groundwater samples from routine monitoring conducted as part of ongoing SMP. PCE was also not detected in soils beneath the cover system that were left in place following completion of remedial actions on the BCP Site[4].

Corrective actions implemented in October 2025 and December 2025 to replace the vent riser fans with the higher capacity/flow model (Fantech Rn4EC-4) have increased the vacuum in the sub-slab (Table 4) and significantly reduced the range of PCE concentrations compared to post-construction sampling prior to December 2025 (Figure 1). The indoor air samples from February 2025 (Figure 1) contained a much higher range of PCE concentrations (104 µg/m^3 to 133 µg/m^3).

.

[3] All ranges discussed in this section include the duplicate sample collected from Area C-03.

[4] See Table 1 – Remaining Soil Exceedances. *Site Management Plan. Former Buffalo Color Corporation Site – Area C. NYSDEC Site Number C915231. Mactec 2010*.

Indoor air sample data was also compared to the NYS Fuel Oil Study upper fence levels and the 90th percentile of the EPA Building Assessment Survey Evaluation (BASE) study (Table 3). Tetrahydrofuran (three locations) and PCE (all locations) were detected at concentrations above the fuel oil study upper fence level. Ethyl Alcohol (one location) and PCE (all locations)) were detected at concentrations above the BASE study 90th percentile value.

Recommendations

The December 2025 and April 2026 sampling showed that the implementation of corrective measures to increase vacuum levels in the sub-slab have reduced indoor air concentrations of PCE to near No Further Action levels. PCE concentrations in indoor air have been reduced from a maximum of 133 µg/m^3 in February 2025 (Area C-03) to a maximum of 19.7 µg/m^3 in December 2025 (Area C-04) and 25.2 µg/m^3 in April 2026 (Area C-04) [Table 1, Figure 1, Attachment A]. The range of PCE concentrations detected in sub-slab samples (10.3 µg/m^3 to 30.6 µg/m^3) are well below the minimum sub-slab vapor concentration matrix threshold of 100 µg/m^3.

Pressure differentials from the SSD system sub-slab test ports and manometer taps in the vent piping are provided in Table 4 and on Figure 3. Vacuum levels in all of the vent risers indicate the fans are working as designed and pressure differentials from the test ports indicate that the upgraded fans have increased the vacuum levels in the sub-slab as intended. As documented in previous reports, there are areas with minor surficial cracking in the enamel surface of the slab but no cracking that would indicate short circuiting of the applied vacuum or vapor intrusion pathway. PID readings in these areas were non-detect.

Routine monitoring of the SSD system in accordance with the Site Management Plan (SMP) is the recommended course of action with the collection of co-located indoor air and sub-slab samples every two years beginning with the 2027-2028 heating season (November 15, 2027, to March 31, 2028).

As always, please do not hesitate to contact me directly at 571.217.3627 with any questions or comments.

Respectfully submitted,

Todd Waldrop



Project Director

Ecc: Andrea Caprio - NYSDEC
Teresa Mucha - NYSDEC

Jacquelyn Nealon - NYSDOH
Charlotte Bethoney - NYSDOH
John Yensan – OSC, Inc.
Jon Williams – OSC, Inc.
John Black – Inventum Engineering

Tables

Table 1
Buffalo Color Corporation Site Area C
BCP Site #C915231
April 2026 Basement Indoor Air Sub-Slab Sampling - All Results

ANALYTE	CAS	NYSDOH Indoor Air Vapor Concentration Criteria (a)						NYSDOH Sub-slab Vapor Concentration Criteria (a)						SAMPLE ID:	AA-TP-02-04022026		SS-TP-02-04022026		AA-TP-03-04022026		SS-TP-03A-04222026		AA-TP-99-04022026		SS-TP-99-04022026		AA-TP-04-04022026		SS-TP-04-04022026		AA-TP-05-04022026		SS-TP-05-04022026		0UTDOOR-04020206	
														LAB ID:	L2619393-03		L2619393-02		L2619393-05		L2624047-01		L2619393-11		L2619393-10		L2619393-07		L2619393-06		L2619393-09		L2619393-08		L2619393-01	
														COLLECTION DATE:	4/2/2026				04/02/2026 & 04/22/2026				4/2/2026				4/2/2026				4/2/2026				4/2/2026	
														SAMPLE LOCATION:	Area C-04				Area C-03				Area C-02 (a)				Area C-02				Area C-01				NE Corner	
		NY-IAC-A	NY-IAC-B	NY-IAC-C	NY-IAC-D	NY-IAC-E	NY-IAC-F	NY-SSC-A	NY-SSC-B	NY-SSC-C	NY-SSC-D	NY-SSC-E	NY-SSC-F	SAMPLE INTERVAL:	INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		OUTDOOR AIR	
														UNITS																						
VOLATILE ORGANICS IN AIR																																			
1,1,1-Trichloroethane	71-55-6		3						100					µg/m^3	0.316		<0.335	U	0.436		0.911		0.316		<0.335	U	0.267		<0.335	U	<0.032	U	<0.335	U	<0.032	U
1,1,2,2-Tetrachloroethane	79-34-5													µg/m^3	<0.357	U	<0.357	U	<0.357	U	<0.742	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U
Freon-113	76-13-1													µg/m^3	<0.388	U	<0.388	U	<0.388	U	<0.805	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U
1,1,2-Trichloroethane	79-00-5													µg/m^3	<0.318	U	<0.318	U	<0.318	U	<0.66	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U
1,1-Dichloroethane	75-34-3													µg/m^3	<0.23	U	<0.23	U	<0.23	U	6.96		<0.23	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U
1,1-Dichloroethene	75-35-4	0.2						6						µg/m^3	<0.031	U	<0.225	U	<0.031	U	<0.468	U	<0.031	U	<0.225	U	<0.031	U	<0.225	U	<0.031	U	<0.225	U	<0.031	U
1,2,4-Trichlorobenzene	120-82-1													µg/m^3	<0.742	U	<0.742	U	<0.742	U	<1.54	U	<0.742	U	<0.742	U	<0.742	U	<0.742	U	<0.742	U	<0.742	U	<0.742	U
1,2,4-Trimethylbenzene	95-63-6				2						60			µg/m^3	<0.284	U	<0.284	U	<0.284	U	<0.59	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U
1,2-Dibromoethane	106-93-4													µg/m^3	<0.418	U	<0.418	U	<0.418	U	<0.868	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U
Freon-114	76-14-2													µg/m^3	<0.352	U	<0.352	U	<0.352	U	<0.734	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U
1,2-Dichlorobenzene	95-50-1													µg/m^3	<0.372	U	<0.372	U	<0.372	U	<0.776	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U
1,2-Dichloroethane	107-06-2													µg/m^3	<0.319	U	<0.319	U	<0.319	U	<0.664	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U
1,2-Dichloropropane	78-87-5													µg/m^3	<0.292	U	<0.292	U	<0.292	U	<0.605	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U
1,3,5-Trimethylbenzene	108-67-8				2						60			µg/m^3	<0.295	U	<0.295	U	<0.295	U	<0.615	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U
1,3-Butadiene	106-99-0													µg/m^3	<0.137	U	<0.137	U	<0.137	U	<0.285	U	<0.137	U	<0.137	U	<0.137	U	<0.137	U	<0.137	U	<0.137	U	<0.137	U
1,3-Dichlorobenzene	541-73-1													µg/m^3	<0.467	U	<0.467	U	<0.467	U	<0.974	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U
1,4-Dichlorobenzene	106-46-7													µg/m^3	<0.497	U	<0.497	U	<0.497	U	<1.03	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U
1,4-Dioxane	123-91-1													µg/m^3	<0.194	U	<0.194	U	<0.194	U	<0.404	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U
2,2,4-Trimethylpentane	540-84-1				2						60			µg/m^3	<0.323	U	<0.323	U	<0.323	U	<0.673	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U
2-Butanone	78-93-3													µg/m^3	1.56		39.2		1.74		190		<0.292	U	101		<0.292	U	97.9		<0.292	U	67.8		<0.292	U
2-Hexanone	591-78-6													µg/m^3	<0.374	UJ	8.73	J	<0.374	UJ	57.8		<0.374	UJ	35	J	<0.374	UJ	28.2	J	<0.374	UJ	17.9	J	<0.374	UJ
3-Chloropropene	107-05-1													µg/m^3	<0.269	U	<0.269	U	<0.269	U	<0.56	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U
4-Ethyltoluene	622-96-8													µg/m^3	<0.272	U	<0.272	U	<0.272	U	<0.565	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U
4-Methyl-2-Pentanone	108-10-1													µg/m^3	<0.779	U	<0.779	U	<0.779	U	<1.62	U	<0.779	U	<0.779	U	<0.779	U	<0.779	U	<0.779	U	<0.779	U	<0.779	U
Acetone	67-64-1													µg/m^3	15.2		70.1		12.4		48.5		10.9		53.7		26.8		60.8		6.89		36.3		4.44	
Benzene	71-43-2				2						60			µg/m^3	<0.205	U	0.661		<0.205	U	<0.428	U	<0.205	U	2.01		<0.205	U	2.58		<0.205	U	2.3		<0.205	U
Benzyl Chloride	100-44-7													µg/m^3	<0.486	U	<0.486	U	<0.486	U	<1.01	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U
Bromodichloromethane	75-27-4													µg/m^3	<0.462	U	<0.462	U	<0.462	U	<0.965	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U
Bromoform	75-25-2													µg/m^3	<0.616	U	<0.616	U	<0.616	U	<1.28	UJ	<0.616	U	<0.616	U	<0.616	U	<0.616	UJ	<0.616	U	<0.616	UJ	<0.616	U
Bromomethane	74-83-9													µg/m^3	<0.212	U	<0.212	U	<0.212	U	<0.443	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U
Carbon Disulfide	75-15-0													µg/m^3	<0.145	U	<0.145	U	<0.145	U	3.74		<0.145	U	<0.145	U	<0.145	U	<0.145	U	<0.145	U	<0.145	U	<0.145	U
Carbon Tetrachloride	56-23-5	0.2						6						µg/m^3	0.484		<0.432	U	0.453		<0.9	U	0.491		<0.432	U	0.44		<0.432	U	0.472		<0.432	U	0.472	
Chlorobenzene	108-90-7													µg/m^3	<0.238	U	<0.238	U	<0.238	U	<0.493	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U
Chloroethane	75-00-3													µg/m^3	<0.171	U	<0.171	U	<0.171	U	<0.356	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U
Chloroform	67-66-3													µg/m^3	<0.27	U	<0.27	U	<0.27	U	<0.562	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U

Table 1
Buffalo Color Corporation Site Area C
BCP Site #C915231
April 2026 Basement Indoor Air Sub-Slab Sampling - All Results

ANALYTE	CAS	NYSDOH Indoor Air Vapor Concentration Criteria (a)						NYSDOH Sub-slab Vapor Concentration Criteria (a)						SAMPLE ID:	AA-TP-02-04022026		SS-TP-02-04022026		AA-TP-03-04022026		SS-TP-03A-04222026		AA-TP-99-04022026		SS-TP-99-04022026		AA-TP-04-04022026		SS-TP-04-04022026		AA-TP-05-04022026		SS-TP-05-04022026		0UTDOOR-04020206	
														LAB ID:	L2619393-03		L2619393-02		L2619393-05		L2624047-01		L2619393-11		L2619393-10		L2619393-07		L2619393-06		L2619393-09		L2619393-08		L2619393-01	
														COLLECTION DATE:	4/2/2026				04/02/2026 & 04/22/2026				4/2/2026				4/2/2026				4/2/2026				4/2/2026	
														SAMPLE LOCATION:	Area C-04				Area C-03				Area C-02 (a)				Area C-02				Area C-01				NE Corner	
		NY-IAC-A	NY-IAC-B	NY-IAC-C	NY-IAC-D	NY-IAC-E	NY-IAC-F	NY-SSC-A	NY-SSC-B	NY-SSC-C	NY-SSC-D	NY-SSC-E	NY-SSC-F	SAMPLE INTERVAL:	INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		OUTDOOR AIR	
														UNITS																						
VOLATILE ORGANICS IN AIR																																			
Chloromethane	74-87-3													µg/m^3	1.16		1.02		0.993		2.02		1.02		<0.119	U	0.997		<0.119	U	0.971		<0.119	U	1.05	
Cis-1,2-Dichloroethene	156-59-2	0.2						6						µg/m^3	<0.04	U	<0.236	U	<0.04	U	<0.492	U	<0.04	U	<0.236	U	<0.04	U	<0.236	U	<0.04	U	<0.236	U	<0.04	U
Cis-1,3-Dichloropropene	10061-01-5													µg/m^3	<0.306	U	<0.306	U	<0.306	U	<0.636	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U
Cyclohexane	110-82-7				2						60			µg/m^3	<0.251	U	<0.251	U	<0.251	U	<0.523	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U
Dibromochloromethane	124-48-1													µg/m^3	<0.482	U	<0.482	U	<0.482	U	<1.01	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U
Dichlorodifluoromethane	75-71-8													µg/m^3	2.66		2.55		2.52		2.35		2.65		2.38		2.49		2.82		2.56		2.74		2.61	
Ethyl Acetate	141-78-6													µg/m^3	<1.07	U	3.71		<1.07	U	<2.23	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U
Ethyl Alcohol	64-17-5													µg/m^3	369	J	518	J	187	J	34.1		171	J	<3.28	UJ	151	J	<3.28	UJ	106	J	<3.28	UJ	<3.28	UJ
Ethylbenzene	100-41-4				2						60			µg/m^3	<0.25	U	<0.25	U	<0.25	U	<0.521	U	<0.25	U	<0.25	U	<0.25	U	<0.25	U	<0.25	U	<0.25	U	<0.25	U
Heptane	142-82-5					6						200		µg/m^3	<0.339	U	0.93	U	<0.339		<0.705	U	<0.339	U	<0.339	U	<0.339	U	0.848		<0.339	U	2.02		<0.339	U
Hexachlorobutadiene	87-68-3													µg/m^3	<0.647	U	<0.647	U	<0.647	U	<1.34	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U
Iso-Propyl Alcohol	67-63-0													µg/m^3	13.7		82.3		7.67		5.83	J	10.5		23		49.7		15.6		7.82		17.6		<0.669	U
Methyl Tert Butyl Ether	1634-04-4													µg/m^3	<0.162	U	<0.162	U	<0.162	U	<0.338	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U
Methylene Chloride	75-09-2		3						100					µg/m^3	<0.434	U	<0.434	U	<0.434	U	<0.903	U	1.75		<0.434	U	1.76		<0.434	U	<0.434	U	<0.434	U	<0.434	U
Naphthalene	91-20-3				2						60			µg/m^3	0.409	U	3.07		<0.11	U	9.23		<0.11	U	5.82		<0.11	U	3.13		<0.11	U	5.77		<0.11	U
N-Hexane	110-54-3					6						200		µg/m^3	1.54		7.89		<0.262	U	2.54		0.871		1.08		8.14		0.779	J	<0.262	U	2.29	J	<0.262	U
O-Xylene	95-47-6				2						60			µg/m^3	<0.27	U	<0.27	U	<0.27	U	<0.56	U	<0.27	U	0.943		<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U
P/M-Xylene	179601-23-1					6						200		µg/m^3	<0.543	U	<0.543	U	<0.543	U	<1.13	U	<0.543	U	2.57		<0.543	U	<0.543	U	<0.543	U	<0.543	U	<0.543	U
Styrene	100-42-5													µg/m^3	<0.254	U	<0.254	U	<0.254	U	<0.528	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U
Tert-Butyl Alcohol	75-65-0													µg/m^3	<0.4	U	3.73		<0.4	U	15.5		<0.4	U	10.9		<0.4	U	11	J	<0.4	U	6.61	J	<0.4	U
Tetrachloroethene	127-18-4		3						100					µg/m^3	25.2		30.6		22.6		10.3		23.2		10.6		19.3		10.4		15.1		18.6		0.183	
Tetrahydrofuran	109-99-9													µg/m^3	2.08		2.67		2.27		<0.72	U	1.96		6.96		2.77		<0.345	U	<0.345	U	2.98		<0.345	U
Toluene	108-88-3						10						300	µg/m^3	<0.327	U	1.06	U	<0.327	U	<0.678	U	<0.327	U	0.912		<0.327	U	0.844		<0.327	U	1.01		<0.327	U
Trans-1,2-Dichloroethene	156-60-5													µg/m^3	<0.299	U	<0.299	U	<0.299	U	<0.622	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U
Trans-1,3-Dichloropropene	10061-02-6													µg/m^3	<0.355	U	<0.355	U	<0.355	U	<0.74	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U
Trichloroethene	79-01-6	0.2						6						µg/m^3	<0.032	U	<0.295	U	<0.032	U	<0.613	U	<0.032	U	<0.295	U	<0.032	U	<0.295	U	<0.032	U	<0.295	U	<0.032	U
Trichlorofluoromethane	75-69-4													µg/m^3	1.5		1.47		1.4		<0.922	U	1.47		1.36		1.34		1.58		1.35		1.44		1.31	
Vinyl Bromide	593-60-2													µg/m^3	<0.316	U	<0.316	U	<0.316	U	<0.656	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U
Vinyl Chloride	75-01-4			0.2						6				µg/m^3	<0.023	U	<0.149	U	<0.023	U	<0.309	U	<0.023	U	<0.149	U	<0.023	U	<0.149	U	<0.023	U	<0.149	U	<0.023	U

* Comparison is not performed on parameters with non-numeric criteria.

NY-IAC-A: New York DOH Matrix A Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-IAC-B: New York DOH Matrix B Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-IAC-C: New York DOH Matrix C Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-A: New York DOH Matrix A Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-B: New York DOH Matrix B Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-C: New York DOH Matrix C Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
a/ Duplicate IA/SS sample collected at location shown.

Bolded results indicate reportable detection; Yellow highlighted results indicate exceedance of Sub-Slab Criteria; Green highlighted results indicate exceedance of Indoor Air Criteria.

"-" Comparative criteria not available; "U" - analyte not detected above reporting limit shown
ug/m3 = micrograms per cubic meter

Table 2
Buffalo Color Corporation Site Area C
BCP Site #C915231
April 2026 Basement Indoor Sub-Slab Sampling
NYSDOH Matrix Action Summary

Matrix A Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
Trichloroethene (TCE)	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
cis-1,2-Dichloroethene (DCE)	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
1,1-Dichloroethene (1,1-DCE)	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Carbon Tetrachloride	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

Matrix B Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
Tetrachloroethene (PCE)	N/A	N/A	Area C-01 Area C-02 Area C-03 Area C-04	N/A
1,1,1-Trichloroethane (1,1,1-TCA)	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Methylene Chloride	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

Matrix C Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
Vinyl Chloride	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

Table 2
Buffalo Color Corporation Site Area C
BCP Site #C915231
April 2026 Basement Indoor Sub-Slab Sampling
NYSDOH Matrix Action Summary

Matrix D Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
Benzene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Ethylbenzene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Naphthalene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Cyclohexane	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Isooctane (2,2,4-trimethylpentane)	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
1,2,4-trimethylbenzene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
1,3,5-trimethylbenzene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
o-xylene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

Matrix E Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
m-Xylene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
p-Xylene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Heptane	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A
Hexane	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

Matrix F Analytes	Recommended Matrix Action at Sample Location			
	No Further Action	Monitor	Identify Source(s) and Resample or Mitigate	Mitigate
Toluene	Area C-01 Area C-02 Area C-03 Area C-04	N/A	N/A	N/A

"N/A" = No samples meet criteria for noted recommended matrix action

Table 3
Buffalo Color Corporation Area C
BCP Site #C915231
April 2026 Sampling
NYS Fuel Oil study - EPA BASE Study

ANALYTE (a)	CAS	NYSDOH Fuel Oil Study Upper Fence (µg/m3) (b)	EPA BASE Database 90th Percentile (µg/m3) (c)	SAMPLE ID:	AA-TP-02-04022026		AA-TP-03-04022026		AA-TP-04-04022026		AA-TP-05-04022026		AA-TP-99-04022026	
				LAB ID:	L2619393-03		L2619393-05		L2619393-07		L2619393-09		L2619393-11	
				COLLECTION DATE:	4/2/2026		4/2/2026		4/2/2026		4/2/2026		4/2/2026	
				SAMPLE LOCATION:	Area C-04		Area C-03		Area C-02		Area C-01		Area C-03 (d)	
				SAMPLE INTERVAL:	INDOOR AIR		INDOOR AIR		INDOOR AIR		INDOOR AIR		INDOOR AIR	
				UNITS										
VOLATILE ORGANICS IN AIR														
1,1,1-Trichloroethane	71-55-6	2.5	20.6	µg/m3	0.316		0.436		0.267		<0.032	U	0.316	
1,1,2,2-Tetrachloroethane	79-34-5	0.38	-	µg/m3	<0.357	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U
Freon-113	76-13-1	2.5	-	µg/m3	<0.388	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U
1,1,2-Trichloroethane	79-00-5	0.38	<1.5	µg/m3	<0.318	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U
1,1-Dichloroethane	75-34-3	0.38	<0.7	µg/m3	<0.23	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U
1,1-Dichloroethene	75-35-4	0.4	<1.4	µg/m3	<0.031	U	<0.031	U	<0.031	U	<0.031	U	<0.031	U
1,2,4-Trichlorobenzene	120-82-1	0.47	<6.8	µg/m3	<0.742	U	<0.742	U	<0.742	U	<0.742	U	<0.742	U
1,2,4-Trimethylbenzene	95-63-6	9.8	9.5	µg/m3	<0.284	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U
1,2-Dibromoethane	106-93-4	0.38	<1.5	µg/m3	<0.418	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U
Freon-114	76-14-2	0.42	-	µg/m3	<0.352	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U
1,2-Dichlorobenzene	95-50-1	0.48	<1.2	µg/m3	<0.372	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U
1,2-Dichloroethane	107-06-2	0.37	<0.9	µg/m3	<0.319	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U
1,2-Dichloropropane	78-87-5	0.39	<1.6	µg/m3	<0.292	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U
1,3,5-Trimethylbenzene	108-67-8	3.9	3.7	µg/m3	<0.295	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U
1,3-Butadiene	106-99-0	-	<3.0	µg/m3	<0.137	U	<0.137	U	<0.137	U	<0.137	U	<0.137	U
1,3-Dichlorobenzene	541-73-1	0.46	<2.4	µg/m3	<0.467	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U
1,4-Dichlorobenzene	106-46-7	1.2	5.5	µg/m3	<0.497	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U
1,4-Dioxane	123-91-1	-	-	µg/m3	<0.194	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U
2,2,4-Trimethylpentane	540-84-1	-	-	µg/m3	<0.323	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U
2-Butanone	78-93-3	16	12	µg/m3	1.56		1.74		<0.292	U	<0.292	U	<0.292	U
2-Hexanone	591-78-6	-	-	µg/m3	<0.374	UJ	<0.374	UJ	<0.374	UJ	<0.374	UJ	<0.374	UJ
3-Chloropropene	107-05-1	-	-	µg/m3	<0.269	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U
4-Ethyltoluene	622-96-8	-	3.6	µg/m3	<0.272	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U
4-Methyl-2-Pentanone	108-10-1	1.9	6	µg/m3	<0.779	U	<0.779	U	<0.779	U	<0.779	U	<0.779	U
Acetone	67-64-1	115	98.9	µg/m3	15.2		12.4		26.8		6.89		10.9	
Benzene	71-43-2	13	9.4	µg/m3	<0.205	U	<0.205	U	<0.205	U	<0.205	U	<0.205	U
Benzyl Chloride	100-44-7	-	<6.8	µg/m3	<0.486	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U
Bromodichloromethane	75-27-4	-	-	µg/m3	<0.462	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U
Bromoform	75-25-2	-	-	µg/m3	<0.616	U	<0.616	U	<0.616	U	<0.616	U	<0.616	U
Bromomethane	74-83-9	0.48	<1.7	µg/m3	<0.212	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U
Carbon Disulfide	75-15-0	-	4.2	µg/m3	<0.145	U	<0.145	U	<0.145	U	<0.145	U	<0.145	U
Carbon Tetrachloride	56-23-5	1.3	<1.3	µg/m3	0.484		0.453		0.44		0.472		0.491	
Chlorobenzene	108-90-7	0.41	<0.9	µg/m3	<0.238	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U
Chloroethane	75-00-3	0.39	<1.1	µg/m3	<0.171	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U
Chloroform	67-66-3	1.2	1.1	µg/m3	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U
Chloromethane	74-87-3	4.2	3.7	µg/m3	1.16		0.993		0.997		0.971		1.02	
Cis-1,2-Dichloroethene	156-59-2	0.41	<1.9	µg/m3	<0.04	U	<0.04	U	<0.04	U	<0.04	U	<0.04	U
Cis-1,3-Dichloropropene	10061-01-5	0.38	<2.3	µg/m3	<0.306	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U
Cyclohexane	110-82-7	6.3	-	µg/m3	<0.251	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U
Dibromochloromethane	124-48-1	-	-	µg/m3	<0.482	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U
Dichlorodifluoromethane	75-71-8	10	16.5	µg/m3	2.66		2.52		2.49		2.56		2.65	
Ethyl Acetate	141-78-6	-	5.4	µg/m3	<1.07	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U
Ethyl Alcohol	64-17-5	1300	210	µg/m3	369	J	187	J	151	J	106	J	171	J
Ethylbenzene	100-41-4	6.4	5.7	µg/m3	<0.25	U	<0.25	U	<0.25	U	<0.25	U	<0.25	U
Heptane	142-82-5	18	-	µg/m3	<0.339	U	<0.339	U	<0.339	U	<0.339	U	<0.339	U
Hexachlorobutadiene	87-68-3	0.49	<6.8	µg/m3	<0.647	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U
Iso-Propyl Alcohol	67-63-0	-	-	µg/m3	13.7		7.67		49.7		7.82		10.5	
Methyl Tert Butyl Ether	1634-04-4	14	11.5	µg/m3	<0.162	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U
Methylene Chloride	75-09-2	16	10	µg/m3	<0.434	U	<0.434	U	1.76		<0.434	U	1.75	
Naphthalene	91-20-3	-	5.1	µg/m3	0.409	U	<0.11	U	<0.11	U	<0.11	U	<0.11	U
N-Hexane	110-54-3	14	10.2	µg/m3	1.54		<0.262	U	8.14		<0.262	U	0.871	
O-Xylene	95-47-6	7.1	7.9	µg/m3	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U
P/M-Xylene	179601-23-1	11	22.2	µg/m3	<0.543	U	<0.543	U	<0.543	U	<0.543	U	<0.543	U
Styrene	100-42-5	1.4	1.9	µg/m3	<0.254	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U
Tert-Butyl Alcohol	75-65-0	-	-	µg/m3	<0.4	U	<0.4	U	<0.4	U	<0.4	U	<0.4	U
Tetrachloroethene	127-18-4	2.5	15.9	µg/m3	25.2		22.6		19.3		15.1		23.2	
Tetrahydrofuran	109-99-9	0.78	-	µg/m3	2.08		2.27		2.77		<0.345	U	1.96	
Toluene	108-88-3	57	43	µg/m3	<0.327	U	<0.327	U	<0.327	U	<0.327	U	<0.327	U
Trans-1,2-Dichloroethene	156-60-5	-	-	µg/m3	<0.299	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U
Trans-1,3-Dichloropropene	10061-02-6	-	<1.3	µg/m3	<0.355	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U
Trichloroethene	79-01-6	0.46	4.2	µg/m3	<0.032	U	<0.032	U	<0.032	U	<0.032	U	<0.032	U
Tetrachloroethene	127-18-4	12	18.1	µg/m3	1.5		1.4		1.34		1.35		1.47	
Trichloroethene	79-01-6	-	-	µg/m3	<0.316	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U
Vinyl chloride	75-01-4	0.37	<1.9	µg/m3	<0.023	U	<0.023	U	<0.023	U	<0.023	U	<0.023	U

* Comparison is not performed on parameters with non-numeric criteria. "-" comparative criteria not available from reference source shown.

(a) Only indoor air sample results shown.

(b) NYSDOH Summary of Indoor and Outdoor Levels of VOCS from Fuel Oil Heated Homes in NYS, 1997-2003, Revised November 14, 2005. Table C1 (Appendix C) of NYSDOH Guidance Document referenced in (a). Sample results with detectable concentrations greater than upper fence value shown are highlighted in yellow.

(c) Building Assessment Survey Evaluation (BASE) database, SUMMA canister Method. Table C2 (Appendix C) of NYSDOH Guidance Document. Sample results with detectable concentrations greater than 90th percentile value are highlighted in orange.

d/ Duplicate IA sample collected at location shown.

Bolded results indicate reportable detection. If results exceed both comparative criteria the highest comparative criteria is highlighted.

"U" - analyte not detected above reporting limit shown; "J" - Estimated value. Result below the reporting limit but above the method detection limit.

ug/m3 = micrograms per cubic meter

Table 4
Buffalo Color Corporation Area C
BCP Site #C915231
Test Port and Manometer Vacuum Levels

Manometer Vacuum Readings (wci)						
Date	Fan #1	Fan #2	Fan #3	Fan #4	Fan #5	Fan #6
6/6/2024	-0.758	-0.073	-0.809	-0.181	-0.206	-0.039
6/14/2024	-0.797	-0.102	-0.851	-0.039	-0.209	-0.065
6/21/2024	-0.786	-0.102	-0.842	-0.038	-0.201	-0.062
7/10/2024	-0.793	-0.104	-0.803	-0.037	-0.202	-0.059
7/19/2024	-0.810	-0.102	-0.858	-0.036	-0.209	-0.064
7/26/2024	-0.809	-0.103	-0.852	-0.039	-0.205	-0.069
8/2/2024	-0.807	-0.106	-0.862	-0.039	-0.211	-0.060
8/9/2024	-0.798	-0.105	-0.855	-0.039	-0.209	-0.059
8/19/2024	-0.807	-0.106	-0.861	-0.037	-0.211	-0.061
8/28/2024	-0.76	-0.069	-0.839	-0.147	-0.205	-0.042
9/11/2024	-0.487	-0.227	-0.534	-0.039	-0.115	-0.076
9/20/2024	-0.786	-0.094	-0.857	-0.033	-0.216	-0.06
10/10/2024	-0.42	-0.203	-0.481	-0.174	-0.101	-0.067
10/18/2024	-0.764	-0.067	-0.833	-0.15	-0.209	-0.032
10/23/2024	-0.763	-0.073	-0.853	-0.175	-0.205	-0.065
10/30/2024	-0.774	-0.082	-0.854	-0.175	-0.209	-0.075
11/6/2024	-1.223	-0.064	0	-0.152	0	-0.086
11/11/2024	-0.729	-0.07	-0.803	-0.148	-0.203	-0.052
11/22/2024	-0.732	-0.066	-0.809	-0.147	-0.196	-0.063
12/3/2024	-0.746	-0.064	-0.804	-0.144	-0.194	-0.027
12/10/2024	-0.738	-0.064	-0.802	-0.147	-0.198	-0.03
12/30/2024	-0.767	-0.094	-0.838	-0.16	-0.209	-0.058
1/9/2025	-0.77	-0.077	-0.839	-0.146	-0.203	-0.044
1/21/2025	-0.773	-0.078	-0.838	-0.149	-0.201	-0.038
1/28/2025	-0.757	-0.075	-0.837	-0.153	-0.205	-0.04
2/4/2025	-0.763	-0.075	-0.838	-0.154	-0.203	-0.043
2/12/2025	-0.77	-0.071	-0.84	-0.149	-0.203	-0.038
2/18/2025	-0.78	-0.093	-0.861	-0.153	-0.205	-0.063
2/24/2025	-0.763	-0.078	-0.842	-0.151	-0.204	-0.046
3/3/2025	-0.784	-0.087	-0.859	-0.153	-0.209	-0.047
3/13/2025	-0.767	-0.068	-0.843	-0.147	-0.202	-0.031
3/24/2025	-0.77	-0.079	-0.859	-0.152	-0.21	-0.053
4/4/2025	-0.774	-0.072	-0.862	-0.148	-0.202	-0.033
4/9/2025	-0.783	-0.078	-0.872	-0.15	-0.203	-0.036
4/18/2025	-0.783	-0.075	-0.856	-0.15	-0.205	-0.037
5/7/2025	-0.794	-0.081	-0.882	-0.15	-0.209	-0.047
5/21/2025	-0.757	-0.075	-0.85	-0.149	-0.201	-0.041
6/5/2025	-0.762	-0.063	-0.851	-0.147	-0.202	-0.046
6/17/2025	-0.77	-0.069	-0.864	-0.152	-0.202	-0.048
7/11/2025	-0.935	-0.096	-1.039	-0.048	-0.278	-0.086
7/14/2025	-0.883	-0.062	-0.986	-0.14	-0.245	-0.052
7/24/2025	-0.841	-0.098	-0.95	-0.038	-0.23	-0.109
7/31/2025	-0.943	-0.112	-1.058	-0.032	-0.265	-0.078
8/6/2025	-0.827	-0.083	-0.93	-0.038	-0.211	-0.084
8/18/2025	-0.913	-0.102	-1.042	-0.035	-0.254	-0.072
8/26/2025	-0.918	-0.103	-1.06	-0.04	-0.26	-0.087
9/4/2025	-0.916	-0.0106	-1.042	-0.038	-0.261	-0.092
9/30/2025	-0.915	-0.095	-1.06	-0.03	-0.252	-0.1
10/9/2025	-0.938	-0.095	-0.947	-0.038	-0.271	-0.79
10/17/2025	-3.148 (c)	Not On (b)	-0.481	-0.247 (c)	-0.084	-0.529 (c)
10/22/2025	-3.126	Not On (b)	-0.495	-0.266	-0.093	-0.573
10/30/2025	-3.091	Not On (b)	-0.459	-0.235	-0.083	-0.516
11/5/2025	-3.143	Not On (b)	-0.504	-0.265	-0.098	-0.625
11/11/2025	-3.144	Not On (b)	-0.484	-0.248	-0.082	-0.556
11/19/2025	-3.172	Not On (b)	-0.481	-0.242	-0.082	-0.543
11/26/2025	-0.892	Not On (b)	-0.926	-0.32	-0.242	-0.355
12/9/2025	-0.624	-0.451 (d)	-0.63 (d)	-0.288	-0.145 (d)	-0.322
12/16/2025	-0.634	-0.451	-0.635	-0.294	-0.139	-0.324
12/24/2025	-0.634	-0.454	-0.647	-0.298	-0.146	-0.339
12/31/2025	-0.627	-0.468	-0.631	-0.296	-0.141	-0.342
1/7/2026	-0.643	-0.464	-0.639	-0.294	-0.144	-0.335
1/14/2026	-0.641	-0.471	-0.643	-0.308	-0.148	-0.337
1/20/2026	-0.645	-0.464	-0.654	-0.309	-0.141	-0.354
1/27/2026	-0.629	-0.454	-0.631	-0.309	-0.142	-0.363
2/3/2026	-0.627	-0.445	-0.637	-0.297	-0.139	-0.337
2/10/2026	-0.621	-0.455	-0.628	-0.308	-0.138	-0.334
2/17/2026	-0.621	-0.447	-0.628	-0.301	-0.136	-0.327
2/24/2026	-0.644	-0.458	-0.639	-0.314	-0.141	3/
3/3/2026	-0.627	-0.456	-0.639	-0.298	-0.139	-0.327
3/12/2026	-0.642	-0.477	-0.646	-0.307	-0.144	-0.357
3/17/2026	-0.628	-0.462	-0.631	-0.305	-0.143	-0.336
3/24/2026	-0.641	-0.467	-0.654	-0.308	-0.144	-0.359
3/31/2026	-0.616	-0.474	-0.644	-0.313	-0.146	-0.319
4/7/2026	-0.629	-0.474	-0.654	-0.309	-0.146	-0.343
4/14/2026	-0.615	-0.463	-0.627	-0.312	-0.144	-0.326
4/21/2026	-0.642	-0.467	-0.646	-0.312	-0.145	-0.336
4/28/2026	-0.627	-0.457	-0.634	-0.308	-0.145	-0.321
5/6/2026	-0.631	-0.469	-0.632	-0.308	-0.147	-0.306
5/12/2026	-0.648	-0.468	-0.651	-0.312	-0.145	-0.337
5/19/2026	-0.646	-0.471	-0.642	-0.315	-0.148	-0.333
5/26/2026	-0.626	-0.455	-0.626	-0.305	-0.141	-0.302
6/3/2026	-0.639	-0.464	-0.651	-0.305	-0.149	-0.317
6/9/2026	-0.633	-0.462	-0.645	-0.302	-0.142	-0.315
6/16/2026	-0.643	-0.472	-0.653	-0.301	-0.15	-0.327
6/23/2026	-0.642	-0.471	-0.655	-0.301	-0.148	-0.313
6/30/2026	-0.656	-0.488	-0.672	-0.304	-0.149	-0.306
7/7/2026	-0.634	-0.469	-0.661	-0.303	-0.145	-0.292
7/14/2026	-0.657	-0.488	-0.668	-0.311	-0.153	-0.322
7/21/2026	-0.635	-0.473	-0.647	-0.303	-0.148	-0.292
7/28/2026	-0.634	-0.474	-0.648	-0.305	-0.148	-0.289


"wci" = inches of water column
a/ All vacuum readings collected with a Series 475 Mark III Digital manometer
b/ Not operational due to faulty circuit breaker
c/ Fan #1, Fan #4, and Fan #6 were replaced with higher capacity model (Fantech Model Rn 4EC-4) on October 10, 2025
d/ Fan #2, Fan #3, and Fan #5 were replaced with higher capacity model (Fantech Model Rn 4EC-4) on December 1, 2025.

Table 4
Buffalo Color Corporation Area C
BCP Site #C915231
Test Port and Manometer Vacuum Levels

Sub-Slab Test Port Vacuum Readings (wci)										
Date	Test Port #1	Test Port #2	Test Port #3	Test Port #4	Test Port #5	Test Port #6	Test Port #7	Test Port #8	Test Port #9	Test Port #10
6/4/2024	0	-0.021	-0.030	-0.010	-0.021	Test Port #'s 6, 7, 8, 9, and 10 were installed January 2025 as part of the corrective measures program.				
6/14/2024	0	0	-0.030	-0.012	-0.021					
6/21/2024	0	0	-0.030	-0.012	-0.021					
7/10/2024	0	0	-0.033	-0.013	-0.023					
7/19/2024	0	0	-0.034	-0.013	-0.024					
7/26/2024	0	0	-0.035	-0.013	-0.024					
8/2/2024	0	0	-0.037	-0.014	-0.026					
8/9/2024	0	0	-0.038	-0.014	-0.025					
8/19/2024	0	0	-0.039	-0.014	-0.026					
8/28/2024	0	0	-0.037	-0.01	-0.025					
9/11/2024	0	0	-0.023	-0.023	-0.017					
9/20/2024	0	0	-0.039	-0.013	-0.026					
10/10/2024	0	0	-0.021	-0.021	-0.017					
10/18/2024	0	0	-0.033	-0.009	-0.022					
10/23/2024	0	0	-0.035	-0.013	-0.022					
10/30/2024	0	0	-0.034	-0.01	0					
11/6/2024	0	0	-0.019	-0.009	0					
11/11/2024	0	0	-0.032	-0.009	-0.021					
11/24/2024	0	0	-0.031	-0.009	-0.018					
12/3/2024	0	0	-0.029	0	-0.017					
12/10/2024	0	0	-0.028	0	-0.017					
12/30/2024	0	0	-0.036	-0.015	-0.024					
1/9/2025	0	0	-0.032	-0.013	-0.022					
1/21/2025	0	0	-0.030	-0.012	-0.02					
1/28/2025	0	0	-0.031	-0.013	-0.021	0	-0.013	0	0	-0.01
2/4/2025	0	-0.021	-0.032	-0.013	-0.022	0	-0.014	0	0	-0.011
2/12/2025	0	-0.02	-0.030	-0.012	-0.021	0	-0.012	0	0	-0.009
2/18/2025	0	-0.023	-0.033	-0.015	-0.022	0	-0.014	0	-0.009	-0.011
2/24/2025	0	-0.021	-0.033	-0.014	-0.022	0	-0.014	0	-0.009	-0.011
3/3/2025	0	-0.021	-0.033	-0.013	-0.022	0	-0.013	0	0	-0.01
3/13/2025	0	-0.019	-0.030	-0.01	-0.019	0	-0.011	0	0	-0.009
3/24/2025	0	-0.02	(b)	-0.01	-0.02	0	-0.011	0	0	0
4/4/2025	0	-0.019	(b)	-0.011	-0.019	0	-0.011	0	0	-0.009
4/9/2025	0	-0.018	(b)	-0.011	-0.018	0	-0.011	0	0	0
4/18/2025	0	-0.019	(b)	-0.011	-0.02	0	-0.011	0	0	0
5/7/2025	0	-0.021	(b)	-0.012	-0.019	0	-0.012	0	0	-0.011
5/21/2025	0	-0.02	(b)	-0.011	-0.021	0	-0.011	0	0	-0.01
6/5/2025	0	-0.021	(b)	-0.012	-0.02	0	-0.013	0	0	-0.011
6/17/2025	0	-0.022	(b)	-0.012	-0.021	0	-0.013	0	0	-0.011
7/11/2025	0	-0.010	(b)	-0.018	-0.031	0	0	0	-0.013	-0.020
7/14/2025	0	-0.021	(b)	-0.014	-0.030	0	-0.013	0	-0.009	-0.014
7/24/2025	0	-0.011	(b)	-0.018	-0.030	0	0	0	-0.013	-0.023
7/31/2025	0	-0.009	(b)	-0.019	-0.033	0	0	0	-0.010	-0.018
8/6/2025	0	-0.009	(b)	-0.016	-0.029	0	0	0	-0.012	-0.021
8/18/2025	0	0	(b)	0	-0.031	0	0	0	-0.01	-0.018
8/26/2025	0	-0.009	-0.353	-0.019	-0.028	0	0	0	-0.012	-0.021
9/4/2025	0	-0.009	-0.518	-0.017	-0.028	0	0	0	-0.012	-0.021
9/30/2025	0	0	-1.600	0	-0.027	0	0	0	-0.009	-0.018
10/9/2025	0	-0.01	-0.85	-0.018	-0.03	0	0	0	-0.01	-0.02
10/17/2025 (c)	-0.016	-0.027	-0.03 (b)	0	-0.013	0	-0.016	0	-0.039	-0.071
10/22/2025	-0.015	-0.026	-0.03 (b)	0	-0.013	0	-0.017	0	-0.041	-0.073
10/30/2025	-0.015	-0.026	-0.03 (b)	0	-0.012	0	-0.015	0	-0.038	-0.069
11/5/2025	-0.014	-0.031	-0.03 (b)	0	-0.013	0	-0.018	0	-0.038	-0.073
11/11/2025	-0.014	-0.026	-0.03 (b)	0	-0.011	0	-0.016	0	-0.038	-0.068
11/19/2025	-0.013	-0.025	-0.03 (b)	0	-0.011	0	-0.015	0	-0.037	-0.069
11/26/2025	-0.011	-0.031	-0.03 (b)	0	-0.023	0	-0.018	0	-0.026	-0.047
12/9/2025	0	-0.027	-0.03 (b)	-0.043	-0.022	0	-0.015	0	-0.022	-0.044
12/16/2025 (d)	-0.014	-0.032	-0.03 (b)	-0.043	-0.02	0	-0.021	-0.01	-0.027	-0.045
12/24/2025	-0.015	-0.033	-0.03 (b)	-0.044	-0.021	0	-0.022	-0.011	-0.03	-0.051
12/31/2025	-0.013	-0.032	-0.03 (b)	-0.044	-0.021	0	-0.021	-0.009	-0.028	-0.05
1/7/2025	-0.014	-0.033	-0.03 (b)	-0.045	-0.02	0	-0.021	-0.01	-0.029	-0.051
1/14/2026	-0.014	-0.033	-0.03 (b)	-0.044	-0.021	0	-0.022	-0.01	-0.026	-0.045
1/20/2026	-0.012	-0.034	-0.03 (b)	-0.042	-0.019	0	-0.021	-0.009	-0.027	-0.045
1/27/2026	-0.011	-0.031	-0.03 (b)	-0.041	-0.018	0	-0.02	-0.009	-0.026	-0.042
2/3/2026	-0.012	-0.031	-0.03 (b)	-0.037	-0.018	0	-0.02	-0.009	-0.026	-0.043
2/10/2026	-0.013	-0.031	-0.03 (b)	-0.037	-0.018	0	-0.021	-0.01	-0.027	-0.048
2/17/2026	-0.013	-0.032	-0.03 (b)	-0.039	-0.019	0	-0.022	-0.01	-0.028	-0.045
2/24/2026	-0.013	-0.033	-0.03 (b)	-0.039	-0.018	0	-0.021	-0.01	-0.028	-0.048
3/3/2026	-0.014	-0.034	-0.025 (e)	-0.038	-0.018	0	-0.022	-0.01	-0.028	-0.049
3/12/2026	-0.014	-0.033	-0.026	-0.044	-0.02	0	-0.021	-0.01	-0.03	-0.051
3/17/2026	-0.013	-0.032	-0.026	-0.04	-0.018	0	-0.021	-0.009	-0.027	-0.046
3/24/2026	-0.013	-0.032	-0.026	-0.041	-0.018	0	-0.021	-0.009	-0.029	-0.051
3/31/2026	-0.014	-0.034	-0.026	-0.042	-0.019	0	-0.022	-0.01	-0.028	-0.051
4/7/2026	-0.014	-0.033	-0.027	-0.042	-0.019	0	-0.021	-0.01	-0.029	-0.05
4/14/2026	-0.015	-0.035	-0.028	-0.043	-0.021	0	-0.022	-0.011	-0.029	-0.049
4/21/2026	-0.015	-0.036	-0.027	-0.043	-0.021	0	-0.023	-0.011	-0.031	-0.052
4/28/2026	-0.015	-0.033	-0.029	-0.044	-0.021	0	-0.022	-0.01	-0.029	-0.049
5/6/2026	-0.015	-0.034	-0.031	-0.046	-0.021	0	-0.022	-0.01	-0.031	-0.051
5/12/2026	-0.015	-0.034	-0.031	-0.045	-0.022	0	-0.022	-0.011	-0.032	-0.053
5/19/2026	-0.013	-0.033	-0.028	-0.043	-0.019	0	-0.019	0	-0.028	-0.049
5/26/2026	-0.012	-0.031	-0.028	-0.043	-0.019	0	-0.019	-0.009	-0.025	-0.044
6/3/2026	-0.013	-0.033	-0.029	-0.043	-0.02	0	-0.02	-0.009	-0.028	-0.051
6/9/2026	-0.013	-0.031	-0.029	-0.044	-0.021	0	-0.019	0	-0.028	-0.048
6/16/2026	-0.014	-0.033	-0.031	-0.046	-0.022	0	-0.019	0	-0.029	-0.054
6/23/2026	-0.014	-0.033	-0.032	-0.047	-0.022	0	-0.02	-0.009	-0.029	-0.052
6/30/2026	-0.014	-0.034	-0.034	-0.051	-0.024	0	-0.02	0	-0.029	-0.052
7/7/2026	-0.013	-0.032	-0.034	-0.049	-0.024	0	-0.019	-0.009	-0.028	-0.046
7/14/2026	-0.014	-0.034	-0.036	-0.051	-0.025	0	-0.021	-0.009	-0.031	-0.052
7/21/2026	-0.014	-0.033	-0.036	-0.051	-0.025	0	-0.02	-0.009	-0.028	-0.046
7/28/2026	-0.014	-0.033	-0.036	-0.051	-0.025	0	-0.02	-0.009	-0.029	-0.047

"wci" = inches of water column
a/ All vacuum readings collected with a Series 475 Mark III Digital manometer
b/ Sub-slab vacuum at test port confirmed, but readings on Digital manometer will not stabilize. Initial vacuum reading reported after 10/17/2025.
c/ Fan #1, Fan #4, and Fan #6 were replaced with higher capacity model (Fantech Model Rn 4EC-4) on October 10, 2025
d/ Fan #2, Fan #3, and Fan #5 were replaced with higher capacity model (Fantech Model Rn 4EC-4) on December 1, 2025.
e/Test Port #3 replaced with new port adjacent to existing location.

Figure



ANALYTE	SAMPLE ID:	ARREAC-OA									
	SAMPLE LOCATION:	Outdoor Air - Northwest Corner									
	UNITS	March 2023		March 2024		February 2025		December 2025		April 2026	
VOLATILE ORGANICS IN AIR											
1,2,4-Trimethylbenzene	µg/m³	<0.983	U	<0.284	U	**2.27**		<0.284	U	<0.284	U
Benzene	µg/m³	<0.639	U	**0.457**	J	<0.205	U	<0.205	U	<0.205	U
Carbon tetrachloride	µg/m³	**0.44**		**0.522**		**0.453**		**0.453**		**0.472**	
Ethylbenzene	µg/m³	<0.869	U	<0.25	U	<0.25		<0.25	U	<0.25	U
Methylene chloride	µg/m³	<1.74	U	**1.78**		<0.434		<0.434	U	<0.434	U
N-Hexane	µg/m³	<0.705	U	**0.469**	J	**0.983**		<0.262	U	<0.262	U
o-Xylene	µg/m³	<0.869	U	<0.27	U	<0.27		<0.27	U	<0.27	U
p/m-Xylene	µg/m³	<1.74	U	**0.717**	J	<0.543		<0.543	U	<0.543	U
Tetrachloroethene	µg/m³	**0.339**		**1.49**		**0.773**		**0.264**		**0.183**	
Trichloroethene	µg/m³	<0.107	U	**0.081**	J	<0.032	U	<0.032	U	<0.032	U

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-01									
	Indoor Air	Sub-Slab		March 2023		March 2024		February 2025		December 2025		April 2026	
			UNITS	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR
VOLATILE ORGANICS IN AIR													
Benzene	2	60	µg/m³	**1.29**	NC	**0.671**	**0.738**	**2.61**	**4.34**	**4.15**	**5.3**	<0.205 U	**2.3**
Carbon tetrachloride	0.2	6	µg/m³	**0.51**	NC	**0.528**	**0.503** J	**0.428**	<0.432 U	**0.535**	<0.432 U	**0.472**	<0.432 U
Ethylbenzene	2	60	µg/m³	**7.25**	NC	**8.51**	**9.03**	**6.52**	<0.25 U	<0.25 U	**5.21**	<0.25 U	<0.25 U
Methylene chloride	3	100	µg/m³	**45.9**	NC	**26**	**25.8**	**7.47**	**5.84**	<0.434 U	<0.434 U	<0.434 U	<0.434 U
o-Xylene	2	60	µg/m³	**4.65**	NC	**5.86**	**6.34**	**4.18**	<0.27 U	<0.27 U	**6.69**	<0.27 U	<0.27 U
p/m-Xylene	6	200	µg/m³	**23.5**	NC	**28.1**	**29.8**	**20.7**	**1.82**	<0.543 U	**24.2**	<0.543 U	<0.543 U
Tetrachloroethene	3	100	µg/m³	**88.2**	NC	**143**	**148**	**104**	**71.9**	**6.78**	**3.21**	**15.1**	**18.6**

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-04									
	Indoor Air	Sub-Slab		March 2023		March 2024		February 2025		December 2025		April 2026	
			UNITS	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR
VOLATILE ORGANICS IN AIR													
1,2,4-Trimethylbenzene	2	60	µg/m³	NC	NC	<0.742 U	<0.742 U	**3.14**	<0.284 U	<0.284 U	<0.284 U	<0.284 U	<0.284 U
Benzene	2	60	µg/m³	NC	NC	**0.696**	**0.7**	**2.27**	**2.08**	**3.39**	**3.8**	<0.205 U	**0.661**
Carbon tetrachloride	0.2	6	µg/m³	NC	NC	**0.56**	**0.497** J	**0.434**	<0.432 U	**0.447**	<0.432 U	**0.484**	<0.432 U
Ethylbenzene	2	60	µg/m³	NC	NC	**8.73**	**8.99**	**8.82**	**4.65**	<0.25 U	**17.3**	<0.25 U	<0.25 U
Methylene chloride	3	100	µg/m³	NC	NC	**23.2**	**24.6**	**9.76**	**10.5**	<0.434 U	<0.434 U	<0.434 U	<0.434 U
o-Xylene	2	60	µg/m³	NC	NC	**6.04**	**6.21**	**6.17**	**2.36**	<0.27 U	**25.8**	<0.27 U	<0.27 U
p/m-Xylene	6	200	µg/m³	NC	NC	**28.7**	**29.5**	**29.6**	**11.4**	<0.543 U	**96**	<0.543 U	<0.543 U
Tetrachloroethene	3	100	µg/m³	NC	NC	**131**	**138**	**123**	**84.1**	**19.7**	**7.19**	**25.2**	**30.6**

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-03									
	Indoor Air	Sub-Slab		March 2023		March 2024		February 2025		December 2025		April 2026	
			UNITS	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR
VOLATILE ORGANICS IN AIR													
Benzene	2	60	µg/m³	**1.3**	NC	**0.725**	**0.744**	**2.32**	**2.21**	**3.58**	**2.57**	<0.205 U	<0.428 U
Carbon tetrachloride	0.2	6	µg/m³	**0.428**	NC	**0.522**	**0.51** J	**0.478**	<0.432 U	**0.453**	<0.95 U	**0.453**	<0.9 U
Ethylbenzene	2	60	µg/m³	**7.17**	NC	**11.1**	**10.4**	**9.99**	<0.25 U	<0.25 U	**7.99**	<0.25 U	<0.521 U
Methylene chloride	3	100	µg/m³	**47.2**	NC	**28.2**	**27.1**	**11**	**3.24**	<0.434 U	<0.959 U	<0.434 U	<0.903 U
o-Xylene	2	60	µg/m³	**4.6**	NC	**7.64**	**7.21**	**6.56**	**0.916**	<0.27 U	**12.5**	<0.27 U	<0.56 U
p/m-Xylene	6	200	µg/m³	**22.5**	NC	**35.7**	**34.6**	**32.9**	**3.05**	<0.543 U	**46.9**	<0.543 U	<1.13 U
Tetrachloroethene	3	100	µg/m³	**107**	NC	**142**	**141**	**133**	**67**	**12.8**	**6.98**	**22.6**	**10.3**
Trichloroethene	0.2	6	µg/m³	<0.107 U	NC	**0.134**	<0.295 U	<0.032 U	<0.295 U	**0.333**	<0.65 U	**1.4**	<0.922 U

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-02									
	Indoor Air	Sub-Slab		March 2023		March 2024		February 2025		December 2025		April 2026	
			UNITS	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR	INDOOR	SOIL VAPOR
VOLATILE ORGANICS IN AIR													
Benzene	2	60	µg/m³	NC	NC	**0.655**	**0.703**	**2.11**	**2.09**	**4.41**	**2.97**	<0.205 U	**2.58**
Carbon tetrachloride	0.2	6	µg/m³	NC	NC	**0.497**	**0.516** J	**0.522**	<0.432 U	**0.604**	<0.432 U	**0.44**	<0.432 U
Ethylbenzene	2	60	µg/m³	NC	NC	**11.2**	**9.03**	**7.69**	**1.12**	<0.25 U	**6.34**	<0.25 U	<0.25 U
Methylene chloride	3	100	µg/m³	NC	NC	**28.5**	**27.7**	**17.6**	<0.434 U	<0.434 U	<0.434 U	**1.76**	<0.434 U
N-Hexane	6	200	µg/m³	NC	NC	**1.79**	**1.88**	**1.96**	**1.93**	**0.98**	**0.726**	**8.14**	**0.779** J
o-Xylene	2	60	µg/m³	NC	NC	**7.64**	**6.12**	**4.78**	**0.925**	<0.27 U	**8.34**	<0.27 U	<0.27 U
p/m-Xylene	6	200	µg/m³	NC	NC	**37.6**	**30.3**	**27.4**	**3.66**	<0.543 U	**30.3**	<0.543 U	<0.543 U
Tetrachloroethene	3	100	µg/m³	NC	NC	**130**	**128**	**123**	**88.2**	**8.82**	**7.93**	**19.3**	**10.4**

LEGEND:
- UG — 3 INCH DIAMETER PERFORATED HDPE PIPING BELOW NEW SLAB
- 2 INCH DIAMETER SCHEDULE 40 PVC WATER DISCHARGE LINE MOUNTED OVERHEAD
- 4 INCH DIAMETER SCHEDULE 40 PVC SOIL VAPOR EXTRACTION LINE MOUNTED OVERHEAD
- COMBINED WATER AND SOIL VAPOR COLLECTION SUMP - FAN LOCATION
- S — SUB SLAB DEPRESSURIZATION SAMPLE PORT (PERMANENT)
- M — MANOMETER LOCATION
- BV — 2 INCH DIAMETER BALL CHECK VALVE (WATER DISCHARGE LINE)
- TP — TEMPORARY SUB SLAB TEST PORT

Notes:
1. Analyte shown if either February 2025, December 2025, or April 2026 IA/SS sample contained detectable concentration above NYSDOH Matrix Threshold.
2. NYSDOH Indoor Air and Sub-slab Vapor Concentrations Criteria (Matrix A through F) per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
3. "NC" = Not Collected

D

DRAWING BY: T. WALDROP
CHECKED: J. BLACK
APPROVED: J. BLACK

PROPERTY OF INVENTUM ENGINEERING
IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND AS SUCH IS SUBJECT TO RECALL AT ANY TIME. IT IS NOT TO BE LOANED, COPIED OR REPRODUCED, NOR ITS CONTENTS REPRODUCED IN ANY FORM FOR THE BENEFIT OF PARTIES OTHER THAN THOSE FOR WHOM IT WAS PREPARED, NOR USED FOR PURPOSES FOREIGN TO THE SUBCONTRACTORS AND SUPPLIERS WITHOUT THE WRITTEN CONSENT OF INVENTUM ENGINEERING.


NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. IT IS A VIOLATION OF STATE LAW FOR ANY PERSONS, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT IN ANY WAY.

Sub-Slab and Indoor Air Sampling Results April 2026

Buffalo Color Corporation Site Area C
Erie County, Site No. C915231

INVENTUM ENGINEERING
441 CARLISLE DRIVE
SUITE C
HERNDON, VIRGINIA 20170
www.InventumEng.com

FIGURE 1



D

DRAWING BY: T. WALDROP
CHECKED: J. BLACK
APPROVED: J. BLACK

PROPERTY OF INVENTUM ENGINEERING
IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND AS SUCH IS SUBJECT TO RECALL AT ANY TIME. IT IS NOT TO BE LOANED, COPIED OR REPRODUCED, NOR ITS CONTENTS REPRODUCED IN ANY FORM FOR THE BENEFIT OF PARTIES OTHER THAN THOSE FOR WHOM IT WAS PREPARED, EXCEPT WITH THE WRITTEN CONSENT OF INVENTUM ENGINEERING.
NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. IT IS A VIOLATION OF STATE LAW FOR ANY PERSONS, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT IN ANY WAY.

Sub-Slab and Indoor Air Sampling Results
April 2026 Sampling Matrix Actions
Buffalo Color Corporation Site C
Erie County, Site No. C915231

INVENTUM ENGINEERING
441 CARLISLE DRIVE
SUITE C
HERNDON, VIRGINIA 20170
www.InventumEng.com

FIGURE 2

YELLOW SHADED AREAS INDICATE LIMITS OF NEW CONCRETE AND 10-MIL VAPOR BARRIER.

Booster Fan

SOIL VAPOR DISCHARGE STACK TO ROOF

TEST PORT #10

TEST PORT #9

FAN #6 Upgraded 10/10/25

TEST PORT #1

Booster Fan

TEST PORT #8

TEST PORT #7

TEST PORT #6

TEST PORT #2

FAN #4 Upgraded 10/10/25

TEST PORT #5

Booster Fan

FAN #5 Upgraded 12/01/25

TEST PORT #3

FAN #3 Upgraded 12/01/25

FAN #2 Upgraded 12/01/25

TEST PORT #4

FAN #1 Upgraded 10/10/25

Exhuast Fan

SUMP DISCHARGE SANITARY SEW

DARK GRAYED AREAS ARE SOLID CONCRETE FOUNDATION SUPPORT STRUCTURES SPANNING THE HEIGHT OF THE BASEMENT.

GENERAL AREA OF 2ND FLOOR UNOCCUPIED DWELLING UNIT

Sub-Slab Vacuum (wci)

Date	Test Port #10
2/24/2026	-0.048
3/3/2026	-0.049
3/12/2026	-0.051
3/17/2026	-0.046
3/24/2026	-0.051
3/31/2026	-0.051
4/7/2026	-0.05
4/14/2026	-0.049
4/21/2026	-0.052
4/28/2026	-0.049
5/6/2026	-0.051
5/12/2026	-0.053
5/19/2026	-0.049
5/26/2026	-0.044
6/3/2026	-0.051
6/9/2026	-0.048
6/16/2026	-0.054
6/23/2026	-0.052
6/30/2026	-0.052
7/7/2026	-0.046
7/14/2026	-0.052
7/21/2026	-0.046
7/28/2026	-0.047

Manometer Vacuum (wci)

Date	Fan #6
2/24/2026	-0.342
3/3/2026	-0.327
3/12/2026	-0.357
3/17/2026	-0.336
3/24/2026	-0.359
3/31/2026	-0.319
4/7/2026	-0.343
4/14/2026	-0.326
4/21/2026	-0.336
4/28/2026	-0.321
5/6/2026	-0.306
5/12/2026	-0.337
5/19/2026	-0.333
5/26/2026	-0.302
6/3/2026	-0.317
6/9/2026	-0.315
6/16/2026	-0.327
6/23/2026	-0.313
6/30/2026	-0.306
7/7/2026	-0.292
7/14/2026	-0.322
7/21/2026	-0.292
7/28/2026	-0.289

Sub-Slab Vacuum (wci)

Date	Test Port #9
2/24/2026	-0.028
3/3/2026	-0.028
3/12/2026	-0.03
3/17/2026	-0.027
3/24/2026	-0.029
3/31/2026	-0.028
4/7/2026	-0.029
4/14/2026	-0.029
4/21/2026	-0.031
4/28/2026	-0.029
5/6/2026	-0.031
5/12/2026	-0.032
5/19/2026	-0.028
5/26/2026	-0.025
6/3/2026	-0.028
6/9/2026	-0.028
6/16/2026	-0.029
6/23/2026	-0.029
6/30/2026	-0.029
7/7/2026	-0.028
7/14/2026	-0.031
7/21/2026	-0.028
7/28/2026	-0.029

Sub-Slab Vacuum (wci)

Date	Test Port #1
2/24/2026	-0.013
3/3/2026	-0.014
3/12/2026	-0.014
3/17/2026	-0.013
3/24/2026	-0.013
3/31/2026	-0.014
4/7/2026	-0.014
4/14/2026	-0.015
4/21/2026	-0.015
4/28/2026	-0.015
5/6/2026	-0.015
5/12/2026	-0.015
5/19/2026	-0.013
5/26/2026	-0.012
6/3/2026	-0.013
6/9/2026	-0.013
6/16/2026	-0.014
6/23/2026	-0.014
6/30/2026	-0.014
7/7/2026	-0.013
7/14/2026	-0.014
7/21/2026	-0.014
7/28/2026	-0.014

Sub-Slab Vacuum (wci)

Date	Test Port #8
2/24/2026	-0.01
3/3/2026	-0.01
3/12/2026	-0.01
3/17/2026	-0.009
3/24/2026	-0.009
3/31/2026	-0.01
4/7/2026	-0.01
4/14/2026	-0.011
4/21/2026	-0.011
4/28/2026	-0.01
5/6/2026	-0.01
5/12/2026	-0.011
5/19/2026	0
5/26/2026	-0.009
6/3/2026	-0.009
6/9/2026	0
6/16/2026	0
6/23/2026	-0.009
6/30/2026	0
7/7/2026	-0.009
7/14/2026	-0.009
7/21/2026	-0.009
7/28/2026	-0.009

Sub-Slab Vacuum (wci)

Date	Test Port #7
2/24/2026	-0.021
3/3/2026	-0.022
3/12/2026	-0.021
3/17/2026	-0.021
3/24/2026	-0.021
3/31/2026	-0.022
4/7/2026	-0.021
4/14/2026	-0.022
4/21/2026	-0.023
4/28/2026	-0.022
5/6/2026	-0.022
5/12/2026	-0.022
5/19/2026	-0.019
5/26/2026	-0.019
6/3/2026	-0.02
6/9/2026	-0.019
6/16/2026	-0.019
6/23/2026	-0.02
6/30/2026	-0.02
7/7/2026	-0.019
7/14/2026	-0.021
7/21/2026	-0.02
7/28/2026	-0.02

Sub-Slab Vacuum (wci)

Date	Test Port #6
2/24/2026	0
3/3/2026	0
3/12/2026	0
3/17/2026	0
3/24/2026	0
3/31/2026	0
4/7/2026	0
4/14/2026	0
4/21/2026	0
4/28/2026	0
5/6/2026	0
5/12/2026	0
5/19/2026	0
5/26/2026	0
6/3/2026	0
6/9/2026	0
6/16/2026	0
6/23/2026	0
6/30/2026	0
7/7/2026	0
7/14/2026	0
7/21/2026	0
7/28/2026	0

Sub-Slab Vacuum (wci)

Date	Test Port #2
2/24/2026	-0.033
3/3/2026	-0.034
3/12/2026	-0.033
3/17/2026	-0.032
3/24/2026	-0.032
3/31/2026	-0.034
4/7/2026	-0.033
4/14/2026	-0.035
4/21/2026	-0.036
4/28/2026	-0.033
5/6/2026	-0.034
5/12/2026	-0.034
5/19/2026	-0.033
5/26/2026	-0.031
6/3/2026	-0.033
6/9/2026	-0.031
6/16/2026	-0.033
6/23/2026	-0.033
6/30/2026	-0.034
7/7/2026	-0.032
7/14/2026	-0.034
7/21/2026	-0.033
7/28/2026	-0.033

Manometer Vacuum (wci)

Date	Fan #4
2/24/2026	-0.314
3/3/2026	-0.298
3/12/2026	-0.307
3/17/2026	-0.305
3/24/2026	-0.308
3/31/2026	-0.313
4/7/2026	-0.309
4/14/2026	-0.312
4/21/2026	-0.312
4/28/2026	-0.308
5/6/2026	-0.308
5/12/2026	-0.312
5/19/2026	-0.315
5/26/2026	-0.305
6/3/2026	-0.305
6/9/2026	-0.302
6/16/2026	-0.301
6/23/2026	-0.301
6/30/2026	-0.304
7/7/2026	-0.303
7/14/2026	-0.311
7/21/2026	-0.303
7/28/2026	-0.305

Sub-Slab Vacuum (wci)

Date	Test Port #5
2/24/2026	-0.018
3/3/2026	-0.018
3/12/2026	-0.02
3/17/2026	-0.018
3/24/2026	-0.018
3/31/2026	-0.019
4/7/2026	-0.019
4/14/2026	-0.021
4/21/2026	-0.021
4/28/2026	-0.021
5/6/2026	-0.021
5/12/2026	-0.022
5/19/2026	-0.019
5/26/2026	-0.019
6/3/2026	-0.02
6/9/2026	-0.021
6/16/2026	-0.022
6/23/2026	-0.022
6/30/2026	-0.024
7/7/2026	-0.024
7/14/2026	-0.025
7/21/2026	-0.025
7/28/2026	-0.025

Manometer Vacuum (wci)

Date	Fan #5
2/24/2026	-0.141
3/3/2026	-0.139
3/12/2026	-0.144
3/17/2026	-0.143
3/24/2026	-0.144
3/31/2026	-0.146
4/7/2026	-0.146
4/14/2026	-0.144
4/21/2026	-0.145
4/28/2026	-0.145
5/6/2026	-0.147
5/12/2026	-0.145
5/19/2026	-0.148
5/26/2026	-0.141
6/3/2026	-0.149
6/9/2026	-0.142
6/16/2026	-0.15
6/23/2026	-0.148
6/30/2026	-0.149
7/7/2026	-0.145
7/14/2026	-0.153
7/21/2026	-0.148
7/28/2026	-0.148

Manometer Vacuum (wci)

Date	Fan #3
2/24/2026	-0.639
3/3/2026	-0.639
3/12/2026	-0.646
3/17/2026	-0.631
3/24/2026	-0.654
3/31/2026	-0.644
4/7/2026	-0.654
4/14/2026	-0.627
4/21/2026	-0.646
4/28/2026	-0.634
5/6/2026	-0.632
5/12/2026	-0.651
5/19/2026	-0.642
5/26/2026	-0.626
6/3/2026	-0.651
6/9/2026	-0.645
6/16/2026	-0.653
6/23/2026	-0.655
6/30/2026	-0.672
7/7/2026	-0.661
7/14/2026	-0.668
7/21/2026	-0.647
7/28/2026	-0.648

Sub-Slab Vacuum (wci)

Date	Test Port #3
2/24/2026	-0.03
3/3/2026	-0.025
3/12/2026	-0.026
3/17/2026	-0.026
3/24/2026	-0.026
3/31/2026	-0.026
4/7/2026	-0.027
4/14/2026	-0.028
4/21/2026	-0.027
4/28/2026	-0.029
5/6/2026	-0.031
5/12/2026	-0.031
5/19/2026	-0.028
5/26/2026	-0.028
6/3/2026	-0.029
6/9/2026	-0.029
6/16/2026	-0.031
6/23/2026	-0.032
6/30/2026	-0.034
7/7/2026	-0.034
7/14/2026	-0.036
7/21/2026	-0.036
7/28/2026	-0.036

Manometer Vacuum (wci)

Date	Fan #2
2/24/2026	-0.458
3/3/2026	-0.456
3/12/2026	-0.477
3/17/2026	-0.462
3/24/2026	-0.467
3/31/2026	-0.474
4/7/2026	-0.474
4/14/2026	-0.463
4/21/2026	-0.467
4/28/2026	-0.457
5/6/2026	-0.469
5/12/2026	-0.468
5/19/2026	-0.471
5/26/2026	-0.455
6/3/2026	-0.464
6/9/2026	-0.462
6/16/2026	-0.472
6/23/2026	-0.471
6/30/2026	-0.488
7/7/2026	-0.469
7/14/2026	-0.488
7/21/2026	-0.473
7/28/2026	-0.474

Sub-Slab Vacuum (wci)

Date	Test Port #4
2/24/2026	-0.039
3/3/2026	-0.038
3/12/2026	-0.044
3/17/2026	-0.04
3/24/2026	-0.041
3/31/2026	-0.042
4/7/2026	-0.042
4/14/2026	-0.043
4/21/2026	-0.043
4/28/2026	-0.044
5/6/2026	-0.046
5/12/2026	-0.045
5/19/2026	-0.043
5/26/2026	-0.043
6/3/2026	-0.043
6/9/2026	-0.044
6/16/2026	-0.046
6/23/2026	-0.047
6/30/2026	-0.051
7/7/2026	-0.049
7/14/2026	-0.051
7/21/2026	-0.051
7/28/2026	-0.051

LEGEND:

- UG — 3 INCH DIAMETER PERFORATED HDPE PIPING BELOW NEW SLAB
- 2 INCH DIAMETER SCHEDULE 40 PVC WATER DISCHARGE LINE MOUNTED OVERHEAD
- 4 INCH DIAMETER SCHEDULE 40 PVC SOIL VAPOR EXTRACTION LINE MOUNTED OVERHEAD
- COMBINED WATER AND SOIL VAPOR COLLECTION SUMP - FAN LOCATION
- S — SUB SLAB DEPRESSURIZATION SAMPLE PORT (PERMANENT)
- M — MANOMETER LOCATION
- BV — 2 INCH DIAMETER BALL CHECK VALVE (WATER DISCHARGE LINE)
- TP — TEMPORARY SUB SLAB TEST PORT

Notes:

1. Vent riser fans replaced with higher capacity model (Fantech Rn 4EC-4) on date shown in location callout.
2. Test Port #3 was replaced on 3/3/2026.

D

N

DRAWING BY	T. WALDROP
CHECKED	J. BLACK
APPROVED	J. BLACK

PROPERTY OF INVENTUM ENGINEERING

IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND AS SUCH IS SUBJECT TO RECALL AT ANY TIME. IN ACCEPTANCE HEREOF, IT IS AGREED THAT IT SHALL NOT BE REPRODUCED IN ANY FORM FOR THE BENEFIT OF PARTIES OTHER THAN THOSE FOR WHOM IT WAS PREPARED, NOR USED IN ANY MANNER DETRIMENTAL TO THE INTERESTS OF INVENTUM ENGINEERING AND ITS SUBCONTRACTORS AND SUPPLIERS WITHOUT THE WRITTEN CONSENT OF INVENTUM ENGINEERING.

NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. IT IS A VIOLATION OF STATE LAW FOR ANY PERSONS, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT IN ANY WAY.

Sub-Slab and Vent Riser Pressure Differentials

Buffalo Color Corporation Site Area C
Erie County, Site No. C915231

INVENTUM ENGINEERING
441 CARLISLE DRIVE
SUITE C
HERNDON, VIRGINIA 20170
www.InventumEng.com

FIGURE 3

Attachment A – April 2026 Data Report Tables and Figures

Table 2
Buffalo Color Corporation Site Area C
BCP Site #C915231
December 2025 Basement Indoor Air Sub-Slab Sampling - All Results

ANALYTE	CAS	NYSDOH Indoor Air Vapor Concentration Criteria (a)						NYSDOH Sub-slab Vapor Concentration Criteria (a)						SAMPLE ID:	AA-TESTPORT2-1203252025		SS-TESTPORT2-012032025		AA-TESTPORT3-12032025		SS-TESTPORT3-12032025		AA-TESTPORT99-12032025		SS-TESTPORT99-12032025		AA-TESTPORT4-12032025		SS-TESTPORT4-12032025		AA-TESTPORT5-12032025		SS-TESTPORT5-12032025		AA-0UTDOOR-12032025	
														LAB ID:	L2577115-01		L2577115-02		L2577115-05		L2577115-06		L2577115-03		L2577115-04		L2577115-07		L2577115-08		L2577115-09		L2577115-10		L2577115-11	
														COLLECTION DATE:	12/3/2025				12/3/2025				12/3/2025				12/3/2025				12/3/2025				12/3/2025	
														SAMPLE LOCATION:	Area C-04				Area C-03				Area C-03 (a)				Area C-02				Area C-01				NE Corner	
		NY-IAC-A	NY-IAC-B	NY-IAC-C	NY-IAC-D	NY-IAC-E	NY-IAC-F	NY-SSC-A	NY-SSC-B	NY-SSC-C	NY-SSC-D	NY-SSC-E	NY-SSC-F	SAMPLE INTERVAL:	INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		OUTDOOR AIR	
														UNITS																						
VOLATILE ORGANICS IN AIR																																			
1,1,1-Trichloroethane	71-55-6		3						100					µg/m^3	0.164		<0.335	U	0.196		<0.737	U	0.196		<0.6	U	<0.032	U	<0.335	U	<0.032	U	<0.335	U	<0.032	U
1,1,2,2-Tetrachloroethane	79-34-5													µg/m^3	<0.357	U	<0.357	U	<0.357	U	<0.79	U	<0.357	U	<0.642	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U	<0.357	U
1,1,2-Trichloroethane	79-00-5													µg/m^3	<0.318	U	<0.318	U	<0.318	U	<0.698	U	<0.318	U	<0.573	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U	<0.318	U
1,1-Dichloroethane	75-34-3													µg/m^3	<0.23	U	<0.23	U	<0.23	U	<0.506	U	<0.23	U	<0.413	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U	<0.23	U
1,1-Dichloroethene	75-35-4	0.2						6						µg/m^3	<0.031	U	<0.225	U	<0.031	U	<0.496	U	<0.031	U	<0.404	U	<0.031	U	<0.225	U	<0.031	U	<0.225	U	<0.031	U
1,2,4-Trichlorobenzene	120-82-1													µg/m^3	<0.742	UJ	<0.742	UJ	<0.742	UJ	<1.64	UJ	<0.742	UJ	<1.34	UJ	<0.742	UJ	<0.742	UJ	<0.742	UJ	<0.742	UJ	<0.742	UJ
1,2,4-Trimethylbenzene	95-63-6				2						60			µg/m^3	<0.284	U	<0.284	U	<0.284	U	<0.624	U	<0.284	U	<0.511	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U	<0.284	U
1,2-Dibromoethane	106-93-4													µg/m^3	<0.418	U	<0.418	U	<0.418	U	<0.922	U	<0.418	U	<0.752	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U	<0.418	U
1,2-Dichlorobenzene	95-50-1													µg/m^3	<0.372	U	<0.372	U	<0.372	U	<0.818	U	<0.372	U	<0.667	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U	<0.372	U
1,2-Dichloroethane	107-06-2													µg/m^3	<0.319	U	<0.319	U	<0.319	U	<0.704	U	<0.319	U	<0.575	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U	<0.319	U
1,2-Dichloropropane	78-87-5													µg/m^3	<0.292	U	<0.292	U	<0.292	U	<0.642	U	<0.292	U	<0.522	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U	<0.292	U
1,3,5-Trimethylbenzene	108-67-8				2						60			µg/m^3	<0.295	U	<0.295	U	<0.295	U	<0.649	U	<0.295	U	<0.531	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U	<0.295	U
1,3-Butadiene	106-99-0													µg/m^3	0.993		1.03		0.923		<0.301	U	1.01		0.836		1.19		<0.137	U	0.96		0.712		<0.137	U
1,3-Dichlorobenzene	541-73-1													µg/m^3	<0.467	U	<0.467	U	<0.467	U	<1.03	U	<0.467	U	<0.842	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U	<0.467	U
1,4-Dichlorobenzene	106-46-7													µg/m^3	<0.497	U	<0.497	U	<0.497	U	<1.09	U	<0.497	U	<0.89	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U	<0.497	U
1,4-Dioxane	123-91-1													µg/m^3	<0.194	U	<0.194	U	<0.194	U	<0.429	U	<0.194	U	<0.348	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U	<0.194	U
2,2,4-Trimethylpentane	540-84-1				2						60			µg/m^3	<0.323	U	<0.323	U	<0.323	U	<0.715	U	<0.323	U	<0.579	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U	<0.323	U
2-Butanone	78-93-3													µg/m^3	<0.292	U	2.29		<0.292	U	<0.643	U	<0.292	U	<0.525	U	<0.292	U	13.7		<0.292	U	1.69		<0.292	U
2-Hexanone	591-78-6													µg/m^3	<0.374	U	<0.374	U	<0.374	U	<0.824	U	<0.374	U	<0.672	U	<0.374	U	5.94		<0.374	U	<0.374	U	<0.374	U
3-Chloropropene	107-05-1													µg/m^3	<0.269	U	<0.269	U	<0.269	U	<0.595	U	<0.269	U	<0.485	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U	<0.269	U
4-Ethyltoluene	622-96-8													µg/m^3	<0.272	U	<0.272	U	<0.272	U	<0.6	U	<0.272	U	<0.49	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U	<0.272	U
4-Methyl-2-pentanone	108-10-1													µg/m^3	<0.779	U	<0.779	U	<0.779	U	<1.72	U	<0.779	U	<1.4	U	<0.779	U	4.06		<0.779	U	<0.779	U	<0.779	U
Acetone	67-64-1													µg/m^3	7.25		26.8		7.01		13.6		8.03		11.4		5.75		121		5.7		19.3		2.57	
Benzene	71-43-2				2						60			µg/m^3	3.39		3.8		3.58		2.57		3.55		2.7		4.41		2.97		4.15		5.3		<0.205	U
Benzyl chloride	100-44-7													µg/m^3	<0.486	U	<0.486	U	<0.486	U	<1.07	U	<0.486	U	<0.875	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U	<0.486	U
Bromodichloromethane	75-27-4													µg/m^3	<0.462	U	<0.462	U	<0.462	U	<1.02	U	<0.462	U	<0.831	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U	<0.462	U
Bromoform	75-25-2													µg/m^3	<0.616	U	<0.616	U	<0.616	U	<1.35	U	<0.616	U	<1.11	U	<0.616	U	<0.616	U	<0.616	U	<0.616	U	<0.616	U
Bromomethane	74-83-9													µg/m^3	<0.212	U	<0.212	U	<0.212	U	<0.47	U	<0.212	U	<0.382	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U	<0.212	U
Carbon disulfide	75-15-0													µg/m^3	<0.145	U	<0.145	U	<0.145	U	<0.318	U	<0.145	U	<0.26	U	<0.145	U	1.04		<0.145	U	<0.145	U	<0.145	U
Carbon tetrachloride	56-23-5	0.2						6						µg/m^3	0.447		<0.432	U	0.453		<0.95	U	0.453		<0.774	U	0.604		<0.432	U	0.535		<0.432	U	0.453	
Chlorobenzene	108-90-7													µg/m^3	<0.238	U	<0.238	U	<0.238	U	<0.525	U	<0.238	U	<0.427	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U	<0.238	U
Chloroethane	75-00-3													µg/m^3	<0.171	U	<0.171	U	<0.171	U	<0.377	U	<0.171	U	<0.309	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U	<0.171	U
Chloroform	67-66-3													µg/m^3	<0.27	U	<0.27	U	<0.27	U	<0.596	U	<0.27	U	<0.484	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U	<0.27	U
Chloromethane	74-87-3													µg/m^3	1.12		1.18		1.01		<0.262	U	1.1		0.946		1.22		<0.119	U	0.962		0.506		1.02	
cis-1,2-Dichloroethene	156-59-2	0.2						6						µg/m^3	<0.04	U	<0.236	U	<0.04	U	<0.519	U	<0.04	U	<0.424	U	<0.04	U	<0.236	U	<0.04	U	<0.236	U	<0.04	U

Table 2
Buffalo Color Corporation Site Area C
BCP Site #C915231
December 2025 Basement Indoor Air Sub-Slab Sampling - All Results


ANALYTE	CAS	NYSDOH Indoor Air Vapor Concentration Criteria (a)						NYSDOH Sub-slab Vapor Concentration Criteria (a)						SAMPLE ID:	AA-TESTPORT2-1203252025		SS-TESTPORT2-012032025		AA-TESTPORT3-12032025		SS-TESTPORT3-12032025		AA-TESTPORT99-12032025		SS-TESTPORT99-12032025		AA-TESTPORT4-12032025		SS-TESTPORT4-12032025		AA-TESTPORT5-12032025		SS-TESTPORT5-12032025		AA-0UTDOOR-12032025	
														LAB ID:	L2577115-01		L2577115-02		L2577115-05		L2577115-06		L2577115-03		L2577115-04		L2577115-07		L2577115-08		L2577115-09		L2577115-10		L2577115-11	
														COLLECTION DATE:	12/3/2025				12/3/2025				12/3/2025				12/3/2025				12/3/2025				12/3/2025	
														SAMPLE LOCATION:	Area C-04				Area C-03				Area C-03 (a)				Area C-02				Area C-01				NE Corner	
		NY-IAC-A	NY-IAC-B	NY-IAC-C	NY-IAC-D	NY-IAC-E	NY-IAC-F	NY-SSC-A	NY-SSC-B	NY-SSC-C	NY-SSC-D	NY-SSC-E	NY-SSC-F	SAMPLE INTERVAL:	INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		INDOOR AIR		SOIL VAPOR		OUTDOOR AIR	
														UNITS																						
VOLATILE ORGANICS IN AIR																																			
cis-1,3-Dichloropropene	10061-01-5													µg/m^3	<0.306	U	<0.306	U	<0.306	U	<0.676	U	<0.306	U	<0.549	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U	<0.306	U
Cyclohexane	110-82-7				2						60			µg/m^3	<0.251	U	<0.251	U	<0.251	U	<0.551	U	<0.251	U	<0.451	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U	<0.251	U
Dibromochloromethane	124-48-1													µg/m^3	<0.482	U	<0.482	U	<0.482	U	<1.06	U	<0.482	U	<0.869	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U	<0.482	U
Dichlorodifluoromethane	75-71-8													µg/m^3	2.25		2.32		2.27		2.27		2.37		2.19		2.67		2.26		2.39		2.37		2.24	
Ethanol	64-17-5													µg/m^3	415		641		152		140		179		145		94.8		10.2		68.2		16.5		<3.28	U
Ethyl Acetate	141-78-6													µg/m^3	<1.07	U	<1.07	U	<1.07	U	<2.36	U	<1.07	U	<1.92	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U	<1.07	U
Ethylbenzene	100-41-4				2						60			µg/m^3	<0.25	U	17.3		<0.25	U	7.99		<0.25	U	2.06		<0.25	U	6.34		<0.25	U	5.21		<0.25	U
Freon-113	76-13-1													µg/m^3	<0.388	U	<0.388	U	<0.388	U	<0.858	U	<0.388	U	<0.697	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U	<0.388	U
Freon-114	76-14-2													µg/m^3	<0.352	U	<0.352	U	<0.352	U	<0.776	U	<0.352	U	<0.633	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U	<0.352	U
Heptane	142-82-5					6						200		µg/m^3	<0.339	U	1.52		1.6		<0.75	U	<0.339	U	<0.611	U	<0.339	U	1.27		<0.339	U	0.971		<0.339	U
Hexachlorobutadiene	87-68-3													µg/m^3	<0.647	U	<0.647	U	<0.647	U	<1.43	U	<0.647	U	<1.16	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U	<0.647	U
Isopropanol	67-63-0													µg/m^3	7.2		6.78		6.44		10.5		12.1		9.83		9.32		18.6		9.19		8.06		<0.669	U
Methyl tert butyl ether	1634-04-4													µg/m^3	<0.162	U	<0.162	U	<0.162	U	<0.358	U	<0.162	U	<0.292	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U	<0.162	U
Methylene chloride	75-09-2		3						100					µg/m^3	<0.434	U	<0.434	U	<0.434	U	<0.959	U	<0.434	U	<0.782	U	<0.434	U	<0.434	U	<0.434	U	<0.434	U	<0.434	U
Naphthalene	91-20-3				2						60			µg/m^3	<0.309	U	1.65		<0.309	U	3.17		<0.309	U	4.92		<0.309	U	6.55		<0.309	U	1.03		<0.309	U
n-Hexane	110-54-3					6						200		µg/m^3	1.1		1.45		1.02		<0.578	U	1.89		<0.472	U	0.98		0.726		0.814		1.11		<0.262	U
o-Xylene	95-47-6				2						60			µg/m^3	<0.27	U	25.8		<0.27	U	12.5		<0.27	U	2.79		<0.27	U	8.34		<0.27	U	6.69		<0.27	U
p/m-Xylene	179601-23-1					6						200		µg/m^3	<0.543	U	96		<0.543	U	46.9		<0.543	U	8.51		<0.543	U	30.3		<0.543	U	24.2		<0.543	U
Styrene	100-42-5													µg/m^3	<0.254	U	<0.254	U	<0.254	U	<0.558	U	<0.254	U	<0.456	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U	<0.254	U
Tertiary butyl Alcohol	75-65-0													µg/m^3	<0.4	U	<0.4	U	<0.4	U	<0.882	U	<0.4	U	<0.718	U	<0.4	U	1.65		<0.4	U	<0.4	U	<0.4	U
Tetrachloroethene	127-18-4		3						100					µg/m^3	19.7		7.19		12.8		6.98		12.9		9.9		8.82		7.93		6.78		3.21		0.264	
Tetrahydrofuran	109-99-9													µg/m^3	<0.345	U	2.55		<0.345	U	<0.761	U	1.55		3.54		<0.345	U	2.26		<0.345	U	23.8		<0.345	U
Toluene	108-88-3						10						300	µg/m^3	1.06		1.18		1.58		<0.72	U	1		<0.588	U	0.844		0.773		0.848		1.38		<0.327	U
trans-1,2-Dichloroethene	156-60-5													µg/m^3	<0.299	U	<0.299	U	<0.299	U	<0.658	U	<0.299	U	<0.539	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U	<0.299	U
trans-1,3-Dichloropropene	10061-02-6													µg/m^3	<0.355	U	<0.355	U	<0.355	U	<0.785	U	<0.355	U	<0.64	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U	<0.355	U
Trichloroethene	79-01-6	0.2						6						µg/m^3	<0.032	U	<0.295	U	0.333		<0.65	U	<0.032	U	<0.529	U	<0.032	U	<0.295	U	<0.032	U	<0.295	U	<0.032	U
Trichlorofluoromethane	75-69-4													µg/m^3	1.22		1.22		<0.442	U	<0.978	U	1.17		<0.798	U	1.18		<0.442	U	<0.442	U	<0.442	U	<0.442	U
Vinyl bromide	593-60-2													µg/m^3	<0.316	U	<0.316	U	<0.316	U	<0.695	U	<0.316	U	<0.568	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U	<0.316	U
Vinyl chloride	75-01-4			0.2						6				µg/m^3	<0.023	U	<0.149	U	<0.023	U	<0.327	U	<0.023	U	<0.268	U	<0.023	U	<0.149	U	<0.023	U	<0.149	U	<0.023	U

* Comparison is not performed on parameters with non-numeric criteria.

NY-IAC-A: New York DOH Matrix A Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-IAC-B: New York DOH Matrix B Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-IAC-C: New York DOH Matrix C Indoor Air Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-A: New York DOH Matrix A Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-B: New York DOH Matrix B Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
NY-SSC-C: New York DOH Matrix C Sub-slab Vapor Concentrations Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.
a/ Duplicate IA/SS sample collected at location shown.

Bolded results indicate reportable detection; Yellow highlighted results indicate exceedance of Sub-Slab Criteria; Green highlighted results indicate exceedance of Indoor Air Criteria.

"-" Comparative criteria not available; "U" - analyte not detected above reporting limit shown
ug/m3 = micrograms per cubic meter



ANALYTE	SAMPLE ID:	ARREAC-OA			
	SAMPLE LOCATION:	Outdoor Air - Northwest Corner			
	UNITS	February 2025		December 2025	
VOLATILE ORGANICS IN AIR					
1,2,4-Trimethylbenzene	µg/m³	**2.27**		<0.284	U
Benzene	µg/m³	<0.205	U	<0.205	U
Carbon tetrachloride	µg/m³	**0.453**		**0.453**	
Ethylbenzene	µg/m³	<0.25		<0.25	U
Methylene chloride	µg/m³	<0.434		<0.434	U
o-Xylene	µg/m³	<0.27		<0.27	U
p/m-Xylene	µg/m³	<0.543		<0.543	U
Tetrachloroethene	µg/m³	**0.773**		**0.264**	
Trichloroethene	µg/m³	<0.032	U	<0.032	U

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-01							
				February 2025				December 2025			
	Indoor Air	Sub-Slab	UNITS	INDOOR		SOIL VAPOR		INDOOR		SOIL VAPOR	
VOLATILE ORGANICS IN AIR											
Benzene	2	60	µg/m³	**2.61**		**4.34**		**4.15**		**5.3**	
Carbon tetrachloride	0.2	6	µg/m³	**0.428**		<0.432	U	**0.535**		<0.432	U
Ethylbenzene	2	60	µg/m³	**6.52**		<0.25	U	<0.25	U	**5.21**	
Methylene chloride	3	100	µg/m³	**7.47**		**5.84**		<0.434	U	<0.434	U
o-Xylene	2	60	µg/m³	**4.18**		<0.27	U	<0.27	U	**6.69**	
p/m-Xylene	6	200	µg/m³	**20.7**		**1.82**		<0.543	U	**24.2**	
Tetrachloroethene	3	100	µg/m³	**104**		**71.9**		**6.78**		**3.21**	

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-04							
				February 2025				December 2025			
	Indoor Air	Sub-Slab	UNITS	INDOOR		SOIL VAPOR		INDOOR		SOIL VAPOR	
VOLATILE ORGANICS IN AIR											
1,2,4-Trimethylbenzene	2	60	µg/m³	**3.14**		<0.284	U	<0.284	U	<0.284	U
Benzene	2	60	µg/m³	**2.27**		**2.08**		**3.39**		**3.8**	
Carbon tetrachloride	0.2	6	µg/m³	**0.434**		<0.432	U	**0.447**		<0.432	U
Ethylbenzene	2	60	µg/m³	**8.82**		**4.65**		<0.25	U	**17.3**	
Methylene chloride	3	100	µg/m³	**9.76**		**10.5**		<0.434	U	<0.434	U
o-Xylene	2	60	µg/m³	**6.17**		**2.36**		<0.27	U	**25.8**	
p/m-Xylene	6	200	µg/m³	**29.6**		**11.4**		<0.543	U	**96**	
Tetrachloroethene	3	100	µg/m³	**123**		**84.1**		**19.7**		**7.19**	

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-03							
				February 2025				December 2025			
	Indoor Air	Sub-Slab	UNITS	INDOOR		SOIL VAPOR		INDOOR		SOIL VAPOR	
VOLATILE ORGANICS IN AIR											
Benzene	2	60	µg/m³	**2.32**		**2.21**		**3.58**		**2.57**	
Carbon tetrachloride	0.2	6	µg/m³	**0.478**		<0.432	U	**0.453**		<0.95	U
Ethylbenzene	2	60	µg/m³	**9.99**		<0.25	U	<0.25	U	**7.99**	
Methylene chloride	3	100	µg/m³	**11**		**3.24**		<0.434	U	<0.959	U
o-Xylene	2	60	µg/m³	**6.56**		**0.916**		<0.27	U	**12.5**	
p/m-Xylene	6	200	µg/m³	**32.9**		**3.05**		<0.543	U	**46.9**	
Tetrachloroethene	3	100	µg/m³	**133**		**67**		**12.8**		**6.98**	
Trichloroethene	0.2	6	µg/m³	<0.032	U	<0.295	U	**0.333**		<0.65	U

ANALYTE	NYSDOH Matrix Threshold		LOCATION:	Area C-02							
				February 2025				December 2025			
	Indoor Air	Sub-Slab	UNITS	INDOOR		SOIL VAPOR		INDOOR		SOIL VAPOR	
VOLATILE ORGANICS IN AIR											
Benzene	2	60	µg/m³	**2.11**		**2.09**		**4.41**		**2.97**	
Carbon tetrachloride	0.2	6	µg/m³	**0.522**		<0.432	U	**0.604**		<0.432	U
Ethylbenzene	2	60	µg/m³	**7.69**		**1.12**		<0.25	U	**6.34**	
Methylene chloride	3	100	µg/m³	**17.6**		<0.434	U	<0.434	U	<0.434	U
o-Xylene	2	60	µg/m³	**4.78**		**0.925**		<0.27	U	**8.34**	
p/m-Xylene	6	200	µg/m³	**27.4**		**3.66**		<0.543	U	**30.3**	
Tetrachloroethene	3	100	µg/m³	**123**		**88.2**		**8.82**		**7.93**	

LEGEND:
- UG — 3 INCH DIAMETER PERFORATED HDPE PIPING BELOW NEW SLAB
- 2 INCH DIAMETER SCHEDULE 40 PVC WATER DISCHARGE LINE MOUNTED OVERHEAD
- 4 INCH DIAMETER SCHEDULE 40 PVC SOIL VAPOR EXTRACTION LINE MOUNTED OVERHEAD
- COMBINED WATER AND SOIL VAPOR COLLECTION SUMP - FAN LOCATION
- S — SUB SLAB DEPRESSURIZATION SAMPLE PORT (PERMANENT)
- M — MANOMETER LOCATION
- BV — 2 INCH DIAMETER BALL CHECK VALVE (WATER DISCHARGE LINE)
- TP — TEMPORARY SUB SLAB TEST PORT

Notes:
1. Analyte shown if either February 2025 or December 2025 IA/SS sample contained detectable concentration above NYSDOH Matrix Threshold.
2. NYSDOH Indoor Air and Sub-slab Vapor Concentrations Criteria (Matrix A through F) per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.

D

DRAWING BY: T. WALDROP
CHECKED: J. BLACK
APPROVED: J. BLACK

PROPERTY OF INVENTUM ENGINEERING
IMPORTANT: THIS DRAWING PRINT IS LOANED FOR MUTUAL ASSISTANCE AND AS SUCH IS SUBJECT TO RECALL AT ANY TIME. IT IS NOT TO BE LOANED, COPIED OR REPRODUCED, AND THE INFORMATION HEREON IS NOT TO BE REPRODUCED IN ANY FORM FOR THE BENEFIT OF PARTIES OTHER THAN THOSE FOR WHOM IT WAS PREPARED, NOR USED FOR PURPOSES OTHER THAN THOSE AUTHORIZED, WITHOUT THE WRITTEN CONSENT OF INVENTUM ENGINEERING.
NOTICE: THIS DRAWING HAS BEEN PREPARED UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER. IT IS A VIOLATION OF STATE LAW FOR ANY PERSONS, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT IN ANY WAY.

Sub-Slab and Indoor Air Sampling Matrix Actions December 2025

Buffalo Color Corporation Site Area C
Erie County, Site No. C915231

INVENTUM ENGINEERING
441 CARLISLE DRIVE
SUITE C
HERNDON, VIRGINIA 20170
www.InventumEng.com

FIGURE 1

Attachment B – Laboratory Data Report

ANALYTICAL REPORT

Lab Number:	L2619393
Client:	Inventum Engineering 441 Carlisle Drive Suite C Herndon, VA 20170
ATTN:	Todd Waldrop
Phone:	(571) 752-6562
Project Name:	SBD LLC
Project Number:	BUFFALO COLOR-AREA C
Report Date:	04/23/26

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

120 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.pacelabs.com

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2619393-01	OUTDOOR-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:47	04/03/26
L2619393-02	SS-TP-02-04022026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/02/26 15:48	04/03/26
L2619393-03	AA-TP-02-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:49	04/03/26
L2619393-04	SS-TP-03-04022026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/02/26 15:51	04/03/26
L2619393-05	AA-TP-03-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:51	04/03/26
L2619393-06	SS-TP-04-04022026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/02/26 15:54	04/03/26
L2619393-07	AA-TP-04-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:53	04/03/26
L2619393-08	SS-TP-05-04022026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/02/26 15:57	04/03/26
L2619393-09	AA-TP-05-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:57	04/03/26
L2619393-10	SS-TP-99-04022026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/02/26 15:54	04/03/26
L2619393-11	AA-TP-99-04022026	AIR	140 LEE ST, BUFFALO, NY	04/02/26 15:53	04/03/26

Duplicate SS-TP-99 and AA-TP-99 were taken at SS-TP-04 and AA-TP-04

Project Name:	SBD LLC	**Lab Number:**	L2619393
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	04/23/26

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name:	SBD LLC	**Lab Number:**	L2619393
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	04/23/26

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on March 30, 2026. The canister certification data is provided as an addendum.

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

L2619393-04: the canister was received at a pressure of -26.1 inHg then at somepoint prior to analysis the canister leaked to ambient pressure. The analysis of this sample was cancelled.

The WG2200769-3 LCS recoveries for naphthalene (68%) are outside the 70%-130% acceptance limit. The LCS was within overall method allowances, therefore the analysis proceeded.
WG201237-3 LCS recovery associated with L2619393-02 and -10 is above the upper 130% acceptance limit for bromoform (133%). All samples associated with this LCS do not have reportable amounts of this analyte.
The continuing calibration standard, associated with L2619393-06 and -08, is outside the %D criteria for Tertiary butyl Alcohol, n-Hexane; however, it is within overall acceptance criteria.
The WG2201827-3 LCS recoveries for tert-butyl alcohol (65%) are outside the 70%-130% acceptance limit. The LCS was within overall method allowances, therefore the analysis proceeded.The WG2201827-3 LCS recovery associated with L2619393-06 and -08 is above the upper 130% acceptance limit for bromoform (138%). All samples associated with this LCS do not have reportable amounts of this analyte.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Christopher J. Anderson

Title: Technical Director/Representative Date: 04/23/26

QC OUTLIER SUMMARY REPORT

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Method	Client ID (Native ID)	Lab ID	Parameter	QC Type	Recovery/RPD (%)	QC Limits (%)	Associated Samples	Data Quality Assessment
Volatile Organics in Air - Mansfield Air Lab								
TO-15	Batch QC	WG2200769-3	Naphthalene	LCS	68	70-130	01,03,05,07, 09,11	potential low bias
TO-15	Batch QC	WG2201237-3	Bromoform	LCS	133	70-130	02,10	potential high bias
TO-15	Batch QC	WG2201827-3	Tertiary butyl Alcohol	LCS	65	70-130	06,08	potential low bias
TO-15	Batch QC	WG2201827-3	Bromoform	LCS	138	70-130	06,08	potential high bias

AIR

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-01
Client ID: OUTDOOR-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/19/26 22:10
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.528	0.200	--	2.61	0.989	--		1
Chloromethane	0.510	0.200	--	1.05	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	1.87	1.00	--	4.44	2.38	--		1
Trichlorofluoromethane	0.234	0.200	--	1.31	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-01
Client ID: OUTDOOR-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-01
Client ID: OUTDOOR-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	89		60-140
Bromochloromethane	94		60-140
chlorobenzene-d5	92		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-01
Client ID: OUTDOOR-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/19/26 22:10
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Carbon tetrachloride	0.075	0.020	--	0.472	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	0.027	0.020	--	0.183	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	91		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	96		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-02
Client ID: SS-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:48
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/21/26 11:10
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.516	0.200	--	2.55	0.989	--		1
Chloromethane	0.495	0.200	--	1.02	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	275	5.00	--	518	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	29.5	1.00	--	70.1	2.38	--		1
Trichlorofluoromethane	0.261	0.200	--	1.47	1.12	--		1
Isopropanol	33.5	1.00	--	82.3	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	1.23	0.500	--	3.73	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	13.3	0.500	--	39.2	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-02
Client ID: SS-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:48
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	1.03	0.500	--	3.71	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	0.904	0.500	--	2.67	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	2.24	0.200	--	7.89	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.207	0.200	--	0.661	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.227	0.200	--	0.930	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	0.280	0.200	--	1.06	0.754	--		1
2-Hexanone	2.13	0.200	--	8.73	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	4.51	0.200	--	30.6	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-02
Client ID: SS-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:48
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	0.585	0.190	--	3.07	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	81		60-140
Bromochloromethane	78		60-140
chlorobenzene-d5	72		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-03
Client ID: AA-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:49
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/19/26 22:48
Analyst: KJD

	ppbV			ug/m3				
Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.537	0.200	--	2.66	0.989	--		1
Chloromethane	0.563	0.200	--	1.16	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	196	5.00	--	369	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	6.39	1.00	--	15.2	2.38	--		1
Trichlorofluoromethane	0.267	0.200	--	1.50	1.12	--		1
Isopropanol	5.56	1.00	--	13.7	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	0.529	0.500	--	1.56	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	0.706	0.500	--	2.08	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-03
Client ID: AA-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:49
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.437	0.200	--	1.54	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-03
Client ID: AA-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:49
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	90		60-140
Bromochloromethane	92		60-140
chlorobenzene-d5	93		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-03
Client ID: AA-TP-02-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:49
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/19/26 22:48
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	0.058	0.020	--	0.316	0.109	--		1
Carbon tetrachloride	0.077	0.020	--	0.484	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	3.71	0.020	--	25.2	0.136	--		1
Naphthalene	0.078	0.050	--	0.409	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	92		60-140
bromochloromethane	95		60-140
chlorobenzene-d5	97		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-05
Client ID: AA-TP-03-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:51
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/19/26 23:26
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.510	0.200	--	2.52	0.989	--		1
Chloromethane	0.481	0.200	--	0.993	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	99.3	5.00	--	187	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	5.20	1.00	--	12.4	2.38	--		1
Trichlorofluoromethane	0.250	0.200	--	1.40	1.12	--		1
Isopropanol	3.12	1.00	--	7.67	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	0.589	0.500	--	1.74	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	0.768	0.500	--	2.27	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-05
Client ID: AA-TP-03-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:51
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-05
Client ID: AA-TP-03-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:51
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	94		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	96		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-05
Client ID: AA-TP-03-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:51
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/19/26 23:26
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	0.080	0.020	--	0.436	0.109	--		1
Carbon tetrachloride	0.072	0.020	--	0.453	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	3.34	0.020	--	22.6	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	96		60-140
bromochloromethane	100		60-140
chlorobenzene-d5	100		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-06
Client ID: SS-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/22/26 02:58
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.570	0.200	--	2.82	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	25.6	1.00	--	60.8	2.38	--		1
Trichlorofluoromethane	0.282	0.200	--	1.58	1.12	--		1
Isopropanol	6.34	1.00	--	15.6	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	3.62	0.500	--	11.0	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	33.2	0.500	--	97.9	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-06
Client ID: SS-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.221	0.200	--	0.779	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.807	0.200	--	2.58	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.207	0.200	--	0.848	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	0.224	0.200	--	0.844	0.754	--		1
2-Hexanone	6.88	0.200	--	28.2	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	1.53	0.200	--	10.4	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-06
Client ID: SS-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	0.597	0.190	--	3.13	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	89		60-140
Bromochloromethane	93		60-140
chlorobenzene-d5	96		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-07
Client ID: AA-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/20/26 00:04
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.504	0.200	--	2.49	0.989	--		1
Chloromethane	0.483	0.200	--	0.997	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	79.9	5.00	--	151	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	11.3	1.00	--	26.8	2.38	--		1
Trichlorofluoromethane	0.238	0.200	--	1.34	1.12	--		1
Isopropanol	20.2	1.00	--	49.7	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	0.506	0.500	--	1.76	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	0.939	0.500	--	2.77	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-07
Client ID: AA-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	2.31	0.200	--	8.14	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-07
Client ID: AA-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	96		60-140
Bromochloromethane	97		60-140
chlorobenzene-d5	98		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-07
Client ID: AA-TP-04-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/20/26 00:04
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	0.049	0.020	--	0.267	0.109	--		1
Carbon tetrachloride	0.070	0.020	--	0.440	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	2.84	0.020	--	19.3	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	98		60-140
bromochloromethane	101		60-140
chlorobenzene-d5	101		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-08
Client ID: SS-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/22/26 03:36
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.554	0.200	--	2.74	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	15.3	1.00	--	36.3	2.38	--		1
Trichlorofluoromethane	0.256	0.200	--	1.44	1.12	--		1
Isopropanol	7.16	1.00	--	17.6	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	2.18	0.500	--	6.61	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	23.0	0.500	--	67.8	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-08
Client ID: SS-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	1.01	0.500	--	2.98	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.651	0.200	--	2.29	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.721	0.200	--	2.30	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.492	0.200	--	2.02	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	0.268	0.200	--	1.01	0.754	--		1
2-Hexanone	4.36	0.200	--	17.9	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	2.74	0.200	--	18.6	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-08
Client ID: SS-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	1.10	0.190	--	5.77	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	94		60-140
Bromochloromethane	98		60-140
chlorobenzene-d5	103		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-09
Client ID: AA-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/20/26 00:42
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.518	0.200	--	2.56	0.989	--		1
Chloromethane	0.470	0.200	--	0.971	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	56.4	5.00	--	106	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	2.90	1.00	--	6.89	2.38	--		1
Trichlorofluoromethane	0.241	0.200	--	1.35	1.12	--		1
Isopropanol	3.18	1.00	--	7.82	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-09
Client ID: AA-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-09
Client ID: AA-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	93		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	96		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-09
Client ID: AA-TP-05-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:57
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/20/26 00:42
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Carbon tetrachloride	0.075	0.020	--	0.472	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	2.22	0.020	--	15.1	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	95		60-140
bromochloromethane	99		60-140
chlorobenzene-d5	100		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-10
Client ID: SS-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/21/26 13:13
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.481	0.200	--	2.38	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	22.6	1.00	--	53.7	2.38	--		1
Trichlorofluoromethane	0.242	0.200	--	1.36	1.12	--		1
Isopropanol	9.37	1.00	--	23.0	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	3.58	0.500	--	10.9	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	34.3	0.500	--	101	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-10
Client ID: SS-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	2.36	0.500	--	6.96	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.307	0.200	--	1.08	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.630	0.200	--	2.01	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	0.242	0.200	--	0.912	0.754	--		1
2-Hexanone	8.53	0.200	--	35.0	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	1.57	0.200	--	10.6	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-10
Client ID: SS-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:54
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	0.591	0.400	--	2.57	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	0.217	0.200	--	0.943	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	1.11	0.190	--	5.82	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	83		60-140
Bromochloromethane	79		60-140
chlorobenzene-d5	74		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-11
Client ID: AA-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/20/26 01:20
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.535	0.200	--	2.65	0.989	--		1
Chloromethane	0.494	0.200	--	1.02	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	90.7	5.00	--	171	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	4.60	1.00	--	10.9	2.38	--		1
Trichlorofluoromethane	0.261	0.200	--	1.47	1.12	--		1
Isopropanol	4.26	1.00	--	10.5	2.46	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	0.504	0.500	--	1.75	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	0.663	0.500	--	1.96	1.47	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-11
Client ID: AA-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.247	0.200	--	0.871	0.705	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-11
Client ID: AA-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	91		60-140
Bromochloromethane	93		60-140
chlorobenzene-d5	93		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

SAMPLE RESULTS

Lab ID: L2619393-11
Client ID: AA-TP-99-04022026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/02/26 15:53
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/20/26 01:20
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	0.058	0.020	--	0.316	0.109	--		1
Carbon tetrachloride	0.078	0.020	--	0.491	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	3.42	0.020	--	23.2	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	92		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	96		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/26 18:08

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01,03,05,07,09,11 Batch: WG2200769-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/26 18:08

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01,03,05,07,09,11 Batch: WG2200769-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/26 18:08

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01,03,05,07,09,11 Batch: WG2200769-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 04/19/26 18:46

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab for sample(s): 01,03,05,07,09,11 Batch: WG2200770-4								
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/26 23:51

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02,10 Batch: WG2201237-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/26 23:51

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02,10 Batch: WG2201237-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/26 23:51

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02,10 Batch: WG2201237-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/21/26 21:18

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 06,08 Batch: WG2201827-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/21/26 21:18

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 06,08 Batch: WG2201827-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2619393
Report Date: 04/23/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/21/26 21:18

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 06,08 Batch: WG2201827-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s):	01,03,05,07,09,11	Batch:	WG2200769-3				
Dichlorodifluoromethane	97		-		70-130	-		
Chloromethane	76		-		70-130	-		
Freon-114	91		-		70-130	-		
Vinyl chloride	74		-		70-130	-		
1,3-Butadiene	80		-		70-130	-		
Bromomethane	95		-		70-130	-		
Chloroethane	74		-		70-130	-		
Ethanol	49		-		40-160	-		
Vinyl bromide	109		-		70-130	-		
Acetone	92		-		40-160	-		
Trichlorofluoromethane	102		-		70-130	-		
Isopropanol	90		-		40-160	-		
1,1-Dichloroethene	94		-		70-130	-		
Tertiary butyl Alcohol	74		-		70-130	-		
Methylene chloride	100		-		70-130	-		
3-Chloropropene	98		-		70-130	-		
Carbon disulfide	107		-		70-130	-		
Freon-113	105		-		70-130	-		
trans-1,2-Dichloroethene	94		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s):	01,03,05,07,09,11	Batch:	WG2200769-3				
1,1-Dichloroethane	90		-		70-130	-		
Methyl tert butyl ether	100		-		70-130	-		
2-Butanone	96		-		70-130	-		
cis-1,2-Dichloroethene	91		-		70-130	-		
Ethyl Acetate	100		-		70-130	-		
Chloroform	107		-		70-130	-		
Tetrahydrofuran	105		-		70-130	-		
1,2-Dichloroethane	94		-		70-130	-		
n-Hexane	84		-		70-130	-		
1,1,1-Trichloroethane	90		-		70-130	-		
Benzene	95		-		70-130	-		
Carbon tetrachloride	107		-		70-130	-		
Cyclohexane	87		-		70-130	-		
1,2-Dichloropropane	82		-		70-130	-		
Bromodichloromethane	104		-		70-130	-		
1,4-Dioxane	89		-		70-130	-		
Trichloroethene	98		-		70-130	-		
2,2,4-Trimethylpentane	88		-		70-130	-		
Heptane	92		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01,03,05,07,09,11		Batch: WG2200769-3					
cis-1,3-Dichloropropene	112		-		70-130	-		
4-Methyl-2-pentanone	88		-		70-130	-		
trans-1,3-Dichloropropene	118		-		70-130	-		
1,1,2-Trichloroethane	91		-		70-130	-		
Toluene	100		-		70-130	-		
2-Hexanone	114		-		70-130	-		
Dibromochloromethane	122		-		70-130	-		
1,2-Dibromoethane	116		-		70-130	-		
Tetrachloroethene	116		-		70-130	-		
Chlorobenzene	110		-		70-130	-		
Ethylbenzene	100		-		70-130	-		
p/m-Xylene	102		-		70-130	-		
Bromoform	125		-		70-130	-		
Styrene	109		-		70-130	-		
1,1,2,2-Tetrachloroethane	109		-		70-130	-		
o-Xylene	100		-		70-130	-		
4-Ethyltoluene	113		-		70-130	-		
1,3,5-Trimethylbenzene	110		-		70-130	-		
1,2,4-Trimethylbenzene	111		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s):		01,03,05,07,09,11	Batch:	WG2200769-3			
Benzyl chloride	76		-		70-130	-		
1,3-Dichlorobenzene	107		-		70-130	-		
1,4-Dichlorobenzene	105		-		70-130	-		
1,2-Dichlorobenzene	101		-		70-130	-		
1,2,4-Trichlorobenzene	89		-		70-130	-		
Naphthalene	**68**	Q	-		70-130	-		
Hexachlorobutadiene	92		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Air Lab Associated sample(s): 01,03,05,07,09,11 Batch: WG2200770-3								
Vinyl chloride	75		-		70-130	-		
1,1-Dichloroethene	87		-		70-130	-		
cis-1,2-Dichloroethene	83		-		70-130	-		
1,1,1-Trichloroethane	81		-		70-130	-		
Carbon tetrachloride	98		-		70-130	-		
Trichloroethene	89		-		70-130	-		
Tetrachloroethene	109		-		70-130	-		
Naphthalene	75		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02,10 Batch: WG2201237-3								
Dichlorodifluoromethane	93		-		70-130	-		
Chloromethane	73		-		70-130	-		
Freon-114	88		-		70-130	-		
Vinyl chloride	71		-		70-130	-		
1,3-Butadiene	77		-		70-130	-		
Bromomethane	93		-		70-130	-		
Chloroethane	71		-		70-130	-		
Ethanol	47		-		40-160	-		
Vinyl bromide	107		-		70-130	-		
Acetone	90		-		40-160	-		
Trichlorofluoromethane	100		-		70-130	-		
Isopropanol	88		-		40-160	-		
1,1-Dichloroethene	91		-		70-130	-		
Tertiary butyl Alcohol	72		-		70-130	-		
Methylene chloride	98		-		70-130	-		
3-Chloropropene	96		-		70-130	-		
Carbon disulfide	104		-		70-130	-		
Freon-113	103		-		70-130	-		
trans-1,2-Dichloroethene	92		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02,10 Batch: WG2201237-3								
1,1-Dichloroethane	88		-		70-130	-		
Methyl tert butyl ether	98		-		70-130	-		
2-Butanone	95		-		70-130	-		
cis-1,2-Dichloroethene	89		-		70-130	-		
Ethyl Acetate	97		-		70-130	-		
Chloroform	104		-		70-130	-		
Tetrahydrofuran	103		-		70-130	-		
1,2-Dichloroethane	92		-		70-130	-		
n-Hexane	84		-		70-130	-		
1,1,1-Trichloroethane	91		-		70-130	-		
Benzene	95		-		70-130	-		
Carbon tetrachloride	107		-		70-130	-		
Cyclohexane	86		-		70-130	-		
1,2-Dichloropropane	83		-		70-130	-		
Bromodichloromethane	104		-		70-130	-		
1,4-Dioxane	90		-		70-130	-		
Trichloroethene	97		-		70-130	-		
2,2,4-Trimethylpentane	87		-		70-130	-		
Heptane	91		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02,10 Batch: WG2201237-3								
cis-1,3-Dichloropropene	114		-		70-130	-		
4-Methyl-2-pentanone	88		-		70-130	-		
trans-1,3-Dichloropropene	118		-		70-130	-		
1,1,2-Trichloroethane	91		-		70-130	-		
Toluene	105		-		70-130	-		
2-Hexanone	120		-		70-130	-		
Dibromochloromethane	128		-		70-130	-		
1,2-Dibromoethane	122		-		70-130	-		
Tetrachloroethene	122		-		70-130	-		
Chlorobenzene	116		-		70-130	-		
Ethylbenzene	105		-		70-130	-		
p/m-Xylene	108		-		70-130	-		
Bromoform	**133**	Q	-		70-130	-		
Styrene	114		-		70-130	-		
1,1,2,2-Tetrachloroethane	115		-		70-130	-		
o-Xylene	106		-		70-130	-		
4-Ethyltoluene	119		-		70-130	-		
1,3,5-Trimethylbenzene	118		-		70-130	-		
1,2,4-Trimethylbenzene	119		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02,10 Batch: WG2201237-3								
Benzyl chloride	85		-		70-130	-		
1,3-Dichlorobenzene	117		-		70-130	-		
1,4-Dichlorobenzene	117		-		70-130	-		
1,2-Dichlorobenzene	112		-		70-130	-		
1,2,4-Trichlorobenzene	110		-		70-130	-		
Naphthalene	84		-		70-130	-		
Hexachlorobutadiene	113		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 06,08 Batch: WG2201827-3								
Dichlorodifluoromethane	101		-		70-130	-		
Chloromethane	87		-		70-130	-		
Freon-114	101		-		70-130	-		
Vinyl chloride	74		-		70-130	-		
1,3-Butadiene	82		-		70-130	-		
Bromomethane	99		-		70-130	-		
Chloroethane	70		-		70-130	-		
Ethanol	57		-		40-160	-		
Vinyl bromide	112		-		70-130	-		
Acetone	98		-		40-160	-		
Trichlorofluoromethane	103		-		70-130	-		
Isopropanol	93		-		40-160	-		
1,1-Dichloroethene	85		-		70-130	-		
Tertiary butyl Alcohol	**65**	Q	-		70-130	-		
Methylene chloride	98		-		70-130	-		
3-Chloropropene	100		-		70-130	-		
Carbon disulfide	107		-		70-130	-		
Freon-113	103		-		70-130	-		
trans-1,2-Dichloroethene	86		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 06,08 Batch: WG2201827-3								
1,1-Dichloroethane	83		-		70-130	-		
Methyl tert butyl ether	104		-		70-130	-		
2-Butanone	101		-		70-130	-		
cis-1,2-Dichloroethene	82		-		70-130	-		
Ethyl Acetate	90		-		70-130	-		
Chloroform	106		-		70-130	-		
Tetrahydrofuran	108		-		70-130	-		
1,2-Dichloroethane	89		-		70-130	-		
n-Hexane	70		-		70-130	-		
1,1,1-Trichloroethane	83		-		70-130	-		
Benzene	90		-		70-130	-		
Carbon tetrachloride	104		-		70-130	-		
Cyclohexane	72		-		70-130	-		
1,2-Dichloropropane	71		-		70-130	-		
Bromodichloromethane	97		-		70-130	-		
1,4-Dioxane	80		-		70-130	-		
Trichloroethene	90		-		70-130	-		
2,2,4-Trimethylpentane	72		-		70-130	-		
Heptane	89		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 06,08 Batch: WG2201827-3								
cis-1,3-Dichloropropene	108		-		70-130	-		
4-Methyl-2-pentanone	86		-		70-130	-		
trans-1,3-Dichloropropene	114		-		70-130	-		
1,1,2-Trichloroethane	82		-		70-130	-		
Toluene	103		-		70-130	-		
2-Hexanone	126		-		70-130	-		
Dibromochloromethane	130		-		70-130	-		
1,2-Dibromoethane	125		-		70-130	-		
Tetrachloroethene	125		-		70-130	-		
Chlorobenzene	118		-		70-130	-		
Ethylbenzene	102		-		70-130	-		
p/m-Xylene	105		-		70-130	-		
Bromoform	**138**	Q	-		70-130	-		
Styrene	115		-		70-130	-		
1,1,2,2-Tetrachloroethane	114		-		70-130	-		
o-Xylene	104		-		70-130	-		
4-Ethyltoluene	124		-		70-130	-		
1,3,5-Trimethylbenzene	120		-		70-130	-		
1,2,4-Trimethylbenzene	121		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 06,08 Batch: WG2201827-3								
Benzyl chloride	83		-		70-130	-		
1,3-Dichlorobenzene	122		-		70-130	-		
1,4-Dichlorobenzene	118		-		70-130	-		
1,2-Dichlorobenzene	114		-		70-130	-		
1,2,4-Trichlorobenzene	102		-		70-130	-		
Naphthalene	79		-		70-130	-		
Hexachlorobutadiene	105		-		70-130	-		

Project Name: SBD LLC

Lab Number: L2619393

Project Number: BUFFALO COLOR-AREA C

Report Date: 04/23/26

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt	Flow Controler Leak Chk	Flow Out mL/min	Flow In	% RPD
L2619393-01	OUTDOOR-04022026	0133	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.4	2
L2619393-01	OUTDOOR-04022026	2863	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.5	-5.9	-	-	-	-
L2619393-02	SS-TP-02-04022026	02938	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.6	2
L2619393-02	SS-TP-02-04022026	3166	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.7	-5.0	-	-	-	-
L2619393-03	AA-TP-02-04022026	02747	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.6	2
L2619393-03	AA-TP-02-04022026	2021	2.7L Can	03/30/26	561342	L2615800-06	Pass	-29.5	-8.1	-	-	-	-
L2619393-04	SS-TP-03-04022026	01178	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.5	0
L2619393-04	SS-TP-03-04022026	2341	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.5	-26.1	-	-	-	-
L2619393-05	AA-TP-03-04022026	0069	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.4	2
L2619393-05	AA-TP-03-04022026	403	2.7L Can	03/30/26	561342	L2615800-06	Pass	-29.6	-6.7	-	-	-	-
L2619393-06	SS-TP-04-04022026	0300	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.4	2
L2619393-06	SS-TP-04-04022026	4359	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.6	-8.5	-	-	-	-
L2619393-07	AA-TP-04-04022026	01943	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.7	4
L2619393-07	AA-TP-04-04022026	2301	2.7L Can	03/30/26	561342	L2615800-06	Pass	-29.5	-7.8	-	-	-	-
L2619393-08	SS-TP-05-04022026	0834	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.5	0

Project Name: SBD LLC

Lab Number: L2619393

Project Number: BUFFALO COLOR-AREA C

Report Date: 04/23/26

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt	Flow Controler Leak Chk	Flow Out mL/min	Flow In	% RPD
L2619393-08	SS-TP-05-04022026	3939	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.6	-6.7	-	-	-	-
L2619393-09	AA-TP-05-04022026	02265	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.6	2
L2619393-09	AA-TP-05-04022026	2335	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.6	-7.2	-	-	-	-
L2619393-10	SS-TP-99-04022026	01712	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.5	0
L2619393-10	SS-TP-99-04022026	499	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.6	-7.4	-	-	-	-
L2619393-11	AA-TP-99-04022026	01356	Flow 5	03/30/26	561342		-	-	-	Pass	4.5	4.5	0
L2619393-11	AA-TP-99-04022026	2376	2.7L Can	03/30/26	561342	L2612585-09	Pass	-29.6	-7.4	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 03/11/26 01:11
Analyst: KMH

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	0.996	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								

	Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds					

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	79		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	85		60-140

Project Name: BATCH CANISTER CERTIFICATION **Lab Number:** L2612585

Project Number: CANISTER QC BAT **Report Date:** 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 03/11/26 01:11
Analyst: KMH

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2612585
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2612585-09
Client ID: CAN 2612 SHELF 26
Sample Location:

Date Collected: 03/10/26 15:00
Date Received: 03/10/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	91		60-140
bromochloromethane	104		60-140
chlorobenzene-d5	95		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 03/24/26 04:24
Analyst: KMH

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	0.996	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: BATCH CANISTER CERTIFICATION **Lab Number:** L2615800

Project Number: CANISTER QC BAT **Report Date:** 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								

	Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds					

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	93		60-140
Bromochloromethane	103		60-140
chlorobenzene-d5	94		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 03/24/26 04:24
Analyst: KMH

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1

Project Name: BATCH CANISTER CERTIFICATION **Lab Number:** L2615800

Project Number: CANISTER QC BAT **Report Date:** 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2615800
Report Date: 04/23/26

Air Canister Certification Results

Lab ID: L2615800-06
Client ID: CAN 3213 SHELF 9
Sample Location:

Date Collected: 03/22/26 20:28
Date Received: 03/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	82		60-140
bromochloromethane	96		60-140
chlorobenzene-d5	87		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2619393
Report Date: 04/23/26

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
N/A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2619393-01A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30),TO15-SIM(30)
L2619393-02A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30)
L2619393-03A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-SIM(30),TO15-LL(30)
L2619393-04A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		CANCELLED()
L2619393-05A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30),TO15-SIM(30)
L2619393-06A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30)
L2619393-07A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-SIM(30),TO15-LL(30)
L2619393-08A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30)
L2619393-09A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-SIM(30),TO15-LL(30)
L2619393-10A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30)
L2619393-11A	Canister - 2.7L (Batch Certified)	N/A	NA			Y	Absent		TO15-LL(30),TO15-SIM(30)

*Values in parentheses indicate holding time in days

Project Name:	SBD LLC	**Lab Number:**	L2619393
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	04/23/26

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name:	SBD LLC	**Lab Number:**	L2619393
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	04/23/26

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report

Project Name:	SBD LLC	**Lab Number:**	L2619393
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	04/23/26

Data Qualifiers

ND	- Not detected at the reporting limit (RL) for the sample.
NJ	- Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
P	- The RPD between the results for the two columns exceeds the method-specified criteria.
Q	- The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
R	- Analytical results are from sample re-analysis.
RE	- Analytical results are from sample re-extraction.
S	- Analytical results are from modified screening analysis.
V	- The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
Z	- The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: Data Usability Report

REFERENCES

48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

ENV-FORM-WES2-0065 v02 Certificate/Approval Program Summary

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
EPA 624.1: m/p-xylene, o-xylene, Naphthalene
EPA 625.1: alpha-Terpineol
EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
SM 2540D: TSS.
Biological Tissue Matrix: EPA 3050B

PAS-MAN1 Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028
EPA 524.2: 1,3,5-Trichlorobenzene, m/p-Xylene, o-xylene.
EPA 625.1: 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, N-Nitrosodiphenylamine.
EPA 8081B NPW and SCM: Alachlor, Endrin Ketone, Hexachlorobenzene.
EPA 8260D NPW: Tetrahydrofuran, 1,3,5-Trichlorobenzene; **SCM:** TAME, TBEE, Diethyl ether, DIPE, Tetrahydrofuran. 1,3,5-Trichlorobenzene, Freon-113.
EPA 8270E: NPW: Carbazole, 1-Methylnaphthalene, Pentachloronitrobenzene; **SCM:** Carbazole, 1-Methylnaphthalene.
EPA TO-13: Air: Benzo(e)pyrene, 1-Methylnaphthalene, 2-Methylnaphthalene, Perylene.
EPA TO-4A Pesticide Air: delta-BHC, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Hexachlorobenzene, Methoxychlor.
SM4500: NPW: Amenable Cyanide; **SCM:** Total Phosphorus, TKN, NH3, NECi: NO2, NO3, ASTMD516.

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-G, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables).
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT.**

ENV-FORM-WES2-0065 v02 Certificate/Approval Program Summary

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522, EPA 537.1.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1: Hg. **EPA 245.7:** Hg.
SM2340B

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028

Drinking Water

EPA 300.0: NO3, NO2, Fl, Cl, SO4. **NECI Reductase**: NO3, NO2.
SM4500F-C, SM4500Cl-B, ASTM D516, SM4500CN-C,E, EPA 180.1, SM2320B, SM 2540C, SM4500H-B, SM4500SO4-E.
EPA 537.1; EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: SM9223-P/A: TC/EC; SM9223B-Colilert-enumeration: TC/EC; HPC-Simplate.

Non-Potable Water

SM4500H-B, SM2510B, SM2540C, SM2320B, SM4500Cl-B, ASTMD516, SM4500NH3-B, C, EPA 350.1, NECi: NO3, **SM4500NH3-B, C: TKN, SM4500P-E: Ortho Phosphate, SM4500P-B, E: Total Phosphorus, EPA 410.4, SM5210B, SM5310C, SM4500CN-C, E, SM2540D, SM4500Cl-G, SM4500SO4-E, EPA 1664, EPA 420.1, EPA 300.0:** Cl, SO4, NO3.
EPA 624.1: Volatile Halocarbons, Volatile Aromatics.
EPA 608.3: Chlordane, Toxaphene, Aldrin, Alpha-BHC, Beta-BHC, Gamma-BHC, Delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs.
EPA 625.1: SVOC-Acid Extractables and Base/Neutrals
Microbiology: SM9223B-Colilert: E. coli (Ambient and Wastewater), **SM9223B-Colilert-18:** Fecal Coliform (Wastewater).

Certification IDs:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
CT PH-0826, IL 200077, IN C-MA-03, KY kY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, CA 3117, CO MA00030, CT PH-0825, IL 200081, IN C-MA-04, KY KY98046, LA 85084, ME MA00030, MD 350, MA M-MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, UT MA00030, VT VT-0015, VA 460194, WA C954.

PAS-MAN1 Mansfield Air Lab Facility – 120 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, LA 245052, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

PAS-ELON East Longmeadow Facility – 39 Spruce St. East Longmeadow, MA 01028
CT PH-0821, ME MA00100, MI 9100, NC (DENR) 652, NC (DW) 25703, MA M-MA100, NH (Secondary) 2516, NH (Primary) 2557, NJ MA007, NY 10899, PA 68-05812, RI LAO00373, VA 460217, VT-255716, WV DEP 419, WV-DW 9979C, LA 05130, LA-DW LA042, MD-DW 373, OH 87781.

For a complete listing of analytes and methods, please contact your Project Manager.

AIR ANALYSIS

PAGE 1 OF 2

Pace ANALYTICAL SERVICES

CHAIN OF CUSTODY

120 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab: 04/04/26

Pace® Job #: L2619393

Client Information

Client: Inventum Engineering
Address: 491 Carlisle Dr. Suite C
Herndon VA
Phone: 518.844.5745
Fax: Todd.Waldrop@Inventumeng.com
Email: Austin.Oare@Inventumeng.com
☐ These samples have been previously analyzed by Pace

Project Information

Project Name: SBD LLC
Project Location: 140 Lee St., Buffalo NY
Project #: Buffalo Color - Area C
Project Manager: Todd. Waldrop
Pace® Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)
Date Due: Time:

Report Information - Data Deliverables

☐ FAX
☒ ADEx
Criteria Checker:
(Default based on Regulatory Criteria Indicated)
Other Formats:
☒ EMAIL (standard pdf report)
☐ Additional Deliverables:
Report to: (if different than Project Manager)

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm
NY		

Other Project Specific Requirements/Comments: Sample "SS-TP-03-04022026" seems to be drawing in very little air. There is positive pressure coming from the test port the sample is connected to, but it has never been this gradual. Please let us know if the flow controller or sumaa canister has any issues so we can rule out potential problems.

Project-Specific Target Compound List: ☐

All Columns Below Must Be Filled Out

PACE Lab ID (Lab Use Only)	Sample ID	COLLECTION End Date	Start Time	End Time	Initial Vacuum	Final Vacuum	Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	ANALYSIS TO-15	TO-15 SIM	APH Subset Non-petroleum HCs	Fixed Gases	Sulfides & Mercaptans by TO-15	☐	Sample Comments (i.e. PID)
19393-01	OUTDOOR-04022026	4/2/26	7:46	15:47	-29.71	-6.06	AA	AO	2.7	2863	0183	X	X					
-02	SS-TP-02-04022026	4/2/26	7:48	15:48	-29.25	-4.96	SV	AO	2.7	3166	02938	X	X					
-03	AA-TP-02-04022026	4/2/26	7:48	15:49	-28.96	-7.38	AA	AO	2.7	2021	02747	X	X					
-04	SS-TP-03-04022026	4/2/26	7:49	15:51	-27.67	-27.04	SV	AO	2.7	2341	01178	X	X					
-05	AA-TP-03-04022026	4/2/26	7:49	15:51	-29.66	-6.07	AA	AO	2.7	403	0069	X	X					
-06	SS-TP-04-04022026	4/2/26	7:51	15:54	-30.07	-8.72	SV	AO	2.7	435	90300	X	X					
-07	AA-TP-04-04022026	4/2/26	7:51	15:53	-28.65	-6.68	AA	AO	2.7	2301	01943	X	X					
-08	SS-TP-05-04022026	4/2/26	7:53	15:57	-29.68	-6.58	SV	AO	2.7	3939	0834	X	X					
-09	AA-TP-05-04022026	4/2/26	7:54	15:57	-29.63	-6.64	AA	AO	2.7	2335	02265	X	X					
-10	SS-TP-99-04022026	4/2/26	7:51	15:54	-26.03	-7.24	SV	AO	2.7	499	01712	X	X					

*SAMPLE MATRIX CODES
AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type: CS CS

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambi-guities are resolved. All samples submitted are subject to Pace's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
PACE	4/3/26 9:20	PACE	4/3/26 920
PACE	4/3/26 9:20	PACE	4/3/26 920
	4/3/26 15:12		4/3 23:45
	4/4 0:00		

AL 4-4-26 0330 AL 4-4-26 0420

04/04/26 0420

Serial_No:04232615:31

AIR ANALYSIS

PAGE 2 OF 2

CHAIN OF CUSTODY

Pace ANALYTICAL SERVICES

120 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab: 04/04/26

Pace® Job #: L2619393

Client Information

Client: Inventum Engineering
Address: 441 Carlisle Dr. Suite C
Herndon VA
Phone: 518-844-5745
Fax: Todd.Waldrop@Inventumeng.com
Email: Austin.Oare@Inventumeng.com
☐ These samples have been previously analyzed by Pace

Project Information

Project Name: SBD LLC.
Project Location: 140 Lee St., Buffalo NY
Project #: ~~Todd Waldrop~~ Buffalo Color-Area C
Project Manager: Todd Waldrop
Pace® Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved!)
Date Due: Time:

Report Information - Data Deliverables

☐ FAX
☒ ADEx
Criteria Checker:
(Default based on Regulatory Criteria Indicated)
Other Formats:
☒ EMAIL (standard pdf report)
☐ Additional Deliverables:
Report to: (if different than Project Manager)

Billing Information

☒ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm
NY		

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: ☐

All Columns Below Must Be Filled Out

PACE Lab ID (Lab Use Only)	Sample ID	COLLECTION End Date	Start Time	End Time	Initial Vacuum	Final Vacuum	Sample Matrix*	Sampler's Initials	Can Size	I D Can	I D - Flow Controller	ANALYSIS TO-15	TO-15 SIM	APH Subset Non-petroleum HCs ☐	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
-11	AA-TP-99-04022026	4/2/26	7:51	15:53	-29.72	-6.92	AA	AO	2.7	2376	01356	X	X				

*SAMPLE MATRIX CODES
AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type: CS CS

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambi-guities are resolved. All samples submitted are subject to Pace's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
Austin Oare	4/3/26 9:20	Mike Russell PACE	4/3/26 9:20
Mike Russell PACE	4/3/26 9:20	Buff S.C. PACE	4/3/26 9:20
Russell B Bisby	4/4 03:00		4/3 23:45

AL 4-4-26 0330 AL 4-4-26 0420

04/04/26 0420

Sample Delivery Group Summary

Pace Job Number : L2619393

Account Name : Inventum Engineering
Project Number : BUFFALO COLOR-AREA C
Project Name : SBD LLC

Received : 03-APR-2026
Reviewer : Christopher J Anderson

Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
N/A	Absent/			

Condition Information

1) All samples on COC received?	**YES**
2) Extra samples received?	**NO**
3) Are there any sample container discrepancies?	**NO**
4) Are there any discrepancies between COC & sample labels?	**NO**
5) Are samples in appropriate containers for requested analysis?	**YES**
6) Are samples properly preserved for requested analysis?	**YES**
7) Are samples within holding time for requested analysis?	**YES**
8) All sampling equipment returned?	**NO**

Following equipment was not returned with the samples:

Volatile Organics/VPH

1) Reagent Water Vials Frozen by Client?	**NA**

ANALYTICAL REPORT

Lab Number:	L2624047
Client:	Inventum Engineering 441 Carlisle Drive Suite C Herndon, VA 20170
ATTN:	Todd Waldrop
Phone:	(571) 752-6562
Project Name:	SBD LLC
Project Number:	BUFFALO COLOR-AREA C
Report Date:	05/06/26

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

120 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.pacelabs.com

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2624047-01	SS-TP-03A-04222026	SOIL_VAPOR	140 LEE ST, BUFFALO, NY	04/22/26 15:31	04/23/26

Project Name:	SBD LLC	**Lab Number:**	L2624047
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	05/06/26

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name:	SBD LLC	**Lab Number:**	L2624047
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	05/06/26

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on April 20, 2026. The canister certification data is provided as an addendum.

L2624047-01D: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen in order to perform a screen analysis. The pressurization resulted in a dilution of the samples. The reporting limits have been elevated accordingly.

The continuing calibration standard, associated with L2624047-01D, is outside of the %D criteria for IPA, however, the LCS was within criteria for these analytes, therefore the analysis proceeded.
The WG2208821-3 LCS recovery associated with L2624047-01D is outside the acceptance limit for 1,1,1-trichloroethane (68%) would be biased low. All samples associated with this LCS will have 1,1,1-trichloroethane reported by SIM if on client list of target compounds.
The continuing calibration standard, associated with L2624047-01D, is outside the %D criteria for Acetone and IPA, however, the LCS was within criteria for these analytes, therefore the analysis proceeded.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Christopher J. Anderson

Title: Technical Director/Representative Date: 05/06/26

QC OUTLIER SUMMARY REPORT

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Method	Client ID (Native ID)	Lab ID	Parameter	QC Type	Recovery/RPD (%)	QC Limits (%)	Associated Samples	Data Quality Assessment
Volatile Organics in Air - Mansfield Air Lab								
TO-15	Batch QC	WG2208821-3	1,1,1-Trichloroethane	LCS	68	70-130	01	potential low bias

AIR

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

SAMPLE RESULTS

Lab ID: L2624047-01 D
Client ID: SS-TP-03A-04222026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/22/26 15:31
Date Received: 04/23/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 05/06/26 04:32
Analyst: RAY

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.475	0.417	--	2.35	2.06	--		2.083
Chloromethane	0.977	0.417	--	2.02	0.861	--		2.083
Freon-114	ND	0.417	--	ND	2.91	--		2.083
Vinyl chloride	ND	0.417	--	ND	1.07	--		2.083
1,3-Butadiene	ND	0.417	--	ND	0.923	--		2.083
Bromomethane	ND	0.417	--	ND	1.62	--		2.083
Chloroethane	ND	0.417	--	ND	1.10	--		2.083
Ethanol	18.1	10.4	--	34.1	19.6	--		2.083
Vinyl bromide	ND	0.417	--	ND	1.82	--		2.083
Acetone	20.4	2.08	--	48.5	4.94	--		2.083
Trichlorofluoromethane	ND	0.417	--	ND	2.34	--		2.083
Isopropanol	2.37	2.08	--	5.83	5.11	--		2.083
1,1-Dichloroethene	ND	0.417	--	ND	1.65	--		2.083
Tertiary butyl Alcohol	5.10	1.04	--	15.5	3.15	--		2.083
Methylene chloride	ND	1.04	--	ND	3.61	--		2.083
3-Chloropropene	ND	0.417	--	ND	1.31	--		2.083
Carbon disulfide	1.20	0.417	--	3.74	1.30	--		2.083
Freon-113	ND	0.417	--	ND	3.20	--		2.083
trans-1,2-Dichloroethene	ND	0.417	--	ND	1.65	--		2.083
1,1-Dichloroethane	1.72	0.417	--	6.96	1.69	--		2.083
Methyl tert butyl ether	ND	0.417	--	ND	1.50	--		2.083
2-Butanone	64.4	1.04	--	190	3.07	--		2.083
cis-1,2-Dichloroethene	ND	0.417	--	ND	1.65	--		2.083

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

SAMPLE RESULTS

Lab ID: L2624047-01 D
Client ID: SS-TP-03A-04222026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/22/26 15:31
Date Received: 04/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	1.04	--	ND	3.75	--		2.083
Chloroform	ND	0.417	--	ND	2.04	--		2.083
Tetrahydrofuran	ND	1.04	--	ND	3.07	--		2.083
1,2-Dichloroethane	ND	0.417	--	ND	1.69	--		2.083
n-Hexane	0.721	0.417	--	2.54	1.47	--		2.083
Benzene	ND	0.417	--	ND	1.33	--		2.083
Carbon tetrachloride	ND	0.417	--	ND	2.62	--		2.083
Cyclohexane	ND	0.417	--	ND	1.44	--		2.083
1,2-Dichloropropane	ND	0.417	--	ND	1.93	--		2.083
Bromodichloromethane	ND	0.417	--	ND	2.79	--		2.083
1,4-Dioxane	ND	0.417	--	ND	1.50	--		2.083
Trichloroethene	ND	0.417	--	ND	2.24	--		2.083
2,2,4-Trimethylpentane	ND	0.417	--	ND	1.95	--		2.083
Heptane	ND	0.417	--	ND	1.71	--		2.083
cis-1,3-Dichloropropene	ND	0.417	--	ND	1.89	--		2.083
4-Methyl-2-pentanone	ND	1.04	--	ND	4.26	--		2.083
trans-1,3-Dichloropropene	ND	0.417	--	ND	1.89	--		2.083
1,1,2-Trichloroethane	ND	0.417	--	ND	2.28	--		2.083
Toluene	ND	0.417	--	ND	1.57	--		2.083
2-Hexanone	14.1	0.417	--	57.8	1.71	--		2.083
Dibromochloromethane	ND	0.417	--	ND	3.55	--		2.083
1,2-Dibromoethane	ND	0.417	--	ND	3.20	--		2.083
Tetrachloroethene	1.52	0.417	--	10.3	2.83	--		2.083
Chlorobenzene	ND	0.417	--	ND	1.92	--		2.083
Ethylbenzene	ND	0.417	--	ND	1.81	--		2.083
p/m-Xylene	ND	0.833	--	ND	3.62	--		2.083

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

SAMPLE RESULTS

Lab ID: L2624047-01 D
Client ID: SS-TP-03A-04222026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/22/26 15:31
Date Received: 04/23/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Bromoform	ND	0.417	--	ND	4.31	--		2.083
Styrene	ND	0.417	--	ND	1.78	--		2.083
1,1,2,2-Tetrachloroethane	ND	0.417	--	ND	2.86	--		2.083
o-Xylene	ND	0.417	--	ND	1.81	--		2.083
4-Ethyltoluene	ND	0.417	--	ND	2.05	--		2.083
1,3,5-Trimethylbenzene	ND	0.417	--	ND	2.05	--		2.083
1,2,4-Trimethylbenzene	ND	0.417	--	ND	2.05	--		2.083
Benzyl chloride	ND	0.417	--	ND	2.16	--		2.083
1,3-Dichlorobenzene	ND	0.417	--	ND	2.51	--		2.083
1,4-Dichlorobenzene	ND	0.417	--	ND	2.51	--		2.083
1,2-Dichlorobenzene	ND	0.417	--	ND	2.51	--		2.083
1,2,4-Trichlorobenzene	ND	0.417	--	ND	3.10	--		2.083
Naphthalene	1.76	0.396	--	9.23	2.08	--		2.083
Hexachlorobutadiene	ND	0.417	--	ND	4.45	--		2.083

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	78		60-140
Bromochloromethane	108		60-140
chlorobenzene-d5	80		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

SAMPLE RESULTS

Lab ID: L2624047-01 D
Client ID: SS-TP-03A-04222026
Sample Location: 140 LEE ST, BUFFALO, NY

Date Collected: 04/22/26 15:31
Date Received: 04/23/26
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15-SIM
Analytical Date: 05/06/26 04:32
Analyst: RAY

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,1,1-Trichloroethane	0.167	0.042	--	0.911	0.228	--		2.083

Internal Standard	**% Recovery**	**Qualifier**	**Acceptance Criteria**
1,4-difluorobenzene	87		60-140
bromochloromethane	109		60-140
chlorobenzene-d5	83		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2624047
Report Date: 05/06/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 05/05/26 15:17

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2208821-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2624047
Report Date: 05/06/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 05/05/26 15:17

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2208821-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2624047
Report Date: 05/06/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 05/05/26 15:17

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2208821-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C
Lab Number: L2624047
Report Date: 05/06/26

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15-SIM
Analytical Date: 05/05/26 15:56

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab for sample(s): 01 Batch: WG2208823-4								
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2208821-3					
Dichlorodifluoromethane	97		-		70-130	-		
Chloromethane	70		-		70-130	-		
Freon-114	96		-		70-130	-		
Vinyl chloride	102		-		70-130	-		
1,3-Butadiene	91		-		70-130	-		
Bromomethane	101		-		70-130	-		
Chloroethane	83		-		70-130	-		
Ethanol	85		-		40-160	-		
Vinyl bromide	100		-		70-130	-		
Acetone	72		-		40-160	-		
Trichlorofluoromethane	84		-		70-130	-		
Isopropanol	68		-		40-160	-		
1,1-Dichloroethene	106		-		70-130	-		
Tertiary butyl Alcohol	81		-		70-130	-		
Methylene chloride	107		-		70-130	-		
3-Chloropropene	90		-		70-130	-		
Carbon disulfide	105		-		70-130	-		
Freon-113	104		-		70-130	-		
trans-1,2-Dichloroethene	102		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2208821-3					
1,1-Dichloroethane	93		-		70-130	-		
Methyl tert butyl ether	87		-		70-130	-		
2-Butanone	81		-		70-130	-		
cis-1,2-Dichloroethene	100		-		70-130	-		
Ethyl Acetate	113		-		70-130	-		
Chloroform	102		-		70-130	-		
Tetrahydrofuran	89		-		70-130	-		
1,2-Dichloroethane	81		-		70-130	-		
n-Hexane	87		-		70-130	-		
1,1,1-Trichloroethane	**68**	Q	-		70-130	-		
Benzene	84		-		70-130	-		
Carbon tetrachloride	78		-		70-130	-		
Cyclohexane	94		-		70-130	-		
1,2-Dichloropropane	80		-		70-130	-		
Bromodichloromethane	90		-		70-130	-		
1,4-Dioxane	84		-		70-130	-		
Trichloroethene	84		-		70-130	-		
2,2,4-Trimethylpentane	96		-		70-130	-		
Heptane	71		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2208821-3					
cis-1,3-Dichloropropene	98		-		70-130	-		
4-Methyl-2-pentanone	73		-		70-130	-		
trans-1,3-Dichloropropene	81		-		70-130	-		
1,1,2-Trichloroethane	84		-		70-130	-		
Toluene	88		-		70-130	-		
2-Hexanone	78		-		70-130	-		
Dibromochloromethane	103		-		70-130	-		
1,2-Dibromoethane	99		-		70-130	-		
Tetrachloroethene	89		-		70-130	-		
Chlorobenzene	92		-		70-130	-		
Ethylbenzene	85		-		70-130	-		
p/m-Xylene	86		-		70-130	-		
Bromoform	110		-		70-130	-		
Styrene	92		-		70-130	-		
1,1,2,2-Tetrachloroethane	102		-		70-130	-		
o-Xylene	86		-		70-130	-		
4-Ethyltoluene	94		-		70-130	-		
1,3,5-Trimethylbenzene	96		-		70-130	-		
1,2,4-Trimethylbenzene	96		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2208821-3					
Benzyl chloride	76		-		70-130	-		
1,3-Dichlorobenzene	95		-		70-130	-		
1,4-Dichlorobenzene	95		-		70-130	-		
1,2-Dichlorobenzene	95		-		70-130	-		
1,2,4-Trichlorobenzene	82		-		70-130	-		
Naphthalene	90		-		70-130	-		
Hexachlorobutadiene	82		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air by SIM - Mansfield Air Lab Associated sample(s): 01 Batch: WG2208823-3								
1,1,1-Trichloroethane	74		-		70-130	-		

Project Name: SBD LLC

Lab Number: L2624047

Project Number: BUFFALO COLOR-AREA C

Report Date: 05/06/26

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt	Flow Controler Leak Chk	Flow Out mL/min	Flow In	% RPD
L2624047-01	SS-TP-03A-04222026	01591	Flow 4	04/20/26	564390		-	-	-	Pass	4.4	3.8	15
L2624047-01	SS-TP-03A-04222026	3423	2.7L Can	04/20/26	564390	L2618823-01	Pass	-29.2	-10.7	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/04/26 04:16
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	0.996	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: BATCH CANISTER CERTIFICATION **Lab Number:** L2618823

Project Number: CANISTER QC BAT **Report Date:** 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								

	Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds					

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	81		60-140
Bromochloromethane	98		60-140
chlorobenzene-d5	85		60-140

Project Name: BATCH CANISTER CERTIFICATION **Lab Number:** L2618823

Project Number: CANISTER QC BAT **Report Date:** 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/04/26 04:16
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2618823
Report Date: 05/06/26

Air Canister Certification Results

Lab ID: L2618823-01
Client ID: CAN 475 SHELF 44
Sample Location:

Date Collected: 04/03/26 12:47
Date Received: 04/03/26
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	75		60-140
bromochloromethane	92		60-140
chlorobenzene-d5	79		60-140

Project Name: SBD LLC
Project Number: BUFFALO COLOR-AREA C

Lab Number: L2624047
Report Date: 05/06/26

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
NA	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2624047-01A	Canister - 2.7L (Batch Certified)	NA	NA			Y	Absent		TO15-LL(30),TO15-SIM(30)

*Values in parentheses indicate holding time in days

Project Name:	SBD LLC	**Lab Number:**	L2624047
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	05/06/26

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name:	SBD LLC	**Lab Number:**	L2624047
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	05/06/26

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report

Project Name:	SBD LLC	**Lab Number:**	L2624047
Project Number:	BUFFALO COLOR-AREA C	**Report Date:**	05/06/26

Data Qualifiers

ND	- Not detected at the reporting limit (RL) for the sample.
NJ	- Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
P	- The RPD between the results for the two columns exceeds the method-specified criteria.
Q	- The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
R	- Analytical results are from sample re-analysis.
RE	- Analytical results are from sample re-extraction.
S	- Analytical results are from modified screening analysis.
V	- The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
Z	- The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: Data Usability Report

Project Name: SBD LLC **Lab Number:** L2624047

Project Number: BUFFALO COLOR-AREA C **Report Date:** 05/06/26

REFERENCES

48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

ENV-FORM-WES2-0065 v02 Certificate/Approval Program Summary

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
EPA 624.1: m/p-xylene, o-xylene, Naphthalene
EPA 625.1: alpha-Terpineol
EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
SM 2540D: TSS.
Biological Tissue Matrix: EPA 3050B

PAS-MAN1 Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028
EPA 524.2: 1,3,5-Trichlorobenzene, m/p-Xylene, o-xylene.
EPA 625.1: 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, N-Nitrosodiphenylamine.
EPA 8081B NPW and SCM: Alachlor, Endrin Ketone, Hexachlorobenzene.
EPA 8260D NPW: Tetrahydrofuran, 1,3,5-Trichlorobenzene; **SCM:** TAME, TBEE, Diethyl ether, DIPE, Tetrahydrofuran. 1,3,5-Trichlorobenzene, Freon-113.
EPA 8270E: NPW: Carbazole, 1-Methylnaphthalene, Pentachloronitrobenzene; **SCM:** Carbazole, 1-Methylnaphthalene.
EPA TO-13: Air: Benzo(e)pyrene, 1-Methylnaphthalene, 2-Methylnaphthalene, Perylene.
EPA TO-4A Pesticide Air: delta-BHC, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Hexachlorobenzene, Methoxychlor.
SM4500: NPW: Amenable Cyanide; **SCM:** Total Phosphorus, TKN, NH3, NECi: NO2, NO3, ASTMD516.

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-G, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables).
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT.**

ENV-FORM-WES2-0065 v02 Certificate/Approval Program Summary

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522, EPA 537.1.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1: Hg. **EPA 245.7:** Hg.
SM2340B

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028

Drinking Water

EPA 300.0: NO3, NO2, Fl, Cl, SO4. **NECI Reductase**: NO3, NO2.
SM4500F-C, SM4500Cl-B, ASTM D516, SM4500CN-C,E, EPA 180.1, SM2320B, SM 2540C, SM4500H-B, SM4500SO4-E.
EPA 537.1; EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: SM9223-P/A: TC/EC; SM9223B-Colilert-enumeration: TC/EC; HPC-Simplate.

Non-Potable Water

SM4500H-B, SM2510B, SM2540C, SM2320B, SM4500Cl-B, ASTMD516, SM4500NH3-B, C, EPA 350.1, NECi: NO3, **SM4500NH3-B, C: TKN, SM4500P-E: Ortho Phosphate, SM4500P-B, E: Total Phosphorus, EPA 410.4, SM5210B, SM5310C, SM4500CN-C, E, SM2540D, SM4500Cl-G, SM4500SO4-E, EPA 1664, EPA 420.1, EPA 300.0:** Cl, SO4, NO3.
EPA 624.1: Volatile Halocarbons, Volatile Aromatics.
EPA 608.3: Chlordane, Toxaphene, Aldrin, Alpha-BHC, Beta-BHC, Gamma-BHC, Delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs.
EPA 625.1: SVOC-Acid Extractables and Base/Neutrals
Microbiology: SM9223B-Colilert: E. coli (Ambient and Wastewater), **SM9223B-Colilert-18:** Fecal Coliform (Wastewater).

Certification IDs:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
CT PH-0826, IL 200077, IN C-MA-03, KY kY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, CA 3117, CO MA00030, CT PH-0825, IL 200081, IN C-MA-04, KY KY98046, LA 85084, ME MA00030, MD 350, MA M-MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, UT MA00030, VT VT-0015, VA 460194, WA C954.

PAS-MAN1 Mansfield Air Lab Facility – 120 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, LA 245052, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

PAS-ELON East Longmeadow Facility – 39 Spruce St. East Longmeadow, MA 01028
CT PH-0821, ME MA00100, MI 9100, NC (DENR) 652, NC (DW) 25703, MA M-MA100, NH (Secondary) 2516, NH (Primary) 2557, NJ MA007, NY 10899, PA 68-05812, RI LAO00373, VA 460217, VT-255716, WV DEP 419, WV-DW 9979C, LA 05130, LA-DW LA042, MD-DW 373, OH 87781.

For a complete listing of analytes and methods, please contact your Project Manager.

AIR ANALYSIS

PAGE 1 OF 1

CHAIN OF CUSTODY

Pace ANALYTICAL SERVICES
120 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab: 4/24/26

Pace® Job #: L2024047

Client Information

Client: Inventum Engineering
Address: 441 Carlisle Dr. Suite C
Herndon VA
Phone: 518. 844. 5745
Fax: Todd. Waldrop@Inventumeng.com
Email: Austin.Oare@Inventumeng.com
☐ These samples have been previously analyzed by Pace

Project Information

Project Name: SBD LLC.
Project Location: 140 Lee st., Buffalo NY
Project #: Buffalo Color - Area C
Project Manager: Todd Waldrop
Pace® Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)
Date Due: Time:

Report Information - Data Deliverables

☐ FAX
☒ ADEx
Criteria Checker:
(Default based on Regulatory Criteria Indicated)
Other Formats:
☒ EMAIL (standard pdf report)
☐ Additional Deliverables:
Report to: (if different than Project Manager)

Billing Information

☒ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm
NY		

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: ☐

All Columns Below Must Be Filled Out

PACE Lab ID (Lab Use Only)	Sample ID	COLLECTION End Date	Start Time	End Time	Initial Vacuum	Final Vacuum	Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	ANALYSIS TO-15	TO-15 SIM	APH Subtract Non-petroleum HCs ☐	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
24047-01	SS-TP-03A-04222026	4/22/26	7:31	15:31	-29.70	-10.55	SV	AO	2.7L	3423	01591	X	X				

*SAMPLE MATRIX CODES
AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type: CS CS

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambi-guities are resolved. All samples submitted are subject to Pace's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
Charles O Pace BUFF S/C NORBU	04/23/26 14:06	Charles O Pace	4.23.24 14:06
	4-23-26 14:08	Buffalo S/C	4.23.24 14:08
	4-23-26 15:00	NORBU	4.23.26 15:00
	4-23-26 19:30	[illegible] 4/24/26 0320	[illegible] 4/24/26 0320

Form No: 101-02 Rev: (25-Sep-15)

Sample Delivery Group Summary

Pace Job Number : L2624047

Account Name : Inventum Engineering
Project Number : BUFFALO COLOR-AREA C
Project Name : SBD LLC

Received : 23-APR-2026
Reviewer : Christopher J Anderson

Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
NA	Absent/			

Condition Information

1) All samples on COC received?	**YES**
2) Extra samples received?	**NO**
3) Are there any sample container discrepancies?	**NO**
4) Are there any discrepancies between COC & sample labels?	**NO**
5) Are samples in appropriate containers for requested analysis?	**YES**
6) Are samples properly preserved for requested analysis?	**YES**
7) Are samples within holding time for requested analysis?	**YES**
8) All sampling equipment returned?	**YES**

Volatile Organics/VPH

1) Reagent Water Vials Frozen by Client?	**NA**

Attachment C – Data Usability Summary Report

Data Usability Summary Report

Vali-Data of WNY, LLC
89 Morningside Dr.
Grand Island, NY 14072

Buffalo Color
Pace Analytical Services SDG#L2619393
May 22, 2026
Sampling date: 4/2/2026

Prepared by:
Jodi Zimmerman
Vali-Data of WNY, LLC
89 Morningside Dr.
Grand Island, NY 14072

DELIVERABLES

This Data Usability Summary Report (DUSR) was prepared by evaluating the analytical data package for Inventum Engineering, project located at 140 Lee St., Buffalo, NY, Pace Analytical Services, SDG#L2619393 submitted to Vali-Data of WNY, LLC on May 21, 2026. This DUSR has been prepared in general compliance with NYSDEC Analytical Services Protocols and USEPA National Functional Guidelines (SOP NO. HW-31, revision 6). The laboratory performed the analysis using Compendium of Methods for the Determination of Toxic Organic Compounds, Compendium Method TO-15, January 1999.

DUSR ID	Sample ID	Laboratory ID
1	OUTDOOR-04022026	L2619393-01
2	SS-TP-02-04022026	L2619393-02
3	AA-TP-02-04022026	L2619393-03
5	AA-TP-03-04022026	L2619393-05
6	SS-TP-04-04022026	L2619393-06
7	AA-TP-04-04022026	L2619393-07
8	SS-TP-05-04022026	L2619393-08
9	AA-TP-05-04022026	L2619393-09
10	SS-TP-99-04022026	L2619393-10
11	AA-TP-99-04022026	L2619393-11

VOLATILE ORGANIC COMPOUNDS

The following items/criteria were reviewed for this analytical suite:

-Data Completeness
-Narrative and Data Reporting Forms
-Chain of Custody and Traffic Reports
-Holding Times
-Internal Standard (IS) Area Performance
-Method Blank
-Field Duplicate Sample Precision
-Laboratory Control Samples
-MS/MSD/Duplicate
-Compound Quantitation
-Initial Calibration
-Continuing Calibration
-GC/MS Performance Check
-Canister Certification Blanks

The items listed above were technically in compliance with the method and SOP criteria with the exceptions discussed in the text below. The data have been reviewed according to the

procedures outlined above and qualified accordingly.

OVERALL EVALUATION OF DATA AND POTENTIAL USABILITY ISSUES
The data are acceptable for use except where qualified below in Laboratory Control Samples, Initial Calibration and Continuing Calibration.

All target analytes were recorded to the reporting limits.

DATA COMPLETENESS
All criteria were met.

NARRATIVE AND DATA REPORTING FORMS
All criteria were met.

CHAIN OF CUSTODY AND TRAFFIC REPORTS
All criteria were met.

HOLDING TIMES
All holding times were met.

INTERNAL STANDARD (IS)
All criteria were met.

METHOD BLANK
All criteria were met.

FIELD DUPLICATE SAMPLE PRECISION
All criteria were met except Tetrahydrofuran, m&p-Xylene and o-Xylene were detected in DUSR ID#10 but were not detected in #6. Heptane was detected in DUSR ID#6 but was not detected in #10.

LABORATORY CONTROL SAMPLES
All criteria were met except a couple of target analytes were outside QC limits in the laboratory control samples and should be qualified as estimated.

LCS/LCSD ID	Target Analyte	%Rec LCS	Qualifier	Associated Sample
WG2200769	Ethanol	41	UJ/J	1, 3, 5, 7, 9, 11
WG2201237	Ethanol	47	UJ/J	2, 10
WG2201827	Ethanol	57	UJ	6, 8
WG2201827	tert-Butyl alcohol	65	J	6, 8

MS/MSD/DUPLICATE
No MS/MSD/Duplicate was acquired.

COMPOUND QUANTITATION
All criteria were met.

INITIAL CALIBRATION
All criteria were met except a target analyte was outside QC limit in the initial calibration and/or the initial calibration verification and should be qualified as estimated in the associated samples, blanks and spikes.

ICal/ICV ID	Target Analyte	%RSD/%D	Qualifier	Associated Sample
ICal Airlab17	2-Hexanone	30.1	UJ/J	WG220769, WG2201237, WG2201827, 1-3, 5-11
ICV Airlab17	2-Hexanone	-33.2	UJ/J	WG220769, WG2201237, WG2201827, 1-3, 5-11

The RRF of some target analytes should be denoted with a 10^{1}. This does not affect the usability of the data.

CONTINUING CALIBRATION
All criteria were met except several target analytes were outside QC limits in the continuing calibrations and should be qualified as estimated in the associated samples, blanks and spikes.

CCal ID	Target Analyte	%D	Qualifier	Associated Sample
WG2200769-2	Ethanol	42.6	UJ/J	WG2200769, 1, 3, 5, 7, 9, 11
WG2200769-2	2-Hexanone	36.8	UJ/J	WG2200769, 1, 3, 5, 7, 9, 11
WG2201237-2	Ethanol	37.6	UJ/J	WG2201237, 2, 10
WG2201237-2	2-Hexanone	36.9	UJ/J	WG2201237, 2, 10
WG2201827-2	Ethanol	43.2	UJ/J	WG2201827, 6, 8
WG2201827-2	Hexane	30.1	UJ/J	WG2201827, 6, 8
WG2201827-2	tert-Butyl alcohol	34.8	UJ/J	WG2201827, 6, 8
WG2201827-2	Bromoform	-37.6	UJ/J	WG2201827, 6, 8

GC/MS PERFORMANCE CHECK
All criteria were met.

CANISTER CERTIFICATION BLANKS
All criteria were met.

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY
For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on March 30, 2026. The canister certification data is provided as an addendum.

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

L2619393-04: the canister was received at a pressure of -26.1 inHg then at somepoint prior to analysis the canister leaked to ambient pressure. The analysis of this sample was cancelled.

The WG2200769-3 LCS recoveries for naphthalene (68%) are outside the 70%-130% acceptance limit. The LCS was within overall method allowances, therefore the analysis proceeded.
WG201237-3 LCS recovery associated with L2619393-02 and -10 is above the upper 130% acceptance limit for bromoform (133%). All samples associated with this LCS do not have reportable amounts of this analyte.
The continuing calibration standard, associated with L2619393-06 and -08, is outside the %D criteria for Tertiary butyl Alcohol, n-Hexane; however, it is within overall acceptance criteria.
The WG2201827-3 LCS recoveries for tert-butyl alcohol (65%) are outside the 70%-130% acceptance limit. The LCS was within overall method allowances, therefore the analysis proceeded.The WG2201827-3 LCS recovery associated with L2619393-06 and -08 is above the upper 130% acceptance limit for bromoform (138%). All samples associated with this LCS do not have reportable amounts of this analyte.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Christopher J Anderson Report Date: 04/23/26

Title: Technical Director/Representative

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Matrix (Level)	: AIR (LOW)		
LCS Sample ID	: WG2200769-3	**Analysis Date** : 04/19/26 15:28	**File ID** : r1755713
LCSD Sample ID	:	**Analysis Date** :	**File ID** :

	Laboratory Control Sample			Laboratory Control Duplicate					
Parameter	True (ppbV)	Found (ppbV)	%R	True (ppbV)	Found (ppbV)	%R	RPD	Recovery Limits	RPD Limit
Dichlorodifluoromethane	10	9.66	97				-	70-130	-
Chloromethane	10	7.65	76				-	70-130	-
Freon-114	10	9.11	91				-	70-130	-
Vinyl chloride	10	7.38	74				-	70-130	-
1,3-Butadiene	10	7.98	80				-	70-130	-
Bromomethane	10	9.52	95				-	70-130	-
Chloroethane	10	7.43	74				-	70-130	-
Ethanol	50	24.4	49				-	40-160	-
Vinyl bromide	10	10.9	109				-	70-130	-
Acetone	50	46.2	92				-	40-160	-
Trichlorofluoromethane	10	10.2	102				-	70-130	-
Isopropanol	25	22.5	90				-	40-160	-
1,1-Dichloroethene	10	9.36	94				-	70-130	-
Tertiary butyl Alcohol	10	7.40	74				-	70-130	-
Methylene chloride	10	10.0	100				-	70-130	-
3-Chloropropene	10	9.77	98				-	70-130	-
Carbon disulfide	10	10.7	107				-	70-130	-
Freon-113	10	10.5	105				-	70-130	-
trans-1,2-Dichloroethene	10	9.36	94				-	70-130	-
1,1-Dichloroethane	10	8.98	90				-	70-130	-
Methyl tert butyl ether	10	10.0	100				-	70-130	-
2-Butanone	10	9.62	96				-	70-130	-
cis-1,2-Dichloroethene	10	9.06	91				-	70-130	-
Ethyl Acetate	10	10.0	100				-	70-130	-
Chloroform	10	10.7	107				-	70-130	-
Tetrahydrofuran	10	10.5	105				-	70-130	-

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Matrix (Level)	: AIR (LOW)		
LCS Sample ID	: WG2200769-3	**Analysis Date** : 04/19/26 15:28	**File ID** : r1755713
LCSD Sample ID	:	**Analysis Date** :	**File ID** :

	Laboratory Control Sample			Laboratory Control Duplicate					
Parameter	**True (ppbV)**	**Found (ppbV)**	**%R**	**True (ppbV)**	**Found (ppbV)**	**%R**	**RPD**	**Recovery Limits**	**RPD Limit**
1,1,2,2-Tetrachloroethane	10	10.9	109				-	70-130	-
o-Xylene	10	10.0	100				-	70-130	-
4-Ethyltoluene	10	11.3	113				-	70-130	-
1,3,5-Trimethylbenzene	10	11.0	110				-	70-130	-
1,2,4-Trimethylbenzene	10	11.1	111				-	70-130	-
Benzyl chloride	10	7.65	76				-	70-130	-
1,3-Dichlorobenzene	10	10.7	107				-	70-130	-
1,4-Dichlorobenzene	10	10.5	105				-	70-130	-
1,2-Dichlorobenzene	10	10.1	101				-	70-130	-
1,2,4-Trichlorobenzene	10	8.92	89				-	70-130	-
Naphthalene	10	6.85	68 Q				-	70-130	-
Hexachlorobutadiene	10	9.16	92				-	70-130	-

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Matrix (Level)	: AIR (LOW)		
LCS Sample ID	: WG2201237-3	**Analysis Date** : 04/20/26 14:50	**File ID** : r1755734
LCSD Sample ID	:	**Analysis Date** :	**File ID** :

	Laboratory Control Sample			Laboratory Control Duplicate					
Parameter	True (ppbV)	Found (ppbV)	%R	True (ppbV)	Found (ppbV)	%R	RPD	Recovery Limits	RPD Limit
Dichlorodifluoromethane	10	9.31	93				-	70-130	-
Chloromethane	10	7.26	73				-	70-130	-
Freon-114	10	8.76	88				-	70-130	-
Vinyl chloride	10	7.07	71				-	70-130	-
1,3-Butadiene	10	7.67	77				-	70-130	-
Bromomethane	10	9.28	93				-	70-130	-
Chloroethane	10	7.09	71				-	70-130	-
Ethanol	50	23.7	47				-	40-160	-
Vinyl bromide	10	10.7	107				-	70-130	-
Acetone	50	45.2	90				-	40-160	-
Trichlorofluoromethane	10	9.98	100				-	70-130	-
Isopropanol	25	22.0	88				-	40-160	-
1,1-Dichloroethene	10	9.09	91				-	70-130	-
Tertiary butyl Alcohol	10	7.25	72				-	70-130	-
Methylene chloride	10	9.77	98				-	70-130	-
3-Chloropropene	10	9.63	96				-	70-130	-
Carbon disulfide	10	10.4	104				-	70-130	-
Freon-113	10	10.3	103				-	70-130	-
trans-1,2-Dichloroethene	10	9.16	92				-	70-130	-
1,1-Dichloroethane	10	8.81	88				-	70-130	-
Methyl tert butyl ether	10	9.80	98				-	70-130	-
2-Butanone	10	9.46	95				-	70-130	-
cis-1,2-Dichloroethene	10	8.91	89				-	70-130	-
Ethyl Acetate	10	9.72	97				-	70-130	-
Chloroform	10	10.4	104				-	70-130	-
Tetrahydrofuran	10	10.3	103				-	70-130	-

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Matrix (Level)	: AIR (LOW)		
LCS Sample ID	: WG2201827-3	**Analysis Date** : 04/21/26 16:18	**File ID** : r1755760
LCSD Sample ID	:	**Analysis Date** :	**File ID** :

	Laboratory Control Sample			Laboratory Control Duplicate					
Parameter	True (ppbV)	Found (ppbV)	%R	True (ppbV)	Found (ppbV)	%R	RPD	Recovery Limits	RPD Limit
Dichlorodifluoromethane	10	10.1	101				-	70-130	-
Chloromethane	10	8.70	87				-	70-130	-
Freon-114	10	10.1	101				-	70-130	-
Vinyl chloride	10	7.38	74				-	70-130	-
1,3-Butadiene	10	8.18	82				-	70-130	-
Bromomethane	10	9.93	99				-	70-130	-
Chloroethane	10	7.00	70				-	70-130	-
Ethanol	50	28.4	57				-	40-160	-
Vinyl bromide	10	11.2	112				-	70-130	-
Acetone	50	49.2	98				-	40-160	-
Trichlorofluoromethane	10	10.3	103				-	70-130	-
Isopropanol	25	23.2	93				-	40-160	-
1,1-Dichloroethene	10	8.51	85				-	70-130	-
Tertiary butyl Alcohol	10	6.52	65 Q				-	70-130	-
Methylene chloride	10	9.81	98				-	70-130	-
3-Chloropropene	10	10.0	100				-	70-130	-
Carbon disulfide	10	10.7	107				-	70-130	-
Freon-113	10	10.3	103				-	70-130	-
trans-1,2-Dichloroethene	10	8.55	86				-	70-130	-
1,1-Dichloroethane	10	8.28	83				-	70-130	-
Methyl tert butyl ether	10	10.4	104				-	70-130	-
2-Butanone	10	10.1	101				-	70-130	-
cis-1,2-Dichloroethene	10	8.22	82				-	70-130	-
Ethyl Acetate	10	8.96	90				-	70-130	-
Chloroform	10	10.6	106				-	70-130	-
Tetrahydrofuran	10	10.8	108				-	70-130	-

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-01	Date Collected	: 04/02/26 15:47
Client ID	: OUTDOOR-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 22:10
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755717	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.528	0.200	--	2.61	0.989	--	
74-87-3	Chloromethane	0.510	0.200	--	1.05	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	1.87	1.00	--	4.44	2.38	--	
75-69-4	Trichlorofluoromethane	0.234	0.200	--	1.31	1.12	--	
67-63-0	Isopropanol	ND	1.00	--	ND	2.46	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-01	Date Collected	: 04/02/26 15:47
Client ID	: OUTDOOR-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 22:10
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755717	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-01	Date Collected	: 04/02/26 15:47
Client ID	: OUTDOOR-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 22:10
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755717	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-02	Date Collected	: 04/02/26 15:48
Client ID	: SS-TP-02-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 11:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755754	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.516	0.200	--	2.55	0.989	--	
74-87-3	Chloromethane	0.495	0.200	--	1.02	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	275	5.00	--	518	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	29.5	1.00	--	70.1	2.38	--	
75-69-4	Trichlorofluoromethane	0.261	0.200	--	1.47	1.12	--	
67-63-0	Isopropanol	33.5	1.00	--	82.3	2.46	--	
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	1.23	0.500	--	3.73	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	13.3	0.500	--	39.2	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	1.03	0.500	--	3.71	1.80	--	
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	0.904	0.500	--	2.67	1.47	--	

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-02	Date Collected	: 04/02/26 15:48
Client ID	: SS-TP-02-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 11:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755754	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	2.24	0.200	--	7.89	0.705	--	
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	0.207	0.200	--	0.661	0.639	--	
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	0.227	0.200	--	0.930	0.820	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	0.280	0.200	--	1.06	0.754	--	
591-78-6	2-Hexanone	2.13	0.200	--	8.73	0.820	--	
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	4.51	0.200	--	30.6	1.36	--	
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-02	Date Collected	: 04/02/26 15:48
Client ID	: SS-TP-02-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 11:10
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755754	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	0.585	0.190	--	3.07	0.996	--	
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-03	Date Collected	: 04/02/26 15:49
Client ID	: AA-TP-02-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 22:48
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755718	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.537	0.200	--	2.66	0.989	--	
74-87-3	Chloromethane	0.563	0.200	--	1.16	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	196	5.00	--	369	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	6.39	1.00	--	15.2	2.38	--	
75-69-4	Trichlorofluoromethane	0.267	0.200	--	1.50	1.12	--	
67-63-0	Isopropanol	5.56	1.00	--	13.7	2.46	--	
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	0.529	0.500	--	1.56	1.47	--	
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	0.706	0.500	--	2.08	1.47	--	
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	0.437	0.200	--	1.54	0.705	--	
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-03	Date Collected	: 04/02/26 15:49
Client ID	: AA-TP-02-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 22:48
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755718	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-03	**Date Collected**	: 04/02/26 15:49
Client ID	: AA-TP-02-04022026	**Date Received**	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	**Date Analyzed**	: 04/19/26 22:48
Sample Matrix	: AIR	**Dilution Factor**	: 1
Analytical Method	: 48,TO-15	**Analyst**	: KJD
Lab File ID	: R1755718	**Instrument ID**	: AIRLAB17
Sample Amount	: 250 ml	**GC Column**	: RTX-1

		ppbV			ug/m3			
CAS NO.	**Parameter**	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-05	Date Collected	: 04/02/26 15:51
Client ID	: AA-TP-03-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 23:26
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755719	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.510	0.200	--	2.52	0.989	--	
74-87-3	Chloromethane	0.481	0.200	--	0.993	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	99.3	5.00	--	187	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	5.20	1.00	--	12.4	2.38	--	
75-69-4	Trichlorofluoromethane	0.250	0.200	--	1.40	1.12	--	
67-63-0	Isopropanol	3.12	1.00	--	7.67	2.46	--	
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	0.589	0.500	--	1.74	1.47	--	
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	0.768	0.500	--	2.27	1.47	--	
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-05	Date Collected	: 04/02/26 15:51
Client ID	: AA-TP-03-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 23:26
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755719	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-05	Date Collected	: 04/02/26 15:51
Client ID	: AA-TP-03-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/19/26 23:26
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755719	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-06	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 02:58
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755771	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.570	0.200	--	2.82	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	25.6	1.00	--	60.8	2.38	--	
75-69-4	Trichlorofluoromethane	0.282	0.200	--	1.58	1.12	--	
67-63-0	Isopropanol	6.34	1.00	--	15.6	2.46	--	
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	3.62	0.500	--	11.0	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	33.2	0.500	--	97.9	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-06	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 02:58
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755771	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	0.221	0.200	--	0.779	0.705	--	
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	0.807	0.200	--	2.58	0.639	--	
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	0.207	0.200	--	0.848	0.820	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	0.224	0.200	--	0.844	0.754	--	
591-78-6	2-Hexanone	6.88	0.200	--	28.2	0.820	--	
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	1.53	0.200	--	10.4	1.36	--	
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-06	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 02:58
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755771	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	0.597	0.190	--	3.13	0.996	--	
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-07	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:04
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755720	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.504	0.200	--	2.49	0.989	--	
74-87-3	Chloromethane	0.483	0.200	--	0.997	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	79.9	5.00	--	151	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	11.3	1.00	--	26.8	2.38	--	
75-69-4	Trichlorofluoromethane	0.238	0.200	--	1.34	1.12	--	
67-63-0	Isopropanol	20.2	1.00	--	49.7	2.46	--	
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	0.506	0.500	--	1.76	1.74	--	
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	0.939	0.500	--	2.77	1.47	--	
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	2.31	0.200	--	8.14	0.705	--	
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-07	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:04
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755720	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-07	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-04-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:04
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755720	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-08	Date Collected	: 04/02/26 15:57
Client ID	: SS-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 03:36
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755772	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.554	0.200	--	2.74	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	15.3	1.00	--	36.3	2.38	--	
75-69-4	Trichlorofluoromethane	0.256	0.200	--	1.44	1.12	--	
67-63-0	Isopropanol	7.16	1.00	--	17.6	2.46	--	
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	2.18	0.500	--	6.61	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	23.0	0.500	--	67.8	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	1.01	0.500	--	2.98	1.47	--	

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-08	Date Collected	: 04/02/26 15:57
Client ID	: SS-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 03:36
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755772	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	0.651	0.200	--	2.29	0.705	--	
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	0.721	0.200	--	2.30	0.639	--	
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	0.492	0.200	--	2.02	0.820	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	0.268	0.200	--	1.01	0.754	--	
591-78-6	2-Hexanone	4.36	0.200	--	17.9	0.820	--	
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	2.74	0.200	--	18.6	1.36	--	
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-08	Date Collected	: 04/02/26 15:57
Client ID	: SS-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/22/26 03:36
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755772	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	1.10	0.190	--	5.77	0.996	--	
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-09	Date Collected	: 04/02/26 15:57
Client ID	: AA-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:42
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755721	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.518	0.200	--	2.56	0.989	--	
74-87-3	Chloromethane	0.470	0.200	--	0.971	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	56.4	5.00	--	106	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	2.90	1.00	--	6.89	2.38	--	
75-69-4	Trichlorofluoromethane	0.241	0.200	--	1.35	1.12	--	
67-63-0	Isopropanol	3.18	1.00	--	7.82	2.46	--	
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-09	Date Collected	: 04/02/26 15:57
Client ID	: AA-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:42
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755721	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-09	Date Collected	: 04/02/26 15:57
Client ID	: AA-TP-05-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 00:42
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755721	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-10	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 13:13
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755757	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.481	0.200	--	2.38	0.989	--	
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	22.6	1.00	--	53.7	2.38	--	
75-69-4	Trichlorofluoromethane	0.242	0.200	--	1.36	1.12	--	
67-63-0	Isopropanol	9.37	1.00	--	23.0	2.46	--	
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	3.58	0.500	--	10.9	1.52	--	
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	34.3	0.500	--	101	1.47	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	2.36	0.500	--	6.96	1.47	--	

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-10	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 13:13
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755757	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	0.307	0.200	--	1.08	0.705	--	
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	0.630	0.200	--	2.01	0.639	--	
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	0.242	0.200	--	0.912	0.754	--	
591-78-6	2-Hexanone	8.53	0.200	--	35.0	0.820	--	
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	1.57	0.200	--	10.6	1.36	--	
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	0.591	0.400	--	2.57	1.74	--	
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-10	Date Collected	: 04/02/26 15:54
Client ID	: SS-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/21/26 13:13
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755757	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	0.217	0.200	--	0.943	0.869	--	
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	1.11	0.190	--	5.82	0.996	--	
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-11	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 01:20
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755722	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.535	0.200	--	2.65	0.989	--	
74-87-3	Chloromethane	0.494	0.200	--	1.02	0.413	--	
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	90.7	5.00	--	171	9.42	--	
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	4.60	1.00	--	10.9	2.38	--	
75-69-4	Trichlorofluoromethane	0.261	0.200	--	1.47	1.12	--	
67-63-0	Isopropanol	4.26	1.00	--	10.5	2.46	--	
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	0.504	0.500	--	1.75	1.74	--	
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	0.663	0.500	--	1.96	1.47	--	
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	0.247	0.200	--	0.871	0.705	--	
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-11	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 01:20
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755722	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2619393-11	Date Collected	: 04/02/26 15:53
Client ID	: AA-TP-99-04022026	Date Received	: 04/03/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 04/20/26 01:20
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755722	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2200769-4	Date Collected	: NA
Client ID	: WG2200769-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/19/26 18:08
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755715	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	U
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	ND	1.00	--	ND	2.38	--	U
75-69-4	Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	U
67-63-0	Isopropanol	ND	1.00	--	ND	2.46	--	U
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2200769-4	Date Collected	: NA
Client ID	: WG2200769-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/19/26 18:08
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755715	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	ND	0.200	--	ND	1.36	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2200769-4	Date Collected	: NA
Client ID	: WG2200769-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/19/26 18:08
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755715	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	ND	0.190	--	ND	0.996	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201237-4	Date Collected	: NA
Client ID	: WG2201237-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/20/26 23:51
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755736	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	U
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	ND	1.00	--	ND	2.38	--	U
75-69-4	Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	U
67-63-0	Isopropanol	ND	1.00	--	ND	2.46	--	U
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201237-4	Date Collected	: NA
Client ID	: WG2201237-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/20/26 23:51
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755736	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	ND	0.200	--	ND	1.36	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201237-4	Date Collected	: NA
Client ID	: WG2201237-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/20/26 23:51
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755736	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	ND	0.190	--	ND	0.996	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201827-4	Date Collected	: NA
Client ID	: WG2201827-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/21/26 21:18
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755762	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	U
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	ND	1.00	--	ND	2.38	--	U
75-69-4	Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	U
67-63-0	Isopropanol	ND	1.00	--	ND	2.46	--	U
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201827-4	Date Collected	: NA
Client ID	: WG2201827-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/21/26 21:18
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755762	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	ND	0.200	--	ND	1.36	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2201827-4	Date Collected	: NA
Client ID	: WG2201827-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 04/21/26 21:18
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: KJD
Lab File ID	: R1755762	Instrument ID	: AIRLAB17
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	ND	0.190	--	ND	0.996	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Initial Calibration Summary
Form 6
Air Volatiles

Client	**: Inventum Engineering**	**Lab Number**	**: L2619393**
Project Name	**: SBD LLC**	**Project Number**	**: BUFFALO COLOR-AREA C**
Instrument ID	**: AIRLAB17**	**Ical Ref**	**: ICAL23126**
Calibration dates	**: 03/05/26 08:38 03/05/26 13:11**		

Calibration Files
0.2 =r1754540.D 0.5 =r1754541.D 1.0 =r1754542.D 5.0 =r1754543.D 10 =r1754544.D 20 =r1754545.D
50 =r1754546.D 100 =r1754547.D

		Compound	0.2	0.5	1.0	5.0	10	20	50	100	Avg	%RSD
73)		2-hexanone	2.032	2.920	3.145	1.761	3.438	2.768	4.256	4.320	3.080	30.10#
74)		3-methylthiophene	0.687	0.682	0.703	0.986	1.054	0.764	0.738	0.690	0.788	18.65
75)		dibromochloromethane	2.979	3.016	3.091	2.918	3.130	3.589	3.533	3.401	3.207	8.18
76)	C	1,2-dibromoethane	3.069	3.072	3.218	2.857	3.050	3.549	3.559	3.528	3.238	8.42
77)		butyl acetate		0.570	0.552	0.453	0.624	0.613	0.789	0.830	0.633	21.04
78)		octane	2.453	2.392	2.467	2.135	2.277	2.594	2.531	2.446	2.412	6.05
79)	C	tetrachloroethene	2.897	2.847	2.914	2.497	2.638	3.035	3.010	2.914	2.844	6.50
80)		1,1,1,2-tetrachloroethane	2.521	2.576	2.615	2.304	2.469	2.905	2.824	2.662	2.609	7.36
81)	C	chlorobenzene	5.597	5.487	5.426	4.848	5.194	6.064	6.026	5.799	5.555	7.43
82)	C	ethylbenzene	0.916	0.931	0.930	0.853	0.902	1.017	0.976	0.893	0.927	5.46
83)		2-ethylthiophene	0.738	0.734	0.746	1.089	1.159	0.842	0.814	0.758	0.860	19.59
84)	C	m+p-xylene	7.632	7.258	7.506	6.792	7.160	7.985	7.603	6.686	7.328	6.02
85)	C	bromoform	2.050	2.103	2.215	2.249	2.448	2.918	2.959	2.907	2.481	15.65
86)	C	styrene	4.739	4.883	5.049	4.894	5.329	6.246	6.268	6.073	5.435	12.05
87)	C	1,1,2,2-tetrachloroethane	4.802	4.780	4.780	4.174	4.470	5.287	5.266	5.069	4.828	7.91
88)	C	o-xylene	7.529	7.484	7.565	6.809	7.141	7.981	7.455	6.644	7.326	5.96
89)		1,2,3-trichloropropane	3.447	3.312	3.308	2.974	3.133	3.735	3.802	3.814	3.441	9.21
90)		nonane	4.925	4.981	5.109	4.502	4.772	5.608	5.581	5.484	5.120	7.89
91)	s	bromofluorobenzene	3.653	3.996	3.857	3.881	3.831	4.868	4.565	4.586	4.154	10.79
92)	C	isopropylbenzene	0.880	0.897	0.921	0.805	0.850	1.003	0.990	0.883	0.904	7.40
93)		bromobenzene	4.667	4.587	4.500	4.045	4.222	4.957	4.995	4.903	4.609	7.52
94)		2-chlorotoluene	2.523	2.634	2.675	2.367	2.532	2.941	2.958	2.946	2.697	8.42
95)		n-propylbenzene	2.689	2.644	2.822	2.534	2.712	3.157	3.197	3.201	2.869	9.53
96)		4-chlorotoluene	2.684	2.608	2.635	2.442	2.559	2.965	2.997	2.967	2.732	7.83
97)		4-ethyl toluene	8.143	8.077	8.463	7.789	8.353	9.720	9.652	8.723	8.615	8.32
98)		1,3,5-trimethylbenzene	7.606	7.505	7.480	6.863	7.233	8.341	8.235	7.702	7.621	6.39
99)		tert-butylbenzene	8.173	8.106	8.125	7.218	7.582	8.650	8.442	7.768	8.008	5.81
100)		1,2,4-trimethylbenzene	7.275	7.399	7.493	6.996	7.448	8.500	8.406	7.297	7.602	7.20
101)		decane	6.624	6.919	7.008	6.349	6.608	7.502	7.130	6.384	6.816	5.82
102)	C	Benzyl Chloride	3.479	3.757	4.044	4.311	4.967	6.387	6.798	6.455	5.025	26.61
103)		1,3-dichlorobenzene	4.365	4.454	4.606	4.348	4.632	5.438	5.616	5.478	4.867	11.19
104)	C	1,4-dichlorobenzene	4.619	4.563	4.550	4.418	4.569	5.382	5.532	5.409	4.880	9.63
105)		sec-butylbenzene	1.097	1.096	1.128	1.009	1.065	1.230	1.219	0.968	1.101	8.32
106)		1,2,3-trimethylbenzene	8.046	7.992	8.066	7.192	7.610	8.747	8.551	7.334	7.942	6.88
107)		p-isopropyltoluene	1.013	1.023	1.003	0.890	0.918	1.058	1.028	0.850	0.973	7.79
108)		1,2-dichlorobenzene	4.543	4.879	4.911	4.140	4.663	5.052	5.213	5.107	4.814	7.31

Evaluate Continuing Calibration Report

Data Path : X:\Airlab\Data\Airlab17\2026\03\0305T_I\
Data File : r1754552.D
Acq On : 5 Mar 2026 5:09 PM
Operator : AIRLAB17:JJT
Sample : CTO15-LLSTD10.0
Misc : WG2181946,250 mL SS26-002F
ALS Vial : 0 Sample Multiplier: 1

Quant Time: Mar 05 20:26:05 2026
Quant Method : X:\Airlab\Data\Airlab17\2026\03\0305T_I\TFS17_260305.M
Quant Title : TO-14A/TO-15 SIM/Full Scan Analysis
QLast Update : Thu Mar 05 16:53:44 2026
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 60% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 140%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
42		2,2-dichloropropane	0.985	0.929	5.7	99	0.00
43	C	1,2-dichloroethane	0.937	0.902	3.7	99	0.00
44	I	1,4-difluorobenzene	1.000	1.000	0.0	104	0.00
45	C	hexane	0.485	0.451	7.0	97	0.00
46		diisopropyl ether	0.236	0.207	12.3	97	0.00
47		tert-butyl ethyl ether	0.904	0.789	12.7	95	0.00
48	s	1,2-dichloroethane-D4	0.261	0.246	5.7	96	0.00
49	C	1,1,1-trichloroethane	0.433	0.398	8.1	100	0.00
50		1,1-dichloropropene	0.365	0.357	2.2	109	0.00
51	C	benzene	0.873	0.838	4.0	107	0.00
53	C	carbon tetrachloride	0.364	0.346	4.9	103	0.00
54		cyclohexane	0.495	0.476	3.8	105	0.00
55		tert-amyl methyl ether	0.688	0.664	3.5	108	0.00
56		dibromomethane	0.301	0.264	12.3	98	0.00
57	C	1,2-dichloropropane	0.371	0.367	1.1	109	0.00
58		bromodichloromethane	0.432	0.427	1.2	107	0.00
59	C	1,4-dioxane	0.184	0.159	13.6	92	0.00
60	C	trichloroethene	0.419	0.393	6.2	101	0.00
61	C	2,2,4-trimethylpentane	1.522	1.483	2.6	107	0.00
62		methyl methacrylate	0.349	0.367	-5.2	114	0.00
63		heptane	0.525	0.567	-8.0	120	0.00
64	C	cis-1,3-dichloropropene	0.385	0.465	-20.8	133	0.00
65	C	4-methyl-2-pentanone	0.615	0.647	-5.2	116	0.00
66		trans-1,3-dichloropropene	0.262	0.333	-27.1	138	0.00
67	C	1,1,2-trichloroethane	0.372	0.361	3.0	106	0.00
68	I	chlorobenzene-D5	1.000	1.000	0.0	93	0.00
69	C	toluene	7.355	7.697	-4.6	103	0.00
70	s	toluene-D8	6.518	7.218	-10.7	103	0.00
72		1,3-dichloropropane	2.966	3.004	-1.3	102	0.00
73		2-hexanone	3.080	4.103	-33.2#	111	0.00
75		dibromochloromethane	3.207	3.667	-14.3	109	0.00
76	C	1,2-dibromoethane	3.238	3.785	-16.9	116	0.00
77		butyl acetate	0.633	0.723	-14.2	108	0.00
78		octane	2.412	2.370	1.7	97	0.00
79	C	tetrachloroethene	2.844	3.024	-6.3	107	0.00
80		1,1,1,2-tetrachloroethane	2.609	2.588	0.8	98	0.00
81	C	chlorobenzene	5.555	6.089	-9.6	109	0.00

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering		Lab Number	: L2619393	
Project Name	: SBD LLC		Project Number	: BUFFALO COLOR-AREA C	
Instrument ID	: AIRLAB17		Calibration Date	: 04/19/26 14:48	
Lab File ID	: R1755712		Init. Calib. Date(s)	: 03/05/26	03/05/26
Sample No	: WG2200769-2		Init. Calib. Times	: 08:38	13:11
Channel	:				

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
bromochloromethane	1	1	-	0	30	111	.04
chlorodifluoromethane	0.988	1.044	-	-5.7	30	129	.02
propylene	0.696	0.678	-	2.6	30	113	.03
propane	0.79	0.663	-	16.1	30	100	.03
dichlorodifluoromethane	1.437	1.553	-	-8.1	30	131	.02
chloromethane	0.722	0.629	-	12.9	30	102	.02
Freon-114	1.713	1.689	-	1.4	30	113	.02
methanol	0.365	0.195	-	46.6*	30	55	.02
vinyl chloride	0.917	0.93	-	-1.4	30	111	.03
1,3-butadiene	0.587	0.615	-	-4.8	30	119	.03
butane	1.284	1.23	-	4.2	30	115	.03
bromomethane	0.688	0.755	-	-9.7	30	132	.03
chloroethane	0.471	0.46	-	2.3	30	120	.04
ethanol	0.716	0.411	-	42.6*	30	58	.02
dichlorofluoromethane	1.674	1.685	-	-0.7	30	121	.03
vinyl bromide	0.674	0.72	-	-6.8	30	125	.04
acrolein	0.386	0.335	-	13.2	30	101	.03
acetone	1.063	0.888	-	16.5	30	100	.03
acetonitrile	0.869	0.679	-	21.9	30	96	.03
trichlorofluoromethane	1.414	1.499	-	-6	30	123	.04
isopropyl alcohol	1.169	0.954	-	18.4	30	90	.02
acrylonitrile	0.625	0.563	-	9.9	30	105	.03
pentane	1.605	1.521	-	5.2	30	116	.04
ethyl ether	1.448	1.206	-	16.7	30	97	.04
1,1-dichloroethene	1.278	1.193	-	6.7	30	108	.04
tertiary butyl alcohol	1.579	1.344	-	14.9	30	98	.02
methylene chloride	0.841	0.864	-	-2.7	30	120	.04
3-chloropropene	1.128	1.017	-	9.8	30	108	.04
carbon disulfide	2.08	2.198	-	-5.7	30	123	.04
Freon 113	1.578	1.678	-	-6.3	30	123	.04
trans-1,2-dichloroethene	1.223	1.119	-	8.5	30	106	.04
1,1-dichloroethane	1.634	1.527	-	6.5	30	109	.04
MTBE	1.734	1.644	-	5.2	30	110	.03
vinyl acetate	1.701	1.529	-	10.1	30	112	.03
2-butanone	1.557	1.349	-	13.4	30	102	.04
cis-1,2-dichloroethene	1.224	1.146	-	6.4	30	107	.04
Ethyl Acetate	0.292	0.263	-	9.9	30	102	.03
chloroform	1.349	1.5	-	-11.2	30	131	.04
Tetrahydrofuran	0.846	0.751	-	11.2	30	104	.04
2,2-dichloropropane	0.985	1.07	-	-8.6	30	130	.04
1,2-dichloroethane	0.937	0.916	-	2.2	30	114	.04
1,4-difluorobenzene	1	1	-	0	30	120	.05
hexane	0.485	0.401	-	17.3	30	100	.04

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering		Lab Number	: L2619393	
Project Name	: SBD LLC		Project Number	: BUFFALO COLOR-AREA C	
Instrument ID	: AIRLAB17		Calibration Date	: 04/19/26 14:48	
Lab File ID	: R1755712		Init. Calib. Date(s)	: 03/05/26	03/05/26
Sample No	: WG2200769-2		Init. Calib. Times	: 08:38	13:11
Channel	:				

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
diisopropyl ether	0.236	0.221	-	6.4	30	119	.04
tert-butyl ethyl ether	0.904	0.727	-	19.6	30	101	.04
1,1,1-trichloroethane	0.433	0.408	-	5.8	30	118	.05
1,1-dichloropropene	0.365	0.366	-	-0.3	30	129	.05
benzene	0.873	0.853	-	2.3	30	126	.05
carbon tetrachloride	0.364	0.405	-	-11.3	30	139	.05
cyclohexane	0.495	0.42	-	15.2	30	107	.05
tert-amyl methyl ether	0.688	0.617	-	10.3	30	115	.04
dibromomethane	0.301	0.293	-	2.7	30	126	.05
1,2-dichloropropane	0.371	0.318	-	14.3	30	109	.05
bromodichloromethane	0.432	0.435	-	-0.7	30	125	.05
1,4-dioxane	0.184	0.138	-	25	30	92	.05
trichloroethene	0.419	0.427	-	-1.9	30	127	.05
2,2,4-trimethylpentane	1.522	1.285	-	15.6	30	107	.05
methyl methacrylate	0.349	0.311	-	10.9	30	112	.05
heptane	0.525	0.455	-	13.3	30	111	.05
cis-1,3-dichloropropene	0.385	0.372	-	3.4	30	123	.05
4-methyl-2-pentanone	0.615	0.512	-	16.7	30	105	.04
trans-1,3-dichloropropene	0.262	0.247	-	5.7	30	118	.04
1,1,2-trichloroethane	0.372	0.355	-	4.6	30	121	.05
chlorobenzene-D5	1	1	-	0	30	106	.03
toluene	7.355	7.584	-	-3.1	30	115	.05
1,3-dichloropropane	2.966	3.426	-	-15.5	30	133	.04
2-hexanone	3.08	1.948	-	36.8*	30	60	.04
dibromochloromethane	3.207	3.702	-	-15.4	30	125	.04
1,2-dibromoethane	3.238	3.665	-	-13.2	30	127	.04
butyl acetate	0.633	0.511	-	19.3	30	87	.04
octane	2.412	2.697	-	-11.8	30	125	.03
tetrachloroethene	2.844	3.433	-	-20.7	30	138	.04
1,1,1,2-tetrachloroethane	2.609	3.182	-	-22	30	136	.03
chlorobenzene	5.555	6.406	-	-15.3	30	130	.03
ethylbenzene	9.272	9.858	-	-6.3	30	116	.04
m+p-xylene	7.328	7.829	-	-6.8	30	116	.03
bromoform	2.481	3.083	-	-24.3	30	133	.03
styrene	5.435	6.154	-	-13.2	30	122	.03
1,1,2,2-tetrachloroethane	4.828	5.609	-	-16.2	30	133	.03
o-xylene	7.326	7.822	-	-6.8	30	116	.03
1,2,3-trichloropropane	3.441	4.017	-	-16.7	30	136	.03
nonane	5.12	5.274	-	-3	30	117	.03
isopropylbenzene	9.038	10.746	-	-18.9	30	134	.03
bromobenzene	4.609	5.233	-	-13.5	30	131	.03
2-chlorotoluene	2.697	3.061	-	-13.5	30	128	.03
n-propylbenzene	2.869	3.444	-	-20	30	134	.03

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2619393
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Instrument ID	: AIRLAB17	**Calibration Date**	: 04/20/26 14:10
Lab File ID	: R1755733	**Init. Calib. Date(s)**	: 03/05/26 03/05/26
Sample No	: WG2201237-2	**Init. Calib. Times**	: 08:38 13:11
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
bromochloromethane	1	1	-	0	30	110	0
chlorodifluoromethane	0.988	0.999	-	-1.1	30	122	0
propylene	0.696	0.666	-	4.3	30	110	0
propane	0.79	0.655	-	17.1	30	98	0
dichlorodifluoromethane	1.437	1.567	-	-9	30	131	0
chloromethane	0.722	0.617	-	14.5	30	99	0
Freon-114	1.713	1.673	-	2.3	30	111	0
methanol	0.365	0.234	-	35.9*	30	65	0
vinyl chloride	0.917	0.93	-	-1.4	30	110	0
1,3-butadiene	0.587	0.619	-	-5.5	30	118	0
butane	1.284	1.228	-	4.4	30	114	0
bromomethane	0.688	0.754	-	-9.6	30	130	0
chloroethane	0.471	0.46	-	2.3	30	119	0
ethanol	0.716	0.447	-	37.6*	30	63	-.01
dichlorofluoromethane	1.674	1.676	-	-0.1	30	119	0
vinyl bromide	0.674	0.717	-	-6.4	30	123	0
acrolein	0.386	0.336	-	13	30	100	0
acetone	1.063	0.897	-	15.6	30	100	0
acetonitrile	0.869	0.68	-	21.7	30	96	0
trichlorofluoromethane	1.414	1.494	-	-5.7	30	122	0
isopropyl alcohol	1.169	0.967	-	17.3	30	91	-.01
acrylonitrile	0.625	0.561	-	10.2	30	103	0
pentane	1.605	1.507	-	6.1	30	113	.01
ethyl ether	1.448	1.202	-	17	30	96	0
1,1-dichloroethene	1.278	1.184	-	7.4	30	106	0
tertiary butyl alcohol	1.579	1.336	-	15.4	30	96	-.01
methylene chloride	0.841	0.857	-	-1.9	30	118	0
3-chloropropene	1.128	1.013	-	10.2	30	106	0
carbon disulfide	2.08	2.207	-	-6.1	30	122	.01
Freon 113	1.578	1.682	-	-6.6	30	122	0
trans-1,2-dichloroethene	1.223	1.116	-	8.7	30	104	0
1,1-dichloroethane	1.634	1.535	-	6.1	30	109	0
MTBE	1.734	1.643	-	5.2	30	109	0
vinyl acetate	1.701	1.547	-	9.1	30	112	0
2-butanone	1.557	1.367	-	12.2	30	102	0
cis-1,2-dichloroethene	1.224	1.154	-	5.7	30	107	0
Ethyl Acetate	0.292	0.26	-	11	30	100	0
chloroform	1.349	1.504	-	-11.5	30	130	0
Tetrahydrofuran	0.846	0.762	-	9.9	30	104	0
2,2-dichloropropane	0.985	1.071	-	-8.7	30	128	0
1,2-dichloroethane	0.937	0.92	-	1.8	30	113	0
1,4-difluorobenzene	1	1	-	0	30	121	0
hexane	0.485	0.395	-	18.6	30	99	0

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Instrument ID	: AIRLAB17	Calibration Date	: 04/20/26 14:10
Lab File ID	: R1755733	Init. Calib. Date(s)	: 03/05/26 03/05/26
Sample No	: WG2201237-2	Init. Calib. Times	: 08:38 13:11
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
diisopropyl ether	0.236	0.215	-	8.9	30	117	0
tert-butyl ethyl ether	0.904	0.717	-	20.7	30	100	0
1,1,1-trichloroethane	0.433	0.4	-	7.6	30	117	0
1,1-dichloropropene	0.365	0.361	-	1.1	30	128	.01
benzene	0.873	0.843	-	3.4	30	125	.01
carbon tetrachloride	0.364	0.398	-	-9.3	30	138	.01
cyclohexane	0.495	0.412	-	16.8	30	106	.01
tert-amyl methyl ether	0.688	0.609	-	11.5	30	114	0
dibromomethane	0.301	0.288	-	4.3	30	124	.01
1,2-dichloropropane	0.371	0.313	-	15.6	30	108	.01
bromodichloromethane	0.432	0.429	-	0.7	30	125	.01
1,4-dioxane	0.184	0.136	-	26.1	30	91	.01
trichloroethene	0.419	0.419	-	0	30	125	.01
2,2,4-trimethylpentane	1.522	1.266	-	16.8	30	106	0
methyl methacrylate	0.349	0.309	-	11.5	30	112	0
heptane	0.525	0.447	-	14.9	30	110	.01
cis-1,3-dichloropropene	0.385	0.369	-	4.2	30	123	.02
4-methyl-2-pentanone	0.615	0.506	-	17.7	30	105	0
trans-1,3-dichloropropene	0.262	0.246	-	6.1	30	118	0
1,1,2-trichloroethane	0.372	0.354	-	4.8	30	121	.02
chlorobenzene-D5	1	1	-	0	30	105	0
toluene	7.355	7.63	-	-3.7	30	115	.02
1,3-dichloropropane	2.966	3.445	-	-16.1	30	133	0
2-hexanone	3.08	1.944	-	36.9*	30	60	0
dibromochloromethane	3.207	3.72	-	-16	30	125	0
1,2-dibromoethane	3.238	3.664	-	-13.2	30	126	.02
butyl acetate	0.633	0.499	-	21.2	30	84	.02
octane	2.412	2.696	-	-11.8	30	125	0
tetrachloroethene	2.844	3.43	-	-20.6	30	137	.02
1,1,1,2-tetrachloroethane	2.609	3.183	-	-22	30	136	0
chlorobenzene	5.555	6.403	-	-15.3	30	130	0
ethylbenzene	9.272	9.878	-	-6.5	30	115	.02
m+p-xylene	7.328	7.857	-	-7.2	30	116	0
bromoform	2.481	3.105	-	-25.2	30	134	0
styrene	5.435	6.09	-	-12.1	30	120	0
1,1,2,2-tetrachloroethane	4.828	5.639	-	-16.8	30	133	0
o-xylene	7.326	7.832	-	-6.9	30	115	0
1,2,3-trichloropropane	3.441	4.064	-	-18.1	30	137	0
nonane	5.12	5.258	-	-2.7	30	116	0
isopropylbenzene	9.038	10.817	-	-19.7	30	134	0
bromobenzene	4.609	5.241	-	-13.7	30	131	0
2-chlorotoluene	2.697	3.077	-	-14.1	30	128	0
n-propylbenzene	2.869	3.498	-	-21.9	30	136	.02

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering		Lab Number	: L2619393	
Project Name	: SBD LLC		Project Number	: BUFFALO COLOR-AREA C	
Instrument ID	: AIRLAB17		Calibration Date	: 04/21/26 16:18	
Lab File ID	: R1755760		Init. Calib. Date(s)	: 03/05/26	03/05/26
Sample No	: WG2201827-2		Init. Calib. Times	: 08:38	13:11
Channel	:				

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
bromochloromethane	1	1	-	0	30	90	0
chlorodifluoromethane	0.988	0.856	-	13.4	30	86	0
propylene	0.696	0.678	-	2.6	30	92	0
propane	0.79	0.424	-	46.3*	30	52	0
dichlorodifluoromethane	1.437	1.449	-	-0.8	30	99	0
chloromethane	0.722	0.628	-	13	30	83	0
Freon-114	1.713	1.735	-	-1.3	30	94	0
methanol	0.365	0.168	-	54*	30	38	0
vinyl chloride	0.917	0.677	-	26.2	30	66	0
1,3-butadiene	0.587	0.48	-	18.2	30	75	0
butane	1.284	1.015	-	21	30	77	0
bromomethane	0.688	0.683	-	0.7	30	97	0
chloroethane	0.471	0.33	-	29.9	30	70	0
ethanol	0.716	0.407	-	43.2*	30	47	0
dichlorofluoromethane	1.674	1.458	-	12.9	30	85	0
vinyl bromide	0.674	0.753	-	-11.7	30	106	0
acrolein	0.386	0.268	-	30.6*	30	66	0
acetone	1.063	1.045	-	1.7	30	96	0
acetonitrile	0.869	0.727	-	16.3	30	84	0
trichlorofluoromethane	1.414	1.456	-	-3	30	97	0
isopropyl alcohol	1.169	1.087	-	7	30	84	0
acrylonitrile	0.625	0.513	-	17.9	30	77	0
pentane	1.605	1.366	-	14.9	30	84	0
ethyl ether	1.448	0.842	-	41.9*	30	55	0
1,1-dichloroethene	1.278	1.088	-	14.9	30	80	0
tertiary butyl alcohol	1.579	1.029	-	34.8*	30	61	0
methylene chloride	0.841	0.825	-	1.9	30	93	0
3-chloropropene	1.128	1.133	-	-0.4	30	98	0
carbon disulfide	2.08	2.235	-	-7.5	30	102	0
Freon 113	1.578	1.621	-	-2.7	30	96	0
trans-1,2-dichloroethene	1.223	1.046	-	14.5	30	80	0
1,1-dichloroethane	1.634	1.353	-	17.2	30	79	0
MTBE	1.734	1.795	-	-3.5	30	98	0
vinyl acetate	1.701	1.108	-	34.9*	30	66	0
2-butanone	1.557	1.574	-	-1.1	30	97	0
cis-1,2-dichloroethene	1.224	1.006	-	17.8	30	77	0
Ethyl Acetate	0.292	0.261	-	10.6	30	82	0
chloroform	1.349	1.427	-	-5.8	30	101	0
Tetrahydrofuran	0.846	0.916	-	-8.3	30	103	0
2,2-dichloropropane	0.985	0.976	-	0.9	30	96	0
1,2-dichloroethane	0.937	0.832	-	11.2	30	84	0
1,4-difluorobenzene	1	1	-	0	30	103	0
hexane	0.485	0.339	-	30.1*	30	72	0

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering	Lab Number	: L2619393
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Instrument ID	: AIRLAB17	Calibration Date	: 04/21/26 16:18
Lab File ID	: R1755760	Init. Calib. Date(s)	: 03/05/26 03/05/26
Sample No	: WG2201827-2	Init. Calib. Times	: 08:38 13:11
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
diisopropyl ether	0.236	0.179	-	24.2	30	83	0
tert-butyl ethyl ether	0.904	0.549	-	39.3*	30	65	0
1,1,1-trichloroethane	0.433	0.36	-	16.9	30	90	0
1,1-dichloropropene	0.365	0.331	-	9.3	30	100	0
benzene	0.873	0.788	-	9.7	30	100	0
carbon tetrachloride	0.364	0.377	-	-3.6	30	111	0
cyclohexane	0.495	0.356	-	28.1	30	78	0
tert-amyl methyl ether	0.688	0.548	-	20.3	30	88	0
dibromomethane	0.301	0.236	-	21.6	30	87	0
1,2-dichloropropane	0.371	0.263	-	29.1	30	77	0
bromodichloromethane	0.432	0.419	-	3	30	104	0
1,4-dioxane	0.184	0.147	-	20.1	30	84	0
trichloroethene	0.419	0.379	-	9.5	30	96	0
2,2,4-trimethylpentane	1.522	1.096	-	28	30	78	0
methyl methacrylate	0.349	0.292	-	16.3	30	90	0
heptane	0.525	0.466	-	11.2	30	97	0
cis-1,3-dichloropropene	0.385	0.417	-	-8.3	30	118	0
4-methyl-2-pentanone	0.615	0.529	-	14	30	93	0
trans-1,3-dichloropropene	0.262	0.299	-	-14.1	30	122	0
1,1,2-trichloroethane	0.372	0.306	-	17.7	30	89	0
chlorobenzene-D5	1	1	-	0	30	79	0
toluene	7.355	7.582	-	-3.1	30	86	0
1,3-dichloropropane	2.966	3.33	-	-12.3	30	96	0
2-hexanone	3.08	3.89	-	-26.3	30	89	0
dibromochloromethane	3.207	4.168	-	-30	30	105	0
1,2-dibromoethane	3.238	4.049	-	-25	30	105	0
butyl acetate	0.633	0.722	-	-14.1	30	92	0
octane	2.412	2.481	-	-2.9	30	86	0
tetrachloroethene	2.844	3.563	-	-25.3	30	107	0
1,1,1,2-tetrachloroethane	2.609	2.909	-	-11.5	30	93	0
chlorobenzene	5.555	6.551	-	-17.9	30	100	0
ethylbenzene	9.272	9.458	-	-2	30	83	0
m+p-xylene	7.328	7.689	-	-4.9	30	85	0
bromoform	2.481	3.413	-	-37.6*	30	110	0
styrene	5.435	6.277	-	-15.5	30	93	0
1,1,2,2-tetrachloroethane	4.828	5.497	-	-13.9	30	97	0
o-xylene	7.326	7.63	-	-4.1	30	84	0
1,2,3-trichloropropane	3.441	3.912	-	-13.7	30	99	0
nonane	5.12	5.237	-	-2.3	30	87	0
isopropylbenzene	9.038	10.308	-	-14.1	30	96	0
bromobenzene	4.609	4.959	-	-7.6	30	93	0
2-chlorotoluene	2.697	2.832	-	-5	30	88	0
n-propylbenzene	2.869	3.186	-	-11	30	93	0

* Value outside of QC limits.

Data Usability Summary Report

Vali-Data of WNY, LLC
89 Morningside Dr.
Grand Island, NY 14072

Buffalo Color
Pace Analytical Services SDG#L2624047
May 22, 2026
Sampling date: 4/22/2026

Prepared by:
Jodi Zimmerman
Vali-Data of WNY, LLC
89 Morningside Dr.
Grand Island, NY 14072

DELIVERABLES

This Data Usability Summary Report (DUSR) was prepared by evaluating the analytical data package for Inventum Engineering, project located at 140 Lee St., Buffalo, NY, Pace Analytical Services, SDG#L2624047 submitted to Vali-Data of WNY, LLC on May 21, 2026. This DUSR has been prepared in general compliance with NYSDEC Analytical Services Protocols and USEPA National Functional Guidelines (SOP NO. HW-31, revision 6). The laboratory performed the analysis using Compendium of Methods for the Determination of Toxic Organic Compounds, Compendium Method TO-15, January 1999.

DUSR ID	Sample ID	Laboratory ID
1	SS-TP-03A-04222026	L2624047-01

VOLATILE ORGANIC COMPOUNDS

The following items/criteria were reviewed for this analytical suite:

-Data Completeness
-Narrative and Data Reporting Forms
-Chain of Custody and Traffic Reports
-Holding Times
-Internal Standard (IS) Area Performance
-Method Blank
-Field Duplicate Sample Precision
-Laboratory Control Samples
-MS/MSD/Duplicate
-Compound Quantitation
-Initial Calibration
-Continuing Calibration
-GC/MS Performance Check
-Canister Certification Blanks

The items listed above were technically in compliance with the method and SOP criteria with the exceptions discussed in the text below. The data have been reviewed according to the procedures outlined above and qualified accordingly.

OVERALL EVALUATION OF DATA AND POTENTIAL USABILITY ISSUES

The data are acceptable for use except where qualified below in Laboratory Control Samples, Initial Calibration and Continuing Calibration.

Sample: DUSR ID#1 was diluted due to screen analysis.

All target analytes were recorded to the reporting limits.

DATA COMPLETENESS
All criteria were met.

NARRATIVE AND DATA REPORTING FORMS
All criteria were met.

CHAIN OF CUSTODY AND TRAFFIC REPORTS
All criteria were met.

HOLDING TIMES
All holding times were met.

INTERNAL STANDARD (IS)
All criteria were met.

METHOD BLANK
All criteria were met.

FIELD DUPLICATE SAMPLE PRECISION
No field duplicate was acquired.

LABORATORY CONTROL SAMPLES
All criteria were met except a target analyte was outside QC limits in the laboratory control sample and should be qualified as estimated.

LCS ID	Target Analyte	%Rec LCS	Qualifier	Associated Sample
WG2208821	Isopropanol	68	J	1

MS/MSD/DUPLICATE
No MS/MSD/Duplicate was acquired.

COMPOUND QUANTITATION
All criteria were met.

INITIAL CALIBRATION
All criteria were met except a target analyte was outside QC limit in the initial calibration and/or the initial calibration verification and should be qualified as estimated in the associated samples, blanks and spikes.

ICal/ICV ID	Target Analyte	%RSD/%D	Qualifier	Associated Sample
ICV Airlab16	Bromoform	-32.7	UJ/J	WG2208821, 1

The RRF of some target analytes should be denoted with a 10^1. This does not affect the usability of the data.

CONTINUING CALIBRATION

All criteria were met except a couple of target analytes were outside QC limits in the continuing calibration and should be qualified as estimated in the associated samples, blanks and spikes.

CCal ID	Target Analyte	%D	Qualifier	Associated Sample
WG2208821-2	Isopropanol	31.7	UJ/J	WG2208821, 1
WG2208821-2	1,1,1-Trichloroethane	32.1	J	WG2208821-3

GC/MS PERFORMANCE CHECK

All criteria were met.

CANISTER CERTIFICATION BLANKS

All criteria were met.

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY
For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on April 20, 2026. The canister certification data is provided as an addendum.

L2624047-01D: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen in order to perform a screen analysis. The pressurization resulted in a dilution of the samples. The reporting limits have been elevated accordingly.

The continuing calibration standard, associated with L2624047-01D, is outside of the %D criteria for IPA, however, the LCS was within criteria for these analytes, therefore the analysis proceeded.
The WG2208821-3 LCS recovery associated with L2624047-01D is outside the acceptance limit for 1,1,1-trichloroethane (68%) would be biased low. All samples associated with this LCS will have 1,1,1-trichloroethane reported by SIM if on client list of target compounds.
The continuing calibration standard, associated with L2624047-01D, is outside the %D criteria for Acetone and IPA, however, the LCS was within criteria for these analytes, therefore the analysis proceeded.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Christopher J Anderson Report Date: 05/06/26

Title: Technical Director/Representative

Laboratory Control Sample Summary
Form 3
Air Volatiles

Client	: Inventum Engineering	**Lab Number**	: L2624047
Project Name	: SBD LLC	**Project Number**	: BUFFALO COLOR-AREA C
Matrix (Level)	: AIR (LOW)		
LCS Sample ID	: WG2208821-3	**Analysis Date** : 05/05/26 11:25	**File ID** : r1654931
LCSD Sample ID	:	**Analysis Date** :	**File ID** :

	Laboratory Control Sample			Laboratory Control Duplicate					
Parameter	True (ppbV)	Found (ppbV)	%R	True (ppbV)	Found (ppbV)	%R	RPD	Recovery Limits	RPD Limit
Dichlorodifluoromethane	10	9.72	97				-	70-130	-
Chloromethane	10	7.04	70				-	70-130	-
Freon-114	10	9.55	96				-	70-130	-
Vinyl chloride	10	10.2	102				-	70-130	-
1,3-Butadiene	10	9.09	91				-	70-130	-
Bromomethane	10	10.1	101				-	70-130	-
Chloroethane	10	8.27	83				-	70-130	-
Ethanol	50	42.7	85				-	40-160	-
Vinyl bromide	10	10.0	100				-	70-130	-
Acetone	50	36.0	72				-	40-160	-
Trichlorofluoromethane	10	8.39	84				-	70-130	-
Isopropanol	25	17.1	68				-	40-160	-
1,1-Dichloroethene	10	10.6	106				-	70-130	-
Tertiary butyl Alcohol	10	8.12	81				-	70-130	-
Methylene chloride	10	10.7	107				-	70-130	-
3-Chloropropene	10	9.04	90				-	70-130	-
Carbon disulfide	10	10.5	105				-	70-130	-
Freon-113	10	10.4	104				-	70-130	-
trans-1,2-Dichloroethene	10	10.2	102				-	70-130	-
1,1-Dichloroethane	10	9.31	93				-	70-130	-
Methyl tert butyl ether	10	8.70	87				-	70-130	-
2-Butanone	10	8.09	81				-	70-130	-
cis-1,2-Dichloroethene	10	10.0	100				-	70-130	-
Ethyl Acetate	10	11.3	113				-	70-130	-
Chloroform	10	10.2	102				-	70-130	-
Tetrahydrofuran	10	8.92	89				-	70-130	-

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2624047-01D	Date Collected	: 04/22/26 15:31
Client ID	: SS-TP-03A-04222026	Date Received	: 04/23/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 05/06/26 04:32
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 2.083
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654951	Instrument ID	: AIRLAB16
Sample Amount	: 120 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	0.475	0.417	--	2.35	2.06	--	
74-87-3	Chloromethane	0.977	0.417	--	2.02	0.861	--	
76-14-2	Freon-114	ND	0.417	--	ND	2.91	--	U
75-01-4	Vinyl chloride	ND	0.417	--	ND	1.07	--	U
106-99-0	1,3-Butadiene	ND	0.417	--	ND	0.923	--	U
74-83-9	Bromomethane	ND	0.417	--	ND	1.62	--	U
75-00-3	Chloroethane	ND	0.417	--	ND	1.10	--	U
64-17-5	Ethanol	18.1	10.4	--	34.1	19.6	--	
593-60-2	Vinyl bromide	ND	0.417	--	ND	1.82	--	U
67-64-1	Acetone	20.4	2.08	--	48.5	4.94	--	
75-69-4	Trichlorofluoromethane	ND	0.417	--	ND	2.34	--	U
67-63-0	Isopropanol	2.37	2.08	--	5.83	5.11	--	
75-35-4	1,1-Dichloroethene	ND	0.417	--	ND	1.65	--	U
75-65-0	Tertiary butyl Alcohol	5.10	1.04	--	15.5	3.15	--	
75-09-2	Methylene chloride	ND	1.04	--	ND	3.61	--	U
107-05-1	3-Chloropropene	ND	0.417	--	ND	1.31	--	U
75-15-0	Carbon disulfide	1.20	0.417	--	3.74	1.30	--	
76-13-1	Freon-113	ND	0.417	--	ND	3.20	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.417	--	ND	1.65	--	U
75-34-3	1,1-Dichloroethane	1.72	0.417	--	6.96	1.69	--	
1634-04-4	Methyl tert butyl ether	ND	0.417	--	ND	1.50	--	U
78-93-3	2-Butanone	64.4	1.04	--	190	3.07	--	
156-59-2	cis-1,2-Dichloroethene	ND	0.417	--	ND	1.65	--	U
141-78-6	Ethyl Acetate	ND	1.04	--	ND	3.75	--	U
67-66-3	Chloroform	ND	0.417	--	ND	2.04	--	U
109-99-9	Tetrahydrofuran	ND	1.04	--	ND	3.07	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2624047-01D	Date Collected	: 04/22/26 15:31
Client ID	: SS-TP-03A-04222026	Date Received	: 04/23/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 05/06/26 04:32
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 2.083
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654951	Instrument ID	: AIRLAB16
Sample Amount	: 120 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.417	--	ND	1.69	--	U
110-54-3	n-Hexane	0.721	0.417	--	2.54	1.47	--	
71-43-2	Benzene	ND	0.417	--	ND	1.33	--	U
56-23-5	Carbon tetrachloride	ND	0.417	--	ND	2.62	--	U
110-82-7	Cyclohexane	ND	0.417	--	ND	1.44	--	U
78-87-5	1,2-Dichloropropane	ND	0.417	--	ND	1.93	--	U
75-27-4	Bromodichloromethane	ND	0.417	--	ND	2.79	--	U
123-91-1	1,4-Dioxane	ND	0.417	--	ND	1.50	--	U
79-01-6	Trichloroethene	ND	0.417	--	ND	2.24	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.417	--	ND	1.95	--	U
142-82-5	Heptane	ND	0.417	--	ND	1.71	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.417	--	ND	1.89	--	U
108-10-1	4-Methyl-2-pentanone	ND	1.04	--	ND	4.26	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.417	--	ND	1.89	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.417	--	ND	2.28	--	U
108-88-3	Toluene	ND	0.417	--	ND	1.57	--	U
591-78-6	2-Hexanone	14.1	0.417	--	57.8	1.71	--	
124-48-1	Dibromochloromethane	ND	0.417	--	ND	3.55	--	U
106-93-4	1,2-Dibromoethane	ND	0.417	--	ND	3.20	--	U
127-18-4	Tetrachloroethene	1.52	0.417	--	10.3	2.83	--	
108-90-7	Chlorobenzene	ND	0.417	--	ND	1.92	--	U
100-41-4	Ethylbenzene	ND	0.417	--	ND	1.81	--	U
179601-23-1	p/m-Xylene	ND	0.833	--	ND	3.62	--	U
75-25-2	Bromoform	ND	0.417	--	ND	4.31	--	U
100-42-5	Styrene	ND	0.417	--	ND	1.78	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.417	--	ND	2.86	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: L2624047-01D	Date Collected	: 04/22/26 15:31
Client ID	: SS-TP-03A-04222026	Date Received	: 04/23/26
Sample Location	: 140 LEE ST, BUFFALO, NY	Date Analyzed	: 05/06/26 04:32
Sample Matrix	: SOIL_VAPOR	Dilution Factor	: 2.083
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654951	Instrument ID	: AIRLAB16
Sample Amount	: 120 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
95-47-6	o-Xylene	ND	0.417	--	ND	1.81	--	U
622-96-8	4-Ethyltoluene	ND	0.417	--	ND	2.05	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.417	--	ND	2.05	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.417	--	ND	2.05	--	U
100-44-7	Benzyl chloride	ND	0.417	--	ND	2.16	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.417	--	ND	2.51	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.417	--	ND	2.51	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.417	--	ND	2.51	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.417	--	ND	3.10	--	U
91-20-3	Naphthalene	1.76	0.396	--	9.23	2.08	--	
87-68-3	Hexachlorobutadiene	ND	0.417	--	ND	4.45	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2208821-4	Date Collected	: NA
Client ID	: WG2208821-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 05/05/26 15:17
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654933	Instrument ID	: AIRLAB16
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
75-71-8	Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--	U
74-87-3	Chloromethane	ND	0.200	--	ND	0.413	--	U
76-14-2	Freon-114	ND	0.200	--	ND	1.40	--	U
75-01-4	Vinyl chloride	ND	0.200	--	ND	0.511	--	U
106-99-0	1,3-Butadiene	ND	0.200	--	ND	0.442	--	U
74-83-9	Bromomethane	ND	0.200	--	ND	0.777	--	U
75-00-3	Chloroethane	ND	0.200	--	ND	0.528	--	U
64-17-5	Ethanol	ND	5.00	--	ND	9.42	--	U
593-60-2	Vinyl bromide	ND	0.200	--	ND	0.874	--	U
67-64-1	Acetone	ND	1.00	--	ND	2.38	--	U
75-69-4	Trichlorofluoromethane	ND	0.200	--	ND	1.12	--	U
67-63-0	Isopropanol	ND	1.00	--	ND	2.46	--	U
75-35-4	1,1-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-65-0	Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--	U
75-09-2	Methylene chloride	ND	0.500	--	ND	1.74	--	U
107-05-1	3-Chloropropene	ND	0.200	--	ND	0.626	--	U
75-15-0	Carbon disulfide	ND	0.200	--	ND	0.623	--	U
76-13-1	Freon-113	ND	0.200	--	ND	1.53	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
75-34-3	1,1-Dichloroethane	ND	0.200	--	ND	0.809	--	U
1634-04-4	Methyl tert butyl ether	ND	0.200	--	ND	0.721	--	U
78-93-3	2-Butanone	ND	0.500	--	ND	1.47	--	U
156-59-2	cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--	U
141-78-6	Ethyl Acetate	ND	0.500	--	ND	1.80	--	U
67-66-3	Chloroform	ND	0.200	--	ND	0.977	--	U
109-99-9	Tetrahydrofuran	ND	0.500	--	ND	1.47	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2208821-4	Date Collected	: NA
Client ID	: WG2208821-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 05/05/26 15:17
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654933	Instrument ID	: AIRLAB16
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
107-06-2	1,2-Dichloroethane	ND	0.200	--	ND	0.809	--	U
110-54-3	n-Hexane	ND	0.200	--	ND	0.705	--	U
71-55-6	1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--	U
71-43-2	Benzene	ND	0.200	--	ND	0.639	--	U
56-23-5	Carbon tetrachloride	ND	0.200	--	ND	1.26	--	U
110-82-7	Cyclohexane	ND	0.200	--	ND	0.688	--	U
78-87-5	1,2-Dichloropropane	ND	0.200	--	ND	0.924	--	U
75-27-4	Bromodichloromethane	ND	0.200	--	ND	1.34	--	U
123-91-1	1,4-Dioxane	ND	0.200	--	ND	0.721	--	U
79-01-6	Trichloroethene	ND	0.200	--	ND	1.07	--	U
540-84-1	2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--	U
142-82-5	Heptane	ND	0.200	--	ND	0.820	--	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
108-10-1	4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--	U
108-88-3	Toluene	ND	0.200	--	ND	0.754	--	U
591-78-6	2-Hexanone	ND	0.200	--	ND	0.820	--	U
124-48-1	Dibromochloromethane	ND	0.200	--	ND	1.70	--	U
106-93-4	1,2-Dibromoethane	ND	0.200	--	ND	1.54	--	U
127-18-4	Tetrachloroethene	ND	0.200	--	ND	1.36	--	U
108-90-7	Chlorobenzene	ND	0.200	--	ND	0.921	--	U
100-41-4	Ethylbenzene	ND	0.200	--	ND	0.869	--	U
179601-23-1	p/m-Xylene	ND	0.400	--	ND	1.74	--	U
75-25-2	Bromoform	ND	0.200	--	ND	2.07	--	U
100-42-5	Styrene	ND	0.200	--	ND	0.852	--	U

Results Summary
Form 1
Volatile Organics in Air

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Lab ID	: WG2208821-4	Date Collected	: NA
Client ID	: WG2208821-4BLANK	Date Received	: NA
Sample Location	:	Date Analyzed	: 05/05/26 15:17
Sample Matrix	: AIR	Dilution Factor	: 1
Analytical Method	: 48,TO-15	Analyst	: RAY
Lab File ID	: R1654933	Instrument ID	: AIRLAB16
Sample Amount	: 250 ml	GC Column	: RTX-1

		ppbV			ug/m3			
CAS NO.	Parameter	Results	RL	MDL	Results	RL	MDL	Qualifier
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--	U
95-47-6	o-Xylene	ND	0.200	--	ND	0.869	--	U
622-96-8	4-Ethyltoluene	ND	0.200	--	ND	0.983	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
95-63-6	1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--	U
100-44-7	Benzyl chloride	ND	0.200	--	ND	1.04	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--	U
91-20-3	Naphthalene	ND	0.190	--	ND	0.996	--	U
87-68-3	Hexachlorobutadiene	ND	0.200	--	ND	2.13	--	U

Evaluate Continuing Calibration Report

Data Path : X:\Airlab\Data\Airlab16\2026\03\0327T_I\
Data File : r1654895.D
Acq On : 28 Mar 2026 6:55 PM
Operator : AIRLAB16:APR
Sample : CTO15-LLSTD010
Misc : WG2191366
ALS Vial : 0 Sample Multiplier: 1

Quant Time: Mar 30 09:50:33 2026
Quant Method : X:\Airlab\Data\Airlab16\2026\03\0327T_I\TFS16_260327.M
Quant Title : TO-14A/TO-15 SIM/Full Scan Analysis
QLast Update : Mon Mar 30 08:55:40 2026
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 60% Max. R.T. Dev 0.33min
Max. RRF Dev : 30% Max. Rel. Area : 140%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	C	ethylbenzene	10.193	10.934	-7.3	104	-0.02
83	C	m+p-xylene	8.003	8.723	-9.0	105	0.00
84	C	bromoform	2.330	3.092	-32.7#	118	0.00
85	C	styrene	6.342	7.155	-12.8	108	0.00
86	C	1,1,2,2-tetrachloroethane	5.588	5.887	-5.4	108	0.00
87	C	o-xylene	8.133	8.774	-7.9	103	0.00
88		1,2,3-trichloropropane	4.148	4.311	-3.9	105	0.00
89		nonane	7.677	8.256	-7.5	106	0.00
90	s	bromofluorobenzene	4.894	5.312	-8.5	99	0.00
91	C	isopropylbenzene	10.584	11.187	-5.7	105	0.00
92		bromobenzene	5.482	5.681	-3.6	104	0.00
93		2-chlorotoluene	3.092	3.251	-5.1	104	0.00
94		n-propylbenzene	3.406	3.605	-5.8	103	0.00
95		4-chlorotoluene	3.085	3.161	-2.5	100	0.00
96		4-ethyl toluene	10.157	12.003	-18.2	113	0.00
97		1,3,5-trimethylbenzene	8.771	10.065	-14.8	111	0.00
98		tert-butylbenzene	9.315	10.094	-8.4	103	0.00
99		1,2,4-trimethylbenzene	8.844	10.261	-16.0	108	0.00
100		decane	7.627	8.211	-7.7	103	0.00
101	C	Benzyl Chloride	5.915	6.256	-5.8	102	0.00
102		1,3-dichlorobenzene	6.255	6.734	-7.7	103	0.00
103	C	1,4-dichlorobenzene	6.331	6.817	-7.7	104	0.00
104		sec-butylbenzene	12.951	13.741	-6.1	102	0.00
106		p-isopropyltoluene	11.428	12.311	-7.7	101	0.00
107		1,2-dichlorobenzene	5.965	6.271	-5.1	101	0.00
108		n-butylbenzene	10.410	11.923	-14.5	107	0.00
111	C	1,2-dibromo-3-chloropropane	2.091	2.168	-3.7	99	0.00
112		undecane	8.141	9.245	-13.6	102	-0.02
114		dodecane	9.128	9.391	-2.9	100	-0.03
115	C	1,2,4-trichlorobenzene	3.864	4.299	-11.3	97	-0.02
116		naphthalene	11.979	12.550	-4.8	92	-0.02
117		1,2,3-trichlorobenzene	3.632	3.759	-3.5	90	-0.02
119	C	hexachlorobutadiene	2.844	3.227	-13.5	98	-0.02

* Evaluation of CC level amount vs concentration.
(#) = Out of Range SPCC's out = 0 CCC's out = 1

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Instrument ID	: AIRLAB16	Calibration Date	: 05/05/26 11:25
Lab File ID	: R1654931	Init. Calib. Date(s)	: 03/27/26 03/27/26
Sample No	: WG2208821-2	Init. Calib. Times	: 18:24 23:10
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
bromochloromethane	1	1	-	0	30	87	.04
chlorodifluoromethane	0.967	0.922	-	4.7	30	92	.04
propylene	0.719	0.654	-	9	30	90	.04
propane	0.611	0.591	-	3.3	30	93	.04
dichlorodifluoromethane	1.127	1.095	-	2.8	30	93	.04
chloromethane	0.764	0.537	-	29.7	30	72	.04
Freon-114	1.418	1.354	-	4.5	30	91	.04
methanol	0.27	0.204	-	24.4	30	68	.05
vinyl chloride	0.629	0.64	-	-1.7	30	100	.04
1,3-butadiene	0.541	0.492	-	9.1	30	92	.04
butane	1.173	0.851	-	27.5	30	76	.04
bromomethane	0.548	0.552	-	-0.7	30	106	.05
chloroethane	0.345	0.285	-	17.4	30	93	.04
ethanol	0.481	0.412	-	14.3	30	82	.05
dichlorofluoromethane	1.266	0.913	-	27.9	30	80	.04
vinyl bromide	0.57	0.571	-	-0.2	30	92	.04
acrolein	0.306	0.285	-	6.9	30	90	.05
acetone	0.996	0.718	-	27.9	30	63	.05
acetonitrile	0.741	0.556	-	25	30	66	.05
trichlorofluoromethane	0.97	0.814	-	16.1	30	74	.04
isopropyl alcohol	1.341	0.916	-	31.7*	30	59	.05
acrylonitrile	0.588	0.567	-	3.6	30	95	.05
pentane	1.56	1.229	-	21.2	30	70	.05
ethyl ether	1.004	1.099	-	-9.5	30	105	.05
1,1-dichloroethene	0.852	0.904	-	-6.1	30	93	.04
tertiary butyl alcohol	1.202	0.976	-	18.8	30	77	.05
methylene chloride	0.854	0.918	-	-7.5	30	103	.04
3-chloropropene	1.103	0.997	-	9.6	30	85	.05
carbon disulfide	1.983	2.076	-	-4.7	30	101	.05
Freon 113	1.326	1.381	-	-4.1	30	100	.05
trans-1,2-dichloroethene	0.903	0.921	-	-2	30	98	.05
1,1-dichloroethane	1.246	1.159	-	7	30	89	.04
MTBE	1.675	1.458	-	13	30	83	.04
vinyl acetate	1.843	1.073	-	41.8*	30	62	.04
2-butanone	1.779	1.439	-	19.1	30	76	.05
cis-1,2-dichloroethene	0.9	0.9	-	0	30	94	.04
Ethyl Acetate	0.233	0.264	-	-13.3	30	106	.04
chloroform	1.096	1.124	-	-2.6	30	98	.04
Tetrahydrofuran	0.995	0.888	-	10.8	30	85	.04
2,2-dichloropropane	0.834	0.654	-	21.6	30	77	.04
1,2-dichloroethane	0.645	0.524	-	18.8	30	77	.04
1,4-difluorobenzene	1	1	-	0	30	109	.04
hexane	0.451	0.391	-	13.3	30	100	.04

* Value outside of QC limits.

Calibration Verification Summary
Form 7
Air Volatiles

Client	: Inventum Engineering	Lab Number	: L2624047
Project Name	: SBD LLC	Project Number	: BUFFALO COLOR-AREA C
Instrument ID	: AIRLAB16	Calibration Date	: 05/05/26 11:25
Lab File ID	: R1654931	Init. Calib. Date(s)	: 03/27/26 03/27/26
Sample No	: WG2208821-2	Init. Calib. Times	: 18:24 23:10
Channel	:		

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
diisopropyl ether	0.233	0.172	-	26.2	30	88	.04
tert-butyl ethyl ether	0.779	0.527	-	32.3*	30	80	.03
1,1,1-trichloroethane	0.365	0.248	-	32.1*	30	80	.03
1,1-dichloropropene	0.397	0.301	-	24.2	30	93	.04
benzene	0.941	0.791	-	15.9	30	102	.03
carbon tetrachloride	0.3	0.234	-	22	30	89	.04
cyclohexane	0.456	0.427	-	6.4	30	112	.03
tert-amyl methyl ether	0.809	0.524	-	35.2*	30	78	.03
dibromomethane	0.284	0.23	-	19	30	97	.03
1,2-dichloropropane	0.348	0.279	-	19.8	30	95	.04
bromodichloromethane	0.398	0.357	-	10.3	30	105	.04
1,4-dioxane	0.197	0.165	-	16.2	30	96	.03
trichloroethene	0.4	0.338	-	15.5	30	95	.03
2,2,4-trimethylpentane	1.375	1.317	-	4.2	30	114	.03
methyl methacrylate	0.425	0.27	-	36.5*	30	73	.04
heptane	0.705	0.502	-	28.8	30	86	.03
cis-1,3-dichloropropene	0.412	0.404	-	1.9	30	117	.03
4-methyl-2-pentanone	0.814	0.596	-	26.8	30	85	.03
trans-1,3-dichloropropene	0.329	0.318	-	3.3	30	116	.03
1,1,2-trichloroethane	0.371	0.31	-	16.4	30	100	.03
chlorobenzene-D5	1	1	-	0	30	104	.03
toluene	8.057	7.081	-	12.1	30	97	.03
1,3-dichloropropane	3.505	2.93	-	16.4	30	95	.03
2-hexanone	5.245	4.102	-	21.8	30	85	.03
dibromochloromethane	3.058	3.149	-	-3	30	106	.03
1,2-dibromoethane	3.57	3.528	-	1.2	30	110	.03
butyl acetate	0.894	0.81	-	9.4	30	104	.03
octane	2.666	2.217	-	16.8	30	93	.03
tetrachloroethene	3.118	2.787	-	10.6	30	100	.03
1,1,1,2-tetrachloroethane	2.504	2.179	-	13	30	93	.02
chlorobenzene	6.163	5.688	-	7.7	30	102	.03
ethylbenzene	10.193	8.697	-	14.7	30	92	.02
m+p-xylene	8.003	6.938	-	13.3	30	94	.02
bromoform	2.33	2.553	-	-9.6	30	109	.03
styrene	6.342	5.858	-	7.6	30	99	.02
1,1,2,2-tetrachloroethane	5.588	5.706	-	-2.1	30	117	.02
o-xylene	8.133	7.032	-	13.5	30	92	.02
1,2,3-trichloropropane	4.148	3.784	-	8.8	30	103	.03
nonane	7.677	5.845	-	23.9	30	84	.02
isopropylbenzene	10.584	8.915	-	15.8	30	94	.02
bromobenzene	5.482	4.936	-	10	30	101	.03
2-chlorotoluene	3.092	2.626	-	15.1	30	94	.03
n-propylbenzene	3.406	2.918	-	14.3	30	93	.02

* Value outside of QC limits.