

2023

PERIODIC REVIEW REPORT

FOR

**FORMER MOBIL SERVICE STATION 99-MST
979 MAIN STREET (1001 MAIN STREET)
NYSDEC SITE #C915260
CITY OF BUFFALO, ERIE COUNTY, NEW YORK**

Prepared by:



C&S ENGINEERS, INC.
141 ELM STREET
BUFFALO, NEW YORK 14203

Prepared on Behalf of:

**KALEIDA HEALTH
KALEIDA PROPERTIES, INC.
SEAVEST CORE BUFFALO CONVENTUS, LLC**

APRIL 2023

TABLE OF CONTENTS

| | |
|--|------------------|
| <u>EXECUTIVE SUMMARY</u> | <u>1</u> |
| <u>1 SITE OVERVIEW</u> | <u>2</u> |
| 1.1 SITE DESCRIPTION | 2 |
| 1.2 GEOLOGY AND HYDROGEOLOGY | 3 |
| 1.3 NATURE AND EXTENT OF CONTAMINATION | 4 |
| 1.4 SITE HISTORY | 4 |
| 1.4.1 IN-SITU INJECTIONS | 7 |
| <u>2 REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS</u> | <u>9</u> |
| <u>3 IC/EC PLAN COMPLIANCE REPORT</u> | <u>10</u> |
| 3.1 IC/EC REQUIREMENTS AND COMPLIANCE | 10 |
| 3.1.1 GROUNDWATER | 10 |
| 3.1.2 SOIL | 11 |
| 3.1.3 SOIL VAPOR | 11 |
| 3.1.4 INSTITUTIONAL CONTROLS | 11 |
| 3.1.5 ENGINEERING CONTROLS | 12 |
| 3.2 IC/EC CERTIFICATION | 12 |
| <u>4 MONITORING PLAN COMPLIANCE REPORT</u> | <u>12</u> |
| <u>5 OPERATION AND MAINTENANCE PLAN COMPLIANCE</u> | <u>13</u> |
| <u>6 CONCLUSIONS</u> | <u>13</u> |
| <u>7 RECOMMENDATIONS</u> | <u>13</u> |

FIGURES

- FIGURE 1 SITE LOCATION
- FIGURE 2 PROJECT BOUNDARIES
- FIGURE 3 HISTORIC BTEX CONCENTRATIONS
- FIGURE 4 INJECTION BORINGS

TABLES

TABLE 1 GROUNDWATER ANALYTICAL RESULTS

GRAPHS

GRAPH 1 GROUNDWATER TREATMENT MONITORING – TOTAL BTEX

APPENDICES

APPENDIX A..... LABORATORY ANALYTICAL RESULTS

APPENDIX B..... INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM

ACRONYM LIST

| | |
|--------|---|
| C&S | C&S ENGINEERS, INC. |
| BGS | BELOW GROUND SURFACE |
| BCP | BROWNFIELD CLEANUP PROGRAM |
| BCA | BROWNFIELD CLEANUP AGREEMENT |
| BTEX | BENZENE, TOLUENE, ETHYLBENZENE AND XYLENE |
| DUSR | DATA USABILITY AND SUMMARY REPORT |
| LNAPL | LIGHT NON-AQUEOUS PHASE LIQUID |
| IRM | INTERIM REMEDIAL MEASURES |
| NYSDEC | NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION |
| PCOC | PRIMARY CONTAMINATE OF CONCERN |
| PID | PHOTO-IONIZATION DETECTOR |
| PPM | PARTS PER MILLION |
| RI | REMEDIAL INVESTIGATION |
| SCO | SOIL CLEANUP OBJECTIVES |
| SMP | SITE MANAGEMENT PLAN |
| SVOC | SEMI-VOLATILE ORGANIC COMPOUNDS |
| VOC | VOLATILE ORGANIC COMPOUNDS |

EXECUTIVE SUMMARY

C&S Engineers, Inc. (C&S) has prepared this 2022 - 2023 Periodic Review Report for the former Mobil Service Station 99-MST - 979 Main Street (1001 Main Street) (hereinafter referred to as the Site) located at 1001 Main Street in Buffalo, New York.

The Site was remediated in accordance with Brownfield Cleanup Agreement (BCA) Index #C915260-03-12, Site #C915260, which was executed on June 15, 2012 and amended on:

- August 7, 2012 to modify the BCP boundary increasing the size of the Site;
- January 3, 2014 to add Conventus Partners, LLC as an owner; and
- November 7, 2014 to change SBL numbers for the Site.

BCA Volunteers included Kaleida Properties Inc., Kaleida Health and F.L.C 50 High Street Corporation. In December 2020, Conventus Partners, LLC and Kaleida Properties Inc. entered a ground lease for the property with Seavest Core Buffalo Conventus LLC to operate and maintain the property. A figure showing the Site location and boundaries is provided in **Figure 1** and **Figure 2**.

Remedial activities consisted of installing steel shoring around the property and removing contaminated soil and groundwater to approximately 26 – 40 feet below ground surface. After completion of the remedial work, some contamination remained in the subsurface at this Site. A Site Management Plan (SMP) was prepared on November 28, 2014 to manage remaining groundwater contamination at the Site until the Environmental Easement is extinguished in accordance with ECL Article 71, Title 36.

Petroleum contaminated groundwater is present within a discontinuous layer of coarse sand and gravel located between 32 and 35 feet below ground surface. This layer generally ranges from 6 inches to three feet thick, provides a preferential pathway for groundwater flow, and is confined within dense silt and fine sand present above and below the groundwater bearing zone.

During the remedial efforts, seven groundwater monitoring wells were installed prior to the installation of the two floors of underground parking. These monitoring wells were used to conduct in-situ injections by gravity feeding chemical oxidants into the groundwater bearing zone. A total of 2,480 pounds of chemical oxidant was used over three treatment events. Treatments occurred from December 2013 to June 2015. Groundwater samples following the in-situ injections show minor reductions in petroleum compounds.

In 2016, C&S conducted a limited groundwater extraction on the wells with the highest contaminant levels. Contaminated groundwater was pumped from the wells and treated with 200 pounds of activated carbon before discharging into the sanitary sewer. A total of 4,762.2 gallons of contaminated groundwater was removed. Groundwater samples collected in December 2015, January 2016 and March 2016 showed a slight reduction in petroleum compound concentrations.

The current ISCO treatment method is smaller pressurized injections around each target location on a periodic schedule. A total of six temporary PVC injection points were installed around BCP-MW-6 and BCP-MW-5. Each treatment injects a total of 800 pounds (130 pounds per injection point) of chemical oxidant. Groundwater monitoring is conducted biannually.

All institutional and engineering controls are in compliance with the SMP. To address the continued elevated concentrations of petroleum compounds in the groundwater, C&S recommends the completion of additional treatment methods, including the implementation of a slow release chemical oxidation method.

The Institutional and Engineering Controls Certification form is provided in **Appendix B**.

1 SITE OVERVIEW

1.1 Site Description

The Site is located in the City of Buffalo County of Erie County, New York and is identified below on the Erie County Tax Map.

SBL: 100.79 – 1- 1.1

Street Number: 1001 Main Street, Buffalo

(formerly 979 Main Street)

Land Owner:

SBL: 100.79 – 1- 1.1/1

Street Number: 1001 Main Street, Buffalo

(formerly 979 Main Street)

Land Owner: Seavest Core Buffalo Conventus, LLC

SBL: 100.79 – 1- 1.1/2

Street Number: 1001 Main Street, Buffalo
(formerly 979 Main Street)

1st – 6th Floor Building Owner: Seavest Core Buffalo Conventus, LLC

SBL: 100.79 – 1- 1.1/3

Street Number: 1001 Main Street, Buffalo
(formerly 979 Main Street)

7th Floor Building Owner: Fort Schuyler Management Corp. (an entity New York State).

The Site is an approximately 1.72-acre area bounded by Goodrich Street to the north, High Street to the south, parking lot to the east, and Main Street to the west (see **Figure 1 and 2**).

1.2 Geology and Hydrogeology

The Conventus Medical Office Building currently occupies the Site. During remedial activities, steel shoring was installed to a depth of 40 to 50 feet below grade around the Site. Across the majority of the Site, soils were excavated to 26 feet below ground surface (bgs). Two floors of underground parking were constructed underneath the Conventus building.

The Site geology begins at 26 feet bgs. Subsurface soils consist of dry to moist fine sand and silt formation extends to nearly 70 feet bgs. Below this massive sand and silt formation is a discontinuous coarse sand and gravel layer that grades to a sand, gravel; and clay till formation. Underlying the overburden is a grey cherty limestone formation at approximately 90 feet bgs.

The principal groundwater bearing zone beneath the Site is located within the coarse sand and gravel layer between 32 and 35 feet bgs. This layer is of variable thickness (generally 6 inches to three feet) but is horizontally discontinuous. The layer is located within the central and northeastern portions of the Site, but does not extend completely to the southern, northwestern or southeastern areas of the Site

and is confined by the dense fine sands and silt above and below the groundwater bearing zone.

1.3 Nature and Extent of Contamination

During the Interim Remedial Measure (IRM), grossly contaminated soil and groundwater were removed from the Site. In total, 67,458 tons of soils were sent for disposal or treatment due to gasoline contamination. The remaining contamination left on-site consists of petroleum impacted groundwater. Groundwater sampling that occurred prior to the IRM confirmed that the Primary Contaminants of Concern (PCOCs) are limited to petroleum hydrocarbons.

Groundwater flows within the coarse sand/gravel groundwater bearing zone to the northeast. Groundwater recharge from the surface has been eliminated due to the concrete floor of the parking garage, which effectively covers 100% of the Site recharge area. Additionally, below grade migration has been effectively stopped by the presence of deep sheet piling that cuts off the groundwater bearing zone from the remaining off-site formation around the majority of the Site. The lack of a vertical recharge from the surface and the horizontal containment in the groundwater bearing zone was designed to contain the remaining groundwater on-site and reduces the future contaminant loading into the surrounding off-site formation. However, a small gap in the sheet piling along the southwestern corner may provide a route for off-site contamination to impact the Site's groundwater.

1.4 Site History

Contamination is related to the historic use of the property as a gas station and originally was sourced from leaking underground storage tanks located above the "Deep Excavation Area" (see **Figure 3**).

For over 40 years, the light non-aqueous phase liquid (LNAPL) filtered downward from the base of the tank to a depth of approximately 40 feet bgs. LNAPL intercepted the groundwater at approximately 32 feet bgs. The water table is present within a semi-confined coarse sand and gravel lens. This lens varies in thickness (1/2 to 3 feet) and extends to the northeast, confined laterally to the east and west. Because of low carbon in the fine sand silt and gravel formations, breakdown of benzene, toluene, ethylbenzene and xylene (BTEX) compounds was slow. This resulted in high volatile organic compounds (VOC) soil gas in the unsaturated zone below the release area and the continual loading of BTEX into the groundwater from the LNAPL. Soil Contamination (exceeding Residential Use SCOs), below the LNAPL layer was noted to extend to a depth of 35 to 40 feet bgs. This area has been identified as the Source Area for groundwater contamination.

Dissolved BTEX, once entering the groundwater bearing zone was transported via localized, preferential groundwater flow to the northeast corner of the Site (Following the location of the coarse sand/gravel lens).

**Periodic Review Report
Former Mobil Service Station 99-MST
979 Main Street (1001 Main Street), BCP No. C915260**

To redevelop the property into a medical office building, the Applicants (BCP F.L.C. 50 High Street, Corporation, Kaleida Health, Kaleida Properties, Inc. and Conventus Partners, LLC) acting as Brownfield Cleanup Program (BCP) Volunteers, submitted a BCP Application for the Site on November 28, 2011. The Applicants and the New York State Department of Environmental Conservation (NYSDEC) signed the Brownfield Cleanup Agreement (BCA) on June 15, 2012.

The NYSDEC approved IRM was implemented on January 2013. The following is a summary of the IRM performed at the Site:

1. Excavation of soil/fill exceeding restricted residential SCOs to 26 feet bgs;
2. Excavation of soil from the Source Area to 40 feet bgs;
3. Removal of LNAPL and contaminated groundwater;
4. Backfilling with clean fill and construction of concrete floor;
5. Backfilling the Source Area with flowable fill; and
6. Execution and recording of an Environmental Easement to restrict land use and prevent future exposure to any contamination remaining at the Site.

The removal of soils in the Source Area (“Area of Deep Excavation” in **Figure 3**) also included the removal of the groundwater bearing zone. During soil removal, 1,997 tons of groundwater and LNAPL was removed from the excavation and properly disposed off-site. The groundwater bearing zone within the Source Area was replaced with flowable fill, sealing this area off from the adjacent groundwater bearing zone beneath the Site.

Remedial activities were completed at the Site in October 2013. Implementation of the IRM, including source removal, was effective in removing any remaining free product grossly contaminated soils and the groundwater containing the highest dissolved BTEX. However, residual groundwater contamination remains on-site.

Following mass excavation activities, seven new wells were installed on-site.

Table 1-1: Post-Remediation Wells

| Well ID | Diameter |
|----------|----------|
| BCP-MW-1 | 2” |

**Periodic Review Report
Former Mobil Service Station 99-MST
979 Main Street (1001 Main Street), BCP No. C915260**

| | |
|-----------------|-----------|
| BCP-MW-2 | 8" |
| BCP-MW-3 | 8" |
| BCP-MW-4 | 2" |
| BCP-MW-5 | 2" |
| BCP-MW-6 | 8" |
| BCP-MW-7 | 2" |

Note that one well (BCP-MW-2) was installed adjacent to the flowable fill within the Source Area. This well did not produce water. A second well, BCP-MW-6, was installed along the western side of the deep excavation, along the tiered excavation area and did intercept the portion of the groundwater bearing zone remaining along the shoring. This well did produce water for sampling. All other wells were installed through native materials and the gravel water bearing layer. All wells were installed to an approximate depth of 43 feet below surrounding grade (approximately 16 feet below basement floor elevation).

The monitoring well locations were located in areas of previously identified groundwater contamination and to the south of the plume to confirm that contamination had not moved off-site to the south.

BCP-MW-2 was installed adjacent to the Source Area that was backfilled with flowable fill. Since its installation, this well has been dry. NYSDEC requested the well be modified to evaluate if groundwater underneath the flowable fill mass contains residual contamination. On October 7, 2015 Nature's Way Environmental installed a 1-inch PVC well through the existing BCP-MW-2 to a final depth of 50 feet bgs. The modified well has remained dry. This provides additional evidence that groundwater and petroleum contamination are limited to the coarse sand and gravel layer 32 to 35 feet bgs.

1.4.1 Pump and Treat Pilot Studies

Limited groundwater extraction was conducted on-site to determine if contaminant levels could be reduced using pump and treat techniques. The first pilot study was implemented from December 2015 to March 2016. A second pilot study was implemented from November 2016 to January 2017.

Groundwater was removed using submersible electric pumps. The total volume of groundwater removed was 4,762.2 gallons during the first event and 6,161 gallons during the second event.

Groundwater sampling was conducted before and after the groundwater withdrawal events. Based on sampling results, the Pump-and-Treat Pilot studies did not appear to have a significant effect on the groundwater contaminant concentrations.

1.4.2 In-situ Injections

The remedial method selected for the Site was in-situ chemical oxidation (ISCO) using RegenOX manufactured by Regenesis. RegenOX is sodium percarbonate formulated to degrade petroleum hydrocarbons through direct oxidation and through the generation of free radical compounds which will also oxidize contaminants. RegenOx produces minimal heat and pressure and is non-corrosive, making it a relatively safe chemical oxidant that is compatible for use in direct contact with underground infrastructure such as utilities, tanks, piping, and communication lines. This was an important characteristic when selecting the ISCO product due to the close proximity of the monitoring wells to the earth retention sheeting for the Conventus Building.

The amount of RegenOX used was calculated based on Site specific data and professional experience of C&S and Regenesis. RegenOX was mixed with tap water in 55 gallon drums at a concentration of 100 pounds of RegenOX with 110 gallons of water for each location.

In-situ treatment consisted of gravity-feeding a chemical oxidizer mixed with water directly into monitoring wells, BCP-MW-3, BCP-MW-4, BCP-MW-5, and BCP-MW-6,. Groundwater samples were collected approximately three months after treatment. The first ISCO treatment was conducted on December 12, 2013.

Evaluation of the gravity fed treatments determined this method was not effective at reducing groundwater contaminants. A work plan for increasing the amount of treatment solution using pressure injections was developed. Borings were advanced in the lower floor of underground parking to apply in-situ treatments under pressure directly into the contaminated sand and gravel lens.

The ISCO solution was directly injected into the soil in 12 borings in the sub-basement. Three borings were advanced adjacent to each monitoring wells listed below:

- BCP-MW-3
- BCP-MW-5
- BCP-MW-4
- BCP-MW-6

Each injection boring had to be carefully located to avoid hitting utilities located underneath the floor, with the intent of being within 10 to 15 feet of each monitoring well. Each injection boring was advanced into the coarse sand and gravel layer, approximately 15 feet below the concrete floor.

**Periodic Review Report
Former Mobil Service Station 99-MST
979 Main Street (1001 Main Street), BCP No. C915260**

The ISCO solution was pumped from the mixing station to a truck mounted geo-probe and into the subsurface. The mix of RegenOX and water was injected under pressure in each boring, and the 12 injection borings received approximately 100 pounds of RegenOx. Additionally, 100 pounds of ISCO material was gravity fed directly into each monitoring well. A total of 1,600 pounds of RegenOx was used for each treatment event. For two treatments, a total of 3,200 pounds of RegenOX was used. These large treatment events resulted in mixed results; some locations showed an increase in contaminant concentrations, likely due to additional petroleum desorption, other locations indicated a significant decrease of petroleum contaminants.

The starting in 2018 ISCO treatment method changed to smaller pressurized injections around each target location on a quarterly schedule. A total of six temporary PVC injection points were installed around BCP-MW-6 and BCP-MW-5. Each quarterly treatment injects a total of 800 pounds (130 pounds per injection point) of chemical oxidant. Groundwater monitoring is conducted biannually.

The following provides all ISCO injections that have occurred to date:

December 12, 2013
July 28, 2014
June 24, 2015
May 24 – 25, 2017
September 13 - 15, 2017
May 31, 2018
July 6, 2018
October 1, 2018
January 8 – 11, 2019
June 11 - 12, 2019
October 16 – 17, 2019
November 12 – 13, 2019
March 31 – April 1, 2020
June 23 – 24, 2020
September 21 – 24, 2020
January 5 – 8, 2021
June 1 – 4, 2021

August 13 – 14, 2021

October 13 – 14, 2021

2 REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS

The table below presents a comparison of total VOC and BTEX concentrations from each monitoring well and the percent change from pre-treatment and post-treatment groundwater monitoring.

Table 2-1: VOC Concentration Change

| <i>Monitoring Well</i> | <i>Percent Change Post Injections April 2022 to August 2022</i> | <i>Percent Change Post Injections August 2022 to December 2022</i> | <i>Percent Change Post Remediation Maximum to December 2022</i> |
|------------------------|---|--|---|
| BCP MW-1 | -100 | -100 | -100 |
| BCP MW-3 | +2018 | -98 | -100 |
| BCP MW-4 | +4 | +12 | -29 |
| BCP MW-5 | +3003 | -61 | -68 |
| BCP MW-6 | -100 | -100 | -100 |
| BCP MW-7 | -100 | -100 | -100 |

Note: Negative value indicates decrease in concentration and positives value indicates increase in concentration
BCP-MW-2 was dry. No samples were collected.

Table 2-2: BTEX Concentration Change

| <i>Monitoring Well</i> | <i>Percent Change Post Injections April 2022 to August 2022</i> | <i>Percent Change Post Injections August 2022 to December 2022</i> | <i>Percent Change Post Remediation Maximum to December 2022</i> |
|------------------------|---|--|---|
| BCP MW-1 | -100 | -100 | -100 |
| BCP MW-3 | +2162 | -97 | -100 |
| BCP MW-4 | +22 | +20 | -67 |
| BCP MW-5 | +4950 | -67 | -81 |
| BCP MW-6 | -100 | -100 | -100 |
| BCP MW-7 | -100 | -100 | -100 |

Note: Negative value indicates decrease in concentration and positives value indicates increase in concentration
BCP-MW-2 was dry. No samples were collected.

Table 2-1 and **Table 2-2** shows several consistent decreases in contaminant concentrations from April 2022 to December 2022. The tables indicate a rebound in BCP-MW-3 and BCP-MW-5 and to a lesser extent BCP-MW-4. It should be noted that BCP-MW-5 has consistently had the highest VOC concentrations over the past few years. These increases have been observed during the in-situ injection program

multiple times. The injection product has chemicals that actively desorb VOCs from the soil and still maybe having an effect over time. This temporary increases the dissolved VOC concentrations in the groundwater while other chemicals degrade the VOCs. In addition, injection product has a significant delayed reduction on contaminant concentrations is due to nearly zero groundwater movement within the footprint of the Conventus Building. Permanent steel shoring has cut off the groundwater underneath the building resulting in very slow movement of treatment solution to contaminated areas.

Graph 1 shows total BTEX concentrations over time. **Figure 3** shows the historic BTEX concentrations from each well.

Despite the increase in VOC concentrations in three out of the seven monitoring wells the remedy is demonstrating effectiveness and protectiveness for the following reasons:

- The residual contamination is over 30 feet below ground surface or seven to ten feet below the surface of the lowest parking floor. The general public would not be exposed to contaminated water. Most utilities in the area are much shallower than the contamination; therefore; the risk to construction workers is low.
- Based on previous investigations conducted by C&S (including downgradient sampling conducted 2016), the residual contamination does not extend offsite. The residual contamination is confined to the footprint of the building due to the steel shoring cutting off groundwater flow.
- Exposure to any potential soil vapor is significantly mitigated to the occupants of the building and surrounding area due to two floors of underground parking designed with ventilation systems, vapor barrier on the lower floor and a passive sub-slab depressurization system.

Considering that the residual contamination is isolated both vertically and horizontally on the Site, the remedy is protective of the public and environment.

3 IC/EC PLAN COMPLIANCE REPORT

3.1 IC/EC Requirements and Compliance

As stated in the 2014 Decision Document, the remedial action objectives (RAO) selected for this Site are:

3.1.1 Groundwater

RAOs for Public Health Protection

- Prevent ingestion of groundwater with contaminant levels exceeding drinking water standards.

- Prevent contact with, or inhalation of volatiles, from contaminated groundwater.

RAOs for Environmental Protection

- Restore ground water aquifer to pre-disposal/pre-release conditions, to the extent practicable.
- Prevent the discharge of contaminants to surface water.

3.1.2 Soil

RAOs for Public Health Protection

- Prevent ingestion/direct contact with contaminated soil.
- Prevent inhalation of or exposure from contaminants volatilizing from contaminants in soil.

RAOs for Environmental Protection

- Prevent migration of contaminants that would result in groundwater or surface water contamination.

3.1.3 Soil Vapor

RAOs for Public Health Protection

- Mitigate impacts to public health resulting from existing, or the potential for, soil vapor intrusion directly into buildings at a site.

3.1.4 Institutional Controls

The institutional controls for this Site are:

- The Site may only be used for restricted residential use provided that the long-term Engineering and Institutional Controls included in this SMP are employed;
- The Site may not be used for a higher level of use, unrestricted or residential use, without additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- All future activities on the Site that will disturb remaining contaminated material must be conducted in accordance with this SMP;
- The use of the groundwater underlying the Site is prohibited by the City of Buffalo; and
- Vegetable gardens and farming on the Site are prohibited.

The Site has not changed owners and the land use of the Site has not change. All intuitional controls for this Site are in accordance with requirements of the Environmental Easement.

3.1.5 Engineering Controls

The engineering controls for this Site are:

- Groundwater treatment and monitoring using the seven wells installed in the sub-basement of the building

All engineering controls for this Site are in accordance with requirements of the Environmental Easement.

3.2 IC/EC Certification

As required, the Site Management Periodic Review Report Notice – Institutional and Engineering Controls Certificate Form has been completed and a copy is provided in **Appendix B**.

4 MONITORING PLAN COMPLIANCE REPORT

The SMP identified the need for continued monitoring of groundwater conditions at the Site, including the periodic measuring of water levels and collecting groundwater samples for VOC analysis.

The following monitoring wells are included in the groundwater monitoring plan:

- BCP-MW-1
- BCP-MW-2
- BCP-MW-3
- BCP-MW-4
- BCP-MW-5
- BCP-MW-6
- BCP-MW-7

All monitoring wells were sampled with the exception of BCP-MW-2, which has remained dry since its installation.

The groundwater monitoring activities included the collection of depth-to-water measurements at each monitoring well and the collection of groundwater samples for laboratory analysis. Groundwater sampling was conducted in accordance with the U.S. Environmental Protection Agency Low flow sample procedure. Groundwater sample occurred on the dates below:

September 20, 2013 March 22, 2016 November 30, 2018 December 14, 2022

| | | |
|-------------------|------------------|-------------------|
| March 19, 2014 | June 3, 2016 | July 30, 2019 |
| May 22, 2014 | October 25, 2016 | December 4, 2019 |
| March 11, 2015 | December 8, 2016 | May 13, 2020 |
| June 17, 2015 | January 20, 2017 | November 25, 2020 |
| August 3, 2015 | May 17, 2017 | May 14, 2021 |
| October 7, 2015 | July 5, 2017 | December 14, 2021 |
| December 14, 2015 | November 2, 2017 | April 7, 2022 |
| January 27, 2016 | August 18, 2018 | August 25, 2022 |

Figure 3 shows the location of the groundwater wells in the sub-basement of the Conventus building.

Table 1A presents detected compounds over previous monitoring events. **Table 1B** provides sample results for this reporting period.

5 OPERATION AND MAINTENANCE PLAN COMPLIANCE

The only maintenance items are those associated with the monitoring wells. Minor maintenance to the well caps, PVC risers and road boxes is recommended for some of the monitoring wells. These issues do not interfere with groundwater monitoring or the integrity of the samples.

6 CONCLUSIONS

Based upon the remedial activities performed, the following conclusions have been formulated:

- All of the required work was completed and is reported herein.
- The remedial activities performed at the Site have prevented any adverse risk to human health and the environment.

7 RECOMMENDATIONS

In November of 2021, C&S and the NYSDEC discussed the possibility to reduce the in-situ injection activities. C&S recommends the following:

- Groundwater sampling will be conducted annually on the all monitoring wells in the sub-basement of the Site. All groundwater samples will be collected for VOCs and analyzed using EPA Method 8260.
- If VOC concentrations show a trend upward over three monitoring events, then the in-situ injection program will be re-started.

**Periodic Review Report
Former Mobil Service Station 99-MST
979 Main Street (1001 Main Street), BCP No. C915260**


The NYSDEC denied changing to an annual sampling program. The injection program was temporarily halted unless a continued upward trend is identified.

Two monitoring wells show an upward trend. The next rounds of sampling will determine if the injection program will need to be restarted.

Semi-annual monitoring will continue for the Site until conditions change.

F:\Project\U86 - Seavest Core Buffalo Conventus, LLC\PRR\2023\2023 PERIODIC REVIEW REPORT.docx

FIGURES



C&S Engineers, Inc.
 141 Elm Street
 Buffalo, New York 14203
 Phone: 716-847-1630
 Fax: 716-847-1454
 www.cscos.com



**FORMER MOBIL STATION 99-MST
 979 MAIN ST (1001 MAIN ST)**

BUFFALO, NEW YORK

| MARK | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |

REVISIONS



| | |
|--------------|-------------|
| PROJECT NO: | U86.001.005 |
| DATE: | APRIL 2023 |
| DRAWN BY: | C. MARTIN |
| DESIGNED BY: | C. MARTIN |
| CHECKED BY: | D. RIKER |

NO ALTERATION PERMITTED HEREON
 EXCEPT AS PROVIDED UNDER SECTION
 7209 SUBDIVISION 2 OF THE NEW YORK
 EDUCATION LAW

SITE LOCATION

FIGURE 1

Path: F:\Project\U86 - Seavest Core Buffalo Conventus, LLC\PRR\2023\figure2_project boundaries.mxd



Legend


- Parcel Boundary
- Brownfield Cleanup Program Boundary

Property Note


1) The BCP Project Area ("Site") includes the entire western parcel [1001 Main Street (formerly 979 Main Street)] and extends approximately 40 feet east onto the adjacent eastern parcel (818 Ellicott Street). Total acreage of the BCP Project Site is 1.72 acres.

Notes

- 1) Groundwater elevation benchmark.
- 2) Coordinate System: NAD 1983 StatePlane NY West FIPS 3103
Projection: Transverse Mercator
Datum: North American 1983
Units: Foot US



C&S COMPANIES
 C&S Engineers, Inc.
 141 Elm Street
 Buffalo, New York 14203
 Phone: 716-847-1630
 Fax: 716-847-1454
 www.cscos.com



**FORMER MOBIL STATION 99-MST
 979 MAIN ST (1001 MAIN ST)**

BUFFALO, NEW YORK

| MARK | DATE | DESCRIPTION |
|--|------|-------------|
| REVISIONS | | |
| PROJECT NO: U86.001.005 | | |
| DATE: APRIL 2023 | | |
| DRAWN BY: C. MARTIN | | |
| DESIGNED BY: C. MARTIN | | |
| CHECKED BY: | | |
| NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW | | |

PROJECT
 BOUNDARIES

FIGURE 2

TABLES

Table 1A Groundwater Analytical Results
 Summary of Detected Compounds
 Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | MW-1 | |
|---|-----------|-----------|-------------|-----------|---------------|---------------|--------------|-----------|--------------|--------------|------------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|------------|-------------|------------|-----------|------------|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2014 | 12/15/2015 | 1/27/2016 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/2/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L |
| NYSDEC Ambient Water Quality Standards & Guidance Values Volatile Organic Compound Groundwater | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,3-DICHLOROETHANE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 2-HEXANONE | 50 | ND | ND | ND | ND | ND | 3.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| ACETONE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 5.1 | ND | ND | 1.8J | 2.4 J | 1.7 | ND | ND | 1.8 | J | ND |
| BENZENE | 1 | ND | ND | ND | 35 | 39 | 5.7 | 1.4 | 0.72 | ND | ND | ND | ND | ND | 0.33 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| ETHYLBENZENE | 5 | ND | ND | ND | 2 | 1.5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| ISOPROPYLBENZENE (CUMENE) | 5 | ND | ND | ND | 1.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | ND | ND | ND | ND | 45 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| METHYLENE CHLORIDE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| TOLUENE | 5 | ND | ND | ND | 19 | 38 | 0.55 | ND | ND | ND | ND | ND | ND | ND | 1.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | 0.33 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| XYLENES, TOTAL | 5 | ND | ND | ND | 6.4 | 4.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | 0.33 J | ND | ND | ND | ND | ND | ND | ND | 4.3 | ND | ND | ND | ND | ND | ND | 1.4 | J |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | 0.94 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| CYCLOHEXANE | | ND | ND | ND | 35 | 59 | 61 | 51 | 72 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| METHYL ISOBUTYL KETONE | | ND | ND | ND | ND | 13 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | |
| METHYLCYCLOHEXANE | | ND | ND | 0.47 | 3.2 | 17 | 15 | 11 | ND | ND | ND | ND | ND | ND | 1.5 | .88J | ND | ND | ND | ND | ND | ND | ND | ND |
| Total VOCs | 0 | 0 | 1.41 | 0 | 101.90 | 216.70 | 85.75 | 0 | 63.40 | 72.72 | 0 | 0 | 5.10 | 1.40 | 1.50 | 6.98 | 2.55 | 1.70 | 0 | 0 | 3.20 | 0 | 0 | |
| Total BTEX | 0 | 0 | 0 | - | 62.40 | 82.70 | 6.25 | 0 | 1.40 | 0.72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2,4-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | 1.6 | J | ND |
| SEC-BUTYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| N-PROPYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| N-BUTYLBENZENE | 5 | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| P-ISOPROPYLTOLUENE | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,4-DIETHYLBENZENE | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:
 Not Sampled
 1) Blank space = analyte concentration not reported
 2) BCP MW-2 was dry and not sampled
 3) For the March 11, 2015 monitoring event well MW-1, MW-5, MW-6 and MW-7 were dry or not enough water was inside the well for a representative sample.
 4) WG = groundwater

Table 1A Groundwater Analytical Results
 Summary of Detected Compounds
 Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | MW-3 | |
|--|-------------|-----------|-----------|-----------|-----------|----------|------------|-----------|-----------|----------|------------|-----------|-----------|-----------|----------|-----------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|--------|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2015 | 12/15/2015 | 1/27/2015 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/2/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 | |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | |
| NYSDEC Ambient Water Quality Standards & Guidance Values | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volatile Organic Compound | Groundwater | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,3-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 2-HEXANONE | 50 | ND | ND | ND | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ACETONE | 50 | ND | 98 | ND | 17 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 166 | ND | 2.3 | 24.0 | 2.1 J | ND | ND | ND | 3.8 J | 6.2 J | |
| BENZENE | 1 | 6,600 | 4,500 | 4,700 | 3,700 | 4,300 | 4,100 | 2,100 | 2,200 | 1,900 | 3,100 | 1,390 | 635 | 363 | 451 | 3 | 364 | ND | ND | ND | 0.2J | ND | ND | 0.49 J | |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.2 J | ND | |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ETHYLBENZENE | 5 | 1,200 | 1,600 | 1,500 | 1,600 | 1,500 | 1,700 | 1,400 | 1,600 | 1,600 | 610 | 194 | 899 | 517 | 197 | 2.4 | 384 | ND | ND | ND | 1.1 J | ND | ND | 42 | |
| ISOPROPYLBENZENE (CUMENE) | 5 | ND | 37 | ND | 32 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 8.7 | ND | ND | ND | ND | ND | ND | ND | ND | |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | ND | 71 | ND | 6.7 | ND | ND | ND | ND | ND | ND | ND | ND | 201 | 51.4 | 51.4 | ND | ND | ND | ND | ND | ND | ND | ND | |
| METHYLENE CHLORIDE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | 35 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| TOLUENE | 5 | 110 | 150 | 150 | 110 | 110 | 130 | 100 | 110 | 110 | 67 | 39.4 | 74.5 | 38.4 | 22.6 | 1.6 | 34.8 | ND | ND | ND | ND | ND | ND | 4.8 | |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| XYLENES, TOTAL | 5 | 3,700 | 3,600 | 3,200 | 4200 | 4000 | 3900 | 2200 | 2600 | 2200 | 2100 | 806.3 | 1430 | 949 | 639 | 7.1 | 930.0 | ND | ND | ND | 1.3 J | ND | ND | 79.2 J | |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 14 | 357 | ND | ND | ND | ND | ND | 1.5 J | ND | 18 J | |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | ND | 0.31 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| CYCLOHEXANE | | 120 | 320 | 270 | 390 | 330 | 210 | 100 | 93 | 110 | 170 | ND | ND | ND | ND | 60.5 | ND | ND | ND | ND | ND | 3.4 J | 1 J | 16 J | |
| METHYL ISOBUTYL KETONE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | ND | |
| METHYLCYCLOHEXANE | | ND | 130 | 150 | 120 | 160 | 96 | 34 | 33 | 36 J | 170 | 47.7 | ND | ND | 29.5 | ND | 33.4 | ND | ND | ND | ND | ND | ND | 8.2 J | |
| Total VOCs | | 11730.00 | 10506.00 | 9970.00 | 10179.01 | 10400.00 | 10136.00 | 5934.00 | 6636.00 | 5920.00 | 6252.00 | 2477.40 | 3038.10 | 1867.40 | 1540.10 | 253.80 | 2223.80 | 2.30 | 24.00 | 2.10 | 2.60 | 0 | 4.90 | 5 | 174.89 |
| Total BTEX | | 11610.00 | 9850.00 | 9550.00 | 9610.00 | 9910.00 | 9830.00 | 5800.00 | 6510.00 | 5810.00 | 5877.00 | 2429.70 | 3038.10 | 1867.40 | 1309.60 | 14.40 | 1712.80 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 126.49 |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | ND | 133 | 133 | ND | ND | ND | ND | ND | ND | 6.5 | |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2,4-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | 4.9 | 737 | 737 | ND | ND | 1.2 J | 0.88J | ND | ND | 68 | |
| SEC-BUTYLBENZENE | 5 | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| N-PROPYLBENZENE | 5 | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.3 J | |
| N-BUTYLBENZENE | 5 | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| P-ISOPROPYLTOLUENE | | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,4-DIETHYLBENZENE | | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |

Notes:

Not Sampled

- 1) Blank space = analyte concentration not reported
- 2) BCP MW-2 was dry and not sampled
- 3) For the March 11, 2015 monitoring event well MW- were dry or not enough water was inside the well for a
- 4) WG = groundwater

Table 1A Groundwater Analytical Results
 Summary of Detected Compounds
 Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | MW-4 | | | |
|--|-------------|-----------|-----------|-----------|-----------|----------|------------|-----------|-----------|----------|------------|-----------|-----------|-----------|----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|---------|-----|---|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2015 | 12/15/2015 | 1/27/2016 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/17/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 | | | |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | | | |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | | | |
| NYSDEC Ambient Water Quality Standards & Guidance Values | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volatile Organic Compound | Groundwater | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.0 J | ND | ND | ND | | | |
| 1,3-DICHLOROETHANE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| 2-HEXANONE | 50 | ND | ND | ND | 1.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| ACETONE | 50 | 10 | 250 | 170 | 67 | ND | 210 | ND | ND | ND | ND | ND | ND | ND | 38.2 | 10 | 1.6 | ND | ND | ND | ND | ND | ND | ND | | | |
| BENZENE | 1 | 42 | 29 | 15 | 26 | 24 | 242 | ND | 21 | ND | 21 | 9.57 | 12.8 | 10.2 | 10.8 | 1.3 | 97.0 | 45.0 | 36.0 | 6.7 | 6.4 | 7.6 | 7.8 | 8.5 | 5 | | |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| ETHYLBENZENE | 5 | 4.7 | 34 | 32 | 560 | 1,000 | 680 | 1,100 | 1300 | 1,400 | 1400 | 1,000 | 1170 | 1,300 | 1220 | 28 | 1.8 | ND | 170 | 2.0 J | 460 | 810 | 870 | 1100 | 1100 | | |
| ISOPROPYLBENZENE (CUMENE) | 5 | ND | ND | ND | 9.8 | 15.0 | 26 | ND | ND | ND | ND | 19 | 30.3 | 28.7 | ND | 2.3 | ND | ND | 8.3 | 1.3 J | 19 | 28 | 34 | 27 | 35 | | |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | ND | ND | ND | ND | 8.50 | ND | ND | ND | ND | ND | ND | ND | ND | 6.9 | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| METHYLENE CHLORIDE | 5 | ND | ND | 1 J | ND | ND | ND | 52 | ND | 42 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| TOLUENE | 5 | 1.1 | 190 | 110 | 53 | 57 | 140 | 180 | 270 | 150 | 97 | 62.4 | 130 | 133 | 92.2 | 9.8 | ND | ND | 15 | ND | 11 | 46 | 29 | 22 | J | 64 | |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | | |
| XYLENES, TOTAL | 5 | 29 | 180 | 160 | 800 | 1,200 | 3100 | 1,800 | 2600 | 2,100 | 1800 | 1,160 | 1892 | 1,944 | 1289.7 | 24.5 | ND | ND | 83.6 | ND | 157.3 | 534 J | 358 J | 418 | J | 651 | J |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.9 | ND | ND | 36 | ND | 99 | 230 | 230 | 320 | 360 | J | | |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | 1.9 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | |
| CYCLOHEXANE | | 8.2 | 11 | 7 | 170 | 170 | 110 | 160 | 220 | 250 | 340 | 189 | 259 | 276 | 235 | 276 | 5.5 | ND | 24 | .41 J | 60 | 100 | 140 | 160 | 190 | J | |
| METHYL ISOBUTYL KETONE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| METHYLCYCLOHEXANE | | 7.5 | 3.7 | 3.1 | 87 | 92 | 69 | 86 | 100 | 110 | 140 | 85.1 | 110 | 123 | 99.7 | 123 | 2.4 | 0.47 | 8.9 | ND | 8 | 22 J | 38 J | 44 | J | 54 | J |
| Total VOCs | | 102.50 | 697.70 | 497.10 | 1774.50 | 2566.50 | 4577.00 | 3326.00 | 4563.00 | 4010.00 | 3840.00 | 2525.47 | 3604.10 | 3814.90 | 2947.40 | 511.90 | 116.70 | 47.07 | 381.80 | 10.41 | 821.70 | 1777.60 | 1706.80 | 2099.50 | 2459.00 | | |
| Total BTEX | | 76.80 | 433.00 | 317.00 | 1439.00 | 2281.00 | 4162.00 | 3080.00 | 4191.00 | 3650.00 | 3318.00 | 2232.37 | 3204.80 | 3387.20 | 2612.70 | 63.60 | 98.80 | 45.00 | 304.60 | 8.70 | 634.70 | 1397.60 | 1264.80 | 1548.50 | 1820.00 | | |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | 2 | ND | ND | 1.4 J | ND | ND | 7.0 J | 11 J | 8.4 | J | 13 | J | |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | | | | | | | | | | | | | | 1.1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | |
| 1,2,4-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | 1.1 | ND | ND | 150 | ND | 470 | 1100 | 1300 | 1500 | 1500 | | | |
| SEC-BUTYLBENZENE | 5 | | | | | | | | | | | | | | ND | ND | ND | 1.5 J | ND | 2.9 J | ND | ND | ND | ND | ND | | |
| N-PROPYLBENZENE | 5 | | | | | | | | | | | | | | 2.3 | ND | ND | 37 | ND | 86 | 150 | 170 | 160 | 200 | | | |
| N-BUTYLBENZENE | 5 | | | | | | | | | | | | | | 1.7 | ND | ND | 2.2 J | ND | 4.1 J | 10 J | 12 J | 9.7 | J | 14 | J | |
| P-ISOPROPYLTOLUENE | | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | |
| 1,4-DIETHYLBENZENE | | | | | | | | | | | | | | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | | |

Notes:
 Not Sampled
 1) Blank space = analyte concentration not reported
 2) BCP MW-2 was dry and not sampled
 3) For the March 11, 2015 monitoring event well MW- were dry or not enough water was inside the well for
 4) WG = groundwater

Table 1A Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | MW-5 | |
|--|-----------|-----------------|-----------------|-----------------|-----------|-----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2015 | 12/15/2015 | 1/27/2016 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/2/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 | |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | |
| NYSDEC Ambient Water Quality Standards & Guidance Values | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volatile Organic Compound Groundwater | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,3-DICHLOROETHANE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 2-HEXANONE | 50 | 11 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.7 J | ND | ND | ND | ND | ND | |
| ACETONE | 50 | ND | 520 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 15.3 | ND | 41 | 69 J | 44 | 97 J | ND | 43 J | 45 J | ND | |
| BENZENE | 1 | 5,600 | 4,800 | 4,900 | 3,700 | 4,100 | 1,800 | 1,800 | 1,700 | 1,600 | 899 | 949 | 682 | 428 | 574 | 283 | 86 | 26 | 3.3 | 8.9 J | 5.8 J | 3.4 J | 5.8 J | ND | |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ETHYLBENZENE | 5 | 1,900 | 1,600 | 1,600 | 2,800 | 2,600 | 1,600 | 1,900 | 2,200 | 2,200 | 1,490 | 1,450 | 2,070 | 584 | 534 | 1,660 | 1,500 | 810 | 520 E | 1200 | 1,700 | 1,700 | 770 | 1800 | |
| ISOPROPYLBENZENE (CUMENE) | 5 | 28 | 29 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 13.6 | ND | 20 | 16 J | 23 | 24 J | 30 J | 33 J | 13 J | 33 J | |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | 10 | 350 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 5.1 | ND | |
| METHYLENE CHLORIDE | 5 | ND | ND | ND | ND | ND | ND | 77 | 96 | ND | |
| TOLUENE | 5 | 170 | 220 | 310 | 290 | 290 | 70 | 80 | 88 | 77 | 68.5 | 84.9 | 86.6 | ND | 36.2 | 82.0 | 66.0 | 39 J | 38.0 | 42 J | 49 J | 48 J | 16.0 J | 44 J | |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | .22 J | ND | ND | ND | ND | ND | |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| XYLENES, TOTAL | 5 | 10,000 | 6,800 | 8,300 | 9,100 | 10,000 | 2,600 | 3,100 | 3,300 | 2,800 | 2,271.3 | 2,152.2 | 3,394.7 | 3,000.7 | 4,520.0 | 5,610.0 | 5,461.0 | 4,066.0 | 1879 E | 3373 | 5,086.0 | 4,275 | 1,534.0 | 5,076 | |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 730 | 1,030 | 620 | 1,100 | ND | 1100 | 940 | 820 | 430 | 1000 J | |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.1 | ND | ND | ND | 1.2 J | ND | ND | ND | ND | ND | |
| CYCLOHEXANE | | 230 | 340 | 240 | 430 | 260 | 230 | 250 | 280 | 430 | 198 | 148 | 257 | ND | 257 | 238 | 150 | 130 J | 140 | 220 | 250 | 240 | 130 | 330 J | |
| METHYL ISOBUTYL KETONE | | 23 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 3.0 J | ND | ND | ND | ND | ND | |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | | |
| METHYLCYCLOHEXANE | | 100 | 170 | 150 | 190 | 130 | 92 | 100 | 100 | 140 | 67.5 | 58.4 | 92.8 | 49 | 92.8 | 106 | 70 | 82 J | 65 | 96 | 110 J | 110 J | 60 J | 120 J | |
| Total VOCs | | 18072.00 | 14829.00 | 15500.00 | 0 | 16510.00 | 17380.00 | 6392.00 | 7230.00 | 7745.00 | 7343.00 | 4994.30 | 4842.50 | 6583.10 | 4061.70 | 6780.10 | 9009.00 | 8014.00 | 6338.00 | 2718.72 | 6160.90 | 8170.80 | 7,272.4 | 3003.80 | 8403.00 |
| Total BTEX | | 17670.00 | 13420.00 | 15110.00 | 0 | 15890.00 | 16990.00 | 6070.00 | 6880.00 | 7288.00 | 6677.00 | 4728.80 | 4636.10 | 6233.30 | 4012.70 | 5664.20 | 7635.00 | 7113.00 | 4941.00 | 2440.30 | 4623.90 | 6840.80 | 6026.40 | 2325.80 | 6920.00 |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | 823 | ND | ND | 630 | ND | 480 | 520 | 400 | 99 | 430 | | |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | | | | | | | | | | | | | 135 | ND | ND | | ND | ND | ND | ND | ND | ND | | |
| 1,2,4-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | 2,280 | 2,490 | 2,400 | 2,300 | ND | 2200 | 2500 | 2500 | 1200 | 2500 | | |
| SEC-BUTYLBENZENE | 5 | | | | | | | | | | | | | 3.2 | ND | ND | | ND | ND | ND | ND | ND | ND | | |
| N-PROPYLBENZENE | 5 | | | | | | | | | | | | | 34.8 | ND | 110 | 69 | ND | 110 | 140 | 150 | 64 | 170 | | |
| N-BUTYLBENZENE | 5 | | | | | | | | | | | | | 43.3 | ND | ND | | ND | 4.1 J | ND | ND | ND | ND | | |
| P-ISOPROPYLTOLUENE | | | | | | | | | | | | | | 5.7 | ND | ND | | ND | ND | ND | ND | ND | ND | | |
| 1,4-DIETHYLBENZENE | | | | | | | | | | | | | | 347 | ND | ND | | ND | ND | ND | ND | ND | ND | | |

Notes:
 Not Sampled
1) Blank space = analyte concentration not reported
2) BCP MW-2 was dry and not sampled
3) For the March 11, 2015 monitoring event well MW- were dry or not enough water was inside the well for a
4) WG = groundwater

Table 1A Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | MW-6 | |
|--|-------------|----------------|---------------|---------------|-----------|----------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|----------------|---------------|---------------|----------------|--------------|--------------|-------------|--------------|-------------|--------------|-------------|----------|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2015 | 12/14/2015 | 1/27/2016 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/2/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 | |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | |
| NYSDEC Ambient Water Quality Standards & Guidance Values | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volatile Organic Compound | Groundwater | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | .20 J | ND | ND | ND | |
| 1,3-DICHLOROETHANE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 2-HEXANONE | 50 | ND | ND | ND | 190 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ACETONE | 50 | ND | ND | ND | 480 | 340 | ND | ND | ND | ND | ND | ND | ND | ND | 102 | ND | 17 | 4.5 J | ND | 6.4 | 1.6J | ND | ND | ND | |
| BENZENE | 1 | 190 | 33 | 16 | 470 | 890 | 250 | 230 | 200 | 120 | 302 | 168 | 200 | 113 | 131 | 774 | ND | 0.82 | ND | 4 | ND | 7.5 | ND | ND | |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ETHYLBENZENE | 5 | 130 | 20 | 31 | 36 | 210 | 22 | 44 | 67 | 50 | 163 | 169 | 173 | 175 | 85.5 | 154.0 | 3.3 | 1.7 J | ND | 2.4 J | ND | 2.7 | ND | ND | |
| ISOPROPYLBENZENE (CUMENE) | 5 | 4.4 | ND | 1.9 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.5 | ND | 1.3 | ND | ND | .90 J | ND | ND | ND | ND | |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | ND | ND | ND | 110 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 19.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| METHYLENE CHLORIDE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| TOLUENE | 5 | 810 | 42 | 79 | 1,000 | 1,900 | 85 | 120 | 78 | 120 | 130 | 255 | 351 | 147 | 22.5 | 2,970.0 | ND | ND | ND | 6.7 | ND | 9 | ND | ND | |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| XYLENES, TOTAL | 5 | 750 | 85 | 150 | 740 | 1,100 | 140 | 190 | 130 | 210 | 393 | 360 | 451 | 190.7 | 438 | 1,500 | ND | 2 J | ND | 8 | ND | 10 | 1.1 J | ND | |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 86.6 | ND | 1 | .8 J | ND | 4.8 | ND | 2.6 | 3.9 | ND | |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| CYCLOHEXANE | | 68 | ND | 130 | 270 | 41 | 62 | 110 | 110 | 91 | 81.5 | ND | ND | ND | ND | 84 | 7.4 | 3.7 J | .60 J | 6.6 J | ND | 7.2 J | ND | ND | |
| METHYL ISOBUTYL KETONE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | | |
| METHYLCYCLOHEXANE | | 46 | 16 | 18 | 170 | 27 | 24 | 21 | 10 | 24 | 32.2 | 30.2 | 36.9 | 35.3 | 36.9 | 44 | 4.3 | 3.8 J | ND | 4.5 J | ND | 4.6 J | ND | ND | |
| Total VOCs | | 1998.40 | 196.00 | 424.00 | 0 | 3466.00 | 4508.00 | 583.00 | 715.00 | 595.00 | 615.00 | 1101.30 | 982.50 | 1211.90 | 661.00 | 924.60 | 5526.00 | 34.50 | 17.32 | 0.60 | 44.50 | 1.60 | 43.60 | 5.00 | 0 |
| Total BTEX | | 1880.00 | 180.00 | 276.00 | 0 | 2246.00 | 4100.00 | 497.00 | 584.00 | 475.00 | 500.00 | 987.60 | 952.30 | 1175.00 | 625.70 | 677.00 | 5398.00 | 3.30 | 4.52 | 0.00 | 21.10 | 0 | 21.70 | 1.10 | 0 |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | 74.3 | ND | ND | 5.1 | ND | 1.4 J | ND | 2.0 J | ND | ND | |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | | | | | | | | | | | | | | 14.3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2,4-TRIMETHYLBENZENE | 5 | | | | | | | | | | | | | | 134 | ND | ND | ND | ND | 2.2 J | ND | 2.8 | 2 J | ND | |
| SEC-BUTYLBENZENE | 5 | | | | | | | | | | | | | | | | | | | 0.88 J | ND | ND | ND | ND | |
| N-PROPYLBENZENE | 5 | | | | | | | | | | | | | | 11.3 | ND | 4.7 | 1.7 J | ND | 1.3 J | ND | 1.2 J | ND | ND | |
| N-BUTYLBENZENE | 5 | | | | | | | | | | | | | | 4.6 | ND | 0.72 | ND | ND | 4.1 J | ND | ND | ND | ND | |
| P-ISOPROPYLTOLUENE | | | | | | | | | | | | | | | 1.6 | 1.6 | 1.6 | ND | ND | ND | ND | ND | ND | ND | |
| 1,4-DIETHYLBENZENE | | | | | | | | | | | | | | | 32.9 | 32.9 | 32.9 | ND | ND | ND | ND | ND | ND | ND | |

Notes:
 Not Sampled
 1) Blank space = analyte concentration not reported
 2) BCP MW-2 was dry and not sampled
 3) For the March 11, 2015 monitoring event well MW- were dry or not enough water was inside the well for a
 4) WG = groundwater

Table 1A Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| Sample Name | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | MW-7 | | |
|--|-----------|-------------|--------------|---------------|-----------|-------------|------------|-------------|-----------|----------|------------|-----------|-----------|-----------|----------|-------------|-------------|-------------|-------------|-------------|-------------|------------|-----------|------------|----------|
| Date Collected | 9/20/2013 | 3/19/2014 | 5/22/2014 | 3/11/2015 | 6/17/2015 | 8/3/2015 | 12/15/2015 | 1/27/2016 | 3/22/2016 | 6/3/2016 | 10/25/2016 | 12/8/2016 | 1/20/2017 | 5/17/2017 | 7/5/2017 | 11/2/2017 | 8/16/2018 | 11/29/2018 | 7/30/2019 | 12/12/2019 | 3/31/2020 | 11/25/2020 | 5/14/2021 | 12/14/2021 | |
| Matrix | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | WG | |
| Unit | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | ug/L | |
| NYSDEC Ambient Water Quality Standards & Guidance Values | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volatiles Organic Compound | | | | | | | | | | | | | | | | | | | | | | | | | |
| Groundwater | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2-DICHLOROPROPANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,3-DICHLOROBENZENE | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 2-HEXANONE | 50 | ND | ND | 4.8 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ACETONE | 50 | ND | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.5 | ND | 4.2 J | ND | ND | ND | ND | ND | |
| BENZENE | 1 | 0.51 | 8.8 | 14 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.3 | 2.81 | 1.8 | .18 J | .77 | .17 J | ND | ND | ND | ND | |
| BROMODICHLOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DIBROMOCHLOROMETHANE | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| DICHLORODIFLUOROMETHANE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| ETHYLBENZENE | 5 | ND | ND | 3 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0 | ND | ND | ND | ND | ND | ND | ND | ND | |
| ISOPROPYLBENZENE (CUMENE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.45 | ND | ND | ND | ND | ND | ND | ND | ND | |
| METHYL ETHYL KETONE (2-BUTANONE) | 50 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| METHYLENE CHLORIDE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| TOLUENE | 5 | ND | 0.56 | 4.7 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.1 | ND | ND | ND | ND | ND | ND | ND | ND | |
| TRICHLOROETHYLENE (TCE) | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,1,2-TRICHLOROETHANE | 1 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| XYLENES, TOTAL | 5 | 0.96 | 4.8 | 94 | ND | ND | ND | ND | 0.99 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| NAPHTHALENE | 10 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.50 | .86 J | ND | ND | ND | ND | 1 J | ND | |
| No Standard | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARBON DISULFIDE | | ND | ND | 0.97 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| CYCLOHEXANE | | ND | 4.3 | 9.6 | ND | ND | 0.71 | ND | ND | ND | ND | ND | ND | ND | ND | 0.99 | 0.66 | ND | ND | ND | ND | ND | ND | ND | |
| METHYL ISOBUTYL KETONE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 4-METHYL-2-PENTANONE | | | | | | | | | | | | | | | | | | | | | | | | | |
| METHYLCYCLOHEXANE | | ND | 1.7 | 5.1 | 0.18 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| Total VOCs | | 1.47 | 23.16 | 136.17 | 0 | 0.18 | 0 | 0.71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.30 | 5.35 | 3.66 | 1.04 | 4.97 | 0.17 | 0 | 0 | 1 | 0 |
| Total BTEX | | 0.51 | 14.16 | 115.70 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2.30 | 3.91 | 1.80 | 0.18 | 0.77 | 0.17 | 0 | 0 | 0 | 0 |
| Non-Standard VOC List | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,3,5-TRIMETHYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 3.2 | ND | 3.2 | ND | ND | ND | ND | ND | |
| 1,2,4,5-TETRAMETHYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,2,4-TRIMETHYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| SEC-BUTYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| N-PROPYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| N-BUTYLBENZENE | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| P-ISOPROPYLTOLUENE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |
| 1,4-DIETHYLBENZENE | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | |

Notes:
 Not Sampled
 1) Blank space = analyte concentration not reported
 2) BCP MW-2 was dry and not sampled
 3) For the March 11, 2015 monitoring event well MW- were dry or not enough water was inside the well for ε
 4) WG = groundwater

TABLE 1B

Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| | SAMPLE ID: | BCP-MW-1 | BCP-MW-3 | BCP-MW-4 | BCP-MW-5 | BCP-MW-6 | BCP-MW-7 | BCPMW-1 | BCPMW-3 | BCPMW-4 | BCPMW-5 | BCPMW-6 | BCPMW-7 | DUP | TRIP BLANK |
|-----------------------------|------------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| | COLLECTION DATE: | 4/7/2022 | 4/7/2022 | 4/8/2022 | 4/7/2022 | 4/7/2022 | 4/7/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 |
| | SAMPLE MATRIX: | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER |
| | NY-TOGS-GA | | | | | | | | | | | | | | |
| | (ug/l) | | | | | | | | | | | | | | BCP-MW-1 |
| VOCs | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1,2,2-Tetrachloroethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1,2-Trichloroethane | 1 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2,4-Trichlorobenzene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2,4-Trimethylbenzene | 5 | ND | 15 | 1200 | E 130 | ND | ND | ND | 560 | 1200 | 3100 | ND | ND | ND | ND |
| 1,2-Dibromo-3-chloropropane | 0.04 | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| 1,2-Dibromoethane | 0.0006 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichlorobenzene | 3 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane | 0.6 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloropropane | 1 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,3,5-Trimethylbenzene | 5 | ND | 0.77 | J 21 | 58 | ND | ND | ND | 47 | ND | 630 | ND | ND | ND | ND |
| 1,3-Dichlorobenzene | 3 | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,4-Dichlorobenzene | 3 | ND | ND | ND | ND | ND | ND | ND | ND |
| 2-Butanone | 50 | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| 2-Hexanone | 50 | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| 4-Methyl-2-pentanone | NA | ND | 2.2 | J ND | ND | ND | ND | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| Acetone | 50 | ND | ND | ND | ND | ND | ND | ND | ND |
| Benzene | 1 | ND | 0.5 | 2.6 | 0.22 | J ND | ND | ND | 1.7 | 5 | ND | ND | ND | ND | ND |
| Bromodichloromethane | 50 | ND | ND | ND | ND | ND | ND | ND | ND |
| Bromoform | 50 | ND | ND | ND | ND | ND | ND | ND | ND |
| Bromomethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Carbon disulfide | 60 | ND | ND | ND | ND | ND | ND | ND | ND |
| Carbon tetrachloride | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Chlorobenzene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Chloroethane | 5 | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| Chloroform | 7 | ND | ND | ND | ND | ND | ND | ND | ND |
| Chloromethane | NA | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,2-Dichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,3-Dichloropropene | 0.4 | ND | ND | ND | ND | ND | ND | ND | ND |
| Cyclohexane | NA | ND | 13 | 120 | 18 | ND | ND | ND | 40 | 130 | 240 | ND | ND | ND | ND |
| Dibromochloromethane | 50 | ND | ND | ND | ND | ND | ND | ND | ND |
| Dichlorodifluoromethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Ethylbenzene | 5 | ND | 15 | 790 | 39 | ND | ND | ND | 380 | 1100 | 2100 | ND | ND | ND | ND |
| Freon-113 | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Isopropylbenzene | 5 | ND | ND | 31 | 1.4 | J ND | ND | ND | 5.2 | 24 | 29 | ND | ND | ND | ND |
| Methyl Acetate | NA | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| Methyl cyclohexane | NA | ND | 6.2 | J 43 | J 11 | ND | ND | ND | 32 | 51 | 95 | ND | ND | ND | ND |
| Methyl tert butyl ether | 10 | ND | ND | ND | ND | ND | ND | ND | ND |
| Methylene chloride | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| n-Butylbenzene | 5 | ND | ND | 10 | J 0.77 | J ND | ND | ND | ND | 9.4 | ND | ND | ND | ND | ND |
| n-Propylbenzene | 5 | ND | 1 | J 150 | 3.6 | ND | ND | ND | 18 | 140 | 130 | ND | ND | ND | ND |
| Naphthalene | 10 | ND | 5.7 | 260 | 65 | ND | ND | ND | 170 | 200 | 840 | ND | ND | ND | ND |
| o-Xylene | 5 | ND | 1.9 | J 18 | 8.4 | ND | ND | ND | 12 | 12 | 100 | ND | ND | ND | ND |
| p-Isopropyltoluene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| p/m-Xylene | 5 | ND | 21 | 120 | 150 | ND | ND | ND | 480 | 14 | 7800 | ND | ND | ND | ND |

TABLE 1B

Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| | SAMPLE ID: | BCP-MW-1 | BCP-MW-3 | BCP-MW-4 | BCP-MW-5 | BCP-MW-6 | BCP-MW-7 | BCPMW-1 | BCPMW-3 | BCPMW-4 | BCPMW-5 | BCPMW-6 | BCPMW-7 | DUP | TRIP BLANK |
|---------------------------|----------------------|----------|--------------|----------------|---------------|----------|----------|-----------|----------------|----------------|-----------------|-----------|-----------|-----------|------------|
| | COLLECTION DATE: | 4/7/2022 | 4/7/2022 | 4/8/2022 | 4/7/2022 | 4/7/2022 | 4/7/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 | 8/25/2022 |
| | SAMPLE MATRIX: | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER |
| | NY-TOGS-GA (ug/l) | | | | | | | | | | | | | | BCP-MW-1 |
| VOCs | | | | | | | | | | | | | | | |
| sec-Butylbenzene | 5 | ND | ND | 4.6 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Styrene | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| tert-Butylbenzene | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Tetrachloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Toluene | 5 | ND | 1.2 J | 25 | 0.9 J | ND | ND | ND | 22 | 34 | 26 | ND | ND | ND | ND |
| trans-1,2-Dichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| trans-1,3-Dichloropropene | 0.4 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichlorofluoromethane | 5 | ND | ND | ND | ND | ND | ND | ND UJ | ND UJ | ND UJ | ND UJ | ND UJ | ND UJ | ND UJ | ND UJ |
| Vinyl chloride | 2 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| VOC | | 0 | 83.47 | 2795.20 | 486.29 | 0 | 0 | 0 | 1767.90 | 2919.40 | 15090.00 | 0 | 0 | 0 | 0 |
| BTEX | | 0 | 39.60 | 955.60 | 198.52 | 0 | 0 | 0 | 895.70 | 1165.00 | 10026.00 | 0 | 0 | 0 | 0 |

NY-TOGS-GA: New York TOGS 111 Groundwater Effluent Limitations criteria reflects all addendum to criteria through June 2004.

ND indicates analyte was not detected.

Blank space indicates analyte was not analyzed for in that sample.

*+ - LCS and/or LCSD is outside acceptance limits, high biased.

B - Compound was found in the blank and sample.

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

TABLE 1B

Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup



| | SAMPLE ID: | BCPMW-1 | BCPMW-3 | BCPMW-4 | BCPMW-5 | BCPMW-6 | BCPMW-7 | DUP | TRIP BLANK |
|-----------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | COLLECTION DATE: | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/15/2022 |
| | SAMPLE MATRIX: | WATER |
| | NY-TOGS-GA | | | | | | | BCP-MW-1 | |
| | (ug/l) | | | | | | | | |
| VOCs | | | | | | | | | |
| 1,1,1-Trichloroethane | 5 | ND |
| 1,1,2,2-Tetrachloroethane | 5 | ND |
| 1,1,2-Trichloroethane | 1 | ND UJ | ND |
| 1,1-Dichloroethane | 5 | ND |
| 1,1-Dichloroethene | 5 | ND |
| 1,2,4-Trichlorobenzene | 5 | ND |
| 1,2,4-Trimethylbenzene | 5 | ND | 13 | 1200 | 1400 | ND | ND | ND | ND |
| 1,2-Dibromo-3-chloropropane | 0.04 | ND UJ | ND |
| 1,2-Dibromoethane | 0.0006 | ND UJ | ND |
| 1,2-Dichlorobenzene | 3 | ND |
| 1,2-Dichloroethane | 0.6 | ND UJ | ND |
| 1,2-Dichloropropane | 1 | ND |
| 1,3,5-Trimethylbenzene | 5 | ND | ND | ND | 350 | ND | ND | ND | ND |
| 1,3-Dichlorobenzene | 3 | ND |
| 1,4-Dichlorobenzene | 3 | ND |
| 2-Butanone | 50 | ND |
| 2-Hexanone | 50 | ND |
| 4-Methyl-2-pentanone | NA | ND |
| Acetone | 50 | ND |
| Benzene | 1 | ND | ND | 3.5 | ND | ND | ND | ND | ND |
| Bromodichloromethane | 50 | ND |
| Bromoform | 50 | ND UJ | ND |
| Bromomethane | 5 | ND UJ |
| Carbon disulfide | 60 | ND UJ |
| Carbon tetrachloride | 5 | ND |
| Chlorobenzene | 5 | ND |
| Chloroethane | 5 | ND |
| Chloroform | 7 | ND |
| Chloromethane | NA | ND UJ | ND |
| cis-1,2-Dichloroethene | 5 | ND |
| cis-1,3-Dichloropropene | 0.4 | ND |
| Cyclohexane | NA | ND | 1.5 | 140 | 120 | ND | ND | ND | ND |
| Dibromochloromethane | 50 | ND |
| Dichlorodifluoromethane | 5 | ND UJ | ND |
| Ethylbenzene | 5 | ND | 11 | 1100 | 820 | ND | ND | ND | ND |
| Freon-113 | 5 | ND |
| Isopropylbenzene | 5 | ND | ND | 30 | 16 | ND | ND | ND | ND |
| Methyl Acetate | NA | ND |
| Methyl cyclohexane | NA | ND | 0.65 | 43 | 54 | ND | ND | ND | ND |
| Methyl tert butyl ether | 10 | ND UJ | ND |
| Methylene chloride | 5 | ND |
| n-Butylbenzene | 5 | ND | ND | 11 | ND | ND | ND | ND | ND |
| n-Propylbenzene | 5 | ND | ND | 160 | 71 | ND | ND | ND | ND |
| Naphthalene | 10 | ND | 4.2 | 290 | 520 | ND | ND | ND | ND |
| o-Xylene | 5 | ND | ND | 16 | 62 | ND | ND | ND | ND |
| p-Isopropyltoluene | 5 | ND |
| p/m-Xylene | 5 | ND | 12 | 210 | 2400 | ND | ND | ND | ND |

TABLE 1B

Groundwater Analytical Results
Summary of Detected Compounds
Former Mobil Station 99-MST 979 Main Street (1001 Main Street) Brownfield Cleanup




| | SAMPLE ID: | BCPMW-1 | BCPMW-3 | BCPMW-4 | BCPMW-5 | BCPMW-6 | BCPMW-7 | DUP | TRIP BLANK |
|---------------------------|------------------|------------|--------------|----------------|----------------|------------|------------|------------|------------|
| | COLLECTION DATE: | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/14/2022 | 12/15/2022 |
| | SAMPLE MATRIX: | WATER | WATER | WATER | WATER | WATER | WATER | WATER | WATER |
| | NY-TOGS-GA | | | | | | | BCP-MW-1 | |
| | (ug/l) | | | | | | | | |
| VOCs | | | | | | | | | |
| sec-Butylbenzene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Styrene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| tert-Butylbenzene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Tetrachloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Toluene | 5 | ND | ND | 63 | 9.6 | ND | ND | ND | ND |
| trans-1,2-Dichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| trans-1,3-Dichloropropene | 0.4 | ND | UJ | ND | UJ | ND | UJ | ND | UJ |
| Trichloroethene | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichlorofluoromethane | 5 | ND | ND | ND | ND | ND | ND | ND | ND |
| Vinyl chloride | 2 | ND | ND | ND | ND | ND | ND | ND | ND |
| VOC | | 0 | 42.35 | 3266.50 | 5822.60 | 0 | 0 | 0 | 0 |
| BTEX | | 0 | 23.00 | 1392.50 | 3291.60 | 0 | 0 | 0 | 0 |

NY-TOGS-GA: New York TOGS 111 Groundwater Effluent Limitat
 ND indicates analyte was not detected.
 Blank space indicates analyte was not analyzed for in that sampl
 *+ - LCS and/or LCSD is outside acceptance limits, high biased.
 B - Compound was found in the blank and sample.
 J - Result is less than the RL but greater than or equal to the MD

GRAPHS

GROUNDWATER TREATMENT MONITORING - TOTAL BTEX



APPENDICES

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 6.72 / 14.90 of screen
 Well Number BCP-MW-1 Date 4-7-2022 830 (below MP) top bottom
 Field Personnel TW & ES Pump Intake at (ft. below MP) _____
 Sampling Organization Alpha Purging Device; (pump type) free pump
 Identify MP Top of Rider Total Volume Purged ~ 3/4 gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² µS/cm mS/cm | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|---|------|---------------------|---------|---------------|-----------------|
| 835 | 6.72 | 1/4 | ~100ml | | 10.7 | 8.283 | 6.83 | 261.4 | 1.11 | 24.92 | |
| 840 | 6.73 | | | | 10.7 | 8.289 | 6.94 | 258.0 | 1.04 | 26.73 | |
| 845 | 6.73 | | | | 10.7 | 8.291 | 7.02 | 254.0 | 1.00 | 25.62 | |
| 850 | 6.72 | | | | 10.7 | 8.291 | 7.05 | 249.3 | 0.99 | 23.59 | |
| 855 | 6.72 | | | | 10.7 | 8.299 | 7.07 | 240.3 | 0.99 | 19.85 | |
| 900 | 6.73 | ↓ | ↓ | | 10.7 | 8.308 | 7.08 | 232.6 | 0.97 | 20.38 | |
| | | | | | | | | | | | well sampled @ |
| | | | | | | | | | | | 900 on 4-7-2022 |

Stabilization Criteria / 3% | 3% ±0.1 ±10 mv | 10% 10%

1. Pump dial setting (for example: hertz, cycles/min, etc).
2. µSiemens per cm (same as µmhos/cm) at 25°C.
3. Oxidation reduction potential (ORP)

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 12.72 / 13.05 of screen
 Well Number BCP-MW-2 Date 4-8-2022 (below MP) top bottom
 Field Personnel TW & AF Pump Intake at (ft. below MP) _____
 Sampling Organization Alpha Purging Device; (pump type) Geopump
 Identify MP Top of Riser Total Volume Purged _____

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² µS/cm | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|---------------------|-------------------------|------------------------|-------------------|---------------------------|----------|--------------------------------|----|---------------------|---------|---------------|------------------------|
| | | | | | | | | | | | A well head |
| | | | | | | | | | | | Insignificant vol, No |
| | | | | | | | | | | | Samples collected |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Stabilization Criteria /
 1. Pump dial setting (for example: hertz, cycles/min, etc). 3% ±0.1 ±10 mv / 10%
 2. µSiemens per cm (same as µmhos/cm) at 25°C. 3% 10%
 3. Oxidation reduction potential (ORP)

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 6.59 / 15.49 of screen
 Well Number SCP-MW-3 Date 4-7-2022 C1055 (below MP) top bottom
 Field Personnel TW/ES Pump Intake at (ft. below MP)
 Sampling Organization Alpha Purging Device; (pump type) Geo Pump
 Identify MP Top of Riser Total Volume Purged ~ 1 gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² $\frac{\mu S}{cm}$ | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|---|------|---------------------|---------|---------------|-------------------|
| 1100 | 6.61 | Y4 | ~100ml | | 13.1 | 14.549 | 8.27 | 151.0 | 1.70 | 3.05 | |
| 1105 | 6.64 | | | | 12.7 | 14.845 | 8.37 | 97.2 | 1.05 | 3.48 | |
| 1110 | 6.64 | | | | 12.7 | 14.833 | 8.39 | 59.4 | 0.88 | 3.24 | |
| 1115 | 6.64 | | | | 12.6 | 14.839 | 8.40 | 35.4 | 0.81 | 2.88 | |
| 1120 | 6.65 | | | | 12.7 | 14.839 | 8.41 | -4.9 | 0.75 | 2.84 | |
| 1125 | 6.65 | | | | 13.7 | 14.839 | 8.42 | -14.7 | 0.73 | 2.69 | |
| 1130 | 6.65 | | | | 12.7 | 14.839 | 8.42 | -19.6 | 0.73 | 2.65 | |
| 1135 | 6.65 | | | | 12.7 | 14.840 | 8.42 | -23.8 | 0.71 | 2.61 | -well was sampled |
| | | | | | | | | | | | © 1135 on 4-7-22 |

Stabilization Criteria

- 1. Pump dial setting (for example: hertz, cycles/min, etc.) 3%
- 2. μ Siemens per cm (same as μ mhos/cm) at 25°C. 3%
- 3. Oxidation reduction potential (ORP) $\pm 0.1 \pm 10$ mv, 10%

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 6.58 / 14.85 of screen
 Well Number BCP-MW-4 Date 4-8-2022 935 (below MP) top bottom
 Field Personnel W & AF Pump Intake at (ft. below MP)
 Sampling Organization Alpha Purging Device; (pump type) Greepump
 Identify MP Top of Riser Total Volume Purged ~ 1 gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² $\mu\text{S/cm}$ | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|---|------|---------------------|---------|---------------|------------------|
| 940 | 6.83 | Yes | ~100 ml | | 12.5 | 4.282 | 8.01 | -343.5 | 0.78 | 14.80 | |
| 945 | 6.72 | | | | 12.5 | 3.843 | 8.00 | -353.0 | 0.73 | 7.81 | |
| 950 | 6.72 | | | | 12.4 | 3.587 | 7.92 | -354.3 | 0.70 | 3.36 | |
| 955 | 6.70 | | | | 12.3 | 3.490 | 7.86 | -355.6 | 0.68 | 3.58 | |
| 1000 | 6.70 | ↓ | ↓ | | 12.3 | 3.486 | 7.86 | -358.0 | 0.68 | 3.30 | well was sampled |
| | | | | | | | | | | | see on 4-8-22 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Stabilization Criteria 3% | 3% ±0.1 ±10 mv | 10% 10%

1. Pump dial setting (for example: hertz, cycles/min, etc).
2. $\mu\text{Siemens per cm}$ (same as $\mu\text{mhos/cm}$) at 25°C.
3. Oxidation reduction potential (ORP)

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 7.42 / 15.11 of screen
 Well Number BCP-MW-5 Date 4-7-22 C 1140 (below MP) top bottom
 Field Personnel TR ES Pump Intake at (ft. below MP)
 Sampling Organization Alpha Purging Device; (pump type) Geo Pump
 Identify MP Top of Riser Total Volume Purged ~15gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² $\frac{\mu S}{cm}$ MS/cm | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|---|-------|---------------------|---------|---------------|------------------|
| 1145 | 7.73 | ✓ | ~100ml | | 12.0 | 16.010 | 10.17 | 32.4 | 0.87 | 9.97 | |
| 1150 | 7.79 | | | | 11.9 | 15.409 | 10.19 | 21.8 | 0.81 | 8.55 | |
| 1155 | 7.80 | | | | 11.9 | 14.923 | 10.19 | 14.1 | 0.78 | 7.88 | |
| 1200 | 7.81 | | | | 11.9 | 14.776 | 10.20 | 9.0 | 0.76 | 7.60 | |
| 1205 | 7.81 | | | | 11.9 | 14.580 | 10.20 | 5.0 | 0.75 | 7.28 | |
| 1210 | 7.81 | | | | 11.9 | 14.524 | 10.20 | 4.2 | 0.75 | 7.31 | |
| | | | | | | | | | | | well was sampled |
| | | | | | | | | | | | C 1210 on 4-7-22 |

Stabilization Criteria

1. Pump dial setting (for example: hertz, cycles/min, etc).
2. μ Siemens per cm (same as μ mhos/cm) at 25°C.
3. Oxidation reduction potential (ORP)

3% 3% ±0.1 ±10 mv 10% 10%

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 6.75 / 13.64 of screen
 Well Number BCP-MV-6 Date 4-7-2022 @ 9:35 (below MP) top bottom
 Field Personnel YWE ES Pump Intake at (ft. below MP)
 Sampling Organization Alpha Purging Device; (pump type) See Pump
 Identify MP Top of Riser Total Volume Purged ~ 24 gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² $\mu S/cm$ mS/cm | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|--|------|---------------------|---------|---------------|----------------------------------|
| 940 | 6.90 | 1/4 | ~100ml | | 12.0 | 11.567 | 9.55 | 215.5 | 6.53 | 3.90 | |
| 945 | 6.91 | ↓ | ↓ | | 12.0 | 11.568 | 9.56 | 216.5 | 6.52 | 4.39 | |
| 950 | 6.97 | ↓ | ↓ | | 12.0 | 11.565 | 9.56 | 218.5 | 6.51 | 4.62 | |
| 955 | 6.99 | ↓ | ↓ | | 12.0 | 11.564 | 9.56 | 218.9 | 6.51 | 4.79 | well was sampled @ 755 on 4-7-22 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Stabilization Criteria 3% 3% ±0.1 ±10 mv 10% 10%

1. Pump dial setting (for example: hertz, cycles/min, etc).
2. μ Siemens per cm (same as μ mhos/cm) at 25°C.
3. Oxidation reduction potential (ORP)

APPENDIX C

EXAMPLE (Minimum Requirements)
WELL PURGING-FIELD WATER QUALITY MEASUREMENTS FORM

Location (Site/Facility Name) Conventus Parking Garage Depth to 9.83 / 14.68 of screen
 Well Number BCP-44-7 Date 4-7-27 @ 1000 (below MP) top bottom
 Field Personnel VE & ES Pump Intake at (ft. below MP)
 Sampling Organization Alpha Purging Device; (pump type) Geo Pump
 Identify MP Top of Riser Total Volume Purged ~ 1.5 gal

| Clock Time 24 HR | Water Depth below MP ft | Pump Dial ¹ | Purge Rate ml/min | Cum. Volume Purged liters | Temp. °C | Spec. Cond. ² $\mu\text{S}/\text{cm}$ mS/cm | pH | ORP ³ mv | DO mg/L | Turbidity NTU | Comments |
|------------------|-------------------------|------------------------|-------------------|---------------------------|----------|--|------|---------------------|---------|---------------|------------------|
| 1005 | 9.83 | 1/4 | ~1000ml | | 11.9 | 4.627 | 7.12 | 192.0 | 3.03 | 13.26 | |
| 1010 | 10.05 | | | | 11.8 | 5.227 | 7.07 | 202.4 | 1.15 | 20.20 | |
| 1015 | 10.07 | | | | 11.8 | 5.448 | 7.09 | 202.9 | 1.03 | 20.30 | |
| 1020 | 10.08 | | | | 11.8 | 5.481 | 7.10 | 202.8 | 0.95 | 15.80 | |
| 1025 | 10.09 | | | | 11.8 | 5.483 | 7.11 | 202.9 | 0.94 | 11.45 | |
| 1030 | 10.10 | | | | 11.8 | 5.480 | 7.11 | 202.7 | 0.90 | 11.30 | |
| 1035 | 10.11 | | | | 11.8 | 5.478 | 7.11 | 203.4 | 0.87 | 11.62 | Well was Sampled |
| | | | | | | | | | | | @ 1035 on 4-7-22 |

Stabilization Criteria 3% | 3% ±0.1 ±10 mv | 10% 10%

1. Pump dial setting (for example: hertz, cycles/min, etc).
2. $\mu\text{Siemens}$ per cm (same as $\mu\text{mhos}/\text{cm}$) at 25°C.
3. Oxidation reduction potential (ORP)



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVERSE
 Project No.: _____
 Field Staff: RICH BARKER

WELL DATA

| | | | | | | | | |
|--------------------------------|--|-----------------|--|--|--|--|--|--|
| Date | | <u>8/25/22</u> | | | | | | |
| Well Number | | <u>BUP MW-1</u> | | | | | | |
| Diameter (inches) | | <u>2"</u> | | | | | | |
| Total Sounded Depth (feet) | | <u>15'</u> | | | | | | |
| Static Water Level (feet) | | <u>7.2'</u> | | | | | | |
| H ₂ O Column (feet) | | <u>7.8'</u> | | | | | | |
| Pump Intake (feet) | | | | | | | | |
| Well Volume (gallons) | | | | | | | | |
| Amount to Evacuate (gallons) | | <u>2 gal</u> | | | | | | |
| Amount Evacuated (gallons) | | <u>2 gal</u> | | | | | | |

FIELD READINGS

| | | | | | | | | |
|-----------------------|--|----------------|----------------|----------------|----------------|--|--|--|
| Date | Stabilization | <u>8/25/22</u> | | | | | | |
| Time | Criteria | <u>9:40</u> | <u>9:45</u> | <u>9:50</u> | <u>9:55</u> | | | |
| pH (Std. Units) | +/-0.1 | <u>8.01</u> | <u>7.30</u> | <u>7.20</u> | <u>7.19</u> | | | |
| Conductivity (mS/cm) | 3% | <u>850</u> | <u>8.96</u> | <u>9.20</u> | <u>9.24</u> | | | |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | | | |
| D.O. (mg/L) | 10% | <u>2.76</u> | <u>1.13</u> | <u>1.13</u> | <u>1.10</u> | | | |
| Temperature (°C) (°F) | 3% | <u>18.37</u> | <u>15.78°C</u> | <u>14.89°C</u> | <u>14.78°C</u> | | | |
| ORP ³ (mV) | +/-10 mv | <u>107</u> | <u>111</u> | <u>108</u> | <u>43</u> | | | |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | | | |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | |
| Comments | <p><u>- DUP COLLECTED FROM BUP MW-1</u> <u>- RID AT TIME SAMPLE COLLECTED - 0.1 APM</u></p> | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: COVENTUS
 Project No.: _____
 Field Staff: RICH BACHERO

WELL DATA

| | | | |
|--------------------------------|--|----------------|--|
| Date | | <u>8/28/22</u> | |
| Well Number | | <u>11CPHW7</u> | |
| Diameter (inches) | | <u>2"</u> | |
| Total Sounded Depth (feet) | | <u>15'</u> | |
| Static Water Level (feet) | | <u>16.0'</u> | |
| H ₂ O Column (feet) | | <u>5'</u> | |
| Pump Intake (feet) | | | |
| Well Volume (gallons) | | | |
| Amount to Evacuate (gallons) | | <u>1.5 gal</u> | |
| Amount Evacuated (gallons) | | <u>1.5 gal</u> | |

FIELD READINGS

| | | | | |
|-----------------------|---|----------------|----------------|----------------|
| Date | Stabilization Criteria | <u>8/28/22</u> | | |
| Time | | <u>10:15</u> | <u>10:20</u> | <u>10:25</u> |
| pH (Std. Units) | +/-0.1 | <u>7.90</u> | <u>7.18</u> | <u>7.07</u> |
| Conductivity (mS/cm) | 3% | <u>4.37</u> | <u>4.35</u> | <u>4.40</u> |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> |
| D.O. (mg/L) | 10% | <u>2.64</u> | <u>.97</u> | <u>.87</u> |
| Temperature (°C) (°F) | 3% | <u>16.81°C</u> | <u>16.41°C</u> | <u>16.18°C</u> |
| ORP ³ (mV) | +/-10 mv | <u>127</u> | <u>87</u> | <u>25</u> |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Comments | <u>RED AT TIME SAMPLE WAS COLLECTED - 0.2 ppm</u> | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: RICH BALKENT

WELL DATA

| | | | |
|--------------------------------|--|---------------------------|--|
| Date | | <u>8/25/22</u> | |
| Well Number | | <u>BC01W4</u> | |
| Diameter (inches) | | <u>2"</u> | |
| Total Sounded Depth (feet) | | <u>14.8^{1/2}</u> | |
| Static Water Level (feet) | | <u>7.2'</u> | |
| H ₂ O Column (feet) | | <u>7.6'</u> | |
| Pump Intake (feet) | | | |
| Well Volume (gallons) | | | |
| Amount to Evacuate (gallons) | | <u>2 gal</u> | |
| Amount Evacuated (gallons) | | <u>2 gal</u> | |

FIELD READINGS

| Date | Stabilization Criteria | 8/25/22 | | |
|-----------------------|---|---------------------------|---------------------------|---------------------------|
| Time | | <u>10:45</u> | <u>10:50</u> | <u>10:55</u> |
| pH (Std. Units) | +/-0.1 | <u>7.54</u> | <u>7.67</u> | <u>7.77</u> |
| Conductivity (mS/cm) | 3% | <u>4.62</u> | <u>4.37</u> | <u>4.10</u> |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> |
| D.O. (mg/L) | 10% | <u>1.72</u> | <u>1.61</u> | <u>1.57</u> |
| Temperature (°C) (°F) | 3% | <u>17.49⁰⁰</u> | <u>17.16⁰⁰</u> | <u>16.93⁰⁰</u> |
| ORP ³ (mV) | +/-10 mv | <u>-14</u> | <u>-174</u> | <u>-230</u> |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Comments | <u>RED AT THE TIME SAMPLE COLLECTED - 7.7 ppm</u> | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

7.3
**Well Sampling Field
 Data Sheet**

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: RIEN BALKER

WELL DATA

| | | | | | | | | |
|--------------------------------|--|---------|--|--|--|--|--|--|
| Date | | 8/25/22 | | | | | | |
| Well Number | | BCPMW3 | | | | | | |
| Diameter (inches) | | 8" | | | | | | |
| Total Sounded Depth (feet) | | 15' | | | | | | |
| Static Water Level (feet) | | 7.3' | | | | | | |
| H ₂ O Column (feet) | | 7.7' | | | | | | |
| Pump Intake (feet) | | | | | | | | |
| Well Volume (gallons) | | | | | | | | |
| Amount to Evacuate (gallons) | | 2 gal | | | | | | |
| Amount Evacuated (gallons) | | 2 gal | | | | | | |

FIELD READINGS

| | | | | | | |
|-----------------------|---|---------|---------|---------|---------|--|
| Date | Stabilization | 8/25/22 | | | | |
| Time | Criteria | 11:20 | 11:25 | 11:30 | 11:35 | |
| pH (Std. Units) | +/-0.1 | 8.06 | 7.98 | 7.93 | 7.93 | |
| Conductivity (mS/cm) | 3% | 5.31 | 5.29 | 5.34 | 5.39 | |
| Turbidity (NTU) | 10% | 0.00 | 0.00 | 0.00 | 0.00 | |
| D.O. (mg/L) | 10% | 1.73 | 1.90 | 1.62 | 1.63 | |
| Temperature (°C) (°F) | 3% | 18.11°C | 17.98°C | 17.21°C | 16.81°C | |
| ORP ³ (mV) | +/-10 mv | -28 | -153 | -204 | -213 | |
| Appearance | | C | C | C | C | |
| Free Product (Yes/No) | | NONE | NONE | NONE | NONE | |
| Odor | | NONE | NONE | NONE | NONE | |
| Comments | <p style="text-align: center;">pH READING WHEN SAMPLE WAS COLLECTED - 15.7ppm</p> | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume | | |
|-------------------------|-----------|-----------|
| (gal/l.f.) | | |
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: RICH BACKERT

WELL DATA

| | | | | | | | | | |
|--------------------------------|--|-----------------|--|--|--|--|--|--|--|
| Date | | <u>8/25/22</u> | | | | | | | |
| Well Number | | <u>REP11010</u> | | | | | | | |
| Diameter (inches) | | <u>8"</u> | | | | | | | |
| Total Sounded Depth (feet) | | <u>15'</u> | | | | | | | |
| Static Water Level (feet) | | <u>7.2'</u> | | | | | | | |
| H ₂ O Column (feet) | | <u>7.8'</u> | | | | | | | |
| Pump Intake (feet) | | | | | | | | | |
| Well Volume (gallons) | | | | | | | | | |
| Amount to Evacuate (gallons) | | <u>2.5 gal</u> | | | | | | | |
| Amount Evacuated (gallons) | | <u>2.5 gal</u> | | | | | | | |

FIELD READINGS

| | | | | | | | | | |
|-----------------------|--|----------------|----------------|----------------|----------------|--|--|--|--|
| Date | Stabilization | <u>8/25/22</u> | | | | | | | |
| Time | Criteria | <u>12:00</u> | <u>12:05</u> | <u>12:10</u> | <u>12:15</u> | | | | |
| pH (Std. Units) | +/-0.1 | <u>8.34</u> | <u>9.58</u> | <u>9.102</u> | <u>9.102</u> | | | | |
| Conductivity (mS/cm) | 3% | <u>11.3</u> | <u>11.8</u> | <u>11.0</u> | <u>11.7</u> | | | | |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | | | | |
| D.O. (mg/L) | 10% | <u>3.93</u> | <u>1.70</u> | <u>1.65</u> | <u>1.63</u> | | | | |
| Temperature (°C) (°F) | 3% | <u>18.19°C</u> | <u>17.32°C</u> | <u>16.98°C</u> | <u>16.85°C</u> | | | | |
| ORP ³ (mV) | +/-10 mv | <u>55</u> | <u>33</u> | <u>31</u> | <u>31</u> | | | | |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | | | | |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | | |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | | |
| Comments | <u>PTS READING WHEN SAMPLE WAS COLLECTED - @ 2 PPM</u> | | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume | | |
|-------------------------|-----------|-----------|
| (gal/l.f.) | | |
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: WILL BACHMANN

WELL DATA

| | | | | | | | | | |
|--------------------------------|--|----------|--|--|--|--|--|--|--|
| Date | | 12/14/22 | | | | | | | |
| Well Number | | BCPMW-1 | | | | | | | |
| Diameter (inches) | | 2" | | | | | | | |
| Total Sounded Depth (feet) | | 15' | | | | | | | |
| Static Water Level (feet) | | 7' | | | | | | | |
| H ₂ O Column (feet) | | 8' | | | | | | | |
| Pump Intake (feet) | | | | | | | | | |
| Well Volume (gallons) | | | | | | | | | |
| Amount to Evacuate (gallons) | | 2.8 gal | | | | | | | |
| Amount Evacuated (gallons) | | 2.8 gal | | | | | | | |

FIELD READINGS

| | | | | | | | | | |
|-----------------------|---|----------|---------|---------|---------|--|--|--|--|
| Date | Stabilization Criteria | 12/14/22 | | | | | | | |
| Time | | 10:45 | 10:50 | 10:55 | 11:00 | | | | |
| pH (Std. Units) | +/-0.1 | 7.10 | 7.12 | 7.13 | 7.12 | | | | |
| Conductivity (mS/cm) | 3% | 9.21 | 9.20 | 9.28 | 9.30 | | | | |
| Turbidity (NTU) | 10% | 0.00 | 0.00 | 0.00 | 0.00 | | | | |
| D.O. (mg/L) | 10% | 5.74 | 4.97 | 3.12 | 2.40 | | | | |
| Temperature (°C) (°F) | 3% | 11.97°C | 12.02°C | 12.10°C | 12.10°C | | | | |
| ORP ³ (mV) | +/-10 mv | 24 | 23 | 19 | 18 | | | | |
| Appearance | | C | C | C | C | | | | |
| Free Product (Yes/No) | | NONE | NONE | NONE | NONE | | | | |
| Odor | | NONE | NONE | NONE | NONE | | | | |
| Comments | <p>- PED READING OF WELL 1' RAD AT TIME OF SAMPLING @ 2' RAD</p> <p>- DUA COLLECTED FROM BCP MW-1</p> | | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume | | |
|-------------------------|-----------|-----------|
| (gal/l.f.) | | |
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: RICH BACKERT

WELL DATA

| | | | |
|--------------------------------|--|-----------------|--|
| Date | | <u>12/14/22</u> | |
| Well Number | | <u>SCM7</u> | |
| Diameter (inches) | | <u>2"</u> | |
| Total Sounded Depth (feet) | | <u>15'</u> | |
| Static Water Level (feet) | | <u>10.0'</u> | |
| H ₂ O Column (feet) | | <u>5'</u> | |
| Pump Intake (feet) | | | |
| Well Volume (gallons) | | | |
| Amount to Evacuate (gallons) | | <u>2gal</u> | |
| Amount Evacuated (gallons) | | <u>2gal</u> | |

FIELD READINGS

| Date | Stabilization Criteria | | | | |
|-----------------------|--|-----------------|----------------|----------------|----------------|
| | | <u>12/14/22</u> | | | |
| Time | | <u>11:25</u> | <u>11:30</u> | <u>11:35</u> | <u>11:40</u> |
| pH (Std. Units) | +/-0.1 | <u>7.55</u> | <u>7.42</u> | <u>7.04</u> | <u>6.97</u> |
| Conductivity (mS/cm) | 3% | <u>4.56</u> | <u>4.50</u> | <u>4.50</u> | <u>4.52</u> |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> |
| D.O. (mg/L) | 10% | <u>2.84</u> | <u>2.34</u> | <u>2.16</u> | <u>1.98</u> |
| Temperature (°C) (°F) | 3% | <u>12.19°C</u> | <u>12.45°C</u> | <u>12.80°C</u> | <u>12.90°C</u> |
| ORP ³ (mV) | +/-10 mv | <u>109</u> | <u>110</u> | <u>87</u> | <u>70</u> |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Comments | <u>-PEL READING FROM WELL HEAD AT TIME OF SAMPLING WAS 0.2PPM.</u> | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: ROCK BACKERT

WELL DATA

| | | | | | | | | |
|--------------------------------|--|-----------------|--|--|--|--|--|--|
| Date | | <u>12/14/22</u> | | | | | | |
| Well Number | | <u>Benny 4</u> | | | | | | |
| Diameter (inches) | | <u>2"</u> | | | | | | |
| Total Sounded Depth (feet) | | <u>14.8"</u> | | | | | | |
| Static Water Level (feet) | | <u>6.9'</u> | | | | | | |
| H ₂ O Column (feet) | | <u>7.9'</u> | | | | | | |
| Pump Intake (feet) | | | | | | | | |
| Well Volume (gallons) | | | | | | | | |
| Amount to Evacuate (gallons) | | <u>1.5 gal</u> | | | | | | |
| Amount Evacuated (gallons) | | <u>1.5 gal</u> | | | | | | |

FIELD READINGS

| Date | Stabilization | <u>12/14/22</u> | | | | | | | |
|-----------------------|--|-----------------|----------------|----------------|----------------|--|--|--|--|
| Time | Criteria | <u>12:10</u> | <u>12:18</u> | <u>12:20</u> | <u>12:26</u> | | | | |
| pH (Std. Units) | +/-0.1 | <u>7.48</u> | <u>7.46</u> | <u>7.51</u> | <u>7.57</u> | | | | |
| Conductivity (mS/cm) | 3% | <u>4.13</u> | <u>3.86</u> | <u>3.88</u> | <u>3.97</u> | | | | |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | | | | |
| D.O. (mg/L) | 10% | <u>7.17</u> | <u>2.23</u> | <u>1.94</u> | <u>1.75</u> | | | | |
| Temperature (°C) (°F) | 3% | <u>12.34°C</u> | <u>13.44°C</u> | <u>13.63°C</u> | <u>13.68°C</u> | | | | |
| ORP ³ (mV) | +/-10 mv | <u>-95</u> | <u>-181</u> | <u>-202</u> | <u>-209</u> | | | | |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | | | | |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | | |
| Odor | | <u>YES</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | | | | |
| Comments | <u>RED READING IN WELL HEADS AT TIME OF SAMPLING WAS 0.3 PPM</u> | | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: NINA BACKERT

WELL DATA

| | | | | | | | | | |
|--------------------------------|--|----------|--|--|--|--|--|--|--|
| Date | | 12/14/22 | | | | | | | |
| Well Number | | SC01153 | | | | | | | |
| Diameter (inches) | | 8" | | | | | | | |
| Total Sounded Depth (feet) | | 15' | | | | | | | |
| Static Water Level (feet) | | 7' | | | | | | | |
| H ₂ O Column (feet) | | 8' | | | | | | | |
| Pump Intake (feet) | | | | | | | | | |
| Well Volume (gallons) | | | | | | | | | |
| Amount to Evacuate (gallons) | | 29.2 | | | | | | | |
| Amount Evacuated (gallons) | | 29.2 | | | | | | | |

FIELD READINGS

| | | | | | | | | | |
|-----------------------|--|----------|---------|---------|---------|--|--|--|--|
| Date | Stabilization | 12/14/22 | | | | | | | |
| Time | Criteria | 12:40 | 12:45 | 12:50 | 12:55 | | | | |
| pH (Std. Units) | +/-0.1 | 7.95 | 7.77 | 7.89 | 7.90 | | | | |
| Conductivity (mS/cm) | 3% | 5.73 | 5.91 | 5.97 | 5.88 | | | | |
| Turbidity (NTU) | 10% | 0.00 | 0.00 | 0.00 | 0.00 | | | | |
| D.O. (mg/L) | 10% | 2.95 | 2.45 | 1.51 | 1.49 | | | | |
| Temperature (°C) (°F) | 3% | 13.70°C | 14.57°C | 14.97°C | 14.95°C | | | | |
| ORP ³ (mV) | +/-10 mv | 14 | 5 | -12 | -14 | | | | |
| Appearance | | C | C | C | C | | | | |
| Free Product (Yes/No) | | NONE | NONE | NONE | NONE | | | | |
| Odor | | NONE | NONE | NONE | NONE | | | | |
| Comments | P2D READING IN WELL HEAD AT TIME OF SAMPLING WAS 0.4 PPM | | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: RICH BACKERT

WELL DATA

| | | | | | | | | |
|--------------------------------|--|----------|--|--|--|--|--|--|
| Date | | 12/14/22 | | | | | | |
| Well Number | | RC00214 | | | | | | |
| Diameter (inches) | | 8" | | | | | | |
| Total Sounded Depth (feet) | | 15' | | | | | | |
| Static Water Level (feet) | | 7.1' | | | | | | |
| H ₂ O Column (feet) | | 7.9' | | | | | | |
| Pump Intake (feet) | | | | | | | | |
| Well Volume (gallons) | | | | | | | | |
| Amount to Evacuate (gallons) | | 2.59 | | | | | | |
| Amount Evacuated (gallons) | | 2.59 | | | | | | |

FIELD READINGS

| | | | | | | |
|-----------------------|--|----------|---------|---------|---------|--|
| Date | Stabilization Criteria | 12/14/22 | | | | |
| Time | | 1:18 | 1:20 | 1:25 | 1:30 | |
| pH (Std. Units) | +/-0.1 | 8.24 | 8.90 | 9.13 | 9.33 | |
| Conductivity (mS/cm) | 3% | 11.1 | 11.1 | 11.2 | 11.2 | |
| Turbidity (NTU) | 10% | 0.00 | 0.00 | 0.00 | 0.00 | |
| D.O. (mg/L) | 10% | 7.37 | 6.37 | 5.85 | 5.50 | |
| Temperature (°C) (°F) | 3% | 13.07°C | 13.47°C | 13.54°C | 13.63°C | |
| ORP ³ (mV) | +/-10 mv | 37 | 25 | 22 | 21 | |
| Appearance | | C | C | C | C | |
| Free Product (Yes/No) | | NONE | NONE | NONE | NONE | |
| Odor | | NONE | NONE | NONE | NONE | |
| Comments | <p>PIED DRAINING FROM WELL HEAD AT TIME OF SAMPLING 0.4 P.M.</p> | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume (gal/l.f.) | | |
|---------------------------------------|-----------|-----------|
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CONVENTUS
 Project No.: _____
 Field Staff: MICHA BACCHINI

WELL DATA

| | | | | | | | | | |
|--------------------------------|--|----------|--|--|--|--|--|--|--|
| Date | | 12/14/22 | | | | | | | |
| Well Number | | BC01115 | | | | | | | |
| Diameter (inches) | | 2" | | | | | | | |
| Total Sounded Depth (feet) | | 15' | | | | | | | |
| Static Water Level (feet) | | 7.7' | | | | | | | |
| H ₂ O Column (feet) | | 7.8' | | | | | | | |
| Pump Intake (feet) | | | | | | | | | |
| Well Volume (gallons) | | | | | | | | | |
| Amount to Evacuate (gallons) | | 2.59 gal | | | | | | | |
| Amount Evacuated (gallons) | | 2.89 gal | | | | | | | |

FIELD READINGS

| | | | | | | | | | |
|-----------------------|--|----------|---------|---------|---------|--|--|--|--|
| Date | Stabilization | 12/14/22 | | | | | | | |
| Time | Criteria | 1:58 | 2:00 | 2:08 | 2:10 | | | | |
| pH (Std. Units) | +/-0.1 | 8.77 | 8.54 | 8.15 | 8.08 | | | | |
| Conductivity (mS/cm) | 3% | 110.0 | 15.3 | 9.15 | 8.105 | | | | |
| Turbidity (NTU) | 10% | 103.5 | 32.7 | 0.00 | 0.00 | | | | |
| D.O. (mg/L) | 10% | 1.80 | 1.30 | 4.75 | 5.79 | | | | |
| Temperature (°C) (°F) | 3% | 13.78°C | 14.08°C | 14.22°C | 14.16°C | | | | |
| ORP ³ (mV) | +/-10 mv | -86 | -33 | -117 | -124 | | | | |
| Appearance | | C | C | C | C | | | | |
| Free Product (Yes/No) | | NONE | NONE | NONE | NONE | | | | |
| Odor | | YES | YES | NONE | NONE | | | | |
| Comments | PEA READING OF WELL HEAD AT TIME OF SAMPLE WAS 1.0 PPM | | | | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid



C&S Engineers, Inc.
 141 Elm Street Suite 100
 Buffalo, New York 14203
 Phone: 716-847-1630
 www.cscos.com

Well Sampling Field Data Sheet

| Well Casing Unit Volume | | |
|-------------------------|-----------|-----------|
| (gal/l.f.) | | |
| 1 1/4" = 0.08 | 2" = 0.17 | 3" = 0.38 |
| 4" = 0.66 | 6" = 1.5 | 8" = 2.6 |

Client Name: _____
 Site Name: CORNERUS
 Project No.: _____
 Field Staff: RICH BALKERST

WELL DATA

| | | | |
|--------------------------------|--|----------------|--|
| Date | | <u>8/28/22</u> | |
| Well Number | | <u>RCR11W5</u> | |
| Diameter (inches) | | <u>2"</u> | |
| Total Sounded Depth (feet) | | <u>15'</u> | |
| Static Water Level (feet) | | <u>8.2'</u> | |
| H ₂ O Column (feet) | | <u>6.8'</u> | |
| Pump Intake (feet) | | | |
| Well Volume (gallons) | | | |
| Amount to Evacuate (gallons) | | <u>324</u> | |
| Amount Evacuated (gallons) | | <u>394</u> | |

FIELD READINGS

| Date | Stabilization | <u>8/28/22</u> | | | | |
|-----------------------|--|----------------|----------------|----------------|----------------|------------------|
| Time | Criteria | <u>12:40</u> | <u>12:45</u> | <u>12:50</u> | <u>12:55</u> | <u>1:00</u> |
| pH (Std. Units) | +/-0.1 | <u>9.18</u> | <u>9.55</u> | <u>9.50</u> | <u>9.48</u> | <u>9.46</u> |
| Conductivity (mS/cm) | 3% | <u>9.16</u> | <u>9.24</u> | <u>9.01</u> | <u>7.18</u> | <u>6.87</u> |
| Turbidity (NTU) | 10% | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> | <u>0.00</u> |
| D.O. (mg/L) | 10% | <u>1.81</u> | <u>1.57</u> | <u>1.58</u> | <u>1.67</u> | <u>1.70</u> |
| Temperature (°C) (°F) | 3% | <u>17.25°C</u> | <u>17.34°C</u> | <u>17.04°C</u> | <u>16.71°C</u> | <u>16.96°C</u> |
| ORP ³ (mV) | +/-10 mv | <u>116</u> | <u>-132</u> | <u>-150</u> | <u>-173</u> | <u>-176</u> |
| Appearance | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> |
| Free Product (Yes/No) | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> |
| Odor | | <u>NONE</u> | <u>NONE</u> | <u>NONE</u> | <u>AT10</u> | <u>PETROLIUM</u> |
| Comments | <u>PID READING AT TIME SAMPLE COLLECTED - 73.5 ppm</u> | | | | | |

C = Clear T = Turbid ST = Semi Turbid VT = Very Turbid

APPENDIX A

LABORATORY ANALYTICAL
RESULTS



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L2246299 |
| Client: | C&S Companies 141 Elm Street Suite 100 Buffalo, NY 14203 |
| ATTN: | Richard Backert |
| Phone: | (716) 955-3024 |
| Project Name: | CONVENTUS |
| Project Number: | U86 |
| Report Date: | 09/09/22 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|----------------------------|---------------------------------|---------------------|
| L2246299-01 | BCP MW-1 | WATER | CONVENTUS/MAIN ST | 08/25/22 09:55 | 08/25/22 |
| L2246299-02 | BCP MW-7 | WATER | CONVENTUS/MAIN ST | 08/25/22 10:25 | 08/25/22 |
| L2246299-03 | BCP MW-4 | WATER | CONVENTUS/MAIN ST | 08/25/22 10:55 | 08/25/22 |
| L2246299-04 | BCP MW-3 | WATER | CONVENTUS/MAIN ST | 08/25/22 11:35 | 08/25/22 |
| L2246299-05 | BCP MW-6 | WATER | CONVENTUS/MAIN ST | 08/25/22 12:15 | 08/25/22 |
| L2246299-06 | BCP MW-5 | WATER | CONVENTUS/MAIN ST | 08/25/22 13:00 | 08/25/22 |
| L2246299-07 | DUP | WATER | CONVENTUS/MAIN ST | 08/25/22 09:55 | 08/25/22 |
| L2246299-08 | TRIP BLANK | WATER | CONVENTUS/MAIN ST | 08/25/22 13:50 | 08/25/22 |

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2246299-05: The pH was greater than two; however, the sample was analyzed within the method required holding time.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Tiffani Morrissey - Tiffani Morrissey

Title: Technical Director/Representative

Date: 09/09/22

ORGANICS

VOLATILES

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-01
 Client ID: BCP MW-1
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 09:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/01/22 20:47
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-01
 Client ID: BCP MW-1
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 09:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 99 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 95 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-02
 Client ID: BCP MW-7
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 10:25
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/01/22 21:10
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-02
 Client ID: BCP MW-7
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 10:25
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 94 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 96 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-03 D
 Client ID: BCP MW-4
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 10:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/02/22 03:00
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Chloroform | ND | | ug/l | 25 | 7.0 | 10 |
| Carbon tetrachloride | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,2-Dichloropropane | ND | | ug/l | 10 | 1.4 | 10 |
| Dibromochloromethane | ND | | ug/l | 5.0 | 1.5 | 10 |
| 1,1,2-Trichloroethane | ND | | ug/l | 15 | 5.0 | 10 |
| Tetrachloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| Chlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichlorofluoromethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dichloroethane | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,1,1-Trichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromodichloromethane | ND | | ug/l | 5.0 | 1.9 | 10 |
| trans-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.6 | 10 |
| cis-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.4 | 10 |
| Bromoform | ND | | ug/l | 20 | 6.5 | 10 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 5.0 | 1.7 | 10 |
| Benzene | 5.0 | | ug/l | 5.0 | 1.6 | 10 |
| Toluene | 34 | | ug/l | 25 | 7.0 | 10 |
| Ethylbenzene | 1100 | | ug/l | 25 | 7.0 | 10 |
| Chloromethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromomethane | ND | | ug/l | 25 | 7.0 | 10 |
| Vinyl chloride | ND | | ug/l | 10 | 0.71 | 10 |
| Chloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethene | ND | | ug/l | 5.0 | 1.7 | 10 |
| trans-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| 1,2-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-03 D
 Client ID: BCP MW-4
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 10:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,4-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl tert butyl ether | ND | | ug/l | 25 | 7.0 | 10 |
| p/m-Xylene | 14 | J | ug/l | 25 | 7.0 | 10 |
| o-Xylene | 12 | J | ug/l | 25 | 7.0 | 10 |
| cis-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Styrene | ND | | ug/l | 25 | 7.0 | 10 |
| Dichlorodifluoromethane | ND | | ug/l | 50 | 10. | 10 |
| Acetone | ND | | ug/l | 50 | 15. | 10 |
| Carbon disulfide | ND | | ug/l | 50 | 10. | 10 |
| 2-Butanone | ND | | ug/l | 50 | 19. | 10 |
| 4-Methyl-2-pentanone | ND | | ug/l | 50 | 10. | 10 |
| 2-Hexanone | ND | | ug/l | 50 | 10. | 10 |
| 1,2-Dibromoethane | ND | | ug/l | 20 | 6.5 | 10 |
| n-Butylbenzene | 9.4 | J | ug/l | 25 | 7.0 | 10 |
| sec-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| tert-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 25 | 7.0 | 10 |
| Isopropylbenzene | 24 | J | ug/l | 25 | 7.0 | 10 |
| p-Isopropyltoluene | ND | | ug/l | 25 | 7.0 | 10 |
| Naphthalene | 200 | | ug/l | 25 | 7.0 | 10 |
| n-Propylbenzene | 140 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trimethylbenzene | 1200 | | ug/l | 25 | 7.0 | 10 |
| Methyl Acetate | ND | | ug/l | 20 | 2.3 | 10 |
| Cyclohexane | 130 | | ug/l | 100 | 2.7 | 10 |
| Freon-113 | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl cyclohexane | 51 | J | ug/l | 100 | 4.0 | 10 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 96 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 91 | | 70-130 |
| Dibromofluoromethane | 97 | | 70-130 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-04 D
 Client ID: BCP MW-3
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 11:35
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/02/22 03:23
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 12 | 3.5 | 5 |
| 1,1-Dichloroethane | ND | | ug/l | 12 | 3.5 | 5 |
| Chloroform | ND | | ug/l | 12 | 3.5 | 5 |
| Carbon tetrachloride | ND | | ug/l | 2.5 | 0.67 | 5 |
| 1,2-Dichloropropane | ND | | ug/l | 5.0 | 0.68 | 5 |
| Dibromochloromethane | ND | | ug/l | 2.5 | 0.74 | 5 |
| 1,1,2-Trichloroethane | ND | | ug/l | 7.5 | 2.5 | 5 |
| Tetrachloroethene | ND | | ug/l | 2.5 | 0.90 | 5 |
| Chlorobenzene | ND | | ug/l | 12 | 3.5 | 5 |
| Trichlorofluoromethane | ND | | ug/l | 12 | 3.5 | 5 |
| 1,2-Dichloroethane | ND | | ug/l | 2.5 | 0.66 | 5 |
| 1,1,1-Trichloroethane | ND | | ug/l | 12 | 3.5 | 5 |
| Bromodichloromethane | ND | | ug/l | 2.5 | 0.96 | 5 |
| trans-1,3-Dichloropropene | ND | | ug/l | 2.5 | 0.82 | 5 |
| cis-1,3-Dichloropropene | ND | | ug/l | 2.5 | 0.72 | 5 |
| Bromoform | ND | | ug/l | 10 | 3.2 | 5 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 2.5 | 0.84 | 5 |
| Benzene | 1.7 | J | ug/l | 2.5 | 0.80 | 5 |
| Toluene | 22 | | ug/l | 12 | 3.5 | 5 |
| Ethylbenzene | 380 | | ug/l | 12 | 3.5 | 5 |
| Chloromethane | ND | | ug/l | 12 | 3.5 | 5 |
| Bromomethane | ND | | ug/l | 12 | 3.5 | 5 |
| Vinyl chloride | ND | | ug/l | 5.0 | 0.36 | 5 |
| Chloroethane | ND | | ug/l | 12 | 3.5 | 5 |
| 1,1-Dichloroethene | ND | | ug/l | 2.5 | 0.84 | 5 |
| trans-1,2-Dichloroethene | ND | | ug/l | 12 | 3.5 | 5 |
| Trichloroethene | ND | | ug/l | 2.5 | 0.88 | 5 |
| 1,2-Dichlorobenzene | ND | | ug/l | 12 | 3.5 | 5 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-04 D
 Client ID: BCP MW-3
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 11:35
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 12 | 3.5 | 5 |
| 1,4-Dichlorobenzene | ND | | ug/l | 12 | 3.5 | 5 |
| Methyl tert butyl ether | ND | | ug/l | 12 | 3.5 | 5 |
| p/m-Xylene | 480 | | ug/l | 12 | 3.5 | 5 |
| o-Xylene | 12 | | ug/l | 12 | 3.5 | 5 |
| cis-1,2-Dichloroethene | ND | | ug/l | 12 | 3.5 | 5 |
| Styrene | ND | | ug/l | 12 | 3.5 | 5 |
| Dichlorodifluoromethane | ND | | ug/l | 25 | 5.0 | 5 |
| Acetone | ND | | ug/l | 25 | 7.3 | 5 |
| Carbon disulfide | ND | | ug/l | 25 | 5.0 | 5 |
| 2-Butanone | ND | | ug/l | 25 | 9.7 | 5 |
| 4-Methyl-2-pentanone | ND | | ug/l | 25 | 5.0 | 5 |
| 2-Hexanone | ND | | ug/l | 25 | 5.0 | 5 |
| 1,2-Dibromoethane | ND | | ug/l | 10 | 3.2 | 5 |
| n-Butylbenzene | ND | | ug/l | 12 | 3.5 | 5 |
| sec-Butylbenzene | ND | | ug/l | 12 | 3.5 | 5 |
| tert-Butylbenzene | ND | | ug/l | 12 | 3.5 | 5 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 12 | 3.5 | 5 |
| Isopropylbenzene | 5.2 | J | ug/l | 12 | 3.5 | 5 |
| p-Isopropyltoluene | ND | | ug/l | 12 | 3.5 | 5 |
| Naphthalene | 170 | | ug/l | 12 | 3.5 | 5 |
| n-Propylbenzene | 18 | | ug/l | 12 | 3.5 | 5 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 12 | 3.5 | 5 |
| 1,3,5-Trimethylbenzene | 47 | | ug/l | 12 | 3.5 | 5 |
| 1,2,4-Trimethylbenzene | 560 | | ug/l | 12 | 3.5 | 5 |
| Methyl Acetate | ND | | ug/l | 10 | 1.2 | 5 |
| Cyclohexane | 40 | J | ug/l | 50 | 1.4 | 5 |
| Freon-113 | ND | | ug/l | 12 | 3.5 | 5 |
| Methyl cyclohexane | 32 | J | ug/l | 50 | 2.0 | 5 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 94 | | 70-130 |
| Toluene-d8 | 106 | | 70-130 |
| 4-Bromofluorobenzene | 88 | | 70-130 |
| Dibromofluoromethane | 100 | | 70-130 |

Project Name: CONVENTUS**Lab Number:** L2246299**Project Number:** U86**Report Date:** 09/09/22**SAMPLE RESULTS**

Lab ID: L2246299-05
 Client ID: BCP MW-6
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 12:15
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/01/22 21:33
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-05
 Client ID: BCP MW-6
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 12:15
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 98 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 92 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: CONVENTUS**Lab Number:** L2246299**Project Number:** U86**Report Date:** 09/09/22**SAMPLE RESULTS**

Lab ID: L2246299-06 D
 Client ID: BCP MW-5
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 13:00
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/02/22 03:46
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 50 | 14. | 20 |
| 1,1-Dichloroethane | ND | | ug/l | 50 | 14. | 20 |
| Chloroform | ND | | ug/l | 50 | 14. | 20 |
| Carbon tetrachloride | ND | | ug/l | 10 | 2.7 | 20 |
| 1,2-Dichloropropane | ND | | ug/l | 20 | 2.7 | 20 |
| Dibromochloromethane | ND | | ug/l | 10 | 3.0 | 20 |
| 1,1,2-Trichloroethane | ND | | ug/l | 30 | 10. | 20 |
| Tetrachloroethene | ND | | ug/l | 10 | 3.6 | 20 |
| Chlorobenzene | ND | | ug/l | 50 | 14. | 20 |
| Trichlorofluoromethane | ND | | ug/l | 50 | 14. | 20 |
| 1,2-Dichloroethane | ND | | ug/l | 10 | 2.6 | 20 |
| 1,1,1-Trichloroethane | ND | | ug/l | 50 | 14. | 20 |
| Bromodichloromethane | ND | | ug/l | 10 | 3.8 | 20 |
| trans-1,3-Dichloropropene | ND | | ug/l | 10 | 3.3 | 20 |
| cis-1,3-Dichloropropene | ND | | ug/l | 10 | 2.9 | 20 |
| Bromoform | ND | | ug/l | 40 | 13. | 20 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 10 | 3.3 | 20 |
| Benzene | ND | | ug/l | 10 | 3.2 | 20 |
| Toluene | 26 | J | ug/l | 50 | 14. | 20 |
| Ethylbenzene | 2100 | | ug/l | 50 | 14. | 20 |
| Chloromethane | ND | | ug/l | 50 | 14. | 20 |
| Bromomethane | ND | | ug/l | 50 | 14. | 20 |
| Vinyl chloride | ND | | ug/l | 20 | 1.4 | 20 |
| Chloroethane | ND | | ug/l | 50 | 14. | 20 |
| 1,1-Dichloroethene | ND | | ug/l | 10 | 3.4 | 20 |
| trans-1,2-Dichloroethene | ND | | ug/l | 50 | 14. | 20 |
| Trichloroethene | ND | | ug/l | 10 | 3.5 | 20 |
| 1,2-Dichlorobenzene | ND | | ug/l | 50 | 14. | 20 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-06 D
 Client ID: BCP MW-5
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 13:00
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 50 | 14. | 20 |
| 1,4-Dichlorobenzene | ND | | ug/l | 50 | 14. | 20 |
| Methyl tert butyl ether | ND | | ug/l | 50 | 14. | 20 |
| p/m-Xylene | 7800 | | ug/l | 50 | 14. | 20 |
| o-Xylene | 100 | | ug/l | 50 | 14. | 20 |
| cis-1,2-Dichloroethene | ND | | ug/l | 50 | 14. | 20 |
| Styrene | ND | | ug/l | 50 | 14. | 20 |
| Dichlorodifluoromethane | ND | | ug/l | 100 | 20. | 20 |
| Acetone | ND | | ug/l | 100 | 29. | 20 |
| Carbon disulfide | ND | | ug/l | 100 | 20. | 20 |
| 2-Butanone | ND | | ug/l | 100 | 39. | 20 |
| 4-Methyl-2-pentanone | ND | | ug/l | 100 | 20. | 20 |
| 2-Hexanone | ND | | ug/l | 100 | 20. | 20 |
| 1,2-Dibromoethane | ND | | ug/l | 40 | 13. | 20 |
| n-Butylbenzene | ND | | ug/l | 50 | 14. | 20 |
| sec-Butylbenzene | ND | | ug/l | 50 | 14. | 20 |
| tert-Butylbenzene | ND | | ug/l | 50 | 14. | 20 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 50 | 14. | 20 |
| Isopropylbenzene | 29 | J | ug/l | 50 | 14. | 20 |
| p-Isopropyltoluene | ND | | ug/l | 50 | 14. | 20 |
| Naphthalene | 840 | | ug/l | 50 | 14. | 20 |
| n-Propylbenzene | 130 | | ug/l | 50 | 14. | 20 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 50 | 14. | 20 |
| 1,3,5-Trimethylbenzene | 630 | | ug/l | 50 | 14. | 20 |
| 1,2,4-Trimethylbenzene | 3100 | | ug/l | 50 | 14. | 20 |
| Methyl Acetate | ND | | ug/l | 40 | 4.7 | 20 |
| Cyclohexane | 240 | | ug/l | 200 | 5.4 | 20 |
| Freon-113 | ND | | ug/l | 50 | 14. | 20 |
| Methyl cyclohexane | 95 | J | ug/l | 200 | 7.9 | 20 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 93 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 89 | | 70-130 |
| Dibromofluoromethane | 96 | | 70-130 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-07
 Client ID: DUP
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 09:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/01/22 21:57
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-07
 Client ID: DUP
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 09:55
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 99 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 95 | | 70-130 |
| Dibromofluoromethane | 104 | | 70-130 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-08
 Client ID: TRIP BLANK
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 13:50
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/01/22 20:23
 Analyst: MV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

SAMPLE RESULTS

Lab ID: L2246299-08
 Client ID: TRIP BLANK
 Sample Location: CONVENTUS/MAIN ST

Date Collected: 08/25/22 13:50
 Date Received: 08/25/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 93 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 96 | | 70-130 |
| Dibromofluoromethane | 102 | | 70-130 |

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 09/01/22 20:00
Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1682814-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 09/01/22 20:00
Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1682814-5 | | | | | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 |

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 09/01/22 20:00
 Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|--|--------|-----------|-------|----|-----|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG1682814-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|------------------------|
| 1,2-Dichloroethane-d4 | 94 | | 70-130 |
| Toluene-d8 | 103 | | 70-130 |
| 4-Bromofluorobenzene | 94 | | 70-130 |
| Dibromofluoromethane | 102 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS

Lab Number: L2246299

Project Number: U86

Report Date: 09/09/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1682814-3 WG1682814-4 | | | | | | | | |
| Methylene chloride | 97 | | 97 | | 70-130 | 0 | | 20 |
| 1,1-Dichloroethane | 98 | | 94 | | 70-130 | 4 | | 20 |
| Chloroform | 97 | | 92 | | 70-130 | 5 | | 20 |
| Carbon tetrachloride | 96 | | 90 | | 63-132 | 6 | | 20 |
| 1,2-Dichloropropane | 96 | | 94 | | 70-130 | 2 | | 20 |
| Dibromochloromethane | 93 | | 92 | | 63-130 | 1 | | 20 |
| 1,1,2-Trichloroethane | 95 | | 94 | | 70-130 | 1 | | 20 |
| Tetrachloroethene | 100 | | 96 | | 70-130 | 4 | | 20 |
| Chlorobenzene | 98 | | 95 | | 75-130 | 3 | | 20 |
| Trichlorofluoromethane | 130 | | 120 | | 62-150 | 8 | | 20 |
| 1,2-Dichloroethane | 91 | | 94 | | 70-130 | 3 | | 20 |
| 1,1,1-Trichloroethane | 97 | | 92 | | 67-130 | 5 | | 20 |
| Bromodichloromethane | 92 | | 92 | | 67-130 | 0 | | 20 |
| trans-1,3-Dichloropropene | 90 | | 89 | | 70-130 | 1 | | 20 |
| cis-1,3-Dichloropropene | 91 | | 89 | | 70-130 | 2 | | 20 |
| Bromoform | 82 | | 80 | | 54-136 | 2 | | 20 |
| 1,1,2,2-Tetrachloroethane | 86 | | 86 | | 67-130 | 0 | | 20 |
| Benzene | 99 | | 94 | | 70-130 | 5 | | 20 |
| Toluene | 100 | | 96 | | 70-130 | 4 | | 20 |
| Ethylbenzene | 98 | | 92 | | 70-130 | 6 | | 20 |
| Chloromethane | 87 | | 85 | | 64-130 | 2 | | 20 |
| Bromomethane | 120 | | 110 | | 39-139 | 9 | | 20 |
| Vinyl chloride | 100 | | 99 | | 55-140 | 1 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS

Project Number: U86

Lab Number: L2246299

Report Date: 09/09/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|---|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1682814-3 WG1682814-4 | | | | | | | | |
| Chloroethane | 140 | Q | 130 | | 55-138 | 7 | | 20 |
| 1,1-Dichloroethene | 100 | | 93 | | 61-145 | 7 | | 20 |
| trans-1,2-Dichloroethene | 100 | | 92 | | 70-130 | 8 | | 20 |
| Trichloroethene | 94 | | 86 | | 70-130 | 9 | | 20 |
| 1,2-Dichlorobenzene | 94 | | 94 | | 70-130 | 0 | | 20 |
| 1,3-Dichlorobenzene | 96 | | 93 | | 70-130 | 3 | | 20 |
| 1,4-Dichlorobenzene | 95 | | 92 | | 70-130 | 3 | | 20 |
| Methyl tert butyl ether | 82 | | 80 | | 63-130 | 2 | | 20 |
| p/m-Xylene | 95 | | 95 | | 70-130 | 0 | | 20 |
| o-Xylene | 95 | | 90 | | 70-130 | 5 | | 20 |
| cis-1,2-Dichloroethene | 98 | | 95 | | 70-130 | 3 | | 20 |
| Styrene | 95 | | 90 | | 70-130 | 5 | | 20 |
| Dichlorodifluoromethane | 100 | | 93 | | 36-147 | 7 | | 20 |
| Acetone | 80 | | 82 | | 58-148 | 2 | | 20 |
| Carbon disulfide | 100 | | 94 | | 51-130 | 6 | | 20 |
| 2-Butanone | 79 | | 84 | | 63-138 | 6 | | 20 |
| 4-Methyl-2-pentanone | 78 | | 83 | | 59-130 | 6 | | 20 |
| 2-Hexanone | 69 | | 67 | | 57-130 | 3 | | 20 |
| 1,2-Dibromoethane | 94 | | 97 | | 70-130 | 3 | | 20 |
| n-Butylbenzene | 99 | | 96 | | 53-136 | 3 | | 20 |
| sec-Butylbenzene | 100 | | 95 | | 70-130 | 5 | | 20 |
| tert-Butylbenzene | 97 | | 92 | | 70-130 | 5 | | 20 |
| 1,2-Dibromo-3-chloropropane | 77 | | 78 | | 41-144 | 1 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS

Project Number: U86

Lab Number: L2246299

Report Date: 09/09/22

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | RPD | |
|---|-----------|------|-----------|------|------------------|-----|------|--------|
| | %Recovery | Qual | %Recovery | Qual | | | Qual | Limits |
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG1682814-3 WG1682814-4 | | | | | | | | |
| Isopropylbenzene | 98 | | 92 | | 70-130 | 6 | | 20 |
| p-Isopropyltoluene | 97 | | 92 | | 70-130 | 5 | | 20 |
| Naphthalene | 80 | | 84 | | 70-130 | 5 | | 20 |
| n-Propylbenzene | 99 | | 94 | | 69-130 | 5 | | 20 |
| 1,2,4-Trichlorobenzene | 92 | | 91 | | 70-130 | 1 | | 20 |
| 1,3,5-Trimethylbenzene | 94 | | 91 | | 64-130 | 3 | | 20 |
| 1,2,4-Trimethylbenzene | 94 | | 91 | | 70-130 | 3 | | 20 |
| Methyl Acetate | 77 | | 84 | | 70-130 | 9 | | 20 |
| Cyclohexane | 96 | | 91 | | 70-130 | 5 | | 20 |
| Freon-113 | 110 | | 97 | | 70-130 | 13 | | 20 |
| Methyl cyclohexane | 97 | | 92 | | 70-130 | 5 | | 20 |

| Surrogate | LCS | | LCSD | | Acceptance Criteria |
|-----------------------|-----------|------|-----------|------|---------------------|
| | %Recovery | Qual | %Recovery | Qual | |
| 1,2-Dichloroethane-d4 | 101 | | 99 | | 70-130 |
| Toluene-d8 | 106 | | 105 | | 70-130 |
| 4-Bromofluorobenzene | 94 | | 91 | | 70-130 |
| Dibromofluoromethane | 104 | | 102 | | 70-130 |

Project Name: CONVENTUS**Lab Number:** L2246299**Project Number:** U86**Report Date:** 09/09/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

| Cooler | Custody Seal |
|---------------|---------------------|
| A | Absent |

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--------------------|
| L2246299-01A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-01B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-01C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-02A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-02B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-02C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-03A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-03B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-03C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-04A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-04B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-04C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-05A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-05B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-05C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-06A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-06B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-06C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-07A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-07B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-07C | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-08A | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |
| L2246299-08B | Vial HCl preserved | A | NA | | 2.7 | Y | Absent | | NYTCL-8260-R2(14) |

Project Name: CONVENTUS
Project Number: U86

Serial_No:09092213:30
Lab Number: L2246299
Report Date: 09/09/22

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--------------------|
| L2246299-08C | Vial HCl preserved | NA | NA | | | Y | Absent | | NYTCL-8260-R2(14) |

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

GLOSSARY

Acronyms

| | |
|----------|--|
| DL | - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EMPC | - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration. |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LOD | - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| LOQ | - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| NR | - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TEF | - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD. |
| TEQ | - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

DATA USABILITY SUMMARY REPORT (DUSR)

**Conventus
Buffalo, NY
Project # U86001005**

SDG: L2246299
7 Water Samples and 1 Trip Blank

Prepared for:

**C&S Companies
141 Elm Street, Suite 100
Buffalo, NY 14203
Attention: Cody Martin**

November 2022



Environmental Data Usability 10028 Deer Park Dr. Dansville, NY 14437 585-991-9156

Table of Contents

| | <u>Page No.</u> |
|---|------------------------------|
| REVIEWER'S NARRATIVE | |
| 1.0 SUMMARY | 1 |
| 2.0 INTRODUCTION | 1 |
| 3.0 SAMPLE AND ANALYSIS SUMMARY | 2 |
| 4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA | 2 |
| 5.0 DATA VALIDATION QUALIFIERS | 3 |
| 6.0 RESULTS OF THE DATA REVIEW | 4 |
| 7.0 TOTAL USABLE DATA | 4 |
| <hr/> | |
| APPENDIX A | Validated Analytical Results |
| APPENDIX B | Laboratory QC Documentation |
| APPENDIX C | Validator Qualifications |

Tables

| | |
|-----------|--|
| Table 4-1 | Data Validation Guidance Documents |
| Table 4-2 | Quality Control Criteria for Validating Laboratory Analytical Data |

Summaries of Validated Results

| | |
|-----------|------|
| Table 6-1 | VOCs |
|-----------|------|

REVIEWER'S NARRATIVE
C&S Companies SDG L2246299 JCC

The data associated with this Sample Delivery Groups (SDG) L2246299, analyzed by Alpha Analytical, Westborough, MA have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 11/28/2022
Michael K. Perry
Chemist

1.0 EVENT SUMMARY

| | |
|------------------------|--|
| SITE: | Conventus Buffalo, NY Project #: U86001005 |
| SAMPLING DATES: | August 25, 2022 |
| SAMPLE TYPE: | 7 water samples and 1 trip blank |
| LABORATORY: | Alpha Analytical Westborough, MA |
| SDG No.: | SDGs L2246299 |

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for 7 water samples and 1 trip blank collected on 8/25/22. These samples were analyzed for Volatile Organic Compounds (VOCs).

All laboratory analyses were submitted to Alpha Analytical, Westborough, MA and analyzed as SDG L2246299. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents appropriate for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results were selected from those listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1**Guidance Used For Validating Laboratory Analytical Data**

| Analyte Group | Guidance | Date |
|--|---------------------------|----------------|
| Metals (ICP-AES) | USEPA SOP HW-3a, Rev. 1 | September 2016 |
| Metals (Hg & CN) | USEPA SOP HW-3c, Rev. 1 | September 2016 |
| Volatile Organic Compounds (by Methods 8260B & 8260C) | USEPA SOP HW-24, Rev. 4 | September 2014 |
| Semi-Volatile Organic Compounds (by Method 8270D) | USEPA SOP HW-22 Rev. 5 | December 2010 |
| Pesticides (by Method 8181B) | USEPA SOP HW-44, Rev. 1.1 | December 2010 |
| Chlorinated Herbicides (by Method 8151A) | USEPA SOP HW-17, Rev. 3.1 | December 2010 |
| Polychlorinated Biphenyls (PCBs) | USEPA SOP HW-37A, Rev. 0 | June 2015 |
| Volatile Organic Compounds (Air) (by Method TO-15) | USEPA SOP HW-31, Rev. 6 | September 2016 |
| Per- and PolyFluoroAlkyl Substances (PFAS) | * NYSDEC | January 2021 |
| General Chemistry Parameters | per NYSDEC ASP | July 2005 |

* Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs, Appendix I

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

| VOCs | SVOCs | Pesticides/PCBs | Metals | Gen Chemistry | PFAS |
|--|--|---|---|---|---|
| Completeness of Pkg Sample Preservation Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Comparison of duplicate GC column results Analyte ID Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates | Completeness of Pkg Sample Preservation Holding Time Instr Performance Check Initial Calibration Continuing Calibration Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards |

| Method TO-15 (Air) |
|--|
| Completeness of Pkg Sample Preservation Holding Time Canister Certification Instrument Tuning Initial Calibration and Instrument Performance Daily Calibration Blanks Lab Control Sample Field Duplicate |

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- J+** The result is an estimated quantity and may be biased high.
- J-** The result is an estimated quantity and may be biased low.
- UJ** The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- NJ** The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated numerical value represents its approximate concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated in red print. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Table 6-1. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG L2246299, eight samples were analyzed and results were reported for 464 analytes. Even though some results were flagged with a “J” as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have been rejected and qualified and the associated QC reasons.

Table 6-1 **VOCs**

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---|--|-----------------------------|---------------------|--------------------|
| BCP MW-1 BCP MW-7 BCP MW-4 BCP MW-3 BCP MW-6 BCP MW-5 DUP Trip Blank | Chloroethane Trichlorofluoromethane Methyl acetate 2-Butanone 4-Methyl-2-pentanone 2-Hexanone DBCP | J detects UJ non-detects | CCV > QC limit | Data are estimated |

ACRONYMS

| | |
|--------|--------------------------------------|
| BSP | Blank Spike |
| CCAL | Continuing Calibration |
| CCB | Continuing Calibration Blank |
| CCV | Continuing Calibration Verification |
| CRDL | Contract Required Detection Limit |
| CRQL | Contract Required Quantitation Limit |
| %D | Percent Difference |
| ICAL | Initial Calibration |
| ICB | Initial Calibration Blank |
| IS | Internal Standard |
| LCS | Laboratory Control Sample |
| MS/MSD | Matrix Spike/Matrix Spike Duplicate |
| QA | Quality Assurance |
| QC | Quality Control |
| %R | Percent recovery |
| RPD | Relative Percent Difference |
| RRF | Relative Response Factor |
| %RSD | Percent Relative Standard Deviation |
| TAL | Target Analyte List (metals) |
| TCL | Target Compound List (organics) |

Appendix A

*Validated
Analytical
Results*



www.alphalab.com



Alpha Analytical

Laboratory Code: 11148

SDG Number: L2246299

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|----------------------------|---------------------------------|---------------------|
| L2246299-01 | BCP MW-1 | WATER | CONVENTUS/MAIN ST | 08/25/22 09:55 | 08/25/22 |
| L2246299-02 | BCP MW-7 | WATER | CONVENTUS/MAIN ST | 08/25/22 10:25 | 08/25/22 |
| L2246299-03 | BCP MW-4 | WATER | CONVENTUS/MAIN ST | 08/25/22 10:55 | 08/25/22 |
| L2246299-04 | BCP MW-3 | WATER | CONVENTUS/MAIN ST | 08/25/22 11:35 | 08/25/22 |
| L2246299-05 | BCP MW-6 | WATER | CONVENTUS/MAIN ST | 08/25/22 12:15 | 08/25/22 |
| L2246299-06 | BCP MW-5 | WATER | CONVENTUS/MAIN ST | 08/25/22 13:00 | 08/25/22 |
| L2246299-07 | DUP | WATER | CONVENTUS/MAIN ST | 08/25/22 09:55 | 08/25/22 |
| L2246299-08 | TRIP BLANK | WATER | CONVENTUS/MAIN ST | 08/25/22 13:50 | 08/25/22 |

Project Name: CONVENTUS
Project Number: U86

Lab Number: L2246299
Report Date: 09/09/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2246299-05: The pH was greater than two; however, the sample was analyzed within the method required holding time.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: *Siffani Morrissey*

Report Date: 09/09/22

Title: Technical Director/Representative



GC/MS 8260

Analysis

Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-01
 Client ID : BCP MW-1
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 09:55
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 20:47
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U UJ |



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-01
 Client ID : BCP MW-1
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 09:55
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 20:47
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U UJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U UJ |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-01 | Date Collected | : 08/25/22 09:55 |
| Client ID | : BCP MW-1 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 20:47 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N07 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U UJ |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-02
 Client ID : BCP MW-7
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N08
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 10:25
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 21:10
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U UJ |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-02 | Date Collected | : 08/25/22 10:25 |
| Client ID | : BCP MW-7 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 21:10 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N08 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U UJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U UJ |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-02 | Date Collected | : 08/25/22 10:25 |
| Client ID | : BCP MW-7 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 21:10 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N08 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U UJ |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-03D
 Client ID : BCP MW-4
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N23
 Sample Amount : 1 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 10:55
 Date Received : 08/25/22
 Date Analyzed : 09/02/22 03:00
 Dilution Factor : 10
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 25 | 7.0 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 25 | 7.0 | U |
| 67-66-3 | Chloroform | ND | 25 | 7.0 | U |
| 56-23-5 | Carbon tetrachloride | ND | 5.0 | 1.3 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 10 | 1.4 | U |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.5 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 15 | 5.0 | U |
| 127-18-4 | Tetrachloroethene | ND | 5.0 | 1.8 | U |
| 108-90-7 | Chlorobenzene | ND | 25 | 7.0 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 25 | 7.0 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.3 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 25 | 7.0 | U |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.9 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.6 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.4 | U |
| 75-25-2 | Bromoform | ND | 20 | 6.5 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 5.0 | 1.7 | U |
| 71-43-2 | Benzene | 5.0 | 5.0 | 1.6 | |
| 108-88-3 | Toluene | 34 | 25 | 7.0 | |
| 100-41-4 | Ethylbenzene | 1100 | 25 | 7.0 | |
| 74-87-3 | Chloromethane | ND | 25 | 7.0 | U |
| 74-83-9 | Bromomethane | ND | 25 | 7.0 | U |
| 75-01-4 | Vinyl chloride | ND | 10 | 0.71 | U |
| 75-00-3 | Chloroethane | ND | 25 | 7.0 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 5.0 | 1.7 | U UJ |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-03D | Date Collected | : 08/25/22 10:55 |
| Client ID | : BCP MW-4 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/02/22 03:00 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N23 | Instrument ID | : VOA105 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 79-01-6 | Trichloroethene | ND | 5.0 | 1.8 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 25 | 7.0 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 25 | 7.0 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 25 | 7.0 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 25 | 7.0 | U |
| 179601-23-1 | p/m-Xylene | 14 | 25 | 7.0 | J |
| 95-47-6 | o-Xylene | 12 | 25 | 7.0 | J |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 100-42-5 | Styrene | ND | 25 | 7.0 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 50 | 10. | U |
| 67-64-1 | Acetone | ND | 50 | 15. | U |
| 75-15-0 | Carbon disulfide | ND | 50 | 10. | U |
| 78-93-3 | 2-Butanone | ND | 50 | 19. | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 50 | 10. | U JJ |
| 591-78-6 | 2-Hexanone | ND | 50 | 10. | U JJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 20 | 6.5 | U JJ |
| 104-51-8 | n-Butylbenzene | 9.4 | 25 | 7.0 | J |
| 135-98-8 | sec-Butylbenzene | ND | 25 | 7.0 | U |
| 98-06-6 | tert-Butylbenzene | ND | 25 | 7.0 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 25 | 7.0 | U |
| 98-82-8 | Isopropylbenzene | 24 | 25 | 7.0 | J JJ |
| 99-87-6 | p-Isopropyltoluene | ND | 25 | 7.0 | U |
| 91-20-3 | Naphthalene | 200 | 25 | 7.0 | |
| 103-65-1 | n-Propylbenzene | 140 | 25 | 7.0 | |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-03D | Date Collected | : 08/25/22 10:55 |
| Client ID | : BCP MW-4 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/02/22 03:00 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N23 | Instrument ID | : VOA105 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 25 | 7.0 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 25 | 7.0 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | 1200 | 25 | 7.0 | |
| 79-20-9 | Methyl Acetate | ND | 20 | 2.3 | U |
| 110-82-7 | Cyclohexane | 130 | 100 | 2.7 | UJ |
| 76-13-1 | Freon-113 | ND | 25 | 7.0 | U |
| 108-87-2 | Methyl cyclohexane | 51 | 100 | 4.0 | J |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-04D
 Client ID : BCP MW-3
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N24
 Sample Amount : 2 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 11:35
 Date Received : 08/25/22
 Date Analyzed : 09/02/22 03:23
 Dilution Factor : 5
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 12 | 3.5 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 12 | 3.5 | U |
| 67-66-3 | Chloroform | ND | 12 | 3.5 | U |
| 56-23-5 | Carbon tetrachloride | ND | 2.5 | 0.67 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 5.0 | 0.68 | U |
| 124-48-1 | Dibromochloromethane | ND | 2.5 | 0.74 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 7.5 | 2.5 | U |
| 127-18-4 | Tetrachloroethene | ND | 2.5 | 0.90 | U |
| 108-90-7 | Chlorobenzene | ND | 12 | 3.5 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 12 | 3.5 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 2.5 | 0.66 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 12 | 3.5 | U |
| 75-27-4 | Bromodichloromethane | ND | 2.5 | 0.96 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 2.5 | 0.82 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 2.5 | 0.72 | U |
| 75-25-2 | Bromoform | ND | 10 | 3.2 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 2.5 | 0.84 | U |
| 71-43-2 | Benzene | 1.7 | 2.5 | 0.80 | J |
| 108-88-3 | Toluene | 22 | 12 | 3.5 | |
| 100-41-4 | Ethylbenzene | 380 | 12 | 3.5 | |
| 74-87-3 | Chloromethane | ND | 12 | 3.5 | U |
| 74-83-9 | Bromomethane | ND | 12 | 3.5 | U |
| 75-01-4 | Vinyl chloride | ND | 5.0 | 0.36 | U |
| 75-00-3 | Chloroethane | ND | 12 | 3.5 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 2.5 | 0.84 | U UJ |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-04D | Date Collected | : 08/25/22 11:35 |
| Client ID | : BCP MW-3 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/02/22 03:23 |
| Sample Matrix | : WATER | Dilution Factor | : 5 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N24 | Instrument ID | : VOA105 |
| Sample Amount | : 2 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 12 | 3.5 | U |
| 79-01-6 | Trichloroethene | ND | 2.5 | 0.88 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 12 | 3.5 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 12 | 3.5 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 12 | 3.5 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 12 | 3.5 | U |
| 179601-23-1 | p/m-Xylene | 480 | 12 | 3.5 | |
| 95-47-6 | o-Xylene | 12 | 12 | 3.5 | |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 12 | 3.5 | U |
| 100-42-5 | Styrene | ND | 12 | 3.5 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 25 | 5.0 | U |
| 67-64-1 | Acetone | ND | 25 | 7.3 | U |
| 75-15-0 | Carbon disulfide | ND | 25 | 5.0 | U |
| 78-93-3 | 2-Butanone | ND | 25 | 9.7 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 25 | 5.0 | U JJ |
| 591-78-6 | 2-Hexanone | ND | 25 | 5.0 | U JJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 10 | 3.2 | U JJ |
| 104-51-8 | n-Butylbenzene | ND | 12 | 3.5 | U |
| 135-98-8 | sec-Butylbenzene | ND | 12 | 3.5 | U |
| 98-06-6 | tert-Butylbenzene | ND | 12 | 3.5 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 12 | 3.5 | U |
| 98-82-8 | Isopropylbenzene | 5.2 | 12 | 3.5 | J JJ |
| 99-87-6 | p-Isopropyltoluene | ND | 12 | 3.5 | U |
| 91-20-3 | Naphthalene | 170 | 12 | 3.5 | |
| 103-65-1 | n-Propylbenzene | 18 | 12 | 3.5 | |

**Results Summary
Form 1
Volatile Organics by GC/MS**

| | |
|-------------------------------------|---------------------------------|
| Client : C&S Companies | Lab Number : L2246299 |
| Project Name : CONVENTUS | Project Number : U86 |
| Lab ID : L2246299-04D | Date Collected : 08/25/22 11:35 |
| Client ID : BCP MW-3 | Date Received : 08/25/22 |
| Sample Location : CONVENTUS/MAIN ST | Date Analyzed : 09/02/22 03:23 |
| Sample Matrix : WATER | Dilution Factor : 5 |
| Analytical Method : 1,8260C | Analyst : MV |
| Lab File ID : V05220901N24 | Instrument ID : VOA105 |
| Sample Amount : 2 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 12 | 3.5 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | 47 | 12 | 3.5 | |
| 95-63-6 | 1,2,4-Trimethylbenzene | 560 | 12 | 3.5 | |
| 79-20-9 | Methyl Acetate | ND | 10 | 1.2 | U |
| 110-82-7 | Cyclohexane | 40 | 50 | 1.4 | J JJ |
| 76-13-1 | Freon-113 | ND | 12 | 3.5 | U |
| 108-87-2 | Methyl cyclohexane | 32 | 50 | 2.0 | J |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-05
 Client ID : BCP MW-6
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N09
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 12:15
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 21:33
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U UJ |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-05 | Date Collected | : 08/25/22 12:15 |
| Client ID | : BCP MW-6 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 21:33 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N09 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U UJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U UJ |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-05 | Date Collected | : 08/25/22 12:15 |
| Client ID | : BCP MW-6 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 21:33 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N09 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U UJ |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-06D
 Client ID : BCP MW-5
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N25
 Sample Amount : 0.5 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 13:00
 Date Received : 08/25/22
 Date Analyzed : 09/02/22 03:46
 Dilution Factor : 20
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|----|-----|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 50 | 14. | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 50 | 14. | U |
| 67-66-3 | Chloroform | ND | 50 | 14. | U |
| 56-23-5 | Carbon tetrachloride | ND | 10 | 2.7 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 20 | 2.7 | U |
| 124-48-1 | Dibromochloromethane | ND | 10 | 3.0 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 30 | 10. | U |
| 127-18-4 | Tetrachloroethene | ND | 10 | 3.6 | U |
| 108-90-7 | Chlorobenzene | ND | 50 | 14. | U |
| 75-69-4 | Trichlorofluoromethane | ND | 50 | 14. | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 10 | 2.6 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 50 | 14. | U |
| 75-27-4 | Bromodichloromethane | ND | 10 | 3.8 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 10 | 3.3 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 10 | 2.9 | U |
| 75-25-2 | Bromoform | ND | 40 | 13. | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 10 | 3.3 | U |
| 71-43-2 | Benzene | ND | 10 | 3.2 | U |
| 108-88-3 | Toluene | 26 | 50 | 14. | J |
| 100-41-4 | Ethylbenzene | 2100 | 50 | 14. | |
| 74-87-3 | Chloromethane | ND | 50 | 14. | U |
| 74-83-9 | Bromomethane | ND | 50 | 14. | U |
| 75-01-4 | Vinyl chloride | ND | 20 | 1.4 | U |
| 75-00-3 | Chloroethane | ND | 50 | 14. | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 10 | 3.4 | U UJ |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-06D | Date Collected | : 08/25/22 13:00 |
| Client ID | : BCP MW-5 | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/02/22 03:46 |
| Sample Matrix | : WATER | Dilution Factor | : 20 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N25 | Instrument ID | : VOA105 |
| Sample Amount | : 0.5 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 50 | 14. | U |
| 79-01-6 | Trichloroethene | ND | 10 | 3.5 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 50 | 14. | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 50 | 14. | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 50 | 14. | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 50 | 14. | U |
| 179601-23-1 | p/m-Xylene | 7800 | 50 | 14. | |
| 95-47-6 | o-Xylene | 100 | 50 | 14. | |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 50 | 14. | U |
| 100-42-5 | Styrene | ND | 50 | 14. | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 100 | 20. | U |
| 67-64-1 | Acetone | ND | 100 | 29. | U |
| 75-15-0 | Carbon disulfide | ND | 100 | 20. | U |
| 78-93-3 | 2-Butanone | ND | 100 | 39. | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 100 | 20. | U JJ |
| 591-78-6 | 2-Hexanone | ND | 100 | 20. | U JJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 40 | 13. | U JJ |
| 104-51-8 | n-Butylbenzene | ND | 50 | 14. | U |
| 135-98-8 | sec-Butylbenzene | ND | 50 | 14. | U |
| 98-06-6 | tert-Butylbenzene | ND | 50 | 14. | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 50 | 14. | U |
| 98-82-8 | Isopropylbenzene | 29 | 50 | 14. | J JJ |
| 99-87-6 | p-Isopropyltoluene | ND | 50 | 14. | U |
| 91-20-3 | Naphthalene | 840 | 50 | 14. | |
| 103-65-1 | n-Propylbenzene | 130 | 50 | 14. | |



Results Summary
Form 1
Volatile Organics by GC/MS

| | |
|-------------------------------------|---------------------------------|
| Client : C&S Companies | Lab Number : L2246299 |
| Project Name : CONVENTUS | Project Number : U86 |
| Lab ID : L2246299-06D | Date Collected : 08/25/22 13:00 |
| Client ID : BCP MW-5 | Date Received : 08/25/22 |
| Sample Location : CONVENTUS/MAIN ST | Date Analyzed : 09/02/22 03:46 |
| Sample Matrix : WATER | Dilution Factor : 20 |
| Analytical Method : 1,8260C | Analyst : MV |
| Lab File ID : V05220901N25 | Instrument ID : VOA105 |
| Sample Amount : 0.5 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 50 | 14. | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | 630 | 50 | 14. | |
| 95-63-6 | 1,2,4-Trimethylbenzene | 3100 | 50 | 14. | |
| 79-20-9 | Methyl Acetate | ND | 40 | 4.7 | U |
| 110-82-7 | Cyclohexane | 240 | 200 | 5.4 | UJ |
| 76-13-1 | Freon-113 | ND | 50 | 14. | U |
| 108-87-2 | Methyl cyclohexane | 95 | 200 | 7.9 | J |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-07
 Client ID : DUP
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 09:55
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 21:57
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U JJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U JJ |



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-07
 Client ID : DUP
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 09:55
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 21:57
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U UJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U UJ |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | |
|-------------------------------------|---------------------------------|
| Client : C&S Companies | Lab Number : L2246299 |
| Project Name : CONVENTUS | Project Number : U86 |
| Lab ID : L2246299-07 | Date Collected : 08/25/22 09:55 |
| Client ID : DUP | Date Received : 08/25/22 |
| Sample Location : CONVENTUS/MAIN ST | Date Analyzed : 09/01/22 21:57 |
| Sample Matrix : WATER | Dilution Factor : 1 |
| Analytical Method : 1,8260C | Analyst : MV |
| Lab File ID : V05220901N10 | Instrument ID : VOA105 |
| Sample Amount : 10 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U JJ |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |

MKP 11/28/2022



Results Summary

Form 1

Volatile Organics by GC/MS

Client : C&S Companies
 Project Name : CONVENTUS
 Lab ID : L2246299-08
 Client ID : TRIP BLANK
 Sample Location : CONVENTUS/MAIN ST
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V05220901N06
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L2246299
 Project Number : U86
 Date Collected : 08/25/22 13:50
 Date Received : 08/25/22
 Date Analyzed : 09/01/22 20:23
 Dilution Factor : 1
 Analyst : MV
 Instrument ID : VOA105
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U UJ |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U UJ |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|---------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2246299 |
| Project Name | : CONVENTUS | Project Number | : U86 |
| Lab ID | : L2246299-08 | Date Collected | : 08/25/22 13:50 |
| Client ID | : TRIP BLANK | Date Received | : 08/25/22 |
| Sample Location | : CONVENTUS/MAIN ST | Date Analyzed | : 09/01/22 20:23 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260C | Analyst | : MV |
| Lab File ID | : V05220901N06 | Instrument ID | : VOA105 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U UJ |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U UJ |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U UJ |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U UJ |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | |
|-------------------------------------|---------------------------------|
| Client : C&S Companies | Lab Number : L2246299 |
| Project Name : CONVENTUS | Project Number : U86 |
| Lab ID : L2246299-08 | Date Collected : 08/25/22 13:50 |
| Client ID : TRIP BLANK | Date Received : 08/25/22 |
| Sample Location : CONVENTUS/MAIN ST | Date Analyzed : 09/01/22 20:23 |
| Sample Matrix : WATER | Dilution Factor : 1 |
| Analytical Method : 1,8260C | Analyst : MV |
| Lab File ID : V05220901N06 | Instrument ID : VOA105 |
| Sample Amount : 10 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U UJ |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |

MKP 11/28/2022



Appendix B

*Laboratory
QC
Documentation*

Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS
 Instrument ID : VOA105
 Lab File ID : V05220901N02
 Sample No : WG1682814-2
 Channel :

Lab Number : L2246299
 Project Number : U86
 Calibration Date : 09/01/22 18:50
 Init. Calib. Date(s) : 08/19/22 08/19/22
 Init. Calib. Times : 14:23 17:52

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|--------------------------|----------|----------|---------|--------|--------|-------|----------|
| Fluorobenzene | 1 | 1 | - | 0 | 20 | 67 | 0 |
| Dichlorodifluoromethane | 0.245 | 0.247 | - | -0.8 | 20 | 63 | 0 |
| Chloromethane | 0.259 | 0.225 | - | 13.1 | 20 | 56 | 0 |
| Vinyl chloride | 0.28 | 0.296 | - | -5.7 | 20 | 69 | 0 |
| Bromomethane | 0.283 | 0.333 | - | -17.7 | 20 | 78 | 0 |
| Chloroethane | 0.214 | 0.299 | - | -39.7* | 20 | 88 | 0 |
| Trichlorofluoromethane | 0.558 | 0.71 | - | -27.2* | 20 | 80 | 0 |
| Ethyl ether | 0.12 | 0.144 | - | -20 | 20 | 77 | 0 |
| 1,1-Dichloroethene | 0.212 | 0.22 | - | -3.8 | 20 | 68 | 0 |
| Carbon disulfide | 0.556 | 0.56 | - | -0.7 | 20 | 67 | 0 |
| Freon-113 | 0.235 | 0.252 | - | -7.2 | 20 | 68 | 0 |
| Iodomethane | 0.292 | 0.12 | - | 58.9* | 20 | 30 | 0 |
| Acrolein | 0.025 | 0.018 | - | 28* | 20 | 49 | 0 |
| Methylene chloride | 0.229 | 0.221 | - | 3.5 | 20 | 65 | 0 |
| Acetone | 0.032 | 0.026 | - | 18.8 | 20 | 58 | 0 |
| trans-1,2-Dichloroethene | 0.238 | 0.241 | - | -1.3 | 20 | 66 | 0 |
| Methyl acetate | 0.086 | 0.066 | - | 23.3* | 20 | 55 | 0 |
| Methyl tert-butyl ether | 0.422 | 0.344 | - | 18.5 | 20 | 54 | 0 |
| tert-Butyl alcohol | 0.00767 | 0.00566* | - | 26.2* | 20 | 47 | 0 |
| Diisopropyl ether | 0.686 | 0.594 | - | 13.4 | 20 | 57 | 0 |
| 1,1-Dichloroethane | 0.426 | 0.418 | - | 1.9 | 20 | 64 | 0 |
| Halothane | 0.189 | 0.187 | - | 1.1 | 20 | 66 | 0 |
| Acrylonitrile | 0.042 | 0.035 | - | 16.7 | 20 | 58 | 0 |
| Ethyl tert-butyl ether | 0.612 | 0.493 | - | 19.4 | 20 | 54 | 0 |
| Vinyl acetate | 0.428 | 0.316 | - | 26.2* | 20 | 51 | 0 |
| cis-1,2-Dichloroethene | 0.263 | 0.258 | - | 1.9 | 20 | 64 | 0 |
| 2,2-Dichloropropane | 0.373 | 0.334 | - | 10.5 | 20 | 59 | 0 |
| Bromochloromethane | 0.118 | 0.118 | - | 0 | 20 | 65 | 0 |
| Cyclohexane | 0.448 | 0.43 | - | 4 | 20 | 62 | 0 |
| Chloroform | 0.42 | 0.408 | - | 2.9 | 20 | 64 | 0 |
| Ethyl acetate | 0.131 | 0.101 | - | 22.9* | 20 | 55 | 0 |
| Carbon tetrachloride | 0.359 | 0.345 | - | 3.9 | 20 | 65 | 0 |
| Tetrahydrofuran | 0.037 | 0.036 | - | 2.7 | 20 | 62 | 0 |
| Dibromofluoromethane | 0.26 | 0.27 | - | -3.8 | 20 | 70 | 0 |
| 1,1,1-Trichloroethane | 0.391 | 0.378 | - | 3.3 | 20 | 63 | 0 |
| 2-Butanone | 0.051 | 0.04 | - | 21.6* | 20 | 52 | 0 |
| 1,1-Dichloropropene | 0.322 | 0.311 | - | 3.4 | 20 | 62 | 0 |
| Benzene | 0.935 | 0.923 | - | 1.3 | 20 | 65 | 0 |
| tert-Amyl methyl ether | 0.513 | 0.386 | - | 24.8* | 20 | 51 | 0 |
| 1,2-Dichloroethane-d4 | 0.283 | 0.286 | - | -1.1 | 20 | 65 | 0 |
| 1,2-Dichloroethane | 0.291 | 0.266 | - | 8.6 | 20 | 60 | 0 |
| Methyl cyclohexane | 0.455 | 0.441 | - | 3.1 | 20 | 64 | 0 |
| Trichloroethene | 0.268 | 0.251 | - | 6.3 | 20 | 64 | 0 |

* Value outside of QC limits.



Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS
 Instrument ID : VOA105
 Lab File ID : V05220901N02
 Sample No : WG1682814-2
 Channel :

Lab Number : L2246299
 Project Number : U86
 Calibration Date : 09/01/22 18:50
 Init. Calib. Date(s) : 08/19/22 08/19/22
 Init. Calib. Times : 14:23 17:52

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|----------------------------|----------|----------|---------|-------|--------|-------|----------|
| Dibromomethane | 0.127 | 0.122 | - | 3.9 | 20 | 63 | 0 |
| 1,2-Dichloropropane | 0.233 | 0.224 | - | 3.9 | 20 | 62 | 0 |
| 2-Chloroethyl vinyl ether | 0.105 | 0.079 | - | 24.8* | 20 | 48 | 0 |
| Bromodichloromethane | 0.309 | 0.286* | - | 7.4 | 20 | 61 | 0 |
| 1,4-Dioxane | 0.00087 | 0.00097* | - | -11.5 | 20 | 69 | 0 |
| cis-1,3-Dichloropropene | 0.339 | 0.309 | - | 8.8 | 20 | 58 | 0 |
| Chlorobenzene-d5 | 1 | 1 | - | 0 | 20 | 66 | 0 |
| Toluene-d8 | 1.241 | 1.32 | - | -6.4 | 20 | 69 | 0 |
| Toluene | 0.769 | 0.769 | - | 0 | 20 | 65 | 0 |
| 4-Methyl-2-pentanone | 0.058 | 0.046 | - | 20.7* | 20 | 49 | 0 |
| Tetrachloroethene | 0.355 | 0.358 | - | -0.8 | 20 | 65 | 0 |
| trans-1,3-Dichloropropene | 0.355 | 0.319 | - | 10.1 | 20 | 54 | 0 |
| Ethyl methacrylate | 0.252 | 0.198 | - | 21.4* | 20 | 50 | 0 |
| 1,1,2-Trichloroethane | 0.18 | 0.171* | - | 5 | 20 | 61 | 0 |
| Chlorodibromomethane | 0.277 | 0.258 | - | 6.9 | 20 | 61 | 0 |
| 1,3-Dichloropropane | 0.394 | 0.379 | - | 3.8 | 20 | 60 | 0 |
| 1,2-Dibromoethane | 0.189 | 0.176* | - | 6.9 | 20 | 58 | 0 |
| 2-Hexanone | 0.105 | 0.073 | - | 30.5* | 20 | 46 | 0 |
| Chlorobenzene | 0.883 | 0.869 | - | 1.6 | 20 | 65 | 0 |
| Ethylbenzene | 1.55 | 1.513 | - | 2.4 | 20 | 63 | 0 |
| 1,1,1,2-Tetrachloroethane | 0.306 | 0.292 | - | 4.6 | 20 | 63 | 0 |
| p/m Xylene | 0.634 | 0.618 | - | 2.5 | 20 | 64 | 0 |
| o Xylene | 0.627 | 0.585 | - | 6.7 | 20 | 64 | 0 |
| Styrene | 0.931 | 0.903 | - | 3 | 20 | 64 | 0 |
| 1,4-Dichlorobenzene-d4 | 1 | 1 | - | 0 | 20 | 67 | 0 |
| Bromoform | 0.294 | 0.24 | - | 18.4 | 20 | 60 | 0 |
| Isopropylbenzene | 2.965 | 2.898 | - | 2.3 | 20 | 64 | 0 |
| 4-Bromofluorobenzene | 0.763 | 0.718 | - | 5.9 | 20 | 62 | 0 |
| Bromobenzene | 0.676 | 0.636 | - | 5.9 | 20 | 64 | 0 |
| n-Propylbenzene | 3.439 | 3.421 | - | 0.5 | 20 | 64 | 0 |
| 1,4-Dichlorobutane | 0.638 | 0.542 | - | 15 | 20 | 56 | 0 |
| 1,1,2,2-Tetrachloroethane | 0.463 | 0.397 | - | 14.3 | 20 | 59 | 0 |
| 4-Ethyltoluene | 2.905 | 2.835 | - | 2.4 | 20 | 65 | 0 |
| 2-Chlorotoluene | 1.888 | 1.828 | - | 3.2 | 20 | 65 | 0 |
| 1,3,5-Trimethylbenzene | 2.515 | 2.359 | - | 6.2 | 20 | 63 | 0 |
| 1,2,3-Trichloropropane | 0.359 | 0.289 | - | 19.5 | 20 | 54 | 0 |
| trans-1,4-Dichloro-2-buten | 0.134 | 0.107 | - | 20.1* | 20 | 50 | 0 |
| 4-Chlorotoluene | 2.008 | 1.866 | - | 7.1 | 20 | 62 | 0 |
| tert-Butylbenzene | 2.176 | 2.121 | - | 2.5 | 20 | 65 | 0 |
| 1,2,4-Trimethylbenzene | 2.418 | 2.284 | - | 5.5 | 20 | 63 | 0 |
| sec-Butylbenzene | 3.154 | 3.159 | - | -0.2 | 20 | 66 | 0 |
| p-Isopropyltoluene | 2.723 | 2.649 | - | 2.7 | 20 | 65 | 0 |
| 1,3-Dichlorobenzene | 1.346 | 1.291 | - | 4.1 | 20 | 65 | 0 |

* Value outside of QC limits.



Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS
 Instrument ID : VOA105
 Lab File ID : V05220901N02
 Sample No : WG1682814-2
 Channel :

Lab Number : L2246299
 Project Number : U86
 Calibration Date : 09/01/22 18:50
 Init. Calib. Date(s) : 08/19/22 08/19/22
 Init. Calib. Times : 14:23 17:52

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|----------------------------|----------|-------|---------|------|--------|-------|----------|
| 1,4-Dichlorobenzene | 1.375 | 1.304 | - | 5.2 | 20 | 66 | 0 |
| p-Diethylbenzene | 1.579 | 1.483 | - | 6.1 | 20 | 65 | 0 |
| n-Butylbenzene | 2.247 | 2.234 | - | 0.6 | 20 | 66 | 0 |
| 1,2-Dichlorobenzene | 1.19 | 1.12 | - | 5.9 | 20 | 64 | 0 |
| 1,2,4,5-Tetramethylbenzene | 2.102 | 1.86 | - | 11.5 | 20 | 62 | 0 |
| 1,2-Dibromo-3-chloropropan | 0.061 | 0.047 | - | 23* | 20 | 54 | 0 |
| 1,3,5-Trichlorobenzene | 0.788 | 0.739 | - | 6.2 | 20 | 64 | 0 |
| Hexachlorobutadiene | 0.263 | 0.26 | - | 1.1 | 20 | 67 | 0 |
| 1,2,4-Trichlorobenzene | 0.61 | 0.564 | - | 7.5 | 20 | 62 | 0 |
| Naphthalene | 1.194 | 0.959 | - | 19.7 | 20 | 54 | 0 |
| 1,2,3-Trichlorobenzene | 0.484 | 0.424 | - | 12.4 | 20 | 61 | 0 |

* Value outside of QC limits.



Laboratory Control Sample Summary

Form 3

Volatiles

Client : C&S Companies **Lab Number** : L2246299
Project Name : CONVENTUS **Project Number** : U86
Matrix : WATER
LCS Sample ID : WG1682814-3 **Analysis Date** : 09/01/22 18:50 **File ID** : V05220901N02
LCSD Sample ID : WG1682814-4 **Analysis Date** : 09/01/22 19:14 **File ID** : V05220901N03

| Parameter | Laboratory Control Sample | | | Laboratory Control Duplicate | | | RPD | Recovery Limits | RPD Limit |
|---------------------------|---------------------------|--------------|-------|------------------------------|--------------|-----|-----|-----------------|-----------|
| | True (ug/l) | Found (ug/l) | %R | True (ug/l) | Found (ug/l) | %R | | | |
| Methylene chloride | 10 | 9.7 | 97 | 10 | 9.7 | 97 | 0 | 70-130 | 20 |
| 1,1-Dichloroethane | 10 | 9.8 | 98 | 10 | 9.4 | 94 | 4 | 70-130 | 20 |
| Chloroform | 10 | 9.7 | 97 | 10 | 9.2 | 92 | 5 | 70-130 | 20 |
| Carbon tetrachloride | 10 | 9.6 | 96 | 10 | 9.0 | 90 | 6 | 63-132 | 20 |
| 1,2-Dichloropropane | 10 | 9.6 | 96 | 10 | 9.4 | 94 | 2 | 70-130 | 20 |
| Dibromochloromethane | 10 | 9.3 | 93 | 10 | 9.2 | 92 | 1 | 63-130 | 20 |
| 1,1,2-Trichloroethane | 10 | 9.5 | 95 | 10 | 9.4 | 94 | 1 | 70-130 | 20 |
| Tetrachloroethene | 10 | 10 | 100 | 10 | 9.6 | 96 | 4 | 70-130 | 20 |
| Chlorobenzene | 10 | 9.8 | 98 | 10 | 9.5 | 95 | 3 | 75-130 | 20 |
| Trichlorofluoromethane | 10 | 13 | 130 | 10 | 12 | 120 | 8 | 62-150 | 20 |
| 1,2-Dichloroethane | 10 | 9.1 | 91 | 10 | 9.4 | 94 | 3 | 70-130 | 20 |
| 1,1,1-Trichloroethane | 10 | 9.7 | 97 | 10 | 9.2 | 92 | 5 | 67-130 | 20 |
| Bromodichloromethane | 10 | 9.2 | 92 | 10 | 9.2 | 92 | 0 | 67-130 | 20 |
| trans-1,3-Dichloropropene | 10 | 9.0 | 90 | 10 | 8.9 | 89 | 1 | 70-130 | 20 |
| cis-1,3-Dichloropropene | 10 | 9.1 | 91 | 10 | 8.9 | 89 | 2 | 70-130 | 20 |
| Bromoform | 10 | 8.2 | 82 | 10 | 8.0 | 80 | 2 | 54-136 | 20 |
| 1,1,2,2-Tetrachloroethane | 10 | 8.6 | 86 | 10 | 8.6 | 86 | 0 | 67-130 | 20 |
| Benzene | 10 | 9.9 | 99 | 10 | 9.4 | 94 | 5 | 70-130 | 20 |
| Toluene | 10 | 10 | 100 | 10 | 9.6 | 96 | 4 | 70-130 | 20 |
| Ethylbenzene | 10 | 9.8 | 98 | 10 | 9.2 | 92 | 6 | 70-130 | 20 |
| Chloromethane | 10 | 8.7 | 87 | 10 | 8.5 | 85 | 2 | 64-130 | 20 |
| Bromomethane | 10 | 12 | 120 | 10 | 11 | 110 | 9 | 39-139 | 20 |
| Vinyl chloride | 10 | 10 | 100 | 10 | 9.9 | 99 | 1 | 55-140 | 20 |
| Chloroethane | 10 | 14 | 140 Q | 10 | 13 | 130 | 7 | 55-138 | 20 |
| 1,1-Dichloroethene | 10 | 10 | 100 | 10 | 9.3 | 93 | 7 | 61-145 | 20 |
| trans-1,2-Dichloroethene | 10 | 10 | 100 | 10 | 9.2 | 92 | 8 | 70-130 | 20 |



Appendix C

Validator Qualifications

KENNETH R. APPLIN
Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY
Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).



ANALYTICAL REPORT

| | |
|-----------------|---|
| Lab Number: | L2270805 |
| Client: | C&S Companies 141 Elm Street Suite 100 Buffalo, NY 14203 |
| ATTN: | Richard Backert |
| Phone: | (716) 955-3024 |
| Project Name: | CONVENTUS/MROW |
| Project Number: | 1186 |
| Report Date: | 12/29/22 |

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|---------------------------------|---------------------------------|---------------------|
| L2270805-01 | BCPMW-1 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:00 | 12/15/22 |
| L2270805-02 | DUP | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:00 | 12/15/22 |
| L2270805-03 | BCPMW-7 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:40 | 12/15/22 |
| L2270805-04 | BCPMW-4 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 12:25 | 12/15/22 |
| L2270805-05 | BCPMW-3 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 12:55 | 12/15/22 |
| L2270805-06 | BCPMW-6 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 13:30 | 12/15/22 |
| L2270805-07 | BCPMW-5 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 14:10 | 12/15/22 |
| L2270805-08 | TRIP BLANK | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/15/22 00:00 | 12/15/22 |
| L2270805-09 | MSMW-2 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/15/22 10:45 | 12/15/22 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2270805-07D: The pH was greater than two; however, the sample was analyzed within the method required holding time.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Tiffani Morrissey - Tiffani Morrissey

Title: Technical Director/Representative

Date: 12/29/22

ORGANICS

VOLATILES

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-01
 Client ID: BCPMW-1
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 11:00
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 14:10
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-01

Date Collected: 12/14/22 11:00

Client ID: BCPMW-1

Date Received: 12/15/22

Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|--|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 96 | | 70-130 |
| Toluene-d8 | 98 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 111 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-02
 Client ID: DUP
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 11:00
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 14:34
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-02
 Client ID: DUP
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 11:00
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 89 | | 70-130 |
| Toluene-d8 | 98 | | 70-130 |
| 4-Bromofluorobenzene | 102 | | 70-130 |
| Dibromofluoromethane | 103 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-03
 Client ID: BCPMW-7
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 11:40
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/22/22 22:51
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-03
 Client ID: BCPMW-7
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 11:40
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 118 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 113 | | 70-130 |
| Dibromofluoromethane | 109 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-04 D
 Client ID: BCPMW-4
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 12:25
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 15:23
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Chloroform | ND | | ug/l | 25 | 7.0 | 10 |
| Carbon tetrachloride | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,2-Dichloropropane | ND | | ug/l | 10 | 1.4 | 10 |
| Dibromochloromethane | ND | | ug/l | 5.0 | 1.5 | 10 |
| 1,1,2-Trichloroethane | ND | | ug/l | 15 | 5.0 | 10 |
| Tetrachloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| Chlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichlorofluoromethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dichloroethane | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,1,1-Trichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromodichloromethane | ND | | ug/l | 5.0 | 1.9 | 10 |
| trans-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.6 | 10 |
| cis-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.4 | 10 |
| Bromoform | ND | | ug/l | 20 | 6.5 | 10 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 5.0 | 1.7 | 10 |
| Benzene | 3.5 | J | ug/l | 5.0 | 1.6 | 10 |
| Toluene | 63 | | ug/l | 25 | 7.0 | 10 |
| Ethylbenzene | 1100 | | ug/l | 25 | 7.0 | 10 |
| Chloromethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromomethane | ND | | ug/l | 25 | 7.0 | 10 |
| Vinyl chloride | ND | | ug/l | 10 | 0.71 | 10 |
| Chloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethene | ND | | ug/l | 5.0 | 1.7 | 10 |
| trans-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| 1,2-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-04 D
 Client ID: BCPMW-4
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 12:25
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,4-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl tert butyl ether | ND | | ug/l | 25 | 7.0 | 10 |
| p/m-Xylene | 210 | | ug/l | 25 | 7.0 | 10 |
| o-Xylene | 16 | J | ug/l | 25 | 7.0 | 10 |
| cis-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Styrene | ND | | ug/l | 25 | 7.0 | 10 |
| Dichlorodifluoromethane | ND | | ug/l | 50 | 10. | 10 |
| Acetone | ND | | ug/l | 50 | 15. | 10 |
| Carbon disulfide | ND | | ug/l | 50 | 10. | 10 |
| 2-Butanone | ND | | ug/l | 50 | 19. | 10 |
| 4-Methyl-2-pentanone | ND | | ug/l | 50 | 10. | 10 |
| 2-Hexanone | ND | | ug/l | 50 | 10. | 10 |
| 1,2-Dibromoethane | ND | | ug/l | 20 | 6.5 | 10 |
| n-Butylbenzene | 11 | J | ug/l | 25 | 7.0 | 10 |
| sec-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| tert-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 25 | 7.0 | 10 |
| Isopropylbenzene | 30 | | ug/l | 25 | 7.0 | 10 |
| p-Isopropyltoluene | ND | | ug/l | 25 | 7.0 | 10 |
| Naphthalene | 290 | | ug/l | 25 | 7.0 | 10 |
| n-Propylbenzene | 160 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trimethylbenzene | 1200 | | ug/l | 25 | 7.0 | 10 |
| Methyl Acetate | ND | | ug/l | 20 | 2.3 | 10 |
| Cyclohexane | 140 | | ug/l | 100 | 2.7 | 10 |
| Freon-113 | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl cyclohexane | 43 | J | ug/l | 100 | 4.0 | 10 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 94 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 92 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-05
 Client ID: BCPMW-3
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 12:55
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 15:48
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | 11 | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-05
 Client ID: BCPMW-3
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 12:55
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | 12 | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | 4.2 | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | 13 | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | 1.5 | J | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | 0.65 | J | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 99 | | 70-130 |
| Toluene-d8 | 99 | | 70-130 |
| 4-Bromofluorobenzene | 113 | | 70-130 |
| Dibromofluoromethane | 111 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-06
 Client ID: BCPMW-6
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 13:30
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 16:12
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-06
 Client ID: BCPMW-6
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 13:30
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 98 | | 70-130 |
| Toluene-d8 | 99 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 113 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-07 D
 Client ID: BCPMW-5
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 14:10
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 16:37
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Chloroform | ND | | ug/l | 25 | 7.0 | 10 |
| Carbon tetrachloride | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,2-Dichloropropane | ND | | ug/l | 10 | 1.4 | 10 |
| Dibromochloromethane | ND | | ug/l | 5.0 | 1.5 | 10 |
| 1,1,2-Trichloroethane | ND | | ug/l | 15 | 5.0 | 10 |
| Tetrachloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| Chlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichlorofluoromethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dichloroethane | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,1,1-Trichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromodichloromethane | ND | | ug/l | 5.0 | 1.9 | 10 |
| trans-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.6 | 10 |
| cis-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.4 | 10 |
| Bromoform | ND | | ug/l | 20 | 6.5 | 10 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 5.0 | 1.7 | 10 |
| Benzene | ND | | ug/l | 5.0 | 1.6 | 10 |
| Toluene | 9.6 | J | ug/l | 25 | 7.0 | 10 |
| Ethylbenzene | 820 | | ug/l | 25 | 7.0 | 10 |
| Chloromethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromomethane | ND | | ug/l | 25 | 7.0 | 10 |
| Vinyl chloride | ND | | ug/l | 10 | 0.71 | 10 |
| Chloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethene | ND | | ug/l | 5.0 | 1.7 | 10 |
| trans-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| 1,2-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-07 D
 Client ID: BCPMW-5
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/14/22 14:10
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,4-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl tert butyl ether | ND | | ug/l | 25 | 7.0 | 10 |
| p/m-Xylene | 2400 | | ug/l | 25 | 7.0 | 10 |
| o-Xylene | 62 | | ug/l | 25 | 7.0 | 10 |
| cis-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Styrene | ND | | ug/l | 25 | 7.0 | 10 |
| Dichlorodifluoromethane | ND | | ug/l | 50 | 10. | 10 |
| Acetone | ND | | ug/l | 50 | 15. | 10 |
| Carbon disulfide | ND | | ug/l | 50 | 10. | 10 |
| 2-Butanone | ND | | ug/l | 50 | 19. | 10 |
| 4-Methyl-2-pentanone | ND | | ug/l | 50 | 10. | 10 |
| 2-Hexanone | ND | | ug/l | 50 | 10. | 10 |
| 1,2-Dibromoethane | ND | | ug/l | 20 | 6.5 | 10 |
| n-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| sec-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| tert-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 25 | 7.0 | 10 |
| Isopropylbenzene | 16 | J | ug/l | 25 | 7.0 | 10 |
| p-Isopropyltoluene | ND | | ug/l | 25 | 7.0 | 10 |
| Naphthalene | 520 | | ug/l | 25 | 7.0 | 10 |
| n-Propylbenzene | 71 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,3,5-Trimethylbenzene | 350 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trimethylbenzene | 1400 | | ug/l | 25 | 7.0 | 10 |
| Methyl Acetate | ND | | ug/l | 20 | 2.3 | 10 |
| Cyclohexane | 120 | | ug/l | 100 | 2.7 | 10 |
| Freon-113 | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl cyclohexane | 54 | J | ug/l | 100 | 4.0 | 10 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 100 | | 70-130 |
| Toluene-d8 | 100 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 102 | | 70-130 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-08
 Client ID: TRIP BLANK
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/15/22 00:00
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/23/22 14:38
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|------|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 | 1 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 | 1 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 | 1 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 | 1 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 | 1 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 | 1 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 | 1 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 | 1 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 | 1 |
| Benzene | ND | | ug/l | 0.50 | 0.16 | 1 |
| Toluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 | 1 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 | 1 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 | 1 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-08
 Client ID: TRIP BLANK
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/15/22 00:00
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 | 1 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 | 1 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Styrene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 | 1 |
| Acetone | ND | | ug/l | 5.0 | 1.5 | 1 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 | 1 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 | 1 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 | 1 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 | 1 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 | 1 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 | 1 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 | 1 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 | 1 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 | 1 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 102 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 112 | | 70-130 |
| Dibromofluoromethane | 99 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**SAMPLE RESULTS**

Lab ID: L2270805-09 D
 Client ID: MSMW-2
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/15/22 10:45
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 12/21/22 17:01
 Analyst: MJV

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|------|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| Methylene chloride | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Chloroform | ND | | ug/l | 25 | 7.0 | 10 |
| Carbon tetrachloride | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,2-Dichloropropane | ND | | ug/l | 10 | 1.4 | 10 |
| Dibromochloromethane | ND | | ug/l | 5.0 | 1.5 | 10 |
| 1,1,2-Trichloroethane | ND | | ug/l | 15 | 5.0 | 10 |
| Tetrachloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| Chlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichlorofluoromethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dichloroethane | ND | | ug/l | 5.0 | 1.3 | 10 |
| 1,1,1-Trichloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromodichloromethane | ND | | ug/l | 5.0 | 1.9 | 10 |
| trans-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.6 | 10 |
| cis-1,3-Dichloropropene | ND | | ug/l | 5.0 | 1.4 | 10 |
| Bromoform | ND | | ug/l | 20 | 6.5 | 10 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 5.0 | 1.7 | 10 |
| Benzene | 280 | | ug/l | 5.0 | 1.6 | 10 |
| Toluene | 210 | | ug/l | 25 | 7.0 | 10 |
| Ethylbenzene | 820 | | ug/l | 25 | 7.0 | 10 |
| Chloromethane | ND | | ug/l | 25 | 7.0 | 10 |
| Bromomethane | ND | | ug/l | 25 | 7.0 | 10 |
| Vinyl chloride | ND | | ug/l | 10 | 0.71 | 10 |
| Chloroethane | ND | | ug/l | 25 | 7.0 | 10 |
| 1,1-Dichloroethene | ND | | ug/l | 5.0 | 1.7 | 10 |
| trans-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Trichloroethene | ND | | ug/l | 5.0 | 1.8 | 10 |
| 1,2-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

SAMPLE RESULTS

Lab ID: L2270805-09 D
 Client ID: MSMW-2
 Sample Location: CONVENTUS 1 MAIN ST. BUFFALO NY

Date Collected: 12/15/22 10:45
 Date Received: 12/15/22
 Field Prep: Not Specified

Sample Depth:

| Parameter | Result | Qualifier | Units | RL | MDL | Dilution Factor |
|---|--------|-----------|-------|-----|-----|-----------------|
| Volatile Organics by GC/MS - Westborough Lab | | | | | | |
| 1,3-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,4-Dichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl tert butyl ether | ND | | ug/l | 25 | 7.0 | 10 |
| p/m-Xylene | 1900 | | ug/l | 25 | 7.0 | 10 |
| o-Xylene | 490 | | ug/l | 25 | 7.0 | 10 |
| cis-1,2-Dichloroethene | ND | | ug/l | 25 | 7.0 | 10 |
| Styrene | ND | | ug/l | 25 | 7.0 | 10 |
| Dichlorodifluoromethane | ND | | ug/l | 50 | 10. | 10 |
| Acetone | ND | | ug/l | 50 | 15. | 10 |
| Carbon disulfide | ND | | ug/l | 50 | 10. | 10 |
| 2-Butanone | ND | | ug/l | 50 | 19. | 10 |
| 4-Methyl-2-pentanone | ND | | ug/l | 50 | 10. | 10 |
| 2-Hexanone | ND | | ug/l | 50 | 10. | 10 |
| 1,2-Dibromoethane | ND | | ug/l | 20 | 6.5 | 10 |
| n-Butylbenzene | 12 | J | ug/l | 25 | 7.0 | 10 |
| sec-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| tert-Butylbenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 25 | 7.0 | 10 |
| Isopropylbenzene | 25 | | ug/l | 25 | 7.0 | 10 |
| p-Isopropyltoluene | ND | | ug/l | 25 | 7.0 | 10 |
| Naphthalene | 340 | | ug/l | 25 | 7.0 | 10 |
| n-Propylbenzene | 94 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 25 | 7.0 | 10 |
| 1,3,5-Trimethylbenzene | 490 | | ug/l | 25 | 7.0 | 10 |
| 1,2,4-Trimethylbenzene | 1200 | | ug/l | 25 | 7.0 | 10 |
| Methyl Acetate | ND | | ug/l | 20 | 2.3 | 10 |
| Cyclohexane | 160 | | ug/l | 100 | 2.7 | 10 |
| Freon-113 | ND | | ug/l | 25 | 7.0 | 10 |
| Methyl cyclohexane | 110 | | ug/l | 100 | 4.0 | 10 |

| Surrogate | % Recovery | Qualifier | Acceptance Criteria |
|-----------------------|------------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 89 | | 70-130 |
| Toluene-d8 | 102 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 70-130 |
| Dibromofluoromethane | 91 | | 70-130 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/21/22 08:53
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04-07,09 Batch: WG1726668-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/21/22 08:53
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04-07,09 Batch: WG1726668-5 | | | | | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/21/22 08:53
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|----|-----|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04-07,09 Batch: WG1726668-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 91 | | 70-130 |
| Toluene-d8 | 99 | | 70-130 |
| 4-Bromofluorobenzene | 103 | | 70-130 |
| Dibromofluoromethane | 111 | | 70-130 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/22/22 17:51
Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1726975-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/22/22 17:51
Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1726975-5 | | | | | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/22/22 17:51
Analyst: AJK

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|----|-----|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG1726975-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 109 | | 70-130 |
| Toluene-d8 | 101 | | 70-130 |
| 4-Bromofluorobenzene | 110 | | 70-130 |
| Dibromofluoromethane | 105 | | 70-130 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/23/22 08:59
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|------|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 08 Batch: WG1727559-5 | | | | | |
| Methylene chloride | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Chloroform | ND | | ug/l | 2.5 | 0.70 |
| Carbon tetrachloride | ND | | ug/l | 0.50 | 0.13 |
| 1,2-Dichloropropane | ND | | ug/l | 1.0 | 0.14 |
| Dibromochloromethane | ND | | ug/l | 0.50 | 0.15 |
| 1,1,2-Trichloroethane | ND | | ug/l | 1.5 | 0.50 |
| Tetrachloroethene | ND | | ug/l | 0.50 | 0.18 |
| Chlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Trichlorofluoromethane | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dichloroethane | ND | | ug/l | 0.50 | 0.13 |
| 1,1,1-Trichloroethane | ND | | ug/l | 2.5 | 0.70 |
| Bromodichloromethane | ND | | ug/l | 0.50 | 0.19 |
| trans-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.16 |
| cis-1,3-Dichloropropene | ND | | ug/l | 0.50 | 0.14 |
| Bromoform | ND | | ug/l | 2.0 | 0.65 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/l | 0.50 | 0.17 |
| Benzene | ND | | ug/l | 0.50 | 0.16 |
| Toluene | ND | | ug/l | 2.5 | 0.70 |
| Ethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Chloromethane | ND | | ug/l | 2.5 | 0.70 |
| Bromomethane | ND | | ug/l | 2.5 | 0.70 |
| Vinyl chloride | ND | | ug/l | 1.0 | 0.07 |
| Chloroethane | ND | | ug/l | 2.5 | 0.70 |
| 1,1-Dichloroethene | ND | | ug/l | 0.50 | 0.17 |
| trans-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Trichloroethene | ND | | ug/l | 0.50 | 0.18 |
| 1,2-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/23/22 08:59
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|-----|------|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 08 Batch: WG1727559-5 | | | | | |
| 1,4-Dichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl tert butyl ether | ND | | ug/l | 2.5 | 0.70 |
| p/m-Xylene | ND | | ug/l | 2.5 | 0.70 |
| o-Xylene | ND | | ug/l | 2.5 | 0.70 |
| cis-1,2-Dichloroethene | ND | | ug/l | 2.5 | 0.70 |
| Styrene | ND | | ug/l | 2.5 | 0.70 |
| Dichlorodifluoromethane | ND | | ug/l | 5.0 | 1.0 |
| Acetone | ND | | ug/l | 5.0 | 1.5 |
| Carbon disulfide | ND | | ug/l | 5.0 | 1.0 |
| 2-Butanone | ND | | ug/l | 5.0 | 1.9 |
| 4-Methyl-2-pentanone | ND | | ug/l | 5.0 | 1.0 |
| 2-Hexanone | ND | | ug/l | 5.0 | 1.0 |
| 1,2-Dibromoethane | ND | | ug/l | 2.0 | 0.65 |
| n-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| sec-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| tert-Butylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2-Dibromo-3-chloropropane | ND | | ug/l | 2.5 | 0.70 |
| Isopropylbenzene | ND | | ug/l | 2.5 | 0.70 |
| p-Isopropyltoluene | ND | | ug/l | 2.5 | 0.70 |
| Naphthalene | ND | | ug/l | 2.5 | 0.70 |
| n-Propylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trichlorobenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,3,5-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| 1,2,4-Trimethylbenzene | ND | | ug/l | 2.5 | 0.70 |
| Methyl Acetate | ND | | ug/l | 2.0 | 0.23 |
| Cyclohexane | ND | | ug/l | 10 | 0.27 |
| Freon-113 | ND | | ug/l | 2.5 | 0.70 |
| Methyl cyclohexane | ND | | ug/l | 10 | 0.40 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 12/23/22 08:59
Analyst: PID

| Parameter | Result | Qualifier | Units | RL | MDL |
|---|--------|-----------|-------|----|-----|
| Volatile Organics by GC/MS - Westborough Lab for sample(s): 08 Batch: WG1727559-5 | | | | | |

| Surrogate | %Recovery | Qualifier | Acceptance Criteria |
|-----------------------|-----------|-----------|---------------------|
| 1,2-Dichloroethane-d4 | 103 | | 70-130 |
| Toluene-d8 | 104 | | 70-130 |
| 4-Bromofluorobenzene | 113 | | 70-130 |
| Dibromofluoromethane | 97 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,04-07,09 Batch: WG1726668-3 WG1726668-4 | | | | | | | | |
| Methylene chloride | 100 | | 110 | | 70-130 | 10 | | 20 |
| 1,1-Dichloroethane | 100 | | 100 | | 70-130 | 0 | | 20 |
| Chloroform | 93 | | 86 | | 70-130 | 8 | | 20 |
| Carbon tetrachloride | 81 | | 85 | | 63-132 | 5 | | 20 |
| 1,2-Dichloropropane | 95 | | 100 | | 70-130 | 5 | | 20 |
| Dibromochloromethane | 73 | | 75 | | 63-130 | 3 | | 20 |
| 1,1,2-Trichloroethane | 78 | | 85 | | 70-130 | 9 | | 20 |
| Tetrachloroethene | 89 | | 88 | | 70-130 | 1 | | 20 |
| Chlorobenzene | 92 | | 93 | | 75-130 | 1 | | 20 |
| Trichlorofluoromethane | 97 | | 97 | | 62-150 | 0 | | 20 |
| 1,2-Dichloroethane | 79 | | 82 | | 70-130 | 4 | | 20 |
| 1,1,1-Trichloroethane | 86 | | 87 | | 67-130 | 1 | | 20 |
| Bromodichloromethane | 82 | | 84 | | 67-130 | 2 | | 20 |
| trans-1,3-Dichloropropene | 77 | | 79 | | 70-130 | 3 | | 20 |
| cis-1,3-Dichloropropene | 84 | | 91 | | 70-130 | 8 | | 20 |
| Bromoform | 72 | | 80 | | 54-136 | 11 | | 20 |
| 1,1,2,2-Tetrachloroethane | 91 | | 98 | | 67-130 | 7 | | 20 |
| Benzene | 96 | | 98 | | 70-130 | 2 | | 20 |
| Toluene | 90 | | 91 | | 70-130 | 1 | | 20 |
| Ethylbenzene | 96 | | 98 | | 70-130 | 2 | | 20 |
| Chloromethane | 110 | | 110 | | 64-130 | 0 | | 20 |
| Bromomethane | 67 | | 73 | | 39-139 | 9 | | 20 |
| Vinyl chloride | 110 | | 120 | | 55-140 | 9 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,04-07,09 Batch: WG1726668-3 WG1726668-4 | | | | | | | | |
| Chloroethane | 120 | | 120 | | 55-138 | 0 | | 20 |
| 1,1-Dichloroethene | 100 | | 100 | | 61-145 | 0 | | 20 |
| trans-1,2-Dichloroethene | 99 | | 99 | | 70-130 | 0 | | 20 |
| Trichloroethene | 85 | | 91 | | 70-130 | 7 | | 20 |
| 1,2-Dichlorobenzene | 96 | | 98 | | 70-130 | 2 | | 20 |
| 1,3-Dichlorobenzene | 99 | | 100 | | 70-130 | 1 | | 20 |
| 1,4-Dichlorobenzene | 95 | | 99 | | 70-130 | 4 | | 20 |
| Methyl tert butyl ether | 76 | | 83 | | 63-130 | 9 | | 20 |
| p/m-Xylene | 100 | | 100 | | 70-130 | 0 | | 20 |
| o-Xylene | 100 | | 100 | | 70-130 | 0 | | 20 |
| cis-1,2-Dichloroethene | 94 | | 94 | | 70-130 | 0 | | 20 |
| Styrene | 95 | | 100 | | 70-130 | 5 | | 20 |
| Dichlorodifluoromethane | 110 | | 120 | | 36-147 | 9 | | 20 |
| Acetone | 100 | | 92 | | 58-148 | 8 | | 20 |
| Carbon disulfide | 110 | | 110 | | 51-130 | 0 | | 20 |
| 2-Butanone | 82 | | 89 | | 63-138 | 8 | | 20 |
| 4-Methyl-2-pentanone | 87 | | 91 | | 59-130 | 4 | | 20 |
| 2-Hexanone | 89 | | 110 | | 57-130 | 21 | Q | 20 |
| 1,2-Dibromoethane | 80 | | 85 | | 70-130 | 6 | | 20 |
| n-Butylbenzene | 110 | | 110 | | 53-136 | 0 | | 20 |
| sec-Butylbenzene | 110 | | 110 | | 70-130 | 0 | | 20 |
| tert-Butylbenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| 1,2-Dibromo-3-chloropropane | 85 | | 90 | | 41-144 | 6 | | 20 |

Lab Control Sample Analysis Batch Quality Control

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,04-07,09 Batch: WG1726668-3 WG1726668-4 | | | | | | | | |
| Isopropylbenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| p-Isopropyltoluene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Naphthalene | 89 | | 96 | | 70-130 | 8 | | 20 |
| n-Propylbenzene | 110 | | 110 | | 69-130 | 0 | | 20 |
| 1,2,4-Trichlorobenzene | 83 | | 89 | | 70-130 | 7 | | 20 |
| 1,3,5-Trimethylbenzene | 98 | | 100 | | 64-130 | 2 | | 20 |
| 1,2,4-Trimethylbenzene | 95 | | 99 | | 70-130 | 4 | | 20 |
| Methyl Acetate | 99 | | 110 | | 70-130 | 11 | | 20 |
| Cyclohexane | 110 | | 110 | | 70-130 | 0 | | 20 |
| Freon-113 | 110 | | 110 | | 70-130 | 0 | | 20 |
| Methyl cyclohexane | 98 | | 99 | | 70-130 | 1 | | 20 |

| Surrogate | LCS %Recovery | Qual | LCSD %Recovery | Qual | Acceptance Criteria |
|-----------------------|------------------|------|-------------------|------|------------------------|
| 1,2-Dichloroethane-d4 | 90 | | 92 | | 70-130 |
| Toluene-d8 | 102 | | 101 | | 70-130 |
| 4-Bromofluorobenzene | 105 | | 104 | | 70-130 |
| Dibromofluoromethane | 99 | | 100 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS | | LCSD | | %Recovery Limits | RPD | Qual | RPD Limits |
|--|-----------|------|-----------|------|---------------------|-----|------|---------------|
| | %Recovery | Qual | %Recovery | Qual | | | | |
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1726975-3 WG1726975-4 | | | | | | | | |
| Methylene chloride | 100 | | 96 | | 70-130 | 4 | | 20 |
| 1,1-Dichloroethane | 100 | | 95 | | 70-130 | 5 | | 20 |
| Chloroform | 99 | | 94 | | 70-130 | 5 | | 20 |
| Carbon tetrachloride | 98 | | 91 | | 63-132 | 7 | | 20 |
| 1,2-Dichloropropane | 99 | | 93 | | 70-130 | 6 | | 20 |
| Dibromochloromethane | 88 | | 84 | | 63-130 | 5 | | 20 |
| 1,1,2-Trichloroethane | 90 | | 91 | | 70-130 | 1 | | 20 |
| Tetrachloroethene | 89 | | 85 | | 70-130 | 5 | | 20 |
| Chlorobenzene | 92 | | 89 | | 75-130 | 3 | | 20 |
| Trichlorofluoromethane | 110 | | 98 | | 62-150 | 12 | | 20 |
| 1,2-Dichloroethane | 100 | | 97 | | 70-130 | 3 | | 20 |
| 1,1,1-Trichloroethane | 100 | | 93 | | 67-130 | 7 | | 20 |
| Bromodichloromethane | 97 | | 92 | | 67-130 | 5 | | 20 |
| trans-1,3-Dichloropropene | 91 | | 88 | | 70-130 | 3 | | 20 |
| cis-1,3-Dichloropropene | 94 | | 90 | | 70-130 | 4 | | 20 |
| Bromoform | 77 | | 76 | | 54-136 | 1 | | 20 |
| 1,1,2,2-Tetrachloroethane | 84 | | 88 | | 67-130 | 5 | | 20 |
| Benzene | 97 | | 92 | | 70-130 | 5 | | 20 |
| Toluene | 92 | | 90 | | 70-130 | 2 | | 20 |
| Ethylbenzene | 96 | | 92 | | 70-130 | 4 | | 20 |
| Chloromethane | 110 | | 97 | | 64-130 | 13 | | 20 |
| Bromomethane | 110 | | 100 | | 39-139 | 10 | | 20 |
| Vinyl chloride | 110 | | 96 | | 55-140 | 14 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1726975-3 WG1726975-4 | | | | | | | | |
| Chloroethane | 100 | | 91 | | 55-138 | 9 | | 20 |
| 1,1-Dichloroethene | 100 | | 93 | | 61-145 | 7 | | 20 |
| trans-1,2-Dichloroethene | 100 | | 96 | | 70-130 | 4 | | 20 |
| Trichloroethene | 96 | | 92 | | 70-130 | 4 | | 20 |
| 1,2-Dichlorobenzene | 90 | | 89 | | 70-130 | 1 | | 20 |
| 1,3-Dichlorobenzene | 92 | | 88 | | 70-130 | 4 | | 20 |
| 1,4-Dichlorobenzene | 92 | | 89 | | 70-130 | 3 | | 20 |
| Methyl tert butyl ether | 99 | | 93 | | 63-130 | 6 | | 20 |
| p/m-Xylene | 95 | | 90 | | 70-130 | 5 | | 20 |
| o-Xylene | 95 | | 90 | | 70-130 | 5 | | 20 |
| cis-1,2-Dichloroethene | 100 | | 92 | | 70-130 | 8 | | 20 |
| Styrene | 95 | | 90 | | 70-130 | 5 | | 20 |
| Dichlorodifluoromethane | 110 | | 100 | | 36-147 | 10 | | 20 |
| Acetone | 100 | | 88 | | 58-148 | 13 | | 20 |
| Carbon disulfide | 110 | | 97 | | 51-130 | 13 | | 20 |
| 2-Butanone | 100 | | 100 | | 63-138 | 0 | | 20 |
| 4-Methyl-2-pentanone | 84 | | 91 | | 59-130 | 8 | | 20 |
| 2-Hexanone | 92 | | 92 | | 57-130 | 0 | | 20 |
| 1,2-Dibromoethane | 88 | | 86 | | 70-130 | 2 | | 20 |
| n-Butylbenzene | 91 | | 90 | | 53-136 | 1 | | 20 |
| sec-Butylbenzene | 94 | | 91 | | 70-130 | 3 | | 20 |
| tert-Butylbenzene | 92 | | 88 | | 70-130 | 4 | | 20 |
| 1,2-Dibromo-3-chloropropane | 88 | | 80 | | 41-144 | 10 | | 20 |

Lab Control Sample Analysis Batch Quality Control

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCS %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG1726975-3 WG1726975-4 | | | | | | | | |
| Isopropylbenzene | 93 | | 89 | | 70-130 | 4 | | 20 |
| p-Isopropyltoluene | 91 | | 88 | | 70-130 | 3 | | 20 |
| Naphthalene | 85 | | 85 | | 70-130 | 0 | | 20 |
| n-Propylbenzene | 95 | | 90 | | 69-130 | 5 | | 20 |
| 1,2,4-Trichlorobenzene | 84 | | 83 | | 70-130 | 1 | | 20 |
| 1,3,5-Trimethylbenzene | 89 | | 86 | | 64-130 | 3 | | 20 |
| 1,2,4-Trimethylbenzene | 88 | | 86 | | 70-130 | 2 | | 20 |
| Methyl Acetate | 110 | | 110 | | 70-130 | 0 | | 20 |
| Cyclohexane | 110 | | 99 | | 70-130 | 11 | | 20 |
| Freon-113 | 110 | | 98 | | 70-130 | 12 | | 20 |
| Methyl cyclohexane | 96 | | 89 | | 70-130 | 8 | | 20 |

| Surrogate | LCS %Recovery | Qual | LCS %Recovery | Qual | Acceptance Criteria |
|-----------------------|------------------|------|------------------|------|------------------------|
| 1,2-Dichloroethane-d4 | 109 | | 105 | | 70-130 |
| Toluene-d8 | 99 | | 101 | | 70-130 |
| 4-Bromofluorobenzene | 100 | | 102 | | 70-130 |
| Dibromofluoromethane | 104 | | 101 | | 70-130 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08 Batch: WG1727559-3 WG1727559-4 | | | | | | | | |
| Methylene chloride | 98 | | 99 | | 70-130 | 1 | | 20 |
| 1,1-Dichloroethane | 110 | | 100 | | 70-130 | 10 | | 20 |
| Chloroform | 100 | | 100 | | 70-130 | 0 | | 20 |
| Carbon tetrachloride | 110 | | 110 | | 63-132 | 0 | | 20 |
| 1,2-Dichloropropane | 110 | | 100 | | 70-130 | 10 | | 20 |
| Dibromochloromethane | 100 | | 100 | | 63-130 | 0 | | 20 |
| 1,1,2-Trichloroethane | 100 | | 99 | | 70-130 | 1 | | 20 |
| Tetrachloroethene | 100 | | 98 | | 70-130 | 2 | | 20 |
| Chlorobenzene | 98 | | 97 | | 75-130 | 1 | | 20 |
| Trichlorofluoromethane | 110 | | 110 | | 62-150 | 0 | | 20 |
| 1,2-Dichloroethane | 110 | | 100 | | 70-130 | 10 | | 20 |
| 1,1,1-Trichloroethane | 110 | | 110 | | 67-130 | 0 | | 20 |
| Bromodichloromethane | 110 | | 100 | | 67-130 | 10 | | 20 |
| trans-1,3-Dichloropropene | 100 | | 100 | | 70-130 | 0 | | 20 |
| cis-1,3-Dichloropropene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Bromoform | 100 | | 100 | | 54-136 | 0 | | 20 |
| 1,1,2,2-Tetrachloroethane | 100 | | 100 | | 67-130 | 0 | | 20 |
| Benzene | 97 | | 96 | | 70-130 | 1 | | 20 |
| Toluene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Ethylbenzene | 100 | | 99 | | 70-130 | 1 | | 20 |
| Chloromethane | 96 | | 94 | | 64-130 | 2 | | 20 |
| Bromomethane | 70 | | 68 | | 39-139 | 3 | | 20 |
| Vinyl chloride | 110 | | 100 | | 55-140 | 10 | | 20 |

Lab Control Sample Analysis

Batch Quality Control

Project Name: CONVENTUS/MROW

Lab Number: L2270805

Project Number: 1186

Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCSD %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|-------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08 Batch: WG1727559-3 WG1727559-4 | | | | | | | | |
| Chloroethane | 110 | | 110 | | 55-138 | 0 | | 20 |
| 1,1-Dichloroethene | 100 | | 100 | | 61-145 | 0 | | 20 |
| trans-1,2-Dichloroethene | 100 | | 98 | | 70-130 | 2 | | 20 |
| Trichloroethene | 100 | | 99 | | 70-130 | 1 | | 20 |
| 1,2-Dichlorobenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| 1,3-Dichlorobenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| 1,4-Dichlorobenzene | 99 | | 99 | | 70-130 | 0 | | 20 |
| Methyl tert butyl ether | 100 | | 100 | | 63-130 | 0 | | 20 |
| p/m-Xylene | 100 | | 100 | | 70-130 | 0 | | 20 |
| o-Xylene | 95 | | 95 | | 70-130 | 0 | | 20 |
| cis-1,2-Dichloroethene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Styrene | 85 | | 85 | | 70-130 | 0 | | 20 |
| Dichlorodifluoromethane | 110 | | 100 | | 36-147 | 10 | | 20 |
| Acetone | 100 | | 110 | | 58-148 | 10 | | 20 |
| Carbon disulfide | 100 | | 99 | | 51-130 | 1 | | 20 |
| 2-Butanone | 110 | | 110 | | 63-138 | 0 | | 20 |
| 4-Methyl-2-pentanone | 100 | | 100 | | 59-130 | 0 | | 20 |
| 2-Hexanone | 100 | | 100 | | 57-130 | 0 | | 20 |
| 1,2-Dibromoethane | 100 | | 100 | | 70-130 | 0 | | 20 |
| n-Butylbenzene | 110 | | 110 | | 53-136 | 0 | | 20 |
| sec-Butylbenzene | 110 | | 100 | | 70-130 | 10 | | 20 |
| tert-Butylbenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| 1,2-Dibromo-3-chloropropane | 91 | | 94 | | 41-144 | 3 | | 20 |

Lab Control Sample Analysis Batch Quality Control

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

| Parameter | LCS %Recovery | Qual | LCS %Recovery | Qual | %Recovery Limits | RPD | Qual | RPD Limits |
|--|------------------|------|------------------|------|---------------------|-----|------|---------------|
| Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08 Batch: WG1727559-3 WG1727559-4 | | | | | | | | |
| Isopropylbenzene | 110 | | 100 | | 70-130 | 10 | | 20 |
| p-Isopropyltoluene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Naphthalene | 100 | | 110 | | 70-130 | 10 | | 20 |
| n-Propylbenzene | 100 | | 100 | | 69-130 | 0 | | 20 |
| 1,2,4-Trichlorobenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| 1,3,5-Trimethylbenzene | 100 | | 100 | | 64-130 | 0 | | 20 |
| 1,2,4-Trimethylbenzene | 100 | | 100 | | 70-130 | 0 | | 20 |
| Methyl Acetate | 110 | | 100 | | 70-130 | 10 | | 20 |
| Cyclohexane | 100 | | 100 | | 70-130 | 0 | | 20 |
| Freon-113 | 110 | | 110 | | 70-130 | 0 | | 20 |
| Methyl cyclohexane | 100 | | 99 | | 70-130 | 1 | | 20 |

| Surrogate | LCS %Recovery | Qual | LCS %Recovery | Qual | Acceptance Criteria |
|-----------------------|------------------|------|------------------|------|------------------------|
| 1,2-Dichloroethane-d4 | 101 | | 100 | | 70-130 |
| Toluene-d8 | 101 | | 100 | | 70-130 |
| 4-Bromofluorobenzene | 109 | | 110 | | 70-130 |
| Dibromofluoromethane | 99 | | 100 | | 70-130 |

Project Name: CONVENTUS/MROW**Lab Number:** L2270805**Project Number:** 1186**Report Date:** 12/29/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

| Cooler | Custody Seal |
|---------------|---------------------|
| A | Absent |

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--------------------|
| L2270805-01A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-01B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-01C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-02A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-02B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-02C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-03A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-03B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-03C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-04A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-04B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-04C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-05A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-05B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-05C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-06A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-06B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-06C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-07A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-07B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-07C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-08A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-08B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |

Project Name: CONVENTUS/MROW

Project Number: 1186

Serial_No:12292215:26

Lab Number: L2270805

Report Date: 12/29/22

Container Information

| Container ID | Container Type | Cooler | Initial pH | Final pH | Temp deg C | Pres | Seal | Frozen Date/Time | Analysis(*) |
|---------------------|-----------------------|---------------|-------------------|-----------------|-------------------|-------------|-------------|-------------------------|--------------------|
| L2270805-09A | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-09B | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |
| L2270805-09C | Vial HCl preserved | A | NA | | 2.9 | Y | Absent | | NYTCL-8260-R2(14) |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

GLOSSARY

Acronyms

| | |
|----------|--|
| DL | - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| EDL | - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME). |
| EMPC | - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration. |
| EPA | - Environmental Protection Agency. |
| LCS | - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LCSD | - Laboratory Control Sample Duplicate: Refer to LCS. |
| LFB | - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes. |
| LOD | - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| LOQ | - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) |
| MDL | - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| MS | - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values. |
| MSD | - Matrix Spike Sample Duplicate: Refer to MS. |
| NA | - Not Applicable. |
| NC | - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit. |
| NDPA/DPA | - N-Nitrosodiphenylamine/Diphenylamine. |
| NI | - Not Ignitable. |
| NP | - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil. |
| NR | - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests. |
| RL | - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable. |
| RPD | - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report. |
| SRM | - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples. |
| STLP | - Semi-dynamic Tank Leaching Procedure per EPA Method 1315. |
| TEF | - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD. |
| TEQ | - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values. |
| TIC | - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations. |

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

|  <p>NEW YORK CHAIN OF CUSTODY</p> <p>Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193</p> <p>Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288</p> | <p>Service Centers</p> <p>Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105</p> | <p>Page 1 of 1</p> | <p>Date Rec'd in Lab 12/16/22</p> | <p>ALPHA Job # L2270805</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|---|---|---|---|--------------------|---|---------------|--------------------|------|------------------|---|---|---|----|----|----|--|--|--|--------------------------|---------------|--------------------------|---------------|---|---|---|---|---|---|---|---|---|----|----|----|----------|----------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|-----|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|----------|------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|----------|------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|------------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|--------|----------|-------|----|-----|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | <p>Project Information</p> <p>Project Name: <i>CONVENTS / MROW</i></p> <p>Project Location: <i>CONVENTS / MAIN ST.</i></p> <p>Project # <i>USU</i></p> <p>(Use Project name as Project #) <input type="checkbox"/></p> | | <p>Deliverables</p> <p><input type="checkbox"/> ASP-A <input checked="" type="checkbox"/> ASP-B</p> <p><input checked="" type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File)</p> <p><input type="checkbox"/> Other</p> | | <p>Billing Information</p> <p><input type="checkbox"/> Same as Client Info</p> <p>PO #</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <p>Client Information</p> <p>Client: <i>COS ENGINEERS</i></p> <p>Address: <i>141 ELDT ST. BURLINGAME NY 14203</i></p> <p>Phone: <i>716-796-3520</i></p> <p>Fax:</p> <p>Email: <i>rbackert@cosos.com</i></p> | | <p>Regulatory Requirement</p> <p><input type="checkbox"/> NY TOGS <input checked="" type="checkbox"/> NY Part 375</p> <p><input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51</p> <p><input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other</p> <p><input type="checkbox"/> NY Unrestricted Use</p> <p><input type="checkbox"/> NYC Sewer Discharge</p> | | <p>Disposal Site Information</p> <p>Please identify below location of applicable disposal facilities.</p> <p>Disposal Facility:</p> <p><input type="checkbox"/> NJ <input checked="" type="checkbox"/> NY</p> <p><input type="checkbox"/> Other:</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Turn-Around Time</p> <p>Standard <input checked="" type="checkbox"/> Due Date:</p> <p>Rush (only if pre approved) <input type="checkbox"/> # of Days:</p> | | <p>ANALYSIS</p> <p>These samples have been previously analyzed by Alpha <input type="checkbox"/></p> <p>Other project specific requirements/comments:</p> <p>Please specify Metals or TAL.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Sample Filtration</p> <p><input type="checkbox"/> Done</p> <p><input type="checkbox"/> Lab to do</p> <p>Preservation</p> <p><input type="checkbox"/> Lab to do</p> <p>(Please Specify below)</p> | | <table border="1"> <thead> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th rowspan="2">VOCs</th> <th colspan="10">Analysis Columns</th> <th rowspan="2">Sample Specific Comments</th> <th rowspan="2">Total Bottles</th> </tr> <tr> <th>Date</th> <th>Time</th> <th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th> </tr> </thead> <tbody> <tr> <td>70805-01</td> <td>Bcp MW-1</td> <td>12/14/22</td> <td>11:00</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>02</td> <td>Dup</td> <td>12/14/22</td> <td>11:00</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>03</td> <td>Bcp MW-7</td> <td>12/14/22</td> <td>11:40</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>04</td> <td>Bcp MW-4</td> <td>12/14/22</td> <td>12:25</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>05</td> <td>Bcp MW-3</td> <td>12/14/22</td> <td>12:55</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>06</td> <td>Bcp MW-6</td> <td>12/14/22</td> <td>1:30</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>07</td> <td>Bcp MW-5</td> <td>12/14/22</td> <td>2:10</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>08</td> <td>TRIP BLANK</td> <td>12/15/22</td> <td>11:55</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>09</td> <td>MSHW-2</td> <td>12/15/22</td> <td>10:45</td> <td>GW</td> <td>RB3</td> <td>x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </tbody> </table> | | | ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | Sampler's Initials | VOCs | Analysis Columns | | | | | | | | | | Sample Specific Comments | Total Bottles | Date | Time | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 70805-01 | Bcp MW-1 | 12/14/22 | 11:00 | GW | RB3 | x | | | | | | | | | | | | | | | | | 02 | Dup | 12/14/22 | 11:00 | GW | RB3 | x | | | | | | | | | | | | | | | | | 03 | Bcp MW-7 | 12/14/22 | 11:40 | GW | RB3 | x | | | | | | | | | | | | | | | | | 04 | Bcp MW-4 | 12/14/22 | 12:25 | GW | RB3 | x | | | | | | | | | | | | | | | | | 05 | Bcp MW-3 | 12/14/22 | 12:55 | GW | RB3 | x | | | | | | | | | | | | | | | | | 06 | Bcp MW-6 | 12/14/22 | 1:30 | GW | RB3 | x | | | | | | | | | | | | | | | | | 07 | Bcp MW-5 | 12/14/22 | 2:10 | GW | RB3 | x | | | | | | | | | | | | | | | | | 08 | TRIP BLANK | 12/15/22 | 11:55 | GW | RB3 | x | | | | | | | | | | | | | | | | | 09 | MSHW-2 | 12/15/22 | 10:45 | GW | RB3 | x | | | | | | | | | | | | | | | | |
| ALPHA Lab ID (Lab Use Only) | Sample ID | Collection | | Sample Matrix | | | Sampler's Initials | VOCs | | | | Analysis Columns | | | | | | | | | | | | Sample Specific Comments | Total Bottles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Date | Time | | 1 | 2 | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70805-01 | Bcp MW-1 | 12/14/22 | 11:00 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 02 | Dup | 12/14/22 | 11:00 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03 | Bcp MW-7 | 12/14/22 | 11:40 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 04 | Bcp MW-4 | 12/14/22 | 12:25 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 05 | Bcp MW-3 | 12/14/22 | 12:55 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 06 | Bcp MW-6 | 12/14/22 | 1:30 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 07 | Bcp MW-5 | 12/14/22 | 2:10 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 08 | TRIP BLANK | 12/15/22 | 11:55 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 09 | MSHW-2 | 12/15/22 | 10:45 | GW | RB3 | x | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Preservative Code:</p> <p>A = None B = HCl C = HNO₃ D = H₂SO₄ E = NaOH F = MeOH G = NaHSO₄ H = Na₂S₂O₃ K/E = Zn Ac/NaOH O = Other</p> | | <p>Container Code</p> <p>P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle</p> | | <p>Westboro: Certification No: MA935 Mansfield: Certification No: MA015</p> | | <p>Container Type <input checked="" type="checkbox"/> V</p> <p>Preservative <input checked="" type="checkbox"/> B</p> | | <p>Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Relinquished By: <i>[Signature]</i></p> <p>Date/Time: <i>12/15/22 1320</i></p> | | <p>Received By: <i>[Signature]</i></p> <p>Date/Time: <i>12/15/22 1320</i></p> | | <p>Relinquished By: <i>[Signature]</i></p> <p>Date/Time: <i>12/15/22 1320</i></p> | | <p>Received By: <i>[Signature]</i></p> <p>Date/Time: <i>12/16/22 0155</i></p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DATA USABILITY SUMMARY REPORT (DUSR)

**Conventus/MROW
Buffalo, NY
Project # U86001005**

SDG: L2270805
8 Water Samples and 1 Trip Blank

Prepared for:

**C&S Companies
141 Elm Street, Suite 100
Buffalo, NY 14203
Attention: Cody Martin**

April 2023



Environmental Data Usability 10028 Deer Park Dr. Dansville, NY 14437 585-991-9156

Table of Contents

| | <u>Page No.</u> |
|---|------------------------------|
| REVIEWER'S NARRATIVE | |
| 1.0 SUMMARY | 1 |
| 2.0 INTRODUCTION | 1 |
| 3.0 SAMPLE AND ANALYSIS SUMMARY | 2 |
| 4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA | 2 |
| 5.0 DATA VALIDATION QUALIFIERS | 3 |
| 6.0 RESULTS OF THE DATA REVIEW | 4 |
| 7.0 TOTAL USABLE DATA | 4 |
| <hr/> | |
| APPENDIX A | Validated Analytical Results |
| APPENDIX B | Laboratory QC Documentation |
| APPENDIX C | Validator Qualifications |

Tables

| | |
|-----------|--|
| Table 4-1 | Data Validation Guidance Documents |
| Table 4-2 | Quality Control Criteria for Validating Laboratory Analytical Data |

Summaries of Validated Results

| | |
|-----------|------|
| Table 6-1 | VOCs |
|-----------|------|

REVIEWER'S NARRATIVE
C&S Companies SDG L2270805 Conventus/MROW

The data associated with this Sample Delivery Groups (SDG) L2270805, analyzed by Alpha Analytical, Westborough, MA have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 4/7/2023
Michael K. Perry
Chemist

1.0 EVENT SUMMARY

| | |
|------------------------|--|
| SITE: | Conventus Buffalo, NY Project #: U86001005 |
| SAMPLING DATES: | December 14 and 15, 2022 |
| SAMPLE TYPE: | 8 water samples and 1 trip blank |
| LABORATORY: | Alpha Analytical Westborough, MA |
| SDG No.: | SDG L2270805 |

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for 8 water samples and 1 trip blank collected on 12/14/22 and 12/15/22. These samples were analyzed for Volatile Organic Compounds (VOCs).

All laboratory analyses were submitted to Alpha Analytical, Westborough, MA and analyzed as SDG L2270805. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents appropriate for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results were selected from those listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1**Guidance Used For Validating Laboratory Analytical Data**

| Analyte Group | Guidance | Date |
|--|---------------------------|----------------|
| Metals (ICP-AES) | USEPA SOP HW-3a, Rev. 1 | September 2016 |
| Metals (Hg & CN) | USEPA SOP HW-3c, Rev. 1 | September 2016 |
| Volatile Organic Compounds (by Methods 8260B & 8260C) | USEPA SOP HW-24, Rev. 4 | September 2014 |
| Semi-Volatile Organic Compounds (by Method 8270D) | USEPA SOP HW-22 Rev. 5 | December 2010 |
| Pesticides (by Method 8181B) | USEPA SOP HW-44, Rev. 1.1 | December 2010 |
| Chlorinated Herbicides (by Method 8151A) | USEPA SOP HW-17, Rev. 3.1 | December 2010 |
| Polychlorinated Biphenyls (PCBs) | USEPA SOP HW-37A, Rev. 0 | June 2015 |
| Volatile Organic Compounds (Air) (by Method TO-15) | USEPA SOP HW-31, Rev. 6 | September 2016 |
| Per- and PolyFluoroAlkyl Substances (PFAS) | * NYSDEC | January 2021 |
| General Chemistry Parameters | per NYSDEC ASP | July 2005 |

* Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs, Appendix I

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING
LABORATORY ANALYTICAL DATA**

| VOCs | SVOCs | Pesticides/PCBs | Metals | Gen Chemistry | PFAS |
|--|--|---|---|---|---|
| Completeness of Pkg Sample Preservation Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Comparison of duplicate GC column results Analyte ID Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate | Completeness of Pkg Sample Preservation Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates | Completeness of Pkg Sample Preservation Holding Time Instr Performance Check Initial Calibration Continuing Calibration Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards |

| Method TO-15 (Air) |
|--|
| Completeness of Pkg Sample Preservation Holding Time Canister Certification Instrument Tuning Initial Calibration and Instrument Performance Daily Calibration Blanks Lab Control Sample Field Duplicate |

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- J+** The result is an estimated quantity and may be biased high.
- J-** The result is an estimated quantity and may be biased low.
- UJ** The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- NJ** The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated numerical value represents its approximate concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated in red print. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Table 6-1. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG L2270805, nine samples were analyzed and results were reported for 522 analytes. Even though some results were flagged with a “J” as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have been rejected and qualified and the associated QC reasons.

Table 6-1 **VOCs**

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|--|--|-----------------------------|---------------------------|--------------------|
| BCPMW-1 Dup BCPMW-4 BCPMW-3 BCPMW-6 BCPMW-5 MSMW-2 | Bromomethane Chloromethane Carbon disulfide Dichlorodifluoromethane Methyl tert butyl ether 1,2-Dichloroethane trans-1,3-Dichloropropene 1,1,2-Trichloroethane Chlorodibromomethane 1,2-dibromoethane | J detects UJ non-detects | ICV and/or CCV > QC limit | Data are estimated |
| BCPMW-7 | Carbon disulfide | J detects UJ non-detects | ICV > QC limit | Data are estimated |
| Trip blank | Bromomethane Carbon disulfide | J detects UJ non-detects | ICV and/or CCV > QC limit | Data are estimated |

ACRONYMS

| | |
|--------|--------------------------------------|
| BSP | Blank Spike |
| CCAL | Continuing Calibration |
| CCB | Continuing Calibration Blank |
| CCV | Continuing Calibration Verification |
| CRDL | Contract Required Detection Limit |
| CRQL | Contract Required Quantitation Limit |
| %D | Percent Difference |
| ICAL | Initial Calibration |
| ICB | Initial Calibration Blank |
| IS | Internal Standard |
| LCS | Laboratory Control Sample |
| MS/MSD | Matrix Spike/Matrix Spike Duplicate |
| QA | Quality Assurance |
| QC | Quality Control |
| %R | Percent recovery |
| RPD | Relative Percent Difference |
| RRF | Relative Response Factor |
| %RSD | Percent Relative Standard Deviation |
| TAL | Target Analyte List (metals) |
| TCL | Target Compound List (organics) |

Appendix A

*Validated
Analytical
Results*



www.alphalab.com



Alpha Analytical

Laboratory Code: 11148

SDG Number: L2270805

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|----------------------------|------------------|---------------|---------------------------------|---------------------------------|---------------------|
| L2270805-01 | BCPMW-1 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:00 | 12/15/22 |
| L2270805-02 | DUP | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:00 | 12/15/22 |
| L2270805-03 | BCPMW-7 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 11:40 | 12/15/22 |
| L2270805-04 | BCPMW-4 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 12:25 | 12/15/22 |
| L2270805-05 | BCPMW-3 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 12:55 | 12/15/22 |
| L2270805-06 | BCPMW-6 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 13:30 | 12/15/22 |
| L2270805-07 | BCPMW-5 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/14/22 14:10 | 12/15/22 |
| L2270805-08 | TRIP BLANK | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/15/22 00:00 | 12/15/22 |
| L2270805-09 | MSMW-2 | WATER | CONVENTUS 1 MAIN ST. BUFFALO NY | 12/15/22 10:45 | 12/15/22 |

Project Name: CONVENTUS/MROW
Project Number: 1186

Lab Number: L2270805
Report Date: 12/29/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2270805-07D: The pH was greater than two; however, the sample was analyzed within the method required holding time.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: *Siffani Morrissey*

Report Date: 12/29/22

Title: Technical Director/Representative



GC/MS 8260

Analysis

Results Summary

Form 1

Volatile Organics by GC/MS

| | |
|---|---------------------------------|
| Client : C&S Companies | Lab Number : L2270805 |
| Project Name : CONVENTUS/MROW | Project Number : 1186 |
| Lab ID : L2270805-01 | Date Collected : 12/14/22 11:00 |
| Client ID : BCPMW-1 | Date Received : 12/15/22 |
| Sample Location : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed : 12/21/22 14:10 |
| Sample Matrix : WATER | Dilution Factor : 1 |
| Analytical Method : 1,8260D | Analyst : MJV |
| Lab File ID : V22221221A18 | Instrument ID : VOA122 |
| Sample Amount : 10 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U UJ |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U UJ |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U UJ |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U UJ |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U UJ |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U UJ |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U UJ |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-01 | Date Collected | : 12/14/22 11:00 |
| Client ID | : BCPMW-1 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 14:10 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A18 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U JJ |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U JJ |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U JJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U JJ |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-01 | Date Collected | : 12/14/22 11:00 |
| Client ID | : BCPMW-1 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 14:10 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A18 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-02 | Date Collected | : 12/14/22 11:00 |
| Client ID | : DUP | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 14:34 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A19 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U UJ |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U UJ |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U UJ |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U UJ |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U UJ |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U UJ |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U UJ |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-02 | Date Collected | : 12/14/22 11:00 |
| Client ID | : DUP | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 14:34 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A19 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U JJ |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U JJ |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U JJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U JJ |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-02 | Date Collected | : 12/14/22 11:00 |
| Client ID | : DUP | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 14:34 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A19 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | |
|---|---------------------------------|
| Client : C&S Companies | Lab Number : L2270805 |
| Project Name : CONVENTUS/MROW | Project Number : 1186 |
| Lab ID : L2270805-03 | Date Collected : 12/14/22 11:40 |
| Client ID : BCPMW-7 | Date Received : 12/15/22 |
| Sample Location : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed : 12/22/22 22:51 |
| Sample Matrix : WATER | Dilution Factor : 1 |
| Analytical Method : 1,8260D | Analyst : MJV |
| Lab File ID : V30221222N20 | Instrument ID : VOA130 |
| Sample Amount : 10 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,1,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-03 | Date Collected | : 12/14/22 11:40 |
| Client ID | : BCPMW-7 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/22/22 22:51 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V30221222N20 | Instrument ID | : VOA130 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U JJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

**Results Summary
Form 1
Volatile Organics by GC/MS**

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-03 | Date Collected | : 12/14/22 11:40 |
| Client ID | : BCPMW-7 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/22/22 22:51 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V30221222N20 | Instrument ID | : VOA130 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | |
|---|---------------------------------|
| Client : C&S Companies | Lab Number : L2270805 |
| Project Name : CONVENTUS/MROW | Project Number : 1186 |
| Lab ID : L2270805-04D | Date Collected : 12/14/22 12:25 |
| Client ID : BCPMW-4 | Date Received : 12/15/22 |
| Sample Location : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed : 12/21/22 15:23 |
| Sample Matrix : WATER | Dilution Factor : 10 |
| Analytical Method : 1,8260D | Analyst : MJV |
| Lab File ID : V22221221A21 | Instrument ID : VOA122 |
| Sample Amount : 1 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 25 | 7.0 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 25 | 7.0 | U |
| 67-66-3 | Chloroform | ND | 25 | 7.0 | U |
| 56-23-5 | Carbon tetrachloride | ND | 5.0 | 1.3 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 10 | 1.4 | U |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.5 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 15 | 5.0 | U JJ |
| 127-18-4 | Tetrachloroethene | ND | 5.0 | 1.8 | U JJ |
| 108-90-7 | Chlorobenzene | ND | 25 | 7.0 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 25 | 7.0 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.3 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 25 | 7.0 | U JJ |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.9 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.6 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.4 | U JJ |
| 75-25-2 | Bromoform | ND | 20 | 6.5 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 1.7 | U JJ |
| 71-43-2 | Benzene | 3.5 | 5.0 | 1.6 | J |
| 108-88-3 | Toluene | 63 | 25 | 7.0 | |
| 100-41-4 | Ethylbenzene | 1100 | 25 | 7.0 | |
| 74-87-3 | Chloromethane | ND | 25 | 7.0 | U |
| 74-83-9 | Bromomethane | ND | 25 | 7.0 | U JJ |
| 75-01-4 | Vinyl chloride | ND | 10 | 0.71 | U JJ |
| 75-00-3 | Chloroethane | ND | 25 | 7.0 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 5.0 | 1.7 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-04D | Date Collected | : 12/14/22 12:25 |
| Client ID | : BCPMW-4 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 15:23 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A21 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 79-01-6 | Trichloroethene | ND | 5.0 | 1.8 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 25 | 7.0 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 25 | 7.0 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 25 | 7.0 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 25 | 7.0 | U |
| 179601-23-1 | p/m-Xylene | 210 | 25 | 7.0 | UJ |
| 95-47-6 | o-Xylene | 16 | 25 | 7.0 | J |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 100-42-5 | Styrene | ND | 25 | 7.0 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 50 | 10. | U |
| 67-64-1 | Acetone | ND | 50 | 15. | UJ |
| 75-15-0 | Carbon disulfide | ND | 50 | 10. | U |
| 78-93-3 | 2-Butanone | ND | 50 | 19. | UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 50 | 10. | U |
| 591-78-6 | 2-Hexanone | ND | 50 | 10. | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 20 | 6.5 | U |
| 104-51-8 | n-Butylbenzene | 11 | 25 | 7.0 | JJ |
| 135-98-8 | sec-Butylbenzene | ND | 25 | 7.0 | U |
| 98-06-6 | tert-Butylbenzene | ND | 25 | 7.0 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 25 | 7.0 | U |
| 98-82-8 | Isopropylbenzene | 30 | 25 | 7.0 | |
| 99-87-6 | p-Isopropyltoluene | ND | 25 | 7.0 | U |
| 91-20-3 | Naphthalene | 290 | 25 | 7.0 | |
| 103-65-1 | n-Propylbenzene | 160 | 25 | 7.0 | |

MKP 4/7/2023



Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-04D | Date Collected | : 12/14/22 12:25 |
| Client ID | : BCPMW-4 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 15:23 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A21 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 25 | 7.0 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 25 | 7.0 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | 1200 | 25 | 7.0 | |
| 79-20-9 | Methyl Acetate | ND | 20 | 2.3 | U |
| 110-82-7 | Cyclohexane | 140 | 100 | 2.7 | |
| 76-13-1 | Freon-113 | ND | 25 | 7.0 | U |
| 108-87-2 | Methyl cyclohexane | 43 | 100 | 4.0 | J |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-05 | Date Collected | : 12/14/22 12:55 |
| Client ID | : BCPMW-3 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 15:48 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A22 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U UJ |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U UJ |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U UJ |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U UJ |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U UJ |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | 11 | 2.5 | 0.70 | |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U UJ |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U UJ |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-05 | Date Collected | : 12/14/22 12:55 |
| Client ID | : BCPMW-3 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 15:48 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A22 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | 12 | 2.5 | 0.70 | UJ |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | UJ |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | UJ |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | 4.2 | 2.5 | 0.70 | |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

**Results Summary
Form 1
Volatile Organics by GC/MS**

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-05 | Date Collected | : 12/14/22 12:55 |
| Client ID | : BCPMW-3 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 15:48 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A22 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | 13 | 2.5 | 0.70 | |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | 1.5 | 10 | 0.27 | J |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | 0.65 | 10 | 0.40 | J |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-06 | Date Collected | : 12/14/22 13:30 |
| Client ID | : BCPMW-6 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:12 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A23 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U JJ |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U JJ |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U JJ |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U JJ |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U JJ |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U JJ |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U JJ |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-06 | Date Collected | : 12/14/22 13:30 |
| Client ID | : BCPMW-6 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:12 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A23 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U JJ |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U JJ |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U JJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U JJ |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

MKP 4/7/2023



Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-06 | Date Collected | : 12/14/22 13:30 |
| Client ID | : BCPMW-6 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:12 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A23 | Instrument ID | : VOA122 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-07D | Date Collected | : 12/14/22 14:10 |
| Client ID | : BCPMW-5 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:37 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A24 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 25 | 7.0 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 25 | 7.0 | U |
| 67-66-3 | Chloroform | ND | 25 | 7.0 | U |
| 56-23-5 | Carbon tetrachloride | ND | 5.0 | 1.3 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 10 | 1.4 | U |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.5 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 15 | 5.0 | U JJ |
| 127-18-4 | Tetrachloroethene | ND | 5.0 | 1.8 | U JJ |
| 108-90-7 | Chlorobenzene | ND | 25 | 7.0 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 25 | 7.0 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.3 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 25 | 7.0 | U JJ |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.9 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.6 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.4 | U JJ |
| 75-25-2 | Bromoform | ND | 20 | 6.5 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 1.7 | U JJ |
| 71-43-2 | Benzene | ND | 5.0 | 1.6 | U |
| 108-88-3 | Toluene | 9.6 | 25 | 7.0 | J |
| 100-41-4 | Ethylbenzene | 820 | 25 | 7.0 | |
| 74-87-3 | Chloromethane | ND | 25 | 7.0 | U |
| 74-83-9 | Bromomethane | ND | 25 | 7.0 | U JJ |
| 75-01-4 | Vinyl chloride | ND | 10 | 0.71 | U JJ |
| 75-00-3 | Chloroethane | ND | 25 | 7.0 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 5.0 | 1.7 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-07D | Date Collected | : 12/14/22 14:10 |
| Client ID | : BCPMW-5 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:37 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A24 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 79-01-6 | Trichloroethene | ND | 5.0 | 1.8 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 25 | 7.0 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 25 | 7.0 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 25 | 7.0 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 25 | 7.0 | U |
| 179601-23-1 | p/m-Xylene | 2400 | 25 | 7.0 | UJ |
| 95-47-6 | o-Xylene | 62 | 25 | 7.0 | |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 100-42-5 | Styrene | ND | 25 | 7.0 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 50 | 10. | U |
| 67-64-1 | Acetone | ND | 50 | 15. | UJ |
| 75-15-0 | Carbon disulfide | ND | 50 | 10. | U |
| 78-93-3 | 2-Butanone | ND | 50 | 19. | UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 50 | 10. | U |
| 591-78-6 | 2-Hexanone | ND | 50 | 10. | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 20 | 6.5 | U |
| 104-51-8 | n-Butylbenzene | ND | 25 | 7.0 | UJ |
| 135-98-8 | sec-Butylbenzene | ND | 25 | 7.0 | U |
| 98-06-6 | tert-Butylbenzene | ND | 25 | 7.0 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 25 | 7.0 | U |
| 98-82-8 | Isopropylbenzene | 16 | 25 | 7.0 | J |
| 99-87-6 | p-Isopropyltoluene | ND | 25 | 7.0 | U |
| 91-20-3 | Naphthalene | 520 | 25 | 7.0 | |
| 103-65-1 | n-Propylbenzene | 71 | 25 | 7.0 | |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-07D | Date Collected | : 12/14/22 14:10 |
| Client ID | : BCPMW-5 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 16:37 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A24 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 25 | 7.0 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | 350 | 25 | 7.0 | |
| 95-63-6 | 1,2,4-Trimethylbenzene | 1400 | 25 | 7.0 | |
| 79-20-9 | Methyl Acetate | ND | 20 | 2.3 | U |
| 110-82-7 | Cyclohexane | 120 | 100 | 2.7 | |
| 76-13-1 | Freon-113 | ND | 25 | 7.0 | U |
| 108-87-2 | Methyl cyclohexane | 54 | 100 | 4.0 | J |



Results Summary

Form 1

Volatile Organics by GC/MS

| | |
|---|---------------------------------|
| Client : C&S Companies | Lab Number : L2270805 |
| Project Name : CONVENTUS/MROW | Project Number : 1186 |
| Lab ID : L2270805-08 | Date Collected : 12/15/22 00:00 |
| Client ID : TRIP BLANK | Date Received : 12/15/22 |
| Sample Location : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed : 12/23/22 14:38 |
| Sample Matrix : WATER | Dilution Factor : 1 |
| Analytical Method : 1,8260D | Analyst : MJV |
| Lab File ID : V01221223A18 | Instrument ID : VOA101 |
| Sample Amount : 10 ml | GC Column : RTX-502.2 |
| Level : LOW | %Solids : N/A |
| Extract Volume (MeOH) : N/A | Injection Volume : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 2.5 | 0.70 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 2.5 | 0.70 | U |
| 67-66-3 | Chloroform | ND | 2.5 | 0.70 | U |
| 56-23-5 | Carbon tetrachloride | ND | 0.50 | 0.13 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 1.0 | 0.14 | U |
| 124-48-1 | Dibromochloromethane | ND | 0.50 | 0.15 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 1.5 | 0.50 | U |
| 127-18-4 | Tetrachloroethene | ND | 0.50 | 0.18 | U |
| 108-90-7 | Chlorobenzene | ND | 2.5 | 0.70 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 2.5 | 0.70 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 0.50 | 0.13 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 2.5 | 0.70 | U |
| 75-27-4 | Bromodichloromethane | ND | 0.50 | 0.19 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 0.50 | 0.16 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 0.50 | 0.14 | U |
| 75-25-2 | Bromoform | ND | 2.0 | 0.65 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 0.50 | 0.17 | U |
| 71-43-2 | Benzene | ND | 0.50 | 0.16 | U |
| 108-88-3 | Toluene | ND | 2.5 | 0.70 | U |
| 100-41-4 | Ethylbenzene | ND | 2.5 | 0.70 | U |
| 74-87-3 | Chloromethane | ND | 2.5 | 0.70 | U |
| 74-83-9 | Bromomethane | ND | 2.5 | 0.70 | U |
| 75-01-4 | Vinyl chloride | ND | 1.0 | 0.07 | U UJ |
| 75-00-3 | Chloroethane | ND | 2.5 | 0.70 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 0.50 | 0.17 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-08 | Date Collected | : 12/15/22 00:00 |
| Client ID | : TRIP BLANK | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/23/22 14:38 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V01221223A18 | Instrument ID | : VOA101 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|------|------|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 79-01-6 | Trichloroethene | ND | 0.50 | 0.18 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 2.5 | 0.70 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 2.5 | 0.70 | U |
| 179601-23-1 | p/m-Xylene | ND | 2.5 | 0.70 | U |
| 95-47-6 | o-Xylene | ND | 2.5 | 0.70 | U |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 2.5 | 0.70 | U |
| 100-42-5 | Styrene | ND | 2.5 | 0.70 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 5.0 | 1.0 | U |
| 67-64-1 | Acetone | ND | 5.0 | 1.5 | U |
| 75-15-0 | Carbon disulfide | ND | 5.0 | 1.0 | U |
| 78-93-3 | 2-Butanone | ND | 5.0 | 1.9 | U UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 5.0 | 1.0 | U |
| 591-78-6 | 2-Hexanone | ND | 5.0 | 1.0 | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 2.0 | 0.65 | U |
| 104-51-8 | n-Butylbenzene | ND | 2.5 | 0.70 | U |
| 135-98-8 | sec-Butylbenzene | ND | 2.5 | 0.70 | U |
| 98-06-6 | tert-Butylbenzene | ND | 2.5 | 0.70 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 2.5 | 0.70 | U |
| 98-82-8 | Isopropylbenzene | ND | 2.5 | 0.70 | U |
| 99-87-6 | p-Isopropyltoluene | ND | 2.5 | 0.70 | U |
| 91-20-3 | Naphthalene | ND | 2.5 | 0.70 | U |
| 103-65-1 | n-Propylbenzene | ND | 2.5 | 0.70 | U |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-08 | Date Collected | : 12/15/22 00:00 |
| Client ID | : TRIP BLANK | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/23/22 14:38 |
| Sample Matrix | : WATER | Dilution Factor | : 1 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V01221223A18 | Instrument ID | : VOA101 |
| Sample Amount | : 10 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 2.5 | 0.70 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 95-63-6 | 1,2,4-Trimethylbenzene | ND | 2.5 | 0.70 | U |
| 79-20-9 | Methyl Acetate | ND | 2.0 | 0.23 | U |
| 110-82-7 | Cyclohexane | ND | 10 | 0.27 | U |
| 76-13-1 | Freon-113 | ND | 2.5 | 0.70 | U |
| 108-87-2 | Methyl cyclohexane | ND | 10 | 0.40 | U |



Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-09D | Date Collected | : 12/15/22 10:45 |
| Client ID | : MSMW-2 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 17:01 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A25 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|------------|---------------------------|---------|-----|------|-----------|
| | | Results | RL | MDL | |
| 75-09-2 | Methylene chloride | ND | 25 | 7.0 | U |
| 75-34-3 | 1,1-Dichloroethane | ND | 25 | 7.0 | U |
| 67-66-3 | Chloroform | ND | 25 | 7.0 | U |
| 56-23-5 | Carbon tetrachloride | ND | 5.0 | 1.3 | U |
| 78-87-5 | 1,2-Dichloropropane | ND | 10 | 1.4 | U |
| 124-48-1 | Dibromochloromethane | ND | 5.0 | 1.5 | U |
| 79-00-5 | 1,1,2-Trichloroethane | ND | 15 | 5.0 | U UJ |
| 127-18-4 | Tetrachloroethene | ND | 5.0 | 1.8 | U UJ |
| 108-90-7 | Chlorobenzene | ND | 25 | 7.0 | U |
| 75-69-4 | Trichlorofluoromethane | ND | 25 | 7.0 | U |
| 107-06-2 | 1,2-Dichloroethane | ND | 5.0 | 1.3 | U |
| 71-55-6 | 1,1,1-Trichloroethane | ND | 25 | 7.0 | U UJ |
| 75-27-4 | Bromodichloromethane | ND | 5.0 | 1.9 | U |
| 10061-02-6 | trans-1,3-Dichloropropene | ND | 5.0 | 1.6 | U |
| 10061-01-5 | cis-1,3-Dichloropropene | ND | 5.0 | 1.4 | U UJ |
| 75-25-2 | Bromoform | ND | 20 | 6.5 | U |
| 79-34-5 | 1,1,2,2-Tetrachloroethane | ND | 5.0 | 1.7 | U UJ |
| 71-43-2 | Benzene | 280 | 5.0 | 1.6 | |
| 108-88-3 | Toluene | 210 | 25 | 7.0 | |
| 100-41-4 | Ethylbenzene | 820 | 25 | 7.0 | |
| 74-87-3 | Chloromethane | ND | 25 | 7.0 | U |
| 74-83-9 | Bromomethane | ND | 25 | 7.0 | U UJ |
| 75-01-4 | Vinyl chloride | ND | 10 | 0.71 | U UJ |
| 75-00-3 | Chloroethane | ND | 25 | 7.0 | U |
| 75-35-4 | 1,1-Dichloroethene | ND | 5.0 | 1.7 | U |

Results Summary

Form 1

Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-09D | Date Collected | : 12/15/22 10:45 |
| Client ID | : MSMW-2 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 17:01 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A25 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|-------------|-----------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 156-60-5 | trans-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 79-01-6 | Trichloroethene | ND | 5.0 | 1.8 | U |
| 95-50-1 | 1,2-Dichlorobenzene | ND | 25 | 7.0 | U |
| 541-73-1 | 1,3-Dichlorobenzene | ND | 25 | 7.0 | U |
| 106-46-7 | 1,4-Dichlorobenzene | ND | 25 | 7.0 | U |
| 1634-04-4 | Methyl tert butyl ether | ND | 25 | 7.0 | U |
| 179601-23-1 | p/m-Xylene | 1900 | 25 | 7.0 | UJ |
| 95-47-6 | o-Xylene | 490 | 25 | 7.0 | |
| 156-59-2 | cis-1,2-Dichloroethene | ND | 25 | 7.0 | U |
| 100-42-5 | Styrene | ND | 25 | 7.0 | U |
| 75-71-8 | Dichlorodifluoromethane | ND | 50 | 10. | U |
| 67-64-1 | Acetone | ND | 50 | 15. | UJ |
| 75-15-0 | Carbon disulfide | ND | 50 | 10. | U |
| 78-93-3 | 2-Butanone | ND | 50 | 19. | UJ |
| 108-10-1 | 4-Methyl-2-pentanone | ND | 50 | 10. | U |
| 591-78-6 | 2-Hexanone | ND | 50 | 10. | U |
| 106-93-4 | 1,2-Dibromoethane | ND | 20 | 6.5 | U |
| 104-51-8 | n-Butylbenzene | 12 | 25 | 7.0 | UJ |
| 135-98-8 | sec-Butylbenzene | ND | 25 | 7.0 | U |
| 98-06-6 | tert-Butylbenzene | ND | 25 | 7.0 | U |
| 96-12-8 | 1,2-Dibromo-3-chloropropane | ND | 25 | 7.0 | U |
| 98-82-8 | Isopropylbenzene | 25 | 25 | 7.0 | |
| 99-87-6 | p-Isopropyltoluene | ND | 25 | 7.0 | U |
| 91-20-3 | Naphthalene | 340 | 25 | 7.0 | |
| 103-65-1 | n-Propylbenzene | 94 | 25 | 7.0 | |

Results Summary
Form 1
Volatile Organics by GC/MS

| | | | |
|-----------------------|-----------------------------------|------------------|------------------|
| Client | : C&S Companies | Lab Number | : L2270805 |
| Project Name | : CONVENTUS/MROW | Project Number | : 1186 |
| Lab ID | : L2270805-09D | Date Collected | : 12/15/22 10:45 |
| Client ID | : MSMW-2 | Date Received | : 12/15/22 |
| Sample Location | : CONVENTUS 1 MAIN ST. BUFFALO NY | Date Analyzed | : 12/21/22 17:01 |
| Sample Matrix | : WATER | Dilution Factor | : 10 |
| Analytical Method | : 1,8260D | Analyst | : MJV |
| Lab File ID | : V22221221A25 | Instrument ID | : VOA122 |
| Sample Amount | : 1 ml | GC Column | : RTX-502.2 |
| Level | : LOW | %Solids | : N/A |
| Extract Volume (MeOH) | : N/A | Injection Volume | : N/A |

| CAS NO. | Parameter | ug/L | | | Qualifier |
|----------|------------------------|---------|-----|-----|-----------|
| | | Results | RL | MDL | |
| 120-82-1 | 1,2,4-Trichlorobenzene | ND | 25 | 7.0 | U |
| 108-67-8 | 1,3,5-Trimethylbenzene | 490 | 25 | 7.0 | |
| 95-63-6 | 1,2,4-Trimethylbenzene | 1200 | 25 | 7.0 | |
| 79-20-9 | Methyl Acetate | ND | 20 | 2.3 | U |
| 110-82-7 | Cyclohexane | 160 | 100 | 2.7 | |
| 76-13-1 | Freon-113 | ND | 25 | 7.0 | U |
| 108-87-2 | Methyl cyclohexane | 110 | 100 | 4.0 | |



Appendix B

*Laboratory
QC
Documentation*

Evaluate Continuing Calibration Report

Data Path : I:\VOLATILES\VOA122\2022\221209AICAL\
 Data File : V22221209A18.D
 Acq On : 09 Dec 2022 09:33 pm
 Operator : VOA122:PID
 Sample : C8260STD10PPB
 Misc : WG1722111,ICAL (Sig #1); WG,ICAL (Sig #2)
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Dec 12 08:25:57 2022
 Quant Method : I:\VOLATILES\VOA122\2022\221209AICAL\V122_221209A_8260.m
 Quant Title : VOLATILES BY GC/MS
 QLast Update : Mon Dec 12 08:24:31 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|--------------------------------|----------|----------|--------|-------|----------|
| 1 I Fluorobenzene | 1.000 | 1.000 | 0.0 | 99 | 0.00 |
| 2 TP Dichlorodifluoromethane | 0.137 | 0.197 | -43.8# | 124 | 0.00 |
| 3 TP Chloromethane | 0.223 | 0.300 | -34.5# | 119 | 0.00 |
| 4 TC Vinyl chloride | 0.162 | 0.197 | -21.6# | 107 | 0.00 |
| 5 TP Bromomethane | * 10.000 | 12.528 | -25.3# | 111 | 0.00 |
| 6 TP Chloroethane | 0.100 | 0.121 | -21.0# | 104 | 0.00 |
| 7 TP Trichlorofluoromethane | 0.238 | 0.287 | -20.6# | 105 | 0.00 |
| 8 TP Ethyl ether | 0.048 | 0.063 | -31.3# | 121 | 0.00 |
| 10 TC 1,1-Dichloroethene | 0.138 | 0.144 | -4.3 | 94 | 0.00 |
| 11 TP Carbon disulfide | 0.264 | 0.404 | -53.0# | 137 | 0.00 |
| 12 TP Freon-113 | 0.133 | 0.162 | -21.8# | 101 | 0.00 |
| 13 TP Iodomethane | 0.191 | 0.192 | -0.5 | 88 | 0.00 |
| 14 TP Acrolein | 0.017 | 0.017 | 0.0 | 90 | 0.00 |
| 15 TP Methylene chloride | 0.150 | 0.169 | -12.7 | 103 | 0.00 |
| 17 TP Acetone | * 10.000 | 11.573 | -15.7 | 103 | 0.00 |
| 18 TP trans-1,2-Dichloroethene | 0.151 | 0.160 | -6.0 | 95 | 0.00 |
| 19 TP Methyl acetate | * 10.000 | 11.882 | -18.8 | 99 | 0.00 |
| 21 TP Methyl tert-butyl ether | 0.230 | 0.245 | -6.5 | 103 | 0.00 |
| 22 TP tert-Butyl alcohol | 0.00810 | 0.00814# | -0.5 | 94 | 0.00 |
| 24 TP Diisopropyl ether | 0.420 | 0.403 | 4.0 | 95 | 0.00 |
| 25 TP 1,1-Dichloroethane | 0.317 | 0.356 | -12.3 | 99 | 0.00 |
| 26 TP Halothane | 0.101 | 0.115 | -13.9 | 101 | 0.00 |
| 27 TP Acrylonitrile | 0.038 | 0.042 | -10.5 | 100 | 0.00 |
| 28 TP Ethyl tert-butyl ether | 0.361 | 0.336 | 6.9 | 96 | 0.00 |
| 29 TP Vinyl acetate | 0.214 | 0.126 | 41.1# | 64 | 0.00 |
| 30 TP cis-1,2-Dichloroethene | 0.122 | 0.124# | -1.6 | 94 | 0.00 |
| 31 TP 2,2-Dichloropropane | 0.245 | 0.244 | 0.4 | 88 | 0.00 |
| 32 TP Bromochloromethane | 0.070 | 0.075# | -7.1 | 97 | 0.00 |
| 33 TP Cyclohexane | 0.327 | 0.352 | -7.6 | 96 | 0.00 |
| 34 TC Chloroform | 0.299 | 0.324 | -8.4 | 105 | 0.00 |
| 35 TP Ethyl acetate | 0.076 | 0.073 | 3.9 | 103 | 0.00 |
| 36 TP Carbon tetrachloride | 0.229 | 0.240 | -4.8 | 92 | 0.00 |
| 37 TP Tetrahydrofuran | * 10.000 | 10.118 | -1.2 | 96 | 0.00 |
| 38 S Dibromofluoromethane | 0.313 | 0.342 | -9.3 | 105 | 0.00 |
| 39 TP 1,1,1-Trichloroethane | 0.257 | 0.276 | -7.4 | 97 | 0.00 |
| 41 TP 2-Butanone | 0.035 | 0.030 | 14.3 | 90 | 0.00 |
| 42 TP 1,1-Dichloropropene | 0.187 | 0.191 | -2.1 | 95 | 0.00 |
| 44 TP Benzene | 0.519 | 0.511 | 1.5 | 92 | 0.00 |
| 45 TP tert-Amyl methyl ether | 0.260 | 0.239 | 8.1 | 92 | 0.00 |

Evaluate Continuing Calibration Report

Data Path : I:\VOLATILES\VOA101\2022\221216A\
 Data File : V01221216A17.D
 Acq On : 16 Dec 2022 7:06 pm
 Operator : VOA101:PID
 Sample : C8260STD10PPB
 Misc : WG1724555,ICAL
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Dec 17 10:07:50 2022
 Quant Method : I:\VOLATILES\VOA101\2022\221216A\V101_221216A_8260.m
 Quant Title : VOLATILES BY GC/MS
 QLast Update : Sat Dec 17 10:04:09 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|--------------------------------|-------|-------|--------|-------|----------|
| 1 I Fluorobenzene | 1.000 | 1.000 | 0.0 | 103 | 0.00 |
| 2 TP Dichlorodifluoromethane | 0.227 | 0.225 | 0.9 | 102 | 0.00 |
| 3 TP Chloromethane | 0.264 | 0.282 | -6.8 | 111 | 0.00 |
| 4 TC Vinyl chloride | 0.369 | 0.378 | -2.4 | 102 | 0.00 |
| 5 TP Bromomethane | 0.252 | 0.260 | -3.2 | 125 | 0.00 |
| 6 TP Chloroethane | 0.301 | 0.321 | -6.6 | 109 | 0.00 |
| 7 TP Trichlorofluoromethane | 0.640 | 0.690 | -7.8 | 113 | 0.00 |
| 8 TP Ethyl ether | 0.152 | 0.201 | -32.2# | 146 | 0.00 |
| 10 TC 1,1-Dichloroethene | 0.359 | 0.363 | -1.1 | 107 | 0.00 |
| 11 TP Carbon disulfide | 0.659 | 0.922 | -39.9# | 50 | 0.00 |
| 12 TP Freon-113 | 0.403 | 0.433 | -7.4 | 110 | 0.00 |
| 13 TP Iodomethane | 0.335 | 0.261 | 22.1# | 95 | 0.00 |
| 14 TP Acrolein | 0.023 | 0.022 | 4.3 | 105 | 0.00 |
| 15 TP Methylene chloride | 0.233 | 0.221 | 5.2 | 103 | 0.00 |
| 17 TP Acetone | 0.047 | 0.044 | 6.4 | 95 | 0.00 |
| 18 TP trans-1,2-Dichloroethene | 0.242 | 0.231 | 4.5 | 104 | 0.00 |
| 19 TP Methyl acetate | 0.109 | 0.113 | -3.7 | 121 | 0.00 |
| 20 TP Methyl tert-butyl ether | 0.445 | 0.498 | -11.9 | 128 | 0.00 |
| 21 TP tert-Butyl alcohol | 0.010 | 0.012 | -20.0 | 147 | 0.00 |
| 22 TP Diisopropyl ether | 0.829 | 0.809 | 2.4 | 110 | 0.00 |
| 23 TP 1,1-Dichloroethane | 0.451 | 0.444 | 1.6 | 105 | 0.00 |
| 24 TP Halothane | 0.186 | 0.191 | -2.7 | 112 | 0.00 |
| 25 TP Acrylonitrile | 0.046 | 0.048 | -4.3 | 120 | 0.00 |
| 26 TP Ethyl tert-butyl ether | 0.664 | 0.640 | 3.6 | 112 | 0.00 |
| 27 TP Vinyl acetate | 0.458 | 0.341 | 25.5# | 100 | 0.00 |
| 28 TP cis-1,2-Dichloroethene | 0.269 | 0.248 | 7.8 | 101 | 0.00 |
| 29 TP 2,2-Dichloropropane | 0.350 | 0.316 | 9.7 | 99 | 0.00 |
| 30 TP Bromochloromethane | 0.125 | 0.121 | 3.2 | 107 | 0.00 |
| 31 TP Cyclohexane | 0.466 | 0.424 | 9.0 | 102 | 0.00 |
| 32 TC Chloroform | 0.442 | 0.424 | 4.1 | 104 | 0.00 |
| 33 TP Ethyl acetate | 0.155 | 0.158 | -1.9 | 121 | 0.00 |
| 34 TP Carbon tetrachloride | 0.329 | 0.315 | 4.3 | 111 | 0.00 |
| 35 TP Tetrahydrofuran | 0.044 | 0.045 | -2.3 | 113 | 0.00 |
| 36 S Dibromofluoromethane | 0.279 | 0.277 | 0.7 | 104 | 0.00 |
| 37 TP 1,1,1-Trichloroethane | 0.371 | 0.382 | -3.0 | 112 | 0.00 |
| 39 TP 2-Butanone | 0.062 | 0.058 | 6.5 | 111 | 0.00 |
| 40 TP 1,1-Dichloropropene | 0.328 | 0.331 | -0.9 | 108 | 0.00 |
| 41 TP Benzene | 1.016 | 0.900 | 11.4 | 101 | 0.00 |
| 42 TP tert-Amyl methyl ether | 0.540 | 0.525 | 2.8 | 112 | 0.00 |

Evaluate Continuing Calibration Report

Data Path : I:\VOLATILES\VOA130\2022\221221AICAL\
 Data File : V30221221A17.D
 Acq On : 21 Dec 2022 04:43 pm
 Operator : VOA130:PID
 Sample : C8260STD10PPB
 Misc : WG1726700,ICAL
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Dec 22 13:35:32 2022
 Quant Method : I:\VOLATILES\VOA130\2022\221221AICAL\VOA130_221221A_8260.m
 Quant Title : VOLATILES BY GC/MS
 QLast Update : Thu Dec 22 13:31:59 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 200%

| Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|--------------------------------|----------|----------|--------|-------|----------|
| 1 I Fluorobenzene | 1.000 | 1.000 | 0.0 | 96 | 0.00 |
| 2 TP Dichlorodifluoromethane | 0.233 | 0.264 | -13.3 | 103 | 0.00 |
| 3 TP Chloromethane | 0.240 | 0.257 | -7.1 | 104 | 0.00 |
| 4 TC Vinyl chloride | 0.248 | 0.271 | -9.3 | 106 | 0.00 |
| 5 TP Bromomethane | 0.206 | 0.236 | -14.6 | 112 | 0.00 |
| 6 TP Chloroethane | 0.178 | 0.194 | -9.0 | 109 | 0.00 |
| 7 TP Trichlorofluoromethane | 0.424 | 0.478 | -12.7 | 106 | 0.00 |
| 8 TP Ethyl ether | 0.089 | 0.116 | -30.3# | 119 | 0.00 |
| 10 TC 1,1-Dichloroethene | 0.236 | 0.246 | -4.2 | 103 | 0.00 |
| 11 TP Carbon disulfide | 0.411 | 0.569 | -38.4# | 133 | 0.00 |
| 12 TP Freon-113 | 0.257 | 0.271 | -5.4 | 99 | 0.00 |
| 13 TP Iodomethane | 0.258 | 0.219 | 15.1 | 99 | 0.00 |
| 14 TP Acrolein | * 10.000 | 8.511 | 14.9 | 88 | 0.00 |
| 15 TP Methylene chloride | 0.258 | 0.268 | -3.9 | 99 | 0.00 |
| 17 TP Acetone | * 10.000 | 9.869 | 1.3 | 101 | 0.00 |
| 18 TP trans-1,2-Dichloroethene | 0.249 | 0.265 | -6.4 | 99 | 0.00 |
| 19 TP Methyl acetate | 0.077 | 0.083 | -7.8 | 104 | 0.00 |
| 20 TP Methyl tert-butyl ether | 0.437 | 0.476 | -8.9 | 106 | 0.00 |
| 21 TP tert-Butyl alcohol | 0.00993 | 0.00926# | 6.7 | 90 | 0.00 |
| 22 TP Diisopropyl ether | 0.639 | 0.584 | 8.6 | 96 | 0.00 |
| 23 TP 1,1-Dichloroethane | 0.394 | 0.418 | -6.1 | 102 | 0.00 |
| 24 TP Halothane | 0.171 | 0.184 | -7.6 | 102 | 0.00 |
| 25 TP Acrylonitrile | 0.038 | 0.039 | -2.6 | 103 | 0.00 |
| 26 TP Ethyl tert-butyl ether | 0.528 | 0.488 | 7.6 | 97 | 0.00 |
| 27 TP Vinyl acetate | 0.298 | 0.215 | 27.9# | 81 | 0.00 |
| 28 TP cis-1,2-Dichloroethene | 0.263 | 0.267 | -1.5 | 98 | 0.00 |
| 29 TP 2,2-Dichloropropane | 0.355 | 0.345 | 2.8 | 95 | 0.00 |
| 30 TP Bromochloromethane | 0.120 | 0.123 | -2.5 | 96 | 0.00 |
| 31 TP Cyclohexane | 0.376 | 0.378 | -0.5 | 96 | 0.00 |
| 32 TC Chloroform | 0.438 | 0.465 | -6.2 | 102 | 0.00 |
| 33 TP Ethyl acetate | 0.094 | 0.091 | 3.2 | 101 | 0.00 |
| 34 TP Carbon tetrachloride | 0.334 | 0.342 | -2.4 | 99 | 0.00 |
| 35 TP Tetrahydrofuran | 0.027 | 0.027 | 0.0 | 95 | 0.00 |
| 36 S Dibromofluoromethane | 0.279 | 0.286 | -2.5 | 98 | 0.00 |
| 37 TP 1,1,1-Trichloroethane | 0.380 | 0.410 | -7.9 | 102 | 0.00 |
| 39 TP 2-Butanone | 0.042 | 0.036 | 14.3 | 84 | 0.00 |
| 40 TP 1,1-Dichloropropene | 0.306 | 0.334 | -9.2 | 103 | 0.00 |
| 41 TP Benzene | 0.922 | 0.942 | -2.2 | 99 | 0.00 |
| 42 TP tert-Amyl methyl ether | 0.478 | 0.417 | 12.8 | 91 | 0.00 |

Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS/MROW
 Instrument ID : VOA122
 Lab File ID : V22221221A01
 Sample No : WG1726668-2
 Channel :

Lab Number : L2270805
 Project Number : 1186
 Calibration Date : 12/21/22 07:16
 Init. Calib. Date(s) : 12/09/22 12/09/22
 Init. Calib. Times : 15:23 19:30

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|--------------------------|----------|----------|---------|-------|--------|-------|----------|
| Fluorobenzene | 1 | 1 | - | 0 | 20 | 165 | 0 |
| Dichlorodifluoromethane | 0.137 | 0.155 | - | -13.1 | 20 | 164 | 0 |
| Chloromethane | 0.223 | 0.254 | - | -13.9 | 20 | 168 | 0 |
| Vinyl chloride | 0.162 | 0.186 | - | -14.8 | 20 | 168 | 0 |
| Bromomethane | 10 | 6.748 | - | 32.5* | 20 | 102 | 0 |
| Chloroethane | 0.1 | 0.118 | - | -18 | 20 | 169 | 0 |
| Trichlorofluoromethane | 0.238 | 0.232 | - | 2.5 | 20 | 141 | 0 |
| Ethyl ether | 0.048 | 0.045 | - | 6.3 | 20 | 144 | 0 |
| 1,1-Dichloroethene | 0.138 | 0.145 | - | -5.1 | 20 | 157 | 0 |
| Carbon disulfide | 0.264 | 0.293 | - | -11 | 20 | 165 | 0 |
| Freon-113 | 0.133 | 0.143 | - | -7.5 | 20 | 148 | 0 |
| Acrolein | 0.017 | 0.019 | - | -11.8 | 20 | 167 | 0 |
| Methylene chloride | 0.15 | 0.158 | - | -5.3 | 20 | 160 | 0 |
| Acetone | 10 | 9.967 | - | 0.3 | 20 | 151 | 0 |
| trans-1,2-Dichloroethene | 0.151 | 0.15 | - | 0.7 | 20 | 148 | 0 |
| Methyl acetate | 10 | 9.896 | - | 1 | 20 | 142 | 0 |
| Methyl tert-butyl ether | 0.23 | 0.174 | - | 24.3* | 20 | 122 | 0 |
| tert-Butyl alcohol | 0.0081 | 0.00664* | - | 18 | 20 | 127 | -0.01 |
| Diisopropyl ether | 0.42 | 0.387 | - | 7.9 | 20 | 151 | 0 |
| 1,1-Dichloroethane | 0.317 | 0.33 | - | -4.1 | 20 | 153 | 0 |
| Halothane | 0.101 | 0.097 | - | 4 | 20 | 143 | 0 |
| Acrylonitrile | 0.038 | 0.039 | - | -2.6 | 20 | 153 | 0 |
| Ethyl tert-butyl ether | 0.361 | 0.287 | - | 20.5* | 20 | 137 | 0 |
| Vinyl acetate | 0.214 | 0.188 | - | 12.1 | 20 | 160 | 0 |
| cis-1,2-Dichloroethene | 0.122 | 0.115* | - | 5.7 | 20 | 144 | 0 |
| 2,2-Dichloropropane | 0.245 | 0.239 | - | 2.4 | 20 | 143 | 0 |
| Bromochloromethane | 0.07 | 0.063* | - | 10 | 20 | 136 | 0 |
| Cyclohexane | 0.327 | 0.348 | - | -6.4 | 20 | 158 | 0 |
| Chloroform | 0.299 | 0.278 | - | 7 | 20 | 150 | 0 |
| Ethyl acetate | 0.076 | 0.061 | - | 19.7 | 20 | 144 | 0 |
| Carbon tetrachloride | 0.229 | 0.186 | - | 18.8 | 20 | 118 | 0 |
| Tetrahydrofuran | 10 | 9.009 | - | 9.9 | 20 | 146 | 0 |
| Dibromofluoromethane | 0.313 | 0.31 | - | 1 | 20 | 159 | 0 |
| 1,1,1-Trichloroethane | 0.257 | 0.22 | - | 14.4 | 20 | 129 | 0 |
| 2-Butanone | 0.035 | 0.029 | - | 17.1 | 20 | 140 | 0 |
| 1,1-Dichloropropene | 0.187 | 0.169 | - | 9.6 | 20 | 141 | 0 |
| Benzene | 0.519 | 0.496 | - | 4.4 | 20 | 149 | 0 |
| tert-Amyl methyl ether | 0.26 | 0.201 | - | 22.7* | 20 | 129 | 0 |
| 1,2-Dichloroethane-d4 | 0.361 | 0.326 | - | 9.7 | 20 | 141 | 0 |
| 1,2-Dichloroethane | 0.212 | 0.168 | - | 20.8* | 20 | 128 | 0 |
| Methyl cyclohexane | 0.231 | 0.226 | - | 2.2 | 20 | 153 | 0 |
| Trichloroethene | 0.141 | 0.119* | - | 15.6 | 20 | 135 | 0 |
| Dibromomethane | 0.079 | 0.07 | - | 11.4 | 20 | 136 | 0 |

* Value outside of QC limits.



Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS/MROW
 Instrument ID : VOA122
 Lab File ID : V22221221A01
 Sample No : WG1726668-2
 Channel :

Lab Number : L2270805
 Project Number : 1186
 Calibration Date : 12/21/22 07:16
 Init. Calib. Date(s) : 12/09/22 12/09/22
 Init. Calib. Times : 15:23 19:30

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|----------------------------|----------|----------|---------|-------|--------|-------|----------|
| 1,2-Dichloropropane | 0.147 | 0.14 | - | 4.8 | 20 | 151 | 0 |
| Bromodichloromethane | 0.209 | 0.173* | - | 17.2 | 20 | 133 | 0 |
| 1,4-Dioxane | 0.00083 | 0.00078* | - | 6 | 20 | 139 | 0 |
| cis-1,3-Dichloropropene | 0.212 | 0.179* | - | 15.6 | 20 | 139 | 0 |
| Chlorobenzene-d5 | 1 | 1 | - | 0 | 20 | 157 | 0 |
| Toluene-d8 | 1.313 | 1.335 | - | -1.7 | 20 | 159 | 0 |
| Toluene | 0.477 | 0.431 | - | 9.6 | 20 | 144 | 0 |
| 4-Methyl-2-pentanone | 0.039 | 0.034 | - | 12.8 | 20 | 140 | 0 |
| Tetrachloroethene | 0.191 | 0.17 | - | 11 | 20 | 137 | 0 |
| trans-1,3-Dichloropropene | 0.246 | 0.19* | - | 22.8* | 20 | 130 | 0 |
| Ethyl methacrylate | 0.139 | 0.119 | - | 14.4 | 20 | 133 | 0 |
| 1,1,2-Trichloroethane | 0.102 | 0.08* | - | 21.6* | 20 | 136 | 0 |
| Chlorodibromomethane | 0.157 | 0.115* | - | 26.8* | 20 | 121 | 0 |
| 1,3-Dichloropropane | 0.215 | 0.182 | - | 15.3 | 20 | 142 | 0 |
| 1,2-Dibromoethane | 0.117 | 0.093* | - | 20.5* | 20 | 133 | 0 |
| 2-Hexanone | 0.065 | 0.058 | - | 10.8 | 20 | 136 | 0 |
| Chlorobenzene | 0.483 | 0.445 | - | 7.9 | 20 | 141 | 0 |
| Ethylbenzene | 0.901 | 0.868 | - | 3.7 | 20 | 143 | 0 |
| 1,1,1,2-Tetrachloroethane | 0.157 | 0.119 | - | 24.2* | 20 | 128 | 0 |
| p/m Xylene | 0.344 | 0.34 | - | 1.2 | 20 | 144 | 0 |
| o Xylene | 0.321 | 0.315 | - | 1.9 | 20 | 146 | 0 |
| Styrene | 0.524 | 0.507 | - | 3.2 | 20 | 143 | 0 |
| 1,4-Dichlorobenzene-d4 | 1 | 1 | - | 0 | 20 | 147 | 0 |
| Bromoform | 0.171 | 0.123 | - | 28.1* | 20 | 114 | 0 |
| Isopropylbenzene | 1.675 | 1.726 | - | -3 | 20 | 142 | 0 |
| 4-Bromofluorobenzene | 0.983 | 1.031 | - | -4.9 | 20 | 144 | 0 |
| Bromobenzene | 0.426 | 0.4 | - | 6.1 | 20 | 135 | 0 |
| n-Propylbenzene | 2.21 | 2.442 | - | -10.5 | 20 | 148 | 0 |
| 1,4-Dichlorobutane | 0.432 | 0.401 | - | 7.2 | 20 | 140 | 0 |
| 1,1,2,2-Tetrachloroethane | 0.242 | 0.221 | - | 8.7 | 20 | 146 | 0 |
| 4-Ethyltoluene | 1.652 | 1.709 | - | -3.5 | 20 | 144 | 0 |
| 2-Chlorotoluene | 1.196 | 1.239 | - | -3.6 | 20 | 143 | 0 |
| 1,3,5-Trimethylbenzene | 1.44 | 1.42 | - | 1.4 | 20 | 136 | 0 |
| 1,2,3-Trichloropropane | 0.203 | 0.182 | - | 10.3 | 20 | 136 | 0 |
| trans-1,4-Dichloro-2-buten | 0.094 | 0.081 | - | 13.8 | 20 | 131 | 0 |
| 4-Chlorotoluene | 1.266 | 1.294 | - | -2.2 | 20 | 143 | 0 |
| tert-Butylbenzene | 1.185 | 1.183 | - | 0.2 | 20 | 138 | 0 |
| 1,2,4-Trimethylbenzene | 1.462 | 1.387 | - | 5.1 | 20 | 132 | 0 |
| sec-Butylbenzene | 1.714 | 1.821 | - | -6.2 | 20 | 145 | 0 |
| p-Isopropyltoluene | 1.464 | 1.514 | - | -3.4 | 20 | 140 | 0 |
| 1,3-Dichlorobenzene | 0.726 | 0.716 | - | 1.4 | 20 | 140 | 0 |
| 1,4-Dichlorobenzene | 0.734 | 0.696 | - | 5.2 | 20 | 137 | 0 |
| p-Diethylbenzene | 0.857 | 0.856 | - | 0.1 | 20 | 137 | 0 |

* Value outside of QC limits.



Calibration Verification Summary

Form 7

Volatiles

Client : C&S Companies
 Project Name : CONVENTUS/MROW
 Instrument ID : VOA101
 Lab File ID : V01221223A02
 Sample No : WG1727559-2
 Channel :

Lab Number : L2270805
 Project Number : 1186
 Calibration Date : 12/23/22 07:41
 Init. Calib. Date(s) : 12/16/22 12/16/22
 Init. Calib. Times : 12:37 16:31

| Compound | Ave. RRF | RRF | Min RRF | %D | Max %D | Area% | Dev(min) |
|--------------------------|----------|-------|---------|-------|--------|-------|----------|
| Fluorobenzene | 1 | 1 | - | 0 | 20 | 103 | 0 |
| Dichlorodifluoromethane | 0.227 | 0.241 | - | -6.2 | 20 | 109 | 0 |
| Chloromethane | 0.264 | 0.255 | - | 3.4 | 20 | 99 | 0 |
| Vinyl chloride | 0.369 | 0.393 | - | -6.5 | 20 | 105 | 0 |
| Bromomethane | 0.252 | 0.175 | - | 30.6 | 20 | 84 | 0 |
| Chloroethane | 0.301 | 0.334 | - | -11 | 20 | 113 | 0 |
| Trichlorofluoromethane | 0.64 | 0.71 | - | -10.9 | 20 | 116 | 0 |
| Ethyl ether | 0.152 | 0.151 | - | 0.7 | 20 | 109 | 0 |
| 1,1-Dichloroethene | 0.359 | 0.38 | - | -5.8 | 20 | 112 | 0 |
| Carbon disulfide | 0.659 | 0.664 | - | -0.8 | 20 | 108 | 0 |
| Freon-113 | 0.403 | 0.447 | - | -10.9 | 20 | 113 | 0 |
| Acrolein | 0.023 | 0.025 | - | -8.7 | 20 | 121 | 0 |
| Methylene chloride | 0.233 | 0.229 | - | 1.7 | 20 | 106 | 0 |
| Acetone | 0.047 | 0.05 | - | -6.4 | 20 | 106 | 0 |
| trans-1,2-Dichloroethene | 0.242 | 0.247 | - | -2.1 | 20 | 111 | 0 |
| Methyl acetate | 0.109 | 0.118 | - | -8.3 | 20 | 125 | 0 |
| Methyl tert-butyl ether | 0.445 | 0.446 | - | -0.2 | 20 | 114 | 0 |
| tert-Butyl alcohol | 0.01 | 0.011 | - | -10 | 20 | 138 | 0 |
| Diisopropyl ether | 0.829 | 0.897 | - | -8.2 | 20 | 121 | 0 |
| 1,1-Dichloroethane | 0.451 | 0.479 | - | -6.2 | 20 | 113 | 0 |
| Halothane | 0.186 | 0.194 | - | -4.3 | 20 | 113 | 0 |
| Acrylonitrile | 0.046 | 0.047 | - | -2.2 | 20 | 116 | 0 |
| Ethyl tert-butyl ether | 0.664 | 0.683 | - | -2.9 | 20 | 119 | 0 |
| Vinyl acetate | 0.458 | 0.487 | - | -6.3 | 20 | 143 | 0 |
| cis-1,2-Dichloroethene | 0.269 | 0.274 | - | -1.9 | 20 | 111 | 0 |
| 2,2-Dichloropropane | 0.35 | 0.392 | - | -12 | 20 | 122 | 0 |
| Bromochloromethane | 0.125 | 0.123 | - | 1.6 | 20 | 108 | 0 |
| Cyclohexane | 0.466 | 0.491 | - | -5.4 | 20 | 118 | 0 |
| Chloroform | 0.442 | 0.454 | - | -2.7 | 20 | 111 | 0 |
| Ethyl acetate | 0.155 | 0.165 | - | -6.5 | 20 | 126 | 0 |
| Carbon tetrachloride | 0.329 | 0.367 | - | -11.6 | 20 | 128 | 0 |
| Tetrahydrofuran | 0.044 | 0.048 | - | -9.1 | 20 | 119 | 0 |
| Dibromofluoromethane | 0.279 | 0.277 | - | 0.7 | 20 | 104 | 0 |
| 1,1,1-Trichloroethane | 0.371 | 0.405 | - | -9.2 | 20 | 118 | 0 |
| 2-Butanone | 0.062 | 0.067 | - | -8.1 | 20 | 126 | 0 |
| 1,1-Dichloropropene | 0.328 | 0.363 | - | -10.7 | 20 | 118 | 0 |
| Benzene | 1.016 | 0.989 | - | 2.7 | 20 | 111 | 0 |
| tert-Amyl methyl ether | 0.54 | 0.541 | - | -0.2 | 20 | 115 | 0 |
| 1,2-Dichloroethane-d4 | 0.305 | 0.309 | - | -1.3 | 20 | 105 | 0 |
| 1,2-Dichloroethane | 0.304 | 0.323 | - | -6.3 | 20 | 117 | 0 |
| Methyl cyclohexane | 0.433 | 0.442 | - | -2.1 | 20 | 117 | 0 |
| Trichloroethene | 0.278 | 0.28 | - | -0.7 | 20 | 111 | 0 |
| Dibromomethane | 0.135 | 0.138 | - | -2.2 | 20 | 113 | 0 |

* Value outside of QC limits.



Appendix C

Validator Qualifications

KENNETH R. APPLIN
Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY
Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

APPENDIX B

INSTITUTIONAL AND ENGINEERING
CONTROLS CERTIFICATION FORM

Box 2A

YES NO

8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid? YES NO

If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.

9. Are the assumptions in the Qualitative Exposure Assessment still valid? YES NO
(The Qualitative Exposure Assessment must be certified every five years)

If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.

SITE NO. C915260

See Section 1.1

Box 3

Description of Institutional Controls

Parcel

Owner

Institutional Control

100.79-1-1.1

Kaleida Properties, Inc.

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

1. Prohibition of use of groundwater.
2. Landuse Restriction for Restricted Residential, Commercial or Industrial use.
3. Soil Management or Excavation Work Plan for any future intrusive work.
4. Groundwater Monitoring Plan.

100.79-1-1.1/2

Seavest Core Buffalo Conventus, LLC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

1. Prohibition of use of groundwater.
2. Landuse Restriction for Restricted Residential, Commercial or Industrial use.
3. Soil Management or Excavation Work Plan for any future intrusive work.
4. Groundwater Monitoring Plan.

100.79-1-2.11

Kaleida Health

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

1. Prohibition of use of groundwater.
2. Landuse Restriction for Restricted Residential, Commercial or Industrial use.
3. Soil Management or Excavation Work Plan for any future intrusive work.
4. Groundwater Monitoring Plan.

Box 4

Description of Engineering Controls

Parcel

Engineering Control

100.79-1-1.1

Groundwater Treatment System

Groundwater will be treated in-situ by injections of oxygen release compounds (ORC) to degrade petroleum hydrocarbons to harmless compounds.

100.79-1-1.1/2

Groundwater Treatment System

Groundwater will be treated in-situ by injections of oxygen release compounds (ORC) to degrade petroleum hydrocarbons to harmless compounds.

100.79-1-2.11

Groundwater Treatment System

Groundwater will be treated in-situ by injections of oxygen release compounds (ORC) to degrade petroleum hydrocarbons to harmless compounds

Box 5

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

**IC CERTIFICATIONS
SITE NO. C915260**

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I _____ at C&S Engineers, Inc. 141 Elm Street, Buffalo, NY 14203 _____,
print name print business address

Representative for Kaleida Health, Kaledia Properties, Inc.
am certifying as and Seavest Core Buffalo Conventus, LLC (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

Date

EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I H. Nevin Bradford at C&S Engineers, Inc. 141 Elm Street, Buffalo, NY 14203,
print name print business address

am certifying as a Professional Engineer for the Kaleida Health, Kaledia Properties, Inc.
and Seavest Core Buffalo Conventus, LLC
(Owner or Remedial Party)



April 21, 2023

Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification

Stamp
(Required for PE)

Date