

May 3, 2024

Megan Kuczka, DER Project Manager  
New York State Department of Environmental Conservation  
Division of Environmental Remediation, Region 9  
700 Delaware Avenue  
Buffalo, New York 14209

Re: **Monitoring and Sampling Summary (1st Quarter 2024)**  
Site Management Plan, Post Installation Monitoring & Inspection  
MOD-PAC CORP. Site, 1801 Elmwood Avenue, Buffalo, New York

Dear Ms. Kuczka:

In accordance with the Site Management Plan (SMP)<sup>1</sup> for NYSDEC Site #C915314, Environmental Advantage, Inc. (EA), has prepared this summary letter report which provides the results of the inspection, monitoring, and maintenance of the Sub-Slab Depressurization (SSD) systems completed from January 1, 2024 through March 31, 2024. The attachments to this letter report include figures (Attachment A), summary tables (Attachment B), well data sheets (Attachment C), and analytical laboratory reports (Attachment D).

After discussions with the New York State Department of Environmental Conservation (NYSDEC or Department), New York State Department of Health (NYSDOH) representatives, and Matrix Environmental Technologies, Inc. (METI), the engineering firm responsible for the design and annual inspection and certification of the SSD systems, it was determined that monthly gauging and quarterly groundwater sampling of the Site's four groundwater monitoring wells subject to the remedial program was warranted to investigate the potential seasonal correlation to maintaining a negative pressure of at least 0.002 inches water column (WC) in the sub-slab as the SSD Systems were designed. The monthly collection of vacuum readings for any vapor monitoring point (VMP) that fails to achieve the minimum negative pressure of at least 0.002 inches WC during quarterly SSD inspections was also initiated, until the affected VMP('s) meet the minimum negative pressure as designed (with the exception of VMP-6A<sup>2</sup> which is considered inactive). As per the August 23, 2023 Periodic Review Report (PRR) Response Letter<sup>3</sup>, monthly gauging of the Site's monitoring wells was discontinued. The locations of the groundwater monitoring wells, and SSD systems are shown on Figure 1.

---

<sup>1</sup> "Site Management Plan for MOD-PAC Site, 1801 Elmwood Avenue, City of Buffalo, Erie County, New York, Site No. C915314" prepared by C&S Engineers, Inc., December 2019, revised March 2022 by Environmental Advantage, Inc.

<sup>2</sup> VMP-6A has been verified as a dead point, as described in Section 5.1 – 'Area A Testing' of METI's "System Start-up Report and Operation and Maintenance Plan"<sup>2</sup> as provided within Appendix H – Operation and Maintenance Manual of the SMP. VMP-6A always exhibits positive pressure readings.

<sup>3</sup> "Site Management (SM) – Periodic Review Report (PRR) Response Letter, MOD-PAC CORP., Buffalo, Erie County, Site No.: C915314" by Megan Kuczka, Environmental Program Specialist-1, New York State Department of Environmental Conservation, dated August 23, 2023.

## **Post-Installation SSD Maintenance and Monitoring**

System checks are completed on a quarterly basis, at a minimum. Routine monitoring includes the identification and repair of any leaks, operational status checks of blowers and fans, documentation of manifold settings and vacuum point at each vapor extraction point, and documentation of vacuum at each monitoring point. During the quarterly system checks, pre- and post-carbon air samples are collected from Area A. Samples are submitted for laboratory analysis of volatile organic compounds (VOCs) via Environmental Protection Agency (EPA) Method TO-15. In addition, pre- and post-carbon photoionization detector (PID) readings are collected from Area A, as well as from Areas B and C effluent, on a monthly basis. Non-routine maintenance, including carbon change outs, is completed as necessary based on analytical data of pre- and post-carbon samples.

Area-specific findings during Q1 2024 monitoring event are summarized in Table 1 with historical data presented in Table 2A for Area A, Table 2B for Area B, and Table 2C for Area C, all of which are provided in Attachment B. Air sample results for the current monitoring period are summarized in Table 3.

### **SSD Area A – Finished Product Storage Area**

During Q1 2024, manometer readings for all active VMPs in Area A achieved the minimum negative pressure of at least 0.002 inches WC in the sub-slab with the exception of VMP-6A (dead point) in January, February, and March, and VMP-8A in January and March.

Post-carbon analytical data exhibited lower concentrations of all target chlorinated compounds when compared to pre-carbon concentrations, with the exception of cis-1,2-dichloroethene, with an overall target chlorinated VOC (cVOC)<sup>4</sup> reduction of 91.3 percent. Air sample results for Q1 2024 are summarized in Table 3, with historical air sample results summarized in Table 4. The complete analytical laboratory report is provided in Attachment C.

### **SSD Area B – Roll Storage Area (Formerly Cold Storage Area)**

During Q1 2024, manometer readings for all active VMPs achieved the minimum 0.002 inches WC in the sub-slab with the exception of VMP-1B, VMP-2B, VMP-5B and VMP-6B in March.

### **SSD Area C – Maintenance Area**

During Q1 2024, manometer readings for all active VMPs achieved the minimum 0.002 inches WC in the sub-slab. Since August 2023, EW-1C and EW-2C are connected to the new 1.5 HP blower and EW-3C is connected to the RadonAway fan.

---

<sup>4</sup> NYSDOH Target cVOCs are included in this calculation, specifically those listed in the NYSDOH “Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York”, May 2017 Update. Specifically: 1,1,1-Trichloroethane, 1,1-Dichloroethene, Carbon tetrachloride, cis-1,2-Dichloroethene, Methylene chloride, Tetrachloroethene, Trichloroethene, and Vinyl chloride

## **Groundwater Monitoring**

During the current monitoring period, water table measurements were collected in January during the quarterly sampling event. All six wells in the vicinity of SSDS Area A, Area B, and Area C (MW-3, MW-11, MW-12, MW-13, MW-14, and MW-15) were gauged. Groundwater samples were collected on January 12, 2024 from the four monitoring wells included in the remedial program: MW-3, MW-11, MW-12, and MW-13. All samples were submitted for laboratory analysis of Target Compound List (TCL) VOCs via EPA Method 8260. Historical water table measurements for the six wells in the vicinity of SSDS Area A, Area B, and Area C are summarized in Table 5. Historical groundwater elevation monitoring and sampling data results of four monitoring wells included in the remedial program are summarized in Table 6. The complete analytical laboratory report is provided in Attachment D. **Please Note:** Groundwater elevation data are available for the four monitoring wells included in the remedial program only, the well details on MW-14 and MW-15 are not included in the Site's remedial documents.

## **Corrective Measures**

During the Q1 2024 monitoring event, EA noted that Area A and Area B exhibited areas of cracking along the surface of the concrete near the vapor monitoring points. In March 2024, the floor cracks were epoxied by MOD-PAC personnel in Area A and Area B.

As recommended in the 2022-2023 PRR Report<sup>5</sup> and approved by the Department in the August 23, 2023 PRR Response Letter, VMP-8A and VMP-5B will be redrilled during the next quarter in effort to remove potential fines that could be blocking these monitoring points. If clearing the fines is not successful, replacement VMP's will be installed in each respective area, by testing for vacuum underneath the slab in the vicinity of each respective monitoring point.

## **Conclusions and Scheduling**

During the Q1 2024 monitoring period, all active manometers met the minimum 0.002 inches WC in the sub-slab with the exception of VMP-6A (dead point) in January, February, and March; VMP-8A in January and March; and VMP-1B, VMP-2B, VMP-5B, and VMP-6B in March. Floor cracks were epoxied by MOD-PAC personnel in Area A and Area B in March 2024, there are no additional corrective actions to report for the Q1 2024 monitoring period. As of August 2023, EW-1C and EW-2C are connected to the 1.5 HP blower and EW-3C is connected to the RadonAway fan. The SSD systems in Area A, Area B, and Area C appear to be functioning properly.

Post-carbon analytical data collected during Q1 2024 exhibited lower concentrations of all target chlorinated compounds, with the exception of cis-1,2-dichloroethene, and most non-chlorinated compounds with an overall target chlorinated VOC (cVOC) reduction of 91.3 percent. These air analytical results indicate the carbon is adequately removing the bulk of the VOCs detected, and carbon replacement is not warranted at this time. We will assess if a carbon change out after the next sampling event. VMP-8A and VMP-5B will be redrilled during the next quarter in effort to remove

<sup>5</sup> " Periodic Review Report – April 2022 – 2023 Revised; DEC Site #C915314, MOD-PAC Site, 1801 Elmwood Avenue, Buffalo, New York" prepared by Environmental Advantage, Inc., dated August 17, 2023.

potential fines that could be blocking these monitoring points. If clearing the fines is not successful, replacement VMP's will be installed in each respective area. Continued system inspections, monitoring, and sampling will be completed for the second quarter of 2024.

If you have any questions regarding the information presented above, please contact me directly for further information.

Very truly yours,  
ENVIRONMENTAL ADVANTAGE, INC.

A handwritten signature in blue ink, appearing to read "C. Mark Hanna".

C. Mark Hanna, CHMM  
President

## ATTACHMENT A

Figures




Key

- = Soil boring location
- = Test pit location
- ⊗ = Monitoring well
- = Surface soil sample
- ▼ = Vapor intrusion sample
- = Soil sample location
- = SSD Systems
- = Previous Soil Sample /Monitoring Well

Ownership transferred to Nardin Community Athletic Complex, LLC

F:\Project\583 • MOD-PAC\583001\04 • MOD-PAC Brownfield Assistance\Design\CADD\Model Files\RI LOCATIONS.dwg

CONRAIL (FORMERLY NEW YORK CENTRAL RAILROAD)



**ENVIRONMENTAL ADVANTAGE, INC.**  
*Regulatory Compliance – Site Investigations – Facility Inspections*


**BCP SITE PLAN**  
**MOD-PAC, CORP.**  
 1801 ELMWOOD AVENUE  
 BUFFALO, NEW YORK

DRAWN BY: MB	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 06/2023	FIGURE NO: 1

Figure adapted from Figure 3 within the Site Management Plan for MOD-PAC BCP Site No. C915314



THIS FIGURE WAS ADAPTED FROM SITE MANAGEMENT PLAN PREPARED FOR MOD-PAC CORPORATION (DECEMBER 2019)



**VMP-7A Vacuum Readings (in WC):**

09/26/2019:	-0.025
10/03/2019:	-0.019
10/09/2019:	-0.020
11/15/2019:	-0.013
12/03/2019:	-0.010
02/11/2020:	<b>+0.000</b>
03/27/2020:	<b>+0.000</b>
06/29/2020:	-0.010
09/15/2020:	-0.017
12/08/2020:	<b>+0.000</b>
03/30/2021:	-0.020
06/11/2021:	-0.026
09/08/2021:	-0.028
12/10/2021:	-0.017
03/10/2022:	-0.010
06/06/2022:	-0.027
09/22/2022:	-0.032
10/07/2022:	-0.025
11/07/2022:	-0.021
12/09/2022:	-0.022
01/31/2023:	-0.014
02/21/2023:	-0.019
03/10/2023:	<b>+0.000</b>
06/20/2023:	-0.024
09/13/2023:	-0.037
12/12/2023:	-0.019
03/12/2024:	-0.023

**VMP-8A Vacuum Readings (in WC):**

09/26/2019:	-0.021
10/03/2019:	-0.017
10/09/2019:	-0.015
11/15/2019:	<b>+0.000</b>
12/03/2019:	<b>+0.000</b>
02/11/2020:	<b>+0.000</b>
03/27/2020:	<b>+0.000</b>
06/29/2020:	-0.017
09/15/2020:	-0.014
12/08/2020:	<b>+0.000</b>
03/30/2021:	-0.014
06/11/2021:	-0.022
09/08/2021:	-0.190
12/10/2021:	-0.005
03/10/2022:	<b>+0.000</b>
*03/31/2022:	<b>+0.000</b>
*04/21/2022:	<b>+0.000</b>
*05/16/2022:	<b>+0.000</b>
06/06/2022:	<b>+0.000</b>
*07/06/2022:	-0.018
09/22/2022:	-0.016
10/07/2022:	-0.018
11/07/2022:	<b>+0.000</b>
12/09/2022:	<b>+0.000</b>
01/31/2023:	<b>+0.000</b>
02/21/2023:	-0.007
03/10/2023:	<b>+0.000</b>
04/12/2023:	<b>+0.000</b>
05/17/2023:	<b>+0.000</b>
06/20/2023:	-0.013
09/13/2023:	-0.013
12/12/2023:	<b>+0.000</b>
01/12/2024:	<b>+0.000</b>
02/08/2024:	-0.017
03/12/2024:	<b>+0.000</b>


VMP-8A Vacuum Readings (in WC):

NO VALUE	NO VALUE	NO VALUE
VMP-8A		

**+#.### = NON-COMPLIANT VACUUM READING**

**ENVIRONMENTAL ADVANTAGE, INC.**  
 Regulatory Compliance – Site Investigations – Facility Inspections  
**SSDS AREA A NON-COMPLIANT MANOMETER READINGS**  
 1801 ELMWOOD AVENUE  
 BUFFALO, NEW YORK

DRAWN BY: MS	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 03/2024	FIGURE NO: 2A



**VMP-1B Vacuum Readings (in WC):**

09/26/2019:	N/A
10/03/2019:	-0.023
10/09/2019:	-0.018
11/05/2019:	-0.016
12/03/2019:	-0.014
02/11/2020:	+0.000
03/27/2020:	+0.000
06/29/2020:	-0.018
09/15/2020:	-0.017
12/08/2020:	+0.000
03/30/2021:	-0.010
06/11/2021:	-0.045
09/08/2021:	-0.045
12/10/2021:	-0.010
03/10/2022:	-0.012
06/06/2022:	-0.014
09/22/2022:	-0.019
10/07/2022:	-0.045
11/07/2022:	-0.014
12/08/2022:	-0.017
01/31/2023:	-0.009
02/21/2023:	-0.100
03/10/2023:	-0.0115
06/20/2023:	-0.012
09/13/2023:	-0.016
12/12/2023:	-0.016
03/12/2024:	+0.00

**VMP-5B Vacuum Readings (in WC):**

09/26/2019:	-0.044
10/03/2019:	-0.037
10/09/2019:	-0.030
11/05/2019:	-0.014
12/03/2019:	+0.000
02/11/2020:	N/A
03/27/2020:	+0.000
06/29/2020:	-0.026
09/15/2020:	-0.045
12/08/2020:	+0.000
03/30/2021:	+0.000
*04/14/2021:	+0.000
*05/20/2021:	-0.014
06/11/2021:	-0.039
09/08/2021:	-0.034
12/10/2021:	-0.004
03/10/2022:	+0.000
*03/31/2022:	-0.167
06/06/2022:	+0.000
*07/06/2022:	-0.010
09/22/2022:	-0.017
10/07/2022:	-0.035
11/07/2022:	+0.000
12/08/2022:	+0.000
01/31/2023:	+0.000
02/21/2023:	+0.000
03/10/2023:	+0.000
04/12/2023:	+0.000
05/17/2023:	+0.000
06/20/2023:	+0.000
09/13/2023:	-0.011
12/12/2023:	+0.000
01/12/2024:	-0.04
03/12/2024:	+0.000

**VMP-6B Vacuum Readings (in WC):**

09/26/2019:	-0.016
10/03/2019:	-0.018
10/09/2019:	-0.010
11/05/2019:	+0.000
12/03/2019:	+0.000
02/11/2020:	+0.000
03/27/2020:	-0.010
06/29/2020:	-0.022
09/15/2020:	-0.005
12/08/2020:	+0.000
03/30/2021:	-0.010
06/11/2021:	-0.016
09/08/2021:	-0.041
12/10/2021:	+0.000
*01/11/2022:	-0.012
03/10/2022:	+0.000
*03/31/2022:	-0.014
06/06/2022:	-0.016
09/22/2022:	-0.020
10/07/2022:	-0.018
11/07/2022:	-0.016
12/08/2022:	-0.015
01/31/2023:	-0.012
02/21/2023:	-0.014
03/10/2023:	-0.015
06/20/2023:	-0.017
09/13/2023:	-0.018
12/12/2023:	-0.018
03/12/2024:	+0.000

**+#.### = NON-COMPLIANT VACUUM READING**

**ENVIRONMENTAL ADVANTAGE, INC.**  
 Phase I/II Audits – Site Investigations – Facility Inspections  
**SSDS AREA B NON-COMPLIANT MANOMETER READINGS**  
 1801 ELMWOOD AVENUE  
 BUFFALO, NEW YORK

DRAWN BY: MS	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 03/2024	FIGURE NO: 2B



## ATTACHMENT B

Tables

Table 1  
 MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY  
 SSSD Post Installation Monitoring Results  
 March Q1 2024 Summary

**Area A - Finished Product Storage Area**

Date	Extraction Wells (in WC)										Blower (in WC)	Pre-carbon PID Reading (ppm)	Post-carbon PID Reading (ppm)
	EW-1A	EW-2A	EW-3A	EW-4A	EW-5A	EW-6A	EW-7A	EW-8A	EW-9A	EW-10A			
3/12/2024	17.0	18.0	19.0	18.0	18.0	0.0	18.0	20.0	19.0	19.0	21	0.3	0.0

Date	Vapor Monitoring Points (in WC)								
	VMP-1A	VMP-2A	VMP-3A	VMP-4A	VMP-5A	VMP-6A	VMP-7A	VMP-8A	VMP-9A
3/12/2024	-0.065	-0.045	-0.057	-0.080	-0.039	+0.000	-0.023	+0.000	-0.084

**Area B - Cold Storage Garage**

Date	Extraction Wells (in WC)								Blower (in WC)	System Effluent PID Reading (ppm)
	EW-1B	EW-2B	EW-3B	EW-4B	EW-5B	EW-6B	EW-7B	EW-8B		
3/12/2024	36.0	37.0	37.0	38.0	37.0	39.0	37.0	32.0	31.0	0.0

Date	Vapor Monitoring Points (in WC)						
	VMP-1B	VMP-2B	VMP-3B	VMP-4B	VMP-5B	VMP-6B	VMP-7B
3/12/2024	+ 0.000	-0.001	-0.006	-0.012	+ 0.000	+ 0.000	-0.009

**Area C - Maintenance Area**

Date	Extraction Wells (in WC)			System Effluent PID Reading (ppm)		
	EW-1C	EW-2C	EW-3C	EW-1C	EW-2C	EW-3C
3/12/2024	43.0	46.0	31.0	3.8	2.8	0.5

Date	Vapor Monitoring Points (in WC)					
	VMP-1C	VMP-2C	VMP-3C	VMP-4C	VMP-10C	VMP-11C
3/12/2024	-0.051	-0.073	-0.028	-0.069	-0.067	-0.025

**Note:**

1. in WC = inches water column; ppm = parts per million;
2. EW-1C and EW-2C are connected to a 1.5 HP Blower. EW-3C is connected to a Fan.

Table 2A  
MOD-PAC CORP., 1801 Einwood Ave, Buffalo, NY  
SSDS Post Installation Monitoring Results  
Area A - Finished Product Storage Area

Date	Extraction Wells (in WC)										Blower (in WC)	Pre-carbon PID Reading (ppm)	Post-carbon PID Reading (ppm)	
	EW-1A	EW-2A	EW-3A	EW-4A	EW-5A	EW-6A	EW-7A	EW-8A	EW-9A	EW-10A				
9/26/2019	14.5	14.5	15.5	14.5	15	1	14.5	15	14.5	15.5	12	3.3	1.5	
10/3/2019	14	14	15	14	14	1	14	15	14	15	12	52.6	12.7	
10/9/2019	13	13.5	14	13.5	13.5	1	13.5	14	13.5	14	13	14.5	0.0	
11/5/2019	11.5	12	12.5	11.5	12	1	12	12	11.5	12.5	10	4.7	0.5	
12/3/2019	11	11.5	12	11	11.5	1	11.5	11.5	11.5	12	10	1.0	0.1	
1/22/2020												0.2	0.0	
2/11/2020	10	10.5	11	10.5	11	1	11	11	10.5	11.5	9	0.5	0.0	
3/27/2020	10	10	11	10.5	11	1	10.5	10.5	10	11	8	47.8	27.1	
6/29/2020	13	13	13.5	13	13	1	13	13	13	13.5	14	0.4	0.0	
7/31/2020												0.0	0.0	
8/28/2020												0.0	0.0	
9/15/2020	13.5	14	14.5	14	14	1	14	14.5	14.5	15	14	2.7	1.1	
10/15/2020												7.8	4.6	
11/4/2020												0.0	0.0	
12/8/2020	12.5	13	13.5	13	13	1	13	14	13	14	12	0.6	0.0	
1/4/2021												0.4	0.0	
2/18/2021												1.0	0.0	
3/30/2021	13	14	14	14	14	0	14	14	14	15	12	0.0	0.0	
4/14/2021												0.4	0.0	
5/20/2021												0.4	0.0	
6/11/2021	16	16	16	16	16	0	16	17	17	17	15	0.1	0.0	
7/1/2021												16	0.0	
8/25/2021												18	0.0	
9/9/2021	17	17	18	18	17	0	18	18	18	18	16	0.3	0.0	
10/29/2021												0.0	0.0	
11/19/2021												0.0	0.0	
12/10/2021	16	16	17	16	17	0	17	17	17	17	15	7.6	0.0	
1/11/2022												19	0.0	
2/2/2022												0.08	0.0	
3/10/2022	15.5	16.5	17	16.5	16.5	1	16.5	17	17	17	12	0.0	0.0	
4/21/2022												19	0.0	
5/16/2022												18	0.0	
6/6/2022	16	17	17	16	17	0	17	17	17	17	19	0.0	0.0	
7/28/2022												19	1.4	0.0
8/26/2022												19	0.5	0.0
9/22/2022	18	18	19	18	18	0	18	19	19	19	18	1.2	0.1	
10/13/2022	18	18	18	18	18	0	18	18	18	18	19	0.2	0.0	
11/7/2022	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0	
12/9/2022	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0	
1/31/2023	16	17	18	17	17	0	17	18	17	18	18	0.0	0.0	
2/21/2023	16	17	18	17	17	0	17	18	17	18	18	0.0	0.0	
3/10/2023	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0	
4/6/2023												20	0.0	0.0
5/17/2023												20	0.0	0.0
6/20/2023	17	18	19	18	18	0	18	19	18	19	20	0.3	0.1	
7/5/2023												20	0.0	0.0
8/17/2023												21	0.0	0.0
9/13/2023	19	20	20	20	19	0	20	20	20	20	20	0.0	0.0	
10/3/2023												22	0.2	0.3
11/1/2023												20	0.1	0.0
12/12/2023	17	18	19	18	19	0	18	20	17	19	20	0.1	0.0	
1/12/2024												21	1.4	0.0
2/8/2024												21	1.1	0.0
3/12/2024	17	18	19	18	18	0	18	20	19	19	21	0.3	0.0	

Date	Vapor Monitoring Points (in WC)								
	VMP-1A	VMP-2A	VMP-3A	VMP-4A	VMP-5A	VMP-6A	VMP-7A	VMP-8A	VMP-9A
9/26/2019	-0.066	-0.044	-0.075	-0.161	-0.128	+0.000	-0.025	-0.021	-0.173
10/3/2019	-0.065	-0.037	-0.053	-0.139	-0.116	+0.000	-0.019	-0.017	-0.105
10/9/2019	-0.061	-0.034	-0.045	-0.110	-0.103	+0.000	-0.020	-0.015	-0.100
11/5/2019	-0.041	-0.029	-0.023	-0.067	-0.062	+0.010	-0.013	+0.000	-0.067
12/3/2019	-0.045	-0.025	-0.031	-0.066	-0.056	+0.020	-0.010	+0.000	-0.054
2/11/2020	-0.037	-0.020	-0.015	-0.045	-0.036	+0.015	+0.000	+0.000	-0.037
3/27/2020	-0.025	-0.023	-0.016	-0.032	-0.032	+0.010	+0.000	+0.000	-0.022
6/29/2020	-0.053	-0.064	-0.043	-0.080	-0.124	-0.080	NG	-0.010	-0.094
9/15/2020	-0.053	-0.052	-0.043	-0.093	-0.033	NG	-0.017	-0.014	-0.058
12/8/2020	-0.048	-0.033	-0.026	-0.152	-0.05	NG	+0.000	+0.000	-0.065
3/30/2021	-0.038	-0.052	-0.032	-0.063	-0.022	NG	-0.020	-0.014	-0.047
6/11/2021	-0.073	-0.065	-0.055	-0.105	-0.074	NG	-0.028	-0.022	-0.074
9/9/2021	-0.091	-0.088	-0.075	-0.140	-0.086	NG	-0.028	-0.190	-0.149
12/10/2021	-0.085	-0.056	-0.043	-0.068	-0.052	NG	-0.017	-0.005	-0.088
3/10/2022	-0.045	-0.04	-0.045	-0.080	-0.04	+0.013	-0.010	+0.000	-0.097
3/31/2022	NG	NG	NG	NG	NG	NG	NG	NG	+0.000
5/16/2022	NG	NG	NG	NG	NG	NG	NG	NG	+0.000
6/6/2022	-0.068	-0.060	-0.068	-0.087	-0.056	+0.000	-0.027	+0.000	-0.110
7/28/2022	NG	NG	NG	NG	NG	NG	NG	NG	-0.018
9/22/2022	-0.100	-0.098	-0.105	-0.157	-0.082	+0.000	-0.032	-0.016	-0.149
10/13/2022	-0.069	-0.063	-0.071	-0.126	-0.071	+0.000	-0.025	-0.018	-0.122
11/7/2022	-0.077	-0.063	-0.084	-0.122	-0.059	+0.000	-0.021	+0.000	-0.115
12/9/2022	-0.074	-0.043	-0.046	-0.069	-0.046	+0.000	-0.022	+0.000	-0.110
1/31/2023	-0.059	-0.040	-0.042	-0.067	-0.039	+0.000	-0.014	+0.000	-0.078
2/21/2023	-0.059	-0.048	-0.061	-0.083	-0.040	+0.000	-0.019	-0.007	-0.100
3/10/2023	-0.052	-0.032	-0.054	-0.067	-0.032	+0.000	+0.000	+0.000	-0.039
4/12/2023	NG	NG	NG	NG	NG	NG	-0.025	0.000	NG
5/17/2023	NG	NG	NG	NG	NG	NG	-0.032	0.000	NG
6/20/2023	-0.083	-0.066	-0.085	-0.118	-0.066	+0.000	-0.024	-0.013	-0.133
7/5/2023	NG	NG	NG	NG	NG	+0.000	NG	NG	NG
8/17/2023	NG	NG	NG	NG	NG	+0.000	NG	NG	NG
9/13/2023	-0.097	-0.079	-0.102	-0.14	-0.083	+0.000	-0.037	-0.013	-0.140
10/3/2023	NG	NG	NG	NG	NG	+0.000	NG	NG	NG
11/1/2023	NG	NG	NG	NG	NG	+0.000	NG	NG	NG
12/12/2023	-0.066	-0.140	-0.203	-0.271	-0.141	+0.000	-0.019	+0.000	-0.219
1/12/2024	NG	NG	NG	NG	NG	+0.000	NG	+0.000	NG
2/8/2024	NG	NG	NG	NG	NG	+0.000	NG	-0.017	NG
3/12/2024	-0.065	-0.045	-0.057	-0.080	-0.039	+0.000	-0.023	+0.000	-0.084

- Note:
1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
  2. Blank space indicates that data was not collected
  3. in WC = inches water column; ppm = parts per million;
  4. N/A = Not Accessible; NG = Not Gauged

**Table 2B**  
**MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY**  
**SSDS Post Installation Monitoring Results**  
**Area B - Cold Storage Garage**

Date	Extraction Wells (in WC)								Blower (in WC)	System Effluent PID Reading (ppm)
	EW-1B	EW-2B	EW-3B	EW-4B	EW-5B	EW-6B	EW-7B	EW-8B		
9/26/2019	13	13.5	13.5	14.5	13.5	14	13	12	10.5	1.3
10/3/2019	13	13.5	13.5	14	13.5	14	13	12	10	1.4
10/9/2019	12.5	13	13	13.5	13	13.5	12	12	10	0.0
11/5/2019	12	13	12.5	13	12.5	13	11.5	11	9	0.5
12/3/2019	11	11	11	11.5	11	11.5	10.5	10	8	0.1
1/22/2020										0.0
2/11/2020	12.5	13	13	13.5	13	13.5	12	11.5	9	0.0
3/27/2020	14	15	14	15	15	15	14	13.5	10	0.0
6/29/2020	16	12	17	12.5	17	17	16	15.5	16	0.0
7/31/2020										0.0
8/28/2020										0.0
9/15/2020	17	18	17	18	18	18	17	16.5	16	2.7
10/15/2020										0.3
11/4/2020										0.0
12/8/2020	16.5	17	17	17	17	17	16.5	16	13	0.4
1/4/2021										0.0
2/18/2021										0.0
3/30/2021	16	17	17	17	17	17	16	16	12	0.0
4/14/2021										0.0
5/20/2021										0.1
6/11/2021	18	18	19	20	19	19	18	18	18	0.0
7/1/2021									18	0.0
8/25/2021									20	0.0
9/8/2021	20	21	22	23	22	22	21	21	19	0.0
10/20/2021										0.0
11/19/2021										0.0
12/10/2021	20	20	21	21	21	21	20	20	16	0.0
1/11/2022									19	0.0
2/2/2022										0.0
3/10/2022	22	23	23	23.5	22.5	23	22.5	22	20	0.0
4/21/2022									19	0.0
5/16/2022									19	0.0
6/6/2022	26	27	27	28	27	27	27	26	19	0.0
7/28/2022									25	0.5
8/26/2022									23	0.0
9/22/2022	28	29	30	30	29	30	29	28	26	2.6
10/13/2022	31	32	33	33	32	34	32	32	20	0.8
11/7/2022	31	32	33	33	33	34	32	32	18	0.0
12/8/2022	32	33	34	34	33	34	33	32	19	0.0
1/31/2023	31	32	33	33	32	33	32	32	19	0.0
2/21/2023	30	31	32	32	31	32	31	30	26	0.0
3/10/2023	32	32	32	32	32	32	32	32	19	0.0
4/6/2023									24	0.0
5/17/2023									29	0.0
6/20/2023	31	32	32	33	32	33	32	32	30	0.0
7/5/2023									44	0.0
8/17/2023									40	0.0
9/13/2023	37	33	38	36	37	39	37	38	34	0.0
10/3/2023									34	0.7
11/11/2023									28	0.0
12/12/2023	36	37	37	38	37	39	37	37	31	0.0
1/12/2024									44	0.2
02/08/2024									45	0.1
3/12/2024	36	37	37	38	37	39	37	32	31	0.0

Date	Vapor Monitoring Points (in WC)						
	VMP-1B	VMP-2B	VMP-3B	VMP-4B	VMP-5B	VMP-6B	VMP-7B
9/26/2019	N/A	-0.065	-0.419	N/A	-0.044	-0.016	-0.200
10/3/2019	-0.023	-0.062	-0.303	-0.383	-0.037	-0.018	-0.196
10/9/2019	-0.018	-0.055	-0.258	-0.329	-0.030	-0.010	-0.178
11/5/2019	-0.016	-0.018	-0.217	-0.271	-0.014	+0.000	-0.171
12/3/2019	-0.014	-0.032	-0.114	-0.156	+0.000	+0.000	-0.136
2/11/2020	+0.000	-0.040	N/A	-0.161	N/A	+0.000	-0.072
3/27/2020	+0.000	-0.040	-0.163	-0.171	+0.000	-0.010	-0.152
6/29/2020	-0.018	-0.064	-0.354	-0.343	-0.026	-0.022	-0.0198
9/15/2020	-0.017	-0.041	-0.118	-0.361	-0.045	-0.005	-0.160
12/8/2020	+0.000	-0.02	-0.137	-0.208	+0.000	+0.000	-0.203
3/30/2021	-0.010	-0.045	-0.162	-0.219	+0.000	-0.010	-0.197
4/14/2021	NG	NG	NG	NG	+0.000	NG	NG
5/20/2021	NG	NG	NG	NG	-0.014	NG	NG
6/11/2021	-0.045	-0.051	-0.262	-0.903	-0.039	-0.016	-0.201
9/8/2021	-0.045	-0.058	-0.285	-1.020	-0.034	-0.041	-0.060
12/10/2021	-0.010	-0.40	-0.189	-0.177	-0.004	+0.000	-0.190
1/11/2022	NG	NG	NG	NG	NG	-0.012	NG
3/10/2022	-0.012	-0.032	-0.141	-0.262	+0.000	+0.000	-0.133
3/31/2021	NG	NG	NG	NG	-0.167	-0.014	NG
6/6/2022	-0.014	-0.050	-0.211	-0.299	+0.000	-0.016	-0.026
7/28/2022	NG	NG	NG	NG	-0.010	NG	NG
9/22/2022	-0.019	-0.057	-0.238	-0.328	-0.017	-0.020	-0.263
10/13/2022	-0.045	-0.063	-0.123	-0.215	-0.035	-0.018	-0.131
11/7/2022	-0.014	-0.057	-0.218	-0.312	+0.000	-0.016	-0.232
12/8/2022	-0.017	-0.043	-0.153	-0.298	+0.000	-0.015	-0.156
1/31/2023	-0.009	-0.044	-0.187	-0.279	+0.000	-0.012	-0.158
2/21/2023	-0.10	-0.045	N/A	-0.299	+0.000	-0.014	-0.165
3/10/2023	-0.015	-0.030	-0.046	-0.266	+0.000	-0.015	-0.035
4/12/2023	NG	NG	NG	NG	+0.000	NG	NG
5/17/2023	NG	NG	NG	NG	+0.000	NG	NG
6/20/2023	-0.012	-0.045	-0.237	-0.350	+0.000	-0.017	-0.207
7/5/2023	NG	NG	NG	NG	NG	NG	NG
8/17/2023	NG	NG	NG	NG	-0.014	NG	NG
9/13/2023	-0.016	-0.062	-0.433	Covered	-0.011	-0.018	-0.284
10/3/2023	NG	NG	NG	Covered	NG	NG	NG
11/11/2023	NG	NG	NG	-0.087	NG	NG	NG
12/12/2023	-0.016	-0.035	-0.089	-0.319	+0.000	-0.018	-0.257
1/12/2024	NG	NG	NG	NG	-0.04	NG	NG
2/8/2024	NG	NG	NG	NG	NG	NG	NG
3/12/2024	+0.000	-0.001	-0.006	-0.012	+0.000	+0.000	-0.009

- Note:**
1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
  2. N/A indicates the VMP was not accessible during the time of the system check
  3. Blank space indicates that data was not collected
  4. in WC = inches water column; ppm = parts per million;
  5. NG = Not Gauged



**Table 2C**  
**MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY**  
**SSDS Post Installation Monitoring Results**  
**Area C - Maintenance Area**

Date	Extraction Wells (in WC)			Effluent PID Reading (ppm)		
	EW-1C	EW-2C	EW-3C	EW-1C	EW-2C	EW-3C
9/26/2019	43	40		1.4	0.7	
10/3/2019	44	45		1.0	4.5	
10/9/2019	44.5	45.5		0.0	0.0	
11/5/2019	44	46		0.0	0.4	
12/3/2019		39	28		1.2	0.4
1/22/2020					0.4	0.0
2/11/2020	31	30	27.5	0.2	0.0	0.0
3/27/2020	29	32	28	0.0	0.0	0.0
6/29/2020	27	31	29	0.0	0.0	0.0
7/31/2020				0.0	0.0	0.0
8/28/2020				0.0	0.0	0.0
9/15/2020	28.5	31	29	0.0	0.0	0.0
10/15/2020				0.0	0.0	0.0
11/4/2020				0.0	0.0	0.0
12/8/2020	31	31	29	0.0	0.0	0.0
1/4/2021				0.0	0.0	0.0
2/18/2021						0.0
3/30/2021		32	30		0.0	0.0
4/14/2021					0.1	0.0
5/20/2021				0.0	0.0	0.0
6/11/2021	23	31	30	0.0	0.0	0.0
7/1/2021				0.0	0.0	0.0
8/25/2021				0.0	0.0	0.0
9/8/2021	29	31	30	0.0	0.0	0.0
10/20/2021				0.0	0.0	0.0
11/19/2021				0.0	0.0	0.0
12/10/2021	30	32	30	4.7	0.0	0.0
1/11/2022				0.0	0.0	0.0
2/2/2022				0.0	0.0	0.0
3/10/2022	11	32	31	0.0	0.0	0.0
4/21/2022				0.0	0.0	0.0
5/16/2022				0.0	0.0	0.0
6/6/2022	28	31	32	0.0	0.0	0.0
7/28/2022				1.5	0.7	0.1
8/26/2022				0.1	0.0	0.0
9/22/2022	29	31	32	0.0	0.0	0.0
10/13/2022	29	31	0	0.0	0.0	NG
11/7/2022	29	31	0	0.0	0.0	NG
12/9/2022	30	30	30	0.0	0.0	0.0
1/31/2023	0	0	30	NG	NG	0.0
2/21/2023	NG	NG	NG	NG	NG	NG
3/10/2023	N/A	N/A	30	N/A	N/A	ND
4/6/2023	N/A	N/A	28	N/A	N/A	0.0
5/17/2023	N/A	N/A	27	N/A	N/A	0.0
6/20/2023	N/A	N/A	29	N/A	N/A	0.0
7/5/2023	1	0	29	N/A	N/A	0.0
8/17/2023	N/A	N/A	N/A	N/A	N/A	0.3
9/13/2023	0	0	29	0.0	0.0	0.0
10/3/2023	35	38	30	27.9	6.7	1.0
11/11/2023	33.0	36.0	29	1.1	2.1	0.0
12/12/2023	34	37	29	4.7	2.5	0.1
1/12/2024	34	35	30	2.3	1.8	0.4
2/8/2024	43	46	30	1.6	1.2	0.2
3/12/2024	43	46	34	3.8	2.8	0.5

Date	Vapor Monitoring Points (in WC)					
	VMP-1C	VMP-2C	VMP-3C	VMP-4C	VMP-10C	VMP-11C
9/26/2019	- 0.046	- 0.085	+ 0.000	- 0.061		
10/3/2019	- 0.055	- 0.092	+ 0.000	- 0.081		
10/9/2019	- 0.037	- 0.075	+ 0.000	- 0.060		
11/5/2019	- 0.042	- 0.067	+ 0.000	- 0.067		
12/3/2019	+ 0.000	- 0.027	- 0.026	+ 0.004	- 0.045	- 0.018
2/11/2020	- 0.019	- 0.026	- 0.032	- 0.038	- 0.045	- 0.020
3/27/2020	- 0.019	- 0.033	- 0.038	- 0.029	- 0.060	- 0.021
6/29/2020	- 0.019	- 0.050	- 0.040	- 0.018	- 0.061	- 0.044
9/15/2020	- 0.012	- 0.040	- 0.038	- 0.024	- 0.039	- 0.017
12/8/2020	- 0.012	- 0.038	- 0.025	- 0.021	- 0.038	- 0.016
3/30/2021	+ 0.000	- 0.022	- 0.037	+ 0.000	- 0.025	- 0.020
6/11/2021	- 0.020	- 0.054	- 0.039	- 0.024	- 0.058	- 0.097
9/8/2021	- 0.049	- 0.042	- 0.040	- 0.075	- 0.066	- 0.022
12/10/2021	- 0.026	- 0.040	- 0.038	- 0.021	- 0.059	- 0.025
2/2/2022	+ 0.000	- 0.028	- 0.038	- 0.012	- 0.034	- 0.019
3/10/2022	+ 0.000	- 0.031	- 0.038	+ 0.000	- 0.042	- 0.022
3/31/2022	- 0.021	NG	NG	- 0.030	NG	NG
6/6/2022	- 0.019	- 0.058	- 0.037	- 0.024	- 0.076	- 0.039
9/22/2022	- 0.021	- 0.059	- 0.041	- 0.018	- 0.086	- 0.046
10/13/2022	- 0.033	- 0.042	+ 0.000	- 0.044	- 0.044	+ 0.000
11/7/2022	- 0.016	- 0.048	+ 0.000	- 0.023	- 0.055	+ 0.000
12/9/2022	- 0.041	- 0.030	- 0.039	- 0.045	- 0.056	- 0.022
1/31/2023	NG	NG	NG	NG	NG	NG
2/21/2023	NG	NG	NG	NG	NG	NG
3/10/2023	+ 0.000	+ 0.000	- 0.031	+ 0.000	- 0.045	- 0.019
4/6/2023	NG	NG	NG	NG	NG	NG
5/17/2023	NG	NG	NG	NG	NG	NG
6/20/2023	+ 0.000	+ 0.000	- 0.029	+ 0.000	- 0.024	- 0.040
7/5/2023	NG	NG	NG	NG	NG	NG
8/17/2023	NG	NG	NG	NG	NG	NG
9/13/2023	+ 0.000	+ 0.000	- 0.03	+ 0.000	- 0.019	- 0.038
10/3/2023	- 0.036	- 0.063	NG	- 0.040	NG	NG
11/11/2023	- 0.024	- 0.044	- 0.046	- 0.043	- 0.162	- 0.108
12/12/2023	- 0.016	- 0.046	- 0.024	- 0.028	- 0.063	- 0.032
1/12/2024	NG	NG	NG	NG	NG	NG
2/8/2024	NG	NG	NG	NG	NG	NG
3/12/2024	- 0.051	- 0.073	- 0.028	- 0.069	- 0.067	- 0.025

**Note:**

1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
2. Blank space indicates that data was not collected
3. in WC = inches water column; ppm = parts per million;
4. N/A = Not Accessible; NG = Not Gauged
5. Please note that EW-1C and EW-2C are connected to a blower, EW-3C is connected to a Fan.

**Table 3**  
**MOD-PAC, Corp. 1801 Elmwood Avenue, Buffalo, NY**  
**Summary of Air Analytical Testing Results**

Parameter	March 2024 - L2413550	
	AREA A-PRE (031224)	AREA A-POST (031224)
<b>Volatile Organic Compounds (ug/m<sup>3</sup>)</b>		
1,1,1-Trichloroethane	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND
1,1,2-Trichloroethane	ND	ND
1,1-Dichloroethane	ND	ND
1,1-Dichloroethene	ND	ND
1,2,4-Trichlorobenzene	ND	ND
1,2,4-Trimethylbenzene	10.9	3.06
1,2-Dibromoethane	ND	ND
1,2-Dichlorobenzene	ND	ND
1,2-Dichloroethane	ND	ND
1,2-Dichloropropane	ND	ND
1,3,5-Trimethylbenzene	4.48	1.26
1,3-Butadiene	ND	ND
1,3-Dichlorobenzene	ND	ND
1,4-Dichlorobenzene	ND	ND
1,4-Dioxane	ND	ND
2,2,4-Trimethylpentane	1.31	ND
2-Butanone	2.66	ND
2-Hexanone	ND	ND
3-Chloropropene	ND	ND
4-Ethyltoluene	2.82	ND
4-Methyl-2-pentanone	ND	ND
Acetone	236	37.8
Benzene	1.04	ND
Benzyl chloride	ND	ND
Bromodichloromethane	ND	ND
Bromoform	ND	ND
Bromomethane	ND	ND
Carbon disulfide	0.772	0.866
Carbon tetrachloride	ND	ND
Chlorobenzene	ND	ND
Chloroethane	ND	ND
Chloroform	1.87	4.44
Chloromethane	1.39	0.64
cis-1,2-Dichloroethene	2.34	4.24
cis-1,3-Dichloropropene	ND	ND
Cyclohexane	ND	ND
Dibromochloromethane	ND	ND
Dichlorodifluoromethane	2.19	2.88
Ethyl Alcohol	107	87.1
Ethyl Acetate	46.1	41.4
Ethylbenzene	3.16	1.55
Freon-113	ND	ND
Freon-114	ND	ND
Heptane	8.11	0.91
Hexachlorobutadiene	ND	ND
iso-Propyl Alcohol	217	438
Methyl tert butyl ether	ND	ND
Methylene chloride	ND	ND
n-Hexane	11.1	ND
Naphthalene	ND	ND
o-Xylene	3.61	1.76
p/m-Xylene	11.9	5.95
Styrene	ND	ND
tert-Butyl Alcohol	8.61	11.1
Tetrachloroethene	ND	ND
Tetrahydrofuran	ND	ND
Toluene	11	4.6
trans-1,2-Dichloroethene	ND	ND
trans-1,3-Dichloropropene	ND	ND
Trichloroethene	152	9.24
Trichlorofluoromethane	2.81	2.12
Vinyl bromide	ND	ND
Vinyl chloride	ND	ND

**Notes:**

1. Compounds detected in one or more samples included in this table. For a list of all compounds, refer to analytical report in the Appendix.
2. Analytical testing for VOCs via TO-15 completed by Alpha Analytical.
3. Results present in ug/m<sup>3</sup> or microgram per cubic meter.
4. Parameters shaded in red indicate analytes of concern (Target cVOCs)
5. Results in red indicate higher post-carbon readings over pre-carbon readings
6. Blank results = No Value Above Detection Limit









Table 6  
Historical Groundwater Monitoring and Sampling Data Summary  
MOD-PAC CORP.

Monitoring Well	Date	Top of Casing (ft)	Depth to Water (ft)	GW Elevation (ft)	1,1-Dichloroethene (µg/L)	2-Butanone (µg/L)	Acetone (µg/L)	Benzene (µg/L)	cis-1,2-Dichloroethene (µg/L)	trans-1,2-Dichloroethene (µg/L)	Trichloroethene (µg/L)	Vinyl chloride (µg/L)	Total VOCs (µg/L)	% Increase/Decrease TCE	
MW - 3	2/5/18	600.71	5.05	595.66	ND	ND	ND	ND	80	14	280	13	387.0	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
	7/16/19	600.71	NG	NG	ND	3.10 J	38	ND	ND	ND	ND	ND	43.4	-100.00	
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019														
	10/24/2019*	600.71	NG	NG	ND	ND	<20	<1	30	3	220	<1	253.0	-21.43	
	4/15/20	600.71	5.54	595.17	ND	ND	6.40 J	ND	57	7.3	370 JH	3.7	444.4	32.14	
	4/14/21	600.71	5.98	594.73	0.88 J	ND	ND	ND	82	8.8	340	5.6	440.5	21.43	
	7/1/21	600.71	6.30	594.41	2.0	ND	ND	0.41 J	140	16	400	8.1	566.5	42.86	
	11/19/21	600.71	5.30	595.41	0.77 J	ND	ND	ND	43	19 J	340	2.9	390.7	21.43	
	1/12/22	600.71	5.70	595.01	0.86	ND	ND	0.16 J	57	3.3	190	3.5	254.8	-32.14	
	4/5/22	600.71	5.65	595.06	0.44 J	ND	ND	ND	46	5.1 J	280	2.3 J	333.8	0.00	
	7/6/22	600.71	5.91	594.80	0.48 J	ND	ND	ND	74	6.2	240	3.7	324.4	-14.29	
	10/7/22	600.71	6.03	594.68	0.76 J	6.50 J	7.60 J	0.34 J	92	6.5	350	7.2	470.9	25.00	
	1/5/23	600.71	4.70	596.01	0.24 J	ND	ND	ND	29	1.5 J	170 R1	0.55 J	201.3	-39.29	
	4/6/23	600.71	5.35	595.36	ND	ND	ND	ND	17 J	0.92 J	120 J	0.41 J	138.3	-57.14	
	7/25/23	600.71	NG	NG	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	
	10/3/23	600.71	6.30	594.41	ND	ND	ND	ND	99	8.3 J	400	4.8	512.1	42.86	
	1/12/24	600.71	5.28	595.43	0.35 J	ND	ND	ND	66	5.4	330	1.7 J	403.5	17.86	
	2/5/18	600.41	4.66	595.75	ND	2.3 J	9.4	0.16 J	3.1	2.9	40	5.6	64.56	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
7/16/19	600.41	NG	NG	0.35 J	ND	4.5 J	ND	14	25	20	9.8	73.65	-50.00		
Potassium Permanganate Injections October 1, 2019 - October 10, 2019															
10/24/2019*	600.41	NG	NG	ND	150 J	920	ND	<10	<10	16	ND	1066.0	-60.00		
4/15/20	600.41	5.27	595.14	ND	2.2 J	11	0.21 J	7	10	45 JH	9	84.4	12.50		
4/14/21	600.41	5.74	594.67	ND	ND	ND	ND	8	9.4	16	5.7	39.1	-60.00		
7/1/21	600.41	6.00	594.41	0.35 J	ND	ND	0.25 J	13	17	47	10	87.6	17.50		
11/19/21	600.41	5.15	595.26	0.27 J	ND	ND	0.25 J	17	30	32	7.8	87.3	-20.00		
1/12/22	600.41	5.45	594.96	0.31 J	ND	ND	0.20 J	11	19	22	6.2	58.7	-45.00		
4/5/22	600.41	5.45	594.96	0.27 J	ND	ND	0.17 J	9.8	15	24	9.7	58.9	-40.00		
7/6/22	600.41	5.63	594.78	0.36 J	ND	3.6 J	0.22 J	15	29	27	10	76.2	-32.50		
10/7/22	600.41	5.80	594.61	ND	ND	ND	0.22 J	13	15	34	7.2	69.4	-15.00		
1/5/23	600.41	4.73	595.68	0.25 J	ND	ND	0.16 J	11	16	31	9.4	67.8	-22.50		
4/6/23	600.41	4.60	595.81	0.39 J	ND	ND	ND	10 J	16	19 J	10	55.4	-52.50		
7/25/23	600.41	5.60	594.81	0.22 J	ND	3 J	0 J	12	17	23	17	71.9	-42.50		
10/3/23	600.41	6.05	594.36	ND	ND	5.7	ND	11	12	12	8.5	49.2	-70.00		
1/12/24	600.41	5.34	595.07	0.22 J	ND	ND	ND	11	13	12 J	8.7	44.9	-70.00		
2/5/18	600.50	4.52	595.98	ND	2.2 J	ND	ND	ND	ND	0.44 J	ND	9	2.64	Baseline	
Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019															
7/16/19	600.50	NG	NG	ND	3 J	ND	ND	ND	ND	ND	ND	ND	3.0	-100.00	
Potassium Permanganate Injections October 1, 2019 - October 10, 2019															
10/24/2019*	600.50	NG	NG	ND	ND	<200	ND	ND	ND	ND	ND	ND	ND	-100.00	
4/15/20	600.50	4.41	596.09	ND	ND	11	ND	ND	ND	ND	ND	ND	11.0	-100.00	
4/14/21	600.50	4.86	595.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
7/1/21	600.50	5.35	595.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
11/19/21	600.50	4.10	596.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
1/12/22	600.50	4.58	595.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
4/5/22	600.50	4.41	596.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
7/6/22	600.50	4.10	596.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
10/7/22	600.50	5.04	595.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
1/5/23	600.50	3.54	596.96	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
4/6/23	600.50	3.76	596.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
7/25/23	600.50	4.71	595.79	ND	ND	ND	ND	ND	ND	0.20 J	ND	0.2	-54.55		
10/3/23	600.50	5.39	595.11	ND	ND	ND	ND	ND	ND	0.18 J	ND	0.2	-59.09		
1/12/24	600.50	4.14	596.36	1	ND	ND	ND	ND	ND	ND	ND	0.0	-100.00		
2/5/18	600.31	4.44	595.87	1	ND	ND	ND	180	4.1	160	25	371.3	Baseline		
Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019															
7/16/19	600.31	NG	NG	1.20 J	ND	ND	ND	400	3.9 J	78	56	539.1	-51.25		
Potassium Permanganate Injections October 1, 2019 - October 10, 2019															
10/24/2019*	600.31	NG	NG	<1	ND	28	ND	97	2	240	2	369.00	50.00		
4/15/20	600.31	3.70	596.61	0.73	ND	3.2 J	ND	200	4.4	140 JH	55	403.33	-12.50		
4/14/21	600.31	4.13	596.18	0.69	ND	ND	ND	150	1.7 J	95	70	317.39	-40.63		
7/1/21	600.31	4.60	595.71	1.5	ND	ND	0.18 J	210	3.9	150	88	453.58	-6.25		
11/19/21	600.31	3.30	597.01	0.45 J	ND	ND	ND	50	ND	73	20	143.45	-54.38		
1/12/22	600.31	3.85	596.46	1.1	ND	ND	ND	140	1.8 J	74	54	270.90	-53.75		
4/5/22	600.31	3.80	596.51	0.9	ND	ND	ND	130	1.8 J	59	75	266.70	-63.13		
7/6/22	600.31	4.11	596.20	0.73	ND	ND	ND	110	1.7 J	89	51	252.43	-34.38		
10/7/22	600.31	5.66	594.65	0.53	1.9 J	ND	ND	85	1.2 J	72	39	199.63	-55.00		
1/5/23	600.31	2.62	597.69	0.19 J	ND	ND	ND	40	ND	35	6	81.19	-78.13		
4/6/23	600.31	3.10	597.21	0.22 J	ND	ND	ND	42 J	ND	32 J	15	89.22	-80.00		
7/25/23	600.31	3.98	596.33	0.55	ND	ND	ND	89	1 J	90	35	215.85	-43.75		
10/3/23	600.31	6.70	593.61	0.55	ND	ND	ND	90	1.1 J	71	35	197.65	-55.63		
1/12/24	600.31	3.11	597.20	0.18 J	ND	ND	ND	35	ND	36	9	80.28	-77.50		

Notes:

1. NG = Not Gauged; NT = Not Tested; ND = Non-Detect; J = Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs). ; H = The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection;
2. Water Levels measured from top of riser
3. Blue Shading = Result exceeds NY-TOGS-GA for TCE
4. RED BOLDDED = Percent increase of TCE from Baseline
5. BLUE BOLDDED = Result changed as a result of data validation.
6. Data Validation was not performed on the following sample dates: 7/16/19 (sampled by others), 10/24/19 (sampled by others), 7/1/21, 11/19/21, 1/12/22.
7. 10/24/2019 data analyzed by eurofins Lancaster Laboratories Environmental, all other data analyzed by Alpha Analytical
8. QA/QC Results not included on this table, please see full analytical report.

**ATTACHMENT C**

Well Data Sheets



Well Data Sheet

Date: 01/12/24  
Well ID: SB216/MW-3  
Crew: RH, CS  
Well Depth (TOR): 15.0  
Well Depth (GS): 15.6  
Initial Water Level (TOR): 5.28  
Initial Water Level (GS): 5.88

Job #: 013011

Volume Calculation:  $(15.0 - 5.28) \times 0.163 = 1.584$  (1.584 x 3 = 4.753)  
DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
9:45	1 gal	7.45	1.58	14.59	27.70
10:06	3 gal	7.31	1.40	14.53	1.2
10:34	5 gal	7.30	1.32	14.76	0.0

Purge Method: Bailer/Submersible Pump  
Initial Water Quality poor  
Final Water Quality good

SAMPLE RECORD

Date: 01/12/24  
Time: 10:34  
Crew: RH, CS  
Method: low flow  
Sample ID: MW-3  
Water Quality: good  
pH: 7.30  
Conductivity: 1.32  
Temperature: 14.76  
Turbidity: 0.0

Volume: see chain  
Analysis: "  
Chain of Custody #: -  
Sample Type: Grab

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: headspace PPD - 3.4 PPM

TOR= Top of Riser  
GS= Ground Surface

Signature: Ryker Hooker





Well Data Sheet

Date: 01/12/24 Job #: 01304  
 Well ID: MW-11  
 Crew: RH CS  
 Well Depth (TOR): 15.05  
 Well Depth (GS): 15.88  
 Initial Water Level (TOR): 5.34  
 Initial Water Level (GS): 6.17

Volume Calculation:  $(15.05 - 5.34) \times 0.041 = .39811$

DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
10:54	.5 gal	7.39	2.51	12.73	29.2
11:04	.75 gal	7.37	2.39	12.97	55.66
11:14	1 gal	7.18	2.62	13.65	18.4

Purge Method: Bailer/Submersible Pump  
 Initial Water Quality good  
 Final Water Quality good

SAMPLE RECORD

Date: 01/12/24 Volume: see chain  
 Time: 11:14 Analysis: "  
 Crew: RH, CS Chain of Custody #: -  
 Method: low flow Sample Type: Grab  
 Sample ID: MW-11  
 Water Quality: good  
 pH: 7.18  
 Conductivity: 2.62  
 Temperature: 13.65  
 Turbidity: 18.4

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: headspace PID - 0.7 PPM

TOR= Top of Riser  
 GS= Ground Surface

Signature: Ryker Hooker



Well Data Sheet

MS and MSD

Date: 01/12/24 Job #: 01304  
 Well ID: NW-12  
 Crew: RH CS  
 Well Depth (TOR): 14.7  
 Well Depth (GS): 15.2  
 Initial Water Level (TOR): 4.14  
 Initial Water Level (GS): 4.64

Volume Calculation:  $(14.7 - 4.14) \times 0.041 = 0.4329$   
 DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
11:50	1 gal	7.29	1.35	13.08	4.5
11:57	1.5 gal	7.28	1.37	13.12	0.0
12:04	2 gal	7.29	1.37	13.13	0.0

Purge Method: Bailer/Submersible Pump  
 Initial Water Quality: good  
 Final Water Quality: good

SAMPLE RECORD

Date: 01/12/24 Volume: see chain  
 Time: 12:04 Analysis: "  
 Crew: RH CS Chain of Custody #: -  
 Method: low flow Sample Type: Grab  
 Sample ID: NW-12  
 Water Quality: good  
 pH: 7.29  
 Conductivity: 1.37  
 Temperature: 13.13  
 Turbidity: 0.0

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: headspace P&D - 0.0

TOR= Top of Riser  
 GS= Ground Surface

Signature: Ryker Hooker



Well Data Sheet

Date: 01/12/24 Job #: 01304  
 Well ID: MW-13  
 Crew: RH, CS  
 Well Depth (TOR): 14.23  
 Well Depth (GS): 14.93  
 Initial Water Level (TOR): 3.11  
 Initial Water Level (GS): 3.81

Volume Calculation:  $(14.23 - 3.11) \times 0.041 = .4559$   
 DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
12:35	1 gal	7.96	1.03	10.73	18.34
12:44	1.5 gal	7.67	1.08	10.63	6.2
12:52	2 gal	7.11	1.13	10.54	5.3

Purge Method: Bailer/Submersible Pump  
 Initial Water Quality Fair  
 Final Water Quality good

SAMPLE RECORD

Date: 01/12/24 Volume: see chain  
 Time: 12:52 Analysis: "  
 Crew: RH CS Chain of Custody #: -  
 Method: low flow Sample Type: Grab  
 Sample ID: MW-13  
 Water Quality: good  
 pH: 7.11  
 Conductivity: 1.13  
 Temperature: 10.54  
 Turbidity: 5.3

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: headspace PED - 0.0

TOR= Top of Riser  
 GS= Ground Surface

Signature: Rylee Hooker



Well Data Sheet

Date: 01/12/24

Job #: 01304

Well ID: MW-14

Crew: RH CS

Well Depth (TOR): 9.7

Well Depth (GS): 10.16

Initial Water Level (TOR): 6.25

Initial Water Level (GS): 6.71

Volume Calculation: NO SAMPLE

DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump

Initial Water Quality

Final Water Quality

SAMPLE RECORD

Date: 01/12/24

Volume:

Time:

Analysis:

Crew:

Chain of Custody #:

Method:

Sample Type:

Sample ID:

Water Quality:

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

pH:

Conductivity:

Temperature:

Turbidity:

Comments: headspace PID - 0.0

TOR= Top of Riser  
GS= Ground Surface

Signature: Ryan Hooker





Well Data Sheet

Date: 01112124

Job #: 01304

Well ID: MW-15

Crew: RH, CS

Well Depth (TOR): 10.92

Well Depth (GS): 10.72

Initial Water Level (TOR): 5.05

Initial Water Level (GS): 5.25

Volume Calculation: NO SAMPLE

DTB-DTW\*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump

Initial Water Quality

Final Water Quality

SAMPLE RECORD

Date: 01112124

Volume:

Time:

Analysis:

Crew:

Chain of Custody #:

Method:

Sample Type:

Sample ID:

Water Quality:

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.387
4"	0.653
6"	1.468
8"	2.61

pH:

Conductivity:

Temperature:

Turbidity:

Comments: headspace PID- 0.0

TOR= Top of Riser

GS= Ground Surface

Signature: Ryan Hooker

**ATTACHMENT D**

Analytical Laboratory Reports





## ANALYTICAL REPORT

Lab Number:	L2402604
Client:	Environmental Advantage, Inc. 3636 North Buffalo Road Orchard Park, NY 14127
ATTN:	Mark Hanna
Phone:	(716) 667-3130
Project Name:	MPC Q1 GW SAMPLING
Project Number:	01304
Report Date:	01/18/24

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2402604-01	MW-3 (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 10:34	01/16/24
L2402604-02	MW-11 (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 11:14	01/16/24
L2402604-03	MW-11 (011224) DUPLICATE	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 11:14	01/16/24
L2402604-04	MW-12 (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 12:14	01/16/24
L2402604-05	MW-13 (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 12:52	01/16/24
L2402604-06	TRIP BLANK (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 00:00	01/16/24
L2402604-07	RINSTATE BLANK (011224)	WATER	MODPAC CORP. BUFFALO, NY	01/12/24 12:52	01/16/24

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

### Case Narrative (continued)

#### Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

#### Sample Receipt

L2402604-01: The sample identified as "MW-3 (011223)" on the chain of custody was identified as "MW-3 (011224)" on the container label. At the client's request, the sample is reported as "MW-3 (011224)".

L2402604-02: The sample identified as "MW-11 (011223)" on the chain of custody was identified as "MW-11 (011224)" on the container label. At the client's request, the sample is reported as "MW-11 (011224)".

L2402604-03: The sample identified as "MW-11 (011223) DUPLICATE" on the chain of custody was identified as "MW-11 (011224) DUPLICATE" on the container label. At the client's request, the sample is reported as "MW-11 (011224) DUPLICATE".

L2402604-04: The sample identified as "MW-12 (011223)" on the chain of custody was identified as "MW-12 (011224)" on the container label. At the client's request, the sample is reported as "MW-12 (011224)".

L2402604-05: The sample identified as "MW-13 (011223)" on the chain of custody was identified as "MW-13 (011224)" on the container label. At the client's request, the sample is reported as "MW-13 (011224)".

L2402604-06: The sample identified as "TRIP BLANK (011223)" on the chain of custody was identified as "TRIP BLANK (011224)" on the container label. At the client's request, the sample is reported as "TRIP BLANK (011224)".

L2402604-07: The sample identified as "RINSTATE BLANK (011223)" on the chain of custody was identified as "RINSTATE BLANK (011224)" on the container label. At the client's request, the sample is reported as "RINSTATE BLANK (011224)".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Kelly O'Neill

Title: Technical Director/Representative

Date: 01/18/24

# ORGANICS

# VOLATILES



**Project Name:** MPC Q1 GW SAMPLING**Lab Number:** L2402604**Project Number:** 01304**Report Date:** 01/18/24**SAMPLE RESULTS**

Lab ID: L2402604-01 D  
 Client ID: MW-3 (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 10:34  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 20:41  
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	5.0	1.4	2
1,1-Dichloroethane	ND		ug/l	5.0	1.4	2
Chloroform	ND		ug/l	5.0	1.4	2
Carbon tetrachloride	ND		ug/l	1.0	0.27	2
1,2-Dichloropropane	ND		ug/l	2.0	0.27	2
Dibromochloromethane	ND		ug/l	1.0	0.30	2
1,1,2-Trichloroethane	ND		ug/l	3.0	1.0	2
Tetrachloroethene	ND		ug/l	1.0	0.36	2
Chlorobenzene	ND		ug/l	5.0	1.4	2
Trichlorofluoromethane	ND		ug/l	5.0	1.4	2
1,2-Dichloroethane	ND		ug/l	1.0	0.26	2
1,1,1-Trichloroethane	ND		ug/l	5.0	1.4	2
Bromodichloromethane	ND		ug/l	1.0	0.38	2
trans-1,3-Dichloropropene	ND		ug/l	1.0	0.33	2
cis-1,3-Dichloropropene	ND		ug/l	1.0	0.29	2
Bromoform	ND		ug/l	4.0	1.3	2
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.33	2
Benzene	ND		ug/l	1.0	0.32	2
Toluene	ND		ug/l	5.0	1.4	2
Ethylbenzene	ND		ug/l	5.0	1.4	2
Chloromethane	ND		ug/l	5.0	1.4	2
Bromomethane	ND		ug/l	5.0	1.4	2
Vinyl chloride	1.7	J	ug/l	2.0	0.14	2
Chloroethane	ND		ug/l	5.0	1.4	2
1,1-Dichloroethene	0.35	J	ug/l	1.0	0.34	2
trans-1,2-Dichloroethene	5.4		ug/l	5.0	1.4	2
Trichloroethene	330		ug/l	1.0	0.35	2
1,2-Dichlorobenzene	ND		ug/l	5.0	1.4	2

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-01 D  
 Client ID: MW-3 (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 10:34  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	5.0	1.4	2
1,4-Dichlorobenzene	ND		ug/l	5.0	1.4	2
Methyl tert butyl ether	ND		ug/l	5.0	1.4	2
p/m-Xylene	ND		ug/l	5.0	1.4	2
o-Xylene	ND		ug/l	5.0	1.4	2
cis-1,2-Dichloroethene	66		ug/l	5.0	1.4	2
Styrene	ND		ug/l	5.0	1.4	2
Dichlorodifluoromethane	ND		ug/l	10	2.0	2
Acetone	ND		ug/l	10	2.9	2
Carbon disulfide	ND		ug/l	10	2.0	2
2-Butanone	ND		ug/l	10	3.9	2
4-Methyl-2-pentanone	ND		ug/l	10	2.0	2
2-Hexanone	ND		ug/l	10	2.0	2
Bromochloromethane	ND		ug/l	5.0	1.4	2
1,2-Dibromoethane	ND		ug/l	4.0	1.3	2
1,2-Dibromo-3-chloropropane	ND		ug/l	5.0	1.4	2
Isopropylbenzene	ND		ug/l	5.0	1.4	2
1,2,3-Trichlorobenzene	ND		ug/l	5.0	1.4	2
1,2,4-Trichlorobenzene	ND		ug/l	5.0	1.4	2
Methyl Acetate	ND		ug/l	4.0	0.47	2
Cyclohexane	ND		ug/l	20	0.54	2
1,4-Dioxane	ND		ug/l	500	120	2
Freon-113	ND		ug/l	5.0	1.4	2
Methyl cyclohexane	ND		ug/l	20	0.79	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	101		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-02  
 Client ID: MW-11 (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 11:14  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 20:18  
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	8.7		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.22	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	13		ug/l	2.5	0.70	1
Trichloroethene	12		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

**Lab ID:** L2402604-02  
**Client ID:** MW-11 (011224)  
**Sample Location:** MODPAC CORP. BUFFALO, NY

**Date Collected:** 01/12/24 11:14  
**Date Received:** 01/16/24  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	11		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	107		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-03  
 Client ID: MW-11 (011224) DUPLICATE  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 11:14  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 19:54  
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	0.18	J	ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	10		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.36	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	17		ug/l	2.5	0.70	1
Trichloroethene	32		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-03  
 Client ID: MW-11 (011224) DUPLICATE  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 11:14  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	13		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	107		70-130



**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

**Lab ID:** L2402604-04  
**Client ID:** MW-12 (011224)  
**Sample Location:** MODPAC CORP. BUFFALO, NY

**Date Collected:** 01/12/24 12:14  
**Date Received:** 01/16/24  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 01/17/24 19:30  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

**Lab ID:** L2402604-04  
**Client ID:** MW-12 (011224)  
**Sample Location:** MODPAC CORP. BUFFALO, NY

**Date Collected:** 01/12/24 12:14  
**Date Received:** 01/16/24  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	107		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-05  
 Client ID: MW-13 (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 12:52  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 19:07  
 Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	9.1		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.18	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	36		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

**Lab ID:** L2402604-05  
**Client ID:** MW-13 (011224)  
**Sample Location:** MODPAC CORP. BUFFALO, NY

**Date Collected:** 01/12/24 12:52  
**Date Received:** 01/16/24  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	35		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	107		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-06  
 Client ID: TRIP BLANK (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 00:00  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 13:03  
 Analyst: RAW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-06  
 Client ID: TRIP BLANK (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 00:00  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	101		70-130



**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

Lab ID: L2402604-07  
 Client ID: RINSTATE BLANK (011224)  
 Sample Location: MODPAC CORP. BUFFALO, NY

Date Collected: 01/12/24 12:52  
 Date Received: 01/16/24  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260D  
 Analytical Date: 01/17/24 13:25  
 Analyst: RAW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**SAMPLE RESULTS**

**Lab ID:** L2402604-07  
**Client ID:** RINSTATE BLANK (011224)  
**Sample Location:** MODPAC CORP. BUFFALO, NY

**Date Collected:** 01/12/24 12:52  
**Date Received:** 01/16/24  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	101		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 08:15  
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 06-07 Batch: WG1875208-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 08:15  
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 06-07 Batch: WG1875208-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 08:15  
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 06-07 Batch: WG1875208-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	101		70-130

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 17:08  
Analyst: MAG

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG1875586-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 17:08  
Analyst: MAG

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG1875586-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40



**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 01/17/24 17:08  
Analyst: MAG

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG1875586-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	105		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Lab Number: L2402604

Project Number: 01304

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 06-07 Batch: WG1875208-3 WG1875208-4								
Methylene chloride	96		99		70-130	3		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	99		100		70-130	1		20
Carbon tetrachloride	95		96		63-132	1		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	93		95		63-130	2		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	97		96		70-130	1		20
Chlorobenzene	100		100		75-130	0		20
Trichlorofluoromethane	110		110		62-150	0		20
1,2-Dichloroethane	97		99		70-130	2		20
1,1,1-Trichloroethane	94		96		67-130	2		20
Bromodichloromethane	95		97		67-130	2		20
trans-1,3-Dichloropropene	98		99		70-130	1		20
cis-1,3-Dichloropropene	94		96		70-130	2		20
Bromoform	96		95		54-136	1		20
1,1,2,2-Tetrachloroethane	110		110		67-130	0		20
Benzene	98		100		70-130	2		20
Toluene	100		100		70-130	0		20
Ethylbenzene	100		100		70-130	0		20
Chloromethane	110		120		64-130	9		20
Bromomethane	92		98		39-139	6		20
Vinyl chloride	120		120		55-140	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Lab Number: L2402604

Project Number: 01304

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 06-07 Batch: WG1875208-3 WG1875208-4								
Chloroethane	120		120		55-138	0		20
1,1-Dichloroethene	95		98		61-145	3		20
trans-1,2-Dichloroethene	98		99		70-130	1		20
Trichloroethene	98		98		70-130	0		20
1,2-Dichlorobenzene	110		100		70-130	10		20
1,3-Dichlorobenzene	110		100		70-130	10		20
1,4-Dichlorobenzene	110		100		70-130	10		20
Methyl tert butyl ether	90		94		63-130	4		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	100		100		70-130	0		20
cis-1,2-Dichloroethene	98		99		70-130	1		20
Styrene	100		100		70-130	0		20
Dichlorodifluoromethane	130		130		36-147	0		20
Acetone	92		98		58-148	6		20
Carbon disulfide	95		98		51-130	3		20
2-Butanone	95		100		63-138	5		20
4-Methyl-2-pentanone	92		92		59-130	0		20
2-Hexanone	92		92		57-130	0		20
Bromochloromethane	97		99		70-130	2		20
1,2-Dibromoethane	96		99		70-130	3		20
1,2-Dibromo-3-chloropropane	100		99		41-144	1		20
Isopropylbenzene	100		100		70-130	0		20
1,2,3-Trichlorobenzene	100		99		70-130	1		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Project Number: 01304

Lab Number: L2402604

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 06-07 Batch: WG1875208-3 WG1875208-4								
1,2,4-Trichlorobenzene	100		99		70-130	1		20
Methyl Acetate	93		99		70-130	6		20
Cyclohexane	91		91		70-130	0		20
1,4-Dioxane	144		142		56-162	1		20
Freon-113	90		92		70-130	2		20
Methyl cyclohexane	87		87		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	101		103		70-130
Toluene-d8	106		104		70-130
4-Bromofluorobenzene	102		101		70-130
Dibromofluoromethane	98		100		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Lab Number: L2402604

Project Number: 01304

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG1875586-3 WG1875586-4								
Methylene chloride	96		100		70-130	4		20
1,1-Dichloroethane	98		98		70-130	0		20
Chloroform	94		94		70-130	0		20
Carbon tetrachloride	100		98		63-132	2		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	95		98		63-130	3		20
1,1,2-Trichloroethane	92		96		70-130	4		20
Tetrachloroethene	120		110		70-130	9		20
Chlorobenzene	110		110		75-130	0		20
Trichlorofluoromethane	110		100		62-150	10		20
1,2-Dichloroethane	90		95		70-130	5		20
1,1,1-Trichloroethane	100		96		67-130	4		20
Bromodichloromethane	92		96		67-130	4		20
trans-1,3-Dichloropropene	92		96		70-130	4		20
cis-1,3-Dichloropropene	94		97		70-130	3		20
Bromoform	92		100		54-136	8		20
1,1,2,2-Tetrachloroethane	85		98		67-130	14		20
Benzene	100		100		70-130	0		20
Toluene	100		100		70-130	0		20
Ethylbenzene	110		100		70-130	10		20
Chloromethane	84		87		64-130	4		20
Bromomethane	77		85		39-139	10		20
Vinyl chloride	100		100		55-140	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Lab Number: L2402604

Project Number: 01304

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG1875586-3 WG1875586-4								
Chloroethane	120		120		55-138	0		20
1,1-Dichloroethene	96		99		61-145	3		20
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	98		97		70-130	1		20
1,2-Dichlorobenzene	110		120		70-130	9		20
1,3-Dichlorobenzene	120		120		70-130	0		20
1,4-Dichlorobenzene	120		120		70-130	0		20
Methyl tert butyl ether	85		96		63-130	12		20
p/m-Xylene	110		110		70-130	0		20
o-Xylene	110		110		70-130	0		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	110		105		70-130	5		20
Dichlorodifluoromethane	100		100		36-147	0		20
Acetone	69		83		58-148	18		20
Carbon disulfide	100		100		51-130	0		20
2-Butanone	70		88		63-138	23	Q	20
4-Methyl-2-pentanone	78		89		59-130	13		20
2-Hexanone	75		86		57-130	14		20
Bromochloromethane	100		110		70-130	10		20
1,2-Dibromoethane	90		97		70-130	7		20
1,2-Dibromo-3-chloropropane	80		96		41-144	18		20
Isopropylbenzene	110		110		70-130	0		20
1,2,3-Trichlorobenzene	86		100		70-130	15		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: MPC Q1 GW SAMPLING

Project Number: 01304

Lab Number: L2402604

Report Date: 01/18/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG1875586-3 WG1875586-4								
1,2,4-Trichlorobenzene	99		110		70-130	11		20
Methyl Acetate	80		99		70-130	21	Q	20
Cyclohexane	100		97		70-130	3		20
1,4-Dioxane	80		96		56-162	18		20
Freon-113	100		98		70-130	2		20
Methyl cyclohexane	100		93		70-130	7		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	93		96		70-130
Toluene-d8	103		101		70-130
4-Bromofluorobenzene	101		102		70-130
Dibromofluoromethane	96		99		70-130



## Matrix Spike Analysis

*Batch Quality Control*

**Project Name:** MPC Q1 GW SAMPLING

**Lab Number:** L2402604

**Project Number:** 01304

**Report Date:** 01/18/24

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG1875586-6 WG1875586-7 QC Sample: L2402604-04 Client ID: MW-12 (011224)												
Methylene chloride	ND	10	11	110		9.6	96		70-130	14		20
1,1-Dichloroethane	ND	10	11	110		9.8	98		70-130	12		20
Chloroform	ND	10	10	100		9.4	94		70-130	6		20
Carbon tetrachloride	ND	10	11	110		10	100		63-132	10		20
1,2-Dichloropropane	ND	10	11	110		10	100		70-130	10		20
Dibromochloromethane	ND	10	11	110		10	100		63-130	10		20
1,1,2-Trichloroethane	ND	10	10	100		10	100		70-130	0		20
Tetrachloroethene	ND	10	12	120		12	120		70-130	0		20
Chlorobenzene	ND	10	12	120		11	110		75-130	9		20
Trichlorofluoromethane	ND	10	12	120		10	100		62-150	18		20
1,2-Dichloroethane	ND	10	10	100		9.4	94		70-130	6		20
1,1,1-Trichloroethane	ND	10	11	110		9.9	99		67-130	11		20
Bromodichloromethane	ND	10	10	100		9.3	93		67-130	7		20
trans-1,3-Dichloropropene	ND	10	10	100		9.2	92		70-130	8		20
cis-1,3-Dichloropropene	ND	10	10	100		9.2	92		70-130	8		20
Bromoform	ND	10	10	100		9.8	98		54-136	2		20
1,1,2,2-Tetrachloroethane	ND	10	10	100		9.5	95		67-130	5		20
Benzene	ND	10	11	110		10	100		70-130	10		20
Toluene	ND	10	11	110		11	110		70-130	0		20
Ethylbenzene	ND	10	12	120		11	110		70-130	9		20
Chloromethane	ND	10	9.5	95		9.0	90		64-130	5		20
Bromomethane	ND	10	4.7	47		4.4	44		39-139	7		20
Vinyl chloride	ND	10	12	120		10	100		55-140	18		20

## Matrix Spike Analysis

*Batch Quality Control*

**Project Name:** MPC Q1 GW SAMPLING

**Lab Number:** L2402604

**Project Number:** 01304

**Report Date:** 01/18/24

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG1875586-6 WG1875586-7 QC Sample: L2402604-04 Client ID: MW-12 (011224)												
Chloroethane	ND	10	13	130		12	120		55-138	8		20
1,1-Dichloroethene	ND	10	11	110		9.8	98		61-145	12		20
trans-1,2-Dichloroethene	ND	10	11	110		10	100		70-130	10		20
Trichloroethene	ND	10	11	110		9.9	99		70-130	11		20
1,2-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
1,3-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
1,4-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
Methyl tert butyl ether	ND	10	11	110		9.8	98		63-130	12		20
p/m-Xylene	ND	20	23	115		22	110		70-130	4		20
o-Xylene	ND	20	23	115		22	110		70-130	4		20
cis-1,2-Dichloroethene	ND	10	11	110		10	100		70-130	10		20
Styrene	ND	20	23	115		21	105		70-130	9		20
Dichlorodifluoromethane	ND	10	11	110		10	100		36-147	10		20
Acetone	ND	10	9.3	93		8.2	82		58-148	13		20
Carbon disulfide	ND	10	11	110		10	100		51-130	10		20
2-Butanone	ND	10	9.4	94		8.3	83		63-138	12		20
4-Methyl-2-pentanone	ND	10	9.8	98		9.4	94		59-130	4		20
2-Hexanone	ND	10	9.0	90		8.3	83		57-130	8		20
Bromochloromethane	ND	10	12	120		10	100		70-130	18		20
1,2-Dibromoethane	ND	10	10	100		9.9	99		70-130	1		20
1,2-Dibromo-3-chloropropane	ND	10	9.5	95		9.1	91		41-144	4		20
Isopropylbenzene	ND	10	12	120		11	110		70-130	9		20
1,2,3-Trichlorobenzene	ND	10	11	110		10	100		70-130	10		20

## Matrix Spike Analysis

*Batch Quality Control*

**Project Name:** MPC Q1 GW SAMPLING

**Lab Number:** L2402604

**Project Number:** 01304

**Report Date:** 01/18/24

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 QC Batch ID: WG1875586-6 WG1875586-7 QC Sample: L2402604-04 Client ID: MW-12 (011224)												
1,2,4-Trichlorobenzene	ND	10	12	120		11	110		70-130	9		20
Methyl Acetate	ND	10	9.4	94		7.6	76		70-130	21	Q	20
Cyclohexane	ND	10	11	110		9.7J	97		70-130	13		20
1,4-Dioxane	ND	500	460	92		460	92		56-162	0		20
Freon-113	ND	10	10	100		9.6	96		70-130	4		20
Methyl cyclohexane	ND	10	9.9J	99		9.4J	94		70-130	5		20

<b>Surrogate</b>	<b>MS</b>		<b>MSD</b>		<b>Acceptance Criteria</b>
	<b>% Recovery</b>	<b>Qualifier</b>	<b>% Recovery</b>	<b>Qualifier</b>	
1,2-Dichloroethane-d4	97		94		70-130
4-Bromofluorobenzene	99		102		70-130
Dibromofluoromethane	99		95		70-130
Toluene-d8	102		104		70-130

**Project Name:** MPC Q1 GW SAMPLING**Lab Number:** L2402604**Project Number:** 01304**Report Date:** 01/18/24**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2402604-01A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-01B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-01C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-02A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-02B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-02C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-03A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-03B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-03C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04A1	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04A2	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04B1	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04B2	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04C1	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-04C2	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-05A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-05B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-05C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-06A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-06B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)

**Project Name:** MPC Q1 GW SAMPLING

**Project Number:** 01304

Serial\_No:01182419:16

**Lab Number:** L2402604

**Report Date:** 01/18/24

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2402604-07A	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-07B	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)
L2402604-07C	Vial HCl preserved	A	NA		3.4	Y	Absent		NYTCL-8260-R2(14)

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers





**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

#### Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

**Project Name:** MPC Q1 GW SAMPLING  
**Project Number:** 01304

**Lab Number:** L2402604  
**Report Date:** 01/18/24

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene

**EPA 625.1:** alpha-Terpineol

**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

### Mansfield Facility

**SM 2540D:** TSS.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).

**Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

**EPA 522, EPA 537.1.**

#### Non-Potable Water


**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1** Hg.

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 <b>NEW YORK CHAIN OF CUSTODY</b>	<b>Service Centers</b> Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	<b>Page</b> 1 of 1	<b>Date Rec'd in Lab</b> 1/17/24	<b>ALPHA Job #</b> L2402604			
	Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288	<b>Project Information</b> Project Name: MPC Q1 Groundwater Sampling Project Location: MDDPAC corp. Buffalo, NY Project # 01304 (Use Project name as Project #) <input type="checkbox"/>		<b>Deliverables</b> <input type="checkbox"/> ASP-A <input checked="" type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input checked="" type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other	<b>Billing Information</b> <input checked="" type="checkbox"/> Same as Client Info PO # 01304	
<b>Client Information</b> Client: Environment Advantage, Inc. Address: 3636 North Buffalo Rd Orchard Park, NY, 14127 Phone: (716) 667-3130 Fax: (716) 667-3156 Email: mhanna@envadvantage.com		<b>Regulatory Requirement</b> <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge		<b>Disposal Site Information</b> Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:			
<b>Turn-Around Time</b> Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		<b>ANALYSIS</b>		<b>Sample Filtration</b> <input type="checkbox"/> Done <input type="checkbox"/> Lab to do <input type="checkbox"/> Lab to do (Please Specify below)			
These samples have been previously analyzed by Alpha <input type="checkbox"/>		Other project specific requirements/comments: please also email results to labresults@envadvantage.com Please specify Metals or TAL.		ANALYSIS TABLE: VOCs 8260 TCI		Total	
ALPHA Lab ID (Lab Use Only)    Sample ID    Collection Date    Time    Sample Matrix    Sampler's Initials						Bot	
02604-01    MW-3 (011223)    01/12/23    10:34    GW    RH    X							
-02    MW-11 (011223)    01/12/23       GW    RH    X							
-03    MW-11 (011223) duplicate    01/12/23       GW    RH    X							
-04    MW-12 (011223)    01/12/23       GW    RH    X							
↓    MW-12 (011223) MS    01/12/23       GW    RH    X							
↓    MW-12 (011223) MSD    01/12/23       GW    RH    X							
-05    MW-13 (011223)    01/12/23       GW    RH    X							
-06    Trip Blank (011223)    01/12/23       GW    RH    X							
-07    Rinse blank (011223)    01/12/23       GW    RH    X							
<b>Preservative Code:</b> A = None B = HCl C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> K/E = Zn Ac/NaOH O = Other		<b>Container Code</b> P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015			
Container Type V		Preservative B		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)			
Relinquished By: <u>Thylen Hooten</u> Date/Time: <u>01/16/24 13:31</u>		Received By: <u>T. Balkin AAL</u> Date/Time: <u>1/16/24 13:31</u>					
Relinquished By: <u>Tom Balkin</u> Date/Time: <u>1/16/24 16:20</u>		Received By: <u>[Signature]</u> Date/Time: <u>1/17/24 0140</u>					



## ANALYTICAL REPORT

Lab Number:	L2413550
Client:	Environmental Advantage, Inc. 3636 North Buffalo Road Orchard Park, NY 14127
ATTN:	Mark Hanna
Phone:	(716) 667-3130
Project Name:	Q1 2024 SSDS MONITORING
Project Number:	01304
Report Date:	03/29/24

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110), NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #A24920).

---

320 Forbes Boulevard, Mansfield, MA 02048-1806  
508-822-9300 (Fax) 508-822-3288 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2413550-01	AREA A-PRE(031224)	SOIL_VAPOR	MPC BUFFALO NY	03/12/24 12:45	03/13/24
L2413550-02	AREA A-POST(031224)	SOIL_VAPOR	MPC BUFFALO NY	03/12/24 12:45	03/13/24

**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### Case Narrative (continued)

Volatile Organics in Air

L2413550-01: Samples were transferred from a Tedlar bag into a fused silica lined canister upon receipt in order to extend the holding time for analysis.

L2413550-02: Samples were transferred from a Tedlar bag into a fused silica lined canister upon receipt in order to extend the holding time for analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 03/29/24



**AIR**

**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### SAMPLE RESULTS

Lab ID: L2413550-01  
 Client ID: AREA A-PRE(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:  
 Matrix: Soil\_Vapor  
 Analytical Method: 48,TO-15  
 Analytical Date: 03/29/24 01:39  
 Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
<b>Volatile Organics in Air - Mansfield Lab</b>								
Dichlorodifluoromethane	0.442	0.200	--	2.19	0.989	--		1
Chloromethane	0.671	0.200	--	1.39	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	56.7	5.00	--	107	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	99.3	1.00	--	236	2.38	--		1
Trichlorofluoromethane	0.500	0.200	--	2.81	1.12	--		1
Isopropanol	88.4	0.500	--	217	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	2.84	0.500	--	8.61	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	0.248	0.200	--	0.772	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	0.902	0.500	--	2.66	1.47	--		1
cis-1,2-Dichloroethene	0.590	0.200	--	2.34	0.793	--		1



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### SAMPLE RESULTS

Lab ID: L2413550-01  
 Client ID: AREA A-PRE(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
<b>Volatile Organics in Air - Mansfield Lab</b>								
Ethyl Acetate	12.8	0.500	--	46.1	1.80	--		1
Chloroform	0.382	0.200	--	1.87	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	3.16	0.200	--	11.1	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.324	0.200	--	1.04	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	28.2	0.200	--	152	1.07	--		1
2,2,4-Trimethylpentane	0.280	0.200	--	1.31	0.934	--		1
Heptane	1.98	0.200	--	8.11	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	2.91	0.200	--	11.0	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	0.727	0.200	--	3.16	0.869	--		1



**Project Name:** Q1 2024 SSDS MONITORING**Lab Number:** L2413550**Project Number:** 01304**Report Date:** 03/29/24**SAMPLE RESULTS**

Lab ID: L2413550-01  
 Client ID: AREA A-PRE(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	2.73	0.400	--	11.9	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	0.830	0.200	--	3.61	0.869	--		1
4-Ethyltoluene	0.573	0.200	--	2.82	0.983	--		1
1,3,5-Trimethylbenzene	0.911	0.200	--	4.48	0.983	--		1
1,2,4-Trimethylbenzene	2.22	0.200	--	10.9	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	101		60-140
Bromochloromethane	100		60-140
chlorobenzene-d5	99		60-140



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### SAMPLE RESULTS

Lab ID: L2413550-02  
 Client ID: AREA A-POST(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:  
 Matrix: Soil\_Vapor  
 Analytical Method: 48,TO-15  
 Analytical Date: 03/29/24 04:20  
 Analyst: JMB

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
<b>Volatile Organics in Air - Mansfield Lab</b>								
Dichlorodifluoromethane	0.583	0.200	--	2.88	0.989	--		1
Chloromethane	0.310	0.200	--	0.640	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	46.2	5.00	--	87.1	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	15.9	1.00	--	37.8	2.38	--		1
Trichlorofluoromethane	0.377	0.200	--	2.12	1.12	--		1
Isopropanol	178	0.500	--	438	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	3.65	0.500	--	11.1	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	0.278	0.200	--	0.866	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	1.07	0.200	--	4.24	0.793	--		1



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### SAMPLE RESULTS

Lab ID: L2413550-02  
 Client ID: AREA A-POST(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	11.5	0.500	--	41.4	1.80	--		1
Chloroform	0.910	0.200	--	4.44	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	1.72	0.200	--	9.24	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.222	0.200	--	0.910	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	1.22	0.200	--	4.60	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	0.358	0.200	--	1.55	0.869	--		1



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### SAMPLE RESULTS

Lab ID: L2413550-02  
 Client ID: AREA A-POST(031224)  
 Sample Location: MPC BUFFALO NY

Date Collected: 03/12/24 12:45  
 Date Received: 03/13/24  
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
<b>Volatile Organics in Air - Mansfield Lab</b>								
p/m-Xylene	1.37	0.400	--	5.95	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	0.406	0.200	--	1.76	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	0.256	0.200	--	1.26	0.983	--		1
1,2,4-Trimethylbenzene	0.622	0.200	--	3.06	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	95		60-140
Bromochloromethane	94		60-140
chlorobenzene-d5	95		60-140



Project Name: Q1 2024 SSDS MONITORING

Lab Number: L2413550

Project Number: 01304

Report Date: 03/29/24

### Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 03/28/24 15:10

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1902124-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1





Project Name: Q1 2024 SSDS MONITORING

Lab Number: L2413550

Project Number: 01304

Report Date: 03/29/24

### Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 03/28/24 15:10

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1902124-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: Q1 2024 SSDS MONITORING

Lab Number: L2413550

Project Number: 01304

Report Date: 03/29/24

### Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 03/28/24 15:10

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1902124-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** Q1 2024 SSDS MONITORING

**Project Number:** 01304

**Lab Number:** L2413550

**Report Date:** 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1902124-3								
Dichlorodifluoromethane	92		-		70-130	-		
Chloromethane	90		-		70-130	-		
Freon-114	100		-		70-130	-		
Vinyl chloride	90		-		70-130	-		
1,3-Butadiene	97		-		70-130	-		
Bromomethane	93		-		70-130	-		
Chloroethane	91		-		70-130	-		
Ethanol	90		-		40-160	-		
Vinyl bromide	88		-		70-130	-		
Acetone	90		-		40-160	-		
Trichlorofluoromethane	89		-		70-130	-		
Isopropanol	84		-		40-160	-		
1,1-Dichloroethene	93		-		70-130	-		
Tertiary butyl Alcohol	89		-		70-130	-		
Methylene chloride	93		-		70-130	-		
3-Chloropropene	97		-		70-130	-		
Carbon disulfide	87		-		70-130	-		
Freon-113	91		-		70-130	-		
trans-1,2-Dichloroethene	89		-		70-130	-		
1,1-Dichloroethane	91		-		70-130	-		
Methyl tert butyl ether	94		-		70-130	-		
2-Butanone	94		-		70-130	-		
cis-1,2-Dichloroethene	93		-		70-130	-		

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: Q1 2024 SSDS MONITORING

Lab Number: L2413550

Project Number: 01304

Report Date: 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1902124-3								
Ethyl Acetate	91		-		70-130	-		
Chloroform	93		-		70-130	-		
Tetrahydrofuran	93		-		70-130	-		
1,2-Dichloroethane	91		-		70-130	-		
n-Hexane	91		-		70-130	-		
1,1,1-Trichloroethane	93		-		70-130	-		
Benzene	91		-		70-130	-		
Carbon tetrachloride	97		-		70-130	-		
Cyclohexane	92		-		70-130	-		
1,2-Dichloropropane	90		-		70-130	-		
Bromodichloromethane	98		-		70-130	-		
1,4-Dioxane	100		-		70-130	-		
Trichloroethene	89		-		70-130	-		
2,2,4-Trimethylpentane	95		-		70-130	-		
Heptane	98		-		70-130	-		
cis-1,3-Dichloropropene	98		-		70-130	-		
4-Methyl-2-pentanone	99		-		70-130	-		
trans-1,3-Dichloropropene	99		-		70-130	-		
1,1,2-Trichloroethane	91		-		70-130	-		
Toluene	90		-		70-130	-		
2-Hexanone	106		-		70-130	-		
Dibromochloromethane	101		-		70-130	-		
1,2-Dibromoethane	96		-		70-130	-		

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** Q1 2024 SSDS MONITORING

**Project Number:** 01304

**Lab Number:** L2413550

**Report Date:** 03/29/24

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1902124-3								
Tetrachloroethene	88		-		70-130	-		
Chlorobenzene	92		-		70-130	-		
Ethylbenzene	92		-		70-130	-		
p/m-Xylene	94		-		70-130	-		
Bromoform	99		-		70-130	-		
Styrene	97		-		70-130	-		
1,1,2,2-Tetrachloroethane	96		-		70-130	-		
o-Xylene	96		-		70-130	-		
4-Ethyltoluene	95		-		70-130	-		
1,3,5-Trimethylbenzene	101		-		70-130	-		
1,2,4-Trimethylbenzene	98		-		70-130	-		
Benzyl chloride	91		-		70-130	-		
1,3-Dichlorobenzene	96		-		70-130	-		
1,4-Dichlorobenzene	94		-		70-130	-		
1,2-Dichlorobenzene	96		-		70-130	-		
1,2,4-Trichlorobenzene	83		-		70-130	-		
Naphthalene	93		-		70-130	-		
Hexachlorobutadiene	86		-		70-130	-		

**Project Name:** Q1 2024 SSDS MONITORING**Lab Number:** L2413550**Project Number:** 01304**Report Date:** 03/29/24**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information****Cooler**                      **Custody Seal**

NA                                      Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2413550-01A	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2413550-01X	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2413550-02A	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2413550-02X	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)

**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report





**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

#### **Data Qualifiers**

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

**Project Name:** Q1 2024 SSDS MONITORING  
**Project Number:** 01304

**Lab Number:** L2413550  
**Report Date:** 03/29/24

## REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene

**EPA 625.1:** alpha-Terpineol

**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

### Mansfield Facility

**SM 2540D:** TSS.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).

**Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

**EPA 522, EPA 537.1.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



# AIR ANALYSIS

PAGE 1 OF 1

Date Rec'd in Lab: 3/14/24

ALPHA Job #: L2413550

320 Forbes Blvd, Mansfield, MA 02048  
TEL: 508-822-9300 FAX: 508-822-3288

### Project Information

Project Name: Q12024 SSDS Monitoring

Project Location: MPC Buffalo NY

Project #: 01304

Project Manager: Mark Hanna + Mary Szostak

ALPHA Quote #:

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved)

Date Due: \_\_\_\_\_ Time: \_\_\_\_\_

### Report Information - Data Deliverables

FAX  
 ADEx  
Criteria Checker: \_\_\_\_\_  
(Default based on Regulatory Criteria Indicated)

Other Formats: \_\_\_\_\_  
 EMAIL (standard pdf report)  
 Additional Deliverables: \_\_\_\_\_

Report to: (if different than Project Manager)

### Billing Information

Same as Client info PO #: 01304

### Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

### Client Information

Client: Env. Advantage, INC.

Address: 3636 N. Buffalo Rd  
Orchard Park, NY 14127

Phone: 716 6673130

Fax: 716 6673156

Email: mhanna@envadvantage.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

### All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION					Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH <small>Solvent Non-petroleum HCs</small>	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum											
13550-01	Area A - Pre (03/12/24)	03/12/24	12:45	12:45	-	-	SV	OS	5L	-	-	X					
02	Area A - Post (03/12/24)	03/12/24	12:45	12:45	-	-	SV	OS	5L	-	-	X					

\*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)  
SV = Soil Vapor/Landfill Gas/SVE  
Other = Please Specify

Container Type Tedlar

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time:
<u>Ryan Hooker</u>	<u>3/13/24 10:20</u>	<u>R. Bishop</u>	<u>3-13-24 10:20</u>
<u>R. Bishop</u>	<u>3-13-24 12:58</u>	<u>[Signature]</u>	<u>3/14/24 0045</u>
<u>[Signature]</u>	<u>3/14/24 508</u>	<u>[Signature]</u> AAL	<u>3/14/24 0500</u>

[Signature] AAL 3/14/24 0638 [Signature] 3/14/24 0638