2023

Periodic Review Report

240 – 260 Lakefront Boulevard Site
NYSDEC Site #C915340

240 Lakefront Boulevard
City of Buffalo, Erie County, New York

Prepared for:
Lakefront Boulevard, LLC
50 Fountain Plaza
Buffalo, New York 14202

January 2023
Revision 01

Reporting Period:
December 4, 2021 to December 4, 2022

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

1 SITE OVERVIEW 3

1.1 GEOLOGY AND HYDROGEOLOGY 4
1.2 SITE HISTORY 5
1.3 SUMMARY OF SELECTED REMEDY 5
1.4 NATURE AND EXTENT OF REMAINING CONTAMINATION 6
1.4.1 SOIL 7
1.4.2 GROUNDWATER 8
1.4.3 SOIL VAPOR 8

2 IC/EC PLAN COMPLIANCE REPORT 10

2.1 IC/EC REQUIREMENTS AND COMPLIANCE 10
2.1.1 INSTITUTIONAL CONTROLS 10
2.1.2 ENGINEERING CONTROLS 11
2.2 IC/EC CERTIFICATION 12

3 SITE INSPECTION 12

3.1 REVIEW OF INSTITUTIONAL CONTROLS 12
3.2 REVIEW OF ENGINEERING CONTROLS 13
3.3 2023 CONSTRUCTION ACTIVITIES 13

4 CONCLUSIONS 15

4.1 COMPLIANCE WITH SITE MANAGEMENT PLAN 15
4.2 PERFORMANCE AND EFFECTIVENESS OF THE REMEDY 16

FIGURES

FIGURE 1 PROJECT AREA AND SITE BOUNDARIES

FIGURE 2 REMAINING SOIL CONTAMINATION

FIGURE 3 SITE WIDE COVER SYSTEM

FIGURE 4 CONSTRUCTION ACTIVITIES

APPENDICES

APPENDIX A ..... ENVIRONMENTAL EASEMENT
APPENDIX B ..... SITE INSPECTION FORMS
APPENDIX C ..... 2022 EXCAVATION WORK
APPENDIX C-1.....EXCAVATION WORK PLAN NOTIFICATION AND APPROVAL
APPENDIX C-2..... DAILY WORK LOGS
APPENDIX C-3..... WASTE MANIFESTS
APPENDIX C-4.....IMPORT MATERIAL TICKETS
APPENDIX C-5.....AIR MONITORING LOGS
APPENDIX C-6..... WASTE CHARACTERIZATION LABORATORY DATA
APPENDIX D.....INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM

ACRONYM LIST

AAR	ALTERNATIVES ANALYSIS REPORT
BCA	BROWNFIELD CLEANUP AGREEMENT
BCP	BROWNFIELD CLEANUP PROGRAM
BGS	BELOW GROUND SURFACE
DD	DECISION DOCUMENT
DER	DEPARTMENT OF ENVIRONMENTAL REMEDIATION
EC	ENGINEERING CONTROLS
HFM	HISTORIC FILL MATERIAL
IC	INSTITUTIONAL CONTROLS
NYSDEC	NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
NYSDOH	NEW YORK STATE DEPARTMENT OF HEALTH
PAH	POLYCYCLIC AROMATIC HYDROCARBONS

PCBs	Polychlorinated Biphenyls
PPM	Parts Per Million
RAOs	Remedial Action Objectives
RI	Remedial Investigation
SCOs	Soil Cleanup Objectives
Site	2.094-Acre portion of 240 Lakefront Boulevard, Buffalo, New York
SMP	Site Management Plan
SVOCs	Semi-volatile Organic Compounds
VOCs	Volatile Organic Compounds

EXECUTIVE SUMMARY

C&S Engineers, Inc. (C&S) has prepared this 2023 Periodic Review Report for a 2.094-acre portion of the 240 Lakefront Boulevard (hereinafter referred to as the Site) located at 240 Lakefront Boulevard in Buffalo, New York.

Lakefront Boulevard, LLC entered into a Brownfield Cleanup Agreement (BCA) on February 13, 2019 with the NYSDEC to remediate the Site. A figure showing the site location and boundaries of this site is provided in **Figure 1**. The boundaries of the site are more fully described in the metes and bounds site description that is part of the Environmental Easement provided in **Appendix A**.

Contamination consists of historic unregulated deposition of urban fill throughout the entire Site. The remedy for the Site consisted of the following:

- Removal and disposal of two feet of soil from across the Site;
- Placement of a two-foot clean cover across the Site;
- Removal and disposal of urban fill excavated during utility and foundation installations;
- Removal and disposal of a hotspot around TP-02 and EB-14; and
- Installation of passive soil vapor systems for all townhome buildings.

Areas with remaining contamination will be monitored and maintained as specified in the approved Site Management Plan (SMP).

The SMP was prepared by C&S Engineers, Inc. (C&S) on behalf of Lakefront Boulevard, LLC. , in accordance with the requirements of the NYSDEC's DER-10 ("Technical Guidance for Site Investigation and Remediation"), dated May 2010, and the guidelines provided by the NYSDEC. The SMP addresses the means for implementing the Intuitional Controls (ICs) and/or Engineering Controls (ECs) that are required by the Environmental Easement for the Site. A summary of the SMP is provided below.

Site Identification:	240 Lakefront Boulevard (SBL: 110.59-1-3.11) BCP Site No. C915340
Institutional Controls:	1. The property may be used for restricted residential use.
	2. All ECs must be inspected at a frequency and in a manner defined in the SMP.
	3. The use of groundwater underlying the Site is prohibited without necessary water quality treatment as determined by the NYSDOH or the Erie County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department.
	4. The potential for vapor intrusion must be evaluated for any buildings developed in the area within the IC boundaries**,** and any potential impacts that are identified must be monitored or mitigated.
	5. Compliance with the Department approved Site Management Plan and Periodic Review Reporting is required.
	6. The remedial party or site owner is required to complete and submit a periodic certification of institutional and engineering controls to the Department in accordance with 6NYCRR Part 375-1.8(h)(3).
Engineering Controls:	1. Soil Cover System: A site cover has been installed over the site in all areas exceeding applicable SCOs. The cover consists of two feet of clean soil in grassed areas and a hardscape (asphalt pavement and concrete floor slab) cover.

Site Identification:	240 Lakefront Boulevard (SBL: 110.59-1-3.11) BCP Site No. C915340
	2. Passive Soil Vapor System: The system underneath building floor slabs consists of a 10 mil vapor barrier and a network of perforated pipes to collect and passively exhaust sub-slab air. SVI will be conducted for each building to evaluate if the passive system will need to be converted to an active system.

Inspections:	Frequency
1. Soil Cover Inspection	Annually
2. Shoring Wall Inspection	Annually
Monitoring:	
1. None	
Maintenance:	
1. Asphalt pavement and concrete floor repair	As needed
Reporting:	
1. Periodic Review Report	Annually

The Institutional and Engineering Controls Certification form is provided in **Appendix D**.

1 SITE OVERVIEW

The Site is located in Buffalo, Erie County, New York and is comprised of a 2.09-acre portion of 240 Lakefront Boulevard (SBL: 110.59-1-3.11, total parcel size is approximately 2.43 acres) (also see **Figure 1**).

The Site is an approximately a 2.09-acre area and is bounded by the Lakefront Boulevard to the northeast, Marina Parks townhomes to the south, Ojibwa Circle to the east, and Erie Basin Marina to the west. The boundaries of the site are more fully described in **Appendix A –Environmental Easement**.

The owner of the site parcels at the time of issuance of this PRR is/are:

Lakefront Boulevard, LLC.

50 Fountain Plaza, Suite 500

Buffalo, NY 14202

The properties adjoining the Site and in the neighborhood surrounding the Site primarily include residential properties.

1.1 Geology and Hydrogeology

Topsoil thickness varied throughout the Site. Generally, topsoil was approximately two to ten inches thick. Underneath the topsoil, the Site contains historic fill material (HFM) to approximate depths ranging from 24 to 32 (top of bedrock) feet below grade. HFM is defined as material coming from anthropogenic sources re-worked to build a site to a defined grade.

HFM is defined as material coming from anthropogenic sources of the material re-worked to build a site to a defined grade. The HFM material at the Site contains:

- Crushed Rock
- Sand
- Silt
- Clay
- Plastics
- Metal
- Construction Debris
- Lumber
- Ash/Cinders
- Ceramics
- Bricks

The HFM at this Site consisted of dark grey to black silt, clay and gravel with lesser amounts of fine to coarse sand and varying amounts of anthropogenic materials. Multiple refusals of soil borings throughout the Site indicate random pieces of concrete or brick present in the subsurface.

In some locations, fine-grained fill materials were observed. This fill material contains predominantly silty clay with trace fragments of construction material (crushed concrete or brick). In some cases, fine-grained fill materials were sandwiched between layers of urban fill.

In some instances, native material was encountered; however, these were highly variable in location and depth. When encountered, native soils consisted of moderately plastic silty clay or silty sand. On the eastern portion of the Site, silty

sand with decomposing peat and organic matter was observed above the bedrock.

Many of the deep soil borings indicate that urban fill extends to bedrock at 32 feet below grade. The January 2018 geotechnical study identified the bedrock as Onondaga Limestone, which is described as a moderately hard, slightly weathered, light grey, medium bedded porous and calcareous limestone.

The principal groundwater bearing zone beneath the Site is located between six to eleven feet below grade. Groundwater beneath the Site generally flows to the northeast and is highly influenced by Lake Erie conditions.

1.2 Site History

According to historical records, the Site was initially part of a commercial harbor (Erie Basin Marina) with most of the area consisting of waterway for freight shipments. A portion of a railway dock intersected the center of the Site with a marina and the Niagara Slip to the Erie Canal to the north.

The marina and Site were backfilled in the late 1960s, such that the Site remained vacant land.

1.3 Summary of Selected Remedy

As excerpted from the DD, elements of the selected remedy for the property include:

1. A remedial design program will be implemented to provide the details necessary for the construction, operation, optimization, maintenance, and monitoring of the remedial program. Green remediation principles and techniques will be implemented to the extent feasible in the design, implementation, and site management of the remedy as per DER-31.

2. Cover System – A site cover will be required to allow for restricted residential use of the site in areas where the upper two feet of exposed surface soil will exceed the restricted residential SCOs. Where a soil cover is to be used it will be a minimum of two feet of soil placed over a demarcation layer, with the upper six inches of soil of sufficient quality to maintain a vegetative cover. Soil cover material, including any fill material brought to the site, will meet the SCOs for cover material for the use of the site as set forth in 6 NYCRR Part 375-6.7(d). Substitution of other

materials and components may be allowed where such components already exist or are a component of the tangible property to be placed as part of site redevelopment. Such components may include, but are not necessarily limited to: pavement, concrete, paved surface parking areas, sidewalks, building foundations and building slabs.

3. Institutional Control - Imposition of an institutional control for the Track 4 areas in the form of an Environmental Easement for the controlled property which will:
    a. require the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls in accordance with Part 375-1.8 (h)(3);
    b. allow the use and development of the controlled property for restricted residential, commercial use or industrial use as defined by Part 375-1.8(g), although land use is subject to local zoning laws;
    c. restrict the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH; and
    d. require compliance with the Department approved Site Management Plan.

4. Site Management Plan - A Site Management Plan is required for the Track 4 areas, which includes the following:
    a. an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective.

1.4 Nature and Extent of Remaining Contamination

The 240-260 Lakefront Boulevard Site was remediated to address SVOCs, metals and PCBs to achieve a Track 4 Restricted Residential Use Cleanup, which is consistent with the intended use of the Site.

Residual contamination remaining at the Site includes HFM located beneath the Site-wide soil cover system. Potential exposure is mitigated due to the depth of the contaminant, hotspot removals, and placement of a soil cover system.

Areas with remaining contamination will be monitored and maintained with a soil cover system.

1.4.1 Soil

Remaining contaminated urban fill is present throughout the Site from underneath the demarcation layer (2 feet below grade) to a depth of 32 feet below grade. Contaminated urban fill extends horizontally across the entire BCP boundary. The approximate area of contaminated material is 91, 040 square feet (2.09-acres).

Analytical results from the RI are summarized in the table below.

Table 1-1: Summary of Exceedances in Remaining Fill Material

Analyte	Samples with Detections above SCOs					Low Concentration (ppm)	High Concentration (ppm)
	UR	RS	RR	CM	IN		
VOCs							
Acetone	3					0.053	0.11
SVOCs / PAHs							
Benzo(a)anthracene			12			1	4.8
Benzo(a)pyrene				2	8	1	3.5
Benzo(b)fluoranthene			12			1.1	4.1
Benzo(k)fluoranthene	3	2				0.84	1.7
Chrysene		12				1	3.7
Dibenz(a,h)anthracene			2			0.45	0.48
Indeno(1,2,3-cd)pyrene		1	12			0.51	1.9
PCBs							
Total PCB	15					0.11	0.977
Pesticides							
4,4'-DDE	1					0.00766	0.00766
4,4'-DDD	1					0.00153	0.0153
4,4'-DDT	1					0.00128	0.0128
Metals							
Chromium	1					62.8	62.8
Copper	1					61.2	73
Lead	17					66.4	1510
Mercury	17		2		1	0.191	13.8
Zinc	9					110	508

Notes: UR = Unrestricted Use SCOs
RS = Residential Use SCOs
RR = Restricted Residential Use SCOs
CM = Commercial Use SCOs
IN = Industrial Use SCOs

Sample locations documenting remaining contamination is presented in **Figure 2**.

1.4.2 Groundwater

No post remedial action groundwater sampling was conducted on-site. RI results identified marginal concentrations of VOCs (acetone and benzene), SVOCs (phenol and PAHs), PCBs and metals (aluminum, iron, lead, magnesium and manganese) that exceed NYSDEC standards. Remaining concentrations of metals above NYSDEC standards are primarily limited to naturally occurring metals commonly found in regional groundwater. Depth to groundwater ranges from six to eleven feet. Due to the depth of contamination, city wide groundwater use ban and the placement of the soil cover system, the potential exposure to remaining groundwater contamination is unlikely.

1.4.3 Soil Vapor

Contaminated soil vapor may be present throughout the Site. During the RI, two soil vapor samples were collected in areas adjacent to neighboring buildings. Samples were placed in the locations requested by the NYSDOH. One sample was located on the northern portion of the Site adjacent to Portside Condominiums; the second location was placed adjacent to the Marina Park Condominiums tennis court. Chlorinated VOCs were detected. Other VOCs were detected in the two soil vapor samples.

VOCs

- Sample SVI-01: only one chlorinated VOC, methylene chloride, was detected at 1.7 micrograms per cubic meter (ug/m3). Total concentration of other VOCs in this sample is 2,515 ug/m3. Acetone was detected at 1,900 mg/m3 in this sample; however, acetone is a common laboratory contaminant. This acetone concentration may indicate a residual laboratory artifact.
- Sample SVI-02: two chlorinated VOCs, methylene chloride and vinyl chloride, were both detected at 1.8 ug/m3. Total concentration of other VOCs in this sample is 1,215 ug/m3. Acetone was detected at 870 mg/m3 in this sample.

The NYSDOH regulates soil vapor intrusion mostly for chlorinated volatile organic compounds (CVOC). Concentrations of regulated CVOCs in the fill material were either marginal or not detected.

2 IC/EC PLAN COMPLIANCE REPORT

2.1 IC/EC Requirements and Compliance

As stated in the 2020 Decision Document, the remedial action objectives (RAO) selected for this Site are:

Groundwater

RAOs for Public Health Protection

- Prevent ingestion of groundwater with contaminant levels exceeding drinking water standards.
- Prevent contact with, or inhalation of volatiles, from contaminated groundwater.

Soil

RAOs for Public Health Protection

- Prevent ingestion/direct contact with contaminated soil.

RAOs for Environmental Protection

- Prevent impacts to biota from ingestion/direct contact with soil causing toxicity or impacts from bioaccumulation through the terrestrial food chain.

Soil Vapor

RAOs for Public Health Protection

- Mitigate impacts to public health resulting from existing, or the potential for, soil vapor intrusion into buildings at a site.

2.1.1 Institutional Controls

The institutional controls for this Site are:

- The property may be used for : restricted residential use;
- All ECs must be operated and maintained as specified in the SMP;
- All ECs must be inspected at a frequency and in a manner defined in the SMP.
- The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Erie County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department.

- Groundwater and other environmental or public health monitoring must be performed as defined in the SMP;
- Data and information pertinent to site management must be reported at the frequency and in a manner as defined in the SMP;
- All future activities that will disturb remaining contaminated material must be conducted in accordance with the SMP;
- Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP;
- Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical component of the remedy shall be performed as defined in the SMP;
- Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by the Environmental Easement.
- The potential for vapor intrusion must be evaluated for any buildings developed in the area within the IC boundaries and any potential impacts that are identified must be monitored or mitigated; and
- Vegetable gardens and farming on the site are prohibited;

The Site has not changed owners and the land use of the Site has not change. All intuitional controls for this Site are in accordance with requirements of the Environmental Easement.

2.1.2 Engineering Controls

The engineering controls for this Site are:

- Cover System: A site cover has been installed and/or maintained over the Site in all areas exceeding applicable SCOs. The cover consists of a two foot thick clean soil cover and hardscape (asphalt pavement and concrete floor slab).
- Passive Soil Vapor System: The system underneath all building floor slabs consists of a 10 mil vapor barrier and a network of perforated pipes to collect and passively exhaust sub-slab air. After each building is enclosed, indoor air samples and air samples from the vent piping will be collected to evaluate if the passive system will need to be converted to an active system.

All engineering controls for this Site are in accordance with requirements of the Environmental Easement.

2.2 IC/EC Certification

As required, the Site Management Periodic Review Report Notice – Institutional and Engineering Controls Certificate Form has been completed and a copy is provided in **Appendix D**.

3 SITE INSPECTION

Site reconnaissance of the property was performed on September 8, 2022. C&S conducted the site walkover to:

- Perform the annual site inspection, which included:
  - Review previous annual inspections
  - Meet with the site representative to solicit comments/concerns regarding the operation of the Engineering Controls over the past 12 months.
  - Inspection of the property exterior cover system.
  - An evaluation of the shoring wall condition:
    - Visual observation of the exposed portions of the sheet piling wall and surrounding area that front the Erie Basin Marina. Limits of the observation will be from western property boundary, approximately 121 linear feet.
    - Visual observation will include assess the wall for physical damage, corrosion, signs of subsidence and structural failure.
    - If any of the above, the observation will be noted in the PRR and notification will be sent to the owner of the shoring wall. Contact information will be updated for every reporting period.

3.1 Review of Institutional Controls

The following observations, related to the Site's ICs were noted at the time of the site reconnaissance:

- The Site is still under construction. The large townhome complex was completed in 2020.

- No groundwater was observed being used at the property. No potable or groundwater supply wells were observed.
- The next two smaller townhomes (Buildings A and B) are under construction. The buildings are expected to be complete in 2023. Currently, only the building foundations and slabs have been completed.
- No vegetable gardens or farming is being conducted at the property.

3.2 Review of Engineering Controls

The following observations, related to the ECs were noted during the site reconnaissance:

- The asphalt surfaces of the parking lots were in good condition with no evidence of cracks, settlement, or deterioration.
- The exterior concrete surfaces were in good condition with no evidence of cracks, settlement, or deterioration.
- Green space areas with the two-foot soil cover was in good condition with no evidence of erosion, settlement, or deterioration. Areas to around the building need a reapplication of grass seed.
- The shoring wall appeared to be in good condition with no evidence of physical damage, corrosion, signs of subsidence and structural failure.
- Interior concrete surfaces that could be observed were in good condition with no evidence of cracks, settlement, or deterioration.

A copy of the Site Inspection Checklist is provided in **Appendix B**. A Photo Log is provided in **Appendix B**.

3.3 2023 Construction Activities

On August 1, 2022, C&S provided the NYSDEC with notification that Ciminelli Real Estate Corporation, ARC Building Partners and their sub-contractors will be starting construction on two four-unit townhomes located along Lakefront Boulevard. These townhomes are referenced as Building A and Building B. **Appendix C-1** provides a copy of the notification and approval from the NYSDEC.

Intrusive activities began on August 10, 2022 with exploratory test pits to confirm utility elevations and connections. New utilities for each townhome consisted of storm sewer, sanitary sewer, and a passive sub-slab depressurization system. Construction began on August 29,2022 with Building A, and ended on November 4, 2022. Excavation

did not occur consistently throughout that timeframe. Excavation occurred for up to three consecutive days followed by no intrusive activity while the utilities were being installed. **Appendix C-2** presents C&S's daily work reports. **Figure 4** shows the extent of the construction activities.

Utility excavations consisted of small trenches approximately two-feet wide and up to three feet deep. When excavating for utility trenches the cover material was carefully removed and placed on the same clean cover material or on poly sheets. When contaminated HFM was encountered it was segregated and stockpiled with poly sheets below and covering the HFM stockpile. Two HFM stockpiles were generated from each building. Waste characterization samples were collected from each stockpile for disposal at a Subtitle D landfill. A total of 78.79 tons of non-hazardous contaminated HFM was disposed at Allied Waste Niagara Falls Landfill LLC in Niagara Falls, New York. **Appendix C-3** provides the waste manifests and **Appendix C-6** provides the waste characterization laboratory report.

Excavated HFM was direct-loaded onto trucks for off-site disposal. Good housekeeping practices were followed during excavation activities to prevent leaving contaminated material on the ground surface and from being tracked onto the road during transportation. Loaded vehicles leaving the Site were appropriately covered, manifested, and/or placarded in accordance with appropriate Federal, State, local, and NYSDOT requirements (and all other applicable transportation requirements). Locations where vehicles enter or exit the Site were continuously inspected for evidence of off-site soil tracking. Offsite soil tracking did not occur during this work.

Transportation of all wastes was completed by properly permitted vehicles. To the extent practicable, trucks traveled along routes that avoided residential areas.

C&S performed air monitoring at all times when ground intrusive activities and activities associated with contaminated material removal were being conducted.

A Community Air Monitoring Plan was developed and implemented for this Site. Particulate monitors were placed at upwind and downwind locations, depending on the work area and wind direction. The monitors were calibrated each day. Measurements of particulate (dust) concentrations were continuously monitored and logged every 5 minutes. Air monitors were moved throughout the day as needed, as winds shifted

direction. In addition, VOCs were also monitored using a photoionization detector (PID) at upwind and downwind locations. The PIDs were calibrated each day.

The action threshold for VOCs established in the CAMP is 5 ppm above background. No exceedances of VOC concentrations occurred during mass excavation.

A particulate monitor was also used to monitor for PM-10, the action level was set at 100 micrograms per cubic meter over background during a 15-minute average. If this limit was exceeded dust suppression techniques were employed, including using water to wet the area and sweeping sediment. In a few instances, dust concentrations began to rise and dust suppression techniques (wetting of the working area) were employed. The monitoring results indicated that these measures were successful in limiting exposure to fugitive dust during excavation and that dust did not impact downwind receptors during the course of the project.

Copies of all field data sheets relating to the CAMP are provided in electronic format in **Appendix C-5.**

For the imported stone backfill, documentation was provided to the NYSDEC as to the source of the material and the consistency of the material in accordance with the exemption for no chemical testing listed in DER-10 Section 5.4(e)(5). The material type was 1" and 2" crushed limestone from New Enterprise Stone & Lime Co., Inc.'s quarry located in Williamsville, New York. The material data sheet indicates the crushed stone conformed to the outlined NYSDOT requirements for Section 703-02 Coarse Aggregate, and since less than 10% passed the #80 sieve, no chemical testing was required.

This material was produced from a virgin stone source. A total of 128.19 tons of 1" stone and a total of 39.17 tons of 2" stone was used to backfill the Site to the designed sub-grades.

After the completion of HFM removal and any other invasive activities the cover system was restored in a manner that complies with the Decision Document.

4 CONCLUSIONS

4.1 Compliance with Site Management Plan

The requirements of the Site Management Plan appear to be satisfied.

4.2 Performance and Effectiveness of the Remedy

The cover system remains fully intact and continues to provide protection for human health and the environment, as designed.

F:\Project\E67 - Ciminelli Development\For New Project\240-260 Lakefront Blvd (C915340) 2023 Periodic Review Report.docx

FIGURES

Legend

BROWNFIELD CLEANUP (BCP) BOUNDARY

0 250 500 1,000 Feet

Document Path: F:\Project\E67 - Ciminelli Development\E67.022.001 - 240-260 Lakefront Boulevard\Planning-Study\CADD\RI-IRM\RI_IRM_ SITE_LOCATION.mxd

F:\Project\E67 - Ciminelli Development\E67.022.001 - 240-260 Lakefront Boulevard\Planning-Study\CADD\1 SITE LOCATION.dwg

C&S COMPANIES®
C&S Engineers, Inc.
141 Elm Street.
Buffalo, New York 14203
Phone: 716-847-1630
Fax: 716-847-1454
www.cscos.com

N

240-260 LAKEFRONT BLVD. SITE
BROWNFIELD CLEANUP PROGRAM

CITY OF BUFFALO, NEW YORK

MARK	DATE	DESCRIPTION
REVISIONS		

PROJECT NO:	E67.022.003
DATE:	AUGUST 15, 2018
DRAWN BY:	C. MARTIN
DESIGNED BY:	C. MARTIN
CHECKED BY:	D. RIKER

NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW

SITE LOCATION

FIGURE 1



Field Sample ID	SB-01-5FT
Sample Depth (feet)	5
Date Sampled	3/27/2019
Units	mg/kg
4,4'-DDT	0.00517
PCBs, Total	0.869
Benzo(a)anthracene	1.3
Benzo(a)pyrene	1
Benzo(b)fluoranthene	1.3
Chrysene	1
Indeno(1,2,3-cd)pyrene	0.57
Lead, Total	74.5
Mercury, Total	0.297

Field Sample ID	EB-09-15FT
Sample Depth (feet)	15
Date Sampled	3/25/2019
Units	mg/kg
Lead, Total	171
Mercury, Total	0.191
Zinc, Total	205
Acetone	0.11

Field Sample ID	EB-07-5-10FT.
Sample Depth (feet)	5-10
Date Sampled	3/25/2019
Units	mg/kg
PCBs, Total	0.343
Benzo(a)anthracene	1.2
Benzo(a)pyrene	1
Benzo(b)fluoranthene	1.3
Chrysene	1
Indeno(1,2,3-cd)pyrene	0.58

Field Sample ID	EB-08-15FT
Sample Depth (feet)	15
Date Sampled	3/25/2019
Units	mg/kg
Lead, Total	69
Mercury, Total	0.239

Field Sample ID	EB-01-32FT
Sample Depth (feet)	32
Date Sampled	3/21/2019
Units	mg/kg
Benzo(a)anthracene	1.1
Benzo(b)fluoranthene	1.3
Chrysene	1
Indeno(1,2,3-cd)pyrene	0.52
Acetone	0.072

Field Sample ID	TP-01-2FT
Sample Depth (feet)	2
Date Sampled	3/27/2019
Units	mg/kg
PCBs, Total	0.277
Benzo(b)fluoranthene	1.1
Indeno(1,2,3-cd)pyrene	0.51
Lead, Total	66.4
Mercury, Total	0.2

Field Sample ID	TP-03-2.5FT
Sample Depth (feet)	2.5
Date Sampled	3/27/2019
Units	mg/kg
4,4'-DDT	0.0128
PCBs, Total	0.333
Benzo(a)anthracene	1.2
Benzo(a)pyrene	1
Benzo(b)fluoranthene	1.2
Chrysene	1.1
Indeno(1,2,3-cd)pyrene	0.6
Lead, Total	109
Mercury, Total	0.394
Zinc, Total	114

Field Sample ID	EB-15-5FT.
Sample Depth (feet)	5
Date Sampled	3/26/2019
Units	mg/kg
Lead, Total	152
Mercury, Total	0.249
Zinc, Total	233
Field Sample ID	EB-15A 12FT.
Sample Depth (feet)	12
Mercury, Total	0.477

Field Sample ID	EB-02-30FT
Sample Depth (feet)	30
Date Sampled	3/22/2019
Units	mg/kg
4,4'-DDE	0.00766
4,4'-DDD	0.0153

Field Sample ID	SB-02-8FT
Sample Depth (feet)	8
Date Sampled	3/28/2019
Units	mg/kg
4,4'-DDD	0.00357
PCBs, Total	0.967
Benzo(a)anthracene	3.8
Benzo(a)pyrene	2.9
Benzo(b)fluoranthene	3.6
Benzo(k)fluoranthene	1.3
Chrysene	3.1
Dibenzo(a,h)anthracene	0.39
Indeno(1,2,3-cd)pyrene	1.5
Lead, Total	173
Zinc, Total	113

Field Sample ID	TP-04-2FT
Sample Depth (feet)	2
Date Sampled	3/27/2019
Units	mg/kg
PCBs, Total	0.151
Lead, Total	75.9
Mercury, Total	0.24
Zinc, Total	110

Field Sample ID	EB-16-24FT
Sample Depth (feet)	24
Date Sampled	3/26/2019
Units	mg/kg
Benzo(a)anthracene	2.8
Benzo(a)pyrene	2.6
Benzo(b)fluoranthene	3.2
Benzo(k)fluoranthene	0.98
Chrysene	2.4
Indeno(1,2,3-cd)pyrene	1.5

Field Sample ID	EB-10-18FT
Sample Depth (feet)	18
Date Sampled	3/25/2019
Units	mg/kg
Benzo(a)anthracene	4.8
Benzo(a)pyrene	4.1
Benzo(b)fluoranthene	4.1
Benzo(k)fluoranthene	1.7
Chrysene	3.7
Dibenzo(a,h)anthracene	0.48
Indeno(1,2,3-cd)pyrene	1.9

Field Sample ID	EB-17-8FT
Sample Depth (feet)	8
Date Sampled	3/27/2019
Units	mg/kg
Lead, Total	69.3
Mercury, Total	0.352

Field Sample ID	SB-06-6FT
Sample Depth (feet)	6
Date Sampled	3/29/2019
Units	mg/kg
PCBs, Total	0.132
Benzo(a)anthracene	1
Benzo(b)fluoranthene	1.1
Indeno(1,2,3-cd)pyrene	0.51
Lead, Total	108
Mercury, Total	0.413
Zinc, Total	117

Field Sample ID	EB-11-6FT
Sample Depth (feet)	4
Date Sampled	3/26/2019
Units	mg/kg
PCBs, Total	0.384
Benzo(a)anthracene	1.5
Benzo(a)pyrene	1.2
Benzo(b)fluoranthene	1.5
Chrysene	1.4
Indeno(1,2,3-cd)pyrene	0.72
Lead, Total	91.5
Mercury, Total	0.257
Field Sample ID	EB-11-24FT
Sample Depth (feet)	24
Lead, Total	88.5
Mercury, Total	13.8
Zinc, Total	114

Field Sample ID	SB-07-5FT
Sample Depth (feet)	5
Date Sampled	3/29/2019
Units	mg/kg
Lead, Total	79.4
Mercury, Total	0.244
Zinc, Total	130

Field Sample ID	EB-12-14FT
Sample Depth (feet)	14
Date Sampled	3/26/2019
Units	mg/kg
Mercury, Total	0.318

Field Sample ID	TP-05-2.5FT
Sample Depth (feet)	2.5
Date Sampled	3/27/2019
Units	mg/kg
PCBs, Total	0.163

Field Sample ID	EB-19-28-30FT
Sample Depth (feet)	28-30
Date Sampled	03/29/2019
Units	mg/kg
PCBs, Total	0.215
Copper, Total	72.7
Lead, Total	102
Mercury, Total	2.56
Zinc, Total	394

Field Sample ID	EB-13-16FT.
Sample Depth (feet)	16
Date Sampled	3/26/2019
Units	mg/kg
Benzo(a)anthracene	3.3
Benzo(a)pyrene	2.6
Benzo(b)fluoranthene	3.8
Benzo(k)fluoranthene	1
Chrysene	3.6
Dibenzo(a,h)anthracene	0.45
Indeno(1,2,3-cd)pyrene	1.8
Lead, Total	92.6
Mercury, Total	0.837
Zinc, Total	508

Field Sample ID	SB-05-5FT
Sample Depth (feet)	5
Date Sampled	3/29/2019
Units	mg/kg
Copper, Total	65.3
Lead, Total	272
Mercury, Total	0.195
Zinc, Total	110

Field Sample ID	SB-04-4FT
Sample Depth (feet)	4
Date Sampled	3/28/2019
Units	mg/kg
PCBs, Total	1.74
Benzo(a)anthracene	1.9
Benzo(a)pyrene	1.6
Benzo(b)fluoranthene	2.2
Chrysene	1.6
Indeno(1,2,3-cd)pyrene	1.1
Cadmium, Total	4.59
Copper, Total	61.2
Lead, Total	156
Mercury, Total	1.31
Zinc, Total	179

Field Sample ID	EB-03-32FT
Sample Depth (feet)	32
Date Sampled	3/21/2019
Units	mg/kg
PCBs, Total	0.148
Acetone	0.053

Field Sample ID	EB-04-25FT
Sample Depth (feet)	25
Date Sampled	3/22/2019
Units	mg/kg
Benzo(a)anthracene	2.4
Benzo(a)pyrene	2.2
Benzo(b)fluoranthene	2.8
Benzo(k)fluoranthene	0.84
Chrysene	2.2
Indeno(1,2,3-cd)pyrene	1.3

Field Sample ID	SB-03-5FT
Sample Depth (feet)	5
Date Sampled	3/28/2019
Units	mg/kg
Lead, Total	147
Mercury, Total	0.889
Zinc, Total	210

Field Sample ID	EB-05 1-5FT
Sample Depth (feet)	1-5
Date Sampled	3/22/2019
Units	mg/kg
Benzo(a)anthracene	1.4
Benzo(a)pyrene	1.2
Benzo(b)fluoranthene	1.6
Chrysene	1.2
Indeno(1,2,3-cd)pyrene	0.7

C&S Engineers, Inc.
141 Elm Street.
Buffalo, New York 14203
Phone: 716-847-1630
Fax: 716-847-1454
www.cscos.com

240 - 260 LAKEFRONT BOULEVARD SITE
BROWNFIELD CLEANUP PROGRAM
SITE NO. C915340
CITY OF BUFFALO, NY

PROJECT NO:	E67.022.002
DATE:	02/7/2019
DRAWN BY:	C. MARTIN
DESIGNED BY:	C. MARTIN
CHECKED BY:	D. RIKER

NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW

REMAINING SOIL CONTAMINATION

FIGURE 2



PROPOSED GRADING LEGEND

PROPOSED CONTOUR	101
PROPOSED SPOT ELEVATION	100.80
PROPOSED TOP/BOTTOM OF CURB ELEV.	TC 100.50 BC 100.00
PROPOSED CATCH BASIN	CB
PAVEMENT/GROUND SLOPE	
PROPOSED YARD DRAIN	YD
PROPOSED MANHOLE	MH

NOTES

1) GRADING PLAN PROVIDED BY CARMINA WOOD MORRIS, D.P.C., 1/23/2019

0 15 30 60 Feet

1:360

LEGEND

BROWNFIELD CLEANUP PROGRAM (BCP) BOUNDARY

SOIL COVER TYPE A
- HARDSCAPE (CONCRETE AND ASPHALT) AND SUB-BASE MATERIAL
- SEE SITE PLAN DETAILS
- TOTAL AREA = 57,207 SQUARE FEET



CONCRETE SIDEWALK
N.T.S.



SLAB-ON-GRADE SECTION
N.T.S.



STANDARD DUTY ASPHALT SECTION
N.T.S.

SOIL COVER TYPE B
- AREAS NOT COVERED BY HARDSCAPE REQUIRE AT LEAST 2-FEET OF NYSDEC APPROVED MATERIAL ABOVE CONTAMINATED FILL MATERIAL
- SEE SITE PLAN DETAILS
- TOTAL AREA = 33,809 SQUARE FEET



LAWN SECTION
N.T.S.

C&S Engineers, Inc.
141 Elm Street.
Buffalo, New York 14203
Phone: 716-847-1630
Fax: 716-847-1454
www.cscos.com

240 - 260 LAKEFRONT BOULEVARD SITE
BROWNFIELD CLEANUP PROGRAM
SITE NO. C915340

CITY OF BUFFALO, NY

PROJECT NO:	E67.022.002
DATE:	03/21/2019
DRAWN BY:	C. MARTIN
DESIGNED BY:	C. MARTIN
CHECKED BY:	D. RIKER

NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW

SOIL COVER SYSTEM

FIGURE 3



C&S COMPANIES®

Figure 4

Construction Activities

Brownfield Cleanup Program Boundary

Property Boundary

N

0 30 60 120 Feet

1 in. = 60 feet
When printed at 11 in. by 17 in.

240 - 260 Lakefront Boulevard Site
BCP Site #C915340

Sources: . Created by C&S Engineers, Inc.

Document Path: P:\Projects\D - Clients\Developers\Erie Basin Project\Working\Work Zone.aprx (Layout)

APPENDICES

APPENDIX A

ENVIRONMENTAL EASEMENT

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Office of the General Counsel
625 Broadway, 14th Floor, Albany, New York 12233-1500
P: (518) 402-9185 | F: (518) 402-9018
www.dec.ny.gov

September 18, 2019

SENT VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
AND ELECTRONIC MAIL cslater@cslaterlaw.com

Craig A. Slater, Esq.
The Slater Law Firm
500 Seneca Street, Suite 504
Buffalo, NY 14204

RE: Environmental Easement Package
Site Name: 204 – 260 Lakefront Boulevard Site
Site No.: C915340

Dear Mr. Slater:

Enclosed, please find a fully executed Environmental Easement and TP-584 tax form referencing the site located at 240 – 260 Lakefront Boulevard, Buffalo, County of Erie, New York.

Once the Environmental Easement is recorded, the local municipality will need to be notified via Certified Mail, Return Receipt Requested.

Please return a copy of the recorded easement marked by the County Clerk's Office with the date and location of recording, and a certified copy of the municipal notice. The information from the recorded easement and notices are necessary to process the Certificate of Completion.

If you have any further questions or concerns relating to this matter, please contact our office at (518) 408-0409.

Sincerely,

Jennifer Andaloro, Esq.
Section Chief A
Remediation Bureau

ec: B. Burns, Esq., NYSDEC

ENVIRONMENTAL EASEMENT GRANTED PURSUANT TO ARTICLE 71, TITLE 36 OF THE NEW YORK STATE ENVIRONMENTAL CONSERVATION LAW

THIS INDENTURE made this 17th day of Sept, 2019, between Owner(s) Lakefront Boulevard, LLC, having an office at 50 Fountain Plaza, Suite 500, Buffalo, New York 14202, County of Erie, State of New York (the "Grantor"), and The People of the State of New York (the "Grantee"), acting through their Commissioner of the Department of Environmental Conservation (the "Commissioner", or "NYSDEC" or "Department" as the context requires) with its headquarters located at 625 Broadway, Albany, New York 12233,

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to encourage the remediation of abandoned and likely contaminated properties ("sites") that threaten the health and vitality of the communities they burden while at the same time ensuring the protection of public health and the environment; and

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to establish within the Department a statutory environmental remediation program that includes the use of Environmental Easements as an enforceable means of ensuring the performance of operation, maintenance, and/or monitoring requirements and the restriction of future uses of the land, when an environmental remediation project leaves residual contamination at levels that have been determined to be safe for a specific use, but not all uses, or which includes engineered structures that must be maintained or protected against damage to perform properly and be effective, or which requires groundwater use or soil management restrictions; and

WHEREAS, the Legislature of the State of New York has declared that Environmental Easement shall mean an interest in real property, created under and subject to the provisions of Article 71, Title 36 of the New York State Environmental Conservation Law ("ECL") which contains a use restriction and/or a prohibition on the use of land in a manner inconsistent with engineering controls which are intended to ensure the long term effectiveness of a site remedial program or eliminate potential exposure pathways to hazardous waste or petroleum; and

WHEREAS, Grantor, is the owner of real property located at the address of 240 Lakefront Boulevard in the City of Buffalo, County of Erie and State of New York, known and designated on the tax map of the County Clerk of Erie as tax map parcel numbers: Section 110.59 Block 1 Lot 4.1, being a portion of the property conveyed to Grantor by deed dated May 10, 2019 and recorded in the Erie County Clerk's Office in Liber and Page 11344/2108.

WHEREAS, Grantor, is the owner of real property located at the address of 260 Lakefront Boulevard in the City of Buffalo, County of Erie and State of New York, known and designated on the tax map of the County Clerk of Erie as tax map parcel numbers: Section 110.59 Block 1 Lot 3.1, being a portion of the property conveyed to Grantor by deed dated May 10, 2019 and recorded in the Erie County Clerk's Office in Liber and Page 11344/2108.

WHEREAS, the property subject to this Environmental Easement (the "Controlled

Property") comprises approximately 2.08 +/- acres, and is hereinafter more fully described in the Land Title Survey dated October 20, 2016 and last revised August 1, 2019 prepared by John E. McIntosh, III, L.L.S. of McIntosh & McIntosh, P.C., which will be attached to the Site Management Plan. The Controlled Property description is set forth in and attached hereto as Schedule A; and

WHEREAS, the Department accepts this Environmental Easement in order to ensure the protection of public health and the environment and to achieve the requirements for remediation established for the Controlled Property until such time as this Environmental Easement is extinguished pursuant to ECL Article 71, Title 36; and

NOW THEREFORE, in consideration of the mutual covenants contained herein and the terms and conditions of Brownfield Cleanup Agreement Index Number: C915340-01-19 as amended May 17, 2019, Grantor conveys to Grantee a permanent Environmental Easement pursuant to ECL Article 71, Title 36 in, on, over, under, and upon the Controlled Property as more fully described herein ("Environmental Easement").

1. Purposes. Grantor and Grantee acknowledge that the Purposes of this Environmental Easement are: to convey to Grantee real property rights and interests that will run with the land in perpetuity in order to provide an effective and enforceable means of encouraging the reuse and redevelopment of this Controlled Property at a level that has been determined to be safe for a specific use while ensuring the performance of operation, maintenance, and/or monitoring requirements; and to ensure the restriction of future uses of the land that are inconsistent with the above-stated purpose.

2. Institutional and Engineering Controls. The controls and requirements listed in the Department approved Site Management Plan ("SMP") including any and all Department approved amendments to the SMP are incorporated into and made part of this Environmental Easement. These controls and requirements apply to the use of the Controlled Property, run with the land, are binding on the Grantor and the Grantor's successors and assigns, and are enforceable in law or equity against any owner of the Controlled Property, any lessees and any person using the Controlled Property.

A. (1) The Controlled Property may be used for:

Restricted Residential as described in 6 NYCRR Part 375-1.8(g)(2)(ii), Commercial as described in 6 NYCRR Part 375-1.8(g)(2)(iii) and Industrial as described in 6 NYCRR Part 375-1.8(g)(2)(iv)

(2) All Engineering Controls must be operated and maintained as specified in the Site Management Plan (SMP);

(3) All Engineering Controls must be inspected at a frequency and in a manner defined in the SMP;

(4) The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Erie County

Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department;

(5) Groundwater and other environmental or public health monitoring must be performed as defined in the SMP;

(6) Data and information pertinent to Site Management of the Controlled Property must be reported at the frequency and in a manner defined in the SMP;

(7) All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the SMP;

(8) Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP;

(9) Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical components of the remedy shall be performed as defined in the SMP;

(10) Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by this Environmental Easement.

B. The Controlled Property shall not be used for Residential purposes as defined in 6NYCRR 375-1.8(g)(2)(i), and the above-stated engineering controls may not be discontinued without an amendment or extinguishment of this Environmental Easement.

C. The SMP describes obligations that the Grantor assumes on behalf of Grantor, its successors and assigns. The Grantor's assumption of the obligations contained in the SMP which may include sampling, monitoring, and/or operating a treatment system, and providing certified reports to the NYSDEC, is and remains a fundamental element of the Department's determination that the Controlled Property is safe for a specific use, but not all uses. The SMP may be modified in accordance with the Department's statutory and regulatory authority. The Grantor and all successors and assigns, assume the burden of complying with the SMP and obtaining an up-to-date version of the SMP from:

Site Control Section
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, New York 12233
Phone: (518) 402-9553

D. Grantor must provide all persons who acquire any interest in the Controlled Property a true and complete copy of the SMP that the Department approves for the Controlled Property and all Department-approved amendments to that SMP.

E. Grantor covenants and agrees that until such time as the Environmental Easement

is extinguished in accordance with the requirements of ECL Article 71, Title 36 of the ECL, the property deed and all subsequent instruments of conveyance relating to the Controlled Property shall state in at least fifteen-point bold-faced type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation Law.

F. Grantor covenants and agrees that this Environmental Easement shall be incorporated in full or by reference in any leases, licenses, or other instruments granting a right to use the Controlled Property.

G. Grantor covenants and agrees that it shall, at such time as NYSDEC may require, submit to NYSDEC a written statement by an expert the NYSDEC may find acceptable certifying under penalty of perjury, in such form and manner as the Department may require, that:

(1) the inspection of the site to confirm the effectiveness of the institutional and engineering controls required by the remedial program was performed under the direction of the individual set forth at 6 NYCRR Part 375-1.8(h)(3).

(2) the institutional controls and/or engineering controls employed at such site:

(i) are in-place;

(ii) are unchanged from the previous certification, or that any identified changes to the controls employed were approved by the NYSDEC and that all controls are in the Department-approved format; and

(iii) that nothing has occurred that would impair the ability of such control to protect the public health and environment;

(3) the owner will continue to allow access to such real property to evaluate the continued maintenance of such controls;

(4) nothing has occurred that would constitute a violation or failure to comply with any site management plan for such controls;

(5) the report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

(6) to the best of his/her knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and

(7) the information presented is accurate and complete.

3. Right to Enter and Inspect. Grantee, its agents, employees, or other representatives of the State may enter and inspect the Controlled Property in a reasonable manner and at reasonable times to assure compliance with the above-stated restrictions.

4. Reserved Grantor's Rights. Grantor reserves for itself, its assigns, representatives, and

successors in interest with respect to the Property, all rights as fee owner of the Property, including:

A. Use of the Controlled Property for all purposes not inconsistent with, or limited by the terms of this Environmental Easement;

B. The right to give, sell, assign, or otherwise transfer part or all of the underlying fee interest to the Controlled Property, subject and subordinate to this Environmental Easement;

5. Enforcement

A. This Environmental Easement is enforceable in law or equity in perpetuity by Grantor, Grantee, or any affected local government, as defined in ECL Section 71-3603, against the owner of the Property, any lessees, and any person using the land. Enforcement shall not be defeated because of any subsequent adverse possession, laches, estoppel, or waiver. It is not a defense in any action to enforce this Environmental Easement that: it is not appurtenant to an interest in real property; it is not of a character that has been recognized traditionally at common law; it imposes a negative burden; it imposes affirmative obligations upon the owner of any interest in the burdened property; the benefit does not touch or concern real property; there is no privity of estate or of contract; or it imposes an unreasonable restraint on alienation.

B. If any person violates this Environmental Easement, the Grantee may revoke the Certificate of Completion with respect to the Controlled Property.

C. Grantee shall notify Grantor of a breach or suspected breach of any of the terms of this Environmental Easement. Such notice shall set forth how Grantor can cure such breach or suspected breach and give Grantor a reasonable amount of time from the date of receipt of notice in which to cure. At the expiration of such period of time to cure, or any extensions granted by Grantee, the Grantee shall notify Grantor of any failure to adequately cure the breach or suspected breach, and Grantee may take any other appropriate action reasonably necessary to remedy any breach of this Environmental Easement, including the commencement of any proceedings in accordance with applicable law.

D. The failure of Grantee to enforce any of the terms contained herein shall not be deemed a waiver of any such term nor bar any enforcement rights.

6. Notice. Whenever notice to the Grantee (other than the annual certification) or approval from the Grantee is required, the Party providing such notice or seeking such approval shall identify the Controlled Property by referencing the following information:

County, NYSDEC Site Number, NYSDEC Brownfield Cleanup Agreement, State Assistance Contract or Order Number, and the County tax map number or the Liber and Page or computerized system identification number.

Parties shall address correspondence to:

Site Number: C915340
Office of General Counsel
NYSDEC
625 Broadway

Albany New York 12233-5500

With a copy to:

Site Control Section
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, NY 12233

All notices and correspondence shall be delivered by hand, by registered mail or by Certified mail and return receipt requested. The Parties may provide for other means of receiving and communicating notices and responses to requests for approval.

7. Recordation. Grantor shall record this instrument, within thirty (30) days of execution of this instrument by the Commissioner or her/his authorized representative in the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

8. Amendment. Any amendment to this Environmental Easement may only be executed by the Commissioner of the New York State Department of Environmental Conservation or the Commissioner's Designee, and filed with the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

9. Extinguishment. This Environmental Easement may be extinguished only by a release by the Commissioner of the New York State Department of Environmental Conservation, or the Commissioner's Designee, and filed with the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

10. Joint Obligation. If there are two or more parties identified as Grantor herein, the obligations imposed by this instrument upon them shall be joint and several.

11. Consistency with the SMP. To the extent there is any conflict or inconsistency between the terms of this Environmental Easement and the SMP, regarding matters specifically addressed by the SMP, the terms of the SMP will control.

Remainder of Page Intentionally Left Blank

IN WITNESS WHEREOF, Grantor has caused this instrument to be signed in its name.

Lakefront Boulevard, LLC:

By: _____

Print Name: Paul F. Ciminelli

Title: Managing Member Date: 9/3/19

Grantor's Acknowledgment

STATE OF NEW YORK)
) ss:
COUNTY OF ERIE)

On the 3rd day of September, in the year 20 19, before me, the undersigned, personally appeared Paul F. Ciminelli, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is ~~(are)~~ subscribed to the within instrument and acknowledged to me that he/~~she/they~~ executed the same in his/~~her/their~~ capacity~~(ies)~~, and that by his/~~her/their~~ signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

Notary Public - State of New York

KATHLEEN A. GUENTHER #01GU4675162
NOTARY PUBLIC, STATE OF NEW YORK
QUALIFIED IN ERIE COUNTY
My Commission Expires August 31, 2020

THIS ENVIRONMENTAL EASEMENT IS HEREBY ACCEPTED BY THE PEOPLE OF THE STATE OF NEW YORK, Acting by and Through the Department of Environmental Conservation as Designee of the Commissioner,

By: _____
Michael J. Ryan, Director
Division of Environmental Remediation

Grantee's Acknowledgment

STATE OF NEW YORK)
) ss:
COUNTY OF ALBANY)

On the 17th day of September, in the year 2019, before me, the undersigned, personally appeared Michael J. Ryan, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is (are) subscribed to the within instrument and acknowledged to me that he/she/ executed the same in his/her/ capacity as Designee of the Commissioner of the State of New York Department of Environmental Conservation, and that by his/her/ signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

_____
Notary Public - State of New York

David J. Chiusano
Notary Public, State of New York
No. 01CH5032146
Qualified in Schenectady County
Commission Expires August 22, 2022

SCHEDULE "A" PROPERTY DESCRIPTION

ALL THAT TRACT OR PARCEL OF LAND situate in the City of Buffalo, County of Erie, State of New York, and being part of Lots 5 and 14 of the New York State Mile Reserve and also being part of Sublots 19 and 20 as shown on a map prepared by Bissell Merrill Associates titled "Waterfront Village Part II" as filed in the Erie County Clerk's Office under Map Cover No. 2433, bounded and described as follows:

BEGINNING AT A POINT on the southeast line of lands conveyed to Twin Lakes Associates, L.P. by deed recorded in the Erie County Clerk's Office in Liber 9859 of Deeds at Page 572 at a distance of 5.01 feet southwesterly measured along the southeast line of said Twin Lakes Associates, L.P. lands, from its intersection with the southwest line of Lakefront Boulevard;

RUNNING THENCE: S-36°-07'-00"-E, parallel with the southwest line of Lakefront Boulevard and 5.0 feet southwesterly therefrom as measured at right angles thereto, a distance of 296.53 feet to a point;

RUNNING THENCE: S-53°-53'-00"-W, a distance of 5.0 feet to a point;

RUNNING THENCE: S-36°-07'-00"-E, a distance of 10.0 feet to a point;

RUNNING THENCE: N-53°-53'-00"-E, a distance of 4.74 feet to a point;

RUNNING THENCE: S-22°-48"-28"-E, parallel with the southwest line of Lakefront Boulevard and 5.0 feet southwesterly therefrom as measured at right angles thereto, a distance of 37.89 feet to a point;

RUNNING THENCE: S-21°-03'-33"-W, parallel with the northwest line of Ojibwa Circle and 5.0 feet northwesterly therefrom as measured at right angles thereto, a distance of 144.82 feet to a point;

RUNNING THENCE: N-68°-57'-01"-W, a distance of 28.0 feet to a point;

RUNNING THENCE: S-21°-04'-04"-W, a distance of 5.0 feet to a point;

RUNNING THENCE: N-68°-53'-24"-W, a distance of 63.29 feet to a point;

RUNNING THENCE: N-80°-50'-33"-W, a distance of 48.76 feet to a point on a northerly line of lands conveyed to Third Jeffersonian Associates by deed recorded in the Erie County Clerk's Office in Liber 9355 of Deeds at Page 302;

RUNNING THENCE: N-39°-21'-04"-W, along a northerly line of said Third Jeffersonian Associates, a distance of 23.10 feet to a point;

RUNNING THENCE: N-50°-48'-32"-E, parallel with a southeast line of said Third Jeffersonian

Associates lands and 3.0 feet southeasterly therefrom as measured at right angles thereto, a distance of 75.99 feet to a point;

RUNNING THENCE: N-39°-11'-28"-W, parallel with a northeast line of said Third Jeffersonian Associates lands and 3.0 feet northeasterly therefrom as measured at right angles thereto, a distance of 158.86 feet to a point;

RUNNING THENCE: S-55°-22'-10"-W, parallel with the northwest line of said Third Jeffersonian Associates lands and 30.0 feet northwesterly therefrom as measured at right angles thereto, a distance of 258.70 feet to a point;

RUNNING THENCE: S-34°-37'-50"-E, a distance of 30.0 feet to a point on the northwesterly line of said Third Jeffersonian Associates lands;

RUNNING THENCE: S-55°-22'-10"-W, along the northwest line of said Third Jeffersonian Associates lands, a distance of 42.97 feet to a point on the northeast face of a concrete wall;

RUNNING THENCE: N-38°-50'-37"-W, along the northeast face of said concrete wall, a distance of 121.38 feet to a point on the southeast line of said Twin Lake Associates, L.P. lands;

RUNNING THENCE: The following seven (7) courses and distances along the southeast line of said Twin Lakes Associates, L.P. lands:

1. N-50°-58'-38"-E, a distance of 164.97 feet to an angle point therein;
2. S-39°-01'-22"-E, a distance of 10.0 feet to an angle point therein;
3. N-50°-58'-38"-E, a distance of 70.0 feet to an angle point therein;
4. S-39°-01'-22"-E, a distance of 15.0 feet to an angle point therein;
5. N-50°-58'-38"-E, a distance of 83.0 feet to an angle point therein;
6. N-39°-01'-22"-W, a distance of 30.0 feet to an angle point therein;
7. N-50°-58'-38"-E, a distance of 143.57 feet to the POINT OR PLACE OF BEGINNING, containing 2.09 Acres, be the same, more or less.

SUBJECT to easements, rights of way and restrictions of record.

TP-584 (4/13)

New York State Department of Taxation and Finance

Combined Real Estate Transfer Tax Return, Credit Line Mortgage Certificate, and Certification of Exemption from the Payment of Estimated Personal Income Tax

Recording office time stamp

See Form TP-584-I, Instructions for Form TP-584, *before completing this form. Print or type.*

Schedule A — Information relating to conveyance

Grantor/Transferor	Name *(if individual, last, first, middle initial)* (☐ *check if more than one grantor)*	Social security number
☐ Individual	Lakefront Boulevard, LLC	
☐ Corporation	Mailing address	Social security number
☐ Partnership	50 Fountain Plaza, Suite 500	
☐ Estate/Trust	City / State / ZIP code	Federal EIN
☒ Single member LLC	Buffalo / NY / 14202	38-4047638
☐ Other	Single member's name if grantor is a single member LLC *(see instructions)*	Single member EIN or SSN

Grantee/Transferee	Name *(if individual, last, first, middle initial)* (☐ *check if more than one grantee)*	Social security number
☐ Individual	New York State Department of Environmental Conservation	
☐ Corporation	Mailing address	Social security number
☐ Partnership	625 Broadway	
☐ Estate/Trust	City / State / ZIP code	Federal EIN
☐ Single member LLC	Albany / NY / 12233	14-6013200
☒ Other	Single member's name if grantee is a single member LLC *(see instructions)*	Single member EIN or SSN

Location and description of property conveyed

Tax map designation – Section, block & lot *(include dots and dashes)*	SWIS code (six digits)	Street address	City, town, or village	County
110.59-1-4.1;110.59-1-3.	140200	240-260 Lakefront Boulevard	Buffalo	Erie

Type of property conveyed *(check applicable box)*

1 ☐ One- to three-family house
2 ☐ Residential cooperative
3 ☐ Residential condominium
4 ☐ Vacant land
5 ☐ Commercial/Industrial
6 ☐ Apartment building
7 ☐ Office building
8 ☒ Other Easement

Date of conveyance: 09 (month) | 17 (day) | 2019 (year)

Percentage of real property conveyed which is residential real property 0 % *(see instructions)*

Condition of conveyance *(check all that apply)*

a. ☐ Conveyance of fee interest
b. ☐ Acquisition of a controlling interest (state percentage acquired _____ %)
c. ☐ Transfer of a controlling interest (state percentage transferred _____ %)
d. ☐ Conveyance to cooperative housing corporation
e. ☐ Conveyance pursuant to or in lieu of foreclosure or enforcement of security interest *(attach Form TP-584.1, Schedule E)*
f. ☐ Conveyance which consists of a mere change of identity or form of ownership or organization *(attach Form TP-584.1, Schedule F)*
g. ☐ Conveyance for which credit for tax previously paid will be claimed *(attach Form TP-584.1, Schedule G)*
h. ☐ Conveyance of cooperative apartment(s)
i. ☐ Syndication
j. ☐ Conveyance of air rights or development rights
k. ☐ Contract assignment
l. ☐ Option assignment or surrender
m. ☐ Leasehold assignment or surrender
n. ☐ Leasehold grant
o. ☒ Conveyance of an easement
p. ☒ Conveyance for which exemption from transfer tax claimed *(complete Schedule B, Part III)*
q. ☐ Conveyance of property partly within and partly outside the state
r. ☐ Conveyance pursuant to divorce or separation
s. ☒ Other *(describe)* Easement

For recording officer's use	Amount received	Date received	Transaction number
	Schedule B., Part I $ Schedule B., Part II $		

Schedule B — Real estate transfer tax return (Tax Law, Article 31)

Part I – Computation of tax due

1	Enter amount of consideration for the conveyance *(if you are claiming a total exemption from tax, check the exemption claimed box, enter consideration and proceed to Part III)* ☒ **Exemption claimed**	1.	
2	Continuing lien deduction *(see instructions if property is taken subject to mortgage or lien)*	2.	
3	Taxable consideration *(subtract line 2 from line 1)*	3.	
4	Tax: $2 for each $500, or fractional part thereof, of consideration on line 3	4.	
5	Amount of credit claimed for tax previously paid *(see instructions and attach Form TP-584.1, Schedule G)*	5.	
6	Total tax due* *(subtract line 5 from line 4)*	6.	

Part II – Computation of additional tax due on the conveyance of residential real property for $1 million or more

1	Enter amount of consideration for conveyance *(from Part I, line 1)*	1.	
2	Taxable consideration *(multiply line 1 by the percentage of the premises which is residential real property, as shown in Schedule A)*	2.	
3	Total additional transfer tax due* *(multiply line 2 by 1% (.01))*	3.	

Part III – Explanation of exemption claimed on Part I, line 1 *(check any boxes that apply)*

The conveyance of real property is exempt from the real estate transfer tax for the following reason:

a. Conveyance is to the United Nations, the United States of America, the state of New York, or any of their instrumentalities, agencies, or political subdivisions (or any public corporation, including a public corporation created pursuant to agreement or compact with another state or Canada) ..... a ☒

b. Conveyance is to secure a debt or other obligation ..... b ☐

c. Conveyance is without additional consideration to confirm, correct, modify, or supplement a prior conveyance ..... c ☐

d. Conveyance of real property is without consideration and not in connection with a sale, including conveyances conveying realty as bona fide gifts ..... d ☐

e. Conveyance is given in connection with a tax sale ..... e ☐

f. Conveyance is a mere change of identity or form of ownership or organization where there is no change in beneficial ownership. (This exemption cannot be claimed for a conveyance to a cooperative housing corporation of real property comprising the cooperative dwelling or dwellings.) Attach Form TP-584.1, Schedule F ..... f ☐

g. Conveyance consists of deed of partition ..... g ☐

h. Conveyance is given pursuant to the federal Bankruptcy Act ..... h ☐

i. Conveyance consists of the execution of a contract to sell real property, without the use or occupancy of such property, or the granting of an option to purchase real property, without the use or occupancy of such property ..... i ☐

j. Conveyance of an option or contract to purchase real property with the use or occupancy of such property where the consideration is less than $200,000 and such property was used solely by the grantor as the grantor's personal residence and consists of a one-, two-, or three-family house, an individual residential condominium unit, or the sale of stock in a cooperative housing corporation in connection with the grant or transfer of a proprietary leasehold covering an individual residential cooperative apartment ..... j ☐

k. Conveyance is not a conveyance within the meaning of Tax Law, Article 31, section 1401(e) *(attach documents supporting such claim)* ..... k ☐

*The total tax (from Part I, line 6 and Part II, line 3 above) is due within 15 days from the date conveyance. Please make check(s) payable to the county clerk where the recording is to take place. If the recording is to take place in the New York City boroughs of Manhattan, Bronx, Brooklyn, or Queens, make check(s) payable to the ***NYC Department of Finance.*** If a recording is not required, send this return and your check(s) made payable to the ***NYS Department of Taxation and Finance,*** directly to the NYS Tax Department, RETT Return Processing, PO Box 5045, Albany NY 12205-5045.

Schedule C — Credit Line Mortgage Certificate (Tax Law, Article 11)

Complete the following only if the interest being transferred is a fee simple interest.
I (we) certify that: *(check the appropriate box)*

1. ☒ The real property being sold or transferred is not subject to an outstanding credit line mortgage.

2. ☐ The real property being sold or transferred is subject to an outstanding credit line mortgage. However, an exemption from the tax is claimed for the following reason:
   - ☐ The transfer of real property is a transfer of a fee simple interest to a person or persons who held a fee simple interest in the real property (whether as a joint tenant, a tenant in common or otherwise) immediately before the transfer.
   - ☐ The transfer of real property is (A) to a person or persons related by blood, marriage or adoption to the original obligor or to one or more of the original obligors or (B) to a person or entity where 50% or more of the beneficial interest in such real property after the transfer is held by the transferor or such related person or persons (as in the case of a transfer to a trustee for the benefit of a minor or the transfer to a trust for the benefit of the transferor).
   - ☐ The transfer of real property is a transfer to a trustee in bankruptcy, a receiver, assignee, or other officer of a court.
   - ☐ The maximum principal amount secured by the credit line mortgage is $3,000,000 or more, and the real property being sold or transferred is **not** principally improved nor will it be improved by a one- to six-family owner-occupied residence or dwelling.

     Please note: for purposes of determining whether the maximum principal amount secured is $3,000,000 or more as described above, the amounts secured by two or more credit line mortgages may be aggregated under certain circumstances. See TSB-M-96(6)-R for more information regarding these aggregation requirements.
   - ☐ Other *(attach detailed explanation)*.

3. ☐ The real property being transferred is presently subject to an outstanding credit line mortgage. However, no tax is due for the following reason:
   - ☐ A certificate of discharge of the credit line mortgage is being offered at the time of recording the deed.
   - ☐ A check has been drawn payable for transmission to the credit line mortgagee or his agent for the balance due, and a satisfaction of such mortgage will be recorded as soon as it is available.

4. ☐ The real property being transferred is subject to an outstanding credit line mortgage recorded in _____ (insert liber and page or reel or other identification of the mortgage). The maximum principal amount of debt or obligation secured by the mortgage is _____. No exemption from tax is claimed and the tax of _____ is being paid herewith. *(Make check payable to county clerk where deed will be recorded or, if the recording is to take place in New York City but not in Richmond County, make check payable to the **NYC Department of Finance**.)*

Signature (both the grantor(s) and grantee(s) must sign)

The undersigned certify that the above information contained in schedules A, B, and C, including any return, certification, schedule, or attachment, is to the best of his/her knowledge, true and complete, and authorize the person(s) submitting such form on their behalf to receive a copy for purposes of recording the deed or other instrument effecting the conveyance.

Grantor signature	Title	Grantee signature	Title
[signature]	Managing Member	[signature]	NYSDEC Attorney
Grantor signature	Title	Grantee signature	Title

Reminder: Did you complete all of the required information in Schedules A, B, and C? Are you required to complete Schedule D? If you checked *e*, *f*, or *g* in Schedule A, did you complete Form TP-584.1? Have you attached your check(s) made payable to the county clerk where recording will take place or, if the recording is in the New York City boroughs of Manhattan, Bronx, Brooklyn, or Queens, to the ***NYC Department of Finance***? If no recording is required, send your check(s), made payable to the ***Department of Taxation and Finance***, directly to the NYS Tax Department, RETT Return Processing, PO Box 5045, Albany NY 12205-5045.

Schedule D - Certification of exemption from the payment of estimated personal income tax (Tax Law, Article 22, section 663)

Complete the following only if a fee simple interest or a cooperative unit is being transferred by an individual or estate or trust.

If the property is being conveyed by a referee pursuant to a foreclosure proceeding, proceed to Part II, and check the second box under *Exemptions for nonresident transferor(s)/seller(s)* and sign at bottom.

Part I - New York State residents

If you are a New York State resident transferor(s)/seller(s) listed in Schedule A of Form TP-584 (or an attachment to Form TP-584), you must sign the certification below. If one or more transferors/sellers of the real property or cooperative unit is a resident of New York State, **each** resident transferor/seller must sign in the space provided. If more space is needed, please photocopy this Schedule D and submit as many schedules as necessary to accommodate all resident transferors/sellers.

Certification of resident transferor(s)/seller(s)

This is to certify that at the time of the sale or transfer of the real property or cooperative unit, the transferor(s)/seller(s) as signed below was a resident of New York State, and therefore is not required to pay estimated personal income tax under Tax Law, section 663(a) upon the sale or transfer of this real property or cooperative unit.

Signature	Print full name	Date
Signature	Print full name	Date
Signature	Print full name	Date
Signature	Print full name	Date

Note: A resident of New York State may still be required to pay estimated tax under Tax Law, section 685(c), but not as a condition of recording a deed.

Part II - Nonresidents of New York State

If you are a nonresident of New York State listed as a transferor/seller in Schedule A of Form TP-584 (or an attachment to Form TP-584) but are not required to pay estimated personal income tax because one of the exemptions below applies under Tax Law, section 663(c), check the box of the appropriate exemption below. If any one of the exemptions below applies to the transferor(s)/seller(s), that transferor(s)/seller(s) is not required to pay estimated personal income tax to New York State under Tax Law, section 663. **Each** nonresident transferor/seller who qualifies under one of the exemptions below must sign in the space provided. If more space is needed, please photocopy this Schedule D and submit as many schedules as necessary to accommodate all nonresident transferors/sellers.

If none of these exemption statements apply, you must complete Form IT-2663, *Nonresident Real Property Estimated Income Tax Payment Form*, or Form IT-2664, *Nonresident Cooperative Unit Estimated Income Tax Payment Form.* For more information, see *Payment of estimated personal income tax,* on page 1 of Form TP-584-I.

Exemption for nonresident transferor(s)/seller(s)

This is to certify that at the time of the sale or transfer of the real property or cooperative unit, the transferor(s)/seller(s) (grantor) of this real property or cooperative unit was a nonresident of New York State, but is not required to pay estimated personal income tax under Tax Law, section 663 due to one of the following exemptions:

☐ The real property or cooperative unit being sold or transferred qualifies in total as the transferor's/seller's principal residence (within the meaning of Internal Revenue Code, section 121) from _____ (Date) to _____ (Date) *(see instructions).*

☐ The transferor/seller is a mortgagor conveying the mortgaged property to a mortgagee in foreclosure, or in lieu of foreclosure with no additional consideration.

☐ The transferor or transferee is an agency or authority of the United States of America, an agency or authority of the state of New York, the Federal National Mortgage Association, the Federal Home Loan Mortgage Corporation, the Government National Mortgage Association, or a private mortgage insurance company.

Signature	Print full name	Date
Signature	Print full name	Date
Signature	Print full name	Date
Signature	Print full name	Date

APPENDIX B

SITE INSPECTION FORMS

240 - 260 Lakefront Boulevard Site
240 Lakefront Boulevard, Buffalo, New York
Inspector's Name: Cody Martin
Weather Conditions: Sunny

Inspection Date: September 8, 2022
Temperature (^{o}F): 75
Inspection Time: 8:00 am
Comments:
Inspection conducted during utility installation environmental monitoring and documentation.

Pre Inspection Checklist
- Review previous annual inspections
- Meet with the site representative to solicit comments/concerns regarding the

Comments:
Met with Construction Manager for ARC Building Partners - Justin Scott

Cover System - Floor Inspection
1. Walk all freely accessable floors
- Any visible cracks or settlement in the ground floors?
- Any other visible openings (unintended) in the ground floors?
- Draw approximate location of floor cracks/openings on site map.
- Note the length of the crack/opening.

Comments:
Was given access to only one un-occupied townhome garage for inspection. No cracks or settlement observed.

Cover System - Exterior Inspection
1. Walk and inspect the entire perimeter of the Site.
2. Walk and inspect all of the paved areas (concrete and asphalt) of the Site.
- Are there any signs of significant cracks, settlement or deterioration of the paved areas?
- Has any of the pavement material been removed?
- Have any structures been constructed on the unpaved areas?
- Are there any signs of soil washing or erosion (gullies, soil washed out onto the pavement)?
- Are there any signs of intrusive activities (drilling, digging, trenching, grading,

Comments:
None. One townhome fully built. Future tomehomes along Lakfront Blvd. under construction and are expected to be complete in 2023.

Repair
Summarize needed/completed repairs to the Engineering Controls:

Future townhomes - Building A and Building B will need grass restored once contruction is complete.

Shoring Wall
1. Walk and inspect the western property boundary along the Erie Basin Marina.
- Are there any visual signs of physical damage, corrosion, subsidence or structural failure ?

Comments:
No. The shoring wall appears to be in good condition.

Inspector's Signature: _____

Excavating for utility trenches on Building A.

Excavating for utility trenches on Building A

Stockpiling clean stone cover material for reuse.

Building A – Passive sub-slab depressurization piping.

Contaminated fill material stockpile. Material later disposed at a landfill.

Building A – Poured concrete floor

Building B – Excavating for water service connections.

Excavating for utility trenches on Building B.

Building B – Passive sub-slab depressurization piping. Contaminated fill material stockpile in background. Material later disposed at a landfill.

View of Track 4 cover system adjacent to Ojibwa Circle. Showing Soil Cover Type A (hardscape) and Soil Cover Type B (landscape).

View of Track 4 cover system along Lakefront Boulevard. Soil Cover Type A and foundations for future townhome structures.

View of the Track 4 cover and foundations for future townhomes.

View of the Track 4 cover and foundations for future townhome adjacent to the completed townhome complex (Soil Cover Type A).

View of the Track 4 Soil Cover Type B along the southwest border. Note existing tennis courts in background.

View of the Track 4 cover – driveway (Soil Cover Type A) and landscape areas (Soil Cover Type B).



View of the Track 4 cover – driveway (Soil Cover Type A) and landscape areas (Soil Cover Type B).

View of the Track 4 cover – driveway (Soil Cover Type A) and landscape areas (Soil Cover Type B).

View of the Track 4 cover – landscape areas (Soil Cover Type B).

View of the shoring wall looking north.

View of the shoring wall looking south.

Interior of existing townhome under construction. No floor cracks or settlement was observed.

APPENDIX C-1

EXCAVATION WORK PLAN AND APPROVAL

August 1, 2022

Megan Kuczka
Environmental Program Specialist 1
Department of Environmental Conservation
Division of Environmental Remediation
700 Delaware Avenue
Buffalo, New York 14209

Re: Excavation Work Plan Notification
240-260 Lakefront Boulevard (C915340)
Buffalo, New York

Dear Ms. Kucka:

C&S Engineers, Inc. (C&S) is submitting this letter to notify the New York State Department of Environmental Conservation (NYSDEC) that ARC Building Partners, Ciminelli Real Estate and their sub-contractors will be accessing the 240-260 Lakefront Boulevard Site to begin construction activities for two new townhomes.

The 240-260 Lakefront Boulevard Site was remediated to address SVOCs, metals and PCBs to achieve a Track 4 Restricted Residential Use Cleanup, which is consistent with the intended use of the Site. The approved Site Management Plan (SMP) outlines the engineering controls maintained for the Site. As shown on the attached figure, the Site has a composite soil cover system consisting of hardscape and two-feet of clean soil in grassed areas.

Future development will include the construction of two four-unit townhomes along Lakefront Boulevard – identified as "Building A" and "Building B." During site remediation in 2019, the four-unit townhomes were prepared for future construction. Concrete foundations and the cover system surrounding the Buildings A and B were installed in 2019. Potential intrusive construction activities into contaminated material consists of installation of utilities within the footprint of the buildings and tie-ins to utility mains a few feet outside the building footprint. The attached figure presents the utilities to be installed.

It is understood that potions of this work are within areas that have been remediated under the Brownfield Cleanup Program. As such, intrusive activities on these properties requires compliance with the Excavation Work Plan (EWP) prepared by C&S.

The sections below and attachments to this letter provide the required items of notification in Section D-1 of the EWP. The forthcoming work will be performed in compliance with this EWP and 29 CFR 1910.120.

EXISTING ENVIRONMENTAL CONDITIONS

Residual contamination remaining at the Site includes historic fill material located beneath the Site-wide soil cover system. Potential exposure is mitigated due to the depth of the contaminant, hotspot removals, and placement of a soil cover system.

SOIL

Remaining contaminated urban fill is present throughout the Site from underneath the demarcation layer (2 feet below grade) to a depth of 32 feet below grade. Contaminated urban fill extends horizontally across the entire BCP boundary. The approximate area of contaminated material is 91,040 square feet (2.09-acres).

Analytical results from the RI are summarized in the table below.

Summary of Exceedances in Remaining Fill Material

Analyte	Samples with Detections above SCOs					Low Concentration (ppm)	High Concentration (ppm)
	UR	RS	RR	CM	IN		
VOCs							
Acetone	3					0.053	0.11
SVOCs / PAHs							
Benzo(a)anthracene			12			1	4.8
Benzo(a)pyrene				2	8	1	3.5
Benzo(b)fluoranthene			12			1.1	4.1
Benzo(k)fluoranthene	3	2				0.84	1.7
Chrysene		12				1	3.7
Dibenz(a,h)anthracene			2			0.45	0.48
Indeno(1,2,3-cd)pyrene		1	12			0.51	1.9
PCBs							
Total PCB	15					0.11	0.977
Pesticides							
4,4'-DDE	1					0.00766	0.00766
4,4'-DDD	1					0.00153	0.0153
4,4'-DDT	1					0.00128	0.0128
Metals							
Chromium	1					62.8	62.8
Copper	1					61.2	73
Lead	17					66.4	1510
Mercury	17		2		1	0.191	13.8
Zinc	9					110	508

Notes: UR = Unrestricted Use SCOs
RS = Residential Use SCOs
RR = Restricted Residential Use SCOs
CM = Commercial Use SCOs
IN = Industrial Use SCOs

GROUNDWATER

No post remedial action groundwater sampling was conducted on-site. RI results identified marginal concentrations of VOCs (acetone and benzene), SVOCs (phenol and PAHs), PCBs and metals (aluminum, iron, lead, magnesium and manganese) that exceed NYSDEC standards. Remaining concentrations of metals above NYSDEC standards are primarily limited to naturally occurring metals commonly found in regional groundwater. Depth to groundwater ranges from six to eleven feet. Due to the depth of contamination, city wide groundwater use ban and the placement of the soil cover system, the potential exposure to remaining groundwater contamination is unlikely.

SOIL VAPOR

Contaminated soil vapor may be present throughout the Site. During the RI, two soil vapor samples were collected in areas adjacent to neighboring buildings. Samples were placed in the locations requested by the NYSDOH. One sample was located on the northern portion of the Site adjacent to Portside Condominiums; the second location was placed adjacent to the Marina Park Condominiums tennis court. Chlorinated VOCs were detected. Other VOCs were detected in the two soil vapor samples.

On November 20, 2020, C&S conducted the soil vapor intrusion on the only building constructed on the Site to date. Based on guidance values outlined in the NYSDOH 2006 guidance document (updated May 2017, including updates to the matrices), the sample results indicate no further action.

On January 15, 2021, C&S received a correspondence from the NYSDEC stating that NYSDOH review the SVI report and the passive soil vapor system can remain passive.

SOIL SCREENING METHODS

- Visual, olfactory and/or instrument-based (e.g., PID) soil screening will be performed by a QEP during all excavations into known or potentially contaminated material.

- VOCs were not a contaminant of concern for the Site. Segregating soils based on screening is not anticipated.

SOIL STAGING METHODS

- Soil stockpiles will be continuously encircled with a berm and/or silt sock. Hay bales (or similar methods) will be used as needed near catch basins, surface waters and other discharge points.

- Stockpiles will be kept covered at all times with appropriately anchored tarps. Stockpiles will be periodically inspected and damaged tarp covers will be promptly replaced.

MATERIALS EXCAVATION AND LOAD-OUT

- C&S will collect waste characterization samples for landfill disposal approval.

- Excavated fill may be direct-loaded onto trucks for off-site disposal or stockpiled.

- A QEP or engineer will observe and document during all excavation and load-out from known or potentially contaminated areas.

- The contractors are responsible for safe execution of all invasive and other work performed under this EWP.

- The contractors will investigate the presence of utilities and easements on the Site. It will be determined whether a risk or impediment to the planned work under this EWP is posed by utilities or easements on the site.

- Loaded vehicles leaving the Site will be appropriately covered, manifested, and/or placarded in accordance with appropriate Federal, State, local, and NYSDOT requirements (and all other applicable transportation requirements). To the extent practicable, trucks will travel along routes that avoid residential areas.

- Locations where vehicles enter or exit the site shall be inspected daily for evidence of off-site soil tracking.

- The contractor will be responsible for ensuring that all egress points for truck and equipment transport from the site are clean of dirt and other materials derived from the Site during intrusive excavation activities. Cleaning of the adjacent streets will be performed as needed to maintain a clean condition with respect to site-derived materials.

- Truck wash will not be used for this work.

FLUIDS MANAGEMENT

- Considering that excavations will be limited to utility trenching above the water table, dewatering is not anticipated to be conducted.

MATERIALS TRANSPORT OFF-SITE

- All transport of materials will be performed by licensed haulers in accordance with appropriate local, State, and Federal regulations, including 6 NYCRR Part 364. Haulers will be appropriately licensed and trucks properly placarded.
- Material transported by trucks exiting the Site will be secured with canvas-type truck covers. If loads contain wet material capable of producing free liquid, truck liners will be used.
- Egress points for truck and equipment transport from the Site will be kept clean of dirt and other materials during site remediation and development.

MATERIALS DISPOSAL OFF-SITE

- Contaminated and regulated material will be transported and disposed in accordance with all local, State (including 6NYCRR Part 360) and Federal regulations.
    - At this time, a conservative total of 1,000 cubic yards is anticipated to be removed from the Site to be disposed.
- If material from this Site is proposed for off-site use (i.e. clean soil removed for development purposes), a formal request with an associated plan will be made to the NYSDEC. Off-site management of materials from this Site will not occur without formal NYSDEC approval.
- Material that does not meet Unrestricted SCOs is prohibited from being taken to a New York State recycling facility (6NYCRR Part 360-16 Registration Facility).

MATERIALS REUSE ON-SITE

- No materials are planned to be reused on-site.

BACKFILLING

- All materials proposed for import onto the Site will be approved by the NYSDEC project manager prior to receipt at the Site.
- For each source of backfill that is imported to the Site, one of the following will be completed prior to importing the backfill.
    - Backfill material will be stone (2" round, 2" crushed, and/or pea gravel) from the same source that was approved for the site remediation. The previous Import Request Form is attached for your reference.

STORMWATER POLLUTION PREVENTION

- Ground disturbance is expected to be under one-acre; therefore, a SWPPP will not be required.

COMMUNITY AIR MONITORING

- The criteria presented in Community Air Monitoring Plan will be adhered to during intrusive activities.
- Upwind and downwind VOC and particulate monitors will be placed around the active excavations.

DUST CONTROL PLAN

- Dust suppression techniques will be employed by the remedial contractor as necessary to limit fugitive dust generated in disturbed areas during remediation and redevelopment activities.
- Such techniques may be employed even if the community air monitoring results indicate that particulate levels are below action levels. Techniques may include but are not limited to:
    - Applying water on haul roads
    - Wetting equipment and excavation surfaces
    - Hauling materials in properly tarped or watertight containers
    - Limiting vehicle speed on the Site
    - Limiting the size of excavations
    - Covering excavated areas and materials following excavation

COVER SYSTEM RESTORATION

- After the completion of soil removal and any other invasive activities the cover system will be restored in a manner that complies with the Decision Document.
- It is not anticipated that the cover system types with be modified from the areas presented in the SMP.

HEALTH AND SAFETY

- The Contractor will be using the Health and Safety Plan (HASP) in the SMP as a basis for their HASP.

SCHEDULE

- C&S anticipates starting activities the week of August 8th and completing the intrusive work in four to six weeks.

SOIL VAPOR INTRUSION

C&S will complete a soil vapor intrusion study to characterize potential impacts from soil gas under the building slab and indoor quality within the building. This sampling will be conducted once the buildings are enclosed. The results will determine if the sub-slab depressurization systems will need to be converted from passive to active. This work will be completed consistent with the New York State Department of Health (NYSDOH), "Guidance for Evaluating Soil Vapor Intrusion in New York State, 2006" and may include:

- C&S will collect up to two air samples from the vent piping of the sub-slab depressurization system in each building. A total of four air samples.

- C&S will also collect air samples to evaluate indoor air quality in each building. The indoor air samples will be co-located with the sub-slab vapor samples. The sampling devices will be placed approximately three to five feet off the ground for sample collection purposes and samples will be collected using a Summa canister equipped with a laboratory calibrated regulator over a 24-hour period.

- C&S will collect one outdoor air sample to characterize background air quality in the vicinity of the building as a means to evaluate the sub-slab and indoor air results. The sampling device will be located upwind of the anticipated contaminant plume and will be placed approximately three to five feet off the ground for sample collection purposes. The outdoor air sample will be collected using a Summa canister equipped with a laboratory calibrated regulator over a 24-hour period.

- A total of nine air samples will be collected for this study. The collected samples will be sent to a certified laboratory and analyzed for VOCs by USEPA Method TO-15. Proposed detection limits are 0.25 mcg/m3 for Matrix 1 analytes and 1 mcg/m3 for all other analytes.

- A Soil Vapor Intrusion Work Plan outlining the items above will be submitted and approved by the NYSDOH prior to collecting samples.

- As part of the new construction, prior to the building slab being poured, vapor barrier and a passive sub-slab depressurization system will be installed in both buildings.

REPORTING AND CERTIFICATION

Construction activities under this EWP will be described in the next annual Periodic Review Report due January 3, 2023. C&S will prepare the 2023 PRR, which will include:

- All relevant field documentation generated during construction
- Records of laboratory results and landfill receipts
- Records of pre- and post- site conditions
- A narrative of the intrusive construction activities and final results; and
- P.E. certification that the site has complied with the SMP

Should you have any questions or require additional information, please feel free to contact the undersigned.

Sincerely,

C&S ENGINEERS, INC.

Daniel E. Riker, P.G.
Department Manager – Environmental Services

Cody A. Martin
Project Environmental Scientist

F:\Project\E67 - Ciminelli Development\For New Project\240-260 Lakefront Boulevard (C915340 NYSDEC Notification.docx

© Carmina Wood Morris DPC

All Rights Reserved. Reuse of these documents without the expressed written permission of Carmina Wood Morris, DPC is prohibited. WARNING it is a violation of article 145 section 7209 of the New York State Education Law for any person, unless acting under the direction of a licensed professional engineer or licensed architect, to alter this drawing. If altered such R.A., P.E. or L.L.S. shall affix his or her seal, signature, the date, the notation "Altered By" and a specific description of the alteration.

Storm: Red: 3'-4' depth
Sanitary: Blue 2'-3' depth
SSDS: Yellow: Up to 12" depth



FOUNDATION PLAN BUILDING 'A', 'B' & 'C'

SCALE: 3/16"= 1'-0"

LEGEND

PILE SIZE — PC / Z — PILE CAP LOCATION
PR / C — PIER TYPE — COLUMN

GRADE BEAM SCHEDULE		
TYPE	SIZE	REINFORCING
GB1-GB3	SEE DETAILS S300	SEE DETAILS S300

COLUMN SCHEDULE		
TYPE	SIZE	BASE PLATE
C1	HSS5x5x5/16	1

PILE SCHEDULE	
TYPE	SIZE
PC1	SEE DETAILS S302

NOTE: PILES ARE HP10x42.

PILE LOCATION SCHEDULE		
TYPE	TOP PILE CAP ELEVATION	LOCATION
Z1	(-1'-6") @ BUILDING 'A' (-2'-0") @ BUILDING 'B' (-2'-9") @ BUILDING 'C'	PER PLAN; SEE DETAIL

THIS PLAN HAS BEEN PREPARED IN CONJUNCTION WITH THE SITE GRADING PLAN PREPARED
BY: CARMINA WOOD MORRIS
PROJECT NO.: 18-122
DRAWING NO.: C-200
REVISION NO.:
DATED: 6-29-18

ALL PILES MUST BE INSTALLED PER THE SOILS REPORT NOTED BELOW

NOTE:
VERIFY ALL COLUMN LOCATIONS WITH ARCHITECTURAL DRAWINGS.

TOP OF SLAB ELEV. 0'-0" = REFERENCE ELEV.

NOTE:
VERIFY LOCATIONS & SIZES OF ALL EXTERIOR DOORS WITH ARCH. DWGS. VERIFY DIMENSIONS WITH ARCH. DWGS.

NOTE:
VERIFY ALL SLAB RECESS DIMENSIONS AND LOCATIONS WITH ARCHITECTURAL DRAWINGS.

NOTE: ALL FOUNDATION & BACKFILL WORK SHALL BE DONE IN ACCORDANCE WITH THE GEOTECHNICAL REPORT PREPARED
BY: BARRON & ASSOCIATES P.C.
PROJECT NO.: 17-510
DATED: JANUARY 25, 2018

FLOOR CONSTRUCTION: 4" CONCRETE SLAB ON GRADE WITH FIBERMESH REINFORCING ON COMPACTED GRANULAR FILL PER GEOTECHNICAL ENGINEERS REPORT. GENERAL CONTRACTOR MUST REVIEW FLOOR SLAB CONSTRUCTION REQ'TS. IN SOILS REPORT PRIOR TO PREPARING SUBGRADE FOR SLAB ON GRADE.



PILE CAP 'PC2' DETAIL
SCALE: 1/2"= 1'-0"

PILE CAP 'PC2' REINFORCING DETAIL
SCALE: 1/2"= 1'-0"

PILE CAP 'PC3' DETAIL
SCALE: 1/2"= 1'-0"

PILE CAP 'PC3' REINFORCING DETAIL
SCALE: 1/2"= 1'-0"

NOTE: CENTER OF PILE CAP = CENTER OF EXISTING PILE

NOTE: CENTER OF PILE CAP = CENTER OF EXISTING PILE

Carmina Wood Morris DPC
487 Main Street Suite 500
Buffalo, New York 14203
P 716.842.3165
F 716.816.8143

PROFESSIONAL SEAL

REVISIONS:

No.	Description	Date
1	REVISED	7/30/19
2	REVISED	8/30/19
3	REVISED	10/18/19
4	REVISED	11/21/19
5	REVISED	2/24/20

PROJECT NAME:
New Construction:
The West End
240-260 Lakefront Blvd
Buffalo Ny, 14202

Issued for Construction: xx.xx.xx
Municipality Submission: 19/01/23
Drawn By:
Checked By: L.Traynor

DRAWING NAME:
4 Unit Building 'A', 'B' & 'C' Foundation Plan

DRAWING NO.
S-100

Project No: 18.122

studio T3
ENGINEERING, PLLC
2495 Main Street, Suite 301
Buffalo, New York 14214
Phone: (716) 803-6400
Fax: (716) 810-9504

12/3/2018 5:15:30 PM



PROPOSED GRADING LEGEND

PROPOSED CONTOUR	101
PROPOSED SPOT ELEVATION	100.80
PROPOSED TOP/BOTTOM OF CURB ELEV.	TC 100.50 BC 100.00
PROPOSED CATCH BASIN	CB
PAVEMENT/GROUND SLOPE	
PROPOSED YARD DRAIN	YD
PROPOSED MANHOLE	MH

NOTES

1) GRADING PLAN PROVIDED BY CARMINA WOOD MORRIS, D.P.C., 1/23/2019

0 15 30 60 Feet

1:360

LEGEND

BROWNFIELD CLEANUP PROGRAM (BCP) BOUNDARY

SOIL COVER TYPE A
- HARDSCAPE (CONCRETE AND ASPHALT) AND SUB-BASE MATERIAL
- SEE SITE PLAN DETAILS
- TOTAL AREA = 57,207 SQUARE FEET



CONCRETE SIDEWALK
N.T.S.



SLAB-ON-GRADE SECTION
N.T.S.



STANDARD DUTY ASPHALT SECTION
N.T.S.

SOIL COVER TYPE B
- AREAS NOT COVERED BY HARDSCAPE REQUIRE AT LEAST 2-FEET OF NYSDEC APPROVED MATERIAL ABOVE CONTAMINATED FILL MATERIAL
- SEE SITE PLAN DETAILS
- TOTAL AREA = 33,809 SQUARE FEET



LAWN SECTION
N.T.S.

C&S Engineers, Inc.
141 Elm Street.
Buffalo, New York 14203
Phone: 716-847-1630
Fax: 716-847-1454
www.cscos.com

240 - 260 LAKEFRONT BOULEVARD SITE
BROWNFIELD CLEANUP PROGRAM
SITE NO. C915340

CITY OF BUFFALO, NY

PROJECT NO:	E67.022.002
DATE:	03/21/2019
DRAWN BY:	C. MARTIN
DESIGNED BY:	C. MARTIN
CHECKED BY:	D. RIKER

NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW

SOIL COVER SYSTEM

FIGURE 6

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

60-Day Advance Notification of Site Change of Use, Transfer of Certificate of Completion, and/or Ownership

Required by 6NYCRR Part 375-1.11(d) and 375-1.9(f)

To be submitted at least 60 days prior to change of use to:

Chief, Site Control Section
New York State Department of Environmental Conservation
Division of Environmental Remediation, 625 Broadway
Albany NY 12233-7020

I. Site Name: 240-260 Lakefront Boulevard **DEC Site ID No.** C915340

II. Contact Information of Person Submitting Notification:

Name: Cody Martin

Address1: 141 Elm Street

Address2: Buffalo, New York

Phone: 716.955.3021 E-mail: cmartin@cscos.com

III. Type of Change and Date: Indicate the Type of Change(s) (check all that apply):

☐ Change in Ownership or Change in Remedial Party(ies)

☐ Transfer of Certificate of Completion (CoC)

☑ Other (e.g., any physical alteration or other change of use)

Proposed Date of Change (mm/dd/yyyy): 08/08/2022

IV. Description: Describe proposed change(s) indicated above and attach maps, drawings, and/or parcel information.

Construction of two new four-unit townhomes on the site.

If "Other," the description must explain and advise the Department how such change may or may not affect the site's proposed, ongoing, or completed remedial program (attach additional sheets if needed).

The site was remediated to achieve Track 4 Restricted Residential Use. Redevelopment plans for the site have been for constructing townhomes. One eight-unit townhome exists on the site currently. The new buildings are unchanged from the original design. The new buildings are consistent with the current remedial program.

V. Certification Statement: Where the change of use results in a change in ownership or in responsibility for the proposed, ongoing, or completed remedial program for the site, the following certification must be completed (by owner or designated representative; see §375-1.11(d)(3)(i)):

I hereby certify that the prospective purchaser and/or remedial party has been provided a copy of any order, agreement, Site Management Plan, or State Assistance Contract regarding the Site's remedial program as well as a copy of all approved remedial work plans and reports.

Name: _____ _____
(Signature) (Date)

_____
(Print Name)

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

VI. Contact Information for New Owner, Remedial Party, or CoC Holder: If the site will be sold or there will be a new remedial party, identify the prospective owner(s) or party(ies) along with contact information. If the site is subject to an Environmental Easement, Deed Restriction, or Site Management Plan requiring periodic certification of institutional controls/engineering controls (IC/ECs), indicate who will be the certifying party (attach additional sheets if needed).

☐ Prospective Owner ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

Certifying Party Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

VII. Agreement to Notify DEC after Transfer: If Section VI applies, and all or part of the site will be sold, a letter to notify the DEC of the completion of the transfer must be provided. If the current owner is also the holder of the CoC for the site, the CoC should be transferred to the new owner using DEC's form found at http://www.dec.ny.gov/chemical/54736.html. This form has its own filing requirements (see 6NYCRR Part 375-1.9(f)).

Signing below indicates that these notices will be provided to the DEC within the specified time frames. If the sale of the site also includes the transfer of a CoC, the DEC agrees to accept the notice given in VII.3 below in satisfaction of the notice required by VII.1 below (which normally must be submitted within 15 days of the sale of the site).

Within 30 days of the sale of the site, I agree to submit to the DEC:

1. the name and contact information for the new owner(s) (see §375-1.11(d)(3)(ii));
2. the name and contact information for any owner representative; and
3. a notice of transfer using the DEC's form found at http://www.dec.ny.gov/chemical/54736.html (see §375-1.9(f)).

Name: _____ _____

(Signature) (Date)

_____

(Print Name)

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

Continuation Sheet

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

☐ Prospective Owner/Holder ☐ Prospective Remedial Party ☐ Prospective Owner Representative

Name: _____

Address1: _____

Address2: _____

Phone: _____ E-mail: _____

New York State Department of Environmental Conservation

Instructions for Completing the 60-Day Advance Notification of Site Change of Use, Transfer of Certificate of Completion (CoC), and/or Ownership Form

Submit to: Chief, Site Control Section**,** New York State Department of Environmental Conservation, Division of Environmental Remediation, 625 Broadway, Albany NY 12233-7020

Section I	**Description**
Site Name	Official DEC site name. (see http://www.dec.ny.gov/cfmx/extapps/derexternal/index.cfm?pageid=3)
DEC Site ID No.	DEC site identification number.

Section II	**Contact Information of Person Submitting Notification**
Name	Name of person submitting notification of site change of use, transfer of certificate of completion and/or ownership form.
Address1	Street address or P.O. box number of the person submitting notification.
Address2	City, state and zip code of the person submitting notification.
Phone	Phone number of the person submitting notification.
E-mail	E-mail address of the person submitting notification.

Section III	**Type of Change and Date**
Check Boxes	Check the appropriate box(s) for the type(s) of change about which you are notifying the Department. Check all that apply.
Proposed Date of Change	Date on which the change in ownership or remedial party, transfer of CoC, or other change is expected to occur.

Section IV	**Description**
Description	For each change checked in Section III, describe the proposed change. Provide all applicable maps, drawings, and/or parcel information. If "Other" is checked in Section III, explain how the change may affect the site's proposed, ongoing, or completed remedial program at the site. Please attach additional sheets, if needed.

Section V Certification Statement

This section must be filled out if the change of use results in a change of ownership or responsibility for the proposed, ongoing, or completed remedial program for the site. When completed, it provides DEC with a certification that the prospective purchaser has been provided a copy of any order, agreement, or State assistance contract as well as a copy of all approved remedial work plans and reports.

Name	The owner of the site property or their designated representative must sign and date the certification statement. Print owner or designated representative's name on the line provided below the signature.
Address1	Owner or designated representative's street address or P.O. Box number.
Address2	Owner or designated representative's city, state and zip code.
Phone	Owner or designated representative's phone number.
E-Mail	Owner or designated representative's E-mail.

Section VI Contact Information for New Owner, Remedial Party, and CoC Holder (if a CoC was issued)

Fill out this section only if the site is to be sold or there will be a new remedial party. Check the appropriate box to indicate whether the information being provided is for a Prospective Owner, CoC Holder (if site was ever issued a COC), Prospective Remedial Party, or Prospective Owner Representative. Identify the prospective owner or party and include contact information. A Continuation Sheet is provided at the end of this form for additional owner/party information.

Name	Name of Prospective Owner, Prospective Remedial Party or Prospective Owner Representative.
Address1	Street address or P.O. Box number for the Prospective Owner, Prospective Remedial Party, or Prospective Owner Representative.
Address2	City, state and zip code for the Prospective Owner, Prospective Remedial Party, or Prospective Owner Representative.
Phone	Phone number for the Prospective Owner, Prospective Remedial Party or Prospective Owner Representative.
E-Mail	E-mail address of the Prospective Owner, Prospective Remedial Party or Prospective Owner Representative.

If the site is subject to an Environmental Easement, Deed Restriction, or Site Management Plan requiring periodic certification of institutional controls/engineering controls (IC/EC), indicate who will be the certifying party(ies). Attach additional sheets, if needed.

Certifying Party	
Name	Name of Certifying Party.
Address1	Certifying Party's street address or P.O. Box number.
Address2	Certifying Party's city, state and zip code.
Phone	Certifying Party's Phone number.
E-Mail	Certifying Party's E-mail address.

Section VII Agreement to Notify DEC After Property Transfer/Sale

This section must be filled out for all property transfers of all or part of the site. If the site also has a CoC, then the CoC shall be transferred using DEC's form found at http://www.dec.ny.gov/chemical/54736.html

Filling out and signing this section of the form indicates you will comply with the post transfer notifications within the required timeframes specified on the form. If a CoC has been issued for the site, the DEC will allow 30 days for the post transfer notification so that the "Notice of CoC Transfer Form" and proof of it's filing can be included. Normally the required post transfer notification must be submitted within 15 day (per 375-1.11(d)(3)(ii)) when no CoC is involved.

Name	Current property owner must sign and date the form on the designated lines. Print owner's name on the line provided.
Address1	Current owner's street address.
Address2	Current owner's city, state and zip code.

NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Request to Import/Reuse Fill or Soil

This form is based on the information required by DER-10, Section 5.4(e). Use of this form is not a substitute for reading the applicable Technical Guidance document.

SECTION 1 – SITE BACKGROUND

The allowable site use is: Restricted Residential Use

Have Ecological Resources been identified? no

Is this soil originating from the site? no

How many cubic yards of soil will be imported/reused? 800-1000

If greater than 1000 cubic yards will be imported, enter volume to be imported:

SECTION 2 – MATERIAL OTHER THAN SOIL

Is the material to be imported gravel, rock or stone? yes

Does it contain less than 10%, by weight, material that would pass a size 80 sieve? yes

Is this virgin material from a permitted mine or quarry? yes

Is this material recycled concrete or brick from a DEC registered processing facility? no

SECTION 3 - SAMPLING

Provide a brief description of the number and type of samples collected in the space below:

1-inch and 2-inch stone from Buffalo Crushed Stone / New Enterprise Stone & Lime Co., Inc. For use as backfill for utility installation bedding and backfill. No chemical testing needed.

Example Text: 5 discrete samples were collected and analyzed for VOCs. 2 composite samples were collected and analyzed for SVOCs, Inorganics & PCBs/Pesticides.

If the material meets requirements of DER-10 section 5.4(e)5 (other material), no chemical testing needed.

SECTION 3 CONT'D - SAMPLING

Provide a brief written summary of the sampling results or attach evaluation tables (compare to DER-10, Appendix 5):

Not applicable

Example Text: Arsenic was detected up to 17 ppm in 1 (of 5) samples; the allowable level is 16 ppm.

If Ecological Resources have been identified use the "If Ecological Resources are Present" column in Appendix 5.

SECTION 4 – SOURCE OF FILL

Name of person providing fill and relationship to the source:

New Enterprise Stone & Lime Co., Inc.

Location where fill was obtained:

8615 Wehrle Drive, Willamsville, New York

Identification of any state or local approvals as a fill source:

If no approvals are available, provide a brief history of the use of the property that is the fill source:

Not applicable

Provide a list of supporting documentation included with this request:

1. Aggregate gradations

The information provided on this form is accurate and complete.



Signature

8/1/2022

Date

Cody Martin

Print Name

C&S Engineers, Inc.

Firm

NEW ENTERPRISE STONE & LIME CO., INC.

500 Como Park Boulevard • Buffalo NY 14227

Office: (716) 826-7310
Fax: (716) 826-1342
Dispatch: (716) 566-9690

August 1, 2022

Jim Ingalls
Ingalls Site Development Inc.
297 Meyer Rd
West Seneca, NY 14224

Re: West End Townhouses

Dear Jim:

We certify the aggregates we supply on the subject project meet the New York State Department of Transportation Specification and Gradations as follows:

Item #304.12 // -2" Crusher Run // Type 2 Subbase	
Sieve Size	Percent Passing
2"	100
1/4"	25-60
No. 40	5-40
No. 200	0-10

Item #703.0201 // #1 Crushed Stone	
Sieve Size	Percent Passing
1"	100
1/2"	90-100
1/4"	0-15

Our New York State Source Number at our Wehrle Drive location is 5-3R.

We trust this meets with your approval.

Sincerely,

BW:TG

Robert Warrington
Account Representative

Gradation Sheet

Wehrle Dr. New Enterprise Stone & Lime

Sample of **1's**	Date	8/2/22	Time
From Pt. 23	**mill**		

Sieve Size	Sieve Size	Weight Retained	% Retained	% Passing	Spec.
90mm	3-1/2"		0.0	100.0	
75mm	3"		0.0	100.0	
63mm	2-1/2"		0.0	100.0	
50mm	2"		0.0	100.0	
37.5mm	1-1/2"		0.0	100.0	
25.0mm	1"		0.0	**100.0**	100
19.0mm	3/4"		0.0		
12.5mm	1/2"	0.95	5.6	**94.4**	90/100
9.5mm	3/8"	6.00	35.3	**59.1**	
6.3mm	1/4"	8.85	52.1	**7.1**	0/15
4.75mm	4	0.95	5.6	**1.5**	
3.2mm	1/8"	0.15	0.9	**0.6**	
2.36mm	8		0.0		
2.0mm	10		0.0		
1.4mm	14		0.0		
1.18mm	16		0.0		
850µm	20		0.0		
600µm	30		0.0		
425µm	40		0.0		
300µm	50		0.0		
180µm	80	0.05	0.3	**0.3**	
150µm	100		0.0		
75µm	200		0.0		
	Pan	0.05	0.3	0.0	
	Total	17.00	100		

Wash Loss:		
Before:	0.0	
After:	0.0	
Loss:	0.0	
	#DIV/0!	%

CME Associates, Inc.

2727 Broadway St., Suite 2
Cheektowaga, New York 14227
(716) 877-9577
(716) 877-9629 (Fax)

www.cmeassociates.com

LAB REPORT SUMMARY

PROJECT: NESL Source Pre-Qual 2021
CLIENT: NESL
DATE: 04/29/2022

REPORT NO.: 17330L-05
REPRESENTATIVE: Austin Glasier

This CME Associates, Inc representative performed a sieve analysis and moisture density test (Modified Proctor) on a 2" R.O.C. sample delivered to CME's Buffalo laboratory on 04/13/2022. Tests were performed according to ASTM standards C136, C117, and D1557.

The following table distinguishes your sample from some common NYSDOT items:

Sample No.:	Location:
BL3134	Source #5-3R

MECHANICAL ANALYSIS (ASTM C136, C117)

Sieve Size	Percent Passing by Weight Sample BL3134	Item 304.12 Subbase Type II	Item 203.07 Select Granular Fill	Item 203.25 Sand Backfill	Item 605.0901 Underdrain Filter Type 1
4"	100		100		
2"	100	100			
1"	94				100
3/4"	86				
1/2"	68			100	30-100
3/8"	58				
1/4"	46	25-60		90-100	0-30
No. 4	40				
No. 10	23				0-10
No. 40	10	5-40	0-70		
No. 80	8				
No. 200	6	0-10	0-15	0-5	0-5

CLASSIFICATION

Gray cmf Gravel; some cmf Sand; trace Silt/Clay

LABORATORY MOISTURE-DENSITY RELATIONSHIP (ASTM D1557)

Corrected Maximum Dry Density	=	**143.1**	**Pcf**
Corrected Optimum Moisture Content	=	**5.5**	**%**

It is recommended the engineer of record review and comment on the use of this material. Please see attached documents for lab test results.

Feel free to contact this office should you have any questions.

CME Associates, Inc.

2727 Broadway Ave, Suite #2
Buffalo, New York 14227
(716) 877-9577
(716) 877-9629 (Fax)

www.cmeassociates.com

LABORATORY TEST SUMMARY
NESL
NESL Source Pre-Qual 2021
CME Report Number: 17330L-05
4/29/2022
Page 2 of 3

The CME Associates Representative obtained a sample at the above referenced project. The sample was delivered to CME's Buffalo facility, an AASHTO[1] accredited laboratory, for a Particle Size Analysis and a Moisture Density Relationship determination. The results are as follow:

1) Material Identification

Sample #	Date Sampled	Classification	Source
BL3134	04/13/22	Gray cmf Gravel; some cmf Sand; trace Silt/Clay	Source #5-3R

2) Particle Size Analysis ASTM D422

Sieve Size	Sieve Size (mm)	% Passing by Dry Weight Sample # BL3134
2"	50	100
1-1/2'	37.5	99
1"	25	94
3/4"	19	86
1/2"	12.5	68
3/8"	9.50	58
1/4"	6.25	46
#4	4.75	40
#10	2.00	23
#20	0.850	14
#40	0.425	10
#80	0.180	8
#100	0.150	7
#200	0.075	6

Note: Proposed use of material not provided.

Grain Size Distribution



3) Moisture-Density Relationship (ASTM D-1557: Modified Proctor)

	Sample # BL3134
Corrected Maximum Dry Density (pcf)	= 143.1
Corrected Optimum Moisture Content (%)	= 5.5
Oversized Particles, Percent by Weight (%)	= 14 *

* Particles retained on 3/4-inch sieve

[1]AASHTO - American Association of State Highway & Transportation Officials (AASHTO) Materials Reference Laboratory. CME Buffalo accreditation includes tests of Portland Cement Concrete, Aggregate and Soil Materials. www.aashtoresource.org

LABORATORY TEST SUMMARY
NESL
NESL Source Pre-Qual 2021
CME Report Number: 17330L-05
Page 3 of 3

SAMPLE LOCATION:	Source #5-3R	DATE SAMPLED:	4/13/22
SOIL CLASSIFICATION:	Gray cmf Gravel; some cmf Sand; trace Silt/Clay	SAMPLE NO.:	BL3134

Moisture - Density Relationship Curve



Particle Size Analysis ASTM D422

Sieve Size	% Passing
2"	100
1-1/2"	99
1"	94
3/4"	86
1/2"	68
3/8"	58
1/4"	46
No.4	40
No.10	23
No.20	14
No.40	10
No.80	8
No.100	7
No.200	6

Test Procedure Information

Test Method	☑ ASTM D-1557 (Modified)	☐ ASTM D-698 (Standard)	
Procedure Used	☐ A	☐ B	☑ C
Preparation Method	☐ Dry	☑ Moist	
Description of Rammer	☑ Manual	☐ Mechanical	

Test Results

Corrected MDD (PCF) = **143.1**
Corrected OMC (%) = **5.5**

Oversize Fraction by Dry Weight
14 % Retained on ☐ No.4 Sieve ☐ 3/8" Sieve ☑ 3/4" Sieve

* Specific Gravity, estimated
** MDD = Maximum Dry Density, OMC = Optimum Moisture Content
Please feel free to contact our office if you have any questions.

Austin Glasier
Laboratory Technician

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation
700 Delaware Avenue, Buffalo, NY 14209
P: (716) 851-7220| F: (716) 851-7226
www.dec.ny.gov

August 3, 2022

Cody Martin
C&S Engineers, Inc.
141 Elm Street
Suite 100
Buffalo, NY 14203

Re: Site Management (SM) –
Excavation Work Plan Notification &
Change of Use Acknowledgement
240 – 260 Lakefront Boulevard Site, Buffalo
Erie County, Site No.: **C915340**

Dear Cody Martin:

The Department has reviewed and hereby accepts your Excavation Work Plan Notification submitted August 3, 2022. Please make sure to adhere to all local, state, and federal laws and regulations during construction.

Additionally, this acknowledges our receipt of your August 3, 2022 *60-Day Advance Notification Form* notifying the Department of the construction of two new townhomes in accordance with 6 NYCRR 375-1.11(d). This acknowledgment is not intended to imply approval or concurrence with the proposed change of use.

If you have any questions, please contact me at 716-851-7220 or email: megan.kuczka@dec.ny.gov.

Sincerely,

Megan Kuczka
Environmental Program Specialist – 1

ec: Andrea Caprio – NYSDEC
Eamonn O'Neil – NYSDOH
Charlotte Bethoney – NYSDOH
Paul Ciminelli – Lakefront Boulevard, LLC
Erik Wagner – Lakefront Boulevard, LLC
Daniel Riker – C&S Engineers, Inc.

APPENDIX C-2

DAILY WORK LOGS

DAILY WORK REPORT

Location

240-260 LAKEFRONT
WEST END

Date: 8/10/22

Attachments:
1. _____
2. _____
3. _____

Contractor Work Hours: _____ to _____
C&S Work Hours: _____ to _____

	AM	PM
Weather	SUNNY	
Temp.	60's°F	
Pecip.	NONE	
Wind Speed	3MPH	
Wind Direct.	S	

Equipment Calibration		
Time	Type	Result

Work Area Description:
DIGGING FOR UTILITY LOCATIONS AROUND FOUNDATIONS OF 3 BUILDINGS

Material Imported			
Time	Type	Origin	Quantity

Material Exported			
Time	Type	Destination	Quantity

DAILY WORK REPORT

Description of Work:

CONTRACTOR IS DIGGING FOR LOCATION OF UTILITY LINES AROUND 3 EXISTING FOUNDATIONS.

- 3 LABORERS FROM HHC PLUMBING ONSITE
- 1 OPERATOR + 1 LABORER ONSITE FROM INJALLS
- 2 FIREMEN ONSITE FROM ARC.

Community Air Monitoring Issues:

NONE

Sampling (Soil/Water/Air): NONE

Sample ID	Sample Location	Description & Analysis
CAMD Equipment	NORTH END OF SITE AND SOUTH END OF SITE	CAMS

Upcoming work:

Submitted By: RICH BACKERT.

DAILY REPORT

PROJECT:	240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION:	240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO.	E67.022.001
SITE NO.	C915340

DATE: 8/29/2022

DAY: S | **M** | T | W | TH | F | S

REPORT NO. 1

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
Hertel Hardware and Plumbing Co.		8	Utility Contractor
Ingalls Site Development		8	Excavation Contractor

VISITORS

Name	Time	Representing	Comments
ARC Building Partners	Daily	Construction Manager	

ONSITE EQUIPMENT

35D John Deere Excavator		
SVL 75-2 Kubota Skid Steer		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
High ambient particulates		NA	Upwind and downwind monitors unexpectedly high TWA. Upwind (southwest corner of Building A) 0.015 and downwind (northeast side of Building A) 0.025. Recalibrated at 12:30 pm. No visual dust. Consistent readings even when no digging.

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	SW corner		
Downwind	NE corner		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- Ingalls (ISD) digging trenches for storm sewer approximately 3 feet deep.
- Contaminated material encountered at 2 feet in some locations.
- Historic fill material consistant with known contaminated material encountered. Historic fill segreated from clean stone and placed on poly for later disposal.
- Storm sewer deepest utility. Other utility trenches may be above contaminated material.
- Clean stone backfill along foundation observed to be deeper than 2 feet.
- Building A storm sewer trench complete today.
- No excavation until next week.

PREPARED BY: C. Martin

DAILY REPORT

PROJECT:	240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION:	240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO.	E67.022.001
SITE NO.	C915340

DATE: 9/8/2022

DAY: S M T W ~~T~~ F S

REPORT NO. 2

WEATHER	~~Sunny~~	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	~~70-85~~	Above 85

WIND	~~Light~~	Moderate	High

WIND DIR.	NE	NW	SE	~~SW~~
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
11 11			
11 11			

VISITORS

Name	Time	Representing	Comments
11 11			

ONSITE EQUIPMENT

11 11		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
None			

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	SW Corner		
Downwind	NE Corner		

3:00pm higher DW due to stone plate tamping

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD backfilling with Stone Steam sewer utility trenches. One load of crushed stone imported.
- Excavate on West side of Building A for water and Sanitary Sewer, connections.
- Excavate inside building for Water/Sanitary Sewer lines.
- Collected four Waste characterization samples for landfill approval. (WC-1 – WC-4)

PREPARED BY: _____

DAILY REPORT

PROJECT:	240 - 260 LAKEFRONT BOULEVARD SITE	**DATE:**	9/12/2022
PROJEC LOCATION:	240 - 260 LAKEFRONT BOULEVARD	DAY:	S M T W TH F S
C&S PROJECT NO.	E67.022.001		
SITE NO.	C915340	REPORT NO.	3

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
Hertel Hardware and Plumbing Co.		8	Utility Contractor
Ingalls Site Development		8	Excavation Contractor

VISITORS

Name	Time	Representing	Comments
ARC Building Partners	Daily	Construction Manager	

ONSITE EQUIPMENT

35D John Deere Excavator		
SVL 75-2 Kubota Skid Steer		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
None			

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	SW corner	0.004	0.1
Downwind	NE corner	0.008	0.1

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- Ingalls (ISD) digging trenches for sanitary sewer and water approximately 2-3 feet deep.
- Contaminated material encountered at 2 feet in some locations.
- Historic fill material consistant with known contaminated material encountered. Historic fill segreated from clean stone and placed on poly for later disposal.
- Clean stone backfill along foundation observed to be deeper than 2 feet.
- Air monitors turned off during heavy rain.

PREPARED BY: C. Martin

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: 9/13/2022
DAY: S M T W TH F S

REPORT NO. 4

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments

VISITORS

Name	Time	Representing	Comments

ONSITE EQUIPMENT

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	NW Corner	0.016	0.1
Downwind	SE Corner	0.009	0.1

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD continue excavating for water and sanitary sewer connections for the last two units in Building A.
- Hertel installing piping.
- Rain in forecast today
- 12pm - backfill
- Turned monitors off 2:00pm due to heavy rain

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: 9/14/2022
DAY: S M T W TH F S

REPORT NO. 5

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
" "			

VISITORS

Name	Time	Representing	Comments
" "			

ONSITE EQUIPMENT

" "	

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
NA			Backfilling only

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	NA		
Downwind			

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD backfilling Building A.
- Hertel completing sanitary and water utility installation on Building A.
- Upcoming work:
  - Installation of SSDS piping
  - Backfilling Building A
  - Begin utility installation on Building B on Tuesday.

PREPARED BY: _____

DAILY REPORT

PROJECT:	240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION:	240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO.	E67.022.001
SITE NO.	C915340

DATE: September 20, 2022

DAY: S | M | ~~T~~ | W | TH | F | S

REPORT NO. 6

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
IC IC			

VISITORS

Name	Time	Representing	Comments
IC IC			

ONSITE EQUIPMENT

IC IC		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
None			

Building B

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	NW		
Downwind	E		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD backfilling Building A
- Hertel installing SSDS for each townhome.

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: September 21, 2022
DAY: S M T W TH F S

REPORT NO. 7

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
" "			

VISITORS

Name	Time	Representing	Comments
" "			

ONSITE EQUIPMENT

" "		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
None			

Building B

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	W		
Downwind	E		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- FSD began utility trench excavation in Building B @ 11:00 am - Sanitary Sewer
- Hertel Coring Building A for Utility connection.

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: September 22, 2022
DAY: S M T W T F S
REPORT NO. 8

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments

VISITORS

Name	Time	Representing	Comments

ONSITE EQUIPMENT

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	W		
Downwind	E		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD utility trenching for ~~Sanitary~~ Storm Sewer approx. 3' feet deep. Historic fill material consistant with material observed in Building A. at the bottom of trench.
- FSD excavating along 1-2' trench along the W foundation of Building A. Clean fill along foundation over 3-feet deep.
- ~~Hedel~~ installing piping and coring on Buildings A and B. for power and telephone lines. Hildreth Electrical

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: September 26, 2022
DAY: S M T W TH F S
REPORT NO. 9

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	~~50-70~~	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments

VISITORS

Name	Time	Representing	Comments

ONSITE EQUIPMENT

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind			
Downwind			

Health & Safety

Issue	Time	Remedy	Comments

Description of Work

Work Stopped in AM due to heavy rain

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE: September 27, 2022
DAY: S | M | T | W | TH | F | S

REPORT NO. 10

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	~~50-70~~	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments

VISITORS

Name	Time	Representing	Comments

ONSITE EQUIPMENT

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
N/A			

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	E		
Downwind	W		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- ISD excavating storm sewer for last unit on Building B.
- Hertel installing storm sewer and water for other units.
- Historic fill @ 2'

PREPARED BY: _____

DAILY REPORT

PROJECT: 240 - 260 LAKEFRONT BOULEVARD SITE
PROJEC LOCATION: 240 - 260 LAKEFRONT BOULEVARD
C&S PROJECT NO. E67.022.001
SITE NO. C915340

DATE:
DAY: S | M | T | W | TH | **F** | S

REPORT NO. _____

WEATHER	Sunny	Partly Cloudy	Overcast	Rain	Snow
TEMP.	Below 32	32-50	50-70	70-85	Above 85

WIND	Light	Moderate	High

WIND DIR.	NE	NW	SE	SW
	N	S	E	W

CONTRACTOR(S) ONSITE

Name of Contractor	Title	Hours Worked	Comments
Ingalls Site Development		8	Excavation Contractor

VISITORS

Name	Time	Representing	Comments
ARC Building Partners	Daily	Construction Manager	

ONSITE EQUIPMENT

35D John Deere Excavator		

COMMUNITY AIR MONITORING

Issue	Time	Remedy	Comments
None			

	Location	TWA PID (ppm)	TWA Particulate (mg/m3)
Upwind	NW Corenr		
Downwind	SE Corner		

Health & Safety

Issue	Time	Remedy	Comments
None			

Description of Work

- Ingalls (ISD) digging trenches for utilities approximately 2-3 feet deep with building foundations.
- Air monitoring equipment set up on site during all eaeth work througohut the day.

PREPARED BY: Rich Backert

APPENDIX C-3

WASTE MANIFESTS

ITE

NIAGARA FALLS LANDFILL 716-282-6381
5600 Niagara Falls Blvd Niagara Falls, NY 14304

USTOMER

392090
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224
Contract:42152214925
Generator:Lakefront Boulevard LLC

SITE	TICKET #	CELL
5B	1226261	

WEIGHMASTER: Albert S.

DATE/TIME IN	DATE/TIME OUT
11/4/22 11:21 am	11/4/22 11:21 am

VEHICLE	CONTAINER
PAR33	

REFERENCE

BILL OF LADING 2297371

SCALE IN GROSS WEIGHT 46,980 NET TONS 9.59 INBOUND
TARE OUT TARE WEIGHT 27,800 NET WEIGHT 19,180 INVOICE

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	Tracking QTY				
9.59	tn	SW-CONT SOIL Origin:NY-ERIE 100%				
1.00		ENVIRONMENTAL FEE 1				

SAFETY FIRST
It's the Right Thing!

Have a nice day. Thank you for your business!

NET AMOUNT

TENDERED

CHANGE

CHECK#

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE

RS 5042UPR (04/19)

REPUBLIC SERVICES

NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

2297371

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is **NOT** asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number	b. Manifest Document Number	c. Page 1 of

d. Generator's Name and Location:	e. Generator's Mailing Address:
Lakefront Boulevard LLC 50 Fountain Place, Buffalo, NY f. Phone:	Ingalls Site Development 297 Meyer Rd, West Seneca, NY g. Phone:
If owner of the generating facility differs from the generator, provide: h. Owner's Name:	i. Owner's Phone No.:

j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	m. Containers Type	n. Total Quantity	o. Unit Wt/Vol
A. 42152214925	10/27/2023	*Historic Fill Soil*		1	12 yd	
B.						
C.						

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

p. Generator Authorized Agent Name (Print)	q. Signature	r. Date
Danielle Zientek Agent for Owner		11-4-22

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: PARISO 33

b. Phone:

c. Driver Name (Print)	d. Signature	e. Date
Jim Osmon		11-4-22

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address:	c. US EPA Number	d. Discrepancy Indication Space:
Allied Waste Niagara Falls Landfill LLC *5600 Niagara Falls Blvd, Niagara Falls NY* b.		

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

e. Name of Authorized Agent (Print)	f. Signature	g. Date
R Smith		11-4-22

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:
b. Phone:	d. Phone:

e. Special Handling Instructions and Additional Information:

f. ☐ Friable ☐ Non-Friable ☐ Both % Friable % Non-Friable

OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

g. Operator's Name and Title (Print)	h. Signature	i. Date

*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both

SITE

NIAGARA FALLS LANDFILL 716-282-6381
5600 Niagara Falls Blvd Niagara Falls, NY 14304

CUSTOMER

392090
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224
Contract:42152214925
Generator:Lakefront Boulevard LLC

SITE	TICKET #	CELL
5B	1226256	

WEIGHMASTER Albert S.

DATE/TIME IN	DATE/TIME OUT
11/4/22 10:46 am	11/4/22 10:46 am

VEHICLE	CONTAINER
INGALLS 39	

REFERENCE

BILL OF LADING 2297370

SCALE IN GROSS WEIGHT 69,220 NET TONS 20.21
TARE OUT TARE WEIGHT 28,800 NET WEIGHT 40,420

INBOUND
INVOICE

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
12.00	YD	Tracking QTY				
20.21	tn	SW-CONT SOIL Origin:NY-ERIE 100%				
1.00		ENVIRONMENTAL FEE 1				

SAFETY LINE
It's the Right Thing!

Have a nice day. Thank you for your business!

NET AMOUNT
TENDERED
CHANGE
CHECK#

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE Jon Henderson

REPUBLIC SERVICES

NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

2297370

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is **NOT** asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number	b. Manifest Document Number	c. Page 1 of

d. Generator's Name and Location:	e. Generator's Mailing Address:
Lakefront Boulevard LLC 50 Fountain Place, Buffalo, NY f. Phone:	Ingalls Site Development 297 Meyer Rd, West Seneca, NY g. Phone:
If owner of the generating facility differs from the generator, provide:	
h. Owner's Name:	i. Owner's Phone No.:

j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	m. Containers Type	n. Total Quantity	o. Unit Wt/Vol
A. 42152214925	10/27/2023	Historic Fill Soil		1	12 yd	
B.						
C.						

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

p. Generator Authorized Agent Name (Print)	q. Signature	r. Date
Danielle Lichtek Agent for Owner		11-4-22

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address:
Ingalls Site Development I-39

b. Phone:

c. Driver Name (Print)	d. Signature	e. Date
Don Hornberger	Don Hornberger	11-4-22

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address:	c. US EPA Number	d. Discrepancy Indication Space:
Allied Waste Niagara Falls Landfill LLC 5600 Niagara Falls Blvd, Niagara Falls NY b.		

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

e. Name of Authorized Agent (Print)	f. Signature	g. Date
AJ Smith		11-4-22

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:
b. Phone:	d. Phone:

e. Special Handling Instructions and Additional Information:

f. ☐ Friable ☐ Non-Friable ☐ Both % Friable % Non-Friable

OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

g. Operator's Name and Title (Print)	h. Signature	i. Date

*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both

SITE

NIAGARA FALLS LANDFILL 716-282-6381
5600 Niagara Falls Blvd Niagara Falls, NY 14304

CUSTOMER

392090
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224
Contract:42152214925
Generator:Lakefront Boulevard LLC

SITE	TICKET #	CELL
5B	1226239	

WEIGHMASTER Pam S.

DATE/TIME IN	DATE/TIME OUT
11/4/22 8:30 am	11/4/22 8:59 am

VEHICLE	CONTAINER
INGALLS 39	

REFERENCE

BILL OF LADING 2297368

SCALE IN GROSS WEIGHT 79,020 NET TONS 25.11 INBOUND
TARE OUT TARE WEIGHT 28,800 NET WEIGHT 50,220 INVOICE

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
12.00	YD	Tracking QTY				
25.11	tn	SW-CONT SOIL Origin:NY-ERIE 100%				
1.00		ENVIRONMENTAL FEE 1				

Have a nice day. Thank you for your business!

NET AMOUNT

TENDERED

CHANGE

CHECK#

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE Don Hornbeck

RS-F042UPR (04/19)

REPUBLIC SERVICES

NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

39

2297368

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is **NOT** asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number	b. Manifest Document Number	c. Page 1 of

d. Generator's Name and Location:	e. Generator's Mailing Address:
Lakefront Boulevard LLC 50 Fountain Place, Buffalo, NY f. Phone:	Ingalls Site Development 297 Meyer Rd, West Seneca, NY g. Phone:
If owner of the generating facility differs from the generator, provide:	
h. Owner's Name:	i. Owner's Phone No.:

j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	m. Containers Type	n. Total Quantity	o. Unit Wt/Vol
A. 42152214925	10/27/2023	Historic Fill Soil			1 12 yd	
B.						
C.						

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

p. Generator Authorized Agent Name (Print)	q. Signature	r. Date
Daniella Zientek Agent for Owner		11-4-22

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address:
INGALLS Site Development I-39

b. Phone:

c. Driver Name (Print)	d. Signature	e. Date
Don Hornberger	Don Hornberger	11-4-22

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address:	c. US EPA Number	d. Discrepancy Indication Space:
Allied Waste Niagara Falls Landfill LLC 5600 Niagara Falls Blvd, Niagara Falls NY b.		

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

e. Name of Authorized Agent (Print)	f. Signature	g. Date
Scott	Pam Scott	11/04/22

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:
b. Phone:	d. Phone:

e. Special Handling Instructions and Additional Information:

f. ☐ Friable ☐ Non-Friable ☐ Both % Friable % Non-Friable

OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

g. Operator's Name and Title (Print)	h. Signature	i. Date

*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both

SITE

NIAGARA FALLS LANDFILL 716-282-6381
5600 Niagara Falls Blvd Niagara Falls, NY 14304

CUSTOMER

392090
INGALLS SITE DEVELOPMENT
297 MEYER ROAD
WEST SENECA, NY 14224
Contract:42152214925
Generator:Lakefront Boulevard LLC

SITE	TICKET #	CELL
5B	1226238	

WEIGHMASTER Pam S.

DATE/TIME IN	DATE/TIME OUT
11/4/22 8:53 am	11/4/22 8:53 am

VEHICLE	CONTAINER
PAR33	

REFERENCE

BILL OF LADING 2297369

SCALE IN GROSS WEIGHT 75,560 NET TONS 23.88
TARE OUT TARE WEIGHT 27,800 NET WEIGHT 47,760

INBOUND
INVOICE

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	TAX	TOTAL
20.00	YD	Tracking QTY				
23.88	tn	SW-CONT SOIL Origin:NY-ERIE 100%				
1.00		ENVIRONMENTAL FEE 1				

Think Safety Choose Safety It's the Right Thing!

Have a nice day. Thank you for your business!

NET AMOUNT
TENDERED
CHANGE
CHECK#

The undersigned individual signing this document on behalf of Customer acknowledges that he or she has read and understands the terms and conditions on the reverse side and that he or she has the authority to sign this document on behalf of the customer.

SIGNATURE

REPUBLIC SERVICES

NON-HAZARDOUS SPECIAL WASTE & ASBESTOS MANIFEST

2297369

If waste is asbestos waste, complete Sections I, II, III and IV
If waste is **NOT** asbestos waste, complete Sections I, II and III

I. GENERATOR (Generator completes Ia-r)

a. Generator's US EPA ID Number	b. Manifest Document Number	c. Page 1 of

d. Generator's Name and Location:	e. Generator's Mailing Address:
Lakefront Boulevard LLC 50 Fountain Place, Buffalo, NY f. Phone:	Ingalls Site Development 297 Meyer Rd, West Seneca, NY g. Phone:
If owner of the generating facility differs from the generator, provide:	
h. Owner's Name:	i. Owner's Phone No.:

j. Waste Profile #	k. Exp. Date	l. Waste Shipping Name and Description	m. Containers No.	m. Containers Type	n. Total Quantity	o. Unit Wt/Vol
A. 42152214925	10/27/2023	Historic Fill Soil			1 12 yd	
B.						
C.						

GENERATOR'S CERTIFICATION: I hereby certify that the above named material is not a hazardous waste as defined by 40 CFR 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulations; AND, if this waste is a treatment residue of a previously restricted hazardous waste subject to the Land Disposal Restrictions. I certify and warrant that the waste has been treated in accordance with the requirements of 40 CFR 268 and is no longer a hazardous waste as defined by 40 CFR 261.

p. Generator Authorized Agent Name (Print)	q. Signature	r. Date
Danielle Crantek Agent for Owner		11-4-22

II. TRANSPORTER (Generator completes IIa-b and Transporter completes IIc-e)

a. Transporter's Name and Address: PA Rest 33

b. Phone:

c. Driver Name (Print)	d. Signature	e. Date
Jm Osno		11-4-22

III. DESTINATION (Generator complete IIIa-c and Destination Site completes IIId-g)

a. Disposal Facility and Site Address:	c. US EPA Number	d. Discrepancy Indication Space:
Allied Waste Niagara Falls Landfill LLC 5600 Niagara Falls Blvd, Niagara Falls NY b.		

I hereby certify that the above named material has been accepted and to the best of my knowledge the foregoing is true and accurate.

e. Name of Authorized Agent (Print)	f. Signature	g. Date
Scott	P Scott	11/04/22

IV. ASBESTOS (Generator completes IVa-f and Operator complete IVg-i)

a. Operator's Name and Address:	c. Responsible Agency Name and Address:
b. Phone:	d. Phone:

e. Special Handling Instructions and Additional Information:

f. ☐ Friable ☐ Non-Friable ☐ Both % Friable % Non-Friable

OPERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, *and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and* national governmental regulations.

g. Operator's Name and Title (Print)	h. Signature	i. Date

*Operator refers to the company which owns, leases, operates, controls, or supervises the facility being demolished or renovated, or the demolition or renovation operation or both

REV 04/19

DESTINATION RETURN

RS-F11A

APPENDIX C-4

IMPORT MATERIAL TICKETS

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Storm Backfill-Bldg

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
502-0001773	50259412	1	W	09/08/2022	7:44 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: 260 lakfront blvd

SHIP TO

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280300	STONE, 2" CRUSHER RUN

JOB NAME / LOCATION
west end 260 lakefront blvd

Item

JOB REQUIRED NUMBERS
COUNTY: west end

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
	0	B00I32		

FREIGHT PICKUP	FREIGHT COLLECT 73,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 66,500	33.25 Ton	GROSS	ORDERED 0.00		MATERIAL		
26,420	13.21 Ton	TARE	TODAY 20.04	LOADS 1	HAUL		
40,080	20.04 Ton	NET	TODATE 20.04	LOADS 1	ADD'L CHARGES		
20.04		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE

Truck Desc: ingalls development

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50259412 PICKUP

HAULER

Void - Customer Do Not Accept

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Sanitary / Water Bedding

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50259954	2	W	09/12/2022	7:53 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
10803MP	0	B00I39		

FREIGHT PICKUP	FREIGHT COLLECT 76,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 68,380	34.19 Ton	GROSS	ORDERED 800.00		MATERIAL		
28,680	14.34 Ton	TARE	TODAY 19.85	LOADS 1	HAUL		
39,700	19.85 Ton	NET	TODATE 19.85	LOADS 1	ADD'L CHARGES		
19.85		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION. YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

X

Truck Desc: INGALLS

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #. 50259954 PICKUP

HAULER

Void - Customer Do Not Accept

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Underground Utilities

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50260583	1	W	09/14/2022	7:25 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

West End BCP
Copies
9/14/22

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPT
280300	STONE, 2" CRUSHER

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
	0	B00I32		

FREIGHT PICKUP	FREIGHT COLLECT 73,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 64,680	32.34 Ton	GROSS	ORDERED 1,000.00		MATERIAL		
26,420	13.21 Ton	TARE	TODAY 19.13	LOADS 1	HAUL		
38,260	19.13 Ton	NET	TODATE 39.17	LOADS 2	ADD'L CHARGES		
19.13		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14497

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

Truck Desc: ingalls development

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50260583 PICKUP

DUPLICATE - CUSTOMER Void - Customer Do Not Accept

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Underground Utilities

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50261929	2	W	09/21/2022	7:21 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
10803MP	0	B00I39		

FREIGHT PICKUP	FREIGHT COLLECT 76,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 69,620	34.81 Ton	GROSS	ORDERED 800.00		MATERIAL		
28,500	14.25 Ton	TARE	TODAY 20.56	LOADS 1	HAUL		
41,120	20.56 Ton	NET	TODATE 40.41	LOADS 2	ADD'L CHARGES		
20.56		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS ➤

West End BCP
Copies
9/21/22

INSPECTOR'S SIGNATURE

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEP

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE

X

Truck Desc: INGALLS

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50261929 PICKUP

DUPLICATE - CUSTOMER Void - Customer Do Not Accept

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Unders lab Stone

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50267063	1	M	10/13/2022	2:52 pm

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
10803MP	0	B00I39		

FREIGHT PICKUP	FREIGHT COLLECT 76,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 68,640	34.32 Ton	GROSS	ORDERED 800.00		MATERIAL		
28,500	14.25 Ton	TARE	TODAY 20.07	LOADS 1	HAUL		
40,140	20.07 Ton	NET	TODATE 60.48	LOADS 3	ADD'L CHARGES		
20.07		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION. YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE

Truck Desc: INGALLS

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50267063 PICKUP Correction of 50267062

DUPLICATE - CUSTOMER Void - Customer Do Not Accept

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Undersized Stone

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50267125	2	W	10/14/2022	8:14 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
	0	B00BTS400		

FREIGHT PICKUP	FREIGHT COLLECT 77,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 74,180	37.09 Ton	GROSS	ORDERED 800.00		MATERIAL		
26,600	13.30 Ton	TARE	TODAY 44.50	LOADS 2	HAUL		
47,580	23.79 Ton	NET	TODATE 104.98	LOADS 5	ADD'L CHARGES		
23.79		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION. YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE.

X

Truck Desc: bts

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50267125 PICKUP

ORIGINAL - CUSTOMER

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

Underslab Stone

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50267086	1	W	10/14/2022	7:10 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
	0	B00BTS400		

FREIGHT PICKUP	FREIGHT COLLECT		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 68,020	77,500				MATERIAL		
34.01 Ton	GROSS	ORDERED 800.00					
26,600	13.30 Ton	TARE	TODAY 20.71	LOADS 1	HAUL		
41,420	20.71 Ton	NET	TODATE 81.19	LOADS 4	ADD'L CHARGES		
20.71		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14540

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE

JOB ARRIVAL TIME

JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER 30 DAYS PAST DUE

X

Truck Desc: bts

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS. Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet (SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50267086 PICKUP

ORIGINAL - CUSTOMER

New Enterprise Stone & Lime Co., Inc.

500 Como Park Blvd
Buffalo, New York 14227
Phone: (716) 826-7310 Fax: (716) 826-1342

PLANT INFORMATION - 54230100 - WEHRLE AGGREGATES (716) 826-7310

Anders lab Stone

ORDER NO.	TICKET NUMBER	SCALE	AUTO/MANUAL	DATE	TIME
1000348562	50267160	2	W	10/14/2022	9:24 am

SOLD TO:
Ingalls Site Development, Inc
297 Meyer Rd
West Seneca, NY 14224-

CUSTOMER: 81374
PHONE:
PO #: West End Townhouses

SHIP TO:
West End Townhouses

QUOTE:
STATE NY
ZONE:

PRODUCT ID	PRODUCT DESCRIPTION
280431	STONE, NY #1

JOB NAME / LOCATION
West End Townhouses

Item

JOB REQUIRED NUMBERS
COUNTY: ERIE

TAG NO.	AXLES	TRUCK	CARRIER NAME	CARRIER CODE
	0	B00BTS400		

FREIGHT PICKUP	FREIGHT COLLECT 77,500		ACCUMULATIVE QUANTITIES		PAYMENT METHOD CREDIT		
US WEIGHT 73,020	36.51 Ton	GROSS	ORDERED 800.00		MATERIAL		
26,600	13.30 Ton	TARE	TODAY 67.71	LOADS 3	HAUL		
46,420	23.21 Ton	NET	TODATE 128.19	LOADS 6	ADD'L CHARGES		
23.21		Ton	ACCUMULATED CASH SALE		TAX		

WEIGHED BY
14497

TOTAL THIS LOAD ➤

INSPECTOR'S SIGNATURE | JOB ARRIVAL TIME | JOB DEPARTURE TIME

RECEIVED ABOVE MATERIAL IN GOOD CONDITION YOUR SIGNATURE OR ACTUAL RECEIPT/DELIVERY ACKNOWLEDGES ACCEPTANCE OF THE NESL TERMS & CONDITIONS REFERENCED BELOW

X

A SERVICE CHARGE NOT TO EXCEED THE MAXIMUM ALLOWABLE BY LAW WILL BE APPLIED TO ALL AMOUNTS OVER30 DAYS PAST DUE

Truck Desc: bts

Crushed Stone, Pulverized Limestone, or Sand and Gravel DANGER - May Cause Cancer (Inhalation). May cause damage to organs (lungs, respiratory system) through prolonged or repeated overexposure to dust from these products(inhalation). **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood Use personal protective equipment as required. Wear protective gloves, protective clothing, and eye protection Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. **Response:** If exposed or concerned, get medical advice/attention. **Handling and Storage:** Follow personal protection and control measures set forth in the product SDS Avoid dust formation and breathing dust. **Disposal:** Dispose of contents/container in accordance with all local, regional, national and international regulations. **Read the Safety Data Sheet(SDS) before handling this product** to determine the appropriate ventilation or respiratory protection necessary to safeguard your health. The risk of silicosis or lung cancer depends upon the duration and levels of silica exposure in the workplace. Safety Data Sheets are available at www.nesl.com <http://www.nesl.com> or by calling (814) 766-2211.

Plant #: 54230100 Ticket #: 50267160 PICKUP

ORIGINAL - CUSTOMER

APPENDIX C-5

AIR MONITORING LOGS

DUST MONITORING

UPWIND

TrakPro Version 4.70 ASCII Data File

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 001
Test Abbreviation: MANUAL_001
Start Date: 08/29/2022
Start Time: 07:53:16
Duration (dd:hh:mm:ss): 0:04:31:00
Log Interval (mm:ss): 01:00
Number of points: 271
Notes:

Statistics Channel: AEROSOL
  Units: mg/m^3
  Average: 0.045
  Minimum: 0.029
  Time of Minimum: 11:40:16
  Date of Minimum: 08/29/2022
  Maximum: 0.100
  Time of Maximum: 07:55:16
  Date of Maximum: 08/29/2022

Calibration Sensor: AEROSOL
  Cal. date 03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
08/29/2022	07:54:16	0.046
08/29/2022	07:55:16	0.100
08/29/2022	07:56:16	0.067
08/29/2022	07:57:16	0.045
08/29/2022	07:58:16	0.054
08/29/2022	07:59:16	0.086
08/29/2022	08:00:16	0.094
08/29/2022	08:01:16	0.087
08/29/2022	08:02:16	0.045
08/29/2022	08:03:16	0.045
08/29/2022	08:04:16	0.042
08/29/2022	08:05:16	0.041
08/29/2022	08:06:16	0.043
08/29/2022	08:07:16	0.043
08/29/2022	08:08:16	0.044
08/29/2022	08:09:16	0.047
08/29/2022	08:10:16	0.044
08/29/2022	08:11:16	0.042
08/29/2022	08:12:16	0.042
08/29/2022	08:13:16	0.045
08/29/2022	08:14:16	0.042

08/29/2022	08:15:16	0.046
08/29/2022	08:16:16	0.075
08/29/2022	08:17:16	0.084
08/29/2022	08:18:16	0.049
08/29/2022	08:19:16	0.052
08/29/2022	08:20:16	0.050
08/29/2022	08:21:16	0.047
08/29/2022	08:22:16	0.046
08/29/2022	08:23:16	0.047
08/29/2022	08:24:16	0.067
08/29/2022	08:25:16	0.047
08/29/2022	08:26:16	0.046
08/29/2022	08:27:16	0.047
08/29/2022	08:28:16	0.047
08/29/2022	08:29:16	0.047
08/29/2022	08:30:16	0.049
08/29/2022	08:31:16	0.047
08/29/2022	08:32:16	0.049
08/29/2022	08:33:16	0.048
08/29/2022	08:34:16	0.049
08/29/2022	08:35:16	0.048
08/29/2022	08:36:16	0.048
08/29/2022	08:37:16	0.055
08/29/2022	08:38:16	0.052
08/29/2022	08:39:16	0.050
08/29/2022	08:40:16	0.049
08/29/2022	08:41:16	0.051
08/29/2022	08:42:16	0.051
08/29/2022	08:43:16	0.055
08/29/2022	08:44:16	0.050
08/29/2022	08:45:16	0.050
08/29/2022	08:46:16	0.050
08/29/2022	08:47:16	0.051
08/29/2022	08:48:16	0.050
08/29/2022	08:49:16	0.053
08/29/2022	08:50:16	0.054
08/29/2022	08:51:16	0.056
08/29/2022	08:52:16	0.053
08/29/2022	08:53:16	0.054
08/29/2022	08:54:16	0.054
08/29/2022	08:55:16	0.056
08/29/2022	08:56:16	0.052
08/29/2022	08:57:16	0.051
08/29/2022	08:58:16	0.052
08/29/2022	08:59:16	0.055
08/29/2022	09:00:16	0.063
08/29/2022	09:01:16	0.056
08/29/2022	09:02:16	0.054
08/29/2022	09:03:16	0.051
08/29/2022	09:04:16	0.056

08/29/2022	09:05:16	0.054
08/29/2022	09:06:16	0.051
08/29/2022	09:07:16	0.051
08/29/2022	09:08:16	0.050
08/29/2022	09:09:16	0.057
08/29/2022	09:10:16	0.056
08/29/2022	09:11:16	0.064
08/29/2022	09:12:16	0.052
08/29/2022	09:13:16	0.056
08/29/2022	09:14:16	0.054
08/29/2022	09:15:16	0.054
08/29/2022	09:16:16	0.057
08/29/2022	09:17:16	0.052
08/29/2022	09:18:16	0.054
08/29/2022	09:19:16	0.054
08/29/2022	09:20:16	0.055
08/29/2022	09:21:16	0.052
08/29/2022	09:22:16	0.052
08/29/2022	09:23:16	0.052
08/29/2022	09:24:16	0.050
08/29/2022	09:25:16	0.054
08/29/2022	09:26:16	0.055
08/29/2022	09:27:16	0.054
08/29/2022	09:28:16	0.050
08/29/2022	09:29:16	0.049
08/29/2022	09:30:16	0.049
08/29/2022	09:31:16	0.050
08/29/2022	09:32:16	0.057
08/29/2022	09:33:16	0.057
08/29/2022	09:34:16	0.050
08/29/2022	09:35:16	0.049
08/29/2022	09:36:16	0.051
08/29/2022	09:37:16	0.053
08/29/2022	09:38:16	0.049
08/29/2022	09:39:16	0.048
08/29/2022	09:40:16	0.049
08/29/2022	09:41:16	0.049
08/29/2022	09:42:16	0.047
08/29/2022	09:43:16	0.048
08/29/2022	09:44:16	0.047
08/29/2022	09:45:16	0.052
08/29/2022	09:46:16	0.050
08/29/2022	09:47:16	0.048
08/29/2022	09:48:16	0.050
08/29/2022	09:49:16	0.047
08/29/2022	09:50:16	0.047
08/29/2022	09:51:16	0.046
08/29/2022	09:52:16	0.048
08/29/2022	09:53:16	0.045
08/29/2022	09:54:16	0.046

08/29/2022	09:55:16	0.045
08/29/2022	09:56:16	0.045
08/29/2022	09:57:16	0.046
08/29/2022	09:58:16	0.046
08/29/2022	09:59:16	0.046
08/29/2022	10:00:16	0.044
08/29/2022	10:01:16	0.048
08/29/2022	10:02:16	0.044
08/29/2022	10:03:16	0.054
08/29/2022	10:04:16	0.070
08/29/2022	10:05:16	0.053
08/29/2022	10:06:16	0.046
08/29/2022	10:07:16	0.047
08/29/2022	10:08:16	0.049
08/29/2022	10:09:16	0.047
08/29/2022	10:10:16	0.049
08/29/2022	10:11:16	0.047
08/29/2022	10:12:16	0.083
08/29/2022	10:13:16	0.048
08/29/2022	10:14:16	0.049
08/29/2022	10:15:16	0.049
08/29/2022	10:16:16	0.063
08/29/2022	10:17:16	0.044
08/29/2022	10:18:16	0.051
08/29/2022	10:19:16	0.095
08/29/2022	10:20:16	0.057
08/29/2022	10:21:16	0.081
08/29/2022	10:22:16	0.056
08/29/2022	10:23:16	0.053
08/29/2022	10:24:16	0.052
08/29/2022	10:25:16	0.040
08/29/2022	10:26:16	0.045
08/29/2022	10:27:16	0.041
08/29/2022	10:28:16	0.049
08/29/2022	10:29:16	0.061
08/29/2022	10:30:16	0.071
08/29/2022	10:31:16	0.044
08/29/2022	10:32:16	0.039
08/29/2022	10:33:16	0.045
08/29/2022	10:34:16	0.043
08/29/2022	10:35:16	0.051
08/29/2022	10:36:16	0.050
08/29/2022	10:37:16	0.053
08/29/2022	10:38:16	0.042
08/29/2022	10:39:16	0.066
08/29/2022	10:40:16	0.046
08/29/2022	10:41:16	0.037
08/29/2022	10:42:16	0.042
08/29/2022	10:43:16	0.035
08/29/2022	10:44:16	0.034

08/29/2022	10:45:16	0.041
08/29/2022	10:46:16	0.036
08/29/2022	10:47:16	0.041
08/29/2022	10:48:16	0.061
08/29/2022	10:49:16	0.052
08/29/2022	10:50:16	0.037
08/29/2022	10:51:16	0.042
08/29/2022	10:52:16	0.037
08/29/2022	10:53:16	0.036
08/29/2022	10:54:16	0.039
08/29/2022	10:55:16	0.052
08/29/2022	10:56:16	0.037
08/29/2022	10:57:16	0.035
08/29/2022	10:58:16	0.034
08/29/2022	10:59:16	0.035
08/29/2022	11:00:16	0.035
08/29/2022	11:01:16	0.033
08/29/2022	11:02:16	0.032
08/29/2022	11:03:16	0.032
08/29/2022	11:04:16	0.032
08/29/2022	11:05:16	0.033
08/29/2022	11:06:16	0.033
08/29/2022	11:07:16	0.032
08/29/2022	11:08:16	0.032
08/29/2022	11:09:16	0.032
08/29/2022	11:10:16	0.033
08/29/2022	11:11:16	0.032
08/29/2022	11:12:16	0.032
08/29/2022	11:13:16	0.031
08/29/2022	11:14:16	0.033
08/29/2022	11:15:16	0.033
08/29/2022	11:16:16	0.032
08/29/2022	11:17:16	0.032
08/29/2022	11:18:16	0.032
08/29/2022	11:19:16	0.032
08/29/2022	11:20:16	0.033
08/29/2022	11:21:16	0.033
08/29/2022	11:22:16	0.033
08/29/2022	11:23:16	0.032
08/29/2022	11:24:16	0.032
08/29/2022	11:25:16	0.032
08/29/2022	11:26:16	0.033
08/29/2022	11:27:16	0.034
08/29/2022	11:28:16	0.035
08/29/2022	11:29:16	0.034
08/29/2022	11:30:16	0.032
08/29/2022	11:31:16	0.031
08/29/2022	11:32:16	0.032
08/29/2022	11:33:16	0.032
08/29/2022	11:34:16	0.031

08/29/2022	11:35:16	0.031
08/29/2022	11:36:16	0.031
08/29/2022	11:37:16	0.031
08/29/2022	11:38:16	0.030
08/29/2022	11:39:16	0.030
08/29/2022	11:40:16	0.029
08/29/2022	11:41:16	0.030
08/29/2022	11:42:16	0.030
08/29/2022	11:43:16	0.029
08/29/2022	11:44:16	0.030
08/29/2022	11:45:16	0.030
08/29/2022	11:46:16	0.030
08/29/2022	11:47:16	0.032
08/29/2022	11:48:16	0.031
08/29/2022	11:49:16	0.032
08/29/2022	11:50:16	0.031
08/29/2022	11:51:16	0.031
08/29/2022	11:52:16	0.031
08/29/2022	11:53:16	0.031
08/29/2022	11:54:16	0.032
08/29/2022	11:55:16	0.032
08/29/2022	11:56:16	0.031
08/29/2022	11:57:16	0.033
08/29/2022	11:58:16	0.031
08/29/2022	11:59:16	0.031
08/29/2022	12:00:16	0.032
08/29/2022	12:01:16	0.031
08/29/2022	12:02:16	0.031
08/29/2022	12:03:16	0.032
08/29/2022	12:04:16	0.031
08/29/2022	12:05:16	0.032
08/29/2022	12:06:16	0.031
08/29/2022	12:07:16	0.031
08/29/2022	12:08:16	0.033
08/29/2022	12:09:16	0.032
08/29/2022	12:10:16	0.032
08/29/2022	12:11:16	0.032
08/29/2022	12:12:16	0.032
08/29/2022	12:13:16	0.032
08/29/2022	12:14:16	0.031
08/29/2022	12:15:16	0.032
08/29/2022	12:16:16	0.032
08/29/2022	12:17:16	0.032
08/29/2022	12:18:16	0.032
08/29/2022	12:19:16	0.032
08/29/2022	12:20:16	0.033
08/29/2022	12:21:16	0.033
08/29/2022	12:22:16	0.033
08/29/2022	12:23:16	0.033
08/29/2022	12:24:16	0.033

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 002
Test Abbreviation: MANUAL_002
Start Date: 08/29/2022
Start Time: 12:26:31
Duration (dd:hh:mm:ss): 0:01:50:00
Log Interval (mm:ss): 01:00
Number of points: 110
Notes:

Statistics Channel: AEROSOL
  Units: mg/m^3
  Average: 0.025
  Minimum: 0.019
  Time of Minimum: 13:27:31
  Date of Minimum: 08/29/2022
  Maximum: 0.036
  Time of Maximum: 12:27:31
  Date of Maximum: 08/29/2022

Calibration Sensor: AEROSOL
  Cal. date 03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
08/29/2022	12:27:31	0.036
08/29/2022	12:28:31	0.035
08/29/2022	12:29:31	0.034
08/29/2022	12:30:31	0.034
08/29/2022	12:31:31	0.035
08/29/2022	12:32:31	0.035
08/29/2022	12:33:31	0.035
08/29/2022	12:34:31	0.034
08/29/2022	12:35:31	0.034
08/29/2022	12:36:31	0.034
08/29/2022	12:37:31	0.035
08/29/2022	12:38:31	0.035
08/29/2022	12:39:31	0.034
08/29/2022	12:40:31	0.034
08/29/2022	12:41:31	0.034
08/29/2022	12:42:31	0.034
08/29/2022	12:43:31	0.034
08/29/2022	12:44:31	0.034
08/29/2022	12:45:31	0.034
08/29/2022	12:46:31	0.034
08/29/2022	12:47:31	0.034
08/29/2022	12:48:31	0.035

08/29/2022	12:49:31	0.034
08/29/2022	12:50:31	0.033
08/29/2022	12:51:31	0.033
08/29/2022	12:52:31	0.033
08/29/2022	12:53:31	0.033
08/29/2022	12:54:31	0.032
08/29/2022	12:55:31	0.033
08/29/2022	12:56:31	0.032
08/29/2022	12:57:31	0.031
08/29/2022	12:58:31	0.030
08/29/2022	12:59:31	0.030
08/29/2022	13:00:31	0.029
08/29/2022	13:01:31	0.028
08/29/2022	13:02:31	0.027
08/29/2022	13:03:31	0.026
08/29/2022	13:04:31	0.026
08/29/2022	13:05:31	0.026
08/29/2022	13:06:31	0.025
08/29/2022	13:07:31	0.025
08/29/2022	13:08:31	0.025
08/29/2022	13:09:31	0.025
08/29/2022	13:10:31	0.025
08/29/2022	13:11:31	0.024
08/29/2022	13:12:31	0.024
08/29/2022	13:13:31	0.024
08/29/2022	13:14:31	0.024
08/29/2022	13:15:31	0.023
08/29/2022	13:16:31	0.022
08/29/2022	13:17:31	0.022
08/29/2022	13:18:31	0.022
08/29/2022	13:19:31	0.022
08/29/2022	13:20:31	0.021
08/29/2022	13:21:31	0.020
08/29/2022	13:22:31	0.020
08/29/2022	13:23:31	0.020
08/29/2022	13:24:31	0.020
08/29/2022	13:25:31	0.020
08/29/2022	13:26:31	0.020
08/29/2022	13:27:31	0.019
08/29/2022	13:28:31	0.020
08/29/2022	13:29:31	0.020
08/29/2022	13:30:31	0.019
08/29/2022	13:31:31	0.020
08/29/2022	13:32:31	0.020
08/29/2022	13:33:31	0.020
08/29/2022	13:34:31	0.020
08/29/2022	13:35:31	0.020
08/29/2022	13:36:31	0.020
08/29/2022	13:37:31	0.020
08/29/2022	13:38:31	0.020

08/29/2022	13:39:31	0.020
08/29/2022	13:40:31	0.020
08/29/2022	13:41:31	0.020
08/29/2022	13:42:31	0.020
08/29/2022	13:43:31	0.020
08/29/2022	13:44:31	0.020
08/29/2022	13:45:31	0.020
08/29/2022	13:46:31	0.020
08/29/2022	13:47:31	0.020
08/29/2022	13:48:31	0.020
08/29/2022	13:49:31	0.020
08/29/2022	13:50:31	0.020
08/29/2022	13:51:31	0.020
08/29/2022	13:52:31	0.020
08/29/2022	13:53:31	0.020
08/29/2022	13:54:31	0.021
08/29/2022	13:55:31	0.020
08/29/2022	13:56:31	0.020
08/29/2022	13:57:31	0.020
08/29/2022	13:58:31	0.020
08/29/2022	13:59:31	0.021
08/29/2022	14:00:31	0.021
08/29/2022	14:01:31	0.021
08/29/2022	14:02:31	0.021
08/29/2022	14:03:31	0.021
08/29/2022	14:04:31	0.022
08/29/2022	14:05:31	0.021
08/29/2022	14:06:31	0.021
08/29/2022	14:07:31	0.022
08/29/2022	14:08:31	0.022
08/29/2022	14:09:31	0.022
08/29/2022	14:10:31	0.022
08/29/2022	14:11:31	0.022
08/29/2022	14:12:31	0.023
08/29/2022	14:13:31	0.022
08/29/2022	14:14:31	0.022
08/29/2022	14:15:31	0.022
08/29/2022	14:16:31	0.023

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 003
Test Abbreviation: MANUAL_003
Start Date: 09/12/2022
Start Time: 08:45:02
Duration (dd:hh:mm:ss): 0:00:42:00
Log Interval (mm:ss): 01:00
Number of points: 42
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.036
Minimum: 0.034
Time of Minimum: 09:23:02
Date of Minimum: 09/12/2022
Maximum: 0.044
Time of Maximum: 08:58:02
Date of Maximum: 09/12/2022

Calibration Sensor: AEROSOL
Cal. date 03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/12/2022	08:46:02	0.038
09/12/2022	08:47:02	0.036
09/12/2022	08:48:02	0.037
09/12/2022	08:49:02	0.037
09/12/2022	08:50:02	0.036
09/12/2022	08:51:02	0.036
09/12/2022	08:52:02	0.036
09/12/2022	08:53:02	0.036
09/12/2022	08:54:02	0.036
09/12/2022	08:55:02	0.035
09/12/2022	08:56:02	0.035
09/12/2022	08:57:02	0.039
09/12/2022	08:58:02	0.044
09/12/2022	08:59:02	0.037
09/12/2022	09:00:02	0.036
09/12/2022	09:01:02	0.035
09/12/2022	09:02:02	0.035
09/12/2022	09:03:02	0.036
09/12/2022	09:04:02	0.038
09/12/2022	09:05:02	0.036
09/12/2022	09:06:02	0.036
09/12/2022	09:07:02	0.036
09/12/2022	09:08:02	0.036
09/12/2022	09:09:02	0.036
09/12/2022	09:10:02	0.039
09/12/2022	09:11:02	0.037
09/12/2022	09:12:02	0.037
09/12/2022	09:13:02	0.037
09/12/2022	09:14:02	0.037
09/12/2022	09:15:02	0.036
09/12/2022	09:16:02	0.036
09/12/2022	09:17:02	0.035
09/12/2022	09:18:02	0.035
09/12/2022	09:19:02	0.035

09/12/2022	09:20:02	0.036
09/12/2022	09:21:02	0.035
09/12/2022	09:22:02	0.035
09/12/2022	09:23:02	0.034
09/12/2022	09:24:02	0.034
09/12/2022	09:25:02	0.034
09/12/2022	09:26:02	0.034
09/12/2022	09:27:02	0.034

Model: DustTrak II
Model Number:	8530
Serial Number:	8530203904
Test ID:	004
Test Abbreviation:	MANUAL_004
Start Date:	09/12/2022
Start Time:	12:33:22
Duration (dd:hh:mm:ss):	0:02:51:00
Log Interval (mm:ss):	01:00
Number of points:	171
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.024
	Minimum:	0.022
	Time of Minimum:	14:11:22
	Date of Minimum:	09/12/2022
	Maximum:	0.029
	Time of Maximum:	12:47:22
	Date of Maximum:	09/12/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/12/2022	12:34:22	0.026
09/12/2022	12:35:22	0.027
09/12/2022	12:36:22	0.028
09/12/2022	12:37:22	0.028
09/12/2022	12:38:22	0.028
09/12/2022	12:39:22	0.028
09/12/2022	12:40:22	0.028
09/12/2022	12:41:22	0.027
09/12/2022	12:42:22	0.027
09/12/2022	12:43:22	0.027
09/12/2022	12:44:22	0.028
09/12/2022	12:45:22	0.027
09/12/2022	12:46:22	0.028
09/12/2022	12:47:22	0.029

09/12/2022	12:48:22	0.028
09/12/2022	12:49:22	0.028
09/12/2022	12:50:22	0.028
09/12/2022	12:51:22	0.029
09/12/2022	12:52:22	0.027
09/12/2022	12:53:22	0.027
09/12/2022	12:54:22	0.026
09/12/2022	12:55:22	0.025
09/12/2022	12:56:22	0.025
09/12/2022	12:57:22	0.026
09/12/2022	12:58:22	0.026
09/12/2022	12:59:22	0.025
09/12/2022	13:00:22	0.025
09/12/2022	13:01:22	0.025
09/12/2022	13:02:22	0.025
09/12/2022	13:03:22	0.025
09/12/2022	13:04:22	0.025
09/12/2022	13:05:22	0.025
09/12/2022	13:06:22	0.025
09/12/2022	13:07:22	0.025
09/12/2022	13:08:22	0.025
09/12/2022	13:09:22	0.025
09/12/2022	13:10:22	0.025
09/12/2022	13:11:22	0.024
09/12/2022	13:12:22	0.025
09/12/2022	13:13:22	0.025
09/12/2022	13:14:22	0.024
09/12/2022	13:15:22	0.024
09/12/2022	13:16:22	0.025
09/12/2022	13:17:22	0.024
09/12/2022	13:18:22	0.024
09/12/2022	13:19:22	0.024
09/12/2022	13:20:22	0.024
09/12/2022	13:21:22	0.024
09/12/2022	13:22:22	0.023
09/12/2022	13:23:22	0.023
09/12/2022	13:24:22	0.024
09/12/2022	13:25:22	0.024
09/12/2022	13:26:22	0.023
09/12/2022	13:27:22	0.023
09/12/2022	13:28:22	0.024
09/12/2022	13:29:22	0.024
09/12/2022	13:30:22	0.024
09/12/2022	13:31:22	0.023
09/12/2022	13:32:22	0.024
09/12/2022	13:33:22	0.024
09/12/2022	13:34:22	0.024
09/12/2022	13:35:22	0.024
09/12/2022	13:36:22	0.024
09/12/2022	13:37:22	0.023

09/12/2022	13:38:22	0.024
09/12/2022	13:39:22	0.024
09/12/2022	13:40:22	0.023
09/12/2022	13:41:22	0.024
09/12/2022	13:42:22	0.023
09/12/2022	13:43:22	0.023
09/12/2022	13:44:22	0.023
09/12/2022	13:45:22	0.023
09/12/2022	13:46:22	0.023
09/12/2022	13:47:22	0.023
09/12/2022	13:48:22	0.023
09/12/2022	13:49:22	0.023
09/12/2022	13:50:22	0.023
09/12/2022	13:51:22	0.023
09/12/2022	13:52:22	0.024
09/12/2022	13:53:22	0.023
09/12/2022	13:54:22	0.023
09/12/2022	13:55:22	0.023
09/12/2022	13:56:22	0.023
09/12/2022	13:57:22	0.023
09/12/2022	13:58:22	0.023
09/12/2022	13:59:22	0.023
09/12/2022	14:00:22	0.023
09/12/2022	14:01:22	0.023
09/12/2022	14:02:22	0.023
09/12/2022	14:03:22	0.023
09/12/2022	14:04:22	0.023
09/12/2022	14:05:22	0.023
09/12/2022	14:06:22	0.023
09/12/2022	14:07:22	0.023
09/12/2022	14:08:22	0.023
09/12/2022	14:09:22	0.023
09/12/2022	14:10:22	0.023
09/12/2022	14:11:22	0.022
09/12/2022	14:12:22	0.022
09/12/2022	14:13:22	0.023
09/12/2022	14:14:22	0.023
09/12/2022	14:15:22	0.023
09/12/2022	14:16:22	0.023
09/12/2022	14:17:22	0.023
09/12/2022	14:18:22	0.023
09/12/2022	14:19:22	0.024
09/12/2022	14:20:22	0.023
09/12/2022	14:21:22	0.023
09/12/2022	14:22:22	0.023
09/12/2022	14:23:22	0.023
09/12/2022	14:24:22	0.023
09/12/2022	14:25:22	0.023
09/12/2022	14:26:22	0.023
09/12/2022	14:27:22	0.023

09/12/2022	14:28:22	0.023
09/12/2022	14:29:22	0.023
09/12/2022	14:30:22	0.023
09/12/2022	14:31:22	0.023
09/12/2022	14:32:22	0.023
09/12/2022	14:33:22	0.023
09/12/2022	14:34:22	0.023
09/12/2022	14:35:22	0.023
09/12/2022	14:36:22	0.023
09/12/2022	14:37:22	0.023
09/12/2022	14:38:22	0.023
09/12/2022	14:39:22	0.023
09/12/2022	14:40:22	0.023
09/12/2022	14:41:22	0.024
09/12/2022	14:42:22	0.023
09/12/2022	14:43:22	0.023
09/12/2022	14:44:22	0.023
09/12/2022	14:45:22	0.023
09/12/2022	14:46:22	0.023
09/12/2022	14:47:22	0.023
09/12/2022	14:48:22	0.024
09/12/2022	14:49:22	0.023
09/12/2022	14:50:22	0.023
09/12/2022	14:51:22	0.023
09/12/2022	14:52:22	0.022
09/12/2022	14:53:22	0.023
09/12/2022	14:54:22	0.023
09/12/2022	14:55:22	0.022
09/12/2022	14:56:22	0.022
09/12/2022	14:57:22	0.022
09/12/2022	14:58:22	0.023
09/12/2022	14:59:22	0.023
09/12/2022	15:00:22	0.023
09/12/2022	15:01:22	0.023
09/12/2022	15:02:22	0.023
09/12/2022	15:03:22	0.023
09/12/2022	15:04:22	0.023
09/12/2022	15:05:22	0.023
09/12/2022	15:06:22	0.023
09/12/2022	15:07:22	0.023
09/12/2022	15:08:22	0.023
09/12/2022	15:09:22	0.023
09/12/2022	15:10:22	0.023
09/12/2022	15:11:22	0.023
09/12/2022	15:12:22	0.023
09/12/2022	15:13:22	0.023
09/12/2022	15:14:22	0.023
09/12/2022	15:15:22	0.023
09/12/2022	15:16:22	0.024
09/12/2022	15:17:22	0.023

09/12/2022	15:18:22	0.023
09/12/2022	15:19:22	0.023
09/12/2022	15:20:22	0.023
09/12/2022	15:21:22	0.023
09/12/2022	15:22:22	0.023
09/12/2022	15:23:22	0.023
09/12/2022	15:24:22	0.024

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID:	005
Test Abbreviation:	MANUAL_005
Start Date:	09/13/2022
Start Time:	08:14:22
Duration (dd:hh:mm:ss):	0:05:39:00
Log Interval (mm:ss):	01:00
Number of points:	339
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.023
	Minimum:	0.002
	Time of Minimum:	08:33:22
	Date of Minimum:	09/13/2022
	Maximum:	0.075
	Time of Maximum:	13:11:22
	Date of Maximum:	09/13/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/13/2022	08:15:22	0.014
09/13/2022	08:16:22	0.018
09/13/2022	08:17:22	0.016
09/13/2022	08:18:22	0.013
09/13/2022	08:19:22	0.013
09/13/2022	08:20:22	0.011
09/13/2022	08:21:22	0.011
09/13/2022	08:22:22	0.011
09/13/2022	08:23:22	0.010
09/13/2022	08:24:22	0.010
09/13/2022	08:25:22	0.011
09/13/2022	08:26:22	0.010
09/13/2022	08:27:22	0.007
09/13/2022	08:28:22	0.005
09/13/2022	08:29:22	0.003

09/13/2022	08:30:22	0.003
09/13/2022	08:31:22	0.003
09/13/2022	08:32:22	0.003
09/13/2022	08:33:22	0.002
09/13/2022	08:34:22	0.002
09/13/2022	08:35:22	0.002
09/13/2022	08:36:22	0.002
09/13/2022	08:37:22	0.003
09/13/2022	08:38:22	0.004
09/13/2022	08:39:22	0.005
09/13/2022	08:40:22	0.004
09/13/2022	08:41:22	0.005
09/13/2022	08:42:22	0.003
09/13/2022	08:43:22	0.004
09/13/2022	08:44:22	0.004
09/13/2022	08:45:22	0.005
09/13/2022	08:46:22	0.005
09/13/2022	08:47:22	0.006
09/13/2022	08:48:22	0.006
09/13/2022	08:49:22	0.006
09/13/2022	08:50:22	0.006
09/13/2022	08:51:22	0.006
09/13/2022	08:52:22	0.007
09/13/2022	08:53:22	0.008
09/13/2022	08:54:22	0.009
09/13/2022	08:55:22	0.010
09/13/2022	08:56:22	0.013
09/13/2022	08:57:22	0.017
09/13/2022	08:58:22	0.009
09/13/2022	08:59:22	0.010
09/13/2022	09:00:22	0.010
09/13/2022	09:01:22	0.010
09/13/2022	09:02:22	0.010
09/13/2022	09:03:22	0.011
09/13/2022	09:04:22	0.011
09/13/2022	09:05:22	0.014
09/13/2022	09:06:22	0.013
09/13/2022	09:07:22	0.012
09/13/2022	09:08:22	0.013
09/13/2022	09:09:22	0.014
09/13/2022	09:10:22	0.014
09/13/2022	09:11:22	0.014
09/13/2022	09:12:22	0.015
09/13/2022	09:13:22	0.015
09/13/2022	09:14:22	0.016
09/13/2022	09:15:22	0.015
09/13/2022	09:16:22	0.015
09/13/2022	09:17:22	0.015
09/13/2022	09:18:22	0.017
09/13/2022	09:19:22	0.016

09/13/2022	09:20:22	0.016
09/13/2022	09:21:22	0.018
09/13/2022	09:22:22	0.017
09/13/2022	09:23:22	0.018
09/13/2022	09:24:22	0.018
09/13/2022	09:25:22	0.018
09/13/2022	09:26:22	0.019
09/13/2022	09:27:22	0.019
09/13/2022	09:28:22	0.019
09/13/2022	09:29:22	0.019
09/13/2022	09:30:22	0.021
09/13/2022	09:31:22	0.021
09/13/2022	09:32:22	0.020
09/13/2022	09:33:22	0.020
09/13/2022	09:34:22	0.021
09/13/2022	09:35:22	0.021
09/13/2022	09:36:22	0.021
09/13/2022	09:37:22	0.021
09/13/2022	09:38:22	0.021
09/13/2022	09:39:22	0.021
09/13/2022	09:40:22	0.022
09/13/2022	09:41:22	0.022
09/13/2022	09:42:22	0.022
09/13/2022	09:43:22	0.022
09/13/2022	09:44:22	0.022
09/13/2022	09:45:22	0.022
09/13/2022	09:46:22	0.022
09/13/2022	09:47:22	0.023
09/13/2022	09:48:22	0.023
09/13/2022	09:49:22	0.024
09/13/2022	09:50:22	0.024
09/13/2022	09:51:22	0.025
09/13/2022	09:52:22	0.024
09/13/2022	09:53:22	0.024
09/13/2022	09:54:22	0.023
09/13/2022	09:55:22	0.024
09/13/2022	09:56:22	0.025
09/13/2022	09:57:22	0.024
09/13/2022	09:58:22	0.024
09/13/2022	09:59:22	0.024
09/13/2022	10:00:22	0.024
09/13/2022	10:01:22	0.024
09/13/2022	10:02:22	0.025
09/13/2022	10:03:22	0.024
09/13/2022	10:04:22	0.024
09/13/2022	10:05:22	0.024
09/13/2022	10:06:22	0.024
09/13/2022	10:07:22	0.024
09/13/2022	10:08:22	0.025
09/13/2022	10:09:22	0.024

09/13/2022	10:10:22	0.024
09/13/2022	10:11:22	0.025
09/13/2022	10:12:22	0.024
09/13/2022	10:13:22	0.024
09/13/2022	10:14:22	0.024
09/13/2022	10:15:22	0.024
09/13/2022	10:16:22	0.024
09/13/2022	10:17:22	0.024
09/13/2022	10:18:22	0.024
09/13/2022	10:19:22	0.024
09/13/2022	10:20:22	0.024
09/13/2022	10:21:22	0.024
09/13/2022	10:22:22	0.024
09/13/2022	10:23:22	0.023
09/13/2022	10:24:22	0.023
09/13/2022	10:25:22	0.023
09/13/2022	10:26:22	0.023
09/13/2022	10:27:22	0.024
09/13/2022	10:28:22	0.024
09/13/2022	10:29:22	0.024
09/13/2022	10:30:22	0.024
09/13/2022	10:31:22	0.024
09/13/2022	10:32:22	0.024
09/13/2022	10:33:22	0.023
09/13/2022	10:34:22	0.024
09/13/2022	10:35:22	0.024
09/13/2022	10:36:22	0.023
09/13/2022	10:37:22	0.024
09/13/2022	10:38:22	0.024
09/13/2022	10:39:22	0.024
09/13/2022	10:40:22	0.024
09/13/2022	10:41:22	0.025
09/13/2022	10:42:22	0.025
09/13/2022	10:43:22	0.025
09/13/2022	10:44:22	0.025
09/13/2022	10:45:22	0.025
09/13/2022	10:46:22	0.025
09/13/2022	10:47:22	0.025
09/13/2022	10:48:22	0.025
09/13/2022	10:49:22	0.025
09/13/2022	10:50:22	0.025
09/13/2022	10:51:22	0.025
09/13/2022	10:52:22	0.025
09/13/2022	10:53:22	0.025
09/13/2022	10:54:22	0.025
09/13/2022	10:55:22	0.026
09/13/2022	10:56:22	0.025
09/13/2022	10:57:22	0.025
09/13/2022	10:58:22	0.025
09/13/2022	10:59:22	0.025

09/13/2022	11:00:22	0.025
09/13/2022	11:01:22	0.025
09/13/2022	11:02:22	0.024
09/13/2022	11:03:22	0.025
09/13/2022	11:04:22	0.024
09/13/2022	11:05:22	0.024
09/13/2022	11:06:22	0.025
09/13/2022	11:07:22	0.025
09/13/2022	11:08:22	0.025
09/13/2022	11:09:22	0.024
09/13/2022	11:10:22	0.024
09/13/2022	11:11:22	0.026
09/13/2022	11:12:22	0.025
09/13/2022	11:13:22	0.025
09/13/2022	11:14:22	0.025
09/13/2022	11:15:22	0.025
09/13/2022	11:16:22	0.025
09/13/2022	11:17:22	0.025
09/13/2022	11:18:22	0.026
09/13/2022	11:19:22	0.025
09/13/2022	11:20:22	0.025
09/13/2022	11:21:22	0.026
09/13/2022	11:22:22	0.025
09/13/2022	11:23:22	0.025
09/13/2022	11:24:22	0.025
09/13/2022	11:25:22	0.025
09/13/2022	11:26:22	0.026
09/13/2022	11:27:22	0.024
09/13/2022	11:28:22	0.025
09/13/2022	11:29:22	0.025
09/13/2022	11:30:22	0.025
09/13/2022	11:31:22	0.024
09/13/2022	11:32:22	0.025
09/13/2022	11:33:22	0.025
09/13/2022	11:34:22	0.025
09/13/2022	11:35:22	0.025
09/13/2022	11:36:22	0.025
09/13/2022	11:37:22	0.025
09/13/2022	11:38:22	0.026
09/13/2022	11:39:22	0.026
09/13/2022	11:40:22	0.026
09/13/2022	11:41:22	0.025
09/13/2022	11:42:22	0.026
09/13/2022	11:43:22	0.025
09/13/2022	11:44:22	0.025
09/13/2022	11:45:22	0.025
09/13/2022	11:46:22	0.026
09/13/2022	11:47:22	0.025
09/13/2022	11:48:22	0.026
09/13/2022	11:49:22	0.025

09/13/2022	11:50:22	0.025
09/13/2022	11:51:22	0.025
09/13/2022	11:52:22	0.027
09/13/2022	11:53:22	0.025
09/13/2022	11:54:22	0.025
09/13/2022	11:55:22	0.025
09/13/2022	11:56:22	0.027
09/13/2022	11:57:22	0.025
09/13/2022	11:58:22	0.026
09/13/2022	11:59:22	0.025
09/13/2022	12:00:22	0.025
09/13/2022	12:01:22	0.026
09/13/2022	12:02:22	0.025
09/13/2022	12:03:22	0.025
09/13/2022	12:04:22	0.026
09/13/2022	12:05:22	0.025
09/13/2022	12:06:22	0.025
09/13/2022	12:07:22	0.025
09/13/2022	12:08:22	0.026
09/13/2022	12:09:22	0.026
09/13/2022	12:10:22	0.025
09/13/2022	12:11:22	0.025
09/13/2022	12:12:22	0.025
09/13/2022	12:13:22	0.025
09/13/2022	12:14:22	0.025
09/13/2022	12:15:22	0.025
09/13/2022	12:16:22	0.026
09/13/2022	12:17:22	0.025
09/13/2022	12:18:22	0.025
09/13/2022	12:19:22	0.026
09/13/2022	12:20:22	0.026
09/13/2022	12:21:22	0.026
09/13/2022	12:22:22	0.026
09/13/2022	12:23:22	0.026
09/13/2022	12:24:22	0.026
09/13/2022	12:25:22	0.026
09/13/2022	12:26:22	0.027
09/13/2022	12:27:22	0.026
09/13/2022	12:28:22	0.027
09/13/2022	12:29:22	0.027
09/13/2022	12:30:22	0.026
09/13/2022	12:31:22	0.027
09/13/2022	12:32:22	0.027
09/13/2022	12:33:22	0.027
09/13/2022	12:34:22	0.027
09/13/2022	12:35:22	0.027
09/13/2022	12:36:22	0.027
09/13/2022	12:37:22	0.027
09/13/2022	12:38:22	0.027
09/13/2022	12:39:22	0.027

09/13/2022	12:40:22	0.027
09/13/2022	12:41:22	0.027
09/13/2022	12:42:22	0.027
09/13/2022	12:43:22	0.027
09/13/2022	12:44:22	0.027
09/13/2022	12:45:22	0.026
09/13/2022	12:46:22	0.027
09/13/2022	12:47:22	0.027
09/13/2022	12:48:22	0.027
09/13/2022	12:49:22	0.027
09/13/2022	12:50:22	0.027
09/13/2022	12:51:22	0.027
09/13/2022	12:52:22	0.028
09/13/2022	12:53:22	0.028
09/13/2022	12:54:22	0.028
09/13/2022	12:55:22	0.028
09/13/2022	12:56:22	0.028
09/13/2022	12:57:22	0.028
09/13/2022	12:58:22	0.028
09/13/2022	12:59:22	0.028
09/13/2022	13:00:22	0.028
09/13/2022	13:01:22	0.028
09/13/2022	13:02:22	0.028
09/13/2022	13:03:22	0.028
09/13/2022	13:04:22	0.027
09/13/2022	13:05:22	0.027
09/13/2022	13:06:22	0.027
09/13/2022	13:07:22	0.028
09/13/2022	13:08:22	0.027
09/13/2022	13:09:22	0.029
09/13/2022	13:10:22	0.073
09/13/2022	13:11:22	0.075
09/13/2022	13:12:22	0.054
09/13/2022	13:13:22	0.044
09/13/2022	13:14:22	0.031
09/13/2022	13:15:22	0.028
09/13/2022	13:16:22	0.029
09/13/2022	13:17:22	0.029
09/13/2022	13:18:22	0.027
09/13/2022	13:19:22	0.028
09/13/2022	13:20:22	0.028
09/13/2022	13:21:22	0.028
09/13/2022	13:22:22	0.028
09/13/2022	13:23:22	0.027
09/13/2022	13:24:22	0.027
09/13/2022	13:25:22	0.027
09/13/2022	13:26:22	0.028
09/13/2022	13:27:22	0.027
09/13/2022	13:28:22	0.027
09/13/2022	13:29:22	0.028

09/13/2022	13:30:22	0.027
09/13/2022	13:31:22	0.028
09/13/2022	13:32:22	0.028
09/13/2022	13:33:22	0.028
09/13/2022	13:34:22	0.028
09/13/2022	13:35:22	0.028
09/13/2022	13:36:22	0.028
09/13/2022	13:37:22	0.028
09/13/2022	13:38:22	0.028
09/13/2022	13:39:22	0.028
09/13/2022	13:40:22	0.028
09/13/2022	13:41:22	0.028
09/13/2022	13:42:22	0.028
09/13/2022	13:43:22	0.027
09/13/2022	13:44:22	0.027
09/13/2022	13:45:22	0.028
09/13/2022	13:46:22	0.028
09/13/2022	13:47:22	0.028
09/13/2022	13:48:22	0.028
09/13/2022	13:49:22	0.028
09/13/2022	13:50:22	0.029
09/13/2022	13:51:22	0.028
09/13/2022	13:52:22	0.028
09/13/2022	13:53:22	0.027

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 006
Test Abbreviation: MANUAL_006
Start Date: 09/20/2022
Start Time: 10:28:10
Duration (dd:hh:mm:ss): 0:04:27:00
Log Interval (mm:ss): 01:00
Number of points: 267
Notes:

Statistics Channel: AEROSOL
  Units: mg/m^3
  Average: 0.030
  Minimum: 0.026
  Time of Minimum: 11:28:10
  Date of Minimum: 09/20/2022
  Maximum: 0.034
  Time of Maximum: 10:29:10
  Date of Maximum: 09/20/2022

Calibration Sensor: AEROSOL
  Cal. date 03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/20/2022	10:29:10	0.034
09/20/2022	10:30:10	0.031
09/20/2022	10:31:10	0.031
09/20/2022	10:32:10	0.031
09/20/2022	10:33:10	0.031
09/20/2022	10:34:10	0.031
09/20/2022	10:35:10	0.031
09/20/2022	10:36:10	0.031
09/20/2022	10:37:10	0.031
09/20/2022	10:38:10	0.031
09/20/2022	10:39:10	0.031
09/20/2022	10:40:10	0.031
09/20/2022	10:41:10	0.031
09/20/2022	10:42:10	0.031
09/20/2022	10:43:10	0.031
09/20/2022	10:44:10	0.032
09/20/2022	10:45:10	0.032
09/20/2022	10:46:10	0.032
09/20/2022	10:47:10	0.031
09/20/2022	10:48:10	0.031
09/20/2022	10:49:10	0.030
09/20/2022	10:50:10	0.031
09/20/2022	10:51:10	0.031
09/20/2022	10:52:10	0.031
09/20/2022	10:53:10	0.031
09/20/2022	10:54:10	0.030
09/20/2022	10:55:10	0.030
09/20/2022	10:56:10	0.031
09/20/2022	10:57:10	0.030
09/20/2022	10:58:10	0.030
09/20/2022	10:59:10	0.030
09/20/2022	11:00:10	0.030
09/20/2022	11:01:10	0.030
09/20/2022	11:02:10	0.030
09/20/2022	11:03:10	0.030
09/20/2022	11:04:10	0.030
09/20/2022	11:05:10	0.030
09/20/2022	11:06:10	0.030
09/20/2022	11:07:10	0.030
09/20/2022	11:08:10	0.030
09/20/2022	11:09:10	0.030
09/20/2022	11:10:10	0.030
09/20/2022	11:11:10	0.028
09/20/2022	11:12:10	0.028
09/20/2022	11:13:10	0.028
09/20/2022	11:14:10	0.028
09/20/2022	11:15:10	0.028
09/20/2022	11:16:10	0.028

09/20/2022	11:17:10	0.028
09/20/2022	11:18:10	0.028
09/20/2022	11:19:10	0.028
09/20/2022	11:20:10	0.028
09/20/2022	11:21:10	0.029
09/20/2022	11:22:10	0.029
09/20/2022	11:23:10	0.029
09/20/2022	11:24:10	0.029
09/20/2022	11:25:10	0.028
09/20/2022	11:26:10	0.027
09/20/2022	11:27:10	0.027
09/20/2022	11:28:10	0.026
09/20/2022	11:29:10	0.027
09/20/2022	11:30:10	0.027
09/20/2022	11:31:10	0.027
09/20/2022	11:32:10	0.027
09/20/2022	11:33:10	0.027
09/20/2022	11:34:10	0.027
09/20/2022	11:35:10	0.027
09/20/2022	11:36:10	0.026
09/20/2022	11:37:10	0.027
09/20/2022	11:38:10	0.026
09/20/2022	11:39:10	0.026
09/20/2022	11:40:10	0.027
09/20/2022	11:41:10	0.027
09/20/2022	11:42:10	0.027
09/20/2022	11:43:10	0.027
09/20/2022	11:44:10	0.027
09/20/2022	11:45:10	0.027
09/20/2022	11:46:10	0.028
09/20/2022	11:47:10	0.029
09/20/2022	11:48:10	0.028
09/20/2022	11:49:10	0.028
09/20/2022	11:50:10	0.028
09/20/2022	11:51:10	0.029
09/20/2022	11:52:10	0.028
09/20/2022	11:53:10	0.030
09/20/2022	11:54:10	0.034
09/20/2022	11:55:10	0.029
09/20/2022	11:56:10	0.029
09/20/2022	11:57:10	0.030
09/20/2022	11:58:10	0.028
09/20/2022	11:59:10	0.029
09/20/2022	12:00:10	0.031
09/20/2022	12:01:10	0.034
09/20/2022	12:02:10	0.030
09/20/2022	12:03:10	0.030
09/20/2022	12:04:10	0.030
09/20/2022	12:05:10	0.030
09/20/2022	12:06:10	0.030

09/20/2022	12:07:10	0.032
09/20/2022	12:08:10	0.033
09/20/2022	12:09:10	0.031
09/20/2022	12:10:10	0.031
09/20/2022	12:11:10	0.032
09/20/2022	12:12:10	0.030
09/20/2022	12:13:10	0.031
09/20/2022	12:14:10	0.032
09/20/2022	12:15:10	0.032
09/20/2022	12:16:10	0.031
09/20/2022	12:17:10	0.031
09/20/2022	12:18:10	0.032
09/20/2022	12:19:10	0.033
09/20/2022	12:20:10	0.031
09/20/2022	12:21:10	0.031
09/20/2022	12:22:10	0.030
09/20/2022	12:23:10	0.032
09/20/2022	12:24:10	0.031
09/20/2022	12:25:10	0.031
09/20/2022	12:26:10	0.031
09/20/2022	12:27:10	0.030
09/20/2022	12:28:10	0.030
09/20/2022	12:29:10	0.030
09/20/2022	12:30:10	0.031
09/20/2022	12:31:10	0.031
09/20/2022	12:32:10	0.030
09/20/2022	12:33:10	0.031
09/20/2022	12:34:10	0.033
09/20/2022	12:35:10	0.030
09/20/2022	12:36:10	0.031
09/20/2022	12:37:10	0.030
09/20/2022	12:38:10	0.030
09/20/2022	12:39:10	0.030
09/20/2022	12:40:10	0.030
09/20/2022	12:41:10	0.029
09/20/2022	12:42:10	0.029
09/20/2022	12:43:10	0.029
09/20/2022	12:44:10	0.029
09/20/2022	12:45:10	0.029
09/20/2022	12:46:10	0.028
09/20/2022	12:47:10	0.028
09/20/2022	12:48:10	0.028
09/20/2022	12:49:10	0.028
09/20/2022	12:50:10	0.029
09/20/2022	12:51:10	0.028
09/20/2022	12:52:10	0.028
09/20/2022	12:53:10	0.029
09/20/2022	12:54:10	0.029
09/20/2022	12:55:10	0.029
09/20/2022	12:56:10	0.029

09/20/2022	12:57:10	0.029
09/20/2022	12:58:10	0.029
09/20/2022	12:59:10	0.029
09/20/2022	13:00:10	0.028
09/20/2022	13:01:10	0.029
09/20/2022	13:02:10	0.029
09/20/2022	13:03:10	0.028
09/20/2022	13:04:10	0.029
09/20/2022	13:05:10	0.029
09/20/2022	13:06:10	0.029
09/20/2022	13:07:10	0.029
09/20/2022	13:08:10	0.029
09/20/2022	13:09:10	0.029
09/20/2022	13:10:10	0.030
09/20/2022	13:11:10	0.029
09/20/2022	13:12:10	0.029
09/20/2022	13:13:10	0.030
09/20/2022	13:14:10	0.030
09/20/2022	13:15:10	0.030
09/20/2022	13:16:10	0.030
09/20/2022	13:17:10	0.030
09/20/2022	13:18:10	0.030
09/20/2022	13:19:10	0.030
09/20/2022	13:20:10	0.030
09/20/2022	13:21:10	0.030
09/20/2022	13:22:10	0.030
09/20/2022	13:23:10	0.029
09/20/2022	13:24:10	0.029
09/20/2022	13:25:10	0.030
09/20/2022	13:26:10	0.030
09/20/2022	13:27:10	0.030
09/20/2022	13:28:10	0.030
09/20/2022	13:29:10	0.030
09/20/2022	13:30:10	0.030
09/20/2022	13:31:10	0.030
09/20/2022	13:32:10	0.030
09/20/2022	13:33:10	0.030
09/20/2022	13:34:10	0.029
09/20/2022	13:35:10	0.029
09/20/2022	13:36:10	0.029
09/20/2022	13:37:10	0.029
09/20/2022	13:38:10	0.029
09/20/2022	13:39:10	0.029
09/20/2022	13:40:10	0.030
09/20/2022	13:41:10	0.029
09/20/2022	13:42:10	0.030
09/20/2022	13:43:10	0.030
09/20/2022	13:44:10	0.030
09/20/2022	13:45:10	0.030
09/20/2022	13:46:10	0.030

09/20/2022	13:47:10	0.030
09/20/2022	13:48:10	0.030
09/20/2022	13:49:10	0.030
09/20/2022	13:50:10	0.030
09/20/2022	13:51:10	0.029
09/20/2022	13:52:10	0.030
09/20/2022	13:53:10	0.030
09/20/2022	13:54:10	0.030
09/20/2022	13:55:10	0.029
09/20/2022	13:56:10	0.030
09/20/2022	13:57:10	0.030
09/20/2022	13:58:10	0.030
09/20/2022	13:59:10	0.030
09/20/2022	14:00:10	0.029
09/20/2022	14:01:10	0.030
09/20/2022	14:02:10	0.030
09/20/2022	14:03:10	0.030
09/20/2022	14:04:10	0.029
09/20/2022	14:05:10	0.030
09/20/2022	14:06:10	0.030
09/20/2022	14:07:10	0.030
09/20/2022	14:08:10	0.030
09/20/2022	14:09:10	0.030
09/20/2022	14:10:10	0.030
09/20/2022	14:11:10	0.030
09/20/2022	14:12:10	0.030
09/20/2022	14:13:10	0.030
09/20/2022	14:14:10	0.030
09/20/2022	14:15:10	0.030
09/20/2022	14:16:10	0.030
09/20/2022	14:17:10	0.031
09/20/2022	14:18:10	0.031
09/20/2022	14:19:10	0.031
09/20/2022	14:20:10	0.030
09/20/2022	14:21:10	0.031
09/20/2022	14:22:10	0.031
09/20/2022	14:23:10	0.031
09/20/2022	14:24:10	0.031
09/20/2022	14:25:10	0.031
09/20/2022	14:26:10	0.031
09/20/2022	14:27:10	0.031
09/20/2022	14:28:10	0.031
09/20/2022	14:29:10	0.032
09/20/2022	14:30:10	0.031
09/20/2022	14:31:10	0.031
09/20/2022	14:32:10	0.031
09/20/2022	14:33:10	0.031
09/20/2022	14:34:10	0.031
09/20/2022	14:35:10	0.031
09/20/2022	14:36:10	0.031

09/20/2022	14:37:10	0.031
09/20/2022	14:38:10	0.031
09/20/2022	14:39:10	0.031
09/20/2022	14:40:10	0.032
09/20/2022	14:41:10	0.032
09/20/2022	14:42:10	0.033
09/20/2022	14:43:10	0.033
09/20/2022	14:44:10	0.033
09/20/2022	14:45:10	0.032
09/20/2022	14:46:10	0.032
09/20/2022	14:47:10	0.033
09/20/2022	14:48:10	0.033
09/20/2022	14:49:10	0.033
09/20/2022	14:50:10	0.034
09/20/2022	14:51:10	0.034
09/20/2022	14:52:10	0.034
09/20/2022	14:53:10	0.034
09/20/2022	14:54:10	0.034
09/20/2022	14:55:10	0.034

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 007
Test Abbreviation: MANUAL_007
Start Date: 09/21/2022
Start Time: 11:26:44
Duration (dd:hh:mm:ss): 0:03:36:00
Log Interval (mm:ss): 01:00
Number of points: 216
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.036
Minimum: 0.025
Time of Minimum: 11:29:44
Date of Minimum: 09/21/2022
Maximum: 0.041
Time of Maximum: 11:56:44
Date of Maximum: 09/21/2022

Calibration Sensor: AEROSOL
Cal. date 03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/21/2022	11:27:44	0.027
09/21/2022	11:28:44	0.026
09/21/2022	11:29:44	0.025

09/21/2022	11:30:44	0.025
09/21/2022	11:31:44	0.026
09/21/2022	11:32:44	0.027
09/21/2022	11:33:44	0.027
09/21/2022	11:34:44	0.027
09/21/2022	11:35:44	0.027
09/21/2022	11:36:44	0.027
09/21/2022	11:37:44	0.028
09/21/2022	11:38:44	0.029
09/21/2022	11:39:44	0.029
09/21/2022	11:40:44	0.030
09/21/2022	11:41:44	0.030
09/21/2022	11:42:44	0.031
09/21/2022	11:43:44	0.032
09/21/2022	11:44:44	0.033
09/21/2022	11:45:44	0.033
09/21/2022	11:46:44	0.033
09/21/2022	11:47:44	0.035
09/21/2022	11:48:44	0.034
09/21/2022	11:49:44	0.036
09/21/2022	11:50:44	0.035
09/21/2022	11:51:44	0.036
09/21/2022	11:52:44	0.036
09/21/2022	11:53:44	0.037
09/21/2022	11:54:44	0.040
09/21/2022	11:55:44	0.040
09/21/2022	11:56:44	0.041
09/21/2022	11:57:44	0.038
09/21/2022	11:58:44	0.038
09/21/2022	11:59:44	0.037
09/21/2022	12:00:44	0.038
09/21/2022	12:01:44	0.038
09/21/2022	12:02:44	0.038
09/21/2022	12:03:44	0.039
09/21/2022	12:04:44	0.039
09/21/2022	12:05:44	0.038
09/21/2022	12:06:44	0.038
09/21/2022	12:07:44	0.038
09/21/2022	12:08:44	0.039
09/21/2022	12:09:44	0.039
09/21/2022	12:10:44	0.040
09/21/2022	12:11:44	0.039
09/21/2022	12:12:44	0.039
09/21/2022	12:13:44	0.038
09/21/2022	12:14:44	0.038
09/21/2022	12:15:44	0.038
09/21/2022	12:16:44	0.038
09/21/2022	12:17:44	0.039
09/21/2022	12:18:44	0.039
09/21/2022	12:19:44	0.040

09/21/2022	12:20:44	0.039
09/21/2022	12:21:44	0.039
09/21/2022	12:22:44	0.038
09/21/2022	12:23:44	0.039
09/21/2022	12:24:44	0.038
09/21/2022	12:25:44	0.038
09/21/2022	12:26:44	0.038
09/21/2022	12:27:44	0.038
09/21/2022	12:28:44	0.038
09/21/2022	12:29:44	0.038
09/21/2022	12:30:44	0.038
09/21/2022	12:31:44	0.038
09/21/2022	12:32:44	0.038
09/21/2022	12:33:44	0.038
09/21/2022	12:34:44	0.038
09/21/2022	12:35:44	0.039
09/21/2022	12:36:44	0.038
09/21/2022	12:37:44	0.038
09/21/2022	12:38:44	0.037
09/21/2022	12:39:44	0.037
09/21/2022	12:40:44	0.038
09/21/2022	12:41:44	0.038
09/21/2022	12:42:44	0.037
09/21/2022	12:43:44	0.037
09/21/2022	12:44:44	0.038
09/21/2022	12:45:44	0.037
09/21/2022	12:46:44	0.037
09/21/2022	12:47:44	0.038
09/21/2022	12:48:44	0.038
09/21/2022	12:49:44	0.038
09/21/2022	12:50:44	0.038
09/21/2022	12:51:44	0.038
09/21/2022	12:52:44	0.038
09/21/2022	12:53:44	0.038
09/21/2022	12:54:44	0.038
09/21/2022	12:55:44	0.037
09/21/2022	12:56:44	0.037
09/21/2022	12:57:44	0.037
09/21/2022	12:58:44	0.037
09/21/2022	12:59:44	0.037
09/21/2022	13:00:44	0.038
09/21/2022	13:01:44	0.037
09/21/2022	13:02:44	0.037
09/21/2022	13:03:44	0.037
09/21/2022	13:04:44	0.038
09/21/2022	13:05:44	0.037
09/21/2022	13:06:44	0.038
09/21/2022	13:07:44	0.037
09/21/2022	13:08:44	0.038
09/21/2022	13:09:44	0.038

09/21/2022	13:10:44	0.039
09/21/2022	13:11:44	0.040
09/21/2022	13:12:44	0.040
09/21/2022	13:13:44	0.040
09/21/2022	13:14:44	0.039
09/21/2022	13:15:44	0.038
09/21/2022	13:16:44	0.038
09/21/2022	13:17:44	0.038
09/21/2022	13:18:44	0.037
09/21/2022	13:19:44	0.038
09/21/2022	13:20:44	0.038
09/21/2022	13:21:44	0.037
09/21/2022	13:22:44	0.038
09/21/2022	13:23:44	0.037
09/21/2022	13:24:44	0.038
09/21/2022	13:25:44	0.037
09/21/2022	13:26:44	0.037
09/21/2022	13:27:44	0.037
09/21/2022	13:28:44	0.037
09/21/2022	13:29:44	0.037
09/21/2022	13:30:44	0.039
09/21/2022	13:31:44	0.037
09/21/2022	13:32:44	0.038
09/21/2022	13:33:44	0.037
09/21/2022	13:34:44	0.037
09/21/2022	13:35:44	0.036
09/21/2022	13:36:44	0.036
09/21/2022	13:37:44	0.036
09/21/2022	13:38:44	0.037
09/21/2022	13:39:44	0.036
09/21/2022	13:40:44	0.034
09/21/2022	13:41:44	0.034
09/21/2022	13:42:44	0.033
09/21/2022	13:43:44	0.033
09/21/2022	13:44:44	0.034
09/21/2022	13:45:44	0.035
09/21/2022	13:46:44	0.034
09/21/2022	13:47:44	0.034
09/21/2022	13:48:44	0.034
09/21/2022	13:49:44	0.034
09/21/2022	13:50:44	0.034
09/21/2022	13:51:44	0.035
09/21/2022	13:52:44	0.035
09/21/2022	13:53:44	0.035
09/21/2022	13:54:44	0.034
09/21/2022	13:55:44	0.034
09/21/2022	13:56:44	0.034
09/21/2022	13:57:44	0.033
09/21/2022	13:58:44	0.034
09/21/2022	13:59:44	0.034

09/21/2022	14:00:44	0.034
09/21/2022	14:01:44	0.033
09/21/2022	14:02:44	0.033
09/21/2022	14:03:44	0.033
09/21/2022	14:04:44	0.033
09/21/2022	14:05:44	0.034
09/21/2022	14:06:44	0.034
09/21/2022	14:07:44	0.033
09/21/2022	14:08:44	0.034
09/21/2022	14:09:44	0.034
09/21/2022	14:10:44	0.034
09/21/2022	14:11:44	0.034
09/21/2022	14:12:44	0.034
09/21/2022	14:13:44	0.034
09/21/2022	14:14:44	0.034
09/21/2022	14:15:44	0.037
09/21/2022	14:16:44	0.035
09/21/2022	14:17:44	0.035
09/21/2022	14:18:44	0.035
09/21/2022	14:19:44	0.034
09/21/2022	14:20:44	0.036
09/21/2022	14:21:44	0.036
09/21/2022	14:22:44	0.036
09/21/2022	14:23:44	0.036
09/21/2022	14:24:44	0.036
09/21/2022	14:25:44	0.036
09/21/2022	14:26:44	0.037
09/21/2022	14:27:44	0.037
09/21/2022	14:28:44	0.039
09/21/2022	14:29:44	0.037
09/21/2022	14:30:44	0.037
09/21/2022	14:31:44	0.038
09/21/2022	14:32:44	0.037
09/21/2022	14:33:44	0.039
09/21/2022	14:34:44	0.039
09/21/2022	14:35:44	0.038
09/21/2022	14:36:44	0.038
09/21/2022	14:37:44	0.039
09/21/2022	14:38:44	0.038
09/21/2022	14:39:44	0.038
09/21/2022	14:40:44	0.038
09/21/2022	14:41:44	0.039
09/21/2022	14:42:44	0.039
09/21/2022	14:43:44	0.038
09/21/2022	14:44:44	0.040
09/21/2022	14:45:44	0.038
09/21/2022	14:46:44	0.038
09/21/2022	14:47:44	0.039
09/21/2022	14:48:44	0.038
09/21/2022	14:49:44	0.038

09/21/2022	14:50:44	0.039
09/21/2022	14:51:44	0.038
09/21/2022	14:52:44	0.039
09/21/2022	14:53:44	0.039
09/21/2022	14:54:44	0.039
09/21/2022	14:55:44	0.039
09/21/2022	14:56:44	0.039
09/21/2022	14:57:44	0.038
09/21/2022	14:58:44	0.039
09/21/2022	14:59:44	0.041
09/21/2022	15:00:44	0.040
09/21/2022	15:01:44	0.039
09/21/2022	15:02:44	0.040

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID:	008
Test Abbreviation:	MANUAL_008
Start Date:	09/22/2022
Start Time:	07:56:28
Duration (dd:hh:mm:ss):	0:08:19:00
Log Interval (mm:ss):	01:00
Number of points:	467
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.028
	Minimum:	0.000
	Time of Minimum:	16:11:21
	Date of Minimum:	09/22/2022
	Maximum:	0.588
	Time of Maximum:	14:48:28
	Date of Maximum:	09/22/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/22/2022	07:57:28	0.059
09/22/2022	07:58:28	0.026
09/22/2022	07:59:28	0.026
09/22/2022	08:00:28	0.026
09/22/2022	08:01:28	0.026
09/22/2022	08:02:28	0.026
09/22/2022	08:03:28	0.026
09/22/2022	08:04:28	0.025
09/22/2022	08:05:28	0.025

09/22/2022	08:06:28	0.025
09/22/2022	08:07:28	0.025
09/22/2022	08:08:28	0.026
09/22/2022	08:09:28	0.025
09/22/2022	08:10:28	0.025
09/22/2022	08:11:28	0.024
09/22/2022	08:12:28	0.024
09/22/2022	08:13:28	0.024
09/22/2022	08:14:28	0.024
09/22/2022	08:15:28	0.024
09/22/2022	08:16:28	0.024
09/22/2022	08:17:28	0.024
09/22/2022	08:18:28	0.024
09/22/2022	08:19:28	0.025
09/22/2022	08:20:28	0.025
09/22/2022	08:21:28	0.025
09/22/2022	08:22:28	0.025
09/22/2022	08:23:28	0.025
09/22/2022	08:24:28	0.025
09/22/2022	08:25:28	0.025
09/22/2022	08:26:28	0.025
09/22/2022	08:27:28	0.024
09/22/2022	08:28:28	0.024
09/22/2022	08:29:28	0.024
09/22/2022	08:30:28	0.024
09/22/2022	08:31:28	0.024
09/22/2022	08:32:28	0.024
09/22/2022	08:33:28	0.023
09/22/2022	08:34:28	0.023
09/22/2022	08:35:28	0.023
09/22/2022	08:36:28	0.023
09/22/2022	08:37:28	0.023
09/22/2022	08:38:28	0.023
09/22/2022	08:39:28	0.023
09/22/2022	08:40:28	0.023
09/22/2022	08:41:28	0.022
09/22/2022	08:42:28	0.022
09/22/2022	08:43:28	0.022
09/22/2022	08:44:28	0.023
09/22/2022	08:45:28	0.024
09/22/2022	08:46:28	0.023
09/22/2022	08:47:28	0.023
09/22/2022	08:48:28	0.023
09/22/2022	08:49:28	0.023
09/22/2022	08:50:28	0.023
09/22/2022	08:51:28	0.022
09/22/2022	08:52:28	0.023
09/22/2022	08:53:28	0.023
09/22/2022	08:54:28	0.023
09/22/2022	08:55:28	0.023

09/22/2022	08:56:28	0.023
09/22/2022	08:57:28	0.023
09/22/2022	08:58:28	0.023
09/22/2022	08:59:28	0.022
09/22/2022	09:00:28	0.022
09/22/2022	09:01:28	0.022
09/22/2022	09:02:28	0.023
09/22/2022	09:03:28	0.023
09/22/2022	09:04:28	0.022
09/22/2022	09:05:28	0.022
09/22/2022	09:06:28	0.022
09/22/2022	09:07:28	0.023
09/22/2022	09:08:28	0.023
09/22/2022	09:09:28	0.023
09/22/2022	09:10:28	0.022
09/22/2022	09:11:28	0.023
09/22/2022	09:12:28	0.023
09/22/2022	09:13:28	0.023
09/22/2022	09:14:28	0.023
09/22/2022	09:15:28	0.023
09/22/2022	09:16:28	0.023
09/22/2022	09:17:28	0.024
09/22/2022	09:18:28	0.022
09/22/2022	09:19:28	0.023
09/22/2022	09:20:28	0.022
09/22/2022	09:21:28	0.022
09/22/2022	09:22:28	0.022
09/22/2022	09:23:28	0.022
09/22/2022	09:24:28	0.022
09/22/2022	09:25:28	0.022
09/22/2022	09:26:28	0.022
09/22/2022	09:27:28	0.022
09/22/2022	09:28:28	0.022
09/22/2022	09:29:28	0.022
09/22/2022	09:30:28	0.023
09/22/2022	09:31:28	0.022
09/22/2022	09:32:28	0.022
09/22/2022	09:33:28	0.022
09/22/2022	09:34:28	0.022
09/22/2022	09:35:28	0.022
09/22/2022	09:36:28	0.023
09/22/2022	09:37:28	0.023
09/22/2022	09:38:28	0.022
09/22/2022	09:39:28	0.023
09/22/2022	09:40:28	0.022
09/22/2022	09:41:28	0.022
09/22/2022	09:42:28	0.022
09/22/2022	09:43:28	0.022
09/22/2022	09:44:28	0.022
09/22/2022	09:45:28	0.023

09/22/2022	09:46:28	0.023
09/22/2022	09:47:28	0.023
09/22/2022	09:48:28	0.023
09/22/2022	09:49:28	0.023
09/22/2022	09:50:28	0.024
09/22/2022	09:51:28	0.023
09/22/2022	09:52:28	0.023
09/22/2022	09:53:28	0.023
09/22/2022	09:54:28	0.023
09/22/2022	09:55:28	0.022
09/22/2022	09:56:28	0.023
09/22/2022	09:57:28	0.023
09/22/2022	09:58:28	0.023
09/22/2022	09:59:28	0.023
09/22/2022	10:00:28	0.023
09/22/2022	10:01:28	0.023
09/22/2022	10:02:28	0.023
09/22/2022	10:03:28	0.023
09/22/2022	10:04:28	0.023
09/22/2022	10:05:28	0.023
09/22/2022	10:06:28	0.023
09/22/2022	10:07:28	0.023
09/22/2022	10:08:28	0.023
09/22/2022	10:09:28	0.023
09/22/2022	10:10:28	0.023
09/22/2022	10:11:28	0.023
09/22/2022	10:12:28	0.023
09/22/2022	10:13:28	0.023
09/22/2022	10:14:28	0.023
09/22/2022	10:15:28	0.023
09/22/2022	10:16:28	0.023
09/22/2022	10:17:28	0.022
09/22/2022	10:18:28	0.023
09/22/2022	10:19:28	0.023
09/22/2022	10:20:28	0.023
09/22/2022	10:21:28	0.025
09/22/2022	10:22:28	0.024
09/22/2022	10:23:28	0.023
09/22/2022	10:24:28	0.023
09/22/2022	10:25:28	0.023
09/22/2022	10:26:28	0.023
09/22/2022	10:27:28	0.024
09/22/2022	10:28:28	0.025
09/22/2022	10:29:28	0.024
09/22/2022	10:30:28	0.023
09/22/2022	10:31:28	0.024
09/22/2022	10:32:28	0.024
09/22/2022	10:33:28	0.025
09/22/2022	10:34:28	0.024
09/22/2022	10:35:28	0.024

09/22/2022	10:36:28	0.026
09/22/2022	10:37:28	0.025
09/22/2022	10:38:28	0.025
09/22/2022	10:39:28	0.026
09/22/2022	10:40:28	0.026
09/22/2022	10:41:28	0.025
09/22/2022	10:42:28	0.026
09/22/2022	10:43:28	0.026
09/22/2022	10:44:28	0.025
09/22/2022	10:45:28	0.025
09/22/2022	10:46:28	0.027
09/22/2022	10:47:28	0.025
09/22/2022	10:48:28	0.026
09/22/2022	10:49:28	0.026
09/22/2022	10:50:28	0.026
09/22/2022	10:51:28	0.026
09/22/2022	10:52:28	0.026
09/22/2022	10:53:28	0.026
09/22/2022	10:54:28	0.026
09/22/2022	10:55:28	0.027
09/22/2022	10:56:28	0.026
09/22/2022	10:57:28	0.026
09/22/2022	10:58:28	0.026
09/22/2022	10:59:28	0.026
09/22/2022	11:00:28	0.026
09/22/2022	11:01:28	0.026
09/22/2022	11:02:28	0.027
09/22/2022	11:03:28	0.026
09/22/2022	11:04:28	0.027
09/22/2022	11:05:28	0.028
09/22/2022	11:06:28	0.027
09/22/2022	11:07:28	0.027
09/22/2022	11:08:28	0.026
09/22/2022	11:09:28	0.026
09/22/2022	11:10:28	0.026
09/22/2022	11:11:28	0.026
09/22/2022	11:12:28	0.026
09/22/2022	11:13:28	0.025
09/22/2022	11:14:28	0.025
09/22/2022	11:15:28	0.024
09/22/2022	11:16:28	0.024
09/22/2022	11:17:28	0.025
09/22/2022	11:18:28	0.024
09/22/2022	11:19:28	0.026
09/22/2022	11:20:28	0.024
09/22/2022	11:21:28	0.024
09/22/2022	11:22:28	0.024
09/22/2022	11:23:28	0.025
09/22/2022	11:24:28	0.025
09/22/2022	11:25:28	0.025

09/22/2022	11:26:28	0.025
09/22/2022	11:27:28	0.024
09/22/2022	11:28:28	0.024
09/22/2022	11:29:28	0.024
09/22/2022	11:30:28	0.024
09/22/2022	11:31:28	0.024
09/22/2022	11:32:28	0.024
09/22/2022	11:33:28	0.024
09/22/2022	11:34:28	0.024
09/22/2022	11:35:28	0.024
09/22/2022	11:36:28	0.024
09/22/2022	11:37:28	0.024
09/22/2022	11:38:28	0.043
09/22/2022	11:39:28	0.029
09/22/2022	11:40:28	0.026
09/22/2022	11:41:28	0.027
09/22/2022	11:42:28	0.026
09/22/2022	11:43:28	0.026
09/22/2022	11:44:28	0.026
09/22/2022	11:45:28	0.025
09/22/2022	11:46:28	0.025
09/22/2022	11:47:28	0.025
09/22/2022	11:48:28	0.024
09/22/2022	11:49:28	0.023
09/22/2022	11:50:28	0.023
09/22/2022	11:51:28	0.023
09/22/2022	11:52:28	0.023
09/22/2022	11:53:28	0.022
09/22/2022	11:54:28	0.022
09/22/2022	11:55:28	0.022
09/22/2022	11:56:28	0.023
09/22/2022	11:57:28	0.022
09/22/2022	11:58:28	0.022
09/22/2022	11:59:28	0.023
09/22/2022	12:00:28	0.022
09/22/2022	12:01:28	0.022
09/22/2022	12:02:28	0.023
09/22/2022	12:03:28	0.023
09/22/2022	12:04:28	0.023
09/22/2022	12:05:28	0.022
09/22/2022	12:06:28	0.022
09/22/2022	12:07:28	0.022
09/22/2022	12:08:28	0.022
09/22/2022	12:09:28	0.021
09/22/2022	12:10:28	0.021
09/22/2022	12:11:28	0.021
09/22/2022	12:12:28	0.020
09/22/2022	12:13:28	0.020
09/22/2022	12:14:28	0.020
09/22/2022	12:15:28	0.020

09/22/2022	12:16:28	0.020
09/22/2022	12:17:28	0.020
09/22/2022	12:18:28	0.020
09/22/2022	12:19:28	0.020
09/22/2022	12:20:28	0.020
09/22/2022	12:21:28	0.020
09/22/2022	12:22:28	0.021
09/22/2022	12:23:28	0.020
09/22/2022	12:24:28	0.020
09/22/2022	12:25:28	0.020
09/22/2022	12:26:28	0.020
09/22/2022	12:27:28	0.020
09/22/2022	12:28:28	0.019
09/22/2022	12:29:28	0.019
09/22/2022	12:30:28	0.019
09/22/2022	12:31:28	0.019
09/22/2022	12:32:28	0.019
09/22/2022	12:33:28	0.019
09/22/2022	12:34:28	0.018
09/22/2022	12:35:28	0.018
09/22/2022	12:36:28	0.018
09/22/2022	12:37:28	0.018
09/22/2022	12:38:28	0.018
09/22/2022	12:39:28	0.018
09/22/2022	12:40:28	0.018
09/22/2022	12:41:28	0.018
09/22/2022	12:42:28	0.017
09/22/2022	12:43:28	0.018
09/22/2022	12:44:28	0.018
09/22/2022	12:45:28	0.017
09/22/2022	12:46:28	0.017
09/22/2022	12:47:28	0.017
09/22/2022	12:48:28	0.019
09/22/2022	12:49:28	0.021
09/22/2022	12:50:28	0.019
09/22/2022	12:51:28	0.018
09/22/2022	12:52:28	0.018
09/22/2022	12:53:28	0.022
09/22/2022	12:54:28	0.021
09/22/2022	12:55:28	0.020
09/22/2022	12:56:28	0.019
09/22/2022	12:57:28	0.018
09/22/2022	12:58:28	0.018
09/22/2022	12:59:28	0.018
09/22/2022	13:00:28	0.019
09/22/2022	13:01:28	0.018
09/22/2022	13:02:28	0.018
09/22/2022	13:03:28	0.018
09/22/2022	13:04:28	0.018
09/22/2022	13:05:28	0.018

09/22/2022	13:06:28	0.018
09/22/2022	13:07:28	0.018
09/22/2022	13:08:28	0.019
09/22/2022	13:09:28	0.019
09/22/2022	13:10:28	0.018
09/22/2022	13:11:28	0.018
09/22/2022	13:12:28	0.019
09/22/2022	13:13:28	0.019
09/22/2022	13:14:28	0.019
09/22/2022	13:15:28	0.019
09/22/2022	13:16:28	0.019
09/22/2022	13:17:28	0.019
09/22/2022	13:18:28	0.019
09/22/2022	13:19:28	0.019
09/22/2022	13:20:28	0.019
09/22/2022	13:21:28	0.019
09/22/2022	13:22:28	0.019
09/22/2022	13:23:28	0.021
09/22/2022	13:24:28	0.019
09/22/2022	13:25:28	0.019
09/22/2022	13:26:28	0.020
09/22/2022	13:27:28	0.019
09/22/2022	13:28:28	0.020
09/22/2022	13:29:28	0.019
09/22/2022	13:30:28	0.019
09/22/2022	13:31:28	0.020
09/22/2022	13:32:28	0.020
09/22/2022	13:33:28	0.020
09/22/2022	13:34:28	0.019
09/22/2022	13:35:28	0.019
09/22/2022	13:36:28	0.020
09/22/2022	13:37:28	0.020
09/22/2022	13:38:28	0.021
09/22/2022	13:39:28	0.021
09/22/2022	13:40:28	0.021
09/22/2022	13:41:28	0.022
09/22/2022	13:42:28	0.021
09/22/2022	13:43:28	0.022
09/22/2022	13:44:28	0.022
09/22/2022	13:45:28	0.021
09/22/2022	13:46:28	0.022
09/22/2022	13:47:28	0.021
09/22/2022	13:48:28	0.021
09/22/2022	13:49:28	0.021
09/22/2022	13:50:28	0.021
09/22/2022	13:51:28	0.021
09/22/2022	13:52:28	0.021
09/22/2022	13:53:28	0.022
09/22/2022	13:54:28	0.021
09/22/2022	13:55:28	0.022

09/22/2022	13:56:28	0.021
09/22/2022	13:57:28	0.021
09/22/2022	13:58:28	0.021
09/22/2022	13:59:28	0.021
09/22/2022	14:00:28	0.021
09/22/2022	14:01:28	0.021
09/22/2022	14:02:28	0.022
09/22/2022	14:03:28	0.021
09/22/2022	14:04:28	0.021
09/22/2022	14:05:28	0.022
09/22/2022	14:06:28	0.022
09/22/2022	14:07:28	0.022
09/22/2022	14:08:28	0.022
09/22/2022	14:09:28	0.022
09/22/2022	14:10:28	0.022
09/22/2022	14:11:28	0.022
09/22/2022	14:12:28	0.022
09/22/2022	14:13:28	0.022
09/22/2022	14:14:28	0.022
09/22/2022	14:15:28	0.022
09/22/2022	14:16:28	0.022
09/22/2022	14:17:28	0.023
09/22/2022	14:18:28	0.023
09/22/2022	14:19:28	0.023
09/22/2022	14:20:28	0.023
09/22/2022	14:21:28	0.023
09/22/2022	14:22:28	0.023
09/22/2022	14:23:28	0.023
09/22/2022	14:24:28	0.023
09/22/2022	14:25:28	0.023
09/22/2022	14:26:28	0.024
09/22/2022	14:27:28	0.027
09/22/2022	14:28:28	0.026
09/22/2022	14:29:28	0.025
09/22/2022	14:30:28	0.030
09/22/2022	14:31:28	0.038
09/22/2022	14:32:28	0.077
09/22/2022	14:33:28	0.035
09/22/2022	14:34:28	0.029
09/22/2022	14:35:28	0.031
09/22/2022	14:36:28	0.187
09/22/2022	14:37:28	0.028
09/22/2022	14:38:28	0.055
09/22/2022	14:39:28	0.156
09/22/2022	14:40:28	0.086
09/22/2022	14:41:28	0.085
09/22/2022	14:42:28	0.129
09/22/2022	14:43:28	0.030
09/22/2022	14:44:28	0.030
09/22/2022	14:45:28	0.057

09/22/2022	14:46:28	0.026
09/22/2022	14:47:28	0.266
09/22/2022	14:48:28	0.588
09/22/2022	14:49:28	0.027
09/22/2022	14:50:28	0.050
09/22/2022	14:51:28	0.428
09/22/2022	14:52:28	0.098
09/22/2022	14:53:28	0.030
09/22/2022	14:54:28	0.036
09/22/2022	14:55:28	0.070
09/22/2022	14:56:28	0.094
09/22/2022	14:57:28	0.072
09/22/2022	14:58:28	0.142
09/22/2022	14:59:28	0.075
09/22/2022	15:00:28	0.079
09/22/2022	15:01:28	0.058
09/22/2022	15:02:28	0.036
09/22/2022	15:03:28	0.026
09/22/2022	15:04:28	0.042
09/22/2022	15:05:28	0.049
09/22/2022	15:06:28	0.028
09/22/2022	15:07:28	0.028
09/22/2022	15:08:28	0.028
09/22/2022	15:09:28	0.029
09/22/2022	15:10:28	0.028
09/22/2022	15:11:28	0.028
09/22/2022	15:12:28	0.028
09/22/2022	15:13:28	0.030
09/22/2022	15:14:28	0.030
09/22/2022	15:15:28	0.028
09/22/2022	15:16:28	0.029
09/22/2022	15:17:28	0.028
09/22/2022	15:18:28	0.030
09/22/2022	15:19:28	0.030
09/22/2022	15:20:28	0.029
09/22/2022	15:21:28	0.029
09/22/2022	15:22:28	0.029
09/22/2022	15:23:28	0.029
09/22/2022	15:24:28	0.029
09/22/2022	15:25:28	0.029
09/22/2022	15:26:28	0.030
09/22/2022	15:27:28	0.029
09/22/2022	15:28:28	0.028
09/22/2022	15:29:28	0.028
09/22/2022	15:30:28	0.029
09/22/2022	15:31:28	0.028
09/22/2022	15:32:28	0.029
09/22/2022	15:33:28	0.028
09/22/2022	15:34:28	0.027
09/22/2022	15:35:28	0.027

09/22/2022	15:36:28	0.026
09/22/2022	15:37:28	0.026
09/22/2022	16:11:21	0.000
09/22/2022	16:11:28	0.015
09/22/2022	16:12:28	0.018
09/22/2022	16:13:28	0.018
09/22/2022	16:14:28	0.018
09/22/2022	16:15:28	0.017

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID:	009
Test Abbreviation:	MANUAL_009
Start Date:	09/27/2022
Start Time:	08:51:43
Duration (dd:hh:mm:ss):	0:05:50:00
Log Interval (mm:ss):	01:00
Number of points:	350
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.019
	Minimum:	0.005
	Time of Minimum:	08:52:43
	Date of Minimum:	09/27/2022
	Maximum:	0.034
	Time of Maximum:	13:54:43
	Date of Maximum:	09/27/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/10/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/27/2022	08:52:43	0.005
09/27/2022	08:53:43	0.005
09/27/2022	08:54:43	0.005
09/27/2022	08:55:43	0.005
09/27/2022	08:56:43	0.005
09/27/2022	08:57:43	0.005
09/27/2022	08:58:43	0.006
09/27/2022	08:59:43	0.006
09/27/2022	09:00:43	0.005
09/27/2022	09:01:43	0.005
09/27/2022	09:02:43	0.006
09/27/2022	09:03:43	0.006
09/27/2022	09:04:43	0.006
09/27/2022	09:05:43	0.006

09/27/2022	09:06:43	0.006
09/27/2022	09:07:43	0.005
09/27/2022	09:08:43	0.005
09/27/2022	09:09:43	0.006
09/27/2022	09:10:43	0.006
09/27/2022	09:11:43	0.006
09/27/2022	09:12:43	0.005
09/27/2022	09:13:43	0.006
09/27/2022	09:14:43	0.006
09/27/2022	09:15:43	0.006
09/27/2022	09:16:43	0.005
09/27/2022	09:17:43	0.006
09/27/2022	09:18:43	0.006
09/27/2022	09:19:43	0.006
09/27/2022	09:20:43	0.006
09/27/2022	09:21:43	0.006
09/27/2022	09:22:43	0.006
09/27/2022	09:23:43	0.007
09/27/2022	09:24:43	0.007
09/27/2022	09:25:43	0.007
09/27/2022	09:26:43	0.007
09/27/2022	09:27:43	0.007
09/27/2022	09:28:43	0.008
09/27/2022	09:29:43	0.008
09/27/2022	09:30:43	0.008
09/27/2022	09:31:43	0.007
09/27/2022	09:32:43	0.007
09/27/2022	09:33:43	0.007
09/27/2022	09:34:43	0.008
09/27/2022	09:35:43	0.008
09/27/2022	09:36:43	0.007
09/27/2022	09:37:43	0.007
09/27/2022	09:38:43	0.008
09/27/2022	09:39:43	0.008
09/27/2022	09:40:43	0.008
09/27/2022	09:41:43	0.008
09/27/2022	09:42:43	0.008
09/27/2022	09:43:43	0.008
09/27/2022	09:44:43	0.008
09/27/2022	09:45:43	0.009
09/27/2022	09:46:43	0.009
09/27/2022	09:47:43	0.009
09/27/2022	09:48:43	0.009
09/27/2022	09:49:43	0.009
09/27/2022	09:50:43	0.010
09/27/2022	09:51:43	0.010
09/27/2022	09:52:43	0.009
09/27/2022	09:53:43	0.009
09/27/2022	09:54:43	0.010
09/27/2022	09:55:43	0.009

09/27/2022	09:56:43	0.010
09/27/2022	09:57:43	0.010
09/27/2022	09:58:43	0.010
09/27/2022	09:59:43	0.010
09/27/2022	10:00:43	0.010
09/27/2022	10:01:43	0.010
09/27/2022	10:02:43	0.010
09/27/2022	10:03:43	0.010
09/27/2022	10:04:43	0.010
09/27/2022	10:05:43	0.010
09/27/2022	10:06:43	0.010
09/27/2022	10:07:43	0.010
09/27/2022	10:08:43	0.010
09/27/2022	10:09:43	0.010
09/27/2022	10:10:43	0.010
09/27/2022	10:11:43	0.010
09/27/2022	10:12:43	0.010
09/27/2022	10:13:43	0.010
09/27/2022	10:14:43	0.010
09/27/2022	10:15:43	0.010
09/27/2022	10:16:43	0.010
09/27/2022	10:17:43	0.011
09/27/2022	10:18:43	0.011
09/27/2022	10:19:43	0.011
09/27/2022	10:20:43	0.011
09/27/2022	10:21:43	0.011
09/27/2022	10:22:43	0.011
09/27/2022	10:23:43	0.011
09/27/2022	10:24:43	0.011
09/27/2022	10:25:43	0.012
09/27/2022	10:26:43	0.012
09/27/2022	10:27:43	0.012
09/27/2022	10:28:43	0.012
09/27/2022	10:29:43	0.012
09/27/2022	10:30:43	0.013
09/27/2022	10:31:43	0.013
09/27/2022	10:32:43	0.013
09/27/2022	10:33:43	0.013
09/27/2022	10:34:43	0.013
09/27/2022	10:35:43	0.013
09/27/2022	10:36:43	0.013
09/27/2022	10:37:43	0.013
09/27/2022	10:38:43	0.013
09/27/2022	10:39:43	0.014
09/27/2022	10:40:43	0.014
09/27/2022	10:41:43	0.014
09/27/2022	10:42:43	0.015
09/27/2022	10:43:43	0.015
09/27/2022	10:44:43	0.015
09/27/2022	10:45:43	0.015

09/27/2022	10:46:43	0.015
09/27/2022	10:47:43	0.015
09/27/2022	10:48:43	0.015
09/27/2022	10:49:43	0.014
09/27/2022	10:50:43	0.014
09/27/2022	10:51:43	0.014
09/27/2022	10:52:43	0.014
09/27/2022	10:53:43	0.014
09/27/2022	10:54:43	0.014
09/27/2022	10:55:43	0.014
09/27/2022	10:56:43	0.015
09/27/2022	10:57:43	0.014
09/27/2022	10:58:43	0.014
09/27/2022	10:59:43	0.014
09/27/2022	11:00:43	0.014
09/27/2022	11:01:43	0.014
09/27/2022	11:02:43	0.014
09/27/2022	11:03:43	0.014
09/27/2022	11:04:43	0.014
09/27/2022	11:05:43	0.014
09/27/2022	11:06:43	0.014
09/27/2022	11:07:43	0.014
09/27/2022	11:08:43	0.014
09/27/2022	11:09:43	0.014
09/27/2022	11:10:43	0.014
09/27/2022	11:11:43	0.015
09/27/2022	11:12:43	0.015
09/27/2022	11:13:43	0.014
09/27/2022	11:14:43	0.014
09/27/2022	11:15:43	0.015
09/27/2022	11:16:43	0.015
09/27/2022	11:17:43	0.015
09/27/2022	11:18:43	0.015
09/27/2022	11:19:43	0.015
09/27/2022	11:20:43	0.015
09/27/2022	11:21:43	0.016
09/27/2022	11:22:43	0.016
09/27/2022	11:23:43	0.016
09/27/2022	11:24:43	0.016
09/27/2022	11:25:43	0.016
09/27/2022	11:26:43	0.016
09/27/2022	11:27:43	0.016
09/27/2022	11:28:43	0.016
09/27/2022	11:29:43	0.016
09/27/2022	11:30:43	0.016
09/27/2022	11:31:43	0.016
09/27/2022	11:32:43	0.016
09/27/2022	11:33:43	0.016
09/27/2022	11:34:43	0.016
09/27/2022	11:35:43	0.017

09/27/2022	11:36:43	0.016
09/27/2022	11:37:43	0.017
09/27/2022	11:38:43	0.016
09/27/2022	11:39:43	0.017
09/27/2022	11:40:43	0.017
09/27/2022	11:41:43	0.017
09/27/2022	11:42:43	0.017
09/27/2022	11:43:43	0.017
09/27/2022	11:44:43	0.017
09/27/2022	11:45:43	0.017
09/27/2022	11:46:43	0.017
09/27/2022	11:47:43	0.017
09/27/2022	11:48:43	0.017
09/27/2022	11:49:43	0.017
09/27/2022	11:50:43	0.017
09/27/2022	11:51:43	0.018
09/27/2022	11:52:43	0.018
09/27/2022	11:53:43	0.018
09/27/2022	11:54:43	0.018
09/27/2022	11:55:43	0.018
09/27/2022	11:56:43	0.018
09/27/2022	11:57:43	0.020
09/27/2022	11:58:43	0.019
09/27/2022	11:59:43	0.018
09/27/2022	12:00:43	0.019
09/27/2022	12:01:43	0.019
09/27/2022	12:02:43	0.019
09/27/2022	12:03:43	0.018
09/27/2022	12:04:43	0.018
09/27/2022	12:05:43	0.019
09/27/2022	12:06:43	0.019
09/27/2022	12:07:43	0.020
09/27/2022	12:08:43	0.020
09/27/2022	12:09:43	0.020
09/27/2022	12:10:43	0.020
09/27/2022	12:11:43	0.019
09/27/2022	12:12:43	0.019
09/27/2022	12:13:43	0.020
09/27/2022	12:14:43	0.021
09/27/2022	12:15:43	0.022
09/27/2022	12:16:43	0.022
09/27/2022	12:17:43	0.021
09/27/2022	12:18:43	0.021
09/27/2022	12:19:43	0.021
09/27/2022	12:20:43	0.022
09/27/2022	12:21:43	0.022
09/27/2022	12:22:43	0.022
09/27/2022	12:23:43	0.022
09/27/2022	12:24:43	0.023
09/27/2022	12:25:43	0.024

09/27/2022	12:26:43	0.023
09/27/2022	12:27:43	0.023
09/27/2022	12:28:43	0.023
09/27/2022	12:29:43	0.023
09/27/2022	12:30:43	0.023
09/27/2022	12:31:43	0.023
09/27/2022	12:32:43	0.023
09/27/2022	12:33:43	0.024
09/27/2022	12:34:43	0.024
09/27/2022	12:35:43	0.024
09/27/2022	12:36:43	0.023
09/27/2022	12:37:43	0.023
09/27/2022	12:38:43	0.023
09/27/2022	12:39:43	0.024
09/27/2022	12:40:43	0.025
09/27/2022	12:41:43	0.026
09/27/2022	12:42:43	0.027
09/27/2022	12:43:43	0.027
09/27/2022	12:44:43	0.026
09/27/2022	12:45:43	0.027
09/27/2022	12:46:43	0.026
09/27/2022	12:47:43	0.026
09/27/2022	12:48:43	0.027
09/27/2022	12:49:43	0.027
09/27/2022	12:50:43	0.027
09/27/2022	12:51:43	0.028
09/27/2022	12:52:43	0.028
09/27/2022	12:53:43	0.028
09/27/2022	12:54:43	0.028
09/27/2022	12:55:43	0.028
09/27/2022	12:56:43	0.028
09/27/2022	12:57:43	0.027
09/27/2022	12:58:43	0.027
09/27/2022	12:59:43	0.026
09/27/2022	13:00:43	0.025
09/27/2022	13:01:43	0.025
09/27/2022	13:02:43	0.025
09/27/2022	13:03:43	0.025
09/27/2022	13:04:43	0.025
09/27/2022	13:05:43	0.024
09/27/2022	13:06:43	0.024
09/27/2022	13:07:43	0.024
09/27/2022	13:08:43	0.024
09/27/2022	13:09:43	0.025
09/27/2022	13:10:43	0.025
09/27/2022	13:11:43	0.026
09/27/2022	13:12:43	0.028
09/27/2022	13:13:43	0.028
09/27/2022	13:14:43	0.028
09/27/2022	13:15:43	0.028

09/27/2022	13:16:43	0.029
09/27/2022	13:17:43	0.029
09/27/2022	13:18:43	0.028
09/27/2022	13:19:43	0.029
09/27/2022	13:20:43	0.029
09/27/2022	13:21:43	0.031
09/27/2022	13:22:43	0.031
09/27/2022	13:23:43	0.031
09/27/2022	13:24:43	0.031
09/27/2022	13:25:43	0.030
09/27/2022	13:26:43	0.030
09/27/2022	13:27:43	0.031
09/27/2022	13:28:43	0.030
09/27/2022	13:29:43	0.030
09/27/2022	13:30:43	0.029
09/27/2022	13:31:43	0.029
09/27/2022	13:32:43	0.028
09/27/2022	13:33:43	0.028
09/27/2022	13:34:43	0.028
09/27/2022	13:35:43	0.028
09/27/2022	13:36:43	0.029
09/27/2022	13:37:43	0.030
09/27/2022	13:38:43	0.031
09/27/2022	13:39:43	0.032
09/27/2022	13:40:43	0.033
09/27/2022	13:41:43	0.033
09/27/2022	13:42:43	0.033
09/27/2022	13:43:43	0.033
09/27/2022	13:44:43	0.032
09/27/2022	13:45:43	0.031
09/27/2022	13:46:43	0.031
09/27/2022	13:47:43	0.030
09/27/2022	13:48:43	0.030
09/27/2022	13:49:43	0.030
09/27/2022	13:50:43	0.030
09/27/2022	13:51:43	0.030
09/27/2022	13:52:43	0.032
09/27/2022	13:53:43	0.033
09/27/2022	13:54:43	0.034
09/27/2022	13:55:43	0.033
09/27/2022	13:56:43	0.033
09/27/2022	13:57:43	0.032
09/27/2022	13:58:43	0.032
09/27/2022	13:59:43	0.032
09/27/2022	14:00:43	0.032
09/27/2022	14:01:43	0.032
09/27/2022	14:02:43	0.032
09/27/2022	14:03:43	0.032
09/27/2022	14:04:43	0.033
09/27/2022	14:05:43	0.034

09/27/2022	14:06:43	0.034
09/27/2022	14:07:43	0.034
09/27/2022	14:08:43	0.031
09/27/2022	14:09:43	0.030
09/27/2022	14:10:43	0.029
09/27/2022	14:11:43	0.030
09/27/2022	14:12:43	0.030
09/27/2022	14:13:43	0.030
09/27/2022	14:14:43	0.030
09/27/2022	14:15:43	0.030
09/27/2022	14:16:43	0.030
09/27/2022	14:17:43	0.029
09/27/2022	14:18:43	0.028
09/27/2022	14:19:43	0.028
09/27/2022	14:20:43	0.028
09/27/2022	14:21:43	0.028
09/27/2022	14:22:43	0.028
09/27/2022	14:23:43	0.027
09/27/2022	14:24:43	0.027
09/27/2022	14:25:43	0.027
09/27/2022	14:26:43	0.027
09/27/2022	14:27:43	0.027
09/27/2022	14:28:43	0.026
09/27/2022	14:29:43	0.027
09/27/2022	14:30:43	0.027
09/27/2022	14:31:43	0.027
09/27/2022	14:32:43	0.027
09/27/2022	14:33:43	0.027
09/27/2022	14:34:43	0.028
09/27/2022	14:35:43	0.028
09/27/2022	14:36:43	0.027
09/27/2022	14:37:43	0.028
09/27/2022	14:38:43	0.027
09/27/2022	14:39:43	0.027
09/27/2022	14:40:43	0.027
09/27/2022	14:41:43	0.027

Model: DustTrak II
Model Number: 8530
Serial Number: 8530203904
Test ID: 010
Test Abbreviation: MANUAL_010
Start Date: 11/04/2022
Start Time: 07:46:47
Duration (dd:hh:mm:ss): 0:03:18:00
Log Interval (mm:ss): 01:00
Number of points: 198
Notes:

Statistics Channel: AEROSOL

Units: mg/m^3
Average: 0.030
Minimum: 0.025
Time of Minimum: 09:12:47
Date of Minimum: 11/04/2022
Maximum: 0.042
Time of Maximum: 07:47:47
Date of Maximum: 11/04/2022

Calibration Sensor: AEROSOL
Cal. date 03/10/2022

Date MM/dd/yyyy	Time hh:mm:ss	AEROSOL mg/m^3
11/04/2022	07:47:47	0.042
11/04/2022	07:48:47	0.038
11/04/2022	07:49:47	0.038
11/04/2022	07:50:47	0.038
11/04/2022	07:51:47	0.038
11/04/2022	07:52:47	0.037
11/04/2022	07:53:47	0.037
11/04/2022	07:54:47	0.037
11/04/2022	07:55:47	0.037
11/04/2022	07:56:47	0.037
11/04/2022	07:57:47	0.037
11/04/2022	07:58:47	0.037
11/04/2022	07:59:47	0.037
11/04/2022	08:00:47	0.037
11/04/2022	08:01:47	0.036
11/04/2022	08:02:47	0.036
11/04/2022	08:03:47	0.035
11/04/2022	08:04:47	0.036
11/04/2022	08:05:47	0.036
11/04/2022	08:06:47	0.035
11/04/2022	08:07:47	0.034
11/04/2022	08:08:47	0.034
11/04/2022	08:09:47	0.035
11/04/2022	08:10:47	0.035
11/04/2022	08:11:47	0.034
11/04/2022	08:12:47	0.034
11/04/2022	08:13:47	0.034
11/04/2022	08:14:47	0.033
11/04/2022	08:15:47	0.033
11/04/2022	08:16:47	0.032
11/04/2022	08:17:47	0.032
11/04/2022	08:18:47	0.032
11/04/2022	08:19:47	0.032
11/04/2022	08:20:47	0.032
11/04/2022	08:21:47	0.032
11/04/2022	08:22:47	0.032

11/04/2022	08:23:47	0.031
11/04/2022	08:24:47	0.031
11/04/2022	08:25:47	0.031
11/04/2022	08:26:47	0.031
11/04/2022	08:27:47	0.031
11/04/2022	08:28:47	0.031
11/04/2022	08:29:47	0.030
11/04/2022	08:30:47	0.031
11/04/2022	08:31:47	0.031
11/04/2022	08:32:47	0.031
11/04/2022	08:33:47	0.030
11/04/2022	08:34:47	0.030
11/04/2022	08:35:47	0.029
11/04/2022	08:36:47	0.029
11/04/2022	08:37:47	0.029
11/04/2022	08:38:47	0.029
11/04/2022	08:39:47	0.029
11/04/2022	08:40:47	0.029
11/04/2022	08:41:47	0.030
11/04/2022	08:42:47	0.028
11/04/2022	08:43:47	0.029
11/04/2022	08:44:47	0.029
11/04/2022	08:45:47	0.029
11/04/2022	08:46:47	0.029
11/04/2022	08:47:47	0.028
11/04/2022	08:48:47	0.028
11/04/2022	08:49:47	0.028
11/04/2022	08:50:47	0.029
11/04/2022	08:51:47	0.034
11/04/2022	08:52:47	0.029
11/04/2022	08:53:47	0.027
11/04/2022	08:54:47	0.028
11/04/2022	08:55:47	0.028
11/04/2022	08:56:47	0.027
11/04/2022	08:57:47	0.027
11/04/2022	08:58:47	0.026
11/04/2022	08:59:47	0.027
11/04/2022	09:00:47	0.027
11/04/2022	09:01:47	0.026
11/04/2022	09:02:47	0.027
11/04/2022	09:03:47	0.026
11/04/2022	09:04:47	0.027
11/04/2022	09:05:47	0.027
11/04/2022	09:06:47	0.027
11/04/2022	09:07:47	0.026
11/04/2022	09:08:47	0.026
11/04/2022	09:09:47	0.026
11/04/2022	09:10:47	0.026
11/04/2022	09:11:47	0.026
11/04/2022	09:12:47	0.025

11/04/2022	09:13:47	0.025
11/04/2022	09:14:47	0.025
11/04/2022	09:15:47	0.026
11/04/2022	09:16:47	0.025
11/04/2022	09:17:47	0.025
11/04/2022	09:18:47	0.026
11/04/2022	09:19:47	0.026
11/04/2022	09:20:47	0.025
11/04/2022	09:21:47	0.025
11/04/2022	09:22:47	0.026
11/04/2022	09:23:47	0.025
11/04/2022	09:24:47	0.025
11/04/2022	09:25:47	0.026
11/04/2022	09:26:47	0.026
11/04/2022	09:27:47	0.025
11/04/2022	09:28:47	0.025
11/04/2022	09:29:47	0.026
11/04/2022	09:30:47	0.026
11/04/2022	09:31:47	0.028
11/04/2022	09:32:47	0.026
11/04/2022	09:33:47	0.026
11/04/2022	09:34:47	0.026
11/04/2022	09:35:47	0.026
11/04/2022	09:36:47	0.026
11/04/2022	09:37:47	0.027
11/04/2022	09:38:47	0.027
11/04/2022	09:39:47	0.026
11/04/2022	09:40:47	0.027
11/04/2022	09:41:47	0.026
11/04/2022	09:42:47	0.026
11/04/2022	09:43:47	0.026
11/04/2022	09:44:47	0.027
11/04/2022	09:45:47	0.027
11/04/2022	09:46:47	0.027
11/04/2022	09:47:47	0.027
11/04/2022	09:48:47	0.027
11/04/2022	09:49:47	0.028
11/04/2022	09:50:47	0.028
11/04/2022	09:51:47	0.027
11/04/2022	09:52:47	0.028
11/04/2022	09:53:47	0.028
11/04/2022	09:54:47	0.028
11/04/2022	09:55:47	0.027
11/04/2022	09:56:47	0.027
11/04/2022	09:57:47	0.028
11/04/2022	09:58:47	0.028
11/04/2022	09:59:47	0.028
11/04/2022	10:00:47	0.028
11/04/2022	10:01:47	0.028
11/04/2022	10:02:47	0.029

11/04/2022	10:03:47	0.028
11/04/2022	10:04:47	0.029
11/04/2022	10:05:47	0.029
11/04/2022	10:06:47	0.029
11/04/2022	10:07:47	0.028
11/04/2022	10:08:47	0.029
11/04/2022	10:09:47	0.029
11/04/2022	10:10:47	0.028
11/04/2022	10:11:47	0.028
11/04/2022	10:12:47	0.030
11/04/2022	10:13:47	0.029
11/04/2022	10:14:47	0.029
11/04/2022	10:15:47	0.029
11/04/2022	10:16:47	0.028
11/04/2022	10:17:47	0.028
11/04/2022	10:18:47	0.028
11/04/2022	10:19:47	0.028
11/04/2022	10:20:47	0.029
11/04/2022	10:21:47	0.029
11/04/2022	10:22:47	0.029
11/04/2022	10:23:47	0.029
11/04/2022	10:24:47	0.029
11/04/2022	10:25:47	0.029
11/04/2022	10:26:47	0.029
11/04/2022	10:27:47	0.029
11/04/2022	10:28:47	0.030
11/04/2022	10:29:47	0.030
11/04/2022	10:30:47	0.032
11/04/2022	10:31:47	0.030
11/04/2022	10:32:47	0.031
11/04/2022	10:33:47	0.030
11/04/2022	10:34:47	0.030
11/04/2022	10:35:47	0.030
11/04/2022	10:36:47	0.030
11/04/2022	10:37:47	0.030
11/04/2022	10:38:47	0.030
11/04/2022	10:39:47	0.031
11/04/2022	10:40:47	0.031
11/04/2022	10:41:47	0.031
11/04/2022	10:42:47	0.031
11/04/2022	10:43:47	0.031
11/04/2022	10:44:47	0.031
11/04/2022	10:45:47	0.031
11/04/2022	10:46:47	0.032
11/04/2022	10:47:47	0.031
11/04/2022	10:48:47	0.031
11/04/2022	10:49:47	0.032
11/04/2022	10:50:47	0.031
11/04/2022	10:51:47	0.031
11/04/2022	10:52:47	0.032

11/04/2022	10:53:47	0.031
11/04/2022	10:54:47	0.031
11/04/2022	10:55:47	0.032
11/04/2022	10:56:47	0.032
11/04/2022	10:57:47	0.032
11/04/2022	10:58:47	0.032
11/04/2022	10:59:47	0.032
11/04/2022	11:00:47	0.032
11/04/2022	11:01:47	0.032
11/04/2022	11:02:47	0.032
11/04/2022	11:03:47	0.032
11/04/2022	11:04:47	0.032

DUST MONITORING

DOWNWIND

TrakPro Version 4.70 ASCII Data File

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 001
Test Abbreviation: MANUAL_001
Start Date: 08/29/2022
Start Time: 08:00:36
Duration (dd:hh:mm:ss): 0:04:22:00
Log Interval (mm:ss): 01:00
Number of points: 262
Notes:

Statistics Channel: AEROSOL
  Units: mg/m^3
  Average: 0.028
  Minimum: 0.021
  Time of Minimum: 11:41:36
  Date of Minimum: 08/29/2022
  Maximum: 0.051
  Time of Maximum: 08:01:36
  Date of Maximum: 08/29/2022

Calibration Sensor: AEROSOL
  Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
08/29/2022	08:01:36	0.051
08/29/2022	08:02:36	0.042
08/29/2022	08:03:36	0.043
08/29/2022	08:04:36	0.042
08/29/2022	08:05:36	0.043
08/29/2022	08:06:36	0.042
08/29/2022	08:07:36	0.042
08/29/2022	08:08:36	0.041
08/29/2022	08:09:36	0.040
08/29/2022	08:10:36	0.039
08/29/2022	08:11:36	0.039
08/29/2022	08:12:36	0.039
08/29/2022	08:13:36	0.039
08/29/2022	08:14:36	0.038
08/29/2022	08:15:36	0.038
08/29/2022	08:16:36	0.037
08/29/2022	08:17:36	0.037
08/29/2022	08:18:36	0.037
08/29/2022	08:19:36	0.037
08/29/2022	08:20:36	0.037
08/29/2022	08:21:36	0.036

08/29/2022	08:22:36	0.036
08/29/2022	08:23:36	0.035
08/29/2022	08:24:36	0.036
08/29/2022	08:25:36	0.036
08/29/2022	08:26:36	0.036
08/29/2022	08:27:36	0.035
08/29/2022	08:28:36	0.035
08/29/2022	08:29:36	0.035
08/29/2022	08:30:36	0.034
08/29/2022	08:31:36	0.035
08/29/2022	08:32:36	0.034
08/29/2022	08:33:36	0.034
08/29/2022	08:34:36	0.034
08/29/2022	08:35:36	0.033
08/29/2022	08:36:36	0.033
08/29/2022	08:37:36	0.033
08/29/2022	08:38:36	0.033
08/29/2022	08:39:36	0.034
08/29/2022	08:40:36	0.033
08/29/2022	08:41:36	0.033
08/29/2022	08:42:36	0.033
08/29/2022	08:43:36	0.032
08/29/2022	08:44:36	0.033
08/29/2022	08:45:36	0.032
08/29/2022	08:46:36	0.033
08/29/2022	08:47:36	0.033
08/29/2022	08:48:36	0.032
08/29/2022	08:49:36	0.031
08/29/2022	08:50:36	0.031
08/29/2022	08:51:36	0.032
08/29/2022	08:52:36	0.031
08/29/2022	08:53:36	0.031
08/29/2022	08:54:36	0.031
08/29/2022	08:55:36	0.031
08/29/2022	08:56:36	0.031
08/29/2022	08:57:36	0.031
08/29/2022	08:58:36	0.031
08/29/2022	08:59:36	0.030
08/29/2022	09:00:36	0.030
08/29/2022	09:01:36	0.030
08/29/2022	09:02:36	0.030
08/29/2022	09:03:36	0.031
08/29/2022	09:04:36	0.030
08/29/2022	09:05:36	0.030
08/29/2022	09:06:36	0.030
08/29/2022	09:07:36	0.030
08/29/2022	09:08:36	0.029
08/29/2022	09:09:36	0.029
08/29/2022	09:10:36	0.029
08/29/2022	09:11:36	0.029

08/29/2022	09:12:36	0.029
08/29/2022	09:13:36	0.029
08/29/2022	09:14:36	0.028
08/29/2022	09:15:36	0.029
08/29/2022	09:16:36	0.028
08/29/2022	09:17:36	0.028
08/29/2022	09:18:36	0.028
08/29/2022	09:19:36	0.028
08/29/2022	09:20:36	0.028
08/29/2022	09:21:36	0.028
08/29/2022	09:22:36	0.028
08/29/2022	09:23:36	0.028
08/29/2022	09:24:36	0.027
08/29/2022	09:25:36	0.028
08/29/2022	09:26:36	0.027
08/29/2022	09:27:36	0.027
08/29/2022	09:28:36	0.027
08/29/2022	09:29:36	0.027
08/29/2022	09:30:36	0.028
08/29/2022	09:31:36	0.027
08/29/2022	09:32:36	0.027
08/29/2022	09:33:36	0.028
08/29/2022	09:34:36	0.027
08/29/2022	09:35:36	0.027
08/29/2022	09:36:36	0.027
08/29/2022	09:37:36	0.028
08/29/2022	09:38:36	0.028
08/29/2022	09:39:36	0.028
08/29/2022	09:40:36	0.028
08/29/2022	09:41:36	0.027
08/29/2022	09:42:36	0.027
08/29/2022	09:43:36	0.027
08/29/2022	09:44:36	0.027
08/29/2022	09:45:36	0.028
08/29/2022	09:46:36	0.027
08/29/2022	09:47:36	0.027
08/29/2022	09:48:36	0.027
08/29/2022	09:49:36	0.027
08/29/2022	09:50:36	0.027
08/29/2022	09:51:36	0.028
08/29/2022	09:52:36	0.027
08/29/2022	09:53:36	0.028
08/29/2022	09:54:36	0.027
08/29/2022	09:55:36	0.027
08/29/2022	09:56:36	0.027
08/29/2022	09:57:36	0.027
08/29/2022	09:58:36	0.027
08/29/2022	09:59:36	0.027
08/29/2022	10:00:36	0.027
08/29/2022	10:01:36	0.027

08/29/2022	10:02:36	0.027
08/29/2022	10:03:36	0.027
08/29/2022	10:04:36	0.027
08/29/2022	10:05:36	0.027
08/29/2022	10:06:36	0.027
08/29/2022	10:07:36	0.027
08/29/2022	10:08:36	0.027
08/29/2022	10:09:36	0.026
08/29/2022	10:10:36	0.027
08/29/2022	10:11:36	0.027
08/29/2022	10:12:36	0.027
08/29/2022	10:13:36	0.027
08/29/2022	10:14:36	0.027
08/29/2022	10:15:36	0.027
08/29/2022	10:16:36	0.027
08/29/2022	10:17:36	0.027
08/29/2022	10:18:36	0.027
08/29/2022	10:19:36	0.027
08/29/2022	10:20:36	0.027
08/29/2022	10:21:36	0.027
08/29/2022	10:22:36	0.027
08/29/2022	10:23:36	0.026
08/29/2022	10:24:36	0.026
08/29/2022	10:25:36	0.026
08/29/2022	10:26:36	0.027
08/29/2022	10:27:36	0.026
08/29/2022	10:28:36	0.026
08/29/2022	10:29:36	0.026
08/29/2022	10:30:36	0.026
08/29/2022	10:31:36	0.026
08/29/2022	10:32:36	0.026
08/29/2022	10:33:36	0.026
08/29/2022	10:34:36	0.026
08/29/2022	10:35:36	0.027
08/29/2022	10:36:36	0.026
08/29/2022	10:37:36	0.026
08/29/2022	10:38:36	0.026
08/29/2022	10:39:36	0.026
08/29/2022	10:40:36	0.026
08/29/2022	10:41:36	0.026
08/29/2022	10:42:36	0.026
08/29/2022	10:43:36	0.025
08/29/2022	10:44:36	0.026
08/29/2022	10:45:36	0.026
08/29/2022	10:46:36	0.025
08/29/2022	10:47:36	0.025
08/29/2022	10:48:36	0.025
08/29/2022	10:49:36	0.025
08/29/2022	10:50:36	0.025
08/29/2022	10:51:36	0.024

08/29/2022	10:52:36	0.025
08/29/2022	10:53:36	0.025
08/29/2022	10:54:36	0.025
08/29/2022	10:55:36	0.025
08/29/2022	10:56:36	0.025
08/29/2022	10:57:36	0.024
08/29/2022	10:58:36	0.025
08/29/2022	10:59:36	0.024
08/29/2022	11:00:36	0.026
08/29/2022	11:01:36	0.025
08/29/2022	11:02:36	0.025
08/29/2022	11:03:36	0.025
08/29/2022	11:04:36	0.024
08/29/2022	11:05:36	0.024
08/29/2022	11:06:36	0.024
08/29/2022	11:07:36	0.024
08/29/2022	11:08:36	0.024
08/29/2022	11:09:36	0.024
08/29/2022	11:10:36	0.024
08/29/2022	11:11:36	0.024
08/29/2022	11:12:36	0.024
08/29/2022	11:13:36	0.024
08/29/2022	11:14:36	0.025
08/29/2022	11:15:36	0.025
08/29/2022	11:16:36	0.024
08/29/2022	11:17:36	0.025
08/29/2022	11:18:36	0.024
08/29/2022	11:19:36	0.024
08/29/2022	11:20:36	0.025
08/29/2022	11:21:36	0.025
08/29/2022	11:22:36	0.025
08/29/2022	11:23:36	0.025
08/29/2022	11:24:36	0.025
08/29/2022	11:25:36	0.025
08/29/2022	11:26:36	0.025
08/29/2022	11:27:36	0.025
08/29/2022	11:28:36	0.025
08/29/2022	11:29:36	0.025
08/29/2022	11:30:36	0.024
08/29/2022	11:31:36	0.024
08/29/2022	11:32:36	0.024
08/29/2022	11:33:36	0.024
08/29/2022	11:34:36	0.023
08/29/2022	11:35:36	0.023
08/29/2022	11:36:36	0.023
08/29/2022	11:37:36	0.023
08/29/2022	11:38:36	0.023
08/29/2022	11:39:36	0.023
08/29/2022	11:40:36	0.022
08/29/2022	11:41:36	0.021

08/29/2022	11:42:36	0.021
08/29/2022	11:43:36	0.021
08/29/2022	11:44:36	0.021
08/29/2022	11:45:36	0.021
08/29/2022	11:46:36	0.021
08/29/2022	11:47:36	0.021
08/29/2022	11:48:36	0.022
08/29/2022	11:49:36	0.021
08/29/2022	11:50:36	0.022
08/29/2022	11:51:36	0.022
08/29/2022	11:52:36	0.022
08/29/2022	11:53:36	0.022
08/29/2022	11:54:36	0.021
08/29/2022	11:55:36	0.022
08/29/2022	11:56:36	0.021
08/29/2022	11:57:36	0.022
08/29/2022	11:58:36	0.022
08/29/2022	11:59:36	0.022
08/29/2022	12:00:36	0.022
08/29/2022	12:01:36	0.022
08/29/2022	12:02:36	0.022
08/29/2022	12:03:36	0.022
08/29/2022	12:04:36	0.022
08/29/2022	12:05:36	0.022
08/29/2022	12:06:36	0.022
08/29/2022	12:07:36	0.022
08/29/2022	12:08:36	0.023
08/29/2022	12:09:36	0.022
08/29/2022	12:10:36	0.023
08/29/2022	12:11:36	0.023
08/29/2022	12:12:36	0.023
08/29/2022	12:13:36	0.023
08/29/2022	12:14:36	0.023
08/29/2022	12:15:36	0.023
08/29/2022	12:16:36	0.023
08/29/2022	12:17:36	0.023
08/29/2022	12:18:36	0.023
08/29/2022	12:19:36	0.024
08/29/2022	12:20:36	0.024
08/29/2022	12:21:36	0.024
08/29/2022	12:22:36	0.024

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 002
Test Abbreviation: MANUAL_002
Start Date: 08/29/2022
Start Time: 12:24:38
Duration (dd:hh:mm:ss): 0:01:48:00

Log Interval (mm:ss): 01:00
Number of points: 108
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.024
Minimum: 0.017
Time of Minimum: 13:28:38
Date of Minimum: 08/29/2022
Maximum: 0.036
Time of Maximum: 12:25:38
Date of Maximum: 08/29/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
08/29/2022	12:25:38	0.036
08/29/2022	12:26:38	0.034
08/29/2022	12:27:38	0.034
08/29/2022	12:28:38	0.034
08/29/2022	12:29:38	0.036
08/29/2022	12:30:38	0.034
08/29/2022	12:31:38	0.034
08/29/2022	12:32:38	0.034
08/29/2022	12:33:38	0.034
08/29/2022	12:34:38	0.034
08/29/2022	12:35:38	0.034
08/29/2022	12:36:38	0.034
08/29/2022	12:37:38	0.034
08/29/2022	12:38:38	0.034
08/29/2022	12:39:38	0.034
08/29/2022	12:40:38	0.033
08/29/2022	12:41:38	0.033
08/29/2022	12:42:38	0.033
08/29/2022	12:43:38	0.033
08/29/2022	12:44:38	0.033
08/29/2022	12:45:38	0.033
08/29/2022	12:46:38	0.033
08/29/2022	12:47:38	0.033
08/29/2022	12:48:38	0.033
08/29/2022	12:49:38	0.033
08/29/2022	12:50:38	0.033
08/29/2022	12:51:38	0.032
08/29/2022	12:52:38	0.032
08/29/2022	12:53:38	0.032
08/29/2022	12:54:38	0.031
08/29/2022	12:55:38	0.031

08/29/2022	12:56:38	0.031
08/29/2022	12:57:38	0.030
08/29/2022	12:58:38	0.029
08/29/2022	12:59:38	0.029
08/29/2022	13:00:38	0.028
08/29/2022	13:01:38	0.027
08/29/2022	13:02:38	0.026
08/29/2022	13:03:38	0.025
08/29/2022	13:04:38	0.024
08/29/2022	13:05:38	0.024
08/29/2022	13:06:38	0.024
08/29/2022	13:07:38	0.024
08/29/2022	13:08:38	0.024
08/29/2022	13:09:38	0.024
08/29/2022	13:10:38	0.023
08/29/2022	13:11:38	0.023
08/29/2022	13:12:38	0.023
08/29/2022	13:13:38	0.022
08/29/2022	13:14:38	0.022
08/29/2022	13:15:38	0.021
08/29/2022	13:16:38	0.021
08/29/2022	13:17:38	0.020
08/29/2022	13:18:38	0.021
08/29/2022	13:19:38	0.021
08/29/2022	13:20:38	0.021
08/29/2022	13:21:38	0.019
08/29/2022	13:22:38	0.018
08/29/2022	13:23:38	0.018
08/29/2022	13:24:38	0.018
08/29/2022	13:25:38	0.018
08/29/2022	13:26:38	0.018
08/29/2022	13:27:38	0.018
08/29/2022	13:28:38	0.017
08/29/2022	13:29:38	0.017
08/29/2022	13:30:38	0.017
08/29/2022	13:31:38	0.017
08/29/2022	13:32:38	0.017
08/29/2022	13:33:38	0.018
08/29/2022	13:34:38	0.018
08/29/2022	13:35:38	0.018
08/29/2022	13:36:38	0.018
08/29/2022	13:37:38	0.018
08/29/2022	13:38:38	0.018
08/29/2022	13:39:38	0.018
08/29/2022	13:40:38	0.018
08/29/2022	13:41:38	0.018
08/29/2022	13:42:38	0.018
08/29/2022	13:43:38	0.018
08/29/2022	13:44:38	0.018
08/29/2022	13:45:38	0.018

08/29/2022	13:46:38	0.018
08/29/2022	13:47:38	0.018
08/29/2022	13:48:38	0.018
08/29/2022	13:49:38	0.018
08/29/2022	13:50:38	0.018
08/29/2022	13:51:38	0.018
08/29/2022	13:52:38	0.018
08/29/2022	13:53:38	0.018
08/29/2022	13:54:38	0.018
08/29/2022	13:55:38	0.018
08/29/2022	13:56:38	0.019
08/29/2022	13:57:38	0.018
08/29/2022	13:58:38	0.018
08/29/2022	13:59:38	0.018
08/29/2022	14:00:38	0.018
08/29/2022	14:01:38	0.018
08/29/2022	14:02:38	0.018
08/29/2022	14:03:38	0.018
08/29/2022	14:04:38	0.018
08/29/2022	14:05:38	0.019
08/29/2022	14:06:38	0.019
08/29/2022	14:07:38	0.019
08/29/2022	14:08:38	0.019
08/29/2022	14:09:38	0.019
08/29/2022	14:10:38	0.019
08/29/2022	14:11:38	0.019
08/29/2022	14:12:38	0.019

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 003
Test Abbreviation: MANUAL_003
Start Date: 09/12/2022
Start Time: 08:47:15
Duration (dd:hh:mm:ss): 0:00:42:00
Log Interval (mm:ss): 01:00
Number of points: 42
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.024
Minimum: 0.022
Time of Minimum: 09:25:15
Date of Minimum: 09/12/2022
Maximum: 0.039
Time of Maximum: 08:48:15
Date of Maximum: 09/12/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/12/2022	08:48:15	0.039
09/12/2022	08:49:15	0.025
09/12/2022	08:50:15	0.025
09/12/2022	08:51:15	0.025
09/12/2022	08:52:15	0.025
09/12/2022	08:53:15	0.025
09/12/2022	08:54:15	0.025
09/12/2022	08:55:15	0.024
09/12/2022	08:56:15	0.025
09/12/2022	08:57:15	0.024
09/12/2022	08:58:15	0.024
09/12/2022	08:59:15	0.024
09/12/2022	09:00:15	0.025
09/12/2022	09:01:15	0.026
09/12/2022	09:02:15	0.024
09/12/2022	09:03:15	0.024
09/12/2022	09:04:15	0.024
09/12/2022	09:05:15	0.024
09/12/2022	09:06:15	0.024
09/12/2022	09:07:15	0.024
09/12/2022	09:08:15	0.024
09/12/2022	09:09:15	0.024
09/12/2022	09:10:15	0.024
09/12/2022	09:11:15	0.024
09/12/2022	09:12:15	0.024
09/12/2022	09:13:15	0.025
09/12/2022	09:14:15	0.024
09/12/2022	09:15:15	0.024
09/12/2022	09:16:15	0.025
09/12/2022	09:17:15	0.025
09/12/2022	09:18:15	0.025
09/12/2022	09:19:15	0.024
09/12/2022	09:20:15	0.023
09/12/2022	09:21:15	0.023
09/12/2022	09:22:15	0.027
09/12/2022	09:23:15	0.023
09/12/2022	09:24:15	0.023
09/12/2022	09:25:15	0.022
09/12/2022	09:26:15	0.022
09/12/2022	09:27:15	0.022
09/12/2022	09:28:15	0.023
09/12/2022	09:29:15	0.022

Model: DustTrak II
Model Number: 8530

Serial Number: 8530123602
Test ID: 004
Test Abbreviation: MANUAL_004
Start Date: 09/12/2022
Start Time: 12:32:14
Duration (dd:hh:mm:ss): 0:02:48:00
Log Interval (mm:ss): 01:00
Number of points: 168
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.013
Minimum: 0.011
Time of Minimum: 14:48:14
Date of Minimum: 09/12/2022
Maximum: 0.024
Time of Maximum: 12:51:14
Date of Maximum: 09/12/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/12/2022	12:33:14	0.015
09/12/2022	12:34:14	0.014
09/12/2022	12:35:14	0.014
09/12/2022	12:36:14	0.015
09/12/2022	12:37:14	0.016
09/12/2022	12:38:14	0.017
09/12/2022	12:39:14	0.015
09/12/2022	12:40:14	0.016
09/12/2022	12:41:14	0.016
09/12/2022	12:42:14	0.015
09/12/2022	12:43:14	0.015
09/12/2022	12:44:14	0.016
09/12/2022	12:45:14	0.016
09/12/2022	12:46:14	0.016
09/12/2022	12:47:14	0.017
09/12/2022	12:48:14	0.019
09/12/2022	12:49:14	0.020
09/12/2022	12:50:14	0.019
09/12/2022	12:51:14	0.024
09/12/2022	12:52:14	0.017
09/12/2022	12:53:14	0.016
09/12/2022	12:54:14	0.015
09/12/2022	12:55:14	0.015
09/12/2022	12:56:14	0.014
09/12/2022	12:57:14	0.015

09/12/2022	12:58:14	0.014
09/12/2022	12:59:14	0.014
09/12/2022	13:00:14	0.014
09/12/2022	13:01:14	0.014
09/12/2022	13:02:14	0.014
09/12/2022	13:03:14	0.014
09/12/2022	13:04:14	0.014
09/12/2022	13:05:14	0.014
09/12/2022	13:06:14	0.014
09/12/2022	13:07:14	0.014
09/12/2022	13:08:14	0.014
09/12/2022	13:09:14	0.013
09/12/2022	13:10:14	0.013
09/12/2022	13:11:14	0.014
09/12/2022	13:12:14	0.013
09/12/2022	13:13:14	0.013
09/12/2022	13:14:14	0.013
09/12/2022	13:15:14	0.013
09/12/2022	13:16:14	0.013
09/12/2022	13:17:14	0.013
09/12/2022	13:18:14	0.013
09/12/2022	13:19:14	0.013
09/12/2022	13:20:14	0.013
09/12/2022	13:21:14	0.013
09/12/2022	13:22:14	0.013
09/12/2022	13:23:14	0.012
09/12/2022	13:24:14	0.013
09/12/2022	13:25:14	0.013
09/12/2022	13:26:14	0.012
09/12/2022	13:27:14	0.012
09/12/2022	13:28:14	0.012
09/12/2022	13:29:14	0.012
09/12/2022	13:30:14	0.012
09/12/2022	13:31:14	0.012
09/12/2022	13:32:14	0.012
09/12/2022	13:33:14	0.012
09/12/2022	13:34:14	0.013
09/12/2022	13:35:14	0.012
09/12/2022	13:36:14	0.012
09/12/2022	13:37:14	0.012
09/12/2022	13:38:14	0.012
09/12/2022	13:39:14	0.013
09/12/2022	13:40:14	0.013
09/12/2022	13:41:14	0.013
09/12/2022	13:42:14	0.012
09/12/2022	13:43:14	0.012
09/12/2022	13:44:14	0.012
09/12/2022	13:45:14	0.012
09/12/2022	13:46:14	0.012
09/12/2022	13:47:14	0.012

09/12/2022	13:48:14	0.013
09/12/2022	13:49:14	0.012
09/12/2022	13:50:14	0.012
09/12/2022	13:51:14	0.012
09/12/2022	13:52:14	0.013
09/12/2022	13:53:14	0.013
09/12/2022	13:54:14	0.013
09/12/2022	13:55:14	0.013
09/12/2022	13:56:14	0.012
09/12/2022	13:57:14	0.012
09/12/2022	13:58:14	0.012
09/12/2022	13:59:14	0.012
09/12/2022	14:00:14	0.012
09/12/2022	14:01:14	0.013
09/12/2022	14:02:14	0.012
09/12/2022	14:03:14	0.012
09/12/2022	14:04:14	0.012
09/12/2022	14:05:14	0.012
09/12/2022	14:06:14	0.013
09/12/2022	14:07:14	0.012
09/12/2022	14:08:14	0.012
09/12/2022	14:09:14	0.012
09/12/2022	14:10:14	0.012
09/12/2022	14:11:14	0.012
09/12/2022	14:12:14	0.012
09/12/2022	14:13:14	0.012
09/12/2022	14:14:14	0.012
09/12/2022	14:15:14	0.012
09/12/2022	14:16:14	0.012
09/12/2022	14:17:14	0.012
09/12/2022	14:18:14	0.012
09/12/2022	14:19:14	0.012
09/12/2022	14:20:14	0.012
09/12/2022	14:21:14	0.012
09/12/2022	14:22:14	0.012
09/12/2022	14:23:14	0.013
09/12/2022	14:24:14	0.012
09/12/2022	14:25:14	0.012
09/12/2022	14:26:14	0.012
09/12/2022	14:27:14	0.013
09/12/2022	14:28:14	0.012
09/12/2022	14:29:14	0.012
09/12/2022	14:30:14	0.012
09/12/2022	14:31:14	0.012
09/12/2022	14:32:14	0.012
09/12/2022	14:33:14	0.012
09/12/2022	14:34:14	0.012
09/12/2022	14:35:14	0.013
09/12/2022	14:36:14	0.012
09/12/2022	14:37:14	0.012

09/12/2022	14:38:14	0.012
09/12/2022	14:39:14	0.012
09/12/2022	14:40:14	0.012
09/12/2022	14:41:14	0.012
09/12/2022	14:42:14	0.012
09/12/2022	14:43:14	0.012
09/12/2022	14:44:14	0.012
09/12/2022	14:45:14	0.012
09/12/2022	14:46:14	0.012
09/12/2022	14:47:14	0.012
09/12/2022	14:48:14	0.011
09/12/2022	14:49:14	0.011
09/12/2022	14:50:14	0.011
09/12/2022	14:51:14	0.011
09/12/2022	14:52:14	0.011
09/12/2022	14:53:14	0.011
09/12/2022	14:54:14	0.012
09/12/2022	14:55:14	0.011
09/12/2022	14:56:14	0.011
09/12/2022	14:57:14	0.011
09/12/2022	14:58:14	0.011
09/12/2022	14:59:14	0.011
09/12/2022	15:00:14	0.011
09/12/2022	15:01:14	0.011
09/12/2022	15:02:14	0.011
09/12/2022	15:03:14	0.011
09/12/2022	15:04:14	0.012
09/12/2022	15:05:14	0.011
09/12/2022	15:06:14	0.011
09/12/2022	15:07:14	0.011
09/12/2022	15:08:14	0.011
09/12/2022	15:09:14	0.011
09/12/2022	15:10:14	0.012
09/12/2022	15:11:14	0.012
09/12/2022	15:12:14	0.011
09/12/2022	15:13:14	0.011
09/12/2022	15:14:14	0.012
09/12/2022	15:15:14	0.011
09/12/2022	15:16:14	0.011
09/12/2022	15:17:14	0.011
09/12/2022	15:18:14	0.011
09/12/2022	15:19:14	0.011
09/12/2022	15:20:14	0.011

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 005
Test Abbreviation: MANUAL_005
Start Date: 09/13/2022

Start Time: 08:20:11
Duration (dd:hh:mm:ss): 0:05:30:00
Log Interval (mm:ss): 01:00
Number of points: 330
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.013
Minimum: 0.009
Time of Minimum: 10:49:11
Date of Minimum: 09/13/2022
Maximum: 0.041
Time of Maximum: 08:23:11
Date of Maximum: 09/13/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/13/2022	08:21:11	0.039
09/13/2022	08:22:11	0.040
09/13/2022	08:23:11	0.041
09/13/2022	08:24:11	0.041
09/13/2022	08:25:11	0.041
09/13/2022	08:26:11	0.041
09/13/2022	08:27:11	0.040
09/13/2022	08:28:11	0.039
09/13/2022	08:29:11	0.038
09/13/2022	08:30:11	0.038
09/13/2022	08:31:11	0.035
09/13/2022	08:32:11	0.031
09/13/2022	08:33:11	0.028
09/13/2022	08:34:11	0.025
09/13/2022	08:35:11	0.024
09/13/2022	08:36:11	0.023
09/13/2022	08:37:11	0.023
09/13/2022	08:38:11	0.022
09/13/2022	08:39:11	0.022
09/13/2022	08:40:11	0.022
09/13/2022	08:41:11	0.021
09/13/2022	08:42:11	0.021
09/13/2022	08:43:11	0.020
09/13/2022	08:44:11	0.019
09/13/2022	08:45:11	0.019
09/13/2022	08:46:11	0.018
09/13/2022	08:47:11	0.018
09/13/2022	08:48:11	0.018
09/13/2022	08:49:11	0.018

09/13/2022	08:50:11	0.018
09/13/2022	08:51:11	0.018
09/13/2022	08:52:11	0.018
09/13/2022	08:53:11	0.018
09/13/2022	08:54:11	0.018
09/13/2022	08:55:11	0.018
09/13/2022	08:56:11	0.018
09/13/2022	08:57:11	0.017
09/13/2022	08:58:11	0.016
09/13/2022	08:59:11	0.016
09/13/2022	09:00:11	0.016
09/13/2022	09:01:11	0.016
09/13/2022	09:02:11	0.016
09/13/2022	09:03:11	0.016
09/13/2022	09:04:11	0.016
09/13/2022	09:05:11	0.016
09/13/2022	09:06:11	0.015
09/13/2022	09:07:11	0.015
09/13/2022	09:08:11	0.015
09/13/2022	09:09:11	0.016
09/13/2022	09:10:11	0.015
09/13/2022	09:11:11	0.015
09/13/2022	09:12:11	0.016
09/13/2022	09:13:11	0.015
09/13/2022	09:14:11	0.015
09/13/2022	09:15:11	0.015
09/13/2022	09:16:11	0.014
09/13/2022	09:17:11	0.014
09/13/2022	09:18:11	0.014
09/13/2022	09:19:11	0.014
09/13/2022	09:20:11	0.015
09/13/2022	09:21:11	0.014
09/13/2022	09:22:11	0.014
09/13/2022	09:23:11	0.013
09/13/2022	09:24:11	0.013
09/13/2022	09:25:11	0.014
09/13/2022	09:26:11	0.013
09/13/2022	09:27:11	0.013
09/13/2022	09:28:11	0.013
09/13/2022	09:29:11	0.013
09/13/2022	09:30:11	0.013
09/13/2022	09:31:11	0.013
09/13/2022	09:32:11	0.014
09/13/2022	09:33:11	0.012
09/13/2022	09:34:11	0.012
09/13/2022	09:35:11	0.012
09/13/2022	09:36:11	0.012
09/13/2022	09:37:11	0.012
09/13/2022	09:38:11	0.012
09/13/2022	09:39:11	0.012

09/13/2022	09:40:11	0.012
09/13/2022	09:41:11	0.011
09/13/2022	09:42:11	0.011
09/13/2022	09:43:11	0.012
09/13/2022	09:44:11	0.012
09/13/2022	09:45:11	0.012
09/13/2022	09:46:11	0.011
09/13/2022	09:47:11	0.012
09/13/2022	09:48:11	0.011
09/13/2022	09:49:11	0.011
09/13/2022	09:50:11	0.012
09/13/2022	09:51:11	0.011
09/13/2022	09:52:11	0.011
09/13/2022	09:53:11	0.011
09/13/2022	09:54:11	0.011
09/13/2022	09:55:11	0.011
09/13/2022	09:56:11	0.011
09/13/2022	09:57:11	0.011
09/13/2022	09:58:11	0.011
09/13/2022	09:59:11	0.011
09/13/2022	10:00:11	0.011
09/13/2022	10:01:11	0.011
09/13/2022	10:02:11	0.011
09/13/2022	10:03:11	0.011
09/13/2022	10:04:11	0.011
09/13/2022	10:05:11	0.011
09/13/2022	10:06:11	0.011
09/13/2022	10:07:11	0.011
09/13/2022	10:08:11	0.010
09/13/2022	10:09:11	0.010
09/13/2022	10:10:11	0.011
09/13/2022	10:11:11	0.011
09/13/2022	10:12:11	0.010
09/13/2022	10:13:11	0.011
09/13/2022	10:14:11	0.010
09/13/2022	10:15:11	0.011
09/13/2022	10:16:11	0.011
09/13/2022	10:17:11	0.010
09/13/2022	10:18:11	0.010
09/13/2022	10:19:11	0.012
09/13/2022	10:20:11	0.010
09/13/2022	10:21:11	0.010
09/13/2022	10:22:11	0.011
09/13/2022	10:23:11	0.010
09/13/2022	10:24:11	0.010
09/13/2022	10:25:11	0.010
09/13/2022	10:26:11	0.010
09/13/2022	10:27:11	0.010
09/13/2022	10:28:11	0.013
09/13/2022	10:29:11	0.011

09/13/2022	10:30:11	0.010
09/13/2022	10:31:11	0.011
09/13/2022	10:32:11	0.010
09/13/2022	10:33:11	0.010
09/13/2022	10:34:11	0.011
09/13/2022	10:35:11	0.011
09/13/2022	10:36:11	0.015
09/13/2022	10:37:11	0.010
09/13/2022	10:38:11	0.010
09/13/2022	10:39:11	0.010
09/13/2022	10:40:11	0.010
09/13/2022	10:41:11	0.013
09/13/2022	10:42:11	0.013
09/13/2022	10:43:11	0.011
09/13/2022	10:44:11	0.010
09/13/2022	10:45:11	0.010
09/13/2022	10:46:11	0.010
09/13/2022	10:47:11	0.010
09/13/2022	10:48:11	0.010
09/13/2022	10:49:11	0.009
09/13/2022	10:50:11	0.010
09/13/2022	10:51:11	0.010
09/13/2022	10:52:11	0.010
09/13/2022	10:53:11	0.011
09/13/2022	10:54:11	0.010
09/13/2022	10:55:11	0.010
09/13/2022	10:56:11	0.010
09/13/2022	10:57:11	0.010
09/13/2022	10:58:11	0.010
09/13/2022	10:59:11	0.010
09/13/2022	11:00:11	0.010
09/13/2022	11:01:11	0.010
09/13/2022	11:02:11	0.011
09/13/2022	11:03:11	0.010
09/13/2022	11:04:11	0.010
09/13/2022	11:05:11	0.010
09/13/2022	11:06:11	0.010
09/13/2022	11:07:11	0.010
09/13/2022	11:08:11	0.010
09/13/2022	11:09:11	0.010
09/13/2022	11:10:11	0.010
09/13/2022	11:11:11	0.011
09/13/2022	11:12:11	0.010
09/13/2022	11:13:11	0.010
09/13/2022	11:14:11	0.010
09/13/2022	11:15:11	0.010
09/13/2022	11:16:11	0.011
09/13/2022	11:17:11	0.010
09/13/2022	11:18:11	0.011
09/13/2022	11:19:11	0.010

09/13/2022	11:20:11	0.011
09/13/2022	11:21:11	0.010
09/13/2022	11:22:11	0.010
09/13/2022	11:23:11	0.009
09/13/2022	11:24:11	0.010
09/13/2022	11:25:11	0.010
09/13/2022	11:26:11	0.010
09/13/2022	11:27:11	0.010
09/13/2022	11:28:11	0.010
09/13/2022	11:29:11	0.010
09/13/2022	11:30:11	0.010
09/13/2022	11:31:11	0.010
09/13/2022	11:32:11	0.009
09/13/2022	11:33:11	0.010
09/13/2022	11:34:11	0.010
09/13/2022	11:35:11	0.009
09/13/2022	11:36:11	0.010
09/13/2022	11:37:11	0.009
09/13/2022	11:38:11	0.010
09/13/2022	11:39:11	0.009
09/13/2022	11:40:11	0.009
09/13/2022	11:41:11	0.010
09/13/2022	11:42:11	0.010
09/13/2022	11:43:11	0.010
09/13/2022	11:44:11	0.009
09/13/2022	11:45:11	0.009
09/13/2022	11:46:11	0.009
09/13/2022	11:47:11	0.009
09/13/2022	11:48:11	0.010
09/13/2022	11:49:11	0.010
09/13/2022	11:50:11	0.010
09/13/2022	11:51:11	0.010
09/13/2022	11:52:11	0.009
09/13/2022	11:53:11	0.010
09/13/2022	11:54:11	0.009
09/13/2022	11:55:11	0.011
09/13/2022	11:56:11	0.011
09/13/2022	11:57:11	0.011
09/13/2022	11:58:11	0.009
09/13/2022	11:59:11	0.009
09/13/2022	12:00:11	0.009
09/13/2022	12:01:11	0.010
09/13/2022	12:02:11	0.009
09/13/2022	12:03:11	0.009
09/13/2022	12:04:11	0.009
09/13/2022	12:05:11	0.009
09/13/2022	12:06:11	0.009
09/13/2022	12:07:11	0.010
09/13/2022	12:08:11	0.009
09/13/2022	12:09:11	0.009

09/13/2022	12:10:11	0.009
09/13/2022	12:11:11	0.009
09/13/2022	12:12:11	0.009
09/13/2022	12:13:11	0.009
09/13/2022	12:14:11	0.009
09/13/2022	12:15:11	0.009
09/13/2022	12:16:11	0.009
09/13/2022	12:17:11	0.009
09/13/2022	12:18:11	0.009
09/13/2022	12:19:11	0.009
09/13/2022	12:20:11	0.011
09/13/2022	12:21:11	0.010
09/13/2022	12:22:11	0.009
09/13/2022	12:23:11	0.010
09/13/2022	12:24:11	0.012
09/13/2022	12:25:11	0.010
09/13/2022	12:26:11	0.010
09/13/2022	12:27:11	0.010
09/13/2022	12:28:11	0.009
09/13/2022	12:29:11	0.011
09/13/2022	12:30:11	0.010
09/13/2022	12:31:11	0.010
09/13/2022	12:32:11	0.010
09/13/2022	12:33:11	0.010
09/13/2022	12:34:11	0.009
09/13/2022	12:35:11	0.010
09/13/2022	12:36:11	0.011
09/13/2022	12:37:11	0.012
09/13/2022	12:38:11	0.010
09/13/2022	12:39:11	0.010
09/13/2022	12:40:11	0.010
09/13/2022	12:41:11	0.010
09/13/2022	12:42:11	0.009
09/13/2022	12:43:11	0.010
09/13/2022	12:44:11	0.009
09/13/2022	12:45:11	0.009
09/13/2022	12:46:11	0.010
09/13/2022	12:47:11	0.009
09/13/2022	12:48:11	0.009
09/13/2022	12:49:11	0.010
09/13/2022	12:50:11	0.010
09/13/2022	12:51:11	0.010
09/13/2022	12:52:11	0.010
09/13/2022	12:53:11	0.010
09/13/2022	12:54:11	0.010
09/13/2022	12:55:11	0.010
09/13/2022	12:56:11	0.010
09/13/2022	12:57:11	0.009
09/13/2022	12:58:11	0.009
09/13/2022	12:59:11	0.010

09/13/2022	13:00:11	0.009
09/13/2022	13:01:11	0.009
09/13/2022	13:02:11	0.009
09/13/2022	13:03:11	0.011
09/13/2022	13:04:11	0.011
09/13/2022	13:05:11	0.010
09/13/2022	13:06:11	0.010
09/13/2022	13:07:11	0.012
09/13/2022	13:08:11	0.017
09/13/2022	13:09:11	0.010
09/13/2022	13:10:11	0.014
09/13/2022	13:11:11	0.009
09/13/2022	13:12:11	0.015
09/13/2022	13:13:11	0.022
09/13/2022	13:14:11	0.023
09/13/2022	13:15:11	0.010
09/13/2022	13:16:11	0.017
09/13/2022	13:17:11	0.010
09/13/2022	13:18:11	0.010
09/13/2022	13:19:11	0.011
09/13/2022	13:20:11	0.010
09/13/2022	13:21:11	0.010
09/13/2022	13:22:11	0.019
09/13/2022	13:23:11	0.018
09/13/2022	13:24:11	0.011
09/13/2022	13:25:11	0.030
09/13/2022	13:26:11	0.021
09/13/2022	13:27:11	0.018
09/13/2022	13:28:11	0.012
09/13/2022	13:29:11	0.010
09/13/2022	13:30:11	0.014
09/13/2022	13:31:11	0.012
09/13/2022	13:32:11	0.015
09/13/2022	13:33:11	0.011
09/13/2022	13:34:11	0.010
09/13/2022	13:35:11	0.013
09/13/2022	13:36:11	0.023
09/13/2022	13:37:11	0.041
09/13/2022	13:38:11	0.014
09/13/2022	13:39:11	0.010
09/13/2022	13:40:11	0.011
09/13/2022	13:41:11	0.011
09/13/2022	13:42:11	0.012
09/13/2022	13:43:11	0.010
09/13/2022	13:44:11	0.014
09/13/2022	13:45:11	0.021
09/13/2022	13:46:11	0.014
09/13/2022	13:47:11	0.021
09/13/2022	13:48:11	0.019
09/13/2022	13:49:11	0.012

09/13/2022	13:50:11	0.019

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID:	006
Test Abbreviation:	MANUAL_006
Start Date:	09/20/2022
Start Time:	10:30:29
Duration (dd:hh:mm:ss):	0:04:21:00
Log Interval (mm:ss):	01:00
Number of points:	261
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.015
	Minimum:	0.011
	Time of Minimum:	11:28:29
	Date of Minimum:	09/20/2022
	Maximum:	0.021
	Time of Maximum:	12:01:29
	Date of Maximum:	09/20/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/20/2022	10:31:29	0.019
09/20/2022	10:32:29	0.015
09/20/2022	10:33:29	0.016
09/20/2022	10:34:29	0.017
09/20/2022	10:35:29	0.015
09/20/2022	10:36:29	0.015
09/20/2022	10:37:29	0.016
09/20/2022	10:38:29	0.016
09/20/2022	10:39:29	0.016
09/20/2022	10:40:29	0.016
09/20/2022	10:41:29	0.016
09/20/2022	10:42:29	0.015
09/20/2022	10:43:29	0.016
09/20/2022	10:44:29	0.016
09/20/2022	10:45:29	0.016
09/20/2022	10:46:29	0.016
09/20/2022	10:47:29	0.017
09/20/2022	10:48:29	0.016
09/20/2022	10:49:29	0.015
09/20/2022	10:50:29	0.015
09/20/2022	10:51:29	0.015

09/20/2022	10:52:29	0.015
09/20/2022	10:53:29	0.015
09/20/2022	10:54:29	0.015
09/20/2022	10:55:29	0.015
09/20/2022	10:56:29	0.015
09/20/2022	10:57:29	0.015
09/20/2022	10:58:29	0.015
09/20/2022	10:59:29	0.015
09/20/2022	11:00:29	0.014
09/20/2022	11:01:29	0.015
09/20/2022	11:02:29	0.015
09/20/2022	11:03:29	0.015
09/20/2022	11:04:29	0.015
09/20/2022	11:05:29	0.015
09/20/2022	11:06:29	0.014
09/20/2022	11:07:29	0.014
09/20/2022	11:08:29	0.014
09/20/2022	11:09:29	0.015
09/20/2022	11:10:29	0.014
09/20/2022	11:11:29	0.013
09/20/2022	11:12:29	0.013
09/20/2022	11:13:29	0.013
09/20/2022	11:14:29	0.012
09/20/2022	11:15:29	0.013
09/20/2022	11:16:29	0.013
09/20/2022	11:17:29	0.013
09/20/2022	11:18:29	0.013
09/20/2022	11:19:29	0.014
09/20/2022	11:20:29	0.013
09/20/2022	11:21:29	0.014
09/20/2022	11:22:29	0.014
09/20/2022	11:23:29	0.014
09/20/2022	11:24:29	0.014
09/20/2022	11:25:29	0.013
09/20/2022	11:26:29	0.012
09/20/2022	11:27:29	0.012
09/20/2022	11:28:29	0.011
09/20/2022	11:29:29	0.011
09/20/2022	11:30:29	0.011
09/20/2022	11:31:29	0.011
09/20/2022	11:32:29	0.011
09/20/2022	11:33:29	0.012
09/20/2022	11:34:29	0.012
09/20/2022	11:35:29	0.011
09/20/2022	11:36:29	0.012
09/20/2022	11:37:29	0.011
09/20/2022	11:38:29	0.011
09/20/2022	11:39:29	0.011
09/20/2022	11:40:29	0.011
09/20/2022	11:41:29	0.011

09/20/2022	11:42:29	0.013
09/20/2022	11:43:29	0.013
09/20/2022	11:44:29	0.013
09/20/2022	11:45:29	0.013
09/20/2022	11:46:29	0.012
09/20/2022	11:47:29	0.012
09/20/2022	11:48:29	0.012
09/20/2022	11:49:29	0.012
09/20/2022	11:50:29	0.013
09/20/2022	11:51:29	0.013
09/20/2022	11:52:29	0.012
09/20/2022	11:53:29	0.014
09/20/2022	11:54:29	0.015
09/20/2022	11:55:29	0.015
09/20/2022	11:56:29	0.014
09/20/2022	11:57:29	0.015
09/20/2022	11:58:29	0.016
09/20/2022	11:59:29	0.013
09/20/2022	12:00:29	0.015
09/20/2022	12:01:29	0.021
09/20/2022	12:02:29	0.019
09/20/2022	12:03:29	0.015
09/20/2022	12:04:29	0.015
09/20/2022	12:05:29	0.015
09/20/2022	12:06:29	0.014
09/20/2022	12:07:29	0.015
09/20/2022	12:08:29	0.015
09/20/2022	12:09:29	0.015
09/20/2022	12:10:29	0.015
09/20/2022	12:11:29	0.014
09/20/2022	12:12:29	0.015
09/20/2022	12:13:29	0.015
09/20/2022	12:14:29	0.016
09/20/2022	12:15:29	0.015
09/20/2022	12:16:29	0.016
09/20/2022	12:17:29	0.017
09/20/2022	12:18:29	0.016
09/20/2022	12:19:29	0.015
09/20/2022	12:20:29	0.015
09/20/2022	12:21:29	0.015
09/20/2022	12:22:29	0.015
09/20/2022	12:23:29	0.014
09/20/2022	12:24:29	0.015
09/20/2022	12:25:29	0.015
09/20/2022	12:26:29	0.015
09/20/2022	12:27:29	0.014
09/20/2022	12:28:29	0.014
09/20/2022	12:29:29	0.014
09/20/2022	12:30:29	0.015
09/20/2022	12:31:29	0.015

09/20/2022	12:32:29	0.014
09/20/2022	12:33:29	0.015
09/20/2022	12:34:29	0.014
09/20/2022	12:35:29	0.015
09/20/2022	12:36:29	0.014
09/20/2022	12:37:29	0.013
09/20/2022	12:38:29	0.014
09/20/2022	12:39:29	0.013
09/20/2022	12:40:29	0.013
09/20/2022	12:41:29	0.013
09/20/2022	12:42:29	0.013
09/20/2022	12:43:29	0.013
09/20/2022	12:44:29	0.013
09/20/2022	12:45:29	0.013
09/20/2022	12:46:29	0.013
09/20/2022	12:47:29	0.013
09/20/2022	12:48:29	0.013
09/20/2022	12:49:29	0.013
09/20/2022	12:50:29	0.013
09/20/2022	12:51:29	0.013
09/20/2022	12:52:29	0.013
09/20/2022	12:53:29	0.014
09/20/2022	12:54:29	0.014
09/20/2022	12:55:29	0.014
09/20/2022	12:56:29	0.014
09/20/2022	12:57:29	0.014
09/20/2022	12:58:29	0.014
09/20/2022	12:59:29	0.014
09/20/2022	13:00:29	0.015
09/20/2022	13:01:29	0.015
09/20/2022	13:02:29	0.014
09/20/2022	13:03:29	0.014
09/20/2022	13:04:29	0.014
09/20/2022	13:05:29	0.014
09/20/2022	13:06:29	0.015
09/20/2022	13:07:29	0.015
09/20/2022	13:08:29	0.014
09/20/2022	13:09:29	0.014
09/20/2022	13:10:29	0.015
09/20/2022	13:11:29	0.015
09/20/2022	13:12:29	0.015
09/20/2022	13:13:29	0.015
09/20/2022	13:14:29	0.015
09/20/2022	13:15:29	0.015
09/20/2022	13:16:29	0.015
09/20/2022	13:17:29	0.015
09/20/2022	13:18:29	0.015
09/20/2022	13:19:29	0.015
09/20/2022	13:20:29	0.015
09/20/2022	13:21:29	0.015

09/20/2022	13:22:29	0.015
09/20/2022	13:23:29	0.015
09/20/2022	13:24:29	0.015
09/20/2022	13:25:29	0.015
09/20/2022	13:26:29	0.015
09/20/2022	13:27:29	0.015
09/20/2022	13:28:29	0.015
09/20/2022	13:29:29	0.016
09/20/2022	13:30:29	0.015
09/20/2022	13:31:29	0.015
09/20/2022	13:32:29	0.015
09/20/2022	13:33:29	0.016
09/20/2022	13:34:29	0.016
09/20/2022	13:35:29	0.016
09/20/2022	13:36:29	0.015
09/20/2022	13:37:29	0.016
09/20/2022	13:38:29	0.016
09/20/2022	13:39:29	0.015
09/20/2022	13:40:29	0.015
09/20/2022	13:41:29	0.015
09/20/2022	13:42:29	0.015
09/20/2022	13:43:29	0.015
09/20/2022	13:44:29	0.015
09/20/2022	13:45:29	0.015
09/20/2022	13:46:29	0.015
09/20/2022	13:47:29	0.015
09/20/2022	13:48:29	0.015
09/20/2022	13:49:29	0.015
09/20/2022	13:50:29	0.015
09/20/2022	13:51:29	0.015
09/20/2022	13:52:29	0.016
09/20/2022	13:53:29	0.015
09/20/2022	13:54:29	0.015
09/20/2022	13:55:29	0.015
09/20/2022	13:56:29	0.015
09/20/2022	13:57:29	0.015
09/20/2022	13:58:29	0.016
09/20/2022	13:59:29	0.015
09/20/2022	14:00:29	0.016
09/20/2022	14:01:29	0.016
09/20/2022	14:02:29	0.015
09/20/2022	14:03:29	0.015
09/20/2022	14:04:29	0.015
09/20/2022	14:05:29	0.016
09/20/2022	14:06:29	0.015
09/20/2022	14:07:29	0.016
09/20/2022	14:08:29	0.015
09/20/2022	14:09:29	0.016
09/20/2022	14:10:29	0.016
09/20/2022	14:11:29	0.016

09/20/2022	14:12:29	0.016
09/20/2022	14:13:29	0.016
09/20/2022	14:14:29	0.016
09/20/2022	14:15:29	0.017
09/20/2022	14:16:29	0.016
09/20/2022	14:17:29	0.017
09/20/2022	14:18:29	0.016
09/20/2022	14:19:29	0.016
09/20/2022	14:20:29	0.016
09/20/2022	14:21:29	0.016
09/20/2022	14:22:29	0.016
09/20/2022	14:23:29	0.017
09/20/2022	14:24:29	0.017
09/20/2022	14:25:29	0.017
09/20/2022	14:26:29	0.017
09/20/2022	14:27:29	0.017
09/20/2022	14:28:29	0.017
09/20/2022	14:29:29	0.017
09/20/2022	14:30:29	0.016
09/20/2022	14:31:29	0.017
09/20/2022	14:32:29	0.017
09/20/2022	14:33:29	0.017
09/20/2022	14:34:29	0.017
09/20/2022	14:35:29	0.017
09/20/2022	14:36:29	0.017
09/20/2022	14:37:29	0.016
09/20/2022	14:38:29	0.017
09/20/2022	14:39:29	0.018
09/20/2022	14:40:29	0.018
09/20/2022	14:41:29	0.018
09/20/2022	14:42:29	0.018
09/20/2022	14:43:29	0.019
09/20/2022	14:44:29	0.019
09/20/2022	14:45:29	0.019
09/20/2022	14:46:29	0.018
09/20/2022	14:47:29	0.019
09/20/2022	14:48:29	0.019
09/20/2022	14:49:29	0.019
09/20/2022	14:50:29	0.020
09/20/2022	14:51:29	0.020

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 007
Test Abbreviation: MANUAL_007
Start Date: 09/21/2022
Start Time: 11:29:56
Duration (dd:hh:mm:ss): 0:03:35:00
Log Interval (mm:ss): 01:00

Number of points: 215
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.023
Minimum: 0.018
Time of Minimum: 13:58:56
Date of Minimum: 09/21/2022
Maximum: 0.081
Time of Maximum: 11:30:56
Date of Maximum: 09/21/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/21/2022	11:30:56	0.081
09/21/2022	11:31:56	0.027
09/21/2022	11:32:56	0.027
09/21/2022	11:33:56	0.027
09/21/2022	11:34:56	0.027
09/21/2022	11:35:56	0.027
09/21/2022	11:36:56	0.026
09/21/2022	11:37:56	0.026
09/21/2022	11:38:56	0.028
09/21/2022	11:39:56	0.026
09/21/2022	11:40:56	0.026
09/21/2022	11:41:56	0.026
09/21/2022	11:42:56	0.026
09/21/2022	11:43:56	0.025
09/21/2022	11:44:56	0.026
09/21/2022	11:45:56	0.027
09/21/2022	11:46:56	0.025
09/21/2022	11:47:56	0.028
09/21/2022	11:48:56	0.026
09/21/2022	11:49:56	0.025
09/21/2022	11:50:56	0.025
09/21/2022	11:51:56	0.025
09/21/2022	11:52:56	0.025
09/21/2022	11:53:56	0.025
09/21/2022	11:54:56	0.025
09/21/2022	11:55:56	0.025
09/21/2022	11:56:56	0.025
09/21/2022	11:57:56	0.025
09/21/2022	11:58:56	0.024
09/21/2022	11:59:56	0.025
09/21/2022	12:00:56	0.024
09/21/2022	12:01:56	0.024

09/21/2022	12:02:56	0.024
09/21/2022	12:03:56	0.024
09/21/2022	12:04:56	0.024
09/21/2022	12:05:56	0.024
09/21/2022	12:06:56	0.024
09/21/2022	12:07:56	0.024
09/21/2022	12:08:56	0.024
09/21/2022	12:09:56	0.024
09/21/2022	12:10:56	0.024
09/21/2022	12:11:56	0.023
09/21/2022	12:12:56	0.024
09/21/2022	12:13:56	0.024
09/21/2022	12:14:56	0.024
09/21/2022	12:15:56	0.025
09/21/2022	12:16:56	0.024
09/21/2022	12:17:56	0.023
09/21/2022	12:18:56	0.023
09/21/2022	12:19:56	0.023
09/21/2022	12:20:56	0.023
09/21/2022	12:21:56	0.024
09/21/2022	12:22:56	0.023
09/21/2022	12:23:56	0.023
09/21/2022	12:24:56	0.023
09/21/2022	12:25:56	0.023
09/21/2022	12:26:56	0.023
09/21/2022	12:27:56	0.023
09/21/2022	12:28:56	0.023
09/21/2022	12:29:56	0.023
09/21/2022	12:30:56	0.023
09/21/2022	12:31:56	0.023
09/21/2022	12:32:56	0.023
09/21/2022	12:33:56	0.023
09/21/2022	12:34:56	0.023
09/21/2022	12:35:56	0.026
09/21/2022	12:36:56	0.026
09/21/2022	12:37:56	0.025
09/21/2022	12:38:56	0.023
09/21/2022	12:39:56	0.023
09/21/2022	12:40:56	0.023
09/21/2022	12:41:56	0.023
09/21/2022	12:42:56	0.023
09/21/2022	12:43:56	0.023
09/21/2022	12:44:56	0.023
09/21/2022	12:45:56	0.023
09/21/2022	12:46:56	0.023
09/21/2022	12:47:56	0.023
09/21/2022	12:48:56	0.022
09/21/2022	12:49:56	0.022
09/21/2022	12:50:56	0.023
09/21/2022	12:51:56	0.026

09/21/2022	12:52:56	0.030
09/21/2022	12:53:56	0.023
09/21/2022	12:54:56	0.022
09/21/2022	12:55:56	0.023
09/21/2022	12:56:56	0.023
09/21/2022	12:57:56	0.023
09/21/2022	12:58:56	0.023
09/21/2022	12:59:56	0.025
09/21/2022	13:00:56	0.024
09/21/2022	13:01:56	0.024
09/21/2022	13:02:56	0.022
09/21/2022	13:03:56	0.022
09/21/2022	13:04:56	0.023
09/21/2022	13:05:56	0.024
09/21/2022	13:06:56	0.024
09/21/2022	13:07:56	0.022
09/21/2022	13:08:56	0.023
09/21/2022	13:09:56	0.025
09/21/2022	13:10:56	0.024
09/21/2022	13:11:56	0.025
09/21/2022	13:12:56	0.023
09/21/2022	13:13:56	0.024
09/21/2022	13:14:56	0.027
09/21/2022	13:15:56	0.026
09/21/2022	13:16:56	0.031
09/21/2022	13:17:56	0.025
09/21/2022	13:18:56	0.024
09/21/2022	13:19:56	0.023
09/21/2022	13:20:56	0.023
09/21/2022	13:21:56	0.023
09/21/2022	13:22:56	0.024
09/21/2022	13:23:56	0.025
09/21/2022	13:24:56	0.024
09/21/2022	13:25:56	0.024
09/21/2022	13:26:56	0.025
09/21/2022	13:27:56	0.028
09/21/2022	13:28:56	0.026
09/21/2022	13:29:56	0.025
09/21/2022	13:30:56	0.023
09/21/2022	13:31:56	0.025
09/21/2022	13:32:56	0.024
09/21/2022	13:33:56	0.023
09/21/2022	13:34:56	0.024
09/21/2022	13:35:56	0.024
09/21/2022	13:36:56	0.022
09/21/2022	13:37:56	0.024
09/21/2022	13:38:56	0.023
09/21/2022	13:39:56	0.022
09/21/2022	13:40:56	0.020
09/21/2022	13:41:56	0.023

09/21/2022	13:42:56	0.021
09/21/2022	13:43:56	0.020
09/21/2022	13:44:56	0.019
09/21/2022	13:45:56	0.020
09/21/2022	13:46:56	0.020
09/21/2022	13:47:56	0.020
09/21/2022	13:48:56	0.020
09/21/2022	13:49:56	0.020
09/21/2022	13:50:56	0.020
09/21/2022	13:51:56	0.020
09/21/2022	13:52:56	0.020
09/21/2022	13:53:56	0.020
09/21/2022	13:54:56	0.020
09/21/2022	13:55:56	0.019
09/21/2022	13:56:56	0.019
09/21/2022	13:57:56	0.019
09/21/2022	13:58:56	0.018
09/21/2022	13:59:56	0.018
09/21/2022	14:00:56	0.018
09/21/2022	14:01:56	0.019
09/21/2022	14:02:56	0.018
09/21/2022	14:03:56	0.018
09/21/2022	14:04:56	0.020
09/21/2022	14:05:56	0.018
09/21/2022	14:06:56	0.018
09/21/2022	14:07:56	0.022
09/21/2022	14:08:56	0.020
09/21/2022	14:09:56	0.019
09/21/2022	14:10:56	0.022
09/21/2022	14:11:56	0.020
09/21/2022	14:12:56	0.026
09/21/2022	14:13:56	0.020
09/21/2022	14:14:56	0.020
09/21/2022	14:15:56	0.029
09/21/2022	14:16:56	0.022
09/21/2022	14:17:56	0.028
09/21/2022	14:18:56	0.019
09/21/2022	14:19:56	0.026
09/21/2022	14:20:56	0.021
09/21/2022	14:21:56	0.020
09/21/2022	14:22:56	0.020
09/21/2022	14:23:56	0.021
09/21/2022	14:24:56	0.020
09/21/2022	14:25:56	0.021
09/21/2022	14:26:56	0.022
09/21/2022	14:27:56	0.022
09/21/2022	14:28:56	0.025
09/21/2022	14:29:56	0.022
09/21/2022	14:30:56	0.021
09/21/2022	14:31:56	0.021

09/21/2022	14:32:56	0.021
09/21/2022	14:33:56	0.023
09/21/2022	14:34:56	0.023
09/21/2022	14:35:56	0.022
09/21/2022	14:36:56	0.023
09/21/2022	14:37:56	0.023
09/21/2022	14:38:56	0.022
09/21/2022	14:39:56	0.022
09/21/2022	14:40:56	0.022
09/21/2022	14:41:56	0.022
09/21/2022	14:42:56	0.022
09/21/2022	14:43:56	0.022
09/21/2022	14:44:56	0.023
09/21/2022	14:45:56	0.023
09/21/2022	14:46:56	0.023
09/21/2022	14:47:56	0.023
09/21/2022	14:48:56	0.023
09/21/2022	14:49:56	0.023
09/21/2022	14:50:56	0.023
09/21/2022	14:51:56	0.023
09/21/2022	14:52:56	0.023
09/21/2022	14:53:56	0.024
09/21/2022	14:54:56	0.023
09/21/2022	14:55:56	0.023
09/21/2022	14:56:56	0.023
09/21/2022	14:57:56	0.023
09/21/2022	14:58:56	0.023
09/21/2022	14:59:56	0.023
09/21/2022	15:00:56	0.023
09/21/2022	15:01:56	0.024
09/21/2022	15:02:56	0.024
09/21/2022	15:03:56	0.024
09/21/2022	15:04:56	0.025

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 008
Test Abbreviation: MANUAL_008
Start Date: 09/22/2022
Start Time: 08:00:24
Duration (dd:hh:mm:ss): 0:08:15:00
Log Interval (mm:ss): 01:00
Number of points: 461
Notes:

Statistics Channel: AEROSOL
Units: mg/m^3
Average: 0.011
Minimum: 0.000

Time of Minimum: 16:10:52
Date of Minimum: 09/22/2022
Maximum: 0.094
Time of Maximum: 10:40:24
Date of Maximum: 09/22/2022

Calibration Sensor: AEROSOL
Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/22/2022	08:01:24	0.033
09/22/2022	08:02:24	0.009
09/22/2022	08:03:24	0.009
09/22/2022	08:04:24	0.009
09/22/2022	08:05:24	0.008
09/22/2022	08:06:24	0.008
09/22/2022	08:07:24	0.008
09/22/2022	08:08:24	0.010
09/22/2022	08:09:24	0.010
09/22/2022	08:10:24	0.009
09/22/2022	08:11:24	0.008
09/22/2022	08:12:24	0.008
09/22/2022	08:13:24	0.008
09/22/2022	08:14:24	0.008
09/22/2022	08:15:24	0.008
09/22/2022	08:16:24	0.008
09/22/2022	08:17:24	0.008
09/22/2022	08:18:24	0.007
09/22/2022	08:19:24	0.008
09/22/2022	08:20:24	0.008
09/22/2022	08:21:24	0.008
09/22/2022	08:22:24	0.008
09/22/2022	08:23:24	0.008
09/22/2022	08:24:24	0.008
09/22/2022	08:25:24	0.007
09/22/2022	08:26:24	0.007
09/22/2022	08:27:24	0.007
09/22/2022	08:28:24	0.007
09/22/2022	08:29:24	0.008
09/22/2022	08:30:24	0.008
09/22/2022	08:31:24	0.008
09/22/2022	08:32:24	0.007
09/22/2022	08:33:24	0.008
09/22/2022	08:34:24	0.009
09/22/2022	08:35:24	0.011
09/22/2022	08:36:24	0.008
09/22/2022	08:37:24	0.008
09/22/2022	08:38:24	0.008
09/22/2022	08:39:24	0.009

09/22/2022	08:40:24	0.011
09/22/2022	08:41:24	0.010
09/22/2022	08:42:24	0.008
09/22/2022	08:43:24	0.010
09/22/2022	08:44:24	0.015
09/22/2022	08:45:24	0.009
09/22/2022	08:46:24	0.008
09/22/2022	08:47:24	0.009
09/22/2022	08:48:24	0.010
09/22/2022	08:49:24	0.007
09/22/2022	08:50:24	0.008
09/22/2022	08:51:24	0.009
09/22/2022	08:52:24	0.008
09/22/2022	08:53:24	0.008
09/22/2022	08:54:24	0.009
09/22/2022	08:55:24	0.011
09/22/2022	08:56:24	0.024
09/22/2022	08:57:24	0.009
09/22/2022	08:58:24	0.008
09/22/2022	08:59:24	0.008
09/22/2022	09:00:24	0.009
09/22/2022	09:01:24	0.010
09/22/2022	09:02:24	0.009
09/22/2022	09:03:24	0.017
09/22/2022	09:04:24	0.019
09/22/2022	09:05:24	0.009
09/22/2022	09:06:24	0.008
09/22/2022	09:07:24	0.012
09/22/2022	09:08:24	0.011
09/22/2022	09:09:24	0.008
09/22/2022	09:10:24	0.010
09/22/2022	09:11:24	0.011
09/22/2022	09:12:24	0.010
09/22/2022	09:13:24	0.009
09/22/2022	09:14:24	0.009
09/22/2022	09:15:24	0.009
09/22/2022	09:16:24	0.009
09/22/2022	09:17:24	0.010
09/22/2022	09:18:24	0.009
09/22/2022	09:19:24	0.016
09/22/2022	09:20:24	0.008
09/22/2022	09:21:24	0.009
09/22/2022	09:22:24	0.009
09/22/2022	09:23:24	0.010
09/22/2022	09:24:24	0.008
09/22/2022	09:25:24	0.013
09/22/2022	09:26:24	0.011
09/22/2022	09:27:24	0.010
09/22/2022	09:28:24	0.014
09/22/2022	09:29:24	0.010

09/22/2022	09:30:24	0.012
09/22/2022	09:31:24	0.009
09/22/2022	09:32:24	0.011
09/22/2022	09:33:24	0.017
09/22/2022	09:34:24	0.010
09/22/2022	09:35:24	0.011
09/22/2022	09:36:24	0.008
09/22/2022	09:37:24	0.008
09/22/2022	09:38:24	0.012
09/22/2022	09:39:24	0.011
09/22/2022	09:40:24	0.012
09/22/2022	09:41:24	0.011
09/22/2022	09:42:24	0.019
09/22/2022	09:43:24	0.014
09/22/2022	09:44:24	0.011
09/22/2022	09:45:24	0.008
09/22/2022	09:46:24	0.008
09/22/2022	09:47:24	0.012
09/22/2022	09:48:24	0.033
09/22/2022	09:49:24	0.011
09/22/2022	09:50:24	0.028
09/22/2022	09:51:24	0.015
09/22/2022	09:52:24	0.030
09/22/2022	09:53:24	0.011
09/22/2022	09:54:24	0.010
09/22/2022	09:55:24	0.015
09/22/2022	09:56:24	0.009
09/22/2022	09:57:24	0.008
09/22/2022	09:58:24	0.009
09/22/2022	09:59:24	0.013
09/22/2022	10:00:24	0.012
09/22/2022	10:01:24	0.010
09/22/2022	10:02:24	0.009
09/22/2022	10:03:24	0.008
09/22/2022	10:04:24	0.009
09/22/2022	10:05:24	0.020
09/22/2022	10:06:24	0.026
09/22/2022	10:07:24	0.010
09/22/2022	10:08:24	0.008
09/22/2022	10:09:24	0.009
09/22/2022	10:10:24	0.009
09/22/2022	10:11:24	0.012
09/22/2022	10:12:24	0.012
09/22/2022	10:13:24	0.024
09/22/2022	10:14:24	0.025
09/22/2022	10:15:24	0.036
09/22/2022	10:16:24	0.008
09/22/2022	10:17:24	0.008
09/22/2022	10:18:24	0.008
09/22/2022	10:19:24	0.008

09/22/2022	10:20:24	0.010
09/22/2022	10:21:24	0.017
09/22/2022	10:22:24	0.008
09/22/2022	10:23:24	0.009
09/22/2022	10:24:24	0.008
09/22/2022	10:25:24	0.008
09/22/2022	10:26:24	0.009
09/22/2022	10:27:24	0.020
09/22/2022	10:28:24	0.018
09/22/2022	10:29:24	0.032
09/22/2022	10:30:24	0.012
09/22/2022	10:31:24	0.014
09/22/2022	10:32:24	0.012
09/22/2022	10:33:24	0.055
09/22/2022	10:34:24	0.011
09/22/2022	10:35:24	0.009
09/22/2022	10:36:24	0.010
09/22/2022	10:37:24	0.008
09/22/2022	10:38:24	0.009
09/22/2022	10:39:24	0.034
09/22/2022	10:40:24	0.094
09/22/2022	10:41:24	0.012
09/22/2022	10:42:24	0.010
09/22/2022	10:43:24	0.017
09/22/2022	10:44:24	0.021
09/22/2022	10:45:24	0.010
09/22/2022	10:46:24	0.021
09/22/2022	10:47:24	0.022
09/22/2022	10:48:24	0.019
09/22/2022	10:49:24	0.012
09/22/2022	10:50:24	0.012
09/22/2022	10:51:24	0.011
09/22/2022	10:52:24	0.010
09/22/2022	10:53:24	0.009
09/22/2022	10:54:24	0.011
09/22/2022	10:55:24	0.011
09/22/2022	10:56:24	0.011
09/22/2022	10:57:24	0.010
09/22/2022	10:58:24	0.010
09/22/2022	10:59:24	0.014
09/22/2022	11:00:24	0.010
09/22/2022	11:01:24	0.012
09/22/2022	11:02:24	0.012
09/22/2022	11:03:24	0.012
09/22/2022	11:04:24	0.010
09/22/2022	11:05:24	0.010
09/22/2022	11:06:24	0.013
09/22/2022	11:07:24	0.010
09/22/2022	11:08:24	0.010
09/22/2022	11:09:24	0.010

09/22/2022	11:10:24	0.010
09/22/2022	11:11:24	0.010
09/22/2022	11:12:24	0.010
09/22/2022	11:13:24	0.010
09/22/2022	11:14:24	0.010
09/22/2022	11:15:24	0.010
09/22/2022	11:16:24	0.012
09/22/2022	11:17:24	0.011
09/22/2022	11:18:24	0.011
09/22/2022	11:19:24	0.009
09/22/2022	11:20:24	0.009
09/22/2022	11:21:24	0.009
09/22/2022	11:22:24	0.010
09/22/2022	11:23:24	0.017
09/22/2022	11:24:24	0.009
09/22/2022	11:25:24	0.011
09/22/2022	11:26:24	0.012
09/22/2022	11:27:24	0.014
09/22/2022	11:28:24	0.017
09/22/2022	11:29:24	0.013
09/22/2022	11:30:24	0.015
09/22/2022	11:31:24	0.010
09/22/2022	11:32:24	0.011
09/22/2022	11:33:24	0.009
09/22/2022	11:34:24	0.017
09/22/2022	11:35:24	0.011
09/22/2022	11:36:24	0.032
09/22/2022	11:37:24	0.011
09/22/2022	11:38:24	0.015
09/22/2022	11:39:24	0.010
09/22/2022	11:40:24	0.009
09/22/2022	11:41:24	0.010
09/22/2022	11:42:24	0.010
09/22/2022	11:43:24	0.010
09/22/2022	11:44:24	0.011
09/22/2022	11:45:24	0.010
09/22/2022	11:46:24	0.009
09/22/2022	11:47:24	0.010
09/22/2022	11:48:24	0.009
09/22/2022	11:49:24	0.008
09/22/2022	11:50:24	0.008
09/22/2022	11:51:24	0.008
09/22/2022	11:52:24	0.008
09/22/2022	11:53:24	0.008
09/22/2022	11:54:24	0.007
09/22/2022	11:55:24	0.008
09/22/2022	11:56:24	0.008
09/22/2022	11:57:24	0.008
09/22/2022	11:58:24	0.008
09/22/2022	11:59:24	0.008

09/22/2022	12:00:24	0.008
09/22/2022	12:01:24	0.008
09/22/2022	12:02:24	0.008
09/22/2022	12:03:24	0.008
09/22/2022	12:04:24	0.008
09/22/2022	12:05:24	0.009
09/22/2022	12:06:24	0.008
09/22/2022	12:07:24	0.008
09/22/2022	12:08:24	0.010
09/22/2022	12:09:24	0.008
09/22/2022	12:10:24	0.008
09/22/2022	12:11:24	0.008
09/22/2022	12:12:24	0.008
09/22/2022	12:13:24	0.008
09/22/2022	12:14:24	0.008
09/22/2022	12:15:24	0.009
09/22/2022	12:16:24	0.009
09/22/2022	12:17:24	0.009
09/22/2022	12:18:24	0.009
09/22/2022	12:19:24	0.009
09/22/2022	12:20:24	0.016
09/22/2022	12:21:24	0.010
09/22/2022	12:22:24	0.010
09/22/2022	12:23:24	0.011
09/22/2022	12:24:24	0.012
09/22/2022	12:25:24	0.011
09/22/2022	12:26:24	0.012
09/22/2022	12:27:24	0.012
09/22/2022	12:28:24	0.011
09/22/2022	12:29:24	0.012
09/22/2022	12:30:24	0.011
09/22/2022	12:31:24	0.012
09/22/2022	12:32:24	0.011
09/22/2022	12:33:24	0.010
09/22/2022	12:34:24	0.012
09/22/2022	12:35:24	0.011
09/22/2022	12:36:24	0.010
09/22/2022	12:37:24	0.010
09/22/2022	12:38:24	0.011
09/22/2022	12:39:24	0.010
09/22/2022	12:40:24	0.011
09/22/2022	12:41:24	0.010
09/22/2022	12:42:24	0.010
09/22/2022	12:43:24	0.010
09/22/2022	12:44:24	0.010
09/22/2022	12:45:24	0.010
09/22/2022	12:46:24	0.010
09/22/2022	12:47:24	0.011
09/22/2022	12:48:24	0.010
09/22/2022	12:49:24	0.012

09/22/2022	12:50:24	0.012
09/22/2022	12:51:24	0.011
09/22/2022	12:52:24	0.011
09/22/2022	12:53:24	0.011
09/22/2022	12:54:24	0.011
09/22/2022	12:55:24	0.012
09/22/2022	12:56:24	0.011
09/22/2022	12:57:24	0.011
09/22/2022	12:58:24	0.010
09/22/2022	12:59:24	0.010
09/22/2022	13:00:24	0.011
09/22/2022	13:01:24	0.010
09/22/2022	13:02:24	0.011
09/22/2022	13:03:24	0.011
09/22/2022	13:04:24	0.010
09/22/2022	13:05:24	0.010
09/22/2022	13:06:24	0.011
09/22/2022	13:07:24	0.011
09/22/2022	13:08:24	0.010
09/22/2022	13:09:24	0.011
09/22/2022	13:10:24	0.011
09/22/2022	13:11:24	0.011
09/22/2022	13:12:24	0.011
09/22/2022	13:13:24	0.012
09/22/2022	13:14:24	0.011
09/22/2022	13:15:24	0.010
09/22/2022	13:16:24	0.010
09/22/2022	13:17:24	0.011
09/22/2022	13:18:24	0.011
09/22/2022	13:19:24	0.010
09/22/2022	13:20:24	0.010
09/22/2022	13:21:24	0.010
09/22/2022	13:22:24	0.011
09/22/2022	13:23:24	0.011
09/22/2022	13:24:24	0.011
09/22/2022	13:25:24	0.010
09/22/2022	13:26:24	0.010
09/22/2022	13:27:24	0.010
09/22/2022	13:28:24	0.010
09/22/2022	13:29:24	0.010
09/22/2022	13:30:24	0.011
09/22/2022	13:31:24	0.010
09/22/2022	13:32:24	0.011
09/22/2022	13:33:24	0.010
09/22/2022	13:34:24	0.012
09/22/2022	13:35:24	0.010
09/22/2022	13:36:24	0.010
09/22/2022	13:37:24	0.010
09/22/2022	13:38:24	0.010
09/22/2022	13:39:24	0.010

09/22/2022	13:40:24	0.011
09/22/2022	13:41:24	0.011
09/22/2022	13:42:24	0.010
09/22/2022	13:43:24	0.011
09/22/2022	13:44:24	0.011
09/22/2022	13:45:24	0.010
09/22/2022	13:46:24	0.010
09/22/2022	13:47:24	0.010
09/22/2022	13:48:24	0.010
09/22/2022	13:49:24	0.010
09/22/2022	13:50:24	0.014
09/22/2022	13:51:24	0.013
09/22/2022	13:52:24	0.010
09/22/2022	13:53:24	0.010
09/22/2022	13:54:24	0.010
09/22/2022	13:55:24	0.010
09/22/2022	13:56:24	0.009
09/22/2022	13:57:24	0.010
09/22/2022	13:58:24	0.010
09/22/2022	13:59:24	0.010
09/22/2022	14:00:24	0.009
09/22/2022	14:01:24	0.010
09/22/2022	14:02:24	0.009
09/22/2022	14:03:24	0.009
09/22/2022	14:04:24	0.009
09/22/2022	14:05:24	0.009
09/22/2022	14:06:24	0.010
09/22/2022	14:07:24	0.011
09/22/2022	14:08:24	0.015
09/22/2022	14:09:24	0.009
09/22/2022	14:10:24	0.009
09/22/2022	14:11:24	0.011
09/22/2022	14:12:24	0.010
09/22/2022	14:13:24	0.009
09/22/2022	14:14:24	0.009
09/22/2022	14:15:24	0.009
09/22/2022	14:16:24	0.009
09/22/2022	14:17:24	0.009
09/22/2022	14:18:24	0.010
09/22/2022	14:19:24	0.010
09/22/2022	14:20:24	0.013
09/22/2022	14:21:24	0.010
09/22/2022	14:22:24	0.010
09/22/2022	14:23:24	0.010
09/22/2022	14:24:24	0.010
09/22/2022	14:25:24	0.010
09/22/2022	14:26:24	0.011
09/22/2022	14:27:24	0.010
09/22/2022	14:28:24	0.010
09/22/2022	14:29:24	0.010

09/22/2022	14:30:24	0.010
09/22/2022	14:31:24	0.011
09/22/2022	14:32:24	0.010
09/22/2022	14:33:24	0.011
09/22/2022	14:34:24	0.010
09/22/2022	14:35:24	0.010
09/22/2022	14:36:24	0.010
09/22/2022	14:37:24	0.010
09/22/2022	14:38:24	0.011
09/22/2022	14:39:24	0.011
09/22/2022	14:40:24	0.011
09/22/2022	14:41:24	0.012
09/22/2022	14:42:24	0.013
09/22/2022	14:43:24	0.012
09/22/2022	14:44:24	0.013
09/22/2022	14:45:24	0.013
09/22/2022	14:46:24	0.011
09/22/2022	14:47:24	0.013
09/22/2022	14:48:24	0.010
09/22/2022	14:49:24	0.010
09/22/2022	14:50:24	0.010
09/22/2022	14:51:24	0.011
09/22/2022	14:52:24	0.011
09/22/2022	14:53:24	0.011
09/22/2022	14:54:24	0.010
09/22/2022	14:55:24	0.012
09/22/2022	14:56:24	0.012
09/22/2022	14:57:24	0.011
09/22/2022	14:58:24	0.010
09/22/2022	14:59:24	0.013
09/22/2022	15:00:24	0.010
09/22/2022	15:01:24	0.011
09/22/2022	15:02:24	0.011
09/22/2022	15:03:24	0.011
09/22/2022	15:04:24	0.011
09/22/2022	15:05:24	0.011
09/22/2022	15:06:24	0.012
09/22/2022	15:07:24	0.011
09/22/2022	15:08:24	0.012
09/22/2022	15:09:24	0.012
09/22/2022	15:10:24	0.011
09/22/2022	15:11:24	0.011
09/22/2022	15:12:24	0.019
09/22/2022	15:13:24	0.011
09/22/2022	15:14:24	0.014
09/22/2022	15:15:24	0.011
09/22/2022	15:16:24	0.011
09/22/2022	15:17:24	0.011
09/22/2022	15:18:24	0.014
09/22/2022	15:19:24	0.012

09/22/2022	15:20:24	0.012
09/22/2022	15:21:24	0.011
09/22/2022	15:22:24	0.012
09/22/2022	15:23:24	0.012
09/22/2022	15:24:24	0.016
09/22/2022	15:25:24	0.015
09/22/2022	15:26:24	0.013
09/22/2022	15:27:24	0.013
09/22/2022	15:28:24	0.014
09/22/2022	15:29:24	0.013
09/22/2022	15:30:24	0.012
09/22/2022	15:31:24	0.012
09/22/2022	15:32:24	0.012
09/22/2022	15:33:24	0.013
09/22/2022	15:34:24	0.011
09/22/2022	15:35:24	0.011
09/22/2022	16:10:52	0.000
09/22/2022	16:11:24	0.011
09/22/2022	16:12:24	0.012
09/22/2022	16:13:24	0.012
09/22/2022	16:14:24	0.011
09/22/2022	16:15:24	0.011

Model: DustTrak II
Model Number:	8530
Serial Number:	8530123602
Test ID:	009
Test Abbreviation:	MANUAL_009
Start Date:	09/27/2022
Start Time:	08:50:01
Duration (dd:hh:mm:ss):	0:05:50:00
Log Interval (mm:ss):	01:00
Number of points:	350
Notes:

Statistics	Channel:	AEROSOL
	Units:	mg/m^3
	Average:	0.012
	Minimum:	0.008
	Time of Minimum:	14:27:01
	Date of Minimum:	09/27/2022
	Maximum:	0.021
	Time of Maximum:	09:34:01
	Date of Maximum:	09/27/2022

Calibration	Sensor:	AEROSOL
	Cal. date	03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3

09/27/2022	08:51:01	0.016
09/27/2022	08:52:01	0.016
09/27/2022	08:53:01	0.016
09/27/2022	08:54:01	0.016
09/27/2022	08:55:01	0.016
09/27/2022	08:56:01	0.015
09/27/2022	08:57:01	0.016
09/27/2022	08:58:01	0.016
09/27/2022	08:59:01	0.015
09/27/2022	09:00:01	0.016
09/27/2022	09:01:01	0.015
09/27/2022	09:02:01	0.015
09/27/2022	09:03:01	0.015
09/27/2022	09:04:01	0.015
09/27/2022	09:05:01	0.015
09/27/2022	09:06:01	0.015
09/27/2022	09:07:01	0.015
09/27/2022	09:08:01	0.014
09/27/2022	09:09:01	0.014
09/27/2022	09:10:01	0.014
09/27/2022	09:11:01	0.014
09/27/2022	09:12:01	0.015
09/27/2022	09:13:01	0.015
09/27/2022	09:14:01	0.015
09/27/2022	09:15:01	0.015
09/27/2022	09:16:01	0.016
09/27/2022	09:17:01	0.015
09/27/2022	09:18:01	0.016
09/27/2022	09:19:01	0.014
09/27/2022	09:20:01	0.014
09/27/2022	09:21:01	0.016
09/27/2022	09:22:01	0.015
09/27/2022	09:23:01	0.013
09/27/2022	09:24:01	0.013
09/27/2022	09:25:01	0.014
09/27/2022	09:26:01	0.013
09/27/2022	09:27:01	0.014
09/27/2022	09:28:01	0.013
09/27/2022	09:29:01	0.013
09/27/2022	09:30:01	0.013
09/27/2022	09:31:01	0.014
09/27/2022	09:32:01	0.016
09/27/2022	09:33:01	0.013
09/27/2022	09:34:01	0.021
09/27/2022	09:35:01	0.012
09/27/2022	09:36:01	0.013
09/27/2022	09:37:01	0.012
09/27/2022	09:38:01	0.014
09/27/2022	09:39:01	0.013
09/27/2022	09:40:01	0.013

09/27/2022	09:41:01	0.012
09/27/2022	09:42:01	0.012
09/27/2022	09:43:01	0.012
09/27/2022	09:44:01	0.014
09/27/2022	09:45:01	0.012
09/27/2022	09:46:01	0.011
09/27/2022	09:47:01	0.012
09/27/2022	09:48:01	0.012
09/27/2022	09:49:01	0.012
09/27/2022	09:50:01	0.012
09/27/2022	09:51:01	0.012
09/27/2022	09:52:01	0.012
09/27/2022	09:53:01	0.012
09/27/2022	09:54:01	0.012
09/27/2022	09:55:01	0.012
09/27/2022	09:56:01	0.011
09/27/2022	09:57:01	0.013
09/27/2022	09:58:01	0.013
09/27/2022	09:59:01	0.011
09/27/2022	10:00:01	0.012
09/27/2022	10:01:01	0.012
09/27/2022	10:02:01	0.011
09/27/2022	10:03:01	0.011
09/27/2022	10:04:01	0.012
09/27/2022	10:05:01	0.012
09/27/2022	10:06:01	0.011
09/27/2022	10:07:01	0.011
09/27/2022	10:08:01	0.011
09/27/2022	10:09:01	0.011
09/27/2022	10:10:01	0.011
09/27/2022	10:11:01	0.011
09/27/2022	10:12:01	0.011
09/27/2022	10:13:01	0.010
09/27/2022	10:14:01	0.011
09/27/2022	10:15:01	0.011
09/27/2022	10:16:01	0.011
09/27/2022	10:17:01	0.010
09/27/2022	10:18:01	0.010
09/27/2022	10:19:01	0.011
09/27/2022	10:20:01	0.011
09/27/2022	10:21:01	0.011
09/27/2022	10:22:01	0.010
09/27/2022	10:23:01	0.011
09/27/2022	10:24:01	0.010
09/27/2022	10:25:01	0.011
09/27/2022	10:26:01	0.011
09/27/2022	10:27:01	0.011
09/27/2022	10:28:01	0.012
09/27/2022	10:29:01	0.011
09/27/2022	10:30:01	0.012

09/27/2022	10:31:01	0.012
09/27/2022	10:32:01	0.011
09/27/2022	10:33:01	0.012
09/27/2022	10:34:01	0.012
09/27/2022	10:35:01	0.013
09/27/2022	10:36:01	0.012
09/27/2022	10:37:01	0.012
09/27/2022	10:38:01	0.015
09/27/2022	10:39:01	0.013
09/27/2022	10:40:01	0.012
09/27/2022	10:41:01	0.013
09/27/2022	10:42:01	0.012
09/27/2022	10:43:01	0.012
09/27/2022	10:44:01	0.012
09/27/2022	10:45:01	0.012
09/27/2022	10:46:01	0.012
09/27/2022	10:47:01	0.013
09/27/2022	10:48:01	0.013
09/27/2022	10:49:01	0.013
09/27/2022	10:50:01	0.012
09/27/2022	10:51:01	0.013
09/27/2022	10:52:01	0.014
09/27/2022	10:53:01	0.014
09/27/2022	10:54:01	0.013
09/27/2022	10:55:01	0.013
09/27/2022	10:56:01	0.012
09/27/2022	10:57:01	0.011
09/27/2022	10:58:01	0.011
09/27/2022	10:59:01	0.012
09/27/2022	11:00:01	0.012
09/27/2022	11:01:01	0.012
09/27/2022	11:02:01	0.012
09/27/2022	11:03:01	0.014
09/27/2022	11:04:01	0.012
09/27/2022	11:05:01	0.012
09/27/2022	11:06:01	0.012
09/27/2022	11:07:01	0.011
09/27/2022	11:08:01	0.011
09/27/2022	11:09:01	0.011
09/27/2022	11:10:01	0.011
09/27/2022	11:11:01	0.011
09/27/2022	11:12:01	0.011
09/27/2022	11:13:01	0.011
09/27/2022	11:14:01	0.011
09/27/2022	11:15:01	0.011
09/27/2022	11:16:01	0.011
09/27/2022	11:17:01	0.011
09/27/2022	11:18:01	0.011
09/27/2022	11:19:01	0.011
09/27/2022	11:20:01	0.012

09/27/2022	11:21:01	0.011
09/27/2022	11:22:01	0.011
09/27/2022	11:23:01	0.011
09/27/2022	11:24:01	0.011
09/27/2022	11:25:01	0.010
09/27/2022	11:26:01	0.010
09/27/2022	11:27:01	0.010
09/27/2022	11:28:01	0.010
09/27/2022	11:29:01	0.011
09/27/2022	11:30:01	0.011
09/27/2022	11:31:01	0.010
09/27/2022	11:32:01	0.010
09/27/2022	11:33:01	0.011
09/27/2022	11:34:01	0.011
09/27/2022	11:35:01	0.011
09/27/2022	11:36:01	0.011
09/27/2022	11:37:01	0.011
09/27/2022	11:38:01	0.011
09/27/2022	11:39:01	0.011
09/27/2022	11:40:01	0.011
09/27/2022	11:41:01	0.011
09/27/2022	11:42:01	0.011
09/27/2022	11:43:01	0.011
09/27/2022	11:44:01	0.010
09/27/2022	11:45:01	0.010
09/27/2022	11:46:01	0.010
09/27/2022	11:47:01	0.010
09/27/2022	11:48:01	0.010
09/27/2022	11:49:01	0.010
09/27/2022	11:50:01	0.010
09/27/2022	11:51:01	0.010
09/27/2022	11:52:01	0.010
09/27/2022	11:53:01	0.010
09/27/2022	11:54:01	0.010
09/27/2022	11:55:01	0.009
09/27/2022	11:56:01	0.010
09/27/2022	11:57:01	0.010
09/27/2022	11:58:01	0.010
09/27/2022	11:59:01	0.010
09/27/2022	12:00:01	0.010
09/27/2022	12:01:01	0.010
09/27/2022	12:02:01	0.010
09/27/2022	12:03:01	0.010
09/27/2022	12:04:01	0.010
09/27/2022	12:05:01	0.010
09/27/2022	12:06:01	0.010
09/27/2022	12:07:01	0.010
09/27/2022	12:08:01	0.010
09/27/2022	12:09:01	0.011
09/27/2022	12:10:01	0.011

09/27/2022	12:11:01	0.011
09/27/2022	12:12:01	0.010
09/27/2022	12:13:01	0.010
09/27/2022	12:14:01	0.011
09/27/2022	12:15:01	0.012
09/27/2022	12:16:01	0.012
09/27/2022	12:17:01	0.012
09/27/2022	12:18:01	0.012
09/27/2022	12:19:01	0.011
09/27/2022	12:20:01	0.011
09/27/2022	12:21:01	0.011
09/27/2022	12:22:01	0.012
09/27/2022	12:23:01	0.012
09/27/2022	12:24:01	0.012
09/27/2022	12:25:01	0.012
09/27/2022	12:26:01	0.013
09/27/2022	12:27:01	0.013
09/27/2022	12:28:01	0.012
09/27/2022	12:29:01	0.012
09/27/2022	12:30:01	0.012
09/27/2022	12:31:01	0.012
09/27/2022	12:32:01	0.012
09/27/2022	12:33:01	0.012
09/27/2022	12:34:01	0.013
09/27/2022	12:35:01	0.013
09/27/2022	12:36:01	0.013
09/27/2022	12:37:01	0.012
09/27/2022	12:38:01	0.012
09/27/2022	12:39:01	0.012
09/27/2022	12:40:01	0.013
09/27/2022	12:41:01	0.015
09/27/2022	12:42:01	0.015
09/27/2022	12:43:01	0.015
09/27/2022	12:44:01	0.016
09/27/2022	12:45:01	0.016
09/27/2022	12:46:01	0.016
09/27/2022	12:47:01	0.016
09/27/2022	12:48:01	0.016
09/27/2022	12:49:01	0.016
09/27/2022	12:50:01	0.016
09/27/2022	12:51:01	0.016
09/27/2022	12:52:01	0.015
09/27/2022	12:53:01	0.016
09/27/2022	12:54:01	0.016
09/27/2022	12:55:01	0.016
09/27/2022	12:56:01	0.016
09/27/2022	12:57:01	0.016
09/27/2022	12:58:01	0.017
09/27/2022	12:59:01	0.015
09/27/2022	13:00:01	0.014

09/27/2022	13:01:01	0.015
09/27/2022	13:02:01	0.014
09/27/2022	13:03:01	0.012
09/27/2022	13:04:01	0.019
09/27/2022	13:05:01	0.012
09/27/2022	13:06:01	0.017
09/27/2022	13:07:01	0.012
09/27/2022	13:08:01	0.011
09/27/2022	13:09:01	0.011
09/27/2022	13:10:01	0.011
09/27/2022	13:11:01	0.011
09/27/2022	13:12:01	0.012
09/27/2022	13:13:01	0.013
09/27/2022	13:14:01	0.014
09/27/2022	13:15:01	0.013
09/27/2022	13:16:01	0.018
09/27/2022	13:17:01	0.014
09/27/2022	13:18:01	0.013
09/27/2022	13:19:01	0.013
09/27/2022	13:20:01	0.014
09/27/2022	13:21:01	0.014
09/27/2022	13:22:01	0.016
09/27/2022	13:23:01	0.016
09/27/2022	13:24:01	0.017
09/27/2022	13:25:01	0.017
09/27/2022	13:26:01	0.016
09/27/2022	13:27:01	0.015
09/27/2022	13:28:01	0.015
09/27/2022	13:29:01	0.015
09/27/2022	13:30:01	0.015
09/27/2022	13:31:01	0.014
09/27/2022	13:32:01	0.014
09/27/2022	13:33:01	0.013
09/27/2022	13:34:01	0.013
09/27/2022	13:35:01	0.012
09/27/2022	13:36:01	0.013
09/27/2022	13:37:01	0.013
09/27/2022	13:38:01	0.014
09/27/2022	13:39:01	0.015
09/27/2022	13:40:01	0.015
09/27/2022	13:41:01	0.017
09/27/2022	13:42:01	0.017
09/27/2022	13:43:01	0.017
09/27/2022	13:44:01	0.016
09/27/2022	13:45:01	0.016
09/27/2022	13:46:01	0.016
09/27/2022	13:47:01	0.015
09/27/2022	13:48:01	0.014
09/27/2022	13:49:01	0.014
09/27/2022	13:50:01	0.013

09/27/2022	13:51:01	0.013
09/27/2022	13:52:01	0.013
09/27/2022	13:53:01	0.014
09/27/2022	13:54:01	0.015
09/27/2022	13:55:01	0.016
09/27/2022	13:56:01	0.016
09/27/2022	13:57:01	0.015
09/27/2022	13:58:01	0.014
09/27/2022	13:59:01	0.014
09/27/2022	14:00:01	0.014
09/27/2022	14:01:01	0.014
09/27/2022	14:02:01	0.014
09/27/2022	14:03:01	0.014
09/27/2022	14:04:01	0.013
09/27/2022	14:05:01	0.014
09/27/2022	14:06:01	0.015
09/27/2022	14:07:01	0.015
09/27/2022	14:08:01	0.015
09/27/2022	14:09:01	0.014
09/27/2022	14:10:01	0.011
09/27/2022	14:11:01	0.011
09/27/2022	14:12:01	0.012
09/27/2022	14:13:01	0.012
09/27/2022	14:14:01	0.012
09/27/2022	14:15:01	0.012
09/27/2022	14:16:01	0.011
09/27/2022	14:17:01	0.011
09/27/2022	14:18:01	0.011
09/27/2022	14:19:01	0.010
09/27/2022	14:20:01	0.009
09/27/2022	14:21:01	0.010
09/27/2022	14:22:01	0.010
09/27/2022	14:23:01	0.009
09/27/2022	14:24:01	0.009
09/27/2022	14:25:01	0.009
09/27/2022	14:26:01	0.009
09/27/2022	14:27:01	0.008
09/27/2022	14:28:01	0.008
09/27/2022	14:29:01	0.008
09/27/2022	14:30:01	0.008
09/27/2022	14:31:01	0.008
09/27/2022	14:32:01	0.008
09/27/2022	14:33:01	0.008
09/27/2022	14:34:01	0.008
09/27/2022	14:35:01	0.009
09/27/2022	14:36:01	0.008
09/27/2022	14:37:01	0.009
09/27/2022	14:38:01	0.008
09/27/2022	14:39:01	0.008
09/27/2022	14:40:01	0.008

Model: DustTrak II
Model Number: 8530
Serial Number: 8530123602
Test ID: 010
Test Abbreviation: MANUAL_010
Start Date: 11/04/2022
Start Time: 07:50:41
Duration (dd:hh:mm:ss): 0:03:09:00
Log Interval (mm:ss): 01:00
Number of points: 189
Notes:

Statistics Channel: AEROSOL
  Units: mg/m^3
  Average: 0.026
  Minimum: 0.021
  Time of Minimum: 07:53:41
  Date of Minimum: 11/04/2022
  Maximum: 0.069
  Time of Maximum: 08:28:41
  Date of Maximum: 11/04/2022

Calibration Sensor: AEROSOL
  Cal. date 03/09/2022

Date	Time	AEROSOL
MM/dd/yyyy	hh:mm:ss	mg/m^3
11/04/2022	07:51:41	0.030
11/04/2022	07:52:41	0.022
11/04/2022	07:53:41	0.021
11/04/2022	07:54:41	0.022
11/04/2022	07:55:41	0.022
11/04/2022	07:56:41	0.039
11/04/2022	07:57:41	0.021
11/04/2022	07:58:41	0.022
11/04/2022	07:59:41	0.023
11/04/2022	08:00:41	0.025
11/04/2022	08:01:41	0.066
11/04/2022	08:02:41	0.024
11/04/2022	08:03:41	0.026
11/04/2022	08:04:41	0.022
11/04/2022	08:05:41	0.023
11/04/2022	08:06:41	0.023
11/04/2022	08:07:41	0.022
11/04/2022	08:08:41	0.022
11/04/2022	08:09:41	0.026
11/04/2022	08:10:41	0.023
11/04/2022	08:11:41	0.022
11/04/2022	08:12:41	0.023

11/04/2022	08:13:41	0.023
11/04/2022	08:14:41	0.024
11/04/2022	08:15:41	0.027
11/04/2022	08:16:41	0.044
11/04/2022	08:17:41	0.024
11/04/2022	08:18:41	0.025
11/04/2022	08:19:41	0.024
11/04/2022	08:20:41	0.023
11/04/2022	08:21:41	0.031
11/04/2022	08:22:41	0.027
11/04/2022	08:23:41	0.024
11/04/2022	08:24:41	0.023
11/04/2022	08:25:41	0.024
11/04/2022	08:26:41	0.024
11/04/2022	08:27:41	0.035
11/04/2022	08:28:41	0.069
11/04/2022	08:29:41	0.022
11/04/2022	08:30:41	0.023
11/04/2022	08:31:41	0.022
11/04/2022	08:32:41	0.038
11/04/2022	08:33:41	0.023
11/04/2022	08:34:41	0.022
11/04/2022	08:35:41	0.045
11/04/2022	08:36:41	0.023
11/04/2022	08:37:41	0.023
11/04/2022	08:38:41	0.023
11/04/2022	08:39:41	0.023
11/04/2022	08:40:41	0.023
11/04/2022	08:41:41	0.023
11/04/2022	08:42:41	0.023
11/04/2022	08:43:41	0.024
11/04/2022	08:44:41	0.023
11/04/2022	08:45:41	0.023
11/04/2022	08:46:41	0.023
11/04/2022	08:47:41	0.024
11/04/2022	08:48:41	0.023
11/04/2022	08:49:41	0.023
11/04/2022	08:50:41	0.023
11/04/2022	08:51:41	0.023
11/04/2022	08:52:41	0.025
11/04/2022	08:53:41	0.023
11/04/2022	08:54:41	0.023
11/04/2022	08:55:41	0.023
11/04/2022	08:56:41	0.023
11/04/2022	08:57:41	0.023
11/04/2022	08:58:41	0.023
11/04/2022	08:59:41	0.023
11/04/2022	09:00:41	0.023
11/04/2022	09:01:41	0.023
11/04/2022	09:02:41	0.023

11/04/2022	09:03:41	0.023
11/04/2022	09:04:41	0.023
11/04/2022	09:05:41	0.023
11/04/2022	09:06:41	0.023
11/04/2022	09:07:41	0.023
11/04/2022	09:08:41	0.023
11/04/2022	09:09:41	0.023
11/04/2022	09:10:41	0.023
11/04/2022	09:11:41	0.023
11/04/2022	09:12:41	0.023
11/04/2022	09:13:41	0.023
11/04/2022	09:14:41	0.023
11/04/2022	09:15:41	0.023
11/04/2022	09:16:41	0.023
11/04/2022	09:17:41	0.023
11/04/2022	09:18:41	0.023
11/04/2022	09:19:41	0.023
11/04/2022	09:20:41	0.023
11/04/2022	09:21:41	0.023
11/04/2022	09:22:41	0.023
11/04/2022	09:23:41	0.023
11/04/2022	09:24:41	0.023
11/04/2022	09:25:41	0.023
11/04/2022	09:26:41	0.023
11/04/2022	09:27:41	0.023
11/04/2022	09:28:41	0.023
11/04/2022	09:29:41	0.023
11/04/2022	09:30:41	0.023
11/04/2022	09:31:41	0.028
11/04/2022	09:32:41	0.023
11/04/2022	09:33:41	0.023
11/04/2022	09:34:41	0.044
11/04/2022	09:35:41	0.045
11/04/2022	09:36:41	0.023
11/04/2022	09:37:41	0.024
11/04/2022	09:38:41	0.025
11/04/2022	09:39:41	0.024
11/04/2022	09:40:41	0.023
11/04/2022	09:41:41	0.054
11/04/2022	09:42:41	0.023
11/04/2022	09:43:41	0.024
11/04/2022	09:44:41	0.022
11/04/2022	09:45:41	0.069
11/04/2022	09:46:41	0.023
11/04/2022	09:47:41	0.034
11/04/2022	09:48:41	0.023
11/04/2022	09:49:41	0.025
11/04/2022	09:50:41	0.023
11/04/2022	09:51:41	0.023
11/04/2022	09:52:41	0.024

11/04/2022	09:53:41	0.027
11/04/2022	09:54:41	0.023
11/04/2022	09:55:41	0.025
11/04/2022	09:56:41	0.023
11/04/2022	09:57:41	0.023
11/04/2022	09:58:41	0.023
11/04/2022	09:59:41	0.025
11/04/2022	10:00:41	0.036
11/04/2022	10:01:41	0.025
11/04/2022	10:02:41	0.024
11/04/2022	10:03:41	0.030
11/04/2022	10:04:41	0.026
11/04/2022	10:05:41	0.025
11/04/2022	10:06:41	0.024
11/04/2022	10:07:41	0.023
11/04/2022	10:08:41	0.023
11/04/2022	10:09:41	0.023
11/04/2022	10:10:41	0.023
11/04/2022	10:11:41	0.025
11/04/2022	10:12:41	0.023
11/04/2022	10:13:41	0.024
11/04/2022	10:14:41	0.023
11/04/2022	10:15:41	0.023
11/04/2022	10:16:41	0.023
11/04/2022	10:17:41	0.023
11/04/2022	10:18:41	0.023
11/04/2022	10:19:41	0.023
11/04/2022	10:20:41	0.023
11/04/2022	10:21:41	0.023
11/04/2022	10:22:41	0.025
11/04/2022	10:23:41	0.024
11/04/2022	10:24:41	0.024
11/04/2022	10:25:41	0.024
11/04/2022	10:26:41	0.030
11/04/2022	10:27:41	0.025
11/04/2022	10:28:41	0.025
11/04/2022	10:29:41	0.023
11/04/2022	10:30:41	0.023
11/04/2022	10:31:41	0.023
11/04/2022	10:32:41	0.026
11/04/2022	10:33:41	0.026
11/04/2022	10:34:41	0.025
11/04/2022	10:35:41	0.024
11/04/2022	10:36:41	0.023
11/04/2022	10:37:41	0.023
11/04/2022	10:38:41	0.028
11/04/2022	10:39:41	0.023
11/04/2022	10:40:41	0.023
11/04/2022	10:41:41	0.023
11/04/2022	10:42:41	0.023

11/04/2022	10:43:41	0.024
11/04/2022	10:44:41	0.030
11/04/2022	10:45:41	0.030
11/04/2022	10:46:41	0.034
11/04/2022	10:47:41	0.029
11/04/2022	10:48:41	0.031
11/04/2022	10:49:41	0.030
11/04/2022	10:50:41	0.027
11/04/2022	10:51:41	0.024
11/04/2022	10:52:41	0.024
11/04/2022	10:53:41	0.024
11/04/2022	10:54:41	0.023
11/04/2022	10:55:41	0.024
11/04/2022	10:56:41	0.023
11/04/2022	10:57:41	0.024
11/04/2022	10:58:41	0.024
11/04/2022	10:59:41	0.025

VOC MONITORING

UPWIND

==========
22/08/29 07:52
****
Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 8/29/2022 07:52:39
End 8/29/2022 14:18:13
Sample Period(s) 60
Number of Records 385

Sensor PID(ppm)
Sensor SN S023030372B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.5
Min 0.0
Average 0.3

****
Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
001	8/29/2022 07:53:39	0.0	0.1	0.0
002	8/29/2022 07:54:39	0.0	0.0	0.0
003	8/29/2022 07:55:39	0.0	0.0	0.0
004	8/29/2022 07:56:39	0.0	0.0	0.0
005	8/29/2022 07:57:39	0.0	0.0	0.0
006	8/29/2022 07:58:39	0.0	0.0	0.0
007	8/29/2022 07:59:39	0.0	0.0	0.0
008	8/29/2022 08:00:39	0.0	0.0	0.0

009	8/29/2022 08:01:39	0.0	0.0	0.0
010	8/29/2022 08:02:39	0.0	0.0	0.0
011	8/29/2022 08:03:39	0.0	0.0	0.0
012	8/29/2022 08:04:39	0.0	0.0	0.0
013	8/29/2022 08:05:39	0.0	0.0	0.0
014	8/29/2022 08:06:39	0.0	0.0	0.0
015	8/29/2022 08:07:39	0.0	0.0	0.0
016	8/29/2022 08:08:39	0.0	0.0	0.0
017	8/29/2022 08:09:39	0.0	0.1	0.0
018	8/29/2022 08:10:39	0.0	0.1	0.0
019	8/29/2022 08:11:39	0.0	0.0	0.0
020	8/29/2022 08:12:39	0.0	0.0	0.0
021	8/29/2022 08:13:39	0.0	0.0	0.0
022	8/29/2022 08:14:39	0.0	0.0	0.0
023	8/29/2022 08:15:39	0.0	0.0	0.0
024	8/29/2022 08:16:39	0.2	0.7	0.1
025	8/29/2022 08:17:39	0.5	0.9	0.4
026	8/29/2022 08:18:39	0.2	0.4	0.2
027	8/29/2022 08:19:39	0.3	0.6	0.1
028	8/29/2022 08:20:39	0.1	0.2	0.1
029	8/29/2022 08:21:39	0.1	0.2	0.1
030	8/29/2022 08:22:39	0.1	0.1	0.1
031	8/29/2022 08:23:39	0.1	0.1	0.1
032	8/29/2022 08:24:39	0.3	1.0	0.4
033	8/29/2022 08:25:39	0.2	0.3	0.2
034	8/29/2022 08:26:39	0.1	0.2	0.1
035	8/29/2022 08:27:39	0.1	0.1	0.1
036	8/29/2022 08:28:39	0.1	0.1	0.1
037	8/29/2022 08:29:39	0.1	0.1	0.1
038	8/29/2022 08:30:39	0.1	0.1	0.1
039	8/29/2022 08:31:39	0.1	0.1	0.1
040	8/29/2022 08:32:39	0.1	0.1	0.1
041	8/29/2022 08:33:39	0.1	0.1	0.1
042	8/29/2022 08:34:39	0.1	0.1	0.1
043	8/29/2022 08:35:39	0.1	0.1	0.1
044	8/29/2022 08:36:39	0.1	0.1	0.1
045	8/29/2022 08:37:39	0.1	0.1	0.1
046	8/29/2022 08:38:39	0.1	0.1	0.1
047	8/29/2022 08:39:39	0.1	0.1	0.1
048	8/29/2022 08:40:39	0.1	0.1	0.1
049	8/29/2022 08:41:39	0.1	0.2	0.2
050	8/29/2022 08:42:39	0.1	0.2	0.1
051	8/29/2022 08:43:39	0.1	0.2	0.2
052	8/29/2022 08:44:39	0.2	0.2	0.1
053	8/29/2022 08:45:39	0.1	0.1	0.1
054	8/29/2022 08:46:39	0.1	0.1	0.1
055	8/29/2022 08:47:39	0.1	0.1	0.1
056	8/29/2022 08:48:39	0.1	0.1	0.1
057	8/29/2022 08:49:39	0.1	0.1	0.1
058	8/29/2022 08:50:39	0.1	0.2	0.1

059	8/29/2022 08:51:39	0.2	0.2	0.2
060	8/29/2022 08:52:39	0.2	0.2	0.2
061	8/29/2022 08:53:39	0.2	0.2	0.2
062	8/29/2022 08:54:39	0.2	0.2	0.2
063	8/29/2022 08:55:39	0.2	0.2	0.2
064	8/29/2022 08:56:39	0.2	0.2	0.2
065	8/29/2022 08:57:39	0.2	0.2	0.2
066	8/29/2022 08:58:39	0.2	0.2	0.2
067	8/29/2022 08:59:39	0.2	0.2	0.2
068	8/29/2022 09:00:39	0.2	0.2	0.2
069	8/29/2022 09:01:39	0.2	0.2	0.2
070	8/29/2022 09:02:39	0.2	0.2	0.2
071	8/29/2022 09:03:39	0.2	0.2	0.2
072	8/29/2022 09:04:39	0.2	0.2	0.2
073	8/29/2022 09:05:39	0.2	0.2	0.2
074	8/29/2022 09:06:39	0.2	0.2	0.2
075	8/29/2022 09:07:39	0.2	0.2	0.2
076	8/29/2022 09:08:39	0.2	0.2	0.2
077	8/29/2022 09:09:39	0.2	0.2	0.2
078	8/29/2022 09:10:39	0.2	0.2	0.2
079	8/29/2022 09:11:39	0.2	0.3	0.2
080	8/29/2022 09:12:39	0.2	0.2	0.2
081	8/29/2022 09:13:39	0.2	0.3	0.2
082	8/29/2022 09:14:39	0.3	0.3	0.3
083	8/29/2022 09:15:39	0.3	0.3	0.3
084	8/29/2022 09:16:39	0.3	0.3	0.3
085	8/29/2022 09:17:39	0.3	0.3	0.3
086	8/29/2022 09:18:39	0.3	0.3	0.3
087	8/29/2022 09:19:39	0.3	0.3	0.3
088	8/29/2022 09:20:39	0.3	0.3	0.3
089	8/29/2022 09:21:39	0.3	0.3	0.3
090	8/29/2022 09:22:39	0.3	0.3	0.3
091	8/29/2022 09:23:39	0.3	0.3	0.3
092	8/29/2022 09:24:39	0.3	0.3	0.3
093	8/29/2022 09:25:39	0.3	0.3	0.3
094	8/29/2022 09:26:39	0.3	0.3	0.3
095	8/29/2022 09:27:39	0.3	0.3	0.3
096	8/29/2022 09:28:39	0.3	0.3	0.3
097	8/29/2022 09:29:39	0.3	0.3	0.3
098	8/29/2022 09:30:39	0.3	0.3	0.3
099	8/29/2022 09:31:39	0.3	0.3	0.3
100	8/29/2022 09:32:39	0.3	0.4	0.4
101	8/29/2022 09:33:39	0.3	0.4	0.3
102	8/29/2022 09:34:39	0.3	0.3	0.3
103	8/29/2022 09:35:39	0.3	0.3	0.3
104	8/29/2022 09:36:39	0.3	0.3	0.3
105	8/29/2022 09:37:39	0.3	0.3	0.3
106	8/29/2022 09:38:39	0.3	0.3	0.3
107	8/29/2022 09:39:39	0.3	0.3	0.3
108	8/29/2022 09:40:39	0.3	0.3	0.3

109	8/29/2022 09:41:39	0.3	0.3	0.3
110	8/29/2022 09:42:39	0.3	0.4	0.4
111	8/29/2022 09:43:39	0.4	0.4	0.4
112	8/29/2022 09:44:39	0.4	0.4	0.4
113	8/29/2022 09:45:39	0.4	0.4	0.4
114	8/29/2022 09:46:39	0.4	0.4	0.4
115	8/29/2022 09:47:39	0.4	0.4	0.4
116	8/29/2022 09:48:39	0.4	0.4	0.4
117	8/29/2022 09:49:39	0.4	0.4	0.4
118	8/29/2022 09:50:39	0.4	0.4	0.4
119	8/29/2022 09:51:39	0.4	0.4	0.4
120	8/29/2022 09:52:39	0.4	0.4	0.4
121	8/29/2022 09:53:39	0.4	0.4	0.4
122	8/29/2022 09:54:39	0.4	0.4	0.4
123	8/29/2022 09:55:39	0.4	0.4	0.4
124	8/29/2022 09:56:39	0.4	0.4	0.4
125	8/29/2022 09:57:39	0.4	0.4	0.4
126	8/29/2022 09:58:39	0.4	0.4	0.4
127	8/29/2022 09:59:39	0.4	0.4	0.4
128	8/29/2022 10:00:39	0.4	0.4	0.4
129	8/29/2022 10:01:39	0.4	0.4	0.4
130	8/29/2022 10:02:39	0.4	0.4	0.4
131	8/29/2022 10:03:39	0.4	0.4	0.4
132	8/29/2022 10:04:39	0.4	0.5	0.4
133	8/29/2022 10:05:39	0.4	0.5	0.4
134	8/29/2022 10:06:39	0.4	0.4	0.4
135	8/29/2022 10:07:39	0.4	0.4	0.4
136	8/29/2022 10:08:39	0.4	0.4	0.4
137	8/29/2022 10:09:39	0.4	0.4	0.4
138	8/29/2022 10:10:39	0.4	0.4	0.4
139	8/29/2022 10:11:39	0.4	0.4	0.4
140	8/29/2022 10:12:39	0.4	0.4	0.4
141	8/29/2022 10:13:39	0.4	0.4	0.4
142	8/29/2022 10:14:39	0.4	0.4	0.4
143	8/29/2022 10:15:39	0.4	0.4	0.4
144	8/29/2022 10:16:39	0.4	0.4	0.4
145	8/29/2022 10:17:39	0.4	0.4	0.4
146	8/29/2022 10:18:39	0.4	0.4	0.4
147	8/29/2022 10:19:39	0.4	0.4	0.4
148	8/29/2022 10:20:39	0.4	0.5	0.5
149	8/29/2022 10:21:39	0.4	0.5	0.4
150	8/29/2022 10:22:39	0.4	0.4	0.4
151	8/29/2022 10:23:39	0.4	0.5	0.4
152	8/29/2022 10:24:39	0.4	0.5	0.4
153	8/29/2022 10:25:39	0.4	0.4	0.4
154	8/29/2022 10:26:39	0.4	0.4	0.4
155	8/29/2022 10:27:39	0.4	0.4	0.4
156	8/29/2022 10:28:39	0.4	0.5	0.4
157	8/29/2022 10:29:39	0.4	0.4	0.4
158	8/29/2022 10:30:39	0.4	0.4	0.4

159	8/29/2022	10:31:39	0.4	0.4	0.4
160	8/29/2022	10:32:39	0.4	0.4	0.4
161	8/29/2022	10:33:39	0.4	0.4	0.4
162	8/29/2022	10:34:39	0.4	0.4	0.4
163	8/29/2022	10:35:39	0.4	0.4	0.4
164	8/29/2022	10:36:39	0.4	0.4	0.4
165	8/29/2022	10:37:39	0.4	0.4	0.4
166	8/29/2022	10:38:39	0.4	0.4	0.4
167	8/29/2022	10:39:39	0.4	0.4	0.4
168	8/29/2022	10:40:39	0.4	0.4	0.4
169	8/29/2022	10:41:39	0.4	0.4	0.4
170	8/29/2022	10:42:39	0.4	0.4	0.4
171	8/29/2022	10:43:39	0.4	0.4	0.4
172	8/29/2022	10:44:39	0.4	0.4	0.4
173	8/29/2022	10:45:39	0.4	0.4	0.4
174	8/29/2022	10:46:39	0.4	0.4	0.4
175	8/29/2022	10:47:39	0.4	0.4	0.4
176	8/29/2022	10:48:39	0.4	0.5	0.4
177	8/29/2022	10:49:39	0.4	0.5	0.4
178	8/29/2022	10:50:39	0.4	0.4	0.4
179	8/29/2022	10:51:39	0.4	0.4	0.4
180	8/29/2022	10:52:39	0.4	0.4	0.4
181	8/29/2022	10:53:39	0.4	0.4	0.4
182	8/29/2022	10:54:39	0.4	0.5	0.4
183	8/29/2022	10:55:39	0.4	0.7	0.4
184	8/29/2022	10:56:39	0.4	0.5	0.4
185	8/29/2022	10:57:39	0.4	0.4	0.4
186	8/29/2022	10:58:39	0.4	0.4	0.4
187	8/29/2022	10:59:39	0.4	0.4	0.4
188	8/29/2022	11:00:39	0.4	0.4	0.4
189	8/29/2022	11:01:39	0.4	0.4	0.4
190	8/29/2022	11:02:39	0.4	0.4	0.4
191	8/29/2022	11:03:39	0.4	0.4	0.4
192	8/29/2022	11:04:39	0.4	0.4	0.4
193	8/29/2022	11:05:39	0.4	0.4	0.4
194	8/29/2022	11:06:39	0.4	0.4	0.4
195	8/29/2022	11:07:39	0.4	0.4	0.4
196	8/29/2022	11:08:39	0.4	0.4	0.4
197	8/29/2022	11:09:39	0.4	0.4	0.4
198	8/29/2022	11:10:39	0.4	0.4	0.4
199	8/29/2022	11:11:39	0.4	0.4	0.4
200	8/29/2022	11:12:39	0.4	0.4	0.4
201	8/29/2022	11:13:39	0.4	0.4	0.4
202	8/29/2022	11:14:39	0.4	0.4	0.4
203	8/29/2022	11:15:39	0.4	0.4	0.4
204	8/29/2022	11:16:39	0.4	0.4	0.4
205	8/29/2022	11:17:39	0.4	0.4	0.4
206	8/29/2022	11:18:39	0.4	0.4	0.4
207	8/29/2022	11:19:39	0.4	0.4	0.4
208	8/29/2022	11:20:39	0.4	0.4	0.4

209	8/29/2022 11:21:39	0.4	0.4	0.4
210	8/29/2022 11:22:39	0.4	0.4	0.4
211	8/29/2022 11:23:39	0.4	0.4	0.4
212	8/29/2022 11:24:39	0.4	0.4	0.4
213	8/29/2022 11:25:39	0.4	0.4	0.4
214	8/29/2022 11:26:39	0.4	0.4	0.4
215	8/29/2022 11:27:39	0.4	0.4	0.4
216	8/29/2022 11:28:39	0.4	0.4	0.4
217	8/29/2022 11:29:39	0.4	0.4	0.4
218	8/29/2022 11:30:39	0.4	0.4	0.4
219	8/29/2022 11:31:39	0.4	0.4	0.4
220	8/29/2022 11:32:39	0.4	0.4	0.4
221	8/29/2022 11:33:39	0.4	0.4	0.4
222	8/29/2022 11:34:39	0.4	0.4	0.4
223	8/29/2022 11:35:39	0.4	0.4	0.4
224	8/29/2022 11:36:39	0.4	0.4	0.4
225	8/29/2022 11:37:39	0.4	0.4	0.4
226	8/29/2022 11:38:39	0.4	0.4	0.4
227	8/29/2022 11:39:39	0.4	0.4	0.4
228	8/29/2022 11:40:39	0.4	0.4	0.4
229	8/29/2022 11:41:39	0.4	0.4	0.4
230	8/29/2022 11:42:39	0.4	0.4	0.4
231	8/29/2022 11:43:39	0.4	0.4	0.4
232	8/29/2022 11:44:39	0.4	0.4	0.4
233	8/29/2022 11:45:39	0.4	0.4	0.4
234	8/29/2022 11:46:39	0.4	0.4	0.4
235	8/29/2022 11:47:39	0.4	0.4	0.4
236	8/29/2022 11:48:39	0.4	0.4	0.4
237	8/29/2022 11:49:39	0.4	0.4	0.4
238	8/29/2022 11:50:39	0.4	0.4	0.4
239	8/29/2022 11:51:39	0.4	0.4	0.4
240	8/29/2022 11:52:39	0.4	0.4	0.4
241	8/29/2022 11:53:39	0.4	0.4	0.4
242	8/29/2022 11:54:39	0.4	0.4	0.4
243	8/29/2022 11:55:39	0.4	0.4	0.4
244	8/29/2022 11:56:39	0.4	0.4	0.4
245	8/29/2022 11:57:39	0.4	0.4	0.4
246	8/29/2022 11:58:39	0.4	0.4	0.4
247	8/29/2022 11:59:39	0.3	0.4	0.3
248	8/29/2022 12:00:39	0.3	0.3	0.3
249	8/29/2022 12:01:39	0.3	0.3	0.3
250	8/29/2022 12:02:39	0.3	0.3	0.3
251	8/29/2022 12:03:39	0.3	0.3	0.3
252	8/29/2022 12:04:39	0.3	0.3	0.3
253	8/29/2022 12:05:39	0.3	0.3	0.3
254	8/29/2022 12:06:39	0.3	0.3	0.3
255	8/29/2022 12:07:39	0.3	0.3	0.3
256	8/29/2022 12:08:39	0.3	0.3	0.3
257	8/29/2022 12:09:39	0.3	0.3	0.3
258	8/29/2022 12:10:39	0.3	0.3	0.3

259	8/29/2022 12:11:39	0.3	0.3	0.3
260	8/29/2022 12:12:39	0.3	0.4	0.3
261	8/29/2022 12:13:39	0.3	0.4	0.3
262	8/29/2022 12:14:39	0.4	0.4	0.4
263	8/29/2022 12:15:39	0.4	0.4	0.4
264	8/29/2022 12:16:39	0.4	0.4	0.4
265	8/29/2022 12:17:39	0.3	0.4	0.4
266	8/29/2022 12:18:39	0.4	0.4	0.4
267	8/29/2022 12:19:39	0.4	0.4	0.4
268	8/29/2022 12:20:39	0.3	0.4	0.3
269	8/29/2022 12:21:39	0.3	0.3	0.3
270	8/29/2022 12:22:39	0.3	0.3	0.3
271	8/29/2022 12:23:39	0.3	0.3	0.3
272	8/29/2022 12:24:39	0.3	0.3	0.3
273	8/29/2022 12:25:39	0.3	0.3	0.3
274	8/29/2022 12:26:39	0.3	0.3	0.3
275	8/29/2022 12:27:39	0.3	0.3	0.3
276	8/29/2022 12:28:39	0.3	0.3	0.3
277	8/29/2022 12:29:39	0.3	0.3	0.3
278	8/29/2022 12:30:39	0.3	0.3	0.3
279	8/29/2022 12:31:39	0.3	0.3	0.3
280	8/29/2022 12:32:39	0.3	0.3	0.3
281	8/29/2022 12:33:39	0.3	0.3	0.3
282	8/29/2022 12:34:39	0.3	0.3	0.3
283	8/29/2022 12:35:39	0.3	0.3	0.3
284	8/29/2022 12:36:39	0.3	0.3	0.3
285	8/29/2022 12:37:39	0.3	0.3	0.3
286	8/29/2022 12:38:39	0.3	0.3	0.3
287	8/29/2022 12:39:39	0.3	0.3	0.3
288	8/29/2022 12:40:39	0.3	0.4	0.3
289	8/29/2022 12:41:39	0.3	0.4	0.4
290	8/29/2022 12:42:39	0.3	0.4	0.4
291	8/29/2022 12:43:39	0.4	0.4	0.4
292	8/29/2022 12:44:39	0.4	0.4	0.4
293	8/29/2022 12:45:39	0.4	0.4	0.4
294	8/29/2022 12:46:39	0.4	0.4	0.4
295	8/29/2022 12:47:39	0.4	0.4	0.4
296	8/29/2022 12:48:39	0.4	0.4	0.4
297	8/29/2022 12:49:39	0.4	0.4	0.4
298	8/29/2022 12:50:39	0.4	0.4	0.4
299	8/29/2022 12:51:39	0.4	0.4	0.4
300	8/29/2022 12:52:39	0.4	0.4	0.4
301	8/29/2022 12:53:39	0.4	0.4	0.4
302	8/29/2022 12:54:39	0.4	0.4	0.4
303	8/29/2022 12:55:39	0.4	0.4	0.4
304	8/29/2022 12:56:39	0.4	0.4	0.4
305	8/29/2022 12:57:39	0.4	0.4	0.4
306	8/29/2022 12:58:39	0.4	0.4	0.4
307	8/29/2022 12:59:39	0.4	0.4	0.4
308	8/29/2022 13:00:39	0.4	0.4	0.4

309	8/29/2022 13:01:39	0.4	0.4	0.4
310	8/29/2022 13:02:39	0.4	0.4	0.4
311	8/29/2022 13:03:39	0.4	0.4	0.4
312	8/29/2022 13:04:39	0.4	0.4	0.4
313	8/29/2022 13:05:39	0.4	0.4	0.4
314	8/29/2022 13:06:39	0.4	0.4	0.4
315	8/29/2022 13:07:39	0.4	0.4	0.4
316	8/29/2022 13:08:39	0.4	0.4	0.4
317	8/29/2022 13:09:39	0.4	0.4	0.4
318	8/29/2022 13:10:39	0.4	0.4	0.4
319	8/29/2022 13:11:39	0.4	0.4	0.4
320	8/29/2022 13:12:39	0.4	0.4	0.4
321	8/29/2022 13:13:39	0.4	0.4	0.4
322	8/29/2022 13:14:39	0.4	0.4	0.4
323	8/29/2022 13:15:39	0.4	0.4	0.4
324	8/29/2022 13:16:39	0.4	0.4	0.4
325	8/29/2022 13:17:39	0.4	0.4	0.4
326	8/29/2022 13:18:39	0.4	0.4	0.4
327	8/29/2022 13:19:39	0.4	0.4	0.4
328	8/29/2022 13:20:39	0.4	0.4	0.4
329	8/29/2022 13:21:39	0.4	0.4	0.4
330	8/29/2022 13:22:39	0.4	0.4	0.4
331	8/29/2022 13:23:39	0.4	0.4	0.4
332	8/29/2022 13:24:39	0.4	0.4	0.4
333	8/29/2022 13:25:39	0.4	0.4	0.4
334	8/29/2022 13:26:39	0.4	0.4	0.4
335	8/29/2022 13:27:39	0.4	0.4	0.4
336	8/29/2022 13:28:39	0.4	0.4	0.4
337	8/29/2022 13:29:39	0.4	0.4	0.4
338	8/29/2022 13:30:39	0.4	0.4	0.4
339	8/29/2022 13:31:39	0.4	0.4	0.4
340	8/29/2022 13:32:39	0.4	0.4	0.4
341	8/29/2022 13:33:39	0.4	0.4	0.4
342	8/29/2022 13:34:39	0.4	0.4	0.4
343	8/29/2022 13:35:39	0.4	0.4	0.4
344	8/29/2022 13:36:39	0.4	0.4	0.4
345	8/29/2022 13:37:39	0.4	0.4	0.4
346	8/29/2022 13:38:39	0.4	0.4	0.4
347	8/29/2022 13:39:39	0.3	0.4	0.3
348	8/29/2022 13:40:39	0.3	0.3	0.3
349	8/29/2022 13:41:39	0.3	0.3	0.3
350	8/29/2022 13:42:39	0.3	0.3	0.3
351	8/29/2022 13:43:39	0.3	0.3	0.3
352	8/29/2022 13:44:39	0.3	0.3	0.3
353	8/29/2022 13:45:39	0.3	0.3	0.3
354	8/29/2022 13:46:39	0.3	0.3	0.3
355	8/29/2022 13:47:39	0.3	0.3	0.3
356	8/29/2022 13:48:39	0.4	0.4	0.4
357	8/29/2022 13:49:39	0.4	0.4	0.4
358	8/29/2022 13:50:39	0.4	0.4	0.4

359	8/29/2022	13:51:39	0.4	0.4	0.4
360	8/29/2022	13:52:39	0.4	0.4	0.4
361	8/29/2022	13:53:39	0.4	0.4	0.4
362	8/29/2022	13:54:39	0.4	0.4	0.4
363	8/29/2022	13:55:39	0.4	0.4	0.4
364	8/29/2022	13:56:39	0.4	0.4	0.4
365	8/29/2022	13:57:39	0.4	0.4	0.4
366	8/29/2022	13:58:39	0.4	0.4	0.4
367	8/29/2022	13:59:39	0.4	0.4	0.4
368	8/29/2022	14:00:39	0.4	0.4	0.4
369	8/29/2022	14:01:39	0.4	0.4	0.4
370	8/29/2022	14:02:39	0.4	0.4	0.4
371	8/29/2022	14:03:39	0.4	0.4	0.4
372	8/29/2022	14:04:39	0.4	0.4	0.4
373	8/29/2022	14:05:39	0.4	0.4	0.4
374	8/29/2022	14:06:39	0.4	0.4	0.4
375	8/29/2022	14:07:39	0.4	0.4	0.4
376	8/29/2022	14:08:39	0.4	0.4	0.4
377	8/29/2022	14:09:39	0.4	0.4	0.4
378	8/29/2022	14:10:39	0.4	0.4	0.4
379	8/29/2022	14:11:39	0.4	0.4	0.4
380	8/29/2022	14:12:39	0.4	0.4	0.4
381	8/29/2022	14:13:39	0.4	0.4	0.4
382	8/29/2022	14:14:39	0.4	0.4	0.4
383	8/29/2022	14:15:39	0.4	0.4	0.4
384	8/29/2022	14:16:39	0.4	0.4	0.4
385	8/29/2022	14:17:39	0.4	0.4	0.4
Peak			0.5	1.0	0.5
Min			0.0	0.0	0.0
Average			0.3	0.3	0.3

****

TWA/STEL

Index	Date/Time		PID(ppm) (TWA)	PID(ppm) (STEL)
001	8/29/2022	07:53:39	0.0	---
002	8/29/2022	07:54:39	0.0	---
003	8/29/2022	07:55:39	0.0	---
004	8/29/2022	07:56:39	0.0	---
005	8/29/2022	07:57:39	0.0	---
006	8/29/2022	07:58:39	0.0	---
007	8/29/2022	07:59:39	0.0	---
008	8/29/2022	08:00:39	0.0	---
009	8/29/2022	08:01:39	0.0	---
010	8/29/2022	08:02:39	0.0	---
011	8/29/2022	08:03:39	0.0	---
012	8/29/2022	08:04:39	0.0	---
013	8/29/2022	08:05:39	0.0	---
014	8/29/2022	08:06:39	0.0	---
015	8/29/2022	08:07:39	0.0	0.0

016	8/29/2022 08:08:39	0.0	0.0
017	8/29/2022 08:09:39	0.0	0.0
018	8/29/2022 08:10:39	0.0	0.0
019	8/29/2022 08:11:39	0.0	0.0
020	8/29/2022 08:12:39	0.0	0.0
021	8/29/2022 08:13:39	0.0	0.0
022	8/29/2022 08:14:39	0.0	0.0
023	8/29/2022 08:15:39	0.0	0.0
024	8/29/2022 08:16:39	0.0	0.0
025	8/29/2022 08:17:39	0.0	0.0
026	8/29/2022 08:18:39	0.0	0.0
027	8/29/2022 08:19:39	0.0	0.1
028	8/29/2022 08:20:39	0.0	0.1
029	8/29/2022 08:21:39	0.0	0.1
030	8/29/2022 08:22:39	0.0	0.1
031	8/29/2022 08:23:39	0.0	0.1
032	8/29/2022 08:24:39	0.0	0.1
033	8/29/2022 08:25:39	0.0	0.1
034	8/29/2022 08:26:39	0.0	0.1
035	8/29/2022 08:27:39	0.0	0.1
036	8/29/2022 08:28:39	0.0	0.1
037	8/29/2022 08:29:39	0.0	0.1
038	8/29/2022 08:30:39	0.0	0.2
039	8/29/2022 08:31:39	0.0	0.2
040	8/29/2022 08:32:39	0.0	0.2
041	8/29/2022 08:33:39	0.0	0.1
042	8/29/2022 08:34:39	0.0	0.1
043	8/29/2022 08:35:39	0.0	0.1
044	8/29/2022 08:36:39	0.0	0.1
045	8/29/2022 08:37:39	0.0	0.1
046	8/29/2022 08:38:39	0.0	0.1
047	8/29/2022 08:39:39	0.0	0.1
048	8/29/2022 08:40:39	0.0	0.1
049	8/29/2022 08:41:39	0.0	0.1
050	8/29/2022 08:42:39	0.0	0.1
051	8/29/2022 08:43:39	0.0	0.1
052	8/29/2022 08:44:39	0.0	0.1
053	8/29/2022 08:45:39	0.0	0.1
054	8/29/2022 08:46:39	0.0	0.1
055	8/29/2022 08:47:39	0.0	0.1
056	8/29/2022 08:48:39	0.0	0.1
057	8/29/2022 08:49:39	0.0	0.1
058	8/29/2022 08:50:39	0.0	0.1
059	8/29/2022 08:51:39	0.0	0.1
060	8/29/2022 08:52:39	0.0	0.1
061	8/29/2022 08:53:39	0.0	0.1
062	8/29/2022 08:54:39	0.0	0.1
063	8/29/2022 08:55:39	0.0	0.2
064	8/29/2022 08:56:39	0.0	0.2
065	8/29/2022 08:57:39	0.0	0.2

066	8/29/2022 08:58:39	0.0	0.2
067	8/29/2022 08:59:39	0.0	0.2
068	8/29/2022 09:00:39	0.0	0.2
069	8/29/2022 09:01:39	0.0	0.2
070	8/29/2022 09:02:39	0.0	0.2
071	8/29/2022 09:03:39	0.0	0.2
072	8/29/2022 09:04:39	0.0	0.2
073	8/29/2022 09:05:39	0.0	0.2
074	8/29/2022 09:06:39	0.0	0.2
075	8/29/2022 09:07:39	0.0	0.2
076	8/29/2022 09:08:39	0.0	0.2
077	8/29/2022 09:09:39	0.0	0.2
078	8/29/2022 09:10:39	0.0	0.2
079	8/29/2022 09:11:39	0.0	0.2
080	8/29/2022 09:12:39	0.0	0.2
081	8/29/2022 09:13:39	0.0	0.2
082	8/29/2022 09:14:39	0.0	0.2
083	8/29/2022 09:15:39	0.0	0.2
084	8/29/2022 09:16:39	0.0	0.2
085	8/29/2022 09:17:39	0.0	0.2
086	8/29/2022 09:18:39	0.0	0.2
087	8/29/2022 09:19:39	0.0	0.3
088	8/29/2022 09:20:39	0.0	0.3
089	8/29/2022 09:21:39	0.0	0.3
090	8/29/2022 09:22:39	0.0	0.3
091	8/29/2022 09:23:39	0.0	0.3
092	8/29/2022 09:24:39	0.0	0.3
093	8/29/2022 09:25:39	0.0	0.3
094	8/29/2022 09:26:39	0.0	0.3
095	8/29/2022 09:27:39	0.0	0.3
096	8/29/2022 09:28:39	0.0	0.3
097	8/29/2022 09:29:39	0.0	0.3
098	8/29/2022 09:30:39	0.0	0.3
099	8/29/2022 09:31:39	0.0	0.3
100	8/29/2022 09:32:39	0.0	0.3
101	8/29/2022 09:33:39	0.0	0.3
102	8/29/2022 09:34:39	0.0	0.3
103	8/29/2022 09:35:39	0.0	0.3
104	8/29/2022 09:36:39	0.0	0.3
105	8/29/2022 09:37:39	0.0	0.3
106	8/29/2022 09:38:39	0.0	0.3
107	8/29/2022 09:39:39	0.0	0.3
108	8/29/2022 09:40:39	0.0	0.3
109	8/29/2022 09:41:39	0.0	0.3
110	8/29/2022 09:42:39	0.0	0.3
111	8/29/2022 09:43:39	0.0	0.3
112	8/29/2022 09:44:39	0.0	0.3
113	8/29/2022 09:45:39	0.0	0.4
114	8/29/2022 09:46:39	0.0	0.4
115	8/29/2022 09:47:39	0.0	0.4

116	8/29/2022 09:48:39	0.0	0.4
117	8/29/2022 09:49:39	0.0	0.4
118	8/29/2022 09:50:39	0.0	0.4
119	8/29/2022 09:51:39	0.0	0.4
120	8/29/2022 09:52:39	0.0	0.4
121	8/29/2022 09:53:39	0.0	0.4
122	8/29/2022 09:54:39	0.0	0.4
123	8/29/2022 09:55:39	0.0	0.4
124	8/29/2022 09:56:39	0.0	0.4
125	8/29/2022 09:57:39	0.0	0.4
126	8/29/2022 09:58:39	0.1	0.4
127	8/29/2022 09:59:39	0.1	0.4
128	8/29/2022 10:00:39	0.1	0.4
129	8/29/2022 10:01:39	0.1	0.4
130	8/29/2022 10:02:39	0.1	0.4
131	8/29/2022 10:03:39	0.1	0.4
132	8/29/2022 10:04:39	0.1	0.4
133	8/29/2022 10:05:39	0.1	0.4
134	8/29/2022 10:06:39	0.1	0.4
135	8/29/2022 10:07:39	0.1	0.4
136	8/29/2022 10:08:39	0.1	0.4
137	8/29/2022 10:09:39	0.1	0.4
138	8/29/2022 10:10:39	0.1	0.4
139	8/29/2022 10:11:39	0.1	0.4
140	8/29/2022 10:12:39	0.1	0.4
141	8/29/2022 10:13:39	0.1	0.4
142	8/29/2022 10:14:39	0.1	0.4
143	8/29/2022 10:15:39	0.1	0.4
144	8/29/2022 10:16:39	0.1	0.4
145	8/29/2022 10:17:39	0.1	0.4
146	8/29/2022 10:18:39	0.1	0.4
147	8/29/2022 10:19:39	0.1	0.4
148	8/29/2022 10:20:39	0.1	0.4
149	8/29/2022 10:21:39	0.1	0.4
150	8/29/2022 10:22:39	0.1	0.4
151	8/29/2022 10:23:39	0.1	0.4
152	8/29/2022 10:24:39	0.1	0.4
153	8/29/2022 10:25:39	0.1	0.4
154	8/29/2022 10:26:39	0.1	0.4
155	8/29/2022 10:27:39	0.1	0.4
156	8/29/2022 10:28:39	0.1	0.4
157	8/29/2022 10:29:39	0.1	0.4
158	8/29/2022 10:30:39	0.1	0.4
159	8/29/2022 10:31:39	0.1	0.4
160	8/29/2022 10:32:39	0.1	0.4
161	8/29/2022 10:33:39	0.1	0.4
162	8/29/2022 10:34:39	0.1	0.4
163	8/29/2022 10:35:39	0.1	0.4
164	8/29/2022 10:36:39	0.1	0.4
165	8/29/2022 10:37:39	0.1	0.4

166	8/29/2022 10:38:39	0.1	0.4
167	8/29/2022 10:39:39	0.1	0.4
168	8/29/2022 10:40:39	0.1	0.4
169	8/29/2022 10:41:39	0.1	0.4
170	8/29/2022 10:42:39	0.1	0.4
171	8/29/2022 10:43:39	0.1	0.4
172	8/29/2022 10:44:39	0.1	0.4
173	8/29/2022 10:45:39	0.1	0.4
174	8/29/2022 10:46:39	0.1	0.4
175	8/29/2022 10:47:39	0.1	0.4
176	8/29/2022 10:48:39	0.1	0.4
177	8/29/2022 10:49:39	0.1	0.4
178	8/29/2022 10:50:39	0.1	0.4
179	8/29/2022 10:51:39	0.1	0.4
180	8/29/2022 10:52:39	0.1	0.4
181	8/29/2022 10:53:39	0.1	0.4
182	8/29/2022 10:54:39	0.1	0.4
183	8/29/2022 10:55:39	0.1	0.4
184	8/29/2022 10:56:39	0.1	0.4
185	8/29/2022 10:57:39	0.1	0.4
186	8/29/2022 10:58:39	0.1	0.4
187	8/29/2022 10:59:39	0.1	0.4
188	8/29/2022 11:00:39	0.1	0.4
189	8/29/2022 11:01:39	0.1	0.4
190	8/29/2022 11:02:39	0.1	0.4
191	8/29/2022 11:03:39	0.1	0.4
192	8/29/2022 11:04:39	0.1	0.4
193	8/29/2022 11:05:39	0.1	0.4
194	8/29/2022 11:06:39	0.1	0.4
195	8/29/2022 11:07:39	0.1	0.4
196	8/29/2022 11:08:39	0.1	0.4
197	8/29/2022 11:09:39	0.1	0.4
198	8/29/2022 11:10:39	0.1	0.4
199	8/29/2022 11:11:39	0.1	0.4
200	8/29/2022 11:12:39	0.1	0.4
201	8/29/2022 11:13:39	0.1	0.4
202	8/29/2022 11:14:39	0.1	0.4
203	8/29/2022 11:15:39	0.1	0.4
204	8/29/2022 11:16:39	0.1	0.4
205	8/29/2022 11:17:39	0.1	0.4
206	8/29/2022 11:18:39	0.1	0.4
207	8/29/2022 11:19:39	0.1	0.4
208	8/29/2022 11:20:39	0.1	0.4
209	8/29/2022 11:21:39	0.1	0.4
210	8/29/2022 11:22:39	0.1	0.4
211	8/29/2022 11:23:39	0.1	0.4
212	8/29/2022 11:24:39	0.1	0.4
213	8/29/2022 11:25:39	0.1	0.4
214	8/29/2022 11:26:39	0.1	0.4
215	8/29/2022 11:27:39	0.1	0.4

216	8/29/2022 11:28:39	0.1	0.4
217	8/29/2022 11:29:39	0.1	0.4
218	8/29/2022 11:30:39	0.1	0.4
219	8/29/2022 11:31:39	0.1	0.4
220	8/29/2022 11:32:39	0.1	0.4
221	8/29/2022 11:33:39	0.1	0.4
222	8/29/2022 11:34:39	0.1	0.4
223	8/29/2022 11:35:39	0.1	0.4
224	8/29/2022 11:36:39	0.1	0.4
225	8/29/2022 11:37:39	0.1	0.4
226	8/29/2022 11:38:39	0.1	0.4
227	8/29/2022 11:39:39	0.1	0.4
228	8/29/2022 11:40:39	0.1	0.4
229	8/29/2022 11:41:39	0.1	0.4
230	8/29/2022 11:42:39	0.1	0.4
231	8/29/2022 11:43:39	0.1	0.4
232	8/29/2022 11:44:39	0.1	0.4
233	8/29/2022 11:45:39	0.1	0.4
234	8/29/2022 11:46:39	0.1	0.4
235	8/29/2022 11:47:39	0.1	0.4
236	8/29/2022 11:48:39	0.1	0.4
237	8/29/2022 11:49:39	0.1	0.4
238	8/29/2022 11:50:39	0.1	0.4
239	8/29/2022 11:51:39	0.1	0.4
240	8/29/2022 11:52:39	0.1	0.4
241	8/29/2022 11:53:39	0.1	0.4
242	8/29/2022 11:54:39	0.1	0.4
243	8/29/2022 11:55:39	0.1	0.4
244	8/29/2022 11:56:39	0.1	0.4
245	8/29/2022 11:57:39	0.2	0.4
246	8/29/2022 11:58:39	0.2	0.4
247	8/29/2022 11:59:39	0.2	0.4
248	8/29/2022 12:00:39	0.2	0.4
249	8/29/2022 12:01:39	0.2	0.4
250	8/29/2022 12:02:39	0.2	0.4
251	8/29/2022 12:03:39	0.2	0.4
252	8/29/2022 12:04:39	0.2	0.4
253	8/29/2022 12:05:39	0.2	0.4
254	8/29/2022 12:06:39	0.2	0.4
255	8/29/2022 12:07:39	0.2	0.4
256	8/29/2022 12:08:39	0.2	0.4
257	8/29/2022 12:09:39	0.2	0.4
258	8/29/2022 12:10:39	0.2	0.3
259	8/29/2022 12:11:39	0.2	0.3
260	8/29/2022 12:12:39	0.2	0.3
261	8/29/2022 12:13:39	0.2	0.3
262	8/29/2022 12:14:39	0.2	0.3
263	8/29/2022 12:15:39	0.2	0.3
264	8/29/2022 12:16:39	0.2	0.3
265	8/29/2022 12:17:39	0.2	0.3

266	8/29/2022 12:18:39	0.2	0.4
267	8/29/2022 12:19:39	0.2	0.4
268	8/29/2022 12:20:39	0.2	0.4
269	8/29/2022 12:21:39	0.2	0.4
270	8/29/2022 12:22:39	0.2	0.4
271	8/29/2022 12:23:39	0.2	0.4
272	8/29/2022 12:24:39	0.2	0.4
273	8/29/2022 12:25:39	0.2	0.4
274	8/29/2022 12:26:39	0.2	0.4
275	8/29/2022 12:27:39	0.2	0.4
276	8/29/2022 12:28:39	0.2	0.4
277	8/29/2022 12:29:39	0.2	0.4
278	8/29/2022 12:30:39	0.2	0.4
279	8/29/2022 12:31:39	0.2	0.3
280	8/29/2022 12:32:39	0.2	0.3
281	8/29/2022 12:33:39	0.2	0.3
282	8/29/2022 12:34:39	0.2	0.3
283	8/29/2022 12:35:39	0.2	0.3
284	8/29/2022 12:36:39	0.2	0.3
285	8/29/2022 12:37:39	0.2	0.3
286	8/29/2022 12:38:39	0.2	0.3
287	8/29/2022 12:39:39	0.2	0.3
288	8/29/2022 12:40:39	0.2	0.3
289	8/29/2022 12:41:39	0.2	0.3
290	8/29/2022 12:42:39	0.2	0.3
291	8/29/2022 12:43:39	0.2	0.3
292	8/29/2022 12:44:39	0.2	0.3
293	8/29/2022 12:45:39	0.2	0.4
294	8/29/2022 12:46:39	0.2	0.4
295	8/29/2022 12:47:39	0.2	0.4
296	8/29/2022 12:48:39	0.2	0.4
297	8/29/2022 12:49:39	0.2	0.4
298	8/29/2022 12:50:39	0.2	0.4
299	8/29/2022 12:51:39	0.2	0.4
300	8/29/2022 12:52:39	0.2	0.4
301	8/29/2022 12:53:39	0.2	0.4
302	8/29/2022 12:54:39	0.2	0.4
303	8/29/2022 12:55:39	0.2	0.4
304	8/29/2022 12:56:39	0.2	0.4
305	8/29/2022 12:57:39	0.2	0.4
306	8/29/2022 12:58:39	0.2	0.4
307	8/29/2022 12:59:39	0.2	0.4
308	8/29/2022 13:00:39	0.2	0.4
309	8/29/2022 13:01:39	0.2	0.4
310	8/29/2022 13:02:39	0.2	0.4
311	8/29/2022 13:03:39	0.2	0.4
312	8/29/2022 13:04:39	0.2	0.4
313	8/29/2022 13:05:39	0.2	0.4
314	8/29/2022 13:06:39	0.2	0.4
315	8/29/2022 13:07:39	0.2	0.4

316	8/29/2022 13:08:39	0.2	0.4
317	8/29/2022 13:09:39	0.2	0.4
318	8/29/2022 13:10:39	0.2	0.4
319	8/29/2022 13:11:39	0.2	0.4
320	8/29/2022 13:12:39	0.2	0.4
321	8/29/2022 13:13:39	0.2	0.4
322	8/29/2022 13:14:39	0.2	0.4
323	8/29/2022 13:15:39	0.2	0.4
324	8/29/2022 13:16:39	0.2	0.4
325	8/29/2022 13:17:39	0.2	0.4
326	8/29/2022 13:18:39	0.2	0.4
327	8/29/2022 13:19:39	0.2	0.4
328	8/29/2022 13:20:39	0.2	0.4
329	8/29/2022 13:21:39	0.2	0.4
330	8/29/2022 13:22:39	0.2	0.4
331	8/29/2022 13:23:39	0.2	0.4
332	8/29/2022 13:24:39	0.2	0.4
333	8/29/2022 13:25:39	0.2	0.4
334	8/29/2022 13:26:39	0.2	0.4
335	8/29/2022 13:27:39	0.2	0.4
336	8/29/2022 13:28:39	0.2	0.4
337	8/29/2022 13:29:39	0.2	0.4
338	8/29/2022 13:30:39	0.2	0.4
339	8/29/2022 13:31:39	0.2	0.4
340	8/29/2022 13:32:39	0.2	0.4
341	8/29/2022 13:33:39	0.2	0.4
342	8/29/2022 13:34:39	0.2	0.4
343	8/29/2022 13:35:39	0.2	0.4
344	8/29/2022 13:36:39	0.2	0.4
345	8/29/2022 13:37:39	0.2	0.4
346	8/29/2022 13:38:39	0.2	0.4
347	8/29/2022 13:39:39	0.2	0.4
348	8/29/2022 13:40:39	0.2	0.4
349	8/29/2022 13:41:39	0.2	0.4
350	8/29/2022 13:42:39	0.2	0.4
351	8/29/2022 13:43:39	0.2	0.4
352	8/29/2022 13:44:39	0.2	0.4
353	8/29/2022 13:45:39	0.2	0.4
354	8/29/2022 13:46:39	0.2	0.4
355	8/29/2022 13:47:39	0.2	0.4
356	8/29/2022 13:48:39	0.2	0.4
357	8/29/2022 13:49:39	0.2	0.4
358	8/29/2022 13:50:39	0.2	0.4
359	8/29/2022 13:51:39	0.2	0.4
360	8/29/2022 13:52:39	0.2	0.4
361	8/29/2022 13:53:39	0.2	0.4
362	8/29/2022 13:54:39	0.2	0.4
363	8/29/2022 13:55:39	0.2	0.4
364	8/29/2022 13:56:39	0.2	0.4
365	8/29/2022 13:57:39	0.2	0.4

366	8/29/2022 13:58:39	0.2	0.4
367	8/29/2022 13:59:39	0.2	0.4
368	8/29/2022 14:00:39	0.2	0.4
369	8/29/2022 14:01:39	0.2	0.4
370	8/29/2022 14:02:39	0.2	0.4
371	8/29/2022 14:03:39	0.2	0.4
372	8/29/2022 14:04:39	0.2	0.4
373	8/29/2022 14:05:39	0.2	0.4
374	8/29/2022 14:06:39	0.2	0.4
375	8/29/2022 14:07:39	0.2	0.4
376	8/29/2022 14:08:39	0.2	0.4
377	8/29/2022 14:09:39	0.3	0.4
378	8/29/2022 14:10:39	0.3	0.4
379	8/29/2022 14:11:39	0.3	0.4
380	8/29/2022 14:12:39	0.3	0.4
381	8/29/2022 14:13:39	0.3	0.4
382	8/29/2022 14:14:39	0.3	0.4
383	8/29/2022 14:15:39	0.3	0.4
384	8/29/2022 14:16:39	0.3	0.4
385	8/29/2022 14:17:39	0.3	0.4

==========

22/09/12 08:48

****

Summary

Unit Name	MiniRAE 3000 +(PGM-7320)
Unit SN	592-602327
Unit Firmware Ver	V2.22

Running Mode	Hygiene Mode
Datalog Mode	Auto
Diagnostic Mode	No
Stop Reason	Power Down

Site ID	12345678
User ID	12345678

Begin	9/12/2022 08:48:19
End	9/12/2022 09:31:21
Sample Period(s)	60
Number of Records	43

Sensor	PID(ppm)
Sensor SN	S023030372B7
Measure Type	Avg; Max; Real
Span	100.0
Span 2	1000.0
Low Alarm	50.0
High Alarm	100.0
Over Alarm	15000.0

STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.0
Min 0.0
Average 0.0

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/12/2022	08:49:19	0.1	0.2	0.0
002	9/12/2022	08:50:19	0.0	0.0	0.0
003	9/12/2022	08:51:19	0.0	0.0	0.0
004	9/12/2022	08:52:19	0.0	0.0	0.0
005	9/12/2022	08:53:19	0.0	0.0	0.0
006	9/12/2022	08:54:19	0.0	0.0	0.0
007	9/12/2022	08:55:19	0.0	0.0	0.0
008	9/12/2022	08:56:19	0.0	0.0	0.0
009	9/12/2022	08:57:19	0.0	0.0	0.0
010	9/12/2022	08:58:19	0.0	0.0	0.0
011	9/12/2022	08:59:19	0.0	0.0	0.0
012	9/12/2022	09:00:19	0.0	0.0	0.0
013	9/12/2022	09:01:19	0.0	0.0	0.0
014	9/12/2022	09:02:19	0.0	0.0	0.0
015	9/12/2022	09:03:19	0.0	0.0	0.0
016	9/12/2022	09:04:19	0.0	0.0	0.0
017	9/12/2022	09:05:19	0.0	0.0	0.0
018	9/12/2022	09:06:19	0.0	0.0	0.0
019	9/12/2022	09:07:19	0.0	0.0	0.0
020	9/12/2022	09:08:19	0.0	0.0	0.0
021	9/12/2022	09:09:19	0.0	0.0	0.0
022	9/12/2022	09:10:19	0.0	0.0	0.0
023	9/12/2022	09:11:19	0.0	0.0	0.0
024	9/12/2022	09:12:19	0.0	0.0	0.0
025	9/12/2022	09:13:19	0.0	0.0	0.0
026	9/12/2022	09:14:19	0.0	0.0	0.0
027	9/12/2022	09:15:19	0.0	0.0	0.0
028	9/12/2022	09:16:19	0.0	0.0	0.0
029	9/12/2022	09:17:19	0.0	0.0	0.0
030	9/12/2022	09:18:19	0.0	0.0	0.0
031	9/12/2022	09:19:19	0.0	0.0	0.0
032	9/12/2022	09:20:19	0.0	0.0	0.0
033	9/12/2022	09:21:19	0.0	0.0	0.0
034	9/12/2022	09:22:19	0.0	0.1	0.0
035	9/12/2022	09:23:19	0.0	0.0	0.0
036	9/12/2022	09:24:19	0.0	0.0	0.0
037	9/12/2022	09:25:19	0.0	0.0	0.0
038	9/12/2022	09:26:19	0.0	0.1	0.0

039	9/12/2022	09:27:19	0.0	0.0	0.0
040	9/12/2022	09:28:19	0.0	0.0	0.0
041	9/12/2022	09:29:19	0.0	0.0	0.0
042	9/12/2022	09:30:19	0.0	0.0	0.0
043	9/12/2022	09:31:19	0.0	0.0	0.0
Peak		0.1	0.2	0.0	
Min		0.0	0.0	0.0	
Average		0.0	0.0	0.0	

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/12/2022 08:49:19	0.0	---
002	9/12/2022 08:50:19	0.0	---
003	9/12/2022 08:51:19	0.0	---
004	9/12/2022 08:52:19	0.0	---
005	9/12/2022 08:53:19	0.0	---
006	9/12/2022 08:54:19	0.0	---
007	9/12/2022 08:55:19	0.0	---
008	9/12/2022 08:56:19	0.0	---
009	9/12/2022 08:57:19	0.0	---
010	9/12/2022 08:58:19	0.0	---
011	9/12/2022 08:59:19	0.0	---
012	9/12/2022 09:00:19	0.0	---
013	9/12/2022 09:01:19	0.0	---
014	9/12/2022 09:02:19	0.0	---
015	9/12/2022 09:03:19	0.0	0.0
016	9/12/2022 09:04:19	0.0	0.0
017	9/12/2022 09:05:19	0.0	0.0
018	9/12/2022 09:06:19	0.0	0.0
019	9/12/2022 09:07:19	0.0	0.0
020	9/12/2022 09:08:19	0.0	0.0
021	9/12/2022 09:09:19	0.0	0.0
022	9/12/2022 09:10:19	0.0	0.0
023	9/12/2022 09:11:19	0.0	0.0
024	9/12/2022 09:12:19	0.0	0.0
025	9/12/2022 09:13:19	0.0	0.0
026	9/12/2022 09:14:19	0.0	0.0
027	9/12/2022 09:15:19	0.0	0.0
028	9/12/2022 09:16:19	0.0	0.0
029	9/12/2022 09:17:19	0.0	0.0
030	9/12/2022 09:18:19	0.0	0.0
031	9/12/2022 09:19:19	0.0	0.0
032	9/12/2022 09:20:19	0.0	0.0
033	9/12/2022 09:21:19	0.0	0.0
034	9/12/2022 09:22:19	0.0	0.0
035	9/12/2022 09:23:19	0.0	0.0
036	9/12/2022 09:24:19	0.0	0.0
037	9/12/2022 09:25:19	0.0	0.0

038 9/12/2022 09:26:19 0.0 0.0
039 9/12/2022 09:27:19 0.0 0.0
040 9/12/2022 09:28:19 0.0 0.0
041 9/12/2022 09:29:19 0.0 0.0
042 9/12/2022 09:30:19 0.0 0.0
043 9/12/2022 09:31:19 0.0 0.0

==========

22/09/12 12:36

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 9/12/2022 12:36:48
End 9/12/2022 15:27:45
Sample Period(s) 60
Number of Records 170

Sensor PID(ppm)
Sensor SN S023030372B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.3
Min 0.0
Average 0.2

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
001	9/12/2022 12:37:48	0.0	0.0	0.0
002	9/12/2022 12:38:48	0.0	0.0	0.0

003	9/12/2022 12:39:48	0.0	0.0	0.0
004	9/12/2022 12:40:48	0.0	0.0	0.0
005	9/12/2022 12:41:48	0.0	0.0	0.0
006	9/12/2022 12:42:48	0.0	0.0	0.0
007	9/12/2022 12:43:48	0.0	0.0	0.0
008	9/12/2022 12:44:48	0.0	0.0	0.0
009	9/12/2022 12:45:48	0.0	0.0	0.0
010	9/12/2022 12:46:48	0.0	0.0	0.0
011	9/12/2022 12:47:48	0.0	0.0	0.0
012	9/12/2022 12:48:48	0.0	0.0	0.0
013	9/12/2022 12:49:48	0.0	0.0	0.0
014	9/12/2022 12:50:48	0.0	0.0	0.0
015	9/12/2022 12:51:48	0.0	0.0	0.0
016	9/12/2022 12:52:48	0.0	0.0	0.0
017	9/12/2022 12:53:48	0.1	0.1	0.1
018	9/12/2022 12:54:48	0.1	0.1	0.1
019	9/12/2022 12:55:48	0.1	0.1	0.1
020	9/12/2022 12:56:48	0.1	0.1	0.1
021	9/12/2022 12:57:48	0.1	0.1	0.1
022	9/12/2022 12:58:48	0.1	0.1	0.1
023	9/12/2022 12:59:48	0.1	0.1	0.1
024	9/12/2022 13:00:48	0.1	0.1	0.1
025	9/12/2022 13:01:48	0.1	0.1	0.1
026	9/12/2022 13:02:48	0.1	0.1	0.1
027	9/12/2022 13:03:48	0.1	0.2	0.1
028	9/12/2022 13:04:48	0.1	0.1	0.1
029	9/12/2022 13:05:48	0.1	0.1	0.1
030	9/12/2022 13:06:48	0.1	0.1	0.1
031	9/12/2022 13:07:48	0.1	0.1	0.1
032	9/12/2022 13:08:48	0.1	0.1	0.1
033	9/12/2022 13:09:48	0.1	0.1	0.1
034	9/12/2022 13:10:48	0.1	0.2	0.1
035	9/12/2022 13:11:48	0.1	0.2	0.2
036	9/12/2022 13:12:48	0.2	0.2	0.2
037	9/12/2022 13:13:48	0.2	0.2	0.2
038	9/12/2022 13:14:48	0.2	0.2	0.2
039	9/12/2022 13:15:48	0.2	0.2	0.2
040	9/12/2022 13:16:48	0.2	0.2	0.2
041	9/12/2022 13:17:48	0.2	0.2	0.2
042	9/12/2022 13:18:48	0.2	0.2	0.2
043	9/12/2022 13:19:48	0.2	0.2	0.2
044	9/12/2022 13:20:48	0.2	0.2	0.2
045	9/12/2022 13:21:48	0.2	0.2	0.2
046	9/12/2022 13:22:48	0.2	0.2	0.2
047	9/12/2022 13:23:48	0.2	0.2	0.2
048	9/12/2022 13:24:48	0.2	0.2	0.2
049	9/12/2022 13:25:48	0.2	0.2	0.2
050	9/12/2022 13:26:48	0.2	0.2	0.2
051	9/12/2022 13:27:48	0.2	0.2	0.2
052	9/12/2022 13:28:48	0.2	0.2	0.2

053	9/12/2022 13:29:48	0.2	0.2	0.2
054	9/12/2022 13:30:48	0.2	0.2	0.2
055	9/12/2022 13:31:48	0.2	0.3	0.2
056	9/12/2022 13:32:48	0.3	0.3	0.3
057	9/12/2022 13:33:48	0.3	0.3	0.3
058	9/12/2022 13:34:48	0.3	0.3	0.3
059	9/12/2022 13:35:48	0.3	0.3	0.3
060	9/12/2022 13:36:48	0.3	0.3	0.3
061	9/12/2022 13:37:48	0.3	0.3	0.3
062	9/12/2022 13:38:48	0.3	0.3	0.3
063	9/12/2022 13:39:48	0.3	0.3	0.3
064	9/12/2022 13:40:48	0.3	0.3	0.3
065	9/12/2022 13:41:48	0.3	0.3	0.3
066	9/12/2022 13:42:48	0.3	0.3	0.3
067	9/12/2022 13:43:48	0.3	0.3	0.3
068	9/12/2022 13:44:48	0.3	0.3	0.3
069	9/12/2022 13:45:48	0.3	0.3	0.3
070	9/12/2022 13:46:48	0.3	0.3	0.3
071	9/12/2022 13:47:48	0.3	0.3	0.3
072	9/12/2022 13:48:48	0.3	0.3	0.3
073	9/12/2022 13:49:48	0.3	0.3	0.3
074	9/12/2022 13:50:48	0.3	0.3	0.3
075	9/12/2022 13:51:48	0.3	0.3	0.3
076	9/12/2022 13:52:48	0.3	0.3	0.3
077	9/12/2022 13:53:48	0.3	0.3	0.3
078	9/12/2022 13:54:48	0.3	0.3	0.3
079	9/12/2022 13:55:48	0.3	0.3	0.3
080	9/12/2022 13:56:48	0.3	0.3	0.3
081	9/12/2022 13:57:48	0.3	0.3	0.3
082	9/12/2022 13:58:48	0.3	0.3	0.3
083	9/12/2022 13:59:48	0.3	0.3	0.3
084	9/12/2022 14:00:48	0.3	0.3	0.3
085	9/12/2022 14:01:48	0.3	0.3	0.3
086	9/12/2022 14:02:48	0.3	0.3	0.3
087	9/12/2022 14:03:48	0.3	0.3	0.3
088	9/12/2022 14:04:48	0.3	0.3	0.3
089	9/12/2022 14:05:48	0.3	0.3	0.3
090	9/12/2022 14:06:48	0.3	0.3	0.3
091	9/12/2022 14:07:48	0.3	0.3	0.3
092	9/12/2022 14:08:48	0.3	0.3	0.3
093	9/12/2022 14:09:48	0.3	0.3	0.3
094	9/12/2022 14:10:48	0.3	0.3	0.3
095	9/12/2022 14:11:48	0.3	0.3	0.3
096	9/12/2022 14:12:48	0.3	0.3	0.3
097	9/12/2022 14:13:48	0.3	0.3	0.3
098	9/12/2022 14:14:48	0.3	0.3	0.3
099	9/12/2022 14:15:48	0.3	0.3	0.3
100	9/12/2022 14:16:48	0.3	0.3	0.3
101	9/12/2022 14:17:48	0.3	0.3	0.3
102	9/12/2022 14:18:48	0.3	0.3	0.3

103	9/12/2022	14:19:48	0.3	0.3	0.3
104	9/12/2022	14:20:48	0.3	0.3	0.3
105	9/12/2022	14:21:48	0.3	0.3	0.3
106	9/12/2022	14:22:48	0.3	0.3	0.3
107	9/12/2022	14:23:48	0.3	0.3	0.3
108	9/12/2022	14:24:48	0.3	0.3	0.3
109	9/12/2022	14:25:48	0.3	0.3	0.3
110	9/12/2022	14:26:48	0.3	0.3	0.3
111	9/12/2022	14:27:48	0.3	0.3	0.3
112	9/12/2022	14:28:48	0.3	0.3	0.3
113	9/12/2022	14:29:48	0.3	0.3	0.3
114	9/12/2022	14:30:48	0.3	0.3	0.3
115	9/12/2022	14:31:48	0.3	0.3	0.3
116	9/12/2022	14:32:48	0.3	0.3	0.3
117	9/12/2022	14:33:48	0.3	0.3	0.3
118	9/12/2022	14:34:48	0.3	0.3	0.3
119	9/12/2022	14:35:48	0.3	0.3	0.3
120	9/12/2022	14:36:48	0.3	0.3	0.3
121	9/12/2022	14:37:48	0.3	0.3	0.3
122	9/12/2022	14:38:48	0.3	0.3	0.3
123	9/12/2022	14:39:48	0.3	0.3	0.3
124	9/12/2022	14:40:48	0.3	0.3	0.3
125	9/12/2022	14:41:48	0.3	0.3	0.3
126	9/12/2022	14:42:48	0.3	0.3	0.3
127	9/12/2022	14:43:48	0.3	0.3	0.3
128	9/12/2022	14:44:48	0.3	0.3	0.3
129	9/12/2022	14:45:48	0.3	0.3	0.3
130	9/12/2022	14:46:48	0.3	0.3	0.3
131	9/12/2022	14:47:48	0.3	0.3	0.3
132	9/12/2022	14:48:48	0.3	0.3	0.3
133	9/12/2022	14:49:48	0.3	0.3	0.3
134	9/12/2022	14:50:48	0.3	0.3	0.3
135	9/12/2022	14:51:48	0.3	0.3	0.3
136	9/12/2022	14:52:48	0.3	0.3	0.3
137	9/12/2022	14:53:48	0.3	0.3	0.3
138	9/12/2022	14:54:48	0.3	0.3	0.3
139	9/12/2022	14:55:48	0.3	0.3	0.3
140	9/12/2022	14:56:48	0.3	0.3	0.3
141	9/12/2022	14:57:48	0.3	0.3	0.3
142	9/12/2022	14:58:48	0.3	0.3	0.3
143	9/12/2022	14:59:48	0.3	0.3	0.3
144	9/12/2022	15:00:48	0.3	0.3	0.3
145	9/12/2022	15:01:48	0.3	0.3	0.3
146	9/12/2022	15:02:48	0.3	0.3	0.3
147	9/12/2022	15:03:48	0.3	0.3	0.3
148	9/12/2022	15:04:48	0.3	0.3	0.3
149	9/12/2022	15:05:48	0.3	0.3	0.3
150	9/12/2022	15:06:48	0.3	0.3	0.3
151	9/12/2022	15:07:48	0.3	0.3	0.3
152	9/12/2022	15:08:48	0.3	0.3	0.3

153	9/12/2022 15:09:48	0.3	0.3	0.3
154	9/12/2022 15:10:48	0.3	0.3	0.3
155	9/12/2022 15:11:48	0.3	0.3	0.3
156	9/12/2022 15:12:48	0.3	0.3	0.3
157	9/12/2022 15:13:48	0.3	0.3	0.3
158	9/12/2022 15:14:48	0.3	0.3	0.3
159	9/12/2022 15:15:48	0.3	0.3	0.3
160	9/12/2022 15:16:48	0.3	0.3	0.3
161	9/12/2022 15:17:48	0.3	0.3	0.3
162	9/12/2022 15:18:48	0.3	0.3	0.3
163	9/12/2022 15:19:48	0.3	0.3	0.3
164	9/12/2022 15:20:48	0.3	0.3	0.3
165	9/12/2022 15:21:48	0.3	0.3	0.3
166	9/12/2022 15:22:48	0.3	0.3	0.3
167	9/12/2022 15:23:48	0.3	0.3	0.3
168	9/12/2022 15:24:48	0.3	0.3	0.3
169	9/12/2022 15:25:48	0.3	0.3	0.3
170	9/12/2022 15:26:48	0.3	0.3	0.3
Peak		0.3	0.3	0.3
Min		0.0	0.0	0.0
Average		0.2	0.2	0.2

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)	
001	9/12/2022 12:37:48	0.0	---	
002	9/12/2022 12:38:48	0.0	---	
003	9/12/2022 12:39:48	0.0	---	
004	9/12/2022 12:40:48	0.0	---	
005	9/12/2022 12:41:48	0.0	---	
006	9/12/2022 12:42:48	0.0	---	
007	9/12/2022 12:43:48	0.0	---	
008	9/12/2022 12:44:48	0.0	---	
009	9/12/2022 12:45:48	0.0	---	
010	9/12/2022 12:46:48	0.0	---	
011	9/12/2022 12:47:48	0.0	---	
012	9/12/2022 12:48:48	0.0	---	
013	9/12/2022 12:49:48	0.0	---	
014	9/12/2022 12:50:48	0.0	---	
015	9/12/2022 12:51:48	0.0	0.0	
016	9/12/2022 12:52:48	0.0	0.0	
017	9/12/2022 12:53:48	0.0	0.0	
018	9/12/2022 12:54:48	0.0	0.0	
019	9/12/2022 12:55:48	0.0	0.0	
020	9/12/2022 12:56:48	0.0	0.0	
021	9/12/2022 12:57:48	0.0	0.0	
022	9/12/2022 12:58:48	0.0	0.0	
023	9/12/2022 12:59:48	0.0	0.0	
024	9/12/2022 13:00:48	0.0	0.1	

025	9/12/2022 13:01:48	0.0	0.1
026	9/12/2022 13:02:48	0.0	0.1
027	9/12/2022 13:03:48	0.0	0.1
028	9/12/2022 13:04:48	0.0	0.1
029	9/12/2022 13:05:48	0.0	0.1
030	9/12/2022 13:06:48	0.0	0.1
031	9/12/2022 13:07:48	0.0	0.1
032	9/12/2022 13:08:48	0.0	0.1
033	9/12/2022 13:09:48	0.0	0.1
034	9/12/2022 13:10:48	0.0	0.1
035	9/12/2022 13:11:48	0.0	0.1
036	9/12/2022 13:12:48	0.0	0.1
037	9/12/2022 13:13:48	0.0	0.1
038	9/12/2022 13:14:48	0.0	0.1
039	9/12/2022 13:15:48	0.0	0.1
040	9/12/2022 13:16:48	0.0	0.1
041	9/12/2022 13:17:48	0.0	0.2
042	9/12/2022 13:18:48	0.0	0.2
043	9/12/2022 13:19:48	0.0	0.2
044	9/12/2022 13:20:48	0.0	0.2
045	9/12/2022 13:21:48	0.0	0.2
046	9/12/2022 13:22:48	0.0	0.2
047	9/12/2022 13:23:48	0.0	0.2
048	9/12/2022 13:24:48	0.0	0.2
049	9/12/2022 13:25:48	0.0	0.2
050	9/12/2022 13:26:48	0.0	0.2
051	9/12/2022 13:27:48	0.0	0.2
052	9/12/2022 13:28:48	0.0	0.2
053	9/12/2022 13:29:48	0.0	0.2
054	9/12/2022 13:30:48	0.0	0.2
055	9/12/2022 13:31:48	0.0	0.2
056	9/12/2022 13:32:48	0.0	0.2
057	9/12/2022 13:33:48	0.0	0.2
058	9/12/2022 13:34:48	0.0	0.2
059	9/12/2022 13:35:48	0.0	0.2
060	9/12/2022 13:36:48	0.0	0.2
061	9/12/2022 13:37:48	0.0	0.3
062	9/12/2022 13:38:48	0.0	0.3
063	9/12/2022 13:39:48	0.0	0.3
064	9/12/2022 13:40:48	0.0	0.3
065	9/12/2022 13:41:48	0.0	0.3
066	9/12/2022 13:42:48	0.0	0.3
067	9/12/2022 13:43:48	0.0	0.3
068	9/12/2022 13:44:48	0.0	0.3
069	9/12/2022 13:45:48	0.0	0.3
070	9/12/2022 13:46:48	0.0	0.3
071	9/12/2022 13:47:48	0.0	0.3
072	9/12/2022 13:48:48	0.0	0.3
073	9/12/2022 13:49:48	0.0	0.3
074	9/12/2022 13:50:48	0.0	0.3

075	9/12/2022 13:51:48	0.0	0.3
076	9/12/2022 13:52:48	0.0	0.3
077	9/12/2022 13:53:48	0.0	0.3
078	9/12/2022 13:54:48	0.0	0.3
079	9/12/2022 13:55:48	0.0	0.3
080	9/12/2022 13:56:48	0.0	0.3
081	9/12/2022 13:57:48	0.0	0.3
082	9/12/2022 13:58:48	0.0	0.3
083	9/12/2022 13:59:48	0.0	0.3
084	9/12/2022 14:00:48	0.0	0.3
085	9/12/2022 14:01:48	0.0	0.3
086	9/12/2022 14:02:48	0.0	0.3
087	9/12/2022 14:03:48	0.0	0.3
088	9/12/2022 14:04:48	0.0	0.3
089	9/12/2022 14:05:48	0.0	0.3
090	9/12/2022 14:06:48	0.0	0.3
091	9/12/2022 14:07:48	0.0	0.3
092	9/12/2022 14:08:48	0.0	0.3
093	9/12/2022 14:09:48	0.0	0.3
094	9/12/2022 14:10:48	0.0	0.3
095	9/12/2022 14:11:48	0.0	0.3
096	9/12/2022 14:12:48	0.0	0.3
097	9/12/2022 14:13:48	0.0	0.3
098	9/12/2022 14:14:48	0.0	0.3
099	9/12/2022 14:15:48	0.0	0.3
100	9/12/2022 14:16:48	0.0	0.3
101	9/12/2022 14:17:48	0.0	0.3
102	9/12/2022 14:18:48	0.0	0.3
103	9/12/2022 14:19:48	0.0	0.3
104	9/12/2022 14:20:48	0.0	0.3
105	9/12/2022 14:21:48	0.0	0.3
106	9/12/2022 14:22:48	0.0	0.3
107	9/12/2022 14:23:48	0.0	0.3
108	9/12/2022 14:24:48	0.0	0.3
109	9/12/2022 14:25:48	0.0	0.3
110	9/12/2022 14:26:48	0.0	0.3
111	9/12/2022 14:27:48	0.0	0.3
112	9/12/2022 14:28:48	0.0	0.3
113	9/12/2022 14:29:48	0.0	0.3
114	9/12/2022 14:30:48	0.0	0.3
115	9/12/2022 14:31:48	0.1	0.3
116	9/12/2022 14:32:48	0.1	0.3
117	9/12/2022 14:33:48	0.1	0.3
118	9/12/2022 14:34:48	0.1	0.3
119	9/12/2022 14:35:48	0.1	0.3
120	9/12/2022 14:36:48	0.1	0.3
121	9/12/2022 14:37:48	0.1	0.3
122	9/12/2022 14:38:48	0.1	0.3
123	9/12/2022 14:39:48	0.1	0.3
124	9/12/2022 14:40:48	0.1	0.3

125	9/12/2022 14:41:48	0.1	0.3
126	9/12/2022 14:42:48	0.1	0.3
127	9/12/2022 14:43:48	0.1	0.3
128	9/12/2022 14:44:48	0.1	0.3
129	9/12/2022 14:45:48	0.1	0.3
130	9/12/2022 14:46:48	0.1	0.3
131	9/12/2022 14:47:48	0.1	0.3
132	9/12/2022 14:48:48	0.1	0.3
133	9/12/2022 14:49:48	0.1	0.3
134	9/12/2022 14:50:48	0.1	0.3
135	9/12/2022 14:51:48	0.1	0.3
136	9/12/2022 14:52:48	0.1	0.3
137	9/12/2022 14:53:48	0.1	0.3
138	9/12/2022 14:54:48	0.1	0.3
139	9/12/2022 14:55:48	0.1	0.3
140	9/12/2022 14:56:48	0.1	0.3
141	9/12/2022 14:57:48	0.1	0.3
142	9/12/2022 14:58:48	0.1	0.3
143	9/12/2022 14:59:48	0.1	0.3
144	9/12/2022 15:00:48	0.1	0.3
145	9/12/2022 15:01:48	0.1	0.3
146	9/12/2022 15:02:48	0.1	0.3
147	9/12/2022 15:03:48	0.1	0.3
148	9/12/2022 15:04:48	0.1	0.3
149	9/12/2022 15:05:48	0.1	0.3
150	9/12/2022 15:06:48	0.1	0.3
151	9/12/2022 15:07:48	0.1	0.3
152	9/12/2022 15:08:48	0.1	0.3
153	9/12/2022 15:09:48	0.1	0.3
154	9/12/2022 15:10:48	0.1	0.3
155	9/12/2022 15:11:48	0.1	0.3
156	9/12/2022 15:12:48	0.1	0.3
157	9/12/2022 15:13:48	0.1	0.3
158	9/12/2022 15:14:48	0.1	0.3
159	9/12/2022 15:15:48	0.1	0.3
160	9/12/2022 15:16:48	0.1	0.3
161	9/12/2022 15:17:48	0.1	0.3
162	9/12/2022 15:18:48	0.1	0.3
163	9/12/2022 15:19:48	0.1	0.3
164	9/12/2022 15:20:48	0.1	0.3
165	9/12/2022 15:21:48	0.1	0.3
166	9/12/2022 15:22:48	0.1	0.3
167	9/12/2022 15:23:48	0.1	0.3
168	9/12/2022 15:24:48	0.1	0.3
169	9/12/2022 15:25:48	0.1	0.3
170	9/12/2022 15:26:48	0.1	0.3

==========

22/09/13 08:16

****

Summary

```
------------------------------------------------------------
Unit Name       MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver       V2.22
------------------------------------------------------------
Running Mode    Hygiene Mode
Datalog Mode    Auto
Diagnostic Mode No
Stop Reason     Power Down
------------------------------------------------------------
Site ID 12345678
User ID 12345678
------------------------------------------------------------
Begin   9/13/2022 08:16:39
End     9/13/2022 13:57:08
Sample Period(s)        60
Number of Records       340
------------------------------------------------------------
Sensor  PID(ppm)
Sensor SN       S023030372B7
Measure Type    Avg; Max; Real
Span    100.0
Span 2  1000.0
Low Alarm       50.0
High Alarm      100.0
Over Alarm      15000.0
STEL Alarm      100.0
TWA Alarm       50.0
Measurement Gas Isobutylene
Calibration Time        8/10/2022 10:58
Peak    0.4
Min     0.0
Average 0.3

************************************************************
Datalog
                PID(ppm)        PID(ppm)        PID(ppm)
Index   Date/Time       (Avg)   (Max)   (Real)
001     9/13/2022 08:17:39      0.3     1.0     0.0
002     9/13/2022 08:18:39      0.0     0.0     0.0
003     9/13/2022 08:19:39      0.0     0.0     0.0
004     9/13/2022 08:20:39      0.0     0.0     0.0
005     9/13/2022 08:21:39      0.0     0.0     0.0
006     9/13/2022 08:22:39      0.0     0.0     0.0
007     9/13/2022 08:23:39      0.0     0.0     0.0
008     9/13/2022 08:24:39      0.0     0.0     0.0
009     9/13/2022 08:25:39      0.0     0.0     0.0
010     9/13/2022 08:26:39      0.0     0.0     0.0
011     9/13/2022 08:27:39      0.0     0.0     0.0
012     9/13/2022 08:28:39      0.0     0.0     0.0
```

013	9/13/2022	08:29:39	0.0	0.0	0.0
014	9/13/2022	08:30:39	0.0	0.0	0.0
015	9/13/2022	08:31:39	0.0	0.0	0.0
016	9/13/2022	08:32:39	0.0	0.0	0.0
017	9/13/2022	08:33:39	0.0	0.0	0.0
018	9/13/2022	08:34:39	0.0	0.0	0.0
019	9/13/2022	08:35:39	0.0	0.0	0.0
020	9/13/2022	08:36:39	0.0	0.0	0.0
021	9/13/2022	08:37:39	0.0	0.0	0.0
022	9/13/2022	08:38:39	0.0	0.0	0.0
023	9/13/2022	08:39:39	0.0	0.0	0.0
024	9/13/2022	08:40:39	0.0	0.0	0.0
025	9/13/2022	08:41:39	0.0	0.0	0.0
026	9/13/2022	08:42:39	0.0	0.0	0.0
027	9/13/2022	08:43:39	0.0	0.0	0.0
028	9/13/2022	08:44:39	0.0	0.0	0.0
029	9/13/2022	08:45:39	0.0	0.0	0.0
030	9/13/2022	08:46:39	0.0	0.0	0.0
031	9/13/2022	08:47:39	0.0	0.0	0.0
032	9/13/2022	08:48:39	0.0	0.0	0.0
033	9/13/2022	08:49:39	0.0	0.1	0.1
034	9/13/2022	08:50:39	0.1	0.1	0.1
035	9/13/2022	08:51:39	0.1	0.1	0.1
036	9/13/2022	08:52:39	0.1	0.1	0.1
037	9/13/2022	08:53:39	0.1	0.1	0.1
038	9/13/2022	08:54:39	0.1	0.1	0.1
039	9/13/2022	08:55:39	0.1	0.1	0.1
040	9/13/2022	08:56:39	0.1	0.1	0.1
041	9/13/2022	08:57:39	0.1	0.1	0.1
042	9/13/2022	08:58:39	0.1	0.1	0.1
043	9/13/2022	08:59:39	0.1	0.1	0.1
044	9/13/2022	09:00:39	0.2	0.2	0.2
045	9/13/2022	09:01:39	0.2	0.2	0.2
046	9/13/2022	09:02:39	0.2	0.2	0.2
047	9/13/2022	09:03:39	0.2	0.2	0.2
048	9/13/2022	09:04:39	0.2	0.2	0.2
049	9/13/2022	09:05:39	0.2	0.2	0.2
050	9/13/2022	09:06:39	0.2	0.2	0.2
051	9/13/2022	09:07:39	0.2	0.2	0.2
052	9/13/2022	09:08:39	0.2	0.2	0.2
053	9/13/2022	09:09:39	0.2	0.2	0.2
054	9/13/2022	09:10:39	0.2	0.2	0.2
055	9/13/2022	09:11:39	0.2	0.2	0.2
056	9/13/2022	09:12:39	0.2	0.2	0.2
057	9/13/2022	09:13:39	0.2	0.2	0.2
058	9/13/2022	09:14:39	0.2	0.2	0.2
059	9/13/2022	09:15:39	0.2	0.2	0.2
060	9/13/2022	09:16:39	0.2	0.2	0.2
061	9/13/2022	09:17:39	0.2	0.2	0.2
062	9/13/2022	09:18:39	0.2	0.2	0.2

063	9/13/2022 09:19:39	0.2	0.2	0.2
064	9/13/2022 09:20:39	0.2	0.2	0.2
065	9/13/2022 09:21:39	0.2	0.3	0.3
066	9/13/2022 09:22:39	0.3	0.3	0.2
067	9/13/2022 09:23:39	0.3	0.3	0.3
068	9/13/2022 09:24:39	0.3	0.3	0.3
069	9/13/2022 09:25:39	0.3	0.3	0.3
070	9/13/2022 09:26:39	0.3	0.3	0.3
071	9/13/2022 09:27:39	0.3	0.3	0.3
072	9/13/2022 09:28:39	0.3	0.3	0.3
073	9/13/2022 09:29:39	0.3	0.3	0.3
074	9/13/2022 09:30:39	0.3	0.3	0.3
075	9/13/2022 09:31:39	0.3	0.3	0.3
076	9/13/2022 09:32:39	0.3	0.3	0.3
077	9/13/2022 09:33:39	0.3	0.3	0.3
078	9/13/2022 09:34:39	0.3	0.3	0.3
079	9/13/2022 09:35:39	0.3	0.3	0.3
080	9/13/2022 09:36:39	0.3	0.3	0.3
081	9/13/2022 09:37:39	0.3	0.3	0.3
082	9/13/2022 09:38:39	0.3	0.3	0.3
083	9/13/2022 09:39:39	0.3	0.3	0.3
084	9/13/2022 09:40:39	0.3	0.3	0.3
085	9/13/2022 09:41:39	0.3	0.3	0.3
086	9/13/2022 09:42:39	0.3	0.3	0.3
087	9/13/2022 09:43:39	0.3	0.3	0.3
088	9/13/2022 09:44:39	0.3	0.3	0.3
089	9/13/2022 09:45:39	0.3	0.3	0.3
090	9/13/2022 09:46:39	0.3	0.3	0.3
091	9/13/2022 09:47:39	0.3	0.3	0.3
092	9/13/2022 09:48:39	0.3	0.3	0.3
093	9/13/2022 09:49:39	0.3	0.3	0.3
094	9/13/2022 09:50:39	0.3	0.3	0.3
095	9/13/2022 09:51:39	0.3	0.3	0.3
096	9/13/2022 09:52:39	0.3	0.3	0.3
097	9/13/2022 09:53:39	0.3	0.3	0.3
098	9/13/2022 09:54:39	0.3	0.3	0.3
099	9/13/2022 09:55:39	0.3	0.3	0.3
100	9/13/2022 09:56:39	0.3	0.3	0.3
101	9/13/2022 09:57:39	0.3	0.3	0.3
102	9/13/2022 09:58:39	0.3	0.3	0.3
103	9/13/2022 09:59:39	0.3	0.3	0.3
104	9/13/2022 10:00:39	0.3	0.3	0.3
105	9/13/2022 10:01:39	0.3	0.3	0.3
106	9/13/2022 10:02:39	0.3	0.3	0.3
107	9/13/2022 10:03:39	0.3	0.3	0.3
108	9/13/2022 10:04:39	0.3	0.3	0.3
109	9/13/2022 10:05:39	0.3	0.3	0.3
110	9/13/2022 10:06:39	0.3	0.3	0.3
111	9/13/2022 10:07:39	0.3	0.3	0.3
112	9/13/2022 10:08:39	0.3	0.3	0.3

113	9/13/2022 10:09:39	0.3	0.3	0.3
114	9/13/2022 10:10:39	0.3	0.3	0.3
115	9/13/2022 10:11:39	0.3	0.3	0.3
116	9/13/2022 10:12:39	0.3	0.3	0.3
117	9/13/2022 10:13:39	0.3	0.3	0.3
118	9/13/2022 10:14:39	0.3	0.3	0.3
119	9/13/2022 10:15:39	0.3	0.3	0.3
120	9/13/2022 10:16:39	0.3	0.3	0.3
121	9/13/2022 10:17:39	0.3	0.3	0.3
122	9/13/2022 10:18:39	0.3	0.3	0.3
123	9/13/2022 10:19:39	0.3	0.3	0.3
124	9/13/2022 10:20:39	0.3	0.3	0.3
125	9/13/2022 10:21:39	0.3	0.3	0.3
126	9/13/2022 10:22:39	0.3	0.3	0.3
127	9/13/2022 10:23:39	0.3	0.3	0.3
128	9/13/2022 10:24:39	0.3	0.3	0.3
129	9/13/2022 10:25:39	0.3	0.3	0.3
130	9/13/2022 10:26:39	0.3	0.3	0.3
131	9/13/2022 10:27:39	0.3	0.3	0.3
132	9/13/2022 10:28:39	0.3	0.3	0.3
133	9/13/2022 10:29:39	0.3	0.3	0.3
134	9/13/2022 10:30:39	0.3	0.3	0.3
135	9/13/2022 10:31:39	0.3	0.3	0.3
136	9/13/2022 10:32:39	0.3	0.3	0.3
137	9/13/2022 10:33:39	0.3	0.3	0.3
138	9/13/2022 10:34:39	0.3	0.3	0.3
139	9/13/2022 10:35:39	0.3	0.4	0.3
140	9/13/2022 10:36:39	0.3	0.3	0.3
141	9/13/2022 10:37:39	0.3	0.3	0.3
142	9/13/2022 10:38:39	0.3	0.3	0.3
143	9/13/2022 10:39:39	0.3	0.3	0.3
144	9/13/2022 10:40:39	0.3	0.3	0.3
145	9/13/2022 10:41:39	0.3	0.3	0.3
146	9/13/2022 10:42:39	0.3	0.3	0.3
147	9/13/2022 10:43:39	0.3	0.3	0.3
148	9/13/2022 10:44:39	0.3	0.3	0.3
149	9/13/2022 10:45:39	0.3	0.3	0.3
150	9/13/2022 10:46:39	0.3	0.3	0.3
151	9/13/2022 10:47:39	0.3	0.3	0.3
152	9/13/2022 10:48:39	0.3	0.3	0.3
153	9/13/2022 10:49:39	0.3	0.3	0.3
154	9/13/2022 10:50:39	0.3	0.3	0.3
155	9/13/2022 10:51:39	0.3	0.4	0.3
156	9/13/2022 10:52:39	0.3	0.3	0.3
157	9/13/2022 10:53:39	0.3	0.3	0.3
158	9/13/2022 10:54:39	0.3	0.4	0.3
159	9/13/2022 10:55:39	0.3	0.4	0.3
160	9/13/2022 10:56:39	0.3	0.4	0.3
161	9/13/2022 10:57:39	0.3	0.4	0.4
162	9/13/2022 10:58:39	0.3	0.4	0.4

163	9/13/2022	10:59:39	0.4	0.4	0.3
164	9/13/2022	11:00:39	0.4	0.4	0.4
165	9/13/2022	11:01:39	0.4	0.4	0.4
166	9/13/2022	11:02:39	0.4	0.4	0.4
167	9/13/2022	11:03:39	0.4	0.4	0.4
168	9/13/2022	11:04:39	0.4	0.4	0.4
169	9/13/2022	11:05:39	0.4	0.4	0.4
170	9/13/2022	11:06:39	0.4	0.4	0.3
171	9/13/2022	11:07:39	0.4	0.4	0.4
172	9/13/2022	11:08:39	0.4	0.4	0.4
173	9/13/2022	11:09:39	0.4	0.4	0.4
174	9/13/2022	11:10:39	0.4	0.4	0.4
175	9/13/2022	11:11:39	0.4	0.4	0.4
176	9/13/2022	11:12:39	0.4	0.4	0.4
177	9/13/2022	11:13:39	0.4	0.4	0.4
178	9/13/2022	11:14:39	0.4	0.4	0.4
179	9/13/2022	11:15:39	0.4	0.4	0.4
180	9/13/2022	11:16:39	0.4	0.4	0.4
181	9/13/2022	11:17:39	0.4	0.4	0.4
182	9/13/2022	11:18:39	0.4	0.4	0.4
183	9/13/2022	11:19:39	0.4	0.4	0.4
184	9/13/2022	11:20:39	0.4	0.4	0.4
185	9/13/2022	11:21:39	0.4	0.4	0.4
186	9/13/2022	11:22:39	0.4	0.4	0.4
187	9/13/2022	11:23:39	0.4	0.4	0.4
188	9/13/2022	11:24:39	0.4	0.4	0.4
189	9/13/2022	11:25:39	0.4	0.4	0.4
190	9/13/2022	11:26:39	0.4	0.4	0.4
191	9/13/2022	11:27:39	0.4	0.4	0.4
192	9/13/2022	11:28:39	0.4	0.4	0.4
193	9/13/2022	11:29:39	0.4	0.4	0.4
194	9/13/2022	11:30:39	0.4	0.4	0.4
195	9/13/2022	11:31:39	0.4	0.4	0.4
196	9/13/2022	11:32:39	0.4	0.4	0.4
197	9/13/2022	11:33:39	0.4	0.4	0.4
198	9/13/2022	11:34:39	0.4	0.4	0.4
199	9/13/2022	11:35:39	0.4	0.4	0.4
200	9/13/2022	11:36:39	0.4	0.4	0.4
201	9/13/2022	11:37:39	0.4	0.4	0.4
202	9/13/2022	11:38:39	0.4	0.4	0.4
203	9/13/2022	11:39:39	0.4	0.4	0.4
204	9/13/2022	11:40:39	0.4	0.4	0.4
205	9/13/2022	11:41:39	0.4	0.4	0.4
206	9/13/2022	11:42:39	0.4	0.4	0.4
207	9/13/2022	11:43:39	0.4	0.4	0.4
208	9/13/2022	11:44:39	0.4	0.4	0.4
209	9/13/2022	11:45:39	0.4	0.4	0.4
210	9/13/2022	11:46:39	0.4	0.4	0.4
211	9/13/2022	11:47:39	0.4	0.4	0.4
212	9/13/2022	11:48:39	0.4	0.4	0.4

213	9/13/2022 11:49:39	0.4	0.4	0.4
214	9/13/2022 11:50:39	0.4	0.4	0.4
215	9/13/2022 11:51:39	0.4	0.4	0.4
216	9/13/2022 11:52:39	0.4	0.4	0.4
217	9/13/2022 11:53:39	0.4	0.4	0.4
218	9/13/2022 11:54:39	0.4	0.4	0.4
219	9/13/2022 11:55:39	0.4	0.4	0.4
220	9/13/2022 11:56:39	0.4	0.4	0.4
221	9/13/2022 11:57:39	0.4	0.4	0.4
222	9/13/2022 11:58:39	0.4	0.4	0.4
223	9/13/2022 11:59:39	0.4	0.4	0.4
224	9/13/2022 12:00:39	0.4	0.4	0.4
225	9/13/2022 12:01:39	0.4	0.4	0.4
226	9/13/2022 12:02:39	0.4	0.4	0.4
227	9/13/2022 12:03:39	0.4	0.4	0.4
228	9/13/2022 12:04:39	0.4	0.4	0.4
229	9/13/2022 12:05:39	0.4	0.4	0.4
230	9/13/2022 12:06:39	0.4	0.4	0.4
231	9/13/2022 12:07:39	0.4	0.4	0.4
232	9/13/2022 12:08:39	0.4	0.4	0.4
233	9/13/2022 12:09:39	0.4	0.4	0.4
234	9/13/2022 12:10:39	0.4	0.4	0.4
235	9/13/2022 12:11:39	0.4	0.4	0.4
236	9/13/2022 12:12:39	0.4	0.4	0.4
237	9/13/2022 12:13:39	0.4	0.4	0.4
238	9/13/2022 12:14:39	0.4	0.4	0.4
239	9/13/2022 12:15:39	0.4	0.4	0.4
240	9/13/2022 12:16:39	0.4	0.4	0.4
241	9/13/2022 12:17:39	0.4	0.4	0.4
242	9/13/2022 12:18:39	0.4	0.4	0.4
243	9/13/2022 12:19:39	0.4	0.4	0.4
244	9/13/2022 12:20:39	0.4	0.4	0.4
245	9/13/2022 12:21:39	0.4	0.4	0.4
246	9/13/2022 12:22:39	0.4	0.4	0.4
247	9/13/2022 12:23:39	0.4	0.4	0.4
248	9/13/2022 12:24:39	0.4	0.4	0.4
249	9/13/2022 12:25:39	0.4	0.4	0.4
250	9/13/2022 12:26:39	0.4	0.4	0.4
251	9/13/2022 12:27:39	0.4	0.4	0.4
252	9/13/2022 12:28:39	0.4	0.5	0.4
253	9/13/2022 12:29:39	0.4	0.4	0.4
254	9/13/2022 12:30:39	0.5	0.7	0.4
255	9/13/2022 12:31:39	0.4	0.4	0.4
256	9/13/2022 12:32:39	0.4	0.4	0.4
257	9/13/2022 12:33:39	0.4	0.4	0.4
258	9/13/2022 12:34:39	0.4	0.4	0.4
259	9/13/2022 12:35:39	0.4	0.4	0.4
260	9/13/2022 12:36:39	0.4	0.4	0.4
261	9/13/2022 12:37:39	0.4	0.4	0.4
262	9/13/2022 12:38:39	0.4	0.4	0.4

263	9/13/2022 12:39:39	0.4	0.4	0.4
264	9/13/2022 12:40:39	0.4	0.4	0.4
265	9/13/2022 12:41:39	0.4	0.4	0.4
266	9/13/2022 12:42:39	0.4	0.4	0.4
267	9/13/2022 12:43:39	0.4	0.4	0.4
268	9/13/2022 12:44:39	0.4	0.4	0.4
269	9/13/2022 12:45:39	0.4	0.4	0.4
270	9/13/2022 12:46:39	0.4	0.4	0.4
271	9/13/2022 12:47:39	0.4	0.4	0.4
272	9/13/2022 12:48:39	0.4	0.4	0.4
273	9/13/2022 12:49:39	0.4	0.4	0.4
274	9/13/2022 12:50:39	0.4	0.4	0.4
275	9/13/2022 12:51:39	0.4	0.4	0.4
276	9/13/2022 12:52:39	0.4	0.4	0.4
277	9/13/2022 12:53:39	0.4	0.4	0.4
278	9/13/2022 12:54:39	0.4	0.4	0.4
279	9/13/2022 12:55:39	0.4	0.4	0.4
280	9/13/2022 12:56:39	0.4	0.4	0.4
281	9/13/2022 12:57:39	0.4	0.4	0.4
282	9/13/2022 12:58:39	0.4	0.4	0.4
283	9/13/2022 12:59:39	0.4	0.4	0.4
284	9/13/2022 13:00:39	0.4	0.4	0.4
285	9/13/2022 13:01:39	0.4	0.4	0.4
286	9/13/2022 13:02:39	0.4	0.4	0.4
287	9/13/2022 13:03:39	0.4	0.4	0.4
288	9/13/2022 13:04:39	0.4	0.4	0.4
289	9/13/2022 13:05:39	0.4	0.4	0.4
290	9/13/2022 13:06:39	0.4	0.4	0.4
291	9/13/2022 13:07:39	0.4	0.4	0.4
292	9/13/2022 13:08:39	0.4	0.4	0.4
293	9/13/2022 13:09:39	0.4	0.4	0.4
294	9/13/2022 13:10:39	0.4	0.4	0.4
295	9/13/2022 13:11:39	0.4	0.4	0.4
296	9/13/2022 13:12:39	0.4	0.4	0.4
297	9/13/2022 13:13:39	0.4	0.4	0.4
298	9/13/2022 13:14:39	0.4	0.4	0.4
299	9/13/2022 13:15:39	0.4	0.4	0.4
300	9/13/2022 13:16:39	0.4	0.4	0.4
301	9/13/2022 13:17:39	0.4	0.4	0.4
302	9/13/2022 13:18:39	0.4	0.4	0.4
303	9/13/2022 13:19:39	0.4	0.4	0.4
304	9/13/2022 13:20:39	0.4	0.4	0.4
305	9/13/2022 13:21:39	0.4	0.4	0.4
306	9/13/2022 13:22:39	0.4	0.4	0.4
307	9/13/2022 13:23:39	0.4	0.4	0.4
308	9/13/2022 13:24:39	0.4	0.4	0.4
309	9/13/2022 13:25:39	0.4	0.4	0.4
310	9/13/2022 13:26:39	0.4	0.4	0.4
311	9/13/2022 13:27:39	0.4	0.4	0.4
312	9/13/2022 13:28:39	0.4	0.4	0.4

313	9/13/2022 13:29:39	0.4	0.4	0.4
314	9/13/2022 13:30:39	0.4	0.4	0.4
315	9/13/2022 13:31:39	0.4	0.4	0.4
316	9/13/2022 13:32:39	0.4	0.4	0.4
317	9/13/2022 13:33:39	0.4	0.4	0.4
318	9/13/2022 13:34:39	0.4	0.4	0.4
319	9/13/2022 13:35:39	0.4	0.4	0.4
320	9/13/2022 13:36:39	0.4	0.4	0.4
321	9/13/2022 13:37:39	0.4	0.4	0.4
322	9/13/2022 13:38:39	0.4	0.4	0.4
323	9/13/2022 13:39:39	0.4	0.4	0.4
324	9/13/2022 13:40:39	0.4	0.5	0.4
325	9/13/2022 13:41:39	0.4	0.4	0.4
326	9/13/2022 13:42:39	0.4	0.4	0.4
327	9/13/2022 13:43:39	0.4	0.4	0.4
328	9/13/2022 13:44:39	0.4	0.4	0.4
329	9/13/2022 13:45:39	0.4	0.4	0.4
330	9/13/2022 13:46:39	0.4	0.4	0.4
331	9/13/2022 13:47:39	0.4	0.4	0.4
332	9/13/2022 13:48:39	0.4	0.4	0.4
333	9/13/2022 13:49:39	0.4	0.4	0.4
334	9/13/2022 13:50:39	0.4	0.4	0.4
335	9/13/2022 13:51:39	0.4	0.4	0.4
336	9/13/2022 13:52:39	0.4	0.4	0.4
337	9/13/2022 13:53:39	0.4	0.4	0.4
338	9/13/2022 13:54:39	0.4	0.4	0.4
339	9/13/2022 13:55:39	0.4	0.4	0.4
340	9/13/2022 13:56:39	0.4	0.4	0.4
Peak		0.5	1.0	0.4
Min		0.0	0.0	0.0
Average		0.3	0.3	0.3

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/13/2022 08:17:39	0.0	---
002	9/13/2022 08:18:39	0.0	---
003	9/13/2022 08:19:39	0.0	---
004	9/13/2022 08:20:39	0.0	---
005	9/13/2022 08:21:39	0.0	---
006	9/13/2022 08:22:39	0.0	---
007	9/13/2022 08:23:39	0.0	---
008	9/13/2022 08:24:39	0.0	---
009	9/13/2022 08:25:39	0.0	---
010	9/13/2022 08:26:39	0.0	---
011	9/13/2022 08:27:39	0.0	---
012	9/13/2022 08:28:39	0.0	---
013	9/13/2022 08:29:39	0.0	---
014	9/13/2022 08:30:39	0.0	---

015	9/13/2022 08:31:39	0.0	0.0
016	9/13/2022 08:32:39	0.0	0.0
017	9/13/2022 08:33:39	0.0	0.0
018	9/13/2022 08:34:39	0.0	0.0
019	9/13/2022 08:35:39	0.0	0.0
020	9/13/2022 08:36:39	0.0	0.0
021	9/13/2022 08:37:39	0.0	0.0
022	9/13/2022 08:38:39	0.0	0.0
023	9/13/2022 08:39:39	0.0	0.0
024	9/13/2022 08:40:39	0.0	0.0
025	9/13/2022 08:41:39	0.0	0.0
026	9/13/2022 08:42:39	0.0	0.0
027	9/13/2022 08:43:39	0.0	0.0
028	9/13/2022 08:44:39	0.0	0.0
029	9/13/2022 08:45:39	0.0	0.0
030	9/13/2022 08:46:39	0.0	0.0
031	9/13/2022 08:47:39	0.0	0.0
032	9/13/2022 08:48:39	0.0	0.0
033	9/13/2022 08:49:39	0.0	0.0
034	9/13/2022 08:50:39	0.0	0.0
035	9/13/2022 08:51:39	0.0	0.0
036	9/13/2022 08:52:39	0.0	0.0
037	9/13/2022 08:53:39	0.0	0.0
038	9/13/2022 08:54:39	0.0	0.0
039	9/13/2022 08:55:39	0.0	0.0
040	9/13/2022 08:56:39	0.0	0.1
041	9/13/2022 08:57:39	0.0	0.1
042	9/13/2022 08:58:39	0.0	0.1
043	9/13/2022 08:59:39	0.0	0.1
044	9/13/2022 09:00:39	0.0	0.1
045	9/13/2022 09:01:39	0.0	0.1
046	9/13/2022 09:02:39	0.0	0.1
047	9/13/2022 09:03:39	0.0	0.1
048	9/13/2022 09:04:39	0.0	0.1
049	9/13/2022 09:05:39	0.0	0.1
050	9/13/2022 09:06:39	0.0	0.2
051	9/13/2022 09:07:39	0.0	0.2
052	9/13/2022 09:08:39	0.0	0.2
053	9/13/2022 09:09:39	0.0	0.2
054	9/13/2022 09:10:39	0.0	0.2
055	9/13/2022 09:11:39	0.0	0.2
056	9/13/2022 09:12:39	0.0	0.2
057	9/13/2022 09:13:39	0.0	0.2
058	9/13/2022 09:14:39	0.0	0.2
059	9/13/2022 09:15:39	0.0	0.2
060	9/13/2022 09:16:39	0.0	0.2
061	9/13/2022 09:17:39	0.0	0.2
062	9/13/2022 09:18:39	0.0	0.2
063	9/13/2022 09:19:39	0.0	0.2
064	9/13/2022 09:20:39	0.0	0.2

065	9/13/2022 09:21:39	0.0	0.2
066	9/13/2022 09:22:39	0.0	0.2
067	9/13/2022 09:23:39	0.0	0.2
068	9/13/2022 09:24:39	0.0	0.2
069	9/13/2022 09:25:39	0.0	0.2
070	9/13/2022 09:26:39	0.0	0.2
071	9/13/2022 09:27:39	0.0	0.3
072	9/13/2022 09:28:39	0.0	0.3
073	9/13/2022 09:29:39	0.0	0.3
074	9/13/2022 09:30:39	0.0	0.3
075	9/13/2022 09:31:39	0.0	0.3
076	9/13/2022 09:32:39	0.0	0.3
077	9/13/2022 09:33:39	0.0	0.3
078	9/13/2022 09:34:39	0.0	0.3
079	9/13/2022 09:35:39	0.0	0.3
080	9/13/2022 09:36:39	0.0	0.3
081	9/13/2022 09:37:39	0.0	0.3
082	9/13/2022 09:38:39	0.0	0.3
083	9/13/2022 09:39:39	0.0	0.3
084	9/13/2022 09:40:39	0.0	0.3
085	9/13/2022 09:41:39	0.0	0.3
086	9/13/2022 09:42:39	0.0	0.3
087	9/13/2022 09:43:39	0.0	0.3
088	9/13/2022 09:44:39	0.0	0.3
089	9/13/2022 09:45:39	0.0	0.3
090	9/13/2022 09:46:39	0.0	0.3
091	9/13/2022 09:47:39	0.0	0.3
092	9/13/2022 09:48:39	0.0	0.3
093	9/13/2022 09:49:39	0.0	0.3
094	9/13/2022 09:50:39	0.0	0.3
095	9/13/2022 09:51:39	0.0	0.3
096	9/13/2022 09:52:39	0.0	0.3
097	9/13/2022 09:53:39	0.0	0.3
098	9/13/2022 09:54:39	0.0	0.3
099	9/13/2022 09:55:39	0.0	0.3
100	9/13/2022 09:56:39	0.0	0.3
101	9/13/2022 09:57:39	0.0	0.3
102	9/13/2022 09:58:39	0.0	0.3
103	9/13/2022 09:59:39	0.0	0.3
104	9/13/2022 10:00:39	0.0	0.3
105	9/13/2022 10:01:39	0.0	0.3
106	9/13/2022 10:02:39	0.0	0.3
107	9/13/2022 10:03:39	0.0	0.3
108	9/13/2022 10:04:39	0.0	0.3
109	9/13/2022 10:05:39	0.0	0.3
110	9/13/2022 10:06:39	0.0	0.3
111	9/13/2022 10:07:39	0.0	0.3
112	9/13/2022 10:08:39	0.0	0.3
113	9/13/2022 10:09:39	0.0	0.3
114	9/13/2022 10:10:39	0.0	0.3

115	9/13/2022 10:11:39	0.0	0.3
116	9/13/2022 10:12:39	0.0	0.3
117	9/13/2022 10:13:39	0.0	0.3
118	9/13/2022 10:14:39	0.0	0.3
119	9/13/2022 10:15:39	0.0	0.3
120	9/13/2022 10:16:39	0.0	0.3
121	9/13/2022 10:17:39	0.0	0.3
122	9/13/2022 10:18:39	0.0	0.3
123	9/13/2022 10:19:39	0.0	0.3
124	9/13/2022 10:20:39	0.0	0.3
125	9/13/2022 10:21:39	0.0	0.3
126	9/13/2022 10:22:39	0.0	0.3
127	9/13/2022 10:23:39	0.1	0.3
128	9/13/2022 10:24:39	0.1	0.3
129	9/13/2022 10:25:39	0.1	0.3
130	9/13/2022 10:26:39	0.1	0.3
131	9/13/2022 10:27:39	0.1	0.3
132	9/13/2022 10:28:39	0.1	0.3
133	9/13/2022 10:29:39	0.1	0.3
134	9/13/2022 10:30:39	0.1	0.3
135	9/13/2022 10:31:39	0.1	0.3
136	9/13/2022 10:32:39	0.1	0.3
137	9/13/2022 10:33:39	0.1	0.3
138	9/13/2022 10:34:39	0.1	0.3
139	9/13/2022 10:35:39	0.1	0.3
140	9/13/2022 10:36:39	0.1	0.3
141	9/13/2022 10:37:39	0.1	0.3
142	9/13/2022 10:38:39	0.1	0.3
143	9/13/2022 10:39:39	0.1	0.3
144	9/13/2022 10:40:39	0.1	0.3
145	9/13/2022 10:41:39	0.1	0.3
146	9/13/2022 10:42:39	0.1	0.3
147	9/13/2022 10:43:39	0.1	0.3
148	9/13/2022 10:44:39	0.1	0.3
149	9/13/2022 10:45:39	0.1	0.3
150	9/13/2022 10:46:39	0.1	0.3
151	9/13/2022 10:47:39	0.1	0.3
152	9/13/2022 10:48:39	0.1	0.3
153	9/13/2022 10:49:39	0.1	0.3
154	9/13/2022 10:50:39	0.1	0.3
155	9/13/2022 10:51:39	0.1	0.3
156	9/13/2022 10:52:39	0.1	0.3
157	9/13/2022 10:53:39	0.1	0.3
158	9/13/2022 10:54:39	0.1	0.3
159	9/13/2022 10:55:39	0.1	0.3
160	9/13/2022 10:56:39	0.1	0.3
161	9/13/2022 10:57:39	0.1	0.3
162	9/13/2022 10:58:39	0.1	0.3
163	9/13/2022 10:59:39	0.1	0.3
164	9/13/2022 11:00:39	0.1	0.3

165	9/13/2022 11:01:39	0.1	0.3
166	9/13/2022 11:02:39	0.1	0.4
167	9/13/2022 11:03:39	0.1	0.4
168	9/13/2022 11:04:39	0.1	0.4
169	9/13/2022 11:05:39	0.1	0.4
170	9/13/2022 11:06:39	0.1	0.4
171	9/13/2022 11:07:39	0.1	0.4
172	9/13/2022 11:08:39	0.1	0.4
173	9/13/2022 11:09:39	0.1	0.4
174	9/13/2022 11:10:39	0.1	0.4
175	9/13/2022 11:11:39	0.1	0.4
176	9/13/2022 11:12:39	0.1	0.4
177	9/13/2022 11:13:39	0.1	0.4
178	9/13/2022 11:14:39	0.1	0.4
179	9/13/2022 11:15:39	0.1	0.4
180	9/13/2022 11:16:39	0.1	0.4
181	9/13/2022 11:17:39	0.1	0.4
182	9/13/2022 11:18:39	0.1	0.4
183	9/13/2022 11:19:39	0.1	0.4
184	9/13/2022 11:20:39	0.1	0.4
185	9/13/2022 11:21:39	0.1	0.4
186	9/13/2022 11:22:39	0.1	0.4
187	9/13/2022 11:23:39	0.1	0.4
188	9/13/2022 11:24:39	0.1	0.4
189	9/13/2022 11:25:39	0.1	0.4
190	9/13/2022 11:26:39	0.1	0.4
191	9/13/2022 11:27:39	0.1	0.4
192	9/13/2022 11:28:39	0.1	0.4
193	9/13/2022 11:29:39	0.1	0.4
194	9/13/2022 11:30:39	0.1	0.4
195	9/13/2022 11:31:39	0.1	0.4
196	9/13/2022 11:32:39	0.1	0.4
197	9/13/2022 11:33:39	0.1	0.4
198	9/13/2022 11:34:39	0.1	0.4
199	9/13/2022 11:35:39	0.1	0.4
200	9/13/2022 11:36:39	0.1	0.4
201	9/13/2022 11:37:39	0.1	0.4
202	9/13/2022 11:38:39	0.1	0.4
203	9/13/2022 11:39:39	0.1	0.4
204	9/13/2022 11:40:39	0.1	0.4
205	9/13/2022 11:41:39	0.1	0.4
206	9/13/2022 11:42:39	0.1	0.4
207	9/13/2022 11:43:39	0.1	0.4
208	9/13/2022 11:44:39	0.1	0.4
209	9/13/2022 11:45:39	0.1	0.4
210	9/13/2022 11:46:39	0.1	0.4
211	9/13/2022 11:47:39	0.1	0.4
212	9/13/2022 11:48:39	0.1	0.4
213	9/13/2022 11:49:39	0.1	0.4
214	9/13/2022 11:50:39	0.1	0.4

215	9/13/2022 11:51:39	0.1	0.4
216	9/13/2022 11:52:39	0.1	0.4
217	9/13/2022 11:53:39	0.1	0.4
218	9/13/2022 11:54:39	0.1	0.4
219	9/13/2022 11:55:39	0.1	0.4
220	9/13/2022 11:56:39	0.1	0.4
221	9/13/2022 11:57:39	0.1	0.4
222	9/13/2022 11:58:39	0.1	0.4
223	9/13/2022 11:59:39	0.1	0.4
224	9/13/2022 12:00:39	0.1	0.4
225	9/13/2022 12:01:39	0.1	0.4
226	9/13/2022 12:02:39	0.1	0.4
227	9/13/2022 12:03:39	0.1	0.4
228	9/13/2022 12:04:39	0.1	0.4
229	9/13/2022 12:05:39	0.1	0.4
230	9/13/2022 12:06:39	0.1	0.4
231	9/13/2022 12:07:39	0.1	0.4
232	9/13/2022 12:08:39	0.1	0.4
233	9/13/2022 12:09:39	0.1	0.4
234	9/13/2022 12:10:39	0.1	0.4
235	9/13/2022 12:11:39	0.1	0.4
236	9/13/2022 12:12:39	0.1	0.4
237	9/13/2022 12:13:39	0.1	0.4
238	9/13/2022 12:14:39	0.1	0.4
239	9/13/2022 12:15:39	0.1	0.4
240	9/13/2022 12:16:39	0.1	0.4
241	9/13/2022 12:17:39	0.1	0.4
242	9/13/2022 12:18:39	0.1	0.4
243	9/13/2022 12:19:39	0.1	0.4
244	9/13/2022 12:20:39	0.1	0.4
245	9/13/2022 12:21:39	0.1	0.4
246	9/13/2022 12:22:39	0.1	0.4
247	9/13/2022 12:23:39	0.1	0.4
248	9/13/2022 12:24:39	0.1	0.4
249	9/13/2022 12:25:39	0.1	0.4
250	9/13/2022 12:26:39	0.1	0.4
251	9/13/2022 12:27:39	0.1	0.4
252	9/13/2022 12:28:39	0.1	0.4
253	9/13/2022 12:29:39	0.1	0.4
254	9/13/2022 12:30:39	0.1	0.4
255	9/13/2022 12:31:39	0.1	0.4
256	9/13/2022 12:32:39	0.2	0.4
257	9/13/2022 12:33:39	0.2	0.4
258	9/13/2022 12:34:39	0.2	0.4
259	9/13/2022 12:35:39	0.2	0.4
260	9/13/2022 12:36:39	0.2	0.4
261	9/13/2022 12:37:39	0.2	0.4
262	9/13/2022 12:38:39	0.2	0.4
263	9/13/2022 12:39:39	0.2	0.4
264	9/13/2022 12:40:39	0.2	0.4

265	9/13/2022 12:41:39	0.2	0.4
266	9/13/2022 12:42:39	0.2	0.4
267	9/13/2022 12:43:39	0.2	0.4
268	9/13/2022 12:44:39	0.2	0.4
269	9/13/2022 12:45:39	0.2	0.4
270	9/13/2022 12:46:39	0.2	0.4
271	9/13/2022 12:47:39	0.2	0.4
272	9/13/2022 12:48:39	0.2	0.4
273	9/13/2022 12:49:39	0.2	0.4
274	9/13/2022 12:50:39	0.2	0.4
275	9/13/2022 12:51:39	0.2	0.4
276	9/13/2022 12:52:39	0.2	0.4
277	9/13/2022 12:53:39	0.2	0.4
278	9/13/2022 12:54:39	0.2	0.4
279	9/13/2022 12:55:39	0.2	0.4
280	9/13/2022 12:56:39	0.2	0.4
281	9/13/2022 12:57:39	0.2	0.4
282	9/13/2022 12:58:39	0.2	0.4
283	9/13/2022 12:59:39	0.2	0.4
284	9/13/2022 13:00:39	0.2	0.4
285	9/13/2022 13:01:39	0.2	0.4
286	9/13/2022 13:02:39	0.2	0.4
287	9/13/2022 13:03:39	0.2	0.4
288	9/13/2022 13:04:39	0.2	0.4
289	9/13/2022 13:05:39	0.2	0.4
290	9/13/2022 13:06:39	0.2	0.4
291	9/13/2022 13:07:39	0.2	0.4
292	9/13/2022 13:08:39	0.2	0.4
293	9/13/2022 13:09:39	0.2	0.4
294	9/13/2022 13:10:39	0.2	0.4
295	9/13/2022 13:11:39	0.2	0.4
296	9/13/2022 13:12:39	0.2	0.4
297	9/13/2022 13:13:39	0.2	0.4
298	9/13/2022 13:14:39	0.2	0.4
299	9/13/2022 13:15:39	0.2	0.4
300	9/13/2022 13:16:39	0.2	0.4
301	9/13/2022 13:17:39	0.2	0.4
302	9/13/2022 13:18:39	0.2	0.4
303	9/13/2022 13:19:39	0.2	0.4
304	9/13/2022 13:20:39	0.2	0.4
305	9/13/2022 13:21:39	0.2	0.4
306	9/13/2022 13:22:39	0.2	0.4
307	9/13/2022 13:23:39	0.2	0.4
308	9/13/2022 13:24:39	0.2	0.4
309	9/13/2022 13:25:39	0.2	0.4
310	9/13/2022 13:26:39	0.2	0.4
311	9/13/2022 13:27:39	0.2	0.4
312	9/13/2022 13:28:39	0.2	0.4
313	9/13/2022 13:29:39	0.2	0.4
314	9/13/2022 13:30:39	0.2	0.4

315	9/13/2022 13:31:39	0.2	0.4
316	9/13/2022 13:32:39	0.2	0.4
317	9/13/2022 13:33:39	0.2	0.4
318	9/13/2022 13:34:39	0.2	0.4
319	9/13/2022 13:35:39	0.2	0.4
320	9/13/2022 13:36:39	0.2	0.4
321	9/13/2022 13:37:39	0.2	0.4
322	9/13/2022 13:38:39	0.2	0.4
323	9/13/2022 13:39:39	0.2	0.4
324	9/13/2022 13:40:39	0.2	0.4
325	9/13/2022 13:41:39	0.2	0.4
326	9/13/2022 13:42:39	0.2	0.4
327	9/13/2022 13:43:39	0.2	0.4
328	9/13/2022 13:44:39	0.2	0.4
329	9/13/2022 13:45:39	0.2	0.4
330	9/13/2022 13:46:39	0.2	0.4
331	9/13/2022 13:47:39	0.2	0.4
332	9/13/2022 13:48:39	0.2	0.4
333	9/13/2022 13:49:39	0.2	0.4
334	9/13/2022 13:50:39	0.2	0.4
335	9/13/2022 13:51:39	0.2	0.4
336	9/13/2022 13:52:39	0.2	0.4
337	9/13/2022 13:53:39	0.2	0.4
338	9/13/2022 13:54:39	0.2	0.4
339	9/13/2022 13:55:39	0.2	0.4
340	9/13/2022 13:56:39	0.2	0.4

==========

22/09/20 10:33

****

Summary

Unit Name	MiniRAE 3000 +(PGM-7320)
Unit SN	592-602327
Unit Firmware Ver	V2.22

Running Mode	Hygiene Mode
Datalog Mode	Auto
Diagnostic Mode	No
Stop Reason	Power Down

Site ID	12345678
User ID	12345678

Begin	9/20/2022 10:33:03
End	9/20/2022 15:00:28
Sample Period(s)	60
Number of Records	267

Sensor	PID(ppm)
Sensor SN	S023030372B7

Measure Type	Avg; Max; Real
Span	100.0
Span 2	1000.0
Low Alarm	50.0
High Alarm	100.0
Over Alarm	15000.0
STEL Alarm	100.0
TWA Alarm	50.0
Measurement Gas Isobutylene
Calibration Time	8/10/2022 10:58
Peak	0.3
Min	0.0
Average 0.2

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	PID(ppm)
001	9/20/2022 10:34:03		0.1	0.1	0.1
002	9/20/2022 10:35:03		0.0	0.1	0.0
003	9/20/2022 10:36:03		0.0	0.0	0.0
004	9/20/2022 10:37:03		0.0	0.0	0.0
005	9/20/2022 10:38:03		0.0	0.0	0.0
006	9/20/2022 10:39:03		0.0	0.0	0.0
007	9/20/2022 10:40:03		0.0	0.0	0.0
008	9/20/2022 10:41:03		0.0	0.0	0.0
009	9/20/2022 10:42:03		0.0	0.0	0.0
010	9/20/2022 10:43:03		0.0	0.0	0.0
011	9/20/2022 10:44:03		0.0	0.0	0.0
012	9/20/2022 10:45:03		0.0	0.0	0.0
013	9/20/2022 10:46:03		0.0	0.0	0.0
014	9/20/2022 10:47:03		0.0	0.0	0.0
015	9/20/2022 10:48:03		0.0	0.0	0.0
016	9/20/2022 10:49:03		0.0	0.0	0.0
017	9/20/2022 10:50:03		0.0	0.1	0.0
018	9/20/2022 10:51:03		0.0	0.1	0.0
019	9/20/2022 10:52:03		0.0	0.1	0.1
020	9/20/2022 10:53:03		0.1	0.1	0.1
021	9/20/2022 10:54:03		0.1	0.1	0.1
022	9/20/2022 10:55:03		0.1	0.1	0.1
023	9/20/2022 10:56:03		0.1	0.1	0.1
024	9/20/2022 10:57:03		0.1	0.1	0.1
025	9/20/2022 10:58:03		0.1	0.1	0.1
026	9/20/2022 10:59:03		0.1	0.1	0.1
027	9/20/2022 11:00:03		0.1	0.1	0.1
028	9/20/2022 11:01:03		0.1	0.1	0.1
029	9/20/2022 11:02:03		0.1	0.1	0.1
030	9/20/2022 11:03:03		0.1	0.1	0.1
031	9/20/2022 11:04:03		0.1	0.1	0.1
032	9/20/2022 11:05:03		0.1	0.1	0.1

033	9/20/2022 11:06:03	0.1	0.1	0.1
034	9/20/2022 11:07:03	0.1	0.1	0.1
035	9/20/2022 11:08:03	0.1	0.1	0.1
036	9/20/2022 11:09:03	0.1	0.1	0.1
037	9/20/2022 11:10:03	0.1	0.1	0.1
038	9/20/2022 11:11:03	0.1	0.1	0.1
039	9/20/2022 11:12:03	0.1	0.1	0.1
040	9/20/2022 11:13:03	0.1	0.1	0.1
041	9/20/2022 11:14:03	0.1	0.2	0.1
042	9/20/2022 11:15:03	0.1	0.2	0.2
043	9/20/2022 11:16:03	0.2	0.2	0.2
044	9/20/2022 11:17:03	0.2	0.2	0.2
045	9/20/2022 11:18:03	0.2	0.2	0.2
046	9/20/2022 11:19:03	0.2	0.2	0.2
047	9/20/2022 11:20:03	0.2	0.2	0.2
048	9/20/2022 11:21:03	0.2	0.2	0.2
049	9/20/2022 11:22:03	0.2	0.2	0.2
050	9/20/2022 11:23:03	0.2	0.2	0.2
051	9/20/2022 11:24:03	0.2	0.2	0.2
052	9/20/2022 11:25:03	0.2	0.2	0.2
053	9/20/2022 11:26:03	0.2	0.2	0.2
054	9/20/2022 11:27:03	0.2	0.2	0.2
055	9/20/2022 11:28:03	0.2	0.2	0.2
056	9/20/2022 11:29:03	0.2	0.2	0.2
057	9/20/2022 11:30:03	0.2	0.2	0.2
058	9/20/2022 11:31:03	0.2	0.2	0.2
059	9/20/2022 11:32:03	0.2	0.2	0.2
060	9/20/2022 11:33:03	0.2	0.2	0.2
061	9/20/2022 11:34:03	0.2	0.2	0.2
062	9/20/2022 11:35:03	0.2	0.2	0.2
063	9/20/2022 11:36:03	0.2	0.2	0.2
064	9/20/2022 11:37:03	0.2	0.2	0.2
065	9/20/2022 11:38:03	0.2	0.2	0.2
066	9/20/2022 11:39:03	0.2	0.2	0.2
067	9/20/2022 11:40:03	0.2	0.2	0.2
068	9/20/2022 11:41:03	0.2	0.2	0.2
069	9/20/2022 11:42:03	0.2	0.2	0.2
070	9/20/2022 11:43:03	0.2	0.2	0.2
071	9/20/2022 11:44:03	0.2	0.2	0.2
072	9/20/2022 11:45:03	0.2	0.2	0.2
073	9/20/2022 11:46:03	0.2	0.2	0.2
074	9/20/2022 11:47:03	0.2	0.2	0.2
075	9/20/2022 11:48:03	0.2	0.2	0.2
076	9/20/2022 11:49:03	0.2	0.2	0.2
077	9/20/2022 11:50:03	0.2	0.2	0.2
078	9/20/2022 11:51:03	0.2	0.2	0.2
079	9/20/2022 11:52:03	0.2	0.2	0.2
080	9/20/2022 11:53:03	0.2	0.2	0.2
081	9/20/2022 11:54:03	0.2	0.2	0.2
082	9/20/2022 11:55:03	0.2	0.2	0.2

083	9/20/2022 11:56:03	0.2	0.2	0.2
084	9/20/2022 11:57:03	0.2	0.2	0.2
085	9/20/2022 11:58:03	0.2	0.2	0.2
086	9/20/2022 11:59:03	0.2	0.2	0.2
087	9/20/2022 12:00:03	0.2	0.2	0.2
088	9/20/2022 12:01:03	0.2	0.2	0.2
089	9/20/2022 12:02:03	0.2	0.2	0.2
090	9/20/2022 12:03:03	0.2	0.2	0.2
091	9/20/2022 12:04:03	0.2	0.2	0.2
092	9/20/2022 12:05:03	0.2	0.2	0.2
093	9/20/2022 12:06:03	0.2	0.2	0.2
094	9/20/2022 12:07:03	0.2	0.2	0.2
095	9/20/2022 12:08:03	0.2	0.2	0.2
096	9/20/2022 12:09:03	0.2	0.2	0.2
097	9/20/2022 12:10:03	0.2	0.2	0.2
098	9/20/2022 12:11:03	0.2	0.2	0.2
099	9/20/2022 12:12:03	0.2	0.2	0.2
100	9/20/2022 12:13:03	0.2	0.3	0.2
101	9/20/2022 12:14:03	0.2	0.2	0.2
102	9/20/2022 12:15:03	0.2	0.3	0.2
103	9/20/2022 12:16:03	0.3	0.3	0.3
104	9/20/2022 12:17:03	0.2	0.3	0.3
105	9/20/2022 12:18:03	0.2	0.3	0.2
106	9/20/2022 12:19:03	0.2	0.2	0.2
107	9/20/2022 12:20:03	0.2	0.2	0.2
108	9/20/2022 12:21:03	0.2	0.3	0.3
109	9/20/2022 12:22:03	0.2	0.3	0.3
110	9/20/2022 12:23:03	0.3	0.3	0.3
111	9/20/2022 12:24:03	0.3	0.3	0.3
112	9/20/2022 12:25:03	0.3	0.3	0.3
113	9/20/2022 12:26:03	0.3	0.3	0.3
114	9/20/2022 12:27:03	0.3	0.3	0.3
115	9/20/2022 12:28:03	0.3	0.3	0.3
116	9/20/2022 12:29:03	0.3	0.3	0.3
117	9/20/2022 12:30:03	0.3	0.3	0.3
118	9/20/2022 12:31:03	0.3	0.3	0.3
119	9/20/2022 12:32:03	0.3	0.3	0.3
120	9/20/2022 12:33:03	0.3	0.3	0.3
121	9/20/2022 12:34:03	0.3	0.3	0.3
122	9/20/2022 12:35:03	0.3	0.3	0.3
123	9/20/2022 12:36:03	0.3	0.3	0.3
124	9/20/2022 12:37:03	0.3	0.3	0.3
125	9/20/2022 12:38:03	0.3	0.3	0.3
126	9/20/2022 12:39:03	0.3	0.3	0.3
127	9/20/2022 12:40:03	0.3	0.3	0.3
128	9/20/2022 12:41:03	0.3	0.3	0.3
129	9/20/2022 12:42:03	0.3	0.3	0.3
130	9/20/2022 12:43:03	0.3	0.3	0.3
131	9/20/2022 12:44:03	0.3	0.3	0.3
132	9/20/2022 12:45:03	0.3	0.3	0.3

133	9/20/2022 12:46:03	0.3	0.3	0.3
134	9/20/2022 12:47:03	0.3	0.3	0.3
135	9/20/2022 12:48:03	0.3	0.3	0.3
136	9/20/2022 12:49:03	0.3	0.3	0.3
137	9/20/2022 12:50:03	0.3	0.3	0.3
138	9/20/2022 12:51:03	0.3	0.3	0.3
139	9/20/2022 12:52:03	0.3	0.3	0.3
140	9/20/2022 12:53:03	0.3	0.3	0.3
141	9/20/2022 12:54:03	0.3	0.3	0.3
142	9/20/2022 12:55:03	0.3	0.3	0.3
143	9/20/2022 12:56:03	0.3	0.3	0.3
144	9/20/2022 12:57:03	0.3	0.3	0.3
145	9/20/2022 12:58:03	0.3	0.3	0.3
146	9/20/2022 12:59:03	0.3	0.3	0.3
147	9/20/2022 13:00:03	0.3	0.3	0.3
148	9/20/2022 13:01:03	0.3	0.3	0.3
149	9/20/2022 13:02:03	0.3	0.3	0.3
150	9/20/2022 13:03:03	0.3	0.3	0.3
151	9/20/2022 13:04:03	0.3	0.3	0.3
152	9/20/2022 13:05:03	0.3	0.3	0.3
153	9/20/2022 13:06:03	0.3	0.3	0.3
154	9/20/2022 13:07:03	0.3	0.3	0.3
155	9/20/2022 13:08:03	0.3	0.3	0.3
156	9/20/2022 13:09:03	0.3	0.3	0.3
157	9/20/2022 13:10:03	0.3	0.3	0.3
158	9/20/2022 13:11:03	0.3	0.3	0.3
159	9/20/2022 13:12:03	0.3	0.3	0.3
160	9/20/2022 13:13:03	0.3	0.3	0.3
161	9/20/2022 13:14:03	0.3	0.3	0.3
162	9/20/2022 13:15:03	0.3	0.3	0.3
163	9/20/2022 13:16:03	0.3	0.3	0.3
164	9/20/2022 13:17:03	0.3	0.3	0.3
165	9/20/2022 13:18:03	0.3	0.3	0.3
166	9/20/2022 13:19:03	0.3	0.3	0.3
167	9/20/2022 13:20:03	0.3	0.3	0.3
168	9/20/2022 13:21:03	0.3	0.3	0.3
169	9/20/2022 13:22:03	0.3	0.3	0.3
170	9/20/2022 13:23:03	0.3	0.3	0.3
171	9/20/2022 13:24:03	0.3	0.3	0.3
172	9/20/2022 13:25:03	0.3	0.3	0.3
173	9/20/2022 13:26:03	0.3	0.3	0.3
174	9/20/2022 13:27:03	0.3	0.3	0.3
175	9/20/2022 13:28:03	0.3	0.3	0.3
176	9/20/2022 13:29:03	0.3	0.3	0.3
177	9/20/2022 13:30:03	0.3	0.3	0.3
178	9/20/2022 13:31:03	0.3	0.3	0.3
179	9/20/2022 13:32:03	0.3	0.3	0.3
180	9/20/2022 13:33:03	0.3	0.3	0.3
181	9/20/2022 13:34:03	0.3	0.3	0.3
182	9/20/2022 13:35:03	0.3	0.3	0.3

183	9/20/2022	13:36:03	0.3	0.3	0.3
184	9/20/2022	13:37:03	0.3	0.3	0.3
185	9/20/2022	13:38:03	0.3	0.3	0.3
186	9/20/2022	13:39:03	0.3	0.3	0.3
187	9/20/2022	13:40:03	0.3	0.3	0.3
188	9/20/2022	13:41:03	0.3	0.3	0.3
189	9/20/2022	13:42:03	0.3	0.3	0.3
190	9/20/2022	13:43:03	0.3	0.3	0.3
191	9/20/2022	13:44:03	0.3	0.3	0.3
192	9/20/2022	13:45:03	0.3	0.3	0.3
193	9/20/2022	13:46:03	0.3	0.3	0.3
194	9/20/2022	13:47:03	0.3	0.3	0.3
195	9/20/2022	13:48:03	0.3	0.3	0.3
196	9/20/2022	13:49:03	0.3	0.3	0.3
197	9/20/2022	13:50:03	0.3	0.3	0.3
198	9/20/2022	13:51:03	0.3	0.3	0.3
199	9/20/2022	13:52:03	0.3	0.3	0.3
200	9/20/2022	13:53:03	0.3	0.3	0.3
201	9/20/2022	13:54:03	0.3	0.3	0.3
202	9/20/2022	13:55:03	0.3	0.3	0.3
203	9/20/2022	13:56:03	0.3	0.3	0.3
204	9/20/2022	13:57:03	0.3	0.3	0.3
205	9/20/2022	13:58:03	0.3	0.3	0.3
206	9/20/2022	13:59:03	0.3	0.3	0.3
207	9/20/2022	14:00:03	0.3	0.3	0.3
208	9/20/2022	14:01:03	0.3	0.3	0.3
209	9/20/2022	14:02:03	0.3	0.3	0.3
210	9/20/2022	14:03:03	0.3	0.3	0.3
211	9/20/2022	14:04:03	0.3	0.3	0.3
212	9/20/2022	14:05:03	0.3	0.3	0.3
213	9/20/2022	14:06:03	0.3	0.3	0.3
214	9/20/2022	14:07:03	0.3	0.3	0.3
215	9/20/2022	14:08:03	0.3	0.3	0.3
216	9/20/2022	14:09:03	0.3	0.3	0.3
217	9/20/2022	14:10:03	0.3	0.3	0.3
218	9/20/2022	14:11:03	0.3	0.3	0.3
219	9/20/2022	14:12:03	0.3	0.3	0.3
220	9/20/2022	14:13:03	0.3	0.3	0.3
221	9/20/2022	14:14:03	0.3	0.3	0.3
222	9/20/2022	14:15:03	0.3	0.3	0.3
223	9/20/2022	14:16:03	0.3	0.3	0.3
224	9/20/2022	14:17:03	0.3	0.3	0.3
225	9/20/2022	14:18:03	0.3	0.3	0.3
226	9/20/2022	14:19:03	0.3	0.3	0.3
227	9/20/2022	14:20:03	0.3	0.3	0.3
228	9/20/2022	14:21:03	0.3	0.3	0.3
229	9/20/2022	14:22:03	0.3	0.3	0.3
230	9/20/2022	14:23:03	0.3	0.3	0.3
231	9/20/2022	14:24:03	0.3	0.3	0.3
232	9/20/2022	14:25:03	0.3	0.3	0.3

233	9/20/2022 14:26:03	0.3	0.3	0.3
234	9/20/2022 14:27:03	0.3	0.3	0.3
235	9/20/2022 14:28:03	0.3	0.3	0.3
236	9/20/2022 14:29:03	0.3	0.3	0.3
237	9/20/2022 14:30:03	0.3	0.3	0.3
238	9/20/2022 14:31:03	0.3	0.3	0.3
239	9/20/2022 14:32:03	0.3	0.3	0.3
240	9/20/2022 14:33:03	0.3	0.3	0.3
241	9/20/2022 14:34:03	0.3	0.3	0.3
242	9/20/2022 14:35:03	0.3	0.3	0.3
243	9/20/2022 14:36:03	0.3	0.3	0.3
244	9/20/2022 14:37:03	0.3	0.3	0.3
245	9/20/2022 14:38:03	0.3	0.3	0.3
246	9/20/2022 14:39:03	0.3	0.3	0.3
247	9/20/2022 14:40:03	0.3	0.3	0.3
248	9/20/2022 14:41:03	0.3	0.3	0.3
249	9/20/2022 14:42:03	0.3	0.3	0.3
250	9/20/2022 14:43:03	0.3	0.3	0.3
251	9/20/2022 14:44:03	0.3	0.3	0.3
252	9/20/2022 14:45:03	0.3	0.3	0.3
253	9/20/2022 14:46:03	0.3	0.3	0.3
254	9/20/2022 14:47:03	0.3	0.3	0.3
255	9/20/2022 14:48:03	0.3	0.3	0.3
256	9/20/2022 14:49:03	0.3	0.3	0.3
257	9/20/2022 14:50:03	0.3	0.3	0.3
258	9/20/2022 14:51:03	0.3	0.3	0.3
259	9/20/2022 14:52:03	0.3	0.3	0.3
260	9/20/2022 14:53:03	0.3	0.3	0.3
261	9/20/2022 14:54:03	0.3	0.3	0.3
262	9/20/2022 14:55:03	0.3	0.3	0.3
263	9/20/2022 14:56:03	0.3	0.3	0.3
264	9/20/2022 14:57:03	0.3	0.3	0.3
265	9/20/2022 14:58:03	0.3	0.3	0.3
266	9/20/2022 14:59:03	0.3	0.3	0.3
267	9/20/2022 15:00:03	0.3	0.3	0.3
Peak		0.3	0.3	0.3
Min		0.0	0.0	0.0
Average		0.2	0.2	0.2

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/20/2022 10:34:03	0.0	---
002	9/20/2022 10:35:03	0.0	---
003	9/20/2022 10:36:03	0.0	---
004	9/20/2022 10:37:03	0.0	---
005	9/20/2022 10:38:03	0.0	---
006	9/20/2022 10:39:03	0.0	---
007	9/20/2022 10:40:03	0.0	---

008	9/20/2022 10:41:03	0.0	---
009	9/20/2022 10:42:03	0.0	---
010	9/20/2022 10:43:03	0.0	---
011	9/20/2022 10:44:03	0.0	---
012	9/20/2022 10:45:03	0.0	---
013	9/20/2022 10:46:03	0.0	---
014	9/20/2022 10:47:03	0.0	---
015	9/20/2022 10:48:03	0.0	0.0
016	9/20/2022 10:49:03	0.0	0.0
017	9/20/2022 10:50:03	0.0	0.0
018	9/20/2022 10:51:03	0.0	0.0
019	9/20/2022 10:52:03	0.0	0.0
020	9/20/2022 10:53:03	0.0	0.0
021	9/20/2022 10:54:03	0.0	0.0
022	9/20/2022 10:55:03	0.0	0.0
023	9/20/2022 10:56:03	0.0	0.0
024	9/20/2022 10:57:03	0.0	0.0
025	9/20/2022 10:58:03	0.0	0.0
026	9/20/2022 10:59:03	0.0	0.1
027	9/20/2022 11:00:03	0.0	0.1
028	9/20/2022 11:01:03	0.0	0.1
029	9/20/2022 11:02:03	0.0	0.1
030	9/20/2022 11:03:03	0.0	0.1
031	9/20/2022 11:04:03	0.0	0.1
032	9/20/2022 11:05:03	0.0	0.1
033	9/20/2022 11:06:03	0.0	0.1
034	9/20/2022 11:07:03	0.0	0.1
035	9/20/2022 11:08:03	0.0	0.1
036	9/20/2022 11:09:03	0.0	0.1
037	9/20/2022 11:10:03	0.0	0.1
038	9/20/2022 11:11:03	0.0	0.1
039	9/20/2022 11:12:03	0.0	0.1
040	9/20/2022 11:13:03	0.0	0.1
041	9/20/2022 11:14:03	0.0	0.1
042	9/20/2022 11:15:03	0.0	0.1
043	9/20/2022 11:16:03	0.0	0.1
044	9/20/2022 11:17:03	0.0	0.1
045	9/20/2022 11:18:03	0.0	0.1
046	9/20/2022 11:19:03	0.0	0.1
047	9/20/2022 11:20:03	0.0	0.1
048	9/20/2022 11:21:03	0.0	0.2
049	9/20/2022 11:22:03	0.0	0.2
050	9/20/2022 11:23:03	0.0	0.2
051	9/20/2022 11:24:03	0.0	0.2
052	9/20/2022 11:25:03	0.0	0.2
053	9/20/2022 11:26:03	0.0	0.2
054	9/20/2022 11:27:03	0.0	0.2
055	9/20/2022 11:28:03	0.0	0.2
056	9/20/2022 11:29:03	0.0	0.2
057	9/20/2022 11:30:03	0.0	0.2

058	9/20/2022 11:31:03	0.0	0.2
059	9/20/2022 11:32:03	0.0	0.2
060	9/20/2022 11:33:03	0.0	0.2
061	9/20/2022 11:34:03	0.0	0.2
062	9/20/2022 11:35:03	0.0	0.2
063	9/20/2022 11:36:03	0.0	0.2
064	9/20/2022 11:37:03	0.0	0.2
065	9/20/2022 11:38:03	0.0	0.2
066	9/20/2022 11:39:03	0.0	0.2
067	9/20/2022 11:40:03	0.0	0.2
068	9/20/2022 11:41:03	0.0	0.2
069	9/20/2022 11:42:03	0.0	0.2
070	9/20/2022 11:43:03	0.0	0.2
071	9/20/2022 11:44:03	0.0	0.2
072	9/20/2022 11:45:03	0.0	0.2
073	9/20/2022 11:46:03	0.0	0.2
074	9/20/2022 11:47:03	0.0	0.2
075	9/20/2022 11:48:03	0.0	0.2
076	9/20/2022 11:49:03	0.0	0.2
077	9/20/2022 11:50:03	0.0	0.2
078	9/20/2022 11:51:03	0.0	0.2
079	9/20/2022 11:52:03	0.0	0.2
080	9/20/2022 11:53:03	0.0	0.2
081	9/20/2022 11:54:03	0.0	0.2
082	9/20/2022 11:55:03	0.0	0.2
083	9/20/2022 11:56:03	0.0	0.2
084	9/20/2022 11:57:03	0.0	0.2
085	9/20/2022 11:58:03	0.0	0.2
086	9/20/2022 11:59:03	0.0	0.2
087	9/20/2022 12:00:03	0.0	0.2
088	9/20/2022 12:01:03	0.0	0.2
089	9/20/2022 12:02:03	0.0	0.2
090	9/20/2022 12:03:03	0.0	0.2
091	9/20/2022 12:04:03	0.0	0.2
092	9/20/2022 12:05:03	0.0	0.2
093	9/20/2022 12:06:03	0.0	0.2
094	9/20/2022 12:07:03	0.0	0.2
095	9/20/2022 12:08:03	0.0	0.2
096	9/20/2022 12:09:03	0.0	0.2
097	9/20/2022 12:10:03	0.0	0.2
098	9/20/2022 12:11:03	0.0	0.2
099	9/20/2022 12:12:03	0.0	0.2
100	9/20/2022 12:13:03	0.0	0.2
101	9/20/2022 12:14:03	0.0	0.2
102	9/20/2022 12:15:03	0.0	0.2
103	9/20/2022 12:16:03	0.0	0.2
104	9/20/2022 12:17:03	0.0	0.2
105	9/20/2022 12:18:03	0.0	0.2
106	9/20/2022 12:19:03	0.0	0.2
107	9/20/2022 12:20:03	0.0	0.2

108	9/20/2022 12:21:03	0.0	0.2
109	9/20/2022 12:22:03	0.0	0.2
110	9/20/2022 12:23:03	0.0	0.2
111	9/20/2022 12:24:03	0.0	0.3
112	9/20/2022 12:25:03	0.0	0.3
113	9/20/2022 12:26:03	0.0	0.3
114	9/20/2022 12:27:03	0.0	0.3
115	9/20/2022 12:28:03	0.0	0.3
116	9/20/2022 12:29:03	0.0	0.3
117	9/20/2022 12:30:03	0.0	0.3
118	9/20/2022 12:31:03	0.0	0.3
119	9/20/2022 12:32:03	0.0	0.3
120	9/20/2022 12:33:03	0.0	0.3
121	9/20/2022 12:34:03	0.0	0.3
122	9/20/2022 12:35:03	0.0	0.3
123	9/20/2022 12:36:03	0.0	0.3
124	9/20/2022 12:37:03	0.0	0.3
125	9/20/2022 12:38:03	0.0	0.3
126	9/20/2022 12:39:03	0.0	0.3
127	9/20/2022 12:40:03	0.0	0.3
128	9/20/2022 12:41:03	0.0	0.3
129	9/20/2022 12:42:03	0.0	0.3
130	9/20/2022 12:43:03	0.0	0.3
131	9/20/2022 12:44:03	0.0	0.3
132	9/20/2022 12:45:03	0.0	0.3
133	9/20/2022 12:46:03	0.0	0.3
134	9/20/2022 12:47:03	0.0	0.3
135	9/20/2022 12:48:03	0.1	0.3
136	9/20/2022 12:49:03	0.1	0.3
137	9/20/2022 12:50:03	0.1	0.3
138	9/20/2022 12:51:03	0.1	0.3
139	9/20/2022 12:52:03	0.1	0.3
140	9/20/2022 12:53:03	0.1	0.3
141	9/20/2022 12:54:03	0.1	0.3
142	9/20/2022 12:55:03	0.1	0.3
143	9/20/2022 12:56:03	0.1	0.3
144	9/20/2022 12:57:03	0.1	0.3
145	9/20/2022 12:58:03	0.1	0.3
146	9/20/2022 12:59:03	0.1	0.3
147	9/20/2022 13:00:03	0.1	0.3
148	9/20/2022 13:01:03	0.1	0.3
149	9/20/2022 13:02:03	0.1	0.3
150	9/20/2022 13:03:03	0.1	0.3
151	9/20/2022 13:04:03	0.1	0.3
152	9/20/2022 13:05:03	0.1	0.3
153	9/20/2022 13:06:03	0.1	0.3
154	9/20/2022 13:07:03	0.1	0.3
155	9/20/2022 13:08:03	0.1	0.3
156	9/20/2022 13:09:03	0.1	0.3
157	9/20/2022 13:10:03	0.1	0.3

158	9/20/2022 13:11:03	0.1	0.3
159	9/20/2022 13:12:03	0.1	0.3
160	9/20/2022 13:13:03	0.1	0.3
161	9/20/2022 13:14:03	0.1	0.3
162	9/20/2022 13:15:03	0.1	0.3
163	9/20/2022 13:16:03	0.1	0.3
164	9/20/2022 13:17:03	0.1	0.3
165	9/20/2022 13:18:03	0.1	0.3
166	9/20/2022 13:19:03	0.1	0.3
167	9/20/2022 13:20:03	0.1	0.3
168	9/20/2022 13:21:03	0.1	0.3
169	9/20/2022 13:22:03	0.1	0.3
170	9/20/2022 13:23:03	0.1	0.3
171	9/20/2022 13:24:03	0.1	0.3
172	9/20/2022 13:25:03	0.1	0.3
173	9/20/2022 13:26:03	0.1	0.3
174	9/20/2022 13:27:03	0.1	0.3
175	9/20/2022 13:28:03	0.1	0.3
176	9/20/2022 13:29:03	0.1	0.3
177	9/20/2022 13:30:03	0.1	0.3
178	9/20/2022 13:31:03	0.1	0.3
179	9/20/2022 13:32:03	0.1	0.3
180	9/20/2022 13:33:03	0.1	0.3
181	9/20/2022 13:34:03	0.1	0.3
182	9/20/2022 13:35:03	0.1	0.3
183	9/20/2022 13:36:03	0.1	0.3
184	9/20/2022 13:37:03	0.1	0.3
185	9/20/2022 13:38:03	0.1	0.3
186	9/20/2022 13:39:03	0.1	0.3
187	9/20/2022 13:40:03	0.1	0.3
188	9/20/2022 13:41:03	0.1	0.3
189	9/20/2022 13:42:03	0.1	0.3
190	9/20/2022 13:43:03	0.1	0.3
191	9/20/2022 13:44:03	0.1	0.3
192	9/20/2022 13:45:03	0.1	0.3
193	9/20/2022 13:46:03	0.1	0.3
194	9/20/2022 13:47:03	0.1	0.3
195	9/20/2022 13:48:03	0.1	0.3
196	9/20/2022 13:49:03	0.1	0.3
197	9/20/2022 13:50:03	0.1	0.3
198	9/20/2022 13:51:03	0.1	0.3
199	9/20/2022 13:52:03	0.1	0.3
200	9/20/2022 13:53:03	0.1	0.3
201	9/20/2022 13:54:03	0.1	0.3
202	9/20/2022 13:55:03	0.1	0.3
203	9/20/2022 13:56:03	0.1	0.3
204	9/20/2022 13:57:03	0.1	0.3
205	9/20/2022 13:58:03	0.1	0.3
206	9/20/2022 13:59:03	0.1	0.3
207	9/20/2022 14:00:03	0.1	0.3

208	9/20/2022 14:01:03	0.1	0.3
209	9/20/2022 14:02:03	0.1	0.3
210	9/20/2022 14:03:03	0.1	0.3
211	9/20/2022 14:04:03	0.1	0.3
212	9/20/2022 14:05:03	0.1	0.3
213	9/20/2022 14:06:03	0.1	0.3
214	9/20/2022 14:07:03	0.1	0.3
215	9/20/2022 14:08:03	0.1	0.3
216	9/20/2022 14:09:03	0.1	0.3
217	9/20/2022 14:10:03	0.1	0.3
218	9/20/2022 14:11:03	0.1	0.3
219	9/20/2022 14:12:03	0.1	0.3
220	9/20/2022 14:13:03	0.1	0.3
221	9/20/2022 14:14:03	0.1	0.3
222	9/20/2022 14:15:03	0.1	0.3
223	9/20/2022 14:16:03	0.1	0.3
224	9/20/2022 14:17:03	0.1	0.3
225	9/20/2022 14:18:03	0.1	0.3
226	9/20/2022 14:19:03	0.1	0.3
227	9/20/2022 14:20:03	0.1	0.3
228	9/20/2022 14:21:03	0.1	0.3
229	9/20/2022 14:22:03	0.1	0.3
230	9/20/2022 14:23:03	0.1	0.3
231	9/20/2022 14:24:03	0.1	0.3
232	9/20/2022 14:25:03	0.1	0.3
233	9/20/2022 14:26:03	0.1	0.3
234	9/20/2022 14:27:03	0.1	0.3
235	9/20/2022 14:28:03	0.1	0.3
236	9/20/2022 14:29:03	0.1	0.3
237	9/20/2022 14:30:03	0.1	0.3
238	9/20/2022 14:31:03	0.1	0.3
239	9/20/2022 14:32:03	0.1	0.3
240	9/20/2022 14:33:03	0.1	0.3
241	9/20/2022 14:34:03	0.1	0.3
242	9/20/2022 14:35:03	0.1	0.3
243	9/20/2022 14:36:03	0.1	0.3
244	9/20/2022 14:37:03	0.1	0.3
245	9/20/2022 14:38:03	0.1	0.3
246	9/20/2022 14:39:03	0.1	0.3
247	9/20/2022 14:40:03	0.1	0.3
248	9/20/2022 14:41:03	0.1	0.3
249	9/20/2022 14:42:03	0.1	0.3
250	9/20/2022 14:43:03	0.1	0.3
251	9/20/2022 14:44:03	0.1	0.3
252	9/20/2022 14:45:03	0.1	0.3
253	9/20/2022 14:46:03	0.1	0.3
254	9/20/2022 14:47:03	0.1	0.3
255	9/20/2022 14:48:03	0.1	0.3
256	9/20/2022 14:49:03	0.1	0.3
257	9/20/2022 14:50:03	0.1	0.3

```
258     9/20/2022 14:51:03      0.1     0.3
259     9/20/2022 14:52:03      0.1     0.3
260     9/20/2022 14:53:03      0.1     0.3
261     9/20/2022 14:54:03      0.1     0.3
262     9/20/2022 14:55:03      0.1     0.3
263     9/20/2022 14:56:03      0.1     0.3
264     9/20/2022 14:57:03      0.1     0.3
265     9/20/2022 14:58:03      0.1     0.3
266     9/20/2022 14:59:03      0.1     0.3
267     9/20/2022 15:00:03      0.1     0.3
============================================================
22/09/21 11:30
************************************************************
Summary
------------------------------------------------------------
Unit Name       MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver       V2.22
------------------------------------------------------------
Running Mode    Hygiene Mode
Datalog Mode    Auto
Diagnostic Mode No
Stop Reason     Power Down
------------------------------------------------------------
Site ID 12345678
User ID 12345678
------------------------------------------------------------
Begin   9/21/2022 11:30:37
End     9/21/2022 15:07:54
Sample Period(s)        60
Number of Records       217
------------------------------------------------------------
Sensor  PID(ppm)
Sensor SN       S023030372B7
Measure Type    Avg; Max; Real
Span    100.0
Span 2  1000.0
Low Alarm       50.0
High Alarm      100.0
Over Alarm      15000.0
STEL Alarm      100.0
TWA Alarm       50.0
Measurement Gas Isobutylene
Calibration Time        8/10/2022 10:58
Peak    0.4
Min     0.0
Average 0.3

************************************************************
Datalog
```

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/21/2022	11:31:37	0.1	0.1	0.1
002	9/21/2022	11:32:37	0.0	0.0	0.0
003	9/21/2022	11:33:37	0.0	0.0	0.0
004	9/21/2022	11:34:37	0.0	0.1	0.0
005	9/21/2022	11:35:37	0.1	0.1	0.1
006	9/21/2022	11:36:37	0.1	0.1	0.1
007	9/21/2022	11:37:37	0.1	0.1	0.1
008	9/21/2022	11:38:37	0.1	0.1	0.1
009	9/21/2022	11:39:37	0.1	0.1	0.1
010	9/21/2022	11:40:37	0.1	0.1	0.1
011	9/21/2022	11:41:37	0.1	0.1	0.1
012	9/21/2022	11:42:37	0.1	0.1	0.1
013	9/21/2022	11:43:37	0.1	0.1	0.1
014	9/21/2022	11:44:37	0.1	0.2	0.1
015	9/21/2022	11:45:37	0.1	0.1	0.1
016	9/21/2022	11:46:37	0.2	0.2	0.2
017	9/21/2022	11:47:37	0.2	0.2	0.2
018	9/21/2022	11:48:37	0.2	0.2	0.2
019	9/21/2022	11:49:37	0.2	0.2	0.2
020	9/21/2022	11:50:37	0.2	0.2	0.2
021	9/21/2022	11:51:37	0.2	0.2	0.2
022	9/21/2022	11:52:37	0.2	0.2	0.2
023	9/21/2022	11:53:37	0.2	0.2	0.2
024	9/21/2022	11:54:37	0.2	0.2	0.2
025	9/21/2022	11:55:37	0.2	0.2	0.2
026	9/21/2022	11:56:37	0.2	0.2	0.2
027	9/21/2022	11:57:37	0.2	0.3	0.3
028	9/21/2022	11:58:37	0.3	0.3	0.3
029	9/21/2022	11:59:37	0.3	0.3	0.3
030	9/21/2022	12:00:37	0.3	0.3	0.3
031	9/21/2022	12:01:37	0.3	0.3	0.3
032	9/21/2022	12:02:37	0.3	0.3	0.3
033	9/21/2022	12:03:37	0.3	0.3	0.3
034	9/21/2022	12:04:37	0.3	0.3	0.3
035	9/21/2022	12:05:37	0.3	0.3	0.3
036	9/21/2022	12:06:37	0.3	0.3	0.3
037	9/21/2022	12:07:37	0.3	0.3	0.3
038	9/21/2022	12:08:37	0.3	0.3	0.3
039	9/21/2022	12:09:37	0.3	0.3	0.3
040	9/21/2022	12:10:37	0.3	0.3	0.3
041	9/21/2022	12:11:37	0.3	0.3	0.3
042	9/21/2022	12:12:37	0.3	0.3	0.3
043	9/21/2022	12:13:37	0.3	0.3	0.3
044	9/21/2022	12:14:37	0.3	0.4	0.3
045	9/21/2022	12:15:37	0.3	0.4	0.4
046	9/21/2022	12:16:37	0.4	0.4	0.4
047	9/21/2022	12:17:37	0.4	0.4	0.4
048	9/21/2022	12:18:37	0.4	0.4	0.4

049	9/21/2022 12:19:37	0.4	0.4	0.4
050	9/21/2022 12:20:37	0.4	0.4	0.4
051	9/21/2022 12:21:37	0.4	0.4	0.4
052	9/21/2022 12:22:37	0.4	0.4	0.4
053	9/21/2022 12:23:37	0.4	0.4	0.4
054	9/21/2022 12:24:37	0.4	0.4	0.4
055	9/21/2022 12:25:37	0.4	0.4	0.4
056	9/21/2022 12:26:37	0.4	0.4	0.4
057	9/21/2022 12:27:37	0.4	0.4	0.4
058	9/21/2022 12:28:37	0.4	0.4	0.4
059	9/21/2022 12:29:37	0.4	0.4	0.4
060	9/21/2022 12:30:37	0.4	0.4	0.4
061	9/21/2022 12:31:37	0.4	0.4	0.4
062	9/21/2022 12:32:37	0.4	0.4	0.4
063	9/21/2022 12:33:37	0.4	0.4	0.4
064	9/21/2022 12:34:37	0.4	0.4	0.4
065	9/21/2022 12:35:37	0.4	0.4	0.4
066	9/21/2022 12:36:37	0.4	0.4	0.4
067	9/21/2022 12:37:37	0.4	0.4	0.4
068	9/21/2022 12:38:37	0.4	0.4	0.4
069	9/21/2022 12:39:37	0.4	0.4	0.4
070	9/21/2022 12:40:37	0.4	0.4	0.4
071	9/21/2022 12:41:37	0.4	0.4	0.4
072	9/21/2022 12:42:37	0.4	0.4	0.4
073	9/21/2022 12:43:37	0.4	0.4	0.4
074	9/21/2022 12:44:37	0.4	0.4	0.4
075	9/21/2022 12:45:37	0.4	0.4	0.4
076	9/21/2022 12:46:37	0.4	0.4	0.4
077	9/21/2022 12:47:37	0.4	0.4	0.4
078	9/21/2022 12:48:37	0.4	0.4	0.4
079	9/21/2022 12:49:37	0.4	0.4	0.4
080	9/21/2022 12:50:37	0.4	0.4	0.4
081	9/21/2022 12:51:37	0.4	0.4	0.4
082	9/21/2022 12:52:37	0.4	0.4	0.4
083	9/21/2022 12:53:37	0.4	0.4	0.4
084	9/21/2022 12:54:37	0.4	0.4	0.4
085	9/21/2022 12:55:37	0.4	0.4	0.4
086	9/21/2022 12:56:37	0.4	0.4	0.4
087	9/21/2022 12:57:37	0.4	0.4	0.4
088	9/21/2022 12:58:37	0.4	0.4	0.4
089	9/21/2022 12:59:37	0.4	0.4	0.4
090	9/21/2022 13:00:37	0.4	0.4	0.4
091	9/21/2022 13:01:37	0.4	0.4	0.4
092	9/21/2022 13:02:37	0.4	0.4	0.4
093	9/21/2022 13:03:37	0.4	0.4	0.4
094	9/21/2022 13:04:37	0.4	0.4	0.4
095	9/21/2022 13:05:37	0.4	0.4	0.4
096	9/21/2022 13:06:37	0.4	0.4	0.4
097	9/21/2022 13:07:37	0.4	0.4	0.4
098	9/21/2022 13:08:37	0.4	0.4	0.4

099	9/21/2022 13:09:37	0.4	0.4	0.4
100	9/21/2022 13:10:37	0.4	0.4	0.4
101	9/21/2022 13:11:37	0.4	0.4	0.4
102	9/21/2022 13:12:37	0.4	0.4	0.4
103	9/21/2022 13:13:37	0.4	0.4	0.4
104	9/21/2022 13:14:37	0.4	0.4	0.4
105	9/21/2022 13:15:37	0.4	0.4	0.4
106	9/21/2022 13:16:37	0.4	0.4	0.4
107	9/21/2022 13:17:37	0.4	0.4	0.4
108	9/21/2022 13:18:37	0.4	0.4	0.4
109	9/21/2022 13:19:37	0.4	0.4	0.4
110	9/21/2022 13:20:37	0.4	0.4	0.4
111	9/21/2022 13:21:37	0.4	0.4	0.4
112	9/21/2022 13:22:37	0.4	0.4	0.4
113	9/21/2022 13:23:37	0.4	0.4	0.4
114	9/21/2022 13:24:37	0.4	0.4	0.4
115	9/21/2022 13:25:37	0.4	0.4	0.4
116	9/21/2022 13:26:37	0.4	0.4	0.4
117	9/21/2022 13:27:37	0.4	0.4	0.4
118	9/21/2022 13:28:37	0.4	0.4	0.4
119	9/21/2022 13:29:37	0.4	0.4	0.4
120	9/21/2022 13:30:37	0.4	0.4	0.4
121	9/21/2022 13:31:37	0.4	0.4	0.4
122	9/21/2022 13:32:37	0.4	0.4	0.4
123	9/21/2022 13:33:37	0.4	0.4	0.4
124	9/21/2022 13:34:37	0.4	0.4	0.4
125	9/21/2022 13:35:37	0.3	0.4	0.3
126	9/21/2022 13:36:37	0.3	0.4	0.4
127	9/21/2022 13:37:37	0.3	0.4	0.4
128	9/21/2022 13:38:37	0.4	0.4	0.4
129	9/21/2022 13:39:37	0.4	0.4	0.4
130	9/21/2022 13:40:37	0.4	0.4	0.4
131	9/21/2022 13:41:37	0.4	0.4	0.4
132	9/21/2022 13:42:37	0.4	0.4	0.4
133	9/21/2022 13:43:37	0.4	0.4	0.4
134	9/21/2022 13:44:37	0.4	0.4	0.4
135	9/21/2022 13:45:37	0.4	0.4	0.4
136	9/21/2022 13:46:37	0.4	0.4	0.4
137	9/21/2022 13:47:37	0.4	0.4	0.4
138	9/21/2022 13:48:37	0.3	0.4	0.3
139	9/21/2022 13:49:37	0.3	0.3	0.3
140	9/21/2022 13:50:37	0.3	0.3	0.3
141	9/21/2022 13:51:37	0.3	0.3	0.3
142	9/21/2022 13:52:37	0.3	0.3	0.3
143	9/21/2022 13:53:37	0.3	0.3	0.3
144	9/21/2022 13:54:37	0.3	0.3	0.3
145	9/21/2022 13:55:37	0.3	0.3	0.3
146	9/21/2022 13:56:37	0.3	0.3	0.3
147	9/21/2022 13:57:37	0.3	0.3	0.3
148	9/21/2022 13:58:37	0.3	0.3	0.3

149	9/21/2022	13:59:37	0.3	0.3	0.3
150	9/21/2022	14:00:37	0.3	0.3	0.3
151	9/21/2022	14:01:37	0.3	0.3	0.3
152	9/21/2022	14:02:37	0.3	0.3	0.3
153	9/21/2022	14:03:37	0.3	0.3	0.3
154	9/21/2022	14:04:37	0.3	0.3	0.3
155	9/21/2022	14:05:37	0.3	0.3	0.3
156	9/21/2022	14:06:37	0.3	0.3	0.3
157	9/21/2022	14:07:37	0.3	0.3	0.3
158	9/21/2022	14:08:37	0.3	0.3	0.3
159	9/21/2022	14:09:37	0.3	0.3	0.3
160	9/21/2022	14:10:37	0.3	0.3	0.3
161	9/21/2022	14:11:37	0.3	0.3	0.3
162	9/21/2022	14:12:37	0.3	0.3	0.3
163	9/21/2022	14:13:37	0.3	0.3	0.3
164	9/21/2022	14:14:37	0.3	0.3	0.3
165	9/21/2022	14:15:37	0.3	0.3	0.3
166	9/21/2022	14:16:37	0.3	0.3	0.3
167	9/21/2022	14:17:37	0.3	0.3	0.3
168	9/21/2022	14:18:37	0.3	0.3	0.3
169	9/21/2022	14:19:37	0.3	0.3	0.3
170	9/21/2022	14:20:37	0.3	0.3	0.3
171	9/21/2022	14:21:37	0.3	0.3	0.3
172	9/21/2022	14:22:37	0.3	0.3	0.3
173	9/21/2022	14:23:37	0.3	0.3	0.3
174	9/21/2022	14:24:37	0.3	0.3	0.3
175	9/21/2022	14:25:37	0.3	0.3	0.3
176	9/21/2022	14:26:37	0.3	0.3	0.3
177	9/21/2022	14:27:37	0.3	0.3	0.3
178	9/21/2022	14:28:37	0.3	0.3	0.3
179	9/21/2022	14:29:37	0.3	0.3	0.3
180	9/21/2022	14:30:37	0.3	0.3	0.3
181	9/21/2022	14:31:37	0.3	0.3	0.3
182	9/21/2022	14:32:37	0.3	0.3	0.3
183	9/21/2022	14:33:37	0.3	0.3	0.3
184	9/21/2022	14:34:37	0.3	0.3	0.3
185	9/21/2022	14:35:37	0.3	0.3	0.3
186	9/21/2022	14:36:37	0.3	0.3	0.3
187	9/21/2022	14:37:37	0.3	0.3	0.3
188	9/21/2022	14:38:37	0.3	0.3	0.3
189	9/21/2022	14:39:37	0.3	0.3	0.3
190	9/21/2022	14:40:37	0.3	0.3	0.3
191	9/21/2022	14:41:37	0.3	0.3	0.3
192	9/21/2022	14:42:37	0.3	0.3	0.3
193	9/21/2022	14:43:37	0.3	0.3	0.3
194	9/21/2022	14:44:37	0.3	0.3	0.3
195	9/21/2022	14:45:37	0.3	0.3	0.3
196	9/21/2022	14:46:37	0.3	0.3	0.3
197	9/21/2022	14:47:37	0.3	0.3	0.3
198	9/21/2022	14:48:37	0.3	0.3	0.3

199	9/21/2022 14:49:37	0.3	0.3	0.3
200	9/21/2022 14:50:37	0.3	0.3	0.3
201	9/21/2022 14:51:37	0.3	0.3	0.3
202	9/21/2022 14:52:37	0.3	0.3	0.3
203	9/21/2022 14:53:37	0.3	0.3	0.3
204	9/21/2022 14:54:37	0.3	0.3	0.3
205	9/21/2022 14:55:37	0.3	0.3	0.3
206	9/21/2022 14:56:37	0.3	0.3	0.3
207	9/21/2022 14:57:37	0.3	0.3	0.3
208	9/21/2022 14:58:37	0.3	0.3	0.3
209	9/21/2022 14:59:37	0.3	0.3	0.3
210	9/21/2022 15:00:37	0.3	0.3	0.3
211	9/21/2022 15:01:37	0.3	0.3	0.3
212	9/21/2022 15:02:37	0.3	0.3	0.3
213	9/21/2022 15:03:37	0.3	0.3	0.3
214	9/21/2022 15:04:37	0.3	0.3	0.3
215	9/21/2022 15:05:37	0.3	0.3	0.3
216	9/21/2022 15:06:37	0.3	0.3	0.3
217	9/21/2022 15:07:37	0.3	0.3	0.3
Peak		0.4	0.4	0.4
Min		0.0	0.0	0.0
Average		0.3	0.3	0.3

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/21/2022 11:31:37	0.0	---
002	9/21/2022 11:32:37	0.0	---
003	9/21/2022 11:33:37	0.0	---
004	9/21/2022 11:34:37	0.0	---
005	9/21/2022 11:35:37	0.0	---
006	9/21/2022 11:36:37	0.0	---
007	9/21/2022 11:37:37	0.0	---
008	9/21/2022 11:38:37	0.0	---
009	9/21/2022 11:39:37	0.0	---
010	9/21/2022 11:40:37	0.0	---
011	9/21/2022 11:41:37	0.0	---
012	9/21/2022 11:42:37	0.0	---
013	9/21/2022 11:43:37	0.0	---
014	9/21/2022 11:44:37	0.0	---
015	9/21/2022 11:45:37	0.0	0.1
016	9/21/2022 11:46:37	0.0	0.1
017	9/21/2022 11:47:37	0.0	0.1
018	9/21/2022 11:48:37	0.0	0.1
019	9/21/2022 11:49:37	0.0	0.1
020	9/21/2022 11:50:37	0.0	0.1
021	9/21/2022 11:51:37	0.0	0.1
022	9/21/2022 11:52:37	0.0	0.2
023	9/21/2022 11:53:37	0.0	0.2

024	9/21/2022 11:54:37	0.0	0.2
025	9/21/2022 11:55:37	0.0	0.2
026	9/21/2022 11:56:37	0.0	0.2
027	9/21/2022 11:57:37	0.0	0.2
028	9/21/2022 11:58:37	0.0	0.2
029	9/21/2022 11:59:37	0.0	0.2
030	9/21/2022 12:00:37	0.0	0.2
031	9/21/2022 12:01:37	0.0	0.2
032	9/21/2022 12:02:37	0.0	0.3
033	9/21/2022 12:03:37	0.0	0.3
034	9/21/2022 12:04:37	0.0	0.3
035	9/21/2022 12:05:37	0.0	0.3
036	9/21/2022 12:06:37	0.0	0.3
037	9/21/2022 12:07:37	0.0	0.3
038	9/21/2022 12:08:37	0.0	0.3
039	9/21/2022 12:09:37	0.0	0.3
040	9/21/2022 12:10:37	0.0	0.3
041	9/21/2022 12:11:37	0.0	0.3
042	9/21/2022 12:12:37	0.0	0.3
043	9/21/2022 12:13:37	0.0	0.3
044	9/21/2022 12:14:37	0.0	0.3
045	9/21/2022 12:15:37	0.0	0.3
046	9/21/2022 12:16:37	0.0	0.3
047	9/21/2022 12:17:37	0.0	0.3
048	9/21/2022 12:18:37	0.0	0.3
049	9/21/2022 12:19:37	0.0	0.4
050	9/21/2022 12:20:37	0.0	0.4
051	9/21/2022 12:21:37	0.0	0.4
052	9/21/2022 12:22:37	0.0	0.4
053	9/21/2022 12:23:37	0.0	0.4
054	9/21/2022 12:24:37	0.0	0.4
055	9/21/2022 12:25:37	0.0	0.4
056	9/21/2022 12:26:37	0.0	0.4
057	9/21/2022 12:27:37	0.0	0.4
058	9/21/2022 12:28:37	0.0	0.4
059	9/21/2022 12:29:37	0.0	0.4
060	9/21/2022 12:30:37	0.0	0.4
061	9/21/2022 12:31:37	0.0	0.4
062	9/21/2022 12:32:37	0.0	0.4
063	9/21/2022 12:33:37	0.0	0.4
064	9/21/2022 12:34:37	0.0	0.4
065	9/21/2022 12:35:37	0.0	0.4
066	9/21/2022 12:36:37	0.0	0.4
067	9/21/2022 12:37:37	0.0	0.4
068	9/21/2022 12:38:37	0.0	0.4
069	9/21/2022 12:39:37	0.0	0.4
070	9/21/2022 12:40:37	0.0	0.4
071	9/21/2022 12:41:37	0.0	0.4
072	9/21/2022 12:42:37	0.0	0.4
073	9/21/2022 12:43:37	0.0	0.4

074	9/21/2022 12:44:37	0.0	0.4
075	9/21/2022 12:45:37	0.0	0.4
076	9/21/2022 12:46:37	0.0	0.4
077	9/21/2022 12:47:37	0.0	0.4
078	9/21/2022 12:48:37	0.0	0.4
079	9/21/2022 12:49:37	0.0	0.4
080	9/21/2022 12:50:37	0.0	0.4
081	9/21/2022 12:51:37	0.0	0.4
082	9/21/2022 12:52:37	0.0	0.4
083	9/21/2022 12:53:37	0.1	0.4
084	9/21/2022 12:54:37	0.1	0.4
085	9/21/2022 12:55:37	0.1	0.4
086	9/21/2022 12:56:37	0.1	0.4
087	9/21/2022 12:57:37	0.1	0.4
088	9/21/2022 12:58:37	0.1	0.4
089	9/21/2022 12:59:37	0.1	0.4
090	9/21/2022 13:00:37	0.1	0.4
091	9/21/2022 13:01:37	0.1	0.4
092	9/21/2022 13:02:37	0.1	0.4
093	9/21/2022 13:03:37	0.1	0.4
094	9/21/2022 13:04:37	0.1	0.4
095	9/21/2022 13:05:37	0.1	0.4
096	9/21/2022 13:06:37	0.1	0.4
097	9/21/2022 13:07:37	0.1	0.4
098	9/21/2022 13:08:37	0.1	0.4
099	9/21/2022 13:09:37	0.1	0.4
100	9/21/2022 13:10:37	0.1	0.4
101	9/21/2022 13:11:37	0.1	0.4
102	9/21/2022 13:12:37	0.1	0.4
103	9/21/2022 13:13:37	0.1	0.4
104	9/21/2022 13:14:37	0.1	0.4
105	9/21/2022 13:15:37	0.1	0.4
106	9/21/2022 13:16:37	0.1	0.4
107	9/21/2022 13:17:37	0.1	0.4
108	9/21/2022 13:18:37	0.1	0.4
109	9/21/2022 13:19:37	0.1	0.4
110	9/21/2022 13:20:37	0.1	0.4
111	9/21/2022 13:21:37	0.1	0.4
112	9/21/2022 13:22:37	0.1	0.4
113	9/21/2022 13:23:37	0.1	0.4
114	9/21/2022 13:24:37	0.1	0.4
115	9/21/2022 13:25:37	0.1	0.4
116	9/21/2022 13:26:37	0.1	0.4
117	9/21/2022 13:27:37	0.1	0.4
118	9/21/2022 13:28:37	0.1	0.4
119	9/21/2022 13:29:37	0.1	0.4
120	9/21/2022 13:30:37	0.1	0.4
121	9/21/2022 13:31:37	0.1	0.4
122	9/21/2022 13:32:37	0.1	0.4
123	9/21/2022 13:33:37	0.1	0.4

124	9/21/2022 13:34:37	0.1	0.4
125	9/21/2022 13:35:37	0.1	0.4
126	9/21/2022 13:36:37	0.1	0.4
127	9/21/2022 13:37:37	0.1	0.4
128	9/21/2022 13:38:37	0.1	0.4
129	9/21/2022 13:39:37	0.1	0.4
130	9/21/2022 13:40:37	0.1	0.4
131	9/21/2022 13:41:37	0.1	0.4
132	9/21/2022 13:42:37	0.1	0.4
133	9/21/2022 13:43:37	0.1	0.4
134	9/21/2022 13:44:37	0.1	0.4
135	9/21/2022 13:45:37	0.1	0.4
136	9/21/2022 13:46:37	0.1	0.4
137	9/21/2022 13:47:37	0.1	0.4
138	9/21/2022 13:48:37	0.1	0.4
139	9/21/2022 13:49:37	0.1	0.4
140	9/21/2022 13:50:37	0.1	0.4
141	9/21/2022 13:51:37	0.1	0.4
142	9/21/2022 13:52:37	0.1	0.4
143	9/21/2022 13:53:37	0.1	0.4
144	9/21/2022 13:54:37	0.1	0.4
145	9/21/2022 13:55:37	0.1	0.4
146	9/21/2022 13:56:37	0.1	0.4
147	9/21/2022 13:57:37	0.1	0.4
148	9/21/2022 13:58:37	0.1	0.4
149	9/21/2022 13:59:37	0.1	0.3
150	9/21/2022 14:00:37	0.1	0.3
151	9/21/2022 14:01:37	0.1	0.3
152	9/21/2022 14:02:37	0.1	0.3
153	9/21/2022 14:03:37	0.1	0.3
154	9/21/2022 14:04:37	0.1	0.3
155	9/21/2022 14:05:37	0.1	0.3
156	9/21/2022 14:06:37	0.1	0.3
157	9/21/2022 14:07:37	0.1	0.3
158	9/21/2022 14:08:37	0.1	0.3
159	9/21/2022 14:09:37	0.1	0.3
160	9/21/2022 14:10:37	0.1	0.3
161	9/21/2022 14:11:37	0.1	0.3
162	9/21/2022 14:12:37	0.1	0.3
163	9/21/2022 14:13:37	0.1	0.3
164	9/21/2022 14:14:37	0.1	0.3
165	9/21/2022 14:15:37	0.1	0.3
166	9/21/2022 14:16:37	0.1	0.3
167	9/21/2022 14:17:37	0.1	0.3
168	9/21/2022 14:18:37	0.1	0.3
169	9/21/2022 14:19:37	0.1	0.3
170	9/21/2022 14:20:37	0.1	0.3
171	9/21/2022 14:21:37	0.1	0.3
172	9/21/2022 14:22:37	0.1	0.3
173	9/21/2022 14:23:37	0.1	0.3

174	9/21/2022 14:24:37	0.1	0.3
175	9/21/2022 14:25:37	0.1	0.3
176	9/21/2022 14:26:37	0.1	0.3
177	9/21/2022 14:27:37	0.1	0.3
178	9/21/2022 14:28:37	0.1	0.3
179	9/21/2022 14:29:37	0.1	0.3
180	9/21/2022 14:30:37	0.1	0.3
181	9/21/2022 14:31:37	0.1	0.3
182	9/21/2022 14:32:37	0.1	0.3
183	9/21/2022 14:33:37	0.1	0.3
184	9/21/2022 14:34:37	0.1	0.3
185	9/21/2022 14:35:37	0.1	0.3
186	9/21/2022 14:36:37	0.1	0.3
187	9/21/2022 14:37:37	0.1	0.3
188	9/21/2022 14:38:37	0.1	0.3
189	9/21/2022 14:39:37	0.1	0.3
190	9/21/2022 14:40:37	0.1	0.3
191	9/21/2022 14:41:37	0.1	0.3
192	9/21/2022 14:42:37	0.1	0.3
193	9/21/2022 14:43:37	0.1	0.3
194	9/21/2022 14:44:37	0.1	0.3
195	9/21/2022 14:45:37	0.1	0.3
196	9/21/2022 14:46:37	0.1	0.3
197	9/21/2022 14:47:37	0.1	0.3
198	9/21/2022 14:48:37	0.1	0.3
199	9/21/2022 14:49:37	0.1	0.3
200	9/21/2022 14:50:37	0.1	0.3
201	9/21/2022 14:51:37	0.1	0.3
202	9/21/2022 14:52:37	0.1	0.3
203	9/21/2022 14:53:37	0.1	0.3
204	9/21/2022 14:54:37	0.1	0.3
205	9/21/2022 14:55:37	0.1	0.3
206	9/21/2022 14:56:37	0.1	0.3
207	9/21/2022 14:57:37	0.1	0.3
208	9/21/2022 14:58:37	0.1	0.3
209	9/21/2022 14:59:37	0.1	0.3
210	9/21/2022 15:00:37	0.1	0.3
211	9/21/2022 15:01:37	0.1	0.3
212	9/21/2022 15:02:37	0.1	0.3
213	9/21/2022 15:03:37	0.1	0.3
214	9/21/2022 15:04:37	0.1	0.3
215	9/21/2022 15:05:37	0.1	0.3
216	9/21/2022 15:06:37	0.1	0.3
217	9/21/2022 15:07:37	0.1	0.3

==========

22/09/22 08:01

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-602327
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Battery Low

Site ID 12345678
User ID 12345678

Begin 9/22/2022 08:01:24
End 9/22/2022 12:39:49
Sample Period(s) 60
Number of Records 278

Sensor PID(ppm)
Sensor SN S023030372B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.3
Min 0.1
Average 0.3

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	PID(ppm)
001	9/22/2022 08:02:24		0.1	0.1	0.1
002	9/22/2022 08:03:24		0.1	0.1	0.1
003	9/22/2022 08:04:24		0.1	0.1	0.1
004	9/22/2022 08:05:24		0.1	0.1	0.1
005	9/22/2022 08:06:24		0.1	0.1	0.1
006	9/22/2022 08:07:24		0.1	0.1	0.1
007	9/22/2022 08:08:24		0.1	0.1	0.1
008	9/22/2022 08:09:24		0.1	0.1	0.1
009	9/22/2022 08:10:24		0.1	0.1	0.1
010	9/22/2022 08:11:24		0.1	0.1	0.1
011	9/22/2022 08:12:24		0.1	0.1	0.1
012	9/22/2022 08:13:24		0.1	0.1	0.1
013	9/22/2022 08:14:24		0.1	0.1	0.1
014	9/22/2022 08:15:24		0.1	0.1	0.1

015	9/22/2022 08:16:24	0.1	0.1	0.1
016	9/22/2022 08:17:24	0.1	0.1	0.1
017	9/22/2022 08:18:24	0.1	0.1	0.1
018	9/22/2022 08:19:24	0.2	0.2	0.2
019	9/22/2022 08:20:24	0.2	0.2	0.2
020	9/22/2022 08:21:24	0.2	0.2	0.2
021	9/22/2022 08:22:24	0.2	0.2	0.2
022	9/22/2022 08:23:24	0.2	0.2	0.2
023	9/22/2022 08:24:24	0.2	0.2	0.2
024	9/22/2022 08:25:24	0.2	0.2	0.2
025	9/22/2022 08:26:24	0.2	0.2	0.2
026	9/22/2022 08:27:24	0.2	0.2	0.2
027	9/22/2022 08:28:24	0.2	0.2	0.2
028	9/22/2022 08:29:24	0.2	0.2	0.2
029	9/22/2022 08:30:24	0.2	0.2	0.2
030	9/22/2022 08:31:24	0.2	0.2	0.2
031	9/22/2022 08:32:24	0.2	0.2	0.2
032	9/22/2022 08:33:24	0.2	0.2	0.2
033	9/22/2022 08:34:24	0.2	0.2	0.2
034	9/22/2022 08:35:24	0.2	0.2	0.2
035	9/22/2022 08:36:24	0.2	0.2	0.2
036	9/22/2022 08:37:24	0.2	0.2	0.2
037	9/22/2022 08:38:24	0.2	0.2	0.2
038	9/22/2022 08:39:24	0.2	0.2	0.2
039	9/22/2022 08:40:24	0.2	0.2	0.2
040	9/22/2022 08:41:24	0.2	0.3	0.2
041	9/22/2022 08:42:24	0.3	0.3	0.3
042	9/22/2022 08:43:24	0.3	0.3	0.3
043	9/22/2022 08:44:24	0.3	0.3	0.3
044	9/22/2022 08:45:24	0.3	0.3	0.3
045	9/22/2022 08:46:24	0.3	0.3	0.3
046	9/22/2022 08:47:24	0.3	0.3	0.3
047	9/22/2022 08:48:24	0.3	0.3	0.3
048	9/22/2022 08:49:24	0.3	0.3	0.3
049	9/22/2022 08:50:24	0.3	0.3	0.3
050	9/22/2022 08:51:24	0.3	0.3	0.3
051	9/22/2022 08:52:24	0.3	0.3	0.3
052	9/22/2022 08:53:24	0.3	0.3	0.3
053	9/22/2022 08:54:24	0.3	0.3	0.3
054	9/22/2022 08:55:24	0.3	0.3	0.3
055	9/22/2022 08:56:24	0.3	0.3	0.3
056	9/22/2022 08:57:24	0.3	0.3	0.3
057	9/22/2022 08:58:24	0.3	0.3	0.3
058	9/22/2022 08:59:24	0.3	0.3	0.3
059	9/22/2022 09:00:24	0.3	0.3	0.3
060	9/22/2022 09:01:24	0.3	0.3	0.3
061	9/22/2022 09:02:24	0.3	0.3	0.3
062	9/22/2022 09:03:24	0.3	0.3	0.3
063	9/22/2022 09:04:24	0.3	0.3	0.3
064	9/22/2022 09:05:24	0.3	0.3	0.3

065	9/22/2022 09:06:24	0.3	0.3	0.3
066	9/22/2022 09:07:24	0.3	0.3	0.3
067	9/22/2022 09:08:24	0.3	0.3	0.3
068	9/22/2022 09:09:24	0.3	0.3	0.3
069	9/22/2022 09:10:24	0.3	0.3	0.3
070	9/22/2022 09:11:24	0.3	0.3	0.3
071	9/22/2022 09:12:24	0.3	0.3	0.3
072	9/22/2022 09:13:24	0.3	0.3	0.3
073	9/22/2022 09:14:24	0.3	0.3	0.3
074	9/22/2022 09:15:24	0.3	0.3	0.3
075	9/22/2022 09:16:24	0.3	0.3	0.3
076	9/22/2022 09:17:24	0.3	0.3	0.3
077	9/22/2022 09:18:24	0.3	0.3	0.3
078	9/22/2022 09:19:24	0.3	0.3	0.3
079	9/22/2022 09:20:24	0.3	0.3	0.3
080	9/22/2022 09:21:24	0.3	0.3	0.3
081	9/22/2022 09:22:24	0.3	0.3	0.3
082	9/22/2022 09:23:24	0.3	0.3	0.3
083	9/22/2022 09:24:24	0.3	0.3	0.3
084	9/22/2022 09:25:24	0.3	0.3	0.3
085	9/22/2022 09:26:24	0.3	0.3	0.3
086	9/22/2022 09:27:24	0.3	0.3	0.3
087	9/22/2022 09:28:24	0.3	0.3	0.3
088	9/22/2022 09:29:24	0.3	0.3	0.3
089	9/22/2022 09:30:24	0.3	0.3	0.3
090	9/22/2022 09:31:24	0.3	0.3	0.3
091	9/22/2022 09:32:24	0.3	0.3	0.3
092	9/22/2022 09:33:24	0.3	0.3	0.3
093	9/22/2022 09:34:24	0.3	0.3	0.3
094	9/22/2022 09:35:24	0.3	0.3	0.3
095	9/22/2022 09:36:24	0.3	0.3	0.3
096	9/22/2022 09:37:24	0.3	0.3	0.3
097	9/22/2022 09:38:24	0.3	0.3	0.3
098	9/22/2022 09:39:24	0.3	0.3	0.3
099	9/22/2022 09:40:24	0.3	0.3	0.3
100	9/22/2022 09:41:24	0.3	0.3	0.3
101	9/22/2022 09:42:24	0.3	0.3	0.3
102	9/22/2022 09:43:24	0.3	0.3	0.3
103	9/22/2022 09:44:24	0.3	0.3	0.3
104	9/22/2022 09:45:24	0.3	0.3	0.3
105	9/22/2022 09:46:24	0.3	0.3	0.3
106	9/22/2022 09:47:24	0.3	0.3	0.3
107	9/22/2022 09:48:24	0.3	0.3	0.3
108	9/22/2022 09:49:24	0.3	0.3	0.3
109	9/22/2022 09:50:24	0.3	0.3	0.3
110	9/22/2022 09:51:24	0.3	0.3	0.3
111	9/22/2022 09:52:24	0.3	0.3	0.3
112	9/22/2022 09:53:24	0.3	0.3	0.3
113	9/22/2022 09:54:24	0.3	0.3	0.3
114	9/22/2022 09:55:24	0.3	0.3	0.3

115	9/22/2022 09:56:24	0.3	0.3	0.3
116	9/22/2022 09:57:24	0.3	0.3	0.3
117	9/22/2022 09:58:24	0.3	0.3	0.3
118	9/22/2022 09:59:24	0.3	0.3	0.3
119	9/22/2022 10:00:24	0.3	0.3	0.3
120	9/22/2022 10:01:24	0.3	0.3	0.3
121	9/22/2022 10:02:24	0.3	0.3	0.3
122	9/22/2022 10:03:24	0.3	0.3	0.3
123	9/22/2022 10:04:24	0.3	0.3	0.3
124	9/22/2022 10:05:24	0.3	0.3	0.3
125	9/22/2022 10:06:24	0.3	0.3	0.3
126	9/22/2022 10:07:24	0.3	0.3	0.3
127	9/22/2022 10:08:24	0.3	0.3	0.3
128	9/22/2022 10:09:24	0.3	0.3	0.3
129	9/22/2022 10:10:24	0.3	0.3	0.3
130	9/22/2022 10:11:24	0.3	0.3	0.3
131	9/22/2022 10:12:24	0.3	0.3	0.3
132	9/22/2022 10:13:24	0.3	0.3	0.3
133	9/22/2022 10:14:24	0.3	0.3	0.3
134	9/22/2022 10:15:24	0.3	0.3	0.3
135	9/22/2022 10:16:24	0.3	0.3	0.3
136	9/22/2022 10:17:24	0.3	0.3	0.3
137	9/22/2022 10:18:24	0.3	0.3	0.3
138	9/22/2022 10:19:24	0.3	0.3	0.3
139	9/22/2022 10:20:24	0.3	0.3	0.3
140	9/22/2022 10:21:24	0.3	0.3	0.3
141	9/22/2022 10:22:24	0.3	0.3	0.3
142	9/22/2022 10:23:24	0.3	0.3	0.3
143	9/22/2022 10:24:24	0.3	0.3	0.3
144	9/22/2022 10:25:24	0.3	0.3	0.3
145	9/22/2022 10:26:24	0.3	0.3	0.3
146	9/22/2022 10:27:24	0.3	0.3	0.3
147	9/22/2022 10:28:24	0.3	0.4	0.3
148	9/22/2022 10:29:24	0.3	0.3	0.3
149	9/22/2022 10:30:24	0.3	0.3	0.3
150	9/22/2022 10:31:24	0.3	0.3	0.3
151	9/22/2022 10:32:24	0.3	0.3	0.3
152	9/22/2022 10:33:24	0.3	0.3	0.3
153	9/22/2022 10:34:24	0.3	0.3	0.3
154	9/22/2022 10:35:24	0.3	0.3	0.3
155	9/22/2022 10:36:24	0.3	0.3	0.3
156	9/22/2022 10:37:24	0.3	0.3	0.3
157	9/22/2022 10:38:24	0.3	0.3	0.3
158	9/22/2022 10:39:24	0.3	0.3	0.3
159	9/22/2022 10:40:24	0.3	0.3	0.3
160	9/22/2022 10:41:24	0.3	0.3	0.3
161	9/22/2022 10:42:24	0.3	0.3	0.3
162	9/22/2022 10:43:24	0.3	0.3	0.3
163	9/22/2022 10:44:24	0.3	0.3	0.3
164	9/22/2022 10:45:24	0.3	0.3	0.3

165	9/22/2022	10:46:24	0.3	0.3	0.3
166	9/22/2022	10:47:24	0.3	0.3	0.3
167	9/22/2022	10:48:24	0.3	0.3	0.3
168	9/22/2022	10:49:24	0.3	0.3	0.3
169	9/22/2022	10:50:24	0.3	0.3	0.3
170	9/22/2022	10:51:24	0.3	0.3	0.3
171	9/22/2022	10:52:24	0.3	0.3	0.3
172	9/22/2022	10:53:24	0.3	0.3	0.3
173	9/22/2022	10:54:24	0.3	0.3	0.3
174	9/22/2022	10:55:24	0.3	0.3	0.3
175	9/22/2022	10:56:24	0.3	0.3	0.3
176	9/22/2022	10:57:24	0.3	0.3	0.3
177	9/22/2022	10:58:24	0.3	0.3	0.3
178	9/22/2022	10:59:24	0.3	0.3	0.3
179	9/22/2022	11:00:24	0.3	0.3	0.3
180	9/22/2022	11:01:24	0.3	0.3	0.3
181	9/22/2022	11:02:24	0.3	0.3	0.3
182	9/22/2022	11:03:24	0.3	0.3	0.3
183	9/22/2022	11:04:24	0.3	0.3	0.3
184	9/22/2022	11:05:24	0.3	0.3	0.3
185	9/22/2022	11:06:24	0.3	0.3	0.3
186	9/22/2022	11:07:24	0.3	0.3	0.3
187	9/22/2022	11:08:24	0.3	0.3	0.3
188	9/22/2022	11:09:24	0.3	0.3	0.3
189	9/22/2022	11:10:24	0.3	0.3	0.3
190	9/22/2022	11:11:24	0.3	0.3	0.3
191	9/22/2022	11:12:24	0.3	0.3	0.3
192	9/22/2022	11:13:24	0.3	0.3	0.3
193	9/22/2022	11:14:24	0.3	0.3	0.3
194	9/22/2022	11:15:24	0.3	0.3	0.3
195	9/22/2022	11:16:24	0.3	0.3	0.3
196	9/22/2022	11:17:24	0.3	0.3	0.3
197	9/22/2022	11:18:24	0.3	0.3	0.3
198	9/22/2022	11:19:24	0.3	0.3	0.3
199	9/22/2022	11:20:24	0.3	0.3	0.3
200	9/22/2022	11:21:24	0.3	0.3	0.3
201	9/22/2022	11:22:24	0.3	0.3	0.3
202	9/22/2022	11:23:24	0.3	0.3	0.3
203	9/22/2022	11:24:24	0.3	0.3	0.3
204	9/22/2022	11:25:24	0.3	0.3	0.3
205	9/22/2022	11:26:24	0.3	0.3	0.3
206	9/22/2022	11:27:24	0.3	0.3	0.3
207	9/22/2022	11:28:24	0.3	0.3	0.3
208	9/22/2022	11:29:24	0.3	0.3	0.3
209	9/22/2022	11:30:24	0.3	0.3	0.3
210	9/22/2022	11:31:24	0.3	0.3	0.3
211	9/22/2022	11:32:24	0.3	0.3	0.3
212	9/22/2022	11:33:24	0.3	0.3	0.3
213	9/22/2022	11:34:24	0.3	0.3	0.3
214	9/22/2022	11:35:24	0.3	0.3	0.3

215	9/22/2022	11:36:24	0.3	0.3	0.3
216	9/22/2022	11:37:24	0.3	0.3	0.3
217	9/22/2022	11:38:24	0.3	0.3	0.3
218	9/22/2022	11:39:24	0.3	0.3	0.3
219	9/22/2022	11:40:24	0.3	0.3	0.3
220	9/22/2022	11:41:24	0.3	0.3	0.3
221	9/22/2022	11:42:24	0.3	0.3	0.3
222	9/22/2022	11:43:24	0.3	0.3	0.3
223	9/22/2022	11:44:24	0.3	0.3	0.3
224	9/22/2022	11:45:24	0.3	0.3	0.3
225	9/22/2022	11:46:24	0.3	0.3	0.3
226	9/22/2022	11:47:24	0.3	0.3	0.3
227	9/22/2022	11:48:24	0.3	0.3	0.3
228	9/22/2022	11:49:24	0.3	0.3	0.3
229	9/22/2022	11:50:24	0.3	0.3	0.3
230	9/22/2022	11:51:24	0.3	0.3	0.3
231	9/22/2022	11:52:24	0.3	0.3	0.3
232	9/22/2022	11:53:24	0.3	0.3	0.3
233	9/22/2022	11:54:24	0.3	0.3	0.3
234	9/22/2022	11:55:24	0.3	0.3	0.3
235	9/22/2022	11:56:24	0.3	0.3	0.3
236	9/22/2022	11:57:24	0.3	0.3	0.3
237	9/22/2022	11:58:24	0.3	0.3	0.3
238	9/22/2022	11:59:24	0.3	0.3	0.3
239	9/22/2022	12:00:24	0.3	0.3	0.3
240	9/22/2022	12:01:24	0.3	0.3	0.3
241	9/22/2022	12:02:24	0.3	0.3	0.3
242	9/22/2022	12:03:24	0.3	0.3	0.3
243	9/22/2022	12:04:24	0.3	0.3	0.3
244	9/22/2022	12:05:24	0.3	0.3	0.3
245	9/22/2022	12:06:24	0.3	0.3	0.3
246	9/22/2022	12:07:24	0.3	0.3	0.3
247	9/22/2022	12:08:24	0.3	0.3	0.3
248	9/22/2022	12:09:24	0.3	0.3	0.3
249	9/22/2022	12:10:24	0.3	0.3	0.3
250	9/22/2022	12:11:24	0.3	0.3	0.3
251	9/22/2022	12:12:24	0.3	0.3	0.3
252	9/22/2022	12:13:24	0.3	0.3	0.3
253	9/22/2022	12:14:24	0.3	0.3	0.3
254	9/22/2022	12:15:24	0.3	0.3	0.3
255	9/22/2022	12:16:24	0.3	0.3	0.3
256	9/22/2022	12:17:24	0.3	0.3	0.3
257	9/22/2022	12:18:24	0.3	0.3	0.3
258	9/22/2022	12:19:24	0.3	0.3	0.3
259	9/22/2022	12:20:24	0.3	0.3	0.3
260	9/22/2022	12:21:24	0.3	0.3	0.3
261	9/22/2022	12:22:24	0.3	0.3	0.3
262	9/22/2022	12:23:24	0.3	0.3	0.3
263	9/22/2022	12:24:24	0.3	0.3	0.3
264	9/22/2022	12:25:24	0.3	0.3	0.3

265	9/22/2022 12:26:24	0.3	0.3	0.3
266	9/22/2022 12:27:24	0.3	0.3	0.3
267	9/22/2022 12:28:24	0.3	0.3	0.3
268	9/22/2022 12:29:24	0.3	0.3	0.3
269	9/22/2022 12:30:24	0.3	0.3	0.3
270	9/22/2022 12:31:24	0.3	0.3	0.3
271	9/22/2022 12:32:24	0.3	0.3	0.3
272	9/22/2022 12:33:24	0.3	0.3	0.3
273	9/22/2022 12:34:24	0.3	0.3	0.3
274	9/22/2022 12:35:24	0.2	0.3	0.3
275	9/22/2022 12:36:24	0.3	0.3	0.3
276	9/22/2022 12:37:24	0.3	0.3	0.3
277	9/22/2022 12:38:24	0.3	0.3	0.3
278	9/22/2022 12:39:24	0.3	0.3	0.3
Peak		0.3	0.4	0.3
Min		0.1	0.1	0.1
Average		0.3	0.3	0.3

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/22/2022 08:02:24	0.0	---
002	9/22/2022 08:03:24	0.0	---
003	9/22/2022 08:04:24	0.0	---
004	9/22/2022 08:05:24	0.0	---
005	9/22/2022 08:06:24	0.0	---
006	9/22/2022 08:07:24	0.0	---
007	9/22/2022 08:08:24	0.0	---
008	9/22/2022 08:09:24	0.0	---
009	9/22/2022 08:10:24	0.0	---
010	9/22/2022 08:11:24	0.0	---
011	9/22/2022 08:12:24	0.0	---
012	9/22/2022 08:13:24	0.0	---
013	9/22/2022 08:14:24	0.0	---
014	9/22/2022 08:15:24	0.0	---
015	9/22/2022 08:16:24	0.0	0.1
016	9/22/2022 08:17:24	0.0	0.1
017	9/22/2022 08:18:24	0.0	0.1
018	9/22/2022 08:19:24	0.0	0.1
019	9/22/2022 08:20:24	0.0	0.1
020	9/22/2022 08:21:24	0.0	0.1
021	9/22/2022 08:22:24	0.0	0.1
022	9/22/2022 08:23:24	0.0	0.1
023	9/22/2022 08:24:24	0.0	0.1
024	9/22/2022 08:25:24	0.0	0.2
025	9/22/2022 08:26:24	0.0	0.2
026	9/22/2022 08:27:24	0.0	0.2
027	9/22/2022 08:28:24	0.0	0.2
028	9/22/2022 08:29:24	0.0	0.2

029	9/22/2022	08:30:24	0.0	0.2
030	9/22/2022	08:31:24	0.0	0.2
031	9/22/2022	08:32:24	0.0	0.2
032	9/22/2022	08:33:24	0.0	0.2
033	9/22/2022	08:34:24	0.0	0.2
034	9/22/2022	08:35:24	0.0	0.2
035	9/22/2022	08:36:24	0.0	0.2
036	9/22/2022	08:37:24	0.0	0.2
037	9/22/2022	08:38:24	0.0	0.2
038	9/22/2022	08:39:24	0.0	0.2
039	9/22/2022	08:40:24	0.0	0.2
040	9/22/2022	08:41:24	0.0	0.2
041	9/22/2022	08:42:24	0.0	0.2
042	9/22/2022	08:43:24	0.0	0.2
043	9/22/2022	08:44:24	0.0	0.2
044	9/22/2022	08:45:24	0.0	0.2
045	9/22/2022	08:46:24	0.0	0.2
046	9/22/2022	08:47:24	0.0	0.3
047	9/22/2022	08:48:24	0.0	0.3
048	9/22/2022	08:49:24	0.0	0.3
049	9/22/2022	08:50:24	0.0	0.3
050	9/22/2022	08:51:24	0.0	0.3
051	9/22/2022	08:52:24	0.0	0.3
052	9/22/2022	08:53:24	0.0	0.3
053	9/22/2022	08:54:24	0.0	0.3
054	9/22/2022	08:55:24	0.0	0.3
055	9/22/2022	08:56:24	0.0	0.3
056	9/22/2022	08:57:24	0.0	0.3
057	9/22/2022	08:58:24	0.0	0.3
058	9/22/2022	08:59:24	0.0	0.3
059	9/22/2022	09:00:24	0.0	0.3
060	9/22/2022	09:01:24	0.0	0.3
061	9/22/2022	09:02:24	0.0	0.3
062	9/22/2022	09:03:24	0.0	0.3
063	9/22/2022	09:04:24	0.0	0.3
064	9/22/2022	09:05:24	0.0	0.3
065	9/22/2022	09:06:24	0.0	0.3
066	9/22/2022	09:07:24	0.0	0.3
067	9/22/2022	09:08:24	0.0	0.3
068	9/22/2022	09:09:24	0.0	0.3
069	9/22/2022	09:10:24	0.0	0.3
070	9/22/2022	09:11:24	0.0	0.3
071	9/22/2022	09:12:24	0.0	0.3
072	9/22/2022	09:13:24	0.0	0.3
073	9/22/2022	09:14:24	0.0	0.3
074	9/22/2022	09:15:24	0.0	0.3
075	9/22/2022	09:16:24	0.0	0.3
076	9/22/2022	09:17:24	0.0	0.3
077	9/22/2022	09:18:24	0.0	0.3
078	9/22/2022	09:19:24	0.0	0.3

079	9/22/2022 09:20:24	0.0	0.3
080	9/22/2022 09:21:24	0.0	0.3
081	9/22/2022 09:22:24	0.0	0.3
082	9/22/2022 09:23:24	0.0	0.3
083	9/22/2022 09:24:24	0.0	0.3
084	9/22/2022 09:25:24	0.0	0.3
085	9/22/2022 09:26:24	0.0	0.3
086	9/22/2022 09:27:24	0.0	0.3
087	9/22/2022 09:28:24	0.0	0.3
088	9/22/2022 09:29:24	0.0	0.3
089	9/22/2022 09:30:24	0.0	0.3
090	9/22/2022 09:31:24	0.0	0.3
091	9/22/2022 09:32:24	0.0	0.3
092	9/22/2022 09:33:24	0.0	0.3
093	9/22/2022 09:34:24	0.0	0.3
094	9/22/2022 09:35:24	0.0	0.3
095	9/22/2022 09:36:24	0.0	0.3
096	9/22/2022 09:37:24	0.0	0.3
097	9/22/2022 09:38:24	0.0	0.3
098	9/22/2022 09:39:24	0.0	0.3
099	9/22/2022 09:40:24	0.1	0.3
100	9/22/2022 09:41:24	0.1	0.3
101	9/22/2022 09:42:24	0.1	0.3
102	9/22/2022 09:43:24	0.1	0.3
103	9/22/2022 09:44:24	0.1	0.3
104	9/22/2022 09:45:24	0.1	0.3
105	9/22/2022 09:46:24	0.1	0.3
106	9/22/2022 09:47:24	0.1	0.3
107	9/22/2022 09:48:24	0.1	0.3
108	9/22/2022 09:49:24	0.1	0.3
109	9/22/2022 09:50:24	0.1	0.3
110	9/22/2022 09:51:24	0.1	0.3
111	9/22/2022 09:52:24	0.1	0.3
112	9/22/2022 09:53:24	0.1	0.3
113	9/22/2022 09:54:24	0.1	0.3
114	9/22/2022 09:55:24	0.1	0.3
115	9/22/2022 09:56:24	0.1	0.3
116	9/22/2022 09:57:24	0.1	0.3
117	9/22/2022 09:58:24	0.1	0.3
118	9/22/2022 09:59:24	0.1	0.3
119	9/22/2022 10:00:24	0.1	0.3
120	9/22/2022 10:01:24	0.1	0.3
121	9/22/2022 10:02:24	0.1	0.3
122	9/22/2022 10:03:24	0.1	0.3
123	9/22/2022 10:04:24	0.1	0.3
124	9/22/2022 10:05:24	0.1	0.3
125	9/22/2022 10:06:24	0.1	0.3
126	9/22/2022 10:07:24	0.1	0.3
127	9/22/2022 10:08:24	0.1	0.3
128	9/22/2022 10:09:24	0.1	0.3

129	9/22/2022 10:10:24	0.1	0.3
130	9/22/2022 10:11:24	0.1	0.3
131	9/22/2022 10:12:24	0.1	0.3
132	9/22/2022 10:13:24	0.1	0.3
133	9/22/2022 10:14:24	0.1	0.3
134	9/22/2022 10:15:24	0.1	0.3
135	9/22/2022 10:16:24	0.1	0.3
136	9/22/2022 10:17:24	0.1	0.3
137	9/22/2022 10:18:24	0.1	0.3
138	9/22/2022 10:19:24	0.1	0.3
139	9/22/2022 10:20:24	0.1	0.3
140	9/22/2022 10:21:24	0.1	0.3
141	9/22/2022 10:22:24	0.1	0.3
142	9/22/2022 10:23:24	0.1	0.3
143	9/22/2022 10:24:24	0.1	0.3
144	9/22/2022 10:25:24	0.1	0.3
145	9/22/2022 10:26:24	0.1	0.3
146	9/22/2022 10:27:24	0.1	0.3
147	9/22/2022 10:28:24	0.1	0.3
148	9/22/2022 10:29:24	0.1	0.3
149	9/22/2022 10:30:24	0.1	0.3
150	9/22/2022 10:31:24	0.1	0.3
151	9/22/2022 10:32:24	0.1	0.3
152	9/22/2022 10:33:24	0.1	0.3
153	9/22/2022 10:34:24	0.1	0.3
154	9/22/2022 10:35:24	0.1	0.3
155	9/22/2022 10:36:24	0.1	0.3
156	9/22/2022 10:37:24	0.1	0.3
157	9/22/2022 10:38:24	0.1	0.3
158	9/22/2022 10:39:24	0.1	0.3
159	9/22/2022 10:40:24	0.1	0.3
160	9/22/2022 10:41:24	0.1	0.3
161	9/22/2022 10:42:24	0.1	0.3
162	9/22/2022 10:43:24	0.1	0.3
163	9/22/2022 10:44:24	0.1	0.3
164	9/22/2022 10:45:24	0.1	0.3
165	9/22/2022 10:46:24	0.1	0.3
166	9/22/2022 10:47:24	0.1	0.3
167	9/22/2022 10:48:24	0.1	0.3
168	9/22/2022 10:49:24	0.1	0.3
169	9/22/2022 10:50:24	0.1	0.3
170	9/22/2022 10:51:24	0.1	0.3
171	9/22/2022 10:52:24	0.1	0.3
172	9/22/2022 10:53:24	0.1	0.3
173	9/22/2022 10:54:24	0.1	0.3
174	9/22/2022 10:55:24	0.1	0.3
175	9/22/2022 10:56:24	0.1	0.3
176	9/22/2022 10:57:24	0.1	0.3
177	9/22/2022 10:58:24	0.1	0.3
178	9/22/2022 10:59:24	0.1	0.3

179	9/22/2022 11:00:24	0.1	0.3
180	9/22/2022 11:01:24	0.1	0.3
181	9/22/2022 11:02:24	0.1	0.3
182	9/22/2022 11:03:24	0.1	0.3
183	9/22/2022 11:04:24	0.1	0.3
184	9/22/2022 11:05:24	0.1	0.3
185	9/22/2022 11:06:24	0.1	0.3
186	9/22/2022 11:07:24	0.1	0.3
187	9/22/2022 11:08:24	0.1	0.3
188	9/22/2022 11:09:24	0.1	0.3
189	9/22/2022 11:10:24	0.1	0.3
190	9/22/2022 11:11:24	0.1	0.3
191	9/22/2022 11:12:24	0.1	0.3
192	9/22/2022 11:13:24	0.1	0.3
193	9/22/2022 11:14:24	0.1	0.3
194	9/22/2022 11:15:24	0.1	0.3
195	9/22/2022 11:16:24	0.1	0.3
196	9/22/2022 11:17:24	0.1	0.3
197	9/22/2022 11:18:24	0.1	0.3
198	9/22/2022 11:19:24	0.1	0.3
199	9/22/2022 11:20:24	0.1	0.3
200	9/22/2022 11:21:24	0.1	0.3
201	9/22/2022 11:22:24	0.1	0.3
202	9/22/2022 11:23:24	0.1	0.3
203	9/22/2022 11:24:24	0.1	0.3
204	9/22/2022 11:25:24	0.1	0.3
205	9/22/2022 11:26:24	0.1	0.3
206	9/22/2022 11:27:24	0.1	0.3
207	9/22/2022 11:28:24	0.1	0.3
208	9/22/2022 11:29:24	0.1	0.3
209	9/22/2022 11:30:24	0.1	0.3
210	9/22/2022 11:31:24	0.1	0.3
211	9/22/2022 11:32:24	0.1	0.3
212	9/22/2022 11:33:24	0.1	0.3
213	9/22/2022 11:34:24	0.1	0.3
214	9/22/2022 11:35:24	0.1	0.3
215	9/22/2022 11:36:24	0.1	0.3
216	9/22/2022 11:37:24	0.1	0.3
217	9/22/2022 11:38:24	0.1	0.3
218	9/22/2022 11:39:24	0.1	0.3
219	9/22/2022 11:40:24	0.1	0.3
220	9/22/2022 11:41:24	0.1	0.3
221	9/22/2022 11:42:24	0.1	0.3
222	9/22/2022 11:43:24	0.1	0.3
223	9/22/2022 11:44:24	0.1	0.3
224	9/22/2022 11:45:24	0.1	0.3
225	9/22/2022 11:46:24	0.1	0.3
226	9/22/2022 11:47:24	0.1	0.3
227	9/22/2022 11:48:24	0.1	0.3
228	9/22/2022 11:49:24	0.1	0.3

229	9/22/2022 11:50:24	0.1	0.3
230	9/22/2022 11:51:24	0.1	0.3
231	9/22/2022 11:52:24	0.1	0.3
232	9/22/2022 11:53:24	0.1	0.3
233	9/22/2022 11:54:24	0.1	0.3
234	9/22/2022 11:55:24	0.1	0.3
235	9/22/2022 11:56:24	0.1	0.3
236	9/22/2022 11:57:24	0.1	0.3
237	9/22/2022 11:58:24	0.1	0.3
238	9/22/2022 11:59:24	0.1	0.3
239	9/22/2022 12:00:24	0.1	0.3
240	9/22/2022 12:01:24	0.1	0.3
241	9/22/2022 12:02:24	0.1	0.3
242	9/22/2022 12:03:24	0.1	0.3
243	9/22/2022 12:04:24	0.1	0.3
244	9/22/2022 12:05:24	0.1	0.3
245	9/22/2022 12:06:24	0.1	0.3
246	9/22/2022 12:07:24	0.1	0.3
247	9/22/2022 12:08:24	0.1	0.3
248	9/22/2022 12:09:24	0.1	0.3
249	9/22/2022 12:10:24	0.1	0.3
250	9/22/2022 12:11:24	0.1	0.3
251	9/22/2022 12:12:24	0.1	0.3
252	9/22/2022 12:13:24	0.1	0.3
253	9/22/2022 12:14:24	0.1	0.3
254	9/22/2022 12:15:24	0.1	0.3
255	9/22/2022 12:16:24	0.1	0.3
256	9/22/2022 12:17:24	0.1	0.3
257	9/22/2022 12:18:24	0.1	0.3
258	9/22/2022 12:19:24	0.1	0.3
259	9/22/2022 12:20:24	0.1	0.3
260	9/22/2022 12:21:24	0.2	0.3
261	9/22/2022 12:22:24	0.2	0.3
262	9/22/2022 12:23:24	0.2	0.3
263	9/22/2022 12:24:24	0.2	0.3
264	9/22/2022 12:25:24	0.2	0.3
265	9/22/2022 12:26:24	0.2	0.3
266	9/22/2022 12:27:24	0.2	0.3
267	9/22/2022 12:28:24	0.2	0.3
268	9/22/2022 12:29:24	0.2	0.3
269	9/22/2022 12:30:24	0.2	0.3
270	9/22/2022 12:31:24	0.2	0.3
271	9/22/2022 12:32:24	0.2	0.3
272	9/22/2022 12:33:24	0.2	0.3
273	9/22/2022 12:34:24	0.2	0.3
274	9/22/2022 12:35:24	0.2	0.3
275	9/22/2022 12:36:24	0.2	0.3
276	9/22/2022 12:37:24	0.2	0.3
277	9/22/2022 12:38:24	0.2	0.3
278	9/22/2022 12:39:24	0.2	0.3

==========
22/09/27 08:32
****
Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 9/27/2022 08:32:01
End 9/27/2022 14:48:15
Sample Period(s) 60
Number of Records 376

Sensor PID(ppm)
Sensor SN S023030372B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.4
Min 0.0
Average 0.3

****
Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/27/2022 08:33:01	0.0	0.1	0.0	
002	9/27/2022 08:34:01	0.0	0.0	0.0	
003	9/27/2022 08:35:01	0.0	0.0	0.0	
004	9/27/2022 08:36:01	0.0	0.0	0.0	
005	9/27/2022 08:37:01	0.0	0.0	0.0	
006	9/27/2022 08:38:01	0.0	0.0	0.0	
007	9/27/2022 08:39:01	0.0	0.0	0.0	
008	9/27/2022 08:40:01	0.0	0.0	0.0	

009	9/27/2022	08:41:01	0.0	0.0	0.0
010	9/27/2022	08:42:01	0.0	0.0	0.0
011	9/27/2022	08:43:01	0.0	0.0	0.0
012	9/27/2022	08:44:01	0.0	0.0	0.0
013	9/27/2022	08:45:01	0.0	0.0	0.0
014	9/27/2022	08:46:01	0.0	0.0	0.0
015	9/27/2022	08:47:01	0.0	0.0	0.0
016	9/27/2022	08:48:01	0.0	0.0	0.0
017	9/27/2022	08:49:01	0.0	0.0	0.0
018	9/27/2022	08:50:01	0.0	0.0	0.0
019	9/27/2022	08:51:01	0.0	0.0	0.0
020	9/27/2022	08:52:01	0.0	0.0	0.0
021	9/27/2022	08:53:01	0.0	0.1	0.1
022	9/27/2022	08:54:01	0.1	0.1	0.1
023	9/27/2022	08:55:01	0.1	0.1	0.1
024	9/27/2022	08:56:01	0.1	0.1	0.1
025	9/27/2022	08:57:01	0.1	0.1	0.1
026	9/27/2022	08:58:01	0.1	0.1	0.1
027	9/27/2022	08:59:01	0.1	0.1	0.1
028	9/27/2022	09:00:01	0.1	0.1	0.1
029	9/27/2022	09:01:01	0.1	0.1	0.1
030	9/27/2022	09:02:01	0.1	0.1	0.1
031	9/27/2022	09:03:01	0.1	0.1	0.1
032	9/27/2022	09:04:01	0.1	0.1	0.1
033	9/27/2022	09:05:01	0.1	0.1	0.1
034	9/27/2022	09:06:01	0.1	0.1	0.1
035	9/27/2022	09:07:01	0.1	0.1	0.1
036	9/27/2022	09:08:01	0.1	0.1	0.1
037	9/27/2022	09:09:01	0.1	0.1	0.1
038	9/27/2022	09:10:01	0.1	0.1	0.1
039	9/27/2022	09:11:01	0.1	0.1	0.1
040	9/27/2022	09:12:01	0.1	0.1	0.1
041	9/27/2022	09:13:01	0.1	0.1	0.1
042	9/27/2022	09:14:01	0.1	0.1	0.1
043	9/27/2022	09:15:01	0.1	0.2	0.2
044	9/27/2022	09:16:01	0.2	0.2	0.2
045	9/27/2022	09:17:01	0.2	0.2	0.2
046	9/27/2022	09:18:01	0.2	0.2	0.2
047	9/27/2022	09:19:01	0.2	0.2	0.2
048	9/27/2022	09:20:01	0.2	0.2	0.2
049	9/27/2022	09:21:01	0.2	0.2	0.2
050	9/27/2022	09:22:01	0.2	0.2	0.2
051	9/27/2022	09:23:01	0.2	0.2	0.2
052	9/27/2022	09:24:01	0.2	0.2	0.2
053	9/27/2022	09:25:01	0.2	0.2	0.2
054	9/27/2022	09:26:01	0.2	0.2	0.2
055	9/27/2022	09:27:01	0.2	0.2	0.2
056	9/27/2022	09:28:01	0.2	0.2	0.2
057	9/27/2022	09:29:01	0.2	0.2	0.2
058	9/27/2022	09:30:01	0.2	0.2	0.2

059	9/27/2022	09:31:01	0.2	0.2	0.2
060	9/27/2022	09:32:01	0.2	0.2	0.2
061	9/27/2022	09:33:01	0.2	0.2	0.2
062	9/27/2022	09:34:01	0.2	0.2	0.2
063	9/27/2022	09:35:01	0.2	0.2	0.2
064	9/27/2022	09:36:01	0.2	0.2	0.2
065	9/27/2022	09:37:01	0.2	0.2	0.2
066	9/27/2022	09:38:01	0.2	0.2	0.2
067	9/27/2022	09:39:01	0.2	0.2	0.2
068	9/27/2022	09:40:01	0.2	0.2	0.2
069	9/27/2022	09:41:01	0.2	0.2	0.2
070	9/27/2022	09:42:01	0.2	0.2	0.2
071	9/27/2022	09:43:01	0.2	0.2	0.2
072	9/27/2022	09:44:01	0.2	0.2	0.2
073	9/27/2022	09:45:01	0.2	0.2	0.2
074	9/27/2022	09:46:01	0.2	0.2	0.2
075	9/27/2022	09:47:01	0.2	0.2	0.2
076	9/27/2022	09:48:01	0.2	0.2	0.2
077	9/27/2022	09:49:01	0.2	0.2	0.2
078	9/27/2022	09:50:01	0.2	0.2	0.2
079	9/27/2022	09:51:01	0.2	0.2	0.2
080	9/27/2022	09:52:01	0.2	0.2	0.2
081	9/27/2022	09:53:01	0.2	0.2	0.2
082	9/27/2022	09:54:01	0.2	0.2	0.2
083	9/27/2022	09:55:01	0.2	0.2	0.2
084	9/27/2022	09:56:01	0.2	0.2	0.2
085	9/27/2022	09:57:01	0.2	0.2	0.2
086	9/27/2022	09:58:01	0.2	0.2	0.2
087	9/27/2022	09:59:01	0.2	0.2	0.2
088	9/27/2022	10:00:01	0.2	0.2	0.2
089	9/27/2022	10:01:01	0.2	0.2	0.2
090	9/27/2022	10:02:01	0.2	0.2	0.2
091	9/27/2022	10:03:01	0.2	0.2	0.2
092	9/27/2022	10:04:01	0.2	0.3	0.2
093	9/27/2022	10:05:01	0.2	0.3	0.2
094	9/27/2022	10:06:01	0.3	0.3	0.2
095	9/27/2022	10:07:01	0.3	0.3	0.3
096	9/27/2022	10:08:01	0.3	0.3	0.3
097	9/27/2022	10:09:01	0.3	0.3	0.3
098	9/27/2022	10:10:01	0.3	0.3	0.3
099	9/27/2022	10:11:01	0.3	0.3	0.3
100	9/27/2022	10:12:01	0.3	0.3	0.3
101	9/27/2022	10:13:01	0.3	0.3	0.3
102	9/27/2022	10:14:01	0.3	0.3	0.3
103	9/27/2022	10:15:01	0.3	0.3	0.3
104	9/27/2022	10:16:01	0.3	0.3	0.3
105	9/27/2022	10:17:01	0.3	0.3	0.3
106	9/27/2022	10:18:01	0.3	0.3	0.3
107	9/27/2022	10:19:01	0.3	0.3	0.3
108	9/27/2022	10:20:01	0.3	0.3	0.3

109	9/27/2022 10:21:01	0.3	0.3	0.3
110	9/27/2022 10:22:01	0.3	0.3	0.3
111	9/27/2022 10:23:01	0.3	0.3	0.3
112	9/27/2022 10:24:01	0.3	0.3	0.3
113	9/27/2022 10:25:01	0.3	0.3	0.3
114	9/27/2022 10:26:01	0.3	0.3	0.3
115	9/27/2022 10:27:01	0.3	0.3	0.3
116	9/27/2022 10:28:01	0.3	0.3	0.3
117	9/27/2022 10:29:01	0.3	0.3	0.3
118	9/27/2022 10:30:01	0.3	0.3	0.3
119	9/27/2022 10:31:01	0.3	0.3	0.3
120	9/27/2022 10:32:01	0.3	0.3	0.3
121	9/27/2022 10:33:01	0.3	0.3	0.3
122	9/27/2022 10:34:01	0.3	0.3	0.3
123	9/27/2022 10:35:01	0.3	0.3	0.3
124	9/27/2022 10:36:01	0.3	0.3	0.3
125	9/27/2022 10:37:01	0.3	0.3	0.3
126	9/27/2022 10:38:01	0.3	0.3	0.3
127	9/27/2022 10:39:01	0.3	0.3	0.3
128	9/27/2022 10:40:01	0.3	0.3	0.3
129	9/27/2022 10:41:01	0.3	0.3	0.3
130	9/27/2022 10:42:01	0.3	0.3	0.3
131	9/27/2022 10:43:01	0.3	0.3	0.3
132	9/27/2022 10:44:01	0.3	0.3	0.3
133	9/27/2022 10:45:01	0.3	0.3	0.3
134	9/27/2022 10:46:01	0.3	0.3	0.3
135	9/27/2022 10:47:01	0.3	0.3	0.3
136	9/27/2022 10:48:01	0.3	0.3	0.3
137	9/27/2022 10:49:01	0.3	0.3	0.3
138	9/27/2022 10:50:01	0.3	0.3	0.3
139	9/27/2022 10:51:01	0.3	0.3	0.3
140	9/27/2022 10:52:01	0.3	0.3	0.3
141	9/27/2022 10:53:01	0.3	0.3	0.3
142	9/27/2022 10:54:01	0.3	0.3	0.3
143	9/27/2022 10:55:01	0.3	0.3	0.3
144	9/27/2022 10:56:01	0.3	0.3	0.3
145	9/27/2022 10:57:01	0.3	0.3	0.3
146	9/27/2022 10:58:01	0.3	0.3	0.3
147	9/27/2022 10:59:01	0.3	0.3	0.3
148	9/27/2022 11:00:01	0.3	0.3	0.3
149	9/27/2022 11:01:01	0.3	0.3	0.3
150	9/27/2022 11:02:01	0.3	0.3	0.3
151	9/27/2022 11:03:01	0.3	0.3	0.3
152	9/27/2022 11:04:01	0.3	0.3	0.3
153	9/27/2022 11:05:01	0.3	0.3	0.3
154	9/27/2022 11:06:01	0.3	0.3	0.3
155	9/27/2022 11:07:01	0.3	0.3	0.3
156	9/27/2022 11:08:01	0.3	0.3	0.3
157	9/27/2022 11:09:01	0.3	0.3	0.3
158	9/27/2022 11:10:01	0.3	0.3	0.3

159	9/27/2022 11:11:01	0.3	0.3	0.3
160	9/27/2022 11:12:01	0.3	0.3	0.3
161	9/27/2022 11:13:01	0.3	0.3	0.3
162	9/27/2022 11:14:01	0.3	0.3	0.3
163	9/27/2022 11:15:01	0.3	0.3	0.3
164	9/27/2022 11:16:01	0.3	0.3	0.3
165	9/27/2022 11:17:01	0.3	0.3	0.3
166	9/27/2022 11:18:01	0.3	0.3	0.3
167	9/27/2022 11:19:01	0.3	0.3	0.3
168	9/27/2022 11:20:01	0.3	0.3	0.3
169	9/27/2022 11:21:01	0.3	0.3	0.3
170	9/27/2022 11:22:01	0.3	0.3	0.3
171	9/27/2022 11:23:01	0.3	0.3	0.3
172	9/27/2022 11:24:01	0.3	0.3	0.3
173	9/27/2022 11:25:01	0.3	0.3	0.3
174	9/27/2022 11:26:01	0.3	0.3	0.3
175	9/27/2022 11:27:01	0.3	0.3	0.3
176	9/27/2022 11:28:01	0.3	0.3	0.3
177	9/27/2022 11:29:01	0.3	0.3	0.3
178	9/27/2022 11:30:01	0.3	0.3	0.3
179	9/27/2022 11:31:01	0.3	0.3	0.3
180	9/27/2022 11:32:01	0.3	0.3	0.3
181	9/27/2022 11:33:01	0.3	0.3	0.3
182	9/27/2022 11:34:01	0.3	0.3	0.3
183	9/27/2022 11:35:01	0.3	0.3	0.3
184	9/27/2022 11:36:01	0.3	0.3	0.3
185	9/27/2022 11:37:01	0.3	0.3	0.3
186	9/27/2022 11:38:01	0.3	0.3	0.3
187	9/27/2022 11:39:01	0.3	0.3	0.3
188	9/27/2022 11:40:01	0.3	0.3	0.3
189	9/27/2022 11:41:01	0.3	0.3	0.3
190	9/27/2022 11:42:01	0.3	0.3	0.3
191	9/27/2022 11:43:01	0.3	0.3	0.3
192	9/27/2022 11:44:01	0.3	0.3	0.3
193	9/27/2022 11:45:01	0.3	0.3	0.3
194	9/27/2022 11:46:01	0.3	0.3	0.3
195	9/27/2022 11:47:01	0.3	0.3	0.3
196	9/27/2022 11:48:01	0.3	0.3	0.3
197	9/27/2022 11:49:01	0.3	0.3	0.3
198	9/27/2022 11:50:01	0.3	0.3	0.3
199	9/27/2022 11:51:01	0.3	0.3	0.3
200	9/27/2022 11:52:01	0.3	0.3	0.3
201	9/27/2022 11:53:01	0.3	0.3	0.3
202	9/27/2022 11:54:01	0.3	0.3	0.3
203	9/27/2022 11:55:01	0.3	0.3	0.3
204	9/27/2022 11:56:01	0.3	0.3	0.3
205	9/27/2022 11:57:01	0.3	0.3	0.3
206	9/27/2022 11:58:01	0.3	0.3	0.3
207	9/27/2022 11:59:01	0.3	0.3	0.3
208	9/27/2022 12:00:01	0.3	0.3	0.3

209	9/27/2022	12:01:01	0.3	0.3	0.3
210	9/27/2022	12:02:01	0.3	0.3	0.3
211	9/27/2022	12:03:01	0.3	0.3	0.3
212	9/27/2022	12:04:01	0.3	0.3	0.3
213	9/27/2022	12:05:01	0.3	0.3	0.3
214	9/27/2022	12:06:01	0.3	0.3	0.3
215	9/27/2022	12:07:01	0.3	0.3	0.3
216	9/27/2022	12:08:01	0.3	0.3	0.3
217	9/27/2022	12:09:01	0.3	0.3	0.3
218	9/27/2022	12:10:01	0.3	0.3	0.3
219	9/27/2022	12:11:01	0.3	0.3	0.3
220	9/27/2022	12:12:01	0.3	0.3	0.3
221	9/27/2022	12:13:01	0.3	0.3	0.3
222	9/27/2022	12:14:01	0.3	0.3	0.3
223	9/27/2022	12:15:01	0.3	0.3	0.3
224	9/27/2022	12:16:01	0.3	0.3	0.3
225	9/27/2022	12:17:01	0.3	0.3	0.3
226	9/27/2022	12:18:01	0.3	0.3	0.3
227	9/27/2022	12:19:01	0.3	0.3	0.3
228	9/27/2022	12:20:01	0.3	0.3	0.3
229	9/27/2022	12:21:01	0.3	0.3	0.3
230	9/27/2022	12:22:01	0.3	0.3	0.3
231	9/27/2022	12:23:01	0.3	0.3	0.3
232	9/27/2022	12:24:01	0.3	0.3	0.3
233	9/27/2022	12:25:01	0.3	0.3	0.3
234	9/27/2022	12:26:01	0.3	0.3	0.3
235	9/27/2022	12:27:01	0.3	0.3	0.3
236	9/27/2022	12:28:01	0.3	0.3	0.3
237	9/27/2022	12:29:01	0.3	0.3	0.3
238	9/27/2022	12:30:01	0.3	0.3	0.3
239	9/27/2022	12:31:01	0.3	0.3	0.3
240	9/27/2022	12:32:01	0.3	0.3	0.3
241	9/27/2022	12:33:01	0.3	0.3	0.3
242	9/27/2022	12:34:01	0.3	0.3	0.3
243	9/27/2022	12:35:01	0.3	0.3	0.3
244	9/27/2022	12:36:01	0.3	0.3	0.3
245	9/27/2022	12:37:01	0.3	0.3	0.3
246	9/27/2022	12:38:01	0.3	0.3	0.3
247	9/27/2022	12:39:01	0.3	0.3	0.3
248	9/27/2022	12:40:01	0.3	0.3	0.3
249	9/27/2022	12:41:01	0.3	0.3	0.3
250	9/27/2022	12:42:01	0.3	0.3	0.3
251	9/27/2022	12:43:01	0.3	0.3	0.3
252	9/27/2022	12:44:01	0.3	0.3	0.3
253	9/27/2022	12:45:01	0.3	0.3	0.3
254	9/27/2022	12:46:01	0.3	0.3	0.3
255	9/27/2022	12:47:01	0.3	0.3	0.3
256	9/27/2022	12:48:01	0.3	0.3	0.3
257	9/27/2022	12:49:01	0.3	0.3	0.3
258	9/27/2022	12:50:01	0.3	0.3	0.3

259	9/27/2022	12:51:01	0.3	0.3	0.3
260	9/27/2022	12:52:01	0.3	0.3	0.3
261	9/27/2022	12:53:01	0.3	0.3	0.3
262	9/27/2022	12:54:01	0.3	0.3	0.3
263	9/27/2022	12:55:01	0.3	0.3	0.3
264	9/27/2022	12:56:01	0.3	0.3	0.3
265	9/27/2022	12:57:01	0.3	0.3	0.3
266	9/27/2022	12:58:01	0.3	0.3	0.3
267	9/27/2022	12:59:01	0.3	0.3	0.3
268	9/27/2022	13:00:01	0.3	0.3	0.3
269	9/27/2022	13:01:01	0.3	0.3	0.3
270	9/27/2022	13:02:01	0.3	0.3	0.3
271	9/27/2022	13:03:01	0.3	0.3	0.3
272	9/27/2022	13:04:01	0.3	0.3	0.3
273	9/27/2022	13:05:01	0.3	0.3	0.3
274	9/27/2022	13:06:01	0.3	0.3	0.3
275	9/27/2022	13:07:01	0.3	0.4	0.3
276	9/27/2022	13:08:01	0.3	0.3	0.3
277	9/27/2022	13:09:01	0.3	0.3	0.3
278	9/27/2022	13:10:01	0.3	0.3	0.3
279	9/27/2022	13:11:01	0.3	0.3	0.3
280	9/27/2022	13:12:01	0.3	0.3	0.3
281	9/27/2022	13:13:01	0.3	0.3	0.3
282	9/27/2022	13:14:01	0.3	0.3	0.3
283	9/27/2022	13:15:01	0.3	0.3	0.3
284	9/27/2022	13:16:01	0.3	0.3	0.3
285	9/27/2022	13:17:01	0.3	0.3	0.3
286	9/27/2022	13:18:01	0.3	0.3	0.3
287	9/27/2022	13:19:01	0.3	0.3	0.3
288	9/27/2022	13:20:01	0.3	0.3	0.3
289	9/27/2022	13:21:01	0.3	0.3	0.3
290	9/27/2022	13:22:01	0.3	0.3	0.3
291	9/27/2022	13:23:01	0.3	0.3	0.3
292	9/27/2022	13:24:01	0.3	0.3	0.3
293	9/27/2022	13:25:01	0.3	0.3	0.3
294	9/27/2022	13:26:01	0.3	0.3	0.3
295	9/27/2022	13:27:01	0.3	0.3	0.3
296	9/27/2022	13:28:01	0.3	0.3	0.3
297	9/27/2022	13:29:01	0.3	0.3	0.3
298	9/27/2022	13:30:01	0.3	0.3	0.3
299	9/27/2022	13:31:01	0.3	0.3	0.3
300	9/27/2022	13:32:01	0.3	0.3	0.3
301	9/27/2022	13:33:01	0.3	0.3	0.3
302	9/27/2022	13:34:01	0.3	0.3	0.3
303	9/27/2022	13:35:01	0.3	0.3	0.3
304	9/27/2022	13:36:01	0.3	0.3	0.3
305	9/27/2022	13:37:01	0.3	0.3	0.3
306	9/27/2022	13:38:01	0.3	0.3	0.3
307	9/27/2022	13:39:01	0.3	0.3	0.3
308	9/27/2022	13:40:01	0.3	0.3	0.3

309	9/27/2022	13:41:01	0.4	0.4	0.4
310	9/27/2022	13:42:01	0.4	0.4	0.4
311	9/27/2022	13:43:01	0.4	0.4	0.4
312	9/27/2022	13:44:01	0.4	0.4	0.4
313	9/27/2022	13:45:01	0.4	0.4	0.4
314	9/27/2022	13:46:01	0.4	0.4	0.4
315	9/27/2022	13:47:01	0.4	0.4	0.4
316	9/27/2022	13:48:01	0.4	0.4	0.4
317	9/27/2022	13:49:01	0.4	0.4	0.4
318	9/27/2022	13:50:01	0.4	0.4	0.4
319	9/27/2022	13:51:01	0.4	0.4	0.4
320	9/27/2022	13:52:01	0.4	0.4	0.4
321	9/27/2022	13:53:01	0.4	0.4	0.4
322	9/27/2022	13:54:01	0.4	0.4	0.4
323	9/27/2022	13:55:01	0.4	0.4	0.4
324	9/27/2022	13:56:01	0.4	0.4	0.4
325	9/27/2022	13:57:01	0.4	0.4	0.4
326	9/27/2022	13:58:01	0.4	0.4	0.4
327	9/27/2022	13:59:01	0.4	0.4	0.4
328	9/27/2022	14:00:01	0.4	0.4	0.4
329	9/27/2022	14:01:01	0.4	0.4	0.4
330	9/27/2022	14:02:01	0.4	0.4	0.4
331	9/27/2022	14:03:01	0.4	0.4	0.4
332	9/27/2022	14:04:01	0.4	0.4	0.4
333	9/27/2022	14:05:01	0.4	0.4	0.4
334	9/27/2022	14:06:01	0.4	0.4	0.4
335	9/27/2022	14:07:01	0.4	0.4	0.3
336	9/27/2022	14:08:01	0.3	0.4	0.3
337	9/27/2022	14:09:01	0.3	0.4	0.3
338	9/27/2022	14:10:01	0.3	0.4	0.3
339	9/27/2022	14:11:01	0.3	0.3	0.3
340	9/27/2022	14:12:01	0.3	0.3	0.3
341	9/27/2022	14:13:01	0.3	0.3	0.3
342	9/27/2022	14:14:01	0.3	0.3	0.3
343	9/27/2022	14:15:01	0.3	0.4	0.4
344	9/27/2022	14:16:01	0.3	0.4	0.3
345	9/27/2022	14:17:01	0.3	0.3	0.3
346	9/27/2022	14:18:01	0.3	0.3	0.3
347	9/27/2022	14:19:01	0.3	0.4	0.3
348	9/27/2022	14:20:01	0.4	0.4	0.4
349	9/27/2022	14:21:01	0.3	0.4	0.3
350	9/27/2022	14:22:01	0.3	0.3	0.3
351	9/27/2022	14:23:01	0.3	0.3	0.3
352	9/27/2022	14:24:01	0.3	0.3	0.3
353	9/27/2022	14:25:01	0.3	0.3	0.3
354	9/27/2022	14:26:01	0.3	0.3	0.3
355	9/27/2022	14:27:01	0.3	0.4	0.3
356	9/27/2022	14:28:01	0.4	0.4	0.4
357	9/27/2022	14:29:01	0.4	0.4	0.4
358	9/27/2022	14:30:01	0.4	0.4	0.4

359	9/27/2022 14:31:01	0.4	0.4	0.4
360	9/27/2022 14:32:01	0.4	0.4	0.4
361	9/27/2022 14:33:01	0.4	0.4	0.4
362	9/27/2022 14:34:01	0.4	0.4	0.4
363	9/27/2022 14:35:01	0.4	0.4	0.4
364	9/27/2022 14:36:01	0.3	0.4	0.3
365	9/27/2022 14:37:01	0.3	0.3	0.3
366	9/27/2022 14:38:01	0.3	0.4	0.3
367	9/27/2022 14:39:01	0.3	0.3	0.3
368	9/27/2022 14:40:01	0.3	0.3	0.3
369	9/27/2022 14:41:01	0.3	0.3	0.3
370	9/27/2022 14:42:01	0.3	0.3	0.3
371	9/27/2022 14:43:01	0.3	0.3	0.3
372	9/27/2022 14:44:01	0.3	0.3	0.3
373	9/27/2022 14:45:01	0.3	0.3	0.3
374	9/27/2022 14:46:01	0.3	0.3	0.3
375	9/27/2022 14:47:01	0.3	0.3	0.3
376	9/27/2022 14:48:01	0.3	0.3	0.3
Peak		0.4	0.4	0.4
Min		0.0	0.0	0.0
Average		0.3	0.3	0.3

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/27/2022 08:33:01	0.0	---
002	9/27/2022 08:34:01	0.0	---
003	9/27/2022 08:35:01	0.0	---
004	9/27/2022 08:36:01	0.0	---
005	9/27/2022 08:37:01	0.0	---
006	9/27/2022 08:38:01	0.0	---
007	9/27/2022 08:39:01	0.0	---
008	9/27/2022 08:40:01	0.0	---
009	9/27/2022 08:41:01	0.0	---
010	9/27/2022 08:42:01	0.0	---
011	9/27/2022 08:43:01	0.0	---
012	9/27/2022 08:44:01	0.0	---
013	9/27/2022 08:45:01	0.0	---
014	9/27/2022 08:46:01	0.0	---
015	9/27/2022 08:47:01	0.0	0.0
016	9/27/2022 08:48:01	0.0	0.0
017	9/27/2022 08:49:01	0.0	0.0
018	9/27/2022 08:50:01	0.0	0.0
019	9/27/2022 08:51:01	0.0	0.0
020	9/27/2022 08:52:01	0.0	0.0
021	9/27/2022 08:53:01	0.0	0.0
022	9/27/2022 08:54:01	0.0	0.0
023	9/27/2022 08:55:01	0.0	0.0
024	9/27/2022 08:56:01	0.0	0.0

025	9/27/2022 08:57:01	0.0	0.0
026	9/27/2022 08:58:01	0.0	0.0
027	9/27/2022 08:59:01	0.0	0.0
028	9/27/2022 09:00:01	0.0	0.1
029	9/27/2022 09:01:01	0.0	0.1
030	9/27/2022 09:02:01	0.0	0.1
031	9/27/2022 09:03:01	0.0	0.1
032	9/27/2022 09:04:01	0.0	0.1
033	9/27/2022 09:05:01	0.0	0.1
034	9/27/2022 09:06:01	0.0	0.1
035	9/27/2022 09:07:01	0.0	0.1
036	9/27/2022 09:08:01	0.0	0.1
037	9/27/2022 09:09:01	0.0	0.1
038	9/27/2022 09:10:01	0.0	0.1
039	9/27/2022 09:11:01	0.0	0.1
040	9/27/2022 09:12:01	0.0	0.1
041	9/27/2022 09:13:01	0.0	0.1
042	9/27/2022 09:14:01	0.0	0.1
043	9/27/2022 09:15:01	0.0	0.1
044	9/27/2022 09:16:01	0.0	0.1
045	9/27/2022 09:17:01	0.0	0.1
046	9/27/2022 09:18:01	0.0	0.1
047	9/27/2022 09:19:01	0.0	0.1
048	9/27/2022 09:20:01	0.0	0.1
049	9/27/2022 09:21:01	0.0	0.2
050	9/27/2022 09:22:01	0.0	0.2
051	9/27/2022 09:23:01	0.0	0.2
052	9/27/2022 09:24:01	0.0	0.2
053	9/27/2022 09:25:01	0.0	0.2
054	9/27/2022 09:26:01	0.0	0.2
055	9/27/2022 09:27:01	0.0	0.2
056	9/27/2022 09:28:01	0.0	0.2
057	9/27/2022 09:29:01	0.0	0.2
058	9/27/2022 09:30:01	0.0	0.2
059	9/27/2022 09:31:01	0.0	0.2
060	9/27/2022 09:32:01	0.0	0.2
061	9/27/2022 09:33:01	0.0	0.2
062	9/27/2022 09:34:01	0.0	0.2
063	9/27/2022 09:35:01	0.0	0.2
064	9/27/2022 09:36:01	0.0	0.2
065	9/27/2022 09:37:01	0.0	0.2
066	9/27/2022 09:38:01	0.0	0.2
067	9/27/2022 09:39:01	0.0	0.2
068	9/27/2022 09:40:01	0.0	0.2
069	9/27/2022 09:41:01	0.0	0.2
070	9/27/2022 09:42:01	0.0	0.2
071	9/27/2022 09:43:01	0.0	0.2
072	9/27/2022 09:44:01	0.0	0.2
073	9/27/2022 09:45:01	0.0	0.2
074	9/27/2022 09:46:01	0.0	0.2

075	9/27/2022 09:47:01	0.0	0.2
076	9/27/2022 09:48:01	0.0	0.2
077	9/27/2022 09:49:01	0.0	0.2
078	9/27/2022 09:50:01	0.0	0.2
079	9/27/2022 09:51:01	0.0	0.2
080	9/27/2022 09:52:01	0.0	0.2
081	9/27/2022 09:53:01	0.0	0.2
082	9/27/2022 09:54:01	0.0	0.2
083	9/27/2022 09:55:01	0.0	0.2
084	9/27/2022 09:56:01	0.0	0.2
085	9/27/2022 09:57:01	0.0	0.2
086	9/27/2022 09:58:01	0.0	0.2
087	9/27/2022 09:59:01	0.0	0.2
088	9/27/2022 10:00:01	0.0	0.2
089	9/27/2022 10:01:01	0.0	0.2
090	9/27/2022 10:02:01	0.0	0.2
091	9/27/2022 10:03:01	0.0	0.2
092	9/27/2022 10:04:01	0.0	0.2
093	9/27/2022 10:05:01	0.0	0.2
094	9/27/2022 10:06:01	0.0	0.2
095	9/27/2022 10:07:01	0.0	0.2
096	9/27/2022 10:08:01	0.0	0.2
097	9/27/2022 10:09:01	0.0	0.2
098	9/27/2022 10:10:01	0.0	0.2
099	9/27/2022 10:11:01	0.0	0.2
100	9/27/2022 10:12:01	0.0	0.3
101	9/27/2022 10:13:01	0.0	0.3
102	9/27/2022 10:14:01	0.0	0.3
103	9/27/2022 10:15:01	0.0	0.3
104	9/27/2022 10:16:01	0.0	0.3
105	9/27/2022 10:17:01	0.0	0.3
106	9/27/2022 10:18:01	0.0	0.3
107	9/27/2022 10:19:01	0.0	0.3
108	9/27/2022 10:20:01	0.0	0.3
109	9/27/2022 10:21:01	0.0	0.3
110	9/27/2022 10:22:01	0.0	0.3
111	9/27/2022 10:23:01	0.0	0.3
112	9/27/2022 10:24:01	0.0	0.3
113	9/27/2022 10:25:01	0.0	0.3
114	9/27/2022 10:26:01	0.0	0.3
115	9/27/2022 10:27:01	0.0	0.3
116	9/27/2022 10:28:01	0.0	0.3
117	9/27/2022 10:29:01	0.0	0.3
118	9/27/2022 10:30:01	0.0	0.3
119	9/27/2022 10:31:01	0.0	0.3
120	9/27/2022 10:32:01	0.0	0.3
121	9/27/2022 10:33:01	0.0	0.3
122	9/27/2022 10:34:01	0.0	0.3
123	9/27/2022 10:35:01	0.0	0.3
124	9/27/2022 10:36:01	0.0	0.3

125	9/27/2022 10:37:01	0.0	0.3
126	9/27/2022 10:38:01	0.0	0.3
127	9/27/2022 10:39:01	0.0	0.3
128	9/27/2022 10:40:01	0.0	0.3
129	9/27/2022 10:41:01	0.0	0.3
130	9/27/2022 10:42:01	0.0	0.3
131	9/27/2022 10:43:01	0.0	0.3
132	9/27/2022 10:44:01	0.0	0.3
133	9/27/2022 10:45:01	0.1	0.3
134	9/27/2022 10:46:01	0.1	0.3
135	9/27/2022 10:47:01	0.1	0.3
136	9/27/2022 10:48:01	0.1	0.3
137	9/27/2022 10:49:01	0.1	0.3
138	9/27/2022 10:50:01	0.1	0.3
139	9/27/2022 10:51:01	0.1	0.3
140	9/27/2022 10:52:01	0.1	0.3
141	9/27/2022 10:53:01	0.1	0.3
142	9/27/2022 10:54:01	0.1	0.3
143	9/27/2022 10:55:01	0.1	0.3
144	9/27/2022 10:56:01	0.1	0.3
145	9/27/2022 10:57:01	0.1	0.3
146	9/27/2022 10:58:01	0.1	0.3
147	9/27/2022 10:59:01	0.1	0.3
148	9/27/2022 11:00:01	0.1	0.3
149	9/27/2022 11:01:01	0.1	0.3
150	9/27/2022 11:02:01	0.1	0.3
151	9/27/2022 11:03:01	0.1	0.3
152	9/27/2022 11:04:01	0.1	0.3
153	9/27/2022 11:05:01	0.1	0.3
154	9/27/2022 11:06:01	0.1	0.3
155	9/27/2022 11:07:01	0.1	0.3
156	9/27/2022 11:08:01	0.1	0.3
157	9/27/2022 11:09:01	0.1	0.3
158	9/27/2022 11:10:01	0.1	0.3
159	9/27/2022 11:11:01	0.1	0.3
160	9/27/2022 11:12:01	0.1	0.3
161	9/27/2022 11:13:01	0.1	0.3
162	9/27/2022 11:14:01	0.1	0.3
163	9/27/2022 11:15:01	0.1	0.3
164	9/27/2022 11:16:01	0.1	0.3
165	9/27/2022 11:17:01	0.1	0.3
166	9/27/2022 11:18:01	0.1	0.3
167	9/27/2022 11:19:01	0.1	0.3
168	9/27/2022 11:20:01	0.1	0.3
169	9/27/2022 11:21:01	0.1	0.3
170	9/27/2022 11:22:01	0.1	0.3
171	9/27/2022 11:23:01	0.1	0.3
172	9/27/2022 11:24:01	0.1	0.3
173	9/27/2022 11:25:01	0.1	0.3
174	9/27/2022 11:26:01	0.1	0.3

175	9/27/2022 11:27:01	0.1	0.3
176	9/27/2022 11:28:01	0.1	0.3
177	9/27/2022 11:29:01	0.1	0.3
178	9/27/2022 11:30:01	0.1	0.3
179	9/27/2022 11:31:01	0.1	0.3
180	9/27/2022 11:32:01	0.1	0.3
181	9/27/2022 11:33:01	0.1	0.3
182	9/27/2022 11:34:01	0.1	0.3
183	9/27/2022 11:35:01	0.1	0.3
184	9/27/2022 11:36:01	0.1	0.3
185	9/27/2022 11:37:01	0.1	0.3
186	9/27/2022 11:38:01	0.1	0.3
187	9/27/2022 11:39:01	0.1	0.3
188	9/27/2022 11:40:01	0.1	0.3
189	9/27/2022 11:41:01	0.1	0.3
190	9/27/2022 11:42:01	0.1	0.3
191	9/27/2022 11:43:01	0.1	0.3
192	9/27/2022 11:44:01	0.1	0.3
193	9/27/2022 11:45:01	0.1	0.3
194	9/27/2022 11:46:01	0.1	0.3
195	9/27/2022 11:47:01	0.1	0.3
196	9/27/2022 11:48:01	0.1	0.3
197	9/27/2022 11:49:01	0.1	0.3
198	9/27/2022 11:50:01	0.1	0.3
199	9/27/2022 11:51:01	0.1	0.3
200	9/27/2022 11:52:01	0.1	0.3
201	9/27/2022 11:53:01	0.1	0.3
202	9/27/2022 11:54:01	0.1	0.3
203	9/27/2022 11:55:01	0.1	0.3
204	9/27/2022 11:56:01	0.1	0.3
205	9/27/2022 11:57:01	0.1	0.3
206	9/27/2022 11:58:01	0.1	0.3
207	9/27/2022 11:59:01	0.1	0.3
208	9/27/2022 12:00:01	0.1	0.3
209	9/27/2022 12:01:01	0.1	0.3
210	9/27/2022 12:02:01	0.1	0.3
211	9/27/2022 12:03:01	0.1	0.3
212	9/27/2022 12:04:01	0.1	0.3
213	9/27/2022 12:05:01	0.1	0.3
214	9/27/2022 12:06:01	0.1	0.3
215	9/27/2022 12:07:01	0.1	0.3
216	9/27/2022 12:08:01	0.1	0.3
217	9/27/2022 12:09:01	0.1	0.3
218	9/27/2022 12:10:01	0.1	0.3
219	9/27/2022 12:11:01	0.1	0.3
220	9/27/2022 12:12:01	0.1	0.3
221	9/27/2022 12:13:01	0.1	0.3
222	9/27/2022 12:14:01	0.1	0.3
223	9/27/2022 12:15:01	0.1	0.3
224	9/27/2022 12:16:01	0.1	0.3

225	9/27/2022 12:17:01	0.1	0.3
226	9/27/2022 12:18:01	0.1	0.3
227	9/27/2022 12:19:01	0.1	0.3
228	9/27/2022 12:20:01	0.1	0.3
229	9/27/2022 12:21:01	0.1	0.3
230	9/27/2022 12:22:01	0.1	0.3
231	9/27/2022 12:23:01	0.1	0.3
232	9/27/2022 12:24:01	0.1	0.3
233	9/27/2022 12:25:01	0.1	0.3
234	9/27/2022 12:26:01	0.1	0.3
235	9/27/2022 12:27:01	0.1	0.3
236	9/27/2022 12:28:01	0.1	0.3
237	9/27/2022 12:29:01	0.1	0.3
238	9/27/2022 12:30:01	0.1	0.3
239	9/27/2022 12:31:01	0.1	0.3
240	9/27/2022 12:32:01	0.1	0.3
241	9/27/2022 12:33:01	0.1	0.3
242	9/27/2022 12:34:01	0.1	0.3
243	9/27/2022 12:35:01	0.1	0.3
244	9/27/2022 12:36:01	0.1	0.3
245	9/27/2022 12:37:01	0.1	0.3
246	9/27/2022 12:38:01	0.1	0.3
247	9/27/2022 12:39:01	0.1	0.3
248	9/27/2022 12:40:01	0.1	0.3
249	9/27/2022 12:41:01	0.1	0.3
250	9/27/2022 12:42:01	0.1	0.3
251	9/27/2022 12:43:01	0.1	0.3
252	9/27/2022 12:44:01	0.1	0.3
253	9/27/2022 12:45:01	0.1	0.3
254	9/27/2022 12:46:01	0.1	0.3
255	9/27/2022 12:47:01	0.1	0.3
256	9/27/2022 12:48:01	0.1	0.3
257	9/27/2022 12:49:01	0.1	0.3
258	9/27/2022 12:50:01	0.1	0.3
259	9/27/2022 12:51:01	0.1	0.3
260	9/27/2022 12:52:01	0.1	0.3
261	9/27/2022 12:53:01	0.1	0.3
262	9/27/2022 12:54:01	0.1	0.3
263	9/27/2022 12:55:01	0.1	0.3
264	9/27/2022 12:56:01	0.1	0.3
265	9/27/2022 12:57:01	0.1	0.3
266	9/27/2022 12:58:01	0.1	0.3
267	9/27/2022 12:59:01	0.1	0.3
268	9/27/2022 13:00:01	0.1	0.3
269	9/27/2022 13:01:01	0.1	0.3
270	9/27/2022 13:02:01	0.1	0.3
271	9/27/2022 13:03:01	0.1	0.3
272	9/27/2022 13:04:01	0.1	0.3
273	9/27/2022 13:05:01	0.1	0.3
274	9/27/2022 13:06:01	0.1	0.3

275	9/27/2022 13:07:01	0.1	0.3
276	9/27/2022 13:08:01	0.1	0.3
277	9/27/2022 13:09:01	0.1	0.3
278	9/27/2022 13:10:01	0.1	0.3
279	9/27/2022 13:11:01	0.1	0.3
280	9/27/2022 13:12:01	0.1	0.3
281	9/27/2022 13:13:01	0.1	0.3
282	9/27/2022 13:14:01	0.1	0.3
283	9/27/2022 13:15:01	0.1	0.3
284	9/27/2022 13:16:01	0.1	0.3
285	9/27/2022 13:17:01	0.1	0.3
286	9/27/2022 13:18:01	0.1	0.3
287	9/27/2022 13:19:01	0.1	0.3
288	9/27/2022 13:20:01	0.1	0.3
289	9/27/2022 13:21:01	0.1	0.3
290	9/27/2022 13:22:01	0.1	0.3
291	9/27/2022 13:23:01	0.1	0.3
292	9/27/2022 13:24:01	0.1	0.3
293	9/27/2022 13:25:01	0.2	0.3
294	9/27/2022 13:26:01	0.2	0.3
295	9/27/2022 13:27:01	0.2	0.3
296	9/27/2022 13:28:01	0.2	0.3
297	9/27/2022 13:29:01	0.2	0.3
298	9/27/2022 13:30:01	0.2	0.3
299	9/27/2022 13:31:01	0.2	0.3
300	9/27/2022 13:32:01	0.2	0.3
301	9/27/2022 13:33:01	0.2	0.3
302	9/27/2022 13:34:01	0.2	0.3
303	9/27/2022 13:35:01	0.2	0.3
304	9/27/2022 13:36:01	0.2	0.3
305	9/27/2022 13:37:01	0.2	0.3
306	9/27/2022 13:38:01	0.2	0.3
307	9/27/2022 13:39:01	0.2	0.3
308	9/27/2022 13:40:01	0.2	0.3
309	9/27/2022 13:41:01	0.2	0.3
310	9/27/2022 13:42:01	0.2	0.3
311	9/27/2022 13:43:01	0.2	0.3
312	9/27/2022 13:44:01	0.2	0.3
313	9/27/2022 13:45:01	0.2	0.4
314	9/27/2022 13:46:01	0.2	0.4
315	9/27/2022 13:47:01	0.2	0.4
316	9/27/2022 13:48:01	0.2	0.4
317	9/27/2022 13:49:01	0.2	0.4
318	9/27/2022 13:50:01	0.2	0.4
319	9/27/2022 13:51:01	0.2	0.4
320	9/27/2022 13:52:01	0.2	0.4
321	9/27/2022 13:53:01	0.2	0.4
322	9/27/2022 13:54:01	0.2	0.4
323	9/27/2022 13:55:01	0.2	0.4
324	9/27/2022 13:56:01	0.2	0.4

325	9/27/2022 13:57:01	0.2	0.4
326	9/27/2022 13:58:01	0.2	0.4
327	9/27/2022 13:59:01	0.2	0.4
328	9/27/2022 14:00:01	0.2	0.4
329	9/27/2022 14:01:01	0.2	0.4
330	9/27/2022 14:02:01	0.2	0.4
331	9/27/2022 14:03:01	0.2	0.4
332	9/27/2022 14:04:01	0.2	0.4
333	9/27/2022 14:05:01	0.2	0.4
334	9/27/2022 14:06:01	0.2	0.4
335	9/27/2022 14:07:01	0.2	0.4
336	9/27/2022 14:08:01	0.2	0.4
337	9/27/2022 14:09:01	0.2	0.4
338	9/27/2022 14:10:01	0.2	0.4
339	9/27/2022 14:11:01	0.2	0.4
340	9/27/2022 14:12:01	0.2	0.4
341	9/27/2022 14:13:01	0.2	0.4
342	9/27/2022 14:14:01	0.2	0.4
343	9/27/2022 14:15:01	0.2	0.4
344	9/27/2022 14:16:01	0.2	0.4
345	9/27/2022 14:17:01	0.2	0.4
346	9/27/2022 14:18:01	0.2	0.4
347	9/27/2022 14:19:01	0.2	0.3
348	9/27/2022 14:20:01	0.2	0.3
349	9/27/2022 14:21:01	0.2	0.3
350	9/27/2022 14:22:01	0.2	0.3
351	9/27/2022 14:23:01	0.2	0.3
352	9/27/2022 14:24:01	0.2	0.3
353	9/27/2022 14:25:01	0.2	0.3
354	9/27/2022 14:26:01	0.2	0.3
355	9/27/2022 14:27:01	0.2	0.3
356	9/27/2022 14:28:01	0.2	0.3
357	9/27/2022 14:29:01	0.2	0.3
358	9/27/2022 14:30:01	0.2	0.4
359	9/27/2022 14:31:01	0.2	0.4
360	9/27/2022 14:32:01	0.2	0.4
361	9/27/2022 14:33:01	0.2	0.4
362	9/27/2022 14:34:01	0.2	0.4
363	9/27/2022 14:35:01	0.2	0.4
364	9/27/2022 14:36:01	0.2	0.4
365	9/27/2022 14:37:01	0.2	0.4
366	9/27/2022 14:38:01	0.2	0.4
367	9/27/2022 14:39:01	0.2	0.4
368	9/27/2022 14:40:01	0.2	0.4
369	9/27/2022 14:41:01	0.2	0.4
370	9/27/2022 14:42:01	0.2	0.4
371	9/27/2022 14:43:01	0.2	0.4
372	9/27/2022 14:44:01	0.2	0.4
373	9/27/2022 14:45:01	0.2	0.4
374	9/27/2022 14:46:01	0.2	0.4

375 9/27/2022 14:47:01 0.2 0.3
376 9/27/2022 14:48:01 0.2 0.3

==========

22/11/04 08:01

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602327
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 11/4/2022 08:01:11
End 11/4/2022 11:19:47
Sample Period(s) 60
Number of Records 198

Sensor PID(ppm)
Sensor SN S023030372B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:58
Peak 0.2
Min 0.0
Average 0.1

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
001	11/4/2022 08:02:11	0.0	0.0	0.0
002	11/4/2022 08:03:11	0.0	0.0	0.0
003	11/4/2022 08:04:11	0.0	0.0	0.0
004	11/4/2022 08:05:11	0.0	0.0	0.0
005	11/4/2022 08:06:11	0.0	0.0	0.0
006	11/4/2022 08:07:11	0.0	0.0	0.0

007	11/4/2022 08:08:11	0.0	0.0	0.0
008	11/4/2022 08:09:11	0.0	0.0	0.0
009	11/4/2022 08:10:11	0.0	0.0	0.0
010	11/4/2022 08:11:11	0.0	0.0	0.0
011	11/4/2022 08:12:11	0.0	0.0	0.0
012	11/4/2022 08:13:11	0.0	0.0	0.0
013	11/4/2022 08:14:11	0.0	0.0	0.0
014	11/4/2022 08:15:11	0.0	0.0	0.0
015	11/4/2022 08:16:11	0.0	0.0	0.0
016	11/4/2022 08:17:11	0.0	0.0	0.0
017	11/4/2022 08:18:11	0.0	0.0	0.0
018	11/4/2022 08:19:11	0.0	0.0	0.0
019	11/4/2022 08:20:11	0.0	0.1	0.0
020	11/4/2022 08:21:11	0.0	0.0	0.0
021	11/4/2022 08:22:11	0.0	0.0	0.0
022	11/4/2022 08:23:11	0.0	0.0	0.0
023	11/4/2022 08:24:11	0.0	0.1	0.0
024	11/4/2022 08:25:11	0.1	0.1	0.1
025	11/4/2022 08:26:11	0.1	0.1	0.1
026	11/4/2022 08:27:11	0.1	0.1	0.1
027	11/4/2022 08:28:11	0.1	0.1	0.1
028	11/4/2022 08:29:11	0.1	0.1	0.1
029	11/4/2022 08:30:11	0.1	0.1	0.1
030	11/4/2022 08:31:11	0.1	0.1	0.1
031	11/4/2022 08:32:11	0.1	0.1	0.1
032	11/4/2022 08:33:11	0.1	0.1	0.1
033	11/4/2022 08:34:11	0.1	0.1	0.1
034	11/4/2022 08:35:11	0.1	0.1	0.1
035	11/4/2022 08:36:11	0.1	0.1	0.1
036	11/4/2022 08:37:11	0.1	0.1	0.1
037	11/4/2022 08:38:11	0.1	0.1	0.1
038	11/4/2022 08:39:11	0.1	0.1	0.1
039	11/4/2022 08:40:11	0.1	0.1	0.1
040	11/4/2022 08:41:11	0.1	0.1	0.1
041	11/4/2022 08:42:11	0.1	0.1	0.1
042	11/4/2022 08:43:11	0.1	0.1	0.1
043	11/4/2022 08:44:11	0.1	0.1	0.1
044	11/4/2022 08:45:11	0.1	0.1	0.1
045	11/4/2022 08:46:11	0.1	0.1	0.1
046	11/4/2022 08:47:11	0.1	0.1	0.1
047	11/4/2022 08:48:11	0.1	0.1	0.1
048	11/4/2022 08:49:11	0.1	0.1	0.1
049	11/4/2022 08:50:11	0.1	0.1	0.1
050	11/4/2022 08:51:11	0.1	0.1	0.1
051	11/4/2022 08:52:11	0.1	0.1	0.1
052	11/4/2022 08:53:11	0.1	0.1	0.1
053	11/4/2022 08:54:11	0.1	0.1	0.1
054	11/4/2022 08:55:11	0.1	0.1	0.1
055	11/4/2022 08:56:11	0.1	0.1	0.1
056	11/4/2022 08:57:11	0.1	0.1	0.1

057	11/4/2022 08:58:11	0.1	0.1	0.1
058	11/4/2022 08:59:11	0.1	0.1	0.1
059	11/4/2022 09:00:11	0.1	0.1	0.1
060	11/4/2022 09:01:11	0.1	0.1	0.1
061	11/4/2022 09:02:11	0.1	0.1	0.1
062	11/4/2022 09:03:11	0.1	0.1	0.1
063	11/4/2022 09:04:11	0.1	0.1	0.1
064	11/4/2022 09:05:11	0.1	0.1	0.1
065	11/4/2022 09:06:11	0.1	0.1	0.1
066	11/4/2022 09:07:11	0.1	0.1	0.1
067	11/4/2022 09:08:11	0.1	0.1	0.1
068	11/4/2022 09:09:11	0.1	0.1	0.1
069	11/4/2022 09:10:11	0.1	0.1	0.1
070	11/4/2022 09:11:11	0.1	0.1	0.1
071	11/4/2022 09:12:11	0.1	0.1	0.1
072	11/4/2022 09:13:11	0.1	0.1	0.1
073	11/4/2022 09:14:11	0.1	0.1	0.1
074	11/4/2022 09:15:11	0.1	0.1	0.1
075	11/4/2022 09:16:11	0.1	0.1	0.1
076	11/4/2022 09:17:11	0.1	0.1	0.1
077	11/4/2022 09:18:11	0.1	0.1	0.1
078	11/4/2022 09:19:11	0.1	0.1	0.1
079	11/4/2022 09:20:11	0.1	0.1	0.1
080	11/4/2022 09:21:11	0.1	0.1	0.1
081	11/4/2022 09:22:11	0.1	0.1	0.1
082	11/4/2022 09:23:11	0.1	0.1	0.1
083	11/4/2022 09:24:11	0.1	0.1	0.1
084	11/4/2022 09:25:11	0.1	0.1	0.1
085	11/4/2022 09:26:11	0.1	0.1	0.1
086	11/4/2022 09:27:11	0.1	0.1	0.1
087	11/4/2022 09:28:11	0.1	0.1	0.1
088	11/4/2022 09:29:11	0.1	0.1	0.1
089	11/4/2022 09:30:11	0.1	0.1	0.1
090	11/4/2022 09:31:11	0.1	0.1	0.1
091	11/4/2022 09:32:11	0.1	0.1	0.1
092	11/4/2022 09:33:11	0.1	0.1	0.1
093	11/4/2022 09:34:11	0.1	0.1	0.1
094	11/4/2022 09:35:11	0.1	0.1	0.1
095	11/4/2022 09:36:11	0.1	0.1	0.1
096	11/4/2022 09:37:11	0.1	0.1	0.1
097	11/4/2022 09:38:11	0.1	0.1	0.1
098	11/4/2022 09:39:11	0.1	0.1	0.1
099	11/4/2022 09:40:11	0.1	0.1	0.1
100	11/4/2022 09:41:11	0.1	0.2	0.1
101	11/4/2022 09:42:11	0.1	0.2	0.2
102	11/4/2022 09:43:11	0.2	0.2	0.2
103	11/4/2022 09:44:11	0.2	0.2	0.2
104	11/4/2022 09:45:11	0.2	0.2	0.2
105	11/4/2022 09:46:11	0.2	0.2	0.2
106	11/4/2022 09:47:11	0.2	0.2	0.2

107	11/4/2022 09:48:11	0.2	0.2	0.2
108	11/4/2022 09:49:11	0.2	0.2	0.2
109	11/4/2022 09:50:11	0.2	0.2	0.2
110	11/4/2022 09:51:11	0.2	0.2	0.2
111	11/4/2022 09:52:11	0.2	0.2	0.2
112	11/4/2022 09:53:11	0.2	0.2	0.2
113	11/4/2022 09:54:11	0.2	0.2	0.2
114	11/4/2022 09:55:11	0.2	0.2	0.2
115	11/4/2022 09:56:11	0.2	0.2	0.2
116	11/4/2022 09:57:11	0.2	0.2	0.2
117	11/4/2022 09:58:11	0.2	0.2	0.2
118	11/4/2022 09:59:11	0.2	0.2	0.2
119	11/4/2022 10:00:11	0.2	0.2	0.2
120	11/4/2022 10:01:11	0.2	0.2	0.2
121	11/4/2022 10:02:11	0.2	0.2	0.2
122	11/4/2022 10:03:11	0.2	0.2	0.2
123	11/4/2022 10:04:11	0.2	0.2	0.2
124	11/4/2022 10:05:11	0.2	0.2	0.2
125	11/4/2022 10:06:11	0.2	0.2	0.2
126	11/4/2022 10:07:11	0.2	0.2	0.2
127	11/4/2022 10:08:11	0.2	0.2	0.2
128	11/4/2022 10:09:11	0.2	0.2	0.2
129	11/4/2022 10:10:11	0.2	0.2	0.2
130	11/4/2022 10:11:11	0.2	0.2	0.2
131	11/4/2022 10:12:11	0.2	0.2	0.2
132	11/4/2022 10:13:11	0.2	0.2	0.2
133	11/4/2022 10:14:11	0.2	0.2	0.2
134	11/4/2022 10:15:11	0.2	0.2	0.2
135	11/4/2022 10:16:11	0.2	0.2	0.2
136	11/4/2022 10:17:11	0.2	0.2	0.2
137	11/4/2022 10:18:11	0.2	0.2	0.2
138	11/4/2022 10:19:11	0.2	0.2	0.2
139	11/4/2022 10:20:11	0.2	0.2	0.2
140	11/4/2022 10:21:11	0.2	0.2	0.2
141	11/4/2022 10:22:11	0.2	0.2	0.2
142	11/4/2022 10:23:11	0.2	0.2	0.2
143	11/4/2022 10:24:11	0.2	0.2	0.2
144	11/4/2022 10:25:11	0.2	0.2	0.2
145	11/4/2022 10:26:11	0.2	0.2	0.2
146	11/4/2022 10:27:11	0.2	0.2	0.2
147	11/4/2022 10:28:11	0.2	0.2	0.2
148	11/4/2022 10:29:11	0.2	0.2	0.2
149	11/4/2022 10:30:11	0.2	0.2	0.2
150	11/4/2022 10:31:11	0.2	0.2	0.2
151	11/4/2022 10:32:11	0.2	0.2	0.2
152	11/4/2022 10:33:11	0.2	0.2	0.2
153	11/4/2022 10:34:11	0.2	0.2	0.2
154	11/4/2022 10:35:11	0.2	0.2	0.2
155	11/4/2022 10:36:11	0.2	0.2	0.2
156	11/4/2022 10:37:11	0.2	0.2	0.2

157	11/4/2022 10:38:11	0.2	0.2	0.2
158	11/4/2022 10:39:11	0.2	0.2	0.2
159	11/4/2022 10:40:11	0.2	0.2	0.2
160	11/4/2022 10:41:11	0.2	0.2	0.2
161	11/4/2022 10:42:11	0.2	0.2	0.2
162	11/4/2022 10:43:11	0.2	0.2	0.2
163	11/4/2022 10:44:11	0.2	0.2	0.2
164	11/4/2022 10:45:11	0.2	0.2	0.2
165	11/4/2022 10:46:11	0.2	0.2	0.2
166	11/4/2022 10:47:11	0.2	0.2	0.2
167	11/4/2022 10:48:11	0.2	0.2	0.2
168	11/4/2022 10:49:11	0.2	0.2	0.2
169	11/4/2022 10:50:11	0.2	0.2	0.2
170	11/4/2022 10:51:11	0.2	0.2	0.2
171	11/4/2022 10:52:11	0.2	0.2	0.2
172	11/4/2022 10:53:11	0.2	0.2	0.2
173	11/4/2022 10:54:11	0.2	0.2	0.2
174	11/4/2022 10:55:11	0.2	0.2	0.2
175	11/4/2022 10:56:11	0.2	0.2	0.2
176	11/4/2022 10:57:11	0.2	0.2	0.2
177	11/4/2022 10:58:11	0.2	0.2	0.2
178	11/4/2022 10:59:11	0.2	0.2	0.2
179	11/4/2022 11:00:11	0.2	0.2	0.2
180	11/4/2022 11:01:11	0.2	0.2	0.2
181	11/4/2022 11:02:11	0.2	0.2	0.2
182	11/4/2022 11:03:11	0.2	0.2	0.2
183	11/4/2022 11:04:11	0.2	0.2	0.2
184	11/4/2022 11:05:11	0.2	0.2	0.2
185	11/4/2022 11:06:11	0.2	0.2	0.2
186	11/4/2022 11:07:11	0.2	0.2	0.2
187	11/4/2022 11:08:11	0.2	0.2	0.2
188	11/4/2022 11:09:11	0.2	0.2	0.2
189	11/4/2022 11:10:11	0.2	0.2	0.2
190	11/4/2022 11:11:11	0.2	0.2	0.2
191	11/4/2022 11:12:11	0.2	0.2	0.2
192	11/4/2022 11:13:11	0.2	0.2	0.2
193	11/4/2022 11:14:11	0.2	0.2	0.2
194	11/4/2022 11:15:11	0.2	0.2	0.2
195	11/4/2022 11:16:11	0.2	0.2	0.2
196	11/4/2022 11:17:11	0.2	0.2	0.2
197	11/4/2022 11:18:11	0.2	0.2	0.2
198	11/4/2022 11:19:11	0.2	0.2	0.2
Peak		0.2	0.2	0.2
Min		0.0	0.0	0.0
Average		0.1	0.1	0.1

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)

001	11/4/2022 08:02:11	0.0	---
002	11/4/2022 08:03:11	0.0	---
003	11/4/2022 08:04:11	0.0	---
004	11/4/2022 08:05:11	0.0	---
005	11/4/2022 08:06:11	0.0	---
006	11/4/2022 08:07:11	0.0	---
007	11/4/2022 08:08:11	0.0	---
008	11/4/2022 08:09:11	0.0	---
009	11/4/2022 08:10:11	0.0	---
010	11/4/2022 08:11:11	0.0	---
011	11/4/2022 08:12:11	0.0	---
012	11/4/2022 08:13:11	0.0	---
013	11/4/2022 08:14:11	0.0	---
014	11/4/2022 08:15:11	0.0	---
015	11/4/2022 08:16:11	0.0	0.0
016	11/4/2022 08:17:11	0.0	0.0
017	11/4/2022 08:18:11	0.0	0.0
018	11/4/2022 08:19:11	0.0	0.0
019	11/4/2022 08:20:11	0.0	0.0
020	11/4/2022 08:21:11	0.0	0.0
021	11/4/2022 08:22:11	0.0	0.0
022	11/4/2022 08:23:11	0.0	0.0
023	11/4/2022 08:24:11	0.0	0.0
024	11/4/2022 08:25:11	0.0	0.0
025	11/4/2022 08:26:11	0.0	0.0
026	11/4/2022 08:27:11	0.0	0.0
027	11/4/2022 08:28:11	0.0	0.0
028	11/4/2022 08:29:11	0.0	0.0
029	11/4/2022 08:30:11	0.0	0.0
030	11/4/2022 08:31:11	0.0	0.0
031	11/4/2022 08:32:11	0.0	0.1
032	11/4/2022 08:33:11	0.0	0.1
033	11/4/2022 08:34:11	0.0	0.1
034	11/4/2022 08:35:11	0.0	0.1
035	11/4/2022 08:36:11	0.0	0.1
036	11/4/2022 08:37:11	0.0	0.1
037	11/4/2022 08:38:11	0.0	0.1
038	11/4/2022 08:39:11	0.0	0.1
039	11/4/2022 08:40:11	0.0	0.1
040	11/4/2022 08:41:11	0.0	0.1
041	11/4/2022 08:42:11	0.0	0.1
042	11/4/2022 08:43:11	0.0	0.1
043	11/4/2022 08:44:11	0.0	0.1
044	11/4/2022 08:45:11	0.0	0.1
045	11/4/2022 08:46:11	0.0	0.1
046	11/4/2022 08:47:11	0.0	0.1
047	11/4/2022 08:48:11	0.0	0.1
048	11/4/2022 08:49:11	0.0	0.1
049	11/4/2022 08:50:11	0.0	0.1
050	11/4/2022 08:51:11	0.0	0.1

051	11/4/2022 08:52:11	0.0	0.1
052	11/4/2022 08:53:11	0.0	0.1
053	11/4/2022 08:54:11	0.0	0.1
054	11/4/2022 08:55:11	0.0	0.1
055	11/4/2022 08:56:11	0.0	0.1
056	11/4/2022 08:57:11	0.0	0.1
057	11/4/2022 08:58:11	0.0	0.1
058	11/4/2022 08:59:11	0.0	0.1
059	11/4/2022 09:00:11	0.0	0.1
060	11/4/2022 09:01:11	0.0	0.1
061	11/4/2022 09:02:11	0.0	0.1
062	11/4/2022 09:03:11	0.0	0.1
063	11/4/2022 09:04:11	0.0	0.1
064	11/4/2022 09:05:11	0.0	0.1
065	11/4/2022 09:06:11	0.0	0.1
066	11/4/2022 09:07:11	0.0	0.1
067	11/4/2022 09:08:11	0.0	0.1
068	11/4/2022 09:09:11	0.0	0.1
069	11/4/2022 09:10:11	0.0	0.1
070	11/4/2022 09:11:11	0.0	0.1
071	11/4/2022 09:12:11	0.0	0.1
072	11/4/2022 09:13:11	0.0	0.1
073	11/4/2022 09:14:11	0.0	0.1
074	11/4/2022 09:15:11	0.0	0.1
075	11/4/2022 09:16:11	0.0	0.1
076	11/4/2022 09:17:11	0.0	0.1
077	11/4/2022 09:18:11	0.0	0.1
078	11/4/2022 09:19:11	0.0	0.1
079	11/4/2022 09:20:11	0.0	0.1
080	11/4/2022 09:21:11	0.0	0.1
081	11/4/2022 09:22:11	0.0	0.1
082	11/4/2022 09:23:11	0.0	0.1
083	11/4/2022 09:24:11	0.0	0.1
084	11/4/2022 09:25:11	0.0	0.1
085	11/4/2022 09:26:11	0.0	0.1
086	11/4/2022 09:27:11	0.0	0.1
087	11/4/2022 09:28:11	0.0	0.1
088	11/4/2022 09:29:11	0.0	0.1
089	11/4/2022 09:30:11	0.0	0.1
090	11/4/2022 09:31:11	0.0	0.1
091	11/4/2022 09:32:11	0.0	0.1
092	11/4/2022 09:33:11	0.0	0.1
093	11/4/2022 09:34:11	0.0	0.1
094	11/4/2022 09:35:11	0.0	0.1
095	11/4/2022 09:36:11	0.0	0.1
096	11/4/2022 09:37:11	0.0	0.1
097	11/4/2022 09:38:11	0.0	0.1
098	11/4/2022 09:39:11	0.0	0.1
099	11/4/2022 09:40:11	0.0	0.1
100	11/4/2022 09:41:11	0.0	0.1

101	11/4/2022 09:42:11	0.0	0.1
102	11/4/2022 09:43:11	0.0	0.1
103	11/4/2022 09:44:11	0.0	0.1
104	11/4/2022 09:45:11	0.0	0.1
105	11/4/2022 09:46:11	0.0	0.1
106	11/4/2022 09:47:11	0.0	0.1
107	11/4/2022 09:48:11	0.0	0.2
108	11/4/2022 09:49:11	0.0	0.2
109	11/4/2022 09:50:11	0.0	0.2
110	11/4/2022 09:51:11	0.0	0.2
111	11/4/2022 09:52:11	0.0	0.2
112	11/4/2022 09:53:11	0.0	0.2
113	11/4/2022 09:54:11	0.0	0.2
114	11/4/2022 09:55:11	0.0	0.2
115	11/4/2022 09:56:11	0.0	0.2
116	11/4/2022 09:57:11	0.0	0.2
117	11/4/2022 09:58:11	0.0	0.2
118	11/4/2022 09:59:11	0.0	0.2
119	11/4/2022 10:00:11	0.0	0.2
120	11/4/2022 10:01:11	0.0	0.2
121	11/4/2022 10:02:11	0.0	0.2
122	11/4/2022 10:03:11	0.0	0.2
123	11/4/2022 10:04:11	0.0	0.2
124	11/4/2022 10:05:11	0.0	0.2
125	11/4/2022 10:06:11	0.0	0.2
126	11/4/2022 10:07:11	0.0	0.2
127	11/4/2022 10:08:11	0.0	0.2
128	11/4/2022 10:09:11	0.0	0.2
129	11/4/2022 10:10:11	0.0	0.2
130	11/4/2022 10:11:11	0.0	0.2
131	11/4/2022 10:12:11	0.0	0.2
132	11/4/2022 10:13:11	0.0	0.2
133	11/4/2022 10:14:11	0.0	0.2
134	11/4/2022 10:15:11	0.0	0.2
135	11/4/2022 10:16:11	0.0	0.2
136	11/4/2022 10:17:11	0.0	0.2
137	11/4/2022 10:18:11	0.0	0.2
138	11/4/2022 10:19:11	0.0	0.2
139	11/4/2022 10:20:11	0.0	0.2
140	11/4/2022 10:21:11	0.0	0.2
141	11/4/2022 10:22:11	0.0	0.2
142	11/4/2022 10:23:11	0.0	0.2
143	11/4/2022 10:24:11	0.0	0.2
144	11/4/2022 10:25:11	0.0	0.2
145	11/4/2022 10:26:11	0.0	0.2
146	11/4/2022 10:27:11	0.0	0.2
147	11/4/2022 10:28:11	0.0	0.2
148	11/4/2022 10:29:11	0.0	0.2
149	11/4/2022 10:30:11	0.0	0.2
150	11/4/2022 10:31:11	0.0	0.2

151	11/4/2022 10:32:11	0.0	0.2
152	11/4/2022 10:33:11	0.0	0.2
153	11/4/2022 10:34:11	0.0	0.2
154	11/4/2022 10:35:11	0.0	0.2
155	11/4/2022 10:36:11	0.0	0.2
156	11/4/2022 10:37:11	0.0	0.2
157	11/4/2022 10:38:11	0.0	0.2
158	11/4/2022 10:39:11	0.0	0.2
159	11/4/2022 10:40:11	0.0	0.2
160	11/4/2022 10:41:11	0.0	0.2
161	11/4/2022 10:42:11	0.0	0.2
162	11/4/2022 10:43:11	0.0	0.2
163	11/4/2022 10:44:11	0.0	0.2
164	11/4/2022 10:45:11	0.0	0.2
165	11/4/2022 10:46:11	0.0	0.2
166	11/4/2022 10:47:11	0.0	0.2
167	11/4/2022 10:48:11	0.0	0.2
168	11/4/2022 10:49:11	0.0	0.2
169	11/4/2022 10:50:11	0.0	0.2
170	11/4/2022 10:51:11	0.0	0.2
171	11/4/2022 10:52:11	0.0	0.2
172	11/4/2022 10:53:11	0.0	0.2
173	11/4/2022 10:54:11	0.0	0.2
174	11/4/2022 10:55:11	0.0	0.2
175	11/4/2022 10:56:11	0.0	0.2
176	11/4/2022 10:57:11	0.0	0.2
177	11/4/2022 10:58:11	0.0	0.2
178	11/4/2022 10:59:11	0.0	0.2
179	11/4/2022 11:00:11	0.0	0.2
180	11/4/2022 11:01:11	0.0	0.2
181	11/4/2022 11:02:11	0.0	0.2
182	11/4/2022 11:03:11	0.1	0.2
183	11/4/2022 11:04:11	0.1	0.2
184	11/4/2022 11:05:11	0.1	0.2
185	11/4/2022 11:06:11	0.1	0.2
186	11/4/2022 11:07:11	0.1	0.2
187	11/4/2022 11:08:11	0.1	0.2
188	11/4/2022 11:09:11	0.1	0.2
189	11/4/2022 11:10:11	0.1	0.2
190	11/4/2022 11:11:11	0.1	0.2
191	11/4/2022 11:12:11	0.1	0.2
192	11/4/2022 11:13:11	0.1	0.2
193	11/4/2022 11:14:11	0.1	0.2
194	11/4/2022 11:15:11	0.1	0.2
195	11/4/2022 11:16:11	0.1	0.2
196	11/4/2022 11:17:11	0.1	0.2
197	11/4/2022 11:18:11	0.1	0.2
198	11/4/2022 11:19:11	0.1	0.2

VOC MONITORING

DOWNWIND

==========
22/08/29 07:59
****
Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602497
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 8/29/2022 07:59:03
End 8/29/2022 14:13:04
Sample Period(s) 60
Number of Records 374

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.3
Min 0.0
Average 0.2

****
Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	8/29/2022 08:00:03	0.0	0.0	0.0	
002	8/29/2022 08:01:03	0.0	0.0	0.0	
003	8/29/2022 08:02:03	0.0	0.0	0.0	
004	8/29/2022 08:03:03	0.0	0.0	0.0	
005	8/29/2022 08:04:03	0.0	0.0	0.0	
006	8/29/2022 08:05:03	0.0	0.0	0.0	
007	8/29/2022 08:06:03	0.0	0.0	0.0	
008	8/29/2022 08:07:03	0.0	0.0	0.0	

009	8/29/2022 08:08:03	0.0	0.0	0.0
010	8/29/2022 08:09:03	0.0	0.0	0.0
011	8/29/2022 08:10:03	0.0	0.0	0.0
012	8/29/2022 08:11:03	0.0	0.0	0.0
013	8/29/2022 08:12:03	0.0	0.0	0.0
014	8/29/2022 08:13:03	0.0	0.0	0.0
015	8/29/2022 08:14:03	0.0	0.0	0.0
016	8/29/2022 08:15:03	0.0	0.0	0.0
017	8/29/2022 08:16:03	0.0	0.0	0.0
018	8/29/2022 08:17:03	0.0	0.0	0.0
019	8/29/2022 08:18:03	0.0	0.0	0.0
020	8/29/2022 08:19:03	0.0	0.0	0.0
021	8/29/2022 08:20:03	0.0	0.0	0.0
022	8/29/2022 08:21:03	0.0	0.0	0.0
023	8/29/2022 08:22:03	0.0	0.0	0.0
024	8/29/2022 08:23:03	0.0	0.0	0.0
025	8/29/2022 08:24:03	0.0	0.0	0.0
026	8/29/2022 08:25:03	0.0	0.0	0.0
027	8/29/2022 08:26:03	0.0	0.0	0.0
028	8/29/2022 08:27:03	0.0	0.0	0.0
029	8/29/2022 08:28:03	0.0	0.0	0.0
030	8/29/2022 08:29:03	0.0	0.0	0.0
031	8/29/2022 08:30:03	0.0	0.0	0.0
032	8/29/2022 08:31:03	0.0	0.0	0.0
033	8/29/2022 08:32:03	0.0	0.0	0.0
034	8/29/2022 08:33:03	0.0	0.0	0.0
035	8/29/2022 08:34:03	0.0	0.0	0.0
036	8/29/2022 08:35:03	0.0	0.0	0.0
037	8/29/2022 08:36:03	0.0	0.0	0.0
038	8/29/2022 08:37:03	0.0	0.0	0.0
039	8/29/2022 08:38:03	0.0	0.0	0.0
040	8/29/2022 08:39:03	0.0	0.0	0.0
041	8/29/2022 08:40:03	0.0	0.0	0.0
042	8/29/2022 08:41:03	0.0	0.0	0.0
043	8/29/2022 08:42:03	0.0	0.0	0.0
044	8/29/2022 08:43:03	0.0	0.0	0.0
045	8/29/2022 08:44:03	0.0	0.0	0.0
046	8/29/2022 08:45:03	0.0	0.0	0.0
047	8/29/2022 08:46:03	0.0	0.0	0.0
048	8/29/2022 08:47:03	0.0	0.0	0.0
049	8/29/2022 08:48:03	0.0	0.0	0.0
050	8/29/2022 08:49:03	0.0	0.0	0.0
051	8/29/2022 08:50:03	0.0	0.0	0.0
052	8/29/2022 08:51:03	0.0	0.0	0.0
053	8/29/2022 08:52:03	0.0	0.0	0.0
054	8/29/2022 08:53:03	0.0	0.0	0.0
055	8/29/2022 08:54:03	0.0	0.0	0.0
056	8/29/2022 08:55:03	0.0	0.0	0.0
057	8/29/2022 08:56:03	0.0	0.0	0.0
058	8/29/2022 08:57:03	0.0	0.0	0.0

059	8/29/2022 08:58:03	0.0	0.0	0.0
060	8/29/2022 08:59:03	0.0	0.0	0.0
061	8/29/2022 09:00:03	0.0	0.0	0.0
062	8/29/2022 09:01:03	0.0	0.0	0.0
063	8/29/2022 09:02:03	0.0	0.0	0.0
064	8/29/2022 09:03:03	0.0	0.0	0.0
065	8/29/2022 09:04:03	0.0	0.0	0.0
066	8/29/2022 09:05:03	0.0	0.0	0.0
067	8/29/2022 09:06:03	0.0	0.0	0.0
068	8/29/2022 09:07:03	0.1	0.1	0.1
069	8/29/2022 09:08:03	0.1	0.1	0.1
070	8/29/2022 09:09:03	0.1	0.1	0.1
071	8/29/2022 09:10:03	0.1	0.1	0.1
072	8/29/2022 09:11:03	0.1	0.1	0.1
073	8/29/2022 09:12:03	0.1	0.1	0.1
074	8/29/2022 09:13:03	0.1	0.1	0.1
075	8/29/2022 09:14:03	0.1	0.1	0.1
076	8/29/2022 09:15:03	0.1	0.1	0.1
077	8/29/2022 09:16:03	0.1	0.1	0.1
078	8/29/2022 09:17:03	0.1	0.1	0.1
079	8/29/2022 09:18:03	0.1	0.1	0.1
080	8/29/2022 09:19:03	0.1	0.1	0.1
081	8/29/2022 09:20:03	0.1	0.1	0.1
082	8/29/2022 09:21:03	0.1	0.1	0.1
083	8/29/2022 09:22:03	0.1	0.1	0.1
084	8/29/2022 09:23:03	0.1	0.1	0.1
085	8/29/2022 09:24:03	0.1	0.1	0.1
086	8/29/2022 09:25:03	0.1	0.1	0.1
087	8/29/2022 09:26:03	0.1	0.1	0.1
088	8/29/2022 09:27:03	0.1	0.1	0.1
089	8/29/2022 09:28:03	0.1	0.1	0.1
090	8/29/2022 09:29:03	0.1	0.1	0.1
091	8/29/2022 09:30:03	0.1	0.1	0.1
092	8/29/2022 09:31:03	0.1	0.1	0.1
093	8/29/2022 09:32:03	0.1	0.1	0.1
094	8/29/2022 09:33:03	0.1	0.1	0.1
095	8/29/2022 09:34:03	0.1	0.1	0.1
096	8/29/2022 09:35:03	0.1	0.1	0.1
097	8/29/2022 09:36:03	0.1	0.1	0.1
098	8/29/2022 09:37:03	0.1	0.1	0.1
099	8/29/2022 09:38:03	0.1	0.1	0.1
100	8/29/2022 09:39:03	0.1	0.1	0.1
101	8/29/2022 09:40:03	0.1	0.1	0.1
102	8/29/2022 09:41:03	0.1	0.1	0.1
103	8/29/2022 09:42:03	0.1	0.1	0.1
104	8/29/2022 09:43:03	0.1	0.2	0.1
105	8/29/2022 09:44:03	0.1	0.2	0.1
106	8/29/2022 09:45:03	0.1	0.2	0.2
107	8/29/2022 09:46:03	0.2	0.2	0.2
108	8/29/2022 09:47:03	0.2	0.2	0.2

109	8/29/2022 09:48:03	0.2	0.2	0.2
110	8/29/2022 09:49:03	0.2	0.2	0.2
111	8/29/2022 09:50:03	0.2	0.2	0.2
112	8/29/2022 09:51:03	0.2	0.2	0.2
113	8/29/2022 09:52:03	0.2	0.2	0.2
114	8/29/2022 09:53:03	0.2	0.2	0.2
115	8/29/2022 09:54:03	0.2	0.2	0.2
116	8/29/2022 09:55:03	0.2	0.2	0.2
117	8/29/2022 09:56:03	0.2	0.2	0.2
118	8/29/2022 09:57:03	0.2	0.2	0.2
119	8/29/2022 09:58:03	0.2	0.2	0.2
120	8/29/2022 09:59:03	0.2	0.2	0.2
121	8/29/2022 10:00:03	0.2	0.2	0.2
122	8/29/2022 10:01:03	0.2	0.2	0.2
123	8/29/2022 10:02:03	0.2	0.2	0.2
124	8/29/2022 10:03:03	0.2	0.2	0.2
125	8/29/2022 10:04:03	0.2	0.2	0.2
126	8/29/2022 10:05:03	0.2	0.2	0.2
127	8/29/2022 10:06:03	0.2	0.2	0.2
128	8/29/2022 10:07:03	0.2	0.2	0.2
129	8/29/2022 10:08:03	0.2	0.2	0.2
130	8/29/2022 10:09:03	0.2	0.2	0.2
131	8/29/2022 10:10:03	0.2	0.2	0.2
132	8/29/2022 10:11:03	0.2	0.2	0.2
133	8/29/2022 10:12:03	0.2	0.2	0.2
134	8/29/2022 10:13:03	0.2	0.2	0.2
135	8/29/2022 10:14:03	0.2	0.2	0.2
136	8/29/2022 10:15:03	0.2	0.2	0.2
137	8/29/2022 10:16:03	0.2	0.2	0.2
138	8/29/2022 10:17:03	0.2	0.2	0.2
139	8/29/2022 10:18:03	0.2	0.2	0.2
140	8/29/2022 10:19:03	0.2	0.2	0.2
141	8/29/2022 10:20:03	0.2	0.2	0.2
142	8/29/2022 10:21:03	0.2	0.2	0.2
143	8/29/2022 10:22:03	0.2	0.2	0.2
144	8/29/2022 10:23:03	0.2	0.2	0.2
145	8/29/2022 10:24:03	0.2	0.2	0.2
146	8/29/2022 10:25:03	0.2	0.2	0.2
147	8/29/2022 10:26:03	0.2	0.2	0.2
148	8/29/2022 10:27:03	0.2	0.2	0.2
149	8/29/2022 10:28:03	0.2	0.2	0.2
150	8/29/2022 10:29:03	0.2	0.2	0.2
151	8/29/2022 10:30:03	0.2	0.2	0.2
152	8/29/2022 10:31:03	0.2	0.2	0.2
153	8/29/2022 10:32:03	0.2	0.2	0.2
154	8/29/2022 10:33:03	0.2	0.2	0.2
155	8/29/2022 10:34:03	0.2	0.2	0.2
156	8/29/2022 10:35:03	0.2	0.2	0.2
157	8/29/2022 10:36:03	0.2	0.2	0.2
158	8/29/2022 10:37:03	0.2	0.2	0.2

159	8/29/2022	10:38:03	0.2	0.2	0.2
160	8/29/2022	10:39:03	0.2	0.2	0.2
161	8/29/2022	10:40:03	0.2	0.2	0.2
162	8/29/2022	10:41:03	0.2	0.2	0.2
163	8/29/2022	10:42:03	0.2	0.2	0.2
164	8/29/2022	10:43:03	0.2	0.2	0.2
165	8/29/2022	10:44:03	0.2	0.2	0.2
166	8/29/2022	10:45:03	0.2	0.2	0.2
167	8/29/2022	10:46:03	0.2	0.2	0.2
168	8/29/2022	10:47:03	0.2	0.2	0.2
169	8/29/2022	10:48:03	0.2	0.2	0.2
170	8/29/2022	10:49:03	0.2	0.2	0.2
171	8/29/2022	10:50:03	0.2	0.2	0.2
172	8/29/2022	10:51:03	0.2	0.2	0.2
173	8/29/2022	10:52:03	0.2	0.2	0.2
174	8/29/2022	10:53:03	0.2	0.2	0.2
175	8/29/2022	10:54:03	0.2	0.2	0.2
176	8/29/2022	10:55:03	0.2	0.2	0.2
177	8/29/2022	10:56:03	0.2	0.2	0.2
178	8/29/2022	10:57:03	0.2	0.2	0.2
179	8/29/2022	10:58:03	0.2	0.2	0.2
180	8/29/2022	10:59:03	0.2	0.2	0.2
181	8/29/2022	11:00:03	0.2	0.2	0.2
182	8/29/2022	11:01:03	0.2	0.2	0.2
183	8/29/2022	11:02:03	0.2	0.2	0.2
184	8/29/2022	11:03:03	0.2	0.2	0.2
185	8/29/2022	11:04:03	0.2	0.2	0.2
186	8/29/2022	11:05:03	0.2	0.2	0.2
187	8/29/2022	11:06:03	0.2	0.2	0.2
188	8/29/2022	11:07:03	0.2	0.2	0.2
189	8/29/2022	11:08:03	0.2	0.2	0.2
190	8/29/2022	11:09:03	0.2	0.2	0.2
191	8/29/2022	11:10:03	0.2	0.2	0.2
192	8/29/2022	11:11:03	0.3	0.5	0.2
193	8/29/2022	11:12:03	0.2	0.2	0.2
194	8/29/2022	11:13:03	0.2	0.2	0.2
195	8/29/2022	11:14:03	0.2	0.2	0.2
196	8/29/2022	11:15:03	0.2	0.2	0.2
197	8/29/2022	11:16:03	0.2	0.2	0.2
198	8/29/2022	11:17:03	0.2	0.2	0.2
199	8/29/2022	11:18:03	0.2	0.2	0.2
200	8/29/2022	11:19:03	0.2	0.2	0.2
201	8/29/2022	11:20:03	0.2	0.2	0.2
202	8/29/2022	11:21:03	0.2	0.2	0.2
203	8/29/2022	11:22:03	0.2	0.2	0.2
204	8/29/2022	11:23:03	0.2	0.2	0.2
205	8/29/2022	11:24:03	0.2	0.2	0.2
206	8/29/2022	11:25:03	0.2	0.2	0.2
207	8/29/2022	11:26:03	0.2	0.2	0.2
208	8/29/2022	11:27:03	0.2	0.2	0.2

209	8/29/2022 11:28:03	0.2	0.2	0.2
210	8/29/2022 11:29:03	0.2	0.2	0.2
211	8/29/2022 11:30:03	0.2	0.2	0.2
212	8/29/2022 11:31:03	0.2	0.2	0.2
213	8/29/2022 11:32:03	0.2	0.2	0.2
214	8/29/2022 11:33:03	0.2	0.2	0.2
215	8/29/2022 11:34:03	0.2	0.2	0.2
216	8/29/2022 11:35:03	0.2	0.2	0.2
217	8/29/2022 11:36:03	0.2	0.2	0.2
218	8/29/2022 11:37:03	0.2	0.2	0.2
219	8/29/2022 11:38:03	0.2	0.2	0.2
220	8/29/2022 11:39:03	0.2	0.3	0.2
221	8/29/2022 11:40:03	0.3	0.3	0.3
222	8/29/2022 11:41:03	0.2	0.3	0.2
223	8/29/2022 11:42:03	0.3	0.3	0.2
224	8/29/2022 11:43:03	0.3	0.3	0.3
225	8/29/2022 11:44:03	0.3	0.3	0.3
226	8/29/2022 11:45:03	0.3	0.3	0.3
227	8/29/2022 11:46:03	0.3	0.3	0.3
228	8/29/2022 11:47:03	0.3	0.3	0.3
229	8/29/2022 11:48:03	0.3	0.3	0.3
230	8/29/2022 11:49:03	0.2	0.3	0.2
231	8/29/2022 11:50:03	0.2	0.2	0.2
232	8/29/2022 11:51:03	0.2	0.2	0.2
233	8/29/2022 11:52:03	0.2	0.2	0.2
234	8/29/2022 11:53:03	0.2	0.2	0.2
235	8/29/2022 11:54:03	0.2	0.2	0.2
236	8/29/2022 11:55:03	0.2	0.2	0.2
237	8/29/2022 11:56:03	0.2	0.2	0.2
238	8/29/2022 11:57:03	0.2	0.2	0.2
239	8/29/2022 11:58:03	0.2	0.2	0.2
240	8/29/2022 11:59:03	0.2	0.2	0.2
241	8/29/2022 12:00:03	0.2	0.2	0.2
242	8/29/2022 12:01:03	0.2	0.2	0.2
243	8/29/2022 12:02:03	0.2	0.2	0.2
244	8/29/2022 12:03:03	0.2	0.2	0.2
245	8/29/2022 12:04:03	0.2	0.2	0.2
246	8/29/2022 12:05:03	0.2	0.2	0.2
247	8/29/2022 12:06:03	0.2	0.2	0.2
248	8/29/2022 12:07:03	0.2	0.2	0.2
249	8/29/2022 12:08:03	0.2	0.2	0.2
250	8/29/2022 12:09:03	0.2	0.2	0.2
251	8/29/2022 12:10:03	0.2	0.2	0.2
252	8/29/2022 12:11:03	0.2	0.2	0.2
253	8/29/2022 12:12:03	0.2	0.2	0.2
254	8/29/2022 12:13:03	0.2	0.2	0.2
255	8/29/2022 12:14:03	0.2	0.2	0.2
256	8/29/2022 12:15:03	0.2	0.2	0.2
257	8/29/2022 12:16:03	0.2	0.2	0.2
258	8/29/2022 12:17:03	0.2	0.2	0.2

259	8/29/2022	12:18:03	0.2	0.2	0.2
260	8/29/2022	12:19:03	0.2	0.2	0.2
261	8/29/2022	12:20:03	0.2	0.2	0.2
262	8/29/2022	12:21:03	0.2	0.2	0.2
263	8/29/2022	12:22:03	0.2	0.2	0.2
264	8/29/2022	12:23:03	0.2	0.2	0.2
265	8/29/2022	12:24:03	0.2	0.2	0.2
266	8/29/2022	12:25:03	0.2	0.2	0.2
267	8/29/2022	12:26:03	0.2	0.2	0.2
268	8/29/2022	12:27:03	0.2	0.2	0.2
269	8/29/2022	12:28:03	0.2	0.2	0.2
270	8/29/2022	12:29:03	0.2	0.2	0.2
271	8/29/2022	12:30:03	0.2	0.2	0.2
272	8/29/2022	12:31:03	0.2	0.2	0.2
273	8/29/2022	12:32:03	0.2	0.2	0.2
274	8/29/2022	12:33:03	0.2	0.2	0.2
275	8/29/2022	12:34:03	0.2	0.2	0.2
276	8/29/2022	12:35:03	0.2	0.2	0.2
277	8/29/2022	12:36:03	0.2	0.2	0.2
278	8/29/2022	12:37:03	0.2	0.2	0.2
279	8/29/2022	12:38:03	0.2	0.2	0.2
280	8/29/2022	12:39:03	0.2	0.2	0.2
281	8/29/2022	12:40:03	0.2	0.2	0.2
282	8/29/2022	12:41:03	0.2	0.2	0.2
283	8/29/2022	12:42:03	0.2	0.2	0.2
284	8/29/2022	12:43:03	0.2	0.2	0.2
285	8/29/2022	12:44:03	0.2	0.2	0.2
286	8/29/2022	12:45:03	0.2	0.2	0.2
287	8/29/2022	12:46:03	0.2	0.2	0.2
288	8/29/2022	12:47:03	0.2	0.2	0.2
289	8/29/2022	12:48:03	0.2	0.2	0.2
290	8/29/2022	12:49:03	0.2	0.2	0.2
291	8/29/2022	12:50:03	0.2	0.2	0.2
292	8/29/2022	12:51:03	0.2	0.2	0.2
293	8/29/2022	12:52:03	0.2	0.2	0.2
294	8/29/2022	12:53:03	0.2	0.2	0.2
295	8/29/2022	12:54:03	0.2	0.2	0.2
296	8/29/2022	12:55:03	0.2	0.2	0.2
297	8/29/2022	12:56:03	0.2	0.2	0.2
298	8/29/2022	12:57:03	0.2	0.2	0.2
299	8/29/2022	12:58:03	0.2	0.2	0.2
300	8/29/2022	12:59:03	0.2	0.2	0.2
301	8/29/2022	13:00:03	0.2	0.2	0.2
302	8/29/2022	13:01:03	0.2	0.2	0.2
303	8/29/2022	13:02:03	0.2	0.2	0.2
304	8/29/2022	13:03:03	0.2	0.2	0.2
305	8/29/2022	13:04:03	0.2	0.2	0.2
306	8/29/2022	13:05:03	0.2	0.2	0.2
307	8/29/2022	13:06:03	0.2	0.2	0.2
308	8/29/2022	13:07:03	0.2	0.2	0.2

309	8/29/2022 13:08:03	0.2	0.2	0.2
310	8/29/2022 13:09:03	0.2	0.2	0.2
311	8/29/2022 13:10:03	0.2	0.2	0.2
312	8/29/2022 13:11:03	0.2	0.2	0.2
313	8/29/2022 13:12:03	0.2	0.2	0.2
314	8/29/2022 13:13:03	0.2	0.2	0.2
315	8/29/2022 13:14:03	0.2	0.2	0.2
316	8/29/2022 13:15:03	0.2	0.2	0.2
317	8/29/2022 13:16:03	0.2	0.2	0.2
318	8/29/2022 13:17:03	0.2	0.2	0.2
319	8/29/2022 13:18:03	0.2	0.2	0.2
320	8/29/2022 13:19:03	0.2	0.2	0.2
321	8/29/2022 13:20:03	0.2	0.2	0.2
322	8/29/2022 13:21:03	0.2	0.2	0.2
323	8/29/2022 13:22:03	0.2	0.2	0.2
324	8/29/2022 13:23:03	0.2	0.2	0.2
325	8/29/2022 13:24:03	0.2	0.2	0.2
326	8/29/2022 13:25:03	0.2	0.2	0.2
327	8/29/2022 13:26:03	0.2	0.2	0.2
328	8/29/2022 13:27:03	0.2	0.2	0.2
329	8/29/2022 13:28:03	0.2	0.2	0.2
330	8/29/2022 13:29:03	0.2	0.2	0.2
331	8/29/2022 13:30:03	0.2	0.2	0.2
332	8/29/2022 13:31:03	0.2	0.2	0.2
333	8/29/2022 13:32:03	0.2	0.2	0.2
334	8/29/2022 13:33:03	0.2	0.2	0.2
335	8/29/2022 13:34:03	0.2	0.2	0.2
336	8/29/2022 13:35:03	0.2	0.2	0.2
337	8/29/2022 13:36:03	0.2	0.2	0.2
338	8/29/2022 13:37:03	0.2	0.2	0.2
339	8/29/2022 13:38:03	0.2	0.2	0.2
340	8/29/2022 13:39:03	0.2	0.2	0.2
341	8/29/2022 13:40:03	0.2	0.2	0.2
342	8/29/2022 13:41:03	0.2	0.2	0.2
343	8/29/2022 13:42:03	0.2	0.2	0.2
344	8/29/2022 13:43:03	0.2	0.2	0.2
345	8/29/2022 13:44:03	0.2	0.2	0.2
346	8/29/2022 13:45:03	0.2	0.2	0.2
347	8/29/2022 13:46:03	0.2	0.2	0.2
348	8/29/2022 13:47:03	0.2	0.2	0.2
349	8/29/2022 13:48:03	0.2	0.2	0.2
350	8/29/2022 13:49:03	0.2	0.2	0.2
351	8/29/2022 13:50:03	0.2	0.2	0.2
352	8/29/2022 13:51:03	0.2	0.2	0.2
353	8/29/2022 13:52:03	0.2	0.2	0.2
354	8/29/2022 13:53:03	0.2	0.2	0.2
355	8/29/2022 13:54:03	0.2	0.2	0.2
356	8/29/2022 13:55:03	0.2	0.2	0.2
357	8/29/2022 13:56:03	0.2	0.2	0.2
358	8/29/2022 13:57:03	0.2	0.2	0.2

359	8/29/2022	13:58:03	0.2	0.2	0.2
360	8/29/2022	13:59:03	0.2	0.2	0.2
361	8/29/2022	14:00:03	0.2	0.2	0.2
362	8/29/2022	14:01:03	0.2	0.2	0.2
363	8/29/2022	14:02:03	0.2	0.2	0.2
364	8/29/2022	14:03:03	0.2	0.2	0.2
365	8/29/2022	14:04:03	0.2	0.2	0.2
366	8/29/2022	14:05:03	0.2	0.2	0.2
367	8/29/2022	14:06:03	0.2	0.2	0.2
368	8/29/2022	14:07:03	0.2	0.2	0.2
369	8/29/2022	14:08:03	0.2	0.2	0.2
370	8/29/2022	14:09:03	0.2	0.2	0.2
371	8/29/2022	14:10:03	0.2	0.2	0.2
372	8/29/2022	14:11:03	0.2	0.2	0.2
373	8/29/2022	14:12:03	0.2	0.2	0.2
374	8/29/2022	14:13:03	0.2	0.2	0.2
Peak			0.3	0.5	0.3
Min			0.0	0.0	0.0
Average			0.2	0.2	0.2

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	8/29/2022 08:00:03	0.0	---
002	8/29/2022 08:01:03	0.0	---
003	8/29/2022 08:02:03	0.0	---
004	8/29/2022 08:03:03	0.0	---
005	8/29/2022 08:04:03	0.0	---
006	8/29/2022 08:05:03	0.0	---
007	8/29/2022 08:06:03	0.0	---
008	8/29/2022 08:07:03	0.0	---
009	8/29/2022 08:08:03	0.0	---
010	8/29/2022 08:09:03	0.0	---
011	8/29/2022 08:10:03	0.0	---
012	8/29/2022 08:11:03	0.0	---
013	8/29/2022 08:12:03	0.0	---
014	8/29/2022 08:13:03	0.0	---
015	8/29/2022 08:14:03	0.0	0.0
016	8/29/2022 08:15:03	0.0	0.0
017	8/29/2022 08:16:03	0.0	0.0
018	8/29/2022 08:17:03	0.0	0.0
019	8/29/2022 08:18:03	0.0	0.0
020	8/29/2022 08:19:03	0.0	0.0
021	8/29/2022 08:20:03	0.0	0.0
022	8/29/2022 08:21:03	0.0	0.0
023	8/29/2022 08:22:03	0.0	0.0
024	8/29/2022 08:23:03	0.0	0.0
025	8/29/2022 08:24:03	0.0	0.0
026	8/29/2022 08:25:03	0.0	0.0

027	8/29/2022 08:26:03	0.0	0.0
028	8/29/2022 08:27:03	0.0	0.0
029	8/29/2022 08:28:03	0.0	0.0
030	8/29/2022 08:29:03	0.0	0.0
031	8/29/2022 08:30:03	0.0	0.0
032	8/29/2022 08:31:03	0.0	0.0
033	8/29/2022 08:32:03	0.0	0.0
034	8/29/2022 08:33:03	0.0	0.0
035	8/29/2022 08:34:03	0.0	0.0
036	8/29/2022 08:35:03	0.0	0.0
037	8/29/2022 08:36:03	0.0	0.0
038	8/29/2022 08:37:03	0.0	0.0
039	8/29/2022 08:38:03	0.0	0.0
040	8/29/2022 08:39:03	0.0	0.0
041	8/29/2022 08:40:03	0.0	0.0
042	8/29/2022 08:41:03	0.0	0.0
043	8/29/2022 08:42:03	0.0	0.0
044	8/29/2022 08:43:03	0.0	0.0
045	8/29/2022 08:44:03	0.0	0.0
046	8/29/2022 08:45:03	0.0	0.0
047	8/29/2022 08:46:03	0.0	0.0
048	8/29/2022 08:47:03	0.0	0.0
049	8/29/2022 08:48:03	0.0	0.0
050	8/29/2022 08:49:03	0.0	0.0
051	8/29/2022 08:50:03	0.0	0.0
052	8/29/2022 08:51:03	0.0	0.0
053	8/29/2022 08:52:03	0.0	0.0
054	8/29/2022 08:53:03	0.0	0.0
055	8/29/2022 08:54:03	0.0	0.0
056	8/29/2022 08:55:03	0.0	0.0
057	8/29/2022 08:56:03	0.0	0.0
058	8/29/2022 08:57:03	0.0	0.0
059	8/29/2022 08:58:03	0.0	0.0
060	8/29/2022 08:59:03	0.0	0.0
061	8/29/2022 09:00:03	0.0	0.0
062	8/29/2022 09:01:03	0.0	0.0
063	8/29/2022 09:02:03	0.0	0.0
064	8/29/2022 09:03:03	0.0	0.0
065	8/29/2022 09:04:03	0.0	0.0
066	8/29/2022 09:05:03	0.0	0.0
067	8/29/2022 09:06:03	0.0	0.0
068	8/29/2022 09:07:03	0.0	0.0
069	8/29/2022 09:08:03	0.0	0.0
070	8/29/2022 09:09:03	0.0	0.0
071	8/29/2022 09:10:03	0.0	0.0
072	8/29/2022 09:11:03	0.0	0.0
073	8/29/2022 09:12:03	0.0	0.0
074	8/29/2022 09:13:03	0.0	0.0
075	8/29/2022 09:14:03	0.0	0.1
076	8/29/2022 09:15:03	0.0	0.1

077	8/29/2022	09:16:03	0.0	0.1
078	8/29/2022	09:17:03	0.0	0.1
079	8/29/2022	09:18:03	0.0	0.1
080	8/29/2022	09:19:03	0.0	0.1
081	8/29/2022	09:20:03	0.0	0.1
082	8/29/2022	09:21:03	0.0	0.1
083	8/29/2022	09:22:03	0.0	0.1
084	8/29/2022	09:23:03	0.0	0.1
085	8/29/2022	09:24:03	0.0	0.1
086	8/29/2022	09:25:03	0.0	0.1
087	8/29/2022	09:26:03	0.0	0.1
088	8/29/2022	09:27:03	0.0	0.1
089	8/29/2022	09:28:03	0.0	0.1
090	8/29/2022	09:29:03	0.0	0.1
091	8/29/2022	09:30:03	0.0	0.1
092	8/29/2022	09:31:03	0.0	0.1
093	8/29/2022	09:32:03	0.0	0.1
094	8/29/2022	09:33:03	0.0	0.1
095	8/29/2022	09:34:03	0.0	0.1
096	8/29/2022	09:35:03	0.0	0.1
097	8/29/2022	09:36:03	0.0	0.1
098	8/29/2022	09:37:03	0.0	0.1
099	8/29/2022	09:38:03	0.0	0.1
100	8/29/2022	09:39:03	0.0	0.1
101	8/29/2022	09:40:03	0.0	0.1
102	8/29/2022	09:41:03	0.0	0.1
103	8/29/2022	09:42:03	0.0	0.1
104	8/29/2022	09:43:03	0.0	0.1
105	8/29/2022	09:44:03	0.0	0.1
106	8/29/2022	09:45:03	0.0	0.1
107	8/29/2022	09:46:03	0.0	0.1
108	8/29/2022	09:47:03	0.0	0.1
109	8/29/2022	09:48:03	0.0	0.1
110	8/29/2022	09:49:03	0.0	0.1
111	8/29/2022	09:50:03	0.0	0.1
112	8/29/2022	09:51:03	0.0	0.2
113	8/29/2022	09:52:03	0.0	0.2
114	8/29/2022	09:53:03	0.0	0.2
115	8/29/2022	09:54:03	0.0	0.2
116	8/29/2022	09:55:03	0.0	0.2
117	8/29/2022	09:56:03	0.0	0.2
118	8/29/2022	09:57:03	0.0	0.2
119	8/29/2022	09:58:03	0.0	0.2
120	8/29/2022	09:59:03	0.0	0.2
121	8/29/2022	10:00:03	0.0	0.2
122	8/29/2022	10:01:03	0.0	0.2
123	8/29/2022	10:02:03	0.0	0.2
124	8/29/2022	10:03:03	0.0	0.2
125	8/29/2022	10:04:03	0.0	0.2
126	8/29/2022	10:05:03	0.0	0.2

127	8/29/2022 10:06:03	0.0	0.2
128	8/29/2022 10:07:03	0.0	0.2
129	8/29/2022 10:08:03	0.0	0.2
130	8/29/2022 10:09:03	0.0	0.2
131	8/29/2022 10:10:03	0.0	0.2
132	8/29/2022 10:11:03	0.0	0.2
133	8/29/2022 10:12:03	0.0	0.2
134	8/29/2022 10:13:03	0.0	0.2
135	8/29/2022 10:14:03	0.0	0.2
136	8/29/2022 10:15:03	0.0	0.2
137	8/29/2022 10:16:03	0.0	0.2
138	8/29/2022 10:17:03	0.0	0.2
139	8/29/2022 10:18:03	0.0	0.2
140	8/29/2022 10:19:03	0.0	0.2
141	8/29/2022 10:20:03	0.0	0.2
142	8/29/2022 10:21:03	0.0	0.2
143	8/29/2022 10:22:03	0.0	0.2
144	8/29/2022 10:23:03	0.0	0.2
145	8/29/2022 10:24:03	0.0	0.2
146	8/29/2022 10:25:03	0.0	0.2
147	8/29/2022 10:26:03	0.0	0.2
148	8/29/2022 10:27:03	0.0	0.2
149	8/29/2022 10:28:03	0.0	0.2
150	8/29/2022 10:29:03	0.0	0.2
151	8/29/2022 10:30:03	0.0	0.2
152	8/29/2022 10:31:03	0.0	0.2
153	8/29/2022 10:32:03	0.0	0.2
154	8/29/2022 10:33:03	0.0	0.2
155	8/29/2022 10:34:03	0.0	0.2
156	8/29/2022 10:35:03	0.0	0.2
157	8/29/2022 10:36:03	0.0	0.2
158	8/29/2022 10:37:03	0.0	0.2
159	8/29/2022 10:38:03	0.0	0.2
160	8/29/2022 10:39:03	0.0	0.2
161	8/29/2022 10:40:03	0.0	0.2
162	8/29/2022 10:41:03	0.0	0.2
163	8/29/2022 10:42:03	0.0	0.2
164	8/29/2022 10:43:03	0.0	0.2
165	8/29/2022 10:44:03	0.0	0.2
166	8/29/2022 10:45:03	0.0	0.2
167	8/29/2022 10:46:03	0.0	0.2
168	8/29/2022 10:47:03	0.0	0.2
169	8/29/2022 10:48:03	0.0	0.2
170	8/29/2022 10:49:03	0.0	0.2
171	8/29/2022 10:50:03	0.0	0.2
172	8/29/2022 10:51:03	0.0	0.2
173	8/29/2022 10:52:03	0.0	0.2
174	8/29/2022 10:53:03	0.0	0.2
175	8/29/2022 10:54:03	0.0	0.2
176	8/29/2022 10:55:03	0.0	0.2

177	8/29/2022 10:56:03	0.0	0.2
178	8/29/2022 10:57:03	0.0	0.2
179	8/29/2022 10:58:03	0.0	0.2
180	8/29/2022 10:59:03	0.0	0.2
181	8/29/2022 11:00:03	0.0	0.2
182	8/29/2022 11:01:03	0.0	0.2
183	8/29/2022 11:02:03	0.0	0.2
184	8/29/2022 11:03:03	0.0	0.2
185	8/29/2022 11:04:03	0.0	0.2
186	8/29/2022 11:05:03	0.0	0.2
187	8/29/2022 11:06:03	0.0	0.2
188	8/29/2022 11:07:03	0.0	0.2
189	8/29/2022 11:08:03	0.0	0.2
190	8/29/2022 11:09:03	0.0	0.2
191	8/29/2022 11:10:03	0.0	0.2
192	8/29/2022 11:11:03	0.0	0.2
193	8/29/2022 11:12:03	0.0	0.2
194	8/29/2022 11:13:03	0.0	0.2
195	8/29/2022 11:14:03	0.0	0.2
196	8/29/2022 11:15:03	0.0	0.2
197	8/29/2022 11:16:03	0.0	0.2
198	8/29/2022 11:17:03	0.0	0.2
199	8/29/2022 11:18:03	0.0	0.2
200	8/29/2022 11:19:03	0.0	0.2
201	8/29/2022 11:20:03	0.0	0.2
202	8/29/2022 11:21:03	0.0	0.2
203	8/29/2022 11:22:03	0.0	0.2
204	8/29/2022 11:23:03	0.0	0.2
205	8/29/2022 11:24:03	0.0	0.2
206	8/29/2022 11:25:03	0.1	0.2
207	8/29/2022 11:26:03	0.1	0.2
208	8/29/2022 11:27:03	0.1	0.2
209	8/29/2022 11:28:03	0.1	0.2
210	8/29/2022 11:29:03	0.1	0.2
211	8/29/2022 11:30:03	0.1	0.2
212	8/29/2022 11:31:03	0.1	0.2
213	8/29/2022 11:32:03	0.1	0.2
214	8/29/2022 11:33:03	0.1	0.2
215	8/29/2022 11:34:03	0.1	0.2
216	8/29/2022 11:35:03	0.1	0.2
217	8/29/2022 11:36:03	0.1	0.2
218	8/29/2022 11:37:03	0.1	0.2
219	8/29/2022 11:38:03	0.1	0.2
220	8/29/2022 11:39:03	0.1	0.2
221	8/29/2022 11:40:03	0.1	0.2
222	8/29/2022 11:41:03	0.1	0.2
223	8/29/2022 11:42:03	0.1	0.2
224	8/29/2022 11:43:03	0.1	0.2
225	8/29/2022 11:44:03	0.1	0.2
226	8/29/2022 11:45:03	0.1	0.2

227	8/29/2022 11:46:03	0.1	0.2
228	8/29/2022 11:47:03	0.1	0.3
229	8/29/2022 11:48:03	0.1	0.3
230	8/29/2022 11:49:03	0.1	0.3
231	8/29/2022 11:50:03	0.1	0.3
232	8/29/2022 11:51:03	0.1	0.3
233	8/29/2022 11:52:03	0.1	0.3
234	8/29/2022 11:53:03	0.1	0.3
235	8/29/2022 11:54:03	0.1	0.3
236	8/29/2022 11:55:03	0.1	0.3
237	8/29/2022 11:56:03	0.1	0.3
238	8/29/2022 11:57:03	0.1	0.3
239	8/29/2022 11:58:03	0.1	0.3
240	8/29/2022 11:59:03	0.1	0.2
241	8/29/2022 12:00:03	0.1	0.2
242	8/29/2022 12:01:03	0.1	0.2
243	8/29/2022 12:02:03	0.1	0.2
244	8/29/2022 12:03:03	0.1	0.2
245	8/29/2022 12:04:03	0.1	0.2
246	8/29/2022 12:05:03	0.1	0.2
247	8/29/2022 12:06:03	0.1	0.2
248	8/29/2022 12:07:03	0.1	0.2
249	8/29/2022 12:08:03	0.1	0.2
250	8/29/2022 12:09:03	0.1	0.2
251	8/29/2022 12:10:03	0.1	0.2
252	8/29/2022 12:11:03	0.1	0.2
253	8/29/2022 12:12:03	0.1	0.2
254	8/29/2022 12:13:03	0.1	0.2
255	8/29/2022 12:14:03	0.1	0.2
256	8/29/2022 12:15:03	0.1	0.2
257	8/29/2022 12:16:03	0.1	0.2
258	8/29/2022 12:17:03	0.1	0.2
259	8/29/2022 12:18:03	0.1	0.2
260	8/29/2022 12:19:03	0.1	0.2
261	8/29/2022 12:20:03	0.1	0.2
262	8/29/2022 12:21:03	0.1	0.2
263	8/29/2022 12:22:03	0.1	0.2
264	8/29/2022 12:23:03	0.1	0.2
265	8/29/2022 12:24:03	0.1	0.2
266	8/29/2022 12:25:03	0.1	0.2
267	8/29/2022 12:26:03	0.1	0.2
268	8/29/2022 12:27:03	0.1	0.2
269	8/29/2022 12:28:03	0.1	0.2
270	8/29/2022 12:29:03	0.1	0.2
271	8/29/2022 12:30:03	0.1	0.2
272	8/29/2022 12:31:03	0.1	0.2
273	8/29/2022 12:32:03	0.1	0.2
274	8/29/2022 12:33:03	0.1	0.2
275	8/29/2022 12:34:03	0.1	0.2
276	8/29/2022 12:35:03	0.1	0.2

277	8/29/2022 12:36:03	0.1	0.2
278	8/29/2022 12:37:03	0.1	0.2
279	8/29/2022 12:38:03	0.1	0.2
280	8/29/2022 12:39:03	0.1	0.2
281	8/29/2022 12:40:03	0.1	0.2
282	8/29/2022 12:41:03	0.1	0.2
283	8/29/2022 12:42:03	0.1	0.2
284	8/29/2022 12:43:03	0.1	0.2
285	8/29/2022 12:44:03	0.1	0.2
286	8/29/2022 12:45:03	0.1	0.2
287	8/29/2022 12:46:03	0.1	0.2
288	8/29/2022 12:47:03	0.1	0.2
289	8/29/2022 12:48:03	0.1	0.2
290	8/29/2022 12:49:03	0.1	0.2
291	8/29/2022 12:50:03	0.1	0.2
292	8/29/2022 12:51:03	0.1	0.2
293	8/29/2022 12:52:03	0.1	0.2
294	8/29/2022 12:53:03	0.1	0.2
295	8/29/2022 12:54:03	0.1	0.2
296	8/29/2022 12:55:03	0.1	0.2
297	8/29/2022 12:56:03	0.1	0.2
298	8/29/2022 12:57:03	0.1	0.2
299	8/29/2022 12:58:03	0.1	0.2
300	8/29/2022 12:59:03	0.1	0.2
301	8/29/2022 13:00:03	0.1	0.2
302	8/29/2022 13:01:03	0.1	0.2
303	8/29/2022 13:02:03	0.1	0.2
304	8/29/2022 13:03:03	0.1	0.2
305	8/29/2022 13:04:03	0.1	0.2
306	8/29/2022 13:05:03	0.1	0.2
307	8/29/2022 13:06:03	0.1	0.2
308	8/29/2022 13:07:03	0.1	0.2
309	8/29/2022 13:08:03	0.1	0.2
310	8/29/2022 13:09:03	0.1	0.2
311	8/29/2022 13:10:03	0.1	0.2
312	8/29/2022 13:11:03	0.1	0.2
313	8/29/2022 13:12:03	0.1	0.2
314	8/29/2022 13:13:03	0.1	0.2
315	8/29/2022 13:14:03	0.1	0.2
316	8/29/2022 13:15:03	0.1	0.2
317	8/29/2022 13:16:03	0.1	0.2
318	8/29/2022 13:17:03	0.1	0.2
319	8/29/2022 13:18:03	0.1	0.2
320	8/29/2022 13:19:03	0.1	0.2
321	8/29/2022 13:20:03	0.1	0.2
322	8/29/2022 13:21:03	0.1	0.2
323	8/29/2022 13:22:03	0.1	0.2
324	8/29/2022 13:23:03	0.1	0.2
325	8/29/2022 13:24:03	0.1	0.2
326	8/29/2022 13:25:03	0.1	0.2

327	8/29/2022 13:26:03	0.1	0.2
328	8/29/2022 13:27:03	0.1	0.2
329	8/29/2022 13:28:03	0.1	0.2
330	8/29/2022 13:29:03	0.1	0.2
331	8/29/2022 13:30:03	0.1	0.2
332	8/29/2022 13:31:03	0.1	0.2
333	8/29/2022 13:32:03	0.1	0.2
334	8/29/2022 13:33:03	0.1	0.2
335	8/29/2022 13:34:03	0.1	0.2
336	8/29/2022 13:35:03	0.1	0.2
337	8/29/2022 13:36:03	0.1	0.2
338	8/29/2022 13:37:03	0.1	0.2
339	8/29/2022 13:38:03	0.1	0.2
340	8/29/2022 13:39:03	0.1	0.2
341	8/29/2022 13:40:03	0.1	0.2
342	8/29/2022 13:41:03	0.1	0.2
343	8/29/2022 13:42:03	0.1	0.2
344	8/29/2022 13:43:03	0.1	0.2
345	8/29/2022 13:44:03	0.1	0.2
346	8/29/2022 13:45:03	0.1	0.2
347	8/29/2022 13:46:03	0.1	0.2
348	8/29/2022 13:47:03	0.1	0.2
349	8/29/2022 13:48:03	0.1	0.2
350	8/29/2022 13:49:03	0.1	0.2
351	8/29/2022 13:50:03	0.1	0.2
352	8/29/2022 13:51:03	0.1	0.2
353	8/29/2022 13:52:03	0.1	0.2
354	8/29/2022 13:53:03	0.1	0.2
355	8/29/2022 13:54:03	0.1	0.2
356	8/29/2022 13:55:03	0.1	0.2
357	8/29/2022 13:56:03	0.1	0.2
358	8/29/2022 13:57:03	0.1	0.2
359	8/29/2022 13:58:03	0.1	0.2
360	8/29/2022 13:59:03	0.1	0.2
361	8/29/2022 14:00:03	0.1	0.2
362	8/29/2022 14:01:03	0.1	0.2
363	8/29/2022 14:02:03	0.1	0.2
364	8/29/2022 14:03:03	0.1	0.2
365	8/29/2022 14:04:03	0.1	0.2
366	8/29/2022 14:05:03	0.1	0.2
367	8/29/2022 14:06:03	0.1	0.2
368	8/29/2022 14:07:03	0.1	0.2
369	8/29/2022 14:08:03	0.1	0.2
370	8/29/2022 14:09:03	0.1	0.2
371	8/29/2022 14:10:03	0.1	0.2
372	8/29/2022 14:11:03	0.1	0.2
373	8/29/2022 14:12:03	0.1	0.2
374	8/29/2022 14:13:03	0.1	0.2

==========

22/09/12 08:49

****
Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602497
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 9/12/2022 08:49:03
End 9/12/2022 09:31:59
Sample Period(s) 60
Number of Records 42

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.0
Min 0.0
Average 0.0

****
Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/12/2022 08:50:03	0.0	0.0	0.0	
002	9/12/2022 08:51:03	0.0	0.0	0.0	
003	9/12/2022 08:52:03	0.0	0.0	0.0	
004	9/12/2022 08:53:03	0.0	0.0	0.0	
005	9/12/2022 08:54:03	0.0	0.0	0.0	
006	9/12/2022 08:55:03	0.0	0.0	0.0	
007	9/12/2022 08:56:03	0.0	0.0	0.0	
008	9/12/2022 08:57:03	0.0	0.0	0.0	
009	9/12/2022 08:58:03	0.0	0.0	0.0	
010	9/12/2022 08:59:03	0.0	0.0	0.0	

011	9/12/2022 09:00:03	0.0	0.0	0.0
012	9/12/2022 09:01:03	0.0	0.0	0.0
013	9/12/2022 09:02:03	0.0	0.0	0.0
014	9/12/2022 09:03:03	0.0	0.0	0.0
015	9/12/2022 09:04:03	0.0	0.0	0.0
016	9/12/2022 09:05:03	0.0	0.0	0.0
017	9/12/2022 09:06:03	0.0	0.0	0.0
018	9/12/2022 09:07:03	0.0	0.0	0.0
019	9/12/2022 09:08:03	0.0	0.0	0.0
020	9/12/2022 09:09:03	0.0	0.0	0.0
021	9/12/2022 09:10:03	0.0	0.0	0.0
022	9/12/2022 09:11:03	0.0	0.0	0.0
023	9/12/2022 09:12:03	0.0	0.0	0.0
024	9/12/2022 09:13:03	0.0	0.0	0.0
025	9/12/2022 09:14:03	0.0	0.0	0.0
026	9/12/2022 09:15:03	0.0	0.0	0.0
027	9/12/2022 09:16:03	0.0	0.0	0.0
028	9/12/2022 09:17:03	0.0	0.0	0.0
029	9/12/2022 09:18:03	0.0	0.0	0.0
030	9/12/2022 09:19:03	0.0	0.0	0.0
031	9/12/2022 09:20:03	0.0	0.0	0.0
032	9/12/2022 09:21:03	0.0	0.0	0.0
033	9/12/2022 09:22:03	0.0	0.0	0.0
034	9/12/2022 09:23:03	0.0	0.0	0.0
035	9/12/2022 09:24:03	0.0	0.0	0.0
036	9/12/2022 09:25:03	0.0	0.0	0.0
037	9/12/2022 09:26:03	0.0	0.0	0.0
038	9/12/2022 09:27:03	0.0	0.0	0.0
039	9/12/2022 09:28:03	0.0	0.0	0.0
040	9/12/2022 09:29:03	0.0	0.0	0.0
041	9/12/2022 09:30:03	0.0	0.0	0.0
042	9/12/2022 09:31:03	0.0	0.0	0.0
Peak		0.0	0.0	0.0
Min		0.0	0.0	0.0
Average		0.0	0.0	0.0

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/12/2022 08:50:03	0.0	---
002	9/12/2022 08:51:03	0.0	---
003	9/12/2022 08:52:03	0.0	---
004	9/12/2022 08:53:03	0.0	---
005	9/12/2022 08:54:03	0.0	---
006	9/12/2022 08:55:03	0.0	---
007	9/12/2022 08:56:03	0.0	---
008	9/12/2022 08:57:03	0.0	---
009	9/12/2022 08:58:03	0.0	---
010	9/12/2022 08:59:03	0.0	---

011	9/12/2022 09:00:03	0.0	---
012	9/12/2022 09:01:03	0.0	---
013	9/12/2022 09:02:03	0.0	---
014	9/12/2022 09:03:03	0.0	---
015	9/12/2022 09:04:03	0.0	0.0
016	9/12/2022 09:05:03	0.0	0.0
017	9/12/2022 09:06:03	0.0	0.0
018	9/12/2022 09:07:03	0.0	0.0
019	9/12/2022 09:08:03	0.0	0.0
020	9/12/2022 09:09:03	0.0	0.0
021	9/12/2022 09:10:03	0.0	0.0
022	9/12/2022 09:11:03	0.0	0.0
023	9/12/2022 09:12:03	0.0	0.0
024	9/12/2022 09:13:03	0.0	0.0
025	9/12/2022 09:14:03	0.0	0.0
026	9/12/2022 09:15:03	0.0	0.0
027	9/12/2022 09:16:03	0.0	0.0
028	9/12/2022 09:17:03	0.0	0.0
029	9/12/2022 09:18:03	0.0	0.0
030	9/12/2022 09:19:03	0.0	0.0
031	9/12/2022 09:20:03	0.0	0.0
032	9/12/2022 09:21:03	0.0	0.0
033	9/12/2022 09:22:03	0.0	0.0
034	9/12/2022 09:23:03	0.0	0.0
035	9/12/2022 09:24:03	0.0	0.0
036	9/12/2022 09:25:03	0.0	0.0
037	9/12/2022 09:26:03	0.0	0.0
038	9/12/2022 09:27:03	0.0	0.0
039	9/12/2022 09:28:03	0.0	0.0
040	9/12/2022 09:29:03	0.0	0.0
041	9/12/2022 09:30:03	0.0	0.0
042	9/12/2022 09:31:03	0.0	0.0

==========

22/09/12 12:34

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-602497

Unit Firmware Ver V2.22

Running Mode Hygiene Mode

Datalog Mode Auto

Diagnostic Mode No

Stop Reason Power Down

Site ID 12345678

User ID 12345678

Begin 9/12/2022 12:34:19

End 9/12/2022 15:22:50
Sample Period(s) 60
Number of Records 168

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.1
Min 0.0
Average 0.1

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/12/2022 12:35:19		0.0	0.0	0.0
002	9/12/2022 12:36:19		0.0	0.0	0.0
003	9/12/2022 12:37:19		0.0	0.0	0.0
004	9/12/2022 12:38:19		0.0	0.0	0.0
005	9/12/2022 12:39:19		0.0	0.0	0.0
006	9/12/2022 12:40:19		0.0	0.0	0.0
007	9/12/2022 12:41:19		0.0	0.0	0.0
008	9/12/2022 12:42:19		0.0	0.0	0.0
009	9/12/2022 12:43:19		0.0	0.0	0.0
010	9/12/2022 12:44:19		0.0	0.0	0.0
011	9/12/2022 12:45:19		0.0	0.0	0.0
012	9/12/2022 12:46:19		0.0	0.0	0.0
013	9/12/2022 12:47:19		0.0	0.0	0.0
014	9/12/2022 12:48:19		0.0	0.0	0.0
015	9/12/2022 12:49:19		0.0	0.0	0.0
016	9/12/2022 12:50:19		0.0	0.0	0.0
017	9/12/2022 12:51:19		0.0	0.0	0.0
018	9/12/2022 12:52:19		0.0	0.0	0.0
019	9/12/2022 12:53:19		0.0	0.0	0.0
020	9/12/2022 12:54:19		0.0	0.0	0.0
021	9/12/2022 12:55:19		0.0	0.0	0.0
022	9/12/2022 12:56:19		0.0	0.0	0.0
023	9/12/2022 12:57:19		0.0	0.0	0.0
024	9/12/2022 12:58:19		0.0	0.0	0.0
025	9/12/2022 12:59:19		0.0	0.0	0.0
026	9/12/2022 13:00:19		0.0	0.0	0.0

027	9/12/2022 13:01:19	0.0	0.0	0.0
028	9/12/2022 13:02:19	0.0	0.0	0.0
029	9/12/2022 13:03:19	0.0	0.0	0.0
030	9/12/2022 13:04:19	0.0	0.0	0.0
031	9/12/2022 13:05:19	0.0	0.0	0.0
032	9/12/2022 13:06:19	0.0	0.0	0.0
033	9/12/2022 13:07:19	0.0	0.0	0.0
034	9/12/2022 13:08:19	0.0	0.0	0.0
035	9/12/2022 13:09:19	0.0	0.0	0.0
036	9/12/2022 13:10:19	0.0	0.0	0.0
037	9/12/2022 13:11:19	0.0	0.0	0.0
038	9/12/2022 13:12:19	0.0	0.0	0.0
039	9/12/2022 13:13:19	0.0	0.0	0.0
040	9/12/2022 13:14:19	0.0	0.0	0.0
041	9/12/2022 13:15:19	0.0	0.0	0.0
042	9/12/2022 13:16:19	0.0	0.0	0.0
043	9/12/2022 13:17:19	0.0	0.0	0.0
044	9/12/2022 13:18:19	0.0	0.0	0.0
045	9/12/2022 13:19:19	0.0	0.0	0.0
046	9/12/2022 13:20:19	0.0	0.0	0.0
047	9/12/2022 13:21:19	0.0	0.0	0.0
048	9/12/2022 13:22:19	0.0	0.0	0.0
049	9/12/2022 13:23:19	0.0	0.0	0.0
050	9/12/2022 13:24:19	0.0	0.0	0.0
051	9/12/2022 13:25:19	0.0	0.0	0.0
052	9/12/2022 13:26:19	0.0	0.0	0.0
053	9/12/2022 13:27:19	0.0	0.0	0.0
054	9/12/2022 13:28:19	0.0	0.0	0.0
055	9/12/2022 13:29:19	0.0	0.0	0.0
056	9/12/2022 13:30:19	0.0	0.0	0.0
057	9/12/2022 13:31:19	0.0	0.0	0.0
058	9/12/2022 13:32:19	0.0	0.0	0.0
059	9/12/2022 13:33:19	0.0	0.0	0.0
060	9/12/2022 13:34:19	0.0	0.0	0.0
061	9/12/2022 13:35:19	0.0	0.0	0.0
062	9/12/2022 13:36:19	0.0	0.0	0.0
063	9/12/2022 13:37:19	0.0	0.0	0.0
064	9/12/2022 13:38:19	0.0	0.0	0.0
065	9/12/2022 13:39:19	0.0	0.0	0.0
066	9/12/2022 13:40:19	0.0	0.0	0.0
067	9/12/2022 13:41:19	0.0	0.0	0.0
068	9/12/2022 13:42:19	0.0	0.0	0.0
069	9/12/2022 13:43:19	0.0	0.0	0.0
070	9/12/2022 13:44:19	0.0	0.0	0.0
071	9/12/2022 13:45:19	0.0	0.0	0.0
072	9/12/2022 13:46:19	0.0	0.0	0.0
073	9/12/2022 13:47:19	0.0	0.0	0.0
074	9/12/2022 13:48:19	0.0	0.1	0.0
075	9/12/2022 13:49:19	0.0	0.1	0.0
076	9/12/2022 13:50:19	0.0	0.1	0.1

077	9/12/2022 13:51:19	0.1	0.1	0.1
078	9/12/2022 13:52:19	0.1	0.1	0.1
079	9/12/2022 13:53:19	0.1	0.1	0.1
080	9/12/2022 13:54:19	0.1	0.1	0.1
081	9/12/2022 13:55:19	0.1	0.1	0.1
082	9/12/2022 13:56:19	0.1	0.1	0.1
083	9/12/2022 13:57:19	0.1	0.1	0.1
084	9/12/2022 13:58:19	0.1	0.1	0.1
085	9/12/2022 13:59:19	0.1	0.1	0.1
086	9/12/2022 14:00:19	0.1	0.1	0.1
087	9/12/2022 14:01:19	0.1	0.1	0.1
088	9/12/2022 14:02:19	0.1	0.1	0.1
089	9/12/2022 14:03:19	0.1	0.1	0.1
090	9/12/2022 14:04:19	0.1	0.1	0.1
091	9/12/2022 14:05:19	0.1	0.1	0.1
092	9/12/2022 14:06:19	0.1	0.1	0.1
093	9/12/2022 14:07:19	0.1	0.1	0.1
094	9/12/2022 14:08:19	0.1	0.1	0.1
095	9/12/2022 14:09:19	0.1	0.1	0.1
096	9/12/2022 14:10:19	0.1	0.1	0.1
097	9/12/2022 14:11:19	0.1	0.1	0.1
098	9/12/2022 14:12:19	0.1	0.1	0.1
099	9/12/2022 14:13:19	0.1	0.1	0.1
100	9/12/2022 14:14:19	0.1	0.1	0.1
101	9/12/2022 14:15:19	0.1	0.1	0.1
102	9/12/2022 14:16:19	0.1	0.1	0.1
103	9/12/2022 14:17:19	0.1	0.1	0.1
104	9/12/2022 14:18:19	0.1	0.1	0.1
105	9/12/2022 14:19:19	0.1	0.1	0.1
106	9/12/2022 14:20:19	0.1	0.1	0.1
107	9/12/2022 14:21:19	0.1	0.1	0.1
108	9/12/2022 14:22:19	0.1	0.1	0.1
109	9/12/2022 14:23:19	0.1	0.1	0.1
110	9/12/2022 14:24:19	0.1	0.1	0.1
111	9/12/2022 14:25:19	0.1	0.1	0.1
112	9/12/2022 14:26:19	0.1	0.1	0.1
113	9/12/2022 14:27:19	0.1	0.1	0.1
114	9/12/2022 14:28:19	0.1	0.1	0.1
115	9/12/2022 14:29:19	0.1	0.1	0.1
116	9/12/2022 14:30:19	0.1	0.1	0.1
117	9/12/2022 14:31:19	0.1	0.1	0.1
118	9/12/2022 14:32:19	0.1	0.1	0.1
119	9/12/2022 14:33:19	0.1	0.1	0.1
120	9/12/2022 14:34:19	0.1	0.1	0.1
121	9/12/2022 14:35:19	0.1	0.1	0.1
122	9/12/2022 14:36:19	0.1	0.1	0.1
123	9/12/2022 14:37:19	0.1	0.1	0.1
124	9/12/2022 14:38:19	0.1	0.1	0.1
125	9/12/2022 14:39:19	0.1	0.1	0.1
126	9/12/2022 14:40:19	0.1	0.1	0.1

127	9/12/2022 14:41:19	0.1	0.1	0.1
128	9/12/2022 14:42:19	0.1	0.1	0.1
129	9/12/2022 14:43:19	0.1	0.1	0.1
130	9/12/2022 14:44:19	0.1	0.1	0.1
131	9/12/2022 14:45:19	0.1	0.1	0.1
132	9/12/2022 14:46:19	0.1	0.1	0.1
133	9/12/2022 14:47:19	0.1	0.1	0.1
134	9/12/2022 14:48:19	0.1	0.1	0.1
135	9/12/2022 14:49:19	0.1	0.1	0.1
136	9/12/2022 14:50:19	0.1	0.1	0.1
137	9/12/2022 14:51:19	0.1	0.1	0.1
138	9/12/2022 14:52:19	0.1	0.1	0.1
139	9/12/2022 14:53:19	0.1	0.1	0.1
140	9/12/2022 14:54:19	0.1	0.1	0.1
141	9/12/2022 14:55:19	0.1	0.1	0.1
142	9/12/2022 14:56:19	0.1	0.1	0.1
143	9/12/2022 14:57:19	0.1	0.1	0.1
144	9/12/2022 14:58:19	0.1	0.1	0.1
145	9/12/2022 14:59:19	0.1	0.1	0.1
146	9/12/2022 15:00:19	0.1	0.1	0.1
147	9/12/2022 15:01:19	0.1	0.1	0.1
148	9/12/2022 15:02:19	0.1	0.1	0.1
149	9/12/2022 15:03:19	0.1	0.1	0.1
150	9/12/2022 15:04:19	0.1	0.1	0.1
151	9/12/2022 15:05:19	0.1	0.1	0.1
152	9/12/2022 15:06:19	0.1	0.1	0.1
153	9/12/2022 15:07:19	0.1	0.1	0.1
154	9/12/2022 15:08:19	0.1	0.1	0.1
155	9/12/2022 15:09:19	0.1	0.1	0.1
156	9/12/2022 15:10:19	0.1	0.1	0.1
157	9/12/2022 15:11:19	0.1	0.1	0.1
158	9/12/2022 15:12:19	0.1	0.1	0.1
159	9/12/2022 15:13:19	0.1	0.1	0.1
160	9/12/2022 15:14:19	0.1	0.1	0.1
161	9/12/2022 15:15:19	0.1	0.1	0.1
162	9/12/2022 15:16:19	0.1	0.1	0.1
163	9/12/2022 15:17:19	0.1	0.1	0.1
164	9/12/2022 15:18:19	0.1	0.1	0.1
165	9/12/2022 15:19:19	0.1	0.1	0.1
166	9/12/2022 15:20:19	0.1	0.1	0.1
167	9/12/2022 15:21:19	0.1	0.1	0.1
168	9/12/2022 15:22:19	0.1	0.1	0.1
Peak		0.1	0.1	0.1
Min		0.0	0.0	0.0
Average		0.1	0.1	0.1

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)

001	9/12/2022 12:35:19	0.0	---
002	9/12/2022 12:36:19	0.0	---
003	9/12/2022 12:37:19	0.0	---
004	9/12/2022 12:38:19	0.0	---
005	9/12/2022 12:39:19	0.0	---
006	9/12/2022 12:40:19	0.0	---
007	9/12/2022 12:41:19	0.0	---
008	9/12/2022 12:42:19	0.0	---
009	9/12/2022 12:43:19	0.0	---
010	9/12/2022 12:44:19	0.0	---
011	9/12/2022 12:45:19	0.0	---
012	9/12/2022 12:46:19	0.0	---
013	9/12/2022 12:47:19	0.0	---
014	9/12/2022 12:48:19	0.0	---
015	9/12/2022 12:49:19	0.0	0.0
016	9/12/2022 12:50:19	0.0	0.0
017	9/12/2022 12:51:19	0.0	0.0
018	9/12/2022 12:52:19	0.0	0.0
019	9/12/2022 12:53:19	0.0	0.0
020	9/12/2022 12:54:19	0.0	0.0
021	9/12/2022 12:55:19	0.0	0.0
022	9/12/2022 12:56:19	0.0	0.0
023	9/12/2022 12:57:19	0.0	0.0
024	9/12/2022 12:58:19	0.0	0.0
025	9/12/2022 12:59:19	0.0	0.0
026	9/12/2022 13:00:19	0.0	0.0
027	9/12/2022 13:01:19	0.0	0.0
028	9/12/2022 13:02:19	0.0	0.0
029	9/12/2022 13:03:19	0.0	0.0
030	9/12/2022 13:04:19	0.0	0.0
031	9/12/2022 13:05:19	0.0	0.0
032	9/12/2022 13:06:19	0.0	0.0
033	9/12/2022 13:07:19	0.0	0.0
034	9/12/2022 13:08:19	0.0	0.0
035	9/12/2022 13:09:19	0.0	0.0
036	9/12/2022 13:10:19	0.0	0.0
037	9/12/2022 13:11:19	0.0	0.0
038	9/12/2022 13:12:19	0.0	0.0
039	9/12/2022 13:13:19	0.0	0.0
040	9/12/2022 13:14:19	0.0	0.0
041	9/12/2022 13:15:19	0.0	0.0
042	9/12/2022 13:16:19	0.0	0.0
043	9/12/2022 13:17:19	0.0	0.0
044	9/12/2022 13:18:19	0.0	0.0
045	9/12/2022 13:19:19	0.0	0.0
046	9/12/2022 13:20:19	0.0	0.0
047	9/12/2022 13:21:19	0.0	0.0
048	9/12/2022 13:22:19	0.0	0.0
049	9/12/2022 13:23:19	0.0	0.0
050	9/12/2022 13:24:19	0.0	0.0

051	9/12/2022 13:25:19	0.0	0.0
052	9/12/2022 13:26:19	0.0	0.0
053	9/12/2022 13:27:19	0.0	0.0
054	9/12/2022 13:28:19	0.0	0.0
055	9/12/2022 13:29:19	0.0	0.0
056	9/12/2022 13:30:19	0.0	0.0
057	9/12/2022 13:31:19	0.0	0.0
058	9/12/2022 13:32:19	0.0	0.0
059	9/12/2022 13:33:19	0.0	0.0
060	9/12/2022 13:34:19	0.0	0.0
061	9/12/2022 13:35:19	0.0	0.0
062	9/12/2022 13:36:19	0.0	0.0
063	9/12/2022 13:37:19	0.0	0.0
064	9/12/2022 13:38:19	0.0	0.0
065	9/12/2022 13:39:19	0.0	0.0
066	9/12/2022 13:40:19	0.0	0.0
067	9/12/2022 13:41:19	0.0	0.0
068	9/12/2022 13:42:19	0.0	0.0
069	9/12/2022 13:43:19	0.0	0.0
070	9/12/2022 13:44:19	0.0	0.0
071	9/12/2022 13:45:19	0.0	0.0
072	9/12/2022 13:46:19	0.0	0.0
073	9/12/2022 13:47:19	0.0	0.0
074	9/12/2022 13:48:19	0.0	0.0
075	9/12/2022 13:49:19	0.0	0.0
076	9/12/2022 13:50:19	0.0	0.0
077	9/12/2022 13:51:19	0.0	0.0
078	9/12/2022 13:52:19	0.0	0.0
079	9/12/2022 13:53:19	0.0	0.0
080	9/12/2022 13:54:19	0.0	0.0
081	9/12/2022 13:55:19	0.0	0.0
082	9/12/2022 13:56:19	0.0	0.0
083	9/12/2022 13:57:19	0.0	0.1
084	9/12/2022 13:58:19	0.0	0.1
085	9/12/2022 13:59:19	0.0	0.1
086	9/12/2022 14:00:19	0.0	0.1
087	9/12/2022 14:01:19	0.0	0.1
088	9/12/2022 14:02:19	0.0	0.1
089	9/12/2022 14:03:19	0.0	0.1
090	9/12/2022 14:04:19	0.0	0.1
091	9/12/2022 14:05:19	0.0	0.1
092	9/12/2022 14:06:19	0.0	0.1
093	9/12/2022 14:07:19	0.0	0.1
094	9/12/2022 14:08:19	0.0	0.1
095	9/12/2022 14:09:19	0.0	0.1
096	9/12/2022 14:10:19	0.0	0.1
097	9/12/2022 14:11:19	0.0	0.1
098	9/12/2022 14:12:19	0.0	0.1
099	9/12/2022 14:13:19	0.0	0.1
100	9/12/2022 14:14:19	0.0	0.1

101	9/12/2022 14:15:19	0.0	0.1
102	9/12/2022 14:16:19	0.0	0.1
103	9/12/2022 14:17:19	0.0	0.1
104	9/12/2022 14:18:19	0.0	0.1
105	9/12/2022 14:19:19	0.0	0.1
106	9/12/2022 14:20:19	0.0	0.1
107	9/12/2022 14:21:19	0.0	0.1
108	9/12/2022 14:22:19	0.0	0.1
109	9/12/2022 14:23:19	0.0	0.1
110	9/12/2022 14:24:19	0.0	0.1
111	9/12/2022 14:25:19	0.0	0.1
112	9/12/2022 14:26:19	0.0	0.1
113	9/12/2022 14:27:19	0.0	0.1
114	9/12/2022 14:28:19	0.0	0.1
115	9/12/2022 14:29:19	0.0	0.1
116	9/12/2022 14:30:19	0.0	0.1
117	9/12/2022 14:31:19	0.0	0.1
118	9/12/2022 14:32:19	0.0	0.1
119	9/12/2022 14:33:19	0.0	0.1
120	9/12/2022 14:34:19	0.0	0.1
121	9/12/2022 14:35:19	0.0	0.1
122	9/12/2022 14:36:19	0.0	0.1
123	9/12/2022 14:37:19	0.0	0.1
124	9/12/2022 14:38:19	0.0	0.1
125	9/12/2022 14:39:19	0.0	0.1
126	9/12/2022 14:40:19	0.0	0.1
127	9/12/2022 14:41:19	0.0	0.1
128	9/12/2022 14:42:19	0.0	0.1
129	9/12/2022 14:43:19	0.0	0.1
130	9/12/2022 14:44:19	0.0	0.1
131	9/12/2022 14:45:19	0.0	0.1
132	9/12/2022 14:46:19	0.0	0.1
133	9/12/2022 14:47:19	0.0	0.1
134	9/12/2022 14:48:19	0.0	0.1
135	9/12/2022 14:49:19	0.0	0.1
136	9/12/2022 14:50:19	0.0	0.1
137	9/12/2022 14:51:19	0.0	0.1
138	9/12/2022 14:52:19	0.0	0.1
139	9/12/2022 14:53:19	0.0	0.1
140	9/12/2022 14:54:19	0.0	0.1
141	9/12/2022 14:55:19	0.0	0.1
142	9/12/2022 14:56:19	0.0	0.1
143	9/12/2022 14:57:19	0.0	0.1
144	9/12/2022 14:58:19	0.0	0.1
145	9/12/2022 14:59:19	0.0	0.1
146	9/12/2022 15:00:19	0.0	0.1
147	9/12/2022 15:01:19	0.0	0.1
148	9/12/2022 15:02:19	0.0	0.1
149	9/12/2022 15:03:19	0.0	0.1
150	9/12/2022 15:04:19	0.0	0.1

151	9/12/2022 15:05:19	0.0	0.1
152	9/12/2022 15:06:19	0.0	0.1
153	9/12/2022 15:07:19	0.0	0.1
154	9/12/2022 15:08:19	0.0	0.1
155	9/12/2022 15:09:19	0.0	0.1
156	9/12/2022 15:10:19	0.0	0.1
157	9/12/2022 15:11:19	0.0	0.1
158	9/12/2022 15:12:19	0.0	0.1
159	9/12/2022 15:13:19	0.0	0.1
160	9/12/2022 15:14:19	0.0	0.1
161	9/12/2022 15:15:19	0.0	0.1
162	9/12/2022 15:16:19	0.0	0.1
163	9/12/2022 15:17:19	0.0	0.1
164	9/12/2022 15:18:19	0.0	0.1
165	9/12/2022 15:19:19	0.0	0.1
166	9/12/2022 15:20:19	0.0	0.1
167	9/12/2022 15:21:19	0.0	0.1
168	9/12/2022 15:22:19	0.0	0.1

==========

22/09/13 08:20

****

Summary

Unit Name	MiniRAE 3000 +(PGM-7320)
Unit SN	592-602497
Unit Firmware Ver	V2.22

Running Mode	Hygiene Mode
Datalog Mode	Auto
Diagnostic Mode	No
Stop Reason	Power Down

Site ID	12345678
User ID	12345678

Begin	9/13/2022 08:20:44
End	9/13/2022 13:52:12
Sample Period(s)	60
Number of Records	331

Sensor	PID(ppm)
Sensor SN	S023030190B7
Measure Type	Avg; Max; Real
Span	100.0
Span 2	1000.0
Low Alarm	50.0
High Alarm	100.0
Over Alarm	15000.0
STEL Alarm	100.0
TWA Alarm	50.0

Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.5
Min 0.0
Average 0.1

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	PID(ppm)
001	9/13/2022 08:21:44		0.0	0.0	0.0
002	9/13/2022 08:22:44		0.0	0.0	0.0
003	9/13/2022 08:23:44		0.0	0.0	0.0
004	9/13/2022 08:24:44		0.0	0.0	0.0
005	9/13/2022 08:25:44		0.0	0.0	0.0
006	9/13/2022 08:26:44		0.0	0.0	0.0
007	9/13/2022 08:27:44		0.0	0.0	0.0
008	9/13/2022 08:28:44		0.0	0.0	0.0
009	9/13/2022 08:29:44		0.0	0.0	0.0
010	9/13/2022 08:30:44		0.0	0.0	0.0
011	9/13/2022 08:31:44		0.0	0.0	0.0
012	9/13/2022 08:32:44		0.0	0.0	0.0
013	9/13/2022 08:33:44		0.0	0.0	0.0
014	9/13/2022 08:34:44		0.0	0.0	0.0
015	9/13/2022 08:35:44		0.0	0.0	0.0
016	9/13/2022 08:36:44		0.0	0.0	0.0
017	9/13/2022 08:37:44		0.0	0.0	0.0
018	9/13/2022 08:38:44		0.0	0.0	0.0
019	9/13/2022 08:39:44		0.0	0.0	0.0
020	9/13/2022 08:40:44		0.0	0.0	0.0
021	9/13/2022 08:41:44		0.0	0.0	0.0
022	9/13/2022 08:42:44		0.0	0.0	0.0
023	9/13/2022 08:43:44		0.0	0.0	0.0
024	9/13/2022 08:44:44		0.0	0.0	0.0
025	9/13/2022 08:45:44		0.0	0.0	0.0
026	9/13/2022 08:46:44		0.0	0.0	0.0
027	9/13/2022 08:47:44		0.0	0.0	0.0
028	9/13/2022 08:48:44		0.0	0.0	0.0
029	9/13/2022 08:49:44		0.0	0.0	0.0
030	9/13/2022 08:50:44		0.0	0.0	0.0
031	9/13/2022 08:51:44		0.0	0.0	0.0
032	9/13/2022 08:52:44		0.0	0.0	0.0
033	9/13/2022 08:53:44		0.0	0.0	0.0
034	9/13/2022 08:54:44		0.0	0.0	0.0
035	9/13/2022 08:55:44		0.0	0.0	0.0
036	9/13/2022 08:56:44		0.0	0.0	0.0
037	9/13/2022 08:57:44		0.0	0.0	0.0
038	9/13/2022 08:58:44		0.0	0.0	0.0
039	9/13/2022 08:59:44		0.0	0.0	0.0
040	9/13/2022 09:00:44		0.0	0.0	0.0

041	9/13/2022 09:01:44	0.0	0.0	0.0
042	9/13/2022 09:02:44	0.0	0.0	0.0
043	9/13/2022 09:03:44	0.0	0.0	0.0
044	9/13/2022 09:04:44	0.0	0.0	0.0
045	9/13/2022 09:05:44	0.0	0.0	0.0
046	9/13/2022 09:06:44	0.0	0.0	0.0
047	9/13/2022 09:07:44	0.0	0.0	0.0
048	9/13/2022 09:08:44	0.0	0.0	0.0
049	9/13/2022 09:09:44	0.0	0.0	0.0
050	9/13/2022 09:10:44	0.0	0.0	0.0
051	9/13/2022 09:11:44	0.0	0.0	0.0
052	9/13/2022 09:12:44	0.0	0.0	0.0
053	9/13/2022 09:13:44	0.0	0.0	0.0
054	9/13/2022 09:14:44	0.0	0.0	0.0
055	9/13/2022 09:15:44	0.0	0.0	0.0
056	9/13/2022 09:16:44	0.0	0.0	0.0
057	9/13/2022 09:17:44	0.0	0.0	0.0
058	9/13/2022 09:18:44	0.0	0.0	0.0
059	9/13/2022 09:19:44	0.0	0.0	0.0
060	9/13/2022 09:20:44	0.0	0.0	0.0
061	9/13/2022 09:21:44	0.0	0.0	0.0
062	9/13/2022 09:22:44	0.0	0.0	0.0
063	9/13/2022 09:23:44	0.0	0.0	0.0
064	9/13/2022 09:24:44	0.0	0.0	0.0
065	9/13/2022 09:25:44	0.0	0.0	0.0
066	9/13/2022 09:26:44	0.0	0.0	0.0
067	9/13/2022 09:27:44	0.0	0.0	0.0
068	9/13/2022 09:28:44	0.0	0.0	0.0
069	9/13/2022 09:29:44	0.0	0.0	0.0
070	9/13/2022 09:30:44	0.0	0.0	0.0
071	9/13/2022 09:31:44	0.0	0.0	0.0
072	9/13/2022 09:32:44	0.0	0.0	0.0
073	9/13/2022 09:33:44	0.0	0.0	0.0
074	9/13/2022 09:34:44	0.0	0.0	0.0
075	9/13/2022 09:35:44	0.0	0.0	0.0
076	9/13/2022 09:36:44	0.0	0.0	0.0
077	9/13/2022 09:37:44	0.0	0.0	0.0
078	9/13/2022 09:38:44	0.0	0.0	0.0
079	9/13/2022 09:39:44	0.0	0.0	0.0
080	9/13/2022 09:40:44	0.0	0.0	0.0
081	9/13/2022 09:41:44	0.0	0.0	0.0
082	9/13/2022 09:42:44	0.0	0.0	0.0
083	9/13/2022 09:43:44	0.0	0.0	0.0
084	9/13/2022 09:44:44	0.0	0.0	0.0
085	9/13/2022 09:45:44	0.0	0.0	0.0
086	9/13/2022 09:46:44	0.0	0.0	0.0
087	9/13/2022 09:47:44	0.0	0.0	0.0
088	9/13/2022 09:48:44	0.0	0.0	0.0
089	9/13/2022 09:49:44	0.0	0.0	0.0
090	9/13/2022 09:50:44	0.0	0.0	0.0

091	9/13/2022 09:51:44	0.0	0.0	0.0
092	9/13/2022 09:52:44	0.0	0.0	0.0
093	9/13/2022 09:53:44	0.0	0.0	0.0
094	9/13/2022 09:54:44	0.0	0.0	0.0
095	9/13/2022 09:55:44	0.0	0.0	0.0
096	9/13/2022 09:56:44	0.0	0.0	0.0
097	9/13/2022 09:57:44	0.0	0.0	0.0
098	9/13/2022 09:58:44	0.0	0.0	0.0
099	9/13/2022 09:59:44	0.0	0.0	0.0
100	9/13/2022 10:00:44	0.0	0.0	0.0
101	9/13/2022 10:01:44	0.0	0.0	0.0
102	9/13/2022 10:02:44	0.0	0.0	0.0
103	9/13/2022 10:03:44	0.0	0.1	0.0
104	9/13/2022 10:04:44	0.0	0.1	0.1
105	9/13/2022 10:05:44	0.0	0.1	0.1
106	9/13/2022 10:06:44	0.1	0.1	0.1
107	9/13/2022 10:07:44	0.1	0.1	0.1
108	9/13/2022 10:08:44	0.1	0.1	0.1
109	9/13/2022 10:09:44	0.1	0.1	0.1
110	9/13/2022 10:10:44	0.1	0.2	0.1
111	9/13/2022 10:11:44	0.1	0.5	0.5
112	9/13/2022 10:12:44	0.1	0.5	0.1
113	9/13/2022 10:13:44	0.1	0.1	0.1
114	9/13/2022 10:14:44	0.1	0.3	0.1
115	9/13/2022 10:15:44	0.1	0.1	0.1
116	9/13/2022 10:16:44	0.1	0.1	0.1
117	9/13/2022 10:17:44	0.1	0.1	0.1
118	9/13/2022 10:18:44	0.1	0.1	0.1
119	9/13/2022 10:19:44	0.1	0.2	0.1
120	9/13/2022 10:20:44	0.1	0.1	0.1
121	9/13/2022 10:21:44	0.1	0.2	0.1
122	9/13/2022 10:22:44	0.1	0.1	0.1
123	9/13/2022 10:23:44	0.1	0.1	0.1
124	9/13/2022 10:24:44	0.1	0.1	0.1
125	9/13/2022 10:25:44	0.1	0.1	0.1
126	9/13/2022 10:26:44	0.1	0.1	0.1
127	9/13/2022 10:27:44	0.1	0.1	0.1
128	9/13/2022 10:28:44	0.1	0.1	0.1
129	9/13/2022 10:29:44	0.1	0.2	0.1
130	9/13/2022 10:30:44	0.1	0.1	0.1
131	9/13/2022 10:31:44	0.1	0.1	0.1
132	9/13/2022 10:32:44	0.1	0.1	0.1
133	9/13/2022 10:33:44	0.1	0.1	0.1
134	9/13/2022 10:34:44	0.1	0.1	0.1
135	9/13/2022 10:35:44	0.1	0.1	0.1
136	9/13/2022 10:36:44	0.1	0.1	0.1
137	9/13/2022 10:37:44	0.1	0.1	0.1
138	9/13/2022 10:38:44	0.1	0.1	0.1
139	9/13/2022 10:39:44	0.1	0.1	0.1
140	9/13/2022 10:40:44	0.1	0.1	0.1

141	9/13/2022 10:41:44	0.1	0.1	0.1
142	9/13/2022 10:42:44	0.1	0.1	0.1
143	9/13/2022 10:43:44	0.1	0.1	0.1
144	9/13/2022 10:44:44	0.1	0.1	0.1
145	9/13/2022 10:45:44	0.1	0.1	0.1
146	9/13/2022 10:46:44	0.1	0.1	0.1
147	9/13/2022 10:47:44	0.1	0.1	0.1
148	9/13/2022 10:48:44	0.1	0.1	0.1
149	9/13/2022 10:49:44	0.1	0.1	0.1
150	9/13/2022 10:50:44	0.1	0.1	0.1
151	9/13/2022 10:51:44	0.1	0.1	0.1
152	9/13/2022 10:52:44	0.1	0.1	0.1
153	9/13/2022 10:53:44	0.1	0.1	0.1
154	9/13/2022 10:54:44	0.1	0.1	0.1
155	9/13/2022 10:55:44	0.1	0.1	0.1
156	9/13/2022 10:56:44	0.1	0.1	0.1
157	9/13/2022 10:57:44	0.1	0.1	0.1
158	9/13/2022 10:58:44	0.1	0.1	0.1
159	9/13/2022 10:59:44	0.1	0.1	0.1
160	9/13/2022 11:00:44	0.1	0.1	0.1
161	9/13/2022 11:01:44	0.1	0.1	0.1
162	9/13/2022 11:02:44	0.1	0.1	0.1
163	9/13/2022 11:03:44	0.1	0.1	0.1
164	9/13/2022 11:04:44	0.1	0.1	0.1
165	9/13/2022 11:05:44	0.1	0.1	0.1
166	9/13/2022 11:06:44	0.1	0.1	0.1
167	9/13/2022 11:07:44	0.1	0.1	0.1
168	9/13/2022 11:08:44	0.1	0.1	0.1
169	9/13/2022 11:09:44	0.1	0.1	0.1
170	9/13/2022 11:10:44	0.1	0.1	0.1
171	9/13/2022 11:11:44	0.1	0.1	0.1
172	9/13/2022 11:12:44	0.1	0.1	0.1
173	9/13/2022 11:13:44	0.1	0.2	0.1
174	9/13/2022 11:14:44	0.1	0.1	0.1
175	9/13/2022 11:15:44	0.1	0.1	0.1
176	9/13/2022 11:16:44	0.1	0.1	0.1
177	9/13/2022 11:17:44	0.1	0.1	0.1
178	9/13/2022 11:18:44	0.1	0.1	0.1
179	9/13/2022 11:19:44	0.1	0.1	0.1
180	9/13/2022 11:20:44	0.1	0.1	0.1
181	9/13/2022 11:21:44	0.1	0.1	0.1
182	9/13/2022 11:22:44	0.1	0.2	0.1
183	9/13/2022 11:23:44	0.2	0.2	0.2
184	9/13/2022 11:24:44	0.1	0.2	0.1
185	9/13/2022 11:25:44	0.1	0.2	0.2
186	9/13/2022 11:26:44	0.2	0.2	0.1
187	9/13/2022 11:27:44	0.2	0.2	0.2
188	9/13/2022 11:28:44	0.2	0.2	0.2
189	9/13/2022 11:29:44	0.2	0.2	0.2
190	9/13/2022 11:30:44	0.2	0.2	0.2

191	9/13/2022 11:31:44	0.2	0.2	0.2
192	9/13/2022 11:32:44	0.2	0.2	0.2
193	9/13/2022 11:33:44	0.2	0.2	0.2
194	9/13/2022 11:34:44	0.2	0.2	0.2
195	9/13/2022 11:35:44	0.2	0.2	0.2
196	9/13/2022 11:36:44	0.2	0.2	0.2
197	9/13/2022 11:37:44	0.2	0.2	0.2
198	9/13/2022 11:38:44	0.2	0.2	0.2
199	9/13/2022 11:39:44	0.2	0.2	0.2
200	9/13/2022 11:40:44	0.2	0.2	0.2
201	9/13/2022 11:41:44	0.2	0.2	0.2
202	9/13/2022 11:42:44	0.2	0.2	0.2
203	9/13/2022 11:43:44	0.2	0.2	0.2
204	9/13/2022 11:44:44	0.2	0.2	0.2
205	9/13/2022 11:45:44	0.2	0.2	0.2
206	9/13/2022 11:46:44	0.2	0.2	0.2
207	9/13/2022 11:47:44	0.2	0.2	0.2
208	9/13/2022 11:48:44	0.2	0.2	0.2
209	9/13/2022 11:49:44	0.2	0.2	0.2
210	9/13/2022 11:50:44	0.2	0.2	0.2
211	9/13/2022 11:51:44	0.2	0.2	0.2
212	9/13/2022 11:52:44	0.2	0.2	0.2
213	9/13/2022 11:53:44	0.2	0.2	0.2
214	9/13/2022 11:54:44	0.2	0.2	0.2
215	9/13/2022 11:55:44	0.2	0.2	0.2
216	9/13/2022 11:56:44	0.2	0.2	0.2
217	9/13/2022 11:57:44	0.2	0.2	0.2
218	9/13/2022 11:58:44	0.2	0.2	0.2
219	9/13/2022 11:59:44	0.2	0.2	0.2
220	9/13/2022 12:00:44	0.2	0.2	0.2
221	9/13/2022 12:01:44	0.2	0.2	0.2
222	9/13/2022 12:02:44	0.2	0.2	0.2
223	9/13/2022 12:03:44	0.2	0.2	0.2
224	9/13/2022 12:04:44	0.2	0.2	0.2
225	9/13/2022 12:05:44	0.2	0.2	0.2
226	9/13/2022 12:06:44	0.2	0.2	0.2
227	9/13/2022 12:07:44	0.2	0.2	0.2
228	9/13/2022 12:08:44	0.2	0.2	0.2
229	9/13/2022 12:09:44	0.2	0.2	0.2
230	9/13/2022 12:10:44	0.2	0.2	0.2
231	9/13/2022 12:11:44	0.2	0.2	0.2
232	9/13/2022 12:12:44	0.2	0.2	0.2
233	9/13/2022 12:13:44	0.2	0.2	0.2
234	9/13/2022 12:14:44	0.2	0.2	0.2
235	9/13/2022 12:15:44	0.2	0.2	0.2
236	9/13/2022 12:16:44	0.2	0.2	0.2
237	9/13/2022 12:17:44	0.2	0.2	0.2
238	9/13/2022 12:18:44	0.2	0.3	0.2
239	9/13/2022 12:19:44	0.2	0.2	0.2
240	9/13/2022 12:20:44	0.2	0.2	0.2

241	9/13/2022 12:21:44	0.2	0.2	0.2
242	9/13/2022 12:22:44	0.2	0.2	0.2
243	9/13/2022 12:23:44	0.2	0.2	0.2
244	9/13/2022 12:24:44	0.2	0.2	0.2
245	9/13/2022 12:25:44	0.2	0.2	0.2
246	9/13/2022 12:26:44	0.2	0.2	0.2
247	9/13/2022 12:27:44	0.2	0.2	0.2
248	9/13/2022 12:28:44	0.2	0.2	0.2
249	9/13/2022 12:29:44	0.2	0.2	0.2
250	9/13/2022 12:30:44	0.2	0.2	0.2
251	9/13/2022 12:31:44	0.2	0.2	0.2
252	9/13/2022 12:32:44	0.2	0.2	0.2
253	9/13/2022 12:33:44	0.2	0.2	0.2
254	9/13/2022 12:34:44	0.2	0.2	0.2
255	9/13/2022 12:35:44	0.2	0.2	0.2
256	9/13/2022 12:36:44	0.2	0.2	0.2
257	9/13/2022 12:37:44	0.2	0.2	0.2
258	9/13/2022 12:38:44	0.2	0.2	0.2
259	9/13/2022 12:39:44	0.2	0.2	0.2
260	9/13/2022 12:40:44	0.2	0.2	0.2
261	9/13/2022 12:41:44	0.2	0.2	0.2
262	9/13/2022 12:42:44	0.2	0.2	0.2
263	9/13/2022 12:43:44	0.2	0.2	0.2
264	9/13/2022 12:44:44	0.2	0.2	0.2
265	9/13/2022 12:45:44	0.2	0.2	0.2
266	9/13/2022 12:46:44	0.2	0.2	0.2
267	9/13/2022 12:47:44	0.2	0.2	0.2
268	9/13/2022 12:48:44	0.2	0.2	0.2
269	9/13/2022 12:49:44	0.2	0.2	0.2
270	9/13/2022 12:50:44	0.2	0.2	0.2
271	9/13/2022 12:51:44	0.2	0.2	0.2
272	9/13/2022 12:52:44	0.2	0.2	0.2
273	9/13/2022 12:53:44	0.2	0.2	0.2
274	9/13/2022 12:54:44	0.2	0.2	0.2
275	9/13/2022 12:55:44	0.2	0.2	0.2
276	9/13/2022 12:56:44	0.2	0.2	0.2
277	9/13/2022 12:57:44	0.2	0.2	0.2
278	9/13/2022 12:58:44	0.2	0.2	0.2
279	9/13/2022 12:59:44	0.2	0.2	0.2
280	9/13/2022 13:00:44	0.2	0.2	0.2
281	9/13/2022 13:01:44	0.2	0.2	0.2
282	9/13/2022 13:02:44	0.2	0.2	0.2
283	9/13/2022 13:03:44	0.2	0.2	0.2
284	9/13/2022 13:04:44	0.2	0.2	0.2
285	9/13/2022 13:05:44	0.2	0.2	0.2
286	9/13/2022 13:06:44	0.2	0.2	0.2
287	9/13/2022 13:07:44	0.1	0.2	0.2
288	9/13/2022 13:08:44	0.2	0.3	0.2
289	9/13/2022 13:09:44	0.2	0.2	0.2
290	9/13/2022 13:10:44	0.2	0.2	0.2

291	9/13/2022 13:11:44	0.1	0.2	0.1
292	9/13/2022 13:12:44	0.1	0.1	0.1
293	9/13/2022 13:13:44	0.1	0.2	0.1
294	9/13/2022 13:14:44	0.1	0.1	0.1
295	9/13/2022 13:15:44	0.1	0.2	0.2
296	9/13/2022 13:16:44	0.1	0.2	0.1
297	9/13/2022 13:17:44	0.1	0.2	0.1
298	9/13/2022 13:18:44	0.1	0.1	0.1
299	9/13/2022 13:19:44	0.1	0.1	0.1
300	9/13/2022 13:20:44	0.1	0.1	0.1
301	9/13/2022 13:21:44	0.1	0.1	0.1
302	9/13/2022 13:22:44	0.1	0.1	0.1
303	9/13/2022 13:23:44	0.1	0.2	0.1
304	9/13/2022 13:24:44	0.1	0.2	0.1
305	9/13/2022 13:25:44	0.1	0.1	0.1
306	9/13/2022 13:26:44	0.1	0.1	0.1
307	9/13/2022 13:27:44	0.2	0.3	0.1
308	9/13/2022 13:28:44	0.1	0.1	0.1
309	9/13/2022 13:29:44	0.1	0.1	0.1
310	9/13/2022 13:30:44	0.1	0.1	0.1
311	9/13/2022 13:31:44	0.1	0.1	0.1
312	9/13/2022 13:32:44	0.1	0.2	0.1
313	9/13/2022 13:33:44	0.1	0.1	0.1
314	9/13/2022 13:34:44	0.1	0.1	0.1
315	9/13/2022 13:35:44	0.1	0.1	0.1
316	9/13/2022 13:36:44	0.1	0.1	0.1
317	9/13/2022 13:37:44	0.1	0.1	0.1
318	9/13/2022 13:38:44	0.1	0.1	0.1
319	9/13/2022 13:39:44	0.1	0.1	0.1
320	9/13/2022 13:40:44	0.1	0.1	0.1
321	9/13/2022 13:41:44	0.1	0.1	0.1
322	9/13/2022 13:42:44	0.1	0.1	0.1
323	9/13/2022 13:43:44	0.1	0.1	0.1
324	9/13/2022 13:44:44	0.1	0.1	0.1
325	9/13/2022 13:45:44	0.1	0.1	0.1
326	9/13/2022 13:46:44	0.1	0.1	0.1
327	9/13/2022 13:47:44	0.1	0.1	0.1
328	9/13/2022 13:48:44	0.1	0.1	0.1
329	9/13/2022 13:49:44	0.1	0.1	0.1
330	9/13/2022 13:50:44	0.1	0.1	0.1
331	9/13/2022 13:51:44	0.1	0.1	0.1
Peak		0.2	0.5	0.5
Min		0.0	0.0	0.0
Average		0.1	0.1	0.1

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/13/2022 08:21:44	0.0	---

002	9/13/2022 08:22:44	0.0	---
003	9/13/2022 08:23:44	0.0	---
004	9/13/2022 08:24:44	0.0	---
005	9/13/2022 08:25:44	0.0	---
006	9/13/2022 08:26:44	0.0	---
007	9/13/2022 08:27:44	0.0	---
008	9/13/2022 08:28:44	0.0	---
009	9/13/2022 08:29:44	0.0	---
010	9/13/2022 08:30:44	0.0	---
011	9/13/2022 08:31:44	0.0	---
012	9/13/2022 08:32:44	0.0	---
013	9/13/2022 08:33:44	0.0	---
014	9/13/2022 08:34:44	0.0	---
015	9/13/2022 08:35:44	0.0	0.0
016	9/13/2022 08:36:44	0.0	0.0
017	9/13/2022 08:37:44	0.0	0.0
018	9/13/2022 08:38:44	0.0	0.0
019	9/13/2022 08:39:44	0.0	0.0
020	9/13/2022 08:40:44	0.0	0.0
021	9/13/2022 08:41:44	0.0	0.0
022	9/13/2022 08:42:44	0.0	0.0
023	9/13/2022 08:43:44	0.0	0.0
024	9/13/2022 08:44:44	0.0	0.0
025	9/13/2022 08:45:44	0.0	0.0
026	9/13/2022 08:46:44	0.0	0.0
027	9/13/2022 08:47:44	0.0	0.0
028	9/13/2022 08:48:44	0.0	0.0
029	9/13/2022 08:49:44	0.0	0.0
030	9/13/2022 08:50:44	0.0	0.0
031	9/13/2022 08:51:44	0.0	0.0
032	9/13/2022 08:52:44	0.0	0.0
033	9/13/2022 08:53:44	0.0	0.0
034	9/13/2022 08:54:44	0.0	0.0
035	9/13/2022 08:55:44	0.0	0.0
036	9/13/2022 08:56:44	0.0	0.0
037	9/13/2022 08:57:44	0.0	0.0
038	9/13/2022 08:58:44	0.0	0.0
039	9/13/2022 08:59:44	0.0	0.0
040	9/13/2022 09:00:44	0.0	0.0
041	9/13/2022 09:01:44	0.0	0.0
042	9/13/2022 09:02:44	0.0	0.0
043	9/13/2022 09:03:44	0.0	0.0
044	9/13/2022 09:04:44	0.0	0.0
045	9/13/2022 09:05:44	0.0	0.0
046	9/13/2022 09:06:44	0.0	0.0
047	9/13/2022 09:07:44	0.0	0.0
048	9/13/2022 09:08:44	0.0	0.0
049	9/13/2022 09:09:44	0.0	0.0
050	9/13/2022 09:10:44	0.0	0.0
051	9/13/2022 09:11:44	0.0	0.0

052	9/13/2022 09:12:44	0.0	0.0
053	9/13/2022 09:13:44	0.0	0.0
054	9/13/2022 09:14:44	0.0	0.0
055	9/13/2022 09:15:44	0.0	0.0
056	9/13/2022 09:16:44	0.0	0.0
057	9/13/2022 09:17:44	0.0	0.0
058	9/13/2022 09:18:44	0.0	0.0
059	9/13/2022 09:19:44	0.0	0.0
060	9/13/2022 09:20:44	0.0	0.0
061	9/13/2022 09:21:44	0.0	0.0
062	9/13/2022 09:22:44	0.0	0.0
063	9/13/2022 09:23:44	0.0	0.0
064	9/13/2022 09:24:44	0.0	0.0
065	9/13/2022 09:25:44	0.0	0.0
066	9/13/2022 09:26:44	0.0	0.0
067	9/13/2022 09:27:44	0.0	0.0
068	9/13/2022 09:28:44	0.0	0.0
069	9/13/2022 09:29:44	0.0	0.0
070	9/13/2022 09:30:44	0.0	0.0
071	9/13/2022 09:31:44	0.0	0.0
072	9/13/2022 09:32:44	0.0	0.0
073	9/13/2022 09:33:44	0.0	0.0
074	9/13/2022 09:34:44	0.0	0.0
075	9/13/2022 09:35:44	0.0	0.0
076	9/13/2022 09:36:44	0.0	0.0
077	9/13/2022 09:37:44	0.0	0.0
078	9/13/2022 09:38:44	0.0	0.0
079	9/13/2022 09:39:44	0.0	0.0
080	9/13/2022 09:40:44	0.0	0.0
081	9/13/2022 09:41:44	0.0	0.0
082	9/13/2022 09:42:44	0.0	0.0
083	9/13/2022 09:43:44	0.0	0.0
084	9/13/2022 09:44:44	0.0	0.0
085	9/13/2022 09:45:44	0.0	0.0
086	9/13/2022 09:46:44	0.0	0.0
087	9/13/2022 09:47:44	0.0	0.0
088	9/13/2022 09:48:44	0.0	0.0
089	9/13/2022 09:49:44	0.0	0.0
090	9/13/2022 09:50:44	0.0	0.0
091	9/13/2022 09:51:44	0.0	0.0
092	9/13/2022 09:52:44	0.0	0.0
093	9/13/2022 09:53:44	0.0	0.0
094	9/13/2022 09:54:44	0.0	0.0
095	9/13/2022 09:55:44	0.0	0.0
096	9/13/2022 09:56:44	0.0	0.0
097	9/13/2022 09:57:44	0.0	0.0
098	9/13/2022 09:58:44	0.0	0.0
099	9/13/2022 09:59:44	0.0	0.0
100	9/13/2022 10:00:44	0.0	0.0
101	9/13/2022 10:01:44	0.0	0.0

102	9/13/2022 10:02:44	0.0	0.0
103	9/13/2022 10:03:44	0.0	0.0
104	9/13/2022 10:04:44	0.0	0.0
105	9/13/2022 10:05:44	0.0	0.0
106	9/13/2022 10:06:44	0.0	0.0
107	9/13/2022 10:07:44	0.0	0.0
108	9/13/2022 10:08:44	0.0	0.0
109	9/13/2022 10:09:44	0.0	0.0
110	9/13/2022 10:10:44	0.0	0.0
111	9/13/2022 10:11:44	0.0	0.1
112	9/13/2022 10:12:44	0.0	0.1
113	9/13/2022 10:13:44	0.0	0.1
114	9/13/2022 10:14:44	0.0	0.1
115	9/13/2022 10:15:44	0.0	0.1
116	9/13/2022 10:16:44	0.0	0.1
117	9/13/2022 10:17:44	0.0	0.1
118	9/13/2022 10:18:44	0.0	0.1
119	9/13/2022 10:19:44	0.0	0.1
120	9/13/2022 10:20:44	0.0	0.1
121	9/13/2022 10:21:44	0.0	0.1
122	9/13/2022 10:22:44	0.0	0.1
123	9/13/2022 10:23:44	0.0	0.1
124	9/13/2022 10:24:44	0.0	0.1
125	9/13/2022 10:25:44	0.0	0.1
126	9/13/2022 10:26:44	0.0	0.1
127	9/13/2022 10:27:44	0.0	0.1
128	9/13/2022 10:28:44	0.0	0.1
129	9/13/2022 10:29:44	0.0	0.1
130	9/13/2022 10:30:44	0.0	0.1
131	9/13/2022 10:31:44	0.0	0.1
132	9/13/2022 10:32:44	0.0	0.1
133	9/13/2022 10:33:44	0.0	0.1
134	9/13/2022 10:34:44	0.0	0.1
135	9/13/2022 10:35:44	0.0	0.1
136	9/13/2022 10:36:44	0.0	0.1
137	9/13/2022 10:37:44	0.0	0.1
138	9/13/2022 10:38:44	0.0	0.1
139	9/13/2022 10:39:44	0.0	0.1
140	9/13/2022 10:40:44	0.0	0.1
141	9/13/2022 10:41:44	0.0	0.1
142	9/13/2022 10:42:44	0.0	0.1
143	9/13/2022 10:43:44	0.0	0.1
144	9/13/2022 10:44:44	0.0	0.1
145	9/13/2022 10:45:44	0.0	0.1
146	9/13/2022 10:46:44	0.0	0.1
147	9/13/2022 10:47:44	0.0	0.1
148	9/13/2022 10:48:44	0.0	0.1
149	9/13/2022 10:49:44	0.0	0.1
150	9/13/2022 10:50:44	0.0	0.1
151	9/13/2022 10:51:44	0.0	0.1

152	9/13/2022 10:52:44	0.0	0.1
153	9/13/2022 10:53:44	0.0	0.1
154	9/13/2022 10:54:44	0.0	0.1
155	9/13/2022 10:55:44	0.0	0.1
156	9/13/2022 10:56:44	0.0	0.1
157	9/13/2022 10:57:44	0.0	0.1
158	9/13/2022 10:58:44	0.0	0.1
159	9/13/2022 10:59:44	0.0	0.1
160	9/13/2022 11:00:44	0.0	0.1
161	9/13/2022 11:01:44	0.0	0.1
162	9/13/2022 11:02:44	0.0	0.1
163	9/13/2022 11:03:44	0.0	0.1
164	9/13/2022 11:04:44	0.0	0.1
165	9/13/2022 11:05:44	0.0	0.1
166	9/13/2022 11:06:44	0.0	0.1
167	9/13/2022 11:07:44	0.0	0.1
168	9/13/2022 11:08:44	0.0	0.1
169	9/13/2022 11:09:44	0.0	0.1
170	9/13/2022 11:10:44	0.0	0.1
171	9/13/2022 11:11:44	0.0	0.1
172	9/13/2022 11:12:44	0.0	0.1
173	9/13/2022 11:13:44	0.0	0.1
174	9/13/2022 11:14:44	0.0	0.1
175	9/13/2022 11:15:44	0.0	0.1
176	9/13/2022 11:16:44	0.0	0.1
177	9/13/2022 11:17:44	0.0	0.1
178	9/13/2022 11:18:44	0.0	0.1
179	9/13/2022 11:19:44	0.0	0.1
180	9/13/2022 11:20:44	0.0	0.1
181	9/13/2022 11:21:44	0.0	0.1
182	9/13/2022 11:22:44	0.0	0.1
183	9/13/2022 11:23:44	0.0	0.1
184	9/13/2022 11:24:44	0.0	0.1
185	9/13/2022 11:25:44	0.0	0.1
186	9/13/2022 11:26:44	0.0	0.1
187	9/13/2022 11:27:44	0.0	0.1
188	9/13/2022 11:28:44	0.0	0.1
189	9/13/2022 11:29:44	0.0	0.1
190	9/13/2022 11:30:44	0.0	0.1
191	9/13/2022 11:31:44	0.0	0.2
192	9/13/2022 11:32:44	0.0	0.2
193	9/13/2022 11:33:44	0.0	0.2
194	9/13/2022 11:34:44	0.0	0.2
195	9/13/2022 11:35:44	0.0	0.2
196	9/13/2022 11:36:44	0.0	0.2
197	9/13/2022 11:37:44	0.0	0.2
198	9/13/2022 11:38:44	0.0	0.2
199	9/13/2022 11:39:44	0.0	0.2
200	9/13/2022 11:40:44	0.0	0.2
201	9/13/2022 11:41:44	0.0	0.2

202	9/13/2022	11:42:44	0.0	0.2
203	9/13/2022	11:43:44	0.0	0.2
204	9/13/2022	11:44:44	0.0	0.2
205	9/13/2022	11:45:44	0.0	0.2
206	9/13/2022	11:46:44	0.0	0.2
207	9/13/2022	11:47:44	0.0	0.2
208	9/13/2022	11:48:44	0.0	0.2
209	9/13/2022	11:49:44	0.0	0.2
210	9/13/2022	11:50:44	0.0	0.2
211	9/13/2022	11:51:44	0.0	0.2
212	9/13/2022	11:52:44	0.0	0.2
213	9/13/2022	11:53:44	0.0	0.2
214	9/13/2022	11:54:44	0.0	0.2
215	9/13/2022	11:55:44	0.0	0.2
216	9/13/2022	11:56:44	0.0	0.2
217	9/13/2022	11:57:44	0.0	0.2
218	9/13/2022	11:58:44	0.0	0.2
219	9/13/2022	11:59:44	0.0	0.2
220	9/13/2022	12:00:44	0.0	0.2
221	9/13/2022	12:01:44	0.0	0.2
222	9/13/2022	12:02:44	0.0	0.2
223	9/13/2022	12:03:44	0.0	0.2
224	9/13/2022	12:04:44	0.0	0.2
225	9/13/2022	12:05:44	0.0	0.2
226	9/13/2022	12:06:44	0.0	0.2
227	9/13/2022	12:07:44	0.0	0.2
228	9/13/2022	12:08:44	0.0	0.2
229	9/13/2022	12:09:44	0.0	0.2
230	9/13/2022	12:10:44	0.0	0.2
231	9/13/2022	12:11:44	0.0	0.2
232	9/13/2022	12:12:44	0.0	0.2
233	9/13/2022	12:13:44	0.0	0.2
234	9/13/2022	12:14:44	0.0	0.2
235	9/13/2022	12:15:44	0.0	0.2
236	9/13/2022	12:16:44	0.0	0.2
237	9/13/2022	12:17:44	0.0	0.2
238	9/13/2022	12:18:44	0.0	0.2
239	9/13/2022	12:19:44	0.0	0.2
240	9/13/2022	12:20:44	0.0	0.2
241	9/13/2022	12:21:44	0.0	0.2
242	9/13/2022	12:22:44	0.0	0.2
243	9/13/2022	12:23:44	0.0	0.2
244	9/13/2022	12:24:44	0.0	0.2
245	9/13/2022	12:25:44	0.0	0.2
246	9/13/2022	12:26:44	0.0	0.2
247	9/13/2022	12:27:44	0.0	0.2
248	9/13/2022	12:28:44	0.0	0.2
249	9/13/2022	12:29:44	0.0	0.2
250	9/13/2022	12:30:44	0.0	0.2
251	9/13/2022	12:31:44	0.0	0.2

252	9/13/2022 12:32:44	0.0	0.2
253	9/13/2022 12:33:44	0.0	0.2
254	9/13/2022 12:34:44	0.0	0.2
255	9/13/2022 12:35:44	0.0	0.2
256	9/13/2022 12:36:44	0.0	0.2
257	9/13/2022 12:37:44	0.0	0.2
258	9/13/2022 12:38:44	0.0	0.2
259	9/13/2022 12:39:44	0.0	0.2
260	9/13/2022 12:40:44	0.0	0.2
261	9/13/2022 12:41:44	0.0	0.2
262	9/13/2022 12:42:44	0.1	0.2
263	9/13/2022 12:43:44	0.1	0.2
264	9/13/2022 12:44:44	0.1	0.2
265	9/13/2022 12:45:44	0.1	0.2
266	9/13/2022 12:46:44	0.1	0.2
267	9/13/2022 12:47:44	0.1	0.2
268	9/13/2022 12:48:44	0.1	0.2
269	9/13/2022 12:49:44	0.1	0.2
270	9/13/2022 12:50:44	0.1	0.2
271	9/13/2022 12:51:44	0.1	0.2
272	9/13/2022 12:52:44	0.1	0.2
273	9/13/2022 12:53:44	0.1	0.2
274	9/13/2022 12:54:44	0.1	0.2
275	9/13/2022 12:55:44	0.1	0.2
276	9/13/2022 12:56:44	0.1	0.2
277	9/13/2022 12:57:44	0.1	0.2
278	9/13/2022 12:58:44	0.1	0.2
279	9/13/2022 12:59:44	0.1	0.2
280	9/13/2022 13:00:44	0.1	0.2
281	9/13/2022 13:01:44	0.1	0.2
282	9/13/2022 13:02:44	0.1	0.2
283	9/13/2022 13:03:44	0.1	0.2
284	9/13/2022 13:04:44	0.1	0.2
285	9/13/2022 13:05:44	0.1	0.2
286	9/13/2022 13:06:44	0.1	0.2
287	9/13/2022 13:07:44	0.1	0.2
288	9/13/2022 13:08:44	0.1	0.2
289	9/13/2022 13:09:44	0.1	0.2
290	9/13/2022 13:10:44	0.1	0.2
291	9/13/2022 13:11:44	0.1	0.2
292	9/13/2022 13:12:44	0.1	0.2
293	9/13/2022 13:13:44	0.1	0.2
294	9/13/2022 13:14:44	0.1	0.2
295	9/13/2022 13:15:44	0.1	0.2
296	9/13/2022 13:16:44	0.1	0.2
297	9/13/2022 13:17:44	0.1	0.2
298	9/13/2022 13:18:44	0.1	0.2
299	9/13/2022 13:19:44	0.1	0.2
300	9/13/2022 13:20:44	0.1	0.2
301	9/13/2022 13:21:44	0.1	0.1

302	9/13/2022 13:22:44	0.1	0.1
303	9/13/2022 13:23:44	0.1	0.1
304	9/13/2022 13:24:44	0.1	0.1
305	9/13/2022 13:25:44	0.1	0.1
306	9/13/2022 13:26:44	0.1	0.1
307	9/13/2022 13:27:44	0.1	0.1
308	9/13/2022 13:28:44	0.1	0.1
309	9/13/2022 13:29:44	0.1	0.1
310	9/13/2022 13:30:44	0.1	0.1
311	9/13/2022 13:31:44	0.1	0.1
312	9/13/2022 13:32:44	0.1	0.1
313	9/13/2022 13:33:44	0.1	0.1
314	9/13/2022 13:34:44	0.1	0.1
315	9/13/2022 13:35:44	0.1	0.1
316	9/13/2022 13:36:44	0.1	0.1
317	9/13/2022 13:37:44	0.1	0.1
318	9/13/2022 13:38:44	0.1	0.1
319	9/13/2022 13:39:44	0.1	0.1
320	9/13/2022 13:40:44	0.1	0.1
321	9/13/2022 13:41:44	0.1	0.1
322	9/13/2022 13:42:44	0.1	0.1
323	9/13/2022 13:43:44	0.1	0.1
324	9/13/2022 13:44:44	0.1	0.1
325	9/13/2022 13:45:44	0.1	0.1
326	9/13/2022 13:46:44	0.1	0.1
327	9/13/2022 13:47:44	0.1	0.1
328	9/13/2022 13:48:44	0.1	0.1
329	9/13/2022 13:49:44	0.1	0.1
330	9/13/2022 13:50:44	0.1	0.1
331	9/13/2022 13:51:44	0.1	0.1

==========

22/09/20 10:34

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-602497

Unit Firmware Ver V2.22

Running Mode Hygiene Mode

Datalog Mode Auto

Diagnostic Mode No

Stop Reason Power Down

Site ID 12345678

User ID 12345678

Begin 9/20/2022 10:34:11

End 9/20/2022 14:55:26

Sample Period(s) 60

Number of Records 261

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.1
Min 0.0
Average 0.1

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
001	9/20/2022 10:35:11	0.0	0.0	0.0
002	9/20/2022 10:36:11	0.0	0.0	0.0
003	9/20/2022 10:37:11	0.0	0.0	0.0
004	9/20/2022 10:38:11	0.0	0.0	0.0
005	9/20/2022 10:39:11	0.0	0.0	0.0
006	9/20/2022 10:40:11	0.0	0.0	0.0
007	9/20/2022 10:41:11	0.0	0.0	0.0
008	9/20/2022 10:42:11	0.0	0.0	0.0
009	9/20/2022 10:43:11	0.0	0.0	0.0
010	9/20/2022 10:44:11	0.0	0.0	0.0
011	9/20/2022 10:45:11	0.0	0.0	0.0
012	9/20/2022 10:46:11	0.0	0.0	0.0
013	9/20/2022 10:47:11	0.0	0.0	0.0
014	9/20/2022 10:48:11	0.0	0.0	0.0
015	9/20/2022 10:49:11	0.0	0.0	0.0
016	9/20/2022 10:50:11	0.0	0.0	0.0
017	9/20/2022 10:51:11	0.0	0.0	0.0
018	9/20/2022 10:52:11	0.0	0.0	0.0
019	9/20/2022 10:53:11	0.0	0.0	0.0
020	9/20/2022 10:54:11	0.0	0.0	0.0
021	9/20/2022 10:55:11	0.0	0.0	0.0
022	9/20/2022 10:56:11	0.0	0.0	0.0
023	9/20/2022 10:57:11	0.0	0.0	0.0
024	9/20/2022 10:58:11	0.0	0.0	0.0
025	9/20/2022 10:59:11	0.0	0.0	0.0
026	9/20/2022 11:00:11	0.0	0.0	0.0
027	9/20/2022 11:01:11	0.0	0.0	0.0
028	9/20/2022 11:02:11	0.0	0.0	0.0

029	9/20/2022 11:03:11	0.0	0.0	0.0
030	9/20/2022 11:04:11	0.0	0.0	0.0
031	9/20/2022 11:05:11	0.0	0.0	0.0
032	9/20/2022 11:06:11	0.0	0.0	0.0
033	9/20/2022 11:07:11	0.0	0.0	0.0
034	9/20/2022 11:08:11	0.0	0.0	0.0
035	9/20/2022 11:09:11	0.0	0.0	0.0
036	9/20/2022 11:10:11	0.0	0.0	0.0
037	9/20/2022 11:11:11	0.0	0.0	0.0
038	9/20/2022 11:12:11	0.0	0.0	0.0
039	9/20/2022 11:13:11	0.0	0.0	0.0
040	9/20/2022 11:14:11	0.0	0.0	0.0
041	9/20/2022 11:15:11	0.0	0.0	0.0
042	9/20/2022 11:16:11	0.0	0.0	0.0
043	9/20/2022 11:17:11	0.0	0.0	0.0
044	9/20/2022 11:18:11	0.0	0.0	0.0
045	9/20/2022 11:19:11	0.0	0.0	0.0
046	9/20/2022 11:20:11	0.0	0.0	0.0
047	9/20/2022 11:21:11	0.0	0.0	0.0
048	9/20/2022 11:22:11	0.0	0.0	0.0
049	9/20/2022 11:23:11	0.0	0.0	0.0
050	9/20/2022 11:24:11	0.0	0.0	0.0
051	9/20/2022 11:25:11	0.0	0.0	0.0
052	9/20/2022 11:26:11	0.0	0.0	0.0
053	9/20/2022 11:27:11	0.0	0.0	0.0
054	9/20/2022 11:28:11	0.0	0.0	0.0
055	9/20/2022 11:29:11	0.0	0.0	0.0
056	9/20/2022 11:30:11	0.0	0.0	0.0
057	9/20/2022 11:31:11	0.0	0.0	0.0
058	9/20/2022 11:32:11	0.0	0.0	0.0
059	9/20/2022 11:33:11	0.0	0.0	0.0
060	9/20/2022 11:34:11	0.0	0.0	0.0
061	9/20/2022 11:35:11	0.0	0.0	0.0
062	9/20/2022 11:36:11	0.0	0.0	0.0
063	9/20/2022 11:37:11	0.0	0.1	0.1
064	9/20/2022 11:38:11	0.1	0.1	0.1
065	9/20/2022 11:39:11	0.1	0.1	0.1
066	9/20/2022 11:40:11	0.1	0.1	0.1
067	9/20/2022 11:41:11	0.1	0.1	0.1
068	9/20/2022 11:42:11	0.1	0.1	0.1
069	9/20/2022 11:43:11	0.1	0.1	0.1
070	9/20/2022 11:44:11	0.1	0.1	0.1
071	9/20/2022 11:45:11	0.1	0.1	0.1
072	9/20/2022 11:46:11	0.1	0.1	0.1
073	9/20/2022 11:47:11	0.1	0.1	0.1
074	9/20/2022 11:48:11	0.1	0.1	0.1
075	9/20/2022 11:49:11	0.1	0.1	0.1
076	9/20/2022 11:50:11	0.1	0.1	0.1
077	9/20/2022 11:51:11	0.1	0.1	0.1
078	9/20/2022 11:52:11	0.1	0.1	0.1

079	9/20/2022	11:53:11	0.1	0.1	0.1
080	9/20/2022	11:54:11	0.1	0.1	0.1
081	9/20/2022	11:55:11	0.1	0.1	0.1
082	9/20/2022	11:56:11	0.1	0.1	0.1
083	9/20/2022	11:57:11	0.1	0.1	0.1
084	9/20/2022	11:58:11	0.1	0.1	0.1
085	9/20/2022	11:59:11	0.1	0.1	0.1
086	9/20/2022	12:00:11	0.1	0.1	0.1
087	9/20/2022	12:01:11	0.1	0.1	0.1
088	9/20/2022	12:02:11	0.1	0.1	0.1
089	9/20/2022	12:03:11	0.1	0.1	0.1
090	9/20/2022	12:04:11	0.1	0.1	0.1
091	9/20/2022	12:05:11	0.1	0.1	0.1
092	9/20/2022	12:06:11	0.1	0.1	0.1
093	9/20/2022	12:07:11	0.1	0.1	0.1
094	9/20/2022	12:08:11	0.1	0.1	0.1
095	9/20/2022	12:09:11	0.1	0.1	0.1
096	9/20/2022	12:10:11	0.1	0.1	0.1
097	9/20/2022	12:11:11	0.1	0.1	0.1
098	9/20/2022	12:12:11	0.1	0.1	0.1
099	9/20/2022	12:13:11	0.1	0.1	0.1
100	9/20/2022	12:14:11	0.1	0.1	0.1
101	9/20/2022	12:15:11	0.1	0.1	0.1
102	9/20/2022	12:16:11	0.1	0.1	0.1
103	9/20/2022	12:17:11	0.1	0.1	0.1
104	9/20/2022	12:18:11	0.1	0.1	0.1
105	9/20/2022	12:19:11	0.1	0.1	0.1
106	9/20/2022	12:20:11	0.1	0.1	0.1
107	9/20/2022	12:21:11	0.1	0.1	0.1
108	9/20/2022	12:22:11	0.1	0.1	0.1
109	9/20/2022	12:23:11	0.1	0.1	0.1
110	9/20/2022	12:24:11	0.1	0.1	0.1
111	9/20/2022	12:25:11	0.1	0.1	0.1
112	9/20/2022	12:26:11	0.1	0.1	0.1
113	9/20/2022	12:27:11	0.1	0.1	0.1
114	9/20/2022	12:28:11	0.1	0.1	0.1
115	9/20/2022	12:29:11	0.1	0.1	0.1
116	9/20/2022	12:30:11	0.1	0.1	0.1
117	9/20/2022	12:31:11	0.1	0.1	0.1
118	9/20/2022	12:32:11	0.1	0.1	0.1
119	9/20/2022	12:33:11	0.1	0.1	0.1
120	9/20/2022	12:34:11	0.1	0.1	0.1
121	9/20/2022	12:35:11	0.1	0.1	0.1
122	9/20/2022	12:36:11	0.1	0.1	0.1
123	9/20/2022	12:37:11	0.1	0.1	0.1
124	9/20/2022	12:38:11	0.1	0.1	0.1
125	9/20/2022	12:39:11	0.1	0.1	0.1
126	9/20/2022	12:40:11	0.1	0.1	0.1
127	9/20/2022	12:41:11	0.1	0.1	0.1
128	9/20/2022	12:42:11	0.1	0.1	0.1

129	9/20/2022 12:43:11	0.1	0.1	0.1
130	9/20/2022 12:44:11	0.1	0.1	0.1
131	9/20/2022 12:45:11	0.1	0.1	0.1
132	9/20/2022 12:46:11	0.1	0.1	0.1
133	9/20/2022 12:47:11	0.1	0.1	0.1
134	9/20/2022 12:48:11	0.1	0.1	0.1
135	9/20/2022 12:49:11	0.1	0.1	0.1
136	9/20/2022 12:50:11	0.1	0.1	0.1
137	9/20/2022 12:51:11	0.1	0.1	0.1
138	9/20/2022 12:52:11	0.1	0.1	0.1
139	9/20/2022 12:53:11	0.1	0.1	0.1
140	9/20/2022 12:54:11	0.1	0.1	0.1
141	9/20/2022 12:55:11	0.1	0.1	0.1
142	9/20/2022 12:56:11	0.1	0.1	0.1
143	9/20/2022 12:57:11	0.1	0.1	0.1
144	9/20/2022 12:58:11	0.1	0.1	0.1
145	9/20/2022 12:59:11	0.1	0.1	0.1
146	9/20/2022 13:00:11	0.1	0.1	0.1
147	9/20/2022 13:01:11	0.1	0.1	0.1
148	9/20/2022 13:02:11	0.1	0.1	0.1
149	9/20/2022 13:03:11	0.1	0.1	0.1
150	9/20/2022 13:04:11	0.1	0.1	0.1
151	9/20/2022 13:05:11	0.1	0.1	0.1
152	9/20/2022 13:06:11	0.1	0.1	0.1
153	9/20/2022 13:07:11	0.1	0.1	0.1
154	9/20/2022 13:08:11	0.1	0.1	0.1
155	9/20/2022 13:09:11	0.1	0.1	0.1
156	9/20/2022 13:10:11	0.1	0.1	0.1
157	9/20/2022 13:11:11	0.1	0.1	0.1
158	9/20/2022 13:12:11	0.1	0.1	0.1
159	9/20/2022 13:13:11	0.1	0.1	0.1
160	9/20/2022 13:14:11	0.1	0.1	0.1
161	9/20/2022 13:15:11	0.1	0.1	0.1
162	9/20/2022 13:16:11	0.1	0.1	0.1
163	9/20/2022 13:17:11	0.1	0.1	0.1
164	9/20/2022 13:18:11	0.1	0.1	0.1
165	9/20/2022 13:19:11	0.1	0.1	0.1
166	9/20/2022 13:20:11	0.1	0.1	0.1
167	9/20/2022 13:21:11	0.1	0.1	0.1
168	9/20/2022 13:22:11	0.1	0.1	0.1
169	9/20/2022 13:23:11	0.1	0.1	0.1
170	9/20/2022 13:24:11	0.1	0.1	0.1
171	9/20/2022 13:25:11	0.1	0.1	0.1
172	9/20/2022 13:26:11	0.1	0.1	0.1
173	9/20/2022 13:27:11	0.1	0.1	0.1
174	9/20/2022 13:28:11	0.1	0.1	0.1
175	9/20/2022 13:29:11	0.1	0.1	0.1
176	9/20/2022 13:30:11	0.1	0.1	0.1
177	9/20/2022 13:31:11	0.1	0.1	0.1
178	9/20/2022 13:32:11	0.1	0.1	0.1

179	9/20/2022	13:33:11	0.1	0.1	0.1
180	9/20/2022	13:34:11	0.1	0.1	0.1
181	9/20/2022	13:35:11	0.1	0.1	0.1
182	9/20/2022	13:36:11	0.1	0.1	0.1
183	9/20/2022	13:37:11	0.1	0.1	0.1
184	9/20/2022	13:38:11	0.1	0.1	0.1
185	9/20/2022	13:39:11	0.1	0.1	0.1
186	9/20/2022	13:40:11	0.1	0.1	0.1
187	9/20/2022	13:41:11	0.1	0.1	0.1
188	9/20/2022	13:42:11	0.1	0.1	0.1
189	9/20/2022	13:43:11	0.1	0.1	0.1
190	9/20/2022	13:44:11	0.1	0.1	0.1
191	9/20/2022	13:45:11	0.1	0.1	0.1
192	9/20/2022	13:46:11	0.1	0.1	0.1
193	9/20/2022	13:47:11	0.1	0.1	0.1
194	9/20/2022	13:48:11	0.1	0.1	0.1
195	9/20/2022	13:49:11	0.1	0.1	0.1
196	9/20/2022	13:50:11	0.1	0.1	0.1
197	9/20/2022	13:51:11	0.1	0.1	0.1
198	9/20/2022	13:52:11	0.1	0.1	0.1
199	9/20/2022	13:53:11	0.1	0.1	0.1
200	9/20/2022	13:54:11	0.1	0.1	0.1
201	9/20/2022	13:55:11	0.1	0.1	0.1
202	9/20/2022	13:56:11	0.1	0.1	0.1
203	9/20/2022	13:57:11	0.1	0.1	0.1
204	9/20/2022	13:58:11	0.1	0.1	0.1
205	9/20/2022	13:59:11	0.1	0.1	0.1
206	9/20/2022	14:00:11	0.1	0.1	0.1
207	9/20/2022	14:01:11	0.1	0.1	0.1
208	9/20/2022	14:02:11	0.1	0.1	0.1
209	9/20/2022	14:03:11	0.1	0.1	0.1
210	9/20/2022	14:04:11	0.1	0.1	0.1
211	9/20/2022	14:05:11	0.1	0.1	0.1
212	9/20/2022	14:06:11	0.1	0.1	0.1
213	9/20/2022	14:07:11	0.1	0.1	0.1
214	9/20/2022	14:08:11	0.1	0.1	0.1
215	9/20/2022	14:09:11	0.1	0.1	0.1
216	9/20/2022	14:10:11	0.1	0.1	0.1
217	9/20/2022	14:11:11	0.1	0.1	0.1
218	9/20/2022	14:12:11	0.1	0.1	0.1
219	9/20/2022	14:13:11	0.1	0.1	0.1
220	9/20/2022	14:14:11	0.1	0.1	0.1
221	9/20/2022	14:15:11	0.1	0.1	0.1
222	9/20/2022	14:16:11	0.1	0.1	0.1
223	9/20/2022	14:17:11	0.1	0.1	0.1
224	9/20/2022	14:18:11	0.1	0.1	0.1
225	9/20/2022	14:19:11	0.1	0.1	0.1
226	9/20/2022	14:20:11	0.1	0.1	0.1
227	9/20/2022	14:21:11	0.1	0.1	0.1
228	9/20/2022	14:22:11	0.1	0.1	0.1

229	9/20/2022 14:23:11	0.1	0.1	0.1
230	9/20/2022 14:24:11	0.1	0.1	0.1
231	9/20/2022 14:25:11	0.1	0.1	0.1
232	9/20/2022 14:26:11	0.1	0.1	0.1
233	9/20/2022 14:27:11	0.1	0.1	0.1
234	9/20/2022 14:28:11	0.1	0.1	0.1
235	9/20/2022 14:29:11	0.1	0.1	0.1
236	9/20/2022 14:30:11	0.1	0.1	0.1
237	9/20/2022 14:31:11	0.1	0.1	0.1
238	9/20/2022 14:32:11	0.1	0.1	0.1
239	9/20/2022 14:33:11	0.1	0.1	0.1
240	9/20/2022 14:34:11	0.1	0.1	0.1
241	9/20/2022 14:35:11	0.1	0.1	0.1
242	9/20/2022 14:36:11	0.1	0.1	0.1
243	9/20/2022 14:37:11	0.1	0.1	0.1
244	9/20/2022 14:38:11	0.1	0.1	0.1
245	9/20/2022 14:39:11	0.1	0.1	0.1
246	9/20/2022 14:40:11	0.1	0.1	0.1
247	9/20/2022 14:41:11	0.1	0.1	0.1
248	9/20/2022 14:42:11	0.1	0.1	0.1
249	9/20/2022 14:43:11	0.1	0.1	0.1
250	9/20/2022 14:44:11	0.1	0.1	0.1
251	9/20/2022 14:45:11	0.1	0.1	0.1
252	9/20/2022 14:46:11	0.1	0.1	0.1
253	9/20/2022 14:47:11	0.1	0.1	0.1
254	9/20/2022 14:48:11	0.1	0.1	0.1
255	9/20/2022 14:49:11	0.1	0.1	0.1
256	9/20/2022 14:50:11	0.1	0.1	0.1
257	9/20/2022 14:51:11	0.1	0.1	0.1
258	9/20/2022 14:52:11	0.1	0.1	0.1
259	9/20/2022 14:53:11	0.1	0.1	0.1
260	9/20/2022 14:54:11	0.1	0.1	0.1
261	9/20/2022 14:55:11	0.1	0.1	0.1
Peak		0.1	0.1	0.1
Min		0.0	0.0	0.0
Average		0.1	0.1	0.1

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/20/2022 10:35:11	0.0	---
002	9/20/2022 10:36:11	0.0	---
003	9/20/2022 10:37:11	0.0	---
004	9/20/2022 10:38:11	0.0	---
005	9/20/2022 10:39:11	0.0	---
006	9/20/2022 10:40:11	0.0	---
007	9/20/2022 10:41:11	0.0	---
008	9/20/2022 10:42:11	0.0	---
009	9/20/2022 10:43:11	0.0	---

010	9/20/2022 10:44:11	0.0	---
011	9/20/2022 10:45:11	0.0	---
012	9/20/2022 10:46:11	0.0	---
013	9/20/2022 10:47:11	0.0	---
014	9/20/2022 10:48:11	0.0	---
015	9/20/2022 10:49:11	0.0	0.0
016	9/20/2022 10:50:11	0.0	0.0
017	9/20/2022 10:51:11	0.0	0.0
018	9/20/2022 10:52:11	0.0	0.0
019	9/20/2022 10:53:11	0.0	0.0
020	9/20/2022 10:54:11	0.0	0.0
021	9/20/2022 10:55:11	0.0	0.0
022	9/20/2022 10:56:11	0.0	0.0
023	9/20/2022 10:57:11	0.0	0.0
024	9/20/2022 10:58:11	0.0	0.0
025	9/20/2022 10:59:11	0.0	0.0
026	9/20/2022 11:00:11	0.0	0.0
027	9/20/2022 11:01:11	0.0	0.0
028	9/20/2022 11:02:11	0.0	0.0
029	9/20/2022 11:03:11	0.0	0.0
030	9/20/2022 11:04:11	0.0	0.0
031	9/20/2022 11:05:11	0.0	0.0
032	9/20/2022 11:06:11	0.0	0.0
033	9/20/2022 11:07:11	0.0	0.0
034	9/20/2022 11:08:11	0.0	0.0
035	9/20/2022 11:09:11	0.0	0.0
036	9/20/2022 11:10:11	0.0	0.0
037	9/20/2022 11:11:11	0.0	0.0
038	9/20/2022 11:12:11	0.0	0.0
039	9/20/2022 11:13:11	0.0	0.0
040	9/20/2022 11:14:11	0.0	0.0
041	9/20/2022 11:15:11	0.0	0.0
042	9/20/2022 11:16:11	0.0	0.0
043	9/20/2022 11:17:11	0.0	0.0
044	9/20/2022 11:18:11	0.0	0.0
045	9/20/2022 11:19:11	0.0	0.0
046	9/20/2022 11:20:11	0.0	0.0
047	9/20/2022 11:21:11	0.0	0.0
048	9/20/2022 11:22:11	0.0	0.0
049	9/20/2022 11:23:11	0.0	0.0
050	9/20/2022 11:24:11	0.0	0.0
051	9/20/2022 11:25:11	0.0	0.0
052	9/20/2022 11:26:11	0.0	0.0
053	9/20/2022 11:27:11	0.0	0.0
054	9/20/2022 11:28:11	0.0	0.0
055	9/20/2022 11:29:11	0.0	0.0
056	9/20/2022 11:30:11	0.0	0.0
057	9/20/2022 11:31:11	0.0	0.0
058	9/20/2022 11:32:11	0.0	0.0
059	9/20/2022 11:33:11	0.0	0.0

060	9/20/2022 11:34:11	0.0	0.0
061	9/20/2022 11:35:11	0.0	0.0
062	9/20/2022 11:36:11	0.0	0.0
063	9/20/2022 11:37:11	0.0	0.0
064	9/20/2022 11:38:11	0.0	0.0
065	9/20/2022 11:39:11	0.0	0.0
066	9/20/2022 11:40:11	0.0	0.0
067	9/20/2022 11:41:11	0.0	0.0
068	9/20/2022 11:42:11	0.0	0.0
069	9/20/2022 11:43:11	0.0	0.0
070	9/20/2022 11:44:11	0.0	0.1
071	9/20/2022 11:45:11	0.0	0.1
072	9/20/2022 11:46:11	0.0	0.1
073	9/20/2022 11:47:11	0.0	0.1
074	9/20/2022 11:48:11	0.0	0.1
075	9/20/2022 11:49:11	0.0	0.1
076	9/20/2022 11:50:11	0.0	0.1
077	9/20/2022 11:51:11	0.0	0.1
078	9/20/2022 11:52:11	0.0	0.1
079	9/20/2022 11:53:11	0.0	0.1
080	9/20/2022 11:54:11	0.0	0.1
081	9/20/2022 11:55:11	0.0	0.1
082	9/20/2022 11:56:11	0.0	0.1
083	9/20/2022 11:57:11	0.0	0.1
084	9/20/2022 11:58:11	0.0	0.1
085	9/20/2022 11:59:11	0.0	0.1
086	9/20/2022 12:00:11	0.0	0.1
087	9/20/2022 12:01:11	0.0	0.1
088	9/20/2022 12:02:11	0.0	0.1
089	9/20/2022 12:03:11	0.0	0.1
090	9/20/2022 12:04:11	0.0	0.1
091	9/20/2022 12:05:11	0.0	0.1
092	9/20/2022 12:06:11	0.0	0.1
093	9/20/2022 12:07:11	0.0	0.1
094	9/20/2022 12:08:11	0.0	0.1
095	9/20/2022 12:09:11	0.0	0.1
096	9/20/2022 12:10:11	0.0	0.1
097	9/20/2022 12:11:11	0.0	0.1
098	9/20/2022 12:12:11	0.0	0.1
099	9/20/2022 12:13:11	0.0	0.1
100	9/20/2022 12:14:11	0.0	0.1
101	9/20/2022 12:15:11	0.0	0.1
102	9/20/2022 12:16:11	0.0	0.1
103	9/20/2022 12:17:11	0.0	0.1
104	9/20/2022 12:18:11	0.0	0.1
105	9/20/2022 12:19:11	0.0	0.1
106	9/20/2022 12:20:11	0.0	0.1
107	9/20/2022 12:21:11	0.0	0.1
108	9/20/2022 12:22:11	0.0	0.1
109	9/20/2022 12:23:11	0.0	0.1

110	9/20/2022 12:24:11	0.0	0.1
111	9/20/2022 12:25:11	0.0	0.1
112	9/20/2022 12:26:11	0.0	0.1
113	9/20/2022 12:27:11	0.0	0.1
114	9/20/2022 12:28:11	0.0	0.1
115	9/20/2022 12:29:11	0.0	0.1
116	9/20/2022 12:30:11	0.0	0.1
117	9/20/2022 12:31:11	0.0	0.1
118	9/20/2022 12:32:11	0.0	0.1
119	9/20/2022 12:33:11	0.0	0.1
120	9/20/2022 12:34:11	0.0	0.1
121	9/20/2022 12:35:11	0.0	0.1
122	9/20/2022 12:36:11	0.0	0.1
123	9/20/2022 12:37:11	0.0	0.1
124	9/20/2022 12:38:11	0.0	0.1
125	9/20/2022 12:39:11	0.0	0.1
126	9/20/2022 12:40:11	0.0	0.1
127	9/20/2022 12:41:11	0.0	0.1
128	9/20/2022 12:42:11	0.0	0.1
129	9/20/2022 12:43:11	0.0	0.1
130	9/20/2022 12:44:11	0.0	0.1
131	9/20/2022 12:45:11	0.0	0.1
132	9/20/2022 12:46:11	0.0	0.1
133	9/20/2022 12:47:11	0.0	0.1
134	9/20/2022 12:48:11	0.0	0.1
135	9/20/2022 12:49:11	0.0	0.1
136	9/20/2022 12:50:11	0.0	0.1
137	9/20/2022 12:51:11	0.0	0.1
138	9/20/2022 12:52:11	0.0	0.1
139	9/20/2022 12:53:11	0.0	0.1
140	9/20/2022 12:54:11	0.0	0.1
141	9/20/2022 12:55:11	0.0	0.1
142	9/20/2022 12:56:11	0.0	0.1
143	9/20/2022 12:57:11	0.0	0.1
144	9/20/2022 12:58:11	0.0	0.1
145	9/20/2022 12:59:11	0.0	0.1
146	9/20/2022 13:00:11	0.0	0.1
147	9/20/2022 13:01:11	0.0	0.1
148	9/20/2022 13:02:11	0.0	0.1
149	9/20/2022 13:03:11	0.0	0.1
150	9/20/2022 13:04:11	0.0	0.1
151	9/20/2022 13:05:11	0.0	0.1
152	9/20/2022 13:06:11	0.0	0.1
153	9/20/2022 13:07:11	0.0	0.1
154	9/20/2022 13:08:11	0.0	0.1
155	9/20/2022 13:09:11	0.0	0.1
156	9/20/2022 13:10:11	0.0	0.1
157	9/20/2022 13:11:11	0.0	0.1
158	9/20/2022 13:12:11	0.0	0.1
159	9/20/2022 13:13:11	0.0	0.1

160	9/20/2022 13:14:11	0.0	0.1
161	9/20/2022 13:15:11	0.0	0.1
162	9/20/2022 13:16:11	0.0	0.1
163	9/20/2022 13:17:11	0.0	0.1
164	9/20/2022 13:18:11	0.0	0.1
165	9/20/2022 13:19:11	0.0	0.1
166	9/20/2022 13:20:11	0.0	0.1
167	9/20/2022 13:21:11	0.0	0.1
168	9/20/2022 13:22:11	0.0	0.1
169	9/20/2022 13:23:11	0.0	0.1
170	9/20/2022 13:24:11	0.0	0.1
171	9/20/2022 13:25:11	0.0	0.1
172	9/20/2022 13:26:11	0.0	0.1
173	9/20/2022 13:27:11	0.0	0.1
174	9/20/2022 13:28:11	0.0	0.1
175	9/20/2022 13:29:11	0.0	0.1
176	9/20/2022 13:30:11	0.0	0.1
177	9/20/2022 13:31:11	0.0	0.1
178	9/20/2022 13:32:11	0.0	0.1
179	9/20/2022 13:33:11	0.0	0.1
180	9/20/2022 13:34:11	0.0	0.1
181	9/20/2022 13:35:11	0.0	0.1
182	9/20/2022 13:36:11	0.0	0.1
183	9/20/2022 13:37:11	0.0	0.1
184	9/20/2022 13:38:11	0.0	0.1
185	9/20/2022 13:39:11	0.0	0.1
186	9/20/2022 13:40:11	0.0	0.1
187	9/20/2022 13:41:11	0.0	0.1
188	9/20/2022 13:42:11	0.0	0.1
189	9/20/2022 13:43:11	0.0	0.1
190	9/20/2022 13:44:11	0.0	0.1
191	9/20/2022 13:45:11	0.0	0.1
192	9/20/2022 13:46:11	0.0	0.1
193	9/20/2022 13:47:11	0.0	0.1
194	9/20/2022 13:48:11	0.0	0.1
195	9/20/2022 13:49:11	0.0	0.1
196	9/20/2022 13:50:11	0.0	0.1
197	9/20/2022 13:51:11	0.0	0.1
198	9/20/2022 13:52:11	0.0	0.1
199	9/20/2022 13:53:11	0.0	0.1
200	9/20/2022 13:54:11	0.0	0.1
201	9/20/2022 13:55:11	0.0	0.1
202	9/20/2022 13:56:11	0.0	0.1
203	9/20/2022 13:57:11	0.0	0.1
204	9/20/2022 13:58:11	0.0	0.1
205	9/20/2022 13:59:11	0.0	0.1
206	9/20/2022 14:00:11	0.0	0.1
207	9/20/2022 14:01:11	0.0	0.1
208	9/20/2022 14:02:11	0.0	0.1
209	9/20/2022 14:03:11	0.0	0.1

210	9/20/2022 14:04:11	0.0	0.1
211	9/20/2022 14:05:11	0.0	0.1
212	9/20/2022 14:06:11	0.0	0.1
213	9/20/2022 14:07:11	0.0	0.1
214	9/20/2022 14:08:11	0.0	0.1
215	9/20/2022 14:09:11	0.0	0.1
216	9/20/2022 14:10:11	0.0	0.1
217	9/20/2022 14:11:11	0.0	0.1
218	9/20/2022 14:12:11	0.0	0.1
219	9/20/2022 14:13:11	0.0	0.1
220	9/20/2022 14:14:11	0.0	0.1
221	9/20/2022 14:15:11	0.0	0.1
222	9/20/2022 14:16:11	0.0	0.1
223	9/20/2022 14:17:11	0.0	0.1
224	9/20/2022 14:18:11	0.0	0.1
225	9/20/2022 14:19:11	0.0	0.1
226	9/20/2022 14:20:11	0.0	0.1
227	9/20/2022 14:21:11	0.0	0.1
228	9/20/2022 14:22:11	0.0	0.1
229	9/20/2022 14:23:11	0.0	0.1
230	9/20/2022 14:24:11	0.0	0.1
231	9/20/2022 14:25:11	0.0	0.1
232	9/20/2022 14:26:11	0.0	0.1
233	9/20/2022 14:27:11	0.0	0.1
234	9/20/2022 14:28:11	0.0	0.1
235	9/20/2022 14:29:11	0.0	0.1
236	9/20/2022 14:30:11	0.0	0.1
237	9/20/2022 14:31:11	0.0	0.1
238	9/20/2022 14:32:11	0.0	0.1
239	9/20/2022 14:33:11	0.0	0.1
240	9/20/2022 14:34:11	0.0	0.1
241	9/20/2022 14:35:11	0.0	0.1
242	9/20/2022 14:36:11	0.0	0.1
243	9/20/2022 14:37:11	0.0	0.1
244	9/20/2022 14:38:11	0.0	0.1
245	9/20/2022 14:39:11	0.0	0.1
246	9/20/2022 14:40:11	0.0	0.1
247	9/20/2022 14:41:11	0.0	0.1
248	9/20/2022 14:42:11	0.0	0.1
249	9/20/2022 14:43:11	0.0	0.1
250	9/20/2022 14:44:11	0.0	0.1
251	9/20/2022 14:45:11	0.0	0.1
252	9/20/2022 14:46:11	0.0	0.1
253	9/20/2022 14:47:11	0.0	0.1
254	9/20/2022 14:48:11	0.0	0.1
255	9/20/2022 14:49:11	0.0	0.1
256	9/20/2022 14:50:11	0.0	0.1
257	9/20/2022 14:51:11	0.0	0.1
258	9/20/2022 14:52:11	0.0	0.1
259	9/20/2022 14:53:11	0.0	0.1

260 9/20/2022 14:54:11 0.0 0.1
261 9/20/2022 14:55:11 0.0 0.1

==========

22/09/21 11:33

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)
Unit SN 592-602497
Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 9/21/2022 11:33:30
End 9/21/2022 15:09:28
Sample Period(s) 60
Number of Records 215

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.1
Min 0.0
Average 0.1

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/21/2022 11:34:30	0.0	0.0	0.0	
002	9/21/2022 11:35:30	0.0	0.0	0.0	
003	9/21/2022 11:36:30	0.0	0.0	0.0	
004	9/21/2022 11:37:30	0.0	0.0	0.0	
005	9/21/2022 11:38:30	0.0	0.0	0.0	
006	9/21/2022 11:39:30	0.0	0.0	0.0	

007	9/21/2022 11:40:30	0.0	0.0	0.0
008	9/21/2022 11:41:30	0.0	0.0	0.0
009	9/21/2022 11:42:30	0.0	0.0	0.0
010	9/21/2022 11:43:30	0.0	0.0	0.0
011	9/21/2022 11:44:30	0.0	0.0	0.0
012	9/21/2022 11:45:30	0.0	0.0	0.0
013	9/21/2022 11:46:30	0.0	0.0	0.0
014	9/21/2022 11:47:30	0.0	0.0	0.0
015	9/21/2022 11:48:30	0.0	0.0	0.0
016	9/21/2022 11:49:30	0.0	0.0	0.0
017	9/21/2022 11:50:30	0.0	0.0	0.0
018	9/21/2022 11:51:30	0.0	0.0	0.0
019	9/21/2022 11:52:30	0.0	0.0	0.0
020	9/21/2022 11:53:30	0.0	0.0	0.0
021	9/21/2022 11:54:30	0.0	0.0	0.0
022	9/21/2022 11:55:30	0.0	0.0	0.0
023	9/21/2022 11:56:30	0.0	0.0	0.0
024	9/21/2022 11:57:30	0.0	0.0	0.0
025	9/21/2022 11:58:30	0.0	0.0	0.0
026	9/21/2022 11:59:30	0.0	0.0	0.0
027	9/21/2022 12:00:30	0.0	0.0	0.0
028	9/21/2022 12:01:30	0.0	0.0	0.0
029	9/21/2022 12:02:30	0.0	0.0	0.0
030	9/21/2022 12:03:30	0.0	0.0	0.0
031	9/21/2022 12:04:30	0.0	0.0	0.0
032	9/21/2022 12:05:30	0.0	0.0	0.0
033	9/21/2022 12:06:30	0.0	0.0	0.0
034	9/21/2022 12:07:30	0.0	0.0	0.0
035	9/21/2022 12:08:30	0.0	0.0	0.0
036	9/21/2022 12:09:30	0.1	0.1	0.1
037	9/21/2022 12:10:30	0.1	0.1	0.1
038	9/21/2022 12:11:30	0.1	0.1	0.1
039	9/21/2022 12:12:30	0.1	0.1	0.1
040	9/21/2022 12:13:30	0.1	0.1	0.1
041	9/21/2022 12:14:30	0.1	0.1	0.1
042	9/21/2022 12:15:30	0.1	0.1	0.1
043	9/21/2022 12:16:30	0.1	0.1	0.1
044	9/21/2022 12:17:30	0.1	0.1	0.1
045	9/21/2022 12:18:30	0.1	0.1	0.1
046	9/21/2022 12:19:30	0.1	0.1	0.1
047	9/21/2022 12:20:30	0.1	0.1	0.1
048	9/21/2022 12:21:30	0.1	0.1	0.1
049	9/21/2022 12:22:30	0.1	0.1	0.1
050	9/21/2022 12:23:30	0.1	0.1	0.1
051	9/21/2022 12:24:30	0.1	0.1	0.1
052	9/21/2022 12:25:30	0.1	0.1	0.1
053	9/21/2022 12:26:30	0.1	0.1	0.1
054	9/21/2022 12:27:30	0.1	0.1	0.1
055	9/21/2022 12:28:30	0.1	0.1	0.1
056	9/21/2022 12:29:30	0.1	0.1	0.1

057	9/21/2022 12:30:30	0.1	0.1	0.1
058	9/21/2022 12:31:30	0.1	0.1	0.1
059	9/21/2022 12:32:30	0.1	0.1	0.1
060	9/21/2022 12:33:30	0.1	0.1	0.1
061	9/21/2022 12:34:30	0.1	0.1	0.1
062	9/21/2022 12:35:30	0.1	0.1	0.1
063	9/21/2022 12:36:30	0.1	0.1	0.1
064	9/21/2022 12:37:30	0.1	0.1	0.1
065	9/21/2022 12:38:30	0.1	0.1	0.1
066	9/21/2022 12:39:30	0.1	0.1	0.1
067	9/21/2022 12:40:30	0.1	0.1	0.1
068	9/21/2022 12:41:30	0.1	0.1	0.1
069	9/21/2022 12:42:30	0.1	0.1	0.1
070	9/21/2022 12:43:30	0.1	0.1	0.1
071	9/21/2022 12:44:30	0.1	0.1	0.1
072	9/21/2022 12:45:30	0.1	0.1	0.1
073	9/21/2022 12:46:30	0.1	0.1	0.1
074	9/21/2022 12:47:30	0.1	0.1	0.1
075	9/21/2022 12:48:30	0.1	0.1	0.1
076	9/21/2022 12:49:30	0.1	0.1	0.1
077	9/21/2022 12:50:30	0.1	0.1	0.1
078	9/21/2022 12:51:30	0.1	0.1	0.1
079	9/21/2022 12:52:30	0.1	0.1	0.1
080	9/21/2022 12:53:30	0.1	0.1	0.1
081	9/21/2022 12:54:30	0.1	0.1	0.1
082	9/21/2022 12:55:30	0.1	0.1	0.1
083	9/21/2022 12:56:30	0.1	0.2	0.1
084	9/21/2022 12:57:30	0.1	0.1	0.1
085	9/21/2022 12:58:30	0.1	0.1	0.1
086	9/21/2022 12:59:30	0.1	0.1	0.1
087	9/21/2022 13:00:30	0.1	0.1	0.1
088	9/21/2022 13:01:30	0.1	0.1	0.1
089	9/21/2022 13:02:30	0.1	0.1	0.1
090	9/21/2022 13:03:30	0.1	0.1	0.1
091	9/21/2022 13:04:30	0.1	0.1	0.1
092	9/21/2022 13:05:30	0.1	0.1	0.1
093	9/21/2022 13:06:30	0.1	0.1	0.1
094	9/21/2022 13:07:30	0.1	0.1	0.1
095	9/21/2022 13:08:30	0.1	0.1	0.1
096	9/21/2022 13:09:30	0.1	0.1	0.1
097	9/21/2022 13:10:30	0.1	0.1	0.1
098	9/21/2022 13:11:30	0.1	0.1	0.1
099	9/21/2022 13:12:30	0.1	0.1	0.1
100	9/21/2022 13:13:30	0.1	0.1	0.1
101	9/21/2022 13:14:30	0.1	0.1	0.1
102	9/21/2022 13:15:30	0.1	0.1	0.1
103	9/21/2022 13:16:30	0.1	0.1	0.1
104	9/21/2022 13:17:30	0.1	0.1	0.1
105	9/21/2022 13:18:30	0.1	0.1	0.1
106	9/21/2022 13:19:30	0.1	0.1	0.1

107	9/21/2022 13:20:30	0.1	0.1	0.1
108	9/21/2022 13:21:30	0.1	0.1	0.1
109	9/21/2022 13:22:30	0.1	0.1	0.1
110	9/21/2022 13:23:30	0.1	0.1	0.1
111	9/21/2022 13:24:30	0.1	0.1	0.1
112	9/21/2022 13:25:30	0.1	0.1	0.1
113	9/21/2022 13:26:30	0.1	0.1	0.1
114	9/21/2022 13:27:30	0.1	0.1	0.1
115	9/21/2022 13:28:30	0.1	0.1	0.1
116	9/21/2022 13:29:30	0.1	0.1	0.1
117	9/21/2022 13:30:30	0.1	0.1	0.1
118	9/21/2022 13:31:30	0.1	0.1	0.1
119	9/21/2022 13:32:30	0.1	0.1	0.1
120	9/21/2022 13:33:30	0.1	0.1	0.1
121	9/21/2022 13:34:30	0.1	0.1	0.1
122	9/21/2022 13:35:30	0.1	0.1	0.1
123	9/21/2022 13:36:30	0.1	0.1	0.1
124	9/21/2022 13:37:30	0.1	0.1	0.1
125	9/21/2022 13:38:30	0.1	0.1	0.1
126	9/21/2022 13:39:30	0.1	0.1	0.1
127	9/21/2022 13:40:30	0.1	0.1	0.1
128	9/21/2022 13:41:30	0.1	0.1	0.1
129	9/21/2022 13:42:30	0.1	0.1	0.1
130	9/21/2022 13:43:30	0.1	0.1	0.1
131	9/21/2022 13:44:30	0.1	0.1	0.1
132	9/21/2022 13:45:30	0.1	0.1	0.1
133	9/21/2022 13:46:30	0.1	0.1	0.1
134	9/21/2022 13:47:30	0.1	0.1	0.1
135	9/21/2022 13:48:30	0.1	0.1	0.1
136	9/21/2022 13:49:30	0.1	0.1	0.1
137	9/21/2022 13:50:30	0.1	0.1	0.1
138	9/21/2022 13:51:30	0.1	0.1	0.1
139	9/21/2022 13:52:30	0.1	0.1	0.1
140	9/21/2022 13:53:30	0.1	0.1	0.1
141	9/21/2022 13:54:30	0.1	0.1	0.1
142	9/21/2022 13:55:30	0.1	0.1	0.1
143	9/21/2022 13:56:30	0.1	0.1	0.1
144	9/21/2022 13:57:30	0.1	0.1	0.1
145	9/21/2022 13:58:30	0.1	0.1	0.1
146	9/21/2022 13:59:30	0.1	0.1	0.1
147	9/21/2022 14:00:30	0.1	0.2	0.1
148	9/21/2022 14:01:30	0.1	0.1	0.1
149	9/21/2022 14:02:30	0.1	0.1	0.1
150	9/21/2022 14:03:30	0.1	0.1	0.1
151	9/21/2022 14:04:30	0.1	0.1	0.1
152	9/21/2022 14:05:30	0.1	0.1	0.1
153	9/21/2022 14:06:30	0.1	0.1	0.1
154	9/21/2022 14:07:30	0.1	0.1	0.1
155	9/21/2022 14:08:30	0.1	0.1	0.1
156	9/21/2022 14:09:30	0.1	0.1	0.1

157	9/21/2022	14:10:30	0.1	0.1	0.1
158	9/21/2022	14:11:30	0.1	0.1	0.1
159	9/21/2022	14:12:30	0.1	0.1	0.1
160	9/21/2022	14:13:30	0.1	0.1	0.1
161	9/21/2022	14:14:30	0.1	0.1	0.1
162	9/21/2022	14:15:30	0.1	0.1	0.1
163	9/21/2022	14:16:30	0.1	0.1	0.1
164	9/21/2022	14:17:30	0.1	0.1	0.1
165	9/21/2022	14:18:30	0.1	0.1	0.1
166	9/21/2022	14:19:30	0.1	0.1	0.1
167	9/21/2022	14:20:30	0.1	0.1	0.1
168	9/21/2022	14:21:30	0.1	0.1	0.1
169	9/21/2022	14:22:30	0.1	0.1	0.1
170	9/21/2022	14:23:30	0.1	0.1	0.1
171	9/21/2022	14:24:30	0.1	0.1	0.1
172	9/21/2022	14:25:30	0.1	0.1	0.1
173	9/21/2022	14:26:30	0.1	0.1	0.1
174	9/21/2022	14:27:30	0.1	0.1	0.1
175	9/21/2022	14:28:30	0.1	0.1	0.1
176	9/21/2022	14:29:30	0.1	0.1	0.1
177	9/21/2022	14:30:30	0.1	0.1	0.1
178	9/21/2022	14:31:30	0.1	0.1	0.1
179	9/21/2022	14:32:30	0.1	0.1	0.1
180	9/21/2022	14:33:30	0.1	0.1	0.1
181	9/21/2022	14:34:30	0.1	0.1	0.1
182	9/21/2022	14:35:30	0.1	0.1	0.1
183	9/21/2022	14:36:30	0.1	0.1	0.1
184	9/21/2022	14:37:30	0.1	0.1	0.1
185	9/21/2022	14:38:30	0.1	0.1	0.1
186	9/21/2022	14:39:30	0.1	0.1	0.1
187	9/21/2022	14:40:30	0.1	0.1	0.1
188	9/21/2022	14:41:30	0.1	0.1	0.1
189	9/21/2022	14:42:30	0.1	0.1	0.1
190	9/21/2022	14:43:30	0.1	0.1	0.1
191	9/21/2022	14:44:30	0.1	0.1	0.1
192	9/21/2022	14:45:30	0.1	0.1	0.1
193	9/21/2022	14:46:30	0.1	0.1	0.1
194	9/21/2022	14:47:30	0.1	0.1	0.1
195	9/21/2022	14:48:30	0.1	0.1	0.1
196	9/21/2022	14:49:30	0.1	0.1	0.1
197	9/21/2022	14:50:30	0.1	0.1	0.1
198	9/21/2022	14:51:30	0.1	0.1	0.1
199	9/21/2022	14:52:30	0.1	0.1	0.1
200	9/21/2022	14:53:30	0.1	0.1	0.1
201	9/21/2022	14:54:30	0.1	0.1	0.1
202	9/21/2022	14:55:30	0.1	0.1	0.1
203	9/21/2022	14:56:30	0.1	0.1	0.1
204	9/21/2022	14:57:30	0.1	0.1	0.1
205	9/21/2022	14:58:30	0.1	0.1	0.1
206	9/21/2022	14:59:30	0.1	0.1	0.1

207	9/21/2022 15:00:30	0.1	0.1	0.1
208	9/21/2022 15:01:30	0.1	0.1	0.1
209	9/21/2022 15:02:30	0.1	0.1	0.1
210	9/21/2022 15:03:30	0.1	0.1	0.1
211	9/21/2022 15:04:30	0.1	0.1	0.1
212	9/21/2022 15:05:30	0.1	0.1	0.1
213	9/21/2022 15:06:30	0.1	0.1	0.1
214	9/21/2022 15:07:30	0.1	0.1	0.1
215	9/21/2022 15:08:30	0.1	0.1	0.1
Peak		0.1	0.2	0.1
Min		0.0	0.0	0.0
Average		0.1	0.1	0.1

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)	
001	9/21/2022 11:34:30	0.0	---	
002	9/21/2022 11:35:30	0.0	---	
003	9/21/2022 11:36:30	0.0	---	
004	9/21/2022 11:37:30	0.0	---	
005	9/21/2022 11:38:30	0.0	---	
006	9/21/2022 11:39:30	0.0	---	
007	9/21/2022 11:40:30	0.0	---	
008	9/21/2022 11:41:30	0.0	---	
009	9/21/2022 11:42:30	0.0	---	
010	9/21/2022 11:43:30	0.0	---	
011	9/21/2022 11:44:30	0.0	---	
012	9/21/2022 11:45:30	0.0	---	
013	9/21/2022 11:46:30	0.0	---	
014	9/21/2022 11:47:30	0.0	---	
015	9/21/2022 11:48:30	0.0	0.0	
016	9/21/2022 11:49:30	0.0	0.0	
017	9/21/2022 11:50:30	0.0	0.0	
018	9/21/2022 11:51:30	0.0	0.0	
019	9/21/2022 11:52:30	0.0	0.0	
020	9/21/2022 11:53:30	0.0	0.0	
021	9/21/2022 11:54:30	0.0	0.0	
022	9/21/2022 11:55:30	0.0	0.0	
023	9/21/2022 11:56:30	0.0	0.0	
024	9/21/2022 11:57:30	0.0	0.0	
025	9/21/2022 11:58:30	0.0	0.0	
026	9/21/2022 11:59:30	0.0	0.0	
027	9/21/2022 12:00:30	0.0	0.0	
028	9/21/2022 12:01:30	0.0	0.0	
029	9/21/2022 12:02:30	0.0	0.0	
030	9/21/2022 12:03:30	0.0	0.0	
031	9/21/2022 12:04:30	0.0	0.0	
032	9/21/2022 12:05:30	0.0	0.0	
033	9/21/2022 12:06:30	0.0	0.0	

034	9/21/2022 12:07:30	0.0	0.0
035	9/21/2022 12:08:30	0.0	0.0
036	9/21/2022 12:09:30	0.0	0.0
037	9/21/2022 12:10:30	0.0	0.0
038	9/21/2022 12:11:30	0.0	0.0
039	9/21/2022 12:12:30	0.0	0.0
040	9/21/2022 12:13:30	0.0	0.0
041	9/21/2022 12:14:30	0.0	0.0
042	9/21/2022 12:15:30	0.0	0.0
043	9/21/2022 12:16:30	0.0	0.1
044	9/21/2022 12:17:30	0.0	0.1
045	9/21/2022 12:18:30	0.0	0.1
046	9/21/2022 12:19:30	0.0	0.1
047	9/21/2022 12:20:30	0.0	0.1
048	9/21/2022 12:21:30	0.0	0.1
049	9/21/2022 12:22:30	0.0	0.1
050	9/21/2022 12:23:30	0.0	0.1
051	9/21/2022 12:24:30	0.0	0.1
052	9/21/2022 12:25:30	0.0	0.1
053	9/21/2022 12:26:30	0.0	0.1
054	9/21/2022 12:27:30	0.0	0.1
055	9/21/2022 12:28:30	0.0	0.1
056	9/21/2022 12:29:30	0.0	0.1
057	9/21/2022 12:30:30	0.0	0.1
058	9/21/2022 12:31:30	0.0	0.1
059	9/21/2022 12:32:30	0.0	0.1
060	9/21/2022 12:33:30	0.0	0.1
061	9/21/2022 12:34:30	0.0	0.1
062	9/21/2022 12:35:30	0.0	0.1
063	9/21/2022 12:36:30	0.0	0.1
064	9/21/2022 12:37:30	0.0	0.1
065	9/21/2022 12:38:30	0.0	0.1
066	9/21/2022 12:39:30	0.0	0.1
067	9/21/2022 12:40:30	0.0	0.1
068	9/21/2022 12:41:30	0.0	0.1
069	9/21/2022 12:42:30	0.0	0.1
070	9/21/2022 12:43:30	0.0	0.1
071	9/21/2022 12:44:30	0.0	0.1
072	9/21/2022 12:45:30	0.0	0.1
073	9/21/2022 12:46:30	0.0	0.1
074	9/21/2022 12:47:30	0.0	0.1
075	9/21/2022 12:48:30	0.0	0.1
076	9/21/2022 12:49:30	0.0	0.1
077	9/21/2022 12:50:30	0.0	0.1
078	9/21/2022 12:51:30	0.0	0.1
079	9/21/2022 12:52:30	0.0	0.1
080	9/21/2022 12:53:30	0.0	0.1
081	9/21/2022 12:54:30	0.0	0.1
082	9/21/2022 12:55:30	0.0	0.1
083	9/21/2022 12:56:30	0.0	0.1

084	9/21/2022 12:57:30	0.0	0.1
085	9/21/2022 12:58:30	0.0	0.1
086	9/21/2022 12:59:30	0.0	0.1
087	9/21/2022 13:00:30	0.0	0.1
088	9/21/2022 13:01:30	0.0	0.1
089	9/21/2022 13:02:30	0.0	0.1
090	9/21/2022 13:03:30	0.0	0.1
091	9/21/2022 13:04:30	0.0	0.1
092	9/21/2022 13:05:30	0.0	0.1
093	9/21/2022 13:06:30	0.0	0.1
094	9/21/2022 13:07:30	0.0	0.1
095	9/21/2022 13:08:30	0.0	0.1
096	9/21/2022 13:09:30	0.0	0.1
097	9/21/2022 13:10:30	0.0	0.1
098	9/21/2022 13:11:30	0.0	0.1
099	9/21/2022 13:12:30	0.0	0.1
100	9/21/2022 13:13:30	0.0	0.1
101	9/21/2022 13:14:30	0.0	0.1
102	9/21/2022 13:15:30	0.0	0.1
103	9/21/2022 13:16:30	0.0	0.1
104	9/21/2022 13:17:30	0.0	0.1
105	9/21/2022 13:18:30	0.0	0.1
106	9/21/2022 13:19:30	0.0	0.1
107	9/21/2022 13:20:30	0.0	0.1
108	9/21/2022 13:21:30	0.0	0.1
109	9/21/2022 13:22:30	0.0	0.1
110	9/21/2022 13:23:30	0.0	0.1
111	9/21/2022 13:24:30	0.0	0.1
112	9/21/2022 13:25:30	0.0	0.1
113	9/21/2022 13:26:30	0.0	0.1
114	9/21/2022 13:27:30	0.0	0.1
115	9/21/2022 13:28:30	0.0	0.1
116	9/21/2022 13:29:30	0.0	0.1
117	9/21/2022 13:30:30	0.0	0.1
118	9/21/2022 13:31:30	0.0	0.1
119	9/21/2022 13:32:30	0.0	0.1
120	9/21/2022 13:33:30	0.0	0.1
121	9/21/2022 13:34:30	0.0	0.1
122	9/21/2022 13:35:30	0.0	0.1
123	9/21/2022 13:36:30	0.0	0.1
124	9/21/2022 13:37:30	0.0	0.1
125	9/21/2022 13:38:30	0.0	0.1
126	9/21/2022 13:39:30	0.0	0.1
127	9/21/2022 13:40:30	0.0	0.1
128	9/21/2022 13:41:30	0.0	0.1
129	9/21/2022 13:42:30	0.0	0.1
130	9/21/2022 13:43:30	0.0	0.1
131	9/21/2022 13:44:30	0.0	0.1
132	9/21/2022 13:45:30	0.0	0.1
133	9/21/2022 13:46:30	0.0	0.1

134	9/21/2022 13:47:30	0.0	0.1
135	9/21/2022 13:48:30	0.0	0.1
136	9/21/2022 13:49:30	0.0	0.1
137	9/21/2022 13:50:30	0.0	0.1
138	9/21/2022 13:51:30	0.0	0.1
139	9/21/2022 13:52:30	0.0	0.1
140	9/21/2022 13:53:30	0.0	0.1
141	9/21/2022 13:54:30	0.0	0.1
142	9/21/2022 13:55:30	0.0	0.1
143	9/21/2022 13:56:30	0.0	0.1
144	9/21/2022 13:57:30	0.0	0.1
145	9/21/2022 13:58:30	0.0	0.1
146	9/21/2022 13:59:30	0.0	0.1
147	9/21/2022 14:00:30	0.0	0.1
148	9/21/2022 14:01:30	0.0	0.1
149	9/21/2022 14:02:30	0.0	0.1
150	9/21/2022 14:03:30	0.0	0.1
151	9/21/2022 14:04:30	0.0	0.1
152	9/21/2022 14:05:30	0.0	0.1
153	9/21/2022 14:06:30	0.0	0.1
154	9/21/2022 14:07:30	0.0	0.1
155	9/21/2022 14:08:30	0.0	0.1
156	9/21/2022 14:09:30	0.0	0.1
157	9/21/2022 14:10:30	0.0	0.1
158	9/21/2022 14:11:30	0.0	0.1
159	9/21/2022 14:12:30	0.0	0.1
160	9/21/2022 14:13:30	0.0	0.1
161	9/21/2022 14:14:30	0.0	0.1
162	9/21/2022 14:15:30	0.0	0.1
163	9/21/2022 14:16:30	0.0	0.1
164	9/21/2022 14:17:30	0.0	0.1
165	9/21/2022 14:18:30	0.0	0.1
166	9/21/2022 14:19:30	0.0	0.1
167	9/21/2022 14:20:30	0.0	0.1
168	9/21/2022 14:21:30	0.0	0.1
169	9/21/2022 14:22:30	0.0	0.1
170	9/21/2022 14:23:30	0.0	0.1
171	9/21/2022 14:24:30	0.0	0.1
172	9/21/2022 14:25:30	0.0	0.1
173	9/21/2022 14:26:30	0.0	0.1
174	9/21/2022 14:27:30	0.0	0.1
175	9/21/2022 14:28:30	0.0	0.1
176	9/21/2022 14:29:30	0.0	0.1
177	9/21/2022 14:30:30	0.0	0.1
178	9/21/2022 14:31:30	0.0	0.1
179	9/21/2022 14:32:30	0.0	0.1
180	9/21/2022 14:33:30	0.0	0.1
181	9/21/2022 14:34:30	0.0	0.1
182	9/21/2022 14:35:30	0.0	0.1
183	9/21/2022 14:36:30	0.0	0.1

184	9/21/2022 14:37:30	0.0	0.1
185	9/21/2022 14:38:30	0.0	0.1
186	9/21/2022 14:39:30	0.0	0.1
187	9/21/2022 14:40:30	0.0	0.1
188	9/21/2022 14:41:30	0.0	0.1
189	9/21/2022 14:42:30	0.0	0.1
190	9/21/2022 14:43:30	0.0	0.1
191	9/21/2022 14:44:30	0.0	0.1
192	9/21/2022 14:45:30	0.0	0.1
193	9/21/2022 14:46:30	0.0	0.1
194	9/21/2022 14:47:30	0.0	0.1
195	9/21/2022 14:48:30	0.0	0.1
196	9/21/2022 14:49:30	0.0	0.1
197	9/21/2022 14:50:30	0.0	0.1
198	9/21/2022 14:51:30	0.0	0.1
199	9/21/2022 14:52:30	0.0	0.1
200	9/21/2022 14:53:30	0.0	0.1
201	9/21/2022 14:54:30	0.0	0.1
202	9/21/2022 14:55:30	0.0	0.1
203	9/21/2022 14:56:30	0.0	0.1
204	9/21/2022 14:57:30	0.0	0.1
205	9/21/2022 14:58:30	0.0	0.1
206	9/21/2022 14:59:30	0.0	0.1
207	9/21/2022 15:00:30	0.0	0.1
208	9/21/2022 15:01:30	0.0	0.1
209	9/21/2022 15:02:30	0.0	0.1
210	9/21/2022 15:03:30	0.0	0.1
211	9/21/2022 15:04:30	0.0	0.1
212	9/21/2022 15:05:30	0.0	0.1
213	9/21/2022 15:06:30	0.0	0.1
214	9/21/2022 15:07:30	0.0	0.1
215	9/21/2022 15:08:30	0.0	0.1

==========

22/09/22 08:04

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-602497

Unit Firmware Ver V2.22

Running Mode Hygiene Mode

Datalog Mode Auto

Diagnostic Mode No

Stop Reason Power Down

Site ID 12345678

User ID 12345678

Begin 9/22/2022 08:04:18

End 9/22/2022 15:39:35
Sample Period(s) 60
Number of Records 455

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.2
Min 0.0
Average 0.0

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	PID(ppm)
001	9/22/2022 08:05:18		0.0	0.0	0.0
002	9/22/2022 08:06:18		0.0	0.0	0.0
003	9/22/2022 08:07:18		0.0	0.0	0.0
004	9/22/2022 08:08:18		0.0	0.0	0.0
005	9/22/2022 08:09:18		0.0	0.0	0.0
006	9/22/2022 08:10:18		0.0	0.0	0.0
007	9/22/2022 08:11:18		0.0	0.0	0.0
008	9/22/2022 08:12:18		0.0	0.0	0.0
009	9/22/2022 08:13:18		0.0	0.0	0.0
010	9/22/2022 08:14:18		0.0	0.0	0.0
011	9/22/2022 08:15:18		0.0	0.0	0.0
012	9/22/2022 08:16:18		0.0	0.0	0.0
013	9/22/2022 08:17:18		0.0	0.0	0.0
014	9/22/2022 08:18:18		0.0	0.0	0.0
015	9/22/2022 08:19:18		0.0	0.0	0.0
016	9/22/2022 08:20:18		0.0	0.0	0.0
017	9/22/2022 08:21:18		0.0	0.0	0.0
018	9/22/2022 08:22:18		0.0	0.0	0.0
019	9/22/2022 08:23:18		0.0	0.0	0.0
020	9/22/2022 08:24:18		0.0	0.0	0.0
021	9/22/2022 08:25:18		0.0	0.0	0.0
022	9/22/2022 08:26:18		0.0	0.0	0.0
023	9/22/2022 08:27:18		0.0	0.0	0.0
024	9/22/2022 08:28:18		0.0	0.0	0.0
025	9/22/2022 08:29:18		0.0	0.0	0.0
026	9/22/2022 08:30:18		0.0	0.0	0.0

027	9/22/2022	08:31:18	0.0	0.0	0.0
028	9/22/2022	08:32:18	0.0	0.0	0.0
029	9/22/2022	08:33:18	0.0	0.0	0.0
030	9/22/2022	08:34:18	0.0	0.0	0.0
031	9/22/2022	08:35:18	0.0	0.0	0.0
032	9/22/2022	08:36:18	0.0	0.0	0.0
033	9/22/2022	08:37:18	0.0	0.0	0.0
034	9/22/2022	08:38:18	0.0	0.0	0.0
035	9/22/2022	08:39:18	0.0	0.0	0.0
036	9/22/2022	08:40:18	0.0	0.0	0.0
037	9/22/2022	08:41:18	0.0	0.0	0.0
038	9/22/2022	08:42:18	0.0	0.0	0.0
039	9/22/2022	08:43:18	0.0	0.0	0.0
040	9/22/2022	08:44:18	0.0	0.0	0.0
041	9/22/2022	08:45:18	0.0	0.0	0.0
042	9/22/2022	08:46:18	0.0	0.0	0.0
043	9/22/2022	08:47:18	0.0	0.0	0.0
044	9/22/2022	08:48:18	0.0	0.0	0.0
045	9/22/2022	08:49:18	0.0	0.0	0.0
046	9/22/2022	08:50:18	0.0	0.0	0.0
047	9/22/2022	08:51:18	0.0	0.0	0.0
048	9/22/2022	08:52:18	0.0	0.0	0.0
049	9/22/2022	08:53:18	0.0	0.0	0.0
050	9/22/2022	08:54:18	0.0	0.0	0.0
051	9/22/2022	08:55:18	0.0	0.0	0.0
052	9/22/2022	08:56:18	0.0	0.0	0.0
053	9/22/2022	08:57:18	0.0	0.0	0.0
054	9/22/2022	08:58:18	0.0	0.0	0.0
055	9/22/2022	08:59:18	0.0	0.0	0.0
056	9/22/2022	09:00:18	0.0	0.0	0.0
057	9/22/2022	09:01:18	0.0	0.0	0.0
058	9/22/2022	09:02:18	0.0	0.0	0.0
059	9/22/2022	09:03:18	0.0	0.0	0.0
060	9/22/2022	09:04:18	0.0	0.0	0.0
061	9/22/2022	09:05:18	0.0	0.0	0.0
062	9/22/2022	09:06:18	0.0	0.0	0.0
063	9/22/2022	09:07:18	0.0	0.0	0.0
064	9/22/2022	09:08:18	0.0	0.0	0.0
065	9/22/2022	09:09:18	0.0	0.0	0.0
066	9/22/2022	09:10:18	0.0	0.0	0.0
067	9/22/2022	09:11:18	0.0	0.0	0.0
068	9/22/2022	09:12:18	0.0	0.0	0.0
069	9/22/2022	09:13:18	0.0	0.0	0.0
070	9/22/2022	09:14:18	0.0	0.0	0.0
071	9/22/2022	09:15:18	0.0	0.0	0.0
072	9/22/2022	09:16:18	0.0	0.0	0.0
073	9/22/2022	09:17:18	0.0	0.0	0.0
074	9/22/2022	09:18:18	0.0	0.0	0.0
075	9/22/2022	09:19:18	0.0	0.0	0.0
076	9/22/2022	09:20:18	0.0	0.0	0.0

077	9/22/2022 09:21:18	0.0	0.0	0.0
078	9/22/2022 09:22:18	0.0	0.0	0.0
079	9/22/2022 09:23:18	0.0	0.0	0.0
080	9/22/2022 09:24:18	0.0	0.0	0.0
081	9/22/2022 09:25:18	0.0	0.0	0.0
082	9/22/2022 09:26:18	0.0	0.0	0.0
083	9/22/2022 09:27:18	0.0	0.0	0.0
084	9/22/2022 09:28:18	0.0	0.0	0.0
085	9/22/2022 09:29:18	0.0	0.0	0.0
086	9/22/2022 09:30:18	0.0	0.1	0.0
087	9/22/2022 09:31:18	0.0	0.0	0.0
088	9/22/2022 09:32:18	0.0	0.0	0.0
089	9/22/2022 09:33:18	0.0	0.0	0.0
090	9/22/2022 09:34:18	0.0	0.0	0.0
091	9/22/2022 09:35:18	0.0	0.0	0.0
092	9/22/2022 09:36:18	0.0	0.0	0.0
093	9/22/2022 09:37:18	0.0	0.0	0.0
094	9/22/2022 09:38:18	0.0	0.0	0.0
095	9/22/2022 09:39:18	0.0	0.0	0.0
096	9/22/2022 09:40:18	0.0	0.0	0.0
097	9/22/2022 09:41:18	0.0	0.0	0.0
098	9/22/2022 09:42:18	0.0	0.0	0.0
099	9/22/2022 09:43:18	0.0	0.0	0.0
100	9/22/2022 09:44:18	0.0	0.0	0.0
101	9/22/2022 09:45:18	0.0	0.0	0.0
102	9/22/2022 09:46:18	0.0	0.0	0.0
103	9/22/2022 09:47:18	0.0	0.0	0.0
104	9/22/2022 09:48:18	0.0	0.0	0.0
105	9/22/2022 09:49:18	0.0	0.0	0.0
106	9/22/2022 09:50:18	0.0	0.1	0.0
107	9/22/2022 09:51:18	0.0	0.0	0.0
108	9/22/2022 09:52:18	0.0	0.1	0.0
109	9/22/2022 09:53:18	0.0	0.0	0.0
110	9/22/2022 09:54:18	0.0	0.0	0.0
111	9/22/2022 09:55:18	0.0	0.0	0.0
112	9/22/2022 09:56:18	0.0	0.0	0.0
113	9/22/2022 09:57:18	0.0	0.0	0.0
114	9/22/2022 09:58:18	0.0	0.0	0.0
115	9/22/2022 09:59:18	0.0	0.0	0.0
116	9/22/2022 10:00:18	0.0	0.0	0.0
117	9/22/2022 10:01:18	0.0	0.0	0.0
118	9/22/2022 10:02:18	0.0	0.0	0.0
119	9/22/2022 10:03:18	0.0	0.0	0.0
120	9/22/2022 10:04:18	0.0	0.0	0.0
121	9/22/2022 10:05:18	0.0	0.0	0.0
122	9/22/2022 10:06:18	0.0	0.0	0.0
123	9/22/2022 10:07:18	0.0	0.0	0.0
124	9/22/2022 10:08:18	0.0	0.0	0.0
125	9/22/2022 10:09:18	0.0	0.0	0.0
126	9/22/2022 10:10:18	0.0	0.0	0.0

127	9/22/2022 10:11:18	0.0	0.0	0.0
128	9/22/2022 10:12:18	0.0	0.0	0.0
129	9/22/2022 10:13:18	0.0	0.0	0.0
130	9/22/2022 10:14:18	0.0	0.0	0.0
131	9/22/2022 10:15:18	0.0	0.0	0.0
132	9/22/2022 10:16:18	0.0	0.0	0.0
133	9/22/2022 10:17:18	0.0	0.0	0.0
134	9/22/2022 10:18:18	0.0	0.0	0.0
135	9/22/2022 10:19:18	0.0	0.0	0.0
136	9/22/2022 10:20:18	0.0	0.0	0.0
137	9/22/2022 10:21:18	0.0	0.0	0.0
138	9/22/2022 10:22:18	0.0	0.0	0.0
139	9/22/2022 10:23:18	0.0	0.0	0.0
140	9/22/2022 10:24:18	0.0	0.0	0.0
141	9/22/2022 10:25:18	0.0	0.0	0.0
142	9/22/2022 10:26:18	0.0	0.0	0.0
143	9/22/2022 10:27:18	0.0	0.0	0.0
144	9/22/2022 10:28:18	0.0	0.0	0.0
145	9/22/2022 10:29:18	0.0	0.0	0.0
146	9/22/2022 10:30:18	0.0	0.0	0.0
147	9/22/2022 10:31:18	0.0	0.0	0.0
148	9/22/2022 10:32:18	0.0	0.0	0.0
149	9/22/2022 10:33:18	0.0	0.0	0.0
150	9/22/2022 10:34:18	0.0	0.0	0.0
151	9/22/2022 10:35:18	0.0	0.0	0.0
152	9/22/2022 10:36:18	0.0	0.0	0.0
153	9/22/2022 10:37:18	0.0	0.0	0.0
154	9/22/2022 10:38:18	0.0	0.0	0.0
155	9/22/2022 10:39:18	0.0	0.0	0.0
156	9/22/2022 10:40:18	0.0	0.0	0.0
157	9/22/2022 10:41:18	0.0	0.0	0.0
158	9/22/2022 10:42:18	0.0	0.0	0.0
159	9/22/2022 10:43:18	0.0	0.0	0.0
160	9/22/2022 10:44:18	0.0	0.0	0.0
161	9/22/2022 10:45:18	0.0	0.0	0.0
162	9/22/2022 10:46:18	0.0	0.0	0.0
163	9/22/2022 10:47:18	0.0	0.0	0.0
164	9/22/2022 10:48:18	0.0	0.0	0.0
165	9/22/2022 10:49:18	0.0	0.0	0.0
166	9/22/2022 10:50:18	0.0	0.0	0.0
167	9/22/2022 10:51:18	0.0	0.0	0.0
168	9/22/2022 10:52:18	0.0	0.0	0.0
169	9/22/2022 10:53:18	0.0	0.0	0.0
170	9/22/2022 10:54:18	0.1	0.2	0.0
171	9/22/2022 10:55:18	0.0	0.0	0.0
172	9/22/2022 10:56:18	0.0	0.0	0.0
173	9/22/2022 10:57:18	0.0	0.0	0.0
174	9/22/2022 10:58:18	0.0	0.0	0.0
175	9/22/2022 10:59:18	0.0	0.0	0.0
176	9/22/2022 11:00:18	0.0	0.0	0.0

177	9/22/2022 11:01:18	0.0	0.0	0.0
178	9/22/2022 11:02:18	0.0	0.0	0.0
179	9/22/2022 11:03:18	0.0	0.0	0.0
180	9/22/2022 11:04:18	0.0	0.0	0.0
181	9/22/2022 11:05:18	0.0	0.0	0.0
182	9/22/2022 11:06:18	0.0	0.0	0.0
183	9/22/2022 11:07:18	0.0	0.0	0.0
184	9/22/2022 11:08:18	0.0	0.0	0.0
185	9/22/2022 11:09:18	0.0	0.0	0.0
186	9/22/2022 11:10:18	0.0	0.0	0.0
187	9/22/2022 11:11:18	0.0	0.0	0.0
188	9/22/2022 11:12:18	0.0	0.0	0.0
189	9/22/2022 11:13:18	0.0	0.0	0.0
190	9/22/2022 11:14:18	0.0	0.0	0.0
191	9/22/2022 11:15:18	0.0	0.0	0.0
192	9/22/2022 11:16:18	0.0	0.0	0.0
193	9/22/2022 11:17:18	0.0	0.0	0.0
194	9/22/2022 11:18:18	0.0	0.0	0.0
195	9/22/2022 11:19:18	0.0	0.0	0.0
196	9/22/2022 11:20:18	0.0	0.0	0.0
197	9/22/2022 11:21:18	0.0	0.0	0.0
198	9/22/2022 11:22:18	0.0	0.1	0.0
199	9/22/2022 11:23:18	0.0	0.0	0.0
200	9/22/2022 11:24:18	0.0	0.0	0.0
201	9/22/2022 11:25:18	0.1	0.3	0.2
202	9/22/2022 11:26:18	0.1	0.4	0.1
203	9/22/2022 11:27:18	0.0	0.1	0.0
204	9/22/2022 11:28:18	0.0	0.2	0.1
205	9/22/2022 11:29:18	0.0	0.1	0.1
206	9/22/2022 11:30:18	0.0	0.1	0.0
207	9/22/2022 11:31:18	0.0	0.0	0.0
208	9/22/2022 11:32:18	0.0	0.0	0.0
209	9/22/2022 11:33:18	0.0	0.0	0.0
210	9/22/2022 11:34:18	0.0	0.0	0.0
211	9/22/2022 11:35:18	0.0	0.0	0.0
212	9/22/2022 11:36:18	0.0	0.0	0.0
213	9/22/2022 11:37:18	0.0	0.0	0.0
214	9/22/2022 11:38:18	0.0	0.0	0.0
215	9/22/2022 11:39:18	0.0	0.0	0.0
216	9/22/2022 11:40:18	0.0	0.0	0.0
217	9/22/2022 11:41:18	0.0	0.0	0.0
218	9/22/2022 11:42:18	0.0	0.1	0.0
219	9/22/2022 11:43:18	0.0	0.0	0.0
220	9/22/2022 11:44:18	0.0	0.0	0.0
221	9/22/2022 11:45:18	0.0	0.0	0.0
222	9/22/2022 11:46:18	0.0	0.0	0.0
223	9/22/2022 11:47:18	0.0	0.0	0.0
224	9/22/2022 11:48:18	0.0	0.0	0.0
225	9/22/2022 11:49:18	0.0	0.0	0.0
226	9/22/2022 11:50:18	0.0	0.0	0.0

227	9/22/2022 11:51:18	0.0	0.0	0.0
228	9/22/2022 11:52:18	0.0	0.0	0.0
229	9/22/2022 11:53:18	0.0	0.0	0.0
230	9/22/2022 11:54:18	0.0	0.1	0.1
231	9/22/2022 11:55:18	0.0	0.2	0.0
232	9/22/2022 11:56:18	0.0	0.0	0.0
233	9/22/2022 11:57:18	0.0	0.4	0.0
234	9/22/2022 11:58:18	0.0	0.0	0.0
235	9/22/2022 11:59:18	0.0	0.1	0.0
236	9/22/2022 12:00:18	0.0	0.1	0.0
237	9/22/2022 12:01:18	0.0	0.0	0.0
238	9/22/2022 12:02:18	0.0	0.1	0.0
239	9/22/2022 12:03:18	0.0	0.0	0.0
240	9/22/2022 12:04:18	0.0	0.1	0.0
241	9/22/2022 12:05:18	0.0	0.2	0.0
242	9/22/2022 12:06:18	0.0	0.0	0.0
243	9/22/2022 12:07:18	0.0	0.0	0.0
244	9/22/2022 12:08:18	0.0	0.0	0.0
245	9/22/2022 12:09:18	0.0	0.1	0.0
246	9/22/2022 12:10:18	0.0	0.0	0.0
247	9/22/2022 12:11:18	0.0	0.0	0.0
248	9/22/2022 12:12:18	0.0	0.0	0.0
249	9/22/2022 12:13:18	0.0	0.0	0.0
250	9/22/2022 12:14:18	0.0	0.0	0.0
251	9/22/2022 12:15:18	0.0	0.0	0.0
252	9/22/2022 12:16:18	0.0	0.0	0.0
253	9/22/2022 12:17:18	0.0	0.0	0.0
254	9/22/2022 12:18:18	0.0	0.0	0.0
255	9/22/2022 12:19:18	0.0	0.0	0.0
256	9/22/2022 12:20:18	0.0	0.0	0.0
257	9/22/2022 12:21:18	0.0	0.0	0.0
258	9/22/2022 12:22:18	0.0	0.0	0.0
259	9/22/2022 12:23:18	0.0	0.0	0.0
260	9/22/2022 12:24:18	0.0	0.0	0.0
261	9/22/2022 12:25:18	0.0	0.0	0.0
262	9/22/2022 12:26:18	0.0	0.0	0.0
263	9/22/2022 12:27:18	0.0	0.0	0.0
264	9/22/2022 12:28:18	0.0	0.0	0.0
265	9/22/2022 12:29:18	0.0	0.0	0.0
266	9/22/2022 12:30:18	0.0	0.0	0.0
267	9/22/2022 12:31:18	0.0	0.0	0.0
268	9/22/2022 12:32:18	0.0	0.0	0.0
269	9/22/2022 12:33:18	0.0	0.0	0.0
270	9/22/2022 12:34:18	0.0	0.0	0.0
271	9/22/2022 12:35:18	0.0	0.1	0.0
272	9/22/2022 12:36:18	0.0	0.0	0.0
273	9/22/2022 12:37:18	0.0	0.0	0.0
274	9/22/2022 12:38:18	0.0	0.0	0.0
275	9/22/2022 12:39:18	0.0	0.0	0.0
276	9/22/2022 12:40:18	0.0	0.0	0.0

277	9/22/2022 12:41:18	0.0	0.0	0.0
278	9/22/2022 12:42:18	0.0	0.1	0.0
279	9/22/2022 12:43:18	0.0	0.0	0.0
280	9/22/2022 12:44:18	0.0	0.0	0.0
281	9/22/2022 12:45:18	0.0	0.0	0.0
282	9/22/2022 12:46:18	0.0	0.0	0.0
283	9/22/2022 12:47:18	0.0	0.0	0.0
284	9/22/2022 12:48:18	0.0	0.0	0.0
285	9/22/2022 12:49:18	0.0	0.0	0.0
286	9/22/2022 12:50:18	0.0	0.0	0.0
287	9/22/2022 12:51:18	0.0	0.0	0.0
288	9/22/2022 12:52:18	0.0	0.1	0.0
289	9/22/2022 12:53:18	0.0	0.0	0.0
290	9/22/2022 12:54:18	0.0	0.0	0.0
291	9/22/2022 12:55:18	0.0	0.0	0.0
292	9/22/2022 12:56:18	0.0	0.0	0.0
293	9/22/2022 12:57:18	0.0	0.0	0.0
294	9/22/2022 12:58:18	0.0	0.0	0.0
295	9/22/2022 12:59:18	0.0	0.0	0.0
296	9/22/2022 13:00:18	0.0	0.0	0.0
297	9/22/2022 13:01:18	0.0	0.0	0.0
298	9/22/2022 13:02:18	0.0	0.0	0.0
299	9/22/2022 13:03:18	0.0	0.0	0.0
300	9/22/2022 13:04:18	0.0	0.0	0.0
301	9/22/2022 13:05:18	0.0	0.0	0.0
302	9/22/2022 13:06:18	0.0	0.0	0.0
303	9/22/2022 13:07:18	0.0	0.0	0.0
304	9/22/2022 13:08:18	0.0	0.0	0.0
305	9/22/2022 13:09:18	0.0	0.0	0.0
306	9/22/2022 13:10:18	0.0	0.0	0.0
307	9/22/2022 13:11:18	0.0	0.0	0.0
308	9/22/2022 13:12:18	0.0	0.0	0.0
309	9/22/2022 13:13:18	0.0	0.0	0.0
310	9/22/2022 13:14:18	0.0	0.0	0.0
311	9/22/2022 13:15:18	0.0	0.0	0.0
312	9/22/2022 13:16:18	0.0	0.0	0.0
313	9/22/2022 13:17:18	0.0	0.0	0.0
314	9/22/2022 13:18:18	0.0	0.0	0.0
315	9/22/2022 13:19:18	0.0	0.0	0.0
316	9/22/2022 13:20:18	0.0	0.0	0.0
317	9/22/2022 13:21:18	0.0	0.0	0.0
318	9/22/2022 13:22:18	0.0	0.0	0.0
319	9/22/2022 13:23:18	0.0	0.0	0.0
320	9/22/2022 13:24:18	0.0	0.0	0.0
321	9/22/2022 13:25:18	0.0	0.0	0.0
322	9/22/2022 13:26:18	0.0	0.0	0.0
323	9/22/2022 13:27:18	0.0	0.0	0.0
324	9/22/2022 13:28:18	0.0	0.0	0.0
325	9/22/2022 13:29:18	0.0	0.0	0.0
326	9/22/2022 13:30:18	0.0	0.0	0.0

327	9/22/2022 13:31:18	0.0	0.0	0.0
328	9/22/2022 13:32:18	0.0	0.0	0.0
329	9/22/2022 13:33:18	0.1	0.2	0.0
330	9/22/2022 13:34:18	0.0	0.0	0.0
331	9/22/2022 13:35:18	0.0	0.0	0.0
332	9/22/2022 13:36:18	0.0	0.0	0.0
333	9/22/2022 13:37:18	0.0	0.0	0.0
334	9/22/2022 13:38:18	0.0	0.1	0.0
335	9/22/2022 13:39:18	0.0	0.0	0.0
336	9/22/2022 13:40:18	0.0	0.0	0.0
337	9/22/2022 13:41:18	0.0	0.0	0.0
338	9/22/2022 13:42:18	0.0	0.1	0.0
339	9/22/2022 13:43:18	0.0	0.1	0.1
340	9/22/2022 13:44:18	0.0	0.1	0.0
341	9/22/2022 13:45:18	0.0	0.1	0.0
342	9/22/2022 13:46:18	0.0	0.1	0.0
343	9/22/2022 13:47:18	0.0	0.1	0.0
344	9/22/2022 13:48:18	0.0	0.0	0.0
345	9/22/2022 13:49:18	0.0	0.0	0.0
346	9/22/2022 13:50:18	0.0	0.0	0.0
347	9/22/2022 13:51:18	0.0	0.0	0.0
348	9/22/2022 13:52:18	0.0	0.0	0.0
349	9/22/2022 13:53:18	0.0	0.1	0.0
350	9/22/2022 13:54:18	0.0	0.1	0.0
351	9/22/2022 13:55:18	0.0	0.1	0.0
352	9/22/2022 13:56:18	0.0	0.0	0.0
353	9/22/2022 13:57:18	0.0	0.0	0.0
354	9/22/2022 13:58:18	0.0	0.1	0.1
355	9/22/2022 13:59:18	0.0	0.1	0.0
356	9/22/2022 14:00:18	0.0	0.0	0.0
357	9/22/2022 14:01:18	0.0	0.0	0.0
358	9/22/2022 14:02:18	0.0	0.0	0.0
359	9/22/2022 14:03:18	0.0	0.0	0.0
360	9/22/2022 14:04:18	0.0	0.0	0.0
361	9/22/2022 14:05:18	0.0	0.0	0.0
362	9/22/2022 14:06:18	0.0	0.0	0.0
363	9/22/2022 14:07:18	0.0	0.0	0.0
364	9/22/2022 14:08:18	0.0	0.0	0.0
365	9/22/2022 14:09:18	0.0	0.0	0.0
366	9/22/2022 14:10:18	0.0	0.1	0.0
367	9/22/2022 14:11:18	0.0	0.0	0.0
368	9/22/2022 14:12:18	0.0	0.1	0.0
369	9/22/2022 14:13:18	0.0	0.0	0.0
370	9/22/2022 14:14:18	0.0	0.0	0.0
371	9/22/2022 14:15:18	0.0	0.1	0.0
372	9/22/2022 14:16:18	0.0	0.0	0.0
373	9/22/2022 14:17:18	0.0	0.0	0.0
374	9/22/2022 14:18:18	0.0	0.0	0.0
375	9/22/2022 14:19:18	0.0	0.0	0.0
376	9/22/2022 14:20:18	0.0	0.0	0.0

377	9/22/2022 14:21:18	0.0	0.0	0.0
378	9/22/2022 14:22:18	0.0	0.0	0.0
379	9/22/2022 14:23:18	0.0	0.0	0.0
380	9/22/2022 14:24:18	0.0	0.0	0.0
381	9/22/2022 14:25:18	0.0	0.0	0.0
382	9/22/2022 14:26:18	0.0	0.0	0.0
383	9/22/2022 14:27:18	0.0	0.0	0.0
384	9/22/2022 14:28:18	0.0	0.1	0.0
385	9/22/2022 14:29:18	0.0	0.0	0.0
386	9/22/2022 14:30:18	0.0	0.0	0.0
387	9/22/2022 14:31:18	0.0	0.0	0.0
388	9/22/2022 14:32:18	0.0	0.0	0.0
389	9/22/2022 14:33:18	0.0	0.0	0.0
390	9/22/2022 14:34:18	0.0	0.0	0.0
391	9/22/2022 14:35:18	0.0	0.1	0.0
392	9/22/2022 14:36:18	0.0	0.0	0.0
393	9/22/2022 14:37:18	0.0	0.0	0.0
394	9/22/2022 14:38:18	0.0	0.0	0.0
395	9/22/2022 14:39:18	0.0	0.0	0.0
396	9/22/2022 14:40:18	0.0	0.0	0.0
397	9/22/2022 14:41:18	0.0	0.0	0.0
398	9/22/2022 14:42:18	0.0	0.0	0.0
399	9/22/2022 14:43:18	0.0	0.0	0.0
400	9/22/2022 14:44:18	0.0	0.0	0.0
401	9/22/2022 14:45:18	0.0	0.0	0.0
402	9/22/2022 14:46:18	0.0	0.0	0.0
403	9/22/2022 14:47:18	0.0	0.1	0.0
404	9/22/2022 14:48:18	0.0	0.0	0.0
405	9/22/2022 14:49:18	0.0	0.1	0.0
406	9/22/2022 14:50:18	0.0	0.0	0.0
407	9/22/2022 14:51:18	0.0	0.0	0.0
408	9/22/2022 14:52:18	0.0	0.0	0.0
409	9/22/2022 14:53:18	0.0	0.0	0.0
410	9/22/2022 14:54:18	0.0	0.1	0.0
411	9/22/2022 14:55:18	0.0	0.0	0.0
412	9/22/2022 14:56:18	0.0	0.0	0.0
413	9/22/2022 14:57:18	0.0	0.1	0.0
414	9/22/2022 14:58:18	0.0	0.0	0.0
415	9/22/2022 14:59:18	0.0	0.0	0.0
416	9/22/2022 15:00:18	0.0	0.0	0.0
417	9/22/2022 15:01:18	0.0	0.0	0.0
418	9/22/2022 15:02:18	0.0	0.0	0.0
419	9/22/2022 15:03:18	0.0	0.0	0.0
420	9/22/2022 15:04:18	0.0	0.0	0.0
421	9/22/2022 15:05:18	0.0	0.0	0.0
422	9/22/2022 15:06:18	0.0	0.0	0.0
423	9/22/2022 15:07:18	0.0	0.0	0.0
424	9/22/2022 15:08:18	0.0	0.0	0.0
425	9/22/2022 15:09:18	0.0	0.0	0.0
426	9/22/2022 15:10:18	0.0	0.0	0.0

427	9/22/2022	15:11:18	0.0	0.0	0.0
428	9/22/2022	15:12:18	0.0	0.0	0.0
429	9/22/2022	15:13:18	0.0	0.0	0.0
430	9/22/2022	15:14:18	0.0	0.0	0.0
431	9/22/2022	15:15:18	0.0	0.0	0.0
432	9/22/2022	15:16:18	0.0	0.0	0.0
433	9/22/2022	15:17:18	0.0	0.0	0.0
434	9/22/2022	15:18:18	0.0	0.0	0.0
435	9/22/2022	15:19:18	0.0	0.0	0.0
436	9/22/2022	15:20:18	0.0	0.0	0.0
437	9/22/2022	15:21:18	0.0	0.0	0.0
438	9/22/2022	15:22:18	0.0	0.0	0.0
439	9/22/2022	15:23:18	0.0	0.0	0.0
440	9/22/2022	15:24:18	0.0	0.0	0.0
441	9/22/2022	15:25:18	0.0	0.0	0.0
442	9/22/2022	15:26:18	0.0	0.0	0.0
443	9/22/2022	15:27:18	0.0	0.0	0.0
444	9/22/2022	15:28:18	0.0	0.0	0.0
445	9/22/2022	15:29:18	0.0	0.0	0.0
446	9/22/2022	15:30:18	0.0	0.0	0.0
447	9/22/2022	15:31:18	0.0	0.0	0.0
448	9/22/2022	15:32:18	0.0	0.0	0.0
449	9/22/2022	15:33:18	0.0	0.0	0.0
450	9/22/2022	15:34:18	0.0	0.0	0.0
451	9/22/2022	15:35:18	0.0	0.0	0.0
452	9/22/2022	15:36:18	0.0	0.0	0.0
453	9/22/2022	15:37:18	0.0	0.0	0.0
454	9/22/2022	15:38:18	0.0	0.0	0.0
455	9/22/2022	15:39:18	0.0	0.0	0.0
Peak			0.1	0.4	0.2
Min			0.0	0.0	0.0
Average			0.0	0.0	0.0

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/22/2022 08:05:18	0.0	---
002	9/22/2022 08:06:18	0.0	---
003	9/22/2022 08:07:18	0.0	---
004	9/22/2022 08:08:18	0.0	---
005	9/22/2022 08:09:18	0.0	---
006	9/22/2022 08:10:18	0.0	---
007	9/22/2022 08:11:18	0.0	---
008	9/22/2022 08:12:18	0.0	---
009	9/22/2022 08:13:18	0.0	---
010	9/22/2022 08:14:18	0.0	---
011	9/22/2022 08:15:18	0.0	---
012	9/22/2022 08:16:18	0.0	---
013	9/22/2022 08:17:18	0.0	---

014	9/22/2022 08:18:18	0.0	---
015	9/22/2022 08:19:18	0.0	0.0
016	9/22/2022 08:20:18	0.0	0.0
017	9/22/2022 08:21:18	0.0	0.0
018	9/22/2022 08:22:18	0.0	0.0
019	9/22/2022 08:23:18	0.0	0.0
020	9/22/2022 08:24:18	0.0	0.0
021	9/22/2022 08:25:18	0.0	0.0
022	9/22/2022 08:26:18	0.0	0.0
023	9/22/2022 08:27:18	0.0	0.0
024	9/22/2022 08:28:18	0.0	0.0
025	9/22/2022 08:29:18	0.0	0.0
026	9/22/2022 08:30:18	0.0	0.0
027	9/22/2022 08:31:18	0.0	0.0
028	9/22/2022 08:32:18	0.0	0.0
029	9/22/2022 08:33:18	0.0	0.0
030	9/22/2022 08:34:18	0.0	0.0
031	9/22/2022 08:35:18	0.0	0.0
032	9/22/2022 08:36:18	0.0	0.0
033	9/22/2022 08:37:18	0.0	0.0
034	9/22/2022 08:38:18	0.0	0.0
035	9/22/2022 08:39:18	0.0	0.0
036	9/22/2022 08:40:18	0.0	0.0
037	9/22/2022 08:41:18	0.0	0.0
038	9/22/2022 08:42:18	0.0	0.0
039	9/22/2022 08:43:18	0.0	0.0
040	9/22/2022 08:44:18	0.0	0.0
041	9/22/2022 08:45:18	0.0	0.0
042	9/22/2022 08:46:18	0.0	0.0
043	9/22/2022 08:47:18	0.0	0.0
044	9/22/2022 08:48:18	0.0	0.0
045	9/22/2022 08:49:18	0.0	0.0
046	9/22/2022 08:50:18	0.0	0.0
047	9/22/2022 08:51:18	0.0	0.0
048	9/22/2022 08:52:18	0.0	0.0
049	9/22/2022 08:53:18	0.0	0.0
050	9/22/2022 08:54:18	0.0	0.0
051	9/22/2022 08:55:18	0.0	0.0
052	9/22/2022 08:56:18	0.0	0.0
053	9/22/2022 08:57:18	0.0	0.0
054	9/22/2022 08:58:18	0.0	0.0
055	9/22/2022 08:59:18	0.0	0.0
056	9/22/2022 09:00:18	0.0	0.0
057	9/22/2022 09:01:18	0.0	0.0
058	9/22/2022 09:02:18	0.0	0.0
059	9/22/2022 09:03:18	0.0	0.0
060	9/22/2022 09:04:18	0.0	0.0
061	9/22/2022 09:05:18	0.0	0.0
062	9/22/2022 09:06:18	0.0	0.0
063	9/22/2022 09:07:18	0.0	0.0

064	9/22/2022 09:08:18	0.0	0.0
065	9/22/2022 09:09:18	0.0	0.0
066	9/22/2022 09:10:18	0.0	0.0
067	9/22/2022 09:11:18	0.0	0.0
068	9/22/2022 09:12:18	0.0	0.0
069	9/22/2022 09:13:18	0.0	0.0
070	9/22/2022 09:14:18	0.0	0.0
071	9/22/2022 09:15:18	0.0	0.0
072	9/22/2022 09:16:18	0.0	0.0
073	9/22/2022 09:17:18	0.0	0.0
074	9/22/2022 09:18:18	0.0	0.0
075	9/22/2022 09:19:18	0.0	0.0
076	9/22/2022 09:20:18	0.0	0.0
077	9/22/2022 09:21:18	0.0	0.0
078	9/22/2022 09:22:18	0.0	0.0
079	9/22/2022 09:23:18	0.0	0.0
080	9/22/2022 09:24:18	0.0	0.0
081	9/22/2022 09:25:18	0.0	0.0
082	9/22/2022 09:26:18	0.0	0.0
083	9/22/2022 09:27:18	0.0	0.0
084	9/22/2022 09:28:18	0.0	0.0
085	9/22/2022 09:29:18	0.0	0.0
086	9/22/2022 09:30:18	0.0	0.0
087	9/22/2022 09:31:18	0.0	0.0
088	9/22/2022 09:32:18	0.0	0.0
089	9/22/2022 09:33:18	0.0	0.0
090	9/22/2022 09:34:18	0.0	0.0
091	9/22/2022 09:35:18	0.0	0.0
092	9/22/2022 09:36:18	0.0	0.0
093	9/22/2022 09:37:18	0.0	0.0
094	9/22/2022 09:38:18	0.0	0.0
095	9/22/2022 09:39:18	0.0	0.0
096	9/22/2022 09:40:18	0.0	0.0
097	9/22/2022 09:41:18	0.0	0.0
098	9/22/2022 09:42:18	0.0	0.0
099	9/22/2022 09:43:18	0.0	0.0
100	9/22/2022 09:44:18	0.0	0.0
101	9/22/2022 09:45:18	0.0	0.0
102	9/22/2022 09:46:18	0.0	0.0
103	9/22/2022 09:47:18	0.0	0.0
104	9/22/2022 09:48:18	0.0	0.0
105	9/22/2022 09:49:18	0.0	0.0
106	9/22/2022 09:50:18	0.0	0.0
107	9/22/2022 09:51:18	0.0	0.0
108	9/22/2022 09:52:18	0.0	0.0
109	9/22/2022 09:53:18	0.0	0.0
110	9/22/2022 09:54:18	0.0	0.0
111	9/22/2022 09:55:18	0.0	0.0
112	9/22/2022 09:56:18	0.0	0.0
113	9/22/2022 09:57:18	0.0	0.0

114	9/22/2022 09:58:18	0.0	0.0
115	9/22/2022 09:59:18	0.0	0.0
116	9/22/2022 10:00:18	0.0	0.0
117	9/22/2022 10:01:18	0.0	0.0
118	9/22/2022 10:02:18	0.0	0.0
119	9/22/2022 10:03:18	0.0	0.0
120	9/22/2022 10:04:18	0.0	0.0
121	9/22/2022 10:05:18	0.0	0.0
122	9/22/2022 10:06:18	0.0	0.0
123	9/22/2022 10:07:18	0.0	0.0
124	9/22/2022 10:08:18	0.0	0.0
125	9/22/2022 10:09:18	0.0	0.0
126	9/22/2022 10:10:18	0.0	0.0
127	9/22/2022 10:11:18	0.0	0.0
128	9/22/2022 10:12:18	0.0	0.0
129	9/22/2022 10:13:18	0.0	0.0
130	9/22/2022 10:14:18	0.0	0.0
131	9/22/2022 10:15:18	0.0	0.0
132	9/22/2022 10:16:18	0.0	0.0
133	9/22/2022 10:17:18	0.0	0.0
134	9/22/2022 10:18:18	0.0	0.0
135	9/22/2022 10:19:18	0.0	0.0
136	9/22/2022 10:20:18	0.0	0.0
137	9/22/2022 10:21:18	0.0	0.0
138	9/22/2022 10:22:18	0.0	0.0
139	9/22/2022 10:23:18	0.0	0.0
140	9/22/2022 10:24:18	0.0	0.0
141	9/22/2022 10:25:18	0.0	0.0
142	9/22/2022 10:26:18	0.0	0.0
143	9/22/2022 10:27:18	0.0	0.0
144	9/22/2022 10:28:18	0.0	0.0
145	9/22/2022 10:29:18	0.0	0.0
146	9/22/2022 10:30:18	0.0	0.0
147	9/22/2022 10:31:18	0.0	0.0
148	9/22/2022 10:32:18	0.0	0.0
149	9/22/2022 10:33:18	0.0	0.0
150	9/22/2022 10:34:18	0.0	0.0
151	9/22/2022 10:35:18	0.0	0.0
152	9/22/2022 10:36:18	0.0	0.0
153	9/22/2022 10:37:18	0.0	0.0
154	9/22/2022 10:38:18	0.0	0.0
155	9/22/2022 10:39:18	0.0	0.0
156	9/22/2022 10:40:18	0.0	0.0
157	9/22/2022 10:41:18	0.0	0.0
158	9/22/2022 10:42:18	0.0	0.0
159	9/22/2022 10:43:18	0.0	0.0
160	9/22/2022 10:44:18	0.0	0.0
161	9/22/2022 10:45:18	0.0	0.0
162	9/22/2022 10:46:18	0.0	0.0
163	9/22/2022 10:47:18	0.0	0.0

164	9/22/2022 10:48:18	0.0	0.0
165	9/22/2022 10:49:18	0.0	0.0
166	9/22/2022 10:50:18	0.0	0.0
167	9/22/2022 10:51:18	0.0	0.0
168	9/22/2022 10:52:18	0.0	0.0
169	9/22/2022 10:53:18	0.0	0.0
170	9/22/2022 10:54:18	0.0	0.0
171	9/22/2022 10:55:18	0.0	0.0
172	9/22/2022 10:56:18	0.0	0.0
173	9/22/2022 10:57:18	0.0	0.0
174	9/22/2022 10:58:18	0.0	0.0
175	9/22/2022 10:59:18	0.0	0.0
176	9/22/2022 11:00:18	0.0	0.0
177	9/22/2022 11:01:18	0.0	0.0
178	9/22/2022 11:02:18	0.0	0.0
179	9/22/2022 11:03:18	0.0	0.0
180	9/22/2022 11:04:18	0.0	0.0
181	9/22/2022 11:05:18	0.0	0.0
182	9/22/2022 11:06:18	0.0	0.0
183	9/22/2022 11:07:18	0.0	0.0
184	9/22/2022 11:08:18	0.0	0.0
185	9/22/2022 11:09:18	0.0	0.0
186	9/22/2022 11:10:18	0.0	0.0
187	9/22/2022 11:11:18	0.0	0.0
188	9/22/2022 11:12:18	0.0	0.0
189	9/22/2022 11:13:18	0.0	0.0
190	9/22/2022 11:14:18	0.0	0.0
191	9/22/2022 11:15:18	0.0	0.0
192	9/22/2022 11:16:18	0.0	0.0
193	9/22/2022 11:17:18	0.0	0.0
194	9/22/2022 11:18:18	0.0	0.0
195	9/22/2022 11:19:18	0.0	0.0
196	9/22/2022 11:20:18	0.0	0.0
197	9/22/2022 11:21:18	0.0	0.0
198	9/22/2022 11:22:18	0.0	0.0
199	9/22/2022 11:23:18	0.0	0.0
200	9/22/2022 11:24:18	0.0	0.0
201	9/22/2022 11:25:18	0.0	0.0
202	9/22/2022 11:26:18	0.0	0.0
203	9/22/2022 11:27:18	0.0	0.0
204	9/22/2022 11:28:18	0.0	0.0
205	9/22/2022 11:29:18	0.0	0.0
206	9/22/2022 11:30:18	0.0	0.0
207	9/22/2022 11:31:18	0.0	0.0
208	9/22/2022 11:32:18	0.0	0.0
209	9/22/2022 11:33:18	0.0	0.0
210	9/22/2022 11:34:18	0.0	0.0
211	9/22/2022 11:35:18	0.0	0.0
212	9/22/2022 11:36:18	0.0	0.0
213	9/22/2022 11:37:18	0.0	0.0

214	9/22/2022 11:38:18	0.0	0.0
215	9/22/2022 11:39:18	0.0	0.0
216	9/22/2022 11:40:18	0.0	0.0
217	9/22/2022 11:41:18	0.0	0.0
218	9/22/2022 11:42:18	0.0	0.0
219	9/22/2022 11:43:18	0.0	0.0
220	9/22/2022 11:44:18	0.0	0.0
221	9/22/2022 11:45:18	0.0	0.0
222	9/22/2022 11:46:18	0.0	0.0
223	9/22/2022 11:47:18	0.0	0.0
224	9/22/2022 11:48:18	0.0	0.0
225	9/22/2022 11:49:18	0.0	0.0
226	9/22/2022 11:50:18	0.0	0.0
227	9/22/2022 11:51:18	0.0	0.0
228	9/22/2022 11:52:18	0.0	0.0
229	9/22/2022 11:53:18	0.0	0.0
230	9/22/2022 11:54:18	0.0	0.0
231	9/22/2022 11:55:18	0.0	0.0
232	9/22/2022 11:56:18	0.0	0.0
233	9/22/2022 11:57:18	0.0	0.0
234	9/22/2022 11:58:18	0.0	0.0
235	9/22/2022 11:59:18	0.0	0.0
236	9/22/2022 12:00:18	0.0	0.0
237	9/22/2022 12:01:18	0.0	0.0
238	9/22/2022 12:02:18	0.0	0.0
239	9/22/2022 12:03:18	0.0	0.0
240	9/22/2022 12:04:18	0.0	0.0
241	9/22/2022 12:05:18	0.0	0.0
242	9/22/2022 12:06:18	0.0	0.0
243	9/22/2022 12:07:18	0.0	0.0
244	9/22/2022 12:08:18	0.0	0.0
245	9/22/2022 12:09:18	0.0	0.0
246	9/22/2022 12:10:18	0.0	0.0
247	9/22/2022 12:11:18	0.0	0.0
248	9/22/2022 12:12:18	0.0	0.0
249	9/22/2022 12:13:18	0.0	0.0
250	9/22/2022 12:14:18	0.0	0.0
251	9/22/2022 12:15:18	0.0	0.0
252	9/22/2022 12:16:18	0.0	0.0
253	9/22/2022 12:17:18	0.0	0.0
254	9/22/2022 12:18:18	0.0	0.0
255	9/22/2022 12:19:18	0.0	0.0
256	9/22/2022 12:20:18	0.0	0.0
257	9/22/2022 12:21:18	0.0	0.0
258	9/22/2022 12:22:18	0.0	0.0
259	9/22/2022 12:23:18	0.0	0.0
260	9/22/2022 12:24:18	0.0	0.0
261	9/22/2022 12:25:18	0.0	0.0
262	9/22/2022 12:26:18	0.0	0.0
263	9/22/2022 12:27:18	0.0	0.0

264	9/22/2022 12:28:18	0.0	0.0
265	9/22/2022 12:29:18	0.0	0.0
266	9/22/2022 12:30:18	0.0	0.0
267	9/22/2022 12:31:18	0.0	0.0
268	9/22/2022 12:32:18	0.0	0.0
269	9/22/2022 12:33:18	0.0	0.0
270	9/22/2022 12:34:18	0.0	0.0
271	9/22/2022 12:35:18	0.0	0.0
272	9/22/2022 12:36:18	0.0	0.0
273	9/22/2022 12:37:18	0.0	0.0
274	9/22/2022 12:38:18	0.0	0.0
275	9/22/2022 12:39:18	0.0	0.0
276	9/22/2022 12:40:18	0.0	0.0
277	9/22/2022 12:41:18	0.0	0.0
278	9/22/2022 12:42:18	0.0	0.0
279	9/22/2022 12:43:18	0.0	0.0
280	9/22/2022 12:44:18	0.0	0.0
281	9/22/2022 12:45:18	0.0	0.0
282	9/22/2022 12:46:18	0.0	0.0
283	9/22/2022 12:47:18	0.0	0.0
284	9/22/2022 12:48:18	0.0	0.0
285	9/22/2022 12:49:18	0.0	0.0
286	9/22/2022 12:50:18	0.0	0.0
287	9/22/2022 12:51:18	0.0	0.0
288	9/22/2022 12:52:18	0.0	0.0
289	9/22/2022 12:53:18	0.0	0.0
290	9/22/2022 12:54:18	0.0	0.0
291	9/22/2022 12:55:18	0.0	0.0
292	9/22/2022 12:56:18	0.0	0.0
293	9/22/2022 12:57:18	0.0	0.0
294	9/22/2022 12:58:18	0.0	0.0
295	9/22/2022 12:59:18	0.0	0.0
296	9/22/2022 13:00:18	0.0	0.0
297	9/22/2022 13:01:18	0.0	0.0
298	9/22/2022 13:02:18	0.0	0.0
299	9/22/2022 13:03:18	0.0	0.0
300	9/22/2022 13:04:18	0.0	0.0
301	9/22/2022 13:05:18	0.0	0.0
302	9/22/2022 13:06:18	0.0	0.0
303	9/22/2022 13:07:18	0.0	0.0
304	9/22/2022 13:08:18	0.0	0.0
305	9/22/2022 13:09:18	0.0	0.0
306	9/22/2022 13:10:18	0.0	0.0
307	9/22/2022 13:11:18	0.0	0.0
308	9/22/2022 13:12:18	0.0	0.0
309	9/22/2022 13:13:18	0.0	0.0
310	9/22/2022 13:14:18	0.0	0.0
311	9/22/2022 13:15:18	0.0	0.0
312	9/22/2022 13:16:18	0.0	0.0
313	9/22/2022 13:17:18	0.0	0.0

314	9/22/2022 13:18:18	0.0	0.0
315	9/22/2022 13:19:18	0.0	0.0
316	9/22/2022 13:20:18	0.0	0.0
317	9/22/2022 13:21:18	0.0	0.0
318	9/22/2022 13:22:18	0.0	0.0
319	9/22/2022 13:23:18	0.0	0.0
320	9/22/2022 13:24:18	0.0	0.0
321	9/22/2022 13:25:18	0.0	0.0
322	9/22/2022 13:26:18	0.0	0.0
323	9/22/2022 13:27:18	0.0	0.0
324	9/22/2022 13:28:18	0.0	0.0
325	9/22/2022 13:29:18	0.0	0.0
326	9/22/2022 13:30:18	0.0	0.0
327	9/22/2022 13:31:18	0.0	0.0
328	9/22/2022 13:32:18	0.0	0.0
329	9/22/2022 13:33:18	0.0	0.0
330	9/22/2022 13:34:18	0.0	0.0
331	9/22/2022 13:35:18	0.0	0.0
332	9/22/2022 13:36:18	0.0	0.0
333	9/22/2022 13:37:18	0.0	0.0
334	9/22/2022 13:38:18	0.0	0.0
335	9/22/2022 13:39:18	0.0	0.0
336	9/22/2022 13:40:18	0.0	0.0
337	9/22/2022 13:41:18	0.0	0.0
338	9/22/2022 13:42:18	0.0	0.0
339	9/22/2022 13:43:18	0.0	0.0
340	9/22/2022 13:44:18	0.0	0.0
341	9/22/2022 13:45:18	0.0	0.0
342	9/22/2022 13:46:18	0.0	0.0
343	9/22/2022 13:47:18	0.0	0.0
344	9/22/2022 13:48:18	0.0	0.0
345	9/22/2022 13:49:18	0.0	0.0
346	9/22/2022 13:50:18	0.0	0.0
347	9/22/2022 13:51:18	0.0	0.0
348	9/22/2022 13:52:18	0.0	0.0
349	9/22/2022 13:53:18	0.0	0.0
350	9/22/2022 13:54:18	0.0	0.0
351	9/22/2022 13:55:18	0.0	0.0
352	9/22/2022 13:56:18	0.0	0.0
353	9/22/2022 13:57:18	0.0	0.0
354	9/22/2022 13:58:18	0.0	0.0
355	9/22/2022 13:59:18	0.0	0.0
356	9/22/2022 14:00:18	0.0	0.0
357	9/22/2022 14:01:18	0.0	0.0
358	9/22/2022 14:02:18	0.0	0.0
359	9/22/2022 14:03:18	0.0	0.0
360	9/22/2022 14:04:18	0.0	0.0
361	9/22/2022 14:05:18	0.0	0.0
362	9/22/2022 14:06:18	0.0	0.0
363	9/22/2022 14:07:18	0.0	0.0

364	9/22/2022 14:08:18	0.0	0.0
365	9/22/2022 14:09:18	0.0	0.0
366	9/22/2022 14:10:18	0.0	0.0
367	9/22/2022 14:11:18	0.0	0.0
368	9/22/2022 14:12:18	0.0	0.0
369	9/22/2022 14:13:18	0.0	0.0
370	9/22/2022 14:14:18	0.0	0.0
371	9/22/2022 14:15:18	0.0	0.0
372	9/22/2022 14:16:18	0.0	0.0
373	9/22/2022 14:17:18	0.0	0.0
374	9/22/2022 14:18:18	0.0	0.0
375	9/22/2022 14:19:18	0.0	0.0
376	9/22/2022 14:20:18	0.0	0.0
377	9/22/2022 14:21:18	0.0	0.0
378	9/22/2022 14:22:18	0.0	0.0
379	9/22/2022 14:23:18	0.0	0.0
380	9/22/2022 14:24:18	0.0	0.0
381	9/22/2022 14:25:18	0.0	0.0
382	9/22/2022 14:26:18	0.0	0.0
383	9/22/2022 14:27:18	0.0	0.0
384	9/22/2022 14:28:18	0.0	0.0
385	9/22/2022 14:29:18	0.0	0.0
386	9/22/2022 14:30:18	0.0	0.0
387	9/22/2022 14:31:18	0.0	0.0
388	9/22/2022 14:32:18	0.0	0.0
389	9/22/2022 14:33:18	0.0	0.0
390	9/22/2022 14:34:18	0.0	0.0
391	9/22/2022 14:35:18	0.0	0.0
392	9/22/2022 14:36:18	0.0	0.0
393	9/22/2022 14:37:18	0.0	0.0
394	9/22/2022 14:38:18	0.0	0.0
395	9/22/2022 14:39:18	0.0	0.0
396	9/22/2022 14:40:18	0.0	0.0
397	9/22/2022 14:41:18	0.0	0.0
398	9/22/2022 14:42:18	0.0	0.0
399	9/22/2022 14:43:18	0.0	0.0
400	9/22/2022 14:44:18	0.0	0.0
401	9/22/2022 14:45:18	0.0	0.0
402	9/22/2022 14:46:18	0.0	0.0
403	9/22/2022 14:47:18	0.0	0.0
404	9/22/2022 14:48:18	0.0	0.0
405	9/22/2022 14:49:18	0.0	0.0
406	9/22/2022 14:50:18	0.0	0.0
407	9/22/2022 14:51:18	0.0	0.0
408	9/22/2022 14:52:18	0.0	0.0
409	9/22/2022 14:53:18	0.0	0.0
410	9/22/2022 14:54:18	0.0	0.0
411	9/22/2022 14:55:18	0.0	0.0
412	9/22/2022 14:56:18	0.0	0.0
413	9/22/2022 14:57:18	0.0	0.0

414	9/22/2022 14:58:18	0.0	0.0
415	9/22/2022 14:59:18	0.0	0.0
416	9/22/2022 15:00:18	0.0	0.0
417	9/22/2022 15:01:18	0.0	0.0
418	9/22/2022 15:02:18	0.0	0.0
419	9/22/2022 15:03:18	0.0	0.0
420	9/22/2022 15:04:18	0.0	0.0
421	9/22/2022 15:05:18	0.0	0.0
422	9/22/2022 15:06:18	0.0	0.0
423	9/22/2022 15:07:18	0.0	0.0
424	9/22/2022 15:08:18	0.0	0.0
425	9/22/2022 15:09:18	0.0	0.0
426	9/22/2022 15:10:18	0.0	0.0
427	9/22/2022 15:11:18	0.0	0.0
428	9/22/2022 15:12:18	0.0	0.0
429	9/22/2022 15:13:18	0.0	0.0
430	9/22/2022 15:14:18	0.0	0.0
431	9/22/2022 15:15:18	0.0	0.0
432	9/22/2022 15:16:18	0.0	0.0
433	9/22/2022 15:17:18	0.0	0.0
434	9/22/2022 15:18:18	0.0	0.0
435	9/22/2022 15:19:18	0.0	0.0
436	9/22/2022 15:20:18	0.0	0.0
437	9/22/2022 15:21:18	0.0	0.0
438	9/22/2022 15:22:18	0.0	0.0
439	9/22/2022 15:23:18	0.0	0.0
440	9/22/2022 15:24:18	0.0	0.0
441	9/22/2022 15:25:18	0.0	0.0
442	9/22/2022 15:26:18	0.0	0.0
443	9/22/2022 15:27:18	0.0	0.0
444	9/22/2022 15:28:18	0.0	0.0
445	9/22/2022 15:29:18	0.0	0.0
446	9/22/2022 15:30:18	0.0	0.0
447	9/22/2022 15:31:18	0.0	0.0
448	9/22/2022 15:32:18	0.0	0.0
449	9/22/2022 15:33:18	0.0	0.0
450	9/22/2022 15:34:18	0.0	0.0
451	9/22/2022 15:35:18	0.0	0.0
452	9/22/2022 15:36:18	0.0	0.0
453	9/22/2022 15:37:18	0.0	0.0
454	9/22/2022 15:38:18	0.0	0.0
455	9/22/2022 15:39:18	0.0	0.0

==========

22/09/27 08:28

****

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-602497

Unit Firmware Ver V2.22

Running Mode Hygiene Mode
Datalog Mode Auto
Diagnostic Mode No
Stop Reason Power Down

Site ID 12345678
User ID 12345678

Begin 9/27/2022 08:28:20
End 9/27/2022 14:45:31
Sample Period(s) 60
Number of Records 377

Sensor PID(ppm)
Sensor SN S023030190B7
Measure Type Avg; Max; Real
Span 100.0
Span 2 1000.0
Low Alarm 50.0
High Alarm 100.0
Over Alarm 15000.0
STEL Alarm 100.0
TWA Alarm 50.0
Measurement Gas Isobutylene
Calibration Time 8/10/2022 10:57
Peak 0.0
Min 0.0
Average 0.0

****

Datalog

Index	Date/Time	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)	
001	9/27/2022 08:29:20	0.0	0.0	0.0	
002	9/27/2022 08:30:20	0.0	0.0	0.0	
003	9/27/2022 08:31:20	0.0	0.0	0.0	
004	9/27/2022 08:32:20	0.0	0.0	0.0	
005	9/27/2022 08:33:20	0.0	0.0	0.0	
006	9/27/2022 08:34:20	0.0	0.0	0.0	
007	9/27/2022 08:35:20	0.0	0.0	0.0	
008	9/27/2022 08:36:20	0.0	0.0	0.0	
009	9/27/2022 08:37:20	0.0	0.0	0.0	
010	9/27/2022 08:38:20	0.0	0.0	0.0	
011	9/27/2022 08:39:20	0.0	0.0	0.0	
012	9/27/2022 08:40:20	0.0	0.0	0.0	
013	9/27/2022 08:41:20	0.0	0.0	0.0	
014	9/27/2022 08:42:20	0.0	0.0	0.0	
015	9/27/2022 08:43:20	0.0	0.0	0.0	
016	9/27/2022 08:44:20	0.0	0.0	0.0	

017	9/27/2022 08:45:20	0.0	0.0	0.0
018	9/27/2022 08:46:20	0.0	0.0	0.0
019	9/27/2022 08:47:20	0.0	0.0	0.0
020	9/27/2022 08:48:20	0.0	0.0	0.0
021	9/27/2022 08:49:20	0.0	0.0	0.0
022	9/27/2022 08:50:20	0.0	0.0	0.0
023	9/27/2022 08:51:20	0.0	0.0	0.0
024	9/27/2022 08:52:20	0.0	0.0	0.0
025	9/27/2022 08:53:20	0.0	0.0	0.0
026	9/27/2022 08:54:20	0.0	0.0	0.0
027	9/27/2022 08:55:20	0.0	0.0	0.0
028	9/27/2022 08:56:20	0.0	0.0	0.0
029	9/27/2022 08:57:20	0.0	0.0	0.0
030	9/27/2022 08:58:20	0.0	0.0	0.0
031	9/27/2022 08:59:20	0.0	0.0	0.0
032	9/27/2022 09:00:20	0.0	0.0	0.0
033	9/27/2022 09:01:20	0.0	0.0	0.0
034	9/27/2022 09:02:20	0.0	0.0	0.0
035	9/27/2022 09:03:20	0.0	0.0	0.0
036	9/27/2022 09:04:20	0.0	0.0	0.0
037	9/27/2022 09:05:20	0.0	0.0	0.0
038	9/27/2022 09:06:20	0.0	0.0	0.0
039	9/27/2022 09:07:20	0.0	0.0	0.0
040	9/27/2022 09:08:20	0.0	0.0	0.0
041	9/27/2022 09:09:20	0.0	0.0	0.0
042	9/27/2022 09:10:20	0.0	0.0	0.0
043	9/27/2022 09:11:20	0.0	0.0	0.0
044	9/27/2022 09:12:20	0.0	0.0	0.0
045	9/27/2022 09:13:20	0.0	0.0	0.0
046	9/27/2022 09:14:20	0.0	0.0	0.0
047	9/27/2022 09:15:20	0.0	0.0	0.0
048	9/27/2022 09:16:20	0.0	0.0	0.0
049	9/27/2022 09:17:20	0.0	0.0	0.0
050	9/27/2022 09:18:20	0.0	0.0	0.0
051	9/27/2022 09:19:20	0.0	0.0	0.0
052	9/27/2022 09:20:20	0.0	0.0	0.0
053	9/27/2022 09:21:20	0.0	0.0	0.0
054	9/27/2022 09:22:20	0.0	0.0	0.0
055	9/27/2022 09:23:20	0.0	0.0	0.0
056	9/27/2022 09:24:20	0.0	0.0	0.0
057	9/27/2022 09:25:20	0.0	0.0	0.0
058	9/27/2022 09:26:20	0.0	0.0	0.0
059	9/27/2022 09:27:20	0.0	0.0	0.0
060	9/27/2022 09:28:20	0.0	0.0	0.0
061	9/27/2022 09:29:20	0.0	0.0	0.0
062	9/27/2022 09:30:20	0.0	0.0	0.0
063	9/27/2022 09:31:20	0.0	0.0	0.0
064	9/27/2022 09:32:20	0.0	0.0	0.0
065	9/27/2022 09:33:20	0.0	0.0	0.0
066	9/27/2022 09:34:20	0.0	0.0	0.0

067	9/27/2022	09:35:20	0.0	0.0	0.0
068	9/27/2022	09:36:20	0.0	0.0	0.0
069	9/27/2022	09:37:20	0.0	0.0	0.0
070	9/27/2022	09:38:20	0.0	0.0	0.0
071	9/27/2022	09:39:20	0.0	0.0	0.0
072	9/27/2022	09:40:20	0.0	0.0	0.0
073	9/27/2022	09:41:20	0.0	0.0	0.0
074	9/27/2022	09:42:20	0.0	0.0	0.0
075	9/27/2022	09:43:20	0.0	0.0	0.0
076	9/27/2022	09:44:20	0.0	0.0	0.0
077	9/27/2022	09:45:20	0.0	0.0	0.0
078	9/27/2022	09:46:20	0.0	0.0	0.0
079	9/27/2022	09:47:20	0.0	0.0	0.0
080	9/27/2022	09:48:20	0.0	0.0	0.0
081	9/27/2022	09:49:20	0.0	0.0	0.0
082	9/27/2022	09:50:20	0.0	0.0	0.0
083	9/27/2022	09:51:20	0.0	0.0	0.0
084	9/27/2022	09:52:20	0.0	0.0	0.0
085	9/27/2022	09:53:20	0.0	0.0	0.0
086	9/27/2022	09:54:20	0.0	0.0	0.0
087	9/27/2022	09:55:20	0.0	0.0	0.0
088	9/27/2022	09:56:20	0.0	0.0	0.0
089	9/27/2022	09:57:20	0.0	0.0	0.0
090	9/27/2022	09:58:20	0.0	0.0	0.0
091	9/27/2022	09:59:20	0.0	0.0	0.0
092	9/27/2022	10:00:20	0.0	0.0	0.0
093	9/27/2022	10:01:20	0.0	0.0	0.0
094	9/27/2022	10:02:20	0.0	0.0	0.0
095	9/27/2022	10:03:20	0.0	0.0	0.0
096	9/27/2022	10:04:20	0.0	0.0	0.0
097	9/27/2022	10:05:20	0.0	0.0	0.0
098	9/27/2022	10:06:20	0.0	0.0	0.0
099	9/27/2022	10:07:20	0.0	0.0	0.0
100	9/27/2022	10:08:20	0.0	0.0	0.0
101	9/27/2022	10:09:20	0.0	0.0	0.0
102	9/27/2022	10:10:20	0.0	0.0	0.0
103	9/27/2022	10:11:20	0.0	0.0	0.0
104	9/27/2022	10:12:20	0.0	0.0	0.0
105	9/27/2022	10:13:20	0.0	0.0	0.0
106	9/27/2022	10:14:20	0.0	0.0	0.0
107	9/27/2022	10:15:20	0.0	0.0	0.0
108	9/27/2022	10:16:20	0.0	0.0	0.0
109	9/27/2022	10:17:20	0.0	0.0	0.0
110	9/27/2022	10:18:20	0.0	0.0	0.0
111	9/27/2022	10:19:20	0.0	0.0	0.0
112	9/27/2022	10:20:20	0.0	0.0	0.0
113	9/27/2022	10:21:20	0.0	0.0	0.0
114	9/27/2022	10:22:20	0.0	0.0	0.0
115	9/27/2022	10:23:20	0.0	0.0	0.0
116	9/27/2022	10:24:20	0.0	0.0	0.0

117	9/27/2022 10:25:20	0.0	0.0	0.0
118	9/27/2022 10:26:20	0.0	0.0	0.0
119	9/27/2022 10:27:20	0.0	0.0	0.0
120	9/27/2022 10:28:20	0.0	0.0	0.0
121	9/27/2022 10:29:20	0.0	0.0	0.0
122	9/27/2022 10:30:20	0.0	0.0	0.0
123	9/27/2022 10:31:20	0.0	0.0	0.0
124	9/27/2022 10:32:20	0.0	0.0	0.0
125	9/27/2022 10:33:20	0.0	0.0	0.0
126	9/27/2022 10:34:20	0.0	0.0	0.0
127	9/27/2022 10:35:20	0.0	0.0	0.0
128	9/27/2022 10:36:20	0.0	0.0	0.0
129	9/27/2022 10:37:20	0.0	0.0	0.0
130	9/27/2022 10:38:20	0.0	0.0	0.0
131	9/27/2022 10:39:20	0.0	0.0	0.0
132	9/27/2022 10:40:20	0.0	0.0	0.0
133	9/27/2022 10:41:20	0.0	0.0	0.0
134	9/27/2022 10:42:20	0.0	0.0	0.0
135	9/27/2022 10:43:20	0.0	0.0	0.0
136	9/27/2022 10:44:20	0.0	0.0	0.0
137	9/27/2022 10:45:20	0.0	0.0	0.0
138	9/27/2022 10:46:20	0.0	0.0	0.0
139	9/27/2022 10:47:20	0.0	0.0	0.0
140	9/27/2022 10:48:20	0.0	0.0	0.0
141	9/27/2022 10:49:20	0.0	0.0	0.0
142	9/27/2022 10:50:20	0.0	0.0	0.0
143	9/27/2022 10:51:20	0.0	0.0	0.0
144	9/27/2022 10:52:20	0.0	0.0	0.0
145	9/27/2022 10:53:20	0.0	0.0	0.0
146	9/27/2022 10:54:20	0.0	0.0	0.0
147	9/27/2022 10:55:20	0.0	0.0	0.0
148	9/27/2022 10:56:20	0.0	0.0	0.0
149	9/27/2022 10:57:20	0.0	0.0	0.0
150	9/27/2022 10:58:20	0.0	0.0	0.0
151	9/27/2022 10:59:20	0.0	0.0	0.0
152	9/27/2022 11:00:20	0.0	0.0	0.0
153	9/27/2022 11:01:20	0.0	0.0	0.0
154	9/27/2022 11:02:20	0.0	0.0	0.0
155	9/27/2022 11:03:20	0.0	0.0	0.0
156	9/27/2022 11:04:20	0.0	0.0	0.0
157	9/27/2022 11:05:20	0.0	0.0	0.0
158	9/27/2022 11:06:20	0.0	0.0	0.0
159	9/27/2022 11:07:20	0.0	0.0	0.0
160	9/27/2022 11:08:20	0.0	0.0	0.0
161	9/27/2022 11:09:20	0.0	0.0	0.0
162	9/27/2022 11:10:20	0.0	0.0	0.0
163	9/27/2022 11:11:20	0.0	0.0	0.0
164	9/27/2022 11:12:20	0.0	0.0	0.0
165	9/27/2022 11:13:20	0.0	0.0	0.0
166	9/27/2022 11:14:20	0.0	0.0	0.0

167	9/27/2022 11:15:20	0.0	0.0	0.0
168	9/27/2022 11:16:20	0.0	0.0	0.0
169	9/27/2022 11:17:20	0.0	0.0	0.0
170	9/27/2022 11:18:20	0.0	0.0	0.0
171	9/27/2022 11:19:20	0.0	0.0	0.0
172	9/27/2022 11:20:20	0.0	0.0	0.0
173	9/27/2022 11:21:20	0.0	0.0	0.0
174	9/27/2022 11:22:20	0.0	0.0	0.0
175	9/27/2022 11:23:20	0.0	0.0	0.0
176	9/27/2022 11:24:20	0.0	0.0	0.0
177	9/27/2022 11:25:20	0.0	0.0	0.0
178	9/27/2022 11:26:20	0.0	0.0	0.0
179	9/27/2022 11:27:20	0.0	0.0	0.0
180	9/27/2022 11:28:20	0.0	0.0	0.0
181	9/27/2022 11:29:20	0.0	0.0	0.0
182	9/27/2022 11:30:20	0.0	0.0	0.0
183	9/27/2022 11:31:20	0.0	0.0	0.0
184	9/27/2022 11:32:20	0.0	0.0	0.0
185	9/27/2022 11:33:20	0.0	0.0	0.0
186	9/27/2022 11:34:20	0.0	0.0	0.0
187	9/27/2022 11:35:20	0.0	0.0	0.0
188	9/27/2022 11:36:20	0.0	0.0	0.0
189	9/27/2022 11:37:20	0.0	0.0	0.0
190	9/27/2022 11:38:20	0.0	0.0	0.0
191	9/27/2022 11:39:20	0.0	0.0	0.0
192	9/27/2022 11:40:20	0.0	0.0	0.0
193	9/27/2022 11:41:20	0.0	0.0	0.0
194	9/27/2022 11:42:20	0.0	0.0	0.0
195	9/27/2022 11:43:20	0.0	0.0	0.0
196	9/27/2022 11:44:20	0.0	0.0	0.0
197	9/27/2022 11:45:20	0.0	0.0	0.0
198	9/27/2022 11:46:20	0.0	0.0	0.0
199	9/27/2022 11:47:20	0.0	0.0	0.0
200	9/27/2022 11:48:20	0.0	0.0	0.0
201	9/27/2022 11:49:20	0.0	0.0	0.0
202	9/27/2022 11:50:20	0.0	0.0	0.0
203	9/27/2022 11:51:20	0.0	0.0	0.0
204	9/27/2022 11:52:20	0.0	0.0	0.0
205	9/27/2022 11:53:20	0.0	0.0	0.0
206	9/27/2022 11:54:20	0.0	0.0	0.0
207	9/27/2022 11:55:20	0.0	0.0	0.0
208	9/27/2022 11:56:20	0.0	0.0	0.0
209	9/27/2022 11:57:20	0.0	0.0	0.0
210	9/27/2022 11:58:20	0.0	0.0	0.0
211	9/27/2022 11:59:20	0.0	0.0	0.0
212	9/27/2022 12:00:20	0.0	0.0	0.0
213	9/27/2022 12:01:20	0.0	0.0	0.0
214	9/27/2022 12:02:20	0.0	0.0	0.0
215	9/27/2022 12:03:20	0.0	0.0	0.0
216	9/27/2022 12:04:20	0.0	0.0	0.0

217	9/27/2022 12:05:20	0.0	0.0	0.0
218	9/27/2022 12:06:20	0.0	0.0	0.0
219	9/27/2022 12:07:20	0.0	0.0	0.0
220	9/27/2022 12:08:20	0.0	0.0	0.0
221	9/27/2022 12:09:20	0.0	0.0	0.0
222	9/27/2022 12:10:20	0.0	0.0	0.0
223	9/27/2022 12:11:20	0.0	0.0	0.0
224	9/27/2022 12:12:20	0.0	0.0	0.0
225	9/27/2022 12:13:20	0.0	0.0	0.0
226	9/27/2022 12:14:20	0.0	0.0	0.0
227	9/27/2022 12:15:20	0.0	0.0	0.0
228	9/27/2022 12:16:20	0.0	0.0	0.0
229	9/27/2022 12:17:20	0.0	0.0	0.0
230	9/27/2022 12:18:20	0.0	0.0	0.0
231	9/27/2022 12:19:20	0.0	0.0	0.0
232	9/27/2022 12:20:20	0.0	0.0	0.0
233	9/27/2022 12:21:20	0.0	0.0	0.0
234	9/27/2022 12:22:20	0.0	0.0	0.0
235	9/27/2022 12:23:20	0.0	0.0	0.0
236	9/27/2022 12:24:20	0.0	0.0	0.0
237	9/27/2022 12:25:20	0.0	0.0	0.0
238	9/27/2022 12:26:20	0.0	0.0	0.0
239	9/27/2022 12:27:20	0.0	0.0	0.0
240	9/27/2022 12:28:20	0.0	0.0	0.0
241	9/27/2022 12:29:20	0.0	0.0	0.0
242	9/27/2022 12:30:20	0.0	0.0	0.0
243	9/27/2022 12:31:20	0.0	0.0	0.0
244	9/27/2022 12:32:20	0.0	0.0	0.0
245	9/27/2022 12:33:20	0.0	0.0	0.0
246	9/27/2022 12:34:20	0.0	0.0	0.0
247	9/27/2022 12:35:20	0.0	0.0	0.0
248	9/27/2022 12:36:20	0.0	0.0	0.0
249	9/27/2022 12:37:20	0.0	0.0	0.0
250	9/27/2022 12:38:20	0.0	0.0	0.0
251	9/27/2022 12:39:20	0.0	0.0	0.0
252	9/27/2022 12:40:20	0.0	0.0	0.0
253	9/27/2022 12:41:20	0.0	0.0	0.0
254	9/27/2022 12:42:20	0.0	0.0	0.0
255	9/27/2022 12:43:20	0.0	0.0	0.0
256	9/27/2022 12:44:20	0.0	0.0	0.0
257	9/27/2022 12:45:20	0.0	0.0	0.0
258	9/27/2022 12:46:20	0.0	0.0	0.0
259	9/27/2022 12:47:20	0.0	0.0	0.0
260	9/27/2022 12:48:20	0.0	0.0	0.0
261	9/27/2022 12:49:20	0.0	0.0	0.0
262	9/27/2022 12:50:20	0.0	0.0	0.0
263	9/27/2022 12:51:20	0.0	0.0	0.0
264	9/27/2022 12:52:20	0.0	0.0	0.0
265	9/27/2022 12:53:20	0.0	0.0	0.0
266	9/27/2022 12:54:20	0.0	0.0	0.0

267	9/27/2022	12:55:20	0.0	0.0	0.0
268	9/27/2022	12:56:20	0.0	0.0	0.0
269	9/27/2022	12:57:20	0.0	0.0	0.0
270	9/27/2022	12:58:20	0.0	0.0	0.0
271	9/27/2022	12:59:20	0.0	0.0	0.0
272	9/27/2022	13:00:20	0.0	0.0	0.0
273	9/27/2022	13:01:20	0.0	0.0	0.0
274	9/27/2022	13:02:20	0.0	0.0	0.0
275	9/27/2022	13:03:20	0.0	0.0	0.0
276	9/27/2022	13:04:20	0.0	0.0	0.0
277	9/27/2022	13:05:20	0.0	0.0	0.0
278	9/27/2022	13:06:20	0.0	0.0	0.0
279	9/27/2022	13:07:20	0.0	0.0	0.0
280	9/27/2022	13:08:20	0.0	0.0	0.0
281	9/27/2022	13:09:20	0.0	0.0	0.0
282	9/27/2022	13:10:20	0.0	0.0	0.0
283	9/27/2022	13:11:20	0.0	0.0	0.0
284	9/27/2022	13:12:20	0.0	0.0	0.0
285	9/27/2022	13:13:20	0.0	0.0	0.0
286	9/27/2022	13:14:20	0.0	0.0	0.0
287	9/27/2022	13:15:20	0.0	0.0	0.0
288	9/27/2022	13:16:20	0.0	0.0	0.0
289	9/27/2022	13:17:20	0.0	0.0	0.0
290	9/27/2022	13:18:20	0.0	0.0	0.0
291	9/27/2022	13:19:20	0.0	0.0	0.0
292	9/27/2022	13:20:20	0.0	0.0	0.0
293	9/27/2022	13:21:20	0.0	0.0	0.0
294	9/27/2022	13:22:20	0.0	0.0	0.0
295	9/27/2022	13:23:20	0.0	0.0	0.0
296	9/27/2022	13:24:20	0.0	0.0	0.0
297	9/27/2022	13:25:20	0.0	0.0	0.0
298	9/27/2022	13:26:20	0.0	0.0	0.0
299	9/27/2022	13:27:20	0.0	0.0	0.0
300	9/27/2022	13:28:20	0.0	0.0	0.0
301	9/27/2022	13:29:20	0.0	0.0	0.0
302	9/27/2022	13:30:20	0.0	0.0	0.0
303	9/27/2022	13:31:20	0.0	0.0	0.0
304	9/27/2022	13:32:20	0.0	0.0	0.0
305	9/27/2022	13:33:20	0.0	0.0	0.0
306	9/27/2022	13:34:20	0.0	0.0	0.0
307	9/27/2022	13:35:20	0.0	0.0	0.0
308	9/27/2022	13:36:20	0.0	0.0	0.0
309	9/27/2022	13:37:20	0.0	0.0	0.0
310	9/27/2022	13:38:20	0.0	0.0	0.0
311	9/27/2022	13:39:20	0.0	0.0	0.0
312	9/27/2022	13:40:20	0.0	0.0	0.0
313	9/27/2022	13:41:20	0.0	0.0	0.0
314	9/27/2022	13:42:20	0.0	0.0	0.0
315	9/27/2022	13:43:20	0.0	0.0	0.0
316	9/27/2022	13:44:20	0.0	0.0	0.0

317	9/27/2022 13:45:20	0.0	0.0	0.0
318	9/27/2022 13:46:20	0.0	0.0	0.0
319	9/27/2022 13:47:20	0.0	0.0	0.0
320	9/27/2022 13:48:20	0.0	0.0	0.0
321	9/27/2022 13:49:20	0.0	0.0	0.0
322	9/27/2022 13:50:20	0.0	0.0	0.0
323	9/27/2022 13:51:20	0.0	0.0	0.0
324	9/27/2022 13:52:20	0.0	0.0	0.0
325	9/27/2022 13:53:20	0.0	0.0	0.0
326	9/27/2022 13:54:20	0.0	0.0	0.0
327	9/27/2022 13:55:20	0.0	0.0	0.0
328	9/27/2022 13:56:20	0.0	0.0	0.0
329	9/27/2022 13:57:20	0.0	0.0	0.0
330	9/27/2022 13:58:20	0.0	0.0	0.0
331	9/27/2022 13:59:20	0.0	0.0	0.0
332	9/27/2022 14:00:20	0.0	0.0	0.0
333	9/27/2022 14:01:20	0.0	0.0	0.0
334	9/27/2022 14:02:20	0.0	0.0	0.0
335	9/27/2022 14:03:20	0.0	0.0	0.0
336	9/27/2022 14:04:20	0.0	0.0	0.0
337	9/27/2022 14:05:20	0.0	0.0	0.0
338	9/27/2022 14:06:20	0.0	0.0	0.0
339	9/27/2022 14:07:20	0.0	0.0	0.0
340	9/27/2022 14:08:20	0.0	0.0	0.0
341	9/27/2022 14:09:20	0.0	0.0	0.0
342	9/27/2022 14:10:20	0.0	0.0	0.0
343	9/27/2022 14:11:20	0.0	0.0	0.0
344	9/27/2022 14:12:20	0.0	0.0	0.0
345	9/27/2022 14:13:20	0.0	0.0	0.0
346	9/27/2022 14:14:20	0.0	0.0	0.0
347	9/27/2022 14:15:20	0.0	0.0	0.0
348	9/27/2022 14:16:20	0.0	0.0	0.0
349	9/27/2022 14:17:20	0.0	0.0	0.0
350	9/27/2022 14:18:20	0.0	0.0	0.0
351	9/27/2022 14:19:20	0.0	0.0	0.0
352	9/27/2022 14:20:20	0.0	0.0	0.0
353	9/27/2022 14:21:20	0.0	0.0	0.0
354	9/27/2022 14:22:20	0.0	0.0	0.0
355	9/27/2022 14:23:20	0.0	0.0	0.0
356	9/27/2022 14:24:20	0.0	0.0	0.0
357	9/27/2022 14:25:20	0.0	0.0	0.0
358	9/27/2022 14:26:20	0.0	0.0	0.0
359	9/27/2022 14:27:20	0.0	0.0	0.0
360	9/27/2022 14:28:20	0.0	0.0	0.0
361	9/27/2022 14:29:20	0.0	0.0	0.0
362	9/27/2022 14:30:20	0.0	0.0	0.0
363	9/27/2022 14:31:20	0.0	0.0	0.0
364	9/27/2022 14:32:20	0.0	0.0	0.0
365	9/27/2022 14:33:20	0.0	0.0	0.0
366	9/27/2022 14:34:20	0.0	0.0	0.0

367	9/27/2022 14:35:20	0.0	0.0	0.0
368	9/27/2022 14:36:20	0.0	0.0	0.0
369	9/27/2022 14:37:20	0.0	0.0	0.0
370	9/27/2022 14:38:20	0.0	0.0	0.0
371	9/27/2022 14:39:20	0.0	0.0	0.0
372	9/27/2022 14:40:20	0.0	0.0	0.0
373	9/27/2022 14:41:20	0.0	0.0	0.0
374	9/27/2022 14:42:20	0.0	0.0	0.0
375	9/27/2022 14:43:20	0.0	0.0	0.0
376	9/27/2022 14:44:20	0.0	0.0	0.0
377	9/27/2022 14:45:20	0.0	0.0	0.0
Peak		0.0	0.0	0.0
Min		0.0	0.0	0.0
Average		0.0	0.0	0.0

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	9/27/2022 08:29:20	0.0	---
002	9/27/2022 08:30:20	0.0	---
003	9/27/2022 08:31:20	0.0	---
004	9/27/2022 08:32:20	0.0	---
005	9/27/2022 08:33:20	0.0	---
006	9/27/2022 08:34:20	0.0	---
007	9/27/2022 08:35:20	0.0	---
008	9/27/2022 08:36:20	0.0	---
009	9/27/2022 08:37:20	0.0	---
010	9/27/2022 08:38:20	0.0	---
011	9/27/2022 08:39:20	0.0	---
012	9/27/2022 08:40:20	0.0	---
013	9/27/2022 08:41:20	0.0	---
014	9/27/2022 08:42:20	0.0	---
015	9/27/2022 08:43:20	0.0	0.0
016	9/27/2022 08:44:20	0.0	0.0
017	9/27/2022 08:45:20	0.0	0.0
018	9/27/2022 08:46:20	0.0	0.0
019	9/27/2022 08:47:20	0.0	0.0
020	9/27/2022 08:48:20	0.0	0.0
021	9/27/2022 08:49:20	0.0	0.0
022	9/27/2022 08:50:20	0.0	0.0
023	9/27/2022 08:51:20	0.0	0.0
024	9/27/2022 08:52:20	0.0	0.0
025	9/27/2022 08:53:20	0.0	0.0
026	9/27/2022 08:54:20	0.0	0.0
027	9/27/2022 08:55:20	0.0	0.0
028	9/27/2022 08:56:20	0.0	0.0
029	9/27/2022 08:57:20	0.0	0.0
030	9/27/2022 08:58:20	0.0	0.0
031	9/27/2022 08:59:20	0.0	0.0

032	9/27/2022 09:00:20	0.0	0.0
033	9/27/2022 09:01:20	0.0	0.0
034	9/27/2022 09:02:20	0.0	0.0
035	9/27/2022 09:03:20	0.0	0.0
036	9/27/2022 09:04:20	0.0	0.0
037	9/27/2022 09:05:20	0.0	0.0
038	9/27/2022 09:06:20	0.0	0.0
039	9/27/2022 09:07:20	0.0	0.0
040	9/27/2022 09:08:20	0.0	0.0
041	9/27/2022 09:09:20	0.0	0.0
042	9/27/2022 09:10:20	0.0	0.0
043	9/27/2022 09:11:20	0.0	0.0
044	9/27/2022 09:12:20	0.0	0.0
045	9/27/2022 09:13:20	0.0	0.0
046	9/27/2022 09:14:20	0.0	0.0
047	9/27/2022 09:15:20	0.0	0.0
048	9/27/2022 09:16:20	0.0	0.0
049	9/27/2022 09:17:20	0.0	0.0
050	9/27/2022 09:18:20	0.0	0.0
051	9/27/2022 09:19:20	0.0	0.0
052	9/27/2022 09:20:20	0.0	0.0
053	9/27/2022 09:21:20	0.0	0.0
054	9/27/2022 09:22:20	0.0	0.0
055	9/27/2022 09:23:20	0.0	0.0
056	9/27/2022 09:24:20	0.0	0.0
057	9/27/2022 09:25:20	0.0	0.0
058	9/27/2022 09:26:20	0.0	0.0
059	9/27/2022 09:27:20	0.0	0.0
060	9/27/2022 09:28:20	0.0	0.0
061	9/27/2022 09:29:20	0.0	0.0
062	9/27/2022 09:30:20	0.0	0.0
063	9/27/2022 09:31:20	0.0	0.0
064	9/27/2022 09:32:20	0.0	0.0
065	9/27/2022 09:33:20	0.0	0.0
066	9/27/2022 09:34:20	0.0	0.0
067	9/27/2022 09:35:20	0.0	0.0
068	9/27/2022 09:36:20	0.0	0.0
069	9/27/2022 09:37:20	0.0	0.0
070	9/27/2022 09:38:20	0.0	0.0
071	9/27/2022 09:39:20	0.0	0.0
072	9/27/2022 09:40:20	0.0	0.0
073	9/27/2022 09:41:20	0.0	0.0
074	9/27/2022 09:42:20	0.0	0.0
075	9/27/2022 09:43:20	0.0	0.0
076	9/27/2022 09:44:20	0.0	0.0
077	9/27/2022 09:45:20	0.0	0.0
078	9/27/2022 09:46:20	0.0	0.0
079	9/27/2022 09:47:20	0.0	0.0
080	9/27/2022 09:48:20	0.0	0.0
081	9/27/2022 09:49:20	0.0	0.0

082	9/27/2022 09:50:20	0.0	0.0
083	9/27/2022 09:51:20	0.0	0.0
084	9/27/2022 09:52:20	0.0	0.0
085	9/27/2022 09:53:20	0.0	0.0
086	9/27/2022 09:54:20	0.0	0.0
087	9/27/2022 09:55:20	0.0	0.0
088	9/27/2022 09:56:20	0.0	0.0
089	9/27/2022 09:57:20	0.0	0.0
090	9/27/2022 09:58:20	0.0	0.0
091	9/27/2022 09:59:20	0.0	0.0
092	9/27/2022 10:00:20	0.0	0.0
093	9/27/2022 10:01:20	0.0	0.0
094	9/27/2022 10:02:20	0.0	0.0
095	9/27/2022 10:03:20	0.0	0.0
096	9/27/2022 10:04:20	0.0	0.0
097	9/27/2022 10:05:20	0.0	0.0
098	9/27/2022 10:06:20	0.0	0.0
099	9/27/2022 10:07:20	0.0	0.0
100	9/27/2022 10:08:20	0.0	0.0
101	9/27/2022 10:09:20	0.0	0.0
102	9/27/2022 10:10:20	0.0	0.0
103	9/27/2022 10:11:20	0.0	0.0
104	9/27/2022 10:12:20	0.0	0.0
105	9/27/2022 10:13:20	0.0	0.0
106	9/27/2022 10:14:20	0.0	0.0
107	9/27/2022 10:15:20	0.0	0.0
108	9/27/2022 10:16:20	0.0	0.0
109	9/27/2022 10:17:20	0.0	0.0
110	9/27/2022 10:18:20	0.0	0.0
111	9/27/2022 10:19:20	0.0	0.0
112	9/27/2022 10:20:20	0.0	0.0
113	9/27/2022 10:21:20	0.0	0.0
114	9/27/2022 10:22:20	0.0	0.0
115	9/27/2022 10:23:20	0.0	0.0
116	9/27/2022 10:24:20	0.0	0.0
117	9/27/2022 10:25:20	0.0	0.0
118	9/27/2022 10:26:20	0.0	0.0
119	9/27/2022 10:27:20	0.0	0.0
120	9/27/2022 10:28:20	0.0	0.0
121	9/27/2022 10:29:20	0.0	0.0
122	9/27/2022 10:30:20	0.0	0.0
123	9/27/2022 10:31:20	0.0	0.0
124	9/27/2022 10:32:20	0.0	0.0
125	9/27/2022 10:33:20	0.0	0.0
126	9/27/2022 10:34:20	0.0	0.0
127	9/27/2022 10:35:20	0.0	0.0
128	9/27/2022 10:36:20	0.0	0.0
129	9/27/2022 10:37:20	0.0	0.0
130	9/27/2022 10:38:20	0.0	0.0
131	9/27/2022 10:39:20	0.0	0.0

132	9/27/2022 10:40:20	0.0	0.0
133	9/27/2022 10:41:20	0.0	0.0
134	9/27/2022 10:42:20	0.0	0.0
135	9/27/2022 10:43:20	0.0	0.0
136	9/27/2022 10:44:20	0.0	0.0
137	9/27/2022 10:45:20	0.0	0.0
138	9/27/2022 10:46:20	0.0	0.0
139	9/27/2022 10:47:20	0.0	0.0
140	9/27/2022 10:48:20	0.0	0.0
141	9/27/2022 10:49:20	0.0	0.0
142	9/27/2022 10:50:20	0.0	0.0
143	9/27/2022 10:51:20	0.0	0.0
144	9/27/2022 10:52:20	0.0	0.0
145	9/27/2022 10:53:20	0.0	0.0
146	9/27/2022 10:54:20	0.0	0.0
147	9/27/2022 10:55:20	0.0	0.0
148	9/27/2022 10:56:20	0.0	0.0
149	9/27/2022 10:57:20	0.0	0.0
150	9/27/2022 10:58:20	0.0	0.0
151	9/27/2022 10:59:20	0.0	0.0
152	9/27/2022 11:00:20	0.0	0.0
153	9/27/2022 11:01:20	0.0	0.0
154	9/27/2022 11:02:20	0.0	0.0
155	9/27/2022 11:03:20	0.0	0.0
156	9/27/2022 11:04:20	0.0	0.0
157	9/27/2022 11:05:20	0.0	0.0
158	9/27/2022 11:06:20	0.0	0.0
159	9/27/2022 11:07:20	0.0	0.0
160	9/27/2022 11:08:20	0.0	0.0
161	9/27/2022 11:09:20	0.0	0.0
162	9/27/2022 11:10:20	0.0	0.0
163	9/27/2022 11:11:20	0.0	0.0
164	9/27/2022 11:12:20	0.0	0.0
165	9/27/2022 11:13:20	0.0	0.0
166	9/27/2022 11:14:20	0.0	0.0
167	9/27/2022 11:15:20	0.0	0.0
168	9/27/2022 11:16:20	0.0	0.0
169	9/27/2022 11:17:20	0.0	0.0
170	9/27/2022 11:18:20	0.0	0.0
171	9/27/2022 11:19:20	0.0	0.0
172	9/27/2022 11:20:20	0.0	0.0
173	9/27/2022 11:21:20	0.0	0.0
174	9/27/2022 11:22:20	0.0	0.0
175	9/27/2022 11:23:20	0.0	0.0
176	9/27/2022 11:24:20	0.0	0.0
177	9/27/2022 11:25:20	0.0	0.0
178	9/27/2022 11:26:20	0.0	0.0
179	9/27/2022 11:27:20	0.0	0.0
180	9/27/2022 11:28:20	0.0	0.0
181	9/27/2022 11:29:20	0.0	0.0

182	9/27/2022 11:30:20	0.0	0.0
183	9/27/2022 11:31:20	0.0	0.0
184	9/27/2022 11:32:20	0.0	0.0
185	9/27/2022 11:33:20	0.0	0.0
186	9/27/2022 11:34:20	0.0	0.0
187	9/27/2022 11:35:20	0.0	0.0
188	9/27/2022 11:36:20	0.0	0.0
189	9/27/2022 11:37:20	0.0	0.0
190	9/27/2022 11:38:20	0.0	0.0
191	9/27/2022 11:39:20	0.0	0.0
192	9/27/2022 11:40:20	0.0	0.0
193	9/27/2022 11:41:20	0.0	0.0
194	9/27/2022 11:42:20	0.0	0.0
195	9/27/2022 11:43:20	0.0	0.0
196	9/27/2022 11:44:20	0.0	0.0
197	9/27/2022 11:45:20	0.0	0.0
198	9/27/2022 11:46:20	0.0	0.0
199	9/27/2022 11:47:20	0.0	0.0
200	9/27/2022 11:48:20	0.0	0.0
201	9/27/2022 11:49:20	0.0	0.0
202	9/27/2022 11:50:20	0.0	0.0
203	9/27/2022 11:51:20	0.0	0.0
204	9/27/2022 11:52:20	0.0	0.0
205	9/27/2022 11:53:20	0.0	0.0
206	9/27/2022 11:54:20	0.0	0.0
207	9/27/2022 11:55:20	0.0	0.0
208	9/27/2022 11:56:20	0.0	0.0
209	9/27/2022 11:57:20	0.0	0.0
210	9/27/2022 11:58:20	0.0	0.0
211	9/27/2022 11:59:20	0.0	0.0
212	9/27/2022 12:00:20	0.0	0.0
213	9/27/2022 12:01:20	0.0	0.0
214	9/27/2022 12:02:20	0.0	0.0
215	9/27/2022 12:03:20	0.0	0.0
216	9/27/2022 12:04:20	0.0	0.0
217	9/27/2022 12:05:20	0.0	0.0
218	9/27/2022 12:06:20	0.0	0.0
219	9/27/2022 12:07:20	0.0	0.0
220	9/27/2022 12:08:20	0.0	0.0
221	9/27/2022 12:09:20	0.0	0.0
222	9/27/2022 12:10:20	0.0	0.0
223	9/27/2022 12:11:20	0.0	0.0
224	9/27/2022 12:12:20	0.0	0.0
225	9/27/2022 12:13:20	0.0	0.0
226	9/27/2022 12:14:20	0.0	0.0
227	9/27/2022 12:15:20	0.0	0.0
228	9/27/2022 12:16:20	0.0	0.0
229	9/27/2022 12:17:20	0.0	0.0
230	9/27/2022 12:18:20	0.0	0.0
231	9/27/2022 12:19:20	0.0	0.0

232	9/27/2022 12:20:20	0.0	0.0
233	9/27/2022 12:21:20	0.0	0.0
234	9/27/2022 12:22:20	0.0	0.0
235	9/27/2022 12:23:20	0.0	0.0
236	9/27/2022 12:24:20	0.0	0.0
237	9/27/2022 12:25:20	0.0	0.0
238	9/27/2022 12:26:20	0.0	0.0
239	9/27/2022 12:27:20	0.0	0.0
240	9/27/2022 12:28:20	0.0	0.0
241	9/27/2022 12:29:20	0.0	0.0
242	9/27/2022 12:30:20	0.0	0.0
243	9/27/2022 12:31:20	0.0	0.0
244	9/27/2022 12:32:20	0.0	0.0
245	9/27/2022 12:33:20	0.0	0.0
246	9/27/2022 12:34:20	0.0	0.0
247	9/27/2022 12:35:20	0.0	0.0
248	9/27/2022 12:36:20	0.0	0.0
249	9/27/2022 12:37:20	0.0	0.0
250	9/27/2022 12:38:20	0.0	0.0
251	9/27/2022 12:39:20	0.0	0.0
252	9/27/2022 12:40:20	0.0	0.0
253	9/27/2022 12:41:20	0.0	0.0
254	9/27/2022 12:42:20	0.0	0.0
255	9/27/2022 12:43:20	0.0	0.0
256	9/27/2022 12:44:20	0.0	0.0
257	9/27/2022 12:45:20	0.0	0.0
258	9/27/2022 12:46:20	0.0	0.0
259	9/27/2022 12:47:20	0.0	0.0
260	9/27/2022 12:48:20	0.0	0.0
261	9/27/2022 12:49:20	0.0	0.0
262	9/27/2022 12:50:20	0.0	0.0
263	9/27/2022 12:51:20	0.0	0.0
264	9/27/2022 12:52:20	0.0	0.0
265	9/27/2022 12:53:20	0.0	0.0
266	9/27/2022 12:54:20	0.0	0.0
267	9/27/2022 12:55:20	0.0	0.0
268	9/27/2022 12:56:20	0.0	0.0
269	9/27/2022 12:57:20	0.0	0.0
270	9/27/2022 12:58:20	0.0	0.0
271	9/27/2022 12:59:20	0.0	0.0
272	9/27/2022 13:00:20	0.0	0.0
273	9/27/2022 13:01:20	0.0	0.0
274	9/27/2022 13:02:20	0.0	0.0
275	9/27/2022 13:03:20	0.0	0.0
276	9/27/2022 13:04:20	0.0	0.0
277	9/27/2022 13:05:20	0.0	0.0
278	9/27/2022 13:06:20	0.0	0.0
279	9/27/2022 13:07:20	0.0	0.0
280	9/27/2022 13:08:20	0.0	0.0
281	9/27/2022 13:09:20	0.0	0.0

282	9/27/2022 13:10:20	0.0	0.0
283	9/27/2022 13:11:20	0.0	0.0
284	9/27/2022 13:12:20	0.0	0.0
285	9/27/2022 13:13:20	0.0	0.0
286	9/27/2022 13:14:20	0.0	0.0
287	9/27/2022 13:15:20	0.0	0.0
288	9/27/2022 13:16:20	0.0	0.0
289	9/27/2022 13:17:20	0.0	0.0
290	9/27/2022 13:18:20	0.0	0.0
291	9/27/2022 13:19:20	0.0	0.0
292	9/27/2022 13:20:20	0.0	0.0
293	9/27/2022 13:21:20	0.0	0.0
294	9/27/2022 13:22:20	0.0	0.0
295	9/27/2022 13:23:20	0.0	0.0
296	9/27/2022 13:24:20	0.0	0.0
297	9/27/2022 13:25:20	0.0	0.0
298	9/27/2022 13:26:20	0.0	0.0
299	9/27/2022 13:27:20	0.0	0.0
300	9/27/2022 13:28:20	0.0	0.0
301	9/27/2022 13:29:20	0.0	0.0
302	9/27/2022 13:30:20	0.0	0.0
303	9/27/2022 13:31:20	0.0	0.0
304	9/27/2022 13:32:20	0.0	0.0
305	9/27/2022 13:33:20	0.0	0.0
306	9/27/2022 13:34:20	0.0	0.0
307	9/27/2022 13:35:20	0.0	0.0
308	9/27/2022 13:36:20	0.0	0.0
309	9/27/2022 13:37:20	0.0	0.0
310	9/27/2022 13:38:20	0.0	0.0
311	9/27/2022 13:39:20	0.0	0.0
312	9/27/2022 13:40:20	0.0	0.0
313	9/27/2022 13:41:20	0.0	0.0
314	9/27/2022 13:42:20	0.0	0.0
315	9/27/2022 13:43:20	0.0	0.0
316	9/27/2022 13:44:20	0.0	0.0
317	9/27/2022 13:45:20	0.0	0.0
318	9/27/2022 13:46:20	0.0	0.0
319	9/27/2022 13:47:20	0.0	0.0
320	9/27/2022 13:48:20	0.0	0.0
321	9/27/2022 13:49:20	0.0	0.0
322	9/27/2022 13:50:20	0.0	0.0
323	9/27/2022 13:51:20	0.0	0.0
324	9/27/2022 13:52:20	0.0	0.0
325	9/27/2022 13:53:20	0.0	0.0
326	9/27/2022 13:54:20	0.0	0.0
327	9/27/2022 13:55:20	0.0	0.0
328	9/27/2022 13:56:20	0.0	0.0
329	9/27/2022 13:57:20	0.0	0.0
330	9/27/2022 13:58:20	0.0	0.0
331	9/27/2022 13:59:20	0.0	0.0

332	9/27/2022 14:00:20	0.0	0.0
333	9/27/2022 14:01:20	0.0	0.0
334	9/27/2022 14:02:20	0.0	0.0
335	9/27/2022 14:03:20	0.0	0.0
336	9/27/2022 14:04:20	0.0	0.0
337	9/27/2022 14:05:20	0.0	0.0
338	9/27/2022 14:06:20	0.0	0.0
339	9/27/2022 14:07:20	0.0	0.0
340	9/27/2022 14:08:20	0.0	0.0
341	9/27/2022 14:09:20	0.0	0.0
342	9/27/2022 14:10:20	0.0	0.0
343	9/27/2022 14:11:20	0.0	0.0
344	9/27/2022 14:12:20	0.0	0.0
345	9/27/2022 14:13:20	0.0	0.0
346	9/27/2022 14:14:20	0.0	0.0
347	9/27/2022 14:15:20	0.0	0.0
348	9/27/2022 14:16:20	0.0	0.0
349	9/27/2022 14:17:20	0.0	0.0
350	9/27/2022 14:18:20	0.0	0.0
351	9/27/2022 14:19:20	0.0	0.0
352	9/27/2022 14:20:20	0.0	0.0
353	9/27/2022 14:21:20	0.0	0.0
354	9/27/2022 14:22:20	0.0	0.0
355	9/27/2022 14:23:20	0.0	0.0
356	9/27/2022 14:24:20	0.0	0.0
357	9/27/2022 14:25:20	0.0	0.0
358	9/27/2022 14:26:20	0.0	0.0
359	9/27/2022 14:27:20	0.0	0.0
360	9/27/2022 14:28:20	0.0	0.0
361	9/27/2022 14:29:20	0.0	0.0
362	9/27/2022 14:30:20	0.0	0.0
363	9/27/2022 14:31:20	0.0	0.0
364	9/27/2022 14:32:20	0.0	0.0
365	9/27/2022 14:33:20	0.0	0.0
366	9/27/2022 14:34:20	0.0	0.0
367	9/27/2022 14:35:20	0.0	0.0
368	9/27/2022 14:36:20	0.0	0.0
369	9/27/2022 14:37:20	0.0	0.0
370	9/27/2022 14:38:20	0.0	0.0
371	9/27/2022 14:39:20	0.0	0.0
372	9/27/2022 14:40:20	0.0	0.0
373	9/27/2022 14:41:20	0.0	0.0
374	9/27/2022 14:42:20	0.0	0.0
375	9/27/2022 14:43:20	0.0	0.0
376	9/27/2022 14:44:20	0.0	0.0
377	9/27/2022 14:45:20	0.0	0.0

==========

22/11/04 08:03

****

Summary

```
------------------------------------------------------------
Unit Name       MiniRAE 3000 +(PGM-7320)
Unit SN 592-602497
Unit Firmware Ver       V2.22
------------------------------------------------------------
Running Mode    Hygiene Mode
Datalog Mode    Auto
Diagnostic Mode No
Stop Reason     Power Down
------------------------------------------------------------
Site ID 12345678
User ID 12345678
------------------------------------------------------------
Begin   11/4/2022 08:03:44
End     11/4/2022 11:13:47
Sample Period(s)        60
Number of Records       190
------------------------------------------------------------
Sensor  PID(ppm)
Sensor SN       S023030190B7
Measure Type    Avg; Max; Real
Span    100.0
Span 2  1000.0
Low Alarm       50.0
High Alarm      100.0
Over Alarm      15000.0
STEL Alarm      100.0
TWA Alarm       50.0
Measurement Gas Isobutylene
Calibration Time        8/10/2022 10:57
Peak    0.0
Min     0.0
Average 0.0

************************************************************
Datalog
                PID(ppm)        PID(ppm)        PID(ppm)
Index   Date/Time       (Avg)   (Max)   (Real)
001     11/4/2022 08:04:44      0.0     0.0     0.0
002     11/4/2022 08:05:44      0.0     0.0     0.0
003     11/4/2022 08:06:44      0.0     0.0     0.0
004     11/4/2022 08:07:44      0.0     0.0     0.0
005     11/4/2022 08:08:44      0.0     0.0     0.0
006     11/4/2022 08:09:44      0.0     0.0     0.0
007     11/4/2022 08:10:44      0.0     0.0     0.0
008     11/4/2022 08:11:44      0.0     0.0     0.0
009     11/4/2022 08:12:44      0.0     0.0     0.0
010     11/4/2022 08:13:44      0.0     0.0     0.0
011     11/4/2022 08:14:44      0.0     0.0     0.0
012     11/4/2022 08:15:44      0.0     0.0     0.0
```

013	11/4/2022	08:16:44	0.0	0.0	0.0
014	11/4/2022	08:17:44	0.0	0.0	0.0
015	11/4/2022	08:18:44	0.0	0.0	0.0
016	11/4/2022	08:19:44	0.0	0.0	0.0
017	11/4/2022	08:20:44	0.0	0.0	0.0
018	11/4/2022	08:21:44	0.0	0.0	0.0
019	11/4/2022	08:22:44	0.0	0.0	0.0
020	11/4/2022	08:23:44	0.0	0.0	0.0
021	11/4/2022	08:24:44	0.0	0.0	0.0
022	11/4/2022	08:25:44	0.0	0.0	0.0
023	11/4/2022	08:26:44	0.0	0.0	0.0
024	11/4/2022	08:27:44	0.0	0.0	0.0
025	11/4/2022	08:28:44	0.0	0.0	0.0
026	11/4/2022	08:29:44	0.0	0.0	0.0
027	11/4/2022	08:30:44	0.0	0.0	0.0
028	11/4/2022	08:31:44	0.0	0.0	0.0
029	11/4/2022	08:32:44	0.0	0.0	0.0
030	11/4/2022	08:33:44	0.0	0.0	0.0
031	11/4/2022	08:34:44	0.0	0.0	0.0
032	11/4/2022	08:35:44	0.0	0.0	0.0
033	11/4/2022	08:36:44	0.0	0.0	0.0
034	11/4/2022	08:37:44	0.0	0.0	0.0
035	11/4/2022	08:38:44	0.0	0.0	0.0
036	11/4/2022	08:39:44	0.0	0.0	0.0
037	11/4/2022	08:40:44	0.0	0.0	0.0
038	11/4/2022	08:41:44	0.0	0.0	0.0
039	11/4/2022	08:42:44	0.0	0.0	0.0
040	11/4/2022	08:43:44	0.0	0.0	0.0
041	11/4/2022	08:44:44	0.0	0.0	0.0
042	11/4/2022	08:45:44	0.0	0.0	0.0
043	11/4/2022	08:46:44	0.0	0.0	0.0
044	11/4/2022	08:47:44	0.0	0.0	0.0
045	11/4/2022	08:48:44	0.0	0.0	0.0
046	11/4/2022	08:49:44	0.0	0.0	0.0
047	11/4/2022	08:50:44	0.0	0.0	0.0
048	11/4/2022	08:51:44	0.0	0.0	0.0
049	11/4/2022	08:52:44	0.0	0.0	0.0
050	11/4/2022	08:53:44	0.0	0.0	0.0
051	11/4/2022	08:54:44	0.0	0.0	0.0
052	11/4/2022	08:55:44	0.0	0.0	0.0
053	11/4/2022	08:56:44	0.0	0.0	0.0
054	11/4/2022	08:57:44	0.0	0.0	0.0
055	11/4/2022	08:58:44	0.0	0.0	0.0
056	11/4/2022	08:59:44	0.0	0.0	0.0
057	11/4/2022	09:00:44	0.0	0.0	0.0
058	11/4/2022	09:01:44	0.0	0.0	0.0
059	11/4/2022	09:02:44	0.0	0.0	0.0
060	11/4/2022	09:03:44	0.0	0.0	0.0
061	11/4/2022	09:04:44	0.0	0.0	0.0
062	11/4/2022	09:05:44	0.0	0.0	0.0

063	11/4/2022	09:06:44	0.0	0.0	0.0
064	11/4/2022	09:07:44	0.0	0.0	0.0
065	11/4/2022	09:08:44	0.0	0.0	0.0
066	11/4/2022	09:09:44	0.0	0.0	0.0
067	11/4/2022	09:10:44	0.0	0.0	0.0
068	11/4/2022	09:11:44	0.0	0.0	0.0
069	11/4/2022	09:12:44	0.0	0.0	0.0
070	11/4/2022	09:13:44	0.0	0.0	0.0
071	11/4/2022	09:14:44	0.0	0.0	0.0
072	11/4/2022	09:15:44	0.0	0.0	0.0
073	11/4/2022	09:16:44	0.0	0.0	0.0
074	11/4/2022	09:17:44	0.0	0.0	0.0
075	11/4/2022	09:18:44	0.0	0.0	0.0
076	11/4/2022	09:19:44	0.0	0.0	0.0
077	11/4/2022	09:20:44	0.0	0.0	0.0
078	11/4/2022	09:21:44	0.0	0.0	0.0
079	11/4/2022	09:22:44	0.0	0.0	0.0
080	11/4/2022	09:23:44	0.0	0.0	0.0
081	11/4/2022	09:24:44	0.0	0.0	0.0
082	11/4/2022	09:25:44	0.0	0.0	0.0
083	11/4/2022	09:26:44	0.0	0.0	0.0
084	11/4/2022	09:27:44	0.0	0.0	0.0
085	11/4/2022	09:28:44	0.0	0.0	0.0
086	11/4/2022	09:29:44	0.0	0.0	0.0
087	11/4/2022	09:30:44	0.0	0.0	0.0
088	11/4/2022	09:31:44	0.0	0.0	0.0
089	11/4/2022	09:32:44	0.0	0.0	0.0
090	11/4/2022	09:33:44	0.0	0.0	0.0
091	11/4/2022	09:34:44	0.0	0.0	0.0
092	11/4/2022	09:35:44	0.0	0.0	0.0
093	11/4/2022	09:36:44	0.0	0.0	0.0
094	11/4/2022	09:37:44	0.0	0.0	0.0
095	11/4/2022	09:38:44	0.0	0.0	0.0
096	11/4/2022	09:39:44	0.0	0.0	0.0
097	11/4/2022	09:40:44	0.0	0.0	0.0
098	11/4/2022	09:41:44	0.0	0.0	0.0
099	11/4/2022	09:42:44	0.0	0.0	0.0
100	11/4/2022	09:43:44	0.0	0.0	0.0
101	11/4/2022	09:44:44	0.0	0.0	0.0
102	11/4/2022	09:45:44	0.0	0.0	0.0
103	11/4/2022	09:46:44	0.0	0.0	0.0
104	11/4/2022	09:47:44	0.0	0.0	0.0
105	11/4/2022	09:48:44	0.0	0.0	0.0
106	11/4/2022	09:49:44	0.0	0.0	0.0
107	11/4/2022	09:50:44	0.0	0.0	0.0
108	11/4/2022	09:51:44	0.0	0.0	0.0
109	11/4/2022	09:52:44	0.0	0.0	0.0
110	11/4/2022	09:53:44	0.0	0.0	0.0
111	11/4/2022	09:54:44	0.0	0.0	0.0
112	11/4/2022	09:55:44	0.0	0.0	0.0

113	11/4/2022 09:56:44	0.0	0.0	0.0
114	11/4/2022 09:57:44	0.0	0.0	0.0
115	11/4/2022 09:58:44	0.0	0.0	0.0
116	11/4/2022 09:59:44	0.0	0.0	0.0
117	11/4/2022 10:00:44	0.0	0.0	0.0
118	11/4/2022 10:01:44	0.0	0.0	0.0
119	11/4/2022 10:02:44	0.0	0.0	0.0
120	11/4/2022 10:03:44	0.0	0.0	0.0
121	11/4/2022 10:04:44	0.0	0.0	0.0
122	11/4/2022 10:05:44	0.0	0.0	0.0
123	11/4/2022 10:06:44	0.0	0.0	0.0
124	11/4/2022 10:07:44	0.0	0.0	0.0
125	11/4/2022 10:08:44	0.0	0.0	0.0
126	11/4/2022 10:09:44	0.0	0.0	0.0
127	11/4/2022 10:10:44	0.0	0.0	0.0
128	11/4/2022 10:11:44	0.0	0.0	0.0
129	11/4/2022 10:12:44	0.0	0.0	0.0
130	11/4/2022 10:13:44	0.0	0.0	0.0
131	11/4/2022 10:14:44	0.0	0.0	0.0
132	11/4/2022 10:15:44	0.0	0.0	0.0
133	11/4/2022 10:16:44	0.0	0.0	0.0
134	11/4/2022 10:17:44	0.0	0.0	0.0
135	11/4/2022 10:18:44	0.0	0.0	0.0
136	11/4/2022 10:19:44	0.0	0.0	0.0
137	11/4/2022 10:20:44	0.0	0.0	0.0
138	11/4/2022 10:21:44	0.0	0.0	0.0
139	11/4/2022 10:22:44	0.0	0.0	0.0
140	11/4/2022 10:23:44	0.0	0.0	0.0
141	11/4/2022 10:24:44	0.0	0.0	0.0
142	11/4/2022 10:25:44	0.0	0.0	0.0
143	11/4/2022 10:26:44	0.0	0.0	0.0
144	11/4/2022 10:27:44	0.0	0.0	0.0
145	11/4/2022 10:28:44	0.0	0.0	0.0
146	11/4/2022 10:29:44	0.0	0.0	0.0
147	11/4/2022 10:30:44	0.0	0.0	0.0
148	11/4/2022 10:31:44	0.0	0.0	0.0
149	11/4/2022 10:32:44	0.0	0.0	0.0
150	11/4/2022 10:33:44	0.0	0.0	0.0
151	11/4/2022 10:34:44	0.0	0.0	0.0
152	11/4/2022 10:35:44	0.0	0.0	0.0
153	11/4/2022 10:36:44	0.0	0.0	0.0
154	11/4/2022 10:37:44	0.0	0.0	0.0
155	11/4/2022 10:38:44	0.0	0.0	0.0
156	11/4/2022 10:39:44	0.0	0.0	0.0
157	11/4/2022 10:40:44	0.0	0.0	0.0
158	11/4/2022 10:41:44	0.0	0.0	0.0
159	11/4/2022 10:42:44	0.0	0.0	0.0
160	11/4/2022 10:43:44	0.0	0.0	0.0
161	11/4/2022 10:44:44	0.0	0.0	0.0
162	11/4/2022 10:45:44	0.0	0.0	0.0

163	11/4/2022 10:46:44	0.0	0.0	0.0
164	11/4/2022 10:47:44	0.0	0.0	0.0
165	11/4/2022 10:48:44	0.0	0.0	0.0
166	11/4/2022 10:49:44	0.0	0.0	0.0
167	11/4/2022 10:50:44	0.0	0.0	0.0
168	11/4/2022 10:51:44	0.0	0.0	0.0
169	11/4/2022 10:52:44	0.0	0.0	0.0
170	11/4/2022 10:53:44	0.0	0.0	0.0
171	11/4/2022 10:54:44	0.0	0.0	0.0
172	11/4/2022 10:55:44	0.0	0.0	0.0
173	11/4/2022 10:56:44	0.0	0.0	0.0
174	11/4/2022 10:57:44	0.0	0.0	0.0
175	11/4/2022 10:58:44	0.0	0.0	0.0
176	11/4/2022 10:59:44	0.0	0.0	0.0
177	11/4/2022 11:00:44	0.0	0.0	0.0
178	11/4/2022 11:01:44	0.0	0.0	0.0
179	11/4/2022 11:02:44	0.0	0.0	0.0
180	11/4/2022 11:03:44	0.0	0.0	0.0
181	11/4/2022 11:04:44	0.0	0.0	0.0
182	11/4/2022 11:05:44	0.0	0.0	0.0
183	11/4/2022 11:06:44	0.0	0.0	0.0
184	11/4/2022 11:07:44	0.0	0.0	0.0
185	11/4/2022 11:08:44	0.0	0.0	0.0
186	11/4/2022 11:09:44	0.0	0.0	0.0
187	11/4/2022 11:10:44	0.0	0.0	0.0
188	11/4/2022 11:11:44	0.0	0.0	0.0
189	11/4/2022 11:12:44	0.0	0.0	0.0
190	11/4/2022 11:13:44	0.0	0.0	0.0
Peak		0.0	0.0	0.0
Min		0.0	0.0	0.0
Average		0.0	0.0	0.0

****

TWA/STEL

Index	Date/Time	PID(ppm) (TWA)	PID(ppm) (STEL)
001	11/4/2022 08:04:44	0.0	---
002	11/4/2022 08:05:44	0.0	---
003	11/4/2022 08:06:44	0.0	---
004	11/4/2022 08:07:44	0.0	---
005	11/4/2022 08:08:44	0.0	---
006	11/4/2022 08:09:44	0.0	---
007	11/4/2022 08:10:44	0.0	---
008	11/4/2022 08:11:44	0.0	---
009	11/4/2022 08:12:44	0.0	---
010	11/4/2022 08:13:44	0.0	---
011	11/4/2022 08:14:44	0.0	---
012	11/4/2022 08:15:44	0.0	---
013	11/4/2022 08:16:44	0.0	---
014	11/4/2022 08:17:44	0.0	---

015	11/4/2022 08:18:44	0.0	0.0
016	11/4/2022 08:19:44	0.0	0.0
017	11/4/2022 08:20:44	0.0	0.0
018	11/4/2022 08:21:44	0.0	0.0
019	11/4/2022 08:22:44	0.0	0.0
020	11/4/2022 08:23:44	0.0	0.0
021	11/4/2022 08:24:44	0.0	0.0
022	11/4/2022 08:25:44	0.0	0.0
023	11/4/2022 08:26:44	0.0	0.0
024	11/4/2022 08:27:44	0.0	0.0
025	11/4/2022 08:28:44	0.0	0.0
026	11/4/2022 08:29:44	0.0	0.0
027	11/4/2022 08:30:44	0.0	0.0
028	11/4/2022 08:31:44	0.0	0.0
029	11/4/2022 08:32:44	0.0	0.0
030	11/4/2022 08:33:44	0.0	0.0
031	11/4/2022 08:34:44	0.0	0.0
032	11/4/2022 08:35:44	0.0	0.0
033	11/4/2022 08:36:44	0.0	0.0
034	11/4/2022 08:37:44	0.0	0.0
035	11/4/2022 08:38:44	0.0	0.0
036	11/4/2022 08:39:44	0.0	0.0
037	11/4/2022 08:40:44	0.0	0.0
038	11/4/2022 08:41:44	0.0	0.0
039	11/4/2022 08:42:44	0.0	0.0
040	11/4/2022 08:43:44	0.0	0.0
041	11/4/2022 08:44:44	0.0	0.0
042	11/4/2022 08:45:44	0.0	0.0
043	11/4/2022 08:46:44	0.0	0.0
044	11/4/2022 08:47:44	0.0	0.0
045	11/4/2022 08:48:44	0.0	0.0
046	11/4/2022 08:49:44	0.0	0.0
047	11/4/2022 08:50:44	0.0	0.0
048	11/4/2022 08:51:44	0.0	0.0
049	11/4/2022 08:52:44	0.0	0.0
050	11/4/2022 08:53:44	0.0	0.0
051	11/4/2022 08:54:44	0.0	0.0
052	11/4/2022 08:55:44	0.0	0.0
053	11/4/2022 08:56:44	0.0	0.0
054	11/4/2022 08:57:44	0.0	0.0
055	11/4/2022 08:58:44	0.0	0.0
056	11/4/2022 08:59:44	0.0	0.0
057	11/4/2022 09:00:44	0.0	0.0
058	11/4/2022 09:01:44	0.0	0.0
059	11/4/2022 09:02:44	0.0	0.0
060	11/4/2022 09:03:44	0.0	0.0
061	11/4/2022 09:04:44	0.0	0.0
062	11/4/2022 09:05:44	0.0	0.0
063	11/4/2022 09:06:44	0.0	0.0
064	11/4/2022 09:07:44	0.0	0.0

065	11/4/2022 09:08:44	0.0	0.0
066	11/4/2022 09:09:44	0.0	0.0
067	11/4/2022 09:10:44	0.0	0.0
068	11/4/2022 09:11:44	0.0	0.0
069	11/4/2022 09:12:44	0.0	0.0
070	11/4/2022 09:13:44	0.0	0.0
071	11/4/2022 09:14:44	0.0	0.0
072	11/4/2022 09:15:44	0.0	0.0
073	11/4/2022 09:16:44	0.0	0.0
074	11/4/2022 09:17:44	0.0	0.0
075	11/4/2022 09:18:44	0.0	0.0
076	11/4/2022 09:19:44	0.0	0.0
077	11/4/2022 09:20:44	0.0	0.0
078	11/4/2022 09:21:44	0.0	0.0
079	11/4/2022 09:22:44	0.0	0.0
080	11/4/2022 09:23:44	0.0	0.0
081	11/4/2022 09:24:44	0.0	0.0
082	11/4/2022 09:25:44	0.0	0.0
083	11/4/2022 09:26:44	0.0	0.0
084	11/4/2022 09:27:44	0.0	0.0
085	11/4/2022 09:28:44	0.0	0.0
086	11/4/2022 09:29:44	0.0	0.0
087	11/4/2022 09:30:44	0.0	0.0
088	11/4/2022 09:31:44	0.0	0.0
089	11/4/2022 09:32:44	0.0	0.0
090	11/4/2022 09:33:44	0.0	0.0
091	11/4/2022 09:34:44	0.0	0.0
092	11/4/2022 09:35:44	0.0	0.0
093	11/4/2022 09:36:44	0.0	0.0
094	11/4/2022 09:37:44	0.0	0.0
095	11/4/2022 09:38:44	0.0	0.0
096	11/4/2022 09:39:44	0.0	0.0
097	11/4/2022 09:40:44	0.0	0.0
098	11/4/2022 09:41:44	0.0	0.0
099	11/4/2022 09:42:44	0.0	0.0
100	11/4/2022 09:43:44	0.0	0.0
101	11/4/2022 09:44:44	0.0	0.0
102	11/4/2022 09:45:44	0.0	0.0
103	11/4/2022 09:46:44	0.0	0.0
104	11/4/2022 09:47:44	0.0	0.0
105	11/4/2022 09:48:44	0.0	0.0
106	11/4/2022 09:49:44	0.0	0.0
107	11/4/2022 09:50:44	0.0	0.0
108	11/4/2022 09:51:44	0.0	0.0
109	11/4/2022 09:52:44	0.0	0.0
110	11/4/2022 09:53:44	0.0	0.0
111	11/4/2022 09:54:44	0.0	0.0
112	11/4/2022 09:55:44	0.0	0.0
113	11/4/2022 09:56:44	0.0	0.0
114	11/4/2022 09:57:44	0.0	0.0

115	11/4/2022 09:58:44	0.0	0.0
116	11/4/2022 09:59:44	0.0	0.0
117	11/4/2022 10:00:44	0.0	0.0
118	11/4/2022 10:01:44	0.0	0.0
119	11/4/2022 10:02:44	0.0	0.0
120	11/4/2022 10:03:44	0.0	0.0
121	11/4/2022 10:04:44	0.0	0.0
122	11/4/2022 10:05:44	0.0	0.0
123	11/4/2022 10:06:44	0.0	0.0
124	11/4/2022 10:07:44	0.0	0.0
125	11/4/2022 10:08:44	0.0	0.0
126	11/4/2022 10:09:44	0.0	0.0
127	11/4/2022 10:10:44	0.0	0.0
128	11/4/2022 10:11:44	0.0	0.0
129	11/4/2022 10:12:44	0.0	0.0
130	11/4/2022 10:13:44	0.0	0.0
131	11/4/2022 10:14:44	0.0	0.0
132	11/4/2022 10:15:44	0.0	0.0
133	11/4/2022 10:16:44	0.0	0.0
134	11/4/2022 10:17:44	0.0	0.0
135	11/4/2022 10:18:44	0.0	0.0
136	11/4/2022 10:19:44	0.0	0.0
137	11/4/2022 10:20:44	0.0	0.0
138	11/4/2022 10:21:44	0.0	0.0
139	11/4/2022 10:22:44	0.0	0.0
140	11/4/2022 10:23:44	0.0	0.0
141	11/4/2022 10:24:44	0.0	0.0
142	11/4/2022 10:25:44	0.0	0.0
143	11/4/2022 10:26:44	0.0	0.0
144	11/4/2022 10:27:44	0.0	0.0
145	11/4/2022 10:28:44	0.0	0.0
146	11/4/2022 10:29:44	0.0	0.0
147	11/4/2022 10:30:44	0.0	0.0
148	11/4/2022 10:31:44	0.0	0.0
149	11/4/2022 10:32:44	0.0	0.0
150	11/4/2022 10:33:44	0.0	0.0
151	11/4/2022 10:34:44	0.0	0.0
152	11/4/2022 10:35:44	0.0	0.0
153	11/4/2022 10:36:44	0.0	0.0
154	11/4/2022 10:37:44	0.0	0.0
155	11/4/2022 10:38:44	0.0	0.0
156	11/4/2022 10:39:44	0.0	0.0
157	11/4/2022 10:40:44	0.0	0.0
158	11/4/2022 10:41:44	0.0	0.0
159	11/4/2022 10:42:44	0.0	0.0
160	11/4/2022 10:43:44	0.0	0.0
161	11/4/2022 10:44:44	0.0	0.0
162	11/4/2022 10:45:44	0.0	0.0
163	11/4/2022 10:46:44	0.0	0.0
164	11/4/2022 10:47:44	0.0	0.0

165	11/4/2022 10:48:44	0.0	0.0
166	11/4/2022 10:49:44	0.0	0.0
167	11/4/2022 10:50:44	0.0	0.0
168	11/4/2022 10:51:44	0.0	0.0
169	11/4/2022 10:52:44	0.0	0.0
170	11/4/2022 10:53:44	0.0	0.0
171	11/4/2022 10:54:44	0.0	0.0
172	11/4/2022 10:55:44	0.0	0.0
173	11/4/2022 10:56:44	0.0	0.0
174	11/4/2022 10:57:44	0.0	0.0
175	11/4/2022 10:58:44	0.0	0.0
176	11/4/2022 10:59:44	0.0	0.0
177	11/4/2022 11:00:44	0.0	0.0
178	11/4/2022 11:01:44	0.0	0.0
179	11/4/2022 11:02:44	0.0	0.0
180	11/4/2022 11:03:44	0.0	0.0
181	11/4/2022 11:04:44	0.0	0.0
182	11/4/2022 11:05:44	0.0	0.0
183	11/4/2022 11:06:44	0.0	0.0
184	11/4/2022 11:07:44	0.0	0.0
185	11/4/2022 11:08:44	0.0	0.0
186	11/4/2022 11:09:44	0.0	0.0
187	11/4/2022 11:10:44	0.0	0.0
188	11/4/2022 11:11:44	0.0	0.0
189	11/4/2022 11:12:44	0.0	0.0
190	11/4/2022 11:13:44	0.0	0.0

APPENDIX C-6

WASTE CHARACTERIZATION LABORATORY DATA

PARADIGM

PARADIGM
ENVIRONMENTAL SERVICES, INC

Analytical Report For

C&S Companies

For Lab Project ID

224299

Referencing

Lakefront Waste Characterization

Prepared

Tuesday, September 20, 2022

Any noncompliant QC parameters or other notes impacting data interpretation are flagged or documented on the final report or are noted below:

Portions of the enclosed report reflects analysis that has been subcontracted and are presented in their original form.

Certifies that this report has been approved by the Technical Director or Designee

179 Lake Avenue • Rochester, NY 14608 • (585) 647-2530 • Fax (585) 647-3311 • ELAP ID# 10958

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-1		
Lab Sample ID:	224299-01	**Date Sampled:** 9/8/2022	13:30
Matrix:	Soil	**Date Received** 9/12/2022	

Ignitability

Analyte	Result	Units	Qualifier	Date Analyzed
Ignitability	No Burn	mm / sec		9/14/2022

Method Reference(s): EPA 1030

Metals

Analyte	Result	Units	Qualifier	Date Analyzed
Sulfur	**513**	mg/Kg	A	9/19/2022 06:29

Method Reference(s): EPA 6010C
EPA 3050B
Preparation Date: 9/14/2022
Data File: 220919A

PCBs

Analyte	Result	Units	Qualifier	Date Analyzed
PCB-1016	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1221	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1232	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1242	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1248	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1254	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1260	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1262	< 0.117	mg/Kg		9/13/2022 17:08
PCB-1268	< 0.117	mg/Kg		9/13/2022 17:08

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
Tetrachloro-m-xylene	**63.0**	12.7 - 101		9/13/2022 17:08

Method Reference(s): EPA 8082A
EPA 3546
Preparation Date: 9/13/2022

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-1		
Lab Sample ID:	224299-01	**Date Sampled:** 9/8/2022	13:30
Matrix:	Soil	**Date Received** 9/12/2022	

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	**86.7**	%		9/13/2022

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

pH

Analyte	Result	Units	Qualifier	Date Analyzed
pH	8.43 @ 22.9 C	S.U.		9/15/2022 13:27

Method Reference(s): EPA 9045D

Reactive Cyanide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Cyanide	<1.0	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.3.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

Reactive Sulfide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Sulfide	**14.0**	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.4.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-1		
Lab Sample ID:	224299-01A	**Date Sampled:** 9/8/2022	13:30
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP Semi-Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,4-Dichlorobenzene	< 40.0	ug/L	7500		9/15/2022 15:19
2,4,5-Trichlorophenol	< 40.0	ug/L	400000		9/15/2022 15:19
2,4,6-Trichlorophenol	< 40.0	ug/L	2000		9/15/2022 15:19
2,4-Dinitrotoluene	< 40.0	ug/L	130		9/15/2022 15:19
Cresols (as m,p,o-Cresol)	< 80.0	ug/L	200000		9/15/2022 15:19
Hexachlorobenzene	< 40.0	ug/L	130		9/15/2022 15:19
Hexachlorobutadiene	< 40.0	ug/L	500		9/15/2022 15:19
Hexachloroethane	< 40.0	ug/L	3000		9/15/2022 15:19
Nitrobenzene	< 40.0	ug/L	2000		9/15/2022 15:19
Pentachlorophenol	< 80.0	ug/L	100000		9/15/2022 15:19
Pyridine	< 40.0	ug/L	5000		9/15/2022 15:19

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2,4,6-Tribromophenol	**93.8**	29.6 - 139		9/15/2022 15:19
2-Fluorobiphenyl	**67.1**	10 - 124		9/15/2022 15:19
2-Fluorophenol	**67.3**	10 - 122		9/15/2022 15:19
Nitrobenzene-d5	**85.9**	28.7 - 119		9/15/2022 15:19
Phenol-d5	**63.7**	10 - 115		9/15/2022 15:19
Terphenyl-d14	**99.0**	32.2 - 142		9/15/2022 15:19

Method Reference(s): EPA 8270D
EPA 1311 / 3510C
Preparation Date: 9/14/2022
Data File: B63947.D

TCLP Mercury

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Mercury	< 0.00200	mg/L	0.2		9/16/2022 06:12

Method Reference(s): EPA 7470A
EPA 1311
Preparation Date: 9/15/2022
Data File: Hg220916A

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-1		
Lab Sample ID:	224299-01A	**Date Sampled:** 9/8/2022	13:30
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP RCRA Metals (ICP)

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Arsenic	< 0.500	mg/L	5		9/16/2022 09:02
Barium	**0.580**	mg/L	100		9/16/2022 09:02
Cadmium	< 0.0250	mg/L	1		9/16/2022 09:02
Chromium	< 0.500	mg/L	5		9/16/2022 09:02
Lead	< 0.500	mg/L	5		9/16/2022 09:02
Selenium	< 0.200	mg/L	1		9/16/2022 09:02
Silver	< 0.500	mg/L	5		9/16/2022 09:02

Method Reference(s): EPA 6010C
EPA 1311 / 3005A
Preparation Date: 9/14/2022
Data File: 220916A

TCLP Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,1-Dichloroethene	< 20.0	ug/L	700		9/14/2022 19:27
1,2-Dichloroethane	< 20.0	ug/L	500		9/14/2022 19:27
2-Butanone	< 100	ug/L	200000		9/14/2022 19:27
Benzene	< 20.0	ug/L	500		9/14/2022 19:27
Carbon Tetrachloride	< 20.0	ug/L	500		9/14/2022 19:27
Chlorobenzene	< 20.0	ug/L	100000		9/14/2022 19:27
Chloroform	< 20.0	ug/L	6000		9/14/2022 19:27
Tetrachloroethene	< 20.0	ug/L	700		9/14/2022 19:27
Trichloroethene	< 20.0	ug/L	500		9/14/2022 19:27
Vinyl chloride	< 20.0	ug/L	200		9/14/2022 19:27

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-1		
Lab Sample ID:	224299-01A	**Date Sampled:** 9/8/2022	13:30
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	**103**	81.1 - 136		9/14/2022	19:27
4-Bromofluorobenzene	**92.3**	75.8 - 132		9/14/2022	19:27
Pentafluorobenzene	**110**	82 - 132		9/14/2022	19:27
Toluene-D8	**106**	64.6 - 137		9/14/2022	19:27

Method Reference(s): EPA 8260C
EPA 1311 / 5030C

Data File: z12024.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-2		
Lab Sample ID:	224299-02	**Date Sampled:** 9/8/2022	13:35
Matrix:	Soil	**Date Received** 9/12/2022	

Ignitability

Analyte	Result	Units	Qualifier	Date Analyzed
Ignitability	No Burn	mm / sec		9/14/2022

Method Reference(s): EPA 1030

Metals

Analyte	Result	Units	Qualifier	Date Analyzed
Sulfur	**859**	mg/Kg	A	9/19/2022 06:32

Method Reference(s): EPA 6010C
EPA 3050B
Preparation Date: 9/14/2022
Data File: 220919A

PCBs

Analyte	Result	Units	Qualifier	Date Analyzed
PCB-1016	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1221	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1232	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1242	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1248	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1254	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1260	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1262	< 0.152	mg/Kg		9/13/2022 17:31
PCB-1268	< 0.152	mg/Kg		9/13/2022 17:31

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
Tetrachloro-m-xylene	**67.5**	12.7 - 101		9/13/2022 17:31

Method Reference(s): EPA 8082A
EPA 3546
Preparation Date: 9/13/2022

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-2		
Lab Sample ID:	224299-02	**Date Sampled:** 9/8/2022	13:35
Matrix:	Soil	**Date Received** 9/12/2022	

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	**89.7**	%		9/13/2022

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

pH

Analyte	Result	Units	Qualifier	Date Analyzed
pH	8.36 @ 22.9 C	S.U.		9/15/2022 13:29

Method Reference(s): EPA 9045D

Reactive Cyanide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Cyanide	<1.0	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.3.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

Reactive Sulfide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Sulfide	<10	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.4.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-2		
Lab Sample ID:	224299-02A	**Date Sampled:** 9/8/2022	13:35
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP Semi-Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,4-Dichlorobenzene	< 40.0	ug/L	7500		9/15/2022 15:48
2,4,5-Trichlorophenol	< 40.0	ug/L	400000		9/15/2022 15:48
2,4,6-Trichlorophenol	< 40.0	ug/L	2000		9/15/2022 15:48
2,4-Dinitrotoluene	< 40.0	ug/L	130		9/15/2022 15:48
Cresols (as m,p,o-Cresol)	< 80.0	ug/L	200000		9/15/2022 15:48
Hexachlorobenzene	< 40.0	ug/L	130		9/15/2022 15:48
Hexachlorobutadiene	< 40.0	ug/L	500		9/15/2022 15:48
Hexachloroethane	< 40.0	ug/L	3000		9/15/2022 15:48
Nitrobenzene	< 40.0	ug/L	2000		9/15/2022 15:48
Pentachlorophenol	< 80.0	ug/L	100000		9/15/2022 15:48
Pyridine	< 40.0	ug/L	5000		9/15/2022 15:48

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2,4,6-Tribromophenol	**93.4**	29.6 - 139		9/15/2022 15:48
2-Fluorobiphenyl	**71.8**	10 - 124		9/15/2022 15:48
2-Fluorophenol	**69.7**	10 - 122		9/15/2022 15:48
Nitrobenzene-d5	**90.0**	28.7 - 119		9/15/2022 15:48
Phenol-d5	**65.6**	10 - 115		9/15/2022 15:48
Terphenyl-d14	**98.9**	32.2 - 142		9/15/2022 15:48

Method Reference(s): EPA 8270D
EPA 1311 / 3510C
Preparation Date: 9/14/2022
Data File: B63948.D

TCLP Mercury

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Mercury	< 0.00200	mg/L	0.2		9/16/2022 06:18

Method Reference(s): EPA 7470A
EPA 1311
Preparation Date: 9/15/2022
Data File: Hg220916A

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-2		
Lab Sample ID:	224299-02A	**Date Sampled:** 9/8/2022	13:35
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP RCRA Metals (ICP)

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Arsenic	< 0.500	mg/L	5		9/16/2022 09:16
Barium	**0.503**	mg/L	100		9/16/2022 09:16
Cadmium	< 0.0250	mg/L	1		9/16/2022 09:16
Chromium	< 0.500	mg/L	5		9/16/2022 09:16
Lead	< 0.500	mg/L	5		9/16/2022 09:16
Selenium	< 0.200	mg/L	1		9/16/2022 09:16
Silver	< 0.500	mg/L	5		9/16/2022 09:16

Method Reference(s): EPA 6010C
EPA 1311 / 3005A
Preparation Date: 9/14/2022
Data File: 220916A

TCLP Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,1-Dichloroethene	< 20.0	ug/L	700		9/14/2022 19:46
1,2-Dichloroethane	< 20.0	ug/L	500		9/14/2022 19:46
2-Butanone	< 100	ug/L	200000		9/14/2022 19:46
Benzene	< 20.0	ug/L	500		9/14/2022 19:46
Carbon Tetrachloride	< 20.0	ug/L	500		9/14/2022 19:46
Chlorobenzene	< 20.0	ug/L	100000		9/14/2022 19:46
Chloroform	< 20.0	ug/L	6000		9/14/2022 19:46
Tetrachloroethene	< 20.0	ug/L	700		9/14/2022 19:46
Trichloroethene	< 20.0	ug/L	500		9/14/2022 19:46
Vinyl chloride	< 20.0	ug/L	200		9/14/2022 19:46

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-2		
Lab Sample ID:	224299-02A	**Date Sampled:** 9/8/2022	13:35
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	**101**	81.1 - 136		9/14/2022	19:46
4-Bromofluorobenzene	**94.5**	75.8 - 132		9/14/2022	19:46
Pentafluorobenzene	**103**	82 - 132		9/14/2022	19:46
Toluene-D8	**104**	64.6 - 137		9/14/2022	19:46

Method Reference(s): EPA 8260C
EPA 1311 / 5030C

Data File: z12025.D

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-3		
Lab Sample ID:	224299-03	**Date Sampled:** 9/8/2022	13:40
Matrix:	Soil	**Date Received** 9/12/2022	

Ignitability

Analyte	Result	Units	Qualifier	Date Analyzed
Ignitability	No Burn	mm / sec		9/14/2022

Method Reference(s): EPA 1030

Metals

Analyte	Result	Units	Qualifier	Date Analyzed
Sulfur	**635**	mg/Kg	A	9/19/2022 06:34

Method Reference(s): EPA 6010C
EPA 3050B
Preparation Date: 9/14/2022
Data File: 220919A

PCBs

Analyte	Result	Units	Qualifier	Date Analyzed
PCB-1016	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1221	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1232	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1242	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1248	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1254	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1260	**0.255**	mg/Kg		9/13/2022 17:55
PCB-1262	< 0.125	mg/Kg		9/13/2022 17:55
PCB-1268	< 0.125	mg/Kg		9/13/2022 17:55

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
Tetrachloro-m-xylene	**75.6**	12.7 - 101		9/13/2022 17:55

Method Reference(s): EPA 8082A
EPA 3546
Preparation Date: 9/13/2022

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-3		
Lab Sample ID:	224299-03	**Date Sampled:** 9/8/2022	13:40
Matrix:	Soil	**Date Received** 9/12/2022	

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	**84.5**	%		9/13/2022

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

pH

Analyte	Result	Units	Qualifier	Date Analyzed
pH	8.49 @ 22.7 C	S.U.		9/15/2022 13:31

Method Reference(s): EPA 9045D

Reactive Cyanide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Cyanide	<1.0	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.3.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

Reactive Sulfide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Sulfide	**12.0**	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.4.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-3		
Lab Sample ID:	224299-03A	**Date Sampled:** 9/8/2022	13:40
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP Semi-Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,4-Dichlorobenzene	< 40.0	ug/L	7500		9/15/2022 17:44
2,4,5-Trichlorophenol	< 40.0	ug/L	400000		9/15/2022 17:44
2,4,6-Trichlorophenol	< 40.0	ug/L	2000		9/15/2022 17:44
2,4-Dinitrotoluene	< 40.0	ug/L	130		9/15/2022 17:44
Cresols (as m,p,o-Cresol)	< 80.0	ug/L	200000		9/15/2022 17:44
Hexachlorobenzene	< 40.0	ug/L	130		9/15/2022 17:44
Hexachlorobutadiene	< 40.0	ug/L	500		9/15/2022 17:44
Hexachloroethane	< 40.0	ug/L	3000		9/15/2022 17:44
Nitrobenzene	< 40.0	ug/L	2000		9/15/2022 17:44
Pentachlorophenol	< 80.0	ug/L	100000		9/15/2022 17:44
Pyridine	< 40.0	ug/L	5000		9/15/2022 17:44

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2,4,6-Tribromophenol	**103**	29.6 - 139		9/15/2022 17:44
2-Fluorobiphenyl	**85.0**	10 - 124		9/15/2022 17:44
2-Fluorophenol	**76.2**	10 - 122		9/15/2022 17:44
Nitrobenzene-d5	**95.5**	28.7 - 119		9/15/2022 17:44
Phenol-d5	**68.3**	10 - 115		9/15/2022 17:44
Terphenyl-d14	**101**	32.2 - 142		9/15/2022 17:44

Method Reference(s): EPA 8270D
EPA 1311 / 3510C
Preparation Date: 9/15/2022
Data File: B63952.D

TCLP Mercury

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Mercury	< 0.00200	mg/L	0.2		9/16/2022 06:20

Method Reference(s): EPA 7470A
EPA 1311
Preparation Date: 9/15/2022
Data File: Hg220916A

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-3		
Lab Sample ID:	224299-03A	**Date Sampled:** 9/8/2022	13:40
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP RCRA Metals (ICP)

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Arsenic	< 0.500	mg/L	5		9/16/2022 09:21
Barium	**0.699**	mg/L	100		9/16/2022 09:21
Cadmium	< 0.0250	mg/L	1		9/16/2022 09:21
Chromium	< 0.500	mg/L	5		9/16/2022 09:21
Lead	< 0.500	mg/L	5		9/16/2022 09:21
Selenium	< 0.200	mg/L	1		9/16/2022 09:21
Silver	< 0.500	mg/L	5		9/16/2022 09:21

Method Reference(s): EPA 6010C
EPA 1311 / 3005A
Preparation Date: 9/14/2022
Data File: 220916A

TCLP Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,1-Dichloroethene	< 20.0	ug/L	700		9/14/2022 20:05
1,2-Dichloroethane	< 20.0	ug/L	500		9/14/2022 20:05
2-Butanone	< 100	ug/L	200000		9/14/2022 20:05
Benzene	< 20.0	ug/L	500		9/14/2022 20:05
Carbon Tetrachloride	< 20.0	ug/L	500		9/14/2022 20:05
Chlorobenzene	< 20.0	ug/L	100000		9/14/2022 20:05
Chloroform	< 20.0	ug/L	6000		9/14/2022 20:05
Tetrachloroethene	< 20.0	ug/L	700		9/14/2022 20:05
Trichloroethene	< 20.0	ug/L	500		9/14/2022 20:05
Vinyl chloride	< 20.0	ug/L	200		9/14/2022 20:05

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-3		
Lab Sample ID:	224299-03A	**Date Sampled:** 9/8/2022	13:40
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	**102**	81.1 - 136		9/14/2022	20:05
4-Bromofluorobenzene	**91.0**	75.8 - 132		9/14/2022	20:05
Pentafluorobenzene	**107**	82 - 132		9/14/2022	20:05
Toluene-D8	**106**	64.6 - 137		9/14/2022	20:05

Method Reference(s): EPA 8260C
EPA 1311 / 5030C

Data File: z12026.D

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-4		
Lab Sample ID:	224299-04	**Date Sampled:** 9/8/2022	13:45
Matrix:	Soil	**Date Received** 9/12/2022	

Ignitability

Analyte	Result	Units	Qualifier	Date Analyzed
Ignitability	No Burn	mm / sec		9/14/2022

Method Reference(s): EPA 1030

Metals

Analyte	Result	Units	Qualifier	Date Analyzed
Sulfur	**474**	mg/Kg	A	9/19/2022 06:37

Method Reference(s): EPA 6010C
EPA 3050B
Preparation Date: 9/14/2022
Data File: 220919A

PCBs

Analyte	Result	Units	Qualifier	Date Analyzed
PCB-1016	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1221	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1232	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1242	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1248	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1254	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1260	**0.214**	mg/Kg		9/13/2022 18:18
PCB-1262	< 0.153	mg/Kg		9/13/2022 18:18
PCB-1268	< 0.153	mg/Kg		9/13/2022 18:18

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
Tetrachloro-m-xylene	**73.4**	12.7 - 101		9/13/2022 18:18

Method Reference(s): EPA 8082A
EPA 3546
Preparation Date: 9/13/2022

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-4		
Lab Sample ID:	224299-04	**Date Sampled:** 9/8/2022	13:45
Matrix:	Soil	**Date Received** 9/12/2022	

Percent Solids

Analyte	Result	Units	Qualifier	Date Analyzed
Percent Solids	**86.9**	%		9/13/2022

Method Reference(s): Par%M

ELAP does not offer this test for approval as part of their laboratory certification program.

pH

Analyte	Result	Units	Qualifier	Date Analyzed
pH	8.38 @ 22.9 C	S.U.		9/15/2022 13:33

Method Reference(s): EPA 9045D

Reactive Cyanide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Cyanide	<1.0	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.3.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

Reactive Sulfide

Analyte	Result	Units	Qualifier	Date Analyzed
Reactivity, Sulfide	<10	mg/Kg		9/20/2022

Method Reference(s): EPA 7.3.4.2
Subcontractor ELAP ID: 10709

ELAP does not offer this test for approval as part of their laboratory certification program.
This sample has been reported as received.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-4		
Lab Sample ID:	224299-04A	**Date Sampled:** 9/8/2022	13:45
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP Semi-Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,4-Dichlorobenzene	< 40.0	ug/L	7500		9/15/2022 18:14
2,4,5-Trichlorophenol	< 40.0	ug/L	400000		9/15/2022 18:14
2,4,6-Trichlorophenol	< 40.0	ug/L	2000		9/15/2022 18:14
2,4-Dinitrotoluene	< 40.0	ug/L	130		9/15/2022 18:14
Cresols (as m,p,o-Cresol)	< 80.0	ug/L	200000		9/15/2022 18:14
Hexachlorobenzene	< 40.0	ug/L	130		9/15/2022 18:14
Hexachlorobutadiene	< 40.0	ug/L	500		9/15/2022 18:14
Hexachloroethane	< 40.0	ug/L	3000		9/15/2022 18:14
Nitrobenzene	< 40.0	ug/L	2000		9/15/2022 18:14
Pentachlorophenol	< 80.0	ug/L	100000		9/15/2022 18:14
Pyridine	< 40.0	ug/L	5000		9/15/2022 18:14

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed
2,4,6-Tribromophenol	**87.8**	29.6 - 139		9/15/2022 18:14
2-Fluorobiphenyl	**86.1**	10 - 124		9/15/2022 18:14
2-Fluorophenol	**74.0**	10 - 122		9/15/2022 18:14
Nitrobenzene-d5	**93.5**	28.7 - 119		9/15/2022 18:14
Phenol-d5	**66.3**	10 - 115		9/15/2022 18:14
Terphenyl-d14	**103**	32.2 - 142		9/15/2022 18:14

Method Reference(s): EPA 8270D
EPA 1311 / 3510C
Preparation Date: 9/15/2022
Data File: B63953.D

TCLP Mercury

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Mercury	< 0.00200	mg/L	0.2		9/16/2022 06:22

Method Reference(s): EPA 7470A
EPA 1311
Preparation Date: 9/15/2022
Data File: Hg220916A

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-4		
Lab Sample ID:	224299-04A	**Date Sampled:** 9/8/2022	13:45
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

TCLP RCRA Metals (ICP)

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
Arsenic	< 0.500	mg/L	5		9/16/2022 09:25
Barium	**0.510**	mg/L	100		9/16/2022 09:25
Cadmium	< 0.0250	mg/L	1		9/16/2022 09:25
Chromium	< 0.500	mg/L	5		9/16/2022 09:25
Lead	< 0.500	mg/L	5		9/16/2022 09:25
Selenium	< 0.200	mg/L	1		9/16/2022 09:25
Silver	< 0.500	mg/L	5		9/16/2022 09:25

Method Reference(s): EPA 6010C
EPA 1311 / 3005A
Preparation Date: 9/14/2022
Data File: 220916A

TCLP Volatile Organics

Analyte	Result	Units	Regulatory Limit	Qualifier	Date Analyzed
1,1-Dichloroethene	< 20.0	ug/L	700		9/14/2022 20:25
1,2-Dichloroethane	< 20.0	ug/L	500		9/14/2022 20:25
2-Butanone	< 100	ug/L	200000		9/14/2022 20:25
Benzene	< 20.0	ug/L	500		9/14/2022 20:25
Carbon Tetrachloride	< 20.0	ug/L	500		9/14/2022 20:25
Chlorobenzene	< 20.0	ug/L	100000		9/14/2022 20:25
Chloroform	< 20.0	ug/L	6000		9/14/2022 20:25
Tetrachloroethene	< 20.0	ug/L	700		9/14/2022 20:25
Trichloroethene	< 20.0	ug/L	500		9/14/2022 20:25
Vinyl chloride	< 20.0	ug/L	200		9/14/2022 20:25

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

PARADIGM ENVIRONMENTAL SERVICES, INC.

Lab Project ID: 224299

Client: **C&S Companies**

Project Reference: Lakefront Waste Characterization

Sample Identifier:	WC-4		
Lab Sample ID:	224299-04A	**Date Sampled:** 9/8/2022	13:45
Matrix:	TCLP Extract	**Date Received** 9/12/2022	

Surrogate	Percent Recovery	Limits	Outliers	Date Analyzed	
1,2-Dichloroethane-d4	**99.5**	81.1 - 136		9/14/2022	20:25
4-Bromofluorobenzene	**93.3**	75.8 - 132		9/14/2022	20:25
Pentafluorobenzene	**104**	82 - 132		9/14/2022	20:25
Toluene-D8	**103**	64.6 - 137		9/14/2022	20:25

Method Reference(s): EPA 8260C
EPA 1311 / 5030C

Data File: z12027.D

Analytical Report Appendix

The reported results relate only to the samples as they have been received by the laboratory.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Low level Volatiles blank reports for soil/solid matrix are based on a nominal 5 gram weight. Sample results and reporting limits are based on actual weight, which may be more or less than 5 grams.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Aliquots separated for certain tests, such as TCLP, are indicated on the Chain of Custody and final reports with an "A" suffix.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of analyte-specific, frequently used data flags and their meaning:

"<" = Analyzed for but not detected at or above the quantitation limit.
"E" = Result has been estimated, calibration limit exceeded.
"H" = Denotes a parameter analyzed outside of holding time.
"Z" = See case narrative.
"D" = Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.
"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.
"B" = Method blank contained trace levels of analyte. Refer to included method blank report.
"J" = Result estimated between the quantitation limit and half the quantitation limit.
"L" = Laboratory Control Sample recovery outside accepted QC limits.
"P" = Concentration differs by more than 40% between the primary and secondary analytical columns.
"NC" = Not calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added. Applicable to sample surrogates or MS if sample dilution is 10x or higher.
"" = Indicates any recoveries outside associated acceptance windows. Surrogate outliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.*
"(1)" = Indicates data from primary column used for QC calculation.
"A" = denotes a parameter for which ELAP does not offer approval as part of their laboratory certification program.
"F" = denotes a parameter for which Paradigm does not carry certification, the results for which should therefore only be used where ELAP certification is not required, such as personal exposure assessment.

GENERAL TERMS AND CONDITIONS
LABORATORY SERVICES

These Terms and Conditions embody the whole agreement of the parties in the absence of a signed and executed contract between the Laboratory (LAB) and Client. They shall supersede all previous communications, representations, or agreements, either verbal or written, between the parties. The LAB specifically rejects all additional, inconsistent, or conflicting terms, whether printed or otherwise set forth in any purchase order or other communication from the Client to the LAB. The invalidity or unenforceability in whole or in part of any provision, term or condition hereof shall not affect in any way the validity or enforceability of the remainder of the Terms and Conditions. No waiver by LAB of any provision, term, or condition hereof or of any breach by or obligation of the Client hereunder shall constitute a waiver of such provision, term, or condition on any other occasion or a waiver of any other breach by or obligation of the Client. This agreement shall be administered and interpreted under the laws of the state which services are procured.

Warranty. Recognizing that the nature of many samples is unknown and that some may contain potentially hazardous components, LAB warrants only that it will perform testing services, obtain findings, and prepare reports in accordance with generally accepted analytical laboratory principles and practices at the time of performance of services. LAB makes no other warranty, express or implied.

Scope and Compensation. LAB agrees to perform the services described in the chain of custody to which these terms and conditions are attached. Unless the parties agree in writing to the contrary, the duties of LAB shall not be construed to exceed the services specifically described. LAB wi use LAB default method for all tests unless specified otherwise on the Work Order.
Payment terms are net 30 days from the date of invoice. All overdue payments are subject to an interest charge of one and one-half percent (1-1/2%) per month or a portion thereof. Client shall also be responsible for costs of collection, including payment of reasonable attorney fees if such expense is incurred. The prices, unless stated, do not include any sale, use or other taxes. Such taxes will be added to invoice prices when required.

Prices. Compensation for services performed will be based on the current Lab Analytical Fee Schedule or on quotations agreed to in writing by the parties. Turnaround time based charges are determined from the time of resolution of all work order questions. Testimony, court appearances or data compilation for legal action will be charged separately. Evaluation and reporting of initial screening runs may incur additional fees.

Limitations of Liability. In the event of any error, omission, or other professional negligence, the sole and exclusive responsibility of LAB shall be to re-perform the deficient work at its own expense and LAB shall have no other liability whatsoever. All claims shall be deemed waived unless made in writing and received by LAB within ninety (90) days following completion of services.
LAB shall have no liability, obligation, or responsibility of any kind for losses, costs, expenses, or other damages (including but not limited to any special, direct, incidental or consequential damages) with respect to LAB's services or results.
All results provided by LAB are strictly for the use of its clients and LAB is in no way responsible for the use of such results by clients or third parties. All reports should be considered in their entirety, and LAB is not responsible for the separation, detachment, or other use of any portion of these reports. Client may not assign the lab report without the written consent of the LAB.
Client covenants and agrees, at its/his/her sole expense, to indemnify, protect, defend, and save harmless the LAB from and against any and all damages, losses, liabilities, obligations, penalties, claims, litigation, demands, defenses, judgments, suits, actions, proceedings, costs, disbursements and/or expenses (including, without limitation attorneys' and experts' fees and disbursements) of any kind whatsoever which may at any time be imposed upon, incurred by or asserted or awarded against client relating to, resulting from or arising out of (a) the breach of this agreement by this client, (b) the negligence of the client in handling, delivering or disclosing any hazardous substance, (c) the violation of the Client of any applicable law, (d) non-compliance by the Client with any environmental permit or (e) a material misrepresentation in disclosing the materials to be tested.

Hazard Disclosure. Client represents and warrants that any sample delivered to LAB will be preceded or accompanied by complete written disclosure of the presence of any hazardous substances known or suspected by Client. Client further warrants that any sample containing any hazardous substance that is to be delivered to LAB will be packaged, labeled, transported, and delivered properly and in accordance with applicable laws.

Sample Handling. Prior to LAB's acceptance of any sample (or after any revocation of acceptance), the entire risk of loss or of damage to such sample remains with Client. Samples are accepted when receipt is acknowledged on chain of custody documentation. In no event will LAB have any responsibility for the action or inaction of any carrier shipping or delivering any sample to or from LAB premises.
Client authorizes LAB to proceed with the analysis of samples as received by the laboratory, recognizing that any samples not in compliance with all current DOH-ELAP-NELAP requirements for containers, preservation or holding time will be noted as such on th final report.
Disposal of hazardous waste samples is the responsibility of the Client. If the Client does not wish such samples returned, LAB may add storage and disposal fees to the final invoice. Maximum storage time for samples is 30 days after completion of analysis unless modified by applicable state or federal laws. Client will be required to give the LAB written instructions concerning disposal of these samples.
LAB reserves the absolute right, exercisable at any time, to refuse to receive delivery of, refuse to accept, or revoke acceptance of any sample, which, in the sole judgment of LAB (a) is of unsuitable volume, (b) may be or become unsuitable for or may pose a risk in handling, transport, or processing for any health, safety, environmental or other reason whether or not due to the presence in the sample of any hazardous substance, and whether or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample unsuitable for analysis.

Legal Responsibility. LAB is solely responsible for performance of this contract, and no affiliated company, director, officer, employee, or agent shall have any legal responsibility hereunder, whether in contract or tort including negligence.

Assignment. LAB may assign its performance obligations under this contract to other parties, as it deems necessary. LAB shall disclose to Client any assignee (subcontractor) by ELAP ID # on the submitted final report.

Force Majeure. LAB shall have no responsibility or liability to the Client for any failure or delay in performance by LAB, which results in whole or in part from any cause or circumstance beyond the reasonable control of LAB. Such causes and circumstances shall include, but not limited to, acts of God, acts or orders of any government authority, strikes or other labor disputes, natural disasters, accidents, wars, civil disturbances, difficulties or delays in transportation, mail or delivery services, inability to obtain sufficient services or supplies from LAB's usual suppliers, or any other cause beyond LAB's reasonable control.

Law. This contract shall be continued under the laws of the State of New York without regard to its conflicts of laws provision.

179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530 Fax (585) 647-3311

CHAIN OF CUSTODY

PARADIGM ENVIRONMENTAL SERVICES, INC.

REPORT TO:		INVOICE TO:		
CLIENT: C&S Engineers		CLIENT:		LAB PROJECT ID: 224299
ADDRESS: 141 Elm St		ADDRESS: Same		
CITY: Buffalo STATE: NY ZIP: 14203		CITY: STATE: ZIP:		Quotation #:
PHONE:		PHONE:		Email: cmartin@cscos.com
ATTN: Cody Martin		ATTN:		

PROJECT REFERENCE: Lakefront Waste Characterization

Matrix Codes:
AQ - Aqueous Liquid; NQ - Non-Aqueous Liquid; WA - Water; WG - Groundwater; DW - Drinking Water; WW - Wastewater; SO - Soil; SL - Sludge; SD - Solid; PT - Paint; WP - Wipe; CK - Caulk; OL - Oil; AR - Air

REQUESTED ANALYSIS

DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX CODES	NUMBER OF CONTAINERS	TCL VOA	TCL PCB	TCL Total Sulfide	Total Solids	pH	Reactivity	Ignitability			REMARKS	PARADIGM LAB SAMPLE NUMBER
9/8/22	1:30	X		WC-1	SO	2	+	+	+	+	+	+	+			* TCLP = VOC, SVOC, Metals, Herb, Pest.	-01A
	~~1:35~~ 1:35			WC-2			+	+	+	+	+	+	+				-02A
	1:40			WC-3			+	+	+	+	+	+	+				-03A
	1:45			WC-4			+	+	+	+	+	+	+				-04A
																A for TCLP extract 2F 9/12/22	

Turnaround Time		Report Supplements			
Availability contingent upon lab approval; additional fees may apply.					
Standard 5 day	X	None Required	X	None Required	
10 day		Batch QC		Basic EDD	X
Rush 3 day		Category A		NYSDEC EDD	
Rush 2 day		Category B			
Rush 1 day					
Date Needed _____ please indicate date needed:		Other please indicate package needed:		Other EDD please indicate EDD needed:	

Sampled By: Cody Martin 9/9/22 1:30
Relinquished By: [signature] Date/Time: 9/8/22
Received By: [signature] Date/Time: 9/8/22 1520
Received @ Lab By: Cynthia Cuta Date/Time: 9/12/22 0901
6°C iced @ 9/9/22 1713

Total Cost:

P.I.F.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).

See additional page for sample conditions.

PARADIGM

Chain of Custody Supplement

Client: CPS engineers **Completed by:** AC

Lab Project ID: 224299 **Date:** 9/12/22

Sample Condition Requirements

Per NELAC/ELAP 210/241/242/243/244

Condition	NELAC compliance with the sample condition requirements upon receipt Yes	No	N/A
Container Type	☒	☐	☐
Comments			
Transferred to method-compliant container	☒ reactivity	☐	☐
Headspace (<1 mL)	☐	☐	☒
Comments			
Preservation	☐	☐	☒
Comments			
Chlorine Absent (<0.10 ppm per test strip)	☐	☐	☒
Comments			
Holding Time	☒	☐	☐
Comments			
Temperature	☒	☐	☒ Met
Comments	6°C iced 9/9/22 @ 1713		
Compliant Sample Quantity/Type	☒	☐	☐
Comments			

220913C09

179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530 Fax (585) 647-3311

CHAIN OF CUSTODY

ELAP ID:

REPORT TO:		INVOICE TO:			
COMPANY:	Paradigm Environmental	COMPANY:	Same	LAB PROJECT #:	CLIENT PROJEC
ADDRESS:		ADDRESS:			
CITY: STATE: ZIP:		CITY: STATE: ZIP:		TURNAROUND TIME: (WORKING DAYS)	
PHONE: FAX:		PHONE: FAX:			STD
PROJECT NAME/SITE NAME:		ATTN:	Reporting	ATTN:	Accounts Payable
		COMMENTS:	Please email results to reporting@paradigmenv.com	Date Due:	9/19/22 9/20/22

REQUESTED ANALYSIS

	DATE	TIME	COMPOSITE	GRAB	SAMPLE LOCATION/FIELD ID	MATRIX	NUMBER OF CONTAINERS	Bacteria									REMARKS	PARADIGM LAB SAMPLE NUMBER
1	9/8/22	1330	X		^24299-01	SO	1	X										
2		1335	X		-02		1	X										
3		1340	X		-03		1	X										
4		1345	X		-04		1	X										
5																		
6																		
7																		
8																		
9																		
10																		

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter	NELAC Compliance	
Container Type:	Y ☐	N ☐
Comments:		
Preservation:	Y ☐	N ☐
Comments:		
Holding Time:	Y ☐	N ☐
Comments:		
Temperature: 4°C	Y ☐	N ☐
Comments:		

Client

Sampled By	@ 0830	Date/Time 9/13/22
Relinquished By		Date/Time
Ryan Zacher	9/13/22	11:07
Received By		Date/Time
	9/13/22	16:06
Received @ Lab By		Date/Time

Total Cost:

P.I.F.

Experience is the solution
314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

September 20, 2022

Emily Farmen
Paradigm Environmental
179 Lake Avenue
Rochester, NY 14608

TEL: (800) 724-1997

Work Order No: 220915053

RE: Analysis of Samples
Project #224299

Dear Emily Farmen:

Adirondack Environmental Services, Inc received 4 samples on 9/15/2022 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

Tara Daniels
Laboratory Director

Adirondack Environmental Services, Inc — CASE NARRATIVE

Paradigm Environmental

Analysis of Samples

Project #224299

Date: *20-Sep-22*

Lab WorkOrder: **220915053**

Sample containers were not supplied by Adirondack Environmental Services.

The client performed the TCLP extraction procedure. The TCLP extract was provided for analysis

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:

- ND : Not Detected at reporting limit
- J: Analyte detected below quantitation limit
- B: Analyte detected in Blank
- X : Exceeds maximum contamination limit
- H: Hold time exceeded
- N: Matrix Spike below acceptable limits
- N+: Matrix Spike is above acceptable limits
- C: CCV below acceptable Limits
- C+: CCV above acceptable Limits
- S: LCS Spike recovery is below acceptable limits
- S+: LCS Spike recovery is above acceptable limits
- Z: Duplication outside acceptable limits
- T : Tentatively Identified Compound-Estimated
- E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: *20-Sep-22*

CLIENT:	Paradigm Environmental	**Client Sample ID:**	224299-01A
Work Order:	**220915053**	**Collection Date:**	9/8/2022 1:30:00 PM
Reference:	Analysis of Samples / Project #224299	**Lab Sample ID:**	220915053-001
PO#:		**Matrix:**	TCLP-EXTRACT

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TCLP HERBICIDES - EPA 8321B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
2,4,5-TP (Silvex)-TCLP	**ND**	0.050		mg/L	1	9/19/2022 3:38:05 PM
2,4-D-TCLP	**ND**	0.050		mg/L	1	9/19/2022 3:38:05 PM
Surr: Acifluorfen	**159**	52.5-128	S	%REC	1	9/19/2022 3:38:05 PM
Surr: DCAA	**124**	56.2-139		%REC	1	9/19/2022 3:38:05 PM
TCLP PESTICIDES - EPA 8081B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
Chlordane-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:18:22 PM
Endrin-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:18:22 PM
gamma-BHC(Lindane)-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:18:22 PM
Heptachlor epoxide-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:18:22 PM
Heptachlor-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:18:22 PM
Methoxychlor-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:18:22 PM
Toxaphene-TCLP	**ND**	0.020		mg/L	1	9/16/2022 7:18:22 PM
Surr: Decachlorobiphenyl-TCLP	**80.0**	51.5-141		%REC	1	9/16/2022 7:18:22 PM

Adirondack Environmental Services, Inc

Date: *20-Sep-22*

CLIENT:	Paradigm Environmental	**Client Sample ID:**	224299-02A
Work Order:	**220915053**	**Collection Date:**	9/8/2022 1:35:00 PM
Reference:	Analysis of Samples / Project #224299	**Lab Sample ID:**	220915053-002
PO#:		**Matrix:**	TCLP-EXTRACT

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TCLP HERBICIDES - EPA 8321B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
2,4,5-TP (Silvex)-TCLP	**ND**	0.050		mg/L	1	9/19/2022 3:59:37 PM
2,4-D-TCLP	**ND**	0.050		mg/L	1	9/19/2022 3:59:37 PM
Surr: Acifluorfen	**113**	52.5-128		%REC	1	9/19/2022 3:59:37 PM
Surr: DCAA	**75.5**	56.2-139		%REC	1	9/19/2022 3:59:37 PM
TCLP PESTICIDES - EPA 8081B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
Chlordane-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:30:53 PM
Endrin-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:30:53 PM
gamma-BHC(Lindane)-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:30:53 PM
Heptachlor epoxide-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:30:53 PM
Heptachlor-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:30:53 PM
Methoxychlor-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:30:53 PM
Toxaphene-TCLP	**ND**	0.020		mg/L	1	9/16/2022 7:30:53 PM
Surr: Decachlorobiphenyl-TCLP	**60.2**	51.5-141		%REC	1	9/16/2022 7:30:53 PM

Adirondack Environmental Services, Inc

Date: *20-Sep-22*

CLIENT:	Paradigm Environmental	**Client Sample ID:**	224299-03A
Work Order:	**220915053**	**Collection Date:**	9/8/2022 1:40:00 PM
Reference:	Analysis of Samples / Project #224299	**Lab Sample ID:**	220915053-003
PO#:		**Matrix:**	TCLP-EXTRACT

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TCLP HERBICIDES - EPA 8321B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
2,4,5-TP (Silvex)-TCLP	**ND**	0.050		mg/L	1	9/19/2022 4:42:44 PM
2,4-D-TCLP	**ND**	0.050		mg/L	1	9/19/2022 4:42:44 PM
Surr: Acifluorfen	**120**	52.5-128		%REC	1	9/19/2022 4:42:44 PM
Surr: DCAA	**69.8**	56.2-139		%REC	1	9/19/2022 4:42:44 PM
TCLP PESTICIDES - EPA 8081B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
Chlordane-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:43:15 PM
Endrin-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:43:15 PM
gamma-BHC(Lindane)-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:43:15 PM
Heptachlor epoxide-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:43:15 PM
Heptachlor-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:43:15 PM
Methoxychlor-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:43:15 PM
Toxaphene-TCLP	**ND**	0.020		mg/L	1	9/16/2022 7:43:15 PM
Surr: Decachlorobiphenyl-TCLP	**65.2**	51.5-141		%REC	1	9/16/2022 7:43:15 PM

Adirondack Environmental Services, Inc

Date: *20-Sep-22*

CLIENT:	Paradigm Environmental	**Client Sample ID:**	224299-04A
Work Order:	**220915053**	**Collection Date:**	9/8/2022 1:49:00 PM
Reference:	Analysis of Samples / Project #224299	**Lab Sample ID:**	220915053-004
PO#:		**Matrix:**	TCLP-EXTRACT

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
TCLP HERBICIDES - EPA 8321B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
2,4,5-TP (Silvex)-TCLP	**ND**	0.050		mg/L	1	9/19/2022 5:04:18 PM
2,4-D-TCLP	**ND**	0.050		mg/L	1	9/19/2022 5:04:18 PM
Surr: Acifluorfen	**118**	52.5-128		%REC	1	9/19/2022 5:04:18 PM
Surr: DCAA	**102**	56.2-139		%REC	1	9/19/2022 5:04:18 PM
TCLP PESTICIDES - EPA 8081B						Analyst: **KF**
(Prep: SW3535A - 9/16/2022)						
Chlordane-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:55:47 PM
Endrin-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:55:47 PM
gamma-BHC(Lindane)-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:55:47 PM
Heptachlor epoxide-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:55:47 PM
Heptachlor-TCLP	**ND**	0.0020		mg/L	1	9/16/2022 7:55:47 PM
Methoxychlor-TCLP	**ND**	0.010		mg/L	1	9/16/2022 7:55:47 PM
Toxaphene-TCLP	**ND**	0.020		mg/L	1	9/16/2022 7:55:47 PM
Surr: Decachlorobiphenyl-TCLP	**59.6**	51.5-141		%REC	1	9/16/2022 7:55:47 PM

179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530 Fax (585) 647-3311

1 C

CHAIN OF CUSTODY

2209150053 ELAP ID: 1

PARADIGM ENVIRONMENTAL SERVICES, INC.

REPORT TO:		INVOICE TO:			
COMPANY:	Paradigm Environmental	COMPANY:	Same	LAB PROJECT #:	CLIENT PROJECT
ADDRESS:		ADDRESS:			
CITY: STATE: ZIP:		CITY: STATE: ZIP:		TURNAROUND TIME: (WORKING DAYS)	
PHONE: FAX:		PHONE: FAX:			STD
PROJECT NAME/SITE NAME:		ATTN:	Reporting	ATTN:	Accounts Payable	☐ 1 ☐ 2 ☐ 3 ☐ 5
		COMMENTS:	Please email results to reporting@paradigmenv.com	Date Due:	9/20/22

REQUESTED ANALYSIS

	DATE	TIME	COMPOSITE	GRAB	SAMPLE LOCATION/FIELD ID	MATRIX	NUMBER CONTAINERS	TCLP pest	TCLP Herb	REMARKS	PARADIGM LAB SAMPLE NUMBER
1	9/8/22	1330	X		224299-01A	TCLP extract	1	X	X	spun @ paradigm on 9/13/22	
2		1335	↓		-02A	↓	1	X	X		
3		1340	↓		-03A	↓	1	X	X		
4	↓	1345	↓		-04A	↓	1	X	X		
5											
6											
7											
8											
9											
10											

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter	NELAC Compliance	
Container Type:	Y ☐	N ☐
Comments:		
Preservation:	Y ☐	N ☐
Comments:		
Holding Time:	Y ☐	N ☐
Comments:		
Temperature: 4oc	Y ☐	N ☐
Comments:		

Client

	Date/Time	
Sampled By: Jamie Hyde	9/15/22	0830
Relinquished By: Ryan Zacher	9/15/22	11:10
Received By:	9/15/22	16:27
Received @ Lab By:	Date/Time	

Total Cost:

P.I.F.

Demo 2209150053 Page 34 of 34

Adirondack Environmental Services Inc.
Experience is the solution
314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

(a) Neither **Adirondack Environmental Services, Inc.,** nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.'s** performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.

(b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.

(c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.

(d) In no event shall **Adirondack Environmental Services, Inc.,** its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.

(e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**

(f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

(g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.

APPENDIX D

INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM

Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form

Site Details **Box 1**

Site No. C915340

Site Name 240 - 260 Lakefront Boulevard Site

Site Address: 240 Lakefront Boulevard Zip Code: 14203
City/Town: Buffalo
County: Erie
Site Acreage: 2.094

Reporting Period: December 04, 2021 to December 04, 2022

	YES	NO
1. Is the information above correct?	☒	☐
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	☐	☒
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	☒	☐
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	☐	☒
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	☒	☐

Box 2

	YES	NO
6. Is the current site use consistent with the use(s) listed below? Restricted-Residential, Commercial, and Industrial	☒	☐
7. Are all ICs in place and functioning as designed?	☒	☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative Date

Box 2A

	YES	NO
8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?	☐	☒

If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.

9. Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years)	☒	☐

If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.

SITE NO. C915340 **Box 3**

Description of Institutional Controls

Parcel	Owner	Institutional Control
Portion of 110.59-1-3.11	Lakefront Boulevard, LLC	Ground Water Use Restriction Landuse Restriction Monitoring Plan Site Management Plan IC/EC Plan

Groundwater use is prohibited
Landuse is restricted to Restricted Residential
Adherence to Site Management Plan
Implementation of an IC/EC Plan

Box 4

Description of Engineering Controls

Parcel	Engineering Control
Portion of 110.59-1-3.11	Cover System

Cover System per 6NYCRR Part 375-6.7(d)

Box 5

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

   a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

   b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES	NO
☒	☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

   (a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

   (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

   (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

   (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

   (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES	NO
☒	☐

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

_____ _____

Signature of Owner, Remedial Party or Designated Representative Date

IC CERTIFICATIONS
SITE NO. C915340

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Paul F. Ciminelli (print name) at 50 Fountain Plaza, Suite 500, Buffalo, NY 14202 (print business address),

am certifying as 240 - 260 Lakefront Boulevard Site (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party, or Designated Representative Rendering Certification

January 9, 2023
Date

EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I John T. Camp (print name) at 499 Col Eileen Collins Blvd Syracuse, NY (print business address),

am certifying as a Qualified Environmental Professional for the Owner (Owner or Remedial Party)

Signature of Qualified Environmental Professional, for the Owner or Remedial Party, Rendering Certification	Stamp (Required for PE)	Date
		2/15/223