REMEDIAL INVESTIGATION/ ALTERNATIVES ANALYSIS REPORT

FORMER PILGRIM VILLAGE SENIOR APARTMENTS TAX MAP ID NO.: 100.71-3-1.11 (PORTION OF) BUFFALO, NEW YORK 14209 NYSDEC SITE NO.: C915363

Prepared for:

SAA EVI MC Senior, LLC 150 2nd Avenue, Suite 300 Miami, Florida 33131

Prepared by:



960 Busti Avenue, Suite B-150 Buffalo, New York 14213

April 2021

| Prepared By: | Date: | Title: |
|----------------------|--------------|-----------------|
| Jake Tracy, EIT | April 2021 | EIT |
| Reviewed By: | Date: | Title: |
| Jason M. Brydges, PE | April 2021 | Project Manager |

TABLE OF CONTENTS

| 1.0 INTI | RODUCTION | 1 |
|----------|---------------------------------------------------|----|
| 1.1 Sı | TE BACKGROUND | 1 |
| 1.2 ID | ENTIFICATION OF STANDARDS, CRITERIA, AND GUIDANCE | 2 |
| 2.0 REN | MEDIAL INVESTIGATION | 3 |
| 2.1 Sc | DIL BORINGS | 3 |
| 2.2 G | ROUNDWATER INVESTIGATION | 4 |
| 2.2.1 | Monitoring Well Construction & Development | 4 |
| 2.2.2 | Groundwater Sampling | 4 |
| 2.2.3 | Monitoring Well Hydraulic Assessment | 5 |
| 3.0 PHY | SICAL CHARACTERISTICS OF THE STUDY AREA | 5 |
| 3.1 St | JRFACE FEATURES | 5 |
| 3.2 G | EOLOGY/HYDROGEOLOGY | 5 |
| 3.2.1 | Site Geology | 5 |
| 3.2.2 | Site Hydrogeology | 5 |
| 3.3 Di | EMOGRAPHY AND LAND USE | 6 |
| 4.0 LAB | ORATORY ANALYSIS | 6 |
| 4.1 Sc | DIL SAMPLE LABORATORY ANALYSIS | 6 |
| 4.2 G | ROUNDWATER SAMPLE LABORATORY ANALYSIS | 7 |
| 5.0 DIS | CUSSION OF RESULTS | 7 |
| 5.1 Sc | DIL SAMPLE ANALYTICAL RESULTS | 7 |
| 5.2 G | ROUNDWATER SAMPLE ANALYTICAL RESULTS | 8 |
| 5.3 Co | ONTAMINANTS OF CONCERN | 8 |
| 6.0 FAT | E AND TRANSPORT OF CONTAMINANTS OF CONCERN | 9 |
| 6.1 Fu | JGITIVE DUST | 9 |
| 6.2 St | JRFACE WATER | 9 |
| 6.3 V | DLATILIZATION | 9 |
| 6.4 LE | EACHING | 9 |
| 6.5 G | ROUNDWATER TRANSPORT | 10 |
| 6.6 EX | KPOSURE PATHWAY SUMMARY | 10 |
| 7.0 QUA | ALITATIVE HUMAN HEALTH EXPOSURE ASSESSMENT | 10 |
| 7.1 H | JMAN EXPOSURE | 10 |
| 7.1.1 | Soil | 10 |
| 7.1.2 | Groundwater | 11 |
| 7.1.3 | Soil Vapor | 11 |



| 7.1.4 | Summary | 11 |
|----------------|------------------------------------------------------------|----|
| 7.2 | ECOLOGICAL EXPOSURE RISKS | 11 |
| 8.0 RE | MEDIAL ALTERNATIVES ANALYSIS | 12 |
| 8.1 I | REMEDIAL ACTION OBJECTIVES | 12 |
| 8.1.1 | Groundwater | 12 |
| 8.1.2 | Soil | 12 |
| 8.2 | ALTERNATIVES SELECTION FACTORS | 12 |
| 8.3 I | _AND USE EVALUATION | 13 |
| 8.4 | SELECTION OF ALTERNATIVES FOR EVALUATION | 13 |
| 8.4.1 | Alternative 1 – Track 1: 6 NYCRR Part 375 Unrestricted Use | 13 |
| 8.4.2 | Alternative 2 – Track 2: 6 NYCRR Part 375 Residential Use | 14 |
| <i>8.4.</i> 3 | Alternative 3 – Track 4: Restricted Residential Use | 15 |
| 8.5 I | RECOMMENDED REMEDIAL ALTERNATIVE | 17 |
| 9.0 CC | ONCLUSIONS AND RECOMMENDATIONS | 17 |
| | | |
| | | |
| <u>TABLES</u> | | |
| 1 | Well Development and Sampling Log | |
| 2 | Summary of Soil Analytical Results | |
| 3 | Summary of Groundwater Analytical Results | |
| 4 | Boring and Well GPS Coordinates | |
| FIGURES | S/DRAWINGS | |
| 1 | Site Location Map | |
| 2 | Site Survey | |
| 3 | RI Soil Sample Locations | |
| 4 | RI and Phase II Site Soil Results | |
| 5 | RI Groundwater Sample Locations/GWQS Exceedances/Contours | |
| | | |

APPENDICES

- Α March 2020 Environmental Site Assessment
- В
- RI Site Photographs
 RI Boring and Monitoring Well Logs
 RI Hydraulic Conductivity Results С
- D
- Ε
- RI Analytical Laboratory Reports
 RI Building Environmental Assessment Report F
- G RI Fish and Wildlife Resources Impact Analysis
- **Alternative Cost Estimates** Η
- RI CAMP Dust Data



LIST OF ACRONYMS

AAR Alternative Analysis Report
ACM Asbestos Containing Material
BCP Brownfield Cleanup Program
BDC Buffalo Drilling Company, Inc.

BE3 Corp.

bgs Below Ground Surface

CAMP Community Air Monitoring Program
CFR Code of Federal Regulations
COC Contaminants of Concern
CPP Community Participation Plan

DER Division of Environmental Remediation
DUSRs Data Usability Summary Reports

EC Engineering Controls
EE Environmental Easement

EPA Environmental Protection Agency
ESA Environmental Site Assessment

HASP Health and Safety Plan
IC Institutional Controls
ID Inside Diameter
mg/L Milligrams per Liter

NYSDEC New York State Department of Environmental Conservation

NYSDOH New York State Department of Health NYCRR New York Codes, Rules and Regulations

PAHs Polycyclic Aromatic Hydrocarbons
Paradigm Paradigm Environmental Services, Inc.

PCBs Polychlorinated Biphenyls

PFAS Per- and Polyfluoroalkyl Substances

PID Photoionization Detector

ppm Parts per million PVC Polyvinyl Chloride

QEP Qualified Environmental Professional

RAO Remedial Action Objective RAWP Remedial Action Work Plan

REC Recognized Environmental Condition

RI Remedial Investigation SAA/EVI MC Senior, LLC

SCG Standards, Criteria, and Guidance

SCO Soil Cleanup Objective
SIM Selective Ion Method
SMP Site Management Plan

SVOCs Semi-Volatile Organic Compounds
SWPPP Stormwater Pollution Prevention Plan

TAL Target Analyte List TCL Target Compound List

TICs Tentatively Identified Compounds

TOGS Technical and Operational Guidance Series

TREC TREC Environmental, Inc.
UST Underground Storage Tank
VOCs Volatile Organic Compounds



CERTIFICATION

I, Jason Brydges, certify that I am currently a New York State registered professional engineer as defined in 6 NYCRR Part 375 and that this Remedial Investigation/Alternative Analysis Report was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the Department of Environmental Remediation (DER) Technical Guidance for Site Investigation and Remediation (DER-10) and that all activities were performed in full accordance with the DER-approved work plan and any DER-approved modifications.

Jason M. Brydges, Pf



1.0 INTRODUCTION

SAA/EVI MC Senior, LLC (SAA/EVI) has a fully executed Brownfield Cleanup Program (BCP) Agreement with the New York State Department of Environmental Conservation (NYSDEC) as a volunteer for the former Pilgrim Village Senior Apartments (Site # C915363) located adjacent west of 1100 Michigan Avenue in Buffalo, New York (Site). SAA/EVI has contracted BE3 Corp. (BE3) to conduct a Remedial Investigation (RI) and prepare an Alternatives Analysis Report (AAR) as required by the BCP Agreement (BCA). The BCA index number is C915363-09-20. A site location map is provided as **Figure 1**.

The RI/AAR was completed in accordance with BCP requirements as defined in Section 375-3.8 of the NYSDEC 6 New York Codes, Rules and Regulations (NYCRR) Part 375 Environmental Remediation Program Regulations. It is anticipated that the remedial measure selected will lead to a site remedy as defined in Part 375-1.8(g)(2)(ii); achieve soil cleanup objectives (SCOs) as defined in Part 375-6.8(b); and mitigate any environmental impacted media issues at the site.

1.1 SITE BACKGROUND

The former Pilgrim Village Senior Apartment complex is located on the block bounded by Best Street, Michigan Avenue, East North Street, and Ellicott Street. The portion that is the subject of this RI is approximately 305 feet west of the corner of Best Street and Michigan Avenue. The entire complex has a total area of approximately 7.9 acres; however, the subject Site is approximately 2.00-acres. Prior to the apartment complex, the property was occupied by dense residential housing with several small shops from the late 1800s through the mid-1970s. A gasoline filling station was in the northeast corner of the adjacent property at Michigan Avenue and Best Street from at least 1951 through at least the 1960s.

In the early 1800s, properties to the east and the school property further east was set aside as a "Potter's Field" where victims of cholera epidemics, poor, indigent, and those without religious affiliation could be buried. The cemetery was located on a parcel of former farmland bounded by Best, Cemetery (later Prospect and Masten Streets), North Street, and Michigan Avenue. It remained in use as a pauper (or strangers) burying ground for approximately 40 years. It stopped being used as a cemetery by at least the mid-1880s. In 1885, the City hired Frederick Law Olmsted to convert the land into a public park overlooking the city. In 1895, the City decided to build a 2nd high school on the part of the cemetery land. Masten Park High School opened in 1897 under the leadership of Frank Fosdick but burned down in March of 1912. The new Masten Park High School was designed by architects Esenwein and Johnson using the template of their 1903 Lafayette High School design and opened in the fall of 1914. In 1927, the school was renamed "Fosdick-Masten Park High School." The site became the present City Honors School in 1980. Human burials from the former potter's field were discovered during renovations on the adjacent school property in 2007. Based on the historical maps, it does not appear that human burials ever existed on the subject property.

In 2014, a Phase I Environmental Site Assessment (ESA) was completed. A service/gasoline filling station that had underground storage tanks (USTs) operated on the northeast corner of the adjacent property to the east at the corner of Michigan Avenue and Best Street from approximately 1931 to 1968. This was identified as a recognized environmental concern (REC). Following the Phase I ESA, a Phase II ESA was conducted and included the advancement of soil borings. Soil samples were collected from the borings and submitted for chemical analysis. Volatile organic



compounds (VOCs) and semi-volatile organic compounds (SVOCs) were not detected above the 6 NYCRR Part 375 Unrestricted SCOs. Polychlorinated biphenyls (PCBs) and herbicides were not detected in the soil samples.

In June 2016, a Phase I ESA was conducted on the entire Pilgrim Village complex (approximately 7.9 acres). The Phase I ESA documented that the complex contained soil and groundwater contamination that is believed to be sourced from the former on-site metals processing facility, a former on-site fuel UST, as well as a former auto repair shop. This was identified as a REC. The approximate groundwater flow direction is to the north-northwest which is away from the former Pilgrim Village Senior Site.

In July 2019, a limited site characterization was conducted on the entire Pilgrim Village complex. A total of five soil samples were collected from five borings (Borings SB-15 through SB-17, SB-23, and SB-24) advanced on the former Pilgrim Village Senior Site. The soil samples contained concentrations of lead (maximum of 886 parts per million [ppm]), total mercury (maximum of 2.58 ppm), copper (maximum of 636 ppm), and/or arsenic (maximum of 15.7 ppm) at concentrations greater than either the 6 NYCRR Part 375 Unrestricted SCOs or the 6 NYCRR Part 375 Restricted Residential SCOs. Urban fill was encountered throughout the Site from the surface to approximately 6 to 10 feet below ground surface (bgs). The locations of the borings and the concentrations of target analytes that exceed 6 NYCRR Part 375 SCOs are shown on **Figure 4**.

As documented in our May 2020 *Environmental Site Assessment, Phase II, Pilgrim Village 2 – Senior Site, Buffalo, New York*, 13 soil borings (Borings BH-14 through BH-26) were advanced across the Site and 11 soil samples were collected and submitted for analysis from select borings. Field observations and analytical laboratory results indicate that there are urban fill conditions in the near-surface soil resulting in target analytes greater than 6 NYCRR Part 375 Residential SCOs across the Site. The fill depth varied across the Site from approximately 2 feet to 5 feet bgs which was typically over reddish-brown silty clay, which is common native soil in the City of Buffalo. Boring BH-24 contained a fill depth of approximately 8 feet bgs. Groundwater was not sampled during this ESA. The locations of the borings and the concentrations of target analytes that exceed 6 NYCRR Part 375 SCOs are shown on **Figure 4**.

1.2 IDENTIFICATION OF STANDARDS, CRITERIA, AND GUIDANCE

Standards, criteria, and guidance (SCGs) are promulgated requirements ("standards" and "criteria") and non-promulgated guidance ("guidance") that govern activities that may affect the environment and are used by the NYSDEC at various stages in the investigation and remediation of a site. The following are the primary SCGs for this project:

- NYSDEC 6 NYCRR Part 375 Environmental Remediation Programs December 2006.
- NYSDEC DER-10 Technical Guidance for Site Investigations and Remediation May 2010.
- NYSDEC Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations June 1998.
- NYSDEC Policy CP-51- Soil Cleanup Guidance; Date Issued: October 21, 2010.
- NYSDEC Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS), January 2021.



2.0 REMEDIAL INVESTIGATION

The RI was conducted in general accordance with the January 2021 Remedial Investigation Work Plan, Former Pilgrim Village Senior Apartments, Tax Map ID No.: 100.71-3-1.11 (Portion of), Buffalo, New York 14209, NYSDEC Site No.: C915363 that was approved by the NYSDEC in a letter dated January 19, 2021. The RI activities included, advancing 18 soil borings, installing five groundwater monitoring wells, and collecting soil and groundwater samples. TREC Environmental, Inc. (TREC) and Buffalo Drilling Company, Inc. (BDC) provided the equipment and personnel to advance the soil borings and install the groundwater monitoring wells, respectively. Paradigm Environmental Services, Inc. (Paradigm) provided the laboratory analyses of soil and groundwater samples. A BE3 qualified environmental professional (QEP) was present during field activities to identify boring locations, log subsurface materials, screen and sample surface and subsurface soil, and collect groundwater samples.

Prior to advancing the soil borings and installing the groundwater monitoring wells, the local utility locate center was contacted to mark buried utilities within the project area. A Site survey is provided as Figure 2 which includes the site, block, and lot number as well as the total acreage of the Senior Site. The approximate locations of the borings, groundwater monitoring wells, and general site features are shown on Figure 3. Site photographs are included in Appendix B and boring logs and monitoring well construction logs are included in Appendix C.

2.1 Soil Borings

Eighteen soil borings, designated Borings B1 through B18, were advanced by TREC on January 8 and 11, 2021. The borings were positioned around the Site in areas that have not been previously investigated and areas of potential concern based on past site investigations. The precise location of the borings was based on field observations and targeted potential contaminant features to gain representative samples across the Site. See Table 4 for soil boring GPS coordinates. The borings were advanced with a track mounted Geoprobe® 6620 DT. Each boring was advanced to native soils, groundwater, or refusal and ranged from approximately 2 feet to 16 feet bgs. Boring logs are included in **Appendix C**.

Soil samples were recovered on a continuous basis using 4-foot sampling sleeves. The soil was field screened immediately following retrieval and opening of the sampling sleeves using a MiniRae photoionization detector (PID). The PID was calibrated before screening activities with 100 ppm isobutylene standard gas.

Except for Boring B13, at least one analytical soil sample was collected from each boring and submitted for laboratory analysis. One soil sample was collected from Boring B13 and was placed on hold at the laboratory. After receiving the analytical results, it was deemed not necessary to analyze additional samples than the proposed amount from the approved RIWP. The samples were selectively collected based on PID readings, visual/olfactory observations, and to obtain representative soil samples from across the Site. Ten fill, five surface, and three "native" soil samples were collected. The surface soil samples were collected from approximately the top 2 inches of soil below the grass cover and were not collected from areas covered by asphalt. The "native" soil samples were collected below any fill material lenses.

Sample jars were filled with soil material taking care to avoid gravel and debris using decontaminated stainless-steel spoons. Once collected, samples were placed in coolers with ice



and transferred to the NYSDOH Environmental Laboratory Approval Program (ELAP) certified laboratory using standard chain-of-custody procedures.

Dust monitoring was conducted during site activities using Casella Dust Monitors. Downwind particulate levels did not exceed 100 micrograms per cubic meter ($\mu g/m^3$) greater than background concentrations (upwind particulate levels) for the 15-minute period. The dust monitoring data is included in **Appendix J**. Concentrations of total organic vapors were monitoring using a MiniRae 300 PID and did not exceed 5 ppm above background levels at the work area or exclusion zone for the 15-minute period.

2.2 GROUNDWATER INVESTIGATION

2.2.1 Monitoring Well Construction & Development

Five flush-mount overburden monitoring wells were installed using a "big tire" truck drill rig with 4.25-inch diameter hollow stem augers on January 19 and 20, 2021. Monitoring Wells MW1 through MW3 were installed in the southwest, northwest, and center portions of the Site. respectively, and Wells MW4 and MW5 were installed adjacent to the northeast and southeast corners of the property boundary, respectively. While advancing the borings to install the monitoring wells, groundwater was encountered between approximately 8 to 12 feet bgs. Each boring was advanced deeper than 15 feet (approximately 6 to 8 feet below the observed soil/groundwater interface) to install the groundwater monitoring wells. Soil contamination was not observed in the native soils below approximately 5 feet bgs. The monitoring wells were constructed of 2-inch nominal inside diameter (ID) schedule polyvinyl chloride (PVC) pipe with threaded connections. The lower sections of the wells were constructed of 10-foot PVC well screen with 0.010-inch slots, except for MW4 that had a well screen length of 20 feet to account for potentially fluctuating groundwater levels. A continuous silica sand pack was used to backfill around the well screens to about 1 to 2 feet above the screened sections. Hydrated bentonite chips were used to backfill above the filter pack to approximately 1.5 to 3 feet bgs to create a seal. The monitoring wells were completed with a protective flush mount casing that was cemented in place. Monitoring well construction logs are provided in Appendix C. The monitoring well GPS coordinates are listed on Table 4.

The monitoring wells were developed on January 21, 2021. Prior to initiating the well development activities, water depth relative to the top of the well casings was measured with an electronic water level indicator. The wells were developed using a surge block and dedicated bailer. During development, pH, temperature (degrees Fahrenheit [°F]), specific conductivity (milli siemens per centimeter [mS/cm]), and turbidity (Nephelometric Turbidity Unity [NTU]) were measured to assess the development process. Well development was considered complete when at least three well volumes were removed from each well. Final water quality parameters are listed on **Table 1**. Development and Sampling logs are included in **Appendix C**. Development water was containerized in 55-gallon drums, labeled, and stored on site pending disposal.

2.2.2 Groundwater Sampling

A groundwater sampling event was conducted on January 22, 2021, which was within 24 hours following monitoring well development. Sampling was initiated by measuring the depth to groundwater and total well depths using an electronic water level indicator. The water level indicator was decontaminated using an Alconox/water mixture and a water rinse prior to insertion in each well. Measurements were taken with respect to the top of the well casings, and depths were determined to an accuracy of 0.01 foot.



The wells were sampled using a dedicated disposable bailer. Analytical samples were collected by transferring water directly from the bailer into the laboratory supplied containers. The samples were submitted to the laboratory using chain-of-custody procedures. Depth-to-water, total depth, and groundwater elevations are listed on **Table 1**.

2.2.3 Monitoring Well Hydraulic Assessment

The hydraulic assessment was completed on January 27 and 28, 2021. Tests were conducted on each of the five monitoring wells (Wells MW1 to MW5) to accurately assess the hydraulic conductivity in the subsurface across the Site. Hydraulic conductivity analysis was completed through slug tests using a Level TROLL 700 pressure transducer and In-Situ data logging software to measure the change in head over time during a falling and rising head test (slug in and slug out, respectively). A PVC slug was used with a total volume or displacement of 0.5 gallons. Data analysis for the hydraulic conductivity tests was conducted in accordance with *The Bouwer and Rice Slug Test - An Update*, Bouwer, H., Groundwater Journal, Vol. 27, No. 3, May-June 1989 and is presented in Section 3.2.2.

3.0 PHYSICAL CHARACTERISTICS OF THE STUDY AREA

3.1 SURFACE FEATURES

The property is approximately 643 feet above sea level, which is one of the highest points in the City of Buffalo. The Site is an approximately 2.00-acre property, and there are no major changes in topography throughout the Site. Site soil can be described as urban land that is typically identified as impacted from historical commercial and industrial use. Approximately 50 percent of the Site is currently covered by impervious features such as buildings, streets, and paved parking lots. The current buildings will be demolished and replaced with a new building, paved parking, and greenspace.

3.2 GEOLOGY/HYDROGEOLOGY

3.2.1 Site Geology

In general, soils across the Site consisted of sands with silts with varying amounts of gravel. The fill material ranged in thickness from approximately 2 feet to 8 feet across the Site. Below the fill are native sand, gravel, silty clay to clayey silt deposits.

3.2.2 Site Hydrogeology

Groundwater was observed to flow partially through the non-native fill material onsite. The groundwater elevations in **Table 1** suggest groundwater flow direction is to the north across the Site generally following overall site topography. Approximate groundwater contours are shown on **Figure 5**.

The hydrogeology at the Site was assessed by analyzing hydraulic conductivity values at the five overburden wells on the property. A transducer was placed into the well to collect water displacement data in a location to not interfere with the slug test. Continual checks were made to ensure the data was not drifting or producing questionable data. Slugs were attached to a piece of clean nylon rope so that the slug will drop at least 1 foot below initial static water level (falling head method).



Pressure transducer data (i.e., maximum displacement measured on insertion or removal) and time data was collected and subtracted from each subsequent measurement to calculate displacement over time. Each test was complete when measurements varied by less than a few percent. The resultant data was normalized and plotted logarithmically with the "best fit" line applied to obtain each well's conductivity value. Hydraulic conductivity is relatively consistent across the site. Results are provided in **Appendix E**.

3.3 DEMOGRAPHY AND LAND USE

The proposed redevelopment of the Site will include (A) a 3 and 4-story apartment building with 98 senior housing apartments, (B) adequate parking spaces for the proposed capacity, and (C) approximately 11,000 square feet of green space.

4.0 LABORATORY ANALYSIS

Soil boring samples were analyzed on a standard 5-day turnaround time and groundwater was analyzed on a 3-day rush turnaround time. The soil and groundwater samples collected and analyzed for PFAS were sampled and submitted for analysis in accordance with NYSDEC's Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS), Under NYSDEC's Part 375 Remedial Programs (January 2021). See the Soil Analytical Summary Table and Groundwater Analytical Summary Table in Sections 4.1 and 4.2, respectively, for specific parameters tested and quantities. Section 5.0 discusses the results of the laboratory analysis.

4.1 SOIL SAMPLE LABORATORY ANALYSIS

Nineteen soil samples, including one field duplicate, were collected from the soil borings, and analyzed, as requested by NYSDEC, for target compound list (TCL) SVOCs by Environmental Protection Agency (EPA) Method 8270D, target analyte list (TAL) metals by EPA Method 6010C, TCL PCBs by EPA Method 8082A, TCL pesticides by EPA 8081, TCL herbicides by EPA Method 8151, and CP-51 VOCs by EPA Method 8260C. Subsurface soil samples were also analyzed for TCL VOCs by EPA Method 8260C. Four of the soil samples were analyzed for PFAS by EPA Method 537.1 and 1,4-dioxane by EPA Method 8270 selective ion method (SIM). Also, per NYSDEC direction, samples analyzed for VOCs/SVOCs were analyzed for tentatively identified compounds (TICs).

Soil Analytical Summary Table

| Contract Carminary Table | | | | | | | | |
|--------------------------|----------------|----------|--|--|--|--|--|--|
| Parameter | EPA Method | Quantity | | | | | | |
| TCL VOCs + TICs | 8260 | 14* | | | | | | |
| CP-51 VOCs | 8260 | 14* | | | | | | |
| TCL SVOCs + TICs | 8270 | 19* | | | | | | |
| TAL Metals | 6010/7470/7471 | 19* | | | | | | |
| TCL PCBs | 8082 | 19* | | | | | | |
| TCL Pesticides | 8081 | 19* | | | | | | |
| TCL Herbicides | 8151 | 19* | | | | | | |
| PFAS | 537.1 | 4 | | | | | | |
| 1,4-Dioxane | 8270 SIM | 4 | | | | | | |

^{*} including one duplicate sample



4.2 GROUNDWATER SAMPLE LABORATORY ANALYSIS

Six groundwater samples, including one duplicate sample, were analyzed for TCL VOCs and CP-51 VOCs by EPA Method 8260C, TCL SVOCs by EPA Method 8270D, TAL metals by EPA Method 6010C, TCL PCBs by EPA Method 8082A, TCL pesticides by EPA Method 8081, TCL herbicides by EPA Method 8151. Except for Sample MW22 (the duplicate sample of Sample MW2), the groundwater samples collected were also analyzed for PFAS by EPA Method 537.1 and 1,4-dioxane by EPA Method 8270 SIM. Samples that were analyzed for VOCs/SVOCs also were analyzed for TICs. For quality control purposes, one trip blank (Sample TBS) was submitted with the project samples and was analyzed for TCL VOCs and CP-51 VOCs by EPA Method 8260C. Copies of the laboratory reports for the soil and groundwater samples are provided in **Appendix F**.

Groundwater Analytical Summary Table

| Parameter | EPA Method | Quantity ^A |
|------------------|----------------|-----------------------|
| TCL VOCs + TICs | 8260 | 6* |
| CP-51 VOCs | 8260 | 6* |
| TCL SVOCs + TICs | 8270 | 6* |
| TAL Metals | 6010/7470/7471 | 6* |
| TCL PCBs | 8082 | 6* |
| TCL Pesticides | 8081 | 6* |
| TCL Herbicides | 8151 | 6* |
| PFAS | 537.1 | 6 |
| 1,4-Dioxane | 8270 SIM | 6 |

A one groundwater trip blank was analyzed for volatiles

5.0 DISCUSSION OF RESULTS

The analytical soil results were compared to the 6 NYCRR Part 375 Unrestricted, Residential, and Restricted Residential SCOs listed in Table 375-6.8(a) and (b) of 6 NYCRR Part 375 (December 2006). The groundwater results were compared to the NYSDEC Technical and Operational Guidance Series (TOGS) Standards or Guidance Values in Table 1 of the Division of Water TOGS (1.1.1) (June 1998). These SCOs and standards are listed in **Tables 1 and 2** with the soil and groundwater results, respectively. All soil and groundwater analytical data were validated by Environmental Data Usability (EDU), a certified 3rd party data validator. The laboratory reports and Data Usability Summary Reports (DUSRs) are provided in **Appendix F**.

5.1 SOIL SAMPLE ANALYTICAL RESULTS

Samples B4S1, B5S1, and B6S10 (the duplicate sample of Sample B6S1) contained concentrations of total mercury (maximum of 2.18 ppm) exceeding the 6 NYCRR Part 375 Restricted Residential SCO of 0.81 ppm. Total mercury was also detected above the 6 NYCRR Part 375 Unrestricted SCO of 0.18 ppm in Samples B1S1, B3S1, B6S1, B7S1, B8S1, and B14S1. Lead (maximum of 215 ppm) and zinc (maximum of 340 ppm) were detected at concentrations greater than the 6 NYCRR Part 375 Unrestricted SCOs in the samples collected from Borings B1, B3, B4, B7, and B14. Lead was also detected in Samples B5S1 (735 ppm) and B16S1 (537 ppm) at concentrations greater than the 6 NYCRR Part 375 Restricted Residential SCO of 400 ppm and in Samples B6S1/B6S10 (159 ppm/126 ppm) and B9S1 (84.6 ppm) at concentrations greater than the 6 NYCRR Part 375 Unrestricted SCO of 63 ppm. Arsenic was detected at a concentration



^{*} including one duplicate sample

of 13.5 ppm in Sample B3S1, which is greater than the 6 NYCRR Part 375 Unrestricted SCO of 13 ppm. Copper was detected in Samples B1S1 and B5S1 at concentrations of 57.5 ppm and 65.2 ppm, respectively, which exceed the 6 NYCRR Part 375 Unrestricted SCO of 50 ppm. The remaining analyzed metals were either detected at concentrations or estimated (J-flagged) concentrations less than the 6 NYCRR Part 375 Unrestricted SCOs or were not detected.

VOCs and herbicides were not detected by the laboratory in the project samples. SVOCs, pesticides, and PFAS were either detected at concentrations or estimated (J-flagged) concentrations below 6 NYCRR Part 375 Unrestricted SCOs or were not detected. Sample B3S1 contained an estimated (J-flagged) concentration of total PCBs of 0.0305 ppm which is less than the 6 NYCRR Part 375 Unrestricted SCO of 0.1 ppm.

Surface and subsurface non-native backfill soil samples were the only soil boring samples to contain concentrations of target analytes exceeding 6 NYCRR Part 375 SCOs. The native soil samples collected did not contain target analytes exceeding 6 NYCRR Part 375 SCOs. Refer to **Table 2** and **Figure 3** for samples that exceed 6 NYCRR Part 375 SCOs.

5.2 GROUNDWATER SAMPLE ANALYTICAL RESULTS

Samples collected from Wells MW1, MW2 (including duplicate Sample MW22), and MW4 contained concentrations of magnesium (maximum of 66.0 mg/L) and sodium (maximum of 145 mg/L) exceeding the NYSDEC TOGS values of 35 mg/L and 20 mg/L, respectively. Sodium was detected in the samples collected from Wells MW3 (65.3 mg/L) and MW5 (58.7 mg/L) at concentrations exceeding the NYSDEC TOGS value of 20 mg/L. The remaining analyzed metals were either detected at concentrations or estimated (J-flagged) concentrations less than the NYSDEC TOGS values or were not detected by the laboratory. Due to the high turbidity in the groundwater samples, the metals analysis was filtered in the laboratory prior to analysis.

VOC and SVOC analytes were either detected at concentrations or estimated (J-flagged) concentrations less than the NYSDEC TOGS values or were not detected by the laboratory. Pesticides, herbicides, and total PCBs were not detected in the groundwater samples. Please note that there are several SVOCs whose TOGS values are lower than the laboratory's method detection limit (MDL) and cannot be met. According to the laboratory, none of the reporting limits are elevated above normal water reporting limits for SVOCs. The samples were evaluated down to the limit of detection (LOD), which in most cases is one half the reporting limit.

PFAS were either detected at concentrations or estimated concentrations less than the NYSDEC guidance (Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS), Under NYSDEC's Part 375 Remedial Programs, January 2021) values or were not detected.

5.3 CONTAMINANTS OF CONCERN

Based on the RI and previous environmental investigations, the primary contaminants of concern (COC) in Senior Site soils are metals (e.g., lead, mercury, and zinc) and SVOCs. These contaminants were detected above 6 NYCRR Part 375 SCOs (Unrestricted and Restricted Residential) down to approximately 5 feet bgs throughout the Site.

The Site buildings were also assessed/investigated, and results indicated that asbestos containing material (ACM) is present within the buildings.



6.0 FATE AND TRANSPORT OF CONTAMINANTS OF CONCERN

The soil and groundwater sample analytical results were incorporated with the physical site conditions to evaluate the fate and transport of COC in Site media. COCs for the Site include metals in soil and groundwater. The mechanisms by which the COC can migrate to other areas or media are briefly outlined below.

The new development will cover most of the Site with structures and hardscape, and these construction activities will require the removal and off-site disposal of impacted soils and placement of clean fill/hardscape. Approximately 40 percent of the Site will be covered by the proposed new building, approximately 50 percent of the Site will be covered by hardscape and the remaining approximately 10 percent of the site devoted to greenspace.

6.1 FUGITIVE DUST

Contaminants present in soil can be released to ambient air because of fugitive dust generation from disturbance of dry friable soils. The Site is currently approximately 50 percent covered with existing buildings, asphalt pavement and gravel, and the remaining 50 percent of the Site is covered with grass and vegetation; Both conditions limit fugitive dust generation and contaminant migration through dust is presently not a pathway.

Fugitive dust may be generated during construction/remedial work when impacted soil will be excavated. To mitigate this impact, a health and safety plan (HASP), site management plan (SMP), and community air monitoring plan (CAMP) will be prepared, as required, by the Remedial Action Work Plan (RAWP) under the BCP. Control measures outlined in these documents will be implemented during remediation to limit contaminant migration through dust.

6.2 SURFACE WATER

There are no surface water bodies located on the Site. The potential for impacted soil particle transport with surface water runoff is presently low due to the site conditions, and most Site runoff is collected within on-site utility systems and directed to the City of Buffalo storm water collection. In addition to other storm water control measures, surface water will not be allowed to collect during the remedial action work, and therefore, impacted soil transport to surface water will be mitigated during remediation activities. A stormwater pollution prevention plan (SWPPP) will be provided prior to remedial activities. Post construction, either the potential contaminant sources will be removed entirely from the Site, or the Site will be covered with new structures, hardscape, and greenspace equipped with an adequate stormwater collection system.

6.3 VOLATILIZATION

VOCs were not detected above the 6 NYCRR Part 375 Unrestricted SCOs for soil or TOGS values for groundwater; therefore, the volatilization pathway is not considered a relevant pathway.

6.4 LEACHING

Leaching refers to contaminants in soil migrating into groundwater due to infiltration of stormwater. Several metals were detected in soil at several boring locations above 6 NYCRR Part 375 Unrestricted and Restricted Residential SCOs. Two metals from the groundwater samples also exceeded the NYSDEC TOGS values.



Based on the results of the RI, COCs were not detected in both media above 6 NYCRR Part 375 SCOs or TOGS values. Therefore, the potential for COCs to be leached from the on-site soils to groundwater is minimal.

6.5 GROUNDWATER TRANSPORT

As illustrated in **Figure 5**, the approximate groundwater flow direction is north. Wells did not contain concentrations of VOCs or SVOCs greater than NYSDEC TOGS values. Magnesium or sodium were detected in all the monitoring wells at concentrations greater than the NYSDEC TOGS values.

The Site groundwater data did not indicate an obvious and active groundwater contaminant transport mechanism. In addition, the Site and surrounding area are serviced by municipal water and the City of Buffalo prohibits the use of groundwater for drinking or process use. Therefore, significant potential exposure of local receptors to contaminants in the groundwater is minimal.

6.6 EXPOSURE PATHWAY SUMMARY

Based on the above assessment, the pathways through which COCs could reach receptors at significant exposure concentrations is minimal. The more probable pathways of stormwater and dust will be mitigated using pollution prevention and dust suppression control measures during remedial activities.

7.0 QUALITATIVE HUMAN HEALTH EXPOSURE ASSESSMENT

7.1 HUMAN EXPOSURE

A Qualitative Human Health Exposure Assessment (QHHEA) was prepared to identify potential exposure pathways associated with the COCs at the Site. The QHHEA was developed using Appendix 3B New York State Department of Health Qualitative Human Health Exposure Assessment in DER-10.

The property in its present condition provides minimal human exposure risks related to COCs in the Site soils and groundwater. The buildings on Site are partially occupied but will not be occupied during remedial activities. The elevated COCs in soils are metals detected in urban backfill from the surface down to approximately 5 feet bgs. Two metals (magnesium and sodium) were detected above SCOs but are relatively immobile in soils (i.e., possess low solubility in water and tend to sorb to the soil fraction).

The proposed remediation will include removing or covering impacted soils to meet Unrestricted or Residential SCOs. In addition, an SMP describing institutional and engineering contorls, if applicable, may be drafted that would restrict certain activities at the site and prevent exposure to any residual contamination remaining. Buried anomalies such as tanks, debris, piping, contaminant 'hot spots', etc. will be removed during remediation of the impacted site soils.

7.1.1 Soil

The direct contact and incidental inhalation exposure pathway is considered complete due to the presence of metal-impacted soil between ground surface and bedrock. The direct contact and incidental inhalation exposure pathway for short term is potentially complete for site visitors,



trespassers, surrounding population, and future construction workers performing remedial activities. Contractor health and safety plans drafted as part of the RAWP will be effective to mitigate risk during all remediation activities and minimize worker exposure. CAMP equipment used to monitor perimeter dust is another exposure mitigation measure that will be described in detail in the RAWP. Monitoring will include location of a dust monitor upgradient and downgradient of the work area in proximity to the property limits. Proper VOC and dust CAMP monitoring will be implemented during remediation in accordance with DER-10 Appendix 1A. The direct contact and incidental inhalation exposure pathway for long term is incomplete because the the impacted soil will be removed from the Site.

7.1.2 Groundwater

The ingestion of groundwater is considered an incomplete pathway. The Site is on municipal water supply and groundwater is not used for human consumption or use.

7.1.3 Soil Vapor

The soil vapor pathway is considered incomplete because volatile contaminants were not detected in the Site's soil or groundwater. The soil vapor will be monitored during site activities using a PID to monitor VOC exposure, if any, and it will be located downgradient of the work area and throughout the Site from use by the QEP in charge.

7.1.4 Summary

Currently complete or potentially complete exposure pathways, including direct contact with soil and incidental inhalation of soil have been identified at the Site. Groundwater and soil vapor pathways are considered incomplete because volatiles were not detected in Site soils or groundwater. Changes to the Site from remedial and construction activities will affect site conditions and mitigate the potential exposure pathways described above (e.g., impacted soil removal, groundwater treatment, etc.).

7.2 ECOLOGICAL EXPOSURE RISKS

The property currently is not a habitat to wildlife, and ecological exposure risk is very low. Site erosion is and will be minimal since the site is and will be covered with buildings, pavement, and greenspace. Surface run-off flows into on-site stormwater collection system or off-site to the surrounding street stormwater collection system. Sediment and erosion control measures will also be employed during all remedial activities. The Site is to be remediated to meet Part 375 Restricted Residential or Unrestricted Use SCOs. The remediation for the property will include removal or covering impacted site soils. If a cover system is installed it will include placement of clean soil and hardscape as barriers to any ecological receptor. A NYSDEC Fish and Wildlife Resources Impact Analysis Decision Key was completed and is included as **Appendix H**. It was determined that no fish and wildlife resources impact analysis needed.



8.0 REMEDIAL ALTERNATIVES ANALYSIS

8.1 Remedial Action Objectives

The final remedial measures for the Site must satisfy Remedial Action Objectives (RAOs), which are site-specific statements that convey the goals for minimizing or eliminating substantial risks to human health and the environment. The primary RAOs identified for the Site are the following:

8.1.1 Groundwater

Human Health Protection RAOs

 Prevent ingestion of groundwater with contaminant levels exceeding drinking water standards.

Environmental Protection RAOs

• Restore groundwater aquifer to pre-disposal/pre-release conditions, to the extent practicable.

8.1.2 Soil

Public Health Protection RAOs

Prevent ingestion/direct contact with contaminated soil.

Environmental Protection RAOs

• Prevent migration of contaminants that would result in groundwater or surface water contamination.

8.2 ALTERNATIVES SELECTION FACTORS

In addition to achieving RAOs, NYSDEC's BCP requires an evaluation of remedial alternatives in accordance with 6 NYCRR Part 375-3 and DER-10 Technical Guidance for Site Investigation and Remediation. This alternatives analyses evaluates the remedial options developed for the site against the following selection factors:

- Overall Protection of Public Health and the Environment. This criterion evaluates a
 remedy's ability to achieve the public health and environmental RAOs through the
 assessment of existing and potential exposure pathways to be eliminated, reduced, or
 mitigated through removal, treatment, or engineering/institutional controls (ECs/ICs).
- Compliance with Standards, Criteria, and Guidance (SCGs). This criterion addresses whether a remedy will meet applicable environmental regulations, standards, and guidance. The SCGs applicable to this site are listed in Section 1.3.
- Long-Term Effectiveness and Permanence. This criterion evaluates the long-term effectiveness and permanence of an alternative or remedy after implementation.
- Reduction of Toxicity, Mobility or Volume with Treatment. This criterion evaluates the remedy's ability to reduce the toxicity, mobility, or volume of Site contamination through treatment. Preference is given to remedies that permanently and significantly reduce the toxicity, mobility, or volume of the contamination at the Site.



- Short-Term Effectiveness. This criterion evaluates the potential short-term impacts to human health and the environment during remediation, including control measures of adverse conditions and their effectiveness (e.g., stormwater controls, dust controls, etc.). The length of time needed to achieve the RAOs and sustainability is also evaluated.
- **Implementability**. This criterion evaluates the technical and administrative feasibility of implementing the remedy including the difficulties associated with construction and monitoring the effectiveness of the remedy. The availability of labor, equipment, and material is evaluated in addition to operational approvals, logistics, permitting, etc.
- Cost. This criterion evaluates the overall cost of an alternative.
- **Community Acceptance**. This criterion evaluates the public's comments, concerns, and overall perception of the alternative.

8.3 LAND USE EVALUATION

In developing and screening remedial alternatives, 6 NYCRR Part 375 regulations require that the reasonableness of the anticipated future land use be factored into the evaluation. The future land use of Pilgrim property is quite sensible and practical as it will be similar in nature to the existing use, and the property will meet Restricted Residential or Unrestricted use after the BCP is complete. The proposed approximately 2.00-acre redevelopment will include a 3 and 4-story apartment building with 98 senior housing apartments, adequate parking spaces for the proposed capacity, and approximately 11,000 square feet of green space.

8.4 Selection of Alternatives for Evaluation

The results of the RI and previous environmental assessments indicate the following:

- Soil inclusive of on-site urban backfill contains metal contaminants exceeding Part 375 Unrestricted and Restricted Residential SCOs.
- The building environmental condition assessment (i.e., universal waste or hazardous materials survey) indicated the presence of asbestos in the buildings which will be remediated during the building demolition as part of the redevelopment. See **Appendix G** for the Building Environmental Assessment Report.
- Site groundwater contains magnesium and sodium exceeding TOGS values; however, these contaminant exceedances are within an order of magnitude of the TOGS values and seem to be common contaminants in area groundwater. Therefore, a groundwater remedy is not applicable in the alternative evaluation.

Based on the completion of the RI, the following 3 remedial alternatives have been selected for evaluation:

- 1. Alternative 1 Track 1: 6 NYCRR Part 375 Unrestricted Use
- 2. Alternative 2 Track 2: 6 NYCRR Part 375 Residential Use
- 3. Alternative 3 Track 4: 6 NYCRR Part 375 Restricted Residential Use

8.4.1 Alternative 1 - Track 1: 6 NYCRR Part 375 Unrestricted Use

A Track 1 Unrestricted Use alternative would necessitate remediation of all site soil where concentrations exceed the 6 NYCRR Part 375 Unrestricted Use SCOs. Based on the RI data, it is estimated that this would require the removal of approximately 5 feet of material across the site



including any subsurface debris or anomalies encountered during remediation (e.g., USTs, piping, concrete, etc.). Actual removal depth would be based on confirmation soil samples meeting 6 NYCRR Part 375 Unrestricted Use SCOs. For this alternative, there should not be COCs exceeding 6 NYCRR Part 375 Unrestricted SCOs to bedrock. The area will be backfilled with clean soil meeting NYSDEC imported soil criteria in DER-10 and hardscape per the new development plans and requirements.

Overall Protection of Public Health and the Environment – The 6 NYCRR Part 375 Unrestricted Use alternative would achieve the corresponding Part 375 SCOs, which are designed to be protective of human health under any reuse scenario.

Compliance with SCGs – 6 NYCRR Part 375 Unrestricted Use alternative would comply with SCOs.

Long-Term Effectiveness and Permanence – The 6 NYCRR Part 375 Unrestricted Use alternative would achieve removal of all contaminant sources and residual impacted soil; therefore, no soil exceeding the Unrestricted SCOs would remain on the Site. As such, the Unrestricted Use alternative would provide long-term effectiveness and permanence. Post-remedial monitoring and controls would not be required.

Reduction of Toxicity, Mobility, or Volume with Treatment – The Track 1 Unrestricted Use alternative would permanently reduce the toxicity and mobility of Site contamination through the removal of impacted Site soils. Although this is not considered a treatment technology and the volume of contamination would remain the same, removal is very effective in eliminating toxicity and mobility.

Short-Term Effectiveness – The short-term effectiveness of the Track 1 alternative to the community, workers, and environment during implementation of the Unrestricted Use alternative would be marginal. The exposure time to community, workers, and the environment from possible fugitive dust or other migration pathways would increase during the excavation, packaging, and offsite disposal of significant quantities of soil and debris. However, within approximately 6 months, the site would be remediated of soil contamination.

Implementability – Technical implementability of the Unrestricted Use alternative is high. Demolition, remediation, excavation, and removal activities are associated with standard construction techniques and not difficult to implement.

Community Acceptance – There have been some community comments with respect to the project in general, and although the short-term impacts will be noticeable during remediation, a Track 1 Unrestricted Use scenario would be a preferred alternative to leaving residual contamination on-site.

Cost – The cost of implementing a Track 1 Unrestricted Use alternative is estimated at approximately \$2.3 million. (see **Appendix I**).

8.4.2 Alternative 2 - Track 2: 6 NYCRR Part 375 Residential Use

A Track 2 Residential Use alternative is like Alternative 1 in that it would also necessitate remediation of all site soil; however, the soil removal would be governed by concentrations that exceed the 6 NYCRR Part 375 Residential Use SCOs that are less stringent than Unrestricted Use SCOs. Based on the RI data, it is estimated that this would require the removal of less



quantities of material across the site but would include removal of any subsurface debris or anomalies encountered during remediation (e.g., USTs, piping, concrete, etc.). Actual removal depth would be based on confirmation soil samples meeting 6 NYCRR Part 375 Residential Use SCOs. The area will be backfilled with clean soil meeting NYSDEC imported soil criteria in DER-10 and hardscape to meet new development grades and requirements.

Overall Protection of Public Health and the Environment – The Track 2 Residential Use alternative would achieve the corresponding Part 375 SCOs, which are designed to be protective of human health under most reuse scenarios including residential occupancy. Accordingly, this alternative is marginally less protective of human health and the environment compared to Alternative 1.

Compliance with SCGs – Like Alternative 1, this Track 2 Residential alternative would immediately comply with residential SCOs. As such, this Alternative 2 is as compliant with SCGs compared to Alternative 1.

Long-Term Effectiveness and Permanence – Alternative 2 Residential Use alternative would achieve removal of all contaminant sources and residual impacted soil to meet residential use standards. Therefore, this alternative would provide long-term effectiveness and permanence for residential use like Alternative 1.

Reduction of Toxicity, Mobility, or Volume with Treatment – Through removal of contaminant sources within site soil, Alternative 2 would permanently reduce the toxicity and mobility of contamination to residential SCOs. However, this is not a treatment technology and the volume of contamination would remain the same. Accordingly, Track 2 is very similar to Track 1 for this criterion.

Short-Term Effectiveness – The short-term impacts and risks to the community, workers, and environment during implementation of this alternative would increase from present conditions identically to Alternative 1. The duration of time community, workers, and the environment is exposed to possible fugitive dust or other migration pathways would increase during the excavation, packaging, and offsite disposal of significant quantities of soil and debris.

Implementability – Technical implementability of the Track 2 is high. Demolition, remediation, excavation, and removal activities are associated with standard construction techniques and not difficult to implement.

Community Acceptance – Since the remedial actions for Track 2 are almost identical to Track 1, community acceptance of this alternative would be probable. Alternative 2 is slightly less attractive to the community, however, since SCOs are slightly higher.

Cost – The cost of implementing a Track 2 Residential Use Alternative is estimated at approximately \$1.9 million. (see **Appendix I**).

8.4.3 Alternative 3 – Track 4: Restricted Residential Use

Alternative 3 takes a different remedial approach than Alternatives 1 and 2 since it is a Track 4 cleanup that primarily relies on a cover system to protect human health and the environment (i.e., not a cleanup to a specific SCO). The following items are some of the significant aspects of Alternative 3:



- 1. Remove up to 2 feet of impacted surface soil to accommodate development design grade within greenscape areas and dispose of material at an approved disposal facility.
- 2. Remove up to 1 foot of impacted surface soil to accommodate development design grade within hardscape areas and dispose of material at an approved disposal facility.
- 3. Obtain imported backfill from "virgin" sources or sample/analyze material to ensure it adheres to imported soil requirements per DER-10.
- 4. Backfill areas per development design with corresponding depth of NYSDEC approved clean backfill or hardscape materials.
- 5. Place demarcation layer between remaining impacted site soils and cover material.
- 6. Remove USTs, predetermined 'hot spots', or other contaminated anomalies encountered during excavation activities that exceed a specified cleanup standard.
- 7. Dispose hazardous materials and other universal wastes in buildings during demolition.
- 8. Manage the Site upon completion of remediation through an SMP and Environmental Easement (EE) related to ECs/ICs as follows:
 - Requires submission of a periodic review report (PRR) for ICs/ECs in accordance with 6 NYCRR Part 375-1.8(h)(3).
 - Allows the use of the development for residential, commercial, and industrial uses as defined by Part 375-1.8(g)., subject to local zoning laws.
 - Restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH.
 - Administers an SMP that identifies restrictions and details remedial requirements to ensure the cover system remains effective.
 - Administers an Excavation Plan that provides for management of future excavations in areas of remaining contamination.
 - Maintains site access controls and NYSDEC notifications.

Overall Protection of Public Health and the Environment – Alternative 3 is protective of human health and the environment with construction of a clean soil and hardscape cover that will be monitored and maintained via ICs. Restrictions on future site use would exist. The SMP and Excavation Work Plan apply to future disturbance of soils beneath the cover system. Assuming the site controls remain, this alternative is as protective as the previous two alternatives.

Compliance with SCGs – Alternative 3 is a Track 4 remedy with some soils exceeding the Restricted Residential SCOs remaining below an approved cover system. Therefore, this remedy complies with SCGs like the previous two alternatives.

Long-Term Effectiveness and Permanence – The removal of impacted soils and backfilling with clean fill and hardscape meets the RAOs for soil. The SMP requires periodic inspection and monitoring of the cover system for the Site to assure its integrity and the SMP excavation work plan will apply to any future disturbance of the remaining impacted soils. Alternative 3 is therefore as effective as the previous two alternatives; however, permanence relies solely on ICs/ECs being maintained and effective over time.

Reduction of Toxicity, Mobility, or Volume with Treatment – This remedial measure will reduce the mobility of contamination in the soils using a cover system. However, the volume and toxicity of the contaminants in soil will be affected minimally through some soil removal. The SMP will include an excavation work plan to address impacted soil encountered during future activities and include an inspection program to ensure ICs/ECs remain effective. However, this alternative only partially satisfies this criterion compared to Alternatives 1 and 2.



Short-Term Effectiveness – Potential short-term adverse impacts and human exposures may occur during construction (remediation and new development). However, any adverse impacts should be minimal. A RAWP will be implemented prior to remediation that will require a site-specific HASP for all workers. This alternative is comparable to the first two alternatives with respect to short term effectiveness based primarily on similar excavation efforts.

Implementability – Similar to the first two alternatives, there are no implementation issues related to the proposed remediation or related to the ICs/ECs placed on the Site under this alternative. The remedial activities associated with soil excavation and cover placement are standard.

Community Acceptance – The remedial actions for Track 4 are different than Track 1 or Track 2, but community acceptance of this alternative would still be likely. However, this alternative would be significantly less appealing to the community since contamination would remain on-site and future use restrictions are significant.

Cost – The cost of implementing a Track 4 Restricted Residential Use Alternative is estimated at approximately \$1.2 million. (see **Appendix I**).

8.5 RECOMMENDED REMEDIAL ALTERNATIVE

Based on the alternatives' evaluation and the conceptual site model for existing contamination, Alternative 1 is the primary recommended remedial alternative. It is the most protective of human health and the environment and is implementable given the type and quantity of soil contamination at the Site. However, should circumstances change during remediation efforts such that SCGs could not be attainted to satisfy a Track 1 cleanup, then Alternative 2 would be the secondary recommended alternative.

9.0 CONCLUSIONS AND RECOMMENDATIONS

The RI was completed in accordance with a defined scope of work and the RIWP which was approved on January 19, 2021. The following provides a summary of the investigation activities:

- Assessment of soil conditions using borings and collecting and analyzing 19 samples across the property (including one duplicate sample).
- Assessment of groundwater conditions by installing five overburden groundwater wells (three on site wells and two off site) and collecting and analyzing six groundwater samples (including one duplicate).
- Completing a building materials assessment (e.g., ACM, PCBs, etc.) in all site buildings in preparation of demolition activities.

The results of the investigation indicate that metals are present above 6 NYCRR Part 375 Unrestricted SCOs over approximately half of the site with a few discrete areas above Restricted Residential SCOs. The soil samples collected from "native" soils did not contain target analytes exceeding 6 NYCRR Part 375 SCOs. Analytical soil results are included on **Figure 3** and in **Table 2**.

Two metals were detected in almost all groundwater samples at concentrations greater than the NYSDEC TOGS values (i.e., magnesium and sodium). Analytical groundwater results are included on **Figure 5** and in **Table 3**.



Based on these results, it is recommended proceeding with Alternative 1 that fully satisfies the RAOs and is most protective of human health and the environment by addressing the contaminated media in soil. A RAWP will be prepared that includes soil excavation, disposal, etc. Additional information needed to achieve unrestricted use of the site will be identified in the RAWP.



TABLES





TABLE 1 WELL DEVELOPMENT AND SAMPLING LOG

| | | Monit | oring Well N | umber | |
|-----------------------------------------|-----------|-----------|--------------|-----------|-----------|
| | MW1 | MW2 | MW3 | MW4 | MW5 |
| Development Data | | | | | |
| Development Date | 1/21/2021 | 1/21/2021 | 1/21/2021 | 1/21/2021 | 1/21/2021 |
| Time Development Initiated | 16:30 | 17:10 | 15:50 | 14:30 | 15:15 |
| Time Development Completed | 17:00 | 17:40 | 16:20 | 15:05 | 15:45 |
| Measured Depth to Water (ft below TOC) | 10.56 | 7.14 | 9.41 | 7.95 | 9.19 |
| Total Volume Pumped (gallons) | 5 | 5 | 3 | 8 | 5 |
| Development Method | Bailer | Bailer | Bailer | Bailer | Bailer |
| Water Level Measurement Data | | | | | |
| Date Water Level Measured | 1/22/2021 | 1/22/2021 | 1/22/2021 | 1/22/2021 | 1/22/2021 |
| Time Water Level Measured | 9:35 | 9:30 | 9:25 | 9:15 | 9:20 |
| Measured Depth to Water (ft below TOC) | 10.36 | 7.23 | 9.13 | 7.73 | 10.52 |
| Height of TOC above ground surface (ft) | -0.33 | -0.38 | -0.29 | -0.47 | -0.31 |
| Measured Depth to Water (ft bgs) | 10.69 | 7.61 | 9.42 | 8.20 | 10.83 |
| Approx Ground Surface Elevation (ft) | 645.2 | 641.3 | 643.3 | 641.9 | 646.2 |
| Approx Water Level Elevation (ft) | 634.47 | 633.68 | 633.90 | 633.70 | 635.41 |
| Sampling Data | | | | | |
| Date Sampled | 1/22/2021 | 1/22/2021 | 1/22/2021 | 1/22/2021 | 1/22/2021 |
| Time Sampled | 14:10 | 14:30 | 13:50 | 13:00 | 13:25 |
| Measured Depth to Water (ft below TOC) | 10.36 | 7.23 | 10.36 | 7.73 | 10.52 |
| Total Depth of Well (ft below TOC) | 13.10 | 17.75 | 13.10 | 22.80 | 18.00 |
| Water Column in Well (ft) | 2.74 | 10.52 | 2.74 | 15.07 | 7.48 |
| Gallons per Foot | 0.16 | 0.16 | 0.16 | 0.16 | 0.16 |
| Water Column Volume (gallons) | 0.44 | 1.68 | 0.44 | 2.41 | 1.20 |
| Total Volume Pumped (gallons) | - | - | - | - | - |
| Sampling Method | Bailer | Bailer | Bailer | Bailer | Bailer |
| Diameter of Well Casing | 2-inch | 2-inch | 2-inch | 2-inch | 2-inch |
| Water Quality Data | | | | | |
| Date Measured | 1/21/2021 | 1/21/2021 | 1/21/2021 | 1/21/2021 | 1/21/2021 |
| Temperature (°C) | 14.4 | 11.5 | 11.0 | 10.9 | 10.6 |
| pH (Standard Units) | 7.00 | 7.11 | 7.14 | 7.11 | 7.20 |
| Specific Conductivity (μS/cm) | 819 | 776 | 890 | 744 | 869 |
| Turbidity (NTU) | >1,000 | >1,000 | >1,000 | >1,000 | >1,000 |
| Remarks | | Duplicate | | | |
| | | Sample | | | |
| | | MW22 | | | |

Notes:

Water quality parameters were measured with a YSI 556 and turbidimeter

- = Not applicable or not measured

TOC = Top of casing

bgs = Below ground surface

ft = Feet

°C = Degrees Celsius

μS/cm = Microsiemens per Centimeter NTU = Nephelometric Turbidity Units



| | | Samı | ole Identification, | Approximate Sar | mple Depth in Fee | et Below Ground S | Surface, and Samp | ole Date | | | NYSDEC So | il Cleanup Object | ives (SCOs) |
|----------------------|---------|---------|---------------------|-----------------|-------------------|-------------------|-------------------|----------|---------|---------|--------------|-------------------|-------------|
| | B1S1 | B2S1 | B3S1 | B4S1 | B5S1 | B6S1 | B6S10~ | B7S1 | B8S1 | B9S1 | | | |
| | 0.5-3 | 3-4 | 1-3 | 1-3 | 0.2-0.5 | 1-4 | 1-4 | 1-3 | 0.2-0.5 | 2-4 | Unrestricted | Residential | Restricted |
| Parameter Tested | | | | 1/8/ | ⁷ 2021 | | | | 1/11 | /2021 | | | Residential |
| | | | | | N | IETALS (ppm) | | | 1 | | | | |
| Aluminum | 8,500 | 19,100 | 10,800 | 12,300 | 7,670 | 9,950 | 13,100 | 10,700 | 11,700 | 10,600 | - | - | - |
| Antimony | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | - | - | - |
| Arsenic | 11.9 | 5.54 | 13.5 | 5.30 | 8.79 | 5.96 | 6.14 | 3.18 | 4.70 | 4.37 | 13 | 16 | 16 |
| Barium | 69.5 | 155 | 183 | 114 | 179 | 108 | 142 | 108 | 52.5 | 61.1 | 350 | 350 | 400 |
| Beryllium | ND | 0.384 | 0.359 | 0.267 J | 0.211 J | ND | 0.221 J | ND | 0.232 J | ND | 7.2 | 14 | 72 |
| Cadmium | 0.551 | 0.747 | 0.785 | 0.685 | 0.511 | 0.508 | 0.480 | 0.427 | 0.606 | 0.628 | 2.5 | 2.5 | 4.3 |
| Calcium | 48,900 | 38,500 | 17,200 | 17,400 | 25,400 | 20,400 | 21,700 | 4,910 | 10,200 | 33,300 | - | - | - |
| Chromium | 10.4 | 23.2 | 14.3 | 15.9 | 11.8 | 11.9 | 15.7 | 12.1 | 17.7 | 12.3 | 30 | 36 | 180 |
| Cobalt | 5.46 | 11.7 | 6.19 | 6.87 | 5.37 | 5.61 | 7.97 | 4.85 | 6.61 | 5.90 | - | - | - |
| Copper | 57.5 | 20.4 | 19.6 | 24.5 | 65.2 | 21.2 | 21.7 | 14.1 | 29.8 | 13.7 | 50 | 270 | 270 |
| Iron | 14,900 | 24,500 | 13,500 | 14,100 | 10,000 | 13,100 | 18,100 | 11,300 | 17,900 | 15,000 | - | - | - |
| Lead | 99.3 | 10.8 | 215 | 185 | 735 | 159 | 126 | 159 | 56.0 | 84.6 | 63 | 400 | 400 |
| Magnesium | 12,300 | 13,900 | 5,840 | 6,440 | 5,490 | 9,670 | 9,920 | 2,600 | 9,520 | 11,900 | - | - | - |
| Manganese | 288 | 493 | 302 | 225 | 250 | 293 | 401 | 253 | 255 | 337 | 1,600 | 2,000 | 2,000 |
| Total Mercury | 0.231 | 0.0225 | 0.210 | 1.14 | 2.18 | 0.346 | 1.25 | 0.398 | 0.200 | 0.146 | 0.18 | 0.81 | 0.81 |
| Nickel | 10.4 | 26.8 | 14.0 | 16.7 | 11.8 | 10.9 | 15.0 | 8.54 | 18.6 | 11.1 | 30 | 140 | 310 |
| Potassium | 1,830 | 4,450 | 1,620 | 1,920 | 1,080 | 1,520 | 2,270 | 1,090 | 1,850 | 1,820 | - | - | - |
| Selenium | 0.986 J | 1.79 | 1.65 | 1.41 | 1.74 | 1.93 | 1.96 | 1.85 | 1.56 | 1.63 | 3.9 | 36 | 180 |
| Silver | 0.569 | 0.619 J | 0.544 J | 0.530 J | 0.787 | 0.536 J | 0.664 | 0.448 J | 0.466 J | 0.481 J | 2 | 36 | 180 |
| Sodium | 148 | 135 J | 141 J | 107 J | 143 | 124 J | 143 J | 272 | 85.0 J | 139 J | - | - | - |
| Thallium | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | - | - | - |
| Vanadium | 19.4 | 31.7 | 20.5 | 22.1 | 17.7 | 19.0 | 23.5 | 19.6 | 16.9 | 21.3 | - | - | - |
| Zinc | 340 | 60.6 | 164 | 117 | 261 | 99.1 | 99.2 | 113 | 85.6 | 87.6 | 109 | 2,200 | 10,000 |
| | | | | SEMI- | VOLATILE ORGA | NIC COMPOUNI | DS (SVOCs) (ppr | n) | | | | | |
| Benzo(a)anthracene | ND | ND | 0.205 J | 0.233 J | 0.277 J | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(a)pyrene | ND | ND | 0.165 J | 0.18 J | 0.181 J | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(b)fluoranthene | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(g,h,i)perylene | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 100 | 100 | 100 |
| Chrysene | ND | ND | ND | ND | 0.227 J | ND | ND | ND | ND | ND | 1 | 1 | 3.9 |
| Fluoranthene | ND | ND | 0.36 | 0.381 | 0.476 | ND | ND | ND | 0.302 | ND | 100 | 100 | 100 |
| Phenanthrene | ND | ND | 0.196 J | 0.239 J | 0.493 | ND | ND | ND | ND | ND | 100 | 100 | 100 |
| Pyrene | ND | ND | 0.29 J | 0.297 J | 0.357 | ND | ND | ND | 0.234 J | ND | 100 | 100 | 100 |
| 1,4-Dioxane | - | - | - | - | ND | - | - | - | - | ND | 0.1 | 9.8 | 13 |
| Other SVOCs | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various |
| Total Reported TICs | 1.74 | ND | 4.58 | 0.564 | ND | 0.676 | ND | 3.91 | 0.845 | ND | - | - | - |

Notes: All units in parts per million (ppm)

ND Analyte not detected

11.9 Analyte detected

13.5 Reported concentration greater than or equal to the NYSDEC Unrestricted SCO

1.14 Reported concentration greater than or equal to the NYSDEC Restricted Residential SCO

J Estimated concentration

- Not applicable or sample not tested for this analyte

~ Duplicate of Sample B6S1



| | | Sam | NYSDEC Soil Cleanup Objectives (SCOs) | | | | | | | | | | |
|-------------------------------------|-----------------------------------------|------|---------------------------------------|--------------|----------------|---------------|---------------|-----------------|-----------|------------|--------------|-------------|-------------|
| | B1S1 | B2S1 | B3S1 | B4S1 | B5S1 | B6S1 | B6S10~ | B7S1 | B8S1 | B9S1 | | | |
| | 0.5-3 | 3-4 | 1-3 | 1-3 | 0.2-0.5 | 1-4 | 1-4 | 1-3 | 0.2-0.5 | 2-4 | Unrestricted | Residential | Restricted |
| Parameter Tested | | | | 1/8, | /2021 | | | | 1/11 | /2021 | | | Residential |
| | VOLATILE ORGANIC COMPOUNDS (VOCs) (ppm) | | | | | | | | | | | | |
| VOCs | ND | ND | ND | ND | - | ND | ND | ND | - | ND | Various | Various | Various |
| Total Reported TICs | 0.0140 | ND | ND | ND | - | ND | ND | ND | - | ND | - | - | - |
| | | | CHLORINATE | PESTICIDES/C | HLORINATED HE | RBICIDES/POLY | CHLORINATED E | BIPHENYLS (PCE | Bs) (ppm) | | | | |
| 4,4-DDE | ND | ND | 0.00253 J | ND | ND | ND | ND | ND | ND | 0.00211 J | 0.0033 | 1.8 | 8.9 |
| 4,4-DDT | ND | ND | 0.00472 | ND | ND | ND | ND | ND | ND | ND | 0.0033 | 1.7 | 7.9 |
| cis-Chlordane | ND | ND | ND | ND | 0.00442 | ND | ND | ND | ND | ND | 0.094 | 0.91 | 4.2 |
| Endrin Ketone | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.014 | 2.2 | 11 |
| Methoxychlor | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.00276 J | - | - | - |
| Other Pesticides | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various |
| Chlorinated Herbicides | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various |
| Total PCBs | ND | ND | 0.0305 J | ND | ND | ND | ND | ND | ND | ND | 0.1 | 1 | 1 |
| | | | EMERG | ING CONTAMI | NANTS PER- ANI | O POLYFLUORO | ALKYL SUBSTAN | CES (PFAS) (ppi | m) | | | | |
| Perfluorobutanoic Acid (PFBA) | - | - | - | - | 0.000035 J | - | - | - | - | ND | - | - | - |
| Perfluorooctanoic Acid (PFOA) | - | - | - | - | 0.000102 J | - | - | - | - | ND | 0.00066 | 0.0066 | 0.033 |
| Perfluorooctanesulfonic Acid (PFOS) | - | - | - | - | 0.000188 J | - | - | - | - | 0.000317 J | 0.00088 | 0.0088 | 0.044 |
| Total PFOA/PFOS | - | - | - | - | 0.00029 J | - | - | - | - | 0.000317 J | 0.0015 | 0.015 | 0.077 |
| Other PFAS | - | - | - | - | ND | - | - | - | - | ND | Various | Various | Various |

Notes: All units in parts per million (ppm)

ND Analyte not detected

0.0140 Analyte detected

J Estimated concentration

- Not applicable or sample not tested for this analyte

~ Duplicate of Sample B6S1



| | | Sample Identi | fication, Approxi | mate Sample Dep | th in Feet Below | Ground Surface, a | nd Sample Date | | | NYSDEC So | il Cleanup Object | ives (SCOs) | | | | |
|----------------------|---------|---------------|-------------------|-----------------|------------------|-------------------|----------------|---------|-----------|--------------|-------------------|-------------|--|--|--|--|
| | B10S1 | B10S2 | B11S1 | B12S1 | B14S1 | B15S1 | B16S1 | B17S1 | B18S1 | | | | | | | |
| | 1-3 | 4-6 | 0.2-0.5 | 1-4 | 2-4 | 0.2-0.5 | 0.2-0.5 | 1-3 | 6-8 | Unrestricted | Residential | Restricted | | | | |
| Parameter Tested | | 1 | 0.2 0.0 | | 1/11/2021 | 0.200 | 0.12 0.10 | | | | | Residential | | | | |
| r arameter resteu | | | | | METALS (| nnm) | | | | | | | | | | |
| Aluminum | 8,020 | 9,170 | 16,400 | 10,400 | 17,300 | 2,710 | 9,050 | 4,320 | 6,270 | _ | _ | _ | | | | |
| Antimony | ND | ND | ND | ND | ND | ND | ND | ND | ND | _ | - | - | | | | |
| Arsenic | 2.73 | 2.21 | 5.16 | 2.86 | 8.07 | 4.38 | 6.31 | 1.89 | 2.12 | 13 | 16 | 16 | | | | |
| Barium | 24.5 | 53.2 | 117 | 57.4 | 188 | 19.1 | 34.4 | 10.9 | 33.7 | 350 | 350 | 400 | | | | |
| Beryllium | ND | ND | 0.380 | ND | 0.423 | ND | ND | ND | ND | 7.2 | 14 | 72 | | | | |
| Cadmium | 0.199 J | 0.524 | 0.704 | 0.448 | 0.930 | 0.337 | 0.293 | 0.320 | 0.416 | 2.5 | 2.5 | 4.3 | | | | |
| Calcium | 2,120 | 73,700 | 4,800 | 23,000 | 14,700 | 77,900 | 3,410 | 83,300 | 66,900 | - | - | - | | | | |
| Chromium | 8.09 | 11.3 | 19.8 | 12.7 | 21.5 | 3.92 | 11.4 | 6.47 | 7.67 | 30 | 36 | 180 | | | | |
| Cobalt | 3.43 | 4.63 | 10.3 | 4.49 | 10.5 | 1.57 J | 4.94 | 2.51 J | 3.69 | - | - | - | | | | |
| Copper | 6.91 | 8.92 | 19.8 | 12.1 | 30.4 | 5.18 | 11.6 | 10.3 | 9.85 | 50 | 270 | 270 | | | | |
| Iron | 9,510 | 11,100 | 21,400 | 12,800 | 21,000 | 6,510 | 20,500 | 6,280 | 9,300 | - | - | - | | | | |
| Lead | 45.9 | 8.49 | 22.2 | 26.7 | 174 | 6.44 | 537 | 6.03 | 7.99 | 63 | 400 | 400 | | | | |
| Magnesium | 1,750 | 22,100 | 5,730 | 9,380 | 9,630 | 35,500 | 2,400 | 46,600 | 21,900 | - | - | - | | | | |
| Manganese | 80.7 | 283 | 824 | 231 | 450 | 189 | 169 | 259 | 289 | 1,600 | 2,000 | 2,000 | | | | |
| Total Mercury | 0.0381 | 0.00928 | 0.151 | 0.119 | 0.215 | 0.00649 J | 0.0464 | 0.0262 | 0.00692 J | 0.18 | 0.81 | 0.81 | | | | |
| Nickel | 6.09 | 9.47 | 22.8 | 10.8 | 21.7 | 3.08 | 8.63 | 5.12 | 7.03 | 30 | 140 | 310 | | | | |
| Potassium | 618 | 2,360 | 2,810 | 1,620 | 2,930 | 851 | 913 | 1,200 | 1,710 | - | - | - | | | | |
| Selenium | 0.990 J | 0.805 J | 2.05 | 1.55 | 2.01 | ND | 2.96 | 0.595 J | 0.738 J | 3.9 | 36 | 180 | | | | |
| Silver | 0.397 J | 0.401 J | 0.666 | 0.409 J | 0.617 J | ND | 0.599 | ND | 0.304 J | 2 | 36 | 180 | | | | |
| Sodium | 92.2 J | 193 | 145 J | 83.6 J | 95.0 J | 132 | 77.1 J | 151 | 219 | - | - | - | | | | |
| Thallium | ND | ND | ND | ND | ND | ND | ND | ND | ND | - | - | - | | | | |
| Vanadium | 16.7 | 15.8 | 26.9 | 18.9 | 31.2 | 7.02 | 23.2 | 9.02 | 13.7 | - | - | - | | | | |
| Zinc | 45.6 | 54.7 | 76.7 | 80.8 | 256 | 53.2 | 85.7 | 39.5 | 45.4 | 109 | 2,200 | 10,000 | | | | |
| | | | | SEMI-VOLATIL | E ORGANIC CON | MPOUNDS (SVO | Cs) (ppm) | | | | | | | | | |
| Benzo(a)anthracene | 0.218 J | ND | ND | ND | 0.302 J | ND | ND | ND | ND | 1 | 1 | 1 | | | | |
| Benzo(a)pyrene | 0.23 J | ND | ND | ND | 0.242 J | ND | ND | ND | ND | 1 | 1 | 1 | | | | |
| Benzo(b)fluoranthene | 0.233 J | ND | ND | ND | ND | ND | ND | ND | ND | 1 | 1 | 1 | | | | |
| Benzo(g,h,i)perylene | 0.24 J | ND | ND | ND | ND | ND | ND | ND | ND | 100 | 100 | 100 | | | | |
| Chrysene | 0.266 J | ND | ND | ND | 0.274 J | ND | ND | ND | ND | 1 | 1 | 3.9 | | | | |
| Fluoranthene | 0.472 | ND | ND | ND | 0.493 | ND | ND | ND | ND | 100 | 100 | 100 | | | | |
| Phenanthrene | ND | ND | ND | ND | 0.252 J | ND | ND | ND | ND | 100 | 100 | 100 | | | | |
| Pyrene | 0.362 | ND | ND | ND | 0.391 | ND | ND | ND | ND | 100 | 100 | 100 | | | | |
| 1,4-Dioxane | - | - | - | ND | ND | - | - | - | - | 0.1 | 9.8 | 13 | | | | |
| Other SVOCs | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various | | | | |
| Total Reported TICs | 1.17 | 2.67 | 1.25 | 0.583 | 2.05 | ND | ND | ND | ND | - | - | - | | | | |

Notes: All units in parts per million (ppm)

ND Analyte not detected

2.73 Analyte detected

Reported concentration greater than or equal to the NYSDEC Unrestricted SCO
Reported concentration greater than or equal to the NYSDEC Restricted Residential SCO

J Estimated concentration

- Not applicable



| | | Sample Identi | ification, Approxi | mate Sample Dep | oth in Feet Below | Ground Surface, a | nd Sample Date | | | NYSDEC So | il Cleanup Object | ives (SCOs) | |
|--------------------------------------------------------------------------------------|-------|---------------|--------------------|-----------------|-------------------|-------------------|----------------|-----------|-------|--------------|-------------------|---------------------------|--|
| | B10S1 | B10S2 | B11S1 | B12S1 | B14S1 | B15S1 | B16S1 | B17S1 | B18S1 | | | | |
| | 1-3 | 4-6 | 0.2-0.5 | 1-4 | 2-4 | 0.2-0.5 | 0.2-0.5 | 1-3 | 6-8 | Unrestricted | Residential | Restricted Residential | |
| Parameter Tested | | | | | 1/11/2021 | | | | | | | Residential | |
| VOLATILE ORGANIC COMPOUNDS (VOCs) (ppm) | | | | | | | | | | | | | |
| VOCs | ND | ND | - | ND | ND | - | - | ND | ND | Various | Various | Various | |
| Total Reported TICs | ND | ND | - | ND | ND | - | - | ND | ND | - | - | - | |
| CHLORINATED PESTICIDES/CHLORINATED HERBICIDES/POLYCHLORINATED BIPHENYLS (PCBs) (ppm) | | | | | | | | | | | | | |
| 4,4-DDE | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0033 | 1.8 | 8.9 | |
| 4,4-DDT | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.0033 | 1.7 | 7.9 | |
| cis-Chlordane | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.094 | 0.91 | 4.2 | |
| Endrin Ketone | ND | ND | ND | ND | 0.00263 J | ND | ND | ND | ND | 0.014 | 2.2 | 11 | |
| Methoxychlor | ND | ND | ND | ND | 0.0102 | ND | ND | ND | ND | - | ı | - | |
| Other Pesticides | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various | |
| Chlorinated Herbicides | ND | ND | ND | ND | ND | ND | ND | ND | ND | Various | Various | Various | |
| Total PCBs | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.1 | 1 | 1 | |
| | | | EMERGING CO | NTAMINANTS I | PER- AND POLYF | LUOROALKYL SU | JBSTANCES (PFA | AS) (ppm) | | | | | |
| Perfluorobutanoic Acid (PFBA) | - | - | - | ND | 0.000027 J | - | - | - | - | - | - | - | |
| Perfluorooctanoic Acid (PFOA) | - | - | - | ND | ND | - | - | - | - | 0.00066 | 0.0066 | 0.033 | |
| Perfluorooctanesulfonic Acid (PFOS) | - | - | - | ND | ND | - | - | - | - | 0.00088 | 0.0088 | 0.044 | |
| Total PFOA/PFOS | - | - | - | ND | ND | - | - | - | - | 0.0015 | 0.015 | 0.077 | |
| Other PFAS | - | - | - | ND | ND | - | - | - | - | Various | Various | Various | |

Notes: All units in parts per million (ppm)

ND Analyte not detected

0.0102 Analyte detected

- Not applicable

J Estimated concentration

TABLE 3 SUMMARY OF GROUNDWATER ANALYTICAL RESULTS



| Sample Identification, Approximate Groundwater Depth Below Top of Casing, and Sample Date | | | | | | | | | | | | |
|-------------------------------------------------------------------------------------------|--------|-------------------------|------------------------|-----------------------|-------------------|-----------|------------|----------------------|--|--|--|--|
| | MW1 | MW2 | MW22~ | MW3 | MW4 | MW5 | Trip Blank | NYSDEC TOGS 1.1.1 GA | | | | |
| | 10.36 | 7.23 | 7.23 | 9.13 | 7.73 | 10.52 | TBS | | | | | |
| Parameter Tested | | l. | | 1/22/2021 | | | | | | | | |
| METALS (mg/L) | | | | | | | | | | | | |
| Barium | 0.186 | 0.203 | 0.204 | 0.127 | 0.219 | 0.216 | - | 1 | | | | |
| Calcium | 177 | 153 | 164 | 108 | 123 | 144 | - | - | | | | |
| Magnesium | 66.0 | 56.4 | 61.8 | 28.4 | 41.8 | 31.3 | - | 35 | | | | |
| Manganese | 0.0965 | 0.115 | 0.118 | ND | 0.0673 | 0.0430 | - | 0.3 | | | | |
| Potassium | 5.77 | 7.22 | 7.16 | 5.02 | 7.62 | 8.06 | - | - | | | | |
| Sodium | 145 | 47.7 | 47.6 | 65.3 | 87.8 | 58.7 | - | 20 | | | | |
| Other Metals | ND | ND | ND | ND | ND | ND | - | Various | | | | |
| | | SEMI-VOI | LATILE ORGANIC COMPOU | JNDS (SVOCs) (mg/L) | | | | | | | | |
| Naphthalene | ND | ND | ND | ND | ND | 0.00959 J | - | 10 | | | | |
| 1,4-Dioxane | ND | ND | ND | ND | ND | ND | - | - | | | | |
| Other SVOCs | ND | ND | ND | ND | ND | ND | - | Various | | | | |
| Total Reported TICs | 0.132 | 0.29 | 0.472 | 0.258 | 0.326 | 0.239 | - | - | | | | |
| | | VOLA ⁻ | TILE ORGANIC COMPOUN | DS (VOCs) (mg/L) | | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | ND | ND | ND | ND | 0.00195 J | ND | 0.005 | | | | |
| Acetone | ND | 0.00850 J | ND | 0.0729 | ND | 0.0399 | ND | 50 | | | | |
| n-Butylbenzene | ND | ND | ND | ND | ND | 0.00408 | ND | 10 | | | | |
| Other VOCs | ND | ND | ND | ND | ND | ND | ND | Various | | | | |
| Total Reported TICs | ND | 0.0394 | 0.0434 | 0.0293 | ND | 0.472 | ND | Various | | | | |
| | CHLO | RINATED PESTISIDES/CHLC | ORINATED HERBICIDES/PO | DLYCHLORINATED BIPHEN | YLS (PCBs) (mg/L) | | | | | | | |
| Pestisides | ND | ND | ND | ND | ND | ND | - | Various | | | | |
| Herbicides | ND | ND | ND | ND | ND | ND | - | Various | | | | |
| Total PCBs | ND | ND | ND | ND | ND | ND | - | Various | | | | |

Notes: All units in milligrams per liter (mg/L)

NYSDEC New York State Department of Environmental Conservation

TOGS Technical and Operational Guidance Series

TICs Tentatively Identified Compounds

ND Analyte not detected

0.186 Analyte detected

66.0 Analyte exceeds NYSDEC TOGS guidance value

J Estimated concentration

- Not applicable or sample not tested for this analyte

TABLE 3 SUMMARY OF GROUNDWATER ANALYTICAL RESULTS



| Parameter Tested | MW1 10.36 | Sample Io MW2 7.23 | dentification, Approximate MW22~ 7.23 | e Groundwater Depth Bel MW3 9.13 1/22/2021 | ow Top of Casing, and Sar MW4 7.73 | nple Date MW5 10.52 | Trip Blank TBS | NYSDEC Sampling, Analysis, and Assessment of PFAS Guidance |
|-----------------------------------------------------------|--------------|--------------------------|-----------------------------------------|-----------------------------------------------------|------------------------------------------|---------------------------|-------------------|---------------------------------------------------------------------|
| | | EMERGING CONTAMINA | ANTS PER- AND POLYFLUO | | FAS) (ppt) | | | |
| Perfluorobutanoic Acid (PFBA) | 0.732 J | 3.12 | - | 10.7 | 3.76 | 3.16 | - | 100 |
| Perfluoropentanoic Acid (PFPeA) | 0.581 J | 1.71 | - | 6.05 | 1.28 J | 2.30 | - | 100 |
| Perfluorobutanesulfonic Acid (PFBS) | 0.260 J | 0.576 J | - | 1.16 J | 0.256 J | 0.874 J | - | 100 |
| Perfluorohexanoic Acid (PFHxA) | 0.519 J | 1.99 J | - | 5.59 | 1.27 J | 1.98 | - | 100 |
| Perfluoroheptanoic Acid (PFHpA) | ND | 0.668 J | - | 1.39 J | 0.398 J | 0.904 J | - | 100 |
| Perfluorohexanesulfonic Acid (PFHxS) | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluorooctanoic Acid (PFOA) | 0.698 J | 1.87 J | - | 3.52 | 0.902 J | 2.06 | - | 10 |
| 1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS) | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluoroheptanesulfonic Acid (PFHpS) | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluorononanoic Acid (PFNA) | ND | ND | - | ND | ND | 0.385 J | - | 100 |
| Perfluorooctanesulfonic Acid (PFOS) | ND | ND | - | ND | ND | 0.563 J | - | 10 |
| Perfluorodecanoic Acid (PFDA) | ND | ND | - | ND | ND | 0.470 J | - | 100 |
| 1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS) | ND | ND | - | ND | ND | ND | - | 100 |
| N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA) | ND | ND | - | ND | ND | 1.84 J | - | 100 |
| Perfluoroundecanoic Acid (PFUnA) | ND | ND | - | ND | ND | 0.533 J | - | 100 |
| Perfluorodecanesulfonic Acid (PFDS) | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluorooctanesulfonamide (FOSA) | ND | ND | - | ND | ND | ND | - | 100 |
| N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA). | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluorododecanoic Acid (PFDoA) | ND | ND | - | ND | ND | ND | - | 100 |
| Perfluorotridecanoic Acid (PFTrDA) | ND | ND | - | ND | ND | 0.392 J | - | 100 |
| Perfluorotetradecanoic Acid (PFTA) | ND | ND | - | ND | ND | ND | - | 100 |
| Total PFOA/PFOS | 0.698 J | 1.87 J | - | 3.52 | 0.902 J | 2.62 J | - | 20 |
| Total PFAS | 2.79 J | 9.93 | - | 28.4 | 7.87 | 15.5 | - | 500 |

Notes: All PFAS units are in parts per trillion (ppt)

NYSDEC New York State Department of Environmental Conservation

TOGS Technical and Operational Guidance Series

PFAS Per- and Polyfluoroalkyl Substances

ND Analyte not detected

3.12 Analyte detected

J Estimated concentration

- Not applicable or sample not tested for this analyte

~ Duplicate of Sample MW2




TABLE 4 BORING AND MONITORING WELL GPS COORDINATES

| Number | Latitude | Longitude |
|------------------|-----------|------------|
| Borings | | |
| B1 | 42.90389 | -78.863718 |
| B2 | 42.903778 | -78.863951 |
| B3 | 42.903908 | -78.864142 |
| B4 | 42.903835 | -78.864437 |
| B5 | 42.90366 | -78.864603 |
| B6 | 42.903527 | -78.864715 |
| B7 | 42.9034 | -78.864857 |
| B8 | 42.903120 | -78.864679 |
| B9 | 42.903024 | -78.8646 |
| B10 | 42.902926 | -78.86426 |
| B11 | 42.903173 | -78.863968 |
| B12 | 42.903322 | -78.864153 |
| B13 | 42.903382 | -78.864374 |
| B14 | 42.903457 | -78.864412 |
| B15 | 42.903494 | -78.864241 |
| B16 | 42.903365 | -78.864152 |
| B17 | 42.90366 | -78.863852 |
| B18 | 42.903295 | -78.863912 |
| Monitoring Wells | S | |
| MW1 | 42.903061 | -78.8647 |
| MW2 | 42.903861 | -78.864564 |
| MW3 | 42.903403 | -78.86435 |
| MW4 | 42.903839 | -78.863789 |
| MW5 | 42.902933 | -78.863822 |

FIGURES







| BESCORP BRYGOGS ENGINEERING IN ENVIRONMENT & ENERGY | |
|--------------------------------------------------------|--|
| 960 Busti Avenue | |
| Suite B150 | |

Fomer Pilgrim Village Senior Apartments Site # C915363 Buffalo, New York 14209

Figure 1


Site Location Map


April 2021 SCALE: N/A


SHEET 1 OF 1


Revisions

1 3/1/21









APPENDIX A MAY 2020 ENVIRONMENTAL SITE ASSESSMENT



ENVIRONMENTAL SITE ASSESSMENT

PHASE II PILGRIM VILLAGE 2 – SENIOR SITE BUFFALO, NEW YORK

Prepared for: SAAKC 150 SE 2nd Avenue Suite 300 Miami, FL 33131

Prepared by:



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com

May 2020

| Prepared By: | Signature: | | Date: | Title: |
|---------------------------|------------|---------------|----------|----------|
| Peter J. Gorton, MPH CHCM | 63 | ter/Gorton | May 2020 | BE3 – PM |
| Reviewed By: | Signature: | 1 1 1 1 1C/ 1 | Date: | Title: |
| Jason M. Brydges, PE | | Church 200 | May 2020 | BE3 – PM |

Table of Contents

| 1.0 | INTRODUCTION1 | |
|--------|-----------------------------------|---|
| 1.1 | Purpose | 1 |
| 1.2 | Background | 1 |
| 1.2 | 1 General Site Setting | 1 |
| 1.2 | 2 Physical Setting | 2 |
| 1.2 | 3 Historical Use | 2 |
| 1.2 | 4 Contaminants of Concern | 2 |
| 1.3 | Scope | 2 |
| 2.0 | FIELD INVESTIGATIONS2 | |
| 2.1 | Soil Sampling | 3 |
| 2.2 | Soil Screening | 4 |
| 2.3 Pı | evious Phase II ESA | 4 |
| 2.4 | Sampling Rationale | 4 |
| 3.0 | RESULTS5 | |
| 3.1 | Subsurface Conditions | 5 |
| 3.2 | Analytical Results | 5 |
| 3.2 | 1 Subsurface-Near Surface Soil | 5 |
| 4.0 | CONCLUSIONS & RECOMMENDATIONS6 | |
| 5.0 | WARRANTS AND LIMITATIONS6 | |
| 6.0 | PROFESSIONAL STATEMENT/SIGNATURE7 | |
| | | |

TABLES

1 Soil Sample Analytical Results Summary

FIGURES/DRAWINGS

- 1 Property Location Map
- 2 Area showing Subject Future Re-Development
- 3 Boring Locations with Results

APPENDICES

- 1. Field Activity Photolog
- 2. Laboratory Data
- 3. Boring Logs



1.0 INTRODUCTION

1.1 Purpose

Brydges Environment, Engineering, Energy/Panamerican Environmental, Inc. (BE3) performed a subsurface environmental site assessment (ESA) at the property just west of 1100 Michigan Avenue, Buffalo NY (see **Figure 1**). The property is referred to as Pilgrim Village Phase II Senior Site and is a portion of the Pilgrim Village residential apartment complex. This assessment was relegated to the specific area of the complex pertinent to future re-development by the client as a complex for residential units for a seniors complex and is shown on the attached figures. The purpose of the assessment was to obtain additional information and data for assessing the environmental impacts at the property and to use in a NYSDEC Brownfields Cleanup Program (BCP) application. The data collected for this report will be added to data from a previous recent Phase II ESA for assessment purposes. A Phase I ESA and as mentioned a Phase II ESA were completed previously by others for the property.

1.2 BACKGROUND

1.2.1 General Site Setting

The Pilgrim Village Apartment complex is located on the block bounded by Best Street, Michigan Avenue, East North Street and Ellicott Street in Buffalo, New York, (refer to **Figure 1**). The portion that is the subject of this assessment is located at just west of the southwest corner of Best and Michigan Streets. The entire complex has a total area of approximately 7.9 acres. The entire complex is currently occupied by twelve apartment buildings that were constructed sometime prior to 1981. Prior to the apartment complex the property was occupied by dense residential housing with several small shops, from the late 1800s through the mid 1970s. A gasoline filling station was located on the northeast corner parcel at Michigan and Best Streets from at least 1951 through at least the 1960s.

The area just east is one of the highest points in the City of Buffalo and one of the nearby streets -North Street- received its name because it was once the northern boundary of the Village and then the City of Buffalo. In the early 1800's (1832) the adjacent property to the east and the school property further east was set aside as a "Potter's Field" where victims of cholera epidemics, poor, indigent and those without religious affiliation could be buried. The cemetery was located on a parcel of former farmland bounded by Best, Cemetery (later Prospect and Masten Streets), North, and Michigan Streets. It remained in use as a paupers (or strangers) burying ground for the better part of the ensuing 40 or 50 years. It stopped being used as a cemetery by at least the mid-1880s. In 1885, the City hired renowned landscape architect Frederick Law Olmsted to convert the land, then surrounded by bustling neighborhoods, into a public park overlooking the city. Olmsted spent two years regrading and changing the land into park. In 1895, the City decided to build its second high school on the part of the cemetery land to the east of the subject property. Masten Park High School opened in 1897 under the leadership of Frank Fosdick. The original Masten Park High School burned down in March of 1912. The new Masten Park High School was designed by architects Esenwein and Johnson using the template of their 1903 Lafayette High School design and opened in the fall of 1914. Frank Fosdick served as principal until 1926. After his death in 1927 the school was renamed "Fosdick-Masten Park High School." The site became the present City Honors School in 1980. Human burials from the former potter's field were discovered during renovations on the adjacent school property in 2007. Based on the historical maps, it does not appear that human burials ever existed on the subject property.

1.2.2 Physical Setting

The Property is currently part of an apartment complex containing separate units and parking areas surrounded by grass covered lawns with some trees. A slightly elevated grass covered berm runs north south in front of the units along Best Street.

1.2.3 Historical Use

Prior to the apartment complex the property was occupied by dense residential housing with several small shops, from the late 1800s through the mid 1970s. A gasoline filling station was located on the adjacent northeast corner parcel at Michigan and Best Streets from at least 1951 through at least the 1960s.

1.2.4 Contaminants of Concern

The history and use of the subject property does not indicate significant potential environmental impacts with the exception of potentially impacted fill materials and the area of the former filling station in the northeast corner of the adjacent property. The primary contaminants associated with impacted fill or urban fill are specific SVOCs, mainly Polyaromatic hydrocarbon compounds (PAHs) and metals.

1.3 SCOPE

The objective of this environmental assessment was to determine the presence of environmental impacts from historical use at the property and adjacent to the subject property and to determine if the property qualifies for the NYSDEC BCP program. The assessment included near subsurface soil assessment through observation of depth of fill and overburden and sampling of fill materials across the parcel.

The subsurface assessment included the installation of a series of thirteen (13) Geoprobe® soil borings at designated locations (Refer to attached **Figure 2**). The scope included the collection of "worst-case" soil samples from a soil zone that indicated potential environmental impacts/fill conditions. Thirteen near surface soil samples were collected at locations across the property. Eleven of these soil samples were analyzed for 6 NYCRR Part 375 SVOCs and metals. Analysis was restricted to these parameters based on the findings of a previous Phase II ESA completed on the property.

The soil borings were field located and were generally in the areas identified in the proposed scope with minor adjustments to accommodate the location of underground utility lines and visual observations. All soil borings were advanced at a minimum distance of 2.5 feet away from marked utilities, where present, to reduce the possibility of accidentally damaging an underground line. Assessment of subsurface conditions included visual/olfactory observations and volatile organic screening using a photoionization detector (PID) instrument scan of all the borings across the property. Soil from each boring was visually examined, and soil samples were collected from the thirteen (13) locations with eleven (11) of those chosen for laboratory analysis. The soil samples were submitted to a New York State approved laboratory for analysis of NYSDEC NYCRR Part 375 compounds indicated.

2.0 FIELD INVESTIGATIONS

The subsurface assessment field work was completed on a single day on March 12, 2020. A photolog of field operations is included as **Appendix 1**, and a summary of the field investigation methodology and findings is presented in Sections 2.1 through 2.3.



2.1 SOIL SAMPLING

A total of thirteen (13) Geoprobe® soil borings designated BH-14 through BH-26 were advanced at specific locations across the property (refer to attached **Figure 2**). Note, the bore hole numbers were started at BH-14 so as not to confuse them with a recently completed boring program on the adjacent eastern part of the Pilgrim Village property which had borehole numbers from BH-1 through BH-13. Soil borings were field located to assess the subsurface across the property and adjacent to the onsite buildings.

The Geoprobe field work was performed by BE3 and TREC Environmental, Inc (Geoprobe operator) during a one-day period on April 20, 2020. Borings were advanced to a depth of 8 to 12 feet below ground surface (bgs). The borings were completed using a fully equipped track mounted Geoprobe® unit which employs direct push technology. Continuous soil sampling was performed using Macro Core soil samplers measuring 44 inches in length and 1½ inches in diameter with acetate liners resulting in roughly four-foot length distinct sample cores (i.e., 0-4', 4-8', 8-12'). Each of the samplers was fitted with a new acetate liner prior to use.

Soil from each soil core was visually described and field screening of soil for volatile organic compound (VOC) concentrations was completed using a PID - MiniRae with a 10.2 eV Lamp). No elevated PID readings were observed at any of the boreholes. A total eleven (11) subsurface/near-surface soil samples were collected in the fill material as follows:

- BH-14 at 0.5-2 feet bgs. Total depth of boring was 12 feet bgs into native reddish-brown clay.
 Fill was observed to 2.5-foot bgs and then sand which may be native or part of asphalt parking base
- BH-15 at 0-1 feet bgs. Total depth of boring was 12 feet bgs into native reddish-brown clay. Fill
 was observed to 3-foot bgs
- BH-16 at 0-1 feet bgs. Total depth of boring was 12 feet bgs into native reddish-brown clay. Fill
 was observed to 4-foot bgs
- BH-17 at 0-2 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 3-foot bgs
- BH-18 at 1-3 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay/silty sand. Fill was observed to 5-foot bgs
- BH-19 at 1-3 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 4-foot bgs
- BH-20 at 1-3 feet bgs –. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill was observed to 5-foot bgs
- BH-21 at 1-3 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 4-foot bgs
- BH-22 No soil sample collected. Total depth of boring was 4 feet bgs hit water line and ended drilling. Fill was observed to at least 4-foot bgs
- BH-23 at 0.5-2 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 2-foot bgs
- BH-24 at 1-3 feet bgs. Total depth of boring was 12 feet bgs into sandy gravel. Fill depth questionable at this location appears to be at least 8 feet
- BH-25 at 0-2 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 2-foot bgs
- BH-26 at 1-2 feet bgs. Total depth of boring was 8 feet bgs into native reddish-brown clay. Fill
 was observed to 2-foot bgs



Since no visual observations or elevated PID readings were found, sample depths corresponded to near-surface soil/fill material. The soil samples were submitted to Paradigm a NYSDEC approved laboratory for analysis (refer to Section 2.3).

Stratification of material in the borings and observations were noted on boring logs (refer to **Appendix A**). Photographs of field activities are contained in **Appendix B**. Prior to conducting the subsurface investigation, all public utilities were located, and areas identified. Private utilities for the complex were not marked which resulted in encountering an apartment complex water line. All sampling tools were cleaned with Alconox, double rinsed with tap water and rinsed with distilled water between sample collection points. All soil borings were backfilled and sealed with native soil.

In general, the geology is described as silty fill with some sand and gravel, pieces of brick, occasional concrete, porcelain and cinder that varies in depth across the property ranging from 2 to 5 feet bgs with the exception of boring BH-24 that had fill as deep as 8 feet and possibly lower. Below the fill layer is typically silty reddish-brown clay with some sand. There were some exceptions to this general geological description as noted on each borehole log. Boring logs are provided in **Appendix A** and Photographs of soil cores can be found in **Appendix B**.

2.2 SOIL SCREENING

Field screening consisted of visual and olfactory observations. Field screening of all soil core samples for total VOCs was completed using a photoionization detector (PID). Soil cores from boreholes were transported to a staging area adjacent to each borehole. The acetate liners were cut, and the length of the core was examined visually and with the PID. Odors, PID results, if any and observations were noted on the boring logs. As indicated, no odors or elevated PID readings were observed. As indicated, samples were collected at each of the ten (10) locations in the fill for laboratory analysis.

2.3 Previous Phase II ESA

C&S Engineers, Inc. (C&S) completed a Limited Site Characterization of the larger Pilgrim Village property in July 2019 (report issued). This investigation overlapped with the portion of the property which is the subject of this report. A summary of their results is provided below in Section 3.0. Twenty-four soil borings (24) designated SB-01 through SB-24 were completed by TREC under C&S observation. The borings were advanced to depths ranging from approximately 8 to 12 feet bgs using a Geoprobe® direct-push sampling system. The locations of the soil borings that overlapped the area covered in this report are shown on **Figure 2**.

2.4 SAMPLING RATIONALE

The purpose of the assessment was to assess potential environmental impacts requiring remediation and the potential order of magnitude cost of that cleanup and to obtain information and data for use in a Brownfields Cleanup Program (BCP) application. Based on historical information and property use as well as the visual observations in the field, emphasis was placed on delineating fill versus native soil as the objective was to focus on future use with regards to urban fill conditions, this approach was also deemed as appropriate and adequate to collect soil samples for BCP application purposes. The methods selected to assess the potential contamination at the property are appropriate to determine the extent of environmental impairment in near-surface soils/fill.



3.0 RESULTS

3.1 SUBSURFACE CONDITIONS

The borings indicate that subsurface conditions were typical of an urban, commercial setting. The fill material was primarily a mixture of non-native fill with mixtures of silt, sand and gravel, and some miscellaneous materials such as brick, glass, porcelain, and concrete. Below this fill, in most locations was the native red-brown silty clay.

3.2 ANALYTICAL RESULTS

The results of all soil samples analyzed, were compared to the New York State Brownfields Cleanup Program Soil Cleanup Objectives as presented in 6 NYCRR Part 375-6.8(b) Soil Cleanup Objectives (SCO). A summary of results from this assessment are provided in **Table 1** and the previous Phase II ESA results are presented in **Figure 2** along with exceedances from this assessment. The complete set of analytical data for this subsurface assessment is provided in **Appendix 2**.

The soil cleanup objectives (SCOs) listed in 6 NYCRR Part 375-6.8 pertain to sites governed under a NYSDEC environmental remediation program, and since the potential exists for the subject property to be included under the BCP, these SCOs are applicable and appropriate in terms of reporting exceedances. See **Tables 1** for the results of the near-surface soil samples compared to residential, and restricted residential SCOs in Part 375 and see the complete set of analytical data in **Appendix 2**.

Both this investigation and the previous C&S Engineering investigation report noted that urban fill was encountered throughout the property. The soil sample analysis from their characterization indicated that the fill contained concentrations of metals and SVOCs above NYSDEC SCOs.

3.2.1 Subsurface-Near Surface Soil

Subsurface-Near Surface soil samples were collected at each of the thirteen (13) boring locations shown on **Figure 2** however only eleven (11) were submitted to the laboratory for analysis. Metals and/or SVOCs, were detected in all samples. Details of the exceedances are shown in **Table 1**. The following provides a summary of the subsurface soil contamination:

Semi-Volatile Organic Compounds

Of the eleven (11) subsurface soil samples only BH-17, BH-19 and BH-20 had SVOCs, mostly PAH compounds, above DEC SCOs. The PAHs Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluroranthene, Benzo(k)fluroranthene, Dibenz(a,h)anthracene, Chrysene, Dibenz(a,h)anthracene, and Indeno(1,2,3-cd)pyrene were all above restricted residential SCOs. The PAHs Benzo(k)fluroranthene and Chrysene were above unrestricted SCOs. Refer to **Table 1** for the specific results in comparison to the SCOs.

PAHs are a group of chemicals that are formed during incomplete burning of wood, coal, gas, garbage or other organic substances and are widely distributed in the environment and particularly in older urban environments where coal, gas, and petroleum were burned for heat and other energy uses. PAH compounds are common constituents of fill material found in urban environments, and are typically associated with both fill material, coal tar and asphalt-based materials or ash. These are frequently also



found in railroad fill base material.

Metals

Metals were detected in all subsurface soils analyzed. All the borehole soil samples analyzed had levels above unrestricted SCOs for various metals including arsenic, copper, lead, mercury and zinc. Five (5) of the boreholes, BH-17, BH-18, BH-19, BH-20 and BH-25 were above unrestricted levels. Refer to **Table 1** for specific details on metal exceedances and concentrations/comparisons to SCOs.

Exceedances for metals from the Phase II ESA completed in 2019 above SCOs are presented on **Figure 2**.

4.0 CONCLUSIONS & RECOMMENDATIONS

The purpose of this assessment was to identify potential contamination in the near-surface soil at the property just west of 1100 Michigan Avenue, Buffalo NY. Previous Phase II ESA results indicated elevated levels of metal compounds above SCOs in soils at the property and at adjacent properties.

Field observations and laboratory results indicate that there are urban fill conditions in the near-surface soil resulting in compounds above residential SCOs across the property. The fill depth varied from about one foot to five feet bgs across the property which the exception of BH-24 which was at 8 feet bgs. The fill material was typically found above reddish-brown silty clay which is common native soils in this area.

This subsurface assessment together with the previous Phase II ESA represent an assessment of near-subsurface environmental conditions at the property. Additional investigations would be necessary to fine tune remedial approaches, if warranted depending upon the future use of the property.

5.0 WARRANTS AND LIMITATIONS

1270 Niagara Street

716.249.6880 be3corp.com

Buffalo, NY 14213

This report is based on information from limited soil sampling and visual observations of the soils as well as a review of previous Phase I and II ESAs which included portions of the subject property. This report is intended exclusively for the purpose outlined herein at the site location and project indicated.

This report is intended for the sole use of SAAKC and others approved by the owner. The scope of services performed in this assessment may not be appropriate to satisfy the needs of other users and any use or reuse of this document or the findings, conclusions, or recommendations presented, is at the sole risk of the user.

The conclusions set forth in this report are based upon, and limited by, the analytical data and other information available. It should be noted that all surface and subsurface environmental assessments are inherently limited in the sense that conclusions are drawn, and recommendations developed from information obtained from limited data and site evaluation at a specific time. The passage of time may result in a change in environmental circumstances at this site and surrounding properties, or petroleum/hazardous materials beneath the surface may be present but undetectable during this limited subsurface assessment.

Opinions and recommendations presented herein apply to the site conditions existing at the time of the subsurface assessment and those reasonably foreseeable. They cannot necessarily apply to site



changes, which are not made aware and therefore not been evaluated.

6.0 PROFESSIONAL STATEMENT/SIGNATURE

This subsurface assessment at 1100 Michigan Street, Buffalo NY was performed in conformance with the scope and limitations of ASTM Practice E 1903-11 for the specific objectives specified in the report. I declare that, to the best of my professional knowledge and belief, I meet the definition of environmental professional as defined in 312.10 of 40CFR312 and I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquires in conformance with the standards and practices set forth in 40 CFR 312.

Peter J. Gorton, MPH, CHCM

May 8, 2020

Date

Total Years of Environmental Work Experience - Over 40

1270 Niagara Street

716.249.6880 be3corp.com

Buffalo, NY 14213

TABLES



TABLE 1
1100 MICHICAN STREET - PILGRAM VILLAGE SOIL BORING SAMPLE ANALYTICAL RESULTS SUMMARY

| | Sample Identification | | | | | | | | | | | | | |
|----------------------------|-----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|-----------------|-----------------|--------------|-------------|---------------------------|
| Contaminants | BH-14 (0.5-2') | BH-16 (0-1') | BH-17 (0-2') | BH-18 (1-3') | BH-19 (1-3') | BH-20 (1-3') | BH-21 (1-3') | BH-22 (1-3') | BH-23 (0.5-2') | BH-25 (0-2') | BH-26 (1-2') | Unrestricted | Residential | Restricted Residential |
| Sample Date 4/20/20 METALS | | | | | | | | | | | | | | |
| Arsenic | | | | | | | | | | | | | | |
| Barium | 16.3 | 89.9 | 430.0 | 278.0 | 132.0 | 215.0 | 108.0 | 114.0 | 99.7 | 178.0 | 151.0 | 350 | 350 | 400 |
| Cadmium | 0.38 | 0.72 | 0.39 | 1.58 | 0.75 | 1.23 | 0.49 | 0.40 | 0.33 | 0.86 | 0.61 | 2.5 | 2.5 | 4.3 |
| Chromium | 16.6 | 17.5 | 13.0 | 15.4 | 15.1 | 16.5 | 13.4 | 16.1 | 14.3 | 14.8 | 17.0 | 30 | 36 | 180 |
| Copper | 13.8 | 21.0 | 164 | 55.4 | 37.9 | 56.6 | 33.2 | 20.4 | 16.1 | 32.9 | 22.8 | 50 | 270 | 270 |
| Lead | 5.4 | 74.9 | 473 | 1650 | 710 | 852 | 239 | 135 | 72.6 | 705 | 200 | 63 | 400 | 400 |
| Manganese | 193.0 | 400.0 | 257.0 | 229.0 | 278.0 | 311.0 | 283.0 | 348.0 | 492.0 | 296.0 | 536.0 | 1600 | 2,000 | 2,000 |
| Total Mercury | 0.188 | 0.165 | 3.620 | 1.590 | 1.320 | 0.895 | 0.721 | 0.335 | 0.141 | 2.210 | 0.340 | 0.18 | 0.81 | 0.81 |
| Nickel | 17.2 | 18.8 | 11.2 | 14.5 | 13.5 | 15.1 | 12.0 | 13.2 | 11.3 | 12.8 | 15.7 | 30 | 140 | 310 |
| Selenium | ND | ND | ND | ND | ND | ND | ND | 1.16 | 1.87 | ND | 1.71 | 3.9 | 36 | 180 |
| Silver | 0.57 | 0.89 | 1.14 | 1.14 | 1.13 | 0.97 | 0.79 | 0.94 | 0.87 | 1.01 | 1.06 | 2 | 36 | 180 |
| Zinc | 20.7 | 99.4 | 186.0 | 339.0 | 249.0 | 328.0 | 136.0 | 117.0 | 111.0 | 489.0 | 183.0 | 109 | 2200 | 10,000 |
| | | | | | SEMI | /OLATILE | ORGANIC | COMPOL | JNDS | | | | | |
| Acenaphthene | ND | ND | ND | ND | 0.492 | ND | ND | ND | ND | ND | ND | 20 | 100 | 100 |
| Anthracene | ND | ND | ND | ND | 0.946 | 0.466 | ND | ND | ND | ND | ND | 100 | 100 | 100 |
| Benz(a)anthracene | ND | ND | ND | 0.365 | 2.47 | 1.08 | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(a)pyrene | ND | ND | ND | 0.354 | 2.30 | 0.929 | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(b)fluoranthene | ND | ND | ND | 0.344 | 1.58 | 0.788 | ND | ND | ND | ND | ND | 1 | 1 | 1 |
| Benzo(g,h,i)perylene | ND | ND | ND | ND | 0.948 | 0.582 | ND | ND | ND | ND | ND | 100 | 100 | 100 |
| Benzo(k)fluoranthene | ND | ND | ND | ND | 1.92 | 0.693 | ND | ND | ND | ND | ND | 0.8 | 1 | 3.9 |
| Chrysene | ND | ND | ND | 0.404 | 2.13 | 1.06 | ND | ND | ND | ND | ND | 1 | 1 | 3.9 |
| Dibenz(a,h)anthracene | ND | ND | ND | ND | 0.40 | ND | ND | ND | ND | ND | ND | 0.33 | 0.33 | 0.33 |
| Fluoranthene | 0.407 | ND | 0.773 | 0.632 | 3.40 | 1.97 | 0.457 | ND | ND | ND | ND | 100 | 100 | 100 |
| Fluorene | ND | ND | ND | ND | 0.512 | ND | ND | ND | ND | ND | ND | 30 | 100 | 100 |
| Indeno(1,2,3-cd)pyrene | ND | ND | 0.61 | ND | 0.908 | 0.451 | ND | ND | ND | ND | ND | 0.5 | 0.5 | 0.5 |
| Phenanthrene | ND | ND | 1.01 | 0.387 | 2.80 | 1.68 | 0.388 | ND | ND | ND | ND | 100 | 100 | 100 |
| Pyrene | 0.327 | ND | 0.612 | 0.545 | 3.10 | 1.72 | 0.349 | ND | ND | ND | ND | 100 | 100 | 100 |
| | | | | | | PCB | s/PESTICI | DES | | | | | | |
| Dibenzofuran | ND | ND | ND | ND | 0.369 | ND | ND | ND | ND | ND | ND | 7 | 14 | 59 |

ND - Non-Detect NA - Not Applicable

J - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

FIGURES





Figure – Boring Locations and Soil Sample Exceedances in ppm

Key: June 2019 C&S Soil Sampling Results

April 2020 BE3 Corp Soil Sampling Results

Greater Than or equal to Unrestricted/Residential/restricted Residential SCOs

Greater Than or equal to Unrestricted SCOs

APPENDICES



APPENDIX 1 PHOTOGRAPHS



2. BH-14 location, north facing south



4. BH-15 location, east facing west



1. BH-14 location, east facing west



Soil cores BH-14



1270 Niagara Street Buffalo, NY 14213 716.249.6880 De3corp.com

Date: 4/20/20

6. Soil cores BH-15



8. BH-16 location, northeast facing southwest



5. BH-15 location, north facing south



7. BH-16 location, north facing south



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com







9. Soil cores BH-16



11. BH-17 location, northwest facing southeast



1270 Niagara Street Buffalo, NY 14213 716.249.6880 Ø be3corp.com



10. BH-17 location, north facing south



12. Soil cores BH-17



Date: 4/20/20



16. BH-19 location, west facing east



13. BH-18 location, east facing west



15. Soil cores BH-18



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com



Date: 4/20/20

18. Soil cores BH-19









19. BH-20 location, east facing west



20. BH-20 location, south facing north



22. BH-21 location, north facing south



24. Soil cores BH-21



21. Soil cores BH-20



23. BH-21 location, east facing west



1270 Niagara Street Buffalo, NY 14213 716.249.6880 De3corp.com



Date: 4/20/20



Date: 4/20/20

26. BH-22 location, east facing west



28. BH-23 location, north facing south



25. BH-22 location, north facing south



27. Soil cores BH-22



1270 Niagara Street Buffalo, NY 14213 716.249.6880 De3corp.com





Date: 4/20/20

30. Soil cores BH-23



32. BH-24 location, south facing north




29. BH-23 location, east facing west



31. BH-24 location, east facing west



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com





34. Soil cores BH-24



36. BH-25 location, north facing south



33. Soil cores BH-24



35. BH-25 location, west facing east



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com



Date: 4/20/20

Date: 4/20/20



37. Soil cores BH-25



39. BH-26 location, southeast facing northwest



1270 Niagara Street Buffalo, NY 14213 716.249.6880 Ø be3corp.com



38. BH-26 location, east facing west



40. Soil cores BH-26




41. BH-22 location, copper water line burst



43. BH-22 location, broken copper pipe exposed



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com





42. BH-22 location, excavator digging to broken pipe



44. BH-22 location, broken copper pipe exposed



46. BH-22 location, excavator filling in hole

Date: 4/20/20



45. BH-22 location, copper pipe fixed



47. BH-22 location, hole filled and graded



1270 Niagara Street Buffalo, NY 14213 716.249.6880 be3corp.com

APPENDIX 2 LAB DATA



Analytical Report For

BE3

For Lab Project ID

201697

Referencing

Pilgrim Village 2

Prepared

Tuesday, April 28, 2020

Any noncompliant QC parameters or other notes impacting data interpretation are flagged or documented on the final report or are noted below.

Certifies that this report has been approved by the Technical Director or Designee

179 Lake Avenue • Rochester, NY 14608 • (585) 647-2530 • Fax (585) 647-3311 • ELAP ID# 10958



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-14 0.5-2 Ft

Lab Sample ID: 201697-01 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Arsenic | 4.33 | mg/Kg | | 4/24/2020 17:59 |
| Barium | 16.3 | mg/Kg | | 4/24/2020 17:59 |
| Beryllium | < 0.260 | mg/Kg | | 4/24/2020 17:59 |
| Cadmium | 0.376 | mg/Kg | | 4/24/2020 17:59 |
| Chromium | 16.6 | mg/Kg | | 4/24/2020 17:59 |
| Copper | 13.8 | mg/Kg | | 4/24/2020 17:59 |
| Lead | 5.41 | mg/Kg | M | 4/24/2020 17:59 |
| Manganese | 193 | mg/Kg | | 4/24/2020 17:59 |
| Nickel | 17.2 | mg/Kg | M | 4/24/2020 17:59 |
| Selenium | < 5.21 | mg/Kg | | 4/27/2020 16:53 |
| Silver | 0.567 | mg/Kg | | 4/24/2020 17:59 |
| Zinc | 20.7 | mg/Kg | | 4/27/2020 15:45 |
| | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.188 | mg/Kg | | 4/23/2020 09:17 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 287 | ug/Kg | | 4/23/2020 13:55 |
| 1,2,4,5-Tetrachlorobenzene | < 287 | ug/Kg | | 4/23/2020 13:55 |
| 1,2,4-Trichlorobenzene | < 287 | ug/Kg | | 4/23/2020 13:55 |
| 1,2-Dichlorobenzene | < 287 | ug/Kg | | 4/23/2020 13:55 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Tuesday, April 28, 2020



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-14 0.5-2 Ft

 Lab Sample ID:
 201697-01
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| 1,3-Dichlorobenzene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
|------------------------------|--------|-------|-----------|-------|
| 1,4-Dichlorobenzene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,2-Oxybis (1-chloropropane) | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,3,4,6-Tetrachlorophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4,5-Trichlorophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4,6-Trichlorophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4-Dichlorophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4-Dimethylphenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4-Dinitrophenol | < 1150 | ug/Kg | 4/23/2020 | 13:55 |
| 2,4-Dinitrotoluene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2,6-Dinitrotoluene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Chloronaphthalene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Chlorophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Methylnapthalene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Methylphenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Nitroaniline | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 2-Nitrophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 3&4-Methylphenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 3,3'-Dichlorobenzidine | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 3-Nitroaniline | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4,6-Dinitro-2-methylphenol | < 384 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Bromophenyl phenyl ether | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Chloro-3-methylphenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Chloroaniline | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Chlorophenyl phenyl ether | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Nitroaniline | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| 4-Nitrophenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Acenaphthene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Acenaphthylene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Acetophenone | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-14 0.5-2 Ft

 Lab Sample ID:
 201697-01
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | < 287 | ug/Kg | 4/23/2020 13:55 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzaldehyde | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzo (a) anthracene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzo (a) pyrene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzo (b) fluoranthene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzo (g,h,i) perylene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Benzo (k) fluoranthene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Bis (2-chloroethoxy) methane | < 287 | ug/Kg | 4/23/2020 13:55 |
| Bis (2-chloroethyl) ether | < 287 | ug/Kg | 4/23/2020 13:55 |
| Bis (2-ethylhexyl) phthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Butylbenzylphthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Caprolactam | < 287 | ug/Kg | 4/23/2020 13:55 |
| Carbazole | < 287 | ug/Kg | 4/23/2020 13:55 |
| Chrysene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Dibenz (a,h) anthracene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Dibenzofuran | < 287 | ug/Kg | 4/23/2020 13:55 |
| Diethyl phthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Dimethyl phthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Di-n-butyl phthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Di-n-octylphthalate | < 287 | ug/Kg | 4/23/2020 13:55 |
| Fluoranthene | 407 | ug/Kg | 4/23/2020 13:55 |
| Fluorene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Hexachlorobenzene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Hexachlorobutadiene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Hexachlorocyclopentadiene | < 1150 | ug/Kg | 4/23/2020 13:55 |
| Hexachloroethane | < 287 | ug/Kg | 4/23/2020 13:55 |
| Indeno (1,2,3-cd) pyrene | < 287 | ug/Kg | 4/23/2020 13:55 |
| Isophorone | < 287 | ug/Kg | 4/23/2020 13:55 |
| Naphthalene | < 287 | ug/Kg | 4/23/2020 13:55 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-14 0.5-2 Ft

 Lab Sample ID:
 201697-01
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Nitrobenzene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
|----------------------------|-------|-------|-----------|-------|
| N-Nitroso-di-n-propylamine | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| N-Nitrosodiphenylamine | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Pentachlorophenol | < 574 | ug/Kg | 4/23/2020 | 13:55 |
| Phenanthrene | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Phenol | < 287 | ug/Kg | 4/23/2020 | 13:55 |
| Pyrene | 327 | ug/Kg | 4/23/2020 | 13:55 |
| | | | | |

| Surrogate | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | Date Analyzed | |
|----------------------|------------------|---------------|-----------------|-------------------|----------------------|--|
| 2,4,6-Tribromophenol | 75.7 | 39 - 88.1 | | 4/23/2020 | 13:55 | |
| 2-Fluorobiphenyl | 71.0 | 42.5 - 81.1 | | 4/23/2020 | 13:55 | |
| 2-Fluorophenol | 71.3 | 39.8 - 77.3 | | 4/23/2020 | 13:55 | |
| Nitrobenzene-d5 | 67.1 | 40.1 - 77.1 | | 4/23/2020 | 13:55 | |
| Phenol-d5 | 73.5 | 41.7 - 76.6 | | 4/23/2020 | 13:55 | |
| Terphenyl-d14 | 75.7 | 41.6 - 96.8 | | 4/23/2020 | 13:55 | |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845907.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-16 0-1 Ft

Lab Sample ID: 201697-02 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | <u>vzed</u> |
|----------------|---------------|--------------|------------------|------------|-------------|
| Arsenic | 7.44 | mg/Kg | | 4/24/2020 | 18:13 |
| Barium | 89.9 | mg/Kg | | 4/24/2020 | 18:13 |
| Beryllium | < 0.309 | mg/Kg | | 4/24/2020 | 18:13 |
| Cadmium | 0.724 | mg/Kg | | 4/24/2020 | 18:13 |
| Chromium | 17.5 | mg/Kg | | 4/24/2020 | 18:13 |
| Copper | 21.0 | mg/Kg | | 4/24/2020 | 18:13 |
| Lead | 74.9 | mg/Kg | | 4/24/2020 | 18:13 |
| Manganese | 400 | mg/Kg | | 4/24/2020 | 18:13 |
| Nickel | 18.8 | mg/Kg | | 4/24/2020 | 18:13 |
| Selenium | < 1.24 | mg/Kg | | 4/24/2020 | 18:13 |
| Silver | 0.888 | mg/Kg | | 4/24/2020 | 18:13 |
| Zinc | 99.4 | mg/Kg | | 4/27/2020 | 15:59 |
| | | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.165 | mg/Kg | | 4/23/2020 09:19 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 352 | ug/Kg | | 4/23/2020 14:24 |
| 1,2,4,5-Tetrachlorobenzene | < 352 | ug/Kg | | 4/23/2020 14:24 |
| 1,2,4-Trichlorobenzene | < 352 | ug/Kg | | 4/23/2020 14:24 |
| 1,2-Dichlorobenzene | < 352 | ug/Kg | | 4/23/2020 14:24 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 6 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-16 0-1 Ft
Lab Sample ID: 201697-02 Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| 401 III | | Zuto Hotor oui | 1,22,2020 | |
|------------------------------|--------|----------------|-----------|-------|
| | | | | |
| 1,3-Dichlorobenzene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 1,4-Dichlorobenzene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,2-Oxybis (1-chloropropane) | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,3,4,6-Tetrachlorophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4,5-Trichlorophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4,6-Trichlorophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4-Dichlorophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4-Dimethylphenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4-Dinitrophenol | < 1410 | ug/Kg | 4/23/2020 | 14:24 |
| 2,4-Dinitrotoluene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2,6-Dinitrotoluene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Chloronaphthalene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Chlorophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Methylnapthalene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Methylphenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Nitroaniline | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 2-Nitrophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 3&4-Methylphenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 3,3'-Dichlorobenzidine | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 3-Nitroaniline | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4,6-Dinitro-2-methylphenol | < 471 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Bromophenyl phenyl ether | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Chloro-3-methylphenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Chloroaniline | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Chlorophenyl phenyl ether | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Nitroaniline | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| 4-Nitrophenol | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| Acenaphthene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| Acenaphthylene | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| Acetophenone | < 352 | ug/Kg | 4/23/2020 | 14:24 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



4/20/2020

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-16 0-1 Ft

Lab Sample ID: 201697-02 Date Sampled:

Matrix: Soil Date Received: 4/22/2020

| Anthracene | < 352 | ug/Kg | 4/23/2020 14:24 |
|------------------------------|---------|-------|-----------------|
| Atrazine | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzaldehyde | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzo (a) anthracene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzo (a) pyrene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzo (b) fluoranthene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzo (g,h,i) perylene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Benzo (k) fluoranthene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Bis (2-chloroethoxy) methan | e < 352 | ug/Kg | 4/23/2020 14:24 |
| Bis (2-chloroethyl) ether | < 352 | ug/Kg | 4/23/2020 14:24 |
| Bis (2-ethylhexyl) phthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Butylbenzylphthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Caprolactam | < 352 | ug/Kg | 4/23/2020 14:24 |
| Carbazole | < 352 | ug/Kg | 4/23/2020 14:24 |
| Chrysene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Dibenz (a,h) anthracene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Dibenzofuran | < 352 | ug/Kg | 4/23/2020 14:24 |
| Diethyl phthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Dimethyl phthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Di-n-butyl phthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Di-n-octylphthalate | < 352 | ug/Kg | 4/23/2020 14:24 |
| Fluoranthene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Fluorene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Hexachlorobenzene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Hexachlorobutadiene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Hexachlorocyclopentadiene | < 1410 | ug/Kg | 4/23/2020 14:24 |
| Hexachloroethane | < 352 | ug/Kg | 4/23/2020 14:24 |
| Indeno (1,2,3-cd) pyrene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Isophorone | < 352 | ug/Kg | 4/23/2020 14:24 |
| Naphthalene | < 352 | ug/Kg | 4/23/2020 14:24 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 8 of 50



4/20/2020

Date Sampled:

Client: **BE3**

Project Reference: Pilgrim Village 2

Sample Identifier: BH-16 0-1 Ft Lab Sample ID:

201697-02

Matrix: Soil **Date Received:** 4/22/2020

| Nitrobenzene | < 352 | ug/Kg | 4/23/2020 14:24 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 352 | ug/Kg | 4/23/2020 14:24 |
| N-Nitrosodiphenylamine | < 352 | ug/Kg | 4/23/2020 14:24 |
| Pentachlorophenol | < 704 | ug/Kg | 4/23/2020 14:24 |
| Phenanthrene | < 352 | ug/Kg | 4/23/2020 14:24 |
| Phenol | < 352 | ug/Kg | 4/23/2020 14:24 |
| Pyrene | < 352 | ug/Kg | 4/23/2020 14:24 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 74.1 | 39 - 88.1 | | 4/23/2020 | 14:24 |
| 2-Fluorobiphenyl | 70.2 | 42.5 - 81.1 | | 4/23/2020 | 14:24 |
| 2-Fluorophenol | 67.9 | 39.8 - 77.3 | | 4/23/2020 | 14:24 |
| Nitrobenzene-d5 | 65.8 | 40.1 - 77.1 | | 4/23/2020 | 14:24 |
| Phenol-d5 | 69.6 | 41.7 - 76.6 | | 4/23/2020 | 14:24 |
| Terphenyl-d14 | 73.0 | 41.6 - 96.8 | | 4/23/2020 | 14:24 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: B45908.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-17 0-2 Ft

 Lab Sample ID:
 201697-03
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Arsenic | 8.84 | mg/Kg | | 4/24/2020 18:17 |
| Barium | 430 | mg/Kg | | 4/24/2020 18:17 |
| Beryllium | < 0.304 | mg/Kg | | 4/24/2020 18:17 |
| Cadmium | 0.387 | mg/Kg | | 4/24/2020 18:17 |
| Chromium | 13.0 | mg/Kg | | 4/24/2020 18:17 |
| Copper | 164 | mg/Kg | | 4/24/2020 18:17 |
| Lead | 473 | mg/Kg | | 4/24/2020 18:17 |
| Manganese | 257 | mg/Kg | | 4/24/2020 18:17 |
| Nickel | 11.2 | mg/Kg | | 4/24/2020 18:17 |
| Selenium | < 1.22 | mg/Kg | | 4/24/2020 18:17 |
| Silver | 1.14 | mg/Kg | | 4/24/2020 18:17 |
| Zinc | 186 | mg/Kg | | 4/27/2020 16:03 |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 3.62 | mg/Kg | | 4/23/2020 09:50 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 336 | ug/Kg | | 4/23/2020 14:53 |
| 1,2,4,5-Tetrachlorobenzene | < 336 | ug/Kg | | 4/23/2020 14:53 |
| 1,2,4-Trichlorobenzene | < 336 | ug/Kg | | 4/23/2020 14:53 |
| 1,2-Dichlorobenzene | < 336 | ug/Kg | | 4/23/2020 14:53 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 10 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-17 0-2 FtLab Sample ID:201697-03Date Sampled:4/20/2020Matrix:SoilDate Received:4/22/2020

| 1,3-Dichlorobenzene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
|------------------------------|--------|-------|-----------|-------|
| 1,4-Dichlorobenzene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,2-Oxybis (1-chloropropane) | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,3,4,6-Tetrachlorophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4,5-Trichlorophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4,6-Trichlorophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4-Dichlorophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4-Dimethylphenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4-Dinitrophenol | < 1340 | ug/Kg | 4/23/2020 | 14:53 |
| 2,4-Dinitrotoluene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2,6-Dinitrotoluene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Chloronaphthalene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Chlorophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Methylnapthalene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Methylphenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 2-Nitrophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 3&4-Methylphenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 3,3'-Dichlorobenzidine | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 3-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4,6-Dinitro-2-methylphenol | < 449 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Bromophenyl phenyl ether | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Chloro-3-methylphenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Chloroaniline | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Chlorophenyl phenyl ether | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| 4-Nitrophenol | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| Acenaphthene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| Acenaphthylene | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| Acetophenone | < 336 | ug/Kg | 4/23/2020 | 14:53 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-17 0-2 Ft

Lab Sample ID: 201697-03 Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

< 336 Anthracene 4/23/2020 14:53 ug/Kg Atrazine < 336 4/23/2020 14:53 ug/Kg Benzaldehvde < 336 4/23/2020 14:53 ug/Kg Benzo (a) anthracene < 336 4/23/2020 14:53 ug/Kg Benzo (a) pyrene < 336 ug/Kg 4/23/2020 14:53 Benzo (b) fluoranthene < 336 ug/Kg 4/23/2020 14:53 Benzo (g,h,i) perylene < 336 ug/Kg 4/23/2020 14:53 Benzo (k) fluoranthene < 336 ug/Kg 4/23/2020 14:53 Bis (2-chloroethoxy) methane < 336 4/23/2020 14:53 ug/Kg Bis (2-chloroethyl) ether < 336 ug/Kg 4/23/2020 14:53 Bis (2-ethylhexyl) phthalate < 336 4/23/2020 14:53 ug/Kg Butylbenzylphthalate < 336 4/23/2020 14:53 ug/Kg Caprolactam < 336 4/23/2020 14:53 ug/Kg Carbazole < 336 ug/Kg 4/23/2020 14:53 < 336 Chrysene ug/Kg 4/23/2020 14:53 Dibenz (a,h) anthracene < 336 4/23/2020 14:53 ug/Kg Dibenzofuran < 336 4/23/2020 14:53 ug/Kg Diethyl phthalate < 336 4/23/2020 14:53 ug/Kg < 336 Dimethyl phthalate 4/23/2020 14:53 ug/Kg Di-n-butyl phthalate < 336 ug/Kg 4/23/2020 14:53 Di-n-octylphthalate < 336 4/23/2020 14:53 ug/Kg Fluoranthene 773 ug/Kg 4/23/2020 14:53 Fluorene < 336 ug/Kg 4/23/2020 14:53 Hexachlorobenzene < 336 ug/Kg 4/23/2020 14:53 Hexachlorobutadiene < 336 ug/Kg 4/23/2020 14:53 Hexachlorocyclopentadiene < 1340 4/23/2020 14:53 ug/Kg Hexachloroethane < 336 4/23/2020 14:53 ug/Kg Indeno (1,2,3-cd) pyrene < 336 4/23/2020 14:53 ug/Kg Isophorone < 336 4/23/2020 14:53 ug/Kg Naphthalene < 336 ug/Kg 4/23/2020 14:53

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 12 of 50



4/20/2020

Date Sampled:

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-17 0-2 Ft **Lab Sample ID:** 201697-03

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 336 | ug/Kg | 4/23/2020 14:53 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 336 | ug/Kg | 4/23/2020 14:53 |
| N-Nitrosodiphenylamine | < 336 | ug/Kg | 4/23/2020 14:53 |
| Pentachlorophenol | < 671 | ug/Kg | 4/23/2020 14:53 |
| Phenanthrene | 1010 | ug/Kg | 4/23/2020 14:53 |
| Phenol | < 336 | ug/Kg | 4/23/2020 14:53 |
| Pyrene | 612 | ug/Kg | 4/23/2020 14:53 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 62.2 | 39 - 88.1 | | 4/23/2020 | 14:53 |
| 2-Fluorobiphenyl | 62.0 | 42.5 - 81.1 | | 4/23/2020 | 14:53 |
| 2-Fluorophenol | 58.0 | 39.8 - 77.3 | | 4/23/2020 | 14:53 |
| Nitrobenzene-d5 | 56.3 | 40.1 - 77.1 | | 4/23/2020 | 14:53 |
| Phenol-d5 | 60.2 | 41.7 - 76.6 | | 4/23/2020 | 14:53 |
| Terphenyl-d14 | 63.4 | 41.6 - 96.8 | | 4/23/2020 | 14:53 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845909.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-18 1-3 Ft

Lab Sample ID: 201697-04 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| 11.4 | mg/Kg | | 4/24/2020 18:21 |
| 278 | mg/Kg | | 4/24/2020 18:21 |
| < 0.304 | mg/Kg | | 4/24/2020 18:21 |
| 1.58 | mg/Kg | | 4/24/2020 18:21 |
| 15.4 | mg/Kg | | 4/24/2020 18:21 |
| 55.4 | mg/Kg | | 4/24/2020 18:21 |
| 1650 | mg/Kg | | 4/24/2020 18:21 |
| 229 | mg/Kg | | 4/24/2020 18:21 |
| 14.5 | mg/Kg | | 4/24/2020 18:21 |
| < 1.22 | mg/Kg | | 4/24/2020 18:21 |
| 1.14 | mg/Kg | | 4/24/2020 18:21 |
| 339 | mg/Kg | | 4/27/2020 16:08 |
| | 11.4 278 < 0.304 1.58 15.4 55.4 1650 229 14.5 < 1.22 1.14 | 11.4 mg/Kg 278 mg/Kg < 0.304 | 11.4 mg/Kg 278 mg/Kg < 0.304 |

Method Reference(s):

EPA 6010C

Preparation Date:

EPA 3050B 4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 1.59 | mg/Kg | | 4/23/2020 09:58 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 336 | ug/Kg | | 4/23/2020 16:19 |
| 1,2,4,5-Tetrachlorobenzene | < 336 | ug/Kg | | 4/23/2020 16:19 |
| 1,2,4-Trichlorobenzene | < 336 | ug/Kg | | 4/23/2020 16:19 |
| 1,2-Dichlorobenzene | < 336 | ug/Kg | | 4/23/2020 16:19 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 14 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-18 1-3 FtLab Sample ID:201697-04Date Sampled:4/20/2020Matrix:SoilDate Received:4/22/2020

| _ | | | | | |
|---|------------------------------|--------|-------|-----------|-------|
| | | | | | |
| | 1,3-Dichlorobenzene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 1,4-Dichlorobenzene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,2-Oxybis (1-chloropropane) | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,3,4,6-Tetrachlorophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4,5-Trichlorophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4,6-Trichlorophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4-Dichlorophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4-Dimethylphenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4-Dinitrophenol | < 1350 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,4-Dinitrotoluene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2,6-Dinitrotoluene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Chloronaphthalene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Chlorophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Methylnapthalene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Methylphenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 2-Nitrophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 3&4-Methylphenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 3,3'-Dichlorobenzidine | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 3-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4,6-Dinitro-2-methylphenol | < 450 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Bromophenyl phenyl ether | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Chloro-3-methylphenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Chloroaniline | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Chlorophenyl phenyl ether | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Nitroaniline | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | 4-Nitrophenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | Acenaphthene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | Acenaphthylene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | Acetophenone | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| | | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 15 of 50



4/22/2020

Date Received:

Client: BE3

Matrix:

Project Reference: Pilgrim Village 2

Soil

Sample Identifier: BH-18 1-3 Ft
Lab Sample ID: 201697-04 Date Sampled: 4/20/2020

< 336 Anthracene 4/23/2020 16:19 ug/Kg Atrazine < 336 4/23/2020 16:19 ug/Kg Benzaldehvde < 336 4/23/2020 16:19 ug/Kg Benzo (a) anthracene 365 4/23/2020 16:19 ug/Kg Benzo (a) pyrene 354 ug/Kg 4/23/2020 16:19 Benzo (b) fluoranthene 344 ug/Kg 4/23/2020 16:19 Benzo (g,h,i) perylene < 336 ug/Kg 4/23/2020 16:19 Benzo (k) fluoranthene < 336 ug/Kg 4/23/2020 16:19 Bis (2-chloroethoxy) methane < 336 4/23/2020 16:19 ug/Kg Bis (2-chloroethyl) ether < 336 ug/Kg 4/23/2020 16:19 Bis (2-ethylhexyl) phthalate < 336 4/23/2020 16:19 ug/Kg Butylbenzylphthalate < 336 4/23/2020 16:19 ug/Kg Caprolactam < 336 4/23/2020 16:19 ug/Kg Carbazole < 336 ug/Kg 4/23/2020 16:19 404 Chrysene ug/Kg 4/23/2020 16:19 Dibenz (a,h) anthracene < 336 4/23/2020 16:19 ug/Kg Dibenzofuran < 336 4/23/2020 16:19 ug/Kg Diethyl phthalate < 336 4/23/2020 16:19 ug/Kg < 336 Dimethyl phthalate 4/23/2020 16:19 ug/Kg Di-n-butyl phthalate < 336 ug/Kg 4/23/2020 16:19 Di-n-octylphthalate < 336 4/23/2020 16:19 ug/Kg Fluoranthene 632 ug/Kg 4/23/2020 16:19 Fluorene < 336 ug/Kg 4/23/2020 16:19 Hexachlorobenzene < 336 ug/Kg 4/23/2020 16:19 Hexachlorobutadiene < 336 ug/Kg 4/23/2020 16:19 Hexachlorocyclopentadiene < 1350 4/23/2020 16:19 ug/Kg Hexachloroethane < 336 4/23/2020 16:19 ug/Kg Indeno (1,2,3-cd) pyrene < 336 4/23/2020 16:19 ug/Kg Isophorone < 336 ug/Kg 4/23/2020 16:19 Naphthalene < 336 ug/Kg 4/23/2020 16:19

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 16 of 50



4/20/2020

Date Sampled:

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-18 1-3 Ft **Lab Sample ID:** 201697-04

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 336 | ug/Kg | 4/23/2020 | 16:19 |
|----------------------------|-------|-------|-----------|-------|
| N-Nitroso-di-n-propylamine | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| N-Nitrosodiphenylamine | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| Pentachlorophenol | < 673 | ug/Kg | 4/23/2020 | 16:19 |
| Phenanthrene | 387 | ug/Kg | 4/23/2020 | 16:19 |
| Phenol | < 336 | ug/Kg | 4/23/2020 | 16:19 |
| Pyrene | 545 | ug/Kg | 4/23/2020 | 16:19 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 74.6 | 39 - 88.1 | | 4/23/2020 | 16:19 |
| 2-Fluorobiphenyl | 71.6 | 42.5 - 81.1 | | 4/23/2020 | 16:19 |
| 2-Fluorophenol | 67.3 | 39.8 - 77.3 | | 4/23/2020 | 16:19 |
| Nitrobenzene-d5 | 65.1 | 40.1 - 77.1 | | 4/23/2020 | 16:19 |
| Phenol-d5 | 70.4 | 41.7 - 76.6 | | 4/23/2020 | 16:19 |
| Terphenyl-d14 | 69.7 | 41.6 - 96.8 | | 4/23/2020 | 16:19 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845912.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-19 1-3 Ft

Lab Sample ID: 201697-05 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | <u>vzed</u> |
|----------------|---------------|--------------|------------------|-------------------|-------------|
| Arsenic | 11.1 | mg/Kg | | 4/24/2020 | 18:39 |
| Barium | 132 | mg/Kg | | 4/24/2020 | 18:39 |
| Beryllium | < 0.309 | mg/Kg | | 4/24/2020 | 18:39 |
| Cadmium | 0.745 | mg/Kg | | 4/24/2020 | 18:39 |
| Chromium | 15.1 | mg/Kg | | 4/24/2020 | 18:39 |
| Copper | 37.9 | mg/Kg | | 4/24/2020 | 18:39 |
| Lead | 710 | mg/Kg | | 4/24/2020 | 18:39 |
| Manganese | 278 | mg/Kg | | 4/24/2020 | 18:39 |
| Nickel | 13.5 | mg/Kg | | 4/24/2020 | 18:39 |
| Selenium | < 1.24 | mg/Kg | | 4/24/2020 | 18:39 |
| Silver | 1.13 | mg/Kg | | 4/24/2020 | 18:39 |
| Zinc | 249 | mg/Kg | | 4/27/2020 | 16:12 |
| | | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date: 4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 1.32 | mg/Kg | | 4/23/2020 10:00 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 355 | ug/Kg | | 4/23/2020 16:47 |
| 1,2,4,5-Tetrachlorobenzene | < 355 | ug/Kg | | 4/23/2020 16:47 |
| 1,2,4-Trichlorobenzene | < 355 | ug/Kg | | 4/23/2020 16:47 |
| 1,2-Dichlorobenzene | < 355 | ug/Kg | | 4/23/2020 16:47 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 18 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-19 1-3 FtLab Sample ID:201697-05Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| 1-10101 1111 | | | | 2400 1100011 041 | 1,22,2020 | |
|-------------------------|--------|--------|-------|------------------|-----------|-------|
| | | | | | | |
| 1,3-Dichlorobenzene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 1,4-Dichlorobenzene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,2-Oxybis (1-chloropro | opane) | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,3,4,6-Tetrachloropher | nol | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4,5-Trichlorophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4,6-Trichlorophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4-Dichlorophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4-Dimethylphenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4-Dinitrophenol | | < 1420 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,4-Dinitrotoluene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2,6-Dinitrotoluene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Chloronaphthalene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Chlorophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Methylnapthalene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Methylphenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Nitroaniline | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 2-Nitrophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 3&4-Methylphenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 3,3'-Dichlorobenzidine | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 3-Nitroaniline | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4,6-Dinitro-2-methylph | enol | < 476 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Bromophenyl phenyl | ether | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Chloro-3-methylphen | ol | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Chloroaniline | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Chlorophenyl phenyl | ether | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Nitroaniline | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| 4-Nitrophenol | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| Acenaphthene | | 492 | ug/Kg | | 4/23/2020 | 16:47 |
| Acenaphthylene | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| Acetophenone | | < 355 | ug/Kg | | 4/23/2020 | 16:47 |
| | | | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-19 1-3 Ft

 Lab Sample ID:
 201697-05
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | 946 | ug/Kg | 4/23/2020 16:47 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 355 | ug/Kg | 4/23/2020 16:47 |
| Benzaldehyde | < 355 | ug/Kg | 4/23/2020 16:47 |
| Benzo (a) anthracene | 2470 | ug/Kg | 4/23/2020 16:47 |
| Benzo (a) pyrene | 2300 | ug/Kg | 4/23/2020 16:47 |
| Benzo (b) fluoranthene | 1580 | ug/Kg | 4/23/2020 16:47 |
| Benzo (g,h,i) perylene | 948 | ug/Kg | 4/23/2020 16:47 |
| Benzo (k) fluoranthene | 1920 | ug/Kg | 4/23/2020 16:47 |
| Bis (2-chloroethoxy) methane | < 355 | ug/Kg | 4/23/2020 16:47 |
| Bis (2-chloroethyl) ether | < 355 | ug/Kg | 4/23/2020 16:47 |
| Bis (2-ethylhexyl) phthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Butylbenzylphthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Caprolactam | < 355 | ug/Kg | 4/23/2020 16:47 |
| Carbazole | < 355 | ug/Kg | 4/23/2020 16:47 |
| Chrysene | 2130 | ug/Kg | 4/23/2020 16:47 |
| Dibenz (a,h) anthracene | 400 | ug/Kg | 4/23/2020 16:47 |
| Dibenzofuran | 369 | ug/Kg | 4/23/2020 16:47 |
| Diethyl phthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Dimethyl phthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Di-n-butyl phthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Di-n-octylphthalate | < 355 | ug/Kg | 4/23/2020 16:47 |
| Fluoranthene | 3400 | ug/Kg | 4/23/2020 16:47 |
| Fluorene | 512 | ug/Kg | 4/23/2020 16:47 |
| Hexachlorobenzene | < 355 | ug/Kg | 4/23/2020 16:47 |
| Hexachlorobutadiene | < 355 | ug/Kg | 4/23/2020 16:47 |
| Hexachlorocyclopentadiene | < 1420 | ug/Kg | 4/23/2020 16:47 |
| Hexachloroethane | < 355 | ug/Kg | 4/23/2020 16:47 |
| Indeno (1,2,3-cd) pyrene | 908 | ug/Kg | 4/23/2020 16:47 |
| Isophorone | < 355 | ug/Kg | 4/23/2020 16:47 |
| Naphthalene | < 355 | ug/Kg | 4/23/2020 16:47 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 20 of 50



4/20/2020

Date Sampled:

Client: **BE3**

Project Reference: Pilgrim Village 2

Sample Identifier: BH-19 1-3 Ft Lab Sample ID:

201697-05

Matrix: Soil **Date Received:** 4/22/2020

| Nitrobenzene | < 355 | ug/Kg | 4/23/2020 | 16:47 |
|----------------------------|-------|-------|-----------|-------|
| N-Nitroso-di-n-propylamine | < 355 | ug/Kg | 4/23/2020 | 16:47 |
| N-Nitrosodiphenylamine | < 355 | ug/Kg | 4/23/2020 | 16:47 |
| Pentachlorophenol | < 711 | ug/Kg | 4/23/2020 | 16:47 |
| Phenanthrene | 2800 | ug/Kg | 4/23/2020 | 16:47 |
| Phenol | < 355 | ug/Kg | 4/23/2020 | 16:47 |
| Pyrene | 3100 | ug/Kg | 4/23/2020 | 16:47 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 76.4 | 39 - 88.1 | | 4/23/2020 | 16:47 |
| 2-Fluorobiphenyl | 70.5 | 42.5 - 81.1 | | 4/23/2020 | 16:47 |
| 2-Fluorophenol | 69.8 | 39.8 - 77.3 | | 4/23/2020 | 16:47 |
| Nitrobenzene-d5 | 60.6 | 40.1 - 77.1 | | 4/23/2020 | 16:47 |
| Phenol-d5 | 70.9 | 41.7 - 76.6 | | 4/23/2020 | 16:47 |
| Terphenyl-d14 | 71.9 | 41.6 - 96.8 | | 4/23/2020 | 16:47 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: B45913.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-20 1-3 Ft

Lab Sample ID: 201697-06 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Arsenic | 14.2 | mg/Kg | | 4/24/2020 18:43 |
| Barium | 215 | mg/Kg | | 4/24/2020 18:43 |
| Beryllium | < 0.336 | mg/Kg | | 4/24/2020 18:43 |
| Cadmium | 1.23 | mg/Kg | | 4/24/2020 18:43 |
| Chromium | 16.5 | mg/Kg | | 4/24/2020 18:43 |
| Copper | 56.6 | mg/Kg | | 4/24/2020 18:43 |
| Lead | 852 | mg/Kg | | 4/24/2020 18:43 |
| Manganese | 311 | mg/Kg | | 4/24/2020 18:43 |
| Nickel | 15.1 | mg/Kg | | 4/24/2020 18:43 |
| Selenium | < 1.34 | mg/Kg | | 4/24/2020 18:43 |
| Silver | 0.967 | mg/Kg | | 4/24/2020 18:43 |
| Zinc | 328 | mg/Kg | | 4/27/2020 16:26 |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.895 | mg/Kg | | 4/23/2020 10:06 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 382 | ug/Kg | | 4/23/2020 17:16 |
| 1,2,4,5-Tetrachlorobenzene | < 382 | ug/Kg | | 4/23/2020 17:16 |
| 1,2,4-Trichlorobenzene | < 382 | ug/Kg | | 4/23/2020 17:16 |
| 1,2-Dichlorobenzene | < 382 | ug/Kg | | 4/23/2020 17:16 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 22 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-20 1-3 Ft

 Lab Sample ID:
 201697-06
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| 1,3-Dichlorobenzene | < 382 | ug/Kg | 4/23/2020 17:16 |
|------------------------------|--------|-------|-----------------|
| 1,4-Dichlorobenzene | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,2-Oxybis (1-chloropropane) | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,3,4,6-Tetrachlorophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,4,5-Trichlorophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,4,6-Trichlorophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,4-Dichlorophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,4-Dimethylphenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,4-Dinitrophenol | < 1530 | ug/Kg | 4/23/2020 17:16 |
| 2,4-Dinitrotoluene | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2,6-Dinitrotoluene | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Chloronaphthalene | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Chlorophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Methylnapthalene | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Methylphenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Nitroaniline | < 382 | ug/Kg | 4/23/2020 17:16 |
| 2-Nitrophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 3&4-Methylphenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 3,3'-Dichlorobenzidine | < 382 | ug/Kg | 4/23/2020 17:16 |
| 3-Nitroaniline | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4,6-Dinitro-2-methylphenol | < 511 | ug/Kg | 4/23/2020 17:16 |
| 4-Bromophenyl phenyl ether | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4-Chloro-3-methylphenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4-Chloroaniline | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4-Chlorophenyl phenyl ether | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4-Nitroaniline | < 382 | ug/Kg | 4/23/2020 17:16 |
| 4-Nitrophenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| Acenaphthene | < 382 | ug/Kg | 4/23/2020 17:16 |
| Acenaphthylene | < 382 | ug/Kg | 4/23/2020 17:16 |
| Acetophenone | < 382 | ug/Kg | 4/23/2020 17:16 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 23 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-20 1-3 Ft

 Lab Sample ID:
 201697-06
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | 466 | ug/Kg | 4/23/2020 | 17:16 |
|------------------------------|--------|-------|-----------|-------|
| Atrazine | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Benzaldehyde | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Benzo (a) anthracene | 1080 | ug/Kg | 4/23/2020 | 17:16 |
| Benzo (a) pyrene | 929 | ug/Kg | 4/23/2020 | 17:16 |
| Benzo (b) fluoranthene | 788 | ug/Kg | 4/23/2020 | 17:16 |
| Benzo (g,h,i) perylene | 582 | ug/Kg | 4/23/2020 | 17:16 |
| Benzo (k) fluoranthene | 693 | ug/Kg | 4/23/2020 | 17:16 |
| Bis (2-chloroethoxy) methane | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Bis (2-chloroethyl) ether | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Bis (2-ethylhexyl) phthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Butylbenzylphthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Caprolactam | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Carbazole | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Chrysene | 1060 | ug/Kg | 4/23/2020 | 17:16 |
| Dibenz (a,h) anthracene | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Dibenzofuran | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Diethyl phthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Dimethyl phthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Di-n-butyl phthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Di-n-octylphthalate | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Fluoranthene | 1970 | ug/Kg | 4/23/2020 | 17:16 |
| Fluorene | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Hexachlorobenzene | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Hexachlorobutadiene | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Hexachlorocyclopentadiene | < 1530 | ug/Kg | 4/23/2020 | 17:16 |
| Hexachloroethane | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Indeno (1,2,3-cd) pyrene | 451 | ug/Kg | 4/23/2020 | 17:16 |
| Isophorone | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| Naphthalene | < 382 | ug/Kg | 4/23/2020 | 17:16 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 24 of 50



4/20/2020

Date Sampled:

Client: **BE3**

Project Reference: Pilgrim Village 2

Sample Identifier: BH-20 1-3 Ft Lab Sample ID:

201697-06

Matrix: Soil **Date Received:** 4/22/2020

| Nitrobenzene | < 382 | ug/Kg | 4/23/2020 17:16 |
|----------------------------|-------|-------|-----------------|
| | < 30Z | | • • |
| N-Nitroso-di-n-propylamine | < 382 | ug/Kg | 4/23/2020 17:16 |
| N-Nitrosodiphenylamine | < 382 | ug/Kg | 4/23/2020 17:16 |
| Pentachlorophenol | < 764 | ug/Kg | 4/23/2020 17:16 |
| Phenanthrene | 1680 | ug/Kg | 4/23/2020 17:16 |
| Phenol | < 382 | ug/Kg | 4/23/2020 17:16 |
| Pyrene | 1720 | ug/Kg | 4/23/2020 17:16 |

| Surrogate | Percent Recovery | Limits | Outliers | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|------------|-------|
| 2,4,6-Tribromophenol | 73.5 | 39 - 88.1 | | 4/23/2020 | 17:16 |
| 2-Fluorobiphenyl | 67.7 | 42.5 - 81.1 | | 4/23/2020 | 17:16 |
| 2-Fluorophenol | 64.7 | 39.8 - 77.3 | | 4/23/2020 | 17:16 |
| Nitrobenzene-d5 | 60.1 | 40.1 - 77.1 | | 4/23/2020 | 17:16 |
| Phenol-d5 | 67.4 | 41.7 - 76.6 | | 4/23/2020 | 17:16 |
| Terphenyl-d14 | 65.3 | 41.6 - 96.8 | | 4/23/2020 | 17:16 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: B45914.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-21 1-3 Ft

Lab Sample ID: 201697-07 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | <u>vzed</u> |
|----------------|---------------|--------------|------------------|------------|-------------|
| Arsenic | 5.98 | mg/Kg | | 4/24/2020 | 18:47 |
| Barium | 108 | mg/Kg | | 4/24/2020 | 18:47 |
| Beryllium | < 0.285 | mg/Kg | | 4/24/2020 | 18:47 |
| Cadmium | 0.492 | mg/Kg | | 4/24/2020 | 18:47 |
| Chromium | 13.4 | mg/Kg | | 4/24/2020 | 18:47 |
| Copper | 33.2 | mg/Kg | | 4/24/2020 | 18:47 |
| Lead | 239 | mg/Kg | | 4/24/2020 | 18:47 |
| Manganese | 283 | mg/Kg | | 4/24/2020 | 18:47 |
| Nickel | 12.0 | mg/Kg | | 4/24/2020 | 18:47 |
| Selenium | < 1.14 | mg/Kg | | 4/24/2020 | 18:47 |
| Silver | 0.791 | mg/Kg | | 4/24/2020 | 18:47 |
| Zinc | 136 | mg/Kg | | 4/27/2020 | 16:30 |
| | | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.721 | mg/Kg | | 4/23/2020 10:02 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 303 | ug/Kg | | 4/23/2020 17:45 |
| 1,2,4,5-Tetrachlorobenzene | < 303 | ug/Kg | | 4/23/2020 17:45 |
| 1,2,4-Trichlorobenzene | < 303 | ug/Kg | | 4/23/2020 17:45 |
| 1,2-Dichlorobenzene | < 303 | ug/Kg | | 4/23/2020 17:45 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 26 of 50



4/20/2020

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-21 1-3 Ft
Lab Sample ID: 201697-07 Date Sampled:

Matrix: Soil Date Received: 4/22/2020

| | | | · · · |
|------------------------------|--------|-------------|-----------------|
| | | | |
| 1,3-Dichlorobenzene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 1,4-Dichlorobenzene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,2-Oxybis (1-chloropropane) | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,3,4,6-Tetrachlorophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,4,5-Trichlorophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,4,6-Trichlorophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,4-Dichlorophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,4-Dimethylphenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,4-Dinitrophenol | < 1210 | ug/Kg | 4/23/2020 17:45 |
| 2,4-Dinitrotoluene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2,6-Dinitrotoluene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Chloronaphthalene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Chlorophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Methylnapthalene | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Methylphenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Nitroaniline | < 303 | ug/Kg | 4/23/2020 17:45 |
| 2-Nitrophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 3&4-Methylphenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 3,3'-Dichlorobenzidine | < 303 | ug/Kg | 4/23/2020 17:45 |
| 3-Nitroaniline | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4,6-Dinitro-2-methylphenol | < 406 | ug/Kg | 4/23/2020 17:45 |
| 4-Bromophenyl phenyl ether | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4-Chloro-3-methylphenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4-Chloroaniline | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4-Chlorophenyl phenyl ether | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4-Nitroaniline | < 303 | ug/Kg | 4/23/2020 17:45 |
| 4-Nitrophenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| Acenaphthene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Acenaphthylene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Acetophenone | < 303 | ug/Kg | 4/23/2020 17:45 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 27 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-21 1-3 Ft **Lab Sample ID:** 201697-07

 Lab Sample ID:
 201697-07
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | < 303 | ug/Kg | 4/23/2020 17:45 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzaldehyde | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzo (a) anthracene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzo (a) pyrene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzo (b) fluoranthene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzo (g,h,i) perylene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Benzo (k) fluoranthene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Bis (2-chloroethoxy) methane | < 303 | ug/Kg | 4/23/2020 17:45 |
| Bis (2-chloroethyl) ether | < 303 | ug/Kg | 4/23/2020 17:45 |
| Bis (2-ethylhexyl) phthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Butylbenzylphthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Caprolactam | < 303 | ug/Kg | 4/23/2020 17:45 |
| Carbazole | < 303 | ug/Kg | 4/23/2020 17:45 |
| Chrysene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Dibenz (a,h) anthracene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Dibenzofuran | < 303 | ug/Kg | 4/23/2020 17:45 |
| Diethyl phthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Dimethyl phthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Di-n-butyl phthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Di-n-octylphthalate | < 303 | ug/Kg | 4/23/2020 17:45 |
| Fluoranthene | 457 | ug/Kg | 4/23/2020 17:45 |
| Fluorene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Hexachlorobenzene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Hexachlorobutadiene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Hexachlorocyclopentadiene | < 1210 | ug/Kg | 4/23/2020 17:45 |
| Hexachloroethane | < 303 | ug/Kg | 4/23/2020 17:45 |
| Indeno (1,2,3-cd) pyrene | < 303 | ug/Kg | 4/23/2020 17:45 |
| Isophorone | < 303 | ug/Kg | 4/23/2020 17:45 |
| Naphthalene | < 303 | ug/Kg | 4/23/2020 17:45 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 28 of 50



4/20/2020

Date Sampled:

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-21 1-3 Ft **Lab Sample ID:** 201697-07

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 303 | ug/Kg | 4/23/2020 17:45 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 303 | ug/Kg | 4/23/2020 17:45 |
| N-Nitrosodiphenylamine | < 303 | ug/Kg | 4/23/2020 17:45 |
| Pentachlorophenol | < 606 | ug/Kg | 4/23/2020 17:45 |
| Phenanthrene | 388 | ug/Kg | 4/23/2020 17:45 |
| Phenol | < 303 | ug/Kg | 4/23/2020 17:45 |
| Pyrene | 349 | ug/Kg | 4/23/2020 17:45 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 75.7 | 39 - 88.1 | | 4/23/2020 | 17:45 |
| 2-Fluorobiphenyl | 72.8 | 42.5 - 81.1 | | 4/23/2020 | 17:45 |
| 2-Fluorophenol | 69.5 | 39.8 - 77.3 | | 4/23/2020 | 17:45 |
| Nitrobenzene-d5 | 68.1 | 40.1 - 77.1 | | 4/23/2020 | 17:45 |
| Phenol-d5 | 71.5 | 41.7 - 76.6 | | 4/23/2020 | 17:45 |
| Terphenyl-d14 | 72.2 | 41.6 - 96.8 | | 4/23/2020 | 17:45 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845915.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-22 1-3 Ft

Lab Sample ID: 201697-08 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | <u>vzed</u> |
|----------------|---------------|--------------|------------------|------------|-------------|
| Arsenic | 4.84 | mg/Kg | | 4/24/2020 | 18:52 |
| Barium | 114 | mg/Kg | | 4/24/2020 | 18:52 |
| Beryllium | < 0.283 | mg/Kg | | 4/24/2020 | 18:52 |
| Cadmium | 0.403 | mg/Kg | | 4/24/2020 | 18:52 |
| Chromium | 16.1 | mg/Kg | | 4/24/2020 | 18:52 |
| Copper | 20.4 | mg/Kg | | 4/24/2020 | 18:52 |
| Lead | 135 | mg/Kg | | 4/24/2020 | 18:52 |
| Manganese | 348 | mg/Kg | | 4/24/2020 | 18:52 |
| Nickel | 13.2 | mg/Kg | | 4/24/2020 | 18:52 |
| Selenium | 1.16 | mg/Kg | | 4/24/2020 | 18:52 |
| Silver | 0.943 | mg/Kg | | 4/24/2020 | 18:52 |
| Zinc | 117 | mg/Kg | | 4/27/2020 | 16:35 |
| | | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date: 4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.335 | mg/Kg | | 4/23/2020 09:35 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 332 | ug/Kg | | 4/23/2020 18:13 |
| 1,2,4,5-Tetrachlorobenzene | < 332 | ug/Kg | | 4/23/2020 18:13 |
| 1,2,4-Trichlorobenzene | < 332 | ug/Kg | | 4/23/2020 18:13 |
| 1,2-Dichlorobenzene | < 332 | ug/Kg | | 4/23/2020 18:13 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 30 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-22 1-3 Ft

 Lab Sample ID:
 201697-08
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| 1,3-Dio | chlorobenzene | < 332 | ug/Kg | 4/23/2020 18:13 |
|---------|------------------------|--------|-------|-----------------|
| 1,4-Dio | chlorobenzene | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,2-0x | ybis (1-chloropropane) | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,3,4,6 | -Tetrachlorophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,4,5-T | richlorophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,4,6-T | richlorophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,4-Dio | chlorophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,4-Dir | methylphenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,4-Dir | nitrophenol | < 1330 | ug/Kg | 4/23/2020 18:13 |
| 2,4-Dir | nitrotoluene | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2,6-Dir | nitrotoluene | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Chlo | ronaphthalene | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Chlo | rophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Meth | nylnapthalene | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Meth | nylphenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Nitro | oaniline | < 332 | ug/Kg | 4/23/2020 18:13 |
| 2-Nitro | ophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 3&4-M | lethylphenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 3,3'-Di | chlorobenzidine | < 332 | ug/Kg | 4/23/2020 18:13 |
| 3-Nitro | oaniline | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4,6-Dir | nitro-2-methylphenol | < 444 | ug/Kg | 4/23/2020 18:13 |
| 4-Bron | nophenyl phenyl ether | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4-Chlo | ro-3-methylphenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4-Chlo | roaniline | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4-Chlo | rophenyl phenyl ether | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4-Nitro | oaniline | < 332 | ug/Kg | 4/23/2020 18:13 |
| 4-Nitro | ophenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| Acenar | ohthene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Acenar | ohthylene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Acetop | henone | < 332 | ug/Kg | 4/23/2020 18:13 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-22 1-3 Ft

 Lab Sample ID:
 201697-08
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | < 332 | ug/Kg | 4/23/2020 18:13 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzaldehyde | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzo (a) anthracene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzo (a) pyrene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzo (b) fluoranthene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzo (g,h,i) perylene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Benzo (k) fluoranthene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Bis (2-chloroethoxy) methane | < 332 | ug/Kg | 4/23/2020 18:13 |
| Bis (2-chloroethyl) ether | < 332 | ug/Kg | 4/23/2020 18:13 |
| Bis (2-ethylhexyl) phthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Butylbenzylphthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Caprolactam | < 332 | ug/Kg | 4/23/2020 18:13 |
| Carbazole | < 332 | ug/Kg | 4/23/2020 18:13 |
| Chrysene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Dibenz (a,h) anthracene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Dibenzofuran | < 332 | ug/Kg | 4/23/2020 18:13 |
| Diethyl phthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Dimethyl phthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Di-n-butyl phthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Di-n-octylphthalate | < 332 | ug/Kg | 4/23/2020 18:13 |
| Fluoranthene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Fluorene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Hexachlorobenzene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Hexachlorobutadiene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Hexachlorocyclopentadiene | < 1330 | ug/Kg | 4/23/2020 18:13 |
| Hexachloroethane | < 332 | ug/Kg | 4/23/2020 18:13 |
| Indeno (1,2,3-cd) pyrene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Isophorone | < 332 | ug/Kg | 4/23/2020 18:13 |
| Naphthalene | < 332 | ug/Kg | 4/23/2020 18:13 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



4/20/2020

Date Sampled:

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-22 1-3 Ft **Lab Sample ID:** 201697-08

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 332 | ug/Kg | 4/23/2020 18:13 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 332 | ug/Kg | 4/23/2020 18:13 |
| N-Nitrosodiphenylamine | < 332 | ug/Kg | 4/23/2020 18:13 |
| Pentachlorophenol | < 663 | ug/Kg | 4/23/2020 18:13 |
| Phenanthrene | < 332 | ug/Kg | 4/23/2020 18:13 |
| Phenol | < 332 | ug/Kg | 4/23/2020 18:13 |
| Pyrene | < 332 | ug/Kg | 4/23/2020 18:13 |

| Surrogate | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|-------------------|-------|
| 2,4,6-Tribromophenol | 78.7 | 39 - 88.1 | | 4/23/2020 | 18:13 |
| 2-Fluorobiphenyl | 72.9 | 42.5 - 81.1 | | 4/23/2020 | 18:13 |
| 2-Fluorophenol | 72.1 | 39.8 - 77.3 | | 4/23/2020 | 18:13 |
| Nitrobenzene-d5 | 71.2 | 40.1 - 77.1 | | 4/23/2020 | 18:13 |
| Phenol-d5 | 74.3 | 41.7 - 76.6 | | 4/23/2020 | 18:13 |
| Terphenyl-d14 | 75.6 | 41.6 - 96.8 | | 4/23/2020 | 18:13 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 **Data File:** B45916.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-23 0.5-2 Ft

Lab Sample ID: 201697-09 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Arsenic | 3.99 | mg/Kg | | 4/24/2020 18:56 |
| Barium | 99.7 | mg/Kg | | 4/24/2020 18:56 |
| Beryllium | < 0.300 | mg/Kg | | 4/24/2020 18:56 |
| Cadmium | 0.331 | mg/Kg | | 4/24/2020 18:56 |
| Chromium | 14.3 | mg/Kg | | 4/24/2020 18:56 |
| Copper | 16.1 | mg/Kg | | 4/24/2020 18:56 |
| Lead | 72.6 | mg/Kg | | 4/24/2020 18:56 |
| Manganese | 492 | mg/Kg | | 4/24/2020 18:56 |
| Nickel | 11.3 | mg/Kg | | 4/24/2020 18:56 |
| Selenium | 1.87 | mg/Kg | | 4/24/2020 18:56 |
| Silver | 0.872 | mg/Kg | | 4/24/2020 18:56 |
| Zinc | 111 | mg/Kg | | 4/27/2020 16:39 |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date: 4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.141 | mg/Kg | | 4/23/2020 09:39 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed | Ĺ |
|----------------------------|---------------|--------------|------------------|----------------------|----|
| 1,1-Biphenyl | < 305 | ug/Kg | | 4/23/2020 18:4 | 42 |
| 1,2,4,5-Tetrachlorobenzene | < 305 | ug/Kg | | 4/23/2020 18:4 | 42 |
| 1,2,4-Trichlorobenzene | < 305 | ug/Kg | | 4/23/2020 18:4 | 42 |
| 1,2-Dichlorobenzene | < 305 | ug/Kg | | 4/23/2020 18:4 | 42 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Report Prepared Tuesday, April 28, 2020



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-23 0.5-2 Ft

 Lab Sample ID:
 201697-09
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| 1,3-Dichlorobenzene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
|------------------------------|--------|-------|-----------|-------|
| 1,4-Dichlorobenzene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,2-Oxybis (1-chloropropane) | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,3,4,6-Tetrachlorophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4,5-Trichlorophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4,6-Trichlorophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4-Dichlorophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4-Dimethylphenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4-Dinitrophenol | < 1220 | ug/Kg | 4/23/2020 | 18:42 |
| 2,4-Dinitrotoluene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2,6-Dinitrotoluene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Chloronaphthalene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Chlorophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Methylnapthalene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Methylphenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Nitroaniline | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 2-Nitrophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 3&4-Methylphenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 3,3'-Dichlorobenzidine | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 3-Nitroaniline | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4,6-Dinitro-2-methylphenol | < 408 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Bromophenyl phenyl ether | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Chloro-3-methylphenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Chloroaniline | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Chlorophenyl phenyl ether | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Nitroaniline | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| 4-Nitrophenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Acenaphthene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Acenaphthylene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Acetophenone | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 35 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-23 0.5-2 Ft

 Lab Sample ID:
 201697-09
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

| Anthracene | < 305 | ug/Kg | 4/23/2020 18:42 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzaldehyde | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzo (a) anthracene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzo (a) pyrene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzo (b) fluoranthene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzo (g,h,i) perylene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Benzo (k) fluoranthene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Bis (2-chloroethoxy) methane | < 305 | ug/Kg | 4/23/2020 18:42 |
| Bis (2-chloroethyl) ether | < 305 | ug/Kg | 4/23/2020 18:42 |
| Bis (2-ethylhexyl) phthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Butylbenzylphthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Caprolactam | < 305 | ug/Kg | 4/23/2020 18:42 |
| Carbazole | < 305 | ug/Kg | 4/23/2020 18:42 |
| Chrysene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Dibenz (a,h) anthracene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Dibenzofuran | < 305 | ug/Kg | 4/23/2020 18:42 |
| Diethyl phthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Dimethyl phthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Di-n-butyl phthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Di-n-octylphthalate | < 305 | ug/Kg | 4/23/2020 18:42 |
| Fluoranthene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Fluorene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Hexachlorobenzene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Hexachlorobutadiene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Hexachlorocyclopentadiene | < 1220 | ug/Kg | 4/23/2020 18:42 |
| Hexachloroethane | < 305 | ug/Kg | 4/23/2020 18:42 |
| Indeno (1,2,3-cd) pyrene | < 305 | ug/Kg | 4/23/2020 18:42 |
| Isophorone | < 305 | ug/Kg | 4/23/2020 18:42 |
| Naphthalene | < 305 | ug/Kg | 4/23/2020 18:42 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-23 0.5-2 Ft

Lab Sample ID: 201697-09 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
|----------------------------|-------|-------|-----------|-------|
| N-Nitroso-di-n-propylamine | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| N-Nitrosodiphenylamine | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Pentachlorophenol | < 610 | ug/Kg | 4/23/2020 | 18:42 |
| Phenanthrene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Phenol | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| Pyrene | < 305 | ug/Kg | 4/23/2020 | 18:42 |
| | | | | |

| Surrogate | Percent Recovery | Recovery Limits | | Date Analy | Date Analyzed | |
|----------------------|------------------|-----------------|--|-------------------|----------------------|--|
| 2,4,6-Tribromophenol | 74.3 | 39 - 88.1 | | 4/23/2020 | 18:42 | |
| 2-Fluorobiphenyl | 69.0 | 42.5 - 81.1 | | 4/23/2020 | 18:42 | |
| 2-Fluorophenol | 65.5 | 39.8 - 77.3 | | 4/23/2020 | 18:42 | |
| Nitrobenzene-d5 | 63.5 | 40.1 - 77.1 | | 4/23/2020 | 18:42 | |
| Phenol-d5 | 67.9 | 41.7 - 76.6 | | 4/23/2020 | 18:42 | |
| Terphenyl-d14 | 69.1 | 41.6 - 96.8 | | 4/23/2020 | 18:42 | |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845917.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-25 0-2 Ft

Lab Sample ID: 201697-10 **Date Sampled:** 4/20/2020

Matrix: Soil Date Received: 4/22/2020

Part 375 Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | <u>vzed</u> |
|----------------|---------------|--------------|------------------|------------|-------------|
| Arsenic | 7.99 | mg/Kg | | 4/24/2020 | 19:01 |
| Barium | 178 | mg/Kg | | 4/24/2020 | 19:01 |
| Beryllium | < 0.294 | mg/Kg | | 4/24/2020 | 19:01 |
| Cadmium | 0.857 | mg/Kg | | 4/24/2020 | 19:01 |
| Chromium | 14.8 | mg/Kg | | 4/24/2020 | 19:01 |
| Copper | 32.9 | mg/Kg | | 4/24/2020 | 19:01 |
| Lead | 705 | mg/Kg | | 4/24/2020 | 19:01 |
| Manganese | 296 | mg/Kg | | 4/24/2020 | 19:01 |
| Nickel | 12.8 | mg/Kg | | 4/24/2020 | 19:01 |
| Selenium | < 1.18 | mg/Kg | | 4/24/2020 | 19:01 |
| Silver | 1.01 | mg/Kg | | 4/24/2020 | 19:01 |
| Zinc | 489 | mg/Kg | | 4/27/2020 | 16:44 |
| | | | | | |

Method Reference(s):

EPA 6010C

EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 2.21 | mg/Kg | | 4/23/2020 10:04 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 326 | ug/Kg | | 4/23/2020 19:11 |
| 1,2,4,5-Tetrachlorobenzene | < 326 | ug/Kg | | 4/23/2020 19:11 |
| 1,2,4-Trichlorobenzene | < 326 | ug/Kg | | 4/23/2020 19:11 |
| 1,2-Dichlorobenzene | < 326 | ug/Kg | | 4/23/2020 19:11 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 38 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-25 0-2 FtLab Sample ID:201697-10Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| 1,3-Dichlorobenzene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
|------------------------------|--------|-------|-----------|-------|
| 1,4-Dichlorobenzene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,2-Oxybis (1-chloropropane) | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,3,4,6-Tetrachlorophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4,5-Trichlorophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4,6-Trichlorophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4-Dichlorophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4-Dimethylphenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4-Dinitrophenol | < 1300 | ug/Kg | 4/23/2020 | 19:11 |
| 2,4-Dinitrotoluene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2,6-Dinitrotoluene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Chloronaphthalene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Chlorophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Methylnapthalene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Methylphenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Nitroaniline | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 2-Nitrophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 3&4-Methylphenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 3,3'-Dichlorobenzidine | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 3-Nitroaniline | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4,6-Dinitro-2-methylphenol | < 436 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Bromophenyl phenyl ether | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Chloro-3-methylphenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Chloroaniline | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Chlorophenyl phenyl ether | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Nitroaniline | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| 4-Nitrophenol | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| Acenaphthene | < 326 | ug/Kg | 4/23/2020 | |
| Acenaphthylene | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| Acetophenone | < 326 | ug/Kg | 4/23/2020 | 19:11 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 39 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-25 0-2 Ft
Lab Sample ID: 201697-10 Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| Anthracene | < 326 | ug/Kg | 4/23/2020 19:11 |
|------------------------------|--------|-------|-----------------|
| Atrazine | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzaldehyde | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzo (a) anthracene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzo (a) pyrene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzo (b) fluoranthene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzo (g,h,i) perylene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Benzo (k) fluoranthene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Bis (2-chloroethoxy) methane | < 326 | ug/Kg | 4/23/2020 19:11 |
| Bis (2-chloroethyl) ether | < 326 | ug/Kg | 4/23/2020 19:11 |
| Bis (2-ethylhexyl) phthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Butylbenzylphthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Caprolactam | < 326 | ug/Kg | 4/23/2020 19:11 |
| Carbazole | < 326 | ug/Kg | 4/23/2020 19:11 |
| Chrysene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Dibenz (a,h) anthracene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Dibenzofuran | < 326 | ug/Kg | 4/23/2020 19:11 |
| Diethyl phthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Dimethyl phthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Di-n-butyl phthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Di-n-octylphthalate | < 326 | ug/Kg | 4/23/2020 19:11 |
| Fluoranthene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Fluorene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Hexachlorobenzene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Hexachlorobutadiene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Hexachlorocyclopentadiene | < 1300 | ug/Kg | 4/23/2020 19:11 |
| Hexachloroethane | < 326 | ug/Kg | 4/23/2020 19:11 |
| Indeno (1,2,3-cd) pyrene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Isophorone | < 326 | ug/Kg | 4/23/2020 19:11 |
| Naphthalene | < 326 | ug/Kg | 4/23/2020 19:11 |
| | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 40 of 50



4/20/2020

Date Sampled:

Client: **BE3**

Project Reference: Pilgrim Village 2

Sample Identifier: BH-25 0-2 Ft Lab Sample ID:

201697-10

Matrix: Soil **Date Received:** 4/22/2020

| Nitrobenzene | < 326 | ug/Kg | 4/23/2020 19:11 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 326 | ug/Kg | 4/23/2020 19:11 |
| N-Nitrosodiphenylamine | < 326 | ug/Kg | 4/23/2020 19:11 |
| Pentachlorophenol | < 652 | ug/Kg | 4/23/2020 19:11 |
| Phenanthrene | < 326 | ug/Kg | 4/23/2020 19:11 |
| Phenol | < 326 | ug/Kg | 4/23/2020 19:11 |
| Pyrene | < 326 | ug/Kg | 4/23/2020 19:11 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | Outliers | Date Analyzed | |
|----------------------|------------------|---------------|-----------------|----------------------|-------|
| 2,4,6-Tribromophenol | 62.0 | 39 - 88.1 | | 4/23/2020 | 19:11 |
| 2-Fluorobiphenyl | 66.9 | 42.5 - 81.1 | | 4/23/2020 | 19:11 |
| 2-Fluorophenol | 61.2 | 39.8 - 77.3 | | 4/23/2020 | 19:11 |
| Nitrobenzene-d5 | 61.2 | 40.1 - 77.1 | | 4/23/2020 | 19:11 |
| Phenol-d5 | 61.5 | 41.7 - 76.6 | | 4/23/2020 | 19:11 |
| Terphenyl-d14 | 58.9 | 41.6 - 96.8 | | 4/23/2020 | 19:11 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: B45918.D



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-26 1-2 Ft

 Lab Sample ID:
 201697-11
 Date Sampled:
 4/20/2020

 Matrix:
 Soil
 Date Received:
 4/22/2020

Part 375 Metals (ICP)

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier | Date Analy | yzed |
|-----------|---------------|--------------|------------------|-------------------|-------|
| Arsenic | 5.34 | mg/Kg | | 4/24/2020 | 19:05 |
| Barium | 151 | mg/Kg | | 4/24/2020 | 19:05 |
| Beryllium | < 0.294 | mg/Kg | | 4/24/2020 | 19:05 |
| Cadmium | 0.610 | mg/Kg | | 4/24/2020 | 19:05 |
| Chromium | 17.0 | mg/Kg | | 4/24/2020 | 19:05 |
| Copper | 22.8 | mg/Kg | | 4/24/2020 | 19:05 |
| Lead | 200 | mg/Kg | | 4/24/2020 | 19:05 |
| Manganese | 536 | mg/Kg | | 4/24/2020 | 19:05 |
| Nickel | 15.7 | mg/Kg | | 4/24/2020 | 19:05 |
| Selenium | 1.71 | mg/Kg | | 4/24/2020 | 19:05 |
| Silver | 1.06 | mg/Kg | | 4/24/2020 | 19:05 |
| Zinc | 183 | mg/Kg | | 4/27/2020 | 16:48 |
| | | | | | |

Method Reference(s):

EPA 6010C EPA 3050B

Preparation Date:

4/24/2020

Mercury

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Mercury | 0.340 | mg/Kg | DM | 4/23/2020 09:43 |

Method Reference(s):EPA 7471BPreparation Date:4/22/2020Data File:Hg200423A

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------|---------------|--------------|------------------|----------------------|
| 1,1-Biphenyl | < 299 | ug/Kg | | 4/23/2020 19:39 |
| 1,2,4,5-Tetrachlorobenzene | < 299 | ug/Kg | | 4/23/2020 19:39 |
| 1,2,4-Trichlorobenzene | < 299 | ug/Kg | | 4/23/2020 19:39 |
| 1,2-Dichlorobenzene | < 299 | ug/Kg | | 4/23/2020 19:39 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 42 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-26 1-2 FtLab Sample ID:201697-11Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| | | | · · · | |
|------------------------------|--------|-------|-----------|-------|
| | | | | |
| 1,3-Dichlorobenzene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 1,4-Dichlorobenzene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,2-Oxybis (1-chloropropane) | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,3,4,6-Tetrachlorophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4,5-Trichlorophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4,6-Trichlorophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4-Dichlorophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4-Dimethylphenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4-Dinitrophenol | < 1200 | ug/Kg | 4/23/2020 | 19:39 |
| 2,4-Dinitrotoluene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2,6-Dinitrotoluene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Chloronaphthalene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Chlorophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Methylnapthalene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Methylphenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Nitroaniline | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 2-Nitrophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 3&4-Methylphenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 3,3'-Dichlorobenzidine | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 3-Nitroaniline | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4,6-Dinitro-2-methylphenol | < 400 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Bromophenyl phenyl ether | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Chloro-3-methylphenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Chloroaniline | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Chlorophenyl phenyl ether | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Nitroaniline | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| 4-Nitrophenol | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Acenaphthene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Acenaphthylene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Acetophenone | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 43 of 50



Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier:BH-26 1-2 FtLab Sample ID:201697-11Date Sampled: 4/20/2020

Matrix: Soil Date Received: 4/22/2020

| Anthracene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
|------------------------------|--------|-------|-----------|-------|
| Atrazine | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzaldehyde | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzo (a) anthracene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzo (a) pyrene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzo (b) fluoranthene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzo (g,h,i) perylene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Benzo (k) fluoranthene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Bis (2-chloroethoxy) methane | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Bis (2-chloroethyl) ether | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Bis (2-ethylhexyl) phthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Butylbenzylphthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Caprolactam | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Carbazole | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Chrysene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Dibenz (a,h) anthracene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Dibenzofuran | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Diethyl phthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Dimethyl phthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Di-n-butyl phthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Di-n-octylphthalate | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Fluoranthene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Fluorene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Hexachlorobenzene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Hexachlorobutadiene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Hexachlorocyclopentadiene | < 1200 | ug/Kg | 4/23/2020 | 19:39 |
| Hexachloroethane | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Indeno (1,2,3-cd) pyrene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Isophorone | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| Naphthalene | < 299 | ug/Kg | 4/23/2020 | 19:39 |
| | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.



4/20/2020

Date Sampled:

Client: BE3

Project Reference: Pilgrim Village 2

Sample Identifier: BH-26 1-2 Ft **Lab Sample ID:** 201697-11

Matrix: Soil Date Received: 4/22/2020

| Nitrobenzene | < 299 | ug/Kg | 4/23/2020 19:39 |
|----------------------------|-------|-------|-----------------|
| N-Nitroso-di-n-propylamine | < 299 | ug/Kg | 4/23/2020 19:39 |
| N-Nitrosodiphenylamine | < 299 | ug/Kg | 4/23/2020 19:39 |
| Pentachlorophenol | < 599 | ug/Kg | 4/23/2020 19:39 |
| Phenanthrene | < 299 | ug/Kg | 4/23/2020 19:39 |
| Phenol | < 299 | ug/Kg | 4/23/2020 19:39 |
| Pyrene | < 299 | ug/Kg | 4/23/2020 19:39 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | vzed |
|----------------------|------------------|---------------|-----------------|------------|-------|
| 2,4,6-Tribromophenol | 63.2 | 39 - 88.1 | | 4/23/2020 | 19:39 |
| 2-Fluorobiphenyl | 66.0 | 42.5 - 81.1 | | 4/23/2020 | 19:39 |
| 2-Fluorophenol | 60.7 | 39.8 - 77.3 | | 4/23/2020 | 19:39 |
| Nitrobenzene-d5 | 61.3 | 40.1 - 77.1 | | 4/23/2020 | 19:39 |
| Phenol-d5 | 63.7 | 41.7 - 76.6 | | 4/23/2020 | 19:39 |
| Terphenyl-d14 | 63.1 | 41.6 - 96.8 | | 4/23/2020 | 19:39 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation Date: 4/23/2020 Data File: 845919.D



Analytical Report Appendix

The reported results relate only to the samples as they have been received by the laboratory.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Low level Volatiles blank reports for soil/solid matrix are based on a nominal 5 gram weight. Sample results and reporting limits are based on actual weight, which may be more or less than 5 grams.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Aliquots separated for certain tests, such as TCLP, are indicated on the Chain of Custody and final reports with an "A" suffix.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of analyte-specific, frequently used data flags and their meaning:

- "<" = Analyzed for but not detected at or above the quantitation limit.
- "E" = Result has been estimated, calibration limit exceeded.
- "Z" = See case narrative.
- "D" = Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.
- "M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.
- "B" = Method blank contained trace levels of analyte. Refer to included method blank report.
- "I" = Result estimated between the quantitation limit and half the quantitation limit.
- "L" = Laboratory Control Sample recovery outside accepted QC limits.
- "P" = Concentration differs by more than 40% between the primary and secondary analytical columns.
- "NC" = Not calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added. Applicable to sample surrogates or MS if sample dilution is 10x or higher.
- "*" = Indicates any recoveries outside associated acceptance windows. Surrogate outliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.
- "(1)" = Indicates data from primary column used for QC calculation.
- "A" = denotes a parameter for which ELAP does not offer approval as part of their laboratory certification program.
- "F" = denotes a parameter for which Paradigm does not carry certification, the results for which should therefore only be used where ELAP certification is not required, such as personal exposure assessment.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 46 of 50

GENERAL TERMS AND CONDITIONS LABORATORY SERVICES

These Terms and Conditions embody the whole agreement of the parties in the absence of a signed and executed contract between the Laboratory (LAB) and Client. They shall supersede all previous communications, representations, or agreements, either verbal or written, between the parties. The LAB specifically rejects all additional, inconsistent, or conflicting terms, whether printed or otherwise set forth in any purchase order or other communication from the Client to the LAB. The invalidity or unenforceability in whole or in part of any provision, tern or condition hereof shall not affect in any way the validity or enforceability of the remainder of the Terms and Conditions. No waiver by LAB of any provision, term, or condition hereof or of any breach by or obligation of the Client hereunder shall constitute a waiver of such provision, term, or condition on any other occasion or a waiver of any other breach by or obligation of the Client. This agreement shall be administered and interpreted under the laws of the state which services are procured.

Warranty.

Recognizing that the nature of many samples is unknown and that some may contain potentially hazardous components, LAB warrants only that it will perform testing services, obtain findings, and prepare reports in accordance with generally accepted analytical laboratory principles and practices at the time of performance of services. LAB makes no other warranty, express or implied.

Scope and Compensation. LAB agrees to perform the services described in the chain of custody to which these terms and conditions are attached. Unless the parties agree in writing to the contrary, the duties of LAB shall not be construed to exceed the services specifically described. LAB wi use LAB default method for all tests unless specified otherwise on the Work Order.

Payment terms are net 30 days from the date of invoice. All overdue payments are subject to an interest charge of one and one-half percent (1-1/2%) per month or a portion thereof. Client shall also be responsible for costs of collection, including payment of reasonable attorney fees if such expense is incurred. The prices, unless stated, do not include any sale, use or other taxes. Such taxes will be added to invoice prices when required.

Prices.

Compensation for services performed will be based on the current Lab Analytical Fee Schedule or on quotations agreed to in writing by the parties. Turnaround time based charges are determined from the time of resolution of all work order questions. Testimony, court appearances or data compilation for legal action will be charged separately. Evaluation and reporting of initial screening runs may incur additional fees.

Limitations of Liability.

In the event of any error, omission, or other professional negligence, the sole and exclusive responsibility of LAB shall be to reperform the deficient work at its own expense and LAB shall have no other liability whatsoever. All claims shall be deemed waived unless made in writing and received by LAB within ninety (90) days following completion of services.

LAB shall have no liability, obligation, or responsibility of any kind for losses, costs, expenses, or other damages (including but not limited to any special, direct, incidental or consequential damages) with respect to LAB's services or results.

All results provided by LAB are strictly for the use of its clients and LAB is in no way responsible for the use of such results by clients or third parties. All reports should be considered in their entirety, and LAB is not responsible for the separation, detachment, or other use of any portion of these reports. Client may not assign the lab report without the written consent of the LAB. Client covenants and agrees, at its/his/her sole expense, to indemnify, protect, defend, and save harmless the LAB from and against

any and all damages, losses, liabilities, obligations, penalties, claims, litigation, demands, defenses, judgments, suits, actions, proceedings, costs, disbursements and/or expenses (including, without limitation attorneys' and experts' fees and disbursements) of any kind whatsoever which may at any time be imposed upon, incurred by or asserted or awarded against client relating to, resulting from or arising out of (a) the breach of this agreement by this client, (b) the negligence of the client in handling, delivering or disclosing any hazardous substance, (c) the violation of the Client of any applicable law, (d) non-compliance by the Client with any

environmental permit or (e) a material misrepresentation in disclosing the materials to be tested.

Hazard Disclosure.

Client represents and warrants that any sample delivered to LAB will be preceded or accompanied by complete written disclosure of the presence of any hazardous substances known or suspected by Client. Client further warrants that any sample containing any hazardous substance that is to be delivered to LAB will be packaged, labeled, transported, and delivered properly and in accordance with applicable laws.

Sample Handling.

Prior to LAB's acceptance of any sample (or after any revocation of acceptance), the entire risk of loss or of damage to such sample remains with Client. Samples are accepted when receipt is acknowledged on chain of custody documentation. In no event will LAB have any responsibility for the action or inaction of any carrier shipping or delivering any sample to or from LAB premises. Client authorizes LAB to proceed with the analysis of samples as received by the laboratory, recognizing that any samples not in compliance with all current DOH-ELAP-NELAP requirements for containers, preservation or holding time will be noted as such on the final report.

Disposal of hazardous waste samples is the responsibility of the Client. If the Client does not wish such samples returned, LAB may add storage and disposal fees to the final invoice. Maximum storage time for samples is 30 days after completion of analysis unless modified by applicable state or federal laws. Client will be required to give the LAB written instructions concerning disposal of these samples.

LAB reserves the absolute right, exercisable at any time, to refuse to receive delivery of, refuse to accept, or revoke acceptance of any sample, which, in the sole judgment of LAB (a) is of unsuitable volume, (b) may be or become unsuitable for or may pose a risk in handling, transport, or processing for any health, safety, environmental or other reason whether or not due to the presence in the sample of any hazardous substance, and whether or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample unsuitable for analysis.

Legal Responsibility. LAB is solely responsible for performance of this contract, and no affiliated company, director, officer, employee, or agent shall have any legal responsibility hereunder, whether in contract or tort including negligence.

Assignment.

LAB may assign its performance obligations under this contract to other parties, as it deems necessary. LAB shall disclose to Client any assignee (subcontractor) by ELAP ID # on the submitted final report.

Force Majeure.

LAB shall have no responsibility or liability to the Client for any failure or delay in performance by LAB, which results in whole or in part from any cause or circumstance beyond the reasonable control of LAB. Such causes and circumstances shall include, but not limited to, acts of God, acts or orders of any government authority, strikes or other labor disputes, natural disasters, accidents, wars, civil disturbances, difficulties or delays in transportation, mail or delivery services, inability to obtain sufficient services or supplies from LAB's usual suppliers, or any other cause beyond LAB's reasonable control.

Law.

This contract shall be continued under the laws of the State of New York without regard to its conflicts of laws provision.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt. Page 47 of 50

CHAIN OF CUSTODY

1052

Page 48 of 50

Rush 1 day Rush 2 day Rush 3 day Date Needed Standard 5 day DATE COLLECTED 4-20-20 and indicate date pended: **Turnaround Time** PROJECT REFERENCE Availability contingent upon lab approval; additional fees may apply. PARADIGM TIME 2500 1030 1015 12401 105 Other Category B Category A Batch QC None Required ease indicate package needed **മ>** മറ Report Supplements Matrix Codes: 91-15 3H-23 BH-21 41-18 BH-33 BH-19 3H-17 91-IS H-18 AQ - Aqueous Liquid NQ - Non-Aqueous Liquid NYSDEC EDD None Required Other EDD Basic EDD please indicate EDD needed SAMPLE IDENTIFIER MOTON OF 0.5-2 F 3-1 0-2 FT 1-3 FT 1 NAMOUND A 08-8220 7 WA - Water WG - Groundwater By signing this form, client agrees to Paradigm Terms and Conditions (reverse). Sampled By Bruss 50 × − ਸ਼ → ≥ ≤ ∽ m □ ○ ∩ Zienteck ATTN CLIENT: PHONE: CITY: ADDRESS: 375 SVOC 375 METALS **DW** - Drinking Water **WW** - Wastewater SAME STATE: 4-21-20 4-20-20/2:60 PM 12020 SO - Soll ZIP: (170Hz 2: 20 Am 5°C: Culylas/2020 1454 09 8:20 Quotation #: SD - Solid PT - Paint pgorton@be3corp.com REMARKS E P.I.F. Total Cost: LAB PROJECT ID WP - Wipe CK - Caulk 07 OL - Oil AR - Air PARADIGM LAB SAMPLE NUMBER 90 20 40 9 00 GW O

See additional page for sample conditions.

CHAIN OF CUSTODY

| ¥ 1255 | | GOE! SE-88-4 | DATE COLLECTED COLLECTED | 4 | Pilarim Village 2 | PROJECT REFERENCE | | | | TAXACIGM | |
|--------------|------------|--------------|----------------------------------|--------------------|-----------------------------------------------------------|-------------------|-----------------------|--------------|--------------------------|----------------|-------------|
| 2, | 2 | Ö | m → - ∾ O ≥ ≤ O C | | 1 lage | ERENCE | 1 | V | | G | 2 |
| < | - | K | ш > ฆ ด | | 9 | | | | | | |
| BH-26 1-21-1 | NH-25 0-25 | BH-24 1-3FT | SAMPLE IDENTIFIER | | Matrix Codes: AQ - Aqueous Liquid NQ - Non-Aqueous Liquid | ATTN: PETE GORDON | PHONE: 716-308-8220 | | ADDRESS: 1770 Middle Com | CLIENT: 163 | REPORT TO: |
| 4 | | 90 | X — スス → ♪ ≧ ഗ m ∪ O C | | WA - Water WG - Groundwater | | | ZIP 0 | | 0 | |
| Y | | - | πο ππω≤cz νππz->- zοο | | 4 | ATTN: | PHONE: | CITY: | ADDRESS: | CLIENT: | |
| | | | 375 WETALS | REQUESTED ANALYSIS | DW - Drinking Water WW - Wastewater | | | STATE: | | SAME | INVOICE TO: |
| | | TOH! | * | SIS | St Studge | | | ZIP: | | | |
| | | 74 | REMARKS | | SD - Solid PT - Paint | - | Email: Dac | Quotation #: | 20162 | | |
| | | | | | WP - Wipe CK - Caulk | 3 | paperton@ be3 corpion | | 2 | LAB PROJECT ID | |
| = | 10 | | PARADIGM LAB SAMPLE NUMBER | - | OL - Oil AR - Air | - | 3 morps | | Dog | o 40 | |

| See additional page for samp | | | | 1 |
|---------------------------------------------------------------------------------|------------------------------|----------------------------------------------------------------------|--------------|------------------------------|
| By signing this form, client agrees to Paradigm Terms and Conditions (reverse). | please indicate EDD needed : | please indicate package needed: | | please indicate date needed: |
| | Other EDD | Other | 0 | Date Needed |
| Received @ Lab By Date/Time | | | | Rush 1 day |
| 5 (5) | | Category B | | Rush 2 day |
| Bocalinal By March July 1-01-00 8:80 | NYSDEC EDD | Category A | | Rush 3 day |
| Religional By Date/Time | Basic EDD | Batch QC | | 10 day |
| Sampled By Date/Time Iotal Cost: | None Required | None Required | Ž | Standard 5 day |
| 2 Lientek 4-20-20/2:00tm | fees may apply. | Availability contingent upon lab approval; additional fees may apply | y contingent | Availabili |
| | lements | Report Supplements | Time | Turnaround Time |

ple conditions.



Chain of Custody Supplement

| Client: Lab Project ID: | BE 3 201697 | Completed by: | MolyVail 4/22/2020 |
|-----------------------------------------------------------|---------------------------------------|---------------------------------------|--------------------|
| | Sample Conditi Per NELAC/ELAP 2 | on Requirements 10/241/242/243/244 | - Magaza |
| Condition | LAC compliance with the sample Yes | condition requirements upo No | on receipt N/A |
| Container Type Comments | | | N/A |
| Transferred to method- compliant container | | | — — — |
| Headspace (<1 mL) Comments | | | |
| Preservation Comments | | | |
| Chlorine Absent (<0.10 ppm per test strip) Comments | | | — |
| Holding Time Comments | 4 | | |
| emperature Comments | Sociced | | Truct |
| ompliant Sample Quantity/Type Comments | | | |
| _ | | | |

APPENDIX 3 BORING LOGS



| DOI | | אכ ב | .ug | | ENVIRONMENT . EN | SINEERING • ENERGY 7 10.249,0880 3 Descrip.com |
|---------------------------|----------|------------|-------------|------------|------------------|------------------------------------------------|
| | Proje | ect: | | P | | ilgrim Village Northeast Section |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.903325 N Long: 78.863948 W |
| Date Started: | | 4/20/20 | 020 | Equipmen | t Model: | Geoprobe 54LT and 4ft Sampler |
| Date Completed: 4/20/2020 | | Geologist/ | Technician: | P. Gorton | | |
| Operator: Trec | | Ground W | ater: | | | |
| Bore Hole N | umber: | BH-14 | | Depth to E | Bedrock: | N/A |
| Depth (Ft) | Sar | nple | REC | PID | | Description |
| Deptil (Ft) | NO | TYPE | KLC | (ppm) | | Description |
| 0 | | | | 0.0 | 0-0.5 Aspha | lt |
| 1 | | | | | | |
| 2 | | | | | 0.5-2 feet - (| Gravelly silty sand |
| | | | | | | |
| 3 | | | | | | |
| 4 | | | | | | |
| 4 | | | | | | |
| 5 | | | | | | |
| | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| , | | | | | | |
| 8 | | | | | | |
| | | | | | | |
| 9 | | | | | | |
| 10 | | | | | 2-10 feet lig | nt brown sand |
| | | | | | | |
| 11 | | | | | | |
| 12 | | | | | 10-12 feet a | ravelly sand, course, wet, grey |
| 12 | | | | | 10-12 1001 9 | tavelly Salia, Course, Wet, grey |
| 13 | | | | | | |
| 14 | | | | | | |
| | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| | | | | | 1 | |
| 17 | | | | | | |
| 18 | | | | | | |
| 40 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| Comments: (| | | | | | |
| Soil Sample f | TOTTI U. | o-∠ ieet | | | | |
| | | | | | | |



| | _ | _ | - 3 | | | | |
|---------------------|-------|---------|------------|-------------------|--------------|-------------------------------------|---|
| F | Proje | ct: | | | Р | ilgrim Village Northeast Section | |
| Client: | | SAA/EV | ′ I | Location: | | 1100 Michigan Ave, Buffalo, NY | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54219 N Long: 78.51835 W | |
| Date Started: | | 4/20/20 |)20 | Equipment | Model: | Geoprobe 54LT and 4ft Sampler | |
| Date Completed | | 4/20/20 |)20 | - | Technician: | P. Gorton | |
| Operator: | | Trec | | Ground Wa | ater: | | |
| Bore Hole Num | nber: | BH-15 | | Depth to Bedrock: | | N/A | |
| Depth (Ft) | Sam | nple | REC | PID | | Description | |
| Deptil (Ft) | NO | TYPE | KEC | (ppm) | | Description | |
| 0 | | | | 0.0 | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | 0-3 feet san | dy clayey silt, pieces of brick | |
| | | | | | | | _ |
| 4 | | | | | 3-4 feet red | brown clay | |
| | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |
| 0 | | | | | | | |
| 7 | | | | | | | _ |
| | | | | | | | |
| 8 | | | | | 4-8 sand, we | et @ 8 ft | |
| 0 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| | | | | | | | |
| 11 | | | | | | | |
| 10 | | | | | 0.40 foot oo | and translation to granually accord | |
| 12 | | | | | 8-12 feet sa | nd transition to gravelly sand | |
| 13 | | | | | | | |
| | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| - 10 | | | | | | | |
| 18 | | | | - | | | _ |
| 19 | | | | | | | _ |
| | | | | | | | |
| 20 Comments: 0 F | DDM - | n DID | |] | | | |
| Soil Sample froi | | | | | | | |



| | | | <u> </u> | | entities (do | | | |
|---------------|---------------------------|---------|------------|-----------------------------------|---------------|-------------------------------------|--|--|
| | Proje | ect: | | Pilgrim Village Northeast Section | | | | |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY | | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54224 N Long: 78.51847 W | | |
| Date Started: | | 4/20/20 | 020 | Equipment Model: | | Geoprobe 54LT and 4ft Sampler | | |
| Date Complet | Pate Completed: 4/20/2020 | | Geologist/ | Гесhnician: | P. Gorton | | | |
| Operator: | | Trec | | Ground Water: | | | | |
| Bore Hole Nu | ımber: | BH-16 | | Depth to Bedrock: | | N/A | | |
| Danth (Et) | San | nple | DEC | PID | | Description | | |
| Depth (Ft) | NO | TYPE | REC | (ppm) | | Description | | |
| 0 | | | | 0.0 | | | | |
| 1 | | | | | | | | |
| 2 | | | | | | | | |
| | | | | | | | | |
| 3 | | | | | | | | |
| | | | | | | | | |
| 4 | | | | | 0-4 feet san | dy clayey silt, with brick, ceramic | | |
| 5 | | | | | | | | |
| - | | | | | | | | |
| 6 | | | | | 4-6 feet Dar | k brown silty clay | | |
| 7 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | 6-8 feet red | brown clay | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | 8-12 feet red | d brown clay, stiff | | |
| 13 | | | | | | | | |
| | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 40 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 10 | | | | 1 | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| Comments: (|) PPM | on PID | | | l | | | |
| Soil Sample f | | | | | | | | |



| וטם | | JIC L | .ug | | GINEERING - ENERGY / 10.249,0880 3 Descorp.com | |
|---------------|---------|---------|------|------------|------------------------------------------------|--------------------------------------------|
| | Proje | ect: | | P | | ilgrim Village Northeast Section |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54235 N Long: 78.51855 W |
| Date Started: | | 4/20/20 | 020 | Equipment | t Model: | Geoprobe 54LT and 4ft Sampler |
| Date Comple | ted: | 4/20/20 | 020 | Geologist/ | Technician: | P. Gorton |
| Operator: | | Trec | | Ground W | ater: | |
| Bore Hole N | umber: | BH-17 | | Depth to B | edrock: | N/A |
| | Sar | nple | | PID | | Description |
| Depth (Ft) | NO | TYPE | REC | (ppm) | 1 | Description |
| 0 | | | | 0.0 | | |
| 1 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| 3 | | | | | 0-3 feet san | dy clayey silt, with brick, cinder, gravel |
| | | | | | | |
| 4 | | | | | 3-4 feet tran | sition to dark borwn silty clay |
| 5 | | | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| | | | | | | |
| 7 | | | | | | |
| | | | | | 4.0 foot rod | hanna alau |
| 8 | | | | | 4-8 feet red | brown clay |
| 9 | | | | | | |
| | | | | | | |
| 10 | | | | | | |
| 44 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| | | | | | | |
| 15 | | | | | 1 | |
| 16 | | | | | | |
| | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 40 | | | | | | |
| 19 | | | | | - | |
| 20 | | | | | | |
| Comments: (| | | | | | |
| Soil Sample f | rom U-2 | ∠ reet | | | | |
| I | | | | | | |



| | | <u> </u> | | 4010103111001 00 | The second secon | |
|--------------------|---------------------------|-----------------------------------|-------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Project: | | Pilgrim Village Northeast Section | | | | |
| Client: | SAA/E | | Location: | | 1100 Michigan Ave, Buffalo, NY | |
| Contractor: | TREC | Env. | Lat/Long: | | Lat: 42.54228 N Long: 78.51880 W | |
| Date Started: | 4/20/2 | 020 | Equipment | t Model: | Geoprobe 54LT and 4ft Sampler | |
| Date Completed: | Pate Completed: 4/20/2020 | | | Technician: | P. Gorton | |
| Operator: | Trec | | Ground Water: | | | |
| Bore Hole Numbe | r: BH-18 | | Depth to Bedrock: | | N/A | |
| Depth (Ft) | ample TYPE | REC | PID (ppm) | - | Description | |
| 0 | ITPE | | (ppiii) 0.0 | | · | |
| 1 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| 3 | | | | 0-3 feet san | dy clayey silt | |
| 3 | | | | o o loct sail | dy didyby diff | |
| 4 | | | | | | |
| | | | | | | |
| 5 | | | | 3-5 feet san | dy clayey silt, with mulch, concrete stone, cinder, gravel | |
| 6 | | | | | | |
| | | | | | | |
| 7 | | | | | | |
| 0 | | | | | d brown clay | |
| 8 | | | | 7.5-8 feet si | ty sand | |
| 9 | | | | | | |
| | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 40 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 00 | | | | | | |
| 20 Comments: 0 PPN | / on PID | | | | | |
| Soil Sample from 1 | | | | | | |



| DOIL | Project: | | .og | | | INEERING - ENERGY |
|-------------------------------|---------------------------|-------------------|------|--------------|-----------------|----------------------------------|
| | Proje | ect: | | | Pi | ilgrim Village Northeast Section |
| Client: | | SAA/EV | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54216 N Long: 78.51864 W |
| Date Started: | | 4/20/20 |)20 | Equipment | Model: | Geoprobe 54LT and 4ft Sampler |
| | Date Completed: 4/20/2020 | | _ | Гесhnician: | P. Gorton | |
| Operator: | | Trec | | Ground Wa | ater: | |
| Bore Hole Number: BH-19 | | Depth to Bedrock: | | N/A | | |
| Depth (Ft) | San NO | nple TYPE | REC | PID (ppm) | | Description |
| 0 | | | | 0.0 | | |
| 1 | | | | | | |
| | | ļ | | | 0-1.5 feet sa | ndy clayey silt |
| 2 | | | | | | |
| 3 | | | | | | |
| 3 | | | | | | |
| 4 | | | | | 1.5-4 feet silf | ty clay with some sand lens |
| | | | | | | |
| 5 | | | | | | |
| | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 1 | | | | | | |
| 8 | | | | | 4-8 feet red h | brown clay, stiff |
| - | | | | | | |
| 9 | | | | | | |
| | | | | | | |
| 10 | | | | | | |
| 44 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 4.4 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| | | | | | | |
| 20 | DD: 1 | DID | | | | |
| Comments: 0 Soil Sample fr | | | | | | |



| | <u> </u> |) O L | .09 | | ENVINORMENT . EN | |
|---------------|----------|---------|------|------------|------------------|----------------------------------|
| | Proje | ect: | | | Р | ilgrim Village Northeast Section |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54206 N Long: 78.51888 W |
| Date Started: | | 4/20/20 | 020 | Equipmen | t Model: | Geoprobe 54LT and 4ft Sampler |
| Date Comple | ted: | 4/20/20 | 020 | Geologist/ | Technician: | P. Gorton |
| Operator: | | Trec | | Ground W | ater: | |
| Bore Hole N | umber: | BH-20 | | Depth to B | Bedrock: | N/A |
| D (F4) | Sar | nple | DEO | PID | | Description |
| Depth (Ft) | NO | TYPE | REC | (ppm) | | Description |
| 0 | | | | 0.0 | 0-0.5 feet as | sphalt gravel |
| 1 | | | | | | |
| 2 | | | | | 0.5.2 foot or | andy clayey silt, brown |
| | | | | | 0.5-2 feet \$2 | andy clayey siit, brown |
| 3 | | | | | | |
| | | | | | | |
| 4 | | | | | 2-4 feet san | dy clayey silt black |
| 5 | | | | | 1-5 foot SAS | S, with brick, glass |
| 5 | | | | | 4-3 leet 3Ac | 5, Willi brick, glass |
| 6 | | | | | | |
| | | | | | | |
| 7 | | | | | | |
| 8 | | | | | 5-8 feet red | brown clay |
| 0 | | | | | 3-0 leet leu | blown clay |
| 9 | | | | | | |
| | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| - '' | | | | | | |
| 12 | | | | | | |
| - 10 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 45 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | - | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| Comments: (| | | | | | |
| Soil Sample f | 10111 1- | o reet | | | | |



| Dole Hole Log | | <u>.09</u> | | ENVIRONMENT . ENC | INEERING • ENERGY 7 10.249,0880 DESCORP.COM |
|------------------------------------|-----------|------------|------------|-----------------------|---------------------------------------------|
| Pro | oject: | | P | | ilgrim Village Northeast Section |
| Client: | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | TREC | Env. | Lat/Long: | | Lat: 42.54187 N Long: 78.51882 W |
| Date Started: | 4/20/20 | 020 | Equipment | Model: | Geoprobe 54LT and 4ft Sampler |
| Date Completed: | 4/20/20 | 020 | Geologist/ | Technician: | P. Gorton |
| Operator: | Trec | | Ground W | ater: | |
| Bore Hole Number | er: BH-21 | | Depth to B | Depth to Bedrock: N/A | |
| S | Sample | | PID | | Description |
| Deptil (Ft) NC | | REC | (ppm) | | Description |
| 0 | | | 0.0 | | |
| 1 | | | | | |
| 2 | | | | | |
| | | | | | |
| 3 | | | | | |
| 4 | | | | 0-4 feet san | dy clayey silt, fill |
| | | | | | |
| 5 | | | | 4-5 feet san | dy silt, soft |
| 6 | | | | 5-6 feet silty | sand. soft |
| | | | | 0 0 1001 0 | |
| 7 | | | | | |
| 0 | | | | C O foot rod | hyanin alau |
| 8 | | | | 6-8 feet red | brown day |
| 9 | | | | | |
| | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 4.4 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 18 | | | | | |
| 20 | | | | | |
| Comments: 0 PP Soil Sample from | | | | | |



| | - | | - 3 | | | | | | |
|---------------|----------------|--------------|----------|-----------------------------------|----------------|------------------------------------|--|--|--|
| | Proje | ect: | | Pilgrim Village Northeast Section | | | | | |
| Client: | | SAA/EVI | | Location: | | 1100 Michigan Ave, Buffalo, NY | | | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54216 N Long: 78.51882 W | | | |
| Date Started: | | 4/20/20 | 020 | Equipment | t Model: | Geoprobe 54LT and 4ft Sampler | | | |
| Date Comple | ted: | 4/20/20 | 020 | | Technician: | P. Gorton | | | |
| Operator: | Operator: Trec | | Ground W | ater: | | | | | |
| Bore Hole N | umber: | BH-22 | | Depth to Bedrock: | | N/A | | | |
| Depth (Ft) | Sar NO | nple TYPE | REC | PID (ppm) | | Description | | | |
| 0 | | | | 0.0 | | | | | |
| 1 | | | | | | | | | |
| 2 | | | | | | | | | |
| | | | | | | | | | |
| 3 | | | | | | | | | |
| | | | | | | | | | |
| 4 | | | | | 0-4 feet san | dy silty clay, with pieces of coal | | | |
| | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | Hit water line | 9 | | | |
| | | | | | | | | | |
| 7 | | | | | | | | | |
| | | | | | | | | | |
| 8 | | | | | | | | | |
| 9 | | | | | | | | | |
| | | | | | | | | | |
| 10 | | | | | | | | | |
| 4.4 | | | | | | | | | |
| 11 | | | | | | | | | |
| 12 | | | | | | | | | |
| | | | | | | | | | |
| 13 | | | | | | | | | |
| 14 | | | | | | | | | |
| | | | | | | | | | |
| 15 | | | | | | | | | |
| 16 | | | | | | | | | |
| | | | | | | | | | |
| 17 | | | | | | | | | |
| 18 | | | | | | | | | |
| | | | | | | | | | |
| 19 | | | | | | | | | |
| 20 | | | | | | | | | |
| Comments: (| 0 PPM | on PID | | ı | 1 | | | | |
| Soil Sample f | rom 1-3 | 3 feet | | | | | | | |
| | | | | | | | | | |



| _ | _ | - | - 3 | | | 3 | | |
|---------------|---------------|--------------|----------|-----------------------------------|----------------|----------------------------------|--|--|
| | Proje | ect: | | Pilgrim Village Northeast Section | | | | |
| Client: | | SAA/EV | /I | Location: | | 1100 Michigan Ave, Buffalo, NY | | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54200 N Long: 78.51855 W | | |
| Date Started: | | 4/20/20 | 020 | Equipment Model: | | Geoprobe 54LT and 4ft Sampler | | |
| Date Comple | ted: | 4/20/20 | 020 | Geologist/Technician: | | P. Gorton | | |
| Operator: | perator: Trec | | Ground W | | | | | |
| Bore Hole N | umber: | BH-23 | | Depth to Bedrock: | | N/A | | |
| Depth (Ft) | Sar NO | nple TYPE | REC | PID (ppm) | | Description | | |
| 0 | | | | 0.0 | | | | |
| 1 | | | | | | | | |
| | | | | | | | | |
| 2 | | | | | 0-2 silty clay | 1 | | |
| 3 | | | | | | | | |
| | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | red brown cl | ay | | |
| 9 | | | | | | | | |
| <u> </u> | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 10 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| Comments: (| | | | | | | | |
| Soil Sample f | rom 0.5 | o-2 reet | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| | | | | 1 | | |
|---------------|-----------|--------------|------|-----------------------|----------------|--------------------------------------|
| | Proje | | | | Р | ilgrim Village Northeast Section |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.542 N Long: 78.518 W |
| Date Started: | | 4/20/20 | 020 | Equipment | Model: | Geoprobe 54LT and 4ft Sampler |
| Date Comple | ted: | 4/20/20 | 020 | Geologist/Technician: | | P. Gorton |
| Operator: | | Trec | | Ground W | ater: | |
| Bore Hole N | umber: | BH-24 | | Depth to B | edrock: | N/A |
| Depth (Ft) | Sar NO | nple TYPE | REC | PID (ppm) | | Description |
| 0 | | | | 0.0 | | |
| 1 | | | | | | |
| | | | | | | |
| 2 | | | | | 0.2 feet san | dy clayey silt |
| _ | | | | | | |
| 3 | | | | | | |
| 4 | | | | | 2-4 feet silty | cond |
| 4 | | | | | 2-4 leet silty | Saliu |
| 5 | | | | | | |
| • | | | | | | |
| 6 | | | | | | |
| | | | | | | |
| 7 | | | | | | |
| | | | | | | |
| 8 | | | | | 4-8 feet silty | sandy gravel, fill |
| | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| | | | | | | |
| 11 | | | | | | |
| | | | | | | |
| 12 | | | | | 8-12 feet sa | ndy gravel, wet (not sure if native) |
| 40 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| | | | | | | |
| 19 | - | | | | 1 | |
| 20 | | | | | | |
| Comments: | 0 PPM | on PID | | | 1 | |
| Soil Sample f | | | | | | |



| | - | | <u> </u> | | 4919163111661 1031 | 1 | | | |
|-------------------|--------------------------|---------|-----------------------|----------------------------------|--------------------|----------------------------------|--|--|--|
| Project: | | | Р | ilgrim Village Northeast Section | | | | | |
| Client: | | SAA/E\ | /I | Location: | | 1100 Michigan Ave, Buffalo, NY | | | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54196 N Long: 78.51849 W | | | |
| Date Started: | | 4/20/20 | 020 | Equipment Model: | | Geoprobe 54LT and 4ft Sampler | | | |
| Date Comple | ate Completed: 4/20/2020 | | Geologist/Technician: | | P. Gorton | | | | |
| Operator: | | Trec | | Ground Water: | | | | | |
| Bore Hole N | umber: | BH-25 | | Depth to B | edrock: | N/A | | | |
| Depth (Ft) | San | nple | REC | PID | Description | | | | |
| Deptil (Ft) | NO | TYPE | KLO | (ppm) | | Description | | | |
| 0 | | | | 0.0 | | | | | |
| 1 | | | | | | | | | |
| 2 | | | | | 0-2 feet san | dy clayey silt, fill with coal | | | |
| | | | | | | | | | |
| 3 | | | | | | | | | |
| 4 | | | | | | | | | |
| 7 | | | | | | | | | |
| 5 | | | | | 2-5 feet red | brown clay | | | |
| | | | | | | | | | |
| 6 | | | | | | | | | |
| 7 | | | | | | | | | |
| | | | | | | | | | |
| 8 | | | | | 5-8 feet bory | vn clayey silt, wet | | | |
| 9 | | | | | | | | | |
| <u> </u> | | | | | | | | | |
| 10 | | | | | | | | | |
| 44 | | | | | | | | | |
| 11 | | | | | | | | | |
| 12 | | | | | | | | | |
| - 10 | | | | | | | | | |
| 13 | | | | | | | | | |
| 14 | | | | | | | | | |
| 15 | | | | | | | | | |
| | | | | | | | | | |
| 16 | | | | | | | | | |
| 17 | | | | | | | | | |
| | | | | | | | | | |
| 18 | | | | | | | | | |
| 19 | | | | | | | | | |
| 20 | | | | - | | | | | |
| 20 Comments: (| D PPM | on PID | | | | | | | |
| Soil Sample f | | | | | | | | | |
| | | | | | | | | | |



| | | | - 3 | | 4819143111601 1001 | 3 | |
|---------------------|-----------|-------------|-----------------------------------|------------------|--------------------|------------------------------------------|---|
| F | Project: | | Pilgrim Village Northeast Section | | | | |
| Client: | | SAA/EV | ' I | Location: | | 1100 Michigan Ave, Buffalo, NY | |
| Contractor: | | TREC | Env. | Lat/Long: | | Lat: 42.54178 N Long: 78.51833 W | |
| Date Started: | | 4/20/20 |)20 | Equipment Model: | | Geoprobe 54LT and 4ft Sampler | |
| Date Completed | d: | 4/20/20 |)20 | | Technician: | P. Gorton | |
| Operator: | | Trec | | Ground Water: | | | |
| Bore Hole Num | ber: | BH-26 | | Depth to B | edrock: | N/A | |
| Depth (Ft) | Sam NO | ple TYPE | REC | PID (ppm) | | Description | |
| 0 | | | | 0.0 | | | |
| 1 | | | | | | | |
| 2 | | | | | 0-2 feet sand | dy clayey silt, fill | |
| | | | | | | -, -, -, -, -, -, -, -, -, -, -, -, -, - | |
| 3 | | | | | | | |
| | | | | | | | |
| 4 | | | | | | | |
| F | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | 2-6 feet red | brown clay | |
| | | | | | | | |
| 7 | | | | | | | |
| | | | | | 006 1 | 11. | |
| 8 | | | | | 6-8 feet clay | ey siit, wet | |
| 9 | | | | | | | |
| | | | | | | | |
| 10 | | | | | | | |
| | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | - | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 10 | | | | | | | |
| 17 | | | | | | | |
| 40 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | _ |
| | | | | | | | |
| 20 Comments: 0 P | DN1 c | n PID | | | | | |
| Soil Sample fror | | | | | | | |
| | | | | | | | |

APPENDIX B RI SITE PHOTOGRAPHS



Date: 1/8/21



1. BH-1 Location



3. BH-3 Location



2. BH-2 Location



4. BH-4 Location





5. BH-5 Location




7. BH-8 Location



6. BH-6 Location



8. BH-10 Location





9. BH-11 Location




11. BH-13 Location



10. BH-12 Location



12. BH-14 Location





13. BH-16 Location



15. Well MW2 installation



14. BH-18 Location



16. Well MW3 installation

APPENDIX C RI BORING AND MONITORING WELL LOGS



Client: SA&A-EVI


Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy

Boring: B1

Coordinates: 42.903389, -78.863718



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B2

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy Coordinates: 42.903778, -78.863951



Depth to groundwater: N/A




Client: SA&A-EVI

Boring: B3

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy Coordinates: 42.903908, -78.864142



Depth to groundwater: N/A




Client: SA&A-EVI

Boring: B4

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy Coordinates: 42.903835, -78.864437



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B5

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy Coordinates: 42.90366, -78.864603



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B6

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy

Coordinates: 42.903527, -78.864715



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B7

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/8/21

Geologist/Technician: Jake Tracy Coordinates: 42.9034, -78,864857



Depth to groundwater: N/A




Client: SA&A-EVI

Boring: B8

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903120, -78.864679



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B9

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903024, -78.8646



Depth to groundwater: 8 ft bgs




Client: SA&A-EVI Boring: B10

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.902926, -78.86426



Depth to groundwater: 4.5 ft bgs




Client: SA&A-EVI

Boring: B11

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903173, -78.864968



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B12

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903322, -78.864153



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B13

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903382, -78.864374



Depth to groundwater: 4.5 ft bgs




Client: SA&A-EVI Boring: B14

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903457, -78.864412



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B15

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903494, -78.864241



Depth to groundwater: 4.5 ft bgs




Client: SA&A-EVI

Boring: B16

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903365, -78.864152



Depth to groundwater: N/A




Client: SA&A-EVI Boring: B17

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.90366, -78.863852



Depth to groundwater: 11 ft bgs




Client: SA&A-EVI Boring: B18

Location: 1100 Michigan Ave., Buffalo, NY 14209

Date: 1/11/21

Geologist/Technician: Jake Tracy Coordinates: 42.903295, -78.863912



Depth to groundwater: 8 ft bgs




MONITORING WELL SCHEMATIC

PROJECT: PILGRIM VILLAGE SENIOR BUFFALO, NY 14209

JOB NUMBER: WELL NUMBER:


21-521 MW1 1/20/21 DATE:



MONITORING WELL SCHEMATIC

PROJECT: PILGRIM VILLAGE SENIOR BUFFALO, NY 14209

JOB NUMBER: 21-521 MW2 WELL NUMBER: 1/20/21 DATE:



MONITORING WELL SCHEMATIC

PROJECT: PILGRIM VILLAGE SENIOR BUFFALO, NY 14209 JOB NUMBER: 21-521 WELL NUMBER: MW3 DATE: 1/19/21

BUFFALO WELL PRODUCTS FLUSH MOUNT ROAD BOX J-PLUG CONNECTED TO BAILER GROUND SURFACE TYPE OF BACKFILL: CEMENT GROUT SEAL TYPE OF RISER: 2" ID SCH 40 PVC AUGER HOLE APPROX. 6" -1.0' TOP OF SEAL - TYPE OF SEAL:BENTONITE GROUT SEAL -3.0' -- TOP OF SANDPACK -5.0' - TOP OF WELL SCREEN TYPE OF SANDPACK: #00N - TYPE OF WELL SCREEN: 2" ID SCH. 40 PVC, 0.010" SLOT SCREEN **BOTTOM OF WELL SCREEN** -15.0' TIP OF WELL -15.0' PRESUMED TOP OF BEDROCK / BOTTOM OF BOREHOLE -15.0'

MONITORING WELL SCHEMATIC

PROJECT: PILGRIM VILLAGE SENIOR BUFFALO, NY 14209 JOB NUMBER: 21-521 WELL NUMBER: MW4 DATE: 1/19/21


BUFFALO WELL PRODUCTS FLUSH MOUNT ROAD BOX J-PLUG CONNECTED TO BAILER GROUND SURFACE TYPE OF BACKFILL: CEMENT GROUT SEAL TYPE OF RISER: 2" ID SCH 40 PVC AUGER HOLE APPROX. 6" -1.0' TOP OF SEAL TYPE OF SEAL:BENTONITE GROUT SEAL -3.0' -TOP OF SANDPACK -5.0' - TOP OF WELL SCREEN TYPE OF SANDPACK: #00N - TYPE OF WELL SCREEN: 2" ID SCH. 40 PVC, 0.010" SLOT SCREEN **BOTTOM OF WELL SCREEN** -25.0' TIP OF WELL -25.0' PRESUMED TOP OF BEDROCK / BOTTOM OF BOREHOLE -25.0'

MONITORING WELL SCHEMATIC

PROJECT: PILGRIM VILLAGE SENIOR BUFFALO, NY 14209

JOB NUMBER: 21-521 WELL NUMBER:

MW5 1/20/21 DATE:





| PROJECT TITLE: | Pilgrim Village Senio | or | WELL NO.: | MW1 | |
|-------------------------|---------------------------------|-----------------------------------|-----------------|----------------|----------------------|
| PROJECT LOCATION: | 1100 Michigan Avenu | ıe, Buffalo, New Y | ork | | |
| STAFF: | Buffalo Drilling Company (Devel | opment) and BE3 | Corp (Sampling) | | |
| DATE(S): | January 21 and 22, 2021 | | | | |
| DEVELOPMENT METHOD: | Disposable Bailer | Disposable Bailer and Surge Block | | | |
| | | | | | _ |
| | | | | | |
| 1. DEPTH TO WELL BOTTO | M (FT BTOC) | = _ | 19.42 | WELL ID. 1" | VOL. (GAL/FT 0.04 |
| 2. WATER LEVEL BELOW T | OP OF CASING (FT BTOC) | = _ | 10.56 | 2" | 0.16 |
| 3. WATER COLUMN IN WEL | L (FT) | = _ | 8.86 | 3" | 0.38 |
| 4. VOLUME OF WATER/FOO | OT OF CASING (GAL) | = _ | 0.16 | 4" | 0.66 |
| 5. VOLUME OF WATER IN C | CASING (GAL)(#3 x #4) | = _ | 1.42 | 5" | 1.04 |
| 6. VOLUME OF WATER TO | = _ | 4.25 | 6" | 1.50 | |
| 7. VOLUME OF WATER ACT | TUALLY REMOVED (GAL) | = _ | 5 | 8" | 2.60 |
| | | | | | OR |

V=0.0408 x (CASING DIAMETER)²

| | | | ACCUM | ULATED V | OLUME | PURG | ED (GAI | LONS) | |
|-------------------------|-------|------------|------------|------------|-------|------|---------|-------|--|
| PARAMETERS | | | | | | | | | |
| | | | | | | | | | |
| рН | 7.44 | 7.31 | 7.15 | 7.00 | | | | | |
| TEMPERATURE (°F) | 44.56 | 51 | 52.66 | 57.87 | | | | | |
| SPEC. COND. (mS/cm) | 0.919 | 0.872 | 0.8 | 0.819 | | | | | |
| ORP (mV) | - | - | - | - | | | | | |
| DISSOLVED OXYGEN (mg/l) | - | - | - | - | | | | | |
| TURBIDITY (NTU) | 784 | Above 1000 | Above 1000 | Above 1000 | | | | | |
| COLOR | Brown | Brown | Brown | Brown | | | | | |
| TIME | | | | | | | | | |



| PROJECT TITLE: | Pilgrim Village Senic | or | WELL NO.: | MW2 | | | |
|-------------------------|--------------------------------|--------------------------------------------------------------|-----------|----------------|----------------------|--|--|
| PROJECT LOCATION: | 1100 Michigan Avenu | 1100 Michigan Avenue, Buffalo, New York | | | | | |
| STAFF: | Buffalo Drilling Company (Deve | Buffalo Drilling Company (Development) and BE3Corp (Sampling | | | | | |
| DATE(S): | January 21 and 22, 2021 | | | | | | |
| DEVELOPMENT METHOD: | Disposable Bailer | r and Surge Block | | | | | |
| | | | | | | | |
| | | | | | | | |
| 1. DEPTH TO WELL BOTTO | M (FT BTOC) | = | 17.69 | WELL ID. 1" | VOL. (GAL/FT 0.04 | | |
| 2. WATER LEVEL BELOW T | OP OF CASING (FT BTOC) | = | 7.14 | 2" | 0.16 | | |
| 3. WATER COLUMN IN WEL | L (FT) | = | 10.55 | 3" | 0.38 | | |
| 4. VOLUME OF WATER/FOO | OT OF CASING (GAL) | = | 0.16 | 4" | 0.66 | | |
| 5. VOLUME OF WATER IN C | CASING (GAL)(#3 x #4) | = | 1.69 | 5" | 1.04 | | |
| 6. VOLUME OF WATER TO | REMOVE (GAL)(#5 x) | = | 5.06 | 6" | 1.50 | | |
| 7. VOLUME OF WATER ACT | TUALLY REMOVED (GAL) | = | 5 | 8" | 2.60 OR | | |

V=0.0408 x (CASING DIAMETER)²

| | | | ACCUM | ULATED V | OLUME | PURG | ED (GAL | LONS) | |
|-------------------------|-------|------------|------------|------------|-------|------|---------|-------|------|
| PARAMETERS | | | | | | | | | |
| | | | | | | | | | |
| рН | 7.29 | 7.15 | 7.16 | 7.11 | | | | | |
| TEMPERATURE (°F) | 50.16 | 51.34 | 51.62 | 52.71 | | | | | |
| SPEC. COND. (mS/cm) | 0.868 | 0.823 | 0.764 | 0.776 | | | | | |
| ORP (mV) | ı | - | - | - | | | | | |
| DISSOLVED OXYGEN (mg/l) | - | - | - | - | | | | | |
| TURBIDITY (NTU) | 778 | Above 1000 | Above 1000 | Above 1000 | | | | | |
| COLOR | Brown | Brown | Brown | Brown | | | | | |
| TIME | | | | | | | | | |



| PROJECT TITLE: | Pilgrim Village Senio | or | WELL NO.: | MW3 | |
|-------------------------|---------------------------------|-----------------------------------|-----------------|----------------|----------------------|
| PROJECT LOCATION: | 1100 Michigan Avenu | ıe, Buffalo, New Y | ork | | |
| STAFF: | Buffalo Drilling Company (Devel | opment) and BE3 | Corp (Sampling) | | |
| DATE(S): | January 21 and 22, 2021 | | | | _ |
| DEVELOPMENT METHOD: | Disposable Bailer | Disposable Bailer and Surge Block | | | _ |
| | | | | | |
| | | | | | |
| 1. DEPTH TO WELL BOTTO | M (FT BTOC) | = _ | 12.90 | WELL ID. 1" | VOL. (GAL/FT 0.04 |
| 2. WATER LEVEL BELOW T | OP OF CASING (FT BTOC) | = _ | 9.41 | 2" | 0.16 |
| 3. WATER COLUMN IN WEL | L (FT) | = _ | 3.49 | 3" | 0.38 |
| 4. VOLUME OF WATER/FOO | OT OF CASING (GAL) | = _ | 0.16 | 4" | 0.66 |
| 5. VOLUME OF WATER IN C | CASING (GAL)(#3 x #4) | = _ | 0.56 | 5" | 1.04 |
| 6. VOLUME OF WATER TO | = _ | 1.68 | 6" | 1.50 | |
| 7. VOLUME OF WATER ACT | TUALLY REMOVED (GAL) | = _ | 3 | 8" | 2.60 |
| | | | | | OR |

V=0.0408 x (CASING DIAMETER)²

| | | | ACCUM | ULATED V | OLUME | PURG | ED (GAI | LONS) | |
|-------------------------|-------|------------|------------|------------|--------------|-------------|---------|-------|--|
| PARAMETERS | | | | | | | | | |
| | | | | | | | | | |
| рН | 7.56 | 7.44 | 7.52 | 7.14 | | | | | |
| TEMPERATURE (°F) | 48.5 | 49.23 | 52.11 | 51.80 | | | | | |
| SPEC. COND. (mS/cm) | 1.023 | 0.948 | 0.901 | 0.89 | | | | | |
| ORP (mV) | - | - | - | - | | | | | |
| DISSOLVED OXYGEN (mg/l) | - | - | - | - | | | | | |
| TURBIDITY (NTU) | 684 | Above 1000 | Above 1000 | Above 1000 | | | | | |
| COLOR | Brown | Brown | Brown | Brown | | | | | |
| TIME | | | | | | | | | |



| PROJECT TITLE: | Pilgrim Village Fami | ly | WELL NO.: | MW4 | |
|-------------------------|--------------------------------|------------------|-----------------|----------------|----------------------|
| PROJECT LOCATION: | 1100 Michigan Avenu | ′ork | | | |
| STAFF: | Buffalo Drilling Company (Deve | lopment) and BE3 | Corp (Sampling) | | |
| DATE(S): | January 21 and 22, 2021 | | | | |
| DEVELOPMENT METHOD: | Disposable Baile | | | | |
| | | | | | |
| | | | | | |
| 1. DEPTH TO WELL BOTTO | M (FT BTOC) | = . | 21.84 | WELL ID. 1" | VOL. (GAL/FT 0.04 |
| 2. WATER LEVEL BELOW TO | OP OF CASING (FT BTOC) | = . | 7.95 | 2" | 0.16 |
| 3. WATER COLUMN IN WEL | L (FT) | = . | 13.89 | 3" | 0.38 |
| 4. VOLUME OF WATER/FOO | OT OF CASING (GAL) | = . | 0.16 | 4" | 0.66 |
| 5. VOLUME OF WATER IN C | :ASING (GAL)(#3 x #4) | = . | 2.22 | 5" | 1.04 |
| 6. VOLUME OF WATER TO I | REMOVE (GAL)(#5 x) | = . | 6.67 | 6" | 1.50 |
| 7. VOLUME OF WATER ACT | UALLY REMOVED (GAL) | = . | 8 | 8" | 2.60 |
| | | | | | OR |

V=0.0408 x (CASING DIAMETER)²

| | | | ACCUM | ULATED V | OLUME | PURG | ED (GAI | LONS) | |
|-------------------------|------------|------------|------------|------------|--------------|------|---------|-------|--|
| PARAMETERS | | | | | | | | | |
| nH | 7.34 | 7.21 | 7.14 | 7.11 | | | | | |
| pH | 7.54 | 1.21 | 7.14 | 7.11 | | | | | |
| TEMPERATURE (°F) | 49.22 | 49.95 | 50.12 | 51.54 | | | | | |
| SPEC. COND. (mS/cm) | 0.874 | 0.813 | 0.76 | 0.744 | | | | | |
| ORP (mV) | - | - | - | - | | | | | |
| DISSOLVED OXYGEN (mg/l) | - | - | - | - | | | | | |
| TURBIDITY (NTU) | Above 1000 | Above 1000 | Above 1000 | Above 1000 | | | | | |
| COLOR | Brown | Brown | Brown | Brown | | | | | |
| TIME | 1430 | 1440 | 1450 | 1505 | | | | | |




| PROJECT TITLE: | Pilgrim Village Fami | ly | WELL NO.: | MW5 | |
|--------------------------|--------------------------------|--------------------|------------------|----------------|----------------------|
| PROJECT LOCATION: | 1100 Michigan Avenu | ue, Buffalo, New ` | York | | |
| STAFF: | Buffalo Drilling Company (Deve | lopment) and BE3 | 3Corp (Sampling) | | |
| DATE(S): | January 21 and 22, 2021 | | | | |
| DEVELOPMENT METHOD: | Disposable Baile | | | _ | |
| <u>-</u> | | | | | |
| | | | | | |
| 1. DEPTH TO WELL BOTTOM | Л (FT BTOC) | = | 18.10 | WELL ID. 1" | VOL. (GAL/FT 0.04 |
| 2. WATER LEVEL BELOW TO | OP OF CASING (FT BTOC) | = | 9.19 | 2" | 0.16 |
| 3. WATER COLUMN IN WELL | _ (FT) | = | 8.91 | 3" | 0.38 |
| 4. VOLUME OF WATER/FOO | T OF CASING (GAL) | = | 0.16 | 4" | 0.66 |
| 5. VOLUME OF WATER IN CA | ASING (GAL)(#3 x #4) | = | 1.43 | 5" | 1.04 |
| 6. VOLUME OF WATER TO F | REMOVE (GAL)(#5 x) | = | 4.28 | 6" | 1.50 |
| 7. VOLUME OF WATER ACT | UALLY REMOVED (GAL) | = | 5 | 8" | 2.60 OR |


V=0.0408 x (CASING DIAMETER)²

| | | | ACCUM | ULATED V | OLUME | PURG | ED (GAI | LONS) | |
|-------------------------|------------|------------|------------|------------|-------|------|---------|-------|--|
| PARAMETERS | | | | | | | | | |
| рН | 7.86 | 7.45 | 7.31 | 7.20 | | | | | |
| TEMPERATURE (°F) | 49.46 | 50.16 | 51.23 | 51.20 | | | | | |
| SPEC. COND. (mS/cm) | 0.891 | 0.88 | 0.872 | 0.869 | | | | | |
| ORP (mV) | - | - | - | - | | | | | |
| DISSOLVED OXYGEN (mg/l) | - | - | - | - | | | | | |
| TURBIDITY (NTU) | Above 1000 | Above 1000 | Above 1000 | Above 1000 | | | | | |
| COLOR | Brown | Brown | Brown | Brown | | | | | |
| TIME | 1515 | 1525 | 1535 | 1545 | | | | | |

APPENDIX D RI HYDRAULIC CONDUCTIVITY RESULTS







WELL ID: Pilgrim Village Senior Site MW-03

Local ID: Senior Site MW-03

Date: 1/28/2021

Construction:

Casing dia. (d_c) 2 Inch Annulus dia. (d_w) 4.25 Inch

Screen Length (L) 10 Feet


Depths to:

water level (DTW) 9.4 Feet top of screen (TOS) 2.75 Feet Base of Aquifer (DTB) 25 Feet

Annular Fill:

across screen -- Coarse Sand above screen -- Bentonite

Aquifer Material -- Fine Sand



COMPUTED

 L_{wetted} 3.35 Feet D = 15.6 Feet H = 3.35 Feet $L/r_w = 18.92$

y_{0-DISPLACEMENT} = 1.43 Feet

 $V_{0-SLUG} = 1.17$ Feet

From look-up table using L/r_w

Partial penetrate A = 2.167

B = 0.337

ln(Re/rw) = 1.773


Re = 1.04 Feet

Slope = $0.006147 \log_{10}/\text{sec}$

t_{90%} recovery = 163 sec

Input is consistent.

K = 2.2 Feet/Day




TIME, Minute: Second

 $K = 7.8 \times 10^{-4} \text{ cm/sec}$




WELL ID: Pilgrim Village Family Site MW-04 Construction: Casing dia. (d_c) 2 Inch Annulus dia. (dw) 4.25 Inch Screen Length (L) 10 Feet Depths to: water level (DTW) 8 Feet top of screen (TOS) 12.8 Feet Base of Aquifer (DTB) 25 Feet Annular Fill: across screen -- Coarse Sand above screen -- Bentonite Aquifer Material -- Fine Sand COMPUTED 10 Feet Lwetted D =17 Feet H = 14.8 Feet $L/r_w =$ 56.47 3.57 Feet Y0-DISPLACEMENT = 3.13 Feet y_{0-SLUG} = From look-up table using L/rw Partial penetrate A = 3.313 B = 0.534 ln(Re/rw) =3.021 Re = 3.63 Feet Slope = $0.006147 \log_{10}/\text{sec}$ 163 sec t_{90%} recovery = Input is consistent. K = 1.3 Feet/Day



1/27/2021


Local ID: Family Site MW-04

Date:



 $K = 4.6 \times 10^{-4} \text{ cm/sec}$

| P=3.0000 | Pilgrim Village Fa | Revisions | | |
|---------------|--------------------|-----------|---|------|
| | 1.750.00 | | 1 | |
| CORP | 1100 Michigan A | | | |
| - | Buffalo, New | York | | |
| | | | | |
| February 2021 | MW-04 | SHEET | 4 | of 5 |



APPENDIX E RI ANALYTICAL LABORATORY REPORTS AND DATA USABILITY SUMMARY REPORTS



DATA USABILITY SUMMARY REPORT (DUSR)

Pilgrim Village Senior 951 Ellicott St. Buffalo, NY 14209 **NYSDEC BCP # C915363**

SDG: 210347

4 water samples and 1 trip blank

Prepared for:

BE3 Corp. 960 Busti Avenue Suite 150-B Buffalo, NY 14213 **Attention: John Berry**

March 2021




Table of Contents

| | | | Page No. | | | | |
|----------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------|--|--|--|--|
| REVII | EWER'S NARRATIVE | Ξ | | | | | |
| 1.0 | SUMMARY | | 1 | | | | |
| 2.0 | INTRODUCTION | | 1 | | | | |
| 3.0 | SAMPLE AND ANA | LYSIS SUMMARY | 2 | | | | |
| 4.0 | GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA | | | | | | |
| 5.0 | DATA VALIDATION QUALIFIERS | | | | | | |
| 6.0 | RESULTS OF THE D | OATA REVIEW | 4 | | | | |
| 7.0 | TOTAL USABLE DA | ATA | 4 | | | | |
| APPE | NDIX A NDIX B NDIX C | Validated Analytical Results Laboratory QC Documentation Validator Qualifications | | | | | |
| Table Table | 4-1 Data Validatio | n Guidance Documents ol Criteria for Validating Laboratory Analytica | l Data | | | | |
| Table Table | 6-2 SVOCs 6-3 1,4-Dioxane 6-4 Pesticides 6-5 PCBs 6-6 Metals (total a 6-7 Herbicides | | | | | | |

REVIEWER'S NARRATIVE BE3 SDG 210347: Pilgrim Village

The data associated with this Sample Delivery Group (SDG) 210347, analyzed by Paradigm Environmental Services, Inc. Rochester, NY have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

| Reviewer's Signature: | Míchael K. Perry | Date: | 3/3/2021 | |
|-----------------------|------------------|-------|----------|--|
| _ | Michael K. Perry | | | |
| | Chemist | | | |

1.0 SUMMARY

SITE: Pilgrim Village Family

951 Ellicott St. Buffalo, NY 14209

SAMPLING DATE: January 22, 2021

SAMPLE TYPE: 4 water samples and 1 trip blank

LABORATORY: Paradigm Environmental Services, Inc.

Rochester, NY

SDG No.: 210347

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

BE3 Page 1

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for four water samples and a trip blank collected on January 22, 2021. These samples were analyzed for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), 1,4-Dioxane, Pesticides, PCBs, Metals, Herbicides, and PFASs.

All analyses were performed by Paradigm Environmental Services, Inc., Rochester, NY and analyzed as SDG 210347 except Herbicides and PFASs were analyzed by Alpha Analytical Westborough, MA as SDG L2103742. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents used for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results are listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

BE3 Page 2

TABLE 4-1

DATA VALIDATION GUIDANCE DOCUMENTS

| Analyte Type | Validation Guidance | | | |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| VOCs | USEPA, 2008, Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry; SW-846 Method 8260B; SOP # HW-24, Rev. 2. | | | |
| , 505 | USEPA, 2008, Statement of Work for Organic Analysis of Low/Medium Concentration of Volatile Organic Compounds SQM01.2; SOP HW-33, Rev. 2. | | | |
| SVOCs | USEPA, 2007, Statement of Work for Organic Analysis of Low/Medium Concentration of Semivolatile Organic Compounds SQM01.2; SOP HW-35, Rev. 1. | | | |
| Pesticides/PCBs | USEPA, 2006, CLP Organics Data Review and Preliminary | | | |
| Metals | USEPA, 2006, Validation of Metals for the Contract Laboratory Program (CLP) based on SOW ILMO 5.3 (SOP Revision 13), SOP # HW-2, Rev. 13. | | | |
| Gen Chemistry | NYSDEC, 2005, Analytical Services Protocols (ASP) | | | |
| VOCs (Ambient air) | USEPA, 2006, Validating Air Samples, Volatile Organic Analys of Ambient Air in Canister by Method TO-15; SOP # HW-Rev. 4. | | | |
| Perfluoroalkyl Substances (PFASs) | USEPA, 2018, Data Review and Validation Guidelines for Perfluoroalkyl Substances (PFASs) Analyzed Using EPA Method 537 | | | |

TABLE 4-2

QUALITY CONTROL CRITERIA USED FOR VALIDATING LABORATORY ANALYTICAL DATA

| VOCs | SVOCs | Pesticides/PCBs | Metals | Gen Chemistry | Method TO-15 |
|--------------------------|------------------------|------------------------|----------------------|---------------------|------------------------|
| Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg |
| Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation |
| Holding Time | Holding Time | Holding Time | Holding Time | Holding Times | Holding Time |
| System Monitoring | Surrogate Recoveries | Surrogate Recoveries | Initial/Continuing | Calibration | Canister Certification |
| Compounds | Lab Control Sample | Matrix Spikes | Calibration | Lab Control Samples | Lab Control Sample |
| Lab Control Sample | Matrix Spikes | Blanks | CRDL Standards | Blanks | Instrument Tuning |
| Matrix Spikes | Blanks | Instrument Calibration | Blanks | Spike Recoveries | Blanks |
| Blanks | Instrument Tuning | & Verification | Interference Check | Lab Duplicates | Initial Calibration & |
| Instrument Tuning | Internal Standards | Analyte ID | Sample | | System Performance |
| Internal Standards | Initial Calibration | Lab Qualifiers | Spike Recoveries | | Daily Calibration |
| Initial Calibration | Continuing Calibration | Field Duplicate | Lab Duplicate | | Field Duplicate |
| Continuing Calibration | Lab Qualifiers | - | Lab Control Sample | | |
| Lab Qualifiers | Field Duplicate | | ICP Serial Dilutions | | |
| Field Duplicate | - | | Lab Qualifiers | | |
| | | | Field Duplicate | | |

PFASs
Completeness of Pkg
Sample Preservation
Holding Time
Instr Performance Check **Initial Calibration Continuing Calibration** Blanks
Surrogates
Lab Fortified Blank
Matrix Spikes
Internal Standards

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any \pm value associated with the result is not determined by data validation).
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is *approximate* and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".
- JN The analyte is considered to be "presumptively present." The associated numerical value represents its *approximate* concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated using red ink. Data sheets having qualified data are signed and dated by the data reviewer.

BE3 Page 3

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Tables 6-1 through 6-8. These tables list the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG 210347, six samples were analyzed and results were reported for 975 analytes. Even though some results were flagged with a "J" as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have rejected/qualified and the corresponding QC reasons.

NOTE: 1) The data packages for this project contained no laboratory QC data for the CRDL standard for metals (Form 2B) and the Serial Dilutions of metals (Form 8). Therefore, no evaluation of the CRDL recoveries and the serial dilution results were performed by this data reviewer and no data were qualified as a result.

BE3 Page 4

SDG 210347

Table 6-1 8260 VOCs + TICs

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|------------------------------------------------------------------------------------------------|-----------------------------|----------------|--------------------|
| Trip Blank | Bromomethane 1,1,1-Trichloroethane Carbon tetrachloride 1,2-DCB 1,3-DCB 1,4-DCB n-Butylbenzene | J detects UJ non-detects | CCV > QC limit | Data are estimated |

Table 6-28270 SVOCs + TICs

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|--------------|--------------------------|-------------------------------|------------------------------------------|
| All samples | Benzaldehyde | J detects UJ non-detects | 3 pt. ICAL and CCV > QC limit | Data are estimated |
| All samples | TICs | R | TICs detected in method blank | Appropriate data was changed to rejected |

Table 6-3 1,4-Dioxane

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

SDG 210347

Table 6-4Pesticides

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

Table 6-5 PCBs

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

Table 6-6 Metals (total and dissolved)

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

Table 6-7 Herbicides

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

SDG 210347

Table 6-8 PFAAs

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------------------|--------------------------------|
| All samples | PFHxA | CRQL-U | Detected in method blank | Data was changed to non-detect |

ACRONYMS

BSP Blank Spike

CCAL Continuing Calibration

CCB Continuing Calibration Blank

CCV Continuing Calibration Verification

CRDL Contract Required Detection Limit

CRQL Contract Required Quantitation Limit

%D Percent Difference

ICAL Initial Calibration

ICB Initial Calibration Blank

IS Internal Standard

LCS Laboratory Control Sample

MS/MSD Matrix Spike/Matrix Spike Duplicate

QA Quality Assurance

QC Quality Control

%R Percent recovery

RPD Relative Percent Difference

RRF Relative Response Factor

% RSD Percent Relative Standard Deviation

TAL Target Analyte List (metals)

TCL Target Compound List (organics)

Appendix A

Validated Analytical Results

LAB PROJECT NARRATIVE: 210347 PROJECT NAME: Pilgrim Village Senior

SDG: 0347-01 CLIENT: BE3

Four groundwater samples were collected by the client on January 22, 2021 and were received by the Paradigm Laboratory on January 25, 2021. Samples were accompanied by a trip blank. Containers and holding times were acceptable at the time of receipt; samples were received at 6°C and were on ice. The samples were submitted with the Chains-of-Custody requesting the TCL list for SVOCs, the TCL + CP-51 list for VOCs, Pesticides, TAL Metals, PCBs, Herbicides, PFAs, and 1,4-Dioxane. Tentatively Identified Compounds for VOCs and SVOCs were added to the list of analyses per history of analyses needed at this site. Per an email from the client dated February 02, 2021, dissolved metals were added to the list of analyses. All analyses were performed using EPA SW-846 Methods and the associated holding times.

The items noted in this case narrative address compliance with the referenced methods, NYSDOH ELAP rules, and any project specific data quality requirements. These may be different from the usability criteria referenced in any "Functional Guidelines" or other data review standards used by data validators.

GENERAL NOTES

ALL ANALYSES

The initial and continuing calibration reports are only evaluated for compounds that are on the sample summary report.

Regarding results on QC summary forms versus included raw data, due to calculations made at the instrument where many significant figures may be used, there may be slight discrepancies between the summary report result and that recorded on the raw data. This does not affect data usability.

VOLATILES AND SEMIVOLATILES

Regarding initial calibrations, it should be noted that the Quantitation Report concentrations supplied for the initial calibration reflect the calibration prior to updating. The response factors and areas are correct.

Regarding Quantitation Reports, it should be noted that the "#" symbol that appears on some of the Quantitation Reports is a software artifact and should be disregarded.

Compounds flagged with an "*" on the summary table have been calibrated using a non-average Response Factor calibration curve. The supporting curves are located after the initial calibration table.

VOLATILES

Holding times were met for all samples.

All surrogate recoveries for the samples and associated QC were within acceptance limits.

Site specific QC was not requested on this SDG. The Laboratory Control Samples recovered within acceptance limits.

The Method Blanks were free from contamination within reportable ranges.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standards areas and retention times were within acceptance ranges for the samples and QC.

All data for the initial calibration was within acceptance limits for the reported analytes.

All continuing calibration data was within acceptance limits for the reported analytes with the following exceptions: Bromomethane, Carbon Disulfide, 1,1,1-Trichloroethane, Cyclohexane, Carbon Tetrachloride, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, n-Butylbenzene, and 1,2-Dichlorobenzene were out high in the CCV analyzed on January 28, 2021. This is usable for non-detects only. All samples were non-detect for these compounds.

SEMI-VOLATILES

Holding times were met for all samples.

All surrogate recoveries for the samples and associated QC were within acceptance limits.

Site specific QC was not requested on this SDG. The Laboratory Control Sample recovered within acceptance limits.

The Method Blank was free from contamination within reportable ranges. A few Tentatively Identified Compounds were detected in the Blank. Where there were similarities determined between the TICs found in the Blank and any TICs present in the samples, the sample report was flagged with a "B". Similarities are determined by retention time and chemical name/ molecular formula.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standards areas and retention times were within acceptance ranges for the sample and associated QC.

All data for the initial calibrations was within acceptance limits for the reported analytes, with the following exception: Benzaldehyde and Atrazine did not have the minimum number of points required for the calibration curve. Adequate sensitivity for these analytes is verified by the analysis of a single point 5ppm standard. This is usable for non-detects only. All samples were non-detect for these compounds.

All continuing calibration data was within acceptance limits for the reported analytes, with the following exceptions: Benzaldehyde was out low in the CCV. Sensitivity at the reporting limit for this compound was verified by the analysis of a single point 5ppm standard. This is usable for non-detects only. All samples were non-detect for this compound.

SEMIVOLATILES – 1,4-Dioxane

Holding times were met for all samples.

Site specific QC was not requested on this SDG. The Laboratory Control Sample recovered within acceptance limits.

The Method Blank was free from contamination within reportable ranges.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standard (1,4-Dichlorobenzene) areas and retentions time were within acceptance limits for the sample and the associated QC. The deuterated version of 1,4-Dioxane (1,4-Dioxane-d8) is an isotope, added and extracted during the preparation of the sample, and therefore area acceptance criteria is not applicable, but the retention times were within acceptance limits. The quantification of 1,4-Dioxane is based on the area of 1,4-Dioxane-d8.

All data for initial calibrations were within acceptance limits.

All data for continuing calibrations were within acceptance limits.

PESTICIDES

Holding times were met for all samples.

Surrogate recoveries for the sample and associated QC were within acceptance limits.

Site specific QC was not requested on this SDG. The Laboratory Control Samples recovered within acceptance limits.

The Method Blank was free from contamination within the reportable ranges.

The internal standards areas and retention times were within acceptance ranges for the samples and associated QC with the following exception: The internal standard was out low on the primary column in MW2 and MW22 when compared to the Toxaphene calibration curve. Toxaphene was not detected in any of the samples and the internal standards were within acceptance limits when compared to the single-peak pesticides calibration curve, so the data was deemed usable. Matrix interference is suspected.

All data for the initial calibrations were within acceptance limits. The internal acceptance criteria for the initial calibrations was 0.99 or better for each peak.

All continuing calibration data was within acceptable QC limits, except Decachlorobiphenyl was out high on the primary column in the Toxaphene CCV. Both surrogates recovered within acceptance limits on the secondary column and the CCV was deemed usable.

PCBS

Holding times were met for all samples.

The surrogate (Tetrachloro-m-xylene) recovered within acceptance limits for the samples and associated QC.

Site specific QC was not requested on this SDG. The Laboratory Control Samples recovered within acceptance limits.

The Method Blank was free from contamination within the reportable ranges.

All data for the initial calibrations were within acceptance limits. The internal acceptance criteria for the initial calibrations was 0.99 or better for each peak.

All data for continuing calibrations was within acceptance limits.

METALS

ICP-AES interelement and background corrections were applied. Raw data was not generated before application of background corrections.

Holding times were met for all samples.

Site specific QC was not requested on this SDG but was analyzed on MW22 for ICP metals and on MW 3 for Mercury and all analytes recovered within acceptance limits. The Laboratory Control Samples recovered within acceptable limits. All LCS % differences were within acceptance limits.

The Method Blank was free from contamination within reportable ranges.

All data for the initial calibrations was within acceptance limits.

All continuing calibrations data was within acceptance limits.

Subcontracted Analyses

PFAs by EPA 537 and Herbicides by EPA 8151A were subcontracted to Alpha Analytical of Westborough, MA. Their reports are provided in their entirety as a separate entity after the Paradigm Environmental Services, Inc. report. Separate case narratives addressing the above parameters are included with their reports.

(signed) Steven DeVito — (date) 2/23/2021

Steven DeVito — Technical Director

BATCH LOG

Lab Name: Paradigm Environmental Services

Lab Project #: 210347 Client Name: BE3

Pilgrim Village Senior N/A Client Project Name:

Client Project #: 0347-01 SDG No.:

Report Due Date: 2/9/2021 Batch Due Date: 2/24/2021 Protocol: SW846

| LAB | MATRIX | CLIENT | REQUESTED ANALYSIS | DATE | DATE |
|-------------------------|-------------|-----------------|---------------------------------------------------------------------------------|-----------|-----------|
| SAMPLE NO. | | SAMPLE ID | TIEGOESTES THIN LETOIS | SAMPLED | REC'D |
| 210347-01 | Groundwater | MW1 | Herbicides, Mercury, Metals, PCBs, Pesticides, SVOAs, VOAs, PFAs, Dioxane, TICs | 1/22/2021 | 1/25/2021 |
| 210347-01A | Groundwater | MW1 | Dissolved Mercury, Dissolved Metals | 1/22/2021 | 1/25/2021 |
| 210347-02 | Groundwater | MW2 | Herbicides, Mercury, Metals, PCBs, Pesticides, SVOAs, VOAs, PFAs, Dioxane, TICs | 1/22/2021 | 1/25/2021 |
| 210347-02A | Groundwater | MW2 | Dissolved Mercury, Dissolved Metals | 1/22/2021 | 1/25/2021 |
| 210347-03 | Groundwater | MW3 | Herbicides, Mercury, Metals, PCBs, Pesticides, SVOAs, VOAs, PFAs, Dioxane, TICs | 1/22/2021 | 1/25/2021 |
| 210347-03A | Groundwater | MW3 | Dissolved Mercury, Dissolved Metals | 1/22/2021 | 1/25/2021 |
| 210347-04 | Groundwater | MW22 | Herbicides, Mercury, Metals, PCBs, Pesticides, SVOAs, VOAs, DAs, Distane, TICs | 1/22/2021 | 1/25/2021 |
| 210347-04 210347-04A | Groundwater | MW22 | Dissolved Mercury, Dissolved Metals | 1/22/2021 | 1/25/2021 |
| 210347-047 | Water | TBS Trip Blank | VOAs | 1/22/2021 | 1/25/2021 |
| 210547 05 | Water | TBS TTIP BIGTIK | VON | 1/22/2021 | 1/23/2021 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

MKP 3/1/2021

CHAIN OF CUSTODY

| Á | | | Ĺ |
|---|------|-------|---|
| | PAR/ | ADIGM | |
| ٩ | | | 7 |
| | | | |

| DATE COLLECTED 1 | | 1 | | CLIENT: BEZ CORP ADDRESS: 960 BUSTI AVE CITY: D STATE: | | | LIENT: | | 2 | 7 1 | رو | | | | | | | LAB PROJECT ID |) |
|------------------------------|------------------|-------------------|------------------|-----------------------------------------------------------|--------------------------|------|-----------|---------|---------|-----------|-------|-------|------------|------|-----------------|------|-------------------------------|-------------------------|---------------------------------|
| PILGRIM V SENIO | REFERE | | | ADDRESS: 960 BUSTI AVE | | A | | | | | _ | | | | | | 1 7 1 | | |
| PILGRIM V SENIO | REFERE | | | | | 1 17 | DDRESS | 5: | | | | | | | | | 210 | 347 | |
| PILGRIM V SENIO | REFERE | | | DUFFALO NY | ZIP 1424 | 3 6 | ITY: | | | | | STATE | | | ZIP: | | Quotation | #: | |
| PILGRIM V SENIO | REFERE | | | 716.293.1300 | | P | HONE: | | | | | | | | | | Email: | | |
| SENIO DATE COLLECTED. TIM | | | | Jake Tracy | | A | TTN: | | | | | | | | | | stracy | @be3co | rp. com |
| DATE COLLECTED 1 | | 45 | | Matrix Codes: AQ - Aqueous Liquid NQ - Non-Aqueous Liquid | WA - Water WG - Groun | | г | | DW - [| | | | | | - Soi - Sluc | | SD - Solid PT - Paint | WP - Wipe CK - Caulk | OL - Oil AR - Air |
| JATE COLLECTED 1 | | | | | | | | R | EQU | EST | TED. | ANA | LYS | S | | | | | |
| | TIME DLLECTED | C O M P O S I T E | G R A B | SAMPLE IDENTIFIER | M A T R I | 0 | NUMBER OF | Tel Voc | CL SVOC | as who he | S 406 | Pes+ | J-Dioxello | Ivek | CP-51 VOC | VOAI | SSSA TIG GP 1/25 REMARK | | PARADIGM LA SAMPLE NUMBER |
| 122/21 14 | 1410 | | × | MWI | 1. 1 | 6 | F 'S | | ×× | - \ | 1 | 7 | | | | | email,a | | - |
| | 1430 | | T | MWZ | - 10 | 1 | 10 | | _ | X | 1 1 | | XX | 1 | 1 1 | | | tals (TAL) | 01 |
| | 350 | | | MW3 | | | 10 | | XX | 1 | | | CX | 1 | | 1 | 50 2/2/2 | 24 | |
| | 445 | | 4 | MWZZ | | | | 1 | | | × | | X | × | | | | | 07 |
| | 1100 | | | TBS | 7 | В | 1 | X | | 1 | _ | | | | X | TOP | Blank | • | 05 |
| | | | | | | | | | | | | | | | | | | | |
| | - | | | | | | | | | - | H | | - | | | Aist | for disso | lued alique | + |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 1 1 | | | | | 6 | v | 1/25/211 | 1 - |

| nt upon lab approval; None Required Betch QC | ; additiona | None Required Basic EDD |
|----------------------------------------------------|-------------|--------------------------------------|
| None Required Batch QC | | |
| 4 | | Basic EDD |
| 400000000000000000000000000000000000000 | | |
| Category A | | NYSDEC EDD |
| Category B | X | |
| | | |
| Other please indicate package nee | eded: | Other EDD please indicate EDD needed |
| | Other | |

| Jake Trans | 1/22/21 1300 1420 |
|--------------------------|---------------------------------------------------------|
| Sampled By | Date/Time Total Cost: |
| Lafu Il | 1/22/21 |
| Relinquished By | Date/Time |
| Received By Mach | - 1/22/21 14:20 |
| neceived by | Date/Time |
| Received @ Lab By | Date/Time |
| Custoda Sail AllA Contra | I traced by Pooling Subscribed disease diseasely to sub |

Custods Scal N/A, Samples delivered by Paradism, Subsent directly to sub lab.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse) age 7 of 103621

See additional page for sample conditions.

VOLATILE ORGANICS SAMPLE DATA



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Organics

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier Date Analyzed |
|-----------------------------|---------------|--------------|-------------------------|
| 1,1,1-Trichloroethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,1,2,2-Tetrachloroethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,1,2-Trichloroethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,1-Dichloroethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,1-Dichloroethene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,2,3-Trichlorobenzene | < 5.00 | ug/L | 1/27/2021 20:16 |
| 1,2,4-Trichlorobenzene | < 5.00 | ug/L | 1/27/2021 20:16 |
| 1,2,4-Trimethylbenzene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,2-Dibromo-3-Chloropropane | < 10.0 | ug/L | 1/27/2021 20:16 |
| 1,2-Dibromoethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,2-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,2-Dichloroethane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,2-Dichloropropane | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,3,5-Trimethylbenzene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,3-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,4-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 20:16 |
| 1,4-Dioxane | < 20.0 | ug/L | 1/27/2021 20:16 |
| 2-Butanone | < 10.0 | ug/L | 1/27/2021 20:16 |
| 2-Hexanone | < 5.00 | ug/L | 1/27/2021 20:16 |
| 4-Methyl-2-pentanone | < 5.00 | ug/L | 1/27/2021 20:16 |
| Acetone | < 10.0 | ug/L | 1/27/2021 20:16 |
| Benzene | < 1.00 | ug/L | 1/27/2021 20:16 |
| Bromochloromethane | < 5.00 | ug/L | 1/27/2021 20:16 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| | ingriii viiiage seiiioi | | | | |
|-------------------------|-------------------------|------|----------------|-----------|-------|
| Sample Identifier: | MW1 | | | | |
| Lab Sample ID: | 210347-01 | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 | |
| Bromodichloromethane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Bromoform | < 5.00 | ug/L | | 1/27/2021 | 20:16 |
| Bromomethane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Carbon disulfide | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Carbon Tetrachloride | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Chlorobenzene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Chloroethane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Chloroform | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Chloromethane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| cis-1,2-Dichloroethene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| cis-1,3-Dichloropropene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Cyclohexane | < 10.0 | ug/L | | 1/27/2021 | 20:16 |
| Dibromochloromethane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Dichlorodifluoromethan | e < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Ethylbenzene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Freon 113 | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Isopropylbenzene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| m,p-Xylene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Methyl acetate | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Methyl tert-butyl Ether | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Methylcyclohexane | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| Methylene chloride | < 5.00 | ug/L | | 1/27/2021 | 20:16 |
| Naphthalene | < 5.00 | ug/L | | 1/27/2021 | 20:16 |
| n-Butylbenzene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| n-Propylbenzene | < 2.00 | ug/L | | 1/27/2021 | 20:16 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW1 | | | | | |
|-------------------------|-------------|-----------------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210347-01 | | Date | Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date | Received: | 1/25/2021 | |
| o-Xylene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| p-Isopropyltoluene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| sec-Butylbenzene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Styrene | < 5.00 | ug/L | | | 1/27/2021 | 20:16 |
| tert-Butylbenzene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Tetrachloroethene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Toluene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| trans-1,2-Dichloroethen | e < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| trans-1,3-Dichloroprope | ene < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Trichloroethene | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Trichlorofluoromethane | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Vinyl chloride | < 2.00 | ug/L | | | 1/27/2021 | 20:16 |
| Surrogate | P | ercent Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | 106 | 64 - 142 | | 1/27/2021 | 20:16 |
| 4-Bromofluorobenzene | | 68.6 | 37.2 - 146 | | 1/27/2021 | 20:16 |
| Pentafluorobenzene | | 93.9 | 91.4 - 114 | | 1/27/2021 | 20:16 |

86.6

73.1 - 120

Method Reference(s): EPA 8260C

Toluene-D8

EPA 5030C

Data File: x76158.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/27/2021

20:16



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 5.00 | ug/L | | 1/27/2021 |
| Total Reported TICS | < 5.00 | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8260C

EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Organics

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|--------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,1,2,2-Tetrachloroethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,1,2-Trichloroethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,1-Dichloroethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,1-Dichloroethene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,2,3-Trichlorobenzene | < 5.00 | ug/L | | 1/27/2021 20:39 |
| 1,2,4-Trichlorobenzene | < 5.00 | ug/L | | 1/27/2021 20:39 |
| 1,2,4-Trimethylbenzene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,2-Dibromo-3-Chloropropane | < 10.0 | ug/L | | 1/27/2021 20:39 |
| 1,2-Dibromoethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,2-Dichlorobenzene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,2-Dichloroethane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,2-Dichloropropane | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,3,5-Trimethylbenzene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,3-Dichlorobenzene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,4-Dichlorobenzene | < 2.00 | ug/L | | 1/27/2021 20:39 |
| 1,4-Dioxane | < 20.0 | ug/L | | 1/27/2021 20:39 |
| 2-Butanone | < 10.0 | ug/L | | 1/27/2021 20:39 |
| 2-Hexanone | < 5.00 | ug/L | | 1/27/2021 20:39 |
| 4-Methyl-2-pentanone | < 5.00 | ug/L | | 1/27/2021 20:39 |
| Acetone | 8.50 | ug/L | J | 1/27/2021 20:39 |
| Benzene | < 1.00 | ug/L | | 1/27/2021 20:39 |
| Bromochloromethane | < 5.00 | ug/L | | 1/27/2021 20:39 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW2 | | | |
|-------------------------|-------------|------|----------------|-------------|
| Lab Sample ID: | 210347-02 | | Date Sampled: | 1/22/2021 |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 |
| Bromodichloromethane | < 2.00 | ug/L | | 1/27/2021 2 |
| Bromoform | < 5.00 | ug/L | | 1/27/2021 2 |
| Bromomethane | < 2.00 | ug/L | | 1/27/2021 2 |
| Carbon disulfide | < 2.00 | ug/L | | 1/27/2021 2 |
| Carbon Tetrachloride | < 2.00 | ug/L | | 1/27/2021 2 |
| Chlorobenzene | < 2.00 | ug/L | | 1/27/2021 2 |
| Chloroethane | < 2.00 | ug/L | | 1/27/2021 2 |
| Chloroform | < 2.00 | ug/L | | 1/27/2021 2 |
| Chloromethane | < 2.00 | ug/L | | 1/27/2021 2 |
| cis-1,2-Dichloroethene | < 2.00 | ug/L | | 1/27/2021 2 |
| cis-1,3-Dichloropropene | < 2.00 | ug/L | | 1/27/2021 2 |
| Cyclohexane | < 10.0 | ug/L | | 1/27/2021 2 |
| Dibromochloromethane | < 2.00 | ug/L | | 1/27/2021 2 |
| Dichlorodifluoromethane | < 2.00 | ug/L | | 1/27/2021 2 |
| Ethylbenzene | < 2.00 | ug/L | | 1/27/2021 2 |
| Freon 113 | < 2.00 | ug/L | | 1/27/2021 2 |
| Isopropylbenzene | < 2.00 | ug/L | | 1/27/2021 2 |
| m,p-Xylene | < 2.00 | ug/L | | 1/27/2021 2 |
| Methyl acetate | < 2.00 | ug/L | | 1/27/2021 2 |
| Methyl tert-butyl Ether | < 2.00 | ug/L | | 1/27/2021 2 |
| Methylcyclohexane | < 2.00 | ug/L | | 1/27/2021 2 |
| Methylene chloride | < 5.00 | ug/L | | 1/27/2021 2 |
| Naphthalene | 4.46 | ug/L | J | 1/27/2021 2 |
| n-Butylbenzene | < 2.00 | ug/L | | 1/27/2021 2 |
| n-Propylbenzene | < 2.00 | ug/L | | 1/27/2021 2 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW2 | | | | | |
|-------------------------|-------------|------------------|------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210347-02 | | Date | e Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date | e Received: | 1/25/2021 | |
| o-Xylene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| p-Isopropyltoluene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| sec-Butylbenzene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Styrene | < 5.00 | ug/L | | | 1/27/2021 | 20:39 |
| tert-Butylbenzene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Tetrachloroethene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Toluene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| trans-1,2-Dichloroether | ne < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| trans-1,3-Dichloroprop | ene < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Trichloroethene | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Trichlorofluoromethan | e < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| Vinyl chloride | < 2.00 | ug/L | | | 1/27/2021 | 20:39 |
| <u>Surrogate</u> | J | Percent Recovery | | <u>Outliers</u> | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | 110 | 64 - 142 | | 1/27/2021 | 20:39 |
| 4-Bromofluorobenzene | | 71.9 | 37.2 - 146 | | 1/27/2021 | 20:39 |
| Pentafluorobenzene | | 93.5 | 91.4 - 114 | | 1/27/2021 | 20:39 |
| Toluene-D8 | | 80.7 | 73.1 - 120 | | 1/27/2021 | 20:39 |

Method Reference(s): EPA 8260C

EPA 5030C

Data File: x76159.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 7.12 J | ug/L | | 1/27/2021 |
| Unknown Aromatic | 6.07 J | ug/L | | 1/27/2021 |
| Unknown | 8.31 J | ug/L | | 1/27/2021 |
| Unknown Aromatic | 10.8 J | ug/L | | 1/27/2021 |
| Unknown Aromatic | 7.08 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 39.4 | ug/L | | 1/27/2021 |
| | | | | |

Method Reference(s): EPA 8260C EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Organics

| Analyte | Result | <u>Units</u> | Qualifier Date | Analyzed |
|-----------------------------|--------|--------------|----------------|------------|
| 1,1,1-Trichloroethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,1,2,2-Tetrachloroethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,1,2-Trichloroethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,1-Dichloroethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,1-Dichloroethene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2,3-Trichlorobenzene | < 5.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2,4-Trichlorobenzene | < 5.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2,4-Trimethylbenzene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2-Dibromo-3-Chloropropane | < 10.0 | ug/L | 1/27/ | 2021 21:02 |
| 1,2-Dibromoethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2-Dichlorobenzene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2-Dichloroethane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,2-Dichloropropane | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,3,5-Trimethylbenzene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,3-Dichlorobenzene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,4-Dichlorobenzene | < 2.00 | ug/L | 1/27/ | 2021 21:02 |
| 1,4-Dioxane | < 20.0 | ug/L | 1/27/ | 2021 21:02 |
| 2-Butanone | < 10.0 | ug/L | 1/27/ | 2021 21:02 |
| 2-Hexanone | < 5.00 | ug/L | 1/27/ | 2021 21:02 |
| 4-Methyl-2-pentanone | < 5.00 | ug/L | 1/27/ | 2021 21:02 |
| Acetone | 72.9 | ug/L | 1/27/ | 2021 21:02 |
| Benzene | < 1.00 | ug/L | 1/27/ | 2021 21:02 |
| Bromochloromethane | < 5.00 | ug/L | 1/27/ | 2021 21:02 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Village Senior | | | | |
|-------------------------|------------------------|------|----------------|-----------|-------|
| Sample Identifier: | MW3 | | | | |
| Lab Sample ID: | 210347-03 | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 | |
| Bromodichloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Bromoform | < 5.00 | ug/L | | 1/27/2021 | 21:02 |
| Bromomethane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Carbon disulfide | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Carbon Tetrachloride | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Chlorobenzene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Chloroethane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Chloroform | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Chloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| cis-1,2-Dichloroethene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| cis-1,3-Dichloropropene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Cyclohexane | < 10.0 | ug/L | | 1/27/2021 | 21:02 |
| Dibromochloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Dichlorodifluoromethan | e < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Ethylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Freon 113 | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Isopropylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| m,p-Xylene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Methyl acetate | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Methyl tert-butyl Ether | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Methylcyclohexane | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| Methylene chloride | < 5.00 | ug/L | | 1/27/2021 | 21:02 |
| Naphthalene | < 5.00 | ug/L | | 1/27/2021 | 21:02 |
| n-Butylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| n-Propylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:02 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW3 | | | | | |
|-------------------------|-------------|----------------|------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210347-03 | | Date | e Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date | e Received: | 1/25/2021 | |
| o-Xylene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| p-Isopropyltoluene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| sec-Butylbenzene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Styrene | < 5.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| tert-Butylbenzene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Tetrachloroethene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Toluene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| trans-1,2-Dichloroether | ne < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| trans-1,3-Dichloroprope | ene < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Trichloroethene | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Trichlorofluoromethane | e < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Vinyl chloride | < 2.0 | 0 ug/L | | | 1/27/2021 | 21:02 |
| Surrogate | | Percent Recove | ry Limits | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | 110 | 64 - 142 | | 1/27/2021 | 21:02 |
| 4-Bromofluorobenzene | | 69.0 | 37.2 - 146 | | 1/27/2021 | 21:02 |
| Pentafluorobenzene | | 92.1 | 91.4 - 114 | | 1/27/2021 | 21:02 |

84.3

73.1 - 120

Method Reference(s): EPA 8260C

Toluene-D8

EPA 5030C **Data File:** x76160.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/27/2021

21:02



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Tentatively Identified Compounds

| <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------|------------------|-------------------------|-------------------------|
| 22.0 J | ug/L | | 1/27/2021 |
| 7.31 J | ug/L | | 1/27/2021 |
| 29.3 | ug/L | | 1/27/2021 |
| | 22.0 J 7.31 J | 22.0 J ug/L 7.31 J ug/L | 22.0 J ug/L 7.31 J ug/L |

Method Reference(s): EPA 8260C EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Organics

| Analyte | Result | <u>Units</u> | Qualifier Date Analyzed |
|-----------------------------|--------|--------------|-------------------------|
| 1,1,1-Trichloroethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,1,2,2-Tetrachloroethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,1,2-Trichloroethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,1-Dichloroethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,1-Dichloroethene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,2,3-Trichlorobenzene | < 5.00 | ug/L | 1/27/2021 21:25 |
| 1,2,4-Trichlorobenzene | < 5.00 | ug/L | 1/27/2021 21:25 |
| 1,2,4-Trimethylbenzene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,2-Dibromo-3-Chloropropane | < 10.0 | ug/L | 1/27/2021 21:25 |
| 1,2-Dibromoethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,2-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,2-Dichloroethane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,2-Dichloropropane | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,3,5-Trimethylbenzene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,3-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,4-Dichlorobenzene | < 2.00 | ug/L | 1/27/2021 21:25 |
| 1,4-Dioxane | < 20.0 | ug/L | 1/27/2021 21:25 |
| 2-Butanone | < 10.0 | ug/L | 1/27/2021 21:25 |
| 2-Hexanone | < 5.00 | ug/L | 1/27/2021 21:25 |
| 4-Methyl-2-pentanone | < 5.00 | ug/L | 1/27/2021 21:25 |
| Acetone | < 10.0 | ug/L | 1/27/2021 21:25 |
| Benzene | < 1.00 | ug/L | 1/27/2021 21:25 |
| Bromochloromethane | < 5.00 | ug/L | 1/27/2021 21:25 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW22 | | | | |
|-------------------------|-------------|------|----------------|-----------|-------|
| Lab Sample ID: | 210347-04 | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 | |
| Bromodichloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Bromoform | < 5.00 | ug/L | | 1/27/2021 | 21:25 |
| Bromomethane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Carbon disulfide | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Carbon Tetrachloride | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Chlorobenzene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Chloroethane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Chloroform | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Chloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| cis-1,2-Dichloroethene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| cis-1,3-Dichloropropene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Cyclohexane | < 10.0 | ug/L | | 1/27/2021 | 21:25 |
| Dibromochloromethane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Dichlorodifluoromethan | e < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Ethylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Freon 113 | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Isopropylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| m,p-Xylene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Methyl acetate | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Methyl tert-butyl Ether | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Methylcyclohexane | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| Methylene chloride | < 5.00 | ug/L | | 1/27/2021 | 21:25 |
| Naphthalene | 4.71 | ug/L | J | 1/27/2021 | 21:25 |
| n-Butylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| n-Propylbenzene | < 2.00 | ug/L | | 1/27/2021 | 21:25 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW22 | | | | | | |
|--------------------------|-------------|-------|-------------|---------------|-----------------|------------|-------|
| Lab Sample ID: | 210347-04 | | | Date | e Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | | Date | e Received: | 1/25/2021 | |
| o-Xylene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| p-Isopropyltoluene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| sec-Butylbenzene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Styrene | < 5 | 5.00 | ug/L | | | 1/27/2021 | 21:25 |
| tert-Butylbenzene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Tetrachloroethene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Toluene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| trans-1,2-Dichloroethene | e < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| trans-1,3-Dichloroprope | ne < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Trichloroethene | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Trichlorofluoromethane | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| Vinyl chloride | < 2 | 2.00 | ug/L | | | 1/27/2021 | 21:25 |
| <u>Surrogate</u> | | Perce | nt Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 114 | 64 - 142 | | 1/27/2021 | 21:25 |
| 4-Bromofluorobenzene | | | 70.0 | 37.2 - 146 | | 1/27/2021 | 21:25 |
| Pentafluorobenzene | | | 92.4 | 91.4 - 114 | | 1/27/2021 | 21:25 |
| | | | | | | | |

80.6

73.1 - 120

Method Reference(s): EPA 8260C

Toluene-D8

EPA 5030C

Data File: x76161.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/27/2021

21:25



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|-------------------|--------------|------------------|----------------------|
| Unknown Aromatic | 6.38 J | ug/L | | 1/27/2021 |
| Unknown | 8.92 J | ug/L | | 1/27/2021 |
| Unknown Aromatic | 7.54 J | ug/L | | 1/27/2021 |
| Unknown Aromatic | 12.8 ^J | ug/L | | 1/27/2021 |
| Unknown | 7.68 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 43.4 J | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8260C EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: TBS Trip Blank

Lab Sample ID:210347-05Date Sampled:1/22/2021Matrix:WaterDate Received:1/25/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|------------------|-----------------|
| 1,1,1-Trichloroethane | < 2.00 UJ | ug/L | | 1/28/2021 13:34 |
| 1,1,2,2-Tetrachloroethane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,1,2-Trichloroethane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,1-Dichloroethane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,1-Dichloroethene | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,2,3-Trichlorobenzene | < 5.00 | ug/L | | 1/28/2021 13:34 |
| 1,2,4-Trichlorobenzene | < 5.00 | ug/L | | 1/28/2021 13:34 |
| 1,2,4-Trimethylbenzene | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,2-Dibromo-3-Chloropropane | < 10.0 | ug/L | | 1/28/2021 13:34 |
| 1,2-Dibromoethane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,2-Dichlorobenzene | < 2.00 UJ | ug/L | | 1/28/2021 13:34 |
| 1,2-Dichloroethane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,2-Dichloropropane | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,3,5-Trimethylbenzene | < 2.00 | ug/L | | 1/28/2021 13:34 |
| 1,3-Dichlorobenzene | < 2.00 UJ | ug/L | | 1/28/2021 13:34 |
| 1,4-Dichlorobenzene | < 2.00 UJ | ug/L | | 1/28/2021 13:34 |
| 1,4-Dioxane | < 20.0 | ug/L | | 1/28/2021 13:34 |
| 2-Butanone | < 10.0 | ug/L | | 1/28/2021 13:34 |
| 2-Hexanone | < 5.00 | ug/L | | 1/28/2021 13:34 |
| 4-Methyl-2-pentanone | < 5.00 | ug/L | | 1/28/2021 13:34 |
| Acetone | < 10.0 | ug/L | | 1/28/2021 13:34 |
| Benzene | < 1.00 | ug/L | | 1/28/2021 13:34 |
| Bromochloromethane | < 5.00 | ug/L | | 1/28/2021 13:34 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | TBS Trip Bla | nk | | | | |
|-------------------------|--------------|-----------|------|----------------|-----------|-------|
| Lab Sample ID: | 210347-05 | • | | Date Sampled: | 1/22/2021 | |
| Matrix: | Water | | | Date Received: | 1/25/2021 | |
| Bromodichloromethane | <u> </u> | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Bromoform | | < 5.00 | ug/L | | 1/28/2021 | 13:34 |
| Bromomethane | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Carbon disulfide | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Carbon Tetrachloride | | < 2.00 UJ | ug/L | | 1/28/2021 | 13:34 |
| Chlorobenzene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Chloroethane | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Chloroform | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Chloromethane | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| cis-1,2-Dichloroethene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| cis-1,3-Dichloropropene | e | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Cyclohexane | | < 10.0 UJ | ug/L | | 1/28/2021 | 13:34 |
| Dibromochloromethane | 9 | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Dichlorodifluoromethar | ne | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Ethylbenzene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Freon 113 | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Isopropylbenzene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| m,p-Xylene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Methyl acetate | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Methyl tert-butyl Ether | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Methylcyclohexane | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| Methylene chloride | | < 5.00 | ug/L | | 1/28/2021 | 13:34 |
| Naphthalene | | < 5.00 | ug/L | | 1/28/2021 | 13:34 |
| n-Butylbenzene | | < 2.00 UJ | ug/L | | 1/28/2021 | 13:34 |
| n-Propylbenzene | | < 2.00 | ug/L | | 1/28/2021 | 13:34 |
| | | | | | | |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

MKP



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | TBS Trip Bla | nk | | | | | |
|-------------------------|--------------|--------|----------------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210347-05 | | | Dat | te Sampled: | 1/22/2021 | |
| Matrix: | Water | | | Dat | te Received: | 1/25/2021 | |
| o-Xylene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| p-Isopropyltoluene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| sec-Butylbenzene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Styrene | | < 5.00 | ug/L | | | 1/28/2021 | 13:34 |
| tert-Butylbenzene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Tetrachloroethene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Toluene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| trans-1,2-Dichloroether | ne | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| trans-1,3-Dichloroprop | ene | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Trichloroethene | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Trichlorofluoromethan | e | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| Vinyl chloride | | < 2.00 | ug/L | | | 1/28/2021 | 13:34 |
| <u>Surrogate</u> | | Pe | rcent Recovery | Limits | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 117 | 64 - 142 | | 1/28/2021 | 13:34 |
| 4-Bromofluorobenzene | | | 62.6 | 37.2 - 146 | | 1/28/2021 | 13:34 |
| Pentafluorobenzene | | | 98.6 | 91.4 - 114 | | 1/28/2021 | 13:34 |

76.8

73.1 - 120

Method Reference(s): EPA 8260C

Toluene-D8

EPA 5030C

Data File: x76175.D

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/28/2021

13:34



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: TBS Trip Blank

Lab Sample ID:210347-05Date Sampled:1/22/2021Matrix:WaterDate Received:1/25/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 5.00 | ug/L | | 1/28/2021 |
| Total Reported TICS | < 5.00 | ug/L | | 1/28/2021 |

Method Reference(s): EPA 8260C

EPA 5030C

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

SEMIVOLATILE ORGANICS SAMPLE DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 1,2,4,5-Tetrachlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 1,2,4-Trichlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 1,2-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 1,3-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 1,4-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,2-Oxybis (1-chloropropane) | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,3,4,6-Tetrachlorophenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,4,5-Trichlorophenol | < 20.0 | ug/L | | 1/27/2021 03:43 |
| 2,4,6-Trichlorophenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,4-Dichlorophenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,4-Dimethylphenol | < 20.0 | ug/L | | 1/27/2021 03:43 |
| 2,4-Dinitrophenol | < 20.0 | ug/L | | 1/27/2021 03:43 |
| 2,4-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2,6-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2-Chloronaphthalene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2-Chlorophenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2-Methylnapthalene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2-Methylphenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 2-Nitroaniline | < 20.0 | ug/L | | 1/27/2021 03:43 |
| 2-Nitrophenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 3&4-Methylphenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| 3,3'-Dichlorobenzidine | < 10.0 | ug/L | | 1/27/2021 03:43 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| <u>-</u> | | | | | | |
|-------------------------|------------|-----------|------|----------------|-----------|-------|
| Sample Identifier: | MW1 | | | | | |
| Lab Sample ID: | 210347-01 | | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwate | r | | Date Received: | 1/25/2021 | |
| 3-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 03:43 |
| 4,6-Dinitro-2-methylph | nenol | < 20.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Bromophenyl phenyl | l ether | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Chloro-3-methylpher | nol | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Chloroaniline | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Chlorophenyl phenyl | ether | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 03:43 |
| 4-Nitrophenol | | < 20.0 | ug/L | | 1/27/2021 | 03:43 |
| Acenaphthene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Acenaphthylene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Acetophenone | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Anthracene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Atrazine | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Benzaldehyde | | < 10.0 UJ | ug/L | | 1/27/2021 | 03:43 |
| Benzo (a) anthracene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Benzo (a) pyrene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Benzo (b) fluoranthene | 2 | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Benzo (g,h,i) perylene | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Benzo (k) fluoranthene | 2 | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Bis (2-chloroethoxy) m | ethane | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Bis (2-chloroethyl) eth | er | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Bis (2-ethylhexyl) phth | alate | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Butylbenzylphthalate | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Caprolactam | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| Carbazole | | < 10.0 | ug/L | | 1/27/2021 | 03:43 |
| | | | | | | |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW1 | | | |
|-------------------------|-------------|------|----------------|-----------------|
| Lab Sample ID: | 210347-01 | | Date Sampled: | 1/22/2021 |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 |
| Chrysene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Dibenz (a,h) anthracene | | ug/L | | 1/27/2021 03:43 |
| Dibenzofuran | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Diethyl phthalate | < 10.0 | ug/L | | 1/27/2021 03:43 |
| • • | | • | | |
| Dimethyl phthalate | < 20.0 | ug/L | | 1/27/2021 03:43 |
| Di-n-butyl phthalate | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Di-n-octylphthalate | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Fluoranthene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Fluorene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Hexachlorobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Hexachlorobutadiene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Hexachlorocyclopentad | iene < 10.0 | ug/L | | 1/27/2021 03:43 |
| Hexachloroethane | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Indeno (1,2,3-cd) pyren | e < 10.0 | ug/L | | 1/27/2021 03:43 |
| Isophorone | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Naphthalene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Nitrobenzene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| N-Nitroso-di-n-propyla | mine < 10.0 | ug/L | | 1/27/2021 03:43 |
| N-Nitrosodiphenylamin | e < 10.0 | ug/L | | 1/27/2021 03:43 |
| Pentachlorophenol | < 20.0 | ug/L | | 1/27/2021 03:43 |
| Phenanthrene | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Phenol | < 10.0 | ug/L | | 1/27/2021 03:43 |
| Pyrene | < 10.0 | ug/L | | 1/27/2021 03:43 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 6.50 R | ug/L | В | 1/27/2021 |
| Unknown | 10.1 R | ug/L | В | 1/27/2021 |
| Unknown | 5.40 J | ug/L | | 1/27/2021 |
| Unknown | 19.5 J | ug/L | | 1/27/2021 |
| Unknown | 7.60 J | ug/L | | 1/27/2021 |
| Unknown Amide | 4.80 J | ug/L | | 1/27/2021 |
| Unknown Amide | 72.4 R | ug/L | В | 1/27/2021 |
| Unknown Amide | 5.20 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 132 | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8270D

EPA 3510C

Preparation 1/26/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 1,2,4,5-Tetrachlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 1,2,4-Trichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 1,2-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 1,3-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 1,4-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,2-Oxybis (1-chloropropane) | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,3,4,6-Tetrachlorophenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,4,5-Trichlorophenol | < 20.0 | ug/L | | 1/27/2021 04:12 |
| 2,4,6-Trichlorophenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,4-Dichlorophenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,4-Dimethylphenol | < 20.0 | ug/L | | 1/27/2021 04:12 |
| 2,4-Dinitrophenol | < 20.0 | ug/L | | 1/27/2021 04:12 |
| 2,4-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2,6-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2-Chloronaphthalene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2-Chlorophenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2-Methylnapthalene | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2-Methylphenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 2-Nitroaniline | < 20.0 | ug/L | | 1/27/2021 04:12 |
| 2-Nitrophenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 3&4-Methylphenol | < 10.0 | ug/L | | 1/27/2021 04:12 |
| 3,3'-Dichlorobenzidine | < 10.0 | ug/L | | 1/27/2021 04:12 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | | nage benner | | | | |
|--------------------------------------|-----------------|-------------|------|----------------|-----------|-------|
| Sample Identifier: Lab Sample ID: | MW2 210347-0 | 02 | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundw | | | Date Received: | 1/25/2021 | |
| 3-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| 4,6-Dinitro-2-methy | lphenol | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Bromophenyl phe | nyl ether | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Chloro-3-methylpl | nenol | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Chloroaniline | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Chlorophenyl phe | nyl ether | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| 4-Nitrophenol | | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| Acenaphthene | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Acenaphthylene | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Acetophenone | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Anthracene | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Atrazine | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Benzaldehyde | | < 10.0 UJ | ug/L | | 1/27/2021 | 04:12 |
| Benzo (a) anthracen | e | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Benzo (a) pyrene | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Benzo (b) fluoranthe | ene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Benzo (g,h,i) perylen | ie | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Benzo (k) fluoranthe | ene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Bis (2-chloroethoxy) | methane | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Bis (2-chloroethyl) e | ther | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Bis (2-ethylhexyl) pl | nthalate | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Butylbenzylphthalat | e | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Caprolactam | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Carbazole | | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW2 | | | | |
|-------------------------|-------------|------|----------------|-----------|-------|
| Lab Sample ID: | 210347-02 | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 | |
| Chrysene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Dibenz (a,h) anthracene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Dibenzofuran | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Diethyl phthalate | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Dimethyl phthalate | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| Di-n-butyl phthalate | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Di-n-octylphthalate | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Fluoranthene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Fluorene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Hexachlorobenzene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Hexachlorobutadiene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Hexachlorocyclopentad | iene < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Hexachloroethane | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Indeno (1,2,3-cd) pyren | e < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Isophorone | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Naphthalene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Nitrobenzene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| N-Nitroso-di-n-propyla | mine < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| N-Nitrosodiphenylamin | e < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Pentachlorophenol | < 20.0 | ug/L | | 1/27/2021 | 04:12 |
| Phenanthrene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Phenol | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| Pyrene | < 10.0 | ug/L | | 1/27/2021 | 04:12 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|-------------------|--------------|------------------|----------------------|
| Unknown | 13.2 R | ug/L | В | 1/27/2021 |
| Unknown | 53.6 J | ug/L | | 1/27/2021 |
| Unknown | 15.4 J | ug/L | | 1/27/2021 |
| n-Hexadecanoic Acid | 6.90 J | ug/L | | 1/27/2021 |
| Unknown | 9.00 ^J | ug/L | | 1/27/2021 |
| Unknown Amide | 11.0 J | ug/L | | 1/27/2021 |
| Unknown Amide | 161 R | ug/L | В | 1/27/2021 |
| Unknown Amide | 5.80 J | ug/L | | 1/27/2021 |
| Unknown Amide | 13.6 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 290 | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8270D EPA 3510C

Preparation 1/26/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 1,2,4,5-Tetrachlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 1,2,4-Trichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 1,2-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 1,3-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 1,4-Dichlorobenzene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,2-0xybis (1-chloropropane) | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,3,4,6-Tetrachlorophenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,4,5-Trichlorophenol | < 20.0 | ug/L | | 1/27/2021 04:42 |
| 2,4,6-Trichlorophenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,4-Dichlorophenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,4-Dimethylphenol | < 20.0 | ug/L | | 1/27/2021 04:42 |
| 2,4-Dinitrophenol | < 20.0 | ug/L | | 1/27/2021 04:42 |
| 2,4-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2,6-Dinitrotoluene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2-Chloronaphthalene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2-Chlorophenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2-Methylnapthalene | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2-Methylphenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 2-Nitroaniline | < 20.0 | ug/L | | 1/27/2021 04:42 |
| 2-Nitrophenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 3&4-Methylphenol | < 10.0 | ug/L | | 1/27/2021 04:42 |
| 3,3'-Dichlorobenzidine | < 10.0 | ug/L | | 1/27/2021 04:42 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Villag | e Senior | | | | |
|-----------------------|----------------|-----------|------|----------------|-----------|-------|
| Sample Identifier: | MW3 | | | | | |
| Lab Sample ID: | 210347-03 | | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwate | r | | Date Received: | 1/25/2021 | |
| 3-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| 4,6-Dinitro-2-methy | lphenol | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Bromophenyl phe | nyl ether | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Chloro-3-methylp | henol | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Chloroaniline | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Chlorophenyl phe | nyl ether | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| 4-Nitrophenol | | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| Acenaphthene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Acenaphthylene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Acetophenone | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Anthracene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Atrazine | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Benzaldehyde | | < 10.0 UJ | ug/L | | 1/27/2021 | 04:42 |
| Benzo (a) anthracen | e | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Benzo (a) pyrene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Benzo (b) fluorantho | ene | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Benzo (g,h,i) peryler | ne | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Benzo (k) fluorantho | ene | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Bis (2-chloroethoxy) |) methane | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Bis (2-chloroethyl) | ether | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Bis (2-ethylhexyl) pl | hthalate | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Butylbenzylphthalat | te | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Caprolactam | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| Carbazole | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sa | mple Identifier: | MW3 | | | | | |
|----|-------------------------|------------|--------|------|----------------|-----------|-------|
| La | b Sample ID: | 210347-03 | | | Date Sampled: | 1/22/2021 | |
| Ma | atrix: | Groundwate | r | | Date Received: | 1/25/2021 | |
| - | Chrysene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Dibenz (a,h) anthracene | ! | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Dibenzofuran | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Diethyl phthalate | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Dimethyl phthalate | | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| | Di-n-butyl phthalate | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Di-n-octylphthalate | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Fluoranthene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Fluorene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Hexachlorobenzene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Hexachlorobutadiene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Hexachlorocyclopentad | iene | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Hexachloroethane | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Indeno (1,2,3-cd) pyren | e | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Isophorone | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Naphthalene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Nitrobenzene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | N-Nitroso-di-n-propylai | mine | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | N-Nitrosodiphenylamin | e | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Pentachlorophenol | | < 20.0 | ug/L | | 1/27/2021 | 04:42 |
| | Phenanthrene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Phenol | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | Pyrene | | < 10.0 | ug/L | | 1/27/2021 | 04:42 |
| | | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 18.9 R | ug/L | В | 1/27/2021 |
| Unknown | 5.90 R | ug/L | В | 1/27/2021 |
| Unknown | 31.3 J | ug/L | | 1/27/2021 |
| Unknown | 6.50 J | ug/L | | 1/27/2021 |
| Unknown | 7.00 J | ug/L | | 1/27/2021 |
| Unknown Amide | 11.1 J | ug/L | | 1/27/2021 |
| Unknown Amide | 166 R | ug/L | В | 1/27/2021 |
| Unknown Amide | 6.20 J | ug/L | | 1/27/2021 |
| Unknown Amide | 13.5 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 258 | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8270D EPA 3510C

Preparation 1/26/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier Date Analyzed |
|------------------------------|---------------|--------------|-------------------------|
| 1,1-Biphenyl | < 10.0 | ug/L | 1/27/2021 05:11 |
| 1,2,4,5-Tetrachlorobenzene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 1,2,4-Trichlorobenzene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 1,2-Dichlorobenzene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 1,3-Dichlorobenzene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 1,4-Dichlorobenzene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,2-Oxybis (1-chloropropane) | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,3,4,6-Tetrachlorophenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,4,5-Trichlorophenol | < 20.0 | ug/L | 1/27/2021 05:11 |
| 2,4,6-Trichlorophenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,4-Dichlorophenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,4-Dimethylphenol | < 20.0 | ug/L | 1/27/2021 05:11 |
| 2,4-Dinitrophenol | < 20.0 | ug/L | 1/27/2021 05:11 |
| 2,4-Dinitrotoluene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2,6-Dinitrotoluene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2-Chloronaphthalene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2-Chlorophenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2-Methylnapthalene | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2-Methylphenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 2-Nitroaniline | < 20.0 | ug/L | 1/27/2021 05:11 |
| 2-Nitrophenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 3&4-Methylphenol | < 10.0 | ug/L | 1/27/2021 05:11 |
| 3,3'-Dichlorobenzidine | < 10.0 | ug/L | 1/27/2021 05:11 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW22 | | | | | |
|-------------------------|------------|-----------|------|----------------|-----------|-------|
| Lab Sample ID: | 210347-04 | | | Date Sampled: | 1/22/2021 | |
| Matrix: | Groundwate | r | | Date Received: | 1/25/2021 | |
| 3-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| 4,6-Dinitro-2-methylp | henol | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Bromophenyl pheny | l ether | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Chloro-3-methylphe | enol | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Chloroaniline | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Chlorophenyl pheny | l ether | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Nitroaniline | | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| 4-Nitrophenol | | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| Acenaphthene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Acenaphthylene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Acetophenone | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Anthracene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Atrazine | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Benzaldehyde | | < 10.0 UJ | ug/L | | 1/27/2021 | 05:11 |
| Benzo (a) anthracene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Benzo (a) pyrene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Benzo (b) fluoranthen | e | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Benzo (g,h,i) perylene | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Benzo (k) fluoranthen | e | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Bis (2-chloroethoxy) n | nethane | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Bis (2-chloroethyl) eth | ner | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Bis (2-ethylhexyl) phtl | halate | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Butylbenzylphthalate | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Caprolactam | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Carbazole | | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| | | | | | | |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | MW22 | | | | |
|-------------------------|-------------|------|-------------------------------|-----------|-------|
| Lab Sample ID: | 210347-04 | | Date Sampled: | 1/22/2021 | |
| - | | | Date Sampled: Date Received: | | |
| Matrix: | Groundwater | | Date Received: | 1/25/2021 | |
| Chrysene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Dibenz (a,h) anthracene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Dibenzofuran | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Diethyl phthalate | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Dimethyl phthalate | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| Di-n-butyl phthalate | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Di-n-octylphthalate | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Fluoranthene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Fluorene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Hexachlorobenzene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Hexachlorobutadiene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Hexachlorocyclopentad | iene < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Hexachloroethane | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Indeno (1,2,3-cd) pyren | e < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Isophorone | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Naphthalene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Nitrobenzene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| N-Nitroso-di-n-propyla | mine < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| N-Nitrosodiphenylamin | e < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Pentachlorophenol | < 20.0 | ug/L | | 1/27/2021 | 05:11 |
| Phenanthrene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Phenol | < 10.0 | ug/L | | 1/27/2021 | 05:11 |
| Pyrene | < 10.0 | ug/L | | 1/27/2021 | 05:11 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID: 210347-04 **Date Sampled:** 1/22/2021

Matrix: Groundwater Date Received: 1/25/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 22.7 R | ug/L | В | 1/27/2021 |
| Unknown | 34.5 J | ug/L | | 1/27/2021 |
| Unknown Organic Acid | 16.0 J | ug/L | | 1/27/2021 |
| Unknown Amide | 21.5 J | ug/L | | 1/27/2021 |
| Unknown Amide | 334 R | ug/L | В | 1/27/2021 |
| Unknown Amide | 13.7 J | ug/L | | 1/27/2021 |
| Unknown Amide | 29.8 J | ug/L | | 1/27/2021 |
| Total Reported TICS | 472 J | ug/L | | 1/27/2021 |

Method Reference(s): EPA 8270D

EPA 3510C

Preparation 1/26/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 3/3/2021

1,4-DIOXANE SAMPLE DATA

No Data Validation Qualifiers Were Added

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dioxane

Analyte Result Units Qualifier Date Analyzed

1,4-Dioxane < 0.200 ug/L 1/26/2021 19:48

Method Reference(s):

EPA 8270D SIM

Preparation Date: EPA 3510C 1/26/2021

Preparation Date: 1/26/2021 **Data File:** B51913.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dioxane

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 1,4-Dioxane
 < 0.200</td>
 ug/L
 1/26/2021
 19:59

Method Reference(s): EPA 8270D SIM

EPA 3510C

Preparation Date:1/26/2021Data File:B51914.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dioxane

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 1,4-Dioxane
 < 0.200</td>
 ug/L
 1/26/2021 20:10

Method Reference(s): EPA 8270D SIM

EPA 3510C

Preparation Date:1/26/2021Data File:B51915.D

PESTICIDES SAMPLE DATA

No Data Validation Qualifiers Were Added

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------|--------------|------------------|----------------------|
| 4,4-DDD | < 0.200 | ug/L | | 1/27/2021 16:35 |
| 4,4-DDE | < 0.200 | ug/L | | 1/27/2021 16:35 |
| 4,4-DDT | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Aldrin | < 0.200 | ug/L | | 1/27/2021 16:35 |
| alpha-BHC | < 0.200 | ug/L | | 1/27/2021 16:35 |
| beta-BHC | < 0.200 | ug/L | | 1/27/2021 16:35 |
| cis-Chlordane | < 0.200 | ug/L | | 1/27/2021 16:35 |
| delta-BHC | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Dieldrin | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endosulfan I | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endosulfan II | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endosulfan Sulfate | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endrin | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endrin Aldehyde | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Endrin Ketone | < 0.200 | ug/L | | 1/27/2021 16:35 |
| gamma-BHC (Lindane) | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Heptachlor | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Heptachlor Epoxide | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Methoxychlor | < 0.200 | ug/L | | 1/27/2021 16:35 |
| Toxaphene | < 2.00 | ug/L | | 1/27/2021 16:35 |
| trans-Chlordane | < 0.200 | ug/L | | 1/27/2021 16:35 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Chlorinated Pesticides

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------|--------------|-----------|-----------------|
| 4,4-DDD | < 0.200 | ug/L | | 1/27/2021 16:53 |
| 4,4-DDE | < 0.200 | ug/L | | 1/27/2021 16:53 |
| 4,4-DDT | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Aldrin | < 0.200 | ug/L | | 1/27/2021 16:53 |
| alpha-BHC | < 0.200 | ug/L | | 1/27/2021 16:53 |
| beta-BHC | < 0.200 | ug/L | | 1/27/2021 16:53 |
| cis-Chlordane | < 0.200 | ug/L | | 1/27/2021 16:53 |
| delta-BHC | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Dieldrin | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endosulfan I | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endosulfan II | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endosulfan Sulfate | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endrin | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endrin Aldehyde | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Endrin Ketone | < 0.200 | ug/L | | 1/27/2021 16:53 |
| gamma-BHC (Lindane) | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Heptachlor | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Heptachlor Epoxide | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Methoxychlor | < 0.200 | ug/L | | 1/27/2021 16:53 |
| Toxaphene | < 2.00 | ug/L | | 1/27/2021 16:53 |
| trans-Chlordane | < 0.200 | ug/L | | 1/27/2021 16:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Chlorinated Pesticides

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------|--------------|-----------|-----------------|
| 4,4-DDD | < 0.200 | ug/L | | 1/27/2021 17:12 |
| 4,4-DDE | < 0.200 | ug/L | | 1/27/2021 17:12 |
| 4,4-DDT | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Aldrin | < 0.200 | ug/L | | 1/27/2021 17:12 |
| alpha-BHC | < 0.200 | ug/L | | 1/27/2021 17:12 |
| beta-BHC | < 0.200 | ug/L | | 1/27/2021 17:12 |
| cis-Chlordane | < 0.200 | ug/L | | 1/27/2021 17:12 |
| delta-BHC | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Dieldrin | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endosulfan I | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endosulfan II | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endosulfan Sulfate | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endrin | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endrin Aldehyde | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Endrin Ketone | < 0.200 | ug/L | | 1/27/2021 17:12 |
| gamma-BHC (Lindane) | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Heptachlor | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Heptachlor Epoxide | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Methoxychlor | < 0.200 | ug/L | | 1/27/2021 17:12 |
| Toxaphene | < 2.00 | ug/L | | 1/27/2021 17:12 |
| trans-Chlordane | < 0.200 | ug/L | | 1/27/2021 17:12 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Chlorinated Pesticides

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------|--------------|-----------|-----------------|
| 4,4-DDD | < 0.200 | ug/L | | 1/27/2021 17:31 |
| 4,4-DDE | < 0.200 | ug/L | | 1/27/2021 17:31 |
| 4,4-DDT | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Aldrin | < 0.200 | ug/L | | 1/27/2021 17:31 |
| alpha-BHC | < 0.200 | ug/L | | 1/27/2021 17:31 |
| beta-BHC | < 0.200 | ug/L | | 1/27/2021 17:31 |
| cis-Chlordane | < 0.200 | ug/L | | 1/27/2021 17:31 |
| delta-BHC | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Dieldrin | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endosulfan I | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endosulfan II | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endosulfan Sulfate | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endrin | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endrin Aldehyde | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Endrin Ketone | < 0.200 | ug/L | | 1/27/2021 17:31 |
| gamma-BHC (Lindane) | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Heptachlor | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Heptachlor Epoxide | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Methoxychlor | < 0.200 | ug/L | | 1/27/2021 17:31 |
| Toxaphene | < 2.00 | ug/L | | 1/27/2021 17:31 |
| trans-Chlordane | < 0.200 | ug/L | | 1/27/2021 17:31 |

PCBS SAMPLE DATA

No Data Validation Qualifiers Were Added

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

PCBs

| Analyte | Result | <u>Units</u> | | Qualifier | Date Analy | yzed |
|----------------------|-----------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1221 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1232 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1242 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1248 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1254 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1260 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1262 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| PCB-1268 | < 1.00 | ug/L | | | 1/27/2021 | 15:13 |
| Surrogate | Percent I | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | 60 | .1 | 31.6 - 98.5 | | 1/27/2021 | 15:13 |

Method Reference(s): EPA 8082A

EPA 3510C

Preparation Date: 1/27/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|---------------|--------------|---------------|-----------------|------------------|-------|
| PCB-1016 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1221 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1232 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1242 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1248 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1254 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1260 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1262 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| PCB-1268 | < 1.00 | ug/L | | | 1/27/2021 | 15:37 |
| Surrogate | Percent | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | 58 | 3.1 | 31.6 - 98.5 | | 1/27/2021 | 15:37 |

Method Reference(s): EPA 8082A

EPA 3510C

Preparation Date: 1/27/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Analy | zed |
|----------------------|---------------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1221 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1232 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1242 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1248 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1254 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1260 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1262 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| PCB-1268 | < 1.00 | ug/L | | | 1/27/2021 | 16:00 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analyz | zed |
| Tetrachloro-m-xylene | | 62.3 | 31.6 - 98.5 | | 1/27/2021 | 16:00 |

Method Reference(s): EPA 8082A

EPA 3510C

Preparation Date: 1/27/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|---------------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1221 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1232 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1242 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1248 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1254 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1260 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1262 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| PCB-1268 | < 1.00 | ug/L | | | 1/27/2021 | 16:25 |
| Surrogate | Percent I | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | 46 | .0 | 31.6 - 98.5 | | 1/27/2021 | 16:25 |

Method Reference(s): EPA 8082A

EPA 3510C

Preparation Date: 1/27/2021

METALS DATA

No Data Validation Qualifiers Were Added

MKP 3/3/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analy | zed |
|----------------|-----------|--------------|-----------|------------|-------|
| Aluminum | 1.91 | mg/L | | 1/27/2021 | 14:58 |
| Antimony | < 0.0600 | mg/L | | 1/27/2021 | 14:58 |
| Arsenic | < 0.0100 | mg/L | | 1/27/2021 | 14:58 |
| Barium | 0.162 | mg/L | | 1/27/2021 | 14:58 |
| Beryllium | < 0.00500 | mg/L | | 1/27/2021 | 14:58 |
| Cadmium | < 0.00500 | mg/L | | 1/27/2021 | 14:58 |
| Calcium | 178 | mg/L | | 1/27/2021 | 14:58 |
| Chromium | < 0.0100 | mg/L | | 1/27/2021 | 14:58 |
| Cobalt | < 0.0500 | mg/L | | 1/27/2021 | 14:58 |
| Copper | < 0.0200 | mg/L | | 1/27/2021 | 14:58 |
| Iron | 1.59 | mg/L | | 1/28/2021 | 16:17 |
| Lead | < 0.0100 | mg/L | | 1/27/2021 | 14:58 |
| Magnesium | 58.6 | mg/L | | 1/27/2021 | 14:58 |
| Manganese | 0.192 | mg/L | | 1/27/2021 | 14:58 |
| Nickel | < 0.0400 | mg/L | | 1/27/2021 | 14:58 |
| Potassium | 5.07 | mg/L | | 1/27/2021 | 14:58 |
| Selenium | 0.0148 | mg/L | J | 1/28/2021 | 16:17 |
| Silver | < 0.0100 | mg/L | | 1/27/2021 | 14:58 |
| Sodium | 79.9 | mg/L | | 1/27/2021 | 14:58 |
| Thallium | < 0.0250 | mg/L | | 1/27/2021 | 14:58 |
| Vanadium | < 0.0250 | mg/L | | 1/27/2021 | 14:58 |
| Zinc | 0.0723 | mg/L | | 1/27/2021 | 14:58 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

<u>Mercury</u>

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 < 0.000200</td>
 mg/L
 1/28/2021 09:11

Method Reference(s):EPA 7470APreparation Date:1/27/2021Data File:Hg210128B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|-----------|--------------|------------------|----------------|
| Aluminum | < 0.100 | mg/L | | 2/5/2021 15:29 |
| Antimony | < 0.0600 | mg/L | | 2/5/2021 15:29 |
| Arsenic | < 0.0100 | mg/L | | 2/5/2021 15:29 |
| Barium | 0.186 | mg/L | | 2/5/2021 15:29 |
| Beryllium | < 0.00500 | mg/L | | 2/5/2021 15:29 |
| Cadmium | < 0.00500 | mg/L | | 2/5/2021 15:29 |
| Calcium | 177 | mg/L | | 2/5/2021 15:29 |
| Chromium | < 0.0100 | mg/L | | 2/5/2021 15:29 |
| Cobalt | < 0.0500 | mg/L | | 2/5/2021 15:29 |
| Copper | < 0.0400 | mg/L | | 2/5/2021 15:29 |
| Iron | < 0.100 | mg/L | | 2/8/2021 14:53 |
| Lead | < 0.0100 | mg/L | | 2/5/2021 15:29 |
| Magnesium | 66.0 | mg/L | | 2/5/2021 15:29 |
| Manganese | 0.0965 | mg/L | | 2/5/2021 15:29 |
| Nickel | < 0.0400 | mg/L | | 2/5/2021 15:29 |
| Potassium | 5.77 | mg/L | | 2/5/2021 15:29 |
| Selenium | < 0.0200 | mg/L | | 2/5/2021 15:29 |
| Silver | < 0.0100 | mg/L | | 2/5/2021 15:29 |
| Sodium | 145 | mg/L | | 2/5/2021 15:29 |
| Thallium | < 0.0250 | mg/L | | 2/5/2021 15:29 |
| Vanadium | < 0.0250 | mg/L | | 2/5/2021 15:29 |
| Zinc | < 0.0600 | mg/L | | 2/5/2021 15:29 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW1

Lab Sample ID:210347-01ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved Mercury

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 < 0.000200</td>
 mg/L
 2/4/2021 11:55

Method Reference(s):EPA 7470APreparation Date:2/3/2021Data File:Hg210204A



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|-----------|----------------------|
| Aluminum | 0.193 | mg/L | | 1/27/2021 15:12 |
| Antimony | < 0.0600 | mg/L | | 1/27/2021 15:12 |
| Arsenic | < 0.0100 | mg/L | | 1/27/2021 15:12 |
| Barium | 0.286 | mg/L | | 1/27/2021 15:12 |
| Beryllium | < 0.00500 | mg/L | | 1/27/2021 15:12 |
| Cadmium | < 0.00500 | mg/L | | 1/27/2021 15:12 |
| Calcium | 180 | mg/L | | 1/27/2021 15:12 |
| Chromium | < 0.0100 | mg/L | | 1/27/2021 15:12 |
| Cobalt | < 0.0500 | mg/L | | 1/27/2021 15:12 |
| Copper | < 0.0200 | mg/L | | 1/27/2021 15:12 |
| Iron | 0.198 | mg/L | | 1/28/2021 16:31 |
| Lead | < 0.0100 | mg/L | | 1/27/2021 15:12 |
| Magnesium | 59.1 | mg/L | | 1/27/2021 15:12 |
| Manganese | 0.150 | mg/L | | 1/27/2021 15:12 |
| Nickel | < 0.0400 | mg/L | | 1/27/2021 15:12 |
| Potassium | 10.1 | mg/L | | 1/27/2021 15:12 |
| Selenium | 0.0141 | mg/L | J | 1/28/2021 16:31 |
| Silver | < 0.0100 | mg/L | | 1/27/2021 15:12 |
| Sodium | 67.0 | mg/L | | 1/27/2021 15:12 |
| Thallium | < 0.0250 | mg/L | | 1/27/2021 15:12 |
| Vanadium | < 0.0250 | mg/L | | 1/27/2021 15:12 |
| Zinc | < 0.0600 | mg/L | | 1/27/2021 15:12 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

<u>Mercury</u>

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 < 0.000200</td>
 mg/L
 1/28/2021
 09:12

Method Reference(s):EPA 7470APreparation Date:1/27/2021Data File:Hg210128B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved TAL Metals (ICP)

| Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------|
| < 0.100 | mg/L | | 2/5/2021 15:33 |
| < 0.0600 | mg/L | | 2/5/2021 15:33 |
| < 0.0100 | mg/L | | 2/5/2021 15:33 |
| 0.203 | mg/L | | 2/5/2021 15:33 |
| < 0.00500 | mg/L | | 2/5/2021 15:33 |
| < 0.00500 | mg/L | | 2/5/2021 15:33 |
| 153 | mg/L | | 2/5/2021 15:33 |
| < 0.0100 | mg/L | | 2/5/2021 15:33 |
| < 0.0500 | mg/L | | 2/5/2021 15:33 |
| < 0.0400 | mg/L | | 2/5/2021 15:33 |
| < 0.100 | mg/L | | 2/8/2021 14:58 |
| < 0.0100 | mg/L | | 2/5/2021 15:33 |
| 56.4 | mg/L | | 2/5/2021 15:33 |
| 0.115 | mg/L | | 2/5/2021 15:33 |
| < 0.0400 | mg/L | | 2/5/2021 15:33 |
| 7.22 | mg/L | | 2/5/2021 15:33 |
| < 0.0200 | mg/L | | 2/5/2021 15:33 |
| < 0.0100 | mg/L | | 2/5/2021 15:33 |
| 47.7 | mg/L | | 2/5/2021 15:33 |
| < 0.0250 | mg/L | | 2/5/2021 15:33 |
| < 0.0250 | mg/L | | 2/5/2021 15:33 |
| < 0.0600 | mg/L | | 2/5/2021 15:33 |
| | <0.100 <0.0600 <0.0100 0.203 <0.00500 <0.00500 153 <0.0100 <0.0500 <0.0400 <0.0100 56.4 0.115 <0.0400 7.22 <0.0200 <0.0100 47.7 <0.0250 <0.0250 | <pre>< 0.100</pre> | <pre>< 0.100</pre> |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW2

Lab Sample ID:210347-02ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury < 0.000200 mg/L 2/4/2021 11:57

Method Reference(s):EPA 7470APreparation Date:2/3/2021Data File:Hg210204A



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|-----------|--------------|------------------|----------------------|
| Aluminum | 1.19 | mg/L | | 1/27/2021 15:17 |
| Antimony | < 0.0600 | mg/L | | 1/27/2021 15:17 |
| Arsenic | < 0.0100 | mg/L | | 1/27/2021 15:17 |
| Barium | 0.157 | mg/L | | 1/27/2021 15:17 |
| Beryllium | < 0.00500 | mg/L | | 1/27/2021 15:17 |
| Cadmium | < 0.00500 | mg/L | | 1/27/2021 15:17 |
| Calcium | 133 | mg/L | | 1/27/2021 15:17 |
| Chromium | < 0.0100 | mg/L | | 1/27/2021 15:17 |
| Cobalt | < 0.0500 | mg/L | | 1/27/2021 15:17 |
| Copper | < 0.0200 | mg/L | | 1/27/2021 15:17 |
| Iron | 1.68 | mg/L | | 1/28/2021 16:36 |
| Lead | < 0.0100 | mg/L | | 1/27/2021 15:17 |
| Magnesium | 37.4 | mg/L | | 1/27/2021 15:17 |
| Manganese | 0.100 | mg/L | | 1/27/2021 15:17 |
| Nickel | < 0.0400 | mg/L | | 1/27/2021 15:17 |
| Potassium | 6.58 | mg/L | | 1/27/2021 15:17 |
| Selenium | 0.0143 | mg/L | J | 1/28/2021 16:36 |
| Silver | < 0.0100 | mg/L | | 1/27/2021 15:17 |
| Sodium | 83.2 | mg/L | | 1/27/2021 15:17 |
| Thallium | < 0.0250 | mg/L | | 1/27/2021 15:17 |
| Vanadium | < 0.0250 | mg/L | | 1/27/2021 15:17 |
| Zinc | 0.0552 | mg/L | J | 1/27/2021 15:17 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

<u>Mercury</u>

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 < 0.000200</td>
 mg/L
 1/28/2021
 09:14

Method Reference(s):EPA 7470APreparation Date:1/27/2021Data File:Hg210128B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|-----------|--------------|------------------|----------------|
| Aluminum | < 0.100 | mg/L | | 2/5/2021 15:38 |
| Antimony | < 0.0600 | mg/L | | 2/5/2021 15:38 |
| Arsenic | < 0.0100 | mg/L | | 2/5/2021 15:38 |
| Barium | 0.127 | mg/L | | 2/5/2021 15:38 |
| Beryllium | < 0.00500 | mg/L | | 2/5/2021 15:38 |
| Cadmium | < 0.00500 | mg/L | | 2/5/2021 15:38 |
| Calcium | 108 | mg/L | | 2/5/2021 15:38 |
| Chromium | < 0.0100 | mg/L | | 2/5/2021 15:38 |
| Cobalt | < 0.0500 | mg/L | | 2/5/2021 15:38 |
| Copper | < 0.0400 | mg/L | | 2/5/2021 15:38 |
| Iron | < 0.100 | mg/L | | 2/8/2021 15:12 |
| Lead | < 0.0100 | mg/L | | 2/5/2021 15:38 |
| Magnesium | 28.4 | mg/L | | 2/5/2021 15:38 |
| Manganese | < 0.0150 | mg/L | | 2/5/2021 15:38 |
| Nickel | < 0.0400 | mg/L | | 2/5/2021 15:38 |
| Potassium | 5.02 | mg/L | | 2/5/2021 15:38 |
| Selenium | < 0.0200 | mg/L | | 2/5/2021 15:38 |
| Silver | < 0.0100 | mg/L | | 2/5/2021 15:38 |
| Sodium | 65.3 | mg/L | | 2/5/2021 15:38 |
| Thallium | < 0.0250 | mg/L | | 2/5/2021 15:38 |
| Vanadium | < 0.0250 | mg/L | | 2/5/2021 15:38 |
| Zinc | < 0.0600 | mg/L | | 2/5/2021 15:38 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW3

Lab Sample ID:210347-03ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved Mercury

AnalyteResultUnitsQualifierDate AnalyzedMercury< 0.000200</td>mg/L2/4/202111:59

Method Reference(s):EPA 7470APreparation Date:2/3/2021Data File:Hg210204A



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Aluminum | 0.239 | mg/L | | 1/27/2021 15:22 |
| Antimony | < 0.0600 | mg/L | | 1/27/2021 15:22 |
| Arsenic | < 0.0100 | mg/L | | 1/27/2021 15:22 |
| Barium | 0.289 | mg/L | | 1/27/2021 15:22 |
| Beryllium | < 0.00500 | mg/L | | 1/27/2021 15:22 |
| Cadmium | < 0.00500 | mg/L | | 1/27/2021 15:22 |
| Calcium | 186 | mg/L | | 1/27/2021 15:22 |
| Chromium | < 0.0100 | mg/L | | 1/27/2021 15:22 |
| Cobalt | < 0.0500 | mg/L | | 1/27/2021 15:22 |
| Copper | < 0.0200 | mg/L | | 1/27/2021 15:22 |
| Iron | 0.251 | mg/L | | 1/28/2021 16:40 |
| Lead | < 0.0100 | mg/L | | 1/27/2021 15:22 |
| Magnesium | 59.5 | mg/L | | 1/27/2021 15:22 |
| Manganese | 0.153 | mg/L | | 1/27/2021 15:22 |
| Nickel | < 0.0400 | mg/L | | 1/27/2021 15:22 |
| Potassium | 10.0 | mg/L | | 1/27/2021 15:22 |
| Selenium | 0.0117 | mg/L | J | 1/28/2021 16:40 |
| Silver | < 0.0100 | mg/L | | 1/27/2021 15:22 |
| Sodium | 67.6 | mg/L | | 1/27/2021 15:22 |
| Thallium | < 0.0250 | mg/L | | 1/27/2021 15:22 |
| Vanadium | < 0.0250 | mg/L | | 1/27/2021 15:22 |
| Zinc | < 0.0600 | mg/L | | 1/27/2021 15:22 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04Date Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Mercury

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 < 0.000200</td>
 mg/L
 1/28/2021 09:18

Method Reference(s):EPA 7470APreparation Date:1/27/2021Data File:Hg210128B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|-----------|--------------|-----------|----------------|
| Aluminum | < 0.100 | mg/L | | 2/5/2021 15:43 |
| Antimony | < 0.0600 | mg/L | | 2/5/2021 15:43 |
| Arsenic | < 0.0100 | mg/L | | 2/5/2021 15:43 |
| Barium | 0.204 | mg/L | | 2/5/2021 15:43 |
| Beryllium | < 0.00500 | mg/L | | 2/5/2021 15:43 |
| Cadmium | < 0.00500 | mg/L | | 2/5/2021 15:43 |
| Calcium | 164 | mg/L | | 2/5/2021 15:43 |
| Chromium | < 0.0100 | mg/L | | 2/5/2021 15:43 |
| Cobalt | < 0.0500 | mg/L | | 2/5/2021 15:43 |
| Copper | < 0.0400 | mg/L | | 2/5/2021 15:43 |
| Iron | < 0.100 | mg/L | | 2/8/2021 15:16 |
| Lead | < 0.0100 | mg/L | | 2/5/2021 15:43 |
| Magnesium | 61.8 | mg/L | | 2/5/2021 15:43 |
| Manganese | 0.118 | mg/L | | 2/5/2021 15:43 |
| Nickel | < 0.0400 | mg/L | | 2/5/2021 15:43 |
| Potassium | 7.16 | mg/L | | 2/5/2021 15:43 |
| Selenium | < 0.0200 | mg/L | | 2/5/2021 15:43 |
| Silver | < 0.0100 | mg/L | | 2/5/2021 15:43 |
| Sodium | 47.6 | mg/L | | 2/5/2021 15:43 |
| Thallium | < 0.0250 | mg/L | | 2/5/2021 15:43 |
| Vanadium | < 0.0250 | mg/L | | 2/5/2021 15:43 |
| Zinc | < 0.0600 | mg/L | | 2/5/2021 15:43 |
| | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: MW22

Lab Sample ID:210347-04ADate Sampled:1/22/2021Matrix:GroundwaterDate Received:1/25/2021

Dissolved Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury < 0.000200 mg/L 2/4/2021 12:01

Method Reference(s):EPA 7470APreparation Date:2/3/2021Data File:Hg210204A



www.alphalab.com



Alpha Analytical

Laboratory Code: 11148

SDG Number: L2103742

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Project Name: PILGRIM VILLAGE SENIOR

Project Number: Not Specified Report Date:

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|--------------------|-----------|--------|--------------------|-------------------------|--------------|
| L2103742-01 | MW1 | WATER | Not Specified | 01/22/21 14:10 | 01/22/21 |
| L2103742-02 | MW2 | WATER | Not Specified | 01/22/21 14:30 | 01/22/21 |
| L2103742-03 | MW3 | WATER | Not Specified | 01/22/21 13:50 | 01/22/21 |
| L2103742-04 | MW22 | WATER | Not Specified | 01/22/21 14:45 | 01/22/21 |

Lab Number:

L2103742

01/29/21

Project Name:PILGRIM VILLAGE SENIORLab Number:L2103742Project Number:Not SpecifiedReport Date:01/29/21

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Perfluorinated Alkyl Acids by Isotope Dilution

L2103742-02: Extracted Internal Standard recoveries were outside the acceptance criteria for individual analytes. Please refer to the surrogate section of the report for details.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: M 2 WA

Report Date: 01/29/21

Title: Technical Director/Representative

| Дірна | NEW YORK CHAIN OF CUSTODY | Service Centers Mahwah, NJ 07430; 35 Whitney Albany, NY 12205; 14 Walker W Tonawanda, NY 14150; 275 Coo | lay | s | Page of | | | Date R | ec'd ab | 1/23/2 | 21 | ALPHA Job# L210374Z Billing Information |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|------------|------------------------------|----------|--------|--------------|--------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 | Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288 | Project Information Project Name: Pilgs Project Location: | im Village | Senior | | | | | (1 File) | ASP- | B S (4 File) | Same as Client Info |
| Client Information | | Project # | | | | | | Other | | | | al control of the Later Control |
| Client Paradias | n | (Use Project name as Project n | oject#) | | | | ALC: U | | Requireme | | | Disposal Site Information |
| Address: U | | Project Manager: | | | | | _ | NYTO | | NY Pa | | Please identify below location of applicable disposal facilities. |
| | | ALPHAQuote #: | | | | | | | landards | NY C | P-51 | |
| Phone: | | Turn-Around Time | | | | | | NY Res | tricted Use | Other | | Disposal Facility: |
| Fax: | | Standard | X | Due Date: | | | | NY Unr | estricted Us | a | | □ NJ □ NY |
| Email. | | Rush (only if pre approved | 0 | # of Days: | | | | NYC Se | wer Discha | irge | | Other: |
| These samples have be | en previously analyz | ed by Alpha | | | | | ANAI | LYSIS | | | | Sample Filtration |
| Other project specific Please specify Metals | | nents: | | | | | P Herb | AS | | | | □ Done □ Lab to do Preservation □ Lab to do (Please Specify below) |
| ALMIIA L-LID | | | Colle | ection | Sample | Sampler's | 13 | 17 | | | | |
| (Lab Use Only) | S | ample ID | Date | Time | Matrix | Initials | 12 | 0 | | | 1 | Sample Specific Comments |
| The second second | 44) | /1 | | 1410 | WG | | X | X | | | | |
| 0311- | Mh | 10 | 1/22/21 | | 1 | | X | X | | | | Categoral B |
| -02 | MV | V C | | 1430 | | | X | X | | | | Category B |
| -03 | Mu | 122 | 1 | 1350 | V | | X | ^ | | | | EDD required |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH | Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup | Westboro: Certification Mansfield: Certification Mansfield: Certification Mansfield: Certification Mansfield: Certification Mansfield: Certification Mansfield | | | | ntainer Type Preservative | \vdash | | | | | Please print clearly, legibly and completely. Samples ca not be logged in and turnaround time clock will no start until any ambiguities ar |
| F = MeOH G = NaHSO ₄ | C = Cube O = Other | Relinquished | | | /Time | 11 | Recei | yed By | | 1 1 | e/Time | resolved. BY EXECUTING THIS COC, THE CLIENT |
| H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other | E = Encore D = BOD Bottle | Bringer | m | 1/22/21 | 1700 | 1 | 7 | - 1 | m | 1/2/2 | 0200 | THE THE PARTY OF T |
| Comm. No. 714 25 MC (mail 2 | A Cant 2012) | | | | | | | | | | | (ODD TOTOTAG SILGE) |

PFAAs



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-01
 Date Collected
 : 01/22/21 14:10

 Client ID
 : MW1
 Date Received
 : 01/22/21

 Sample Location
 :
 Date Analyzed
 : 01/26/21 04:40

 Sample Matrix
 : WATER
 Date Extracted
 : 01/25/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : I31519 Analyst : HT

Lab File ID : I31519 Analyst : HT
Sample Amount : 258 g Instrument ID : LCMS01
Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 1000 uL %Solids : N/A GPC Cleanup : N Injection Volume : 3 uL

| | | ng/l | | | | |
|------------|------------------------------------------|---------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | 0.732 | 1.94 | 0.395 | J | |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | 0.581 | 1.94 | 0.384 | J | |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | 0.260 | 1.94 | 0.231 | J | |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) 1.94 U | 0.549 | 1.94 | 0.318 | J | |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 1.94 | 0.218 | U | |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 1.94 | 0.364 | U | |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | 0.698 | 1.94 | 0.229 | J | |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 1.94 | 1.29 | U | |
| | (6:2FTS) | | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 1.94 | 0.667 | U | |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 1.94 | 0.302 | U | |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 1.94 | 0.488 | U | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 1.94 | 0.294 | U | |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 1.94 | 1.17 | U | |
| | (8:2FTS) | | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 1.94 | 0.628 | U | |
| | c Acid (NMeFOSAA) | | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 1.94 | 0.252 | U | |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 1.94 | 0.950 | U | |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 1.94 | 0.562 | U | |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 1.94 | 0.779 | U | |
| | Acid (NEtFOSAA) | | | | | |
| | | | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

: Paradigm Environmental Services Client Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR **Project Number**

Lab ID : L2103742-01 Date Collected : 01/22/21 14:10 Client ID Date Received : MW1 : 01/22/21 Sample Location : Date Analyzed : 01/26/21 04:40 Date Extracted Sample Matrix : WATER : 01/25/21

Analytical Method : 134,LCMSMS-ID **Dilution Factor** : 1 Lab File ID : I31519 Analyst : HT

Sample Amount : 258 g Instrument ID : LCMS01 Extraction Method: ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 1000 uL %Solids : N/A **GPC Cleanup** : N Injection Volume : 3 uL

ng/l CAS NO. Results RL MDL Qualifier **Parameter** ND 307-55-1 Perfluorododecanoic Acid (PFDoA) 1.94 0.360 U 72629-94-8 Perfluorotridecanoic Acid (PFTrDA) ND 1.94 0.317 U 376-06-7 Perfluorotetradecanoic Acid (PFTA) ND 1.94 0.240 U NONE PFOA/PFOS, Total 0.698 1.94 0.229 J



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-02
 Date Collected
 : 01/22/21 14:30

 Client ID
 : MW2
 Date Received
 : 01/22/21

 Sample Location
 : Date Analyzed
 : 01/26/21 05:13

 Sample Matrix
 : WATER
 Date Extracted
 : 01/25/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : I31521 Analyst : HT

Lab File ID : I31521 Analyst : HT
Sample Amount : 250 g Instrument ID : LCMS01
Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 1000 uL %Solids : N/A GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/l | | | |
|------------|------------------------------------------|----------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | 3.12 | 2.00 | 0.408 | | |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | 1.71 | 2.00 | 0.396 | J | |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | 0.576 | 2.00 | 0.238 | JF | |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) 2.00 |) U 1.98 | 2.00 | 0.328 | J | |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | 0.668 | 2.00 | 0.225 | J | |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 2.00 | 0.376 | U | |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | 1.87 | 2.00 | 0.236 | J | |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 2.00 | 1.33 | U | |
| | (6:2FTS) | | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 2.00 | 0.688 | U | |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 2.00 | 0.312 | U | |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 2.00 | 0.504 | U | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 2.00 | 0.304 | U | |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 2.00 | 1.21 | U | |
| | (8:2FTS) | | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 2.00 | 0.648 | U | |
| | c Acid (NMeFOSAA) | | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 2.00 | 0.260 | U | |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 2.00 | 0.980 | U | |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 2.00 | 0.580 | U | |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 2.00 | 0.804 | U | |
| | Acid (NEtFOSAA) | | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number

Lab ID : L2103742-02 Date Collected : 01/22/21 14:30 Client ID : MW2 **Date Received** : 01/22/21 Sample Location : Date Analyzed : 01/26/21 05:13 Sample Matrix : WATER Date Extracted : 01/25/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1 Lab File ID : I31521 Analyst : HT

Sample Amount : 250 g Instrument ID : LCMS01 Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 1000 uL %Solids : N/A **GPC Cleanup** : N Injection Volume : 3 uL

| | | ng/l | | | | |
|------------|------------------------------------|---------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 307-55-1 | Perfluorododecanoic Acid (PFDoA) | ND | 2.00 | 0.372 | U | |
| 72629-94-8 | Perfluorotridecanoic Acid (PFTrDA) | ND | 2.00 | 0.327 | U | |
| 376-06-7 | Perfluorotetradecanoic Acid (PFTA) | ND | 2.00 | 0.248 | U | |
| NONE | PFOA/PFOS, Total | 1.87 | 2.00 | 0.236 | J | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

Lab ID : L2103742-03 Date Collected : 01/22/21 13:50 Client ID : MW3 Date Received : 01/22/21 Sample Location : Date Analyzed : 01/26/21 05:30 Date Extracted Sample Matrix : WATER : 01/25/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1 : I31522 Analyst : HT

Lab File ID Sample Amount : 272 g Instrument ID : LCMS01

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18 **Extract Volume** : 1000 uL %Solids : N/A

GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/l | | | |
|------------|------------------------------------------|---------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | 10.7 | 1.84 | 0.375 | | |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | 6.05 | 1.84 | 0.364 | | |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | 1.16 | 1.84 | 0.219 | J | |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | 5.59 | 1.84 | 0.301 | | |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | 1.39 | 1.84 | 0.207 | J | |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 1.84 | 0.346 | U | |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | 3.52 | 1.84 | 0.217 | | |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 1.84 | 1.22 | U | |
| | (6:2FTS) | | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 1.84 | 0.632 | U | |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 1.84 | 0.287 | U | |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 1.84 | 0.463 | U | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 1.84 | 0.279 | U | |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 1.84 | 1.11 | U | |
| | (8:2FTS) | | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 1.84 | 0.596 | U | |
| | c Acid (NMeFOSAA) | | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 1.84 | 0.239 | U | |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 1.84 | 0.901 | U | |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 1.84 | 0.533 | U | |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 1.84 | 0.739 | U | |
| | Acid (NEtFOSAA) | | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

: Paradigm Environmental Services Client Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR **Project Number**

Lab ID : L2103742-03 Date Collected : 01/22/21 13:50 Date Received Client ID : MW3 : 01/22/21 Sample Location : Date Analyzed : 01/26/21 05:30 Date Extracted Sample Matrix : WATER : 01/25/21

Dilution Factor Analytical Method : 134,LCMSMS-ID : 1 Lab File ID : I31522 Analyst : HT

Sample Amount : 272 g Instrument ID : LCMS01

Extraction Method: ALPHA 23528 GC Column : Acquity UPLC BEH C18 **Extract Volume** : 1000 uL %Solids : N/A **GPC Cleanup** : N Injection Volume : 3 uL

ng/l CAS NO. Results MDL Qualifier **Parameter** RL ND 307-55-1 Perfluorododecanoic Acid (PFDoA) 1.84 0.342 U 72629-94-8 Perfluorotridecanoic Acid (PFTrDA) ND 1.84 0.301 U 376-06-7 Perfluorotetradecanoic Acid (PFTA) ND 1.84 0.228 U NONE PFOA/PFOS, Total 3.52 1.84 0.217



Herbicide Sample Data

No Data Validation Qualifiers Were Added

MKP 3/3/2021

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-01
 Date Collected
 : 01/22/21 14:10

 Client ID
 : MW1
 Date Received
 : 01/22/21

 Sample Location
 : 01/29/21 02:51

Sample Matrix : WATER Date Extracted : 01/27/21 Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210128b-32 Analyst : EJL : 1000 ml Instrument ID : PEST17 Sample Amount Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : N/A

| | | ug/L | | | | |
|---------|-------------------|---------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 94-75-7 | 2,4-D | ND | 10.0 | 0.498 | U | |
| 93-76-5 | 2,4,5-T | ND | 2.00 | 0.531 | U | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 2.00 | 0.539 | U | |
| | | | | | | |



Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-02
 Date Collected
 : 01/22/21 14:30

 Client ID
 : MW2
 Date Received
 : 01/22/21

 Sample Location
 : Date Analyzed
 : 01/29/21 03:09

Sample Matrix : WATER Date Extracted : 01/27/21 Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210128b-33 Analyst : EJL Instrument ID : PEST17 Sample Amount : 1000 ml Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : N/A

| | | ug/L | | | |
|---------|-------------------|---------|------|-------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| | | | | | |
| 94-75-7 | 2,4-D | ND | 10.0 | 0.498 | U |
| 93-76-5 | 2,4,5-T | ND | 2.00 | 0.531 | U |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 2.00 | 0.539 | U |



Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-03
 Date Collected
 : 01/22/21 13:50

 Client ID
 : MW3
 Date Received
 : 01/22/21

 Sample Location
 : Date Analyzed
 : 01/29/21 03:27

Sample Matrix Date Extracted : 01/27/21 : WATER Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210128b-34 Analyst : EJL : 1000 ml Instrument ID : PEST17 Sample Amount Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : N/A

| | | ug/L |
|---------|-------------------|--------------------------|
| CAS NO. | Parameter | Results RL MDL Qualifier |
| | | |
| 94-75-7 | 2,4-D | ND 10.0 0.498 U |
| 93-76-5 | 2,4,5-T | ND 2.00 0.531 U |
| 93-72-1 | 2,4,5-TP (Silvex) | ND 2.00 0.539 U |



Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number :

 Lab ID
 : L2103742-04
 Date Collected
 : 01/22/21 14:45

 Client ID
 : MW22
 Date Received
 : 01/22/21

 Sample Location
 : 01/29/21 03:45

Sample Matrix : WATER Date Extracted : 01/27/21 Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210128b-35 Analyst : EJL Instrument ID : PEST17 Sample Amount : 1000 ml Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : N/A

| | | ug/L | | |
|---------|-------------------|--------------------------|--|--|
| CAS NO. | Parameter | Results RL MDL Qualifier | | |
| | | | | |
| 94-75-7 | 2,4-D | ND 10.0 0.498 U | | |
| 93-76-5 | 2,4,5-T | ND 2.00 0.531 U | | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND 2.00 0.539 U | | |



Appendix B

Laboratory QC Documentation

Data File: $C:\msdchem\1\DATA\210128\x76171.D$

DataAcq Meth:8260RUN.M

Acq On : 28 Jan 2021 11:37 am Operator: Bill Brew
Sample : 50ppb mega CC Inst : Instrument #1

Misc :

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 28 14:32:16 2021

Quant Method: C:\msdchem\1\METHODS\210127.M

Quant Title : 8260/624 Analysis

QLast Update: Thu Jan 28 09:58:04 2021

Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 20% Max. Rel. Area : 200%

1/28/21 BB

| | | Compound | Amount | Calc. | | %Dev Area% D | ev(min) |
|------------|----------|--------------------------------------------------|------------------|------------------|----------|-----------------------|-------------------------|
| 1 2 | | Fluorobenzene Dichlorodifluoromethane | 50.000 50.000 | 50.000 57.099 | | 0.0 (86) -14.2 110 | 0.00 |
| 3 1 | | Chloromethane | 50.000 | 58.572 | | -17.1 110 | 0.00 |
| | P | Vinyl chloride | 50.000 | 55.786 | | -11 6 106 | 0.00 |
| | P | Bromomethane | 50.000 | 61.032 | 1 | -22.1# 116 | 0.00 okitND |
| 6 I | | Chloroethane | 50.000 | 57.171 | | -14.3 114 | 0.00 |
| 7 I | P | Trichlorofluoromethane | 50.000 | 59.184 | | -18.4 118 | 0.00 |
| 8 | _ | Ethyl ether | 50.000 | 51.913 | | -3.8 100 | 0.00 |
| 9 I | | Freon 113 | 50.000 | 59.421 | | ~18.8 119 | 0.00 |
| 10 H | | 1,1-Dichloroethene | 50.000 | 58.602 | | -17.2 115 | 0.00 |
| 11 H | Ρ | Acetone | 50.000 | 54.925 | | -9.8 101 | 0,,00 |
| 12 | D. | Isopropyl Alcohol | 500.000 | 0.000 | a | 100.0# 0 | 0.05 0.00 OFIFND <40 |
| 13 E | | Carbon disulfide | 50.000 | 62.479 | 7 | -25.0# 116 | 0.00 |
| 14 E | | Methyl acetate | 50.000 | 52.540 | | -5.1 102 | 0.00 |
| 15 E 16 | P | Methylene chloride | 50.000 | 58.147 | | -16.3 113 | 0.00 |
| 17 | | Acrylonitrile | 50.000 | 50.464 | | -0.9 111 | 0.00 |
| 18 E | D | tert-Butyl Alcohol | 500.000 | | | -0.0 104 | 0.00 |
| 19 E | | Methyl tert-butyl Ether trans-1,2-Dichloroethene | 50.000 | 50.548 | | -1.1 104 | 0.00 |
| 20 E | | 1,1-Dichloroethane | 50.000 50.000 | 58.623 57.728 | | -17.2 117 | 0.00 |
| 21 | _ | Vinyl acetate | 50.000 | | | -15.5 111 1.3 94 | 0.00 |
| 22 | | 2,2-Dichloropropane | 50.000 | 49.368 65.057 | 7 | | 0.00 0.00 NT |
| 23 E | 5 | 2-Butanone | 50.000 | 58.163 | / | -16.3 107 | |
| 24 E | | cis-1,2-Dichloroethene | 50.000 | 55.739 | | -11.5 105 | 0.00 |
| 25 | - | Bromochloromethane | 50.000 | 56.358 | | -12.7 108 | 0.00 |
| 26 F |) | Chloroform | 50.000 | 58.340 | | -16.7 111 | 0.00 |
| 27 S | | Pentafluorobenzene | 30.000 | 30.745 | | -2.5 87 | 0.00 |
| 28 | | Tetrahydrofuran | 100.000 | 86.511 | | 13.5 84 | |
| 29 F | <u> </u> | 1,1,1-Trichloroethane | 50.000 | 63.465 | 1 | -26.9# 116 | 0.00 OK FNU |
| 30 F | | Cyclohexane | 50.000 | 67.096 | 1 | 34.2# 113 | 0.00 ₺ |
| 31 S | | 1,2-Dichloroethane-d4 | 30.000 | 31.616 | , | -5.4 92 | 0.00 |
| 32 F | | Carbon Tetrachloride | 50.000 | 63.580 | 7 | -27.2# 15 | 0.00 DK if ND |
| 33 P | | Benzene | 50.000 | 59.025 | | -18.0 108 | 0.00 |
| 34 P | ? | 1,2-Dichloroethane | 50.000 | 55.215 | | -10.4 111 | 0.00 |
| 35 P | 2 | Trichloroethene | 50.000 | 55.329 | | -10.7 104 | 0.00 |
| 36 | | tert-Butyl Acetate | 50.000 | 0.000 | | 100.0# 0 | 0.09 |
| 37 P | | Methylcyclohexane | 50.000 | 56.361 | | -12.7 108 | 0.00 |
| 38 | | 1,4-Dioxane | 50.000 | 54.495 | | -9.0 97 | 0.00 |
| 39 U | JN | Ethyl acetate | -1.000 | 0.000 | | 0.0 | 0.00 |
| 40 P | | 1,2-Dichloropropane | 50.000 | 57.367 | | -14.7 110 | 0.00 |
| 41 U | JN | Isobutyl alcohol | -1.000 | 0.000 | | 0.0 | 0.00 |
| 42 | | Dibromomethane | 50.000 | 55.318 | | -10.6 108 | 0.00 |
| 43 P | ? | Bromodichloromethane | 50.000 | 57.777 | | -15.6 109 | 0.00 |
| 44 | | 2-Chloroethyl vinyl Ether | 50.000 | 33.097 | | 33.8# 65 | 0.00 |
| 45 U | JN | Isopropyl acetate | -1.000 | 0.000 | <i>a</i> | 0.0 0 | 0.00 |
| 46 | | 1,1-Dichloropropene | 50.000 | 62.667 | T' | -25.3# 111 | 0.00 OKIFNANT |
| 47 P | | cis-1,3-Dichloropropene | 50.000 | 46.472 | | 7.1 95 | 0.00 |

Evaluate Continuing Calibration Report

Data File: C:\msdchem\1\DATA\210128\x76171.D

DataAcq Meth:8260RUN.M

Acq On : 28 Jan 2021 11:37 am Sample : 50ppb mega CC Operator: Bill Brew Inst : Instrument #1

Misc

Misc : ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 28 14:32:16 2021

Quant Method: C:\msdchem\1\METHODS\210127.M Quant Title: 8260/624 Analysis QLast Update: Thu Jan 28 09:58:04 2021 Response via: Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 20% Max. Rel. Area : 200%

| 15215063505 | Compound | Amount | Calc. | | | rea% D | ev(min) |
|-------------|---------------------------------------------|---------|---------|---|---------|--------|---------------|
| 48 P | 4-Methyl-2-pentanone | 50.000 | 43.258 | | 13.5 | 88 | 0.00 |
| 49 S | Toluene-D8 | 30.000 | | | -6.3 | 85 | 0.00 |
| 50 P | Toluene | 50.000 | | | -17.1 | 99 | 0.00 |
| 51 P | trans-1,3-Dichloropropene | 50.000 | 46.506 | | 7.0 | 97 | 0.00 |
| 52 P | 1,1,2-Trichloroethane 1,3-Dichloropropane | 50.000 | | | -7.8 | 106 | 0.00 |
| 53 | 1,3-Dichloropropane | | 55.481 | | -11.0 | 102 | 0.00 |
| 54 P | Tetrachloroethene | 50.000 | | | -11.4 | 103 | 0.00 |
| 55 P | 2-Hexanone | 50.000 | | | 0.1 | 101 | 0.00 |
| 56 P | Dibromochloromethane | 50.000 | | | -9.4 | 102 | 0.00 |
| 57 P | 1,2-Dibromoethane | 50.000 | 53.613 | | -7.2 | 102 | 0.00 |
| 58 I | Chlorobenzene-d5 | 50.000 | 50.000 | | 0.0 | (86) | 0.00 |
| 59 P | Chlorobenzene | 50.000 | | | -11.1 | 103 | 0.00 |
| 60 | 1,1,1,2-Tetrachloroethane | 50.000 | | | -12.3 | 107 | 0.00 |
| 61 P | Ethylbenzene | 50.000 | 57.028 | | -14.1 | 109 | 0.00 |
| 62 P | m,p-Xylene | 100.000 | 115.355 | | -15.4 | 112 | 0.00 |
| 63 P | o-Xylene | 50.000 | 54.292 | | -8.6 | 107 | 0.00 |
| 64 P | Styrene | 50.000 | 57.141 | | -14.3 | 109 | 0.00 |
| 65 P | Bromoform | 50.000 | | | -4.0 | 107 | 0.00 |
| 66 P | Isopropylbenzene | 50.000 | | | -11.6 | 108 | 0.00 |
| 67 | 1,2,3-Trichloropropane 4-Bromofluorobenzene | 50.000 | | | -8.0 | 105 | 0.00 |
| 68 S | 4-Bromofluorobenzene | 30.000 | | | -6.0 | 88 | 0.00 |
| 69 | DIOMODENZENE | 50.000 | | | -16.5 | 104 | 0.00 |
| 70 P | 1,1,2,2-Tetrachloroethane | 50.000 | | | -6.5 | 105 | 0.00 |
| 71 | n-Propylbenzene | 50.000 | | 4 | -18.0 | 111 | 0.00 |
| 72 | 2-Chlorotoluene | 50.000 | | | -26.6# | | 0.00 NT |
| 73 | 4-Chlorotoluene | 50.000 | | 7 | -27.7# | | 0.00 4 |
| 74 | 1,3,5-Trimethylbenzene | 50.000 | | | -15.1 | 110 | 0.00 |
| 75 | tert-Butylbenzene | 50.000 | | | -12.7 | 110 | 0.00 |
| 76 | 1,2,4-Trimethylbenzene | 50.000 | | | -15.9 | 111 | 0.00 |
| 77 | sec-Butylbenzene | 50.000 | | | -16.5 | 110 | 0.00 |
| 78 | p-Isopropyltoluene | 50.000 | 57.977 | | -16.0 | 111 | 0.00 |
| 79 I | 1,4-Dichlorobenzene-d4 | 50.000 | 50.000 | | 0.0 | (73) | 0.00 |
| 80 P | 1,3-Dichlorobenzene | 50.000 | 73.319 | 7 | -46.6# | 111 | 0.00 OK : FND |
| 81 P | 1,4-Dichlorobenzene | 50.000 | 70.142 | 7 | -40.3# | 110 | 0.00 / |
| 82 | n-Butylbenzene | 50.000 | 70.120 | 1 | -40.2# | 109 | 0.00 / |
| 83 P | 1,2-Dichlorobenzene | 50.000 | 73.642 | 1 | -47.3# | | 0.00 🔽 |
| 84 UN | Tetraethyllead | -1.000 | 0.000 | • | 0.0 | 0 | 0.00 |
| 85 P | 1,2-Dibromo-3-Chloropropane | | | | -13.1 | 92 | 0.00 |
| 86 P | 1,2,4-Trichlorobenzene | 50.000 | | | -3 -1 | 90 | 0.00 |
| 87 | 1,2,3-Trichlorobenzene | 50.000 | 58.478 | | -17 . 0 | 96 | 0.00 |
| 88 | Hexachlorobutadiene | 50.000 | 72.085 | 1 | | | 0.00 NT |
| 89 | Naphthalene | 50.000 | 47.106 | | 5.8 | 81 | 0.00 |
| | | | | | | | |

^{(#) =} Out of Range

Method Path : C:\msdchem\1\methods\

Method File : ABN210126.M

Title :

Last Update : Wed Jan 27 08:08:37 2021

Response Via : Initial Calibration

Calibration Files

Compound

2 =B51889.D 3 =B51890.D 4 =B51891.D 5 =B51892.D 6 =B51893.D 7 =B51894.D 8 =B51895.D 9 =B51896.D

Avg

%RSD

| 1) | I | 1,4-Dichlorobenze | na was | | | TSTI |) | | | | | | |
|-----|----|------------------------------------------------------------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------|------------|
| 2) | _ | Pyridine | 1 377 | 1.586 | 1.407 | 1,367 | 1.117 | 1.165 | 1.199 | 1.338 | 1.320 | 11.59 | |
| | Р | Benzaldehyde < | 0 952 | 0.883 | 0.719 | | | | | | 0.851 | | 3 pt. ICAL |
| 4) | | Benzyl alcohol | 0.579 | 0.642 | 0.686 | 0.776 | 0.790 | 0.806 | 0.796 | 0.833 | 0.739 | 12.37 | • |
| 5) | Р | Bis (2-chloroe | 1.213 | 1.165 | 1.152 | 1.121 | 1.219 | 1.228 | 1.237 | 1.210 | 1.193 | 3.49 | |
| 6) | | Bis (2-chloroi | 1.217 | 1.203 | 1.181 | 1.253 | 1.239 | 1.224 | 1.197 | 1.242 | 1.220 | 2.05 | |
| | | 2-Chlorophenol | | | | | | | | | | | |
| 8) | | 1,3-Dichlorobe | | | | | | | | | | | |
| 9) | M | 1,4-Dichlorobe | | | | | | | | | | | |
| 10) | | 1,2-Dichlorobe | | | | | | | | | | | |
| 11) | | 2-Fluorophenol | 1.241 | 1.264 | 1.185 | 1.142 | 1.135 | 1.156 | 1.170 | 1.196 | 1.186 | 3.89 | |
| 12) | | Hexachloroethane 2-Methylphenol 3&4-Methylphenol | 0.510 | 0.548 | 0.540 | 0.593 | 0.569 | 0.572 | 0.550 | 0.564 | 0.556 | 4.47 | |
| 13) | | 2-Methylphenol | 1.115 | 1.145 | 1.147 | 1.239 | 1.191 | 1.191 | 1.160 | 1.213 | 1.175 | 3.45 | |
| 14) | | 3&4-Methylphenol | 1.148 | 1.249 | 1.205 | 1.361 | 1.316 | 1.331 | 1.282 | 1.311 | 1.275 | 5.56 | |
| 15) | | N-Nitrosodimet | | | | | | | | | | | |
| 16) | PM | N-Nitroso-di-n | 0.804 | 0.798 | 0.814 | 0.884 | 0.863 | 0.872 | 0.839 | 0.870 | 0.843 | 4.03 | |
| 17) | PM | Phenol | 1.578 | 1.562 | 1.493 | 1.573 | 1.572 | 1.626 | 1.631 | 1.692 | 1.591 | 3.70 | |
| 18) | S | Phenol-d5 | 1.469 | 1.506 | 1.468 | 1.509 | 1.522 | 1.582 | 1.580 | 1.623 | 1.532 | 3.69 | |
| 19) | Р | Acetophenone | 1./32 | 1.728 | 1.698 | 1.8/4 | 1.830 | 1.822 | 1.762 | 1.820 | 1./83 | 3.46 | |
| | P | Phenol Phenol-d5 Acetophenone 2-Nitrophenol Bis (2-chloroe | 0.650 | 0.691 | 1.261 | 0.818 | 0.780 | 0.783 | 1.420 | 1 400 | 0.749 | / . / _ | |
| 21) | Р | | | | | | | | | | | | |
| 22) | I | Napthalene-d8 Aniline Benzoic acid | | | | ISTI |) | | | | | | |
| 23) | | Aniline | 0.473 | 0.458 | 0.433 | 0.391 | 0.383 | 0.397 | 0.378 | 0.487 | 0.425 | 10.21 | |
| 24) | | Benzoic acid | 0.104 | 0.136 | 0.163 | 0.195 | 0.205 | 0.207 | 0.216 | 0.219 | 0.181 | 23.14* | |
| 25) | P | 4-Chloroaniline | 0.408 | 0.419 | 0.413 | 0.427 | 0.424 | 0.417 | 0.413 | 0.436 | 0.420 | 2.11 | |
| 26) | PM | 4-Chloro-3-met | 0.264 | 0.278 | 0.273 | 0.295 | 0.290 | 0.294 | 0.295 | 0.298 | 0.286 | 4.40 | |
| 27) | PM | 2,4-Dichloroph | 0.267 | 0.272 | 0.270 | 0.281 | 0.284 | 0.281 | 0.289 | 0.290 | 0.279 | 3.10 | |
| 28) | | 2,6-Dichloroph | 0.258 | 0.257 | 0.258 | 0.275 | 0.271 | 0.267 | 0.274 | 0.273 | 0.267 | 2.90 | |
| | | 2,4-Dimethylph | | | | | | | | | | | |
| 30) | | Hexachlorobuta | | | | | | | | | | | |
| 31) | Р | Isophorone 2-Methylnaptha | 0.582 | 0.580 | 0.572 | 0.586 | 0.598 | 0.598 | 0.603 | 0.603 | 0.590 | 2.01 | |
| 32) | | 2-Methylnaptha | 0.577 | 0.576 | 0.566 | 0.603 | 0.602 | 0.596 | 0.610 | 0.615 | 0.593 | 3.02 | |
| 33) | | Naphthalene | 1.004 | 1.008 | 0.980 | 1.030 | 1.023 | 1.016 | 1.032 | 1.049 | 1.018 | 2.05 | |
| 34) | | Nitrobenzene | 0.320 | 0.324 | 0.313 | 0.324 | 0.324 | 0.324 | 0.332 | 0.331 | 0.324 | 1.86 | |
| 35) | S | Nitrobenzene-d5 | | | | | | | | | | | |
| 36) | | Azobenzene | | | | | | | | | | | |
| 37) | M | 1,2,4-Trichlor | 0.306 | 0.304 | 0.304 | 0.314 | 0.313 | 0.313 | 0.317 | 0.323 | 0.312 | 2.11 | |

2 3 4 5 6 7 8 9

ABN210126.M Wed Jan 27 08:08:44 2021

Page: 1

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\data\210126\

Data File : B51919.D

Acq On : 26 Jan 2021 9:49 pm
Operator : A. Monfette
Sample : CCV 50PPM 8270 + PyrMulti
Misc :

ALS Vial: 4 Sample Multiplier: 1

Quant Time: Jan 27 08:13:33 2021

Quant Method: C:\msdchem\1\methods\ABN210126.M

Quant Title : QLast Update : Wed Jan 27 08:08:37 2021 Response via : Initial Calibration

Drum 37-21

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev: 20% Max. Rel. Area: 200%

| _ | | Compound | Amount | Calc. | %Dev Area% | Dev(min) |
|----|----|-----------------------------|---------|--------|------------------|----------|
| 1 | I | 1,4-Dichlorobenzene-d4 | 40.000 | 40.000 | 0.0 (102 | 0.00 |
| 2 | | Pyridine | 50.000 | 48.735 | 2.5 96 | 0.00 |
| 3 | P | Benzaldehyde | 50.000 | 27.967 | 44.1# 0 | 0.00 |
| 4 | | Benzyl alcohol | 50.000 | 57.422 | -14.8 112 | 0.00 |
| 5 | P | Bis (2-chloroethyl) ether | 50.000 | 48.269 | 3.5 105 | 0.00 |
| 6 | | Bis (2-chloroisopropyl) eth | 50.000 | 51.675 | -3.3 103 | 0.00 |
| 7 | PM | 2-Chlorophenol | 50.000 | 49.695 | 0.6 101 | 0.00 |
| 8 | | 1,3-Dichlorobenzene | 50.000 | 49.712 | 0.6 101 | 0.00 |
| 9 | M | 1,4-Dichlorobenzene | 50.000 | 50.948 | -1.9 102 | 0.00 |
| 10 | | 1,2-Dichlorobenzene | 50.000 | 51.205 | -2.4 103 | 0.00 |
| 11 | S | 2-Fluorophenol | 100.000 | 93.601 | 6.4 100 | 0.00 |
| 12 | P | Hexachloroethane | 50.000 | 52.633 | -5.3 101 | 0.00 |
| 13 | | 2-Methylphenol | 50.000 | 52.660 | -5.3 102 | 0.00 |
| 14 | P | 3&4-Methylphenol | 50.000 | 53.088 | -6. 2 102 | 0.00 |
| 15 | | N-Nitrosodimethylamine | 50.000 | 48.991 | 2.0 102 | 0.00 |
| | PM | N-Nitroso-di-n-propylamine | 50.000 | 51.658 | -3.3 101 | 0.00 |
| | PM | Phenol | 50.000 | 49.105 | 1.8 102 | 0.00 |
| 18 | S | Phenol-d5 | 100,000 | 97.367 | 2.6 101 | 0.00 |
| 19 | | Acetophenone | 50.000 | 51.946 | -3.9 101 | 0.00 |
| 20 | | 2-Nitrophenol | 50.000 | 53.877 | -7.8 101 | 0.00 |
| 21 | Р | Bis (2-chloroethoxy) methan | 50.000 | 53.367 | -6.7 101 | 0.00 |
| 22 | I | Napthalene-d8 | 40.000 | 40.000 | 0.0 (101 | 0.00 |
| 23 | | Aniline | 50.000 | 45.370 | 9.3 99 | 0.00 |
| 24 | | Benzoic acid | 50.000 | 48.369 | 3.3 99 | 0.00 |
| 25 | | 4-Chloroaniline | 50.000 | 51.083 | -2.2 101 | 0.00 |
| | PM | 4-Chloro-3-methylphenol | 50.000 | 51.564 | -3.1 101 | 0.00 |
| | PM | 2,4-Dichlorophenol | 50.000 | 51,197 | -2.4 	 103 | 0.00 |
| 28 | | 2,6-Dichlorophenol | 50.000 | 51.885 | -3.8 101 | 0.00 |
| | PM | 2,4-Dimethylphenol | 50.000 | 51.396 | -2.8 	 103 | 0.00 |
| 30 | | Hexachlorobutadiene | 50.000 | 51.317 | -2.6 101 | 0.00 |
| 31 | | Isophorone | 50.000 | 49,400 | 1.2 100 | 0.00 |
| 32 | | 2-Methylnapthalene | 50.000 | 51.067 | -2.1 101 | 0.00 |
| 33 | | Naphthalene | 50.000 | 50.566 | -1.1 101 | 0.00 |
| 34 | - | Nitrobenzene | 50.000 | 49.101 | 1.8 99 | 0.00 |
| 35 | S | Nitrobenzene-d5 | 50.000 | 50.277 | -0.6 103 | 0.00 |
| 36 | | Azobenzene | 50.000 | 54.745 | -9.5 99 | 0.00 |
| 37 | | 1,2,4-Trichlorobenzene | 50.000 | 51.070 | -2.1 102 | 0.00 |
| 38 | P | Caprolactam | 50.000 | 51.408 | -2.8 100 | 0.00 |
| 39 | | 1,2,4,5-Tetrachlorobenzene | 50.000 | 52.091 | -4.2 103 | 0.00 |
| 40 | P | Biphenyl | 50.000 | 52.634 | -5.3 101 | 0.00 |
| 41 | Ι | Acenaphthene-d10 | 40.000 | 40.000 | 0.0 100 | 2.00 |
| 42 | P | 2-Chloronaphthalene | 50.000 | 51.612 | -3.2 101 | 0.00 |
| 43 | PM | Acenaphthene | 50.000 | 51.075 | -2.2 99 | 0.00 |
| 44 | P | Acenaphthylene | 50.000 | 51.034 | -2.1 99 | 0.00 |
| 45 | P | 4-Chlorophenyl phenyl ether | 50.000 | 51.843 | -3.7 101 | 0.00 |
| | | | | | | |

ABN210126.M Wed Jan 27 08:14:24 2021



Method Blank Report

Client: BE3

Project Reference: Pilgrim Village Senior

Lab Project ID: 210347 **SDG #:** 0347-01

Matrix: Groundwater

Semi-Volatile Tentatively Identified Compounds

Analyte Result Units **Qualifier Date Analyzed** Unknown 7.57 ug/L 1/26/2021 Unknown 7.51 1/26/2021 ug/L Unknown Amide 53.9 1/26/2021 ug/L

Method Reference(s): EPA 8270D

EPA 3510C

Preparation 1/26/2021

Date:

QC Batch ID: QC210126TICS

QC Number:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

Data Path : C:\msdchem\1\data\210126\

Data File : B51922.D

Acq On : 26 Jan 2021 11:17 pm Operator : A. Monfette

Sample : blk
Misc : 1/26 w JSABN
ALS Vial : 37 Sample Multiplier: 1

Quant Method : C:\msdchem\1\methods\ABN210126.M

Quant Title :

TIC Library : C:\Database\NIST98.L TIC Integration Parameters: rteint2.p Vuris, s,

| TIC Top Hit name | RT | EstConc (| Units | Response | I # | Internal RT | Standa: Resp | rd Conc |
|-------------------------------------------------------|--------------------------|-----------|-------------------------|----------|---------|----------------|-----------------|-------------------------------------------------------|
| 2(3H)-Furanone, Butanal, 3-hydr 9-Octadecenamid | 8.351 9.598 16.945 | 5 l | ug/ml ug/ml ug/ml | 121149 | 2 | 8.616 | 645226 | 6 40.0unknown 6 40.0unknown 3 40.0unknown amide |

Surrogate (Extracted Internal Standard) Recovery Summary Form 2 Semivolatiles

Client: Paradigm Environmental Services
Project Name: PILGRIM VILLAGE SENIOR

Lab Number: L2103742

Project Number: Matrix: Water

| CLIENT ID | S15 | S16 | S17 | S18 | S19 | S20 | S21 | тот |
|-------------------|-----|------|-----|-----|-----|-----|-----|-----|
| (LAB SAMPLE NO.) | 0 | () | 0 | 0 | 0 | 0 | 0 | OUT |
| | | | | | | | | _ |
| MW1 (L2103742-01) | 43 | 78 | 67 | 78 | | | | 0 |
| MW2 (L2103742-02) | 35 | 130* | 73 | 79 | | | | 1 |
| MW3 (L2103742-03) | 17 | 67 | 64 | 73 | | | | 0 |
| WG1458197-1BLANK | 78 | NA | NA | NA | | | | 0 |
| WG1458197-1BLANK | 56 | 89 | 78 | 89 | | | | 0 |
| WG1458197-2LCS | 62 | 95 | 87 | 102 | | | | 0 |
| WG1458197-2LCS | 80 | NA | NA | NA | | | | 0 |
| MW1MS | 41 | 126 | 68 | 79 | | | | 0 |
| MW4DUP | 65 | NA | NA | NA | | | | 0 |
| MW4DUP | NA | 77 | 72 | 78 | | | | 0 |

QC LIMITS

(10-112) S15 = PERFLUORO[13C8]OCTANESULFONAMIDE (M8FOSA)

(27-126) S16 = N-DEUTERIOETHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (D5-NETFOSAA)

(48-131) S17 = PERFLUORO[1,2-13C2]DODECANOIC ACID (MPFDOA)
(22-136) S18 = PERFLUORO[1,2-13C2]TETRADECANOIC ACID (M2PFTEDA)

FORM II A2-NY-537-ISOTOPE (Continued)



^{*} Values outside of QC limits

Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2103742

Project Name : PILGRIM VILLAGE SENIOR Project Number : Lab ID : WG1458197-1 Date Collected : NA

Client ID : WG1458197-1BLANK Date Received : NA Sample Location : Date Analyzed : 01/26/21 02:11

Sample Matrix : WATER Date Extracted : 01/25/21
Analytical Method : 134,LCMSMS-ID Dilution Factor : 1

Lab File ID : I31510 Analyst : HT
Sample Amount : 250 g Instrument ID : LCMS01

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 1000 uL %Solids : N/A GPC Cleanup : N Injection Volume : 3 uL

| | | <u> </u> | ng/l | | | |
|------------|------------------------------------------|----------|------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | ND | 2.00 | 0.408 | U | |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | ND | 2.00 | 0.396 | U | |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | ND | 2.00 | 0.238 | U | |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | 0.356 | 2.00 | 0.328 | J | |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 2.00 | 0.225 | U | |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 2.00 | 0.376 | U | |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | ND | 2.00 | 0.236 | U | |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 2.00 | 1.33 | U | |
| | (6:2FTS) | | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 2.00 | 0.688 | U | |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 2.00 | 0.312 | U | |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 2.00 | 0.504 | U | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 2.00 | 0.304 | U | |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 2.00 | 1.21 | U | |
| | (8:2FTS) | | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 2.00 | 0.648 | U | |
| | c Acid (NMeFOSAA) | | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 2.00 | 0.260 | U | |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 2.00 | 0.980 | U | |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 2.00 | 0.580 | U | |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 2.00 | 0.804 | U | |
| | Acid (NEtFOSAA) | | | | | |
| | | | | | | |



Appendix C

Validator Qualifications

KENNETH R. APPLIN Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

DATA USABILITY SUMMARY REPORT (DUSR)

Pilgrim Village Senior 951 Ellicott St. Buffalo, NY 14209 NYSDEC BCP # C915363

SDG: 210162

19 soil samples

Prepared for:

BE3 Corp. 960 Busti Avenue Suite 150-B Buffalo, NY 14213 **Attention: John Berry**

February 2021



Table of Contents

| APP | ENDIX B ENDIX C | Validated Analytical Results Laboratory QC Documentation Validator Qualifications | |
|-----|--------------------|-----------------------------------------------------------------------------------|---------|
| APP | ENDIX A | Validated Analytical Dogulta | |
| 7.0 | TOTAL USABI | LE DATA | 4 |
| 6.0 | RESULTS OF | THE DATA REVIEW | 4 |
| 5.0 | DATA VALIDA | TION QUALIFIERS | 3 |
| 4.0 | GUIDANCE D | OCUMENTS AND DATA REVIEW CRITERIA | 2 |
| 3.0 | SAMPLE AND | ANALYSIS SUMMARY | 2 |
| 2.0 | INTRODUCTI | ON | 1 |
| 1.0 | SUMMARY | | 1 |
| REV | IEWER'S NARR | ATIVE | |
| | | | Page No |

Tables

| Table 4-1 | Data Validation Guidance Documents |
|-----------|--------------------------------------------------------------------|
| Table 4-2 | Quality Control Criteria for Validating Laboratory Analytical Data |

Summaries of Validated Results

| Table 6-1 | VOCs |
|-----------|-------------|
| Table 6-2 | SVOCs |
| Table 6-3 | 1,4-Dioxane |
| Table 6-4 | Pesticides |
| Table 6-5 | PCBs |
| Table 6-6 | Metals |
| Table 6-7 | Herbicides |
| Table 6-8 | PFAAs |
| | |

REVIEWER'S NARRATIVE BE3 SDG 210162: Pilgrim Village

The data associated with this Sample Delivery Group (SDG) 210162, analyzed by Paradigm Environmental Services, Inc. Rochester, NY have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Date: 2/22/01

Michael K. Perry

Chemist

1.0 SUMMARY

SITE: Pilgrim Village Senior

951 Ellicott St. Buffalo, NY 14209

SAMPLING DATE: January 11, 2021

SAMPLE TYPE: 19 soil samples

LABORATORY: Paradigm Environmental Services, Inc.

Rochester, NY

SDG No.: 210162

2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

- Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,
- Compliance with established analyte holding times,
- Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,
- Adherence to established analytical protocols,
- Conformance of data summary sheets with raw analytical data, and
- Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

3.0 SAMPLE AND ANALYSIS SUMMARY

The data package consists of analytical results for nineteen soil samples collected on January 11, 2021. This sample was analyzed for Volatile Organic Compounds (VOCs), Semi-volatile Organic Compounds (SVOCs), 1,4-Dioxane, Pesticides, PCBs, Metals, Herbicides, and PFASs.

All analyses were performed by Paradigm Environmental Services, Inc., Rochester, NY and analyzed as SDG 210162 except Herbicides and PFASs were analyzed by Alpha Analytical Westborough, MA as SDG L2101378. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA

The guidance documents used for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results are listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

5.0 DATA VALIDATION QUALIFIERS

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

TABLE 4-1

DATA VALIDATION GUIDANCE DOCUMENTS

| Analyte Type | Validation Guidance |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| VOCs | USEPA, 2008, Validating Volatile Organic Compounds By Gas Chromatography/Mass Spectrometry; SW-846 Method 8260B; SOP # HW-24, Rev. 2. |
| , 505 | USEPA, 2008, Statement of Work for Organic Analysis of Low/Medium Concentration of Volatile Organic Compounds SQM01.2; SOP HW-33, Rev. 2. |
| SVOCs | USEPA, 2007, Statement of Work for Organic Analysis of Low/Medium Concentration of Semivolatile Organic Compounds SQM01.2; SOP HW-35, Rev. 1. |
| Pesticides/PCBs | USEPA, 2006, CLP Organics Data Review and Preliminary Review (CLP/SOW OLMO 4.3); SOP # HW-6, Rev. 14, Part C. |
| Metals | USEPA, 2006, Validation of Metals for the Contract Laboratory Program (CLP) based on SOW ILMO 5.3 (SOP Revision 13), SOP # HW-2, Rev. 13. |
| Gen Chemistry | NYSDEC, 2005, Analytical Services Protocols (ASP) |
| VOCs (Ambient air) | USEPA, 2006, Validating Air Samples, Volatile Organic Analysis of Ambient Air in Canister by Method TO-15; SOP # HW-31, Rev. 4. |
| Perfluoroalkyl Substances (PFASs) | USEPA, 2018, Data Review and Validation Guidelines for Perfluoroalkyl Substances (PFASs) Analyzed Using EPA Method 537 |

TABLE 4-2

QUALITY CONTROL CRITERIA USED FOR VALIDATING LABORATORY ANALYTICAL DATA

| VOCs | SVOCs | Pesticides/PCBs | Metals | Gen Chemistry | Method TO-15 |
|------------------------|------------------------|------------------------|----------------------|---------------------|------------------------|
| Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg | Completeness of Pkg |
| Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation | Sample Preservation |
| Holding Time | Holding Time | Holding Time | Holding Time | Holding Times | Holding Time |
| System Monitoring | Surrogate Recoveries | Surrogate Recoveries | Initial/Continuing | Calibration | Canister Certification |
| Compounds | Lab Control Sample | Matrix Spikes | Calibration | Lab Control Samples | Lab Control Sample |
| Lab Control Sample | Matrix Spikes | Blanks | CRDL Standards | Blanks | Instrument Tuning |
| Matrix Spikes | Blanks | Instrument Calibration | Blanks | Spike Recoveries | Blanks |
| Blanks | Instrument Tuning | & Verification | Interference Check | Lab Duplicates | Initial Calibration & |
| Instrument Tuning | Internal Standards | Analyte ID | Sample | | System Performance |
| Internal Standards | Initial Calibration | Lab Qualifiers | Spike Recoveries | | Daily Calibration |
| Initial Calibration | Continuing Calibration | Field Duplicate | Lab Duplicate | | Field Duplicate |
| Continuing Calibration | Lab Qualifiers | - | Lab Control Sample | | |
| Lab Qualifiers | Field Duplicate | | ICP Serial Dilutions | | |
| Field Duplicate | | | Lab Qualifiers | | |
| | | | Field Duplicate | | |

PFASs
Completeness of Pkg
Sample Preservation
Holding Time
Instr Performance Check **Initial Calibration Continuing Calibration** Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

NOTE: The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J The analyte was positively identified; the associated numerical value is the *approximate* concentration of the analyte in the sample. (The magnitude of any ± value associated with the result is not determined by data validation).
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- N The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".
- JN The analyte is considered to be "presumptively present." The associated numerical value represents its *approximate* concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated using red ink. Data sheets having qualified data are signed and dated by the data reviewer.

6.0 RESULTS OF THE DATA REVIEW

The results of the data review are summarized in Tables 6-1 through 6-8. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

7.0 TOTAL USABLE DATA

For SDG 210162, nineteen samples were analyzed and results were reported for 3371 analytes. One result was rejected. Even though some results were flagged with a "J" as estimated, all other results (99.99 %) are considered usable. See the summary table for the analyses that have rejected/qualified and the corresponding QC reasons.

NOTE: 1) As noted by the laboratory, the soil samples were not collected following SW846 5035A protocol. This adds an element of uncertainty to the analytical results for volatile organic analytes (VOAs). Although not specifically indicated on the final data sheets with a "J" flag, the VOA analytical results should be considered estimated, but usable.

NOTE: 2) The data packages for this project contained no laboratory QC data for the CRDL standard for metals (Form 2B) and the Serial Dilutions of metals (Form 8). Therefore, no evaluation of the CRDL recoveries and the serial dilution results were performed by this data reviewer and no data were qualified as a result.

Table 6-1 8260 VOCs + TICs

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS | |
|-------------------------|--------------------------------|----------------|---------------------------|------------------------|--|
| B2S1 B3S1 B4S1 | 1,2-DCB 1,3-DCB 1,4-DCB | Tatata | 18 arms 42 / 50 0/ of the | | |
| B12S1 B14S1 B17S1 | 1,2,7-1CB 1,2,3-TCB DBCP | UJ non-detects | QC limit | Data may be biased low | |
| B18S1 | n-Butylbenzene Naphthalene | | | | |
| B1S1 | 1,1-Dichloroethene | | | | |
| B2S1 | trans-2,2-Dichloroethene | J detects | | | |
| B3S1 | Cyclohexane | UJ non-detects | | Data may be biased low | |
| B4S1 | Carbon tetrachloride | | | | |
| B6S1 | | | | | |
| B6S10 | | | | | |
| B7S1 | Dichlorodifluoromethane | | | | |
| B9S1 | Vinyl chloride | | | | |
| B10S1 | cis-1,3-Dichloropropene | J detects | F 11 00 / 1100 | | |
| B10S2 | trans-1,3-Dichloropropene | UJ non-detects | | Data may be blased low | |
| B12S1 | 1,2,4-Trichlorobenzene | | | | |
| B14S1 | Naphthalene | | | | |
| B17S1 | | | | | |
| B18S1 | | | | | |

Table 6-2 8270 SVOCs + TICs

| AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|-------------|----------------------------------|-----------------------------|---------------------------|--------------------|
| B8S1 | All analytes | J detects UJ non-detects | Surrogate recs < QC limit | Data are estimated |
| All samples | Atrazine Hexachloropentadiene | J detects UJ non-detects | CCV > QC limit | Data are estimated |

Table 6-3 1,4-Dioxane

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|----------|--------|--------------|----------|
| none | | | none | |

Table 6-4 Pesticides

| SAMPLES | S Indian a Table | C ALL C | | | |
|----------|------------------|---------|----------------------|-------------------------------|---|
| AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS | |
| B981 | 4,4'-DDE | Z, | >25 % D between dual | | T |
| 1000 | Methoxychlor | J | column analysis | Matrix interference suspected | |
| B14S1 | Wathownohlow | - | >25 % D between dual | | Г |
| | MONTO | 0 | column analysis | Matrix interference suspected | |

Table 6-5 PCBs

| ON COMMENTS | lal Matrix interference suspected |
|---------------------|--------------------------------------|
| QC VIOLATION | >25 % D between dual column analysis |
| ACTION | Z n |
| ANALYTES | PCB 1260 |
| SAMPLES AFFECTED | B3S1 |

Table 6-6

Metals

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS |
|---------------------|--------------------|--------------------------|-------------------|------------------------|
| B18S1 | Sb, Co, Mg, Ni, Zn | J detects UJ non-detects | MS rec < QC limit | Data may be biased low |
| B1S1 | Hg | R detects | MS rec < 10 % | Results is rejected |

Table 6-7 Herbicides

| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS | |
|---------------------|----------|--------|--------------|----------|--|
| none | | | none | | |

Table 6-8

PFAAs

| | | | | | Γ |
|------------------|----------|----------------|----------------------|------------------------|---------------|
| SAMPLES AFFECTED | ANALYTES | ACTION | QC VIOLATION | COMMENTS | Marie Control |
| 1201 | NMeFOSSA | J detects | | | |
| D1231 | NEtFOSSA | UJ non-detects | Surr Stds < QC limit | Data may be biased low | |

ACRONYMS

BSP Blank Spike

CCAL Continuing Calibration

CCB Continuing Calibration Blank

CCV Continuing Calibration Verification

CRDL Contract Required Detection Limit

CRQL Contract Required Quantitation Limit

%D Percent Difference

ICAL Initial Calibration

ICB Initial Calibration Blank

IS Internal Standard

LCS Laboratory Control Sample

MS/MSD Matrix Spike/Matrix Spike Duplicate

QA Quality Assurance

QC Quality Control

%R Percent recovery

RPD Relative Percent Difference

RRF Relative Response Factor

% RSD Percent Relative Standard Deviation

TAL Target Analyte List (metals)

TCL Target Compound List (organics)

Appendix A

Validated Analytical Results

LAB PROJECT NARRATIVE: 210162 PROJECT NAME: Pilgrim Village Senior

SDG: 0162-01 CLIENT: BE3

Nineteen soil samples were collected by the client between January 08 and 11, 2021 and were received by the Paradigm Laboratory on January 12, 2021. Samples were received under the conditions as noted on the Chain-of-Custody Supplement. The samples were submitted with the Chains-of-Custody requesting the Part 375 lists for SVOCs, VOCs, Pesticides, Metals, PCBs, Silvex, PFAs, and 1,4-Dioxane. Per an email dated January 12, 2021, the lists for VOCs and SVOCs were changed to TCL+ plus TICs and TCL plus TICs, respectively and Silvex was changed to the full herbicide scan. All analyses were performed using EPA SW-846 Methods and the associated holding times.

The items noted in this case narrative address compliance with the referenced methods, NYSDOH ELAP rules, and any project specific data quality requirements. These may be different from the usability criteria referenced in any "Functional Guidelines" or other data review standards used by data validators.

GENERAL NOTES

ALL ANALYSES

The initial and continuing calibration reports are only evaluated for compounds that are on the sample summary report.

Regarding results on QC summary forms versus included raw data, due to calculations made at the instrument where many significant figures may be used, there may be slight discrepancies between the summary report result and that recorded on the raw data. This does not affect data usability.

VOLATILES AND SEMIVOLATILES

Regarding initial calibrations, it should be noted that the Quantitation Report concentrations supplied for the initial calibration reflect the calibration prior to updating. The response factors and areas are correct.

Regarding Quantitation Reports, it should be noted that the "#" symbol that appears on some of the Quantitation Reports is a software artifact and should be disregarded.

Compounds flagged with an "*" on the summary table have been calibrated using a non-average Response Factor calibration curve. The supporting curves are located after the initial calibration table.

VOLATILES

Soil samples were not sampled per EPA method 5035A compliance rules. Thus, an extra note has been added to all VOC reports.

Holding times were met for all samples.

All surrogate recoveries for the samples and associated QC were within acceptance limits.

Site specific QC was not requested on this SDG. The Laboratory Control Samples recovered within acceptance limits.

The Method Blanks were free from contamination within reportable ranges.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standards areas and retention times were within acceptance ranges for the samples and QC with the following exceptions: 1,4-Dichlorobenzene recovered low in half of the samples. These outliers have been flagged with an "*" on the summary form and annotated on the sample report accordingly. These samples were repeated to confirm the results and the raw data for the confirmations has been supplied after the raw data from the reported results. Matrix interference is suspected. No further evaluation of this data or corresponding summary forms have been made.

All data for the initial calibration was within acceptance limits for the reported analytes.

All continuing calibration data was within acceptance limits for the reported analytes with the following exceptions: Dichlorodifluoromethane was out low and Trichlorofluoromethane, Freon 113, 1,1-Dichloroethane, Carbon Disulfide, Methyl Acetate, Methylene Chloride, and trans-1,2-Dichloroethene were out high in the CCV analyzed on January 15, 2021. Dichlorodifluoromethane, Chloromethane, Vinyl Chloride, cis-1,3-Dichloropropene, trans-1,3-Dichloropropene, 1,2,4-Trichlorobenzene, and Naphthalene were out low in the CCV analyzed on January 18, 2021. For compounds that are out high, data is deemed usable as the compound is not detected in the samples. Adequate sensitivity at the reporting limit for compounds that were out low was verified by the analysis of a single point 1ppb standard. This is usable for non-detects only. All samples were non-detect for these compounds.

SEMI-VOLATILES

Holding times were met for all samples.

All surrogate recoveries for the samples and associated QC were within acceptance limits, with the following exceptions: in B8S1, 2-Fluorophenol, Nitrobenzene-d5, 2-Fluorophenyl, 2,4,6-Tribromophenol, and Terphenyl-d14 were out low. 2,4,6-Tribromophenol was out low in B5S1. 2-Fluorophenol was out low in B17S1 and B18S1. These outliers have been flagged with an "*" on the summary form and the sample reports. Matrix interference is suspected. 2,4,6-Tribromophenol was out low in the Method Blank prepared on January 15, 2021. This surrogate recovered within acceptance limits in the LCS and the samples on the batch. No compounds were detected in the samples associated with this Method Blank and the data was deemed usable. The outlier was flagged with an "*" on the summary form and the Blank report.

Site specific QC was not requested on this SDG but was analyzed on B6S10 and recovered within acceptance limits. The Laboratory Control Samples recovered within acceptance limits.

The Method Blanks were free from contamination within reportable ranges. A few Tentatively Identified Compounds were detected in the Blank prepared on January 14, 2021. There were no commonalities determined between the TICs found in the Blank and any TICs present in the samples from the associated batch.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standards areas and retention times were within acceptance ranges for the sample and associated QC.

All data for the initial calibrations was within acceptance limits for the reported analytes, with the following exception: Atrazine did not have the minimum number of points required for the calibration curve. Adequate sensitivity for this analyte is verified by the analysis of a single point 5ppm standard. This is usable for non-detects only. All samples were non-detect for this compound.

All continuing calibration data was within acceptance limits for the reported analytes, with the following exceptions: Hexachlorocyclopentadiene and Atrazine were out low in CCVs analyzed on January 14, 15, and 18 2021 (data files B51616.D, B51648.D and B51687.D). In the CCV analyzed on January 15, 2021 (data file B51668.D), 2,4-Dinitrophenol, Hexachlorocyclopentadiene, Atrazine, 4,6-Dinitro-2-methylphenol, and Pentachlorophenol were out low. Sensitivity at the reporting limit for these compounds was verified by the analysis of single point 5ppm and 10ppm standards. This is usable for non-detects only. All samples were non-detect for these compounds.

<u>SEMIVOLATILES – 1,4-Dioxane</u>

Holding times were met for all samples.

Site specific QC was not requested on this SDG. The Laboratory Control Samples recovered within acceptance limits.

The Method Blanks were free from contamination within reportable ranges.

The instrument tunes passed all criteria and samples were within a 12-hour window.

The internal standard (1,4-Dichlorobenzene) areas and retentions time were within acceptance limits for the sample and the associated QC. The deuterated version of 1,4-Dioxane (1,4-Dioxane-d8) is an isotope, added and extracted during the preparation of the sample, and therefore area acceptance criteria is not applicable, but the retention times were within acceptance limits. The quantification of 1,4-Dioxane is based on the area of 1,4-Dioxane-d8.

All data for initial calibrations were within acceptance limits.

All data for continuing calibrations were within acceptance limits.

PESTICIDES

Holding times were met for all samples.

Surrogate recoveries for the sample and associated QC were within acceptance limits, with the following exceptions: Decachlorobiphenyl was out high in B3S1, B6S10, B8S1, and B14S1. These outliers have been flagged with an "*" on the surrogate recovery form and the sample reports. Matrix interference is suspected.

Site specific QC was not requested on this SDG. The Laboratory Control samples recovered within acceptance limits.

The Method Blanks were free from contamination within the reportable ranges.

The internal standards areas and retention times were within acceptance ranges for the samples and associated OC.

All data for the initial calibrations were within acceptance limits. The internal acceptance criteria for the initial calibrations was 0.99 or better for each peak.

All continuing calibration data was within acceptable QC limits, except the surrogates in some of the CCVs were out high on one column. In all cases, the target compounds recovered within acceptance limits and the data was deemed usable.

For all Pesticide hits, a Form 10 including Percent Difference has been included. Column confirmations above 40% difference have been flagged with a "P" on the sample reports and an "*" on the Form 10 indicating matrix interference. The reported result is always the lower of the two results.

PCBS

Holding times were met for all samples.

The surrogate (Tetrachloro-m-xylene) recovered within acceptance limits for the samples and associated QC.

Site specific QC was not requested on this SDG but was analyzed on B2S1 and recovered within acceptance limits. The Laboratory Control Samples recovered within acceptance limits.

The Method Blanks were free from contamination within the reportable ranges.

All data for the initial calibrations were within acceptance limits. The internal acceptance criteria for the initial calibrations was 0.99 or better for each peak.

All data for continuing calibrations was within acceptance limits.

The Aroclor 1260 hit for B3S1 was confirmed on a second column. Raw data for the confirmation is supplied after the raw data for the reported results. No further evaluation of this data has been made. As this Aroclor appears to be representative of this site, no further confirmations will be run unless sample profile changes.

METALS

ICP-AES interelement and background corrections were applied. Raw data was not generated before application of background corrections.

Holding times were met for all samples.

Site specific QC was not requested on this SDG but was analyzed on B18S1 and there were some outliers. These outliers have been flagged with an "*" on the summary form and an "M" and/or "D" on the sample report. Matrix interference is suspected. As there were outliers, Post Digest Spikes were analyzed accordingly. The raw data for these QC samples has been supplied on the attached ICP analytical worksheets, labeled as "pds". There are no data qualifiers or QC forms associated with the post digest spikes. The Laboratory Control Samples recovered within acceptable limits. All LCS % differences were within acceptance limits.

The Method Blank was free from contamination within reportable ranges.

All data for the initial calibrations was within acceptance limits.

All continuing calibrations data was within acceptance limits.

Subcontracted Analyses

| Their repo | rts are provided in | rate entity after | the Paradigm Envir | cal of Westborough, MA. onmental Services, Inc. r reports. |
|------------|---------------------|-------------------|-------------------------|------------------------------------------------------------|
| | | | | |
| | | | | |
| | | | | |
| (signed) | Steven DeVito – T | _ | (date) <u>2/15/2021</u> | |

BATCH LOG

Lab Name: <u>Paradigm Environmental Services</u>

 Lab Project #:
 210162

 Client Name:
 BE3

Client Project Name: <u>Pilgrim Village Senior</u>

 Client Project #:
 N/A

 SDG No.:
 0162-01

Protocol: <u>SW846</u> Report Due Date: <u>1/19/2021</u> Batch Due Date: <u>2/11/2021</u>

| LAB SAMPLE NO. | MATRIX | CLIENT SAMPLE ID | REQUESTED ANALYSIS | DATE SAMPLED | DATE REC'D |
|-------------------|--------|---------------------|----------------------------------------------------------------------|-----------------|---------------|
| 210162-01 | Soil | B1S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-01 | Soil | B2S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-02 | Soil | B3S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-03 | Soil | B4S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs | 1/8/2021 | 1/12/2021 |
| 210162-04 | Soil | B5S1 | Mercury, Metals, PCBs, Pests, SVOAs, Dioxane, PFAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-05 | Soil | B6S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-07 | Soil | B6S10 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/8/2021 | 1/12/2021 |
| 210162-07 | Soil | B7S1 | | 1/8/2021 | 1/12/2021 |
| 210162-08 | Soil | B8S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | | |
| | | B9S1 | Mercury, Metals, PCBs, Pests, SVOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-10 | Soil | | Mercury, Metals, PCBs, Pests, SVOAs, Dioxane, PFAs, Herbicides VOAS | 1/11/2021 | 1/12/2021 |
| 210162-11 | Soil | B10S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-12 | Soil | B10S2 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-13 | Soil | B11S1 | Mercury, Metals, PCBs, Pests, SVOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-14 | Soil | B12S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Dioxane, Herbicides PFAs | 1/11/2021 | 1/12/2021 |
| 210162-15 | Soil | B14S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Dioxane, PFAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-16 | Soil | B15S1 | Mercury, Metals, PCBs, Pests, SVOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-17 | Soil | B16S1 | Mercury, Metals, PCBs, Pests, SVOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-18 | Soil | B17S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| 210162-19 | Soil | B18S1 | Mercury, Metals, PCBs, Pests, SVOAs, VOAs, Herbicides | 1/11/2021 | 1/12/2021 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

MKP 2/18/2021

CHAIN OF CUSTODY

| PARADIGM |
|----------|
| |
| |

| DAE | RADIG | M | | | REPORT TO: | 19.93 | | | | | INV | OICE | TO: | | | | - | |
|-----------------------------------------|-----------|-------------------|--------------|-----------------|----------------------------------------|---------------|-----------------|--------|-----------|----------------|--------------|--------------|------------|----------------|------------|--------------|--------------------|------------------|
| LAI | ADIO | N. | | CLIENT: | =3CORP | | | CLIENT | : | SAI | NE | | | | | 1 | LAB PROJECT | ID |
| VIII | | 107 | | ADDRESS: 96 | a Russi Aus | | | ADDRES | SS: | | | | | | | 21 | 0 162 | |
| | | ~ | | BUFF | | ZIP /4 | 1213 | CITY: | | | | STATE: | | ZIP | | Quotation | n #: | |
| | | | | PHONE: | 716.249.688 | | | PHONE: | : | | | | | | | Email: | | |
| | CT REFER | | | ATTN: | KE TRACK | | | ATTN: | | | | | ž | | | Strau | y @ be3c | orp.com |
| PILGRIM | VILLI | MGE | | Matrix Cod | es: Aqueous Liquid | WA - V | /ater | | | DW - Dr | inkina V | Vater | 10 | SO - Si | sil . | SD - Solid | WP - Wipe | OL - Oil |
| SE | ENIOR | | | | Ion-Aqueous Liquid | | roundwa | ater | | ww - W | | | | SL - SI | | PT - Paint | CK - Caulk | AR - Air |
| | | - | | | | 100 | | | R | EQUE | STED | ANA | 13 | × | | cylo | 1221 | |
| | | 0 | | | | | м_ | N O | - 3 | 3 3 | 20 1 |] | 3 2 3 | vest Silver | Inclu | de Het | Er, VOAT | 165, |
| DATE COLLECTED | TIME | M P O | G R | | | | M C A O R E S X | B | 12 | Svocs | PCB | 3 | K | 5 | SUOA . | TICS, 1 | Metals = TA. | L PARADIGM LAB |
| DATE COLLECTED | COLLECTED | s | A B | | SAMPLE IDENTIFIER | | R E | RN | 6 | | | 1 47 A | ā | 3 | 0.0 | REMARK | e 1/12/21 | SAMPLE NUMBER |
| | | T E | | | | | x s | O R | 3 | 375 | 375 | P.E. | 7 8 | 其 | 6,1 | , e | | |
| 1/8/21 | 1230 | | × | BISI | | | So | 3 | | | | 1 | - i v | 3 | | | | 01 |
| 10/21 | 1240 | | î | B251 | | | 1 | 3 | × | ×× | | | × | | | - 17 | AL HTCL | 0) |
| | 1255 | | | 8351 | | | | | 1 1 | X X | XX | 1 1 | * | | | | | 03 |
| | 1315 | | | B451 | | - | | 1 | | ×× | - | | * | | - | | | 04 |
| | 1325 | | | Boss | | | | 5 | | XX | | | | | Horse | 37 | | 05 |
| | 1340 | | | B651 | | | | 3 | | XX | | | X | n | | | | 06 |
| | 1410 | | | RESIO | | | | I | | XX | | | × | V | | | | 07 |
| -0 | 1430 | | | B751 | | | | 1 | 1 | XX | | | 1 | X | | | | 80 |
| 1/11/21 | 930 | | | BBSI | | | | 1 | | ×× | | | × | | | | | 09 |
| 1. | 1000 | | 1 | B951 | | | 1 | 5 | | ×× | | | | | | | 4 | 10 |
| T | 1 7 | | | | | 1 | | | | | | | 1 | | Sub se | ut dilectl | y to sub la | 26. |
| Turnaroun | | at upon l | | Report Sup | plements I fees may apply. | 1.1 | - | Vac | | | | .1. | 10. | | | | 68 1/12 | /21 |
| | 100 | | | ovai, additiona | liees may appry. | Sample | | Wac | 7 | | | 1/1 | 2 late/Tin | | 000 | - | Total Cost: | |
| tandard 5 day | X | None R | equired | | None Required | 1 | Va | 7 | i | 15 | | 114 | 121 | 1 | 608 | | | |
| 0 day | | Batch C | QC | | Basic EDD | Rejinqu | ilshed E | y Y | | X | 0 | D | ate/Tin | ne | | _ | | |
| Rush 3 day | | Categor | гу А | | NYSDEC EDD X | V | Bo | an' | 21 | end | | l. | /11 | M | 16:0 | 28 | | |
| Rush 2 day | | Categor | ry B | × | - | Receive | ed By |) (| 1 | | 1 | D | ate/Tin | ne | | | P.I.F. | |
| Rush 1 day | | | | | | Danaha | 2 | 1 | | | 1/ | 12 / | 21 | | 10:4 | | | |
| - | | | | | | Receive 3 °C | _ | • | /12 | 121 | 10 | о: 16 | ate/Tin | ne | | | | |
| Pate Needed ease indicate date neede | ed: | Other please indi | licate packa | ge needed: | Other EDD please indicate EDD needed : | | | | | | ۱۱ rees t | , /6 Para | diam | Terr | e and Cone | litione (rev | erse) Page 8 of | |
| - | | | | | | No (| .u56c | ارس ک | ري. ري | CO | 1/12 | 121 | MIBIII | | | | _ | |
| | | - | | | | 1 | | 3 | | | | | | 5 | ee additio | onal page f | for sample co | nditions. |

2/ 2.83

| - 401 | | | | | | CH | A | V | OF | CL | <i>IS</i> 7 | OL | Y | | | | | | | | /2 |
|----------------------------|----------|-------------------------------------------|------------------|-------------|----------------------------|--------|-----------------------|-----------|---------------|----------------|-------------|----------|----------|--------|------------|---------------|---------|----------------------|----------|-------------------------|----------------------------------|
| PAR | RADIG | М | | | REPORT TO: | THE | a | | | | | - 16 | ivoi | CETO | | | | 1,000 | - | - | 7577 |
| 11.7.184 | | (vit. | | ADDRESS: | 3 CORP | | | | CLIENT: | 0 | au | و | | | | | | | | LAB PROJECT | ID |
| 1 | | 1 | | CITY: | O BUSTI AVE | 710 | | | ADDRES | 5: | | | | | | | | | | 162 | |
| - | | | | BUFF PHONE: | STATE: | ZIP | 421 | 3 | CITY: | | | | SI | ATE: | | ZIP: | | Quota | tion i | #: | |
| | | | | 716 | . 249 . 6880 | , | | | PHONE: | | | | | | ă | | | Email: | | | |
| | CT REFER | | | ATTN: JA | KE TRACY | | | | ATTN: | | | | | | 2 | | | stra | ecyl | @be3co | p.com |
| PILGRIM | VILLAG | E | | Matrix Code | s: queous Liquid | WA - | Water | | | | - שמ | Orinking | . Wat | nr. | ġ, | O - So | | | | | • |
| S€ | VIOR | | | | on-Aqueous Liquid | WG - | | | ter | | | Wastev | | E1 (| -,25 | L - Slu | dge | SD - Sol PT - Pai | | WP - Wipe CK - Caulk | OL - Oil AR - Air |
| | | | | | | | | Ē. | | 1 | EQU | ESTE | DA | | 1 | | | 3 1 1 | | | |
| DATE COLLECTED | TIME | C O M P O S I T E | G R A B | | SAMPLE IDENTIFIER | | M A T R I | C O D E S | CONTAINERS OF | But 375 YOC | 375 SVOCS | 375 PCBs | 375 Pest | Dioxen | Graniste " | JINCK | | RE | MARKS | | PARADIGM LAB SAMPLE NUMBER |
| 1/11/21 | 1015 | | X | BIOSI | | | S | 0 | 3 | X | XX | (X | × | | x/ | K | | | TAL | HTCL | 11 |
| | 1025 | | | BIOSZ | • | | | | | | | X | | | J, | < | | | - todato | 1 | 12 |
| | 1035 | | | BIISI | | | | | 4 | | ×× | (x) | x | | * | < | | | | | 13 |
| | 1055 | | | B1251 | 8 | | | | 5 | X | XX | x | XX | | | 4 | | | | | 14 |
| | 1105 | - | | BISSI | | | | | 3 | | | | | | | | HOL | D | | | |
| | 1115 | | | B1451 | | | | | 5 | X | XX | X x | cX | | k > | | | | | | 15 |
| | 1135 | | Ш | B1551 | | | | | 3, | 4 | XX | X | ĸ | | k1 | < | | | | | 16 |
| | 1150 | | | 81651 | | | | | | | | X | | | K) | < | | | | 1 | 17 |
| | 1210 | | | 81751 | | | | | | $ \mathbf{x} $ | XX | X | K | | k) | | | | | 10 | 18 |
| 4 | 1240 | | 4 | B1851 | | | + | 7 | 4 | X | XX | × | X | | k) | ¢ - | | | | 4 | 19 |
| Turnaroun Availabi | | it upon la | ab appı | Report Supp | | | ak | e. | Tra | u | 2 | | 1 | 11 2 | 1 | 100 | 90 | | | | |
| Standard 5 day | X | None Re | equired | | None Required | Samp | 17 | | - | , (|) | | • | Date | Time | | St. St. | | То | otal Cost: | |
| 10 day | | Batch Q | .C | | Basic EDD | Relink | uisne | d By | | | 7 | | | Date | | | ୧୦୫ | | | | |
| Rush 3 day | | Categor | у А | | NYSDEC EDD X | V | 2 | Br | ion | | 2/ | and a | ~ | V | 11. | 12 | 1/ | 5:08 | | | |
| Rush 2 day | | Categor | у В | X | | Receiv | red By | (|) | 0 | | | | Date/ | 1 | | | : .I. G | P.I | I.F. | |
| Rush 1 day | | | | | | Receiv | | | | | | 15. | 1 / | Date/ | | 1 | 10 | :49 | | | |
| Date Needed | | Other | | | Other EDD | 3 ° c | i c | ٤. | (l | /12 | 121 | | 10 | 16 | | | | | | | |
| please indicate date needs | ed: | please indi | cate packa | ge needed: | please indicate EDD needed | By sig | gning | g thi | is forn | n, cli | ent a | grees | to Pa | aradi | gm 'l | erms | and Con | ditions (| revei | rse) Page 9 of | 1355 |

See additional page for sample conditions.

VOLATILE ORGANICS SAMPLE DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

 Lab Sample ID:
 210162-01
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|-----------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,1,2,2-Tetrachloroethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,1,2-Trichloroethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,1-Dichloroethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,1-Dichloroethene | < 4.04 UJ | ug/Kg | | 1/15/2021 17:08 |
| 1,2,3-Trichlorobenzene | < 10.1 | ug/Kg | | 1/15/2021 17:08 |
| 1,2,4-Trichlorobenzene | < 10.1 | ug/Kg | | 1/15/2021 17:08 |
| 1,2,4-Trimethylbenzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,2-Dibromo-3-Chloropropane | < 20.2 | ug/Kg | | 1/15/2021 17:08 |
| 1,2-Dibromoethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,2-Dichlorobenzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,2-Dichloroethane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,2-Dichloropropane | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,3,5-Trimethylbenzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,3-Dichlorobenzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,4-Dichlorobenzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| 1,4-Dioxane | < 40.4 | ug/Kg | | 1/15/2021 17:08 |
| 2-Butanone | < 20.2 | ug/Kg | | 1/15/2021 17:08 |
| 2-Hexanone | < 10.1 | ug/Kg | | 1/15/2021 17:08 |
| 4-Methyl-2-pentanone | < 10.1 | ug/Kg | | 1/15/2021 17:08 |
| Acetone | < 20.2 | ug/Kg | | 1/15/2021 17:08 |
| Benzene | < 4.04 | ug/Kg | | 1/15/2021 17:08 |
| Bromochloromethane | < 10.1 | ug/Kg | | 1/15/2021 17:08 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Refer | ence: | Pilgrim Village | e Senior | | | | |
|---------------|---------------|-----------------|-----------|-------|----------------|-----------|-------|
| Sample Iden | ntifier: | B1S1 | | | | | |
| Lab Sample | ID: | 210162-01 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | | Soil | | | Date Received: | 1/12/2021 | |
| Bromodich | loromethan | e | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Bromoforn | n | | < 10.1 | ug/Kg | | 1/15/2021 | 17:08 |
| Bromomet | hane | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Carbon dis | ulfide | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Carbon Tet | trachloride | | < 4.04 UJ | ug/Kg | | 1/15/2021 | 17:08 |
| Chlorobenz | zene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Chloroetha | ine | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Chloroforn | n | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Chloromet | hane | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| cis-1,2-Dic | hloroethene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| cis-1,3-Dic | hloropropen | ie | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Cyclohexar | ne | | < 20.2 UJ | ug/Kg | | 1/15/2021 | 17:08 |
| Dibromoch | nloromethan | e | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Dichlorodi | fluorometha | ne | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Ethylbenze | ene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Freon 113 | | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Isopropylb | enzene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| m,p-Xylene | 9 | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Methyl ace | tate | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Methyl tert | t-butyl Ether | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Methylcycl | ohexane | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| Methylene | chloride | | < 10.1 | ug/Kg | | 1/15/2021 | 17:08 |
| Naphthalei | ne | | < 10.1 | ug/Kg | | 1/15/2021 | 17:08 |
| n-Butylben | nzene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| n-Propylbe | enzene | | < 4.04 | ug/Kg | | 1/15/2021 | 17:08 |
| | | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B1S1 | | | | | | |
|------------------------|-----------|-----------|------------|--------|---------------|------------|-------|
| Lab Sample ID: | 210162-01 | | | D | ate Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | D | ate Received: | 1/12/2021 | |
| o-Xylene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| p-Isopropyltoluene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| sec-Butylbenzene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Styrene | | < 10.1 | ug/Kg | | | 1/15/2021 | 17:08 |
| tert-Butylbenzene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Tetrachloroethene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Toluene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| trans-1,2-Dichloroethe | ne | < 4.04 UJ | ug/Kg | | | 1/15/2021 | 17:08 |
| trans-1,3-Dichloroprop | ene | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Trichloroethene | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Trichlorofluoromethan | e | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Vinyl chloride | | < 4.04 | ug/Kg | | | 1/15/2021 | 17:08 |
| Surrogate | | Percen | t Recovery | Limits | Outliers | Date Analy | zed |

| Surrogate | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|------------|-------|
| 1,2-Dichloroethane-d4 | 108 | 52.5 - 151 | | 1/15/2021 | 17:08 |
| 4-Bromofluorobenzene | 65.2 | 37.7 - 146 | | 1/15/2021 | 17:08 |
| Pentafluorobenzene | 99.5 | 92.1 - 115 | | 1/15/2021 | 17:08 |
| Toluene-D8 | 85.4 | 74 - 120 | | 1/15/2021 | 17:08 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75910.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

Lab Sample ID: 210162-01 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 14.0 J | ug/Kg | | 1/15/2021 |
| Total Reported TICS | 14.0 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

 Lab Sample ID:
 210162-02
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,1,2,2-Tetrachloroethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,1,2-Trichloroethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,1-Dichloroethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,1-Dichloroethene | < 4.30 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,2,3-Trichlorobenzene | < 10.8 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,2,4-Trichlorobenzene | < 10.8 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,2,4-Trimethylbenzene | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,2-Dibromo-3-Chloropropane | < 21.5 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,2-Dibromoethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,2-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,2-Dichloroethane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,2-Dichloropropane | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,3,5-Trimethylbenzene | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| 1,3-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,4-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/15/2021 17:31 |
| 1,4-Dioxane | < 43.0 | ug/Kg | | 1/15/2021 17:31 |
| 2-Butanone | < 21.5 | ug/Kg | | 1/15/2021 17:31 |
| 2-Hexanone | < 10.8 | ug/Kg | | 1/15/2021 17:31 |
| 4-Methyl-2-pentanone | < 10.8 | ug/Kg | | 1/15/2021 17:31 |
| Acetone | < 21.5 | ug/Kg | | 1/15/2021 17:31 |
| Benzene | < 4.30 | ug/Kg | | 1/15/2021 17:31 |
| Bromochloromethane | < 10.8 | ug/Kg | | 1/15/2021 17:31 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Village | e Senior | | | | |
|-------------------------|-----------------|-----------|-------|----------------|-----------|-------|
| Sample Identifier: | B2S1 | | | | | |
| Lab Sample ID: | 210162-02 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | ! | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Bromoform | | < 10.8 | ug/Kg | | 1/15/2021 | 17:31 |
| Bromomethane | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Carbon disulfide | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Carbon Tetrachloride | | < 4.30 UJ | ug/Kg | | 1/15/2021 | 17:31 |
| Chlorobenzene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Chloroethane | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Chloroform | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Chloromethane | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| cis-1,2-Dichloroethene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| cis-1,3-Dichloropropene | 9 | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Cyclohexane | | < 21.5 UJ | ug/Kg | | 1/15/2021 | 17:31 |
| Dibromochloromethane | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Dichlorodifluoromethan | ne | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Ethylbenzene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Freon 113 | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Isopropylbenzene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| m,p-Xylene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Methyl acetate | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Methyl tert-butyl Ether | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Methylcyclohexane | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| Methylene chloride | | < 10.8 | ug/Kg | | 1/15/2021 | 17:31 |
| Naphthalene | | < 10.8 UJ | ug/Kg | | 1/15/2021 | 17:31 |
| n-Butylbenzene | | < 4.30 UJ | ug/Kg | | 1/15/2021 | 17:31 |
| n-Propylbenzene | | < 4.30 | ug/Kg | | 1/15/2021 | 17:31 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| - | | | | | | | |
|------------------------|-----------|--------|-----------------|------------|-----------------|------------|-------|
| Sample Identifier: | B2S1 | | | | | | |
| Lab Sample ID: | 210162-02 | | | Da | te Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| p-Isopropyltoluene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| sec-Butylbenzene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Styrene | | < 10.8 | ug/Kg | | | 1/15/2021 | 17:31 |
| tert-Butylbenzene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Tetrachloroethene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Toluene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| trans-1,2-Dichloroethe | ne | < 4.30 | UJ ug/Kg | | | 1/15/2021 | 17:31 |
| trans-1,3-Dichloroprop | ene | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Trichloroethene | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Trichlorofluoromethan | e | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Vinyl chloride | | < 4.30 | ug/Kg | | | 1/15/2021 | 17:31 |
| Surrogate | | Pe | ercent Recovery | Limits | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 116 | 52.5 - 151 | | 1/15/2021 | 17:31 |

| 1,2-Dichloroethane-d4 | 116 | 52.5 - 151 | 1/15/2021 | 17:31 |
|-----------------------|------|------------|-----------|-------|
| 4-Bromofluorobenzene | 62.2 | 37.7 - 146 | 1/15/2021 | 17:31 |
| Pentafluorobenzene | 100 | 92.1 - 115 | 1/15/2021 | 17:31 |
| Toluene-D8 | 84.7 | 74 - 120 | 1/15/2021 | 17:31 |
| | | | | |

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75911.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

Lab Sample ID: 210162-02 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.8 | ug/Kg | | 1/15/2021 |
| Total Reported TICS | < 10.8 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID: 210162-03 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Organics

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|------------------------|--------------|------------------|-----------------|
| 1,1,1-Trichloroethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,1,2,2-Tetrachloroethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,1,2-Trichloroethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,1-Dichloroethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,1-Dichloroethene | < 4.27 <mark>UJ</mark> | ug/Kg | | 1/15/2021 17:54 |
| 1,2,3-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,2,4-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,2,4-Trimethylbenzene | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,2-Dibromo-3-Chloropropane | < 21.3 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,2-Dibromoethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,2-Dichlorobenzene | < 4.27 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,2-Dichloroethane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,2-Dichloropropane | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,3,5-Trimethylbenzene | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| 1,3-Dichlorobenzene | < 4.27 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,4-Dichlorobenzene | < 4.27 UJ | ug/Kg | | 1/15/2021 17:54 |
| 1,4-Dioxane | < 42.7 | ug/Kg | | 1/15/2021 17:54 |
| 2-Butanone | < 21.3 | ug/Kg | | 1/15/2021 17:54 |
| 2-Hexanone | < 10.7 | ug/Kg | | 1/15/2021 17:54 |
| 4-Methyl-2-pentanone | < 10.7 | ug/Kg | | 1/15/2021 17:54 |
| Acetone | < 21.3 | ug/Kg | | 1/15/2021 17:54 |
| Benzene | < 4.27 | ug/Kg | | 1/15/2021 17:54 |
| Bromochloromethane | < 10.7 | ug/Kg | | 1/15/2021 17:54 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Villag | e Senior | | | | |
|-------------------------|----------------|------------------------|-------|----------------|-----------------|-------|
| Sample Identifier: | B3S1 | | | | | |
| Lab Sample ID: | 210162-03 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethan | e | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Bromoform | | < 10.7 | ug/Kg | | 1/15/2021 | 17:54 |
| Bromomethane | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Carbon disulfide | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Carbon Tetrachloride | | < 4.27 <mark>UJ</mark> | ug/Kg | | 1/15/2021 | 17:54 |
| Chlorobenzene | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Chloroethane | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Chloroform | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Chloromethane | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| cis-1,2-Dichloroethene | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| cis-1,3-Dichloropropen | ie | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Cyclohexane | | < 21.3 UJ | ug/Kg | | 1/15/2021 | 17:54 |
| Dibromochloromethan | e | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Dichlorodifluorometha | ne | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Ethylbenzene | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Freon 113 | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Isopropylbenzene | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| m,p-Xylene | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Methyl acetate | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Methyl tert-butyl Ether | • | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Methylcyclohexane | | < 4.27 | ug/Kg | | 1/15/2021 | 17:54 |
| Methylene chloride | | < 10.7 | ug/Kg | | 1/15/2021 | 17:54 |
| Naphthalene | | < 10.7 UJ | ug/Kg | | 1/15/2021 | 17:54 |
| n-Butylbenzene | | < 4.27 UJ | ug/Kg | | 1/15/2021 | 17:54 |
| D 11 | | 4.05 | /17 | | 4 (4 5 (0.004) | 4554 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

ug/Kg

< 4.27

1/15/2021 17:54

n-Propylbenzene



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B3S1 | | | | | | |
|------------------------|-----------|--------|----------------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210162-03 | | | Da | te Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| p-Isopropyltoluene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| sec-Butylbenzene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Styrene | | < 10.7 | ug/Kg | | | 1/15/2021 | 17:54 |
| tert-Butylbenzene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Tetrachloroethene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Toluene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| trans-1,2-Dichloroethe | ne | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| trans-1,3-Dichloroprop | oene | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Trichloroethene | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Trichlorofluoromethan | ie | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Vinyl chloride | | < 4.27 | ug/Kg | | | 1/15/2021 | 17:54 |
| Surrogate | | Pe | rcent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 113 | 52.5 - 151 | | 1/15/2021 | 17:54 |
| 4-Bromofluorobenzene | e | | 59.8 | 37.7 - 146 | | 1/15/2021 | 17:54 |

101

83.1

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

Pentafluorobenzene

Toluene-D8

EPA 5035A - L

Data File: x75912.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

92.1 - 115

74 - 120

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/15/2021

1/15/2021

17:54

17:54



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID: 210162-03 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.7 | ug/Kg | | 1/15/2021 |
| Total Reported TICS | < 10.7 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID:210162-04Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,1,2,2-Tetrachloroethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,1,2-Trichloroethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,1-Dichloroethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,1-Dichloroethene | < 4.28 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,2,3-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,2,4-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,2,4-Trimethylbenzene | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,2-Dibromo-3-Chloropropane | < 21.4 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,2-Dibromoethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,2-Dichlorobenzene | < 4.28 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,2-Dichloroethane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,2-Dichloropropane | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,3,5-Trimethylbenzene | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| 1,3-Dichlorobenzene | < 4.28 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,4-Dichlorobenzene | < 4.28 UJ | ug/Kg | | 1/15/2021 18:17 |
| 1,4-Dioxane | < 42.8 | ug/Kg | | 1/15/2021 18:17 |
| 2-Butanone | < 21.4 | ug/Kg | | 1/15/2021 18:17 |
| 2-Hexanone | < 10.7 | ug/Kg | | 1/15/2021 18:17 |
| 4-Methyl-2-pentanone | < 10.7 | ug/Kg | | 1/15/2021 18:17 |
| Acetone | < 21.4 | ug/Kg | | 1/15/2021 18:17 |
| Benzene | < 4.28 | ug/Kg | | 1/15/2021 18:17 |
| Bromochloromethane | < 10.7 | ug/Kg | | 1/15/2021 18:17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Village | e Senior | | | | |
|-------------------------|-----------------|------------------------|-------|----------------|-----------|-------|
| Sample Identifier: | B4S1 | | | | | |
| Lab Sample ID: | 210162-04 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Bromoform | | < 10.7 | ug/Kg | | 1/15/2021 | 18:17 |
| Bromomethane | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Carbon disulfide | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Carbon Tetrachloride | | < 4.28 UJ | ug/Kg | | 1/15/2021 | 18:17 |
| Chlorobenzene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Chloroethane | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Chloroform | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Chloromethane | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| cis-1,2-Dichloroethene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| cis-1,3-Dichloropropene | e | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Cyclohexane | | < 21.4 UJ | ug/Kg | | 1/15/2021 | 18:17 |
| Dibromochloromethane | ! | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Dichlorodifluoromethar | ne | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Ethylbenzene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Freon 113 | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Isopropylbenzene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| m,p-Xylene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Methyl acetate | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Methyl tert-butyl Ether | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Methylcyclohexane | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| Methylene chloride | | < 10.7 | ug/Kg | | 1/15/2021 | 18:17 |
| Naphthalene | | < 10.7 <mark>UJ</mark> | ug/Kg | | 1/15/2021 | 18:17 |
| n-Butylbenzene | | < 4.28 UJ | ug/Kg | | 1/15/2021 | 18:17 |
| n-Propylbenzene | | < 4.28 | ug/Kg | | 1/15/2021 | 18:17 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B4S1 | | | | | | |
|------------------------|-----------|--------|---------------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210162-04 | | | Da | te Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| p-Isopropyltoluene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| sec-Butylbenzene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Styrene | | < 10.7 | ug/Kg | | | 1/15/2021 | 18:17 |
| tert-Butylbenzene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Tetrachloroethene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Toluene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| trans-1,2-Dichloroethe | ne | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| trans-1,3-Dichloroprop | ene | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Trichloroethene | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Trichlorofluoromethan | e | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| Vinyl chloride | | < 4.28 | ug/Kg | | | 1/15/2021 | 18:17 |
| <u>Surrogate</u> | | Pero | cent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 118 | 52.5 - 151 | | 1/15/2021 | 18:17 |

57.3

101

82.1

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

4-Bromofluorobenzene

Pentafluorobenzene

Toluene-D8

EPA 5035A - L

Data File: x75913.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

37.7 - 146

92.1 - 115

74 - 120

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/15/2021

1/15/2021

1/15/2021

18:17

18:17

18:17



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID: 210162-04 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.7 | ug/Kg | | 1/15/2021 |
| Total Reported TICS | < 10.7 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID:210162-06Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Volatile Organics

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|-----------|--------------|------------------|-----------------|
| 1,1,1-Trichloroethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,1,2,2-Tetrachloroethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,1,2-Trichloroethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,1-Dichloroethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,1-Dichloroethene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,2,3-Trichlorobenzene | < 9.86 | ug/Kg | | 1/18/2021 15:17 |
| 1,2,4-Trichlorobenzene | < 9.86 UJ | ug/Kg | | 1/18/2021 15:17 |
| 1,2,4-Trimethylbenzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,2-Dibromo-3-Chloropropane | < 19.7 | ug/Kg | | 1/18/2021 15:17 |
| 1,2-Dibromoethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,2-Dichlorobenzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,2-Dichloroethane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,2-Dichloropropane | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,3,5-Trimethylbenzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,3-Dichlorobenzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,4-Dichlorobenzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| 1,4-Dioxane | < 39.4 | ug/Kg | | 1/18/2021 15:17 |
| 2-Butanone | < 19.7 | ug/Kg | | 1/18/2021 15:17 |
| 2-Hexanone | < 9.86 | ug/Kg | | 1/18/2021 15:17 |
| 4-Methyl-2-pentanone | < 9.86 | ug/Kg | | 1/18/2021 15:17 |
| Acetone | < 19.7 | ug/Kg | | 1/18/2021 15:17 |
| Benzene | < 3.94 | ug/Kg | | 1/18/2021 15:17 |
| Bromochloromethane | < 9.86 | ug/Kg | | 1/18/2021 15:17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| 10,000 110101 011001 | 1 11911111 1 111149 | | | | | |
|--------------------------------------|---------------------|-----------|-------|----------------|------------------------|-------|
| Sample Identifier: Lab Sample ID: | B6S1 210162-06 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/0/2021 | |
| Bromodichloromethane | | < 3.94 | ug/Kg | Dute Received. | 1/18/2021 | 15.17 |
| Bromoform | | < 9.86 | ug/Kg | | 1/18/2021 | |
| Bromomethane | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Carbon disulfide | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Carbon Tetrachloride | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Chlorobenzene | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Chloroethane | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Chloroform | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Chloromethane | | < 3.94 | ug/Kg | | 1/18/2021 | |
| cis-1,2-Dichloroethene | | < 3.94 | ug/Kg | | 1/18/2021 | |
| cis-1,3-Dichloropropene | | < 3.94 UJ | ug/Kg | | 1/18/2021 | |
| Cyclohexane | | < 19.7 | ug/Kg | | 1/18/2021 | |
| Dibromochloromethane | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Dichlorodifluoromethan | | < 3.94 UJ | ug/Kg | | 1/18/2021 | |
| Ethylbenzene | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Freon 113 | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Isopropylbenzene | | < 3.94 | | | 1/18/2021 | |
| m,p-Xylene | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Methyl acetate | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Methyl tert-butyl Ether | | < 3.94 | ug/Kg | | 1/18/2021 | |
| Methylcyclohexane | | < 3.94 | ug/Kg | | 1/18/2021 | |
| • • | | | ug/Kg | | , , | |
| Methylene chloride | | < 9.86 UJ | ug/Kg | | 1/18/2021 1/18/2021 | |
| Naphthalene | | | ug/Kg | | , , | |
| n-Butylbenzene | | < 3.94 | ug/Kg | | 1/18/2021 | |
| n-Propylbenzene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B6S1 | | | | | |
|------------------------|-----------|-----------|----------|---------------|----------------|-------|
| Lab Sample ID: | 210162-06 | | | Date Samp | led: 1/8/2021 | |
| Matrix: | Soil | | | Date Recei | ved: 1/12/2021 | |
| o-Xylene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| p-Isopropyltoluene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| sec-Butylbenzene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| Styrene | | < 9.86 | ug/Kg | | 1/18/2021 | 15:17 |
| tert-Butylbenzene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| Tetrachloroethene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| Toluene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| trans-1,2-Dichloroethe | ne | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| trans-1,3-Dichloroprop | ene | < 3.94 UJ | ug/Kg | | 1/18/2021 | 15:17 |
| Trichloroethene | | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| Trichlorofluoromethan | e | < 3.94 | ug/Kg | | 1/18/2021 | 15:17 |
| Vinyl chloride | | < 3.94 UJ | ug/Kg | | 1/18/2021 | 15:17 |
| <u>Surrogate</u> | | Percent | Recovery | Limits Outlie | rs Date Anal | yzed |

| Surrogate | Percent Recovery | Limits | Outliers | Date Analy | vzed |
|-----------------------|------------------|---------------|-----------------|------------|-------|
| 1,2-Dichloroethane-d4 | 93.1 | 52.5 - 151 | | 1/18/2021 | 15:17 |
| 4-Bromofluorobenzene | 72.1 | 37.7 - 146 | | 1/18/2021 | 15:17 |
| Pentafluorobenzene | 101 | 92.1 - 115 | | 1/18/2021 | 15:17 |
| Toluene-D8 | 92.7 | 74 - 120 | | 1/18/2021 | 15:17 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75945.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID: 210162-06 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 9.86 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 9.86 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,1,2,2-Tetrachloroethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,1,2-Trichloroethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,1-Dichloroethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,1-Dichloroethene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,2,3-Trichlorobenzene | < 11.9 | ug/Kg | | 1/18/2021 15:40 |
| 1,2,4-Trichlorobenzene | < 11.9 UJ | ug/Kg | | 1/18/2021 15:40 |
| 1,2,4-Trimethylbenzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,2-Dibromo-3-Chloropropane | < 23.8 | ug/Kg | | 1/18/2021 15:40 |
| 1,2-Dibromoethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,2-Dichlorobenzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,2-Dichloroethane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,2-Dichloropropane | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,3,5-Trimethylbenzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,3-Dichlorobenzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,4-Dichlorobenzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| 1,4-Dioxane | < 47.7 | ug/Kg | | 1/18/2021 15:40 |
| 2-Butanone | < 23.8 | ug/Kg | | 1/18/2021 15:40 |
| 2-Hexanone | < 11.9 | ug/Kg | | 1/18/2021 15:40 |
| 4-Methyl-2-pentanone | < 11.9 | ug/Kg | | 1/18/2021 15:40 |
| Acetone | < 23.8 | ug/Kg | | 1/18/2021 15:40 |
| Benzene | < 4.77 | ug/Kg | | 1/18/2021 15:40 |
| Bromochloromethane | < 11.9 | ug/Kg | | 1/18/2021 15:40 |



Client: BE3

Project Reference: Pilgrim Village Senior

| - I Toject Kelef effee. | i ligi illi villagi | e Sellioi | | | | |
|-------------------------|---------------------|-----------|-------|----------------|-----------|-------|
| Sample Identifier: | B6S10 | | | | | |
| Lab Sample ID: | 210162-07 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Bromoform | | < 11.9 | ug/Kg | | 1/18/2021 | 15:40 |
| Bromomethane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Carbon disulfide | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Carbon Tetrachloride | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Chlorobenzene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Chloroethane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Chloroform | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Chloromethane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| cis-1,2-Dichloroethene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| cis-1,3-Dichloropropene | | < 4.77 UJ | ug/Kg | | 1/18/2021 | 15:40 |
| Cyclohexane | | < 23.8 | ug/Kg | | 1/18/2021 | 15:40 |
| Dibromochloromethane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Dichlorodifluoromethan | e | < 4.77 UJ | ug/Kg | | 1/18/2021 | 15:40 |
| Ethylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Freon 113 | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Isopropylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| m,p-Xylene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Methyl acetate | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Methyl tert-butyl Ether | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Methylcyclohexane | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| Methylene chloride | | < 11.9 | ug/Kg | | 1/18/2021 | 15:40 |
| Naphthalene | | < 11.9 UJ | ug/Kg | | 1/18/2021 | 15:40 |
| n-Butylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |
| n-Propylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 | 15:40 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B6S10 | | | | | |
|------------------------|-----------|------------------------|------------|-------------------------------|----------------------|----|
| Lab Sample ID: | 210162-07 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received | 1/12/2021 | |
| o-Xylene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| p-Isopropyltoluene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| sec-Butylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| Styrene | | < 11.9 | ug/Kg | | 1/18/2021 15:4 | 40 |
| tert-Butylbenzene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| Tetrachloroethene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| Toluene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| trans-1,2-Dichloroethe | ene | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| trans-1,3-Dichloroprop | oene | < 4.77 <mark>UJ</mark> | ug/Kg | | 1/18/2021 15:4 | 40 |
| Trichloroethene | | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| Trichlorofluoromethan | ie | < 4.77 | ug/Kg | | 1/18/2021 15:4 | 40 |
| Vinyl chloride | | < 4.77 <mark>UJ</mark> | ug/Kg | | 1/18/2021 15:4 | 40 |
| Surrogate | | Percent | t Recovery | <u>Limits</u> <u>Outliers</u> | Date Analyzed | |

| Surrogate | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|-------------------|-------|
| 1,2-Dichloroethane-d4 | 92.3 | 52.5 - 151 | | 1/18/2021 | 15:40 |
| 4-Bromofluorobenzene | 70.4 | 37.7 - 146 | | 1/18/2021 | 15:40 |
| Pentafluorobenzene | 103 | 92.1 - 115 | | 1/18/2021 | 15:40 |
| Toluene-D8 | 93.7 | 74 - 120 | | 1/18/2021 | 15:40 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75946.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 11.9 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 11.9 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

 Lab Sample ID:
 210162-08
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,1,2,2-Tetrachloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,1,2-Trichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,1-Dichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,1-Dichloroethene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,2,3-Trichlorobenzene | < 10.4 | ug/Kg | | 1/18/2021 16:03 |
| 1,2,4-Trichlorobenzene | < 10.4 UJ | ug/Kg | | 1/18/2021 16:03 |
| 1,2,4-Trimethylbenzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,2-Dibromo-3-Chloropropane | < 20.8 | ug/Kg | | 1/18/2021 16:03 |
| 1,2-Dibromoethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,2-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,2-Dichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,2-Dichloropropane | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,3,5-Trimethylbenzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,3-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,4-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| 1,4-Dioxane | < 41.6 | ug/Kg | | 1/18/2021 16:03 |
| 2-Butanone | < 20.8 | ug/Kg | | 1/18/2021 16:03 |
| 2-Hexanone | < 10.4 | ug/Kg | | 1/18/2021 16:03 |
| 4-Methyl-2-pentanone | < 10.4 | ug/Kg | | 1/18/2021 16:03 |
| Acetone | < 20.8 | ug/Kg | | 1/18/2021 16:03 |
| Benzene | < 4.16 | ug/Kg | | 1/18/2021 16:03 |
| Bromochloromethane | < 10.4 | ug/Kg | | 1/18/2021 16:03 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Village | e Senior | | | | |
|-------------------------|-----------------|-----------|-------|----------------|-------------|--------|
| Sample Identifier: | B7S1 | | - | | | |
| Lab Sample ID: | 210162-08 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Bromoform | | < 10.4 | ug/Kg | | 1/18/2021 | 16:03 |
| Bromomethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Carbon disulfide | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Carbon Tetrachloride | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Chlorobenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Chloroethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Chloroform | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Chloromethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| cis-1,2-Dichloroethene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| cis-1,3-Dichloropropene | ! | < 4.16 UJ | ug/Kg | | 1/18/2021 | 16:03 |
| Cyclohexane | | < 20.8 | ug/Kg | | 1/18/2021 | 16:03 |
| Dibromochloromethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Dichlorodifluoromethan | e | < 4.16 UJ | ug/Kg | | 1/18/2021 | 16:03 |
| Ethylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Freon 113 | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Isopropylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| m,p-Xylene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Methyl acetate | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Methyl tert-butyl Ether | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Methylcyclohexane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| Methylene chloride | | < 10.4 | ug/Kg | | 1/18/2021 | 16:03 |
| Naphthalene | | < 10.4 UJ | ug/Kg | | 1/18/2021 | 16:03 |
| n-Butylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:03 |
| D 11 | | 4.4.6 | /** | | 4 (40 (2024 | 4 6 00 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

ug/Kg

< 4.16

1/18/2021 16:03

n-Propylbenzene



Client: BE3

Pilgrim Village Senior **Project Reference:**

| Sample Identifier: | B7S1 | | | | | | |
|-------------------------|-----------|-----------|----------|--------|-----------------|------------|-------|
| Lab Sample ID: | 210162-08 | | | Date S | Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date I | Received: | 1/12/2021 | |
| o-Xylene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| p-Isopropyltoluene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| sec-Butylbenzene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| Styrene | | < 10.4 | ug/Kg | | | 1/18/2021 | 16:03 |
| tert-Butylbenzene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| Tetrachloroethene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| Toluene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| trans-1,2-Dichloroether | ne | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| trans-1,3-Dichloroprop | ene | < 4.16 UJ | ug/Kg | | | 1/18/2021 | 16:03 |
| Trichloroethene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| Trichlorofluoromethan | e | < 4.16 | ug/Kg | | | 1/18/2021 | 16:03 |
| Vinyl chloride | | < 4.16 UJ | ug/Kg | | | 1/18/2021 | 16:03 |
| <u>Surrogate</u> | | Percent | Recovery | Limits | Outliers | Date Analy | zed |

| Surrogate | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|------------|-------|
| 1,2-Dichloroethane-d4 | 97.4 | 52.5 - 151 | | 1/18/2021 | 16:03 |
| 4-Bromofluorobenzene | 67.0 | 37.7 - 146 | | 1/18/2021 | 16:03 |
| Pentafluorobenzene | 103 | 92.1 - 115 | | 1/18/2021 | 16:03 |
| Toluene-D8 | 90.7 | 74 - 120 | | 1/18/2021 | 16:03 |

Method Reference(s): EPA 8260C EPA 5035A - L

Data File: x75947.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID: 210162-08 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.4 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 10.4 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|----------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,1,2,2-Tetrachloroethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,1,2-Trichloroethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,1-Dichloroethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,1-Dichloroethene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,2,3-Trichlorobenzene | < 12.5 | ug/Kg | | 1/18/2021 16:26 |
| 1,2,4-Trichlorobenzene | <12.5 UJ | ug/Kg | | 1/18/2021 16:26 |
| 1,2,4-Trimethylbenzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,2-Dibromo-3-Chloropropane | < 24.9 | ug/Kg | | 1/18/2021 16:26 |
| 1,2-Dibromoethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,2-Dichlorobenzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,2-Dichloroethane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,2-Dichloropropane | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,3,5-Trimethylbenzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,3-Dichlorobenzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,4-Dichlorobenzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| 1,4-Dioxane | < 49.9 | ug/Kg | | 1/18/2021 16:26 |
| 2-Butanone | < 24.9 | ug/Kg | | 1/18/2021 16:26 |
| 2-Hexanone | < 12.5 | ug/Kg | | 1/18/2021 16:26 |
| 4-Methyl-2-pentanone | < 12.5 | ug/Kg | | 1/18/2021 16:26 |
| Acetone | < 24.9 | ug/Kg | | 1/18/2021 16:26 |
| Benzene | < 4.99 | ug/Kg | | 1/18/2021 16:26 |
| Bromochloromethane | < 12.5 | ug/Kg | | 1/18/2021 16:26 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pligrim village | e Semor | | | | |
|-------------------------|-----------------|------------------------|-------|----------------|-----------|-------|
| Sample Identifier: | B9S1 | | | | | |
| Lab Sample ID: | 210162-10 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethan | e | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Bromoform | | < 12.5 | ug/Kg | | 1/18/2021 | 16:26 |
| Bromomethane | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Carbon disulfide | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Carbon Tetrachloride | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Chlorobenzene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Chloroethane | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Chloroform | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Chloromethane | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| cis-1,2-Dichloroethene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| cis-1,3-Dichloropropen | e | < 4.99 UJ | ug/Kg | | 1/18/2021 | 16:26 |
| Cyclohexane | | < 24.9 | ug/Kg | | 1/18/2021 | 16:26 |
| Dibromochloromethan | e | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Dichlorodifluorometha | ne | < 4.99 UJ | ug/Kg | | 1/18/2021 | 16:26 |
| Ethylbenzene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Freon 113 | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Isopropylbenzene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| m,p-Xylene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Methyl acetate | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Methyl tert-butyl Ether | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Methylcyclohexane | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| Methylene chloride | | < 12.5 | ug/Kg | | 1/18/2021 | 16:26 |
| Naphthalene | | < 12.5 <mark>UJ</mark> | ug/Kg | | 1/18/2021 | 16:26 |
| n-Butylbenzene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |
| n-Propylbenzene | | < 4.99 | ug/Kg | | 1/18/2021 | 16:26 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B9S1 | | | | | | |
|-------------------------|-----------|-----------|----------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210162-10 | | | Da | te Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| p-Isopropyltoluene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| sec-Butylbenzene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| Styrene | | < 12.5 | ug/Kg | | | 1/18/2021 | 16:26 |
| tert-Butylbenzene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| Tetrachloroethene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| Toluene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| trans-1,2-Dichloroether | ne | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| trans-1,3-Dichloroprop | ene | < 4.99 UJ | ug/Kg | | | 1/18/2021 | 16:26 |
| Trichloroethene | | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| Trichlorofluoromethan | e | < 4.99 | ug/Kg | | | 1/18/2021 | 16:26 |
| Vinyl chloride | | < 4.99 UJ | ug/Kg | | | 1/18/2021 | 16:26 |
| <u>Surrogate</u> | | Percent | Recovery | Limits | Outliers | Date Analy | zed |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|-------------------|-------|
| 1,2-Dichloroethane-d4 | 99.2 | 52.5 - 151 | | 1/18/2021 | 16:26 |
| 4-Bromofluorobenzene | 65.1 | 37.7 - 146 | | 1/18/2021 | 16:26 |
| Pentafluorobenzene | 105 | 92.1 - 115 | | 1/18/2021 | 16:26 |
| Toluene-D8 | 90.0 | 74 - 120 | | 1/18/2021 | 16:26 |

Method Reference(s): EPA 8260C EPA 5035A - L

Data File: x75948.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

Lab Sample ID: 210162-10 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 12.5 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 12.5 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

 Lab Sample ID:
 210162-11
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|-----------|--------------|------------------|-----------------|
| 1,1,1-Trichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,1,2,2-Tetrachloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,1,2-Trichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,1-Dichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,1-Dichloroethene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,2,3-Trichlorobenzene | < 10.4 | ug/Kg | | 1/18/2021 16:48 |
| 1,2,4-Trichlorobenzene | < 10.4 UJ | ug/Kg | | 1/18/2021 16:48 |
| 1,2,4-Trimethylbenzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,2-Dibromo-3-Chloropropane | < 20.8 | ug/Kg | | 1/18/2021 16:48 |
| 1,2-Dibromoethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,2-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,2-Dichloroethane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,2-Dichloropropane | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,3,5-Trimethylbenzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,3-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,4-Dichlorobenzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| 1,4-Dioxane | < 41.6 | ug/Kg | | 1/18/2021 16:48 |
| 2-Butanone | < 20.8 | ug/Kg | | 1/18/2021 16:48 |
| 2-Hexanone | < 10.4 | ug/Kg | | 1/18/2021 16:48 |
| 4-Methyl-2-pentanone | < 10.4 | ug/Kg | | 1/18/2021 16:48 |
| Acetone | < 20.8 | ug/Kg | | 1/18/2021 16:48 |
| Benzene | < 4.16 | ug/Kg | | 1/18/2021 16:48 |
| Bromochloromethane | < 10.4 | ug/Kg | | 1/18/2021 16:48 |
| | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S1 | | | | | |
|-------------------------|-----------|-----------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-11 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | } | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Bromoform | | < 10.4 | ug/Kg | | 1/18/2021 | 16:48 |
| Bromomethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Carbon disulfide | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Carbon Tetrachloride | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Chlorobenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Chloroethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Chloroform | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Chloromethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| cis-1,2-Dichloroethene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| cis-1,3-Dichloropropend | e | < 4.16 UJ | ug/Kg | | 1/18/2021 | 16:48 |
| Cyclohexane | | < 20.8 | ug/Kg | | 1/18/2021 | 16:48 |
| Dibromochloromethane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Dichlorodifluoromethar | ne | < 4.16 UJ | ug/Kg | | 1/18/2021 | 16:48 |
| Ethylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Freon 113 | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Isopropylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| m,p-Xylene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Methyl acetate | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Methyl tert-butyl Ether | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Methylcyclohexane | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| Methylene chloride | | < 10.4 | ug/Kg | | 1/18/2021 | 16:48 |
| Naphthalene | | < 10.4 UJ | ug/Kg | | 1/18/2021 | 16:48 |
| n-Butylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| n-Propylbenzene | | < 4.16 | ug/Kg | | 1/18/2021 | 16:48 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S1 | | | | | | |
|------------------------|-----------|-----------|----------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210162-11 | | | Da | ate Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | ate Received: | 1/12/2021 | |
| o-Xylene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| p-Isopropyltoluene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| sec-Butylbenzene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| Styrene | | < 10.4 | ug/Kg | | | 1/18/2021 | 16:48 |
| tert-Butylbenzene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| Tetrachloroethene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| Toluene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| trans-1,2-Dichloroethe | ene | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| trans-1,3-Dichloroprop | oene | < 4.16 UJ | ug/Kg | | | 1/18/2021 | 16:48 |
| Trichloroethene | | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| Trichlorofluoromethar | ne | < 4.16 | ug/Kg | | | 1/18/2021 | 16:48 |
| Vinyl chloride | | < 4.16 UJ | ug/Kg | | | 1/18/2021 | 16:48 |
| Surrogate | | Percent | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |

| Surrogate | Percent Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|-------------------|-------|
| 1,2-Dichloroethane-d4 | 102 | 52.5 - 151 | | 1/18/2021 | 16:48 |
| 4-Bromofluorobenzene | 63.2 | 37.7 - 146 | | 1/18/2021 | 16:48 |
| Pentafluorobenzene | 102 | 92.1 - 115 | | 1/18/2021 | 16:48 |
| Toluene-D8 | 89.7 | 74 - 120 | | 1/18/2021 | 16:48 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75949.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

Lab Sample ID: 210162-11 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.4 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 10.4 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

Lab Sample ID: 210162-12 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,1,2,2-Tetrachloroethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,1,2-Trichloroethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,1-Dichloroethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,1-Dichloroethene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,2,3-Trichlorobenzene | < 11.2 | ug/Kg | | 1/18/2021 17:12 |
| 1,2,4-Trichlorobenzene | < 11.2 | ug/Kg | | 1/18/2021 17:12 |
| 1,2,4-Trimethylbenzene | < 4.49 UJ | ug/Kg | | 1/18/2021 17:12 |
| 1,2-Dibromo-3-Chloropropane | < 22.5 | ug/Kg | | 1/18/2021 17:12 |
| 1,2-Dibromoethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,2-Dichlorobenzene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,2-Dichloroethane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,2-Dichloropropane | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,3,5-Trimethylbenzene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,3-Dichlorobenzene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,4-Dichlorobenzene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| 1,4-Dioxane | < 44.9 | ug/Kg | | 1/18/2021 17:12 |
| 2-Butanone | < 22.5 | ug/Kg | | 1/18/2021 17:12 |
| 2-Hexanone | < 11.2 | ug/Kg | | 1/18/2021 17:12 |
| 4-Methyl-2-pentanone | < 11.2 | ug/Kg | | 1/18/2021 17:12 |
| Acetone | < 22.5 | ug/Kg | | 1/18/2021 17:12 |
| Benzene | < 4.49 | ug/Kg | | 1/18/2021 17:12 |
| Bromochloromethane | < 11.2 | ug/Kg | | 1/18/2021 17:12 |



Client: BE3

Project Reference: Pilgrim Village Senior

| 10,000 110101 011001 | i ngi iii v iiiag | 2 2 2 111 3 1 | | | | |
|-------------------------|-------------------|---------------|-------|----------------|-----------|-------|
| Sample Identifier: | B10S2 | | | _ | | |
| Lab Sample ID: | 210162-12 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Bromoform | | < 11.2 | ug/Kg | | 1/18/2021 | 17:12 |
| Bromomethane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Carbon disulfide | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Carbon Tetrachloride | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Chlorobenzene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Chloroethane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Chloroform | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Chloromethane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| cis-1,2-Dichloroethene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| cis-1,3-Dichloropropene | ! | < 4.49 UJ | ug/Kg | | 1/18/2021 | 17:12 |
| Cyclohexane | | < 22.5 | ug/Kg | | 1/18/2021 | 17:12 |
| Dibromochloromethane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Dichlorodifluoromethan | ie | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Ethylbenzene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Freon 113 | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Isopropylbenzene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| m,p-Xylene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Methyl acetate | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Methyl tert-butyl Ether | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Methylcyclohexane | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| Methylene chloride | | < 11.2 | ug/Kg | | 1/18/2021 | 17:12 |
| Naphthalene | | < 11.2 UJ | ug/Kg | | 1/18/2021 | 17:12 |
| n-Butylbenzene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| n-Propylbenzene | | < 4.49 | ug/Kg | | 1/18/2021 | 17:12 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S2 | | | | | | |
|------------------------|-----------|-----------|----------|---------------|-----------------|-------------------|-------|
| Lab Sample ID: | 210162-12 | | | Dat | e Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Dat | e Received: | 1/12/2021 | |
| o-Xylene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| p-Isopropyltoluene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| sec-Butylbenzene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| Styrene | | < 11.2 | ug/Kg | | | 1/18/2021 | 17:12 |
| tert-Butylbenzene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| Tetrachloroethene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| Toluene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| trans-1,2-Dichloroethe | ene | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| trans-1,3-Dichloroprop | oene | < 4.49 UJ | ug/Kg | | | 1/18/2021 | 17:12 |
| Trichloroethene | | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| Trichlorofluoromethar | ne | < 4.49 | ug/Kg | | | 1/18/2021 | 17:12 |
| Vinyl chloride | | < 4.49 UJ | ug/Kg | | | 1/18/2021 | 17:12 |
| <u>Surrogate</u> | | Percent | Recovery | Limits | Outliers | Date Analy | zed |

| Surrogate | Percent Recovery | Limits | Outliers | Date Analy | zed |
|-----------------------|------------------|---------------|-----------------|------------|-------|
| 1,2-Dichloroethane-d4 | 108 | 52.5 - 151 | | 1/18/2021 | 17:12 |
| 4-Bromofluorobenzene | 57.7 | 37.7 - 146 | | 1/18/2021 | 17:12 |
| Pentafluorobenzene | 98.2 | 92.1 - 115 | | 1/18/2021 | 17:12 |
| Toluene-D8 | 87.3 | 74 - 120 | | 1/18/2021 | 17:12 |

Method Reference(s): EPA 8260C EPA 5035A - L

Data File:

x75950.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

Lab Sample ID: 210162-12 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 11.2 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 11.2 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

 Lab Sample ID:
 210162-14
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,1,2,2-Tetrachloroethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,1,2-Trichloroethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,1-Dichloroethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,1-Dichloroethene | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,2,3-Trichlorobenzene | < 13.2 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,2,4-Trichlorobenzene | < 13.2 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,2,4-Trimethylbenzene | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,2-Dibromo-3-Chloropropane | < 26.4 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,2-Dibromoethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,2-Dichlorobenzene | < 5.27 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,2-Dichloroethane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,2-Dichloropropane | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,3,5-Trimethylbenzene | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| 1,3-Dichlorobenzene | < 5.27 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,4-Dichlorobenzene | < 5.27 UJ | ug/Kg | | 1/18/2021 17:35 |
| 1,4-Dioxane | < 52.7 | ug/Kg | | 1/18/2021 17:35 |
| 2-Butanone | < 26.4 | ug/Kg | | 1/18/2021 17:35 |
| 2-Hexanone | < 13.2 | ug/Kg | | 1/18/2021 17:35 |
| 4-Methyl-2-pentanone | < 13.2 | ug/Kg | | 1/18/2021 17:35 |
| Acetone | < 26.4 | ug/Kg | | 1/18/2021 17:35 |
| Benzene | < 5.27 | ug/Kg | | 1/18/2021 17:35 |
| Bromochloromethane | < 13.2 | ug/Kg | | 1/18/2021 17:35 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Cample Identifica | D12C1 | | | | | |
|--------------------------------------|--------------------|------------------------|-------|----------------|-----------|-----|
| Sample Identifier: Lab Sample ID: | B12S1 210162-14 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/11/2021 | |
| | | . f 27 | /17- | Date Received. | | 17 |
| Bromodichloromethan | e | < 5.27 | ug/Kg | | 1/18/2021 | |
| Bromoform | | < 13.2 | ug/Kg | | 1/18/2021 | |
| Bromomethane | | < 5.27 | ug/Kg | | 1/18/2021 | |
| Carbon disulfide | | < 5.27 | ug/Kg | | 1/18/2021 | |
| Carbon Tetrachloride | | < 5.27 | ug/Kg | | 1/18/2021 | 17: |
| Chlorobenzene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Chloroethane | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Chloroform | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Chloromethane | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| cis-1,2-Dichloroethene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| cis-1,3-Dichloropropen | ne | < 5.27 UJ | ug/Kg | | 1/18/2021 | 17 |
| Cyclohexane | | < 26.4 | ug/Kg | | 1/18/2021 | 17 |
| Dibromochloromethan | e | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Dichlorodifluorometha | ine | < 5.27 <mark>UJ</mark> | ug/Kg | | 1/18/2021 | 17 |
| Ethylbenzene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Freon 113 | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Isopropylbenzene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| m,p-Xylene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Methyl acetate | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Methyl tert-butyl Ether | ſ | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Methylcyclohexane | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |
| Methylene chloride | | < 13.2 | ug/Kg | | 1/18/2021 | 17 |
| Naphthalene | | < 13.2 <mark>UJ</mark> | ug/Kg | | 1/18/2021 | 17 |
| n-Butylbenzene | | < 5.27 <mark>UJ</mark> | ug/Kg | | 1/18/2021 | 17 |
| n-Propylbenzene | | < 5.27 | ug/Kg | | 1/18/2021 | 17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B12S1 | | | | | | |
|-------------------------|-----------|------------------|-------|---------------|-----------------|------------|-------|
| Lab Sample ID: | 210162-14 | | | Da | te Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| p-Isopropyltoluene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| sec-Butylbenzene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| Styrene | | < 13.2 | ug/Kg | | | 1/18/2021 | 17:35 |
| tert-Butylbenzene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| Tetrachloroethene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| Toluene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| trans-1,2-Dichloroether | ne | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| trans-1,3-Dichloroprop | ene | < 5.27 UJ | ug/Kg | | | 1/18/2021 | 17:35 |
| Trichloroethene | | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| Trichlorofluoromethan | e | < 5.27 | ug/Kg | | | 1/18/2021 | 17:35 |
| Vinyl chloride | | < 5.27 UJ | ug/Kg | | | 1/18/2021 | 17:35 |
| <u>Surrogate</u> | | Percent Recovery | | <u>Limits</u> | Outliers | Date Analy | zed |
| 1 2-Dichloroethane-d4 | | 1 | 10 | 525 - 151 | | 1/18/2021 | 17.35 |

| <u>Surrogate</u> | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analyzed | |
|-----------------------|------------------|---------------|-----------------|---------------|-------|
| 1,2-Dichloroethane-d4 | 110 | 52.5 - 151 | | 1/18/2021 | 17:35 |
| 4-Bromofluorobenzene | 64.1 | 37.7 - 146 | | 1/18/2021 | 17:35 |
| Pentafluorobenzene | 103 | 92.1 - 115 | | 1/18/2021 | 17:35 |
| Toluene-D8 | 86.5 | 74 - 120 | | 1/18/2021 | 17:35 |

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75951.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

Lab Sample ID: 210162-14 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 13.2 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 13.2 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|------------------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,1,2,2-Tetrachloroethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,1,2-Trichloroethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,1-Dichloroethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,1-Dichloroethene | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,2,3-Trichlorobenzene | < 13.9 <mark>UJ</mark> | ug/Kg | | 1/18/2021 17:58 |
| 1,2,4-Trichlorobenzene | < 13.9 UJ | ug/Kg | | 1/18/2021 17:58 |
| 1,2,4-Trimethylbenzene | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,2-Dibromo-3-Chloropropane | < 27.8 UJ | ug/Kg | | 1/18/2021 17:58 |
| 1,2-Dibromoethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,2-Dichlorobenzene | < 5.57 UJ | ug/Kg | | 1/18/2021 17:58 |
| 1,2-Dichloroethane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,2-Dichloropropane | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,3,5-Trimethylbenzene | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| 1,3-Dichlorobenzene | < 5.57 UJ | ug/Kg | | 1/18/2021 17:58 |
| 1,4-Dichlorobenzene | < 5.57 UJ | ug/Kg | | 1/18/2021 17:58 |
| 1,4-Dioxane | < 55.7 | ug/Kg | | 1/18/2021 17:58 |
| 2-Butanone | < 27.8 | ug/Kg | | 1/18/2021 17:58 |
| 2-Hexanone | < 13.9 | ug/Kg | | 1/18/2021 17:58 |
| 4-Methyl-2-pentanone | < 13.9 | ug/Kg | | 1/18/2021 17:58 |
| Acetone | < 27.8 | ug/Kg | | 1/18/2021 17:58 |
| Benzene | < 5.57 | ug/Kg | | 1/18/2021 17:58 |
| Bromochloromethane | < 13.9 | ug/Kg | | 1/18/2021 17:58 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Commis Ide 45 | D1 4C1 | | | | | |
|-------------------------|-----------|-----------|-------|----------------|-------------|-----|
| Sample Identifier: | B14S1 | | | Data Campladi | 1 /11 /2021 | |
| Lab Sample ID: | 210162-15 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethan | e | < 5.57 | ug/Kg | | 1/18/2021 | 17: |
| Bromoform | | < 13.9 | ug/Kg | | 1/18/2021 | 17: |
| Bromomethane | | < 5.57 | ug/Kg | | 1/18/2021 | 17: |
| Carbon disulfide | | < 5.57 | ug/Kg | | 1/18/2021 | 17: |
| Carbon Tetrachloride | | < 5.57 | ug/Kg | | 1/18/2021 | 17: |
| Chlorobenzene | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Chloroethane | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Chloroform | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Chloromethane | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| cis-1,2-Dichloroethene | ! | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| cis-1,3-Dichloroproper | ne | < 5.57 UJ | ug/Kg | | 1/18/2021 | 17 |
| Cyclohexane | | < 27.8 | ug/Kg | | 1/18/2021 | 17 |
| Dibromochloromethan | ie | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Dichlorodifluorometha | nne | < 5.57 UJ | ug/Kg | | 1/18/2021 | 17 |
| Ethylbenzene | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Freon 113 | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Isopropylbenzene | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| m,p-Xylene | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Methyl acetate | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Methyl tert-butyl Ether | r | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Methylcyclohexane | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |
| Methylene chloride | | < 13.9 | ug/Kg | | 1/18/2021 | 17 |
| Naphthalene | | < 13.9 UJ | ug/Kg | | 1/18/2021 | 17 |
| n-Butylbenzene | | < 5.57 UJ | ug/Kg | | 1/18/2021 | 17 |
| n-Propylbenzene | | < 5.57 | ug/Kg | | 1/18/2021 | 17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B14S1 | | | | | | |
|-------------------------|-----------|-----------|----------|---------------|-----------------|------------|-------|
| Lab Sample ID: | 210162-15 | | | Da | te Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| p-Isopropyltoluene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| sec-Butylbenzene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| Styrene | | < 13.9 | ug/Kg | | | 1/18/2021 | 17:58 |
| tert-Butylbenzene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| Tetrachloroethene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| Toluene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| trans-1,2-Dichloroether | ne | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| trans-1,3-Dichloroprop | ene | < 5.57 UJ | ug/Kg | | | 1/18/2021 | 17:58 |
| Trichloroethene | | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| Trichlorofluoromethan | е | < 5.57 | ug/Kg | | | 1/18/2021 | 17:58 |
| Vinyl chloride | | < 5.57 UJ | ug/Kg | | | 1/18/2021 | 17:58 |
| <u>Surrogate</u> | | Percent | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | 1 | 108 | 52.5 - 151 | | 1/18/2021 | 17:58 |

| Surrogate | Percent Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analyzed | |
|-----------------------|------------------|---------------|-----------------|---------------|-------|
| 1,2-Dichloroethane-d4 | 108 | 52.5 - 151 | | 1/18/2021 | 17:58 |
| 4-Bromofluorobenzene | 59.6 | 37.7 - 146 | | 1/18/2021 | 17:58 |
| Pentafluorobenzene | 101 | 92.1 - 115 | | 1/18/2021 | 17:58 |
| Toluene-D8 | 84.2 | 74 - 120 | | 1/18/2021 | 17:58 |

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

EPA 5035A - L

Data File: x75952.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

Lab Sample ID: 210162-15 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 13.9 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 13.9 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

Matrix: Soil Date Received: 1/12/2021

Volatile Organics

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|-----------|--------------|-----------|----------------------|
| 1,1,1-Trichloroethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,1,2,2-Tetrachloroethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,1,2-Trichloroethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,1-Dichloroethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,1-Dichloroethene | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,2,3-Trichlorobenzene | < 8.42 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,2,4-Trichlorobenzene | < 8.42 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,2,4-Trimethylbenzene | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,2-Dibromo-3-Chloropropane | < 16.8 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,2-Dibromoethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,2-Dichlorobenzene | < 3.37 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,2-Dichloroethane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,2-Dichloropropane | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,3,5-Trimethylbenzene | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| 1,3-Dichlorobenzene | < 3.37 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,4-Dichlorobenzene | < 3.37 UJ | ug/Kg | | 1/18/2021 18:21 |
| 1,4-Dioxane | < 33.7 | ug/Kg | | 1/18/2021 18:21 |
| 2-Butanone | < 16.8 | ug/Kg | | 1/18/2021 18:21 |
| 2-Hexanone | < 8.42 | ug/Kg | | 1/18/2021 18:21 |
| 4-Methyl-2-pentanone | < 8.42 | ug/Kg | | 1/18/2021 18:21 |
| Acetone | < 16.8 | ug/Kg | | 1/18/2021 18:21 |
| Benzene | < 3.37 | ug/Kg | | 1/18/2021 18:21 |
| Bromochloromethane | < 8.42 | ug/Kg | | 1/18/2021 18:21 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | 1 1161 1111 7 11146 | | | | | |
|-------------------------|---------------------|------------------------|-------|----------------|-----------|-------|
| Sample Identifier: | B17S1 | | | | | |
| Lab Sample ID: | 210162-18 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethane | ! | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Bromoform | | < 8.42 | ug/Kg | | 1/18/2021 | 18:21 |
| Bromomethane | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Carbon disulfide | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Carbon Tetrachloride | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Chlorobenzene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Chloroethane | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Chloroform | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Chloromethane | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| cis-1,2-Dichloroethene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| cis-1,3-Dichloropropene | è | < 3.37 UJ | ug/Kg | | 1/18/2021 | 18:21 |
| Cyclohexane | | < 16.8 | ug/Kg | | 1/18/2021 | 18:21 |
| Dibromochloromethane | ! | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Dichlorodifluoromethan | ne | < 3.37 UJ | ug/Kg | | 1/18/2021 | 18:21 |
| Ethylbenzene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Freon 113 | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Isopropylbenzene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| m,p-Xylene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Methyl acetate | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Methyl tert-butyl Ether | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Methylcyclohexane | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| Methylene chloride | | < 8.42 | ug/Kg | | 1/18/2021 | 18:21 |
| Naphthalene | | < 8.42 <mark>UJ</mark> | ug/Kg | | 1/18/2021 | 18:21 |
| n-Butylbenzene | | < 3.37 UJ | ug/Kg | | 1/18/2021 | 18:21 |
| n-Propylbenzene | | < 3.37 | ug/Kg | | 1/18/2021 | 18:21 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B17S1 | | | | | | |
|------------------------|-----------|-----------|------------|---------------|-----------------|------------|-------|
| Lab Sample ID: | 210162-18 | | | Da | te Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| p-Isopropyltoluene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| sec-Butylbenzene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| Styrene | | < 8.42 | ug/Kg | | | 1/18/2021 | 18:21 |
| tert-Butylbenzene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| Tetrachloroethene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| Toluene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| trans-1,2-Dichloroethe | ne | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| trans-1,3-Dichloroprop | ene | < 3.37 UJ | ug/Kg | | | 1/18/2021 | 18:21 |
| Trichloroethene | | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| Trichlorofluoromethan | e | < 3.37 | ug/Kg | | | 1/18/2021 | 18:21 |
| Vinyl chloride | | < 3.37 UJ | ug/Kg | | | 1/18/2021 | 18:21 |
| Surrogate | | Percent | : Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | 1 | 12 | 52.5 - 151 | | 1/18/2021 | 18:21 |

64.7

98.6

84.6

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

4-Bromofluorobenzene

Pentafluorobenzene

Toluene-D8

EPA 5035A - L

Data File: x75953.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

MKP 2/22/2021

37.7 - 146

92.1 - 115

74 - 120

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/18/2021

1/18/2021

1/18/2021

18:21

18:21

18:21



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

Lab Sample ID: 210162-18 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 8.42 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 8.42 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

 Lab Sample ID:
 210162-19
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Volatile Organics

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|-----------------------------|---------------|--------------|-----------|-----------------|
| 1,1,1-Trichloroethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,1,2,2-Tetrachloroethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,1,2-Trichloroethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,1-Dichloroethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,1-Dichloroethene | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,2,3-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,2,4-Trichlorobenzene | < 10.7 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,2,4-Trimethylbenzene | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,2-Dibromo-3-Chloropropane | < 21.5 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,2-Dibromoethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,2-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,2-Dichloroethane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,2-Dichloropropane | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,3,5-Trimethylbenzene | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| 1,3-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,4-Dichlorobenzene | < 4.30 UJ | ug/Kg | | 1/18/2021 18:44 |
| 1,4-Dioxane | < 43.0 | ug/Kg | | 1/18/2021 18:44 |
| 2-Butanone | < 21.5 | ug/Kg | | 1/18/2021 18:44 |
| 2-Hexanone | < 10.7 | ug/Kg | | 1/18/2021 18:44 |
| 4-Methyl-2-pentanone | < 10.7 | ug/Kg | | 1/18/2021 18:44 |
| Acetone | < 21.5 | ug/Kg | | 1/18/2021 18:44 |
| Benzene | < 4.30 | ug/Kg | | 1/18/2021 18:44 |
| Bromochloromethane | < 10.7 | ug/Kg | | 1/18/2021 18:44 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Village | e Senior | | | | |
|-------------------------|-----------------|-----------|-------|----------------|-----------|-------|
| Sample Identifier: | B18S1 | | | | | |
| Lab Sample ID: | 210162-19 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Bromodichloromethan | e | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Bromoform | | < 10.7 | ug/Kg | | 1/18/2021 | 18:44 |
| Bromomethane | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Carbon disulfide | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Carbon Tetrachloride | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Chlorobenzene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Chloroethane | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Chloroform | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Chloromethane | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| cis-1,2-Dichloroethene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| cis-1,3-Dichloropropen | e | < 4.30 UJ | ug/Kg | | 1/18/2021 | 18:44 |
| Cyclohexane | | < 21.5 | ug/Kg | | 1/18/2021 | 18:44 |
| Dibromochloromethan | e | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Dichlorodifluorometha | ne | < 4.30 UJ | ug/Kg | | 1/18/2021 | 18:44 |
| Ethylbenzene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Freon 113 | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Isopropylbenzene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| m,p-Xylene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Methyl acetate | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Methyl tert-butyl Ether | , | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Methylcyclohexane | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| Methylene chloride | | < 10.7 | ug/Kg | | 1/18/2021 | 18:44 |
| Naphthalene | | < 10.7 UJ | ug/Kg | | 1/18/2021 | 18:44 |
| n-Butylbenzene | | < 4.30 UJ | ug/Kg | | 1/18/2021 | 18:44 |
| n-Propylbenzene | | < 4.30 | ug/Kg | | 1/18/2021 | 18:44 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B18S1 | | | | | | |
|------------------------|-----------|--------|----------------|---------------|-----------------|------------|-------|
| Lab Sample ID: | 210162-19 | | | Da | te Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Da | te Received: | 1/12/2021 | |
| o-Xylene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| p-Isopropyltoluene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| sec-Butylbenzene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Styrene | | < 10.7 | ug/Kg | | | 1/18/2021 | 18:44 |
| tert-Butylbenzene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Tetrachloroethene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Toluene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| trans-1,2-Dichloroethe | ene | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| trans-1,3-Dichloroprop | oene | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Trichloroethene | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Trichlorofluoromethar | ie | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| Vinyl chloride | | < 4.30 | ug/Kg | | | 1/18/2021 | 18:44 |
| <u>Surrogate</u> | | Per | rcent Recovery | Limits | Outliers | Date Analy | zed |
| 1,2-Dichloroethane-d4 | | | 115 | 52.5 - 151 | | 1/18/2021 | 18:44 |
| 4-Bromofluorobenzen | е | | 58.4 | 37.7 - 146 | | 1/18/2021 | 18:44 |

98.4

82.8

Internal standard outliers indicate probable matrix interference

Method Reference(s): EPA 8260C

Pentafluorobenzene

Toluene-D8

EPA 5035A - L

Data File: x75954.D

This sample was not collected following SW846 5035A specifications. Accordingly, any Volatiles soil results that are less than 200 ug/Kg, including Non Detects, may be biased low, per ELAP method 5035 guidance document from 11/15/2012.

92.1 - 115

74 - 120

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

1/18/2021

1/18/2021

18:44

18:44



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

Lab Sample ID: 210162-19 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| None Found | < 10.7 | ug/Kg | | 1/18/2021 |
| Total Reported TICS | < 10.7 | ug/Kg | | 1/18/2021 |

Method Reference(s): EPA 8260C

EPA 5035A - L

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

SEMIVOLATILE ORGANICS SAMPLE DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

 Lab Sample ID:
 210162-01
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 1,2,4,5-Tetrachlorobenzene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 1,2,4-Trichlorobenzene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 1,2-Dichlorobenzene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 1,3-Dichlorobenzene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 1,4-Dichlorobenzene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,2-Oxybis (1-chloropropane) | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,3,4,6-Tetrachlorophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,4,5-Trichlorophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,4,6-Trichlorophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,4-Dichlorophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,4-Dimethylphenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,4-Dinitrophenol | < 1280 | ug/Kg | | 1/14/2021 17:29 |
| 2,4-Dinitrotoluene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2,6-Dinitrotoluene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Chloronaphthalene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Chlorophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Methylnapthalene | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Methylphenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Nitroaniline | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 2-Nitrophenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 3&4-Methylphenol | < 319 | ug/Kg | | 1/14/2021 17:29 |
| 3,3'-Dichlorobenzidine | < 319 | ug/Kg | | 1/14/2021 17:29 |



Client: BE3

Project Reference: Pilgrim Village Senior

| i oject Kelel ence. | i ligi illi villag | C SCIIIOI | | | |
|------------------------|--------------------|-----------|-------|----------------|----------------|
| Sample Identifier: | B1S1 | | | Date C. J. J. | 4 /0 /2024 |
| Lab Sample ID: | 210162-01 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4,6-Dinitro-2-methylp | ohenol | < 638 | ug/Kg | | 1/14/2021 17:2 |
| 4-Bromophenyl pheny | yl ether | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4-Chloro-3-methylpho | enol | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4-Chloroaniline | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4-Chlorophenyl pheny | yl ether | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4-Nitroaniline | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| 4-Nitrophenol | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Acenaphthene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Acenaphthylene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Acetophenone | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Anthracene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Atrazine | | <319 UJ | ug/Kg | | 1/14/2021 17:2 |
| Benzaldehyde | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Benzo (a) anthracene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Benzo (a) pyrene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Benzo (b) fluoranther | ie | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Benzo (g,h,i) perylene | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Benzo (k) fluoranthen | ie | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Bis (2-chloroethoxy) ı | methane | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Bis (2-chloroethyl) et | her | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Bis (2-ethylhexyl) pht | halate | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Butylbenzylphthalate | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Caprolactam | | < 319 | ug/Kg | | 1/14/2021 17:2 |
| Carbazole | | < 319 | ug/Kg | | 1/14/2021 17:2 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B1S1 | | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-01 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Dibenz (a,h) anthracene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Dibenzofuran | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Diethyl phthalate | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Dimethyl phthalate | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Di-n-butyl phthalate | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Di-n-octylphthalate | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Fluoranthene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Fluorene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Hexachlorobenzene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Hexachlorobutadiene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Hexachlorocyclopentad | iene | <1280 UJ | ug/Kg | | 1/14/2021 | 17:29 |
| Hexachloroethane | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Indeno (1,2,3-cd) pyren | e | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Isophorone | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Naphthalene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Nitrobenzene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| N-Nitroso-di-n-propyla | mine | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| N-Nitrosodiphenylamin | e | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Pentachlorophenol | | < 638 | ug/Kg | | 1/14/2021 | 17:29 |
| Phenanthrene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Phenol | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |
| Pyrene | | < 319 | ug/Kg | | 1/14/2021 | 17:29 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

Lab Sample ID:210162-01Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown Alkane | 492 J | ug/Kg | | 1/14/2021 |
| Unknown | 455 J | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 472 J | ug/Kg | | 1/14/2021 |
| Unknown | 324 J | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 1740 | ug/Kg | | 1/14/2021 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

 Lab Sample ID:
 210162-02
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| Analyte | Result | <u>Units</u> | Qualifier Date Analyzed |
|------------------------------|--------|--------------|-------------------------|
| 1,1-Biphenyl | < 349 | ug/Kg | 1/14/2021 17:58 |
| 1,2,4,5-Tetrachlorobenzene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 1,2,4-Trichlorobenzene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 1,2-Dichlorobenzene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 1,3-Dichlorobenzene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 1,4-Dichlorobenzene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,2-Oxybis (1-chloropropane) | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,3,4,6-Tetrachlorophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,4,5-Trichlorophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,4,6-Trichlorophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,4-Dichlorophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,4-Dimethylphenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,4-Dinitrophenol | < 1390 | ug/Kg | 1/14/2021 17:58 |
| 2,4-Dinitrotoluene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2,6-Dinitrotoluene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Chloronaphthalene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Chlorophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Methylnapthalene | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Methylphenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Nitroaniline | < 349 | ug/Kg | 1/14/2021 17:58 |
| 2-Nitrophenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 3&4-Methylphenol | < 349 | ug/Kg | 1/14/2021 17:58 |
| 3,3'-Dichlorobenzidine | < 349 | ug/Kg | 1/14/2021 17:58 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Toject Kelefellelle. | I ligi iiii viiiag | | | | |
|-----------------------|--------------------|----------|-------|----------------|-----------------|
| Sample Identifier: | B2S1 | | | | 4.40.40.004 |
| Lab Sample ID: | 210162-02 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 349 | ug/Kg | | 1/14/2021 17:58 |
| 4,6-Dinitro-2-methyl | phenol | < 697 | ug/Kg | | 1/14/2021 17:58 |
| 4-Bromophenyl pher | nyl ether | < 349 | ug/Kg | | 1/14/2021 17:58 |
| 4-Chloro-3-methylph | nenol | < 349 | ug/Kg | | 1/14/2021 17:5 |
| 4-Chloroaniline | | < 349 | ug/Kg | | 1/14/2021 17:58 |
| 4-Chlorophenyl pher | ıyl ether | < 349 | ug/Kg | | 1/14/2021 17:5 |
| 4-Nitroaniline | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| 4-Nitrophenol | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Acenaphthene | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Acenaphthylene | | < 349 | ug/Kg | | 1/14/2021 17:58 |
| Acetophenone | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Anthracene | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Atrazine | | < 349 UJ | ug/Kg | | 1/14/2021 17:58 |
| Benzaldehyde | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Benzo (a) anthraceno | e | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Benzo (a) pyrene | | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Benzo (b) fluoranthe | ne | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Benzo (g,h,i) perylen | e | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Benzo (k) fluoranthe | ne | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Bis (2-chloroethoxy) | methane | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Bis (2-chloroethyl) e | ther | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Bis (2-ethylhexyl) ph | thalate | < 349 | ug/Kg | | 1/14/2021 17:5 |
| Butylbenzylphthalate | e | < 349 | ug/Kg | | 1/14/2021 17:58 |
| Caprolactam | | < 349 | ug/Kg | | 1/14/2021 17:58 |
| Carbazole | | < 349 | ug/Kg | | 1/14/2021 17:58 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | | | | | | = |
|-------------------------|-----------|----------|-------|----------------|-----------------|---|
| Sample Identifier: | B2S1 | | | | | |
| Lab Sample ID: | 210162-02 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Dibenz (a,h) anthracene | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Dibenzofuran | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Diethyl phthalate | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Dimethyl phthalate | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Di-n-butyl phthalate | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Di-n-octylphthalate | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Fluoranthene | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Fluorene | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Hexachlorobenzene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Hexachlorobutadiene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Hexachlorocyclopentad | iene | <1390 UJ | ug/Kg | | 1/14/2021 17:58 | } |
| Hexachloroethane | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Indeno (1,2,3-cd) pyren | e | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Isophorone | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Naphthalene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Nitrobenzene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| N-Nitroso-di-n-propylar | mine | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| N-Nitrosodiphenylamin | e | < 349 | ug/Kg | | 1/14/2021 17:58 | } |
| Pentachlorophenol | | < 697 | ug/Kg | | 1/14/2021 17:58 | } |
| Phenanthrene | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Phenol | | < 349 | ug/Kg | | 1/14/2021 17:58 | 3 |
| Pyrene | | < 349 | ug/Kg | | 1/14/2021 17:58 | } |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

Lab Sample ID: 210162-02 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 279</td>ug/Kg1/14/2021Total Reported TICS< 279</td>ug/Kg1/14/2021

Method Reference(s): EPA 8270D EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

 Lab Sample ID:
 210162-03
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 1,2,4,5-Tetrachlorobenzene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 1,2,4-Trichlorobenzene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 1,2-Dichlorobenzene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 1,3-Dichlorobenzene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 1,4-Dichlorobenzene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,2-0xybis (1-chloropropane) | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,3,4,6-Tetrachlorophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,4,5-Trichlorophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,4,6-Trichlorophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,4-Dichlorophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,4-Dimethylphenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,4-Dinitrophenol | < 1270 | ug/Kg | | 1/14/2021 18:28 |
| 2,4-Dinitrotoluene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2,6-Dinitrotoluene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Chloronaphthalene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Chlorophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Methylnapthalene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Methylphenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Nitroaniline | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 2-Nitrophenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 3&4-Methylphenol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 3,3'-Dichlorobenzidine | < 318 | ug/Kg | | 1/14/2021 18:28 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Villag | e Senior | | | |
|-----------------------|----------------|----------|-------|----------------|-----------------|
| Sample Identifier: | B3S1 | | | | |
| Lab Sample ID: | 210162-03 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4,6-Dinitro-2-methy | lphenol | < 637 | ug/Kg | | 1/14/2021 18:28 |
| 4-Bromophenyl phe | nyl ether | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4-Chloro-3-methylpl | henol | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4-Chloroaniline | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4-Chlorophenyl phen | nyl ether | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4-Nitroaniline | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| 4-Nitrophenol | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Acenaphthene | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Acenaphthylene | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Acetophenone | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Anthracene | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Atrazine | | <318 UJ | ug/Kg | | 1/14/2021 18:28 |
| Benzaldehyde | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Benzo (a) anthracen | e | 205 | ug/Kg | J | 1/14/2021 18:28 |
| Benzo (a) pyrene | | 165 | ug/Kg | J | 1/14/2021 18:28 |
| Benzo (b) fluoranthe | ene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Benzo (g,h,i) peryler | ie | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Benzo (k) fluoranthe | ene | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Bis (2-chloroethoxy) | methane | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Bis (2-chloroethyl) e | ether | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Bis (2-ethylhexyl) pl | nthalate | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Butylbenzylphthalat | e | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Caprolactam | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| Carbazole | | < 318 | ug/Kg | | 1/14/2021 18:28 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| | 16 , | | | | | |
|-------------------------|-----------|-----------------------|-------|----------------|-----------|-------|
| Sample Identifier: | B3S1 | | | | | |
| Lab Sample ID: | 210162-03 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Dibenz (a,h) anthracen | e | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Dibenzofuran | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Diethyl phthalate | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Dimethyl phthalate | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Di-n-butyl phthalate | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Di-n-octylphthalate | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Fluoranthene | | 360 | ug/Kg | | 1/14/2021 | 18:28 |
| Fluorene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Hexachlorobenzene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Hexachlorobutadiene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Hexachlorocyclopentac | liene | <1270 <mark>UJ</mark> | ug/Kg | | 1/14/2021 | 18:28 |
| Hexachloroethane | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Indeno (1,2,3-cd) pyrer | ne | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Isophorone | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Naphthalene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Nitrobenzene | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| N-Nitroso-di-n-propyla | mine | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| N-Nitrosodiphenylamir | ne | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Pentachlorophenol | | < 637 | ug/Kg | | 1/14/2021 | 18:28 |
| Phenanthrene | | 196 | ug/Kg | J | 1/14/2021 | 18:28 |
| Phenol | | < 318 | ug/Kg | | 1/14/2021 | 18:28 |
| Pyrene | | 290 | ug/Kg | J | 1/14/2021 | 18:28 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID:210162-03Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 292 J | ug/Kg | | 1/14/2021 |
| Unknown | 666 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 654 | ug/Kg | | 1/14/2021 |
| Unknown | 1320 | ug/Kg | | 1/14/2021 |
| Unknown | 465 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 474 | ug/Kg | | 1/14/2021 |
| Unknown | 299 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 411 V | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 4580 | ug/Kg | | 1/14/2021 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID:210162-04Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier Date Analyzed |
|------------------------------|---------------|--------------|-------------------------|
| 1,1-Biphenyl | < 327 | ug/Kg | 1/14/2021 18:57 |
| 1,2,4,5-Tetrachlorobenzene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 1,2,4-Trichlorobenzene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 1,2-Dichlorobenzene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 1,3-Dichlorobenzene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 1,4-Dichlorobenzene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,2-Oxybis (1-chloropropane) | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,3,4,6-Tetrachlorophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,4,5-Trichlorophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,4,6-Trichlorophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,4-Dichlorophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,4-Dimethylphenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,4-Dinitrophenol | < 1310 | ug/Kg | 1/14/2021 18:57 |
| 2,4-Dinitrotoluene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2,6-Dinitrotoluene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Chloronaphthalene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Chlorophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Methylnapthalene | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Methylphenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Nitroaniline | < 327 | ug/Kg | 1/14/2021 18:57 |
| 2-Nitrophenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 3&4-Methylphenol | < 327 | ug/Kg | 1/14/2021 18:57 |
| 3,3'-Dichlorobenzidine | < 327 | ug/Kg | 1/14/2021 18:57 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | 1 1181 1111 7 11148 | | | | |
|--------------------------------------|---------------------|----------|-------|----------------|----------------|
| Sample Identifier: Lab Sample ID: | B4S1 210162-04 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4,6-Dinitro-2-methylp | henol | < 653 | ug/Kg | | 1/14/2021 18:5 |
| 4-Bromophenyl pheny | yl ether | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4-Chloro-3-methylphe | enol | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4-Chloroaniline | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4-Chlorophenyl pheny | l ether | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4-Nitroaniline | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| 4-Nitrophenol | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Acenaphthene | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Acenaphthylene | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Acetophenone | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Anthracene | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Atrazine | | < 327 UJ | ug/Kg | | 1/14/2021 18:5 |
| Benzaldehyde | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Benzo (a) anthracene | | 233 | ug/Kg | J | 1/14/2021 18:5 |
| Benzo (a) pyrene | | 180 | ug/Kg | J | 1/14/2021 18:5 |
| Benzo (b) fluoranthen | ie | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Benzo (g,h,i) perylene | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Benzo (k) fluoranthen | ie | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Bis (2-chloroethoxy) r | nethane | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Bis (2-chloroethyl) etl | her | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Bis (2-ethylhexyl) pht | halate | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Butylbenzylphthalate | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Caprolactam | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| Carbazole | | < 327 | ug/Kg | | 1/14/2021 18:5 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B4S1 | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------------|
| Lab Sample ID: | 210162-04 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Dibenz (a,h) anthracene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Dibenzofuran | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Diethyl phthalate | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Dimethyl phthalate | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Di-n-butyl phthalate | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Di-n-octylphthalate | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Fluoranthene | | 381 | ug/Kg | | 1/14/2021 18:57 |
| Fluorene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Hexachlorobenzene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Hexachlorobutadiene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Hexachlorocyclopentad | iene | <1310 UJ | ug/Kg | | 1/14/2021 18:57 |
| Hexachloroethane | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Indeno (1,2,3-cd) pyren | e | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Isophorone | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Naphthalene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Nitrobenzene | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| N-Nitroso-di-n-propylar | mine | < 327 | ug/Kg | | 1/14/2021 18:57 |
| N-Nitrosodiphenylamin | e | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Pentachlorophenol | | < 653 | ug/Kg | | 1/14/2021 18:57 |
| Phenanthrene | | 239 | ug/Kg | J | 1/14/2021 18:57 |
| Phenol | | < 327 | ug/Kg | | 1/14/2021 18:57 |
| Pyrene | | 297 | ug/Kg | J | 1/14/2021 18:57 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID: 210162-04 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown Alkane | 278 J | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 286 J | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 564 | ug/Kg | | 1/14/2021 |

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID:210162-05Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| Analyte | Result | <u>Units</u> | Qualifier D | ate Analyze | <u>ed</u> |
|------------------------------|--------|--------------|-------------|-------------|-----------|
| 1,1-Biphenyl | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 1,2,4,5-Tetrachlorobenzene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 1,2,4-Trichlorobenzene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 1,2-Dichlorobenzene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 1,3-Dichlorobenzene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 1,4-Dichlorobenzene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,2-Oxybis (1-chloropropane) | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,3,4,6-Tetrachlorophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4,5-Trichlorophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4,6-Trichlorophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4-Dichlorophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4-Dimethylphenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4-Dinitrophenol | < 1330 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,4-Dinitrotoluene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2,6-Dinitrotoluene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Chloronaphthalene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Chlorophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Methylnapthalene | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Methylphenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Nitroaniline | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 2-Nitrophenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 3&4-Methylphenol | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |
| 3,3'-Dichlorobenzidine | < 333 | ug/Kg | 1/2 | 14/2021 19 | 9:26 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Toject Reference. | i ligi illi villag | | | | |
|-----------------------|--------------------|---------|-------|----------------|----------------|
| Sample Identifier: | B5S1 | | | D . 6 . 1 . | 4.10.10004 |
| Lab Sample ID: | 210162-05 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4,6-Dinitro-2-methyl | phenol | < 667 | ug/Kg | | 1/14/2021 19:2 |
| 4-Bromophenyl pher | nyl ether | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4-Chloro-3-methylph | nenol | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4-Chloroaniline | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4-Chlorophenyl pher | ıyl ether | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4-Nitroaniline | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| 4-Nitrophenol | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Acenaphthene | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Acenaphthylene | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Acetophenone | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Anthracene | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Atrazine | | <333 UJ | ug/Kg | | 1/14/2021 19:2 |
| Benzaldehyde | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Benzo (a) anthracene | e | 277 | ug/Kg | J | 1/14/2021 19:2 |
| Benzo (a) pyrene | | 181 | ug/Kg | J | 1/14/2021 19:2 |
| Benzo (b) fluoranthe | ne | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Benzo (g,h,i) perylen | e | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Benzo (k) fluoranthe | ne | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Bis (2-chloroethoxy) | methane | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Bis (2-chloroethyl) e | ther | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Bis (2-ethylhexyl) ph | thalate | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Butylbenzylphthalate | e | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Caprolactam | | < 333 | ug/Kg | | 1/14/2021 19:2 |
| Carbazole | | < 333 | ug/Kg | | 1/14/2021 19:2 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | 0 0 | | | | | |
|-------------------------|-----------|-----------|-------|----------------|-----------|-------|
| Sample Identifier: | B5S1 | | | | | |
| Lab Sample ID: | 210162-05 | | | Date Sampled: | 1/8/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | 227 | ug/Kg | J | 1/14/2021 | 19:26 |
| Dibenz (a,h) anthracen | e | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Dibenzofuran | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Diethyl phthalate | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Dimethyl phthalate | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Di-n-butyl phthalate | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Di-n-octylphthalate | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Fluoranthene | | 476 | ug/Kg | | 1/14/2021 | 19:26 |
| Fluorene | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Hexachlorobenzene | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Hexachlorobutadiene | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Hexachlorocyclopentad | liene | < 1330 UJ | ug/Kg | | 1/14/2021 | 19:26 |
| Hexachloroethane | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Indeno (1,2,3-cd) pyrer | ne | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Isophorone | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Naphthalene | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Nitrobenzene | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| N-Nitroso-di-n-propyla | mine | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| N-Nitrosodiphenylamir | ne | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Pentachlorophenol | | < 667 | ug/Kg | | 1/14/2021 | 19:26 |
| Phenanthrene | | 493 | ug/Kg | | 1/14/2021 | 19:26 |
| Phenol | | < 333 | ug/Kg | | 1/14/2021 | 19:26 |
| Pyrene | | 357 | ug/Kg | | 1/14/2021 | 19:26 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID: 210162-05 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 267</td>ug/Kg1/14/2021Total Reported TICS< 267</td>ug/Kg1/14/2021

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

 Lab Sample ID:
 210162-06
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 1,2,4,5-Tetrachlorobenzene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 1,2,4-Trichlorobenzene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 1,2-Dichlorobenzene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 1,3-Dichlorobenzene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 1,4-Dichlorobenzene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,2-Oxybis (1-chloropropane) | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,3,4,6-Tetrachlorophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,4,5-Trichlorophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,4,6-Trichlorophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,4-Dichlorophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,4-Dimethylphenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,4-Dinitrophenol | < 1220 | ug/Kg | | 1/14/2021 19:56 |
| 2,4-Dinitrotoluene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2,6-Dinitrotoluene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Chloronaphthalene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Chlorophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Methylnapthalene | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Methylphenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Nitroaniline | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 2-Nitrophenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 3&4-Methylphenol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 3,3'-Dichlorobenzidine | < 304 | ug/Kg | | 1/14/2021 19:56 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pligrim village | e Semor | | | |
|-------------------------|-----------------|---------|-------|----------------|-----------------|
| Sample Identifier: | B6S1 | | | | |
| Lab Sample ID: | 210162-06 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4,6-Dinitro-2-methylp | henol | < 608 | ug/Kg | | 1/14/2021 19:56 |
| 4-Bromophenyl pheny | l ether | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4-Chloro-3-methylphe | nol | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4-Chloroaniline | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4-Chlorophenyl pheny | l ether | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4-Nitroaniline | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| 4-Nitrophenol | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Acenaphthene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Acenaphthylene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Acetophenone | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Anthracene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Atrazine | | <304 UJ | ug/Kg | | 1/14/2021 19:56 |
| Benzaldehyde | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Benzo (a) anthracene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Benzo (a) pyrene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Benzo (b) fluoranthen | e | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Benzo (g,h,i) perylene | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Benzo (k) fluoranthen | e | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Bis (2-chloroethoxy) n | nethane | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Bis (2-chloroethyl) eth | ier | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Bis (2-ethylhexyl) phtl | nalate | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Butylbenzylphthalate | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Caprolactam | | < 304 | ug/Kg | | 1/14/2021 19:56 |
| Carbazole | | < 304 | ug/Kg | | 1/14/2021 19:56 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Pilgi IIII villagi | e Semoi | | | | |
|--------------------|-------------------|---------------------|---------------------|---------------------|--------------------------------------------------|
| B6S1 | | | | | |
| 210162-06 | | | Date Sampled: | 1/8/2021 | |
| Soil | | | Date Received: | 1/12/2021 | |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| ie | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| diene | <1220 UJ | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| ne | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| amine | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| ne | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 608 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | < 304 | ug/Kg | | 1/14/2021 | 19:56 |
| | B6S1 210162-06 | B6S1 210162-06 Soil | B6S1 210162-06 Soil | B6S1 210162-06 Soil | B6S1 210162-06 Soil Date Sampled: 1/8/2021 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID: 210162-06 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown Alkane | 342 J | ug/Kg | | 1/14/2021 |
| Unknown | 334 J | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 676 | ug/Kg | | 1/14/2021 |

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 1,2,4,5-Tetrachlorobenzene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 1,2,4-Trichlorobenzene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 1,2-Dichlorobenzene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 1,3-Dichlorobenzene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 1,4-Dichlorobenzene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,2-Oxybis (1-chloropropane) | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,3,4,6-Tetrachlorophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,4,5-Trichlorophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,4,6-Trichlorophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,4-Dichlorophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,4-Dimethylphenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,4-Dinitrophenol | < 1290 | ug/Kg | | 1/14/2021 20:25 |
| 2,4-Dinitrotoluene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2,6-Dinitrotoluene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Chloronaphthalene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Chlorophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Methylnapthalene | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Methylphenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Nitroaniline | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 2-Nitrophenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 3&4-Methylphenol | < 322 | ug/Kg | | 1/14/2021 20:25 |
| 3,3'-Dichlorobenzidine | < 322 | ug/Kg | | 1/14/2021 20:25 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B6S10 | | | | |
|-------------------------|-----------|----------|-------|----------------|---------------|
| Lab Sample ID: | 210162-07 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 322 | ug/Kg | | 1/14/2021 20: |
| 4,6-Dinitro-2-methylp | henol | < 644 | ug/Kg | | 1/14/2021 20: |
| 4-Bromophenyl pheny | yl ether | < 322 | ug/Kg | | 1/14/2021 20: |
| 4-Chloro-3-methylphe | enol | < 322 | ug/Kg | | 1/14/2021 20: |
| 4-Chloroaniline | | < 322 | ug/Kg | | 1/14/2021 20: |
| 4-Chlorophenyl pheny | ol ether | < 322 | ug/Kg | | 1/14/2021 20: |
| 4-Nitroaniline | | < 322 | ug/Kg | | 1/14/2021 20: |
| 4-Nitrophenol | | < 322 | ug/Kg | | 1/14/2021 20: |
| Acenaphthene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Acenaphthylene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Acetophenone | | < 322 | ug/Kg | | 1/14/2021 20: |
| Anthracene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Atrazine | | < 322 UJ | ug/Kg | | 1/14/2021 20: |
| Benzaldehyde | | < 322 | ug/Kg | | 1/14/2021 20: |
| Benzo (a) anthracene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Benzo (a) pyrene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Benzo (b) fluoranthen | ie | < 322 | ug/Kg | | 1/14/2021 20: |
| Benzo (g,h,i) perylene | | < 322 | ug/Kg | | 1/14/2021 20: |
| Benzo (k) fluoranthen | e | < 322 | ug/Kg | | 1/14/2021 20: |
| Bis (2-chloroethoxy) | nethane | < 322 | ug/Kg | | 1/14/2021 20: |
| Bis (2-chloroethyl) etl | her | < 322 | ug/Kg | | 1/14/2021 20: |
| Bis (2-ethylhexyl) pht | halate | < 322 | ug/Kg | | 1/14/2021 20: |
| Butylbenzylphthalate | | < 322 | ug/Kg | | 1/14/2021 20: |
| Caprolactam | | < 322 | ug/Kg | | 1/14/2021 20: |
| Carbazole | | < 322 | ug/Kg | | 1/14/2021 20: |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B6S10 | | | | |
|-------------------------|-----------|-----------|-------|----------------|-----------------|
| Lab Sample ID: | 210162-07 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Dibenz (a,h) anthracene | e | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Dibenzofuran | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Diethyl phthalate | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Dimethyl phthalate | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Di-n-butyl phthalate | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Di-n-octylphthalate | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Fluoranthene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Fluorene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Hexachlorobenzene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Hexachlorobutadiene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Hexachlorocyclopentad | liene | < 1290 UJ | ug/Kg | | 1/14/2021 20:25 |
| Hexachloroethane | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Indeno (1,2,3-cd) pyrer | ie | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Isophorone | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Naphthalene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Nitrobenzene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| N-Nitroso-di-n-propyla | mine | < 322 | ug/Kg | | 1/14/2021 20:25 |
| N-Nitrosodiphenylamir | ne | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Pentachlorophenol | | < 644 | ug/Kg | | 1/14/2021 20:25 |
| Phenanthrene | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Phenol | | < 322 | ug/Kg | | 1/14/2021 20:25 |
| Pyrene | | < 322 | ug/Kg | | 1/14/2021 20:25 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 257</td>ug/Kg1/14/2021Total Reported TICS< 257</td>ug/Kg1/14/2021

Method Reference(s): EPA 8270D EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

 Lab Sample ID:
 210162-08
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 1,2,4,5-Tetrachlorobenzene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 1,2,4-Trichlorobenzene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 1,2-Dichlorobenzene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 1,3-Dichlorobenzene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 1,4-Dichlorobenzene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,2-Oxybis (1-chloropropane) | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,3,4,6-Tetrachlorophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,4,5-Trichlorophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,4,6-Trichlorophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,4-Dichlorophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,4-Dimethylphenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,4-Dinitrophenol | < 1380 | ug/Kg | | 1/14/2021 21:53 |
| 2,4-Dinitrotoluene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2,6-Dinitrotoluene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Chloronaphthalene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Chlorophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Methylnapthalene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Methylphenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Nitroaniline | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 2-Nitrophenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 3&4-Methylphenol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 3,3'-Dichlorobenzidine | < 346 | ug/Kg | | 1/14/2021 21:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Villag | e Senior | | | |
|-----------------------|----------------|----------|-------|----------------|-----------------|
| Sample Identifier: | B7S1 | | | | |
| Lab Sample ID: | 210162-08 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4,6-Dinitro-2-methy | lphenol | < 691 | ug/Kg | | 1/14/2021 21:53 |
| 4-Bromophenyl phe | nyl ether | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4-Chloro-3-methylp | henol | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4-Chloroaniline | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4-Chlorophenyl phe | nyl ether | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4-Nitroaniline | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| 4-Nitrophenol | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Acenaphthene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Acenaphthylene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Acetophenone | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Anthracene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Atrazine | | <346 UJ | ug/Kg | | 1/14/2021 21:53 |
| Benzaldehyde | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Benzo (a) anthracen | e | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Benzo (a) pyrene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Benzo (b) fluoranthe | ene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Benzo (g,h,i) peryler | ne | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Benzo (k) fluoranthe | ene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Bis (2-chloroethoxy) |) methane | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Bis (2-chloroethyl) e | ether | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Bis (2-ethylhexyl) pl | hthalate | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Butylbenzylphthalat | te | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Caprolactam | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Carbazole | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| | D=04 | | | | |
|------------------------|-----------|------------------------|-------|----------------|-----------------|
| Sample Identifier: | B7S1 | | | | |
| Lab Sample ID: | 210162-08 | | | Date Sampled: | 1/8/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Dibenz (a,h) anthrace | ne | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Dibenzofuran | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Diethyl phthalate | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Dimethyl phthalate | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Di-n-butyl phthalate | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Di-n-octylphthalate | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Fluoranthene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Fluorene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Hexachlorobenzene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Hexachlorobutadiene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Hexachlorocyclopenta | diene | < 1380 <mark>UJ</mark> | ug/Kg | | 1/14/2021 21:53 |
| Hexachloroethane | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Indeno (1,2,3-cd) pyre | ene | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Isophorone | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Naphthalene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Nitrobenzene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| N-Nitroso-di-n-propyl | amine | < 346 | ug/Kg | | 1/14/2021 21:53 |
| N-Nitrosodiphenylam | ine | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Pentachlorophenol | | < 691 | ug/Kg | | 1/14/2021 21:53 |
| Phenanthrene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Phenol | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| Pyrene | | < 346 | ug/Kg | | 1/14/2021 21:53 |
| | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID:210162-08Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Benzeneacetic acid | 734 JN | ug/Kg | | 1/14/2021 |
| Unknown Alcohol | 570 J | ug/Kg | | 1/14/2021 |
| Unknown | 557 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 476 | ug/Kg | | 1/14/2021 |
| Unknown | 398 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 444 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 393 | ug/Kg | | 1/14/2021 |
| Unknown | 343 V | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 3910 | ug/Kg | | 1/14/2021 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

 Lab Sample ID:
 210162-09
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 1,2,4,5-Tetrachlorobenzene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 1,2,4-Trichlorobenzene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 1,2-Dichlorobenzene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 1,3-Dichlorobenzene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 1,4-Dichlorobenzene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,2-0xybis (1-chloropropane) | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,3,4,6-Tetrachlorophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,4,5-Trichlorophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,4,6-Trichlorophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,4-Dichlorophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,4-Dimethylphenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,4-Dinitrophenol | < 1200 | ug/Kg | | 1/14/2021 22:23 |
| 2,4-Dinitrotoluene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2,6-Dinitrotoluene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Chloronaphthalene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Chlorophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Methylnapthalene | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Methylphenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Nitroaniline | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 2-Nitrophenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 3&4-Methylphenol | < 300 | ug/Kg | | 1/14/2021 22:23 |
| 3,3'-Dichlorobenzidine | < 300 | ug/Kg | | 1/14/2021 22:23 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim Villag | e Senior | | | | |
|-----------------------|----------------|----------|-------|----------------|-----------|-------|
| Sample Identifier: | B8S1 | | | | | |
| Lab Sample ID: | 210162-09 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | <300 UJ | ug/Kg | | 1/14/2021 | 22:23 |
| 4,6-Dinitro-2-methyl | lphenol | < 599 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Bromophenyl pher | nyl ether | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Chloro-3-methylpl | nenol | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Chloroaniline | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Chlorophenyl pher | ıyl ether | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Nitroaniline | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| 4-Nitrophenol | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Acenaphthene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Acenaphthylene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Acetophenone | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Anthracene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Atrazine | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzaldehyde | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzo (a) anthracen | e | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzo (a) pyrene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzo (b) fluoranthe | ene | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzo (g,h,i) perylen | e | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Benzo (k) fluoranthe | ene | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Bis (2-chloroethoxy) | methane | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Bis (2-chloroethyl) e | ther | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Bis (2-ethylhexyl) ph | nthalate | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Butylbenzylphthalat | e | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Caprolactam | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Carbazole | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B8S1 | | | | | |
|-------------------------|-----------|--------------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-09 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 300 U | ug/Kg | | 1/14/2021 | 22:23 |
| Dibenz (a,h) anthracene | e | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Dibenzofuran | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Diethyl phthalate | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Dimethyl phthalate | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Di-n-butyl phthalate | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Di-n-octylphthalate | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Fluoranthene | | 302 J | ug/Kg | | 1/14/2021 | 22:23 |
| Fluorene | | < 300 U | ug/Kg | | 1/14/2021 | 22:23 |
| Hexachlorobenzene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Hexachlorobutadiene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Hexachlorocyclopentad | liene | < 1200 | ug/Kg | | 1/14/2021 | 22:23 |
| Hexachloroethane | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Indeno (1,2,3-cd) pyrer | ie | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Isophorone | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Naphthalene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Nitrobenzene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| N-Nitroso-di-n-propyla | mine | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| N-Nitrosodiphenylamir | ne | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Pentachlorophenol | | < 599 | ug/Kg | | 1/14/2021 | 22:23 |
| Phenanthrene | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Phenol | | < 300 | ug/Kg | | 1/14/2021 | 22:23 |
| Pyrene | | 234 J | ug/Kg | J | 1/14/2021 | 22:23 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

Lab Sample ID: 210162-09 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 560 | ug/Kg | | 1/14/2021 |
| Unknown Alkane | 285 J | ug/Kg | | 1/14/2021 |
| Total Reported TICS | 845 | ug/Kg | | 1/14/2021 |

Method Reference(s): EPA 8270D EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 1,2,4,5-Tetrachlorobenzene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 1,2,4-Trichlorobenzene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 1,2-Dichlorobenzene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 1,3-Dichlorobenzene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 1,4-Dichlorobenzene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,2-Oxybis (1-chloropropane) | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,3,4,6-Tetrachlorophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,4,5-Trichlorophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,4,6-Trichlorophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,4-Dichlorophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,4-Dimethylphenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,4-Dinitrophenol | < 1300 | ug/Kg | | 1/14/2021 22:52 |
| 2,4-Dinitrotoluene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2,6-Dinitrotoluene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Chloronaphthalene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Chlorophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Methylnapthalene | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Methylphenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Nitroaniline | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 2-Nitrophenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 3&4-Methylphenol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 3,3'-Dichlorobenzidine | < 326 | ug/Kg | | 1/14/2021 22:52 |



Client: BE3

Project Reference: Pilgrim Village Senior

| oject Kelefence. | | | | | |
|------------------------|-----------|-----------------------|-------|----------------|-----------------|
| Sample Identifier: | B9S1 | | | D . G . 1 . | 4 /44 /0004 |
| Lab Sample ID: | 210162-10 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4,6-Dinitro-2-methylp | ohenol | < 652 | ug/Kg | | 1/14/2021 22:52 |
| 4-Bromophenyl pheny | yl ether | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4-Chloro-3-methylpho | enol | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4-Chloroaniline | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4-Chlorophenyl pheny | yl ether | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4-Nitroaniline | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| 4-Nitrophenol | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Acenaphthene | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Acenaphthylene | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Acetophenone | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Anthracene | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Atrazine | | < 326 <mark>UJ</mark> | ug/Kg | | 1/14/2021 22:52 |
| Benzaldehyde | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Benzo (a) anthracene | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Benzo (a) pyrene | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Benzo (b) fluoranther | ie | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Benzo (g,h,i) perylene | 2 | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Benzo (k) fluoranther | ne | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Bis (2-chloroethoxy) | methane | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Bis (2-chloroethyl) et | her | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Bis (2-ethylhexyl) pht | thalate | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Butylbenzylphthalate | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Caprolactam | | < 326 | ug/Kg | | 1/14/2021 22:52 |
| Carbazole | | < 326 | ug/Kg | | 1/14/2021 22:52 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| | 0 0 | | | | | |
|-------------------------|-----------|-----------|-------|----------------|-----------|-------|
| Sample Identifier: | B9S1 | | | | | |
| Lab Sample ID: | 210162-10 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Dibenz (a,h) anthracene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Dibenzofuran | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Diethyl phthalate | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Dimethyl phthalate | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Di-n-butyl phthalate | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Di-n-octylphthalate | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Fluoranthene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Fluorene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Hexachlorobenzene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Hexachlorobutadiene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Hexachlorocyclopentad | iene | < 1300 UJ | ug/Kg | | 1/14/2021 | 22:52 |
| Hexachloroethane | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Indeno (1,2,3-cd) pyren | e | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Isophorone | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Naphthalene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Nitrobenzene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| N-Nitroso-di-n-propyla | mine | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| N-Nitrosodiphenylamin | e | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Pentachlorophenol | | < 652 | ug/Kg | | 1/14/2021 | 22:52 |
| Phenanthrene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Phenol | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |
| Pyrene | | < 326 | ug/Kg | | 1/14/2021 | 22:52 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

Lab Sample ID: 210162-10 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 261</td>ug/Kg1/14/2021Total Reported TICS< 261</td>ug/Kg1/14/2021

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

 Lab Sample ID:
 210162-11
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 1,2,4,5-Tetrachlorobenzene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 1,2,4-Trichlorobenzene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 1,2-Dichlorobenzene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 1,3-Dichlorobenzene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 1,4-Dichlorobenzene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,2-Oxybis (1-chloropropane) | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,3,4,6-Tetrachlorophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,4,5-Trichlorophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,4,6-Trichlorophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,4-Dichlorophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,4-Dimethylphenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,4-Dinitrophenol | < 1270 | ug/Kg | | 1/15/2021 04:17 |
| 2,4-Dinitrotoluene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2,6-Dinitrotoluene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Chloronaphthalene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Chlorophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Methylnapthalene | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Methylphenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Nitroaniline | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 2-Nitrophenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 3&4-Methylphenol | < 317 | ug/Kg | | 1/15/2021 04:17 |
| 3,3'-Dichlorobenzidine | < 317 | ug/Kg | | 1/15/2021 04:17 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S1 | | | | | |
|-------------------------|-----------|----------------------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-11 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4,6-Dinitro-2-methylp | henol | < 634 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Bromophenyl pheny | l ether | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Chloro-3-methylphe | enol | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Chloroaniline | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Chlorophenyl pheny | l ether | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Nitroaniline | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| 4-Nitrophenol | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Acenaphthene | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Acenaphthylene | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Acetophenone | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Anthracene | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Atrazine | | <317 <mark>UJ</mark> | ug/Kg | | 1/15/2021 | 04:17 |
| Benzaldehyde | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Benzo (a) anthracene | | 218 | ug/Kg | J | 1/15/2021 | 04:17 |
| Benzo (a) pyrene | | 230 | ug/Kg | J | 1/15/2021 | 04:17 |
| Benzo (b) fluoranthen | e | 233 | ug/Kg | J | 1/15/2021 | 04:17 |
| Benzo (g,h,i) perylene | | 240 | ug/Kg | J | 1/15/2021 | 04:17 |
| Benzo (k) fluoranthen | e | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Bis (2-chloroethoxy) r | nethane | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Bis (2-chloroethyl) eth | ner | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Bis (2-ethylhexyl) pht | halate | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Butylbenzylphthalate | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Caprolactam | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |
| Carbazole | | < 317 | ug/Kg | | 1/15/2021 | 04:17 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S1 | | | | | |
|-------------------------|-----------|-----------|-------|----------------|----------------|----|
| Lab Sample ID: | 210162-11 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | 266 | ug/Kg | J | 1/15/2021 04:2 | 17 |
| Dibenz (a,h) anthracene | ! | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Dibenzofuran | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Diethyl phthalate | | < 317 | ug/Kg | | 1/15/2021 04:3 | 17 |
| Dimethyl phthalate | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Di-n-butyl phthalate | | < 317 | ug/Kg | | 1/15/2021 04:3 | 17 |
| Di-n-octylphthalate | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Fluoranthene | | 472 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Fluorene | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Hexachlorobenzene | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Hexachlorobutadiene | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Hexachlorocyclopentad | iene | < 1270 UJ | ug/Kg | | 1/15/2021 04:2 | 17 |
| Hexachloroethane | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Indeno (1,2,3-cd) pyren | e | < 317 | ug/Kg | | 1/15/2021 04:3 | 17 |
| Isophorone | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Naphthalene | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Nitrobenzene | | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| N-Nitroso-di-n-propyla | mine | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| N-Nitrosodiphenylamin | e | < 317 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Pentachlorophenol | | < 634 | ug/Kg | | 1/15/2021 04:2 | 17 |
| Phenanthrene | | < 317 | ug/Kg | | 1/15/2021 04:3 | 17 |
| Phenol | | < 317 | ug/Kg | | 1/15/2021 04:3 | 17 |
| Pyrene | | 362 | ug/Kg | | 1/15/2021 04:3 | 17 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

Lab Sample ID: 210162-11 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 425 J | ug/Kg | | 1/15/2021 |
| Unknown PAH | 367 J | ug/Kg | | 1/15/2021 |
| Unknown Sterol | 376 J | ug/Kg | | 1/15/2021 |
| Total Reported TICS | 1170 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8270D

EPA 3546 1/14/2021

Date:

Preparation

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

Lab Sample ID: 210162-12 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| Result | <u>Units</u> | Qualifier | Date Analyzed |
|--------|-----------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 1290 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| < 322 | ug/Kg | | 1/15/2021 04:47 |
| | <322 <322 <322 <322 <322 <322 <322 <322 | < 322 | <pre><322 ug/Kg <322 ug/Kg</pre> |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S2 | | | | | |
|-------------------------|-----------|---------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-12 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4,6-Dinitro-2-methylp | henol | < 643 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Bromophenyl pheny | l ether | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Chloro-3-methylphe | enol | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Chloroaniline | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Chlorophenyl pheny | ol ether | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Nitroaniline | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| 4-Nitrophenol | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Acenaphthene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Acenaphthylene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Acetophenone | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Anthracene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Atrazine | | <322 UJ | ug/Kg | | 1/15/2021 | 04:47 |
| Benzaldehyde | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Benzo (a) anthracene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Benzo (a) pyrene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Benzo (b) fluoranthen | e | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Benzo (g,h,i) perylene | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Benzo (k) fluoranthen | e | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Bis (2-chloroethoxy) r | nethane | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Bis (2-chloroethyl) etl | ner | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Bis (2-ethylhexyl) pht | halate | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Butylbenzylphthalate | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Caprolactam | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |
| Carbazole | | < 322 | ug/Kg | | 1/15/2021 | 04:47 |

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B10S2 | | | | |
|-------------------------|-----------|-----------|-------|----------------|-----------------|
| Lab Sample ID: | 210162-12 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Dibenz (a,h) anthracene | è | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Dibenzofuran | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Diethyl phthalate | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Dimethyl phthalate | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Di-n-butyl phthalate | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Di-n-octylphthalate | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Fluoranthene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Fluorene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Hexachlorobenzene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Hexachlorobutadiene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Hexachlorocyclopentad | iene | < 1290 UJ | ug/Kg | | 1/15/2021 04:47 |
| Hexachloroethane | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Indeno (1,2,3-cd) pyren | e | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Isophorone | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Naphthalene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Nitrobenzene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| N-Nitroso-di-n-propyla | mine | < 322 | ug/Kg | | 1/15/2021 04:47 |
| N-Nitrosodiphenylamin | ie | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Pentachlorophenol | | < 643 | ug/Kg | | 1/15/2021 04:47 |
| Phenanthrene | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Phenol | | < 322 | ug/Kg | | 1/15/2021 04:47 |
| Pyrene | | < 322 | ug/Kg | | 1/15/2021 04:47 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

Lab Sample ID: 210162-12 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|------------------|--------------|------------------|----------------------|
| Unknown | 1920 J | ug/Kg | | 1/15/2021 |
| Unknown | 745 ^J | ug/Kg | | 1/15/2021 |
| Total Reported TICS | 2670 | ug/Kg | | 1/15/2021 |

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

 Lab Sample ID:
 210162-13
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 1,2,4,5-Tetrachlorobenzene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 1,2,4-Trichlorobenzene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 1,2-Dichlorobenzene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 1,3-Dichlorobenzene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 1,4-Dichlorobenzene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,2-0xybis (1-chloropropane) | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,3,4,6-Tetrachlorophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,4,5-Trichlorophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,4,6-Trichlorophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,4-Dichlorophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,4-Dimethylphenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,4-Dinitrophenol | < 1360 | ug/Kg | | 1/15/2021 05:16 |
| 2,4-Dinitrotoluene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2,6-Dinitrotoluene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Chloronaphthalene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Chlorophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Methylnapthalene | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Methylphenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Nitroaniline | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 2-Nitrophenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 3&4-Methylphenol | < 339 | ug/Kg | | 1/15/2021 05:16 |
| 3,3'-Dichlorobenzidine | < 339 | ug/Kg | | 1/15/2021 05:16 |



Client: BE3

Project Reference: Pilgrim Village Senior

| i oject Reference. | I ligi illi villag | C Definor | | | | |
|--------------------------------------|--------------------|-----------|-------|------------------------------|-----------|-------|
| Sample Identifier: Lab Sample ID: | B11S1 210162-13 | _ | | Date Sampled: | 1/11/2021 | |
| Matrix: | | | | Date Sampled: Date Received: | · · | |
| | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4,6-Dinitro-2-methylpl | henol | < 678 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Bromophenyl pheny | l ether | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Chloro-3-methylphe | nol | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Chloroaniline | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Chlorophenyl pheny | l ether | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Nitroaniline | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| 4-Nitrophenol | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Acenaphthene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Acenaphthylene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Acetophenone | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Anthracene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Atrazine | | <339 UJ | ug/Kg | | 1/15/2021 | 05:16 |
| Benzaldehyde | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Benzo (a) anthracene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Benzo (a) pyrene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Benzo (b) fluoranthene | ę | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Benzo (g,h,i) perylene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Benzo (k) fluoranthene | ė | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Bis (2-chloroethoxy) n | nethane | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Bis (2-chloroethyl) eth | er | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Bis (2-ethylhexyl) phth | nalate | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Butylbenzylphthalate | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Caprolactam | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Carbazole | | < 339 | ug/Kg | | 1/15/2021 | |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| | 0 0 | | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------|-------|
| Sample Identifier: | B11S1 | | | | | |
| Lab Sample ID: | 210162-13 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Dibenz (a,h) anthracene | 9 | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Dibenzofuran | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Diethyl phthalate | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Dimethyl phthalate | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Di-n-butyl phthalate | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Di-n-octylphthalate | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Fluoranthene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Fluorene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Hexachlorobenzene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Hexachlorobutadiene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Hexachlorocyclopentad | iene | <1360 UJ | ug/Kg | | 1/15/2021 | 05:16 |
| Hexachloroethane | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Indeno (1,2,3-cd) pyren | e | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Isophorone | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Naphthalene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Nitrobenzene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| N-Nitroso-di-n-propyla | mine | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| N-Nitrosodiphenylamin | e | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Pentachlorophenol | | < 678 | ug/Kg | | 1/15/2021 | 05:16 |
| Phenanthrene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Phenol | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |
| Pyrene | | < 339 | ug/Kg | | 1/15/2021 | 05:16 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

Lab Sample ID: 210162-13 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------------------------------|---------------|--------------|------------------|----------------------|
| Unknown | 463 J | ug/Kg | | 1/15/2021 |
| Unknown Alkane | 372 J | ug/Kg | | 1/15/2021 |
| Unknown Alkane | 410 J | ug/Kg | | 1/15/2021 |
| Total Reported TICS | 1250 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

Lab Sample ID:210162-14Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 1,2,4,5-Tetrachlorobenzene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 1,2,4-Trichlorobenzene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 1,2-Dichlorobenzene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 1,3-Dichlorobenzene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 1,4-Dichlorobenzene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,2-Oxybis (1-chloropropane) | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,3,4,6-Tetrachlorophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,4,5-Trichlorophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,4,6-Trichlorophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,4-Dichlorophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,4-Dimethylphenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,4-Dinitrophenol | < 1380 | ug/Kg | | 1/15/2021 05:46 |
| 2,4-Dinitrotoluene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2,6-Dinitrotoluene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Chloronaphthalene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Chlorophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Methylnapthalene | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Methylphenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Nitroaniline | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 2-Nitrophenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 3&4-Methylphenol | < 346 | ug/Kg | | 1/15/2021 05:46 |
| 3,3'-Dichlorobenzidine | < 346 | ug/Kg | | 1/15/2021 05:46 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B12S1 | | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-14 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4,6-Dinitro-2-methylp | henol | < 692 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Bromophenyl pheny | l ether | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Chloro-3-methylphe | enol | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Chloroaniline | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Chlorophenyl pheny | ol ether | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Nitroaniline | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| 4-Nitrophenol | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Acenaphthene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Acenaphthylene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Acetophenone | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Anthracene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Atrazine | | < 346 UJ | ug/Kg | | 1/15/2021 | 05:46 |
| Benzaldehyde | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Benzo (a) anthracene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Benzo (a) pyrene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Benzo (b) fluoranthen | e | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Benzo (g,h,i) perylene | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Benzo (k) fluoranthen | e | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Bis (2-chloroethoxy) r | nethane | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Bis (2-chloroethyl) eth | ner | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Bis (2-ethylhexyl) pht | halate | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Butylbenzylphthalate | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Caprolactam | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |
| Carbazole | | < 346 | ug/Kg | | 1/15/2021 | 05:46 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | D4004 | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------------|
| Sample Identifier: | B12S1 | | | | |
| Lab Sample ID: | 210162-14 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Dibenz (a,h) anthracend | e | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Dibenzofuran | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Diethyl phthalate | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Dimethyl phthalate | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Di-n-butyl phthalate | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Di-n-octylphthalate | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Fluoranthene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Fluorene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Hexachlorobenzene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Hexachlorobutadiene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Hexachlorocyclopentad | liene | <1380 UJ | ug/Kg | | 1/15/2021 05:46 |
| Hexachloroethane | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Indeno (1,2,3-cd) pyrer | ne | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Isophorone | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Naphthalene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Nitrobenzene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| N-Nitroso-di-n-propyla | mine | < 346 | ug/Kg | | 1/15/2021 05:46 |
| N-Nitrosodiphenylamir | ne | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Pentachlorophenol | | < 692 | ug/Kg | | 1/15/2021 05:46 |
| Phenanthrene | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Phenol | | < 346 | ug/Kg | | 1/15/2021 05:46 |
| Pyrene | | < 346 | ug/Kg | | 1/15/2021 05:46 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

Lab Sample ID: 210162-14 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedSulfur583 Jug/Kg1/15/2021Total Reported TICS583ug/Kg1/15/2021

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 1,2,4,5-Tetrachlorobenzene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 1,2,4-Trichlorobenzene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 1,2-Dichlorobenzene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 1,3-Dichlorobenzene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 1,4-Dichlorobenzene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,2-Oxybis (1-chloropropane) | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,3,4,6-Tetrachlorophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,4,5-Trichlorophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,4,6-Trichlorophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,4-Dichlorophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,4-Dimethylphenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,4-Dinitrophenol | < 1400 | ug/Kg | | 1/15/2021 06:16 |
| 2,4-Dinitrotoluene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2,6-Dinitrotoluene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Chloronaphthalene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Chlorophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Methylnapthalene | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Methylphenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Nitroaniline | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 2-Nitrophenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 3&4-Methylphenol | < 351 | ug/Kg | | 1/15/2021 06:16 |
| 3,3'-Dichlorobenzidine | < 351 | ug/Kg | | 1/15/2021 06:16 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Toject Reference. | i ligi illi villag | | | | |
|-----------------------|--------------------|----------|-------|----------------|----------------|
| Sample Identifier: | B14S1 | | | D . C . 1 . | 4 /44 /0004 |
| Lab Sample ID: | 210162-15 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4,6-Dinitro-2-methyl | phenol | < 702 | ug/Kg | | 1/15/2021 06:1 |
| 4-Bromophenyl pher | nyl ether | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4-Chloro-3-methylph | nenol | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4-Chloroaniline | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4-Chlorophenyl pher | yl ether | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4-Nitroaniline | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| 4-Nitrophenol | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Acenaphthene | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Acenaphthylene | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Acetophenone | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Anthracene | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Atrazine | | < 351 UJ | ug/Kg | | 1/15/2021 06:1 |
| Benzaldehyde | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Benzo (a) anthracene | e | 302 | ug/Kg | J | 1/15/2021 06:1 |
| Benzo (a) pyrene | | 242 | ug/Kg | J | 1/15/2021 06:1 |
| Benzo (b) fluoranthe | ne | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Benzo (g,h,i) perylen | e | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Benzo (k) fluoranthe | ne | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Bis (2-chloroethoxy) | methane | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Bis (2-chloroethyl) e | ther | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Bis (2-ethylhexyl) ph | thalate | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Butylbenzylphthalate | e | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Caprolactam | | < 351 | ug/Kg | | 1/15/2021 06:1 |
| Carbazole | | < 351 | ug/Kg | | 1/15/2021 06:1 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B14S1 | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------------|
| - | | | | Data Campled | 1 /11 /2021 |
| Lab Sample ID: | 210162-15 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | 274 | ug/Kg | J | 1/15/2021 06:16 |
| Dibenz (a,h) anthracene | è | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Dibenzofuran | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Diethyl phthalate | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Dimethyl phthalate | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Di-n-butyl phthalate | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Di-n-octylphthalate | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Fluoranthene | | 493 | ug/Kg | | 1/15/2021 06:16 |
| Fluorene | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Hexachlorobenzene | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Hexachlorobutadiene | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Hexachlorocyclopentad | iene | <1400 ∪J | ug/Kg | | 1/15/2021 06:16 |
| Hexachloroethane | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Indeno (1,2,3-cd) pyrer | ie | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Isophorone | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Naphthalene | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Nitrobenzene | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| N-Nitroso-di-n-propyla | mine | < 351 | ug/Kg | | 1/15/2021 06:16 |
| N-Nitrosodiphenylamir | ie | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Pentachlorophenol | | < 702 | ug/Kg | | 1/15/2021 06:16 |
| Phenanthrene | | 252 | ug/Kg | J | 1/15/2021 06:16 |
| Phenol | | < 351 | ug/Kg | | 1/15/2021 06:16 |
| Pyrene | | 391 | ug/Kg | | 1/15/2021 06:16 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

Lab Sample ID: 210162-15 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

| Tentatively Identified Compound | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------------------|---------------|--------------|------------------|----------------------|
| Unknown Alkane | 630 J | ug/Kg | | 1/15/2021 |
| Unknown | 563 J | ug/Kg | | 1/15/2021 |
| Unknown Alkane | 388 J | ug/Kg | | 1/15/2021 |
| Unknown | 473 J | ug/Kg | | 1/15/2021 |
| Total Reported TICS | 2050 | ug/Kg | | 1/15/2021 |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

 Lab Sample ID:
 210162-16
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 1,2,4,5-Tetrachlorobenzene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 1,2,4-Trichlorobenzene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 1,2-Dichlorobenzene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 1,3-Dichlorobenzene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 1,4-Dichlorobenzene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,2-Oxybis (1-chloropropane) | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,3,4,6-Tetrachlorophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,4,5-Trichlorophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,4,6-Trichlorophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,4-Dichlorophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,4-Dimethylphenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,4-Dinitrophenol | < 1210 | ug/Kg | | 1/15/2021 06:45 |
| 2,4-Dinitrotoluene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2,6-Dinitrotoluene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Chloronaphthalene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Chlorophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Methylnapthalene | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Methylphenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Nitroaniline | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 2-Nitrophenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 3&4-Methylphenol | < 303 | ug/Kg | | 1/15/2021 06:45 |
| 3,3'-Dichlorobenzidine | < 303 | ug/Kg | | 1/15/2021 06:45 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B15S1 | | | | | |
|-------------------------|-----------|---------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-16 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4,6-Dinitro-2-methylp | henol | < 606 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Bromophenyl pheny | l ether | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Chloro-3-methylphe | enol | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Chloroaniline | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Chlorophenyl pheny | l ether | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Nitroaniline | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| 4-Nitrophenol | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Acenaphthene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Acenaphthylene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Acetophenone | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Anthracene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Atrazine | | <303 UJ | ug/Kg | | 1/15/2021 | 06:45 |
| Benzaldehyde | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Benzo (a) anthracene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Benzo (a) pyrene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Benzo (b) fluoranthen | e | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Benzo (g,h,i) perylene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Benzo (k) fluoranthen | e | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Bis (2-chloroethoxy) r | nethane | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Bis (2-chloroethyl) eth | ner | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Bis (2-ethylhexyl) pht | halate | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Butylbenzylphthalate | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Caprolactam | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| Carbazole | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

| _ | | - | | | | | |
|----|-------------------------|-----------|----------|-------|----------------|-----------|-------|
| : | Sample Identifier: | B15S1 | | | | | |
|] | Lab Sample ID: | 210162-16 | | | Date Sampled: | 1/11/2021 | |
| _] | Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| | Chrysene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Dibenz (a,h) anthracene | ? | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Dibenzofuran | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Diethyl phthalate | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Dimethyl phthalate | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Di-n-butyl phthalate | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Di-n-octylphthalate | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Fluoranthene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Fluorene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Hexachlorobenzene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Hexachlorobutadiene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Hexachlorocyclopentad | iene | <1210 UJ | ug/Kg | | 1/15/2021 | 06:45 |
| | Hexachloroethane | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Indeno (1,2,3-cd) pyren | e | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Isophorone | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Naphthalene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Nitrobenzene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | N-Nitroso-di-n-propyla | mine | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | N-Nitrosodiphenylamin | e | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Pentachlorophenol | | < 606 | ug/Kg | | 1/15/2021 | 06:45 |
| | Phenanthrene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Phenol | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | Pyrene | | < 303 | ug/Kg | | 1/15/2021 | 06:45 |
| | | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

Lab Sample ID: 210162-16 **Date Sampled:** 1/11/2021

Matrix: Soil **Date Received:** 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified Compound Result **Units Qualifier Date Analyzed** None Found < 243 ug/Kg 1/15/2021 **Total Reported TICS** < 243 ug/Kg 1/15/2021

Method Reference(s): EPA 8270D EPA 3546 1/14/2021

Preparation Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

 Lab Sample ID:
 210162-17
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 1,2,4,5-Tetrachlorobenzene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 1,2,4-Trichlorobenzene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 1,2-Dichlorobenzene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 1,3-Dichlorobenzene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 1,4-Dichlorobenzene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,2-Oxybis (1-chloropropane) | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,3,4,6-Tetrachlorophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,4,5-Trichlorophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,4,6-Trichlorophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,4-Dichlorophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,4-Dimethylphenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,4-Dinitrophenol | < 1300 | ug/Kg | | 1/15/2021 07:15 |
| 2,4-Dinitrotoluene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2,6-Dinitrotoluene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Chloronaphthalene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Chlorophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Methylnapthalene | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Methylphenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Nitroaniline | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 2-Nitrophenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 3&4-Methylphenol | < 325 | ug/Kg | | 1/15/2021 07:15 |
| 3,3'-Dichlorobenzidine | < 325 | ug/Kg | | 1/15/2021 07:15 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B16S1 | | | | | |
|-------------------------|-----------|---------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-17 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4,6-Dinitro-2-methylp | henol | < 649 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Bromophenyl pheny | yl ether | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Chloro-3-methylphe | enol | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Chloroaniline | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Chlorophenyl pheny | l ether | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Nitroaniline | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| 4-Nitrophenol | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Acenaphthene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Acenaphthylene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Acetophenone | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Anthracene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Atrazine | | <325 UJ | ug/Kg | | 1/15/2021 | 07:15 |
| Benzaldehyde | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Benzo (a) anthracene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Benzo (a) pyrene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Benzo (b) fluoranthen | ie | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Benzo (g,h,i) perylene | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Benzo (k) fluoranthen | e | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Bis (2-chloroethoxy) | nethane | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Bis (2-chloroethyl) etl | her | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Bis (2-ethylhexyl) pht | halate | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Butylbenzylphthalate | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Caprolactam | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |
| Carbazole | | < 325 | ug/Kg | | 1/15/2021 | 07:15 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| 0 1 11 .:0 | D4.604 | | | | |
|-------------------------|-----------|----------|-------|----------------|-----------------|
| Sample Identifier: | B16S1 | | | | |
| Lab Sample ID: | 210162-17 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| Chrysene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Dibenz (a,h) anthracend | e | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Dibenzofuran | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Diethyl phthalate | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Dimethyl phthalate | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Di-n-butyl phthalate | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Di-n-octylphthalate | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Fluoranthene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Fluorene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Hexachlorobenzene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Hexachlorobutadiene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Hexachlorocyclopentad | liene | <1300 UJ | ug/Kg | | 1/15/2021 07:15 |
| Hexachloroethane | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Indeno (1,2,3-cd) pyrer | ne | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Isophorone | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Naphthalene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Nitrobenzene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| N-Nitroso-di-n-propyla | mine | < 325 | ug/Kg | | 1/15/2021 07:15 |
| N-Nitrosodiphenylamir | ne | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Pentachlorophenol | | < 649 | ug/Kg | | 1/15/2021 07:15 |
| Phenanthrene | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Phenol | | < 325 | ug/Kg | | 1/15/2021 07:15 |
| Pyrene | | < 325 | ug/Kg | | 1/15/2021 07:15 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

Lab Sample ID: 210162-17 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 260</td>ug/Kg1/15/2021Total Reported TICS< 260</td>ug/Kg1/15/2021

Method Reference(s):EPA 8270DEPA 3546Preparation1/14/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

 Lab Sample ID:
 210162-18
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|---------------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 1,2,4,5-Tetrachlorobenzene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 1,2,4-Trichlorobenzene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 1,2-Dichlorobenzene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 1,3-Dichlorobenzene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 1,4-Dichlorobenzene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,2-Oxybis (1-chloropropane) | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,3,4,6-Tetrachlorophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,4,5-Trichlorophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,4,6-Trichlorophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,4-Dichlorophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,4-Dimethylphenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,4-Dinitrophenol | < 1210 | ug/Kg | | 1/15/2021 14:23 |
| 2,4-Dinitrotoluene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2,6-Dinitrotoluene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Chloronaphthalene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Chlorophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Methylnapthalene | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Methylphenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Nitroaniline | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 2-Nitrophenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 3&4-Methylphenol | < 302 | ug/Kg | | 1/15/2021 14:23 |
| 3,3'-Dichlorobenzidine | < 302 | ug/Kg | | 1/15/2021 14:23 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

| Project Reference: | Pilgrim village | e Semor | | | | |
|-------------------------|-----------------|----------|-------|----------------|-------------|-------|
| Sample Identifier: | B17S1 | | | | | |
| Lab Sample ID: | 210162-18 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| 3-Nitroaniline | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| 4,6-Dinitro-2-methylph | nenol | < 603 | ug/Kg | | 1/15/2021 | 14:23 |
| 4-Bromophenyl phenyl | l ether | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| 4-Chloro-3-methylpher | nol | < 302 | ug/Kg | | 1/15/2021 1 | 14:23 |
| 4-Chloroaniline | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| 4-Chlorophenyl phenyl | ether | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| 4-Nitroaniline | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| 4-Nitrophenol | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Acenaphthene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Acenaphthylene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Acetophenone | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Anthracene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Atrazine | | < 302 UJ | ug/Kg | | 1/15/2021 | 14:23 |
| Benzaldehyde | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Benzo (a) anthracene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Benzo (a) pyrene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Benzo (b) fluoranthene | 2 | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Benzo (g,h,i) perylene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Benzo (k) fluoranthene |) | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Bis (2-chloroethoxy) m | ethane | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Bis (2-chloroethyl) eth | er | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Bis (2-ethylhexyl) phth | ialate | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Butylbenzylphthalate | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Caprolactam | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| Carbazole | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |



Client: BE3

Project Reference: Pilgrim Village Senior

| | | 0 0 | | | | | |
|---|-------------------------|-----------|-----------|-------|----------------|-----------|-------|
| 9 | Sample Identifier: | B17S1 | | | | | |
| I | Lab Sample ID: | 210162-18 | | | Date Sampled: | 1/11/2021 | |
| | Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| | Chrysene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Dibenz (a,h) anthracene | ? | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Dibenzofuran | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Diethyl phthalate | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Dimethyl phthalate | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Di-n-butyl phthalate | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Di-n-octylphthalate | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Fluoranthene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Fluorene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Hexachlorobenzene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Hexachlorobutadiene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Hexachlorocyclopentad | iene | < 1210 UJ | ug/Kg | | 1/15/2021 | 14:23 |
| | Hexachloroethane | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Indeno (1,2,3-cd) pyren | e | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Isophorone | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Naphthalene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Nitrobenzene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | N-Nitroso-di-n-propyla | mine | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | N-Nitrosodiphenylamin | e | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Pentachlorophenol | | < 603 | ug/Kg | | 1/15/2021 | 14:23 |
| | Phenanthrene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Phenol | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | Pyrene | | < 302 | ug/Kg | | 1/15/2021 | 14:23 |
| | | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

Lab Sample ID: 210162-18 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified CompoundResultUnitsQualifierDate AnalyzedNone Found< 241</td>ug/Kg1/15/2021Total Reported TICS< 241</td>ug/Kg1/15/2021

Method Reference(s):EPA 8270DEPA 3546Preparation1/15/2021

Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

 Lab Sample ID:
 210162-19
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Semi-Volatile Organics (Acid/Base Neutrals)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|------------------------------|--------|--------------|-----------|-----------------|
| 1,1-Biphenyl | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 1,2,4,5-Tetrachlorobenzene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 1,2,4-Trichlorobenzene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 1,2-Dichlorobenzene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 1,3-Dichlorobenzene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 1,4-Dichlorobenzene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,2-Oxybis (1-chloropropane) | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,3,4,6-Tetrachlorophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,4,5-Trichlorophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,4,6-Trichlorophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,4-Dichlorophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,4-Dimethylphenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,4-Dinitrophenol | < 1180 | ug/Kg | | 1/15/2021 14:53 |
| 2,4-Dinitrotoluene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2,6-Dinitrotoluene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Chloronaphthalene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Chlorophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Methylnapthalene | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Methylphenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Nitroaniline | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 2-Nitrophenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 3&4-Methylphenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 3,3'-Dichlorobenzidine | < 296 | ug/Kg | | 1/15/2021 14:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

| roject Reference. | i ligi illi villag | e semoi | | | |
|-----------------------|--------------------|----------|-------|----------------|-----------------|
| Sample Identifier: | B18S1 | | | Date C. J. J. | 4 /44 /2024 |
| Lab Sample ID: | 210162-19 | | | Date Sampled: | 1/11/2021 |
| Matrix: | Soil | | | Date Received: | 1/12/2021 |
| 3-Nitroaniline | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4,6-Dinitro-2-methyl | phenol | < 592 | ug/Kg | | 1/15/2021 14:53 |
| 4-Bromophenyl pher | nyl ether | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4-Chloro-3-methylph | nenol | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4-Chloroaniline | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4-Chlorophenyl phen | ıyl ether | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4-Nitroaniline | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| 4-Nitrophenol | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Acenaphthene | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Acenaphthylene | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Acetophenone | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Anthracene | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Atrazine | | < 296 UJ | ug/Kg | | 1/15/2021 14:53 |
| Benzaldehyde | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Benzo (a) anthracene | e | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Benzo (a) pyrene | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Benzo (b) fluoranthe | ne | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Benzo (g,h,i) perylen | e | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Benzo (k) fluoranthe | ne | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Bis (2-chloroethoxy) | methane | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Bis (2-chloroethyl) e | ther | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Bis (2-ethylhexyl) ph | thalate | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Butylbenzylphthalate | e | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Caprolactam | | < 296 | ug/Kg | | 1/15/2021 14:53 |
| Carbazole | | < 296 | ug/Kg | | 1/15/2021 14:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

| Sample Identifier: | B18S1 | | | | | |
|------------------------|-----------|----------|-------|----------------|-----------|-------|
| Lab Sample ID: | 210162-19 | | | Date Sampled: | 1/11/2021 | |
| Matrix: | Soil | | | Date Received: | 1/12/2021 | |
| Chrysene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Dibenz (a,h) anthrace | ne | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Dibenzofuran | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Diethyl phthalate | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Dimethyl phthalate | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Di-n-butyl phthalate | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Di-n-octylphthalate | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Fluoranthene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Fluorene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Hexachlorobenzene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Hexachlorobutadiene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Hexachlorocyclopenta | diene | <1180 UJ | ug/Kg | | 1/15/2021 | 14:53 |
| Hexachloroethane | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Indeno (1,2,3-cd) pyre | ene | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Isophorone | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Naphthalene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Nitrobenzene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| N-Nitroso-di-n-propyl | amine | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| N-Nitrosodiphenylam | ine | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Pentachlorophenol | | < 592 | ug/Kg | | 1/15/2021 | 14:53 |
| Phenanthrene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Phenol | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| Pyrene | | < 296 | ug/Kg | | 1/15/2021 | 14:53 |
| | | | | | | |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

Lab Sample ID: 210162-19 **Date Sampled:** 1/11/2021

Matrix: Soil **Date Received:** 1/12/2021

Semi-Volatile Tentatively Identified Compounds

Tentatively Identified Compound Result **Units Qualifier Date Analyzed** None Found < 237 ug/Kg 1/15/2012 **Total Reported TICS** < 237 ug/Kg 1/15/2012

Method Reference(s): EPA 8270D EPA 3546 1/15/2021

Preparation Date:

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

1,4-DIOXANE SAMPLE DATA

No Data Validation Qualifiers Were Added

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID: 210162-05 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Dioxane

AnalyteResultUnitsQualifierDate Analyzed1,4-Dioxane< 33.3</td>ug/Kg1/14/202114:19

Method Reference(s): EPA 8270D SIM

EPA 3546

Preparation Date: 1/14/2021 Data File: B51624.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Dioxane

AnalyteResultUnitsQualifierDate Analyzed1,4-Dioxane< 32.6</td>ug/Kg1/14/202114:30

Method Reference(s): EPA 8270D SIM

EPA 3546

Preparation Date:1/14/2021Data File:B51625.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

 Lab Sample ID:
 210162-14
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Dioxane

Analyte Result Units Qualifier Date Analyzed

1,4-Dioxane < 34.6 ug/Kg 1/14/2021 14:41

Method Reference(s): EPA 8270D SIM

EPA 3546

Preparation Date: 1/14/2021 **Data File:** B51626.D



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Dioxane

AnalyteResultUnitsQualifierDate Analyzed1,4-Dioxane< 35.1</td>ug/Kg1/14/202114:52

Method Reference(s): EPA 8270D SIM

EPA 3546

Preparation Date: 1/14/2021 **Data File:** B51627.D

PESTICIDES SAMPLE DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

Lab Sample ID:210162-01Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| 4,4-DDE | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| 4,4-DDT | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Aldrin | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| alpha-BHC | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| beta-BHC | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| cis-Chlordane | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| delta-BHC | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Dieldrin | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endosulfan I | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endosulfan II | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endosulfan Sulfate | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endrin | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endrin Aldehyde | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Endrin Ketone | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| gamma-BHC (Lindane) | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Heptachlor | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Heptachlor Epoxide | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Methoxychlor | < 3.26 | ug/Kg | | 1/14/2021 18:15 |
| Toxaphene | < 32.6 | ug/Kg | | 1/14/2021 18:15 |
| trans-Chlordane | < 3.26 | ug/Kg | | 1/14/2021 18:15 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

Lab Sample ID:210162-02Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| 4,4-DDE | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| 4,4-DDT | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Aldrin | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| alpha-BHC | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| beta-BHC | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| cis-Chlordane | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| delta-BHC | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Dieldrin | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endosulfan I | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endosulfan II | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endosulfan Sulfate | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endrin | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endrin Aldehyde | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Endrin Ketone | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| gamma-BHC (Lindane) | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Heptachlor | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Heptachlor Epoxide | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Methoxychlor | < 3.43 | ug/Kg | | 1/14/2021 20:45 |
| Toxaphene | < 34.3 | ug/Kg | | 1/14/2021 20:45 |
| trans-Chlordane | < 3.43 | ug/Kg | | 1/14/2021 20:45 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID:210162-03Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| 4,4-DDE | 2.53 | ug/Kg | J | 1/14/2021 21:04 |
| 4,4-DDT | 4.72 | ug/Kg | | 1/14/2021 21:04 |
| Aldrin | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| alpha-BHC | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| beta-BHC | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| cis-Chlordane | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| delta-BHC | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Dieldrin | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endosulfan I | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endosulfan II | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endosulfan Sulfate | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endrin | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endrin Aldehyde | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Endrin Ketone | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| gamma-BHC (Lindane) | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Heptachlor | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Heptachlor Epoxide | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Methoxychlor | < 3.15 | ug/Kg | | 1/14/2021 21:04 |
| Toxaphene | < 31.5 | ug/Kg | | 1/14/2021 21:04 |
| trans-Chlordane | < 3.15 | ug/Kg | | 1/14/2021 21:04 |



Client: BE3

Pilgrim Village Senior **Project Reference:**

Sample Identifier: **B4S1**

Lab Sample ID: Date Sampled: 210162-04 1/8/2021

Date Received: 1/12/2021 **Matrix:** Soil

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|----------------------|
| 4,4-DDD | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| 4,4-DDE | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| 4,4-DDT | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Aldrin | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| alpha-BHC | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| beta-BHC | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| cis-Chlordane | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| delta-BHC | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Dieldrin | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endosulfan I | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endosulfan II | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endosulfan Sulfate | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endrin | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endrin Aldehyde | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Endrin Ketone | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| gamma-BHC (Lindane) | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Heptachlor | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Heptachlor Epoxide | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Methoxychlor | < 3.38 | ug/Kg | | 1/14/2021 21:23 |
| Toxaphene | < 33.8 | ug/Kg | | 1/14/2021 21:23 |
| trans-Chlordane | < 3.38 | ug/Kg | | 1/14/2021 21:23 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID:210162-05Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| 4,4-DDE | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| 4,4-DDT | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Aldrin | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| alpha-BHC | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| beta-BHC | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| cis-Chlordane | 4.42 | ug/Kg | | 1/14/2021 21:41 |
| delta-BHC | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Dieldrin | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endosulfan I | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endosulfan II | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endosulfan Sulfate | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endrin | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endrin Aldehyde | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Endrin Ketone | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| gamma-BHC (Lindane) | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Heptachlor | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Heptachlor Epoxide | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Methoxychlor | < 3.33 | ug/Kg | | 1/14/2021 21:41 |
| Toxaphene | < 33.3 | ug/Kg | | 1/14/2021 21:41 |
| trans-Chlordane | < 3.33 | ug/Kg | | 1/14/2021 21:41 |



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID:210162-06Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| 4,4-DDE | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| 4,4-DDT | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Aldrin | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| alpha-BHC | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| beta-BHC | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| cis-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| delta-BHC | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Dieldrin | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endosulfan I | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endosulfan II | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endosulfan Sulfate | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endrin | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endrin Aldehyde | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Endrin Ketone | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| gamma-BHC (Lindane) | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Heptachlor | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Heptachlor Epoxide | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Methoxychlor | < 3.09 | ug/Kg | | 1/14/2021 22:00 |
| Toxaphene | < 30.9 | ug/Kg | | 1/14/2021 22:00 |
| trans-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 22:00 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Chlorinated Pesticides

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|------------------|-----------------|
| 4,4-DDD | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| 4,4-DDE | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| 4,4-DDT | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Aldrin | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| alpha-BHC | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| beta-BHC | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| cis-Chlordane | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| delta-BHC | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Dieldrin | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endosulfan I | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endosulfan II | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endosulfan Sulfate | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endrin | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endrin Aldehyde | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Endrin Ketone | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| gamma-BHC (Lindane) | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Heptachlor | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Heptachlor Epoxide | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Methoxychlor | < 3.27 | ug/Kg | | 1/14/2021 22:19 |
| Toxaphene | < 32.7 | ug/Kg | | 1/14/2021 22:19 |
| trans-Chlordane | < 3.27 | ug/Kg | | 1/14/2021 22:19 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID:210162-08Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| 4,4-DDE | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| 4,4-DDT | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Aldrin | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| alpha-BHC | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| beta-BHC | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| cis-Chlordane | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| delta-BHC | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Dieldrin | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endosulfan I | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endosulfan II | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endosulfan Sulfate | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endrin | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endrin Aldehyde | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Endrin Ketone | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| gamma-BHC (Lindane) | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Heptachlor | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Heptachlor Epoxide | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Methoxychlor | < 3.33 | ug/Kg | | 1/14/2021 22:38 |
| Toxaphene | < 33.3 | ug/Kg | | 1/14/2021 22:38 |
| trans-Chlordane | < 3.33 | ug/Kg | | 1/14/2021 22:38 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

Lab Sample ID:210162-09Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|-----------|-----------------|
| 4,4-DDD | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| 4,4-DDE | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| 4,4-DDT | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Aldrin | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| alpha-BHC | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| beta-BHC | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| cis-Chlordane | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| delta-BHC | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Dieldrin | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endosulfan I | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endosulfan II | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endosulfan Sulfate | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endrin | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endrin Aldehyde | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Endrin Ketone | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| gamma-BHC (Lindane) | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Heptachlor | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Heptachlor Epoxide | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Methoxychlor | < 2.96 | ug/Kg | | 1/14/2021 22:56 |
| Toxaphene | < 29.6 | ug/Kg | | 1/14/2021 22:56 |
| trans-Chlordane | < 2.96 | ug/Kg | | 1/14/2021 22:56 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------|--------------|-----------|----------------------|
| 4,4-DDD | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| 4,4-DDE | 2.11 JN | ug/Kg | JP | 1/14/2021 23:16 |
| 4,4-DDT | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Aldrin | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| alpha-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| beta-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| cis-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| delta-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Dieldrin | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endosulfan I | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endosulfan II | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endosulfan Sulfate | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endrin | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endrin Aldehyde | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Endrin Ketone | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| gamma-BHC (Lindane) | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Heptachlor | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Heptachlor Epoxide | < 3.09 | ug/Kg | | 1/14/2021 23:16 |
| Methoxychlor | 2.76 J | ug/Kg | JP | 1/14/2021 23:16 |
| Toxaphene | < 30.9 | ug/Kg | | 1/14/2021 23:16 |
| trans-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 23:16 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

Lab Sample ID:210162-11Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| 4,4-DDE | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| 4,4-DDT | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Aldrin | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| alpha-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| beta-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| cis-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| delta-BHC | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Dieldrin | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endosulfan I | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endosulfan II | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endosulfan Sulfate | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endrin | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endrin Aldehyde | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Endrin Ketone | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| gamma-BHC (Lindane) | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Heptachlor | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Heptachlor Epoxide | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Methoxychlor | < 3.09 | ug/Kg | | 1/14/2021 23:34 |
| Toxaphene | < 30.9 | ug/Kg | | 1/14/2021 23:34 |
| trans-Chlordane | < 3.09 | ug/Kg | | 1/14/2021 23:34 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

 Lab Sample ID:
 210162-12
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Chlorinated Pesticides

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| 4,4-DDE | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| 4,4-DDT | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Aldrin | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| alpha-BHC | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| beta-BHC | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| cis-Chlordane | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| delta-BHC | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Dieldrin | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endosulfan I | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endosulfan II | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endosulfan Sulfate | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endrin | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endrin Aldehyde | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Endrin Ketone | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| gamma-BHC (Lindane) | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Heptachlor | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Heptachlor Epoxide | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Methoxychlor | < 3.31 | ug/Kg | | 1/14/2021 23:53 |
| Toxaphene | < 33.1 | ug/Kg | | 1/14/2021 23:53 |
| trans-Chlordane | < 3.31 | ug/Kg | | 1/14/2021 23:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

Lab Sample ID:210162-13Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| 4,4-DDE | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| 4,4-DDT | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Aldrin | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| alpha-BHC | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| beta-BHC | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| cis-Chlordane | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| delta-BHC | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Dieldrin | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endosulfan I | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endosulfan II | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endosulfan Sulfate | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endrin | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endrin Aldehyde | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Endrin Ketone | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| gamma-BHC (Lindane) | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Heptachlor | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Heptachlor Epoxide | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Methoxychlor | < 3.41 | ug/Kg | | 1/15/2021 00:12 |
| Toxaphene | < 34.1 | ug/Kg | | 1/15/2021 00:12 |
| trans-Chlordane | < 3.41 | ug/Kg | | 1/15/2021 00:12 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

Lab Sample ID:210162-14Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| 4,4-DDE | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| 4,4-DDT | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Aldrin | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| alpha-BHC | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| beta-BHC | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| cis-Chlordane | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| delta-BHC | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Dieldrin | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endosulfan I | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endosulfan II | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endosulfan Sulfate | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endrin | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endrin Aldehyde | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Endrin Ketone | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| gamma-BHC (Lindane) | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Heptachlor | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Heptachlor Epoxide | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Methoxychlor | < 3.44 | ug/Kg | | 1/15/2021 00:30 |
| Toxaphene | < 34.4 | ug/Kg | | 1/15/2021 00:30 |
| trans-Chlordane | < 3.44 | ug/Kg | | 1/15/2021 00:30 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| 4,4-DDE | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| 4,4-DDT | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Aldrin | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| alpha-BHC | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| beta-BHC | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| cis-Chlordane | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| delta-BHC | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Dieldrin | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endosulfan I | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endosulfan II | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endosulfan Sulfate | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endrin | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endrin Aldehyde | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Endrin Ketone | 2.63 | ug/Kg | J | 1/15/2021 00:49 |
| gamma-BHC (Lindane) | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Heptachlor | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Heptachlor Epoxide | < 3.55 | ug/Kg | | 1/15/2021 00:49 |
| Methoxychlor | 10.2 J | ug/Kg | | 1/15/2021 00:49 |
| Toxaphene | < 35.5 | ug/Kg | | 1/15/2021 00:49 |
| trans-Chlordane | < 3.55 | ug/Kg | | 1/15/2021 00:49 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

Lab Sample ID:210162-16Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|--------|--------------|-----------|-----------------|
| 4,4-DDD | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| 4,4-DDE | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| 4,4-DDT | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Aldrin | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| alpha-BHC | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| beta-BHC | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| cis-Chlordane | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| delta-BHC | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Dieldrin | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endosulfan I | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endosulfan II | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endosulfan Sulfate | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endrin | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endrin Aldehyde | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Endrin Ketone | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| gamma-BHC (Lindane) | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Heptachlor | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Heptachlor Epoxide | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Methoxychlor | < 2.84 | ug/Kg | | 1/15/2021 01:08 |
| Toxaphene | < 28.4 | ug/Kg | | 1/15/2021 01:08 |
| trans-Chlordane | < 2.84 | ug/Kg | | 1/15/2021 01:08 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

Lab Sample ID:210162-17Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|-----------|-----------------|
| 4,4-DDD | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| 4,4-DDE | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| 4,4-DDT | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Aldrin | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| alpha-BHC | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| beta-BHC | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| cis-Chlordane | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| delta-BHC | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Dieldrin | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endosulfan I | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endosulfan II | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endosulfan Sulfate | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endrin | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endrin Aldehyde | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Endrin Ketone | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| gamma-BHC (Lindane) | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Heptachlor | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Heptachlor Epoxide | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Methoxychlor | < 3.13 | ug/Kg | | 1/15/2021 01:27 |
| Toxaphene | < 31.3 | ug/Kg | | 1/15/2021 01:27 |
| trans-Chlordane | < 3.13 | ug/Kg | | 1/15/2021 01:27 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

 Lab Sample ID:
 210162-18
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Chlorinated Pesticides

| Analyte | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|---------------------|---------------|--------------|------------------|-----------------|
| 4,4-DDD | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| 4,4-DDE | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| 4,4-DDT | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Aldrin | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| alpha-BHC | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| beta-BHC | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| cis-Chlordane | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| delta-BHC | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Dieldrin | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endosulfan I | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endosulfan II | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endosulfan Sulfate | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endrin | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endrin Aldehyde | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Endrin Ketone | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| gamma-BHC (Lindane) | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Heptachlor | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Heptachlor Epoxide | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Methoxychlor | < 2.71 | ug/Kg | | 1/15/2021 01:46 |
| Toxaphene | < 27.1 | ug/Kg | | 1/15/2021 01:46 |
| trans-Chlordane | < 2.71 | ug/Kg | | 1/15/2021 01:46 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

 Lab Sample ID:
 210162-19
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Chlorinated Pesticides

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed | |
|---------------------|---------------|--------------|-----------|----------------|---|
| 4,4-DDD | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| 4,4-DDE | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| 4,4-DDT | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Aldrin | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| alpha-BHC | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| beta-BHC | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| cis-Chlordane | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| delta-BHC | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Dieldrin | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endosulfan I | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endosulfan II | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endosulfan Sulfate | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endrin | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endrin Aldehyde | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Endrin Ketone | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| gamma-BHC (Lindane) | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Heptachlor | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Heptachlor Epoxide | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Methoxychlor | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |
| Toxaphene | < 32.0 | ug/Kg | | 1/15/2021 14:2 | 7 |
| trans-Chlordane | < 3.20 | ug/Kg | | 1/15/2021 14:2 | 7 |

PCBS SAMPLE DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

 Lab Sample ID:
 210162-01
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| Analyte | Result | <u>Units</u> | | Qualifier | Date Analy | yzed |
|--------------------------------|--------------|---------------------|---------------------------|------------------|-----------------------------|---------------------|
| PCB-1016 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1221 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1232 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1242 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1248 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1254 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1260 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1262 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| PCB-1268 | < 0.0326 | mg/Kg | | | 1/14/2021 | 20:36 |
| Surrogate Tetrachloro-m-xylene | <u>Perce</u> | nt Recovery 74.0 | Limits 18.8 - 97.4 | <u>Outliers</u> | Date Analy 1/14/2021 | zed 20:36 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

 Lab Sample ID:
 210162-02
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1221 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1232 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1242 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1248 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1254 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1260 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1262 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| PCB-1268 | < 0.0343 | mg/Kg | | | 1/14/2021 | 20:59 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | ! | 56.4 | 18.8 - 97.4 | | 1/14/2021 | 20:59 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

 Lab Sample ID:
 210162-03
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1221 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1232 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1242 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1248 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1254 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1260 | 0.0305 J | mg/Kg | | J | 1/14/2021 | 22:10 |
| PCB-1262 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| PCB-1268 | < 0.0315 | mg/Kg | | | 1/14/2021 | 22:10 |
| Surrogate | Percent | Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | 69 | 9.0 | 18.8 - 97.4 | | 1/14/2021 | 22:10 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

 Lab Sample ID:
 210162-04
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| Analyte | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1221 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1232 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1242 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1248 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1254 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1260 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1262 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| PCB-1268 | < 0.0338 | mg/Kg | | | 1/14/2021 | 22:34 |
| Surrogate | | it Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | |
| Tetrachloro-m-xylene | | 47.8 | 18.8 - 97.4 | | 1/14/2021 | 22:34 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

 Lab Sample ID:
 210162-05
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|------------------|------------|-------|
| PCB-1016 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1221 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1232 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1242 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1248 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1254 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1260 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1262 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| PCB-1268 | < 0.0333 | mg/Kg | | | 1/14/2021 | 22:58 |
| Surrogate | Percer | ıt Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | | 58.7 | 18.8 - 97.4 | | 1/14/2021 | 22:58 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID:210162-06Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

PCBs

| Analyte | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1221 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1232 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1242 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1248 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1254 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1260 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1262 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| PCB-1268 | < 0.0309 | mg/Kg | | | 1/14/2021 | 23:21 |
| Surrogate | Percer | ıt Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | | 70.3 | 18.8 - 97.4 | | 1/14/2021 | 23:21 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

PCBs

| Analyte | <u>Result</u> | <u>Units</u> | | Qualifier | Date Analy | yzed |
|--------------------------------|---------------|----------------------|---------------------------|------------------|-----------------------------|---------------------|
| PCB-1016 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1221 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1232 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1242 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1248 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1254 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1260 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1262 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| PCB-1268 | < 0.0327 | mg/Kg | | | 1/14/2021 | 23:45 |
| Surrogate Tetrachloro-m-xylene | Perce | ent Recovery 66.4 | Limits 18.8 - 97.4 | <u>Outliers</u> | Date Analy 1/14/2021 | zed 23:45 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID:210162-08Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Analy | zed |
|----------------------|---------------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1221 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1232 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1242 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1248 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1254 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1260 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1262 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| PCB-1268 | < 0.0333 | mg/Kg | | | 1/15/2021 | 00:09 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | Ţ | 56.1 | 18.8 - 97.4 | | 1/15/2021 | 00:09 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

 Lab Sample ID:
 210162-09
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| Analyte | Result | <u>Units</u> | | Qualifier | Date Analy | yzed |
|--------------------------------|---------------|---------------------|---------------------------|------------------|-----------------------------|---------------------|
| PCB-1016 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1221 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1232 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1242 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1248 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1254 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1260 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1262 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| PCB-1268 | < 0.0296 | mg/Kg | | | 1/15/2021 | 00:32 |
| Surrogate Tetrachloro-m-xylene | <u>Perce</u> | nt Recovery 57.1 | Limits 18.8 - 97.4 | <u>Outliers</u> | Date Analy 1/15/2021 | zed 00:32 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

Lab Sample ID:210162-10Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | <u>vzed</u> |
|----------------------|---------------|--------------|---------------|------------------|-------------------|-------------|
| PCB-1016 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1221 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1232 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1242 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1248 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1254 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1260 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1262 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| PCB-1268 | < 0.0309 | mg/Kg | | | 1/15/2021 | 00:56 |
| Surrogate | Percen | t Recovery | Limits | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | (| 55.9 | 18.8 - 97.4 | | 1/15/2021 | 00:56 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

Lab Sample ID:210162-11Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|---------------|--------------|---------------|------------------|------------------|-------|
| PCB-1016 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1221 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1232 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1242 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1248 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1254 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1260 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1262 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| PCB-1268 | < 0.0309 | mg/Kg | | | 1/15/2021 | 01:20 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | 5 | 50.9 | 18.8 - 97.4 | | 1/15/2021 | 01:20 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

 Lab Sample ID:
 210162-12
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|------------------|-------------|-----------------|------------------|-------|
| PCB-1016 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1221 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1232 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1242 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1248 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1254 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1260 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1262 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| PCB-1268 | < 0.0331 | mg/Kg | | | 1/15/2021 | 01:43 |
| Surrogate | Percen | Percent Recovery | | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | 7 | 73.8 | 18.8 - 97.4 | | 1/15/2021 | 01:43 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

 Lab Sample ID:
 210162-13
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|------------------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1221 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1232 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1242 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1248 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1254 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1260 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1262 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| PCB-1268 | < 0.0341 | mg/Kg | | | 1/15/2021 | 02:07 |
| Surrogate | Percent Recovery | | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | | 59.4 | 18.8 - 97.4 | | 1/15/2021 | 02:07 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

 Lab Sample ID:
 210162-14
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|---------------|--------------|---------------|------------------|------------|-------|
| PCB-1016 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1221 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1232 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1242 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1248 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1254 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1260 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1262 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| PCB-1268 | < 0.0344 | mg/Kg | | | 1/15/2021 | 02:30 |
| Surrogate | Percer | ıt Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | | 26.4 | 18.8 - 97.4 | | 1/15/2021 | 02:30 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

Lab Sample ID:210162-15Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | vzed |
|----------------------|---------------|--------------|---------------|------------------|------------|-------|
| PCB-1016 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1221 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1232 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1242 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1248 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1254 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1260 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1262 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| PCB-1268 | < 0.0355 | mg/Kg | | | 1/15/2021 | 06:50 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | ϵ | 66.0 | 18.8 - 97.4 | | 1/15/2021 | 06:50 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

 Lab Sample ID:
 210162-16
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Analy | yzed |
|----------------------|----------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1221 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1232 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1242 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1248 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1254 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1260 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1262 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| PCB-1268 | < 0.0284 | mg/Kg | | | 1/15/2021 | 07:14 |
| Surrogate | Percen | t Recovery | Limits | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | | 69.6 | 18.8 - 97.4 | | 1/15/2021 | 07:14 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

 Lab Sample ID:
 210162-17
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

PCBs

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|------------------|--------------|---------------|-----------------|------------|-------|
| PCB-1016 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1221 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1232 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1242 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1248 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1254 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1260 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1262 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| PCB-1268 | < 0.0313 | mg/Kg | | | 1/15/2021 | 07:37 |
| Surrogate | Percent Recovery | | <u>Limits</u> | Outliers | Date Analy | zed |
| Tetrachloro-m-xylene | | 58.8 | 18.8 - 97.4 | | 1/15/2021 | 07:37 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Pilgrim Village Senior **Project Reference:**

Sample Identifier: B17S1

Lab Sample ID: **Date Sampled:** 210162-18 1/11/2021

1/12/2021 **Date Received: Matrix:** Soil

PCBs

| Analyte | <u>Result</u> | <u>Units</u> | | Qualifier | Date Analy | <u>zed</u> |
|----------------------|---------------|------------------|-------------|------------------|-------------------|------------|
| PCB-1016 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1221 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1232 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1242 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1248 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1254 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1260 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1262 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| PCB-1268 | < 0.0271 | mg/Kg | | | 1/15/2021 | 08:01 |
| Surrogate | Percen | Percent Recovery | | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | | 58.3 | 18.8 - 97.4 | | 1/15/2021 | 08:01 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

Lab Sample ID:210162-19Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

PCBs

| <u>Analyte</u> | Result | <u>Units</u> | | Qualifier | Date Anal | yzed |
|----------------------|----------|--------------|---------------|------------------|-------------------|-------|
| PCB-1016 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1221 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1232 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1242 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1248 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1254 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1260 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1262 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| PCB-1268 | < 0.0320 | mg/Kg | | | 1/15/2021 | 09:12 |
| Surrogate | Percen | t Recovery | <u>Limits</u> | <u>Outliers</u> | Date Analy | zed |
| Tetrachloro-m-xylene | • | 44.6 | 18.8 - 97.4 | | 1/15/2021 | 09:12 |

Method Reference(s): EPA 8082A

EPA 3546

Preparation Date: 1/14/2021

METALS DATA



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

Lab Sample ID:210162-01Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|-----------|-----------------|
| Aluminum | 8500 | mg/Kg | | 1/15/2021 22:45 |
| Antimony | < 3.22 | mg/Kg | | 1/15/2021 22:45 |
| Arsenic | 11.9 | mg/Kg | | 1/15/2021 22:45 |
| Barium | 69.5 | mg/Kg | | 1/15/2021 22:45 |
| Beryllium | < 0.268 | mg/Kg | | 1/15/2021 22:45 |
| Cadmium | 0.551 | mg/Kg | | 1/15/2021 22:45 |
| Calcium | 48900 | mg/Kg | | 1/18/2021 15:01 |
| Chromium | 10.4 | mg/Kg | | 1/15/2021 22:45 |
| Cobalt | 5.46 | mg/Kg | | 1/15/2021 22:45 |
| Copper | 57.5 | mg/Kg | | 1/15/2021 22:45 |
| Iron | 14900 | mg/Kg | | 1/15/2021 22:45 |
| Lead | 99.3 | mg/Kg | | 1/15/2021 22:45 |
| Magnesium | 12300 | mg/Kg | | 1/15/2021 22:45 |
| Manganese | 288 | mg/Kg | | 1/15/2021 22:45 |
| Nickel | 10.4 | mg/Kg | | 1/15/2021 22:45 |
| Potassium | 1830 | mg/Kg | | 1/15/2021 22:45 |
| Selenium | 0.986 | mg/Kg | J | 1/18/2021 15:06 |
| Silver | 0.569 | mg/Kg | | 1/15/2021 22:45 |
| Sodium | 148 | mg/Kg | | 1/15/2021 22:45 |
| Thallium | < 1.34 | mg/Kg | | 1/15/2021 22:45 |
| Vanadium | 19.4 | mg/Kg | | 1/15/2021 22:45 |
| Zinc | 340 | mg/Kg | | 1/15/2021 22:45 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B1S1

 Lab Sample ID:
 210162-01
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Mercury

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 0.231 R mg/Kg
 M 1/19/2021 12:22

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B

MKP 2/22/2021



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

Lab Sample ID:210162-02Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|--------|--------------|------------------|-----------------|
| Aluminum | 19100 | mg/Kg | | 1/15/2021 22:50 |
| Antimony | < 3.75 | mg/Kg | | 1/15/2021 22:50 |
| Arsenic | 5.54 | mg/Kg | | 1/15/2021 22:50 |
| Barium | 155 | mg/Kg | | 1/15/2021 22:50 |
| Beryllium | 0.384 | mg/Kg | | 1/15/2021 22:50 |
| Cadmium | 0.747 | mg/Kg | | 1/15/2021 22:50 |
| Calcium | 38500 | mg/Kg | | 1/18/2021 15:10 |
| Chromium | 23.2 | mg/Kg | | 1/15/2021 22:50 |
| Cobalt | 11.7 | mg/Kg | | 1/15/2021 22:50 |
| Copper | 20.4 | mg/Kg | | 1/15/2021 22:50 |
| Iron | 24500 | mg/Kg | | 1/15/2021 22:50 |
| Lead | 10.8 | mg/Kg | | 1/15/2021 22:50 |
| Magnesium | 13900 | mg/Kg | | 1/15/2021 22:50 |
| Manganese | 493 | mg/Kg | | 1/15/2021 22:50 |
| Nickel | 26.8 | mg/Kg | | 1/15/2021 22:50 |
| Potassium | 4450 | mg/Kg | | 1/15/2021 22:50 |
| Selenium | 1.79 | mg/Kg | | 1/15/2021 22:50 |
| Silver | 0.619 | mg/Kg | J | 1/15/2021 22:50 |
| Sodium | 135 | mg/Kg | J | 1/15/2021 22:50 |
| Thallium | < 4.68 | mg/Kg | | 1/19/2021 10:32 |
| Vanadium | 31.7 | mg/Kg | | 1/15/2021 22:50 |
| Zinc | 60.6 | mg/Kg | | 1/15/2021 22:50 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B2S1

 Lab Sample ID:
 210162-02
 Date Sampled:
 1/8/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

Analyte Result Units Qualifier Date Analyzed

Mercury **0.0225** mg/Kg 1/19/2021 12:29

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID:210162-03Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|--------|--------------|------------------|-----------------|
| Aluminum | 10800 | mg/Kg | | 1/15/2021 22:54 |
| Antimony | < 3.50 | mg/Kg | | 1/15/2021 22:54 |
| Arsenic | 13.5 | mg/Kg | | 1/15/2021 22:54 |
| Barium | 183 | mg/Kg | | 1/15/2021 22:54 |
| Beryllium | 0.359 | mg/Kg | | 1/15/2021 22:54 |
| Cadmium | 0.785 | mg/Kg | | 1/15/2021 22:54 |
| Calcium | 17200 | mg/Kg | | 1/15/2021 22:54 |
| Chromium | 14.3 | mg/Kg | | 1/15/2021 22:54 |
| Cobalt | 6.19 | mg/Kg | | 1/15/2021 22:54 |
| Copper | 19.6 | mg/Kg | | 1/15/2021 22:54 |
| Iron | 13500 | mg/Kg | | 1/15/2021 22:54 |
| Lead | 215 | mg/Kg | | 1/15/2021 22:54 |
| Magnesium | 5840 | mg/Kg | | 1/15/2021 22:54 |
| Manganese | 302 | mg/Kg | | 1/15/2021 22:54 |
| Nickel | 14.0 | mg/Kg | | 1/15/2021 22:54 |
| Potassium | 1620 | mg/Kg | | 1/15/2021 22:54 |
| Selenium | 1.65 | mg/Kg | | 1/18/2021 15:15 |
| Silver | 0.544 | mg/Kg | J | 1/15/2021 22:54 |
| Sodium | 141 | mg/Kg | J | 1/15/2021 22:54 |
| Thallium | < 1.46 | mg/Kg | | 1/15/2021 22:54 |
| Vanadium | 20.5 | mg/Kg | | 1/15/2021 22:54 |
| Zinc | 164 | mg/Kg | | 1/15/2021 22:54 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B3S1

Lab Sample ID: 210162-03 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury **0.210** mg/Kg 1/19/2021 12:31

Method Reference(s):
Preparation Date:
Data File:

EPA 7471B 1/18/2021 Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID:210162-04Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | <u>Qualifier</u> | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Aluminum | 12300 | mg/Kg | | 1/15/2021 22:58 |
| Antimony | < 3.47 | mg/Kg | | 1/15/2021 22:58 |
| Arsenic | 5.30 | mg/Kg | | 1/15/2021 22:58 |
| Barium | 114 | mg/Kg | | 1/15/2021 22:58 |
| Beryllium | 0.267 | mg/Kg | J | 1/15/2021 22:58 |
| Cadmium | 0.685 | mg/Kg | | 1/15/2021 22:58 |
| Calcium | 17400 | mg/Kg | | 1/15/2021 22:58 |
| Chromium | 15.9 | mg/Kg | | 1/15/2021 22:58 |
| Cobalt | 6.87 | mg/Kg | | 1/15/2021 22:58 |
| Copper | 24.5 | mg/Kg | | 1/15/2021 22:58 |
| Iron | 14100 | mg/Kg | | 1/15/2021 22:58 |
| Lead | 185 | mg/Kg | | 1/15/2021 22:58 |
| Magnesium | 6440 | mg/Kg | | 1/15/2021 22:58 |
| Manganese | 225 | mg/Kg | | 1/15/2021 22:58 |
| Nickel | 16.7 | mg/Kg | | 1/15/2021 22:58 |
| Potassium | 1920 | mg/Kg | | 1/15/2021 22:58 |
| Selenium | 1.41 | mg/Kg | | 1/15/2021 22:58 |
| Silver | 0.530 | mg/Kg | J | 1/15/2021 22:58 |
| Sodium | 107 | mg/Kg | J | 1/15/2021 22:58 |
| Thallium | < 1.45 | mg/Kg | | 1/15/2021 22:58 |
| Vanadium | 22.1 | mg/Kg | | 1/15/2021 22:58 |
| Zinc | 117 | mg/Kg | | 1/15/2021 22:58 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B4S1

Lab Sample ID: 210162-04 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury 1.14 mg/Kg 1/19/2021 13:24

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: <u>BE3</u>

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID:210162-05Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|--------|--------------|-----------|-----------------|
| Aluminum | 7670 | mg/Kg | | 1/15/2021 23:02 |
| Antimony | < 3.27 | mg/Kg | | 1/15/2021 23:02 |
| Arsenic | 8.79 | mg/Kg | | 1/15/2021 23:02 |
| Barium | 179 | mg/Kg | | 1/15/2021 23:02 |
| Beryllium | 0.211 | mg/Kg | J | 1/15/2021 23:02 |
| Cadmium | 0.511 | mg/Kg | | 1/15/2021 23:02 |
| Calcium | 25400 | mg/Kg | | 1/15/2021 23:02 |
| Chromium | 11.8 | mg/Kg | | 1/15/2021 23:02 |
| Cobalt | 5.37 | mg/Kg | | 1/15/2021 23:02 |
| Copper | 65.2 | mg/Kg | | 1/15/2021 23:02 |
| Iron | 10000 | mg/Kg | | 1/15/2021 23:02 |
| Lead | 735 | mg/Kg | | 1/15/2021 23:02 |
| Magnesium | 5490 | mg/Kg | | 1/15/2021 23:02 |
| Manganese | 250 | mg/Kg | | 1/15/2021 23:02 |
| Nickel | 11.8 | mg/Kg | | 1/15/2021 23:02 |
| Potassium | 1080 | mg/Kg | | 1/15/2021 23:02 |
| Selenium | 1.74 | mg/Kg | | 1/18/2021 15:20 |
| Silver | 0.787 | mg/Kg | | 1/15/2021 23:02 |
| Sodium | 143 | mg/Kg | | 1/15/2021 23:02 |
| Thallium | < 1.36 | mg/Kg | | 1/15/2021 23:02 |
| Vanadium | 17.7 | mg/Kg | | 1/15/2021 23:02 |
| Zinc | 261 | mg/Kg | | 1/15/2021 23:02 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B5S1

Lab Sample ID:210162-05Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

<u>Mercury</u>

AnalyteResultUnitsQualifierDate AnalyzedMercury2.18mg/Kg1/19/2021 13:26

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Lab Sample ID:210162-06Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| Analyte | Result | <u>Units</u> | Qualifier | Date Analyzed |
|-----------|---------|--------------|-----------|-----------------|
| • | | | Quaimer | - |
| Aluminum | 9950 | mg/Kg | | 1/15/2021 23:06 |
| Antimony | < 3.50 | mg/Kg | | 1/15/2021 23:06 |
| Arsenic | 5.96 | mg/Kg | | 1/15/2021 23:06 |
| Barium | 108 | mg/Kg | | 1/15/2021 23:06 |
| Beryllium | < 0.292 | mg/Kg | | 1/15/2021 23:06 |
| Cadmium | 0.508 | mg/Kg | | 1/15/2021 23:06 |
| Calcium | 20400 | mg/Kg | | 1/15/2021 23:06 |
| Chromium | 11.9 | mg/Kg | | 1/15/2021 23:06 |
| Cobalt | 5.61 | mg/Kg | | 1/15/2021 23:06 |
| Copper | 21.2 | mg/Kg | | 1/15/2021 23:06 |
| Iron | 13100 | mg/Kg | | 1/15/2021 23:06 |
| Lead | 159 | mg/Kg | | 1/15/2021 23:06 |
| Magnesium | 9670 | mg/Kg | | 1/15/2021 23:06 |
| Manganese | 293 | mg/Kg | | 1/15/2021 23:06 |
| Nickel | 10.9 | mg/Kg | | 1/15/2021 23:06 |
| Potassium | 1520 | mg/Kg | | 1/15/2021 23:06 |
| Selenium | 1.93 | mg/Kg | | 1/15/2021 23:06 |
| Silver | 0.536 | mg/Kg | J | 1/15/2021 23:06 |
| Sodium | 124 | mg/Kg | J | 1/15/2021 23:06 |
| Thallium | < 2.92 | mg/Kg | | 1/18/2021 15:24 |
| Vanadium | 19.0 | mg/Kg | | 1/15/2021 23:06 |
| Zinc | 99.1 | mg/Kg | | 1/15/2021 23:06 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S1

Matrix: Soil Date Received: 1/12/2021

<u>Mercury</u>

Analyte Result Units Qualifier Date Analyzed

Mercury 0.346 mg/Kg 1/19/2021 12:44

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID:210162-07Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|----------------------|
| Aluminum | 13100 | mg/Kg | | 1/15/2021 23:10 |
| Antimony | < 3.50 | mg/Kg | | 1/15/2021 23:10 |
| Arsenic | 6.14 | mg/Kg | | 1/15/2021 23:10 |
| Barium | 142 | mg/Kg | | 1/15/2021 23:10 |
| Beryllium | 0.221 | mg/Kg | J | 1/15/2021 23:10 |
| Cadmium | 0.480 | mg/Kg | | 1/15/2021 23:10 |
| Calcium | 21700 | mg/Kg | | 1/15/2021 23:10 |
| Chromium | 15.7 | mg/Kg | | 1/15/2021 23:10 |
| Cobalt | 7.97 | mg/Kg | | 1/15/2021 23:10 |
| Copper | 21.7 | mg/Kg | | 1/15/2021 23:10 |
| Iron | 18100 | mg/Kg | | 1/15/2021 23:10 |
| Lead | 126 | mg/Kg | | 1/15/2021 23:10 |
| Magnesium | 9920 | mg/Kg | | 1/15/2021 23:10 |
| Manganese | 401 | mg/Kg | | 1/15/2021 23:10 |
| Nickel | 15.0 | mg/Kg | | 1/15/2021 23:10 |
| Potassium | 2270 | mg/Kg | | 1/15/2021 23:10 |
| Selenium | 1.96 | mg/Kg | | 1/15/2021 23:10 |
| Silver | 0.664 | mg/Kg | | 1/15/2021 23:10 |
| Sodium | 143 | mg/Kg | J | 1/15/2021 23:10 |
| Thallium | < 2.92 | mg/Kg | | 1/18/2021 15:29 |
| Vanadium | 23.5 | mg/Kg | | 1/15/2021 23:10 |
| Zinc | 99.2 | mg/Kg | | 1/15/2021 23:10 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B6S10

Lab Sample ID: 210162-07 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury 1.25 mg/Kg 1/19/2021 13:28

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID:210162-08Date Sampled:1/8/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|------------------|-----------------|
| Aluminum | 10700 | mg/Kg | | 1/15/2021 23:25 |
| Antimony | < 3.72 | mg/Kg | | 1/15/2021 23:25 |
| Arsenic | 3.18 | mg/Kg | | 1/15/2021 23:25 |
| Barium | 108 | mg/Kg | | 1/15/2021 23:25 |
| Beryllium | < 0.310 | mg/Kg | | 1/15/2021 23:25 |
| Cadmium | 0.427 | mg/Kg | | 1/15/2021 23:25 |
| Calcium | 4910 | mg/Kg | | 1/15/2021 23:25 |
| Chromium | 12.1 | mg/Kg | | 1/15/2021 23:25 |
| Cobalt | 4.85 | mg/Kg | | 1/15/2021 23:25 |
| Copper | 14.1 | mg/Kg | | 1/15/2021 23:25 |
| Iron | 11300 | mg/Kg | | 1/15/2021 23:25 |
| Lead | 159 | mg/Kg | | 1/15/2021 23:25 |
| Magnesium | 2600 | mg/Kg | | 1/15/2021 23:25 |
| Manganese | 253 | mg/Kg | | 1/15/2021 23:25 |
| Nickel | 8.54 | mg/Kg | | 1/15/2021 23:25 |
| Potassium | 1090 | mg/Kg | | 1/15/2021 23:25 |
| Selenium | 1.85 | mg/Kg | | 1/15/2021 23:25 |
| Silver | 0.448 | mg/Kg | J | 1/15/2021 23:25 |
| Sodium | 272 | mg/Kg | | 1/15/2021 23:25 |
| Thallium | < 1.55 | mg/Kg | | 1/15/2021 23:25 |
| Vanadium | 19.6 | mg/Kg | | 1/15/2021 23:25 |
| Zinc | 113 | mg/Kg | | 1/15/2021 23:25 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B7S1

Lab Sample ID: 210162-08 **Date Sampled:** 1/8/2021

Matrix: Soil Date Received: 1/12/2021

<u>Mercurv</u>

Analyte Result Units Qualifier Date Analyzed

Mercury 0.398 mg/Kg 1/19/2021 12:48

Method Reference(s):
Preparation Date:
Data File:

EPA 7471B 1/18/2021 Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

 Lab Sample ID:
 210162-09
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|------------------|-----------------|
| Aluminum | 11700 | mg/Kg | | 1/15/2021 23:29 |
| Antimony | < 3.40 | mg/Kg | | 1/15/2021 23:29 |
| Arsenic | 4.70 | mg/Kg | | 1/15/2021 23:29 |
| Barium | 52.5 | mg/Kg | | 1/15/2021 23:29 |
| Beryllium | 0.232 | mg/Kg | J | 1/15/2021 23:29 |
| Cadmium | 0.606 | mg/Kg | | 1/15/2021 23:29 |
| Calcium | 10200 | mg/Kg | | 1/15/2021 23:29 |
| Chromium | 17.7 | mg/Kg | | 1/15/2021 23:29 |
| Cobalt | 6.61 | mg/Kg | | 1/15/2021 23:29 |
| Copper | 29.8 | mg/Kg | | 1/15/2021 23:29 |
| Iron | 17900 | mg/Kg | | 1/15/2021 23:29 |
| Lead | 56.0 | mg/Kg | | 1/15/2021 23:29 |
| Magnesium | 9520 | mg/Kg | | 1/15/2021 23:29 |
| Manganese | 255 | mg/Kg | | 1/15/2021 23:29 |
| Nickel | 18.6 | mg/Kg | | 1/15/2021 23:29 |
| Potassium | 1850 | mg/Kg | | 1/15/2021 23:29 |
| Selenium | 1.56 | mg/Kg | | 1/18/2021 15:34 |
| Silver | 0.466 | mg/Kg | J | 1/15/2021 23:29 |
| Sodium | 85.0 | mg/Kg | J | 1/15/2021 23:29 |
| Thallium | < 1.42 | mg/Kg | | 1/15/2021 23:29 |
| Vanadium | 16.9 | mg/Kg | | 1/15/2021 23:29 |
| Zinc | 85.6 | mg/Kg | | 1/15/2021 23:29 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B8S1

 Lab Sample ID:
 210162-09
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 0.200
 mg/Kg
 1/19/2021 12:52

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|------------------|-----------------|
| Aluminum | 10600 | mg/Kg | | 1/15/2021 23:34 |
| Antimony | < 3.40 | mg/Kg | | 1/15/2021 23:34 |
| Arsenic | 4.37 | mg/Kg | | 1/15/2021 23:34 |
| Barium | 61.1 | mg/Kg | | 1/15/2021 23:34 |
| Beryllium | < 0.283 | mg/Kg | | 1/15/2021 23:34 |
| Cadmium | 0.628 | mg/Kg | | 1/15/2021 23:34 |
| Calcium | 33300 | mg/Kg | | 1/18/2021 15:38 |
| Chromium | 12.3 | mg/Kg | | 1/15/2021 23:34 |
| Cobalt | 5.90 | mg/Kg | | 1/15/2021 23:34 |
| Copper | 13.7 | mg/Kg | | 1/15/2021 23:34 |
| Iron | 15000 | mg/Kg | | 1/15/2021 23:34 |
| Lead | 84.6 | mg/Kg | | 1/15/2021 23:34 |
| Magnesium | 11900 | mg/Kg | | 1/15/2021 23:34 |
| Manganese | 337 | mg/Kg | | 1/15/2021 23:34 |
| Nickel | 11.1 | mg/Kg | | 1/15/2021 23:34 |
| Potassium | 1820 | mg/Kg | | 1/15/2021 23:34 |
| Selenium | 1.63 | mg/Kg | | 1/15/2021 23:34 |
| Silver | 0.481 | mg/Kg | J | 1/15/2021 23:34 |
| Sodium | 139 | mg/Kg | J | 1/15/2021 23:34 |
| Thallium | < 2.83 | mg/Kg | | 1/18/2021 15:38 |
| Vanadium | 21.3 | mg/Kg | | 1/15/2021 23:34 |
| Zinc | 87.6 | mg/Kg | | 1/15/2021 23:34 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B9S1

 Lab Sample ID:
 210162-10
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

AnalyteResultUnitsQualifierDate AnalyzedMercury0.146mg/Kg1/19/202112:56

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

 Lab Sample ID:
 210162-11
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|------------------|-----------------|
| Aluminum | 8020 | mg/Kg | | 1/15/2021 23:39 |
| Antimony | < 3.45 | mg/Kg | | 1/15/2021 23:39 |
| Arsenic | 2.73 | mg/Kg | | 1/15/2021 23:39 |
| Barium | 24.5 | mg/Kg | | 1/15/2021 23:39 |
| Beryllium | < 0.288 | mg/Kg | | 1/15/2021 23:39 |
| Cadmium | 0.199 | mg/Kg | J | 1/15/2021 23:39 |
| Calcium | 2120 | mg/Kg | | 1/15/2021 23:39 |
| Chromium | 8.09 | mg/Kg | | 1/15/2021 23:39 |
| Cobalt | 3.43 | mg/Kg | | 1/15/2021 23:39 |
| Copper | 6.91 | mg/Kg | | 1/15/2021 23:39 |
| Iron | 9510 | mg/Kg | | 1/15/2021 23:39 |
| Lead | 45.9 | mg/Kg | | 1/15/2021 23:39 |
| Magnesium | 1750 | mg/Kg | | 1/15/2021 23:39 |
| Manganese | 80.7 | mg/Kg | | 1/15/2021 23:39 |
| Nickel | 6.09 | mg/Kg | | 1/15/2021 23:39 |
| Potassium | 618 | mg/Kg | | 1/15/2021 23:39 |
| Selenium | 0.990 | mg/Kg | J | 1/15/2021 23:39 |
| Silver | 0.397 | mg/Kg | J | 1/15/2021 23:39 |
| Sodium | 92.2 | mg/Kg | J | 1/15/2021 23:39 |
| Thallium | < 1.44 | mg/Kg | | 1/15/2021 23:39 |
| Vanadium | 16.7 | mg/Kg | | 1/15/2021 23:39 |
| Zinc | 45.6 | mg/Kg | | 1/15/2021 23:39 |



1/19/2021 12:58

Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S1

Lab Sample ID: 210162-11 **Date Sampled:** 1/11/2021 **Date Received: Matrix:** Soil 1/12/2021

0.0381

Mercury

Mercury

Analyte Units **Oualifier Date Analyzed** Result

mg/Kg

Method Reference(s): EPA 7471B **Preparation Date:** 1/18/2021

Data File: Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

Lab Sample ID: 210162-12 **Date Sampled:** 1/11/2021

Matrix: Soil Date Received: 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|-----------|-----------------|
| Aluminum | 9170 | mg/Kg | | 1/15/2021 23:43 |
| Antimony | < 3.20 | mg/Kg | | 1/15/2021 23:43 |
| Arsenic | 2.21 | mg/Kg | | 1/15/2021 23:43 |
| Barium | 53.2 | mg/Kg | | 1/15/2021 23:43 |
| Beryllium | < 0.267 | mg/Kg | | 1/15/2021 23:43 |
| Cadmium | 0.524 | mg/Kg | | 1/15/2021 23:43 |
| Calcium | 73700 | mg/Kg | | 1/18/2021 15:43 |
| Chromium | 11.3 | mg/Kg | | 1/15/2021 23:43 |
| Cobalt | 4.63 | mg/Kg | | 1/15/2021 23:43 |
| Copper | 8.92 | mg/Kg | | 1/15/2021 23:43 |
| Iron | 11100 | mg/Kg | | 1/15/2021 23:43 |
| Lead | 8.49 | mg/Kg | | 1/15/2021 23:43 |
| Magnesium | 22100 | mg/Kg | | 1/15/2021 23:43 |
| Manganese | 283 | mg/Kg | | 1/15/2021 23:43 |
| Nickel | 9.47 | mg/Kg | | 1/15/2021 23:43 |
| Potassium | 2360 | mg/Kg | | 1/15/2021 23:43 |
| Selenium | 0.805 | mg/Kg | J | 1/15/2021 23:43 |
| Silver | 0.401 | mg/Kg | J | 1/15/2021 23:43 |
| Sodium | 193 | mg/Kg | | 1/15/2021 23:43 |
| Thallium | < 2.67 | mg/Kg | | 1/18/2021 15:57 |
| Vanadium | 15.8 | mg/Kg | | 1/15/2021 23:43 |
| Zinc | 54.7 | mg/Kg | | 1/15/2021 23:43 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B10S2

 Lab Sample ID:
 210162-12
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury 0.00928 mg/Kg 1/19/2021 13:00

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

Lab Sample ID:210162-13Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|-----------|-----------------|
| Aluminum | 16400 | mg/Kg | | 1/15/2021 23:48 |
| Antimony | < 3.60 | mg/Kg | | 1/15/2021 23:48 |
| Arsenic | 5.16 | mg/Kg | | 1/15/2021 23:48 |
| Barium | 117 | mg/Kg | | 1/15/2021 23:48 |
| Beryllium | 0.380 | mg/Kg | | 1/15/2021 23:48 |
| Cadmium | 0.704 | mg/Kg | | 1/15/2021 23:48 |
| Calcium | 4800 | mg/Kg | | 1/15/2021 23:48 |
| Chromium | 19.8 | mg/Kg | | 1/15/2021 23:48 |
| Cobalt | 10.3 | mg/Kg | | 1/15/2021 23:48 |
| Copper | 19.8 | mg/Kg | | 1/15/2021 23:48 |
| Iron | 21400 | mg/Kg | | 1/15/2021 23:48 |
| Lead | 22.2 | mg/Kg | | 1/15/2021 23:48 |
| Magnesium | 5730 | mg/Kg | | 1/15/2021 23:48 |
| Manganese | 824 | mg/Kg | | 1/18/2021 16:02 |
| Nickel | 22.8 | mg/Kg | | 1/15/2021 23:48 |
| Potassium | 2810 | mg/Kg | | 1/15/2021 23:48 |
| Selenium | 2.05 | mg/Kg | | 1/15/2021 23:48 |
| Silver | 0.666 | mg/Kg | | 1/15/2021 23:48 |
| Sodium | 145 | mg/Kg | J | 1/15/2021 23:48 |
| Thallium | < 3.00 | mg/Kg | | 1/18/2021 16:02 |
| Vanadium | 26.9 | mg/Kg | | 1/15/2021 23:48 |
| Zinc | 76.7 | mg/Kg | | 1/15/2021 23:48 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B11S1

 Lab Sample ID:
 210162-13
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

Analyte Result Units Qualifier Date Analyzed

Mercury **0.151** mg/Kg 1/19/2021 13:03

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

Lab Sample ID:210162-14Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|-----------|-----------------|
| Aluminum | 10400 | mg/Kg | | 1/15/2021 23:53 |
| Antimony | < 3.32 | mg/Kg | | 1/15/2021 23:53 |
| Arsenic | 2.86 | mg/Kg | | 1/15/2021 23:53 |
| Barium | 57.4 | mg/Kg | | 1/15/2021 23:53 |
| Beryllium | < 0.277 | mg/Kg | | 1/15/2021 23:53 |
| Cadmium | 0.448 | mg/Kg | | 1/15/2021 23:53 |
| Calcium | 23000 | mg/Kg | | 1/15/2021 23:53 |
| Chromium | 12.7 | mg/Kg | | 1/15/2021 23:53 |
| Cobalt | 4.49 | mg/Kg | | 1/15/2021 23:53 |
| Copper | 12.1 | mg/Kg | | 1/15/2021 23:53 |
| Iron | 12800 | mg/Kg | | 1/15/2021 23:53 |
| Lead | 26.7 | mg/Kg | | 1/15/2021 23:53 |
| Magnesium | 9380 | mg/Kg | | 1/15/2021 23:53 |
| Manganese | 231 | mg/Kg | | 1/15/2021 23:53 |
| Nickel | 10.8 | mg/Kg | | 1/15/2021 23:53 |
| Potassium | 1620 | mg/Kg | | 1/15/2021 23:53 |
| Selenium | 1.55 | mg/Kg | | 1/15/2021 23:53 |
| Silver | 0.409 | mg/Kg | J | 1/15/2021 23:53 |
| Sodium | 83.6 | mg/Kg | J | 1/15/2021 23:53 |
| Thallium | < 1.38 | mg/Kg | | 1/15/2021 23:53 |
| Vanadium | 18.9 | mg/Kg | | 1/15/2021 23:53 |
| Zinc | 80.8 | mg/Kg | | 1/15/2021 23:53 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B12S1

 Lab Sample ID:
 210162-14
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

AnalyteResultUnitsQualifierDate AnalyzedMercury0.119mg/Kg1/19/2021 13:05

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|--------|--------------|------------------|-----------------|
| Aluminum | 17300 | mg/Kg | | 1/15/2021 23:57 |
| Antimony | < 3.76 | mg/Kg | | 1/15/2021 23:57 |
| Arsenic | 8.07 | mg/Kg | | 1/15/2021 23:57 |
| Barium | 188 | mg/Kg | | 1/15/2021 23:57 |
| Beryllium | 0.423 | mg/Kg | | 1/15/2021 23:57 |
| Cadmium | 0.930 | mg/Kg | | 1/15/2021 23:57 |
| Calcium | 14700 | mg/Kg | | 1/15/2021 23:57 |
| Chromium | 21.5 | mg/Kg | | 1/15/2021 23:57 |
| Cobalt | 10.5 | mg/Kg | | 1/15/2021 23:57 |
| Copper | 30.4 | mg/Kg | | 1/15/2021 23:57 |
| Iron | 21000 | mg/Kg | | 1/15/2021 23:57 |
| Lead | 174 | mg/Kg | | 1/15/2021 23:57 |
| Magnesium | 9630 | mg/Kg | | 1/15/2021 23:57 |
| Manganese | 450 | mg/Kg | | 1/15/2021 23:57 |
| Nickel | 21.7 | mg/Kg | | 1/15/2021 23:57 |
| Potassium | 2930 | mg/Kg | | 1/15/2021 23:57 |
| Selenium | 2.01 | mg/Kg | | 1/15/2021 23:57 |
| Silver | 0.617 | mg/Kg | J | 1/15/2021 23:57 |
| Sodium | 95.0 | mg/Kg | J | 1/15/2021 23:57 |
| Thallium | < 1.57 | mg/Kg | | 1/15/2021 23:57 |
| Vanadium | 31.2 | mg/Kg | | 1/15/2021 23:57 |
| Zinc | 256 | mg/Kg | | 1/15/2021 23:57 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B14S1

 Lab Sample ID:
 210162-15
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 0.215
 mg/Kg
 1/19/2021 13:07

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

 Lab Sample ID:
 210162-16
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|------------------|-----------------|
| Aluminum | 2710 | mg/Kg | | 1/16/2021 00:01 |
| Antimony | < 3.11 | mg/Kg | | 1/16/2021 00:01 |
| Arsenic | 4.38 | mg/Kg | | 1/16/2021 00:01 |
| Barium | 19.1 | mg/Kg | | 1/16/2021 00:01 |
| Beryllium | < 0.259 | mg/Kg | | 1/16/2021 00:01 |
| Cadmium | 0.337 | mg/Kg | | 1/16/2021 00:01 |
| Calcium | 77900 | mg/Kg | | 1/18/2021 16:07 |
| Chromium | 3.92 | mg/Kg | | 1/16/2021 00:01 |
| Cobalt | 1.57 | mg/Kg | J | 1/16/2021 00:01 |
| Copper | 5.18 | mg/Kg | | 1/16/2021 00:01 |
| Iron | 6510 | mg/Kg | | 1/16/2021 00:01 |
| Lead | 6.44 | mg/Kg | | 1/16/2021 00:01 |
| Magnesium | 35500 | mg/Kg | | 1/18/2021 16:07 |
| Manganese | 189 | mg/Kg | | 1/16/2021 00:01 |
| Nickel | 3.08 | mg/Kg | | 1/16/2021 00:01 |
| Potassium | 851 | mg/Kg | | 1/16/2021 00:01 |
| Selenium | < 1.04 | mg/Kg | | 1/16/2021 00:01 |
| Silver | < 0.519 | mg/Kg | | 1/16/2021 00:01 |
| Sodium | 132 | mg/Kg | | 1/16/2021 00:01 |
| Thallium | < 1.30 | mg/Kg | | 1/16/2021 00:01 |
| Vanadium | 7.02 | mg/Kg | | 1/16/2021 00:01 |
| Zinc | 53.2 | mg/Kg | | 1/16/2021 00:01 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B15S1

 Lab Sample ID:
 210162-16
 Date Sampled:
 1/11/2021

 Matrix
 Page Pageigned:
 1/12/2021

Matrix: Soil Date Received: 1/12/2021

Mercury

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 0.00649
 mg/Kg
 J
 1/19/2021 13:14

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

Lab Sample ID:210162-17Date Sampled:1/11/2021Matrix:SoilDate Received:1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | <u>Result</u> | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------------|--------------|-----------|-----------------|
| Aluminum | 9050 | mg/Kg | | 1/16/2021 00:06 |
| Antimony | < 3.35 | mg/Kg | | 1/16/2021 00:06 |
| Arsenic | 6.31 | mg/Kg | | 1/16/2021 00:06 |
| Barium | 34.4 | mg/Kg | | 1/16/2021 00:06 |
| Beryllium | < 0.280 | mg/Kg | | 1/16/2021 00:06 |
| Cadmium | 0.293 | mg/Kg | | 1/16/2021 00:06 |
| Calcium | 3410 | mg/Kg | | 1/16/2021 00:06 |
| Chromium | 11.4 | mg/Kg | | 1/16/2021 00:06 |
| Cobalt | 4.94 | mg/Kg | | 1/16/2021 00:06 |
| Copper | 11.6 | mg/Kg | | 1/16/2021 00:06 |
| Iron | 20500 | mg/Kg | | 1/16/2021 00:06 |
| Lead | 537 | mg/Kg | | 1/16/2021 00:06 |
| Magnesium | 2400 | mg/Kg | | 1/16/2021 00:06 |
| Manganese | 169 | mg/Kg | | 1/16/2021 00:06 |
| Nickel | 8.63 | mg/Kg | | 1/16/2021 00:06 |
| Potassium | 913 | mg/Kg | | 1/16/2021 00:06 |
| Selenium | 2.96 | mg/Kg | | 1/16/2021 00:06 |
| Silver | 0.599 | mg/Kg | | 1/16/2021 00:06 |
| Sodium | 77.1 | mg/Kg | J | 1/16/2021 00:06 |
| Thallium | < 1.40 | mg/Kg | | 1/16/2021 00:06 |
| Vanadium | 23.2 | mg/Kg | | 1/16/2021 00:06 |
| Zinc | 85.7 | mg/Kg | | 1/16/2021 00:06 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B16S1

 Lab Sample ID:
 210162-17
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

<u>Mercury</u>

Analyte Result Units Qualifier Date Analyzed

Mercury 0.0464 mg/Kg 1/19/2021 13:17

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

 Lab Sample ID:
 210162-18
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|---------|--------------|------------------|-----------------|
| Aluminum | 4320 | mg/Kg | | 1/16/2021 00:20 |
| Antimony | < 3.11 | mg/Kg | | 1/16/2021 00:20 |
| Arsenic | 1.89 | mg/Kg | | 1/16/2021 00:20 |
| Barium | 10.9 | mg/Kg | | 1/16/2021 00:20 |
| Beryllium | < 0.259 | mg/Kg | | 1/16/2021 00:20 |
| Cadmium | 0.320 | mg/Kg | | 1/16/2021 00:20 |
| Calcium | 83300 | mg/Kg | | 1/18/2021 16:11 |
| Chromium | 6.47 | mg/Kg | | 1/16/2021 00:20 |
| Cobalt | 2.51 | mg/Kg | J | 1/16/2021 00:20 |
| Copper | 10.3 | mg/Kg | | 1/16/2021 00:20 |
| Iron | 6280 | mg/Kg | | 1/16/2021 00:20 |
| Lead | 6.03 | mg/Kg | | 1/16/2021 00:20 |
| Magnesium | 46600 | mg/Kg | | 1/18/2021 16:11 |
| Manganese | 259 | mg/Kg | | 1/16/2021 00:20 |
| Nickel | 5.12 | mg/Kg | | 1/16/2021 00:20 |
| Potassium | 1200 | mg/Kg | | 1/16/2021 00:20 |
| Selenium | 0.595 | mg/Kg | J | 1/16/2021 00:20 |
| Silver | < 0.518 | mg/Kg | | 1/16/2021 00:20 |
| Sodium | 151 | mg/Kg | | 1/16/2021 00:20 |
| Thallium | < 1.30 | mg/Kg | | 1/16/2021 00:20 |
| Vanadium | 9.02 | mg/Kg | | 1/16/2021 00:20 |
| Zinc | 39.5 | mg/Kg | | 1/16/2021 00:20 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B17S1

 Lab Sample ID:
 210162-18
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

Mercury

Analyte Result Units Qualifier Date Analyzed

Mercury **0.0262** mg/Kg 1/19/2021 13:19

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

 Lab Sample ID:
 210162-19
 Date Sampled:
 1/11/2021

 Matrix:
 Soil
 Date Received:
 1/12/2021

TAL Metals (ICP)

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|----------------|-----------|--------------|-----------|-----------------|
| Aluminum | 6270 | mg/Kg | | 1/16/2021 00:25 |
| Antimony | < 3.37 UJ | mg/Kg | M | 1/16/2021 00:25 |
| Arsenic | 2.12 | mg/Kg | | 1/16/2021 00:25 |
| Barium | 33.7 | mg/Kg | | 1/16/2021 00:25 |
| Beryllium | < 0.281 | mg/Kg | | 1/16/2021 00:25 |
| Cadmium | 0.416 | mg/Kg | | 1/16/2021 00:25 |
| Calcium | 66900 | mg/Kg | | 1/18/2021 16:16 |
| Chromium | 7.67 | mg/Kg | | 1/16/2021 00:25 |
| Cobalt | 3.69 J | mg/Kg | M | 1/16/2021 00:25 |
| Copper | 9.85 | mg/Kg | | 1/16/2021 00:25 |
| Iron | 9300 | mg/Kg | | 1/16/2021 00:25 |
| Lead | 7.99 | mg/Kg | | 1/16/2021 00:25 |
| Magnesium | 21900 | mg/Kg | | 1/16/2021 00:25 |
| Manganese | 289 | mg/Kg | M | 1/16/2021 00:25 |
| Nickel | 7.03 J | mg/Kg | M | 1/16/2021 00:25 |
| Potassium | 1710 | mg/Kg | | 1/16/2021 00:25 |
| Selenium | 0.738 | mg/Kg | J | 1/16/2021 00:25 |
| Silver | 0.304 | mg/Kg | J | 1/16/2021 00:25 |
| Sodium | 219 | mg/Kg | | 1/16/2021 00:25 |
| Thallium | < 1.40 | mg/Kg | | 1/16/2021 00:25 |
| Vanadium | 13.7 | mg/Kg | | 1/16/2021 00:25 |
| Zinc | 45.4 J | mg/Kg | M | 1/16/2021 00:25 |



Client: BE3

Project Reference: Pilgrim Village Senior

Sample Identifier: B18S1

 Lab Sample ID:
 210162-19
 Date Sampled:
 1/11/2021

 Matrix
 Page Pageigned:
 1/12/2021

Matrix: Soil Date Received: 1/12/2021

Mercury

 Analyte
 Result
 Units
 Qualifier
 Date Analyzed

 Mercury
 0.00692
 mg/Kg
 J
 1/19/2021 13:22

Method Reference(s):EPA 7471BPreparation Date:1/18/2021Data File:Hg210119B



www.alphalab.com



Alpha Analytical

Laboratory Code: 11148

SDG Number: L2101378

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Project Name: PILGRIM VILLAGE SENIOR

Lab Number: L2101378 Project Number: PILGRIM VILLAGE Report Date: 01/18/21

| Alpha Sample ID | Client ID | Matrix | Sample Location | Collection Date/Time | Receive Date |
|--------------------|-----------|--------|--------------------|-------------------------|--------------|
| L2101378-01 | B1S1 | SOIL | Not Specified | 01/08/21 12:30 | 01/11/21 |
| L2101378-02 | B2S1 | SOIL | Not Specified | 01/08/21 12:40 | 01/11/21 |
| L2101378-03 | B3S1 | SOIL | Not Specified | 01/08/21 12:55 | 01/11/21 |
| L2101378-04 | B4S1 | SOIL | Not Specified | 01/08/21 13:15 | 01/11/21 |
| L2101378-05 | B5S1 | SOIL | Not Specified | 01/08/21 13:25 | 01/11/21 |
| L2101378-06 | B6S1 | SOIL | Not Specified | 01/08/21 13:40 | 01/11/21 |
| L2101378-07 | B6S10 | SOIL | Not Specified | 01/08/21 14:10 | 01/11/21 |
| L2101378-08 | B7S1 | SOIL | Not Specified | 01/08/21 14:30 | 01/11/21 |
| L2101378-09 | B8S1 | SOIL | Not Specified | 01/11/21 09:30 | 01/11/21 |
| L2101378-10 | B9S1 | SOIL | Not Specified | 01/11/21 10:00 | 01/11/21 |
| L2101378-11 | B10S1 | SOIL | Not Specified | 01/11/21 10:15 | 01/11/21 |
| L2101378-12 | B10S2 | SOIL | Not Specified | 01/11/21 10:25 | 01/11/21 |
| L2101378-13 | B11S1 | SOIL | Not Specified | 01/11/21 10:35 | 01/11/21 |
| L2101378-14 | B12S1 | SOIL | Not Specified | 01/11/21 10:55 | 01/11/21 |
| L2101378-15 | B13S1 | SOIL | Not Specified | 01/11/21 11:05 | 01/11/21 |
| L2101378-16 | B14S1 | SOIL | Not Specified | 01/11/21 11:15 | 01/11/21 |
| L2101378-17 | B15S1 | SOIL | Not Specified | 01/11/21 11:35 | 01/11/21 |
| L2101378-18 | B16S1 | SOIL | Not Specified | 01/11/21 11:50 | 01/11/21 |
| L2101378-19 | B17S1 | SOIL | Not Specified | 01/11/21 12:10 | 01/11/21 |
| L2101378-20 | B18S1 | SOIL | Not Specified | 01/11/21 12:40 | 01/11/21 |



Project Name:PILGRIM VILLAGE SENIORLab Number:L2101378Project Number:PILGRIM VILLAGEReport Date:01/18/21

Case Narrative (continued)

Report Submission

January 18, 2021: This final report includes the results of all requested analyses.

January 18, 2021: This is a preliminary report.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Perfluorinated Alkyl Acids by Isotope Dilution

L2101378-14: Extracted Internal Standard recoveries were outside the acceptance criteria for individual analytes. Please refer to the surrogate section of the report for details.

L2101378-14: The MeOH fraction of the extraction is reported for the following compounds:

Perfluorooctanesulfonamide (FOSA) due to better extraction efficiency of the Surrogates (Extracted Internal Standards).

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Michaelle M. Marie Report Date: 01/18/21

Title: Technical Director/Representative

CHAIN OF CUSTODY

| - |
|--------------------------------|
| |
| |
| |
| |
| |
| L - Oil R - Air |
| |
| RADIGM LAB SAMPLE NUMBER |
| |
| _ |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



CHAIN OF CUSTODY

2 of Z 12101378

| PAR | ADIGN | 1 | | REPORT TO: | - 3 | IN | OICE TO: | | |
|----------------|-----------------|-------------------|------------------|-----------------------------------------------------------------|-----------------------------|------------------------------------|------------------|-----------------------------------------------|----------------------------------|
| 1 | 14 (1110) | 1 | | CLIENT: Paradigm Environme | ental | CLIENT: | Same | LAB PROJEC | TID |
| | - | | | ADDRESS: 179 Lake Avenue | | ADDRESS: | | 10 | |
| | | , | | Rochester STATE: | NY ZIP 14608 | CITY: | STATE: ZIP: | Results by 3 | 3 PM |
| | | | | PHONE: 585-647-2530 | | PHONE: | | Email: | |
| | CT REFERE | | | reporting@paradic | menv.com | ATTN: accpay | @paradigmenv.com | | |
| Pilgr | im Vi Senior | llag | e | Matrix Codes: AQ - Aqueous Liquid NQ - Non-Aqueous Liquid | WA - Water WG - Groundwa | DW - Drinking ater WW - Wastewi | | SD - Solid WP - Wipe PT - Paint CK - Gaulk | OL - Oil AR - Air |
| | | | | | | REQUESTED | ANALYSIS | | - |
| DATE COLLECTED | TIME | C O M P O S - T E | G R A B | SAMPLE IDENTIFIER | M C O D R E S | CONTA-NERS | | REMARKS | PARADIGM LAB SAMPLE NUMBER |
| 1/11/21 | 10:15 | | X | B1051 | So | | | | |
| 1 | 10.25 | | 1 | B1052 | 1-1 | | ++++- | | |
| | 10:35 | | | 31/51 | | | | | |
| | 10:53 | | | 13/251 | | K X | | | |
| | 11:05 | | | B1351 | - 11 | x 1 | | | |
| | 11:15 | | | B1451 | - 11 | X X | | | _ |
| | 11:35 | | | B1551 | | 27 | | | |
| | 11:50 | | + | B1651 | | | | | - |
| 1 | 12:10 | | 1 | B1751 | 11 | | | | |
| V | 12:40 | - | V | B1851 | 1/ | K H | | | |
| | 10 | | | 6100 | TV. | | | | |
| Turnaroun | d Time | | | Report Supplements | Client | | | | |

| Turnaroun | a rime | Report Supplements | | | | | |
|----------------|--------|--------------------|-----|---------------|-----|--|--|
| Standard 5 day | X | None Required | | None Required | | | |
| 10 day | | Batch QC | | Basic EDD | | | |
| Rush 3 day | | Category A | | NYSDEC EDD | DS. | | |
| Rush 2 day | | Category B | DS. | | | | |
| Rush 1 day | | | | | | | |
| Other | | Other | | Other EDD | | | |
| | | | | | | | |

| Client | | | | |
|-------------------|--------|-----------|--------|-------|
| Sampled By | | Date/Time | | |
| Brian & | ah | 1/11/2 | 1 | 6:35 |
| Relinquished By | | Date/Fime | 1 | 1231- |
| XIII | MAL | 1/11/2 | 2/ | 1635 |
| Received By | 0.20 | Date/Time | | 1130 |
| Jh_ | MIN | 1/11/2 | 1 | 1627 |
| Received @ Lab By | | Date/Time | | |
| Religion | | diam | aceta. | |
| Myllin | ment . | 11/2/24 | 00:00 | |
| 7 | 1 | 33 | | |

Page 20 of 2025

PFAAs



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-05 Date Collected : 01/08/21 13:25

Client ID : B5S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/12/21 18:30

Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : 134920 Analyst : SG
Sample Amount : 4.29 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 85 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | | | |
|------------|------------------------------------------|---------|-------|-------|-----------|--|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | 0.035 | 0.547 | 0.025 | J | | |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | ND | 0.547 | 0.050 | U | | |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | ND | 0.274 | 0.043 | U | | |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | ND | 0.547 | 0.057 | U | | |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 0.274 | 0.049 | U | | |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 0.274 | 0.066 | U | | |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | 0.102 | 0.274 | 0.046 | JF | | |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 0.547 | 0.196 | U | | |
| | (6:2FTS) | | | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 0.547 | 0.149 | U | | |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 0.274 | 0.082 | U | | |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | 0.188 | 0.274 | 0.142 | J | | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 0.274 | 0.073 | U | | |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 0.547 | 0.314 | U | | |
| | (8:2FTS) | | | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 0.547 | 0.220 | U | | |
| | c Acid (NMeFOSAA) | | | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 0.547 | 0.051 | U | | |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 0.547 | 0.167 | U | | |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 0.547 | 0.107 | U | | |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 0.547 | 0.093 | U | | |
| | Acid (NEtFOSAA) | | | | | | |
| | | | | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-05 Date Collected : 01/08/21 13:25
Client ID : B5S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/12/21 18:30

Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : 134920 Analyst : SG
Sample Amount : 4.29 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 85 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | | |
|------------|------------------------------------|---------|-------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 307-55-1 | Perfluorododecanoic Acid (PFDoA) | ND | 0.547 | 0.077 | U | |
| 72629-94-8 | Perfluorotridecanoic Acid (PFTrDA) | ND | 0.547 | 0.224 | U | |
| 376-06-7 | Perfluorotetradecanoic Acid (PFTA) | ND | 0.547 | 0.059 | U | |
| NONE | PFOA/PFOS, Total | 0.290 | 0.274 | 0.046 | J | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID Date Collected : 01/11/21 10:00

Sample Matrix : SOIL Date Extracted : 01/12/21
Analytical Method : 134,LCMSMS-ID Dilution Factor : 1

Lab File ID : I34923 Analyst : SG
Sample Amount : 4.15 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | |
|------------|------------------------------------------|---------|---------|-------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| 075 00 4 | Posterior de Activitation | | 0 = 0 0 | 0.00= | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | ND | 0.599 | 0.027 | U |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | ND | 0.599 | 0.055 | U |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | ND | 0.299 | 0.047 | U |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | ND | 0.599 | 0.063 | U |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 0.299 | 0.054 | U |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 0.299 | 0.072 | U |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | ND | 0.299 | 0.050 | U |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 0.599 | 0.215 | U |
| | (6:2FTS) | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 0.599 | 0.163 | U |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 0.299 | 0.090 | U |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | 0.317 | 0.299 | 0.156 | |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 0.299 | 0.080 | U |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 0.599 | 0.344 | U |
| | (8:2FTS) | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 0.599 | 0.241 | U |
| | c Acid (NMeFOSAA) | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 0.599 | 0.056 | U |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 0.599 | 0.183 | U |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 0.599 | 0.117 | U |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 0.599 | 0.101 | U |
| | Acid (NEtFOSAA) | | | | |
| | <u> </u> | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-10 Date Collected : 01/11/21 10:00

Client ID : B9S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/12/21 19:20 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : I34923 Analyst : SG
Sample Amount : 4.15 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | | |
|------------|------------------------------------|---------|-------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 307-55-1 | Perfluorododecanoic Acid (PFDoA) | ND | 0.599 | 0.084 | U | |
| 72629-94-8 | Perfluorotridecanoic Acid (PFTrDA) | ND | 0.599 | 0.245 | U | |
| 376-06-7 | Perfluorotetradecanoic Acid (PFTA) | ND | 0.599 | 0.065 | U | |
| NONE | PFOA/PFOS, Total | 0.317 | 0.299 | 0.050 | | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-14 Date Collected : 01/11/21 10:55
Client ID : B12S1 Date Received : 01/11/21

Sample Location : B1251 Date Received : 01/11/21 Date Received : 01/11/21 Date Received : 01/11/21

Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : 134924 Analyst : SG
Sample Amount : 4.2 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | |
|------------|------------------------------------------|---------|-------|-------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | ND | 0.585 | 0.027 | U |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | ND | 0.585 | 0.054 | U |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | ND | 0.292 | 0.046 | U |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | ND | 0.585 | 0.061 | U |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 0.292 | 0.053 | U |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 0.292 | 0.071 | U |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | ND | 0.292 | 0.049 | U |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 0.585 | 0.210 | U |
| | (6:2FTS) | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 0.585 | 0.160 | U |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 0.292 | 0.088 | U |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 0.292 | 0.152 | U |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 0.292 | 0.078 | U |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 0.585 | 0.336 | U |
| | (8:2FTS) | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND UJ | 0.585 | 0.236 | U |
| | c Acid (NMeFOSAA) | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 0.585 | 0.055 | U |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 0.585 | 0.179 | U |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND UJ | 0.585 | 0.099 | U |
| | Acid (NEtFOSAA) | | | | |
| 307-55-1 | Perfluorododecanoic Acid (PFDoA) | ND | 0.585 | 0.082 | U |

MKP 2/22/2021



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-14 Date Collected : 01/11/21 10:55
Client ID : B12S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/12/21 19:37

Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : 134924 Analyst : SG
Sample Amount : 4.2 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | | |
|------------|------------------------------------|---------|-------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 72629-94-8 | Perfluorotridecanoic Acid (PFTrDA) | ND | 0.585 | 0.239 | U | |
| 376-06-7 | Perfluorotetradecanoic Acid (PFTA) | ND | 0.585 | 0.063 | U | |
| NONE | PFOA/PFOS, Total | ND | 0.292 | 0.049 | U | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-14 Date Collected : 01/11/21 10:55
Client ID : B12S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/18/21 12:26

Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : M01111 Analyst : SG
Sample Amount : 4.2 g Instrument ID : LCMS01

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 3 uL

CAS NO. Parameter Results RL MDL Qualifier

754-91-6 Perfluorooctanesulfonamide (FOSA) ND 0.585 0.115 U



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID Date Collected : 01/11/21 11:15

Client ID : B14S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/12/21 19:53
Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : 134925 Analyst : SG
Sample Amount : 4.35 g Instrument ID : LCMS02

Extraction Method : ALPHA 23528 GC Column : Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 83 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | |
|------------|------------------------------------------|---------|-------|-------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| | | | | | |
| 375-22-4 | Perfluorobutanoic Acid (PFBA) | 0.027 | 0.552 | 0.025 | J |
| 2706-90-3 | Perfluoropentanoic Acid (PFPeA) | ND | 0.552 | 0.051 | U |
| 375-73-5 | Perfluorobutanesulfonic Acid (PFBS) | ND | 0.276 | 0.043 | U |
| 307-24-4 | Perfluorohexanoic Acid (PFHxA) | ND | 0.552 | 0.058 | U |
| 375-85-9 | Perfluoroheptanoic Acid (PFHpA) | ND | 0.276 | 0.050 | U |
| 355-46-4 | Perfluorohexanesulfonic Acid (PFHxS) | ND | 0.276 | 0.067 | U |
| 335-67-1 | Perfluorooctanoic Acid (PFOA) | ND | 0.276 | 0.046 | U |
| 27619-97-2 | 1H,1H,2H,2H-Perfluorooctanesulfonic Acid | ND | 0.552 | 0.198 | U |
| | (6:2FTS) | | | | |
| 375-92-8 | Perfluoroheptanesulfonic Acid (PFHpS) | ND | 0.552 | 0.151 | U |
| 375-95-1 | Perfluorononanoic Acid (PFNA) | ND | 0.276 | 0.083 | U |
| 1763-23-1 | Perfluorooctanesulfonic Acid (PFOS) | ND | 0.276 | 0.144 | U |
| 335-76-2 | Perfluorodecanoic Acid (PFDA) | ND | 0.276 | 0.074 | U |
| 39108-34-4 | 1H,1H,2H,2H-Perfluorodecanesulfonic Acid | ND | 0.552 | 0.317 | U |
| | (8:2FTS) | | | | |
| 2355-31-9 | N-Methyl Perfluorooctanesulfonamidoaceti | ND | 0.552 | 0.222 | U |
| | c Acid (NMeFOSAA) | | | | |
| 2058-94-8 | Perfluoroundecanoic Acid (PFUnA) | ND | 0.552 | 0.052 | U |
| 335-77-3 | Perfluorodecanesulfonic Acid (PFDS) | ND | 0.552 | 0.169 | U |
| 754-91-6 | Perfluorooctanesulfonamide (FOSA) | ND | 0.552 | 0.108 | U |
| 2991-50-6 | N-Ethyl Perfluorooctanesulfonamidoacetic | ND | 0.552 | 0.093 | U |
| | Acid (NEtFOSAA) | | | | |
| | | | | | |



Perfluorinated Alkyl Acids by Isotope Dilution

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-16 Date Collected : 01/11/21 11:15
Client ID : B14S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/12/21 19:53

Sample Location : Date Analyzed : 01/12/21 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 134,LCMSMS-ID Dilution Factor : 1
Lab File ID : I34925 Analyst : SG
Sample Amount : 4.35 g Instrument ID : LCMS02

Extraction Method: ALPHA 23528 GC Column: Acquity UPLC BEH C18

Extract Volume : 2000 uL %Solids : 83 GPC Cleanup : N Injection Volume : 3 uL

| | | | ng/g | | | |
|------------|------------------------------------|---------|-------|-------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 307-55-1 | Perfluorododecanoic Acid (PFDoA) | ND | 0.552 | 0.077 | U | |
| 72629-94-8 | Perfluorotridecanoic Acid (PFTrDA) | ND | 0.552 | 0.226 | U | |
| 376-06-7 | Perfluorotetradecanoic Acid (PFTA) | ND | 0.552 | 0.060 | U | |
| NONE | PFOA/PFOS, Total | ND | 0.276 | 0.046 | U | |



Herbicide Sample Data

No Data Validation Qualifiers Were Added

MKP 2/20/2021

: L2101378

Client : Paradigm Environmental Services Lab Number

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-01 Date Collected : 01/08/21 12:30

Client ID : B1S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/14/21 12:

Sample Location:Date Analyzed: 01/14/21 12:37Sample Matrix: SOILDate Extracted: 01/12/21Analytical Method: 1,8151ADilution Factor: 1

Lab File ID: 17210114a-13Analyst: ARSample Amount: 30.84 gInstrument ID: PEST17Extraction Method: EPA 8151AGC Column: STX-CLP1

Extract Volume : 10000 uL %Solids : 85
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

| | | | ug/Kg | | | |
|---------|-------------------|---------|-------|------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 94-75-7 | 2,4-D | ND | 191 | 12.0 | U | |
| 93-76-5 | 2,4,5-T | ND | 191 | 5.91 | U | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 191 | 5.07 | U | |



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-02 Date Collected : 01/08/21 12:40

Client ID : B2S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 12:56 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-14 Analyst : AR
Sample Amount : 30.35 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 81
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

| | | | ug/Kg | | | |
|---------|-------------------|---------|-------|------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 94-75-7 | 2,4-D | ND | 204 | 12.8 | U | |
| 93-76-5 | 2,4,5-T | ND | 204 | 6.32 | U | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 204 | 5.42 | U | |



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-03 Date Collected : 01/08/21 12:55

Client ID : B3S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 13:14
Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-15 Analyst : AR
Sample Amount : 30.2 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 78
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

CAS NO. Parameter Results RL MDL Qualifier

ND

ND

ND

214

214

214

13.4

6.62

5.68

U

U

U



94-75-7

93-76-5

93-72-1

2,4-D

2,4,5-T

2,4,5-TP (Silvex)

Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-05 Date Collected : 01/08/21 13:25

Client ID : B5S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 13:32 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-16 Analyst : AR
Sample Amount : 30.73 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 85
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 191 12.0 U 93-76-5 2,4,5-T ND 191 5.92 U 93-72-1 2,4,5-TP (Silvex) ND 191 5.08 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-06 Pate Collected : 01/08/21 13:40

Client ID : B6S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 13:50
Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-17 Analyst : AR
Sample Amount : 30.25 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 86
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 12.1 U 192 93-76-5 2,4,5-T ND 192 5.96 U 93-72-1 2,4,5-TP (Silvex) ND 192 5.12 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID Date Collected : 01/08/21 14:10

Client ID : B6S10 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21 1

Sample Location : Date Analyzed : 01/14/21 14:09
Sample Matrix : SOIL Date Extracted : 01/12/21
Analytical Method : 1,8151A Dilution Factor : 1

Lab File ID: 17210114a-18Analyst: ARSample Amount: 30.36 gInstrument ID: PEST17Extraction Method: EPA 8151AGC Column: STX-CLP1Extract Volume: 10000 uL%Solids: 85

GPC Cleanup : N Injection Volume : 1 uL Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 194 12.2 U 93-76-5 2,4,5-T ND 194 6.01 U 93-72-1 2,4,5-TP (Silvex) ND 194 5.16 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-08 Date Collected : 01/08/21 14:30

Client ID : B7S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21

Sample Location : Date Analyzed : 01/14/21 14:27 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210114a-19 Analyst : AR Instrument ID : PEST17 Sample Amount : 30.78 g Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : 76

GPC Cleanup : N Injection Volume : 1 uL Sulfur Cleanup : N

| | | | ug/Kg | | |
|---------|-------------------|---------|-------|------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| | | | | | |
| 94-75-7 | 2,4-D | ND | 214 | 13.5 | U |
| 93-76-5 | 2,4,5-T | ND | 214 | 6.65 | U |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 214 | 5.71 | U |



Client : Paradigm Environmental Services Lab No

Project Name : PILGRIM VILLAGE SENIOR
Lab ID : L2101378-09

Lab ID : L2101378-09
Client ID : B8S1

Sample Location :

Sample Matrix : SOIL
Analytical Method : 1,8151A
Lab File ID : 17210114a-20
Sample Amount : 30.16 g

Extract Volume : 10000 uL

GPC Cleanup : N Sulfur Cleanup : N Lab Number : L2101378

Project Number : PILGRIM VILLAGE

Date Collected : 01/11/21 09:30

Date Received : 01/11/21

Date Analyzed : 01/14/21 14:45

Date Extracted : 01/12/21

Dilution Factor : 1
Analyst : AR
Instrument ID : PEST17
GC Column : STX-CLP1

%Solids : 83 Injection Volume : 1 uL

| | | | ug/Kg | | | |
|---------|-------------------|---------|-------|------|-----------|--|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier | |
| | | | | | | |
| 94-75-7 | 2,4-D | ND | 200 | 12.6 | U | |
| 93-76-5 | 2,4,5-T | ND | 200 | 6.21 | U | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 200 | 5.33 | U | |



Client : Paradigm Environmental Services Lab Number : L2101378

: PILGRIM VILLAGE SENIOR **Project Name** Project Number : PILGRIM VILLAGE Lab ID : L2101378-10 **Date Collected** : 01/11/21 10:00

Client ID : B9S1 **Date Received** : 01/11/21

Sample Location : Date Analyzed : 01/14/21 18:43 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210114a-33 Analyst : AR Instrument ID : PEST17 Sample Amount : 30.22 g Extraction Method: EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 81 GPC Cleanup : N Injection Volume : 1 uL

Sulfur Cleanup : N

| | | | ug/Kg | | |
|---------|-------------------|---------|-------|------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| | | | | | |
| 94-75-7 | 2,4-D | ND | 206 | 12.9 | U |
| 93-76-5 | 2,4,5-T | ND | 206 | 6.37 | U |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 206 | 5.47 | U |



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-11 Date Collected : 01/11/21 10:15

Client ID : B10S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21 15:22

Sample Location : Date Analyzed : 01/14/21 15:22 Sample Matrix : SOIL Date Extracted : 01/12/21

Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210114a-22 Analyst : AR : PEST17 Sample Amount : 30.62 g Instrument ID Extraction Method: EPA 8151A GC Column : STX-CLP1 : 10000 uL %Solids

Extract Volume : 10000 uL %Solids : 81
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 203 12.8 U 93-76-5 2,4,5-T ND 203 6.29 U 93-72-1 2,4,5-TP (Silvex) ND 203 5.40 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-12 Date Collected : 01/11/21 10:25

Client ID : B10S2 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21 1

Sample Location : Date Analyzed : 01/14/21 15:40
Sample Matrix : SOIL Date Extracted : 01/12/21
Analytical Method : 1,8151A Dilution Factor : 1

Lab File ID : 17210114a-23 Analyst : AR
Sample Amount : 30.55 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 85
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 193 12.1 U 93-76-5 2,4,5-T ND 193 5.98 U 93-72-1 2,4,5-TP (Silvex) ND 193 5.13 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-13 Date Collected : 01/11/21 10:35
Client ID : B11S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 15:58

Sample Location : Date Analyzed : 01/14/21 15:58
Sample Matrix : SOIL Date Extracted : 01/13/21
Analytical Method : 1,8151A Dilution Factor : 1

Lab File ID: 17210114a-24Analyst: ARSample Amount: 30.53 gInstrument ID: PEST17Extraction Method: EPA 8151AGC Column: STX-CLP1

Extract Volume : 10000 uL %Solids : 82
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 200 12.6 U 93-76-5 2,4,5-T ND 200 6.19 U 93-72-1 2,4,5-TP (Silvex) ND 200 5.31 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-14 Date Collected : 01/11/21 10:55
Client ID : B12S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 16:17 Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-25 Analyst : AR
Sample Amount : 30.5 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 81
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 201 12.7 U 93-76-5 2,4,5-T ND 201 6.24 U 93-72-1 2,4,5-TP (Silvex) ND 201 5.36 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-15 Date Collected : 01/11/21 11:05
Client ID : B13S1 Date Received : 01/11/21

Client ID : B13S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21 16:35

Sample Location : Date Analyzed : 01/14/21 16:35
Sample Matrix : SOIL Date Extracted : 01/13/21
Analytical Method : 1,8151A Dilution Factor : 1

Lab File ID: 17210114a-26Analyst: ARSample Amount: 30.39 gInstrument ID: PEST17Extraction Method: EPA 8151AGC Column: STX-CLP1

Extract Volume : 10000 uL %Solids : 81
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

| | | | ug/Kg | | |
|---------|-------------------|---------|-------|------|-----------|
| CAS NO. | Parameter | Results | RL | MDL | Qualifier |
| | | | | | |
| 94-75-7 | 2,4-D | ND | 203 | 12.8 | U |
| 93-76-5 | 2,4,5-T | ND | 203 | 6.28 | U |
| 93-72-1 | 2,4,5-TP (Silvex) | ND | 203 | 5.39 | U |



: L2101378

Client : Paradigm Environmental Services Lab Number

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-16 Date Collected : 01/11/21 11:15

Client ID : B14S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 16:53
Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-27 Analyst : AR
Sample Amount : 30.79 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 83
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 12.3 U 195 93-76-5 2,4,5-T ND 195 6.04 U 93-72-1 2,4,5-TP (Silvex) ND 195 5.18 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-17 Date Collected : 01/11/21 11:35
Client ID : B15S1 Date Received : 01/11/21
Sample Location : Date Analyzed : 01/14/21 17:11

Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210114a-28 Analyst : AR : PEST17 Sample Amount : 30.33 g Instrument ID Extraction Method: EPA 8151A GC Column : STX-CLP1 : 10000 uL %Solids

Extract Volume : 10000 uL %Solids : 94
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RLQualifier 94-75-7 2,4-D ND 175 11.0 U 93-76-5 2,4,5-T ND 175 5.44 U 93-72-1 2,4,5-TP (Silvex) ND 175 4.66 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE
Lab ID : L2101378-18 Date Collected : 01/11/21 11:50
Client ID : B16S1 Date Received : 01/11/21

Client ID : B16S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21

Sample Location : Date Analyzed : 01/14/21 17:30 Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-29 Analyst : AR
Sample Amount : 30.87 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 84
GPC Cleanup : N Injection Volume : 1 uL
Sulfur Cleanup : N

ug/Kg Results MDL CAS NO. **Parameter** RL Qualifier 94-75-7 2,4-D ND 193 12.1 U 93-76-5 2,4,5-T ND 193 5.98 U 93-72-1 2,4,5-TP (Silvex) ND 193 5.13 U



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-19 Date Collected : 01/11/21 12:10

Client ID : B17S1 Date Received : 01/11/21 Sample Location : Date Analyzed : 01/14/21 1

Sample Location : Date Analyzed : 01/14/21 17:48 Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A **Dilution Factor** : 1 Lab File ID : 17210114a-30 Analyst : AR Instrument ID : PEST17 Sample Amount : 30.58 g Extraction Method: EPA 8151A GC Column : STX-CLP1 **Extract Volume** : 10000 uL %Solids : 94

GPC Cleanup : N Injection Volume : 1 uL Sulfur Cleanup : N

| | | ug/l | ug/Kg | | |
|---------|-------------------|-----------|--------|-----------|--|
| CAS NO. | Parameter | Results R | L MDL | Qualifier | |
| | | | | | |
| 94-75-7 | 2,4-D | ND 17 | 4 11.0 | U | |
| 93-76-5 | 2,4,5-T | ND 17 | 4 5.41 | U | |
| 93-72-1 | 2,4,5-TP (Silvex) | ND 17 | 4 4.64 | U | |



Client : Paradigm Environmental Services Lab Number : L2101378

Project Name : PILGRIM VILLAGE SENIOR Project Number : PILGRIM VILLAGE Lab ID : L2101378-20 Date Collected : 01/11/21 12:40

Client ID : B18S1 Date Received : 01/11/21

Sample Location : Date Analyzed : 01/14/21 18:06 Sample Matrix : SOIL Date Extracted : 01/13/21

Analytical Method : 1,8151A Dilution Factor : 1
Lab File ID : 17210114a-31 Analyst : AR
Sample Amount : 30.33 g Instrument ID : PEST17
Extraction Method : EPA 8151A GC Column : STX-CLP1

Extract Volume : 10000 uL %Solids : 84
GPC Cleanup : N Injection Volume : 1 uL

 CAS NO.
 Parameter
 Results
 RL
 MDL
 Qualifier

 94-75-7
 2,4-D
 ND
 196
 12.3
 U

ND

ND

196

196

6.07

5.21

U

U



Sulfur Cleanup

93-76-5

93-72-1

: N

2,4,5-T

2,4,5-TP (Silvex)

Appendix B

Laboratory QC Documentation

VOLATILE INTERNAL STANDARD AREA and RT SUMMARY

Lab Name: Paradigm Environmental Services Sample ID: CCV

 Lab Project #:
 210162
 Lab File ID:
 x75895a.D

Client Name: <u>BE3</u>

Client Project Name: <u>Pilgrim Village Senior</u> Date Analyzed: <u>1/15/2021</u>

Client Project #: N/A Time Analyzed: 11:23

SDG No.: <u>0162-01</u>

QC Batch: voas210115

Instrument ID: <u>Instrument1</u>

GC Column 1: DV-624 ID (mm): 0.20 Detector: MSD

| CCV | IS1: FB IS2: CBd5 | | IS3: 14D0 | CBd4 | | |
|------------------|-------------------|------|-----------|---------|--------|-------|
| | Area | RT | Area | Area RT | | RT |
| 12 Hour Standard | 160746 | 4.99 | 141102 | 7.94 | 85934 | 10.47 |
| Upper Limit | 321492 | 5.49 | 282204 | 8.44 | 171868 | 10.97 |
| Lower Limit | 80373 | 4.49 | 70551 | 7.44 | 42967 | 9.97 |

This CCV applies to the following Samples and QC

| | Lab | Client | IS1: | : FB | IS2: | CBd5 | IS3: 14I | DCBd4 |
|----|------------|-----------|--------|------|--------|------|----------|-------|
| | Sample No. | Sample ID | Area | RT | Area | RT | AREA | RT |
| 1 | Blk1 | N/A | 152395 | 5.00 | 125681 | 7.94 | 48212 | 10.48 |
| 2 | LCS1 | N/A | 158911 | 5.00 | 140885 | 7.94 | 111562 | 10.47 |
| 3 | 210162-01 | B1S1 | 168116 | 5.00 | 131774 | 7.94 | 45249 | 10.48 |
| 4 | 210162-02 | B2S1 | 142746 | 5.00 | 119855 | 7.94 | 42337 * | 10.48 |
| 5 | 210162-03 | B3S1 | 167168 | 5.00 | 131473 | 7.94 | 40513 * | 10.48 |
| 6 | 210162-04 | B4S1 | 133420 | 4.99 | 103837 | 7.94 | 29192 * | 10.48 |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |

IS1: FB = Fluorobenzene IS2: CBd5 = Chlorobenzene-d5

IS3: 14DCBd4 = 1,4-Dichlorobenzene-d4

Notes: * Values outside of current required QC limits

Area Limits = -50% to +100% of 12 Hour Standard area

RT Limits = -0.50 to +0.50 minutes of 12 Hour Standard retention times

FORM VIII VOA

8 VOLATILE INTERNAL STANDARD AREA and RT SUMMARY

Lab Name:Paradigm Environmental ServicesSample ID:CCVLab Project #:210162Lab File ID:x75935a.D

Lab Project #: 210162 Client Name: BE3

Client Project Name: <u>Pilgrim Village Senior</u> Date Analyzed: <u>1/18/2021</u>

Client Project #: N/A Time Analyzed: 11:26

SDG No.: <u>0162-01</u>

QC Batch: voas210118

Instrument ID: <u>Instrument1</u>

GC Column 1: DV-624 ID (mm): 0.20 Detector: MSD

| CCV | IS1: FB | | IS2: CB | d5 | IS3: 14DCBd4 | |
|------------------|---------|------|---------|------|--------------|-------|
| | Area | RT | Area | RT | AREA | RT |
| 12 Hour Standard | 199663 | 5.00 | 141090 | 7.94 | 100651 | 10.48 |
| Upper Limit | 399326 | 5.50 | 282180 | 8.44 | 201302 | 10.98 |
| Lower Limit | 99832 | 4.50 | 70545 | 7.44 | 50326 | 9.98 |

This CCV applies to the following Samples and QC

| | Lab | Client | IS1: | : FB | IS2: | CBd5 | IS3: 14 | DCBd4 |
|----|------------|-----------|--------|------|--------|------|---------|-------|
| | Sample No. | Sample ID | Area | RT | Area | RT | AREA | RT |
| 1 | Blk1 | N/A | 222818 | 5.00 | 211328 | 7.94 | 117719 | 10.48 |
| 2 | LCS1 | N/A | 216413 | 4.99 | 194787 | 7.94 | 123534 | 10.48 |
| 3 | 210162-06 | B6S1 | 209390 | 4.99 | 173003 | 7.94 | 57089 | 10.48 |
| 4 | 210162-07 | B6S10 | 219236 | 5.00 | 181148 | 7.94 | 64878 | 10.48 |
| 5 | 210162-08 | B7S1 | 194665 | 4.99 | 160249 | 7.94 | 51114 | 10.48 |
| 6 | 210162-10 | B9S1 | 195660 | 4.99 | 158633 | 7.94 | 53990 | 10.47 |
| 7 | 210162-11 | B10S1 | 201235 | 4.99 | 166361 | 7.94 | 50962 | 10.48 |
| 8 | 210162-12 | B10S2 | 170109 | 4.99 | 149084 | 7.94 | 51682 | 10.47 |
| 9 | 210162-14 | B12S1 | 158294 | 5.00 | 138332 | 7.94 | 49565 * | 10.48 |
| 10 | 210162-15 | B14S1 | 161009 | 5.00 | 132875 | 7.94 | 42496 * | 10.48 |
| 11 | 210162-18 | B17S1 | 143191 | 5.00 | 122018 | 7.94 | 41921 * | 10.48 |
| 12 | 210162-19 | B18S1 | 144997 | 5.00 | 121837 | 7.94 | 42565 * | 10.48 |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |

IS1: FB = Fluorobenzene IS2: CBd5 = Chlorobenzene-d5

IS3: 14DCBd4 = 1,4-Dichlorobenzene-d4

Notes: * Values outside of current required QC limits

Area Limits = -50% to +100% of 12 Hour Standard area

RT Limits = -0.50 to +0.50 minutes of 12 Hour Standard retention times

FORM VIII VOA

Operator: Bill Brew

Inst : Instrument #1

Data File: C:\msdchem\1\DATA\210115\x75895a.D

DataAcq Meth:8260RUN.M

Acq On : 15 Jan 2021 11:23 am

Sample : 50ppb mega CC

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 15 11:40:25 2021

Quant Method: C:\msdchem\1\METHODS\201228.M

Quant Title : 8260/624 Analysis

QLast Update : Fri Jan 15 11:36:08 2021

Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min Max. RRF Dev : 20% Max. Rel. Area : 200%

1/15/21 813

| | Compound | Amount Calc. | %Dev Area% Dev(min) |
|--------------|-----------------------------------|---------------------------------|---------------------------------------------------------------|
| 1 I | Fluorobenzene | 50.000 50.000 | 0.0 (89) 0.00 |
| 2 P | Dichlorodifluoromethane | 50.000 38.955 | L 22.1# 66 0.00 see KL Std <40 |
| 3 P | Chloromethane | 50.000 46.831 | 6.3 81 0.00 |
| 4 P | Vinyl chloride | 50.000 52.162 | -4.3 86 0.00 |
| 5 P | Bromomethane | 50.000 53.965 | -7.9 98 0.00 |
| 6 P | Chloroethane | 50.000 58.393 | 1.0 |
| 7 P | Trichlorofluoromethane | 50.000 60.317 <i>T</i> | -20.6# 101 0.00 OK, 1 W 0 <40 |
| 8 | Ethyl ether | 50.000 56.629 | -16.8 99 0.00 0 k i |
| 9 P | Freon 113 | 50.000 64.525 7 | -29.1# 107 0.00 okifND <40 |
| 10 P | 1,1-Dichloroethene | 50.000 62.569 7 | -25.1# 105 0.00 ↓ |
| 11 P | Acetone | 50.000 57.939 ' | -15.9 96 0.00 |
| 12 | Isopropyl Alcohol | 500.000 0.000 _ | 100 0# 0 0 06 |
| 13 P | Carbon disulfide | 50.000 63.705 T | -27.4# 103 0.00 OK (FNI) <40 |
| 14 P | Methyl acetate | 50.000 65.328 7 | -30.7# 105 0.00 / < 40 |
| 15 P | Methylene chloride | 50.000 60.040 T | -20.1# 107 0.00 ₩ <40 |
| 16 | Acrylonitrile | 50.000 53.939 ^ | -7.9 101 0.00 |
| 17 | tert-Butyl Alcohol | 500.000 510.965 | -2.2 96 0.00 |
| 18 P | Methyl tert-butyl Ether | 50.000 51.307 | |
| 19 P 20 P | trans-1,2-Dichloroethene | 50.000 62.978 <i>T</i> | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 20 P 21 | 1,1-Dichloroethane | 50.000 51.431 | -2.9 88 0.00 |
| 22 | Vinyl acetate | 50.000 47.321 | 5.4 82 0.00 |
| 23 P | 2,2-Dichloropropane 2-Butanone | 50.000 56.766 | -13.5 94 0.00 |
| 24 P | cis-1,2-Dichloroethene | 50.000 56.344 | -12.7 101 0.00 |
| 25 | Bromochloromethane | 50.000 56.575 | -13.2 92 0.00 |
| 26 P | Chloroform | 50.000 53.533 | -7.1 90 0.00 |
| 27 S | Pentafluorobenzene | 50.000 55.115 | -10.2 94 0.00 |
| 28 | Tetrahydrofuran | 30.000 32.552 | -8.5 94 0.00 |
| 29 P | 1,1,1-Trichloroethane | 100.000 90.755 50.000 56.561 | 9.2 80 0.00 |
| 30 P | Cyclohexane | | -13.1 92 0.00 |
| 31 S | 1,2-Dichloroethane-d4 | 50.000 63.467 30.000 30.678 | -26.9# 88 0.00 |
| 32 P | Carbon Tetrachloride | 50.000 60.361 | -2.3 91 0.00 -20.7# 96 0.00 |
| 33 P | Benzene | 50.000 58.374 | |
| 34-P | 1,2-Dichloroethane | 50.000 51.714 | |
| 35 P | Trichloroethene | 50.000 56.971 | |
| 36 | tert-Butyl Acetate | 50.000 0.000 | -13.9 93 0.00 100.0# 0 0.10 |
| 37 P | Methylcyclohexane | 50.000 57.923 | -15.8 94 0.00 |
| 38 | 1,4-Dioxane | 50.000 50.706 | -1.4 99 0.00 |
| 39 UN | Ethyl acetate | -1.000 0.000 | 0.0 0 0.00 |
| 40 P | 1,2-Dichloropropane | 50.000 54.069 | -8.1 89 0.00 |
| 41 UN | Isobutyl alcohol | -1.000 0.000 | 0.0 0 0.00 |
| 42 | Dibromomethane | 50.000 52.161 | -4.3 88 0.00 |
| 43 P | Bromodichloromethane | 50.000 52.470 | -4.9 87 0.00 |
| 44 | 2-Chloroethyl vinyl Ether | 50.000 42.083 | 15.8 70 0.00 |
| 45 UN | Isopropyl acetate | -1.000 0.000 | 0 0 00 |
| 46 47 P | 1,1-Dichloropropene | 50.000 62.599 7 | -25.2# 96 0.00 &Ki+NV |
| 4/ [| cis-1,3-Dichloropropene | 50.000 47.920 | 4.2 81 0.00 |

Evaluate Continuing Calibration Report

Data File: C:\msdchem\1\DATA\210118\x75935a.D

DataAcq Meth: 8260RUN.M

Operator: Bill Brew Acq On : 18 Jan 2021 11:26 am . Sample : 50ppb mega CC Misc : Inst : Instrument #1

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 18 11:44:01 2021

Quant Method: C:\msdchem\1\METHODS\201228.M

Quant Title : 8260/624 Analysis QLast Update : Fri Jan 15 12:34:52 2021 Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min Max. RRF Dev : 20% Max. Rel. Area : 200%

1/18/21 B13

| | Compound | Amount | Calc. | %Dev Area% Dev(min) |
|--------------|-----------------------------------------------------------|------------------|------------------|-------------------------------------------------------|
| 1 I | Fluorobenzene | 50.000 | 50.000 | 0.0 (110) 0.00 |
| 2 P | Dichlorodifluoromethane | 50.000 | 28.715 | 12.6# 61 0.00 see RC std |
| 3 P | Chloromethane | 50.000 | 35.185 | L 29.6# 76 0.00 <40/ |
| 4 P | Vinyl chloride | 50.000 | 38.125 | <i>1</i> 23.8# 78 0.00 <i>1</i> |
| 5 P | Bromomethane | 50.000 | 41.402 | 17.2 93 0.00 |
| 6 P | Chloroethane | 50.000 | 45.829 | 8.3 97 0.00 |
| 7 P | Trichlorofluoromethane | 50.000 | 45.007 | 10.0 94 0.00 |
| 8 | Ethyl ether | 50.000 | 46.302 | 7.4 100 0.00 |
| 9 P | Freon 113 | 50.000 | 47.943 | 4.1 99 0.00 |
| 10 P | 1,1-Dichloroethene | 50.000 | 46.786 | 6.4 98 0.00 |
| 11 P | Acetone | 50.000 | 53.089 | -6.2 110 0.00 |
| 12 | Isopropyl Alcohol | 500.000 | 0.000 | 100.0# 0 0.05 |
| 13 P | | 50.000 | 45.897 | 8.2 92 0.00 |
| 14 P | Methyl acetate | 50.000 | 51.573 | -3 <u>.</u> 1 103 0 <u>.</u> 00 |
| 15 P | Methylene chloride | 50.000 | 47.113 | 5.8 105 0.00 |
| 16 | Acrylonitrile | 50.000 | 44.468 | 11.1 103 0.00 |
| 17 | | 500.000 | | 1 22.6# 90 0.00 NT |
| 18 P | Methyl tert-butyl Ether | 50.000 | 42.446 | 15.1 93 0.00 |
| 19 P | trans-1,2-Dichloroethene 1,1-Dichloroethane Vinyl acetate | 50.000 | 47.714 | 4.6 101 0.00 |
| 20 P | 1,1-Dichloroethane | 50.000 | 42.126 | 15.7 89 0.00 21.6# 85 0.00 W T |
| 21 | Vinyl acetate | 50.000 | 39.178 | 22.0% |
| 22 | 2,2-Dichloropropane | 50.000 | 43.141 | 13.7 88 0.00 |
| 23 P | 2-Butanone | 50.000 | 42.857 | 14.3 96 0.00 |
| 24 P | cis-1,2-Dichloroethene | 50.000 | 44.415 | 11.2 90 0.00 |
| 25 | Bromochloromethane | 50.000 | 44.122 | 11.8 92 0.00 |
| 26 P | Chloroform | 50.000 | 43.486 | 13.0 92 0.00 |
| 27 S | Pentafluorobenzene | 30.000 | 30.945 | $+$ 29.0# 78 0.00 $\sqrt{7}$ |
| 28 | recramydrordram | 100.000 | 71.031 | |
| 29 P | 1,1,1-Trichloroethane | 50.000 | 44.095 | 11.8 89 0.00 |
| 30 P 31 S | Cyclonemane | 50.000 | 48.723 | 2.6 84 0.00 -0.7 111 0.00 |
| 31 S 32 P | 1,2-Dichloroethane-d4 Carbon Tetrachloride | 30.000 50.000 | 30.205 45.804 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 32 P | Benzene | 50.000 | 45.558 | 8.9 91 0.00 |
| 33 F | 1,2-Dichloroethane | 50.000 | 41.871 | 16.3 90 0.00 |
| 35 P | Trichloroethene | 50.000 | 44.123 | 11.8 89 0.00 |
| 36 | tert-Butyl Acetate | 50.000 | 0.000 | 100.0# 0 0.10 |
| 37 P | Methylcyclohexane | 50.000 | 43.715 | 12.6 88 0.00 |
| 38 | 1,4-Dioxane | 50.000 | 45.689 | 8.6 111 0.00 |
| 39 UN | Ethyl acetate | -1.000 | 0.000 | 0.0 0 0.00 |
| 40 P | 1,2-Dichloropropane | 50.000 | | 13.8 88 0.00 |
| 41 UN | Isobutyl alcohol | -1.000 | 0.000 | 0.0 0 0.00 |
| 42 | Dibromomethane | 50.000 | 42.730 | 14.5 89 0.00 |
| 43 P | Bromodichloromethane | 50.000 | 42.294 | . 15.4 87 0.00 |
| 44 | 2-Chloroethyl vinyl Ether | 50.000 | 32.315 | → 35.4# 63 0.00 NT |
| 45 UN | Isopropyl acetate | -1.000 | 0.000 | 0.0 0 0.00 |
| 46 | 1,1-Dichloropropene | 50.000 | 46.810 | 6.4 90 0.00 |
| 47 P | cis-1,3-Dichloropropene | 50.000 | 39.331 | 1 21.3# 81 0.00 suit KC5+d |
| | | | | |

Evaluate Continuing Calibration Report

Data File: C:\msdchem\1\DATA\210118\x75935a.D

DataAcq Meth: 8260RUN.M

Acq On : 18 Jan 2021 11:26 am
Sample : 50ppb mega CC Operator: Bill Brew Inst : Instrument #1

Misc

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 18 11:44:01 2021

Quant Method: C:\msdchem\1\METHODS\201228.M

Quant Title : 8260/624 Analysis QLast Update : Fri Jan 15 12:34:52 2021 Response via : Initial Calibration

Integrator: RTE

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | Amount | Calc. | %Dev Area% Dev(min) |
|--------------|------------------------------------------------------------|--------|------------------|----------------------------------------|
| 48 P | 4-Methyl-2-pentanone | 50.000 | 40.395 | 19.2 84 0.00 |
| 49 S 50 P | Toluene-D8 Toluene | 30.000 | 33.194 48.258 | -10.6 115 0.00 , 3.5 89 0.00 |
| 50 P | | 50.000 | 39.726 | 3.5 89 0.00 20.5# 80 0.00 per RCS+d |
| 52 P | <pre>trans-1,3-Dichloropropene 1,1,2-Trichloroethane</pre> | 50.000 | | 15.7 90 0.00 |
| 53 | 1,3-Dichloropropane | 50.000 | 43.081 | 13.8 87 0.00 |
| 54 P | Tetrachloroethene | 50.000 | 41.725 | 16.5 82 0.00 |
| 55 P | 2-Hexanone | 50.000 | 42.096 | 15.8 92 0.00 |
| 56 P | Dibromochloromethane | 50.000 | 40.475 | 19.0 85 0.00 |
| 57 P | 1,2-Dibromoethane | 50.000 | 42.459 | 15.1 88 0.00 |
| 3 | z, z bibliomo citario | 00.000 | 12.100 | 20.2 00 0.00 |
| 58 I | Chlorobenzene-d5 | 50.000 | 50.000 | 0.0 (97) 0.00 |
| 59 P | Chlorobenzene | 50.000 | | 0.4 90 0.00 |
| 60 | 1,1,1,2-Tetrachloroethane | 50.000 | | 1.7 89 0.00 |
| 61 P | Ethylbenzene | 50.000 | 50.311 | -0.6 89 0.00 |
| 62 P | m,p-Xylene | | 103.314 | -3.3 92 0.00 |
| 63 P | o-Xylene | 50.000 | 48.407 | 3.2 86 0.00 |
| 64 P | Styrene | 50.000 | 51.002 | -2.0 89 0.00 |
| 65 P | Bromoform | 50.000 | | 11.0 89 0.00 |
| 66 P | Isopropylbenzene | 50.000 | 48.932 | 2.1 88 0.00 |
| 67 | 1,2,3-Trichloropropane | 50.000 | 49.314 | 1.4 91 0.01 |
| 68 S | 4-Bromofluorobenzene | 30.000 | 40.576 | -35.3# 126 0.00 |
| 69 | Bromobenzene | 50.000 | | -3.9 90 0.00 |
| 70 P | 1,1,2,2-Tetrachloroethane | 50.000 | | 5.5 89 0.00 |
| 71 | n-Propylbenzene | 50.000 | 51.221 | -2.4 90 0.00 |
| 72 | 2-Chlorotoluene | 50.000 | 53.345 | -6.7 89 0.00 |
| 73 | 4-Chlorotoluene | 50.000 | 53.511 | -7.0 91 0.00 |
| 74 | 1,3,5-Trimethylbenzene | 50.000 | 50.355 | -0.7 90 0.00 |
| 75 | tert-Butylbenzene | 50.000 | | -2.5 92 0.00 |
| 76 | 1,2,4-Trimethylbenzene | 50.000 | | -1.1 89 0.00 |
| 77 | sec-Butylbenzene | 50.000 | 49.864 | 0.3 88 0.00 |
| 78 | p-Isopropyltoluene | 50.000 | 51.244 | -2.5 90 0.00 |
| | | | | |
| 79 I | 1,4-Dichlorobenzene-d4 | 50.000 | 50.000 | 0.0 (102) 0.00 |
| 80 P | 1,3-Dichlorobenzene | 50.000 | 47.556 | 4.9 90 0.00 |
| 81 P | 1,4-Dichlorobenzene | 50.000 | 45.242 | 9.5 92 0.00 |
| 82 | n-Butylbenzene | 50.000 | 45.519 | 9.0 88 0.00 |
| 83 P | 1,2-Dichlorobenzene | 50.000 | 48.570 | 2.9 91 0.00 |
| 84 UN | Tetraethyllead | -1.000 | 0.000 | 0.0 0 0.00 |
| 85 P | 1,2-Dibromo-3-Chloropropane | 50.000 | 47.900 | 4.2 87 0.00 |
| 86 P | 1,2,4-Trichlorobenzene 1,2,3-Trichlorobenzene | 50.000 | 39.462 | 1 21.1# 77 0.00 see RL 5+d |
| 87 | 1,2,3-Trichlorobenzene | 50.000 | 44.450 | 11.1 83 0.00 |
| 88 | Hexachlorobutadiene | 50.000 | 44.617 | , 10.8 89 0.00 |
| 89 | Naphthalene | 50.000 | 37.950 | 24.1# 73 0.00 see KLIS+d |
| | | | | |

^{(#) =} Out of Range

SPCC's out = 0 CCC's out = 0

2 SEMI-VOLATILE SURROGATE RECOVERY

Lab Name: Paradigm Environmental Services

Lab Project #: 210162 Client Name: BE3

Client Project Name: Pilgrim Village Senior

Client Project #: N/A SDG No.: 0162-01

<u>Soil</u> QC Batch: QC210114ABNS

Matrix:

Instrument ID: Instrument1

GC Column: <u>DB-5</u> ID (mm): 0.25 Detector: MSD

| | LAB | CLIENT | 2FP | Pd5 | NBd5 | Total |
|----|--------------|-----------|-------------|-------------|-------------|-------|
| | SAMPLE NO. | SAMPLE ID | (%Recovery) | (%Recovery) | (%Recovery) | Out |
| 1 | Blk 1 | N/A | 59.0 | 55.3 | 51.4 | 0 |
| 2 | LCS 1 | N/A | 58.4 | 57.0 | 47.9 | 0 |
| 3 | 210162-01 | B1S1 | 72.3 | 68.7 | 60.4 | 0 |
| 4 | 210162-02 | B2S1 | 69.0 | 66.4 | 59.9 | 0 |
| 5 | 210162-03 | B3S1 | 65.0 | 62.0 | 55.5 | 0 |
| 6 | 210162-04 | B4S1 | 63.9 | 61.9 | 56.8 | 0 |
| 7 | 210162-05 | B5S1 | 49.1 | 47.6 | 43.3 | 0 |
| 8 | 210162-06 | B6S1 | 72.4 | 68.8 | 61.5 | 0 |
| 9 | 210162-07 | B6S10 | 69.5 | 65.2 | 60.9 | 0 |
| 10 | 210162-07MS | B6S10 | 62.4 | 62.6 | 53.0 | 0 |
| 11 | 210162-07MSD | B6S10 | 59.3 | 59.7 | 50.7 | 0 |
| 12 | 210162-08 | B7S1 | 72.6 | 69.6 | 62.1 | 0 |
| 13 | 210162-09 | B8S1 | 39.6 * | 38.4 | 36.1 * | 2 |
| 14 | 210162-10 | B9S1 | 55.6 | 52.5 | 47.8 | 0 |
| 15 | 210162-11 | B10S1 | 58.8 | 55.2 | 49.3 | 0 |
| 16 | 210162-12 | B10S2 | 66.8 | 62.0 | 56.2 | 0 |
| 17 | 210162-13 | B11S1 | 57.2 | 54.1 | 50.3 | 0 |
| 18 | 210162-14 | B12S1 | 56.9 | 53.1 | 50.3 | 0 |
| 19 | 210162-15 | B14S1 | 64.1 | 61.0 | 54.6 | 0 |
| 20 | 210162-16 | B15S1 | 65.9 | 61.8 | 56.7 | 0 |
| 21 | 210162-17 | B16S1 | 62.0 | 58.1 | 51.8 | 0 |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |

| | QC LIMITS % |
|------------------------|---------------|
| 2FP = 2-Fluorophenol | (41.5 - 76.4) |
| Pd5 = Phenol-d5 | (37.9 - 79.6) |
| NBd5 = Nitrobenzene-d5 | (36.2 - 78.8) |

^{*} Values outside of current required QC limits

D Surrogate diluted out

2 SEMI-VOLATILE SURROGATE RECOVERY

Lab Name: Paradigm Environmental Services

Lab Project #: 210162 Client Name: BE3

Client Project Name: Pilgrim Village Senior

Client Project #: N/A SDG No.: 0162-01

<u>Soil</u> QC Batch: QC210114ABNS

Matrix:

Instrument ID: Instrument1

GC Column: <u>DB-5</u> ID (mm): 0.25 Detector: MSD

| | LAB | CLIENT | 2FBP | 246TBP | TPd14 | Total |
|-------|-------------|-----------|-------------|-------------|-------------|-------|
| | SAMPLE NO. | SAMPLE ID | (%Recovery) | (%Recovery) | (%Recovery) | Out |
| 1 Blk | k 1 | N/A | 57.2 | 48.0 | 51.4 | 0 |
| 2 LC | S 1 | N/A | 61.9 | 56.3 | 60.0 | 0 |
| 3 21 | .0162-01 | B1S1 | 66.3 | 52.6 | 62.5 | 0 |
| 4 21 | 0162-02 | B2S1 | 67.6 | 55.7 | 64.3 | 0 |
| 5 21 | .0162-03 | B3S1 | 63.1 | 54.2 | 60.1 | 0 |
| 6 21 | 0162-04 | B4S1 | 63.6 | 53.2 | 59.9 | 0 |
| 7 21 | .0162-05 | B5S1 | 50.6 | 38.5 * | 45.8 | 1 |
| 8 21 | .0162-06 | B6S1 | 67.7 | 57.4 | 65.8 | 0 |
| 9 21 | .0162-07 | B6S10 | 66.7 | 55.6 | 64.6 | 0 |
| 10 21 | .0162-07MS | B6S10 | 67.4 | 59.0 | 64.3 | 0 |
| 11 21 | .0162-07MSD | B6S10 | 65.1 | 56.4 | 63.9 | 0 |
| 12 21 | .0162-08 | B7S1 | 67.4 | 58.7 | 65.9 | 0 |
| 13 21 | .0162-09 | B8S1 | 39.7 * | 32.5 * | 37.8 * | 3 |
| 14 21 | .0162-10 | B9S1 | 54.3 | 45.8 | 55.2 | 0 |
| 15 21 | .0162-11 | B10S1 | 54.6 | 48.5 | 53.8 | 0 |
| 16 21 | .0162-12 | B10S2 | 62.0 | 51.0 | 63.6 | 0 |
| 17 21 | 0162-13 | B11S1 | 57.5 | 45.5 | 56.2 | 0 |
| 18 21 | .0162-14 | B12S1 | 55.0 | 47.0 | 55.4 | 0 |
| 19 21 | .0162-15 | B14S1 | 61.8 | 49.9 | 58.9 | 0 |
| 20 21 | .0162-16 | B15S1 | 63.0 | 54.4 | 61.7 | 0 |
| 21 21 | .0162-17 | B16S1 | 57.4 | 48.2 | 56.8 | 0 |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |

| | QC LIMITS % |
|-------------------------------|---------------|
| 2FPB = 2-Fluorobiphenyl | (40.8 - 80.2) |
| 246TBP = 2,4,6-Tribromophenol | (40.2 - 85.9) |
| TPd14 = Terphenyl-d14 | (41.3 - 86.5) |

^{*} Values outside of current required QC limits

D Surrogate diluted out

2 SEMI-VOLATILE SURROGATE RECOVERY

Lab Name: <u>Paradigm Environmental Services</u>

Lab Project #: 210162 Client Name: BE3

Client Project Name: <u>Pilgrim Village Senior</u>

Client Project #: N/A

 SDG No.:
 0162-01
 Matrix:
 Soil

QC Batch: QC210115AbnS

Instrument ID: <u>Instrument1</u>

GC Column : DB-5 ID (mm): 0.25 Detector: MSD

| LAB | CLIENT | 2FP | Pd5 | NBd5 | Total |
|-------------|-----------|-------------|-------------|-------------|-------|
| SAMPLE NO. | SAMPLE ID | (%Recovery) | (%Recovery) | (%Recovery) | Out |
| 1 Blk 1 | N/A | 48.0 | 46.6 | 40.4 | 0 |
| 2 LCS 1 | N/A | 56.7 | 55.3 | 44.0 | 0 |
| 3 210162-18 | B17S1 | 77.2 * | 72.6 | 65.2 | 1 |
| 4 210162-19 | B18S1 | 79.7 * | 74.0 | 64.7 | 1 |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 0 | | | | | |
| .1 | | | | | |
| 2 | | | | | |
| .3 | | | | | |
| 4 | | | | | |
| .5 | | | | | |
| .6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 0 | | | | | |
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| .5 | | | | | |

 QC LIMITS %

 2FP = 2-Fluorophenol
 (41.5 - 76.4)

 Pd5 = Phenol-d5
 (37.9 - 79.6)

 NBd5 = Nitrobenzene-d5
 (36.2 - 78.8)

D Surrogate diluted out

^{*} Values outside of current required QC limits

```
Method Path : C:\msdchem\1\methods\
Method File: ABN201216.M
38) P
       Caprolactam
                        0.108 0.105 0.109 0.111 0.112 0.111 0.108 0.110 0.109
                                                                                2.22
39) P
       1,2,4,5-Tetrac... 0.319 0.354 0.308 0.320 0.323 0.326 0.277 0.363 0.324
                                                                                8.20
40) P
                         0.850 1.029 0.862 0.885 0.881 0.899 0.762 1.040 0.901
                                                                               10.26
       Biphenyl
41) I
       Acenaphthene-d10
                           -----ISTD-----
42) P
       2-Chloronaphth... 0.369 0.363 0.367 0.380 0.394 0.393 0.391 0.384 0.380#
                                                                                3.31
43) PM Acenaphthene
                        1.274 1.287 1.259 1.275 1.284 1.288 1.295 1.247 1.276
                                                                                1.27
44) P
       Acenaphthylene 1.712 1.819 1.858 1.924 1.946 1.982 1.993 1.971 1.901
                                                                                5.14
45) P
       4-Chlorophenyl... 0.646 0.683 0.776 0.677 0.690 0.696 0.694 0.672 0.692
                                                                                5.43
                                                                                2.26
46) P
       Dibenzofuran
                        1.638 1.732 1.758 1.722 1.717 1.752 1.760 1.729 1.726
47) P
       Diethyl phthalate 1.370 1.364 1.536 1.412 1.418 1.382 1.419 1.327 1.403
                                                                                4.43
       Dimethyl phtha... 1.318 1.353 1.346 1.398 1.393 1.400 1.408 1.373 1.374
                                                                                2.33
48) P
       2,4-Dinitrophenol 0.043 0.079 0.118 0.169 0.175 0.190 0.203 0.209 0.148
                                                                               41.48*
49) PM
                                                                                7.68
50) PM
       2,4-Dinitrotol... 0.367 0.417 0.480 0.446 0.447 0.452 0.456 0.444 0.439
51) P
       2,6-Dinitrotol... 0.277 0.300 0.321 0.332 0.333 0.337 0.335 0.334 0.321
                                                                                6.76
52) P
                        1.369 1.391 1.587 1.435 1.444 1.429 1.458 1.369 1.435
                                                                                4.87
       Fluorene
                                                                                4.65
53) S
       2-Fluorobiphenyl 1.294 1.312 1.339 1.394 1.419 1.464 1.452 1.423 1.387
       Hexachlorocycl... 0.243 0.283 0.327 0.373 0.385 0.387 0.373 0.355 0.341
                                                                               15.47
54) P
       2-Nitroaniline 0.323 0.378 0.399 0.420 0.424 0.430 0.429 0.431 0.404
55) P
                                                                                9.31
       3-Nitroaniline 0.305 0.325 0.334 0.357 0.351 0.356 0.357 0.355 0.343
                                                                                5.67
56) P
       4-Nitroaniline 0.299 0.330 0.396 0.350 0.353 0.345 0.346 0.326 0.343
                                                                                8.08
57) P
                                                                                9.21
       4-Nitrophenol 0.234 0.259 0.308 0.299 0.305 0.297 0.301 0.277 0.285
58) PM
       2,4,6-Tribromo... 0.165 0.182 0.211 0.191 0.198 0.201 0.196 0.203 0.193
                                                                                .7.40
59) S
60) PM 2,4,6-Trichlor... 0.342 0.345 0.356 0.376 0.373 0.383 0.382 0.393 0.369
                                                                                5.13
       2,4,5-Trichlor... 0.373 0.393 0.393 0.407 0.417 0.421 0.425 0.430 0.407
                                                                                4.80
61) P
       2.3,4,6-Tetrac... 0.308 0.340 0.389 0.330 0.335 0.348 0.349 0.362 0.345
                                                                                6.92
62) P
                                                                                8.594
                         0.347 0.337 0.395
                                                                       0.360
                                                                                         3 pt ICAL
63) P
      Atrazine
       Phenanthrene-d10 -----ISTD-----ISTD-----
64) I
       4-Bromophenyl ... 0.201 0.210 0.210 0.211 0.229 0.217 0.183 0.216 0.210
                                                                                6.33
65) P
66) P
       Di-n-butyl pht... 1.026 1.071 1.108 1.193 1.419 1.204 1.046 1.223 1.161
                                                                               11.06
       4,6-Dinitro-2-... 0.069 0.090 0.108 0.134 0.149 0.146 0.126
                                                                       0.117
                                                                               25.504
67) PM
                        1.018 1.086 0.938 1.156 1.480 1.195 1.020 1.199 1.137
                                                                               14.68
68) P
       Fluoranthene
       Hexachlorobenzene 0.202 0.207 0.211 0.210 0.224 0.215 0.183 0.218 0.209
                                                                                5.90
69) P
       N-Nitrosodiphe... 0.651 0.669 0.659 0.679 0.719 0.682 0.583 0.657 0.662
                                                                                5.81
70) P
       Pentachlorophenol 0.075 0.095 0.119 0.128 0.141 0.140
                                                                               22.71x
71) PM
                                                                                6.34
72) P
       Anthracene
                        1.116 1.166 1.163 1.191 1.253 1.187 1.002 1.179 1.157
                                                                                6.52
                        1.143 1.158 1.134 1.153 1.224 1.143 0.963 1.136 1.132
73) P
       Phenanthrene
       Carbazole 1.017 1.046 1.053 1.055 1.117 1.039 0.896 1.042 1.033
                                                                                6.02
74) P
       Benzo (a) anth... 0.881 0.923 0.822 1.290 1.431 1.125 0.951 1.134 1.070
                                                                               19.95
75) P
                             -----ISTD-----
76) I
       Chrysene-d12
                                                                               33.91(*
                         0.565 0.811 0.410
77)
       Benzidine
       Bis (2-ethylhe... 0.621 0.706 0.770 0.763 0.775 0.792 0.803 0.770 0.750
                                                                                7.91
78) P
       Butylbenzylpht... 0.442 0.479 0.523 0.449 0.500 0.555 0.566 0.548 0.508
                                                                                9.41
79) P
                 1.150 1.228 1.215 1.215 1.196 1.212 1.199 1.170 1.198
                                                                                2.19
80) P
       Chrysene
                                                                                3.16
       3.3'-Dichlorob... 0.379 0.409 0.412 0.416 0.408 0.398 0.389 0.409 0.403
81) P
                                                                                6.33
                 1.183 1.233 1.254 1.042 1.227 1.273 1.276 1.257 1.218
82) PM Pyrene
```

Data Path : C:\msdchem\1\data\210113\

Data File : B51616.D

Acq On : 14 Jan 2021 11:55 am Operator : A. Monfette

Sample : CCV 50PPM 8270 + PyrMulti

Misc

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 14 12:25:11 2021

Quant Method: C:\msdchem\1\methods\ABN201216F.M

Quant Title : QLast Update : Wed Jan 13 12:55:07 2021 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | Amount | Calc. | %Dev Area% Dev(min) |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 46 P 47 P 48 P 49 PM 50 PM 51 P 52 P 53 S 54 P 55 P 56 P 57 P 58 PM 59 S 60 PM 61 P 62 P 63 P | Dibenzofuran Diethyl phthalate Dimethyl phthalate 2,4-Dinitrophenol 2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene 2-Fluorobiphenyl Hexachlorocyclopentadiene 2-Nitroaniline 3-Nitroaniline 4-Nitroaniline 4-Nitrophenol 2,4,6-Tribromophenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 2,3,4,6-Tetrachlorophenol Atrazine | 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 49.870 47.085 49.131 44.880 49.659 50.908 49.184 51.427 24.783 55.463 53.792 53.242 42.064 89.833 48.433 47.563 43.690 12.981 | 0.3 162 0.00 5.8 152 0.00 1.7 156 0.00 10.2 143 0.00 0.7 158 0.00 -1.8 159 0.00 1.6 159 0.00 2.9 166 0.00 -7.6 167 0.00 -6.5 169 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 15.9 130 0.00 174.0# 0 0.00 |
| 64 I 65 P 66 P 67 PM 68 P 69 P 70 P 71 PM 72 P 73 P 74 P 75 P | Phenanthrene-d10 4-Bromophenyl phenyl ether Di-n-butyl phthalate 4,6-Dinitro-2-methylphenol Fluoranthene Hexachlorobenzene N-Nitrosodiphenylamine Pentachlorophenol Anthracene Phenanthrene Carbazole Benzo (a) anthracene | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 50.501 52.139 43.030 49.700 52.135 55.545 44.242 53.914 53.550 53.650 49.332 | 0.0 151 0.00 -1.0 152 0.00 -4.3 153 0.00 13.9 144 0.00 0.6 148 0.00 -4.3 157 0.00 -11.1 164 0.00 11.5 135 0.00 -7.8 158 0.00 -7.1 159 0.00 -7.3 159 0.00 1.3 124 0.00 |
| 76 I 77 78 P 79 P 80 P 81 P 82 PM 83 S | Chrysene-d12 Benzidine Bis (2-ethylhexyl) phthalat Butylbenzylphthalate Chrysene 3,3'-Dichlorobenzidine Pyrene Terphenyl-d14 | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 35.027 54.204 52.680 52.442 55.001 52.251 51.867 | 0.0 123 0.01 29.9# 0 0.00 -8.4 131 0.00 -5.4 146 0.00 -4.9 127 0.00 -10.0 131 0.00 -4.5 150 0.00 -3.7 148 0.00 |
| 84 I 85 P 86 P 87 P 88 P 89 P | Perylene-d12 Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Dibenz (a,h) anthracene | 40.000 50.000 50.000 50.000 50.000 | 40.000 47.023 50.496 53.217 49.725 53.147 | $ \begin{array}{c ccccc} 0.0 & 141 & 0.00 \\ 6.0 & 131 & 0.00 \\ -1.0 & 125 & 0.00 \\ -6.4 & 167 & 0.00 \\ 0.5 & 134 & 0.00 \\ -6.3 & 163 & 0.00 \end{array} $ |

Evaluate Continuing Calibration Report

Data Path : C:\msdchem\1\data\210113\

Data File : B51648.D

Acq On : 15 Jan 2021 12:50 am Operator : A. Monfette

Sample : CCV 50PPM 8270 + PyrMulti

Misc

ALS Vial: 4 Sample Multiplier: 1

Quant Time: Jan 15 08:08:55 2021

Quant Method : C:\msdchem\1\methods\ABN201216F.M

Quant Title :

QLast Update : Wed Jan 13 12:55:07 2021 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 20% Max. Rel. Area : 200%

| | Compound | Amount | Calc. | %Dev Area% | Dev(min) | |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-------------|
| 46 P 47 P 48 P 49 PM 50 PM 51 P 52 P 53 S 54 P 55 P 56 P 57 P 58 PM 59 S 60 PM 61 P 62 P | Dibenzofuran Diethyl phthalate Dimethyl phthalate 2,4-Dinitrophenol 2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene 2-Fluorobiphenyl Hexachlorocyclopentadiene 2-Nitroaniline 3-Nitroaniline 4-Nitrophenol 2,4,6-Tribromophenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 2,3,4,6-Tetrachlorophenol Atrazine | 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 50.319 45.821 48.796 42.344 49.435 51.288 48.520 50.983 24.011 54.700 53.038 52.950 41.893 91.715 47.912 47.324 42.583 12.664 | -0.6 160 8.4 145 2.4 152 15.3 131 1.1 155 -2.6 158 3.0 154 -2.0 161 52.0# 75 9.4 167 -6.1 162 -5.9 165 16.2 127 8.3 147 4.2 149 5.4 150 14.8 142 74.7# 0 | 0.00 0.00 0.00 0.00 0.00 0.00 | see RL Stal |
| 64 I 65 P 66 P 67 PM 68 P 69 P 70 P 71 PM 72 P 73 P 74 P 75 P | Phenanthrene-d10 4-Bromophenyl phenyl ether Di-n-butyl phthalate 4,6-Dinitro-2-methylphenol Fluoranthene Hexachlorobenzene N-Nitrosodiphenylamine Pentachlorophenol Anthracene Phenanthrene Carbazole Benzo (a) anthracene | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 49.881 52.075 40.836 49.670 52.360 55.038 40.433 53.972 52.431 53.364 50.331 | 0.0 150 0.2 149 -4.2 152 18.3 136 0.7 146 -4.7 156 -10.1 161 19.1 121 -7.9 157 -4.9 154 -6.7 157 -0.7 125 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | |
| 76 I 77 78 P 79 P 80 P 81 P 82 PM 83 S | Chrysene-d12 Benzidine Bis (2-ethylhexyl) phthalat Butylbenzylphthalate Chrysene 3,3'-Dichlorobenzidine Pyrene Terphenyl-d14 | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 95.886 53.901 53.162 51.379 57.068 53.070 51.848 | 0.0 124 -91.8# 0 -7.8 131 -6.3 149 -2.8 126 -14.1 137 -6.1 154 -3.7 149 | 0.00 0.00 0.00 | see RIStal |
| 84 I 85 P 86 P 87 P 88 P 89 P | Perylene-d12 Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Dibenz (a,h) anthracene | 40.000 50.000 50.000 50.000 50.000 | 40.000 48.105 50.693 53.583 51.165 53.297 | 0.0 138 3.8 132 -1.4 123 -7.2 164 -2.3 135 -6.6 160 | 0.00 0.00 0.00 0.00 | |

Data Path : C:\msdchem\1\data\210115\

Data File : B51668.D

Acq On : 15 Jan 2021 10:50 am Operator : A. Monfette

Sample : CCV 50PPM 8270 + PyrMulti

. Misc

ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jan 18 09:25:52 2021

Quant Method : C:\msdchem\1\methods\ABN201216F.M

Quant Title : QLast Update : Wed Jan 13 12:55:07 2021 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev: 20% Max. Rel. Area: 200%

| | Compound | Amount | Calc. | %Dev Area% Dev(min) |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 46 P 47 P 48 P 49 PM 50 PM 51 P 52 P 53 S 54 P 55 P 56 P 57 P 58 PM 59 S 60 PM 61 P 62 P 63 P | Dibenzofuran Diethyl phthalate Dimethyl phthalate 2,4-Dinitrophenol 2,4-Dinitrotoluene 2,6-Dinitrotoluene Fluorene 2-Fluorobiphenyl Hexachlorocyclopentadiene 2-Nitroaniline 3-Nitroaniline 4-Nitrophenol 2,4,6-Tribromophenol 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 2,3,4,6-Tetrachlorophenol Atrazine | 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 49.117 46.156 48.422 35.205 48.201 51.657 48.608 50.292 16.395 53.376 52.663 53.712 41.092 90.530 47.202 46.679 41.980 12.380 | 1.8 130 0.00 7.7 121 0.00 3.2 126 0.00 4 29.6# 87 0.00 <40 3.6 126 0.00 -3.3 132 0.00 2.8 129 0.00 -0.6 133 0.00 167.2# 43 0.00 -5.3 134 -0.01 -7.4 139 -0.01 17.8 104 -0.02 9.5 121 0.00 5.6 122 0.00 6.6 124 -0.01 175.2# 0 0.00 |
| 64 I 65 P 66 P 67 PM 68 P 69 P 70 P 71 PM 72 P 73 P 74 P 75 P | Phenanthrene-d10 4-Bromophenyl phenyl ether Di-n-butyl phthalate 4,6-Dinitro-2-methylphenol Fluoranthene Hexachlorobenzene N-Nitrosodiphenylamine Pentachlorophenol Anthracene Phenanthrene Carbazole Benzo (a) anthracene | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 48.272 48.411 33.245 45.666 49.330 51.675 36.777 49.686 49.656 50.496 45.802 | 0.0 133 0.00 3.5 128 0.00 3.2 125 0.00 1 33.5# 99 0.00 <40 8.7 119 0.00 1.3 131 0.00 3.3 134 0.00 1.6 128 0.00 0.7 130 0.00 -1.0 132 0.00 8.4 101 0.00 |
| 76 I 77 78 P 79 P 80 P 81 P 82 PM 83 S | Chrysene-d12 Benzidine Bis (2-ethylhexyl) phthalat Butylbenzylphthalate Chrysene 3,3'-Dichlorobenzidine Pyrene Terphenyl-d14 | 40.000 50.000 50.000 50.000 50.000 50.000 50.000 | 40.000 77.326 53.579 52.607 52.577 58.072 53.738 52.436 | 0.0 99 0.00 -54.7# 0 0.00 -7.2 104 0.00 -5.2 118 0.00 -5.2 103 0.00 -16.1 111 0.00 -7.5 124 0.00 -4.9 120 0.00 |
| 84 I 85 P 86 P 87 P 88 P 89 P | Perylene-d12 Benzo (b) fluoranthene Benzo (k) fluoranthene Benzo (g,h,i) perylene Benzo (a) pyrene Dibenz (a,h) anthracene | 40.000 50.000 50.000 50.000 50.000 | 40.000 46.125 51.873 53.909 51.640 54.850 | 0.0 111 0.00 7.8 102 0.00 -3.7 102 0.00 -7.8 133 0.00 -3.3 110 0.00 -9.7 133 0.00 |



Method Blank Report

Client: BE3

Project Reference: Pilgrim Village Senior

Lab Project ID: 210162 **SDG #:** 0162-01

Matrix: Soil

Semi-Volatile Tentatively Identified Compounds

| <u>Analyte</u> | Result | <u>Units</u> | Qualifier | Date Analyzed |
|--------------------------------|--------|--------------|------------------|----------------------|
| Unknown | 2180 | ug/Kg | | 1/14/2021 |
| Unknown | 2870 | ug/Kg | | 1/14/2021 |
| Unknown | 639 | ug/Kg | | 1/14/2021 |
| Unknown | 1410 | ug/Kg | | 1/14/2021 |
| Unknown | 402 | ug/Kg | | 1/14/2021 |
| Mothod Reference(s): EDA 9270D | | | | |

Method Reference(s): EPA 8270D

EPA 3546

Preparation 1/14/2021

Date:

QC Batch ID: QC210114TICS

QC Number: 1

Tentatively Identified Compound results are estimated values, based on Internal Standard response factors.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Tentatively Identified Compound (LSC) summary

Data Path : C:\msdchem\1\data\210113\
Data File : B51629.D

Acq On : 14 Jan 2021
Operator : A. Monfette
Sample : blk 3:32 pm

Misc : 1/14 soil_JSABN
ALS Vial : 19 Sample Multiplier: 1

edf 1/15/21

Quant Method : C:\msdchem\1\methods\ABN201216F.M

Quant Title :

TIC Library : C:\Database\NIST98.L TIC Integration Parameters: rteint2.p

| TIC Top Hit name | RT | EstConc | Units | Response |] # | Internal RT | | rd Conc |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------|-------------------------------------------|----------------------------------------------------------------|------------------|--------------------------------------|----------------------------------------------------------------|--------------------------------------|
| 2 Pentanone, 4 17-(1,5-Dimethy Bicyclo[2.2.1]h Bithiophthalide 2(3H)-Naphthale L-Aspartic acid | 4.575 18.709 18.768 19.374 20.068 20.133 | 278.3 43.0 56.6 12.6 27.8 7.8 | ug/ml ug/ml ug/ml ug/ml ug/ml | 13436100 2948610 3885670 1184560 2612900 744196 | 1 5 6 6 | 17.933 17.933 19.909 19.909 | 1931050 2745680 2745680 3762370 3762370 3762370 | 40.0 whenown 40.0 40.0 40.0 |

2 PESTICIDE SURROGATE RECOVERY

Lab Name: <u>Paradigm Environmental Services</u>

Lab Project #: 210162 Client Name: BE3

Client Project Name: <u>Pilgrim Village Senior</u>

Client Project #: <u>N/A</u>

 SDG No.:
 0162-01
 Matrix:
 Soil

QC Batch: QC210114PESTS

Instrument ID: <u>Dual ECD 1</u>

GC Column 1: Rtx-CLPesticides1 ID (mm): 0.32 Detector: ECD1

| | LAB | CLIENT | TCmX | DCBP | Total |
|----|------------|-----------|-------------|-------------|-------|
| | SAMPLE NO. | SAMPLE ID | (%Recovery) | (%Recovery) | Out |
| 1 | Blk 1 | N/A | 64.7 | 71.6 | 0 |
| 2 | Blk 2 | N/A | 69.1 | 120 | 0 |
| 3 | LCS 1 | N/A | 56.8 | 62.8 | 0 |
| 4 | LCS 2 | N/A | 72.0 | 114 | 0 |
| 5 | LCS Tox 1 | N/A | 70.0 | 80.7 | 0 |
| 6 | LCS Tox 2 | N/A | 66.5 | 102 | 0 |
| 7 | 210162-01 | B1S1 | 58.2 | 73.0 | 0 |
| 8 | 210162-02 | B2S1 | 60.0 | 79.1 | 0 |
| 9 | 210162-03 | B3S1 | 56.8 | 157 * | 1 |
| 10 | 210162-04 | B4S1 | 44.4 | 47.0 | 0 |
| 11 | 210162-05 | B5S1 | 53.8 | 129 | 0 |
| 12 | 210162-06 | B6S1 | 56.7 | 91.2 | 0 |
| 13 | 210162-07 | B6S10 | 56.6 | 138 * | 1 |
| 14 | 210162-08 | B7S1 | 49.7 | 76.5 | 0 |
| 15 | 210162-09 | B8S1 | 60.8 | 138 * | 1 |
| 16 | 210162-10 | B9S1 | 64.0 | 96.2 | 0 |
| 17 | 210162-11 | B10S1 | 43.1 | 55.8 | 0 |
| 18 | 210162-12 | B10S2 | 64.6 | 109 | 0 |
| 19 | 210162-13 | B11S1 | 60.3 | 81.0 | 0 |
| 20 | 210162-14 | B12S1 | 32.3 | 27.3 | 0 |
| 21 | 210162-15 | B14S1 | 61.6 | 167 * | 1 |
| 22 | 210162-16 | B15S1 | 74.1 | 128 | 0 |
| 23 | 210162-17 | B16S1 | 54.1 | 98.7 | 0 |
| 24 | 210162-18 | B17S1 | 64.7 | 101 | 0 |
| 25 | 210162-19 | B18S1 | 51.4 | 38.1 | 0 |

QC LIMITS %

TCmX = Tetrachloro-m-xylene (26.3 - 99.8) DCBP = Decachlorobiphenyl (10 - 134)

^{*} Values outside of current required QC limits

D Surrogate diluted out

10

PESTICIDE IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

Lab Name:Paradigm Environmental ServicesSample ID:B9S1Lab Project #:210162Lab Sample #:210162-10

Client Name: <u>BE3</u>

Client Project Name:Pilgrim Village SeniorDate Analyzed:1/14/2021Client Project #:N/ATime Analyzed:23:16SDG#:0162-01Matrix:Soil

Instrument ID: <u>Dual ECD 1</u>

GC Column 1: Rtx-CLPesticides1 ID (mm): 0.32 Detector 1: ECD1
GC Column 2: Rtx-CLPesticides2 ID (mm): 0.32 Detector 2: ECD2

| COMPOUND | COL | RT | RT WII | | CONCENTRATION | %D | Q | 1 |
|------------------|-----|------|--------|------|---------------|------|---|---|
| | | | FROM | TO | | | | |
| 4,4-DDE (1) | 1 | 5.12 | 5.03 | 5.17 | 5.41 | | | } |
| 4,4-DDE (2) | 2 | 6.23 | 6.13 | 6.27 | 2.11 J | 87.8 | * | l |
| Methoxychlor (1) | 1 | 7.53 | 7.51 | 7.65 | 2.76 J | | | 1 |
| Methoxychlor (2) | 2 | 9.27 | 9.20 | 9.34 | 5.20 | 61.3 | * | 3 |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | | | | | | | | ٦ |
| | | | | | | | | 1 |
| | | | | | | | 1 | 1 |
| | | | | | | † | + | 1 |
| | | | | | | | 1 | 1 |
| | | | | | | | 1 | 1 |
| | | | | | | | 1 | 1 |
| | | | | | | | 1 | 1 |
| | | | | | | | + | 1 |
| | | | | | | | | 4 |
| | | | | | | | + | 4 |
| | | | | | | | + | 4 |
| | | | | | | | - | 4 |
| | | | | | | ļ | - | 4 |
| | | | | | | | - | 4 |
| | | | | | | | - | 4 |
| | | | | | | | - | 4 |
| | | | | | | | - | 4 |
| | | | | | | | | |
| | | | | | | | | 4 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | _ |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | J |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | | | | | | | | 1 |
| | 1 | | | | | | | 1 |
| | | i e | 1 | | | | 1 | 1 |

%D = </= 40%; Passes

^{* =} Outside QC limits

10

PESTICIDE IDENTIFICATION SUMMARY FOR SINGLE COMPONENT ANALYTES

Lab Name:Paradigm Environmental ServicesSample ID:B14S1Lab Project #:210162Lab Sample #:210162-15

Client Name: <u>BE3</u>

Client Project Name:Pilgrim Village SeniorDate Analyzed:1/15/2021Client Project #:N/ATime Analyzed:00:49SDG#:0162-01Matrix:Soil

Instrument ID: <u>Dual ECD 1</u>

GC Column 1: Rtx-CLPesticides1 ID (mm): 0.32 Detector 1: ECD1
GC Column 2: Rtx-CLPesticides2 ID (mm): 0.32 Detector 2: ECD2

| COMPOUND | COL | RT | | NDOW | CONCENTRATION | %D | Q |
|-------------------|-----|------|------|------|---------------|------|--------------|
| | | | FROM | TO | | | |
| Endrin Ketone (1) | 1 | 8.38 | 8.30 | 8.44 | 2.63 J | | |
| Endrin Ketone (2) | 2 | 9.62 | 9.59 | 9.73 | 2.89 J | 9.42 | |
| Methoxychlor (1) | 1 | 7.54 | 7.51 | 7.65 | 10.2 | | |
| Methoxychlor (2) | 2 | 9.27 | 9.20 | 9.34 | 16.5 | 47.2 | * |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 1 | 1 |
| | | | | | | 1 | 1 |
| | | | | | | | |
| | | | | | | | 1 |
| | | | | | | | 1 |
| | | | | | | | 1 |
| | | | | | | | + |
| | | | | | | | + |
| | | | | | | | + |
| | | | | | | | + |
| | | | | | | | + |
| | _ | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | - |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | 1 |
| | | | ļ | | | | |
| | | | | | | | 1 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

%D = </= 40%; Passes

^{* =} Outside QC limits



QC Report for Sample Spike and Sample Duplicate

SDG #: 0162-01

Client: BE3 Lab Project ID: 210162

Project Reference: Pilgrim Village Senior

Lab Sample ID:210162-19Date Sampled:1/11/2021Sample Identifier:B18S1Date Received:1/12/2021

Matrix: Soil

TAL Metals (ICP)

| | Sample | Result | <u>Spike</u> | <u>Spike</u> | Spike % | % Rec | <u>Spike</u> | Duplicate | | RPD | RPD | <u>Date</u> |
|----------------|----------------|--------------|--------------|---------------|----------|---------------|-----------------|------------------|-------------------|-------|-----------------|-----------------|
| <u>Analyte</u> | Results | <u>Units</u> | Added | Result | Recovery | <u>Limits</u> | <u>Outliers</u> | Result | <u>Difference</u> | Limit | <u>Outliers</u> | Analyzed |
| Aluminum | 6270 | mg/Kg | 139 | 5870 | NC | 75 - 125 | | 5600 | 11.2 | 20 | | 1/16/2021 |
| Antimony | < 3.37 | mg/Kg | 139 | 65.3 | 46.9 | 75 - 125 | * | <3.43 | NC | 20 | | 1/16/2021 |
| Arsenic | 2.12 | mg/Kg | 139 | 118 | 83.0 | 75 - 125 | | 1.86 | 13.1 | 20 | | 1/16/2021 |
| Barium | 33.7 | mg/Kg | 139 | 138 | 75.0 | 75 - 125 | | 29.1 | 14.5 | 20 | | 1/16/2021 |
| Beryllium | < 0.281 | mg/Kg | 27.8 | 21.6 | 77.8 | 75 - 125 | | < 0.286 | NC | 20 | | 1/16/2021 |
| Cadmium | 0.416 | mg/Kg | 55.6 | 42.4 | 75.4 | 75 - 125 | | 0.346 | 18.2 | 20 | | 1/16/2021 |
| Calcium | 66900 | mg/Kg | 223 | 58000 | NC | 75 - 125 | | 61800 | 8.05 | 20 | | 1/18/2021 |
| Chromium | 7.67 | mg/Kg | 139 | 117 | 78.8 | 75 - 125 | | 6.93 | 10.1 | 20 | | 1/16/2021 |
| Cobalt | 3.69 | mg/Kg | 55.6 | 44.3 | 72.9 | 75 - 125 | * | 3.33 | 10.5 | 20 | | 1/16/2021 |
| Copper | 9.85 | mg/Kg | 139 | 126 | 83.3 | 75 - 125 | | 9.30 | 5.73 | 20 | | 1/16/2021 |
| Iron | 9300 | mg/Kg | 139 | 7240 | NC | 75 - 125 | | 8380 | 10.4 | 20 | | 1/16/2021 |
| Lead | 7.99 | mg/Kg | 139 | 116 | 77.5 | 75 - 125 | | 7.33 | 8.53 | 20 | | 1/16/2021 |
| Magnesium | 21900 | mg/Kg | 445 | 21200 | NC | 75 - 125 | | 21300 | 2.55 | 20 | | 1/16/2021 |

NC = Not Calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 1048 of 1355



QC Report for Sample Spike and Sample Duplicate

SDG #: 0162-01

Client: BE3 Lab Project ID: 210162

Project Reference: Pilgrim Village Senior

Lab Sample ID:210162-19Date Sampled:1/11/2021Sample Identifier:B18S1Date Received:1/12/2021

Matrix: Soil

TAL Metals (ICP)

| | Sample | Result | <u>Spike</u> | <u>Spike</u> | Spike % | % Rec | <u>Spike</u> | Duplicate | Relative % | RPD | <u>RPD</u> | <u>Date</u> |
|----------------|----------------|--------------|--------------|--------------|----------|-----------------|-----------------|------------------|-------------------|------------|-----------------|-----------------|
| <u>Analyte</u> | Results | <u>Units</u> | <u>Added</u> | Result | Recovery | <u>Limits</u> | Outliers | Result | Difference | Limit | Outliers | Analyzed |
| Manganese | 289 | mg/Kg | 55.6 | 288 | -1.00 | 75 - 125 | * ++ | 271 | 6.36 | 20 | | 1/16/2021 |
| Nickel | 7.03 | mg/Kg | 278 | 205 | 71.1 | 75 - 125 | * | 6.26 | 11.6 | 20 | | 1/16/2021 |
| Potassium | 1710 | mg/Kg | 2360 | 3940 | 94.2 | 75 - 125 | | 1520 | 11.9 | 20 | | 1/16/2021 |
| Selenium | 0.738 | mg/Kg | 139 | 113 | 80.7 | 75 - 125 | | 0.824 | NC | 20 | | 1/16/2021 |
| Silver | 0.304 | mg/Kg | 13.9 | 11.8 | 82.9 | 75 - 125 | | 0.309 | NC | 20 | | 1/16/2021 |
| Sodium | 219 | mg/Kg | 668 | 840 | 93.1 | 75 - 125 | | 217 | 0.603 | 20 | | 1/16/2021 |
| Thallium | < 1.40 | mg/Kg | 139 | 109 | 78.4 | 75 - 125 | | <1.43 | NC | 20 | | 1/16/2021 |
| Vanadium | 13.7 | mg/Kg | 55.6 | 57.9 | 79.5 | 75 - 125 | | 12.2 | 11.4 | 20 | | 1/16/2021 |
| Zinc | 45.4 | mg/Kg | 139 | 144 | 70.6 | 75 - 125 | * | 40.0 | 12.6 | 20 | | 1/16/2021 |

Method Reference(s): EPA 6010C

EPA 3050B

Preparation Date: 1/13/2021

210115C

QC Batch ID: QC210113soil3

++ Sample amount > 4X spike amount added

NC = Not Calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 1049 of 1355



OC Report for Sample Spike and Sample Duplicate

SDG #:

0162-01

Client: BE3 Lab Project ID: 210162

Date Sampled: 1/8/2021

Date Received: 1/12/2021

Project Reference:

Pilgrim Village Senior

Lab Sample ID:

210162-01

Sample Identifier:

B1S1

Matrix:

Soil

Mercury

| | Sample | Result | <u>Spike</u> | <u>Spike</u> | Spike % | % Rec | <u>Spike</u> | Duplicate | Relative % | RPD | RPD | <u>Date</u> |
|----------------|----------------|--------------|--------------|---------------|----------|---------------|-----------------|------------------|-------------------|------------|-----------------|-----------------|
| <u>Analyte</u> | Results | <u>Units</u> | <u>Added</u> | Result | Recovery | Limits | Outliers | Result | Difference | Limit | Outliers | Analyzed |
| Mercury | 0.231 | mg/Kg | 0.0853 | 0.216 | -16.9 | 75 - 125 | * | 0.214 | 7.68 | 20 | | 1/19/2021 |

Method Reference(s):

EPA 7471B

Preparation Date:

1/18/2021

Hg210119B

QC Batch ID:

QC210118HgSoil

NC = Not Calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added.

This report is part of a multipage document and should only be evaluated in its entirety. The Chain of Custody provides additional sample information, including compliance with the sample condition requirements upon receipt.

Page 1050 of 1355

Surrogate (Extracted Internal Standard) Recovery Summary Form 2 **Semivolatiles**

Client: Paradigm Environmental Services **Lab Number: L2101378**

Project Name: PILGRIM VILLAGE SENIOR Project Number: PILGRIM VILLAGE

Matrix: Soil

| CLIENT ID | S8 | S9 | S10 | S11 | S12 | S13 | S14 | |
|---------------------|-----|-----|-----|-----|-----|-----|-----|--|
| (LAB SAMPLE NO.) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | | | | |
| B5S1 (L2101378-05) | 62 | 84 | 100 | 90 | 80 | 37 | 96 | |
| B9S1 (L2101378-10) | 88 | 109 | 118 | 113 | 107 | 79 | 123 | |
| B12S1 (L2101378-14) | NA | |
| B12S1 (L2101378-14) | 74 | 89 | 90 | 89 | 77 | 25* | 90 | |
| B14S1 (L2101378-16) | 84 | 102 | 106 | 99 | 92 | 51 | 101 | |
| WG1453952-1BLANK | NA | |
| WG1453952-1BLANK | 115 | 108 | 116 | 109 | 136 | 102 | 128 | |
| WG1453952-2LCS | 79 | 99 | 104 | 103 | 101 | 96 | 113 | |
| WG1453952-2LCS | NA | |
| B5S1DUP | 66 | 85 | 96 | 90 | 76 | 40 | 95 | |

| чc | LIIVII | 15 |
|----|--------|----|
| | | |

(20-154) S8 = 1H,1H,2H,2H-PERFLUORO[1,2-13C2]OCTANESULFONIC ACID (M2-6:2FTS)

(72-140) S9 = PERFLUORO[13C9]NONANOIC ACID (M9PFNA)

(79-136) S10 = PERFLUORO[13C8]OCTANESULFONIC ACID (M8PFOS)

(75-130) S11 = PERFLUORO[1,2,3,4,5,6-13C6]DECANOIC ACID (M6PFDA)

(19-175) S12 = 1H,1H,2H,2H-PERFLUORO[1,2-13C2]DECANESULFONIC ACID (M2-8:2FTS)
(31-134) S13 = N-DEUTERIOMETHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (D3-NMEFOSAA)

(31-134) **S14 = PERFLUORO**[1,2,3,4,5,6,7-13C7]**UNDECANOIC ACID (M7-PFUDA)**

FORM II A2-NY-537-ISOTOPE (Continued)



^{*} Values outside of QC limits

Surrogate (Extracted Internal Standard) Recovery Summary Form 2 Semivolatiles

Client: Paradigm Environmental Services

Project Name: PILGRIM VILLAGE SENIOR

Lab Number: L2101378

Project Number: PILGRIM VILLAGE

Matrix: Soil

| CLIENT ID | S15 | S16 | S17 | S18 | S19 | S20 | S21 | тот |
|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| (LAB SAMPLE NO.) | 0 | 0 | 0 | () | 0 | () | 0 | OUT |
| | | | | | | | | |
| B5S1 (L2101378-05) | 21 | 42 | 88 | 77 | | | | 0 |
| B9S1 (L2101378-10) | 16 | 76 | 110 | 94 | | | | 0 |
| B12S1 (L2101378-14) | 78 | NA | NA | NA | | | | 0 |
| B12S1 (L2101378-14) | NA | 22* | 75 | 25 | | | | 2 |
| B14S1 (L2101378-16) | 21 | 37 | 82 | 28 | | | | 0 |
| WG1453952-1BLANK | 84 | NA | NA | NA | | | | 0 |
| WG1453952-1BLANK | 37 | 110 | 109 | 97 | | | | 0 |
| WG1453952-2LCS | 50 | 99 | 106 | 98 | | | | 0 |
| WG1453952-2LCS | 81 | NA | NA | NA | | | | 0 |
| B5S1DUP | 26 | 46 | 89 | 76 | | | | 0 |

QC LIMITS

(10-117) S15 = PERFLUORO[13C8]OCTANESULFONAMIDE (M8FOSA)

(34-137) S16 = N-DEUTERIOETHYLPERFLUORO-1-OCTANESULFONAMIDOACETIC ACID (D5-NETFOSAA)

(54-150) S17 = PERFLUORO[1,2-13C2]DODECANOIC ACID (MPFDOA)
(24-159) S18 = PERFLUORO[1,2-13C2]TETRADECANOIC ACID (M2PFTEDA)

FORM II A2-NY-537-ISOTOPE (Continued)



^{*} Values outside of QC limits

Appendix C

Validator Qualifications

KENNETH R. APPLIN Geochemist/Data Validator

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

MICHAEL K. PERRY Chemist/Data Validator

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

APPENDIX F RI BUILDING ENVIRONMENTAL ASSESSMENT REPORT



Pre-Demolition Asbestos Inspection Report

Project Location:

Pilgrim Village Apartments Buildings 10, 11, 12, 13, 14, 15, 16, Garage Structure 91 Nora Lane Buffalo, NY 14209

Project ID: 15-0121JWA

Conditions as of: September 3rd, 2020

Prepared for:

Connor M. Kenney SAA / EVI 1631 Hertel Avenue Buffalo, NY 14216

Prepared by:



AMD Environmental Consultants, Inc.

712 Main St. Suite L1
Buffalo, NY 14202
OFFICE (716) 833-0043 | FAX (716) 241-8689
www.amdenvironmental.com



712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

October 19th, 2020

Connor M. Kenney SAA/EVI 1631 Hertel Avenue Buffalo, NY 14216

Re: Pre-Demolition Asbestos Inspection Report

Buildings 10, 11, 12, 13, 14, 15, 16, Garage Structure

91 Nora Lane, Buffalo, NY 14209 AMD Project ID: 15-0121JWA

Mr. Kenney:

I am pleased to present this summary of asbestos survey services at the above referenced address.

AMD Environmental Consultants conducted a visual pre-demolition asbestos update for Buildings 10, 11, 12, 13, 14, 15, 16, & Garage Structure at the above referenced address on September 3rd, 2020. Building materials were identified to be consistent and homogeneous to those that were initially sampled during the 2015 inspection which is included as an appendix to this report. For more detail refer to the summary on page 4.

New York State asbestos regulations (12 NYCRR 56-5) require that asbestos surveys are conducted in order to determine whether or not the building or structure, or portion(s) thereof to be demolished, renovated, remodeled, contains asbestos containing building materials (ACBM), or presumed asbestos containing materials (PACM). These regulations also require that a copy of the pre-renovation survey be forwarded to the local New York State Department of Labor (NYSDOL) Asbestos Control Bureau immediately upon completion of the survey (Buffalo Office: 65 Court Street, Rm. 405, Buffalo, NY 14202). If requested to AMD in writing, a copy of the survey will be submitted on your behalf to the NYSDOL, otherwise a copy must be submitted by the owner.

AMD Environmental Consultants, Inc. surveys are intended to determine, to a reasonable extent, the presence, location, quantity, and condition of accessible asbestos containing materials (surfacing, thermal systems insulation, and miscellaneous materials). The information contained herein is representative of conditions found onsite during the date/time this survey was conducted. Environmental conditions, renovation, vandalism, etc. may alter conditions from the date/time that this survey was conducted, potentially creating new hazards.

Please do not hesitate to contact me if I may provide any additional information.

Sincerely,

Anthony DeMiglio President

15-0121JWA

712 Main St. Suite L1 Buffalo, NY 14202 -0043 Fax: 716 241-8689

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

Table of Contents

1.0 Asbestos Inspection

- 1.1 Introduction
- 1.2 Executive Summary
- 1.3 Purpose
- 1.4 Methodology

2.0 Site Map

APPENDIX

Appendix A: Firm Certification and Personnel License(s)

Appendix B: Laboratory Certification

Appendix C: AMD Environmental 2015 Pre Demolition Asbestos Inspection

712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.0 Asbestos Inspection

1.1 Introduction

AMD Environmental Consultants, Inc (AMD) was retained by Connor M. Kenney to inspect the buildings located at 91 Nora Lane in Buffalo, NY for the presence of materials suspected of containing asbestos in areas of planned renovations.

AMD was assigned to:

- Locate suspect asbestos containing materials (ACM),
- Sample these materials to determine asbestos content, and
- Identify the locations and estimated quantities of the confirmed asbestos containing materials.

The information following this introduction details the amount of asbestos present in this facility and the location of the ACBM (asbestos containing building materials). Although the report is a comprehensive analysis of the asbestos inspection work performed, it would be helpful to review all applicable federal, state and local rules, laws and regulations regarding the handling and treatment of ACBM.

The following is a list of suggested reading and information sources relating to asbestos:

- New York State Department of Labor Industrial Code Rule 56
- National Emission Standard for Hazardous Air Pollutants (NESHAPS)
- Occupational Safety and Health Administration
- (OSHA 1926.1101, 1910.134, 1910.1020, 1910.1200, 1910.145, 1910.95, 1926.58)
- Environmental Protection Agency rule CFR763.46 Asbestos Hazard Emergency Response Act

712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.2 Executive Summary

The scope of services included the identification of suspect asbestos containing building materials in areas of planned renovations; sampling and analysis of the suspect materials; and identifying the locations, estimated quantities, and condition of the confirmed asbestos containing materials.

Sampling and analysis of the suspect materials under Polarized Light Microscopy (PLM), and where necessary, under Transmission Electron Microscopy (TEM), revealed the following materials as asbestos containing building materials (ACBM):

ASBESTOS CONTAINING MATERIALS SUMMARY

| HAN | Material Description | SID (Space Identification Number) | Estimated Quantity SF* | Friability/ Condition |
|------|---------------------------------------------------------------------|--------------------------------------|------------------------------------------------|--------------------------|
| 300 | All Flooring Materials (Linoleum and Floor Tiles) -See Note 1 | Buildings 10, 11, 12, 13, 14, 15, 16 | 30,100 sq. ft. (4,300 sq. ft./ Building) | NF/D |
| 300A | All Flooring Mastic -See Note 1 | Buildings 10, 11, 12, 13, 14, 15, 16 | Included in HAN 300 | NF/D |

^{*}Quantities are approximate, and are only associated with areas of planned renovation. Additional asbestos containing materials may be located outside areas of planned renovation that were not surveyed, assessed or quantified during this inspection.

INSPECTION NOTES:

Note 1: Material was previously sampled and found to contain asbestos. See appendix C for AMD Environmental's 2015 Pre Demolition Asbestos Inspection Report.

KEY TERMS AND DEFINITIONS:

HAN= Homogenous Area Number; number assigned to categorize materials of like composition, texture and appearance SID=Space Identification Number: Sample Locations

Friability/Condition:

F= Friable: a material that when dry, can be crumbled, pulverized, or reduced to powder by hand pressure, or is capable of being released into the air by hand pressure.

NF= Non Friable: a material that when dry, cannot be crumbled, pulverized, or reduced to powder by hand pressure, or is incapable of being released into the air by hand pressure.

I= Intact: Asbestos material that has not crumbled, been pulverized, or otherwise been damaged or disturbed, and the material's matrix has not noticeably deteriorated.

D= Damaged: Asbestos material that has deteriorated or sustained physical injury demonstrated by separation of the ACM into layers, separation of the ACM from the substrate, flaking, blistering, crumbling, water damage, scrapes, gouges, or other signs of physical injury.

SD=Significantly Damaged: Damaged asbestos where the damage is extensive and severe.

ACM=Asbestos Containing Material: material analyzed and confirmed by laboratory to contain above 1% of asbestos

PACM= Presumed Asbestos Containing Material: this material was assumed to contain asbestos to either save the client on lab fees or because the material was adhered to another asbestos containing material (or adjacent to other materials needing abatement) and must be managed as such.

712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.3 Purpose

The purpose of the asbestos inspection was to identify and quantify the types of asbestos containing building materials (ACBM) in areas of planned renovations. Samples of the suspect materials were collected for analysis by an independent laboratory, and the condition of each material noted in relation to its potential to be disturbed. The potential for fiber release was also considered.

The report is generated for the exclusive use of Connor M. Kenney and its representatives or agents, and is not designed to serve as a specification for abatement. Before requesting bids for abatement of materials identified in this report, the owner is strongly encouraged to contract with a consultant to provide this valuable service. A specification assures that all contractors are bidding on the same methodology and following the specific requirements for the work to be performed.

HOMOGENOUS MATERIALS & SAMPLE RESULTS

| HAN | Suspect Asbestos Containing Material Description | SID (Space Identification Number) | Sample No. | ACM (Y/N) | Estimated Quantity SF* | Friability/ Condition | |
|-----------------------------------------------|--------------------------------------------------|-----------------------------------------|------------|--------------|------------------------------|--------------------------|--|
| | | | | | | | |
| See Appendix C for Homogeneous Materials List | | | | | | | |

^{*}Quantities are approximate, and are only associated with areas of planned renovation. Additional asbestos containing materials may be located outside areas of planned renovation that were not surveyed, assessed or quantified during this inspection.

The above listed table provides a list of the materials that were sampled and tested for asbestos by Polarized Light Microscopy (PLM) and or Transmission Electron Microscopy (TEM), as applicable. Any sample determined to be a non-friable organically bound material (NOB), and which was found to be negative by Polarized Light Microscopy (PLM) analysis, was then analyzed by Transmission Electron Microscopy (TEM) analysis at American Science Team New York Inc. (AmeriSci) in New York, New York. AmeriSci is an ELAP Certified laboratory (ID: 11480) and conducts analysis according to EPA Method 198.1, 198.4 and 198.6. See Section 2.0 for the laboratory's analytical results.

712 Main St. Suite L1
Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.4 Methodology

All work performed by AMD Environmental Consultants, Inc. was conducted in accordance with applicable regulations, including New York State Department of Labor standards 12NYCRR Part 56, National Emission Standards for Hazardous Air Pollutants (NESHAPS), and Occupational Safety and Health Administration regulations 29CFR1910.1101 and 29CFR1910.134. All AMD personnel assigned to conduct inspections have completed the Environmental Protection Agency (EPA) required training and New York State Department of Labor Division of Safety and Health certification program.

Each suspect asbestos containing building material (ACBM) was assigned a homogenous area number (HAN). Homogeneous areas consist of materials of like composition, texture and appearance.

Based on the homogeneous areas, samples of suspect materials were collected. Techniques used for sample collection were designed to minimize damage to suspected areas, reduce any potential for fiber release, and ensure the safety of the inspector and building occupants. Samples were collected by AMD personnel using the following procedures:

- 1. The surface to be sampled was sprayed with amended water (detergent and water) as necessary
- 2. A plastic sample bag was held to the surface sampled
- 3. The sample was collected using tools appropriate to the friability of the material sampled
- 4. Sample bags were labeled with a unique sample identification number
- 5. Samples were recorded on a Chain of Custody form, and submitted under strict chain-of-custody procedures to American Science Team New York Inc. (AmeriSci) in New York, New York. AmeriSci is an ELAP and NYSDOH approved, certified laboratory for PLM and TEM analysis (ELAP ID: 11480).

Samples were first analyzed using PLM, Polarized Light Microscopy in accordance with US Environmental Protection Agency Interim Method, 40CFRPt763, Supt F, App A(7-1-87). For the sample results not considered definitive, additional analysis was performed under Transmission Electron Microscopy (TEM) in accordance with NYSDOH ELAP Item 198.4, for Non-friable Organically Bound Bulk Material (NOB). The results of these analyses confirmed whether or not a suspect materials actually contained asbestos. All materials sampled are summarized in Section 1.3 of this report; the presumed asbestos containing materials and materials containing asbestos above 1.0% are listed in Section 1.2.




AMD Environmental Consultants, Inc. 712 Main St. Suite L1 Buffalo, NY 14202 Office: 716-833-0043 Fax: 716-241-8689 www.amdenvironmental.com

2.0 Site Map

7 15-0121JWA Pilgrim Village Apartments

712 Main St. Suite L1 Buffalo, NY 14202 Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

Pilgrim Village Apartments Demolition Buildings #10 - #16





712 Main St. Suite L1 Buffalo, NY 14202 Office: 716-833-0043 Fax: 716-241-8689 www.amdenvironmental.com

Appendix A: Firm Certification and Personnel License(s)

15-0121JWA 9 Pilgrim Village Apartments



712 Main St. Suite L1 Buffalo, NY 14202 Office: 716-833-0043 Fax: 716-241-8689 www.amdenvironmental.com

New York State – Department of Labor

Division of Safety and Health License and Certificate Unit State Campus, Building 12 Albany, NY 12240

ASBESTOS HANDLING LICENSE

AMD Environmental Consultants, Inc. Suite L1
712 Main Street

Buffalo, NY 14202

FILE NUMBER: 10-56177 LICENSE NUMBER: 56177 LICENSE CLASS: RESTRICTED DATE OF ISSUE: 10/25/2019 EXPIRATION DATE: 11/30/2020

Duly Authorized Representative - Anthony DeMiglio:

This license has been issued in accordance with applicable provisions of Article 30 of the Labor Law of New York State and of the New York State Codes, Rules and Regulations (12 NYCRR Part 56). It is subject to suspension or revocation for a (1) serious violation of state, federal or local laws with regard to the conduct of an asbestos project, or (2) demonstrated lack of responsibility in the conduct of any job involving asbestos or asbestos material.

This license is valid only for the contractor named above and this license or a photocopy must be prominently displayed at the asbestos project worksite. This license verifies that all persons employed by the licensee on an asbestos project in New York State have been issued an Asbestos Certificate, appropriate for the type of work they perform, by the New York State Department of Labor.

Eileen M. Franko, Director For the Commissioner of Labor

SH 432 (8/12)

AMD Environmental Consultants, Inc. 712 Main St. Suite L1 Buffalo, NY 14202 Office: 716-833-0043 Fax: 716-241-8689 www.amdenvironmental.com


Appendix B: Laboratory Certification

15-0121JWA 11 Pilgrim Village Apartments



712 Main St. Suite L1 Buffalo, NY 14202 Office: 716-833-0043 Fax: 716-241-8689

www.amdenvironmental.com





Expires 12:01 AM April 01, 2021 Issued April 01, 2020

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. THOMAS R. MCKEE AMERISCI RICHMOND 13635 GENITO RD MIDLOTHIAN, VA 23112 NY Lab Id No: 10984

is hereby APPROVED as an Environmental Laboratory for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE All approved subcategories and/or analytes are listed below:

Miscellaneous

Asbestos in Friable Material

Item 198.1 of Manual

EPA 600/M4/82/020

Asbestos in Non-Friable Material-PLM

Item 198.6 of Manual (NOB by PLM)

Asbestos in Non-Friable Material-TEM

Item 198.4 of Manual

Asbestos-Vermiculite-Containing Material Item 198.8 of Manual

Serial No.: 61267

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

Page 1 of 1




712 Main St. Suite L1 Buffalo, NY 14202 Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

Appendix C: 2015 AMD Environmental Pre Demolition Asbestos Inspection



Pre-Demolition Asbestos Sampling Report



Pilgrim Village Apartments Buildings 1, 2, 3, 4, 6 38 Holloway Blvd. Buffalo, NY 14209

AMD Project: 15-0121JWA

Prepared for:

David Sanford R&P Oak Hill Development, LLC. 3556 Lakeshore Rd. Buffalo, NY 14219

Prepared by:

AMD Environmental Consultants 4248 Ridge Lea Road Amherst, NY 14226 Conditions as of: January 21, 2015



January 28, 2015

David Sanford R&P Oak Hill Development, LLC. 3556 Lakeshore Rd. Buffalo, NY 14219

Re: Pre-Demolition Asbestos Sampling Report

Pilgrim Village Apartments / Buildings 1, 2, 3, 4, 6 38 Holloway Blvd. Buffalo, NY 14209

Mr. Sanford:

I am pleased to present this summary of asbestos survey services at the above referenced address.

Gerald Dunlap and Jonathan Wolf conducted representative pre-demolition asbestos sampling at the above referenced buildings on January 21, 2015 for areas to be affected by planned demolitions. Asbestos containing materials (ACM) were identified above 1% in materials that were sampled. For more detail refer to the summary on page 5.

New York State asbestos regulations (12 NYCRR 56-5) require that asbestos surveys are conducted in order to determine whether or not the building or structure, or portion(s) thereof to be demolished, renovated, remodeled, contains ACM, PACM or asbestos materials. These regulations also require that a copy of the pre-renovation survey be forwarded to the local New York State Department of Labor (NYSDOL) Asbestos Control Bureau immediately upon completion of the survey (NYSDOL contact info. at end of report). If requested in writing, a copy of the survey will be submitted on your behalf to the NYSDOL, otherwise a copy must be submitted by the owner.

AMD Environmental Consultants, Inc. surveys are intended to determine, to a reasonable extent, the presence, location, quantity, and condition of accessible asbestos containing materials (surfacing, thermal systems insulation, and miscellaneous materials). The information contained herein is representative of conditions found onsite during the date/time this survey was conducted. Environmental conditions, renovation, vandalism, etc. may alter conditions from the date/time that this survey was conducted, potentially creating new hazards.

Please do not hesitate to contact me if I may provide any additional information.

Sincerely,

Anthony DeMiglio President



Table of Contents

Pre-Demolition Asbestos Sampling Report

Part 1: Asbestos Containing Material Summary Inspection Notes

Part 2: Homogeneous Materials List

Part 3: Laboratory Analytical Results

Part 4: Sample Chain of Custody

Part 5: Firm Qualifications

Part 6: Lab Qualifications

Appendix A: Site Map

Appendix B: Site Pictures

Part 1: Asbestos Containing Materials Summary

15-0121JWA 4 Pilgrim Village Apts.



Asbestos Containing Materials Summary

Pilgrim Village Apts. Buildings 1,2,3,4,6

AMDEC project: 15-0121JWA

| Sample # | Material Description | Location | Estimated Amount | Condition |
|------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------|
| 2,4,20,33,43 Note 1 | All Flooring Materials (Linoleum and Tiles) | Buildings 1,2,3,4,6 Living Rooms, Hallways, Bed Rooms, Kitchens and Bathrooms and wherever present | 21,500 Sq. Ft. (4,300 Sq.Ft./Bldg) | D |
| 3,3A.19,19A | All Flooring Mastic (Black Mastic) | Buildings 1,2,3,4,6 Living Rooms, Hallways, Bed Rooms, Kitchens and Bathrooms and wherever present | 21,500 Sq. Ft. (4,300 Sq.Ft./Bldg) | D |

Quantities are estimated and subject to bidders verification.

Inspection Notes: Representative pre-demolition asbestos sampling at the above referenced buildings was conducting by sampling suspect materials in one unit per building. Occupancy by tenants prevented inspections of every unit; therefore representative sampling was conducted as per owner's request. Asbestos containing materials (ACM) were identified for all flooring and flooring mastic for buildings 1,2,3,4 and 6.

Note 1: All Floor Tiles (12"x12") must be treated as an asbestos containing material (ACM) because the materials were found to be adhered to another asbestos containing material (Floor Mastic).

Terms / Definitions Key

HAN Type: Homogeneous area
I: Intact Condition
D: Damaged Condition

SD: Significantly Damaged Condition

F: Friable

NF: Non-Friable

PLM: Analyzed by Polarized Light Microscopy

TEM: Analyzed by Transmission Electron Microscopy

NAD: No asbestos detected

NA: Not applicable PS: Positive Stop

Trace: Less than 1% asbestos (Non ACM)
ACM: Asbestos Containing Material

PACM: Presumed Asbestos Containing Material

Part 2: Homogeneous Materials List



Homogenous Materials List Pilgrim Village Apts. Buildings 1,2,3,4,6 AMDEC project: 15-0121JWA

| Homogenous Area Number | Suspect Asbestos Containing Material | Confirmed ACM (Y/N) | Friability (F/NF) | Sample Number(s) |
|---------------------------|-------------------------------------------|---------------------------|----------------------|-------------------------------------------------|
| 001-Bldgs. 1,2,3,4,6 | Roofing Shingle Top Layer | No | NF | 9,14A,26,35A,46 |
| 002-Bldgs. 1,2,3,4,6 | Roofing Shingle Bottom Layer | No | NF | 10,15,27,36,47 |
| 003-Bldgs. 1,2,3,4,6 | Roofing Felt | No | NF | 11,16,28,37,48 |
| 004-Bldgs. 1,2,3,4,6 | Roofing Tar | No | NF | 12,17,29,38,49 |
| 005-Bldgs. 1,2,3,4,6 | Window / Door Caulk | No | NF | 8,13,25,34A,50A |
| 101-Bldgs. 1,2,3,4,6 | Linoleum Flooring (Beige Pattern) | YES | NF | 2,4,4A 20,33,43,21,21A, 41,41A |
| 102-Bldgs.1,2,3,4,6 | 12"x12" Floor Tile (Tan/Beige Pattern) | No | NF | 1,1A,18,18A,30, 30A,39,39A |
| 103-Bldgs. 1,2,3,4,6 | Flooring Mastic (Black) | YES | NF | 3,3A,19,19A,40, 40A |
| 104-Bldgs. 1,2,3,4,6 | Cove Base Mastic | No | NF | 5,5A,22,22A,42, 42A |
| 105-Bldgs. 1,2,3,4,6 | Joint Compound | No | F | 6,6A,6B,23,23A, 23B,31,31A,31B,44 44A,44B |
| 106-Bldgs. 1,2,3,4,6 | Drywall | No | F | 7,7A,7B,24,24A, 24B,32,32A,32B,45 45A,45B |

The above listed table provides a list of the materials that were sampled and tested for asbestos by Polarized Light Microscopy (PLM) and or Transmission Electron Microscopy (TEM) as applicable. Any sample determined to be a non-friable organically bound material (NOB) and which was found to be negative by Polarized Light Microscopy (PLM) analysis, is then analyzed by Transmission Electron Microscopy (TEM) analysis at AmeriSci Laboratories in NYC. AmeriSci is an ELAP Certified laboratory (ID# 11480) and conducts analysis according to EPA Method 198.4.

15-0121JWA 7 Pilgrim Village Apts.

Part 3: Laboratory Analytical Results

AmeriSci Job #, 115011685

Consequence of the consequence o

Summary of Bulk Asbestos Analysis Results 150121JW.A; 38 Holloway Blvd; Bulk Samples

Table I

| Location: Ro | Client Sample# | Area | (gram) | Sensitive Organic % | Soluble Inorganic % | Non-Asbestos Inorganic % | Asbestos % by PLM/DS | ** Asbestos % by |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------|------------------------------------------|-----------------------------------------|------------------------|----------------------------------------|----------------------|------------------|
| Location: Ro 02 Location: Ro 04 Location: Ro 05 Location: Ro 07 Location: Ro 08 Location: Ro 09 Location: Ro 09 Location: Ro 09 Location: Ro 09 | O1 | + | 0.316 | 22.8 | 37.5 | 30.7 | 2004 | - CM |
| Location: Ro O3 Location: Ro O4 Location: Ro O5 Location: Ro O7 Location: Ro O8 Location: Ro O9 Location: Ro O9 Location: Ro O9 Location: Ro O9 | Location: Roofing Top Layer | | | 0.0000000000000000000000000000000000000 | | | 2 | NAD |
| Location: Ro 03 Location: Ro 05 Location: Roc 07 Location: Roc 08 Location: Roc 09 Location: Roc 09 Location: Roc 09 | 14A | - | 0.231 | 25.6 | 44.8 | 900 | | |
| 03 Location: Ro 04 Location: Ro 05 Location: Ro 07 Location: Ro 08 Location: Ro 09 Location: Ro 09 Location: Ro 10 | Location: Roofing Top Layer | | | | 2 | 0.67 | NAD | NAD |
| Location: Ro O4 Location: Ro O6 Location: Ro O7 Location: Roc O8 Location: Roc O9 Location: Roc | 58 | ٠ | 0.159 | 21.5 | 37.7 | 000 | | |
| D4 Location: Ro O5 Location: Roc O7 Location: Roc O8 Location: Roc O9 Location: Roc O9 Location: Roc | Location: Roofing Top Layer | | | | | b.OF | NAD | NAD |
| Location: Ro 05 Location: Ro 07 Location: Ro 08 Location: Roc 09 Location: Roc | 35A | | 0.320 | 20.7 | 30.5 | 48.8 | | |
| Ucation: Rod | Location: Roofing Top Layer | | | | | 0 | NAD | NAD |
| Location: Roo 06 Location: Roo 08 Location: Roo 09 Location: Roo 10 | 46 | = | 0.267 | 24.1 | 1 777 | 9 | | |
| 06 Location: Roy 07 Location: Roy 08 Location: Roy 09 Location: Roy 10 | Location: Roofing Top Layer | | | | 044240 | 0.75 | NAD | NAD |
| Location: Roc 07 Location: Roc 09 Location: Roc 10 | 10 | 2 | 0.245 | 543 | 13.0 | | 9 | |
| 07 Location: Roc 08 Location: Roc 09 Location: Roc | Location: Roofing Bottom Layer | | £ 60 00 00 00 00 00 00 00 00 00 00 00 00 | | | 36.7 | NAD | NAD |
| Location: Roc 08 Location: Roc 09 Location: Roc 10 | 15 | 2 | 0.275 | 39.0 | 13.0 | 74.0 | | |
| 08 Location: Rod 09 Location: Rod | Location; Roofing Bottom Layer | | | | 1 | n , | NAD | NAD |
| Location: Rod 09 Location: Rod 10 | 27 | 2 | 0.244 | 36.5 | ÷. | 980 | | |
| 09 Location: Roc 10 | Location: Roofing Bottom Layer | | | 200100 | | | NAD | NAD |
| Location: Roc 10 | 88 | 5 | 0.206 | 58.0 | 11.0 | 30.0 | ; | |
| 10 | Location: Roofing Bottom Layer | | | | | n. | NAD | NAD |
| | 47 | 2 | 0.250 | 31.9 | 22.3 | 0 45 | | |
| Location: Roc | Location: Roofing Bottom Layer | | | 2000 | ì | 0 | NAD | NAD |
| = | = | m | 0.126 | 97.4 | 112 | | ; | 55000 |
| Location: Roofing Felt | ofing Felt | | | | | 2 | NAD | NAD |
| 12 | 16 | m | 0.093 | 6 26 | æ | | | |
| Location: Roofing Felt | ofing Felt | | | | | 70 | NAD | NAD |
| 13 | 28 | m | 0.293 | 64.2 | 12.2 | 200 | 1111111 | |
| Location: Roofing Felt | ofing Felt | | | | 4 | 6.5.0 | NAD | NAD |
| 14 | 37 | n | 0.097 | 8 96 | 0.0 | • | | |
| Location: Roofing Felt | ofing Felt | | | } | 2 | 7 | NAD | NAD |
| 15 | 48 | 6 | 0.105 | 97.2 | * | | 9 6 6 | |
| Location: Roofing Felt | nfing Felt | | | | 65 | ************************************** | ZAD | NAD |
| 16 | 12 | 4 | 0.279 | 46.2 | 26.6 | 27.2 | | |
| Location: Roofing Tar | ifing Tar | | | (2) (2) | | 4.14 | NAD | NAD |

Pilgrim Village Apts.

AmeriSci Job #: 115011685

Table I

Summary of Bulk Asbestos Analysis Results 150121JW.A; 38 Holloway Blvd; Bulk Samples

| Sample # Client Sample# | Area | (gram) | Organic % | Inorganic % | Inorganic % | Asbestos % by PLM/DS | - Asbestos % by |
|--------------------------------------|------|----------|-----------|-------------|-------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17 | 4 | 0.213 | 86.4 | 68 | 9.7 | 0.00 | |
| Location: Roofing Tar | | | | | | ON | NAD |
| 18 29 | 4 | 0.119 | 85.7 | 67 | 110 | | |
| Location: Roofing Tar | | | | | 2 | O-N | NAD |
| 19 38 | 4 | 0.133 | 73.9 | 5.3 | e | | |
| Location: Roofing Tar | | | 0.000 | 1 | 2 | GAN. | NAD |
| 20 49 | 4 | 0.285 | 76.6 | 8.7 | 9 | 2 | A-300000 |
| Location: Roofing Tar | | | | | 14.0 | Q V | NAD |
| 21 8 | S | 0.177 | 49.0 | 98 | | : | |
| Location: Caulk Window/Door | | | | | | O'S | NAD |
| 22 13 | 50 | 0.258 | 60 | 37.9 | 9 | | |
| Location: Caulk Window/Door | | | } | 1 | 2 | NAD | NAD |
| 23 25 | un. | 0.082 | 55.5 | 8 | 2 | | |
| Location: Caulk Window/Door | | | | 200 | ò | NAD | NAD |
| 24 34A | 9 | 0.092 | 56.7 | 47.0 | | | |
| Location: Caulk Window/Door | | | | 9 | t o | NAD | NAD |
| 25 50A | *0 | 0.181 | 47.1 | 24.2 | 0 | | 2000 |
| Location: Caulk Window/Door | | | | į | | NAD | NAD |
| 26 2 | 9 | 0.091 | 46.4 | 23.9 | e se | | 0.5550 |
| Location: Flooring Bath RM | | | | | n. | Chrysotile 23.8 | ď |
| 27 20 | 9 | 0.126 | 49.2 | 21.2 | 20.6 | | Į. |
| Location: Flooring Bath RM | | | | | 0.64 | NATA | Y. |
| 28 33 | 9 | 0.117 | 48.9 | 23.2 | 080 | | |
| Location: Flooring Bath RM | | | | | 9 | NAVES | ¥ |
| 29 43 | ဖ | 0.128 | 48.5 | 19.2 | 6 64 | 4 | 3 |
| Location: Flooring Bath RM | | | | | 95.0 | NAPA | AN A |
| 30 | 7 | 0.146 | 46.6 | 613 | c | | |
| Location: Flooring L/R & Hallway | | | | | Q. | OAN | Chrysotile Trace |
| 31 1A | 7 | 0.208 | 163 | 4 | 9 | | A CONTRACTOR OF THE PROPERTY O |
| Location: Drywall | | 00000000 | 6 |) | 9 | QVV. | Chrysottle Trace |
| 32 3 | 8 | 0.056 | 81.6 | 6 | 30 | ; | |
| Account of the sales of the sales of | | | 1000000 | 9 | 0.4 | Chrysotie 9.9 | AN |

AmeriSci Job #: 115011685 Client Name: AMD Environmental Consultants, Inc.

| ø | |
|--------------------------|-------------------------------------------|
| Kesult | moles |
| ysis | IL Carr |
| s Analysi | d |
| stos | av Blu |
| Asbe | Hollow |
| Sulk | 38 |
| 50/ | 4 IVV |
| Summary of Bulk Asbestos | 150124 IM A: 38 Hollowen Blod Bulb Cample |
| | |

| samble # | Client Sample# | Area | (gram) | Organic % | Inorganic % | Inorganic % | PLMDS | TEM 70 U |
|----------------------------|---------------------------------|------|--------|-----------|-------------|-------------|-----------------|----------|
| 33 | 34 | 8 | 0.065 | 71.7 | 11.4 | 16.9 | NAPS | ž |
| Location: Ma | Location: Mastic L/R & Hallway | | | | | | | 2000 |
| 34 | • | ø | 720.0 | 33.5 | 42.0 | 4.9 | Chrysotile 19.6 | ž |
| Location: Flooring Kitchen | noning Kitchen | | | | | | | |
| 35 | 44 | o | 0.156 | 35.2 | 36.4 | 28.4 | NAPS | ž |
| Location; Flooring Kitchen | oring Kitchen | | | | | | | |
| 36 | so. | 0 | 0.208 | 46.8 | 4.4 | 48.9 | NAD | NAD |
| Location; Bat | Location; Base Cove Mastic | | | | | | | |
| 37 | Ϋ́ς | 10 | 0.343 | 46.8 | 3.4 | 49.7 | NAD | NAD |
| Location: Bas | Location; Base Cove Mastic | | | | | | | |
| 38 | ø | 11 | 1 | 1 | 1 | 1 | NAD | W |
| Location: Joint Compound | nt Compound | | | | | | | 0110 |
| 39 | 64 | = | I | I | 1 | - | NAD | NA |
| Location: Joi | Location: Joint Compound | | | | | | | 200 |
| 40 | 99 | 11 | I | I | I | i | NAD | AN |
| Location: Joli | Location: Joint Compound | | | | | | | |
| 41 | 7 | 12 | I | 1 | 1 | 1 | NAD | NA |
| Location: Drywall | wall | | | | | | | |
| 42 | 7A | 12 | 1 | 1 | 1 | I | NAD | A. |
| Location: Drywall | wall | | | | | | | |
| 43 | 78 | 12 | | ı | ſ | I | NAD | AN |
| Location: Drywall | WBIL | | | | | | | |
| 44 | 18 | 13 | 0.324 | 16.7 | 81.8 | 1,5 | NAD | NAD |
| Location: Flo. | Location: Flooring 4R & Hallway | | | | | | | |
| 45 | 18A | 13 | 0.247 | 16.5 | 82.3 | 55 | NAD | OAN |
| Location: Flo- | Location: Flooring 4R & Hallway | | | | | | | |
| 46 | 49 | 4 | 0.056 | 72.9 | 16.0 | 2.2 | Chrysotle 8.9 | N. |
| Location: Ma | Location: Mastic 4R & Hallway | | | | | | | |
| 47 | 19A | 4 | | I | I | I | NAPS | 2 |
| Location: Max | Location: Mastic 4R & Hallway | | | | | | | |
| 48 | 24 | 15 | 0.472 | 18.2 | 78.3 | 3.5 | NAD | OWN |
| Location: Flooring Kitchen | oring Kitchen | | | | | | | |

** Asbestos % by TEM NAD

MAD

AmeriSci Job #: 115011685

Client Name: AMD Environmental Consultants, Inc.

I able I Summary of Bulk Asbestos Analysis Results

| AmeriSci Sample# | Client Sample# | HG | Sample Weight (gram) | Heat Sensitive Organic % | Acid Soluble Inorganic % | Insoluble Non-Asbestos Inorganic % | ** Asbestos % by PLMIDS |
|---------------------|----------------------------|--------------|----------------------------|--------------------------------|--------------------------------|------------------------------------------|-------------------------|
| 49 | 21A | 15 | 0.200 | 20.2 | 77.1 | 2.7 | NAD |
| Location: Fi | Location: Flooring Kitchen | | | | | | |
| 90 | 22 | 9 | 0.384 | 51.9 | 3.0 | 45.1 | NAD |
| Location: B | Location: Base Cove Mastic | | | | | | |
| 51 | 22A | 16 | 0.395 | 51.9 | 2.3 | 45.8 | NAD |
| Location: B | Location: Base Cove Mastic | | | | | | |
| 52 | 23 | 17 | I | | I | I | NAD |
| Location: Je | Location: Joint Compound | | | | | | |
| 53 | 23A | 17 | I | I | 1 | 1 | NAD |
| Location: Je | Location; Joint Compound | | | | | | |
| 55 | 238 | 17 | 1 | 1 | 1 | 1 | NAD |
| Location: Jk | Location: Joint Compound | | | | | | |
| 55 | 24 | 18 | I | I | I | ĵ | NAD |
| Location: Drywall | rywaii | | | | | | |
| 99 | 24A | 18 | I | 1 | 1 | 1 | NAD |
| Location: Drywall | rywaii | | | | | | |
| 22 | 24A | 0 | 1 | 1 | È | 1 | NAD |
| Location: Drywall | rywall | | | | | | |
| 58 | 30 | p | 0.250 | 16.6 | 82.0 | ** | NAD |
| Location: Fi | Location: Flooring Throut | | | | | | |
| 69 | 30A | 9 | 0.227 | 16.6 | 82.2 | Σ | NAD |
| Location: FI | boring Throut | | | | | | |
| 9 | 90 31 | 50 | I | I | 1 | I | NAD |
| Location: Jo | Location: Joint Compound | | | | | | |
| 19 | 31A | 20 | 1 | 1 | 1 | | NAD |
| Location: Jo | Location: Joint Compound | | | | | | |
| 62 | 318 | 20 | I | I | I | 1 | NAD |
| Location: Jo | Location: Joint Compound | | | | | | |
| 63 | 32 | 21 | 1 | I | 1 | 1 | NAD |
| Location: Drywall | rywall | | | | | | |
| 25 | 32A | 21 | 1 | 1 | ĺ | I. | NAD |
| Location: Drywall | iywall | | | | | | |

ž

¥

ž

AmeriSci Job #: 115011685

Summary of Bulk Asbestos Analysis Results 150121JW.A; 38 Holloway Blvd; Bulk Samples Table I

| 65 32B Location: Drywell 30 | Client Sample# Area | (gram) | Organic % | Soluble Inorganic % | Non-Asbestos Inorganic % | Asbestos % by | "Asbestos % by |
|----------------------------------|---------------------|--------|-----------|------------------------|-----------------------------|---------------|------------------|
| ation: Drywall | 21 | 1 | 1 | 1 | | Commi | WZ. |
| | | | | | | NAD | A |
| | 22 | 0.211 | 17.3 | 80.8 | 9 | 6 | |
| Location: Flooring L/R & Hallway | way | | | | 2 | AAD. | Chrysotile Trace |
| 67 39A | 22 | 0.202 | 17.5 | 80.2 | 6 | | |
| Location: Flooring L/R & Hallway | way | | 50.50 | | 3 | NAD | NAD |
| 40 | 23 | 0.114 | 90.6 | 16.6 | 202 | | 3500 |
| Location: Mastic L/R & Hallway | | | | | 26.1 | O-V | NAD |
| 40A | 23 | 0.105 | 49.0 | 15.4 | 2.86.7 | | |
| Location: Mastic L/R & Hallway | | | | | 200 | NAD | NAD |
| 70 41 | 24 | 0.201 | 25.0 | 74.8 | | | |
| Location: Flooring Kitchen | | | | | 7.0 | NAD | NAD |
| 71 41A | 24 | 0.323 | 39.2 | 60.1 | | | |
| Location: Flooring Kitchen | | | | | ò | ON | NAD |
| 72 42 | 25 | 0.152 | 53.2 | 19.4 | 37.6 | | 10.00 |
| Location: Base Cove Mastic | | | | | 7 | O'AN | NAD |
| 73 42A | 25 | 0.158 | 67.9 | 5.6 | 7.90 | | |
| Location: Base Cove Mastic | | | | | | NAD. | NAD |
| 74 44 | 26 | 1 | 1 | - | 1 | 4 | |
| Location; Joint Compound | | | | | li, | NAD | NA |
| 75 44A | 28 | I | İ | I | | | 1977 |
| Location: Joint Compound | | | | | | 2 | NA |
| 76 44B | 26 | 1 | 1 | 1 | 1 | | |
| Location: Joint Compound | | | | | 10000 | NAD. | N. |
| 77 45 | 27 | | ı | 1 | | | The second |
| Location: Drywall | | | | | | NAD | NA. |
| 45A | 27 | I | Ī | I | | | |
| Location: Drywall | | | | | 1 | 3 | AA |
| 79 45B | 27 | 1 | I | I | | 2 | *** |
| Location: Drywall | | | | | I | SAD | A |

Page 6 of 6

AmeriSci Job #: 115011685

Client Name: AMD Environmental Consultants, Inc.

Table I

Summary of Bulk Asbestos Analysis Results

150121JW.A; 38 Holloway Blvd; Bulk Samples

| ** Asbestos % by |
|------------------------------------------|
| ** Asbestos % by PLM/DS |
| Insoluble Non-Asbestos Inorganic % |
| Acid Soluble Inorganic % |
| Heat Sensitive Organic % |
| Sample Weight (gram) |
| HG Area |
| Client Sample# |
| AmeriSci Sample # |

Semi-Quantitative Analysis: NAD = no asbestos detected; NA = not analyzed; NAPS = not analyzed due to positive stop; Trace = <1%, PLM analysis by EPA 600/M4-82-020 per 40 CFR 763 (NVLAP Lab Code 101904-0) or NY ELAP 198.1 for New York friable samples which includes quantitation of any vermiculite observed (198.6 for NOB samples) (NY ELAP Lab # 10984); TEM analysis by EPA 600/R-93/116 (not covered by NVLAP Bulk accreditation); or NY ELAP 188.4 for New York NOB samples (NY ELAP Lab # 10984); Date Analyzed: 1/28/2015 Analyzed By. Jean L. Mayor Date Reviewed: Reviewed by:

^{**} Warning Notes: Consider PLM fiber diameter limitation, only TEM will resolve fibers <0.25 micrometers in diameter. TEM bulk analysis is representative of the fine grained matrix material and may not be representative of non-uniformly dispersed debris, soils or other heterogeneous materials for which a combination PLM/TEM evaluation is recommended. Quantitation for beginning weights of <0.1 grams should be considered as qualitative only.



AmeriSci Richmond

13635 GENITO ROAD MIDLOTHIAN, VIRGINIA 23112 TEL: (804) 763-1200 • FAX: (804) 763-1800

PLM Bulk Asbestos Report

AMD Environmental Consultants, Inc.

Attn: Anthony DeMiglio

4248 Ridge Lea Rd

Suite 16

Amherst, NY 14226

Date Received

ELAP#

01/23/15

AmeriSci Job #

115011685

Date Examined 01/26/15

10984

P.O. # Page

of 16

RE: 150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No | ./HGA Lab | No. | Asbestos Present | Total % Asbestos |
|----------------------------|-----------------------------------------------------------------------------------------------|---------------|--------------------------------------|-------------------------------------------------------------|
| 9 | 1150116 Location: Roofing Top Layer | 85-01 | No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| Asbe | Description: Black, Heterogeneous, Non-Fibrestos Types: er Material: Non-fibrous 39.7 % | ous, Bulk Ma | aterial | on 01/26/15 |
| | Comment: Heat Sensitive (organic): 22.8%; | Acid Soluble | e (inorganic): 37.5%; Inert (Non-asb | pestos): 39.7% |
| 14A | 1150116 | 85-02 | No | NAD |
| 1 | Location: Roofing Top Layer | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbe | Description: Black/Brown, Heterogeneous, No stos Types; er Material: Non-fibrous 29.6 % | on-Fibrous, E | Bulk Material | 317 01720/13 |
| | Comment: Heat Sensitive (organic): 25.6%; | Acid Soluble | (inorganic): 44.8%; Inert (Non-asb | estos): 29.6% |
| 26 | 1150116 | 85-03 | No | NAD |
| 1 | Location: Roofing Top Layer | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbe | lescription: Black/Brown, Heterogeneous, No stos Types: er Material: Non-fibrous 40.9 % | n-Fibrous, B | Julk Material | on 01/20/15 |
| | Comment: Heat Sensitive (organic): 21.5%; / | Acid Soluble | (inorganic): 37.7%; Inert (Non-asb | estos): 40.9% |
| 35A | 11501168 | 85-04 | No | NAD |
| NATIONAL WISSENSON CONTROL | Location: Roofing Top Layer | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbes | escription: Black, Heterogeneous, Non-Fibro tos Types: r Material: Non-fibrous 48.8 % | us, Bulk Mat | terial | 511 5112 515 |
| | Comment: Heat Sensitive (organic): 20.7%; A | cid Soluble | (inorganic): 30.5%; Inert (Non-asbe | estos): 48.8% |

AmeriSci Job #: 115011685

Client Name: AMD Environmental Consultants, Inc.

Page 2 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | No. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| 46 1 | Location: Roofin | 115011685-05 ng Top Layer | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Α | st Description: Black, Hetero sbestos Types: Other Material: Non-fibrous 3 | geneous, Non-Fibrous, Bulk M 1.8 % | aterial | 0101120/15 |
| | Comment: Heat Sensitive | e (organic): 24.1%; Acid Soluble | e (inorganic): 44.1%; Inert (Non-asb | estos): 31.8% |
| 10 | | 115011685-06 | No | NAD |
| 2 | Location: Roofin | • • • • • • • • • • • • • • • • • • • • | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| A | st Description: Black, Hetero sbestos Types: Other Material: Non-fibrous 3: | geneous, Non-Fibrous, Bulk Ma 2.7 % | aterial | |
| | Comment: Heat Sensitive | (organic): 54.3%; Acid Soluble | (inorganic): 13.0%; Inert (Non-asb | estos): 32.7% |
| 15 | | 115011685-07 | No | NAD |
| | Location: Roofin st Description: Black/Brown, I | g Bottom Layer Heterogeneous, Non-Fibrous, E | Bulk Material | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| | Other Material: Non-fibrous 47 | 7.9 % | | |
| | | (organic): 39 0%: Acid Soluble | (inorganic): 13.0%; Inert (Non-asb | |
| | Comment: Heat Sensitive | (engante): eate /a; / told Collabia | and the contract of the contra | estos): 47.9% |
| | Comment: Heat Sensitive | 115011685-08 | No | estos): 47.9% NAD |
| 2 | Location: Roofing | 115011685-08 g Bottom Layer | No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| 2 Analys As | Location: Roofing | 115011685-08 g Bottom Layer Heterogeneous, Non-Fibrous, B | No | NAD (by NYS ELAP 198.6) |
| 2 Analys As | Location: Roofing st Description: Black/Brown, I bestos Types: Other Material: Non-fibrous 46 | 115011685-08 g Bottom Layer Heterogeneous, Non-Fibrous, B | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys As | Location: Roofing st Description: Black/Brown, I bestos Types: Other Material: Non-fibrous 46 | 115011685-08 g Bottom Layer Heterogeneous, Non-Fibrous, B | No Sulk Material | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys As (| Location: Roofing st Description: Black/Brown, H bestos Types: Other Material: Non-fibrous 46 Comment: Heat Sensitive Location: Roofing | 115011685-08 g Bottom Layer leterogeneous, Non-Fibrous, B 9 % (organic): 36.5%; Acid Soluble 115011685-09 g Bottom Layer | No Sulk Material (inorganic): 16.6%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 46.9% NAD (by NYS ELAP 198.6) by William M. Dunstan |
| As (| Location: Roofing st Description: Black/Brown, H bestos Types: Other Material: Non-fibrous 46 Comment: Heat Sensitive Location: Roofing | 115011685-08 g Bottom Layer Heterogeneous, Non-Fibrous, B 9 % (organic): 36.5%; Acid Soluble 115011685-09 g Bottom Layer eneous, Non-Fibrous, Bulk Mat | No Sulk Material (inorganic): 16.6%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 46.9% NAD (by NYS ELAP 198.6) |

Page 3 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | lo. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| 47 2 | Location: Roofing | 115011685-10 Bottom Layer | No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| As | st Description: Black/Tan, Het bestos Types: Other Material: Non-fibrous 45 | | lk Material | on 01/26/15 |
| | Comment: Heat Sensitive | (organic): 31.9%; Acid Soluble | e (inorganic): 22.3%; Inert (Non-asb | estos): 45.8% |
| 11 | | 115011685-11 | No | NAD |
| 3 | Location: Roofing | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| As | t Description: Black, Heterogo bestos Types; hther Material: Non-fibrous 1 % | | terial | |
| | Comment: Heat Sensitive | organic): 97.4%; Acid Soluble | (inorganic): 1.7%; Inert (Non-asbe | stos): 1.0% |
| 16 | | 115011685-12 | No | NAD |
| 3 | Location: Roofing | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| As | t Description: Black, Heteroge pestos Types: ther Material: Non-fibrous 0.2 | | terial | |
| | Comments Used Consider | organic): 97.9%; Acid Soluble | (inorganic): 1.8%; Inert (Non-asber | stos): 0.2% |
| | Comment: Heat Sensitive (| | | |
| 28 | Comment: Heat Sensitive (| 115011685-13 | No | |
| | Location: Roofing | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| Analys Asi | | Felt rogeneous, Non-Fibrous, Bulk | | NAD (by NYS ELAP 198.6) |
| Analys Asi | Location: Roofing Description: Black/Tan, Hete estos Types: ther Material: Non-fibrous 23.6 | Felt rogeneous, Non-Fibrous, Bulk 3 % | | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys Asi O | Location: Roofing Description: Black/Tan, Hete estos Types: ther Material: Non-fibrous 23.6 | Felt rogeneous, Non-Fibrous, Bulk 3 % | s Material | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys Asi O | Location: Roofing Description: Black/Tan, Hete estos Types: ther Material: Non-fibrous 23.6 Comment: Heat Sensitive (Location: Roofing | Felt rogeneous, Non-Fibrous, Bulk 3 % organic): 64.2%; Acid Soluble 115011685-14 Felt | (Material (inorganic): 12.2%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asi O Analysi Asi | Location: Roofing Description: Black/Tan, Hete estos Types: ther Material: Non-fibrous 23.6 Comment: Heat Sensitive (| Felt rogeneous, Non-Fibrous, Bulk 3 % organic): 64.2%; Acid Soluble 115011685-14 Felt neous, Non-Fibrous, Bulk Mat | (Material (inorganic): 12.2%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 23.6% NAD (by NYS ELAP 198.6) by William M. Dunstan |

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | No. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 48 3 | Location: Roofing Felt | 115011685-15 | No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| A | est Description: Black, Heterogeneou sbestos Types: Other Material: Non-fibrous 1.4 % | s, Non-Fibrous, Bulk Ma | aterial | on 01/26/15 |
| 9 | Comment: Heat Sensitive (organ | ic): 97.2%; Acid Soluble | e (inorganic): 1.4%; Inert (Non-asbe | estos): 1.4% |
| 12 | | 115011685-16 | No | NAD |
| 4 Analy | Location: Roofing Tar | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| A | st Description: Black, Heterogeneous sbestos Types: Other Material: Non-fibrous 27.2 % | s, Non-Fibrous, Bulk Ma | iterial | |
| | Comment: Heat Sensitive (organi | ic): 46.2%; Acid Soluble | (inorganic): 26.6%; Inert (Non-asb | estos): 27.2% |
| 17 | giv with wo need them | 115011685-17 | No | NAD |
| 1 | Location: Roofing Tar | | | (by NYS ELAP 198.6) by William M. Dunstan |
| As | st Description: Black, Heterogeneous bestos Types: Other Material: Non-fibrous 9.7 % | , Non-Fibrous, Bulk Ma | terial | on 01/26/15 |
| | Julier Material: Non-Horous 9.7 % | | | |
| | | c): 86.4%; Acid Soluble | (inorganic): 3.9%; Inert (Non-asbe- | stos): 9.7% |
| | Comment: Heat Sensitive (organi | c): 86.4%; Acid Soluble | (inorganic): 3.9%; Inert (Non-asbe | 9 6500000 |
| 29 | Comment: Heat Sensitive (organi | | | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| 29 I Analys | Comment: Heat Sensitive (organi | 115011685-18 | No | NAD (by NYS ELAP 198.6) |
| 29 Analys | Comment: Heat Sensitive (organi Location: Roofing Tar st Description: Black, Heterogeneous bestos Types: | 115011685-18 , Non-Fibrous, Bulk Mat | No terial | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys As | Comment: Heat Sensitive (organic Location: Roofing Tar at Description: Black, Heterogeneous bestos Types: Other Material: Non-fibrous 11 % Comment: Heat Sensitive (organic | 115011685-18 , Non-Fibrous, Bulk Mat | No terial | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analys As (6 | Location: Roofing Tar st Description: Black, Heterogeneous bestos Types: Other Material: Non-fibrous 11 % Comment: Heat Sensitive (organic | 115011685-18 , Non-Fibrous, Bulk Mar c): 85.7%; Acid Soluble 115011685-19 | No lerial (înorganic): 3.3%; Inert (Non-asbes No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| 29 4 Analys As (0 38 4 Analys | Comment: Heat Sensitive (organic Location: Roofing Tar st Description: Black, Heterogeneous bestos Types: Other Material: Non-fibrous 11 % Comment: Heat Sensitive (organic | 115011685-18 , Non-Fibrous, Bulk Mar c): 85.7%; Acid Soluble 115011685-19 | No lerial (înorganic): 3.3%; Inert (Non-asbes No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 stos): 11.0% NAD (by NYS ELAP 198.6) by William M. Dunstan |

Page 5 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | No. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 49 Location: Roofing | | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| | lyst Description: Black, Heterogo Asbestos Types: Other Material: Non-fibrous 14. | | aterial | |
| | Comment: Heat Sensitive | (organic): 76.6%; Acid Solubli | e (inorganic): 8.7%; Inert (Non-asbe | estos): 14.8% |
| 8 | ₩ C25 00 | 115011685-21 | No | NAD |
| 5 Anal | Location: Caulk V | | ielo. | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| | lyst Description: Gray, Heteroge Asbestos Types: Other Material: Non-fibrous 14. | | terial | |
| | Comment: Heat Sensitive (| organic): 49.0%; Acid Soluble | e (inorganic): 36.9%; Inert (Non-asb | estos); 14.1% |
| 13 | | 115011685-22 | No | NAD |
| Anal | Location: Caulk W | | torial | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| | sbestos Types: | | eriai | |
| | Asbestos Types: Other Material: Non-fibrous 7 % | | e (inorganic): 37.2%; Inert (Non-asbe | estos): 7.0% |
| | Asbestos Types: Other Material: Non-fibrous 7 % | | | |
| 25 | Asbestos Types: Other Material: Non-fibrous 7 % | organic): 55.8%; Acid Soluble 115011685-23 | (inorganic): 37.2%; Inert (Non-asbe | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| 25 5 Analy | Asbestos Types: Other Material: Non-fibrous 7 % Comment: Heat Sensitive (| organic): 55.8%; Acid Soluble 115011685-23 indow/Door leous, Non-Fibrous, Bulk Mat | (inorganic): 37.2%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) |
| 25 5 Analy | Comment: Heat Sensitive (Location: Caulk W yst Description: Gray, Heteroger sbestos Types: Other Material: Non-fibrous 5.7 | organic): 55.8%; Acid Soluble 115011685-23 indow/Door seous, Non-Fibrous, Bulk Mat | (inorganic): 37.2%; Inert (Non-asbe No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analy Analy | Comment: Heat Sensitive (comment: Description: Gray, Heteroger sbestos Types: Other Material: Non-fibrous 5.7 Comment: Heat Sensitive (comment: | organic): 55.8%; Acid Soluble 115011685-23 indow/Door seous, Non-Fibrous, Bulk Mat worganic): 55.5%; Acid Soluble 115011685-24 | (inorganic): 37.2%; Inert (Non-asbe No erial | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Analy Analy A | Comment: Heat Sensitive (Location: Caulk W yst Description: Gray, Heteroger sbestos Types: Other Material: Non-fibrous 5.7 Comment: Heat Sensitive (Location: Caulk W | organic): 55.8%; Acid Soluble 115011685-23 indow/Door seous, Non-Fibrous, Bulk Mat worganic): 55.5%; Acid Soluble 115011685-24 indow/Door | e (inorganic): 37.2%; Inert (Non-asbe No erial (inorganic): 38.8%; Inert (Non-asbe | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| 25 5 Analy A | Comment: Heat Sensitive (comment: Description: Gray, Heteroger sbestos Types: Other Material: Non-fibrous 5.7 Comment: Heat Sensitive (comment: | organic): 55.8%; Acid Soluble 115011685-23 indow/Door ieous, Non-Fibrous, Bulk Mat worganic): 55.5%; Acid Soluble 115011685-24 indow/Door eous, Non-Fibrous, Bulk Mate | e (inorganic): 37.2%; Inert (Non-asbe No erial (inorganic): 38.8%; Inert (Non-asbe | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 5.7% NAD (by NYS ELAP 198.6) by William M. Dunstan |

Page 6 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | o. / HGA | Lab No. | Asbestos Present | Total % Asbesto |
|--------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------|
| 50A 5 | Location: Caulk W | 115011685-25 /indow/Door | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asb | Description: Gray, Heteroger estos Types: ner Material: Non-fibrous 18. | | aterial | 011011/20/15 |
| | Comment: Heat Sensitive (| organic): 47.1%; Acid Solubl | e (inorganic): 34.2%; Inert (Non-asb | estos): 18.7% |
| 2 6 | Location: Flooring | 115011685-26 Bath RM | Yes | 23.8 % (by NYS ELAP 198.6) by William M. Dunstan |
| Asb | Description: Beige, Heteroge estos Types: Chrysotile 23.8 ner Material: Non-fibrous 5.9 | % % | | on 01/26/15 |
| | Comment: Heat Sensitive (c | organic): 46.4%; Acid Soluble | e (inorganic): 23.9%; Inert (Non-asb | estos): 5.9% |
| 20 | | 115011685-27 | | NA/PS |
| 6 | Location: Flooring | | | 1441 0 |
| Analyst I | Location: Flooring Description: Bulk Material stos Types: er Material: | | | 14-41-5 |
| Analyst I | Description: Bulk Material stos Types: er Material: | Bath RM | e (inorganic): 21.2%; Inert (Non-asb | 4 174 700 P 1704 700 |
| Analyst Asbe Oth | Description: Bulk Material stos Types: er Material: | Bath RM | e (inorganic): 21.2%; Inert (Non-asb | 4 174 700 P 1704 700 |
| Analyst Asbe Oth | Description: Bulk Material stos Types: er Material: | Bath RM organic): 49.2%; Acid Soluble 115011685-28 | e (inorganic): 21.2%; Inert (Non-asb | estos): 29.6% |
| Analyst I | Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (d | Bath RM organic): 49.2%; Acid Soluble 115011685-28 | e (inorganic): 21.2%; Inert (Non-asbe | estos): 29.6% |
| Analyst I | Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (description: Bulk Material stos Types: er Material: | Bath RM organic): 49.2%; Acid Soluble 115011685-28 Bath RM | e (inorganic): 21.2%; Inert (Non-asbe | estos): 29.6% NA/PS |
| Asbe Oth 33 6 Analyst I | Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (description: Bulk Material stos Types: er Material: | Bath RM organic): 49.2%; Acid Soluble 115011685-28 Bath RM | | estos): 29.6% NA/PS |
| Analyst I Asbe Oth Analyst I Asbe Oth | Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (description: Bulk Material stos Types: er Material: | Bath RM organic): 49.2%; Acid Soluble 115011685-28 Bath RM organic): 48.9%; Acid Soluble 115011685-29 | | estos): 29.6% NA/PS estos): 28.0% |
| Analyst I Asbe Oth Analyst I Asbe Oth Analyst I Asbe | Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (or Location: Flooring label) Description: Bulk Material stos Types: er Material: Comment: Heat Sensitive (or Material) | Bath RM organic): 49.2%; Acid Soluble 115011685-28 Bath RM organic): 48.9%; Acid Soluble 115011685-29 | | estos): 29.6% NA/PS estos): 28.0% |

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

Page 7 of 16

| Client | No. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 7 | 115011685-3 Location: Flooring L/R & Hallway | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| | lyst Description: Brown, Heter Asbestos Types: Other Material: Non-fibrous 2 | ogeneous, Non-Fibrous, Bulk N 2.1 % | laterial | |
| | Comment: Heat Sensitiv | e (organic): 16.6%; Acid Soluble | e (inorganic): 81.3%; Inert (Non-asb | estos): 2.1% |
| 1A 7 | Location: Drywa | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Ana | lyst Description: Brown, Heten Asbestos Types: Other Material: Non-fibrous 1 | ogeneous, Non-Fibrous, Bulk M .9 % | aterial | |
| | Comment: Heat Sensitive | e (organic): 16.3%; Acid Soluble | (inorganic): 81.8%; Inert (Non-asb | estos): 1.9% |
| | | | | |
| | Location: Mastic | 115011685-32 : L/R & Hallway | Yes | 9.9 % (by NYS ELAP 198.6) by William M. Dunstan |
| B Anal | Location: Mastic | L/R & Hallway geneous, Non-Fibrous, Bulk Ma 9 % | | (by NYS ELAP 198.6) |
| 8 Anal | Location: Mastic yst Description: Black, Hetero Asbestos Types: Chrysotile 9.8 Other Material: Non-fibrous 2 | : L/R & Hallway geneous, Non-Fibrous, Bulk Ma 9 % 5 % | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Anal A | Location: Mastic yst Description: Black, Hetero Asbestos Types: Chrysotile 9.8 Other Material: Non-fibrous 2 | geneous, Non-Fibrous, Bulk Ma 3 % 5 % (organic): 81.6%; Acid Soluble 115011685-33 | terial | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Anal | Location: Mastic yst Description: Black, Hetero Asbestos Types: Chrysotile 9.9 Other Material: Non-fibrous 2 Comment: Heat Sensitive | geneous, Non-Fibrous, Bulk Ma 3 % 5 % (organic): 81.6%; Acid Soluble 115011685-33 | terial | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 stos): 2.5% |
| 3A B | Location: Mastic yst Description: Black, Hetero Asbestos Types: Chrysotile 9.9 Other Material: Non-fibrous 2 Comment: Heat Sensitive Location: Mastic yst Description: Bulk Material asbestos Types: Other Material: | geneous, Non-Fibrous, Bulk Ma 9 % .5 % e (organic): 81.6%; Acid Soluble 115011685-33 L/R & Hallway | terial | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 stos): 2.5% NA/PS |
| Anal | Location: Mastic yst Description: Black, Hetero Asbestos Types: Chrysotile 9.9 Other Material: Non-fibrous 2 Comment: Heat Sensitive Location: Mastic yst Description: Bulk Material asbestos Types: Other Material: Comment: Heat Sensitive Location: Flooring | geneous, Non-Fibrous, Bulk Ma 3 % .5 % e (organic): 81.6%; Acid Soluble 115011685-33 L/R & Hallway | terial (inorganic): 6.0%; Inert (Non-asber (inorganic): 11.4%; Inert (Non-asber | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 stos): 2.5% NA/PS |

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

Page 8 of 16

| Client N | o. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|----------|----------------------------------------------------------------------------|--------------------------------------|----------------------------------------|--------------------------------------------------------------------|
| 4A 9 | Location: Floor | 115011685-35 ng Kitchen | | NA/PS |
| Ast | Description: Bulk Material estos Types: | | | |
| O. | her Material: Comment: Heat Sensitiv | e (organic): 35.2%: Acid Solu | ble (inorganic): 36.4%; Inert (Non-asb | actoc): 29 49/ |
| 5 | 7,000 | 115011685-36 | No | |
| 10 | Location: Base | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asb | Description: Brown, Heter estos Types: her Material: Non-fibrous 4 | ogeneous, Non-Fibrous, Bulk 8.9 % | Material | 01101120113 |
| | Comment: Heat Sensitive | e (organic): 46.8%; Acid Solut | ole (inorganic): 4.4%; Inert (Non-asbe | stos): 48.9% |
| 5A 10 | Location: Base | 115011685-37 Cove Mastic | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asb | Description: Brown, Hetero estos Types: her Material: Non-fibrous 4 | geneous, Non-Fibrous, Bulk 9.7 % | Material | on 01/26/15 |
| | Comment: Heat Sensitive | (organic): 46.8%; Acid Solub | ole (inorganic): 3.4%; Inert (Non-asbe | stos): 49.7% |
| 6 | | 115011685-38 | No | NAD |
| 11 | Location: Joint 0 | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 |
| Asb | Description: White, Hetero estos Types: ner Material: Non-fibrous 10 | geneous, Non-Fibrous, Bulk N | Material | |
| 6A | | 115011685-39 | No | NAD |
| 11 | Location: Joint C | ompound | 11.T.0 | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 |
| | Description: White, Hetero | geneous, Non-Fibrous, Bulk M | Material | on one or |

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. / HGA | | Lab No. | Asbestos Present | Total % Asbesto | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------|--|
| The second secon | | | | NAD (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 | |
| 7 | | 115011685-41 | No | NAD | |
| 12 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 | |
| Asb | Description: White/Tan, Hetero estos Types: her Material: Cellulose 5 %, No | | ik Matenal | | |
| | Location: Drywall Description: White/Tan, Hetero | 115011685-42 geneous, Non-Fibrous, Bu | No Ik Material | NAD (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 | |
| | estos Types: her Material: Cellulose 5 %. No | n-fibrous 95 % | | | |
| Ot | her Material: Cellulose 5 %, No | | No | NAD | |
| | | n-fibrous 95 % 115011685-43 | No | NAD (by NYS ELAP 198.1) by William M. Dunstan | |
| 7B 12 Analyst Asb | her Material: Cellulose 5 %, No | 115011685-43 geneous, Non-Fibrous, Bu | | (by NYS ELAP 198.1) | |
| 7B 12 Analyst Asb Ot | Location: Drywall Description: White/Tan, Heterogestos Types: | 115011685-43 geneous, Non-Fibrous, Bu | | (by NYS ELAP 198.1) by William M. Dunstan | |
| 7B 12 Analyst Asb Ot 18 | Location: Drywall Description: White/Tan, Heterogestos Types: her Material: Cellulose 5 %, Nor Location: Flooring 4R | 115011685-43 geneous, Non-Fibrous, Bul n-fibrous 95 % 115011685-44 & Hallway | lk Material No | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 | |
| 7B 12 Analyst Asb Ot 18 13 | Location: Drywall Description: White/Tan, Heterogestos Types: her Material: Cellulose 5 %, Nor | 115011685-43 geneous, Non-Fibrous, Bul n-fibrous 95 % 115011685-44 & Hallway | lk Material No | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 NAD (by NYS ELAP 198.6) by William M. Dunstan | |

AmeriSci Job #: 115011685

Client Name: AMD Environmental Consultants, Inc.

Page 10 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. / HGA | | Lab No. Asbestos Present | | Total % Asbesto | |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--|
| 18A 13 | Location: Flooring 4R & Hallway | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asb | Description: Beige, Heteroger estos Types: her Material: Non-fibrous 1.1 % | | faterial | | |
| | Comment: Heat Sensitive (o | rganic): 16.5%; Acid Solubi | le (inorganic): 82.3%; Inert (Non-ast | pestos): 1.1% | |
| 19 | | 115011685-46 | Yes | 8.9 % | |
| 14 | Location: Mastic 4R & Hallway | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asb | Description: Black, Heterogen estos Types: Chrysotile 8.9 % her Material: Non-fibrous 2.2 % | | aterial | | |
| | Comment: Heat Sensitive (or | rganic): 72.9%; Acid Soluble | e (inorganic): 16.0%; Inert (Non-asb | estos): 2.2% | |
| | | | | | |
| 14 | Location: Mastic 4R | 115011685-47 & Hallway | | NA/PS | |
| 14 Analyst Asb | Location: Mastic 4R Description: Bulk Material astos Types: ner Material: | | | NA/PS | |
| Analyst Asbe Ott | Description: Bulk Material estos Types: | | No | | |
| Analyst Asbo Ott | Description: Bulk Material estos Types: | & Hallway 115011685-48 | No | NAD (by NYS ELAP 198.6) by William M. Dunstan | |
| Asbo Ott 21 15 Analyst Asbo | Description: Bulk Material estos Types: ner Material: | & Hallway 115011685-48 itchen eous, Non-Fibrous, Bulk Ma | 88503 | NAD (by NYS ELAP 198.6) | |
| Analyst Asbo Otl 21 15 Analyst Asbe | Description: Bulk Material estos Types: ner Material: Location: Flooring K Description: Beige, Heterogen estos Types: ner Material: Non-fibrous 3.5 % | 8 Hallway 115011685-48 itchen eous, Non-Fibrous, Bulk Ma | 88503 | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Analyst Asbo Ott 21 15 Analyst Asbo Ott | Description: Bulk Material estos Types: ner Material: Location: Flooring K Description: Beige, Heterogen estos Types: ner Material: Non-fibrous 3.5 % | 8 Hallway 115011685-48 itchen eous, Non-Fibrous, Bulk Ma | aterial | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Analyst Asbe Ott Analyst Asbe Ott Analyst Asbe Ott 21A | Description: Bulk Material estos Types: ner Material: Location: Flooring K Description: Beige, Heterogen estos Types: ner Material: Non-fibrous 3.5 % Comment: Heat Sensitive (or Location: Flooring K | 115011685-48 litchen eous, Non-Fibrous, Bulk Ma ganic): 18.2%; Acid Soluble 115011685-49 itchen | aterial e (inorganic): 78.3%; Inert (Non-asb No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Analyst Asbe Ott Analyst Asbe Ott Analyst Asbe Analyst Asbe | Description: Bulk Material estos Types: ner Material: Location: Flooring K Description: Beige, Heterogen estos Types: ner Material: Non-fibrous 3.5 % Comment: Heat Sensitive (or | 115011685-48 iitchen eous, Non-Fibrous, Bulk Maganic): 18.2%; Acid Soluble 115011685-49 itchen eous, Non-Fibrous, Bulk Mag | aterial e (inorganic): 78.3%; Inert (Non-asb No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 3.5% NAD (by NYS ELAP 198.6) by William M. Dunstan | |

ants, Inc. Page 11 of 16

Client Name: AMD Environmental Consultants, Inc.

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. / HGA | | Lab No. | Asbestos Present | Total % Asbesto | |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------|--|
| 22 16 | Location: Base 0 | | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asb | Description: Brown, Hetero estos Types: her Material: Non-fibrous 45 | geneous, Non-Fibrous, Bulk N .1 % | laterial | | |
| 2 (9 | Comment: Heat Sensitive | (organic): 51.9%; Acid Soluble | e (inorganic): 3.0%; Inert (Non-asbe | stos): 45.1% | |
| 22A | | 115011685-51 | No | NAD | |
| 16 | Location: Base C | ove Mastic | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asb | Description: Brown, Hetero estos Types: ner Material: Non-fibrous 45 | geneous, Non-Fibrous, Bulk M .8 % | laterial | 0110112010 | |
| | Comment: Heat Sensitive | (organic): 51.9%; Acid Soluble | e (inorganic): 2.3%; Inert (Non-asber | stos): 45.8% | |
| 23 | | 115011685-52 | No | NAD | |
| 17 | Location: Joint Co | ompound | | (by NYS ELAP 198,1) | |
| Analyst | | • | aterial | by William M. Dunstan on 01/26/15 | |
| Asb | | eneous, Non-Fibrous, Bulk Ma | aterial | by William M. Dunstan | |
| Asb Oti 23A | Description: White, Heterog | eneous, Non-Fibrous, Bulk Ma | aterial No | by William M. Dunstan | |
| Asb Oti 23A | Description: White, Heterog | eneous, Non-Fibrous, Bulk Ma 0 % 115011685-53 | | NAD (by NYS ELAP 198.1) by William M. Dunstan | |
| Asbo Oti 23A 17 Analyst Asbo | Description: White, Heterogestos Types: ner Material: Non-fibrous 10 Location: Joint Co | eneous, Non-Fibrous, Bulk Ma 0 % 115011685-53 empound eneous, Non-Fibrous, Bulk Ma | No | by William M. Dunstan on 01/26/15 NAD (by NYS ELAP 198.1) | |
| Asbo Oti 23A 17 Analyst Asbo | Description: White, Heterogretos Types: ner Material: Non-fibrous 10 Location: Joint Co Description: White, Heterogretos Types: | eneous, Non-Fibrous, Bulk Ma 0 % 115011685-53 empound eneous, Non-Fibrous, Bulk Ma | No | NAD (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 | |
| Asbi- Ott 23A 17 Analyst Asbi- Ott 23B | Description: White, Heterogretos Types: ner Material: Non-fibrous 10 Location: Joint Co Description: White, Heterogretos Types: ner Material: Non-fibrous 100 Location: Joint Co | eneous, Non-Fibrous, Bulk Ma 115011685-53 empound eneous, Non-Fibrous, Bulk Ma 0 % 115011685-54 | No aterial No | NAD (by NYS ELAP 198.1) by William M. Dunstan | |

Page 12 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | o. / HGA | Lab No. | Asbestos Present | Total % Asbestos |
|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 24 18 | Location: Drywali | 115011685-55 | No | NAD (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 |
| Asb | Description: White/Tan, Heterogestos Types: her Material: Cellulose 5 %, Nor | | ulk Material | |
| 24A | | 115011685-56 | No | NAD |
| 18 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/26/15 |
| Asb | Description: White/Tan, Heterogestos Types: her Material: Cellulose 5 %, Nor | | ulk Material | |
| 24A | | 115011685-57 | No | NAD |
| 18 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan |
| Asb | Description: White/Tan, Heterogestos Types: ner Material: Cellulose 5 %, Non | | lk Material | on 01/26/15 |
| Asb | estos Types: | -fibrous 95 % | | |
| Asbe Oti | estos Types: | -fibrous 95 % 115011685-58 | Ilk Material No | NAD (by NYS ELAP 198.6) by William M. Dunstan |
| Asbo Ott 30 19 Analyst Asbo | estos Types: ner Material: Cellulose 5 %, Non | -fibrous 95 % 115011685-58 out | No | NAD (by NYS ELAP 198.6) |
| Asbo Ott 30 19 Analyst Asbo | Location: Flooring Thr Description: Beige, Heterogeneous Types: ner Material: Non-fibrous 1.4 % | -fibrous 95 % 115011685-58 out ous, Non-Fibrous, Bulk Ma | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbo Ott 30 19 Analyst Asbo Ott | Location: Flooring Thr Description: Beige, Heterogeneous Types: ner Material: Non-fibrous 1.4 % | -fibrous 95 % 115011685-58 out ous, Non-Fibrous, Bulk Ma | No aterial | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbe Ott 30 19 Analyst Asbe Ott | Location: Flooring Thr Description: Beige, Heterogeneous Types: ner Material: Non-fibrous 1.4 % Comment: Heat Sensitive (organical Control of Three Control o | n-fibrous 95 % 115011685-58 out ous, Non-Fibrous, Bulk Mainic): 16.6%; Acid Soluble 115011685-59 out | No aterial e (inorganic): 82.0%; Inert (Non-asbo | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 |
| Asbe Ott 30 19 Analyst Asbe Ott 30A 19 | Location: Flooring Thr Location: Flooring Thr Description: Beige, Heterogeneous Types: ner Material: Non-fibrous 1.4 % Comment: Heat Sensitive (organics) | n-fibrous 95 % 115011685-58 out ous, Non-Fibrous, Bulk Mainic): 16.6%; Acid Soluble 115011685-59 out | No aterial e (inorganic): 82.0%; Inert (Non-asbo | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 estos): 1.4% NAD (by NYS ELAP 198.6) by William M. Dunstan |

Page 13 of 16

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| | | Lab No. | Asbestos Present | Total % Asbesto | |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------|-------------------------|-------------------------------------------------------------|--|
| | | 115011685-60 empound | No | NAD (by NYS ELAP 198.1) by William M. Dunstan | |
| Analyst Description: White, Heterogeneous, Non-Fibro Asbestos Types: Other Material: Non-fibrous 100 % | | | laterial | on 01/27/15 | |
| 31A | | 115011685-61 | No | NAD | |
| 20 | Location: Joint Co | (25) | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White, Heterogo estos Types: ner Material: Non-fibrous 100 | | aterial | | |
| 31B | | 115011685-62 | No | NAD | |
| 20 | Location: Joint Co | 9 10 4 2 3 4 4 0 | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White, Heterogenstos Types: er Material: Non-fibrous 100 | | aterial | | |
| 32 | | 115011685-63 | No | NAD | |
| 21 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White/Tan, Hete stos Types: | | lk Material | | |
| | er Material: Cellulose 5 %, | | | | |
| 32A | Leastion: Descript | 115011685-64 | No | NAD | |
| 21 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White/Tan, Hete stos Types: er Material: Cellulose 5 %, I | | lk Material | | |
| 32B | | 115011685-65 | No | NAD | |
| 21 | Location: Drywall | MARIA AMERIKAT | 0.5 / | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White, Heteroge stos Types: er Material: Non-fibrous 100 | | aterial | | |

Page 14 of 16

Client Name: AMD Environmental Consultants, Inc.

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. / HGA | | Lab No. | Asbestos Present | Total % Asbestos | |
|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------|--------------------------------------------------------------------|--|
| 22 Location: Flooring L/R & Hallway | | • | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Analyst Description: Brown, Heterogeneous, Non-Fibrous, Bulk Asbestos Types: Other Material: Non-fibrous 1.9 % | | | aterial | | |
| | Comment: Heat Sensitive (or | ganic): 17.3%; Acid Soluble | e (inorganic): 80.8%; Inert (Non-asb | estos): 1.9% | |
| 39A | | 115011685-67 | No | NAD | |
| 22 | Location: Flooring L | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| As | st Description: Brown, Heteroger bestos Types: Other Material: Non-fibrous 2.3 % | | | | |
| | Comment: Heat Sensitive (or | ganic): 17.5%; Acid Soluble | (inorganic): 80.2%; Inert (Non-asb | estos): 2.3% | |
| 40 | | 115011685-68 | No | NAD | |
| 23 | Location: Mastic L/R | | phodulin | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| As | at Description: Black, Heterogena bestos Types; Other Material: Non-fibrous 32.7 ° | | terial | | |
| | Comment: Heat Sensitive (or | ganic): 50.6%; Acid Soluble | (inorganic): 16.6%; Inert (Non-asb | estos): 32.7% | |
| 40A | | 115011685-69 | No | NAD | |
| 23 Location: Mastic L/R & Hallway | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | | |
| As | t Description: Black, Heterogene bestos Types: other Material: Non-fibrous 35.7 % | | terial | | |
| | Comment: Heat Sensitive (or | ganic): 49.0%; Acid Soluble | (inorganic): 15.4%; Inert (Non-asbe | estos): 35.7% | |
| 1 1 | | 115011685-70 | No | NAD | |
| 4 Location: Flooring Kitchen | | | (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | | |
| 198793194551444 | t Description: Tan. Heterogeneo | us, Non-Fibrous, Bulk Mate | rial | | |
| Asi | bestos Types: hther Material: Non-fibrous 0.2 % | | | | |

Page 15 of 16

Client Name: AMD Environmental Consultants, Inc.

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. | ./HGA Lab No. | Lab No. Asbestos Present | | |
|------------|-----------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------|--|
| 41A 24 | 115011685-71 Location: Flooring Kitchen | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asbe | Description: Tan, Heterogeneous, Non-Fibrous, Bulk stos Types: er Material: Non-fibrous 0.7 % | Material | SH OTZGTO | |
| | Comment: Heat Sensitive (organic): 39.2%; Acid Se | oluble (inorganic): 60.1%; Inert (Non-a | sbestos): 0.7% | |
| 42 25 | 115011685-72 Location: Base Cove Mastic | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asbes | escription: Tan, Heterogeneous, Non-Fibrous, Bulk stos Types: er Material: Non-fibrous 27.5 % | Material | | |
| 3 | Comment: Heat Sensitive (organic): 53.2%; Acid Sc | oluble (inorganic): 19.4%; Inert (Non-a | sbestos): 27.5% | |
| 42A 25 | 115011685-73 Location: Base Cove Mastic | No | NAD (by NYS ELAP 198.6) by William M. Dunstan on 01/26/15 | |
| Asbes | escription: Tan, Heterogeneous, Non-Fibrous, Bulk stos Types: er Material: Non-fibrous 26.4 % | Material | 01101120110 | |
| | Comment: Heat Sensitive (organic): 67.9%; Acid Sc | oluble (inorganic): 5.6%; Inert (Non-ast | pestos): 26.4% | |
| 44 26 | 115011685-74 Location: Joint Compound | No | NAD (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbes | escription: White, Heterogeneous, Non-Fibrous, Bu stos Types: er Material: Non-fibrous 100 % | lk Material | 01101127713 | |
| 44A | 115011685-75 | No | NAD | |
| 26 | Location: Joint Compound | 120.2 | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbes | escription: White, Heterogeneous, Non-Fibrous, Bu tos Types: r Material: Non-fibrous 100 % | lk Material | | |

PLM Bulk Asbestos Report

150121JW.A; 38 Holloway Blvd; Bulk Samples

| Client No. / HGA | | Lab No. | Asbestos Present | Total % Asbestos | |
|------------------|----------------------------------------------------------------------------------|--------------------------|-------------------------|-------------------------------------------------------------|--|
| 44B 26 | Location: Joint Comp | 115011685-76 pound | No | NAD (by NYS ELAP 198.1) by William M. Dunstan | |
| Asbe | Description: White, Heterogene stos Types: er Material: Non-fibrous 100 % | | aterial | on 01/27/15 | |
| 45 | | 115011685-77 | No | NAD | |
| 27 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbe | Description: White/Tan, Hetero stos Types: er Material: Cellulose 5 %, No | | lk Material | 0.101127110 | |
| 45A | 100 N 000 0 | 115011685-78 | No | NAD | |
| 27 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| Asbes | lescription: White/Tan, Heterog stos Types: er Material: Cellulose 5 %, No | | lk Material | | |
| 45B | | 115011685-79 | No | NAD | |
| 27 | Location: Drywall | | | (by NYS ELAP 198.1) by William M. Dunstan on 01/27/15 | |
| | escription: White/Tan, Heterog stos Types: | geneous, Non-Fibrous, Bu | lk Material | | |

Reporting Notes:

Analyzed by: William M. Dunstan

"NAD = no asbestos detected, Detection Limit <1%, Reporting Limits: CVES = 1%, 400 Pt Ct = 0.25%, 1000 Pt Ct = 0.1%; "Present" or NVA = "No Visible Asbestos" are observations made during a qualitative analysis; NA = not analyzed; NA/PS = not analyzed / positive stop; PLM Bulk Asbestos Analysis by EPA 600/M4-82-020 per 40 CFR 763 (NVLAP Lab Code 101904-0) and ELAP PLM Analysis Protocol 198.1 for New York friable samples which includes quantitation of any vermiculite observed (198.6 for NOB samples) or EPA 400 pt ct by EPA 600/M4-82-020 (NYSDOH ELAP Lab # 10984); CA ELAP Lab # 2508; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar NOB materials. NAD or Trace results by PLM are inconclusive, TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in New York State (also see EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). NIST Accreditation requirements mandate that this report must not be reproduced except in full without the approval of the laboratory. This PLM report relates ONLY to the items tested. Reviewed By:

Part 4: Sample Chain of Custody

AMERISC NEW YORK CHAIN OF CUSTODY RECORD 117 East 30" Street AMERI SCI New York, NY 10016 Toli Free (800) 705-5227 115011685 Phone (212) 679-8600 Fax (212) 679-9392 www.amenso.com COMPANY: ADDRESS. P.O.# AMD Environmental 4248 Ridge Lea Road, Amherst, NY 14226 ANALYSIS TURNAROUND TIME (X) AIR FILTER PROJECT INFORMATION TYPE 6-6 HR 12 HR 24 HR 48 HR 72 HR 5 DAY OTHER INFORMATION: TEM/AHERA TEM/LEVEL II TEM/BULK 25 mm TEM/Dust 37 mm JOB MANAGER TEM/WATER 0.45 um Anthony DeMiglio PCM RUSH 0.80 um JOB DESCRIPTION PLM RUSH TEND X OTHER AMD Environmental RESULTS TO: RETURN SAMPLES EMAIL To: JWolf@AMDEnv.com & SDunlap@AMDEnv.com PHONE: 716-201-2772 INVOICE TO: AMD Environmental FAX: COMMENTS: SITE FAX: NYS ELAP Positive Stop PAGER/CELL: TOTAL LITERS TOTAL STOP START DATE SEMPLE LOCATION SAMPLE ID COLLECTED 21,15 DODIL BATH RM R& HALLWAY LOONING KITCHE BASE COVE MASTIC TONT compani R & HALLWA MSTIC KITCHEN -LOORING BASE COVE IMASTIC JOINTCOMPOUND ATE: TIME: RECEIVED BY DATE: TIME RELINQUISHED B RECEIVED IN LAB DATE: TIME. JAN 2 3 2015

AMERI SCI

CHAIN OF CUSTODY RECORD

117 East 30" Street New York, NY 10016 115011685 Toli Free (800) 705-5227

AMER SC NEW YORK

Phone (212) 679-8600 Fax (212) 679-9392 www.amerab.com COMPANY: ADDRESS P.O.#: AMD Environmental 4248 Ridge Lea Road, Amherst, NY 14226 ANALYSIS TURNAROUND TIME (X) AIR FILTER PROJECT INFORMATION TYPE 6-8 HR 12 HR 24 HR 48 HR 72 HR 5 DAY OTHER INFORMATION: EM/AHERA JOB Na MCE PM/LEVEL I PC JOB NU TEM/BULK 25 mm TEM/Dust 37 mm JOB MANAGER: TEM/WATER 0.45 um Anthony DeMiglio PCM RUSH 0.80 um JOB DESCRIPTION: PLM RUSH X TEUF: OTHER OTHER AMD Environmental RESULTS TO: RETURN SAMPLES YES No X EMAIL To: JWolf@AMDEnv.com & SDunlap@AMDEnv.com PHONE: 716-201-2772 AMD Environmental INVOICE TO: FAX: COMMENTS: SITE FAX: NYS ELAP Positive Stop PAGERIC ELL STOP TOTAL LITERS TOTAL TIME X /Min. = VOLUME START DATE SAMPLE ID SAMPLE LOCATION TIME TIME U.K TWWWI BASE COUR MASTIC SAVPLED BY DATE: TIME DATE: TIME: RECEIVED BY RELINQUISHED BY RECEIVED IN LAB BY DATE: TIME.

Part 5: Firm Qualifications

New York State - Department of Labor

Division of Sizery and Health License and Conflicate Unit State Campus, Building 12 Albany, NY 12240

ASBESTOS HANDLING LICENSE

AMD Environmental Consultants, Inc. Suite 16 4248 Ridge Lea Rd.

Amherst, NY 14226

FILE NUMBER: 10-56177 LICENSE NUMBER: 56177 LICENSE CLASS: RESTRICTED DATE OF ISSUF: 10/30/2014 EXPIRATION DATE: 11/30/2015


Duly Authorized Representative - Anthony DeMiglio:

This license has been issued in accordance with applicable provisions of Article 30 of the Labor Law of New York State and of the New York State Codes, Rules and Regulations (12 NYCRR Part 56). It is subject to suspension or revocation for a (1) serious violation of state, federal or local laws with regard to the conduct of an asbestos project, or (2) demonstrated lack of responsibility in the conduct of any job involving asbestos or asbestos material.

This license is valid only for the contractor named above and this license or a photocopy must be prominently displayed at the asbestos project worksite. This license verifies that all persons employed by the licensee on an asbestos project in New York State have been issued an Asbestos Certificate, appropriate for the type of work they perform, by the New York State Department of Labor.

SH 432 (8/12)

Eileen M. Franko, Director For the Commissioner of Labor





| Part 6: Lab Qualifications | | |
|--------------------------------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 15-0121 IWA 36 Pilgrim Village Ants. | | |

ıg

NEW YORK STATE DEPARTMENT OF HEALTH WADSWORTH CENTER



Expires 12:01 AM April 01, 2015 Issued April 01, 2014

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

DR. THOMAS MCKEE AMERISCI RICHMOND 13635 GENITO RD MIDLOTHIAN, VA 23112 NY Lab Id No: 10984

is hereby APPROVED as an Environmental Laboratory for the category ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE All approved subcategories and/or analytes are listed below:

Miscellaneous

Asbestos in Friable Material

Item 198.1 of Manual

EPA 600/M4/82/020

Asbestos in Non-Friable Material-PLM Item 198.6 of Manual (NOB by PLM)

Asbestos in Non-Friable Material-TEM Item 198.4 of Manual

Serial No.: 50469

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.


Page 1 of 1


| Аррє | endix A: Site Map | |
|------------|-------------------|-----------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 15-0121JWA | 38 | Pilgrim Village Apts. |


L5-0121JWA 38 Pilgrim Village Apts.

Site Map Overview









| Appendix B: Site Pic | tures |
|----------------------|-------|
| | |
| | |
| | |
| | |
| | |
| | |

15-0121JWA 43 Pilgrim Village Apts.









Representative Linoleum, Floor Tiles and Mastic under flooring found in Buildings 1,2,3,4,6.

| | End of Report | |
|------------|---------------|-----------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 15-0121JWA | 45 | Pilgrim Village Apts. |

Limited Polychlorinated Biphenyls (PCB) in Caulks/Sealants Sampling

Project Location:

Pilgrim Village Apartments 91 Nora Lane Buffalo, NY 14209

Project ID: 20-1002DB-A

Conditions as of: October 2nd, 2020

Prepared for:

Connor M. Kenney SAA/EVI 1631 Hertel Ave. Buffalo, NY 14216



AMD Environmental Consultants, Inc.

712 Main St. Suite L1
Buffalo, NY 14202
OFFICE (716) 833-0043 | FAX (716) 241-8689
www.amdenvironmental.com



AMD Environmental Consultants, Inc.

712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

October 9, 2020

Connor M. Kenney SAA/EVI 1631 Hertel Ave. Buffalo, NY 14216

Re: Limited Polychlorinated Biphenyls (PCB) in Caulks/Sealants Sampling

Pilgrim Village Apartments 91 Nora Lane, Buffalo, NY 14209 AMD Project ID: 20-1002DB-A

Mr. Kenney:

I am pleased to present this summary of asbestos survey services at the above referenced address.

AMD Environmental Consultants conducted limited representative Polychlorinated Biphenyls (PCB) in caulks/sealants sampling in areas of planned renovations on the exterior door frames and window frames of representative units at the above referenced address on October 2nd, 2020. Polychlorinated Biphenyls (PCB'S) levels were not identified above the threshold limit. For more detail refer to the summary on page 5.

The sampling of Polychlorinated Biphenyls (PCBs) is enforced by the EPA with the authority of Section 6(e) of the Toxic Substances Control Act of 1976, a law that regulates newly introduces and pre-existing chemical substances and/or mixtures. Equipment including but not limited to transformers, capacitors, voltage regulators, hydraulic systems, as well as small capacitors in fluorescent light ballasts, and caulking compounds are required to undergo sampling and analysis to determine if PCB levels are below the regulated threshold provided by the EPA.

AMD Environmental Consultants, Inc. surveys are intended to determine, to a reasonable extent, the presence of Polychlorinated Biphenyls in solidified and/or liquefied state. The information contained herein is representative of conditions found onsite during the date/time this survey was conducted. Environmental conditions, renovation, vandalism, etc. may alter conditions from the date/time that this survey was conducted, potentially creating new hazards.

Please do not hesitate to contact me if I may provide any additional information.

Sincerely,

Anthony DeMiglio President

20-1002DBA 1 Pilgrim Village Apts.

AMD Environmental Consultants, Inc. 712 Main St. Suite L1

Buffalo, NY 14202 Office: 716 833-0043 Fax: 716 241-8689

www.amdenvironmental.com

Table of Contents

- 1.0 Polychlorinated Biphenyls (PCBs) Inspection
 - 1.1 Introduction
 - 1.2 Executive Summary Results Table
 - 1.3 Purpose
 - 1.4 Methodology
- 2.0 Laboratory Analytical Results
 - 2.1 Key Terms and Definitions
- 3.0 Sample Chain(s) of Custody

APPENDIX

Appendix A: Firm Certification and Personnel License(s)

Appendix B: Laboratory Certification



AMD Environmental Consultants, Inc. 712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.0 Polychlorinated Biphenyls (PCB) Inspection

1.1 Introduction

AMD Environmental was retained by Connor M. Kenney to inspect representative units of Pilgrim Village Apartments in Buffalo, NY for the presence of caulking/sealant materials suspected of containing Polychlorinated Biphenyls (PCBs) in areas of planned renovations.

The information following this introduction details the amount of PCB in caulks present in this facility and the location of the PCB containing materials. Although the report is a comprehensive analysis of the PCB inspection work performed, it would be helpful to review all applicable federal, state and local rules, laws and regulations regarding the handling and treatment of PCB's.

The following is a list of suggested reading and information sources relating to PCB's:

- Compliance Monitoring Strategy for the Toxic Substances Control Act (TSCA)
- PCB Regulations: Part 761 in Title 40 of the Code of Federal Regulations
- Disposal of PCB Bulk Product : Part 761.62 in Title 40 of the Code of Federal Regulations
- New York State Department of Environmental Conservation 6 NYCRR Part 371



AMD Environmental Consultants, Inc. 712 Main St. Suite L1

Buffalo, NY 14202 Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.2 Executive Summary Results Table

Polychlorinated Biphenyls (PCB) in Caulks/Sealants Sampling Summary Table

| Туре | Location | Results (μg/kg) | Results reported In ppm | Hazardous Waste (Y/N) |
|-------------------|----------------------------------------------|--------------------|-------------------------------|-----------------------------|
| Window/Door Caulk | Exterior of Unit 90 Pilgrim Village Apts. | < 384 | <0.384 | No |
| Window/Door Caulk | Exterior of Unit 46 Pilgrim Village Apts. | < 417 | < 0.417 | No |
| Window/Door Caulk | Exterior of Unit 68 Pilgrim Village Apts. | < 411 | < 0.411 | No |

During the PCB sampling conducted on October 2nd. Three (3) representative samples were collected for analysis. The Laboratory analysis performed on samples revealed the following:

• The window/door caulk materials sampled on the date of inspection were found to be below the 50 ppm threshold for PCB's by laboratory analysis.



AMD Environmental Consultants, Inc. 712 Main St. Suite L1 Buffalo, NY 14202

Office: 716 833-0043 Fax: 716 241-8689 www.amdenvironmental.com

1.3 Purpose

Polychlorinated Biphenyls (PCBs) are synthetic organic chemical compounds often sought out for the use of electric and heating equipment due to their chemical stability and inflammable properties. Products that contain PCB range from plasticizers and caulking products to oils used in paints and motor and hydraulic systems. Manufacturing of the man-made chemical ceased in 1977 when the United States ruled to ban the production of PBC for use in any commercial and industrial application. Prior to the ban, approximately 1.5 billion pounds of PCB products were produced in the United States.

PCBs are labeled as bio-accumulative toxins by cause of their harmful effects on human health, including the growth of malignant and benign tumors, fetal death, mutations, and liver disease. PCBs are formed by durable bonds that do not break down easily and are cycled through water, air, and soil systems when released into the environment. Contamination of this chemical has spread far and wide, and has been known to accumulate on above soil parts of plants and to be taken up by small organisms.

In 1976, United States Congress enacted Section 6(e) of the Toxic Substances Control Act (TSCA) to include prohibition and regulation of Polychlorinated Biphenyls (PBCs) among other chemical substrates and/or mixtures.

1.4 Methodology

AMD Environmental Consultants collected samples of at least 10g of Caulk/Sealant. Samples were recorded and handled according to strict chain-of-custody protocol sample sizes and submitted to a Schneider Laboratories Global, Inc. in Richmond, VA for analysis by EPA Method 8082.

Materials with PCB levels <50 ppm for bulk and <10 ug/100cm2 for surface concentrations are effectively regulated in the same way under C.F.R. part 761. If concentrations are above these limits, the waste is considered to be hazardous wastes and will need to be disposed of appropriately and accordingly to federal regulation. This does not include small capacitors as defined in paragraph (3) of NYCRR Part 371 and PCB Articles drained in accordance with subparagraphs (2)(ii) and (iii) of Part 371 Section (e).



AMD Environmental Consultants, Inc.

712 Main St. Suite L1 Buffalo, NY 14202 O: 716 833-0043 | F:716 241-8689 www.amdenvironmental.com

2.0 Laboratory Results

20-1002DBA 6 Pilgrim Village Apts.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: AMD Environmental Consultants (4689)

Address: 712 Main St

Suite L1

Buffalo, NY 14202

Attn:

Project: Pilgrim Village

Location: 91 Nora Lane, Buffalo, NY

Number: 20-1002 DB-A

Order #: 388883

 Matrix
 Bulk

 Received
 10/06/20

 Reported
 10/07/20

PO Number:

| Sample ID Cust. Sample ID | Location | | | | | |
|--------------------------------------------------|----------------------------|--------|-----|----------------|---------------|---------|
| Parameter | Method | Result | RL* | Units | Analysis Date | Analyst |
| 38883-001 600-1 | | | | | | |
| Semi-volatile Organic Compou Aroclor - 1016 | unds SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1221 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1232 | SW846 8082A | <384 | 383 | μg/kg μg/kg | 10/06/20 | THN |
| Aroclor - 1242 | SW846 8082A | <384 | 383 | | 10/06/20 | THN |
| | | | | μg/kg | | |
| Aroclor - 1248 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1254 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1260 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1262 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| Aroclor - 1268 | SW846 8082A | <384 | 383 | μg/kg | 10/06/20 | THN |
| PCB - Surrogate Recoveries | | | | | | |
| DCB | MI | | | | | |
| TCMX | 89% | | | | | |
| 388883-002 600-2 Semi-volatile Organic Compos | undo | | | | | |
| Aroclor - 1016 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1221 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1232 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1242 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1248 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1254 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1260 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1262 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| Aroclor - 1268 | SW846 8082A | <417 | 417 | μg/kg | 10/06/20 | THN |
| PCB - Surrogate Recoveries | 0110-10 000 <u>2</u> 71 | 7711 | 711 | M9/1/9 | 10/00/20 | |
| DCB | 84% | | | | | |
| TCMX | 99% | | | | | |

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and *Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = $\mu g/kg$ and Water PPM = mg/L | PPB = $\mu g/L$. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: AMD Environmental Consultants (4689)

Address: 712 Main St

Suite L1

Buffalo, NY 14202

Attn:

Project: Pilgrim Village

Location: 91 Nora Lane, Buffalo, NY

LNumber: 20-1002 DB-A

Order #: 388883

Matrix Bulk

Received 10/06/20 **Reported** 10/07/20

PO Number:

| Sample ID Cust. Sample ID | Location | | | | | |
|------------------------------|-------------|--------|-----|-------|---------------|---------|
| Parameter | Method | Result | RL* | Units | Analysis Date | Analyst |
| 388883-003 600-3 | | | | | | |
| Semi-volatile Organic Compou | nds | | | | | |
| Aroclor - 1016 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1221 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1232 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1242 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1248 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1254 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1260 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1262 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| Aroclor - 1268 | SW846 8082A | <411 | 410 | μg/kg | 10/06/20 | THN |
| DCP Surrogata Pasavarias | | | | | | |

PCB - Surrogate Recoveries

DCB MI TCMX 88%

388883-10/07/20 01:15 PM

Reviewed By: **Jennifer Lee**Manager

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and *Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = $\mu g/kg$ and Water PPM = mg/L | PPB = $\mu g/L$. The test results reported relate only to the samples submitted.



Analysis Report

Schneider Laboratories Global, Inc

2512 W. Cary Street • Richmond, Virginia • 23220-5117 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475

Customer: AMD Environmental Consultants (4689)

Address: 712 Main St

Suite L1

Buffalo, NY 14202

Attn:

Project: Pilgrim Village

Location: 91 Nora Lane, Buffalo, NY

Number: 20-1002 DB-A

Order #: 388883

Matrix Bulk

Received 10/06/20 **Reported** 10/07/20

PO Number:

Sample ID Cust. Sample ID Location

Parameter Method Result RL* Units Analysis Date Analyst

State Certifications

| Method | Parameter | New York | Virginia | |
|-------------|----------------|----------------|-----------------|--|
| SW846 8082A | Aroclor - 1016 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1221 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1232 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1242 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1248 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1254 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1260 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1262 | ELAP Certified | VELAP Certified | |
| SW846 8082A | Aroclor - 1268 | ELAP Certified | VELAP Certified | |

| State | Certificate Number | | | | | | | |
|----------|--------------------|--|--|--|--|--|--|--|
| New York | ELAP 61372 | | | | | | | |
| Virginia | VELAP 10779 | | | | | | | |

All internal QC parameters were met. Unusual sample conditions, if any, are described. Surrogate Spike results designated with "D" indicate that the analyte was diluted out. "MI" indicates matrix interference. Concentration and *Reporting Limit (RL) based on areas provided by client. Values are reported to three significant figures. Solid PPM = mg/kg | PPB = $\mu g/kg$ and Water PPM = mg/L | PPB = $\mu g/L$. The test results reported relate only to the samples submitted.



AMD Environmental Consultants, Inc.

712 Main St. Suite L1

Buffalo, NY 14202

O: 716 833-0043 | F:716 241-8689

www.amdenvironmental.com

3.0 Chain of Custody

20-1002DBA 10 Pilgrim Village Apts.



SCHNEIDER LABORATORIES GLOBAL, INC.

2512 West Cary Street, Richmond, Virginia 23220-5117 804-353-6778 • 800-785-LABS (5227) • Fax 804-359-1475 e-mail: info@slabinc.com www.slabinc.com

388883

V:\388\388883

| nraizi |
|--------|
| |
| |
| |
| |

10/6/2020 10:32:21 AM

Federal Express 816061930217

| Submitting Co. AMD F | | | - | 1 | , La | b W | 0# | | | <u> </u> | | Pho | ne | ÷. | | | | | 77 | | | 1 1 | |
|---------------------------------------------------------|----------------------|------------------|------------------|--------------------|------------------|----------------|-------------------|------------------------|-----------------|-------------------------|-------------------|-----------------------|--------------------------|---------------------|-------------------|--------------------|-----------------------|---------------------------|------------------|-----------------|------------------------------|--------------|------|
| 712 Main St | 1018 1 | en | <u>те</u> | nota | | Acct | # | | | | | Fax | (1) | | | | | | | | | | |
| | | | | 1 12 3.1 | | State | | | | | | Ema **Ce | ORNAGONA DAG | | — v | | _ | | | | | 4.4 | |
| Buffale, N9 | 14 | Le | 2 | <u>.</u> | Co | llect | lon | | | | | Requ | red | | ПΥ | 78 | | No | | | | | |
| Project Name: Pisim | lla | ~ | | <u> </u> | 00 | | | | | | | | i i | | anal | ysis | Red | jues | t | | | Oth | er |
| Project Location: 9 Neve L | 54 2 | | | 150 | <u>th</u> | | 4 | x | 7 | | | | | | | | - | | | | μĹ | | |
| Project Number: 20-1002DB | -/} | - 1 | | | | 1 | •• | | | | | | | Gas [| | | | | | - Full | 3082 | | - % |
| Purchase Order# | | | | | | _ | | | | | | | | NS. | | g | | | | VOAs | PCB's 8082 | | |
| TAT Requested 1 1 2 Special Instructions [include requ | □ 3 | reno | □ 4 | | 尺 | 1 | | 10 | 201 | | | | | 801 | | Closed | | | | | o o | | |
| Opecial instructions [include requ | | ii spe | Ciaii | epon | ung c | n ua | ua pa | CKay | #8] | | | | | | | it C | | | 0 | Herb | 8151 | | |
| | | | | | | 1 | | | - | | | lene | | Diesel | | Flashpoint, | | 8270 | 귶 | | ides | | |
| | | | | | | 1 | | | | | | Naphthalene | | 8015M | | | 8260 | | 8310 By HPLC | □ Pest □ | Herbicides 8151 | | |
| | | La | b U | se | | | N | /latr | ix | | | Nag | 3021 |)8 CC 8 | | <u></u> | 8 | | | BNAs [| | | - |
| | | | | | | | | | | | | | Purgeable Aromatics 8021 | | | Reactivity | 624 | Semivolatile Organics 625 | 8270 | | 8081 | | |
| | Jers | (C) | * | | Vater | ater | /ater | dge | | Ąi | | MTBE | roms | Petrol Hydrocarbons | П | Ā D | Volatile Organics 624 | O | | TCLP Semi-Vols | П 8 | | |
| | Containers | Chlorine (CI) | Temp | 표 | Drinking Water | Waste Water | Ground Water | Soil / Sludge | Wipe | ō | Bulk | | aple / | Hydr | | | org ∈ | olatile | | semi- | les 6(| | |
| ***Date ***Timi | 38333 ··· | ᅙ | | | Drink | Was | G | Soil | | ō | | BTEX | -agin, | etro | TPH 418.1 | Corrosivity | olatile | emilyc | PAHs 610 | 디 | Pesficides 608 | aty i | |
| Sampled Sampled Sample | 88888 | | | | | | | | | | | <u>m</u> | 11. | | - | Ö | > | o, | Δ. | - | а. | | - |
| 600-1 | | | | | | . | | | | | | <u></u> | | | | | ; | | | | U | | |
| 600-1 6ce-2 6cc-3 | | | | | | | | | - | | | | , | | | | | | | | V | | |
| Coc-3 | | | | | | | | | | | | | | | ÷ | | | | | - | V | | |
| | | | | | | | | - | | | | | | | | | | - | | | | | |
| | | | | | | | | | - 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | - 1 | | | | | . " | | | |
| | | | | | | | | | | | | | | | | | | | 2 | | | | - 4 |
| | | | | 50 F | | | | - | | | | 2. | | | - | | | - | | | | | - |
| | | | | | | | | | | | | | | | | | | ٠. | | | | | |
| | | | | | | | | | | | | | | | | | | • • | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| All soil and a Failure t | aqueous o perforr | sampl n a sai | es mus nple d | st be s luplica | ent in te ana | adequ lysis | uate qu due to | ı uantity a lack | for du of sa | I Iplicate mple q | analys uantity | sis to be will lea | perfori d to a d | ned pei lisclaim | EPA r er on th | equiren e repoi | ents. t. | | | | | | |
| | | | Po | lingi | iishe | d to | Jab | by | | | | | | | - : | | | 1 | Ş | ample | Dispover req. | osal | |
| Sampled by | | | ~6e | | | - 1- | -1 | | | | 1 | | | | | | | 1 | 11 | Dofor to | | dula) | |
| Sampled by | NAN | NE _ |) [] | v | 1 | 1 | <u> Sa</u> | S | | | | | | | | | | | Return | to Se | nder (s | hipping f | ees) |
| Sampled by NAME David Batt | | NATU | 1) | | 1 | 1 | Ser [] | St M | 9 | - | | | | | | | | | Returr Dispos | to Se sal by | | shipping for | ees) |
| NAME David Bat | SIG | | VG IRE | le le | 1 | 2 | Sa [] 2 | st c | 9 | - - | | | | | | | | | Returr Dispos | to Sesal by I | nder (s ab (\$50 g Met | shipping for | |



AMD Environmental Consultants, Inc.

712 Main St. Suite L1 Buffalo, NY 14202 O: 716 833-0043 | F:716 241-8689 www.amdenvironmental.com

Appendix A- Laboratory Certification



AMD Environmental Consultants, Inc.

712 Main St. Suite L1 Buffalo, NY 14202

Office: 716-833-0043 Fax: 716-241-8689 www.amdenvironmental.com

NEW YORK STATE DEPARTMENT OF HEALTH WADSWORTH CENTER



Expires 12:01 AM April 01, 2021 Issued April 01, 2020

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. FAYEZ ABOUZAKI SCHNEIDER LABORATORIES GLOBAL, INC 2512 WEST CARY STREET RICHMOND, VA 23220-5117 NY Lab Id No: 11413

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2003) for the category ENVIRONMENTAL ANALYSES NON POTABLE WATER All approved analytes are listed below:

| Metals I | | Metals II | |
|------------------|----------------------------|----------------------------|---------------------------|
| Barium, Total | EPA 200.7, Rev. 4.4 (1994) | Beryllium, Total | EPA 6010D |
| | EPA 6010D | Mercury, Total | EPA 245.1, Rev. 3.0 (1994 |
| Cadmium, Total | EPA 200.7, Rev. 4.4 (1994) | | EPA 7470A |
| | EPA 6010D | Selenium, Total | EPA 200.7, Rev. 4.4 (1994 |
| Calcium, Total | EPA 6010D | Department | EPA 6010D |
| Chromium, Total | EPA 200.7, Rev. 4.4 (1994) | Vanadium, Total | EPA 6010D |
| | EPA 6010D | Zinc, Total | EPA 6010D |
| Copper, Total | EPA 6010D | Metals III | |
| Iron, Total | EPA 6010D | Cobalt, Total | EPA 6010D |
| Lead, Total | EPA 200.7, Rev. 4.4 (1994) | Molybdenum, Total | EPA 6010D |
| | EPA 6010D | Thallium, Total | EPA 6010D |
| | EPA 7000B | Tin, Total | EPA 6010D |
| | EPA 200.9 Rev. 2.2 (1994) | Titanium, Total | EPA 6010D |
| Magnesium, Total | EPA 6010D | | |
| Manganese, Total | EPA 6010D | Sample Preparation Methods | |
| Nickel, Total | EPA 6010D | | EPA 3010A |
| Potassium, Total | EPA 6010D | | EPA 3005A |
| Silver, Total | EPA 200.7, Rev. 4.4 (1994) | | EPA 3020A |
| | EPA 6010D | | |
| Sodium, Total | EPA 6010D | | |
| letals II | | | |
| Aluminum, Total | EPA 6010D | | |
| Antimony, Total | EPA 6010D | | |
| Arsenic, Total | EPA 200.7, Rev. 4.4 (1994) | | |
| | EPA 6010D | | |
| | | | |

Serial No.: 61371

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

Page 1 of 1



APPENDIX G RI FISH AND WILDLIFE RESOURCES IMPACT ANALYSIS



| | Appendix 3C Fish and Wildlife Resources Impact Analysis Decision Key | If YES Go to: | If NO Go to: |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| 1. | Is the site or area of concern a discharge or spill event? | (13) | 2 |
| 2. | Is the site or area of concern a point source of contamination to the groundwater which will be prevented from discharging to surface water? Soil contamination is not widespread, or if widespread, is confined under buildings and paved areas. | 13 | 3 |
| 3. | Is the site and all adjacent property a developed area with buildings, paved surfaces and little or no vegetation? | 4 | 9 |
| 4. | Does the site contain habitat of an endangered, threatened or special concern species? | Section 3.10.1 | 5 |
| 5. | Has the contamination gone off-site? | 6 | 14 |
| 6. | Is there any discharge or erosion of contamination to surface water or the potential for discharge or erosion of contamination? | 7 | 14 |
| 7. | Are the site contaminants PCBs, pesticides or other persistent, bioaccumulable substances? | Section 3.10.1 | 8 |
| 8. | Does contamination exist at concentrations that could exceed ecological impact SCGs or be toxic to aquatic life if discharged to surface water? | Section 3.10.1 | 14 |
| 9. | Does the site or any adjacent or downgradient property contain any of the following resources? i. Any endangered, threatened or special concern species or rare plants or their habitat ii. Any DEC designated significant habitats or rare NYS Ecological Communities iii. Tidal or freshwater wetlands iv. Stream, creek or river v. Pond, lake, lagoon vi. Drainage ditch or channel vii. Other surface water feature viii. Other marine or freshwater habitat ix. Forest x. Grassland or grassy field xi. Parkland or woodland xii. Shrubby area xiii. Urban wildlife habitat xiv. Other terrestrial habitat | 11 | 10 |
| 10. | Is the lack of resources due to the contamination? | 3.10.1 | 14 |
| 11. | Is the contamination a localized source which has not migrated and will not migrate from the source to impact any on-site or off-site resources? | 14 | 12 |
| 12. | Does the site have widespread surface soil contamination that is not confined under and around buildings or paved areas? | Section 3.10.1 | 12 |
| 13. | Does the contamination at the site or area of concern have the potential to migrate to, erode into or otherwise impact any on-site or off-site habitat of endangered, threatened or special concern species or other fish and wildlife resource? (See #9 for list of potential resources. Contact DEC for information regarding endangered species.) | Section 3.10.1 | (14 |
| 14. | No Fish and Wildlife Resources Impact Analysis needed. | | |

APPENDIX H ALTERNATIVE COST ESTIMATES





PILGRIM VILLAGE SENIOR REMEDIAL ALTERNATIVE COST ESTIMATES

| ALTERNATIVE 1- REMDIATE TO TRACK 1 - UNRESTRICTED USE | | | | | | | | | | | |
|-------------------------------------------------------|--------------|----------|--------------------------|--|--|--|--|--|--|--|--|
| Item | Unit Cost | Quantity | Total | | | | | | | | |
| Mobilization/Demobilization (LS) | \$10,000 | 1 | \$10,000 | | | | | | | | |
| Excavation/Transport/Disposal at Landfill (LS) | \$1,200,000 | 1 | \$1,200,000 | | | | | | | | |
| Disposal Sampling (LS) | \$30,000 | 1 | \$30,000 | | | | | | | | |
| Imported Clean Fill Assess Sampling (LS) | \$20,000 | 1 | \$20,000 | | | | | | | | |
| Import/Place Clean Fill (Tons) | \$25 | 23000 | \$575,000 | | | | | | | | |
| Building Demolition & Asbestos Removal | \$250,000 | 1 | \$250,000 | | | | | | | | |
| Remediation Total Engineering | | | \$2,085,000 \$187,366 | | | | | | | | |
| Total Cost | st \$2,272,3 | | | | | | | | | | |

Assumptions:

- 1) Excavation of 5' of impacted soil to unrestricted SCOs and all assumed non-hazardous (1.96 Ac Total)
- 2) Backfill excavation green space areas with clean approved offsite fill and clean fill to the bottom of the hardscape minimum 1' asphalt/concre
- 3) Asssume existing buildings to be demolished and no groundwater treatment required.

| ALTERNATIVE 2- REMEDIATE TO TRACK 2 - RESIDENTIAL | | | |
|---------------------------------------------------|-----------|-------------|--------------------------|
| ltem | Unit Cost | Quantity | Total |
| Mobilization/Demobilization (LS) | \$10,000 | 1 | \$10,000 |
| Excavation/Transport/Disposal at Landfill (LS) | \$950,000 | 1 | \$950,000 |
| Disposal Sampling (LS) | \$30,000 | 1 | \$30,000 |
| Imported Clean Fill Assess Sampling (LS) | \$16,000 | 1 | \$16,000 |
| Import/Place Clean Fill (Tons) | \$25 | 19000 | \$475,000 |
| Building Demolition & Asbestos Removal | \$250,000 | 1 | \$250,000 |
| Remediation Total Engineering | | | \$1,731,000 \$187,366 |
| Total Cost | | \$1,918,366 | 5 |

Assumptions:

- 1) Excavation of up to 5' of impacted soil to Residential SCOs and all assumed non-hazardous (1.96 Ac Total)
- 2) Backfill excavation green space areas with clean approved offsite fill and clean fill to the bottom of the hardscape minimum 1' asphalt/concre
- 3) Asssume existing buildings to be demolished and no groundwater control/monitoring required.



PILGRIM VILLAGE SENIOR REMEDIAL ALTERNATIVE COST ESTIMATES

| ALTERNATIVE 3- REMEDIATE TO TRACK 4 - RESTRICTED RESIDENTIAL | | | |
|--------------------------------------------------------------|-----------|-------------|--------------------------|
| Item | Unit Cost | Quantity | Total |
| Mobilization/Demobilization (LS) | \$10,000 | 1 | \$10,000 |
| Excavation/Transport/Disposal at Landfill (Tons) | \$500,000 | 1 | \$500,000 |
| Disposal Sampling (LS) | \$10,000 | 1 | \$10,000 |
| Imported Clean Fill Assess Sampling (LS) | \$9,000 | 1 | \$9,000 |
| Import/Place Clean Fill (Tons) | \$25 | 5500 | \$137,500 |
| Hardscape (SF) | \$4 | 33000 | \$132,000 |
| Building Demolition & Asbestos Removal | \$250,000 | 1 | \$250,000 |
| Remediation Total Engineering | | | \$1,048,500 \$187,366 |
| Total Cost | | \$1,235,860 | 6 |

Assumptions:

- 1) Excavation of 2' of impacted soil green-space areas and excavate 1' from future hardscape areas and all assumed non-hazardous (2.96 Ac Total
- 2) Backfill excavation green space areas with clean approved offsite fill and hardscape asphalt/concrete with 8" stone base total min. 1' thick.
- 3) Asssume existing buildings to be demolished and no groundwater treatment required.

APPENDIX J RI CAMP DUST DATA





Work Location Map

Site Name: Pilgrim Village Date: Monday, January 11th, 2021

Work Location/Dust Monitor Location Map



LEGEND

Up Dust Monitor Location (Upwind)

Dust Monitor / PID Location (Downwind)

Work Location

| Site Name: | Pilgrim Village Date: | Monday, January 11th, 2021 |
|----------------------------------------------------------|---------------------------------------------------|----------------------------|
| | Upwind Data | |
| Model: Serial Number: Start Date/Time: Duration | Guardian 2 0504671 1/11/21 10:10 AM 2:10 | |
| Date / Time | PM10 15min Avg (µg/m³) | |
| 1/11/2021 10:10 | 19.3 | |
| 1/11/2021 10:20 | 10.3 | |
| 1/11/2021 10:30 | 11 | |
| 1/11/2021 10:40 | 11.5 | |
| 1/11/2021 10:50 | 9.8 | |
| 1/11/2021 11:00 | 9.5 | |
| 1/11/2021 11:10 | 13.2 | |
| 1/11/2021 11:20 | 15 | |
| 1/11/2021 11:30 | 11.7 | |
| 1/11/2021 11:40 | 8.6 | |
| 1/11/2021 11:50 | 9.5 | |
| 1/11/2021 12:00 | 9.5 | |

1/11/2021 12:10

1/11/2021 12:20

11.8

11.3

| Site Name: Pilgrim Village Date: | Monday, January 11th 2021 |
|----------------------------------|---------------------------|
|----------------------------------|---------------------------|

Downwind Data

 Model:
 Guardian 2

 Serial Number:
 0504672

 Start Date/Time:
 1/11/21 10:10 AM

 Duration
 2:00

Date/Time PM10 15min Average (μg/m³)

| 1/11/2021 10:10 | 5.3 |
|-----------------|-----|
| 1/11/2021 10:20 | 5.7 |
| 1/11/2021 10:30 | 6.8 |
| 1/11/2021 10:40 | 8.2 |
| 1/11/2021 10:50 | 7.6 |
| 1/11/2021 11:00 | 7.6 |
| 1/11/2021 11:10 | 9.7 |
| 1/11/2021 11:20 | 9.3 |
| 1/11/2021 11:30 | 8.1 |
| 1/11/2021 11:40 | 6 |
| 1/11/2021 11:50 | 5.4 |
| 1/11/2021 12:00 | 5.3 |
| 1/11/2021 12:10 | 7.2 |



Work Location Map

Site Name: Pilgrim Village Date: Tuesday, January 19th, 2021

Work Location/Dust Monitor Location Map



LEGEND

Up Dust Monitor Location (Upwind)

Dust Monitor / PID Location (Downwind)

Work Location

Upwind Data

Model: Guardian 2
Serial Number: 0504671
Start Date/Time: 1/19/21 9:30 AM
Duration 5:00

Date / Time PM10 15min Avg (μg/m³)

1/19/2021 9:30 59.1 1/19/2021 9:40 12.8 1/19/2021 9:50 11.1 1/19/2021 10:20 9 1/19/2021 10:30 10.1 1/19/2021 10:40 8.3 1/19/2021 10:50 13 1/19/2021 11:00 7.9 1/19/2021 11:10 7.9 1/19/2021 11:20 7.6 1/19/2021 11:30 7.7 1/19/2021 11:40 8.4 1/19/2021 11:50 7.8 1/19/2021 12:00 40.8 1/19/2021 12:10 8.7 1/19/2021 12:20 9.3 1/19/2021 12:30 50 1/19/2021 12:40 18.3 1/19/2021 12:50 10.4 1/19/2021 13:00 16.9 1/19/2021 13:10 16 1/19/2021 13:20 18.3 1/19/2021 13:30 5.8 1/19/2021 13:40 4.6 1/19/2021 13:50 4.1 1/19/2021 14:00 3.4 1/19/2021 14:10 4.2 1/19/2021 14:20 3.4 1/19/2021 14:30 3.8

Downwind Data

Model: Guardian 2
Serial Number: 0504672
Start Date/Time: 1/19/21 9:30 AM
Duration 5:00

Site Name:

1/19/2021 13:40

1/19/2021 13:50

1/19/2021 14:00

1/19/2021 14:10

1/19/2021 14:20

1/19/2021 14:30

Date/Time PM10 15min Average (µg/m³) 1/19/2021 9:30 8.2 6.1 1/19/2021 9:40 1/19/2021 9:50 5.8 1/19/2021 10:20 4.2 1/19/2021 10:30 3.9 1/19/2021 10:40 3.6 1/19/2021 10:50 3.8 1/19/2021 11:00 3.7 1/19/2021 11:10 4.1 1/19/2021 11:20 4.5 1/19/2021 11:30 7.2 1/19/2021 11:40 5.3 1/19/2021 11:50 4.7 1/19/2021 12:00 5.6 5.2 1/19/2021 12:10 1/19/2021 12:20 4.8 1/19/2021 12:30 6.3 1/19/2021 12:40 10.3 1/19/2021 12:50 7.7 1/19/2021 13:00 5.5 1/19/2021 13:10 5 3.9 1/19/2021 13:20 1/19/2021 13:30 3.9

3.6

3.8

3.6

3.5


3 3.7



Work Location Map

Site Name: Pilgrim Village Date: Wednesday, February 3rd, 2021

Work Location/Dust Monitor Location Map



LEGEND

Dust Monitor Location (Upwind)

Dust Monitor / PID Location (Downwind)

Work Location

Upwind Data

Model: Guardian 2
Serial Number: 0504671
Start Date/Time: 2/3/21 9:20 AM
Duration 2:30

| PM10 15min Avg (μg/m³) |
|------------------------|
| 5.9 |
| 4.7 |
| 5.6 |
| 6.2 |
| 7.8 |
| 7.3 |
| 7.1 |
| 8.2 |
| 9.3 |
| 10.5 |
| 11 |
| 10.8 |
| 9.7 |
| 8.4 |
| 6.8 |
| 7.9 |
| |

Downwind Data

 Model:
 Guardian 2

 Serial Number:
 0504672

 Start Date/Time:
 2/3/21 9:20AM

 Duration
 2:30

| Date/Time | PM10 15min Average (μg/m³) |
|----------------|----------------------------|
| 2/3/2021 9:20 | 2.6 |
| 2/3/2021 9:30 | 2.2 |
| 2/3/2021 9:40 | 2.4 |
| 2/3/2021 9:50 | 2.6 |
| 2/3/2021 10:00 | 2.8 |
| 2/3/2021 10:10 | 3.8 |
| 2/3/2021 10:20 | 4.8 |
| 2/3/2021 10:30 | 6.5 |
| 2/3/2021 10:40 | 7.5 |
| 2/3/2021 10:50 | 8.6 |
| 2/3/2021 11:00 | 6.8 |
| 2/3/2021 11:10 | 6.5 |
| 2/3/2021 11:20 | 5.9 |
| 2/3/2021 11:30 | 5.7 |
| 2/3/2021 11:40 | 4.8 |
| 2/3/2021 11:50 | 5.2 |
| | |